

DELAWARE

2017 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4123	755,763	3245	81.2	79.6-82.8	878	18.8	17.2-20.4
Male	1841	361,024	1466	82.0	79.6-84.4	375	18.0	15.6-20.4
Female	2282	394,739	1779	80.4	78.2-82.6	503	19.6	17.4-21.8
White/Non-Hisp	2736	478,885	2203	82.1	80.1-84.1	533	17.9	15.9-19.9
Black or Afr. Am./Non-Hisp	583	152,804	457	82.2	78.1-86.3	126	17.8	13.7-21.9
Oth. Race/Non-Hisp.	193	37,144	153	83.4	76.7-90.1	40	16.6	9.9-23.3
Hispanic	445	58,782	309	73.1	67.4-78.8	136	26.9	21.2-32.6
18-24	261	88,941	230	86.1	80.2-92.0	31	13.9	8.0-19.8
25-34	468	126,126	400	87.2	83.1-91.3	68	12.8	8.7-16.9
35-44	475	112,766	376	83.0	78.9-87.1	99	17.0	12.9-21.1
45-54	646	122,653	497	80.5	76.8-84.2	149	19.5	15.8-23.2
55-64	878	132,161	673	78.8	75.1-82.5	205	21.2	17.5-24.9
65+	1395	173,116	1069	75.3	72.4-78.2	326	24.7	21.8-27.6
Less Than H.S.	439	88,221	244	63.1	56.8-69.4	195	36.9	30.6-43.2
H.S. or G.E.D.	1172	235,174	854	76.4	73.1-79.7	318	23.6	20.3-26.9
Some Post-H.S.	1016	216,565	815	83.0	79.9-86.1	201	17.0	13.9-20.1
College Graduate	1473	211,466	1313	92.3	90.7-93.9	160	7.7	6.1- 9.3
Less than \$15,000	329	50,851	175	55.1	47.5-62.7	154	44.9	37.3-52.5
\$15,000- 24,999	611	102,259	386	67.1	62.0-72.2	225	32.9	27.8-38.0
\$25,000- 34,999	384	65,860	296	77.7	71.6-83.8	88	22.3	16.2-28.4
\$35,000- 49,999	469	87,889	389	86.7	83.2-90.2	80	13.3	9.8-16.8
\$50,000- 74,999	489	94,591	429	86.7	82.2-91.2	60	13.3	8.8-17.8
\$75,000+	1033	203,142	959	93.7	91.7-95.7	74	6.3	4.3- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	361,024	1466	82.0	79.6-84.4	375	18.0	15.6-20.4
White/Non-Hisp	1212	228,882	994	82.6	79.7-85.5	218	17.4	14.5-20.3
Black or Afr. Am./Non-Hisp	225	70,370	173	83.9	78.2-89.6	52	16.1	10.4-21.8
Oth. Race/Non-Hisp.	118	20,276	94	85.9	78.6-93.2	24	14.1	6.8-21.4
Hispanic	213	27,121	152	76.1	68.7-83.5	61	23.9	16.5-31.3
18-24	154	45,142	135	85.8	77.8-93.8	19	14.2	6.2-22.2
25-34	241	63,224	207	89.6	84.5-94.7	34	10.4	5.3-15.5
35-44	219	54,837	179	86.7	81.4-92.0	40	13.3	8.0-18.6
45-54	289	58,619	221	79.3	73.6-85.0	68	20.7	15.0-26.4
55-64	354	62,141	274	78.7	72.6-84.8	80	21.3	15.2-27.4
65+	584	77,062	450	75.0	70.3-79.7	134	25.0	20.3-29.7
Less Than H.S.	215	42,935	122	62.2	52.8-71.6	93	37.8	28.4-47.2
H.S. or G.E.D.	545	118,967	406	77.8	73.1-82.5	139	22.2	17.5-26.9
Some Post-H.S.	429	103,887	358	86.9	82.8-91.0	71	13.1	9.0-17.2
College Graduate	639	92,007	569	91.7	89.3-94.1	70	8.3	5.9-10.7
Less than \$15,000	120	18,115	59	49.4	36.7-62.1	61	50.6	37.9-63.3
\$15,000- 24,999	251	44,595	158	67.4	59.6-75.2	93	32.6	24.8-40.4
\$25,000- 34,999	165	31,648	127	72.3	61.9-82.7	38	27.7	17.3-38.1
\$35,000- 49,999	212	41,281	178	87.5	82.6-92.4	34	12.5	7.6-17.4
\$50,000- 74,999	253	50,064	219	83.8	76.7-90.9	34	16.2	9.1-23.3
\$75,000+	509	109,457	467	93.7	91.2-96.2	42	6.3	3.8- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	394,739	1779	80.4	78.2-82.6	503	19.6	17.4-21.8
White/Non-Hisp	1524	250,002	1209	81.6	79.1-84.1	315	18.4	15.9-20.9
Black or Afr. Am./Non-Hisp	358	82,434	284	80.8	75.1-86.5	74	19.2	13.5-24.9
Oth. Race/Non-Hisp.	75	16,868	59	80.3	68.3-92.3	16	19.7	7.7-31.7
Hispanic	232	31,661	157	70.5	62.5-78.5	75	29.5	21.5-37.5
18-24	107	43,799	95	86.5	77.7-95.3	12	13.5	4.7-22.3
25-34	227	62,902	193	84.7	78.0-91.4	34	15.3	8.6-22.0
35-44	256	57,929	197	79.5	73.2-85.8	59	20.5	14.2-26.8
45-54	357	64,034	276	81.6	76.9-86.3	81	18.4	13.7-23.1
55-64	524	70,020	399	78.9	74.6-83.2	125	21.1	16.8-25.4
65+	811	96,054	619	75.7	72.0-79.4	192	24.3	20.6-28.0
Less Than H.S.	224	45,286	122	64.0	55.8-72.2	102	36.0	27.8-44.2
H.S. or G.E.D.	627	116,207	448	75.0	70.5-79.5	179	25.0	20.5-29.5
Some Post-H.S.	587	112,678	457	79.5	74.8-84.2	130	20.5	15.8-25.2
College Graduate	834	119,458	744	92.8	90.8-94.8	90	7.2	5.2- 9.2
Less than \$15,000	209	32,736	116	58.2	48.8-67.6	93	41.8	32.4-51.2
\$15,000- 24,999	360	57,664	228	67.0	60.3-73.7	132	33.0	26.3-39.7
\$25,000- 34,999	219	34,212	169	82.7	76.2-89.2	50	17.3	10.8-23.8
\$35,000- 49,999	257	46,608	211	86.0	81.1-90.9	46	14.0	9.1-18.9
\$50,000- 74,999	236	44,528	210	89.9	85.2-94.6	26	10.1	5.4-14.8
\$75,000+	524	93,685	492	93.8	91.1-96.5	32	6.2	3.5- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4048	741,366	2571	66.0	64.0-68.0	890	21.7	19.9-23.5	587	12.3	10.9-13.7
Male	1809	353,587	1184	67.7	64.8-70.6	390	21.2	18.5-23.9	235	11.1	9.1-13.1
Female	2239	387,779	1387	64.4	61.7-67.1	500	22.3	19.9-24.7	352	13.3	11.3-15.3
White/Non-Hisp	2688	470,135	1647	63.3	60.8-65.8	629	23.3	21.1-25.5	412	13.4	11.6-15.2
Black or Afr. Am./Non-Hisp	576	150,073	388	70.8	65.7-75.9	115	19.4	14.9-23.9	73	9.8	6.7-12.9
Oth. Race/Non-Hisp.	191	37,048	134	79.3	72.4-86.2	37	13.1	7.6-18.6	20	7.6	3.1-12.1
Hispanic	432	57,144	311	72.7	66.8-78.6	75	18.3	13.2-23.4	46	9.0	5.5-12.5
18-24	253	85,034	168	66.4	58.8-74.0	72	28.6	21.3-35.9	13	5.0	1.3- 8.7
25-34	460	124,159	324	69.6	63.5-75.7	100	21.3	16.2-26.4	36	9.2	5.1-13.3
35-44	472	111,953	342	74.0	68.9-79.1	91	19.3	14.6-24.0	39	6.8	4.1- 9.5
45-54	638	121,381	378	60.9	55.8-66.0	160	25.9	21.2-30.6	100	13.1	10.0-16.2
55-64	867	131,125	527	64.6	60.5-68.7	178	19.0	15.7-22.3	162	16.5	13.4-19.6
65+	1358	167,715	832	62.6	59.3-65.9	289	19.3	16.8-21.8	237	18.1	15.4-20.8
Less Than H.S.	426	87,241	253	61.5	54.8-68.2	90	21.6	15.9-27.3	83	17.0	12.1-21.9
H.S. or G.E.D.	1144	226,227	721	66.3	62.4-70.2	234	20.1	16.8-23.4	189	13.7	11.2-16.2
Some Post-H.S.	999	213,705	616	64.9	61.0-68.8	223	21.3	18.0-24.6	160	13.8	10.9-16.7
College Graduate	1456	209,817	962	68.7	65.6-71.8	341	24.0	20.9-27.1	153	7.3	5.9- 8.7
Less than \$15,000	322	50,232	149	50.9	43.3-58.5	71	23.1	16.4-29.8	102	26.0	19.5-32.5
\$15,000- 24,999	601	101,422	321	55.8	50.3-61.3	144	24.0	19.3-28.7	136	20.2	15.9-24.5
\$25,000- 34,999	379	65,435	242	67.9	61.2-74.6	80	18.4	13.1-23.7	57	13.7	8.4-19.0
\$35,000- 49,999	467	87,196	296	65.2	58.7-71.7	112	24.2	18.3-30.1	59	10.6	7.1-14.1
\$50,000- 74,999	484	94,028	327	65.5	59.2-71.8	104	24.2	18.3-30.1	53	10.3	6.6-14.0
\$75,000+	1023	200,675	728	74.0	70.5-77.5	225	21.3	18.0-24.6	70	4.8	3.4- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1809	353,587	1184	67.7	64.8-70.6	390	21.2	18.5-23.9	235	11.1	9.1-13.1
White/Non-Hisp	1191	223,964	753	64.7	61.0-68.4	279	23.5	20.2-26.8	159	11.8	9.4-14.2
Black or Afr. Am./Non-Hisp	221	68,976	148	71.0	63.2-78.8	43	19.4	12.3-26.5	30	9.5	5.2-13.8
Oth. Race/Non-Hisp.	116	20,180	78	80.0	72.0-88.0	24	11.9	5.8-18.0	14	8.1	2.8-13.4
Hispanic	209	26,427	162	82.2	75.7-88.7	29	11.6	6.3-16.9	18	6.2	2.7- 9.7
18-24	149	43,216	99	70.4	61.4-79.4	42	25.7	17.1-34.3	8	3.9	1.0- 6.8
25-34	237	61,568	171	72.2	63.8-80.6	47	19.6	12.2-27.0	19	8.1	3.0-13.2
35-44	217	54,791	164	76.9	69.3-84.5	37	17.4	10.3-24.5	16	5.7	2.0- 9.4
45-54	287	58,507	179	61.8	54.2-69.4	69	27.3	19.9-34.7	39	10.9	6.6-15.2
55-64	348	61,371	224	66.8	60.1-73.5	61	17.2	11.7-22.7	63	16.0	10.9-21.1
65+	571	74,133	347	61.1	56.0-66.2	134	20.9	17.0-24.8	90	18.0	13.5-22.5
Less Than H.S.	212	42,756	125	58.4	48.4-68.4	45	23.2	14.2-32.2	42	18.4	11.0-25.8
H.S. or G.E.D.	531	113,950	355	70.4	64.9-75.9	93	16.5	12.0-21.0	83	13.0	9.3-16.7
Some Post-H.S.	423	102,504	272	68.3	62.4-74.2	102	22.5	17.2-27.8	49	9.2	5.9-12.5
College Graduate	630	91,111	421	68.1	63.4-72.8	149	24.4	19.7-29.1	60	7.5	5.3- 9.7
Less than \$15,000	117	17,461	57	41.3	29.1-53.5	23	28.8	15.5-42.1	37	29.9	17.9-41.9
\$15,000- 24,999	247	43,984	133	55.5	47.1-63.9	60	25.3	17.9-32.7	54	19.2	12.5-25.9
\$25,000- 34,999	164	31,770	104	65.8	55.6-76.0	35	19.1	11.1-27.1	25	15.0	7.4-22.6
\$35,000- 49,999	211	40,835	144	71.7	62.7-80.7	46	20.0	11.6-28.4	21	8.3	4.0-12.6
\$50,000- 74,999	250	49,806	169	63.4	54.4-72.4	59	25.7	17.3-34.1	22	10.8	4.9-16.7
\$75,000+	505	107,998	360	74.7	69.6-79.8	108	20.8	15.9-25.7	37	4.5	2.9- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2239	387,779	1387	64.4	61.7-67.1	500	22.3	19.9-24.7	352	13.3	11.3-15.3
White/Non-Hisp	1497	246,171	894	62.0	58.7-65.3	350	23.2	20.3-26.1	253	14.8	12.4-17.2
Black or Afr. Am./Non-Hisp	355	81,097	240	70.5	64.0-77.0	72	19.4	13.7-25.1	43	10.1	5.6-14.6
Oth. Race/Non-Hisp.	75	16,868	56	78.5	66.7-90.3	13	14.5	4.9-24.1	6	7.0	0.0-14.6
Hispanic	223	30,717	149	64.6	56.0-73.2	46	24.0	16.0-32.0	28	11.4	5.7-17.1
18-24	104	41,818	69	62.4	50.4-74.4	30	31.6	20.2-43.0	5	6.0	0.0-13.1
25-34	223	62,590	153	67.0	58.4-75.6	53	22.9	15.6-30.2	17	10.2	3.9-16.5
35-44	255	57,161	178	71.1	64.2-78.0	54	21.0	14.7-27.3	23	7.9	4.0-11.8
45-54	351	62,874	199	60.1	53.6-66.6	91	24.7	19.0-30.4	61	15.2	10.7-19.7
55-64	519	69,754	303	62.6	57.3-67.9	117	20.5	16.2-24.8	99	16.9	12.8-21.0
65+	787	93,582	485	63.8	59.7-67.9	155	18.0	14.7-21.3	147	18.1	14.8-21.4
Less Than H.S.	214	44,485	128	64.4	55.8-73.0	45	20.0	12.7-27.3	41	15.6	9.5-21.7
H.S. or G.E.D.	613	112,277	366	62.0	56.7-67.3	141	23.7	19.0-28.4	106	14.3	10.6-18.0
Some Post-H.S.	576	111,201	344	61.7	56.2-67.2	121	20.3	16.0-24.6	111	18.0	13.5-22.5
College Graduate	826	118,705	541	69.1	64.8-73.4	192	23.7	19.6-27.8	93	7.2	5.4- 9.0
Less than \$15,000	205	32,771	92	56.0	46.8-65.2	48	20.0	12.7-27.3	65	24.0	16.6-31.4
\$15,000- 24,999	354	57,438	188	56.0	48.7-63.3	84	23.0	17.1-28.9	82	21.0	15.1-26.9
\$25,000- 34,999	215	33,665	138	69.8	61.0-78.6	45	17.7	11.0-24.4	32	12.4	5.1-19.7
\$35,000- 49,999	256	46,361	152	59.4	50.4-68.4	66	28.0	19.6-36.4	38	12.6	7.3-17.9
\$50,000- 74,999	234	44,222	158	67.8	59.2-76.4	45	22.5	14.1-30.9	31	9.7	5.6-13.8
\$75,000+	518	92,676	368	73.1	68.2-78.0	117	21.8	17.3-26.3	33	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4062	748,110	2846	66.9	64.7-69.1	693	19.4	17.4-21.4	523	13.7	12.1-15.3
Male	1814	358,010	1340	70.9	67.8-74.0	267	17.2	14.5-19.9	207	12.0	9.8-14.2
Female	2248	390,100	1506	63.2	60.3-66.1	426	21.5	19.0-24.0	316	15.2	12.8-17.6
White/Non-Hisp	2699	474,306	1872	65.2	62.7-67.7	480	20.9	18.5-23.3	347	13.9	11.9-15.9
Black or Afr. Am./Non-Hisp	575	150,614	417	68.9	63.2-74.6	89	18.2	13.3-23.1	69	12.9	8.8-17.0
Oth. Race/Non-Hisp.	190	37,244	137	75.2	67.2-83.2	26	12.8	6.9-18.7	27	12.0	5.9-18.1
Hispanic	434	57,711	322	75.7	70.2-81.2	63	14.6	9.9-19.3	49	9.7	6.4-13.0
18-24	260	88,865	151	52.9	44.9-60.9	69	29.2	21.9-36.5	40	17.9	11.4-24.4
25-34	465	124,927	284	58.3	51.8-64.8	112	25.0	19.3-30.7	69	16.6	11.5-21.7
35-44	471	112,456	314	63.1	56.8-69.4	90	22.4	16.3-28.5	67	14.6	10.3-18.9
45-54	639	121,618	407	66.5	61.8-71.2	118	17.2	13.5-20.9	114	16.2	12.7-19.7
55-64	859	130,402	584	70.0	65.9-74.1	144	17.3	13.8-20.8	131	12.7	10.0-15.4
65+	1368	169,842	1106	80.9	78.2-83.6	160	11.5	9.3-13.7	102	7.5	5.7- 9.3
Less Than H.S.	427	87,326	299	67.5	60.8-74.2	56	17.5	11.6-23.4	72	14.9	10.4-19.4
H.S. or G.E.D.	1146	230,187	782	64.8	60.7-68.9	180	18.8	15.1-22.5	184	16.4	13.3-19.5
Some Post-H.S.	1007	215,141	679	64.6	60.3-68.9	179	19.6	16.1-23.1	149	15.8	12.5-19.1
College Graduate	1457	210,627	1063	70.8	67.5-74.1	278	21.3	18.4-24.2	116	7.9	5.9- 9.9
Less than \$15,000	323	50,051	177	56.6	49.0-64.2	52	15.5	9.8-21.2	94	28.0	21.1-34.9
\$15,000- 24,999	605	101,938	388	59.6	53.9-65.3	105	19.7	15.0-24.4	112	20.8	16.1-25.5
\$25,000- 34,999	378	65,214	254	64.3	57.4-71.2	84	26.6	19.9-33.3	40	9.1	5.6-12.6
\$35,000- 49,999	467	87,807	314	63.8	57.1-70.5	88	21.3	15.4-27.2	65	14.9	10.2-19.6
\$50,000- 74,999	482	94,014	344	69.5	63.4-75.6	88	20.4	14.9-25.9	50	10.1	6.4-13.8
\$75,000+	1026	201,970	792	72.8	68.7-76.9	163	18.8	15.1-22.5	71	8.4	5.9-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	358,010	1340	70.9	67.8-74.0	267	17.2	14.5-19.9	207	12.0	9.8-14.2
White/Non-Hisp	1196	227,309	889	71.0	67.3-74.7	180	18.1	14.8-21.4	127	11.0	8.6-13.4
Black or Afr. Am./Non-Hisp	220	68,853	163	69.4	60.0-78.8	31	18.1	9.7-26.5	26	12.5	6.2-18.8
Oth. Race/Non-Hisp.	117	20,573	82	75.5	65.7-85.3	16	12.8	5.2-20.4	19	11.6	4.9-18.3
Hispanic	208	26,704	159	77.8	70.2-85.4	30	13.2	6.9-19.5	19	8.9	4.2-13.6
18-24	153	45,066	92	59.9	49.9-69.9	35	23.4	15.2-31.6	26	16.7	9.3-24.1
25-34	239	62,974	150	61.2	52.2-70.2	62	25.4	17.6-33.2	27	13.4	6.7-20.1
35-44	216	54,584	149	64.5	54.5-74.5	36	22.5	12.3-32.7	31	13.0	7.1-18.9
45-54	288	58,623	207	73.9	67.4-80.4	37	13.5	8.2-18.8	44	12.6	8.3-16.9
55-64	343	60,822	256	74.4	67.9-80.9	46	13.7	8.6-18.8	41	11.9	7.2-16.6
65+	575	75,942	486	84.9	81.0-88.8	51	8.4	5.5-11.3	38	6.7	4.0- 9.4
Less Than H.S.	209	42,755	146	66.4	56.6-76.2	32	21.8	12.4-31.2	31	11.8	6.7-16.9
H.S. or G.E.D.	535	116,539	381	68.6	62.5-74.7	77	16.0	10.7-21.3	77	15.3	11.0-19.6
Some Post-H.S.	426	103,536	314	71.7	65.6-77.8	63	17.3	12.0-22.6	49	11.0	6.9-15.1
College Graduate	630	91,547	486	74.6	69.9-79.3	95	16.9	12.8-21.0	49	8.5	5.6-11.4
Less than \$15,000	117	17,838	72	61.0	48.3-73.7	18	18.2	6.6-29.8	27	20.7	11.3-30.1
\$15,000- 24,999	248	44,102	166	63.0	54.6-71.4	44	19.3	12.2-26.4	38	17.7	11.0-24.4
\$25,000- 34,999	164	31,911	111	69.0	59.4-78.6	36	22.1	13.5-30.7	17	8.9	3.6-14.2
\$35,000- 49,999	210	41,199	156	75.6	68.3-82.9	28	12.2	7.1-17.3	26	12.1	6.4-17.8
\$50,000- 74,999	249	49,772	185	72.2	63.8-80.6	37	19.0	11.0-27.0	27	8.8	4.5-13.1
\$75,000+	508	109,382	409	74.5	68.2-80.8	62	16.8	10.7-22.9	37	8.6	5.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2248	390,100	1506	63.2	60.3-66.1	426	21.5	19.0-24.0	316	15.2	12.8-17.6
White/Non-Hisp	1503	246,997	983	59.8	56.1-63.5	300	23.4	20.1-26.7	220	16.7	13.8-19.6
Black or Afr. Am./Non-Hisp	355	81,761	254	68.5	61.6-75.4	58	18.2	12.5-23.9	43	13.3	7.8-18.8
Oth. Race/Non-Hisp.	73	16,671	55	74.8	61.5-88.1	10	12.7	3.5-21.9	8	12.5	1.5-23.5
Hispanic	226	31,007	163	73.8	66.2-81.4	33	15.9	9.2-22.6	30	10.3	5.6-15.0
18-24	107	43,799	59	45.7	33.9-57.5	34	35.2	23.4-47.0	14	19.1	8.5-29.7
25-34	226	61,953	134	55.4	46.4-64.4	50	24.7	16.7-32.7	42	19.9	12.5-27.3
35-44	255	57,872	165	61.7	53.9-69.5	54	22.3	15.6-29.0	36	16.0	9.7-22.3
45-54	351	62,995	200	59.6	53.1-66.1	81	20.7	15.8-25.6	70	19.7	14.2-25.2
55-64	516	69,580	328	66.1	60.8-71.4	98	20.4	15.7-25.1	90	13.5	10.2-16.8
65+	793	93,900	620	77.8	74.1-81.5	109	14.0	10.9-17.1	64	8.2	5.8-10.6
Less Than H.S.	218	44,571	153	68.7	59.7-77.7	24	13.4	6.5-20.3	41	17.9	10.5-25.3
H.S. or G.E.D.	611	113,647	401	61.0	55.3-66.7	103	21.6	16.3-26.9	107	17.4	13.3-21.5
Some Post-H.S.	581	111,605	365	58.1	52.4-63.8	116	21.7	16.8-26.6	100	20.2	15.1-25.3
College Graduate	827	119,080	577	67.9	63.4-72.4	183	24.6	20.5-28.7	67	7.5	4.8-10.2
Less than \$15,000	206	32,213	105	54.1	44.7-63.5	34	13.9	7.8-20.0	67	32.0	23.0-41.0
\$15,000- 24,999	357	57,837	222	56.9	49.5-64.3	61	20.0	13.5-26.5	74	23.1	16.8-29.4
\$25,000- 34,999	214	33,304	143	59.8	50.0-69.6	48	31.0	21.2-40.8	23	9.2	4.7-13.7
\$35,000- 49,999	257	46,608	158	53.4	44.2-62.6	60	29.2	20.0-38.4	39	17.3	10.0-24.6
\$50,000- 74,999	233	44,241	159	66.6	58.0-75.2	51	21.9	14.3-29.5	23	11.5	5.4-17.6
\$75,000+	518	92,588	383	70.7	65.4-76.0	101	21.0	16.5-25.5	34	8.2	4.5-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2689	575,515	2295	87.5	85.7-89.3	394	12.5	10.7-14.3
Male	1235	278,551	1024	86.5	83.8-89.2	211	13.5	10.8-16.2
Female	1454	296,964	1271	88.3	86.1-90.5	183	11.7	9.5-13.9
White/Non-Hisp	1575	336,672	1438	91.1	89.1-93.1	137	8.9	6.9-10.9
Black or Afr. Am./Non-Hisp	458	131,279	418	91.4	88.1-94.7	40	8.6	5.3-11.9
Oth. Race/Non-Hisp.	144	31,063	130	90.4	84.3-96.5	14	9.6	3.5-15.7
Hispanic	401	54,823	209	53.2	45.9-60.5	192	46.8	39.5-54.1
18-24	258	87,809	208	86.5	81.8-91.2	50	13.5	8.8-18.2
25-34	470	125,647	357	82.2	77.1-87.3	113	17.8	12.7-22.9
35-44	470	112,301	374	84.2	80.1-88.3	96	15.8	11.7-19.9
45-54	624	118,437	558	91.8	89.3-94.3	66	8.2	5.7-10.7
55-64	867	131,321	798	92.0	89.6-94.4	69	8.0	5.6-10.4
Less Than H.S.	334	69,016	176	59.6	51.8-67.4	158	40.4	32.6-48.2
H.S. or G.E.D.	785	180,252	643	85.3	82.2-88.4	142	14.7	11.6-17.8
Some Post-H.S.	634	163,402	582	93.3	90.9-95.7	52	6.7	4.3- 9.1
College Graduate	926	159,835	885	95.9	94.1-97.7	41	4.1	2.3- 5.9
Less than \$15,000	257	43,209	194	80.1	73.6-86.6	63	19.9	13.4-26.4
\$15,000- 24,999	409	79,394	302	78.8	73.9-83.7	107	21.2	16.3-26.1
\$25,000- 34,999	231	46,932	184	82.4	75.5-89.3	47	17.6	10.7-24.5
\$35,000- 49,999	283	62,775	248	85.1	78.2-92.0	35	14.9	8.0-21.8
\$50,000- 74,999	299	69,539	273	88.5	82.4-94.6	26	11.5	5.4-17.6
\$75,000+	755	170,093	725	96.1	94.1-98.1	30	3.9	1.9- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1235	278,551	1024	86.5	83.8-89.2	211	13.5	10.8-16.2
White/Non-Hisp	722	164,391	655	90.3	87.2-93.4	67	9.7	6.6-12.8
Black or Afr. Am./Non-Hisp	181	60,878	164	91.8	86.9-96.7	17	8.2	3.3-13.1
Oth. Race/Non-Hisp.	86	16,635	77	91.9	85.6-98.2	9	8.1	1.8-14.4
Hispanic	197	25,552	87	45.5	34.7-56.3	110	54.5	43.7-65.3
18-24	151	44,010	119	84.4	77.1-91.7	32	15.6	8.3-22.9
25-34	241	62,296	176	80.5	72.7-88.3	65	19.5	11.7-27.3
35-44	216	54,482	173	83.9	77.6-90.2	43	16.1	9.8-22.4
45-54	276	55,829	235	91.3	88.2-94.4	41	8.7	5.6-11.8
55-64	351	61,933	321	92.2	88.7-95.7	30	7.8	4.3-11.3
Less Than H.S.	169	35,011	79	52.0	40.2-63.8	90	48.0	36.2-59.8
H.S. or G.E.D.	404	95,243	319	84.2	79.9-88.5	85	15.8	11.5-20.1
Some Post-H.S.	285	81,665	269	96.0	93.3-98.7	16	4.0	1.3- 6.7
College Graduate	371	64,157	352	96.8	95.0-98.6	19	3.2	1.4- 5.0
Less than \$15,000	100	15,794	67	78.2	67.4-89.0	33	21.8	11.0-32.6
\$15,000- 24,999	190	36,276	128	76.1	68.8-83.4	62	23.9	16.6-31.2
\$25,000- 34,999	109	22,872	87	84.6	76.6-92.6	22	15.4	7.4-23.4
\$35,000- 49,999	121	27,756	105	83.6	70.9-96.3	16	16.4	3.7-29.1
\$50,000- 74,999	153	37,673	139	86.6	76.8-96.4	14	13.4	3.6-23.2
\$75,000+	355	90,596	337	95.7	93.2-98.2	18	4.3	1.8- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1454	296,964	1271	88.3	86.1-90.5	183	11.7	9.5-13.9
White/Non-Hisp	853	172,280	783	91.8	89.3-94.3	70	8.2	5.7-10.7
Black or Afr. Am./Non-Hisp	277	70,401	254	91.1	86.8-95.4	23	8.9	4.6-13.2
Oth. Race/Non-Hisp.	58	14,428	53	88.5	77.9-99.1	5	11.5	0.9-22.1
Hispanic	204	29,270	122	60.0	51.0-69.0	82	40.0	31.0-49.0
18-24	107	43,799	89	88.6	82.9-94.3	18	11.4	5.7-17.1
25-34	229	63,351	181	83.9	77.6-90.2	48	16.1	9.8-22.4
35-44	254	57,818	201	84.6	79.3-89.9	53	15.4	10.1-20.7
45-54	348	62,608	323	92.3	88.4-96.2	25	7.7	3.8-11.6
55-64	516	69,388	477	91.7	88.8-94.6	39	8.3	5.4-11.2
Less Than H.S.	165	34,004	97	67.4	58.0-76.8	68	32.6	23.2-42.0
H.S. or G.E.D.	381	85,009	324	86.6	82.1-91.1	57	13.4	8.9-17.9
Some Post-H.S.	349	81,737	313	90.7	86.8-94.6	36	9.3	5.4-13.2
College Graduate	555	95,678	533	95.2	92.7-97.7	22	4.8	2.3- 7.3
Less than \$15,000	157	27,414	127	81.3	73.3-89.3	30	18.7	10.7-26.7
\$15,000- 24,999	219	43,118	174	81.0	74.3-87.7	45	19.0	12.3-25.7
\$25,000- 34,999	122	24,060	97	80.4	69.8-91.0	25	19.6	9.0-30.2
\$35,000- 49,999	162	35,019	143	86.3	79.2-93.4	19	13.7	6.6-20.8
\$50,000- 74,999	146	31,866	134	90.7	84.2-97.2	12	9.3	2.8-15.8
\$75,000+	400	79,496	388	96.5	93.8-99.2	12	3.5	0.8- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4119	756,446	2436	65.1	63.1-67.1	1683	34.9	32.9-36.9
Male	1841	361,222	1072	63.0	60.1-65.9	769	37.0	34.1-39.9
Female	2278	395,224	1364	67.0	64.5-69.5	914	33.0	30.5-35.5
White/Non-Hisp	2732	478,891	1560	63.6	61.2-66.0	1172	36.4	34.0-38.8
Black or Afr. Am./Non-Hisp	583	153,185	302	60.6	55.3-65.9	281	39.4	34.1-44.7
Oth. Race/Non-Hisp.	191	37,315	121	74.9	66.9-82.9	70	25.1	17.1-33.1
Hispanic	448	59,001	355	79.4	72.9-85.9	93	20.6	14.1-27.1
18-24	261	88,941	242	92.3	87.6-97.0	19	7.7	3.0-12.4
25-34	469	126,445	409	85.4	80.5-90.3	60	14.6	9.7-19.5
35-44	476	113,160	382	79.7	74.8-84.6	94	20.3	15.4-25.2
45-54	645	122,578	420	67.7	63.0-72.4	225	32.3	27.6-37.0
55-64	875	132,139	437	46.9	42.6-51.2	438	53.1	48.8-57.4
65+	1393	173,183	546	39.0	35.7-42.3	847	61.0	57.7-64.3
Less Than H.S.	443	89,326	275	62.8	56.3-69.3	168	37.2	30.7-43.7
H.S. or G.E.D.	1173	235,635	643	62.6	58.9-66.3	530	37.4	33.7-41.1
Some Post-H.S.	1010	215,544	612	65.5	61.6-69.4	398	34.5	30.6-38.4
College Graduate	1468	211,114	888	68.4	65.5-71.3	580	31.6	28.7-34.5
Less than \$15,000	329	51,150	175	56.3	48.9-63.7	154	43.7	36.3-51.1
\$15,000- 24,999	616	103,154	351	61.4	56.3-66.5	265	38.6	33.5-43.7
\$25,000- 34,999	385	66,246	210	59.7	52.8-66.6	175	40.3	33.4-47.2
\$35,000- 49,999	468	87,768	257	59.9	53.4-66.4	211	40.1	33.6-46.6
\$50,000- 74,999	486	93,873	288	67.2	61.7-72.7	198	32.8	27.3-38.3
\$75,000+	1032	203,082	674	70.6	67.1-74.1	358	29.4	25.9-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	361,222	1072	63.0	60.1-65.9	769	37.0	34.1-39.9
White/Non-Hisp	1210	228,650	666	60.8	57.3-64.3	544	39.2	35.7-42.7
Black or Afr. Am./Non-Hisp	225	70,370	116	60.8	52.6-69.0	109	39.2	31.0-47.4
Oth. Race/Non-Hisp.	119	20,680	72	71.6	60.8-82.4	47	28.4	17.6-39.2
Hispanic	215	27,242	174	76.9	65.3-88.5	41	23.1	11.5-34.7
18-24	154	45,142	138	90.4	84.3-96.5	16	9.6	3.5-15.7
25-34	241	63,147	206	82.0	74.2-89.8	35	18.0	10.2-25.8
35-44	220	55,241	171	75.0	67.2-82.8	49	25.0	17.2-32.8
45-54	289	58,666	182	66.7	59.8-73.6	107	33.3	26.4-40.2
55-64	353	62,046	157	42.0	35.1-48.9	196	58.0	51.1-64.9
65+	584	76,981	218	36.8	31.7-41.9	366	63.2	58.1-68.3
Less Than H.S.	218	43,623	142	61.5	51.5-71.5	76	38.5	28.5-48.5
H.S. or G.E.D.	546	119,032	305	62.7	57.2-68.2	241	37.3	31.8-42.8
Some Post-H.S.	426	103,020	254	63.4	57.3-69.5	172	36.6	30.5-42.7
College Graduate	637	91,914	360	63.4	58.9-67.9	277	36.6	32.1-41.1
Less than \$15,000	121	18,156	71	49.5	36.8-62.2	50	50.5	37.8-63.2
\$15,000- 24,999	253	44,823	143	59.3	51.3-67.3	110	40.7	32.7-48.7
\$25,000- 34,999	166	32,033	94	60.9	50.5-71.3	72	39.1	28.7-49.5
\$35,000- 49,999	212	41,281	113	59.0	49.2-68.8	99	41.0	31.2-50.8
\$50,000- 74,999	251	49,315	141	63.3	55.1-71.5	110	36.7	28.5-44.9
\$75,000+	508	109,397	308	66.0	60.5-71.5	200	34.0	28.5-39.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2278	395,224	1364	67.0	64.5-69.5	914	33.0	30.5-35.5
White/Non-Hisp	1522	250,241	894	66.3	63.2-69.4	628	33.7	30.6-36.8
Black or Afr. Am./Non-Hisp	358	82,815	186	60.5	53.8-67.2	172	39.5	32.8-46.2
Oth. Race/Non-Hisp.	72	16,635	49	79.0	67.0-91.0	23	21.0	9.0-33.0
Hispanic	233	31,759	181	81.7	75.0-88.4	52	18.3	11.6-25.0
18-24	107	43,799	104	94.2	87.1-100	3	5.8	0.0-12.9
25-34	228	63,298	203	88.8	83.3-94.3	25	11.2	5.7-16.7
35-44	256	57,919	211	84.1	78.6-89.6	45	15.9	10.4-21.4
45-54	356	63,913	238	68.6	62.3-74.9	118	31.4	25.1-37.7
55-64	522	70,094	280	51.1	45.6-56.6	242	48.9	43.4-54.4
65+	809	96,202	328	40.7	36.4-45.0	481	59.3	55.0-63.6
Less Than H.S.	225	45,703	133	64.0	55.6-72.4	92	36.0	27.6-44.4
H.S. or G.E.D.	627	116,603	338	62.5	57.4-67.6	289	37.5	32.4-42.6
Some Post-H.S.	584	112,523	358	67.4	62.3-72.5	226	32.6	27.5-37.7
College Graduate	831	119,200	528	72.3	68.6-76.0	303	27.7	24.0-31.4
Less than \$15,000	208	32,994	104	60.0	51.0-69.0	104	40.0	31.0-49.0
\$15,000- 24,999	363	58,331	208	63.1	56.2-70.0	155	36.9	30.0-43.8
\$25,000- 34,999	219	34,212	116	58.7	49.7-67.7	103	41.3	32.3-50.3
\$35,000- 49,999	256	46,487	144	60.8	52.4-69.2	112	39.2	30.8-47.6
\$50,000- 74,999	235	44,558	147	71.4	64.3-78.5	88	28.6	21.5-35.7
\$75,000+	524	93,685	366	76.0	71.7-80.3	158	24.0	19.7-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCVOL1)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	705,369	3575	90.2	88.8-91.6	108	3.1	2.3- 3.9	199	6.7	5.5- 7.9
Male	1722	338,725	1558	88.6	86.2-91.0	61	4.5	2.7- 6.3	103	6.9	5.1- 8.7
Female	2160	366,644	2017	91.6	89.8-93.4	47	1.9	1.3- 2.5	96	6.5	4.9- 8.1
White/Non-Hisp	2623	450,804	2422	90.0	88.2-91.8	70	3.1	2.1- 4.1	131	6.9	5.3- 8.5
Black or Afr. Am./Non-Hisp	543	143,084	520	94.3	91.4-97.2	6	1.5	0.1- 2.9	17	4.2	1.7- 6.7
Oth. Race/Non-Hisp.	178	34,417	159	89.9	84.0-95.8	5	2.0	0.0- 4.4	14	8.2	2.7-13.7
Hispanic	383	49,985	334	82.7	75.1-90.3	25	10.0	2.7-17.3	24	7.3	3.2-11.4
18-24	198	71,302	144	77.8	71.3-84.3	6	3.6	0.5- 6.7	48	18.6	12.7-24.5
25-34	401	109,736	320	80.5	74.6-86.4	22	5.7	1.8- 9.6	59	13.8	8.9-18.7
35-44	445	106,941	385	86.2	82.1-90.3	26	5.5	2.8- 8.2	34	8.3	4.8-11.8
45-54	620	117,893	577	93.9	91.5-96.3	27	3.1	1.7- 4.5	16	3.0	1.0- 5.0
55-64	864	130,344	822	95.0	93.2-96.8	20	2.2	1.0- 3.4	22	2.8	1.4- 4.2
65+	1354	169,152	1327	97.9	96.9-98.9	7	0.4	0.0- 0.8	20	1.7	0.7- 2.7
Less Than H.S.	388	80,457	329	82.8	76.3-89.3	23	6.5	1.8-11.2	36	10.6	5.7-15.5
H.S. or G.E.D.	1090	214,657	985	89.5	87.0-92.0	41	4.1	2.5- 5.7	64	6.4	4.4- 8.4
Some Post-H.S.	955	202,248	890	91.1	88.4-93.8	17	2.1	0.5- 3.7	48	6.8	4.4- 9.2
College Graduate	1426	203,323	1351	93.2	91.2-95.2	25	1.6	0.8- 2.4	50	5.2	3.4- 7.0
Less than \$15,000	299	45,325	267	88.9	84.2-93.6	9	2.2	0.4- 4.0	23	8.8	4.3-13.3
\$15,000- 24,999	570	94,598	511	89.5	86.2-92.8	27	4.5	2.3- 6.7	32	6.0	3.3- 8.7
\$25,000- 34,999	366	62,324	345	92.1	88.0-96.2	9	2.6	0.4- 4.8	12	5.2	1.5- 8.9
\$35,000- 49,999	451	82,539	415	88.3	82.8-93.8	12	5.7	1.0-10.4	24	6.0	2.9- 9.1
\$50,000- 74,999	466	89,868	434	89.3	84.0-94.6	10	2.4	0.8- 4.0	22	8.3	3.2-13.4
\$75,000+	996	193,965	933	91.4	88.9-93.9	19	2.2	0.8- 3.6	44	6.4	4.2- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1722	338,725	1558	88.6	86.2-91.0	61	4.5	2.7- 6.3	103	6.9	5.1- 8.7
White/Non-Hisp	1157	215,704	1049	87.8	84.9-90.7	42	4.4	2.6- 6.2	66	7.8	5.4-10.2
Black or Afr. Am./Non-Hisp	205	66,110	196	95.6	92.3-98.9	3	2.5	0.0- 5.4	6	1.8	0.0- 3.8
Oth. Race/Non-Hisp.	107	19,110	92	88.3	80.9-95.7	4	3.3	0.0- 7.4	11	8.4	2.1-14.7
Hispanic	185	24,071	159	78.3	64.8-91.8	12	13.8	0.1-27.5	14	7.9	2.2-13.6
18-24	121	37,934	90	77.3	68.5-86.1	4	4.8	0.0- 9.9	27	17.8	10.2-25.4
25-34	210	57,024	158	76.1	67.1-85.1	16	9.8	2.4-17.2	36	14.1	7.4-20.8
35-44	206	52,638	177	84.4	77.7-91.1	11	6.6	1.9-11.3	18	9.0	3.7-14.3
45-54	272	55,532	248	92.4	88.5-96.3	16	3.7	1.7- 5.7	8	3.9	0.4- 7.4
55-64	343	60,250	326	95.5	93.0-98.0	10	2.9	0.7- 5.1	7	1.6	0.2- 3.0
65+	570	75,346	559	98.3	97.1-99.5	4	0.6	0.0- 1.4	7	1.0	0.0- 2.0
Less Than H.S.	189	39,063	153	74.6	63.2-86.0	14	10.3	1.3-19.3	22	15.0	6.0-24.0
H.S. or G.E.D.	499	108,291	436	87.5	83.6-91.4	28	6.1	3.4- 8.8	35	6.4	3.7- 9.1
Some Post-H.S.	402	98,294	373	91.0	87.1-94.9	6	2.8	0.0- 5.7	23	6.1	3.2- 9.0
College Graduate	618	89,445	584	94.2	91.8-96.6	12	1.6	0.6- 2.6	22	4.3	2.1- 6.5
Less than \$15,000	105	15,434	91	89.5	82.8-96.2	3	2.2	0.0- 5.3	11	8.3	2.4-14.2
\$15,000- 24,999	227	39,621	191	83.9	77.2-90.6	15	6.0	2.3- 9.7	21	10.1	4.4-15.8
\$25,000- 34,999	155	30,585	143	89.7	83.2-96.2	4	3.8	0.0- 7.7	8	6.5	1.2-11.8
\$35,000- 49,999	204	39,297	185	84.9	75.3-94.5	9	9.9	0.5-19.3	10	5.2	1.3- 9.1
\$50,000- 74,999	239	47,710	222	90.5	83.6-97.4	8	3.2	0.8- 5.6	9	6.3	0.0-13.0
\$75,000+	491	105,503	457	90.6	86.7-94.5	11	3.0	0.5- 5.5	23	6.4	3.5- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2160	366,644	2017	91.6	89.8-93.4	47	1.9	1.3- 2.5	96	6.5	4.9- 8.1
White/Non-Hisp	1466	235,100	1373	92.0	90.0-94.0	28	1.9	1.1- 2.7	65	6.1	4.3- 7.9
Black or Afr. Am./Non-Hisp	338	76,973	324	93.2	88.9-97.5	3	0.6	0.0- 1.4	11	6.2	1.9-10.5
Oth. Race/Non-Hisp.	71	15,306	67	91.9	82.1- 100	1	0.2	0.0- 0.6	3	7.8	0.0-17.6
Hispanic	198	25,915	175	86.8	79.7-93.9	13	6.5	2.2-10.8	10	6.7	0.6-12.8
18-24	77	33,368	54	78.3	68.7-87.9	2	2.2	0.0- 5.3	21	19.5	10.5-28.5
25-34	191	52,712	162	85.3	77.9-92.7	6	1.3	0.1- 2.5	23	13.4	6.1-20.7
35-44	239	54,303	208	88.0	82.9-93.1	15	4.4	1.9- 6.9	16	7.6	3.1-12.1
45-54	348	62,361	329	95.1	92.4-97.8	11	2.6	0.8- 4.4	8	2.3	0.3- 4.3
55-64	521	70,094	496	94.5	92.0-97.0	10	1.7	0.5- 2.9	15	3.8	1.4- 6.2
65+	784	93,806	768	97.5	95.9-99.1	3	0.2	0.0- 0.4	13	2.3	0.9- 3.7
Less Than H.S.	199	41,395	176	90.5	85.8-95.2	9	3.0	0.5- 5.5	14	6.5	2.4-10.6
H.S. or G.E.D.	591	106,366	549	91.5	88.4-94.6	13	2.0	0.8- 3.2	29	6.5	3.8- 9.2
Some Post-H.S.	553	103,955	517	91.3	87.4-95.2	11	1.4	0.4- 2.4	25	7.3	3.4-11.2
College Graduate	808	113,878	767	92.5	89.8-95.2	13	1.6	0.6- 2.6	28	5.9	3.4- 8.4
Less than \$15,000	194	29,891	176	88.6	82.3-94.9	6	2.3	0.1- 4.5	12	9.1	3.0-15.2
\$15,000- 24,999	343	54,977	320	93.6	90.5-96.7	12	3.4	1.0- 5.8	11	3.0	1.0- 5.0
\$25,000- 34,999	211	31,739	202	94.5	89.2-99.8	5	1.5	0.0- 3.1	4	4.0	0.0- 9.1
\$35,000- 49,999	247	43,242	230	91.4	86.3-96.5	3	1.8	0.0- 4.2	14	6.8	2.3-11.3
\$50,000- 74,999	227	42,158	212	88.0	80.2-95.8	2	1.4	0.0- 3.4	13	10.5	2.7-18.3
\$75,000+	505	88,462	476	92.3	89.0-95.6	8	1.1	0.3- 1.9	21	6.5	3.2- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3641	651,139	2218	65.4	63.2-67.6	1423	34.6	32.4-36.8
Male	1598	311,691	953	62.8	59.5-66.1	645	37.2	33.9-40.5
Female	2043	339,448	1265	67.8	65.1-70.5	778	32.2	29.5-34.9
White/Non-Hisp	2467	416,070	1428	62.8	60.3-65.3	1039	37.2	34.7-39.7
Black or Afr. Am./Non-Hisp	520	135,561	333	67.8	62.1-73.5	187	32.2	26.5-37.9
Oth. Race/Non-Hisp.	161	31,037	106	68.8	58.8-78.8	55	31.2	21.2-41.2
Hispanic	355	46,083	260	73.8	66.0-81.6	95	26.2	18.4-34.0
18-24	150	58,047	140	90.9	84.4-97.4	10	9.1	2.6-15.6
25-34	339	94,349	287	84.0	78.1-89.9	52	16.0	10.1-21.9
35-44	408	97,589	311	74.7	68.2-81.2	97	25.3	18.8-31.8
45-54	596	112,709	385	64.5	59.4-69.6	211	35.5	30.4-40.6
55-64	835	125,486	457	54.8	50.3-59.3	378	45.2	40.7-49.7
65+	1313	162,960	638	48.8	45.5-52.1	675	51.2	47.9-54.5
Less Than H.S.	348	70,527	213	63.3	55.9-70.7	135	36.7	29.3-44.1
H.S. or G.E.D.	1008	197,909	592	63.4	59.1-67.7	416	36.6	32.3-40.9
Some Post-H.S.	900	187,619	549	65.7	61.6-69.8	351	34.3	30.2-38.4
College Graduate	1364	191,272	848	67.7	64.6-70.8	516	32.3	29.2-35.4
Less than \$15,000	272	40,922	157	59.6	51.4-67.8	115	40.4	32.2-48.6
\$15,000- 24,999	528	87,826	304	63.9	58.4-69.4	224	36.1	30.6-41.6
\$25,000- 34,999	352	58,877	194	62.9	55.8-70.0	158	37.1	30.0-44.2
\$35,000- 49,999	425	77,411	258	61.6	54.5-68.7	167	38.4	31.3-45.5
\$50,000- 74,999	441	81,201	266	66.6	60.9-72.3	175	33.4	27.7-39.1
\$75,000+	946	180,398	616	68.2	63.9-72.5	330	31.8	27.5-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	311,691	953	62.8	59.5-66.1	645	37.2	33.9-40.5
White/Non-Hisp	1078	197,198	606	60.7	57.0-64.4	472	39.3	35.6-43.0
Black or Afr. Am./Non-Hisp	198	64,141	124	62.7	52.9-72.5	74	37.3	27.5-47.1
Oth. Race/Non-Hisp.	94	17,052	59	68.2	54.9-81.5	35	31.8	18.5-45.1
Hispanic	169	22,026	124	69.0	55.5-82.5	45	31.0	17.5-44.5
18-24	94	31,169	89	92.2	84.4- 100	5	7.8	0.0-15.6
25-34	173	48,930	141	80.4	71.0-89.8	32	19.6	10.2-29.0
35-44	187	47,809	133	69.0	58.2-79.8	54	31.0	20.2-41.8
45-54	259	52,506	153	55.6	47.4-63.8	106	44.4	36.2-52.6
55-64	333	58,236	182	52.3	45.0-59.6	151	47.7	40.4-55.0
65+	552	73,040	255	47.8	42.5-53.1	297	52.2	46.9-57.5
Less Than H.S.	165	32,283	102	58.9	47.3-70.5	63	41.1	29.5-52.7
H.S. or G.E.D.	456	99,858	280	64.2	57.5-70.9	176	35.8	29.1-42.5
Some Post-H.S.	377	92,083	224	63.2	56.7-69.7	153	36.8	30.3-43.3
College Graduate	588	84,707	337	61.5	56.6-66.4	251	38.5	33.6-43.4
Less than \$15,000	94	14,153	51	51.2	36.9-65.5	43	48.8	34.5-63.1
\$15,000- 24,999	203	35,434	118	61.0	52.0-70.0	85	39.0	30.0-48.0
\$25,000- 34,999	146	28,480	81	58.1	46.5-69.7	65	41.9	30.3-53.5
\$35,000- 49,999	192	37,088	115	56.5	45.7-67.3	77	43.5	32.7-54.3
\$50,000- 74,999	228	43,611	136	67.3	59.3-75.3	92	32.7	24.7-40.7
\$75,000+	464	98,261	281	63.8	57.3-70.3	183	36.2	29.7-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2043	339,448	1265	67.8	65.1-70.5	778	32.2	29.5-34.9
White/Non-Hisp	1389	218,872	822	64.7	61.4-68.0	567	35.3	32.0-38.6
Black or Afr. Am./Non-Hisp	322	71,420	209	72.3	66.2-78.4	113	27.7	21.6-33.8
Oth. Race/Non-Hisp.	67	13,985	47	69.6	54.3-84.9	20	30.4	15.1-45.7
Hispanic	186	24,056	136	78.1	70.3-85.9	50	21.9	14.1-29.7
18-24	56	26,878	51	89.3	78.9-99.7	5	10.7	0.3-21.1
25-34	166	45,418	146	87.8	81.1-94.5	20	12.2	5.5-18.9
35-44	221	49,780	178	80.1	73.4-86.8	43	19.9	13.2-26.6
45-54	337	60,202	232	72.2	66.3-78.1	105	27.8	21.9-33.7
55-64	502	67,249	275	56.9	51.4-62.4	227	43.1	37.6-48.6
65+	761	89,920	383	49.6	45.1-54.1	378	50.4	45.9-54.9
Less Than H.S.	183	38,244	111	66.9	57.7-76.1	72	33.1	23.9-42.3
H.S. or G.E.D.	552	98,051	312	62.6	57.1-68.1	240	37.4	31.9-42.9
Some Post-H.S.	523	95,537	325	68.1	63.0-73.2	198	31.9	26.8-37.0
College Graduate	776	106,565	511	72.6	68.5-76.7	265	27.4	23.3-31.5
Less than \$15,000	178	26,769	106	64.0	54.2-73.8	72	36.0	26.2-45.8
\$15,000- 24,999	325	52,392	186	65.9	59.2-72.6	139	34.1	27.4-40.8
\$25,000- 34,999	206	30,396	113	67.5	59.5-75.5	93	32.5	24.5-40.5
\$35,000- 49,999	233	40,322	143	66.4	58.2-74.6	90	33.6	25.4-41.8
\$50,000- 74,999	213	37,589	130	65.8	57.6-74.0	83	34.2	26.0-42.4
\$75,000+	482	82,137	335	73.6	68.5-78.7	147	26.4	21.3-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1	MALES AND FEMALES	29
2	MALES ONLY	30
3	FEMALES ONLY	31
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4	MALES AND FEMALES	32
5	MALES ONLY	33
6	FEMALES ONLY	34
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7	MALES AND FEMALES	35
8	MALES ONLY	36
9	FEMALES ONLY	37
	COMPUTED ASTHMA STATUS (_ASTHMS1)	
10	MALES AND FEMALES	38
11	MALES ONLY	39
12	FEMALES ONLY	40
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13	MALES AND FEMALES	41
14	MALES ONLY	42
15	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4103	752,683	357	6.4	5.6- 7.2	3746	93.6	92.8-94.4
Male	1831	358,535	185	7.3	5.9- 8.7	1646	92.7	91.3-94.1
Female	2272	394,147	172	5.7	4.5- 6.9	2100	94.3	93.1-95.5
White/Non-Hisp	2728	478,127	266	7.6	6.4- 8.8	2462	92.4	91.2-93.6
Black or Afr. Am./Non-Hisp	578	151,388	42	5.0	3.2- 6.8	536	95.0	93.2-96.8
Oth. Race/Non-Hisp.	190	36,925	18	5.4	1.5- 9.3	172	94.6	90.7-98.5
Hispanic	442	58,074	20	3.0	1.2- 4.8	422	97.0	95.2-98.8
18-24	260	88,831	1	0.4	0.0- 1.2	259	99.6	98.8- 100
25-34	468	126,292	4	1.5	0.0- 3.3	464	98.5	96.7- 100
35-44	473	112,175	11	2.1	0.5- 3.7	462	97.9	96.3-99.5
45-54	645	122,224	36	4.0	2.4- 5.6	609	96.0	94.4-97.6
55-64	872	130,628	77	8.3	5.9-10.7	795	91.7	89.3-94.1
65+	1385	172,532	228	16.3	13.8-18.8	1157	83.7	81.2-86.2
Less Than H.S.	436	87,854	44	6.6	4.1- 9.1	392	93.4	90.9-95.9
H.S. or G.E.D.	1167	234,933	117	7.7	5.9- 9.5	1050	92.3	90.5-94.1
Some Post-H.S.	1006	214,211	96	6.8	5.0- 8.6	910	93.2	91.4-95.0
College Graduate	1469	210,856	97	4.4	3.2- 5.6	1372	95.6	94.4-96.8
Less than \$15,000	330	50,942	40	7.6	4.7-10.5	290	92.4	89.5-95.3
\$15,000- 24,999	611	102,154	78	10.0	7.3-12.7	533	90.0	87.3-92.7
\$25,000- 34,999	380	65,051	47	9.3	5.8-12.8	333	90.7	87.2-94.2
\$35,000- 49,999	464	86,290	43	7.1	4.4- 9.8	421	92.9	90.2-95.6
\$50,000- 74,999	490	94,814	33	4.8	2.4- 7.2	457	95.2	92.8-97.6
\$75,000+	1030	202,630	50	3.7	2.3- 5.1	980	96.3	94.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	358,535	185	7.3	5.9- 8.7	1646	92.7	91.3-94.1
White/Non-Hisp	1207	227,833	140	8.9	6.9-10.9	1067	91.1	89.1-93.1
Black or Afr. Am./Non-Hisp	221	69,000	19	5.5	2.8- 8.2	202	94.5	91.8-97.2
Oth. Race/Non-Hisp.	117	20,560	12	4.2	1.3- 7.1	105	95.8	92.9-98.7
Hispanic	212	26,534	7	2.0	0.2- 3.8	205	98.0	96.2-99.8
18-24	154	45,142	1	0.9	0.0- 2.7	153	99.1	97.3- 100
25-34	239	62,941	1	0.4	0.0- 1.2	238	99.6	98.8- 100
35-44	219	54,699	5	2.7	0.0- 5.6	214	97.3	94.4- 100
45-54	289	58,254	11	3.0	1.0- 5.0	278	97.0	95.0-99.0
55-64	349	60,737	43	11.4	7.1-15.7	306	88.6	84.3-92.9
65+	581	76,761	124	20.0	15.9-24.1	457	80.0	75.9-84.1
Less Than H.S.	214	42,864	26	8.1	4.0-12.2	188	91.9	87.8-96.0
H.S. or G.E.D.	544	118,733	60	8.9	6.2-11.6	484	91.1	88.4-93.8
Some Post-H.S.	422	101,488	46	6.3	3.9- 8.7	376	93.7	91.3-96.1
College Graduate	637	91,818	50	5.7	3.7- 7.7	587	94.3	92.3-96.3
Less than \$15,000	121	18,144	12	6.9	2.0-11.8	109	93.1	88.2-98.0
\$15,000- 24,999	250	44,139	35	10.8	6.5-15.1	215	89.2	84.9-93.5
\$25,000- 34,999	162	31,054	22	11.0	4.7-17.3	140	89.0	82.7-95.3
\$35,000- 49,999	209	40,103	24	8.8	4.7-12.9	185	91.2	87.1-95.3
\$50,000- 74,999	253	50,034	25	6.1	2.8- 9.4	228	93.9	90.6-97.2
\$75,000+	507	109,041	35	4.3	2.5- 6.1	472	95.7	93.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2272	394,147	172	5.7	4.5- 6.9	2100	94.3	93.1-95.5
White/Non-Hisp	1521	250,294	126	6.4	4.8- 8.0	1395	93.6	92.0-95.2
Black or Afr. Am./Non-Hisp	357	82,388	23	4.6	2.2- 7.0	334	95.4	93.0-97.8
Oth. Race/Non-Hisp.	73	16,365	6	7.0	0.0-14.8	67	93.0	85.2- 100
Hispanic	230	31,540	13	3.8	0.9- 6.7	217	96.2	93.3-99.1
18-24	106	43,689				106	100.0	100.0- 100
25-34	229	63,351	3	2.5	0.0- 5.8	226	97.5	94.2- 100
35-44	254	57,476	6	1.4	0.0- 2.8	248	98.6	97.2- 100
45-54	356	63,969	25	5.0	2.6- 7.4	331	95.0	92.6-97.4
55-64	523	69,891	34	5.6	3.1- 8.1	489	94.4	91.9-96.9
65+	804	95,771	104	13.3	10.2-16.4	700	86.7	83.6-89.8
Less Than H.S.	222	44,990	18	5.2	2.1- 8.3	204	94.8	91.7-97.9
H.S. or G.E.D.	623	116,201	57	6.5	4.3- 8.7	566	93.5	91.3-95.7
Some Post-H.S.	584	112,723	50	7.4	4.7-10.1	534	92.6	89.9-95.3
College Graduate	832	119,038	47	3.4	1.8- 5.0	785	96.6	95.0-98.2
Less than \$15,000	209	32,798	28	8.0	4.3-11.7	181	92.0	88.3-95.7
\$15,000- 24,999	361	58,015	43	9.4	5.7-13.1	318	90.6	86.9-94.3
\$25,000- 34,999	218	33,996	25	7.8	4.1-11.5	193	92.2	88.5-95.9
\$35,000- 49,999	255	46,187	19	5.7	2.2- 9.2	236	94.3	90.8-97.8
\$50,000- 74,999	237	44,780	8	3.4	0.1- 6.7	229	96.6	93.3-99.9
\$75,000+	523	93,589	15	3.0	0.6- 5.4	508	97.0	94.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4124	756,667	3531	84.2	82.4-86.0	593	15.8	14.0-17.6
Male	1842	361,557	1633	86.3	83.8-88.8	209	13.7	11.2-16.2
Female	2282	395,110	1898	82.3	79.9-84.7	384	17.7	15.3-20.1
White/Non-Hisp	2739	479,927	2362	84.8	82.6-87.0	377	15.2	13.0-17.4
Black or Afr. Am./Non-Hisp	582	152,360	460	79.9	75.6-84.2	122	20.1	15.8-24.4
Oth. Race/Non-Hisp.	190	37,193	174	90.4	84.3-96.5	16	9.6	3.5-15.7
Hispanic	447	58,889	396	84.8	78.1-91.5	51	15.2	8.5-21.9
18-24	260	88,737	207	74.7	67.3-82.1	53	25.3	17.9-32.7
25-34	470	126,452	395	81.5	76.0-87.0	75	18.5	13.0-24.0
35-44	476	113,160	423	86.2	81.9-90.5	53	13.8	9.5-18.1
45-54	644	122,145	539	85.2	81.9-88.5	105	14.8	11.5-18.1
55-64	878	132,141	754	86.8	83.9-89.7	124	13.2	10.3-16.1
65+	1396	174,032	1213	87.1	84.9-89.3	183	12.9	10.7-15.1
Less Than H.S.	442	89,159	366	76.3	69.4-83.2	76	23.7	16.8-30.6
H.S. or G.E.D.	1174	235,213	998	85.1	82.0-88.2	176	14.9	11.8-18.0
Some Post-H.S.	1015	216,898	866	83.8	80.7-86.9	149	16.2	13.1-19.3
College Graduate	1468	210,568	1278	86.7	84.3-89.1	190	13.3	10.9-15.7
Less than \$15,000	332	51,318	260	74.1	67.0-81.2	72	25.9	18.8-33.0
\$15,000- 24,999	613	102,791	509	81.1	76.6-85.6	104	18.9	14.4-23.4
\$25,000- 34,999	384	66,042	323	81.3	75.6-87.0	61	18.7	13.0-24.4
\$35,000- 49,999	468	87,718	396	84.5	79.0-90.0	72	15.5	10.0-21.0
\$50,000- 74,999	490	94,968	421	83.3	78.0-88.6	69	16.7	11.4-22.0
\$75,000+	1030	202,487	923	90.3	87.9-92.7	107	9.7	7.3-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	361,557	1633	86.3	83.8-88.8	209	13.7	11.2-16.2
White/Non-Hisp	1214	229,322	1082	86.9	84.0-89.8	132	13.1	10.2-16.0
Black or Afr. Am./Non-Hisp	224	70,016	183	81.8	75.1-88.5	41	18.2	11.5-24.9
Oth. Race/Non-Hisp.	116	20,401	105	91.1	84.4-97.8	11	8.9	2.2-15.6
Hispanic	214	27,210	198	86.6	74.3-98.9	16	13.4	1.1-25.7
18-24	153	44,938	129	80.8	72.2-89.4	24	19.2	10.6-27.8
25-34	242	63,265	206	79.8	71.2-88.4	36	20.2	11.6-28.8
35-44	220	55,241	199	86.5	80.0-93.0	21	13.5	7.0-20.0
45-54	289	58,652	255	87.1	82.0-92.2	34	12.9	7.8-18.0
55-64	352	61,744	321	91.1	87.0-95.2	31	8.9	4.8-13.0
65+	586	77,716	523	90.1	87.2-93.0	63	9.9	7.0-12.8
Less Than H.S.	217	43,537	189	78.2	67.2-89.2	28	21.8	10.8-32.8
H.S. or G.E.D.	547	118,795	477	87.4	83.7-91.1	70	12.6	8.9-16.3
Some Post-H.S.	427	103,814	373	85.1	80.2-90.0	54	14.9	10.0-19.8
College Graduate	637	91,779	580	89.4	86.1-92.7	57	10.6	7.3-13.9
Less than \$15,000	122	18,218	104	75.5	63.0-88.0	18	24.5	12.0-37.0
\$15,000- 24,999	251	44,544	210	79.8	72.5-87.1	41	20.2	12.9-27.5
\$25,000- 34,999	165	31,830	149	90.6	84.1-97.1	16	9.4	2.9-15.9
\$35,000- 49,999	212	41,281	190	85.8	76.6-95.0	22	14.2	5.0-23.4
\$50,000- 74,999	254	50,321	226	84.7	76.9-92.5	28	15.3	7.5-23.1
\$75,000+	508	109,423	462	90.7	87.0-94.4	46	9.3	5.6-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	395,110	1898	82.3	79.9-84.7	384	17.7	15.3-20.1
White/Non-Hisp	1525	250,605	1280	82.8	79.9-85.7	245	17.2	14.3-20.1
Black or Afr. Am./Non-Hisp	358	82,344	277	78.3	72.6-84.0	81	21.7	16.0-27.4
Oth. Race/Non-Hisp.	74	16,792	69	89.6	78.8- 100	5	10.4	0.0-21.2
Hispanic	233	31,679	198	83.3	76.4-90.2	35	16.7	9.8-23.6
18-24	107	43,799	78	68.4	56.6-80.2	29	31.6	19.8-43.4
25-34	228	63,187	189	83.2	76.7-89.7	39	16.8	10.3-23.3
35-44	256	57,919	224	85.9	80.2-91.6	32	14.1	8.4-19.8
45-54	355	63,493	284	83.4	78.9-87.9	71	16.6	12.1-21.1
55-64	526	70,397	433	83.0	78.9-87.1	93	17.0	12.9-21.1
65+	810	96,316	690	84.7	81.6-87.8	120	15.3	12.2-18.4
Less Than H.S.	225	45,622	177	74.5	66.1-82.9	48	25.5	17.1-33.9
H.S. or G.E.D.	627	116,418	521	82.8	78.1-87.5	106	17.2	12.5-21.9
Some Post-H.S.	588	113,084	493	82.6	78.3-86.9	95	17.4	13.1-21.7
College Graduate	831	118,789	698	84.6	81.3-87.9	133	15.4	12.1-18.7
Less than \$15,000	210	33,099	156	73.4	65.0-81.8	54	26.6	18.2-35.0
\$15,000- 24,999	362	58,247	299	82.2	76.5-87.9	63	17.8	12.1-23.5
\$25,000- 34,999	219	34,212	174	72.8	64.0-81.6	45	27.2	18.4-36.0
\$35,000- 49,999	256	46,437	206	83.3	76.8-89.8	50	16.7	10.2-23.2
\$50,000- 74,999	236	44,647	195	81.6	74.7-88.5	41	18.4	11.5-25.3
\$75,000+	522	93,064	461	89.7	86.6-92.8	61	10.3	7.2-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4107	751,157	3690	89.4	88.0-90.8	417	10.6	9.2-12.0
Male	1836	358,567	1707	91.9	90.1-93.7	129	8.1	6.3-9.9
Female	2271	392,589	1983	87.0	84.8-89.2	288	13.0	10.8-15.2
White/Non-Hisp	2729	477,399	2460	89.9	88.1-91.7	269	10.1	8.3-11.9
Black or Afr. Am./Non-Hisp	579	151,996	487	85.1	81.2-89.0	92	14.9	11.0-18.8
Oth. Race/Non-Hisp.	189	36,558	179	94.4	89.7-99.1	10	5.6	0.9-10.3
Hispanic	445	57,018	418	92.8	88.9-96.7	27	7.2	3.3-11.1
18-24	257	87,326	223	81.7	74.6-88.8	34	18.3	11.2-25.4
25-34	467	124,322	425	90.3	86.6-94.0	42	9.7	6.0-13.4
35-44	473	112,446	442	92.8	89.9-95.7	31	7.2	4.3-10.1
45-54	643	121,897	555	87.9	84.8-91.0	88	12.1	9.0-15.2
55-64	875	131,845	781	90.4	87.9-92.9	94	9.6	7.1-12.1
65+	1392	173,321	1264	90.6	88.6-92.6	128	9.4	7.4-11.4
Less Than H.S.	438	86,799	381	84.4	79.1-89.7	57	15.6	10.3-20.9
H.S. or G.E.D.	1171	234,300	1056	90.1	87.4-92.8	115	9.9	7.2-12.6
Some Post-H.S.	1011	215,745	902	88.9	86.4-91.4	109	11.1	8.6-13.6
College Graduate	1462	209,485	1327	90.9	88.9-92.9	135	9.1	7.1-11.1
Less than \$15,000	332	51,318	278	79.8	73.1-86.5	54	20.2	13.5-26.9
\$15,000- 24,999	610	101,910	538	87.7	84.0-91.4	72	12.3	8.6-16.0
\$25,000- 34,999	383	66,001	342	86.7	81.4-92.0	41	13.3	8.0-18.6
\$35,000- 49,999	466	85,521	416	91.0	87.9-94.1	50	9.0	5.9-12.1
\$50,000- 74,999	488	94,602	443	89.9	86.0-93.8	45	10.1	6.2-14.0
\$75,000+	1026	201,559	949	93.5	91.7-95.3	77	6.5	4.7- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	358,567	1707	91.9	90.1-93.7	129	8.1	6.3- 9.9
White/Non-Hisp	1210	228,258	1126	91.9	89.7-94.1	84	8.1	5.9-10.3
Black or Afr. Am./Non-Hisp	224	70,016	198	89.6	84.3-94.9	26	10.4	5.1-15.7
Oth. Race/Non-Hisp.	116	20,401	110	95.4	90.7- 100	6	4.6	0.0- 9.3
Hispanic	213	25,398	205	95.2	90.3- 100	8	4.8	0.0- 9.7
18-24	151	44,162	136	86.3	78.1-94.5	15	13.7	5.5-21.9
25-34	239	61,134	226	92.7	88.0-97.4	13	7.3	2.6-12.0
35-44	220	55,241	209	93.9	89.8-98.0	11	6.1	2.0-10.2
45-54	289	58,652	262	89.6	84.9-94.3	27	10.4	5.7-15.1
55-64	352	61,744	329	94.3	91.4-97.2	23	5.7	2.8- 8.6
65+	585	77,634	545	93.0	90.3-95.7	40	7.0	4.3- 9.7
Less Than H.S.	216	41,725	195	88.0	80.9-95.1	21	12.0	4.9-19.1
H.S. or G.E.D.	545	118,019	508	93.5	90.8-96.2	37	6.5	3.8- 9.2
Some Post-H.S.	426	103,731	392	91.0	87.3-94.7	34	9.0	5.3-12.7
College Graduate	635	91,460	598	92.4	89.3-95.5	37	7.6	4.5-10.7
Less than \$15,000	122	18,218	108	81.6	69.8-93.4	14	18.4	6.6-30.2
\$15,000- 24,999	250	44,152	226	89.1	83.8-94.4	24	10.9	5.6-16.2
\$25,000- 34,999	165	31,830	158	95.7	90.6- 100	7	4.3	0.0- 9.4
\$35,000- 49,999	210	39,084	199	94.3	90.4-98.2	11	5.7	1.8- 9.6
\$50,000- 74,999	253	50,207	236	90.8	85.1-96.5	17	9.2	3.5-14.9
\$75,000+	507	109,217	479	94.7	92.2-97.2	28	5.3	2.8- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	392,589	1983	87.0	84.8-89.2	288	13.0	10.8-15.2
White/Non-Hisp	1519	249,141	1334	88.0	85.5-90.5	185	12.0	9.5-14.5
Black or Afr. Am./Non-Hisp	355	81,981	289	81.3	75.6-87.0	66	18.7	13.0-24.4
Oth. Race/Non-Hisp.	73	16,157	69	93.2	84.4- 100	4	6.8	0.0-15.6
Hispanic	232	31,620	213	90.9	85.2-96.6	19	9.1	3.4-14.8
18-24	106	43,164	87	77.1	65.7-88.5	19	22.9	11.5-34.3
25-34	228	63,187	199	88.0	82.3-93.7	29	12.0	6.3-17.7
35-44	253	57,205	233	91.8	87.5-96.1	20	8.2	3.9-12.5
45-54	354	63,245	293	86.3	82.2-90.4	61	13.7	9.6-17.8
55-64	523	70,100	452	87.0	83.3-90.7	71	13.0	9.3-16.7
65+	807	95,688	719	88.6	85.9-91.3	88	11.4	8.7-14.1
Less Than H.S.	222	45,074	186	81.0	73.4-88.6	36	19.0	11.4-26.6
H.S. or G.E.D.	626	116,280	548	86.6	82.1-91.1	78	13.4	8.9-17.9
Some Post-H.S.	585	112,014	510	86.9	83.2-90.6	75	13.1	9.4-16.8
College Graduate	827	118,025	729	89.8	87.3-92.3	98	10.2	7.7-12.7
Less than \$15,000	210	33,099	170	78.8	70.8-86.8	40	21.2	13.2-29.2
\$15,000- 24,999	360	57,758	312	86.7	81.4-92.0	48	13.3	8.0-18.6
\$25,000- 34,999	218	34,171	184	78.4	70.0-86.8	34	21.6	13.2-30.0
\$35,000- 49,999	256	46,437	217	88.3	83.8-92.8	39	11.7	7.2-16.2
\$50,000- 74,999	235	44,394	207	88.8	83.9-93.7	28	11.2	6.3-16.1
\$75,000+	519	92,341	470	92.1	89.4-94.8	49	7.9	5.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4107	751,157	417	10.6	9.2-12.0	159	4.6	3.6- 5.6	3531	84.8	83.2-86.4
Male	1836	358,567	129	8.1	6.3- 9.9	74	4.9	3.3- 6.5	1633	87.0	84.6-89.4
Female	2271	392,589	288	13.0	10.8-15.2	85	4.2	3.0- 5.4	1898	82.8	80.4-85.2
White/Non-Hisp	2729	477,399	269	10.1	8.3-11.9	98	4.6	3.2- 6.0	2362	85.2	83.0-87.4
Black or Afr. Am./Non-Hisp	579	151,996	92	14.9	11.0-18.8	27	5.0	2.8- 7.2	460	80.1	75.8-84.4
Oth. Race/Non-Hisp.	189	36,558	10	5.6	0.9-10.3	5	2.4	0.0- 5.1	174	92.0	86.7-97.3
Hispanic	445	57,018	27	7.2	3.3-11.1	22	5.2	2.5- 7.9	396	87.6	83.1-92.1
18-24	257	87,326	34	18.3	11.2-25.4	16	5.8	2.5- 9.1	207	75.9	68.5-83.3
25-34	467	124,322	42	9.7	6.0-13.4	30	7.4	3.5-11.3	395	82.9	77.8-88.0
35-44	473	112,446	31	7.2	4.3-10.1	19	6.1	2.8- 9.4	423	86.7	82.4-91.0
45-54	643	121,897	88	12.1	9.0-15.2	16	2.5	0.9- 4.1	539	85.3	82.0-88.6
55-64	875	131,845	94	9.6	7.1-12.1	27	3.4	1.6- 5.2	754	87.0	84.1-89.9
65+	1392	173,321	128	9.4	7.4-11.4	51	3.1	1.9- 4.3	1213	87.4	85.2-89.6
Less Than H.S.	438	86,799	57	15.6	10.3-20.9	15	6.0	1.7-10.3	366	78.4	72.1-84.7
H.S. or G.E.D.	1171	234,300	115	9.9	7.2-12.6	58	4.7	3.1- 6.3	998	85.4	82.5-88.3
Some Post-H.S.	1011	215,745	109	11.1	8.6-13.6	36	4.7	2.7- 6.7	866	84.3	81.2-87.4
College Graduate	1462	209,485	135	9.1	7.1-11.1	49	3.8	2.2- 5.4	1278	87.1	84.7-89.5
Less than \$15,000	332	51,318	54	20.2	13.5-26.9	18	5.7	2.6- 8.8	260	74.1	67.0-81.2
\$15,000- 24,999	610	101,910	72	12.3	8.6-16.0	29	5.9	3.2- 8.6	509	81.8	77.3-86.3
\$25,000- 34,999	383	66,001	41	13.3	8.0-18.6	19	5.3	2.4- 8.2	323	81.4	75.7-87.1
\$35,000- 49,999	466	85,521	50	9.0	5.9-12.1	20	4.4	1.3- 7.5	396	86.6	82.3-90.9
\$50,000- 74,999	488	94,602	45	10.1	6.2-14.0	22	6.3	2.2-10.4	421	83.6	78.3-88.9
\$75,000+	1026	201,559	77	6.5	4.7- 8.3	26	2.8	1.2- 4.4	923	90.7	88.3-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	358,567	129	8.1	6.3- 9.9	74	4.9	3.3- 6.5	1633	87.0	84.6-89.4
White/Non-Hisp	1210	228,258	84	8.1	5.9-10.3	44	4.6	2.4- 6.8	1082	87.3	84.4-90.2
Black or Afr. Am./Non-Hisp	224	70,016	26	10.4	5.1-15.7	15	7.8	3.3-12.3	183	81.8	75.1-88.5
Oth. Race/Non-Hisp.	116	20,401	6	4.6	0.0- 9.3	5	4.3	0.0- 9.0	105	91.1	84.4-97.8
Hispanic	213	25,398	8	4.8	0.0- 9.7	7	2.4	0.4- 4.4	198	92.8	87.7-97.9
18-24	151	44,162	15	13.7	5.5-21.9	7	4.1	0.8- 7.4	129	82.3	73.7-90.9
25-34	239	61,134	13	7.3	2.6-12.0	20	10.2	3.5-16.9	206	82.5	74.9-90.1
35-44	220	55,241	11	6.1	2.0-10.2	10	7.4	2.3-12.5	199	86.5	80.0-93.0
45-54	289	58,652	27	10.4	5.7-15.1	7	2.5	0.1- 4.9	255	87.1	82.0-92.2
55-64	352	61,744	23	5.7	2.8- 8.6	8	3.2	0.1- 6.3	321	91.1	87.0-95.2
65+	585	77,634	40	7.0	4.3- 9.7	22	2.9	1.5- 4.3	523	90.1	87.2-93.0
Less Than H.S.	216	41,725	21	12.0	4.9-19.1	6	6.5	0.0-14.1	189	81.6	72.0-91.2
H.S. or G.E.D.	545	118,019	37	6.5	3.8- 9.2	31	5.6	3.1- 8.1	477	88.0	84.3-91.7
Some Post-H.S.	426	103,731	34	9.0	5.3-12.7	19	5.9	2.6- 9.2	373	85.2	80.3-90.1
College Graduate	635	91,460	37	7.6	4.5-10.7	18	2.6	1.2- 4.0	580	89.7	86.4-93.0
Less than \$15,000	122	18,218	14	18.4	6.6-30.2	4	6.2	0.0-12.9	104	75.5	63.0-88.0
\$15,000- 24,999	250	44,152	24	10.9	5.6-16.2	16	8.6	3.1-14.1	210	80.5	73.4-87.6
\$25,000- 34,999	165	31,830	7	4.3	0.0- 9.4	9	5.1	1.2- 9.0	149	90.6	84.1-97.1
\$35,000- 49,999	210	39,084	11	5.7	1.8- 9.6	9	3.7	0.0- 7.4	190	90.6	85.3-95.9
\$50,000- 74,999	253	50,207	17	9.2	3.5-14.9	10	5.9	0.0-12.2	226	84.9	76.9-92.9
\$75,000+	507	109,217	28	5.3	2.8- 7.8	17	3.8	1.1- 6.5	462	90.9	87.4-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	392,589	288	13.0	10.8-15.2	85	4.2	3.0- 5.4	1898	82.8	80.4-85.2
White/Non-Hisp	1519	249,141	185	12.0	9.5-14.5	54	4.7	2.9- 6.5	1280	83.3	80.4-86.2
Black or Afr. Am./Non-Hisp	355	81,981	66	18.7	13.0-24.4	12	2.7	1.1- 4.3	277	78.6	72.9-84.3
Oth. Race/Non-Hisp.	73	16,157	4	6.8	0.0-15.6				69	93.2	84.4- 100
Hispanic	232	31,620	19	9.1	3.4-14.8	15	7.5	3.0-12.0	198	83.4	76.5-90.3
18-24	106	43,164	19	22.9	11.5-34.3	9	7.7	2.0-13.4	78	69.4	57.6-81.2
25-34	228	63,187	29	12.0	6.3-17.7	10	4.8	0.9- 8.7	189	83.2	76.7-89.7
35-44	253	57,205	20	8.2	3.9-12.5	9	4.9	1.0- 8.8	224	86.9	81.2-92.6
45-54	354	63,245	61	13.7	9.6-17.8	9	2.6	0.4- 4.8	284	83.7	79.2-88.2
55-64	523	70,100	71	13.0	9.3-16.7	19	3.6	1.6- 5.6	433	83.4	79.3-87.5
65+	807	95,688	88	11.4	8.7-14.1	29	3.3	1.7- 4.9	690	85.2	82.1-88.3
Less Than H.S.	222	45,074	36	19.0	11.4-26.6	9	5.7	1.0-10.4	177	75.4	67.0-83.8
H.S. or G.E.D.	626	116,280	78	13.4	8.9-17.9	27	3.7	1.9- 5.5	521	82.9	78.2-87.6
Some Post-H.S.	585	112,014	75	13.1	9.4-16.8	17	3.5	1.1- 5.9	493	83.4	79.3-87.5
College Graduate	827	118,025	98	10.2	7.7-12.7	31	4.6	2.2- 7.0	698	85.1	81.8-88.4
Less than \$15,000	210	33,099	40	21.2	13.2-29.2	14	5.4	2.1- 8.7	156	73.4	65.0-81.8
\$15,000- 24,999	360	57,758	48	13.3	8.0-18.6	13	3.8	1.3- 6.3	299	82.9	77.2-88.6
\$25,000- 34,999	218	34,171	34	21.6	13.2-30.0	10	5.5	1.2- 9.8	174	72.9	64.1-81.7
\$35,000- 49,999	256	46,437	39	11.7	7.2-16.2	11	5.0	0.1- 9.9	206	83.3	76.8-89.8
\$50,000- 74,999	235	44,394	28	11.2	6.3-16.1	12	6.8	1.7-11.9	195	82.1	75.2-89.0
\$75,000+	519	92,341	49	7.9	5.2-10.6	9	1.7	0.3- 3.1	461	90.4	87.5-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4120	755,666	1262	25.3	23.5-27.1	2858	74.7	72.9-76.5
Male	1836	360,665	457	21.3	18.8-23.8	1379	78.7	76.2-81.2
Female	2284	395,001	805	29.0	26.6-31.4	1479	71.0	68.6-73.4
White/Non-Hisp	2730	478,569	951	29.2	27.0-31.4	1779	70.8	68.6-73.0
Black or Afr. Am./Non-Hisp	584	153,142	150	20.1	16.2-24.0	434	79.9	76.0-83.8
Oth. Race/Non-Hisp.	191	36,825	41	13.9	7.6-20.2	150	86.1	79.8-92.4
Hispanic	448	58,789	66	13.8	9.5-18.1	382	86.2	81.9-90.5
18-24	259	88,339	10	4.0	1.3- 6.7	249	96.0	93.3-98.7
25-34	470	126,486	31	9.8	5.5-14.1	439	90.2	85.9-94.5
35-44	473	112,075	59	13.1	9.0-17.2	414	86.9	82.8-91.0
45-54	647	122,812	173	25.0	20.9-29.1	474	75.0	70.9-79.1
55-64	879	132,600	329	36.4	32.1-40.7	550	63.6	59.3-67.9
65+	1392	173,352	660	47.2	43.9-50.5	732	52.8	49.5-56.1
Less Than H.S.	441	88,743	108	26.5	20.6-32.4	333	73.5	67.6-79.4
H.S. or G.E.D.	1172	235,042	393	26.3	23.2-29.4	779	73.7	70.6-76.8
Some Post-H.S.	1010	215,948	335	27.9	24.2-31.6	675	72.1	68.4-75.8
College Graduate	1472	211,105	423	21.4	18.9-23.9	1049	78.6	76.1-81.1
Less than \$15,000	329	50,853	131	35.7	28.4-43.0	198	64.3	57.0-71.6
\$15,000- 24,999	614	102,990	207	31.4	26.3-36.5	407	68.6	63.5-73.7
\$25,000- 34,999	383	66,154	130	26.0	20.3-31.7	253	74.0	68.3-79.7
\$35,000- 49,999	468	87,646	150	26.0	20.9-31.1	318	74.0	68.9-79.1
\$50,000- 74,999	489	94,898	161	26.4	21.1-31.7	328	73.6	68.3-78.9
\$75,000+	1030	202,290	248	18.8	15.9-21.7	782	81.2	78.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	360,665	457	21.3	18.8-23.8	1379	78.7	76.2-81.2
White/Non-Hisp	1206	228,434	338	24.0	20.9-27.1	868	76.0	72.9-79.1
Black or Afr. Am./Non-Hisp	224	70,169	50	19.2	12.9-25.5	174	80.8	74.5-87.1
Oth. Race/Non-Hisp.	118	20,518	28	13.3	6.2-20.4	90	86.7	79.6-93.8
Hispanic	214	26,977	19	7.9	3.4-12.4	195	92.1	87.6-96.6
18-24	152	44,540	6	5.5	0.8-10.2	146	94.5	89.8-99.2
25-34	241	63,135	11	7.4	1.7-13.1	230	92.6	86.9-98.3
35-44	218	54,814	22	10.2	5.1-15.3	196	89.8	84.7-94.9
45-54	290	58,778	63	19.9	14.2-25.6	227	80.1	74.4-85.8
55-64	353	62,104	124	35.0	28.1-41.9	229	65.0	58.1-71.9
65+	582	77,294	231	39.4	34.3-44.5	351	60.6	55.5-65.7
Less Than H.S.	216	43,230	39	21.8	14.0-29.6	177	78.2	70.4-86.0
H.S. or G.E.D.	543	118,322	142	20.3	16.2-24.4	401	79.7	75.6-83.8
Some Post-H.S.	423	103,216	108	23.9	18.4-29.4	315	76.1	70.6-81.6
College Graduate	640	92,264	167	19.8	16.3-23.3	473	80.2	76.7-83.7
Less than \$15,000	120	17,826	31	22.5	12.5-32.5	89	77.5	67.5-87.5
\$15,000- 24,999	252	44,786	65	30.5	22.1-38.9	187	69.5	61.1-77.9
\$25,000- 34,999	164	31,942	42	24.4	15.4-33.4	122	75.6	66.6-84.6
\$35,000- 49,999	212	41,281	56	22.4	15.3-29.5	156	77.6	70.5-84.7
\$50,000- 74,999	253	50,209	80	26.1	18.7-33.5	173	73.9	66.5-81.3
\$75,000+	507	109,094	110	15.6	11.7-19.5	397	84.4	80.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2284	395,001	805	29.0	26.6-31.4	1479	71.0	68.6-73.4
White/Non-Hisp	1524	250,135	613	34.0	30.9-37.1	911	66.0	62.9-69.1
Black or Afr. Am./Non-Hisp	360	82,972	100	21.0	15.9-26.1	260	79.0	73.9-84.1
Oth. Race/Non-Hisp.	73	16,307	13	14.7	3.7-25.7	60	85.3	74.3-96.3
Hispanic	234	31,812	47	18.8	12.1-25.5	187	81.2	74.5-87.9
18-24	107	43,799	4	2.5	0.0- 5.0	103	97.5	95.0- 100
25-34	229	63,351	20	12.2	5.9-18.5	209	87.8	81.5-94.1
35-44	255	57,262	37	15.8	9.7-21.9	218	84.2	78.1-90.3
45-54	357	64,034	110	29.6	23.7-35.5	247	70.4	64.5-76.3
55-64	526	70,497	205	37.6	32.3-42.9	321	62.4	57.1-67.7
65+	810	96,059	429	53.4	49.1-57.7	381	46.6	42.3-50.9
Less Than H.S.	225	45,512	69	31.0	22.6-39.4	156	69.0	60.6-77.4
H.S. or G.E.D.	629	116,720	251	32.4	27.7-37.1	378	67.6	62.9-72.3
Some Post-H.S.	587	112,731	227	31.6	26.7-36.5	360	68.4	63.5-73.3
College Graduate	832	118,841	256	22.7	19.2-26.2	576	77.3	73.8-80.8
Less than \$15,000	209	33,028	100	42.8	33.4-52.2	109	57.2	47.8-66.6
\$15,000- 24,999	362	58,204	142	32.1	25.8-38.4	220	67.9	61.6-74.2
\$25,000- 34,999	219	34,212	88	27.4	20.0-34.8	131	72.6	65.2-80.0
\$35,000- 49,999	256	46,365	94	29.2	21.8-36.6	162	70.8	63.4-78.2
\$50,000- 74,999	236	44,689	81	26.8	19.5-34.1	155	73.2	65.9-80.5
\$75,000+	523	93,196	138	22.5	18.2-26.8	385	77.5	73.2-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4106	753,463	634	12.9	11.5-14.3	614	12.2	11.0-13.4	2858	74.9	73.1-76.7
Male	1827	358,999	216	10.4	8.4-12.4	232	10.5	8.7-12.3	1379	79.1	76.6-81.6
Female	2279	394,464	418	15.2	13.2-17.2	382	13.7	11.9-15.5	1479	71.1	68.7-73.5
White/Non-Hisp	2718	476,595	466	14.0	12.2-15.8	473	14.9	13.3-16.5	1779	71.1	68.9-73.3
Black or Afr. Am./Non-Hisp	584	153,142	79	11.6	8.3-14.9	71	8.5	6.0-11.0	434	79.9	76.0-83.8
Oth. Race/Non-Hisp.	190	36,709	22	10.3	4.2-16.4	18	3.3	1.3- 5.3	150	86.4	80.1-92.7
Hispanic	448	58,789	31	6.4	3.5- 9.3	35	7.4	4.3-10.5	382	86.2	81.9-90.5
18-24	259	88,339	3	0.9	0.0- 1.9	7	3.1	0.6- 5.6	249	96.0	93.3-98.7
25-34	469	126,367	20	8.0	3.9-12.1	10	1.7	0.3- 3.1	439	90.3	86.0-94.6
35-44	472	111,952	31	6.3	3.6- 9.0	27	6.7	3.6- 9.8	414	87.0	82.9-91.1
45-54	647	122,812	102	13.9	10.6-17.2	71	11.1	8.2-14.0	474	75.0	70.9-79.1
55-64	877	132,455	178	19.9	16.2-23.6	149	16.4	13.3-19.5	550	63.7	59.4-68.0
65+	1382	171,537	300	20.9	18.2-23.6	350	25.7	22.8-28.6	732	53.4	50.1-56.7
Less Than H.S.	439	87,722	63	14.3	9.8-18.8	43	11.3	7.2-15.4	333	74.4	68.7-80.1
H.S. or G.E.D.	1168	234,765	202	13.0	10.6-15.4	187	13.2	10.8-15.6	779	73.8	70.7-76.9
Some Post-H.S.	1004	215,153	173	16.5	13.4-19.6	156	11.2	9.0-13.4	675	72.3	68.6-76.0
College Graduate	1470	210,994	196	8.8	7.2-10.4	225	12.5	10.3-14.7	1049	78.6	76.1-81.1
Less than \$15,000	329	50,853	90	25.6	18.9-32.3	41	10.1	6.0-14.2	198	64.3	57.0-71.6
\$15,000- 24,999	612	102,711	120	19.1	14.8-23.4	85	12.2	8.9-15.5	407	68.8	63.7-73.9
\$25,000- 34,999	379	65,111	70	14.8	10.1-19.5	56	9.9	6.8-13.0	253	75.2	69.7-80.7
\$35,000- 49,999	466	87,455	74	12.6	8.9-16.3	74	13.2	9.3-17.1	318	74.2	69.1-79.3
\$50,000- 74,999	487	94,595	75	13.2	8.9-17.5	84	13.0	9.7-16.3	328	73.8	68.5-79.1
\$75,000+	1028	202,137	87	6.9	4.7- 9.1	159	11.8	9.6-14.0	782	81.3	78.4-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	358,999	216	10.4	8.4-12.4	232	10.5	8.7-12.3	1379	79.1	76.6-81.6
White/Non-Hisp	1199	226,996	152	11.0	8.6-13.4	179	12.6	10.2-15.0	868	76.5	73.4-79.6
Black or Afr. Am./Non-Hisp	224	70,169	25	9.8	4.9-14.7	25	9.3	5.0-13.6	174	80.8	74.5-87.1
Oth. Race/Non-Hisp.	117	20,402	14	8.4	2.1-14.7	13	4.4	1.5- 7.3	90	87.2	80.3-94.1
Hispanic	214	26,977	11	4.7	0.8- 8.6	8	3.2	0.7- 5.7	195	92.1	87.6-96.6
18-24	152	44,540	2	1.4	0.0- 3.4	4	4.1	0.0- 8.4	146	94.5	89.8-99.2
25-34	240	63,016	6	5.3	0.0-10.6	4	2.0	0.0- 4.2	230	92.7	87.0-98.4
35-44	218	54,814	12	5.4	1.7- 9.1	10	4.9	1.4- 8.4	196	89.8	84.7-94.9
45-54	290	58,778	31	9.3	5.0-13.6	32	10.6	6.3-14.9	227	80.1	74.4-85.8
55-64	351	61,958	68	19.8	13.7-25.9	54	15.1	10.0-20.2	229	65.1	58.0-72.2
65+	576	75,892	97	16.7	12.6-20.8	128	21.6	17.5-25.7	351	61.7	56.6-66.8
Less Than H.S.	214	42,210	19	9.6	4.3-14.9	18	10.2	4.5-15.9	177	80.1	72.7-87.5
H.S. or G.E.D.	540	118,086	69	9.8	6.7-12.9	70	10.3	7.4-13.2	401	79.9	75.8-84.0
Some Post-H.S.	420	102,870	57	14.6	9.7-19.5	48	9.0	5.7-12.3	315	76.4	70.9-81.9
College Graduate	639	92,201	71	7.1	5.1- 9.1	95	12.7	9.6-15.8	473	80.2	76.7-83.7
Less than \$15,000	120	17,826	17	11.8	4.0-19.6	14	10.7	3.8-17.6	89	77.5	67.5-87.5
\$15,000- 24,999	252	44,786	36	18.1	10.8-25.4	29	12.4	6.5-18.3	187	69.5	61.1-77.9
\$25,000- 34,999	162	31,034	24	14.3	7.2-21.4	16	7.9	3.2-12.6	122	77.8	69.6-86.0
\$35,000- 49,999	211	41,214	25	10.1	5.2-15.0	30	12.1	6.8-17.4	156	77.8	70.7-84.9
\$50,000- 74,999	251	49,907	40	14.3	8.0-20.6	38	11.3	6.6-16.0	173	74.3	66.9-81.7
\$75,000+	505	108,941	42	5.8	2.9- 8.7	66	9.7	6.8-12.6	397	84.5	80.6-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	394,464	418	15.2	13.2-17.2	382	13.7	11.9-15.5	1479	71.1	68.7-73.5
White/Non-Hisp	1519	249,598	314	16.8	14.3-19.3	294	17.1	14.7-19.5	911	66.2	63.1-69.3
Black or Afr. Am./Non-Hisp	360	82,972	54	13.1	8.8-17.4	46	7.8	4.9-10.7	260	79.0	73.9-84.1
Oth. Race/Non-Hisp.	73	16,307	8	12.7	1.7-23.7	5	1.9	0.0- 4.1	60	85.3	74.3-96.3
Hispanic	234	31,812	20	7.9	3.6-12.2	27	10.9	5.6-16.2	187	81.2	74.5-87.9
18-24	107	43,799	1	0.4	0.0- 1.2	3	2.1	0.0- 4.5	103	97.5	95.0- 100
25-34	229	63,351	14	10.7	4.4-17.0	6	1.5	0.1- 2.9	209	87.8	81.5-94.1
35-44	254	57,138	19	7.2	3.3-11.1	17	8.4	3.3-13.5	218	84.4	78.3-90.5
45-54	357	64,034	71	18.0	13.3-22.7	39	11.6	7.3-15.9	247	70.4	64.5-76.3
55-64	526	70,497	110	20.0	15.3-24.7	95	17.5	13.4-21.6	321	62.4	57.1-67.7
65+	806	95,645	203	24.2	20.5-27.9	222	29.0	25.1-32.9	381	46.8	42.5-51.1
Less Than H.S.	225	45,512	44	18.6	11.7-25.5	25	12.3	6.2-18.4	156	69.0	60.6-77.4
H.S. or G.E.D.	628	116,679	133	16.2	12.7-19.7	117	16.1	12.6-19.6	378	67.7	63.0-72.4
Some Post-H.S.	584	112,284	116	18.2	13.9-22.5	108	13.2	10.3-16.1	360	68.7	63.8-73.6
College Graduate	831	118,793	125	10.2	7.8-12.6	130	12.4	9.7-15.1	576	77.4	73.9-80.9
Less than \$15,000	209	33,028	73	33.1	24.1-42.1	27	9.8	4.5-15.1	109	57.2	47.8-66.6
\$15,000- 24,999	360	57,925	84	19.8	14.5-25.1	56	11.9	8.0-15.8	220	68.3	62.0-74.6
\$25,000- 34,999	217	34,077	46	15.3	9.0-21.6	40	11.8	7.3-16.3	131	72.9	65.5-80.3
\$35,000- 49,999	255	46,242	49	14.8	9.3-20.3	44	14.2	8.7-19.7	162	71.0	63.6-78.4
\$50,000- 74,999	236	44,689	35	11.9	6.0-17.8	46	14.9	10.0-19.8	155	73.2	65.9-80.5
\$75,000+	523	93,196	45	8.2	5.3-11.1	93	14.3	11.0-17.6	385	77.5	73.2-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4072	748,260	424	9.2	8.0-10.4	790	15.4	14.0-16.8	2858	75.4	73.6-77.2
Male	1819	358,053	149	8.2	6.4-10.0	291	12.5	10.7-14.3	1379	79.3	76.8-81.8
Female	2253	390,207	275	10.1	8.5-11.7	499	18.1	16.1-20.1	1479	71.9	69.5-74.3
White/Non-Hisp	2700	473,858	292	9.5	7.9-11.1	629	19.0	17.0-21.0	1779	71.5	69.3-73.7
Black or Afr. Am./Non-Hisp	578	151,958	61	9.2	6.1-12.3	83	10.3	7.6-13.0	434	80.5	76.6-84.4
Oth. Race/Non-Hisp.	188	36,578	14	5.4	1.1- 9.7	24	7.9	3.0-12.8	150	86.7	80.4-93.0
Hispanic	443	57,946	28	5.5	2.8- 8.2	33	7.1	4.0-10.2	382	87.5	83.4-91.6
18-24	259	88,339	4	1.4	0.0- 3.0	6	2.6	0.2- 5.0	249	96.0	93.3-98.7
25-34	470	126,486	18	6.3	2.8- 9.8	13	3.6	0.9- 6.3	439	90.2	85.9-94.5
35-44	471	111,771	29	5.9	3.2- 8.6	28	6.9	3.8-10.0	414	87.2	83.1-91.3
45-54	641	120,783	95	12.7	9.6-15.8	72	11.0	8.1-13.9	474	76.3	72.2-80.4
55-64	873	131,585	122	13.3	10.0-16.6	201	22.6	18.9-26.3	550	64.1	59.8-68.4
65+	1358	169,297	156	11.7	9.3-14.1	470	34.2	31.1-37.3	732	54.1	50.8-57.4
Less Than H.S.	435	87,719	47	11.4	7.3-15.5	55	14.3	9.6-19.0	333	74.4	68.5-80.3
H.S. or G.E.D.	1157	232,016	149	9.5	7.3-11.7	229	15.8	13.3-18.3	779	74.7	71.6-77.8
Some Post-H.S.	997	214,299	131	12.6	9.7-15.5	191	14.8	12.1-17.5	675	72.6	68.9-76.3
College Graduate	1458	209,397	97	4.6	3.2- 6.0	312	16.2	14.0-18.4	1049	79.2	76.7-81.7
Less than \$15,000	325	50,090	73	19.9	13.8-26.0	54	14.8	9.3-20.3	198	65.3	58.0-72.6
\$15,000- 24,999	609	102,463	92	14.1	10.2-18.0	110	17.0	12.9-21.1	407	68.9	63.8-74.0
\$25,000- 34,999	374	65,307	58	14.0	9.1-18.9	63	11.0	7.7-14.3	253	75.0	69.3-80.7
\$35,000- 49,999	462	86,759	49	10.5	6.8-14.2	95	14.8	11.1-18.5	318	74.8	69.7-79.9
\$50,000- 74,999	485	94,188	39	7.9	4.4-11.4	118	18.0	13.7-22.3	328	74.1	68.8-79.4
\$75,000+	1023	201,518	38	3.3	1.7- 4.9	203	15.1	12.6-17.6	782	81.6	78.7-84.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	358,053	149	8.2	6.4-10.0	291	12.5	10.7-14.3	1379	79.3	76.8-81.8
White/Non-Hisp	1194	226,717	96	8.0	5.8-10.2	230	15.5	13.0-18.0	868	76.6	73.5-79.7
Black or Afr. Am./Non-Hisp	223	69,614	20	9.5	4.4-14.6	29	9.1	5.2-13.0	174	81.5	75.2-87.8
Oth. Race/Non-Hisp.	115	20,271	9	4.7	0.4- 9.0	16	7.5	2.0-13.0	90	87.8	80.9-94.7
Hispanic	214	26,977	10	4.5	0.6- 8.4	9	3.4	0.9- 5.9	195	92.1	87.6-96.6
18-24	152	44,540	3	2.5	0.0- 5.4	3	3.0	0.0- 6.9	146	94.5	89.8-99.2
25-34	241	63,135	6	4.4	0.0- 8.9	5	3.0	0.0- 6.5	230	92.6	86.9-98.3
35-44	218	54,814	9	4.8	1.1- 8.5	13	5.4	1.9- 8.9	196	89.8	84.7-94.9
45-54	289	58,344	33	10.5	5.8-15.2	29	8.8	5.1-12.5	227	80.7	75.0-86.4
55-64	351	61,701	50	14.6	9.1-20.1	72	20.0	14.3-25.7	229	65.4	58.3-72.5
65+	568	75,519	48	10.1	6.4-13.8	169	27.9	23.4-32.4	351	62.0	56.9-67.1
Less Than H.S.	215	43,006	15	9.4	3.9-14.9	23	11.9	5.6-18.2	177	78.6	70.8-86.4
H.S. or G.E.D.	540	117,332	58	8.0	5.1-10.9	81	11.6	8.5-14.7	401	80.4	76.3-84.5
Some Post-H.S.	417	102,390	45	12.4	7.9-16.9	57	10.9	7.2-14.6	315	76.7	71.2-82.2
College Graduate	633	91,693	31	3.5	1.7- 5.3	129	15.8	12.7-18.9	473	80.7	77.2-84.2
Less than \$15,000	119	17,483	17	11.5	4.6-18.4	13	9.4	2.0-16.8	89	79.0	69.4-88.6
\$15,000- 24,999	251	44,694	31	14.7	8.0-21.4	33	15.7	9.0-22.4	187	69.6	61.2-78.0
\$25,000- 34,999	161	31,732	22	15.2	7.2-23.2	17	8.7	3.8-13.6	122	76.1	67.1-85.1
\$35,000- 49,999	209	41,109	17	9.6	4.1-15.1	36	12.5	7.6-17.4	156	78.0	70.9-85.1
\$50,000- 74,999	251	49,888	23	11.1	5.0-17.2	55	14.6	9.5-19.7	173	74.4	67.0-81.8
\$75,000+	503	108,726	18	3.0	0.6- 5.4	88	12.3	9.0-15.6	397	84.7	80.8-88.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2253	390,207	275	10.1	8.5-11.7	499	18.1	16.1-20.1	1479	71.9	69.5-74.3
White/Non-Hisp	1506	247,141	196	10.9	8.7-13.1	399	22.3	19.6-25.0	911	66.8	63.7-69.9
Black or Afr. Am./Non-Hisp	355	82,344	41	9.0	5.3-12.7	54	11.4	7.7-15.1	260	79.6	74.5-84.7
Oth. Race/Non-Hisp.	73	16,307	5	6.3	0.0-14.1	8	8.3	0.0-16.7	60	85.3	74.3-96.3
Hispanic	229	30,969	18	6.3	2.4-10.2	24	10.2	4.9-15.5	187	83.4	77.1-89.7
18-24	107	43,799	1	0.4	0.0- 1.2	3	2.1	0.0- 4.5	103	97.5	95.0- 100
25-34	229	63,351	12	8.1	2.8-13.4	8	4.1	0.2- 8.0	209	87.8	81.5-94.1
35-44	253	56,957	20	7.0	3.1-10.9	15	8.3	3.2-13.4	218	84.6	78.5-90.7
45-54	352	62,439	62	14.8	10.5-19.1	43	13.0	8.7-17.3	247	72.2	66.5-77.9
55-64	522	69,884	72	12.2	8.3-16.1	129	24.8	19.9-29.7	321	63.0	57.7-68.3
65+	790	93,778	108	13.0	10.1-15.9	301	39.3	35.0-43.6	381	47.7	43.2-52.2
Less Than H.S.	220	44,712	32	13.2	7.1-19.3	32	16.5	9.6-23.4	156	70.3	61.9-78.7
H.S. or G.E.D.	617	114,684	91	11.1	8.2-14.0	148	20.1	16.2-24.0	378	68.8	64.1-73.5
Some Post-H.S.	580	111,910	86	12.8	9.3-16.3	134	18.3	14.4-22.2	360	68.9	64.0-73.8
College Graduate	825	117,705	66	5.4	3.6- 7.2	183	16.5	13.4-19.6	576	78.1	74.6-81.6
Less than \$15,000	206	32,607	56	24.4	16.2-32.6	41	17.7	10.4-25.0	109	57.9	48.5-67.3
\$15,000- 24,999	358	57,768	61	13.7	9.2-18.2	77	17.9	13.0-22.8	220	68.4	62.1-74.7
\$25,000- 34,999	213	33,575	36	12.7	6.6-18.8	46	13.3	8.6-18.0	131	74.0	66.7-81.3
\$35,000- 49,999	253	45,649	32	11.3	6.2-16.4	59	16.8	11.3-22.3	162	71.9	64.6-79.2
\$50,000- 74,999	234	44,299	16	4.4	1.9- 6.9	63	21.8	14.9-28.7	155	73.8	66.5-81.1
\$75,000+	520	92,792	20	3.8	1.6- 6.0	115	18.4	14.5-22.3	385	77.8	73.5-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4107	752,702	285	5.8	4.8- 6.8	348	7.3	6.3- 8.3	616	11.9	10.7-13.1	2858	75.0	73.2-76.8
Male	1830	359,346	83	4.5	3.1- 5.9	123	6.1	4.5- 7.7	245	10.4	8.6-12.2	1379	79.0	76.5-81.5
Female	2277	393,356	202	7.0	5.6- 8.4	225	8.3	6.7- 9.9	371	13.4	11.6-15.2	1479	71.3	68.9-73.7
White/Non-Hisp	2720	476,342	210	6.6	5.4- 7.8	239	7.5	6.1- 8.9	492	14.8	13.2-16.4	1779	71.1	68.9-73.3
Black or Afr. Am./Non-Hisp	584	153,142	36	4.4	2.4- 6.4	53	8.0	5.3-10.7	61	7.7	5.3-10.1	434	79.9	76.0-83.8
Oth. Race/Non-Hisp.	191	36,825	8	5.0	0.3- 9.7	19	6.6	2.3-10.9	14	2.3	0.9- 3.7	150	86.1	79.8-92.4
Hispanic	447	58,395	16	3.2	1.2- 5.2	20	3.7	1.5- 5.9	29	6.3	3.4- 9.2	382	86.8	82.7-90.9
18-24	259	88,339	2	0.6	0.0- 1.6	3	1.8	0.0- 4.0	5	1.6	0.2- 3.0	249	96.0	93.3-98.7
25-34	470	126,486	5	1.0	0.0- 2.2	12	4.8	1.5- 8.1	14	4.0	1.3- 6.7	439	90.2	85.9-94.5
35-44	471	111,860	13	3.2	1.0- 5.4	12	2.2	0.6- 3.8	32	7.5	4.4-10.6	414	87.1	83.0-91.2
45-54	642	120,998	58	7.5	5.1- 9.9	46	6.2	4.0- 8.4	64	10.1	7.2-13.0	474	76.2	72.1-80.3
55-64	877	132,176	95	10.7	7.8-13.6	85	10.2	7.1-13.3	147	15.3	12.4-18.2	550	63.8	59.5-68.1
65+	1388	172,843	112	8.7	6.5-10.9	190	13.6	11.2-16.0	354	24.6	21.9-27.3	732	53.0	49.7-56.3
Less Than H.S.	438	87,972	39	10.5	6.2-14.8	30	6.9	3.8-10.0	36	8.5	5.0-12.0	333	74.2	68.3-80.1
H.S. or G.E.D.	1168	234,236	106	6.6	5.0- 8.2	107	7.3	5.5- 9.1	176	12.1	9.9-14.3	779	74.0	70.9-77.1
Some Post-H.S.	1006	214,939	82	6.3	4.5- 8.1	99	9.4	6.9-11.9	150	11.9	9.5-14.3	675	72.4	68.7-76.1
College Graduate	1470	210,727	58	2.6	1.8- 3.4	110	5.3	4.1- 6.5	253	13.4	11.2-15.6	1049	78.7	76.2-81.2
Less than \$15,000	329	50,853	55	16.5	10.6-22.4	43	12.1	7.2-17.0	33	7.2	3.9-10.5	198	64.3	57.0-71.6
\$15,000- 24,999	612	102,858	76	10.9	7.8-14.0	54	10.6	6.9-14.3	75	9.8	6.7-12.9	407	68.7	63.6-73.8
\$25,000- 34,999	382	66,123	31	8.7	4.6-12.8	44	7.3	4.2-10.4	54	9.9	6.8-13.0	253	74.1	68.4-79.8
\$35,000- 49,999	467	87,246	34	6.0	3.3- 8.7	44	6.9	4.4- 9.4	71	12.8	9.1-16.5	318	74.4	69.3-79.5
\$50,000- 74,999	486	94,296	19	3.0	1.2- 4.8	42	8.5	4.8-12.2	97	14.5	10.8-18.2	328	74.0	68.7-79.3
\$75,000+	1029	202,203	18	1.3	0.5- 2.1	53	4.2	2.6- 5.8	176	13.2	10.7-15.7	782	81.3	78.4-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	359,346	83	4.5	3.1- 5.9	123	6.1	4.5- 7.7	245	10.4	8.6-12.2	1379	79.0	76.5-81.5
White/Non-Hisp	1201	227,372	62	5.3	3.5- 7.1	78	6.1	4.1- 8.1	193	12.2	10.0-14.4	868	76.4	73.3-79.5
Black or Afr. Am./Non-Hisp	224	70,169	8	3.0	0.3- 5.7	19	7.3	3.2-11.4	23	8.8	4.7-12.9	174	80.8	74.5-87.1
Oth. Race/Non-Hisp.	118	20,518	4	2.6	0.0- 6.5	12	7.0	1.5-12.5	12	3.7	1.3- 6.1	90	86.7	79.6-93.8
Hispanic	214	26,977	4	2.4	0.0- 5.1	6	2.7	0.0- 5.6	9	2.8	0.6- 5.0	195	92.1	87.6-96.6
18-24	152	44,540	1	0.9	0.0- 2.7	3	3.5	0.0- 7.8	2	1.1	0.0- 2.7	146	94.5	89.8-99.2
25-34	241	63,135	2	0.3	0.0- 0.7	3	2.3	0.0- 5.6	6	4.9	0.2- 9.6	230	92.6	86.9-98.3
35-44	217	54,685	5	3.6	0.1- 7.1	3	0.8	0.0- 1.8	13	5.6	1.9- 9.3	196	90.0	84.9-95.1
45-54	287	57,966	8	2.1	0.3- 3.9	22	6.9	3.4-10.4	30	9.8	5.3-14.3	227	81.2	75.5-86.9
55-64	353	62,104	35	10.8	6.1-15.5	32	10.9	5.6-16.2	57	13.4	8.9-17.9	229	65.0	58.1-71.9
65+	580	76,917	32	7.3	4.0-10.6	60	10.2	7.1-13.3	137	21.7	17.6-25.8	351	60.9	55.8-66.0
Less Than H.S.	214	42,853	14	9.0	3.3-14.7	8	5.9	1.6-10.2	15	6.2	1.5-10.9	177	78.9	71.1-86.7
H.S. or G.E.D.	542	118,193	29	4.6	2.4- 6.8	43	5.9	3.5- 8.3	69	9.7	6.8-12.6	401	79.8	75.7-83.9
Some Post-H.S.	422	102,782	23	5.0	2.3- 7.7	34	8.0	4.1-11.9	50	10.6	6.9-14.3	315	76.4	70.9-81.9
College Graduate	638	91,886	17	1.8	0.6- 3.0	38	4.6	2.6- 6.6	110	13.1	10.2-16.0	473	80.5	77.0-84.0
Less than \$15,000	120	17,826	8	9.4	1.2-17.6	12	7.3	2.4-12.2	11	5.9	1.4-10.4	89	77.5	67.5-87.5
\$15,000- 24,999	252	44,786	27	12.5	6.6-18.4	17	10.1	4.0-16.2	21	7.9	2.8-13.0	187	69.5	61.1-77.9
\$25,000- 34,999	164	31,942	11	8.2	1.9-14.5	12	6.8	1.5-12.1	19	9.4	4.3-14.5	122	75.6	66.6-84.6
\$35,000- 49,999	212	41,281	11	4.3	1.0- 7.6	15	5.3	2.0- 8.6	30	12.7	7.0-18.4	156	77.6	70.5-84.7
\$50,000- 74,999	250	49,607	10	3.5	0.6- 6.4	22	8.5	3.2-13.8	45	13.2	7.9-18.5	173	74.8	67.4-82.2
\$75,000+	507	109,094	5	0.5	0.0- 1.1	25	3.9	1.5- 6.3	80	11.2	7.9-14.5	397	84.4	80.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2277	393,356	202	7.0	5.6- 8.4	225	8.3	6.7- 9.9	371	13.4	11.6-15.2	1479	71.3	68.9-73.7
White/Non-Hisp	1519	248,971	148	7.7	6.1- 9.3	161	8.8	6.8-10.8	299	17.2	14.8-19.6	911	66.3	63.2-69.4
Black or Afr. Am./Non-Hisp	360	82,972	28	5.6	2.9- 8.3	34	8.6	4.9-12.3	38	6.7	4.2- 9.2	260	79.0	73.9-84.1
Oth. Race/Non-Hisp.	73	16,307	4	8.1	0.0-17.5	7	6.0	0.0-12.7	2	0.5	0.0- 1.3	60	85.3	74.3-96.3
Hispanic	233	31,418	12	4.0	1.3- 6.7	14	4.5	1.4- 7.6	20	9.3	4.2-14.4	187	82.3	76.0-88.6
18-24	107	43,799	1	0.4	0.0- 1.2				3	2.1	0.0- 4.5	103	97.5	95.0- 100
25-34	229	63,351	3	1.7	0.0- 4.1	9	7.4	1.7-13.1	8	3.1	0.4- 5.8	209	87.8	81.5-94.1
35-44	254	57,175	8	2.8	0.3- 5.3	9	3.6	0.7- 6.5	19	9.3	4.2-14.4	218	84.3	78.2-90.4
45-54	355	63,033	50	12.5	8.4-16.6	24	5.5	3.0- 8.0	34	10.4	6.5-14.3	247	71.5	65.8-77.2
55-64	524	70,072	60	10.6	6.9-14.3	53	9.6	6.1-13.1	90	16.9	13.0-20.8	321	62.8	57.5-68.1
65+	808	95,926	80	9.9	7.4-12.4	130	16.4	13.1-19.7	217	27.0	23.1-30.9	381	46.6	42.3-50.9
Less Than H.S.	224	45,119	25	11.9	5.6-18.2	22	7.8	3.3-12.3	21	10.7	5.2-16.2	156	69.6	61.2-78.0
H.S. or G.E.D.	626	116,043	77	8.7	6.2-11.2	64	8.7	6.0-11.4	107	14.5	11.2-17.8	378	68.0	63.3-72.7
Some Post-H.S.	584	112,157	59	7.5	5.1- 9.9	65	10.7	7.2-14.2	100	13.1	10.0-16.2	360	68.8	63.9-73.7
College Graduate	832	118,841	41	3.3	1.9- 4.7	72	5.8	4.0- 7.6	143	13.6	10.7-16.5	576	77.3	73.8-80.8
Less than \$15,000	209	33,028	47	20.4	12.8-28.0	31	14.6	7.5-21.7	22	7.9	3.6-12.2	109	57.2	47.8-66.6
\$15,000- 24,999	360	58,072	49	9.7	6.4-13.0	37	10.9	6.4-15.4	54	11.3	7.6-15.0	220	68.1	61.8-74.4
\$25,000- 34,999	218	34,181	20	9.1	3.4-14.8	32	7.8	4.3-11.3	35	10.4	6.3-14.5	131	72.7	65.3-80.1
\$35,000- 49,999	255	45,965	23	7.5	3.2-11.8	29	8.3	4.4-12.2	41	12.8	7.7-17.9	162	71.4	64.1-78.7
\$50,000- 74,999	236	44,689	9	2.4	0.4- 4.4	20	8.6	3.1-14.1	52	15.9	10.8-21.0	155	73.2	65.9-80.5
\$75,000+	522	93,109	13	2.2	0.6- 3.8	28	4.5	2.5- 6.5	96	15.7	12.0-19.4	385	77.6	73.3-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	69
14 MALES ONLY	70
15 FEMALES ONLY	71
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	72
17 MALES ONLY	73
18 FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19	MALES AND FEMALES	75
20	MALES ONLY	76
21	FEMALES ONLY	77
	REPORTED HEIGHT IN INCHES (HTIN4).	
22	MALES AND FEMALES	78
23	MALES ONLY	79
24	FEMALES ONLY	80
	REPORTED HEIGHT IN METERS (HTM4).	
25	MALES AND FEMALES	81
26	MALES ONLY	82
27	FEMALES ONLY	83
	REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28	MALES AND FEMALES	84
29	MALES ONLY	85
30	FEMALES ONLY	86
	BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31	MALES AND FEMALES	87
32	MALES ONLY	88
33	FEMALES ONLY	89
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34	MALES AND FEMALES	90
35	MALES ONLY	91
36	FEMALES ONLY	92
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37	MALES AND FEMALES	93
38	MALES ONLY	94
39	FEMALES ONLY	95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	96
41	MALES ONLY	97
42	FEMALES ONLY	98
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	99
44	MALES ONLY	100
45	FEMALES ONLY	101
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	102
47	MALES ONLY	103
48	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3926	727,520	2941	70.3	68.1-72.5	628	21.7	19.7-23.7	67	1.3	0.9- 1.7	94	3.1	2.3- 3.9	16	0.3	0.1- 0.5	180	3.3	2.7- 3.9
Male	1760	347,793	1313	70.3	67.0-73.6	252	21.0	17.9-24.1	40	1.5	0.9- 2.1	60	3.6	2.4- 4.8	10	0.6	0.0- 1.2	85	3.0	2.2- 3.8
Female	2166	379,727	1628	70.2	67.5-72.9	376	22.4	19.7-25.1	27	1.1	0.5- 1.7	34	2.7	1.5- 3.9	6	0.1	0.0- 0.3	95	3.5	2.5- 4.5
18-24	251	86,202	156	61.4	53.4-69.4	51	27.0	19.2-34.8	4	1.3	0.0- 2.9	18	5.7	2.4- 9.0	3	0.3	0.0- 0.7	19	4.3	1.8- 6.8
25-34	427	117,967	247	62.9	56.6-69.2	97	25.2	19.5-30.9	12	1.4	0.2- 2.6	24	4.4	2.0- 6.8	5	1.2	0.0- 2.8	42	4.9	2.7- 7.1
35-44	428	105,487	273	65.3	59.0-71.6	83	21.6	15.5-27.7	7	1.6	0.2- 3.0	16	4.8	2.3- 7.3	2	0.2	0.0- 0.6	47	6.5	4.0- 9.0
45-54	605	117,284	418	65.9	60.6-71.2	136	27.8	22.5-33.1	11	1.3	0.5- 2.1	16	2.9	1.1- 4.7	3	0.2	0.0- 0.6	21	1.9	0.9- 2.9
55-64	858	130,402	672	73.7	69.4-78.0	139	21.9	17.8-26.0	11	1.1	0.1- 2.1	9	1.0	0.2- 1.8	2	0.1	0.0- 0.3	25	2.1	0.9- 3.3
65+	1357	170,179	1175	83.3	80.4-86.2	122	12.3	9.9-14.7	22	1.2	0.4- 2.0	11	1.7	0.3- 3.1	1	0.0	0.0- 0.0	26	1.5	0.7- 2.3
Less Than H.S.	368	80,942	224	63.9	57.2-70.6	63	20.4	14.7-26.1	7	1.3	0.3- 2.3	4	2.8	0.0- 5.7	1	0.2	0.0- 0.6	69	11.6	7.9-15.3
H.S. or G.E.D.	1130	227,369	831	67.4	63.1-71.7	223	27.6	23.3-31.9	23	1.4	0.6- 2.2	11	1.5	0.3- 2.7	5	0.1	0.0- 0.3	37	2.0	1.0- 3.0
Some Post-H.S.	981	209,711	756	73.2	69.3-77.1	153	20.1	16.4-23.8	19	1.5	0.5- 2.5	11	1.5	0.3- 2.7	6	0.8	0.0- 1.8	36	3.0	1.8- 4.2
College Graduate	1432	206,749	1122	73.2	69.9-76.5	187	17.5	14.6-20.4	16	1.0	0.2- 1.8	66	6.4	4.6- 8.2	4	0.2	0.0- 0.4	37	1.8	1.0- 2.6
Less than \$15,000	308	48,727	169	46.9	39.1-54.7	88	39.5	31.5-47.5	8	1.0	0.2- 1.8	8	4.1	0.4- 7.8	2	0.5	0.0- 1.3	33	8.0	4.3-11.7
\$15,000- 24,999	567	96,892	386	65.1	59.6-70.6	113	25.6	20.3-30.9	10	1.6	0.2- 3.0	10	2.2	0.4- 4.0	3	0.3	0.0- 0.7	45	5.2	3.0- 7.4
\$25,000- 34,999	368	64,193	253	62.6	55.2-70.0	87	31.4	24.1-38.7	7	0.9	0.1- 1.7	9	1.8	0.4- 3.2	1	1.4	0.0- 4.1	11	1.9	0.5- 3.3
\$35,000- 49,999	455	85,068	345	71.3	64.6-78.0	77	22.4	16.1-28.7	10	1.4	0.2- 2.6	5	1.8	0.0- 4.2	3	0.4	0.0- 0.8	15	2.7	0.5- 4.9
\$50,000- 74,999	479	92,279	400	76.9	71.2-82.6	58	19.1	13.6-24.6	6	0.9	0.0- 1.9	7	2.0	0.2- 3.8	2	0.2	0.0- 0.6	6	0.9	0.1- 1.7
\$75,000+	1012	199,571	846	78.6	74.7-82.5	105	15.0	11.3-18.7	3	0.3	0.0- 0.9	34	4.0	2.4- 5.6	3	0.1	0.0- 0.3	21	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	347,793	1313	70.3	67.2-73.4	252	21.0	17.9-24.1	40	1.5	0.9- 2.1	60	3.6	2.4- 4.8	10	0.6	0.0- 1.2	85	3.0	2.2- 3.8
18-24	151	44,426	101	67.9	57.9-77.9	25	24.0	14.2-33.8	2	0.6	0.0- 1.4	14	5.6	2.1- 9.1	2	0.3	0.0- 0.7	7	1.7	0.1- 3.3
25-34	221	58,185	136	65.8	57.0-74.6	37	20.1	12.1-28.1	7	2.1	0.0- 4.3	15	4.1	1.4- 6.8	4	2.3	0.0- 5.4	22	5.7	2.4- 9.0
35-44	197	50,850	129	66.7	56.5-76.9	35	21.1	10.9-31.3	4	1.7	0.0- 3.7	8	4.5	1.2- 7.8	2	0.5	0.0- 1.1	19	5.4	2.5- 8.3
45-54	273	56,572	186	62.8	54.6-71.0	54	27.3	19.1-35.5	8	2.1	0.3- 3.9	10	4.9	1.4- 8.4	1	0.1	0.0- 0.3	14	2.8	1.0- 4.6
55-64	347	61,469	271	72.1	65.2-79.0	56	24.1	17.4-30.8	4	0.4	0.0- 0.8	5	1.3	0.0- 2.7	1	0.3	0.0- 0.9	10	1.8	0.2- 3.4
65+	571	76,292	490	81.8	77.1-86.5	45	12.6	8.7-16.5	15	1.9	0.5- 3.3	8	2.5	0.0- 5.0				13	1.3	0.3- 2.3
Less Than H.S.	188	40,195	111	64.4	54.8-74.0	33	20.8	12.6-29.0	6	2.1	0.1- 4.1	2	1.8	0.0- 4.9	1	0.3	0.0- 0.9	35	10.6	6.1-15.1
H.S. or G.E.D.	527	114,673	377	65.1	58.6-71.6	101	28.5	21.8-35.2	18	1.8	0.8- 2.8	9	2.4	0.4- 4.4	4	0.3	0.1- 0.5	18	1.9	0.7- 3.1
Some Post-H.S.	412	100,043	317	73.7	67.8-79.6	62	19.9	14.4-25.4	7	1.2	0.0- 2.4	6	1.5	0.1- 2.9	3	1.2	0.0- 3.0	17	2.5	0.9- 4.1
College Graduate	624	90,689	502	76.3	71.6-81.0	56	13.2	9.1-17.3	9	1.2	0.0- 2.6	41	7.3	4.8- 9.8	2	0.3	0.0- 0.7	14	1.7	0.5- 2.9
Less than \$15,000	112	17,078	59	53.4	40.1-66.7	26	31.5	18.2-44.8	5	1.8	0.0- 3.6	5	4.3	0.0- 9.2	2	1.4	0.0- 3.4	15	7.6	2.9-12.3
\$15,000- 24,999	236	42,272	152	62.6	54.4-70.8	45	24.3	16.7-31.9	6	2.5	0.1- 4.9	9	4.6	0.5- 8.7	2	0.6	0.0- 1.6	22	5.4	2.5- 8.3
\$25,000- 34,999	155	30,569	104	59.9	48.3-71.5	32	29.2	17.4-41.0	5	1.4	0.0- 2.8	6	3.4	0.5- 6.3	1	3.0	0.0- 8.7	7	3.0	0.5- 5.5
\$35,000- 49,999	205	39,646	159	73.2	63.4-83.0	28	20.4	11.0-29.8	8	1.8	0.4- 3.2	4	3.7	0.0- 8.6	1	0.2	0.0- 0.6	5	0.7	0.0- 1.5
\$50,000- 74,999	250	49,648	208	76.2	68.4-84.0	30	20.4	12.6-28.2	3	0.2	0.0- 0.6	3	1.7	0.0- 3.7	2	0.5	0.0- 1.1	4	1.0	0.0- 2.2
\$75,000+	501	107,547	417	78.4	72.3-84.5	47	14.9	9.0-20.8	3	0.6	0.0- 1.6	21	3.6	1.6- 5.6	1	0.1	0.0- 0.3	12	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2166	379,727	1628	70.2	67.5-72.9	376	22.4	19.7-25.1	27	1.1	0.5- 1.7	34	2.7	1.5- 3.9	6	0.1	0.0- 0.3	95	3.5	2.5- 4.5
18-24	100	41,776	55	54.5	42.2-66.8	26	30.1	17.9-42.3	2	2.1	0.0- 5.2	4	5.9	0.0-11.8	1	0.2	0.0- 0.6	12	7.1	2.0-12.2
25-34	206	59,783	111	60.1	51.3-68.9	60	30.0	21.8-38.2	5	0.7	0.0- 1.5	9	4.7	1.2- 8.2	1	0.2	0.0- 0.6	20	4.2	1.7- 6.7
35-44	231	54,637	144	64.0	56.2-71.8	48	22.0	15.1-28.9	3	1.6	0.0- 3.6	8	5.1	1.4- 8.8				28	7.4	3.5-11.3
45-54	332	60,712	232	68.7	62.0-75.4	82	28.4	21.9-34.9	3	0.5	0.0- 1.1	6	1.1	0.0- 2.3	2	0.3	0.0- 0.9	7	1.0	0.2- 1.8
55-64	511	68,933	401	75.1	69.8-80.4	83	20.0	15.1-24.9	7	1.7	0.0- 3.5	4	0.8	0.0- 1.8	1	0.0	0.0- 0.0	15	2.4	0.8- 4.0
65+	786	93,887	685	84.6	81.1-88.1	77	12.0	9.1-14.9	7	0.6	0.0- 1.2	3	1.0	0.0- 2.6	1	0.1	0.0- 0.3	13	1.7	0.3- 3.1
Less Than H.S.	180	40,747	113	63.3	53.7-72.9	30	19.9	12.3-27.5	1	0.5	0.0- 1.5	2	3.8	0.0- 8.9				34	12.5	6.6-18.4
H.S. or G.E.D.	603	112,696	454	69.7	64.2-75.2	122	26.7	21.2-32.2	5	0.9	0.0- 1.9	2	0.5	0.0- 1.5	1	0.0	0.0- 0.0	19	2.2	0.6- 3.8
Some Post-H.S.	569	109,669	439	72.8	67.5-78.1	91	20.2	15.3-25.1	12	1.8	0.2- 3.4	5	1.5	0.0- 3.1	3	0.3	0.0- 0.7	19	3.4	1.4- 5.4
College Graduate	808	116,059	620	70.8	66.3-75.3	131	20.9	16.8-25.0	7	0.8	0.0- 1.6	25	5.6	3.1- 8.1	2	0.1	0.0- 0.3	23	1.8	0.8- 2.8
Less than \$15,000	196	31,649	110	43.3	33.9-52.7	62	43.8	34.0-53.6	3	0.6	0.0- 1.2	3	4.0	0.0- 9.3				18	8.3	3.2-13.4
\$15,000- 24,999	331	54,620	234	67.0	59.6-74.4	68	26.6	19.3-33.9	4	1.0	0.0- 2.6	1	0.4	0.0- 1.2	1	0.0	0.0- 0.0	23	5.0	2.1- 7.9
\$25,000- 34,999	213	33,624	149	65.1	55.9-74.3	55	33.4	24.2-42.6	2	0.3	0.0- 0.7	3	0.3	0.0- 0.7				4	0.9	0.0- 1.9
\$35,000- 49,999	250	45,423	186	69.6	60.6-78.6	49	24.2	15.6-32.8	2	1.0	0.0- 2.8	1	0.1	0.0- 0.3	2	0.6	0.0- 1.4	10	4.5	0.6- 8.4
\$50,000- 74,999	229	42,631	192	77.7	69.3-86.1	28	17.6	9.6-25.6	3	1.7	0.0- 3.9	4	2.4	0.0- 5.3				2	0.7	0.0- 1.9
\$75,000+	511	92,024	429	78.8	73.9-83.7	58	15.2	10.9-19.5				13	4.5	1.8- 7.2	2	0.1	0.0- 0.3	9	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3926	727,520	2923	69.9	67.7-72.1	616	21.5	19.5-23.5	65	1.3	0.9- 1.7	93	3.1	2.3- 3.9	16	0.3	0.1- 0.5	213	3.9	3.1- 4.7
Male	1760	347,793	1307	69.9	66.6-73.2	246	20.7	17.6-23.8	39	1.4	0.8- 2.0	60	3.6	2.4- 4.8	10	0.6	0.0- 1.2	98	3.8	2.8- 4.8
Female	2166	379,727	1616	69.9	67.2-72.6	370	22.2	19.5-24.9	26	1.1	0.5- 1.7	33	2.6	1.6- 3.6	6	0.1	0.0- 0.3	115	4.1	3.1- 5.1
18-24	251	86,202	154	60.4	52.4-68.4	50	26.8	19.0-34.6	3	1.1	0.0- 2.7	18	5.7	2.4- 9.0	3	0.3	0.0- 0.7	23	5.7	2.6- 8.8
25-34	427	117,967	246	62.8	56.5-69.1	93	24.6	18.9-30.3	12	1.4	0.2- 2.6	23	3.9	1.7- 6.1	5	1.2	0.0- 2.8	48	6.1	3.7- 8.5
35-44	428	105,487	272	65.2	58.9-71.5	81	21.4	15.3-27.5	7	1.6	0.2- 3.0	16	4.8	2.3- 7.3	2	0.2	0.0- 0.6	50	6.8	4.3- 9.3
45-54	605	117,284	416	65.8	60.5-71.1	135	27.8	22.5-33.1	11	1.3	0.5- 2.1	16	2.9	1.1- 4.7	3	0.2	0.0- 0.6	24	2.0	1.0- 3.0
55-64	858	130,402	666	73.3	69.0-77.6	135	21.6	17.5-25.7	10	1.1	0.1- 2.1	9	1.0	0.2- 1.8	2	0.1	0.0- 0.3	36	2.9	1.7- 4.1
65+	1357	170,179	1169	82.9	80.0-85.8	122	12.3	9.9-14.7	22	1.2	0.4- 2.0	11	1.7	0.3- 3.1	1	0.0	0.0- 0.0	32	2.0	1.0- 3.0
Less Than H.S.	368	80,942	220	63.6	56.7-70.5	62	20.3	14.6-26.0	7	1.3	0.3- 2.3	4	2.8	0.0- 5.7	1	0.2	0.0- 0.6	74	11.9	8.2-15.6
H.S. or G.E.D.	1130	227,369	828	67.3	63.0-71.6	219	27.3	23.0-31.6	22	1.3	0.7- 1.9	11	1.5	0.3- 2.7	5	0.1	0.0- 0.3	45	2.6	1.6- 3.6
Some Post-H.S.	981	209,711	750	72.4	68.5-76.3	150	19.9	16.2-23.6	19	1.5	0.5- 2.5	11	1.5	0.3- 2.7	6	0.8	0.0- 1.8	45	3.9	2.3- 5.5
College Graduate	1432	206,749	1117	73.0	69.7-76.3	183	17.4	14.5-20.3	15	1.0	0.2- 1.8	65	6.1	4.3- 7.9	4	0.2	0.0- 0.4	48	2.4	1.4- 3.4
Less than \$15,000	308	48,727	167	46.4	38.6-54.2	88	39.5	31.5-47.5	8	1.0	0.2- 1.8	8	4.1	0.4- 7.8	2	0.5	0.0- 1.3	35	8.6	4.9-12.3
\$15,000- 24,999	567	96,892	384	64.9	59.4-70.4	110	25.3	20.0-30.6	9	1.6	0.2- 3.0	10	2.2	0.4- 4.0	3	0.3	0.0- 0.7	51	5.7	3.5- 7.9
\$25,000- 34,999	368	64,193	251	62.4	55.0-69.8	85	30.7	23.4-38.0	7	0.9	0.1- 1.7	9	1.8	0.4- 3.2	1	1.4	0.0- 4.1	15	2.9	0.9- 4.9
\$35,000- 49,999	455	85,068	342	70.7	64.0-77.4	77	22.4	16.1-28.7	9	1.2	0.2- 2.2	5	1.8	0.0- 4.2	3	0.4	0.0- 0.8	19	3.5	1.1- 5.9
\$50,000- 74,999	479	92,279	399	76.8	71.1-82.5	57	19.0	13.5-24.5	6	0.9	0.0- 1.9	6	1.4	0.2- 2.6	2	0.2	0.0- 0.6	9	1.7	0.1- 3.3
\$75,000+	1012	199,571	843	78.4	74.5-82.3	101	14.9	11.2-18.6	3	0.3	0.0- 0.9	34	4.0	2.4- 5.6	3	0.1	0.0- 0.3	28	2.2	1.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	347,793	1307	69.9	66.8-73.0	246	20.7	17.6-23.8	39	1.4	0.8- 2.0	60	3.6	2.4- 4.8	10	0.6	0.0- 1.2	98	3.8	2.8- 4.8
18-24	151	44,426	99	65.8	55.6-76.0	25	24.0	14.2-33.8	1	0.2	0.0- 0.6	14	5.6	2.1- 9.1	2	0.3	0.0- 0.7	10	4.1	0.6- 7.6
25-34	221	58,185	135	65.6	56.8-74.4	35	19.2	11.4-27.0	7	2.1	0.0- 4.3	15	4.1	1.4- 6.8	4	2.3	0.0- 5.4	25	6.8	3.1-10.5
35-44	197	50,850	128	66.5	56.3-76.7	34	20.9	10.7-31.1	4	1.7	0.0- 3.7	8	4.5	1.2- 7.8	2	0.5	0.0- 1.1	21	5.9	2.8- 9.0
45-54	273	56,572	186	62.8	54.6-71.0	54	27.3	19.1-35.5	8	2.1	0.3- 3.9	10	4.9	1.4- 8.4	1	0.1	0.0- 0.3	14	2.8	1.0- 4.6
55-64	347	61,469	270	72.0	65.1-78.9	53	23.7	17.0-30.4	4	0.4	0.0- 0.8	5	1.3	0.0- 2.7	1	0.3	0.0- 0.9	14	2.3	0.7- 3.9
65+	571	76,292	489	81.3	76.6-86.0	45	12.6	8.7-16.5	15	1.9	0.5- 3.3	8	2.5	0.0- 5.0				14	1.8	0.4- 3.2
Less Than H.S.	188	40,195	110	64.3	54.7-73.9	32	20.6	12.4-28.8	6	2.1	0.1- 4.1	2	1.8	0.0- 4.9	1	0.3	0.0- 0.9	37	10.9	6.4-15.4
H.S. or G.E.D.	527	114,673	376	65.0	58.5-71.5	100	28.1	21.6-34.6	17	1.6	0.6- 2.6	9	2.4	0.4- 4.4	4	0.3	0.1- 0.5	21	2.5	0.9- 4.1
Some Post-H.S.	412	100,043	314	72.4	66.3-78.5	60	19.7	14.2-25.2	7	1.2	0.0- 2.4	6	1.5	0.1- 2.9	3	1.2	0.0- 3.0	22	4.0	1.8- 6.2
College Graduate	624	90,689	501	76.1	71.4-80.8	54	13.0	8.9-17.1	9	1.2	0.0- 2.6	41	7.3	4.8- 9.8	2	0.3	0.0- 0.7	17	2.0	0.6- 3.4
Less than \$15,000	112	17,078	59	53.4	40.1-66.7	26	31.5	18.2-44.8	5	1.8	0.0- 3.6	5	4.3	0.0- 9.2	2	1.4	0.0- 3.4	15	7.6	2.9-12.3
\$15,000- 24,999	236	42,272	151	62.3	54.1-70.5	45	24.3	16.7-31.9	6	2.5	0.1- 4.9	9	4.6	0.5- 8.7	2	0.6	0.0- 1.6	23	5.7	2.6- 8.8
\$25,000- 34,999	155	30,569	104	59.9	48.3-71.5	30	27.6	16.0-39.2	5	1.4	0.0- 2.8	6	3.4	0.5- 6.3	1	3.0	0.0- 8.7	9	4.7	0.8- 8.6
\$35,000- 49,999	205	39,646	158	72.3	62.3-82.3	28	20.4	11.0-29.8	7	1.4	0.2- 2.6	4	3.7	0.0- 8.6	1	0.2	0.0- 0.6	7	2.1	0.0- 4.3
\$50,000- 74,999	250	49,648	207	76.0	68.2-83.8	30	20.4	12.6-28.2	3	0.2	0.0- 0.6	3	1.7	0.0- 3.7	2	0.5	0.0- 1.1	5	1.2	0.0- 2.4
\$75,000+	501	107,547	417	78.4	72.3-84.5	44	14.7	8.8-20.6	3	0.6	0.0- 1.6	21	3.6	1.6- 5.6	1	0.1	0.0- 0.3	15	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2166	379,727	1616	69.9	67.2-72.6	370	22.2	19.5-24.9	26	1.1	0.5- 1.7	33	2.6	1.6- 3.6	6	0.1	0.0- 0.3	115	4.1	3.1- 5.1
18-24	100	41,776	55	54.5	42.2-66.8	25	29.8	17.6-42.0	2	2.1	0.0- 5.2	4	5.9	0.0-11.8	1	0.2	0.0- 0.6	13	7.4	2.3-12.5
25-34	206	59,783	111	60.1	51.3-68.9	58	29.8	21.6-38.0	5	0.7	0.0- 1.5	8	3.8	0.7- 6.9	1	0.2	0.0- 0.6	23	5.4	2.3- 8.5
35-44	231	54,637	144	64.0	56.2-71.8	47	21.8	14.9-28.7	3	1.6	0.0- 3.6	8	5.1	1.4- 8.8				29	7.6	3.7-11.5
45-54	332	60,712	230	68.6	61.9-75.3	81	28.3	21.8-34.8	3	0.5	0.0- 1.1	6	1.1	0.0- 2.3	2	0.3	0.0- 0.9	10	1.2	0.2- 2.2
55-64	511	68,933	396	74.4	69.1-79.7	82	19.8	14.9-24.7	6	1.6	0.0- 3.4	4	0.8	0.0- 1.8	1	0.0	0.0- 0.0	22	3.4	1.6- 5.2
65+	786	93,887	680	84.2	80.7-87.7	77	12.0	9.1-14.9	7	0.6	0.0- 1.2	3	1.0	0.0- 2.6	1	0.1	0.0- 0.3	18	2.0	0.6- 3.4
Less Than H.S.	180	40,747	110	62.9	53.3-72.5	30	19.9	12.3-27.5	1	0.5	0.0- 1.5	2	3.8	0.0- 8.9				37	12.9	7.0-18.8
H.S. or G.E.D.	603	112,696	452	69.6	64.1-75.1	119	26.4	20.9-31.9	5	0.9	0.0- 1.9	2	0.5	0.0- 1.5	1	0.0	0.0- 0.0	24	2.6	1.0- 4.2
Some Post-H.S.	569	109,669	436	72.5	67.2-77.8	90	20.1	15.2-25.0	12	1.8	0.2- 3.4	5	1.5	0.0- 3.1	3	0.3	0.0- 0.7	23	3.8	1.8- 5.8
College Graduate	808	116,059	616	70.5	66.0-75.0	129	20.8	16.7-24.9	6	0.7	0.0- 1.5	24	5.2	2.8- 7.6	2	0.1	0.0- 0.3	31	2.7	1.3- 4.1
Less than \$15,000	196	31,649	108	42.5	33.1-51.9	62	43.8	34.0-53.6	3	0.6	0.0- 1.2	3	4.0	0.0- 9.3				20	9.1	3.8-14.4
\$15,000- 24,999	331	54,620	233	66.9	59.5-74.3	65	26.1	18.8-33.4	3	0.9	0.0- 2.5	1	0.4	0.0- 1.2	1	0.0	0.0- 0.0	28	5.7	2.6- 8.8
\$25,000- 34,999	213	33,624	147	64.7	55.5-73.9	55	33.4	24.2-42.6	2	0.3	0.0- 0.7	3	0.3	0.0- 0.7				6	1.3	0.1- 2.5
\$35,000- 49,999	250	45,423	184	69.3	60.3-78.3	49	24.2	15.6-32.8	2	1.0	0.0- 2.8	1	0.1	0.0- 0.3	2	0.6	0.0- 1.4	12	4.7	0.8- 8.6
\$50,000- 74,999	229	42,631	192	77.7	69.3-86.1	27	17.4	9.4-25.4	3	1.7	0.0- 3.9	3	1.1	0.0- 2.5				4	2.2	0.0- 4.9
\$75,000+	511	92,024	426	78.5	73.6-83.4	57	15.1	10.8-19.4				13	4.5	1.8- 7.2	2	0.1	0.0- 0.3	13	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4020	737,240	2743	65.2	63.0-67.4	585	20.8	18.8-22.8	65	1.3	0.9- 1.7	90	2.9	2.1- 3.7	88	1.8	1.2- 2.4	449	8.0	7.0- 9.0
Male	1792	351,271	1215	65.4	62.1-68.7	225	20.0	16.9-23.1	39	1.6	0.8- 2.4	57	3.4	2.2- 4.6	41	1.9	1.1- 2.7	215	7.8	6.2- 9.4
Female	2228	385,969	1528	65.0	62.3-67.7	360	21.5	19.0-24.0	26	1.1	0.5- 1.7	33	2.5	1.5- 3.5	47	1.6	0.8- 2.4	234	8.2	6.8- 9.6
18-24	258	87,366	126	53.3	45.3-61.3	46	26.0	18.4-33.6	4	1.2	0.0- 2.8	17	5.5	2.2- 8.8	5	2.2	0.0- 4.4	60	11.8	8.1-15.5
25-34	461	121,292	202	53.9	47.4-60.4	80	23.0	17.5-28.5	13	2.1	0.3- 3.9	23	3.8	1.8- 5.8	16	2.9	1.1- 4.7	127	14.3	10.2-18.4
35-44	459	109,367	237	57.9	51.6-64.2	72	19.6	13.7-25.5	6	1.4	0.2- 2.6	14	4.1	1.7- 6.5	12	1.8	0.6- 3.0	118	15.1	11.4-18.8
45-54	623	118,361	388	61.8	56.5-67.1	132	27.3	22.2-32.4	10	1.0	0.2- 1.8	16	2.9	1.1- 4.7	12	1.0	0.2- 1.8	65	6.0	4.2- 7.8
55-64	859	130,948	645	71.4	67.1-75.7	134	21.4	17.3-25.5	11	1.2	0.2- 2.2	9	1.0	0.2- 1.8	21	1.5	0.7- 2.3	39	3.4	2.0- 4.8
65+	1360	169,906	1145	81.6	78.7-84.5	121	12.2	9.8-14.6	21	1.1	0.3- 1.9	11	1.7	0.3- 3.1	22	1.4	0.4- 2.4	40	1.9	1.1- 2.7
Less Than H.S.	441	88,996	155	43.7	36.8-50.6	55	17.8	12.7-22.9	5	0.8	0.0- 1.6	4	2.5	0.0- 5.2	11	1.7	0.3- 3.1	211	33.5	27.4-39.6
H.S. or G.E.D.	1146	229,013	779	63.8	59.5-68.1	210	26.7	22.4-31.0	21	1.1	0.5- 1.7	10	1.4	0.2- 2.6	16	0.9	0.3- 1.5	110	6.1	4.5- 7.7
Some Post-H.S.	986	209,930	715	69.9	65.8-74.0	144	19.5	15.8-23.2	20	2.0	0.6- 3.4	11	1.5	0.3- 2.7	25	2.7	1.3- 4.1	71	4.4	3.0- 5.8
College Graduate	1431	206,185	1086	71.5	68.2-74.8	175	17.2	14.3-20.1	17	1.0	0.2- 1.8	63	5.8	4.0- 7.6	36	1.8	1.0- 2.6	54	2.7	1.7- 3.7
Less than \$15,000	329	51,102	138	37.3	30.0-44.6	82	36.7	29.1-44.3	7	0.8	0.2- 1.4	8	3.9	0.2- 7.6	11	2.3	0.7- 3.9	83	19.0	13.7-24.3
\$15,000- 24,999	600	100,481	335	55.0	49.5-60.5	104	23.7	18.6-28.8	7	1.1	0.0- 2.3	9	2.0	0.2- 3.8	10	1.4	0.0- 2.8	135	16.8	13.3-20.3
\$25,000- 34,999	378	65,151	236	57.6	50.3-64.9	81	29.3	22.2-36.4	7	2.2	0.0- 4.9	8	1.5	0.3- 2.7	8	1.7	0.1- 3.3	38	7.7	4.2-11.2
\$35,000- 49,999	458	85,754	325	65.0	58.1-71.9	71	21.5	15.2-27.8	10	1.4	0.2- 2.6	5	1.8	0.0- 4.2	11	1.8	0.2- 3.4	36	8.5	3.8-13.2
\$50,000- 74,999	476	91,512	387	76.5	70.8-82.2	55	19.0	13.3-24.7	7	1.0	0.0- 2.0	5	1.0	0.0- 2.0	5	1.2	0.0- 2.6	17	1.5	0.7- 2.3
\$75,000+	1013	199,448	816	76.4	72.5-80.3	100	14.9	11.2-18.6	6	0.5	0.0- 1.1	34	4.0	2.4- 5.6	23	1.8	0.8- 2.8	34	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	351,271	1215	65.4	62.1-68.7	225	20.0	16.9-23.1	39	1.6	0.8- 2.4	57	3.4	2.2- 4.6	41	1.9	1.1- 2.7	215	7.8	6.2- 9.4
18-24	153	44,751	83	60.6	50.4-70.8	23	23.3	13.5-33.1	2	0.4	0.0- 1.0	13	5.2	1.9- 8.5	3	2.4	0.0- 5.5	29	8.2	4.7-11.7
25-34	235	59,367	110	56.3	47.1-65.5	26	17.8	10.0-25.6	9	3.6	0.1- 7.1	15	4.0	1.3- 6.7	7	2.9	0.4- 5.4	68	15.5	8.6-22.4
35-44	211	53,060	113	59.2	49.4-69.0	27	19.0	9.0-29.0	3	1.3	0.0- 2.9	6	3.2	0.5- 5.9	6	2.2	0.2- 4.2	56	15.1	10.0-20.2
45-54	282	57,042	173	59.0	51.0-67.0	52	26.7	18.5-34.9	6	1.5	0.1- 2.9	10	4.8	1.3- 8.3	7	1.6	0.2- 3.0	34	6.3	3.8- 8.8
55-64	344	61,447	259	70.5	63.6-77.4	53	23.7	17.0-30.4	5	0.7	0.1- 1.3	5	1.3	0.0- 2.7	7	0.9	0.1- 1.7	15	3.0	1.0- 5.0
65+	567	75,604	477	80.3	75.6-85.0	44	12.6	8.7-16.5	14	1.7	0.3- 3.1	8	2.5	0.0- 5.0	11	1.7	0.3- 3.1	13	1.2	0.4- 2.0
Less Than H.S.	216	43,483	74	44.1	34.1-54.1	25	17.8	10.2-25.4	4	1.2	0.0- 2.8	2	1.6	0.0- 4.5	7	2.1	0.3- 3.9	104	33.1	23.9-42.3
H.S. or G.E.D.	533	115,496	352	62.5	56.0-69.0	95	27.6	21.1-34.1	16	1.3	0.5- 2.1	8	2.3	0.3- 4.3	6	1.0	0.0- 2.0	56	5.2	3.4- 7.0
Some Post-H.S.	413	99,805	298	70.1	64.0-76.2	55	19.3	13.8-24.8	9	2.2	0.0- 4.4	6	1.5	0.1- 2.9	15	3.2	1.2- 5.2	30	3.6	1.8- 5.4
College Graduate	620	89,927	485	74.4	69.7-79.1	50	12.8	8.7-16.9	10	1.4	0.0- 2.8	39	6.7	4.2- 9.2	13	1.5	0.3- 2.7	23	3.1	1.5- 4.7
Less than \$15,000	121	18,156	46	45.7	33.0-58.4	21	27.6	14.9-40.3	5	1.7	0.1- 3.3	5	4.0	0.0- 8.5	5	2.6	0.1- 5.1	39	18.5	11.2-25.8
\$15,000- 24,999	247	43,482	122	50.8	42.4-59.2	41	22.9	15.5-30.3	5	1.6	0.0- 3.6	8	4.1	0.2- 8.0	3	1.0	0.0- 2.4	68	19.6	13.7-25.5
\$25,000- 34,999	161	31,514	99	56.2	44.8-67.6	28	26.5	15.1-37.9	6	4.3	0.0-10.0	5	2.7	0.2- 5.2	5	2.9	0.0- 6.2	18	7.4	2.7-12.1
\$35,000- 49,999	205	39,764	149	65.5	54.9-76.1	25	19.3	9.9-28.7	6	1.1	0.1- 2.1	4	3.7	0.0- 8.6	4	1.6	0.0- 3.8	17	8.8	0.2-17.4
\$50,000- 74,999	247	48,881	200	76.3	68.5-84.1	28	20.4	12.6-28.2	5	0.7	0.0- 1.5	2	0.9	0.0- 2.1	2	0.3	0.0- 0.7	10	1.4	0.4- 2.4
\$75,000+	499	107,225	403	76.1	70.0-82.2	43	14.7	8.8-20.6	4	0.8	0.0- 1.8	21	3.6	1.6- 5.6	12	2.0	0.6- 3.4	16	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2228	385,969	1528	65.0	62.3-67.7	360	21.5	19.0-24.0	26	1.1	0.5- 1.7	33	2.5	1.5- 3.5	47	1.6	0.8- 2.4	234	8.2	6.8- 9.6
18-24	105	42,615	43	45.7	33.5-57.9	23	28.9	16.9-40.9	2	2.0	0.0- 5.1	4	5.8	0.1-11.5	2	1.9	0.0- 4.8	31	15.5	8.8-22.2
25-34	226	61,925	92	51.7	42.9-60.5	54	28.0	20.2-35.8	4	0.7	0.0- 1.5	8	3.7	0.8- 6.6	9	2.9	0.4- 5.4	59	13.1	8.6-17.6
35-44	248	56,307	124	56.7	48.9-64.5	45	20.2	13.7-26.7	3	1.5	0.0- 3.5	8	4.9	1.4- 8.4	6	1.5	0.0- 3.1	62	15.2	10.1-20.3
45-54	341	61,319	215	64.3	57.6-71.0	80	27.9	21.4-34.4	4	0.5	0.0- 1.1	6	1.1	0.0- 2.3	5	0.4	0.0- 0.8	31	5.7	3.0- 8.4
55-64	515	69,501	386	72.2	66.9-77.5	81	19.4	14.5-24.3	6	1.6	0.0- 3.4	4	0.8	0.0- 1.8	14	2.2	0.8- 3.6	24	3.9	1.9- 5.9
65+	793	94,302	668	82.6	79.1-86.1	77	12.0	9.1-14.9	7	0.6	0.0- 1.2	3	1.0	0.0- 2.6	11	1.2	0.0- 2.4	27	2.5	1.3- 3.7
Less Than H.S.	225	45,513	81	43.2	33.8-52.6	30	17.8	10.9-24.7	1	0.4	0.0- 1.2	2	3.4	0.0- 7.9	4	1.2	0.0- 3.0	107	33.9	25.9-41.9
H.S. or G.E.D.	613	113,517	427	65.1	59.6-70.6	115	25.7	20.2-31.2	5	0.9	0.0- 1.9	2	0.5	0.0- 1.5	10	0.8	0.2- 1.4	54	6.9	4.5- 9.3
Some Post-H.S.	573	110,125	417	69.7	64.4-75.0	89	19.7	14.8-24.6	11	1.9	0.3- 3.5	5	1.4	0.0- 3.0	10	2.2	0.4- 4.0	41	5.1	3.1- 7.1
College Graduate	811	116,258	601	69.2	64.7-73.7	125	20.6	16.5-24.7	7	0.7	0.0- 1.5	24	5.1	2.7- 7.5	23	2.0	0.8- 3.2	31	2.4	1.2- 3.6
Less than \$15,000	208	32,946	92	32.6	24.4-40.8	61	41.8	32.2-51.4	2	0.3	0.0- 0.9	3	3.8	0.0- 8.9	6	2.1	0.1- 4.1	44	19.3	12.2-26.4
\$15,000- 24,999	353	56,999	213	58.1	50.8-65.4	63	24.4	17.5-31.3	2	0.8	0.0- 2.2	1	0.4	0.0- 1.2	7	1.7	0.0- 3.9	67	14.7	10.4-19.0
\$25,000- 34,999	217	33,637	137	59.0	49.6-68.4	53	32.0	23.0-41.0	1	0.2	0.0- 0.6	3	0.3	0.0- 0.7	3	0.5	0.0- 1.1	20	8.0	2.9-13.1
\$35,000- 49,999	253	45,990	176	64.6	55.6-73.6	46	23.5	15.1-31.9	4	1.6	0.0- 3.6	1	0.1	0.0- 0.3	7	1.9	0.0- 4.3	19	8.3	3.4-13.2
\$50,000- 74,999	229	42,631	187	76.7	68.3-85.1	27	17.4	9.4-25.4	2	1.2	0.0- 3.2	3	1.1	0.0- 2.5	3	2.1	0.0- 4.8	7	1.5	0.1- 2.9
\$75,000+	514	92,223	413	76.7	71.6-81.8	57	15.1	10.8-19.4	2	0.1	0.0- 0.3	13	4.5	1.8- 7.2	11	1.6	0.4- 2.8	18	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4020	737,240	2743	65.2	63.0-67.4	1277	34.8	32.6-37.0
Male	1792	351,271	1215	65.4	62.1-68.7	577	34.6	31.3-37.9
Female	2228	385,969	1528	65.0	62.3-67.7	700	35.0	32.3-37.7
18-24	258	87,366	126	53.3	45.3-61.3	132	46.7	38.7-54.7
25-34	461	121,292	202	53.9	47.4-60.4	259	46.1	39.6-52.6
35-44	459	109,367	237	57.9	51.6-64.2	222	42.1	35.8-48.4
45-54	623	118,361	388	61.8	56.5-67.1	235	38.2	32.9-43.5
55-64	859	130,948	645	71.4	67.1-75.7	214	28.6	24.3-32.9
65+	1360	169,906	1145	81.6	78.7-84.5	215	18.4	15.5-21.3
Less Than H.S.	441	88,996	155	43.7	36.8-50.6	286	56.3	49.4-63.2
H.S. or G.E.D.	1146	229,013	779	63.8	59.5-68.1	367	36.2	31.9-40.5
Some Post-H.S.	986	209,930	715	69.9	65.8-74.0	271	30.1	26.0-34.2
College Graduate	1431	206,185	1086	71.5	68.2-74.8	345	28.5	25.2-31.8
Less than \$15,000	329	51,102	138	37.3	30.0-44.6	191	62.7	55.4-70.0
\$15,000- 24,999	600	100,481	335	55.0	49.5-60.5	265	45.0	39.5-50.5
\$25,000- 34,999	378	65,151	236	57.6	50.3-64.9	142	42.4	35.1-49.7
\$35,000- 49,999	458	85,754	325	65.0	58.1-71.9	133	35.0	28.1-41.9
\$50,000- 74,999	476	91,512	387	76.5	70.8-82.2	89	23.5	17.8-29.2
\$75,000+	1013	199,448	816	76.4	72.5-80.3	197	23.6	19.7-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	351,271	1215	65.4	62.1-68.7	577	34.6	31.3-37.9
18-24	153	44,751	83	60.6	50.4-70.8	70	39.4	29.2-49.6
25-34	235	59,367	110	56.3	47.1-65.5	125	43.7	34.5-52.9
35-44	211	53,060	113	59.2	49.4-69.0	98	40.8	31.0-50.6
45-54	282	57,042	173	59.0	51.0-67.0	109	41.0	33.0-49.0
55-64	344	61,447	259	70.5	63.6-77.4	85	29.5	22.6-36.4
65+	567	75,604	477	80.3	75.6-85.0	90	19.7	15.0-24.4
Less Than H.S.	216	43,483	74	44.1	34.1-54.1	142	55.9	45.9-65.9
H.S. or G.E.D.	533	115,496	352	62.5	56.0-69.0	181	37.5	31.0-44.0
Some Post-H.S.	413	99,805	298	70.1	64.0-76.2	115	29.9	23.8-36.0
College Graduate	620	89,927	485	74.4	69.7-79.1	135	25.6	20.9-30.3
Less than \$15,000	121	18,156	46	45.7	33.0-58.4	75	54.3	41.6-67.0
\$15,000- 24,999	247	43,482	122	50.8	42.4-59.2	125	49.2	40.8-57.6
\$25,000- 34,999	161	31,514	99	56.2	44.8-67.6	62	43.8	32.4-55.2
\$35,000- 49,999	205	39,764	149	65.5	54.9-76.1	56	34.5	23.9-45.1
\$50,000- 74,999	247	48,881	200	76.3	68.5-84.1	47	23.7	15.9-31.5
\$75,000+	499	107,225	403	76.1	70.0-82.2	96	23.9	17.8-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2228	385,969	1528	65.0	62.3-67.7	700	35.0	32.3-37.7
18-24	105	42,615	43	45.7	33.5-57.9	62	54.3	42.1-66.5
25-34	226	61,925	92	51.7	42.9-60.5	134	48.3	39.5-57.1
35-44	248	56,307	124	56.7	48.9-64.5	124	43.3	35.5-51.1
45-54	341	61,319	215	64.3	57.6-71.0	126	35.7	29.0-42.4
55-64	515	69,501	386	72.2	66.9-77.5	129	27.8	22.5-33.1
65+	793	94,302	668	82.6	79.1-86.1	125	17.4	13.9-20.9
Less Than H.S.	225	45,513	81	43.2	33.8-52.6	144	56.8	47.4-66.2
H.S. or G.E.D.	613	113,517	427	65.1	59.6-70.6	186	34.9	29.4-40.4
Some Post-H.S.	573	110,125	417	69.7	64.4-75.0	156	30.3	25.0-35.6
College Graduate	811	116,258	601	69.2	64.7-73.7	210	30.8	26.3-35.3
Less than \$15,000	208	32,946	92	32.6	24.4-40.8	116	67.4	59.2-75.6
\$15,000- 24,999	353	56,999	213	58.1	50.8-65.4	140	41.9	34.6-49.2
\$25,000- 34,999	217	33,637	137	59.0	49.6-68.4	80	41.0	31.6-50.4
\$35,000- 49,999	253	45,990	176	64.6	55.6-73.6	77	35.4	26.4-44.4
\$50,000- 74,999	229	42,631	187	76.7	68.3-85.1	42	23.3	14.9-31.7
\$75,000+	514	92,223	413	76.7	71.6-81.8	101	23.3	18.2-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4020	737,240	2743	65.2	63.0-67.4	585	20.8	18.8-22.8	194	5.1	4.1- 6.1	49	0.9	0.5- 1.3	449	8.0	7.0- 9.0
Male	1792	351,271	1215	65.4	62.1-68.7	225	20.0	16.9-23.1	119	5.9	4.5- 7.3	18	1.0	0.4- 1.6	215	7.8	6.2- 9.4
Female	2228	385,969	1528	65.0	62.3-67.7	360	21.5	19.0-24.0	75	4.4	3.0- 5.8	31	0.9	0.5- 1.3	234	8.2	6.8- 9.6
18-24	258	87,366	126	53.3	45.3-61.3	46	26.0	18.4-33.6	22	7.4	3.5-11.3	4	1.5	0.0- 3.1	60	11.8	8.1-15.5
25-34	461	121,292	202	53.9	47.4-60.4	80	23.0	17.5-28.5	41	6.9	4.0- 9.8	11	1.9	0.3- 3.5	127	14.3	10.2-18.4
35-44	459	109,367	237	57.9	51.6-64.2	72	19.6	13.7-25.5	27	6.9	4.2- 9.6	5	0.4	0.0- 0.8	118	15.1	11.4-18.8
45-54	623	118,361	388	61.8	56.5-67.1	132	27.3	22.2-32.4	31	4.5	2.3- 6.7	7	0.4	0.0- 0.8	65	6.0	4.2- 7.8
55-64	859	130,948	645	71.4	67.1-75.7	134	21.4	17.3-25.5	27	2.8	1.4- 4.2	14	0.9	0.3- 1.5	39	3.4	2.0- 4.8
65+	1360	169,906	1145	81.6	78.7-84.5	121	12.2	9.8-14.6	46	3.6	1.8- 5.4	8	0.6	0.0- 1.2	40	1.9	1.1- 2.7
Less Than H.S.	441	88,996	155	43.7	36.8-50.6	55	17.8	12.7-22.9	14	4.6	1.5- 7.7	6	0.5	0.1- 0.9	211	33.5	27.4-39.6
H.S. or G.E.D.	1146	229,013	779	63.8	59.5-68.1	210	26.7	22.4-31.0	37	2.9	1.5- 4.3	10	0.6	0.2- 1.0	110	6.1	4.5- 7.7
Some Post-H.S.	986	209,930	715	69.9	65.8-74.0	144	19.5	15.8-23.2	41	4.8	2.8- 6.8	15	1.5	0.5- 2.5	71	4.4	3.0- 5.8
College Graduate	1431	206,185	1086	71.5	68.2-74.8	175	17.2	14.3-20.1	98	7.7	5.7- 9.7	18	1.0	0.4- 1.6	54	2.7	1.7- 3.7
Less than \$15,000	329	51,102	138	37.3	30.0-44.6	82	36.7	29.1-44.3	20	5.5	1.8- 9.2	6	1.5	0.1- 2.9	83	19.0	13.7-24.3
\$15,000- 24,999	600	100,481	335	55.0	49.5-60.5	104	23.7	18.6-28.8	20	4.1	1.6- 6.6	6	0.4	0.0- 0.8	135	16.8	13.3-20.3
\$25,000- 34,999	378	65,151	236	57.6	50.3-64.9	81	29.3	22.2-36.4	16	3.8	0.7- 6.9	7	1.5	0.0- 3.1	38	7.7	4.2-11.2
\$35,000- 49,999	458	85,754	325	65.0	58.1-71.9	71	21.5	15.2-27.8	19	3.9	1.2- 6.6	7	1.0	0.0- 2.0	36	8.5	3.8-13.2
\$50,000- 74,999	476	91,512	387	76.5	70.8-82.2	55	19.0	13.3-24.7	14	2.3	0.7- 3.9	3	0.8	0.0- 2.0	17	1.5	0.7- 2.3
\$75,000+	1013	199,448	816	76.4	72.5-80.3	100	14.9	11.2-18.6	55	6.0	4.0- 8.0	8	0.3	0.1- 0.5	34	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	351,271	1215	65.4	62.1-68.7	225	20.0	16.9-23.1	119	5.9	4.5- 7.3	18	1.0	0.4- 1.6	215	7.8	6.2- 9.4
18-24	153	44,751	83	60.6	50.4-70.8	23	23.3	13.5-33.1	15	5.6	2.1- 9.1	3	2.4	0.0- 5.5	29	8.2	4.7-11.7
25-34	235	59,367	110	56.3	47.1-65.5	26	17.8	10.0-25.6	27	9.0	4.3-13.7	4	1.5	0.0- 3.3	68	15.5	8.6-22.4
35-44	211	53,060	113	59.2	49.4-69.0	27	19.0	9.0-29.0	13	6.2	2.5- 9.9	2	0.5	0.0- 1.1	56	15.1	10.0-20.2
45-54	282	57,042	173	59.0	51.0-67.0	52	26.7	18.5-34.9	20	7.4	3.5-11.3	3	0.5	0.0- 1.1	34	6.3	3.8- 8.8
55-64	344	61,447	259	70.5	63.6-77.4	53	23.7	17.0-30.4	13	2.4	0.8- 4.0	4	0.5	0.0- 1.1	15	3.0	1.0- 5.0
65+	567	75,604	477	80.3	75.6-85.0	44	12.6	8.7-16.5	31	5.1	2.2- 8.0	2	0.8	0.0- 2.0	13	1.2	0.4- 2.0
Less Than H.S.	216	43,483	74	44.1	34.1-54.1	25	17.8	10.2-25.4	10	4.4	0.7- 8.1	3	0.6	0.0- 1.4	104	33.1	23.9-42.3
H.S. or G.E.D.	533	115,496	352	62.5	56.0-69.0	95	27.6	21.1-34.1	27	4.0	1.8- 6.2	3	0.7	0.0- 1.5	56	5.2	3.4- 7.0
Some Post-H.S.	413	99,805	298	70.1	64.0-76.2	55	19.3	13.8-24.8	22	5.1	2.4- 7.8	8	1.8	0.2- 3.4	30	3.6	1.8- 5.4
College Graduate	620	89,927	485	74.4	69.7-79.1	50	12.8	8.7-16.9	58	9.1	6.2-12.0	4	0.6	0.0- 1.2	23	3.1	1.5- 4.7
Less than \$15,000	121	18,156	46	45.7	33.0-58.4	21	27.6	14.9-40.3	14	7.6	2.3-12.9	1	0.7	0.0- 2.1	39	18.5	11.2-25.8
\$15,000- 24,999	247	43,482	122	50.8	42.4-59.2	41	22.9	15.5-30.3	15	6.4	1.9-10.9	1	0.3	0.0- 0.9	68	19.6	13.7-25.5
\$25,000- 34,999	161	31,514	99	56.2	44.8-67.6	28	26.5	15.1-37.9	12	7.3	1.2-13.4	4	2.7	0.0- 5.8	18	7.4	2.7-12.1
\$35,000- 49,999	205	39,764	149	65.5	54.9-76.1	25	19.3	9.9-28.7	11	4.9	0.0- 9.8	3	1.5	0.0- 3.7	17	8.8	0.2-17.4
\$50,000- 74,999	247	48,881	200	76.3	68.5-84.1	28	20.4	12.6-28.2	8	1.7	0.3- 3.1	1	0.2	0.0- 0.6	10	1.4	0.4- 2.4
\$75,000+	499	107,225	403	76.1	70.0-82.2	43	14.7	8.8-20.6	34	6.1	3.6- 8.6	3	0.2	0.0- 0.4	16	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2228	385,969	1528	65.0	62.3-67.7	360	21.5	19.0-24.0	75	4.4	3.0- 5.8	31	0.9	0.5- 1.3	234	8.2	6.8- 9.6
18-24	105	42,615	43	45.7	33.5-57.9	23	28.9	16.9-40.9	7	9.3	2.4-16.2	1	0.5	0.0- 1.5	31	15.5	8.8-22.2
25-34	226	61,925	92	51.7	42.9-60.5	54	28.0	20.2-35.8	14	4.9	1.6- 8.2	7	2.3	0.0- 4.7	59	13.1	8.6-17.6
35-44	248	56,307	124	56.7	48.9-64.5	45	20.2	13.7-26.7	14	7.6	3.3-11.9	3	0.4	0.0- 0.8	62	15.2	10.1-20.3
45-54	341	61,319	215	64.3	57.6-71.0	80	27.9	21.4-34.4	11	1.7	0.3- 3.1	4	0.3	0.0- 0.7	31	5.7	3.0- 8.4
55-64	515	69,501	386	72.2	66.9-77.5	81	19.4	14.5-24.3	14	3.2	1.0- 5.4	10	1.3	0.3- 2.3	24	3.9	1.9- 5.9
65+	793	94,302	668	82.6	79.1-86.1	77	12.0	9.1-14.9	15	2.5	0.5- 4.5	6	0.4	0.0- 0.8	27	2.5	1.3- 3.7
Less Than H.S.	225	45,513	81	43.2	33.8-52.6	30	17.8	10.9-24.7	4	4.7	0.0- 9.6	3	0.3	0.0- 0.7	107	33.9	25.9-41.9
H.S. or G.E.D.	613	113,517	427	65.1	59.6-70.6	115	25.7	20.2-31.2	10	1.7	0.3- 3.1	7	0.5	0.1- 0.9	54	6.9	4.5- 9.3
Some Post-H.S.	573	110,125	417	69.7	64.4-75.0	89	19.7	14.8-24.6	19	4.5	2.0- 7.0	7	1.1	0.0- 2.3	41	5.1	3.1- 7.1
College Graduate	811	116,258	601	69.2	64.7-73.7	125	20.6	16.5-24.7	40	6.6	4.1- 9.1	14	1.2	0.2- 2.2	31	2.4	1.2- 3.6
Less than \$15,000	208	32,946	92	32.6	24.4-40.8	61	41.8	32.2-51.4	6	4.4	0.0- 9.5	5	1.9	0.0- 3.9	44	19.3	12.2-26.4
\$15,000- 24,999	353	56,999	213	58.1	50.8-65.4	63	24.4	17.5-31.3	5	2.3	0.0- 4.8	5	0.5	0.0- 1.1	67	14.7	10.4-19.0
\$25,000- 34,999	217	33,637	137	59.0	49.6-68.4	53	32.0	23.0-41.0	4	0.5	0.0- 1.1	3	0.5	0.0- 1.1	20	8.0	2.9-13.1
\$35,000- 49,999	253	45,990	176	64.6	55.6-73.6	46	23.5	15.1-31.9	8	3.1	0.2- 6.0	4	0.5	0.0- 1.1	19	8.3	3.4-13.2
\$50,000- 74,999	229	42,631	187	76.7	68.3-85.1	27	17.4	9.4-25.4	6	2.9	0.2- 5.6	2	1.5	0.0- 4.0	7	1.5	0.1- 2.9
\$75,000+	514	92,223	413	76.7	71.6-81.8	57	15.1	10.8-19.4	21	5.8	2.9- 8.7	5	0.5	0.0- 1.1	18	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4087	751,235	486	19.4	17.4-21.4	512	17.3	15.5-19.1	453	12.6	11.0-14.2	801	18.5	16.9-20.1	873	16.2	14.8-17.6	962	16.0	14.8-17.2
Male	1822	357,852	271	20.4	17.5-23.3	247	18.1	15.4-20.8	193	11.9	9.5-14.3	344	18.7	16.2-21.2	355	16.3	14.1-18.5	412	14.6	12.8-16.4
Female	2265	393,383	215	18.4	15.7-21.1	265	16.6	14.2-19.0	260	13.3	11.3-15.3	457	18.4	16.4-20.4	518	16.1	14.3-17.9	550	17.2	15.4-19.0
White/Non-Hisp	2715	476,300	220	15.6	13.2-18.0	231	14.4	12.2-16.6	258	12.5	10.7-14.3	542	18.6	16.8-20.4	660	18.4	16.6-20.2	804	20.6	18.8-22.4
Black or Afr. Am./Non-Hisp	579	152,055	89	24.7	19.4-30.0	81	16.5	12.4-20.6	71	11.4	7.3-15.5	148	23.7	19.0-28.4	125	16.5	12.8-20.2	65	7.3	5.1- 9.5
Oth. Race/Non-Hisp.	190	37,342	43	28.6	19.4-37.8	38	25.8	17.2-34.4	21	10.8	5.5-16.1	29	14.5	8.0-21.0	29	9.9	4.2-15.6	30	10.5	5.0-16.0
Hispanic	446	58,569	120	29.3	23.4-35.2	136	33.8	26.7-40.9	81	17.9	13.0-22.8	45	8.2	5.1-11.3	34	6.4	3.5- 9.3	30	4.4	2.4- 6.4
Less Than H.S.	443	89,183	66	19.8	13.7-25.9	99	24.0	17.5-30.5	62	11.5	7.8-15.2	66	13.9	9.6-18.2	74	14.7	10.4-19.0	76	16.1	11.8-20.4
H.S. or G.E.D.	1172	235,153	175	24.5	20.4-28.6	129	13.3	10.4-16.2	98	10.9	7.8-14.0	251	19.4	16.3-22.5	251	16.5	14.0-19.0	268	15.5	13.1-17.9
Some Post-H.S.	1011	215,433	131	20.9	17.0-24.8	121	17.3	13.6-21.0	90	10.0	7.5-12.5	201	18.6	15.5-21.7	208	16.4	13.7-19.1	260	16.8	14.4-19.2
College Graduate	1444	207,603	112	11.9	9.2-14.6	158	18.3	15.2-21.4	201	18.0	15.1-20.9	282	19.7	17.2-22.2	339	16.7	14.5-18.9	352	15.5	13.5-17.5
Less than \$15,000	332	51,318	51	23.5	16.4-30.6	52	21.2	14.3-28.1	35	9.6	5.5-13.7	78	20.6	15.1-26.1	67	13.9	9.4-18.4	49	11.2	7.1-15.3
\$15,000- 24,999	611	102,390	86	21.5	16.2-26.8	89	17.4	12.9-21.9	64	11.7	8.2-15.2	105	16.0	12.1-19.9	121	17.3	13.4-21.2	146	16.1	13.0-19.2
\$25,000- 34,999	384	66,150	46	19.0	12.9-25.1	51	18.4	12.1-24.7	29	8.4	4.7-12.1	75	18.1	12.4-23.8	67	14.7	9.8-19.6	116	21.4	16.5-26.3
\$35,000- 49,999	464	86,898	52	17.1	11.4-22.8	54	18.5	12.2-24.8	40	8.9	5.6-12.2	81	19.0	13.5-24.5	117	18.3	14.0-22.6	120	18.2	14.3-22.1
\$50,000- 74,999	487	94,366	47	18.7	12.6-24.8	58	18.1	12.6-23.6	55	10.8	7.3-14.3	82	16.0	11.7-20.3	128	20.6	15.9-25.3	117	15.9	12.4-19.4
\$75,000+	1025	202,060	72	11.6	8.7-14.5	132	18.8	15.3-22.3	172	21.3	17.4-25.2	259	23.8	20.5-27.1	218	14.6	12.2-17.0	172	9.8	8.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1822	357,852	271	20.4	17.7-23.1	247	18.1	15.4-20.8	193	11.9	9.5-14.3	344	18.7	16.2-21.2	355	16.3	14.1-18.5	412	14.6	13.0-16.2
White/Non-Hisp	1198	226,389	139	19.0	15.5-22.5	114	14.7	11.6-17.8	110	12.0	9.3-14.7	228	17.9	15.2-20.6	266	17.5	15.0-20.0	341	18.9	16.5-21.3
Black or Afr. Am./Non-Hisp	225	70,370	38	22.1	14.3-29.9	27	15.5	9.2-21.8	20	8.5	1.2-15.8	67	27.7	19.9-35.5	49	19.3	13.0-25.6	24	6.9	3.6-10.2
Oth. Race/Non-Hisp.	117	20,589	28	24.2	13.8-34.6	21	24.1	12.5-35.7	12	11.0	4.1-17.9	21	19.1	9.3-28.9	15	12.1	2.9-21.3	20	9.4	3.5-15.3
Hispanic	213	26,833	59	25.9	17.9-33.9	73	39.8	28.2-51.4	39	18.5	11.6-25.4	17	6.5	2.6-10.4	13	5.9	1.6-10.2	12	3.4	1.0-5.8
Less Than H.S.	217	43,428	38	24.1	14.5-33.7	49	21.2	12.0-30.4	33	12.2	7.3-17.1	32	16.2	9.3-23.1	36	15.4	8.9-21.9	29	10.9	5.8-16.0
H.S. or G.E.D.	544	118,480	110	27.5	21.8-33.2	70	16.0	11.5-20.5	49	10.8	5.9-15.7	118	18.2	13.7-22.7	98	15.3	11.6-19.0	99	12.2	9.3-15.1
Some Post-H.S.	427	103,004	65	18.7	13.6-23.8	55	18.1	12.6-23.6	37	11.1	6.8-15.4	89	20.7	15.6-25.8	85	17.6	13.1-22.1	96	13.8	10.7-16.9
College Graduate	625	90,000	57	11.6	8.1-15.1	68	17.5	12.8-22.2	74	14.5	10.6-18.4	105	18.8	14.9-22.7	136	17.1	13.8-20.4	185	20.5	17.2-23.8
Less than \$15,000	122	18,218	18	14.0	4.6-23.4	22	24.7	12.4-37.0	18	13.2	5.9-20.5	28	23.5	12.9-34.1	20	14.3	6.3-22.3	16	10.3	4.4-16.2
\$15,000- 24,999	253	44,823	45	22.0	14.6-29.4	38	15.8	9.3-22.3	31	14.3	8.2-20.4	46	16.7	10.6-22.8	47	18.4	11.7-25.1	46	12.8	8.3-17.3
\$25,000- 34,999	165	31,938	29	22.6	13.4-31.8	18	10.8	3.7-17.9	13	8.2	2.5-13.9	34	21.2	11.4-31.0	30	18.5	10.1-26.9	41	18.6	11.3-25.9
\$35,000- 49,999	209	40,401	28	15.3	9.4-21.2	21	19.4	9.0-29.8	18	8.4	3.5-13.3	31	16.3	7.9-24.7	51	21.3	13.7-28.9	60	19.3	13.2-25.4
\$50,000- 74,999	250	49,585	32	21.2	12.6-29.8	31	16.7	9.8-23.6	26	10.1	5.6-14.6	34	15.7	9.0-22.4	63	21.7	14.8-28.6	64	14.5	10.2-18.8
\$75,000+	505	109,178	44	12.8	8.5-17.1	81	23.0	17.5-28.5	66	17.6	11.7-23.5	120	22.7	18.0-27.4	95	12.9	9.6-16.2	99	11.0	8.5-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	393,383	215	18.4	15.7-21.1	265	16.6	14.2-19.0	260	13.3	11.3-15.3	457	18.4	16.4-20.4	518	16.1	14.3-17.9	550	17.2	15.4-19.0
White/Non-Hisp	1517	249,912	81	12.4	9.3-15.5	117	14.1	11.2-17.0	148	12.9	10.4-15.4	314	19.2	16.7-21.7	394	19.2	16.8-21.6	463	22.2	19.8-24.6
Black or Afr. Am./Non-Hisp	354	81,685	51	27.0	19.6-34.4	54	17.4	11.9-22.9	51	13.8	9.3-18.3	81	20.2	14.9-25.5	76	14.0	9.9-18.1	41	7.6	4.9-10.3
Oth. Race/Non-Hisp.	73	16,753	15	33.9	18.4-49.4	17	27.8	14.5-41.1	9	10.5	2.3-18.7	8	8.8	1.0-16.6	14	7.3	2.4-12.2	10	11.8	1.8-21.8
Hispanic	233	31,735	61	32.1	23.9-40.3	63	28.7	20.9-36.5	42	17.4	10.3-24.5	28	9.7	5.0-14.4	21	6.9	3.0-10.8	18	5.2	2.3- 8.1
Less Than H.S.	226	45,755	28	15.7	8.3-23.1	50	26.7	17.9-35.5	29	10.8	5.5-16.1	34	11.7	6.6-16.8	38	14.1	8.2-20.0	47	21.1	14.2-28.0
H.S. or G.E.D.	628	116,672	65	21.4	15.7-27.1	59	10.5	7.0-14.0	49	11.1	7.4-14.8	133	20.6	16.3-24.9	153	17.7	14.4-21.0	169	18.8	15.5-22.1
Some Post-H.S.	584	112,429	66	23.0	17.3-28.7	66	16.5	11.6-21.4	53	9.1	6.2-12.0	112	16.7	13.0-20.4	123	15.2	11.9-18.5	164	19.6	16.1-23.1
College Graduate	819	117,603	55	12.1	8.2-16.0	90	19.0	14.9-23.1	127	20.6	16.5-24.7	177	20.3	16.8-23.8	203	16.3	13.6-19.0	167	11.6	9.4-13.8
Less than \$15,000	210	33,099	33	28.7	19.3-38.1	30	19.3	11.5-27.1	17	7.7	2.8-12.6	50	19.0	12.7-25.3	47	13.6	8.1-19.1	33	11.7	6.0-17.4
\$15,000- 24,999	358	57,567	41	21.1	13.8-28.4	51	18.6	12.1-25.1	33	9.7	5.6-13.8	59	15.4	10.3-20.5	74	16.5	11.6-21.4	100	18.5	14.0-23.0
\$25,000- 34,999	219	34,212	17	15.6	8.0-23.2	33	25.5	16.1-34.9	16	8.6	3.5-13.7	41	15.1	9.0-21.2	37	11.1	6.0-16.2	75	24.1	17.6-30.6
\$35,000- 49,999	255	46,497	24	18.6	9.4-27.8	33	17.8	10.2-25.4	22	9.4	4.7-14.1	50	21.3	14.0-28.6	66	15.7	11.0-20.4	60	17.1	11.6-22.6
\$50,000- 74,999	237	44,780	15	15.8	7.6-24.0	27	19.6	11.2-28.0	29	11.5	6.0-17.0	48	16.3	10.6-22.0	65	19.3	13.6-25.0	53	17.5	11.8-23.2
\$75,000+	520	92,882	28	10.2	5.9-14.5	51	13.9	9.8-18.0	106	25.7	20.6-30.8	139	25.1	20.6-29.6	123	16.7	13.2-20.2	73	8.3	5.9-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4087	751,235	2699	76.9	75.5-78.3	1388	23.1	21.7-24.5
Male	1822	357,852	1242	78.5	76.3-80.7	580	21.5	19.3-23.7
Female	2265	393,383	1457	75.5	73.5-77.5	808	24.5	22.5-26.5
White/Non-Hisp	2715	476,300	1578	71.1	69.1-73.1	1137	28.9	26.9-30.9
Black or Afr. Am./Non-Hisp	579	152,055	458	86.3	83.4-89.2	121	13.7	10.8-16.6
Oth. Race/Non-Hisp.	190	37,342	145	83.5	76.2-90.8	45	16.5	9.2-23.8
Hispanic	446	58,569	406	94.3	92.1-96.5	40	5.7	3.5- 7.9
Less Than H.S.	443	89,183	339	78.3	73.4-83.2	104	21.7	16.8-26.6
H.S. or G.E.D.	1172	235,153	787	77.2	74.5-79.9	385	22.8	20.1-25.5
Some Post-H.S.	1011	215,433	637	76.0	73.1-78.9	374	24.0	21.1-26.9
College Graduate	1444	207,603	926	77.0	74.6-79.4	518	23.0	20.6-25.4
Less than \$15,000	332	51,318	257	84.2	79.5-88.9	75	15.8	11.1-20.5
\$15,000- 24,999	611	102,390	412	78.6	75.1-82.1	199	21.4	17.9-24.9
\$25,000- 34,999	384	66,150	233	71.9	66.2-77.6	151	28.1	22.4-33.8
\$35,000- 49,999	464	86,898	283	72.2	67.1-77.3	181	27.8	22.7-32.9
\$50,000- 74,999	487	94,366	299	73.7	69.0-78.4	188	26.3	21.6-31.0
\$75,000+	1025	202,060	755	84.2	81.8-86.6	270	15.8	13.4-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1822	357,852	1242	78.5	76.3-80.7	580	21.5	19.3-23.7
White/Non-Hisp	1198	226,389	725	73.5	70.8-76.2	473	26.5	23.8-29.2
Black or Afr. Am./Non-Hisp	225	70,370	181	86.5	81.8-91.2	44	13.5	8.8-18.2
Oth. Race/Non-Hisp.	117	20,589	87	81.4	71.4-91.4	30	18.6	8.6-28.6
Hispanic	213	26,833	200	96.5	94.1-98.9	13	3.5	1.1- 5.9
Less Than H.S.	217	43,428	173	82.4	75.7-89.1	44	17.6	10.9-24.3
H.S. or G.E.D.	544	118,480	406	81.5	77.8-85.2	138	18.5	14.8-22.2
Some Post-H.S.	427	103,004	286	79.5	75.4-83.6	141	20.5	16.4-24.6
College Graduate	625	90,000	371	71.3	67.4-75.2	254	28.7	24.8-32.6
Less than \$15,000	122	18,218	100	86.7	80.2-93.2	22	13.3	6.8-19.8
\$15,000- 24,999	253	44,823	191	83.1	78.0-88.2	62	16.9	11.8-22.0
\$25,000- 34,999	165	31,938	111	73.5	64.7-82.3	54	26.5	17.7-35.3
\$35,000- 49,999	209	40,401	121	68.7	60.5-76.9	88	31.3	23.1-39.5
\$50,000- 74,999	250	49,585	153	76.0	69.9-82.1	97	24.0	17.9-30.1
\$75,000+	505	109,178	355	83.0	79.7-86.3	150	17.0	13.7-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	393,383	1457	75.5	73.5-77.5	808	24.5	22.5-26.5
White/Non-Hisp	1517	249,912	853	68.9	66.2-71.6	664	31.1	28.4-33.8
Black or Afr. Am./Non-Hisp	354	81,685	277	86.2	82.5-89.9	77	13.8	10.1-17.5
Oth. Race/Non-Hisp.	73	16,753	58	86.1	75.9-96.3	15	13.9	3.7-24.1
Hispanic	233	31,735	206	92.5	89.0-96.0	27	7.5	4.0-11.0
Less Than H.S.	226	45,755	166	74.4	67.1-81.7	60	25.6	18.3-32.9
H.S. or G.E.D.	628	116,672	381	72.9	68.8-77.0	247	27.1	23.0-31.2
Some Post-H.S.	584	112,429	351	72.8	68.7-76.9	233	27.2	23.1-31.3
College Graduate	819	117,603	555	81.4	78.7-84.1	264	18.6	15.9-21.3
Less than \$15,000	210	33,099	157	82.8	76.5-89.1	53	17.2	10.9-23.5
\$15,000- 24,999	358	57,567	221	75.1	70.0-80.2	137	24.9	19.8-30.0
\$25,000- 34,999	219	34,212	122	70.3	63.0-77.6	97	29.7	22.4-37.0
\$35,000- 49,999	255	46,497	162	75.3	69.0-81.6	93	24.7	18.4-31.0
\$50,000- 74,999	237	44,780	146	71.2	64.1-78.3	91	28.8	21.7-35.9
\$75,000+	520	92,882	400	85.6	82.5-88.7	120	14.4	11.3-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3853	717,095	211	4.7	3.9- 5.5	1741	42.2	40.0-44.4	1578	43.9	41.7-46.1	323	9.3	7.9-10.7
Male	1715	344,328	6	0.2	0.0- 0.4	233	12.4	10.2-14.6	1163	68.3	65.2-71.4	313	19.0	16.3-21.7
Female	2138	372,767	205	8.8	7.2-10.4	1508	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5
White/Non-Hisp	2664	468,436	131	4.2	3.2- 5.2	1163	40.4	37.9-42.9	1132	45.7	43.2-48.2	238	9.8	8.0-11.6
Black or Afr. Am./Non-Hisp	560	147,573	30	3.2	1.6- 4.8	263	43.6	37.9-49.3	222	43.5	37.8-49.2	45	9.8	6.3-13.3
Oth. Race/Non-Hisp.	179	34,174	5	5.8	0.0-12.1	83	51.7	41.5-61.9	81	39.1	29.3-48.9	10	3.4	0.9- 5.9
Hispanic	297	40,652	38	15.8	9.5-22.1	163	50.9	42.3-59.5	82	29.3	20.3-38.3	14	3.9	1.2- 6.6
18-24	231	81,668	9	4.5	1.0- 8.0	81	38.1	29.9-46.3	108	43.7	35.5-51.9	33	13.7	7.8-19.6
25-34	402	117,633	18	2.3	0.9- 3.7	158	39.0	32.3-45.7	188	50.2	43.3-57.1	38	8.5	5.0-12.0
35-44	419	104,773	17	3.6	1.4- 5.8	185	40.3	34.2-46.4	174	46.3	39.8-52.8	43	9.7	6.0-13.4
45-54	599	115,918	24	3.4	1.8- 5.0	275	43.9	38.6-49.2	247	41.6	36.5-46.7	53	11.1	7.2-15.0
55-64	846	128,501	50	4.8	3.0- 6.6	398	44.3	39.8-48.8	323	41.3	36.8-45.8	75	9.6	6.9-12.3
65+	1356	168,602	93	7.8	5.8- 9.8	644	44.6	41.3-47.9	538	41.6	38.3-44.9	81	6.0	4.2- 7.8
Less Than H.S.	327	74,612	48	15.7	10.0-21.4	152	40.0	32.7-47.3	108	39.7	31.7-47.7	19	4.7	1.8- 7.6
H.S. or G.E.D.	1114	224,962	60	3.6	2.4- 4.8	506	42.9	38.8-47.0	465	44.0	39.9-48.1	83	9.5	6.6-12.4
Some Post-H.S.	982	212,287	44	3.3	2.1- 4.5	451	40.8	36.7-44.9	405	46.0	41.7-50.3	82	10.0	7.5-12.5
College Graduate	1412	201,714	59	3.4	2.4- 4.4	623	43.6	40.1-47.1	593	43.0	39.5-46.5	137	10.0	7.8-12.2
Less than \$15,000	287	46,793	28	7.6	3.3-11.9	150	52.7	44.7-60.7	98	35.9	28.3-43.5	11	3.8	0.5- 7.1
\$15,000- 24,999	552	95,115	40	7.2	4.3-10.1	290	49.1	43.2-55.0	185	35.7	30.0-41.4	37	8.0	4.5-11.5
\$25,000- 34,999	369	64,335	19	5.5	2.4- 8.6	172	43.0	35.7-50.3	149	41.3	34.0-48.6	29	10.2	4.7-15.7
\$35,000- 49,999	465	86,657	20	2.5	1.3- 3.7	220	47.0	40.1-53.9	184	39.9	33.4-46.4	41	10.5	6.4-14.6
\$50,000- 74,999	482	93,165	19	2.8	1.4- 4.2	195	40.0	33.7-46.3	221	47.6	41.1-54.1	47	9.5	6.2-12.8
\$75,000+	1020	200,544	37	2.9	1.7- 4.1	396	34.9	31.2-38.6	473	50.4	46.3-54.5	114	11.7	9.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1715	344,328	6	0.2	0.0- 0.4	233	12.4	10.2-14.6	1163	68.3	65.2-71.4	313	19.0	16.3-21.7
White/Non-Hisp	1182	224,273	1	0.1	0.0- 0.3	102	7.9	5.9- 9.9	844	71.6	68.1-75.1	235	20.4	17.1-23.7
Black or Afr. Am./Non-Hisp	220	68,974	1	0.4	0.0- 1.2	40	14.9	8.8-21.0	135	64.2	55.8-72.6	44	20.5	13.4-27.6
Oth. Race/Non-Hisp.	110	18,675				26	31.3	18.2-44.4	74	62.4	49.3-75.5	10	6.3	1.8-10.8
Hispanic	137	19,062	3	0.9	0.0- 1.9	59	41.5	28.8-54.2	65	50.5	37.0-64.0	10	7.1	1.6-12.6
18-24	135	41,317				17	9.6	3.5-15.7	86	64.0	53.0-75.0	32	26.4	16.0-36.8
25-34	204	59,416	1	0.1	0.0- 0.3	24	8.4	4.1-12.7	144	75.2	67.6-82.8	35	16.3	9.6-23.0
35-44	195	51,220	3	0.5	0.0- 1.1	34	13.6	7.9-19.3	116	66.3	57.5-75.1	42	19.7	12.4-27.0
45-54	266	55,704	2	0.7	0.0- 1.7	43	15.7	9.2-22.2	168	60.4	52.2-68.6	53	23.2	15.8-30.6
55-64	345	60,839				53	14.4	9.5-19.3	220	66.0	59.3-72.7	72	19.7	14.2-25.2
65+	570	75,832				62	12.4	8.7-16.1	429	74.4	69.7-79.1	79	13.2	9.7-16.7
Less Than H.S.	157	36,327	5	1.5	0.0- 3.3	45	23.4	14.8-32.0	90	65.8	55.8-75.8	17	9.3	3.4-15.2
H.S. or G.E.D.	522	115,696				81	13.4	9.3-17.5	359	68.4	62.5-74.3	82	18.2	12.9-23.5
Some Post-H.S.	412	101,358				44	8.5	5.2-11.8	289	70.9	65.2-76.6	79	20.6	15.3-25.9
College Graduate	614	88,158	1	0.1	0.0- 0.3	60	10.6	7.5-13.7	419	66.7	61.8-71.6	134	22.5	18.2-26.8
Less than \$15,000	95	16,290				22	24.7	12.2-37.2	64	65.5	51.8-79.2	9	9.8	0.8-18.8
\$15,000- 24,999	221	40,346	2	0.8	0.0- 2.2	57	24.2	16.8-31.6	126	56.4	47.4-65.4	36	18.6	11.2-26.0
\$25,000- 34,999	158	31,084				17	8.3	3.0-13.6	114	71.6	60.8-82.4	27	20.1	9.7-30.5
\$35,000- 49,999	211	41,108				37	18.8	10.2-27.4	134	59.1	49.1-69.1	40	22.1	13.9-30.3
\$50,000- 74,999	249	49,359				25	9.1	4.4-13.8	177	72.9	65.6-80.2	47	18.0	11.9-24.1
\$75,000+	503	108,598	1	0.1	0.0- 0.3	38	7.4	4.7-10.1	352	71.0	65.7-76.3	112	21.5	16.8-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2138	372,767	205	8.8	7.2-10.4	1508	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5
White/Non-Hisp	1482	244,164	130	7.9	6.1- 9.7	1061	70.1	66.8-73.4	288	21.8	18.7-24.9	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	340	78,599	29	5.7	3.2- 8.2	223	68.7	62.2-75.2	87	25.2	18.9-31.5	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	69	15,499	5	12.8	0.0-25.7	57	76.2	61.3-91.1	7	10.9	1.1-20.7			
Hispanic	160	21,590	35	29.1	18.9-39.3	104	59.3	48.5-70.1	17	10.5	3.1-17.9	4	1.1	0.0- 2.3
18-24	96	40,351	9	9.2	1.9-16.5	64	67.3	55.7-78.9	22	22.9	12.5-33.3	1	0.7	0.0- 2.1
25-34	198	58,217	17	4.7	2.2- 7.2	134	70.3	61.9-78.7	44	24.6	16.4-32.8	3	0.4	0.0- 1.0
35-44	224	53,553	14	6.7	2.6-10.8	151	65.9	58.1-73.7	58	27.3	19.9-34.7	1	0.1	0.0- 0.3
45-54	333	60,214	22	5.9	3.0- 8.8	232	70.0	63.7-76.3	79	24.1	18.2-30.0			
55-64	501	67,663	50	9.2	5.9-12.5	345	71.1	66.2-76.0	103	19.1	15.0-23.2	3	0.5	0.0- 1.1
65+	786	92,770	93	14.2	10.7-17.7	582	70.9	66.6-75.2	109	14.8	11.7-17.9	2	0.1	0.0- 0.3
Less Than H.S.	170	38,284	43	29.1	19.3-38.9	107	55.7	44.9-66.5	18	15.0	5.6-24.4	2	0.2	0.0- 0.6
H.S. or G.E.D.	592	109,266	60	7.3	4.9- 9.7	425	74.2	69.7-78.7	106	18.2	14.1-22.3	1	0.3	0.0- 0.9
Some Post-H.S.	570	110,929	44	6.3	4.1- 8.5	407	70.2	65.1-75.3	116	23.2	18.3-28.1	3	0.3	0.0- 0.7
College Graduate	798	113,555	58	5.9	4.1- 7.7	563	69.2	64.9-73.5	174	24.7	20.6-28.8	3	0.2	0.0- 0.6
Less than \$15,000	192	30,503	28	11.6	5.1-18.1	128	67.7	58.3-77.1	34	20.1	12.1-28.1	2	0.6	0.0- 1.4
\$15,000- 24,999	331	54,769	38	11.8	6.7-16.9	233	67.4	60.0-74.8	59	20.5	13.8-27.2	1	0.2	0.0- 0.6
\$25,000- 34,999	211	33,252	19	10.7	4.6-16.8	155	75.5	67.9-83.1	35	13.0	7.7-18.3	2	0.9	0.0- 2.5
\$35,000- 49,999	254	45,549	20	4.8	2.4- 7.2	183	72.5	64.7-80.3	50	22.6	15.2-30.0	1	0.1	0.0- 0.3
\$50,000- 74,999	233	43,807	19	6.0	2.9- 9.1	170	74.9	67.5-82.3	44	19.1	12.0-26.2			
\$75,000+	517	91,945	36	6.3	3.8- 8.8	358	67.5	62.2-72.8	121	26.1	21.0-31.2	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3858	717,974	211	4.7	3.9- 5.5	1743	42.1	39.9-44.3	1580	43.9	41.7-46.1	324	9.3	7.9-10.7
Male	1719	345,143	6	0.2	0.0- 0.4	234	12.5	10.3-14.7	1165	68.3	65.2-71.4	314	19.0	16.3-21.7
Female	2139	372,831	205	8.8	7.2-10.4	1509	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5
White/Non-Hisp	2665	468,828	131	4.2	3.2- 5.2	1163	40.3	37.8-42.8	1133	45.7	43.2-48.2	238	9.8	8.0-11.6
Black or Afr. Am./Non-Hisp	560	147,573	30	3.2	1.6- 4.8	263	43.6	37.9-49.3	222	43.5	37.8-49.2	45	9.8	6.3-13.3
Oth. Race/Non-Hisp.	179	34,174	5	5.8	0.0-12.1	83	51.7	41.5-61.9	81	39.1	29.3-48.9	10	3.4	0.9- 5.9
Hispanic	301	41,139	38	15.7	9.6-21.8	165	50.9	42.5-59.3	83	29.2	20.4-38.0	15	4.2	1.5- 6.9
18-24	232	82,059	9	4.5	1.0- 8.0	81	37.9	29.7-46.1	109	43.9	35.7-52.1	33	13.6	7.7-19.5
25-34	403	117,697	18	2.3	1.1- 3.5	159	39.1	32.4-45.8	188	50.1	43.2-57.0	38	8.5	5.0-12.0
35-44	421	105,017	17	3.6	1.4- 5.8	185	40.2	34.1-46.3	175	46.3	39.8-52.8	44	9.8	6.1-13.5
45-54	600	116,098	24	3.4	1.8- 5.0	276	44.0	38.7-49.3	247	41.5	36.4-46.6	53	11.1	7.2-15.0
55-64	846	128,501	50	4.8	3.0- 6.6	398	44.3	39.8-48.8	323	41.3	36.8-45.8	75	9.6	6.9-12.3
65+	1356	168,602	93	7.8	5.8- 9.8	644	44.6	41.3-47.9	538	41.6	38.3-44.9	81	6.0	4.2- 7.8
Less Than H.S.	330	75,035	48	15.6	9.9-21.3	153	40.0	32.7-47.3	109	39.7	31.7-47.7	20	4.8	1.9- 7.7
H.S. or G.E.D.	1116	225,417	60	3.5	2.3- 4.7	507	42.9	38.8-47.0	466	44.1	40.0-48.2	83	9.5	6.8-12.2
Some Post-H.S.	982	212,287	44	3.3	2.1- 4.5	451	40.8	36.7-44.9	405	46.0	41.7-50.3	82	10.0	7.5-12.5
College Graduate	1412	201,714	59	3.4	2.4- 4.4	623	43.6	40.1-47.1	593	43.0	39.5-46.5	137	10.0	7.8-12.2
Less than \$15,000	289	46,975	28	7.6	3.3-11.9	151	52.6	44.6-60.6	99	36.0	28.4-43.6	11	3.8	0.5- 7.1
\$15,000- 24,999	553	95,506	40	7.1	4.2-10.0	290	48.9	43.0-54.8	186	36.0	30.3-41.7	37	8.0	4.7-11.3
\$25,000- 34,999	370	64,516	19	5.5	2.4- 8.6	173	43.2	35.9-50.5	149	41.2	34.1-48.3	29	10.2	4.7-15.7
\$35,000- 49,999	465	86,657	20	2.5	1.3- 3.7	220	47.0	40.1-53.9	184	39.9	33.4-46.4	41	10.5	6.4-14.6
\$50,000- 74,999	482	93,165	19	2.8	1.4- 4.2	195	40.0	33.7-46.3	221	47.6	41.1-54.1	47	9.5	6.2-12.8
\$75,000+	1020	200,544	37	2.9	1.7- 4.1	396	34.9	31.2-38.6	473	50.4	46.3-54.5	114	11.7	9.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	345,143	6	0.2	0.0- 0.4	234	12.5	10.3-14.7	1165	68.3	65.2-71.4	314	19.0	16.3-21.7
White/Non-Hisp	1183	224,664	1	0.1	0.0- 0.3	102	7.9	5.9- 9.9	845	71.7	68.2-75.2	235	20.4	17.1-23.7
Black or Afr. Am./Non-Hisp	220	68,974	1	0.4	0.0- 1.2	40	14.9	8.8-21.0	135	64.2	55.8-72.6	44	20.5	13.4-27.6
Oth. Race/Non-Hisp.	110	18,675				26	31.3	18.2-44.4	74	62.4	49.3-75.5	10	6.3	1.8-10.8
Hispanic	140	19,486	3	0.9	0.0- 1.9	60	41.5	29.0-54.0	66	50.0	36.7-63.3	11	7.6	1.9-13.3
18-24	136	41,709				17	9.5	3.4-15.6	87	64.3	53.5-75.1	32	26.1	15.9-36.3
25-34	204	59,416	1	0.1	0.0- 0.3	24	8.4	4.1-12.7	144	75.2	67.6-82.8	35	16.3	9.6-23.0
35-44	197	51,464	3	0.5	0.0- 1.1	34	13.5	8.0-19.0	117	66.2	57.4-75.0	43	19.9	12.6-27.2
45-54	267	55,884	2	0.7	0.0- 1.7	44	16.0	9.5-22.5	168	60.3	52.1-68.5	53	23.1	15.7-30.5
55-64	345	60,839				53	14.4	9.5-19.3	220	66.0	59.3-72.7	72	19.7	14.2-25.2
65+	570	75,832				62	12.4	8.7-16.1	429	74.4	69.7-79.1	79	13.2	9.7-16.7
Less Than H.S.	160	36,751	5	1.5	0.0- 3.1	46	23.6	15.0-32.2	91	65.4	55.4-75.4	18	9.5	3.6-15.4
H.S. or G.E.D.	523	116,088				81	13.3	9.2-17.4	360	68.5	62.6-74.4	82	18.2	13.1-23.3
Some Post-H.S.	412	101,358				44	8.5	5.2-11.8	289	70.9	65.2-76.6	79	20.6	15.3-25.9
College Graduate	614	88,158	1	0.1	0.0- 0.3	60	10.6	7.5-13.7	419	66.7	61.8-71.6	134	22.5	18.2-26.8
Less than \$15,000	96	16,408				22	24.5	12.0-37.0	65	65.8	52.1-79.5	9	9.7	0.9-18.5
\$15,000- 24,999	222	40,737	2	0.8	0.0- 2.2	57	23.9	16.5-31.3	127	56.8	47.8-65.8	36	18.5	11.1-25.9
\$25,000- 34,999	159	31,264				18	8.8	3.5-14.1	114	71.2	60.4-82.0	27	20.0	9.6-30.4
\$35,000- 49,999	211	41,108				37	18.8	10.2-27.4	134	59.1	49.1-69.1	40	22.1	13.9-30.3
\$50,000- 74,999	249	49,359				25	9.1	4.4-13.8	177	72.9	65.6-80.2	47	18.0	11.9-24.1
\$75,000+	503	108,598	1	0.1	0.0- 0.3	38	7.4	4.7-10.1	352	71.0	65.7-76.3	112	21.5	16.8-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2139	372,831	205	8.8	7.2-10.4	1509	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5
White/Non-Hisp	1482	244,164	130	7.9	6.1- 9.7	1061	70.1	66.8-73.4	288	21.8	18.7-24.9	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	340	78,599	29	5.7	3.2- 8.2	223	68.7	62.2-75.2	87	25.2	18.9-31.5	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	69	15,499	5	12.8	0.0-25.7	57	76.2	61.3-91.1	7	10.9	1.1-20.7			
Hispanic	161	21,654	35	29.0	18.8-39.2	105	59.4	48.6-70.2	17	10.5	3.1-17.9	4	1.1	0.0- 2.3
18-24	96	40,351	9	9.2	1.9-16.5	64	67.3	55.7-78.9	22	22.9	12.5-33.3	1	0.7	0.0- 2.1
25-34	199	58,281	17	4.6	2.1- 7.1	135	70.3	61.9-78.7	44	24.6	16.4-32.8	3	0.4	0.0- 1.0
35-44	224	53,553	14	6.7	2.6-10.8	151	65.9	58.1-73.7	58	27.3	19.9-34.7	1	0.1	0.0- 0.3
45-54	333	60,214	22	5.9	3.0- 8.8	232	70.0	63.7-76.3	79	24.1	18.2-30.0			
55-64	501	67,663	50	9.2	5.9-12.5	345	71.1	66.2-76.0	103	19.1	15.0-23.2	3	0.5	0.0- 1.1
65+	786	92,770	93	14.2	10.7-17.7	582	70.9	66.6-75.2	109	14.8	11.7-17.9	2	0.1	0.0- 0.3
Less Than H.S.	170	38,284	43	29.1	19.3-38.9	107	55.7	44.9-66.5	18	15.0	5.6-24.4	2	0.2	0.0- 0.6
H.S. or G.E.D.	593	109,330	60	7.3	4.9- 9.7	426	74.3	69.8-78.8	106	18.2	14.1-22.3	1	0.3	0.0- 0.9
Some Post-H.S.	570	110,929	44	6.3	4.1- 8.5	407	70.2	65.1-75.3	116	23.2	18.3-28.1	3	0.3	0.0- 0.7
College Graduate	798	113,555	58	5.9	4.1- 7.7	563	69.2	64.9-73.5	174	24.7	20.6-28.8	3	0.2	0.0- 0.6
Less than \$15,000	193	30,567	28	11.6	5.1-18.1	129	67.7	58.3-77.1	34	20.1	12.1-28.1	2	0.6	0.0- 1.4
\$15,000- 24,999	331	54,769	38	11.8	6.7-16.9	233	67.4	60.0-74.8	59	20.5	13.8-27.2	1	0.2	0.0- 0.6
\$25,000- 34,999	211	33,252	19	10.7	4.6-16.8	155	75.5	67.9-83.1	35	13.0	7.7-18.3	2	0.9	0.0- 2.5
\$35,000- 49,999	254	45,549	20	4.8	2.4- 7.2	183	72.5	64.7-80.3	50	22.6	15.2-30.0	1	0.1	0.0- 0.3
\$50,000- 74,999	233	43,807	19	6.0	2.9- 9.1	170	74.9	67.5-82.3	44	19.1	12.0-26.2			
\$75,000+	517	91,945	36	6.3	3.8- 8.8	358	67.5	62.2-72.8	121	26.1	21.0-31.2	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3829	705,346	36	1.1	0.5- 1.7	1085	28.0	26.0-30.0	1738	44.3	42.1-46.5	722	20.5	18.5-22.5	196	5.0	4.0- 6.0	52	1.3	0.9- 1.7
Male	1762	344,920	2	0.1	0.0- 0.3	215	12.2	10.0-14.4	877	48.3	45.0-51.6	493	30.0	26.9-33.1	133	7.4	5.8- 9.0	42	2.0	1.2- 2.8
Female	2067	360,426	34	2.0	1.0- 3.0	870	43.1	40.2-46.0	861	40.4	37.5-43.3	229	11.4	9.4-13.4	63	2.7	1.7- 3.7	10	0.5	0.1- 0.9
White/Non-Hisp	2561	450,272	23	0.8	0.4- 1.2	715	27.7	25.3-30.1	1164	44.3	41.8-46.8	494	20.7	18.5-22.9	129	5.1	3.9- 6.3	36	1.5	0.9- 2.1
Black or Afr. Am./Non-Hisp	537	142,640	3	0.4	0.0- 1.0	108	20.1	15.6-24.6	251	46.3	40.4-52.2	132	26.0	20.5-31.5	37	6.2	3.7- 8.7	6	1.0	0.0- 2.0
Oth. Race/Non-Hisp.	176	33,466	3	3.4	0.0- 8.5	62	43.2	32.8-53.6	78	38.7	28.9-48.5	21	8.6	4.1-13.1	8	5.0	0.3- 9.7	4	1.1	0.0- 2.3
Hispanic	417	54,476	3	0.6	0.0- 1.4	161	39.0	32.3-45.7	195	47.9	40.8-55.0	42	9.7	5.8-13.6	13	2.4	0.8- 4.0	3	0.5	0.0- 1.1
18-24	243	81,705	5	2.5	0.0- 5.0	92	43.6	35.6-51.6	107	41.0	33.2-48.8	30	9.6	5.5-13.7	8	2.6	0.4- 4.8	1	0.7	0.0- 2.1
25-34	441	120,753	2	1.0	0.0- 2.8	132	27.0	21.3-32.7	205	46.4	39.7-53.1	73	19.5	14.2-24.8	21	4.9	2.0- 7.8	8	1.2	0.0- 2.4
35-44	435	104,079	3	0.6	0.0- 1.4	118	25.5	20.2-30.8	187	42.4	36.1-48.7	95	25.1	18.8-31.4	26	4.8	2.6- 7.0	6	1.5	0.0- 3.1
45-54	592	112,252	7	1.1	0.0- 2.3	152	24.9	20.6-29.2	270	44.9	39.6-50.2	114	21.4	16.7-26.1	39	6.2	3.7- 8.7	10	1.5	0.5- 2.5
55-64	817	124,608	5	0.6	0.0- 1.2	190	20.2	16.9-23.5	385	46.7	42.2-51.2	168	23.5	19.4-27.6	53	6.9	4.4- 9.4	16	2.1	0.7- 3.5
65+	1301	161,948	14	1.0	0.4- 1.6	401	30.4	27.3-33.5	584	43.3	40.0-46.6	242	20.6	17.7-23.5	49	4.0	2.6- 5.4	11	0.7	0.3- 1.1
Less Than H.S.	412	83,943	4	1.9	0.0- 4.3	151	34.7	28.2-41.2	174	40.7	33.6-47.8	53	16.1	10.8-21.4	21	4.3	2.1- 6.5	9	2.4	0.4- 4.4
H.S. or G.E.D.	1099	217,333	12	1.0	0.2- 1.8	295	25.6	22.1-29.1	494	44.1	40.0-48.2	212	21.9	18.2-25.6	66	5.6	3.8- 7.4	20	1.8	0.8- 2.8
Some Post-H.S.	948	205,553	9	1.0	0.0- 2.2	254	26.7	22.8-30.6	435	43.7	39.4-48.0	194	22.4	18.7-26.1	43	5.4	3.2- 7.6	13	0.9	0.3- 1.5
College Graduate	1354	194,975	11	0.8	0.2- 1.4	380	28.7	25.4-32.0	626	46.6	43.1-50.1	262	19.0	16.3-21.7	65	4.2	2.8- 5.6	10	0.6	0.2- 1.0
Less than \$15,000	309	48,140	2	0.6	0.0- 1.4	115	34.4	27.0-41.8	118	38.9	31.3-46.5	48	19.0	12.3-25.7	19	5.0	2.3- 7.7	7	2.1	0.0- 4.3
\$15,000- 24,999	577	96,536	11	1.4	0.2- 2.6	172	29.6	24.3-34.9	258	44.1	38.4-49.8	96	16.6	12.5-20.7	31	5.6	3.1- 8.1	9	2.5	0.5- 4.5
\$25,000- 34,999	362	62,357	2	0.2	0.0- 0.6	89	25.1	18.8-31.4	171	40.9	33.8-48.0	73	24.6	17.7-31.5	18	6.6	2.1-11.1	9	2.6	0.2- 5.0
\$35,000- 49,999	453	84,215	3	0.5	0.0- 1.1	114	26.2	20.1-32.3	218	47.6	40.9-54.3	96	21.0	15.7-26.3	19	4.2	1.7- 6.7	3	0.5	0.0- 1.1
\$50,000- 74,999	475	92,189	3	1.6	0.0- 4.0	117	22.5	17.6-27.4	229	47.5	41.0-54.0	93	20.3	15.2-25.4	23	6.7	3.4-10.0	10	1.4	0.4- 2.4
\$75,000+	997	196,540	5	0.5	0.0- 1.1	249	24.4	20.9-27.9	459	45.9	41.8-50.0	219	24.1	20.0-28.2	57	4.6	3.0- 6.2	8	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	344,920	2	0.1	0.0- 0.3	215	12.2	10.0-14.4	877	48.3	45.0-51.6	493	30.0	26.9-33.1	133	7.4	5.8- 9.0	42	2.0	1.2- 2.8
White/Non-Hisp	1173	220,809	1	0.0	0.0- 0.0	99	9.2	6.8-11.6	596	49.4	45.5-53.3	353	31.0	27.5-34.5	94	7.9	5.9- 9.9	30	2.4	1.2- 3.6
Black or Afr. Am./Non-Hisp	216	67,464	1	0.5	0.0- 1.5	28	11.0	5.9-16.1	91	42.2	33.4-51.0	73	35.9	26.5-45.3	19	9.0	4.3-13.7	4	1.4	0.0- 3.2
Oth. Race/Non-Hisp.	112	18,795				26	26.3	14.0-38.6	59	54.6	41.7-67.5	17	13.6	6.2-21.0	6	3.4	0.0- 7.1	4	2.0	0.0- 4.2
Hispanic	196	24,663				50	22.4	14.6-30.2	107	59.1	48.7-69.5	30	14.7	7.6-21.8	7	3.3	0.4- 6.2	2	0.6	0.0- 1.4
18-24	144	41,272				41	31.4	21.4-41.4	69	49.6	39.2-60.0	26	14.0	8.3-19.7	7	3.6	0.7- 6.5	1	1.3	0.0- 3.8
25-34	229	60,630				31	9.6	4.7-14.5	137	58.1	48.9-67.3	45	25.4	17.0-33.8	11	5.5	1.4- 9.6	5	1.3	0.0- 2.9
35-44	201	51,834				26	11.5	6.0-17.0	89	41.5	32.1-50.9	68	38.7	28.3-49.1	14	6.2	2.5- 9.9	4	2.1	0.0- 4.8
45-54	271	54,977				34	9.5	5.8-13.2	128	46.4	38.4-54.4	76	32.3	24.5-40.1	23	8.8	4.3-13.3	10	3.1	1.1- 5.1
55-64	344	60,357	2	0.6	0.0- 1.8	30	6.0	3.5- 8.5	159	46.9	39.8-54.0	101	30.8	23.9-37.7	38	12.1	7.0-17.2	14	3.7	1.2- 6.2
65+	573	75,849				53	11.0	7.3-14.7	295	47.1	42.0-52.2	177	33.9	28.8-39.0	40	7.0	4.5- 9.5	8	0.8	0.2- 1.4
Less Than H.S.	203	40,698				51	21.5	13.9-29.1	98	47.4	36.8-58.0	33	21.3	12.7-29.9	14	6.4	2.5-10.3	7	3.4	0.1- 6.7
H.S. or G.E.D.	525	113,459	1	0.3	0.0- 0.9	70	13.1	9.0-17.2	241	45.6	39.5-51.7	149	29.9	23.8-36.0	48	8.3	5.6-11.0	16	2.8	0.8- 4.8
Some Post-H.S.	412	100,708				40	9.5	5.6-13.4	210	47.4	40.9-53.9	124	33.5	27.2-39.8	29	8.4	4.5-12.3	9	1.1	0.3- 1.9
College Graduate	612	87,138	1	0.0	0.0- 0.0	51	8.3	5.6-11.0	323	53.5	48.4-58.6	186	31.0	26.1-35.9	41	5.7	3.5- 7.9	10	1.4	0.4- 2.4
Less than \$15,000	114	17,704				30	20.2	10.0-30.4	43	35.8	23.8-47.8	27	31.3	18.2-44.4	9	8.1	2.0-14.2	5	4.6	0.0-10.1
\$15,000- 24,999	241	41,686				45	16.4	10.3-22.5	119	50.7	42.1-59.3	52	21.0	14.3-27.7	19	8.4	3.5-13.3	6	3.5	0.2- 6.8
\$25,000- 34,999	163	31,388				19	13.9	6.6-21.2	82	42.1	31.5-52.7	45	33.0	22.0-44.0	9	6.3	0.8-11.8	8	4.8	0.1- 9.5
\$35,000- 49,999	210	40,920				36	16.7	9.6-23.8	103	54.4	44.6-64.2	60	23.1	16.0-30.2	9	5.2	0.7- 9.7	2	0.6	0.0- 1.6
\$50,000- 74,999	249	49,623				14	7.3	2.6-12.0	136	51.9	42.9-60.9	70	27.7	19.9-35.5	20	10.9	5.2-16.6	9	2.3	0.5- 4.1
\$75,000+	503	107,880	1	0.0	0.0- 0.0	29	7.3	3.8-10.8	251	47.6	41.5-53.7	170	37.2	30.9-43.5	45	7.1	4.4- 9.8	7	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2067	360,426	34	2.0	1.0- 3.0	870	43.1	40.2-46.0	861	40.4	37.5-43.3	229	11.4	9.4-13.4	63	2.7	1.7- 3.7	10	0.5	0.1- 0.9
White/Non-Hisp	1388	229,463	22	1.7	0.7- 2.7	616	45.5	41.8-49.2	568	39.3	35.8-42.8	141	10.7	8.3-13.1	35	2.3	1.1- 3.5	6	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	321	75,175	2	0.2	0.0- 0.6	80	28.2	21.3-35.1	160	50.1	42.7-57.5	59	17.0	11.5-22.5	18	3.7	1.3- 6.1	2	0.7	0.0- 1.9
Oth. Race/Non-Hisp.	64	14,671	3	7.8	0.0-19.0	36	64.7	48.8-80.6	19	18.4	6.8-30.0	4	2.1	0.0- 4.6	2	7.0	0.0-16.4			
Hispanic	221	29,814	3	1.0	0.0- 2.4	111	52.7	43.7-61.7	88	38.6	30.0-47.2	12	5.5	1.2- 9.8	6	1.7	0.1- 3.3	1	0.5	0.0- 1.5
18-24	99	40,433	5	5.1	0.0-10.2	51	56.1	43.9-68.3	38	32.2	21.2-43.2	4	5.1	0.0-10.8	1	1.5	0.0- 4.4			
25-34	212	60,124	2	2.0	0.0- 5.5	101	44.6	35.4-53.8	68	34.6	25.8-43.4	28	13.5	7.2-19.8	10	4.3	0.0- 8.6	3	1.0	0.0- 2.4
35-44	234	52,245	3	1.2	0.0- 2.8	92	39.4	31.6-47.2	98	43.3	35.1-51.5	27	11.7	6.8-16.6	12	3.5	1.1- 5.9	2	1.0	0.0- 2.6
45-54	321	57,275	7	2.1	0.0- 4.3	118	39.7	32.8-46.6	142	43.5	36.4-50.6	38	11.0	6.3-15.7	16	3.7	1.0- 6.4			
55-64	473	64,251	3	0.7	0.0- 1.5	160	33.6	28.3-38.9	226	46.5	40.8-52.2	67	16.8	11.9-21.7	15	2.0	0.8- 3.2	2	0.5	0.0- 1.3
65+	728	86,099	14	1.8	0.6- 3.0	348	47.5	42.8-52.2	289	39.9	35.4-44.4	65	8.8	6.3-11.3	9	1.4	0.4- 2.4	3	0.6	0.0- 1.2
Less Than H.S.	209	43,245	4	3.7	0.0- 8.2	100	47.2	37.6-56.8	76	34.4	25.2-43.6	20	11.1	4.6-17.6	7	2.3	0.3- 4.3	2	1.4	0.0- 3.4
H.S. or G.E.D.	574	103,874	11	1.7	0.3- 3.1	225	39.2	33.5-44.9	253	42.5	36.8-48.2	63	13.2	9.1-17.3	18	2.6	0.4- 4.8	4	0.7	0.0- 1.5
Some Post-H.S.	536	104,846	9	2.0	0.0- 4.2	214	43.1	37.2-49.0	225	40.0	34.3-45.7	70	11.8	8.3-15.3	14	2.5	0.7- 4.3	4	0.6	0.0- 1.2
College Graduate	742	107,837	10	1.5	0.3- 2.7	329	45.2	40.3-50.1	303	40.9	36.0-45.8	76	9.3	6.6-12.0	24	3.1	1.3- 4.9			
Less than \$15,000	195	30,436	2	1.0	0.0- 2.4	85	42.6	32.8-52.4	75	40.8	31.0-50.6	21	11.8	5.3-18.3	10	3.1	0.6- 5.6	2	0.7	0.0- 1.7
\$15,000- 24,999	336	54,850	11	2.5	0.3- 4.7	127	39.7	32.1-47.3	139	39.1	31.7-46.5	44	13.3	8.2-18.4	12	3.6	0.9- 6.3	3	1.8	0.0- 4.0
\$25,000- 34,999	199	30,969	2	0.4	0.0- 1.0	70	36.4	27.0-45.8	89	39.7	30.3-49.1	28	16.2	9.1-23.3	9	6.8	0.0-14.1	1	0.4	0.0- 1.2
\$35,000- 49,999	243	43,295	3	0.9	0.0- 2.1	78	35.2	26.0-44.4	115	41.2	32.6-49.8	36	19.0	11.4-26.6	10	3.2	0.7- 5.7	1	0.4	0.0- 1.2
\$50,000- 74,999	226	42,567	3	3.4	0.0- 8.5	103	40.4	31.8-49.0	93	42.3	33.1-51.5	23	11.7	5.8-17.6	3	1.8	0.0- 4.7	1	0.4	0.0- 1.2
\$75,000+	494	88,660	4	1.2	0.0- 2.4	220	45.2	39.5-50.9	208	43.7	38.0-49.4	49	8.2	5.1-11.3	12	1.5	0.5- 2.5	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3648	677,901	44	1.5	0.9- 2.1	1053	30.0	27.8-32.2	1329	36.7	34.5-38.9	713	18.1	16.3-19.9	509	13.6	12.0-15.2
Male	1686	335,813	12	1.0	0.2- 1.8	427	25.9	23.0-28.8	689	40.9	37.6-44.2	345	20.4	17.5-23.3	213	11.8	9.6-14.0
Female	1962	342,088	32	2.1	1.1- 3.1	626	34.1	31.2-37.0	640	32.6	29.7-35.5	368	15.9	13.9-17.9	296	15.4	13.0-17.8
White/Non-Hisp	2534	444,598	31	1.3	0.7- 1.9	763	31.7	29.2-34.2	931	36.6	34.1-39.1	481	17.5	15.5-19.5	328	12.8	11.0-14.6
Black or Afr. Am./Non-Hisp	526	138,953	2	0.4	0.0- 1.0	109	20.7	16.2-25.2	184	38.7	33.0-44.4	127	22.4	17.1-27.7	104	17.8	13.7-21.9
Oth. Race/Non-Hisp.	171	32,217	5	3.2	0.0- 7.1	66	46.8	36.2-57.4	61	31.0	21.6-40.4	20	9.4	3.7-15.1	19	9.5	3.6-15.4
Hispanic	283	38,200	2	0.8	0.0- 2.2	75	29.4	20.2-38.6	112	39.5	31.1-47.9	58	16.2	10.7-21.7	36	14.1	8.2-20.0
18-24	215	74,440	5	2.6	0.2- 5.0	112	53.1	44.7-61.5	56	28.7	21.1-36.3	29	9.7	6.0-13.4	13	5.9	2.2- 9.6
25-34	382	112,817	7	2.3	0.0- 4.7	121	30.5	24.2-36.8	145	39.8	32.9-46.7	55	13.4	8.9-17.9	54	14.0	9.3-18.7
35-44	392	97,859	4	1.3	0.0- 2.9	116	30.1	24.2-36.0	125	32.9	26.8-39.0	80	20.2	13.9-26.5	67	15.5	11.0-20.0
45-54	569	109,466	7	1.8	0.2- 3.4	138	22.8	18.5-27.1	219	40.8	35.5-46.1	126	21.6	16.9-26.3	79	13.0	9.5-16.5
55-64	803	122,827	6	0.7	0.0- 1.5	187	22.7	19.0-26.4	305	39.5	35.0-44.0	161	17.3	14.0-20.6	144	19.8	15.7-23.9
65+	1287	160,492	15	1.1	0.5- 1.7	379	29.6	26.5-32.7	479	35.4	32.1-38.7	262	22.4	19.5-25.3	152	11.5	9.3-13.7
Less Than H.S.	312	70,739	6	2.3	0.1- 4.5	81	27.7	20.4-35.0	103	34.8	27.0-42.6	63	15.7	10.6-20.8	59	19.4	13.5-25.3
H.S. or G.E.D.	1062	211,397	11	1.5	0.5- 2.5	297	29.3	25.4-33.2	366	33.9	30.0-37.8	217	19.8	16.3-23.3	171	15.5	12.6-18.4
Some Post-H.S.	930	202,968	13	1.4	0.2- 2.6	275	30.6	26.5-34.7	330	37.1	32.8-41.4	175	17.5	14.2-20.8	137	13.4	10.5-16.3
College Graduate	1330	189,868	13	1.1	0.3- 1.9	395	31.0	27.7-34.3	524	40.0	36.5-43.5	257	18.0	15.3-20.7	141	9.8	7.6-12.0
Less than \$15,000	273	44,050	4	1.5	0.0- 3.1	77	27.6	20.3-34.9	88	33.9	25.9-41.9	43	12.2	7.1-17.3	61	24.9	17.3-32.5
\$15,000- 24,999	516	89,300	9	1.7	0.1- 3.3	138	27.2	21.7-32.7	179	37.0	30.9-43.1	91	15.1	11.2-19.0	99	19.1	14.6-23.6
\$25,000- 34,999	353	61,433	3	1.1	0.0- 2.9	89	24.4	18.3-30.5	122	35.0	27.6-42.4	82	20.6	14.9-26.3	57	19.0	12.7-25.3
\$35,000- 49,999	449	83,152	8	1.5	0.1- 2.9	122	31.7	25.0-38.4	160	35.4	29.1-41.7	94	16.7	11.8-21.6	65	14.6	9.9-19.3
\$50,000- 74,999	469	89,948	6	2.5	0.0- 5.2	116	22.9	18.0-27.8	202	42.6	36.1-49.1	86	17.6	13.1-22.1	59	14.4	9.9-18.9
\$75,000+	986	194,257	4	0.7	0.0- 1.7	296	30.5	26.6-34.4	381	39.9	35.8-44.0	202	20.5	16.6-24.4	103	8.4	6.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	335,813	12	1.0	0.2- 1.8	427	25.9	23.0-28.8	689	40.9	37.6-44.2	345	20.4	17.5-23.3	213	11.8	9.6-14.0
White/Non-Hisp	1164	219,259	7	0.6	0.0- 1.2	279	25.2	21.9-28.5	496	42.5	38.6-46.4	231	18.7	15.8-21.6	151	12.9	10.4-15.4
Black or Afr. Am./Non-Hisp	216	67,464	1	0.5	0.0- 1.5	56	22.0	15.1-28.9	74	37.1	28.3-45.9	60	29.7	20.5-38.9	25	10.7	5.6-15.8
Oth. Race/Non-Hisp.	108	17,817	1	0.4	0.0- 1.2	35	34.8	21.9-47.7	47	46.4	33.1-59.7	12	8.0	2.7-13.3	13	10.4	3.3-17.5
Hispanic	135	18,416	1	1.4	0.0- 4.1	37	34.3	18.8-49.8	51	35.6	23.3-47.9	31	20.2	10.8-29.6	15	8.5	3.2-13.8
18-24	132	39,218	2	2.4	0.0- 5.7	72	51.7	40.9-62.5	34	32.1	21.5-42.7	16	9.3	4.4-14.2	8	4.6	0.9- 8.3
25-34	200	57,848				63	29.8	20.8-38.8	88	44.8	35.0-54.6	30	15.7	9.0-22.4	19	9.8	4.1-15.5
35-44	190	50,198	3	2.1	0.0- 5.2	43	22.3	14.7-29.9	75	36.6	27.2-46.0	44	26.7	16.1-37.3	25	12.2	6.3-18.1
45-54	259	53,771	1	0.9	0.0- 2.7	55	18.6	12.9-24.3	105	42.5	34.5-50.5	63	26.2	18.4-34.0	35	11.8	7.5-16.1
55-64	339	59,628	4	1.0	0.0- 2.4	64	17.1	12.0-22.2	148	45.4	38.3-52.5	59	16.0	11.1-20.9	64	20.5	14.0-27.0
65+	566	75,149	2	0.3	0.0- 0.9	130	24.1	19.4-28.8	239	40.5	35.4-45.6	133	25.0	20.3-29.7	62	10.1	7.2-13.0
Less Than H.S.	155	35,278	2	2.3	0.0- 5.6	45	31.5	20.3-42.7	50	33.0	21.6-44.4	32	16.6	9.3-23.9	26	16.6	8.8-24.4
H.S. or G.E.D.	512	112,404	4	1.0	0.0- 2.0	140	28.0	22.5-33.5	182	35.6	29.7-41.5	106	22.3	16.4-28.2	80	13.1	9.6-16.6
Some Post-H.S.	405	99,860	3	0.6	0.0- 1.6	104	25.0	19.5-30.5	162	41.3	34.8-47.8	84	20.9	15.6-26.2	52	12.2	7.9-16.5
College Graduate	605	85,850	2	0.1	0.0- 0.3	135	21.6	17.5-25.7	291	50.8	45.7-55.9	123	19.5	15.4-23.6	54	8.1	5.6-10.6
Less than \$15,000	94	16,228	1	1.6	0.0- 4.7	27	23.9	12.3-35.5	27	31.7	18.6-44.8	16	10.9	4.6-17.2	23	31.9	18.2-45.6
\$15,000- 24,999	214	38,626	2	1.1	0.0- 3.1	62	30.6	21.8-39.4	76	34.5	25.9-43.1	41	18.5	11.6-25.4	33	15.3	9.0-21.6
\$25,000- 34,999	158	30,878	1	1.7	0.0- 5.0	40	24.1	15.7-32.5	61	40.9	29.3-52.5	34	21.6	12.4-30.8	22	11.7	5.2-18.2
\$35,000- 49,999	209	40,747	3	0.8	0.0- 1.8	69	39.0	28.8-49.2	83	37.8	28.8-46.8	34	14.6	6.8-22.4	20	7.8	3.1-12.5
\$50,000- 74,999	247	49,175				49	21.0	13.9-28.1	119	45.0	35.8-54.2	47	19.1	12.4-25.8	32	15.0	8.5-21.5
\$75,000+	501	107,460	3	1.2	0.0- 2.8	99	19.2	14.5-23.9	226	46.5	40.4-52.6	115	23.4	17.5-29.3	58	9.8	6.5-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1962	342,088	32	2.1	1.1- 3.1	626	34.1	31.2-37.0	640	32.6	29.7-35.5	368	15.9	13.9-17.9	296	15.4	13.0-17.8
White/Non-Hisp	1370	225,339	24	1.9	0.9- 2.9	484	38.0	34.3-41.7	435	30.9	27.4-34.4	250	16.4	13.9-18.9	177	12.8	10.3-15.3
Black or Afr. Am./Non-Hisp	310	71,489	1	0.2	0.0- 0.6	53	19.5	13.4-25.6	110	40.3	33.0-47.6	67	15.5	11.2-19.8	79	24.5	18.2-30.8
Oth. Race/Non-Hisp.	63	14,399	4	6.8	0.0-15.4	31	61.6	45.5-77.7	14	12.0	3.4-20.6	8	11.1	0.3-21.9	6	8.5	0.0-18.3
Hispanic	148	19,785	1	0.3	0.0- 0.9	38	24.8	15.8-33.8	61	43.1	31.9-54.3	27	12.5	6.4-18.6	21	19.3	9.7-28.9
18-24	83	35,222	3	2.8	0.0- 6.3	40	54.8	42.1-67.5	22	25.0	14.0-36.0	13	10.1	4.4-15.8	5	7.3	0.6-14.0
25-34	182	54,968	7	4.8	0.0- 9.7	58	31.2	22.2-40.2	57	34.5	24.7-44.3	25	11.0	5.3-16.7	35	18.5	10.9-26.1
35-44	202	47,661	1	0.3	0.0- 0.9	73	38.2	29.8-46.6	50	29.1	21.1-37.1	36	13.3	7.8-18.8	42	19.1	12.4-25.8
45-54	310	55,694	6	2.6	0.0- 5.3	83	26.9	20.8-33.0	114	39.2	32.1-46.3	63	17.1	12.0-22.2	44	14.2	8.7-19.7
55-64	464	63,199	2	0.4	0.0- 1.0	123	27.9	22.8-33.0	157	34.0	28.5-39.5	102	18.6	14.5-22.7	80	19.1	14.0-24.2
65+	721	85,343	13	1.8	0.8- 2.8	249	34.4	29.9-38.9	240	31.0	26.7-35.3	129	20.1	16.2-24.0	90	12.7	9.8-15.6
Less Than H.S.	157	35,461	4	2.3	0.0- 5.2	36	23.9	14.9-32.9	53	36.7	25.7-47.7	31	14.8	7.7-21.9	33	22.3	13.7-30.9
H.S. or G.E.D.	550	98,993	7	2.0	0.2- 3.8	157	30.9	25.4-36.4	184	32.0	26.7-37.3	111	17.0	13.3-20.7	91	18.1	13.2-23.0
Some Post-H.S.	525	103,108	10	2.2	0.0- 4.4	171	36.0	30.1-41.9	168	33.0	27.3-38.7	91	14.3	10.6-18.0	85	14.6	10.7-18.5
College Graduate	725	104,018	11	1.9	0.3- 3.5	260	38.8	33.7-43.9	233	31.2	26.5-35.9	134	16.8	13.3-20.3	87	11.3	8.2-14.4
Less than \$15,000	179	27,823	3	1.4	0.0- 3.0	50	29.7	20.3-39.1	61	35.2	25.2-45.2	27	12.9	5.6-20.2	38	20.7	12.1-29.3
\$15,000- 24,999	302	50,673	7	2.1	0.0- 4.3	76	24.6	17.7-31.5	103	38.8	30.6-47.0	50	12.4	8.1-16.7	66	22.0	15.5-28.5
\$25,000- 34,999	195	30,555	2	0.4	0.0- 1.0	49	24.7	16.3-33.1	61	29.0	20.2-37.8	48	19.5	13.0-26.0	35	26.3	16.3-36.3
\$35,000- 49,999	240	42,405	5	2.2	0.0- 4.7	53	24.6	16.4-32.8	77	33.1	24.3-41.9	60	18.8	12.9-24.7	45	21.2	13.4-29.0
\$50,000- 74,999	222	40,773	6	5.6	0.0-11.5	67	25.2	18.1-32.3	83	39.7	30.5-48.9	39	15.8	9.7-21.9	27	13.8	7.5-20.1
\$75,000+	485	86,798	1	0.2	0.0- 0.6	197	44.4	38.7-50.1	155	31.7	26.4-37.0	87	17.0	12.7-21.3	45	6.7	4.3- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3648	677,901	56	2.0	1.2- 2.8	1039	29.5	27.3-31.7	1329	36.7	34.5-38.9	1224	31.8	29.6-34.0
Male	1686	335,813	15	1.2	0.4- 2.0	422	25.6	22.7-28.5	690	40.9	37.6-44.2	559	32.3	29.2-35.4
Female	1962	342,088	41	2.9	1.7- 4.1	617	33.3	30.4-36.2	639	32.5	29.6-35.4	665	31.3	28.6-34.0
White/Non-Hisp	2534	444,598	39	1.8	1.0- 2.6	753	31.1	28.6-33.6	932	36.7	34.2-39.2	810	30.4	28.0-32.8
Black or Afr. Am./Non-Hisp	526	138,953	3	0.7	0.0- 1.5	108	20.4	15.9-24.9	183	38.7	33.0-44.4	232	40.2	34.3-46.1
Oth. Race/Non-Hisp.	171	32,217	6	3.5	0.0- 7.4	65	46.6	36.0-57.2	61	31.0	21.6-40.4	39	18.9	11.1-26.7
Hispanic	283	38,200	3	1.4	0.0- 3.2	74	28.9	19.7-38.1	112	39.5	31.1-47.9	94	30.3	22.9-37.7
18-24	215	74,440	7	4.1	1.0- 7.2	110	51.6	43.2-60.0	56	28.7	21.1-36.3	42	15.5	10.4-20.6
25-34	382	112,817	9	2.8	0.3- 5.3	119	30.0	23.7-36.3	145	39.8	32.9-46.7	109	27.4	21.3-33.5
35-44	392	97,859	6	1.9	0.0- 3.9	114	29.4	23.5-35.3	125	32.9	26.8-39.0	147	35.7	29.0-42.4
45-54	569	109,466	8	1.9	0.3- 3.5	137	22.8	18.5-27.1	219	40.8	35.5-46.1	205	34.6	29.3-39.9
55-64	803	122,827	8	0.8	0.0- 1.6	184	22.4	18.7-26.1	304	39.4	34.9-43.9	307	37.3	32.8-41.8
65+	1287	160,492	18	1.6	0.8- 2.4	375	29.0	25.9-32.1	480	35.5	32.2-38.8	414	33.9	30.6-37.2
Less Than H.S.	312	70,739	6	2.3	0.1- 4.5	81	27.7	20.4-35.0	103	34.8	27.0-42.6	122	35.2	28.1-42.3
H.S. or G.E.D.	1062	211,397	16	2.2	1.0- 3.4	292	28.6	24.7-32.5	366	33.9	30.0-37.8	388	35.3	31.2-39.4
Some Post-H.S.	930	202,968	16	1.8	0.4- 3.2	271	30.1	26.0-34.2	329	37.0	32.7-41.3	314	31.1	27.2-35.0
College Graduate	1330	189,868	17	1.6	0.6- 2.6	390	30.4	27.1-33.7	525	40.2	36.7-43.7	398	27.9	24.8-31.0
Less than \$15,000	273	44,050	6	2.3	0.3- 4.3	75	26.7	19.4-34.0	88	33.9	25.9-41.9	104	37.0	28.8-45.2
\$15,000- 24,999	516	89,300	11	2.2	0.4- 4.0	136	26.7	21.2-32.2	179	37.0	30.9-43.1	190	34.1	28.6-39.6
\$25,000- 34,999	353	61,433	4	1.8	0.0- 4.0	88	23.7	17.8-29.6	121	34.8	27.4-42.2	140	39.8	32.5-47.1
\$35,000- 49,999	449	83,152	8	1.5	0.1- 2.9	122	31.7	25.0-38.4	159	35.2	28.9-41.5	160	31.6	25.3-37.9
\$50,000- 74,999	469	89,948	6	2.5	0.0- 5.2	116	22.9	18.0-27.8	202	42.6	36.1-49.1	145	32.0	26.1-37.9
\$75,000+	986	194,257	7	1.2	0.2- 2.2	292	30.0	26.1-33.9	382	40.0	35.9-44.1	305	28.9	24.8-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	335,813	15	1.2	0.4- 2.0	422	25.6	22.7-28.5	690	40.9	37.6-44.2	559	32.3	29.2-35.4
White/Non-Hisp	1164	219,259	9	0.7	0.1- 1.3	275	25.0	21.7-28.3	498	42.6	38.7-46.5	382	31.6	28.1-35.1
Black or Afr. Am./Non-Hisp	216	67,464	1	0.5	0.0- 1.5	56	22.0	15.1-28.9	73	36.9	28.1-45.7	86	40.5	31.1-49.9
Oth. Race/Non-Hisp.	108	17,817	1	0.4	0.0- 1.2	35	34.8	21.9-47.7	47	46.4	33.1-59.7	25	18.4	9.8-27.0
Hispanic	135	18,416	1	1.4	0.0- 4.1	37	34.3	18.8-49.8	51	35.6	23.3-47.9	46	28.7	17.9-39.5
18-24	132	39,218	2	2.4	0.0- 5.7	72	51.7	40.9-62.5	34	32.1	21.5-42.7	24	13.8	7.7-19.9
25-34	200	57,848	1	0.8	0.0- 2.4	62	29.0	20.2-37.8	88	44.8	35.0-54.6	49	25.5	17.3-33.7
35-44	190	50,198	3	2.1	0.0- 5.2	43	22.3	14.7-29.9	75	36.6	27.2-46.0	69	38.9	28.3-49.5
45-54	259	53,771	2	1.0	0.0- 2.8	54	18.4	12.7-24.1	105	42.5	34.5-50.5	98	38.0	30.0-46.0
55-64	339	59,628	5	1.0	0.0- 2.4	62	16.7	11.6-21.8	148	45.5	38.4-52.6	124	36.7	29.6-43.8
65+	566	75,149	2	0.3	0.0- 0.9	129	23.9	19.2-28.6	240	40.6	35.5-45.7	195	35.1	30.0-40.2
Less Than H.S.	155	35,278	2	2.3	0.0- 5.6	45	31.5	20.3-42.7	50	33.0	21.6-44.4	58	33.2	23.2-43.2
H.S. or G.E.D.	512	112,404	6	1.5	0.1- 2.9	138	27.5	22.2-32.8	182	35.6	29.7-41.5	186	35.4	29.3-41.5
Some Post-H.S.	405	99,860	4	0.6	0.0- 1.6	102	24.9	19.4-30.4	162	41.3	34.8-47.8	137	33.2	26.9-39.5
College Graduate	605	85,850	2	0.1	0.0- 0.3	134	21.3	17.2-25.4	292	51.0	45.9-56.1	177	27.5	23.0-32.0
Less than \$15,000	94	16,228	1	1.6	0.0- 4.7	27	23.9	12.3-35.5	27	31.7	18.6-44.8	39	42.8	28.9-56.7
\$15,000- 24,999	214	38,626	3	1.4	0.0- 3.4	61	30.4	21.6-39.2	76	34.5	25.9-43.1	74	33.7	25.3-42.1
\$25,000- 34,999	158	30,878	2	3.2	0.0- 7.5	39	22.6	14.4-30.8	60	40.4	28.8-52.0	57	33.7	23.3-44.1
\$35,000- 49,999	209	40,747	3	0.8	0.0- 1.8	69	39.0	28.8-49.2	83	37.8	28.8-46.8	54	22.3	13.7-30.9
\$50,000- 74,999	247	49,175				49	21.0	13.9-28.1	119	45.0	35.8-54.2	79	34.0	25.6-42.4
\$75,000+	501	107,460	3	1.2	0.0- 2.8	98	19.0	14.3-23.7	227	46.7	40.6-52.8	173	33.1	27.0-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1962	342,088	41	2.9	1.7- 4.1	617	33.3	30.4-36.2	639	32.5	29.6-35.4	665	31.3	28.6-34.0
White/Non-Hisp	1370	225,339	30	2.9	1.5- 4.3	478	37.0	33.3-40.7	434	30.8	27.3-34.3	428	29.3	26.0-32.6
Black or Afr. Am./Non-Hisp	310	71,489	2	0.8	0.0- 2.0	52	19.0	12.9-25.1	110	40.3	33.0-47.6	146	40.0	32.9-47.1
Oth. Race/Non-Hisp.	63	14,399	5	7.3	0.0-16.1	30	61.1	45.0-77.2	14	12.0	3.4-20.6	14	19.6	6.1-33.1
Hispanic	148	19,785	2	1.3	0.0- 3.3	37	23.8	14.8-32.8	61	43.1	31.9-54.3	48	31.8	21.4-42.2
18-24	83	35,222	5	6.1	0.6-11.6	38	51.5	38.4-64.6	22	25.0	14.0-36.0	18	17.4	8.8-26.0
25-34	182	54,968	8	4.9	0.0- 9.8	57	31.1	22.1-40.1	57	34.5	24.7-44.3	60	29.5	20.7-38.3
35-44	202	47,661	3	1.7	0.0- 3.9	71	36.8	28.4-45.2	50	29.1	21.1-37.1	78	32.4	24.6-40.2
45-54	310	55,694	6	2.6	0.0- 5.3	83	26.9	20.8-33.0	114	39.2	32.1-46.3	107	31.3	24.4-38.2
55-64	464	63,199	3	0.7	0.0- 1.5	122	27.7	22.6-32.8	156	33.7	28.2-39.2	183	38.0	32.3-43.7
65+	721	85,343	16	2.7	1.1- 4.3	246	33.5	29.2-37.8	240	31.0	26.7-35.3	219	32.8	28.5-37.1
Less Than H.S.	157	35,461	4	2.3	0.0- 5.2	36	23.9	14.9-32.9	53	36.7	25.7-47.7	64	37.1	26.9-47.3
H.S. or G.E.D.	550	98,993	10	3.1	0.9- 5.3	154	29.8	24.3-35.3	184	32.0	26.7-37.3	202	35.1	29.6-40.6
Some Post-H.S.	525	103,108	12	3.0	0.5- 5.5	169	35.2	29.3-41.1	167	32.8	27.1-38.5	177	29.1	24.0-34.2
College Graduate	725	104,018	15	2.7	0.9- 4.5	256	37.9	33.0-42.8	233	31.2	26.5-35.9	221	28.1	23.8-32.4
Less than \$15,000	179	27,823	5	2.7	0.2- 5.2	48	28.4	19.0-37.8	61	35.2	25.2-45.2	65	33.7	23.7-43.7
\$15,000- 24,999	302	50,673	8	2.9	0.2- 5.6	75	23.8	16.9-30.7	103	38.8	30.6-47.0	116	34.4	27.1-41.7
\$25,000- 34,999	195	30,555	2	0.4	0.0- 1.0	49	24.7	16.3-33.1	61	29.0	20.2-37.8	83	45.9	35.9-55.9
\$35,000- 49,999	240	42,405	5	2.2	0.0- 4.7	53	24.6	16.4-32.8	76	32.7	23.9-41.5	106	40.4	31.6-49.2
\$50,000- 74,999	222	40,773	6	5.6	0.0-11.5	67	25.2	18.1-32.3	83	39.7	30.5-48.9	66	29.5	21.5-37.5
\$75,000+	485	86,798	4	1.2	0.0- 2.6	194	43.5	37.8-49.2	155	31.7	26.4-37.0	132	23.7	19.0-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3648	677,901	1095	31.5	29.3-33.7	2553	68.5	66.3-70.7
Male	1686	335,813	437	26.8	23.9-29.7	1249	73.2	70.3-76.1
Female	1962	342,088	658	36.2	33.1-39.3	1304	63.8	60.7-66.9
White/Non-Hisp	2534	444,598	792	32.9	30.4-35.4	1742	67.1	64.6-69.6
Black or Afr. Am./Non-Hisp	526	138,953	111	21.1	16.6-25.6	415	78.9	74.4-83.4
Oth. Race/Non-Hisp.	171	32,217	71	50.0	39.6-60.4	100	50.0	39.6-60.4
Hispanic	283	38,200	77	30.2	21.0-39.4	206	69.8	60.6-79.0
18-24	215	74,440	117	55.7	47.5-63.9	98	44.3	36.1-52.5
25-34	382	112,817	128	32.8	26.3-39.3	254	67.2	60.7-73.7
35-44	392	97,859	120	31.3	25.4-37.2	272	68.7	62.8-74.6
45-54	569	109,466	145	24.6	20.3-28.9	424	75.4	71.1-79.7
55-64	803	122,827	192	23.2	19.5-26.9	611	76.8	73.1-80.5
65+	1287	160,492	393	30.6	27.3-33.9	894	69.4	66.1-72.7
Less Than H.S.	312	70,739	87	30.0	22.6-37.4	225	70.0	62.6-77.4
H.S. or G.E.D.	1062	211,397	308	30.8	26.9-34.7	754	69.2	65.3-73.1
Some Post-H.S.	930	202,968	287	31.9	27.8-36.0	643	68.1	64.0-72.2
College Graduate	1330	189,868	407	32.0	28.5-35.5	923	68.0	64.5-71.5
Less than \$15,000	273	44,050	81	29.0	21.6-36.4	192	71.0	63.6-78.4
\$15,000- 24,999	516	89,300	147	28.9	23.4-34.4	369	71.1	65.6-76.6
\$25,000- 34,999	353	61,433	92	25.5	19.4-31.6	261	74.5	68.4-80.6
\$35,000- 49,999	449	83,152	130	33.2	26.5-39.9	319	66.8	60.1-73.5
\$50,000- 74,999	469	89,948	122	25.4	20.1-30.7	347	74.6	69.3-79.9
\$75,000+	986	194,257	299	31.1	27.2-35.0	687	68.9	65.0-72.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	335,813	437	26.8	23.9-29.7	1249	73.2	70.3-76.1
White/Non-Hisp	1164	219,259	284	25.7	22.4-29.0	880	74.3	71.0-77.6
Black or Afr. Am./Non-Hisp	216	67,464	57	22.5	15.6-29.4	159	77.5	70.6-84.4
Oth. Race/Non-Hisp.	108	17,817	36	35.2	22.3-48.1	72	64.8	51.9-77.7
Hispanic	135	18,416	38	35.7	20.2-51.2	97	64.3	48.8-79.8
18-24	132	39,218	74	54.0	43.2-64.8	58	46.0	35.2-56.8
25-34	200	57,848	63	29.8	20.8-38.8	137	70.2	61.2-79.2
35-44	190	50,198	46	24.5	16.5-32.5	144	75.5	67.5-83.5
45-54	259	53,771	56	19.5	13.6-25.4	203	80.5	74.6-86.4
55-64	339	59,628	67	17.8	12.5-23.1	272	82.2	76.9-87.5
65+	566	75,149	131	24.3	19.6-29.0	435	75.7	71.0-80.4
Less Than H.S.	155	35,278	47	33.8	22.4-45.2	108	66.2	54.8-77.6
H.S. or G.E.D.	512	112,404	144	28.9	23.4-34.4	368	71.1	65.6-76.6
Some Post-H.S.	405	99,860	106	25.5	20.0-31.0	299	74.5	69.0-80.0
College Graduate	605	85,850	136	21.4	17.3-25.5	469	78.6	74.5-82.7
Less than \$15,000	94	16,228	28	25.5	13.7-37.3	66	74.5	62.7-86.3
\$15,000- 24,999	214	38,626	64	31.7	22.9-40.5	150	68.3	59.5-77.1
\$25,000- 34,999	158	30,878	41	25.8	17.0-34.6	117	74.2	65.4-83.0
\$35,000- 49,999	209	40,747	72	39.8	29.6-50.0	137	60.2	50.0-70.4
\$50,000- 74,999	247	49,175	49	21.0	13.9-28.1	198	79.0	71.9-86.1
\$75,000+	501	107,460	101	20.2	15.3-25.1	400	79.8	74.9-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1962	342,088	658	36.2	33.1-39.3	1304	63.8	60.7-66.9
White/Non-Hisp	1370	225,339	508	39.9	36.2-43.6	862	60.1	56.4-63.8
Black or Afr. Am./Non-Hisp	310	71,489	54	19.8	13.7-25.9	256	80.2	74.1-86.3
Oth. Race/Non-Hisp.	63	14,399	35	68.4	53.3-83.5	28	31.6	16.5-46.7
Hispanic	148	19,785	39	25.1	15.9-34.3	109	74.9	65.7-84.1
18-24	83	35,222	43	57.6	45.1-70.1	40	42.4	29.9-54.9
25-34	182	54,968	65	36.0	26.6-45.4	117	64.0	54.6-73.4
35-44	202	47,661	74	38.5	30.1-46.9	128	61.5	53.1-69.9
45-54	310	55,694	89	29.6	23.1-36.1	221	70.4	63.9-76.9
55-64	464	63,199	125	28.3	23.2-33.4	339	71.7	66.6-76.8
65+	721	85,343	262	36.2	31.7-40.7	459	63.8	59.3-68.3
Less Than H.S.	157	35,461	40	26.2	17.0-35.4	117	73.8	64.6-83.0
H.S. or G.E.D.	550	98,993	164	32.9	27.2-38.6	386	67.1	61.4-72.8
Some Post-H.S.	525	103,108	181	38.1	32.2-44.0	344	61.9	56.0-67.8
College Graduate	725	104,018	271	40.7	35.6-45.8	454	59.3	54.2-64.4
Less than \$15,000	179	27,823	53	31.1	21.5-40.7	126	68.9	59.3-78.5
\$15,000- 24,999	302	50,673	83	26.8	19.7-33.9	219	73.2	66.1-80.3
\$25,000- 34,999	195	30,555	51	25.1	16.7-33.5	144	74.9	66.5-83.3
\$35,000- 49,999	240	42,405	58	26.9	18.7-35.1	182	73.1	64.9-81.3
\$50,000- 74,999	222	40,773	73	30.8	22.6-39.0	149	69.2	61.0-77.4
\$75,000+	485	86,798	198	44.6	38.9-50.3	287	55.4	49.7-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4108	753,724	2972	65.6	63.4-67.8	463	14.1	12.5-15.7	389	11.1	9.7-12.5	185	6.1	4.7- 7.5	71	2.5	1.5- 3.5	28	0.5	0.3- 0.7
Male	1837	360,467	1368	68.1	64.8-71.4	199	13.7	11.3-16.1	158	10.1	8.1-12.1	68	5.5	3.3- 7.7	32	2.1	0.9- 3.3	12	0.5	0.1- 0.9
Female	2271	393,257	1604	63.3	60.4-66.2	264	14.6	12.4-16.8	231	12.1	10.1-14.1	117	6.6	5.0- 8.2	39	2.9	1.5- 4.3	16	0.5	0.3- 0.7
White/Non-Hisp	2735	479,629	2177	71.5	69.0-74.0	260	13.0	11.0-15.0	189	8.8	7.2-10.4	73	4.5	3.1- 5.9	27	2.0	1.0- 3.0	9	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	577	151,770	370	57.8	51.9-63.7	89	17.5	13.2-21.8	63	12.3	8.4-16.2	40	8.6	4.5-12.7	10	2.9	0.2- 5.6	5	0.9	0.0- 1.9
Oth. Race/Non-Hisp.	189	36,315	132	62.2	52.6-71.8	24	13.4	7.1-19.7	25	20.6	12.4-28.8	4	2.1	0.0- 4.6	4	1.7	0.0- 3.5			
Hispanic	447	58,731	181	38.2	31.7-44.7	65	14.6	10.3-18.9	97	23.1	17.6-28.6	63	15.6	9.1-22.1	28	6.7	3.6- 9.8	13	1.8	0.6- 3.0
18-24	260	88,865	147	56.9	48.9-64.9	54	21.5	14.8-28.2	33	10.0	6.1-13.9	13	4.0	1.3- 6.7	11	7.5	1.4-13.6	2	0.2	0.0- 0.6
25-34	468	125,720	213	48.1	41.6-54.6	88	18.2	13.3-23.1	92	18.4	13.5-23.3	46	10.1	5.6-14.6	21	4.0	1.6- 6.4	8	1.2	0.0- 2.4
35-44	469	111,674	135	27.7	22.6-32.8	98	19.4	14.9-23.9	120	27.2	21.7-32.7	77	18.9	13.0-24.8	29	5.5	3.1- 7.9	10	1.3	0.5- 2.1
45-54	636	121,118	388	60.8	55.7-65.9	123	22.0	17.5-26.5	84	11.7	8.8-14.6	32	4.7	2.5- 6.9	6	0.6	0.0- 1.2	3	0.2	0.0- 0.4
55-64	878	132,259	769	87.4	84.5-90.3	59	7.4	5.0- 9.8	34	3.0	1.6- 4.4	11	1.8	0.4- 3.2	2	0.1	0.0- 0.3	3	0.2	0.0- 0.4
65+	1397	174,089	1320	93.8	92.0-95.6	41	3.7	2.3- 5.1	26	2.0	1.0- 3.0	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
Less Than H.S.	443	89,198	237	53.7	46.8-60.6	43	12.0	7.1-16.9	69	13.7	9.6-17.8	58	13.5	7.8-19.2	29	6.3	3.4- 9.2	7	0.8	0.0- 1.6
H.S. or G.E.D.	1171	235,021	861	66.6	62.3-70.9	152	16.7	13.4-20.0	98	8.7	6.5-10.9	35	4.7	2.2- 7.2	17	2.5	0.5- 4.5	8	0.7	0.1- 1.3
Some Post-H.S.	1014	216,453	754	69.4	65.3-73.5	113	12.3	9.6-15.0	91	11.0	8.1-13.9	39	5.0	3.0- 7.0	12	2.0	0.4- 3.6	5	0.3	0.1- 0.5
College Graduate	1460	209,275	1105	65.6	62.1-69.1	152	14.1	11.6-16.6	131	13.1	10.4-15.8	52	5.4	3.6- 7.2	13	1.4	0.4- 2.4	7	0.4	0.0- 0.8
Less than \$15,000	331	51,242	218	57.0	49.4-64.6	45	20.1	13.4-26.8	37	10.3	6.0-14.6	18	7.6	3.1-12.1	9	4.4	0.9- 7.9	4	0.7	0.0- 1.5
\$15,000- 24,999	613	102,530	419	65.3	60.0-70.6	68	12.1	8.6-15.6	68	12.1	8.4-15.8	41	8.2	4.5-11.9	14	1.9	0.7- 3.1	3	0.4	0.0- 0.8
\$25,000- 34,999	385	66,246	296	72.1	65.6-78.6	33	11.3	6.4-16.2	31	9.2	5.3-13.1	17	4.9	1.8- 8.0	6	2.0	0.0- 4.0	2	0.5	0.0- 1.3
\$35,000- 49,999	469	87,889	348	64.0	57.1-70.9	43	11.4	6.7-16.1	41	12.4	7.9-16.9	22	6.1	1.8-10.4	9	4.9	0.8- 9.0	6	1.2	0.2- 2.2
\$50,000- 74,999	490	94,818	380	73.3	67.4-79.2	51	12.5	7.8-17.2	37	8.0	4.3-11.7	15	4.5	1.8- 7.2	6	0.9	0.1- 1.7	1	0.7	0.0- 2.1
\$75,000+	1030	202,660	718	60.4	56.1-64.7	146	18.2	14.9-21.5	115	13.3	10.4-16.2	34	6.7	3.4-10.0	12	1.2	0.4- 2.0	5	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	360,467	1368	68.1	64.8-71.4	199	13.7	11.3-16.1	158	10.1	8.1-12.1	68	5.5	3.3- 7.7	32	2.1	0.9- 3.3	12	0.5	0.1- 0.9
White/Non-Hisp	1212	229,201	971	71.7	67.8-75.6	111	13.1	10.2-16.0	79	8.3	5.9-10.7	34	4.4	2.6- 6.2	13	2.2	0.4- 4.0	4	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	223	69,932	163	65.5	55.9-75.1	28	16.0	8.7-23.3	21	10.5	4.8-16.2	7	6.1	0.0-13.5	3	0.9	0.0- 1.9	1	1.0	0.0- 3.0
Oth. Race/Non-Hisp.	116	19,928	83	67.3	55.7-78.9	14	12.3	5.0-19.6	13	16.3	6.5-26.1	2	1.1	0.0- 2.7	4	3.1	0.0- 6.4			
Hispanic	213	26,919	95	40.4	30.6-50.2	37	16.8	10.1-23.5	41	21.7	13.5-29.9	23	15.2	3.0-27.4	10	3.5	0.8- 6.2	7	2.3	0.5- 4.1
18-24	153	45,066	94	60.6	50.0-71.2	29	20.8	12.2-29.4	18	9.4	4.1-14.7	4	1.6	0.0- 3.6	7	7.4	0.0-15.4	1	0.2	0.0- 0.6
25-34	240	62,515	133	53.8	44.4-63.2	47	21.1	13.1-29.1	31	13.5	7.0-20.0	16	8.0	1.5-14.5	9	1.9	0.5- 3.3	4	1.7	0.0- 4.1
35-44	215	54,438	83	36.6	28.0-45.2	40	14.9	9.0-20.8	51	26.6	18.4-34.8	26	16.9	7.1-26.7	11	4.2	1.3- 7.1	4	0.7	0.0- 1.5
45-54	288	58,557	191	64.5	56.9-72.1	41	18.3	11.6-25.0	35	10.2	6.1-14.3	17	6.3	2.6-10.0	2	0.5	0.0- 1.3	2	0.1	0.0- 0.3
55-64	354	62,141	304	85.3	80.4-90.2	30	9.6	5.5-13.7	13	2.8	1.0- 4.6	4	1.8	0.0- 4.2	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9
65+	587	77,750	563	95.1	92.7-97.5	12	2.5	0.9- 4.1	10	2.0	0.2- 3.8	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6			
Less Than H.S.	217	43,442	121	54.3	44.1-64.5	26	16.3	7.7-24.9	37	15.1	9.0-21.2	19	9.5	1.3-17.7	11	4.1	0.8- 7.4	3	0.6	0.0- 1.4
H.S. or G.E.D.	544	118,382	410	70.2	63.7-76.7	67	14.0	9.5-18.5	38	6.8	4.1- 9.5	17	5.3	0.8- 9.8	8	2.7	0.0- 5.8	4	1.0	0.0- 2.2
Some Post-H.S.	428	103,803	327	70.6	64.3-76.9	48	13.1	8.6-17.6	30	9.3	5.0-13.6	16	5.8	2.3- 9.3	5	1.0	0.0- 2.0	2	0.2	0.0- 0.4
College Graduate	637	91,895	501	69.4	64.3-74.5	57	12.7	9.0-16.4	53	13.2	9.1-17.3	15	2.9	1.1- 4.7	8	1.6	0.4- 2.8	3	0.2	0.0- 0.4
Less than \$15,000	121	18,143	86	67.6	54.9-80.3	13	18.8	6.3-31.3	14	8.6	3.1-14.1	2	0.6	0.0- 1.4	3	2.7	0.0- 6.8	3	1.6	0.0- 3.6
\$15,000- 24,999	251	44,253	182	71.3	63.7-78.9	22	9.1	4.6-13.6	26	11.3	5.4-17.2	16	6.9	2.6-11.2	5	1.4	0.0- 2.8			
\$25,000- 34,999	166	32,033	132	77.6	68.0-87.2	13	9.2	1.8-16.6	10	5.7	1.4-10.0	9	5.5	0.4-10.6	2	2.1	0.0- 5.4			
\$35,000- 49,999	212	41,281	167	69.9	59.5-80.3	20	12.3	4.5-20.1	13	9.7	4.0-15.4	7	6.5	0.0-14.9	2	0.5	0.0- 1.3	3	1.1	0.0- 2.5
\$50,000- 74,999	254	50,321	200	78.4	70.6-86.2	22	9.7	3.2-16.2	18	6.3	2.4-10.2	7	2.6	0.2- 5.0	6	1.7	0.1- 3.3	1	1.3	0.0- 3.8
\$75,000+	508	109,276	353	57.8	51.3-64.3	72	18.9	13.8-24.0	55	13.3	9.0-17.6	19	8.5	3.0-14.0	7	1.4	0.2- 2.6	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	393,257	1604	63.3	60.4-66.2	264	14.6	12.4-16.8	231	12.1	10.1-14.1	117	6.6	5.0- 8.2	39	2.9	1.5- 4.3	16	0.5	0.3- 0.7
White/Non-Hisp	1523	250,428	1206	71.3	67.8-74.8	149	12.8	10.3-15.3	110	9.1	6.9-11.3	39	4.5	2.7- 6.3	14	1.9	0.7- 3.1	5	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	354	81,837	207	51.2	44.1-58.3	61	18.7	13.4-24.0	42	13.8	8.7-18.9	33	10.7	6.4-15.0	7	4.7	0.0- 9.6	4	0.9	0.0- 1.9
Oth. Race/Non-Hisp.	73	16,387	49	55.9	40.4-71.4	10	14.9	4.1-25.7	12	25.8	11.9-39.7	2	3.4	0.0- 8.5						
Hispanic	234	31,812	86	36.4	28.0-44.8	28	12.7	7.2-18.2	56	24.2	16.9-31.5	40	15.9	9.6-22.2	18	9.3	4.0-14.6	6	1.5	0.1- 2.9
18-24	107	43,799	53	53.1	41.1-65.1	25	22.2	12.2-32.2	15	10.5	4.6-16.4	9	6.4	1.5-11.3	4	7.5	0.0-16.3	1	0.3	0.0- 0.9
25-34	228	63,205	80	42.4	33.4-51.4	41	15.4	9.7-21.1	61	23.2	16.1-30.3	30	12.2	6.1-18.3	12	6.0	1.7-10.3	4	0.8	0.0- 1.6
35-44	254	57,235	52	19.2	13.3-25.1	58	23.6	16.9-30.3	69	27.8	20.4-35.2	51	20.8	14.3-27.3	18	6.8	3.1-10.5	6	1.8	0.2- 3.4
45-54	348	62,561	197	57.3	50.6-64.0	82	25.6	19.5-31.7	49	13.0	8.9-17.1	15	3.1	1.3- 4.9	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6
55-64	524	70,118	465	89.4	85.9-92.9	29	5.5	3.1- 7.9	21	3.1	1.1- 5.1	7	1.9	0.1- 3.7				2	0.1	0.0- 0.3
65+	810	96,339	757	92.7	90.3-95.1	29	4.6	2.6- 6.6	16	2.0	0.8- 3.2	5	0.5	0.1- 0.9	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Less Than H.S.	226	45,755	116	53.0	43.8-62.2	17	7.9	3.6-12.2	32	12.4	6.9-17.9	39	17.4	9.6-25.2	18	8.3	3.4-13.2	4	1.0	0.0- 2.2
H.S. or G.E.D.	627	116,640	451	63.0	57.3-68.7	85	19.4	14.5-24.3	60	10.7	7.2-14.2	18	4.1	1.7- 6.5	9	2.4	0.0- 4.9	4	0.4	0.0- 0.8
Some Post-H.S.	586	112,650	427	68.4	62.9-73.9	65	11.5	8.2-14.8	61	12.6	8.7-16.5	23	4.3	2.1- 6.5	7	2.9	0.0- 6.0	3	0.3	0.0- 0.7
College Graduate	823	117,379	604	62.7	57.8-67.6	95	15.2	11.5-18.9	78	12.9	9.4-16.4	37	7.4	4.7-10.1	5	1.3	0.0- 2.7	4	0.5	0.0- 1.1
Less than \$15,000	210	33,099	132	51.2	41.8-60.6	32	20.8	13.0-28.6	23	11.2	5.3-17.1	16	11.4	4.7-18.1	6	5.3	0.2-10.4	1	0.1	0.0- 0.3
\$15,000- 24,999	362	58,277	237	60.8	53.5-68.1	46	14.4	9.3-19.5	42	12.7	7.8-17.6	25	9.2	3.7-14.7	9	2.3	0.5- 4.1	3	0.7	0.0- 1.5
\$25,000- 34,999	219	34,212	164	67.0	58.2-75.8	20	13.3	6.6-20.0	21	12.4	6.1-18.7	8	4.4	0.5- 8.3	4	1.9	0.0- 4.1	2	1.0	0.0- 2.4
\$35,000- 49,999	257	46,608	181	58.7	49.5-67.9	23	10.6	5.1-16.1	28	14.9	8.0-21.8	15	5.7	2.2- 9.2	7	8.9	1.3-16.5	3	1.2	0.0- 2.6
\$50,000- 74,999	236	44,497	180	67.7	58.7-76.7	29	15.7	9.0-22.4	19	9.9	3.2-16.6	8	6.7	1.4-12.0						
\$75,000+	522	93,384	365	63.4	57.9-68.9	74	17.3	12.8-21.8	60	13.4	9.5-17.3	15	4.5	2.0- 7.0	5	1.0	0.0- 2.2	3	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4114	754,110	444	11.9	10.3-13.5	1178	31.3	29.1-33.5	1018	28.8	26.8-30.8	1474	28.1	26.3-29.9
Male	1835	358,925	218	12.2	9.8-14.6	548	33.2	30.1-36.3	429	28.9	25.8-32.0	640	25.7	23.2-28.2
Female	2279	395,185	226	11.6	9.6-13.6	630	29.6	26.9-32.3	589	28.6	25.9-31.3	834	30.2	27.7-32.7
White/Non-Hisp	2735	479,067	155	8.1	6.3-9.9	779	30.5	28.1-32.9	715	30.6	28.1-33.1	1086	30.8	28.6-33.0
Black or Afr. Am./Non-Hisp	584	153,226	55	10.3	7.2-13.4	210	39.8	34.1-45.5	144	26.7	21.8-31.6	175	23.1	19.0-27.2
Oth. Race/Non-Hisp.	190	36,528	14	11.1	3.8-18.4	37	18.1	10.7-25.5	41	27.4	18.2-36.6	98	43.4	34.0-52.8
Hispanic	446	58,533	211	50.9	44.2-57.6	110	23.8	18.3-29.3	71	15.7	11.2-20.2	54	9.6	6.5-12.7
18-24	260	88,550	31	12.5	7.2-17.8	109	46.2	38.2-54.2	73	28.3	21.4-35.2	47	13.0	8.3-17.7
25-34	468	125,668	79	13.8	8.9-18.7	127	26.9	21.4-32.4	123	33.3	27.0-39.6	139	26.0	20.9-31.1
35-44	473	111,934	87	14.8	10.9-18.7	111	25.2	19.3-31.1	99	24.6	19.3-29.9	176	35.3	29.6-41.0
45-54	643	122,074	66	9.4	6.7-12.1	176	29.6	24.7-34.5	144	27.0	22.3-31.7	257	34.1	29.6-38.6
55-64	879	132,554	77	10.3	7.4-13.2	269	32.5	28.4-36.6	203	28.5	24.2-32.8	330	28.8	25.3-32.3
65+	1391	173,331	104	11.1	8.6-13.6	386	31.0	27.9-34.1	376	29.9	26.8-33.0	525	27.9	25.2-30.6
Less Than H.S.	444	89,378	444	100.0	100.0- 100									
H.S. or G.E.D.	1178	235,961				1178	100.0	100.0- 100						
Some Post-H.S.	1018	217,047							1018	100.0	100.0- 100			
College Graduate	1474	211,723										1474	100.0	100.0- 100
Less than \$15,000	332	51,318	95	33.5	26.1-40.9	147	43.3	35.9-50.7	56	16.1	11.0-21.2	34	7.0	3.7-10.3
\$15,000- 24,999	611	102,268	138	24.5	19.4-29.6	247	43.7	38.2-49.2	146	23.1	18.4-27.8	80	8.6	6.2-11.0
\$25,000- 34,999	385	66,246	40	15.5	9.8-21.2	130	34.9	27.8-42.0	123	34.5	27.6-41.4	92	15.1	11.2-19.0
\$35,000- 49,999	469	87,889	27	8.3	3.6-13.0	162	39.7	33.0-46.4	139	32.8	26.5-39.1	141	19.2	14.9-23.5
\$50,000- 74,999	491	95,101	11	6.0	1.5-10.5	114	26.2	20.7-31.7	154	37.8	31.5-44.1	212	30.0	24.9-35.1
\$75,000+	1031	202,003	14	1.7	0.7- 2.7	127	15.0	11.5-18.5	219	29.8	25.7-33.9	671	53.4	49.1-57.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	358,925	218	12.2	9.8-14.6	548	33.2	30.1-36.3	429	28.9	25.8-32.0	640	25.7	23.2-28.2
White/Non-Hisp	1209	228,345	74	8.4	5.9-10.9	352	31.6	28.1-35.1	298	30.7	27.0-34.4	485	29.3	26.2-32.4
Black or Afr. Am./Non-Hisp	225	70,370	25	11.0	6.1-15.9	95	45.3	36.1-54.5	55	27.4	19.6-35.2	50	16.3	10.6-22.0
Oth. Race/Non-Hisp.	117	19,780	10	9.7	2.1-17.3	27	23.4	12.4-34.4	22	25.8	13.6-38.0	58	41.2	29.2-53.2
Hispanic	213	26,808	104	53.7	43.3-64.1	56	22.5	14.9-30.1	30	13.4	7.1-19.7	23	10.5	5.4-15.6
18-24	153	44,751	19	14.1	6.8-21.4	70	50.8	40.4-61.2	39	24.3	16.1-32.5	25	10.7	5.8-15.6
25-34	240	62,403	41	13.8	6.0-21.6	76	33.3	24.9-41.7	54	29.5	20.9-38.1	69	23.4	16.5-30.3
35-44	217	54,020	41	14.2	8.9-19.5	57	28.3	18.7-37.9	45	28.8	20.0-37.6	74	28.7	20.9-36.5
45-54	289	58,526	40	11.9	7.4-16.4	93	31.3	23.7-38.9	66	30.8	23.4-38.2	90	26.0	20.1-31.9
55-64	354	62,141	33	10.3	5.8-14.8	113	32.0	25.5-38.5	84	32.0	24.9-39.1	124	25.7	20.4-31.0
65+	582	77,084	44	9.9	6.2-13.6	139	28.7	23.8-33.6	141	27.4	22.7-32.1	258	34.0	29.5-38.5
Less Than H.S.	218	43,623	218	100.0	100.0- 100									
H.S. or G.E.D.	548	119,150				548	100.0	100.0- 100						
Some Post-H.S.	429	103,887							429	100.0	100.0- 100			
College Graduate	640	92,264										640	100.0	100.0- 100
Less than \$15,000	122	18,218	49	40.4	27.7-53.1	45	38.6	26.6-50.6	13	14.1	4.1-24.1	15	7.0	2.1-11.9
\$15,000- 24,999	250	44,104	76	30.6	23.0-38.2	98	44.5	35.9-53.1	38	14.9	8.6-21.2	38	10.0	6.1-13.9
\$25,000- 34,999	166	32,033	22	18.1	9.3-26.9	63	39.6	28.6-50.6	49	29.2	19.4-39.0	32	13.1	7.6-18.6
\$35,000- 49,999	212	41,281	16	11.4	2.8-20.0	82	42.9	32.9-52.9	59	30.1	21.7-38.5	55	15.6	10.3-20.9
\$50,000- 74,999	254	50,321	8	9.0	1.2-16.8	62	28.2	20.2-36.2	83	38.1	29.5-46.7	101	24.7	18.6-30.8
\$75,000+	507	108,317	7	1.2	0.2- 2.2	71	16.6	11.1-22.1	122	35.9	29.8-42.0	307	46.3	40.2-52.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	395,185	226	11.6	9.6-13.6	630	29.6	26.9-32.3	589	28.6	25.9-31.3	834	30.2	27.7-32.7
White/Non-Hisp	1526	250,722	81	7.8	5.4-10.2	427	29.5	26.4-32.6	417	30.6	27.3-33.9	601	32.1	29.0-35.2
Black or Afr. Am./Non-Hisp	359	82,856	30	9.8	5.9-13.7	115	35.2	28.1-42.3	89	26.1	19.8-32.4	125	28.9	22.8-35.0
Oth. Race/Non-Hisp.	73	16,747	4	12.8	0.3-25.3	10	11.8	2.6-21.0	19	29.3	14.8-43.8	40	46.0	30.9-61.1
Hispanic	233	31,726	107	48.6	39.8-57.4	54	24.8	17.2-32.4	41	17.7	11.4-24.0	31	8.9	5.0-12.8
18-24	107	43,799	12	10.8	3.4-18.2	39	41.6	29.4-53.8	34	32.3	21.3-43.3	22	15.3	7.3-23.3
25-34	228	63,265	38	13.8	7.5-20.1	51	20.7	13.6-27.8	69	37.0	28.0-46.0	70	28.5	21.1-35.9
35-44	256	57,913	46	15.5	9.8-21.2	54	22.3	15.4-29.2	54	20.7	14.4-27.0	102	41.5	33.9-49.1
45-54	354	63,548	26	7.0	3.7-10.3	83	28.0	21.5-34.5	78	23.5	18.0-29.0	167	41.5	35.0-48.0
55-64	525	70,413	44	10.2	6.3-14.1	156	32.9	27.6-38.2	119	25.4	20.5-30.3	206	31.5	26.8-36.2
65+	809	96,247	60	12.2	8.7-15.7	247	32.9	28.8-37.0	235	32.0	27.9-36.1	267	23.0	19.9-26.1
Less Than H.S.	226	45,755	226	100.0	100.0- 100									
H.S. or G.E.D.	630	116,811				630	100.0	100.0- 100						
Some Post-H.S.	589	113,160							589	100.0	100.0- 100			
College Graduate	834	119,458										834	100.0	100.0- 100
Less than \$15,000	210	33,099	46	29.8	20.4-39.2	102	46.0	36.6-55.4	43	17.2	11.5-22.9	19	7.1	2.8-11.4
\$15,000- 24,999	361	58,164	62	19.9	13.2-26.6	149	43.2	35.9-50.5	108	29.3	22.6-36.0	42	7.6	4.5-10.7
\$25,000- 34,999	219	34,212	18	13.0	5.6-20.4	67	30.5	21.9-39.1	74	39.5	30.3-48.7	60	17.1	11.4-22.8
\$35,000- 49,999	257	46,608	11	5.6	1.9- 9.3	80	36.8	28.0-45.6	80	35.2	26.2-44.2	86	22.4	15.7-29.1
\$50,000- 74,999	237	44,780	3	2.6	0.0- 6.5	52	24.0	16.6-31.4	71	37.5	28.5-46.5	111	35.9	27.9-43.9
\$75,000+	524	93,685	7	2.3	0.5- 4.1	56	13.3	9.4-17.2	97	22.7	17.8-27.6	364	61.7	56.2-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	606,850	332	8.5	7.3- 9.7	616	17.0	15.2-18.8	385	10.9	9.3-12.5	469	14.5	12.7-16.3	1524	49.1	46.7-51.5
Male	1516	296,134	122	6.2	4.6- 7.8	253	15.1	12.7-17.5	166	10.8	8.6-13.0	212	13.9	11.4-16.4	763	54.0	50.5-57.5
Female	1810	310,716	210	10.7	8.7-12.7	363	18.8	16.3-21.3	219	11.0	9.0-13.0	257	15.0	12.5-17.5	761	44.6	41.5-47.7
White/Non-Hisp	2237	389,910	138	4.9	3.7- 6.1	335	14.2	12.2-16.2	236	9.6	8.0-11.2	325	14.3	12.3-16.3	1203	57.0	54.3-59.7
Black or Afr. Am./Non-Hisp	493	127,203	82	14.8	10.9-18.7	104	18.7	14.4-23.0	81	15.0	10.7-19.3	71	14.5	10.0-19.0	155	37.0	30.9-43.1
Oth. Race/Non-Hisp.	144	26,759	20	10.6	3.5-17.7	20	15.4	6.8-24.0	16	9.2	1.9-16.5	19	12.7	4.3-21.1	69	52.2	40.6-63.8
Hispanic	343	45,141	83	21.5	15.6-27.4	135	37.4	30.1-44.7	38	11.1	6.2-16.0	36	16.2	8.0-24.4	51	13.8	9.1-18.5
18-24	169	54,837	26	12.5	6.6-18.4	42	22.0	14.4-29.6	17	11.9	5.6-18.2	26	14.6	7.5-21.7	58	39.0	29.8-48.2
25-34	391	107,496	50	9.3	5.8-12.8	88	17.9	12.8-23.0	53	11.6	7.7-15.5	50	15.1	9.6-20.6	150	46.1	39.2-53.0
35-44	404	97,688	39	8.4	5.1-11.7	75	14.6	10.7-18.5	41	9.5	5.8-13.2	49	11.0	7.1-14.9	200	56.4	49.9-62.9
45-54	558	105,417	62	7.6	5.2-10.0	86	14.6	10.7-18.5	45	7.2	3.9-10.5	63	13.6	9.3-17.9	302	57.1	51.6-62.6
55-64	736	111,411	80	9.2	6.5-11.9	125	18.0	14.1-21.9	78	10.6	7.5-13.7	99	12.8	9.7-15.9	354	49.5	44.6-54.4
65+	1068	130,000	75	6.2	4.2- 8.2	200	16.9	14.2-19.6	151	14.3	11.6-17.0	182	18.7	15.6-21.8	460	43.8	40.1-47.5
Less Than H.S.	325	69,006	95	24.9	18.4-31.4	138	36.4	29.0-43.8	40	14.9	9.2-20.6	27	10.6	4.7-16.5	25	13.3	6.6-20.0
H.S. or G.E.D.	927	180,223	147	12.3	9.6-15.0	247	24.8	21.1-28.5	130	12.8	9.7-15.9	162	19.3	15.6-23.0	241	30.7	26.2-35.2
Some Post-H.S.	837	179,755	56	4.6	3.0- 6.2	146	13.1	10.2-16.0	123	12.7	9.8-15.6	139	16.0	12.7-19.3	373	53.5	49.0-58.0
College Graduate	1230	175,840	34	2.1	1.1- 3.1	80	5.0	3.6- 6.4	92	5.7	4.1- 7.3	141	9.6	7.4-11.8	883	77.6	74.7-80.5
Less than \$15,000	332	51,318	332	100.0	100.0- 100												
\$15,000- 24,999	616	103,154				616	100.0	100.0- 100									
\$25,000- 34,999	385	66,246							385	100.0	100.0- 100						
\$35,000- 49,999	469	87,889										469	100.0	100.0- 100			
\$50,000- 74,999	491	95,101													491	100.0	100.0- 100
\$75,000+	1033	203,142													1033	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	296,134	122	6.2	4.6- 7.8	253	15.1	12.7-17.5	166	10.8	8.6-13.0	212	13.9	11.4-16.4	763	54.0	50.5-57.5
White/Non-Hisp	1019	193,052	46	4.3	2.7- 5.9	122	11.4	8.9-13.9	99	9.2	6.8-11.6	149	13.5	11.0-16.0	603	61.6	57.7-65.5
Black or Afr. Am./Non-Hisp	186	56,661	21	8.8	3.9-13.7	41	17.5	11.0-24.0	28	14.7	7.4-22.0	25	13.5	6.4-20.6	71	45.4	35.2-55.6
Oth. Race/Non-Hisp.	94	15,783	14	8.7	2.6-14.8	15	17.7	6.1-29.3	12	14.5	2.9-26.1	11	12.3	0.5-24.1	42	46.7	32.2-61.2
Hispanic	168	21,458	39	15.6	9.3-21.9	68	39.7	28.3-51.1	18	10.9	4.0-17.8	17	16.3	1.6-31.0	26	17.5	9.1-25.9
18-24	100	27,597	11	7.6	1.3-13.9	23	17.9	9.1-26.7	10	12.8	3.4-22.2	17	13.6	6.7-20.5	39	48.1	35.6-60.6
25-34	204	53,763	18	4.8	0.9- 8.7	40	14.6	8.3-20.9	28	10.4	5.3-15.5	23	15.0	6.8-23.2	95	55.2	45.4-65.0
35-44	190	49,232	17	6.9	2.8-11.0	32	14.1	8.2-20.0	15	6.5	2.2-10.8	21	9.4	4.5-14.3	105	63.1	54.1-72.1
45-54	246	49,454	28	7.3	3.8-10.8	40	14.4	8.5-20.3	28	11.1	4.6-17.6	24	11.4	4.7-18.1	126	55.8	47.2-64.4
55-64	300	54,137	26	7.7	3.8-11.6	56	19.2	12.9-25.5	31	10.7	6.2-15.2	38	11.6	6.9-16.3	149	50.9	43.3-58.5
65+	476	61,951	22	3.9	1.9- 5.9	62	12.2	8.7-15.7	54	13.7	9.2-18.2	89	20.8	15.9-25.7	249	49.4	43.7-55.1
Less Than H.S.	178	37,191	49	19.8	12.0-27.6	76	36.3	26.3-46.3	22	15.6	7.8-23.4	16	12.7	3.3-22.1	15	15.7	5.5-25.9
H.S. or G.E.D.	421	89,145	45	7.9	5.0-10.8	98	22.0	16.5-27.5	63	14.2	9.3-19.1	82	19.9	14.4-25.4	133	36.0	28.9-43.1
Some Post-H.S.	364	89,000	13	2.9	0.7- 5.1	38	7.4	4.1-10.7	49	10.5	6.6-14.4	59	13.9	9.6-18.2	205	65.3	59.0-71.6
College Graduate	548	78,939	15	1.6	0.4- 2.8	38	5.6	3.4- 7.8	32	5.3	3.1- 7.5	55	8.2	5.5-10.9	408	79.3	75.2-83.4
Less than \$15,000	122	18,218	122	100.0	100.0- 100												
\$15,000- 24,999	253	44,823				253	100.0	100.0- 100									
\$25,000- 34,999	166	32,033							166	100.0	100.0- 100						
\$35,000- 49,999	212	41,281										212	100.0	100.0- 100			
\$50,000- 74,999	254	50,321													254	100.0	100.0- 100
\$75,000+	509	109,457													509	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1810	310,716	210	10.7	8.7-12.7	363	18.8	16.3-21.3	219	11.0	9.0-13.0	257	15.0	12.5-17.5	761	44.6	41.5-47.7
White/Non-Hisp	1218	196,858	92	5.5	3.9- 7.1	213	16.8	13.9-19.7	137	10.1	7.7-12.5	176	15.1	12.2-18.0	600	52.5	48.6-56.4
Black or Afr. Am./Non-Hisp	307	70,542	61	19.5	13.8-25.2	63	19.7	13.8-25.6	53	15.3	10.4-20.2	46	15.3	9.4-21.2	84	30.2	23.1-37.3
Oth. Race/Non-Hisp.	50	10,976	6	13.2	0.0-27.5	5	12.0	0.0-24.9	4	1.5	0.0- 3.3	8	13.1	1.3-24.9	27	60.1	41.7-78.5
Hispanic	175	23,683	44	26.9	17.9-35.9	67	35.3	26.1-44.5	20	11.4	4.3-18.5	19	16.1	7.5-24.7	25	10.4	5.3-15.5
18-24	69	27,240	15	17.4	7.8-27.0	19	26.2	13.9-38.5	7	11.1	2.7-19.5	9	15.5	3.3-27.7	19	29.8	16.9-42.7
25-34	187	53,733	32	13.8	7.9-19.7	48	21.2	13.4-29.0	25	12.8	6.5-19.1	27	15.2	7.6-22.8	55	37.0	27.4-46.6
35-44	214	48,456	22	10.0	4.7-15.3	43	15.1	9.8-20.4	26	12.6	6.7-18.5	28	12.7	6.8-18.6	95	49.6	41.2-58.0
45-54	312	55,963	34	7.8	4.7-10.9	46	14.9	9.8-20.0	17	3.7	1.3- 6.1	39	15.5	9.8-21.2	176	58.2	51.1-65.3
55-64	436	57,274	54	10.6	6.9-14.3	69	16.9	12.0-21.8	47	10.4	6.3-14.5	61	13.9	9.8-18.0	205	48.2	42.1-54.3
65+	592	68,049	53	8.4	5.3-11.5	138	21.2	17.3-25.1	97	14.9	11.6-18.2	93	16.9	13.0-20.8	211	38.6	33.5-43.7
Less Than H.S.	147	31,815	46	31.0	20.6-41.4	62	36.4	25.2-47.6	18	14.0	6.0-22.0	11	8.2	2.7-13.7	10	10.4	3.0-17.8
H.S. or G.E.D.	506	91,078	102	16.7	12.4-21.0	149	27.6	22.3-32.9	67	11.4	7.7-15.1	80	18.8	13.5-24.1	108	25.4	20.3-30.5
Some Post-H.S.	473	90,755	43	6.3	4.1- 8.5	108	18.8	14.3-23.3	74	14.9	10.6-19.2	80	18.1	12.8-23.4	168	42.0	35.7-48.3
College Graduate	682	96,901	19	2.4	0.8- 4.0	42	4.6	2.8- 6.4	60	6.0	4.0- 8.0	86	10.8	7.7-13.9	475	76.2	72.1-80.3
Less than \$15,000	210	33,099	210	100.0	100.0- 100												
\$15,000- 24,999	363	58,331				363	100.0	100.0- 100									
\$25,000- 34,999	219	34,212							219	100.0	100.0- 100						
\$35,000- 49,999	257	46,608										257	100.0	100.0- 100			
\$50,000- 74,999	237	44,780													237	100.0	100.0- 100
\$75,000+	524	93,685													524	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	728,192	411	11.2	9.8-12.6	183	5.8	4.6- 7.0	1129	25.1	23.1-27.1	2236	57.9	55.7-60.1
Male	1768	348,766	192	11.4	9.2-13.6	91	6.5	4.7- 8.3	575	29.5	26.6-32.4	910	52.6	49.3-55.9
Female	2191	379,425	219	11.0	9.0-13.0	92	5.2	3.8- 6.6	554	21.0	18.8-23.2	1326	62.8	60.1-65.5
White/Non-Hisp	2652	465,488	275	11.7	9.9-13.5	107	5.5	4.1- 6.9	896	30.4	28.0-32.8	1374	52.5	50.0-55.0
Black or Afr. Am./Non-Hisp	546	143,679	63	11.0	7.7-14.3	39	6.7	4.2- 9.2	91	14.9	10.2-19.6	353	67.5	62.0-73.0
Oth. Race/Non-Hisp.	180	35,325	25	10.0	4.9-15.1	14	11.1	4.2-18.0	33	16.8	9.4-24.2	108	62.1	52.3-71.9
Hispanic	425	56,913	22	4.8	2.3- 7.3	15	4.6	1.7- 7.5	69	13.0	8.9-17.1	319	77.6	72.3-82.9
18-24	249	84,779	22	9.1	4.6-13.6	8	3.9	0.8- 7.0	17	4.8	2.1- 7.5	202	82.2	76.3-88.1
25-34	445	122,360	53	14.1	9.4-18.8	43	12.1	7.8-16.4	59	14.9	9.8-20.0	290	58.9	52.2-65.6
35-44	450	107,949	60	13.5	9.6-17.4	31	8.2	4.9-11.5	92	23.8	17.7-29.9	267	54.6	48.3-60.9
45-54	621	118,791	89	13.0	9.9-16.1	32	5.5	3.1- 7.9	141	20.6	16.5-24.7	359	60.9	56.0-65.8
55-64	851	127,528	112	12.9	9.8-16.0	42	4.9	2.9- 6.9	254	31.8	27.5-36.1	443	50.4	45.9-54.9
65+	1343	166,785	75	6.2	4.4- 8.0	27	1.6	0.8- 2.4	566	41.6	38.3-44.9	675	50.6	47.3-53.9
Less Than H.S.	414	85,247	67	22.2	15.9-28.5	24	6.2	2.9- 9.5	101	24.4	18.9-29.9	222	47.2	40.1-54.3
H.S. or G.E.D.	1119	225,369	178	13.7	11.2-16.2	68	7.0	5.0- 9.0	301	23.9	20.2-27.6	572	55.4	51.3-59.5
Some Post-H.S.	983	208,615	111	11.1	8.6-13.6	58	7.5	5.0-10.0	316	29.6	25.7-33.5	498	51.8	47.5-56.1
College Graduate	1422	204,620	53	3.8	2.4- 5.2	32	2.6	1.4- 3.8	407	22.2	19.7-24.7	930	71.3	68.4-74.2
Less than \$15,000	314	47,999	67	21.5	15.0-28.0	28	10.6	5.7-15.5	64	18.2	12.5-23.9	155	49.7	41.9-57.5
\$15,000- 24,999	596	98,669	93	19.3	14.2-24.4	31	4.2	2.2- 6.2	169	26.7	21.8-31.6	303	49.9	44.2-55.6
\$25,000- 34,999	368	63,535	51	14.5	9.4-19.6	20	8.7	4.0-13.4	107	28.3	21.8-34.8	190	48.4	41.1-55.7
\$35,000- 49,999	456	85,225	50	11.4	7.5-15.3	19	5.0	2.1- 7.9	147	27.6	21.7-33.5	240	55.9	49.2-62.6
\$50,000- 74,999	480	93,051	38	10.4	6.3-14.5	24	6.8	3.5-10.1	156	26.5	21.4-31.6	262	56.3	50.0-62.6
\$75,000+	1007	198,830	52	5.7	3.7- 7.7	32	5.8	3.4- 8.2	291	25.1	21.2-29.0	632	63.4	59.1-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	348,766	192	11.4	9.2-13.6	91	6.5	4.7- 8.3	575	29.5	26.6-32.4	910	52.6	49.3-55.9
White/Non-Hisp	1176	223,156	121	11.2	8.7-13.7	47	5.3	3.3- 7.3	445	34.4	30.9-37.9	563	49.1	45.2-53.0
Black or Afr. Am./Non-Hisp	210	65,763	29	11.2	5.9-16.5	16	7.3	3.2-11.4	35	18.8	9.8-27.8	130	62.6	53.2-72.0
Oth. Race/Non-Hisp.	113	20,126	19	11.9	4.8-19.0	12	18.1	6.9-29.3	23	17.8	8.4-27.2	59	52.2	39.5-64.9
Hispanic	197	25,398	11	6.1	1.8-10.4	12	8.4	2.5-14.3	50	20.8	13.2-28.4	124	64.7	54.9-74.5
18-24	144	42,051	16	11.3	4.6-18.0	5	3.3	0.0- 6.6	13	6.8	2.5-11.1	110	78.5	70.3-86.7
25-34	227	61,522	19	8.8	3.5-14.1	30	16.1	9.2-23.0	39	18.1	10.8-25.4	139	57.0	47.8-66.2
35-44	205	52,829	38	18.5	11.6-25.4	16	8.3	3.6-13.0	48	29.0	18.6-39.4	103	44.3	34.9-53.7
45-54	282	57,642	40	12.5	8.0-17.0	15	6.4	2.7-10.1	70	24.2	17.3-31.1	157	56.9	49.1-64.7
55-64	342	59,681	45	11.4	6.9-15.9	17	4.6	2.1- 7.1	113	36.9	29.8-44.0	167	47.1	39.8-54.4
65+	568	75,040	34	7.7	4.4-11.0	8	1.0	0.2- 1.8	292	49.9	44.6-55.2	234	41.4	36.3-46.5
Less Than H.S.	199	40,610	42	25.9	16.7-35.1	11	3.9	0.8- 7.0	66	32.7	23.5-41.9	80	37.5	26.7-48.3
H.S. or G.E.D.	526	115,322	84	13.6	9.9-17.3	40	8.3	5.2-11.4	144	25.5	19.6-31.4	258	52.7	46.4-59.0
Some Post-H.S.	411	99,530	41	9.5	5.8-13.2	29	9.5	5.4-13.6	156	34.3	28.2-40.4	185	46.8	40.3-53.3
College Graduate	619	89,795	24	3.8	1.6- 6.0	10	2.0	0.6- 3.4	206	28.4	24.1-32.7	379	65.8	61.1-70.5
Less than \$15,000	112	16,660	30	29.3	16.8-41.8	9	11.8	3.4-20.2	26	25.6	14.2-37.0	47	33.3	21.7-44.9
\$15,000- 24,999	246	43,043	39	17.8	10.9-24.7	15	5.8	2.1- 9.5	83	31.4	23.6-39.2	109	44.9	36.5-53.3
\$25,000- 34,999	159	31,253	21	11.9	5.2-18.6	9	8.5	1.4-15.6	51	35.5	24.5-46.5	78	44.2	33.2-55.2
\$35,000- 49,999	204	40,003	28	16.2	9.1-23.3	5	2.2	0.0- 4.4	75	29.9	21.7-38.1	96	51.7	41.9-61.5
\$50,000- 74,999	245	48,547	20	11.0	4.7-17.3	18	9.1	4.0-14.2	94	33.4	25.4-41.4	113	46.5	37.5-55.5
\$75,000+	496	107,799	28	6.9	3.8-10.0	18	7.0	3.5-10.5	158	28.1	22.2-34.0	292	58.0	51.7-64.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2191	379,425	219	11.0	9.0-13.0	92	5.2	3.8- 6.6	554	21.0	18.8-23.2	1326	62.8	60.1-65.5
White/Non-Hisp	1476	242,332	154	12.1	9.6-14.6	60	5.7	3.7- 7.7	451	26.7	23.6-29.8	811	55.6	52.1-59.1
Black or Afr. Am./Non-Hisp	336	77,915	34	10.7	6.4-15.0	23	6.2	2.9- 9.5	56	11.5	7.6-15.4	223	71.6	65.3-77.9
Oth. Race/Non-Hisp.	67	15,199	6	7.5	0.0-15.1	2	1.8	0.0- 4.5	10	15.5	3.5-27.5	49	75.1	61.4-88.8
Hispanic	228	31,515	11	3.8	1.1- 6.5	3	1.5	0.0- 3.5	19	6.7	2.8-10.6	195	88.0	82.9-93.1
18-24	105	42,728	6	6.9	0.6-13.2	3	4.5	0.0- 9.6	4	2.8	0.0- 6.1	92	85.9	77.5-94.3
25-34	218	60,838	34	19.4	11.8-27.0	13	8.1	3.0-13.2	20	11.7	4.6-18.8	151	60.8	51.6-70.0
35-44	245	55,119	22	8.7	4.6-12.8	15	8.0	3.3-12.7	44	18.9	12.6-25.2	164	64.4	56.8-72.0
45-54	339	61,149	49	13.4	8.9-17.9	17	4.7	2.0- 7.4	71	17.2	12.5-21.9	202	64.7	58.4-71.0
55-64	509	67,846	67	14.3	10.2-18.4	25	5.2	2.3- 8.1	141	27.2	22.3-32.1	276	53.2	47.5-58.9
65+	775	91,745	41	4.9	3.1- 6.7	19	2.1	0.9- 3.3	274	34.9	30.6-39.2	441	58.2	53.9-62.5
Less Than H.S.	215	44,637	25	18.8	9.8-27.8	13	8.3	2.4-14.2	35	16.8	10.5-23.1	142	56.0	46.4-65.6
H.S. or G.E.D.	593	110,047	94	13.9	10.4-17.4	28	5.6	2.9- 8.3	157	22.2	17.9-26.5	314	58.4	52.9-63.9
Some Post-H.S.	572	109,085	70	12.6	8.9-16.3	29	5.6	2.9- 8.3	160	25.4	20.5-30.3	313	56.4	50.7-62.1
College Graduate	803	114,825	29	3.8	2.0- 5.6	22	3.2	1.2- 5.2	201	17.3	14.4-20.2	551	75.7	72.0-79.4
Less than \$15,000	202	31,339	37	17.3	10.2-24.4	19	10.0	4.1-15.9	38	14.2	7.9-20.5	108	58.5	49.1-67.9
\$15,000- 24,999	350	55,626	54	20.4	13.1-27.7	16	2.9	1.3- 4.5	86	23.0	16.9-29.1	194	53.7	46.1-61.3
\$25,000- 34,999	209	32,282	30	17.0	9.6-24.4	11	8.9	2.4-15.4	56	21.5	15.0-28.0	112	52.6	43.0-62.2
\$35,000- 49,999	252	45,222	22	7.2	3.3-11.1	14	7.6	2.7-12.5	72	25.5	17.3-33.7	144	59.7	50.7-68.7
\$50,000- 74,999	235	44,503	18	9.7	4.6-14.8	6	4.2	0.0- 8.7	62	19.1	13.4-24.8	149	67.0	59.0-75.0
\$75,000+	511	91,031	24	4.4	2.4- 6.4	14	4.3	1.4- 7.2	133	21.5	17.2-25.8	340	69.8	64.7-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	728,192	3365	83.0	81.2-84.8	594	17.0	15.2-18.8
Male	1768	348,766	1485	82.1	79.6-84.6	283	17.9	15.4-20.4
Female	2191	379,425	1880	83.8	81.4-86.2	311	16.2	13.8-18.6
White/Non-Hisp	2652	465,488	2270	82.9	80.7-85.1	382	17.1	14.9-19.3
Black or Afr. Am./Non-Hisp	546	143,679	444	82.4	78.3-86.5	102	17.6	13.5-21.7
Oth. Race/Non-Hisp.	180	35,325	141	78.9	70.9-86.9	39	21.1	13.1-29.1
Hispanic	425	56,913	388	90.6	86.9-94.3	37	9.4	5.7-13.1
18-24	249	84,779	219	87.0	81.7-92.3	30	13.0	7.7-18.3
25-34	445	122,360	349	73.8	67.9-79.7	96	26.2	20.3-32.1
35-44	450	107,949	359	78.4	73.5-83.3	91	21.6	16.7-26.5
45-54	621	118,791	500	81.5	77.8-85.2	121	18.5	14.8-22.2
55-64	851	127,528	697	82.2	78.7-85.7	154	17.8	14.3-21.3
65+	1343	166,785	1241	92.3	90.3-94.3	102	7.7	5.7- 9.7
Less Than H.S.	414	85,247	323	71.6	64.9-78.3	91	28.4	21.7-35.1
H.S. or G.E.D.	1119	225,369	873	79.3	76.2-82.4	246	20.7	17.6-23.8
Some Post-H.S.	983	208,615	814	81.4	78.1-84.7	169	18.6	15.3-21.9
College Graduate	1422	204,620	1337	93.5	91.7-95.3	85	6.5	4.7- 8.3
Less than \$15,000	314	47,999	219	67.9	60.6-75.2	95	32.1	24.8-39.4
\$15,000- 24,999	596	98,669	472	76.5	71.4-81.6	124	23.5	18.4-28.6
\$25,000- 34,999	368	63,535	297	76.8	70.3-83.3	71	23.2	16.7-29.7
\$35,000- 49,999	456	85,225	387	83.5	78.8-88.2	69	16.5	11.8-21.2
\$50,000- 74,999	480	93,051	418	82.8	77.7-87.9	62	17.2	12.1-22.3
\$75,000+	1007	198,830	923	88.5	85.6-91.4	84	11.5	8.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	348,766	1485	82.1	79.6-84.6	283	17.9	15.4-20.4
White/Non-Hisp	1176	223,156	1008	83.5	80.6-86.4	168	16.5	13.6-19.4
Black or Afr. Am./Non-Hisp	210	65,763	165	81.5	75.0-88.0	45	18.5	12.0-25.0
Oth. Race/Non-Hisp.	113	20,126	82	70.0	58.0-82.0	31	30.0	18.0-42.0
Hispanic	197	25,398	174	85.5	78.4-92.6	23	14.5	7.4-21.6
18-24	144	42,051	123	85.4	78.1-92.7	21	14.6	7.3-21.9
25-34	227	61,522	178	75.1	67.1-83.1	49	24.9	16.9-32.9
35-44	205	52,829	151	73.2	65.2-81.2	54	26.8	18.8-34.8
45-54	282	57,642	227	81.1	75.4-86.8	55	18.9	13.2-24.6
55-64	342	59,681	280	84.1	79.2-89.0	62	15.9	11.0-20.8
65+	568	75,040	526	91.3	88.0-94.6	42	8.7	5.4-12.0
Less Than H.S.	199	40,610	146	70.2	60.8-79.6	53	29.8	20.4-39.2
H.S. or G.E.D.	526	115,322	402	78.1	73.4-82.8	124	21.9	17.2-26.6
Some Post-H.S.	411	99,530	341	81.0	75.7-86.3	70	19.0	13.7-24.3
College Graduate	619	89,795	585	94.2	91.7-96.7	34	5.8	3.3- 8.3
Less than \$15,000	112	16,660	73	59.0	45.9-72.1	39	41.0	27.9-54.1
\$15,000- 24,999	246	43,043	192	76.4	69.0-83.8	54	23.6	16.2-31.0
\$25,000- 34,999	159	31,253	129	79.6	70.6-88.6	30	20.4	11.4-29.4
\$35,000- 49,999	204	40,003	171	81.6	74.3-88.9	33	18.4	11.1-25.7
\$50,000- 74,999	245	48,547	207	79.9	72.5-87.3	38	20.1	12.7-27.5
\$75,000+	496	107,799	450	86.1	81.6-90.6	46	13.9	9.4-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2191	379,425	1880	83.8	81.4-86.2	311	16.2	13.8-18.6
White/Non-Hisp	1476	242,332	1262	82.3	79.4-85.2	214	17.7	14.8-20.6
Black or Afr. Am./Non-Hisp	336	77,915	279	83.1	77.8-88.4	57	16.9	11.6-22.2
Oth. Race/Non-Hisp.	67	15,199	59	90.6	82.4-98.8	8	9.4	1.2-17.6
Hispanic	228	31,515	214	94.7	91.2-98.2	14	5.3	1.8- 8.8
18-24	105	42,728	96	88.7	80.9-96.5	9	11.3	3.5-19.1
25-34	218	60,838	171	72.5	64.1-80.9	47	27.5	19.1-35.9
35-44	245	55,119	208	83.3	77.4-89.2	37	16.7	10.8-22.6
45-54	339	61,149	273	81.9	76.8-87.0	66	18.1	13.0-23.2
55-64	509	67,846	417	80.5	75.8-85.2	92	19.5	14.8-24.2
65+	775	91,745	715	93.0	91.0-95.0	60	7.0	5.0- 9.0
Less Than H.S.	215	44,637	177	72.9	63.3-82.5	38	27.1	17.5-36.7
H.S. or G.E.D.	593	110,047	471	80.5	76.2-84.8	122	19.5	15.2-23.8
Some Post-H.S.	572	109,085	473	81.8	77.5-86.1	99	18.2	13.9-22.5
College Graduate	803	114,825	752	93.0	90.5-95.5	51	7.0	4.5- 9.5
Less than \$15,000	202	31,339	146	72.7	64.3-81.1	56	27.3	18.9-35.7
\$15,000- 24,999	350	55,626	280	76.7	69.4-84.0	70	23.3	16.0-30.6
\$25,000- 34,999	209	32,282	168	74.0	65.0-83.0	41	26.0	17.0-35.0
\$35,000- 49,999	252	45,222	216	85.2	79.1-91.3	36	14.8	8.7-20.9
\$50,000- 74,999	235	44,503	211	86.1	79.6-92.6	24	13.9	7.4-20.4
\$75,000+	511	91,031	473	91.3	87.8-94.8	38	8.7	5.2-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user- uses every day			Current E-cigarette user- uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3952	724,938	57	2.1	1.3- 2.9	82	2.7	1.9- 3.5	465	14.9	13.1-16.7	3348	80.2	78.2-82.2
Male	1768	347,365	31	2.2	1.2- 3.2	48	3.6	2.2- 5.0	236	16.8	14.1-19.5	1453	77.4	74.5-80.3
Female	2184	377,573	26	2.0	1.0- 3.0	34	1.9	1.1- 2.7	229	13.2	10.8-15.6	1895	82.9	80.4-85.4
White/Non-Hisp	2646	463,017	44	2.7	1.7- 3.7	58	2.7	1.9- 3.5	298	15.1	12.9-17.3	2246	79.5	77.0-82.0
Black or Afr. Am./Non-Hisp	544	143,185	4	0.6	0.0- 1.4	7	2.0	0.2- 3.8	76	16.3	11.8-20.8	457	81.1	76.4-85.8
Oth. Race/Non-Hisp.	181	35,424	3	1.5	0.0- 3.9	8	5.2	1.1- 9.3	23	13.2	5.9-20.5	147	80.1	71.9-88.3
Hispanic	424	56,602	3	1.0	0.0- 2.4	3	0.8	0.0- 2.0	45	11.1	7.0-15.2	373	87.1	82.6-91.6
18-24	248	85,275	12	4.3	1.4- 7.2	21	8.4	4.3-12.5	81	37.8	29.6-46.0	134	49.5	41.3-57.7
25-34	444	121,416	13	4.6	1.5- 7.7	20	4.7	2.2- 7.2	104	25.0	19.3-30.7	307	65.7	59.4-72.0
35-44	453	108,377	7	1.5	0.3- 2.7	10	2.1	0.7- 3.5	69	16.2	11.7-20.7	367	80.2	75.5-84.9
45-54	613	116,168	12	2.0	0.4- 3.6	6	1.0	0.0- 2.2	70	9.0	6.5-11.5	525	87.9	84.8-91.0
55-64	849	126,900	9	1.6	0.2- 3.0	13	1.4	0.2- 2.6	84	8.9	6.4-11.4	743	88.0	85.1-90.9
65+	1345	166,803	4	0.2	0.0- 0.4	12	0.9	0.3- 1.5	57	3.7	2.3- 5.1	1272	95.3	93.7-96.9
Less Than H.S.	421	86,205	5	1.3	0.1- 2.5	12	3.3	0.9- 5.7	50	18.6	12.3-24.9	354	76.9	70.4-83.4
H.S. or G.E.D.	1113	224,351	25	2.7	1.3- 4.1	29	3.6	1.8- 5.4	169	16.7	13.4-20.0	890	77.0	73.3-80.7
Some Post-H.S.	975	206,045	18	3.4	1.4- 5.4	30	3.4	2.0- 4.8	139	18.2	14.5-21.9	788	75.1	71.0-79.2
College Graduate	1420	203,880	8	0.5	0.1- 0.9	11	0.9	0.3- 1.5	106	8.1	6.1-10.1	1295	90.6	88.4-92.8
Less than \$15,000	317	48,679	5	1.1	0.1- 2.1	10	3.9	1.0- 6.8	52	18.4	11.5-25.3	250	76.7	69.6-83.8
\$15,000- 24,999	590	97,846	8	1.7	0.3- 3.1	15	4.0	1.5- 6.5	80	16.5	11.6-21.4	487	77.8	72.5-83.1
\$25,000- 34,999	366	63,141	4	1.6	0.0- 3.4	9	1.8	0.4- 3.2	46	17.7	11.6-23.8	307	78.9	72.6-85.2
\$35,000- 49,999	456	85,411	9	2.2	0.4- 4.0	11	2.7	0.7- 4.7	51	13.0	8.1-17.9	385	82.1	76.8-87.4
\$50,000- 74,999	480	92,658	7	2.8	0.4- 5.2	7	1.8	0.2- 3.4	68	17.8	12.7-22.9	398	77.5	72.0-83.0
\$75,000+	1004	197,146	10	2.0	0.4- 3.6	13	2.0	0.8- 3.2	95	10.9	8.2-13.6	886	85.1	81.8-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user- uses every day			Current E-cigarette user- uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	347,365	31	2.2	1.2- 3.2	48	3.6	2.2- 5.0	236	16.8	14.1-19.5	1453	77.4	74.5-80.3
White/Non-Hisp	1175	221,736	25	2.9	1.3- 4.5	29	3.2	1.8- 4.6	146	16.3	13.0-19.6	975	77.6	74.1-81.1
Black or Afr. Am./Non-Hisp	211	65,956	2	0.6	0.0- 1.6	3	2.2	0.0- 5.5	37	19.7	12.4-27.0	169	77.5	69.9-85.1
Oth. Race/Non-Hisp.	113	20,163	1	0.4	0.0- 1.2	8	9.1	1.8-16.4	17	16.5	5.9-27.1	87	74.1	62.3-85.9
Hispanic	198	25,299				2	0.4	0.0- 1.0	28	15.5	8.1-22.9	168	84.1	76.7-91.5
18-24	144	42,743	10	7.0	1.9-12.1	18	14.3	6.9-21.7	54	42.6	31.6-53.6	62	36.0	26.2-45.8
25-34	229	61,325	8	4.4	0.5- 8.3	13	6.0	1.9-10.1	52	22.9	15.5-30.3	156	66.7	58.1-75.3
35-44	206	52,571	3	1.5	0.0- 3.3	4	1.2	0.0- 2.4	42	22.6	14.8-30.4	157	74.8	66.8-82.8
45-54	276	55,727	6	1.8	0.0- 4.0	3	1.7	0.0- 3.9	31	8.4	5.1-11.7	236	88.1	83.6-92.6
55-64	343	59,687	2	0.3	0.0- 0.7	7	1.1	0.1- 2.1	31	10.0	5.3-14.7	303	88.6	83.9-93.3
65+	570	75,314	2	0.1	0.0- 0.3	3	0.7	0.0- 1.5	26	4.5	1.6- 7.4	539	94.7	91.8-97.6
Less Than H.S.	206	41,799	2	0.9	0.0- 2.3	8	3.6	0.9- 6.3	32	21.5	12.5-30.5	164	74.0	64.8-83.2
H.S. or G.E.D.	527	115,664	15	3.2	1.0- 5.4	16	4.6	1.7- 7.5	87	19.6	14.3-24.9	409	72.6	66.7-78.5
Some Post-H.S.	404	96,879	9	2.9	0.4- 5.4	18	4.6	2.1- 7.1	61	17.6	12.5-22.7	316	74.9	69.2-80.6
College Graduate	618	89,515	4	0.6	0.0- 1.2	6	1.3	0.1- 2.5	55	9.8	6.5-13.1	553	88.3	84.8-91.8
Less than \$15,000	114	17,463	2	0.9	0.0- 2.3	4	4.5	0.0- 9.6	18	25.9	12.2-39.6	90	68.7	55.0-82.4
\$15,000- 24,999	247	43,231	3	1.0	0.0- 2.6	8	6.1	0.8-11.4	42	16.6	10.7-22.5	194	76.3	68.9-83.7
\$25,000- 34,999	156	30,553	3	2.7	0.0- 6.2	4	1.5	0.0- 3.3	15	16.8	7.4-26.2	134	78.9	69.1-88.7
\$35,000- 49,999	205	39,978	6	3.0	0.3- 5.7	6	2.4	0.0- 4.8	21	12.7	6.2-19.2	172	81.8	74.7-88.9
\$50,000- 74,999	244	47,967	4	3.4	0.0- 7.3	5	2.9	0.0- 5.8	49	24.3	16.5-32.1	186	69.3	60.7-77.9
\$75,000+	495	106,633	5	2.1	0.0- 4.5	11	3.1	1.1- 5.1	56	12.8	8.5-17.1	423	82.0	77.1-86.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user- uses every day			Current E-cigarette user- uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2184	377,573	26	2.0	1.0-3.0	34	1.9	1.1-2.7	229	13.2	10.8-15.6	1895	82.9	80.4-85.4
White/Non-Hisp	1471	241,280	19	2.6	1.0-4.2	29	2.2	1.0-3.4	152	14.0	10.9-17.1	1271	81.2	77.9-84.5
Black or Afr. Am./Non-Hisp	333	77,229	2	0.7	0.0-1.9	4	1.8	0.0-3.6	39	13.4	7.9-18.9	288	84.1	78.2-90.0
Oth. Race/Non-Hisp.	68	15,261	2	3.0	0.0-8.3				6	9.0	0.0-18.4	60	88.0	77.4-98.6
Hispanic	226	31,304	3	1.8	0.0-4.3	1	1.0	0.0-3.0	17	7.6	3.1-12.1	205	89.6	84.3-94.9
18-24	104	42,533	2	1.5	0.0-3.9	3	2.4	0.0-5.1	27	33.0	20.8-45.2	72	63.1	50.9-75.3
25-34	215	60,091	5	4.7	0.0-9.6	7	3.5	0.4-6.6	52	27.2	18.6-35.8	151	64.6	55.4-73.8
35-44	247	55,806	4	1.6	0.0-3.4	6	2.9	0.4-5.4	27	10.2	5.7-14.7	210	85.4	80.1-90.7
45-54	337	60,442	6	2.2	0.0-4.4	3	0.4	0.0-0.8	39	9.6	5.9-13.3	289	87.8	83.5-92.1
55-64	506	67,213	7	2.8	0.4-5.2	6	1.8	0.0-3.8	53	8.0	5.5-10.5	440	87.5	83.8-91.2
65+	775	91,489	2	0.2	0.0-0.4	9	1.0	0.2-1.8	31	3.0	1.6-4.4	733	95.9	94.3-97.5
Less Than H.S.	215	44,406	3	1.6	0.0-3.6	4	2.9	0.0-6.6	18	15.8	7.0-24.6	190	79.7	70.5-88.9
H.S. or G.E.D.	586	108,688	10	2.1	0.3-3.9	13	2.6	0.8-4.4	82	13.6	9.3-17.9	481	81.7	77.0-86.4
Some Post-H.S.	571	109,165	9	3.9	1.0-6.8	12	2.2	0.8-3.6	78	18.7	13.4-24.0	472	75.2	69.5-80.9
College Graduate	802	114,365	4	0.4	0.0-0.8	5	0.5	0.1-0.9	51	6.8	4.3-9.3	742	92.4	89.7-95.1
Less than \$15,000	203	31,216	3	1.1	0.0-2.7	6	3.5	0.0-7.0	34	14.1	7.2-21.0	160	81.2	73.8-88.6
\$15,000- 24,999	343	54,615	5	2.2	0.0-4.4	7	2.3	0.3-4.3	38	16.5	9.2-23.8	293	79.0	71.6-86.4
\$25,000- 34,999	210	32,588	1	0.5	0.0-1.5	5	1.9	0.0-4.1	31	18.6	11.0-26.2	173	78.9	71.1-86.7
\$35,000- 49,999	251	45,433	3	1.6	0.0-3.8	5	2.9	0.0-5.8	30	13.2	5.9-20.5	213	82.3	74.5-90.1
\$50,000- 74,999	236	44,691	3	2.2	0.0-4.9	2	0.7	0.0-1.9	19	10.9	4.8-17.0	212	86.3	79.8-92.8
\$75,000+	509	90,513	5	1.9	0.0-4.1	2	0.7	0.0-1.7	39	8.7	5.4-12.0	463	88.8	84.9-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3952	724,938	3813	95.2	94.2-96.2	139	4.8	3.8- 5.8
Male	1768	347,365	1689	94.2	92.6-95.8	79	5.8	4.2- 7.4
Female	2184	377,573	2124	96.1	94.7-97.5	60	3.9	2.5- 5.3
White/Non-Hisp	2646	463,017	2544	94.6	93.2-96.0	102	5.4	4.0- 6.8
Black or Afr. Am./Non-Hisp	544	143,185	533	97.4	95.4-99.4	11	2.6	0.6- 4.6
Oth. Race/Non-Hisp.	181	35,424	170	93.3	88.6-98.0	11	6.7	2.0-11.4
Hispanic	424	56,602	418	98.2	96.4- 100	6	1.8	0.0- 3.6
18-24	248	85,275	215	87.3	82.4-92.2	33	12.7	7.8-17.6
25-34	444	121,416	411	90.7	86.8-94.6	33	9.3	5.4-13.2
35-44	453	108,377	436	96.4	94.4-98.4	17	3.6	1.6- 5.6
45-54	613	116,168	595	96.9	95.1-98.7	18	3.1	1.3- 4.9
55-64	849	126,900	827	96.9	95.1-98.7	22	3.1	1.3- 4.9
65+	1345	166,803	1329	99.0	98.4-99.6	16	1.0	0.4- 1.6
Less Than H.S.	421	86,205	404	95.5	92.8-98.2	17	4.5	1.8- 7.2
H.S. or G.E.D.	1113	224,351	1059	93.7	91.5-95.9	54	6.3	4.1- 8.5
Some Post-H.S.	975	206,045	927	93.2	90.8-95.6	48	6.8	4.4- 9.2
College Graduate	1420	203,880	1401	98.7	97.9-99.5	19	1.3	0.5- 2.1
Less than \$15,000	317	48,679	302	95.1	92.0-98.2	15	4.9	1.8- 8.0
\$15,000- 24,999	590	97,846	567	94.3	91.4-97.2	23	5.7	2.8- 8.6
\$25,000- 34,999	366	63,141	353	96.6	94.4-98.8	13	3.4	1.2- 5.6
\$35,000- 49,999	456	85,411	436	95.1	92.6-97.6	20	4.9	2.4- 7.4
\$50,000- 74,999	480	92,658	466	95.3	92.4-98.2	14	4.7	1.8- 7.6
\$75,000+	1004	197,146	981	96.0	94.0-98.0	23	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1768	347,365	1689	94.2	92.6-95.8	79	5.8	4.2- 7.4
White/Non-Hisp	1175	221,736	1121	93.9	91.9-95.9	54	6.1	4.1- 8.1
Black or Afr. Am./Non-Hisp	211	65,956	206	97.2	93.7- 100	5	2.8	0.0- 6.3
Oth. Race/Non-Hisp.	113	20,163	104	90.5	83.2-97.8	9	9.5	2.2-16.8
Hispanic	198	25,299	196	99.6	99.0- 100	2	0.4	0.0- 1.0
18-24	144	42,743	116	78.6	70.0-87.2	28	21.4	12.8-30.0
25-34	229	61,325	208	89.6	83.9-95.3	21	10.4	4.7-16.1
35-44	206	52,571	199	97.3	95.1-99.5	7	2.7	0.5- 4.9
45-54	276	55,727	267	96.5	93.6-99.4	9	3.5	0.6- 6.4
55-64	343	59,687	334	98.6	97.6-99.6	9	1.4	0.4- 2.4
65+	570	75,314	565	99.2	98.4- 100	5	0.8	0.0- 1.6
Less Than H.S.	206	41,799	196	95.5	92.4-98.6	10	4.5	1.4- 7.6
H.S. or G.E.D.	527	115,664	496	92.2	88.7-95.7	31	7.8	4.3-11.3
Some Post-H.S.	404	96,879	377	92.5	89.0-96.0	27	7.5	4.0-11.0
College Graduate	618	89,515	608	98.1	96.7-99.5	10	1.9	0.5- 3.3
Less than \$15,000	114	17,463	108	94.6	89.5-99.7	6	5.4	0.3-10.5
\$15,000- 24,999	247	43,231	236	92.8	87.3-98.3	11	7.2	1.7-12.7
\$25,000- 34,999	156	30,553	149	95.7	91.8-99.6	7	4.3	0.4- 8.2
\$35,000- 49,999	205	39,978	193	94.6	91.1-98.1	12	5.4	1.9- 8.9
\$50,000- 74,999	244	47,967	235	93.7	88.8-98.6	9	6.3	1.4-11.2
\$75,000+	495	106,633	479	94.8	91.9-97.7	16	5.2	2.3- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2184	377,573	2124	96.1	94.7-97.5	60	3.9	2.5- 5.3
White/Non-Hisp	1471	241,280	1423	95.2	93.4-97.0	48	4.8	3.0- 6.6
Black or Afr. Am./Non-Hisp	333	77,229	327	97.5	95.3-99.7	6	2.5	0.3- 4.7
Oth. Race/Non-Hisp.	68	15,261	66	97.0	91.7- 100	2	3.0	0.0- 8.3
Hispanic	226	31,304	222	97.2	94.1- 100	4	2.8	0.0- 5.9
18-24	104	42,533	99	96.1	92.4-99.8	5	3.9	0.2- 7.6
25-34	215	60,091	203	91.8	86.1-97.5	12	8.2	2.5-13.9
35-44	247	55,806	237	95.6	92.5-98.7	10	4.4	1.3- 7.5
45-54	337	60,442	328	97.4	95.0-99.8	9	2.6	0.2- 5.0
55-64	506	67,213	493	95.4	92.5-98.3	13	4.6	1.7- 7.5
65+	775	91,489	764	98.8	98.0-99.6	11	1.2	0.4- 2.0
Less Than H.S.	215	44,406	208	95.4	91.1-99.7	7	4.6	0.3- 8.9
H.S. or G.E.D.	586	108,688	563	95.3	92.9-97.7	23	4.7	2.3- 7.1
Some Post-H.S.	571	109,165	550	93.9	90.6-97.2	21	6.1	2.8- 9.4
College Graduate	802	114,365	793	99.2	98.6-99.8	9	0.8	0.2- 1.4
Less than \$15,000	203	31,216	194	95.3	91.6-99.0	9	4.7	1.0- 8.4
\$15,000- 24,999	343	54,615	331	95.5	92.6-98.4	12	4.5	1.6- 7.4
\$25,000- 34,999	210	32,588	204	97.5	95.1-99.9	6	2.5	0.1- 4.9
\$35,000- 49,999	251	45,433	243	95.5	92.0-99.0	8	4.5	1.0- 8.0
\$50,000- 74,999	236	44,691	231	97.1	94.2- 100	5	2.9	0.0- 5.8
\$75,000+	509	90,513	502	97.5	95.1-99.9	7	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3880	710,002	2023	54.3	52.1-56.5	1857	45.7	43.5-47.9
Male	1726	336,323	989	58.3	55.0-61.6	737	41.7	38.4-45.0
Female	2154	373,678	1034	50.6	47.7-53.5	1120	49.4	46.5-52.3
White/Non-Hisp	2607	455,746	1484	59.0	56.5-61.5	1123	41.0	38.5-43.5
Black or Afr. Am./Non-Hisp	531	137,184	227	45.4	39.5-51.3	304	54.6	48.7-60.5
Oth. Race/Non-Hisp.	172	34,380	80	48.5	38.3-58.7	92	51.5	41.3-61.7
Hispanic	418	56,259	158	38.5	31.4-45.6	260	61.5	54.4-68.6
18-24	240	82,661	120	51.0	42.8-59.2	120	49.0	40.8-57.2
25-34	433	118,306	265	66.1	59.8-72.4	168	33.9	27.6-40.2
35-44	445	106,255	253	60.6	54.5-66.7	192	39.4	33.3-45.5
45-54	607	113,197	340	54.3	49.2-59.4	267	45.7	40.6-50.8
55-64	835	125,572	414	50.7	46.2-55.2	421	49.3	44.8-53.8
65+	1320	164,011	631	46.0	42.7-49.3	689	54.0	50.7-57.3
Less Than H.S.	410	83,996	115	31.1	24.2-38.0	295	68.9	62.0-75.8
H.S. or G.E.D.	1098	218,944	466	44.7	40.4-49.0	632	55.3	51.0-59.6
Some Post-H.S.	955	201,427	522	60.5	56.4-64.6	433	39.5	35.4-43.6
College Graduate	1395	201,648	914	68.1	64.8-71.4	481	31.9	28.6-35.2
Less than \$15,000	315	48,004	90	32.6	25.0-40.2	225	67.4	59.8-75.0
\$15,000- 24,999	584	96,438	234	43.0	37.3-48.7	350	57.0	51.3-62.7
\$25,000- 34,999	357	60,965	160	46.6	39.3-53.9	197	53.4	46.1-60.7
\$35,000- 49,999	445	82,208	232	53.8	47.1-60.5	213	46.2	39.5-52.9
\$50,000- 74,999	474	91,354	281	57.8	51.3-64.3	193	42.2	35.7-48.7
\$75,000+	986	193,252	719	74.0	70.5-77.5	267	26.0	22.5-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	336,323	989	58.3	55.0-61.6	737	41.7	38.4-45.0
White/Non-Hisp	1152	216,920	709	61.3	57.4-65.2	443	38.7	34.8-42.6
Black or Afr. Am./Non-Hisp	205	61,138	95	49.5	40.1-58.9	110	50.5	41.1-59.9
Oth. Race/Non-Hisp.	107	19,317	55	53.8	40.5-67.1	52	46.2	32.9-59.5
Hispanic	195	25,132	94	54.9	44.1-65.7	101	45.1	34.3-55.9
18-24	138	40,714	73	48.7	37.7-59.7	65	51.3	40.3-62.3
25-34	223	59,636	152	76.1	68.5-83.7	71	23.9	16.3-31.5
35-44	202	50,869	118	61.5	52.3-70.7	84	38.5	29.3-47.7
45-54	270	52,613	156	57.3	49.9-64.7	114	42.7	35.3-50.1
55-64	336	58,786	179	53.4	46.1-60.7	157	46.6	39.3-53.9
65+	557	73,704	311	51.8	46.5-57.1	246	48.2	42.9-53.5
Less Than H.S.	199	39,949	74	40.3	29.7-50.9	125	59.7	49.1-70.3
H.S. or G.E.D.	518	111,280	263	50.7	44.4-57.0	255	49.3	43.0-55.6
Some Post-H.S.	392	93,930	230	63.3	57.0-69.6	162	36.7	30.4-43.0
College Graduate	606	88,374	416	70.5	65.8-75.2	190	29.5	24.8-34.2
Less than \$15,000	113	16,818	41	45.5	32.2-58.8	72	54.5	41.2-67.8
\$15,000- 24,999	243	42,478	118	47.1	38.5-55.7	125	52.9	44.3-61.5
\$25,000- 34,999	151	28,589	74	47.7	36.7-58.7	77	52.3	41.3-63.3
\$35,000- 49,999	199	37,432	107	56.6	47.0-66.2	92	43.4	33.8-53.0
\$50,000- 74,999	240	46,909	154	60.5	51.3-69.7	86	39.5	30.3-48.7
\$75,000+	484	104,203	352	73.7	68.4-79.0	132	26.3	21.0-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	373,678	1034	50.6	47.7-53.5	1120	49.4	46.5-52.3
White/Non-Hisp	1455	238,826	775	57.0	53.5-60.5	680	43.0	39.5-46.5
Black or Afr. Am./Non-Hisp	326	76,046	132	42.1	34.7-49.5	194	57.9	50.5-65.3
Oth. Race/Non-Hisp.	65	15,063	25	41.8	25.7-57.9	40	58.2	42.1-74.3
Hispanic	223	31,127	64	25.2	17.9-32.5	159	74.8	67.5-82.1
18-24	102	41,947	47	53.2	41.0-65.4	55	46.8	34.6-59.0
25-34	210	58,670	113	55.9	46.5-65.3	97	44.1	34.7-53.5
35-44	243	55,385	135	59.7	51.7-67.7	108	40.3	32.3-48.3
45-54	337	60,583	184	51.8	44.9-58.7	153	48.2	41.3-55.1
55-64	499	66,786	235	48.3	42.6-54.0	264	51.7	46.0-57.4
65+	763	90,306	320	41.2	36.9-45.5	443	58.8	54.5-63.1
Less Than H.S.	211	44,047	41	22.8	14.8-30.8	170	77.2	69.2-85.2
H.S. or G.E.D.	580	107,664	203	38.5	32.8-44.2	377	61.5	55.8-67.2
Some Post-H.S.	563	107,497	292	58.1	52.6-63.6	271	41.9	36.4-47.4
College Graduate	789	113,274	498	66.2	61.7-70.7	291	33.8	29.3-38.3
Less than \$15,000	202	31,186	49	25.6	17.0-34.2	153	74.4	65.8-83.0
\$15,000- 24,999	341	53,960	116	39.8	32.2-47.4	225	60.2	52.6-67.8
\$25,000- 34,999	206	32,377	86	45.7	36.1-55.3	120	54.3	44.7-63.9
\$35,000- 49,999	246	44,776	125	51.5	42.3-60.7	121	48.5	39.3-57.7
\$50,000- 74,999	234	44,446	127	55.0	46.0-64.0	107	45.0	36.0-54.0
\$75,000+	502	89,049	367	74.4	69.7-79.1	135	25.6	20.9-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3880	710,002	1232	33.4	31.2-35.6	382	10.6	9.2-12.0	139	4.2	3.0- 5.4	270	6.1	5.1- 7.1	1857	45.7	43.5-47.9
Male	1726	336,323	554	33.4	30.3-36.5	201	11.9	9.9-13.9	76	4.9	2.9- 6.9	158	8.2	6.6- 9.8	737	41.7	38.4-45.0
Female	2154	373,678	678	33.3	30.6-36.0	181	9.5	7.7-11.3	63	3.5	2.1- 4.9	112	4.2	3.2- 5.2	1120	49.4	46.5-52.3
White/Non-Hisp	2607	455,746	854	34.0	31.5-36.5	297	13.1	11.3-14.9	111	4.3	3.1- 5.5	222	7.6	6.4- 8.8	1123	41.0	38.5-43.5
Black or Afr. Am./Non-Hisp	531	137,184	160	30.0	24.7-35.3	34	7.0	4.3- 9.7	12	4.9	0.8- 9.0	21	3.5	1.3- 5.7	304	54.6	48.7-60.5
Oth. Race/Non-Hisp.	172	34,380	52	36.5	26.7-46.3	17	8.8	3.3-14.3	4	0.9	0.1- 1.7	7	2.4	0.0- 4.8	92	51.5	41.3-61.7
Hispanic	418	56,259	119	30.4	23.3-37.5	22	3.4	1.6- 5.2	7	2.0	0.0- 4.2	10	2.7	0.5- 4.9	260	61.5	54.4-68.6
18-24	240	82,661	79	31.4	24.0-38.8	31	14.0	8.3-19.7	6	3.6	0.0- 7.9	4	2.0	0.0- 4.2	120	49.0	40.8-57.2
25-34	433	118,306	175	44.4	37.7-51.1	60	13.2	9.1-17.3	17	5.0	1.9- 8.1	13	3.6	0.9- 6.3	168	33.9	27.6-40.2
35-44	445	106,255	167	39.6	33.5-45.7	51	11.5	7.8-15.2	14	4.9	0.0- 9.8	21	4.5	2.3- 6.7	192	39.4	33.3-45.5
45-54	607	113,197	217	33.3	28.6-38.0	69	10.6	7.7-13.5	22	4.9	2.5- 7.3	32	5.5	3.3- 7.7	267	45.7	40.6-50.8
55-64	835	125,572	240	27.5	23.6-31.4	83	10.7	8.0-13.4	39	5.4	3.2- 7.6	52	7.0	4.6- 9.4	421	49.3	44.8-53.8
65+	1320	164,011	354	26.9	24.0-29.8	88	6.3	4.7- 7.9	41	2.0	1.2- 2.8	148	10.7	8.7-12.7	689	54.0	50.7-57.3
Less Than H.S.	410	83,996	76	20.4	14.3-26.5	13	4.6	1.1- 8.1	8	1.8	0.2- 3.4	18	4.3	2.1- 6.5	295	68.9	62.0-75.8
H.S. or G.E.D.	1098	218,944	305	27.8	24.1-31.5	84	7.5	5.5- 9.5	25	4.6	1.7- 7.5	52	4.8	3.0- 6.6	632	55.3	51.0-59.6
Some Post-H.S.	955	201,427	333	39.2	34.9-43.5	95	10.6	8.1-13.1	29	3.9	2.1- 5.7	65	6.8	4.6- 9.0	433	39.5	35.4-43.6
College Graduate	1395	201,648	514	38.9	35.4-42.4	188	16.4	13.5-19.3	77	5.2	3.6- 6.8	135	7.6	6.0- 9.2	481	31.9	28.6-35.2
Less than \$15,000	315	48,004	68	23.5	16.8-30.2	16	6.4	1.7-11.1	3	1.7	0.0- 4.4	3	1.0	0.0- 2.2	225	67.4	59.8-75.0
\$15,000- 24,999	584	96,438	163	30.7	25.2-36.2	35	5.7	3.5- 7.9	11	1.4	0.4- 2.4	25	5.2	2.5- 7.9	350	57.0	51.3-62.7
\$25,000- 34,999	357	60,965	100	30.6	23.7-37.5	27	6.6	3.5- 9.7	10	4.1	1.2- 7.0	23	5.4	2.9- 7.9	197	53.4	46.1-60.7
\$35,000- 49,999	445	82,208	141	36.8	29.9-43.7	36	8.3	5.0-11.6	17	3.6	1.1- 6.1	38	5.0	3.0- 7.0	213	46.2	39.5-52.9
\$50,000- 74,999	474	91,354	176	35.2	29.3-41.1	49	11.8	7.5-16.1	12	3.0	0.3- 5.7	44	7.8	4.9-10.7	193	42.2	35.7-48.7
\$75,000+	986	193,252	391	39.9	35.8-44.0	164	17.4	14.3-20.5	70	8.0	4.9-11.1	94	8.7	6.3-11.1	267	26.0	22.5-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	336,323	554	33.4	30.3-36.5	201	11.9	9.9-13.9	76	4.9	2.9- 6.9	158	8.2	6.6- 9.8	737	41.7	38.4-45.0
White/Non-Hisp	1152	216,920	370	32.1	28.6-35.6	154	14.4	11.7-17.1	59	4.8	3.2- 6.4	126	10.0	7.8-12.2	443	38.7	34.8-42.6
Black or Afr. Am./Non-Hisp	205	61,138	62	30.2	21.8-38.6	15	7.5	3.2-11.8	7	7.2	0.0-15.8	11	4.5	0.8- 8.2	110	50.5	41.1-59.9
Oth. Race/Non-Hisp.	107	19,317	34	37.3	24.8-49.8	15	12.7	4.3-21.1	2	0.7	0.0- 1.7	4	3.0	0.0- 6.7	52	46.2	32.9-59.5
Hispanic	195	25,132	67	41.8	30.0-53.6	14	4.2	1.7- 6.7	5	3.3	0.0- 7.6	8	5.6	1.1-10.1	101	45.1	34.3-55.9
18-24	138	40,714	49	30.8	21.2-40.4	20	15.4	7.8-23.0	2	1.0	0.0- 2.4	2	1.5	0.0- 3.7	65	51.3	40.3-62.3
25-34	223	59,636	96	50.0	40.4-59.6	35	15.5	9.4-21.6	11	4.9	1.0- 8.8	10	5.7	0.8-10.6	71	23.9	16.3-31.5
35-44	202	50,869	71	36.5	27.3-45.7	24	10.1	5.2-15.0	10	8.5	0.0-18.3	13	6.4	2.7-10.1	84	38.5	29.3-47.7
45-54	270	52,613	88	32.4	25.5-39.3	40	13.0	8.3-17.7	9	4.7	1.4- 8.0	19	7.2	3.7-10.7	114	42.7	35.3-50.1
55-64	336	58,786	92	24.9	19.0-30.8	40	12.0	7.5-16.5	20	7.7	3.6-11.8	27	8.8	4.5-13.1	157	46.6	39.3-53.9
65+	557	73,704	158	26.7	22.4-31.0	42	7.3	4.8- 9.8	24	2.5	1.3- 3.7	87	15.3	11.8-18.8	246	48.2	42.9-53.5
Less Than H.S.	199	39,949	43	22.1	12.5-31.7	7	6.7	0.0-13.4	7	2.9	0.0- 5.8	17	8.6	4.1-13.1	125	59.7	49.1-70.3
H.S. or G.E.D.	518	111,280	160	30.0	24.5-35.5	55	9.3	6.4-12.2	16	5.6	0.7-10.5	32	5.8	3.1- 8.5	255	49.3	43.0-55.6
Some Post-H.S.	392	93,930	136	39.2	32.5-45.9	40	9.8	6.1-13.5	13	4.1	1.6- 6.6	41	10.1	6.2-14.0	162	36.7	30.4-43.0
College Graduate	606	88,374	211	36.1	31.2-41.0	97	19.2	14.9-23.5	40	5.9	3.5- 8.3	68	9.2	6.7-11.7	190	29.5	24.8-34.2
Less than \$15,000	113	16,818	28	30.2	17.9-42.5	9	12.4	0.8-24.0	2	1.0	0.0- 2.4	2	1.9	0.0- 4.6	72	54.5	41.2-67.8
\$15,000- 24,999	243	42,478	76	31.5	23.3-39.7	20	6.6	3.1-10.1	5	0.9	0.1- 1.7	17	8.2	3.1-13.3	125	52.9	44.3-61.5
\$25,000- 34,999	151	28,589	40	26.1	16.5-35.7	11	6.9	2.2-11.6	7	6.5	1.0-12.0	16	8.1	3.4-12.8	77	52.3	41.3-63.3
\$35,000- 49,999	199	37,432	54	34.7	24.3-45.1	20	9.1	4.2-14.0	10	5.2	0.9- 9.5	23	7.6	3.7-11.5	92	43.4	33.8-53.0
\$50,000- 74,999	240	46,909	91	33.8	25.6-42.0	30	15.3	8.8-21.8	7	2.6	0.0- 5.5	26	8.8	4.5-13.1	86	39.5	30.3-48.7
\$75,000+	484	104,203	175	36.6	30.7-42.5	87	17.3	13.0-21.6	38	9.7	4.4-15.0	52	10.0	6.5-13.5	132	26.3	21.0-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 11: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	373,678	678	33.3	30.6-36.0	181	9.5	7.7-11.3	63	3.5	2.1- 4.9	112	4.2	3.2- 5.2	1120	49.4	46.5-52.3
White/Non-Hisp	1455	238,826	484	35.7	32.2-39.2	143	11.8	9.3-14.3	52	3.9	2.1- 5.7	96	5.5	4.1- 6.9	680	43.0	39.5-46.5
Black or Afr. Am./Non-Hisp	326	76,046	98	29.8	22.9-36.7	19	6.5	3.2- 9.8	5	3.0	0.3- 5.7	10	2.7	0.2- 5.2	194	57.9	50.5-65.3
Oth. Race/Non-Hisp.	65	15,063	18	35.6	19.7-51.5	2	3.7	0.0- 9.4	2	1.0	0.0- 2.4	3	1.5	0.0- 3.5	40	58.2	42.1-74.3
Hispanic	223	31,127	52	21.2	14.3-28.1	8	2.7	0.3- 5.1	2	1.0	0.0- 2.4	2	0.4	0.0- 1.0	159	74.8	67.5-82.1
18-24	102	41,947	30	31.9	20.5-43.3	11	12.7	4.5-20.9	4	6.2	0.0-14.2	2	2.4	0.0- 5.9	55	46.8	34.6-59.0
25-34	210	58,670	79	38.6	29.6-47.6	25	10.9	5.4-16.4	6	5.0	0.1- 9.9	3	1.4	0.0- 3.4	97	44.1	34.7-53.5
35-44	243	55,385	96	42.5	34.5-50.5	27	12.9	7.4-18.4	4	1.5	0.0- 3.3	8	2.9	0.5- 5.3	108	40.3	32.3-48.3
45-54	337	60,583	129	34.0	27.5-40.5	29	8.6	5.1-12.1	13	5.1	1.8- 8.4	13	4.0	1.5- 6.5	153	48.2	41.3-55.1
55-64	499	66,786	148	29.8	24.7-34.9	43	9.6	6.3-12.9	19	3.5	1.5- 5.5	25	5.4	3.0- 7.8	264	51.7	46.0-57.4
65+	763	90,306	196	27.1	23.2-31.0	46	5.6	3.6- 7.6	17	1.6	0.8- 2.4	61	6.9	4.7- 9.1	443	58.8	54.5-63.1
Less Than H.S.	211	44,047	33	18.9	11.1-26.7	6	2.8	0.1- 5.5	1	0.7	0.0- 2.1	1	0.4	0.0- 1.2	170	77.2	69.2-85.2
H.S. or G.E.D.	580	107,664	145	25.6	20.7-30.5	29	5.7	3.2- 8.2	9	3.5	0.2- 6.8	20	3.8	1.6- 6.0	377	61.5	55.8-67.2
Some Post-H.S.	563	107,497	197	39.2	33.5-44.9	55	11.3	7.6-15.0	16	3.7	1.2- 6.2	24	3.9	1.9- 5.9	271	41.9	36.4-47.4
College Graduate	789	113,274	303	41.0	36.3-45.7	91	14.2	10.3-18.1	37	4.6	2.4- 6.8	67	6.4	4.4- 8.4	291	33.8	29.3-38.3
Less than \$15,000	202	31,186	40	19.8	12.0-27.6	7	3.1	0.2- 6.0	1	2.2	0.0- 6.3	1	0.5	0.0- 1.5	153	74.4	65.8-83.0
\$15,000- 24,999	341	53,960	87	30.1	22.7-37.5	15	5.0	2.1- 7.9	6	1.8	0.0- 3.6	8	2.8	0.0- 5.7	225	60.2	52.6-67.8
\$25,000- 34,999	206	32,377	60	34.5	24.7-44.3	16	6.3	2.2-10.4	3	2.0	0.0- 4.5	7	2.9	0.4- 5.4	120	54.3	44.7-63.9
\$35,000- 49,999	246	44,776	87	38.6	29.4-47.8	16	7.7	3.2-12.2	7	2.3	0.0- 5.4	15	2.9	0.9- 4.9	121	48.5	39.3-57.7
\$50,000- 74,999	234	44,446	85	36.7	28.3-45.1	19	8.2	2.7-13.7	5	3.4	0.0- 8.3	18	6.7	2.6-10.8	107	45.0	36.0-54.0
\$75,000+	502	89,049	216	43.8	38.1-49.5	77	17.4	12.9-21.9	32	6.1	3.4- 8.8	42	7.1	4.6- 9.6	135	25.6	20.9-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3841	703,615	3364	85.2	83.6-86.8	477	14.8	13.2-16.4
Male	1700	332,217	1430	81.9	79.4-84.4	270	18.1	15.6-20.6
Female	2141	371,398	1934	88.2	86.2-90.2	207	11.8	9.8-13.8
White/Non-Hisp	2586	452,847	2254	83.6	81.6-85.6	332	16.4	14.4-18.4
Black or Afr. Am./Non-Hisp	522	135,238	471	89.0	85.5-92.5	51	11.0	7.5-14.5
Oth. Race/Non-Hisp.	168	33,422	151	89.5	83.2-95.8	17	10.5	4.2-16.8
Hispanic	414	55,821	352	85.8	81.3-90.3	62	14.2	9.7-18.7
18-24	236	81,583	176	78.8	72.7-84.9	60	21.2	15.1-27.3
25-34	427	117,360	318	73.0	67.3-78.7	109	27.0	21.3-32.7
35-44	442	104,919	359	82.7	78.6-86.8	83	17.3	13.2-21.4
45-54	599	111,892	517	85.8	82.3-89.3	82	14.2	10.7-17.7
55-64	828	124,937	743	88.1	85.0-91.2	85	11.9	8.8-15.0
65+	1309	162,924	1251	96.2	95.0-97.4	58	3.8	2.6- 5.0
Less Than H.S.	405	83,460	369	91.0	87.3-94.7	36	9.0	5.3-12.7
H.S. or G.E.D.	1087	216,745	947	85.8	82.9-88.7	140	14.2	11.3-17.1
Some Post-H.S.	943	199,288	816	83.1	79.8-86.4	127	16.9	13.6-20.2
College Graduate	1384	200,135	1210	84.0	81.3-86.7	174	16.0	13.3-18.7
Less than \$15,000	311	46,919	278	88.2	82.7-93.7	33	11.8	6.3-17.3
\$15,000- 24,999	579	95,885	522	87.9	84.0-91.8	57	12.1	8.2-16.0
\$25,000- 34,999	353	60,335	310	86.5	81.4-91.6	43	13.5	8.4-18.6
\$35,000- 49,999	443	81,608	383	85.6	81.1-90.1	60	14.4	9.9-18.9
\$50,000- 74,999	466	90,066	404	86.1	81.8-90.4	62	13.9	9.6-18.2
\$75,000+	978	192,026	810	78.0	74.5-81.5	168	22.0	18.5-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1700	332,217	1430	81.9	79.4-84.4	270	18.1	15.6-20.6
White/Non-Hisp	1140	215,270	958	80.5	77.4-83.6	182	19.5	16.4-22.6
Black or Afr. Am./Non-Hisp	200	60,224	175	86.8	80.5-93.1	25	13.2	6.9-19.5
Oth. Race/Non-Hisp.	103	18,359	90	88.5	80.7-96.3	13	11.5	3.7-19.3
Hispanic	191	24,694	151	80.2	72.0-88.4	40	19.8	11.6-28.0
18-24	135	39,922	97	77.4	69.4-85.4	38	22.6	14.6-30.6
25-34	217	58,690	150	65.0	56.0-74.0	67	35.0	26.0-44.0
35-44	201	50,449	157	82.5	76.4-88.6	44	17.5	11.4-23.6
45-54	266	52,032	228	84.2	78.3-90.1	38	15.8	9.9-21.7
55-64	332	58,336	287	84.2	78.7-89.7	45	15.8	10.3-21.3
65+	549	72,788	511	94.1	91.9-96.3	38	5.9	3.7- 8.1
Less Than H.S.	194	39,413	170	87.5	81.0-94.0	24	12.5	6.0-19.0
H.S. or G.E.D.	511	110,315	415	81.0	76.5-85.5	96	19.0	14.5-23.5
Some Post-H.S.	385	92,638	324	80.8	75.3-86.3	61	19.2	13.7-24.7
College Graduate	599	87,060	510	81.2	76.9-85.5	89	18.8	14.5-23.1
Less than \$15,000	112	16,709	95	82.3	70.5-94.1	17	17.7	5.9-29.5
\$15,000- 24,999	240	42,217	203	82.7	75.6-89.8	37	17.3	10.2-24.4
\$25,000- 34,999	147	27,959	120	79.6	70.2-89.0	27	20.4	11.0-29.8
\$35,000- 49,999	197	36,832	169	84.1	76.8-91.4	28	15.9	8.6-23.2
\$50,000- 74,999	235	46,111	199	83.6	77.3-89.9	36	16.4	10.1-22.7
\$75,000+	478	103,093	382	76.5	71.2-81.8	96	23.5	18.2-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2141	371,398	1934	88.2	86.2-90.2	207	11.8	9.8-13.8
White/Non-Hisp	1446	237,577	1296	86.5	84.0-89.0	150	13.5	11.0-16.0
Black or Afr. Am./Non-Hisp	322	75,015	296	90.7	86.6-94.8	26	9.3	5.2-13.4
Oth. Race/Non-Hisp.	65	15,063	61	90.7	80.9- 100	4	9.3	0.0-19.1
Hispanic	223	31,127	201	90.3	85.4-95.2	22	9.7	4.8-14.6
18-24	101	41,661	79	80.1	71.3-88.9	22	19.9	11.1-28.7
25-34	210	58,670	168	81.0	74.3-87.7	42	19.0	12.3-25.7
35-44	241	54,471	202	83.0	77.1-88.9	39	17.0	11.1-22.9
45-54	333	59,860	289	87.2	82.9-91.5	44	12.8	8.5-17.1
55-64	496	66,600	456	91.5	88.6-94.4	40	8.5	5.6-11.4
65+	760	90,135	740	97.9	96.9-98.9	20	2.1	1.1- 3.1
Less Than H.S.	211	44,047	199	94.1	90.2-98.0	12	5.9	2.0- 9.8
H.S. or G.E.D.	576	106,430	532	90.7	87.4-94.0	44	9.3	6.0-12.6
Some Post-H.S.	558	106,650	492	85.1	81.0-89.2	66	14.9	10.8-19.0
College Graduate	785	113,075	700	86.2	82.7-89.7	85	13.8	10.3-17.3
Less than \$15,000	199	30,209	183	91.4	85.9-96.9	16	8.6	3.1-14.1
\$15,000- 24,999	339	53,668	319	91.9	87.6-96.2	20	8.1	3.8-12.4
\$25,000- 34,999	206	32,377	190	92.4	87.9-96.9	16	7.6	3.1-12.1
\$35,000- 49,999	246	44,776	214	86.9	81.4-92.4	32	13.1	7.6-18.6
\$50,000- 74,999	231	43,955	205	88.7	82.6-94.8	26	11.3	5.2-17.4
\$75,000+	500	88,933	428	79.6	74.7-84.5	72	20.4	15.5-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3830	699,358	729	18.9	17.1-20.7	259	7.2	6.0- 8.4	414	12.3	10.5-14.1	289	7.8	6.6- 9.0	282	7.4	6.2- 8.6	1857	46.4	44.2-48.6
Male	1695	329,790	269	15.6	13.2-18.0	126	7.7	5.9- 9.5	223	14.6	11.9-17.3	161	9.2	7.4-11.0	179	10.4	8.4-12.4	737	42.5	39.2-45.8
Female	2135	369,568	460	21.8	19.4-24.2	133	6.7	5.1- 8.3	191	10.4	8.2-12.6	128	6.5	4.9- 8.1	103	4.7	3.5- 5.9	1120	50.0	47.1-52.9
White/Non-Hisp	2581	451,018	512	19.2	17.0-21.4	191	7.6	6.2- 9.0	307	13.1	11.1-15.1	234	9.8	8.2-11.4	214	8.7	7.3-10.1	1123	41.4	38.9-43.9
Black or Afr. Am./Non-Hisp	520	133,383	99	18.4	13.9-22.9	32	6.6	3.5- 9.7	37	10.3	5.6-15.0	19	3.5	1.3- 5.7	29	5.0	2.6- 7.4	304	56.2	50.1-62.3
Oth. Race/Non-Hisp.	169	33,133	29	20.6	12.4-28.8	7	6.6	1.1-12.1	19	10.6	4.5-16.7	12	4.8	1.1- 8.5	10	4.1	0.8- 7.4	92	53.4	43.0-63.8
Hispanic	412	55,789	59	13.1	9.0-17.2	23	4.9	2.4- 7.4	38	12.7	5.8-19.6	16	2.7	0.9- 4.5	16	4.6	1.9- 7.3	260	62.0	54.7-69.3
18-24	234	80,165	30	12.1	7.0-17.2	16	7.7	3.0-12.4	32	14.6	8.1-21.1	15	6.3	2.6-10.0	21	8.8	4.9-12.7	120	50.5	42.1-58.9
25-34	423	116,102	80	22.1	16.2-28.0	42	8.1	5.0-11.2	67	18.1	12.6-23.6	35	10.1	6.0-14.2	31	7.1	3.8-10.4	168	34.5	28.2-40.8
35-44	440	104,964	90	22.6	17.3-27.9	37	9.5	6.0-13.0	53	14.0	8.3-19.7	34	7.1	4.2-10.0	34	6.9	4.2- 9.6	192	39.9	33.8-46.0
45-54	600	111,886	131	19.5	15.6-23.4	42	5.9	3.7- 8.1	74	13.5	10.0-17.0	45	7.4	4.7-10.1	41	7.4	4.9- 9.9	267	46.2	41.1-51.3
55-64	824	123,501	153	17.1	14.0-20.2	52	6.8	4.6- 9.0	80	9.5	7.0-12.0	67	9.5	6.8-12.2	51	7.0	4.5- 9.5	421	50.1	45.6-54.6
65+	1309	162,741	245	18.4	15.9-20.9	70	5.9	4.3- 7.5	108	7.4	5.8- 9.0	93	6.3	4.7- 7.9	104	7.5	5.7- 9.3	689	54.5	51.2-57.8
Less Than H.S.	404	82,965	47	12.8	8.1-17.5	10	2.2	0.4- 4.0	15	5.7	0.8-10.6	12	3.3	0.8- 5.8	25	6.2	3.5- 8.9	295	69.7	62.8-76.6
H.S. or G.E.D.	1083	214,779	167	14.5	11.6-17.4	61	6.1	4.1- 8.1	95	11.4	7.9-14.9	53	4.3	2.9- 5.7	75	7.4	5.4- 9.4	632	56.4	52.1-60.7
Some Post-H.S.	937	197,360	201	21.6	17.9-25.3	70	8.7	6.0-11.4	90	12.3	9.0-15.6	80	9.7	7.2-12.2	63	7.5	5.1- 9.9	433	40.3	36.0-44.6
College Graduate	1385	200,671	313	23.5	20.4-26.6	117	8.8	6.8-10.8	213	16.4	13.7-19.1	142	11.3	8.9-13.7	119	7.9	6.1- 9.7	481	32.1	28.8-35.4
Less than \$15,000	310	46,171	47	16.7	10.6-22.8	7	1.4	0.2- 2.6	12	4.6	1.3- 7.9	8	4.3	0.0- 8.8	11	2.9	0.9- 4.9	225	70.1	62.7-77.5
\$15,000- 24,999	575	95,588	97	20.6	15.5-25.7	28	5.0	2.6- 7.4	45	7.0	4.5- 9.5	27	4.3	2.3- 6.3	28	5.7	2.8- 8.6	350	57.5	51.8-63.2
\$25,000- 34,999	352	60,285	56	15.8	10.1-21.5	21	5.8	2.7- 8.9	34	12.1	7.0-17.2	19	5.5	2.6- 8.4	25	6.8	3.7- 9.9	197	54.0	46.7-61.3
\$35,000- 49,999	441	81,240	79	15.5	11.2-19.8	33	9.1	5.2-13.0	44	15.5	9.0-22.0	31	6.0	3.3- 8.7	41	7.2	4.3-10.1	213	46.7	39.8-53.6
\$50,000- 74,999	471	90,714	94	19.7	14.8-24.6	55	10.6	7.1-14.1	46	9.7	6.0-13.4	41	8.7	4.6-12.8	42	8.8	5.5-12.1	193	42.5	36.0-49.0
\$75,000+	976	191,566	229	21.8	18.5-25.1	88	9.2	6.7-11.7	174	18.9	15.0-22.8	120	13.2	10.5-15.9	98	10.6	8.1-13.1	267	26.2	22.7-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	329,790	269	15.6	13.2-18.0	126	7.7	5.9- 9.5	223	14.6	11.9-17.3	161	9.2	7.4-11.0	179	10.4	8.4-12.4	737	42.5	39.2-45.8
White/Non-Hisp	1135	213,872	181	14.3	11.6-17.0	88	7.8	5.8- 9.8	161	15.1	12.2-18.0	128	11.2	8.8-13.6	134	12.3	9.8-14.8	443	39.3	35.4-43.2
Black or Afr. Am./Non-Hisp	200	58,853	33	17.5	10.2-24.8	16	8.0	3.3-12.7	14	10.9	1.9-19.9	9	4.7	0.8- 8.6	18	6.5	2.4-10.6	110	52.5	42.9-62.1
Oth. Race/Non-Hisp.	105	18,705	16	19.5	9.1-29.9	6	8.2	0.8-15.6	16	13.9	5.5-22.3	9	6.7	0.4-13.0	6	3.9	0.0- 7.8	52	47.7	34.2-61.2
Hispanic	190	24,770	27	13.9	7.0-20.8	13	5.7	2.0- 9.4	25	21.1	8.0-34.2	11	4.7	1.0- 8.4	13	8.9	3.0-14.8	101	45.7	34.7-56.7
18-24	134	39,138	16	8.9	4.0-13.8	12	8.4	2.9-13.9	20	14.0	6.4-21.6	6	3.8	0.1- 7.5	15	11.5	5.6-17.4	65	53.3	42.3-64.3
25-34	217	58,793	33	21.2	12.4-30.0	24	9.2	4.1-14.3	42	22.6	14.2-31.0	25	12.6	6.7-18.5	22	10.2	4.7-15.7	71	24.2	16.4-32.0
35-44	200	50,278	31	18.5	11.2-25.8	20	10.3	4.8-15.8	23	13.5	3.3-23.7	20	8.4	3.7-13.1	22	10.4	5.3-15.5	84	38.9	29.7-48.1
45-54	264	51,357	45	14.5	9.8-19.2	16	6.5	3.0-10.0	42	18.4	12.1-24.7	20	6.8	3.1-10.5	27	10.1	6.0-14.2	114	43.8	36.2-51.4
55-64	328	57,123	50	13.6	9.1-18.1	22	6.7	3.2-10.2	37	10.3	6.0-14.6	34	12.0	7.3-16.7	28	9.5	5.0-14.0	157	47.9	40.5-55.3
65+	552	73,101	94	15.2	11.9-18.5	32	6.1	3.7- 8.5	59	9.9	7.2-12.6	56	9.5	6.6-12.4	65	10.8	7.9-13.7	246	48.6	43.3-53.9
Less Than H.S.	194	39,026	21	9.8	4.7-14.9	6	2.2	0.0- 4.6	12	11.0	1.0-21.0	8	4.8	0.0- 9.7	22	11.1	5.8-16.4	125	61.1	50.3-71.9
H.S. or G.E.D.	507	108,494	67	12.5	8.6-16.4	33	7.0	4.1- 9.9	61	13.6	8.1-19.1	35	5.6	3.4- 7.8	56	10.7	7.4-14.0	255	50.6	44.3-56.9
Some Post-H.S.	385	92,329	65	18.0	12.5-23.5	38	10.9	6.8-15.0	44	14.1	9.0-19.2	42	10.4	6.7-14.1	34	9.3	5.4-13.2	162	37.4	31.1-43.7
College Graduate	599	87,555	115	19.5	15.2-23.8	48	8.0	5.3-10.7	105	18.1	14.4-21.8	74	13.5	9.8-17.2	67	11.2	8.1-14.3	190	29.8	24.9-34.7
Less than \$15,000	110	16,189	16	19.7	8.7-30.7	4	2.2	0.0- 4.9	6	6.0	0.0-12.9	5	10.1	0.0-22.1	7	5.3	1.0- 9.6	72	56.6	43.1-70.1
\$15,000- 24,999	238	41,879	33	15.9	8.6-23.2	18	7.4	3.1-11.7	27	9.4	4.9-13.9	14	5.1	2.0- 8.2	21	8.5	3.6-13.4	125	53.6	45.0-62.2
\$25,000- 34,999	147	27,933	13	6.7	2.0-11.4	11	7.9	1.8-14.0	18	13.1	5.5-20.7	14	10.0	4.3-15.7	14	8.8	3.1-14.5	77	53.5	42.3-64.7
\$35,000- 49,999	196	36,751	23	9.1	4.6-13.6	17	12.8	5.7-19.9	19	15.5	5.3-25.7	19	6.9	3.4-10.4	26	11.6	6.1-17.1	92	44.2	34.4-54.0
\$50,000- 74,999	238	46,352	44	16.5	9.8-23.2	31	12.3	7.0-17.6	25	11.6	5.5-17.7	22	7.6	3.5-11.7	30	12.1	6.8-17.4	86	40.0	30.8-49.2
\$75,000+	477	103,329	88	17.1	12.6-21.6	36	7.3	4.2-10.4	95	22.3	16.2-28.4	67	14.1	10.0-18.2	59	12.7	8.8-16.6	132	26.6	21.3-31.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2135	369,568	460	21.8	19.4-24.2	133	6.7	5.1- 8.3	191	10.4	8.2-12.6	128	6.5	4.9- 8.1	103	4.7	3.5- 5.9	1120	50.0	47.1-52.9
White/Non-Hisp	1446	237,146	331	23.7	20.6-26.8	103	7.5	5.7- 9.3	146	11.4	8.7-14.1	106	8.5	6.3-10.7	80	5.5	3.9- 7.1	680	43.3	39.8-46.8
Black or Afr. Am./Non-Hisp	320	74,530	66	19.1	13.6-24.6	16	5.5	1.2- 9.8	23	9.9	5.6-14.2	10	2.5	0.3- 4.7	11	3.9	1.2- 6.6	194	59.1	51.7-66.5
Oth. Race/Non-Hisp.	64	14,428	13	22.0	8.9-35.1	1	4.4	0.0-12.8	3	6.3	0.0-15.1	3	2.3	0.0- 5.0	4	4.3	0.0-10.2	40	60.7	44.6-76.8
Hispanic	222	31,019	32	12.5	7.4-17.6	10	4.2	0.7- 7.7	13	6.0	1.7-10.3	5	1.2	0.0- 2.4	3	1.1	0.0- 2.5	159	75.0	67.7-82.3
18-24	100	41,026	14	15.2	6.6-23.8	4	7.0	0.0-14.6	12	15.1	4.7-25.5	9	8.6	2.3-14.9	6	6.2	0.7-11.7	55	47.9	35.4-60.4
25-34	206	57,309	47	23.0	15.4-30.6	18	6.9	3.0-10.8	25	13.6	6.5-20.7	10	7.5	1.8-13.2	9	3.9	0.8- 7.0	97	45.1	35.7-54.5
35-44	240	54,686	59	26.3	19.0-33.6	17	8.7	4.0-13.4	30	14.5	8.6-20.4	14	5.9	2.4- 9.4	12	3.7	1.2- 6.2	108	40.8	32.8-48.8
45-54	336	60,529	86	23.8	17.9-29.7	26	5.4	2.7- 8.1	32	9.5	5.8-13.2	25	8.0	4.1-11.9	14	5.1	2.2- 8.0	153	48.3	41.4-55.2
55-64	496	66,378	103	20.1	15.8-24.4	30	6.9	4.2- 9.6	43	8.7	5.6-11.8	33	7.4	4.5-10.3	23	4.9	2.5- 7.3	264	52.0	46.3-57.7
65+	757	89,640	151	21.1	17.4-24.8	38	5.8	3.6- 8.0	49	5.4	3.6- 7.2	37	3.8	2.4- 5.2	39	4.7	2.7- 6.7	443	59.2	54.9-63.5
Less Than H.S.	210	43,939	26	15.5	8.1-22.9	4	2.3	0.0- 4.8	3	1.0	0.0- 2.2	4	1.9	0.0- 4.1	3	1.8	0.0- 4.2	170	77.4	69.2-85.6
H.S. or G.E.D.	576	106,286	100	16.4	12.1-20.7	28	5.3	3.1- 7.5	34	9.1	5.0-13.2	18	2.9	1.3- 4.5	19	4.1	1.9- 6.3	377	62.2	56.5-67.9
Some Post-H.S.	552	105,031	136	24.7	20.0-29.4	32	6.9	3.4-10.4	46	10.7	6.6-14.8	38	9.0	5.3-12.7	29	5.9	3.2- 8.6	271	42.9	37.2-48.6
College Graduate	786	113,116	198	26.7	22.4-31.0	69	9.5	6.6-12.4	108	15.1	11.4-18.8	68	9.5	6.6-12.4	52	5.4	3.4- 7.4	291	33.8	29.3-38.3
Less than \$15,000	200	29,982	31	15.1	7.8-22.4	3	1.0	0.0- 2.2	6	3.8	0.5- 7.1	3	1.2	0.0- 2.8	4	1.6	0.0- 3.4	153	77.4	69.4-85.4
\$15,000- 24,999	337	53,709	64	24.2	16.9-31.5	10	3.1	0.7- 5.5	18	5.1	2.2- 8.0	13	3.6	1.2- 6.0	7	3.6	0.3- 6.9	225	60.5	52.9-68.1
\$25,000- 34,999	205	32,352	43	23.7	14.5-32.9	10	4.0	1.3- 6.7	16	11.1	4.4-17.8	5	1.7	0.0- 3.5	11	5.1	1.6- 8.6	120	54.4	44.6-64.2
\$35,000- 49,999	245	44,490	56	20.7	13.8-27.6	16	6.1	2.4- 9.8	25	15.5	7.3-23.7	12	5.4	1.1- 9.7	15	3.5	1.1- 5.9	121	48.8	39.6-58.0
\$50,000- 74,999	233	44,361	50	23.0	15.7-30.3	24	8.9	4.4-13.4	21	7.7	3.6-11.8	19	9.9	2.8-17.0	12	5.4	1.5- 9.3	107	45.1	36.1-54.1
\$75,000+	499	88,238	141	27.3	22.2-32.4	52	11.5	7.6-15.4	79	14.9	11.0-18.8	53	12.3	8.4-16.2	39	8.2	5.1-11.3	135	25.8	21.1-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3830	699,358	3598	93.8	92.8-94.8	232	6.2	5.2- 7.2
Male	1695	329,790	1602	94.2	92.6-95.8	93	5.8	4.2- 7.4
Female	2135	369,568	1996	93.4	92.0-94.8	139	6.6	5.2- 8.0
White/Non-Hisp	2581	451,018	2409	93.1	91.7-94.5	172	6.9	5.5- 8.3
Black or Afr. Am./Non-Hisp	520	133,383	493	95.0	92.6-97.4	27	5.0	2.6- 7.4
Oth. Race/Non-Hisp.	169	33,133	160	96.2	92.9-99.5	9	3.8	0.5- 7.1
Hispanic	412	55,789	398	96.4	93.9-98.9	14	3.6	1.1- 6.1
18-24	234	80,165	214	91.9	88.0-95.8	20	8.1	4.2-12.0
25-34	423	116,102	395	92.7	89.2-96.2	28	7.3	3.8-10.8
35-44	440	104,964	412	95.0	92.8-97.2	28	5.0	2.8- 7.2
45-54	600	111,886	563	92.9	90.2-95.6	37	7.1	4.4- 9.8
55-64	824	123,501	773	93.6	91.4-95.8	51	6.4	4.2- 8.6
65+	1309	162,741	1241	95.5	94.1-96.9	68	4.5	3.1- 5.9
Less Than H.S.	404	82,965	386	95.3	92.8-97.8	18	4.7	2.2- 7.2
H.S. or G.E.D.	1083	214,779	1017	93.5	91.5-95.5	66	6.5	4.5- 8.5
Some Post-H.S.	937	197,360	882	93.1	90.7-95.5	55	6.9	4.5- 9.3
College Graduate	1385	200,671	1292	94.1	92.5-95.7	93	5.9	4.3- 7.5
Less than \$15,000	310	46,171	300	97.3	95.5-99.1	10	2.7	0.9- 4.5
\$15,000- 24,999	575	95,588	549	94.3	91.4-97.2	26	5.7	2.8- 8.6
\$25,000- 34,999	352	60,285	332	94.6	91.7-97.5	20	5.4	2.5- 8.3
\$35,000- 49,999	441	81,240	411	94.2	91.5-96.9	30	5.8	3.1- 8.5
\$50,000- 74,999	471	90,714	439	92.3	88.8-95.8	32	7.7	4.2-11.2
\$75,000+	976	191,566	895	91.6	89.2-94.0	81	8.4	6.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	329,790	1602	94.2	92.6-95.8	93	5.8	4.2- 7.4
White/Non-Hisp	1135	213,872	1068	93.3	91.3-95.3	67	6.7	4.7- 8.7
Black or Afr. Am./Non-Hisp	200	58,853	187	95.7	92.4-99.0	13	4.3	1.0- 7.6
Oth. Race/Non-Hisp.	105	18,705	102	97.8	94.7- 100	3	2.2	0.0- 5.3
Hispanic	190	24,770	182	94.4	89.3-99.5	8	5.6	0.5-10.7
18-24	134	39,138	125	93.0	88.3-97.7	9	7.0	2.3-11.7
25-34	217	58,793	203	92.6	87.5-97.7	14	7.4	2.3-12.5
35-44	200	50,278	187	94.5	91.0-98.0	13	5.5	2.0- 9.0
45-54	264	51,357	248	93.2	89.7-96.7	16	6.8	3.3-10.3
55-64	328	57,123	311	94.5	91.0-98.0	17	5.5	2.0- 9.0
65+	552	73,101	528	96.4	94.6-98.2	24	3.6	1.8- 5.4
Less Than H.S.	194	39,026	179	92.2	87.5-96.9	15	7.8	3.1-12.5
H.S. or G.E.D.	507	108,494	466	92.0	89.1-94.9	41	8.0	5.1-10.9
Some Post-H.S.	385	92,329	369	94.8	91.5-98.1	16	5.2	1.9- 8.5
College Graduate	599	87,555	578	97.1	95.7-98.5	21	2.9	1.5- 4.3
Less than \$15,000	110	16,189	104	95.3	91.2-99.4	6	4.7	0.6- 8.8
\$15,000- 24,999	238	41,879	224	93.3	88.6-98.0	14	6.7	2.0-11.4
\$25,000- 34,999	147	27,933	139	94.5	89.6-99.4	8	5.5	0.6-10.4
\$35,000- 49,999	196	36,751	188	95.6	92.5-98.7	8	4.4	1.3- 7.5
\$50,000- 74,999	238	46,352	221	93.1	89.4-96.8	17	6.9	3.2-10.6
\$75,000+	477	103,329	449	93.6	90.3-96.9	28	6.4	3.1- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2135	369,568	1996	93.4	92.0-94.8	139	6.6	5.2- 8.0
White/Non-Hisp	1446	237,146	1341	92.8	91.0-94.6	105	7.2	5.4- 9.0
Black or Afr. Am./Non-Hisp	320	74,530	306	94.5	91.0-98.0	14	5.5	2.0- 9.0
Oth. Race/Non-Hisp.	64	14,428	58	94.2	87.9- 100	6	5.8	0.0-12.1
Hispanic	222	31,019	216	98.0	96.2-99.8	6	2.0	0.2- 3.8
18-24	100	41,026	89	90.8	84.7-96.9	11	9.2	3.1-15.3
25-34	206	57,309	192	92.7	87.6-97.8	14	7.3	2.2-12.4
35-44	240	54,686	225	95.4	92.7-98.1	15	4.6	1.9- 7.3
45-54	336	60,529	315	92.5	88.6-96.4	21	7.5	3.6-11.4
55-64	496	66,378	462	92.9	90.2-95.6	34	7.1	4.4- 9.8
65+	757	89,640	713	94.8	92.8-96.8	44	5.2	3.2- 7.2
Less Than H.S.	210	43,939	207	98.2	95.8- 100	3	1.8	0.0- 4.2
H.S. or G.E.D.	576	106,286	551	95.0	92.6-97.4	25	5.0	2.6- 7.4
Some Post-H.S.	552	105,031	513	91.5	88.0-95.0	39	8.5	5.0-12.0
College Graduate	786	113,116	714	91.7	89.2-94.2	72	8.3	5.8-10.8
Less than \$15,000	200	29,982	196	98.4	96.6- 100	4	1.6	0.0- 3.4
\$15,000- 24,999	337	53,709	325	95.1	91.6-98.6	12	4.9	1.4- 8.4
\$25,000- 34,999	205	32,352	193	94.7	91.2-98.2	12	5.3	1.8- 8.8
\$35,000- 49,999	245	44,490	223	93.0	88.9-97.1	22	7.0	2.9-11.1
\$50,000- 74,999	233	44,361	218	91.5	85.4-97.6	15	8.5	2.4-14.6
\$75,000+	499	88,238	446	89.3	86.0-92.6	53	10.7	7.4-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	136
2 MALES ONLY	137
3 FEMALES ONLY	138
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	139
5 MALES ONLY	140
6 FEMALES ONLY	141
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	142
8 MALES ONLY	143
9 FEMALES ONLY	144
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	145
11 MALES ONLY	146
12 FEMALES ONLY	147
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	148
14 MALES ONLY	149
15 FEMALES ONLY	150
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	151
17 MALES ONLY	152
18 FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3768	687,230	1514	43.4	41.0-45.8	726	18.9	17.1-20.7	27	0.8	0.4- 1.2	20	0.8	0.4- 1.2	1	0.0	0.0- 0.0	1480	36.1	33.9-38.3
Male	1684	327,235	745	48.4	45.1-51.7	384	21.7	19.0-24.4	15	0.8	0.2- 1.4	11	0.9	0.1- 1.7				529	28.3	25.4-31.2
Female	2084	359,995	769	38.8	35.9-41.7	342	16.4	14.0-18.8	12	0.8	0.2- 1.4	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	951	43.2	40.3-46.1
White/Non-Hisp	2550	444,819	980	41.8	39.1-44.5	449	16.5	14.5-18.5	13	0.6	0.0- 1.2	5	0.2	0.0- 0.4				1103	40.8	38.3-43.3
Black or Afr. Am./Non-Hisp	511	133,207	229	46.5	40.4-52.6	126	25.9	20.4-31.4	6	1.1	0.1- 2.1	11	2.8	0.8- 4.8	1	0.2	0.0- 0.6	138	23.3	18.6-28.0
Oth. Race/Non-Hisp.	164	32,590	64	43.4	32.8-54.0	38	19.6	11.6-27.6				1	2.8	0.0- 8.3				61	34.2	24.4-44.0
Hispanic	392	50,561	179	46.2	38.8-53.6	88	22.7	16.8-28.6	8	1.8	0.4- 3.2	2	0.2	0.0- 0.4				115	29.1	22.8-35.4
18-24	228	80,397	123	55.6	47.2-64.0	38	19.6	12.2-27.0	3	1.1	0.0- 2.5	2	1.3	0.0- 3.3				62	22.4	15.9-28.9
25-34	420	113,255	214	53.1	46.2-60.0	75	14.8	9.9-19.7	5	1.6	0.0- 3.6	6	2.1	0.0- 4.3				120	28.4	22.3-34.5
35-44	425	100,700	195	46.1	39.6-52.6	78	21.1	15.8-26.4	8	1.0	0.2- 1.8							144	31.8	25.9-37.7
45-54	596	110,546	240	41.8	36.7-46.9	94	15.0	11.5-18.5	2	0.4	0.0- 1.0	4	1.0	0.0- 2.0				256	41.8	36.7-46.9
55-64	821	122,923	300	35.9	31.4-40.4	125	16.2	12.9-19.5	3	0.2	0.0- 0.4	5	0.8	0.0- 1.8	1	0.2	0.0- 0.6	387	46.7	42.2-51.2
65+	1278	159,409	442	35.3	32.0-38.6	316	24.9	22.0-27.8	6	0.5	0.0- 1.1	3	0.2	0.0- 0.4				511	39.1	35.8-42.4
Less Than H.S.	383	79,047	147	42.8	35.2-50.4	91	24.4	18.3-30.5	3	0.7	0.0- 1.7	3	1.1	0.0- 2.5	1	0.4	0.0- 1.2	138	30.6	24.5-36.7
H.S. or G.E.D.	1058	210,411	418	42.8	38.5-47.1	198	20.0	16.3-23.7	11	1.3	0.1- 2.5	8	1.1	0.1- 2.1				423	34.8	30.9-38.7
Some Post-H.S.	925	194,673	383	45.0	40.5-49.5	162	16.1	13.0-19.2	6	0.6	0.0- 1.2	5	1.1	0.0- 2.3				369	37.1	32.8-41.4
College Graduate	1380	199,167	559	42.8	39.3-46.3	271	18.1	15.4-20.8	6	0.4	0.0- 0.8	3	0.1	0.0- 0.3				541	38.6	35.1-42.1
Less than \$15,000	295	43,362	123	44.6	36.4-52.8	60	23.2	15.8-30.6	3	1.1	0.0- 2.5	1	0.5	0.0- 1.5				108	30.7	23.6-37.8
\$15,000- 24,999	561	93,268	223	43.8	37.9-49.7	119	18.7	14.6-22.8	4	0.6	0.0- 1.4	6	2.0	0.0- 4.0				209	34.9	29.6-40.2
\$25,000- 34,999	348	58,224	141	44.2	36.8-51.6	66	18.2	12.7-23.7	4	2.5	0.0- 6.2	3	2.6	0.0- 6.1				134	32.4	25.9-38.9
\$35,000- 49,999	437	80,360	203	51.1	44.2-58.0	71	15.4	11.1-19.7	1	0.1	0.0- 0.3	4	1.0	0.0- 2.2				158	32.4	26.1-38.7
\$50,000- 74,999	465	90,401	171	42.3	35.6-49.0	84	15.5	11.2-19.8	5	1.3	0.0- 2.7							205	40.9	34.6-47.2
\$75,000+	978	190,325	395	44.2	39.9-48.5	181	18.5	15.2-21.8	5	0.3	0.1- 0.5	2	0.3	0.0- 0.9				395	36.7	32.8-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	327,235	745	48.4	45.1-51.7	384	21.7	19.0-24.4	15	0.8	0.2- 1.4	11	0.9	0.1- 1.7	529	28.3	25.4-31.2
White/Non-Hisp	1131	211,716	491	48.8	44.9-52.7	240	19.1	16.0-22.2	7	0.5	0.1- 0.9	4	0.3	0.0- 0.7	389	31.3	27.8-34.8
Black or Afr. Am./Non-Hisp	197	60,224	85	45.5	35.7-55.3	56	30.3	21.5-39.1	4	1.9	0.0- 4.1	4	1.7	0.0- 3.7	48	20.6	13.9-27.3
Oth. Race/Non-Hisp.	104	18,326	43	43.6	30.3-56.9	25	19.7	9.7-29.7				1	5.0	0.0-14.4	35	31.6	19.6-43.6
Hispanic	185	23,203	92	51.8	40.2-63.4	50	26.3	16.7-35.9	4	1.4	0.0- 3.0	1	0.3	0.0- 0.9	38	20.2	12.4-28.0
18-24	132	40,099	72	55.3	43.9-66.7	26	24.4	13.0-35.8	1	1.4	0.0- 3.9				33	18.9	11.6-26.2
25-34	219	57,639	123	58.5	48.9-68.1	40	16.4	8.8-24.0	4	1.2	0.0- 2.6	4	2.7	0.0- 6.2	48	21.2	13.8-28.6
35-44	194	49,020	98	56.3	46.5-66.1	37	19.9	12.5-27.3	4	0.9	0.0- 1.9				55	22.8	15.4-30.2
45-54	262	50,772	113	42.3	34.9-49.7	52	18.9	13.2-24.6				3	1.8	0.0- 4.0	94	37.1	29.7-44.5
55-64	330	57,790	132	42.4	35.1-49.7	60	18.1	12.8-23.4	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	135	39.0	31.9-46.1
65+	547	71,916	207	40.0	34.7-45.3	169	30.4	25.5-35.3	4	0.8	0.0- 1.8	3	0.4	0.0- 1.0	164	28.4	23.7-33.1
Less Than H.S.	188	38,618	79	47.9	36.7-59.1	49	22.7	14.5-30.9	3	1.4	0.0- 3.4	2	1.6	0.0- 4.1	55	26.5	17.9-35.1
H.S. or G.E.D.	499	107,367	214	49.3	43.0-55.6	108	20.6	15.3-25.9	5	0.7	0.0- 1.5	3	0.5	0.0- 1.1	169	28.9	23.8-34.0
Some Post-H.S.	385	91,369	181	48.5	41.8-55.2	77	20.3	14.6-26.0	2	0.8	0.0- 2.0	3	1.7	0.0- 3.9	122	28.7	22.8-34.6
College Graduate	601	87,143	267	47.8	42.7-52.9	149	23.7	19.2-28.2	4	0.5	0.0- 1.1	3	0.3	0.0- 0.7	178	27.7	23.0-32.4
Less than \$15,000	106	15,807	42	44.0	30.1-57.9	31	28.1	15.2-41.0	1	1.2	0.0- 3.6				32	26.6	15.2-38.0
\$15,000- 24,999	233	40,561	105	46.7	37.7-55.7	55	22.1	15.4-28.8	3	1.1	0.0- 2.9	2	1.5	0.0- 3.9	68	28.6	20.8-36.4
\$25,000- 34,999	150	28,209	70	48.9	37.7-60.1	33	18.1	10.8-25.4	1	0.4	0.0- 1.2	2	3.5	0.0- 9.8	44	29.1	19.3-38.9
\$35,000- 49,999	191	35,745	88	55.6	46.0-65.2	34	16.0	9.9-22.1	1	0.2	0.0- 0.6	3	0.9	0.0- 1.9	65	27.3	19.5-35.1
\$50,000- 74,999	236	46,287	90	48.5	39.1-57.9	47	14.7	9.4-20.0	4	2.0	0.0- 4.5				95	34.8	26.4-43.2
\$75,000+	480	101,655	229	51.7	45.4-58.0	113	23.4	18.1-28.7	3	0.3	0.0- 0.7	2	0.6	0.0- 1.6	133	23.9	19.0-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2084	359,995	769	38.8	35.9-41.7	342	16.4	14.0-18.8	12	0.8	0.2- 1.4	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	951	43.2	40.3-46.1
White/Non-Hisp	1419	233,103	489	35.5	32.0-39.0	209	14.2	11.7-16.7	6	0.8	0.0- 1.8	1	0.0	0.0- 0.0				714	49.5	45.8-53.2
Black or Afr. Am./Non-Hisp	314	72,982	144	47.4	39.8-55.0	70	22.3	15.6-29.0	2	0.5	0.0- 1.3	7	3.7	0.8- 6.6	1	0.4	0.0- 1.2	90	25.6	18.9-32.3
Oth. Race/Non-Hisp.	60	14,264	21	43.0	25.9-60.1	13	19.4	6.5-32.3										26	37.6	21.5-53.7
Hispanic	207	27,358	87	41.4	32.4-50.4	38	19.8	12.2-27.4	4	2.1	0.0- 4.3	1	0.1	0.0- 0.3				77	36.6	27.6-45.6
18-24	96	40,297	51	56.0	43.5-68.5	12	14.7	5.3-24.1	2	0.8	0.0- 2.0	2	2.5	0.0- 6.2				29	26.0	15.4-36.6
25-34	201	55,616	91	47.5	37.9-57.1	35	13.2	7.5-18.9	1	2.0	0.0- 5.9	2	1.4	0.0- 3.6				72	35.9	26.7-45.1
35-44	231	51,681	97	36.4	28.8-44.0	41	22.1	14.5-29.7	4	1.1	0.0- 2.3							89	40.4	32.2-48.6
45-54	334	59,773	127	41.4	34.5-48.3	42	11.8	7.5-16.1	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9				162	45.8	38.9-52.7
55-64	491	65,134	168	30.1	25.0-35.2	65	14.5	10.2-18.8	1	0.1	0.0- 0.3	4	1.4	0.0- 3.2	1	0.5	0.0- 1.5	252	53.4	47.7-59.1
65+	731	87,493	235	31.4	27.1-35.7	147	20.4	16.7-24.1	2	0.2	0.0- 0.6							347	48.0	43.5-52.5
Less Than H.S.	195	40,428	68	38.0	27.8-48.2	42	25.9	16.9-34.9				1	0.7	0.0- 2.1	1	0.7	0.0- 2.1	83	34.6	26.0-43.2
H.S. or G.E.D.	559	103,043	204	36.1	30.2-42.0	90	19.3	14.2-24.4	6	1.9	0.0- 4.1	5	1.8	0.0- 3.6				254	40.9	35.4-46.4
Some Post-H.S.	540	103,303	202	41.9	36.0-47.8	85	12.4	9.3-15.5	4	0.5	0.0- 1.1	2	0.6	0.0- 1.6				247	44.6	38.7-50.5
College Graduate	779	112,024	292	38.9	34.0-43.8	122	13.7	10.6-16.8	2	0.3	0.0- 0.7							363	47.2	42.3-52.1
Less than \$15,000	189	27,555	81	44.9	34.7-55.1	29	20.3	11.3-29.3	2	1.0	0.0- 2.6	1	0.8	0.0- 2.2				76	33.0	24.2-41.8
\$15,000- 24,999	328	52,707	118	41.6	33.6-49.6	64	16.1	11.0-21.2	1	0.2	0.0- 0.6	4	2.3	0.0- 5.2				141	39.7	32.4-47.0
\$25,000- 34,999	198	30,014	71	39.8	30.2-49.4	33	18.3	10.3-26.3	3	4.4	0.0-11.5	1	1.9	0.0- 5.4				90	35.6	26.8-44.4
\$35,000- 49,999	246	44,615	115	47.4	38.0-56.8	37	15.0	9.1-20.9				1	1.0	0.0- 3.0				93	36.5	27.5-45.5
\$50,000- 74,999	229	44,114	81	35.9	27.1-44.7	37	16.3	9.2-23.4	1	0.6	0.0- 1.8							110	47.2	38.2-56.2
\$75,000+	498	88,670	166	35.5	30.0-41.0	68	13.0	9.3-16.7	2	0.2	0.0- 0.6							262	51.4	45.7-57.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3793	690,905	1544	42.1	39.9-44.3	1773	44.6	42.4-46.8	263	7.2	6.0- 8.4	99	2.8	2.0- 3.6	2	0.1	0.1- 0.1	112	3.1	2.3- 3.9
Male	1700	330,873	741	44.5	41.2-47.8	759	42.6	39.3-45.9	104	6.8	5.0- 8.6	37	2.5	1.5- 3.5	1	0.0	0.0- 0.0	58	3.6	2.4- 4.8
Female	2093	360,032	803	40.0	37.1-42.9	1014	46.5	43.6-49.4	159	7.7	5.9- 9.5	62	3.2	2.0- 4.4	1	0.1	0.0- 0.3	54	2.6	1.4- 3.8
White/Non-Hisp	2555	445,162	1028	41.6	38.9-44.3	1217	45.6	42.9-48.3	182	7.5	5.9- 9.1	56	2.5	1.7- 3.3	1	0.0	0.0- 0.0	71	2.7	1.9- 3.5
Black or Afr. Am./Non-Hisp	517	133,366	231	46.7	40.8-52.6	214	38.3	32.6-44.0	37	7.3	4.4-10.2	13	2.9	0.9- 4.9	1	0.2	0.0- 0.6	21	4.5	1.6- 7.4
Oth. Race/Non-Hisp.	169	33,689	57	33.8	23.8-43.8	98	55.0	44.6-65.4	10	4.9	1.2- 8.6	3	5.1	0.0-11.2				1	1.1	0.0- 3.3
Hispanic	401	52,416	162	36.9	30.2-43.6	185	51.4	44.1-58.7	23	5.6	2.9- 8.3	22	3.9	1.9- 5.9				9	2.2	0.2- 4.2
18-24	231	79,648	107	45.8	37.6-54.0	99	42.5	34.1-50.9	12	5.6	0.9-10.3	7	2.7	0.3- 5.1				6	3.4	0.0- 7.3
25-34	424	114,688	178	44.7	37.8-51.6	188	39.5	33.0-46.0	27	8.8	4.5-13.1	20	3.9	1.5- 6.3				11	3.1	0.7- 5.5
35-44	433	103,031	168	40.1	33.6-46.6	205	45.7	39.4-52.0	36	8.2	4.9-11.5	17	4.5	1.8- 7.2				7	1.5	0.1- 2.9
45-54	595	110,542	254	43.7	38.6-48.8	256	42.3	37.2-47.4	43	7.9	5.2-10.6	18	3.0	1.2- 4.8				24	2.9	1.5- 4.3
55-64	822	123,338	354	41.6	37.1-46.1	358	43.2	38.7-47.7	58	7.9	5.2-10.6	22	2.6	0.8- 4.4	1	0.2	0.0- 0.6	29	4.5	2.1- 6.9
65+	1288	159,657	483	39.1	35.8-42.4	667	51.3	47.8-54.8	87	5.4	4.0- 6.8	15	1.1	0.5- 1.7	1	0.1	0.0- 0.3	35	3.1	1.9- 4.3
Less Than H.S.	393	80,145	180	47.4	40.1-54.7	162	39.6	32.5-46.7	27	6.7	3.6- 9.8	12	3.2	0.7- 5.7	1	0.4	0.0- 1.2	11	2.7	0.3- 5.1
H.S. or G.E.D.	1052	209,234	484	45.9	41.6-50.2	441	40.2	35.9-44.5	59	7.0	4.5- 9.5	21	2.2	1.0- 3.4				47	4.6	2.8- 6.4
Some Post-H.S.	941	198,088	413	44.5	40.2-48.8	424	42.9	38.6-47.2	52	6.8	4.3- 9.3	23	2.4	1.0- 3.8	1	0.0	0.0- 0.0	28	3.4	1.4- 5.4
College Graduate	1386	199,284	460	33.9	30.4-37.4	734	52.6	49.1-56.1	124	8.2	6.4-10.0	43	3.9	2.3- 5.5				25	1.4	0.8- 2.0
Less than \$15,000	298	43,964	144	48.2	40.2-56.2	112	38.8	30.8-46.8	15	6.1	1.8-10.4	11	3.4	1.0- 5.8				16	3.6	1.6- 5.6
\$15,000- 24,999	564	93,853	252	48.8	42.9-54.7	232	37.1	31.6-42.6	34	6.0	3.6- 8.4	16	2.5	0.7- 4.3	1	0.3	0.0- 0.9	29	5.3	2.6- 8.0
\$25,000- 34,999	353	59,088	150	44.5	37.2-51.8	160	40.8	33.7-47.9	25	7.7	3.2-12.2	8	4.2	0.3- 8.1				10	2.9	0.7- 5.1
\$35,000- 49,999	441	80,309	196	47.6	40.9-54.3	187	40.8	34.1-47.5	38	7.0	3.9-10.1	8	2.2	0.2- 4.2	1	0.1	0.0- 0.3	11	2.3	0.7- 3.9
\$50,000- 74,999	469	90,321	186	42.4	35.9-48.9	236	45.3	39.0-51.6	31	7.7	3.6-11.8	8	2.0	0.2- 3.8				8	2.6	0.2- 5.0
\$75,000+	986	192,968	351	38.3	34.0-42.6	518	50.0	45.7-54.3	74	7.7	5.5- 9.9	30	3.0	1.4- 4.6				13	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1700	330,873	741	44.5	41.2-47.8	759	42.6	39.3-45.9	104	6.8	5.0- 8.6	37	2.5	1.5- 3.5	1	0.0	0.0- 0.0	58	3.6	2.4- 4.8
White/Non-Hisp	1130	212,336	503	45.8	41.9-49.7	509	43.1	39.2-47.0	67	6.6	4.4- 8.8	16	1.6	0.6- 2.6	1	0.0	0.0- 0.0	34	2.9	1.7- 4.1
Black or Afr. Am./Non-Hisp	201	61,211	93	47.4	37.8-57.0	74	34.9	26.1-43.7	16	8.6	3.9-13.3	5	3.0	0.1- 5.9				13	6.0	1.9-10.1
Oth. Race/Non-Hisp.	106	18,704	36	31.7	19.7-43.7	62	55.7	42.4-69.0	6	4.7	0.0- 9.8	2	7.9	0.0-18.5						
Hispanic	194	24,711	78	34.2	24.6-43.8	92	54.6	43.6-65.6	8	2.9	0.7- 5.1	12	5.3	2.0- 8.6				4	3.0	0.0- 6.5
18-24	135	40,141	61	45.7	34.7-56.7	60	45.6	34.4-56.8	7	4.1	0.8- 7.4	3	1.9	0.0- 4.3				4	2.7	0.0- 5.8
25-34	220	58,923	96	45.1	35.5-54.7	96	39.3	29.9-48.7	13	9.2	2.9-15.5	9	3.5	0.0- 7.0				6	2.9	0.0- 5.8
35-44	198	50,146	86	44.7	34.5-54.9	81	38.9	29.7-48.1	18	8.8	3.9-13.7	9	5.6	1.5- 9.7				4	2.0	0.0- 4.2
45-54	265	51,286	115	44.8	37.2-52.4	120	45.1	37.7-52.5	13	4.9	1.6- 8.2	5	1.8	0.2- 3.4				12	3.6	1.1- 6.1
55-64	334	58,194	163	45.7	38.4-53.0	124	36.3	29.6-43.0	25	9.5	4.8-14.2	6	1.9	0.0- 4.1				16	6.6	2.1-11.1
65+	548	72,183	220	42.0	36.7-47.3	278	49.4	44.1-54.7	28	4.0	2.2- 5.8	5	0.8	0.0- 1.8	1	0.1	0.0- 0.3	16	3.6	1.6- 5.6
Less Than H.S.	197	39,876	93	48.9	38.3-59.5	80	38.9	28.7-49.1	14	6.3	2.2-10.4	6	2.4	0.0- 4.9				4	3.5	0.0- 8.0
H.S. or G.E.D.	500	107,352	238	48.0	41.5-54.5	203	40.3	34.0-46.6	24	5.3	2.6- 8.0	9	1.6	0.2- 3.0				26	4.8	2.4- 7.2
Some Post-H.S.	387	93,146	189	46.6	39.9-53.3	149	37.6	31.1-44.1	24	9.0	4.5-13.5	9	2.8	0.3- 5.3	1	0.1	0.0- 0.3	15	3.9	1.4- 6.4
College Graduate	604	87,382	217	36.3	31.2-41.4	320	52.0	46.7-57.3	42	6.7	4.2- 9.2	13	3.3	0.9- 5.7				12	1.7	0.7- 2.7
Less than \$15,000	108	15,912	60	58.9	45.8-72.0	37	30.2	18.6-41.8	5	6.2	0.0-13.5	2	1.7	0.0- 4.6				4	3.1	0.0- 6.4
\$15,000- 24,999	236	41,382	109	48.6	39.8-57.4	91	35.1	27.1-43.1	10	4.9	1.4- 8.4	8	2.9	0.4- 5.4				18	8.5	3.2-13.8
\$25,000- 34,999	149	27,982	67	41.5	30.5-52.5	61	42.2	31.0-53.4	11	7.5	2.4-12.6	5	4.8	0.0-11.3				5	4.0	0.1- 7.9
\$35,000- 49,999	194	36,662	90	47.7	37.9-57.5	74	39.8	29.6-50.0	18	7.1	2.6-11.6	4	2.2	0.0- 4.6	1	0.2	0.0- 0.6	7	3.0	0.6- 5.4
\$50,000- 74,999	240	46,504	99	44.1	34.9-53.3	117	40.8	32.2-49.4	15	8.6	2.3-14.9	2	1.8	0.0- 4.5				7	4.7	0.2- 9.2
\$75,000+	483	103,411	195	43.1	36.6-49.6	246	47.2	40.9-53.5	30	6.9	3.8-10.0	7	2.0	0.0- 4.0				5	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2093	360,032	803	40.0	37.1-42.9	1014	46.5	43.6-49.4	159	7.7	5.9- 9.5	62	3.2	2.0- 4.4	1	0.1	0.0- 0.3	54	2.6	1.4- 3.8
White/Non-Hisp	1425	232,826	525	37.8	34.3-41.3	708	47.9	44.2-51.6	115	8.4	6.0-10.8	40	3.3	1.9- 4.7				37	2.6	1.4- 3.8
Black or Afr. Am./Non-Hisp	316	72,156	138	46.1	38.7-53.5	140	41.1	33.7-48.5	21	6.2	2.7- 9.7	8	2.9	0.2- 5.6	1	0.4	0.0- 1.2	8	3.3	0.0- 7.2
Oth. Race/Non-Hisp.	63	14,985	21	36.5	20.0-53.0	36	54.1	37.6-70.6	4	5.2	0.0-10.5	1	1.6	0.0- 4.7				1	2.5	0.0- 7.4
Hispanic	207	27,704	84	39.2	30.4-48.0	93	48.6	39.4-57.8	15	8.1	3.2-13.0	10	2.7	0.7- 4.7				5	1.4	0.0- 2.8
18-24	96	39,508	46	45.8	33.5-58.1	39	39.3	27.1-51.5	5	7.0	0.0-15.6	4	3.6	0.0- 7.5				2	4.2	0.0-11.3
25-34	204	55,765	82	44.3	34.7-53.9	92	39.7	30.7-48.7	14	8.4	2.3-14.5	11	4.3	1.2- 7.4				5	3.3	0.0- 7.2
35-44	235	52,885	82	35.8	28.0-43.6	124	52.1	43.9-60.3	18	7.6	3.3-11.9	8	3.5	0.0- 7.0				3	1.1	0.0- 2.7
45-54	330	59,256	139	42.9	36.0-49.8	136	40.0	33.1-46.9	30	10.6	6.3-14.9	13	4.2	1.3- 7.1				12	2.4	0.8- 4.0
55-64	488	65,144	191	37.9	32.4-43.4	234	49.3	43.6-55.0	33	6.5	4.0- 9.0	16	3.3	0.8- 5.8	1	0.5	0.0- 1.5	13	2.5	0.5- 4.5
65+	740	87,474	263	36.7	32.2-41.2	389	52.8	48.3-57.3	59	6.5	4.5- 8.5	10	1.3	0.3- 2.3				19	2.7	1.1- 4.3
Less Than H.S.	196	40,269	87	46.0	36.0-56.0	82	40.2	30.6-49.8	13	7.2	2.5-11.9	6	4.0	0.0- 8.3	1	0.7	0.0- 2.1	7	1.9	0.3- 3.5
H.S. or G.E.D.	552	101,882	246	43.7	38.0-49.4	238	40.2	34.5-45.9	35	8.8	4.3-13.3	12	2.8	0.8- 4.8				21	4.4	1.9- 6.9
Some Post-H.S.	554	104,941	224	42.6	36.7-48.5	275	47.6	41.9-53.3	28	4.9	2.4- 7.4	14	2.0	0.6- 3.4				13	3.0	0.1- 5.9
College Graduate	782	111,902	243	32.1	27.4-36.8	414	53.2	48.3-58.1	82	9.3	6.8-11.8	30	4.4	2.2- 6.6				13	1.1	0.3- 1.9
Less than \$15,000	190	28,052	84	42.1	32.3-51.9	75	43.6	33.4-53.8	10	6.1	0.8-11.4	9	4.3	1.2- 7.4				12	3.9	1.4- 6.4
\$15,000- 24,999	328	52,471	143	48.9	41.1-56.7	141	38.6	31.2-46.0	24	6.9	3.8-10.0	8	2.2	0.0- 4.4	1	0.6	0.0- 1.8	11	2.8	0.6- 5.0
\$25,000- 34,999	204	31,106	83	47.1	37.5-56.7	99	39.6	30.6-48.6	14	7.9	0.8-15.0	3	3.5	0.0- 8.2				5	2.0	0.0- 4.2
\$35,000- 49,999	247	43,647	106	47.4	38.4-56.4	113	41.6	33.0-50.2	20	6.9	2.6-11.2	4	2.3	0.0- 5.4				4	1.7	0.0- 3.9
\$50,000- 74,999	229	43,817	87	40.6	31.6-49.6	119	50.0	40.8-59.2	16	6.7	1.4-12.0	6	2.3	0.3- 4.3				1	0.4	0.0- 1.2
\$75,000+	503	89,557	156	32.7	27.2-38.2	272	53.3	47.6-59.0	44	8.6	5.5-11.7	23	4.2	1.5- 6.9				8	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3789	692,855	2418	65.2	63.0-67.4	1009	24.5	22.5-26.5	30	0.8	0.4- 1.2	28	1.0	0.4- 1.6	2	0.1	0.1- 0.1	302	8.4	7.0- 9.8
Male	1689	328,300	1108	67.3	64.2-70.4	395	21.8	19.1-24.5	12	0.6	0.2- 1.0	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3	166	10.0	8.0-12.0
Female	2100	364,555	1310	63.4	60.5-66.3	614	27.0	24.5-29.5	18	0.9	0.3- 1.5	21	1.7	0.5- 2.9	1	0.1	0.0- 0.3	136	7.0	5.2- 8.8
White/Non-Hisp	2562	447,642	1685	66.4	63.9-68.9	666	24.0	21.8-26.2	20	0.8	0.4- 1.2	17	1.1	0.3- 1.9	1	0.0	0.0- 0.0	173	7.7	6.1- 9.3
Black or Afr. Am./Non-Hisp	513	135,447	311	65.2	59.7-70.7	149	24.4	19.5-29.3	4	0.6	0.0- 1.2	3	0.5	0.0- 1.1	1	0.2	0.0- 0.6	45	9.1	5.8-12.4
Oth. Race/Non-Hisp.	165	33,324	90	53.9	43.3-64.5	60	34.9	24.9-44.9	1	1.7	0.0- 4.8	1	0.7	0.0- 2.1				13	8.8	1.7-15.9
Hispanic	401	51,918	243	60.6	53.7-67.5	90	23.9	17.8-30.0	5	1.0	0.0- 2.0	4	1.0	0.0- 2.0				59	13.6	9.3-17.9
18-24	234	81,798	142	63.4	55.4-71.4	45	18.8	11.9-25.7	3	0.9	0.0- 2.3	1	0.4	0.0- 1.2				43	16.5	10.8-22.2
25-34	424	114,368	279	65.4	58.9-71.9	90	20.2	14.9-25.5	4	0.9	0.0- 2.1	3	2.4	0.0- 5.1				48	11.1	6.6-15.6
35-44	434	102,979	285	67.6	61.9-73.3	103	22.6	17.5-27.7	2	0.4	0.0- 1.0	9	1.8	0.0- 3.8				35	7.6	4.7-10.5
45-54	598	112,593	376	65.8	60.9-70.7	161	25.2	20.7-29.7	8	1.5	0.3- 2.7	6	1.0	0.2- 1.8				47	6.5	4.1- 8.9
55-64	810	121,041	527	66.3	62.0-70.6	222	27.3	23.4-31.2	9	0.7	0.3- 1.1	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	50	5.4	3.4- 7.4
65+	1289	160,077	809	63.3	60.0-66.6	388	29.3	26.2-32.4	4	0.3	0.0- 0.7	8	0.6	0.2- 1.0	1	0.1	0.0- 0.3	79	6.4	4.4- 8.4
Less Than H.S.	388	78,400	232	61.5	54.6-68.4	74	17.2	12.3-22.1	3	0.9	0.0- 2.3	3	0.8	0.0- 1.8	1	0.4	0.0- 1.2	75	19.3	13.6-25.0
H.S. or G.E.D.	1056	212,930	689	65.6	61.5-69.7	224	21.8	18.1-25.5	11	0.8	0.2- 1.4	2	0.2	0.0- 0.6				130	11.6	8.9-14.3
Some Post-H.S.	944	198,586	606	65.2	61.1-69.3	267	25.6	21.9-29.3	9	0.8	0.2- 1.4	10	1.9	0.1- 3.7				52	6.4	4.0- 8.8
College Graduate	1380	198,759	878	66.3	63.0-69.6	437	29.3	26.2-32.4	7	0.6	0.0- 1.2	13	1.1	0.1- 2.1	1	0.1	0.0- 0.3	44	2.7	1.7- 3.7
Less than \$15,000	295	43,307	171	57.2	49.2-65.2	68	25.0	17.9-32.1	2	0.7	0.0- 1.7							54	17.1	11.0-23.2
\$15,000- 24,999	569	94,545	367	66.0	60.5-71.5	131	20.5	16.0-25.0	6	1.2	0.0- 2.4	3	0.6	0.0- 1.4	1	0.3	0.0- 0.9	61	11.3	7.4-15.2
\$25,000- 34,999	354	60,177	237	71.6	64.9-78.3	86	20.8	14.9-26.7	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6				28	7.3	3.6-11.0
\$35,000- 49,999	437	80,976	278	64.0	57.5-70.5	115	24.8	19.3-30.3	7	1.3	0.1- 2.5	2	0.2	0.0- 0.4				35	9.8	5.3-14.3
\$50,000- 74,999	471	91,531	329	71.6	65.9-77.3	111	20.7	15.8-25.6	2	0.4	0.0- 1.0	10	2.5	0.0- 5.0				19	4.9	2.2- 7.6
\$75,000+	979	190,901	627	66.1	62.2-70.0	309	29.0	25.3-32.7	6	0.8	0.0- 1.6	8	0.7	0.1- 1.3				29	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	328,300	1108	67.3	64.2-70.4	395	21.8	19.1-24.5	12	0.6	0.2- 1.0	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3	166	10.0	8.0-12.0
White/Non-Hisp	1135	212,021	777	69.2	65.5-72.9	252	20.7	17.4-24.0	6	0.4	0.0- 0.8	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	95	9.4	7.0-11.8
Black or Afr. Am./Non-Hisp	194	61,413	117	63.1	53.9-72.3	51	24.0	16.0-32.0	2	0.7	0.0- 1.7							24	12.2	6.1-18.3
Oth. Race/Non-Hisp.	105	18,656	67	64.3	51.4-77.2	30	28.0	15.8-40.2	1	3.0	0.0- 8.7							7	4.7	0.0- 9.8
Hispanic	190	24,049	112	60.7	50.1-71.3	38	20.6	12.0-29.2	3	1.4	0.0- 3.0	2	1.0	0.0- 2.6				35	16.2	9.3-23.1
18-24	135	40,540	78	58.0	46.8-69.2	24	17.9	8.1-27.7	1	0.3	0.0- 0.9							32	23.8	14.6-33.0
25-34	216	56,379	150	72.0	63.6-80.4	37	18.4	10.8-26.0	1	1.0	0.0- 3.0							28	8.6	4.3-12.9
35-44	197	49,645	130	67.5	58.9-76.1	43	21.3	14.0-28.6	1	0.5	0.0- 1.5	3	0.6	0.0- 1.4				20	10.1	5.0-15.2
45-54	267	53,166	170	66.7	59.3-74.1	61	22.1	15.2-29.0	4	1.2	0.0- 2.6	1	0.2	0.0- 0.6				31	9.9	5.6-14.2
55-64	326	56,697	221	70.0	63.3-76.7	79	23.8	17.7-29.9	4	0.7	0.0- 1.5							22	5.5	2.2- 8.8
65+	548	71,872	359	66.9	61.8-72.0	151	25.4	20.9-29.9	1	0.2	0.0- 0.6	3	0.5	0.0- 1.3	1	0.2	0.0- 0.6	33	6.7	3.6- 9.8
Less Than H.S.	189	38,369	107	63.6	54.0-73.2	33	14.1	8.0-20.2				2	0.8	0.0- 2.0				47	21.4	13.8-29.0
H.S. or G.E.D.	500	108,575	320	65.6	59.5-71.7	100	20.0	14.7-25.3	10	1.4	0.4- 2.4							70	13.1	9.0-17.2
Some Post-H.S.	388	91,390	275	69.4	63.1-75.7	85	22.6	16.7-28.5	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7				25	7.6	4.1-11.1
College Graduate	600	86,825	398	68.4	63.7-73.1	174	27.1	22.6-31.6	1	0.6	0.0- 1.8	3	0.3	0.1- 0.5	1	0.2	0.0- 0.6	23	3.4	1.6- 5.2
Less than \$15,000	106	15,658	55	58.4	45.3-71.5	23	22.2	11.0-33.4	1	0.9	0.0- 2.7							27	18.5	9.5-27.5
\$15,000- 24,999	237	41,271	158	71.3	63.9-78.7	42	13.6	7.9-19.3	3	0.8	0.0- 1.8							34	14.4	8.7-20.1
\$25,000- 34,999	151	29,331	102	66.4	55.2-77.6	33	22.6	12.2-33.0				1	0.3	0.0- 0.9				15	10.7	3.6-17.8
\$35,000- 49,999	190	35,730	122	66.2	56.8-75.6	42	21.5	13.7-29.3	5	1.8	0.0- 3.8	1	0.3	0.0- 0.9				20	10.2	4.1-16.3
\$50,000- 74,999	240	47,476	168	74.2	66.8-81.6	54	18.1	11.6-24.6				2	0.3	0.0- 0.7				16	7.4	2.5-12.3
\$75,000+	482	102,199	339	70.5	65.0-76.0	122	24.0	18.9-29.1	1	0.5	0.0- 1.5	2	0.4	0.0- 1.0				18	4.6	2.1- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2100	364,555	1310	63.4	60.5-66.3	614	27.0	24.5-29.5	18	0.9	0.3- 1.5	21	1.7	0.5- 2.9	1	0.1	0.0- 0.3	136	7.0	5.2- 8.8
White/Non-Hisp	1427	235,621	908	63.8	60.3-67.3	414	26.9	24.0-29.8	14	1.1	0.3- 1.9	13	2.0	0.4- 3.6				78	6.2	4.0- 8.4
Black or Afr. Am./Non-Hisp	319	74,034	194	66.9	60.0-73.8	98	24.7	18.6-30.8	2	0.5	0.0- 1.1	3	1.0	0.0- 2.2	1	0.4	0.0- 1.2	21	6.6	3.3- 9.9
Oth. Race/Non-Hisp.	60	14,669	23	40.5	24.2-56.8	30	43.8	27.3-60.3				1	1.6	0.0- 4.7				6	14.0	0.1-27.9
Hispanic	211	27,869	131	60.5	51.5-69.5	52	26.7	18.3-35.1	2	0.6	0.0- 1.6	2	0.9	0.0- 2.5				24	11.3	5.6-17.0
18-24	99	41,258	64	68.7	57.5-79.9	21	19.6	10.0-29.2	2	1.5	0.0- 3.9	1	0.7	0.0- 2.1				11	9.4	3.1-15.7
25-34	208	57,989	129	59.1	49.7-68.5	53	21.9	14.8-29.0	3	0.9	0.0- 2.1	3	4.7	0.0-10.2				20	13.4	5.8-21.0
35-44	237	53,334	155	67.8	60.2-75.4	60	23.9	17.0-30.8	1	0.3	0.0- 0.9	6	2.9	0.0- 6.4				15	5.2	2.1- 8.3
45-54	331	59,426	206	64.9	58.6-71.2	100	28.1	22.2-34.0	4	1.8	0.0- 3.8	5	1.7	0.1- 3.3				16	3.5	1.3- 5.7
55-64	484	64,343	306	63.0	57.5-68.5	143	30.4	25.1-35.7	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5	28	5.4	2.9- 7.9
65+	741	88,205	450	60.3	55.8-64.8	237	32.4	28.1-36.7	3	0.4	0.0- 1.0	5	0.6	0.0- 1.2				46	6.2	3.8- 8.6
Less Than H.S.	199	40,031	125	59.5	49.7-69.3	41	20.2	12.8-27.6	3	1.7	0.0- 4.2	1	0.7	0.0- 2.1	1	0.7	0.0- 2.1	28	17.2	8.4-26.0
H.S. or G.E.D.	556	104,355	369	65.6	59.9-71.3	124	23.7	18.6-28.8	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0				60	10.1	6.6-13.6
Some Post-H.S.	556	107,197	331	61.6	56.1-67.1	182	28.1	23.4-32.8	8	1.5	0.3- 2.7	8	3.3	0.2- 6.4				27	5.4	2.5- 8.3
College Graduate	780	111,934	480	64.6	60.1-69.1	263	31.1	26.8-35.4	6	0.6	0.0- 1.2	10	1.7	0.0- 3.5				21	2.0	0.8- 3.2
Less than \$15,000	189	27,649	116	56.6	46.4-66.8	45	26.6	17.6-35.6	1	0.5	0.0- 1.5							27	16.3	8.5-24.1
\$15,000- 24,999	332	53,274	209	61.9	54.3-69.5	89	26.0	19.3-32.7	3	1.6	0.0- 3.8	3	1.1	0.0- 2.5	1	0.6	0.0- 1.8	27	8.9	3.2-14.6
\$25,000- 34,999	203	30,846	135	76.5	69.8-83.2	53	19.1	13.0-25.2	2	0.4	0.0- 1.0							13	4.0	1.3- 6.7
\$35,000- 49,999	247	45,247	156	62.2	53.4-71.0	73	27.3	19.9-34.7	2	0.8	0.0- 2.2	1	0.1	0.0- 0.3				15	9.5	2.8-16.2
\$50,000- 74,999	231	44,055	161	68.8	60.4-77.2	57	23.4	16.1-30.7	2	0.8	0.0- 2.0	8	4.9	0.0-10.2				3	2.1	0.0- 4.8
\$75,000+	497	88,702	288	61.1	55.6-66.6	187	34.8	29.5-40.1	5	1.1	0.0- 2.3	6	1.1	0.0- 2.3				11	1.9	0.5- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3793	693,461	2999	80.6	78.8-82.4	142	3.8	3.0- 4.6	4	0.1	0.1- 0.1	6	0.1	0.0- 0.3	642	15.4	13.6-17.2
Male	1691	329,908	1373	82.6	79.9-85.3	78	3.8	2.6- 5.0	2	0.1	0.0- 0.3				238	13.5	11.0-16.0
Female	2102	363,553	1626	78.8	76.3-81.3	64	3.8	2.4- 5.2	2	0.1	0.0- 0.3	6	0.2	0.0- 0.4	404	17.1	14.9-19.3
White/Non-Hisp	2569	449,063	2053	82.3	80.3-84.3	87	3.4	2.4- 4.4	1	0.0	0.0- 0.0	4	0.1	0.0- 0.3	424	14.2	12.4-16.0
Black or Afr. Am./Non-Hisp	514	133,860	406	76.2	70.3-82.1	28	6.2	3.1- 9.3	2	0.3	0.0- 0.7	2	0.3	0.0- 0.7	76	17.0	11.7-22.3
Oth. Race/Non-Hisp.	168	33,736	125	77.0	68.4-85.6	6	2.0	0.0- 4.0							37	21.0	12.4-29.6
Hispanic	395	51,472	292	75.6	69.9-81.3	16	3.1	1.1- 5.1	1	0.2	0.0- 0.6				86	21.1	15.6-26.6
18-24	234	81,840	195	85.3	79.2-91.4	11	4.5	0.6- 8.4							28	10.2	5.1-15.3
25-34	423	114,989	352	83.8	78.7-88.9	22	4.8	2.3- 7.3	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	46	11.0	6.5-15.5
35-44	432	103,274	346	77.6	71.3-83.9	20	4.2	1.8- 6.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	64	18.0	11.9-24.1
45-54	597	110,525	485	82.4	78.7-86.1	22	3.6	1.8- 5.4	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	87	13.6	10.3-16.9
55-64	818	122,438	638	78.6	74.9-82.3	28	3.4	1.6- 5.2				2	0.3	0.0- 0.9	150	17.7	14.4-21.0
65+	1289	160,396	983	78.1	75.4-80.8	39	2.9	1.7- 4.1							267	19.0	16.5-21.5
Less Than H.S.	388	79,097	288	75.8	69.9-81.7	21	6.6	2.9-10.3	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	76	17.0	12.1-21.9
H.S. or G.E.D.	1059	211,605	822	77.2	73.3-81.1	58	5.9	3.7- 8.1	2	0.2	0.0- 0.4	2	0.1	0.0- 0.3	175	16.5	13.0-20.0
Some Post-H.S.	946	199,960	741	82.0	78.7-85.3	33	2.5	1.3- 3.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	170	15.4	12.3-18.5
College Graduate	1380	198,687	1132	84.8	82.3-87.3	28	1.6	0.8- 2.4				1	0.0	0.0- 0.0	219	13.5	11.1-15.9
Less than \$15,000	295	43,264	217	74.9	67.6-82.2	14	4.2	0.1- 8.3	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9	62	20.1	13.8-26.4
\$15,000- 24,999	567	93,326	426	77.6	73.1-82.1	39	6.9	4.2- 9.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	100	15.2	11.5-18.9
\$25,000- 34,999	349	58,332	274	79.3	72.8-85.8	13	4.5	1.0- 8.0							62	16.2	10.5-21.9
\$35,000- 49,999	440	81,608	345	79.6	73.9-85.3	14	4.9	0.8- 9.0	1	0.2	0.0- 0.6				80	15.3	10.8-19.8
\$50,000- 74,999	468	91,090	397	85.9	81.6-90.2	14	3.2	1.0- 5.4				1	0.1	0.0- 0.3	56	10.8	7.1-14.5
\$75,000+	985	193,179	829	85.3	81.8-88.8	25	1.9	1.1- 2.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	129	12.6	9.3-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	329,908	1373	82.6	79.9-85.3	78	3.8	2.6- 5.0	2	0.1	0.0- 0.3	238	13.5	11.0-16.0
White/Non-Hisp	1137	213,775	944	85.4	82.9-87.9	46	3.2	2.0- 4.4	1	0.1	0.0- 0.3	146	11.4	9.0-13.8
Black or Afr. Am./Non-Hisp	197	60,569	157	75.9	66.3-85.5	13	6.4	2.1-10.7				27	17.8	8.4-27.2
Oth. Race/Non-Hisp.	107	18,893	74	69.9	57.6-82.2	5	3.4	0.0- 6.9				28	26.7	14.5-38.9
Hispanic	185	23,631	142	79.6	72.3-86.9	11	3.5	1.3- 5.7	1	0.5	0.0- 1.5	31	16.4	9.7-23.1
18-24	136	41,140	109	86.0	79.5-92.5	7	2.6	0.4- 4.8				20	11.4	5.1-17.7
25-34	216	57,493	180	83.2	75.6-90.8	11	5.5	1.2- 9.8	1	0.2	0.0- 0.6	24	11.1	4.4-17.8
35-44	196	50,044	157	78.7	68.5-88.9	10	3.6	1.1- 6.1	1	0.2	0.0- 0.6	28	17.5	7.3-27.7
45-54	264	51,566	215	85.0	80.1-89.9	12	3.2	1.0- 5.4				37	11.8	7.5-16.1
55-64	331	57,536	268	81.3	76.0-86.6	17	4.5	2.0- 7.0				46	14.2	9.3-19.1
65+	548	72,128	444	82.3	78.2-86.4	21	3.0	1.4- 4.6				83	14.6	10.7-18.5
Less Than H.S.	189	38,492	148	79.5	71.5-87.5	14	7.9	2.0-13.8	1	0.3	0.0- 0.9	26	12.3	6.2-18.4
H.S. or G.E.D.	500	108,072	396	80.2	74.7-85.7	30	4.8	2.8- 6.8				74	15.0	9.5-20.5
Some Post-H.S.	390	93,311	320	83.8	78.7-88.9	19	2.7	0.9- 4.5	1	0.1	0.0- 0.3	50	13.4	8.5-18.3
College Graduate	601	86,959	499	85.6	82.1-89.1	15	1.9	0.7- 3.1				87	12.5	9.2-15.8
Less than \$15,000	105	15,764	76	71.6	58.9-84.3	9	9.5	0.0-20.3				20	19.0	9.6-28.4
\$15,000- 24,999	236	40,966	186	82.6	76.9-88.3	20	7.6	3.7-11.5				30	9.9	5.6-14.2
\$25,000- 34,999	147	27,238	120	82.3	72.9-91.7	8	2.8	0.6- 5.0				19	14.9	5.7-24.1
\$35,000- 49,999	194	36,568	154	82.8	76.5-89.1	7	2.9	0.4- 5.4	1	0.3	0.0- 0.9	32	14.0	8.1-19.9
\$50,000- 74,999	239	47,350	204	85.1	78.6-91.6	9	4.0	0.7- 7.3				26	10.8	5.1-16.5
\$75,000+	486	103,974	415	85.8	80.3-91.3	16	2.3	0.9- 3.7	1	0.1	0.0- 0.3	54	11.8	6.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2102	363,553	1626	78.8	76.3-81.3	64	3.8	2.4- 5.2	2	0.1	0.0- 0.3	6	0.2	0.0- 0.4	404	17.1	14.9-19.3
White/Non-Hisp	1432	235,288	1109	79.6	76.9-82.3	41	3.5	2.1- 4.9				4	0.2	0.0- 0.4	278	16.7	14.2-19.2
Black or Afr. Am./Non-Hisp	317	73,291	249	76.5	69.4-83.6	15	6.1	1.6-10.6	2	0.5	0.0- 1.3	2	0.6	0.0- 1.4	49	16.3	10.4-22.2
Oth. Race/Non-Hisp.	61	14,842	51	86.0	75.0-97.0	1	0.3	0.0- 0.9				9	13.8	2.8-24.8			
Hispanic	210	27,840	150	72.1	63.7-80.5	5	2.7	0.0- 5.6				55	25.2	17.0-33.4			
18-24	98	40,700	86	84.5	74.1-94.9	4	6.5	0.0-13.9				8	8.9	0.9-16.9			
25-34	207	57,496	172	84.4	77.7-91.1	11	4.1	1.2- 7.0	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	22	10.9	4.6-17.2
35-44	236	53,229	189	76.6	69.2-84.0	10	4.8	1.1- 8.5				1	0.2	0.0- 0.6	36	18.4	11.3-25.5
45-54	333	58,959	270	80.2	74.7-85.7	10	3.9	1.0- 6.8	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3	50	15.1	10.2-20.0
55-64	487	64,903	370	76.2	71.1-81.3	11	2.4	0.0- 4.8				2	0.6	0.0- 1.6	104	20.8	16.1-25.5
65+	741	88,267	539	74.6	70.9-78.3	18	2.8	1.0- 4.6				184	22.6	19.1-26.1			
Less Than H.S.	199	40,605	140	72.3	63.9-80.7	7	5.4	0.7-10.1				2	0.9	0.0- 2.5	50	21.4	13.8-29.0
H.S. or G.E.D.	559	103,533	426	74.1	68.6-79.6	28	7.1	3.4-10.8	2	0.4	0.0- 1.0	2	0.3	0.0- 0.7	101	18.2	13.5-22.9
Some Post-H.S.	556	106,649	421	80.3	76.2-84.4	14	2.4	0.6- 4.2				1	0.1	0.0- 0.3	120	17.2	13.3-21.1
College Graduate	779	111,728	633	84.2	80.9-87.5	13	1.4	0.2- 2.6				1	0.1	0.0- 0.3	132	14.3	11.0-17.6
Less than \$15,000	190	27,500	141	76.8	68.2-85.4	5	1.2	0.0- 2.4	1	0.8	0.0- 2.4	1	0.4	0.0- 1.2	42	20.8	12.4-29.2
\$15,000- 24,999	331	52,359	240	73.6	67.1-80.1	19	6.4	2.7-10.1	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	70	19.3	13.6-25.0
\$25,000- 34,999	202	31,094	154	76.7	67.9-85.5	5	6.0	0.0-12.5							43	17.3	10.2-24.4
\$35,000- 49,999	246	45,040	191	77.0	68.4-85.6	7	6.6	0.0-13.5							48	16.4	9.9-22.9
\$50,000- 74,999	229	43,740	193	86.7	81.4-92.0	5	2.3	0.0- 4.8				1	0.2	0.0- 0.6	30	10.7	6.0-15.4
\$75,000+	499	89,205	414	84.8	80.9-88.7	9	1.5	0.3- 2.7				1	0.1	0.0- 0.3	75	13.6	9.9-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3749	685,379	3076	82.2	80.4-84.0	145	3.4	2.6- 4.2	9	0.2	0.0- 0.4	4	0.1	0.1- 0.1	515	14.2	12.6-15.8
Male	1665	324,188	1346	82.3	79.8-84.8	74	3.6	2.4- 4.8	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	241	13.9	11.5-16.3
Female	2084	361,191	1730	82.1	79.7-84.5	71	3.2	2.2- 4.2	6	0.3	0.1- 0.5	3	0.1	0.0- 0.3	274	14.4	12.2-16.6
White/Non-Hisp	2541	443,200	2136	84.5	82.5-86.5	105	3.7	2.7- 4.7	5	0.2	0.0- 0.4	3	0.1	0.1- 0.1	292	11.5	9.9-13.1
Black or Afr. Am./Non-Hisp	509	133,450	406	79.3	74.6-84.0	20	2.8	1.4- 4.2	4	0.5	0.0- 1.1				79	17.5	12.8-22.2
Oth. Race/Non-Hisp.	164	32,348	137	77.1	67.5-86.7	4	2.4	0.0- 5.9							23	20.5	11.1-29.9
Hispanic	387	50,523	277	72.5	66.2-78.8	11	2.5	0.0- 5.4				1	0.2	0.0- 0.6	98	24.8	18.9-30.7
18-24	232	80,465	176	79.6	73.1-86.1	10	3.0	0.6- 5.4	1	0.3	0.0- 0.9				45	17.1	11.0-23.2
25-34	418	114,707	329	80.5	75.2-85.8	17	3.5	1.1- 5.9	3	0.5	0.0- 1.1				69	15.4	10.5-20.3
35-44	429	102,657	349	82.3	77.6-87.0	6	1.1	0.1- 2.1	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	72	16.2	11.7-20.7
45-54	588	109,302	476	82.3	78.6-86.0	17	2.6	1.0- 4.2	2	0.3	0.0- 0.7				93	14.8	11.3-18.3
55-64	807	120,611	657	80.5	76.8-84.2	27	3.2	1.6- 4.8	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	121	16.1	12.6-19.6
65+	1275	157,637	1089	85.9	83.5-88.3	68	5.5	3.9- 7.1	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	115	8.4	6.6-10.2
Less Than H.S.	379	77,612	269	73.9	68.0-79.8	25	6.3	3.2- 9.4							85	19.7	14.4-25.0
H.S. or G.E.D.	1045	208,424	824	80.5	77.4-83.6	53	4.1	2.7- 5.5	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	163	14.8	11.9-17.7
Some Post-H.S.	936	197,662	786	83.6	80.3-86.9	29	2.5	1.1- 3.9	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3	115	13.5	10.4-16.6
College Graduate	1371	198,142	1183	86.0	83.5-88.5	36	2.1	1.1- 3.1	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	150	11.8	9.4-14.2
Less than \$15,000	297	43,750	219	72.5	65.2-79.8	8	2.6	0.1- 5.1	2	0.7	0.0- 1.7				68	24.1	17.2-31.0
\$15,000- 24,999	558	93,095	444	80.0	75.5-84.5	30	4.3	2.3- 6.3	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	80	15.0	10.9-19.1
\$25,000- 34,999	347	58,318	272	77.4	71.1-83.7	22	5.8	2.7- 8.9				1	0.2	0.0- 0.6	52	16.6	10.7-22.5
\$35,000- 49,999	427	78,943	369	86.8	82.7-90.9	13	2.6	0.4- 4.8							45	10.6	6.9-14.3
\$50,000- 74,999	462	87,911	395	85.0	80.7-89.3	12	1.8	0.6- 3.0	2	0.3	0.0- 0.7				53	13.0	8.9-17.1
\$75,000+	981	193,008	846	85.8	82.9-88.7	26	2.5	1.1- 3.9				2	0.1	0.0- 0.3	107	11.6	8.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	324,188	1346	82.3	79.8-84.8	74	3.6	2.4- 4.8	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	241	13.9	11.5-16.3
White/Non-Hisp	1119	209,566	924	83.8	81.1-86.5	54	3.9	2.5- 5.3	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	138	12.1	9.6-14.6
Black or Afr. Am./Non-Hisp	194	60,189	158	83.3	76.6-90.0	9	3.1	0.9- 5.3	1	0.3	0.0- 0.9				26	13.2	6.9-19.5
Oth. Race/Non-Hisp.	104	17,610	87	75.7	62.4-89.0	4	4.5	0.0-10.8							13	19.9	7.0-32.8
Hispanic	181	23,081	128	75.4	67.0-83.8	5	1.2	0.0- 2.4							48	23.4	15.0-31.8
18-24	133	39,407	99	79.4	71.6-87.2	7	3.3	0.4- 6.2	1	0.5	0.0- 1.5				26	16.7	9.3-24.1
25-34	215	58,090	171	82.8	75.4-90.2	9	4.1	0.0- 8.2							35	13.1	6.4-19.8
35-44	197	49,994	159	81.1	74.0-88.2	3	1.5	0.0- 3.5	1	0.4	0.0- 1.2				34	17.0	10.1-23.9
45-54	258	50,612	199	78.4	72.3-84.5	7	2.6	0.2- 5.0							52	18.9	13.0-24.8
55-64	322	55,885	263	83.9	78.8-89.0	15	3.6	1.6- 5.6	1	0.1	0.0- 0.3				43	12.4	7.5-17.3
65+	540	70,200	455	86.0	82.7-89.3	33	5.3	3.1- 7.5				1	0.2	0.0- 0.6	51	8.5	5.8-11.2
Less Than H.S.	186	38,212	141	80.0	72.7-87.3	6	2.7	0.2- 5.2							39	17.2	10.3-24.1
H.S. or G.E.D.	489	104,877	377	82.3	78.2-86.4	27	3.5	1.9- 5.1	1	0.2	0.0- 0.6				84	13.9	10.2-17.6
Some Post-H.S.	387	91,923	315	81.0	75.5-86.5	19	4.2	1.5- 6.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	51	14.5	9.4-19.6
College Graduate	593	86,428	506	85.4	81.7-89.1	21	3.3	1.5- 5.1	1	0.0	0.0- 0.0				65	11.3	8.0-14.6
Less than \$15,000	104	15,731	69	67.5	54.8-80.2	3	1.8	0.0- 4.0							32	30.7	18.2-43.2
\$15,000- 24,999	232	40,489	186	81.4	74.9-87.9	12	4.4	1.5- 7.3							34	14.2	8.3-20.1
\$25,000- 34,999	146	27,533	116	80.6	71.8-89.4	10	4.2	1.1- 7.3							20	15.2	6.8-23.6
\$35,000- 49,999	186	34,690	160	87.6	81.9-93.3	5	1.5	0.0- 3.1							21	10.9	5.4-16.4
\$50,000- 74,999	234	44,735	190	81.7	75.0-88.4	10	2.9	0.9- 4.9	2	0.5	0.0- 1.3				32	14.8	8.5-21.1
\$75,000+	484	104,035	416	86.7	82.6-90.8	18	3.6	1.1- 6.1				1	0.1	0.0- 0.3	49	9.5	6.0-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2084	361,191	1730	82.1	79.7-84.5	71	3.2	2.2- 4.2	6	0.3	0.1- 0.5	3	0.1	0.0- 0.3	274	14.4	12.2-16.6
White/Non-Hisp	1422	233,634	1212	85.2	82.7-87.7	51	3.5	2.3- 4.7	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	154	11.0	8.8-13.2
Black or Afr. Am./Non-Hisp	315	73,261	248	75.9	69.2-82.6	11	2.5	0.7- 4.3	3	0.7	0.0- 1.5				53	20.9	14.2-27.6
Oth. Race/Non-Hisp.	60	14,738	50	78.7	65.0-92.4										10	21.3	7.6-35.0
Hispanic	206	27,443	149	70.0	61.2-78.8	6	3.6	0.0- 8.7				1	0.4	0.0- 1.2	50	26.0	17.8-34.2
18-24	99	41,058	77	79.7	69.7-89.7	3	2.8	0.0- 6.5							19	17.6	8.2-27.0
25-34	203	56,616	158	78.2	70.8-85.6	8	2.9	0.5- 5.3	3	1.0	0.0- 2.2				34	17.9	10.8-25.0
35-44	232	52,663	190	83.5	77.4-89.6	3	0.8	0.0- 1.8				1	0.3	0.0- 0.9	38	15.5	9.4-21.6
45-54	330	58,690	277	85.6	80.9-90.3	10	2.5	0.3- 4.7	2	0.6	0.0- 1.6				41	11.3	7.2-15.4
55-64	485	64,726	394	77.6	72.3-82.9	12	2.9	0.5- 5.3				1	0.2	0.0- 0.6	78	19.4	14.5-24.3
65+	735	87,437	634	85.7	82.6-88.8	35	5.6	3.2- 8.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	64	8.4	6.0-10.8
Less Than H.S.	193	39,399	128	68.1	59.1-77.1	19	9.8	4.1-15.5							46	22.2	14.4-30.0
H.S. or G.E.D.	556	103,547	447	78.7	73.8-83.6	26	4.8	2.4- 7.2	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	79	15.8	11.3-20.3
Some Post-H.S.	549	105,739	471	85.8	81.9-89.7	10	1.1	0.3- 1.9	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	64	12.6	8.7-16.5
College Graduate	778	111,714	677	86.5	83.2-89.8	15	1.2	0.4- 2.0				1	0.1	0.0- 0.3	85	12.1	9.0-15.2
Less than \$15,000	193	28,019	150	75.4	66.8-84.0	5	3.1	0.0- 6.8	2	1.1	0.0- 2.7				36	20.4	12.2-28.6
\$15,000- 24,999	326	52,607	258	79.0	72.9-85.1	18	4.3	1.6- 7.0	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6	46	15.5	10.0-21.0
\$25,000- 34,999	201	30,784	156	74.5	65.5-83.5	12	7.1	1.8-12.4				1	0.4	0.0- 1.2	32	17.9	9.9-25.9
\$35,000- 49,999	241	44,253	209	86.1	80.0-92.2	8	3.4	0.0- 6.9							24	10.5	5.4-15.6
\$50,000- 74,999	228	43,176	205	88.3	82.6-94.0	2	0.7	0.0- 1.9							21	11.0	5.5-16.5
\$75,000+	497	88,973	430	84.6	80.3-88.9	8	1.1	0.3- 1.9				1	0.2	0.0- 0.6	58	14.1	9.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3733	682,898	1546	41.7	39.3-44.1	1957	51.7	49.3-54.1	83	2.5	1.7- 3.3	47	1.3	0.7- 1.9	6	0.3	0.0- 0.7	94	2.6	2.0- 3.2
Male	1667	326,096	806	47.6	44.3-50.9	772	47.7	44.2-51.2	23	1.1	0.5- 1.7	13	0.7	0.3- 1.1	4	0.4	0.0- 1.0	49	2.5	1.5- 3.5
Female	2066	356,802	740	36.3	33.4-39.2	1185	55.3	52.2-58.4	60	3.7	2.3- 5.1	34	1.8	0.8- 2.8	2	0.3	0.0- 0.7	45	2.6	1.6- 3.6
White/Non-Hisp	2540	442,591	979	39.8	37.1-42.5	1418	54.1	51.4-56.8	64	2.8	1.8- 3.8	32	1.2	0.4- 2.0	3	0.1	0.0- 0.3	44	2.0	1.2- 2.8
Black or Afr. Am./Non-Hisp	505	132,518	225	41.1	35.2-47.0	247	51.2	45.1-57.3	10	2.4	0.6- 4.2	8	2.0	0.4- 3.6	2	0.7	0.0- 1.7	13	2.6	0.8- 4.4
Oth. Race/Non-Hisp.	164	32,684	58	34.7	24.7-44.7	95	56.5	45.9-67.1	3	2.8	0.0- 6.5	1	0.7	0.0- 2.1	1	2.8	0.0- 8.3	6	2.4	0.0- 5.1
Hispanic	378	49,683	226	62.0	55.1-68.9	116	29.3	23.0-35.6	3	0.5	0.0- 1.1	5	1.0	0.0- 2.0				28	7.2	3.7-10.7
18-24	225	78,833	124	50.3	41.7-58.9	83	41.9	33.1-50.7	5	3.8	0.0- 8.3							13	3.9	1.5- 6.3
25-34	412	112,928	196	45.8	38.9-52.7	177	45.9	39.0-52.8	12	2.3	0.7- 3.9	4	1.6	0.0- 3.8				23	4.4	1.9- 6.9
35-44	421	101,724	182	37.4	31.3-43.5	203	53.0	46.5-59.5	16	4.0	1.5- 6.5	6	1.7	0.0- 3.5				14	3.9	1.5- 6.3
45-54	587	110,549	236	40.6	35.5-45.7	308	52.6	47.3-57.9	19	3.2	1.6- 4.8	9	1.7	0.3- 3.1	2	0.6	0.0- 1.8	13	1.4	0.4- 2.4
55-64	809	120,957	323	39.5	35.0-44.0	441	55.5	51.0-60.0	16	1.6	0.6- 2.6	6	0.7	0.0- 1.5	1	0.2	0.0- 0.6	22	2.4	1.2- 3.6
65+	1279	157,908	485	39.6	36.3-42.9	745	56.3	52.8-59.8	15	1.1	0.5- 1.7	22	1.5	0.7- 2.3	3	0.9	0.0- 2.1	9	0.6	0.0- 1.2
Less Than H.S.	364	74,922	200	53.1	45.7-60.5	128	37.7	30.4-45.0	3	0.9	0.0- 2.1	3	1.2	0.0- 2.8	1	0.4	0.0- 1.2	29	6.8	3.7- 9.9
H.S. or G.E.D.	1039	208,430	482	45.5	41.2-49.8	503	47.8	43.3-52.3	14	2.4	0.4- 4.4	6	0.4	0.0- 0.8	2	0.6	0.0- 1.6	32	3.3	1.7- 4.9
Some Post-H.S.	935	197,774	360	39.5	35.2-43.8	524	55.2	50.9-59.5	22	2.0	1.0- 3.0	16	1.8	0.4- 3.2				13	1.4	0.4- 2.4
College Graduate	1377	198,226	499	35.8	32.5-39.1	791	57.4	53.9-60.9	44	3.6	2.2- 5.0	21	1.6	0.4- 2.8	3	0.4	0.0- 1.0	19	1.1	0.5- 1.7
Less than \$15,000	291	42,444	143	49.1	40.9-57.3	119	43.0	34.8-51.2	5	1.7	0.1- 3.3	2	0.4	0.0- 1.0				22	5.7	2.8- 8.6
\$15,000- 24,999	551	90,935	260	47.3	41.4-53.2	253	45.4	39.5-51.3	9	1.5	0.3- 2.7	10	1.7	0.3- 3.1	1	0.3	0.0- 0.9	18	3.8	1.6- 6.0
\$25,000- 34,999	343	58,138	158	45.6	38.0-53.2	168	51.1	43.5-58.7	7	1.4	0.2- 2.6	3	0.3	0.0- 0.7				7	1.7	0.0- 3.7
\$35,000- 49,999	433	80,785	197	48.1	41.2-55.0	217	47.7	40.8-54.6	11	2.0	0.6- 3.4	5	0.7	0.0- 1.5	1	1.1	0.0- 3.3	2	0.3	0.0- 0.9
\$50,000- 74,999	470	91,513	183	38.5	32.2-44.8	265	56.7	50.4-63.0	11	2.0	0.6- 3.4	4	0.6	0.0- 1.4				7	2.1	0.1- 4.1
\$75,000+	978	191,058	335	35.5	31.4-39.6	592	57.8	53.5-62.1	26	3.7	1.9- 5.5	12	1.6	0.4- 2.8	2	0.4	0.0- 1.0	11	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1667	326,096	806	47.6	44.1-51.1	772	47.7	44.2-51.2	23	1.1	0.5- 1.7	13	0.7	0.3- 1.1	4	0.4	0.0- 1.0	49	2.5	1.5- 3.5
White/Non-Hisp	1118	209,153	529	47.9	44.0-51.8	535	47.8	43.9-51.7	16	1.1	0.5- 1.7	8	0.4	0.0- 0.8	3	0.2	0.0- 0.6	27	2.6	1.4- 3.8
Black or Afr. Am./Non-Hisp	197	61,699	90	44.5	35.1-53.9	99	52.5	42.9-62.1	2	0.4	0.0- 1.0	3	1.8	0.0- 4.0				3	0.7	0.0- 1.7
Oth. Race/Non-Hisp.	106	18,822	44	35.4	23.2-47.6	57	55.9	42.6-69.2	2	3.3	0.0- 9.0				1	4.9	0.0-14.1	2	0.6	0.0- 1.4
Hispanic	180	22,968	112	60.7	49.7-71.7	49	28.8	18.8-38.8	2	0.9	0.0- 2.3	1	0.7	0.0- 2.1				16	8.9	3.2-14.6
18-24	132	39,577	74	52.9	41.5-64.3	49	41.1	29.5-52.7	1	1.0	0.0- 3.0							8	5.0	1.1- 8.9
25-34	214	57,688	118	54.8	45.2-64.4	78	40.2	30.6-49.8	5	1.8	0.0- 3.8							13	3.3	0.8- 5.8
35-44	193	49,313	97	43.6	34.0-53.2	84	52.0	42.0-62.0	6	2.0	0.2- 3.8	1	0.3	0.0- 0.9				5	2.1	0.0- 4.5
45-54	260	51,922	113	42.1	34.3-49.9	133	52.9	45.1-60.7	4	1.2	0.0- 2.6	3	1.9	0.0- 4.3	1	0.1	0.0- 0.3	6	1.8	0.2- 3.4
55-64	327	57,240	155	47.7	40.4-55.0	157	48.9	41.6-56.2	4	0.6	0.0- 1.2							11	2.8	0.6- 5.0
65+	541	70,356	249	45.4	40.1-50.7	271	49.9	44.6-55.2	3	0.2	0.0- 0.6	9	1.5	0.3- 2.7	3	1.9	0.0- 4.6	6	1.0	0.0- 2.0
Less Than H.S.	180	36,820	101	57.3	46.5-68.1	57	32.3	22.3-42.3	2	1.0	0.0- 2.6	3	2.4	0.0- 5.5				17	7.0	2.7-11.3
H.S. or G.E.D.	490	106,982	253	50.3	43.8-56.8	209	44.2	37.5-50.9	6	1.0	0.0- 2.0	3	0.4	0.0- 1.0	2	1.1	0.0- 2.9	17	2.9	1.1- 4.7
Some Post-H.S.	387	92,797	189	46.5	39.8-53.2	185	51.1	44.4-57.8	5	0.7	0.1- 1.3	2	0.3	0.0- 0.7				6	1.5	0.0- 3.1
College Graduate	600	86,857	259	41.9	36.8-47.0	317	54.7	49.6-59.8	10	1.7	0.3- 3.1	4	0.6	0.0- 1.4	2	0.3	0.0- 0.7	8	0.8	0.2- 1.4
Less than \$15,000	103	15,575	60	63.3	50.6-76.0	35	33.5	21.0-46.0	1	0.5	0.0- 1.5							7	2.7	0.3- 5.1
\$15,000- 24,999	232	40,068	131	57.8	49.2-66.4	83	34.2	26.0-42.4				4	1.9	0.0- 4.6				14	6.1	2.2-10.0
\$25,000- 34,999	144	27,957	74	48.3	36.3-60.3	64	49.3	37.3-61.3	2	0.9	0.0- 2.3							4	1.5	0.0- 3.1
\$35,000- 49,999	189	35,857	96	53.9	43.7-64.1	84	40.6	31.2-50.0	4	1.4	0.0- 3.2	3	1.3	0.0- 3.1	1	2.6	0.0- 7.5	1	0.2	0.0- 0.6
\$50,000- 74,999	239	47,343	102	42.1	33.1-51.1	128	54.8	45.8-63.8	3	1.1	0.0- 2.3	1	0.1	0.0- 0.3				5	1.9	0.1- 3.7
\$75,000+	482	102,990	208	42.5	36.4-48.6	256	54.0	47.7-60.3	8	1.7	0.3- 3.1	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	6	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2066	356,802	740	36.3	33.4-39.2	1185	55.3	52.2-58.4	60	3.7	2.3- 5.1	34	1.8	0.8- 2.8	2	0.3	0.0- 0.7	45	2.6	1.6- 3.6
White/Non-Hisp	1422	233,438	450	32.6	29.1-36.1	883	59.7	56.0-63.4	48	4.3	2.5- 6.1	24	1.9	0.5- 3.3				17	1.6	0.4- 2.8
Black or Afr. Am./Non-Hisp	308	70,819	135	38.1	30.8-45.4	148	50.1	42.3-57.9	8	4.0	0.7- 7.3	5	2.2	0.0- 4.4	2	1.3	0.0- 3.3	10	4.3	1.4- 7.2
Oth. Race/Non-Hisp.	58	13,862	14	33.9	16.8-51.0	38	57.3	40.2-74.4	1	2.1	0.0- 6.2	1	1.7	0.0- 5.0				4	4.9	0.0-11.0
Hispanic	198	26,715	114	63.2	54.6-71.8	67	29.6	21.6-37.6	1	0.2	0.0- 0.6	4	1.3	0.0- 2.7				12	5.8	1.5-10.1
18-24	93	39,256	50	47.6	34.9-60.3	34	42.8	29.7-55.9	4	6.7	0.0-15.3							5	2.9	0.2- 5.6
25-34	198	55,239	78	36.4	27.0-45.8	99	51.8	42.0-61.6	7	2.8	0.3- 5.3	4	3.3	0.0- 7.6				10	5.7	1.2-10.2
35-44	228	52,411	85	31.6	24.0-39.2	119	54.0	45.6-62.4	10	5.9	1.4-10.4	5	3.0	0.0- 6.3				9	5.5	1.4- 9.6
45-54	327	58,627	123	39.3	32.4-46.2	175	52.3	45.2-59.4	15	4.9	2.0- 7.8	6	1.5	0.0- 3.3	1	1.0	0.0- 3.0	7	1.0	0.0- 2.0
55-64	482	63,716	168	32.1	26.8-37.4	284	61.4	55.9-66.9	12	2.6	0.8- 4.4	6	1.4	0.0- 3.2	1	0.5	0.0- 1.5	11	2.0	0.6- 3.4
65+	738	87,552	236	35.0	30.5-39.5	474	61.5	57.0-66.0	12	1.7	0.5- 2.9	13	1.5	0.5- 2.5				3	0.3	0.0- 0.7
Less Than H.S.	184	38,102	99	49.0	38.8-59.2	71	42.9	32.7-53.1	1	0.8	0.0- 2.4				1	0.8	0.0- 2.4	12	6.5	1.8-11.2
H.S. or G.E.D.	549	101,448	229	40.5	34.8-46.2	294	51.6	45.5-57.7	8	3.8	0.1- 7.5	3	0.4	0.0- 0.8				15	3.8	1.3- 6.3
Some Post-H.S.	548	104,978	171	33.4	27.7-39.1	339	58.8	52.9-64.7	17	3.3	1.5- 5.1	14	3.2	0.7- 5.7				7	1.4	0.2- 2.6
College Graduate	777	111,369	240	31.1	26.6-35.6	474	59.4	54.5-64.3	34	5.1	2.9- 7.3	17	2.5	0.7- 4.3	1	0.5	0.0- 1.5	11	1.4	0.4- 2.4
Less than \$15,000	188	26,869	83	40.9	31.1-50.7	84	48.6	38.4-58.8	4	2.4	0.0- 4.8	2	0.7	0.0- 1.7				15	7.5	3.2-11.8
\$15,000- 24,999	319	50,867	129	39.1	31.3-46.9	170	54.3	46.5-62.1	9	2.6	0.4- 4.8	6	1.5	0.3- 2.7	1	0.6	0.0- 1.8	4	2.0	0.0- 4.4
\$25,000- 34,999	199	30,181	84	43.1	33.1-53.1	104	52.7	42.7-62.7	5	1.8	0.0- 3.8	3	0.5	0.0- 1.1				3	1.9	0.0- 5.2
\$35,000- 49,999	244	44,928	101	43.5	34.3-52.7	133	53.4	44.2-62.6	7	2.5	0.3- 4.7	2	0.2	0.0- 0.4				1	0.4	0.0- 1.2
\$50,000- 74,999	231	44,170	81	34.7	26.1-43.3	137	58.8	50.0-67.6	8	2.9	0.5- 5.3	3	1.2	0.0- 2.6				2	2.4	0.0- 5.7
\$75,000+	496	88,067	127	27.3	22.0-32.6	336	62.2	56.5-67.9	18	6.0	2.7- 9.3	9	2.8	0.4- 5.2	1	0.7	0.0- 2.1	5	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	155
2	MALES ONLY	156
3	FEMALES ONLY	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3803	697,382	2588	69.0	66.8-71.2	1215	31.0	28.8-33.2
Male	1696	331,525	1220	72.0	69.1-74.9	476	28.0	25.1-30.9
Female	2107	365,858	1368	66.3	63.4-69.2	739	33.7	30.8-36.6
White/Non-Hisp	2568	448,173	1780	70.6	68.2-73.0	788	29.4	27.0-31.8
Black or Afr. Am./Non-Hisp	517	136,074	339	66.4	60.7-72.1	178	33.6	27.9-39.3
Oth. Race/Non-Hisp.	171	34,032	125	70.3	60.5-80.1	46	29.7	19.9-39.5
Hispanic	397	52,987	249	64.5	58.0-71.0	148	35.5	29.0-42.0
18-24	232	81,367	174	70.7	62.7-78.7	58	29.3	21.3-37.3
25-34	426	116,783	299	71.8	65.9-77.7	127	28.2	22.3-34.1
35-44	431	102,310	298	75.0	69.9-80.1	133	25.0	19.9-30.1
45-54	596	112,563	422	70.7	65.8-75.6	174	29.3	24.4-34.2
55-64	820	123,050	547	66.2	61.7-70.7	273	33.8	29.3-38.3
65+	1298	161,308	848	63.5	60.2-66.8	450	36.5	33.2-39.8
Less Than H.S.	390	79,707	228	61.2	54.3-68.1	162	38.8	31.9-45.7
H.S. or G.E.D.	1058	212,892	638	61.9	57.8-66.0	420	38.1	34.0-42.2
Some Post-H.S.	946	199,796	620	68.6	64.7-72.5	326	31.4	27.5-35.3
College Graduate	1387	200,494	1088	80.4	77.7-83.1	299	19.6	16.9-22.3
Less than \$15,000	301	44,609	175	55.8	47.8-63.8	126	44.2	36.2-52.2
\$15,000- 24,999	567	93,990	318	57.9	52.2-63.6	249	42.1	36.4-47.8
\$25,000- 34,999	353	60,763	217	65.3	58.0-72.6	136	34.7	27.4-42.0
\$35,000- 49,999	431	80,246	283	66.4	60.1-72.7	148	33.6	27.3-39.9
\$50,000- 74,999	470	91,299	347	72.0	66.1-77.9	123	28.0	22.1-33.9
\$75,000+	978	191,705	782	80.8	77.5-84.1	196	19.2	15.9-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1696	331,525	1220	72.0	69.1-74.9	476	28.0	25.1-30.9
White/Non-Hisp	1139	213,124	827	73.0	69.5-76.5	312	27.0	23.5-30.5
Black or Afr. Am./Non-Hisp	199	62,178	136	68.9	60.3-77.5	63	31.1	22.5-39.7
Oth. Race/Non-Hisp.	107	18,926	82	79.0	68.8-89.2	25	21.0	10.8-31.2
Hispanic	185	23,637	131	72.4	63.4-81.4	54	27.6	18.6-36.6
18-24	133	40,106	109	82.0	73.6-90.4	24	18.0	9.6-26.4
25-34	219	59,076	171	76.1	67.9-84.3	48	23.9	15.7-32.1
35-44	195	49,001	140	77.5	70.1-84.9	55	22.5	15.1-29.9
45-54	264	52,790	197	71.3	63.7-78.9	67	28.7	21.1-36.3
55-64	333	58,273	224	65.4	58.1-72.7	109	34.6	27.3-41.9
65+	552	72,280	379	65.3	60.0-70.6	173	34.7	29.4-40.0
Less Than H.S.	189	38,299	120	61.1	50.5-71.7	69	38.9	28.3-49.5
H.S. or G.E.D.	498	108,142	326	66.4	60.5-72.3	172	33.6	27.7-39.5
Some Post-H.S.	392	93,657	280	75.1	69.4-80.8	112	24.9	19.2-30.6
College Graduate	605	88,029	486	81.1	76.8-85.4	119	18.9	14.6-23.2
Less than \$15,000	106	16,217	72	66.0	52.9-79.1	34	34.0	20.9-47.1
\$15,000- 24,999	236	41,014	149	60.4	51.8-69.0	87	39.6	31.0-48.2
\$25,000- 34,999	152	29,604	97	63.2	51.8-74.6	55	36.8	25.4-48.2
\$35,000- 49,999	189	35,588	134	73.1	64.9-81.3	55	26.9	18.7-35.1
\$50,000- 74,999	239	47,189	179	72.5	63.9-81.1	60	27.5	18.9-36.1
\$75,000+	483	103,257	388	79.7	74.6-84.8	95	20.3	15.2-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2107	365,858	1368	66.3	63.4-69.2	739	33.7	30.8-36.6
White/Non-Hisp	1429	235,049	953	68.4	65.1-71.7	476	31.6	28.3-34.9
Black or Afr. Am./Non-Hisp	318	73,896	203	64.2	56.8-71.6	115	35.8	28.4-43.2
Oth. Race/Non-Hisp.	64	15,107	43	59.4	42.9-75.9	21	40.6	24.1-57.1
Hispanic	212	29,350	118	58.1	49.3-66.9	94	41.9	33.1-50.7
18-24	99	41,262	65	59.7	47.0-72.4	34	40.3	27.6-53.0
25-34	207	57,708	128	67.3	58.9-75.7	79	32.7	24.3-41.1
35-44	236	53,310	158	72.6	65.7-79.5	78	27.4	20.5-34.3
45-54	332	59,773	225	70.2	63.9-76.5	107	29.8	23.5-36.1
55-64	487	64,778	323	67.0	61.5-72.5	164	33.0	27.5-38.5
65+	746	89,028	469	62.0	57.5-66.5	277	38.0	33.5-42.5
Less Than H.S.	201	41,407	108	61.2	52.0-70.4	93	38.8	29.6-48.0
H.S. or G.E.D.	560	104,750	312	57.3	51.4-63.2	248	42.7	36.8-48.6
Some Post-H.S.	554	106,139	340	62.9	57.4-68.4	214	37.1	31.6-42.6
College Graduate	782	112,465	602	80.0	76.3-83.7	180	20.0	16.3-23.7
Less than \$15,000	195	28,392	103	50.0	40.0-60.0	92	50.0	40.0-60.0
\$15,000- 24,999	331	52,977	169	56.0	48.6-63.4	162	44.0	36.6-51.4
\$25,000- 34,999	201	31,159	120	67.3	58.5-76.1	81	32.7	23.9-41.5
\$35,000- 49,999	242	44,658	149	61.1	51.9-70.3	93	38.9	29.7-48.1
\$50,000- 74,999	231	44,110	168	71.6	63.6-79.6	63	28.4	20.4-36.4
\$75,000+	495	88,449	394	82.0	77.7-86.3	101	18.0	13.7-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	159
2	MALES ONLY	160
3	FEMALES ONLY	161
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	162
5	MALES ONLY	163
6	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 14: SEATBELT USE

TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3764	687,236	3640	96.0	95.0-97.0	124	4.0	3.0- 5.0
Male	1677	325,941	1604	94.5	92.7-96.3	73	5.5	3.7- 7.3
Female	2087	361,295	2036	97.2	96.2-98.2	51	2.8	1.8- 3.8
White/Non-Hisp	2550	443,393	2474	96.4	95.2-97.6	76	3.6	2.4- 4.8
Black or Afr. Am./Non-Hisp	507	132,856	478	93.9	91.0-96.8	29	6.1	3.2- 9.0
Oth. Race/Non-Hisp.	168	33,808	163	95.6	90.1- 100	5	4.4	0.0- 9.9
Hispanic	393	52,274	383	97.5	95.7-99.3	10	2.5	0.7- 4.3
18-24	228	79,881	213	94.5	90.8-98.2	15	5.5	1.8- 9.2
25-34	418	114,024	398	93.4	90.1-96.7	20	6.6	3.3- 9.9
35-44	425	100,292	413	96.5	93.8-99.2	12	3.5	0.8- 6.2
45-54	593	110,787	579	97.5	95.9-99.1	14	2.5	0.9- 4.1
55-64	811	122,067	779	95.8	93.8-97.8	32	4.2	2.2- 6.2
65+	1289	160,186	1258	97.2	95.8-98.6	31	2.8	1.4- 4.2
Less Than H.S.	383	78,772	363	94.9	92.0-97.8	20	5.1	2.2- 8.0
H.S. or G.E.D.	1039	206,386	992	94.8	92.8-96.8	47	5.2	3.2- 7.2
Some Post-H.S.	940	198,207	908	95.7	93.7-97.7	32	4.3	2.3- 6.3
College Graduate	1379	199,278	1354	97.7	96.5-98.9	25	2.3	1.1- 3.5
Less than \$15,000	298	44,165	286	93.6	89.5-97.7	12	6.4	2.3-10.5
\$15,000- 24,999	564	93,412	531	94.9	92.4-97.4	33	5.1	2.6- 7.6
\$25,000- 34,999	344	57,871	334	94.3	90.0-98.6	10	5.7	1.4-10.0
\$35,000- 49,999	428	80,033	414	96.3	93.8-98.8	14	3.7	1.2- 6.2
\$50,000- 74,999	469	91,241	455	97.8	96.4-99.2	14	2.2	0.8- 3.6
\$75,000+	971	188,706	948	96.5	94.5-98.5	23	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1677	325,941	1604	94.5	92.7-96.3	73	5.5	3.7- 7.3
White/Non-Hisp	1130	210,588	1087	95.1	93.1-97.1	43	4.9	2.9- 6.9
Black or Afr. Am./Non-Hisp	195	59,997	181	92.6	87.5-97.7	14	7.4	2.3-12.5
Oth. Race/Non-Hisp.	105	18,811	100	92.0	82.4- 100	5	8.0	0.0-17.6
Hispanic	183	23,495	175	96.4	93.5-99.3	8	3.6	0.7- 6.5
18-24	132	39,816	122	92.8	86.7-98.9	10	7.2	1.1-13.3
25-34	214	56,913	202	91.4	85.7-97.1	12	8.6	2.9-14.3
35-44	190	47,943	181	94.4	89.3-99.5	9	5.6	0.5-10.7
45-54	260	50,909	249	96.3	93.9-98.7	11	3.7	1.3- 6.1
55-64	328	57,649	312	95.1	92.0-98.2	16	4.9	1.8- 8.0
65+	553	72,710	538	96.3	93.8-98.8	15	3.7	1.2- 6.2
Less Than H.S.	186	38,071	174	95.5	92.4-98.6	12	4.5	1.4- 7.6
H.S. or G.E.D.	490	104,745	463	93.4	90.3-96.5	27	6.6	3.5- 9.7
Some Post-H.S.	388	92,518	371	94.1	90.4-97.8	17	5.9	2.2- 9.6
College Graduate	601	87,210	584	95.7	93.0-98.4	17	4.3	1.6- 7.0
Less than \$15,000	104	15,979	100	92.8	85.4- 100	4	7.2	0.0-14.6
\$15,000- 24,999	235	40,827	214	94.0	90.7-97.3	21	6.0	2.7- 9.3
\$25,000- 34,999	146	27,435	141	92.7	85.4- 100	5	7.3	0.0-14.6
\$35,000- 49,999	190	35,928	182	95.0	90.5-99.5	8	5.0	0.5- 9.5
\$50,000- 74,999	238	47,130	230	97.4	95.2-99.6	8	2.6	0.4- 4.8
\$75,000+	477	100,630	458	94.1	90.6-97.6	19	5.9	2.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	361,295	2036	97.2	96.2-98.2	51	2.8	1.8- 3.8
White/Non-Hisp	1420	232,805	1387	97.6	96.4-98.8	33	2.4	1.2- 3.6
Black or Afr. Am./Non-Hisp	312	72,859	297	94.9	91.6-98.2	15	5.1	1.8- 8.4
Oth. Race/Non-Hisp.	63	14,997	63	100.0	100.0- 100			
Hispanic	210	28,779	208	98.5	96.1- 100	2	1.5	0.0- 3.9
18-24	96	40,065	91	96.2	92.1- 100	5	3.8	0.0- 7.9
25-34	204	57,111	196	95.4	91.9-98.9	8	4.6	1.1- 8.1
35-44	235	52,348	232	98.5	96.3- 100	3	1.5	0.0- 3.7
45-54	333	59,878	330	98.5	96.3- 100	3	1.5	0.0- 3.7
55-64	483	64,418	467	96.3	93.8-98.8	16	3.7	1.2- 6.2
65+	736	87,476	720	97.9	96.7-99.1	16	2.1	0.9- 3.3
Less Than H.S.	197	40,701	189	94.4	89.5-99.3	8	5.6	0.7-10.5
H.S. or G.E.D.	549	101,641	529	96.1	93.9-98.3	20	3.9	1.7- 6.1
Some Post-H.S.	552	105,688	537	97.1	95.1-99.1	15	2.9	0.9- 4.9
College Graduate	778	112,069	770	99.4	98.8- 100	8	0.6	0.0- 1.2
Less than \$15,000	194	28,185	186	94.1	89.0-99.2	8	5.9	0.8-11.0
\$15,000- 24,999	329	52,585	317	95.6	92.1-99.1	12	4.4	0.9- 7.9
\$25,000- 34,999	198	30,436	193	95.7	90.8- 100	5	4.3	0.0- 9.2
\$35,000- 49,999	238	44,105	232	97.4	94.7- 100	6	2.6	0.0- 5.3
\$50,000- 74,999	231	44,110	225	98.3	96.7-99.9	6	1.7	0.1- 3.3
\$75,000+	494	88,076	490	99.2	98.2- 100	4	0.8	0.0- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 14: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3764	687,236	3518	92.4	91.2-93.6	246	7.6	6.4- 8.8
Male	1677	325,941	1532	90.6	88.6-92.6	145	9.4	7.4-11.4
Female	2087	361,295	1986	94.0	92.4-95.6	101	6.0	4.4- 7.6
White/Non-Hisp	2550	443,393	2395	92.9	91.3-94.5	155	7.1	5.5- 8.7
Black or Afr. Am./Non-Hisp	507	132,856	459	90.0	86.5-93.5	48	10.0	6.5-13.5
Oth. Race/Non-Hisp.	168	33,808	157	91.9	85.6-98.2	11	8.1	1.8-14.4
Hispanic	393	52,274	373	94.8	91.9-97.7	20	5.2	2.3- 8.1
18-24	228	79,881	201	88.3	83.0-93.6	27	11.7	6.4-17.0
25-34	418	114,024	374	87.7	83.4-92.0	44	12.3	8.0-16.6
35-44	425	100,292	394	92.0	88.5-95.5	31	8.0	4.5-11.5
45-54	593	110,787	562	94.6	92.2-97.0	31	5.4	3.0- 7.8
55-64	811	122,067	755	93.8	91.6-96.0	56	6.2	4.0- 8.4
65+	1289	160,186	1232	95.4	93.8-97.0	57	4.6	3.0- 6.2
Less Than H.S.	383	78,772	348	91.0	87.1-94.9	35	9.0	5.1-12.9
H.S. or G.E.D.	1039	206,386	953	90.2	87.7-92.7	86	9.8	7.3-12.3
Some Post-H.S.	940	198,207	881	92.2	89.7-94.7	59	7.8	5.3-10.3
College Graduate	1379	199,278	1313	95.2	93.6-96.8	66	4.8	3.2- 6.4
Less than \$15,000	298	44,165	275	88.8	83.3-94.3	23	11.2	5.7-16.7
\$15,000- 24,999	564	93,412	512	91.4	88.3-94.5	52	8.6	5.5-11.7
\$25,000- 34,999	344	57,871	323	91.6	86.9-96.3	21	8.4	3.7-13.1
\$35,000- 49,999	428	80,033	399	91.0	86.9-95.1	29	9.0	4.9-13.1
\$50,000- 74,999	469	91,241	435	92.9	89.8-96.0	34	7.1	4.0-10.2
\$75,000+	971	188,706	919	93.5	91.1-95.9	52	6.5	4.1- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1677	325,941	1532	90.6	88.6-92.6	145	9.4	7.4-11.4
White/Non-Hisp	1130	210,588	1040	91.4	89.0-93.8	90	8.6	6.2-11.0
Black or Afr. Am./Non-Hisp	195	59,997	169	87.0	80.5-93.5	26	13.0	6.5-19.5
Oth. Race/Non-Hisp.	105	18,811	95	87.7	77.5-97.9	10	12.3	2.1-22.5
Hispanic	183	23,495	170	94.0	89.9-98.1	13	6.0	1.9-10.1
18-24	132	39,816	117	89.8	83.1-96.5	15	10.2	3.5-16.9
25-34	214	56,913	184	83.3	76.2-90.4	30	16.7	9.6-23.8
35-44	190	47,943	169	88.7	82.6-94.8	21	11.3	5.2-17.4
45-54	260	50,909	241	93.4	90.1-96.7	19	6.6	3.3- 9.9
55-64	328	57,649	297	92.7	89.4-96.0	31	7.3	4.0-10.6
65+	553	72,710	524	94.3	91.6-97.0	29	5.7	3.0- 8.4
Less Than H.S.	186	38,071	166	93.4	89.7-97.1	20	6.6	2.9-10.3
H.S. or G.E.D.	490	104,745	439	88.5	84.6-92.4	51	11.5	7.6-15.4
Some Post-H.S.	388	92,518	354	89.7	85.4-94.0	34	10.3	6.0-14.6
College Graduate	601	87,210	561	92.5	89.4-95.6	40	7.5	4.4-10.6
Less than \$15,000	104	15,979	93	87.3	78.5-96.1	11	12.7	3.9-21.5
\$15,000- 24,999	235	40,827	205	90.7	86.6-94.8	30	9.3	5.2-13.4
\$25,000- 34,999	146	27,435	135	90.1	82.5-97.7	11	9.9	2.3-17.5
\$35,000- 49,999	190	35,928	175	89.2	82.5-95.9	15	10.8	4.1-17.5
\$50,000- 74,999	238	47,130	216	91.4	86.9-95.9	22	8.6	4.1-13.1
\$75,000+	477	100,630	439	91.0	87.3-94.7	38	9.0	5.3-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	361,295	1986	94.0	92.4-95.6	101	6.0	4.4- 7.6
White/Non-Hisp	1420	232,805	1355	94.3	92.3-96.3	65	5.7	3.7- 7.7
Black or Afr. Am./Non-Hisp	312	72,859	290	92.4	88.5-96.3	22	7.6	3.7-11.5
Oth. Race/Non-Hisp.	63	14,997	62	97.2	91.7- 100	1	2.8	0.0- 8.3
Hispanic	210	28,779	203	95.4	91.3-99.5	7	4.6	0.5- 8.7
18-24	96	40,065	84	86.8	78.8-94.8	12	13.2	5.2-21.2
25-34	204	57,111	190	92.1	87.2-97.0	14	7.9	3.0-12.8
35-44	235	52,348	225	95.0	91.1-98.9	10	5.0	1.1- 8.9
45-54	333	59,878	321	95.5	92.2-98.8	12	4.5	1.2- 7.8
55-64	483	64,418	458	94.8	92.1-97.5	25	5.2	2.5- 7.9
65+	736	87,476	708	96.3	94.7-97.9	28	3.7	2.1- 5.3
Less Than H.S.	197	40,701	182	88.7	81.8-95.6	15	11.3	4.4-18.2
H.S. or G.E.D.	549	101,641	514	91.9	88.6-95.2	35	8.1	4.8-11.4
Some Post-H.S.	552	105,688	527	94.5	91.6-97.4	25	5.5	2.6- 8.4
College Graduate	778	112,069	752	97.3	95.9-98.7	26	2.7	1.3- 4.1
Less than \$15,000	194	28,185	182	89.6	82.7-96.5	12	10.4	3.5-17.3
\$15,000- 24,999	329	52,585	307	92.0	87.3-96.7	22	8.0	3.3-12.7
\$25,000- 34,999	198	30,436	188	93.0	87.3-98.7	10	7.0	1.3-12.7
\$35,000- 49,999	238	44,105	224	92.5	87.2-97.8	14	7.5	2.2-12.8
\$50,000- 74,999	231	44,110	219	94.5	90.0-99.0	12	5.5	1.0-10.0
\$75,000+	494	88,076	480	96.4	93.7-99.1	14	3.6	0.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
 SECTION 15: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1273	158,538	835	65.2	61.9-68.5	438	34.8	31.5-38.1
Male	547	72,084	361	64.4	59.3-69.5	186	35.6	30.5-40.7
Female	726	86,454	474	65.9	61.6-70.2	252	34.1	29.8-38.4
White/Non-Hisp	1055	127,262	704	67.2	63.7-70.7	351	32.8	29.3-36.3
Black or Afr. Am./Non-Hisp	105	17,863	53	46.6	35.2-58.0	52	53.4	42.0-64.8
65+	1273	158,538	835	65.2	61.9-68.5	438	34.8	31.5-38.1
Less Than H.S.	89	16,815	53	56.2	42.7-69.7	36	43.8	30.3-57.3
H.S. or G.E.D.	342	47,186	218	63.4	56.9-69.9	124	36.6	30.1-43.1
Some Post-H.S.	352	48,849	233	66.9	61.0-72.8	119	33.1	27.2-39.0
College Graduate	484	44,891	325	68.1	63.0-73.2	159	31.9	26.8-37.0
Less than \$15,000	72	7,589	34	36.3	22.2-50.4	38	63.7	49.6-77.8
\$15,000- 24,999	187	20,648	112	59.5	50.9-68.1	75	40.5	31.9-49.1
\$25,000- 34,999	138	16,929	97	67.9	57.3-78.5	41	32.1	21.5-42.7
\$35,000- 49,999	166	22,052	114	70.3	61.9-78.7	52	29.7	21.3-38.1
\$50,000- 74,999	177	23,795	120	70.2	62.0-78.4	57	29.8	21.6-38.0
\$75,000+	259	30,626	180	68.0	60.7-75.3	79	32.0	24.7-39.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	547	72,084	361	64.4	59.3-69.5	186	35.6	30.5-40.7
White/Non-Hisp	451	57,217	306	67.7	62.4-73.0	145	32.3	27.0-37.6
65+	547	72,084	361	64.4	59.3-69.5	186	35.6	30.5-40.7
H.S. or G.E.D.	129	19,977	78	56.7	45.9-67.5	51	43.3	32.5-54.1
Some Post-H.S.	134	20,280	92	69.7	60.3-79.1	42	30.3	20.9-39.7
College Graduate	240	24,508	166	68.4	61.1-75.7	74	31.6	24.3-38.9
\$15,000- 24,999	60	7,272	33	52.0	36.5-67.5	27	48.0	32.5-63.5
\$35,000- 49,999	82	11,809	54	68.7	56.9-80.5	28	31.3	19.5-43.1
\$50,000- 74,999	90	11,221	60	68.6	57.2-80.0	30	31.4	20.0-42.8
\$75,000+	146	18,244	103	66.1	56.3-75.9	43	33.9	24.1-43.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	726	86,454	474	65.9	61.6-70.2	252	34.1	29.8-38.4
White/Non-Hisp	604	70,045	398	66.8	62.1-71.5	206	33.2	28.5-37.9
Black or Afr. Am./Non-Hisp	67	9,858	41	61.2	47.3-75.1	26	38.8	24.9-52.7
65+	726	86,454	474	65.9	61.6-70.2	252	34.1	29.8-38.4
H.S. or G.E.D.	213	27,209	140	68.3	60.7-75.9	73	31.7	24.1-39.3
Some Post-H.S.	218	28,569	141	64.8	57.4-72.2	77	35.2	27.8-42.6
College Graduate	244	20,383	159	67.8	60.7-74.9	85	32.2	25.1-39.3
Less than \$15,000	51	5,398	22	29.1	14.0-44.2	29	70.9	55.8-86.0
\$15,000- 24,999	127	13,376	79	63.6	53.4-73.8	48	36.4	26.2-46.6
\$25,000- 34,999	89	9,370	61	67.5	55.9-79.1	28	32.5	20.9-44.1
\$35,000- 49,999	84	10,242	60	72.2	60.4-84.0	24	27.8	16.0-39.6
\$50,000- 74,999	87	12,573	60	71.6	59.8-83.4	27	28.4	16.6-40.2
\$75,000+	113	12,382	77	70.8	60.2-81.4	36	29.2	18.6-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1240	154,390	977	77.7	74.8-80.6	263	22.3	19.4-25.2
Male	525	69,472	419	78.8	74.3-83.3	106	21.2	16.7-25.7
Female	715	84,918	558	76.8	72.7-80.9	157	23.2	19.1-27.3
White/Non-Hisp	1030	124,726	825	80.5	77.6-83.4	205	19.5	16.6-22.4
Black or Afr. Am./Non-Hisp	102	17,514	68	59.5	47.5-71.5	34	40.5	28.5-52.5
65+	1240	154,390	977	77.7	74.8-80.6	263	22.3	19.4-25.2
Less Than H.S.	88	16,744	61	73.1	61.5-84.7	27	26.9	15.3-38.5
H.S. or G.E.D.	332	46,135	247	72.8	66.7-78.9	85	27.2	21.1-33.3
Some Post-H.S.	341	46,769	282	81.4	76.3-86.5	59	18.6	13.5-23.7
College Graduate	472	43,887	382	80.6	76.1-85.1	90	19.4	14.9-23.9
Less than \$15,000	66	7,044	42	48.5	31.6-65.4	24	51.5	34.6-68.4
\$15,000- 24,999	183	20,187	138	76.1	68.7-83.5	45	23.9	16.5-31.3
\$25,000- 34,999	135	16,627	107	78.3	69.5-87.1	28	21.7	12.9-30.5
\$35,000- 49,999	165	22,002	129	80.4	73.3-87.5	36	19.6	12.5-26.7
\$50,000- 74,999	171	23,290	139	81.9	74.8-89.0	32	18.1	11.0-25.2
\$75,000+	253	29,819	208	79.7	73.0-86.4	45	20.3	13.6-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	69,472	419	78.8	74.3-83.3	106	21.2	16.7-25.7
White/Non-Hisp	434	55,610	347	80.8	76.5-85.1	87	19.2	14.9-23.5
65+	525	69,472	419	78.8	74.3-83.3	106	21.2	16.7-25.7
H.S. or G.E.D.	124	19,434	91	70.2	59.8-80.6	33	29.8	19.4-40.2
Some Post-H.S.	127	19,098	107	83.1	74.7-91.5	20	16.9	8.5-25.3
College Graduate	232	23,815	189	80.3	74.0-86.6	43	19.7	13.4-26.0
\$15,000- 24,999	58	6,978	44	81.5	70.7-92.3	14	18.5	7.7-29.3
\$35,000- 49,999	81	11,760	62	79.4	69.4-89.4	19	20.6	10.6-30.6
\$50,000- 74,999	86	10,898	70	82.7	73.7-91.7	16	17.3	8.3-26.3
\$75,000+	140	17,437	119	81.7	72.9-90.5	21	18.3	9.5-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	715	84,918	558	76.8	72.7-80.9	157	23.2	19.1-27.3
White/Non-Hisp	596	69,116	478	80.3	76.4-84.2	118	19.7	15.8-23.6
Black or Afr. Am./Non-Hisp	65	9,641	43	60.3	45.6-75.0	22	39.7	25.0-54.4
65+	715	84,918	558	76.8	72.7-80.9	157	23.2	19.1-27.3
H.S. or G.E.D.	208	26,701	156	74.7	67.3-82.1	52	25.3	17.9-32.7
Some Post-H.S.	214	27,671	175	80.2	73.7-86.7	39	19.8	13.3-26.3
College Graduate	240	20,072	193	80.9	74.8-87.0	47	19.1	13.0-25.2
\$15,000- 24,999	125	13,209	94	73.2	63.4-83.0	31	26.8	17.0-36.6
\$25,000- 34,999	90	9,494	73	80.7	70.9-90.5	17	19.3	9.5-29.1
\$35,000- 49,999	84	10,242	67	81.6	71.6-91.6	17	18.4	8.4-28.4
\$50,000- 74,999	85	12,392	69	81.2	70.6-91.8	16	18.8	8.2-29.4
\$75,000+	113	12,382	89	77.0	66.8-87.2	24	23.0	12.8-33.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3594	658,619	1489	46.5	44.1-48.9	2105	53.5	51.1-55.9
Male	1593	309,660	640	44.7	41.2-48.2	953	55.3	51.8-58.8
Female	2001	348,958	849	48.1	45.0-51.2	1152	51.9	48.8-55.0
White/Non-Hisp	2428	424,965	885	42.3	39.6-45.0	1543	57.7	55.0-60.4
Black or Afr. Am./Non-Hisp	486	127,366	292	63.8	57.7-69.9	194	36.2	30.1-42.3
Oth. Race/Non-Hisp.	158	30,999	58	38.0	27.2-48.8	100	62.0	51.2-72.8
Hispanic	382	51,119	185	43.4	36.3-50.5	197	56.6	49.5-63.7
18-24	218	76,856	86	43.8	35.4-52.2	132	56.2	47.8-64.6
25-34	402	110,693	231	59.9	53.0-66.8	171	40.1	33.2-47.0
35-44	412	96,761	287	67.0	60.3-73.7	125	33.0	26.3-39.7
45-54	573	106,677	342	61.4	56.3-66.5	231	38.6	33.5-43.7
55-64	774	115,833	303	40.2	35.5-44.9	471	59.8	55.1-64.5
65+	1215	151,798	240	19.3	16.4-22.2	975	80.7	77.8-83.6
Less Than H.S.	373	76,714	150	40.3	33.0-47.6	223	59.7	52.4-67.0
H.S. or G.E.D.	996	199,265	420	44.0	39.7-48.3	576	56.0	51.7-60.3
Some Post-H.S.	898	190,415	392	52.9	48.4-57.4	506	47.1	42.6-51.6
College Graduate	1304	187,632	521	46.0	42.3-49.7	783	54.0	50.3-57.7
Less than \$15,000	292	43,725	138	49.8	41.6-58.0	154	50.2	42.0-58.4
\$15,000- 24,999	544	91,055	247	52.6	46.7-58.5	297	47.4	41.5-53.3
\$25,000- 34,999	329	55,573	147	47.2	39.6-54.8	182	52.8	45.2-60.4
\$35,000- 49,999	412	76,607	158	44.4	37.3-51.5	254	55.6	48.5-62.7
\$50,000- 74,999	450	87,574	187	48.6	41.9-55.3	263	51.4	44.7-58.1
\$75,000+	924	179,653	398	48.5	44.0-53.0	526	51.5	47.0-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1593	309,660	640	44.7	41.2-48.2	953	55.3	51.8-58.8
White/Non-Hisp	1067	199,029	390	40.9	36.8-45.0	677	59.1	55.0-63.2
Black or Afr. Am./Non-Hisp	191	58,909	116	65.0	55.4-74.6	75	35.0	25.4-44.6
Oth. Race/Non-Hisp.	97	16,441	32	29.6	16.7-42.5	65	70.4	57.5-83.3
Hispanic	178	22,891	71	35.7	25.5-45.9	107	64.3	54.1-74.5
18-24	126	38,837	35	35.1	23.7-46.5	91	64.9	53.5-76.3
25-34	207	55,219	93	47.2	37.2-57.2	114	52.8	42.8-62.8
35-44	182	45,196	120	63.8	52.8-74.8	62	36.2	25.2-47.2
45-54	255	49,607	139	60.2	52.8-67.6	116	39.8	32.4-47.2
55-64	307	53,118	127	43.7	36.1-51.3	180	56.3	48.7-63.9
65+	516	67,682	126	24.8	19.7-29.9	390	75.2	70.1-80.3
Less Than H.S.	180	36,470	69	38.9	28.5-49.3	111	61.1	50.7-71.5
H.S. or G.E.D.	476	102,500	201	43.2	36.9-49.5	275	56.8	50.5-63.1
Some Post-H.S.	367	88,405	158	51.7	44.8-58.6	209	48.3	41.4-55.2
College Graduate	558	78,889	211	43.3	38.0-48.6	347	56.7	51.4-62.0
Less than \$15,000	103	16,038	44	52.4	38.7-66.1	59	47.6	33.9-61.3
\$15,000- 24,999	227	39,832	93	42.2	33.4-51.0	134	57.8	49.0-66.6
\$25,000- 34,999	138	26,201	59	45.5	33.7-57.3	79	54.5	42.7-66.3
\$35,000- 49,999	181	34,201	68	41.7	31.7-51.7	113	58.3	48.3-68.3
\$50,000- 74,999	230	44,805	94	45.7	36.5-54.9	136	54.3	45.1-63.5
\$75,000+	447	93,761	190	48.0	41.3-54.7	257	52.0	45.3-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	348,958	849	48.1	45.0-51.2	1152	51.9	48.8-55.0
White/Non-Hisp	1361	225,936	495	43.5	39.8-47.2	866	56.5	52.8-60.2
Black or Afr. Am./Non-Hisp	295	68,457	176	62.7	55.1-70.3	119	37.3	29.7-44.9
Oth. Race/Non-Hisp.	61	14,558	26	47.5	30.6-64.4	35	52.5	35.6-69.4
Hispanic	204	28,228	114	49.7	40.5-58.9	90	50.3	41.1-59.5
18-24	92	38,019	51	52.6	39.7-65.5	41	47.4	34.5-60.3
25-34	195	55,474	138	72.5	64.1-80.9	57	27.5	19.1-35.9
35-44	230	51,565	167	69.8	62.2-77.4	63	30.2	22.6-37.8
45-54	318	57,071	203	62.5	55.6-69.4	115	37.5	30.6-44.4
55-64	467	62,714	176	37.2	31.5-42.9	291	62.8	57.1-68.5
65+	699	84,116	114	14.9	11.8-18.0	585	85.1	82.0-88.2
Less Than H.S.	193	40,244	81	41.5	31.3-51.7	112	58.5	48.3-68.7
H.S. or G.E.D.	520	96,765	219	44.9	39.0-50.8	301	55.1	49.2-61.0
Some Post-H.S.	531	102,011	234	53.9	48.0-59.8	297	46.1	40.2-52.0
College Graduate	746	108,743	310	47.9	43.0-52.8	436	52.1	47.2-57.0
Less than \$15,000	189	27,687	94	48.3	38.3-58.3	95	51.7	41.7-61.7
\$15,000- 24,999	317	51,224	154	60.8	53.5-68.1	163	39.2	31.9-46.5
\$25,000- 34,999	191	29,372	88	48.8	38.6-59.0	103	51.2	41.0-61.4
\$35,000- 49,999	231	42,406	90	46.6	37.0-56.2	141	53.4	43.8-63.0
\$50,000- 74,999	220	42,768	93	51.7	42.5-60.9	127	48.3	39.1-57.5
\$75,000+	477	85,893	208	49.1	43.2-55.0	269	50.9	45.0-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2017**

End of Calculated Variable Data Report