

DELAWARE

2017 Core Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4123	755,763	659	16.8	15.2-18.4	1199	31.1	28.9-33.3	1387	33.4	31.4-35.4	646	14.0	12.6-15.4	232	4.9	4.1- 5.7
Male	1841	361,024	300	16.8	14.4-19.2	556	32.0	28.9-35.1	610	33.3	30.2-36.4	275	12.9	10.7-15.1	100	5.1	3.7- 6.5
Female	2282	394,739	359	16.7	14.5-18.9	643	30.2	27.5-32.9	777	33.4	30.7-36.1	371	15.0	13.0-17.0	132	4.6	3.4- 5.8
White/Non-Hisp	2736	478,885	445	17.0	15.0-19.0	888	33.8	31.3-36.3	870	31.3	28.9-33.7	372	12.1	10.5-13.7	161	5.8	4.6- 7.0
Black or Afr. Am./Non-Hisp	583	152,804	89	17.7	13.6-21.8	136	26.5	21.2-31.8	232	38.0	32.5-43.5	101	15.5	11.6-19.4	25	2.3	1.1- 3.5
Oth. Race/Non-Hisp.	193	37,144	35	18.3	10.7-25.9	54	31.0	22.0-40.0	64	34.0	24.8-43.2	29	12.7	6.6-18.8	11	4.0	0.9- 7.1
Hispanic	445	58,782	64	13.3	9.4-17.2	75	20.9	14.0-27.8	170	38.9	32.4-45.4	112	22.6	17.3-27.9	24	4.3	1.9- 6.7
18-24	261	88,941	66	21.3	15.4-27.2	77	29.7	22.4-37.0	87	35.2	27.4-43.0	29	13.6	7.7-19.5	2	0.2	0.0- 0.6
25-34	468	126,126	92	18.0	13.3-22.7	155	39.4	32.9-45.9	153	29.7	24.0-35.4	57	10.0	6.3-13.7	11	2.8	0.6- 5.0
35-44	475	112,766	86	17.6	13.1-22.1	139	33.7	27.6-39.8	151	31.7	26.2-37.2	84	13.9	10.2-17.6	15	3.1	1.1- 5.1
45-54	646	122,653	101	16.6	12.9-20.3	186	31.3	26.4-36.2	210	32.6	27.9-37.3	105	14.4	11.1-17.7	44	5.0	3.0- 7.0
55-64	878	132,161	140	18.7	15.2-22.2	245	27.2	23.5-30.9	288	32.9	28.8-37.0	141	14.3	11.2-17.4	64	6.9	4.5- 9.3
65+	1395	173,116	174	11.6	9.6-13.6	397	26.7	23.8-29.6	498	37.0	33.9-40.1	230	16.4	14.0-18.8	96	8.2	6.0-10.4
Less Than H.S.	439	88,221	39	8.2	5.1-11.3	54	18.1	11.6-24.6	151	36.8	30.3-43.3	147	26.6	21.1-32.1	48	10.3	6.4-14.2
H.S. or G.E.D.	1172	235,174	160	13.4	10.9-15.9	278	27.3	23.4-31.2	416	35.7	31.8-39.6	229	18.0	15.1-20.9	89	5.6	4.0- 7.2
Some Post-H.S.	1016	216,565	155	18.9	15.4-22.4	310	32.1	28.2-36.0	350	32.0	28.1-35.9	150	12.4	9.7-15.1	51	4.6	2.8- 6.4
College Graduate	1473	211,466	299	21.6	18.7-24.5	549	39.7	36.4-43.0	465	31.0	27.9-34.1	118	5.7	4.5- 6.9	42	2.0	1.2- 2.8
Less than \$15,000	329	50,851	31	11.9	6.8-17.0	33	8.7	5.0-12.4	111	34.5	27.4-41.6	108	33.6	26.2-41.0	46	11.4	6.9-15.9
\$15,000- 24,999	611	102,259	58	11.5	7.8-15.2	108	19.6	14.9-24.3	220	36.1	30.8-41.4	158	23.6	19.1-28.1	67	9.3	6.6-12.0
\$25,000- 34,999	384	65,860	44	13.2	8.3-18.1	104	29.8	22.9-36.7	148	34.6	28.1-41.1	61	14.8	9.5-20.1	27	7.5	3.6-11.4
\$35,000- 49,999	469	87,889	58	11.0	7.3-14.7	145	35.7	29.0-42.4	186	40.0	33.3-46.7	62	10.1	7.2-13.0	18	3.2	1.4- 5.0
\$50,000- 74,999	489	94,591	95	21.6	16.1-27.1	172	33.6	27.7-39.5	162	31.5	25.8-37.2	48	9.6	5.9-13.3	12	3.7	1.0- 6.4
\$75,000+	1033	203,142	240	23.5	20.0-27.0	410	41.2	37.1-45.3	309	29.0	25.3-32.7	62	5.6	3.6- 7.6	12	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	361,024	300	16.8	14.4-19.2	556	32.0	28.9-35.1	610	33.3	30.2-36.4	275	12.9	10.7-15.1	100	5.1	3.7- 6.5
White/Non-Hisp	1212	228,882	203	17.6	14.7-20.5	395	32.7	29.2-36.2	396	32.2	28.7-35.7	150	11.3	8.9-13.7	68	6.1	4.3- 7.9
Black or Afr. Am./Non-Hisp	225	70,370	36	15.6	9.7-21.5	61	31.7	22.7-40.7	76	36.6	28.0-45.2	44	14.3	8.8-19.8	8	1.8	0.2- 3.4
Oth. Race/Non-Hisp.	118	20,276	17	21.7	9.7-33.7	36	29.9	18.9-40.9	41	34.3	22.3-46.3	16	9.9	3.4-16.4	8	4.2	0.9- 7.5
Hispanic	213	27,121	34	13.2	7.9-18.5	41	27.1	15.1-39.1	77	35.9	26.3-45.5	51	18.7	12.2-25.2	10	5.2	1.5- 8.9
18-24	154	45,142	39	23.7	15.3-32.1	42	21.8	14.5-29.1	54	40.3	29.7-50.9	17	13.7	5.7-21.7	2	0.5	0.0- 1.3
25-34	241	63,224	49	15.5	9.8-21.2	80	44.1	34.7-53.5	78	29.9	21.9-37.9	30	9.2	4.3-14.1	4	1.1	0.0- 2.3
35-44	219	54,837	39	18.7	11.6-25.8	77	38.1	28.5-47.7	63	29.9	21.5-38.3	37	12.3	7.2-17.4	3	1.0	0.0- 2.4
45-54	289	58,619	40	14.9	9.4-20.4	88	32.6	25.2-40.0	93	31.8	24.7-38.9	46	15.3	10.0-20.6	22	5.4	2.7- 8.1
55-64	354	62,141	58	19.4	13.7-25.1	100	25.2	19.5-30.9	116	34.1	27.4-40.8	56	13.6	8.7-18.5	24	7.7	3.6-11.8
65+	584	77,062	75	11.8	8.7-14.9	169	28.5	24.0-33.0	206	34.7	29.8-39.6	89	13.3	10.2-16.4	45	11.7	7.6-15.8
Less Than H.S.	215	42,935	23	10.7	5.2-16.2	29	20.2	9.6-30.8	70	31.4	22.8-40.0	71	25.4	17.4-33.4	22	12.3	6.0-18.6
H.S. or G.E.D.	545	118,967	76	11.1	8.0-14.2	130	29.0	22.9-35.1	200	37.6	31.7-43.5	96	16.3	12.0-20.6	43	6.0	3.6- 8.4
Some Post-H.S.	429	103,887	78	22.9	17.4-28.4	141	33.3	27.4-39.2	139	30.7	24.8-36.6	54	9.3	5.8-12.8	17	3.8	1.4- 6.2
College Graduate	639	92,007	118	19.4	15.3-23.5	253	40.4	35.5-45.3	198	32.0	27.1-36.9	53	6.3	4.3- 8.3	17	2.0	0.8- 3.2
Less than \$15,000	120	18,115	14	8.7	2.8-14.6	8	4.1	0.4- 7.8	37	36.6	24.1-49.1	47	41.5	28.6-54.4	14	9.1	3.6-14.6
\$15,000- 24,999	251	44,595	28	13.1	7.0-19.2	44	18.0	11.1-24.9	86	36.3	28.3-44.3	64	21.9	14.8-29.0	29	10.8	6.1-15.5
\$25,000- 34,999	165	31,648	21	14.1	6.5-21.7	48	30.1	19.9-40.3	58	28.1	19.1-37.1	25	16.6	7.6-25.6	13	11.1	3.7-18.5
\$35,000- 49,999	212	41,281	30	12.1	6.8-17.4	65	36.2	26.0-46.4	83	39.2	29.6-48.8	25	8.2	4.3-12.1	9	4.3	1.2- 7.4
\$50,000- 74,999	253	50,064	48	20.5	13.4-27.6	85	33.6	25.0-42.2	86	29.7	22.3-37.1	25	10.4	4.3-16.5	9	5.8	1.1-10.5
\$75,000+	509	109,457	104	22.0	17.1-26.9	210	42.1	35.8-48.4	153	29.6	24.1-35.1	36	5.6	3.1- 8.1	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	394,739	359	16.7	14.5-18.9	643	30.2	27.5-32.9	777	33.4	30.7-36.1	371	15.0	13.0-17.0	132	4.6	3.4- 5.8
White/Non-Hisp	1524	250,002	242	16.4	13.9-18.9	493	34.8	31.3-38.3	474	30.4	27.3-33.5	222	12.9	10.7-15.1	93	5.6	4.0- 7.2
Black or Afr. Am./Non-Hisp	358	82,434	53	19.6	13.7-25.5	75	22.0	16.3-27.7	156	39.2	32.3-46.1	57	16.6	11.1-22.1	17	2.7	1.1- 4.3
Oth. Race/Non-Hisp.	75	16,868	18	14.3	6.3-22.3	18	32.3	17.4-47.2	23	33.7	19.2-48.2	13	16.0	5.0-27.0	3	3.7	0.0- 9.4
Hispanic	232	31,661	30	13.4	7.7-19.1	34	15.6	8.7-22.5	93	41.5	33.1-49.9	61	25.9	18.1-33.7	14	3.6	0.7- 6.5
18-24	107	43,799	27	18.8	10.8-26.8	35	37.7	25.7-49.7	33	29.9	18.9-40.9	12	13.5	4.7-22.3			
25-34	227	62,902	43	20.5	13.1-27.9	75	34.7	26.1-43.3	75	29.5	21.3-37.7	27	10.9	5.4-16.4	7	4.4	0.1- 8.7
35-44	256	57,929	47	16.6	11.1-22.1	62	29.5	22.1-36.9	88	33.4	26.1-40.7	47	15.5	10.0-21.0	12	5.0	1.5- 8.5
45-54	357	64,034	61	18.2	13.1-23.3	98	30.1	23.8-36.4	117	33.3	26.8-39.8	59	13.7	9.6-17.8	22	4.7	2.2- 7.2
55-64	524	70,020	82	18.1	13.8-22.4	145	29.0	24.1-33.9	172	31.9	26.6-37.2	85	14.9	11.0-18.8	40	6.1	3.6- 8.6
65+	811	96,054	99	11.4	8.7-14.1	228	25.3	21.8-28.8	292	38.9	34.6-43.2	141	18.9	15.4-22.4	51	5.4	3.4- 7.4
Less Than H.S.	224	45,286	16	5.8	2.3- 9.3	25	16.1	8.5-23.7	81	42.0	32.8-51.2	76	27.7	20.3-35.1	26	8.4	3.9-12.9
H.S. or G.E.D.	627	116,207	84	15.7	11.8-19.6	148	25.5	20.4-30.6	216	33.8	28.5-39.1	133	19.8	15.7-23.9	46	5.1	2.9- 7.3
Some Post-H.S.	587	112,678	77	15.3	11.0-19.6	169	31.0	25.7-36.3	211	33.2	28.1-38.3	96	15.2	11.1-19.3	34	5.3	2.8- 7.8
College Graduate	834	119,458	181	23.3	19.4-27.2	296	39.2	34.5-43.9	267	30.3	26.0-34.6	65	5.3	3.7- 6.9	25	2.0	0.8- 3.2
Less than \$15,000	209	32,736	17	13.7	6.4-21.0	25	11.2	5.9-16.5	74	33.3	24.7-41.9	61	29.1	20.1-38.1	32	12.6	6.5-18.7
\$15,000- 24,999	360	57,664	30	10.3	5.6-15.0	64	20.8	14.5-27.1	134	35.9	28.6-43.2	94	24.9	18.8-31.0	38	8.2	5.1-11.3
\$25,000- 34,999	219	34,212	23	12.4	6.3-18.5	56	29.6	20.4-38.8	90	40.7	31.7-49.7	36	13.2	7.1-19.3	14	4.2	1.7- 6.7
\$35,000- 49,999	257	46,608	28	10.1	4.8-15.4	80	35.3	26.3-44.3	103	40.7	31.7-49.7	37	11.8	7.3-16.3	9	2.2	0.4- 4.0
\$50,000- 74,999	236	44,528	47	22.9	14.5-31.3	87	33.6	25.6-41.6	76	33.5	24.9-42.1	23	8.8	4.5-13.1	3	1.3	0.0- 2.9
\$75,000+	524	93,685	136	25.4	20.7-30.1	200	40.2	34.7-45.7	156	28.2	23.3-33.1	26	5.7	3.0- 8.4	6	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4048	741,366	2571	66.0	64.0-68.0	348	8.7	7.5- 9.9	428	10.2	8.8-11.6	349	7.9	6.7- 9.1	352	7.1	6.1- 8.1
Male	1809	353,587	1184	67.7	64.8-70.6	158	8.9	7.1-10.7	182	9.7	7.7-11.7	137	6.5	4.9- 8.1	148	7.0	5.4- 8.6
Female	2239	387,779	1387	64.4	61.7-67.1	190	8.6	7.0-10.2	246	10.7	8.9-12.5	212	9.2	7.4-11.0	204	7.1	5.7- 8.5
White/Non-Hisp	2688	470,135	1647	63.3	60.8-65.8	256	9.7	8.1-11.3	294	10.6	9.0-12.2	240	8.1	6.7- 9.5	251	8.3	6.9- 9.7
Black or Afr. Am./Non-Hisp	576	150,073	388	70.8	65.7-75.9	34	6.6	3.9- 9.3	62	10.2	6.7-13.7	55	8.1	5.0-11.2	37	4.4	2.6- 6.2
Oth. Race/Non-Hisp.	191	37,048	134	79.3	72.4-86.2	22	7.9	4.0-11.8	11	4.4	0.5- 8.3	12	5.5	1.4- 9.6	12	2.8	1.0- 4.6
Hispanic	432	57,144	311	72.7	66.8-78.6	24	6.1	3.2- 9.0	43	9.8	5.9-13.7	28	6.3	3.2- 9.4	26	5.1	2.6- 7.6
18-24	253	85,034	168	66.4	58.8-74.0	35	11.1	7.0-15.2	30	13.6	7.9-19.3	12	6.8	1.9-11.7	8	2.0	0.4- 3.6
25-34	460	124,159	324	69.6	63.5-75.7	42	10.0	6.3-13.7	51	9.7	5.8-13.6	28	7.0	3.7-10.3	15	3.7	1.0- 6.4
35-44	472	111,953	342	74.0	68.9-79.1	42	10.4	6.7-14.1	40	6.9	4.0- 9.8	29	5.9	3.4- 8.4	19	2.8	1.0- 4.6
45-54	638	121,381	378	60.9	55.8-66.0	68	10.9	7.6-14.2	74	12.4	8.7-16.1	57	8.5	5.8-11.2	61	7.2	5.0- 9.4
55-64	867	131,125	527	64.6	60.5-68.7	63	5.9	4.1- 7.7	87	9.8	7.1-12.5	86	8.1	5.9-10.3	104	11.7	8.8-14.6
65+	1358	167,715	832	62.6	59.3-65.9	98	6.1	4.5- 7.7	146	9.9	7.9-11.9	137	10.0	8.0-12.0	145	11.3	8.9-13.7
Less Than H.S.	426	87,241	253	61.5	54.8-68.2	19	4.0	1.6- 6.4	54	13.1	8.2-18.0	46	10.7	6.6-14.8	54	10.7	7.0-14.4
H.S. or G.E.D.	1144	226,227	721	66.3	62.4-70.2	91	8.5	6.3-10.7	117	9.8	7.3-12.3	90	6.3	4.5- 8.1	125	9.2	7.0-11.4
Some Post-H.S.	999	213,705	616	64.9	61.0-68.8	92	8.6	6.4-10.8	99	9.8	7.1-12.5	101	10.0	7.5-12.5	91	6.7	4.7- 8.7
College Graduate	1456	209,817	962	68.7	65.6-71.8	145	10.9	8.5-13.3	157	10.1	8.1-12.1	110	6.5	4.7- 8.3	82	3.9	2.9- 4.9
Less than \$15,000	322	50,232	149	50.9	43.3-58.5	22	7.8	3.3-12.3	34	10.2	5.5-14.9	53	16.6	10.5-22.7	64	14.5	10.2-18.8
\$15,000- 24,999	601	101,422	321	55.8	50.3-61.3	43	6.7	4.2- 9.2	83	13.7	10.0-17.4	72	12.0	8.1-15.9	82	11.9	8.6-15.2
\$25,000- 34,999	379	65,435	242	67.9	61.2-74.6	31	5.9	2.8- 9.0	41	10.5	6.4-14.6	28	5.2	2.7- 7.7	37	10.5	5.4-15.6
\$35,000- 49,999	467	87,196	296	65.2	58.7-71.7	46	8.5	5.4-11.6	51	13.4	7.9-18.9	45	8.3	5.2-11.4	29	4.6	2.4- 6.8
\$50,000- 74,999	484	94,028	327	65.5	59.2-71.8	45	11.1	7.0-15.2	48	10.6	5.9-15.3	37	7.4	4.3-10.5	27	5.5	2.6- 8.4
\$75,000+	1023	200,675	728	74.0	70.5-77.5	105	11.0	8.5-13.5	99	8.3	6.1-10.5	51	4.3	2.9- 5.7	40	2.4	1.6- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1809	353,587	1184	67.7	64.8-70.6	158	8.9	7.1-10.7	182	9.7	7.7-11.7	137	6.5	4.9- 8.1	148	7.0	5.4- 8.6
White/Non-Hisp	1191	223,964	753	64.7	61.0-68.4	121	10.1	7.7-12.5	124	10.8	8.3-13.3	89	6.2	4.6- 7.8	104	8.2	6.0-10.4
Black or Afr. Am./Non-Hisp	221	68,976	148	71.0	63.2-78.8	14	6.9	2.6-11.2	22	10.0	4.5-15.5	20	6.9	2.8-11.0	17	5.1	2.4- 7.8
Oth. Race/Non-Hisp.	116	20,180	78	80.0	72.0-88.0	11	6.8	1.9-11.7	9	3.6	0.7- 6.5	10	5.5	1.0-10.0	8	4.0	0.9- 7.1
Hispanic	209	26,427	162	82.2	75.7-88.7	7	3.6	0.3- 6.9	19	5.8	2.7- 8.9	11	5.0	1.3- 8.7	10	3.4	1.0- 5.8
18-24	149	43,216	99	70.4	61.4-79.4	23	14.2	7.5-20.9	16	9.9	4.0-15.8	4	2.3	0.0- 4.7	7	3.2	0.7- 5.7
25-34	237	61,568	171	72.2	63.8-80.6	21	9.8	4.5-15.1	25	9.3	3.6-15.0	14	7.3	2.4-12.2	6	1.3	0.1- 2.5
35-44	217	54,791	164	76.9	69.3-84.5	15	9.6	3.9-15.3	19	5.8	1.9- 9.7	12	4.7	1.4- 8.0	7	3.0	0.1- 5.9
45-54	287	58,507	179	61.8	54.2-69.4	30	10.9	6.2-15.6	31	14.2	7.5-20.9	24	7.6	3.7-11.5	23	5.5	2.8- 8.2
55-64	348	61,371	224	66.8	60.1-73.5	23	5.3	2.8- 7.8	26	8.3	4.0-12.6	32	7.0	3.7-10.3	43	12.6	7.7-17.5
65+	571	74,133	347	61.1	56.0-66.2	46	6.1	3.9- 8.3	65	10.6	7.7-13.5	51	8.5	5.8-11.2	62	13.7	9.4-18.0
Less Than H.S.	212	42,756	125	58.4	48.4-68.4	10	5.4	0.9- 9.9	28	14.1	6.1-22.1	21	9.5	4.0-15.0	28	12.6	6.3-18.9
H.S. or G.E.D.	531	113,950	355	70.4	64.9-75.9	37	7.8	4.9-10.7	47	7.3	4.0-10.6	35	5.3	2.8- 7.8	57	9.2	6.1-12.3
Some Post-H.S.	423	102,504	272	68.3	62.4-74.2	41	9.1	5.6-12.6	44	10.2	6.3-14.1	37	7.3	4.4-10.2	29	5.1	2.7- 7.5
College Graduate	630	91,111	421	68.1	63.4-72.8	69	11.4	7.9-14.9	63	10.6	7.3-13.9	43	5.7	3.7- 7.7	34	4.2	2.6- 5.8
Less than \$15,000	117	17,461	57	41.3	29.1-53.5	5	8.1	0.0-17.3	12	10.5	1.9-19.1	20	24.5	11.6-37.4	23	15.6	8.0-23.2
\$15,000- 24,999	247	43,984	133	55.5	47.1-63.9	17	6.1	2.4- 9.8	36	15.4	9.3-21.5	29	11.6	5.5-17.7	32	11.3	6.2-16.4
\$25,000- 34,999	164	31,770	104	65.8	55.6-76.0	14	7.8	1.7-13.9	17	10.1	4.4-15.8	11	3.1	0.9- 5.3	18	13.3	5.7-20.9
\$35,000- 49,999	211	40,835	144	71.7	62.7-80.7	16	5.4	2.3- 8.5	22	12.2	4.2-20.2	18	6.8	2.9-10.7	11	3.9	1.2- 6.6
\$50,000- 74,999	250	49,806	169	63.4	54.4-72.4	26	12.0	6.3-17.7	28	12.0	4.7-19.3	12	4.9	1.4- 8.4	15	7.7	2.6-12.8
\$75,000+	505	107,998	360	74.7	69.6-79.8	57	11.6	7.7-15.5	41	7.4	4.3-10.5	25	3.6	2.0- 5.2	22	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2239	387,779	1387	64.4	61.7-67.1	190	8.6	7.0-10.2	246	10.7	8.9-12.5	212	9.2	7.4-11.0	204	7.1	5.7- 8.5			
White/Non-Hisp	1497	246,171	894	62.0	58.7-65.3	135	9.4	7.4-11.4	170	10.4	8.4-12.4	151	9.9	7.7-12.1	147	8.3	6.3-10.3			
Black or Afr. Am./Non-Hisp	355	81,097	240	70.5	64.0-77.0	20	6.3	3.0- 9.6	40	10.4	5.7-15.1	35	9.1	4.8-13.4	20	3.7	1.5- 5.9			
Oth. Race/Non-Hisp.	75	16,868	56	78.5	66.7-90.3	11	9.2	2.7-15.7	2	5.3	0.0-12.9	2	5.6	0.0-13.0	4	1.5	0.0- 3.3			
Hispanic	223	30,717	149	64.6	56.0-73.2	17	8.2	3.5-12.9	24	13.2	6.5-19.9	17	7.3	2.4-12.2	16	6.6	2.5-10.7			
18-24	104	41,818	69	62.4	50.4-74.4	12	8.0	3.1-12.9	14	17.4	7.8-27.0	8	11.5	2.1-20.9	1	0.7	0.0- 2.1			
25-34	223	62,590	153	67.0	58.4-75.6	21	10.2	5.3-15.1	26	10.1	4.8-15.4	14	6.8	2.3-11.3	9	6.0	0.9-11.1			
35-44	255	57,161	178	71.1	64.2-78.0	27	11.2	6.5-15.9	21	7.9	3.6-12.2	17	7.1	3.2-11.0	12	2.7	0.9- 4.5			
45-54	351	62,874	199	60.1	53.6-66.6	38	11.0	6.5-15.5	43	10.8	7.1-14.5	33	9.2	5.5-12.9	38	8.9	5.6-12.2			
55-64	519	69,754	303	62.6	57.3-67.9	40	6.3	3.9- 8.7	61	11.1	7.8-14.4	54	9.1	6.2-12.0	61	10.8	7.3-14.3			
65+	787	93,582	485	63.8	59.7-67.9	52	6.2	4.0- 8.4	81	9.4	7.0-11.8	86	11.2	8.3-14.1	83	9.4	7.0-11.8			
Less Than H.S.	214	44,485	128	64.4	55.8-73.0	9	2.6	0.6- 4.6	26	12.2	6.3-18.1	25	11.9	5.6-18.2	26	8.9	4.6-13.2			
H.S. or G.E.D.	613	112,277	366	62.0	56.7-67.3	54	9.3	6.2-12.4	70	12.3	8.4-16.2	55	7.3	4.8- 9.8	68	9.1	6.2-12.0			
Some Post-H.S.	576	111,201	344	61.7	56.2-67.2	51	8.2	5.7-10.7	55	9.6	6.1-13.1	64	12.4	8.3-16.5	62	8.1	5.2-11.0			
College Graduate	826	118,705	541	69.1	64.8-73.4	76	10.5	7.4-13.6	94	9.7	7.3-12.1	67	7.0	4.3- 9.7	48	3.7	2.3- 5.1			
Less than \$15,000	205	32,771	92	56.0	46.8-65.2	17	7.7	2.8-12.6	22	10.0	4.5-15.5	33	12.4	6.5-18.3	41	13.9	8.6-19.2			
\$15,000- 24,999	354	57,438	188	56.0	48.7-63.3	26	7.1	3.4-10.8	47	12.4	7.9-16.9	43	12.2	7.3-17.1	50	12.3	8.0-16.6			
\$25,000- 34,999	215	33,665	138	69.8	61.0-78.6	17	4.1	1.7- 6.5	24	11.0	5.1-16.9	17	7.3	2.8-11.8	19	7.8	1.1-14.5			
\$35,000- 49,999	256	46,361	152	59.4	50.4-68.4	30	11.3	6.2-16.4	29	14.5	6.9-22.1	27	9.6	4.9-14.3	18	5.3	2.2- 8.4			
\$50,000- 74,999	234	44,222	158	67.8	59.2-76.4	19	10.1	4.2-16.0	20	9.0	2.9-15.1	25	10.2	4.9-15.5	12	2.9	0.9- 4.9			
\$75,000+	518	92,676	368	73.1	68.2-78.0	48	10.3	7.0-13.6	58	9.5	6.4-12.6	26	5.0	2.6- 7.4	18	2.2	1.0- 3.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None																			
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
TOTAL	4062	748,110	2846	66.9	64.7-69.1		256	7.4	6.0- 8.8		350	9.7	8.3-11.1		307	8.5	7.3- 9.7		303	7.5	6.3- 8.7	
Male	1814	358,010	1340	70.9	67.8-74.0		106	7.1	4.9- 9.3		130	8.2	6.4-10.0		112	6.5	4.9- 8.1		126	7.3	5.5- 9.1	
Female	2248	390,100	1506	63.2	60.3-66.1		150	7.8	6.0- 9.6		220	11.1	9.1-13.1		195	10.3	8.3-12.3		177	7.6	6.0- 9.2	
White/Non-Hisp	2699	474,306	1872	65.2	62.7-67.7		182	8.0	6.2- 9.8		237	10.2	8.4-12.0		210	9.2	7.6-10.8		198	7.3	5.9- 8.7	
Black or Afr. Am./Non-Hisp	575	150,614	417	68.9	63.2-74.6		29	7.3	3.0-11.6		47	8.5	5.6-11.4		45	8.1	5.0-11.2		37	7.1	4.0-10.2	
Oth. Race/Non-Hisp.	190	37,244	137	75.2	67.2-83.2		9	3.3	0.8- 5.8		14	9.1	3.6-14.6		12	5.7	0.6-10.8		18	6.7	2.8-10.6	
Hispanic	434	57,711	322	75.7	70.2-81.2		25	5.2	2.5- 7.9		33	8.3	4.6-12.0		26	5.3	2.8- 7.8		28	5.4	2.9- 7.9	
18-24	260	88,865	151	52.9	44.9-60.9		26	12.7	6.6-18.8		34	13.7	8.6-18.8		28	11.5	6.2-16.8		21	9.3	4.6-14.0	
25-34	465	124,927	284	58.3	51.8-64.8		40	9.0	5.3-12.7		56	13.1	8.6-17.6		44	9.5	6.0-13.0		41	10.1	5.8-14.4	
35-44	471	112,456	314	63.1	56.8-69.4		35	10.8	5.3-16.3		44	9.3	5.8-12.8		43	10.3	6.6-14.0		35	6.6	3.7- 9.5	
45-54	639	121,618	407	66.5	61.8-71.2		39	5.7	3.3- 8.1		66	10.0	7.3-12.7		60	9.0	6.1-11.9		67	8.7	6.3-11.1	
55-64	859	130,402	584	70.0	65.9-74.1		50	4.8	3.0- 6.6		74	9.4	6.9-11.9		76	8.7	6.0-11.4		75	7.1	4.9- 9.3	
65+	1368	169,842	1106	80.9	78.2-83.6		66	4.5	3.1- 5.9		76	5.4	3.8- 7.0		56	4.5	2.9- 6.1		64	4.6	3.2- 6.0	
Less Than H.S.	427	87,326	299	67.5	60.8-74.2		22	7.1	2.6-11.6		27	7.6	3.9-11.3		33	7.2	3.9-10.5		46	10.6	6.5-14.7	
H.S. or G.E.D.	1146	230,187	782	64.8	60.7-68.9		61	7.7	4.6-10.8		98	9.2	6.8-11.6		100	9.7	7.3-12.1		105	8.5	6.1-10.9	
Some Post-H.S.	1007	215,141	679	64.6	60.3-68.9		66	6.9	4.7- 9.1		89	10.4	7.5-13.3		91	9.9	7.2-12.6		82	8.1	5.6-10.6	
College Graduate	1457	210,627	1063	70.8	67.5-74.1		107	7.9	5.7-10.1		136	10.7	8.5-12.9		83	6.5	4.5- 8.5		68	4.1	2.9- 5.3	
Less than \$15,000	323	50,051	177	56.6	49.0-64.2		13	3.0	1.0- 5.0		27	7.8	3.5-12.1		47	16.1	10.2-22.0		59	16.5	11.0-22.0	
\$15,000- 24,999	605	101,938	388	59.6	53.9-65.3		32	7.3	3.6-11.0		57	9.5	6.4-12.6		65	12.8	8.9-16.7		63	10.8	7.5-14.1	
\$25,000- 34,999	378	65,214	254	64.3	57.4-71.2		29	8.0	4.1-11.9		39	13.4	7.9-18.9		32	8.7	5.2-12.2		24	5.7	2.8- 8.6	
\$35,000- 49,999	467	87,807	314	63.8	57.1-70.5		37	8.5	4.4-12.6		40	10.6	6.1-15.1		44	9.1	5.8-12.4		32	8.0	4.1-11.9	
\$50,000- 74,999	482	94,014	344	69.5	63.4-75.6		34	9.1	4.4-13.8		50	10.5	6.8-14.2		26	5.7	2.8- 8.6		28	5.2	2.7- 7.7	
\$75,000+	1026	201,970	792	72.8	68.7-76.9		66	7.8	4.7-10.9		79	8.9	6.4-11.4		55	6.4	4.2- 8.6		34	4.0	2.2- 5.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1814	358,010	1340	70.9	67.8-74.0	106	7.1	4.9- 9.3	130	8.2	6.4-10.0	112	6.5	4.9- 8.1	126	7.3	5.5- 9.1			
White/Non-Hisp	1196	227,309	889	71.0	67.3-74.7	74	7.1	4.7- 9.5	85	8.7	6.3-11.1	74	7.6	5.6- 9.6	74	5.7	3.9- 7.5			
Black or Afr. Am./Non-Hisp	220	68,853	163	69.4	60.0-78.8	12	8.8	1.0-16.6	17	8.5	3.8-13.2	13	4.5	1.4- 7.6	15	8.8	2.9-14.7			
Oth. Race/Non-Hisp.	117	20,573	82	75.5	65.7-85.3	4	3.1	0.0- 6.2	9	9.1	2.0-16.2	8	3.8	0.0- 7.7	14	8.5	2.8-14.2			
Hispanic	208	26,704	159	77.8	70.2-85.4	14	7.8	2.3-13.3	13	4.2	1.5- 6.9	12	4.9	1.8- 8.0	10	5.2	1.5- 8.9			
18-24	153	45,066	92	59.9	49.9-69.9	13	8.2	3.1-13.3	16	11.2	4.9-17.5	16	9.1	4.2-14.0	16	11.6	4.7-18.5			
25-34	239	62,974	150	61.2	52.2-70.2	27	11.3	5.4-17.2	28	12.4	6.5-18.3	18	6.6	2.9-10.3	16	8.5	2.4-14.6			
35-44	216	54,584	149	64.5	54.5-74.5	15	11.9	2.3-21.5	19	9.9	4.0-15.8	17	7.2	2.9-11.5	16	6.5	2.4-10.6			
45-54	288	58,623	207	73.9	67.4-80.4	12	5.0	1.1- 8.9	20	7.5	3.6-11.4	20	6.0	2.9- 9.1	29	7.5	4.4-10.6			
55-64	343	60,822	256	74.4	67.9-80.9	18	4.6	1.3- 7.9	22	6.3	3.2- 9.4	24	8.3	4.0-12.6	23	6.5	3.2- 9.8			
65+	575	75,942	486	84.9	81.0-88.8	21	3.1	1.7- 4.5	25	4.0	1.8- 6.2	17	3.3	1.3- 5.3	26	4.7	2.3- 7.1			
Less Than H.S.	209	42,755	146	66.4	56.6-76.2	12	9.0	1.4-16.6	17	10.0	3.9-16.1	15	6.2	2.1-10.3	19	8.4	3.7-13.1			
H.S. or G.E.D.	535	116,539	381	68.6	62.5-74.7	30	6.8	2.1-11.5	38	7.7	4.6-10.8	41	8.5	5.4-11.6	45	8.4	4.9-11.9			
Some Post-H.S.	426	103,536	314	71.7	65.6-77.8	25	6.8	3.5-10.1	31	8.7	4.6-12.8	28	6.0	3.3- 8.7	28	6.8	3.1-10.5			
College Graduate	630	91,547	486	74.6	69.9-79.3	39	7.1	4.0-10.2	44	7.9	5.2-10.6	28	5.0	2.6- 7.4	33	5.4	3.0- 7.8			
Less than \$15,000	117	17,838	72	61.0	48.3-73.7	5	3.4	0.0- 6.9	9	10.5	0.3-20.7	14	13.6	4.4-22.8	17	11.5	4.8-18.2			
\$15,000- 24,999	248	44,102	166	63.0	54.6-71.4	15	7.7	2.2-13.2	21	7.8	3.9-11.7	22	10.2	5.1-15.3	24	11.2	5.5-16.9			
\$25,000- 34,999	164	31,911	111	69.0	59.4-78.6	15	10.8	3.7-17.9	15	7.1	3.0-11.2	11	6.2	1.9-10.5	12	6.9	2.0-11.8			
\$35,000- 49,999	210	41,199	156	75.6	68.3-82.9	14	6.0	2.5- 9.5	12	5.2	2.1- 8.3	15	6.8	2.7-10.9	13	6.4	1.7-11.1			
\$50,000- 74,999	249	49,772	185	72.2	63.8-80.6	12	8.1	1.2-15.0	22	9.8	4.5-15.1	15	5.8	1.9- 9.7	15	4.1	1.7- 6.5			
\$75,000+	508	109,382	409	74.5	68.2-80.8	32	8.3	3.2-13.4	24	7.3	3.4-11.2	23	4.6	2.4- 6.8	20	5.2	2.3- 8.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	None			1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2248	390,100	1506	63.2	60.3-66.1	150	7.8	6.0- 9.6	220	11.1	9.1-13.1	195	10.3	8.3-12.3	177	7.6	6.0- 9.2			
White/Non-Hisp	1503	246,997	983	59.8	56.1-63.5	108	8.9	6.4-11.4	152	11.7	9.3-14.1	136	10.8	8.4-13.2	124	8.8	6.6-11.0			
Black or Afr. Am./Non-Hisp	355	81,761	254	68.5	61.6-75.4	17	6.1	2.0-10.2	30	8.6	4.9-12.3	32	11.2	6.1-16.3	22	5.7	2.6- 8.8			
Oth. Race/Non-Hisp.	73	16,671	55	74.8	61.5-88.1	5	3.6	0.0- 7.5	5	9.2	0.8-17.6	4	8.1	0.0-18.1	4	4.4	0.0- 9.9			
Hispanic	226	31,007	163	73.8	66.2-81.4	11	3.1	1.1- 5.1	20	11.8	5.5-18.1	14	5.7	2.0- 9.4	18	5.6	2.3- 8.9			
18-24	107	43,799	59	45.7	33.9-57.5	13	17.3	6.5-28.1	18	16.2	8.2-24.2	12	13.9	4.7-23.1	5	6.9	0.4-13.4			
25-34	226	61,953	134	55.4	46.4-64.4	13	6.7	2.0-11.4	28	13.8	6.9-20.7	26	12.4	6.5-18.3	25	11.7	5.6-17.8			
35-44	255	57,872	165	61.7	53.9-69.5	20	9.9	4.8-15.0	25	8.6	4.5-12.7	26	13.1	7.4-18.8	19	6.7	2.8-10.6			
45-54	351	62,995	200	59.6	53.1-66.1	27	6.4	3.5- 9.3	46	12.5	8.6-16.4	40	11.8	7.1-16.5	38	9.8	6.3-13.3			
55-64	516	69,580	328	66.1	60.8-71.4	32	5.0	3.0- 7.0	52	12.2	8.3-16.1	52	9.0	5.7-12.3	52	7.6	5.1-10.1			
65+	793	93,900	620	77.8	74.1-81.5	45	5.7	3.5- 7.9	51	6.6	4.2- 9.0	39	5.5	3.3- 7.7	38	4.4	2.8- 6.0			
Less Than H.S.	218	44,571	153	68.7	59.7-77.7	10	5.4	0.3-10.5	10	5.2	1.1- 9.3	18	8.1	3.0-13.2	27	12.6	6.1-19.1			
H.S. or G.E.D.	611	113,647	401	61.0	55.3-66.7	31	8.7	4.2-13.2	60	10.7	7.2-14.2	59	10.9	7.4-14.4	60	8.7	5.8-11.6			
Some Post-H.S.	581	111,605	365	58.1	52.4-63.8	41	7.1	4.2-10.0	58	12.0	7.9-16.1	63	13.6	9.1-18.1	54	9.3	6.0-12.6			
College Graduate	827	119,080	577	67.9	63.4-72.4	68	8.5	5.8-11.2	92	12.8	9.7-15.9	55	7.7	4.6-10.8	35	3.1	1.7- 4.5			
Less than \$15,000	206	32,213	105	54.1	44.7-63.5	8	2.8	0.4- 5.2	18	6.3	2.8- 9.8	33	17.4	10.0-24.8	42	19.3	11.7-26.9			
\$15,000- 24,999	357	57,837	222	56.9	49.5-64.3	17	7.0	2.1-11.9	36	10.8	6.1-15.5	43	14.8	9.3-20.3	39	10.5	6.4-14.6			
\$25,000- 34,999	214	33,304	143	59.8	50.0-69.6	14	5.3	2.0- 8.6	24	19.4	10.0-28.8	21	11.1	5.4-16.8	12	4.5	1.6- 7.4			
\$35,000- 49,999	257	46,608	158	53.4	44.2-62.6	23	10.7	3.6-17.8	28	15.4	7.8-23.0	29	11.0	5.7-16.3	19	9.4	3.3-15.5			
\$50,000- 74,999	233	44,241	159	66.6	58.0-75.2	22	10.2	3.9-16.5	28	11.2	5.9-16.5	11	5.5	1.4- 9.6	13	6.4	1.5-11.3			
\$75,000+	518	92,588	383	70.7	65.4-76.0	34	7.3	4.4-10.2	55	10.8	7.5-14.1	32	8.6	4.7-12.5	14	2.6	0.8- 4.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2020	375,803	1144	58.5	55.4-61.6	184	9.7	7.9-11.5	217	10.8	8.6-13.0	270	12.3	10.3-14.3	205	8.7	7.1-10.3
Male	847	167,578	493	61.5	56.8-66.2	71	8.2	5.8-10.6	94	9.2	6.5-11.9	102	11.0	8.3-13.7	87	10.0	7.3-12.7
Female	1173	208,225	651	56.0	51.9-60.1	113	10.8	8.1-13.5	123	12.1	9.0-15.2	168	13.3	10.6-16.0	118	7.7	5.9- 9.5
White/Non-Hisp	1375	247,628	771	57.1	53.4-60.8	133	11.1	8.7-13.5	145	10.5	8.1-12.9	178	12.0	9.6-14.4	148	9.3	7.3-11.3
Black or Afr. Am./Non-Hisp	272	73,703	159	63.2	55.0-71.4	22	6.9	3.6-10.2	33	12.9	6.4-19.4	39	11.8	6.9-16.7	19	5.1	2.2- 8.0
Oth. Race/Non-Hisp.	88	13,581	47	63.3	49.8-76.8	6	4.6	0.3- 8.9	9	4.5	1.4- 7.6	16	21.1	8.2-34.0	10	6.5	1.8-11.2
Hispanic	193	24,101	120	61.4	52.0-70.8	15	8.4	3.3-13.5	17	11.1	3.8-18.4	27	13.1	7.0-19.2	14	6.0	1.9-10.1
18-24	144	53,278	93	62.7	52.3-73.1	14	8.4	2.7-14.1	18	15.6	7.0-24.2	15	10.9	4.6-17.2	4	2.4	0.0- 5.3
25-34	240	65,204	132	55.6	46.8-64.4	37	14.7	8.8-20.6	36	16.3	9.6-23.0	22	8.4	3.7-13.1	13	5.0	1.3- 8.7
35-44	218	54,812	148	71.8	64.0-79.6	17	7.8	3.5-12.1	15	5.0	1.7- 8.3	27	11.8	6.3-17.3	11	3.6	0.7- 6.5
45-54	341	61,762	180	53.7	46.6-60.8	35	13.2	8.3-18.1	35	8.9	5.2-12.6	51	12.9	8.6-17.2	40	11.3	7.4-15.2
55-64	436	61,480	227	53.4	46.9-59.9	35	7.9	4.8-11.0	41	9.8	5.7-13.9	74	15.6	11.3-19.9	59	13.3	8.8-17.8
65+	641	79,268	364	56.5	51.6-61.4	46	6.2	4.0- 8.4	72	9.5	7.0-12.0	81	13.7	10.2-17.2	78	14.1	10.2-18.0
Less Than H.S.	224	45,494	126	54.7	45.5-63.9	11	4.9	1.6- 8.2	14	7.9	2.4-13.4	39	15.3	9.0-21.6	34	17.2	10.1-24.3
H.S. or G.E.D.	583	119,522	313	57.1	51.2-63.0	51	9.6	6.3-12.9	62	10.9	7.0-14.8	88	12.5	9.2-15.8	69	9.9	6.8-13.0
Some Post-H.S.	522	111,910	297	58.6	52.5-64.7	34	6.7	4.0- 9.4	57	12.8	8.1-17.5	75	14.8	10.5-19.1	59	7.1	4.9- 9.3
College Graduate	686	97,184	405	62.2	57.3-67.1	88	15.5	11.4-19.6	84	10.1	7.6-12.6	68	8.0	5.6-10.4	41	4.2	2.6- 5.8
Less than \$15,000	213	31,437	84	34.2	25.2-43.2	9	3.6	0.9- 6.3	26	15.4	7.2-23.6	53	28.8	19.4-38.2	41	18.0	11.3-24.7
\$15,000- 24,999	348	59,141	180	50.4	43.1-57.7	24	7.2	3.5-10.9	43	13.3	8.2-18.4	47	13.3	8.8-17.8	54	15.8	10.3-21.3
\$25,000- 34,999	198	32,981	117	59.6	49.8-69.4	24	13.3	5.7-20.9	17	5.3	2.4- 8.2	20	7.1	3.4-10.8	20	14.7	6.9-22.5
\$35,000- 49,999	235	46,259	128	59.1	50.3-67.9	15	5.9	2.6- 9.2	36	14.5	8.2-20.8	35	14.0	8.5-19.5	21	6.5	3.0-10.0
\$50,000- 74,999	226	45,695	135	63.4	54.6-72.2	25	11.6	6.3-16.9	25	8.7	3.8-13.6	26	12.4	6.1-18.7	15	3.9	1.5- 6.3
\$75,000+	422	85,054	283	69.9	63.8-76.0	55	13.2	9.1-17.3	34	7.0	3.3-10.7	33	7.0	4.1- 9.9	17	3.0	0.8- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	847	167,578	493	61.5	56.8-66.2	71	8.2	5.8-10.6	94	9.2	6.5-11.9	102	11.0	8.3-13.7	87	10.0	7.3-12.7
White/Non-Hisp	566	108,821	335	59.7	54.2-65.2	48	9.9	6.8-13.0	58	9.1	5.6-12.6	64	10.6	7.5-13.7	61	10.7	7.4-14.0
Black or Afr. Am./Non-Hisp	104	34,778	64	72.8	62.2-83.4	9	4.6	1.3- 7.9	13	9.3	2.6-16.0	13	9.9	3.2-16.6	5	3.5	0.2- 6.8
Oth. Race/Non-Hisp.	58	7,265	28	60.9	45.4-76.4	4	6.8	0.0-14.2	8	7.5	1.8-13.2	10	15.9	3.9-27.9	8	8.9	1.8-16.0
Hispanic	81	9,128	52	68.4	55.7-81.1	7	8.0	0.6-15.4	7	7.9	0.3-15.5	9	9.7	1.7-17.7	6	6.0	0.5-11.5
18-24	86	24,749	57	68.4	56.8-80.0	9	9.3	2.6-16.0	8	9.0	1.6-16.4	9	11.1	3.1-19.1	3	2.2	0.0- 4.9
25-34	116	29,375	70	61.7	49.0-74.4	15	11.3	4.4-18.2	18	17.0	6.8-27.2	8	5.6	0.7-10.5	5	4.4	0.0-10.7
35-44	94	25,311	67	74.3	62.1-86.5	5	5.9	0.0-12.2	7	4.8	0.7- 8.9	11	10.5	2.5-18.5	4	4.5	0.0-10.4
45-54	135	26,350	72	57.3	46.1-68.5	11	9.3	3.2-15.4	14	7.7	2.6-12.8	22	13.5	6.4-20.6	16	12.1	5.2-19.0
55-64	157	27,333	79	55.7	44.7-66.7	13	7.2	2.5-11.9	18	9.1	1.7-16.5	23	13.2	6.3-20.1	24	14.8	7.4-22.2
65+	259	34,459	148	54.9	46.9-62.9	18	6.3	3.0- 9.6	29	7.2	4.3-10.1	29	12.5	7.0-18.0	35	19.1	11.7-26.5
Less Than H.S.	109	22,932	59	51.7	38.2-65.2	7	6.7	1.0-12.4	9	10.2	1.2-19.2	17	11.6	4.9-18.3	17	19.8	8.8-30.8
H.S. or G.E.D.	249	53,762	137	61.0	52.4-69.6	26	9.1	4.8-13.4	23	7.0	3.1-10.9	36	11.9	7.0-16.8	27	11.1	5.6-16.6
Some Post-H.S.	201	48,129	125	66.0	57.0-75.0	9	4.5	0.8- 8.2	22	10.7	4.2-17.2	23	12.5	6.0-19.0	22	6.3	3.2- 9.4
College Graduate	285	41,314	171	63.8	56.7-70.9	29	12.4	7.1-17.7	40	10.1	6.2-14.0	26	8.4	4.7-12.1	19	5.3	2.8- 7.8
Less than \$15,000	71	11,562	26	33.7	17.6-49.8	2	3.8	0.0- 9.1	11	13.0	0.0-27.3	20	32.7	16.2-49.2	12	16.8	4.8-28.8
\$15,000- 24,999	139	24,455	73	49.8	38.4-61.2	8	4.8	0.3- 9.3	19	12.9	6.0-19.8	16	11.4	5.1-17.7	23	21.2	10.8-31.6
\$25,000- 34,999	85	15,293	49	59.9	45.6-74.2	11	9.4	2.5-16.3	8	5.7	1.6- 9.8	4	2.0	0.0- 4.2	13	23.0	9.3-36.7
\$35,000- 49,999	93	17,449	51	57.5	43.8-71.2	6	6.8	0.7-12.9	12	12.5	3.9-21.1	17	18.0	8.2-27.8	7	5.2	0.3-10.1
\$50,000- 74,999	120	25,298	73	66.3	54.5-78.1	11	7.2	2.3-12.1	17	11.6	3.4-19.8	8	8.9	1.1-16.7	11	6.0	1.9-10.1
\$75,000+	197	44,381	132	72.8	64.2-81.4	22	11.2	5.5-16.9	16	5.0	0.3- 9.7	17	6.8	2.9-10.7	10	4.2	0.5- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1173	208,225	651	56.0	51.9-60.1	113	10.8	8.1-13.5	123	12.1	9.0-15.2	168	13.3	10.6-16.0	118	7.7	5.9- 9.5
White/Non-Hisp	809	138,807	436	55.0	50.1-59.9	85	12.1	8.6-15.6	87	11.7	8.4-15.0	114	13.0	9.9-16.1	87	8.2	5.8-10.6
Black or Afr. Am./Non-Hisp	168	38,926	95	54.5	43.5-65.5	13	9.0	3.7-14.3	20	16.2	5.8-26.6	26	13.6	6.7-20.5	14	6.6	2.1-11.1
Hispanic	112	14,973	68	57.1	44.4-69.8	8	8.6	1.7-15.5	10	13.1	2.5-23.7	18	15.1	6.7-23.5	8	6.0	0.1-11.9
18-24	58	28,528	36	57.7	41.4-74.0	5	7.7	0.0-16.5	10	21.4	7.1-35.7	6	10.8	1.2-20.4	1	2.5	0.0- 7.4
25-34	124	35,829	62	50.5	38.3-62.7	22	17.5	8.5-26.5	18	15.8	6.8-24.8	14	10.6	3.2-18.0	8	5.5	1.2- 9.8
35-44	124	29,500	81	69.7	59.7-79.7	12	9.4	3.5-15.3	8	5.2	0.1-10.3	16	13.0	5.6-20.4	7	2.8	0.6- 5.0
45-54	206	35,412	108	50.9	42.3-59.5	24	16.0	8.7-23.3	21	9.8	4.7-14.9	29	12.5	7.0-18.0	24	10.7	6.0-15.4
55-64	279	34,147	148	51.6	44.0-59.2	22	8.5	4.4-12.6	23	10.4	5.7-15.1	51	17.6	11.9-23.3	35	12.0	6.3-17.7
65+	382	44,809	216	57.7	51.4-64.0	28	6.1	3.6- 8.6	43	11.2	7.3-15.1	52	14.7	10.2-19.2	43	10.3	6.6-14.0
Less Than H.S.	115	22,562	67	57.7	45.0-70.4	4	2.9	0.0- 6.2	5	5.6	0.0-12.1	22	19.2	8.8-29.6	17	14.6	5.6-23.6
H.S. or G.E.D.	334	65,760	176	53.9	46.1-61.7	25	10.1	5.0-15.2	39	14.0	7.9-20.1	52	13.0	8.5-17.5	42	9.0	5.3-12.7
Some Post-H.S.	321	63,781	172	53.0	45.2-60.8	25	8.4	4.7-12.1	35	14.4	7.7-21.1	52	16.5	10.8-22.2	37	7.7	4.8-10.6
College Graduate	401	55,870	234	61.1	54.4-67.8	59	17.7	11.6-23.8	44	10.1	6.8-13.4	42	7.7	4.8-10.6	22	3.4	1.4- 5.4
Less than \$15,000	142	19,875	58	34.5	23.7-45.3	7	3.4	0.5- 6.3	15	16.8	6.8-26.8	33	26.6	15.4-37.8	29	18.7	10.7-26.7
\$15,000- 24,999	209	34,687	107	50.9	41.3-60.5	16	8.9	3.4-14.4	24	13.7	6.4-21.0	31	14.6	8.3-20.9	31	11.9	6.2-17.6
\$25,000- 34,999	113	17,689	68	59.3	45.8-72.8	13	16.7	4.0-29.4	9	5.0	0.9- 9.1	16	11.5	4.6-18.4	7	7.5	0.0-15.5
\$35,000- 49,999	142	28,810	77	60.1	48.7-71.5	9	5.3	1.4- 9.2	24	15.8	7.2-24.4	18	11.6	4.9-18.3	14	7.3	2.4-12.2
\$50,000- 74,999	106	20,397	62	59.8	46.5-73.1	14	17.1	7.1-27.1	8	5.1	1.2- 9.0	18	16.8	6.8-26.8	4	1.2	0.0- 2.6
\$75,000+	225	40,672	151	66.6	58.6-74.6	33	15.3	9.4-21.2	18	9.3	3.4-15.2	16	7.1	2.8-11.4	7	1.7	0.1- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4128	756,295	3715	90.1	88.7-91.5	413	9.9	8.5-11.3
Male	1841	360,076	1621	89.1	86.9-91.3	220	10.9	8.7-13.1
Female	2287	396,219	2094	90.9	89.3-92.5	193	9.1	7.5-10.7
White/Non-Hisp	2740	478,631	2590	93.4	92.0-94.8	150	6.6	5.2- 8.0
Black or Afr. Am./Non-Hisp	585	153,343	543	92.2	89.3-95.1	42	7.8	4.9-10.7
Oth. Race/Non-Hisp.	193	37,424	178	91.9	86.8-97.0	15	8.1	3.0-13.2
Hispanic	444	58,617	250	55.6	48.7-62.5	194	44.4	37.5-51.3
18-24	258	87,809	208	86.5	81.8-91.2	50	13.5	8.8-18.2
25-34	470	125,647	357	82.2	77.1-87.3	113	17.8	12.7-22.9
35-44	473	113,005	376	84.2	80.1-88.3	97	15.8	11.7-19.9
45-54	648	122,928	577	91.5	89.0-94.0	71	8.5	6.0-11.0
55-64	879	132,521	810	92.0	89.6-94.4	69	8.0	5.6-10.4
65+	1400	174,385	1387	98.9	97.9-99.9	13	1.1	0.1- 2.1
Less Than H.S.	439	88,533	277	67.4	60.7-74.1	162	32.6	25.9-39.3
H.S. or G.E.D.	1176	234,601	1029	88.3	85.8-90.8	147	11.7	9.2-14.2
Some Post-H.S.	1015	216,734	960	94.9	93.1-96.7	55	5.1	3.3- 6.9
College Graduate	1474	211,723	1426	96.6	95.2-98.0	48	3.4	2.0- 4.8
Less than \$15,000	332	51,318	268	83.2	77.7-88.7	64	16.8	11.3-22.3
\$15,000- 24,999	613	102,079	501	83.0	79.1-86.9	112	17.0	13.1-20.9
\$25,000- 34,999	383	65,643	336	87.4	82.5-92.3	47	12.6	7.7-17.5
\$35,000- 49,999	469	87,889	432	89.0	83.9-94.1	37	11.0	5.9-16.1
\$50,000- 74,999	491	95,101	463	91.2	86.5-95.9	28	8.8	4.1-13.5
\$75,000+	1033	203,142	1002	96.7	95.1-98.3	31	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	360,076	1621	89.1	86.9-91.3	220	10.9	8.7-13.1
White/Non-Hisp	1212	227,676	1140	92.8	90.4-95.2	72	7.2	4.8- 9.6
Black or Afr. Am./Non-Hisp	225	70,370	207	92.2	87.7-96.7	18	7.8	3.3-12.3
Oth. Race/Non-Hisp.	118	20,556	109	93.5	88.4-98.6	9	6.5	1.4-11.6
Hispanic	212	26,904	100	46.7	36.3-57.1	112	53.3	42.9-63.7
18-24	151	44,010	119	84.4	77.1-91.7	32	15.6	8.3-22.9
25-34	241	62,296	176	80.5	72.7-88.3	65	19.5	11.7-27.3
35-44	218	55,110	174	83.7	77.4-90.0	44	16.3	10.0-22.6
45-54	291	58,894	245	90.5	87.2-93.8	46	9.5	6.2-12.8
55-64	353	62,017	323	92.2	88.7-95.7	30	7.8	4.3-11.3
65+	587	77,750	584	99.1	97.7- 100	3	0.9	0.0- 2.3
Less Than H.S.	214	42,833	122	60.1	49.7-70.5	92	39.9	29.5-50.3
H.S. or G.E.D.	546	117,790	459	86.6	83.1-90.1	87	13.4	9.9-16.9
Some Post-H.S.	428	103,681	412	96.8	94.6-99.0	16	3.2	1.0- 5.4
College Graduate	640	92,264	616	97.2	95.8-98.6	24	2.8	1.4- 4.2
Less than \$15,000	122	18,218	89	81.1	71.7-90.5	33	18.9	9.5-28.3
\$15,000- 24,999	252	43,854	189	80.1	74.0-86.2	63	19.9	13.8-26.0
\$25,000- 34,999	164	31,430	142	88.8	82.9-94.7	22	11.2	5.3-17.1
\$35,000- 49,999	212	41,281	194	88.2	79.2-97.2	18	11.8	2.8-20.8
\$50,000- 74,999	254	50,321	239	89.5	81.9-97.1	15	10.5	2.9-18.1
\$75,000+	509	109,457	490	96.4	94.2-98.6	19	3.6	1.4- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2287	396,219	2094	90.9	89.3-92.5	193	9.1	7.5-10.7
White/Non-Hisp	1528	250,955	1450	93.9	92.1-95.7	78	6.1	4.3- 7.9
Black or Afr. Am./Non-Hisp	360	82,972	336	92.3	88.6-96.0	24	7.7	4.0-11.4
Oth. Race/Non-Hisp.	75	16,868	69	89.9	80.7-99.1	6	10.1	0.9-19.3
Hispanic	232	31,713	150	63.1	54.7-71.5	82	36.9	28.5-45.3
18-24	107	43,799	89	88.6	82.9-94.3	18	11.4	5.7-17.1
25-34	229	63,351	181	83.9	77.6-90.2	48	16.1	9.8-22.4
35-44	255	57,895	202	84.6	79.3-89.9	53	15.4	10.1-20.7
45-54	357	64,034	332	92.4	88.5-96.3	25	7.6	3.7-11.5
55-64	526	70,505	487	91.8	88.9-94.7	39	8.2	5.3-11.1
65+	813	96,635	803	98.7	97.5-99.9	10	1.3	0.1- 2.5
Less Than H.S.	225	45,700	155	74.3	67.0-81.6	70	25.7	18.4-33.0
H.S. or G.E.D.	630	116,811	570	90.0	86.7-93.3	60	10.0	6.7-13.3
Some Post-H.S.	587	113,053	548	93.1	90.4-95.8	39	6.9	4.2- 9.6
College Graduate	834	119,458	810	96.1	94.1-98.1	24	3.9	1.9- 5.9
Less than \$15,000	210	33,099	179	84.3	77.6-91.0	31	15.7	9.0-22.4
\$15,000- 24,999	361	58,225	312	85.2	80.1-90.3	49	14.8	9.7-19.9
\$25,000- 34,999	219	34,212	194	86.2	78.6-93.8	25	13.8	6.2-21.4
\$35,000- 49,999	257	46,608	238	89.7	84.4-95.0	19	10.3	5.0-15.6
\$50,000- 74,999	237	44,780	224	93.2	88.5-97.9	13	6.8	2.1-11.5
\$75,000+	524	93,685	512	97.0	94.6-99.4	12	3.0	0.6- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4111	754,259	3046	72.7	70.7-74.7	397	8.9	7.7-10.1	668	18.4	16.6-20.2
Male	1837	360,645	1286	68.8	65.7-71.9	162	8.5	6.7-10.3	389	22.7	19.8-25.6
Female	2274	393,614	1760	76.3	73.8-78.8	235	9.3	7.7-10.9	279	14.4	12.2-16.6
White/Non-Hisp	2730	478,574	2126	75.2	72.8-77.6	290	9.6	8.0-11.2	314	15.2	13.0-17.4
Black or Afr. Am./Non-Hisp	579	152,220	437	75.4	70.7-80.1	60	9.3	6.2-12.4	82	15.3	11.4-19.2
Oth. Race/Non-Hisp.	192	37,226	131	68.4	59.6-77.2	7	3.4	0.0- 7.1	54	28.2	19.8-36.6
Hispanic	443	57,895	232	51.7	44.8-58.6	26	6.3	3.4- 9.2	185	42.0	35.1-48.9
18-24	258	88,217	148	61.0	53.4-68.6	13	5.3	1.8- 8.8	97	33.7	26.3-41.1
25-34	464	124,804	253	58.4	51.9-64.9	24	6.4	2.9- 9.9	187	35.2	29.1-41.3
35-44	474	112,930	310	67.0	61.5-72.5	35	8.8	5.5-12.1	129	24.2	19.3-29.1
45-54	647	122,655	501	79.8	75.9-83.7	48	7.0	4.6- 9.4	98	13.2	10.1-16.3
55-64	877	132,040	692	79.6	76.1-83.1	91	10.7	7.8-13.6	94	9.7	7.2-12.2
65+	1391	173,614	1142	82.4	79.9-84.9	186	12.7	10.5-14.9	63	4.9	3.3- 6.5
Less Than H.S.	439	88,758	248	57.5	50.6-64.4	34	6.8	3.9- 9.7	157	35.7	28.8-42.6
H.S. or G.E.D.	1169	234,306	843	72.8	69.3-76.3	113	7.4	5.6- 9.2	213	19.8	16.5-23.1
Some Post-H.S.	1014	216,004	778	73.0	69.1-76.9	105	11.2	8.3-14.1	131	15.8	12.5-19.1
College Graduate	1466	210,853	1160	78.8	76.1-81.5	141	8.7	6.7-10.7	165	12.4	10.0-14.8
Less than \$15,000	328	50,302	218	66.8	59.5-74.1	39	11.3	6.8-15.8	71	21.9	15.4-28.4
\$15,000- 24,999	608	101,915	411	70.5	65.6-75.4	62	7.6	5.2-10.0	135	21.9	17.4-26.4
\$25,000- 34,999	384	66,120	277	70.3	63.8-76.8	39	9.3	5.2-13.4	68	20.3	14.8-25.8
\$35,000- 49,999	466	87,600	351	76.2	70.5-81.9	38	6.1	3.4- 8.8	77	17.7	12.4-23.0
\$50,000- 74,999	488	94,548	376	70.6	64.1-77.1	46	10.0	6.1-13.9	66	19.5	13.6-25.4
\$75,000+	1029	202,732	835	77.9	74.4-81.4	89	9.1	6.7-11.5	105	13.0	10.1-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	360,645	1286	68.8	65.7-71.9	162	8.5	6.7-10.3	389	22.7	19.8-25.6
White/Non-Hisp	1210	228,761	909	72.0	68.3-75.7	118	8.5	6.3-10.7	183	19.5	16.2-22.8
Black or Afr. Am./Non-Hisp	222	69,935	148	69.2	61.2-77.2	29	13.0	7.1-18.9	45	17.8	11.3-24.3
Oth. Race/Non-Hisp.	118	20,630	82	71.3	60.7-81.9	3	1.3	0.0- 3.1	33	27.3	16.7-37.9
Hispanic	213	26,749	95	44.5	34.3-54.7	7	3.1	0.0- 6.2	111	52.5	41.9-63.1
18-24	153	44,929	78	49.9	39.5-60.3	7	5.9	0.4-11.4	68	44.3	33.7-54.9
25-34	241	62,899	122	58.9	49.9-67.9	10	4.0	0.3- 7.7	109	37.1	28.3-45.9
35-44	218	55,046	130	62.0	53.2-70.8	11	7.7	2.6-12.8	77	30.3	22.3-38.3
45-54	290	58,621	205	75.3	69.2-81.4	16	4.8	2.3- 7.3	69	19.9	14.2-25.6
55-64	352	61,695	278	78.7	72.6-84.8	32	11.7	6.4-17.0	42	9.6	5.9-13.3
65+	583	77,454	473	79.8	75.3-84.3	86	14.6	10.9-18.3	24	5.6	2.7- 8.5
Less Than H.S.	217	43,497	110	50.2	40.2-60.2	16	7.2	2.7-11.7	91	42.6	32.2-53.0
H.S. or G.E.D.	544	118,202	370	68.8	63.1-74.5	44	6.4	3.9- 8.9	130	24.8	19.5-30.1
Some Post-H.S.	428	103,785	309	70.0	64.1-75.9	41	10.5	6.4-14.6	78	19.5	14.4-24.6
College Graduate	636	92,020	489	76.4	72.1-80.7	58	8.7	5.8-11.6	89	14.9	11.4-18.4
Less than \$15,000	121	17,876	64	53.8	41.1-66.5	18	19.3	9.1-29.5	39	26.9	15.3-38.5
\$15,000- 24,999	250	44,287	151	65.1	57.3-72.9	20	6.8	3.3-10.3	79	28.1	20.8-35.4
\$25,000- 34,999	166	32,033	118	67.9	58.1-77.7	13	8.8	2.1-15.5	35	23.2	14.8-31.6
\$35,000- 49,999	210	41,076	148	69.1	59.3-78.9	18	7.8	2.7-12.9	44	23.1	13.9-32.3
\$50,000- 74,999	252	50,040	181	67.5	58.7-76.3	25	9.3	4.4-14.2	46	23.2	14.8-31.6
\$75,000+	508	109,434	402	76.8	71.7-81.9	37	7.7	4.4-11.0	69	15.4	11.1-19.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2274	393,614	1760	76.3	73.8-78.8	235	9.3	7.7-10.9	279	14.4	12.2-16.6
White/Non-Hisp	1520	249,813	1217	78.1	75.2-81.0	172	10.6	8.4-12.8	131	11.3	8.8-13.8
Black or Afr. Am./Non-Hisp	357	82,285	289	80.6	75.1-86.1	31	6.2	3.5- 8.9	37	13.2	8.1-18.3
Oth. Race/Non-Hisp.	74	16,596	49	64.7	50.2-79.2	4	6.1	0.0-13.9	21	29.3	15.8-42.8
Hispanic	230	31,146	137	57.9	49.3-66.5	19	9.1	4.4-13.8	74	33.0	25.0-41.0
18-24	105	43,288	70	72.7	62.9-82.5	6	4.7	0.4- 9.0	29	22.6	13.6-31.6
25-34	223	61,906	131	57.9	48.9-66.9	14	8.9	3.0-14.8	78	33.2	24.6-41.8
35-44	256	57,883	180	71.7	65.0-78.4	24	9.9	5.6-14.2	52	18.4	12.5-24.3
45-54	357	64,034	296	84.0	79.3-88.7	32	9.0	5.1-12.9	29	7.1	4.0-10.2
55-64	525	70,345	414	80.4	76.1-84.7	59	9.8	6.9-12.7	52	9.8	6.5-13.1
65+	808	96,159	669	84.4	81.5-87.3	100	11.1	8.6-13.6	39	4.4	2.8- 6.0
Less Than H.S.	222	45,262	138	64.6	55.8-73.4	18	6.4	2.9- 9.9	66	29.0	20.4-37.6
H.S. or G.E.D.	625	116,104	473	76.8	72.5-81.1	69	8.4	6.0-10.8	83	14.7	11.0-18.4
Some Post-H.S.	586	112,220	469	75.7	70.4-81.0	64	11.9	8.0-15.8	53	12.4	8.1-16.7
College Graduate	830	118,833	671	80.7	77.0-84.4	83	8.8	6.3-11.3	76	10.5	7.6-13.4
Less than \$15,000	207	32,427	154	73.9	65.7-82.1	21	6.9	3.2-10.6	32	19.2	11.4-27.0
\$15,000- 24,999	358	57,628	260	74.6	68.3-80.9	42	8.3	5.2-11.4	56	17.1	11.4-22.8
\$25,000- 34,999	218	34,087	159	72.5	64.3-80.7	26	9.8	4.7-14.9	33	17.6	10.3-24.9
\$35,000- 49,999	256	46,524	203	82.5	76.6-88.4	20	4.5	1.8- 7.2	33	13.0	7.7-18.3
\$50,000- 74,999	236	44,508	195	74.0	64.6-83.4	21	10.8	4.5-17.1	20	15.2	6.8-23.6
\$75,000+	521	93,298	433	79.1	74.4-83.8	52	10.7	7.4-14.0	36	10.2	6.3-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4127	757,018	494	12.9	11.3-14.5	3633	87.1	85.5-88.7
Male	1844	361,730	201	11.3	9.1-13.5	1643	88.7	86.5-90.9
Female	2283	395,288	293	14.4	12.2-16.6	1990	85.6	83.4-87.8
White/Non-Hisp	2741	480,326	268	11.7	9.9-13.5	2473	88.3	86.5-90.1
Black or Afr. Am./Non-Hisp	581	152,563	73	13.2	9.3-17.1	508	86.8	82.9-90.7
Oth. Race/Non-Hisp.	193	37,170	15	7.3	2.4-12.2	178	92.7	87.8-97.6
Hispanic	446	58,795	117	25.2	19.5-30.9	329	74.8	69.1-80.5
18-24	260	88,728	36	13.4	7.9-18.9	224	86.6	81.1-92.1
25-34	470	126,530	98	19.4	14.5-24.3	372	80.6	75.7-85.5
35-44	474	112,670	83	16.5	12.0-21.0	391	83.5	79.0-88.0
45-54	647	122,860	80	11.6	8.7-14.5	567	88.4	85.5-91.3
55-64	878	132,197	120	13.8	10.7-16.9	758	86.2	83.1-89.3
65+	1398	174,033	77	5.8	4.0- 7.6	1321	94.2	92.4-96.0
Less Than H.S.	442	89,073	108	21.4	16.1-26.7	334	78.6	73.3-83.9
H.S. or G.E.D.	1172	234,695	160	13.2	10.5-15.9	1012	86.8	84.1-89.5
Some Post-H.S.	1016	216,880	122	13.6	10.7-16.5	894	86.4	83.5-89.3
College Graduate	1473	211,628	101	8.2	6.0-10.4	1372	91.8	89.6-94.0
Less than \$15,000	332	51,318	74	24.5	17.6-31.4	258	75.5	68.6-82.4
\$15,000- 24,999	612	102,776	143	24.5	19.8-29.2	469	75.5	70.8-80.2
\$25,000- 34,999	385	66,246	59	15.9	10.6-21.2	326	84.1	78.8-89.4
\$35,000- 49,999	469	87,889	48	11.6	7.5-15.7	421	88.4	84.3-92.5
\$50,000- 74,999	491	95,101	38	11.4	6.9-15.9	453	88.6	84.1-93.1
\$75,000+	1032	203,054	45	6.1	3.7- 8.5	987	93.9	91.5-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	361,730	201	11.3	9.1-13.5	1643	88.7	86.5-90.9
White/Non-Hisp	1215	229,570	112	11.7	9.0-14.4	1103	88.3	85.6-91.0
Black or Afr. Am./Non-Hisp	222	69,715	21	8.2	3.5-12.9	201	91.8	87.1-96.5
Oth. Race/Non-Hisp.	119	20,680	8	5.9	1.4-10.4	111	94.1	89.6-98.6
Hispanic	213	27,070	53	20.0	13.1-26.9	160	80.0	73.1-86.9
18-24	153	44,929	21	11.7	4.8-18.6	132	88.3	81.4-95.2
25-34	242	63,265	48	16.1	9.8-22.4	194	83.9	77.6-90.2
35-44	219	55,178	29	14.0	7.3-20.7	190	86.0	79.3-92.7
45-54	291	58,930	32	8.1	4.8-11.4	259	91.9	88.6-95.2
55-64	353	61,787	44	13.9	8.6-19.2	309	86.1	80.8-91.4
65+	586	77,641	27	5.5	2.8- 8.2	559	94.5	91.8-97.2
Less Than H.S.	217	43,560	48	16.2	9.9-22.5	169	83.8	77.5-90.1
H.S. or G.E.D.	544	118,386	77	13.5	9.4-17.6	467	86.5	82.4-90.6
Some Post-H.S.	429	103,887	41	10.8	6.5-15.1	388	89.2	84.9-93.5
College Graduate	640	92,264	34	6.7	3.8- 9.6	606	93.3	90.4-96.2
Less than \$15,000	122	18,218	24	21.4	9.8-33.0	98	78.6	67.0-90.2
\$15,000- 24,999	253	44,823	62	23.7	16.8-30.6	191	76.3	69.4-83.2
\$25,000- 34,999	166	32,033	20	8.2	3.1-13.3	146	91.8	86.7-96.9
\$35,000- 49,999	212	41,281	17	11.7	5.2-18.2	195	88.3	81.8-94.8
\$50,000- 74,999	254	50,321	18	9.3	3.8-14.8	236	90.7	85.2-96.2
\$75,000+	508	109,369	23	6.6	3.1-10.1	485	93.4	89.9-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2283	395,288	293	14.4	12.2-16.6	1990	85.6	83.4-87.8
White/Non-Hisp	1526	250,756	156	11.6	9.2-14.0	1370	88.4	86.0-90.8
Black or Afr. Am./Non-Hisp	359	82,848	52	17.4	11.7-23.1	307	82.6	76.9-88.3
Oth. Race/Non-Hisp.	74	16,490	7	9.1	0.0-18.3	67	90.9	81.7- 100
Hispanic	233	31,726	64	29.7	21.3-38.1	169	70.3	61.9-78.7
18-24	107	43,799	15	15.2	6.4-24.0	92	84.8	76.0-93.6
25-34	228	63,265	50	22.6	15.3-29.9	178	77.4	70.1-84.7
35-44	255	57,492	54	18.9	12.6-25.2	201	81.1	74.8-87.4
45-54	356	63,930	48	14.8	10.1-19.5	308	85.2	80.5-89.9
55-64	525	70,410	76	13.8	10.1-17.5	449	86.2	82.5-89.9
65+	812	96,393	50	6.0	3.8- 8.2	762	94.0	91.8-96.2
Less Than H.S.	225	45,513	60	26.3	18.3-34.3	165	73.7	65.7-81.7
H.S. or G.E.D.	628	116,309	83	13.0	9.1-16.9	545	87.0	83.1-90.9
Some Post-H.S.	587	112,992	81	16.1	11.8-20.4	506	83.9	79.6-88.2
College Graduate	833	119,364	67	9.5	6.6-12.4	766	90.5	87.6-93.4
Less than \$15,000	210	33,099	50	26.1	17.5-34.7	160	73.9	65.3-82.5
\$15,000- 24,999	359	57,953	81	25.2	18.7-31.7	278	74.8	68.3-81.3
\$25,000- 34,999	219	34,212	39	23.0	14.4-31.6	180	77.0	68.4-85.6
\$35,000- 49,999	257	46,608	31	11.4	6.3-16.5	226	88.6	83.5-93.7
\$50,000- 74,999	237	44,780	20	13.8	6.9-20.7	217	86.2	79.3-93.1
\$75,000+	524	93,685	22	5.5	2.6- 8.4	502	94.5	91.6-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4074	744,207	3236	78.3	76.5-80.1	418	11.6	10.2-13.0	181	4.3	3.5- 5.1	192	4.9	3.9- 5.9	47	0.9	0.5- 1.3
Male	1819	354,650	1390	76.2	73.5-78.9	186	11.1	9.1-13.1	98	5.1	3.7- 6.5	113	6.3	4.7- 7.9	32	1.3	0.7- 1.9
Female	2255	389,557	1846	80.3	77.9-82.7	232	12.0	10.0-14.0	83	3.6	2.6- 4.6	79	3.6	2.6- 4.6	15	0.5	0.1- 0.9
White/Non-Hisp	2705	470,758	2193	78.4	76.2-80.6	254	11.0	9.2-12.8	111	4.4	3.4- 5.4	135	5.7	4.5- 6.9	12	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	579	151,054	500	86.8	83.1-90.5	56	9.7	6.4-13.0	14	2.0	0.6- 3.4	9	1.5	0.3- 2.7			
Oth. Race/Non-Hisp.	192	37,365	142	71.2	62.6-79.8	23	15.9	8.6-23.2	11	4.1	1.4- 6.8	14	6.5	2.2-10.8	2	2.4	0.0- 6.1
Hispanic	435	57,363	279	65.8	59.5-72.1	60	14.5	10.0-19.0	37	8.0	4.5-11.5	26	5.6	2.7- 8.5	33	6.2	3.3- 9.1
18-24	251	86,711	171	71.9	65.0-78.8	38	15.2	9.5-20.9	25	7.0	3.7-10.3	9	4.3	1.0- 7.6	8	1.7	0.3- 3.1
25-34	454	120,384	260	64.6	58.7-70.5	83	18.9	14.0-23.8	48	7.0	4.6- 9.4	50	8.6	5.5-11.7	13	0.9	0.3- 1.5
35-44	470	111,868	326	73.2	68.1-78.3	69	12.2	8.7-15.7	28	5.1	2.6- 7.6	33	7.6	4.5-10.7	14	1.9	0.7- 3.1
45-54	643	122,396	493	78.0	73.9-82.1	81	12.8	9.5-16.1	30	3.9	2.1- 5.7	35	5.1	2.9- 7.3	4	0.2	0.0- 0.4
55-64	868	130,589	699	81.3	78.0-84.6	89	10.4	7.7-13.1	32	3.6	2.2- 5.0	44	4.3	2.7- 5.9	4	0.5	0.0- 1.1
65+	1388	172,258	1287	92.5	90.5-94.5	58	4.3	2.9- 5.7	18	1.4	0.4- 2.4	21	1.2	0.6- 1.8	4	0.6	0.0- 1.4
Less Than H.S.	432	87,639	305	71.9	65.8-78.0	46	13.6	8.9-18.3	26	3.3	1.3- 5.3	27	6.4	2.9- 9.9	28	4.7	2.2- 7.2
H.S. or G.E.D.	1153	229,803	925	79.2	75.9-82.5	102	10.2	7.5-12.9	48	3.6	2.2- 5.0	69	6.6	4.6- 8.6	9	0.5	0.1- 0.9
Some Post-H.S.	1004	212,130	816	79.7	76.4-83.0	107	12.4	9.7-15.1	41	4.7	2.9- 6.5	38	3.2	1.8- 4.6	2	0.1	0.0- 0.3
College Graduate	1462	210,219	1173	78.6	75.9-81.3	160	11.7	9.5-13.9	66	5.3	3.7- 6.9	55	3.9	2.5- 5.3	8	0.5	0.1- 0.9
Less than \$15,000	325	50,343	254	78.6	72.3-84.9	26	8.4	4.1-12.7	17	4.4	1.7- 7.1	16	5.2	1.5- 8.9	12	3.4	0.5- 6.3
\$15,000- 24,999	604	100,638	449	76.2	71.5-80.9	70	10.9	7.6-14.2	29	4.3	2.3- 6.3	44	7.3	4.2-10.4	12	1.3	0.3- 2.3
\$25,000- 34,999	378	64,946	318	81.9	76.4-87.4	34	9.4	5.1-13.7	13	4.8	1.9- 7.7	10	2.9	0.7- 5.1	3	1.0	0.0- 2.6
\$35,000- 49,999	464	85,919	369	77.0	71.3-82.7	42	10.6	6.1-15.1	28	6.6	3.5- 9.7	23	5.5	3.0- 8.0	2	0.2	0.0- 0.4
\$50,000- 74,999	487	93,845	396	77.9	72.4-83.4	47	14.3	9.2-19.4	19	2.2	1.0- 3.4	22	4.9	2.0- 7.8	3	0.6	0.0- 1.2
\$75,000+	1029	201,847	800	76.6	73.3-79.9	134	13.3	10.6-16.0	43	4.6	2.8- 6.4	48	5.1	3.3- 6.9	4	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	354,650	1390	76.2	73.5-78.9	186	11.1	9.1-13.1	98	5.1	3.7- 6.5	113	6.3	4.7- 7.9	32	1.3	0.7- 1.9
White/Non-Hisp	1195	224,040	944	75.8	72.5-79.1	112	11.3	8.8-13.8	55	5.0	3.2- 6.8	76	7.1	5.1- 9.1	8	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	221	68,470	181	85.9	80.4-91.4	25	8.9	4.4-13.4	10	3.0	0.6- 5.4	5	2.3	0.0- 4.8			
Oth. Race/Non-Hisp.	117	20,498	86	73.8	63.6-84.0	11	12.3	4.3-20.3	8	4.6	1.1- 8.1	11	8.3	2.2-14.4	1	1.0	0.0- 3.0
Hispanic	211	26,948	123	61.2	51.6-70.8	27	12.8	6.9-18.7	20	8.2	3.9-12.5	18	7.8	2.9-12.7	23	10.0	4.3-15.7
18-24	146	43,409	96	69.7	60.3-79.1	21	13.3	6.6-20.0	17	8.4	3.5-13.3	6	5.9	0.2-11.6	6	2.7	0.2- 5.2
25-34	234	59,919	121	60.0	51.2-68.8	42	18.7	11.6-25.8	29	8.0	4.5-11.5	33	12.0	6.7-17.3	9	1.3	0.1- 2.5
35-44	219	54,906	143	70.0	62.2-77.8	32	11.1	6.6-15.6	17	7.4	2.7-12.1	17	8.3	3.4-13.2	10	3.2	0.7- 5.7
45-54	290	58,841	216	77.7	71.6-83.8	36	11.0	6.7-15.3	13	4.6	1.5- 7.7	21	6.3	2.8- 9.8	4	0.5	0.1- 0.9
55-64	350	61,443	280	81.6	76.3-86.9	30	10.1	5.6-14.6	13	2.1	0.7- 3.5	25	5.4	2.9- 7.9	2	0.8	0.0- 2.0
65+	580	76,132	534	91.4	88.3-94.5	25	5.0	2.6- 7.4	9	2.2	0.2- 4.2	11	1.4	0.4- 2.4	1	0.1	0.0- 0.3
Less Than H.S.	215	43,289	137	66.1	56.9-75.3	28	15.0	8.1-21.9	13	4.1	0.6- 7.6	19	8.8	2.9-14.7	18	6.1	2.2-10.0
H.S. or G.E.D.	532	114,775	403	75.6	70.5-80.7	47	10.5	6.6-14.4	28	3.9	2.1- 5.7	47	9.2	5.9-12.5	7	0.8	0.0- 1.6
Some Post-H.S.	423	101,652	344	79.3	74.2-84.4	38	9.8	6.3-13.3	21	6.4	3.1- 9.7	20	4.4	1.9- 6.9			
College Graduate	636	91,628	496	77.8	73.9-81.7	71	11.9	8.8-15.0	36	5.9	3.5- 8.3	26	3.4	1.8- 5.0	7	1.1	0.3- 1.9
Less than \$15,000	121	18,168	85	72.1	60.3-83.9	10	10.4	1.4-19.4	7	3.0	0.5- 5.5	9	9.2	0.8-17.6	10	5.3	1.4- 9.2
\$15,000- 24,999	247	42,750	167	71.4	63.8-79.0	29	10.0	5.5-14.5	14	4.3	1.6- 7.0	28	12.0	5.5-18.5	9	2.3	0.3- 4.3
\$25,000- 34,999	163	31,552	130	77.7	69.1-86.3	14	6.5	2.2-10.8	11	9.0	3.1-14.9	7	5.1	0.6- 9.6	1	1.7	0.0- 5.0
\$35,000- 49,999	210	40,579	161	74.8	66.8-82.8	19	10.2	4.3-16.1	18	9.3	4.0-14.6	12	5.7	2.0- 9.4			
\$50,000- 74,999	250	49,065	196	76.6	68.8-84.4	21	12.4	5.7-19.1	13	2.8	1.0- 4.6	18	7.4	2.5-12.3	2	0.8	0.0- 1.8
\$75,000+	506	108,267	391	75.9	70.8-81.0	66	13.3	9.4-17.2	19	4.6	2.1- 7.1	26	5.5	3.0- 8.0	4	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2255	389,557	1846	80.3	77.9-82.7	232	12.0	10.0-14.0	83	3.6	2.6- 4.6	79	3.6	2.6- 4.6	15	0.5	0.1- 0.9
White/Non-Hisp	1510	246,718	1249	80.7	78.0-83.4	142	10.8	8.4-13.2	56	3.9	2.7- 5.1	59	4.4	3.0- 5.8	4	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	358	82,584	319	87.6	82.7-92.5	31	10.5	5.8-15.2	4	1.2	0.0- 2.6	4	0.8	0.0- 1.6			
Oth. Race/Non-Hisp.	75	16,868	56	68.0	53.7-82.3	12	20.3	7.8-32.8	3	3.4	0.0- 7.5	3	4.3	0.0-10.0	1	4.0	0.0-11.6
Hispanic	224	30,415	156	69.8	61.6-78.0	33	15.9	9.4-22.4	17	7.8	2.5-13.1	8	3.7	0.4- 7.0	10	2.8	0.8- 4.8
18-24	105	43,302	75	74.0	63.8-84.2	17	17.0	7.8-26.2	8	5.6	1.3- 9.9	3	2.7	0.0- 5.8	2	0.7	0.0- 1.7
25-34	220	60,465	139	69.1	61.1-77.1	41	19.1	12.0-26.2	19	5.9	2.6- 9.2	17	5.3	1.8- 8.8	4	0.5	0.0- 1.1
35-44	251	56,962	183	76.3	69.8-82.8	37	13.4	8.3-18.5	11	2.9	0.5- 5.3	16	6.8	3.1-10.5	4	0.6	0.0- 1.2
45-54	353	63,556	277	78.3	73.0-83.6	45	14.5	9.6-19.4	17	3.3	1.5- 5.1	14	4.0	1.6- 6.4			
55-64	518	69,146	419	80.9	76.6-85.2	59	10.6	7.1-14.1	19	5.0	2.6- 7.4	19	3.3	1.3- 5.3	2	0.2	0.0- 0.4
65+	808	96,126	753	93.4	91.0-95.8	33	3.8	2.2- 5.4	9	0.9	0.3- 1.5	10	1.0	0.2- 1.8	3	1.0	0.0- 2.4
Less Than H.S.	217	44,350	168	77.6	69.8-85.4	18	12.2	5.5-18.9	13	2.6	0.8- 4.4	8	4.1	0.0- 8.2	10	3.4	0.3- 6.5
H.S. or G.E.D.	621	115,027	522	82.8	78.5-87.1	55	9.8	6.1-13.5	20	3.3	1.3- 5.3	22	4.0	2.0- 6.0	2	0.1	0.0- 0.3
Some Post-H.S.	581	110,479	472	80.1	75.6-84.6	69	14.7	10.4-19.0	20	3.0	1.6- 4.4	18	2.0	0.8- 3.2	2	0.2	0.0- 0.6
College Graduate	826	118,591	677	79.3	75.6-83.0	89	11.5	8.6-14.4	30	4.8	2.8- 6.8	29	4.3	2.3- 6.3	1	0.1	0.0- 0.3
Less than \$15,000	204	32,175	169	82.2	74.9-89.5	16	7.3	3.0-11.6	10	5.2	1.1- 9.3	7	3.0	0.1- 5.9	2	2.3	0.0- 6.4
\$15,000- 24,999	357	57,888	282	79.7	74.0-85.4	41	11.6	6.7-16.5	15	4.4	1.7- 7.1	16	3.8	1.4- 6.2	3	0.5	0.0- 1.1
\$25,000- 34,999	215	33,394	188	85.9	78.8-93.0	20	12.1	5.0-19.2	2	0.8	0.0- 2.2	3	0.7	0.0- 1.7	2	0.4	0.0- 1.0
\$35,000- 49,999	254	45,341	208	79.1	71.1-87.1	23	11.0	3.9-18.1	10	4.1	0.6- 7.6	11	5.4	1.7- 9.1	2	0.4	0.0- 1.0
\$50,000- 74,999	237	44,780	200	79.5	71.5-87.5	26	16.3	8.7-23.9	6	1.6	0.0- 3.2	4	2.2	0.0- 4.7	1	0.4	0.0- 1.2
\$75,000+	523	93,580	409	77.5	73.0-82.0	68	13.3	9.6-17.0	24	4.5	2.3- 6.7	22	4.6	2.4- 6.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4119	756,446	1683	34.9	32.9-36.9	33	0.9	0.5- 1.3	2365	63.4	61.4-65.4	38	0.9	0.5- 1.3
Male	1841	361,222	769	37.0	34.1-39.9	1	0.2	0.0- 0.6	1051	61.6	58.5-64.7	20	1.2	0.4- 2.0
Female	2278	395,224	914	33.0	30.5-35.5	32	1.5	0.9- 2.1	1314	65.0	62.5-67.5	18	0.6	0.2- 1.0
White/Non-Hisp	2732	478,891	1172	36.4	34.0-38.8	13	0.7	0.3- 1.1	1521	62.1	59.7-64.5	26	0.9	0.3- 1.5
Black or Afr. Am./Non-Hisp	583	153,185	281	39.4	34.1-44.7	6	1.2	0.2- 2.2	288	58.3	53.0-63.6	8	1.2	0.2- 2.2
Oth. Race/Non-Hisp.	191	37,315	70	25.1	17.1-33.1				120	74.3	66.3-82.3	1	0.6	0.0- 1.8
Hispanic	448	59,001	93	20.6	14.1-27.1	13	1.8	0.6- 3.0	342	77.6	71.1-84.1			
18-24	261	88,941	19	7.7	3.0-12.4	2	0.6	0.0- 1.6	238	90.4	85.3-95.5	2	1.2	0.0- 3.2
25-34	469	126,445	60	14.6	9.7-19.5	12	2.0	0.4- 3.6	395	82.8	77.7-87.9	2	0.6	0.0- 1.6
35-44	476	113,160	94	20.3	15.4-25.2	11	1.7	0.3- 3.1	368	77.7	72.8-82.6	3	0.2	0.0- 0.4
45-54	645	122,578	225	32.3	27.6-37.0	2	0.6	0.0- 1.4	410	66.2	61.5-70.9	8	0.8	0.0- 1.6
55-64	875	132,139	438	53.1	48.8-57.4	4	0.4	0.0- 0.8	424	45.0	40.7-49.3	9	1.5	0.1- 2.9
65+	1393	173,183	847	61.0	57.7-64.3	2	0.1	0.0- 0.3	530	37.9	34.6-41.2	14	0.9	0.3- 1.5
Less Than H.S.	443	89,326	168	37.2	30.7-43.7	6	1.0	0.0- 2.0	267	61.4	54.9-67.9	2	0.4	0.0- 1.0
H.S. or G.E.D.	1173	235,635	530	37.4	33.7-41.1	11	0.7	0.1- 1.3	623	61.0	57.3-64.7	9	0.9	0.1- 1.7
Some Post-H.S.	1010	215,544	398	34.5	30.6-38.4	5	0.6	0.0- 1.2	598	63.9	60.0-67.8	9	1.0	0.0- 2.0
College Graduate	1468	211,114	580	31.6	28.7-34.5	11	1.3	0.3- 2.3	860	66.3	63.2-69.4	17	0.9	0.3- 1.5
Less than \$15,000	329	51,150	154	43.7	36.3-51.1	4	1.0	0.0- 2.0	169	54.5	46.9-62.1	2	0.8	0.0- 2.0
\$15,000- 24,999	616	103,154	265	38.6	33.5-43.7	5	0.6	0.0- 1.4	341	59.1	53.8-64.4	5	1.7	0.0- 3.7
\$25,000- 34,999	385	66,246	175	40.3	33.4-47.2	3	0.4	0.0- 0.8	205	59.0	52.1-65.9	2	0.4	0.0- 1.0
\$35,000- 49,999	468	87,768	211	40.1	33.6-46.6	2	0.3	0.0- 0.7	252	59.5	53.0-66.0	3	0.1	0.0- 0.3
\$50,000- 74,999	486	93,873	198	32.8	27.3-38.3	3	1.1	0.0- 2.5	279	64.9	59.2-70.6	6	1.1	0.0- 2.5
\$75,000+	1032	203,082	358	29.4	25.9-32.9	12	1.5	0.5- 2.5	649	68.1	64.4-71.8	13	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	361,222	769	37.0	34.1-39.9	1	0.2	0.0- 0.6	1051	61.6	58.5-64.7	20	1.2	0.4- 2.0
White/Non-Hisp	1210	228,650	544	39.2	35.7-42.7	1	0.2	0.0- 0.6	653	59.2	55.5-62.9	12	1.3	0.3- 2.3
Black or Afr. Am./Non-Hisp	225	70,370	109	39.2	31.0-47.4				112	59.5	51.1-67.9	4	1.3	0.0- 2.7
Oth. Race/Non-Hisp.	119	20,680	47	28.4	17.6-39.2				71	70.5	59.5-81.5	1	1.0	0.0- 3.0
Hispanic	215	27,242	41	23.1	11.5-34.7				174	76.9	65.3-88.5			
18-24	154	45,142	16	9.6	3.5-15.7				137	88.6	81.7-95.5	1	1.8	0.0- 5.1
25-34	241	63,147	35	18.0	10.2-25.8	1	0.9	0.0- 2.7	204	80.8	72.8-88.8	1	0.3	0.0- 0.9
35-44	220	55,241	49	25.0	17.2-32.8				169	74.6	66.6-82.6	2	0.4	0.0- 1.0
45-54	289	58,666	107	33.3	26.4-40.2				178	65.8	58.9-72.7	4	0.9	0.0- 2.1
55-64	353	62,046	196	58.0	51.1-64.9				153	39.2	32.5-45.9	4	2.8	0.1- 5.5
65+	584	76,981	366	63.2	58.1-68.3				210	35.5	30.4-40.6	8	1.3	0.3- 2.3
Less Than H.S.	218	43,623	76	38.5	28.5-48.5				141	61.2	51.2-71.2	1	0.3	0.0- 0.9
H.S. or G.E.D.	546	119,032	241	37.3	31.8-42.8				300	61.3	55.8-66.8	5	1.4	0.0- 2.8
Some Post-H.S.	426	103,020	172	36.6	30.5-42.7				251	62.4	56.3-68.5	3	1.0	0.0- 2.6
College Graduate	637	91,914	277	36.6	32.1-41.1	1	0.6	0.0- 1.8	349	61.1	56.4-65.8	10	1.7	0.3- 3.1
Less than \$15,000	121	18,156	50	50.5	37.8-63.2				70	48.5	36.0-61.0	1	1.1	0.0- 3.3
\$15,000- 24,999	253	44,823	110	40.7	32.7-48.7				140	55.8	47.6-64.0	3	3.5	0.0- 7.8
\$25,000- 34,999	166	32,033	72	39.1	28.7-49.5				93	60.2	49.8-70.6	1	0.7	0.0- 2.1
\$35,000- 49,999	212	41,281	99	41.0	31.2-50.8				113	59.0	49.2-68.8			
\$50,000- 74,999	251	49,315	110	36.7	28.5-44.9				139	62.9	54.5-71.3	2	0.5	0.0- 1.3
\$75,000+	508	109,397	200	34.0	28.5-39.5	1	0.5	0.0- 1.5	298	64.0	58.3-69.7	9	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2278	395,224	914	33.0	30.5-35.5	32	1.5	0.9- 2.1	1314	65.0	62.5-67.5	18	0.6	0.2- 1.0
White/Non-Hisp	1522	250,241	628	33.7	30.6-36.8	12	1.1	0.3- 1.9	868	64.7	61.6-67.8	14	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	358	82,815	172	39.5	32.8-46.2	6	2.2	0.2- 4.2	176	57.2	50.3-64.1	4	1.2	0.0- 2.8
Oth. Race/Non-Hisp.	72	16,635	23	21.0	9.0-33.0				49	79.0	67.0-91.0			
Hispanic	233	31,759	52	18.3	11.6-25.0	13	3.4	1.2- 5.6	168	78.3	71.4-85.2			
18-24	107	43,799	3	5.8	0.0-12.9	2	1.2	0.0- 3.0	101	92.3	84.9-99.7	1	0.7	0.0- 2.1
25-34	228	63,298	25	11.2	5.7-16.7	11	3.0	0.6- 5.4	191	84.9	78.8-91.0	1	0.9	0.0- 2.7
35-44	256	57,919	45	15.9	10.4-21.4	11	3.4	0.7- 6.1	199	80.6	74.5-86.7	1	0.1	0.0- 0.3
45-54	356	63,913	118	31.4	25.1-37.7	2	1.1	0.0- 2.7	232	66.6	60.1-73.1	4	0.8	0.0- 1.8
55-64	522	70,094	242	48.9	43.4-54.4	4	0.7	0.0- 1.5	271	50.1	44.6-55.6	5	0.3	0.0- 0.7
65+	809	96,202	481	59.3	55.0-63.6	2	0.3	0.0- 0.7	320	39.8	35.5-44.1	6	0.6	0.0- 1.2
Less Than H.S.	225	45,703	92	36.0	27.6-44.4	6	2.0	0.0- 4.0	126	61.6	53.0-70.2	1	0.5	0.0- 1.5
H.S. or G.E.D.	627	116,603	289	37.5	32.4-42.6	11	1.4	0.2- 2.6	323	60.6	55.5-65.7	4	0.5	0.0- 1.1
Some Post-H.S.	584	112,523	226	32.6	27.5-37.7	5	1.1	0.1- 2.1	347	65.3	60.2-70.4	6	1.0	0.0- 2.2
College Graduate	831	119,200	303	27.7	24.0-31.4	10	1.8	0.2- 3.4	511	70.3	66.4-74.2	7	0.3	0.1- 0.5
Less than \$15,000	208	32,994	104	40.0	31.0-49.0	4	1.5	0.0- 3.1	99	57.9	48.7-67.1	1	0.6	0.0- 1.8
\$15,000- 24,999	363	58,331	155	36.9	30.0-43.8	5	1.1	0.0- 2.5	201	61.7	54.8-68.6	2	0.3	0.0- 0.7
\$25,000- 34,999	219	34,212	103	41.3	32.3-50.3	3	0.8	0.0- 1.8	112	57.8	48.8-66.8	1	0.1	0.0- 0.3
\$35,000- 49,999	256	46,487	112	39.2	30.8-47.6	2	0.5	0.0- 1.3	139	60.0	51.4-68.6	3	0.3	0.0- 0.7
\$50,000- 74,999	235	44,558	88	28.6	21.5-35.7	3	2.4	0.0- 5.5	140	67.2	59.6-74.8	4	1.9	0.0- 4.4
\$75,000+	524	93,685	158	24.0	19.7-28.3	11	2.7	0.7- 4.7	351	72.9	68.4-77.4	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1677	263,385	1367	77.3	74.2-80.4	310	22.7	19.6-25.8
Male	768	133,554	602	73.1	68.2-78.0	166	26.9	22.0-31.8
Female	909	129,831	765	81.6	77.9-85.3	144	18.4	14.7-22.1
White/Non-Hisp	1169	173,813	971	79.7	76.6-82.8	198	20.3	17.2-23.4
Black or Afr. Am./Non-Hisp	281	60,289	234	76.6	69.0-84.2	47	23.4	15.8-31.0
Oth. Race/Non-Hisp.	70	9,374	54	76.2	58.4-94.0	16	23.8	6.0-41.6
Hispanic	92	12,083	56	48.0	29.2-66.8	36	52.0	33.2-70.8
25-34	60	18,505	18	37.3	19.7-54.9	42	62.7	45.1-80.3
35-44	93	22,898	44	44.0	30.9-57.1	49	56.0	42.9-69.1
45-54	225	39,652	173	76.5	69.4-83.6	52	23.5	16.4-30.6
55-64	437	70,063	361	84.1	79.8-88.4	76	15.9	11.6-20.2
65+	843	105,397	770	92.2	90.0-94.4	73	7.8	5.6-10.0
Less Than H.S.	168	33,258	127	71.8	60.6-83.0	41	28.2	17.0-39.4
H.S. or G.E.D.	527	87,933	434	80.8	76.1-85.5	93	19.2	14.5-23.9
Some Post-H.S.	396	74,200	313	71.7	64.8-78.6	83	28.3	21.4-35.2
College Graduate	579	66,520	487	82.2	78.1-86.3	92	17.8	13.7-21.9
Less than \$15,000	152	22,185	127	83.7	75.5-91.9	25	16.3	8.1-24.5
\$15,000- 24,999	264	39,758	205	77.4	71.1-83.7	59	22.6	16.3-28.9
\$25,000- 34,999	174	26,563	143	75.6	65.6-85.6	31	24.4	14.4-34.4
\$35,000- 49,999	211	35,171	168	76.1	65.9-86.3	43	23.9	13.7-34.1
\$50,000- 74,999	198	30,811	160	78.7	70.9-86.5	38	21.3	13.5-29.1
\$75,000+	358	59,677	291	74.1	67.2-81.0	67	25.9	19.0-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	768	133,554	602	73.1	68.2-78.0	166	26.9	22.0-31.8
White/Non-Hisp	544	89,666	443	76.5	71.4-81.6	101	23.5	18.4-28.6
Black or Afr. Am./Non-Hisp	109	27,602	83	73.8	62.8-84.8	26	26.2	15.2-37.2
45-54	107	19,559	80	72.3	61.7-82.9	27	27.7	17.1-38.3
55-64	196	35,956	165	85.6	79.3-91.9	31	14.4	8.1-20.7
65+	365	48,514	330	92.2	89.1-95.3	35	7.8	4.7-10.9
Less Than H.S.	76	16,806	53	63.2	45.0-81.4	23	36.8	18.6-55.0
H.S. or G.E.D.	241	44,366	186	74.7	67.3-82.1	55	25.3	17.9-32.7
Some Post-H.S.	171	37,605	134	71.8	61.8-81.8	37	28.2	18.2-38.2
College Graduate	277	33,676	227	78.6	71.9-85.3	50	21.4	14.7-28.1
Less than \$15,000	50	9,162	43	87.2	74.5-99.9	7	12.8	0.1-25.5
\$15,000- 24,999	110	18,262	77	69.6	59.0-80.2	33	30.4	19.8-41.0
\$25,000- 34,999	71	12,417	54	74.3	59.2-89.4	17	25.7	10.6-40.8
\$35,000- 49,999	99	16,927	80	74.6	56.8-92.4	19	25.4	7.6-43.2
\$50,000- 74,999	110	18,082	87	76.8	65.4-88.2	23	23.2	11.8-34.6
\$75,000+	200	37,179	158	66.8	57.0-76.6	42	33.2	23.4-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	909	129,831	765	81.6	77.9-85.3	144	18.4	14.7-22.1
White/Non-Hisp	625	84,147	528	83.1	79.4-86.8	97	16.9	13.2-20.6
Black or Afr. Am./Non-Hisp	172	32,688	151	79.0	68.4-89.6	21	21.0	10.4-31.6
Hispanic	51	5,779	35	64.2	43.8-84.6	16	35.8	15.4-56.2
45-54	118	20,093	93	80.5	71.7-89.3	25	19.5	10.7-28.3
55-64	241	34,107	196	82.5	76.6-88.4	45	17.5	11.6-23.4
65+	478	56,883	440	92.3	89.4-95.2	38	7.7	4.8-10.6
Less Than H.S.	92	16,452	74	80.6	70.2-91.0	18	19.4	9.0-29.8
H.S. or G.E.D.	286	43,567	248	86.9	81.4-92.4	38	13.1	7.6-18.6
Some Post-H.S.	225	36,595	179	71.7	62.5-80.9	46	28.3	19.1-37.5
College Graduate	302	32,844	260	86.0	81.1-90.9	42	14.0	9.1-18.9
Less than \$15,000	102	13,023	84	81.2	70.2-92.2	18	18.8	7.8-29.8
\$15,000- 24,999	154	21,496	128	84.0	76.7-91.3	26	16.0	8.7-23.3
\$25,000- 34,999	103	14,146	89	76.7	63.2-90.2	14	23.3	9.8-36.8
\$35,000- 49,999	112	18,244	88	77.5	66.9-88.1	24	22.5	11.9-33.1
\$50,000- 74,999	88	12,729	73	81.4	72.0-90.8	15	18.6	9.2-28.0
\$75,000+	158	22,498	133	86.2	79.9-92.5	25	13.8	7.5-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK1)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3882	705,369	199	6.7	5.5- 7.9	3047	74.0	72.0-76.0	336	10.4	9.0-11.8	192	5.8	4.8- 6.8	108	3.1	2.3- 3.9			
Male	1722	338,725	103	6.9	5.1- 8.7	1297	71.0	67.9-74.1	160	11.0	8.8-13.2	101	6.6	4.8- 8.4	61	4.5	2.7- 6.3			
Female	2160	366,644	96	6.5	4.9- 8.1	1750	76.7	74.2-79.2	176	9.9	7.9-11.9	91	5.0	3.6- 6.4	47	1.9	1.3- 2.5			
White/Non-Hisp	2623	450,804	131	6.9	5.3- 8.5	2114	74.8	72.4-77.2	202	9.5	7.9-11.1	106	5.7	4.3- 7.1	70	3.1	2.1- 4.1			
Black or Afr. Am./Non-Hisp	543	143,084	17	4.2	1.7- 6.7	461	79.9	75.0-84.8	42	11.0	7.1-14.9	17	3.4	1.2- 5.6	6	1.5	0.1- 2.9			
Oth. Race/Non-Hisp.	178	34,417	14	8.2	2.7-13.7	136	77.1	69.1-85.1	14	8.4	3.5-13.3	9	4.4	0.9- 7.9	5	2.0	0.0- 4.4			
Hispanic	383	49,985	24	7.3	3.2-11.4	222	56.0	48.4-63.6	63	14.5	10.0-19.0	49	12.2	7.5-16.9	25	10.0	2.7-17.3			
18-24	198	71,302	48	18.6	12.7-24.5	103	58.6	49.8-67.4	22	10.3	4.4-16.2	19	8.9	4.0-13.8	6	3.6	0.5- 6.7			
25-34	401	109,736	59	13.8	8.9-18.7	206	51.6	44.5-58.7	66	20.1	14.4-25.8	48	8.8	5.5-12.1	22	5.7	1.8- 9.6			
35-44	445	106,941	34	8.3	4.8-11.8	280	64.6	58.7-70.5	62	10.9	7.8-14.0	43	10.6	6.5-14.7	26	5.5	2.8- 8.2			
45-54	620	117,893	16	3.0	1.0- 5.0	470	76.2	71.9-80.5	72	12.6	9.3-15.9	35	5.1	3.1- 7.1	27	3.1	1.7- 4.5			
55-64	864	130,344	22	2.8	1.4- 4.2	718	81.8	78.5-85.1	67	8.2	5.7-10.7	37	4.9	2.9- 6.9	20	2.2	1.0- 3.4			
65+	1354	169,152	20	1.7	0.7- 2.7	1270	93.3	91.5-95.1	47	3.9	2.3- 5.5	10	0.6	0.2- 1.0	7	0.4	0.0- 0.8			
Less Than H.S.	388	80,457	36	10.6	5.7-15.5	253	64.8	57.5-72.1	43	10.8	6.1-15.5	33	7.2	3.7-10.7	23	6.5	1.8-11.2			
H.S. or G.E.D.	1090	214,657	64	6.4	4.4- 8.4	839	73.5	69.8-77.2	94	10.4	7.7-13.1	52	5.5	3.5- 7.5	41	4.1	2.5- 5.7			
Some Post-H.S.	955	202,248	48	6.8	4.4- 9.2	769	74.8	70.7-78.9	80	11.0	7.9-14.1	41	5.3	3.1- 7.5	17	2.1	0.5- 3.7			
College Graduate	1426	203,323	50	5.2	3.4- 7.0	1166	77.3	74.4-80.2	119	9.9	7.7-12.1	66	6.1	4.3- 7.9	25	1.6	0.8- 2.4			
Less than \$15,000	299	45,325	23	8.8	4.3-13.3	234	79.5	73.2-85.8	21	6.8	2.5-11.1	12	2.7	0.9- 4.5	9	2.2	0.4- 4.0			
\$15,000- 24,999	570	94,598	32	6.0	3.3- 8.7	421	71.9	66.6-77.2	57	11.2	7.1-15.3	33	6.4	3.5- 9.3	27	4.5	2.3- 6.7			
\$25,000- 34,999	366	62,324	12	5.2	1.5- 8.9	304	79.6	73.3-85.9	25	7.3	3.0-11.6	16	5.2	1.9- 8.5	9	2.6	0.4- 4.8			
\$35,000- 49,999	451	82,539	24	6.0	2.9- 9.1	354	71.0	64.3-77.7	40	11.7	7.2-16.2	21	5.6	2.9- 8.3	12	5.7	1.0-10.4			
\$50,000- 74,999	466	89,868	22	8.3	3.2-13.4	369	72.4	65.9-78.9	42	12.6	8.1-17.1	23	4.4	2.2- 6.6	10	2.4	0.8- 4.0			
\$75,000+	996	193,965	44	6.4	4.2- 8.6	775	72.5	68.6-76.4	106	11.7	9.0-14.4	52	7.2	4.8- 9.6	19	2.2	0.8- 3.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1722	338,725	103	6.9	5.1- 8.7	1297	71.0	67.9-74.1	160	11.0	8.8-13.2	101	6.6	4.8- 8.4	61	4.5	2.7- 6.3
White/Non-Hisp	1157	215,704	66	7.8	5.4-10.2	906	71.7	68.0-75.4	89	9.4	7.0-11.8	54	6.7	4.5- 8.9	42	4.4	2.6- 6.2
Black or Afr. Am./Non-Hisp	205	66,110	6	1.8	0.0- 3.8	167	78.7	71.1-86.3	21	12.7	6.2-19.2	8	4.2	0.3- 8.1	3	2.5	0.0- 5.4
Oth. Race/Non-Hisp.	107	19,110	11	8.4	2.1-14.7	82	78.7	69.1-88.3	6	6.4	0.9-11.9	4	3.1	0.0- 6.6	4	3.3	0.0- 7.4
Hispanic	185	24,071	14	7.9	2.2-13.6	94	47.4	36.0-58.8	34	15.3	8.8-21.8	31	15.6	8.3-22.9	12	13.8	0.1-27.5
18-24	121	37,934	27	17.8	10.2-25.4	58	52.0	40.2-63.8	17	12.9	5.1-20.7	15	12.4	4.4-20.4	4	4.8	0.0- 9.9
25-34	210	57,024	36	14.1	7.4-20.8	92	46.2	36.4-56.0	38	20.2	12.4-28.0	28	9.8	5.3-14.3	16	9.8	2.4-17.2
35-44	206	52,638	18	9.0	3.7-14.3	121	60.8	51.6-70.0	29	9.3	5.4-13.2	27	14.2	7.3-21.1	11	6.6	1.9-11.3
45-54	272	55,532	8	3.9	0.4- 7.4	201	74.5	67.8-81.2	31	13.0	7.9-18.1	16	4.9	1.8- 8.0	16	3.7	1.7- 5.7
55-64	343	60,250	7	1.6	0.2- 3.0	291	84.6	79.5-89.7	21	7.9	3.6-12.2	14	3.0	1.2- 4.8	10	2.9	0.7- 5.1
65+	570	75,346	7	1.0	0.0- 2.0	534	93.0	89.9-96.1	24	5.1	2.4- 7.8	1	0.2	0.0- 0.6	4	0.6	0.0- 1.4
Less Than H.S.	189	39,063	22	15.0	6.0-24.0	112	56.9	45.7-68.1	22	10.4	4.5-16.3	19	7.3	2.8-11.8	14	10.3	1.3-19.3
H.S. or G.E.D.	499	108,291	35	6.4	3.7- 9.1	356	68.5	62.6-74.4	53	13.1	8.6-17.6	27	5.9	2.8- 9.0	28	6.1	3.4- 8.8
Some Post-H.S.	402	98,294	23	6.1	3.2- 9.0	316	72.1	66.0-78.2	33	10.6	6.3-14.9	24	8.3	4.4-12.2	6	2.8	0.0- 5.7
College Graduate	618	89,445	22	4.3	2.1- 6.5	501	79.1	75.0-83.2	52	9.5	6.6-12.4	31	5.6	3.2- 8.0	12	1.6	0.6- 2.6
Less than \$15,000	105	15,434	11	8.3	2.4-14.2	76	73.5	61.5-85.5	8	12.1	1.3-22.9	7	4.0	0.7- 7.3	3	2.2	0.0- 5.3
\$15,000- 24,999	227	39,621	21	10.1	4.4-15.8	147	66.2	57.8-74.6	28	10.9	6.0-15.8	16	6.8	2.3-11.3	15	6.0	2.3- 9.7
\$25,000- 34,999	155	30,585	8	6.5	1.2-11.8	119	73.9	64.1-83.7	14	10.6	2.6-18.6	10	5.2	1.5- 8.9	4	3.8	0.0- 7.7
\$35,000- 49,999	204	39,297	10	5.2	1.3- 9.1	154	66.0	55.4-76.6	19	12.5	5.4-19.6	12	6.4	2.3-10.5	9	9.9	0.5-19.3
\$50,000- 74,999	239	47,710	9	6.3	0.0-13.0	185	71.6	62.6-80.6	20	12.2	5.5-18.9	17	6.7	2.8-10.6	8	3.2	0.8- 5.6
\$75,000+	491	105,503	23	6.4	3.5- 9.3	383	72.1	66.4-77.8	49	10.4	6.9-13.9	25	8.2	4.3-12.1	11	3.0	0.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2160	366,644	96	6.5	4.9- 8.1	1750	76.7	74.2-79.2	176	9.9	7.9-11.9	91	5.0	3.6- 6.4	47	1.9	1.3- 2.5
White/Non-Hisp	1466	235,100	65	6.1	4.3- 7.9	1208	77.6	74.5-80.7	113	9.6	7.2-12.0	52	4.8	3.2- 6.4	28	1.9	1.1- 2.7
Black or Afr. Am./Non-Hisp	338	76,973	11	6.2	1.9-10.5	294	80.9	74.4-87.4	21	9.5	4.4-14.6	9	2.7	0.5- 4.9	3	0.6	0.0- 1.4
Oth. Race/Non-Hisp.	71	15,306	3	7.8	0.0-17.6	54	75.0	61.7-88.3	8	10.9	2.1-19.7	5	6.0	0.0-12.5	1	0.2	0.0- 0.6
Hispanic	198	25,915	10	6.7	0.6-12.8	128	63.9	54.7-73.1	29	13.8	7.5-20.1	18	9.1	3.2-15.0	13	6.5	2.2-10.8
18-24	77	33,368	21	19.5	10.5-28.5	45	66.1	53.6-78.6	5	7.3	0.0-16.1	4	4.9	0.0-10.2	2	2.2	0.0- 5.3
25-34	191	52,712	23	13.4	6.1-20.7	114	57.5	47.5-67.5	28	20.0	11.6-28.4	20	7.7	3.0-12.4	6	1.3	0.1- 2.5
35-44	239	54,303	16	7.6	3.1-12.1	159	68.3	60.9-75.7	33	12.5	7.6-17.4	16	7.2	2.9-11.5	15	4.4	1.9- 6.9
45-54	348	62,361	8	2.3	0.3- 4.3	269	77.6	72.1-83.1	41	12.3	8.0-16.6	19	5.2	2.7- 7.7	11	2.6	0.8- 4.4
55-64	521	70,094	15	3.8	1.4- 6.2	427	79.4	74.9-83.9	46	8.5	5.6-11.4	23	6.6	3.5- 9.7	10	1.7	0.5- 2.9
65+	784	93,806	13	2.3	0.9- 3.7	736	93.6	91.4-95.8	23	3.0	1.4- 4.6	9	0.9	0.3- 1.5	3	0.2	0.0- 0.4
Less Than H.S.	199	41,395	14	6.5	2.4-10.6	141	72.3	63.3-81.3	21	11.1	3.8-18.4	14	7.2	1.7-12.7	9	3.0	0.5- 5.5
H.S. or G.E.D.	591	106,366	29	6.5	3.8- 9.2	483	78.6	74.1-83.1	41	7.7	4.8-10.6	25	5.1	2.6- 7.6	13	2.0	0.8- 3.2
Some Post-H.S.	553	103,955	25	7.3	3.4-11.2	453	77.3	71.8-82.8	47	11.5	7.2-15.8	17	2.4	1.0- 3.8	11	1.4	0.4- 2.4
College Graduate	808	113,878	28	5.9	3.4- 8.4	665	75.9	71.6-80.2	67	10.1	7.2-13.0	35	6.5	4.0- 9.0	13	1.6	0.6- 2.6
Less than \$15,000	194	29,891	12	9.1	3.0-15.2	158	82.6	75.5-89.7	13	4.1	1.2- 7.0	5	2.0	0.0- 4.2	6	2.3	0.1- 4.5
\$15,000- 24,999	343	54,977	11	3.0	1.0- 5.0	274	76.1	69.2-83.0	29	11.4	5.5-17.3	17	6.1	2.4- 9.8	12	3.4	1.0- 5.8
\$25,000- 34,999	211	31,739	4	4.0	0.0- 9.1	185	85.0	77.6-92.4	11	4.2	0.9- 7.5	6	5.3	0.0-10.6	5	1.5	0.0- 3.1
\$35,000- 49,999	247	43,242	14	6.8	2.3-11.3	200	75.7	67.9-83.5	21	11.0	5.1-16.9	9	4.8	1.1- 8.5	3	1.8	0.0- 4.2
\$50,000- 74,999	227	42,158	13	10.5	2.7-18.3	184	73.3	64.3-82.3	22	13.0	6.7-19.3	6	1.8	0.2- 3.4	2	1.4	0.0- 3.4
\$75,000+	505	88,462	21	6.5	3.2- 9.8	392	73.0	67.7-78.3	57	13.4	9.3-17.5	27	6.0	3.5- 8.5	8	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	701,130	1444	32.5	30.5-34.5	2438	67.5	65.5-69.5
Male	1716	334,360	651	35.1	32.0-38.2	1065	64.9	61.8-68.0
Female	2166	366,770	793	30.2	27.7-32.7	1373	69.8	67.3-72.3
White/Non-Hisp	2581	444,100	1053	35.2	32.8-37.6	1528	64.8	62.4-67.2
Black or Afr. Am./Non-Hisp	560	144,978	191	30.6	25.1-36.1	369	69.4	63.9-74.9
Oth. Race/Non-Hisp.	177	34,168	55	28.3	19.1-37.5	122	71.7	62.5-80.9
Hispanic	416	54,313	97	22.9	16.0-29.8	319	77.1	70.2-84.0
18-24	210	75,161	12	7.8	2.7-12.9	198	92.2	87.1-97.3
25-34	404	109,097	52	13.8	8.7-18.9	352	86.2	81.1-91.3
35-44	440	103,882	98	23.9	17.8-30.0	342	76.1	70.0-82.2
45-54	620	117,575	214	34.5	29.6-39.4	406	65.5	60.6-70.4
55-64	851	127,465	381	44.7	40.2-49.2	470	55.3	50.8-59.8
65+	1357	167,950	687	50.5	47.2-53.8	670	49.5	46.2-52.8
Less Than H.S.	400	78,871	141	34.0	27.1-40.9	259	66.0	59.1-72.9
H.S. or G.E.D.	1091	218,051	422	33.6	29.7-37.5	669	66.4	62.5-70.3
Some Post-H.S.	958	200,799	356	32.4	28.5-36.3	602	67.6	63.7-71.5
College Graduate	1410	199,454	520	31.2	28.1-34.3	890	68.8	65.7-71.9
Less than \$15,000	301	45,938	117	36.6	29.0-44.2	184	63.4	55.8-71.0
\$15,000- 24,999	572	95,944	229	33.6	28.5-38.7	343	66.4	61.3-71.5
\$25,000- 34,999	370	62,692	159	34.9	28.2-41.6	211	65.1	58.4-71.8
\$35,000- 49,999	443	82,761	168	36.2	29.5-42.9	275	63.8	57.1-70.5
\$50,000- 74,999	466	86,434	177	31.8	26.3-37.3	289	68.2	62.7-73.7
\$75,000+	983	189,576	332	30.3	26.2-34.4	651	69.7	65.6-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1716	334,360	651	35.1	32.0-38.2	1065	64.9	61.8-68.0
White/Non-Hisp	1132	210,554	475	37.1	33.4-40.8	657	62.9	59.2-66.6
Black or Afr. Am./Non-Hisp	218	68,400	77	35.9	26.7-45.1	141	64.1	54.9-73.3
Oth. Race/Non-Hisp.	106	18,622	35	29.1	16.8-41.4	71	70.9	58.6-83.2
Hispanic	196	24,693	45	27.7	15.2-40.2	151	72.3	59.8-84.8
18-24	125	38,126	6	7.2	0.5-13.9	119	92.8	86.1-99.5
25-34	204	55,064	32	17.4	9.0-25.8	172	82.6	74.2-91.0
35-44	201	50,411	55	29.6	19.2-40.0	146	70.4	60.0-80.8
45-54	275	55,757	108	42.7	34.7-50.7	167	57.3	49.3-65.3
55-64	343	59,742	151	46.5	39.4-53.6	192	53.5	46.4-60.6
65+	568	75,259	299	51.0	45.7-56.3	269	49.0	43.7-54.3
Less Than H.S.	191	36,319	65	37.7	27.1-48.3	126	62.3	51.7-72.9
H.S. or G.E.D.	502	110,403	177	32.6	26.5-38.7	325	67.4	61.3-73.5
Some Post-H.S.	403	97,570	154	35.0	28.7-41.3	249	65.0	58.7-71.3
College Graduate	608	87,309	253	37.7	32.8-42.6	355	62.3	57.4-67.2
Less than \$15,000	109	16,809	44	42.7	29.4-56.0	65	57.3	44.0-70.6
\$15,000- 24,999	227	40,198	87	35.1	26.9-43.3	140	64.9	56.7-73.1
\$25,000- 34,999	156	29,823	65	40.0	28.8-51.2	91	60.0	48.8-71.2
\$35,000- 49,999	200	39,072	78	42.1	31.7-52.5	122	57.9	47.5-68.3
\$50,000- 74,999	243	46,222	92	30.9	23.3-38.5	151	69.1	61.5-76.7
\$75,000+	482	102,216	184	34.9	28.6-41.2	298	65.1	58.8-71.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2166	366,770	793	30.2	27.7-32.7	1373	69.8	67.3-72.3
White/Non-Hisp	1449	233,546	578	33.6	30.5-36.7	871	66.4	63.3-69.5
Black or Afr. Am./Non-Hisp	342	76,577	114	25.9	20.2-31.6	228	74.1	68.4-79.8
Oth. Race/Non-Hisp.	71	15,546	20	27.3	13.0-41.6	51	72.7	58.4-87.0
Hispanic	220	29,620	52	18.8	12.1-25.5	168	81.2	74.5-87.9
18-24	85	37,035	6	8.5	0.7-16.3	79	91.5	83.7-99.3
25-34	200	54,033	20	10.2	4.5-15.9	180	89.8	84.1-95.5
35-44	239	53,471	43	18.5	12.2-24.8	196	81.5	75.2-87.8
45-54	345	61,817	106	27.2	21.3-33.1	239	72.8	66.9-78.7
55-64	508	67,724	230	43.2	37.7-48.7	278	56.8	51.3-62.3
65+	789	92,691	388	50.0	45.7-54.3	401	50.0	45.7-54.3
Less Than H.S.	209	42,552	76	30.8	22.4-39.2	133	69.2	60.8-77.6
H.S. or G.E.D.	589	107,648	245	34.5	29.4-39.6	344	65.5	60.4-70.6
Some Post-H.S.	555	103,229	202	30.0	25.3-34.7	353	70.0	65.3-74.7
College Graduate	802	112,145	267	26.2	22.3-30.1	535	73.8	69.9-77.7
Less than \$15,000	192	29,128	73	33.2	24.0-42.4	119	66.8	57.6-76.0
\$15,000- 24,999	345	55,746	142	32.5	26.2-38.8	203	67.5	61.2-73.8
\$25,000- 34,999	214	32,869	94	30.2	22.8-37.6	120	69.8	62.4-77.2
\$35,000- 49,999	243	43,689	90	31.0	23.2-38.8	153	69.0	61.2-76.8
\$50,000- 74,999	223	40,212	85	33.0	25.2-40.8	138	67.0	59.2-74.8
\$75,000+	501	87,360	148	24.9	20.2-29.6	353	75.1	70.4-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1438	227,336	970	62.7	59.0-66.4	468	37.3	33.6-41.0
Male	649	116,862	455	63.7	58.0-69.4	194	36.3	30.6-42.0
Female	789	110,475	515	61.7	57.0-66.4	274	38.3	33.6-43.0
White/Non-Hisp	1049	155,983	726	65.2	61.3-69.1	323	34.8	30.9-38.7
Black or Afr. Am./Non-Hisp	189	44,039	127	63.6	53.8-73.4	62	36.4	26.6-46.2
Oth. Race/Non-Hisp.	55	9,668	32	42.0	23.2-60.8	23	58.0	39.2-76.8
Hispanic	97	12,414	51	43.0	25.9-60.1	46	57.0	39.9-74.1
25-34	52	15,098	8	10.8	0.8-20.8	44	89.2	79.2-99.2
35-44	98	24,826	33	36.2	19.5-52.9	65	63.8	47.1-80.5
45-54	213	40,312	117	52.8	43.8-61.8	96	47.2	38.2-56.2
55-64	381	56,987	259	69.2	63.1-75.3	122	30.8	24.7-36.9
65+	682	84,230	551	82.9	79.4-86.4	131	17.1	13.6-20.6
Less Than H.S.	141	26,818	89	52.6	39.9-65.3	52	47.4	34.7-60.1
H.S. or G.E.D.	419	72,793	286	66.3	60.0-72.6	133	33.7	27.4-40.0
Some Post-H.S.	355	65,035	239	62.5	55.4-69.6	116	37.5	30.4-44.6
College Graduate	518	61,938	353	63.1	57.2-69.0	165	36.9	31.0-42.8
Less than \$15,000	117	16,829	84	63.4	49.9-76.9	33	36.6	23.1-50.1
\$15,000- 24,999	227	32,091	136	51.5	43.1-59.9	91	48.5	40.1-56.9
\$25,000- 34,999	159	21,864	113	67.9	57.3-78.5	46	32.1	21.5-42.7
\$35,000- 49,999	168	29,997	119	72.2	60.6-83.8	49	27.8	16.2-39.4
\$50,000- 74,999	177	27,522	129	72.0	63.4-80.6	48	28.0	19.4-36.6
\$75,000+	331	57,388	207	55.5	47.3-63.7	124	44.5	36.3-52.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	649	116,862	455	63.7	58.2-69.2	194	36.3	30.8-41.8
White/Non-Hisp	473	77,705	347	67.0	61.1-72.9	126	33.0	27.1-38.9
Black or Afr. Am./Non-Hisp	77	24,525	51	66.0	51.5-80.5	26	34.0	19.5-48.5
35-44	55	14,937	22	46.1	22.8-69.4	33	53.9	30.6-77.2
45-54	107	23,524	60	51.4	38.7-64.1	47	48.6	35.9-61.3
55-64	151	27,761	112	76.1	67.5-84.7	39	23.9	15.3-32.5
65+	298	38,330	256	85.3	79.6-91.0	42	14.7	9.0-20.4
Less Than H.S.	65	13,701	38	38.5	21.6-55.4	27	61.5	44.6-78.4
H.S. or G.E.D.	175	35,656	120	68.8	59.2-78.4	55	31.2	21.6-40.8
Some Post-H.S.	154	34,176	106	61.8	50.8-72.8	48	38.2	27.2-49.2
College Graduate	253	32,889	189	70.3	62.5-78.1	64	29.7	21.9-37.5
\$15,000- 24,999	86	14,008	48	53.8	40.1-67.5	38	46.2	32.5-59.9
\$25,000- 34,999	65	11,936	47	69.4	53.1-85.7	18	30.6	14.3-46.9
\$35,000- 49,999	78	16,460	59	72.7	53.5-91.9	19	27.3	8.1-46.5
\$50,000- 74,999	92	14,266	66	66.6	53.1-80.1	26	33.4	19.9-46.9
\$75,000+	184	35,693	129	60.9	50.1-71.7	55	39.1	28.3-49.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	789	110,475	515	61.7	57.0-66.4	274	38.3	33.6-43.0
White/Non-Hisp	576	78,278	379	63.4	57.9-68.9	197	36.6	31.1-42.1
Black or Afr. Am./Non-Hisp	112	19,514	76	60.7	48.5-72.9	36	39.3	27.1-51.5
Hispanic	52	5,581	30	53.2	33.8-72.6	22	46.8	27.4-66.2
45-54	106	16,787	57	54.8	42.8-66.8	49	45.2	33.2-57.2
55-64	230	29,226	147	62.7	54.7-70.7	83	37.3	29.3-45.3
65+	384	45,900	295	80.8	76.3-85.3	89	19.2	14.7-23.7
Less Than H.S.	76	13,117	51	67.4	53.5-81.3	25	32.6	18.7-46.5
H.S. or G.E.D.	244	37,137	166	63.9	55.7-72.1	78	36.1	27.9-44.3
Some Post-H.S.	201	30,859	133	63.2	54.4-72.0	68	36.8	28.0-45.6
College Graduate	265	29,049	164	54.9	46.3-63.5	101	45.1	36.5-53.7
Less than \$15,000	73	9,656	52	71.5	57.0-86.0	21	28.5	14.0-43.0
\$15,000- 24,999	141	18,083	88	49.8	39.4-60.2	53	50.2	39.8-60.6
\$25,000- 34,999	94	9,928	66	66.2	53.7-78.7	28	33.8	21.3-46.3
\$35,000- 49,999	90	13,538	60	71.6	60.4-82.8	30	28.4	17.2-39.6
\$50,000- 74,999	85	13,256	63	77.8	67.8-87.8	22	22.2	12.2-32.2
\$75,000+	147	21,695	78	46.7	35.9-57.5	69	53.3	42.5-64.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4117	754,803	226	4.1	3.5- 4.7	3891	95.9	95.3-96.5
Male	1837	359,798	124	5.1	3.9- 6.3	1713	94.9	93.7-96.1
Female	2280	395,005	102	3.1	2.3- 3.9	2178	96.9	96.1-97.7
White/Non-Hisp	2730	478,170	168	4.8	3.8- 5.8	2562	95.2	94.2-96.2
Black or Afr. Am./Non-Hisp	580	151,770	27	3.1	1.7- 4.5	553	96.9	95.5-98.3
Oth. Race/Non-Hisp.	194	37,548	11	4.4	0.7- 8.1	183	95.6	91.9-99.3
Hispanic	446	58,933	13	2.0	0.4- 3.6	433	98.0	96.4-99.6
18-24	261	88,941				261	100.0	100.0- 100
25-34	470	126,560	1	0.2	0.0- 0.6	469	99.8	99.4- 100
35-44	476	113,213	8	1.1	0.3- 1.9	468	98.9	98.1-99.7
45-54	646	122,093	24	2.8	1.6- 4.0	622	97.2	96.0-98.4
55-64	872	130,521	55	6.3	4.1- 8.5	817	93.7	91.5-95.9
65+	1392	173,475	138	10.3	8.1-12.5	1254	89.7	87.5-91.9
Less Than H.S.	436	88,261	31	4.9	2.5- 7.3	405	95.1	92.7-97.5
H.S. or G.E.D.	1171	235,185	76	4.9	3.5- 6.3	1095	95.1	93.7-96.5
Some Post-H.S.	1012	214,828	69	4.8	3.4- 6.2	943	95.2	93.8-96.6
College Graduate	1473	211,700	48	2.1	1.3- 2.9	1425	97.9	97.1-98.7
Less than \$15,000	329	50,912	28	5.4	2.9- 7.9	301	94.6	92.1-97.1
\$15,000- 24,999	611	102,241	55	7.3	4.9- 9.7	556	92.7	90.3-95.1
\$25,000- 34,999	381	65,400	25	5.5	2.6- 8.4	356	94.5	91.6-97.4
\$35,000- 49,999	466	86,743	27	5.1	2.7- 7.5	439	94.9	92.5-97.3
\$50,000- 74,999	490	94,814	19	2.5	0.9- 4.1	471	97.5	95.9-99.1
\$75,000+	1033	203,142	26	1.8	1.0- 2.6	1007	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	359,798	124	5.1	3.9- 6.3	1713	94.9	93.7-96.1
White/Non-Hisp	1207	227,957	95	6.3	4.7- 7.9	1112	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	223	69,367	13	3.7	1.3- 6.1	210	96.3	93.9-98.7
Oth. Race/Non-Hisp.	119	20,680	6	2.8	0.1- 5.5	113	97.2	94.5-99.9
Hispanic	214	27,185	6	1.7	0.0- 3.5	208	98.3	96.5- 100
18-24	154	45,142				154	100.0	100.0- 100
25-34	241	63,209	1	0.4	0.0- 1.2	240	99.6	98.8- 100
35-44	220	55,241	3	1.0	0.0- 2.2	217	99.0	97.8- 100
45-54	290	58,460	9	2.7	0.7- 4.7	281	97.3	95.3-99.3
55-64	349	60,543	31	9.0	5.1-12.9	318	91.0	87.1-94.9
65+	583	77,204	80	13.8	10.1-17.5	503	86.2	82.5-89.9
Less Than H.S.	214	43,271	19	6.2	2.3-10.1	195	93.8	89.9-97.7
H.S. or G.E.D.	544	118,505	42	6.1	3.9- 8.3	502	93.9	91.7-96.1
Some Post-H.S.	425	102,126	35	5.2	3.0- 7.4	390	94.8	92.6-97.0
College Graduate	640	92,264	26	3.1	1.7- 4.5	614	96.9	95.5-98.3
Less than \$15,000	121	18,144	7	4.0	0.0- 8.1	114	96.0	91.9- 100
\$15,000- 24,999	251	44,216	30	9.9	5.8-14.0	221	90.1	86.0-94.2
\$25,000- 34,999	163	31,404	13	7.2	1.7-12.7	150	92.8	87.3-98.3
\$35,000- 49,999	211	40,558	18	7.0	3.1-10.9	193	93.0	89.1-96.9
\$50,000- 74,999	253	50,034	16	4.3	1.4- 7.2	237	95.7	92.8-98.6
\$75,000+	509	109,457	17	2.2	1.0- 3.4	492	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2280	395,005	102	3.1	2.3- 3.9	2178	96.9	96.1-97.7
White/Non-Hisp	1523	250,212	73	3.4	2.4- 4.4	1450	96.6	95.6-97.6
Black or Afr. Am./Non-Hisp	357	82,403	14	2.5	0.9- 4.1	343	97.5	95.9-99.1
Oth. Race/Non-Hisp.	75	16,868	5	6.3	0.0-13.7	70	93.7	86.3- 100
Hispanic	232	31,747	7	2.2	0.0- 4.6	225	97.8	95.4- 100
18-24	107	43,799				107	100.0	100.0- 100
25-34	229	63,351				229	100.0	100.0- 100
35-44	256	57,972	5	1.2	0.0- 2.4	251	98.8	97.6- 100
45-54	356	63,633	15	2.8	1.0- 4.6	341	97.2	95.4-99.0
55-64	523	69,978	24	3.9	1.9- 5.9	499	96.1	94.1-98.1
65+	809	96,271	58	7.5	5.0-10.0	751	92.5	90.0-95.0
Less Than H.S.	222	44,990	12	3.6	0.9- 6.3	210	96.4	93.7-99.1
H.S. or G.E.D.	627	116,680	34	3.7	2.1- 5.3	593	96.3	94.7-97.9
Some Post-H.S.	587	112,702	34	4.3	2.3- 6.3	553	95.7	93.7-97.7
College Graduate	833	119,436	22	1.4	0.6- 2.2	811	98.6	97.8-99.4
Less than \$15,000	208	32,768	21	6.2	3.1- 9.3	187	93.8	90.7-96.9
\$15,000- 24,999	360	58,025	25	5.3	2.6- 8.0	335	94.7	92.0-97.4
\$25,000- 34,999	218	33,996	12	3.8	1.3- 6.3	206	96.2	93.7-98.7
\$35,000- 49,999	255	46,185	9	3.5	0.6- 6.4	246	96.5	93.6-99.4
\$50,000- 74,999	237	44,780	3	0.4	0.0- 0.8	234	99.6	99.2- 100
\$75,000+	524	93,685	9	1.4	0.2- 2.6	515	98.6	97.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4107	754,140	226	4.2	3.4- 5.0	3881	95.8	95.0-96.6
Male	1831	359,372	118	4.8	3.6- 6.0	1713	95.2	94.0-96.4
Female	2276	394,768	108	3.6	2.6- 4.6	2168	96.4	95.4-97.4
White/Non-Hisp	2728	478,614	176	5.3	4.3- 6.3	2552	94.7	93.7-95.7
Black or Afr. Am./Non-Hisp	580	152,282	24	2.6	1.2- 4.0	556	97.4	96.0-98.8
Oth. Race/Non-Hisp.	190	36,925	12	2.5	0.7- 4.3	178	97.5	95.7-99.3
Hispanic	444	58,151	8	1.1	0.1- 2.1	436	98.9	97.9-99.9
18-24	260	88,831	1	0.4	0.0- 1.2	259	99.6	98.8- 100
25-34	468	126,092	3	1.3	0.0- 3.1	465	98.7	96.9- 100
35-44	474	112,198	4	1.2	0.0- 2.6	470	98.8	97.4- 100
45-54	646	122,696	22	2.2	1.0- 3.4	624	97.8	96.6-99.0
55-64	877	131,987	52	5.5	3.5- 7.5	825	94.5	92.5-96.5
65+	1382	172,337	144	10.5	8.5-12.5	1238	89.5	87.5-91.5
Less Than H.S.	440	88,555	25	3.6	1.6- 5.6	415	96.4	94.4-98.4
H.S. or G.E.D.	1163	233,937	72	5.0	3.4- 6.6	1091	95.0	93.4-96.6
Some Post-H.S.	1009	215,942	56	4.1	2.7- 5.5	953	95.9	94.5-97.3
College Graduate	1470	210,878	72	3.5	2.3- 4.7	1398	96.5	95.3-97.7
Less than \$15,000	331	51,243	26	4.7	2.5- 6.9	305	95.3	93.1-97.5
\$15,000- 24,999	611	102,475	46	5.7	3.7- 7.7	565	94.3	92.3-96.3
\$25,000- 34,999	380	65,458	31	6.1	3.0- 9.2	349	93.9	90.8-97.0
\$35,000- 49,999	464	86,600	26	4.3	2.1- 6.5	438	95.7	93.5-97.9
\$50,000- 74,999	491	95,101	23	3.9	1.7- 6.1	468	96.1	93.9-98.3
\$75,000+	1030	202,630	38	2.9	1.5- 4.3	992	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	359,372	118	4.8	3.6- 6.0	1713	95.2	94.0-96.4
White/Non-Hisp	1206	228,236	93	6.2	4.6- 7.8	1113	93.8	92.2-95.4
Black or Afr. Am./Non-Hisp	221	69,377	9	2.3	0.5- 4.1	212	97.7	95.9-99.5
Oth. Race/Non-Hisp.	117	20,560	10	3.8	0.9- 6.7	107	96.2	93.3-99.1
Hispanic	213	26,591	2	0.5	0.0- 1.3	211	99.5	98.7- 100
18-24	154	45,142	1	0.9	0.0- 2.7	153	99.1	97.3- 100
25-34	239	62,741				239	100.0	100.0- 100
35-44	219	54,699	3	2.2	0.0- 5.1	216	97.8	94.9- 100
45-54	290	58,726	5	0.9	0.1- 1.7	285	99.1	98.3-99.9
55-64	351	61,537	30	8.2	4.5-11.9	321	91.8	88.1-95.5
65+	578	76,527	79	13.1	9.6-16.6	499	86.9	83.4-90.4
Less Than H.S.	214	42,799	16	5.4	1.9- 8.9	198	94.6	91.1-98.1
H.S. or G.E.D.	541	117,915	32	5.2	2.8- 7.6	509	94.8	92.4-97.2
Some Post-H.S.	425	103,207	29	4.2	2.2- 6.2	396	95.8	93.8-97.8
College Graduate	637	91,818	40	4.7	2.9- 6.5	597	95.3	93.5-97.1
Less than \$15,000	121	18,144	8	4.2	1.1- 7.3	113	95.8	92.7-98.9
\$15,000- 24,999	249	44,254	20	6.2	3.1- 9.3	229	93.8	90.7-96.9
\$25,000- 34,999	162	31,291	12	7.0	1.5-12.5	150	93.0	87.5-98.5
\$35,000- 49,999	209	40,569	14	5.6	2.1- 9.1	195	94.4	90.9-97.9
\$50,000- 74,999	254	50,321	18	4.7	1.8- 7.6	236	95.3	92.4-98.2
\$75,000+	507	109,041	27	3.1	1.7- 4.5	480	96.9	95.5-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2276	394,768	108	3.6	2.6- 4.6	2168	96.4	95.4-97.4
White/Non-Hisp	1522	250,378	83	4.4	3.0- 5.8	1439	95.6	94.2-97.0
Black or Afr. Am./Non-Hisp	359	82,905	15	2.8	0.6- 5.0	344	97.2	95.0-99.4
Oth. Race/Non-Hisp.	73	16,365	2	0.8	0.0- 2.0	71	99.2	98.0- 100
Hispanic	231	31,560	6	1.6	0.0- 3.6	225	98.4	96.4- 100
18-24	106	43,689				106	100.0	100.0- 100
25-34	229	63,351	3	2.5	0.0- 5.8	226	97.5	94.2- 100
35-44	255	57,499	1	0.2	0.0- 0.6	254	99.8	99.4- 100
45-54	356	63,969	17	3.4	1.4- 5.4	339	96.6	94.6-98.6
55-64	526	70,450	22	3.2	1.2- 5.2	504	96.8	94.8-98.8
65+	804	95,810	65	8.4	6.0-10.8	739	91.6	89.2-94.0
Less Than H.S.	226	45,755	9	2.0	0.4- 3.6	217	98.0	96.4-99.6
H.S. or G.E.D.	622	116,022	40	4.9	2.9- 6.9	582	95.1	93.1-97.1
Some Post-H.S.	584	112,735	27	4.0	1.8- 6.2	557	96.0	93.8-98.2
College Graduate	833	119,060	32	2.6	1.2- 4.0	801	97.4	96.0-98.8
Less than \$15,000	210	33,099	18	5.1	2.2- 8.0	192	94.9	92.0-97.8
\$15,000- 24,999	362	58,221	26	5.4	2.9- 7.9	336	94.6	92.1-97.1
\$25,000- 34,999	218	34,167	19	5.3	2.4- 8.2	199	94.7	91.8-97.6
\$35,000- 49,999	255	46,031	12	3.1	0.6- 5.6	243	96.9	94.4-99.4
\$50,000- 74,999	237	44,780	5	3.0	0.0- 6.3	232	97.0	93.7- 100
\$75,000+	523	93,589	11	2.6	0.4- 4.8	512	97.4	95.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4128	757,483	196	3.4	2.8- 4.0	3932	96.6	96.0-97.2
Male	1844	362,098	94	3.6	2.8- 4.4	1750	96.4	95.6-97.2
Female	2284	395,384	102	3.3	2.5- 4.1	2182	96.7	95.9-97.5
White/Non-Hisp	2735	479,246	127	3.2	2.6- 3.8	2608	96.8	96.2-97.4
Black or Afr. Am./Non-Hisp	585	153,343	41	4.4	2.8- 6.0	544	95.6	94.0-97.2
Oth. Race/Non-Hisp.	194	37,548	6	3.5	0.2- 6.8	188	96.5	93.2-99.8
Hispanic	447	58,964	12	2.3	0.5- 4.1	435	97.7	95.9-99.5
18-24	261	88,941	1	0.4	0.0- 1.2	260	99.6	98.8- 100
25-34	471	126,616	3	0.1	0.0- 0.3	468	99.9	99.7- 100
35-44	477	113,235	4	1.0	0.0- 2.0	473	99.0	98.0- 100
45-54	647	122,565	25	3.0	1.6- 4.4	622	97.0	95.6-98.4
55-64	878	132,423	57	6.2	4.2- 8.2	821	93.8	91.8-95.8
65+	1394	173,703	106	7.2	5.6- 8.8	1288	92.8	91.2-94.4
Less Than H.S.	439	88,721	25	4.3	2.3- 6.3	414	95.7	93.7-97.7
H.S. or G.E.D.	1177	235,914	76	4.7	3.3- 6.1	1101	95.3	93.9-96.7
Some Post-H.S.	1015	216,517	46	2.7	1.7- 3.7	969	97.3	96.3-98.3
College Graduate	1472	211,502	49	2.5	1.7- 3.3	1423	97.5	96.7-98.3
Less than \$15,000	330	51,196	39	8.6	5.3-11.9	291	91.4	88.1-94.7
\$15,000- 24,999	614	102,873	41	5.1	3.1- 7.1	573	94.9	92.9-96.9
\$25,000- 34,999	384	66,191	25	5.2	2.8- 7.6	359	94.8	92.4-97.2
\$35,000- 49,999	468	87,489	14	2.7	0.9- 4.5	454	97.3	95.5-99.1
\$50,000- 74,999	490	94,933	13	1.7	0.5- 2.9	477	98.3	97.1-99.5
\$75,000+	1032	203,090	20	1.4	0.6- 2.2	1012	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	362,098	94	3.6	2.8- 4.4	1750	96.4	95.6-97.2
White/Non-Hisp	1211	229,198	63	3.5	2.5- 4.5	1148	96.5	95.5-97.5
Black or Afr. Am./Non-Hisp	225	70,370	16	4.1	1.7- 6.5	209	95.9	93.5-98.3
Oth. Race/Non-Hisp.	119	20,680	3	1.9	0.0- 4.4	116	98.1	95.6- 100
Hispanic	215	27,242	7	2.9	0.0- 5.8	208	97.1	94.2- 100
18-24	154	45,142	1	0.9	0.0- 2.7	153	99.1	97.3- 100
25-34	242	63,265	2	0.2	0.0- 0.4	240	99.8	99.6- 100
35-44	220	55,241	1	0.6	0.0- 1.8	219	99.4	98.2- 100
45-54	291	58,931	10	3.1	1.1- 5.1	281	96.9	94.9-98.9
55-64	352	61,897	27	6.6	3.7- 9.5	325	93.4	90.5-96.3
65+	585	77,622	53	7.9	5.5-10.3	532	92.1	89.7-94.5
Less Than H.S.	216	43,462	15	4.0	1.6- 6.4	201	96.0	93.6-98.4
H.S. or G.E.D.	548	119,150	34	4.4	2.6- 6.2	514	95.6	93.8-97.4
Some Post-H.S.	427	103,758	18	2.3	0.9- 3.7	409	97.7	96.3-99.1
College Graduate	639	92,096	27	3.9	2.1- 5.7	612	96.1	94.3-97.9
Less than \$15,000	121	18,144	13	7.8	3.1-12.5	108	92.2	87.5-96.9
\$15,000- 24,999	252	44,748	18	5.9	2.8- 9.0	234	94.1	91.0-97.2
\$25,000- 34,999	165	31,979	11	5.7	1.8- 9.6	154	94.3	90.4-98.2
\$35,000- 49,999	212	41,281	8	3.2	0.7- 5.7	204	96.8	94.3-99.3
\$50,000- 74,999	253	50,152	8	1.7	0.5- 2.9	245	98.3	97.1-99.5
\$75,000+	509	109,457	13	1.3	0.5- 2.1	496	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2284	395,384	102	3.3	2.5- 4.1	2182	96.7	95.9-97.5
White/Non-Hisp	1524	250,048	64	2.9	1.9- 3.9	1460	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	360	82,972	25	4.7	2.5- 6.9	335	95.3	93.1-97.5
Oth. Race/Non-Hisp.	75	16,868	3	5.4	0.0-12.3	72	94.6	87.7- 100
Hispanic	232	31,722	5	1.8	0.0- 4.0	227	98.2	96.0- 100
18-24	107	43,799				107	100.0	100.0- 100
25-34	229	63,351	1	0.1	0.0- 0.3	228	99.9	99.7- 100
35-44	257	57,994	3	1.4	0.0- 3.0	254	98.6	97.0- 100
45-54	356	63,633	15	2.9	0.9- 4.9	341	97.1	95.1-99.1
55-64	526	70,526	30	6.0	3.3- 8.7	496	94.0	91.3-96.7
65+	809	96,081	53	6.5	4.3- 8.7	756	93.5	91.3-95.7
Less Than H.S.	223	45,259	10	4.6	1.5- 7.7	213	95.4	92.3-98.5
H.S. or G.E.D.	629	116,764	42	5.1	3.1- 7.1	587	94.9	92.9-96.9
Some Post-H.S.	588	112,759	28	3.1	1.7- 4.5	560	96.9	95.5-98.3
College Graduate	833	119,406	22	1.4	0.6- 2.2	811	98.6	97.8-99.4
Less than \$15,000	209	33,052	26	9.0	4.7-13.3	183	91.0	86.7-95.3
\$15,000- 24,999	362	58,126	23	4.5	2.1- 6.9	339	95.5	93.1-97.9
\$25,000- 34,999	219	34,212	14	4.7	1.8- 7.6	205	95.3	92.4-98.2
\$35,000- 49,999	256	46,208	6	2.3	0.0- 4.7	250	97.7	95.3- 100
\$50,000- 74,999	237	44,780	5	1.7	0.0- 3.7	232	98.3	96.3- 100
\$75,000+	523	93,633	7	1.5	0.1- 2.9	516	98.5	97.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4124	756,667	593	15.8	14.0-17.6	3531	84.2	82.4-86.0
Male	1842	361,557	209	13.7	11.2-16.2	1633	86.3	83.8-88.8
Female	2282	395,110	384	17.7	15.3-20.1	1898	82.3	79.9-84.7
White/Non-Hisp	2739	479,927	377	15.2	13.0-17.4	2362	84.8	82.6-87.0
Black or Afr. Am./Non-Hisp	582	152,360	122	20.1	15.8-24.4	460	79.9	75.6-84.2
Oth. Race/Non-Hisp.	190	37,193	16	9.6	3.5-15.7	174	90.4	84.3-96.5
Hispanic	447	58,889	51	15.2	8.5-21.9	396	84.8	78.1-91.5
18-24	260	88,737	53	25.3	17.9-32.7	207	74.7	67.3-82.1
25-34	470	126,452	75	18.5	13.0-24.0	395	81.5	76.0-87.0
35-44	476	113,160	53	13.8	9.5-18.1	423	86.2	81.9-90.5
45-54	644	122,145	105	14.8	11.5-18.1	539	85.2	81.9-88.5
55-64	878	132,141	124	13.2	10.3-16.1	754	86.8	83.9-89.7
65+	1396	174,032	183	12.9	10.7-15.1	1213	87.1	84.9-89.3
Less Than H.S.	442	89,159	76	23.7	16.8-30.6	366	76.3	69.4-83.2
H.S. or G.E.D.	1174	235,213	176	14.9	11.8-18.0	998	85.1	82.0-88.2
Some Post-H.S.	1015	216,898	149	16.2	13.1-19.3	866	83.8	80.7-86.9
College Graduate	1468	210,568	190	13.3	10.9-15.7	1278	86.7	84.3-89.1
Less than \$15,000	332	51,318	72	25.9	18.8-33.0	260	74.1	67.0-81.2
\$15,000- 24,999	613	102,791	104	18.9	14.4-23.4	509	81.1	76.6-85.6
\$25,000- 34,999	384	66,042	61	18.7	13.0-24.4	323	81.3	75.6-87.0
\$35,000- 49,999	468	87,718	72	15.5	10.0-21.0	396	84.5	79.0-90.0
\$50,000- 74,999	490	94,968	69	16.7	11.4-22.0	421	83.3	78.0-88.6
\$75,000+	1030	202,487	107	9.7	7.3-12.1	923	90.3	87.9-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	361,557	209	13.7	11.2-16.2	1633	86.3	83.8-88.8
White/Non-Hisp	1214	229,322	132	13.1	10.2-16.0	1082	86.9	84.0-89.8
Black or Afr. Am./Non-Hisp	224	70,016	41	18.2	11.5-24.9	183	81.8	75.1-88.5
Oth. Race/Non-Hisp.	116	20,401	11	8.9	2.2-15.6	105	91.1	84.4-97.8
Hispanic	214	27,210	16	13.4	1.1-25.7	198	86.6	74.3-98.9
18-24	153	44,938	24	19.2	10.6-27.8	129	80.8	72.2-89.4
25-34	242	63,265	36	20.2	11.6-28.8	206	79.8	71.2-88.4
35-44	220	55,241	21	13.5	7.0-20.0	199	86.5	80.0-93.0
45-54	289	58,652	34	12.9	7.8-18.0	255	87.1	82.0-92.2
55-64	352	61,744	31	8.9	4.8-13.0	321	91.1	87.0-95.2
65+	586	77,716	63	9.9	7.0-12.8	523	90.1	87.2-93.0
Less Than H.S.	217	43,537	28	21.8	10.8-32.8	189	78.2	67.2-89.2
H.S. or G.E.D.	547	118,795	70	12.6	8.9-16.3	477	87.4	83.7-91.1
Some Post-H.S.	427	103,814	54	14.9	10.0-19.8	373	85.1	80.2-90.0
College Graduate	637	91,779	57	10.6	7.3-13.9	580	89.4	86.1-92.7
Less than \$15,000	122	18,218	18	24.5	12.0-37.0	104	75.5	63.0-88.0
\$15,000- 24,999	251	44,544	41	20.2	12.9-27.5	210	79.8	72.5-87.1
\$25,000- 34,999	165	31,830	16	9.4	2.9-15.9	149	90.6	84.1-97.1
\$35,000- 49,999	212	41,281	22	14.2	5.0-23.4	190	85.8	76.6-95.0
\$50,000- 74,999	254	50,321	28	15.3	7.5-23.1	226	84.7	76.9-92.5
\$75,000+	508	109,423	46	9.3	5.6-13.0	462	90.7	87.0-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	395,110	384	17.7	15.3-20.1	1898	82.3	79.9-84.7
White/Non-Hisp	1525	250,605	245	17.2	14.3-20.1	1280	82.8	79.9-85.7
Black or Afr. Am./Non-Hisp	358	82,344	81	21.7	16.0-27.4	277	78.3	72.6-84.0
Oth. Race/Non-Hisp.	74	16,792	5	10.4	0.0-21.2	69	89.6	78.8- 100
Hispanic	233	31,679	35	16.7	9.8-23.6	198	83.3	76.4-90.2
18-24	107	43,799	29	31.6	19.8-43.4	78	68.4	56.6-80.2
25-34	228	63,187	39	16.8	10.3-23.3	189	83.2	76.7-89.7
35-44	256	57,919	32	14.1	8.4-19.8	224	85.9	80.2-91.6
45-54	355	63,493	71	16.6	12.1-21.1	284	83.4	78.9-87.9
55-64	526	70,397	93	17.0	12.9-21.1	433	83.0	78.9-87.1
65+	810	96,316	120	15.3	12.2-18.4	690	84.7	81.6-87.8
Less Than H.S.	225	45,622	48	25.5	17.1-33.9	177	74.5	66.1-82.9
H.S. or G.E.D.	627	116,418	106	17.2	12.5-21.9	521	82.8	78.1-87.5
Some Post-H.S.	588	113,084	95	17.4	13.1-21.7	493	82.6	78.3-86.9
College Graduate	831	118,789	133	15.4	12.1-18.7	698	84.6	81.3-87.9
Less than \$15,000	210	33,099	54	26.6	18.2-35.0	156	73.4	65.0-81.8
\$15,000- 24,999	362	58,247	63	17.8	12.1-23.5	299	82.2	76.5-87.9
\$25,000- 34,999	219	34,212	45	27.2	18.4-36.0	174	72.8	64.0-81.6
\$35,000- 49,999	256	46,437	50	16.7	10.2-23.2	206	83.3	76.8-89.8
\$50,000- 74,999	236	44,647	41	18.4	11.5-25.3	195	81.6	74.7-88.5
\$75,000+	522	93,064	61	10.3	7.2-13.4	461	89.7	86.6-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	576	114,034	417	70.0	64.3-75.7	159	30.0	24.3-35.7
Male	203	46,661	129	62.0	52.2-71.8	74	38.0	28.2-47.8
Female	373	67,373	288	75.6	69.1-82.1	85	24.4	17.9-30.9
White/Non-Hisp	367	70,563	269	68.6	61.0-76.2	98	31.4	23.8-39.0
Black or Afr. Am./Non-Hisp	119	30,286	92	74.7	64.7-84.7	27	25.3	15.3-35.3
18-24	50	21,047	34	75.8	62.5-89.1	16	24.2	10.9-37.5
25-34	72	21,274	42	56.7	40.2-73.2	30	43.3	26.8-59.8
35-44	50	14,942	31	53.8	36.4-71.2	19	46.2	28.8-63.6
45-54	104	17,869	88	82.7	72.9-92.5	16	17.3	7.5-27.1
55-64	121	17,116	94	73.8	62.0-85.6	27	26.2	14.4-38.0
65+	179	21,786	128	75.1	67.3-82.9	51	24.9	17.1-32.7
Less Than H.S.	72	18,788	57	72.1	55.0-89.2	15	27.9	10.8-45.0
H.S. or G.E.D.	173	34,108	115	68.0	58.2-77.8	58	32.0	22.2-41.8
Some Post-H.S.	145	33,972	109	70.4	59.6-81.2	36	29.6	18.8-40.4
College Graduate	184	26,963	135	70.7	60.9-80.5	49	29.3	19.5-39.1
Less than \$15,000	72	13,276	54	78.0	66.2-89.8	18	22.0	10.2-33.8
\$15,000- 24,999	101	18,504	72	67.5	54.8-80.2	29	32.5	19.8-45.2
\$25,000- 34,999	60	12,277	41	71.4	56.9-85.9	19	28.6	14.1-43.1
\$35,000- 49,999	70	11,430	50	67.1	48.9-85.3	20	32.9	14.7-51.1
\$50,000- 74,999	67	15,528	45	61.5	42.9-80.1	22	38.5	19.9-57.1
\$75,000+	103	18,813	77	69.5	56.0-83.0	26	30.5	17.0-44.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	203	46,661	129	62.0	52.0-72.0	74	38.0	28.0-48.0
White/Non-Hisp	128	28,988	84	63.6	50.7-76.5	44	36.4	23.5-49.3
65+	62	7,648	40	70.8	57.5-84.1	22	29.2	15.9-42.5
H.S. or G.E.D.	68	14,210	37	53.9	37.4-70.4	31	46.1	29.6-62.6
Some Post-H.S.	53	15,369	34	60.4	42.0-78.8	19	39.6	21.2-58.0
College Graduate	55	9,396	37	74.4	60.9-87.9	18	25.6	12.1-39.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	373	67,373	288	75.6	69.3-81.9	85	24.4	18.1-30.7
White/Non-Hisp	239	41,575	185	72.1	63.1-81.1	54	27.9	18.9-36.9
Black or Afr. Am./Non-Hisp	78	17,546	66	87.5	79.9-95.1	12	12.5	4.9-20.1
45-54	70	10,309	61	84.0	72.2-95.8	9	16.0	4.2-27.8
55-64	90	11,636	71	78.3	67.3-89.3	19	21.7	10.7-32.7
65+	117	14,138	88	77.5	67.7-87.3	29	22.5	12.7-32.3
H.S. or G.E.D.	105	19,897	78	78.2	67.8-88.6	27	21.8	11.4-32.2
Some Post-H.S.	92	18,603	75	78.7	66.9-90.5	17	21.3	9.5-33.1
College Graduate	129	17,567	98	68.8	55.9-81.7	31	31.2	18.3-44.1
Less than \$15,000	54	8,807	40	79.5	67.3-91.7	14	20.5	8.3-32.7
\$15,000- 24,999	61	9,888	48	77.5	63.6-91.4	13	22.5	8.6-36.4
\$35,000- 49,999	50	7,751	39	70.3	47.8-92.8	11	29.7	7.2-52.2
\$75,000+	58	8,873	49	82.7	69.8-95.6	9	17.3	4.4-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	755,814	389	6.9	6.1- 7.7	3737	93.1	92.3-93.9
Male	1845	361,086	185	7.5	6.1- 8.9	1660	92.5	91.1-93.9
Female	2281	394,729	204	6.2	5.2- 7.2	2077	93.8	92.8-94.8
White/Non-Hisp	2737	479,313	358	10.0	8.8-11.2	2379	90.0	88.8-91.2
Black or Afr. Am./Non-Hisp	582	152,149	2	0.2	0.0- 0.4	580	99.8	99.6- 100
Oth. Race/Non-Hisp.	194	37,548	14	3.4	1.2- 5.6	180	96.6	94.4-98.8
Hispanic	447	58,464	4	0.7	0.0- 1.5	443	99.3	98.5- 100
18-24	261	88,941	1	0.2	0.0- 0.6	260	99.8	99.4- 100
25-34	471	126,616	2	0.3	0.0- 0.7	469	99.7	99.3- 100
35-44	476	113,111	4	0.5	0.0- 1.1	472	99.5	98.9- 100
45-54	647	122,911	21	2.9	1.5- 4.3	626	97.1	95.7-98.5
55-64	879	132,339	83	8.8	6.6-11.0	796	91.2	89.0-93.4
65+	1392	171,897	278	20.6	17.9-23.3	1114	79.4	76.7-82.1
Less Than H.S.	441	88,692	14	2.9	1.1- 4.7	427	97.1	95.3-98.9
H.S. or G.E.D.	1172	234,364	83	5.6	4.2- 7.0	1089	94.4	93.0-95.8
Some Post-H.S.	1016	216,587	107	7.6	5.8- 9.4	909	92.4	90.6-94.2
College Graduate	1473	211,668	183	9.1	7.5-10.7	1290	90.9	89.3-92.5
Less than \$15,000	330	50,937	8	1.5	0.3- 2.7	322	98.5	97.3-99.7
\$15,000- 24,999	614	102,705	39	4.5	2.7- 6.3	575	95.5	93.7-97.3
\$25,000- 34,999	385	66,246	36	7.3	4.4-10.2	349	92.7	89.8-95.6
\$35,000- 49,999	468	87,847	48	7.0	4.5- 9.5	420	93.0	90.5-95.5
\$50,000- 74,999	489	94,415	57	9.1	6.2-12.0	432	90.9	88.0-93.8
\$75,000+	1031	202,776	118	8.1	6.3- 9.9	913	91.9	90.1-93.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	361,086	185	7.5	6.1- 8.9	1660	92.5	91.1-93.9
White/Non-Hisp	1214	229,245	161	10.4	8.4-12.4	1053	89.6	87.6-91.6
Black or Afr. Am./Non-Hisp	224	69,623	2	0.4	0.0- 1.0	222	99.6	99.0- 100
Oth. Race/Non-Hisp.	119	20,680	12	5.6	1.9- 9.3	107	94.4	90.7-98.1
Hispanic	214	26,930	1	0.7	0.0- 2.1	213	99.3	97.9- 100
18-24	154	45,142	1	0.5	0.0- 1.5	153	99.5	98.5- 100
25-34	242	63,265	1	0.2	0.0- 0.6	241	99.8	99.4- 100
35-44	220	55,241	2	0.7	0.0- 1.7	218	99.3	98.3- 100
45-54	291	58,931	4	2.0	0.0- 4.0	287	98.0	96.0- 100
55-64	353	61,829	33	8.7	5.2-12.2	320	91.3	87.8-94.8
65+	585	76,677	144	26.0	21.5-30.5	441	74.0	69.5-78.5
Less Than H.S.	217	43,537	8	3.3	0.6- 6.0	209	96.7	94.0-99.4
H.S. or G.E.D.	547	118,403	39	5.5	3.5- 7.5	508	94.5	92.5-96.5
Some Post-H.S.	428	103,576	55	9.2	6.3-12.1	373	90.8	87.9-93.7
College Graduate	640	92,264	81	10.2	7.7-12.7	559	89.8	87.3-92.3
Less than \$15,000	122	18,218	1	0.9	0.0- 2.7	121	99.1	97.3- 100
\$15,000- 24,999	252	44,498	16	5.4	2.3- 8.5	236	94.6	91.5-97.7
\$25,000- 34,999	166	32,033	15	8.3	3.4-13.2	151	91.7	86.8-96.6
\$35,000- 49,999	212	41,281	28	10.2	5.5-14.9	184	89.8	85.1-94.5
\$50,000- 74,999	254	50,321	34	11.2	6.7-15.7	220	88.8	84.3-93.3
\$75,000+	508	109,145	54	6.9	4.5- 9.3	454	93.1	90.7-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2281	394,729	204	6.2	5.2- 7.2	2077	93.8	92.8-94.8
White/Non-Hisp	1523	250,068	197	9.7	8.1-11.3	1326	90.3	88.7-91.9
Black or Afr. Am./Non-Hisp	358	82,526				358	100.0	100.0- 100
Oth. Race/Non-Hisp.	75	16,868	2	0.7	0.0- 1.9	73	99.3	98.1- 100
Hispanic	233	31,534	3	0.7	0.0- 1.7	230	99.3	98.3- 100
18-24	107	43,799				107	100.0	100.0- 100
25-34	229	63,351	1	0.4	0.0- 1.2	228	99.6	98.8- 100
35-44	256	57,870	2	0.4	0.0- 1.0	254	99.6	99.0- 100
45-54	356	63,979	17	3.8	1.8- 5.8	339	96.2	94.2-98.2
55-64	526	70,509	50	9.0	6.1-11.9	476	91.0	88.1-93.9
65+	807	95,220	134	16.2	13.1-19.3	673	83.8	80.7-86.9
Less Than H.S.	224	45,156	6	2.5	0.0- 5.0	218	97.5	95.0- 100
H.S. or G.E.D.	625	115,962	44	5.8	3.8- 7.8	581	94.2	92.2-96.2
Some Post-H.S.	588	113,011	52	6.2	4.2- 8.2	536	93.8	91.8-95.8
College Graduate	833	119,403	102	8.3	6.3-10.3	731	91.7	89.7-93.7
Less than \$15,000	208	32,719	7	1.8	0.2- 3.4	201	98.2	96.6-99.8
\$15,000- 24,999	362	58,207	23	3.9	1.9- 5.9	339	96.1	94.1-98.1
\$25,000- 34,999	219	34,212	21	6.3	3.2- 9.4	198	93.7	90.6-96.8
\$35,000- 49,999	256	46,566	20	4.2	1.8- 6.6	236	95.8	93.4-98.2
\$50,000- 74,999	235	44,094	23	6.8	3.5-10.1	212	93.2	89.9-96.5
\$75,000+	523	93,630	64	9.4	6.7-12.1	459	90.6	87.9-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4125	756,380	422	7.7	6.7- 8.7	3703	92.3	91.3-93.3
Male	1843	360,995	165	6.8	5.4- 8.2	1678	93.2	91.8-94.6
Female	2282	395,385	257	8.5	7.1- 9.9	2025	91.5	90.1-92.9
White/Non-Hisp	2737	479,601	344	10.0	8.6-11.4	2393	90.0	88.6-91.4
Black or Afr. Am./Non-Hisp	582	152,435	39	4.2	2.4- 6.0	543	95.8	94.0-97.6
Oth. Race/Non-Hisp.	194	37,548	14	3.6	0.9- 6.3	180	96.4	93.7-99.1
Hispanic	447	58,857	11	1.8	0.6- 3.0	436	98.2	97.0-99.4
18-24	260	88,831	4	1.9	0.0- 4.1	256	98.1	95.9- 100
25-34	470	126,530	10	2.2	0.6- 3.8	460	97.8	96.2-99.4
35-44	475	112,783	11	2.8	0.6- 5.0	464	97.2	95.0-99.4
45-54	646	122,317	35	5.0	3.2- 6.8	611	95.0	93.2-96.8
55-64	877	132,488	82	8.5	6.0-11.0	795	91.5	89.0-94.0
65+	1397	173,432	280	19.2	16.7-21.7	1117	80.8	78.3-83.3
Less Than H.S.	443	89,292	32	5.4	2.7- 8.1	411	94.6	91.9-97.3
H.S. or G.E.D.	1171	234,399	110	6.7	5.1- 8.3	1061	93.3	91.7-94.9
Some Post-H.S.	1015	216,352	112	9.0	6.8-11.2	903	91.0	88.8-93.2
College Graduate	1472	211,595	165	8.4	6.8-10.0	1307	91.6	90.0-93.2
Less than \$15,000	332	51,318	29	6.8	3.3-10.3	303	93.2	89.7-96.7
\$15,000- 24,999	611	102,185	64	8.6	5.9-11.3	547	91.4	88.7-94.1
\$25,000- 34,999	384	66,131	35	6.0	3.5- 8.5	349	94.0	91.5-96.5
\$35,000- 49,999	469	87,889	57	7.3	4.8- 9.8	412	92.7	90.2-95.2
\$50,000- 74,999	490	95,051	53	8.8	5.7-11.9	437	91.2	88.1-94.3
\$75,000+	1032	203,051	89	6.2	4.6- 7.8	943	93.8	92.2-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	360,995	165	6.8	5.4- 8.2	1678	93.2	91.8-94.6
White/Non-Hisp	1212	228,957	132	9.0	7.0-11.0	1080	91.0	89.0-93.0
Black or Afr. Am./Non-Hisp	224	69,623	12	3.7	1.0- 6.4	212	96.3	93.6-99.0
Oth. Race/Non-Hisp.	119	20,680	10	3.1	0.9- 5.3	109	96.9	94.7-99.1
Hispanic	215	27,242	4	1.1	0.0- 2.3	211	98.9	97.7- 100
18-24	154	45,142	4	3.8	0.0- 8.1	150	96.2	91.9- 100
25-34	242	63,265	1	0.4	0.0- 1.2	241	99.6	98.8- 100
35-44	220	55,241	4	2.9	0.0- 6.4	216	97.1	93.6- 100
45-54	290	58,460	5	1.6	0.0- 3.2	285	98.4	96.8- 100
55-64	353	62,091	30	8.1	4.0-12.2	323	91.9	87.8-96.0
65+	584	76,797	121	19.6	15.7-23.5	463	80.4	76.5-84.3
Less Than H.S.	217	43,537	10	2.5	0.7- 4.3	207	97.5	95.7-99.3
H.S. or G.E.D.	545	118,237	38	5.5	3.3- 7.7	507	94.5	92.3-96.7
Some Post-H.S.	428	103,416	39	8.2	4.9-11.5	389	91.8	88.5-95.1
College Graduate	639	92,174	77	8.8	6.3-11.3	562	91.2	88.7-93.7
Less than \$15,000	122	18,218	5	3.2	0.0- 6.9	117	96.8	93.1- 100
\$15,000- 24,999	252	44,351	15	6.8	2.3-11.3	237	93.2	88.7-97.7
\$25,000- 34,999	165	31,919	14	6.3	2.2-10.4	151	93.7	89.6-97.8
\$35,000- 49,999	212	41,281	20	4.6	2.2- 7.0	192	95.4	93.0-97.8
\$50,000- 74,999	253	50,270	29	9.8	4.7-14.9	224	90.2	85.1-95.3
\$75,000+	508	109,366	45	5.4	3.2- 7.6	463	94.6	92.4-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	395,385	257	8.5	7.1- 9.9	2025	91.5	90.1-92.9
White/Non-Hisp	1525	250,644	212	11.0	9.0-13.0	1313	89.0	87.0-91.0
Black or Afr. Am./Non-Hisp	358	82,812	27	4.7	2.7- 6.7	331	95.3	93.3-97.3
Oth. Race/Non-Hisp.	75	16,868	4	4.3	0.0- 9.8	71	95.7	90.2- 100
Hispanic	232	31,615	7	2.4	0.4- 4.4	225	97.6	95.6-99.6
18-24	106	43,689				106	100.0	100.0- 100
25-34	228	63,265	9	4.0	0.9- 7.1	219	96.0	92.9-99.1
35-44	255	57,542	7	2.7	0.2- 5.2	248	97.3	94.8-99.8
45-54	356	63,858	30	8.0	4.9-11.1	326	92.0	88.9-95.1
55-64	524	70,397	52	8.9	5.8-12.0	472	91.1	88.0-94.2
65+	813	96,635	159	18.9	15.6-22.2	654	81.1	77.8-84.4
Less Than H.S.	226	45,755	22	8.0	3.1-12.9	204	92.0	87.1-96.9
H.S. or G.E.D.	626	116,162	72	7.9	5.5-10.3	554	92.1	89.7-94.5
Some Post-H.S.	587	112,936	73	9.6	7.1-12.1	514	90.4	87.9-92.9
College Graduate	833	119,422	88	8.2	6.0-10.4	745	91.8	89.6-94.0
Less than \$15,000	210	33,099	24	8.8	3.7-13.9	186	91.2	86.1-96.3
\$15,000- 24,999	359	57,834	49	10.0	6.7-13.3	310	90.0	86.7-93.3
\$25,000- 34,999	219	34,212	21	5.8	2.9- 8.7	198	94.2	91.3-97.1
\$35,000- 49,999	257	46,608	37	9.8	5.5-14.1	220	90.2	85.9-94.5
\$50,000- 74,999	237	44,780	24	7.6	4.1-11.1	213	92.4	88.9-95.9
\$75,000+	524	93,685	44	7.3	4.8- 9.8	480	92.7	90.2-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4118	754,171	380	8.1	6.9- 9.3	3738	91.9	90.7-93.1
Male	1843	360,581	158	7.7	6.1- 9.3	1685	92.3	90.7-93.9
Female	2275	393,591	222	8.4	6.8-10.0	2053	91.6	90.0-93.2
White/Non-Hisp	2732	477,949	267	8.5	7.1- 9.9	2465	91.5	90.1-92.9
Black or Afr. Am./Non-Hisp	579	151,762	58	9.4	6.1-12.7	521	90.6	87.3-93.9
Oth. Race/Non-Hisp.	191	37,025	15	4.4	1.1- 7.7	176	95.6	92.3-98.9
Hispanic	449	59,054	19	2.9	0.9- 4.9	430	97.1	95.1-99.1
18-24	261	88,941	6	3.3	0.0- 6.8	255	96.7	93.2- 100
25-34	470	126,344	16	3.8	1.4- 6.2	454	96.2	93.8-98.6
35-44	476	113,111	21	5.0	2.5- 7.5	455	95.0	92.5-97.5
45-54	646	122,340	48	6.6	4.2- 9.0	598	93.4	91.0-95.8
55-64	878	132,511	105	12.6	9.5-15.7	773	87.4	84.3-90.5
65+	1387	170,925	184	13.4	11.0-15.8	1203	86.6	84.2-89.0
Less Than H.S.	441	88,640	70	15.0	10.5-19.5	371	85.0	80.5-89.5
H.S. or G.E.D.	1172	234,084	144	10.0	7.8-12.2	1028	90.0	87.8-92.2
Some Post-H.S.	1012	216,034	97	8.0	5.8-10.2	915	92.0	89.8-94.2
College Graduate	1469	210,911	66	2.9	1.9- 3.9	1403	97.1	96.1-98.1
Less than \$15,000	329	50,973	61	16.1	10.4-21.8	268	83.9	78.2-89.6
\$15,000- 24,999	611	102,404	92	13.6	10.1-17.1	519	86.4	82.9-89.9
\$25,000- 34,999	384	66,199	41	11.6	7.1-16.1	343	88.4	83.9-92.9
\$35,000- 49,999	466	86,864	34	7.6	4.5-10.7	432	92.4	89.3-95.5
\$50,000- 74,999	489	94,448	33	5.2	2.7- 7.7	456	94.8	92.3-97.3
\$75,000+	1032	203,064	43	3.6	2.2- 5.0	989	96.4	95.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	360,581	158	7.7	6.1- 9.3	1685	92.3	90.7-93.9
White/Non-Hisp	1211	228,428	103	7.6	5.6- 9.6	1108	92.4	90.4-94.4
Black or Afr. Am./Non-Hisp	224	69,623	27	10.6	5.7-15.5	197	89.4	84.5-94.3
Oth. Race/Non-Hisp.	119	20,680	12	3.7	1.3- 6.1	107	96.3	93.9-98.7
Hispanic	215	27,242	7	2.0	0.4- 3.6	208	98.0	96.4-99.6
18-24	154	45,142	2	0.8	0.0- 2.0	152	99.2	98.0- 100
25-34	242	63,265	8	3.7	0.2- 7.2	234	96.3	92.8-99.8
35-44	220	55,241	8	4.3	0.8- 7.8	212	95.7	92.2-99.2
45-54	291	58,931	19	6.8	3.3-10.3	272	93.2	89.7-96.7
55-64	353	62,063	43	13.3	8.0-18.6	310	86.7	81.4-92.0
65+	583	75,939	78	13.9	10.2-17.6	505	86.1	82.4-89.8
Less Than H.S.	216	43,091	28	13.4	6.7-20.1	188	86.6	79.9-93.3
H.S. or G.E.D.	546	118,110	51	7.1	4.7- 9.5	495	92.9	90.5-95.3
Some Post-H.S.	428	103,809	43	9.3	5.8-12.8	385	90.7	87.2-94.2
College Graduate	640	92,264	34	3.6	2.2- 5.0	606	96.4	95.0-97.8
Less than \$15,000	122	18,218	19	18.2	7.0-29.4	103	81.8	70.6-93.0
\$15,000- 24,999	252	44,498	31	12.1	6.6-17.6	221	87.9	82.4-93.4
\$25,000- 34,999	166	32,033	16	10.5	4.2-16.8	150	89.5	83.2-95.8
\$35,000- 49,999	211	40,835	19	10.8	5.1-16.5	192	89.2	83.5-94.9
\$50,000- 74,999	254	50,321	18	6.2	2.1-10.3	236	93.8	89.7-97.9
\$75,000+	508	109,379	29	4.3	2.1- 6.5	479	95.7	93.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2275	393,591	222	8.4	6.8-10.0	2053	91.6	90.0-93.2
White/Non-Hisp	1521	249,521	164	9.3	7.5-11.1	1357	90.7	88.9-92.5
Black or Afr. Am./Non-Hisp	355	82,139	31	8.4	4.1-12.7	324	91.6	87.3-95.9
Oth. Race/Non-Hisp.	72	16,345	3	5.4	0.0-12.5	69	94.6	87.5- 100
Hispanic	234	31,812	12	3.8	0.7- 6.9	222	96.2	93.1-99.3
18-24	107	43,799	4	5.9	0.0-13.0	103	94.1	87.0- 100
25-34	228	63,079	8	3.8	0.7- 6.9	220	96.2	93.1-99.3
35-44	256	57,870	13	5.7	2.0- 9.4	243	94.3	90.6-98.0
45-54	355	63,408	29	6.4	3.5- 9.3	326	93.6	90.7-96.5
55-64	525	70,448	62	11.9	8.2-15.6	463	88.1	84.4-91.8
65+	804	94,986	106	12.9	10.0-15.8	698	87.1	84.2-90.0
Less Than H.S.	225	45,550	42	16.6	10.1-23.1	183	83.4	76.9-89.9
H.S. or G.E.D.	626	115,974	93	12.9	9.2-16.6	533	87.1	83.4-90.8
Some Post-H.S.	584	112,224	54	6.7	4.3- 9.1	530	93.3	90.9-95.7
College Graduate	829	118,647	32	2.4	1.2- 3.6	797	97.6	96.4-98.8
Less than \$15,000	207	32,754	42	15.0	8.9-21.1	165	85.0	78.9-91.1
\$15,000- 24,999	359	57,907	61	14.7	10.0-19.4	298	85.3	80.6-90.0
\$25,000- 34,999	218	34,165	25	12.6	5.9-19.3	193	87.4	80.7-94.1
\$35,000- 49,999	255	46,029	15	4.9	2.0- 7.8	240	95.1	92.2-98.0
\$50,000- 74,999	235	44,127	15	4.1	1.4- 6.8	220	95.9	93.2-98.6
\$75,000+	524	93,685	14	2.8	0.8- 4.8	510	97.2	95.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4120	755,666	1262	25.3	23.5-27.1	2858	74.7	72.9-76.5
Male	1836	360,665	457	21.3	18.8-23.8	1379	78.7	76.2-81.2
Female	2284	395,001	805	29.0	26.6-31.4	1479	71.0	68.6-73.4
White/Non-Hisp	2730	478,569	951	29.2	27.0-31.4	1779	70.8	68.6-73.0
Black or Afr. Am./Non-Hisp	584	153,142	150	20.1	16.2-24.0	434	79.9	76.0-83.8
Oth. Race/Non-Hisp.	191	36,825	41	13.9	7.6-20.2	150	86.1	79.8-92.4
Hispanic	448	58,789	66	13.8	9.5-18.1	382	86.2	81.9-90.5
18-24	259	88,339	10	4.0	1.3- 6.7	249	96.0	93.3-98.7
25-34	470	126,486	31	9.8	5.5-14.1	439	90.2	85.9-94.5
35-44	473	112,075	59	13.1	9.0-17.2	414	86.9	82.8-91.0
45-54	647	122,812	173	25.0	20.9-29.1	474	75.0	70.9-79.1
55-64	879	132,600	329	36.4	32.1-40.7	550	63.6	59.3-67.9
65+	1392	173,352	660	47.2	43.9-50.5	732	52.8	49.5-56.1
Less Than H.S.	441	88,743	108	26.5	20.6-32.4	333	73.5	67.6-79.4
H.S. or G.E.D.	1172	235,042	393	26.3	23.2-29.4	779	73.7	70.6-76.8
Some Post-H.S.	1010	215,948	335	27.9	24.2-31.6	675	72.1	68.4-75.8
College Graduate	1472	211,105	423	21.4	18.9-23.9	1049	78.6	76.1-81.1
Less than \$15,000	329	50,853	131	35.7	28.4-43.0	198	64.3	57.0-71.6
\$15,000- 24,999	614	102,990	207	31.4	26.3-36.5	407	68.6	63.5-73.7
\$25,000- 34,999	383	66,154	130	26.0	20.3-31.7	253	74.0	68.3-79.7
\$35,000- 49,999	468	87,646	150	26.0	20.9-31.1	318	74.0	68.9-79.1
\$50,000- 74,999	489	94,898	161	26.4	21.1-31.7	328	73.6	68.3-78.9
\$75,000+	1030	202,290	248	18.8	15.9-21.7	782	81.2	78.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1836	360,665	457	21.3	18.8-23.8	1379	78.7	76.2-81.2
White/Non-Hisp	1206	228,434	338	24.0	20.9-27.1	868	76.0	72.9-79.1
Black or Afr. Am./Non-Hisp	224	70,169	50	19.2	12.9-25.5	174	80.8	74.5-87.1
Oth. Race/Non-Hisp.	118	20,518	28	13.3	6.2-20.4	90	86.7	79.6-93.8
Hispanic	214	26,977	19	7.9	3.4-12.4	195	92.1	87.6-96.6
18-24	152	44,540	6	5.5	0.8-10.2	146	94.5	89.8-99.2
25-34	241	63,135	11	7.4	1.7-13.1	230	92.6	86.9-98.3
35-44	218	54,814	22	10.2	5.1-15.3	196	89.8	84.7-94.9
45-54	290	58,778	63	19.9	14.2-25.6	227	80.1	74.4-85.8
55-64	353	62,104	124	35.0	28.1-41.9	229	65.0	58.1-71.9
65+	582	77,294	231	39.4	34.3-44.5	351	60.6	55.5-65.7
Less Than H.S.	216	43,230	39	21.8	14.0-29.6	177	78.2	70.4-86.0
H.S. or G.E.D.	543	118,322	142	20.3	16.2-24.4	401	79.7	75.6-83.8
Some Post-H.S.	423	103,216	108	23.9	18.4-29.4	315	76.1	70.6-81.6
College Graduate	640	92,264	167	19.8	16.3-23.3	473	80.2	76.7-83.7
Less than \$15,000	120	17,826	31	22.5	12.5-32.5	89	77.5	67.5-87.5
\$15,000- 24,999	252	44,786	65	30.5	22.1-38.9	187	69.5	61.1-77.9
\$25,000- 34,999	164	31,942	42	24.4	15.4-33.4	122	75.6	66.6-84.6
\$35,000- 49,999	212	41,281	56	22.4	15.3-29.5	156	77.6	70.5-84.7
\$50,000- 74,999	253	50,209	80	26.1	18.7-33.5	173	73.9	66.5-81.3
\$75,000+	507	109,094	110	15.6	11.7-19.5	397	84.4	80.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2284	395,001	805	29.0	26.6-31.4	1479	71.0	68.6-73.4
White/Non-Hisp	1524	250,135	613	34.0	30.9-37.1	911	66.0	62.9-69.1
Black or Afr. Am./Non-Hisp	360	82,972	100	21.0	15.9-26.1	260	79.0	73.9-84.1
Oth. Race/Non-Hisp.	73	16,307	13	14.7	3.7-25.7	60	85.3	74.3-96.3
Hispanic	234	31,812	47	18.8	12.1-25.5	187	81.2	74.5-87.9
18-24	107	43,799	4	2.5	0.0- 5.0	103	97.5	95.0- 100
25-34	229	63,351	20	12.2	5.9-18.5	209	87.8	81.5-94.1
35-44	255	57,262	37	15.8	9.7-21.9	218	84.2	78.1-90.3
45-54	357	64,034	110	29.6	23.7-35.5	247	70.4	64.5-76.3
55-64	526	70,497	205	37.6	32.3-42.9	321	62.4	57.1-67.7
65+	810	96,059	429	53.4	49.1-57.7	381	46.6	42.3-50.9
Less Than H.S.	225	45,512	69	31.0	22.6-39.4	156	69.0	60.6-77.4
H.S. or G.E.D.	629	116,720	251	32.4	27.7-37.1	378	67.6	62.9-72.3
Some Post-H.S.	587	112,731	227	31.6	26.7-36.5	360	68.4	63.5-73.3
College Graduate	832	118,841	256	22.7	19.2-26.2	576	77.3	73.8-80.8
Less than \$15,000	209	33,028	100	42.8	33.4-52.2	109	57.2	47.8-66.6
\$15,000- 24,999	362	58,204	142	32.1	25.8-38.4	220	67.9	61.6-74.2
\$25,000- 34,999	219	34,212	88	27.4	20.0-34.8	131	72.6	65.2-80.0
\$35,000- 49,999	256	46,365	94	29.2	21.8-36.6	162	70.8	63.4-78.2
\$50,000- 74,999	236	44,689	81	26.8	19.5-34.1	155	73.2	65.9-80.5
\$75,000+	523	93,196	138	22.5	18.2-26.8	385	77.5	73.2-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4120	754,747	793	19.7	17.9-21.5	3327	80.3	78.5-82.1
Male	1839	359,645	265	15.9	13.5-18.3	1574	84.1	81.7-86.5
Female	2281	395,102	528	23.3	20.8-25.8	1753	76.7	74.2-79.2
White/Non-Hisp	2731	477,890	561	22.3	19.9-24.7	2170	77.7	75.3-80.1
Black or Afr. Am./Non-Hisp	584	152,988	104	15.8	11.9-19.7	480	84.2	80.3-88.1
Oth. Race/Non-Hisp.	193	37,059	31	12.1	6.0-18.2	162	87.9	81.8-94.0
Hispanic	446	58,767	59	13.0	8.5-17.5	387	87.0	82.5-91.5
18-24	259	88,485	44	17.8	11.9-23.7	215	82.2	76.3-88.1
25-34	468	126,343	88	25.7	19.6-31.8	380	74.3	68.2-80.4
35-44	476	112,746	92	20.8	16.1-25.5	384	79.2	74.5-83.9
45-54	645	122,066	157	21.7	17.8-25.6	488	78.3	74.4-82.2
55-64	877	131,109	217	21.7	18.2-25.2	660	78.3	74.8-81.8
65+	1395	173,997	195	12.9	10.7-15.1	1200	87.1	84.9-89.3
Less Than H.S.	441	88,335	96	24.9	18.6-31.2	345	75.1	68.8-81.4
H.S. or G.E.D.	1173	234,823	248	19.8	16.7-22.9	925	80.2	77.1-83.3
Some Post-H.S.	1016	216,419	214	21.2	17.7-24.7	802	78.8	75.3-82.3
College Graduate	1467	210,553	233	16.3	13.8-18.8	1234	83.7	81.2-86.2
Less than \$15,000	331	51,174	127	37.6	30.2-45.0	204	62.4	55.0-69.8
\$15,000- 24,999	614	102,893	142	25.3	20.4-30.2	472	74.7	69.8-79.6
\$25,000- 34,999	385	66,246	88	24.7	18.2-31.2	297	75.3	68.8-81.8
\$35,000- 49,999	468	87,865	107	24.0	18.1-29.9	361	76.0	70.1-81.9
\$50,000- 74,999	490	94,258	79	18.1	12.8-23.4	411	81.9	76.6-87.2
\$75,000+	1031	202,553	122	13.2	10.3-16.1	909	86.8	83.9-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1839	359,645	265	15.9	13.4-18.4	1574	84.1	81.6-86.6
White/Non-Hisp	1209	227,495	185	18.2	15.1-21.3	1024	81.8	78.7-84.9
Black or Afr. Am./Non-Hisp	224	70,016	26	11.9	6.2-17.6	198	88.1	82.4-93.8
Oth. Race/Non-Hisp.	119	20,680	18	8.3	3.2-13.4	101	91.7	86.6-96.8
Hispanic	214	27,185	20	8.6	3.9-13.3	194	91.4	86.7-96.1
18-24	153	44,830	25	17.6	9.6-25.6	128	82.4	74.4-90.4
25-34	240	63,078	32	19.3	11.1-27.5	208	80.7	72.5-88.9
35-44	220	55,241	27	11.5	6.2-16.8	193	88.5	83.2-93.8
45-54	288	58,032	56	18.8	13.1-24.5	232	81.2	75.5-86.9
55-64	351	60,714	57	17.3	11.8-22.8	294	82.7	77.2-88.2
65+	587	77,750	68	12.0	8.7-15.3	519	88.0	84.7-91.3
Less Than H.S.	216	42,724	41	25.2	15.4-35.0	175	74.8	65.0-84.6
H.S. or G.E.D.	544	118,052	91	16.0	11.7-20.3	453	84.0	79.7-88.3
Some Post-H.S.	428	103,434	61	14.0	9.5-18.5	367	86.0	81.5-90.5
College Graduate	638	91,928	71	13.8	10.1-17.5	567	86.2	82.5-89.9
Less than \$15,000	122	18,218	38	34.2	21.5-46.9	84	65.8	53.1-78.5
\$15,000- 24,999	253	44,823	44	21.3	14.0-28.6	209	78.7	71.4-86.0
\$25,000- 34,999	166	32,033	30	18.7	9.9-27.5	136	81.3	72.5-90.1
\$35,000- 49,999	212	41,281	36	16.5	10.4-22.6	176	83.5	77.4-89.6
\$50,000- 74,999	253	49,478	30	17.2	9.0-25.4	223	82.8	74.6-91.0
\$75,000+	509	109,457	45	10.1	6.4-13.8	464	89.9	86.2-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2281	395,102	528	23.3	20.8-25.8	1753	76.7	74.2-79.2
White/Non-Hisp	1522	250,395	376	26.0	22.9-29.1	1146	74.0	70.9-77.1
Black or Afr. Am./Non-Hisp	360	82,972	78	19.1	13.8-24.4	282	80.9	75.6-86.2
Oth. Race/Non-Hisp.	74	16,378	13	16.9	5.1-28.7	61	83.1	71.3-94.9
Hispanic	232	31,582	39	16.8	9.9-23.7	193	83.2	76.3-90.1
18-24	106	43,655	19	18.0	9.4-26.6	87	82.0	73.4-90.6
25-34	228	63,265	56	32.1	23.3-40.9	172	67.9	59.1-76.7
35-44	256	57,505	65	29.7	22.3-37.1	191	70.3	62.9-77.7
45-54	357	64,034	101	24.4	19.1-29.7	256	75.6	70.3-80.9
55-64	526	70,396	160	25.5	21.0-30.0	366	74.5	70.0-79.0
65+	808	96,247	127	13.7	11.0-16.4	681	86.3	83.6-89.0
Less Than H.S.	225	45,612	55	24.6	16.8-32.4	170	75.4	67.6-83.2
H.S. or G.E.D.	629	116,771	157	23.7	19.0-28.4	472	76.3	71.6-81.0
Some Post-H.S.	588	112,984	153	27.7	22.4-33.0	435	72.3	67.0-77.6
College Graduate	829	118,625	162	18.2	14.7-21.7	667	81.8	78.3-85.3
Less than \$15,000	209	32,956	89	39.4	30.2-48.6	120	60.6	51.4-69.8
\$15,000- 24,999	361	58,070	98	28.3	21.8-34.8	263	71.7	65.2-78.2
\$25,000- 34,999	219	34,212	58	30.3	21.1-39.5	161	69.7	60.5-78.9
\$35,000- 49,999	256	46,584	71	30.6	21.4-39.8	185	69.4	60.2-78.6
\$50,000- 74,999	237	44,780	49	19.1	12.4-25.8	188	80.9	74.2-87.6
\$75,000+	522	93,096	77	16.8	12.3-21.3	445	83.2	78.7-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	756,248	161	3.1	2.5- 3.7	3965	96.9	96.3-97.5
Male	1842	361,223	65	3.1	2.1- 4.1	1777	96.9	95.9-97.9
Female	2284	395,024	96	3.1	2.3- 3.9	2188	96.9	96.1-97.7
White/Non-Hisp	2734	478,810	111	3.6	2.6- 4.6	2623	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	583	152,885	26	2.7	1.5- 3.9	557	97.3	96.1-98.5
Oth. Race/Non-Hisp.	193	37,059	7	1.3	0.3- 2.3	186	98.7	97.7-99.7
Hispanic	448	59,025	10	1.9	0.3- 3.5	438	98.1	96.5-99.7
18-24	260	88,522	4	1.1	0.0- 2.3	256	98.9	97.7- 100
25-34	470	126,497	3	1.0	0.0- 2.6	467	99.0	97.4- 100
35-44	475	112,649	4	1.0	0.0- 2.4	471	99.0	97.6- 100
45-54	648	122,997	21	2.3	1.1- 3.5	627	97.7	96.5-98.9
55-64	877	131,993	43	4.6	2.4- 6.8	834	95.4	93.2-97.6
65+	1396	173,590	86	6.5	4.9- 8.1	1310	93.5	91.9-95.1
Less Than H.S.	442	88,931	20	3.2	1.4- 5.0	422	96.8	95.0-98.6
H.S. or G.E.D.	1172	234,649	49	3.7	2.3- 5.1	1123	96.3	94.9-97.7
Some Post-H.S.	1016	216,865	41	3.0	1.8- 4.2	975	97.0	95.8-98.2
College Graduate	1471	210,975	50	2.5	1.7- 3.3	1421	97.5	96.7-98.3
Less than \$15,000	330	51,102	30	5.9	3.4- 8.4	300	94.1	91.6-96.6
\$15,000- 24,999	614	102,966	29	4.2	2.2- 6.2	585	95.8	93.8-97.8
\$25,000- 34,999	384	66,191	15	2.8	1.0- 4.6	369	97.2	95.4-99.0
\$35,000- 49,999	468	87,861	14	2.1	0.7- 3.5	454	97.9	96.5-99.3
\$50,000- 74,999	490	94,564	14	2.8	0.4- 5.2	476	97.2	94.8-99.6
\$75,000+	1032	202,653	31	2.4	1.4- 3.4	1001	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	361,223	65	3.1	2.1- 4.1	1777	96.9	95.9-97.9
White/Non-Hisp	1210	228,694	47	3.8	2.2- 5.4	1163	96.2	94.6-97.8
Black or Afr. Am./Non-Hisp	223	69,912	11	2.8	1.0- 4.6	212	97.2	95.4-99.0
Oth. Race/Non-Hisp.	119	20,680	3	0.9	0.0- 2.1	116	99.1	97.9- 100
Hispanic	215	27,242	2	1.3	0.0- 3.7	213	98.7	96.3- 100
18-24	153	44,723	2	0.9	0.0- 2.3	151	99.1	97.7- 100
25-34	242	63,265	1	0.3	0.0- 0.9	241	99.7	99.1- 100
35-44	220	55,241	1	1.4	0.0- 4.1	219	98.6	95.9- 100
45-54	291	58,963	6	1.5	0.1- 2.9	285	98.5	97.1-99.9
55-64	350	61,425	14	5.0	1.3- 8.7	336	95.0	91.3-98.7
65+	586	77,606	41	7.6	4.9-10.3	545	92.4	89.7-95.1
Less Than H.S.	217	43,204	7	2.9	0.2- 5.6	210	97.1	94.4-99.8
H.S. or G.E.D.	544	118,494	26	4.1	2.1- 6.1	518	95.9	93.9-97.9
Some Post-H.S.	429	103,887	9	2.2	0.0- 4.4	420	97.8	95.6- 100
College Graduate	638	92,006	22	2.7	1.3- 4.1	616	97.3	95.9-98.7
Less than \$15,000	122	18,218	9	5.6	1.1-10.1	113	94.4	89.9-98.9
\$15,000- 24,999	252	44,720	14	6.5	2.6-10.4	238	93.5	89.6-97.4
\$25,000- 34,999	165	31,979	5	2.8	0.0- 5.7	160	97.2	94.3- 100
\$35,000- 49,999	211	41,252	5	1.6	0.0- 3.2	206	98.4	96.8- 100
\$50,000- 74,999	254	50,321	7	3.7	0.0- 7.8	247	96.3	92.2- 100
\$75,000+	509	109,457	12	1.7	0.5- 2.9	497	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2284	395,024	96	3.1	2.3- 3.9	2188	96.9	96.1-97.7
White/Non-Hisp	1524	250,116	64	3.5	2.3- 4.7	1460	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	360	82,972	15	2.7	1.1- 4.3	345	97.3	95.7-98.9
Oth. Race/Non-Hisp.	74	16,378	4	1.8	0.0- 3.8	70	98.2	96.2- 100
Hispanic	233	31,784	8	2.4	0.0- 4.8	225	97.6	95.2- 100
18-24	107	43,799	2	1.3	0.0- 3.1	105	98.7	96.9- 100
25-34	228	63,232	2	1.7	0.0- 4.8	226	98.3	95.2- 100
35-44	255	57,408	3	0.6	0.0- 1.4	252	99.4	98.6- 100
45-54	357	64,034	15	2.9	1.3- 4.5	342	97.1	95.5-98.7
55-64	527	70,568	29	4.3	2.3- 6.3	498	95.7	93.7-97.7
65+	810	95,984	45	5.7	3.7- 7.7	765	94.3	92.3-96.3
Less Than H.S.	225	45,727	13	3.4	0.9- 5.9	212	96.6	94.1-99.1
H.S. or G.E.D.	628	116,155	23	3.3	1.1- 5.5	605	96.7	94.5-98.9
Some Post-H.S.	587	112,977	32	3.7	2.3- 5.1	555	96.3	94.9-97.7
College Graduate	833	118,969	28	2.4	1.4- 3.4	805	97.6	96.6-98.6
Less than \$15,000	208	32,883	21	6.1	2.8- 9.4	187	93.9	90.6-97.2
\$15,000- 24,999	362	58,246	15	2.5	1.1- 3.9	347	97.5	96.1-98.9
\$25,000- 34,999	219	34,212	10	2.8	0.6- 5.0	209	97.2	95.0-99.4
\$35,000- 49,999	257	46,608	9	2.5	0.5- 4.5	248	97.5	95.5-99.5
\$50,000- 74,999	236	44,243	7	1.8	0.0- 3.6	229	98.2	96.4- 100
\$75,000+	523	93,196	19	3.3	1.5- 5.1	504	96.7	94.9-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4128	756,071	569	11.3	10.1-12.5	38	1.7	0.9- 2.5	3409	84.7	83.3-86.1	112	2.3	1.7- 2.9
Male	1843	360,822	263	12.1	10.3-13.9				1522	85.3	83.3-87.3	58	2.6	1.8- 3.4
Female	2285	395,249	306	10.5	8.9-12.1	38	3.2	1.6- 4.8	1887	84.2	82.0-86.4	54	2.0	1.2- 2.8
White/Non-Hisp	2739	479,604	376	11.2	9.8-12.6	19	1.2	0.4- 2.0	2281	85.3	83.5-87.1	63	2.3	1.5- 3.1
Black or Afr. Am./Non-Hisp	584	152,914	95	11.6	8.7-14.5	7	3.5	0.6- 6.4	462	83.0	79.1-86.9	20	1.9	0.9- 2.9
Oth. Race/Non-Hisp.	190	36,506	22	12.9	5.6-20.2				160	83.3	75.5-91.1	8	3.8	0.1- 7.5
Hispanic	447	58,579	47	9.7	6.0-13.4	12	2.7	0.7- 4.7	372	84.1	79.6-88.6	16	3.5	1.3- 5.7
18-24	260	88,567	4	0.6	0.0- 1.2	2	2.1	0.0- 5.4	250	96.2	92.7-99.7	4	1.1	0.0- 2.3
25-34	469	126,142	11	2.3	0.5- 4.1	6	3.2	0.3- 6.1	445	93.2	89.5-96.9	7	1.4	0.2- 2.6
35-44	475	112,670	22	4.9	2.4- 7.4	14	3.0	0.8- 5.2	430	90.3	87.0-93.6	9	1.8	0.4- 3.2
45-54	649	123,052	84	10.9	8.0-13.8	6	1.7	0.1- 3.3	540	85.1	81.6-88.6	19	2.3	0.9- 3.7
55-64	876	131,542	145	16.8	13.5-20.1	9	0.8	0.2- 1.4	689	78.9	75.2-82.6	33	3.6	2.0- 5.2
65+	1399	174,098	303	23.4	20.5-26.3	1	0.3	0.0- 0.9	1055	73.2	70.1-76.3	40	3.1	1.9- 4.3
Less Than H.S.	441	88,671	77	17.1	12.4-21.8	5	1.1	0.0- 2.5	341	77.8	72.5-83.1	18	4.0	1.8- 6.2
H.S. or G.E.D.	1176	235,484	189	14.0	11.5-16.5	12	1.9	0.3- 3.5	949	82.4	79.5-85.3	26	1.8	1.0- 2.6
Some Post-H.S.	1015	216,257	152	10.3	8.1-12.5	9	2.1	0.3- 3.9	827	85.6	82.9-88.3	27	2.1	1.1- 3.1
College Graduate	1471	210,831	151	7.1	5.7- 8.5	12	1.4	0.4- 2.4	1267	89.0	87.0-91.0	41	2.6	1.6- 3.6
Less than \$15,000	332	51,318	65	18.2	12.5-23.9	3	2.0	0.0- 4.4	250	76.3	70.0-82.6	14	3.6	1.1- 6.1
\$15,000- 24,999	614	102,814	114	15.7	12.4-19.0	6	1.3	0.0- 3.1	476	80.9	77.0-84.8	18	2.1	0.9- 3.3
\$25,000- 34,999	384	65,817	59	13.2	8.7-17.7	4	0.8	0.0- 1.8	307	83.1	78.2-88.0	14	2.8	1.0- 4.6
\$35,000- 49,999	468	87,602	72	13.9	9.8-18.0	6	3.2	0.0- 7.1	378	81.3	75.8-86.8	12	1.6	0.4- 2.8
\$50,000- 74,999	491	95,101	53	9.9	6.4-13.4	6	3.4	0.1- 6.7	419	84.3	79.4-89.2	13	2.3	0.5- 4.1
\$75,000+	1031	202,549	86	5.2	3.8- 6.6	11	1.9	0.5- 3.3	916	90.9	88.7-93.1	18	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	360,822	263	12.1	10.3-13.9	1522	85.3	83.3-87.3	58	2.6	1.8- 3.4
White/Non-Hisp	1213	229,108	184	12.4	10.2-14.6	996	84.7	82.2-87.2	33	2.9	1.7- 4.1
Black or Afr. Am./Non-Hisp	224	69,942	43	13.8	8.7-18.9	175	84.4	79.1-89.7	6	1.9	0.3- 3.5
Oth. Race/Non-Hisp.	117	20,203	15	14.4	4.2-24.6	96	83.2	73.0-93.4	6	2.4	0.0- 4.8
Hispanic	214	26,875	11	5.3	1.6- 9.0	193	91.6	87.3-95.9	10	3.2	0.8- 5.6
18-24	153	44,768	3	1.0	0.0- 2.2	149	98.5	96.9- 100	1	0.5	0.0- 1.5
25-34	241	62,899	2	0.6	0.0- 1.4	236	98.5	96.7- 100	3	1.0	0.0- 2.6
35-44	220	55,241	12	4.4	1.3- 7.5	203	94.3	91.0-97.6	5	1.3	0.0- 2.7
45-54	292	59,018	43	15.1	9.8-20.4	238	81.8	76.1-87.5	11	3.2	0.7- 5.7
55-64	350	61,146	66	19.7	14.0-25.4	267	75.6	69.5-81.7	17	4.8	2.1- 7.5
65+	587	77,750	137	25.1	20.4-29.8	429	70.8	65.9-75.7	21	4.1	1.7- 6.5
Less Than H.S.	216	43,024	29	15.8	8.9-22.7	176	80.7	73.4-88.0	11	3.5	1.0- 6.0
H.S. or G.E.D.	546	118,672	86	13.7	10.2-17.2	450	84.9	81.2-88.6	10	1.4	0.2- 2.6
Some Post-H.S.	428	103,459	63	10.5	7.2-13.8	348	86.2	82.3-90.1	17	3.4	1.4- 5.4
College Graduate	639	92,034	85	10.6	8.1-13.1	534	86.3	83.4-89.2	20	3.1	1.3- 4.9
Less than \$15,000	122	18,218	17	14.1	6.1-22.1	98	79.0	69.2-88.8	7	6.9	0.2-13.6
\$15,000- 24,999	252	44,591	42	15.7	10.4-21.0	200	82.0	76.5-87.5	10	2.3	0.5- 4.1
\$25,000- 34,999	165	31,605	21	12.1	5.0-19.2	138	85.8	78.5-93.1	6	2.2	0.2- 4.2
\$35,000- 49,999	212	41,281	31	14.6	7.9-21.3	175	83.7	76.8-90.6	6	1.8	0.0- 3.6
\$50,000- 74,999	254	50,321	42	14.9	9.0-20.8	205	82.1	75.6-88.6	7	3.0	0.1- 5.9
\$75,000+	508	109,353	58	6.9	4.5- 9.3	439	90.4	87.5-93.3	11	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2285	395,249	306	10.5	8.9-12.1	38	3.2	1.6- 4.8	1887	84.2	82.0-86.4	54	2.0	1.2- 2.8
White/Non-Hisp	1526	250,496	192	10.1	8.3-11.9	19	2.3	0.9- 3.7	1285	85.9	83.5-88.3	30	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	360	82,972	52	9.7	6.4-13.0	7	6.5	1.4-11.6	287	81.9	76.0-87.8	14	1.9	0.7- 3.1
Oth. Race/Non-Hisp.	73	16,303	7	11.0	0.4-21.6				64	83.4	71.1-95.7	2	5.6	0.0-13.0
Hispanic	233	31,704	36	13.5	7.6-19.4	12	5.1	1.6- 8.6	179	77.7	70.4-85.0	6	3.7	0.2- 7.2
18-24	107	43,799	1	0.1	0.0- 0.3	2	4.2	0.0-10.9	101	93.9	87.0- 100	3	1.8	0.0- 4.0
25-34	228	63,243	9	3.9	0.4- 7.4	6	6.3	0.4-12.2	209	88.0	81.1-94.9	4	1.8	0.0- 3.6
35-44	255	57,429	10	5.5	1.8- 9.2	14	5.8	1.7- 9.9	227	86.6	80.9-92.3	4	2.2	0.0- 4.6
45-54	357	64,034	41	7.0	4.5- 9.5	6	3.3	0.2- 6.4	302	88.2	84.1-92.3	8	1.5	0.3- 2.7
55-64	526	70,396	79	14.3	10.4-18.2	9	1.5	0.3- 2.7	422	81.8	77.5-86.1	16	2.5	0.7- 4.3
65+	812	96,348	166	22.1	18.4-25.8	1	0.5	0.0- 1.5	626	75.1	71.2-79.0	19	2.3	1.1- 3.5
Less Than H.S.	225	45,647	48	18.3	11.8-24.8	5	2.2	0.0- 4.7	165	75.2	67.8-82.6	7	4.4	0.9- 7.9
H.S. or G.E.D.	630	116,811	103	14.2	10.7-17.7	12	3.8	0.7- 6.9	499	79.9	75.4-84.4	16	2.1	0.9- 3.3
Some Post-H.S.	587	112,798	89	10.1	7.6-12.6	9	4.0	0.7- 7.3	479	85.0	80.9-89.1	10	0.9	0.3- 1.5
College Graduate	832	118,797	66	4.3	3.1- 5.5	12	2.4	0.8- 4.0	733	91.0	88.6-93.4	21	2.2	0.8- 3.6
Less than \$15,000	210	33,099	48	20.4	13.0-27.8	3	3.1	0.0- 6.8	152	74.8	66.8-82.8	7	1.8	0.2- 3.4
\$15,000- 24,999	362	58,223	72	15.7	11.4-20.0	6	2.3	0.0- 5.2	276	80.1	74.8-85.4	8	1.9	0.1- 3.7
\$25,000- 34,999	219	34,212	38	14.3	8.2-20.4	4	1.6	0.0- 3.6	169	80.6	73.9-87.3	8	3.4	0.7- 6.1
\$35,000- 49,999	256	46,321	41	13.3	8.2-18.4	6	6.0	0.0-13.3	203	79.3	71.1-87.5	6	1.4	0.0- 3.0
\$50,000- 74,999	237	44,780	11	4.3	1.0- 7.6	6	7.2	0.1-14.3	214	86.9	79.5-94.3	6	1.6	0.0- 3.2
\$75,000+	523	93,196	28	3.1	1.7- 4.5	11	4.1	1.4- 6.8	477	91.4	88.1-94.7	7	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	527	78,468	14	3.7	0.6- 6.8	53	9.6	6.7-12.5	113	23.2	18.3-28.1	229	45.3	39.6-51.0	118	18.2	14.3-22.1
Male	254	41,220	8	3.7	0.2- 7.2	16	6.8	3.3-10.3	61	26.1	18.8-33.4	115	49.0	41.0-57.0	54	14.4	10.1-18.7
Female	273	37,248	6	3.8	0.0- 9.1	37	12.8	7.9-17.7	52	19.9	13.2-26.6	114	41.2	33.2-49.2	64	22.3	15.8-28.8
White/Non-Hisp	354	50,279	5	3.0	0.0- 7.1	21	4.9	2.4- 7.4	71	20.3	15.0-25.6	169	51.6	44.7-58.5	88	20.1	15.4-24.8
Black or Afr. Am./Non-Hisp	85	15,758	2	5.1	0.0-13.7	17	20.7	10.5-30.9	24	28.2	15.7-40.7	29	35.9	22.6-49.2	13	10.1	3.8-16.4
45-54	80	12,626	6	8.0	0.0-18.6	15	13.2	5.4-21.0	30	38.0	24.1-51.9	29	40.8	26.9-54.7			
55-64	131	19,889				11	3.8	0.9- 6.7	33	25.1	15.5-34.7	82	68.5	58.5-78.5	5	2.6	0.2- 5.0
65+	279	37,056	1	0.3	0.0- 0.9	10	4.9	1.6- 8.2	37	12.5	7.6-17.4	118	45.3	37.7-52.9	113	37.1	29.8-44.4
Less Than H.S.	63	12,591	2	0.9	0.0- 2.3	11	11.7	3.5-19.9	8	12.4	0.8-24.0	28	52.6	35.9-69.3	14	22.4	9.1-35.7
H.S. or G.E.D.	172	30,041	7	6.0	0.0-12.7	22	11.7	5.8-17.6	34	22.2	14.0-30.4	75	45.9	36.1-55.7	34	14.1	8.6-19.6
Some Post-H.S.	146	21,437	3	4.3	0.0-10.8	15	7.8	3.3-12.3	30	26.3	16.3-36.3	67	45.8	35.2-56.4	31	15.8	9.5-22.1
College Graduate	146	14,400	2	0.7	0.0- 1.7	5	6.2	0.7-11.7	41	29.9	20.9-38.9	59	36.8	27.6-46.0	39	26.5	18.3-34.7
Less than \$15,000	58	8,032	2	3.6	0.0- 8.9	12	25.0	9.3-40.7	13	23.6	6.9-40.3	21	27.7	13.8-41.6	10	20.2	3.9-36.5
\$15,000- 24,999	106	15,113	2	0.6	0.0- 1.6	14	10.2	3.9-16.5	22	25.1	14.3-35.9	45	45.3	33.7-56.9	23	18.9	10.5-27.3
\$25,000- 34,999	57	8,498	1	0.4	0.0- 1.2	5	3.9	0.2- 7.6	13	24.9	7.8-42.0	23	54.3	36.1-72.5	15	16.5	6.3-26.7
\$35,000- 49,999	69	11,728	1	0.8	0.0- 2.4	6	7.7	1.4-14.0	12	19.0	7.0-31.0	33	57.2	41.9-72.5	17	15.3	6.5-24.1
\$50,000- 74,999	53	9,462				1	2.0	0.0- 5.9	18	36.9	19.3-54.5	29	51.8	33.6-70.0	5	9.4	0.6-18.2
\$75,000+	84	10,143	1	7.0	0.0-19.9	4	5.4	0.0-11.1	20	23.0	12.6-33.4	36	38.6	25.1-52.1	23	26.1	15.1-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	41,220	8	3.7	0.0- 7.4	16	6.8	3.3-10.3	61	26.1	18.8-33.4	115	49.0	41.0-57.0	54	14.4	10.3-18.5
White/Non-Hisp	178	26,975	3	1.6	0.0- 3.4	4	2.3	0.0- 4.8	40	25.4	16.8-34.0	88	52.9	43.7-62.1	43	17.9	12.2-23.6
55-64	63	11,054				1	0.7	0.0- 2.1	17	26.8	13.3-40.3	43	71.0	57.3-84.7	2	1.5	0.0- 3.5
65+	133	18,541	1	0.6	0.0- 1.8	6	6.0	0.9-11.1	20	14.7	7.4-22.0	54	47.4	36.4-58.4	52	31.2	22.2-40.2
H.S. or G.E.D.	81	14,923	4	3.5	0.0- 7.0	8	8.7	2.0-15.4	20	29.9	17.0-42.8	39	50.6	37.1-64.1	10	7.3	2.6-12.0
Some Post-H.S.	62	10,531	3	8.8	0.0-21.5	1	1.2	0.0- 3.6	14	27.8	12.3-43.3	28	46.6	29.5-63.7	16	15.7	6.7-24.7
College Graduate	84	9,633				4	8.7	0.5-16.9	24	30.1	18.3-41.9	32	34.5	22.7-46.3	24	26.7	16.1-37.3
\$75,000+	56	7,286	1	9.7	0.0-27.1	3	6.7	0.0-14.5	11	19.0	7.4-30.6	24	35.4	19.3-51.5	17	29.1	15.0-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	273	37,248	6	3.8	0.0- 9.1	37	12.8	7.9-17.7	52	19.9	13.2-26.6	114	41.2	33.2-49.2	64	22.3	15.8-28.8
White/Non-Hisp	176	23,304	2	4.7	0.0-12.9	17	7.8	3.1-12.5	31	14.5	8.6-20.4	81	50.2	40.2-60.2	45	22.8	15.2-30.4
55-64	68	8,836				10	7.7	1.6-13.8	16	22.8	9.5-36.1	39	65.3	50.6-80.0	3	4.1	0.0- 8.8
65+	146	18,515				4	3.7	0.0- 8.0	17	10.3	3.6-17.0	64	43.1	32.5-53.7	61	42.9	32.1-53.7
H.S. or G.E.D.	91	15,118	3	8.5	0.0-21.0	14	14.7	5.1-24.3	14	14.6	5.4-23.8	36	41.4	27.7-55.1	24	20.8	11.0-30.6
Some Post-H.S.	84	10,906				14	14.2	6.2-22.2	16	24.9	12.4-37.4	39	45.0	32.1-57.9	15	15.9	6.9-24.9
College Graduate	62	4,767	2	2.0	0.0- 4.9	1	1.2	0.0- 3.6	17	29.4	15.7-43.1	27	41.3	27.0-55.6	15	26.1	13.0-39.2
\$15,000- 24,999	64	8,103	2	1.1	0.0- 2.9	10	12.2	3.2-21.2	8	13.0	1.0-25.0	28	49.6	34.1-65.1	16	24.1	11.6-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	88
2 MALES ONLY	89
3 FEMALES ONLY	90
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	91
5 MALES ONLY	92
6 FEMALES ONLY	93
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	94
8 MALES ONLY	95
9 FEMALES ONLY	96
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)	
10 MALES AND FEMALES	97
11 MALES ONLY	98
12 FEMALES ONLY	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1248	189,091	634	51.4	47.5-55.3	614	48.6	44.7-52.5
Male	448	75,003	216	49.7	43.2-56.2	232	50.3	43.8-56.8
Female	800	114,087	418	52.5	47.8-57.2	382	47.5	42.8-52.2
White/Non-Hisp	939	137,836	466	48.4	43.9-52.9	473	51.6	47.1-56.1
Black or Afr. Am./Non-Hisp	150	30,834	79	57.7	47.5-67.9	71	42.3	32.1-52.5
Hispanic	66	8,109	31	46.6	30.3-62.9	35	53.4	37.1-69.7
35-44	58	14,543	31	48.7	32.2-65.2	27	51.3	34.8-67.8
45-54	173	30,659	102	55.5	46.1-64.9	71	44.5	35.1-53.9
55-64	327	48,072	178	54.8	47.2-62.4	149	45.2	37.6-52.8
65+	650	79,976	300	44.8	39.9-49.7	350	55.2	50.3-60.1
Less Than H.S.	106	22,478	63	55.8	43.1-68.5	43	44.2	31.5-56.9
H.S. or G.E.D.	389	61,480	202	49.7	43.2-56.2	187	50.3	43.8-56.8
Some Post-H.S.	329	59,494	173	59.6	52.5-66.7	156	40.4	33.3-47.5
College Graduate	421	45,116	196	41.3	35.2-47.4	225	58.7	52.6-64.8
Less than \$15,000	131	18,163	90	71.8	61.0-82.6	41	28.2	17.4-39.0
\$15,000- 24,999	205	32,066	120	61.1	51.9-70.3	85	38.9	29.7-48.1
\$25,000- 34,999	126	16,127	70	59.9	48.7-71.1	56	40.1	28.9-51.3
\$35,000- 49,999	148	22,585	74	48.8	38.2-59.4	74	51.2	40.6-61.8
\$50,000- 74,999	159	24,787	75	50.3	39.3-61.3	84	49.7	38.7-60.7
\$75,000+	246	37,793	87	36.9	28.3-45.5	159	63.1	54.5-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	448	75,003	216	49.7	43.2-56.2	232	50.3	43.8-56.8
White/Non-Hisp	331	53,396	152	46.6	39.2-54.0	179	53.4	46.0-60.8
Black or Afr. Am./Non-Hisp	50	13,438	25	51.3	34.1-68.5	25	48.7	31.5-65.9
45-54	63	11,715	31	46.8	30.9-62.7	32	53.2	37.3-69.1
55-64	122	21,600	68	56.7	44.2-69.2	54	43.3	30.8-55.8
65+	225	29,073	97	43.6	35.2-52.0	128	56.4	48.0-64.8
H.S. or G.E.D.	139	23,743	69	49.0	38.0-60.0	70	51.0	40.0-62.0
Some Post-H.S.	105	24,323	57	61.9	49.6-74.2	48	38.1	25.8-50.4
College Graduate	166	18,226	71	35.8	27.2-44.4	95	64.2	55.6-72.8
\$15,000- 24,999	65	13,680	36	59.3	42.8-75.8	29	40.7	24.2-57.2
\$35,000- 49,999	55	9,168	25	45.5	28.4-62.6	30	54.5	37.4-71.6
\$50,000- 74,999	78	12,810	40	55.9	40.4-71.4	38	44.1	28.6-59.6
\$75,000+	108	16,836	42	37.2	22.9-51.5	66	62.8	48.5-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	800	114,087	418	52.5	47.8-57.2	382	47.5	42.8-52.2
White/Non-Hisp	608	84,440	314	49.6	44.1-55.1	294	50.4	44.9-55.9
Black or Afr. Am./Non-Hisp	100	17,395	54	62.6	50.6-74.6	46	37.4	25.4-49.4
45-54	110	18,944	71	60.9	49.3-72.5	39	39.1	27.5-50.7
55-64	205	26,472	110	53.4	44.2-62.6	95	46.6	37.4-55.8
65+	425	50,903	203	45.5	39.4-51.6	222	54.5	48.4-60.6
Less Than H.S.	69	14,092	44	60.1	44.0-76.2	25	39.9	23.8-56.0
H.S. or G.E.D.	250	37,737	133	50.1	42.1-58.1	117	49.9	41.9-57.9
Some Post-H.S.	224	35,170	116	58.0	49.8-66.2	108	42.0	33.8-50.2
College Graduate	255	26,891	125	45.1	36.9-53.3	130	54.9	46.7-63.1
Less than \$15,000	100	14,152	73	77.2	65.6-88.8	27	22.8	11.2-34.4
\$15,000- 24,999	140	18,387	84	62.4	52.0-72.8	56	37.6	27.2-48.0
\$25,000- 34,999	86	9,245	46	56.6	42.7-70.5	40	43.4	29.5-57.3
\$35,000- 49,999	93	13,417	49	51.1	37.4-64.8	44	48.9	35.2-62.6
\$50,000- 74,999	81	11,977	35	44.2	28.9-59.5	46	55.8	40.5-71.1
\$75,000+	138	20,957	45	36.6	25.8-47.4	93	63.4	52.6-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 7: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1214	183,888	424	37.3	33.4-41.2	790	62.7	58.8-66.6
Male	440	74,057	149	39.6	32.9-46.3	291	60.4	53.7-67.1
Female	774	109,830	275	35.8	31.1-40.5	499	64.2	59.5-68.9
White/Non-Hisp	921	135,099	292	33.3	29.0-37.6	629	66.7	62.4-71.0
Black or Afr. Am./Non-Hisp	144	29,650	61	47.2	36.4-58.0	83	52.8	42.0-63.6
Hispanic	61	7,266	28	43.7	26.8-60.6	33	56.3	39.4-73.2
35-44	57	14,362	29	46.2	29.5-62.9	28	53.8	37.1-70.5
45-54	167	28,629	95	53.8	44.4-63.2	72	46.2	36.8-55.6
55-64	323	47,202	122	37.1	29.5-44.7	201	62.9	55.3-70.5
65+	626	77,736	156	25.5	20.8-30.2	470	74.5	69.8-79.2
Less Than H.S.	102	22,475	47	44.3	31.4-57.2	55	55.7	42.8-68.6
H.S. or G.E.D.	378	58,732	149	37.5	31.0-44.0	229	62.5	56.0-69.0
Some Post-H.S.	322	58,640	131	46.1	38.5-53.7	191	53.9	46.3-61.5
College Graduate	409	43,519	97	22.0	16.5-27.5	312	78.0	72.5-83.5
Less than \$15,000	127	17,400	73	57.3	44.6-70.0	54	42.7	30.0-55.4
\$15,000- 24,999	202	31,818	92	45.4	35.6-55.2	110	54.6	44.8-64.4
\$25,000- 34,999	121	16,323	58	55.8	43.6-68.0	63	44.2	32.0-56.4
\$35,000- 49,999	144	21,888	49	41.5	30.5-52.5	95	58.5	47.5-69.5
\$50,000- 74,999	157	24,379	39	30.6	19.6-41.6	118	69.4	58.4-80.4
\$75,000+	241	37,175	38	18.0	10.4-25.6	203	82.0	74.4-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 7: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	440	74,057	149	39.6	32.9-46.3	291	60.4	53.7-67.1
White/Non-Hisp	326	53,116	96	34.0	26.4-41.6	230	66.0	58.4-73.6
45-54	62	11,280	33	54.6	38.9-70.3	29	45.4	29.7-61.1
55-64	122	21,343	50	42.2	29.5-54.9	72	57.8	45.1-70.5
65+	217	28,700	48	26.5	17.9-35.1	169	73.5	64.9-82.1
H.S. or G.E.D.	139	22,989	58	40.6	29.6-51.6	81	59.4	48.4-70.4
Some Post-H.S.	102	23,844	45	53.2	39.9-66.5	57	46.8	33.5-60.1
College Graduate	160	17,717	31	18.3	10.1-26.5	129	81.7	73.5-89.9
\$15,000- 24,999	64	13,588	31	48.2	31.0-65.4	33	51.8	34.6-69.0
\$35,000- 49,999	53	9,063	17	43.4	26.0-60.8	36	56.6	39.2-74.0
\$50,000- 74,999	78	12,792	23	43.2	26.7-59.7	55	56.8	40.3-73.3
\$75,000+	106	16,621	18	19.3	6.2-32.4	88	80.7	67.6-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	774	109,830	275	35.8	31.1-40.5	499	64.2	59.5-68.9
White/Non-Hisp	595	81,983	196	32.9	27.6-38.2	399	67.1	61.8-72.4
Black or Afr. Am./Non-Hisp	95	16,767	41	44.2	30.7-57.7	54	55.8	42.3-69.3
45-54	105	17,349	62	53.2	41.2-65.2	43	46.8	34.8-58.8
55-64	201	25,859	72	32.9	23.9-41.9	129	67.1	58.1-76.1
65+	409	49,035	108	24.9	19.6-30.2	301	75.1	69.8-80.4
Less Than H.S.	64	13,293	32	44.5	27.8-61.2	32	55.5	38.8-72.2
H.S. or G.E.D.	239	35,743	91	35.5	27.5-43.5	148	64.5	56.5-72.5
Some Post-H.S.	220	34,796	86	41.2	32.4-50.0	134	58.8	50.0-67.6
College Graduate	249	25,802	66	24.5	17.1-31.9	183	75.5	68.1-82.9
Less than \$15,000	97	13,731	56	57.9	43.2-72.6	41	42.1	27.4-56.8
\$15,000- 24,999	138	18,230	61	43.3	32.3-54.3	77	56.7	45.7-67.7
\$25,000- 34,999	82	8,742	36	48.9	33.8-64.0	46	51.1	36.0-66.2
\$35,000- 49,999	91	12,825	32	40.1	26.0-54.2	59	59.9	45.8-74.0
\$50,000- 74,999	79	11,587	16	16.7	7.3-26.1	63	83.3	73.9-92.7
\$75,000+	135	20,554	20	17.0	8.4-25.6	115	83.0	74.4-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1249	188,329	285	23.2	19.9-26.5	348	29.0	25.3-32.7	616	47.7	43.8-51.6
Male	451	75,350	83	21.3	15.8-26.8	123	29.2	23.1-35.3	245	49.6	43.1-56.1
Female	798	112,979	202	24.5	20.4-28.6	225	29.0	24.5-33.5	371	46.5	41.8-51.2
White/Non-Hisp	941	137,584	210	22.8	19.1-26.5	239	26.0	21.9-30.1	492	51.3	46.8-55.8
Black or Afr. Am./Non-Hisp	150	30,834	36	22.0	13.4-30.6	53	39.9	29.3-50.5	61	38.0	28.2-47.8
Hispanic	65	7,715	16	24.4	10.9-37.9	20	27.8	13.3-42.3	29	47.9	31.6-64.2
35-44	57	14,451	13	24.5	10.0-39.0	12	17.4	5.8-29.0	32	58.1	41.6-74.6
45-54	168	28,845	58	31.6	23.0-40.2	46	25.9	17.9-33.9	64	42.5	32.9-52.1
55-64	327	47,793	95	29.6	22.3-36.9	85	28.2	20.8-35.6	147	42.2	34.8-49.6
65+	656	81,281	112	18.6	14.5-22.7	190	29.0	24.5-33.5	354	52.4	47.5-57.3
Less Than H.S.	105	22,728	39	40.6	27.9-53.3	30	26.6	15.8-37.4	36	32.9	20.9-44.9
H.S. or G.E.D.	389	60,951	106	25.4	19.7-31.1	107	28.1	22.2-34.0	176	46.5	40.0-53.0
Some Post-H.S.	331	59,279	82	22.7	16.6-28.8	99	34.1	26.5-41.7	150	43.2	35.8-50.6
College Graduate	421	44,849	58	12.3	8.4-16.2	110	24.9	19.6-30.2	253	62.8	56.7-68.9
Less than \$15,000	131	18,163	55	46.2	33.7-58.7	43	33.8	21.8-45.8	33	20.0	11.2-28.8
\$15,000- 24,999	205	32,213	76	35.0	26.0-44.0	54	33.8	24.2-43.4	75	31.2	22.6-39.8
\$25,000- 34,999	129	17,139	31	33.5	20.8-46.2	44	28.3	17.7-38.9	54	38.2	27.0-49.4
\$35,000- 49,999	149	22,375	34	23.4	14.0-32.8	44	26.8	17.8-35.8	71	49.8	39.2-60.4
\$50,000- 74,999	158	24,487	19	11.4	4.5-18.3	42	32.9	21.3-44.5	97	55.8	44.4-67.2
\$75,000+	247	37,859	18	6.9	2.8-11.0	53	22.4	15.0-29.8	176	70.7	62.9-78.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	451	75,350	83	21.3	15.8-26.8	123	29.2	22.9-35.5	245	49.6	43.1-56.1
White/Non-Hisp	333	53,771	62	22.6	15.9-29.3	78	25.8	18.7-32.9	193	51.6	44.0-59.2
Black or Afr. Am./Non-Hisp	50	13,438	8	15.8	2.5-29.1	19	38.2	21.0-55.4	23	46.0	28.8-63.2
45-54	60	10,902	8	11.1	2.5-19.7	22	36.8	21.1-52.5	30	52.1	36.0-68.2
55-64	124	21,746	35	30.8	18.6-43.0	32	31.0	18.1-43.9	57	38.2	26.2-50.2
65+	229	30,097	32	18.6	10.8-26.4	60	25.9	18.5-33.3	137	55.4	46.8-64.0
H.S. or G.E.D.	141	23,849	29	22.6	13.2-32.0	43	29.2	19.4-39.0	69	48.2	37.4-59.0
Some Post-H.S.	107	24,235	23	21.1	10.5-31.7	34	34.0	20.3-47.7	50	44.9	32.0-57.8
College Graduate	165	17,911	17	9.2	3.7-14.7	38	23.7	15.3-32.1	110	67.1	57.9-76.3
\$15,000- 24,999	65	13,680	27	41.1	24.8-57.4	17	33.1	16.4-49.8	21	25.8	10.7-40.9
\$35,000- 49,999	56	9,235	11	19.3	6.0-32.6	15	23.8	10.7-36.9	30	56.9	40.4-73.4
\$50,000- 74,999	77	12,510	10	13.8	2.2-25.4	22	33.7	16.5-50.9	45	52.5	36.2-68.8
\$75,000+	110	16,989	5	3.2	0.0- 6.7	25	25.2	12.3-38.1	80	71.6	58.5-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	798	112,979	202	24.5	20.4-28.6	225	29.0	24.5-33.5	371	46.5	41.8-51.2
White/Non-Hisp	608	83,813	148	22.9	18.4-27.4	161	26.1	21.2-31.0	299	51.0	45.5-56.5
Black or Afr. Am./Non-Hisp	100	17,395	28	26.9	15.5-38.3	34	41.2	27.9-54.5	38	31.9	20.7-43.1
45-54	108	17,943	50	44.1	32.5-55.7	24	19.3	10.9-27.7	34	36.7	25.3-48.1
55-64	203	26,047	60	28.6	19.8-37.4	53	25.8	17.4-34.2	90	45.5	36.3-54.7
65+	427	51,184	80	18.5	13.8-23.2	130	30.8	25.1-36.5	217	50.6	44.5-56.7
Less Than H.S.	68	13,699	25	39.1	22.6-55.6	22	25.7	12.2-39.2	21	35.2	19.7-50.7
H.S. or G.E.D.	248	37,102	77	27.2	20.3-34.1	64	27.3	19.9-34.7	107	45.5	37.7-53.3
Some Post-H.S.	224	35,043	59	23.8	16.9-30.7	65	34.1	24.9-43.3	100	42.0	33.6-50.4
College Graduate	256	26,939	41	14.4	8.9-19.9	72	25.7	18.8-32.6	143	59.9	51.9-67.9
Less than \$15,000	100	14,152	47	47.5	33.0-62.0	31	34.2	19.9-48.5	22	18.3	8.3-28.3
\$15,000- 24,999	140	18,534	49	30.4	21.0-39.8	37	34.3	23.1-45.5	54	35.3	25.1-45.5
\$25,000- 34,999	87	9,348	20	33.4	17.7-49.1	32	28.6	16.8-40.4	35	38.0	24.9-51.1
\$35,000- 49,999	93	13,140	23	26.3	13.6-39.0	29	28.9	16.7-41.1	41	44.8	31.3-58.3
\$50,000- 74,999	81	11,977	9	8.8	1.9-15.7	20	32.0	16.1-47.9	52	59.2	43.7-74.7
\$75,000+	137	20,870	13	9.9	3.2-16.6	28	20.2	12.2-28.2	96	69.9	60.3-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPA1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1238	187,850	90	6.2	4.6- 7.8	308	23.8	20.5-27.1	455	36.4	32.7-40.1	271	24.1	20.6-27.6	114	9.5	7.1-11.9
Male	449	75,655	32	5.5	3.1- 7.9	143	28.0	22.3-33.7	152	35.9	29.6-42.2	90	23.6	17.7-29.5	32	7.0	4.1- 9.9
Female	789	112,195	58	6.8	4.6- 9.0	165	21.0	17.1-24.9	303	36.7	32.2-41.2	181	24.4	20.3-28.5	82	11.1	8.0-14.2
White/Non-Hisp	937	137,673	68	6.2	4.4- 8.0	265	28.2	24.3-32.1	363	39.9	35.6-44.2	171	18.1	14.8-21.4	70	7.5	5.1- 9.9
Black or Afr. Am./Non-Hisp	147	30,626	10	4.1	1.2- 7.0	17	11.2	4.9-17.5	43	27.6	18.4-36.8	53	39.2	28.6-49.8	24	17.9	9.3-26.5
Hispanic	64	7,663	9	18.1	4.8-31.4	11	14.5	3.3-25.7	18	27.5	13.2-41.8	14	22.5	8.0-37.0	12	17.4	6.0-28.8
35-44	58	14,249	6	7.1	0.4-13.8	16	28.2	12.7-43.7	15	26.3	11.6-41.0	14	27.3	12.0-42.6	7	11.1	1.7-20.5
45-54	169	29,507	9	6.1	1.6-10.6	34	22.2	14.2-30.2	53	31.9	23.1-40.7	52	30.2	21.4-39.0	21	9.6	4.7-14.5
55-64	325	48,002	21	4.2	1.8- 6.6	72	20.4	14.5-26.3	118	36.5	29.1-43.9	74	24.7	17.8-31.6	40	14.2	8.1-20.3
65+	646	80,251	51	7.9	5.4-10.4	179	25.9	21.8-30.0	252	38.2	33.3-43.1	122	21.0	16.7-25.3	42	6.9	4.4- 9.4
Less Than H.S.	103	22,887	8	5.1	0.8- 9.4	10	11.4	2.4-20.4	25	25.6	14.6-36.6	33	34.4	21.9-46.9	27	23.6	13.2-34.0
H.S. or G.E.D.	387	60,736	23	5.0	2.5- 7.5	78	21.5	16.2-26.8	134	31.7	26.0-37.4	112	31.4	24.9-37.9	40	10.4	6.3-14.5
Some Post-H.S.	328	58,855	20	5.4	2.5- 8.3	64	20.8	14.1-27.5	136	42.9	35.3-50.5	75	22.6	16.3-28.9	33	8.3	4.6-12.0
College Graduate	417	44,850	39	9.7	6.2-13.2	156	37.5	31.4-43.6	157	38.9	32.4-45.4	51	11.2	7.5-14.9	14	2.6	0.8- 4.4
Less than \$15,000	128	18,011	8	4.4	1.1- 7.7	7	3.2	0.5- 5.9	35	17.8	10.5-25.1	50	49.8	37.1-62.5	28	24.7	13.1-36.3
\$15,000- 24,999	205	32,243	10	3.2	0.8- 5.6	23	7.8	4.1-11.5	72	37.8	28.6-47.0	68	36.0	26.2-45.8	32	15.2	8.5-21.9
\$25,000- 34,999	130	17,171	9	5.1	1.2- 9.0	22	16.4	8.2-24.6	60	42.1	30.3-53.9	29	23.7	12.9-34.5	10	12.7	2.3-23.1
\$35,000- 49,999	147	22,086	11	6.1	2.0-10.2	34	23.7	14.1-33.3	64	40.4	30.0-50.8	33	25.4	15.8-35.0	5	4.5	0.0- 9.2
\$50,000- 74,999	160	24,997	6	2.4	0.2- 4.6	56	34.0	23.2-44.8	66	41.3	30.5-52.1	21	15.9	7.3-24.5	11	6.4	2.3-10.5
\$75,000+	246	37,797	27	11.2	6.1-16.3	113	44.1	35.7-52.5	80	35.9	27.7-44.1	19	6.6	2.9-10.3	7	2.2	0.4- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPA1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	449	75,655	32	5.5	3.1- 7.9	143	28.0	22.3-33.7	152	35.9	29.6-42.2	90	23.6	17.5-29.7	32	7.0	4.1- 9.9
White/Non-Hisp	333	54,046	22	4.9	2.5- 7.3	120	31.3	24.4-38.2	116	38.1	30.7-45.5	50	17.9	11.8-24.0	25	7.9	4.2-11.6
45-54	61	11,218	6	9.7	0.7-18.7	13	21.6	7.9-35.3	22	36.2	20.7-51.7	15	25.2	10.5-39.9	5	7.2	0.5-13.9
55-64	122	21,594	6	3.4	0.0- 7.1	32	23.1	12.7-33.5	40	35.2	22.5-47.9	32	28.9	16.7-41.1	12	9.4	2.3-16.5
65+	228	30,228	16	6.1	2.8- 9.4	88	33.4	25.8-41.0	76	34.3	26.3-42.3	37	20.1	12.3-27.9	11	6.0	1.7-10.3
H.S. or G.E.D.	141	23,916	5	2.8	0.0- 6.1	38	25.8	17.2-34.4	49	32.4	22.6-42.2	37	32.3	21.1-43.5	12	6.7	2.0-11.4
Some Post-H.S.	105	24,038	6	4.2	0.1- 8.3	28	25.2	13.2-37.2	41	43.0	29.1-56.9	23	21.6	10.6-32.6	7	6.0	0.1-11.9
College Graduate	164	18,042	20	13.3	7.0-19.6	73	41.7	32.3-51.1	50	33.0	23.8-42.2	19	11.5	5.2-17.8	2	0.5	0.0- 1.3
\$15,000- 24,999	64	13,608	1	0.5	0.0- 1.5	10	8.2	1.7-14.7	21	35.4	19.1-51.7	24	43.8	26.2-61.4	8	12.0	2.6-21.4
\$35,000- 49,999	55	9,142	4	7.9	0.0-16.1	15	25.5	10.2-40.8	22	44.2	27.1-61.3	13	21.7	8.6-34.8	1	0.8	0.0- 2.4
\$50,000- 74,999	79	13,020	4	2.6	0.0- 5.5	27	27.9	14.0-41.8	29	40.2	23.5-56.9	11	21.1	6.2-36.0	8	8.1	1.8-14.4
\$75,000+	109	16,927	15	12.1	5.0-19.2	55	50.9	37.2-64.6	34	33.0	19.7-46.3	5	3.9	0.0- 8.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	789	112,195	58	6.8	4.6- 9.0	165	21.0	17.1-24.9	303	36.7	32.2-41.2	181	24.4	20.3-28.5	82	11.1	8.0-14.2
White/Non-Hisp	604	83,627	46	7.1	4.6- 9.6	145	26.1	21.2-31.0	247	41.1	35.8-46.4	121	18.3	14.4-22.2	45	7.3	4.6-10.0
Black or Afr. Am./Non-Hisp	99	17,352	5	2.6	0.1- 5.1	8	5.9	1.2-10.6	28	22.4	13.0-31.8	36	41.5	28.4-54.6	22	27.6	14.7-40.5
45-54	108	18,289	3	3.8	0.0- 8.7	21	22.6	12.8-32.4	31	29.3	18.7-39.9	37	33.2	22.2-44.2	16	11.1	4.4-17.8
55-64	203	26,408	15	4.9	2.0- 7.8	40	18.3	11.8-24.8	78	37.6	29.0-46.2	42	21.2	13.4-29.0	28	18.1	9.1-27.1
65+	418	50,023	35	9.0	5.5-12.5	91	21.3	16.4-26.2	176	40.6	34.5-46.7	85	21.6	16.5-26.7	31	7.4	4.3-10.5
Less Than H.S.	65	13,553	7	8.1	0.8-15.4	6	8.6	0.0-17.2	14	22.6	8.7-36.5	22	37.1	20.8-53.4	16	23.7	9.2-38.2
H.S. or G.E.D.	246	36,820	18	6.4	2.9- 9.9	40	18.8	12.3-25.3	85	31.3	24.2-38.4	75	30.8	23.2-38.4	28	12.8	6.7-18.9
Some Post-H.S.	223	34,818	14	6.2	2.3-10.1	36	17.8	10.0-25.6	95	42.8	34.2-51.4	52	23.3	16.2-30.4	26	9.9	5.2-14.6
College Graduate	253	26,808	19	7.4	3.1-11.7	83	34.7	26.9-42.5	107	42.9	34.3-51.5	32	11.0	6.3-15.7	12	4.1	1.4- 6.8
Less than \$15,000	98	14,062	6	4.5	0.6- 8.4	4	2.1	0.0- 4.5	29	18.5	10.1-26.9	36	50.8	36.3-65.3	23	24.1	11.4-36.8
\$15,000- 24,999	141	18,635	9	5.2	1.3- 9.1	13	7.5	3.0-12.0	51	39.5	28.7-50.3	44	30.2	20.2-40.2	24	17.6	8.4-26.8
\$25,000- 34,999	88	9,379	7	7.9	1.2-14.6	13	13.1	5.3-20.9	42	42.5	28.6-56.4	19	19.5	9.5-29.5	7	17.1	1.2-33.0
\$35,000- 49,999	92	12,944	7	4.8	0.9- 8.7	19	22.4	10.1-34.7	42	37.7	25.2-50.2	20	28.0	14.7-41.3	4	7.1	0.0-14.9
\$50,000- 74,999	81	11,977	2	2.1	0.0- 5.0	29	40.5	25.0-56.0	37	42.5	28.6-56.4	10	10.2	2.9-17.5	3	4.7	0.0-10.0
\$75,000+	137	20,870	12	10.5	3.4-17.6	58	38.6	28.2-49.0	46	38.2	27.8-48.6	14	8.8	3.1-14.5	7	4.0	0.7- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	104
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	107
5 MALES ONLY	108
6 FEMALES ONLY	109
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	110
8 MALES ONLY	111
9 FEMALES ONLY	112
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10 MALES AND FEMALES	113
11 MALES ONLY	114
12 FEMALES ONLY	115
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	116
14 MALES ONLY	117
15 FEMALES ONLY	118
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	119
17 MALES ONLY	120
18 FEMALES ONLY	121
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	122
20 MALES ONLY	123
21 FEMALES ONLY	124

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	125
23 MALES ONLY	126
24 FEMALES ONLY	127
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
25 MALES AND FEMALES	128
26 MALES ONLY	129
27 FEMALES ONLY	130
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28 MALES AND FEMALES	131
29 MALES ONLY	132
30 FEMALES ONLY	133
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	134
32 MALES ONLY	135
33 FEMALES ONLY	136
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	137
35 MALES ONLY	138
36 FEMALES ONLY	139
INCLUDING PHONES FOR BUSINESS AND PERSONAL USE, DO YOU HAVE A CELL PHONE FOR PERSONAL USE? (CPDEMO1A)	
37 MALES AND FEMALES	140
38 MALES ONLY	141
39 FEMALES ONLY	142
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	143
41 MALES ONLY	144
42 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	146
44 MALES ONLY	147
45 FEMALES ONLY	148
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	149
47 MALES ONLY	150
48 FEMALES ONLY	151
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	152
50 MALES ONLY	153
51 FEMALES ONLY	154
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	155
53 MALES ONLY	156
54 FEMALES ONLY	157
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	158
56 MALES ONLY	159
57 FEMALES ONLY	160
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	161
59 MALES ONLY	162
60 FEMALES ONLY	163
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	167
65 MALES ONLY	168
66 FEMALES ONLY	169
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	170
68 MALES ONLY	171

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
69	FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	172
70	MALES AND FEMALES	173
71	MALES ONLY	174
72	FEMALES ONLY DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	175
73	MALES AND FEMALES	176
74	MALES ONLY	177
75	FEMALES ONLY DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	178
76	MALES AND FEMALES	179
77	MALES ONLY	180
78	FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	181
79	MALES AND FEMALES	182
80	MALES ONLY	183
81	FEMALES ONLY	184

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4139	758,938	1849	47.8	45.6-50.0	2290	52.2	50.0-54.4
White/Non-Hisp	2743	480,525	1215	47.8	45.3-50.3	1528	52.2	49.7-54.7
Black or Afr. Am./Non-Hisp	585	153,343	225	45.9	40.2-51.6	360	54.1	48.4-59.8
Oth. Race/Non-Hisp.	194	37,548	119	55.1	45.3-64.9	75	44.9	35.1-54.7
Hispanic	449	59,054	215	46.1	39.2-53.0	234	53.9	47.0-60.8
18-24	261	88,941	154	50.8	42.8-58.8	107	49.2	41.2-57.2
25-34	471	126,616	242	50.0	43.5-56.5	229	50.0	43.5-56.5
35-44	477	113,235	220	48.8	42.7-54.9	257	51.2	45.1-57.3
45-54	649	123,052	292	48.0	42.9-53.1	357	52.0	46.9-57.1
55-64	881	132,709	354	46.8	42.3-51.3	527	53.2	48.7-57.7
65+	1400	174,385	587	44.6	41.3-47.9	813	55.4	52.1-58.7
Less Than H.S.	444	89,378	218	48.8	41.9-55.7	226	51.2	44.3-58.1
H.S. or G.E.D.	1178	235,961	548	50.5	46.4-54.6	630	49.5	45.4-53.6
Some Post-H.S.	1018	217,047	429	47.9	43.6-52.2	589	52.1	47.8-56.4
College Graduate	1474	211,723	640	43.6	40.3-46.9	834	56.4	53.1-59.7
Less than \$15,000	332	51,318	122	35.5	28.2-42.8	210	64.5	57.2-71.8
\$15,000- 24,999	616	103,154	253	43.5	38.0-49.0	363	56.5	51.0-62.0
\$25,000- 34,999	385	66,246	166	48.4	41.1-55.7	219	51.6	44.3-58.9
\$35,000- 49,999	469	87,889	212	47.0	40.3-53.7	257	53.0	46.3-59.7
\$50,000- 74,999	491	95,101	254	52.9	46.6-59.2	237	47.1	40.8-53.4
\$75,000+	1033	203,142	509	53.9	49.8-58.0	524	46.1	42.0-50.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4139	758,938	261	11.7	9.9-13.5	471	16.7	14.7-18.7	477	14.9	13.3-16.5	649	16.2	14.6-17.8	881	17.5	16.1-18.9	1400	23.0	21.6-24.4
Male	1849	362,557	154	12.5	10.1-14.9	242	17.4	14.7-20.1	220	15.2	12.7-17.7	292	16.3	13.9-18.7	354	17.1	14.9-19.3	587	21.4	19.2-23.6
Female	2290	396,381	107	11.0	8.6-13.4	229	16.0	13.5-18.5	257	14.6	12.4-16.8	357	16.2	14.2-18.2	527	17.8	15.8-19.8	813	24.4	22.4-26.4
White/Non-Hisp	2743	480,525	126	9.7	7.7-11.7	202	13.6	11.4-15.8	237	13.2	11.2-15.2	388	15.2	13.4-17.0	645	19.5	17.7-21.3	1145	28.8	26.8-30.8
Black or Afr. Am./Non-Hisp	585	153,343	46	14.8	10.1-19.5	80	18.2	13.7-22.7	72	14.0	9.5-18.5	132	21.1	16.6-25.6	134	18.3	14.4-22.2	121	13.5	10.6-16.4
Oth. Race/Non-Hisp.	194	37,548	22	17.2	9.0-25.4	41	22.3	14.1-30.5	27	20.1	12.5-27.7	31	14.1	7.8-20.4	27	9.8	5.1-14.5	46	16.5	9.2-23.8
Hispanic	449	59,054	60	17.4	12.5-22.3	127	29.3	22.4-36.2	118	28.0	22.1-33.9	65	12.0	8.3-15.7	39	7.6	4.5-10.7	40	5.6	3.4-7.8
Less Than H.S.	444	89,378	31	12.4	7.3-17.5	79	19.4	12.9-25.9	87	18.6	13.7-23.5	66	12.8	8.9-16.7	77	15.2	10.7-19.7	104	21.6	16.7-26.5
H.S. or G.E.D.	1178	235,961	109	17.4	13.7-21.1	127	14.3	11.2-17.4	111	12.0	8.9-15.1	176	15.3	12.4-18.2	269	18.2	15.5-20.9	386	22.8	20.1-25.5
Some Post-H.S.	1018	217,047	73	11.5	8.6-14.4	123	19.3	15.4-23.2	99	12.7	9.8-15.6	144	15.2	12.3-18.1	203	17.4	14.5-20.3	376	23.9	21.0-26.8
College Graduate	1474	211,723	47	5.4	3.4-7.4	139	15.4	12.5-18.3	176	18.7	15.8-21.6	257	19.6	16.9-22.3	330	18.0	15.6-20.4	525	22.8	20.4-25.2
Less than \$15,000	332	51,318	26	13.3	7.4-19.2	50	19.4	12.7-26.1	39	16.0	10.1-21.9	62	15.5	10.8-20.2	80	19.9	14.4-25.4	75	15.8	11.1-20.5
\$15,000- 24,999	616	103,154	42	11.7	7.6-15.8	88	18.7	13.8-23.6	75	13.8	10.1-17.5	86	15.0	11.1-18.9	125	19.5	15.2-23.8	200	21.3	17.8-24.8
\$25,000- 34,999	385	66,246	17	9.9	4.6-15.2	53	18.8	12.7-24.9	41	14.1	9.0-19.2	45	11.4	6.3-16.5	78	17.7	12.6-22.8	151	28.1	22.4-33.8
\$35,000- 49,999	469	87,889	26	9.1	4.6-13.6	50	18.5	12.0-25.0	49	12.3	8.0-16.6	63	16.3	11.0-21.6	99	16.2	12.1-20.3	182	27.7	22.6-32.8
\$50,000- 74,999	491	95,101	25	10.4	5.9-14.9	52	20.3	14.0-26.6	50	11.2	7.5-14.9	70	13.6	9.7-17.5	105	18.4	13.7-23.1	189	26.1	21.6-30.6
\$75,000+	1033	203,142	33	5.6	3.4-7.8	98	14.9	11.6-18.2	150	21.9	17.8-26.0	232	23.3	20.0-26.6	249	18.5	15.8-21.2	271	15.8	13.4-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1849	362,557	154	12.5	10.1-14.9	242	17.4	14.7-20.1	220	15.2	12.7-17.7	292	16.3	13.9-18.7	354	17.1	14.9-19.3	587	21.4	19.2-23.6
White/Non-Hisp	1215	229,570	83	11.8	8.9-14.7	110	14.5	11.4-17.6	113	13.7	10.8-16.6	173	14.7	12.2-17.2	259	18.9	16.2-21.6	477	26.4	23.7-29.1
Black or Afr. Am./Non-Hisp	225	70,370	23	14.8	8.1-21.5	26	15.0	8.3-21.7	27	14.3	6.5-22.1	52	21.7	14.3-29.1	53	20.7	14.2-27.2	44	13.5	8.8-18.2
Oth. Race/Non-Hisp.	119	20,680	15	12.0	4.9-19.1	27	25.7	13.9-37.5	13	16.0	7.0-25.0	20	20.5	10.3-30.7	13	7.0	2.3-11.7	31	18.7	8.7-28.7
Hispanic	215	27,242	29	13.5	7.8-19.2	68	33.8	22.2-45.4	56	29.4	20.6-38.2	34	13.2	7.7-18.7	15	6.7	2.4-11.0	13	3.5	1.1-5.9
Less Than H.S.	218	43,623	19	14.5	7.2-21.8	41	19.8	9.4-30.2	41	17.6	11.1-24.1	40	16.0	9.9-22.1	33	14.7	8.2-21.2	44	17.5	10.8-24.2
H.S. or G.E.D.	548	119,150	70	19.1	13.8-24.4	76	17.4	12.7-22.1	57	12.8	7.7-17.9	93	15.4	11.1-19.7	113	16.7	12.8-20.6	139	18.5	14.8-22.2
Some Post-H.S.	429	103,887	39	10.5	6.8-14.2	54	17.7	12.2-23.2	45	15.0	10.1-19.9	66	17.3	12.6-22.0	84	19.1	14.2-24.0	141	20.3	16.2-24.4
College Graduate	640	92,264	25	5.2	2.8-7.6	69	15.8	11.5-20.1	74	16.8	12.5-21.1	90	16.5	12.8-20.2	124	17.3	13.8-20.8	258	28.4	24.5-32.3
Less than \$15,000	122	18,218	11	11.5	2.3-20.7	18	14.1	3.7-24.5	17	18.6	8.4-28.8	28	19.7	10.5-28.9	26	22.8	12.2-33.4	22	13.3	6.8-19.8
\$15,000- 24,999	253	44,823	23	11.0	5.5-16.5	40	17.6	10.5-24.7	32	15.5	9.4-21.6	40	15.8	9.3-22.3	56	23.1	15.8-30.4	62	16.9	11.8-22.0
\$25,000- 34,999	166	32,033	10	11.0	2.8-19.2	28	17.4	9.6-25.2	15	9.9	3.6-16.2	28	17.2	7.6-26.8	31	18.1	10.5-25.7	54	26.4	17.6-35.2
\$35,000- 49,999	212	41,281	17	9.1	4.6-13.6	23	19.6	9.6-29.6	21	11.2	5.5-16.9	24	13.7	5.7-21.7	38	15.2	9.1-21.3	89	31.2	23.2-39.2
\$50,000- 74,999	254	50,321	18	13.1	6.4-19.8	32	18.8	10.6-27.0	29	11.6	6.5-16.7	27	11.8	6.5-17.1	50	21.0	13.6-28.4	98	23.7	17.8-29.6
\$75,000+	509	109,457	21	6.1	3.2-9.0	63	18.5	13.4-23.6	76	23.0	16.7-29.3	99	19.8	15.5-24.1	99	15.5	11.8-19.2	151	17.1	13.8-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS
 TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2290	396,381	107	11.0	8.6-13.4	229	16.0	13.5-18.5	257	14.6	12.4-16.8	357	16.2	14.2-18.2	527	17.8	15.8-19.8	813	24.4	22.4-26.4
White/Non-Hisp	1528	250,955	43	7.8	5.1-10.5	92	12.8	9.7-15.9	124	12.7	10.2-15.2	215	15.7	13.3-18.1	386	20.0	17.6-22.4	668	31.0	28.3-33.7
Black or Afr. Am./Non-Hisp	360	82,972	23	14.9	8.2-21.6	54	20.9	15.0-26.8	45	13.7	9.0-18.4	80	20.6	15.3-25.9	81	16.3	11.8-20.8	77	13.6	9.9-17.3
Oth. Race/Non-Hisp.	75	16,868	7	23.5	8.4-38.6	14	18.1	6.9-29.3	14	25.2	12.3-38.1	11	6.2	1.3-11.1	14	13.2	4.6-21.8	15	13.8	3.6-24.0
Hispanic	234	31,812	31	20.8	13.2-28.4	59	25.4	18.0-32.8	62	26.9	18.9-34.9	31	11.0	6.1-15.9	24	8.4	4.1-12.7	27	7.4	3.9-10.9
Less Than H.S.	226	45,755	12	10.4	3.3-17.5	38	19.0	11.0-27.0	46	19.6	12.5-26.7	26	9.8	5.1-14.5	44	15.7	9.4-22.0	60	25.6	18.3-32.9
H.S. or G.E.D.	630	116,811	39	15.6	10.1-21.1	51	11.2	7.3-15.1	54	11.1	7.4-14.8	83	15.2	11.3-19.1	156	19.8	16.1-23.5	247	27.1	23.0-31.2
Some Post-H.S.	589	113,160	34	12.5	8.0-17.0	69	20.7	15.0-26.4	54	10.6	7.3-13.9	78	13.2	9.9-16.5	119	15.8	12.5-19.1	235	27.2	23.1-31.3
College Graduate	834	119,458	22	5.6	2.5- 8.7	70	15.1	11.2-19.0	102	20.1	16.0-24.2	167	22.1	18.4-25.8	206	18.6	15.7-21.5	267	18.5	15.8-21.2
Less than \$15,000	210	33,099	15	14.4	6.8-22.0	32	22.4	13.8-31.0	22	14.6	7.3-21.9	34	13.2	7.9-18.5	54	18.3	12.0-24.6	53	17.2	10.9-23.5
\$15,000- 24,999	363	58,331	19	12.2	6.1-18.3	48	19.6	12.7-26.5	43	12.5	8.0-17.0	46	14.3	9.2-19.4	69	16.6	11.5-21.7	138	24.7	19.6-29.8
\$25,000- 34,999	219	34,212	7	8.8	2.1-15.5	25	20.2	11.4-29.0	26	17.9	10.1-25.7	17	6.0	2.3- 9.7	47	17.4	10.7-24.1	97	29.7	22.4-37.0
\$35,000- 49,999	257	46,608	9	9.1	1.7-16.5	27	17.5	9.1-25.9	28	13.2	7.1-19.3	39	18.6	11.7-25.5	61	17.1	11.6-22.6	93	24.6	18.3-30.9
\$50,000- 74,999	237	44,780	7	7.4	1.5-13.3	20	22.0	12.6-31.4	21	10.6	5.1-16.1	43	15.6	10.1-21.1	55	15.6	10.5-20.7	91	28.8	21.7-35.9
\$75,000+	524	93,685	12	5.1	2.0- 8.2	35	10.7	6.6-14.8	74	20.6	15.7-25.5	133	27.3	22.4-32.2	150	22.0	18.1-25.9	120	14.3	11.2-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4097	750,577	163	3.3	2.5- 4.1	74	1.2	0.8- 1.6	6	0.1	0.1- 0.1	205	3.2	2.6- 3.8	1	0.0	0.0- 0.0	3648	92.1	91.1-93.1
Male	1824	357,900	87	3.7	2.3- 5.1	27	0.8	0.4- 1.2	3	0.1	0.0- 0.3	97	3.0	2.2- 3.8	1	0.0	0.0- 0.0	1609	92.4	90.8-94.0
Female	2273	392,677	76	3.1	2.1- 4.1	47	1.6	1.0- 2.2	3	0.1	0.1- 0.1	108	3.4	2.6- 4.2				2039	91.9	90.5-93.3
18-24	260	88,389	21	4.1	1.7- 6.5	7	1.3	0.1- 2.5	1	0.1	0.0- 0.3	31	6.1	3.6- 8.6				200	88.4	84.7-92.1
25-34	469	124,524	44	6.1	2.8- 9.4	17	1.7	0.7- 2.7	1	0.1	0.0- 0.3	65	6.0	3.8- 8.2				342	86.1	82.2-90.0
35-44	470	111,518	51	7.8	4.9-10.7	10	1.5	0.3- 2.7	3	0.2	0.0- 0.4	54	5.4	3.4- 7.4				352	85.2	81.7-88.7
45-54	641	121,687	26	2.4	1.2- 3.6	14	0.9	0.3- 1.5	1	0.2	0.0- 0.6	24	2.3	1.1- 3.5				576	94.2	92.4-96.0
55-64	871	131,828	13	1.1	0.3- 1.9	10	1.3	0.3- 2.3				15	1.0	0.4- 1.6	1	0.0	0.0- 0.0	832	96.6	95.2-98.0
65+	1386	172,631	8	0.4	0.0- 0.8	16	0.8	0.4- 1.2				16	0.7	0.3- 1.1				1346	98.1	97.3-98.9
Less Than H.S.	442	89,049	91	18.5	13.0-24.0	17	2.5	0.9- 4.1	1	0.2	0.0- 0.6	102	12.3	9.2-15.4				231	66.5	60.4-72.6
H.S. or G.E.D.	1168	233,719	39	2.2	1.2- 3.2	15	0.8	0.2- 1.4	2	0.1	0.0- 0.3	54	2.9	1.9- 3.9				1058	94.1	92.5-95.7
Some Post-H.S.	1009	214,974	18	0.7	0.3- 1.1	23	1.4	0.6- 2.2	2	0.1	0.0- 0.3	28	2.0	1.0- 3.0				938	95.7	94.3-97.1
College Graduate	1456	208,969	13	0.8	0.2- 1.4	19	0.9	0.3- 1.5	1	0.0	0.0- 0.0	20	1.0	0.4- 1.6	1	0.0	0.0- 0.0	1402	97.3	96.3-98.3
Less than \$15,000	332	51,318	28	7.0	3.3-10.7	11	2.9	0.7- 5.1				44	9.0	5.9-12.1				249	81.1	76.0-86.2
\$15,000- 24,999	611	102,818	57	7.7	5.2-10.2	15	1.8	0.6- 3.0	1	0.1	0.0- 0.3	62	6.8	4.6- 9.0				476	83.6	80.1-87.1
\$25,000- 34,999	383	65,508	15	4.0	1.1- 6.9	9	1.2	0.0- 2.4				14	2.4	0.6- 4.2				345	92.3	88.8-95.8
\$35,000- 49,999	463	86,309	16	5.8	1.3-10.3	9	1.4	0.2- 2.6	2	0.2	0.0- 0.4	9	1.1	0.1- 2.1				427	91.5	86.8-96.2
\$50,000- 74,999	485	92,944	4	0.3	0.1- 0.5	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	7	0.8	0.2- 1.4	1	0.0	0.0- 0.0	468	98.5	97.7-99.3
\$75,000+	1028	201,881	5	0.4	0.0- 0.8	14	0.8	0.2- 1.4				15	1.2	0.4- 2.0				994	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1824	357,900	87	3.7	2.3- 5.1	27	0.8	0.4- 1.2	3	0.1	0.0- 0.3	97	3.0	2.2- 3.8	1	0.0	0.0- 0.0	1609	92.4	90.8-94.0
18-24	154	45,142	12	3.1	0.9- 5.3	3	0.7	0.0- 1.5				14	4.3	1.8- 6.8				125	91.9	88.4-95.4
25-34	241	62,296	25	7.1	1.2-13.0	7	1.2	0.0- 2.4				36	6.6	3.3- 9.9				173	85.2	78.7-91.7
35-44	215	53,736	23	8.0	3.9-12.1	4	1.0	0.0- 2.2	2	0.3	0.0- 0.7	27	5.7	3.2- 8.2				159	85.1	80.0-90.2
45-54	289	58,550	16	3.1	1.3- 4.9	4	0.5	0.0- 1.1	1	0.3	0.0- 0.9	13	2.2	0.8- 3.6				255	93.8	91.3-96.3
55-64	348	61,659	8	1.5	0.1- 2.9	4	1.0	0.0- 2.2				2	0.3	0.0- 0.9	1	0.0	0.0- 0.0	333	97.1	95.1-99.1
65+	577	76,517	3	0.4	0.0- 1.0	5	0.5	0.1- 0.9				5	0.4	0.0- 0.8				564	98.8	98.0-99.6
Less Than H.S.	217	43,537	47	20.1	11.1-29.1	6	1.5	0.1- 2.9	1	0.4	0.0- 1.2	50	11.1	7.2-15.0				113	66.9	57.7-76.1
H.S. or G.E.D.	542	117,803	26	2.3	1.1- 3.5	4	0.2	0.0- 0.4				26	2.6	1.2- 4.0				486	94.9	93.1-96.7
Some Post-H.S.	425	103,310	8	0.7	0.1- 1.3	10	1.1	0.3- 1.9	1	0.1	0.0- 0.3	11	1.7	0.3- 3.1				395	96.5	94.7-98.3
College Graduate	629	90,581	5	0.6	0.0- 1.2	7	1.1	0.1- 2.1	1	0.1	0.0- 0.3	9	1.3	0.3- 2.3	1	0.0	0.0- 0.0	606	96.9	95.3-98.5
Less than \$15,000	122	18,218	14	5.8	2.3- 9.3	4	2.4	0.0- 5.3				21	10.2	4.7-15.7				83	81.6	74.3-88.9
\$15,000- 24,999	251	44,709	32	10.6	5.7-15.5	2	0.3	0.0- 0.7				34	8.2	4.9-11.5				183	80.9	75.2-86.6
\$25,000- 34,999	165	31,849	8	4.5	0.4- 8.6	2	0.4	0.0- 1.0				8	2.5	0.3- 4.7				147	92.7	88.0-97.4
\$35,000- 49,999	208	39,974	8	6.6	0.0-15.2	4	0.9	0.0- 1.9				5	1.3	0.1- 2.5				191	91.3	82.7-99.9
\$50,000- 74,999	251	49,554	3	0.4	0.0- 0.8	2	0.4	0.0- 1.0	1	0.1	0.0- 0.5	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	241	98.6	97.6-99.6
\$75,000+	505	108,306	3	0.5	0.0- 1.1	8	1.2	0.2- 2.2				5	1.1	0.0- 2.3				489	97.2	95.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2273	392,677	76	3.1	2.1- 4.1	47	1.6	1.0- 2.2	3	0.1	0.1- 0.1	108	3.4	2.6- 4.2	2039	91.9	90.5-93.3
18-24	106	43,247	9	5.2	0.9- 9.5	4	1.9	0.0- 4.1	1	0.3	0.0- 0.9	17	8.0	3.7-12.3	75	84.7	78.2-91.2
25-34	228	62,227	19	5.2	2.1- 8.3	10	2.2	0.4- 4.0	1	0.1	0.0- 0.3	29	5.5	3.0- 8.0	169	87.0	82.5-91.5
35-44	255	57,782	28	7.6	3.7-11.5	6	2.0	0.0- 4.0	1	0.2	0.0- 0.6	27	5.1	2.2- 8.0	193	85.2	80.3-90.1
45-54	352	63,137	10	1.8	0.2- 3.4	10	1.3	0.1- 2.5				11	2.4	0.6- 4.2	321	94.4	91.9-96.9
55-64	523	70,169	5	0.8	0.0- 1.8	6	1.5	0.0- 3.1				13	1.5	0.5- 2.5	499	96.2	94.2-98.2
65+	809	96,114	5	0.5	0.0- 1.1	11	1.0	0.2- 1.8				11	1.0	0.2- 1.8	782	97.5	96.3-98.7
Less Than H.S.	225	45,513	44	16.9	10.6-23.2	11	3.5	0.8- 6.2				52	13.5	8.6-18.4	118	66.1	58.1-74.1
H.S. or G.E.D.	626	115,915	13	2.0	0.4- 3.6	11	1.5	0.5- 2.5	2	0.2	0.0- 0.4	28	3.1	1.5- 4.7	572	93.2	90.8-95.6
Some Post-H.S.	584	111,664	10	0.8	0.2- 1.4	13	1.8	0.6- 3.0	1	0.1	0.0- 0.3	17	2.3	0.9- 3.7	543	95.0	93.0-97.0
College Graduate	827	118,389	8	0.8	0.0- 1.6	12	0.7	0.3- 1.1				11	0.8	0.2- 1.4	796	97.6	96.6-98.6
Less than \$15,000	210	33,099	14	7.6	2.3-12.9	7	3.2	0.3- 6.1				23	8.4	4.3-12.5	166	80.8	73.9-87.7
\$15,000- 24,999	360	58,109	25	5.4	2.9- 7.9	13	3.0	1.0- 5.0	1	0.2	0.0- 0.6	28	5.7	3.0- 8.4	293	85.6	81.3-89.9
\$25,000- 34,999	218	33,660	7	3.6	0.0- 7.5	7	2.1	0.0- 4.3				6	2.3	0.0- 5.0	198	92.0	86.9-97.1
\$35,000- 49,999	255	46,336	8	5.1	1.0- 9.2	5	1.8	0.0- 3.8	2	0.4	0.0- 1.0	4	1.0	0.0- 2.4	236	91.8	87.1-96.5
\$50,000- 74,999	234	43,390	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6				4	1.2	0.0- 2.4	227	98.5	97.1-99.9
\$75,000+	523	93,575	2	0.1	0.0- 0.3	6	0.5	0.1- 0.9				10	1.4	0.4- 2.4	505	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3926	727,520	3713	96.1	95.3-96.9	51	1.1	0.7- 1.5	6	0.1	0.1- 0.1	156	2.8	2.2- 3.4
Male	1760	347,793	1662	96.2	95.2-97.2	19	1.1	0.5- 1.7	2	0.0	0.0- 0.0	77	2.7	1.9- 3.5
Female	2166	379,727	2051	95.9	94.9-96.9	32	1.1	0.5- 1.7	4	0.1	0.0- 0.3	79	2.9	1.9- 3.9
18-24	251	86,202	228	94.3	91.2-97.4	6	2.3	0.0- 4.7	1	0.2	0.0- 0.6	16	3.2	1.2- 5.2
25-34	427	117,967	379	93.9	91.5-96.3	10	1.9	0.3- 3.5	2	0.1	0.0- 0.3	36	4.1	2.3- 5.9
35-44	428	105,487	378	93.2	90.7-95.7	5	0.4	0.0- 0.8				45	6.4	3.9- 8.9
45-54	605	117,284	581	98.0	97.0-99.0	6	0.6	0.0- 1.2	2	0.1	0.0- 0.3	16	1.3	0.5- 2.1
55-64	858	130,402	822	97.1	95.9-98.3	15	1.1	0.5- 1.7	1	0.0	0.0- 0.0	20	1.8	0.8- 2.8
65+	1357	170,179	1325	98.0	97.0-99.0	9	0.7	0.1- 1.3				23	1.2	0.4- 2.0
Less Than H.S.	368	80,942	294	88.1	84.4-91.8	6	0.5	0.1- 0.9				68	11.4	7.7-15.1
H.S. or G.E.D.	1130	227,369	1085	97.4	96.4-98.4	13	1.0	0.2- 1.8	1	0.0	0.0- 0.0	31	1.5	0.7- 2.3
Some Post-H.S.	981	209,711	936	96.1	94.5-97.7	15	1.4	0.4- 2.4	2	0.1	0.0- 0.3	28	2.3	1.1- 3.5
College Graduate	1432	206,749	1384	97.6	96.6-98.6	17	1.0	0.2- 1.8	3	0.1	0.0- 0.3	28	1.3	0.7- 1.9
Less than \$15,000	308	48,727	273	91.4	87.7-95.1	5	1.1	0.0- 2.3	1	0.4	0.0- 1.2	29	7.0	3.5-10.5
\$15,000- 24,999	567	96,892	516	94.3	92.1-96.5	8	0.7	0.1- 1.3	1	0.0	0.0- 0.0	42	4.9	2.7- 7.1
\$25,000- 34,999	368	64,193	353	97.1	95.1-99.1	6	1.5	0.0- 3.1	1	0.1	0.0- 0.3	8	1.3	0.1- 2.5
\$35,000- 49,999	455	85,068	436	96.5	94.1-98.9	9	1.9	0.0- 3.9				10	1.6	0.2- 3.0
\$50,000- 74,999	479	92,279	470	98.3	96.7-99.9	3	1.0	0.0- 2.4	1	0.1	0.0- 0.3	5	0.6	0.0- 1.2
\$75,000+	1012	199,571	984	97.8	96.6-99.0	7	0.3	0.1- 0.5	2	0.0	0.0- 0.0	19	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	347,793	1662	96.2	95.2-97.2	19	1.1	0.5- 1.7	2	0.0	0.0- 0.0	77	2.7	1.9- 3.5
18-24	151	44,426	141	95.9	92.4-99.4	3	2.4	0.0- 5.5				7	1.7	0.1- 3.3
25-34	221	58,185	196	93.2	89.5-96.9	3	1.3	0.0- 3.1	1	0.2	0.0- 0.6	21	5.3	2.2- 8.4
35-44	197	50,850	176	94.1	91.0-97.2	2	0.5	0.0- 1.1				19	5.4	2.5- 8.3
45-54	273	56,572	259	97.2	95.4-99.0	4	1.0	0.0- 2.2				10	1.8	0.4- 3.2
55-64	347	61,469	333	97.7	96.1-99.3	5	0.7	0.0- 1.5	1	0.1	0.0- 0.3	8	1.5	0.1- 2.9
65+	571	76,292	557	98.2	96.8-99.6	2	0.8	0.0- 2.0				12	1.0	0.2- 1.8
Less Than H.S.	188	40,195	151	89.1	84.6-93.6	3	0.7	0.0- 1.5				34	10.2	5.7-14.7
H.S. or G.E.D.	527	114,673	506	97.5	95.9-99.1	4	0.8	0.0- 1.8				17	1.8	0.6- 3.0
Some Post-H.S.	412	100,043	390	96.0	93.8-98.2	8	1.9	0.3- 3.5	1	0.0	0.0- 0.0	13	2.0	0.6- 3.4
College Graduate	624	90,689	607	98.0	96.6-99.4	4	0.8	0.0- 1.6	1	0.1	0.0- 0.3	12	1.1	0.1- 2.1
Less than \$15,000	112	17,078	97	92.4	87.7-97.1	1	0.7	0.0- 2.3				14	6.8	2.3-11.3
\$15,000- 24,999	236	42,272	213	94.3	91.2-97.4	2	0.6	0.0- 1.4				21	5.1	2.2- 8.0
\$25,000- 34,999	155	30,569	146	95.3	91.4-99.2	3	2.6	0.0- 5.9	1	0.2	0.0- 0.6	5	1.9	0.0- 3.9
\$35,000- 49,999	205	39,646	198	97.9	95.7- 100	3	1.5	0.0- 3.7				4	0.6	0.0- 1.4
\$50,000- 74,999	250	49,648	245	98.8	97.6- 100	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1
\$75,000+	501	107,547	486	97.4	95.6-99.2	4	0.3	0.0- 0.7				11	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2166	379,727	2051	95.9	94.9-96.9	32	1.1	0.5- 1.7	4	0.1	0.0- 0.3	79	2.9	1.9- 3.9
18-24	100	41,776	87	92.6	87.5-97.7	3	2.2	0.0- 5.5	1	0.5	0.0- 1.5	9	4.7	0.8- 8.6
25-34	206	59,783	183	94.6	91.5-97.7	7	2.4	0.0- 4.9	1	0.1	0.0- 0.3	15	3.0	1.2- 4.8
35-44	231	54,637	202	92.4	88.5-96.3	3	0.4	0.0- 0.8				26	7.2	3.3-11.1
45-54	332	60,712	322	98.8	97.8-99.8	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4	6	0.9	0.1- 1.7
55-64	511	68,933	489	96.6	94.8-98.4	10	1.3	0.3- 2.3				12	2.1	0.5- 3.7
65+	786	93,887	768	98.0	96.6-99.4	7	0.6	0.0- 1.2				11	1.4	0.0- 2.8
Less Than H.S.	180	40,747	143	87.1	81.2-93.0	3	0.4	0.0- 0.8				34	12.5	6.6-18.4
H.S. or G.E.D.	603	112,696	579	97.4	95.8-99.0	9	1.3	0.0- 2.7	1	0.1	0.0- 0.3	14	1.3	0.5- 2.1
Some Post-H.S.	569	109,669	546	96.2	94.2-98.2	7	1.0	0.0- 2.0	1	0.2	0.0- 0.6	15	2.6	0.8- 4.4
College Graduate	808	116,059	777	97.3	95.9-98.7	13	1.2	0.2- 2.2	2	0.1	0.1- 0.1	16	1.4	0.6- 2.2
Less than \$15,000	196	31,649	176	90.9	85.6-96.2	4	1.3	0.0- 2.9	1	0.6	0.0- 1.8	15	7.1	2.2-12.0
\$15,000- 24,999	331	54,620	303	94.3	91.2-97.4	6	0.8	0.2- 1.4	1	0.1	0.0- 0.3	21	4.8	1.9- 7.7
\$25,000- 34,999	213	33,624	207	98.7	97.5-99.9	3	0.5	0.0- 1.1				3	0.8	0.0- 1.8
\$35,000- 49,999	250	45,423	238	95.3	91.4-99.2	6	2.2	0.0- 5.3				6	2.5	0.0- 5.0
\$50,000- 74,999	229	42,631	225	97.8	95.1- 100	2	1.5	0.0- 4.0				2	0.7	0.0- 1.9
\$75,000+	511	92,024	498	98.3	97.1-99.5	3	0.4	0.0- 1.0	2	0.1	0.0- 0.3	8	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4088	750,203	1926	49.7	47.5-51.9	600	11.1	9.9-12.3	502	7.4	6.6- 8.2	106	2.2	1.6- 2.8	779	25.3	23.1-27.5	175	4.2	3.4- 5.0
Male	1831	359,168	917	51.2	47.9-54.5	243	10.8	9.0-12.6	140	4.9	3.9- 5.9	50	1.9	1.3- 2.5	407	27.4	24.3-30.5	74	3.8	2.6- 5.0
Female	2257	391,035	1009	48.4	45.5-51.3	357	11.4	9.8-13.0	362	9.7	8.3-11.1	56	2.5	1.5- 3.5	372	23.3	20.6-26.0	101	4.7	3.3- 6.1
White/Non-Hisp	2723	477,157	1427	55.8	53.3-58.3	408	11.1	9.7-12.5	407	8.9	7.9- 9.9	43	1.2	0.6- 1.8	363	19.1	16.7-21.5	75	3.9	2.7- 5.1
Black or Afr. Am./Non-Hisp	575	150,643	181	33.7	28.2-39.2	96	13.1	9.8-16.4	47	5.3	3.1- 7.5	22	3.5	1.5- 5.5	214	41.9	36.2-47.6	15	2.6	1.0- 4.2
Oth. Race/Non-Hisp.	191	37,220	77	49.8	40.0-59.6	24	8.8	4.3-13.3	18	4.3	0.6- 8.0	7	2.6	0.1- 5.1	60	32.9	23.5-42.3	5	1.6	0.0- 3.4
Hispanic	446	58,745	174	44.5	37.6-51.4	41	7.8	4.7-10.9	17	3.1	0.9- 5.3	31	6.4	3.5- 9.3	106	24.0	18.5-29.5	77	14.2	10.3-18.1
18-24	256	86,939	23	8.5	4.6-12.4	2	0.6	0.0- 1.4	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	206	84.1	79.0-89.2	22	6.4	3.3- 9.5
25-34	467	125,256	161	38.7	32.2-45.2	26	3.3	1.9- 4.7	1	0.0	0.0- 0.0	13	3.0	1.0- 5.0	212	46.7	40.2-53.2	54	8.3	4.8-11.8
35-44	470	112,036	248	60.7	55.0-66.4	54	9.6	6.5-12.7	1	0.3	0.0- 0.9	20	3.1	1.1- 5.1	99	20.2	15.5-24.9	48	6.0	3.8- 8.2
45-54	637	121,361	349	59.1	54.0-64.2	122	16.5	13.0-20.0	17	2.2	0.6- 3.8	27	3.7	1.9- 5.5	96	14.4	10.7-18.1	26	4.2	2.0- 6.4
55-64	874	132,074	462	60.2	55.9-64.5	201	20.8	17.1-24.5	73	6.3	4.3- 8.3	20	1.6	0.6- 2.6	98	8.6	6.4-10.8	20	2.5	1.1- 3.9
65+	1384	172,538	683	56.8	53.5-60.1	195	11.9	9.9-13.9	409	25.5	22.8-28.2	24	1.4	0.8- 2.0	68	3.9	2.7- 5.1	5	0.4	0.0- 0.8
Less Than H.S.	442	89,120	156	40.8	34.1-47.5	49	7.0	4.3- 9.7	61	11.4	7.9-14.9	28	5.7	3.0- 8.4	83	23.4	17.1-29.7	65	11.6	7.3-15.9
H.S. or G.E.D.	1164	232,405	448	41.1	37.0-45.2	193	11.8	9.6-14.0	160	7.8	6.2- 9.4	36	2.5	1.3- 3.7	279	32.6	28.5-36.7	48	4.2	2.6- 5.8
Some Post-H.S.	1013	216,510	462	48.3	44.0-52.6	155	12.4	9.9-14.9	140	7.9	6.1- 9.7	20	1.5	0.5- 2.5	204	26.8	22.9-30.7	32	3.1	1.7- 4.5
College Graduate	1454	208,547	852	64.7	61.4-68.0	201	10.6	8.8-12.4	139	4.7	3.7- 5.7	21	1.1	0.5- 1.7	211	16.6	13.9-19.3	30	2.3	1.3- 3.3
Less than \$15,000	331	51,252	50	19.8	13.3-26.3	79	15.6	10.9-20.3	43	8.2	4.7-11.7	20	3.8	1.8- 5.8	120	46.0	38.4-53.6	19	6.6	2.5-10.7
\$15,000- 24,999	611	102,229	180	32.6	27.5-37.7	119	17.2	13.3-21.1	110	11.4	8.9-13.9	26	4.3	2.1- 6.5	133	28.2	22.7-33.7	43	6.3	3.2- 9.4
\$25,000- 34,999	381	65,799	123	38.4	31.1-45.7	69	11.7	8.2-15.2	69	11.9	8.2-15.6	13	1.8	0.6- 3.0	90	32.9	25.8-40.0	17	3.4	1.4- 5.4
\$35,000- 49,999	465	87,211	209	49.9	43.2-56.6	82	14.1	10.4-17.8	60	8.3	5.4-11.2	10	1.2	0.4- 2.0	85	22.2	15.9-28.5	19	4.4	2.2- 6.6
\$50,000- 74,999	489	94,119	272	56.2	49.9-62.5	67	11.8	8.1-15.5	52	5.0	3.4- 6.6	6	0.6	0.0- 1.2	78	23.6	17.5-29.7	14	2.8	1.0- 4.6
\$75,000+	1032	202,519	762	72.4	68.7-76.1	84	7.0	5.0- 9.0	49	2.6	1.6- 3.6	8	1.1	0.1- 2.1	102	12.9	10.0-15.8	27	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	359,168	917	51.2	48.1-54.3	243	10.8	9.0-12.6	140	4.9	3.9- 5.9	50	1.9	1.3- 2.5	407	27.4	24.3-30.5	74	3.8	2.6- 5.0
White/Non-Hisp	1207	227,553	670	56.1	52.4-59.8	158	10.0	8.0-12.0	112	5.8	4.4- 7.2	20	1.1	0.5- 1.7	216	23.6	20.1-27.1	31	3.3	1.9- 4.7
Black or Afr. Am./Non-Hisp	224	70,083	81	37.8	28.8-46.8	42	15.7	9.6-21.8	13	4.3	1.2- 7.4	8	2.7	0.5- 4.9	73	36.2	27.4-45.0	7	3.3	0.4- 6.2
Oth. Race/Non-Hisp.	117	20,411	45	53.0	40.5-65.5	12	7.6	2.1-13.1	10	2.4	0.8- 4.0	6	2.8	0.3- 5.3	42	33.6	21.6-45.6	2	0.7	0.0- 1.7
Hispanic	213	26,984	84	46.5	35.5-57.5	22	9.5	4.2-14.8	2	0.6	0.0- 1.4	15	6.1	2.2-10.0	57	24.6	16.8-32.4	33	12.8	7.3-18.3
18-24	151	43,691	10	5.5	1.8- 9.2	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6				126	85.9	79.4-92.4	13	7.9	2.6-13.2
25-34	241	63,146	83	39.2	30.0-48.4	10	3.0	0.8- 5.2	1	0.1	0.0- 0.3	5	1.3	0.0- 2.7	116	50.5	41.3-59.7	26	6.0	2.3- 9.7
35-44	216	54,685	116	59.9	51.1-68.7	22	7.8	3.5-12.1	1	0.7	0.0- 2.1	7	1.8	0.0- 3.6	51	23.8	16.4-31.2	19	6.0	2.9- 9.1
45-54	286	58,283	154	57.1	49.5-64.7	60	18.4	12.7-24.1	5	1.3	0.1- 2.5	16	4.4	1.7- 7.1	43	16.0	9.5-22.5	8	2.9	0.4- 5.4
55-64	353	62,104	197	62.4	55.5-69.3	79	23.0	16.7-29.3	21	4.6	1.9- 7.3	8	1.3	0.3- 2.3	42	7.1	4.4- 9.8	6	1.6	0.0- 3.6
65+	584	77,259	357	67.6	62.9-72.3	71	9.5	7.0-12.0	111	17.3	13.4-21.2	14	2.1	0.9- 3.3	29	3.2	1.8- 4.6	2	0.3	0.0- 0.7
Less Than H.S.	216	43,365	79	40.8	30.8-50.8	26	7.3	3.8-10.8	21	7.9	3.8-12.0	16	5.8	2.1- 9.5	44	27.2	17.4-37.0	30	11.0	5.7-16.3
H.S. or G.E.D.	541	117,335	215	40.5	34.4-46.6	92	12.7	9.4-16.0	34	3.7	2.1- 5.3	18	2.2	1.0- 3.4	154	36.2	29.9-42.5	28	4.7	2.3- 7.1
Some Post-H.S.	427	103,684	211	50.7	44.4-57.0	59	12.0	7.9-16.1	37	6.0	3.5- 8.5	6	0.8	0.0- 1.6	104	28.1	22.2-34.0	10	2.4	0.4- 4.4
College Graduate	636	91,500	406	70.5	66.2-74.8	64	8.1	5.7-10.5	47	3.6	2.4- 4.8	9	0.9	0.3- 1.5	104	16.2	12.5-19.9	6	0.8	0.0- 1.6
Less than \$15,000	122	18,218	21	17.5	8.7-26.3	29	19.4	10.4-28.4	9	4.3	1.2- 7.4	9	4.3	1.0- 7.6	43	40.9	28.2-53.6	11	13.5	3.3-23.7
\$15,000- 24,999	252	44,760	78	31.0	23.2-38.8	53	19.6	12.9-26.3	25	7.3	3.8-10.8	12	4.0	1.1- 6.9	67	33.8	25.4-42.2	17	4.3	1.8- 6.8
\$25,000- 34,999	165	31,996	66	48.2	37.4-59.0	24	7.8	4.1-11.5	18	9.4	3.7-15.1	8	3.0	0.6- 5.4	44	29.8	19.6-40.0	5	1.7	0.0- 3.5
\$35,000- 49,999	210	40,714	94	48.1	38.1-58.1	35	12.7	7.2-18.2	22	7.1	3.2-11.0	6	1.7	0.1- 3.3	43	25.2	15.6-34.8	10	5.2	1.7- 8.7
\$50,000- 74,999	252	49,339	138	52.4	43.4-61.4	31	12.4	6.5-18.3	22	3.7	1.7- 5.7	1	0.2	0.0- 0.6	52	27.9	18.9-36.9	8	3.4	0.7- 6.1
\$75,000+	509	109,457	381	73.7	68.4-79.0	34	6.5	3.6- 9.4	20	2.2	0.8- 3.6	3	0.4	0.0- 1.0	61	14.4	10.1-18.7	10	2.9	0.5- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS
 TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2257	391,035	1009	48.4	45.5-51.3	357	11.4	9.8-13.0	362	9.7	8.3-11.1	56	2.5	1.5- 3.5	372	23.3	20.6-26.0	101	4.7	3.3- 6.1
White/Non-Hisp	1516	249,604	757	55.5	52.0-59.0	250	12.0	10.2-13.8	295	11.8	10.2-13.4	23	1.3	0.5- 2.1	147	14.9	11.8-18.0	44	4.5	2.7- 6.3
Black or Afr. Am./Non-Hisp	351	80,560	100	30.1	23.6-36.6	54	10.7	7.2-14.2	34	6.1	3.2- 9.0	14	4.2	1.3- 7.1	141	46.9	39.6-54.2	8	1.9	0.3- 3.5
Oth. Race/Non-Hisp.	74	16,809	32	45.8	30.7-60.9	12	10.2	2.6-17.8	8	6.7	0.0-14.5	1	2.4	0.0- 7.1	18	32.2	17.1-47.3	3	2.7	0.0- 6.2
Hispanic	233	31,762	90	42.8	34.2-51.4	19	6.4	2.5-10.3	15	5.3	1.6- 9.0	16	6.6	2.5-10.7	49	23.4	15.8-31.0	44	15.5	9.8-21.2
18-24	105	43,248	13	11.6	4.5-18.7	1	0.6	0.0- 1.8				2	0.6	0.0- 1.6	80	82.4	74.6-90.2	9	4.8	1.3- 8.3
25-34	226	62,109	78	38.3	29.3-47.3	16	3.6	1.6- 5.6				8	4.8	0.9- 8.7	96	42.8	34.0-51.6	28	10.6	4.7-16.5
35-44	254	57,351	132	61.4	54.0-68.8	32	11.3	6.8-15.8				13	4.3	0.8- 7.8	48	16.9	11.2-22.6	29	6.0	3.3- 8.7
45-54	351	63,078	195	61.0	54.5-67.5	62	14.7	10.4-19.0	12	3.1	0.4- 5.8	11	3.0	0.6- 5.4	53	12.9	8.8-17.0	18	5.4	2.3- 8.5
55-64	521	69,971	265	58.3	53.0-63.6	122	18.9	14.8-23.0	52	7.8	5.3-10.3	12	1.8	0.2- 3.4	56	9.9	6.8-13.0	14	3.3	1.3- 5.3
65+	800	95,279	326	48.1	43.8-52.4	124	13.8	10.9-16.7	298	32.1	28.2-36.0	10	0.9	0.3- 1.5	39	4.5	2.7- 6.3	3	0.5	0.0- 1.1
Less Than H.S.	226	45,755	77	40.9	31.9-49.9	23	6.8	2.9-10.7	40	14.7	9.2-20.2	12	5.6	1.3- 9.9	39	19.8	12.2-27.4	35	12.2	5.5-18.9
H.S. or G.E.D.	623	115,070	233	41.6	36.1-47.1	101	10.9	8.2-13.6	126	11.9	9.2-14.6	18	2.8	0.8- 4.8	125	29.1	23.4-34.8	20	3.7	1.7- 5.7
Some Post-H.S.	586	112,826	251	46.0	40.3-51.7	96	12.8	9.7-15.9	103	9.7	7.3-12.1	14	2.2	0.6- 3.8	100	25.5	20.0-31.0	22	3.8	1.6- 6.0
College Graduate	818	117,047	446	60.1	55.6-64.6	137	12.5	10.0-15.0	92	5.6	4.2- 7.0	12	1.3	0.3- 2.3	107	17.0	12.9-21.1	24	3.6	1.8- 5.4
Less than \$15,000	209	33,033	29	21.0	12.4-29.6	50	13.5	8.4-18.6	34	10.3	5.2-15.4	11	3.6	1.2- 6.0	77	48.8	39.4-58.2	8	2.9	0.5- 5.3
\$15,000- 24,999	359	57,468	102	33.8	26.9-40.7	66	15.4	10.9-19.9	85	14.5	10.8-18.2	14	4.5	1.4- 7.6	66	23.9	16.8-31.0	26	7.9	2.6-13.2
\$25,000- 34,999	216	33,803	57	29.0	20.0-38.0	45	15.3	9.6-21.0	51	14.3	9.4-19.2	5	0.7	0.1- 1.3	46	35.8	26.2-45.4	12	5.0	1.5- 8.5
\$35,000- 49,999	255	46,497	115	51.4	42.4-60.4	47	15.3	10.0-20.6	38	9.3	4.8-13.8	4	0.7	0.0- 1.5	42	19.5	11.5-27.5	9	3.7	1.0- 6.4
\$50,000- 74,999	237	44,780	134	60.4	51.8-69.0	36	11.1	6.6-15.6	30	6.5	3.8- 9.2	5	1.1	0.1- 2.1	26	18.8	10.8-26.8	6	2.2	0.2- 4.2
\$75,000+	523	93,062	381	71.0	65.7-76.3	50	7.6	5.1-10.1	29	3.0	1.6- 4.4	5	2.0	0.0- 4.2	41	11.1	7.0-15.2	17	5.4	2.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4114	754,110	16	0.3	0.1- 0.5	173	3.5	2.7- 4.3	255	8.1	6.7- 9.5	1178	31.3	29.1-33.5	1018	28.8	26.8-30.8	1474	28.1	26.3-29.9
Male	1835	358,925	7	0.2	0.0- 0.4	87	3.7	2.7- 4.7	124	8.3	6.1-10.5	548	33.2	30.1-36.3	429	28.9	25.8-32.0	640	25.7	23.2-28.2
Female	2279	395,185	9	0.4	0.0- 0.8	86	3.4	2.4- 4.4	131	7.8	6.0- 9.6	630	29.6	26.9-32.3	589	28.6	25.9-31.3	834	30.2	27.7-32.7
White/Non-Hisp	2735	479,067	1	0.0	0.0- 0.0	23	0.8	0.4- 1.2	131	7.2	5.6- 8.8	779	30.5	28.1-32.9	715	30.6	28.1-33.1	1086	30.8	28.6-33.0
Black or Afr. Am./Non-Hisp	584	153,226				8	2.0	0.4- 3.6	47	8.3	5.6-11.0	210	39.8	34.1-45.5	144	26.7	21.8-31.6	175	23.1	19.0-27.2
Oth. Race/Non-Hisp.	190	36,528				4	3.3	0.0- 7.2	10	7.8	1.5-14.1	37	18.1	10.7-25.5	41	27.4	18.2-36.6	98	43.4	34.0-52.8
Hispanic	446	58,533	15	3.6	0.9- 6.3	134	30.4	24.3-36.5	62	17.0	10.3-23.7	110	23.8	18.3-29.3	71	15.7	11.2-20.2	54	9.6	6.5-12.7
18-24	260	88,550				12	2.8	1.0- 4.6	19	9.7	4.8-14.6	109	46.2	38.2-54.2	73	28.3	21.4-35.2	47	13.0	8.3-17.7
25-34	468	125,668	1	0.1	0.0- 0.3	44	4.6	2.4- 6.8	34	9.1	4.4-13.8	127	26.9	21.4-32.4	123	33.3	27.0-39.6	139	26.0	20.9-31.1
35-44	473	111,934	8	1.1	0.0- 2.3	47	7.3	4.6-10.0	32	6.4	3.7- 9.1	111	25.2	19.3-31.1	99	24.6	19.3-29.9	176	35.3	29.6-41.0
45-54	643	122,074	1	0.0	0.0- 0.0	30	2.9	1.5- 4.3	35	6.4	3.9- 8.9	176	29.6	24.7-34.5	144	27.0	22.3-31.7	257	34.1	29.6-38.6
55-64	879	132,554	3	0.5	0.0- 1.1	19	2.2	0.8- 3.6	55	7.6	4.9-10.3	269	32.5	28.4-36.6	203	28.5	24.2-32.8	330	28.8	25.3-32.3
65+	1391	173,331	3	0.1	0.0- 0.3	21	2.0	0.8- 3.2	80	9.1	6.7-11.5	386	31.0	27.9-34.1	376	29.9	26.8-33.0	525	27.9	25.2-30.6
Less than \$15,000	332	51,318	5	2.1	0.0- 4.8	40	12.6	7.1-18.1	50	18.8	12.5-25.1	147	43.3	35.9-50.7	56	16.1	11.0-21.2	34	7.0	3.7-10.3
\$15,000- 24,999	611	102,268	3	0.2	0.0- 0.4	56	7.4	4.9- 9.9	79	16.9	12.2-21.6	247	43.7	38.2-49.2	146	23.1	18.4-27.8	80	8.6	6.2-11.0
\$25,000- 34,999	385	66,246	1	0.1	0.0- 0.3	13	3.3	0.9- 5.7	26	12.1	6.8-17.4	130	34.9	27.8-42.0	123	34.5	27.6-41.4	92	15.1	11.2-19.0
\$35,000- 49,999	469	87,889				5	1.0	0.0- 2.2	22	7.3	2.8-11.8	162	39.7	33.0-46.4	139	32.8	26.5-39.1	141	19.2	14.9-23.5
\$50,000- 74,999	491	95,101				1	0.3	0.0- 0.9	10	5.7	1.2-10.2	114	26.2	20.7-31.7	154	37.8	31.5-44.1	212	30.0	24.9-35.1
\$75,000+	1031	202,003				4	0.5	0.0- 1.1	10	1.2	0.4- 2.0	127	15.0	11.5-18.5	219	29.8	25.7-33.9	671	53.4	49.1-57.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	358,925	7	0.2	0.0- 0.4	87	3.7	2.7- 4.7	124	8.3	6.1-10.5	548	33.2	30.1-36.3	429	28.9	25.8-32.0	640	25.7	23.2-28.2
White/Non-Hisp	1209	228,345				15	1.3	0.5- 2.1	59	7.1	4.7- 9.5	352	31.6	28.1-35.1	298	30.7	27.0-34.4	485	29.3	26.2-32.4
Black or Afr. Am./Non-Hisp	225	70,370				4	2.3	0.0- 5.0	21	8.7	4.4-13.0	95	45.3	36.1-54.5	55	27.4	19.6-35.2	50	16.3	10.6-22.0
Oth. Race/Non-Hisp.	117	19,780				3	2.6	0.0- 5.9	7	7.0	0.0-14.1	27	23.4	12.4-34.4	22	25.8	13.6-38.0	58	41.2	29.2-53.2
Hispanic	213	26,808	7	2.5	0.3- 4.7	63	29.4	20.6-38.2	34	21.8	9.6-34.0	56	22.5	14.9-30.1	30	13.4	7.1-19.7	23	10.5	5.4-15.6
18-24	153	44,751				6	2.7	0.3- 5.1	13	11.4	4.3-18.5	70	50.8	40.4-61.2	39	24.3	16.1-32.5	25	10.7	5.8-15.6
25-34	240	62,403				24	4.4	1.3- 7.5	17	9.5	2.1-16.9	76	33.3	24.9-41.7	54	29.5	20.9-38.1	69	23.4	16.5-30.3
35-44	217	54,020	5	0.8	0.0- 1.6	20	7.0	3.1-10.9	16	6.4	2.7-10.1	57	28.3	18.7-37.9	45	28.8	20.0-37.6	74	28.7	20.9-36.5
45-54	289	58,526	1	0.1	0.0- 0.3	22	5.0	2.5- 7.5	17	6.8	3.1-10.5	93	31.3	23.7-38.9	66	30.8	23.4-38.2	90	26.0	20.1-31.9
55-64	354	62,141	1	0.3	0.0- 0.9	7	2.9	0.4- 5.4	25	7.1	3.2-11.0	113	32.0	25.5-38.5	84	32.0	24.9-39.1	124	25.7	20.4-31.0
65+	582	77,084				8	0.9	0.3- 1.5	36	9.0	5.3-12.7	139	28.7	23.8-33.6	141	27.4	22.7-32.1	258	34.0	29.5-38.5
Less than \$15,000	122	18,218	2	0.9	0.0- 2.3	24	20.1	8.9-31.3	23	19.4	9.4-29.4	45	38.6	26.6-50.6	13	14.1	4.1-24.1	15	7.0	2.1-11.9
\$15,000- 24,999	250	44,104	1	0.1	0.0- 0.3	29	9.9	5.2-14.6	46	20.6	13.7-27.5	98	44.5	35.9-53.1	38	14.9	8.6-21.2	38	10.0	6.1-13.9
\$25,000- 34,999	166	32,033				7	3.2	0.5- 5.9	15	15.0	6.4-23.6	63	39.6	28.6-50.6	49	29.2	19.4-39.0	32	13.1	7.6-18.6
\$35,000- 49,999	212	41,281				4	1.1	0.0- 2.3	12	10.3	1.7-18.9	82	42.9	32.9-52.9	59	30.1	21.7-38.5	55	15.6	10.3-20.9
\$50,000- 74,999	254	50,321				1	0.6	0.0- 1.8	7	8.4	0.8-16.0	62	28.2	20.2-36.2	83	38.1	29.5-46.7	101	24.7	18.6-30.8
\$75,000+	507	108,317				3	0.4	0.0- 1.0	4	0.8	0.0- 1.6	71	16.6	11.1-22.1	122	35.9	29.8-42.0	307	46.3	40.2-52.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	395,185	9	0.4	0.0- 0.8	86	3.4	2.4- 4.4	131	7.8	6.0- 9.6	630	29.6	26.9-32.3	589	28.6	25.9-31.3	834	30.2	27.7-32.7
White/Non-Hisp	1526	250,722	1	0.0	0.0- 0.0	8	0.5	0.1- 0.9	72	7.4	5.0- 9.8	427	29.5	26.4-32.6	417	30.6	27.3-33.9	601	32.1	29.0-35.2
Black or Afr. Am./Non-Hisp	359	82,856				4	1.7	0.0- 3.5	26	8.1	4.4-11.8	115	35.2	28.1-42.3	89	26.1	19.8-32.4	125	28.9	22.8-35.0
Oth. Race/Non-Hisp.	73	16,747				1	4.0	0.0-11.6	3	8.8	0.0-19.6	10	11.8	2.6-21.0	19	29.3	14.8-43.8	40	46.0	30.9-61.1
Hispanic	233	31,726	8	4.5	0.0- 9.2	71	31.2	23.0-39.4	28	13.0	7.1-18.9	54	24.8	17.2-32.4	41	17.7	11.4-24.0	31	8.9	5.0-12.8
18-24	107	43,799				6	3.0	0.5- 5.5	6	7.9	0.8-15.0	39	41.6	29.4-53.8	34	32.3	21.3-43.3	22	15.3	7.3-23.3
25-34	228	63,265	1	0.2	0.0- 0.6	20	4.8	1.9- 7.7	17	8.8	3.1-14.5	51	20.7	13.6-27.8	69	37.0	28.0-46.0	70	28.5	21.1-35.9
35-44	256	57,913	3	1.4	0.0- 3.8	27	7.6	3.7-11.5	16	6.4	2.5-10.3	54	22.3	15.4-29.2	54	20.7	14.4-27.0	102	41.5	33.9-49.1
45-54	354	63,548				8	1.1	0.3- 1.9	18	6.0	2.7- 9.3	83	28.0	21.5-34.5	78	23.5	18.0-29.0	167	41.5	35.0-48.0
55-64	525	70,413	2	0.6	0.0- 1.6	12	1.5	0.3- 2.7	30	8.1	4.4-11.8	156	32.9	27.6-38.2	119	25.4	20.5-30.3	206	31.5	26.8-36.2
65+	809	96,247	3	0.2	0.0- 0.4	13	2.9	0.9- 4.9	44	9.1	6.0-12.2	247	32.9	28.8-37.0	235	32.0	27.9-36.1	267	23.0	19.9-26.1
Less than \$15,000	210	33,099	3	2.8	0.0- 6.9	16	8.5	3.0-14.0	27	18.5	10.3-26.7	102	46.0	36.6-55.4	43	17.2	11.5-22.9	19	7.1	2.8-11.4
\$15,000- 24,999	361	58,164	2	0.3	0.0- 0.7	27	5.5	2.6- 8.4	33	14.2	7.7-20.7	149	43.2	35.9-50.5	108	29.3	22.6-36.0	42	7.6	4.5-10.7
\$25,000- 34,999	219	34,212	1	0.2	0.0- 0.6	6	3.5	0.0- 7.4	11	9.3	2.6-16.0	67	30.5	21.9-39.1	74	39.5	30.3-48.7	60	17.1	11.4-22.8
\$35,000- 49,999	257	46,608				1	0.9	0.0- 2.7	10	4.7	1.4- 8.0	80	36.8	28.0-45.6	80	35.2	26.2-44.2	86	22.4	15.7-29.1
\$50,000- 74,999	237	44,780							3	2.6	0.0- 6.5	52	24.0	16.6-31.4	71	37.5	28.5-46.5	111	35.9	27.9-43.9
\$75,000+	524	93,685				1	0.5	0.0- 1.5	6	1.8	0.2- 3.4	56	13.3	9.4-17.2	97	22.7	17.8-27.6	364	61.7	56.2-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4113	754,052	2807	73.2	71.4-75.0	1078	21.3	19.7-22.9	228	5.4	4.4- 6.4
Male	1839	359,827	1222	72.8	70.3-75.3	494	20.8	18.4-23.2	123	6.4	5.0- 7.8
Female	2274	394,225	1585	73.6	71.2-76.0	584	21.8	19.4-24.2	105	4.6	3.4- 5.8
White/Non-Hisp	2735	478,682	2163	82.3	80.5-84.1	435	12.8	11.2-14.4	137	4.9	3.9- 5.9
Black or Afr. Am./Non-Hisp	578	152,294	290	60.7	55.4-66.0	244	32.1	27.2-37.0	44	7.2	4.7- 9.7
Oth. Race/Non-Hisp.	192	37,023	114	59.8	50.2-69.4	63	30.9	22.1-39.7	15	9.3	3.0-15.6
Hispanic	448	58,913	141	42.0	34.9-49.1	286	55.1	48.2-62.0	21	2.8	1.4- 4.2
18-24	259	88,550	61	41.0	32.6-49.4	126	35.7	28.6-42.8	72	23.2	17.3-29.1
25-34	469	125,955	187	57.2	51.1-63.3	254	37.7	31.8-43.6	28	5.1	2.7- 7.5
35-44	473	111,566	250	67.5	62.4-72.6	204	29.8	24.7-34.9	19	2.7	1.3- 4.1
45-54	645	122,442	461	82.7	79.6-85.8	154	14.1	11.4-16.8	30	3.1	1.7- 4.5
55-64	876	132,025	664	84.1	81.4-86.8	183	13.8	11.3-16.3	29	2.1	0.9- 3.3
65+	1391	173,513	1184	89.9	88.1-91.7	157	7.6	6.2- 9.0	50	2.5	1.5- 3.5
Less Than H.S.	444	89,378	170	55.0	48.5-61.5	242	38.4	32.3-44.5	32	6.5	3.4- 9.6
H.S. or G.E.D.	1170	233,961	698	67.2	63.7-70.7	382	25.4	22.3-28.5	90	7.4	5.4- 9.4
Some Post-H.S.	1015	216,673	715	74.2	70.7-77.7	243	20.5	17.2-23.8	57	5.4	3.6- 7.2
College Graduate	1468	210,660	1215	87.0	85.0-89.0	206	10.4	8.6-12.2	47	2.7	1.7- 3.7
Less than \$15,000	332	51,318	117	38.9	31.6-46.2	188	52.8	45.4-60.2	27	8.3	4.2-12.4
\$15,000- 24,999	614	102,887	302	58.0	52.7-63.3	283	37.2	32.1-42.3	29	4.8	2.3- 7.3
\$25,000- 34,999	382	65,907	234	67.4	60.9-73.9	131	28.0	21.9-34.1	17	4.6	1.7- 7.5
\$35,000- 49,999	467	87,698	338	76.9	71.6-82.2	109	20.2	15.1-25.3	20	2.9	1.3- 4.5
\$50,000- 74,999	491	95,101	406	84.5	80.2-88.8	70	12.8	8.9-16.7	15	2.8	0.8- 4.8
\$75,000+	1033	203,142	916	89.7	87.3-92.1	88	7.5	5.5- 9.5	29	2.9	1.5- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1839	359,827	1222	72.8	70.3-75.3	494	20.8	18.4-23.2	123	6.4	5.0- 7.8
White/Non-Hisp	1213	228,288	925	79.8	77.1-82.5	217	14.5	12.1-16.9	71	5.7	4.1- 7.3
Black or Afr. Am./Non-Hisp	223	69,965	117	63.6	55.6-71.6	82	27.1	19.8-34.4	24	9.3	5.0-13.6
Oth. Race/Non-Hisp.	118	20,276	72	64.0	52.4-75.6	36	28.0	17.4-38.6	10	8.0	1.7-14.3
Hispanic	214	27,101	60	43.6	32.2-55.0	141	52.3	41.5-63.1	13	4.1	1.6- 6.6
18-24	153	45,001	36	40.3	29.1-51.5	72	34.1	25.1-43.1	45	25.5	17.5-33.5
25-34	241	62,745	90	55.9	47.1-64.7	135	38.1	29.9-46.3	16	6.0	2.3- 9.7
35-44	217	53,900	120	71.7	64.4-79.0	88	25.5	18.6-32.4	9	2.8	0.6- 5.0
45-54	291	58,894	195	80.5	75.6-85.4	77	14.6	10.5-18.7	19	4.8	2.1- 7.5
55-64	352	61,736	265	82.3	77.6-87.0	73	14.6	10.3-18.9	14	3.1	0.9- 5.3
65+	585	77,550	516	92.6	90.4-94.8	49	5.7	3.7- 7.7	20	1.7	0.7- 2.7
Less Than H.S.	218	43,623	86	57.0	47.6-66.4	114	35.7	27.1-44.3	18	7.3	3.0-11.6
H.S. or G.E.D.	544	117,809	311	65.5	60.2-70.8	175	24.2	19.7-28.7	58	10.3	7.2-13.4
Some Post-H.S.	428	103,747	299	76.7	71.8-81.6	102	18.4	13.9-22.9	27	4.8	2.4- 7.2
College Graduate	639	91,745	521	85.8	82.7-88.9	99	11.8	9.1-14.5	19	2.4	0.8- 4.0
Less than \$15,000	122	18,218	41	38.4	26.1-50.7	72	54.3	41.8-66.8	9	7.3	1.2-13.4
\$15,000- 24,999	253	44,823	115	59.4	51.6-67.2	121	35.3	27.9-42.7	17	5.3	2.0- 8.6
\$25,000- 34,999	166	32,033	98	70.3	61.5-79.1	57	23.7	15.7-31.7	11	6.0	1.5-10.5
\$35,000- 49,999	210	41,090	145	74.6	67.2-82.0	55	22.4	15.1-29.7	10	2.9	0.7- 5.1
\$50,000- 74,999	254	50,321	196	78.2	71.1-85.3	48	17.7	11.4-24.0	10	4.1	0.6- 7.6
\$75,000+	509	109,457	439	87.9	84.4-91.4	51	8.3	5.4-11.2	19	3.9	1.7- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2274	394,225	1585	73.6	71.2-76.0	584	21.8	19.6-24.0	105	4.6	3.4- 5.8
White/Non-Hisp	1522	250,395	1238	84.7	82.3-87.1	218	11.2	9.0-13.4	66	4.1	2.7- 5.5
Black or Afr. Am./Non-Hisp	355	82,329	173	58.1	51.2-65.0	162	36.4	29.9-42.9	20	5.4	2.5- 8.3
Oth. Race/Non-Hisp.	74	16,747	42	54.7	39.4-70.0	27	34.4	20.1-48.7	5	10.9	0.0-22.7
Hispanic	234	31,812	81	40.7	32.1-49.3	145	57.5	48.9-66.1	8	1.8	0.4- 3.2
18-24	106	43,549	25	41.7	29.0-54.4	54	37.4	26.6-48.2	27	20.8	12.2-29.4
25-34	228	63,210	97	58.5	50.1-66.9	119	37.3	29.1-45.5	12	4.2	1.5- 6.9
35-44	256	57,666	130	63.7	56.4-71.0	116	33.8	26.7-40.9	10	2.6	0.8- 4.4
45-54	354	63,548	266	84.8	80.9-88.7	77	13.7	10.0-17.4	11	1.6	0.4- 2.8
55-64	524	70,289	399	85.8	82.7-88.9	110	13.1	10.2-16.0	15	1.2	0.4- 2.0
65+	806	95,963	668	87.8	85.3-90.3	108	9.1	6.9-11.3	30	3.1	1.5- 4.7
Less Than H.S.	226	45,755	84	53.2	44.2-62.2	128	41.1	32.5-49.7	14	5.8	1.3-10.3
H.S. or G.E.D.	626	116,152	387	68.9	64.2-73.6	207	26.5	22.0-31.0	32	4.5	2.3- 6.7
Some Post-H.S.	587	112,926	416	71.8	66.7-76.9	141	22.3	17.6-27.0	30	5.9	3.2- 8.6
College Graduate	829	118,916	694	87.9	85.4-90.4	107	9.3	7.1-11.5	28	2.9	1.5- 4.3
Less than \$15,000	210	33,099	76	39.2	30.2-48.2	116	52.0	42.6-61.4	18	8.8	3.5-14.1
\$15,000- 24,999	361	58,064	187	56.9	49.8-64.0	162	38.7	31.8-45.6	12	4.4	0.9- 7.9
\$25,000- 34,999	216	33,874	136	64.7	55.7-73.7	74	32.1	23.3-40.9	6	3.2	0.0- 6.9
\$35,000- 49,999	257	46,608	193	78.9	71.5-86.3	54	18.2	10.9-25.5	10	2.9	0.7- 5.1
\$50,000- 74,999	237	44,780	210	91.5	87.4-95.6	22	7.3	3.4-11.2	5	1.2	0.0- 2.6
\$75,000+	524	93,685	477	91.8	88.7-94.9	37	6.5	3.6- 9.4	10	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4072	739,973	3826	93.7	92.5-94.9	143	3.2	2.4- 4.0	103	3.1	2.3- 3.9
Male	1808	349,082	1681	92.8	91.0-94.6	67	3.5	2.1- 4.9	60	3.7	2.3- 5.1
Female	2264	390,891	2145	94.5	93.1-95.9	76	3.0	2.0- 4.0	43	2.6	1.4- 3.8
White/Non-Hisp	2692	466,971	2625	96.9	95.9-97.9	24	0.9	0.3- 1.5	43	2.2	1.4- 3.0
Black or Afr. Am./Non-Hisp	575	149,450	544	93.0	89.7-96.3	13	3.1	0.7- 5.5	18	3.9	1.4- 6.4
Oth. Race/Non-Hisp.	191	36,545	171	87.4	80.7-94.1	10	8.7	2.6-14.8	10	3.9	1.0- 6.8
Hispanic	447	58,795	334	76.5	71.2-81.8	88	17.5	12.8-22.2	25	6.0	2.9- 9.1
18-24	254	86,847	210	84.5	78.8-90.2	25	8.0	4.3-11.7	19	7.5	3.0-12.0
25-34	452	118,506	398	89.6	85.5-93.7	34	5.8	2.7- 8.9	20	4.6	1.7- 7.5
35-44	468	109,649	427	93.7	91.0-96.4	24	2.8	1.2- 4.4	17	3.6	1.4- 5.8
45-54	636	119,792	598	96.4	94.8-98.0	20	2.0	0.8- 3.2	18	1.6	0.8- 2.4
55-64	873	132,075	841	96.2	94.4-98.0	18	1.6	0.6- 2.6	14	2.2	0.6- 3.8
65+	1389	173,104	1352	97.2	96.2-98.2	22	1.5	0.7- 2.3	15	1.3	0.5- 2.1
Less Than H.S.	442	89,079	347	85.0	81.1-88.9	78	10.6	7.5-13.7	17	4.4	1.9- 6.9
H.S. or G.E.D.	1166	231,514	1104	93.4	91.0-95.8	33	3.0	1.6- 4.4	29	3.6	1.6- 5.6
Some Post-H.S.	1001	209,872	964	95.0	92.8-97.2	17	2.5	0.7- 4.3	20	2.5	0.9- 4.1
College Graduate	1438	204,679	1392	96.7	95.3-98.1	14	0.9	0.1- 1.7	32	2.4	1.2- 3.6
Less than \$15,000	330	51,063	295	91.1	87.0-95.2	24	7.1	3.2-11.0	11	1.8	0.4- 3.2
\$15,000- 24,999	613	102,617	556	90.5	87.2-93.8	40	5.5	3.3- 7.7	17	4.0	1.3- 6.7
\$25,000- 34,999	379	64,080	361	95.1	92.2-98.0	9	2.0	0.2- 3.8	9	2.9	0.5- 5.3
\$35,000- 49,999	463	86,957	454	98.3	96.9-99.7	5	0.7	0.0- 1.7	4	1.0	0.0- 2.0
\$50,000- 74,999	478	91,641	463	96.2	93.5-98.9	6	1.0	0.0- 2.0	9	2.8	0.3- 5.3
\$75,000+	1002	193,213	984	97.8	96.4-99.2	2	0.4	0.0- 1.0	16	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	349,082	1681	92.8	91.0-94.6	67	3.5	2.3- 4.7	60	3.7	2.3- 5.1
White/Non-Hisp	1185	219,836	1152	96.2	94.4-98.0	10	1.1	0.1- 2.1	23	2.7	1.3- 4.1
Black or Afr. Am./Non-Hisp	219	68,005	205	92.4	87.3-97.5	6	4.3	0.0- 8.6	8	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	116	19,678	103	89.2	82.1-96.3	5	5.4	0.0-10.9	8	5.3	0.8- 9.8
Hispanic	214	27,127	156	73.6	65.0-82.2	41	17.6	10.5-24.7	17	8.8	2.9-14.7
18-24	149	43,821	123	84.6	77.3-91.9	15	9.9	4.0-15.8	11	5.5	1.0-10.0
25-34	228	56,648	198	86.9	79.8-94.0	16	5.7	0.6-10.8	14	7.4	2.1-12.7
35-44	214	52,795	193	92.3	88.2-96.4	11	3.0	0.6- 5.4	10	4.7	1.4- 8.0
45-54	285	57,055	262	95.2	92.7-97.7	12	2.8	0.6- 5.0	11	2.0	0.6- 3.4
55-64	353	61,971	336	94.8	91.5-98.1	10	2.1	0.5- 3.7	7	3.1	0.2- 6.0
65+	579	76,792	569	98.7	97.5-99.9	3	0.3	0.0- 0.7	7	1.1	0.0- 2.3
Less Than H.S.	218	43,623	173	83.6	77.5-89.7	34	9.8	5.5-14.1	11	6.6	2.1-11.1
H.S. or G.E.D.	538	114,997	502	92.7	89.4-96.0	14	2.7	0.7- 4.7	22	4.6	1.9- 7.3
Some Post-H.S.	419	99,597	395	93.0	89.1-96.9	11	3.9	0.6- 7.2	13	3.1	0.6- 5.6
College Graduate	619	87,233	602	97.7	96.3-99.1	7	0.8	0.0- 1.6	10	1.5	0.3- 2.7
Less than \$15,000	121	18,108	102	91.4	86.5-96.3	11	5.3	1.6- 9.0	8	3.3	0.2- 6.4
\$15,000- 24,999	253	44,823	221	87.5	81.4-93.6	20	6.1	2.6- 9.6	12	6.4	1.1-11.7
\$25,000- 34,999	164	31,557	152	91.1	85.4-96.8	6	3.7	0.0- 7.4	6	5.2	0.7- 9.7
\$35,000- 49,999	209	40,556	207	98.7	96.7- 100	1	1.0	0.0- 3.0	1	0.3	0.0- 0.9
\$50,000- 74,999	245	47,133	235	94.1	89.2-99.0	4	1.3	0.0- 2.9	6	4.6	0.0- 9.3
\$75,000+	488	102,098	480	98.6	97.4-99.8	1	0.1	0.0- 0.3	7	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2264	390,891	2145	94.5	93.1-95.9	76	3.0	2.0- 4.0	43	2.6	1.4- 3.8
White/Non-Hisp	1507	247,135	1473	97.5	96.5-98.5	14	0.7	0.3- 1.1	20	1.7	0.7- 2.7
Black or Afr. Am./Non-Hisp	356	81,445	339	93.5	89.0-98.0	7	2.1	0.0- 4.3	10	4.4	0.3- 8.5
Oth. Race/Non-Hisp.	75	16,868	68	85.2	73.4-97.0	5	12.6	1.2-24.0	2	2.2	0.0- 6.1
Hispanic	233	31,668	178	79.0	72.3-85.7	47	17.3	11.0-23.6	8	3.7	0.6- 6.8
18-24	105	43,026	87	84.3	75.7-92.9	10	6.1	1.8-10.4	8	9.5	1.7-17.3
25-34	224	61,858	200	92.2	87.9-96.5	18	5.8	2.1- 9.5	6	2.1	0.0- 4.5
35-44	254	56,854	234	94.9	91.6-98.2	13	2.5	0.3- 4.7	7	2.6	0.0- 5.3
45-54	351	62,737	336	97.5	95.9-99.1	8	1.3	0.1- 2.5	7	1.2	0.0- 2.4
55-64	520	70,104	505	97.4	95.8-99.0	8	1.2	0.0- 2.4	7	1.4	0.2- 2.6
65+	810	96,312	783	96.1	94.3-97.9	19	2.4	1.2- 3.6	8	1.6	0.4- 2.8
Less Than H.S.	224	45,456	174	86.4	81.3-91.5	44	11.3	6.6-16.0	6	2.3	0.1- 4.5
H.S. or G.E.D.	628	116,517	602	94.0	90.9-97.1	19	3.3	1.3- 5.3	7	2.7	0.0- 5.4
Some Post-H.S.	582	110,275	569	96.7	94.5-98.9	6	1.3	0.0- 2.7	7	2.0	0.2- 3.8
College Graduate	819	117,446	790	95.9	93.9-97.9	7	1.0	0.0- 2.2	22	3.1	1.5- 4.7
Less than \$15,000	209	32,956	193	91.0	85.1-96.9	13	8.1	2.4-13.8	3	0.9	0.0- 2.1
\$15,000- 24,999	360	57,794	335	92.8	89.1-96.5	20	5.1	2.2- 8.0	5	2.2	0.0- 4.6
\$25,000- 34,999	215	32,523	209	99.1	98.3-99.9	3	0.4	0.0- 0.8	3	0.5	0.0- 1.3
\$35,000- 49,999	254	46,401	247	97.9	95.9-99.9	4	0.5	0.1- 0.9	3	1.6	0.0- 3.4
\$50,000- 74,999	233	44,508	228	98.5	96.9- 100	2	0.6	0.0- 1.6	3	0.9	0.0- 2.1
\$75,000+	514	91,116	504	96.9	94.4-99.4	1	0.7	0.0- 2.1	9	2.4	0.2- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4139	758,938	3788	90.9	89.5-92.3	147	3.1	2.5- 3.7	204	6.1	4.9- 7.3
Male	1849	362,557	1663	89.0	86.8-91.2	84	3.8	2.6- 5.0	102	7.2	5.4- 9.0
Female	2290	396,381	2125	92.5	90.9-94.1	63	2.4	1.6- 3.2	102	5.0	3.6- 6.4
White/Non-Hisp	2743	480,525	2570	93.1	91.7-94.5	47	1.6	1.0- 2.2	126	5.3	4.1- 6.5
Black or Afr. Am./Non-Hisp	585	153,343	541	91.2	87.7-94.7	21	2.7	1.1- 4.3	23	6.1	3.0- 9.2
Oth. Race/Non-Hisp.	194	37,548	167	86.5	80.0-93.0	10	3.5	0.2- 6.8	17	10.0	4.1-15.9
Hispanic	449	59,054	370	81.2	76.3-86.1	64	15.0	10.5-19.5	15	3.8	1.4- 6.2
18-24	261	88,941	220	84.3	78.4-90.2	22	5.6	2.9- 8.3	19	10.1	4.6-15.6
25-34	471	126,616	417	87.9	83.8-92.0	21	3.6	1.2- 6.0	33	8.5	4.8-12.2
35-44	477	113,235	429	91.5	88.4-94.6	21	2.7	1.1- 4.3	27	5.8	3.1- 8.5
45-54	649	123,052	594	93.2	91.0-95.4	18	1.7	0.7- 2.7	37	5.1	3.1- 7.1
55-64	881	132,709	827	93.4	91.2-95.6	19	2.0	1.0- 3.0	35	4.7	2.7- 6.7
65+	1400	174,385	1301	92.4	90.6-94.2	46	3.5	2.1- 4.9	53	4.1	2.7- 5.5
Less Than H.S.	444	89,378	367	84.6	80.3-88.9	60	10.3	7.0-13.6	17	5.1	2.0- 8.2
H.S. or G.E.D.	1178	235,961	1085	91.0	88.5-93.5	41	2.5	1.5- 3.5	52	6.5	4.1- 8.9
Some Post-H.S.	1018	217,047	959	93.2	91.0-95.4	15	1.9	0.5- 3.3	44	5.0	3.2- 6.8
College Graduate	1474	211,723	1365	92.1	90.1-94.1	29	1.7	0.9- 2.5	80	6.3	4.5- 8.1
Less than \$15,000	332	51,318	298	93.3	90.4-96.2	24	4.7	2.3- 7.1	10	2.0	0.4- 3.6
\$15,000- 24,999	616	103,154	566	89.9	86.2-93.6	28	4.2	2.2- 6.2	22	5.9	2.6- 9.2
\$25,000- 34,999	385	66,246	360	92.0	87.5-96.5	13	2.6	0.8- 4.4	12	5.4	1.1- 9.7
\$35,000- 49,999	469	87,889	450	97.0	95.4-98.6	9	1.5	0.3- 2.7	10	1.5	0.3- 2.7
\$50,000- 74,999	491	95,101	468	94.7	91.6-97.8	4	0.6	0.0- 1.2	19	4.7	1.8- 7.6
\$75,000+	1033	203,142	983	93.9	91.5-96.3	11	1.0	0.0- 2.2	39	5.1	3.1- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1849	362,557	1663	89.0	86.8-91.2	84	3.8	2.6- 5.0	102	7.2	5.4- 9.0
White/Non-Hisp	1215	229,570	1131	91.6	89.2-94.0	25	2.0	0.8- 3.2	59	6.4	4.4- 8.4
Black or Afr. Am./Non-Hisp	225	70,370	203	88.8	83.3-94.3	11	4.0	1.1- 6.9	11	7.1	2.2-12.0
Oth. Race/Non-Hisp.	119	20,680	101	87.8	80.4-95.2	5	1.8	0.0- 3.6	13	10.4	3.1-17.7
Hispanic	215	27,242	166	76.7	68.7-84.7	40	18.2	10.9-25.5	9	5.1	0.8- 9.4
18-24	154	45,142	127	82.6	74.8-90.4	14	7.0	2.5-11.5	13	10.4	3.5-17.3
25-34	242	63,265	205	83.1	75.8-90.4	14	4.1	0.4- 7.8	23	12.8	6.3-19.3
35-44	220	55,241	190	87.9	82.6-93.2	16	4.9	1.8- 8.0	14	7.1	2.8-11.4
45-54	292	59,018	261	91.3	87.6-95.0	13	2.3	0.5- 4.1	18	6.4	3.3- 9.5
55-64	354	62,141	330	92.3	88.6-96.0	10	2.4	0.6- 4.2	14	5.3	2.0- 8.6
65+	587	77,750	550	94.1	91.6-96.6	17	3.0	0.8- 5.2	20	2.8	1.4- 4.2
Less Than H.S.	218	43,623	172	83.3	77.4-89.2	37	12.9	7.6-18.2	9	3.9	1.2- 6.6
H.S. or G.E.D.	548	119,150	492	88.5	84.4-92.6	23	3.0	1.2- 4.8	33	8.5	4.6-12.4
Some Post-H.S.	429	103,887	398	91.0	87.1-94.9	9	2.9	0.4- 5.4	22	6.0	2.9- 9.1
College Graduate	640	92,264	596	92.0	89.1-94.9	14	1.3	0.5- 2.1	30	6.7	3.8- 9.6
Less than \$15,000	122	18,218	100	89.5	84.0-95.0	18	8.7	3.6-13.8	4	1.8	0.0- 3.6
\$15,000- 24,999	253	44,823	226	87.5	81.4-93.6	17	6.0	2.3- 9.7	10	6.6	1.5-11.7
\$25,000- 34,999	166	32,033	152	90.2	82.6-97.8	8	3.2	0.3- 6.1	6	6.6	0.0-13.9
\$35,000- 49,999	212	41,281	205	97.6	95.2- 100	4	1.6	0.0- 3.6	3	0.9	0.0- 2.1
\$50,000- 74,999	254	50,321	243	92.8	87.5-98.1	1	0.2	0.0- 0.6	10	7.0	1.7-12.3
\$75,000+	509	109,457	483	93.4	90.1-96.7	7	1.4	0.0- 3.4	19	5.2	2.3- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2290	396,381	2125	92.5	90.9-94.1	63	2.4	1.6- 3.2	102	5.0	3.6- 6.4
White/Non-Hisp	1528	250,955	1439	94.4	92.8-96.0	22	1.2	0.6- 1.8	67	4.4	3.0- 5.8
Black or Afr. Am./Non-Hisp	360	82,972	338	93.2	88.9-97.5	10	1.6	0.4- 2.8	12	5.2	1.1- 9.3
Oth. Race/Non-Hisp.	75	16,868	66	84.9	73.5-96.3	5	5.5	0.0-12.6	4	9.6	0.0-19.2
Hispanic	234	31,812	204	85.1	79.0-91.2	24	12.2	6.5-17.9	6	2.6	0.1- 5.1
18-24	107	43,799	93	86.0	77.2-94.8	8	4.1	1.0- 7.2	6	9.9	1.3-18.5
25-34	229	63,351	212	92.8	88.7-96.9	7	3.0	0.3- 5.7	10	4.2	1.1- 7.3
35-44	257	57,994	239	94.8	91.5-98.1	5	0.5	0.1- 0.9	13	4.6	1.3- 7.9
45-54	357	64,034	333	94.9	92.4-97.4	5	1.2	0.0- 2.4	19	3.9	1.7- 6.1
55-64	527	70,568	497	94.3	91.8-96.8	9	1.6	0.4- 2.8	21	4.1	1.9- 6.3
65+	813	96,635	751	91.1	88.6-93.6	29	3.8	2.2- 5.4	33	5.1	3.1- 7.1
Less Than H.S.	226	45,755	195	85.9	79.4-92.4	23	7.9	4.0-11.8	8	6.2	0.7-11.7
H.S. or G.E.D.	630	116,811	593	93.5	90.4-96.6	18	2.1	0.9- 3.3	19	4.4	1.5- 7.3
Some Post-H.S.	589	113,160	561	95.1	92.9-97.3	6	0.9	0.0- 1.9	22	4.0	2.0- 6.0
College Graduate	834	119,458	769	92.1	89.6-94.6	15	2.0	0.6- 3.4	50	5.9	3.7- 8.1
Less than \$15,000	210	33,099	198	95.4	92.1-98.7	6	2.5	0.0- 5.0	6	2.1	0.0- 4.3
\$15,000- 24,999	363	58,331	340	91.8	87.1-96.5	11	2.8	0.8- 4.8	12	5.5	1.2- 9.8
\$25,000- 34,999	219	34,212	208	93.8	88.9-98.7	5	2.0	0.0- 4.2	6	4.2	0.0- 8.7
\$35,000- 49,999	257	46,608	245	96.5	94.1-98.9	5	1.4	0.0- 2.8	7	2.1	0.1- 4.1
\$50,000- 74,999	237	44,780	225	96.8	94.4-99.2	3	1.0	0.0- 2.2	9	2.2	0.0- 4.4
\$75,000+	524	93,685	500	94.5	91.6-97.4	4	0.6	0.0- 1.2	20	4.9	2.2- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1468	275,960	156	10.1	7.9-12.3	1312	89.9	87.7-92.1
Male	522	109,050	65	12.2	8.1-16.3	457	87.8	83.7-91.9
Female	946	166,910	91	8.7	6.3-11.1	855	91.3	88.9-93.7
White/Non-Hisp	1147	206,723	124	10.3	7.9-12.7	1023	89.7	87.3-92.1
Black or Afr. Am./Non-Hisp	169	43,447	20	10.8	4.1-17.5	149	89.2	82.5-95.9
Hispanic	65	11,777	4	5.1	0.0-10.8	61	94.9	89.2- 100
35-44	97	34,130	6	5.6	0.3-10.9	91	94.4	89.1-99.7
45-54	188	47,588	27	14.6	7.9-21.3	161	85.4	78.7-92.1
55-64	336	59,429	38	12.2	6.9-17.5	298	87.8	82.5-93.1
65+	797	108,419	81	10.0	7.3-12.7	716	90.0	87.3-92.7
Less Than H.S.	107	29,445	6	4.3	0.0- 9.0	101	95.7	91.0- 100
H.S. or G.E.D.	389	80,930	36	6.9	3.8-10.0	353	93.1	90.0-96.2
Some Post-H.S.	377	78,844	42	13.0	7.9-18.1	335	87.0	81.9-92.1
College Graduate	587	85,853	71	12.5	8.8-16.2	516	87.5	83.8-91.2
Less than \$15,000	92	15,167	11	4.6	0.9- 8.3	81	95.4	91.7-99.1
\$15,000- 24,999	178	29,460	18	13.3	5.1-21.5	160	86.7	78.5-94.9
\$25,000- 34,999	129	21,140	11	10.8	1.2-20.4	118	89.2	79.6-98.8
\$35,000- 49,999	174	36,959	13	7.1	2.2-12.0	161	92.9	88.0-97.8
\$50,000- 74,999	203	38,223	27	13.9	7.0-20.8	176	86.1	79.2-93.0
\$75,000+	379	78,494	46	11.4	7.1-15.7	333	88.6	84.3-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	522	109,050	65	12.2	8.1-16.3	457	87.8	83.7-91.9	
White/Non-Hisp	420	81,141	55	13.9	9.0-18.8	365	86.1	81.2-91.0	
45-54	58	15,942	5	8.8	0.0-19.8	53	91.2	80.2- 100	
55-64	110	24,834	10	15.4	4.4-26.4	100	84.6	73.6-95.6	
65+	301	44,359	45	16.0	10.5-21.5	256	84.0	78.5-89.5	
H.S. or G.E.D.	121	30,113	14	5.9	2.2- 9.6	107	94.1	90.4-97.8	
Some Post-H.S.	133	33,373	18	19.5	9.7-29.3	115	80.5	70.7-90.3	
College Graduate	224	32,381	30	12.6	7.1-18.1	194	87.4	81.9-92.9	
\$15,000- 24,999	57	11,010	6	14.6	0.0-29.3	51	85.4	70.7- 100	
\$35,000- 49,999	64	14,300	3	4.3	0.0- 9.8	61	95.7	90.2- 100	
\$50,000- 74,999	89	17,745	20	20.9	8.0-33.8	69	79.1	66.2-92.0	
\$75,000+	157	36,139	16	10.5	4.0-17.0	141	89.5	83.0-96.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	946	166,910	91	8.7	6.3-11.1	855	91.3	88.9-93.7
White/Non-Hisp	727	125,583	69	7.9	5.5-10.3	658	92.1	89.7-94.5
Black or Afr. Am./Non-Hisp	125	27,211	14	11.2	3.0-19.4	111	88.8	80.6-97.0
35-44	64	20,286	3	7.2	0.0-15.4	61	92.8	84.6- 100
45-54	130	31,646	22	17.5	9.1-25.9	108	82.5	74.1-90.9
55-64	226	34,595	28	9.8	5.7-13.9	198	90.2	86.1-94.3
65+	496	64,060	36	5.9	3.4- 8.4	460	94.1	91.6-96.6
Less Than H.S.	67	16,814	4	2.7	0.0- 5.4	63	97.3	94.6- 100
H.S. or G.E.D.	268	50,816	22	7.5	3.2-11.8	246	92.5	88.2-96.8
Some Post-H.S.	244	45,470	24	8.1	3.8-12.4	220	91.9	87.6-96.2
College Graduate	363	53,472	41	12.4	7.5-17.3	322	87.6	82.7-92.5
Less than \$15,000	67	10,981	8	3.6	0.7- 6.5	59	96.4	93.5-99.3
\$15,000- 24,999	121	18,450	12	12.5	2.7-22.3	109	87.5	77.7-97.3
\$25,000- 34,999	88	11,328	4	2.7	0.0- 5.8	84	97.3	94.2- 100
\$35,000- 49,999	110	22,658	10	8.8	1.7-15.9	100	91.2	84.1-98.3
\$50,000- 74,999	114	20,478	7	7.9	1.6-14.2	107	92.1	85.8-98.4
\$75,000+	222	42,355	30	12.2	6.5-17.9	192	87.8	82.1-93.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	153	27,572	102	83.3	77.0-89.6	39	14.3	8.2-20.4	7	1.9	0.3- 3.5	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Male	62	12,974	46	90.5	84.8-96.2	12	7.9	2.6-13.2	2	1.2	0.0- 3.0	2	0.4	0.0- 1.0						
Female	91	14,598	56	76.9	66.5-87.3	27	20.0	10.0-30.0	5	2.5	0.1- 4.9	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
White/Non-Hisp	122	21,003	81	81.0	73.2-88.8	31	16.3	8.9-23.7	6	2.1	0.3- 3.9	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3			
65+	78	10,548	49	83.3	75.7-90.9	22	13.7	6.6-20.8	3	2.0	0.0- 4.4	2	0.6	0.0- 1.4	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6
College Graduate	71	10,725	50	87.2	80.1-94.3	18	11.5	4.6-18.4	1	0.6	0.0- 1.8	2	0.7	0.0- 1.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	62	12,974	46	90.5	84.6-96.4	12	7.9	2.6-13.2	2	1.2	0.0- 3.0	2	0.4	0.0- 1.0
White/Non-Hisp	53	11,036	38	89.4	82.7-96.1	11	8.7	2.6-14.8	2	1.4	0.0- 3.6	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 8: DEMOGRAPHICS**

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	91	14,598	56	76.9	66.5-87.3	27	20.0	9.8-30.2	5	2.5	0.1- 4.9	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
White/Non-Hisp	69	9,967	43	71.8	58.3-85.3	20	24.8	11.5-38.1	4	2.7	0.0- 5.4	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1471	276,531	1231	85.3	82.9-87.7	240	14.7	12.3-17.1
Male	525	109,286	438	86.3	82.8-89.8	87	13.7	10.2-17.2
Female	946	167,245	793	84.7	81.8-87.6	153	15.3	12.4-18.2
White/Non-Hisp	1147	206,682	977	86.6	84.2-89.0	170	13.4	11.0-15.8
Black or Afr. Am./Non-Hisp	171	43,869	141	84.8	77.9-91.7	30	15.2	8.3-22.1
Hispanic	65	11,777	41	71.3	56.6-86.0	24	28.7	14.0-43.4
35-44	97	34,130	83	87.0	79.4-94.6	14	13.0	5.4-20.6
45-54	190	47,985	159	86.5	81.0-92.0	31	13.5	8.0-19.0
55-64	337	59,363	295	87.3	82.6-92.0	42	12.7	8.0-17.4
65+	797	108,659	649	80.3	76.8-83.8	148	19.7	16.2-23.2
Less Than H.S.	107	29,445	70	73.6	63.4-83.8	37	26.4	16.2-36.6
H.S. or G.E.D.	388	80,786	290	78.2	72.9-83.5	98	21.8	16.5-27.1
Some Post-H.S.	376	78,754	329	89.7	86.4-93.0	47	10.3	7.0-13.6
College Graduate	591	86,410	536	92.3	89.8-94.8	55	7.7	5.2-10.2
Less than \$15,000	92	15,167	52	56.5	41.8-71.2	40	43.5	28.8-58.2
\$15,000- 24,999	179	29,685	130	71.3	62.1-80.5	49	28.7	19.5-37.9
\$25,000- 34,999	128	21,099	107	84.7	76.7-92.7	21	15.3	7.3-23.3
\$35,000- 49,999	174	36,959	153	87.5	81.2-93.8	21	12.5	6.2-18.8
\$50,000- 74,999	203	38,223	178	88.5	83.4-93.6	25	11.5	6.4-16.6
\$75,000+	380	78,592	360	95.9	93.7-98.1	20	4.1	1.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	109,286	438	86.3	82.8-89.8	87	13.7	10.2-17.2
White/Non-Hisp	421	81,189	352	85.8	81.7-89.9	69	14.2	10.1-18.3
45-54	59	16,092	47	83.9	73.3-94.5	12	16.1	5.5-26.7
55-64	110	24,732	97	89.7	82.6-96.8	13	10.3	3.2-17.4
65+	303	44,546	249	81.2	75.5-86.9	54	18.8	13.1-24.5
H.S. or G.E.D.	120	29,787	86	77.5	67.5-87.5	34	22.5	12.5-32.5
Some Post-H.S.	133	33,373	114	89.2	83.5-94.9	19	10.8	5.1-16.5
College Graduate	228	32,942	202	91.2	87.5-94.9	26	8.8	5.1-12.5
\$15,000- 24,999	58	11,235	44	77.7	63.6-91.8	14	22.3	8.2-36.4
\$35,000- 49,999	64	14,300	54	88.6	80.0-97.2	10	11.4	2.8-20.0
\$50,000- 74,999	89	17,745	76	88.0	80.2-95.8	13	12.0	4.2-19.8
\$75,000+	159	36,326	146	93.9	90.0-97.8	13	6.1	2.2-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	946	167,245	793	84.7	81.8-87.6	153	15.3	12.4-18.2
White/Non-Hisp	726	125,494	625	87.1	84.0-90.2	101	12.9	9.8-16.0
Black or Afr. Am./Non-Hisp	126	27,510	101	81.1	72.5-89.7	25	18.9	10.3-27.5
35-44	64	20,286	56	84.9	74.3-95.5	8	15.1	4.5-25.7
45-54	131	31,893	112	87.8	81.7-93.9	19	12.2	6.1-18.3
55-64	227	34,631	198	85.6	79.3-91.9	29	14.4	8.1-20.7
65+	494	64,113	400	79.7	75.2-84.2	94	20.3	15.8-24.8
Less Than H.S.	67	16,814	38	64.6	50.5-78.7	29	35.4	21.3-49.5
H.S. or G.E.D.	268	50,999	204	78.5	72.2-84.8	64	21.5	15.2-27.8
Some Post-H.S.	243	45,381	215	90.1	85.8-94.4	28	9.9	5.6-14.2
College Graduate	363	53,467	334	93.0	89.7-96.3	29	7.0	3.7-10.3
Less than \$15,000	67	10,981	40	60.3	42.9-77.7	27	39.7	22.3-57.1
\$15,000- 24,999	121	18,450	86	67.4	55.6-79.2	35	32.6	20.8-44.4
\$25,000- 34,999	87	11,286	72	80.3	68.7-91.9	15	19.7	8.1-31.3
\$35,000- 49,999	110	22,658	99	86.8	78.2-95.4	11	13.2	4.6-21.8
\$50,000- 74,999	114	20,478	102	88.9	82.4-95.4	12	11.1	4.6-17.6
\$75,000+	221	42,266	214	97.6	95.6-99.6	7	2.4	0.4- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4132	757,505	619	12.7	11.3-14.1	3513	87.3	85.9-88.7
Male	1843	361,451	552	24.2	21.5-26.9	1291	75.8	73.1-78.5
Female	2289	396,053	67	2.2	1.4- 3.0	2222	97.8	97.0-98.6
White/Non-Hisp	2742	480,372	445	13.1	11.5-14.7	2297	86.9	85.3-88.5
Black or Afr. Am./Non-Hisp	584	152,943	83	15.0	10.3-19.7	501	85.0	80.3-89.7
Oth. Race/Non-Hisp.	194	37,548	27	7.7	4.0-11.4	167	92.3	88.6-96.0
Hispanic	449	59,054	24	4.6	2.4- 6.8	425	95.4	93.2-97.6
18-24	261	88,941	18	6.9	3.0-10.8	243	93.1	89.2-97.0
25-34	470	126,216	24	4.9	2.4- 7.4	446	95.1	92.6-97.6
35-44	475	112,823	46	9.5	4.6-14.4	429	90.5	85.6-95.4
45-54	646	122,584	73	10.2	7.3-13.1	573	89.8	86.9-92.7
55-64	881	132,709	104	11.6	8.7-14.5	777	88.4	85.5-91.3
65+	1399	174,232	354	25.9	23.0-28.8	1045	74.1	71.2-77.0
Less Than H.S.	442	89,139	19	3.8	1.6- 6.0	423	96.2	94.0-98.4
H.S. or G.E.D.	1176	235,234	158	12.7	9.8-15.6	1018	87.3	84.4-90.2
Some Post-H.S.	1017	216,963	191	16.2	13.3-19.1	826	83.8	80.9-86.7
College Graduate	1473	211,466	248	13.0	11.0-15.0	1225	87.0	85.0-89.0
Less than \$15,000	332	51,318	22	3.2	1.6- 4.8	310	96.8	95.2-98.4
\$15,000- 24,999	616	103,154	54	7.7	5.0-10.4	562	92.3	89.6-95.0
\$25,000- 34,999	384	65,846	55	13.5	9.0-18.0	329	86.5	82.0-91.0
\$35,000- 49,999	469	87,889	94	14.9	11.2-18.6	375	85.1	81.4-88.8
\$50,000- 74,999	490	94,844	97	15.3	11.4-19.2	393	84.7	80.8-88.6
\$75,000+	1033	203,142	182	15.3	12.0-18.6	851	84.7	81.4-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1843	361,451	552	24.2	21.7-26.7	1291	75.8	73.3-78.3
White/Non-Hisp	1214	229,417	405	25.0	22.1-27.9	809	75.0	72.1-77.9
Black or Afr. Am./Non-Hisp	224	69,970	72	29.9	21.1-38.7	152	70.1	61.3-78.9
Oth. Race/Non-Hisp.	119	20,680	24	12.2	5.9-18.5	95	87.8	81.5-94.1
Hispanic	215	27,242	20	9.0	4.5-13.5	195	91.0	86.5-95.5
18-24	154	45,142	15	10.2	3.7-16.7	139	89.8	83.3-96.3
25-34	241	62,865	21	8.5	4.0-13.0	220	91.5	87.0-96.0
35-44	219	55,157	39	17.5	8.3-26.7	180	82.5	73.3-91.7
45-54	289	58,550	62	19.3	13.6-25.0	227	80.7	75.0-86.4
55-64	354	62,141	81	21.4	15.5-27.3	273	78.6	72.7-84.5
65+	586	77,597	334	55.6	50.5-60.7	252	44.4	39.3-49.5
Less Than H.S.	216	43,383	18	7.5	3.0-12.0	198	92.5	88.0-97.0
H.S. or G.E.D.	547	118,750	147	23.4	18.1-28.7	400	76.6	71.3-81.9
Some Post-H.S.	428	103,803	171	30.7	25.2-36.2	257	69.3	63.8-74.8
College Graduate	639	92,007	213	26.1	22.2-30.0	426	73.9	70.0-77.8
Less than \$15,000	122	18,218	14	6.2	2.5- 9.9	108	93.8	90.1-97.5
\$15,000- 24,999	253	44,823	50	16.2	10.3-22.1	203	83.8	77.9-89.7
\$25,000- 34,999	165	31,634	51	24.1	15.9-32.3	114	75.9	67.7-84.1
\$35,000- 49,999	212	41,281	84	29.5	21.9-37.1	128	70.5	62.9-78.1
\$50,000- 74,999	253	50,064	90	27.8	20.7-34.9	163	72.2	65.1-79.3
\$75,000+	509	109,457	162	26.0	20.3-31.7	347	74.0	68.3-79.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2289	396,053	67	2.2	1.4- 3.0	2222	97.8	97.0-98.6
White/Non-Hisp	1528	250,955	40	2.1	1.1- 3.1	1488	97.9	96.9-98.9
Black or Afr. Am./Non-Hisp	360	82,972	11	2.4	0.2- 4.6	349	97.6	95.4-99.8
Oth. Race/Non-Hisp.	75	16,868	3	2.1	0.0- 4.6	72	97.9	95.4- 100
Hispanic	234	31,812	4	0.9	0.0- 1.9	230	99.1	98.1- 100
18-24	107	43,799	3	3.5	0.0- 7.6	104	96.5	92.4- 100
25-34	229	63,351	3	1.4	0.0- 3.4	226	98.6	96.6- 100
35-44	256	57,666	7	1.9	0.3- 3.5	249	98.1	96.5-99.7
45-54	357	64,034	11	1.9	0.5- 3.3	346	98.1	96.7-99.5
55-64	527	70,568	23	3.0	1.4- 4.6	504	97.0	95.4-98.6
65+	813	96,635	20	2.0	0.8- 3.2	793	98.0	96.8-99.2
Less Than H.S.	226	45,755	1	0.3	0.0- 0.9	225	99.7	99.1- 100
H.S. or G.E.D.	629	116,484	11	1.7	0.3- 3.1	618	98.3	96.9-99.7
Some Post-H.S.	589	113,160	20	2.8	1.0- 4.6	569	97.2	95.4-99.0
College Graduate	834	119,458	35	2.9	1.5- 4.3	799	97.1	95.7-98.5
Less than \$15,000	210	33,099	8	1.6	0.4- 2.8	202	98.4	97.2-99.6
\$15,000- 24,999	363	58,331	4	1.1	0.0- 2.5	359	98.9	97.5- 100
\$25,000- 34,999	219	34,212	4	3.7	0.0- 8.2	215	96.3	91.8- 100
\$35,000- 49,999	257	46,608	10	1.9	0.3- 3.5	247	98.1	96.5-99.7
\$50,000- 74,999	237	44,780	7	1.4	0.2- 2.6	230	98.6	97.4-99.8
\$75,000+	524	93,685	20	2.9	1.1- 4.7	504	97.1	95.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4083	749,104	2013	56.2	54.0-58.4	252	6.0	5.0-7.0	186	4.1	3.3-4.9	115	4.9	3.7-6.1	1223	21.9	20.3-23.5	294	6.9	5.7-8.1
Male	1826	358,593	1019	61.1	58.0-64.2	100	5.2	3.8-6.6	7	0.2	0.0-0.4	64	4.9	3.5-6.3	526	22.0	19.6-24.4	110	6.5	4.9-8.1
Female	2257	390,511	994	51.7	48.8-54.6	152	6.7	5.3-8.1	179	7.7	6.1-9.3	51	4.9	3.1-6.7	697	21.8	19.8-23.8	184	7.3	5.7-8.9
White/Non-Hisp	2723	477,096	1259	54.1	51.6-56.6	144	5.7	4.5-6.9	104	4.0	3.0-5.0	58	3.7	2.5-4.9	989	26.4	24.4-28.4	169	6.2	4.8-7.6
Black or Afr. Am./Non-Hisp	574	151,506	299	58.9	53.4-64.4	45	6.1	3.9-8.3	19	2.3	0.9-3.7	24	6.9	3.4-10.4	124	17.6	13.7-21.5	63	8.2	5.7-10.7
Oth. Race/Non-Hisp.	190	36,514	103	57.6	47.8-67.4	13	7.0	2.5-11.5	5	3.2	0.0-6.5	18	12.9	5.8-20.0	35	10.8	4.9-16.7	16	8.5	2.6-14.4
Hispanic	436	57,473	266	65.4	59.1-71.7	42	8.2	5.1-11.3	50	10.6	6.7-14.5	9	2.8	0.1-5.5	34	5.3	3.1-7.5	35	7.7	4.2-11.2
18-24	256	88,031	136	50.8	42.8-58.8	21	6.6	3.1-10.1	7	3.4	0.5-6.3	85	35.6	28.0-43.2				7	3.6	0.7-6.5
25-34	463	124,078	376	83.2	78.5-87.9	33	5.8	3.3-8.3	21	3.3	0.9-5.7	18	2.5	1.1-3.9	2	0.1	0.0-0.3	13	5.0	1.7-8.3
35-44	466	111,251	353	77.8	72.9-82.7	29	6.4	3.5-9.3	44	7.9	5.0-10.8	8	1.7	0.1-3.3	8	1.4	0.2-2.6	24	4.8	2.4-7.2
45-54	638	121,426	454	73.8	69.5-78.1	58	7.6	5.1-10.1	30	3.9	2.1-5.7	3	0.2	0.0-0.4	27	5.1	2.6-7.6	66	9.5	6.8-12.2
55-64	869	130,735	474	53.2	48.7-57.7	58	6.0	4.0-8.0	36	3.6	2.2-5.0	1	0.0	0.0-0.0	168	22.5	18.4-26.6	132	14.7	11.4-18.0
65+	1391	173,583	220	15.7	13.3-18.1	53	4.4	3.0-5.8	48	3.2	2.0-4.4				1018	73.0	70.1-75.9	52	3.6	2.2-5.0
Less Than H.S.	436	88,322	190	44.8	37.9-51.7	39	9.7	5.6-13.8	56	11.3	7.2-15.4	6	2.9	0.4-5.4	75	17.7	12.8-22.6	70	13.6	9.5-17.7
H.S. or G.E.D.	1158	232,015	510	51.1	47.0-55.2	89	7.1	5.3-8.9	53	4.0	2.4-5.6	36	6.1	3.7-8.5	340	21.9	19.0-24.8	130	9.9	7.5-12.3
Some Post-H.S.	1011	214,940	470	55.4	51.3-59.5	64	5.6	3.8-7.4	37	2.1	1.3-2.9	42	6.6	4.1-9.1	340	24.2	21.1-27.3	58	6.1	3.9-8.3
College Graduate	1459	209,588	833	67.3	64.4-70.2	59	3.5	2.3-4.7	38	3.3	1.9-4.7	30	2.5	1.3-3.7	463	21.5	19.1-23.9	36	1.8	1.0-2.6
Less than \$15,000	326	50,337	85	28.9	21.6-36.2	54	16.1	10.6-21.6	24	7.0	3.5-10.5	8	5.5	1.0-10.0	70	17.4	12.1-22.7	85	25.2	18.7-31.7
\$15,000- 24,999	601	101,449	242	46.4	40.7-52.1	54	9.1	6.2-12.0	31	3.8	2.2-5.4	15	2.7	0.9-4.5	178	23.0	18.7-27.3	81	14.8	10.5-19.1
\$25,000- 34,999	379	65,577	173	48.0	40.7-55.3	20	5.8	2.9-8.7	13	3.9	0.2-7.6	13	7.5	2.6-12.4	130	25.4	19.7-31.1	30	9.4	5.1-13.7
\$35,000- 49,999	466	87,515	232	58.7	52.4-65.0	19	4.3	1.8-6.8	15	3.5	1.1-5.9	13	3.7	1.0-6.4	173	27.5	22.2-32.8	14	2.3	0.7-3.9
\$50,000- 74,999	491	95,101	277	61.6	55.7-67.5	19	5.0	1.9-8.1	9	2.3	0.1-4.5	5	1.4	0.0-2.8	170	27.2	22.1-32.3	11	2.6	0.8-4.4
\$75,000+	1027	202,143	715	77.6	74.5-80.7	23	1.9	0.9-2.9	33	2.9	1.5-4.3	20	3.5	1.7-5.3	232	13.9	11.7-16.1	4	0.2	0.0-0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1826	358,593	1019	61.1	58.2-64.0	100	5.2	3.8- 6.6	7	0.2	0.0- 0.4	64	4.9	3.5- 6.3	526	22.0	19.6-24.4	110	6.5	4.9- 8.1
White/Non-Hisp	1207	228,644	628	58.4	54.7-62.1	57	5.1	3.3- 6.9	2	0.1	0.0- 0.3	40	5.0	3.2- 6.8	414	25.7	22.8-28.6	66	5.8	3.8- 7.8
Black or Afr. Am./Non-Hisp	220	69,200	121	61.7	53.3-70.1	13	5.2	1.9- 8.5	1	0.4	0.0- 1.2	9	4.4	0.7- 8.1	53	19.0	12.7-25.3	23	9.4	5.1-13.7
Oth. Race/Non-Hisp.	119	20,680	68	63.6	51.6-75.6	11	8.9	2.6-15.2				9	8.8	2.1-15.5	23	14.0	4.4-23.6	8	4.7	0.4- 9.0
Hispanic	209	26,757	162	82.9	76.8-89.0	17	5.4	2.3- 8.5	3	0.8	0.0- 1.8	3	1.1	0.0- 2.5	15	5.3	2.2- 8.4	9	4.6	0.9- 8.3
18-24	151	44,841	82	51.2	40.8-61.6	12	9.2	2.7-15.7				54	36.4	26.6-46.2				3	3.2	0.0- 7.3
25-34	239	62,047	212	89.5	84.2-94.8	13	4.5	1.6- 7.4	1	0.1	0.0- 0.3	6	1.5	0.1- 2.9	1	0.1	0.0- 0.3	6	4.3	0.0- 8.6
35-44	216	54,658	184	86.9	81.2-92.6	13	5.9	1.8-10.0	2	0.8	0.0- 2.0	3	0.3	0.0- 0.7	6	1.4	0.2- 2.6	8	4.7	1.2- 8.2
45-54	288	58,583	220	78.6	72.5-84.7	21	4.6	2.2- 7.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	18	7.6	3.1-12.1	27	9.1	5.2-13.0
55-64	349	60,983	208	54.2	47.1-61.3	24	5.9	3.2- 8.6	1	0.1	0.0- 0.3				67	24.2	17.5-30.9	49	15.6	10.3-20.9
65+	583	77,481	113	18.4	14.5-22.3	17	2.9	1.3- 4.5	2	0.2	0.0- 0.4				434	76.1	72.0-80.2	17	2.5	1.1- 3.9
Less Than H.S.	214	43,246	126	56.8	47.0-66.6	16	8.9	2.4-15.4				5	4.0	0.3- 7.7	39	17.8	10.7-24.9	28	12.5	7.0-18.0
H.S. or G.E.D.	542	117,952	292	58.1	52.2-64.0	39	6.5	4.0- 9.0	5	0.6	0.0- 1.2	22	6.4	3.3- 9.5	134	19.1	15.0-23.2	50	9.3	6.0-12.6
Some Post-H.S.	425	102,323	222	60.4	54.3-66.5	18	3.2	1.2- 5.2				21	5.8	2.9- 8.7	143	25.1	20.2-30.0	21	5.5	2.4- 8.6
College Graduate	634	91,764	372	67.8	63.7-71.9	26	3.8	2.0- 5.6	2	0.1	0.0- 0.3	15	2.0	0.8- 3.2	208	24.7	21.0-28.4	11	1.6	0.4- 2.8
Less than \$15,000	119	17,833	47	32.4	20.6-44.2	19	17.5	6.9-28.1	1	0.4	0.0- 1.2	2	2.5	0.0- 6.6	23	18.5	9.3-27.7	27	28.8	16.8-40.8
\$15,000- 24,999	251	44,677	119	46.0	37.6-54.4	21	8.7	4.4-13.0	2	0.4	0.0- 1.0	8	3.2	0.5- 5.9	60	21.4	14.7-28.1	41	20.3	12.5-28.1
\$25,000- 34,999	162	31,645	86	49.9	38.9-60.9	10	4.6	1.5- 7.7	1	0.8	0.0- 2.4	8	10.1	1.9-18.3	46	26.0	16.6-35.4	11	8.6	2.3-14.9
\$35,000- 49,999	211	41,128	111	62.4	53.4-71.4	5	1.8	0.0- 3.8	1	0.1	0.0- 0.3	5	2.3	0.0- 4.7	83	31.4	23.0-39.8	6	2.1	0.1- 4.1
\$50,000- 74,999	254	50,321	146	61.5	53.3-69.7	11	6.1	1.0-11.2	1	0.2	0.0- 0.6	4	1.5	0.1- 2.9	87	27.6	20.3-34.9	5	3.1	0.0- 6.2
\$75,000+	507	109,051	358	80.5	76.6-84.4	8	1.3	0.3- 2.3				14	3.8	1.3- 6.3	125	14.1	11.2-17.0	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2257	390,511	994	51.7	48.8-54.6	152	6.7	5.3- 8.1	179	7.7	6.1- 9.3	51	4.9	3.1- 6.7	697	21.8	19.8-23.8	184	7.3	5.7- 8.9
White/Non-Hisp	1516	248,452	631	50.1	46.6-53.6	87	6.3	4.5- 8.1	102	7.6	5.6- 9.6	18	2.5	1.1- 3.9	575	27.0	24.3-29.7	103	6.5	4.7- 8.3
Black or Afr. Am./Non-Hisp	354	82,305	178	56.6	49.5-63.7	32	6.9	4.0- 9.8	18	4.0	1.8- 6.2	15	9.0	3.3-14.7	71	16.4	11.7-21.1	40	7.1	4.4- 9.8
Oth. Race/Non-Hisp.	71	15,834	35	49.7	34.0-65.4	2	4.6	0.0-11.3	5	7.4	0.0-14.8	9	18.2	4.9-31.5	12	6.6	1.5-11.7	8	13.5	1.7-25.3
Hispanic	227	30,716	104	50.2	41.4-59.0	25	10.7	5.4-16.0	47	19.2	12.3-26.1	6	4.3	0.0- 9.0	19	5.3	2.4- 8.2	26	10.4	4.9-15.9
18-24	105	43,190	54	50.5	38.3-62.7	9	3.9	1.2- 6.6	7	6.9	1.2-12.6	31	34.7	22.7-46.7				4	4.1	0.0- 8.2
25-34	224	62,031	164	76.9	69.3-84.5	20	7.1	3.2-11.0	20	6.5	1.8-11.2	12	3.6	1.2- 6.0	1	0.1	0.0- 0.3	7	5.8	0.5-11.1
35-44	250	56,593	169	69.1	61.7-76.5	16	6.8	2.5-11.1	42	14.8	9.3-20.3	5	2.9	0.0- 6.0	2	1.5	0.0- 3.7	16	4.9	2.0- 7.8
45-54	350	62,843	234	69.3	63.2-75.4	37	10.4	6.3-14.5	29	7.5	4.2-10.8	2	0.3	0.0- 0.7	9	2.7	0.0- 5.4	39	9.9	6.0-13.8
55-64	520	69,753	266	52.4	46.9-57.9	34	6.0	3.5- 8.5	35	6.7	4.0- 9.4	1	0.0	0.0- 0.0	101	20.9	16.2-25.6	83	13.9	10.2-17.6
65+	808	96,102	107	13.6	10.7-16.5	36	5.6	3.4- 7.8	46	5.7	3.7- 7.7				584	70.5	66.4-74.6	35	4.6	2.6- 6.6
Less Than H.S.	222	45,077	64	33.4	24.2-42.6	23	10.3	5.0-15.6	56	22.2	14.8-29.6	1	1.9	0.0- 5.6	36	17.6	10.9-24.3	42	14.6	8.5-20.7
H.S. or G.E.D.	616	114,063	218	44.0	38.3-49.7	50	7.6	4.9-10.3	48	7.6	4.7-10.5	14	5.7	2.0- 9.4	206	24.6	20.5-28.7	80	10.5	7.4-13.6
Some Post-H.S.	586	112,617	248	50.9	45.2-56.6	46	7.8	5.1-10.5	37	4.1	2.5- 5.7	21	7.4	3.5-11.3	197	23.3	19.4-27.2	37	6.5	3.6- 9.4
College Graduate	825	117,825	461	66.9	62.8-71.0	33	3.4	2.0- 4.8	36	5.7	3.2- 8.2	15	2.9	0.9- 4.9	255	19.0	16.3-21.7	25	2.1	1.1- 3.1
Less than \$15,000	207	32,504	38	27.0	17.8-36.2	35	15.3	9.0-21.6	23	10.6	5.3-15.9	6	7.2	0.7-13.7	47	16.7	10.2-23.2	58	23.2	15.6-30.8
\$15,000- 24,999	350	56,772	123	46.8	39.2-54.4	33	9.5	5.4-13.6	29	6.5	3.6- 9.4	7	2.4	0.0- 4.8	118	24.3	18.8-29.8	40	10.5	6.4-14.6
\$25,000- 34,999	217	33,932	87	46.3	36.9-55.7	10	6.9	2.0-11.8	12	6.8	0.0-13.7	5	5.0	0.0-10.3	84	24.9	18.4-31.4	19	10.0	3.9-16.1
\$35,000- 49,999	255	46,386	121	55.4	46.6-64.2	14	6.6	2.3-10.9	14	6.5	2.0-11.0	8	5.0	0.3- 9.7	90	23.9	17.4-30.4	8	2.5	0.1- 4.9
\$50,000- 74,999	237	44,780	131	61.6	53.4-69.8	8	3.7	0.6- 6.8	8	4.7	0.2- 9.2	1	1.3	0.0- 3.8	83	26.7	19.8-33.6	6	2.1	0.1- 4.1
\$75,000+	520	93,092	357	74.2	69.5-78.9	15	2.5	0.9- 4.1	33	6.4	3.7- 9.1	6	3.1	0.4- 5.8	107	13.7	10.6-16.8	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4108	753,724	463	14.1	12.5-15.7	389	11.1	9.7-12.5	185	6.1	4.7- 7.5	71	2.5	1.5- 3.5	28	0.5	0.3- 0.7	2972	65.6	63.4-67.8
Male	1837	360,467	199	13.7	11.3-16.1	158	10.1	8.1-12.1	68	5.5	3.3- 7.7	32	2.1	0.9- 3.3	12	0.5	0.1- 0.9	1368	68.1	64.8-71.4
Female	2271	393,257	264	14.6	12.4-16.8	231	12.1	10.1-14.1	117	6.6	5.0- 8.2	39	2.9	1.5- 4.3	16	0.5	0.3- 0.7	1604	63.3	60.4-66.2
White/Non-Hisp	2735	479,629	260	13.0	11.0-15.0	189	8.8	7.2-10.4	73	4.5	3.1- 5.9	27	2.0	1.0- 3.0	9	0.3	0.1- 0.5	2177	71.5	69.0-74.0
Black or Afr. Am./Non-Hisp	577	151,770	89	17.5	13.2-21.8	63	12.3	8.4-16.2	40	8.6	4.5-12.7	10	2.9	0.2- 5.6	5	0.9	0.0- 1.9	370	57.8	51.9-63.7
Oth. Race/Non-Hisp.	189	36,315	24	13.4	7.1-19.7	25	20.6	12.4-28.8	4	2.1	0.0- 4.6	4	1.7	0.0- 3.5				132	62.2	52.6-71.8
Hispanic	447	58,731	65	14.6	10.3-18.9	97	23.1	17.6-28.6	63	15.6	9.1-22.1	28	6.7	3.6- 9.8	13	1.8	0.6- 3.0	181	38.2	31.7-44.7
18-24	260	88,865	54	21.5	14.8-28.2	33	10.0	6.1-13.9	13	4.0	1.3- 6.7	11	7.5	1.4-13.6	2	0.2	0.0- 0.6	147	56.9	48.9-64.9
25-34	468	125,720	88	18.2	13.3-23.1	92	18.4	13.5-23.3	46	10.1	5.6-14.6	21	4.0	1.6- 6.4	8	1.2	0.0- 2.4	213	48.1	41.6-54.6
35-44	469	111,674	98	19.4	14.9-23.9	120	27.2	21.7-32.7	77	18.9	13.0-24.8	29	5.5	3.1- 7.9	10	1.3	0.5- 2.1	135	27.7	22.6-32.8
45-54	636	121,118	123	22.0	17.5-26.5	84	11.7	8.8-14.6	32	4.7	2.5- 6.9	6	0.6	0.0- 1.2	3	0.2	0.0- 0.4	388	60.8	55.7-65.9
55-64	878	132,259	59	7.4	5.0- 9.8	34	3.0	1.6- 4.4	11	1.8	0.4- 3.2	2	0.1	0.0- 0.3	3	0.2	0.0- 0.4	769	87.4	84.5-90.3
65+	1397	174,089	41	3.7	2.3- 5.1	26	2.0	1.0- 3.0	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	1320	93.8	92.0-95.6
Less Than H.S.	443	89,198	43	12.0	7.1-16.9	69	13.7	9.6-17.8	58	13.5	7.8-19.2	29	6.3	3.4- 9.2	7	0.8	0.0- 1.6	237	53.7	46.8-60.6
H.S. or G.E.D.	1171	235,021	152	16.7	13.4-20.0	98	8.7	6.5-10.9	35	4.7	2.2- 7.2	17	2.5	0.5- 4.5	8	0.7	0.1- 1.3	861	66.6	62.3-70.9
Some Post-H.S.	1014	216,453	113	12.3	9.6-15.0	91	11.0	8.1-13.9	39	5.0	3.0- 7.0	12	2.0	0.4- 3.6	5	0.3	0.1- 0.5	754	69.4	65.3-73.5
College Graduate	1460	209,275	152	14.1	11.6-16.6	131	13.1	10.4-15.8	52	5.4	3.6- 7.2	13	1.4	0.4- 2.4	7	0.4	0.0- 0.8	1105	65.6	62.1-69.1
Less than \$15,000	331	51,242	45	20.1	13.4-26.8	37	10.3	6.0-14.6	18	7.6	3.1-12.1	9	4.4	0.9- 7.9	4	0.7	0.0- 1.5	218	57.0	49.4-64.6
\$15,000- 24,999	613	102,530	68	12.1	8.6-15.6	68	12.1	8.4-15.8	41	8.2	4.5-11.9	14	1.9	0.7- 3.1	3	0.4	0.0- 0.8	419	65.3	60.0-70.6
\$25,000- 34,999	385	66,246	33	11.3	6.4-16.2	31	9.2	5.3-13.1	17	4.9	1.8- 8.0	6	2.0	0.0- 4.0	2	0.5	0.0- 1.3	296	72.1	65.6-78.6
\$35,000- 49,999	469	87,889	43	11.4	6.7-16.1	41	12.4	7.9-16.9	22	6.1	1.8-10.4	9	4.9	0.8- 9.0	6	1.2	0.2- 2.2	348	64.0	57.1-70.9
\$50,000- 74,999	490	94,818	51	12.5	7.8-17.2	37	8.0	4.3-11.7	15	4.5	1.8- 7.2	6	0.9	0.1- 1.7	1	0.7	0.0- 2.1	380	73.3	67.4-79.2
\$75,000+	1030	202,660	146	18.2	14.9-21.5	115	13.3	10.4-16.2	34	6.7	3.4-10.0	12	1.2	0.4- 2.0	5	0.2	0.0- 0.4	718	60.4	56.1-64.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	360,467	199	13.7	11.3-16.1	158	10.1	8.1-12.1	68	5.5	3.3- 7.7	32	2.1	0.9- 3.3	12	0.5	0.1- 0.9	1368	68.1	64.8-71.4
White/Non-Hisp	1212	229,201	111	13.1	10.2-16.0	79	8.3	5.9-10.7	34	4.4	2.6- 6.2	13	2.2	0.4- 4.0	4	0.2	0.0- 0.4	971	71.7	67.8-75.6
Black or Afr. Am./Non-Hisp	223	69,932	28	16.0	8.7-23.3	21	10.5	4.8-16.2	7	6.1	0.0-13.5	3	0.9	0.0- 1.9	1	1.0	0.0- 3.0	163	65.5	55.9-75.1
Oth. Race/Non-Hisp.	116	19,928	14	12.3	5.0-19.6	13	16.3	6.5-26.1	2	1.1	0.0- 2.7	4	3.1	0.0- 6.4				83	67.3	55.7-78.9
Hispanic	213	26,919	37	16.8	10.1-23.5	41	21.7	13.5-29.9	23	15.2	3.0-27.4	10	3.5	0.8- 6.2	7	2.3	0.5- 4.1	95	40.4	30.6-50.2
18-24	153	45,066	29	20.8	12.2-29.4	18	9.4	4.1-14.7	4	1.6	0.0- 3.6	7	7.4	0.0-15.4	1	0.2	0.0- 0.6	94	60.6	50.0-71.2
25-34	240	62,515	47	21.1	13.1-29.1	31	13.5	7.0-20.0	16	8.0	1.5-14.5	9	1.9	0.5- 3.3	4	1.7	0.0- 4.1	133	53.8	44.4-63.2
35-44	215	54,438	40	14.9	9.0-20.8	51	26.6	18.4-34.8	26	16.9	7.1-26.7	11	4.2	1.3- 7.1	4	0.7	0.0- 1.5	83	36.6	28.0-45.2
45-54	288	58,557	41	18.3	11.6-25.0	35	10.2	6.1-14.3	17	6.3	2.6-10.0	2	0.5	0.0- 1.3	2	0.1	0.0- 0.3	191	64.5	56.9-72.1
55-64	354	62,141	30	9.6	5.5-13.7	13	2.8	1.0- 4.6	4	1.8	0.0- 4.2	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9	304	85.3	80.4-90.2
65+	587	77,750	12	2.5	0.9- 4.1	10	2.0	0.2- 3.8	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				563	95.1	92.7-97.5
Less Than H.S.	217	43,442	26	16.3	7.7-24.9	37	15.1	9.0-21.2	19	9.5	1.3-17.7	11	4.1	0.8- 7.4	3	0.6	0.0- 1.4	121	54.3	44.1-64.5
H.S. or G.E.D.	544	118,382	67	14.0	9.5-18.5	38	6.8	4.1- 9.5	17	5.3	0.8- 9.8	8	2.7	0.0- 5.8	4	1.0	0.0- 2.2	410	70.2	63.7-76.7
Some Post-H.S.	428	103,803	48	13.1	8.6-17.6	30	9.3	5.0-13.6	16	5.8	2.3- 9.3	5	1.0	0.0- 2.0	2	0.2	0.0- 0.4	327	70.6	64.3-76.9
College Graduate	637	91,895	57	12.7	9.0-16.4	53	13.2	9.1-17.3	15	2.9	1.1- 4.7	8	1.6	0.4- 2.8	3	0.2	0.0- 0.4	501	69.4	64.3-74.5
Less than \$15,000	121	18,143	13	18.8	6.3-31.3	14	8.6	3.1-14.1	2	0.6	0.0- 1.4	3	2.7	0.0- 6.8	3	1.6	0.0- 3.6	86	67.6	54.9-80.3
\$15,000- 24,999	251	44,253	22	9.1	4.6-13.6	26	11.3	5.4-17.2	16	6.9	2.6-11.2	5	1.4	0.0- 2.8				182	71.3	63.7-78.9
\$25,000- 34,999	166	32,033	13	9.2	1.8-16.6	10	5.7	1.4-10.0	9	5.5	0.4-10.6	2	2.1	0.0- 5.4				132	77.6	68.0-87.2
\$35,000- 49,999	212	41,281	20	12.3	4.5-20.1	13	9.7	4.0-15.4	7	6.5	0.0-14.9	2	0.5	0.0- 1.3	3	1.1	0.0- 2.5	167	69.9	59.5-80.3
\$50,000- 74,999	254	50,321	22	9.7	3.2-16.2	18	6.3	2.4-10.2	7	2.6	0.2- 5.0	6	1.7	0.1- 3.3	1	1.3	0.0- 3.8	200	78.4	70.6-86.2
\$75,000+	508	109,276	72	18.9	13.8-24.0	55	13.3	9.0-17.6	19	8.5	3.0-14.0	7	1.4	0.2- 2.6	2	0.1	0.0- 0.3	353	57.8	51.3-64.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	393,257	264	14.6	12.4-16.8	231	12.1	10.1-14.1	117	6.6	5.0- 8.2	39	2.9	1.5- 4.3	16	0.5	0.3- 0.7	1604	63.3	60.4-66.2
White/Non-Hisp	1523	250,428	149	12.8	10.3-15.3	110	9.1	6.9-11.3	39	4.5	2.7- 6.3	14	1.9	0.7- 3.1	5	0.3	0.1- 0.5	1206	71.3	67.8-74.8
Black or Afr. Am./Non-Hisp	354	81,837	61	18.7	13.4-24.0	42	13.8	8.7-18.9	33	10.7	6.4-15.0	7	4.7	0.0- 9.6	4	0.9	0.0- 1.9	207	51.2	44.1-58.3
Oth. Race/Non-Hisp.	73	16,387	10	14.9	4.1-25.7	12	25.8	11.9-39.7	2	3.4	0.0- 8.5							49	55.9	40.4-71.4
Hispanic	234	31,812	28	12.7	7.2-18.2	56	24.2	16.9-31.5	40	15.9	9.6-22.2	18	9.3	4.0-14.6	6	1.5	0.1- 2.9	86	36.4	28.0-44.8
18-24	107	43,799	25	22.2	12.2-32.2	15	10.5	4.6-16.4	9	6.4	1.5-11.3	4	7.5	0.0-16.3	1	0.3	0.0- 0.9	53	53.1	41.1-65.1
25-34	228	63,205	41	15.4	9.7-21.1	61	23.2	16.1-30.3	30	12.2	6.1-18.3	12	6.0	1.7-10.3	4	0.8	0.0- 1.6	80	42.4	33.4-51.4
35-44	254	57,235	58	23.6	16.9-30.3	69	27.8	20.4-35.2	51	20.8	14.3-27.3	18	6.8	3.1-10.5	6	1.8	0.2- 3.4	52	19.2	13.3-25.1
45-54	348	62,561	82	25.6	19.5-31.7	49	13.0	8.9-17.1	15	3.1	1.3- 4.9	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6	197	57.3	50.6-64.0
55-64	524	70,118	29	5.5	3.1- 7.9	21	3.1	1.1- 5.1	7	1.9	0.1- 3.7				2	0.1	0.0- 0.3	465	89.4	85.9-92.9
65+	810	96,339	29	4.6	2.6- 6.6	16	2.0	0.8- 3.2	5	0.5	0.1- 0.9	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	757	92.7	90.3-95.1
Less Than H.S.	226	45,755	17	7.9	3.6-12.2	32	12.4	6.9-17.9	39	17.4	9.6-25.2	18	8.3	3.4-13.2	4	1.0	0.0- 2.2	116	53.0	43.8-62.2
H.S. or G.E.D.	627	116,640	85	19.4	14.5-24.3	60	10.7	7.2-14.2	18	4.1	1.7- 6.5	9	2.4	0.0- 4.9	4	0.4	0.0- 0.8	451	63.0	57.3-68.7
Some Post-H.S.	586	112,650	65	11.5	8.2-14.8	61	12.6	8.7-16.5	23	4.3	2.1- 6.5	7	2.9	0.0- 6.0	3	0.3	0.0- 0.7	427	68.4	62.9-73.9
College Graduate	823	117,379	95	15.2	11.5-18.9	78	12.9	9.4-16.4	37	7.4	4.7-10.1	5	1.3	0.0- 2.7	4	0.5	0.0- 1.1	604	62.7	57.8-67.6
Less than \$15,000	210	33,099	32	20.8	13.0-28.6	23	11.2	5.3-17.1	16	11.4	4.7-18.1	6	5.3	0.2-10.4	1	0.1	0.0- 0.3	132	51.2	41.8-60.6
\$15,000- 24,999	362	58,277	46	14.4	9.3-19.5	42	12.7	7.8-17.6	25	9.2	3.7-14.7	9	2.3	0.5- 4.1	3	0.7	0.0- 1.5	237	60.8	53.5-68.1
\$25,000- 34,999	219	34,212	20	13.3	6.6-20.0	21	12.4	6.1-18.7	8	4.4	0.5- 8.3	4	1.9	0.0- 4.1	2	1.0	0.0- 2.4	164	67.0	58.2-75.8
\$35,000- 49,999	257	46,608	23	10.6	5.1-16.1	28	14.9	8.0-21.8	15	5.7	2.2- 9.2	7	8.9	1.3-16.5	3	1.2	0.0- 2.6	181	58.7	49.5-67.9
\$50,000- 74,999	236	44,497	29	15.7	9.0-22.4	19	9.9	3.2-16.6	8	6.7	1.4-12.0							180	67.7	58.7-76.7
\$75,000+	522	93,384	74	17.3	12.8-21.8	60	13.4	9.5-17.3	15	4.5	2.0- 7.0	5	1.0	0.0- 2.2	3	0.4	0.0- 0.8	365	63.4	57.9-68.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3326	606,850	174	4.5	3.5- 5.5	158	3.9	3.1- 4.7	259	6.9	5.7- 8.1	357	10.1	8.7-11.5	385	10.9	9.3-12.5	1993	63.6	61.2-66.0
Male	1516	296,134	63	3.6	2.2- 5.0	59	2.5	1.7- 3.3	100	5.7	4.3- 7.1	153	9.4	7.4-11.4	166	10.8	8.6-13.0	975	67.9	64.6-71.2
Female	1810	310,716	111	5.4	4.0- 6.8	99	5.3	3.9- 6.7	159	8.0	6.0-10.0	204	10.8	9.0-12.6	219	11.0	9.0-13.0	1018	59.6	56.5-62.7
White/Non-Hisp	2237	389,910	74	2.8	1.8- 3.8	64	2.1	1.3- 2.9	129	5.6	4.2- 7.0	206	8.5	6.9-10.1	236	9.6	8.0-11.2	1528	71.3	68.8-73.8
Black or Afr. Am./Non-Hisp	493	127,203	44	8.5	5.4-11.6	38	6.2	3.7- 8.7	44	7.7	4.8-10.6	60	11.1	7.8-14.4	81	15.0	10.7-19.3	226	51.5	45.4-57.6
Oth. Race/Non-Hisp.	144	26,759	8	1.9	0.5- 3.3	12	8.7	1.8-15.6	8	7.6	1.1-14.1	12	7.8	1.5-14.1	16	9.2	1.9-16.5	88	64.8	53.6-76.0
Hispanic	343	45,141	44	10.6	6.9-14.3	39	10.9	6.2-15.6	69	16.7	11.8-21.6	66	20.7	14.6-26.8	38	11.1	6.2-16.0	87	30.0	21.8-38.2
18-24	169	54,837	19	7.7	3.6-11.8	7	4.8	0.5- 9.1	16	11.2	4.9-17.5	26	10.8	5.7-15.9	17	11.9	5.6-18.2	84	53.6	44.2-63.0
25-34	391	107,496	31	6.0	3.1- 8.9	19	3.3	1.3- 5.3	36	6.8	3.1-10.5	52	11.2	7.3-15.1	53	11.6	7.7-15.5	200	61.2	54.7-67.7
35-44	404	97,688	18	4.3	1.8- 6.8	21	4.1	1.7- 6.5	28	5.3	2.9- 7.7	47	9.3	6.0-12.6	41	9.5	5.8-13.2	249	67.4	61.5-73.3
45-54	558	105,417	28	3.1	1.7- 4.5	34	4.5	2.5- 6.5	44	5.9	3.7- 8.1	42	8.7	5.4-12.0	45	7.2	3.9-10.5	365	70.6	65.5-75.7
55-64	736	111,411	46	5.2	3.2- 7.2	34	4.0	2.2- 5.8	55	7.1	4.6- 9.6	70	10.9	7.8-14.0	78	10.6	7.5-13.7	453	62.3	57.6-67.0
65+	1068	130,000	32	2.7	1.5- 3.9	43	3.6	2.0- 5.2	80	7.0	5.0- 9.0	120	9.9	7.9-11.9	151	14.3	11.6-17.0	642	62.5	58.8-66.2
Less Than H.S.	325	69,006	55	14.4	9.3-19.5	40	10.6	6.1-15.1	70	17.5	11.4-23.6	68	18.9	13.6-24.2	40	14.9	9.2-20.6	52	23.9	16.1-31.7
H.S. or G.E.D.	927	180,223	71	5.9	4.1- 7.7	76	6.5	4.5- 8.5	110	9.6	7.2-12.0	137	15.2	11.9-18.5	130	12.8	9.7-15.9	403	50.0	45.3-54.7
Some Post-H.S.	837	179,755	32	2.9	1.5- 4.3	24	1.7	0.9- 2.5	56	5.5	3.3- 7.7	90	7.7	5.7- 9.7	123	12.7	9.8-15.6	512	69.5	65.4-73.6
College Graduate	1230	175,840	16	1.0	0.4- 1.6	18	1.1	0.3- 1.9	22	1.4	0.8- 2.0	58	3.7	2.5- 4.9	92	5.7	4.1- 7.3	1024	87.2	85.0-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	296,134	63	3.6	2.2- 5.0	59	2.5	1.7- 3.3	100	5.7	4.3- 7.1	153	9.4	7.4-11.4	166	10.8	8.6-13.0	975	67.9	64.6-71.2
White/Non-Hisp	1019	193,052	26	2.6	1.2- 4.0	20	1.7	0.7- 2.7	44	4.4	2.8- 6.0	78	7.1	4.9- 9.3	99	9.2	6.8-11.6	752	75.1	71.6-78.6
Black or Afr. Am./Non-Hisp	186	56,661	11	6.5	1.8-11.2	10	2.4	0.6- 4.2	18	7.8	3.3-12.3	23	9.7	5.0-14.4	28	14.7	7.4-22.0	96	58.9	49.3-68.5
Oth. Race/Non-Hisp.	94	15,783	5	2.0	0.2- 3.8	9	6.8	0.9-12.7	5	6.0	0.0-12.7	10	11.8	1.8-21.8	12	14.5	2.9-26.1	53	59.0	44.5-73.5
Hispanic	168	21,458	20	8.0	3.5-12.5	19	7.6	3.3-11.9	30	13.8	7.7-19.9	38	25.9	15.9-35.9	18	10.9	4.0-17.8	43	33.8	20.1-47.5
18-24	100	27,597	8	5.8	0.0-11.7	3	1.8	0.0- 4.5	6	4.4	0.3- 8.5	17	13.5	5.5-21.5	10	12.8	3.4-22.2	56	61.8	49.6-74.0
25-34	204	53,763	12	4.0	0.3- 7.7	6	0.8	0.0- 1.6	16	3.8	1.3- 6.3	24	10.9	5.0-16.8	28	10.4	5.3-15.5	118	70.2	61.8-78.6
35-44	190	49,232	6	3.7	0.2- 7.2	11	3.1	0.7- 5.5	14	5.9	2.2- 9.6	18	8.3	3.6-13.0	15	6.5	2.2-10.8	126	72.5	64.5-80.5
45-54	246	49,454	12	2.6	0.6- 4.6	16	4.6	1.5- 7.7	18	5.6	2.1- 9.1	22	8.7	3.6-13.8	28	11.1	4.6-17.6	150	67.3	59.1-75.5
55-64	300	54,137	18	5.7	2.2- 9.2	8	2.0	0.2- 3.8	25	8.6	3.9-13.3	31	10.6	5.9-15.3	31	10.7	6.2-15.2	187	62.5	55.1-69.9
65+	476	61,951	7	1.2	0.2- 2.2	15	2.7	1.1- 4.3	21	5.5	2.8- 8.2	41	6.7	4.3- 9.1	54	13.7	9.2-18.2	338	70.2	64.9-75.5
Less Than H.S.	178	37,191	28	14.0	6.7-21.3	21	5.8	2.7- 8.9	37	16.8	9.5-24.1	39	19.5	12.1-26.9	22	15.6	7.8-23.4	31	28.4	16.2-40.6
H.S. or G.E.D.	421	89,145	23	3.9	1.7- 6.1	22	4.0	2.0- 6.0	44	8.6	5.7-11.5	54	13.4	8.5-18.3	63	14.2	9.3-19.1	215	55.9	49.0-62.8
Some Post-H.S.	364	89,000	6	1.8	0.0- 3.8	7	1.1	0.1- 2.1	10	2.2	0.0- 4.4	28	5.2	2.7- 7.7	49	10.5	6.6-14.4	264	79.2	73.9-84.5
College Graduate	548	78,939	6	0.5	0.1- 0.9	9	1.1	0.1- 2.1	8	1.0	0.0- 2.0	30	4.6	2.6- 6.6	32	5.3	3.1- 7.5	463	87.5	84.4-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1810	310,716	111	5.4	4.0- 6.8	99	5.3	3.9- 6.7	159	8.0	6.0-10.0	204	10.8	9.0-12.6	219	11.0	9.0-13.0	1018	59.6	56.5-62.7
White/Non-Hisp	1218	196,858	48	3.0	1.8- 4.2	44	2.5	1.5- 3.5	85	6.9	4.5- 9.3	128	9.9	7.7-12.1	137	10.1	7.7-12.5	776	67.6	64.1-71.1
Black or Afr. Am./Non-Hisp	307	70,542	33	10.2	6.1-14.3	28	9.3	4.8-13.8	26	7.6	3.7-11.5	37	12.1	7.2-17.0	53	15.3	10.4-20.2	130	45.5	38.1-52.9
Oth. Race/Non-Hisp.	50	10,976	3	1.7	0.0- 3.9	3	11.5	0.0-25.8	3	9.9	0.0-22.4	2	2.2	0.0- 5.9	4	1.5	0.0- 3.3	35	73.2	55.8-90.6
Hispanic	175	23,683	24	12.9	7.0-18.8	20	13.9	6.1-21.7	39	19.2	11.9-26.5	28	16.1	9.2-23.0	20	11.4	4.3-18.5	44	26.5	17.3-35.7
18-24	69	27,240	11	9.7	3.6-15.8	4	7.8	0.0-15.8	10	18.1	6.5-29.7	9	8.1	1.8-14.4	7	11.1	2.7-19.5	28	45.3	31.0-59.6
25-34	187	53,733	19	8.1	3.4-12.8	13	5.7	2.0- 9.4	20	9.8	3.1-16.5	28	11.5	6.6-16.4	25	12.8	6.5-19.1	82	52.1	42.5-61.7
35-44	214	48,456	12	4.9	1.4- 8.4	10	5.1	1.0- 9.2	14	4.7	1.8- 7.6	29	10.4	5.7-15.1	26	12.6	6.7-18.5	123	62.3	54.1-70.5
45-54	312	55,963	16	3.5	1.5- 5.5	18	4.3	1.9- 6.7	26	6.1	3.2- 9.0	20	8.8	4.3-13.3	17	3.7	1.3- 6.1	215	73.6	67.5-79.7
55-64	436	57,274	28	4.7	2.5- 6.9	26	5.9	2.8- 9.0	30	5.8	3.1- 8.5	39	11.2	6.7-15.7	47	10.4	6.3-14.5	266	62.1	56.0-68.2
65+	592	68,049	25	4.0	1.8- 6.2	28	4.3	1.9- 6.7	59	8.4	5.9-10.9	79	12.8	9.5-16.1	97	14.9	11.6-18.2	304	55.5	50.4-60.6
Less Than H.S.	147	31,815	27	14.8	7.7-21.9	19	16.1	7.5-24.7	33	18.3	8.1-28.5	29	18.1	10.5-25.7	18	14.0	6.0-22.0	21	18.6	9.8-27.4
H.S. or G.E.D.	506	91,078	48	7.8	4.9-10.7	54	8.9	5.6-12.2	66	10.6	7.1-14.1	83	17.0	12.5-21.5	67	11.4	7.7-15.1	188	44.3	38.2-50.4
Some Post-H.S.	473	90,755	26	3.9	2.1- 5.7	17	2.3	0.9- 3.7	46	8.7	5.2-12.2	62	10.1	7.0-13.2	74	14.9	10.6-19.2	248	60.1	54.2-66.0
College Graduate	682	96,901	10	1.4	0.2- 2.6	9	1.1	0.1- 2.1	14	1.6	0.6- 2.6	28	2.9	1.3- 4.5	60	6.0	4.0- 8.0	561	87.0	84.1-89.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4091	750,182	3287	83.7	82.3-85.1	804	16.3	14.9-17.7
Male	1828	357,800	1480	84.0	81.8-86.2	348	16.0	13.8-18.2
Female	2263	392,383	1807	83.5	81.5-85.5	456	16.5	14.5-18.5
White/Non-Hisp	2722	477,742	2245	86.0	84.4-87.6	477	14.0	12.4-15.6
Black or Afr. Am./Non-Hisp	574	150,681	422	78.6	74.5-82.7	152	21.4	17.3-25.5
Oth. Race/Non-Hisp.	187	36,584	159	86.0	79.1-92.9	28	14.0	7.1-20.9
Hispanic	445	58,440	320	74.8	69.3-80.3	125	25.2	19.7-30.7
18-24	259	88,439	243	95.2	92.1-98.3	16	4.8	1.7- 7.9
25-34	464	124,540	434	95.1	92.7-97.5	30	4.9	2.5- 7.3
35-44	473	112,435	422	91.7	88.8-94.6	51	8.3	5.4-11.2
45-54	640	121,706	543	85.5	82.2-88.8	97	14.5	11.2-17.8
55-64	871	131,322	696	79.4	75.7-83.1	175	20.6	16.9-24.3
65+	1384	171,740	949	66.4	63.1-69.7	435	33.6	30.3-36.9
Less Than H.S.	438	88,375	222	58.3	51.8-64.8	216	41.7	35.2-48.2
H.S. or G.E.D.	1162	233,035	814	76.9	73.8-80.0	348	23.1	20.0-26.2
Some Post-H.S.	1009	214,489	865	90.1	88.1-92.1	144	9.9	7.9-11.9
College Graduate	1460	209,739	1367	95.5	94.3-96.7	93	4.5	3.3- 5.7
Less than \$15,000	330	50,884	184	57.3	49.9-64.7	146	42.7	35.3-50.1
\$15,000- 24,999	612	102,474	408	70.9	66.2-75.6	204	29.1	24.4-33.8
\$25,000- 34,999	383	66,054	292	80.6	75.3-85.9	91	19.4	14.1-24.7
\$35,000- 49,999	469	87,889	385	84.6	80.5-88.7	84	15.4	11.3-19.5
\$50,000- 74,999	490	95,033	451	93.2	90.1-96.3	39	6.8	3.7- 9.9
\$75,000+	1032	203,079	994	97.1	95.9-98.3	38	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	357,800	1480	84.0	81.8-86.2	348	16.0	13.8-18.2
White/Non-Hisp	1206	228,409	1000	85.6	83.1-88.1	206	14.4	11.9-16.9
Black or Afr. Am./Non-Hisp	221	68,590	156	76.8	70.1-83.5	65	23.2	16.5-29.9
Oth. Race/Non-Hisp.	117	20,441	98	89.6	83.3-95.9	19	10.4	4.1-16.7
Hispanic	212	27,022	164	81.7	75.2-88.2	48	18.3	11.8-24.8
18-24	152	44,640	143	93.9	88.2-99.6	9	6.1	0.4-11.8
25-34	238	61,911	229	98.5	97.1-99.9	9	1.5	0.1- 2.9
35-44	218	54,975	199	95.3	92.8-97.8	19	4.7	2.2- 7.2
45-54	288	58,067	227	81.2	75.7-86.7	61	18.8	13.3-24.3
55-64	352	62,013	269	75.2	68.9-81.5	83	24.8	18.5-31.1
65+	580	76,193	413	67.6	62.5-72.7	167	32.4	27.3-37.5
Less Than H.S.	215	43,217	116	60.7	51.3-70.1	99	39.3	29.9-48.7
H.S. or G.E.D.	541	117,657	394	78.1	73.6-82.6	147	21.9	17.4-26.4
Some Post-H.S.	425	101,984	366	90.4	87.3-93.5	59	9.6	6.5-12.7
College Graduate	634	91,435	594	95.5	93.7-97.3	40	4.5	2.7- 6.3
Less than \$15,000	122	18,218	64	54.9	42.6-67.2	58	45.1	32.8-57.4
\$15,000- 24,999	251	44,463	171	71.3	64.0-78.6	80	28.7	21.4-36.0
\$25,000- 34,999	165	31,964	123	78.6	70.4-86.8	42	21.4	13.2-29.6
\$35,000- 49,999	212	41,281	163	78.7	71.8-85.6	49	21.3	14.4-28.2
\$50,000- 74,999	253	50,253	231	92.6	87.7-97.5	22	7.4	2.5-12.3
\$75,000+	509	109,457	488	96.9	95.1-98.7	21	3.1	1.3- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2263	392,383	1807	83.5	81.5-85.5	456	16.5	14.5-18.5
White/Non-Hisp	1516	249,332	1245	86.3	84.1-88.5	271	13.7	11.5-15.9
Black or Afr. Am./Non-Hisp	353	82,091	266	80.1	75.0-85.2	87	19.9	14.8-25.0
Oth. Race/Non-Hisp.	70	16,143	61	81.4	68.5-94.3	9	18.6	5.7-31.5
Hispanic	233	31,418	156	68.8	60.8-76.8	77	31.2	23.2-39.2
18-24	107	43,799	100	96.6	93.9-99.3	7	3.4	0.7- 6.1
25-34	226	62,629	205	91.7	87.2-96.2	21	8.3	3.8-12.8
35-44	255	57,460	223	88.3	83.2-93.4	32	11.7	6.6-16.8
45-54	352	63,639	316	89.4	85.3-93.5	36	10.6	6.5-14.7
55-64	519	69,309	427	83.2	78.7-87.7	92	16.8	12.3-21.3
65+	804	95,547	536	65.3	61.0-69.6	268	34.7	30.4-39.0
Less Than H.S.	223	45,158	106	56.1	47.1-65.1	117	43.9	34.9-52.9
H.S. or G.E.D.	621	115,378	420	75.6	71.5-79.7	201	24.4	20.3-28.5
Some Post-H.S.	584	112,504	499	89.7	87.0-92.4	85	10.3	7.6-13.0
College Graduate	826	118,304	773	95.5	93.7-97.3	53	4.5	2.7- 6.3
Less than \$15,000	208	32,666	120	58.6	49.2-68.0	88	41.4	32.0-50.8
\$15,000- 24,999	361	58,011	237	70.6	64.5-76.7	124	29.4	23.3-35.5
\$25,000- 34,999	218	34,090	169	82.4	75.7-89.1	49	17.6	10.9-24.3
\$35,000- 49,999	257	46,608	222	89.8	85.3-94.3	35	10.2	5.7-14.7
\$50,000- 74,999	237	44,780	220	94.0	90.3-97.7	17	6.0	2.3- 9.7
\$75,000+	523	93,622	506	97.3	95.7-98.9	17	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3829	705,346	36	1.1	0.5- 1.7	1049	27.1	25.1-29.1	1752	44.4	42.2-46.6	720	20.4	18.4-22.4	245	6.1	5.1- 7.1	27	0.8	0.2- 1.4
Male	1762	344,920	2	0.1	0.0- 0.3	196	11.2	9.0-13.4	877	48.1	44.8-51.4	491	29.9	26.8-33.0	173	9.4	7.6-11.2	23	1.3	0.1- 2.5
Female	2067	360,426	34	2.0	1.0- 3.0	853	42.3	39.4-45.2	875	40.9	38.0-43.8	229	11.4	9.4-13.4	72	3.1	2.1- 4.1	4	0.4	0.0- 0.8
White/Non-Hisp	2561	450,272	23	0.8	0.4- 1.2	702	27.1	24.7-29.5	1174	44.6	42.1-47.1	494	20.7	18.5-22.9	164	6.5	5.1- 7.9	4	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	537	142,640	3	0.4	0.0- 1.0	102	19.4	14.9-23.9	257	47.1	41.2-53.0	132	26.0	20.5-31.5	43	7.2	4.5- 9.9			
Oth. Race/Non-Hisp.	176	33,466	3	3.4	0.0- 8.5	58	40.5	30.3-50.7	78	39.2	29.4-49.0	20	8.2	3.9-12.5	11	4.2	0.9- 7.5	6	4.4	0.1- 8.7
Hispanic	417	54,476	3	0.6	0.0- 1.4	149	36.5	29.8-43.2	193	44.7	37.8-51.6	41	9.5	5.6-13.4	15	2.8	1.0- 4.6	16	5.9	0.0-12.2
18-24	243	81,705	5	2.5	0.0- 5.0	88	42.3	34.1-50.5	106	40.9	33.1-48.7	29	9.5	5.6-13.4	8	2.5	0.5- 4.5	7	2.4	0.4- 4.4
25-34	441	120,753	2	1.0	0.0- 2.8	129	26.6	20.9-32.3	200	44.7	38.2-51.2	73	19.5	14.2-24.8	28	6.1	3.0- 9.2	9	2.2	0.0- 5.1
35-44	435	104,079	3	0.6	0.0- 1.4	117	25.4	20.1-30.7	188	42.5	36.2-48.8	94	25.0	18.7-31.3	32	6.4	3.7- 9.1	1	0.1	0.0- 0.3
45-54	592	112,252	7	1.1	0.0- 2.3	140	23.3	19.0-27.6	275	45.5	40.2-50.8	114	21.4	16.7-26.1	49	7.7	5.0-10.4	7	0.9	0.1- 1.7
55-64	817	124,608	5	0.6	0.0- 1.2	186	19.7	16.4-23.0	388	47.1	42.6-51.6	168	23.5	19.4-27.6	69	8.9	6.0-11.8	1	0.0	0.0- 0.0
65+	1301	161,948	14	1.0	0.4- 1.6	389	29.3	26.2-32.4	595	44.4	41.1-47.7	242	20.6	17.7-23.5	59	4.7	3.3- 6.1	2	0.1	0.1- 0.1
Less Than H.S.	412	83,943	4	1.9	0.0- 4.3	142	33.5	27.0-40.0	174	38.9	32.0-45.8	53	16.1	10.8-21.4	29	6.5	3.6- 9.4	10	3.1	0.0- 7.2
H.S. or G.E.D.	1099	217,333	12	1.0	0.2- 1.8	284	24.8	21.3-28.3	502	44.7	40.6-48.8	212	21.9	18.2-25.6	86	7.4	5.2- 9.6	3	0.3	0.0- 0.7
Some Post-H.S.	948	205,553	9	1.0	0.0- 2.2	248	25.9	22.0-29.8	441	44.4	40.1-48.7	193	22.4	18.7-26.1	55	6.0	3.8- 8.2	2	0.4	0.0- 1.0
College Graduate	1354	194,975	11	0.8	0.2- 1.4	370	27.9	24.6-31.2	626	46.4	42.9-49.9	261	18.9	16.2-21.6	74	4.8	3.4- 6.2	12	1.0	0.4- 1.6
Less than \$15,000	309	48,140	2	0.6	0.0- 1.4	109	33.4	26.0-40.8	121	39.7	32.1-47.3	47	18.8	12.1-25.5	25	7.0	3.5-10.5	5	0.7	0.1- 1.3
\$15,000- 24,999	577	96,536	11	1.4	0.2- 2.6	167	28.7	23.4-34.0	258	44.3	38.6-50.0	95	16.5	12.4-20.6	38	7.5	4.6-10.4	8	1.6	0.0- 3.2
\$25,000- 34,999	362	62,357	2	0.2	0.0- 0.6	88	24.8	18.5-31.1	170	40.8	33.7-47.9	73	24.6	17.7-31.5	27	9.2	4.3-14.1	2	0.4	0.0- 1.0
\$35,000- 49,999	453	84,215	3	0.5	0.0- 1.1	108	24.8	18.7-30.9	222	46.8	40.1-53.5	96	21.0	15.7-26.3	22	4.6	2.1- 7.1	2	2.2	0.0- 6.3
\$50,000- 74,999	475	92,189	3	1.6	0.0- 4.0	113	22.0	17.1-26.9	233	48.0	41.5-54.5	93	20.3	15.2-25.4	33	8.1	4.6-11.6			
\$75,000+	997	196,540	5	0.5	0.0- 1.1	245	23.8	20.3-27.3	459	46.0	41.9-50.1	219	24.1	20.0-28.2	65	5.1	3.3- 6.9	4	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1762	344,920	2	0.1	0.0- 0.3	196	11.2	9.0-13.4	877	48.1	44.8-51.4	491	29.9	26.8-33.0	173	9.4	7.6-11.2	23	1.3	0.1- 2.5
White/Non-Hisp	1173	220,809	1	0.0	0.0- 0.0	94	8.7	6.3-11.1	599	49.6	45.7-53.5	353	31.0	27.5-34.5	123	10.3	7.9-12.7	3	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	216	67,464	1	0.5	0.0- 1.5	25	10.0	4.9-15.1	94	43.2	34.2-52.2	73	35.9	26.5-45.3	23	10.4	5.3-15.5			
Oth. Race/Non-Hisp.	112	18,795				24	23.5	11.5-35.5	58	55.0	42.3-67.7	16	13.0	5.6-20.4	10	5.4	1.1- 9.7	4	3.1	0.0- 6.4
Hispanic	196	24,663				42	18.9	11.6-26.2	102	50.5	39.1-61.9	29	14.2	7.1-21.3	8	3.6	0.7- 6.5	15	12.8	0.0-25.9
18-24	144	41,272				37	28.7	18.9-38.5	68	49.4	39.0-59.8	25	13.8	8.1-19.5	8	4.9	1.0- 8.8	6	3.2	0.5- 5.9
25-34	229	60,630				30	9.4	4.5-14.3	131	54.5	45.1-63.9	45	25.4	17.0-33.8	15	6.8	2.3-11.3	8	3.9	0.0- 9.6
35-44	201	51,834				26	11.5	6.0-17.0	89	41.5	32.1-50.9	67	38.5	28.1-48.9	18	8.3	3.6-13.0	1	0.2	0.0- 0.6
45-54	271	54,977				28	7.8	4.5-11.1	129	46.9	38.9-54.9	76	32.3	24.5-40.1	33	11.8	6.9-16.7	5	1.1	0.0- 2.3
55-64	344	60,357	2	0.6	0.0- 1.8	28	5.7	3.2- 8.2	160	47.1	40.0-54.2	101	30.8	23.9-37.7	52	15.8	10.3-21.3	1	0.1	0.0- 0.3
65+	573	75,849				47	9.9	6.2-13.6	300	48.3	43.2-53.4	177	33.9	28.8-39.0	47	7.8	5.1-10.5	2	0.1	0.0- 0.3
Less Than H.S.	203	40,698				45	19.9	12.5-27.3	95	42.6	32.4-52.8	33	21.3	12.7-29.9	20	9.7	4.6-14.8	10	6.4	0.0-14.8
H.S. or G.E.D.	525	113,459	1	0.3	0.0- 0.9	64	12.1	8.0-16.2	244	46.1	40.0-52.2	149	29.9	23.8-36.0	64	11.2	7.9-14.5	3	0.5	0.0- 1.3
Some Post-H.S.	412	100,708				36	8.5	4.8-12.2	214	48.5	42.0-55.0	123	33.3	27.0-39.6	38	9.6	5.7-13.5	1	0.1	0.0- 0.3
College Graduate	612	87,138	1	0.0	0.0- 0.0	48	7.9	5.2-10.6	319	52.8	47.7-57.9	185	30.9	26.2-35.6	50	7.0	4.6- 9.4	9	1.4	0.4- 2.4
Less than \$15,000	114	17,704				27	19.3	9.3-29.3	43	35.8	23.8-47.8	26	30.7	17.6-43.8	13	12.4	4.4-20.4	5	1.8	0.0- 3.6
\$15,000- 24,999	241	41,686				41	14.9	9.0-20.8	118	50.3	41.7-58.9	51	20.8	14.1-27.5	24	11.7	6.0-17.4	7	2.2	0.0- 4.4
\$25,000- 34,999	163	31,388				18	13.4	6.3-20.5	81	41.8	31.2-52.4	45	33.0	22.0-44.0	17	11.1	4.0-18.2	2	0.8	0.0- 2.2
\$35,000- 49,999	210	40,920				33	15.0	8.3-21.7	104	51.5	41.5-61.5	60	23.1	16.0-30.2	11	5.8	1.3-10.3	2	4.6	0.0-13.0
\$50,000- 74,999	249	49,623				13	6.9	2.2-11.6	137	52.3	43.3-61.3	70	27.7	19.9-35.5	29	13.2	7.3-19.1			
\$75,000+	503	107,880	1	0.0	0.0- 0.0	27	6.7	3.4-10.0	251	47.8	41.7-53.9	170	37.2	30.9-43.5	52	7.9	5.0-10.8	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2067	360,426	34	2.0	1.0- 3.0	853	42.3	39.4-45.2	875	40.9	38.0-43.8	229	11.4	9.4-13.4	72	3.1	2.1- 4.1	4	0.4	0.0- 0.8
White/Non-Hisp	1388	229,463	22	1.7	0.7- 2.7	608	44.8	41.1-48.5	575	39.8	36.3-43.3	141	10.7	8.3-13.1	41	2.8	1.4- 4.2	1	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	321	75,175	2	0.2	0.0- 0.6	77	27.8	20.9-34.7	163	50.5	43.1-57.9	59	17.0	11.5-22.5	20	4.4	1.9- 6.9			
Oth. Race/Non-Hisp.	64	14,671	3	7.8	0.0-19.0	34	62.3	46.2-78.4	20	18.9	7.3-30.5	4	2.1	0.0- 4.6	1	2.7	0.0- 8.0	2	6.1	0.0-14.9
Hispanic	221	29,814	3	1.0	0.0- 2.4	107	51.1	42.1-60.1	91	40.0	31.2-48.8	12	5.5	1.2- 9.8	7	2.2	0.4- 4.0	1	0.3	0.0- 0.9
18-24	99	40,433	5	5.1	0.0-10.2	51	56.1	43.9-68.3	38	32.2	21.2-43.2	4	5.1	0.0-10.8				1	1.5	0.0- 4.4
25-34	212	60,124	2	2.0	0.0- 5.5	99	43.9	34.7-53.1	69	34.8	25.8-43.8	28	13.5	7.2-19.8	13	5.3	0.8- 9.8	1	0.5	0.0- 1.5
35-44	234	52,245	3	1.2	0.0- 2.8	91	39.2	31.4-47.0	99	43.5	35.3-51.7	27	11.7	6.8-16.6	14	4.5	1.8- 7.2			
45-54	321	57,275	7	2.1	0.0- 4.3	112	38.2	31.3-45.1	146	44.2	37.1-51.3	38	11.0	6.3-15.7	16	3.7	1.0- 6.4	2	0.8	0.0- 2.2
55-64	473	64,251	3	0.7	0.0- 1.5	158	33.0	27.7-38.3	228	47.1	41.4-52.8	67	16.8	11.9-21.7	17	2.5	1.1- 3.9			
65+	728	86,099	14	1.8	0.6- 3.0	342	46.4	41.9-50.9	295	41.0	36.5-45.5	65	8.8	6.3-11.3	12	2.0	0.8- 3.2			
Less Than H.S.	209	43,245	4	3.7	0.0- 8.2	97	46.2	36.8-55.6	79	35.4	26.2-44.6	20	11.1	4.6-17.6	9	3.6	0.7- 6.5			
H.S. or G.E.D.	574	103,874	11	1.7	0.3- 3.1	220	38.6	32.9-44.3	258	43.1	37.4-48.8	63	13.2	9.1-17.3	22	3.4	1.0- 5.8			
Some Post-H.S.	536	104,846	9	2.0	0.0- 4.2	212	42.7	36.8-48.6	227	40.4	34.7-46.1	70	11.8	8.3-15.3	17	2.5	0.9- 4.1	1	0.6	0.0- 1.8
College Graduate	742	107,837	10	1.5	0.3- 2.7	322	44.1	39.2-49.0	307	41.3	36.4-46.2	76	9.3	6.6-12.0	24	3.1	1.3- 4.9	3	0.7	0.0- 1.5
Less than \$15,000	195	30,436	2	1.0	0.0- 2.4	82	41.5	31.7-51.3	78	41.9	32.1-51.7	21	11.8	5.3-18.3	12	3.8	1.1- 6.5			
\$15,000- 24,999	336	54,850	11	2.5	0.3- 4.7	126	39.2	31.6-46.8	140	39.7	32.3-47.1	44	13.3	8.2-18.4	14	4.2	1.7- 6.7	1	1.1	0.0- 3.3
\$25,000- 34,999	199	30,969	2	0.4	0.0- 1.0	70	36.4	27.0-45.8	89	39.7	30.3-49.1	28	16.2	9.1-23.3	10	7.2	0.0-14.5			
\$35,000- 49,999	243	43,295	3	0.9	0.0- 2.1	75	34.0	24.8-43.2	118	42.4	33.8-51.0	36	19.0	11.4-26.6	11	3.6	1.1- 6.1			
\$50,000- 74,999	226	42,567	3	3.4	0.0- 8.5	100	39.6	31.0-48.2	96	43.1	33.9-52.3	23	11.7	5.8-17.6	4	2.2	0.0- 5.1			
\$75,000+	494	88,660	4	1.2	0.0- 2.4	218	44.6	38.9-50.3	208	43.7	38.0-49.4	49	8.2	5.1-11.3	13	1.7	0.5- 2.9	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3858	717,974	211	4.7	3.9- 5.5	1741	42.1	39.9-44.3	1578	43.8	41.6-46.0	317	9.1	7.7-10.5	6	0.2	0.0- 0.4	5	0.1	0.0- 0.3
Male	1719	345,143	6	0.2	0.0- 0.4	233	12.4	10.2-14.6	1163	68.2	65.1-71.3	307	18.6	15.9-21.3	6	0.4	0.0- 0.8	4	0.2	0.0- 0.4
Female	2139	372,831	205	8.8	7.2-10.4	1508	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5				1	0.0	0.0- 0.0
White/Non-Hisp	2665	468,828	131	4.2	3.2- 5.2	1163	40.3	37.8-42.8	1132	45.6	43.1-48.1	233	9.6	8.0-11.2	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	560	147,573	30	3.2	1.6- 4.8	263	43.6	37.9-49.3	222	43.5	37.8-49.2	45	9.8	6.3-13.3						
Oth. Race/Non-Hisp.	179	34,174	5	5.8	0.0-12.1	83	51.7	41.5-61.9	81	39.1	29.3-48.9	10	3.4	0.9- 5.9						
Hispanic	301	41,139	38	15.7	9.6-21.8	163	50.3	41.9-58.7	82	28.9	20.1-37.7	14	3.9	1.2- 6.6				4	1.2	0.0- 2.4
18-24	232	82,059	9	4.5	1.0- 8.0	81	37.9	29.7-46.1	108	43.5	35.3-51.7	32	13.1	7.4-18.8	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5
25-34	403	117,697	18	2.3	1.1- 3.5	158	39.0	32.3-45.7	188	50.1	43.2-57.0	37	8.3	5.0-11.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
35-44	421	105,017	17	3.6	1.4- 5.8	185	40.2	34.1-46.3	174	46.2	39.7-52.7	41	9.2	5.5-12.9	2	0.4	0.0- 1.0	2	0.2	0.0- 0.6
45-54	600	116,098	24	3.4	1.8- 5.0	275	43.9	38.6-49.2	247	41.5	36.4-46.6	53	11.1	7.2-15.0				1	0.2	0.0- 0.6
55-64	846	128,501	50	4.8	3.0- 6.6	398	44.3	39.8-48.8	323	41.3	36.8-45.8	74	9.5	6.8-12.2	1	0.1	0.0- 0.3			
65+	1356	168,602	93	7.8	5.8- 9.8	644	44.6	41.3-47.9	538	41.6	38.3-44.9	80	5.9	4.1- 7.7	1	0.0	0.0- 0.0			
Less Than H.S.	330	75,035	48	15.6	9.9-21.3	152	39.7	32.4-47.0	108	39.5	31.5-47.5	19	4.6	1.7- 7.5				3	0.6	0.0- 1.2
H.S. or G.E.D.	1116	225,417	60	3.5	2.3- 4.7	506	42.9	38.8-47.0	465	43.9	39.8-48.0	79	9.1	6.4-11.8	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6
Some Post-H.S.	982	212,287	44	3.3	2.1- 4.5	451	40.8	36.7-44.9	405	46.0	41.7-50.3	81	9.8	7.3-12.3	1	0.2	0.0- 0.6			
College Graduate	1412	201,714	59	3.4	2.4- 4.4	623	43.6	40.1-47.1	593	43.0	39.5-46.5	136	10.0	7.8-12.2	1	0.0	0.0- 0.0			
Less than \$15,000	289	46,975	28	7.6	3.3-11.9	150	52.5	44.5-60.5	98	35.8	28.2-43.4	11	3.8	0.5- 7.1				2	0.4	0.0- 1.0
\$15,000- 24,999	553	95,506	40	7.1	4.2-10.0	290	48.9	43.0-54.8	185	35.6	29.9-41.3	35	7.5	4.2-10.8	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2
\$25,000- 34,999	370	64,516	19	5.5	2.4- 8.6	172	42.9	35.8-50.0	149	41.2	34.1-48.3	29	10.2	4.7-15.7				1	0.3	0.0- 0.9
\$35,000- 49,999	465	86,657	20	2.5	1.3- 3.7	220	47.0	40.1-53.9	184	39.9	33.4-46.4	39	9.8	5.7-13.9	2	0.7	0.0- 1.7			
\$50,000- 74,999	482	93,165	19	2.8	1.4- 4.2	195	40.0	33.7-46.3	221	47.6	41.1-54.1	47	9.5	6.2-12.8						
\$75,000+	1020	200,544	37	2.9	1.7- 4.1	396	34.9	31.2-38.6	473	50.4	46.3-54.5	113	11.7	9.0-14.4	1	0.0	0.0- 0.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	345,143	6	0.2	0.0- 0.4	233	12.4	10.2-14.6	1163	68.2	65.1-71.3	307	18.6	15.9-21.3	6	0.4	0.0- 0.8	4	0.2	0.0- 0.4
White/Non-Hisp	1183	224,664	1	0.1	0.0- 0.3	102	7.9	5.9- 9.9	844	71.5	68.0-75.0	230	19.9	16.8-23.0	5	0.5	0.0- 1.1	1	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	220	68,974	1	0.4	0.0- 1.2	40	14.9	8.8-21.0	135	64.2	55.8-72.6	44	20.5	13.4-27.6						
Oth. Race/Non-Hisp.	110	18,675				26	31.3	18.2-44.4	74	62.4	49.3-75.5	10	6.3	1.8-10.8						
Hispanic	140	19,486	3	0.9	0.0- 1.9	59	40.6	28.3-52.9	65	49.4	35.9-62.9	10	7.0	1.5-12.5				3	2.2	0.0- 4.7
18-24	136	41,709				17	9.5	3.4-15.6	86	63.4	52.6-74.2	31	25.2	15.0-35.4	1	0.9	0.0- 2.7	1	0.9	0.0- 2.7
25-34	204	59,416	1	0.1	0.0- 0.3	24	8.4	4.1-12.7	144	75.2	67.6-82.8	34	15.9	9.4-22.4	1	0.4	0.0- 1.2			
35-44	197	51,464	3	0.5	0.0- 1.1	34	13.5	8.0-19.0	116	65.9	57.1-74.7	40	18.7	11.4-26.0	2	0.9	0.0- 2.3	2	0.5	0.0- 1.1
45-54	267	55,884	2	0.7	0.0- 1.7	43	15.7	9.2-22.2	168	60.3	52.1-68.5	53	23.1	15.7-30.5				1	0.3	0.0- 0.9
55-64	345	60,839				53	14.4	9.5-19.3	220	66.0	59.3-72.7	71	19.5	14.0-25.0	1	0.2	0.0- 0.6			
65+	570	75,832				62	12.4	8.7-16.1	429	74.4	69.7-79.1	78	13.1	9.6-16.6	1	0.1	0.0- 0.3			
Less Than H.S.	160	36,751	5	1.5	0.0- 3.1	45	23.1	14.7-31.5	90	65.1	55.1-75.1	17	9.2	3.5-14.9				3	1.2	0.0- 2.6
H.S. or G.E.D.	523	116,088				81	13.3	9.2-17.4	359	68.1	62.2-74.0	78	17.5	12.4-22.6	4	0.7	0.0- 1.5	1	0.3	0.0- 0.9
Some Post-H.S.	412	101,358				44	8.5	5.2-11.8	289	70.9	65.2-76.6	78	20.2	15.1-25.3	1	0.4	0.0- 1.2			
College Graduate	614	88,158	1	0.1	0.0- 0.3	60	10.6	7.5-13.7	419	66.7	61.8-71.6	133	22.5	18.2-26.8	1	0.1	0.0- 0.3			
Less than \$15,000	96	16,408				22	24.5	12.0-37.0	64	65.0	51.3-78.7	9	9.7	0.9-18.5				1	0.7	0.0- 2.1
\$15,000- 24,999	222	40,737	2	0.8	0.0- 2.2	57	23.9	16.5-31.3	126	55.8	46.8-64.8	34	17.3	10.0-24.6	2	1.1	0.0- 2.9	1	1.0	0.0- 3.0
\$25,000- 34,999	159	31,264				17	8.2	2.9-13.5	114	71.2	60.4-82.0	27	20.0	9.6-30.4				1	0.6	0.0- 1.8
\$35,000- 49,999	211	41,108				37	18.8	10.2-27.4	134	59.1	49.1-69.1	38	20.5	12.5-28.5	2	1.5	0.0- 3.7			
\$50,000- 74,999	249	49,359				25	9.1	4.4-13.8	177	72.9	65.6-80.2	47	18.0	11.9-24.1						
\$75,000+	503	108,598	1	0.1	0.0- 0.3	38	7.4	4.7-10.1	352	71.0	65.7-76.3	111	21.4	16.7-26.1	1	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2139	372,831	205	8.8	7.2-10.4	1508	69.6	66.9-72.3	415	21.3	18.8-23.8	10	0.3	0.1- 0.5	1	0.0	0.0- 0.0
White/Non-Hisp	1482	244,164	130	7.9	6.1- 9.7	1061	70.1	66.8-73.4	288	21.8	18.7-24.9	3	0.1	0.0- 0.3			
Black or Afr. Am./Non-Hisp	340	78,599	29	5.7	3.2- 8.2	223	68.7	62.2-75.2	87	25.2	18.9-31.5	1	0.3	0.0- 0.9			
Oth. Race/Non-Hisp.	69	15,499	5	12.8	0.0-25.7	57	76.2	61.3-91.1	7	10.9	1.1-20.7						
Hispanic	161	21,654	35	29.0	18.8-39.2	104	59.1	48.3-69.9	17	10.5	3.1-17.9	4	1.1	0.0- 2.3	1	0.3	0.0- 0.9
18-24	96	40,351	9	9.2	1.9-16.5	64	67.3	55.7-78.9	22	22.9	12.5-33.3	1	0.7	0.0- 2.1			
25-34	199	58,281	17	4.6	2.1- 7.1	134	70.2	61.8-78.6	44	24.6	16.4-32.8	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3
35-44	224	53,553	14	6.7	2.6-10.8	151	65.9	58.1-73.7	58	27.3	19.9-34.7	1	0.1	0.0- 0.3			
45-54	333	60,214	22	5.9	3.0- 8.8	232	70.0	63.7-76.3	79	24.1	18.2-30.0						
55-64	501	67,663	50	9.2	5.9-12.5	345	71.1	66.2-76.0	103	19.1	15.0-23.2	3	0.5	0.0- 1.1			
65+	786	92,770	93	14.2	10.7-17.7	582	70.9	66.6-75.2	109	14.8	11.7-17.9	2	0.1	0.0- 0.3			
Less Than H.S.	170	38,284	43	29.1	19.3-38.9	107	55.7	44.9-66.5	18	15.0	5.6-24.4	2	0.2	0.0- 0.6			
H.S. or G.E.D.	593	109,330	60	7.3	4.9- 9.7	425	74.2	69.7-78.7	106	18.2	14.1-22.3	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3
Some Post-H.S.	570	110,929	44	6.3	4.1- 8.5	407	70.2	65.1-75.3	116	23.2	18.3-28.1	3	0.3	0.0- 0.7			
College Graduate	798	113,555	58	5.9	4.1- 7.7	563	69.2	64.9-73.5	174	24.7	20.6-28.8	3	0.2	0.0- 0.6			
Less than \$15,000	193	30,567	28	11.6	5.1-18.1	128	67.5	58.1-76.9	34	20.1	12.1-28.1	2	0.6	0.0- 1.4	1	0.2	0.0- 0.6
\$15,000- 24,999	331	54,769	38	11.8	6.7-16.9	233	67.4	60.0-74.8	59	20.5	13.8-27.2	1	0.2	0.0- 0.6			
\$25,000- 34,999	211	33,252	19	10.7	4.6-16.8	155	75.5	67.9-83.1	35	13.0	7.7-18.3	2	0.9	0.0- 2.5			
\$35,000- 49,999	254	45,549	20	4.8	2.4- 7.2	183	72.5	64.7-80.3	50	22.6	15.2-30.0	1	0.1	0.0- 0.3			
\$50,000- 74,999	233	43,807	19	6.0	2.9- 9.1	170	74.9	67.5-82.3	44	19.1	12.0-26.2						
\$75,000+	517	91,945	36	6.3	3.8- 8.8	358	67.5	62.2-72.8	121	26.1	21.0-31.2	2	0.2	0.0- 0.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	726	186,600	26	3.9	1.7- 6.1	700	96.1	93.9-98.3
White/Non-Hisp	340	97,145	12	3.5	1.1- 5.9	328	96.5	94.1-98.9
Black or Afr. Am./Non-Hisp	152	46,428	3	4.6	0.0-10.9	149	95.4	89.1- 100
Hispanic	165	24,644	9	5.9	1.6-10.2	156	94.1	89.8-98.4
18-24	107	43,799	9	8.9	1.1-16.7	98	91.1	83.3-98.9
25-34	224	61,982	8	2.6	0.6- 4.6	216	97.4	95.4-99.4
35-44	249	56,450	8	2.6	0.4- 4.8	241	97.4	95.2-99.6
45-54	146	24,370	1	1.0	0.0- 3.0	145	99.0	97.0- 100
Less Than H.S.	106	23,994	4	5.9	0.0-13.5	102	94.1	86.5- 100
H.S. or G.E.D.	170	49,248	7	5.7	0.0-11.8	163	94.3	88.2- 100
Some Post-H.S.	182	53,911	4	1.5	0.0- 3.1	178	98.5	96.9- 100
College Graduate	265	59,158	10	3.6	1.2- 6.0	255	96.4	94.0-98.8
Less than \$15,000	79	18,135	5	6.8	0.5-13.1	74	93.2	86.9-99.5
\$15,000- 24,999	124	28,247	8	5.5	1.4- 9.6	116	94.5	90.4-98.6
\$25,000- 34,999	64	16,509	1	1.7	0.0- 5.0	63	98.3	95.0- 100
\$35,000- 49,999	78	21,156	1	0.9	0.0- 2.7	77	99.1	97.3- 100
\$50,000- 74,999	71	21,001	1	4.2	0.0-12.2	70	95.8	87.8- 100
\$75,000+	181	44,974	7	3.1	0.4- 5.8	174	96.9	94.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	737,687	381	8.0	6.8- 9.2	3636	92.0	90.8-93.2
Male	1792	353,743	190	8.8	7.0-10.6	1602	91.2	89.4-93.0
Female	2225	383,944	191	7.4	6.0- 8.8	2034	92.6	91.2-94.0
White/Non-Hisp	2682	469,939	297	9.5	7.9-11.1	2385	90.5	88.9-92.1
Black or Afr. Am./Non-Hisp	559	147,404	32	5.3	2.9- 7.7	527	94.7	92.3-97.1
Oth. Race/Non-Hisp.	185	35,817	16	7.0	1.9-12.1	169	93.0	87.9-98.1
Hispanic	432	57,375	25	5.6	2.9- 8.3	407	94.4	91.7-97.1
18-24	250	85,829	9	3.9	1.2- 6.6	241	96.1	93.4-98.8
25-34	456	123,309	13	5.4	1.9- 8.9	443	94.6	91.1-98.1
35-44	458	109,801	16	2.8	1.2- 4.4	442	97.2	95.6-98.8
45-54	627	119,678	35	4.3	2.5- 6.1	592	95.7	93.9-97.5
55-64	863	129,675	72	9.9	7.0-12.8	791	90.1	87.2-93.0
65+	1363	169,396	236	16.8	14.3-19.3	1127	83.2	80.7-85.7
Less Than H.S.	428	87,560	58	12.9	8.8-17.0	370	87.1	83.0-91.2
H.S. or G.E.D.	1139	227,895	115	7.4	5.6- 9.2	1024	92.6	90.8-94.4
Some Post-H.S.	992	211,958	98	9.3	6.8-11.8	894	90.7	88.2-93.2
College Graduate	1434	205,571	109	5.6	4.2- 7.0	1325	94.4	93.0-95.8
Less than \$15,000	319	49,121	40	12.9	7.2-18.6	279	87.1	81.4-92.8
\$15,000- 24,999	602	100,326	75	9.7	6.8-12.6	527	90.3	87.4-93.2
\$25,000- 34,999	377	64,673	42	9.5	5.8-13.2	335	90.5	86.8-94.2
\$35,000- 49,999	458	85,890	43	8.1	5.2-11.0	415	91.9	89.0-94.8
\$50,000- 74,999	486	94,374	42	6.9	4.0- 9.8	444	93.1	90.2-96.0
\$75,000+	1017	200,267	67	6.2	4.0- 8.4	950	93.8	91.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	353,743	190	8.8	7.0-10.6	1602	91.2	89.4-93.0
White/Non-Hisp	1188	225,054	150	11.4	8.9-13.9	1038	88.6	86.1-91.1
Black or Afr. Am./Non-Hisp	217	68,490	12	4.1	1.2- 7.0	205	95.9	93.0-98.8
Oth. Race/Non-Hisp.	115	20,257	11	3.6	1.1- 6.1	104	96.4	93.9-98.9
Hispanic	201	25,706	9	4.0	0.9- 7.1	192	96.0	92.9-99.1
18-24	146	43,606	6	5.5	0.8-10.2	140	94.5	89.8-99.2
25-34	235	62,265	6	6.3	0.6-12.0	229	93.7	88.0-99.4
35-44	208	53,282	9	2.9	0.7- 5.1	199	97.1	94.9-99.3
45-54	282	57,537	17	4.3	1.9- 6.7	265	95.7	93.3-98.1
55-64	348	61,015	37	11.5	6.8-16.2	311	88.5	83.8-93.2
65+	573	76,039	115	18.0	14.1-21.9	458	82.0	78.1-85.9
Less Than H.S.	206	42,081	27	12.6	6.7-18.5	179	87.4	81.5-93.3
H.S. or G.E.D.	537	117,151	58	8.3	5.6-11.0	479	91.7	89.0-94.4
Some Post-H.S.	416	101,420	46	9.3	5.4-13.2	370	90.7	86.8-94.6
College Graduate	620	89,583	58	7.3	5.1- 9.5	562	92.7	90.5-94.9
Less than \$15,000	114	17,515	15	16.3	5.3-27.3	99	83.7	72.7-94.7
\$15,000- 24,999	248	43,947	32	8.5	4.6-12.4	216	91.5	87.6-95.4
\$25,000- 34,999	163	31,695	19	7.8	3.7-11.9	144	92.2	88.1-96.3
\$35,000- 49,999	205	39,998	25	10.6	5.5-15.7	180	89.4	84.3-94.5
\$50,000- 74,999	251	49,971	31	10.8	5.5-16.1	220	89.2	83.9-94.5
\$75,000+	501	108,366	41	7.6	4.1-11.1	460	92.4	88.9-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	383,944	191	7.4	6.0- 8.8	2034	92.6	91.2-94.0
White/Non-Hisp	1494	244,884	147	7.9	6.1- 9.7	1347	92.1	90.3-93.9
Black or Afr. Am./Non-Hisp	342	78,915	20	6.3	2.8- 9.8	322	93.7	90.2-97.2
Oth. Race/Non-Hisp.	70	15,560	5	11.3	0.3-22.3	65	88.7	77.7-99.7
Hispanic	231	31,669	16	6.8	2.7-10.9	215	93.2	89.1-97.3
18-24	104	42,223	3	2.2	0.0- 5.3	101	97.8	94.7- 100
25-34	221	61,044	7	4.5	0.6- 8.4	214	95.5	91.6-99.4
35-44	250	56,518	7	2.6	0.2- 5.0	243	97.4	95.0-99.8
45-54	345	62,142	18	4.2	1.5- 6.9	327	95.8	93.1-98.5
55-64	515	68,660	35	8.5	4.6-12.4	480	91.5	87.6-95.4
65+	790	93,357	121	15.8	12.5-19.1	669	84.2	80.9-87.5
Less Than H.S.	222	45,479	31	13.2	7.5-18.9	191	86.8	81.1-92.5
H.S. or G.E.D.	602	110,744	57	6.4	4.2- 8.6	545	93.6	91.4-95.8
Some Post-H.S.	576	110,538	52	9.3	6.0-12.6	524	90.7	87.4-94.0
College Graduate	814	115,987	51	4.3	2.7- 5.9	763	95.7	94.1-97.3
Less than \$15,000	205	31,606	25	10.9	4.4-17.4	180	89.1	82.6-95.6
\$15,000- 24,999	354	56,378	43	10.7	6.6-14.8	311	89.3	85.2-93.4
\$25,000- 34,999	214	32,978	23	11.2	4.9-17.5	191	88.8	82.5-95.1
\$35,000- 49,999	253	45,892	18	6.0	2.5- 9.5	235	94.0	90.5-97.5
\$50,000- 74,999	235	44,403	11	2.5	0.7- 4.3	224	97.5	95.7-99.3
\$75,000+	516	91,902	26	4.7	2.2- 7.2	490	95.3	92.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4006	735,525	252	6.1	4.9- 7.3	3754	93.9	92.7-95.1
Male	1787	352,579	103	5.7	4.1- 7.3	1684	94.3	92.7-95.9
Female	2219	382,946	149	6.4	4.8- 8.0	2070	93.6	92.0-95.2
White/Non-Hisp	2681	469,676	160	6.0	4.6- 7.4	2521	94.0	92.6-95.4
Black or Afr. Am./Non-Hisp	555	145,871	38	5.2	3.2- 7.2	517	94.8	92.8-96.8
Oth. Race/Non-Hisp.	182	35,600	12	7.3	2.2-12.4	170	92.7	87.6-97.8
Hispanic	431	57,388	33	7.8	4.5-11.1	398	92.2	88.9-95.5
18-24	250	86,252	8	2.1	0.3- 3.9	242	97.9	96.1-99.7
25-34	452	123,038	18	7.1	3.0-11.2	434	92.9	88.8-97.0
35-44	459	109,933	21	5.4	2.5- 8.3	438	94.6	91.7-97.5
45-54	627	119,476	48	6.1	4.1- 8.1	579	93.9	91.9-95.9
55-64	859	127,653	57	6.7	4.3- 9.1	802	93.3	90.9-95.7
65+	1359	169,174	100	7.3	5.5- 9.1	1259	92.7	90.9-94.5
Less Than H.S.	426	86,567	57	12.6	8.1-17.1	369	87.4	82.9-91.9
H.S. or G.E.D.	1129	226,919	83	5.1	3.5- 6.7	1046	94.9	93.3-96.5
Some Post-H.S.	990	211,145	65	8.1	5.4-10.8	925	91.9	89.2-94.6
College Graduate	1437	206,190	44	2.2	1.4- 3.0	1393	97.8	97.0-98.6
Less than \$15,000	318	49,058	43	13.3	8.2-18.4	275	86.7	81.6-91.8
\$15,000- 24,999	598	99,880	68	13.3	8.8-17.8	530	86.7	82.2-91.2
\$25,000- 34,999	376	64,049	24	4.9	2.4- 7.4	352	95.1	92.6-97.6
\$35,000- 49,999	459	86,027	16	3.3	0.9- 5.7	443	96.7	94.3-99.1
\$50,000- 74,999	484	93,694	23	5.6	2.7- 8.5	461	94.4	91.5-97.3
\$75,000+	1019	200,671	17	2.3	0.7- 3.9	1002	97.7	96.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1787	352,579	103	5.7	4.1- 7.3	1684	94.3	92.7-95.9
White/Non-Hisp	1190	225,483	64	5.9	3.7- 8.1	1126	94.1	91.9-96.3
Black or Afr. Am./Non-Hisp	214	67,149	15	3.6	1.4- 5.8	199	96.4	94.2-98.6
Oth. Race/Non-Hisp.	113	20,106	7	7.6	0.5-14.7	106	92.4	85.3-99.5
Hispanic	201	25,766	12	5.0	1.7- 8.3	189	95.0	91.7-98.3
18-24	145	43,523	3	1.4	0.0- 3.0	142	98.6	97.0- 100
25-34	232	62,061	11	5.3	0.6-10.0	221	94.7	90.0-99.4
35-44	208	53,309	8	6.1	1.0-11.2	200	93.9	88.8-99.0
45-54	283	57,815	21	5.8	2.9- 8.7	262	94.2	91.3-97.1
55-64	346	59,839	19	5.7	1.8- 9.6	327	94.3	90.4-98.2
65+	573	76,032	41	8.0	4.9-11.1	532	92.0	88.9-95.1
Less Than H.S.	206	42,075	25	8.2	4.3-12.1	181	91.8	87.9-95.7
H.S. or G.E.D.	530	116,197	32	3.8	1.8- 5.8	498	96.2	94.2-98.2
Some Post-H.S.	413	100,515	25	9.1	4.8-13.4	388	90.9	86.6-95.2
College Graduate	625	90,284	20	2.9	1.3- 4.5	605	97.1	95.5-98.7
Less than \$15,000	114	17,568	16	12.2	4.4-20.0	98	87.8	80.0-95.6
\$15,000- 24,999	244	43,466	23	9.0	3.7-14.3	221	91.0	85.7-96.3
\$25,000- 34,999	163	31,741	8	2.9	0.5- 5.3	155	97.1	94.7-99.5
\$35,000- 49,999	208	40,359	9	5.4	0.9- 9.9	199	94.6	90.1-99.1
\$50,000- 74,999	248	49,003	14	7.3	2.2-12.4	234	92.7	87.6-97.8
\$75,000+	502	108,610	8	3.3	0.4- 6.2	494	96.7	93.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2219	382,946	149	6.4	4.8- 8.0	2070	93.6	92.0-95.2
White/Non-Hisp	1491	244,192	96	6.1	4.1- 8.1	1395	93.9	91.9-95.9
Black or Afr. Am./Non-Hisp	341	78,722	23	6.5	3.2- 9.8	318	93.5	90.2-96.8
Oth. Race/Non-Hisp.	69	15,494	5	7.0	0.0-14.4	64	93.0	85.6- 100
Hispanic	230	31,622	21	10.0	4.7-15.3	209	90.0	84.7-95.3
18-24	105	42,728	5	2.9	0.0- 5.8	100	97.1	94.2- 100
25-34	220	60,978	7	8.8	1.9-15.7	213	91.2	84.3-98.1
35-44	251	56,624	13	4.8	1.5- 8.1	238	95.2	91.9-98.5
45-54	344	61,661	27	6.3	3.6- 9.0	317	93.7	91.0-96.4
55-64	513	67,813	38	7.6	4.7-10.5	475	92.4	89.5-95.3
65+	786	93,142	59	6.7	4.7- 8.7	727	93.3	91.3-95.3
Less Than H.S.	220	44,493	32	16.7	9.1-24.3	188	83.3	75.7-90.9
H.S. or G.E.D.	599	110,721	51	6.5	4.1- 8.9	548	93.5	91.1-95.9
Some Post-H.S.	577	110,630	40	7.2	3.9-10.5	537	92.8	89.5-96.1
College Graduate	812	115,906	24	1.6	0.8- 2.4	788	98.4	97.6-99.2
Less than \$15,000	204	31,490	27	13.9	7.2-20.6	177	86.1	79.4-92.8
\$15,000- 24,999	354	56,414	45	16.6	9.9-23.3	309	83.4	76.7-90.1
\$25,000- 34,999	213	32,308	16	6.9	2.4-11.4	197	93.1	88.6-97.6
\$35,000- 49,999	251	45,668	7	1.5	0.1- 2.9	244	98.5	97.1-99.9
\$50,000- 74,999	236	44,691	9	3.8	1.1- 6.5	227	96.2	93.5-98.9
\$75,000+	517	92,061	9	1.1	0.0- 2.3	508	98.9	97.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3996	734,655	518	13.2	11.6-14.8	3478	86.8	85.2-88.4
Male	1787	352,278	223	12.8	10.4-15.2	1564	87.2	84.8-89.6
Female	2209	382,377	295	13.6	11.4-15.8	1914	86.4	84.2-88.6
White/Non-Hisp	2671	468,491	330	14.0	11.8-16.2	2341	86.0	83.8-88.2
Black or Afr. Am./Non-Hisp	557	146,391	62	9.7	6.6-12.8	495	90.3	87.2-93.4
Oth. Race/Non-Hisp.	182	35,669	20	7.3	3.2-11.4	162	92.7	88.6-96.8
Hispanic	428	57,229	70	15.9	11.4-20.4	358	84.1	79.6-88.6
18-24	250	85,949	33	13.5	7.8-19.2	217	86.5	80.8-92.2
25-34	450	122,872	71	18.1	12.6-23.6	379	81.9	76.4-87.4
35-44	455	109,653	59	13.5	9.4-17.6	396	86.5	82.4-90.6
45-54	623	118,736	92	10.9	8.2-13.6	531	89.1	86.4-91.8
55-64	859	128,431	119	13.2	10.1-16.3	740	86.8	83.7-89.9
65+	1359	169,013	144	11.1	8.7-13.5	1215	88.9	86.5-91.3
Less Than H.S.	425	86,971	100	26.5	20.2-32.8	325	73.5	67.2-79.8
H.S. or G.E.D.	1124	226,424	168	13.5	10.8-16.2	956	86.5	83.8-89.2
Some Post-H.S.	991	210,929	133	13.4	10.3-16.5	858	86.6	83.5-89.7
College Graduate	1433	205,714	115	7.0	5.2- 8.8	1318	93.0	91.2-94.8
Less than \$15,000	315	48,850	91	29.4	22.3-36.5	224	70.6	63.5-77.7
\$15,000- 24,999	601	100,260	124	20.6	15.9-25.3	477	79.4	74.7-84.1
\$25,000- 34,999	376	64,548	61	20.3	13.6-27.0	315	79.7	73.0-86.4
\$35,000- 49,999	459	85,789	49	11.7	6.8-16.6	410	88.3	83.4-93.2
\$50,000- 74,999	484	93,625	49	10.2	6.1-14.3	435	89.8	85.7-93.9
\$75,000+	1012	199,366	42	5.2	3.0- 7.4	970	94.8	92.6-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1787	352,278	223	12.8	10.4-15.2	1564	87.2	84.8-89.6
White/Non-Hisp	1186	224,635	142	13.2	10.3-16.1	1044	86.8	83.9-89.7
Black or Afr. Am./Non-Hisp	216	67,669	26	9.9	5.0-14.8	190	90.1	85.2-95.0
Oth. Race/Non-Hisp.	114	20,251	15	8.7	3.0-14.4	99	91.3	85.6-97.0
Hispanic	201	25,765	21	9.3	4.6-14.0	180	90.7	86.0-95.4
18-24	145	43,221	22	18.3	9.5-27.1	123	81.7	72.9-90.5
25-34	232	62,039	32	12.8	6.5-19.1	200	87.2	80.9-93.5
35-44	207	53,251	25	12.0	6.3-17.7	182	88.0	82.3-93.7
45-54	282	57,514	38	11.1	7.0-15.2	244	88.9	84.8-93.0
55-64	346	60,026	45	12.8	7.7-17.9	301	87.2	82.1-92.3
65+	575	76,227	61	11.6	7.7-15.5	514	88.4	84.5-92.3
Less Than H.S.	207	42,167	44	24.4	15.8-33.0	163	75.6	67.0-84.2
H.S. or G.E.D.	528	115,764	74	13.4	9.3-17.5	454	86.6	82.5-90.7
Some Post-H.S.	416	100,769	52	12.1	7.6-16.6	364	87.9	83.4-92.4
College Graduate	623	90,071	52	7.1	4.7- 9.5	571	92.9	90.5-95.3
Less than \$15,000	114	17,568	30	27.3	16.1-38.5	84	72.7	61.5-83.9
\$15,000- 24,999	248	44,004	54	20.3	14.0-26.6	194	79.7	73.4-86.0
\$25,000- 34,999	163	31,617	24	19.1	9.1-29.1	139	80.9	70.9-90.9
\$35,000- 49,999	207	40,246	18	6.7	3.0-10.4	189	93.3	89.6-97.0
\$50,000- 74,999	249	49,121	35	15.9	8.6-23.2	214	84.1	76.8-91.4
\$75,000+	499	107,928	22	5.3	2.2- 8.4	477	94.7	91.6-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2209	382,377	295	13.6	11.4-15.8	1914	86.4	84.2-88.6
White/Non-Hisp	1485	243,856	188	14.6	11.7-17.5	1297	85.4	82.5-88.3
Black or Afr. Am./Non-Hisp	341	78,722	36	9.4	5.3-13.5	305	90.6	86.5-94.7
Oth. Race/Non-Hisp.	68	15,418	5	5.4	0.0-11.5	63	94.6	88.5- 100
Hispanic	227	31,465	49	21.3	14.2-28.4	178	78.7	71.6-85.8
18-24	105	42,728	11	8.5	1.8-15.2	94	91.5	84.8-98.2
25-34	218	60,833	39	23.6	14.6-32.6	179	76.4	67.4-85.4
35-44	248	56,402	34	14.9	9.0-20.8	214	85.1	79.2-91.0
45-54	341	61,223	54	10.7	7.4-14.0	287	89.3	86.0-92.6
55-64	513	68,404	74	13.5	9.6-17.4	439	86.5	82.6-90.4
65+	784	92,787	83	10.7	8.0-13.4	701	89.3	86.6-92.0
Less Than H.S.	218	44,804	56	28.5	19.5-37.5	162	71.5	62.5-80.5
H.S. or G.E.D.	596	110,660	94	13.6	9.9-17.3	502	86.4	82.7-90.1
Some Post-H.S.	575	110,160	81	14.7	10.2-19.2	494	85.3	80.8-89.8
College Graduate	810	115,643	63	6.9	4.2- 9.6	747	93.1	90.4-95.8
Less than \$15,000	201	31,282	61	30.5	21.5-39.5	140	69.5	60.5-78.5
\$15,000- 24,999	353	56,257	70	20.8	14.1-27.5	283	79.2	72.5-85.9
\$25,000- 34,999	213	32,931	37	21.4	12.2-30.6	176	78.6	69.4-87.8
\$35,000- 49,999	252	45,543	31	16.1	7.9-24.3	221	83.9	75.7-92.1
\$50,000- 74,999	235	44,503	14	3.9	1.5- 6.3	221	96.1	93.7-98.5
\$75,000+	513	91,438	20	5.0	1.9- 8.1	493	95.0	91.9-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	734,142	803	16.5	14.9-18.1	3197	83.5	81.9-85.1
Male	1791	352,548	305	14.6	12.4-16.8	1486	85.4	83.2-87.6
Female	2209	381,594	498	18.2	16.0-20.4	1711	81.8	79.6-84.0
White/Non-Hisp	2673	468,483	569	17.4	15.4-19.4	2104	82.6	80.6-84.6
Black or Afr. Am./Non-Hisp	555	145,861	106	16.2	12.1-20.3	449	83.8	79.7-87.9
Oth. Race/Non-Hisp.	184	35,801	27	12.1	5.6-18.6	157	87.9	81.4-94.4
Hispanic	430	57,261	62	11.4	7.7-15.1	368	88.6	84.9-92.3
18-24	250	85,949	8	3.9	0.2- 7.6	242	96.1	92.4-99.8
25-34	450	122,851	27	6.6	3.3- 9.9	423	93.4	90.1-96.7
35-44	458	109,827	38	7.5	4.4-10.6	420	92.5	89.4-95.6
45-54	626	119,353	110	16.0	12.5-19.5	516	84.0	80.5-87.5
55-64	856	127,661	229	26.1	22.0-30.2	627	73.9	69.8-78.0
65+	1360	168,500	391	29.0	25.9-32.1	969	71.0	67.9-74.1
Less Than H.S.	426	87,054	126	26.3	20.6-32.0	300	73.7	68.0-79.4
H.S. or G.E.D.	1126	225,838	258	18.0	15.1-20.9	868	82.0	79.1-84.9
Some Post-H.S.	990	210,968	219	17.9	14.8-21.0	771	82.1	79.0-85.2
College Graduate	1434	205,579	198	9.6	8.0-11.2	1236	90.4	88.8-92.0
Less than \$15,000	318	48,953	128	35.9	28.5-43.3	190	64.1	56.7-71.5
\$15,000- 24,999	601	99,988	179	27.3	22.4-32.2	422	72.7	67.8-77.6
\$25,000- 34,999	376	64,667	93	20.6	14.9-26.3	283	79.4	73.7-85.1
\$35,000- 49,999	459	86,072	81	13.9	10.0-17.8	378	86.1	82.2-90.0
\$50,000- 74,999	485	93,812	79	14.8	10.5-19.1	406	85.2	80.9-89.5
\$75,000+	1014	199,412	83	5.1	3.7- 6.5	931	94.9	93.5-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	352,548	305	14.6	12.4-16.8	1486	85.4	83.2-87.6
White/Non-Hisp	1189	224,971	213	15.4	12.7-18.1	976	84.6	81.9-87.3
Black or Afr. Am./Non-Hisp	215	67,314	38	15.2	9.3-21.1	177	84.8	78.9-90.7
Oth. Race/Non-Hisp.	115	20,307	15	7.8	2.9-12.7	100	92.2	87.3-97.1
Hispanic	201	25,777	21	8.1	3.6-12.6	180	91.9	87.4-96.4
18-24	145	43,221	4	2.3	0.0- 4.8	141	97.7	95.2- 100
25-34	231	61,932	8	1.7	0.0- 3.5	223	98.3	96.5- 100
35-44	208	53,309	15	7.0	2.5-11.5	193	93.0	88.5-97.5
45-54	283	57,733	40	13.3	8.4-18.2	243	86.7	81.8-91.6
55-64	345	59,672	89	28.4	21.3-35.5	256	71.6	64.5-78.7
65+	579	76,681	149	27.6	22.7-32.5	430	72.4	67.5-77.3
Less Than H.S.	208	42,280	56	26.2	18.0-34.4	152	73.8	65.6-82.0
H.S. or G.E.D.	531	115,970	96	14.5	10.6-18.4	435	85.5	81.6-89.4
Some Post-H.S.	415	100,651	72	14.5	10.0-19.0	343	85.5	81.0-90.0
College Graduate	624	90,140	80	10.1	7.6-12.6	544	89.9	87.4-92.4
Less than \$15,000	114	17,463	36	31.8	19.6-44.0	78	68.2	56.0-80.4
\$15,000- 24,999	249	44,060	67	26.1	18.8-33.4	182	73.9	66.6-81.2
\$25,000- 34,999	163	31,739	32	20.0	11.2-28.8	131	80.0	71.2-88.8
\$35,000- 49,999	208	40,359	27	10.8	5.5-16.1	181	89.2	83.9-94.5
\$50,000- 74,999	249	49,121	50	19.4	12.5-26.3	199	80.6	73.7-87.5
\$75,000+	500	108,085	36	3.7	2.3- 5.1	464	96.3	94.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2209	381,594	498	18.2	16.0-20.4	1711	81.8	79.6-84.0
White/Non-Hisp	1484	243,513	356	19.2	16.7-21.7	1128	80.8	78.3-83.3
Black or Afr. Am./Non-Hisp	340	78,546	68	17.0	11.3-22.7	272	83.0	77.3-88.7
Oth. Race/Non-Hisp.	69	15,494	12	17.7	4.6-30.8	57	82.3	69.2-95.4
Hispanic	229	31,484	41	14.0	8.3-19.7	188	86.0	80.3-91.7
18-24	105	42,728	4	5.6	0.0-12.7	101	94.4	87.3- 100
25-34	219	60,919	19	11.6	5.3-17.9	200	88.4	82.1-94.7
35-44	250	56,518	23	8.0	3.9-12.1	227	92.0	87.9-96.1
45-54	343	61,620	70	18.6	13.3-23.9	273	81.4	76.1-86.7
55-64	511	67,989	140	24.1	19.2-29.0	371	75.9	71.0-80.8
65+	781	91,819	242	30.2	26.1-34.3	539	69.8	65.7-73.9
Less Than H.S.	218	44,773	70	26.4	18.6-34.2	148	73.6	65.8-81.4
H.S. or G.E.D.	595	109,868	162	21.7	17.2-26.2	433	78.3	73.8-82.8
Some Post-H.S.	575	110,317	147	21.0	16.5-25.5	428	79.0	74.5-83.5
College Graduate	810	115,439	118	9.2	7.0-11.4	692	90.8	88.6-93.0
Less than \$15,000	204	31,490	92	38.1	28.7-47.5	112	61.9	52.5-71.3
\$15,000- 24,999	352	55,928	112	28.4	21.7-35.1	240	71.6	64.9-78.3
\$25,000- 34,999	213	32,928	61	21.2	13.9-28.5	152	78.8	71.5-86.1
\$35,000- 49,999	251	45,713	54	16.7	10.8-22.6	197	83.3	77.4-89.2
\$50,000- 74,999	236	44,691	29	9.9	5.4-14.4	207	90.1	85.6-94.6
\$75,000+	514	91,328	47	6.7	4.3- 9.1	467	93.3	90.9-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4006	734,736	226	4.9	3.9- 5.9	3780	95.1	94.1-96.1
Male	1792	352,271	81	3.7	2.5- 4.9	1711	96.3	95.1-97.5
Female	2214	382,465	145	6.1	4.7- 7.5	2069	93.9	92.5-95.3
White/Non-Hisp	2676	468,533	145	4.5	3.5- 5.5	2531	95.5	94.5-96.5
Black or Afr. Am./Non-Hisp	557	146,391	38	6.2	3.7- 8.7	519	93.8	91.3-96.3
Oth. Race/Non-Hisp.	184	35,801	8	6.7	1.0-12.4	176	93.3	87.6-99.0
Hispanic	431	57,387	23	4.7	2.3- 7.1	408	95.3	92.9-97.7
18-24	250	85,536	2	0.9	0.0- 2.3	248	99.1	97.7- 100
25-34	451	122,969	10	2.6	0.2- 5.0	441	97.4	95.0-99.8
35-44	457	109,500	18	3.8	1.4- 6.2	439	96.2	93.8-98.6
45-54	627	119,367	42	6.0	3.8- 8.2	585	94.0	91.8-96.2
55-64	857	127,943	63	6.8	4.4- 9.2	794	93.2	90.8-95.6
65+	1364	169,421	91	7.2	5.2- 9.2	1273	92.8	90.8-94.8
Less Than H.S.	427	87,180	49	11.6	7.5-15.7	378	88.4	84.3-92.5
H.S. or G.E.D.	1129	226,450	72	4.9	3.3- 6.5	1057	95.1	93.5-96.7
Some Post-H.S.	992	210,640	61	5.7	3.7- 7.7	931	94.3	92.3-96.3
College Graduate	1434	205,763	41	1.4	0.8- 2.0	1393	98.6	98.0-99.2
Less than \$15,000	319	49,121	43	16.6	10.3-22.9	276	83.4	77.1-89.7
\$15,000- 24,999	600	99,035	61	8.6	5.9-11.3	539	91.4	88.7-94.1
\$25,000- 34,999	376	64,704	27	6.9	3.4-10.4	349	93.1	89.6-96.6
\$35,000- 49,999	461	86,303	17	2.3	0.7- 3.9	444	97.7	96.1-99.3
\$50,000- 74,999	484	93,555	14	2.1	0.5- 3.7	470	97.9	96.3-99.5
\$75,000+	1015	199,970	16	0.8	0.4- 1.2	999	99.2	98.8-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	352,271	81	3.7	2.5- 4.9	1711	96.3	95.1-97.5
White/Non-Hisp	1189	224,452	49	3.2	2.0- 4.4	1140	96.8	95.6-98.0
Black or Afr. Am./Non-Hisp	216	67,669	14	5.4	2.1- 8.7	202	94.6	91.3-97.9
Oth. Race/Non-Hisp.	115	20,307	4	1.8	0.0- 3.8	111	98.2	96.2- 100
Hispanic	201	25,777	8	4.1	0.6- 7.6	193	95.9	92.4-99.4
18-24	145	42,808				145	100.0	100.0- 100
25-34	232	62,050	4	0.6	0.0- 1.2	228	99.4	98.8- 100
35-44	208	53,309	7	3.3	0.0- 6.6	201	96.7	93.4- 100
45-54	283	57,620	18	5.2	2.5- 7.9	265	94.8	92.1-97.5
55-64	346	59,863	19	4.1	1.9- 6.3	327	95.9	93.7-98.1
65+	578	76,620	33	7.2	3.9-10.5	545	92.8	89.5-96.1
Less Than H.S.	208	42,280	22	8.3	4.2-12.4	186	91.7	87.6-95.8
H.S. or G.E.D.	533	116,546	24	4.5	2.1- 6.9	509	95.5	93.1-97.9
Some Post-H.S.	415	99,971	19	3.0	1.2- 4.8	396	97.0	95.2-98.8
College Graduate	623	89,966	15	1.4	0.4- 2.4	608	98.6	97.6-99.6
Less than \$15,000	115	17,631	11	7.6	2.5-12.7	104	92.4	87.3-97.5
\$15,000- 24,999	247	42,931	21	7.3	3.6-11.0	226	92.7	89.0-96.4
\$25,000- 34,999	163	31,739	9	4.7	0.8- 8.6	154	95.3	91.4-99.2
\$35,000- 49,999	208	40,359	5	1.5	0.0- 3.1	203	98.5	96.9- 100
\$50,000- 74,999	248	48,864	11	3.7	0.6- 6.8	237	96.3	93.2-99.4
\$75,000+	500	108,409	8	0.9	0.1- 1.7	492	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2214	382,465	145	6.1	4.7- 7.5	2069	93.9	92.5-95.3
White/Non-Hisp	1487	244,082	96	5.6	3.8- 7.4	1391	94.4	92.6-96.2
Black or Afr. Am./Non-Hisp	341	78,722	24	6.8	3.3-10.3	317	93.2	89.7-96.7
Oth. Race/Non-Hisp.	69	15,494	4	13.1	0.8-25.4	65	86.9	74.6-99.2
Hispanic	230	31,610	15	5.2	2.1- 8.3	215	94.8	91.7-97.9
18-24	105	42,728	2	1.8	0.0- 4.7	103	98.2	95.3- 100
25-34	219	60,919	6	4.8	0.3- 9.3	213	95.2	90.7-99.7
35-44	249	56,191	11	4.3	1.0- 7.6	238	95.7	92.4-99.0
45-54	344	61,746	24	6.8	3.5-10.1	320	93.2	89.9-96.5
55-64	511	68,080	44	9.1	5.2-13.0	467	90.9	87.0-94.8
65+	786	92,801	58	7.2	4.7- 9.7	728	92.8	90.3-95.3
Less Than H.S.	219	44,899	27	14.7	7.6-21.8	192	85.3	78.2-92.4
H.S. or G.E.D.	596	109,904	48	5.3	3.3- 7.3	548	94.7	92.7-96.7
Some Post-H.S.	577	110,669	42	8.0	4.7-11.3	535	92.0	88.7-95.3
College Graduate	811	115,797	26	1.4	0.8- 2.0	785	98.6	98.0-99.2
Less than \$15,000	204	31,490	32	21.7	12.7-30.7	172	78.3	69.3-87.3
\$15,000- 24,999	353	56,104	40	9.7	5.6-13.8	313	90.3	86.2-94.4
\$25,000- 34,999	213	32,965	18	9.0	3.3-14.7	195	91.0	85.3-96.7
\$35,000- 49,999	253	45,943	12	3.0	0.5- 5.5	241	97.0	94.5-99.5
\$50,000- 74,999	236	44,691	3	0.4	0.0- 0.8	233	99.6	99.2- 100
\$75,000+	515	91,561	8	0.6	0.2- 1.0	507	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3994	732,499	350	8.4	7.2- 9.6	3644	91.6	90.4-92.8
Male	1789	351,234	109	5.7	4.1- 7.3	1680	94.3	92.7-95.9
Female	2205	381,265	241	10.9	8.9-12.9	1964	89.1	87.1-91.1
White/Non-Hisp	2670	468,011	222	8.0	6.6- 9.4	2448	92.0	90.6-93.4
Black or Afr. Am./Non-Hisp	550	144,419	52	7.6	4.7-10.5	498	92.4	89.5-95.3
Oth. Race/Non-Hisp.	184	35,801	17	12.4	5.3-19.5	167	87.6	80.5-94.7
Hispanic	431	57,387	42	9.8	5.9-13.7	389	90.2	86.3-94.1
18-24	250	85,536	10	5.1	0.8- 9.4	240	94.9	90.6-99.2
25-34	449	122,747	37	8.6	4.9-12.3	412	91.4	87.7-95.1
35-44	458	109,827	30	7.1	3.8-10.4	428	92.9	89.6-96.2
45-54	626	119,348	54	7.1	4.6- 9.6	572	92.9	90.4-95.4
55-64	856	127,927	78	9.0	6.5-11.5	778	91.0	88.5-93.5
65+	1355	167,113	141	11.3	8.9-13.7	1214	88.7	86.3-91.1
Less Than H.S.	425	87,028	75	19.2	13.9-24.5	350	80.8	75.5-86.1
H.S. or G.E.D.	1123	224,884	121	8.8	6.4-11.2	1002	91.2	88.8-93.6
Some Post-H.S.	991	210,579	87	8.2	5.8-10.6	904	91.8	89.4-94.2
College Graduate	1431	205,304	64	3.5	2.3- 4.7	1367	96.5	95.3-97.7
Less than \$15,000	315	48,876	66	17.9	12.2-23.6	249	82.1	76.4-87.8
\$15,000- 24,999	600	99,274	92	17.2	12.9-21.5	508	82.8	78.5-87.1
\$25,000- 34,999	375	64,534	33	9.7	5.2-14.2	342	90.3	85.8-94.8
\$35,000- 49,999	459	85,928	33	8.4	3.9-12.9	426	91.6	87.1-96.1
\$50,000- 74,999	483	93,557	23	4.7	2.0- 7.4	460	95.3	92.6-98.0
\$75,000+	1015	199,884	26	1.9	0.9- 2.9	989	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1789	351,234	109	5.7	4.1- 7.3	1680	94.3	92.7-95.9
White/Non-Hisp	1189	224,731	64	5.8	3.8- 7.8	1125	94.2	92.2-96.2
Black or Afr. Am./Non-Hisp	212	66,096	14	3.9	1.4- 6.4	198	96.1	93.6-98.6
Oth. Race/Non-Hisp.	115	20,307	9	7.3	1.0-13.6	106	92.7	86.4-99.0
Hispanic	201	25,777	16	5.7	2.4- 9.0	185	94.3	91.0-97.6
18-24	145	42,808	4	1.6	0.0- 3.2	141	98.4	96.8- 100
25-34	231	61,909	14	6.4	1.5-11.3	217	93.6	88.7-98.5
35-44	208	53,309	9	4.2	0.7- 7.7	199	95.8	92.3-99.3
45-54	283	57,749	16	3.8	1.6- 6.0	267	96.2	94.0-98.4
55-64	346	60,165	24	7.2	3.5-10.9	322	92.8	89.1-96.5
65+	576	75,294	42	8.9	5.4-12.4	534	91.1	87.6-94.6
Less Than H.S.	208	42,280	28	12.8	6.5-19.1	180	87.2	80.9-93.5
H.S. or G.E.D.	529	115,220	42	7.3	4.2-10.4	487	92.7	89.6-95.8
Some Post-H.S.	415	99,971	14	3.0	1.0- 5.0	401	97.0	95.0-99.0
College Graduate	624	90,255	23	3.4	1.8- 5.0	601	96.6	95.0-98.2
Less than \$15,000	115	17,631	17	10.7	4.4-17.0	98	89.3	83.0-95.6
\$15,000- 24,999	248	43,262	37	19.1	11.5-26.7	211	80.9	73.3-88.5
\$25,000- 34,999	162	31,598	7	6.1	0.2-12.0	155	93.9	88.0-99.8
\$35,000- 49,999	207	40,331	5	2.4	0.0- 4.8	202	97.6	95.2- 100
\$50,000- 74,999	248	49,037	11	3.8	0.7- 6.9	237	96.2	93.1-99.3
\$75,000+	501	108,470	10	1.2	0.2- 2.2	491	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2205	381,265	241	10.9	8.9-12.9	1964	89.1	87.1-91.1
White/Non-Hisp	1481	243,281	158	10.1	7.9-12.3	1323	89.9	87.7-92.1
Black or Afr. Am./Non-Hisp	338	78,323	38	10.7	5.8-15.6	300	89.3	84.4-94.2
Oth. Race/Non-Hisp.	69	15,494	8	19.2	5.5-32.9	61	80.8	67.1-94.5
Hispanic	230	31,610	26	13.2	6.5-19.9	204	86.8	80.1-93.5
18-24	105	42,728	6	8.7	0.5-16.9	99	91.3	83.1-99.5
25-34	218	60,838	23	10.9	5.4-16.4	195	89.1	83.6-94.6
35-44	250	56,518	21	9.9	4.6-15.2	229	90.1	84.8-95.4
45-54	343	61,600	38	10.1	5.8-14.4	305	89.9	85.6-94.2
55-64	510	67,761	54	10.5	6.8-14.2	456	89.5	85.8-93.2
65+	779	91,820	99	13.2	10.1-16.3	680	86.8	83.7-89.9
Less Than H.S.	217	44,748	47	25.3	17.1-33.5	170	74.7	66.5-82.9
H.S. or G.E.D.	594	109,664	79	10.5	7.0-14.0	515	89.5	86.0-93.0
Some Post-H.S.	576	110,608	73	12.9	9.0-16.8	503	87.1	83.2-91.0
College Graduate	807	115,049	41	3.7	1.9- 5.5	766	96.3	94.5-98.1
Less than \$15,000	200	31,245	49	21.9	13.9-29.9	151	78.1	70.1-86.1
\$15,000- 24,999	352	56,012	55	15.7	10.8-20.6	297	84.3	79.4-89.2
\$25,000- 34,999	213	32,936	26	13.2	6.3-20.1	187	86.8	79.9-93.7
\$35,000- 49,999	252	45,597	28	13.6	5.8-21.4	224	86.4	78.6-94.2
\$50,000- 74,999	235	44,520	12	5.7	0.8-10.6	223	94.3	89.4-99.2
\$75,000+	514	91,414	16	2.7	0.9- 4.5	498	97.3	95.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	182
2	MALES ONLY	183
3	FEMALES ONLY	184
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	185
5	MALES ONLY	186
6	FEMALES ONLY	187
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	188
8	MALES ONLY	189
9	FEMALES ONLY	190
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	191
11	MALES ONLY	192
12	FEMALES ONLY	193
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	194
14	MALES ONLY	195
15	FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3962	728,682	1726	42.1	39.9-44.3	2236	57.9	55.7-60.1
Male	1769	348,935	859	47.4	44.1-50.7	910	52.6	49.3-55.9
Female	2193	379,747	867	37.3	34.6-40.0	1326	62.7	60.0-65.4
White/Non-Hisp	2653	465,657	1279	47.5	45.0-50.0	1374	52.5	50.0-55.0
Black or Afr. Am./Non-Hisp	547	143,753	194	32.6	27.1-38.1	353	67.4	61.9-72.9
Oth. Race/Non-Hisp.	180	35,325	72	37.9	28.1-47.7	108	62.1	52.3-71.9
Hispanic	425	56,913	106	22.4	17.1-27.7	319	77.6	72.3-82.9
18-24	249	84,779	47	17.8	11.9-23.7	202	82.2	76.3-88.1
25-34	445	122,360	155	41.1	34.4-47.8	290	58.9	52.2-65.6
35-44	450	107,949	183	45.4	39.1-51.7	267	54.6	48.3-60.9
45-54	623	119,112	264	39.3	34.4-44.2	359	60.7	55.8-65.6
55-64	852	127,696	409	49.7	45.2-54.2	443	50.3	45.8-54.8
65+	1343	166,785	668	49.4	46.1-52.7	675	50.6	47.3-53.9
Less Than H.S.	414	85,247	192	52.8	45.7-59.9	222	47.2	40.1-54.3
H.S. or G.E.D.	1119	225,369	547	44.6	40.5-48.7	572	55.4	51.3-59.5
Some Post-H.S.	983	208,615	485	48.2	43.9-52.5	498	51.8	47.5-56.1
College Graduate	1424	204,863	494	28.8	25.9-31.7	930	71.2	68.3-74.1
Less than \$15,000	314	47,999	159	50.3	42.5-58.1	155	49.7	41.9-57.5
\$15,000- 24,999	596	98,669	293	50.1	44.4-55.8	303	49.9	44.2-55.6
\$25,000- 34,999	369	63,610	179	51.6	44.3-58.9	190	48.4	41.1-55.7
\$35,000- 49,999	456	85,225	216	44.1	37.4-50.8	240	55.9	49.2-62.6
\$50,000- 74,999	480	93,051	218	43.7	37.4-50.0	262	56.3	50.0-62.6
\$75,000+	1008	198,999	376	36.7	32.6-40.8	632	63.3	59.2-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1769	348,935	859	47.4	44.1-50.7	910	52.6	49.3-55.9
White/Non-Hisp	1177	223,324	614	51.0	47.1-54.9	563	49.0	45.1-52.9
Black or Afr. Am./Non-Hisp	210	65,763	80	37.4	28.0-46.8	130	62.6	53.2-72.0
Oth. Race/Non-Hisp.	113	20,126	54	47.8	35.1-60.5	59	52.2	39.5-64.9
Hispanic	197	25,398	73	35.3	25.5-45.1	124	64.7	54.9-74.5
18-24	144	42,051	34	21.5	13.3-29.7	110	78.5	70.3-86.7
25-34	227	61,522	88	43.0	33.8-52.2	139	57.0	47.8-66.2
35-44	205	52,829	102	55.7	46.3-65.1	103	44.3	34.9-53.7
45-54	282	57,642	125	43.1	35.3-50.9	157	56.9	49.1-64.7
55-64	343	59,850	176	53.0	45.7-60.3	167	47.0	39.7-54.3
65+	568	75,040	334	58.6	53.5-63.7	234	41.4	36.3-46.5
Less Than H.S.	199	40,610	119	62.5	51.7-73.3	80	37.5	26.7-48.3
H.S. or G.E.D.	526	115,322	268	47.3	41.0-53.6	258	52.7	46.4-59.0
Some Post-H.S.	411	99,530	226	53.2	46.7-59.7	185	46.8	40.3-53.3
College Graduate	620	89,964	241	34.4	29.7-39.1	379	65.6	60.9-70.3
Less than \$15,000	112	16,660	65	66.7	55.1-78.3	47	33.3	21.7-44.9
\$15,000- 24,999	246	43,043	137	55.1	46.7-63.5	109	44.9	36.5-53.3
\$25,000- 34,999	159	31,253	81	55.8	44.8-66.8	78	44.2	33.2-55.2
\$35,000- 49,999	204	40,003	108	48.3	38.5-58.1	96	51.7	41.9-61.5
\$50,000- 74,999	245	48,547	132	53.5	44.5-62.5	113	46.5	37.5-55.5
\$75,000+	497	107,967	205	42.1	35.8-48.4	292	57.9	51.6-64.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2193	379,747	867	37.3	34.6-40.0	1326	62.7	60.0-65.4
White/Non-Hisp	1476	242,332	665	44.4	40.9-47.9	811	55.6	52.1-59.1
Black or Afr. Am./Non-Hisp	337	77,990	114	28.5	22.2-34.8	223	71.5	65.2-77.8
Oth. Race/Non-Hisp.	67	15,199	18	24.9	11.2-38.6	49	75.1	61.4-88.8
Hispanic	228	31,515	33	12.0	6.9-17.1	195	88.0	82.9-93.1
18-24	105	42,728	13	14.1	5.7-22.5	92	85.9	77.5-94.3
25-34	218	60,838	67	39.2	30.0-48.4	151	60.8	51.6-70.0
35-44	245	55,119	81	35.6	28.0-43.2	164	64.4	56.8-72.0
45-54	341	61,470	139	35.6	29.3-41.9	202	64.4	58.1-70.7
55-64	509	67,846	233	46.8	41.1-52.5	276	53.2	47.5-58.9
65+	775	91,745	334	41.8	37.5-46.1	441	58.2	53.9-62.5
Less Than H.S.	215	44,637	73	44.0	34.4-53.6	142	56.0	46.4-65.6
H.S. or G.E.D.	593	110,047	279	41.6	36.1-47.1	314	58.4	52.9-63.9
Some Post-H.S.	572	109,085	259	43.6	37.9-49.3	313	56.4	50.7-62.1
College Graduate	804	114,900	253	24.4	20.7-28.1	551	75.6	71.9-79.3
Less than \$15,000	202	31,339	94	41.5	32.1-50.9	108	58.5	49.1-67.9
\$15,000- 24,999	350	55,626	156	46.3	38.7-53.9	194	53.7	46.1-61.3
\$25,000- 34,999	210	32,357	98	47.6	38.0-57.2	112	52.4	42.8-62.0
\$35,000- 49,999	252	45,222	108	40.3	31.3-49.3	144	59.7	50.7-68.7
\$50,000- 74,999	235	44,503	86	33.0	25.0-41.0	149	67.0	59.0-75.0
\$75,000+	511	91,031	171	30.2	25.1-35.3	340	69.8	64.7-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1723	306,481	411	26.6	23.7-29.5	183	13.8	11.3-16.3	1129	59.5	56.2-62.8
Male	858	165,287	192	24.0	19.9-28.1	91	13.8	10.5-17.1	575	62.2	57.5-66.9
Female	865	141,194	219	29.7	25.2-34.2	92	13.9	10.4-17.4	554	56.4	51.7-61.1
White/Non-Hisp	1278	221,196	275	24.5	21.2-27.8	107	11.5	8.8-14.2	896	63.9	60.2-67.6
Black or Afr. Am./Non-Hisp	193	46,723	63	33.7	24.3-43.1	39	20.6	13.0-28.2	91	45.7	34.9-56.5
Oth. Race/Non-Hisp.	72	13,392	25	26.4	13.5-39.3	14	29.3	13.6-45.0	33	44.3	28.4-60.2
Hispanic	106	12,748	22	21.6	11.6-31.6	15	20.5	8.9-32.1	69	57.9	45.0-70.8
25-34	155	50,308	53	34.3	24.1-44.5	43	29.4	19.8-39.0	59	36.3	25.7-46.9
35-44	183	49,058	60	29.6	21.2-38.0	31	18.0	10.9-25.1	92	52.4	42.4-62.4
45-54	262	46,435	89	33.2	25.9-40.5	32	14.1	8.6-19.6	141	52.7	44.7-60.7
55-64	408	63,274	112	26.0	20.3-31.7	42	9.9	6.0-13.8	254	64.0	57.7-70.3
65+	668	82,343	75	12.5	9.0-16.0	27	3.2	1.8- 4.6	566	84.3	80.6-88.0
Less Than H.S.	192	45,012	67	42.0	32.0-52.0	24	11.8	5.5-18.1	101	46.2	36.6-55.8
H.S. or G.E.D.	547	100,424	178	30.8	25.5-36.1	68	15.6	11.3-19.9	301	53.6	47.5-59.7
Some Post-H.S.	485	100,534	111	23.0	17.9-28.1	58	15.5	10.6-20.4	316	61.5	55.4-67.6
College Graduate	492	58,695	53	13.3	8.8-17.8	32	9.2	5.1-13.3	407	77.4	71.9-82.9
Less than \$15,000	159	24,122	67	42.8	32.0-53.6	28	21.1	12.1-30.1	64	36.1	25.9-46.3
\$15,000- 24,999	293	49,461	93	38.5	30.1-46.9	31	8.3	4.6-12.0	169	53.2	45.0-61.4
\$25,000- 34,999	178	32,760	51	28.1	19.1-37.1	20	16.9	8.3-25.5	107	55.0	44.6-65.4
\$35,000- 49,999	216	37,547	50	25.9	17.9-33.9	19	11.4	5.1-17.7	147	62.6	53.4-71.8
\$50,000- 74,999	218	40,675	38	23.8	15.4-32.2	24	15.5	8.2-22.8	156	60.7	51.5-69.9
\$75,000+	375	72,819	52	15.6	10.5-20.7	32	15.8	9.7-21.9	291	68.5	61.4-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	858	165,287	192	24.0	19.9-28.1	91	13.8	10.5-17.1	575	62.2	57.7-66.7
White/Non-Hisp	613	113,651	121	22.1	17.6-26.6	47	10.4	6.7-14.1	445	67.6	62.5-72.7
Black or Afr. Am./Non-Hisp	80	24,568	29	30.0	16.3-43.7	16	19.6	8.6-30.6	35	50.4	33.7-67.1
Oth. Race/Non-Hisp.	54	9,613	19	24.9	10.8-39.0	12	37.9	18.7-57.1	23	37.2	19.6-54.8
Hispanic	73	8,978	11	17.2	5.8-28.6	12	23.8	9.1-38.5	50	58.9	43.2-74.6
25-34	88	26,455	19	20.5	8.9-32.1	30	37.3	23.4-51.2	39	42.2	28.1-56.3
35-44	102	29,450	38	33.2	21.0-45.4	16	14.9	6.5-23.3	48	51.9	37.8-66.0
45-54	125	24,845	40	29.1	19.1-39.1	15	14.8	6.6-23.0	70	56.1	44.5-67.7
55-64	175	31,549	45	21.5	13.7-29.3	17	8.6	3.9-13.3	113	69.9	61.3-78.5
65+	334	43,962	34	13.1	7.6-18.6	8	1.7	0.5- 2.9	292	85.2	79.7-90.7
Less Than H.S.	119	25,389	42	41.4	29.1-53.7	11	6.3	1.2-11.4	66	52.4	40.2-64.6
H.S. or G.E.D.	268	54,602	84	28.6	21.2-36.0	40	17.5	11.2-23.8	144	53.8	45.0-62.6
Some Post-H.S.	226	52,975	41	17.8	11.3-24.3	29	17.8	10.4-25.2	156	64.4	55.8-73.0
College Graduate	240	30,740	24	11.1	5.2-17.0	10	5.8	1.9- 9.7	206	83.1	76.4-89.8
Less than \$15,000	65	11,108	30	43.9	27.0-60.8	9	17.6	5.3-29.9	26	38.5	22.4-54.6
\$15,000- 24,999	137	23,705	39	32.3	21.1-43.5	15	10.6	3.9-17.3	83	57.1	45.5-68.7
\$25,000- 34,999	81	17,447	21	21.2	9.4-33.0	9	15.3	3.3-27.3	51	63.5	48.6-78.4
\$35,000- 49,999	108	19,317	28	33.6	21.3-45.9	5	4.5	0.2- 8.8	75	62.0	49.7-74.3
\$50,000- 74,999	132	25,975	20	20.6	9.8-31.4	18	17.0	8.0-26.0	94	62.4	50.4-74.4
\$75,000+	204	45,327	28	16.3	9.2-23.4	18	16.7	8.7-24.7	158	66.9	57.3-76.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	865	141,194	219	29.7	25.2-34.2	92	13.9	10.4-17.4	554	56.4	51.7-61.1
White/Non-Hisp	665	107,545	154	27.2	22.1-32.3	60	12.8	8.7-16.9	451	60.1	54.6-65.6
Black or Afr. Am./Non-Hisp	113	22,156	34	37.8	25.6-50.0	23	21.6	11.0-32.2	56	40.6	29.0-52.2
25-34	67	23,853	34	49.6	33.3-65.9	13	20.6	8.3-32.9	20	29.8	13.9-45.7
35-44	81	19,607	22	24.4	13.8-35.0	15	22.6	10.6-34.6	44	53.0	39.7-66.3
45-54	137	21,590	49	37.9	27.5-48.3	17	13.4	6.0-20.8	71	48.7	38.1-59.3
55-64	233	31,725	67	30.6	22.6-38.6	25	11.2	5.1-17.3	141	58.3	49.9-66.7
65+	334	38,381	41	11.7	7.8-15.6	19	5.0	2.3- 7.7	274	83.3	78.8-87.8
Less Than H.S.	73	19,623	25	42.7	26.4-59.0	13	19.0	6.5-31.5	35	38.3	24.2-52.4
H.S. or G.E.D.	279	45,822	94	33.4	26.1-40.7	28	13.4	7.3-19.5	157	53.2	45.4-61.0
Some Post-H.S.	259	47,559	70	28.8	21.2-36.4	29	12.9	7.0-18.8	160	58.3	49.9-66.7
College Graduate	252	27,955	29	15.8	9.1-22.5	22	12.9	5.5-20.3	201	71.2	62.4-80.0
Less than \$15,000	94	13,015	37	41.8	27.7-55.9	19	24.1	11.4-36.8	38	34.1	20.8-47.4
\$15,000- 24,999	156	25,756	54	44.2	32.0-56.4	16	6.2	2.5- 9.9	86	49.7	37.9-61.5
\$25,000- 34,999	97	15,313	30	35.9	22.8-49.0	11	18.9	6.6-31.2	56	45.2	32.5-57.9
\$35,000- 49,999	108	18,230	22	17.8	8.6-27.0	14	18.8	7.0-30.6	72	63.4	49.7-77.1
\$50,000- 74,999	86	14,700	18	29.4	16.1-42.7	6	12.8	0.1-25.5	62	57.8	43.3-72.3
\$75,000+	171	27,492	24	14.5	8.0-21.0	14	14.3	5.3-23.3	133	71.3	61.5-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	589	123,379	362	65.6	60.5-70.7	227	34.4	29.3-39.5
Male	281	62,116	175	65.9	58.8-73.0	106	34.1	27.0-41.2
Female	308	61,263	187	65.3	58.0-72.6	121	34.7	27.4-42.0
White/Non-Hisp	380	79,418	214	60.4	53.7-67.1	166	39.6	32.9-46.3
Black or Afr. Am./Non-Hisp	101	25,296	70	74.2	63.6-84.8	31	25.8	15.2-36.4
25-34	95	31,730	71	78.3	67.9-88.7	24	21.7	11.3-32.1
35-44	91	23,365	58	65.6	53.8-77.4	33	34.4	22.6-46.2
45-54	121	21,985	66	54.0	42.8-65.2	55	46.0	34.8-57.2
55-64	152	22,591	90	60.8	50.2-71.4	62	39.2	28.6-49.8
65+	100	12,725	55	50.1	37.2-63.0	45	49.9	37.0-62.8
Less Than H.S.	91	24,203	55	61.8	48.5-75.1	36	38.2	24.9-51.5
H.S. or G.E.D.	243	46,199	140	61.3	53.5-69.1	103	38.7	30.9-46.5
Some Post-H.S.	167	38,521	118	73.9	65.1-82.7	49	26.1	17.3-34.9
College Graduate	85	13,242	48	66.8	54.1-79.5	37	33.2	20.5-45.9
Less than \$15,000	95	15,407	58	66.7	53.8-79.6	37	33.3	20.4-46.2
\$15,000- 24,999	122	22,984	79	64.9	52.9-76.9	43	35.1	23.1-47.1
\$25,000- 34,999	70	14,666	43	66.1	51.4-80.8	27	33.9	19.2-48.6
\$35,000- 49,999	69	14,027	43	65.4	51.7-79.1	26	34.6	20.9-48.3
\$50,000- 74,999	60	15,583	38	68.4	53.5-83.3	22	31.6	16.7-46.5
\$75,000+	84	22,902	49	68.2	56.2-80.2	35	31.8	19.8-43.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	281	62,116	175	65.9	59.2-72.6	106	34.1	27.4-40.8
White/Non-Hisp	167	36,544	88	57.4	48.0-66.8	79	42.6	33.2-52.0
35-44	54	14,152	33	63.9	48.0-79.8	21	36.1	20.2-52.0
45-54	55	10,903	32	60.2	44.9-75.5	23	39.8	24.5-55.1
55-64	61	9,412	33	46.2	29.9-62.5	28	53.8	37.5-70.1
Less Than H.S.	53	12,095	30	54.0	35.8-72.2	23	46.0	27.8-64.2
H.S. or G.E.D.	123	24,915	74	62.1	51.7-72.5	49	37.9	27.5-48.3
Some Post-H.S.	69	18,786	50	80.0	68.6-91.4	19	20.0	8.6-31.4
\$15,000- 24,999	54	10,179	37	65.6	48.7-82.5	17	34.4	17.5-51.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	308	61,263	187	65.3	58.0-72.6	121	34.7	27.4-42.0
White/Non-Hisp	213	42,873	126	62.9	53.9-71.9	87	37.1	28.1-46.1
Black or Afr. Am./Non-Hisp	56	13,105	36	70.9	56.2-85.6	20	29.1	14.4-43.8
45-54	66	11,083	34	48.0	32.7-63.3	32	52.0	36.7-67.3
55-64	91	13,180	57	71.3	59.7-82.9	34	28.7	17.1-40.3
65+	58	6,224	33	59.1	44.2-74.0	25	40.9	26.0-55.8
H.S. or G.E.D.	120	21,283	66	60.3	48.7-71.9	54	39.7	28.1-51.3
Some Post-H.S.	98	19,735	68	68.0	55.3-80.7	30	32.0	19.3-44.7
College Graduate	51	8,037	28	66.3	49.6-83.0	23	33.7	17.0-50.4
Less than \$15,000	56	8,571	32	58.6	40.4-76.8	24	41.4	23.2-59.6
\$15,000- 24,999	68	12,804	42	64.4	47.7-81.1	26	35.6	18.9-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1119	180,336	114	12.7	9.6-15.8	151	15.3	12.2-18.4	122	12.2	9.5-14.9	730	59.5	55.2-63.8	2	0.2	0.0- 0.6
Male	570	102,321	64	12.6	8.5-16.7	80	17.7	13.0-22.4	55	10.3	7.0-13.6	370	59.2	53.3-65.1	1	0.2	0.0- 0.6
Female	549	78,015	50	12.8	7.9-17.7	71	12.3	8.8-15.8	67	14.7	10.0-19.4	360	60.0	54.1-65.9	1	0.3	0.0- 0.9
White/Non-Hisp	889	139,622	80	11.0	7.7-14.3	111	14.7	11.4-18.0	99	13.4	10.1-16.7	598	60.7	56.2-65.2	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	90	21,273	14	15.3	5.3-25.3	9	12.2	3.0-21.4	9	5.8	1.1-10.5	57	65.5	50.8-80.2	1	1.3	0.0- 3.8
Hispanic	69	7,387	13	21.7	7.8-35.6	17	20.9	9.9-31.9	10	16.2	3.5-28.9	29	41.2	24.9-57.5			
25-34	59	18,284	22	36.9	18.3-55.5	19	32.4	15.7-49.1	12	21.3	6.0-36.6	6	9.5	0.0-20.7			
35-44	88	24,298	17	17.5	7.7-27.3	29	29.0	16.1-41.9	23	21.8	10.2-33.4	19	31.8	13.8-49.8			
45-54	138	24,260	24	17.1	9.1-25.1	23	16.9	8.7-25.1	17	11.0	5.1-16.9	74	55.1	43.9-66.3			
55-64	254	40,525	22	6.6	3.1-10.1	35	12.4	7.1-17.7	29	9.8	5.5-14.1	167	70.9	63.8-78.0	1	0.4	0.0- 1.2
65+	563	68,889	17	2.4	1.0- 3.8	42	7.6	4.7-10.5	39	8.6	5.3-11.9	464	81.1	76.8-85.4	1	0.4	0.0- 1.2
Less Than H.S.	100	20,628	15	17.1	7.7-26.5	23	20.3	10.7-29.9	12	14.1	5.1-23.1	49	47.2	34.7-59.7	1	1.3	0.0- 3.8
H.S. or G.E.D.	299	52,876	30	8.5	5.0-12.0	52	18.5	11.6-25.4	35	11.9	6.6-17.2	181	60.7	52.3-69.1	1	0.3	0.0- 0.9
Some Post-H.S.	315	61,536	42	18.2	10.9-25.5	35	12.3	7.4-17.2	36	12.6	7.1-18.1	202	56.9	48.9-64.9			
College Graduate	401	44,695	27	8.0	4.3-11.7	41	13.7	8.4-19.0	39	11.3	7.2-15.4	294	67.0	60.7-73.3			
Less than \$15,000	63	8,624	11	20.2	4.7-35.7	20	28.3	12.8-43.8	7	11.1	0.0-22.7	25	40.5	23.8-57.2			
\$15,000- 24,999	169	26,321	26	16.7	9.6-23.8	24	14.4	7.5-21.3	14	10.9	2.9-18.9	104	57.4	47.0-67.8	1	0.6	0.0- 1.8
\$25,000- 34,999	107	18,008	10	9.4	2.0-16.8	14	14.1	4.7-23.5	12	8.8	2.7-14.9	71	67.7	55.5-79.9			
\$35,000- 49,999	147	23,519	15	16.0	4.0-28.0	16	14.8	5.2-24.4	13	7.0	2.5-11.5	103	62.2	49.5-74.9			
\$50,000- 74,999	155	24,618	18	13.1	6.2-20.0	19	18.1	8.1-28.1	16	9.6	4.3-14.9	102	59.2	48.4-70.0			
\$75,000+	288	49,384	22	10.5	4.4-16.6	31	10.8	6.1-15.5	35	14.9	8.8-21.0	200	63.9	55.3-72.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	570	102,321	64	12.6	8.5-16.7	80	17.7	13.0-22.4	55	10.3	7.0-13.6	370	59.2	53.3-65.1	1	0.2	0.0- 0.6
White/Non-Hisp	442	76,625	44	11.4	7.1-15.7	54	17.2	11.9-22.5	43	11.7	7.6-15.8	300	59.5	53.2-65.8	1	0.2	0.0- 0.6
Hispanic	50	5,290	11	22.3	7.2-37.4	12	19.5	7.2-31.8	7	16.0	1.1-30.9	20	42.2	22.4-62.0			
45-54	67	13,752	13	17.3	5.9-28.7	16	22.2	9.5-34.9	7	10.0	2.2-17.8	31	50.4	33.5-67.3			
55-64	113	22,042	10	5.5	1.0-10.0	14	11.2	3.8-18.6	13	9.2	2.9-15.5	75	73.3	63.3-83.3	1	0.7	0.0- 2.1
65+	291	37,372	9	2.5	0.7- 4.3	18	7.5	3.0-12.0	16	7.0	3.1-10.9	248	83.0	77.1-88.9			
Less Than H.S.	65	13,113	9	12.9	3.3-22.5	17	24.7	11.2-38.2	5	7.8	0.0-16.0	34	54.6	38.7-70.5			
H.S. or G.E.D.	144	29,393	19	9.1	4.0-14.2	25	22.4	11.2-33.6	15	7.9	3.0-12.8	84	60.0	47.5-72.5	1	0.5	0.0- 1.7
Some Post-H.S.	156	34,093	22	18.0	8.6-27.4	20	14.5	6.9-22.1	16	13.2	5.8-20.6	98	54.3	43.5-65.1			
College Graduate	202	25,256	14	9.5	3.6-15.4	18	13.1	5.8-20.4	19	10.8	5.3-16.3	151	66.6	57.6-75.6			
\$15,000- 24,999	83	13,526	13	15.5	5.7-25.3	14	15.0	5.6-24.4	3	3.4	0.0- 7.3	52	64.9	51.6-78.2	1	1.2	0.0- 3.6
\$25,000- 34,999	51	11,079	6	10.4	0.0-21.0	5	14.5	0.4-28.6	3	5.5	0.0-12.9	37	69.6	52.0-87.2			
\$35,000- 49,999	75	11,971	8	12.0	3.0-21.0	9	21.9	5.6-38.2	7	6.5	0.6-12.4	51	59.6	43.9-75.3			
\$50,000- 74,999	94	16,210	12	13.6	5.0-22.2	13	22.4	8.3-36.5	9	7.6	1.9-13.3	60	56.4	42.5-70.3			
\$75,000+	156	30,080	15	12.2	3.8-20.6	19	11.3	4.8-17.8	20	16.2	7.4-25.0	102	60.3	48.0-72.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	549	78,015	50	12.8	8.1-17.5	71	12.3	8.8-15.8	67	14.7	10.0-19.4	360	60.0	54.1-65.9	1	0.3	0.0- 0.9
White/Non-Hisp	447	62,997	36	10.5	5.2-15.8	57	11.8	8.1-15.5	56	15.6	10.1-21.1	298	62.1	55.4-68.8			
Black or Afr. Am./Non-Hisp	56	8,989	9	22.5	6.2-38.8	3	10.0	0.0-22.5	6	8.9	0.7-17.1	37	55.6	38.2-73.0	1	3.0	0.0- 8.9
45-54	71	10,507	11	16.7	5.7-27.7	7	9.9	0.3-19.5	10	12.2	3.6-20.8	43	61.2	46.9-75.5			
55-64	141	18,484	12	7.9	2.4-13.4	21	13.8	6.4-21.2	16	10.4	4.3-16.5	92	67.9	58.3-77.5			
65+	272	31,517	8	2.3	0.3- 4.3	24	7.6	4.1-11.1	23	10.5	5.0-16.0	216	78.8	72.3-85.3	1	0.9	0.0- 2.7
H.S. or G.E.D.	155	23,483	11	7.8	2.5-13.1	27	13.7	7.4-20.0	20	17.0	7.4-26.6	97	61.5	51.1-71.9			
Some Post-H.S.	159	27,442	20	18.5	7.3-29.7	15	9.5	3.6-15.4	20	11.9	4.1-19.7	104	60.1	48.3-71.9			
College Graduate	199	19,439	13	6.1	2.4- 9.8	23	14.4	7.0-21.8	20	12.0	5.9-18.1	143	67.5	58.7-76.3			
\$15,000- 24,999	86	12,795	13	17.9	7.5-28.3	10	13.8	3.6-24.0	11	18.7	3.6-33.8	52	49.6	34.7-64.5			
\$25,000- 34,999	56	6,929	4	7.8	0.0-16.6	9	13.6	4.0-23.2	9	14.0	3.8-24.2	34	64.7	50.4-79.0			
\$35,000- 49,999	72	11,549	7	20.2	0.0-41.8	7	7.4	0.0-15.0	6	7.6	0.7-14.5	52	64.9	44.3-85.5			
\$50,000- 74,999	61	8,408	6	12.1	1.5-22.7	6	9.8	0.4-19.2	7	13.4	2.4-24.4	42	64.7	49.6-79.8			
\$75,000+	132	19,304	7	7.8	0.0-15.6	12	10.0	3.1-16.9	15	12.9	5.5-20.3	98	69.3	58.3-80.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3988	731,550	26	0.7	0.3- 1.1	73	2.2	1.4- 3.0	3889	97.1	96.3-97.9
Male	1782	349,955	19	1.1	0.5- 1.7	52	3.6	2.2- 5.0	1711	95.3	93.7-96.9
Female	2206	381,594	7	0.2	0.0- 0.4	21	1.0	0.4- 1.6	2178	98.8	98.2-99.4
White/Non-Hisp	2667	467,174	22	1.0	0.6- 1.4	47	2.2	1.4- 3.0	2598	96.9	95.9-97.9
Black or Afr. Am./Non-Hisp	550	144,560	2	0.2	0.0- 0.4	11	2.5	0.3- 4.7	537	97.3	95.1-99.5
Oth. Race/Non-Hisp.	183	35,568				7	4.6	0.0- 9.9	176	95.4	90.1- 100
Hispanic	430	57,343	1	0.2	0.0- 0.6	6	1.2	0.2- 2.2	423	98.7	97.7-99.7
18-24	249	85,246	2	0.9	0.0- 2.1	11	4.8	1.5- 8.1	236	94.3	90.8-97.8
25-34	448	122,473	2	0.3	0.0- 0.7	15	3.8	1.3- 6.3	431	96.0	93.5-98.5
35-44	455	109,004	4	1.1	0.0- 2.3	7	1.3	0.1- 2.5	444	97.6	96.0-99.2
45-54	622	118,254	9	1.2	0.4- 2.0	13	1.6	0.6- 2.6	600	97.2	95.8-98.6
55-64	857	128,173	3	0.3	0.0- 0.7	10	1.0	0.2- 1.8	844	98.7	97.9-99.5
65+	1357	168,400	6	0.5	0.0- 1.1	17	1.8	0.4- 3.2	1334	97.7	96.1-99.3
Less Than H.S.	423	86,813	7	1.6	0.2- 3.0	6	1.4	0.0- 3.2	410	96.9	94.5-99.3
H.S. or G.E.D.	1122	225,555	9	0.8	0.2- 1.4	28	3.4	1.6- 5.2	1085	95.8	93.8-97.8
Some Post-H.S.	989	209,145	5	0.5	0.0- 1.1	18	1.7	0.5- 2.9	966	97.7	96.5-98.9
College Graduate	1431	205,580	4	0.2	0.0- 0.4	21	1.9	0.9- 2.9	1406	98.0	97.0-99.0
Less than \$15,000	318	48,847	2	0.3	0.0- 0.7	3	0.8	0.0- 1.8	313	98.9	97.9-99.9
\$15,000- 24,999	599	99,183	5	0.8	0.0- 1.6	10	1.1	0.3- 1.9	584	98.2	97.0-99.4
\$25,000- 34,999	371	63,891	4	1.2	0.0- 2.6	9	3.1	0.4- 5.8	358	95.8	92.7-98.9
\$35,000- 49,999	459	86,229	2	0.3	0.0- 0.7	11	3.0	0.5- 5.5	446	96.7	94.2-99.2
\$50,000- 74,999	483	93,020	2	0.8	0.0- 1.8	8	1.9	0.0- 3.9	473	97.3	95.1-99.5
\$75,000+	1010	198,675	9	0.8	0.2- 1.4	20	2.8	1.2- 4.4	981	96.4	94.6-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1782	349,955	19	1.1	0.5- 1.7	52	3.6	2.2- 5.0	1711	95.3	93.7-96.9
White/Non-Hisp	1184	223,539	17	1.7	0.9- 2.5	34	3.3	1.7- 4.9	1133	95.1	93.3-96.9
Black or Afr. Am./Non-Hisp	212	66,140	2	0.4	0.0- 1.0	6	4.7	0.4- 9.0	204	94.9	90.6-99.2
Oth. Race/Non-Hisp.	115	20,307				7	8.1	0.0-16.9	108	91.9	83.1- 100
Hispanic	200	25,733				3	1.4	0.0- 3.2	197	98.6	96.8- 100
18-24	144	42,518	2	1.7	0.0- 4.1	8	8.1	1.6-14.6	134	90.2	83.3-97.1
25-34	231	61,909	1	0.4	0.0- 1.2	13	5.8	1.5-10.1	217	93.8	89.5-98.1
35-44	206	52,571	3	1.6	0.0- 3.4	5	2.3	0.0- 4.7	198	96.1	93.2-99.0
45-54	281	56,976	9	2.4	0.6- 4.2	10	2.5	0.7- 4.3	262	95.1	92.6-97.6
55-64	346	60,240	1	0.3	0.0- 0.9	5	0.6	0.0- 1.2	340	99.2	98.4- 100
65+	574	75,741	3	0.8	0.0- 2.0	11	3.5	0.4- 6.6	560	95.7	92.4-99.0
Less Than H.S.	206	42,081	6	3.2	0.3- 6.1	2	2.0	0.0- 5.7	198	94.8	90.3-99.3
H.S. or G.E.D.	528	115,607	8	1.5	0.3- 2.7	22	5.6	2.3- 8.9	498	92.8	89.3-96.3
Some Post-H.S.	413	98,568	2	0.6	0.0- 1.4	13	2.3	0.7- 3.9	398	97.1	95.3-98.9
College Graduate	622	90,192	3	0.4	0.0- 1.0	15	3.3	1.3- 5.3	604	96.4	94.4-98.4
Less than \$15,000	115	17,631	1	0.4	0.0- 1.2	2	1.3	0.0- 3.3	112	98.3	96.1- 100
\$15,000- 24,999	248	43,262	2	1.3	0.0- 3.3	3	0.5	0.0- 1.1	243	98.1	96.1- 100
\$25,000- 34,999	159	31,040	2	0.9	0.0- 2.3	6	4.5	0.0- 9.8	151	94.6	89.3-99.9
\$35,000- 49,999	206	40,286	1	0.4	0.0- 1.2	11	6.5	1.2-11.8	194	93.1	87.8-98.4
\$50,000- 74,999	247	48,329	2	1.5	0.0- 3.5	7	3.6	0.1- 7.1	238	94.9	90.8-99.0
\$75,000+	498	107,589	9	1.5	0.3- 2.7	13	3.4	1.0- 5.8	476	95.1	92.6-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2206	381,594	7	0.2	0.0- 0.4	21	1.0	0.4- 1.6	2178	98.8	98.2-99.4
White/Non-Hisp	1483	243,635	5	0.3	0.0- 0.7	13	1.2	0.2- 2.2	1465	98.5	97.5-99.5
Black or Afr. Am./Non-Hisp	338	78,419				5	0.7	0.0- 1.5	333	99.3	98.5- 100
Oth. Race/Non-Hisp.	68	15,261							68	100.0	100.0- 100
Hispanic	230	31,610	1	0.3	0.0- 0.9	3	1.0	0.0- 2.2	226	98.7	97.3- 100
18-24	105	42,728				3	1.5	0.0- 3.3	102	98.5	96.7- 100
25-34	217	60,564	1	0.1	0.0- 0.3	2	1.7	0.0- 4.6	214	98.1	95.2- 100
35-44	249	56,433	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7	246	99.1	97.9- 100
45-54	341	61,278				3	0.8	0.0- 1.8	338	99.2	98.2- 100
55-64	511	67,932	2	0.2	0.0- 0.6	5	1.4	0.0- 2.8	504	98.4	97.0-99.8
65+	783	92,658	3	0.3	0.0- 0.7	6	0.4	0.0- 0.8	774	99.3	98.9-99.7
Less Than H.S.	217	44,732	1	0.2	0.0- 0.6	4	0.9	0.0- 1.9	212	98.9	97.9-99.9
H.S. or G.E.D.	594	109,948	1	0.1	0.0- 0.3	6	1.0	0.0- 2.0	587	98.9	97.9-99.9
Some Post-H.S.	576	110,576	3	0.5	0.0- 1.1	5	1.2	0.0- 3.0	568	98.3	96.5- 100
College Graduate	809	115,388	1	0.0	0.0- 0.0	6	0.8	0.2- 1.4	802	99.2	98.6-99.8
Less than \$15,000	203	31,216	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5	201	99.2	98.0- 100
\$15,000- 24,999	351	55,921	3	0.4	0.0- 0.8	7	1.5	0.1- 2.9	341	98.2	96.8-99.6
\$25,000- 34,999	212	32,851	2	1.4	0.0- 3.6	3	1.7	0.0- 3.9	207	96.9	94.0-99.8
\$35,000- 49,999	253	45,943	1	0.2	0.0- 0.6				252	99.8	99.4- 100
\$50,000- 74,999	236	44,691				1	0.1	0.0- 0.3	235	99.9	99.7- 100
\$75,000+	512	91,086				7	2.0	0.0- 4.2	505	98.0	95.8- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	198
2	MALES ONLY	199
3	FEMALES ONLY	200
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	201
5	MALES ONLY	202
6	FEMALES ONLY	203

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3954	725,376	606	19.8	17.8-21.8	3348	80.2	78.2-82.2
Male	1770	347,803	317	22.7	19.8-25.6	1453	77.3	74.4-80.2
Female	2184	377,573	289	17.1	14.6-19.6	1895	82.9	80.4-85.4
White/Non-Hisp	2647	463,271	401	20.5	18.0-23.0	2246	79.5	77.0-82.0
Black or Afr. Am./Non-Hisp	545	143,369	88	19.0	14.3-23.7	457	81.0	76.3-85.7
Oth. Race/Non-Hisp.	181	35,424	34	19.9	11.7-28.1	147	80.1	71.9-88.3
Hispanic	424	56,602	51	12.9	8.4-17.4	373	87.1	82.6-91.6
18-24	248	85,275	114	50.5	42.3-58.7	134	49.5	41.3-57.7
25-34	444	121,416	137	34.3	28.0-40.6	307	65.7	59.4-72.0
35-44	453	108,377	86	19.8	15.1-24.5	367	80.2	75.5-84.9
45-54	615	116,606	90	12.4	9.3-15.5	525	87.6	84.5-90.7
55-64	849	126,900	106	12.0	9.1-14.9	743	88.0	85.1-90.9
65+	1345	166,803	73	4.7	3.1- 6.3	1272	95.3	93.7-96.9
Less Than H.S.	421	86,205	67	23.1	16.6-29.6	354	76.9	70.4-83.4
H.S. or G.E.D.	1113	224,351	223	23.0	19.3-26.7	890	77.0	73.3-80.7
Some Post-H.S.	976	206,229	188	25.0	20.9-29.1	788	75.0	70.9-79.1
College Graduate	1421	204,134	126	9.5	7.3-11.7	1295	90.5	88.3-92.7
Less than \$15,000	317	48,679	67	23.3	16.2-30.4	250	76.7	69.6-83.8
\$15,000- 24,999	590	97,846	103	22.2	16.9-27.5	487	77.8	72.5-83.1
\$25,000- 34,999	367	63,325	60	21.3	15.0-27.6	307	78.7	72.4-85.0
\$35,000- 49,999	456	85,411	71	17.9	12.6-23.2	385	82.1	76.8-87.4
\$50,000- 74,999	480	92,658	82	22.5	17.0-28.0	398	77.5	72.0-83.0
\$75,000+	1005	197,399	119	15.0	11.7-18.3	886	85.0	81.7-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	347,803	317	22.7	19.8-25.6	1453	77.3	74.4-80.2
White/Non-Hisp	1176	221,990	201	22.5	19.0-26.0	975	77.5	74.0-81.0
Black or Afr. Am./Non-Hisp	212	66,140	43	22.7	15.1-30.3	169	77.3	69.7-84.9
Oth. Race/Non-Hisp.	113	20,163	26	25.9	14.1-37.7	87	74.1	62.3-85.9
Hispanic	198	25,299	30	15.9	8.5-23.3	168	84.1	76.7-91.5
18-24	144	42,743	82	64.0	54.2-73.8	62	36.0	26.2-45.8
25-34	229	61,325	73	33.3	24.7-41.9	156	66.7	58.1-75.3
35-44	206	52,571	49	25.2	17.2-33.2	157	74.8	66.8-82.8
45-54	278	56,165	42	12.6	8.1-17.1	236	87.4	82.9-91.9
55-64	343	59,687	40	11.4	6.7-16.1	303	88.6	83.9-93.3
65+	570	75,314	31	5.3	2.4- 8.2	539	94.7	91.8-97.6
Less Than H.S.	206	41,799	42	26.0	16.8-35.2	164	74.0	64.8-83.2
H.S. or G.E.D.	527	115,664	118	27.4	21.5-33.3	409	72.6	66.7-78.5
Some Post-H.S.	405	97,063	89	25.2	19.5-30.9	316	74.8	69.1-80.5
College Graduate	619	89,769	66	11.9	8.4-15.4	553	88.1	84.6-91.6
Less than \$15,000	114	17,463	24	31.3	17.6-45.0	90	68.7	55.0-82.4
\$15,000- 24,999	247	43,231	53	23.7	16.3-31.1	194	76.3	68.9-83.7
\$25,000- 34,999	157	30,737	23	21.5	11.7-31.3	134	78.5	68.7-88.3
\$35,000- 49,999	205	39,978	33	18.2	11.1-25.3	172	81.8	74.7-88.9
\$50,000- 74,999	244	47,967	58	30.7	22.1-39.3	186	69.3	60.7-77.9
\$75,000+	496	106,887	73	18.2	13.3-23.1	423	81.8	76.9-86.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2184	377,573	289	17.1	14.6-19.6	1895	82.9	80.4-85.4
White/Non-Hisp	1471	241,280	200	18.8	15.5-22.1	1271	81.2	77.9-84.5
Black or Afr. Am./Non-Hisp	333	77,229	45	15.9	10.0-21.8	288	84.1	78.2-90.0
Oth. Race/Non-Hisp.	68	15,261	8	12.0	1.4-22.6	60	88.0	77.4-98.6
Hispanic	226	31,304	21	10.4	5.1-15.7	205	89.6	84.3-94.9
18-24	104	42,533	32	36.9	24.7-49.1	72	63.1	50.9-75.3
25-34	215	60,091	64	35.4	26.2-44.6	151	64.6	55.4-73.8
35-44	247	55,806	37	14.6	9.3-19.9	210	85.4	80.1-90.7
45-54	337	60,442	48	12.2	7.9-16.5	289	87.8	83.5-92.1
55-64	506	67,213	66	12.5	8.8-16.2	440	87.5	83.8-91.2
65+	775	91,489	42	4.1	2.5- 5.7	733	95.9	94.3-97.5
Less Than H.S.	215	44,406	25	20.3	11.1-29.5	190	79.7	70.5-88.9
H.S. or G.E.D.	586	108,688	105	18.3	13.6-23.0	481	81.7	77.0-86.4
Some Post-H.S.	571	109,165	99	24.8	19.1-30.5	472	75.2	69.5-80.9
College Graduate	802	114,365	60	7.6	4.9-10.3	742	92.4	89.7-95.1
Less than \$15,000	203	31,216	43	18.8	11.4-26.2	160	81.2	73.8-88.6
\$15,000- 24,999	343	54,615	50	21.0	13.6-28.4	293	79.0	71.6-86.4
\$25,000- 34,999	210	32,588	37	21.1	13.3-28.9	173	78.9	71.1-86.7
\$35,000- 49,999	251	45,433	38	17.7	9.9-25.5	213	82.3	74.5-90.1
\$50,000- 74,999	236	44,691	24	13.7	7.2-20.2	212	86.3	79.8-92.8
\$75,000+	509	90,513	46	11.2	7.3-15.1	463	88.8	84.9-92.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	604	143,206	57	10.8	7.3-14.3	82	13.7	10.0-17.4	465	75.5	70.8-80.2
Male	315	78,486	31	9.9	5.4-14.4	48	16.0	10.5-21.5	236	74.2	67.7-80.7
Female	289	64,720	26	11.9	6.2-17.6	34	11.0	6.5-15.5	229	77.1	70.2-84.0
White/Non-Hisp	400	94,922	44	13.2	8.3-18.1	58	13.2	9.1-17.3	298	73.6	67.5-79.7
Black or Afr. Am./Non-Hisp	87	27,124	4	3.4	0.0- 7.5	7	10.4	1.2-19.6	76	86.2	76.4-96.0
Hispanic	51	7,290	3	7.7	0.0-18.5	3	6.0	0.0-14.8	45	86.3	74.1-98.5
18-24	114	43,044	12	8.4	2.7-14.1	21	16.6	8.8-24.4	81	74.9	65.5-84.3
25-34	137	41,659	13	13.3	4.7-21.9	20	13.8	6.4-21.2	104	72.9	62.7-83.1
35-44	86	21,419	7	7.7	1.4-14.0	10	10.4	3.3-17.5	69	81.9	72.9-90.9
45-54	88	14,032	12	16.7	5.3-28.1	6	8.5	0.1-16.9	70	74.7	61.8-87.6
55-64	106	15,228	9	13.4	3.4-23.4	13	12.1	3.5-20.7	84	74.5	62.3-86.7
65+	73	7,825	4	3.2	0.0- 6.7	12	18.4	6.6-30.2	57	78.3	66.0-90.6
Less Than H.S.	67	19,902	5	5.5	0.0-11.0	12	14.1	4.1-24.1	50	80.4	69.2-91.6
H.S. or G.E.D.	223	51,671	25	11.7	6.0-17.4	29	15.8	8.7-22.9	169	72.6	64.2-81.0
Some Post-H.S.	187	51,347	18	13.6	6.2-21.0	30	13.5	8.0-19.0	139	72.9	64.3-81.5
College Graduate	125	19,146	8	4.9	1.0- 8.8	11	9.1	2.8-15.4	106	86.1	78.8-93.4
Less than \$15,000	67	11,336	5	4.6	0.0- 9.3	10	16.6	4.6-28.6	52	78.8	66.1-91.5
\$15,000- 24,999	103	21,723	8	7.6	1.3-13.9	15	18.0	7.0-29.0	80	74.4	62.4-86.4
\$25,000- 34,999	59	13,301	4	7.6	0.0-15.8	9	8.3	1.8-14.8	46	84.1	73.7-94.5
\$35,000- 49,999	71	15,293	9	12.5	3.1-21.9	11	15.0	4.8-25.2	51	72.4	59.3-85.5
\$50,000- 74,999	82	20,850	7	12.5	2.3-22.7	7	8.2	1.3-15.1	68	79.3	67.5-91.1
\$75,000+	118	29,353	10	13.5	3.5-23.5	13	13.3	5.7-20.9	95	73.2	62.0-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	315	78,486	31	9.9	5.4-14.4	48	16.0	10.7-21.3	236	74.2	67.7-80.7
White/Non-Hisp	200	49,675	25	12.8	6.3-19.3	29	14.4	8.5-20.3	146	72.7	64.5-80.9
18-24	82	27,347	10	11.0	3.0-19.0	18	22.4	11.2-33.6	54	66.6	53.9-79.3
25-34	73	20,402	8	13.2	2.0-24.4	13	18.0	6.2-29.8	52	68.9	54.4-83.4
H.S. or G.E.D.	118	31,740	15	11.7	4.4-19.0	16	16.8	6.8-26.8	87	71.5	60.1-82.9
Some Post-H.S.	88	24,271	9	11.4	1.4-21.4	18	18.5	9.1-27.9	61	70.1	57.4-82.8
College Graduate	65	10,464	4	4.9	0.0-10.6	6	11.5	1.3-21.7	55	83.6	72.2-95.0
\$15,000- 24,999	53	10,256	3	4.4	0.0-11.1	8	25.8	7.4-44.2	42	69.8	51.4-88.2
\$50,000- 74,999	58	14,705	4	11.1	0.0-23.4	5	9.6	0.4-18.8	49	79.3	65.0-93.6
\$75,000+	72	19,229	5	11.8	0.0-23.8	11	17.3	6.7-27.9	56	71.0	56.7-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	289	64,720	26	11.9	6.0-17.8	34	11.0	6.5-15.5	229	77.1	70.2-84.0
White/Non-Hisp	200	45,246	19	13.6	6.0-21.2	29	11.9	6.2-17.6	152	74.5	65.7-83.3
25-34	64	21,257	5	13.4	0.5-26.3	7	9.8	1.2-18.4	52	76.8	62.1-91.5
55-64	66	8,432	7	22.3	6.0-38.6	6	14.0	0.3-27.7	53	63.7	46.1-81.3
H.S. or G.E.D.	105	19,931	10	11.7	2.5-20.9	13	14.2	5.4-23.0	82	74.2	62.2-86.2
Some Post-H.S.	99	27,076	9	15.6	4.6-26.6	12	9.0	3.1-14.9	78	75.3	63.1-87.5
College Graduate	60	8,682	4	4.9	0.0-10.2	5	6.1	0.0-12.4	51	89.0	81.0-97.0
\$15,000- 24,999	50	11,467	5	10.4	0.0-20.8	7	11.0	1.2-20.8	38	78.5	64.2-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	205
2	MALES ONLY	206
3	FEMALES ONLY	207
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	208
5	MALES ONLY	209
6	FEMALES ONLY	210
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	211
8	MALES ONLY	212
9	FEMALES ONLY	213
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	214
11	MALES ONLY	215
12	FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3880	710,002	367	9.9	8.5-11.3	89	2.1	1.5- 2.7	1212	33.1	30.9-35.3	355	9.1	7.7-10.5	1857	45.7	43.5-47.9
Male	1726	336,323	184	9.6	7.8-11.4	61	3.4	2.2- 4.6	549	33.9	30.8-37.0	195	11.4	9.0-13.8	737	41.7	38.4-45.0
Female	2154	373,678	183	10.1	8.1-12.1	28	0.9	0.5- 1.3	663	32.4	29.7-35.1	160	7.1	5.5- 8.7	1120	49.4	46.5-52.3
White/Non-Hisp	2607	455,746	271	10.7	9.1-12.3	69	2.7	1.9- 3.5	852	34.5	32.0-37.0	292	11.1	9.5-12.7	1123	41.0	38.5-43.5
Black or Afr. Am./Non-Hisp	531	137,184	45	9.3	6.0-12.6	7	0.6	0.2- 1.0	149	28.2	22.9-33.5	26	7.2	2.7-11.7	304	54.6	48.7-60.5
Oth. Race/Non-Hisp.	172	34,380	12	6.2	1.7-10.7	6	2.1	0.0- 4.3	56	38.1	28.1-48.1	6	2.2	0.0- 4.7	92	51.5	41.3-61.7
Hispanic	418	56,259	29	6.8	3.7- 9.9	3	0.9	0.0- 2.1	109	27.2	20.1-34.3	17	3.6	1.4- 5.8	260	61.5	54.4-68.6
18-24	240	82,661	21	9.2	4.7-13.7	1	0.4	0.0- 1.2	83	33.8	26.2-41.4	15	7.6	2.5-12.7	120	49.0	40.8-57.2
25-34	433	118,306	55	13.2	8.9-17.5	2	1.1	0.0- 2.9	178	45.4	38.7-52.1	30	6.4	3.5- 9.3	168	33.9	27.6-40.2
35-44	445	106,255	50	11.0	7.3-14.7	6	1.2	0.0- 2.4	159	37.4	31.3-43.5	38	11.1	5.6-16.6	192	39.4	33.3-45.5
45-54	607	113,197	60	9.2	6.5-11.9	11	2.2	0.6- 3.8	223	34.7	30.0-39.4	46	8.2	5.5-10.9	267	45.7	40.6-50.8
55-64	835	125,572	82	10.4	7.7-13.1	15	1.7	0.7- 2.7	237	27.3	23.4-31.2	80	11.3	8.2-14.4	421	49.3	44.8-53.8
65+	1320	164,011	99	7.2	5.4- 9.0	54	4.5	3.1- 5.9	332	24.6	21.9-27.3	146	9.6	7.6-11.6	689	54.0	50.7-57.3
Less Than H.S.	410	83,996	18	5.4	2.5- 8.3	7	1.7	0.3- 3.1	70	19.2	12.9-25.5	20	4.9	2.0- 7.8	295	68.9	62.0-75.8
H.S. or G.E.D.	1098	218,944	78	7.1	5.1- 9.1	18	1.2	0.6- 1.8	302	28.1	24.4-31.8	68	8.3	5.2-11.4	632	55.3	51.0-59.6
Some Post-H.S.	955	201,427	100	11.3	8.6-14.0	24	3.0	1.4- 4.6	321	38.2	33.9-42.5	77	8.1	5.9-10.3	433	39.5	35.4-43.6
College Graduate	1395	201,648	170	13.6	11.1-16.1	40	2.4	1.6- 3.2	516	39.4	35.9-42.9	188	12.7	10.3-15.1	481	31.9	28.6-35.2
Less than \$15,000	315	48,004	18	5.8	1.9- 9.7	1	0.3	0.0- 0.9	63	23.0	16.1-29.9	8	3.4	0.0- 7.1	225	67.4	59.8-75.0
\$15,000- 24,999	584	96,438	41	7.2	4.7- 9.7	7	1.5	0.3- 2.7	157	29.5	24.0-35.0	29	4.9	2.4- 7.4	350	57.0	51.3-62.7
\$25,000- 34,999	357	60,965	37	10.5	6.4-14.6	10	2.7	0.7- 4.7	92	28.7	21.8-35.6	21	4.7	2.3- 7.1	197	53.4	46.1-60.7
\$35,000- 49,999	445	82,208	31	5.9	3.2- 8.6	17	2.5	1.1- 3.9	138	36.6	29.7-43.5	46	8.8	5.5-12.1	213	46.2	39.5-52.9
\$50,000- 74,999	474	91,354	51	12.6	8.1-17.1	18	2.7	1.3- 4.1	167	33.9	28.0-39.8	45	8.6	5.3-11.9	193	42.2	35.7-48.7
\$75,000+	986	193,252	140	14.4	11.5-17.3	21	2.4	1.0- 3.8	405	40.9	36.8-45.0	153	16.3	12.6-20.0	267	26.0	22.5-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	336,323	184	9.6	7.8-11.4	61	3.4	2.2- 4.6	549	33.9	30.8-37.0	195	11.4	9.0-13.8	737	41.7	38.4-45.0
White/Non-Hisp	1152	216,920	135	10.2	8.0-12.4	45	4.2	2.6- 5.8	371	33.5	29.8-37.2	158	13.4	10.9-15.9	443	38.7	34.8-42.6
Black or Afr. Am./Non-Hisp	205	61,138	21	10.3	5.2-15.4	6	1.2	0.2- 2.2	56	27.9	19.7-36.1	12	10.0	1.0-19.0	110	50.5	41.1-59.9
Oth. Race/Non-Hisp.	107	19,317	10	8.0	1.5-14.5	4	3.0	0.0- 6.7	38	40.1	27.4-52.8	3	2.7	0.0- 6.8	52	46.2	32.9-59.5
Hispanic	195	25,132	15	6.7	1.6-11.8	3	2.1	0.0- 4.8	63	40.1	28.1-52.1	13	6.0	1.9-10.1	101	45.1	34.3-55.9
18-24	138	40,714	11	7.6	2.9-12.3	1	0.8	0.0- 2.4	51	34.0	23.8-44.2	10	6.4	2.1-10.7	65	51.3	40.3-62.3
25-34	223	59,636	27	11.1	6.0-16.2	2	2.3	0.0- 5.8	103	54.0	44.6-63.4	20	8.7	3.4-14.0	71	23.9	16.3-31.5
35-44	202	50,869	22	7.8	3.5-12.1	4	2.1	0.0- 4.3	68	35.6	26.6-44.6	24	16.0	6.0-26.0	84	38.5	29.3-47.7
45-54	270	52,613	34	11.0	6.5-15.5	8	3.7	0.8- 6.6	90	33.4	26.3-40.5	24	9.1	5.0-13.2	114	42.7	35.3-50.1
55-64	336	58,786	37	11.1	6.8-15.4	10	2.3	0.7- 3.9	92	24.8	18.9-30.7	40	15.2	9.5-20.9	157	46.6	39.3-53.9
65+	557	73,704	53	8.5	5.8-11.2	36	7.5	4.8-10.2	145	24.1	20.0-28.2	77	11.6	8.7-14.5	246	48.2	42.9-53.5
Less Than H.S.	199	39,949	10	5.2	1.3- 9.1	7	3.6	0.7- 6.5	39	22.5	12.3-32.7	18	9.0	3.3-14.7	125	59.7	49.1-70.3
H.S. or G.E.D.	518	111,280	45	7.4	4.7-10.1	12	1.7	0.5- 2.9	162	31.6	26.1-37.1	44	10.0	4.9-15.1	255	49.3	43.0-55.6
Some Post-H.S.	392	93,930	45	9.7	6.2-13.2	17	5.2	2.1- 8.3	126	37.4	30.7-44.1	42	11.0	7.1-14.9	162	36.7	30.4-43.0
College Graduate	606	88,374	83	14.5	10.8-18.2	25	3.7	1.9- 5.5	219	38.0	32.9-43.1	89	14.3	10.8-17.8	190	29.5	24.8-34.2
Less than \$15,000	113	16,818	9	8.4	1.0-15.8	1	1.0	0.0- 3.0	25	27.8	15.5-40.1	6	8.4	0.0-18.6	72	54.5	41.2-67.8
\$15,000- 24,999	243	42,478	19	4.8	2.3- 7.3	6	2.5	0.3- 4.7	76	33.1	24.9-41.3	17	6.8	2.1-11.5	125	52.9	44.3-61.5
\$25,000- 34,999	151	28,589	23	14.7	7.4-22.0	8	5.3	1.4- 9.2	31	22.1	12.9-31.3	12	5.6	1.9- 9.3	77	52.3	41.3-63.3
\$35,000- 49,999	199	37,432	13	6.4	1.7-11.1	12	3.9	1.2- 6.6	56	34.9	24.5-45.3	26	11.4	6.1-16.7	92	43.4	33.8-53.0
\$50,000- 74,999	240	46,909	31	12.3	7.0-17.6	12	3.8	1.3- 6.3	87	34.6	26.2-43.0	24	9.8	4.9-14.7	86	39.5	30.3-48.7
\$75,000+	484	104,203	69	13.0	9.3-16.7	13	3.7	1.2- 6.2	187	38.9	32.8-45.0	83	18.2	12.3-24.1	132	26.3	21.0-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	373,678	183	10.1	8.1-12.1	28	0.9	0.5- 1.3	663	32.4	29.7-35.1	160	7.1	5.5- 8.7	1120	49.4	46.5-52.3
White/Non-Hisp	1455	238,826	136	11.2	8.8-13.6	24	1.3	0.7- 1.9	481	35.4	31.9-38.9	134	9.0	6.8-11.2	680	43.0	39.5-46.5
Black or Afr. Am./Non-Hisp	326	76,046	24	8.6	4.3-12.9	1	0.1	0.0- 0.3	93	28.5	21.8-35.2	14	4.9	1.6- 8.2	194	57.9	50.5-65.3
Oth. Race/Non-Hisp.	65	15,063	2	3.7	0.0- 9.4	2	0.8	0.0- 2.2	18	35.6	19.7-51.5	3	1.7	0.0- 3.7	40	58.2	42.1-74.3
Hispanic	223	31,127	14	6.8	2.7-10.9				46	16.8	10.7-22.9	4	1.6	0.0- 3.6	159	74.8	67.5-82.1
18-24	102	41,947	10	10.9	3.3-18.5				32	33.6	22.0-45.2	5	8.7	0.0-17.7	55	46.8	34.6-59.0
25-34	210	58,670	28	15.3	8.2-22.4				75	36.7	27.7-45.7	10	4.0	1.1- 6.9	97	44.1	34.7-53.5
35-44	243	55,385	28	13.8	7.9-19.7	2	0.4	0.0- 1.0	91	39.0	31.2-46.8	14	6.5	2.6-10.4	108	40.3	32.3-48.3
45-54	337	60,583	26	7.6	4.3-10.9	3	1.0	0.0- 2.2	133	35.9	29.4-42.4	22	7.3	3.4-11.2	153	48.2	41.3-55.1
55-64	499	66,786	45	9.7	6.6-12.8	5	1.2	0.0- 2.4	145	29.5	24.4-34.6	40	7.9	5.2-10.6	264	51.7	46.0-57.4
65+	763	90,306	46	6.1	3.9- 8.3	18	2.1	0.9- 3.3	187	25.0	21.1-28.9	69	8.0	5.6-10.4	443	58.8	54.5-63.1
Less Than H.S.	211	44,047	8	5.5	1.2- 9.8				31	16.2	8.9-23.5	2	1.1	0.0- 2.7	170	77.2	69.2-85.2
H.S. or G.E.D.	580	107,664	33	6.7	3.8- 9.6	6	0.7	0.1- 1.3	140	24.5	19.6-29.4	24	6.7	3.0-10.4	377	61.5	55.8-67.2
Some Post-H.S.	563	107,497	55	12.6	8.5-16.7	7	1.1	0.1- 2.1	195	38.8	33.1-44.5	35	5.5	3.1- 7.9	271	41.9	36.4-47.4
College Graduate	789	113,274	87	12.8	9.1-16.5	15	1.4	0.6- 2.2	297	40.6	35.9-45.3	99	11.4	8.3-14.5	291	33.8	29.3-38.3
Less than \$15,000	202	31,186	9	4.4	0.0- 8.9				38	20.4	12.4-28.4	2	0.8	0.0- 2.0	153	74.4	65.8-83.0
\$15,000- 24,999	341	53,960	22	9.1	4.8-13.4	1	0.7	0.0- 2.1	81	26.7	19.6-33.8	12	3.4	0.5- 6.3	225	60.2	52.6-67.8
\$25,000- 34,999	206	32,377	14	6.8	2.3-11.3	2	0.5	0.0- 1.3	61	34.5	24.9-44.1	9	3.9	0.8- 7.0	120	54.3	44.7-63.9
\$35,000- 49,999	246	44,776	18	5.5	2.6- 8.4	5	1.3	0.0- 2.7	82	38.1	28.9-47.3	20	6.6	2.3-10.9	121	48.5	39.3-57.7
\$50,000- 74,999	234	44,446	20	12.8	5.4-20.2	6	1.6	0.2- 3.0	80	33.2	25.0-41.4	21	7.4	3.1-11.7	107	45.0	36.0-54.0
\$75,000+	502	89,049	71	16.0	11.5-20.5	8	1.0	0.2- 1.8	218	43.3	37.6-49.0	70	14.1	10.2-18.0	135	25.6	20.9-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1973	374,616	863	41.1	38.0-44.2	620	30.9	28.2-33.6	234	12.9	10.7-15.1	99	5.5	4.1- 6.9	157	9.6	7.6-11.6
Male	958	189,705	340	34.2	29.9-38.5	304	30.6	26.7-34.5	132	13.9	11.0-16.8	64	6.4	4.4- 8.4	118	14.8	11.3-18.3
Female	1015	184,910	523	48.2	43.9-52.5	316	31.3	27.4-35.2	102	11.9	9.0-14.8	35	4.4	2.4- 6.4	39	4.2	2.4- 6.0
White/Non-Hisp	1458	264,260	671	41.4	38.1-44.7	456	31.1	28.0-34.2	163	13.3	10.8-15.8	68	5.4	3.8- 7.0	100	8.8	6.8-10.8
Black or Afr. Am./Non-Hisp	216	58,475	91	47.6	38.0-57.2	70	30.3	22.1-38.5	23	7.8	4.3-11.3	15	6.9	2.8-11.0	17	7.5	2.8-12.2
Oth. Race/Non-Hisp.	77	15,442	27	33.0	19.5-46.5	28	37.0	22.9-51.1	10	17.0	5.0-29.0	5	7.8	0.2-15.4	7	5.2	0.3-10.1
Hispanic	152	21,196	44	25.7	16.5-34.9	43	26.1	16.5-35.7	30	20.7	11.5-29.9	9	3.4	1.0- 5.8	26	24.1	9.0-39.2
18-24	114	39,646	30	31.5	19.5-43.5	30	27.2	16.6-37.8	19	15.9	8.1-23.7	12	8.5	3.4-13.6	23	16.9	9.3-24.5
25-34	255	75,991	76	32.6	24.6-40.6	79	26.3	19.2-33.4	46	17.4	10.9-23.9	15	6.0	2.3- 9.7	39	17.8	10.7-24.9
35-44	248	63,077	83	37.6	28.8-46.4	80	33.7	25.9-41.5	39	14.0	8.9-19.1	19	6.2	2.7- 9.7	27	8.5	4.6-12.4
45-54	333	60,174	127	37.4	30.9-43.9	119	35.4	28.9-41.9	47	15.2	10.1-20.3	16	5.0	2.1- 7.9	24	7.0	3.7-10.3
55-64	403	61,625	194	45.8	39.7-51.9	131	34.5	28.4-40.6	43	9.9	6.4-13.4	18	5.0	2.3- 7.7	17	4.8	1.7- 7.9
65+	620	74,102	353	57.2	52.5-61.9	181	28.8	24.5-33.1	40	6.3	4.1- 8.5	19	3.3	1.7- 4.9	27	4.4	2.2- 6.6
Less Than H.S.	109	25,101	29	28.6	16.4-40.8	30	30.0	17.5-42.5	15	11.2	3.9-18.5	13	7.1	2.2-12.0	22	23.1	9.4-36.8
H.S. or G.E.D.	451	93,740	174	40.0	33.1-46.9	116	25.5	20.2-30.8	68	12.5	9.0-16.0	28	6.0	3.5- 8.5	65	16.1	11.4-20.8
Some Post-H.S.	504	117,858	210	39.5	33.8-45.2	163	30.1	24.8-35.4	72	16.0	11.3-20.7	24	6.3	3.4- 9.2	35	8.0	4.7-11.3
College Graduate	904	136,277	450	46.1	41.8-50.4	308	35.4	31.3-39.5	79	10.9	8.2-13.6	33	4.1	2.3- 5.9	34	3.6	2.0- 5.2
Less than \$15,000	85	13,797	31	38.4	23.5-53.3	20	33.6	17.9-49.3	15	9.8	4.1-15.5	7	8.7	0.0-17.5	12	9.5	3.2-15.8
\$15,000- 24,999	225	40,657	89	43.0	33.8-52.2	69	28.5	20.5-36.5	30	12.1	6.8-17.4	9	3.3	0.8- 5.8	28	13.0	6.7-19.3
\$25,000- 34,999	155	27,743	67	40.8	30.0-51.6	48	30.8	21.2-40.4	14	11.9	4.1-19.7	9	5.2	1.5- 8.9	17	11.3	4.8-17.8
\$35,000- 49,999	228	43,290	86	32.6	24.4-40.8	80	27.2	19.6-34.8	28	14.4	6.8-22.0	15	11.1	4.6-17.6	19	14.7	5.5-23.9
\$50,000- 74,999	278	52,185	113	38.5	30.7-46.3	93	31.6	24.2-39.0	31	13.4	7.3-19.5	18	7.0	2.9-11.1	23	9.5	5.0-14.0
\$75,000+	709	141,350	327	41.3	36.2-46.4	230	33.1	28.4-37.8	88	14.6	11.1-18.1	30	4.3	2.5- 6.1	34	6.7	3.8- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	958	189,705	340	34.2	29.9-38.5	304	30.6	26.7-34.5	132	13.9	11.0-16.8	64	6.4	4.4- 8.4	118	14.8	11.5-18.1
White/Non-Hisp	692	129,907	267	34.1	29.6-38.6	214	30.5	26.0-35.0	92	14.9	11.2-18.6	43	7.0	4.6- 9.4	76	13.6	10.1-17.1
Black or Afr. Am./Non-Hisp	90	27,967	28	45.0	28.9-61.1	31	30.9	18.0-43.8	12	8.2	2.9-13.5	8	5.5	0.8-10.2	11	10.4	2.4-18.4
Oth. Race/Non-Hisp.	53	9,775	14	22.9	9.0-36.8	24	46.7	29.5-63.9	5	16.2	1.7-30.7	4	8.0	0.0-17.2	6	6.1	0.0-12.6
Hispanic	89	13,446	19	18.0	7.8-28.2	22	24.0	11.3-36.7	21	19.6	8.0-31.2	7	4.3	0.8- 7.8	20	34.1	13.1-55.1
18-24	69	18,262	20	32.1	18.2-46.0	15	19.3	9.1-29.5	7	11.3	1.5-21.1	8	11.9	3.1-20.7	19	25.4	14.0-36.8
25-34	146	44,538	32	25.2	14.6-35.8	46	28.9	19.1-38.7	27	15.2	8.1-22.3	10	4.5	1.2- 7.8	31	26.1	15.3-36.9
35-44	116	30,710	27	31.4	16.3-46.5	37	29.2	18.0-40.4	21	18.2	9.2-27.2	11	8.4	2.1-14.7	20	12.9	5.6-20.2
45-54	150	28,874	44	27.7	19.1-36.3	56	37.7	28.3-47.1	26	20.2	11.6-28.8	8	3.7	1.0- 6.4	16	10.7	4.8-16.6
55-64	171	29,752	73	42.0	32.6-51.4	50	32.3	22.7-41.9	24	10.1	5.2-15.0	12	8.0	2.7-13.3	12	7.6	1.5-13.7
65+	306	37,569	144	47.3	40.6-54.0	100	32.4	26.1-38.7	27	8.2	4.9-11.5	15	5.3	2.4- 8.2	20	6.8	3.1-10.5
Less Than H.S.	69	15,171	13	21.8	6.5-37.1	19	25.3	11.0-39.6	10	12.2	2.2-22.2	10	8.1	2.0-14.2	17	32.6	12.8-52.4
H.S. or G.E.D.	252	53,615	72	31.6	21.8-41.4	63	25.4	18.0-32.8	41	12.3	7.8-16.8	21	8.2	4.3-12.1	55	22.5	15.4-29.6
Some Post-H.S.	223	57,835	84	38.1	29.7-46.5	71	28.6	21.0-36.2	32	14.8	8.3-21.3	11	5.5	1.6- 9.4	25	13.0	6.7-19.3
College Graduate	409	61,446	171	36.9	31.0-42.8	148	37.9	31.8-44.0	49	15.3	10.6-20.0	21	5.4	2.7- 8.1	20	4.6	2.1- 7.1
\$15,000- 24,999	113	19,427	35	35.2	22.1-48.3	31	26.7	16.1-37.3	16	13.3	4.9-21.7	7	4.0	0.9- 7.1	24	20.9	10.3-31.5
\$25,000- 34,999	70	12,982	18	21.6	10.2-33.0	28	39.7	25.0-54.4	7	13.6	1.1-26.1	7	8.6	1.5-15.7	10	16.5	4.9-28.1
\$35,000- 49,999	104	20,504	34	30.2	18.2-42.2	37	22.4	13.2-31.6	13	12.2	4.6-19.8	7	11.3	2.3-20.3	13	23.9	7.4-40.4
\$50,000- 74,999	152	27,822	57	35.0	24.6-45.4	47	30.8	20.8-40.8	19	13.1	5.7-20.5	9	5.9	1.2-10.6	20	15.2	7.4-23.0
\$75,000+	345	75,882	128	34.0	26.4-41.6	115	32.1	25.4-38.8	57	18.1	12.6-23.6	20	5.1	2.6- 7.6	25	10.7	5.6-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1015	184,910	523	48.2	43.9-52.5	316	31.3	27.4-35.2	102	11.9	9.0-14.8	35	4.4	2.4- 6.4	39	4.2	2.4- 6.0
White/Non-Hisp	766	134,353	404	48.4	43.5-53.3	242	31.8	27.3-36.3	71	11.8	8.1-15.5	25	3.9	1.9- 5.9	24	4.1	2.1- 6.1
Black or Afr. Am./Non-Hisp	126	30,507	63	49.9	38.1-61.7	39	29.8	19.6-40.0	11	7.4	2.7-12.1	7	8.1	1.4-14.8	6	4.9	0.0-10.0
Hispanic	63	7,750	25	39.0	23.5-54.5	21	29.9	15.8-44.0	9	22.6	7.5-37.7	2	1.7	0.0- 4.2	6	6.7	0.4-13.0
25-34	109	31,453	44	43.0	30.5-55.5	33	22.5	12.9-32.1	19	20.5	8.7-32.3	5	8.1	0.3-15.9	8	5.9	1.2-10.6
35-44	132	32,367	56	43.5	32.9-54.1	43	38.0	27.6-48.4	18	10.1	4.6-15.6	8	4.1	0.8- 7.4	7	4.3	0.8- 7.8
45-54	183	31,300	83	46.3	37.1-55.5	63	33.3	24.5-42.1	21	10.5	5.4-15.6	8	6.2	1.1-11.3	8	3.6	0.7- 6.5
55-64	232	31,872	121	49.3	41.5-57.1	81	36.5	28.9-44.1	19	9.8	4.7-14.9	6	2.3	0.3- 4.3	5	2.2	0.0- 4.6
65+	314	36,533	209	67.4	60.9-73.9	81	25.0	18.9-31.1	13	4.4	1.9- 6.9	4	1.3	0.0- 2.7	7	1.9	0.1- 3.7
H.S. or G.E.D.	199	40,126	102	51.1	41.3-60.9	53	25.6	17.8-33.4	27	12.8	7.1-18.5	7	3.1	0.4- 5.8	10	7.4	1.9-12.9
Some Post-H.S.	281	60,023	126	40.9	33.1-48.7	92	31.6	24.3-38.9	40	17.3	10.4-24.2	13	7.0	2.5-11.5	10	3.2	0.7- 5.7
College Graduate	495	74,831	279	53.6	47.5-59.7	160	33.3	27.4-39.2	30	7.4	4.3-10.5	12	3.0	0.8- 5.2	14	2.8	1.0- 4.6
\$15,000- 24,999	112	21,230	54	50.1	37.2-63.0	38	30.2	18.4-42.0	14	11.1	4.2-18.0	2	2.7	0.0- 6.6	4	5.9	0.0-13.0
\$25,000- 34,999	85	14,761	49	57.8	43.3-72.3	20	22.9	11.3-34.5	7	10.4	1.0-19.8	2	2.2	0.0- 5.5	7	6.8	0.7-12.9
\$35,000- 49,999	124	22,786	52	34.7	23.3-46.1	43	31.6	20.0-43.2	15	16.4	3.9-28.9	8	11.0	1.6-20.4	6	6.3	0.4-12.2
\$50,000- 74,999	126	24,362	56	42.6	30.8-54.4	46	32.6	21.2-44.0	12	13.8	3.8-23.8	9	8.2	1.1-15.3	3	2.9	0.0- 6.6
\$75,000+	364	65,468	199	49.7	43.0-56.4	115	34.3	27.8-40.8	31	10.6	6.3-14.9	10	3.4	0.9- 5.9	9	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1984	378,872	185	10.5	8.5-12.5	104	6.3	4.7- 7.9	38	1.7	0.9- 2.5	43	2.2	1.4- 3.0	107	6.8	5.2- 8.4	1507	72.5	69.8-75.2
Male	963	192,132	94	11.2	8.5-13.9	70	8.3	5.9-10.7	23	1.7	0.9- 2.5	21	1.9	0.9- 2.9	62	8.2	5.7-10.7	693	68.7	64.6-72.8
Female	1021	186,740	91	9.8	7.3-12.3	34	4.2	2.4- 6.0	15	1.8	0.6- 3.0	22	2.4	1.2- 3.6	45	5.2	3.4- 7.0	814	76.5	73.0-80.0
White/Non-Hisp	1463	266,089	126	10.7	8.3-13.1	73	6.5	4.7- 8.3	29	1.9	1.1- 2.7	29	2.3	1.3- 3.3	75	6.4	4.6- 8.2	1131	72.2	69.1-75.3
Black or Afr. Am./Non-Hisp	218	60,330	16	8.1	3.4-12.8	10	6.0	1.7-10.3	5	0.9	0.1- 1.7	7	2.1	0.3- 3.9	13	7.6	2.7-12.5	167	75.3	67.7-82.9
Oth. Race/Non-Hisp.	76	15,731	8	9.6	1.4-17.8	5	4.9	0.0-10.8	1	4.0	0.0-11.6				3	3.6	0.0- 8.1	59	77.7	65.5-89.9
Hispanic	154	21,229	29	15.1	7.8-22.4	15	9.5	2.6-16.4	3	1.6	0.0- 3.6	4	2.7	0.0- 6.0	11	8.3	2.0-14.6	92	62.7	51.3-74.1
18-24	116	41,065	20	14.3	7.2-21.4	18	12.1	5.6-18.6	3	2.8	0.0- 6.5	3	2.6	0.0- 5.7	16	10.3	4.6-16.0	56	57.9	46.9-68.9
25-34	259	77,249	46	16.0	10.1-21.9	24	8.5	4.6-12.4	5	1.1	0.0- 2.3	8	3.0	0.6- 5.4	26	12.4	6.7-18.1	150	59.0	51.0-67.0
35-44	250	63,032	35	12.6	7.9-17.3	13	4.9	1.8- 8.0	8	2.3	0.5- 4.1	9	2.4	0.6- 4.2	18	6.5	3.0-10.0	167	71.3	64.4-78.2
45-54	332	60,181	28	9.1	4.8-13.4	15	4.8	1.9- 7.7	10	2.8	0.6- 5.0	9	2.4	0.4- 4.4	20	7.2	3.7-10.7	250	73.7	67.6-79.8
55-64	407	63,060	34	8.5	5.0-12.0	23	8.8	4.5-13.1	8	1.5	0.1- 2.9	6	1.5	0.0- 3.1	14	3.3	1.5- 5.1	322	76.4	70.7-82.1
65+	620	74,285	22	3.8	2.0- 5.6	11	1.0	0.4- 1.6	4	0.6	0.0- 1.2	8	1.3	0.3- 2.3	13	1.7	0.7- 2.7	562	91.6	89.1-94.1
Less Than H.S.	110	25,596	11	6.5	1.4-11.6	5	2.8	0.0- 6.1	5	3.2	0.0- 6.7	3	2.6	0.0- 5.7	12	14.3	5.1-23.5	74	70.6	59.2-82.0
H.S. or G.E.D.	455	95,706	47	10.2	6.5-13.9	25	5.4	2.9- 7.9	15	2.6	1.0- 4.2	10	2.3	0.5- 4.1	43	11.7	7.4-16.0	315	67.7	61.8-73.6
Some Post-H.S.	510	119,786	53	12.2	8.3-16.1	29	7.5	4.2-10.8	7	1.4	0.0- 2.8	12	2.1	0.7- 3.5	26	4.9	2.5- 7.3	383	71.9	66.6-77.2
College Graduate	903	135,740	74	10.1	7.2-13.0	45	6.6	4.4- 8.8	11	1.2	0.2- 2.2	18	2.1	0.7- 3.5	26	3.6	2.0- 5.2	729	76.5	72.6-80.4
Less than \$15,000	86	14,545	14	10.3	4.0-16.6	8	8.2	0.2-16.2	1	0.7	0.0- 2.1	2	2.5	0.0- 6.0	8	16.6	2.5-30.7	53	61.8	46.7-76.9
\$15,000- 24,999	229	40,954	20	5.8	2.9- 8.7	11	8.4	2.5-14.3	4	1.8	0.0- 4.0	4	1.7	0.0- 3.7	18	10.7	4.4-17.0	172	71.6	63.2-80.0
\$25,000- 34,999	156	27,793	17	12.2	4.8-19.6	8	5.9	0.2-11.6	5	2.9	0.0- 5.8	5	2.4	0.0- 4.8	8	5.9	0.8-11.0	113	70.6	60.8-80.4
\$35,000- 49,999	230	43,658	24	13.6	6.7-20.5	12	4.5	1.4- 7.6	7	1.9	0.3- 3.5	5	1.5	0.0- 3.1	12	5.4	2.1- 8.7	170	73.1	65.1-81.1
\$50,000- 74,999	273	51,537	26	11.8	5.9-17.7	13	4.8	1.5- 8.1	7	1.4	0.2- 2.6	6	1.8	0.0- 3.6	10	4.6	1.5- 7.7	211	75.6	68.5-82.7
\$75,000+	711	141,809	63	11.2	8.1-14.3	40	7.2	4.7- 9.7	10	2.0	0.6- 3.4	17	2.8	1.2- 4.4	38	6.6	3.9- 9.3	543	70.2	65.5-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	963	192,132	94	11.2	8.5-13.9	70	8.3	5.9-10.7	23	1.7	0.9- 2.5	21	1.9	0.9- 2.9	62	8.2	5.7-10.7	693	68.7	64.6-72.8
White/Non-Hisp	697	131,304	59	11.3	8.2-14.4	48	8.3	5.6-11.0	17	1.9	0.7- 3.1	15	2.2	0.8- 3.6	43	8.4	5.5-11.3	515	68.0	63.3-72.7
Black or Afr. Am./Non-Hisp	90	29,339	7	9.1	1.3-16.9	6	9.1	1.1-17.1	3	1.2	0.0- 2.6	4	2.5	0.0- 5.0	5	5.3	0.0-11.6	65	72.9	60.6-85.2
Oth. Race/Non-Hisp.	51	9,429	6	9.5	0.0-19.5	4	6.7	0.0-15.9							3	6.1	0.0-13.5	38	77.7	63.4-92.0
Hispanic	90	13,371	17	11.6	4.3-18.9	12	12.8	2.4-23.2	3	2.5	0.0- 5.8				8	9.7	0.7-18.7	50	63.4	48.1-78.7
18-24	70	19,045	12	14.3	5.3-23.3	13	16.1	5.9-26.3	2	2.7	0.0- 7.2				11	14.2	5.4-23.0	32	52.7	38.4-67.0
25-34	146	44,435	28	18.5	10.3-26.7	18	10.0	4.3-15.7	2	0.4	0.0- 1.0	5	2.8	0.1- 5.5	14	14.4	5.8-23.0	79	53.8	42.6-65.0
35-44	117	30,881	16	9.9	4.0-15.8	8	6.3	1.2-11.4	6	3.2	0.7- 5.7	2	0.8	0.0- 2.2	12	8.4	2.9-13.9	73	71.4	61.2-81.6
45-54	152	29,549	14	10.7	3.4-18.0	7	5.7	0.6-10.8	3	0.8	0.0- 1.8	4	3.0	0.0- 6.5	10	7.5	2.6-12.4	114	72.3	63.1-81.5
55-64	175	30,966	12	8.2	2.5-13.9	16	13.4	5.8-21.0	6	2.6	0.0- 5.3	4	1.8	0.0- 4.0	7	3.8	0.9- 6.7	130	70.2	61.0-79.4
65+	303	37,257	12	4.7	1.6- 7.8	8	1.6	0.4- 2.8	4	1.1	0.0- 2.3	6	2.1	0.1- 4.1	8	2.0	0.4- 3.6	265	88.5	84.4-92.6
Less Than H.S.	69	15,559	6	3.9	0.0- 8.0	4	4.2	0.0- 9.5	4	2.7	0.0- 5.6	1	0.7	0.0- 2.1	9	20.2	6.1-34.3	45	68.3	52.6-84.0
H.S. or G.E.D.	256	55,436	28	11.5	6.0-17.0	21	7.8	3.7-11.9	9	2.3	0.7- 3.9	6	1.5	0.1- 2.9	32	14.8	8.7-20.9	160	62.2	53.8-70.6
Some Post-H.S.	223	58,144	22	12.2	6.5-17.9	17	9.0	3.7-14.3	5	1.5	0.0- 3.1	7	3.3	0.6- 6.0	10	4.7	0.6- 8.8	162	69.4	61.2-77.6
College Graduate	409	60,951	38	12.1	7.8-16.4	28	9.3	5.4-13.2	5	1.1	0.0- 2.5	7	1.5	0.3- 2.7	11	2.9	0.7- 5.1	320	73.1	67.2-79.0
\$15,000- 24,999	115	19,765	13	8.0	2.9-13.1	9	15.3	4.3-26.3	3	1.7	0.0- 3.9	2	1.0	0.0- 2.6	10	11.0	1.4-20.6	78	63.0	50.1-75.9
\$25,000- 34,999	70	13,007	8	14.6	1.9-27.3	6	10.3	0.0-21.7	5	6.2	0.0-12.5	2	3.1	0.0- 7.6	6	9.6	0.2-19.0	43	56.1	40.6-71.6
\$35,000- 49,999	105	20,585	9	13.2	2.0-24.4	8	6.0	1.5-10.5	4	2.2	0.0- 4.6	3	2.7	0.0- 5.8	4	4.5	0.0- 9.0	77	71.5	59.0-84.0
\$50,000- 74,999	149	27,581	14	12.1	4.7-19.5	8	5.1	0.6- 9.6	3	1.2	0.0- 2.8	2	0.9	0.0- 2.3	9	8.1	2.4-13.8	113	72.5	62.9-82.1
\$75,000+	346	75,646	35	12.7	8.0-17.4	24	7.5	3.8-11.2	5	1.1	0.0- 2.3	11	3.0	0.8- 5.2	21	7.7	3.4-12.0	250	68.0	61.1-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1021	186,740	91	9.8	7.3-12.3	34	4.2	2.4- 6.0	15	1.8	0.6- 3.0	22	2.4	1.2- 3.6	45	5.2	3.4- 7.0	814	76.5	73.0-80.0
White/Non-Hisp	766	134,784	67	10.2	7.1-13.3	25	4.7	2.5- 6.9	12	1.9	0.7- 3.1	14	2.5	0.9- 4.1	32	4.5	2.7- 6.3	616	76.2	72.1-80.3
Black or Afr. Am./Non-Hisp	128	30,992	9	7.2	2.1-12.3	4	3.0	0.0- 6.9	2	0.7	0.0- 1.7	3	1.7	0.0- 3.9	8	9.9	2.6-17.2	102	77.6	68.2-87.0
Hispanic	64	7,858	12	21.2	7.1-35.3	3	4.0	0.0- 9.1				4	7.3	0.0-15.9	3	6.0	0.0-13.3	42	61.4	45.7-77.1
25-34	113	32,814	18	12.5	4.5-20.5	6	6.5	1.0-12.0	3	2.0	0.0- 4.7	3	3.2	0.0- 7.3	12	9.7	3.6-15.8	71	66.1	54.9-77.3
35-44	133	32,152	19	15.3	7.9-22.7	5	3.5	0.0- 7.4	2	1.4	0.0- 3.8	7	3.9	0.6- 7.2	6	4.6	0.3- 8.9	94	71.2	62.0-80.4
45-54	180	30,632	14	7.5	2.8-12.2	8	3.9	1.0- 6.8	7	4.7	0.6- 8.8	5	1.9	0.0- 3.9	10	7.0	1.9-12.1	136	75.0	67.0-83.0
55-64	232	32,095	22	8.8	4.5-13.1	7	4.3	0.8- 7.8	2	0.5	0.0- 1.1	2	1.2	0.0- 3.4	7	2.8	0.6- 5.0	192	82.4	76.5-88.3
65+	317	37,028	10	2.8	0.6- 5.0	3	0.5	0.0- 1.1				2	0.5	0.0- 1.1	5	1.4	0.2- 2.6	297	94.8	92.3-97.3
H.S. or G.E.D.	199	40,270	19	8.6	4.3-12.9	4	2.1	0.0- 4.8	6	3.0	0.1- 5.9	4	3.5	0.0- 7.0	11	7.5	2.0-13.0	155	75.4	67.4-83.4
Some Post-H.S.	287	61,642	31	12.2	6.9-17.5	12	6.2	2.3-10.1	2	1.3	0.0- 3.5	5	1.0	0.0- 2.0	16	5.1	2.4- 7.8	221	74.3	67.4-81.2
College Graduate	494	74,790	36	8.5	4.8-12.2	17	4.3	1.9- 6.7	6	1.3	0.1- 2.5	11	2.6	0.4- 4.8	15	4.2	1.8- 6.6	409	79.2	74.1-84.3
\$15,000- 24,999	114	21,189	7	3.6	0.5- 6.7	2	2.1	0.0- 5.4	1	1.9	0.0- 5.6	2	2.4	0.0- 5.9	8	10.4	2.0-18.8	94	79.5	69.3-89.7
\$25,000- 34,999	86	14,786	9	10.2	2.4-18.0	2	2.1	0.0- 5.4				3	1.7	0.0- 3.7	2	2.7	0.0- 7.0	70	83.4	73.8-93.0
\$35,000- 49,999	125	23,072	15	14.0	5.8-22.2	4	3.1	0.0- 7.4	3	1.6	0.0- 3.6	2	0.5	0.0- 1.3	8	6.3	1.6-11.0	93	74.5	64.3-84.7
\$50,000- 74,999	124	23,956	12	11.5	2.1-20.9	5	4.5	0.0- 9.6	4	1.5	0.0- 3.5	4	2.8	0.0- 6.1	1	0.5	0.0- 1.5	98	79.2	68.6-89.8
\$75,000+	365	66,163	28	9.6	5.3-13.9	16	6.9	3.2-10.6	5	3.0	0.3- 5.7	6	2.5	0.1- 4.9	17	5.4	2.7- 8.1	293	72.6	66.3-78.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1907	364,262	542	25.7	23.0-28.4	557	26.8	24.1-29.5	303	16.7	14.3-19.1	161	9.5	7.5-11.5	344	21.3	18.8-23.8
Male	922	184,884	207	19.7	16.2-23.2	215	21.2	17.3-25.1	178	19.4	15.9-22.9	76	9.6	6.7-12.5	246	30.0	25.9-34.1
Female	985	179,378	335	31.9	27.8-36.0	342	32.6	28.5-36.7	125	13.8	10.5-17.1	85	9.3	6.9-11.7	98	12.4	9.5-15.3
White/Non-Hisp	1421	258,836	402	25.3	22.4-28.2	419	25.6	22.7-28.5	235	17.5	14.6-20.4	120	9.5	7.5-11.5	245	22.1	19.2-25.0
Black or Afr. Am./Non-Hisp	208	57,061	64	28.8	20.2-37.4	72	36.5	26.5-46.5	23	10.0	4.9-15.1	19	7.7	3.4-12.0	30	17.0	9.9-24.1
Oth. Race/Non-Hisp.	74	14,575	19	25.8	12.7-38.9	18	24.8	12.1-37.5	16	22.7	9.8-35.6	5	9.0	0.0-19.0	16	17.7	7.3-28.1
Hispanic	133	18,603	32	22.1	12.9-31.3	28	16.8	8.8-24.8	19	16.7	7.5-25.9	14	17.3	0.6-34.0	40	27.1	16.3-37.9
18-24	111	39,865	16	17.8	7.2-28.4	19	20.0	9.8-30.2	15	16.0	6.6-25.4	11	10.9	4.0-17.8	50	35.4	25.0-45.8
25-34	248	73,022	39	19.7	12.3-27.1	57	20.5	14.2-26.8	37	14.5	7.8-21.2	27	10.5	4.6-16.4	88	34.8	27.0-42.6
35-44	235	59,755	49	19.8	13.5-26.1	58	26.9	17.7-36.1	44	20.9	13.6-28.2	31	14.2	8.5-19.9	53	18.1	12.4-23.8
45-54	324	59,174	86	24.9	19.2-30.6	102	29.5	23.2-35.8	54	17.2	12.1-22.3	21	6.9	3.6-10.2	61	21.5	15.6-27.4
55-64	389	60,320	125	29.0	23.5-34.5	118	29.2	23.7-34.7	58	15.7	11.0-20.4	31	8.1	4.4-11.8	57	18.0	12.5-23.5
65+	600	72,127	227	38.9	34.2-43.6	203	32.8	28.3-37.3	95	16.2	12.7-19.7	40	6.9	4.5- 9.3	35	5.2	3.2- 7.2
Less Than H.S.	96	22,723	30	26.9	15.3-38.5	20	21.6	9.8-33.4	11	13.0	2.4-23.6	9	14.2	0.0-28.9	26	24.3	12.9-35.7
H.S. or G.E.D.	433	92,183	117	25.4	19.3-31.5	112	24.4	18.1-30.7	60	15.4	10.7-20.1	30	6.7	3.8- 9.6	114	28.1	22.2-34.0
Some Post-H.S.	490	114,809	135	23.9	18.8-29.0	142	26.0	20.9-31.1	83	19.3	14.2-24.4	51	10.6	7.1-14.1	79	20.1	15.2-25.0
College Graduate	883	132,908	259	27.5	23.6-31.4	281	30.0	26.1-33.9	148	16.0	12.7-19.3	70	9.1	6.4-11.8	125	17.4	14.1-20.7
Less than \$15,000	79	13,257	21	29.7	14.8-44.6	17	22.8	9.9-35.7	9	7.4	0.7-14.1	9	12.1	2.3-21.9	23	27.9	13.2-42.6
\$15,000- 24,999	214	38,739	62	30.0	21.2-38.8	67	28.7	20.3-37.1	29	12.2	6.9-17.5	9	2.7	0.5- 4.9	47	26.5	17.9-35.1
\$25,000- 34,999	145	25,749	48	32.3	21.3-43.3	41	26.9	17.7-36.1	15	9.4	3.7-15.1	11	6.6	2.1-11.1	30	24.8	14.6-35.0
\$35,000- 49,999	223	42,717	58	21.6	14.7-28.5	63	25.7	17.7-33.7	33	15.5	7.7-23.3	30	17.3	8.3-26.3	39	19.9	12.6-27.2
\$50,000- 74,999	269	50,511	62	20.7	14.6-26.8	86	27.4	20.5-34.3	49	24.1	16.1-32.1	26	8.4	4.1-12.7	46	19.4	12.5-26.3
\$75,000+	695	138,033	184	21.7	17.8-25.6	198	26.3	21.4-31.2	129	18.7	14.8-22.6	58	10.6	7.3-13.9	126	22.6	18.3-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	922	184,884	207	19.7	16.2-23.2	215	21.2	17.3-25.1	178	19.4	15.9-22.9	76	9.6	6.7-12.5	246	30.0	25.9-34.1
White/Non-Hisp	676	127,028	154	18.3	14.8-21.8	157	19.6	16.1-23.1	135	20.9	16.6-25.2	60	10.1	7.0-13.2	170	31.1	26.4-35.8
Black or Afr. Am./Non-Hisp	86	28,823	19	27.1	13.2-41.0	25	30.4	14.3-46.5	15	12.9	5.1-20.7	6	4.6	0.0- 9.7	21	25.0	12.7-37.3
Oth. Race/Non-Hisp.	50	8,908	8	13.6	1.6-25.6	14	32.2	15.0-49.4	11	26.2	9.5-42.9	3	2.9	0.0- 6.8	14	25.1	10.0-40.2
Hispanic	77	11,742	15	17.9	6.9-28.9	13	11.0	2.8-19.2	12	19.1	6.0-32.2	5	20.6	0.0-45.9	32	31.4	16.3-46.5
18-24	68	18,966	9	15.7	3.2-28.2	12	16.5	6.7-26.3	6	11.7	0.0-23.7	5	9.0	1.4-16.6	36	47.1	32.6-61.6
25-34	141	42,763	14	14.5	4.9-24.1	25	14.6	7.7-21.5	24	15.2	7.2-23.2	14	12.0	2.8-21.2	64	43.7	32.5-54.9
35-44	108	29,132	16	14.3	5.7-22.9	22	25.4	9.7-41.1	22	23.8	12.4-35.2	8	9.0	1.4-16.6	40	27.4	17.0-37.8
45-54	146	28,827	32	17.6	11.1-24.1	36	21.7	13.9-29.5	34	25.3	16.7-33.9	10	7.3	2.4-12.2	34	28.1	18.7-37.5
55-64	167	29,404	51	26.4	18.4-34.4	31	18.4	11.1-25.7	31	17.8	10.4-25.2	16	9.9	3.4-16.4	38	27.5	18.1-36.9
65+	292	35,792	85	28.6	22.3-34.9	89	30.2	24.1-36.3	61	21.7	16.0-27.4	23	9.2	5.1-13.3	34	10.3	6.4-14.2
Less Than H.S.	62	14,551	15	18.2	6.6-29.8	12	12.6	4.2-21.0	7	18.4	2.5-34.3	5	18.0	0.0-39.4	23	32.9	16.2-49.6
H.S. or G.E.D.	243	53,261	47	16.8	10.3-23.3	51	22.5	12.9-32.1	37	15.5	9.2-21.8	18	7.9	3.6-12.2	90	37.2	28.6-45.8
Some Post-H.S.	212	55,323	50	22.0	14.4-29.6	48	18.4	12.3-24.5	46	23.1	15.3-30.9	19	9.6	4.1-15.1	49	26.9	19.1-34.7
College Graduate	400	60,109	94	21.0	15.9-26.1	102	24.4	19.1-29.7	87	19.9	15.2-24.6	33	8.1	5.0-11.2	84	26.6	20.7-32.5
\$15,000- 24,999	107	18,916	20	17.3	6.5-28.1	30	26.1	15.3-36.9	17	15.2	6.6-23.8	6	4.3	0.2- 8.4	34	37.1	23.8-50.4
\$25,000- 34,999	66	12,378	14	20.4	8.2-32.6	17	20.7	9.1-32.3	6	8.4	1.3-15.5	5	8.1	0.5-15.7	24	42.4	26.1-58.7
\$35,000- 49,999	100	19,735	16	11.5	4.4-18.6	25	18.7	9.9-27.5	21	19.0	9.4-28.6	12	21.8	5.1-38.5	26	29.0	16.1-41.9
\$50,000- 74,999	145	26,937	31	17.0	9.7-24.3	38	21.1	13.5-28.7	30	28.0	16.4-39.6	12	7.8	1.9-13.7	34	26.2	16.6-35.8
\$75,000+	342	74,106	74	16.4	11.5-21.3	66	20.1	12.7-27.5	81	23.5	17.2-29.8	31	9.8	5.5-14.1	90	30.3	23.6-37.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	985	179,378	335	31.9	27.8-36.0	342	32.6	28.5-36.7	125	13.8	10.5-17.1	85	9.3	6.9-11.7	98	12.4	9.5-15.3
White/Non-Hisp	745	131,808	248	32.1	27.4-36.8	262	31.3	26.8-35.8	100	14.3	10.6-18.0	60	8.8	6.1-11.5	75	13.4	9.9-16.9
Black or Afr. Am./Non-Hisp	122	28,239	45	30.5	20.3-40.7	47	42.7	30.5-54.9	8	7.2	0.5-13.9	13	10.9	4.0-17.8	9	8.7	2.2-15.2
Hispanic	56	6,861	17	29.4	14.7-44.1	15	26.6	11.7-41.5	7	12.4	0.6-24.2	9	11.7	2.1-21.3	8	19.8	5.3-34.3
25-34	107	30,258	25	27.2	15.4-39.0	32	28.9	17.9-39.9	13	13.5	2.3-24.7	13	8.3	2.8-13.8	24	22.1	11.9-32.3
35-44	127	30,624	33	25.1	16.1-34.1	36	28.3	18.3-38.3	22	18.1	9.1-27.1	23	19.2	11.0-27.4	13	9.3	3.6-15.0
45-54	178	30,346	54	31.8	22.8-40.8	66	36.8	27.6-46.0	20	9.5	4.6-14.4	11	6.6	1.9-11.3	27	15.3	8.8-21.8
55-64	222	30,916	74	31.4	24.0-38.8	87	39.4	31.6-47.2	27	13.7	8.0-19.4	15	6.5	2.8-10.2	19	9.0	4.3-13.7
65+	308	36,335	142	49.0	41.9-56.1	114	35.4	28.7-42.1	34	10.7	6.6-14.8	17	4.6	2.1-7.1	1	0.2	0.0-0.6
H.S. or G.E.D.	190	38,922	70	37.2	27.0-47.4	61	26.9	18.9-34.9	23	15.2	7.8-22.6	12	5.1	1.6-8.6	24	15.6	8.5-22.7
Some Post-H.S.	278	59,486	85	25.8	19.1-32.5	94	33.1	25.3-40.9	37	15.8	8.9-22.7	32	11.5	6.8-16.2	30	13.8	7.9-19.7
College Graduate	483	72,798	165	32.8	27.1-38.5	179	34.7	29.0-40.4	61	12.7	8.2-17.2	37	10.0	5.9-14.1	41	9.9	6.4-13.4
\$15,000- 24,999	107	19,823	42	42.0	28.9-55.1	37	31.2	18.7-43.7	12	9.3	2.8-15.8	3	1.2	0.0-2.8	13	16.3	6.5-26.1
\$25,000- 34,999	79	13,371	34	43.3	27.0-59.6	24	32.6	18.3-46.9	9	10.4	1.6-19.2	6	5.2	0.5-9.9	6	8.5	1.1-15.9
\$35,000- 49,999	123	22,982	42	30.3	19.3-41.3	38	31.7	19.5-43.9	12	12.5	0.3-24.7	18	13.4	5.6-21.2	13	12.1	4.7-19.5
\$50,000- 74,999	124	23,574	31	25.0	15.2-34.8	48	34.7	23.3-46.1	19	19.6	8.8-30.4	14	9.2	3.1-15.3	12	11.6	1.8-21.4
\$75,000+	353	63,927	110	28.0	22.1-33.9	132	33.5	27.2-39.8	48	13.1	8.4-17.8	27	11.7	6.8-16.6	36	13.7	8.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4	MALES AND FEMALES	221
5	MALES ONLY	222
6	FEMALES ONLY	223
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7	MALES AND FEMALES	224
8	MALES ONLY	225
9	FEMALES ONLY	226
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10	MALES AND FEMALES	227
11	MALES ONLY	228
12	FEMALES ONLY	229
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13	MALES AND FEMALES	230
14	MALES ONLY	231
15	FEMALES ONLY	232
	YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16	MALES AND FEMALES	233
17	MALES ONLY	234
18	FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3793	690,905	1976	50.6	48.2-53.0	1079	29.7	27.5-31.9	587	15.6	13.8-17.4	39	1.0	0.6- 1.4	112	3.1	2.3- 3.9
Male	1700	330,873	825	47.6	44.3-50.9	526	31.9	28.8-35.0	276	15.9	13.4-18.4	15	1.0	0.2- 1.8	58	3.6	2.4- 4.8
Female	2093	360,032	1151	53.4	50.5-56.3	553	27.6	24.9-30.3	311	15.3	13.1-17.5	24	1.0	0.4- 1.6	54	2.6	1.4- 3.8
White/Non-Hisp	2555	445,162	1350	51.8	49.1-54.5	730	31.1	28.6-33.6	382	13.7	11.9-15.5	22	0.7	0.3- 1.1	71	2.7	1.9- 3.5
Black or Afr. Am./Non-Hisp	517	133,366	236	44.1	38.2-50.0	149	28.0	22.9-33.1	103	21.4	16.1-26.7	8	2.1	0.1- 4.1	21	4.5	1.6- 7.4
Oth. Race/Non-Hisp.	169	33,689	102	57.3	46.7-67.9	35	21.7	13.1-30.3	30	19.4	10.2-28.6	1	0.4	0.0- 1.2	1	1.1	0.0- 3.3
Hispanic	401	52,416	219	58.8	51.9-65.7	125	27.7	21.8-33.6	41	10.3	6.2-14.4	7	1.1	0.1- 2.1	9	2.2	0.2- 4.2
18-24	231	79,648	114	49.5	41.1-57.9	81	34.2	26.6-41.8	27	10.1	5.6-14.6	3	2.7	0.0- 6.0	6	3.4	0.0- 7.3
25-34	424	114,688	221	49.7	42.8-56.6	128	30.6	24.3-36.9	63	16.4	11.3-21.5	1	0.1	0.0- 0.3	11	3.1	0.7- 5.5
35-44	433	103,031	246	54.6	48.1-61.1	116	27.7	22.0-33.4	61	15.8	9.9-21.7	3	0.4	0.0- 1.0	7	1.5	0.1- 2.9
45-54	595	110,542	291	48.8	43.7-53.9	184	33.5	28.6-38.4	86	13.9	10.4-17.4	10	0.9	0.3- 1.5	24	2.9	1.5- 4.3
55-64	822	123,338	402	49.0	44.5-53.5	233	27.7	23.6-31.8	148	17.9	14.4-21.4	10	1.0	0.2- 1.8	29	4.5	2.1- 6.9
65+	1288	159,657	702	51.9	48.4-55.4	337	26.9	23.8-30.0	202	17.0	14.3-19.7	12	1.1	0.3- 1.9	35	3.1	1.9- 4.3
Less Than H.S.	393	80,145	190	46.1	38.8-53.4	119	31.1	24.2-38.0	67	19.4	13.5-25.3	6	0.8	0.2- 1.4	11	2.7	0.3- 5.1
H.S. or G.E.D.	1052	209,234	468	45.9	41.6-50.2	310	29.6	25.9-33.3	210	18.0	14.5-21.5	17	1.9	0.5- 3.3	47	4.6	2.8- 6.4
Some Post-H.S.	941	198,088	462	48.3	44.0-52.6	277	30.3	26.2-34.4	163	17.0	13.9-20.1	11	0.9	0.3- 1.5	28	3.4	1.4- 5.4
College Graduate	1386	199,284	844	59.9	56.4-63.4	367	28.5	25.2-31.8	145	10.0	7.8-12.2	5	0.2	0.0- 0.4	25	1.4	0.8- 2.0
Less than \$15,000	298	43,964	120	42.0	34.0-50.0	86	26.2	19.5-32.9	70	27.0	19.2-34.8	6	1.3	0.1- 2.5	16	3.6	1.6- 5.6
\$15,000- 24,999	564	93,853	259	42.5	36.8-48.2	170	33.0	27.3-38.7	98	17.9	13.0-22.8	8	1.3	0.1- 2.5	29	5.3	2.6- 8.0
\$25,000- 34,999	353	59,088	180	49.2	41.8-56.6	97	29.7	22.8-36.6	59	16.4	11.3-21.5	7	1.8	0.2- 3.4	10	2.9	0.7- 5.1
\$35,000- 49,999	441	80,309	216	46.8	40.1-53.5	135	34.9	28.2-41.6	77	15.6	11.1-20.1	2	0.4	0.0- 1.2	11	2.3	0.7- 3.9
\$50,000- 74,999	469	90,321	257	50.9	44.4-57.4	136	31.1	24.8-37.4	67	15.3	10.6-20.0	1	0.1	0.0- 0.3	8	2.6	0.2- 5.0
\$75,000+	986	192,968	578	55.6	51.3-59.9	264	28.3	24.4-32.2	125	14.8	11.1-18.5	6	0.4	0.0- 0.8	13	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 2: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1700	330,873	825	47.6	44.3-50.9	526	31.9	28.8-35.0	276	15.9	13.4-18.4	15	1.0	0.2- 1.8	58	3.6	2.4- 4.8
White/Non-Hisp	1130	212,336	545	47.2	43.3-51.1	362	35.0	31.1-38.9	182	14.4	11.9-16.9	7	0.4	0.0- 0.8	34	2.9	1.7- 4.1
Black or Afr. Am./Non-Hisp	201	61,211	84	42.3	33.1-51.5	62	28.0	20.2-35.8	37	20.6	11.4-29.8	5	3.1	0.0- 6.8	13	6.0	1.9-10.1
Oth. Race/Non-Hisp.	106	18,704	66	62.3	49.2-75.4	20	18.4	9.0-27.8	20	19.3	7.5-31.1						
Hispanic	194	24,711	102	58.6	48.0-69.2	60	23.8	16.2-31.4	25	13.2	6.3-20.1	3	1.3	0.0- 2.9	4	3.0	0.0- 6.5
18-24	135	40,141	69	51.4	40.2-62.6	49	36.7	26.3-47.1	12	6.3	1.4-11.2	1	2.8	0.0- 8.3	4	2.7	0.0- 5.8
25-34	220	58,923	111	50.4	40.8-60.0	67	30.5	21.5-39.5	36	16.1	9.6-22.6				6	2.9	0.0- 5.8
35-44	198	50,146	101	48.6	38.8-58.4	61	30.7	21.9-39.5	30	18.1	7.7-28.5	2	0.6	0.0- 1.6	4	2.0	0.0- 4.2
45-54	265	51,286	125	46.9	39.3-54.5	84	35.5	28.1-42.9	41	13.5	8.6-18.4	3	0.5	0.0- 1.1	12	3.6	1.1- 6.1
55-64	334	58,194	139	41.8	34.7-48.9	106	30.7	23.8-37.6	68	19.6	13.9-25.3	5	1.4	0.0- 2.8	16	6.6	2.1-11.1
65+	548	72,183	280	47.6	42.3-52.9	159	29.5	24.4-34.6	89	18.5	14.0-23.0	4	0.9	0.1- 1.7	16	3.6	1.6- 5.6
Less Than H.S.	197	39,876	90	42.7	32.3-53.1	68	35.9	25.5-46.3	32	16.8	9.2-24.4	3	1.1	0.0- 2.3	4	3.5	0.0- 8.0
H.S. or G.E.D.	500	107,352	208	43.3	37.0-49.6	159	31.3	25.6-37.0	102	19.0	13.3-24.7	5	1.6	0.0- 3.8	26	4.8	2.4- 7.2
Some Post-H.S.	387	93,146	171	45.5	38.8-52.2	123	32.3	26.0-38.6	72	17.2	12.5-21.9	6	1.0	0.0- 2.0	15	3.9	1.4- 6.4
College Graduate	604	87,382	350	57.9	52.6-63.2	172	30.1	25.0-35.2	69	10.2	7.3-13.1	1	0.1	0.0- 0.3	12	1.7	0.7- 2.7
Less than \$15,000	108	15,912	35	31.4	19.2-43.6	40	32.2	20.4-44.0	28	32.5	18.0-47.0	1	0.8	0.0- 2.4	4	3.1	0.0- 6.4
\$15,000- 24,999	236	41,382	102	40.8	32.4-49.2	78	35.5	26.9-44.1	37	14.9	8.4-21.4	1	0.3	0.0- 0.9	18	8.5	3.2-13.8
\$25,000- 34,999	149	27,982	72	51.1	39.9-62.3	40	27.4	17.0-37.8	29	15.7	9.0-22.4	3	1.9	0.0- 4.3	5	4.0	0.1- 7.9
\$35,000- 49,999	194	36,662	88	44.7	34.5-54.9	61	34.3	25.1-43.5	38	18.0	10.6-25.4				7	3.0	0.6- 5.4
\$50,000- 74,999	240	46,504	123	45.4	36.4-54.4	74	35.3	26.1-44.5	35	14.3	8.4-20.2	1	0.2	0.0- 0.6	7	4.7	0.2- 9.2
\$75,000+	483	103,411	261	51.6	45.3-57.9	137	29.3	23.6-35.0	75	17.6	11.7-23.5	5	0.7	0.1- 1.3	5	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 3: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2093	360,032	1151	53.4	50.5-56.3	553	27.6	24.9-30.3	311	15.3	13.1-17.5	24	1.0	0.4- 1.6	54	2.6	1.4- 3.8
White/Non-Hisp	1425	232,826	805	55.9	52.2-59.6	368	27.5	24.2-30.8	200	13.0	10.6-15.4	15	0.9	0.3- 1.5	37	2.6	1.4- 3.8
Black or Afr. Am./Non-Hisp	316	72,156	152	45.5	38.1-52.9	87	27.9	21.4-34.4	66	22.1	16.0-28.2	3	1.2	0.0- 2.8	8	3.3	0.0- 7.2
Oth. Race/Non-Hisp.	63	14,985	36	51.2	34.7-67.7	15	25.9	10.8-41.0	10	19.5	4.8-34.2	1	0.9	0.0- 2.7	1	2.5	0.0- 7.4
Hispanic	207	27,704	117	58.9	49.9-67.9	65	31.2	22.8-39.6	16	7.6	2.9-12.3	4	0.9	0.0- 1.9	5	1.4	0.0- 2.8
18-24	96	39,508	45	47.6	35.1-60.1	32	31.6	20.4-42.8	15	14.0	6.4-21.6	2	2.6	0.0- 6.1	2	4.2	0.0-11.3
25-34	204	55,765	110	49.0	39.4-58.6	61	30.7	21.7-39.7	27	16.8	9.0-24.6	1	0.2	0.0- 0.6	5	3.3	0.0- 7.2
35-44	235	52,885	145	60.2	52.2-68.2	55	24.9	17.6-32.2	31	13.6	8.1-19.1	1	0.2	0.0- 0.6	3	1.1	0.0- 2.7
45-54	330	59,256	166	50.3	43.2-57.4	100	31.7	25.2-38.2	45	14.3	9.2-19.4	7	1.2	0.0- 2.4	12	2.4	0.8- 4.0
55-64	488	65,144	263	55.4	49.7-61.1	127	25.0	20.1-29.9	80	16.4	11.9-20.9	5	0.6	0.0- 1.2	13	2.5	0.5- 4.5
65+	740	87,474	422	55.4	50.9-59.9	178	24.8	20.9-28.7	113	15.7	12.4-19.0	8	1.4	0.2- 2.6	19	2.7	1.1- 4.3
Less Than H.S.	196	40,269	100	49.4	39.6-59.2	51	26.4	17.4-35.4	35	21.9	13.1-30.7	3	0.4	0.0- 1.0	7	1.9	0.3- 3.5
H.S. or G.E.D.	552	101,882	260	48.6	42.7-54.5	151	27.8	22.7-32.9	108	17.0	13.1-20.9	12	2.2	0.6- 3.8	21	4.4	1.9- 6.9
Some Post-H.S.	554	104,941	291	50.8	44.9-56.7	154	28.6	23.3-33.9	91	16.8	12.5-21.1	5	0.8	0.0- 1.6	13	3.0	0.1- 5.9
College Graduate	782	111,902	494	61.5	56.6-66.4	195	27.3	22.8-31.8	76	9.9	6.8-13.0	4	0.3	0.1- 0.5	13	1.1	0.3- 1.9
Less than \$15,000	190	28,052	85	47.9	37.7-58.1	46	22.8	15.0-30.6	42	23.8	15.2-32.4	5	1.6	0.2- 3.0	12	3.9	1.4- 6.4
\$15,000- 24,999	328	52,471	157	43.8	36.2-51.4	92	31.0	23.6-38.4	61	20.3	13.4-27.2	7	2.0	0.0- 4.2	11	2.8	0.6- 5.0
\$25,000- 34,999	204	31,106	108	47.5	37.9-57.1	57	31.8	22.8-40.8	30	17.0	9.6-24.4	4	1.8	0.0- 4.0	5	2.0	0.0- 4.2
\$35,000- 49,999	247	43,647	128	48.6	39.6-57.6	74	35.3	26.1-44.5	39	13.5	7.8-19.2	2	0.8	0.0- 2.2	4	1.7	0.0- 3.9
\$50,000- 74,999	229	43,817	134	56.6	47.6-65.6	62	26.6	18.8-34.4	32	16.4	9.1-23.7				1	0.4	0.0- 1.2
\$75,000+	503	89,557	317	60.2	54.5-65.9	127	27.0	21.9-32.1	50	11.5	7.6-15.4	1	0.1	0.0- 0.3	8	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3768	687,230	695	18.6	16.8-20.4	796	21.9	19.9-23.9	695	20.7	18.7-22.7	102	2.6	1.8- 3.4	1480	36.1	33.9-38.3
Male	1684	327,235	368	21.0	18.3-23.7	402	24.8	21.9-27.7	343	23.5	20.4-26.6	42	2.3	1.5- 3.1	529	28.3	25.4-31.2
Female	2084	359,995	327	16.4	14.0-18.8	394	19.3	16.9-21.7	352	18.2	15.7-20.7	60	2.9	1.9- 3.9	951	43.2	40.3-46.1
White/Non-Hisp	2550	444,819	416	15.6	13.6-17.6	470	19.5	17.3-21.7	495	21.3	18.9-23.7	66	2.8	1.8- 3.8	1103	40.8	38.3-43.3
Black or Afr. Am./Non-Hisp	511	133,207	129	28.0	22.5-33.5	130	24.3	19.4-29.2	98	22.0	16.3-27.7	16	2.3	0.9- 3.7	138	23.3	18.6-28.0
Oth. Race/Non-Hisp.	164	32,590	35	20.5	11.7-29.3	43	31.1	20.7-41.5	21	11.0	5.3-16.7	4	3.2	0.0- 6.7	61	34.2	24.4-44.0
Hispanic	392	50,561	94	23.7	17.6-29.8	120	28.5	22.2-34.8	52	16.8	9.5-24.1	11	1.8	0.6- 3.0	115	29.1	22.8-35.4
18-24	228	80,397	41	21.3	13.7-28.9	73	32.3	24.5-40.1	46	20.6	13.9-27.3	6	3.4	0.0- 6.9	62	22.4	15.9-28.9
25-34	420	113,255	80	16.7	11.6-21.8	123	24.7	19.2-30.2	92	29.6	22.9-36.3	5	0.6	0.0- 1.2	120	28.4	22.3-34.5
35-44	425	100,700	79	19.8	14.7-24.9	105	21.6	16.9-26.3	86	24.1	17.6-30.6	11	2.8	0.8- 4.8	144	31.8	25.9-37.7
45-54	596	110,546	87	15.0	11.5-18.5	121	20.2	15.9-24.5	112	19.6	15.7-23.5	20	3.5	1.5- 5.5	256	41.8	36.7-46.9
55-64	821	122,923	119	15.3	12.2-18.4	144	17.6	13.9-21.3	148	17.6	14.1-21.1	23	2.8	1.4- 4.2	387	46.7	42.2-51.2
65+	1278	159,409	289	23.0	20.1-25.9	230	19.5	16.6-22.4	211	15.4	13.0-17.8	37	2.9	1.7- 4.1	511	39.1	35.8-42.4
Less Than H.S.	383	79,047	89	23.4	17.3-29.5	101	27.5	21.0-34.0	47	17.0	9.7-24.3	8	1.4	0.2- 2.6	138	30.6	24.5-36.7
H.S. or G.E.D.	1058	210,411	194	20.9	17.2-24.6	208	21.0	17.3-24.7	201	20.5	16.6-24.4	32	2.8	1.6- 4.0	423	34.8	30.9-38.7
Some Post-H.S.	925	194,673	155	16.1	13.0-19.2	191	21.9	18.2-25.6	184	22.5	18.6-26.4	26	2.5	1.3- 3.7	369	37.1	32.8-41.4
College Graduate	1380	199,167	252	16.9	14.4-19.4	295	21.1	18.4-23.8	258	20.2	17.3-23.1	34	3.1	1.5- 4.7	541	38.6	35.1-42.1
Less than \$15,000	295	43,362	57	22.5	15.1-29.9	73	28.2	20.4-36.0	47	15.7	10.0-21.4	10	2.9	0.9- 4.9	108	30.7	23.6-37.8
\$15,000- 24,999	561	93,268	117	19.1	14.8-23.4	126	23.9	18.8-29.0	91	19.5	14.2-24.8	18	2.6	1.0- 4.2	209	34.9	29.6-40.2
\$25,000- 34,999	348	58,224	65	21.1	14.6-27.6	81	26.8	19.7-33.9	57	16.4	11.3-21.5	11	3.2	0.5- 5.9	134	32.4	25.9-38.9
\$35,000- 49,999	437	80,360	69	14.9	10.8-19.0	100	24.6	18.9-30.3	101	26.4	19.5-33.3	9	1.8	0.4- 3.2	158	32.4	26.1-38.7
\$50,000- 74,999	465	90,401	78	15.3	10.8-19.8	89	20.4	15.1-25.7	84	21.6	15.7-27.5	9	1.9	0.3- 3.5	205	40.9	34.6-47.2
\$75,000+	978	190,325	170	16.7	13.6-19.8	192	19.2	15.9-22.5	201	25.4	21.3-29.5	20	2.0	1.0- 3.0	395	36.7	32.8-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 5: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	327,235	368	21.0	18.3-23.7	402	24.8	21.9-27.7	343	23.5	20.4-26.6	42	2.3	1.5- 3.1	529	28.3	25.4-31.2
White/Non-Hisp	1131	211,716	223	17.6	14.7-20.5	247	24.2	20.7-27.7	240	23.9	20.4-27.4	32	3.0	1.8- 4.2	389	31.3	27.8-34.8
Black or Afr. Am./Non-Hisp	197	60,224	58	32.1	23.1-41.1	52	24.7	16.9-32.5	38	22.3	12.9-31.7	1	0.3	0.0- 0.9	48	20.6	13.9-27.3
Oth. Race/Non-Hisp.	104	18,326	23	23.6	11.3-35.9	28	28.3	15.6-41.0	15	13.6	5.6-21.6	3	2.9	0.0- 6.4	35	31.6	19.6-43.6
Hispanic	185	23,203	53	26.8	17.2-36.4	57	26.1	17.3-34.9	34	25.9	12.4-39.4	3	1.0	0.0- 2.2	38	20.2	12.4-28.0
18-24	132	40,099	26	25.3	13.9-36.7	45	36.5	25.7-47.3	26	17.9	10.3-25.5	2	1.4	0.0- 3.6	33	18.9	11.6-26.2
25-34	219	57,639	44	18.0	10.4-25.6	71	27.4	19.4-35.4	53	32.7	22.9-42.5	3	0.8	0.0- 1.8	48	21.2	13.8-28.6
35-44	194	49,020	36	17.5	10.6-24.4	58	25.5	17.9-33.1	40	30.7	19.7-41.7	5	3.5	0.0- 7.0	55	22.8	15.4-30.2
45-54	262	50,772	47	18.5	12.6-24.4	59	21.9	15.2-28.6	56	20.6	14.9-26.3	6	1.9	0.1- 3.7	94	37.1	29.7-44.5
55-64	330	57,790	56	16.5	11.6-21.4	69	21.4	15.1-27.7	62	20.3	14.0-26.6	8	2.7	0.5- 4.9	135	39.0	31.9-46.1
65+	547	71,916	159	28.9	24.0-33.8	100	20.7	16.0-25.4	106	18.9	15.0-22.8	18	3.2	1.6- 4.8	164	28.4	23.7-33.1
Less Than H.S.	188	38,618	49	23.1	14.9-31.3	54	31.0	21.0-41.0	29	18.9	7.7-30.1	1	0.5	0.0- 1.5	55	26.5	17.9-35.1
H.S. or G.E.D.	499	107,367	99	19.9	14.6-25.2	109	23.5	18.2-28.8	106	24.6	18.5-30.7	16	3.0	1.2- 4.8	169	28.9	23.8-34.0
Some Post-H.S.	385	91,369	78	20.9	15.2-26.6	89	23.9	18.2-29.6	85	24.4	18.3-30.5	11	2.2	0.6- 3.8	122	28.7	22.8-34.6
College Graduate	601	87,143	141	22.3	17.8-26.8	150	25.5	21.0-30.0	119	22.1	17.8-26.4	13	2.3	0.7- 3.9	178	27.7	23.0-32.4
Less than \$15,000	106	15,807	27	24.0	11.7-36.3	24	24.7	12.2-37.2	21	23.0	11.6-34.4	2	1.6	0.0- 4.1	32	26.6	15.2-38.0
\$15,000- 24,999	233	40,561	55	23.3	16.2-30.4	61	29.9	21.5-38.3	44	16.9	10.0-23.8	5	1.3	0.1- 2.5	68	28.6	20.8-36.4
\$25,000- 34,999	150	28,209	33	20.9	12.1-29.7	42	31.9	20.7-43.1	26	14.6	8.1-21.1	5	3.5	0.0- 8.4	44	29.1	19.3-38.9
\$35,000- 49,999	191	35,745	33	14.4	8.7-20.1	48	28.2	19.2-37.2	40	27.3	16.3-38.3	5	2.8	0.1- 5.5	65	27.3	19.5-35.1
\$50,000- 74,999	236	46,287	46	15.5	9.8-21.2	49	21.2	13.6-28.8	40	25.2	15.8-34.6	6	3.3	0.4- 6.2	95	34.8	26.4-43.2
\$75,000+	480	101,655	108	21.1	16.2-26.0	114	22.4	17.3-27.5	118	31.1	24.6-37.6	7	1.5	0.3- 2.7	133	23.9	19.0-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2084	359,995	327	16.4	14.0-18.8	394	19.3	16.9-21.7	352	18.2	15.7-20.7	60	2.9	1.9- 3.9	951	43.2	40.3-46.1
White/Non-Hisp	1419	233,103	193	13.7	11.2-16.2	223	15.3	12.6-18.0	255	18.9	16.0-21.8	34	2.7	1.3- 4.1	714	49.5	45.8-53.2
Black or Afr. Am./Non-Hisp	314	72,982	71	24.6	17.7-31.5	78	24.0	17.9-30.1	60	21.8	14.9-28.7	15	4.0	1.6- 6.4	90	25.6	18.9-32.3
Oth. Race/Non-Hisp.	60	14,264	12	16.5	4.3-28.7	15	34.7	17.6-51.8	6	7.8	0.4-15.2	1	3.4	0.0-10.1	26	37.6	21.5-53.7
Hispanic	207	27,358	41	21.1	13.5-28.7	63	30.6	22.0-39.2	18	9.1	4.4-13.8	8	2.6	0.6- 4.6	77	36.6	27.6-45.6
18-24	96	40,297	15	17.3	7.3-27.3	28	28.1	16.5-39.7	20	23.1	12.1-34.1	4	5.4	0.0-11.9	29	26.0	15.4-36.6
25-34	201	55,616	36	15.3	8.6-22.0	52	21.9	14.5-29.3	39	26.5	17.3-35.7	2	0.4	0.0- 1.0	72	35.9	26.7-45.1
35-44	231	51,681	43	22.0	14.6-29.4	47	17.8	11.7-23.9	46	17.8	12.1-23.5	6	2.0	0.0- 4.2	89	40.4	32.2-48.6
45-54	334	59,773	40	11.9	7.6-16.2	62	18.7	13.2-24.2	56	18.8	13.1-24.5	14	4.9	1.8- 8.0	162	45.8	38.9-52.7
55-64	491	65,134	63	14.3	10.2-18.4	75	14.3	10.2-18.4	86	15.2	11.5-18.9	15	2.8	1.0- 4.6	252	53.4	47.7-59.1
65+	731	87,493	130	18.2	14.5-21.9	130	18.5	14.8-22.2	105	12.6	9.9-15.3	19	2.7	1.3- 4.1	347	48.0	43.5-52.5
Less Than H.S.	195	40,428	40	23.7	15.1-32.3	47	24.1	15.7-32.5	18	15.3	6.1-24.5	7	2.3	0.1- 4.5	83	34.6	26.0-43.2
H.S. or G.E.D.	559	103,043	95	21.9	16.4-27.4	99	18.4	13.5-23.3	95	16.2	11.7-20.7	16	2.5	0.7- 4.3	254	40.9	35.4-46.4
Some Post-H.S.	540	103,303	77	11.8	8.7-14.9	102	20.2	15.5-24.9	99	20.7	15.6-25.8	15	2.7	1.1- 4.3	247	44.6	38.7-50.5
College Graduate	779	112,024	111	12.7	9.6-15.8	145	17.6	14.1-21.1	139	18.8	14.9-22.7	21	3.7	1.2- 6.2	363	47.2	42.3-52.1
Less than \$15,000	189	27,555	30	21.6	12.4-30.8	49	30.3	20.5-40.1	26	11.5	5.4-17.6	8	3.6	0.9- 6.3	76	33.0	24.2-41.8
\$15,000- 24,999	328	52,707	62	15.9	10.6-21.2	65	19.4	13.5-25.3	47	21.5	13.7-29.3	13	3.5	0.8- 6.2	141	39.7	32.4-47.0
\$25,000- 34,999	198	30,014	32	21.3	11.9-30.7	39	22.1	13.9-30.3	31	18.0	10.4-25.6	6	3.0	0.3- 5.7	90	35.6	26.8-44.4
\$35,000- 49,999	246	44,615	36	15.3	9.2-21.4	52	21.7	14.1-29.3	61	25.6	16.6-34.6	4	0.9	0.0- 1.9	93	36.5	27.5-45.5
\$50,000- 74,999	229	44,114	32	15.1	8.0-22.2	40	19.6	12.2-27.0	44	17.8	10.7-24.9	3	0.4	0.0- 0.8	110	47.2	38.2-56.2
\$75,000+	498	88,670	62	11.6	7.9-15.3	78	15.5	11.6-19.4	83	18.9	14.2-23.6	13	2.5	0.9- 4.1	262	51.4	45.7-57.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3789	692,855	937	22.9	21.1-24.7	1724	46.0	43.6-48.4	773	21.3	19.3-23.3	53	1.4	0.8- 2.0	302	8.4	7.0- 9.8
Male	1689	328,300	355	18.8	16.3-21.3	789	46.6	43.3-49.9	354	23.2	20.1-26.3	25	1.5	0.7- 2.3	166	10.0	8.0-12.0
Female	2100	364,555	582	26.6	24.1-29.1	935	45.5	42.4-48.6	419	19.6	17.2-22.0	28	1.3	0.7- 1.9	136	7.0	5.2- 8.8
White/Non-Hisp	2562	447,642	613	22.3	20.1-24.5	1207	47.4	44.7-50.1	540	21.4	19.0-23.8	29	1.1	0.5- 1.7	173	7.7	6.1- 9.3
Black or Afr. Am./Non-Hisp	513	135,447	135	22.4	17.5-27.3	213	42.8	36.9-48.7	110	24.0	18.3-29.7	10	1.7	0.3- 3.1	45	9.1	5.8-12.4
Oth. Race/Non-Hisp.	165	33,324	54	31.3	21.9-40.7	67	43.0	32.6-53.4	29	13.9	6.5-21.3	2	3.1	0.0- 7.4	13	8.8	1.7-15.9
Hispanic	401	51,918	93	24.6	18.5-30.7	182	46.3	39.0-53.6	57	13.5	9.0-18.0	10	2.1	0.3- 3.9	59	13.6	9.3-17.9
18-24	234	81,798	47	17.6	11.5-23.7	100	47.4	39.0-55.8	40	16.8	10.1-23.5	4	1.7	0.0- 3.9	43	16.5	10.8-22.2
25-34	424	114,368	87	21.0	15.5-26.5	192	44.2	37.5-50.9	89	22.1	16.4-27.8	8	1.7	0.1- 3.3	48	11.1	6.6-15.6
35-44	434	102,979	101	21.7	16.8-26.6	199	45.7	39.4-52.0	92	24.1	17.6-30.6	7	1.0	0.0- 2.0	35	7.6	4.7-10.5
45-54	598	112,593	148	24.1	19.6-28.6	274	45.7	40.6-50.8	120	22.2	17.7-26.7	9	1.4	0.4- 2.4	47	6.5	4.1- 8.9
55-64	810	121,041	202	24.0	20.3-27.7	364	47.5	43.0-52.0	187	21.9	18.2-25.6	7	1.2	0.2- 2.2	50	5.4	3.4- 7.4
65+	1289	160,077	352	26.0	23.1-28.9	595	45.9	42.4-49.4	245	20.1	17.2-23.0	18	1.6	0.4- 2.8	79	6.4	4.4- 8.4
Less Than H.S.	388	78,400	73	17.5	12.6-22.4	166	43.9	36.6-51.2	67	18.0	11.9-24.1	7	1.3	0.1- 2.5	75	19.3	13.6-25.0
H.S. or G.E.D.	1056	212,930	201	18.8	15.5-22.1	455	43.2	38.9-47.5	248	24.2	20.3-28.1	22	2.2	1.0- 3.4	130	11.6	8.9-14.3
Some Post-H.S.	944	198,586	248	24.5	20.8-28.2	425	45.4	41.1-49.7	206	22.6	18.9-26.3	13	1.1	0.5- 1.7	52	6.4	4.0- 8.8
College Graduate	1380	198,759	409	27.7	24.6-30.8	671	50.7	47.2-54.2	246	17.9	15.2-20.6	10	1.0	0.2- 1.8	44	2.7	1.7- 3.7
Less than \$15,000	295	43,307	53	19.0	12.5-25.5	117	38.6	30.6-46.6	65	24.2	16.9-31.5	6	1.1	0.1- 2.1	54	17.1	11.0-23.2
\$15,000- 24,999	569	94,545	131	20.8	16.3-25.3	257	47.7	41.8-53.6	112	19.5	15.0-24.0	8	0.8	0.2- 1.4	61	11.3	7.4-15.2
\$25,000- 34,999	354	60,177	79	19.4	13.5-25.3	163	50.4	43.0-57.8	79	21.9	16.0-27.8	5	1.0	0.0- 2.0	28	7.3	3.6-11.0
\$35,000- 49,999	437	80,976	112	22.2	17.3-27.1	190	44.9	38.0-51.8	97	22.6	17.1-28.1	3	0.5	0.0- 1.1	35	9.8	5.3-14.3
\$50,000- 74,999	471	91,531	100	19.2	14.3-24.1	252	51.7	45.2-58.2	99	24.1	18.2-30.0	1	0.1	0.0- 0.3	19	4.9	2.2- 7.6
\$75,000+	979	190,901	286	27.1	23.6-30.6	466	46.9	42.6-51.2	186	21.0	17.1-24.9	12	1.6	0.4- 2.8	29	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	328,300	355	18.8	16.3-21.3	789	46.6	43.3-49.9	354	23.2	20.1-26.3	25	1.5	0.7- 2.3	166	10.0	8.0-12.0
White/Non-Hisp	1135	212,021	225	17.4	14.7-20.1	560	48.2	44.3-52.1	243	23.7	20.0-27.4	12	1.2	0.2- 2.2	95	9.4	7.0-11.8
Black or Afr. Am./Non-Hisp	194	61,413	45	21.4	13.6-29.2	72	38.9	29.7-48.1	46	24.9	15.7-34.1	7	2.6	0.1- 5.1	24	12.2	6.1-18.3
Oth. Race/Non-Hisp.	105	18,656	26	23.5	12.7-34.3	50	55.1	42.0-68.2	22	16.7	6.3-27.1				7	4.7	0.0- 9.8
Hispanic	190	24,049	39	20.8	12.4-29.2	83	45.2	33.4-57.0	29	16.4	8.4-24.4	4	1.4	0.0- 2.8	35	16.2	9.3-23.1
18-24	135	40,540	23	13.3	6.8-19.8	55	43.4	32.4-54.4	22	16.9	7.1-26.7	3	2.6	0.0- 6.5	32	23.8	14.6-33.0
25-34	216	56,379	34	17.9	10.1-25.7	101	47.0	37.2-56.8	48	25.1	16.5-33.7	5	1.4	0.0- 3.2	28	8.6	4.3-12.9
35-44	197	49,645	40	17.5	11.0-24.0	93	44.1	34.5-53.7	43	28.1	17.1-39.1	1	0.3	0.0- 0.9	20	10.1	5.0-15.2
45-54	267	53,166	53	19.8	12.9-26.7	117	44.2	36.6-51.8	61	24.5	17.8-31.2	5	1.7	0.1- 3.3	31	9.9	5.6-14.2
55-64	326	56,697	72	20.3	14.6-26.0	161	51.2	43.9-58.5	67	21.8	15.7-27.9	4	1.3	0.0- 2.7	22	5.5	2.2- 8.8
65+	548	71,872	133	21.4	17.5-25.3	262	48.0	42.7-53.3	113	21.9	17.2-26.6	7	2.0	0.0- 4.2	33	6.7	3.6- 9.8
Less Than H.S.	189	38,369	29	12.7	6.8-18.6	80	43.1	32.3-53.9	30	22.1	11.7-32.5	3	0.8	0.0- 1.8	47	21.4	13.8-29.0
H.S. or G.E.D.	500	108,575	89	16.3	12.0-20.6	211	41.2	35.1-47.3	119	26.6	20.1-33.1	11	2.8	0.6- 5.0	70	13.1	9.0-17.2
Some Post-H.S.	388	91,390	76	18.9	13.4-24.4	191	49.8	43.1-56.5	91	22.5	17.0-28.0	5	1.2	0.0- 2.4	25	7.6	4.1-11.1
College Graduate	600	86,825	158	24.6	20.1-29.1	303	51.9	46.6-57.2	110	19.3	15.0-23.6	6	0.8	0.0- 1.6	23	3.4	1.6- 5.2
Less than \$15,000	106	15,658	14	10.4	3.5-17.3	38	35.3	22.6-48.0	24	34.3	19.8-48.8	3	1.6	0.0- 3.4	27	18.5	9.5-27.5
\$15,000- 24,999	237	41,271	41	13.5	7.8-19.2	116	52.1	43.3-60.9	43	19.2	11.8-26.6	3	0.7	0.0- 1.7	34	14.4	8.7-20.1
\$25,000- 34,999	151	29,331	29	21.0	10.6-31.4	70	47.3	35.7-58.9	34	20.0	11.8-28.2	3	1.0	0.0- 2.4	15	10.7	3.6-17.8
\$35,000- 49,999	190	35,730	43	19.2	12.5-25.9	78	42.9	32.5-53.3	47	26.8	18.0-35.6	2	0.9	0.0- 2.3	20	10.2	4.1-16.3
\$50,000- 74,999	240	47,476	45	13.3	8.0-18.6	121	52.0	43.0-61.0	57	27.0	18.4-35.6	1	0.2	0.0- 0.6	16	7.4	2.5-12.3
\$75,000+	482	102,199	112	22.1	17.2-27.0	248	47.3	41.0-53.6	99	24.4	18.1-30.7	5	1.6	0.0- 3.4	18	4.6	2.1- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2100	364,555	582	26.6	24.1-29.1	935	45.5	42.4-48.6	419	19.6	17.2-22.0	28	1.3	0.7- 1.9	136	7.0	5.2- 8.8
White/Non-Hisp	1427	235,621	388	26.7	23.6-29.8	647	46.7	43.0-50.4	297	19.4	16.7-22.1	17	1.0	0.4- 1.6	78	6.2	4.0- 8.4
Black or Afr. Am./Non-Hisp	319	74,034	90	23.2	17.1-29.3	141	46.1	38.5-53.7	64	23.2	16.3-30.1	3	0.9	0.0- 2.1	21	6.6	3.3- 9.9
Oth. Race/Non-Hisp.	60	14,669	28	41.1	25.0-57.2	17	27.6	13.3-41.9	7	10.3	0.0-20.9	2	7.0	0.0-16.4	6	14.0	0.1-27.9
Hispanic	211	27,869	54	27.8	19.4-36.2	99	47.2	38.2-56.2	28	10.9	5.8-16.0	6	2.7	0.0- 5.8	24	11.3	5.6-17.0
18-24	99	41,258	24	21.9	11.9-31.9	45	51.3	38.8-63.8	18	16.7	7.5-25.9	1	0.7	0.0- 2.1	11	9.4	3.1-15.7
25-34	208	57,989	53	24.0	16.0-32.0	91	41.5	32.3-50.7	41	19.1	12.0-26.2	3	1.9	0.0- 4.4	20	13.4	5.8-21.0
35-44	237	53,334	61	25.6	18.3-32.9	106	47.1	38.9-55.3	49	20.3	13.6-27.0	6	1.7	0.0- 3.5	15	5.2	2.1- 8.3
45-54	331	59,426	95	28.0	21.9-34.1	157	47.1	40.2-54.0	59	20.1	14.2-26.0	4	1.2	0.0- 2.6	16	3.5	1.3- 5.7
55-64	484	64,343	130	27.2	22.1-32.3	203	44.2	38.5-49.9	120	22.0	17.3-26.7	3	1.1	0.0- 2.5	28	5.4	2.9- 7.9
65+	741	88,205	219	29.7	25.6-33.8	333	44.2	39.7-48.7	132	18.6	15.1-22.1	11	1.3	0.3- 2.3	46	6.2	3.8- 8.6
Less Than H.S.	199	40,031	44	22.1	14.5-29.7	86	44.8	35.0-54.6	37	14.2	8.5-19.9	4	1.7	0.0- 3.9	28	17.2	8.4-26.0
H.S. or G.E.D.	556	104,355	112	21.5	16.6-26.4	244	45.2	39.3-51.1	129	21.6	17.1-26.1	11	1.7	0.5- 2.9	60	10.1	6.6-13.6
Some Post-H.S.	556	107,197	172	29.4	24.3-34.5	234	41.7	36.0-47.4	115	22.6	17.5-27.7	8	0.9	0.1- 1.7	27	5.4	2.5- 8.3
College Graduate	780	111,934	251	30.2	25.9-34.5	368	49.8	44.9-54.7	136	16.8	13.1-20.5	4	1.2	0.0- 2.6	21	2.0	0.8- 3.2
Less than \$15,000	189	27,649	39	23.9	14.9-32.9	79	40.5	30.5-50.5	41	18.5	11.8-25.2	3	0.8	0.0- 1.8	27	16.3	8.5-24.1
\$15,000- 24,999	332	53,274	90	26.4	19.7-33.1	141	44.3	36.7-51.9	69	19.6	13.9-25.3	5	0.8	0.0- 1.6	27	8.9	3.2-14.6
\$25,000- 34,999	203	30,846	50	18.0	11.9-24.1	93	53.3	43.7-62.9	45	23.7	15.3-32.1	2	1.0	0.0- 2.4	13	4.0	1.3- 6.7
\$35,000- 49,999	247	45,247	69	24.5	17.4-31.6	112	46.5	37.1-55.9	50	19.3	12.4-26.2	1	0.2	0.0- 0.6	15	9.5	2.8-16.2
\$50,000- 74,999	231	44,055	55	25.5	17.5-33.5	131	51.4	42.2-60.6	42	21.0	13.2-28.8				3	2.1	0.0- 4.8
\$75,000+	497	88,702	174	33.0	27.7-38.3	218	46.4	40.7-52.1	87	17.0	12.7-21.3	7	1.7	0.3- 3.1	11	1.9	0.5- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 10: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3793	693,461	131	3.4	2.6- 4.2	1446	39.2	37.0-41.4	1471	39.7	37.5-41.9	103	2.2	1.6- 2.8	642	15.4	13.6-17.2
Male	1691	329,908	69	3.3	2.3- 4.3	742	42.5	39.2-45.8	604	38.8	35.5-42.1	38	1.8	1.0- 2.6	238	13.5	11.0-16.0
Female	2102	363,553	62	3.6	2.2- 5.0	704	36.2	33.3-39.1	867	40.5	37.6-43.4	65	2.6	1.8- 3.4	404	17.1	14.9-19.3
White/Non-Hisp	2569	449,063	77	2.8	2.0- 3.6	986	40.8	38.1-43.5	1020	40.4	37.7-43.1	62	1.9	1.3- 2.5	424	14.2	12.4-16.0
Black or Afr. Am./Non-Hisp	514	133,860	30	6.6	3.5- 9.7	185	34.5	29.0-40.0	201	38.6	32.9-44.3	22	3.4	1.6- 5.2	76	17.0	11.7-22.3
Oth. Race/Non-Hisp.	168	33,736	6	2.0	0.0- 4.0	67	37.5	27.5-47.5	56	37.7	27.5-47.9	2	1.8	0.0- 4.3	37	21.0	12.4-29.6
Hispanic	395	51,472	14	2.6	0.8- 4.4	154	38.4	31.5-45.3	129	34.6	27.0-42.2	12	3.2	0.8- 5.6	86	21.1	15.6-26.6
18-24	234	81,840	9	3.8	0.1- 7.5	121	54.7	46.3-63.1	74	31.0	23.2-38.8	2	0.2	0.0- 0.6	28	10.2	5.1-15.3
25-34	423	114,989	25	5.2	2.5- 7.9	184	38.3	31.8-44.8	165	44.8	37.9-51.7	3	0.7	0.0- 1.5	46	11.0	6.5-15.5
35-44	432	103,274	17	3.5	1.3- 5.7	184	40.9	34.8-47.0	156	34.9	28.8-41.0	11	2.7	0.7- 4.7	64	18.0	11.9-24.1
45-54	597	110,525	20	3.5	1.7- 5.3	234	39.7	34.8-44.6	241	40.8	35.7-45.9	15	2.5	0.9- 4.1	87	13.6	10.3-16.9
55-64	818	122,438	24	2.8	1.2- 4.4	283	32.6	28.3-36.9	343	45.0	40.5-49.5	18	1.9	0.7- 3.1	150	17.7	14.4-21.0
65+	1289	160,396	36	2.5	1.5- 3.5	440	35.7	32.4-39.0	492	38.7	35.4-42.0	54	4.1	2.7- 5.5	267	19.0	16.5-21.5
Less Than H.S.	388	79,097	18	5.7	2.2- 9.2	143	33.6	27.1-40.1	136	40.3	32.9-47.7	15	3.4	1.0- 5.8	76	17.0	12.1-21.9
H.S. or G.E.D.	1059	211,605	51	5.2	3.2- 7.2	402	38.7	34.6-42.8	405	37.3	33.2-41.4	26	2.4	1.2- 3.6	175	16.5	13.0-20.0
Some Post-H.S.	946	199,960	34	2.6	1.4- 3.8	362	41.8	37.5-46.1	355	38.5	34.2-42.8	25	1.6	0.8- 2.4	170	15.4	12.3-18.5
College Graduate	1380	198,687	26	1.5	0.7- 2.3	534	40.0	36.5-43.5	564	42.7	39.2-46.2	37	2.3	1.3- 3.3	219	13.5	11.1-15.9
Less than \$15,000	295	43,264	13	4.2	0.1- 8.3	103	35.1	27.7-42.5	107	36.9	28.9-44.9	10	3.8	0.5- 7.1	62	20.1	13.8-26.4
\$15,000- 24,999	567	93,326	33	5.6	3.2- 8.0	210	42.2	36.3-48.1	210	35.3	29.8-40.8	14	1.6	0.6- 2.6	100	15.2	11.5-18.9
\$25,000- 34,999	349	58,332	13	4.5	1.0- 8.0	136	41.5	34.1-48.9	125	35.6	28.5-42.7	13	2.3	0.9- 3.7	62	16.2	10.5-21.9
\$35,000- 49,999	440	81,608	14	5.0	0.9- 9.1	167	37.2	30.9-43.5	164	40.0	33.1-46.9	15	2.5	0.9- 4.1	80	15.3	10.8-19.8
\$50,000- 74,999	468	91,090	12	2.4	0.6- 4.2	184	37.2	31.1-43.3	207	48.5	42.0-55.0	9	1.2	0.2- 2.2	56	10.8	7.1-14.5
\$75,000+	985	193,179	23	1.7	0.9- 2.5	408	42.2	38.1-46.3	402	41.3	37.2-45.4	23	2.1	1.1- 3.1	129	12.6	9.3-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	329,908	69	3.3	2.3- 4.3	742	42.5	39.2-45.8	604	38.8	35.5-42.1	38	1.8	1.0- 2.6	238	13.5	11.0-16.0
White/Non-Hisp	1137	213,775	39	2.5	1.5- 3.5	529	46.2	42.3-50.1	402	38.4	34.5-42.3	21	1.5	0.7- 2.3	146	11.4	9.0-13.8
Black or Afr. Am./Non-Hisp	197	60,569	13	6.4	2.1-10.7	70	34.1	25.3-42.9	79	38.6	29.6-47.6	8	3.2	0.3- 6.1	27	17.8	8.4-27.2
Oth. Race/Non-Hisp.	107	18,893	5	3.4	0.0- 6.9	45	36.9	24.7-49.1	29	33.0	19.9-46.1	28	26.7	14.5-38.9	28	26.7	14.5-38.9
Hispanic	185	23,631	10	3.3	1.1- 5.5	70	33.6	23.8-43.4	67	43.7	31.4-56.0	7	3.0	0.5- 5.5	31	16.4	9.7-23.1
18-24	136	41,140	6	2.4	0.2- 4.6	67	50.9	39.7-62.1	42	35.1	23.7-46.5	1	0.1	0.0- 0.3	20	11.4	5.1-17.7
25-34	216	57,493	12	5.7	1.4-10.0	95	37.8	28.6-47.0	84	45.2	35.4-55.0	1	0.2	0.0- 0.6	24	11.1	4.4-17.8
35-44	196	50,044	9	2.9	0.7- 5.1	91	42.7	33.3-52.1	66	36.3	26.9-45.7	2	0.8	0.0- 2.0	28	17.5	7.3-27.7
45-54	264	51,566	10	2.9	0.9- 4.9	112	44.6	37.0-52.2	98	38.2	30.8-45.6	7	2.4	0.4- 4.4	37	11.8	7.5-16.1
55-64	331	57,536	12	2.7	0.9- 4.5	142	38.7	31.6-45.8	124	42.8	35.4-50.2	7	1.5	0.1- 2.9	46	14.2	9.3-19.1
65+	548	72,128	20	2.9	1.3- 4.5	235	42.9	37.6-48.2	190	34.9	29.8-40.0	20	4.6	1.9- 7.3	83	14.6	10.7-18.5
Less Than H.S.	189	38,492	10	5.3	0.2-10.4	76	33.5	24.3-42.7	69	46.4	35.2-57.6	8	2.5	0.5- 4.5	26	12.3	6.2-18.4
H.S. or G.E.D.	500	108,072	26	4.3	2.3- 6.3	209	41.1	35.0-47.2	179	37.1	31.0-43.2	12	2.6	0.8- 4.4	74	15.0	9.5-20.5
Some Post-H.S.	390	93,311	19	2.8	1.0- 4.6	173	45.2	38.5-51.9	140	37.3	30.8-43.8	8	1.3	0.3- 2.3	50	13.4	8.5-18.3
College Graduate	601	86,959	14	1.8	0.6- 3.0	282	46.7	41.6-51.8	208	37.7	32.6-42.8	10	1.2	0.4- 2.0	87	12.5	9.2-15.8
Less than \$15,000	105	15,764	7	8.1	0.0-18.7	38	30.7	19.1-42.3	37	40.1	26.2-54.0	3	2.2	0.0- 5.1	20	19.0	9.6-28.4
\$15,000- 24,999	236	40,966	15	5.7	2.4- 9.0	102	45.1	36.3-53.9	84	37.4	28.8-46.0	5	1.9	0.0- 3.9	30	9.9	5.6-14.2
\$25,000- 34,999	147	27,238	8	2.8	0.6- 5.0	64	47.2	35.8-58.6	49	32.1	21.7-42.5	7	3.0	0.5- 5.5	19	14.9	5.7-24.1
\$35,000- 49,999	194	36,568	7	3.0	0.5- 5.5	84	40.4	30.8-50.0	67	41.6	31.2-52.0	4	1.1	0.0- 2.3	32	14.0	8.1-19.9
\$50,000- 74,999	239	47,350	9	4.0	0.7- 7.3	109	40.1	31.5-48.7	89	43.2	33.8-52.6	6	1.9	0.1- 3.7	26	10.8	5.1-16.5
\$75,000+	486	103,974	15	2.1	0.9- 3.3	233	46.2	39.9-52.5	175	38.4	32.3-44.5	9	1.5	0.3- 2.7	54	11.8	6.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2102	363,553	62	3.6	2.2- 5.0	704	36.2	33.3-39.1	867	40.5	37.6-43.4	65	2.6	1.8- 3.4	404	17.1	14.9-19.3
White/Non-Hisp	1432	235,288	38	3.0	1.6- 4.4	457	35.9	32.2-39.6	618	42.2	38.7-45.7	41	2.2	1.4- 3.0	278	16.7	14.2-19.2
Black or Afr. Am./Non-Hisp	317	73,291	17	6.8	2.1-11.5	115	34.8	27.9-41.7	122	38.5	31.1-45.9	14	3.5	1.1- 5.9	49	16.3	10.4-22.2
Oth. Race/Non-Hisp.	61	14,842	1	0.3	0.0- 0.9	22	38.2	21.5-54.9	27	43.7	27.4-60.0	2	4.1	0.0-10.0	9	13.8	2.8-24.8
Hispanic	210	27,840	4	1.9	0.0- 4.4	84	42.5	33.5-51.5	62	26.9	19.3-34.5	5	3.4	0.0- 7.1	55	25.2	17.0-33.4
18-24	98	40,700	3	5.3	0.0-12.6	54	58.5	46.0-71.0	32	26.9	16.3-37.5	1	0.4	0.0- 1.2	8	8.9	0.9-16.9
25-34	207	57,496	13	4.7	1.6- 7.8	89	38.8	29.6-48.0	81	44.5	34.9-54.1	2	1.1	0.0- 2.7	22	10.9	4.6-17.2
35-44	236	53,229	8	4.1	0.4- 7.8	93	39.2	31.4-47.0	90	33.7	26.1-41.3	9	4.5	1.0- 8.0	36	18.4	11.3-25.5
45-54	333	58,959	10	4.0	1.1- 6.9	122	35.4	28.9-41.9	143	43.0	36.1-49.9	8	2.6	0.2- 5.0	50	15.1	10.2-20.0
55-64	487	64,903	12	2.8	0.3- 5.3	141	27.1	22.0-32.2	219	47.0	41.3-52.7	11	2.3	0.7- 3.9	104	20.8	16.1-25.5
65+	741	88,267	16	2.1	0.7- 3.5	205	29.7	25.4-34.0	302	41.8	37.3-46.3	34	3.7	2.3- 5.1	184	22.6	19.1-26.1
Less Than H.S.	199	40,605	8	6.1	1.2-11.0	67	33.8	24.6-43.0	67	34.5	24.9-44.1	7	4.2	0.1- 8.3	50	21.4	13.8-29.0
H.S. or G.E.D.	559	103,533	25	6.1	2.6- 9.6	193	36.2	30.3-42.1	226	37.4	31.9-42.9	14	2.2	0.6- 3.8	101	18.2	13.5-22.9
Some Post-H.S.	556	106,649	15	2.5	0.7- 4.3	189	38.9	33.2-44.6	215	39.6	33.7-45.5	17	1.9	0.9- 2.9	120	17.2	13.3-21.1
College Graduate	779	111,728	12	1.3	0.1- 2.5	252	34.7	30.0-39.4	356	46.6	41.7-51.5	27	3.1	1.5- 4.7	132	14.3	11.0-17.6
Less than \$15,000	190	27,500	6	2.0	0.0- 4.0	65	37.6	28.2-47.0	70	35.0	25.2-44.8	7	4.7	0.0- 9.8	42	20.8	12.4-29.2
\$15,000- 24,999	331	52,359	18	5.6	2.3- 8.9	108	39.9	32.1-47.7	126	33.7	26.6-40.8	9	1.4	0.2- 2.6	70	19.3	13.6-25.0
\$25,000- 34,999	202	31,094	5	6.0	0.0-12.5	72	36.5	26.9-46.1	76	38.6	29.2-48.0	6	1.6	0.2- 3.0	43	17.3	10.2-24.4
\$35,000- 49,999	246	45,040	7	6.6	0.0-13.5	83	34.6	26.0-43.2	97	38.6	29.6-47.6	11	3.8	1.1- 6.5	48	16.4	9.9-22.9
\$50,000- 74,999	229	43,740	3	0.6	0.0- 1.2	75	34.0	25.4-42.6	118	54.3	45.3-63.3	3	0.4	0.0- 0.8	30	10.7	6.0-15.4
\$75,000+	499	89,205	8	1.3	0.1- 2.5	175	37.6	31.9-43.3	227	44.7	39.0-50.4	14	2.8	1.0- 4.6	75	13.6	9.9-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 13: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3749	685,379	134	3.0	2.2- 3.8	1573	40.8	38.6-43.0	1441	39.5	37.3-41.7	86	2.5	1.7- 3.3	515	14.2	12.6-15.8
Male	1665	324,188	66	3.0	2.0- 4.0	732	41.3	38.0-44.6	587	39.5	36.0-43.0	39	2.2	1.2- 3.2	241	13.9	11.5-16.3
Female	2084	361,191	68	3.0	2.0- 4.0	841	40.4	37.5-43.3	854	39.5	36.6-42.4	47	2.8	1.6- 4.0	274	14.4	12.2-16.6
White/Non-Hisp	2541	443,200	93	3.2	2.2- 4.2	1139	44.5	41.8-47.2	973	38.7	36.0-41.4	44	2.0	1.2- 2.8	292	11.5	9.9-13.1
Black or Afr. Am./Non-Hisp	509	133,450	22	3.1	1.7- 4.5	163	31.4	25.9-36.9	225	44.5	38.4-50.6	20	3.5	1.1- 5.9	79	17.5	12.8-22.2
Oth. Race/Non-Hisp.	164	32,348	3	0.7	0.0- 1.7	70	42.5	32.1-52.9	66	35.7	26.1-45.3	2	0.5	0.0- 1.3	23	20.5	11.1-29.9
Hispanic	387	50,523	12	2.7	0.0- 5.6	147	34.9	28.2-41.6	115	33.6	26.0-41.2	15	4.0	1.5- 6.5	98	24.8	18.9-30.7
18-24	232	80,465	11	3.3	0.9- 5.7	87	40.5	32.1-48.9	83	35.0	27.0-43.0	6	4.0	0.0- 8.1	45	17.1	11.0-23.2
25-34	418	114,707	16	3.2	1.0- 5.4	167	37.7	31.2-44.2	154	40.0	33.1-46.9	12	3.7	0.8- 6.6	69	15.4	10.5-20.3
35-44	429	102,657	5	1.0	0.0- 2.0	186	41.1	34.8-47.4	158	40.7	34.0-47.4	8	1.0	0.2- 1.8	72	16.2	11.7-20.7
45-54	588	109,302	16	2.5	0.9- 4.1	231	40.4	35.3-45.5	231	39.3	34.2-44.4	17	3.0	1.4- 4.6	93	14.8	11.3-18.3
55-64	807	120,611	25	3.0	1.4- 4.6	321	38.2	33.9-42.5	326	40.9	36.4-45.4	14	1.8	0.6- 3.0	121	16.1	12.6-19.6
65+	1275	157,637	61	4.4	3.0- 5.8	581	45.4	41.9-48.9	489	39.7	36.4-43.0	29	2.1	1.3- 2.9	115	8.4	6.6-10.2
Less Than H.S.	379	77,612	19	5.6	2.5- 8.7	141	33.7	26.8-40.6	122	38.5	30.9-46.1	12	2.5	0.7- 4.3	85	19.7	14.4-25.0
H.S. or G.E.D.	1045	208,424	50	3.9	2.5- 5.3	419	39.6	35.3-43.9	383	38.0	33.7-42.3	30	3.7	1.7- 5.7	163	14.8	11.9-17.7
Some Post-H.S.	936	197,662	30	2.3	0.9- 3.7	391	41.6	37.3-45.9	377	39.9	35.6-44.2	23	2.7	1.1- 4.3	115	13.5	10.4-16.6
College Graduate	1371	198,142	33	1.7	0.9- 2.5	617	44.4	40.9-47.9	551	41.0	37.5-44.5	20	1.1	0.5- 1.7	150	11.8	9.4-14.2
Less than \$15,000	297	43,750	7	2.6	0.1- 5.1	109	36.8	29.0-44.6	104	33.3	25.7-40.9	9	3.2	0.8- 5.6	68	24.1	17.2-31.0
\$15,000- 24,999	558	93,095	31	4.5	2.5- 6.5	234	43.1	37.2-49.0	201	35.5	29.8-41.2	12	2.0	0.6- 3.4	80	15.0	10.9-19.1
\$25,000- 34,999	347	58,318	19	4.7	1.8- 7.6	144	42.6	35.2-50.0	121	34.2	27.3-41.1	11	1.8	0.6- 3.0	52	16.6	10.7-22.5
\$35,000- 49,999	427	78,943	12	2.2	0.2- 4.2	179	38.7	32.0-45.4	180	44.6	37.5-51.7	11	3.9	0.0- 7.8	45	10.6	6.9-14.3
\$50,000- 74,999	462	87,911	9	1.1	0.3- 1.9	207	39.5	33.4-45.6	186	44.7	38.2-51.2	7	1.8	0.0- 4.0	53	13.0	8.9-17.1
\$75,000+	981	193,008	23	2.1	0.7- 3.5	450	43.9	39.8-48.0	388	40.9	36.6-45.2	13	1.5	0.3- 2.7	107	11.6	8.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 14: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	324,188	66	3.0	2.0- 4.0	732	41.3	38.0-44.6	587	39.5	36.0-43.0	39	2.2	1.2- 3.2	241	13.9	11.5-16.3
White/Non-Hisp	1119	209,566	47	3.3	1.9- 4.7	526	45.1	41.2-49.0	390	38.1	34.2-42.0	18	1.4	0.4- 2.4	138	12.1	9.6-14.6
Black or Afr. Am./Non-Hisp	194	60,189	10	3.5	1.1- 5.9	61	33.4	24.6-42.2	86	46.8	37.0-56.6	11	3.2	1.0- 5.4	26	13.2	6.9-19.5
Oth. Race/Non-Hisp.	104	17,610	3	1.3	0.0- 3.1	48	40.5	28.0-53.0	40	38.3	26.0-50.6				13	19.9	7.0-32.8
Hispanic	181	23,081	5	1.2	0.0- 2.4	72	33.4	23.6-43.2	48	36.4	23.1-49.7	8	5.6	1.1-10.1	48	23.4	15.0-31.8
18-24	133	39,407	8	3.9	0.8- 7.0	51	38.1	27.3-48.9	46	40.5	28.9-52.1	2	0.9	0.0- 2.3	26	16.7	9.3-24.1
25-34	215	58,090	7	2.9	0.0- 6.6	85	36.3	27.3-45.3	81	43.4	33.6-53.2	7	4.3	0.0- 9.0	35	13.1	6.4-19.8
35-44	197	49,994	2	1.3	0.0- 3.3	89	37.9	28.9-46.9	69	42.6	32.2-53.0	3	1.1	0.0- 2.5	34	17.0	10.1-23.9
45-54	258	50,612	5	2.0	0.0- 4.2	100	39.4	31.8-47.0	93	36.7	29.3-44.1	8	3.0	0.6- 5.4	52	18.9	13.0-24.8
55-64	322	55,885	14	3.3	1.3- 5.3	133	40.0	32.9-47.1	127	43.0	35.7-50.3	5	1.4	0.0- 2.8	43	12.4	7.5-17.3
65+	540	70,200	30	4.3	2.5- 6.1	274	52.3	47.0-57.6	171	32.6	27.7-37.5	14	2.3	0.9- 3.7	51	8.5	5.8-11.2
Less Than H.S.	186	38,212	5	2.3	0.0- 4.7	76	36.2	26.2-46.2	59	41.2	29.6-52.8	7	3.0	0.6- 5.4	39	17.2	10.3-24.1
H.S. or G.E.D.	489	104,877	25	3.4	1.8- 5.0	198	40.9	34.6-47.2	169	38.8	32.1-45.5	13	2.9	0.7- 5.1	84	13.9	10.2-17.6
Some Post-H.S.	387	91,923	17	3.4	0.9- 5.9	170	42.1	35.6-48.6	137	37.3	30.8-43.8	12	2.6	0.2- 5.0	51	14.5	9.4-19.6
College Graduate	593	86,428	18	2.4	1.0- 3.8	285	43.7	38.6-48.8	218	41.9	36.6-47.2	7	0.8	0.2- 1.4	65	11.3	8.0-14.6
Less than \$15,000	104	15,731	2	0.9	0.0- 2.1	41	40.9	27.0-54.8	26	23.4	11.8-35.0	3	4.2	0.0- 8.9	32	30.7	18.2-43.2
\$15,000- 24,999	232	40,489	12	4.4	1.5- 7.3	99	42.9	34.1-51.7	82	36.5	27.9-45.1	5	2.0	0.0- 4.0	34	14.2	8.3-20.1
\$25,000- 34,999	146	27,533	8	2.6	0.6- 4.6	59	42.8	31.6-54.0	53	37.4	26.4-48.4	6	2.0	0.2- 3.8	20	15.2	6.8-23.6
\$35,000- 49,999	186	34,690	5	1.5	0.0- 3.1	80	38.4	28.8-48.0	75	47.6	37.2-58.0	5	1.6	0.0- 3.2	21	10.9	5.4-16.4
\$50,000- 74,999	234	44,735	8	2.0	0.2- 3.8	109	39.4	31.0-47.8	79	40.4	31.0-49.8	6	3.3	0.0- 7.6	32	14.8	8.5-21.1
\$75,000+	484	104,035	16	3.0	0.6- 5.4	237	45.4	39.3-51.5	177	41.1	34.6-47.6	5	0.9	0.1- 1.7	49	9.5	6.0-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 15: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2084	361,191	68	3.0	2.0- 4.0	841	40.4	37.5-43.3	854	39.5	36.6-42.4	47	2.8	1.6- 4.0	274	14.4	12.2-16.6
White/Non-Hisp	1422	233,634	46	3.1	1.9- 4.3	613	44.0	40.3-47.7	583	39.3	35.8-42.8	26	2.6	1.2- 4.0	154	11.0	8.8-13.2
Black or Afr. Am./Non-Hisp	315	73,261	12	2.8	1.0- 4.6	102	29.8	23.1-36.5	139	42.6	35.0-50.2	9	3.8	0.0- 7.9	53	20.9	14.2-27.6
Oth. Race/Non-Hisp.	60	14,738				22	45.0	28.1-61.9	26	32.6	17.9-47.3	2	1.2	0.0- 3.0	10	21.3	7.6-35.0
Hispanic	206	27,443	7	4.0	0.0- 9.1	75	36.1	27.3-44.9	67	31.2	23.0-39.4	7	2.8	0.0- 5.9	50	26.0	17.8-34.2
18-24	99	41,058	3	2.8	0.0- 6.5	36	42.9	30.4-55.4	37	29.8	19.2-40.4	4	7.0	0.0-14.8	19	17.6	8.2-27.0
25-34	203	56,616	9	3.4	0.9- 5.9	82	39.1	29.7-48.5	73	36.4	27.0-45.8	5	3.1	0.0- 6.6	34	17.9	10.8-25.0
35-44	232	52,663	3	0.7	0.0- 1.5	97	44.1	35.9-52.3	89	38.8	30.8-46.8	5	0.9	0.1- 1.7	38	15.5	9.4-21.6
45-54	330	58,690	11	2.9	0.5- 5.3	131	41.4	34.5-48.3	138	41.5	34.6-48.4	9	3.0	0.6- 5.4	41	11.3	7.2-15.4
55-64	485	64,726	11	2.8	0.4- 5.2	188	36.7	31.4-42.0	199	39.0	33.5-44.5	9	2.2	0.4- 4.0	78	19.4	14.5-24.3
65+	735	87,437	31	4.6	2.4- 6.8	307	39.9	35.4-44.4	318	45.3	40.8-49.8	15	1.9	0.7- 3.1	64	8.4	6.0-10.8
Less Than H.S.	193	39,399	14	8.7	3.2-14.2	65	31.3	22.1-40.5	63	35.8	25.8-45.8	5	2.0	0.0- 4.4	46	22.2	14.4-30.0
H.S. or G.E.D.	556	103,547	25	4.3	2.1- 6.5	221	38.3	32.4-44.2	214	37.1	31.6-42.6	17	4.4	1.3- 7.5	79	15.8	11.3-20.3
Some Post-H.S.	549	105,739	13	1.4	0.6- 2.2	221	41.1	35.4-46.8	240	42.1	36.4-47.8	11	2.7	0.3- 5.1	64	12.6	8.7-16.5
College Graduate	778	111,714	15	1.2	0.4- 2.0	332	44.8	39.9-49.7	333	40.4	35.7-45.1	13	1.4	0.4- 2.4	85	12.1	9.0-15.2
Less than \$15,000	193	28,019	5	3.5	0.0- 7.4	68	34.5	24.9-44.1	78	38.8	29.0-48.6	6	2.7	0.0- 5.4	36	20.4	12.2-28.6
\$15,000- 24,999	326	52,607	19	4.6	1.9- 7.3	135	43.3	35.5-51.1	119	34.7	27.1-42.3	7	1.9	0.1- 3.7	46	15.5	10.0-21.0
\$25,000- 34,999	201	30,784	11	6.6	1.3-11.9	85	42.5	32.5-52.5	68	31.4	23.0-39.8	5	1.6	0.0- 3.4	32	17.9	9.9-25.9
\$35,000- 49,999	241	44,253	7	2.8	0.0- 6.1	99	39.0	30.0-48.0	105	42.2	33.0-51.4	6	5.6	0.0-12.3	24	10.5	5.4-15.6
\$50,000- 74,999	228	43,176	1	0.1	0.0- 0.3	98	39.6	30.8-48.4	107	49.1	39.9-58.3	1	0.2	0.0- 0.6	21	11.0	5.5-16.5
\$75,000+	497	88,973	7	0.9	0.1- 1.7	213	42.2	36.5-47.9	211	40.6	35.1-46.1	8	2.2	0.0- 4.6	58	14.1	9.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3733	682,898	1782	47.9	45.5-50.3	1196	31.4	29.2-33.6	639	17.3	15.5-19.1	22	0.8	0.4- 1.2	94	2.6	2.0- 3.2
Male	1667	326,096	697	43.1	39.6-46.6	613	34.5	31.4-37.6	295	18.7	16.0-21.4	13	1.3	0.3- 2.3	49	2.5	1.5- 3.5
Female	2066	356,802	1085	52.3	49.2-55.4	583	28.6	25.9-31.3	344	16.1	13.9-18.3	9	0.4	0.0- 0.8	45	2.6	1.6- 3.6
White/Non-Hisp	2540	442,591	1269	49.0	46.3-51.7	783	31.5	29.0-34.0	433	17.0	15.0-19.0	11	0.5	0.1- 0.9	44	2.0	1.2- 2.8
Black or Afr. Am./Non-Hisp	505	132,518	240	50.7	44.6-56.8	149	25.6	20.9-30.3	97	19.1	14.4-23.8	6	1.9	0.0- 4.1	13	2.6	0.8- 4.4
Oth. Race/Non-Hisp.	164	32,684	85	55.5	45.1-65.9	53	33.6	23.6-43.6	19	8.2	2.7-13.7	1	0.2	0.0- 0.6	6	2.4	0.0- 5.1
Hispanic	378	49,683	120	29.9	23.4-36.4	162	41.7	34.4-49.0	64	19.6	12.2-27.0	4	1.6	0.0- 3.2	28	7.2	3.7-10.7
18-24	225	78,833	81	43.6	34.8-52.4	89	34.2	26.6-41.8	40	16.5	10.4-22.6	2	1.8	0.0- 4.7	13	3.9	1.5- 6.3
25-34	412	112,928	170	43.9	37.0-50.8	145	31.0	24.7-37.3	74	20.6	14.7-26.5				23	4.4	1.9- 6.9
35-44	421	101,724	195	49.9	43.4-56.4	143	31.2	25.3-37.1	65	14.2	9.9-18.5	4	0.8	0.0- 1.8	14	3.9	1.5- 6.3
45-54	587	110,549	281	49.5	44.2-54.8	178	30.0	25.3-34.7	111	18.5	14.4-22.6	4	0.7	0.0- 1.5	13	1.4	0.4- 2.4
55-64	809	120,957	382	46.5	42.0-51.0	250	30.7	26.4-35.0	148	19.5	15.8-23.2	7	0.9	0.1- 1.7	22	2.4	1.2- 3.6
65+	1279	157,908	673	51.6	48.1-55.1	391	32.0	28.7-35.3	201	14.8	12.4-17.2	5	0.9	0.0- 1.9	9	0.6	0.0- 1.2
Less Than H.S.	364	74,922	121	35.6	28.3-42.9	144	36.2	29.1-43.3	64	19.9	12.8-27.0	6	1.6	0.2- 3.0	29	6.8	3.7- 9.9
H.S. or G.E.D.	1039	208,430	442	43.7	39.2-48.2	347	32.2	28.3-36.1	205	18.8	15.7-21.9	13	1.9	0.5- 3.3	32	3.3	1.7- 4.9
Some Post-H.S.	935	197,774	473	50.3	45.8-54.8	289	30.4	26.5-34.3	158	17.7	14.2-21.2	2	0.1	0.0- 0.3	13	1.4	0.4- 2.4
College Graduate	1377	198,226	737	54.7	51.2-58.2	411	30.0	26.7-33.3	209	14.1	11.7-16.5	1	0.0	0.0- 0.0	19	1.1	0.5- 1.7
Less than \$15,000	291	42,444	103	36.9	28.9-44.9	95	30.5	23.1-37.9	69	26.1	18.7-33.5	2	0.7	0.0- 1.9	22	5.7	2.8- 8.6
\$15,000- 24,999	551	90,935	235	40.0	34.3-45.7	201	37.8	31.9-43.7	94	17.8	13.3-22.3	3	0.6	0.0- 1.4	18	3.8	1.6- 6.0
\$25,000- 34,999	343	58,138	161	48.7	41.1-56.3	105	29.1	22.2-36.0	68	19.9	14.0-25.8	2	0.5	0.0- 1.3	7	1.7	0.0- 3.7
\$35,000- 49,999	433	80,785	202	45.2	38.3-52.1	144	33.5	27.2-39.8	80	20.1	14.0-26.2	5	0.9	0.0- 1.9	2	0.3	0.0- 0.9
\$50,000- 74,999	470	91,513	230	48.2	41.7-54.7	158	31.2	25.5-36.9	75	18.4	13.1-23.7				7	2.1	0.1- 4.1
\$75,000+	978	191,058	542	55.1	50.8-59.4	270	28.9	25.0-32.8	153	14.6	11.7-17.5	2	0.2	0.0- 0.6	11	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1667	326,096	697	43.1	39.6-46.6	613	34.5	31.4-37.6	295	18.7	16.0-21.4	13	1.3	0.3- 2.3	49	2.5	1.5- 3.5
White/Non-Hisp	1118	209,153	475	41.1	37.2-45.0	413	36.7	33.0-40.4	197	19.0	15.9-22.1	6	0.6	0.0- 1.2	27	2.6	1.4- 3.8
Black or Afr. Am./Non-Hisp	197	61,699	94	51.9	42.3-61.5	58	26.9	19.1-34.7	38	17.0	10.7-23.3	4	3.6	0.0- 7.9	3	0.7	0.0- 1.7
Oth. Race/Non-Hisp.	106	18,822	51	58.9	46.4-71.4	36	32.3	20.5-44.1	16	7.9	3.0-12.8	1	0.3	0.0- 0.9	2	0.6	0.0- 1.4
Hispanic	180	22,968	52	30.4	20.2-40.6	77	31.6	22.2-41.0	33	26.7	13.0-40.4	2	2.4	0.0- 5.7	16	8.9	3.2-14.6
18-24	132	39,577	46	40.5	28.7-52.3	52	35.0	24.8-45.2	24	15.9	8.8-23.0	2	3.6	0.0- 9.3	8	5.0	1.1- 8.9
25-34	214	57,688	74	39.1	29.5-48.7	85	33.7	24.9-42.5	42	24.0	14.8-33.2				13	3.3	0.8- 5.8
35-44	193	49,313	76	43.1	32.7-53.5	78	35.5	26.5-44.5	32	18.0	10.6-25.4	2	1.2	0.0- 3.0	5	2.1	0.0- 4.5
45-54	260	51,922	116	47.3	39.3-55.3	80	30.3	23.0-37.6	56	20.0	13.9-26.1	2	0.6	0.0- 1.6	6	1.8	0.2- 3.4
55-64	327	57,240	130	39.3	32.0-46.6	120	36.5	29.4-43.6	63	20.6	14.5-26.7	3	0.9	0.0- 2.3	11	2.8	0.6- 5.0
65+	541	70,356	255	47.9	42.6-53.2	198	35.6	30.7-40.5	78	13.8	10.3-17.3	4	1.8	0.0- 4.2	6	1.0	0.0- 2.0
Less Than H.S.	180	36,820	55	30.6	20.8-40.4	73	33.6	23.8-43.4	32	26.6	14.4-38.8	3	2.3	0.0- 4.8	17	7.0	2.7-11.3
H.S. or G.E.D.	490	106,982	188	41.6	34.9-48.3	181	35.2	29.3-41.1	95	17.2	12.9-21.5	9	3.0	0.3- 5.7	17	2.9	1.1- 4.7
Some Post-H.S.	387	92,797	165	44.2	37.5-50.9	143	34.8	28.7-40.9	72	19.5	14.2-24.8	1	0.1	0.0- 0.3	6	1.5	0.0- 3.1
College Graduate	600	86,857	286	49.6	44.3-54.9	213	34.0	29.1-38.9	93	15.6	11.9-19.3				8	0.8	0.2- 1.4
Less than \$15,000	103	15,575	27	23.9	12.9-34.9	42	41.7	27.8-55.6	25	29.6	16.1-43.1	2	2.0	0.0- 5.3	7	2.7	0.3- 5.1
\$15,000- 24,999	232	40,068	77	32.6	24.4-40.8	96	41.8	33.0-50.6	44	18.8	11.9-25.7	1	0.7	0.0- 2.1	14	6.1	2.2-10.0
\$25,000- 34,999	144	27,957	60	47.8	35.6-60.0	50	30.6	20.4-40.8	30	20.1	11.1-29.1				4	1.5	0.0- 3.1
\$35,000- 49,999	189	35,857	81	41.6	31.6-51.6	66	32.2	23.2-41.2	37	24.2	13.8-34.6	4	1.8	0.0- 4.0	1	0.2	0.0- 0.6
\$50,000- 74,999	239	47,343	111	43.6	34.6-52.6	82	31.3	23.3-39.3	41	23.2	14.6-31.8				5	1.9	0.1- 3.7
\$75,000+	482	102,990	229	48.2	41.9-54.5	170	34.8	28.9-40.7	76	15.3	11.2-19.4	1	0.4	0.0- 1.2	6	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2066	356,802	1085	52.3	49.2-55.4	583	28.6	25.9-31.3	344	16.1	13.9-18.3	9	0.4	0.0- 0.8	45	2.6	1.6- 3.6
White/Non-Hisp	1422	233,438	794	56.1	52.4-59.8	370	26.8	23.5-30.1	236	15.2	12.7-17.7	5	0.3	0.0- 0.7	17	1.6	0.4- 2.8
Black or Afr. Am./Non-Hisp	308	70,819	146	49.8	42.0-57.6	91	24.4	18.7-30.1	59	21.0	14.3-27.7	2	0.5	0.0- 1.3	10	4.3	1.4- 7.2
Oth. Race/Non-Hisp.	58	13,862	34	51.0	33.8-68.2	17	35.4	18.5-52.3	3	8.7	0.0-19.7				4	4.9	0.0-11.0
Hispanic	198	26,715	68	29.5	21.5-37.5	85	50.4	41.0-59.8	31	13.5	7.8-19.2	2	0.8	0.0- 2.0	12	5.8	1.5-10.1
18-24	93	39,256	35	46.7	33.6-59.8	37	33.4	22.0-44.8	16	17.0	7.4-26.6				5	2.9	0.2- 5.6
25-34	198	55,239	96	49.0	39.2-58.8	60	28.2	19.4-37.0	32	17.1	10.0-24.2				10	5.7	1.2-10.2
35-44	228	52,411	119	56.2	48.0-64.4	65	27.2	19.8-34.6	33	10.7	6.4-15.0	2	0.4	0.0- 1.0	9	5.5	1.4- 9.6
45-54	327	58,627	165	51.5	44.4-58.6	98	29.7	23.4-36.0	55	17.1	11.6-22.6	2	0.7	0.0- 1.7	7	1.0	0.0- 2.0
55-64	482	63,716	252	53.0	47.3-58.7	130	25.5	20.8-30.2	85	18.5	13.8-23.2	4	1.0	0.0- 2.2	11	2.0	0.6- 3.4
65+	738	87,552	418	54.6	50.1-59.1	193	29.2	24.9-33.5	123	15.7	12.4-19.0	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7
Less Than H.S.	184	38,102	66	40.5	30.3-50.7	71	38.7	28.7-48.7	32	13.4	7.1-19.7	3	0.9	0.0- 2.1	12	6.5	1.8-11.2
H.S. or G.E.D.	549	101,448	254	45.9	39.8-52.0	166	29.0	23.9-34.1	110	20.5	15.8-25.2	4	0.8	0.0- 1.6	15	3.8	1.3- 6.3
Some Post-H.S.	548	104,978	308	55.8	49.9-61.7	146	26.5	21.4-31.6	86	16.1	11.6-20.6	1	0.2	0.0- 0.6	7	1.4	0.2- 2.6
College Graduate	777	111,369	451	58.7	54.0-63.4	198	26.9	22.4-31.4	116	13.0	9.9-16.1	1	0.1	0.0- 0.3	11	1.4	0.4- 2.4
Less than \$15,000	188	26,869	76	44.5	34.3-54.7	53	24.0	16.0-32.0	44	24.1	15.5-32.7				15	7.5	3.2-11.8
\$15,000- 24,999	319	50,867	158	45.8	38.0-53.6	105	34.6	27.0-42.2	50	17.0	10.7-23.3	2	0.6	0.0- 1.4	4	2.0	0.0- 4.4
\$25,000- 34,999	199	30,181	101	49.6	39.6-59.6	55	27.7	18.3-37.1	38	19.7	12.1-27.3	2	1.0	0.0- 2.4	3	1.9	0.0- 5.2
\$35,000- 49,999	244	44,928	121	48.0	38.6-57.4	78	34.6	26.0-43.2	43	16.8	9.9-23.7	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2
\$50,000- 74,999	231	44,170	119	53.2	44.2-62.2	76	31.1	22.9-39.3	34	13.3	7.8-18.8				2	2.4	0.0- 5.7
\$75,000+	496	88,067	313	63.1	57.6-68.6	100	22.0	17.1-26.9	77	13.9	10.0-17.8	1	0.1	0.0- 0.3	5	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	238
2 MALES ONLY	239
3 FEMALES ONLY	240
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	241
5 MALES ONLY	242
6 FEMALES ONLY	243
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	244
8 MALES ONLY	245
9 FEMALES ONLY	246
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	247
11 MALES ONLY	248
12 FEMALES ONLY	249
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	250
14 MALES ONLY	251
15 FEMALES ONLY	252
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	253
17 MALES ONLY	254
18 FEMALES ONLY	255

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	256
20	MALES ONLY	257
21	FEMALES ONLY	258
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	259
23	MALES ONLY	260
24	FEMALES ONLY	261

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3803	697,382	2588	69.0	66.8-71.2	1215	31.0	28.8-33.2
Male	1696	331,525	1220	72.0	69.1-74.9	476	28.0	25.1-30.9
Female	2107	365,858	1368	66.3	63.4-69.2	739	33.7	30.8-36.6
White/Non-Hisp	2568	448,173	1780	70.6	68.2-73.0	788	29.4	27.0-31.8
Black or Afr. Am./Non-Hisp	517	136,074	339	66.4	60.7-72.1	178	33.6	27.9-39.3
Oth. Race/Non-Hisp.	171	34,032	125	70.3	60.5-80.1	46	29.7	19.9-39.5
Hispanic	397	52,987	249	64.5	58.0-71.0	148	35.5	29.0-42.0
18-24	232	81,367	174	70.7	62.7-78.7	58	29.3	21.3-37.3
25-34	426	116,783	299	71.8	65.9-77.7	127	28.2	22.3-34.1
35-44	431	102,310	298	75.0	69.9-80.1	133	25.0	19.9-30.1
45-54	596	112,563	422	70.7	65.8-75.6	174	29.3	24.4-34.2
55-64	820	123,050	547	66.2	61.7-70.7	273	33.8	29.3-38.3
65+	1298	161,308	848	63.5	60.2-66.8	450	36.5	33.2-39.8
Less Than H.S.	390	79,707	228	61.2	54.3-68.1	162	38.8	31.9-45.7
H.S. or G.E.D.	1058	212,892	638	61.9	57.8-66.0	420	38.1	34.0-42.2
Some Post-H.S.	946	199,796	620	68.6	64.7-72.5	326	31.4	27.5-35.3
College Graduate	1387	200,494	1088	80.4	77.7-83.1	299	19.6	16.9-22.3
Less than \$15,000	301	44,609	175	55.8	47.8-63.8	126	44.2	36.2-52.2
\$15,000- 24,999	567	93,990	318	57.9	52.2-63.6	249	42.1	36.4-47.8
\$25,000- 34,999	353	60,763	217	65.3	58.0-72.6	136	34.7	27.4-42.0
\$35,000- 49,999	431	80,246	283	66.4	60.1-72.7	148	33.6	27.3-39.9
\$50,000- 74,999	470	91,299	347	72.0	66.1-77.9	123	28.0	22.1-33.9
\$75,000+	978	191,705	782	80.8	77.5-84.1	196	19.2	15.9-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1696	331,525	1220	72.0	69.1-74.9	476	28.0	25.1-30.9
White/Non-Hisp	1139	213,124	827	73.0	69.5-76.5	312	27.0	23.5-30.5
Black or Afr. Am./Non-Hisp	199	62,178	136	68.9	60.3-77.5	63	31.1	22.5-39.7
Oth. Race/Non-Hisp.	107	18,926	82	79.0	68.8-89.2	25	21.0	10.8-31.2
Hispanic	185	23,637	131	72.4	63.4-81.4	54	27.6	18.6-36.6
18-24	133	40,106	109	82.0	73.6-90.4	24	18.0	9.6-26.4
25-34	219	59,076	171	76.1	67.9-84.3	48	23.9	15.7-32.1
35-44	195	49,001	140	77.5	70.1-84.9	55	22.5	15.1-29.9
45-54	264	52,790	197	71.3	63.7-78.9	67	28.7	21.1-36.3
55-64	333	58,273	224	65.4	58.1-72.7	109	34.6	27.3-41.9
65+	552	72,280	379	65.3	60.0-70.6	173	34.7	29.4-40.0
Less Than H.S.	189	38,299	120	61.1	50.5-71.7	69	38.9	28.3-49.5
H.S. or G.E.D.	498	108,142	326	66.4	60.5-72.3	172	33.6	27.7-39.5
Some Post-H.S.	392	93,657	280	75.1	69.4-80.8	112	24.9	19.2-30.6
College Graduate	605	88,029	486	81.1	76.8-85.4	119	18.9	14.6-23.2
Less than \$15,000	106	16,217	72	66.0	52.9-79.1	34	34.0	20.9-47.1
\$15,000- 24,999	236	41,014	149	60.4	51.8-69.0	87	39.6	31.0-48.2
\$25,000- 34,999	152	29,604	97	63.2	51.8-74.6	55	36.8	25.4-48.2
\$35,000- 49,999	189	35,588	134	73.1	64.9-81.3	55	26.9	18.7-35.1
\$50,000- 74,999	239	47,189	179	72.5	63.9-81.1	60	27.5	18.9-36.1
\$75,000+	483	103,257	388	79.7	74.6-84.8	95	20.3	15.2-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2017
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2107	365,858	1368	66.3	63.4-69.2	739	33.7	30.8-36.6
White/Non-Hisp	1429	235,049	953	68.4	65.1-71.7	476	31.6	28.3-34.9
Black or Afr. Am./Non-Hisp	318	73,896	203	64.2	56.8-71.6	115	35.8	28.4-43.2
Oth. Race/Non-Hisp.	64	15,107	43	59.4	42.9-75.9	21	40.6	24.1-57.1
Hispanic	212	29,350	118	58.1	49.3-66.9	94	41.9	33.1-50.7
18-24	99	41,262	65	59.7	47.0-72.4	34	40.3	27.6-53.0
25-34	207	57,708	128	67.3	58.9-75.7	79	32.7	24.3-41.1
35-44	236	53,310	158	72.6	65.7-79.5	78	27.4	20.5-34.3
45-54	332	59,773	225	70.2	63.9-76.5	107	29.8	23.5-36.1
55-64	487	64,778	323	67.0	61.5-72.5	164	33.0	27.5-38.5
65+	746	89,028	469	62.0	57.5-66.5	277	38.0	33.5-42.5
Less Than H.S.	201	41,407	108	61.2	52.0-70.4	93	38.8	29.6-48.0
H.S. or G.E.D.	560	104,750	312	57.3	51.4-63.2	248	42.7	36.8-48.6
Some Post-H.S.	554	106,139	340	62.9	57.4-68.4	214	37.1	31.6-42.6
College Graduate	782	112,465	602	80.0	76.3-83.7	180	20.0	16.3-23.7
Less than \$15,000	195	28,392	103	50.0	40.0-60.0	92	50.0	40.0-60.0
\$15,000- 24,999	331	52,977	169	56.0	48.6-63.4	162	44.0	36.6-51.4
\$25,000- 34,999	201	31,159	120	67.3	58.5-76.1	81	32.7	23.9-41.5
\$35,000- 49,999	242	44,658	149	61.1	51.9-70.3	93	38.9	29.7-48.1
\$50,000- 74,999	231	44,110	168	71.6	63.6-79.6	63	28.4	20.4-36.4
\$75,000+	495	88,449	394	82.0	77.7-86.3	101	18.0	13.7-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2268	427,321	475	22.9	20.4-25.4	1361	58.8	55.9-61.7	118	5.7	3.9- 7.5	41	1.7	0.9- 2.5	3	0.2	0.0- 0.4	270	10.7	9.1-12.3
Male	1076	215,037	261	26.3	22.6-30.0	567	51.2	46.9-55.5	97	10.4	7.3-13.5	21	1.7	0.5- 2.9	3	0.4	0.0- 0.8	127	10.0	7.8-12.2
Female	1192	212,284	214	19.5	16.2-22.8	794	66.5	62.8-70.2	21	1.0	0.6- 1.4	20	1.6	0.6- 2.6				143	11.4	9.0-13.8
White/Non-Hisp	1582	285,345	310	22.8	19.9-25.7	970	59.7	56.4-63.0	70	4.4	2.8- 6.0	33	2.0	1.0- 3.0	3	0.3	0.0- 0.7	196	10.8	8.8-12.8
Black or Afr. Am./Non-Hisp	296	80,498	71	24.4	17.7-31.1	186	58.7	50.9-66.5	10	7.0	2.1-11.9	2	0.4	0.0- 1.0				27	9.5	5.4-13.6
Oth. Race/Non-Hisp.	100	17,502	28	30.4	17.5-43.3	52	51.7	38.0-65.4	7	5.3	0.0-11.0	1	1.6	0.0- 4.5				12	11.1	2.9-19.3
Hispanic	212	30,561	57	21.6	14.5-28.7	102	50.0	39.4-60.6	29	17.0	5.8-28.2	3	1.6	0.0- 3.6				21	9.9	4.2-15.6
18-24	153	50,297	62	37.8	28.2-47.4	54	37.1	27.3-46.9	16	11.9	3.5-20.3				1	0.8	0.0- 2.4	20	12.4	6.7-18.1
25-34	277	79,108	91	27.5	20.2-34.8	120	49.5	41.1-57.9	27	10.3	4.2-16.4	5	2.3	0.0- 5.0	1	0.2	0.0- 0.6	33	10.3	5.8-14.8
35-44	253	66,143	72	27.5	20.2-34.8	133	55.2	47.0-63.4	11	2.6	0.6- 4.6	1	0.3	0.0- 0.9				36	14.4	8.7-20.1
45-54	369	70,490	87	22.7	17.4-28.0	226	63.8	57.7-69.9	8	1.8	0.2- 3.4	7	2.3	0.1- 4.5				41	9.3	6.0-12.6
55-64	488	73,885	78	15.4	11.5-19.3	331	69.7	64.6-74.8	13	3.7	1.5- 5.9	11	1.9	0.5- 3.3				55	9.3	6.4-12.2
65+	728	87,397	85	13.1	9.6-16.6	497	69.2	64.9-73.5	43	5.4	3.6- 7.2	17	2.3	1.1- 3.5	1	0.3	0.0- 0.9	85	9.7	7.2-12.2
Less Than H.S.	201	43,579	45	20.4	13.1-27.7	124	63.8	53.8-73.8	19	11.0	2.6-19.4	1	0.1	0.0- 0.3				12	4.7	1.2- 8.2
H.S. or G.E.D.	570	119,099	97	20.7	15.6-25.8	377	62.9	57.0-68.8	27	6.2	2.3-10.1	10	1.9	0.5- 3.3	1	0.2	0.0- 0.6	58	8.1	5.6-10.6
Some Post-H.S.	539	120,381	106	22.8	17.7-27.9	331	59.2	53.5-64.9	20	4.1	1.4- 6.8	9	1.9	0.0- 3.9	1	0.3	0.0- 0.9	72	11.7	8.2-15.2
College Graduate	947	142,385	226	25.6	21.9-29.3	520	53.4	49.3-57.5	51	5.1	3.3- 6.9	21	1.8	1.0- 2.6	1	0.1	0.0- 0.3	128	14.0	11.1-16.9
Less than \$15,000	153	22,188	27	18.7	9.9-27.5	100	66.4	56.2-76.6	11	5.9	1.4-10.4	1	0.4	0.0- 1.2				14	8.6	2.9-14.3
\$15,000- 24,999	281	48,562	46	18.3	11.8-24.8	179	64.8	57.0-72.6	20	5.4	2.3- 8.5	2	0.6	0.0- 1.6				34	10.9	6.2-15.6
\$25,000- 34,999	193	36,675	35	20.0	11.6-28.4	116	59.6	50.0-69.2	10	5.9	1.6-10.2	3	0.8	0.0- 1.8	1	0.8	0.0- 2.4	28	13.0	7.1-18.9
\$35,000- 49,999	258	50,040	55	26.0	17.4-34.6	159	56.9	47.5-66.3	12	5.8	0.0-12.7	4	2.3	0.0- 5.2				28	9.0	4.5-13.5
\$50,000- 74,999	308	59,381	65	20.7	14.4-27.0	178	57.7	49.9-65.5	10	3.4	0.7- 6.1	6	1.6	0.2- 3.0				49	16.6	10.7-22.5
\$75,000+	686	136,585	174	27.2	22.7-31.7	382	56.3	51.2-61.4	34	4.2	2.4- 6.0	14	1.9	0.3- 3.5	1	0.1	0.0- 0.3	81	10.4	7.5-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1076	215,037	261	26.3	22.6-30.0	567	51.2	46.9-55.5	97	10.4	7.3-13.5	21	1.7	0.5- 2.9	3	0.4	0.0- 0.8	127	10.0	7.8-12.2
White/Non-Hisp	737	140,300	170	26.5	22.2-30.8	413	53.9	49.0-58.8	54	7.9	4.8-11.0	18	2.4	0.6- 4.2	3	0.6	0.0- 1.4	79	8.8	6.4-11.2
Black or Afr. Am./Non-Hisp	125	40,970	33	26.4	16.0-36.8	63	46.7	34.4-59.0	9	13.1	3.9-22.3	1	0.2	0.0- 0.6				19	13.5	6.4-20.6
Oth. Race/Non-Hisp.	66	11,995	21	33.8	16.9-50.7	31	50.4	33.0-67.8	6	7.4	0.0-15.4							8	8.5	0.0-17.7
Hispanic	112	15,495	33	25.8	14.2-37.4	37	28.9	16.6-41.2	26	31.8	13.2-50.4	1	1.0	0.0- 3.0				15	12.6	3.6-21.6
18-24	99	30,373	46	48.2	35.1-61.3	24	19.9	10.7-29.1	15	18.9	5.8-32.0				1	1.3	0.0- 3.8	13	11.7	4.6-18.8
25-34	158	42,785	58	29.4	20.0-38.8	50	38.2	26.8-49.6	24	18.4	7.8-29.0	3	3.3	0.0- 8.2	1	0.4	0.0- 1.2	22	10.4	5.1-15.7
35-44	118	32,842	33	27.0	16.6-37.4	56	53.8	41.1-66.5	9	4.5	0.8- 8.2							20	14.6	6.4-22.8
45-54	171	33,486	46	24.5	16.7-32.3	96	60.9	52.1-69.7	8	3.9	0.6- 7.2	4	1.8	0.0- 3.8				17	8.9	4.2-13.6
55-64	200	34,325	34	16.9	10.6-23.2	131	67.2	59.0-75.4	10	7.1	2.4-11.8	5	1.6	0.0- 3.2				20	7.3	3.2-11.4
65+	330	41,225	44	15.5	9.8-21.2	210	64.6	57.9-71.3	31	8.8	5.3-12.3	9	2.7	0.7- 4.7	1	0.7	0.0- 2.1	35	7.7	4.8-10.6
Less Than H.S.	109	21,643	26	22.9	12.3-33.5	56	47.7	32.4-63.0	17	21.2	5.5-36.9							10	8.2	1.5-14.9
H.S. or G.E.D.	293	66,196	64	25.6	18.0-33.2	166	54.0	45.4-62.6	25	10.6	3.9-17.3	5	1.5	0.1- 2.9	1	0.4	0.0- 1.2	32	7.9	4.6-11.2
Some Post-H.S.	243	61,743	62	26.3	19.2-33.4	125	53.2	45.0-61.4	16	7.3	2.2-12.4	4	2.3	0.0- 5.6	1	0.6	0.0- 1.8	35	10.3	6.0-14.6
College Graduate	424	63,929	108	28.1	22.4-33.8	215	47.2	41.1-53.3	38	9.7	6.0-13.4	12	2.0	0.6- 3.4	1	0.2	0.0- 0.6	50	12.7	8.2-17.2
Less than \$15,000	62	9,330	15	18.5	6.9-30.1	33	64.1	48.8-79.4	10	12.7	2.5-22.9							4	4.7	0.0- 9.6
\$15,000- 24,999	133	22,419	26	21.7	11.3-32.1	70	52.8	41.0-64.6	17	10.7	4.0-17.4							20	14.7	6.9-22.5
\$25,000- 34,999	85	16,972	20	24.5	10.4-38.6	47	50.3	35.2-65.4	8	10.6	1.8-19.4				1	1.6	0.0- 4.7	9	12.9	4.1-21.7
\$35,000- 49,999	123	24,554	30	32.4	19.9-44.9	68	48.4	35.5-61.3	10	11.3	0.0-24.8							15	7.9	3.2-12.6
\$50,000- 74,999	160	31,148	39	23.7	15.3-32.1	84	53.7	42.9-64.5	7	5.4	0.3-10.5	4	1.8	0.0- 4.0				26	15.4	8.1-22.7
\$75,000+	342	73,764	90	28.0	21.5-34.5	179	53.1	45.5-60.7	25	6.7	3.6- 9.8	10	2.6	0.0- 5.5	1	0.2	0.0- 0.6	37	9.4	5.3-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1192	212,284	214	19.5	16.2-22.8	794	66.5	62.8-70.2	21	1.0	0.6- 1.4	20	1.6	0.6- 2.6	143	11.4	9.0-13.8
White/Non-Hisp	845	145,045	140	19.1	15.0-23.2	557	65.3	60.8-69.8	16	1.0	0.4- 1.6	15	1.7	0.5- 2.9	117	12.8	9.9-15.7
Black or Afr. Am./Non-Hisp	171	39,528	38	22.3	14.1-30.5	123	71.0	62.2-79.8	1	0.7	0.0- 2.1	1	0.6	0.0- 1.8	8	5.3	0.8- 9.8
Hispanic	100	15,066	24	17.3	9.3-25.3	65	71.7	60.7-82.7	3	1.7	0.0- 3.9	2	2.2	0.0- 5.5	6	7.1	0.0-14.2
18-24	54	19,924	16	21.9	9.9-33.9	30	63.4	48.9-77.9	1	1.4	0.0- 4.1				7	13.3	3.7-22.9
25-34	119	36,323	33	25.3	14.3-36.3	70	62.7	50.5-74.9	3	0.7	0.0- 1.5	2	1.2	0.0- 3.0	11	10.1	2.7-17.5
35-44	135	33,301	39	28.0	18.0-38.0	77	56.7	45.9-67.5	2	0.6	0.0- 1.6	1	0.6	0.0- 1.8	16	14.1	6.5-21.7
45-54	198	37,004	41	21.0	13.7-28.3	130	66.5	58.1-74.9				3	2.8	0.0- 6.7	24	9.7	5.0-14.4
55-64	288	39,560	44	14.2	9.3-19.1	200	72.0	65.7-78.3	3	0.7	0.0- 1.7	6	2.1	0.0- 4.3	35	11.0	6.9-15.1
65+	398	46,172	41	10.9	7.0-14.8	287	73.4	67.9-78.9	12	2.3	0.7- 3.9	8	1.9	0.3- 3.5	50	11.5	7.6-15.4
Less Than H.S.	92	21,936	19	17.8	8.0-27.6	68	79.7	69.5-89.9	2	1.0	0.0- 2.4	1	0.2	0.0- 0.6	2	1.3	0.0- 3.5
H.S. or G.E.D.	277	52,903	33	14.6	8.3-20.9	211	74.1	66.8-81.4	2	0.7	0.0- 1.7	5	2.3	0.0- 5.0	26	8.3	4.4-12.2
Some Post-H.S.	296	58,638	44	19.1	11.8-26.4	206	65.4	57.4-73.4	4	0.8	0.0- 1.6	5	1.5	0.0- 3.1	37	13.2	7.7-18.7
College Graduate	523	78,456	118	23.6	18.7-28.5	305	58.4	52.7-64.1	13	1.4	0.6- 2.2	9	1.6	0.4- 2.8	78	15.1	11.0-19.2
Less than \$15,000	91	12,857	12	18.7	6.2-31.2	67	68.1	54.2-82.0	1	1.0	0.0- 3.0	1	0.7	0.0- 2.1	10	11.4	2.6-20.2
\$15,000- 24,999	148	26,143	20	15.4	7.4-23.4	109	75.1	65.7-84.5	3	0.9	0.0- 1.9	2	1.0	0.0- 2.8	14	7.6	2.3-12.9
\$25,000- 34,999	108	19,704	15	16.0	6.4-25.6	69	67.6	55.8-79.4	2	1.8	0.0- 4.7	3	1.4	0.0- 3.2	19	13.1	5.5-20.7
\$35,000- 49,999	135	25,486	25	19.7	7.2-32.2	91	65.2	51.9-78.5	2	0.5	0.0- 1.3	4	4.4	0.0-10.1	13	10.1	2.7-17.5
\$50,000- 74,999	148	28,233	26	17.4	8.4-26.4	94	62.2	50.6-73.8	3	1.2	0.0- 2.6	2	1.3	0.0- 3.3	23	17.9	8.5-27.3
\$75,000+	344	62,821	84	26.2	20.1-32.3	203	60.0	53.3-66.7	9	1.3	0.3- 2.3	4	1.0	0.0- 2.0	44	11.5	7.4-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2534	470,222	1146	43.8	41.1-46.5	715	27.6	25.2-30.0	298	14.0	11.6-16.4	92	3.5	2.5- 4.5	283	11.1	9.5-12.7
Male	1193	232,889	532	42.0	38.1-45.9	332	27.0	23.5-30.5	147	15.5	11.8-19.2	46	3.1	1.9- 4.3	136	12.4	9.9-14.9
Female	1341	237,333	614	45.6	41.9-49.3	383	28.1	24.8-31.4	151	12.6	10.1-15.1	46	3.9	2.5- 5.3	147	9.9	7.7-12.1
White/Non-Hisp	1747	309,792	767	43.3	40.2-46.4	504	28.1	25.2-31.0	196	12.7	10.2-15.2	69	3.8	2.6- 5.0	211	12.1	10.1-14.1
Black or Afr. Am./Non-Hisp	326	86,589	150	43.8	36.5-51.1	97	29.0	22.5-35.5	37	13.5	6.8-20.2	8	2.2	0.4- 4.0	34	11.4	6.9-15.9
Oth. Race/Non-Hisp.	124	23,849	60	44.9	32.9-56.9	33	27.0	16.2-37.8	10	10.9	3.3-18.5	9	8.2	1.5-14.9	12	9.0	0.8-17.2
Hispanic	244	33,710	131	49.8	40.0-59.6	55	22.8	15.4-30.2	38	22.4	11.6-33.2	4	0.8	0.0- 1.6	16	4.1	1.6- 6.6
18-24	169	54,279	86	47.3	37.7-56.9	50	33.6	24.4-42.8	16	12.0	4.2-19.8	3	0.7	0.0- 1.5	14	6.4	2.7-10.1
25-34	298	83,603	155	48.4	40.2-56.6	75	24.5	17.6-31.4	38	18.2	10.9-25.5	8	2.5	0.3- 4.7	22	6.4	3.1- 9.7
35-44	288	73,808	135	39.5	32.1-46.9	72	26.8	19.9-33.7	37	16.6	9.0-24.2	14	4.1	1.6- 6.6	30	13.0	7.7-18.3
45-54	413	77,623	186	46.4	40.3-52.5	123	25.4	20.5-30.3	43	11.0	6.9-15.1	18	4.2	1.8- 6.6	43	13.1	8.6-17.6
55-64	541	80,840	237	42.6	37.1-48.1	143	27.0	22.1-31.9	65	11.9	8.4-15.4	21	4.6	2.2- 7.0	75	13.9	10.2-17.6
65+	825	100,070	347	40.2	36.1-44.3	252	29.5	25.8-33.2	99	13.8	10.7-16.9	28	4.0	2.2- 5.8	99	12.5	9.4-15.6
Less Than H.S.	221	48,014	102	36.3	27.5-45.1	66	34.2	24.8-43.6	33	20.6	10.6-30.6	4	2.3	0.0- 4.8	16	6.6	2.7-10.5
H.S. or G.E.D.	625	127,754	245	37.9	32.6-43.2	193	29.5	24.6-34.4	93	18.5	12.8-24.2	19	2.4	1.0- 3.8	75	11.6	8.3-14.9
Some Post-H.S.	608	134,563	257	44.2	38.7-49.7	180	28.8	23.9-33.7	61	9.7	6.6-12.8	28	4.0	2.2- 5.8	82	13.3	9.8-16.8
College Graduate	1071	158,189	539	50.9	47.0-54.8	273	22.8	19.5-26.1	110	12.1	9.4-14.8	40	4.0	2.4- 5.6	109	10.2	7.7-12.7
Less than \$15,000	168	23,725	70	38.2	28.0-48.4	50	36.1	25.5-46.7	20	10.9	5.2-16.6	8	3.7	0.8- 6.6	20	11.1	4.2-18.0
\$15,000- 24,999	313	53,259	125	34.7	27.4-42.0	101	36.6	28.6-44.6	46	14.2	7.9-20.5	10	2.8	0.4- 5.2	31	11.7	6.6-16.8
\$25,000- 34,999	211	39,156	83	42.7	33.1-52.3	67	32.0	23.0-41.0	26	11.0	6.1-15.9	4	2.2	0.0- 4.6	31	12.2	6.9-17.5
\$35,000- 49,999	282	53,187	117	39.7	31.1-48.3	85	28.0	21.1-34.9	50	20.7	12.5-28.9	4	0.8	0.0- 1.8	26	10.6	5.1-16.1
\$50,000- 74,999	344	65,478	179	47.7	40.3-55.1	83	25.2	18.7-31.7	30	11.1	5.2-17.0	15	5.6	2.5- 8.7	37	10.4	6.1-14.7
\$75,000+	773	152,258	386	48.5	43.6-53.4	189	21.6	17.9-25.3	82	14.0	9.7-18.3	38	4.5	2.7- 6.3	78	11.5	8.4-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	232,889	532	42.0	38.1-45.9	332	27.0	23.5-30.5	147	15.5	11.6-19.4	46	3.1	1.9- 4.3	136	12.4	9.9-14.9
White/Non-Hisp	810	151,931	355	42.5	38.0-47.0	229	26.7	22.8-30.6	100	14.6	10.5-18.7	32	3.1	1.7- 4.5	94	13.0	9.9-16.1
Black or Afr. Am./Non-Hisp	131	41,250	58	44.1	32.1-56.1	40	27.1	17.3-36.9	12	12.9	0.9-24.9	4	2.0	0.0- 4.0	17	13.9	6.5-21.3
Oth. Race/Non-Hisp.	82	14,945	36	34.3	21.4-47.2	22	34.2	19.1-49.3	7	8.7	0.9-16.5	7	9.7	0.7-18.7	10	13.1	0.6-25.6
Hispanic	127	16,687	71	49.3	34.2-64.4	26	21.9	11.3-32.5	19	25.1	6.9-43.3	2	0.8	0.0- 2.0	9	2.9	0.5- 5.3
18-24	106	31,973	54	44.9	32.4-57.4	32	33.8	22.0-45.6	11	14.1	2.3-25.9	1	0.3	0.0- 0.9	8	6.9	1.4-12.4
25-34	171	44,980	91	46.3	35.3-57.3	35	20.4	12.0-28.8	24	23.6	12.2-35.0	6	3.1	0.2- 6.0	15	6.6	2.3-10.9
35-44	133	36,034	61	37.2	26.4-48.0	33	27.5	17.1-37.9	16	14.6	1.3-27.9	6	4.8	0.5- 9.1	17	15.8	7.4-24.2
45-54	189	35,922	79	42.6	33.8-51.4	57	25.3	17.9-32.7	19	11.5	5.6-17.4	9	3.7	0.8- 6.6	25	17.0	9.9-24.1
55-64	222	37,673	92	42.6	34.0-51.2	60	25.1	18.0-32.2	32	14.8	8.5-21.1	8	2.8	0.3- 5.3	30	14.8	8.5-21.1
65+	372	46,306	155	38.6	32.7-44.5	115	31.2	25.5-36.9	45	12.9	8.8-17.0	16	3.5	1.5- 5.5	41	13.9	8.6-19.2
Less Than H.S.	118	23,145	52	32.2	20.4-44.0	36	32.1	19.8-44.4	18	26.7	9.6-43.8	1	0.8	0.0- 2.4	11	8.3	2.4-14.2
H.S. or G.E.D.	319	70,274	128	38.1	30.5-45.7	93	26.9	20.4-33.4	51	22.4	13.4-31.4	9	1.8	0.4- 3.2	38	10.8	6.1-15.5
Some Post-H.S.	274	68,518	111	40.7	32.9-48.5	84	31.5	24.1-38.9	28	9.2	5.1-13.3	14	4.1	1.6- 6.6	37	14.4	9.1-19.7
College Graduate	477	69,595	241	51.2	45.5-56.9	117	20.7	16.4-25.0	49	11.1	7.6-14.6	21	3.7	1.5- 5.9	49	13.3	8.8-17.8
Less than \$15,000	67	9,655	29	28.8	15.5-42.1	21	52.1	35.6-68.6	8	11.5	2.7-20.3	2	1.7	0.0- 4.2	7	5.9	0.4-11.4
\$15,000- 24,999	146	23,927	63	38.1	27.3-48.9	46	33.3	23.1-43.5	17	11.1	2.9-19.3	6	2.9	0.4- 5.4	14	14.6	6.0-23.2
\$25,000- 34,999	96	18,549	37	48.4	34.3-62.5	31	30.6	17.7-43.5	7	5.2	0.7- 9.7	3	2.7	0.0- 6.2	18	13.0	5.9-20.1
\$35,000- 49,999	133	25,891	54	35.0	24.2-45.8	43	29.8	19.8-39.8	25	24.8	10.9-38.7	2	0.5	0.0- 1.3	9	10.0	1.8-18.2
\$50,000- 74,999	177	33,988	82	36.7	27.3-46.1	45	28.7	19.5-37.9	20	16.5	6.5-26.5	9	6.5	1.6-11.4	21	11.6	5.5-17.7
\$75,000+	383	80,742	184	45.0	37.9-52.1	90	20.2	14.7-25.7	46	16.6	9.5-23.7	19	3.4	1.4- 5.4	44	14.9	10.0-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1341	237,333	614	45.6	41.9-49.3	383	28.1	24.8-31.4	151	12.6	10.1-15.1	46	3.9	2.5- 5.3	147	9.9	7.7-12.1
White/Non-Hisp	937	157,861	412	44.1	39.6-48.6	275	29.5	25.2-33.8	96	10.8	7.9-13.7	37	4.5	2.7- 6.3	117	11.1	8.6-13.6
Black or Afr. Am./Non-Hisp	195	45,339	92	43.4	34.4-52.4	57	30.8	22.6-39.0	25	14.1	7.2-21.0	4	2.5	0.0- 5.4	17	9.1	3.8-14.4
Hispanic	117	17,023	60	50.3	38.0-62.6	29	23.8	13.6-34.0	19	19.8	9.0-30.6	2	0.9	0.0- 2.3	7	5.2	0.7- 9.7
18-24	63	22,306	32	50.7	35.8-65.6	18	33.5	18.6-48.4	5	9.0	0.2-17.8	2	1.2	0.0- 2.8	6	5.7	1.0-10.4
25-34	127	38,622	64	50.8	38.5-63.1	40	29.4	18.2-40.6	14	11.8	4.2-19.4	2	1.8	0.0- 4.7	7	6.2	0.7-11.7
35-44	155	37,774	74	41.6	31.8-51.4	39	26.2	17.2-35.2	21	18.5	10.1-26.9	8	3.4	0.5- 6.3	13	10.4	4.1-16.7
45-54	224	41,701	107	49.8	41.6-58.0	66	25.5	18.8-32.2	24	10.5	4.6-16.4	9	4.6	1.1- 8.1	18	9.7	4.2-15.2
55-64	319	43,167	145	42.7	35.8-49.6	83	28.6	22.1-35.1	33	9.3	5.6-13.0	13	6.2	2.5- 9.9	45	13.2	8.9-17.5
65+	453	53,764	192	41.6	35.9-47.3	137	28.1	23.0-33.2	54	14.6	9.9-19.3	12	4.4	1.5- 7.3	58	11.3	7.6-15.0
Less Than H.S.	103	24,869	50	40.0	27.1-52.9	30	36.2	22.5-49.9	15	15.0	5.4-24.6	3	3.7	0.0- 8.4	5	5.1	0.0-10.6
H.S. or G.E.D.	306	57,480	117	37.6	30.5-44.7	100	32.8	25.7-39.9	42	13.8	8.3-19.3	10	3.2	0.8- 5.6	37	12.5	7.6-17.4
Some Post-H.S.	334	66,045	146	47.8	40.2-55.4	96	26.0	19.9-32.1	33	10.2	5.7-14.7	14	3.9	1.5- 6.3	45	12.1	7.6-16.6
College Graduate	594	88,594	298	50.6	45.1-56.1	156	24.5	19.6-29.4	61	12.9	8.8-17.0	19	4.3	1.9- 6.7	60	7.8	5.3-10.3
Less than \$15,000	101	14,070	41	44.6	30.9-58.3	29	25.2	13.6-36.8	12	10.5	3.1-17.9	6	5.1	0.6- 9.6	13	14.6	4.0-25.2
\$15,000- 24,999	167	29,332	62	32.0	22.2-41.8	55	39.3	27.5-51.1	29	16.7	7.7-25.7	4	2.7	0.0- 6.4	17	9.4	3.3-15.5
\$25,000- 34,999	115	20,607	46	37.5	25.2-49.8	36	33.2	20.7-45.7	19	16.2	8.0-24.4	1	1.7	0.0- 5.0	13	11.4	3.8-19.0
\$35,000- 49,999	149	27,297	63	44.3	32.0-56.6	42	26.4	16.8-36.0	25	16.9	8.1-25.7	2	1.1	0.0- 2.9	17	11.2	4.1-18.3
\$50,000- 74,999	167	31,490	97	59.7	49.1-70.3	38	21.4	12.4-30.4	10	5.3	1.0- 9.6	6	4.6	0.5- 8.7	16	9.1	2.8-15.4
\$75,000+	390	71,516	202	52.4	45.9-58.9	99	23.1	18.0-28.2	36	11.0	6.3-15.7	19	5.7	2.8- 8.6	34	7.8	4.7-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2564	475,854	937	34.7	32.2-37.2	339	12.7	10.9-14.5	26	0.9	0.5- 1.3	772	32.6	30.1-35.1	291	12.5	10.7-14.3	199	6.6	5.4- 7.8
Male	1208	236,589	384	30.1	26.4-33.8	155	13.0	10.5-15.5	11	0.7	0.3- 1.1	384	34.8	30.9-38.7	163	13.1	10.6-15.6	111	8.3	6.3-10.3
Female	1356	239,265	553	39.2	35.7-42.7	184	12.4	10.0-14.8	15	1.1	0.5- 1.7	388	30.4	26.9-33.9	128	12.0	9.5-14.5	88	4.9	3.5- 6.3
White/Non-Hisp	1767	313,711	651	35.9	32.8-39.0	242	13.8	11.6-16.0	22	1.3	0.7- 1.9	528	30.9	27.8-34.0	186	11.9	9.7-14.1	138	6.4	5.0- 7.8
Black or Afr. Am./Non-Hisp	333	88,140	124	32.8	25.7-39.9	42	12.3	7.6-17.0				93	31.4	24.5-38.3	45	15.4	10.1-20.7	29	8.1	4.4-11.8
Oth. Race/Non-Hisp.	125	23,911	42	33.0	21.8-44.2	12	8.8	2.7-14.9	1	0.2	0.0- 0.6	40	39.3	27.3-51.3	21	13.9	4.9-22.9	9	4.8	0.3- 9.3
Hispanic	245	33,667	95	37.4	28.4-46.4	28	8.0	4.1-11.9	1	0.5	0.0- 1.5	81	38.4	28.2-48.6	24	9.4	4.5-14.3	16	6.4	2.1-10.7
18-24	172	55,882	52	29.1	20.5-37.7	14	9.1	3.2-15.0				64	35.3	26.1-44.5	33	19.9	12.5-27.3	9	6.6	2.1-11.1
25-34	299	83,811	100	30.5	23.1-37.9	33	9.6	5.3-13.9				113	41.2	33.0-49.4	39	13.7	8.2-19.2	14	4.9	1.6- 8.2
35-44	291	74,616	95	35.0	27.0-43.0	38	11.2	6.9-15.5	1	0.2	0.0- 0.6	109	38.3	30.9-45.7	32	11.7	7.0-16.4	16	3.5	1.3- 5.7
45-54	417	78,643	158	36.2	30.5-41.9	68	17.6	12.7-22.5	6	1.4	0.2- 2.6	110	25.7	20.4-31.0	46	13.2	8.9-17.5	29	5.9	3.2- 8.6
55-64	546	81,482	223	39.4	34.1-44.7	74	14.3	10.2-18.4	6	1.4	0.2- 2.6	164	30.6	25.5-35.7	50	9.5	6.4-12.6	29	4.9	2.7- 7.1
65+	839	101,419	309	36.0	31.9-40.1	112	13.3	10.6-16.0	13	2.1	0.7- 3.5	212	26.7	23.0-30.4	91	9.9	7.5-12.3	102	12.1	9.4-14.8
Less Than H.S.	225	48,349	92	38.9	29.3-48.5	20	6.2	2.9- 9.5	1	0.2	0.0- 0.6	60	28.1	18.5-37.7	27	15.0	8.3-21.7	25	11.5	5.8-17.2
H.S. or G.E.D.	633	128,959	231	37.7	32.0-43.4	64	9.0	6.1-11.9	4	0.7	0.1- 1.3	172	27.8	22.7-32.9	96	15.4	11.5-19.3	66	9.4	6.5-12.3
Some Post-H.S.	614	135,758	219	29.7	25.2-34.2	82	16.0	11.9-20.1	6	1.0	0.2- 1.8	190	35.4	29.9-40.9	71	13.3	9.4-17.2	46	4.6	3.0- 6.2
College Graduate	1079	160,452	390	35.1	31.2-39.0	170	14.8	12.1-17.5	15	1.3	0.5- 2.1	348	35.4	31.5-39.3	96	8.9	6.5-11.3	60	4.4	3.0- 5.8
Less than \$15,000	171	23,881	80	40.2	30.2-50.2	10	4.0	1.3- 6.7				43	28.4	18.6-38.2	24	18.0	9.2-26.8	14	9.5	1.7-17.3
\$15,000- 24,999	318	54,435	123	36.9	29.5-44.3	38	11.1	6.4-15.8	2	0.6	0.0- 1.8	85	26.4	19.0-33.8	39	15.7	10.0-21.4	31	9.3	4.6-14.0
\$25,000- 34,999	215	39,432	73	34.8	25.8-43.8	23	8.3	3.8-12.8	2	1.0	0.0- 2.6	62	34.3	24.9-43.7	32	14.6	8.5-20.7	23	7.0	3.5-10.5
\$35,000- 49,999	282	53,187	95	31.2	23.6-38.8	45	13.5	8.4-18.6	4	1.6	0.0- 3.4	82	31.2	22.6-39.8	38	18.1	10.5-25.7	18	4.5	2.0- 7.0
\$50,000- 74,999	345	65,657	127	34.4	27.3-41.5	44	11.6	6.5-16.7	3	0.6	0.0- 1.4	115	39.2	31.8-46.6	39	10.1	6.0-14.2	17	4.1	1.6- 6.6
\$75,000+	778	154,325	267	33.5	28.8-38.2	133	17.1	13.8-20.4	11	1.1	0.5- 1.7	256	34.8	30.3-39.3	69	9.6	6.9-12.3	42	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1208	236,589	384	30.1	26.4-33.8	155	13.0	10.5-15.5	11	0.7	0.3- 1.1	384	34.8	30.9-38.7	163	13.1	10.6-15.6	111	8.3	6.3-10.3
White/Non-Hisp	821	154,318	267	31.3	27.0-35.6	115	14.6	11.5-17.7	8	0.9	0.3- 1.5	259	33.2	28.7-37.7	94	11.5	8.8-14.2	78	8.5	6.1-10.9
Black or Afr. Am./Non-Hisp	133	42,351	40	29.4	17.4-41.4	14	11.2	3.9-18.5				41	30.7	20.1-41.3	24	19.1	10.5-27.7	14	9.6	3.5-15.7
Oth. Race/Non-Hisp.	82	14,945	26	32.7	18.2-47.2	5	7.0	0.0-14.3	1	0.3	0.0- 0.9	27	43.5	28.2-58.8	18	11.9	4.6-19.2	5	4.7	0.0-11.0
Hispanic	128	16,755	38	24.9	14.1-35.7	16	10.0	3.3-16.7	1	1.0	0.0- 3.0	44	43.1	27.4-58.8	19	13.7	5.1-22.3	10	7.3	0.8-13.8
18-24	109	32,888	26	19.8	10.8-28.8	9	9.7	1.9-17.5				46	42.6	30.1-55.1	22	20.1	10.5-29.7	6	7.8	1.1-14.5
25-34	171	44,980	50	29.5	19.3-39.7	18	8.7	3.8-13.6				65	40.0	28.8-51.2	28	14.4	7.7-21.1	10	7.3	1.6-13.0
35-44	135	36,726	39	34.0	21.1-46.9	15	9.9	3.8-16.0				53	39.2	27.8-50.6	19	13.7	6.4-21.0	9	3.3	0.9- 5.7
45-54	193	36,942	59	26.8	19.4-34.2	30	19.3	11.9-26.7	3	1.4	0.0- 3.2	54	28.8	20.6-37.0	28	14.7	8.4-21.0	19	8.9	4.0-13.8
55-64	224	38,104	92	37.6	29.4-45.8	26	13.9	7.2-20.6	3	1.2	0.0- 2.6	65	33.4	25.2-41.6	21	7.6	3.7-11.5	17	6.4	2.9- 9.9
65+	376	46,948	118	31.4	25.3-37.5	57	16.1	11.4-20.8	5	1.6	0.0- 3.2	101	26.9	21.6-32.2	45	9.5	6.2-12.8	50	14.6	10.1-19.1
Less Than H.S.	118	23,145	39	30.1	16.0-44.2	11	7.7	2.0-13.4				33	28.1	13.6-42.6	19	17.6	8.2-27.0	16	16.5	6.7-26.3
H.S. or G.E.D.	323	71,116	97	32.4	24.2-40.6	30	9.6	5.1-14.1	3	0.8	0.0- 1.6	99	30.3	22.7-37.9	57	15.7	10.4-21.0	37	11.3	6.6-16.0
Some Post-H.S.	277	69,432	86	26.3	19.8-32.8	41	17.3	11.4-23.2	2	0.5	0.0- 1.3	95	39.4	31.6-47.2	33	11.6	6.7-16.5	20	4.8	2.3- 7.3
College Graduate	482	70,966	160	31.5	26.2-36.8	70	13.7	10.0-17.4	6	1.2	0.0- 2.4	155	36.9	31.4-42.4	54	10.6	7.1-14.1	37	6.1	3.7- 8.5
Less than \$15,000	69	9,831	25	29.0	15.5-42.5	3	3.3	0.0- 7.2				21	31.9	16.4-47.4	12	15.9	5.1-26.7	8	19.8	2.9-36.7
\$15,000- 24,999	149	24,768	55	35.2	25.2-45.2	14	10.5	3.6-17.4	1	0.2	0.0- 0.6	44	27.5	17.7-37.3	19	13.8	6.5-21.1	16	12.7	3.9-21.5
\$25,000- 34,999	95	18,459	32	27.0	16.0-38.0	9	8.0	1.3-14.7				33	47.8	33.5-62.1	15	14.0	5.4-22.6	6	3.2	0.3- 6.1
\$35,000- 49,999	133	25,891	43	32.8	21.2-44.4	20	11.8	5.7-17.9				37	32.9	19.4-46.4	22	15.4	7.2-23.6	11	7.2	2.1-12.3
\$50,000- 74,999	178	34,168	57	32.1	21.7-42.5	23	11.6	4.9-18.3	2	1.0	0.0- 2.4	60	35.1	25.7-44.5	25	13.9	6.8-21.0	11	6.3	1.6-11.0
\$75,000+	386	81,920	116	29.6	22.3-36.9	66	17.2	12.3-22.1	5	0.9	0.1- 1.7	129	36.8	30.1-43.5	39	10.0	6.1-13.9	31	5.5	3.1- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1356	239,265	553	39.2	35.7-42.7	184	12.4	10.0-14.8	15	1.1	0.5- 1.7	388	30.4	26.9-33.9	128	12.0	9.3-14.7	88	4.9	3.5- 6.3
White/Non-Hisp	946	159,393	384	40.3	35.8-44.8	127	12.9	10.0-15.8	14	1.6	0.6- 2.6	269	28.6	24.5-32.7	92	12.3	9.0-15.6	60	4.2	2.8- 5.6
Black or Afr. Am./Non-Hisp	200	45,789	84	35.9	27.7-44.1	28	13.2	6.9-19.5				52	32.1	23.3-40.9	21	12.0	5.9-18.1	15	6.8	2.7-10.9
Hispanic	117	16,912	57	49.7	37.2-62.2	12	6.0	2.3- 9.7				37	33.7	21.4-46.0	5	5.1	0.2-10.0	6	5.5	0.0-11.4
18-24	63	22,994	26	42.3	27.4-57.2	5	8.4	0.0-16.8				18	24.9	12.7-37.1	11	19.6	7.6-31.6	3	4.8	0.0-10.3
25-34	128	38,831	50	31.7	20.9-42.5	15	10.7	3.4-18.0				48	42.6	30.3-54.9	11	12.9	3.9-21.9	4	2.1	0.0- 4.6
35-44	156	37,890	56	36.1	26.5-45.7	23	12.4	6.5-18.3	1	0.3	0.0- 0.9	56	37.6	27.6-47.6	13	9.9	3.8-16.0	7	3.8	0.1- 7.5
45-54	224	41,701	99	44.4	36.2-52.6	38	16.0	9.7-22.3	3	1.4	0.0- 3.0	56	23.0	16.5-29.5	18	11.9	6.0-17.8	10	3.3	0.8- 5.8
55-64	322	43,378	131	41.0	34.1-47.9	48	14.8	9.7-19.9	3	1.5	0.0- 3.3	99	28.1	22.2-34.0	29	11.1	6.2-16.0	12	3.5	1.1- 5.9
65+	463	54,471	191	39.9	34.2-45.6	55	10.8	7.5-14.1	8	2.5	0.5- 4.5	111	26.5	21.2-31.8	46	10.3	6.8-13.8	52	10.0	6.7-13.3
Less Than H.S.	107	25,204	53	47.1	33.8-60.4	9	4.8	1.1- 8.5	1	0.5	0.0- 1.5	27	28.1	15.4-40.8	8	12.6	3.0-22.2	9	7.0	0.9-13.1
H.S. or G.E.D.	310	57,843	134	44.3	36.9-51.7	34	8.2	4.9-11.5	1	0.5	0.0- 1.5	73	24.8	18.3-31.3	39	15.1	9.6-20.6	29	7.2	4.1-10.3
Some Post-H.S.	337	66,326	133	33.2	26.7-39.7	41	14.7	9.2-20.2	4	1.5	0.0- 3.1	95	31.2	23.8-38.6	38	15.0	8.9-21.1	26	4.5	2.5- 6.5
College Graduate	597	89,486	230	38.0	32.5-43.5	100	15.8	11.9-19.7	9	1.4	0.4- 2.4	193	34.2	28.9-39.5	42	7.5	4.6-10.4	23	3.1	1.3- 4.9
Less than \$15,000	102	14,050	55	48.0	34.5-61.5	7	4.4	0.7- 8.1				22	25.9	13.2-38.6	12	19.4	6.7-32.1	6	2.3	0.3- 4.3
\$15,000- 24,999	169	29,667	68	38.3	27.3-49.3	24	11.6	5.1-18.1	1	1.0	0.0- 3.0	41	25.5	14.5-36.5	20	17.2	8.8-25.6	15	6.4	1.9-10.9
\$25,000- 34,999	120	20,973	41	41.6	28.7-54.5	14	8.7	2.2-15.2	2	1.9	0.0- 4.6	29	22.3	12.5-32.1	17	15.2	6.6-23.8	17	10.3	4.2-16.4
\$35,000- 49,999	149	27,297	52	29.7	19.3-40.1	25	15.1	7.1-23.1	4	3.2	0.0- 6.5	45	29.5	18.9-40.1	16	20.6	8.3-32.9	7	1.9	0.3- 3.5
\$50,000- 74,999	167	31,490	70	36.8	26.8-46.8	21	11.7	4.1-19.3	1	0.2	0.0- 0.6	55	43.8	32.6-55.0	14	6.0	2.5- 9.5	6	1.6	0.2- 3.0
\$75,000+	392	72,405	151	37.8	31.7-43.9	67	16.9	12.2-21.6	6	1.3	0.3- 2.3	127	32.6	26.5-38.7	30	9.1	5.4-12.8	11	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1053	203,144	319	32.2	28.3-36.1	292	26.5	22.8-30.2	80	9.7	6.6-12.8	49	3.8	2.4- 5.2	6	0.7	0.1- 1.3	307	27.0	23.5-30.5
Male	514	105,893	168	34.9	29.2-40.6	122	20.2	15.7-24.7	60	15.7	10.2-21.2	18	2.2	1.0- 3.4	2	0.5	0.0- 1.3	144	26.5	21.4-31.6
Female	539	97,251	151	29.4	24.1-34.7	170	33.5	27.6-39.4	20	3.1	1.3- 4.9	31	5.4	3.0- 7.8	4	0.9	0.0- 1.9	163	27.7	22.8-32.6
White/Non-Hisp	778	142,207	231	30.0	25.7-34.3	217	27.6	23.1-32.1	48	8.1	4.8-11.4	42	4.5	2.9- 6.1	5	0.8	0.0- 1.6	235	29.0	24.9-33.1
Black or Afr. Am./Non-Hisp	112	32,526	36	33.6	22.4-44.8	28	26.1	15.3-36.9	13	11.1	3.8-18.4	1	1.7	0.0- 5.0	1	0.8	0.0- 2.4	33	26.7	16.7-36.7
Hispanic	77	10,991	27	36.7	18.3-55.1	19	19.4	7.8-31.0	10	23.5	0.0-49.2	2	1.5	0.0- 3.7				19	18.8	6.3-31.3
18-24	92	27,152	38	44.1	31.6-56.6	13	16.9	7.1-26.7	10	8.5	2.0-15.0	1	1.2	0.0- 3.6	1	1.0	0.0- 3.0	29	28.4	17.6-39.2
25-34	140	44,529	50	31.8	21.6-42.0	29	22.6	12.0-33.2	14	18.8	7.2-30.4	6	2.4	0.0- 5.1				41	24.4	15.4-33.4
35-44	116	30,816	41	40.5	29.3-51.7	27	22.9	13.1-32.7	8	6.0	0.9-11.1	9	6.2	1.5-10.9	2	1.6	0.0- 4.1	29	22.8	13.8-31.8
45-54	169	30,776	54	27.5	19.5-35.5	57	35.4	26.0-44.8	7	6.0	1.1-10.9	8	5.6	1.7- 9.5				43	25.5	17.1-33.9
55-64	217	34,272	68	32.3	24.1-40.5	65	26.3	19.2-33.4	9	4.2	1.1- 7.3	13	4.3	1.4- 7.2	1	1.1	0.0- 3.3	61	31.8	23.8-39.8
65+	319	35,599	68	20.7	15.4-26.0	101	34.5	28.0-41.0	32	11.0	6.7-15.3	12	3.3	1.1- 5.5	2	0.7	0.0- 1.7	104	29.8	23.9-35.7
Less Than H.S.	60	14,100	16	18.0	6.6-29.4	17	21.3	8.4-34.2	5	29.1	3.8-54.4	3	4.3	0.0-10.6	1	2.7	0.0- 8.0	18	24.6	9.9-39.3
H.S. or G.E.D.	193	43,036	65	35.5	26.5-44.5	48	22.6	15.0-30.2	16	11.3	4.0-18.6	9	3.4	0.9- 5.9	1	0.6	0.0- 1.8	54	26.5	18.9-34.1
Some Post-H.S.	263	61,739	83	31.8	24.0-39.6	63	27.9	19.7-36.1	26	9.0	4.7-13.3	15	3.8	1.4- 6.2				76	27.6	20.3-34.9
College Graduate	533	83,388	152	32.9	27.4-38.4	164	28.8	23.7-33.9	33	6.2	3.7- 8.7	22	3.9	1.9- 5.9	4	0.9	0.0- 1.9	158	27.3	22.4-32.2
\$15,000- 24,999	93	16,124	29	35.9	21.6-50.2	22	18.2	9.4-27.0	9	14.8	2.3-27.3	8	5.4	1.1- 9.7	1	1.1	0.0- 3.3	24	24.8	13.4-36.2
\$25,000- 34,999	84	15,875	24	32.6	17.7-47.5	28	21.2	11.4-31.0	5	5.7	0.0-12.6	4	7.8	0.0-16.6	1	1.7	0.0- 5.0	22	31.0	16.9-45.1
\$35,000- 49,999	122	24,397	28	21.7	11.9-31.5	34	33.6	19.1-48.1	10	15.7	1.4-30.0	7	2.2	0.4- 4.0				43	26.8	16.2-37.4
\$50,000- 74,999	150	31,575	46	37.9	26.3-49.5	44	25.4	15.8-35.0	11	11.9	1.3-22.5	8	3.5	0.8- 6.2				41	21.2	13.4-29.0
\$75,000+	388	78,958	126	34.9	28.6-41.2	100	23.9	18.4-29.4	29	8.2	4.5-11.9	14	3.6	1.4- 5.8	3	0.7	0.0- 1.7	116	28.8	22.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	514	105,893	168	34.9	29.0-40.8	122	20.2	15.7-24.7	60	15.7	10.0-21.4	18	2.2	1.0- 3.4	2	0.5	0.0- 1.3	144	26.5	21.4-31.6
White/Non-Hisp	366	70,577	118	32.6	26.1-39.1	86	19.5	14.6-24.4	36	13.6	7.3-19.9	15	2.8	1.2- 4.4	2	0.8	0.0- 2.0	109	30.7	24.2-37.2
Black or Afr. Am./Non-Hisp	60	19,544	22	39.9	24.0-55.8	14	23.6	8.7-38.5	11	17.1	5.5-28.7							13	19.4	7.6-31.2
18-24	65	18,133	26	42.3	27.2-57.4	7	12.7	1.9-23.5	8	11.7	2.3-21.1							24	33.3	19.8-46.8
25-34	81	26,747	28	29.6	16.7-42.5	14	16.3	4.9-27.7	11	28.8	11.9-45.7	3	1.2	0.0- 2.6				25	24.2	12.2-36.2
35-44	52	14,366	23	50.4	33.9-66.9	8	14.2	3.2-25.2	7	12.5	2.1-22.9	2	1.5	0.0- 3.9				12	21.3	8.4-34.2
45-54	72	12,705	29	40.6	26.3-54.9	20	22.8	12.2-33.4	4	7.6	0.0-15.6	3	5.7	0.0-12.0				16	23.4	10.5-36.3
55-64	90	16,691	33	36.8	22.9-50.7	22	23.7	12.3-35.1	5	4.3	0.0- 9.0	6	3.5	0.6- 6.4	1	2.3	0.0- 6.8	23	29.4	16.5-42.3
65+	154	17,250	29	16.2	9.9-22.5	51	33.6	25.0-42.2	25	19.6	11.6-27.6	4	2.9	0.0- 6.2	1	1.0	0.0- 3.0	44	26.6	19.0-34.2
H.S. or G.E.D.	102	24,429	35	40.5	27.4-53.6	22	15.3	6.9-23.7	11	17.8	5.8-29.8	2	1.3	0.0- 3.3				32	25.1	15.1-35.1
Some Post-H.S.	129	32,304	42	35.1	23.9-46.3	27	19.9	10.1-29.7	17	11.6	4.7-18.5	5	2.0	0.0- 4.0				38	31.4	20.6-42.2
College Graduate	248	39,074	81	36.1	28.3-43.9	66	25.1	18.2-32.0	28	11.6	6.9-16.3	10	3.4	1.0- 5.8	1	0.5	0.0- 1.5	62	23.4	16.7-30.1
\$35,000- 49,999	50	9,936	10	17.3	4.4-30.2	12	18.3	5.6-31.0	8	37.0	10.5-63.5	3	1.7	0.0- 3.7				17	25.8	9.5-42.1
\$50,000- 74,999	81	17,617	27	38.2	22.7-53.7	17	16.0	7.0-25.0	10	21.0	3.8-38.2	6	5.0	0.5- 9.5				21	19.8	9.6-30.0
\$75,000+	196	42,504	78	41.4	32.4-50.4	41	18.0	11.1-24.9	23	12.1	5.8-18.4	2	1.1	0.0- 2.7				52	27.4	18.8-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	539	97,251	151	29.4	24.1-34.7	170	33.5	27.6-39.4	20	3.1	1.3- 4.9	31	5.4	3.0- 7.8	4	0.9	0.0- 1.9	163	27.7	22.8-32.6
White/Non-Hisp	412	71,630	113	27.5	21.6-33.4	131	35.5	28.6-42.4	12	2.6	0.6- 4.6	27	6.1	3.4- 8.8	3	0.8	0.0- 2.0	126	27.3	21.8-32.8
Black or Afr. Am./Non-Hisp	52	12,981	14	24.0	10.5-37.5	14	29.8	14.5-45.1	2	2.1	0.0- 5.0	1	4.3	0.0-12.5	1	2.1	0.0- 6.2	20	37.7	21.4-54.0
25-34	59	17,781	22	35.1	18.4-51.8	15	32.2	13.6-50.8	3	3.9	0.0- 9.8	3	4.2	0.0-10.5				16	24.6	10.7-38.5
35-44	64	16,450	18	31.9	17.4-46.4	19	30.5	15.4-45.6	1	0.3	0.0- 0.9	7	10.2	1.6-18.8	2	3.0	0.0- 7.9	17	24.2	11.5-36.9
45-54	97	18,070	25	18.3	10.3-26.3	37	44.3	31.4-57.2	3	4.9	0.0-10.8	5	5.5	0.6-10.4				27	26.9	15.9-37.9
55-64	127	17,581	35	28.0	18.6-37.4	43	28.8	19.8-37.8	4	4.1	0.0- 8.4	7	5.0	0.3- 9.7				38	34.1	24.1-44.1
65+	165	18,349	39	24.8	16.8-32.8	50	35.4	26.0-44.8	7	2.9	0.7- 5.1	8	3.7	1.0- 6.4	1	0.4	0.0- 1.2	60	32.8	24.2-41.4
H.S. or G.E.D.	91	18,607	30	29.1	17.3-40.9	26	32.1	19.4-44.8	5	2.8	0.3- 5.3	7	6.1	1.0-11.2	1	1.5	0.0- 4.4	22	28.4	16.6-40.2
Some Post-H.S.	134	29,435	41	28.2	17.6-38.8	36	36.6	23.9-49.3	9	6.2	1.1-11.3	10	5.7	1.2-10.2				38	23.4	14.4-32.4
College Graduate	285	44,315	71	30.0	22.6-37.4	98	32.0	24.7-39.3	5	1.5	0.0- 3.3	12	4.4	1.3- 7.5	3	1.3	0.0- 3.1	96	30.8	23.7-37.9
\$35,000- 49,999	72	14,461	18	24.8	10.9-38.7	22	44.1	24.7-63.5	2	1.1	0.0- 2.7	4	2.6	0.1- 5.1				26	27.5	13.6-41.4
\$50,000- 74,999	69	13,958	19	37.5	20.1-54.9	27	37.2	20.3-54.1	1	0.5	0.0- 1.5	2	1.7	0.0- 4.6				20	23.1	10.6-35.6
\$75,000+	192	36,454	48	27.2	18.8-35.6	59	30.7	22.5-38.9	6	3.6	0.3- 6.9	12	6.5	2.2-10.8	3	1.6	0.0- 3.8	64	30.4	22.2-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1355	256,660	707	49.1	45.4-52.8	243	17.8	14.9-20.7	257	22.0	18.7-25.3	41	3.5	2.1- 4.9	107	7.5	5.7- 9.3
Male	654	131,894	332	48.4	43.1-53.7	118	18.2	14.1-22.3	128	22.4	17.5-27.3	21	3.4	1.6- 5.2	55	7.6	5.1-10.1
Female	701	124,766	375	49.9	44.8-55.0	125	17.3	13.2-21.4	129	21.7	17.2-26.2	20	3.6	1.4- 5.8	52	7.5	5.0-10.0
White/Non-Hisp	990	178,468	519	50.0	45.7-54.3	178	17.5	14.2-20.8	187	21.3	17.6-25.0	29	3.1	1.7- 4.5	77	8.1	5.7-10.5
Black or Afr. Am./Non-Hisp	152	42,437	76	48.8	38.6-59.0	32	21.9	12.9-30.9	22	16.0	8.0-24.0	7	4.7	0.6- 8.8	15	8.5	3.6-13.4
Oth. Race/Non-Hisp.	64	11,656	28	48.2	32.3-64.1	10	13.7	3.1-24.3	17	32.6	17.5-47.7	1	0.3	0.0- 0.9	8	5.2	1.1- 9.3
Hispanic	101	14,228	61	47.1	30.4-63.8	15	15.8	5.8-25.8	19	28.9	8.7-49.1	1	5.1	0.0-14.7	5	3.2	0.0- 6.9
18-24	103	31,154	53	54.1	42.1-66.1	20	15.0	7.7-22.3	23	21.0	11.0-31.0	3	4.8	0.0-10.3	4	5.1	0.0-10.8
25-34	169	50,750	91	41.2	31.2-51.2	30	24.0	14.0-34.0	32	28.0	17.0-39.0	4	2.1	0.0- 4.5	12	4.7	1.6- 7.8
35-44	153	39,637	78	50.4	40.6-60.2	22	14.2	7.7-20.7	32	21.6	13.8-29.4	5	3.3	0.0- 6.8	16	10.5	4.2-16.8
45-54	213	39,020	109	51.0	42.6-59.4	45	18.3	12.2-24.4	36	19.3	12.4-26.2	6	5.6	0.5-10.7	17	5.7	2.6- 8.8
55-64	284	44,877	152	52.8	45.4-60.2	45	13.2	8.5-17.9	58	23.2	16.9-29.5	10	3.2	0.8- 5.6	19	7.7	3.6-11.8
65+	433	51,222	224	48.2	42.3-54.1	81	19.8	15.3-24.3	76	18.2	13.9-22.5	13	3.0	1.0- 5.0	39	10.8	6.7-14.9
Less Than H.S.	77	18,987	42	39.5	23.4-55.6	12	19.0	4.5-33.5	16	33.8	14.2-53.4	2	1.5	0.0- 3.9	5	6.2	0.1-12.3
H.S. or G.E.D.	275	59,946	117	42.4	34.8-50.0	64	19.3	13.8-24.8	57	21.6	14.9-28.3	12	6.0	1.9-10.1	25	10.8	5.9-15.7
Some Post-H.S.	339	75,758	161	46.0	38.7-53.3	71	22.8	16.1-29.5	65	20.6	14.3-26.9	10	3.7	1.0- 6.4	32	6.8	3.7- 9.9
College Graduate	659	100,683	383	56.9	51.8-62.0	96	13.1	9.8-16.4	118	21.2	16.9-25.5	17	2.4	1.0- 3.8	45	6.5	4.0- 9.0
Less than \$15,000	73	10,206	31	40.2	24.5-55.9	15	24.8	9.9-39.7	16	20.3	8.1-32.5	3	4.1	0.0- 9.4	8	10.7	1.3-20.1
\$15,000- 24,999	124	21,826	55	41.7	29.0-54.4	23	20.0	7.8-32.2	26	22.1	11.1-33.1	5	3.1	0.2- 6.0	15	13.2	5.2-21.2
\$25,000- 34,999	114	21,183	43	40.6	27.9-53.3	25	17.5	8.7-26.3	22	20.9	11.1-30.7	8	7.5	1.2-13.8	16	13.5	6.4-20.6
\$35,000- 49,999	151	29,508	75	39.9	28.7-51.1	27	21.3	11.5-31.1	28	24.8	11.7-37.9	5	5.1	0.0-10.8	16	8.9	2.6-15.2
\$50,000- 74,999	200	41,270	116	47.8	38.0-57.6	38	18.7	11.1-26.3	31	22.1	12.5-31.7	7	6.6	1.3-11.9	8	4.8	0.9- 8.7
\$75,000+	476	92,818	263	55.0	49.3-60.7	77	14.6	10.7-18.5	93	21.5	16.8-26.2	12	2.2	0.6- 3.8	31	6.7	3.6- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	654	131,894	332	48.4	43.1-53.7	118	18.2	14.1-22.3	128	22.4	17.5-27.3	21	3.4	1.6- 5.2	55	7.6	5.1-10.1
White/Non-Hisp	465	88,806	238	50.2	44.1-56.3	80	16.6	12.3-20.9	92	21.1	15.8-26.4	16	3.4	1.4- 5.4	39	8.7	5.4-12.0
Black or Afr. Am./Non-Hisp	72	23,256	36	44.6	30.1-59.1	16	25.8	11.9-39.7	12	19.1	6.8-31.4	2	3.7	0.0- 9.4	6	6.8	0.3-13.3
Hispanic	50	7,373	29	47.6	19.8-75.4	10	17.0	3.3-30.7	9	34.1	0.0-68.2				2	1.3	0.0- 3.3
18-24	72	20,512	36	55.4	40.9-69.9	14	14.2	5.8-22.6	18	22.2	9.7-34.7	2	3.8	0.0- 9.1	2	4.4	0.0-11.8
25-34	99	28,916	50	38.9	26.0-51.8	15	19.1	6.9-31.3	23	32.5	17.2-47.8	4	3.7	0.0- 7.8	7	5.8	0.9-10.7
35-44	68	18,310	35	52.3	38.0-66.6	11	19.3	7.7-30.9	13	17.6	7.6-27.6				9	10.8	2.4-19.2
45-54	98	17,478	44	42.3	30.1-54.5	26	24.0	13.8-34.2	12	16.6	7.2-26.0	5	8.5	0.1-16.9	11	8.6	2.9-14.3
55-64	117	21,996	61	54.9	42.9-66.9	20	15.1	7.3-22.9	23	18.9	9.9-27.9	5	3.1	0.0- 6.6	8	7.9	1.0-14.8
65+	200	24,682	106	49.4	41.2-57.6	32	18.3	11.8-24.8	39	21.4	14.3-28.5	5	2.0	0.0- 4.4	18	8.8	3.7-13.9
H.S. or G.E.D.	144	34,191	63	43.1	32.5-53.7	34	19.6	12.0-27.2	29	23.7	13.9-33.5	6	3.9	0.4- 7.4	12	9.7	3.2-16.2
Some Post-H.S.	171	40,588	79	48.2	38.2-58.2	39	25.7	16.3-35.1	33	16.7	10.0-23.4	6	5.3	0.8- 9.8	14	4.1	1.6- 6.6
College Graduate	294	45,385	166	56.4	49.1-63.7	38	11.7	7.2-16.2	57	20.9	14.8-27.0	8	2.2	0.2- 4.2	25	8.8	4.3-13.3
\$15,000- 24,999	64	11,768	31	50.0	32.4-67.6	14	18.4	7.6-29.2	9	17.0	1.3-32.7	1	0.6	0.0- 1.8	9	13.9	2.3-25.5
\$25,000- 34,999	54	11,956	20	49.1	31.3-66.9	9	12.9	2.9-22.9	11	18.6	6.1-31.1	6	8.7	0.3-17.1	8	10.7	2.7-18.7
\$35,000- 49,999	67	13,051	30	35.3	19.8-50.8	14	26.4	10.9-41.9	16	29.8	7.8-51.8	1	0.2	0.0- 0.6	6	8.2	0.0-16.8
\$50,000- 74,999	103	22,020	59	49.6	35.9-63.3	18	14.0	6.6-21.4	16	25.2	10.9-39.5	6	9.2	1.2-17.2	4	2.0	0.0- 4.0
\$75,000+	246	50,651	129	50.0	42.0-58.0	41	17.2	10.9-23.5	49	21.5	15.0-28.0	7	2.7	0.3- 5.1	20	8.6	3.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	701	124,766	375	49.9	44.8-55.0	125	17.3	13.2-21.4	129	21.7	17.4-26.0	20	3.6	1.4- 5.8	52	7.5	5.0-10.0
White/Non-Hisp	525	89,662	281	49.7	43.6-55.8	98	18.3	13.2-23.4	95	21.4	16.3-26.5	13	2.9	0.7- 5.1	38	7.6	4.5-10.7
Black or Afr. Am./Non-Hisp	80	19,182	40	53.9	40.0-67.8	16	17.2	7.2-27.2	10	12.3	2.9-21.7	5	6.0	0.1-11.9	9	10.6	2.8-18.4
Hispanic	51	6,855	32	46.5	28.1-64.9	5	14.4	0.0-29.1	10	23.3	7.4-39.2	1	10.5	0.0-29.3	3	5.3	0.0-12.6
25-34	70	21,834	41	44.3	28.6-60.0	15	30.4	13.7-47.1	9	22.0	6.3-37.7				5	3.3	0.0- 6.8
35-44	85	21,327	43	48.8	35.1-62.5	11	9.8	3.1-16.5	19	25.0	13.6-36.4	5	6.2	0.0-12.5	7	10.2	1.2-19.2
45-54	115	21,542	65	58.2	46.6-69.8	19	13.6	6.7-20.5	24	21.6	11.8-31.4	1	3.3	0.0- 9.6	6	3.4	0.0- 6.9
55-64	167	22,881	91	50.7	41.9-59.5	25	11.3	6.4-16.2	35	27.5	19.3-35.7	5	3.2	0.3- 6.1	11	7.4	2.9-11.9
65+	233	26,541	118	47.1	38.9-55.3	49	21.2	14.7-27.7	37	15.1	9.8-20.4	8	3.9	0.8- 7.0	21	12.6	6.3-18.9
H.S. or G.E.D.	131	25,755	54	41.5	30.5-52.5	30	18.9	11.3-26.5	28	18.7	10.9-26.5	6	8.7	0.7-16.7	13	12.3	5.0-19.6
Some Post-H.S.	168	35,169	82	43.4	33.0-53.8	32	19.6	10.4-28.8	32	25.2	14.6-35.8	4	1.9	0.0- 3.9	18	9.9	4.0-15.8
College Graduate	365	55,298	217	57.2	50.1-64.3	58	14.2	9.7-18.7	61	21.4	15.5-27.3	9	2.5	0.3- 4.7	20	4.6	2.1- 7.1
\$15,000- 24,999	60	10,058	24	31.9	15.6-48.2	9	21.8	0.0-44.3	17	28.0	11.9-44.1	4	5.9	0.0-12.4	6	12.4	1.4-23.4
\$25,000- 34,999	60	9,227	23	29.6	14.3-44.9	16	23.4	8.5-38.3	11	23.9	8.8-39.0	2	5.9	0.0-15.3	8	17.2	4.9-29.5
\$35,000- 49,999	84	16,457	45	43.5	27.4-59.6	13	17.3	4.6-30.0	12	20.9	4.4-37.4	4	8.9	0.0-18.9	10	9.4	0.4-18.4
\$50,000- 74,999	97	19,250	57	45.6	31.9-59.3	20	24.1	10.8-37.4	15	18.6	6.3-30.9	1	3.6	0.0-10.5	4	8.0	0.0-16.0
\$75,000+	230	42,167	134	60.9	53.1-68.7	36	11.6	7.3-15.9	44	21.5	14.8-28.2	5	1.6	0.0- 3.2	11	4.4	1.3- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1380	260,317	553	41.0	37.5-44.5	139	10.2	8.0-12.4	10	0.6	0.0- 1.2	356	25.7	22.4-29.0	188	14.3	11.6-17.0	134	8.2	6.2-10.2
Male	664	133,234	244	37.9	32.8-43.0	75	11.7	8.6-14.8	3	0.3	0.0- 0.7	167	25.8	21.1-30.5	98	16.1	12.0-20.2	77	8.3	6.1-10.5
Female	716	127,083	309	44.2	39.1-49.3	64	8.6	5.9-11.3	7	1.0	0.0- 2.0	189	25.6	21.1-30.1	90	12.5	9.2-15.8	57	8.2	5.1-11.3
White/Non-Hisp	1009	181,785	398	39.4	35.3-43.5	94	9.5	7.1-11.9	9	0.8	0.0- 1.6	268	26.8	23.1-30.5	138	14.6	11.5-17.7	102	8.9	6.5-11.3
Black or Afr. Am./Non-Hisp	155	42,658	66	44.7	34.5-54.9	20	12.3	5.4-19.2				39	24.2	15.6-32.8	19	13.8	6.4-21.2	11	5.0	1.1- 8.9
Oth. Race/Non-Hisp.	65	11,757	27	43.2	27.7-58.7	8	14.6	2.8-26.4				13	20.8	8.6-33.0	10	13.9	1.9-25.9	7	7.5	0.0-15.5
Hispanic	103	14,480	44	37.2	22.7-51.7	11	10.8	3.2-18.4				25	26.6	6.6-46.6	12	13.0	1.6-24.4	11	12.4	3.4-21.4
18-24	104	31,986	41	40.7	28.7-52.7	10	11.0	2.6-19.4				32	25.1	15.7-34.5	16	19.0	8.8-29.2	5	4.1	0.0- 8.2
25-34	169	50,750	74	40.9	30.5-51.3	16	6.4	2.7-10.1	1	1.2	0.0- 3.6	41	26.6	16.4-36.8	22	15.0	6.6-23.4	15	9.9	3.2-16.6
35-44	154	39,761	71	43.5	33.9-53.1	17	13.5	6.1-20.9				34	24.7	15.9-33.5	18	10.7	5.0-16.4	14	7.7	3.2-12.2
45-54	214	39,068	86	43.4	34.8-52.0	28	11.3	6.6-16.0	2	0.8	0.0- 2.0	61	28.2	20.8-35.6	24	11.5	6.2-16.8	13	4.7	1.6- 7.8
55-64	291	45,578	120	43.2	35.9-50.5	31	11.3	6.6-16.0	3	0.6	0.0- 1.4	84	29.5	22.6-36.4	34	10.9	6.6-15.2	19	4.5	2.0- 7.0
65+	448	53,174	161	35.7	30.2-41.2	37	9.0	5.7-12.3	4	0.7	0.0- 1.5	104	20.8	16.5-25.1	74	18.6	14.1-23.1	68	15.3	11.2-19.4
Less Than H.S.	80	19,319	32	29.1	15.6-42.6	8	7.2	1.3-13.1	1	0.6	0.0- 1.8	19	27.0	9.6-44.4	14	25.4	8.9-41.9	6	10.8	0.0-24.1
H.S. or G.E.D.	282	60,682	113	41.4	34.0-48.8	24	9.0	4.3-13.7				60	20.9	15.0-26.8	45	17.9	11.4-24.4	40	10.8	7.1-14.5
Some Post-H.S.	348	76,969	128	37.9	30.8-45.0	35	9.9	6.0-13.8	2	0.3	0.0- 0.7	86	27.4	20.5-34.3	58	16.9	11.8-22.0	39	7.6	4.7-10.5
College Graduate	665	102,061	278	45.4	40.3-50.5	71	11.7	8.2-15.2	7	1.2	0.0- 2.6	189	26.7	22.4-31.0	71	8.3	5.8-10.8	49	6.8	4.3- 9.3
Less than \$15,000	76	10,353	32	42.3	27.0-57.6	9	12.6	1.0-24.2				14	18.7	6.7-30.7	14	21.5	7.4-35.6	7	4.9	0.6- 9.2
\$15,000- 24,999	128	22,568	60	50.9	38.2-63.6	7	4.4	0.3- 8.5				24	14.8	7.2-22.4	12	11.5	2.3-20.7	25	18.5	6.9-30.1
\$25,000- 34,999	116	21,311	40	27.9	17.9-37.9	13	14.2	3.4-25.0	2	0.8	0.0- 2.0	31	28.3	16.9-39.7	17	16.3	7.3-25.3	13	12.6	4.8-20.4
\$35,000- 49,999	153	29,958	57	36.1	24.7-47.5	13	9.3	2.8-15.8	1	0.1	0.0- 0.3	35	30.1	17.2-43.0	29	15.5	8.1-22.9	18	8.8	4.1-13.5
\$50,000- 74,999	205	41,831	79	40.3	30.7-49.9	19	9.1	4.4-13.8	2	0.7	0.0- 1.9	56	25.6	17.6-33.6	29	16.9	8.3-25.5	20	7.4	2.9-11.9
\$75,000+	480	94,038	193	42.6	36.9-48.3	57	10.6	7.3-13.9	4	1.0	0.0- 2.4	144	29.4	24.1-34.7	50	10.7	7.2-14.2	32	5.7	3.3- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	664	133,234	244	37.9	32.8-43.0	75	11.7	8.6-14.8	3	0.3	0.0- 0.7	167	25.8	21.1-30.5	98	16.1	12.0-20.2	77	8.3	6.1-10.5
White/Non-Hisp	471	89,587	170	35.3	29.6-41.0	49	10.1	6.8-13.4	2	0.3	0.0- 0.7	124	27.8	22.3-33.3	69	17.5	12.4-22.6	57	9.1	6.4-11.8
Black or Afr. Am./Non-Hisp	74	23,477	29	42.5	27.8-57.2	11	15.9	4.7-27.1				15	18.3	7.7-28.9	13	17.8	6.0-29.6	6	5.4	0.3-10.5
Hispanic	51	7,585	20	36.8	13.5-60.1	6	11.3	0.0-22.7				15	42.3	11.5-73.1	5	3.5	0.0- 7.0	5	6.1	0.0-13.0
18-24	72	20,512	29	38.6	24.7-52.5	9	14.1	2.5-25.7				21	27.3	14.8-39.8	10	15.6	3.8-27.4	3	4.3	0.0- 9.6
25-34	99	28,916	37	38.0	24.3-51.7	12	9.3	3.2-15.4				26	28.1	14.4-41.8	18	20.0	7.3-32.7	6	4.6	0.5- 8.7
35-44	69	18,434	29	44.0	29.9-58.1	4	7.3	0.0-14.7				16	24.2	11.5-36.9	12	17.0	6.6-27.4	8	7.5	1.6-13.4
45-54	99	17,566	37	38.1	25.9-50.3	19	17.3	8.9-25.7	1	0.7	0.0- 2.1	23	23.7	13.7-33.7	10	12.0	3.6-20.4	9	8.3	1.8-14.8
55-64	118	22,130	48	42.5	30.5-54.5	16	15.0	6.4-23.6	1	0.6	0.0- 1.8	31	29.8	18.6-41.0	12	7.4	1.9-12.9	10	4.7	1.0- 8.4
65+	207	25,676	64	28.9	21.8-36.0	15	8.6	3.7-13.5	1	0.4	0.0- 1.2	50	21.1	15.0-27.2	36	21.7	14.4-29.0	41	19.2	12.9-25.5
H.S. or G.E.D.	147	34,563	55	39.1	28.7-49.5	14	11.4	4.0-18.8				33	19.3	11.7-26.9	21	17.6	8.4-26.8	24	12.5	7.0-18.0
Some Post-H.S.	173	40,875	54	34.9	25.1-44.7	18	10.4	4.9-15.9	2	0.6	0.0- 1.4	48	29.2	20.0-38.4	32	18.6	11.3-25.9	19	6.3	2.6-10.0
College Graduate	298	45,842	120	44.1	36.8-51.4	37	13.8	8.7-18.9	1	0.3	0.0- 0.9	72	24.3	18.0-30.6	38	9.6	5.7-13.5	30	7.9	4.4-11.4
\$15,000- 24,999	65	11,892	28	45.9	28.5-63.3	5	5.5	0.0-12.0				14	21.5	8.4-34.6	5	13.8	0.0-29.5	13	13.4	5.4-21.4
\$25,000- 34,999	54	11,956	18	28.2	14.1-42.3	6	20.2	2.4-38.0				16	30.7	14.2-47.2	9	14.8	3.6-26.0	5	6.2	0.1-12.3
\$35,000- 49,999	68	13,214	19	29.4	13.9-44.9	5	6.3	0.4-12.2				17	35.6	14.2-57.0	17	18.7	6.9-30.5	10	10.1	2.5-17.7
\$50,000- 74,999	107	22,489	35	33.6	21.1-46.1	8	9.8	2.4-17.2				33	27.2	16.6-37.8	18	21.9	8.4-35.4	13	7.6	2.1-13.1
\$75,000+	248	50,951	96	40.0	32.2-47.8	34	11.3	6.8-15.8	2	0.4	0.0- 1.0	63	26.7	19.1-34.3	32	13.6	8.1-19.1	21	7.9	4.0-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	716	127,083	309	44.2	39.1-49.3	64	8.6	5.9-11.3	7	1.0	0.0- 2.0	189	25.6	21.1-30.1	90	12.5	9.2-15.8	57	8.2	5.1-11.3
White/Non-Hisp	538	92,197	228	43.4	37.5-49.3	45	9.0	5.5-12.5	7	1.3	0.0- 2.7	144	25.8	20.5-31.1	69	11.7	8.2-15.2	45	8.7	5.0-12.4
Black or Afr. Am./Non-Hisp	81	19,181	37	47.3	33.4-61.2	9	7.8	0.9-14.7				24	31.4	17.9-44.9	6	8.9	1.3-16.5	5	4.4	0.0-10.7
Hispanic	52	6,895	24	37.7	20.6-54.8	5	10.2	0.4-20.0				10	9.2	2.5-15.9	7	23.6	3.2-44.0	6	19.3	3.4-35.2
25-34	70	21,834	37	44.7	28.4-61.0	4	2.4	0.0- 4.8	1	2.8	0.0- 8.1	15	24.8	9.3-40.3	4	8.5	0.0-17.1	9	16.9	3.4-30.4
35-44	85	21,327	42	43.0	29.9-56.1	13	18.7	6.7-30.7				18	25.2	13.0-37.4	6	5.2	0.0-10.5	6	7.8	1.1-14.5
45-54	115	21,502	49	47.8	36.0-59.6	9	6.4	1.7-11.1	1	1.0	0.0- 3.0	38	31.9	21.1-42.7	14	11.0	4.3-17.7	4	1.8	0.0- 4.0
55-64	173	23,448	72	43.9	35.1-52.7	15	7.8	3.5-12.1	2	0.7	0.0- 1.7	53	29.2	21.0-37.4	22	14.2	7.7-20.7	9	4.3	1.0- 7.6
65+	241	27,499	97	42.0	34.0-50.0	22	9.3	4.8-13.8	3	0.9	0.0- 2.1	54	20.5	14.4-26.6	38	15.6	10.1-21.1	27	11.7	6.6-16.8
H.S. or G.E.D.	135	26,119	58	44.3	33.5-55.1	10	5.8	1.9- 9.7				27	23.1	13.7-32.5	24	18.3	9.5-27.1	16	8.4	3.5-13.3
Some Post-H.S.	175	36,094	74	41.3	31.1-51.5	17	9.3	3.4-15.2				38	25.3	15.1-35.5	26	15.1	8.2-22.0	20	9.1	4.4-13.8
College Graduate	367	56,218	158	46.4	39.1-53.7	34	9.9	5.2-14.6	6	2.0	0.0- 4.4	117	28.7	22.6-34.8	33	7.3	4.2-10.4	19	5.8	2.3- 9.3
Less than \$15,000	51	6,127	24	48.2	29.2-67.2	4	5.0	0.0-10.5				10	20.8	5.1-36.5	11	25.0	6.0-44.0	2	1.0	0.0- 2.6
\$15,000- 24,999	63	10,676	32	56.5	37.1-75.9	2	3.2	0.0- 7.7				10	7.3	1.4-13.2	7	8.9	1.3-16.5	12	24.1	2.9-45.3
\$25,000- 34,999	62	9,355	22	27.5	13.8-41.2	7	6.5	1.2-11.8	2	1.7	0.0- 4.2	15	25.3	10.2-40.4	8	18.2	3.5-32.9	8	20.8	5.7-35.9
\$35,000- 49,999	85	16,744	38	41.5	25.6-57.4	8	11.8	1.4-22.2	1	0.3	0.0- 0.9	18	25.7	9.2-42.2	12	13.0	3.0-23.0	8	7.7	1.6-13.8
\$50,000- 74,999	98	19,342	44	48.0	33.9-62.1	11	8.4	2.9-13.9	2	1.6	0.0- 4.0	23	23.9	11.6-36.2	11	11.1	2.9-19.3	7	7.1	0.0-14.4
\$75,000+	232	43,087	97	45.6	37.2-54.0	23	9.8	4.9-14.7	2	1.7	0.0- 4.4	81	32.6	25.0-40.2	18	7.2	2.9-11.5	11	3.2	0.8- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3723	679,437	751	20.5	18.7-22.3	258	7.2	6.0- 8.4	240	7.7	6.3- 9.1	55	1.5	1.1- 1.9	98	2.7	2.1- 3.3	2321	60.4	58.2-62.6
Male	1665	324,037	354	21.6	18.9-24.3	128	8.1	6.3- 9.9	100	7.4	5.4- 9.4	30	1.6	0.8- 2.4	64	4.0	2.8- 5.2	989	57.3	54.0-60.6
Female	2058	355,400	397	19.4	17.0-21.8	130	6.4	4.8- 8.0	140	8.0	6.4- 9.6	25	1.4	0.6- 2.2	34	1.5	0.9- 2.1	1332	63.3	60.4-66.2
White/Non-Hisp	2529	439,507	500	20.4	18.2-22.6	185	7.6	6.0- 9.2	167	7.9	6.3- 9.5	41	1.5	0.9- 2.1	64	2.4	1.6- 3.2	1572	60.2	57.5-62.9
Black or Afr. Am./Non-Hisp	502	131,797	106	21.7	16.8-26.6	36	8.1	4.8-11.4	34	6.4	3.7- 9.1	7	1.6	0.2- 3.0	16	3.1	1.3- 4.9	303	59.1	53.2-65.0
Oth. Race/Non-Hisp.	163	33,012	41	26.1	17.3-34.9	11	3.9	1.0- 6.8	15	12.9	5.1-20.7	3	3.4	0.0- 7.9	8	5.0	0.5- 9.5	85	48.7	38.1-59.3
Hispanic	387	51,247	78	16.4	11.7-21.1	19	5.3	2.2- 8.4	11	2.4	0.8- 4.0	3	0.6	0.0- 1.4	3	0.3	0.0- 0.7	273	75.0	69.3-80.7
18-24	228	79,534	69	27.2	20.1-34.3	25	8.8	5.1-12.5	12	4.9	1.4- 8.4	9	3.1	0.7- 5.5	5	1.5	0.0- 3.1	108	54.6	46.4-62.8
25-34	415	113,734	97	20.2	15.1-25.3	33	9.6	4.9-14.3	34	11.1	6.4-15.8	5	1.1	0.1- 2.1	26	5.3	2.8- 7.8	220	52.8	45.9-59.7
35-44	423	99,477	99	24.2	18.9-29.5	25	7.4	3.9-10.9	34	9.6	5.9-13.3	8	1.7	0.3- 3.1	12	2.6	0.6- 4.6	245	54.6	48.1-61.1
45-54	580	108,050	120	20.3	16.2-24.4	47	7.2	4.7- 9.7	49	10.0	6.7-13.3	5	0.6	0.0- 1.2	12	1.7	0.5- 2.9	347	60.2	55.1-65.3
55-64	809	121,792	159	18.2	14.7-21.7	49	6.2	4.0- 8.4	54	6.7	4.5- 8.9	8	1.2	0.2- 2.2	18	2.1	0.7- 3.5	521	65.5	61.2-69.8
65+	1268	156,850	207	16.8	14.3-19.3	79	5.5	4.1- 6.9	57	4.6	3.2- 6.0	20	1.7	0.7- 2.7	25	2.5	1.3- 3.7	880	68.8	65.7-71.9
Less Than H.S.	378	77,346	56	12.4	7.9-16.9	15	6.2	1.9-10.5	15	6.6	1.7-11.5	5	1.7	0.1- 3.3	3	1.0	0.0- 2.2	284	72.1	65.0-79.2
H.S. or G.E.D.	1034	205,781	155	17.0	13.9-20.1	68	5.7	4.1- 7.3	49	5.4	3.4- 7.4	14	1.0	0.4- 1.6	22	2.3	1.1- 3.5	726	68.5	64.6-72.4
Some Post-H.S.	919	194,546	175	21.3	17.6-25.0	72	8.9	6.2-11.6	63	8.8	6.1-11.5	15	1.7	0.7- 2.7	30	2.8	1.4- 4.2	564	56.6	52.1-61.1
College Graduate	1369	197,171	365	27.0	23.9-30.1	100	7.4	5.4- 9.4	111	9.4	7.2-11.6	21	1.8	0.8- 2.8	42	3.5	2.1- 4.9	730	51.0	47.5-54.5
Less than \$15,000	295	44,037	51	18.5	11.8-25.2	17	5.2	1.7- 8.7	7	3.1	0.0- 6.4	4	1.3	0.0- 2.7	5	1.5	0.1- 2.9	211	70.4	62.8-78.0
\$15,000- 24,999	556	92,238	83	14.8	10.9-18.7	34	6.6	3.1-10.1	22	5.4	2.3- 8.5	4	1.0	0.0- 2.4	16	3.3	1.1- 5.5	397	68.9	63.2-74.6
\$25,000- 34,999	344	58,091	66	22.1	15.6-28.6	17	6.9	2.8-11.0	26	9.6	4.9-14.3	6	1.8	0.0- 3.6	11	2.0	0.6- 3.4	218	57.6	50.2-65.0
\$35,000- 49,999	425	79,739	71	19.3	13.4-25.2	23	4.3	2.3- 6.3	36	9.2	5.1-13.3	8	1.3	0.1- 2.5	8	1.5	0.1- 2.9	279	64.3	57.6-71.0
\$50,000- 74,999	465	90,349	104	18.9	14.4-23.4	33	8.7	4.8-12.6	23	5.9	2.0- 9.8	10	1.9	0.5- 3.3	15	3.9	1.4- 6.4	280	60.7	54.4-67.0
\$75,000+	965	186,912	262	27.0	23.3-30.7	79	7.8	5.6-10.0	93	10.5	8.0-13.0	18	2.2	1.0- 3.4	29	3.3	1.7- 4.9	484	49.2	44.9-53.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	324,037	354	21.6	18.9-24.3	128	8.1	6.3- 9.9	100	7.4	5.4- 9.4	30	1.6	0.8- 2.4	64	4.0	2.8- 5.2	989	57.3	54.0-60.6
White/Non-Hisp	1124	209,619	226	21.1	18.0-24.2	81	7.5	5.3- 9.7	67	7.3	4.8- 9.8	24	1.8	1.0- 2.6	42	3.7	2.3- 5.1	684	58.6	54.7-62.5
Black or Afr. Am./Non-Hisp	195	60,072	42	23.4	15.6-31.2	21	11.2	5.1-17.3	10	4.8	0.7- 8.9	3	1.9	0.0- 4.3	8	4.3	0.8- 7.8	111	54.4	44.8-64.0
Oth. Race/Non-Hisp.	102	18,165	23	23.6	12.8-34.4	9	6.5	1.2-11.8	13	19.8	7.5-32.1	1	0.4	0.0- 1.2	7	8.7	0.7-16.7	49	41.0	27.9-54.1
Hispanic	181	23,231	51	22.9	14.7-31.1	12	8.1	2.2-14.0	7	3.3	0.2- 6.4	2	0.8	0.0- 2.0	2	0.5	0.0- 1.3	107	64.3	54.1-74.5
18-24	131	39,195	49	38.4	27.4-49.4	21	14.2	7.5-20.9	7	6.6	0.3-12.9	5	3.1	0.0- 6.2	4	2.7	0.0- 5.6	45	35.1	23.7-46.5
25-34	215	57,387	61	20.3	13.8-26.8	16	8.0	1.9-14.1	21	12.7	5.4-20.0	4	1.5	0.0- 3.1	20	8.3	3.8-12.8	93	49.2	39.4-59.0
35-44	191	48,096	49	26.6	18.4-34.8	14	8.9	3.6-14.2	14	10.4	3.9-16.9	3	1.9	0.0- 4.4	10	4.3	1.0- 7.6	101	47.9	37.7-58.1
45-54	256	50,098	54	18.9	12.8-25.0	22	7.5	3.8-11.2	17	6.5	2.6-10.4	5	1.3	0.0- 2.7	7	2.6	0.2- 5.0	151	63.1	55.8-70.4
55-64	327	57,719	55	16.1	10.6-21.6	19	7.1	3.2-11.0	17	5.0	1.9- 8.1	1	0.6	0.0- 1.8	7	2.3	0.0- 4.8	228	68.9	62.0-75.8
65+	545	71,542	86	16.5	12.6-20.4	36	5.6	3.4- 7.8	24	4.1	2.1- 6.1	12	1.5	0.5- 2.5	16	3.4	1.2- 5.6	371	68.8	63.9-73.7
Less Than H.S.	184	37,833	37	18.2	10.2-26.2	9	5.6	1.1-10.1	7	7.6	0.0-16.2	3	1.6	0.0- 3.6	2	1.5	0.0- 3.7	126	65.5	54.7-76.3
H.S. or G.E.D.	491	105,019	82	18.7	13.8-23.6	43	7.2	4.8- 9.6	25	6.2	2.9- 9.5	8	1.0	0.2- 1.8	16	3.1	1.1- 5.1	317	63.8	57.9-69.7
Some Post-H.S.	379	90,812	81	22.6	16.9-28.3	32	11.4	6.3-16.5	26	8.7	4.6-12.8	9	2.1	0.5- 3.7	21	4.8	2.3- 7.3	210	50.4	43.7-57.1
College Graduate	599	86,977	154	26.5	22.0-31.0	43	6.8	4.3- 9.3	41	7.3	4.6-10.0	10	1.7	0.1- 3.3	24	4.9	2.4- 7.4	327	52.8	47.7-57.9
Less than \$15,000	104	16,192	24	25.0	12.8-37.2	8	10.0	1.4-18.6	3	5.0	0.0-13.2	1	0.7	0.0- 2.1	2	1.3	0.0- 3.5	66	58.1	44.2-72.0
\$15,000- 24,999	231	40,238	49	19.7	13.0-26.4	16	5.3	1.8- 8.8	8	6.1	0.4-11.8	2	0.5	0.0- 1.3	7	4.6	0.5- 8.7	149	63.7	55.1-72.3
\$25,000- 34,999	146	27,655	30	28.8	17.6-40.0	7	6.7	0.6-12.8	13	12.1	3.7-20.5	4	2.4	0.0- 5.3	7	2.4	0.4- 4.4	85	47.7	36.5-58.9
\$35,000- 49,999	190	35,928	28	15.6	8.5-22.7	13	6.6	2.7-10.5	17	7.7	2.8-12.6	4	1.7	0.0- 3.7	5	2.4	0.0- 4.9	123	65.9	56.9-74.9
\$50,000- 74,999	238	47,130	46	18.0	11.3-24.7	18	9.7	4.4-15.0	10	5.9	0.0-12.4	7	2.1	0.3- 3.9	12	5.9	1.8-10.0	145	58.4	49.2-67.6
\$75,000+	476	100,486	123	24.5	19.4-29.6	38	7.7	4.6-10.8	38	8.6	5.3-11.9	10	2.4	0.6- 4.2	20	4.9	2.4- 7.4	247	51.8	45.5-58.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2058	355,400	397	19.4	17.0-21.8	130	6.4	4.8- 8.0	140	8.0	6.4- 9.6	25	1.4	0.6- 2.2	34	1.5	0.9- 2.1	1332	63.3	60.4-66.2
White/Non-Hisp	1405	229,889	274	19.7	16.8-22.6	104	7.7	5.5- 9.9	100	8.4	6.2-10.6	17	1.3	0.5- 2.1	22	1.3	0.7- 1.9	888	61.6	58.1-65.1
Black or Afr. Am./Non-Hisp	307	71,726	64	20.3	14.4-26.2	15	5.4	2.1- 8.7	24	7.8	4.1-11.5	4	1.4	0.0- 2.8	8	2.0	0.2- 3.8	192	63.0	55.7-70.3
Oth. Race/Non-Hisp.	61	14,847	18	29.1	14.4-43.8	2	0.7	0.0- 1.7	2	4.4	0.0-10.7	2	7.1	0.0-16.7	1	0.5	0.0- 1.5	36	58.2	41.9-74.5
Hispanic	206	28,016	27	11.1	5.8-16.4	7	2.9	0.4- 5.4	4	1.6	0.0- 3.2	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	166	83.8	77.7-89.9
18-24	97	40,339	20	16.3	8.5-24.1	4	3.6	0.0- 7.3	5	3.2	0.0- 6.5	4	3.1	0.0- 6.6	1	0.4	0.0- 1.2	63	73.5	63.7-83.3
25-34	200	56,348	36	20.0	12.0-28.0	17	11.1	4.0-18.2	13	9.5	3.6-15.4	1	0.6	0.0- 1.8	6	2.2	0.0- 4.4	127	56.6	46.8-66.4
35-44	232	51,381	50	22.0	15.1-28.9	11	6.0	1.5-10.5	20	8.8	4.5-13.1	5	1.5	0.1- 2.9	2	1.0	0.0- 2.8	144	60.8	52.8-68.8
45-54	324	57,951	66	21.5	15.6-27.4	25	6.9	3.8-10.0	32	13.1	8.0-18.2				5	0.9	0.0- 1.9	196	57.6	50.7-64.5
55-64	482	64,073	104	20.1	15.8-24.4	30	5.4	3.0- 7.8	37	8.2	5.3-11.1	7	1.8	0.0- 3.6	11	2.0	0.6- 3.4	293	62.4	56.9-67.9
65+	723	85,308	121	17.1	13.6-20.6	43	5.4	3.6- 7.2	33	5.0	3.0- 7.0	8	1.9	0.3- 3.5	9	1.8	0.4- 3.2	509	68.8	64.5-73.1
Less Than H.S.	194	39,513	19	6.9	2.8-11.0	6	6.7	0.0-14.0	8	5.7	0.8-10.6	2	1.8	0.0- 4.3	1	0.5	0.0- 1.5	158	78.4	69.4-87.4
H.S. or G.E.D.	543	100,762	73	15.2	11.1-19.3	25	4.2	2.2- 6.2	24	4.6	2.4- 6.8	6	1.1	0.1- 2.1	6	1.4	0.2- 2.6	409	73.5	68.4-78.6
Some Post-H.S.	540	103,735	94	20.1	15.0-25.2	40	6.7	3.8- 9.6	37	8.8	5.5-12.1	6	1.4	0.0- 2.8	9	1.0	0.2- 1.8	354	62.0	56.1-67.9
College Graduate	770	110,194	211	27.4	23.1-31.7	57	7.9	5.0-10.8	70	11.0	7.9-14.1	11	1.8	0.6- 3.0	18	2.3	0.7- 3.9	403	49.6	44.7-54.5
Less than \$15,000	191	27,845	27	14.8	7.2-22.4	9	2.4	0.2- 4.6	4	2.1	0.0- 4.3	3	1.6	0.0- 3.6	3	1.6	0.0- 3.6	145	77.5	69.1-85.9
\$15,000- 24,999	325	52,001	34	11.0	6.3-15.7	18	7.6	2.1-13.1	14	4.8	1.7- 7.9	2	1.4	0.0- 3.8	9	2.4	0.4- 4.4	248	72.8	65.5-80.1
\$25,000- 34,999	198	30,436	36	16.1	9.4-22.8	10	7.0	1.5-12.5	13	7.4	2.7-12.1	2	1.2	0.0- 3.4	4	1.6	0.0- 3.4	133	66.6	57.6-75.6
\$35,000- 49,999	235	43,811	43	22.3	13.5-31.1	10	2.4	0.6- 4.2	19	10.4	4.3-16.5	4	1.0	0.0- 2.2	3	0.8	0.0- 2.0	156	63.0	53.6-72.4
\$50,000- 74,999	227	43,218	58	19.9	13.6-26.2	15	7.7	1.8-13.6	13	5.9	2.0- 9.8	3	1.6	0.0- 3.8	3	1.7	0.0- 4.2	135	63.1	54.5-71.7
\$75,000+	489	86,426	139	30.0	24.7-35.3	41	7.9	5.0-10.8	55	12.6	8.7-16.5	8	2.0	0.4- 3.6	9	1.4	0.4- 2.4	237	46.1	40.4-51.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	259
2	MALES ONLY	260
3	FEMALES ONLY	261

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	
TOTAL	3764	687,236	3497	91.8 90.4-93.2	122	3.6 2.8- 4.4	68	2.4 1.6- 3.2	17	0.6 0.2- 1.0	39	1.1 0.7- 1.5	21	0.6 0.2- 1.0					
Male	1677	325,941	1519	90.0 88.0-92.0	72	4.0 2.8- 5.2	42	3.3 1.9- 4.7	9	0.5 0.0- 1.1	22	1.6 0.8- 2.4	13	0.6 0.2- 1.0					
Female	2087	361,295	1978	93.4 91.6-95.2	50	3.2 2.0- 4.4	26	1.5 0.7- 2.3	8	0.6 0.0- 1.2	17	0.7 0.3- 1.1	8	0.6 0.0- 1.4					
White/Non-Hisp	2550	443,393	2383	92.3 90.7-93.9	79	3.5 2.5- 4.5	42	2.1 1.1- 3.1	12	0.4 0.0- 0.8	22	1.0 0.4- 1.6	12	0.6 0.0- 1.2					
Black or Afr. Am./Non-Hisp	507	132,856	454	89.5 86.0-93.0	19	3.9 1.7- 6.1	15	3.5 1.1- 5.9	4	1.4 0.0- 3.0	10	1.3 0.3- 2.3	5	0.5 0.0- 1.1					
Oth. Race/Non-Hisp.	168	33,808	156	90.8 84.3-97.3	6	3.7 0.4- 7.0	3	3.4 0.0- 8.7			2	1.0 0.0- 2.6	1	1.1 0.0- 3.3					
Hispanic	393	52,274	371	94.4 91.5-97.3	10	2.7 0.3- 5.1	6	1.2 0.0- 2.4	1	0.1 0.0- 0.3	3	1.1 0.0- 2.5	2	0.4 0.0- 1.0					
18-24	228	79,881	200	87.9 82.6-93.2	12	6.2 2.3-10.1	10	3.9 0.8- 7.0	3	1.3 0.0- 3.1	2	0.3 0.0- 0.7	1	0.5 0.0- 1.5					
25-34	418	114,024	373	86.5 81.6-91.4	24	5.7 2.6- 8.8	13	4.4 1.5- 7.3	2	0.5 0.0- 1.3	5	1.7 0.1- 3.3	1	1.2 0.0- 3.6					
35-44	425	100,292	394	92.0 88.5-95.5	19	4.6 2.2- 7.0	6	1.9 0.0- 4.1	1	0.0 0.0- 0.0	5	1.6 0.0- 3.2							
45-54	593	110,787	561	94.3 91.9-96.7	17	3.0 1.2- 4.8	6	1.3 0.1- 2.5	4	0.5 0.0- 1.1	4	0.6 0.0- 1.2	1	0.3 0.0- 0.9					
55-64	811	122,067	747	93.0 90.6-95.4	24	1.9 1.1- 2.7	18	2.0 0.6- 3.4	3	0.9 0.0- 2.1	11	1.3 0.3- 2.3	8	0.8 0.0- 1.6					
65+	1289	160,186	1222	94.7 93.1-96.3	26	1.8 1.0- 2.6	15	1.4 0.2- 2.6	4	0.3 0.0- 0.7	12	1.1 0.3- 1.9	10	0.7 0.1- 1.3					
Less Than H.S.	383	78,772	341	88.2 83.1-93.3	15	4.0 1.1- 6.9	10	3.0 0.5- 5.5	2	0.4 0.0- 1.2	8	1.6 0.2- 3.0	7	2.8 0.0- 6.3					
H.S. or G.E.D.	1039	206,386	943	89.4 86.7-92.1	39	4.6 2.8- 6.4	29	3.6 1.8- 5.4	6	0.6 0.0- 1.2	12	1.0 0.2- 1.8	10	0.8 0.2- 1.4					
Some Post-H.S.	940	198,207	880	92.2 89.7-94.7	27	3.5 1.7- 5.3	16	1.9 0.3- 3.5	4	0.9 0.0- 1.9	12	1.5 0.5- 2.5	1	0.1 0.0- 0.3					
College Graduate	1379	199,278	1310	95.1 93.5-96.7	41	2.5 1.5- 3.5	13	1.4 0.2- 2.6	5	0.2 0.0- 0.4	7	0.6 0.0- 1.2	3	0.1 0.0- 0.3					
Less than \$15,000	298	44,165	269	87.8 82.3-93.3	11	4.9 1.2- 8.6	9	4.1 1.0- 7.2			3	2.2 0.0- 5.1	6	1.0 0.2- 1.8					
\$15,000- 24,999	564	93,412	507	89.5 85.4-93.6	19	3.5 1.3- 5.7	19	2.8 1.0- 4.6	5	1.2 0.0- 2.8	9	1.1 0.3- 1.9	5	1.9 0.0- 4.8					
\$25,000- 34,999	344	57,871	322	91.6 86.9-96.3	11	2.7 0.7- 4.7	5	4.1 0.0- 8.2	1	0.3 0.0- 0.9	4	1.2 0.0- 2.6	1	0.1 0.0- 0.3					
\$35,000- 49,999	428	80,033	397	90.7 86.6-94.8	15	5.3 2.0- 8.6	7	1.0 0.2- 1.8	6	2.3 0.0- 4.7	1	0.3 0.0- 0.9	2	0.3 0.0- 0.7					
\$50,000- 74,999	469	91,241	434	92.6 89.3-95.9	20	4.9 2.0- 7.8	9	1.4 0.4- 2.4	3	0.3 0.0- 0.7	2	0.6 0.0- 1.4	1	0.3 0.0- 0.9					
\$75,000+	971	188,706	918	93.4 91.0-95.8	29	3.0 1.4- 4.6	10	2.0 0.4- 3.6	1	0.1 0.0- 0.3	12	1.4 0.4- 2.4	1	0.1 0.0- 0.3					

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Nearly Always			Sometimes			Seldom			Never		Never drive Ride in Car				
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1677	325,941	1519	90.0	88.0-92.0	72	4.0	2.8- 5.2	42	3.3	1.9- 4.7	9	0.5	0.0- 1.1	22	1.6	0.8- 2.4	13	0.6	0.2- 1.0
White/Non-Hisp	1130	210,588	1032	90.9	88.5-93.3	47	3.7	2.3- 5.1	25	2.8	1.2- 4.4	7	0.5	0.1- 0.9	11	1.6	0.6- 2.6	8	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	195	59,997	166	86.2	79.7-92.7	12	5.6	1.5- 9.7	8	5.0	0.5- 9.5	1	1.2	0.0- 3.6	5	1.2	0.0- 2.4	3	0.9	0.0- 2.1
Oth. Race/Non-Hisp.	105	18,811	94	85.7	75.1-96.3	5	4.4	0.3- 8.5	3	6.2	0.0-15.4				2	1.8	0.0- 4.7	1	2.0	0.0- 5.9
Hispanic	183	23,495	169	93.6	89.5-97.7	5	2.3	0.0- 5.2	5	2.3	0.0- 4.7	1	0.2	0.0- 0.6	2	1.1	0.0- 2.9	1	0.5	0.0- 1.5
18-24	132	39,816	116	88.9	82.0-95.8	5	3.0	0.1- 5.9	7	6.2	0.1-12.3	2	0.9	0.0- 2.1	1	0.1	0.0- 0.3	1	0.9	0.0- 2.7
25-34	214	56,913	184	83.3	76.2-90.4	18	8.2	3.3-13.1	8	6.7	1.4-12.0	1	0.1	0.0- 0.3	3	1.8	0.0- 4.0			
35-44	190	47,943	169	88.7	82.6-94.8	12	5.7	2.2- 9.2	3	2.3	0.0- 6.2	1	0.1	0.0- 0.3	5	3.3	0.0- 6.6			
45-54	260	50,909	240	92.9	89.6-96.2	8	2.9	0.5- 5.3	4	1.2	0.0- 2.6	3	1.0	0.0- 2.2	4	1.4	0.0- 2.8	1	0.6	0.0- 1.8
55-64	328	57,649	292	91.4	87.7-95.1	15	2.4	1.0- 3.8	10	1.9	0.5- 3.3	1	1.3	0.0- 3.7	5	1.7	0.0- 3.5	5	1.3	0.0- 2.7
65+	553	72,710	518	93.5	90.6-96.4	14	2.0	0.8- 3.2	10	2.4	0.0- 4.8	1	0.1	0.0- 0.3	4	1.2	0.0- 2.4	6	0.8	0.0- 1.6
Less Than H.S.	186	38,071	162	92.0	87.9-96.1	8	2.1	0.1- 4.1	6	1.8	0.0- 3.6	1	0.1	0.0- 0.3	5	2.5	0.0- 5.0	4	1.3	0.0- 2.9
H.S. or G.E.D.	490	104,745	434	87.5	83.4-91.6	24	5.0	2.5- 7.5	18	5.0	1.9- 8.1	4	0.6	0.0- 1.2	5	0.9	0.0- 1.9	5	1.0	0.0- 2.0
Some Post-H.S.	388	92,518	353	89.5	85.2-93.8	17	4.4	1.9- 6.9	7	2.5	0.0- 5.4	2	0.8	0.0- 2.4	8	2.5	0.5- 4.5	1	0.2	0.0- 0.6
College Graduate	601	87,210	558	92.2	89.1-95.3	23	3.2	1.4- 5.0	11	2.9	0.4- 5.4	2	0.3	0.0- 0.9	4	1.2	0.0- 2.4	3	0.3	0.0- 0.7
Less than \$15,000	104	15,979	90	85.9	76.9-94.9	7	5.5	0.2-10.8	3	5.0	0.0-11.3				1	2.1	0.0- 6.2	3	1.4	0.0- 3.2
\$15,000- 24,999	235	40,827	204	90.6	86.5-94.7	9	3.3	0.8- 5.8	11	3.2	0.7- 5.7	4	1.0	0.0- 2.2	6	1.8	0.2- 3.4	1	0.1	0.0- 0.3
\$25,000- 34,999	146	27,435	134	89.9	82.3-97.5	6	2.6	0.1- 5.1	2	4.6	0.0-11.5	1	0.7	0.0- 2.1	2	1.9	0.0- 4.6	1	0.2	0.0- 0.6
\$35,000- 49,999	190	35,928	173	88.6	81.9-95.3	7	5.8	0.5-11.1	4	1.5	0.0- 3.1	3	2.8	0.0- 6.9	1	0.7	0.0- 2.1	2	0.6	0.0- 1.6
\$50,000- 74,999	238	47,130	215	90.8	86.1-95.5	14	6.0	1.9-10.1	7	2.1	0.3- 3.9				1	0.5	0.0- 1.5	1	0.6	0.0- 1.8
\$75,000+	477	100,630	438	90.9	87.2-94.6	19	3.1	1.5- 4.7	9	3.3	0.4- 6.2	1	0.1	0.0- 0.3	9	2.5	0.5- 4.5	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	361,295	1978	93.4	91.6-95.2	50	3.2	2.0- 4.4	26	1.5	0.7- 2.3	8	0.6	0.0- 1.2	17	0.7	0.3- 1.1	8	0.6	0.0- 1.4
White/Non-Hisp	1420	232,805	1351	93.6	91.4-95.8	32	3.2	1.6- 4.8	17	1.5	0.5- 2.5	5	0.4	0.0- 1.0	11	0.5	0.1- 0.9	4	0.7	0.0- 1.9
Black or Afr. Am./Non-Hisp	312	72,859	288	92.2	88.3-96.1	7	2.5	0.3- 4.7	7	2.3	0.3- 4.3	3	1.5	0.0- 3.7	5	1.3	0.0- 2.9	2	0.2	0.0- 0.4
Oth. Race/Non-Hisp.	63	14,997	62	97.2	91.7- 100	1	2.8	0.0- 8.3												
Hispanic	210	28,779	202	95.0	90.9-99.1	5	3.1	0.0- 6.6	1	0.4	0.0- 1.2				1	1.1	0.0- 3.3	1	0.4	0.0- 1.2
18-24	96	40,065	84	86.8	78.8-94.8	7	9.4	2.3-16.5	3	1.6	0.0- 3.6	1	1.8	0.0- 5.3	1	0.4	0.0- 1.2			
25-34	204	57,111	189	89.7	83.0-96.4	6	3.3	0.0- 7.0	5	2.2	0.0- 4.4	1	0.9	0.0- 2.7	2	1.6	0.0- 3.8	1	2.4	0.0- 7.1
35-44	235	52,348	225	95.0	91.1-98.9	7	3.5	0.2- 6.8	3	1.5	0.0- 3.7									
45-54	333	59,878	321	95.5	92.2-98.8	9	3.0	0.3- 5.7	2	1.4	0.0- 3.6	1	0.1	0.0- 0.3						
55-64	483	64,418	455	94.4	91.5-97.3	9	1.5	0.3- 2.7	8	2.2	0.0- 4.6	2	0.7	0.0- 1.7	6	0.9	0.1- 1.7	3	0.4	0.0- 0.8
65+	736	87,476	704	95.6	93.8-97.4	12	1.7	0.5- 2.9	5	0.7	0.1- 1.3	3	0.5	0.0- 1.1	8	1.0	0.2- 1.8	4	0.6	0.0- 1.4
Less Than H.S.	197	40,701	179	84.5	75.7-93.3	7	5.7	0.6-10.8	4	4.1	0.0- 8.6	1	0.7	0.0- 2.1	3	0.8	0.0- 1.8	3	4.1	0.0-10.6
H.S. or G.E.D.	549	101,641	509	91.4	88.1-94.7	15	4.3	1.6- 7.0	11	2.1	0.5- 3.7	2	0.6	0.0- 1.6	7	1.2	0.0- 2.4	5	0.5	0.1- 0.9
Some Post-H.S.	552	105,688	527	94.5	91.6-97.4	10	2.7	0.3- 5.1	9	1.3	0.1- 2.5	2	1.0	0.0- 2.4	4	0.6	0.0- 1.4			
College Graduate	778	112,069	752	97.3	95.9-98.7	18	2.0	0.6- 3.4	2	0.2	0.0- 0.6	3	0.2	0.0- 0.4	3	0.2	0.0- 0.6			
Less than \$15,000	194	28,185	179	88.9	81.8-96.0	4	4.5	0.0- 9.6	6	3.6	0.3- 6.9				2	2.3	0.0- 6.2	3	0.8	0.0- 1.6
\$15,000- 24,999	329	52,585	303	88.6	81.9-95.3	10	3.7	0.6- 6.8	8	2.5	0.1- 4.9	1	1.4	0.0- 4.1	3	0.5	0.0- 1.3	4	3.3	0.0- 8.4
\$25,000- 34,999	198	30,436	188	93.0	87.3-98.7	5	2.7	0.0- 5.6	3	3.7	0.0- 8.6				2	0.6	0.0- 1.6			
\$35,000- 49,999	238	44,105	224	92.5	87.2-97.8	8	5.0	0.5- 9.5	3	0.7	0.0- 1.5	3	1.9	0.0- 4.4						
\$50,000- 74,999	231	44,110	219	94.5	90.0-99.0	6	3.8	0.0- 7.9	2	0.6	0.0- 1.6	3	0.5	0.0- 1.1	1	0.6	0.0- 1.8			
\$75,000+	494	88,076	480	96.4	93.7-99.1	10	2.9	0.4- 5.4	1	0.5	0.0- 1.5				3	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	263
2 MALES ONLY	264
3 FEMALES ONLY	265
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	266
5 MALES ONLY	267
6 FEMALES ONLY	268
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	269
8 MALES ONLY	270
9 FEMALES ONLY	271
HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
10 MALES AND FEMALES	272
11 MALES ONLY	273
12 FEMALES ONLY	274

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3743	681,763	1830	45.4	43.2-47.6	1913	54.6	52.4-56.8
Male	1669	323,351	763	42.2	38.9-45.5	906	57.8	54.5-61.1
Female	2074	358,412	1067	48.2	45.1-51.3	1007	51.8	48.7-54.9
White/Non-Hisp	2535	440,086	1337	48.6	45.9-51.3	1198	51.4	48.7-54.1
Black or Afr. Am./Non-Hisp	504	131,596	208	38.4	32.5-44.3	296	61.6	55.7-67.5
Oth. Race/Non-Hisp.	168	33,806	73	46.7	36.3-57.1	95	53.3	42.9-63.7
Hispanic	390	51,584	151	40.7	33.6-47.8	239	59.3	52.2-66.4
18-24	223	78,417	69	34.6	26.0-43.2	154	65.4	56.8-74.0
25-34	415	113,091	131	33.8	27.3-40.3	284	66.2	59.7-72.7
35-44	423	99,301	147	35.8	29.7-41.9	276	64.2	58.1-70.3
45-54	588	109,390	243	41.3	36.2-46.4	345	58.7	53.6-63.8
55-64	810	121,954	400	48.7	44.2-53.2	410	51.3	46.8-55.8
65+	1284	159,610	840	65.0	61.7-68.3	444	35.0	31.7-38.3
Less Than H.S.	381	78,752	164	38.3	31.4-45.2	217	61.7	54.8-68.6
H.S. or G.E.D.	1033	204,762	449	41.2	36.9-45.5	584	58.8	54.5-63.1
Some Post-H.S.	931	195,003	466	46.6	42.1-51.1	465	53.4	48.9-57.9
College Graduate	1376	198,711	741	51.5	48.0-55.0	635	48.5	45.0-52.0
Less than \$15,000	297	44,001	122	38.4	30.8-46.0	175	61.6	54.0-69.2
\$15,000- 24,999	565	93,572	254	42.2	36.5-47.9	311	57.8	52.1-63.5
\$25,000- 34,999	342	57,535	163	41.7	34.4-49.0	179	58.3	51.0-65.6
\$35,000- 49,999	424	78,615	209	45.0	38.1-51.9	215	55.0	48.1-61.9
\$50,000- 74,999	467	90,937	245	47.1	40.6-53.6	222	52.9	46.4-59.4
\$75,000+	966	187,520	500	46.5	42.2-50.8	466	53.5	49.2-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1669	323,351	763	42.2	38.9-45.5	906	57.8	54.5-61.1
White/Non-Hisp	1123	208,911	559	44.6	40.7-48.5	564	55.4	51.5-59.3
Black or Afr. Am./Non-Hisp	194	59,812	71	39.1	29.9-48.3	123	60.9	51.7-70.1
Oth. Race/Non-Hisp.	106	18,868	51	50.6	37.5-63.7	55	49.4	36.3-62.5
Hispanic	182	22,925	58	33.3	23.1-43.5	124	66.7	56.5-76.9
18-24	127	38,353	33	32.0	20.2-43.8	94	68.0	56.2-79.8
25-34	213	56,344	56	29.8	21.0-38.6	157	70.2	61.4-79.0
35-44	191	48,130	55	28.8	20.2-37.4	136	71.2	62.6-79.8
45-54	258	50,323	95	36.6	29.2-44.0	163	63.4	56.0-70.8
55-64	327	57,423	160	49.6	42.2-57.0	167	50.4	43.0-57.8
65+	553	72,779	364	64.1	59.0-69.2	189	35.9	30.8-41.0
Less Than H.S.	186	38,045	67	33.1	23.5-42.7	119	66.9	57.3-76.5
H.S. or G.E.D.	485	103,094	186	35.3	29.2-41.4	299	64.7	58.6-70.8
Some Post-H.S.	386	91,613	190	46.7	40.0-53.4	196	53.3	46.6-60.0
College Graduate	600	87,202	315	50.2	44.9-55.5	285	49.8	44.5-55.1
Less than \$15,000	103	15,816	40	41.7	28.2-55.2	63	58.3	44.8-71.8
\$15,000- 24,999	235	40,622	89	37.6	28.8-46.4	146	62.4	53.6-71.2
\$25,000- 34,999	146	27,435	64	44.3	32.9-55.7	82	55.7	44.3-67.1
\$35,000- 49,999	188	35,626	87	41.0	31.2-50.8	101	59.0	49.2-68.8
\$50,000- 74,999	237	47,110	117	43.0	34.2-51.8	120	57.0	48.2-65.8
\$75,000+	476	100,272	238	42.3	36.2-48.4	238	57.7	51.6-63.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	358,412	1067	48.2	45.1-51.3	1007	51.8	48.7-54.9
White/Non-Hisp	1412	231,175	778	52.2	48.5-55.9	634	47.8	44.1-51.5
Black or Afr. Am./Non-Hisp	310	71,783	137	37.8	30.5-45.1	173	62.2	54.9-69.5
Oth. Race/Non-Hisp.	62	14,939	22	41.8	25.1-58.5	40	58.2	41.5-74.9
Hispanic	208	28,659	93	46.6	37.4-55.8	115	53.4	44.2-62.6
18-24	96	40,065	36	37.0	24.5-49.5	60	63.0	50.5-75.5
25-34	202	56,747	75	37.8	28.4-47.2	127	62.2	52.8-71.6
35-44	232	51,170	92	42.3	34.1-50.5	140	57.7	49.5-65.9
45-54	330	59,066	148	45.3	38.4-52.2	182	54.7	47.8-61.6
55-64	483	64,532	240	47.9	42.2-53.6	243	52.1	46.4-57.8
65+	731	86,831	476	65.8	61.5-70.1	255	34.2	29.9-38.5
Less Than H.S.	195	40,707	97	43.2	33.6-52.8	98	56.8	47.2-66.4
H.S. or G.E.D.	548	101,668	263	47.1	41.0-53.2	285	52.9	46.8-59.0
Some Post-H.S.	545	103,390	276	46.6	40.7-52.5	269	53.4	47.5-59.3
College Graduate	776	111,509	426	52.4	47.5-57.3	350	47.6	42.7-52.5
Less than \$15,000	194	28,185	82	36.6	27.4-45.8	112	63.4	54.2-72.6
\$15,000- 24,999	330	52,949	165	45.7	38.1-53.3	165	54.3	46.7-61.9
\$25,000- 34,999	196	30,100	99	39.3	30.1-48.5	97	60.7	51.5-69.9
\$35,000- 49,999	236	42,989	122	48.3	38.7-57.9	114	51.7	42.1-61.3
\$50,000- 74,999	230	43,827	128	51.5	42.3-60.7	102	48.5	39.3-57.7
\$75,000+	490	87,248	262	51.3	45.6-57.0	228	48.7	43.0-54.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1616	271,478	3	0.1	0.0- 0.3	36	2.0	1.0- 3.0	888	53.1	49.8-56.4	130	8.2	6.4-10.0	52	3.4	2.0- 4.8	507	33.2	29.9-36.5
Male	675	121,400	1	0.1	0.0- 0.3	15	2.1	0.7- 3.5	369	51.0	45.7-56.3	62	9.4	6.5-12.3	25	4.1	1.7- 6.5	203	33.4	28.1-38.7
Female	941	150,079	2	0.2	0.0- 0.4	21	1.8	0.6- 3.0	519	54.8	50.3-59.3	68	7.2	5.0- 9.4	27	2.8	1.4- 4.2	304	33.1	29.0-37.2
White/Non-Hisp	1212	193,178	2	0.1	0.0- 0.3	22	1.4	0.6- 2.2	692	56.6	52.7-60.5	79	6.9	4.9- 8.9	30	2.4	1.0- 3.8	387	32.5	28.8-36.2
Black or Afr. Am./Non-Hisp	183	43,481				7	2.5	0.5- 4.5	94	45.7	36.5-54.9	25	12.4	6.7-18.1	8	3.8	0.7- 6.9	49	35.6	25.8-45.4
Oth. Race/Non-Hisp.	63	13,842				3	9.5	0.0-21.7	36	54.0	36.4-71.6	6	4.7	0.0-10.4	3	7.5	0.0-19.8	15	24.3	10.6-38.0
Hispanic	107	13,892	1	1.0	0.0- 3.0	4	1.7	0.0- 3.5	43	36.7	25.5-47.9	13	12.2	4.9-19.5	9	10.1	2.5-17.7	37	38.3	26.0-50.6
25-34	107	32,658	1	0.4	0.0- 1.2	2	0.6	0.0- 1.4	54	55.9	43.2-68.6	17	12.8	5.7-19.9	5	4.8	0.0-10.7	28	25.5	14.1-36.9
35-44	119	28,846				3	1.4	0.0- 3.2	71	58.0	46.4-69.6	12	9.5	3.4-15.6	3	1.7	0.0- 3.9	30	29.4	18.4-40.4
45-54	214	40,311	1	0.2	0.0- 0.6	7	3.7	0.0- 7.4	107	45.3	36.9-53.7	22	10.4	4.7-16.1	4	1.9	0.0- 4.1	73	38.5	29.9-47.1
55-64	366	55,213				5	1.0	0.0- 2.0	210	53.3	46.6-60.0	23	6.1	2.8- 9.4	9	2.4	0.0- 4.8	119	37.1	30.4-43.8
65+	761	94,927				16	1.8	0.6- 3.0	424	54.6	50.1-59.1	48	6.0	4.0- 8.0	26	3.6	1.6- 5.6	247	34.0	29.7-38.3
Less Than H.S.	120	23,029	1	0.6	0.0- 1.8	5	4.7	0.0-10.6	53	46.6	34.6-58.6	16	8.7	3.2-14.2	9	10.6	2.8-18.4	36	28.8	18.6-39.0
H.S. or G.E.D.	381	71,818	1	0.1	0.0- 0.3	9	1.2	0.4- 2.0	212	56.2	48.9-63.5	27	7.4	4.1-10.7	15	2.7	0.5- 4.9	117	32.4	25.3-39.5
Some Post-H.S.	420	81,618				11	2.6	0.6- 4.6	233	49.6	42.9-56.3	39	9.5	5.8-13.2	9	3.4	0.5- 6.3	128	34.8	28.3-41.3
College Graduate	690	93,918	1	0.2	0.0- 0.6	11	1.4	0.4- 2.4	387	55.0	50.1-59.9	48	7.6	4.9-10.3	19	2.2	1.0- 3.4	224	33.7	29.0-38.4
Less than \$15,000	98	13,187	2	1.6	0.0- 4.0	6	4.6	0.1- 9.1	43	40.3	27.6-53.0	13	12.2	4.2-20.2	9	10.8	0.8-20.8	25	30.6	17.9-43.3
\$15,000- 24,999	224	35,438				7	3.4	0.0- 7.1	109	46.5	37.1-55.9	21	9.6	4.1-15.1	9	3.9	0.0- 7.8	78	36.6	27.4-45.8
\$25,000- 34,999	139	21,294				2	2.0	0.0- 4.9	63	45.0	33.0-57.0	17	13.3	4.7-21.9	8	9.0	0.0-18.0	49	30.7	20.3-41.1
\$35,000- 49,999	192	32,146				4	1.8	0.0- 3.8	112	57.8	48.2-67.4	22	12.3	6.0-18.6	4	2.1	0.0- 4.5	50	26.1	18.1-34.1
\$50,000- 74,999	232	39,908				5	0.8	0.0- 1.6	145	56.4	47.4-65.4	14	5.7	2.0- 9.4	6	3.5	0.0- 7.0	62	33.7	24.9-42.5
\$75,000+	463	80,494	1	0.2	0.0- 0.6	4	1.0	0.0- 2.0	275	57.9	52.0-63.8	30	7.2	4.1-10.3	8	1.5	0.1- 2.9	145	32.2	26.7-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	675	121,400	1	0.1	0.0- 0.3	15	2.1	0.7- 3.5	369	51.0	45.7-56.3	62	9.4	6.5-12.3	25	4.1	1.7- 6.5	203	33.4	28.1-38.7
White/Non-Hisp	501	84,204	1	0.1	0.0- 0.3	10	1.5	0.5- 2.5	285	55.1	49.0-61.2	41	9.3	5.8-12.8	12	2.4	0.2- 4.6	152	31.6	25.7-37.5
Black or Afr. Am./Non-Hisp	63	20,117				3	3.3	0.0- 7.0	29	38.5	24.2-52.8	7	9.8	1.8-17.8	4	4.3	0.0- 9.2	20	44.2	28.5-59.9
45-54	80	15,588	1	0.4	0.0- 1.2	4	7.8	0.0-16.8	35	35.7	23.2-48.2	14	18.6	6.6-30.6	2	2.2	0.0- 5.5	24	35.2	21.3-49.1
55-64	147	26,819							90	56.4	46.0-66.8	8	2.7	0.5- 4.9	4	3.0	0.0- 7.5	45	37.9	27.5-48.3
65+	333	42,969				8	1.8	0.4- 3.2	183	56.0	49.1-62.9	25	8.0	4.3-11.7	12	3.9	0.6- 7.2	105	30.3	24.4-36.2
Less Than H.S.	52	10,492				2	8.6	0.0-20.9	26	45.0	27.0-63.0	8	10.5	0.5-20.5	4	13.1	0.0-26.8	12	22.8	7.7-37.9
H.S. or G.E.D.	156	31,112	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8	93	63.9	52.3-75.5	10	6.3	2.0-10.6	8	2.3	0.3- 4.3	41	26.5	14.9-38.1
Some Post-H.S.	173	39,090				3	1.4	0.0- 3.2	95	42.8	33.2-52.4	19	11.1	4.8-17.4	3	4.5	0.0-10.0	53	40.2	29.8-50.6
College Graduate	291	39,862				7	2.3	0.3- 4.3	152	49.4	42.0-56.8	25	10.0	5.1-14.9	10	2.7	0.7- 4.7	97	35.6	28.3-42.9
\$15,000- 24,999	77	13,880				2	5.1	0.0-14.1	39	50.9	34.6-67.2	7	7.5	0.1-14.9	5	6.6	0.0-15.2	24	29.9	15.0-44.8
\$25,000- 34,999	56	11,154							29	49.0	29.6-68.4	5	12.1	0.0-26.6	5	14.4	0.0-30.7	17	24.5	9.2-39.8
\$35,000- 49,999	82	14,179				4	4.0	0.0- 8.3	44	53.9	40.2-67.6	7	8.4	0.0-16.8	2	2.2	0.0- 5.5	25	31.5	19.0-44.0
\$50,000- 74,999	108	18,613				3	1.1	0.0- 2.5	63	48.4	35.9-60.9	8	10.2	2.6-17.8	4	6.1	0.0-13.4	30	34.1	21.6-46.6
\$75,000+	218	39,017				2	1.0	0.0- 2.4	118	52.3	43.7-60.9	23	11.0	5.7-16.3	4	0.8	0.0- 1.6	71	34.9	26.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2016			May-Aug 2016			Sep-Dec 2016			Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	941	150,079	2	0.2	0.0- 0.4	21	1.8	0.6- 3.0	519	54.8	50.3-59.3	68	7.2	5.0- 9.4	27	2.8	1.4- 4.2	304	33.1	29.0-37.2
White/Non-Hisp	711	108,974	1	0.1	0.0- 0.3	12	1.3	0.3- 2.3	407	57.9	52.8-63.0	38	5.1	2.9- 7.3	18	2.5	0.9- 4.1	235	33.2	28.5-37.9
Black or Afr. Am./Non-Hisp	120	23,364				4	1.9	0.0- 3.9	65	52.0	40.4-63.6	18	14.6	6.4-22.8	4	3.3	0.0- 7.0	29	28.2	17.2-39.2
Hispanic	63	7,946	1	1.8	0.0- 5.3	4	3.0	0.1- 5.9	24	36.6	21.9-51.3	8	15.1	4.1-26.1	5	10.2	0.0-21.0	21	33.3	18.6-48.0
25-34	59	17,315	1	0.8	0.0- 2.4	2	1.0	0.0- 2.6	28	63.7	48.2-79.2	9	10.0	2.7-17.3	3	3.3	0.0- 8.2	16	21.2	8.7-33.7
35-44	75	16,803				2	1.0	0.0- 2.4	46	60.2	45.9-74.5	9	11.4	2.6-20.2	1	1.0	0.0- 3.0	17	26.4	13.3-39.5
45-54	134	24,723				3	1.1	0.0- 2.7	72	51.4	40.6-62.2	8	5.3	0.8- 9.8	2	1.7	0.0- 4.2	49	40.5	29.7-51.3
55-64	219	28,394				5	2.0	0.2- 3.8	120	50.4	42.0-58.8	15	9.4	3.3-15.5	5	1.9	0.0- 4.1	74	36.4	28.4-44.4
65+	428	51,958				8	1.8	0.0- 3.6	241	53.5	47.6-59.4	23	4.3	2.1- 6.5	14	3.4	1.2- 5.6	142	37.0	31.1-42.9
Less Than H.S.	68	12,537	1	1.1	0.0- 3.3	3	1.4	0.0- 3.0	27	47.9	32.0-63.8	8	7.3	1.6-13.0	5	8.5	0.0-17.3	24	33.8	19.7-47.9
H.S. or G.E.D.	225	40,706				6	1.5	0.1- 2.9	119	50.2	40.8-59.6	17	8.3	3.4-13.2	7	3.0	0.0- 6.3	76	37.0	28.2-45.8
Some Post-H.S.	247	42,528				8	3.8	0.3- 7.3	138	55.9	47.5-64.3	20	8.1	4.0-12.2	6	2.4	0.2- 4.6	75	29.8	22.4-37.2
College Graduate	399	54,056	1	0.3	0.0- 0.9	4	0.7	0.0- 1.5	235	59.2	52.7-65.7	23	5.7	2.6- 8.8	9	1.8	0.4- 3.2	127	32.3	26.0-38.6
Less than \$15,000	64	7,503	1	1.9	0.0- 5.6	5	4.7	0.2- 9.2	27	38.4	23.7-53.1	8	15.6	3.3-27.9	7	14.5	0.0-30.0	16	24.9	12.0-37.8
\$15,000- 24,999	147	21,559				5	2.3	0.0- 4.7	70	43.6	32.4-54.8	14	10.9	3.3-18.5	4	2.2	0.0- 5.1	54	41.0	29.6-52.4
\$25,000- 34,999	83	10,140				2	4.1	0.0-10.2	34	40.6	26.9-54.3	12	14.7	5.5-23.9	3	2.9	0.0- 6.2	32	37.6	24.5-50.7
\$35,000- 49,999	110	17,967				68	60.8	47.7-73.9	15	15.3	6.1-24.5	2	2.0	0.0- 5.1	25	21.9	11.7-32.1			
\$50,000- 74,999	124	21,295				2	0.5	0.0- 1.1	82	63.4	51.2-75.6	6	1.7	0.3- 3.1	2	1.2	0.0- 3.0	32	33.3	21.0-45.6
\$75,000+	245	41,478	1	0.3	0.0- 0.9	2	1.1	0.0- 2.7	157	63.1	55.5-70.7	7	3.6	0.5- 6.7	4	2.2	0.0- 4.6	74	29.6	22.3-36.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3426	603,032	1589	40.8	38.4-43.2	1837	59.2	56.8-61.6
Male	1493	279,640	682	40.7	37.4-44.0	811	59.3	56.0-62.6
Female	1933	323,392	907	41.0	37.9-44.1	1026	59.0	55.9-62.1
White/Non-Hisp	2347	393,460	1197	44.1	41.4-46.8	1150	55.9	53.2-58.6
Black or Afr. Am./Non-Hisp	469	118,242	198	40.1	34.0-46.2	271	59.9	53.8-66.0
Oth. Race/Non-Hisp.	144	28,136	54	28.6	18.6-38.6	90	71.4	61.4-81.4
Hispanic	332	40,823	79	22.5	16.8-28.2	253	77.5	71.8-83.2
18-24	169	59,585	63	34.5	25.3-43.7	106	65.5	56.3-74.7
25-34	335	89,922	73	27.2	20.1-34.3	262	72.8	65.7-79.9
35-44	353	80,126	71	20.3	15.0-25.6	282	79.7	74.4-85.0
45-54	543	100,799	133	21.9	17.6-26.2	410	78.1	73.8-82.4
55-64	775	117,139	267	36.2	31.5-40.9	508	63.8	59.1-68.5
65+	1251	155,462	982	77.4	74.5-80.3	269	22.6	19.7-25.5
Less Than H.S.	349	69,146	121	40.2	32.8-47.6	228	59.8	52.4-67.2
H.S. or G.E.D.	959	184,975	418	36.6	32.5-40.7	541	63.4	59.3-67.5
Some Post-H.S.	858	174,044	462	47.8	43.3-52.3	396	52.2	47.7-56.7
College Graduate	1238	170,664	582	38.9	35.4-42.4	656	61.1	57.6-64.6
Less than \$15,000	277	41,001	113	36.3	28.5-44.1	164	63.7	55.9-71.5
\$15,000- 24,999	530	84,755	254	43.7	37.8-49.6	276	56.3	50.4-62.2
\$25,000- 34,999	311	49,884	167	50.4	42.6-58.2	144	49.6	41.8-57.4
\$35,000- 49,999	398	69,258	188	39.7	33.2-46.2	210	60.3	53.8-66.8
\$50,000- 74,999	430	82,982	212	44.5	37.8-51.2	218	55.5	48.8-62.2
\$75,000+	871	164,262	343	32.6	28.5-36.7	528	67.4	63.3-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	279,640	682	40.7	37.4-44.0	811	59.3	56.0-62.6
White/Non-Hisp	1012	182,501	501	43.8	39.7-47.9	511	56.2	52.1-60.3
Black or Afr. Am./Non-Hisp	178	51,328	76	38.8	29.6-48.0	102	61.2	52.0-70.4
Oth. Race/Non-Hisp.	91	16,267	41	33.4	20.1-46.7	50	66.6	53.3-79.9
Hispanic	155	17,978	34	21.8	13.8-29.8	121	78.2	70.2-86.2
18-24	99	28,409	38	41.2	28.3-54.1	61	58.8	45.9-71.7
25-34	166	43,134	36	22.3	13.3-31.3	130	77.7	68.7-86.7
35-44	160	39,519	34	20.3	12.5-28.1	126	79.7	71.9-87.5
45-54	230	44,251	52	21.3	14.4-28.2	178	78.7	71.8-85.6
55-64	307	54,160	101	37.1	29.7-44.5	206	62.9	55.5-70.3
65+	531	70,166	421	78.2	73.7-82.7	110	21.8	17.3-26.3
Less Than H.S.	169	32,343	56	40.8	29.6-52.0	113	59.2	48.0-70.4
H.S. or G.E.D.	440	90,794	170	32.5	26.8-38.2	270	67.5	61.8-73.2
Some Post-H.S.	349	81,469	188	48.0	41.1-54.9	161	52.0	45.1-58.9
College Graduate	524	72,028	264	43.1	37.8-48.4	260	56.9	51.6-62.2
Less than \$15,000	98	15,119	31	31.1	18.0-44.2	67	68.9	55.8-82.0
\$15,000- 24,999	220	37,475	94	41.3	32.7-49.9	126	58.7	50.1-67.3
\$25,000- 34,999	125	22,253	61	48.1	36.1-60.1	64	51.9	39.9-63.9
\$35,000- 49,999	176	31,044	85	46.5	36.9-56.1	91	53.5	43.9-63.1
\$50,000- 74,999	218	43,622	108	45.6	36.2-55.0	110	54.4	45.0-63.8
\$75,000+	413	84,987	186	35.7	29.4-42.0	227	64.3	58.0-70.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1933	323,392	907	41.0	37.9-44.1	1026	59.0	55.9-62.1
White/Non-Hisp	1335	210,960	696	44.3	40.6-48.0	639	55.7	52.0-59.4
Black or Afr. Am./Non-Hisp	291	66,914	122	41.0	33.2-48.8	169	59.0	51.2-66.8
Oth. Race/Non-Hisp.	53	11,869	13	22.0	7.3-36.7	40	78.0	63.3-92.7
Hispanic	177	22,845	45	23.0	15.2-30.8	132	77.0	69.2-84.8
18-24	70	31,176	25	28.5	15.8-41.2	45	71.5	58.8-84.2
25-34	169	46,788	37	31.7	21.1-42.3	132	68.3	57.7-78.9
35-44	193	40,606	37	20.4	13.3-27.5	156	79.6	72.5-86.7
45-54	313	56,547	81	22.4	16.9-27.9	232	77.6	72.1-83.1
55-64	468	62,979	166	35.5	29.8-41.2	302	64.5	58.8-70.2
65+	720	85,296	561	76.7	72.6-80.8	159	23.3	19.2-27.4
Less Than H.S.	180	36,802	65	39.7	29.5-49.9	115	60.3	50.1-70.5
H.S. or G.E.D.	519	94,181	248	40.6	34.7-46.5	271	59.4	53.5-65.3
Some Post-H.S.	509	92,575	274	47.6	41.5-53.7	235	52.4	46.3-58.5
College Graduate	714	98,636	318	35.8	31.3-40.3	396	64.2	59.7-68.7
Less than \$15,000	179	25,882	82	39.3	29.5-49.1	97	60.7	50.9-70.5
\$15,000- 24,999	310	47,279	160	45.7	37.7-53.7	150	54.3	46.3-62.3
\$25,000- 34,999	186	27,631	106	52.3	42.1-62.5	80	47.7	37.5-57.9
\$35,000- 49,999	222	38,214	103	34.2	26.2-42.2	119	65.8	57.8-73.8
\$50,000- 74,999	212	39,360	104	43.3	34.1-52.5	108	56.7	47.5-65.9
\$75,000+	458	79,274	157	29.3	24.0-34.6	301	70.7	65.4-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2412	343,782	712	25.9	23.7-28.1	1700	74.1	71.9-76.3
Male	1022	158,451	289	23.6	20.5-26.7	733	76.4	73.3-79.5
Female	1390	185,331	423	27.8	24.9-30.7	967	72.2	69.3-75.1
White/Non-Hisp	1869	254,664	606	29.1	26.6-31.6	1263	70.9	68.4-73.4
Black or Afr. Am./Non-Hisp	289	58,512	46	13.5	8.6-18.4	243	86.5	81.6-91.4
Oth. Race/Non-Hisp.	75	11,198	20	27.8	12.5-43.1	55	72.2	56.9-87.5
Hispanic	89	9,297	17	16.4	6.8-26.0	72	83.6	74.0-93.2
45-54	352	68,343	31	9.1	5.2-13.0	321	90.9	87.0-94.8
55-64	795	119,457	133	15.5	12.2-18.8	662	84.5	81.2-87.8
65+	1263	155,491	547	41.3	38.0-44.6	716	58.7	55.4-62.0
Less Than H.S.	177	32,995	28	21.9	13.1-30.7	149	78.1	69.3-86.9
H.S. or G.E.D.	678	104,596	168	22.8	19.1-26.5	510	77.2	73.5-80.9
Some Post-H.S.	623	101,179	174	24.9	20.8-29.0	449	75.1	71.0-79.2
College Graduate	921	103,208	339	31.2	27.7-34.7	582	68.8	65.3-72.3
Less than \$15,000	174	20,623	26	12.8	6.9-18.7	148	87.2	81.3-93.1
\$15,000- 24,999	342	46,980	75	20.3	14.4-26.2	267	79.7	73.8-85.6
\$25,000- 34,999	232	30,138	71	29.0	21.0-37.0	161	71.0	63.0-79.0
\$35,000- 49,999	291	42,692	86	23.7	17.8-29.6	205	76.3	70.4-82.2
\$50,000- 74,999	306	45,621	112	31.7	25.0-38.4	194	68.3	61.6-75.0
\$75,000+	612	91,005	204	26.2	22.1-30.3	408	73.8	69.7-77.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1022	158,451	289	23.6	20.5-26.7	733	76.4	73.3-79.5
White/Non-Hisp	782	114,843	235	25.3	21.8-28.8	547	74.7	71.2-78.2
Black or Afr. Am./Non-Hisp	117	28,265	18	15.1	7.1-23.1	99	84.9	76.9-92.9
45-54	165	32,212	18	11.2	4.9-17.5	147	88.8	82.5-95.1
55-64	319	56,145	37	11.3	6.6-16.0	282	88.7	84.0-93.4
65+	537	69,679	234	39.4	34.3-44.5	303	60.6	55.5-65.7
Less Than H.S.	84	15,679	13	26.0	12.1-39.9	71	74.0	60.1-87.9
H.S. or G.E.D.	283	45,727	55	16.5	11.8-21.2	228	83.5	78.8-88.2
Some Post-H.S.	245	46,885	74	23.4	16.9-29.9	171	76.6	70.1-83.1
College Graduate	405	49,263	146	29.4	24.3-34.5	259	70.6	65.5-75.7
Less than \$15,000	54	7,453	9	18.9	6.0-31.8	45	81.1	68.2-94.0
\$15,000- 24,999	129	20,354	25	22.2	12.0-32.4	104	77.8	67.6-88.0
\$25,000- 34,999	94	15,170	24	25.4	12.5-38.3	70	74.6	61.7-87.5
\$35,000- 49,999	128	19,352	32	18.4	11.1-25.7	96	81.6	74.3-88.9
\$50,000- 74,999	148	22,845	45	21.5	14.1-28.9	103	78.5	71.1-85.9
\$75,000+	296	47,089	109	27.7	21.8-33.6	187	72.3	66.4-78.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1390	185,331	423	27.8	24.9-30.7	967	72.2	69.3-75.1
White/Non-Hisp	1087	139,821	371	32.3	28.8-35.8	716	67.7	64.2-71.2
Black or Afr. Am./Non-Hisp	172	30,247	28	12.0	6.3-17.7	144	88.0	82.3-93.7
Hispanic	52	5,566	11	19.3	5.0-33.6	41	80.7	66.4-95.0
45-54	187	36,131	13	7.2	2.1-12.3	174	92.8	87.7-97.9
55-64	476	63,312	96	19.3	15.0-23.6	380	80.7	76.4-85.0
65+	726	85,812	313	42.8	38.3-47.3	413	57.2	52.7-61.7
Less Than H.S.	93	17,316	15	18.3	7.5-29.1	78	81.7	70.9-92.5
H.S. or G.E.D.	395	58,869	113	27.7	22.0-33.4	282	72.3	66.6-78.0
Some Post-H.S.	378	54,294	100	26.2	20.7-31.7	278	73.8	68.3-79.3
College Graduate	516	53,945	193	32.8	27.9-37.7	323	67.2	62.3-72.1
Less than \$15,000	120	13,170	17	9.3	4.2-14.4	103	90.7	85.6-95.8
\$15,000- 24,999	213	26,626	50	18.9	12.4-25.4	163	81.1	74.6-87.6
\$25,000- 34,999	138	14,968	47	32.5	22.9-42.1	91	67.5	57.9-77.1
\$35,000- 49,999	163	23,341	54	28.0	19.2-36.8	109	72.0	63.2-80.8
\$50,000- 74,999	158	22,776	67	42.0	32.4-51.6	91	58.0	48.4-67.6
\$75,000+	316	43,917	95	24.6	19.1-30.1	221	75.4	69.9-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	276
2 MALES ONLY	277
3 FEMALES ONLY	278
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	279
5 MALES ONLY	280
6 FEMALES ONLY	281
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7 MALES AND FEMALES	282
8 MALES ONLY	283
9 FEMALES ONLY	284

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3594	658,619	1489	46.5	44.1-48.9	2105	53.5	51.1-55.9
Male	1593	309,660	640	44.7	41.2-48.2	953	55.3	51.8-58.8
Female	2001	348,958	849	48.1	45.0-51.2	1152	51.9	48.8-55.0
White/Non-Hisp	2428	424,965	885	42.3	39.6-45.0	1543	57.7	55.0-60.4
Black or Afr. Am./Non-Hisp	486	127,366	292	63.8	57.7-69.9	194	36.2	30.1-42.3
Oth. Race/Non-Hisp.	158	30,999	58	38.0	27.2-48.8	100	62.0	51.2-72.8
Hispanic	382	51,119	185	43.4	36.3-50.5	197	56.6	49.5-63.7
18-24	218	76,856	86	43.8	35.4-52.2	132	56.2	47.8-64.6
25-34	402	110,693	231	59.9	53.0-66.8	171	40.1	33.2-47.0
35-44	412	96,761	287	67.0	60.3-73.7	125	33.0	26.3-39.7
45-54	573	106,677	342	61.4	56.3-66.5	231	38.6	33.5-43.7
55-64	774	115,833	303	40.2	35.5-44.9	471	59.8	55.1-64.5
65+	1215	151,798	240	19.3	16.4-22.2	975	80.7	77.8-83.6
Less Than H.S.	373	76,714	150	40.3	33.0-47.6	223	59.7	52.4-67.0
H.S. or G.E.D.	996	199,265	420	44.0	39.7-48.3	576	56.0	51.7-60.3
Some Post-H.S.	898	190,415	392	52.9	48.4-57.4	506	47.1	42.6-51.6
College Graduate	1304	187,632	521	46.0	42.3-49.7	783	54.0	50.3-57.7
Less than \$15,000	292	43,725	138	49.8	41.6-58.0	154	50.2	42.0-58.4
\$15,000- 24,999	544	91,055	247	52.6	46.7-58.5	297	47.4	41.5-53.3
\$25,000- 34,999	329	55,573	147	47.2	39.6-54.8	182	52.8	45.2-60.4
\$35,000- 49,999	412	76,607	158	44.4	37.3-51.5	254	55.6	48.5-62.7
\$50,000- 74,999	450	87,574	187	48.6	41.9-55.3	263	51.4	44.7-58.1
\$75,000+	924	179,653	398	48.5	44.0-53.0	526	51.5	47.0-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1593	309,660	640	44.7	41.2-48.2	953	55.3	51.8-58.8
White/Non-Hisp	1067	199,029	390	40.9	36.8-45.0	677	59.1	55.0-63.2
Black or Afr. Am./Non-Hisp	191	58,909	116	65.0	55.4-74.6	75	35.0	25.4-44.6
Oth. Race/Non-Hisp.	97	16,441	32	29.6	16.7-42.5	65	70.4	57.5-83.3
Hispanic	178	22,891	71	35.7	25.5-45.9	107	64.3	54.1-74.5
18-24	126	38,837	35	35.1	23.7-46.5	91	64.9	53.5-76.3
25-34	207	55,219	93	47.2	37.2-57.2	114	52.8	42.8-62.8
35-44	182	45,196	120	63.8	52.8-74.8	62	36.2	25.2-47.2
45-54	255	49,607	139	60.2	52.8-67.6	116	39.8	32.4-47.2
55-64	307	53,118	127	43.7	36.1-51.3	180	56.3	48.7-63.9
65+	516	67,682	126	24.8	19.7-29.9	390	75.2	70.1-80.3
Less Than H.S.	180	36,470	69	38.9	28.5-49.3	111	61.1	50.7-71.5
H.S. or G.E.D.	476	102,500	201	43.2	36.9-49.5	275	56.8	50.5-63.1
Some Post-H.S.	367	88,405	158	51.7	44.8-58.6	209	48.3	41.4-55.2
College Graduate	558	78,889	211	43.3	38.0-48.6	347	56.7	51.4-62.0
Less than \$15,000	103	16,038	44	52.4	38.7-66.1	59	47.6	33.9-61.3
\$15,000- 24,999	227	39,832	93	42.2	33.4-51.0	134	57.8	49.0-66.6
\$25,000- 34,999	138	26,201	59	45.5	33.7-57.3	79	54.5	42.7-66.3
\$35,000- 49,999	181	34,201	68	41.7	31.7-51.7	113	58.3	48.3-68.3
\$50,000- 74,999	230	44,805	94	45.7	36.5-54.9	136	54.3	45.1-63.5
\$75,000+	447	93,761	190	48.0	41.3-54.7	257	52.0	45.3-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	348,958	849	48.1	45.0-51.2	1152	51.9	48.8-55.0
White/Non-Hisp	1361	225,936	495	43.5	39.8-47.2	866	56.5	52.8-60.2
Black or Afr. Am./Non-Hisp	295	68,457	176	62.7	55.1-70.3	119	37.3	29.7-44.9
Oth. Race/Non-Hisp.	61	14,558	26	47.5	30.6-64.4	35	52.5	35.6-69.4
Hispanic	204	28,228	114	49.7	40.5-58.9	90	50.3	41.1-59.5
18-24	92	38,019	51	52.6	39.7-65.5	41	47.4	34.5-60.3
25-34	195	55,474	138	72.5	64.1-80.9	57	27.5	19.1-35.9
35-44	230	51,565	167	69.8	62.2-77.4	63	30.2	22.6-37.8
45-54	318	57,071	203	62.5	55.6-69.4	115	37.5	30.6-44.4
55-64	467	62,714	176	37.2	31.5-42.9	291	62.8	57.1-68.5
65+	699	84,116	114	14.9	11.8-18.0	585	85.1	82.0-88.2
Less Than H.S.	193	40,244	81	41.5	31.3-51.7	112	58.5	48.3-68.7
H.S. or G.E.D.	520	96,765	219	44.9	39.0-50.8	301	55.1	49.2-61.0
Some Post-H.S.	531	102,011	234	53.9	48.0-59.8	297	46.1	40.2-52.0
College Graduate	746	108,743	310	47.9	43.0-52.8	436	52.1	47.2-57.0
Less than \$15,000	189	27,687	94	48.3	38.3-58.3	95	51.7	41.7-61.7
\$15,000- 24,999	317	51,224	154	60.8	53.5-68.1	163	39.2	31.9-46.5
\$25,000- 34,999	191	29,372	88	48.8	38.6-59.0	103	51.2	41.0-61.4
\$35,000- 49,999	231	42,406	90	46.6	37.0-56.2	141	53.4	43.8-63.0
\$50,000- 74,999	220	42,768	93	51.7	42.5-60.9	127	48.3	39.1-57.5
\$75,000+	477	85,893	208	49.1	43.2-55.0	269	50.9	45.0-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1024	217,391	24	1.5	0.7- 2.3	66	4.9	3.5- 6.3	80	5.9	4.1- 7.7	99	7.4	5.4- 9.4	522	53.3	49.2-57.4	233	27.1	23.2-31.0
Male	428	92,666	8	0.9	0.1- 1.7	22	4.1	1.9- 6.3	23	5.1	2.2- 8.0	35	5.1	2.9- 7.3	238	56.8	50.3-63.3	102	28.1	21.8-34.4
Female	596	124,725	16	1.9	0.5- 3.3	44	5.6	3.6- 7.6	57	6.4	4.2- 8.6	64	9.0	6.1-11.9	284	50.6	45.1-56.1	131	26.4	21.3-31.5
White/Non-Hisp	590	123,293	22	2.0	1.0- 3.0	58	7.4	5.0- 9.8	61	7.6	5.1-10.1	60	7.4	5.0- 9.8	279	53.6	48.1-59.1	110	22.0	17.3-26.7
Black or Afr. Am./Non-Hisp	212	60,554	1	1.2	0.0- 3.6	2	0.8	0.0- 2.0	10	3.6	0.9- 6.3	11	4.8	1.3- 8.3	118	49.0	40.4-57.6	70	40.6	31.8-49.4
Hispanic	136	17,963	1	0.2	0.0- 0.6	3	3.1	0.0- 6.6	5	3.7	0.0- 7.4	15	9.3	3.6-15.0	82	62.0	51.6-72.4	30	21.7	12.7-30.7
18-24	74	28,152												46	47.4	34.1-60.7	28	52.6	39.3-65.9	
25-34	189	54,216							3	2.4	0.0- 6.1	14	4.8	1.7- 7.9	116	65.1	55.9-74.3	56	27.7	19.1-36.3
35-44	224	49,925	1	0.2	0.0- 0.6	7	3.0	0.5- 5.5	13	5.0	2.1- 7.9	23	9.1	4.6-13.6	129	59.6	51.4-67.8	51	23.0	15.7-30.3
45-54	232	45,241	5	3.2	0.0- 6.7	21	10.0	5.3-14.7	34	13.1	8.0-18.2	28	11.2	5.9-16.5	103	44.9	36.7-53.1	41	17.6	11.3-23.9
55-64	190	26,845	10	4.2	0.9- 7.5	20	11.6	5.9-17.3	17	6.1	2.4- 9.8	21	8.2	3.9-12.5	82	43.7	33.9-53.5	40	26.2	16.8-35.6
65+	115	13,012	8	4.2	1.1- 7.3	18	12.1	6.0-18.2	13	10.5	3.6-17.4	13	11.8	4.7-18.9	46	41.2	30.2-52.2	17	20.3	8.7-31.9
Less Than H.S.	100	22,221	1	0.3	0.0- 0.9	2	1.6	0.0- 4.1	3	3.1	0.0- 7.4	10	6.2	1.7-10.7	62	63.1	49.6-76.6	22	25.7	12.8-38.6
H.S. or G.E.D.	279	60,106	4	1.0	0.0- 2.2	19	4.5	2.3- 6.7	17	4.1	1.9- 6.3	22	6.3	2.4-10.2	154	56.4	48.6-64.2	63	27.7	20.1-35.3
Some Post-H.S.	276	71,106	4	0.9	0.0- 1.9	14	3.7	1.3- 6.1	20	5.7	2.2- 9.2	29	6.8	3.7- 9.9	128	49.7	41.7-57.7	81	33.2	25.6-40.8
College Graduate	367	63,755	15	3.0	0.5- 5.5	31	8.0	4.7-11.3	40	8.6	5.3-11.9	38	9.3	5.8-12.8	176	50.7	43.8-57.6	67	20.4	14.7-26.1
Less than \$15,000	105	17,798	1	0.4	0.0- 1.2	5	2.2	0.0- 4.4	6	6.2	0.3-12.1	7	3.7	0.2- 7.2	59	56.7	44.0-69.4	27	30.8	18.3-43.3
\$15,000- 24,999	170	36,731	1	0.2	0.0- 0.6	6	3.7	0.4- 7.0	10	4.1	1.2- 7.0	22	9.2	3.7-14.7	79	44.5	33.9-55.1	52	38.2	27.6-48.8
\$25,000- 34,999	107	18,637	3	0.7	0.0- 1.5	6	3.4	0.5- 6.3	5	2.7	0.0- 5.4	9	4.7	0.8- 8.6	51	57.7	45.2-70.2	33	30.9	18.9-42.9
\$35,000- 49,999	121	26,113	5	4.0	0.0- 9.3	10	4.1	1.4- 6.8	7	2.8	0.3- 5.3	9	7.0	1.1-12.9	62	62.2	51.0-73.4	28	19.9	11.3-28.5
\$50,000- 74,999	136	31,850	6	3.1	0.4- 5.8	9	4.7	0.8- 8.6	9	4.4	1.3- 7.5	10	4.2	1.3- 7.1	74	52.0	40.6-63.4	28	31.6	20.0-43.2
\$75,000+	265	58,151	5	1.1	0.0- 2.3	23	7.2	3.9-10.5	35	11.0	6.1-15.9	33	10.7	6.4-15.0	127	51.8	44.0-59.6	42	18.2	11.9-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	428	92,666	8	0.9	0.1- 1.7	22	4.1	2.1- 6.1	23	5.1	2.2- 8.0	35	5.1	2.9- 7.3	238	56.8	50.3-63.3	102	28.1	22.0-34.2
White/Non-Hisp	251	52,671	7	1.5	0.1- 2.9	19	6.2	2.9- 9.5	14	5.8	1.3-10.3	19	4.5	2.0- 7.0	139	59.3	51.3-67.3	53	22.7	15.8-29.6
Black or Afr. Am./Non-Hisp	82	26,949				1	1.0	0.0- 3.0	5	4.1	0.4- 7.8	3	2.0	0.0- 4.5	49	51.6	37.7-65.5	24	41.4	27.3-55.5
Hispanic	55	6,806	1	0.4	0.0- 1.4	1	2.4	0.0- 6.9	3	5.6	0.0-13.0	7	12.7	2.1-23.3	29	53.0	36.7-69.3	14	25.9	11.0-40.8
25-34	78	21,765							2	5.1	0.0-14.3	5	3.6	0.0- 7.9	51	66.3	51.2-81.4	20	25.0	11.3-38.7
35-44	91	21,437	1	0.5	0.0- 1.5	5	5.4	0.0-10.9	6	5.0	0.9- 9.1	6	5.4	0.3-10.5	50	60.7	48.2-73.2	23	23.0	11.8-34.2
45-54	92	19,100	2	2.5	0.0- 5.8	6	7.9	1.2-14.6	8	7.1	1.4-12.8	7	4.2	0.7- 7.7	49	55.0	42.3-67.7	20	23.3	11.5-35.1
55-64	77	12,915	2	0.8	0.0- 2.0	6	6.1	0.8-11.4	3	3.1	0.0- 7.6	8	6.8	0.9-12.7	37	45.3	29.4-61.2	21	37.9	21.6-54.2
65+	63	7,732	3	2.1	0.0- 4.6	5	3.8	0.3- 7.3	4	10.0	0.0-20.2	9	13.9	4.1-23.7	32	47.3	31.6-63.0	10	23.0	5.9-40.1
H.S. or G.E.D.	134	29,842	2	0.9	0.0- 2.3	7	3.7	0.8- 6.6	8	5.0	1.3- 8.7	9	2.8	0.6- 5.0	79	62.7	51.3-74.1	29	24.9	13.7-36.1
Some Post-H.S.	105	30,203				1	1.5	0.0- 4.4	9	8.3	0.9-15.7	11	5.7	1.4-10.0	57	51.0	37.7-64.3	27	33.5	20.6-46.4
College Graduate	144	23,843	5	2.0	0.0- 4.4	13	8.9	3.0-14.8	5	2.7	0.0- 5.6	9	5.3	1.0- 9.6	77	54.6	44.4-64.8	35	26.5	17.3-35.7
\$15,000- 24,999	64	11,979							3	3.3	0.0- 7.2	8	8.4	1.7-15.1	31	44.2	28.7-59.7	22	44.2	28.1-60.3
\$50,000- 74,999	70	16,125	3	3.1	0.0- 7.2	7	6.7	0.2-13.2	3	2.4	0.0- 5.3	5	3.7	0.0- 7.4	39	59.3	44.2-74.4	13	24.8	10.7-38.9
\$75,000+	121	28,237	1	0.4	0.0- 1.2	9	6.5	1.8-11.2	11	9.2	1.4-17.0	8	4.8	0.3- 9.3	67	56.1	44.3-67.9	25	23.1	13.1-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	596	124,725	16	1.9	0.5-3.3	44	5.6	3.6-7.6	57	6.4	4.2-8.6	64	9.0	6.1-11.9	284	50.6	45.1-56.1	131	26.4	21.3-31.5
White/Non-Hisp	339	70,622	15	2.4	0.8-4.0	39	8.3	5.2-11.4	47	9.0	5.9-12.1	41	9.5	5.8-13.2	140	49.4	42.1-56.7	57	21.4	15.1-27.7
Black or Afr. Am./Non-Hisp	130	33,605	1	2.1	0.0-6.2	1	0.7	0.0-2.1	5	3.3	0.0-7.2	8	7.1	1.0-13.2	69	46.9	35.9-57.9	46	40.0	29.0-51.0
Hispanic	81	11,156				2	3.5	0.0-8.2	2	2.6	0.0-6.3	8	7.2	0.9-13.5	53	67.6	54.5-80.7	16	19.1	7.7-30.5
25-34	111	32,451							1	0.5	0.0-1.5	9	5.7	1.4-10.0	65	64.3	52.7-75.9	36	29.5	18.3-40.7
35-44	133	28,488				2	1.2	0.0-3.0	7	5.1	0.8-9.4	17	11.9	4.8-19.0	79	58.7	47.9-69.5	28	23.1	13.7-32.5
45-54	140	26,141	3	3.8	0.0-9.3	15	11.5	5.0-18.0	26	17.5	9.9-25.1	21	16.3	7.9-24.7	54	37.6	27.2-48.0	21	13.4	6.9-19.9
55-64	113	13,930	8	7.3	1.2-13.4	14	16.8	7.4-26.2	14	8.8	3.1-14.5	13	9.5	3.2-15.8	45	42.3	29.8-54.8	19	15.3	6.5-24.1
65+	52	5,280	5	7.3	0.4-14.2	13	24.1	11.2-37.0	9	11.4	3.6-19.2	4	8.7	0.0-18.7	14	32.2	16.9-47.5	7	16.3	2.8-29.8
Less Than H.S.	55	13,442				1	2.0	0.0-5.9	2	4.8	0.0-11.7	4	3.6	0.0-7.7	37	63.4	44.2-82.6	11	26.2	7.8-44.6
H.S. or G.E.D.	145	30,265	2	1.1	0.0-3.1	12	5.2	1.9-8.5	9	3.3	0.8-5.8	13	9.8	2.5-17.1	75	50.2	39.8-60.6	34	30.4	20.0-40.8
Some Post-H.S.	171	40,903	4	1.5	0.0-3.3	13	5.3	1.8-8.8	11	3.7	1.2-6.2	18	7.7	3.2-12.2	71	48.8	38.8-58.8	54	33.0	23.6-42.4
College Graduate	223	39,912	10	3.6	0.0-7.3	18	7.4	3.5-11.3	35	12.2	7.1-17.3	29	11.8	6.9-16.7	99	48.3	39.3-57.3	32	16.7	9.6-23.8
Less than \$15,000	74	11,756				4	2.7	0.0-5.6	5	8.9	0.1-17.7	7	5.6	0.3-10.9	37	46.5	31.4-61.6	21	36.3	20.8-51.8
\$15,000- 24,999	106	24,752	1	0.3	0.0-0.9	6	5.5	0.6-10.4	7	4.5	0.6-8.4	14	9.6	2.2-17.0	48	44.7	31.0-58.4	30	35.3	22.2-48.4
\$25,000- 34,999	67	11,177	3	1.2	0.0-2.6	6	5.6	0.7-10.5	3	1.7	0.0-3.9	3	1.9	0.0-4.1	28	47.8	31.5-64.1	24	41.8	25.3-58.3
\$35,000- 49,999	72	16,177	4	6.0	0.0-14.6	7	5.0	0.9-9.1	6	3.0	0.1-5.9	4	6.5	0.0-14.7	35	60.0	44.5-75.5	16	19.4	7.8-31.0
\$50,000- 74,999	66	15,725	3	3.1	0.0-7.0	2	2.8	0.0-7.3	6	6.5	0.6-12.4	5	4.7	0.0-9.4	35	44.5	28.4-60.6	15	38.5	21.1-55.9
\$75,000+	144	29,913	4	1.7	0.0-3.9	14	7.9	3.0-12.8	24	12.7	6.6-18.8	25	16.2	9.1-23.3	60	47.8	37.2-58.4	17	13.6	6.2-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3692	673,834	171	6.5	5.3- 7.7	3521	93.5	92.3-94.7	
Male	1639	317,740	105	8.8	6.6-11.0	1534	91.2	89.0-93.4	
Female	2053	356,094	66	4.4	3.0- 5.8	1987	95.6	94.2-97.0	
White/Non-Hisp	2505	436,257	100	5.8	4.4- 7.2	2405	94.2	92.8-95.6	
Black or Afr. Am./Non-Hisp	489	128,664	34	9.2	5.5-12.9	455	90.8	87.1-94.5	
Oth. Race/Non-Hisp.	167	33,392	7	6.0	0.7-11.3	160	94.0	88.7-99.3	
Hispanic	388	52,001	20	4.0	2.0- 6.0	368	96.0	94.0-98.0	
18-24	225	79,571	40	20.1	13.2-27.0	185	79.9	73.0-86.8	
25-34	410	112,097	48	12.6	8.1-17.1	362	87.4	82.9-91.9	
35-44	415	97,857	29	5.3	2.6- 8.0	386	94.7	92.0-97.4	
45-54	580	107,582	24	3.9	1.9- 5.9	556	96.1	94.1-98.1	
55-64	800	119,892	23	2.7	1.3- 4.1	777	97.3	95.9-98.7	
65+	1262	156,835	7	0.6	0.0- 1.2	1255	99.4	98.8- 100	
Less Than H.S.	378	78,213	19	5.8	2.5- 9.1	359	94.2	90.9-97.5	
H.S. or G.E.D.	1019	202,350	62	9.2	6.3-12.1	957	90.8	87.9-93.7	
Some Post-H.S.	918	193,059	46	6.7	4.3- 9.1	872	93.3	90.9-95.7	
College Graduate	1356	196,481	44	3.9	2.3- 5.5	1312	96.1	94.5-97.7	
Less than \$15,000	298	44,260	15	6.4	2.9- 9.9	283	93.6	90.1-97.1	
\$15,000- 24,999	555	91,569	34	8.5	4.8-12.2	521	91.5	87.8-95.2	
\$25,000- 34,999	338	56,606	21	7.4	3.7-11.1	317	92.6	88.9-96.3	
\$35,000- 49,999	420	77,627	21	4.7	2.5- 6.9	399	95.3	93.1-97.5	
\$50,000- 74,999	460	89,965	23	8.7	4.2-13.2	437	91.3	86.8-95.8	
\$75,000+	955	185,053	30	4.7	2.5- 6.9	925	95.3	93.1-97.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1639	317,740	105	8.8	6.6-11.0	1534	91.2	89.0-93.4	
White/Non-Hisp	1103	205,765	62	7.6	5.2-10.0	1041	92.4	90.0-94.8	
Black or Afr. Am./Non-Hisp	189	58,473	17	13.0	5.9-20.1	172	87.0	79.9-94.1	
Oth. Race/Non-Hisp.	105	18,447	5	5.2	0.0-10.9	100	94.8	89.1- 100	
Hispanic	181	23,392	15	6.5	2.8-10.2	166	93.5	89.8-97.2	
18-24	129	39,506	25	25.0	14.6-35.4	104	75.0	64.6-85.4	
25-34	210	55,954	29	16.0	8.9-23.1	181	84.0	76.9-91.1	
35-44	185	46,252	18	7.9	2.8-13.0	167	92.1	87.0-97.2	
45-54	254	49,153	14	5.7	2.0- 9.4	240	94.3	90.6-98.0	
55-64	322	56,183	14	3.4	1.2- 5.6	308	96.6	94.4-98.8	
65+	539	70,692	5	0.8	0.0- 1.6	534	99.2	98.4- 100	
Less Than H.S.	183	37,461	12	6.1	2.0-10.2	171	93.9	89.8-98.0	
H.S. or G.E.D.	480	102,586	40	13.6	8.5-18.7	440	86.4	81.3-91.5	
Some Post-H.S.	376	89,469	27	7.5	4.2-10.8	349	92.5	89.2-95.8	
College Graduate	590	85,689	26	5.6	2.7- 8.5	564	94.4	91.5-97.3	
Less than \$15,000	104	16,075	5	6.2	0.3-12.1	99	93.8	87.9-99.7	
\$15,000- 24,999	233	40,126	17	8.7	3.0-14.4	216	91.3	85.6-97.0	
\$25,000- 34,999	141	26,383	13	10.1	3.8-16.4	128	89.9	83.6-96.2	
\$35,000- 49,999	186	34,842	11	5.7	2.2- 9.2	175	94.3	90.8-97.8	
\$50,000- 74,999	234	46,471	19	14.4	7.0-21.8	215	85.6	78.2-93.0	
\$75,000+	465	97,618	21	6.6	3.1-10.1	444	93.4	89.9-96.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2053	356,094	66	4.4	3.0- 5.8	1987	95.6	94.2-97.0	
White/Non-Hisp	1402	230,492	38	4.1	2.3- 5.9	1364	95.9	94.1-97.7	
Black or Afr. Am./Non-Hisp	300	70,192	17	6.1	2.6- 9.6	283	93.9	90.4-97.4	
Oth. Race/Non-Hisp.	62	14,946	2	7.0	0.0-16.6	60	93.0	83.4- 100	
Hispanic	207	28,609	5	2.0	0.0- 4.0	202	98.0	96.0- 100	
18-24	96	40,065	15	15.3	6.9-23.7	81	84.7	76.3-93.1	
25-34	200	56,142	19	9.1	3.4-14.8	181	90.9	85.2-96.6	
35-44	230	51,606	11	2.9	0.7- 5.1	219	97.1	94.9-99.3	
45-54	326	58,429	10	2.3	0.5- 4.1	316	97.7	95.9-99.5	
55-64	478	63,709	9	2.0	0.2- 3.8	469	98.0	96.2-99.8	
65+	723	86,144	2	0.5	0.0- 1.3	721	99.5	98.7- 100	
Less Than H.S.	195	40,752	7	5.6	0.5-10.7	188	94.4	89.3-99.5	
H.S. or G.E.D.	539	99,764	22	4.6	2.2- 7.0	517	95.4	93.0-97.8	
Some Post-H.S.	542	103,590	19	6.0	2.5- 9.5	523	94.0	90.5-97.5	
College Graduate	766	110,792	18	2.5	0.9- 4.1	748	97.5	95.9-99.1	
Less than \$15,000	194	28,185	10	6.5	2.2-10.8	184	93.5	89.2-97.8	
\$15,000- 24,999	322	51,444	17	8.3	3.4-13.2	305	91.7	86.8-96.6	
\$25,000- 34,999	197	30,224	8	4.9	0.6- 9.2	189	95.1	90.8-99.4	
\$35,000- 49,999	234	42,785	10	3.9	1.2- 6.6	224	96.1	93.4-98.8	
\$50,000- 74,999	226	43,493	4	2.7	0.0- 6.6	222	97.3	93.4- 100	
\$75,000+	490	87,436	9	2.7	0.2- 5.2	481	97.3	94.8-99.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2017**

End of Core Data Report