

DELAWARE

2017 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017

MODULE 1: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3337	616,738	2149	62.5	60.1-64.9	1188	37.5	35.1-39.9
Male	1467	286,811	890	59.6	55.9-63.3	577	40.4	36.7-44.1
Female	1870	329,926	1259	65.0	61.9-68.1	611	35.0	31.9-38.1
White/Non-Hisp	2194	387,227	1492	64.1	61.2-67.0	702	35.9	33.0-38.8
Black or Afr. Am./Non-Hisp	462	126,001	288	64.5	58.6-70.4	174	35.5	29.6-41.4
Oth. Race/Non-Hisp.	157	28,352	88	63.7	54.1-73.3	69	36.3	26.7-45.9
Hispanic	390	51,049	203	48.6	41.3-55.9	187	51.4	44.1-58.7
18-24	222	76,557	81	42.5	33.9-51.1	141	57.5	48.9-66.1
25-34	424	111,908	200	49.5	42.6-56.4	224	50.5	43.6-57.4
35-44	422	97,400	248	58.8	52.3-65.3	174	41.2	34.7-47.7
45-54	533	101,331	350	69.5	64.6-74.4	183	30.5	25.6-35.4
55-64	698	104,448	505	73.8	69.7-77.9	193	26.2	22.1-30.3
65+	1038	125,093	765	74.2	70.9-77.5	273	25.8	22.5-29.1
Less Than H.S.	352	70,270	179	50.1	42.3-57.9	173	49.9	42.1-57.7
H.S. or G.E.D.	943	188,561	574	59.6	55.1-64.1	369	40.4	35.9-44.9
Some Post-H.S.	795	174,697	521	62.8	58.1-67.5	274	37.2	32.5-41.9
College Graduate	1223	178,506	859	70.1	66.8-73.4	364	29.9	26.6-33.2
Less than \$15,000	257	40,789	137	57.2	48.8-65.6	120	42.8	34.4-51.2
\$15,000- 24,999	481	83,716	277	56.3	50.0-62.6	204	43.7	37.4-50.0
\$25,000- 34,999	306	52,196	190	59.3	51.5-67.1	116	40.7	32.9-48.5
\$35,000- 49,999	371	68,666	246	62.0	54.4-69.6	125	38.0	30.4-45.6
\$50,000- 74,999	402	76,852	286	67.2	60.3-74.1	116	32.8	25.9-39.7
\$75,000+	872	171,885	604	68.0	63.9-72.1	268	32.0	27.9-36.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1467	286,811	890	59.6	55.9-63.3	577	40.4	36.7-44.1
White/Non-Hisp	945	177,631	612	60.3	56.0-64.6	333	39.7	35.4-44.0
Black or Afr. Am./Non-Hisp	167	55,862	101	64.3	54.5-74.1	66	35.7	25.9-45.5
Oth. Race/Non-Hisp.	94	15,377	51	60.9	48.0-73.8	43	39.1	26.2-52.0
Hispanic	199	25,054	91	43.2	32.6-53.8	108	56.8	46.2-67.4
18-24	132	40,245	41	35.1	24.3-45.9	91	64.9	54.1-75.7
25-34	216	54,030	90	45.3	35.5-55.1	126	54.7	44.9-64.5
35-44	189	46,419	105	58.2	48.2-68.2	84	41.8	31.8-51.8
45-54	233	45,699	147	68.6	61.0-76.2	86	31.4	23.8-39.0
55-64	276	47,044	200	75.5	69.0-82.0	76	24.5	18.0-31.0
65+	421	53,376	307	71.9	66.2-77.6	114	28.1	22.4-33.8
Less Than H.S.	182	35,584	83	44.2	33.2-55.2	99	55.8	44.8-66.8
H.S. or G.E.D.	432	93,360	243	55.6	48.5-62.7	189	44.4	37.3-51.5
Some Post-H.S.	331	81,244	202	60.3	53.2-67.4	129	39.7	32.6-46.8
College Graduate	509	73,115	353	71.2	66.3-76.1	156	28.8	23.9-33.7
Less than \$15,000	101	15,040	47	53.1	39.0-67.2	54	46.9	32.8-61.0
\$15,000- 24,999	205	37,058	108	56.0	46.6-65.4	97	44.0	34.6-53.4
\$25,000- 34,999	136	25,583	79	52.6	40.4-64.8	57	47.4	35.2-59.6
\$35,000- 49,999	168	32,232	106	61.2	49.4-73.0	62	38.8	27.0-50.6
\$50,000- 74,999	190	36,503	125	65.0	55.0-75.0	65	35.0	25.0-45.0
\$75,000+	408	88,812	280	67.0	60.7-73.3	128	33.0	26.7-39.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1870	329,926	1259	65.0	61.9-68.1	611	35.0	31.9-38.1
White/Non-Hisp	1249	209,596	880	67.3	63.6-71.0	369	32.7	29.0-36.4
Black or Afr. Am./Non-Hisp	295	70,139	187	64.6	57.3-71.9	108	35.4	28.1-42.7
Oth. Race/Non-Hisp.	63	12,975	37	67.1	52.6-81.6	26	32.9	18.4-47.4
Hispanic	191	25,995	112	53.7	44.3-63.1	79	46.3	36.9-55.7
18-24	90	36,313	40	50.8	37.7-63.9	50	49.2	36.1-62.3
25-34	208	57,879	110	53.4	44.0-62.8	98	46.6	37.2-56.0
35-44	233	50,982	143	59.4	51.2-67.6	90	40.6	32.4-48.8
45-54	300	55,632	203	70.2	63.9-76.5	97	29.8	23.5-36.1
55-64	422	57,404	305	72.3	67.0-77.6	117	27.7	22.4-33.0
65+	617	71,717	458	75.9	71.8-80.0	159	24.1	20.0-28.2
Less Than H.S.	170	34,686	96	56.1	45.5-66.7	74	43.9	33.3-54.5
H.S. or G.E.D.	511	95,201	331	63.4	57.7-69.1	180	36.6	30.9-42.3
Some Post-H.S.	464	93,453	319	65.1	58.6-71.6	145	34.9	28.4-41.4
College Graduate	714	105,391	506	69.3	64.6-74.0	208	30.7	26.0-35.4
Less than \$15,000	156	25,749	90	59.6	49.2-70.0	66	40.4	30.0-50.8
\$15,000- 24,999	276	46,658	169	56.6	48.2-65.0	107	43.4	35.0-51.8
\$25,000- 34,999	170	26,612	111	65.8	56.0-75.6	59	34.2	24.4-44.0
\$35,000- 49,999	203	36,435	140	62.7	52.3-73.1	63	37.3	26.9-47.7
\$50,000- 74,999	212	40,349	161	69.2	59.6-78.8	51	30.8	21.2-40.4
\$75,000+	464	83,073	324	69.0	63.5-74.5	140	31.0	25.5-36.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3450	641,862	450	12.2	10.6-13.8	32	0.9	00.5-01.3	2968	87.0	85.4-88.6
Male	1521	299,479	200	12.1	09.6-14.6				1321	87.9	85.4-90.4
Female	1929	342,383	250	12.2	10.2-14.2	32	1.6	00.8-02.4	1647	86.2	84.0-88.4
White/Non-Hisp	2284	406,332	308	12.1	10.3-13.9	20	0.8	00.4-01.2	1956	87.1	85.3-88.9
Black or Afr. Am./Non-Hisp	473	128,999	72	15.4	10.1-20.7	4	0.9	00.0-01.9	397	83.7	78.2-89.2
Oth. Race/Non-Hisp.	160	29,536	23	13.9	06.8-21.0	1	1.4	00.0-04.1	136	84.7	77.3-92.1
Hispanic	397	52,688	32	7.2	04.1-10.3	7	1.1	00.0-02.3	358	91.7	88.4-95.0
18-24	234	81,012	7	2.3	00.5-04.1	1	0.3	00.0-00.9	226	97.4	95.4-99.4
25-34	436	114,382	21	5.8	02.7-08.9	3	0.8	00.0-02.0	412	93.4	90.1-96.7
35-44	439	102,547	32	10.7	04.8-16.6	9	1.3	00.3-02.3	398	88.0	82.1-93.9
45-54	548	105,990	65	14.0	09.5-18.5	6	0.6	00.0-01.4	477	85.4	80.9-89.9
55-64	714	106,923	134	18.8	14.9-22.7	4	0.3	00.1-00.5	576	80.9	77.0-84.8
65+	1079	131,008	191	18.0	15.1-20.9	9	1.6	00.2-03.0	879	80.4	77.3-83.5
Less Than H.S.	363	73,303	43	13.3	08.4-18.2	5	2.0	00.0-04.0	315	84.7	79.6-89.8
H.S. or G.E.D.	964	194,216	116	12.7	09.0-16.4	9	0.9	00.1-01.7	839	86.4	82.7-90.1
Some Post-H.S.	837	183,862	110	11.4	08.7-14.1	7	0.6	00.0-01.2	720	88.0	85.1-90.9
College Graduate	1262	185,777	179	12.2	09.8-14.6	11	0.7	00.1-01.3	1072	87.2	84.8-89.6
Less than \$15,000	263	41,619	34	13.2	07.1-19.3	6	4.0	00.1-07.9	223	82.8	75.9-89.7
\$15,000- 24,999	493	84,564	65	11.1	07.4-14.8	5	0.4	00.0-00.8	423	88.5	84.8-92.2
\$25,000- 34,999	314	54,407	46	16.2	09.1-23.3	2	0.6	00.0-01.6	266	83.2	76.1-90.3
\$35,000- 49,999	387	73,386	46	10.2	06.3-14.1	4	1.0	00.0-02.2	337	88.8	84.7-92.9
\$50,000- 74,999	417	80,249	62	12.6	08.5-16.7	6	0.9	00.0-01.9	349	86.5	82.4-90.6
\$75,000+	903	179,803	122	14.0	10.3-17.7	7	0.7	00.0-01.5	774	85.3	81.6-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	299,479	200	12.1	09.6-14.6	1321	87.9	85.4-90.4
White/Non-Hisp	986	187,988	139	12.5	10.0-15.0	847	87.5	85.0-90.0
Black or Afr. Am./Non-Hisp	174	56,983	23	15.2	05.4-25.0	151	84.8	75.0-94.6
Oth. Race/Non-Hisp.	97	16,176	15	12.5	04.1-20.9	82	87.5	79.1-95.9
Hispanic	201	25,333	17	6.6	02.9-10.3	184	93.4	89.7-97.1
18-24	137	41,321	3	1.6	00.0-03.4	134	98.4	96.6-0100
25-34	223	55,362	8	4.4	00.9-07.9	215	95.6	92.1-99.1
35-44	199	49,550	13	11.8	01.2-22.4	186	88.2	77.6-98.8
45-54	240	47,800	32	15.4	08.3-22.5	208	84.6	77.5-91.7
55-64	279	47,939	53	17.4	11.5-23.3	226	82.6	76.7-88.5
65+	443	57,508	91	20.2	15.5-24.9	352	79.8	75.1-84.5
Less Than H.S.	187	36,187	21	9.3	04.2-14.4	166	90.7	85.6-95.8
H.S. or G.E.D.	442	95,549	43	10.7	04.6-16.8	399	89.3	83.2-95.4
Some Post-H.S.	351	87,595	51	12.8	08.3-17.3	300	87.2	82.7-91.7
College Graduate	528	76,641	84	15.0	11.3-18.7	444	85.0	81.3-88.7
Less than \$15,000	102	15,417	12	14.7	04.3-25.1	90	85.3	74.9-95.7
\$15,000- 24,999	209	37,345	28	9.0	04.7-13.3	181	91.0	86.7-95.3
\$25,000- 34,999	140	26,944	21	16.9	05.9-27.9	119	83.1	72.1-94.1
\$35,000- 49,999	177	34,151	21	8.1	04.0-12.2	156	91.9	87.8-96.0
\$50,000- 74,999	199	38,421	26	10.1	04.8-15.4	173	89.9	84.6-95.2
\$75,000+	424	93,364	64	16.5	10.2-22.8	360	83.5	77.2-89.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 1: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1929	342,383	250	12.2	10.2-14.2	32	1.6	00.8-02.4	1647	86.2	84.0-88.4
White/Non-Hisp	1298	218,344	169	11.8	09.4-14.2	20	1.6	00.6-02.6	1109	86.7	84.2-89.2
Black or Afr. Am./Non-Hisp	299	72,017	49	15.6	09.9-21.3	4	1.6	00.0-03.4	246	82.8	76.9-88.7
Oth. Race/Non-Hisp.	63	13,360	8	15.5	03.3-27.7	1	3.1	00.0-09.2	54	81.3	68.4-94.2
Hispanic	196	27,356	15	7.9	03.0-12.8	7	2.1	00.0-04.3	174	90.1	84.8-95.4
18-24	97	39,691	4	3.0	00.0-06.1	1	0.7	00.0-02.1	92	96.3	93.0-99.6
25-34	213	59,021	13	7.1	02.2-12.0	3	1.6	00.0-03.8	197	91.2	85.9-96.5
35-44	240	52,997	19	9.7	04.4-15.0	9	2.5	00.5-04.5	212	87.8	82.3-93.3
45-54	308	58,190	33	12.9	07.2-18.6	6	1.1	00.0-02.3	269	86.0	80.3-91.7
55-64	435	58,984	81	19.9	14.6-25.2	4	0.5	00.0-01.1	350	79.6	74.3-84.9
65+	636	73,500	100	16.3	12.4-20.2	9	2.9	00.5-05.3	527	80.8	76.5-85.1
Less Than H.S.	176	37,116	22	17.2	09.2-25.2	5	3.9	00.0-07.8	149	78.9	70.3-87.5
H.S. or G.E.D.	522	98,667	73	14.7	10.2-19.2	9	1.7	00.1-03.3	440	83.6	78.9-88.3
Some Post-H.S.	486	96,267	59	10.1	06.8-13.4	7	1.2	00.0-02.4	420	88.7	85.2-92.2
College Graduate	734	109,136	95	10.2	07.5-12.9	11	1.2	00.2-02.2	628	88.6	85.7-91.5
Less than \$15,000	161	26,202	22	12.4	04.8-20.0	6	6.4	00.3-12.5	133	81.3	72.3-90.3
\$15,000- 24,999	284	47,219	37	12.7	07.2-18.2	5	0.7	00.0-01.5	242	86.6	81.1-92.1
\$25,000- 34,999	174	27,462	25	15.5	06.3-24.7	2	1.3	00.0-03.3	147	83.2	74.0-92.4
\$35,000- 49,999	210	39,235	25	12.0	05.5-18.5	4	1.9	00.0-03.9	181	86.1	79.4-92.8
\$50,000- 74,999	218	41,828	36	14.9	08.8-21.0	6	1.8	00.0-03.6	176	83.4	77.1-89.7
\$75,000+	479	86,438	58	11.2	07.5-14.9	7	1.5	00.0-03.1	414	87.3	83.4-91.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 2: DIABETES CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	558	83,461	154	27.8	22.7-32.9	404	72.2	67.1-77.3
Male	255	42,474	61	23.3	16.6-30.0	194	76.7	70.0-83.4
Female	303	40,987	93	32.5	24.9-40.1	210	67.5	59.9-75.1
White/Non-Hisp	368	52,297	94	27.2	20.7-33.7	274	72.8	66.3-79.3
Black or Afr. Am./Non-Hisp	93	17,546	30	28.9	17.5-40.3	63	71.1	59.7-82.5
45-54	81	13,029	27	25.2	14.6-35.8	54	74.8	64.2-85.4
55-64	143	21,842	42	28.4	17.6-39.2	101	71.6	60.8-82.4
65+	298	39,887	71	26.8	20.1-33.5	227	73.2	66.5-79.9
Less Than H.S.	76	14,741	21	26.6	12.9-40.3	55	73.4	59.7-87.1
H.S. or G.E.D.	184	32,108	60	31.6	22.8-40.4	124	68.4	59.6-77.2
Some Post-H.S.	150	21,905	36	25.6	16.0-35.2	114	74.4	64.8-84.0
College Graduate	148	14,706	37	24.0	15.6-32.4	111	76.0	67.6-84.4
Less than \$15,000	64	9,129	23	32.3	16.4-48.2	41	67.7	51.8-83.6
\$15,000- 24,999	111	15,523	34	27.9	17.9-37.9	77	72.1	62.1-82.1
\$25,000- 34,999	59	8,711	15	26.9	09.8-44.0	44	73.1	56.0-90.2
\$35,000- 49,999	70	11,905	17	26.9	12.4-41.4	53	73.1	58.6-87.6
\$50,000- 74,999	52	9,394	13	23.9	08.4-39.4	39	76.1	60.6-91.6
\$75,000+	84	10,314	15	17.9	07.5-28.3	69	82.1	71.7-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	255	42,474	61	23.3	16.6-30.0	194	76.7	70.0-83.4
White/Non-Hisp	178	27,379	38	21.6	14.0-29.2	140	78.4	70.8-86.0
55-64	65	11,928	14	22.2	07.1-37.3	51	77.8	62.7-92.9
65+	132	18,607	30	26.1	16.5-35.7	102	73.9	64.3-83.5
H.S. or G.E.D.	83	15,800	28	27.9	16.9-38.9	55	72.1	61.1-83.1
Some Post-H.S.	62	10,696	12	26.2	09.5-42.9	50	73.8	57.1-90.5
College Graduate	82	9,578	18	21.6	10.8-32.4	64	78.4	67.6-89.2
\$75,000+	56	7,457	8	12.2	03.0-21.4	48	87.8	78.6-97.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	303	40,987	93	32.5	24.9-40.1	210	67.5	59.9-75.1
White/Non-Hisp	190	24,918	56	33.3	23.3-43.3	134	66.7	56.7-76.7
Black or Afr. Am./Non-Hisp	52	8,080	16	28.9	14.2-43.6	36	71.1	56.4-85.8
55-64	78	9,914	28	35.8	20.3-51.3	50	64.2	48.7-79.7
65+	166	21,280	41	27.4	18.2-36.6	125	72.6	63.4-81.8
H.S. or G.E.D.	101	16,309	32	35.2	21.9-48.5	69	64.8	51.5-78.1
Some Post-H.S.	88	11,209	24	25.1	14.7-35.5	64	74.9	64.5-85.3
College Graduate	66	5,129	19	28.4	15.1-41.7	47	71.6	58.3-84.9
\$15,000- 24,999	71	8,985	22	26.4	14.1-38.7	49	73.6	61.3-85.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	538	79,938	73	13.3	09.4-17.2	130	26.4	21.5-31.3	330	60.0	54.5-65.5	5	0.3	00.0-00.7
Male	246	41,138	34	14.2	08.1-20.3	72	31.1	23.5-38.7	138	54.4	46.2-62.6	2	0.3	00.0-00.7
Female	292	38,800	39	12.3	07.4-17.2	58	21.4	15.1-27.7	192	66.0	58.7-73.3	3	0.4	00.0-00.8
White/Non-Hisp	358	50,512	45	9.7	06.2-13.2	94	28.2	21.9-34.5	217	61.8	55.1-68.5	2	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	87	16,758	17	26.7	13.4-40.0	13	18.6	07.4-29.8	57	54.7	41.0-68.4			
45-54	76	12,552	9	13.6	01.4-25.8	16	29.7	15.4-44.0	51	56.8	41.9-71.7			
55-64	138	20,909	20	16.3	07.1-25.5	30	26.6	16.8-36.4	87	57.0	45.6-68.4	1	0.1	00.0-00.3
65+	292	38,993	39	11.0	07.1-14.9	76	25.5	19.0-32.0	175	63.3	56.2-70.4	2	0.2	00.0-00.6
Less Than H.S.	70	13,226	11	16.8	05.6-28.0	5	11.3	00.1-22.5	53	71.7	57.2-86.2	1	0.2	00.0-00.6
H.S. or G.E.D.	176	30,667	17	9.1	03.4-14.8	36	24.0	15.6-32.4	121	66.4	57.2-75.6	2	0.5	00.0-01.1
Some Post-H.S.	149	21,744	22	15.3	06.3-24.3	46	33.4	23.2-43.6	81	51.3	40.7-61.9			
College Graduate	143	14,301	23	15.8	08.9-22.7	43	34.6	25.0-44.2	75	48.9	39.1-58.7	2	0.7	00.0-01.7
Less than \$15,000	56	7,358	4	17.8	00.4-35.2	13	19.6	07.4-31.8	38	62.2	44.2-80.2	1	0.4	00.0-01.2
\$15,000- 24,999	107	14,684	18	16.2	07.0-25.4	15	16.8	08.4-25.2	74	67.0	56.0-78.0			
\$25,000- 34,999	59	8,711	8	8.4	01.7-15.1	11	29.5	10.5-48.5	40	62.0	43.4-80.6			
\$35,000- 49,999	70	11,905	10	11.8	00.2-23.4	19	30.9	16.4-45.4	41	57.3	41.2-73.4			
\$50,000- 74,999	51	9,208	2	3.1	00.0-08.0	20	38.6	20.0-57.2	28	57.9	39.1-76.7	1	0.4	00.0-01.2
\$75,000+	82	10,145	16	23.3	09.6-37.0	25	31.5	18.6-44.4	40	44.7	31.2-58.2	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	246	41,138	34	14.2	08.1-20.3	72	31.1	23.3-38.9	138	54.4	46.2-62.6	2	0.3	00.0-00.7	
White/Non-Hisp	173	26,485	22	9.8	04.7-14.9	51	32.5	22.9-42.1	99	57.3	47.3-67.3	1	0.4	00.0-01.2	
55-64	64	11,767	8	17.6	03.5-31.7	15	26.2	12.7-39.7	41	56.2	39.9-72.5				
65+	130	18,187	19	10.5	05.2-15.8	43	30.1	20.1-40.1	67	59.2	48.4-70.0	1	0.2	00.0-00.6	
H.S. or G.E.D.	78	15,009	5	4.5	00.0-09.0	23	33.6	20.3-46.9	49	61.4	47.9-74.9	1	0.6	00.0-01.8	
Some Post-H.S.	61	10,535	10	21.0	04.3-37.7	22	34.0	17.7-50.3	29	45.0	28.3-61.7				
College Graduate	81	9,392	15	18.0	08.6-27.4	24	33.2	20.9-45.5	41	48.4	35.5-61.3	1	0.4	00.0-01.2	
\$75,000+	55	7,345	12	28.1	10.3-45.9	16	30.1	14.4-45.8	27	41.8	26.1-57.5				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	292	38,800	39	12.3	07.4-17.2	58	21.4	15.1-27.7	192	66.0	58.7-73.3	3	0.4	00.0-00.8
White/Non-Hisp	185	24,027	23	9.6	04.9-14.3	43	23.4	15.8-31.0	118	66.8	58.2-75.4	1	0.2	00.0-00.6
55-64	74	9,142	12	14.6	03.6-25.6	15	27.2	13.5-40.9	46	57.9	42.6-73.2	1	0.3	00.0-00.9
65+	162	20,806	20	11.5	05.6-17.4	33	21.4	12.8-30.0	108	66.8	57.4-76.2	1	0.2	00.0-00.6
H.S. or G.E.D.	98	15,658	12	13.6	03.8-23.4	13	14.9	05.1-24.7	72	71.2	58.7-83.7	1	0.3	00.0-00.9
Some Post-H.S.	88	11,209	12	9.9	04.0-15.8	24	32.9	20.6-45.2	52	57.2	44.7-69.7			
College Graduate	62	4,909	8	11.6	02.8-20.4	19	37.2	22.3-52.1	34	49.9	35.0-64.8	1	1.3	00.0-03.8
\$15,000- 24,999	69	8,368	12	19.9	06.4-33.4	9	14.9	05.3-24.5	48	65.2	50.5-79.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	521	75,219	320	59.0	53.3-64.7	74	12.6	09.3-15.9	22	4.6	01.9-07.3	9	1.3	00.3-02.3	92	22.1	17.0-27.2	4	0.4	00.0-00.8
Male	236	37,936	135	53.4	45.2-61.6	39	15.7	10.2-21.2	8	5.4	00.7-10.1	6	1.9	00.1-03.7	46	23.1	15.7-30.5	2	0.5	00.0-01.3
Female	285	37,283	185	64.8	57.4-72.2	35	9.5	05.6-13.4	14	3.9	01.5-06.3	3	0.6	00.0-01.4	46	21.0	14.1-27.9	2	0.3	00.0-00.7
White/Non-Hisp	345	46,928	214	62.4	55.9-68.9	56	14.9	10.4-19.4	14	3.7	01.5-05.9	4	1.0	00.0-02.0	53	17.3	12.2-22.4	4	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	89	16,963	57	60.7	47.2-74.2	6	5.5	00.0-11.0	3	6.0	00.0-14.4	2	1.0	00.0-02.6	21	26.8	14.5-39.1			
45-54	79	12,918	57	62.7	48.4-77.0	6	8.2	01.1-15.3	3	9.4	00.0-21.4	1	0.9	00.0-02.7	12	18.8	08.0-29.6			
55-64	133	19,071	81	59.2	48.0-70.4	21	15.0	07.7-22.3	6	4.4	00.3-08.5	2	1.1	00.0-02.7	21	19.8	09.4-30.2	2	0.5	00.0-01.3
65+	274	35,203	163	57.9	50.1-65.7	43	13.8	08.9-18.7	11	3.2	01.0-05.4	6	1.8	00.0-03.6	49	22.7	15.3-30.1	2	0.5	00.0-01.3
Less Than H.S.	66	11,196	41	63.9	48.6-79.2	8	8.7	01.4-16.0	2	2.2	00.0-05.9	3	2.9	00.0-06.2	12	22.2	07.5-36.9			
H.S. or G.E.D.	172	29,934	109	62.5	52.7-72.3	20	10.8	05.3-16.3	4	1.5	00.0-03.5	3	1.1	00.0-02.5	34	23.8	14.8-32.8	2	0.3	00.0-00.9
Some Post-H.S.	141	19,779	87	57.0	46.0-68.0	20	13.2	06.5-19.9	7	8.7	00.5-16.9	1	0.3	00.0-00.9	25	20.6	11.4-29.8	1	0.1	00.0-00.3
College Graduate	142	14,311	83	50.6	41.0-60.2	26	18.6	10.8-26.4	9	7.5	02.0-13.0	2	1.8	00.0-04.5	21	20.3	12.1-28.5	1	1.1	00.0-03.3
Less than \$15,000	58	7,496	41	61.1	42.7-79.5	4	4.4	00.0-09.3	2	1.6	00.0-04.1	2	4.1	00.0-10.0	7	27.5	08.5-46.5	2	1.3	00.0-03.5
\$15,000- 24,999	104	14,750	64	65.6	55.0-76.2	15	13.9	06.3-21.5	2	1.6	00.0-04.3	2	1.0	00.0-02.6	21	18.0	10.2-25.8			
\$25,000- 34,999	54	7,468	35	66.3	49.4-83.2	11	23.0	07.7-38.3	1	2.1	00.0-06.2				6	8.3	00.0-16.7	1	0.4	00.0-01.2
\$35,000- 49,999	67	10,974	35	47.5	31.2-63.8	15	14.1	04.5-23.7	3	2.7	00.0-06.2	1	0.5	00.0-01.7	13	35.0	17.0-53.0			
\$75,000+	81	9,800	49	56.6	42.7-70.5	8	10.2	02.4-18.0	7	10.8	00.6-21.0	1	1.1	00.0-03.3	15	19.7	09.3-30.1	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	236	37,936	135	53.4	45.4-61.4	39	15.7	10.2-21.2	8	5.4	00.7-10.1	6	1.9	00.1-03.7	46	23.1	15.7-30.5	2	0.5	00.0-01.3
White/Non-Hisp	164	23,361	98	57.8	49.0-66.6	29	19.2	11.9-26.5	4	2.1	00.0-04.6	3	1.6	00.0-03.6	28	18.5	11.4-25.6	2	0.8	00.0-02.2
55-64	59	9,739	37	54.6	37.7-71.5	9	16.5	05.1-27.9	1	2.9	00.0-08.6	1	1.1	00.0-03.3	11	24.9	08.4-41.4			
65+	121	16,368	69	54.9	43.1-66.7	22	16.9	08.7-25.1	4	3.1	00.0-06.8	4	3.1	00.0-06.6	20	20.9	09.5-32.3	2	1.1	00.0-02.9
H.S. or G.E.D.	77	14,626	47	57.9	43.6-72.2	9	12.8	03.8-21.8	1	1.9	00.0-05.6	3	2.2	00.0-05.1	17	25.1	11.8-38.4			
Some Post-H.S.	57	9,416	31	49.3	31.5-67.1	12	17.6	06.6-28.6	5	15.6	00.0-31.5				8	17.2	02.1-32.3	1	0.3	00.0-00.9
College Graduate	78	9,288	43	47.6	35.3-59.9	13	17.5	07.5-27.5	2	3.2	00.0-08.9	1	2.0	00.0-05.9	18	28.0	16.2-39.8	1	1.6	00.0-04.7
\$75,000+	53	6,944	33	59.2	42.1-76.3	3	3.1	00.0-06.8	3	8.8	00.0-21.7	1	1.6	00.0-04.7	12	25.0	11.1-38.9	1	2.2	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	285	37,283	185	64.8	57.2-72.4	35	9.5	05.6-13.4	14	3.9	01.5-06.3	3	0.6	00.0-01.4	46	21.0	13.9-28.1	2	0.3	00.0-00.7
White/Non-Hisp	181	23,567	116	67.0	58.0-76.0	27	10.7	05.8-15.6	10	5.3	01.8-08.8	1	0.3	00.0-00.9	25	16.2	08.8-23.6	2	0.4	00.0-01.0
55-64	74	9,332	44	64.0	49.7-78.3	12	13.5	04.5-22.5	5	5.9	00.0-12.0	1	1.1	00.0-03.3	10	14.4	03.0-25.8	2	1.1	00.0-02.9
65+	153	18,835	94	60.5	50.3-70.7	21	11.0	04.9-17.1	7	3.4	00.7-06.1	2	0.7	00.0-01.7	29	24.3	14.3-34.3			
H.S. or G.E.D.	95	15,308	62	66.9	54.0-79.8	11	8.9	02.6-15.2	3	1.0	00.0-02.4				17	22.5	10.5-34.5	2	0.6	00.0-01.6
Some Post-H.S.	84	10,362	56	64.0	51.5-76.5	8	9.2	01.0-17.4	2	2.5	00.0-06.0	1	0.6	00.0-01.8	17	23.6	12.4-34.8			
College Graduate	64	5,023	40	56.2	41.5-70.9	13	20.7	08.2-33.2	7	15.5	03.9-27.1	1	1.5	00.0-04.4	3	6.1	00.0-13.0			
\$15,000- 24,999	66	8,323	48	78.4	67.6-89.2	7	7.7	01.6-13.8	2	2.8	00.0-07.7				9	11.1	03.3-18.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	537	80,291	89	19.6	14.5-24.7	116	22.2	17.5-26.9	67	11.1	07.6-14.6	114	18.9	14.8-23.0	82	14.8	10.7-18.9	69	13.3	09.4-17.2			
Male	244	40,503	39	21.2	13.8-28.6	68	27.1	19.8-34.4	30	12.5	06.8-18.2	47	15.8	10.7-20.9	29	12.3	06.6-18.0	31	11.1	06.6-15.6			
Female	293	39,788	50	18.0	11.1-24.9	48	17.1	11.6-22.6	37	9.7	06.0-13.4	67	22.1	15.8-28.4	53	17.4	11.7-23.1	38	15.6	09.5-21.7			
White/Non-Hisp	355	49,887	54	20.0	13.3-26.7	83	23.5	18.0-29.0	40	9.5	05.2-13.8	89	23.3	18.0-28.6	45	11.2	07.1-15.3	44	12.5	08.2-16.8			
Black or Afr. Am./Non-Hisp	91	17,268	17	19.5	08.7-30.3	18	20.6	09.6-31.6	15	14.9	06.5-23.3	12	9.0	02.7-15.3	22	25.6	13.8-37.4	7	10.4	01.6-19.2			
45-54	77	12,504	14	26.1	11.6-40.6	13	15.4	06.6-24.2	12	12.5	04.5-20.5	12	13.6	05.4-21.8	15	19.4	07.2-31.6	11	13.1	03.7-22.5			
55-64	137	20,805	28	21.0	11.6-30.4	30	25.2	15.0-35.4	24	16.5	07.3-25.7	27	17.2	09.6-24.8	17	10.2	03.7-16.7	11	9.8	02.5-17.1			
65+	287	38,280	36	11.7	06.8-16.6	70	26.4	19.3-33.5	29	8.8	04.9-12.7	70	22.3	16.6-28.0	41	15.5	09.6-21.4	41	15.3	09.8-20.8			
Less Than H.S.	71	14,270	10	18.1	04.6-31.6	9	11.4	03.4-19.4	11	16.1	03.8-28.4	12	17.1	05.5-28.7	16	18.6	08.2-29.0	13	18.8	06.5-31.1			
H.S. or G.E.D.	176	30,763	35	25.0	15.8-34.2	41	24.0	15.6-32.4	17	6.7	02.8-10.6	34	16.7	10.2-23.2	29	14.9	08.4-21.4	20	12.7	06.2-19.2			
Some Post-H.S.	145	20,819	24	18.8	09.8-27.8	35	22.6	13.8-31.4	13	10.4	03.9-16.9	36	22.9	14.9-30.9	20	16.8	07.6-26.0	17	8.5	03.8-13.2			
College Graduate	145	14,438	20	10.9	05.4-16.4	31	28.3	18.9-37.7	26	16.8	09.5-24.1	32	19.7	12.3-27.1	17	8.3	03.6-13.0	19	16.0	08.4-23.6			
Less than \$15,000	58	8,239	6	7.7	00.3-15.1	9	14.6	03.4-25.8	5	6.0	00.0-12.3	16	25.9	09.4-42.4	17	23.2	10.7-35.7	5	22.6	03.2-42.0			
\$15,000- 24,999	105	15,025	16	17.2	08.2-26.2	18	17.5	09.1-25.9	18	17.6	09.0-26.2	17	17.1	08.7-25.5	16	11.0	04.1-17.9	20	19.6	09.6-29.6			
\$25,000- 34,999	59	8,711	13	43.3	24.1-62.5	14	16.3	06.7-25.9	8	8.4	00.8-16.0	13	21.4	07.5-35.3	8	6.5	01.4-11.6	3	4.2	00.0-09.1			
\$35,000- 49,999	68	11,640	13	13.2	04.8-21.6	18	35.6	18.4-52.8	7	9.0	00.8-17.2	13	18.0	06.8-29.2	11	17.4	05.1-29.7	6	6.8	00.5-13.1			
\$50,000- 74,999	50	8,475	4	4.3	00.0-08.8	17	36.7	18.9-54.5	9	24.0	05.0-43.0	12	17.9	06.5-29.3	4	13.6	00.0-30.1	4	3.5	00.0-07.8			
\$75,000+	84	10,314	13	21.0	06.5-35.5	14	16.8	07.4-26.2	13	11.2	04.3-18.1	25	25.1	14.5-35.7	4	7.4	00.0-15.6	15	18.6	09.0-28.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	244	40,503	39	21.2	13.8-28.6	68	27.1	19.8-34.4	30	12.5	06.6-18.4	47	15.8	10.9-20.7	29	12.3	06.6-18.0	31	11.1	06.6-15.6			
White/Non-Hisp	170	25,691	23	19.7	10.5-28.9	51	27.8	19.6-36.0	17	10.6	03.2-18.0	40	20.4	13.5-27.3	19	9.8	04.5-15.1	20	11.8	05.9-17.7			
55-64	62	11,138	11	19.7	07.4-32.0	16	27.5	12.0-43.0	12	21.4	05.7-37.1	15	16.2	06.4-26.0	3	6.2	00.0-14.0	5	9.1	00.0-18.9			
65+	127	17,911	15	12.9	04.7-21.1	44	35.4	24.0-46.8	12	8.2	02.7-13.7	24	18.9	10.7-27.1	14	11.3	03.5-19.1	18	13.3	06.6-20.0			
H.S. or G.E.D.	78	14,931	20	30.8	17.5-44.1	21	28.5	14.8-42.2	7	8.1	01.4-14.8	13	11.8	04.2-19.4	12	15.6	05.2-26.0	5	5.2	00.1-10.3			
Some Post-H.S.	59	9,855	9	20.5	04.4-36.6	22	31.9	16.0-47.8	4	7.5	00.0-15.9	12	18.5	07.3-29.7	6	14.5	00.0-29.0	6	7.0	00.9-13.1			
College Graduate	80	9,419	8	9.2	02.3-16.1	21	31.5	19.5-43.5	14	16.8	07.2-26.4	16	17.2	08.0-26.4	6	4.5	00.0-09.0	15	20.9	10.3-31.5			
\$75,000+	56	7,457	5	19.6	00.8-38.4	10	15.5	04.7-26.3	9	12.2	03.4-21.0	14	22.0	09.7-34.3	3	5.1	00.0-11.6	15	25.7	12.6-38.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	293	39,788	50	18.0	11.1-24.9	48	17.1	11.6-22.6	37	9.7	06.0-13.4	67	22.1	15.8-28.4	53	17.4	11.7-23.1	38	15.6	09.5-21.7
White/Non-Hisp	185	24,196	31	20.4	10.4-30.4	32	18.9	11.8-26.0	23	8.3	04.4-12.2	49	26.4	18.4-34.4	26	12.7	06.4-19.0	24	13.3	07.0-19.6
Black or Afr. Am./Non-Hisp	51	7,970	7	11.2	01.4-21.0	10	21.3	07.0-35.6	6	12.6	01.0-24.2	9	9.9	01.9-17.9	16	31.7	16.0-47.4	3	13.3	00.0-29.2
55-64	75	9,667	17	22.5	08.2-36.8	14	22.7	09.8-35.6	12	10.9	03.8-18.0	12	18.4	06.4-30.4	14	14.9	04.5-25.3	6	10.6	00.0-21.4
65+	160	20,369	21	10.7	05.4-16.0	26	18.5	10.7-26.3	17	9.4	03.9-14.9	46	25.2	17.2-33.2	27	19.1	10.5-27.7	23	17.0	08.6-25.4
H.S. or G.E.D.	98	15,832	15	19.6	06.5-32.7	20	19.7	09.7-29.7	10	5.5	01.6-09.4	21	21.3	11.1-31.5	17	14.2	06.0-22.4	15	19.8	08.4-31.2
Some Post-H.S.	86	10,964	15	17.2	07.8-26.6	13	14.3	06.1-22.5	9	12.9	03.5-22.3	24	26.9	15.9-37.9	14	18.8	07.2-30.4	11	9.7	02.8-16.6
College Graduate	65	5,019	12	14.2	05.2-23.2	10	22.3	08.6-36.0	12	16.6	06.0-27.2	16	24.5	12.3-36.7	11	15.4	05.4-25.4	4	7.0	00.0-15.4
\$15,000- 24,999	69	8,858	6	6.8	00.9-12.7	9	13.5	04.5-22.5	11	13.7	04.7-22.7	14	22.2	10.2-34.2	13	14.8	04.4-25.2	16	29.1	14.2-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	528	78,814	269	53.8	48.1-59.5	178	29.3	24.4-34.2	26	5.5	02.6-08.4	10	1.8	00.4-03.2	37	7.9	04.6-11.2	8	1.7	00.3-03.1
Male	239	39,969	134	54.7	46.5-62.9	75	27.9	21.0-34.8	8	6.2	01.1-11.3	3	1.1	00.0-02.3	19	10.1	04.4-15.8			
Female	289	38,845	135	52.8	45.2-60.4	103	30.8	24.1-37.5	18	4.8	02.1-07.5	7	2.6	00.2-05.0	18	5.7	02.6-08.8	8	3.4	00.5-06.3
White/Non-Hisp	354	50,050	190	57.0	50.3-63.7	121	30.9	24.8-37.0	17	5.0	01.7-08.3	5	1.5	00.0-03.1	17	4.4	01.7-07.1	4	1.1	00.0-02.3
Black or Afr. Am./Non-Hisp	87	16,318	37	41.8	28.3-55.3	27	24.4	14.2-34.6	7	10.1	00.7-19.5	4	3.8	00.0-07.9	10	17.8	06.0-29.6	2	2.2	00.0-05.7
45-54	74	12,166	36	50.7	35.8-65.6	24	26.3	15.1-37.5	5	12.7	00.4-25.0				9	10.3	01.9-18.7			
55-64	136	20,139	71	57.9	46.3-69.5	41	23.6	14.8-32.4	12	8.6	01.7-15.5	1	0.6	00.0-01.8	10	9.2	01.0-17.4	1	0.2	00.0-00.6
65+	286	38,557	149	53.1	45.7-60.5	103	34.1	27.0-41.2	8	1.8	00.4-03.2	8	3.2	00.7-05.7	12	5.5	01.8-09.2	6	2.3	00.1-04.5
Less Than H.S.	65	12,763	22	45.3	28.8-61.8	26	32.3	19.0-45.6	2	0.7	00.0-01.7	2	3.0	00.0-07.3	8	12.6	02.2-23.0	5	6.1	00.0-12.4
H.S. or G.E.D.	172	30,341	94	59.8	50.4-69.2	54	27.3	19.3-35.3	9	4.9	01.4-08.4	2	1.3	00.0-03.7	10	4.9	00.8-09.0	3	1.8	00.0-04.3
Some Post-H.S.	147	21,503	75	47.9	37.3-58.5	47	29.7	20.7-38.7	8	10.3	01.5-19.1	4	1.6	00.0-03.2	13	10.6	02.8-18.4			
College Graduate	144	14,208	78	57.5	47.7-67.3	51	30.4	21.4-39.4	7	3.8	00.5-07.1	2	2.2	00.0-05.3	6	6.1	01.0-11.2			
Less than \$15,000	55	8,127	19	47.4	28.6-66.2	23	33.4	17.9-48.9	4	3.2	00.0-06.7	2	1.7	00.0-04.2	6	11.2	00.0-23.5	1	3.1	00.0-09.0
\$15,000- 24,999	105	14,628	48	50.2	38.4-62.0	43	42.0	30.4-53.6	6	3.4	00.3-06.5				8	4.4	01.1-07.7			
\$25,000- 34,999	56	7,885	29	59.4	42.3-76.5	19	29.4	13.9-44.9	2	2.6	00.0-06.3	1	0.6	00.0-01.8	4	6.5	00.0-14.1	1	1.6	00.0-04.7
\$35,000- 49,999	70	11,905	40	57.1	41.2-73.0	21	26.3	13.4-39.2	3	3.1	00.0-06.8	1	3.0	00.0-08.9	5	10.5	00.0-22.7			
\$50,000- 74,999	51	9,266	30	54.0	35.0-73.0	13	20.0	07.1-32.9	4	20.5	01.9-39.1	1	1.3	00.0-03.8	3	4.2	00.0-09.5			
\$75,000+	80	9,863	46	62.2	49.3-75.1	26	26.5	15.3-37.7	2	1.9	00.0-04.4	2	3.1	00.0-07.4	4	6.4	00.1-12.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	239	39,969	134	54.7	46.5-62.9	75	27.9	21.0-34.8	8	6.2	01.1-11.3	3	1.1	00.0-02.3	19	10.1	04.4-15.8
White/Non-Hisp	168	26,115	102	61.0	51.4-70.6	53	29.1	20.5-37.7	3	3.9	00.0-09.0	2	0.9	00.0-02.1	8	5.1	00.8-09.4
55-64	62	11,360	33	51.3	34.1-68.5	20	25.5	11.8-39.2	4	9.8	00.0-21.0				5	13.4	00.0-27.3
65+	126	17,951	77	59.8	48.6-71.0	39	30.3	20.1-40.5	1	0.4	00.0-01.2	3	2.4	00.0-05.1	6	7.2	00.3-14.1
H.S. or G.E.D.	76	14,665	43	57.5	43.8-71.2	24	28.9	16.9-40.9	5	6.4	00.1-12.7				4	7.1	00.0-15.1
Some Post-H.S.	62	10,696	38	51.6	34.2-69.0	17	25.0	11.9-38.1	2	12.5	00.0-28.2	1	1.0	00.0-03.0	4	9.9	00.0-22.8
College Graduate	78	9,079	44	56.9	43.8-70.0	26	30.4	18.1-42.7	1	2.1	00.0-06.0	2	3.5	00.0-08.4	5	7.2	00.3-14.1
\$75,000+	52	7,006	29	60.2	43.9-76.5	17	26.5	12.8-40.2				2	4.3	00.0-10.4	4	9.0	00.2-17.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	289	38,845	135	52.8	45.2-60.4	103	30.8	24.1-37.5	18	4.8	02.1-07.5	7	2.6	00.2-05.0	18	5.7	02.6-08.8	8	3.4	00.5-06.3
White/Non-Hisp	186	23,936	88	52.8	43.2-62.4	68	33.0	24.6-41.4	14	6.2	02.3-10.1	3	2.3	00.0-05.4	9	3.5	00.6-06.4	4	2.3	00.0-04.8
55-64	74	8,779	38	66.4	53.7-79.1	21	21.2	10.4-32.0	8	7.0	01.3-12.7	1	1.3	00.0-03.8	5	3.7	00.0-07.4	1	0.4	00.0-01.2
65+	160	20,606	72	47.2	37.0-57.4	64	37.4	28.0-46.8	7	3.0	00.6-05.4	5	3.9	00.0-08.2	6	4.1	00.4-07.8	6	4.4	00.5-08.3
H.S. or G.E.D.	96	15,675	51	62.0	49.5-74.5	30	25.9	15.1-36.7	4	3.4	00.0-06.9	2	2.6	00.0-07.1	6	2.7	00.2-05.2	3	3.4	00.0-08.3
Some Post-H.S.	85	10,807	37	44.2	31.5-56.9	30	34.3	22.1-46.5	6	8.0	00.6-15.4	3	2.1	00.0-04.6	9	11.4	02.6-20.2			
College Graduate	66	5,129	34	58.7	44.8-72.6	25	30.4	18.1-42.7	6	6.9	01.2-12.6				1	4.0	00.0-11.6			
\$15,000- 24,999	69	8,701	28	48.2	33.1-63.3	30	43.4	28.7-58.1	5	3.6	00.3-06.9				6	4.8	00.5-09.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	532	79,688	116	22.9	18.0-27.8	111	22.7	17.4-28.0	45	8.2	05.5-10.9	85	16.9	12.8-21.0	63	10.2	07.1-13.3	112	19.1	15.0-23.2
Male	245	40,890	54	25.2	17.8-32.6	61	24.4	17.1-31.7	14	5.5	02.0-09.0	37	13.9	09.0-18.8	28	11.1	06.2-16.0	51	19.9	13.4-26.4
Female	287	38,798	62	20.5	14.2-26.8	50	20.9	13.6-28.2	31	11.1	06.6-15.6	48	20.1	13.4-26.8	35	9.2	05.7-12.7	61	18.2	12.9-23.5
White/Non-Hisp	353	49,925	79	22.7	16.8-28.6	77	21.5	15.8-27.2	32	7.5	04.4-10.6	59	18.8	13.3-24.3	39	9.3	05.8-12.8	67	20.2	14.5-25.9
Black or Afr. Am./Non-Hisp	88	16,641	21	25.1	13.1-37.1	13	22.8	09.9-35.7	6	8.1	00.8-15.4	15	14.2	06.2-22.2	12	13.8	05.0-22.6	21	16.0	08.2-23.8
45-54	77	12,654	20	26.5	13.6-39.4	18	29.8	15.3-44.3	4	3.6	00.0-07.7	8	11.6	02.4-20.8	9	9.6	02.9-16.3	18	18.9	08.9-28.9
55-64	137	20,809	37	28.5	18.3-38.7	36	23.8	14.8-32.8	13	7.7	02.4-13.0	20	16.9	07.7-26.1	9	4.5	00.6-08.4	22	18.7	08.5-28.9
65+	283	37,664	56	21.1	14.4-27.8	51	18.1	11.8-24.4	24	8.8	04.7-12.9	56	22.1	15.8-28.4	39	13.6	08.3-18.9	57	16.3	11.6-21.0
Less Than H.S.	70	13,862	12	20.1	06.2-34.0	12	17.5	05.7-29.3	9	11.4	03.6-19.2	7	14.0	02.2-25.8	10	11.6	03.4-19.8	20	25.4	11.7-39.1
H.S. or G.E.D.	173	30,554	39	25.3	16.9-33.7	33	24.5	14.9-34.1	12	5.6	01.9-09.3	34	19.0	11.7-26.3	19	7.6	02.9-12.3	36	17.9	11.2-24.6
Some Post-H.S.	143	20,774	38	23.9	14.9-32.9	26	21.6	11.8-31.4	12	10.1	03.2-17.0	25	17.9	10.3-25.5	16	10.1	04.6-15.6	26	16.5	09.4-23.6
College Graduate	146	14,498	27	19.2	11.6-26.8	40	25.2	17.2-33.2	12	8.0	02.5-13.5	19	14.0	07.3-20.7	18	14.4	06.8-22.0	30	19.2	11.8-26.6
Less than \$15,000	58	8,654	7	12.8	00.0-27.5	12	32.4	14.4-50.4	4	5.7	00.0-12.6	10	11.2	03.0-19.4	13	18.9	07.5-30.3	12	19.1	05.4-32.8
\$15,000- 24,999	104	14,772	26	26.9	16.3-37.5	10	8.9	02.6-15.2	12	11.6	04.3-18.9	19	25.5	14.5-36.5	13	8.2	03.1-13.3	24	18.8	10.6-27.0
\$25,000- 34,999	57	8,652	19	36.6	17.8-55.4	8	10.7	01.9-19.5	6	7.0	00.0-14.4	7	17.8	01.5-34.1	5	7.7	00.0-16.3	12	20.2	07.5-32.9
\$35,000- 49,999	69	11,547	16	20.2	07.3-33.1	19	30.1	13.8-46.4	3	6.4	00.0-14.0	13	21.7	08.8-34.6	6	7.0	00.0-14.3	12	14.6	04.2-25.0
\$75,000+	82	9,781	20	30.4	17.1-43.7	22	28.6	14.7-42.5	4	2.4	00.0-05.1	18	21.2	11.0-31.4	5	3.5	00.0-07.0	13	13.8	05.4-22.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	245	40,890	54	25.2	17.6-32.8	61	24.4	17.1-31.7	14	5.5	02.0-09.0	37	13.9	09.0-18.8	28	11.1	06.2-16.0	51	19.9	13.2-26.6
White/Non-Hisp	173	26,316	41	25.7	16.5-34.9	45	23.3	16.2-30.4	9	3.5	00.4-06.6	25	13.5	07.6-19.4	19	11.3	05.4-17.2	34	22.7	13.9-31.5
55-64	62	11,169	21	35.0	19.5-50.5	16	19.0	07.8-30.2	2	3.5	00.0-10.0	10	11.1	02.7-19.5	2	3.7	00.0-09.8	11	27.7	10.5-44.9
65+	127	18,007	19	15.8	07.0-24.6	32	25.9	15.1-36.7	10	8.4	02.3-14.5	23	20.4	11.6-29.2	17	15.4	06.6-24.2	26	14.2	08.1-20.3
H.S. or G.E.D.	80	15,408	21	27.2	14.7-39.7	16	24.1	11.2-37.0	4	4.5	00.0-10.0	14	14.8	06.2-23.4	10	10.3	01.9-18.7	15	19.0	08.8-29.2
Some Post-H.S.	59	9,860	15	28.5	12.2-44.8	16	31.8	14.2-49.4	2	4.2	00.0-11.5	11	14.7	04.9-24.5	7	10.4	02.0-18.8	8	10.4	02.2-18.6
College Graduate	80	9,369	14	19.8	09.4-30.2	24	23.6	13.8-33.4	6	7.1	00.2-14.0	8	11.0	03.0-19.0	8	14.9	04.1-25.7	20	23.7	12.9-34.5
\$75,000+	55	7,306	13	31.0	14.5-47.5	15	28.2	10.8-45.6	3	2.9	00.0-06.6	11	18.7	07.1-30.3	4	3.8	00.0-08.3	9	15.5	04.5-26.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	287	38,798	62	20.5	14.2-26.8	50	20.9	13.6-28.2	31	11.1	06.8-15.4	48	20.1	13.4-26.8	35	9.2	05.7-12.7	61	18.2	13.1-23.3
White/Non-Hisp	180	23,610	38	19.3	12.0-26.6	32	19.5	10.3-28.7	23	12.0	06.3-17.7	34	24.6	15.4-33.8	20	7.0	03.5-10.5	33	17.5	10.8-24.2
55-64	75	9,640	16	20.9	08.7-33.1	20	29.3	15.4-43.2	11	12.6	04.0-21.2	10	23.5	07.4-39.6	7	5.4	00.3-10.5	11	8.3	02.6-14.0
65+	156	19,657	37	26.1	16.3-35.9	19	10.9	05.4-16.4	14	9.2	03.5-14.9	33	23.7	14.9-32.5	22	11.9	06.0-17.8	31	18.2	11.3-25.1
H.S. or G.E.D.	93	15,147	18	23.4	11.6-35.2	17	25.0	10.7-39.3	8	6.7	01.4-12.0	20	23.3	11.5-35.1	9	4.8	01.3-08.3	21	16.8	08.4-25.2
Some Post-H.S.	84	10,913	23	19.7	11.3-28.1	10	12.4	04.6-20.2	10	15.4	04.8-26.0	14	20.8	09.4-32.2	9	9.8	02.9-16.7	18	22.0	11.2-32.8
College Graduate	66	5,129	13	18.0	07.6-28.4	16	28.2	14.7-41.7	6	9.8	00.2-19.4	11	19.5	08.1-30.9	10	13.5	04.3-22.7	10	11.0	03.2-18.8
\$15,000- 24,999	66	8,364	14	21.7	08.6-34.8	6	10.6	01.2-20.0	10	13.8	04.2-23.4	14	31.2	15.9-46.5	8	7.2	01.7-12.7	14	15.6	07.0-24.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	543	80,994	123	20.2	16.1-24.3	299	56.7	51.0-62.4	46	8.5	05.2-11.8	50	10.8	07.1-14.5	25	3.9	01.9-05.9
Male	248	41,187	56	20.1	14.2-26.0	142	56.0	47.8-64.2	15	6.9	02.2-11.6	22	12.4	06.3-18.5	13	4.7	01.4-08.0
Female	295	39,808	67	20.4	14.5-26.3	157	57.4	49.8-65.0	31	10.1	05.2-15.0	28	9.1	05.0-13.2	12	3.0	00.8-05.2
White/Non-Hisp	360	50,831	84	23.1	17.6-28.6	202	55.3	48.4-62.2	28	6.5	03.0-10.0	33	11.9	06.8-17.0	13	3.2	00.8-05.6
Black or Afr. Am./Non-Hisp	88	16,831	16	14.4	06.0-22.8	55	63.6	50.7-76.5	8	12.0	02.0-22.0	6	7.4	00.9-13.9	3	2.6	00.0-06.3
45-54	77	12,276	17	16.6	07.8-25.4	34	41.9	27.6-56.2	10	16.3	03.4-29.2	14	23.4	10.5-36.3	2	1.8	00.0-04.5
55-64	138	21,219	36	23.4	14.4-32.4	69	51.8	40.2-63.4	16	10.7	03.1-18.3	10	8.7	01.4-16.0	7	5.4	00.0-10.9
65+	294	39,123	66	23.0	16.7-29.3	178	62.7	55.6-69.8	20	6.6	03.1-10.1	20	5.8	02.9-08.7	10	2.0	00.6-03.4
Less Than H.S.	73	14,260	11	9.7	02.6-16.8	32	48.4	32.9-63.9	8	15.0	03.2-26.8	12	14.6	05.2-24.0	10	12.3	02.9-21.7
H.S. or G.E.D.	176	30,594	40	21.9	14.3-29.5	98	59.2	49.8-68.6	17	4.9	02.2-07.6	16	12.2	05.1-19.3	5	1.8	00.0-03.6
Some Post-H.S.	147	21,470	33	19.3	12.0-26.6	85	60.4	49.8-71.0	10	10.0	01.8-18.2	13	8.2	01.9-14.5	6	2.2	00.2-04.2
College Graduate	147	14,671	39	28.3	19.3-37.3	84	54.0	44.2-63.8	11	7.4	02.5-12.3	9	7.9	02.0-13.8	4	2.5	00.0-05.4
Less than \$15,000	63	8,870	11	9.1	02.4-15.8	39	67.4	51.9-82.9	7	8.0	00.7-15.3	4	6.5	00.0-13.6	2	9.0	00.0-21.0
\$15,000- 24,999	107	14,899	17	15.8	07.0-24.6	54	51.9	40.1-63.7	12	7.5	02.6-12.4	12	14.1	04.9-23.3	12	10.7	03.8-17.6
\$25,000- 34,999	58	8,420	17	23.4	10.1-36.7	29	49.5	30.9-68.1	4	12.1	00.0-27.8	7	14.3	00.0-29.2	1	0.6	00.0-02.0
\$35,000- 49,999	70	11,905	18	23.2	10.9-35.5	35	54.7	39.0-70.4	7	8.6	00.8-16.4	7	11.2	01.8-20.6	3	2.3	00.0-05.0
\$50,000- 74,999	52	9,394	14	25.9	10.6-41.2	27	57.2	38.8-75.6	6	5.3	00.0-10.6	5	11.6	00.0-24.9			
\$75,000+	83	10,211	17	22.5	11.1-33.9	53	53.5	39.2-67.8	3	12.1	00.0-26.6	8	10.4	02.2-18.6	2	1.5	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	41,187	56	20.1	14.0-26.2	142	56.0	47.6-64.4	15	6.9	02.2-11.6	22	12.4	06.1-18.7	13	4.7	01.6-07.8
White/Non-Hisp	174	26,560	41	24.7	16.5-32.9	103	54.0	44.0-64.0	9	4.0	01.1-06.9	14	12.9	04.5-21.3	7	4.4	00.3-08.5
55-64	63	11,601	13	19.0	07.0-31.0	40	59.2	42.3-76.1	3	5.1	00.0-12.0	5	10.8	00.0-22.6	2	5.9	00.0-14.5
65+	131	18,454	34	25.6	16.2-35.0	78	63.5	53.1-73.9	8	5.0	01.1-08.9	7	4.4	00.5-08.3	4	1.6	00.0-03.2
H.S. or G.E.D.	78	14,708	13	17.5	07.1-27.9	48	61.0	47.1-74.9	4	2.5	00.0-05.0	10	16.4	04.4-28.4	3	2.6	00.0-05.7
Some Post-H.S.	61	10,654	21	25.0	12.7-37.3	33	53.9	36.7-71.1	3	11.7	00.0-26.0	2	7.9	00.0-19.5	2	1.4	00.0-03.6
College Graduate	82	9,578	19	27.3	15.0-39.6	49	54.5	41.8-67.2	5	5.4	00.0-11.1	6	9.3	01.1-17.5	3	3.5	00.0-07.8
\$75,000+	56	7,457	9	15.4	04.6-26.2	36	53.1	36.0-70.2	2	15.8	00.0-34.8	7	13.7	02.7-24.7	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	295	39,808	67	20.4	14.5-26.3	157	57.4	49.8-65.0	31	10.1	05.2-15.0	28	9.1	05.0-13.2	12	3.0	00.6-05.4
White/Non-Hisp	186	24,271	43	21.2	13.8-28.6	99	56.8	47.2-66.4	19	9.3	02.8-15.8	19	10.8	05.1-16.5	6	1.9	00.1-03.7
55-64	75	9,618	23	28.8	14.9-42.7	29	42.9	27.4-58.4	13	17.4	03.5-31.3	5	6.3	00.6-12.0	5	4.7	00.0-11.0
65+	163	20,669	32	20.7	12.7-28.7	100	61.9	52.3-71.5	12	8.1	02.4-13.8	13	7.0	02.9-11.1	6	2.3	00.3-04.3
H.S. or G.E.D.	98	15,886	27	26.0	14.6-37.4	50	57.5	44.4-70.6	13	7.1	02.2-12.0	6	8.3	00.7-15.9	2	1.1	00.0-02.7
Some Post-H.S.	86	10,816	12	13.8	05.6-22.0	52	66.7	54.9-78.5	7	8.2	00.2-16.2	11	8.4	02.9-13.9	4	2.9	00.0-06.0
College Graduate	65	5,093	20	30.0	16.9-43.1	35	53.1	38.6-67.6	6	11.2	02.0-20.4	3	5.0	00.0-11.7	1	0.7	00.0-02.1
\$15,000- 24,999	69	8,724	12	16.2	05.2-27.2	34	52.7	37.8-67.6	9	9.3	02.0-16.6	8	14.4	02.6-26.2	6	7.4	00.1-14.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	550	82,410	95	15.8	11.9-19.7	455	84.2	80.3-88.1
Male	250	41,781	46	17.4	11.7-23.1	204	82.6	76.9-88.3
Female	300	40,629	49	14.1	08.8-19.4	251	85.9	80.6-91.2
White/Non-Hisp	364	51,946	59	16.3	11.0-21.6	305	83.7	78.4-89.0
Black or Afr. Am./Non-Hisp	93	17,546	18	14.7	07.4-22.0	75	85.3	78.0-92.6
45-54	79	12,641	19	21.5	10.7-32.3	60	78.5	67.7-89.3
55-64	142	21,809	30	16.8	08.8-24.8	112	83.2	75.2-91.2
65+	293	39,258	38	13.1	07.8-18.4	255	86.9	81.6-92.2
Less Than H.S.	72	14,266	16	22.3	08.8-35.8	56	77.7	64.2-91.2
H.S. or G.E.D.	183	31,807	36	17.3	10.8-23.8	147	82.7	76.2-89.2
Some Post-H.S.	149	21,862	22	10.5	05.6-15.4	127	89.5	84.6-94.4
College Graduate	146	14,475	21	14.1	07.2-21.0	125	85.9	79.0-92.8
Less than \$15,000	63	9,053	21	26.4	13.7-39.1	42	73.6	60.9-86.3
\$15,000- 24,999	111	15,523	20	18.8	09.4-28.2	91	81.2	71.8-90.6
\$25,000- 34,999	58	8,668	12	27.6	08.6-46.6	46	72.4	53.4-91.4
\$35,000- 49,999	70	11,905	11	7.8	02.1-13.5	59	92.2	86.5-97.9
\$50,000- 74,999	52	9,394	4	6.6	00.0-13.5	48	93.4	86.5-0100
\$75,000+	83	10,268	10	11.6	03.8-19.4	73	88.4	80.6-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	41,781	46	17.4	11.9-22.9	204	82.6	77.1-88.1
White/Non-Hisp	175	27,074	28	16.5	09.4-23.6	147	83.5	76.4-90.6
55-64	65	11,928	12	14.2	05.2-23.2	53	85.8	76.8-94.8
65+	129	18,302	21	18.5	09.1-27.9	108	81.5	72.1-90.9
H.S. or G.E.D.	82	15,499	22	22.8	12.8-32.8	60	77.2	67.2-87.2
Some Post-H.S.	61	10,653	6	6.6	00.7-12.5	55	93.4	87.5-99.3
College Graduate	81	9,392	12	16.0	06.4-25.6	69	84.0	74.4-93.6
\$75,000+	56	7,457	9	15.3	04.7-25.9	47	84.7	74.1-95.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	300	40,629	49	14.1	08.8-19.4	251	85.9	80.6-91.2
White/Non-Hisp	189	24,872	31	16.1	08.5-23.7	158	83.9	76.3-91.5
Black or Afr. Am./Non-Hisp	52	8,080	9	13.4	04.0-22.8	43	86.6	77.2-96.0
55-64	77	9,881	18	19.9	06.2-33.6	59	80.1	66.4-93.8
65+	164	20,956	17	8.4	03.3-13.5	147	91.6	86.5-96.7
H.S. or G.E.D.	101	16,309	14	12.0	04.0-20.0	87	88.0	80.0-96.0
Some Post-H.S.	88	11,209	16	14.2	06.8-21.6	72	85.8	78.4-93.2
College Graduate	65	5,083	9	10.6	02.2-19.0	56	89.4	81.0-97.8
\$15,000- 24,999	71	8,985	12	16.4	04.6-28.2	59	83.6	71.8-95.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	555	83,072	306	50.4	44.9-55.9	249	49.6	44.1-55.1
Male	254	42,388	135	50.5	42.3-58.7	119	49.5	41.3-57.7
Female	301	40,685	171	50.2	42.6-57.8	130	49.8	42.2-57.4
White/Non-Hisp	368	52,297	212	49.5	42.8-56.2	156	50.5	43.8-57.2
Black or Afr. Am./Non-Hisp	92	17,433	52	53.5	40.6-66.4	40	46.5	33.6-59.4
45-54	80	12,942	44	47.0	32.9-61.1	36	53.0	38.9-67.1
55-64	142	21,729	85	54.3	43.1-65.5	57	45.7	34.5-56.9
65+	297	39,698	162	51.3	43.9-58.7	135	48.7	41.3-56.1
Less Than H.S.	73	14,352	26	39.4	23.7-55.1	47	60.6	44.9-76.3
H.S. or G.E.D.	184	32,108	94	43.2	34.0-52.4	90	56.8	47.6-66.0
Some Post-H.S.	150	21,905	95	62.6	52.4-72.8	55	37.4	27.2-47.6
College Graduate	148	14,706	91	58.8	49.2-68.4	57	41.2	31.6-50.8
Less than \$15,000	64	9,129	37	45.8	28.9-62.7	27	54.2	37.3-71.1
\$15,000- 24,999	111	15,523	54	43.2	32.0-54.4	57	56.8	45.6-68.0
\$25,000- 34,999	59	8,711	27	38.2	20.8-55.6	32	61.8	44.4-79.2
\$35,000- 49,999	70	11,905	39	52.6	36.7-68.5	31	47.4	31.5-63.3
\$50,000- 74,999	52	9,394	35	64.8	47.0-82.6	17	35.2	17.4-53.0
\$75,000+	84	10,314	56	68.2	56.2-80.2	28	31.8	19.8-43.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	42,388	135	50.5	42.1-58.9	119	49.5	41.1-57.9
White/Non-Hisp	178	27,379	96	48.2	38.4-58.0	82	51.8	42.0-61.6
55-64	65	11,928	33	49.9	33.8-66.0	32	50.1	34.0-66.2
65+	132	18,607	75	56.6	45.6-67.6	57	43.4	32.4-54.4
H.S. or G.E.D.	83	15,800	41	44.4	30.9-57.9	42	55.6	42.1-69.1
Some Post-H.S.	62	10,696	40	66.7	50.8-82.6	22	33.3	17.4-49.2
College Graduate	82	9,578	46	55.7	43.2-68.2	36	44.3	31.8-56.8
\$75,000+	56	7,457	36	65.3	50.0-80.6	20	34.7	19.4-50.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	301	40,685	171	50.2	42.6-57.8	130	49.8	42.2-57.4
White/Non-Hisp	190	24,918	116	51.0	41.4-60.6	74	49.0	39.4-58.6
Black or Afr. Am./Non-Hisp	51	7,967	29	50.7	33.6-67.8	22	49.3	32.2-66.4
55-64	77	9,801	52	59.6	44.1-75.1	25	40.4	24.9-55.9
65+	165	21,091	87	46.6	36.8-56.4	78	53.4	43.6-63.2
H.S. or G.E.D.	101	16,309	53	42.0	29.5-54.5	48	58.0	45.5-70.5
Some Post-H.S.	88	11,209	55	58.6	46.1-71.1	33	41.4	28.9-53.9
College Graduate	66	5,129	45	64.4	50.5-78.3	21	35.6	21.7-49.5
\$15,000- 24,999	71	8,985	38	46.0	31.7-60.3	33	54.0	39.7-68.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 10: HEALTH CARE ACCESS CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
DELAYED GETTING MEDICAL CARE (DELAYMED)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NOT INCLUDING OVER-THE-COUNTER (OTC) MEDICATIONS, WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? (MEDSCOS1)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 10: HEALTH CARE ACCESS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
37	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3582	645,455	1730	38.5	36.3-40.7	1852	61.5	59.3-63.7
Male	1547	298,136	738	38.8	35.5-42.1	809	61.2	57.9-64.5
Female	2035	347,319	992	38.3	35.6-41.0	1043	61.7	59.0-64.4
White/Non-Hisp	2493	421,602	1263	39.5	37.0-42.0	1230	60.5	58.0-63.0
Black or Afr. Am./Non-Hisp	524	134,740	226	36.3	30.6-42.0	298	63.7	58.0-69.4
Oth. Race/Non-Hisp.	168	31,847	69	37.5	26.9-48.1	99	62.5	51.9-73.1
Hispanic	247	32,255	105	39.9	31.9-47.9	142	60.1	52.1-68.1
18-24	186	66,595	49	27.1	18.9-35.3	137	72.9	64.7-81.1
25-34	329	92,978	52	16.9	11.0-22.8	277	83.1	77.2-89.0
35-44	363	91,098	55	12.5	08.6-16.4	308	87.5	83.6-91.4
45-54	555	108,026	91	14.5	10.8-18.2	464	85.5	81.8-89.2
55-64	785	117,246	184	24.0	19.9-28.1	601	76.0	71.9-80.1
65+	1364	169,512	1299	94.2	92.6-95.8	65	5.8	04.2-07.4
Less Than H.S.	275	59,130	163	54.3	46.1-62.5	112	45.7	37.5-53.9
H.S. or G.E.D.	990	195,014	546	46.6	42.1-51.1	444	53.4	48.9-57.9
Some Post-H.S.	926	193,167	446	36.3	32.4-40.2	480	63.7	59.8-67.6
College Graduate	1368	193,807	563	28.0	25.3-30.7	805	72.0	69.3-74.7
Less than \$15,000	262	41,896	169	57.0	48.4-65.6	93	43.0	34.4-51.6
\$15,000- 24,999	486	81,996	306	57.6	51.3-63.9	180	42.4	36.1-48.7
\$25,000- 34,999	324	54,272	184	47.5	39.7-55.3	140	52.5	44.7-60.3
\$35,000- 49,999	419	75,186	213	41.1	34.4-47.8	206	58.9	52.2-65.6
\$50,000- 74,999	443	81,686	192	33.1	27.6-38.6	251	66.9	61.4-72.4
\$75,000+	958	183,631	260	16.7	14.2-19.2	698	83.3	80.8-85.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1547	298,136	738	38.8	35.5-42.1	809	61.2	57.9-64.5
White/Non-Hisp	1088	194,897	535	38.6	35.1-42.1	553	61.4	57.9-64.9
Black or Afr. Am./Non-Hisp	194	60,385	86	39.6	30.2-49.0	108	60.4	51.0-69.8
Oth. Race/Non-Hisp.	102	17,683	46	43.6	29.7-57.5	56	56.4	42.5-70.3
Hispanic	100	12,577	40	35.0	23.2-46.8	60	65.0	53.2-76.8
18-24	105	31,675	26	28.7	17.3-40.1	79	71.3	59.9-82.7
25-34	156	41,777	29	21.2	11.4-31.0	127	78.8	69.0-88.6
35-44	167	43,883	27	11.9	06.6-17.2	140	88.1	82.8-93.4
45-54	233	50,567	46	17.5	11.4-23.6	187	82.5	76.4-88.6
55-64	316	54,936	74	25.9	19.2-32.6	242	74.1	67.4-80.8
65+	570	75,298	536	92.3	89.4-95.2	34	7.7	04.8-10.6
Less Than H.S.	121	25,347	72	56.9	45.5-68.3	49	43.1	31.7-54.5
H.S. or G.E.D.	433	92,298	215	43.3	36.6-50.0	218	56.7	50.0-63.4
Some Post-H.S.	393	93,595	178	33.9	27.8-40.0	215	66.1	60.0-72.2
College Graduate	588	83,755	268	34.6	30.1-39.1	320	65.4	60.9-69.9
Less than \$15,000	86	14,434	59	67.1	53.2-81.0	27	32.9	19.0-46.8
\$15,000- 24,999	185	34,349	117	63.8	54.6-73.0	68	36.2	27.0-45.4
\$25,000- 34,999	135	26,495	74	50.9	38.6-63.2	61	49.1	36.8-61.4
\$35,000- 49,999	188	34,412	100	42.6	33.2-52.0	88	57.4	48.0-66.8
\$50,000- 74,999	226	40,797	103	33.4	25.8-41.0	123	66.6	59.0-74.2
\$75,000+	464	97,176	138	17.7	14.0-21.4	326	82.3	78.6-86.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS  
TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	347,319	992	38.3	35.6-41.0	1043	61.7	59.0-64.4
White/Non-Hisp	1405	226,706	728	40.2	36.9-43.5	677	59.8	56.5-63.1
Black or Afr. Am./Non-Hisp	330	74,355	140	33.7	27.0-40.4	190	66.3	59.6-73.0
Oth. Race/Non-Hisp.	66	14,164	23	29.9	14.6-45.2	43	70.1	54.8-85.4
Hispanic	147	19,678	65	43.1	32.3-53.9	82	56.9	46.1-67.7
18-24	81	34,921	23	25.7	13.7-37.7	58	74.3	62.3-86.3
25-34	173	51,201	23	13.4	06.3-20.5	150	86.6	79.5-93.7
35-44	196	47,215	28	13.0	07.3-18.7	168	87.0	81.3-92.7
45-54	322	57,459	45	11.9	07.6-16.2	277	88.1	83.8-92.4
55-64	469	62,309	110	22.3	17.0-27.6	359	77.7	72.4-83.0
65+	794	94,214	763	95.7	93.9-97.5	31	4.3	02.5-06.1
Less Than H.S.	154	33,783	91	52.4	41.0-63.8	63	47.6	36.2-59.0
H.S. or G.E.D.	557	102,716	331	49.5	43.6-55.4	226	50.5	44.6-56.4
Some Post-H.S.	533	99,572	268	38.6	33.1-44.1	265	61.4	55.9-66.9
College Graduate	780	110,052	295	22.9	19.6-26.2	485	77.1	73.8-80.4
Less than \$15,000	176	27,462	110	51.7	41.1-62.3	66	48.3	37.7-58.9
\$15,000- 24,999	301	47,647	189	53.1	44.9-61.3	112	46.9	38.7-55.1
\$25,000- 34,999	189	27,777	110	44.3	34.9-53.7	79	55.7	46.3-65.1
\$35,000- 49,999	231	40,774	113	39.9	30.5-49.3	118	60.1	50.7-69.5
\$50,000- 74,999	217	40,890	89	32.8	24.6-41.0	128	67.2	59.0-75.4
\$75,000+	494	86,455	122	15.6	12.3-18.9	372	84.4	81.1-87.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3548	640,252	1381	46.2	43.8-48.6	268	8.8	07.4-10.2	1681	39.6	37.4-41.8	100	2.6	02.0-03.2	112	2.8	02.0-03.6	6	0.1	00.1-00.1
Male	1536	296,476	617	47.9	44.4-51.4	124	8.7	06.7-10.7	680	36.3	33.2-39.4	58	3.5	02.3-04.7	53	3.4	02.0-04.8	4	0.2	00.0-00.4
Female	2012	343,776	764	44.7	41.6-47.8	144	8.8	06.8-10.8	1001	42.5	39.6-45.4	42	1.8	01.0-02.6	59	2.3	01.5-03.1	2	0.0	00.0-00.0
White/Non-Hisp	2477	420,006	956	46.8	44.1-49.5	185	8.2	06.6-09.8	1196	39.9	37.4-42.4	66	2.6	01.8-03.4	70	2.4	01.8-03.0	4	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	519	133,655	210	43.9	37.8-50.0	38	10.7	06.4-15.0	240	39.3	33.6-45.0	13	2.6	00.8-04.4	18	3.5	01.0-06.0			
Oth. Race/Non-Hisp.	168	31,995	75	53.2	42.8-63.6	15	9.2	02.7-15.7	65	32.5	22.5-42.5	5	1.2	00.0-02.4	8	3.8	00.7-06.9			
Hispanic	238	30,260	86	37.8	29.6-46.0	15	5.3	02.4-08.2	116	49.8	41.2-58.4	12	3.7	01.3-06.1	8	3.0	00.3-05.7	1	0.4	00.0-01.2
18-24	184	66,249	62	34.2	25.6-42.8	40	22.5	14.5-30.5	58	33.8	24.6-43.0	13	5.6	01.9-09.3	11	4.0	01.5-06.5			
25-34	326	92,638	178	57.3	50.0-64.6	34	10.0	05.5-14.5	93	28.9	22.2-35.6	11	2.3	00.7-03.9	10	1.6	00.4-02.8			
35-44	359	90,421	230	70.0	64.1-75.9	23	6.0	03.1-08.9	84	19.1	14.4-23.8	9	1.9	00.3-03.5	12	3.0	01.0-05.0	1	0.1	00.0-00.3
45-54	552	107,444	347	66.9	61.6-72.2	36	6.9	04.2-09.6	133	20.1	16.0-24.2	16	2.0	00.8-03.2	19	4.0	00.9-07.1	1	0.1	00.0-00.3
55-64	786	117,843	428	56.7	52.0-61.4	71	7.9	05.7-10.1	226	28.9	24.4-33.4	26	3.0	01.2-04.8	31	3.1	01.7-04.5	4	0.4	00.0-00.8
65+	1341	165,656	136	10.8	08.8-12.8	64	5.9	04.1-07.7	1087	79.5	76.8-82.2	25	1.9	00.7-03.1	29	1.9	01.1-02.7			
Less Than H.S.	265	56,997	45	16.8	11.1-22.5	23	11.6	05.5-17.7	183	67.8	60.2-75.4	1	1.2	00.0-03.6	12	2.4	01.0-03.8	1	0.2	00.0-00.6
H.S. or G.E.D.	980	193,365	278	34.1	29.6-38.6	79	8.7	06.2-11.2	566	51.2	46.7-55.7	24	2.3	01.1-03.5	31	3.6	01.6-05.6	2	0.2	00.0-00.4
Some Post-H.S.	921	192,159	352	49.0	44.5-53.5	67	9.6	06.7-12.5	428	35.0	31.1-38.9	42	3.8	02.2-05.4	31	2.5	01.3-03.7	1	0.1	00.0-00.3
College Graduate	1360	193,503	697	63.7	60.6-66.8	98	7.4	05.6-09.2	494	24.6	21.9-27.3	33	2.0	01.0-03.0	36	2.2	01.2-03.2	2	0.1	00.0-00.3
Less than \$15,000	261	41,687	15	8.5	03.4-13.6	11	5.5	01.2-09.8	221	79.2	71.6-86.8	5	2.5	00.0-06.4	9	4.4	00.9-07.9			
\$15,000- 24,999	486	82,185	75	16.4	11.9-20.9	39	10.3	05.8-14.8	349	69.4	63.5-75.3	9	1.1	00.3-01.9	14	2.8	01.0-04.6			
\$25,000- 34,999	322	53,748	96	35.4	27.4-43.4	26	7.3	03.8-10.8	172	48.9	41.1-56.7	6	2.3	00.0-04.8	20	5.7	02.8-08.6	2	0.5	00.0-01.3
\$35,000- 49,999	417	75,396	160	43.7	36.6-50.8	35	10.9	06.0-15.8	197	38.8	32.3-45.3	14	3.1	01.1-05.1	10	3.5	00.0-07.4	1	0.1	00.0-00.3
\$50,000- 74,999	441	81,254	225	58.8	52.5-65.1	28	7.9	04.4-11.4	162	28.6	23.3-33.9	18	3.7	01.5-05.9	8	1.0	00.2-01.8			
\$75,000+	956	183,250	626	75.7	72.6-78.8	63	6.7	04.7-08.7	212	12.9	10.7-15.1	30	2.6	01.4-03.8	25	2.0	01.0-03.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1536	296,476	617	47.9	44.4-51.4	124	8.7	06.7-10.7	680	36.3	33.2-39.4	58	3.5	02.3-04.7	53	3.4	02.0-04.8	4	0.2	00.0-00.4
White/Non-Hisp	1079	193,755	434	49.0	45.1-52.9	85	8.6	06.4-10.8	485	35.4	31.9-38.9	34	3.5	01.9-05.1	38	3.2	02.0-04.4	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	194	60,165	74	42.3	32.3-52.3	16	9.3	03.6-15.0	89	40.2	30.8-49.6	11	3.8	01.1-06.5	4	4.3	00.0-09.6			
Oth. Race/Non-Hisp.	104	18,031	43	53.9	40.6-67.2	9	7.5	01.4-13.6	42	32.3	19.4-45.2	4	1.6	00.0-03.4	6	4.8	00.0-09.7			
Hispanic	98	12,263	43	46.2	32.9-59.5	7	5.9	00.6-11.2	37	38.9	25.6-52.2	7	5.3	00.6-10.0	3	2.6	00.0-05.7	1	1.0	00.0-03.0
18-24	104	31,469	39	39.5	27.7-51.3	23	18.4	10.6-26.2	28	31.4	19.2-43.6	8	5.9	01.2-10.6	6	4.9	00.6-09.2			
25-34	157	42,125	98	64.6	54.4-74.8	23	13.3	05.7-20.9	26	17.6	09.4-25.8	7	3.4	00.5-06.3	3	1.1	00.0-02.5			
35-44	166	43,737	112	74.0	66.0-82.0	15	6.1	02.2-10.0	30	15.1	08.6-21.6	3	1.6	00.0-03.8	5	2.9	00.2-05.6	1	0.3	00.0-00.9
45-54	230	49,914	138	61.7	53.1-70.3	16	7.3	03.0-11.6	55	20.6	13.9-27.3	9	2.9	00.5-05.3	11	7.3	00.8-13.8	1	0.2	00.0-00.6
55-64	317	55,562	165	53.6	46.2-61.0	29	8.2	04.9-11.5	92	30.2	23.1-37.3	16	4.4	01.1-07.7	13	3.0	01.0-05.0	2	0.6	00.0-01.4
65+	562	73,670	65	12.9	09.6-16.2	18	4.9	02.0-07.8	449	76.8	72.1-81.5	15	3.3	00.9-05.7	15	2.1	00.9-03.3			
Less Than H.S.	120	25,157	27	21.5	12.1-30.9	7	6.1	01.0-11.2	77	65.7	54.7-76.7	1	2.7	00.0-07.8	7	3.6	00.9-06.3	1	0.5	00.0-01.5
H.S. or G.E.D.	429	91,346	145	39.1	32.0-46.2	42	9.7	06.4-13.0	213	44.2	37.5-50.9	12	2.0	00.6-03.4	15	4.7	01.2-08.2	2	0.4	00.0-01.0
Some Post-H.S.	388	92,824	170	54.7	48.0-61.4	24	8.5	04.2-12.8	149	28.1	22.6-33.6	27	5.9	03.0-08.8	17	2.7	00.9-04.5	1	0.1	00.0-00.3
College Graduate	588	84,118	269	57.2	52.3-62.1	50	8.9	06.2-11.6	238	28.7	24.6-32.8	18	2.7	01.1-04.3	13	2.5	00.9-04.1			
Less than \$15,000	86	14,296	7	14.7	02.7-26.7	3	2.6	00.0-06.3	71	79.1	66.6-91.6	2	0.6	00.0-01.4	3	3.0	00.0-06.7			
\$15,000- 24,999	185	34,356	27	13.9	07.2-20.6	16	9.9	04.4-15.4	127	70.1	61.5-78.7	7	2.0	00.2-03.8	8	4.1	00.8-07.4			
\$25,000- 34,999	136	26,535	46	38.3	26.0-50.6	11	6.1	01.6-10.6	64	45.0	32.8-57.2	4	3.8	00.0-08.9	10	6.2	01.7-10.7	1	0.6	00.0-01.8
\$35,000- 49,999	186	34,558	75	41.6	32.0-51.2	12	7.9	03.0-12.8	88	40.1	30.5-49.7	8	4.7	00.8-08.6	3	5.6	00.0-14.0			
\$50,000- 74,999	226	40,616	108	56.9	48.3-65.5	15	8.7	03.4-14.0	87	27.4	20.5-34.3	12	5.8	01.9-09.7	4	1.2	00.0-02.4			
\$75,000+	463	97,185	272	72.3	67.4-77.2	40	8.5	05.4-11.6	120	14.0	10.9-17.1	16	2.8	00.8-04.8	15	2.4	00.8-04.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2012	343,776	764	44.7	41.6-47.8	144	8.8	06.8-10.8	1001	42.5	39.6-45.4	42	1.8	01.0-02.6	59	2.3	01.5-03.1	2	0.0	00.0-00.0
White/Non-Hisp	1398	226,250	522	44.8	41.1-48.5	100	7.9	05.7-10.1	711	43.7	40.0-47.4	32	1.8	01.0-02.6	32	1.8	01.0-02.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	325	73,490	136	45.2	37.8-52.6	22	11.8	05.3-18.3	151	38.6	31.5-45.7	2	1.5	00.0-03.9	14	2.9	00.9-04.9			
Oth. Race/Non-Hisp.	64	13,963	32	52.4	35.7-69.1	6	11.5	00.0-24.0	23	32.9	17.2-48.6	1	0.7	00.0-02.1	2	2.5	00.0-06.4			
Hispanic	140	17,997	43	32.1	22.1-42.1	8	4.8	01.3-08.3	79	57.3	46.5-68.1	5	2.7	00.2-05.2	5	3.2	00.0-07.3			
18-24	80	34,780	23	29.3	16.8-41.8	17	26.3	13.2-39.4	30	35.9	22.4-49.4	5	5.3	00.0-11.2	5	3.1	00.0-06.2			
25-34	169	50,513	80	51.2	41.0-61.4	11	7.2	01.7-12.7	67	38.2	28.2-48.2	4	1.4	00.0-02.8	7	2.0	00.2-03.8			
35-44	193	46,684	118	66.1	57.9-74.3	8	5.8	01.3-10.3	54	22.7	15.8-29.6	6	2.3	00.1-04.5	7	3.0	00.3-05.7			
45-54	322	57,530	209	71.4	65.3-77.5	20	6.6	03.1-10.1	78	19.7	14.4-25.0	7	1.2	00.2-02.2	8	1.1	00.3-01.9			
55-64	469	62,282	263	59.6	53.7-65.5	42	7.7	05.0-10.4	134	27.6	21.9-33.3	10	1.6	00.4-02.8	18	3.2	01.4-05.0	2	0.3	00.0-00.7
65+	779	91,986	71	9.2	06.8-11.6	46	6.7	04.3-09.1	638	81.6	78.3-84.9	10	0.8	00.2-01.4	14	1.8	00.8-02.8			
Less Than H.S.	145	31,840	18	13.2	06.3-20.1	16	16.1	06.5-25.7	106	69.4	58.6-80.2				5	1.4	00.0-02.8			
H.S. or G.E.D.	551	102,018	133	29.7	24.0-35.4	37	7.8	04.1-11.5	353	57.4	51.5-63.3	12	2.5	00.5-04.5	16	2.6	01.0-04.2			
Some Post-H.S.	533	99,335	182	43.8	37.7-49.9	43	10.6	06.3-14.9	279	41.5	35.8-47.2	15	1.9	00.9-02.9	14	2.3	00.9-03.7			
College Graduate	772	109,386	428	68.7	64.4-73.0	48	6.1	03.7-08.5	256	21.4	17.9-24.9	15	1.5	00.5-02.5	23	2.1	01.1-03.1	2	0.1	00.0-00.3
Less than \$15,000	175	27,392	8	5.3	01.4-09.2	8	7.0	00.9-13.1	150	79.2	69.8-88.6	3	3.4	00.0-09.3	6	5.1	00.2-10.0			
\$15,000- 24,999	301	47,829	48	18.2	12.3-24.1	23	10.7	04.0-17.4	222	68.9	60.9-76.9	2	0.4	00.0-01.0	6	1.9	00.1-03.7			
\$25,000- 34,999	186	27,213	50	32.5	22.7-42.3	15	8.4	02.9-13.9	108	52.6	42.6-62.6	2	0.9	00.0-02.1	10	5.2	01.7-08.7	1	0.3	00.0-00.9
\$35,000- 49,999	231	40,838	85	45.5	35.7-55.3	23	13.4	05.2-21.6	109	37.6	28.8-46.4	6	1.7	00.1-03.3	7	1.7	00.3-03.1	1	0.2	00.0-00.6
\$50,000- 74,999	215	40,639	117	60.6	51.8-69.4	13	7.1	02.4-11.8	75	29.8	21.8-37.8	6	1.7	00.1-03.3	4	0.9	00.0-01.9			
\$75,000+	493	86,065	354	79.7	75.6-83.8	23	4.7	02.3-07.1	92	11.7	08.8-14.6	14	2.5	00.9-04.1	10	1.5	00.3-02.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	720,914	50	1.3	00.7-01.9	230	5.5	04.5-06.5	115	3.2	02.4-04.0	24	0.5	00.3-00.7	309	7.7	06.5-08.9	3253	81.8	80.0-83.6
Male	1759	338,906	16	1.0	00.4-01.6	95	5.2	03.8-06.6	48	3.2	02.0-04.4	10	0.5	00.1-00.9	105	5.7	04.1-07.3	1485	84.3	81.9-86.7
Female	2222	382,008	34	1.5	00.5-02.5	135	5.7	04.3-07.1	67	3.2	02.2-04.2	14	0.5	00.1-00.9	204	9.5	07.7-11.3	1768	79.6	77.2-82.0
White/Non-Hisp	2638	456,542	33	1.0	00.6-01.4	149	5.4	04.2-06.6	63	2.5	01.7-03.3	11	0.4	00.2-00.6	167	6.9	05.3-08.5	2215	83.8	81.8-85.8
Black or Afr. Am./Non-Hisp	560	144,268	9	2.1	00.0-04.3	31	5.4	02.9-07.9	15	3.2	01.2-05.2	4	0.6	00.0-01.2	61	9.7	06.8-12.6	440	79.1	74.6-83.6
Oth. Race/Non-Hisp.	182	35,032	9	4.8	00.3-09.3	9	4.8	00.3-09.3	6	4.2	00.5-07.9	1	0.1	00.0-00.3	15	8.5	02.8-14.2	151	82.4	74.8-90.0
Hispanic	436	57,410	6	1.0	00.0-02.2	27	5.1	02.6-07.6	26	6.9	03.6-10.2	6	1.3	00.0-02.7	47	9.1	05.6-12.6	324	76.5	71.2-81.8
18-24	239	81,930	1	1.8	00.0-05.3	8	2.4	00.4-04.4	11	4.4	01.5-07.3	2	0.6	00.0-01.4	20	7.4	03.5-11.3	197	83.6	77.5-89.7
25-34	441	116,410	6	1.0	00.0-02.2	32	6.0	03.1-08.9	20	4.9	02.0-07.8	5	0.6	00.0-01.2	50	11.0	06.7-15.3	328	76.5	71.0-82.0
35-44	454	106,883	7	1.7	00.1-03.3	40	8.7	05.2-12.2	17	3.1	01.3-04.9	3	0.6	00.0-01.4	37	8.5	05.0-12.0	350	77.5	72.4-82.6
45-54	624	117,270	12	1.9	00.5-03.3	51	8.4	05.5-11.3	21	2.8	01.2-04.4	7	1.0	00.2-01.8	52	7.1	04.7-09.5	481	78.8	74.7-82.9
55-64	851	128,014	16	1.3	00.5-02.1	47	5.2	03.2-07.2	23	3.2	01.6-04.8	4	0.3	00.0-00.7	80	9.0	06.5-11.5	681	81.1	77.6-84.6
65+	1372	170,407	8	0.5	00.1-00.9	52	2.8	01.8-03.8	23	1.9	00.9-02.9	3	0.1	00.0-00.3	70	4.7	03.1-06.3	1216	90.0	88.0-92.0
Less Than H.S.	433	87,363	6	1.2	00.0-02.6	17	3.6	01.2-06.0	20	4.6	02.1-07.1	1	0.1	00.0-00.3	61	14.1	08.8-19.4	328	76.4	70.5-82.3
H.S. or G.E.D.	1144	225,896	12	0.9	00.3-01.5	54	3.5	02.3-04.7	38	2.9	01.7-04.1	7	0.5	00.1-00.9	104	8.7	06.5-10.9	929	83.5	80.8-86.2
Some Post-H.S.	974	203,776	13	1.8	00.2-03.4	66	6.7	04.3-09.1	29	3.0	01.6-04.4	4	0.3	00.0-00.7	81	7.5	05.3-09.7	781	80.7	77.2-84.2
College Graduate	1405	199,050	19	1.2	00.4-02.0	91	7.0	05.2-08.8	27	3.1	01.5-04.7	10	0.6	00.0-01.2	62	4.2	02.8-05.6	1196	83.8	81.1-86.5
Less than \$15,000	326	50,443	5	0.7	00.1-01.3	10	2.8	00.1-05.5	19	6.1	02.8-09.4	3	0.9	00.0-01.9	67	21.7	14.8-28.6	222	67.8	60.4-75.2
\$15,000- 24,999	600	100,175	9	1.8	00.2-03.4	39	5.8	03.3-08.3	31	5.5	03.1-07.9	4	0.8	00.0-01.8	89	14.8	10.7-18.9	428	71.3	66.2-76.4
\$25,000- 34,999	367	62,142	4	0.7	00.0-01.5	25	5.3	02.2-08.4	10	4.3	01.4-07.2	2	0.6	00.0-01.6	30	6.5	03.4-09.6	296	82.6	77.3-87.9
\$35,000- 49,999	453	85,095	7	1.1	00.1-02.1	30	6.2	03.3-09.1	10	2.2	00.2-04.2	5	0.5	00.0-01.1	24	4.4	02.2-06.6	377	85.6	81.5-89.7
\$50,000- 74,999	463	87,026	8	1.5	00.1-02.9	27	5.6	02.3-08.9	15	2.7	01.1-04.3				12	3.0	00.6-05.4	401	87.2	82.9-91.5
\$75,000+	983	188,945	14	1.3	00.3-02.3	60	6.4	04.2-08.6	14	2.6	00.8-04.4	3	0.4	00.0-00.8	30	4.3	02.3-06.3	862	85.1	81.8-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	338,906	16	1.0	00.4-01.6	95	5.2	03.8-06.6	48	3.2	02.0-04.4	10	0.5	00.1-00.9	105	5.7	04.1-07.3	1485	84.3	81.9-86.7
White/Non-Hisp	1156	214,664	11	0.9	00.1-01.7	60	4.9	03.3-06.5	24	2.5	01.1-03.9	5	0.3	00.0-00.7	52	5.3	03.3-07.3	1004	86.0	83.3-88.7
Black or Afr. Am./Non-Hisp	211	64,461	3	1.4	00.0-03.2	15	7.1	02.6-11.6	5	3.2	00.0-06.5	3	0.8	00.0-01.8	17	6.5	02.6-10.4	168	81.1	74.2-88.0
Oth. Race/Non-Hisp.	113	19,468				4	1.5	00.0-03.3	5	6.6	00.3-12.9				8	3.7	00.4-07.0	96	88.2	80.9-95.5
Hispanic	206	26,059	1	0.2	00.0-00.6	11	5.5	01.4-09.6	11	4.5	01.0-08.0	2	1.6	00.0-04.3	22	8.5	04.0-13.0	159	79.7	72.4-87.0
18-24	140	41,549				4	1.9	00.0-04.1	6	2.8	00.4-05.2	1	0.5	00.0-01.5	14	8.8	03.3-14.3	115	86.0	79.7-92.3
25-34	223	55,466	1	0.1	00.0-00.3	14	4.7	01.8-07.6	7	4.6	00.0-09.5	2	0.8	00.0-02.2	22	8.5	03.4-13.6	177	81.4	74.1-88.7
35-44	207	51,078	2	1.9	00.0-04.6	20	10.6	04.5-16.7	8	3.7	00.8-06.6				9	5.0	00.9-09.1	168	78.8	71.0-86.6
45-54	276	55,418	6	2.8	00.1-05.5	23	8.3	04.0-12.6	8	3.1	00.6-05.6	4	1.2	00.0-02.4	18	4.1	01.9-06.3	217	80.5	74.6-86.4
55-64	344	60,084	4	0.7	00.0-01.5	18	4.7	01.4-08.0	12	3.6	01.2-06.0	1	0.3	00.0-00.9	20	5.2	02.3-08.1	289	85.5	80.6-90.4
65+	569	75,309	3	0.5	00.0-01.1	16	2.0	00.8-03.2	7	1.9	00.3-03.5	2	0.3	00.0-00.7	22	4.0	01.5-06.5	519	91.3	88.2-94.4
Less Than H.S.	211	42,030	4	2.2	00.0-04.9	4	1.3	00.0-02.9	10	3.6	00.9-06.3				27	10.0	04.9-15.1	166	83.0	76.3-89.7
H.S. or G.E.D.	525	111,840	3	0.4	00.0-01.0	29	4.6	02.4-06.8	13	1.9	00.7-03.1	5	0.7	00.1-01.3	38	7.1	04.2-10.0	437	85.2	81.5-88.9
Some Post-H.S.	405	96,628	4	1.4	00.0-03.2	27	6.2	02.9-09.5	9	3.0	00.5-05.5	2	0.3	00.0-00.7	19	4.5	01.6-07.4	344	84.4	79.3-89.5
College Graduate	604	84,775	5	0.7	00.1-01.3	34	6.2	03.7-08.7	15	4.7	01.8-07.6	2	0.2	00.0-00.6	21	3.3	01.3-05.3	527	84.9	80.8-89.0
Less than \$15,000	119	17,798	2	0.6	00.0-01.6	3	1.0	00.0-02.2	6	4.6	00.3-08.9	2	1.9	00.0-04.4	15	12.7	02.7-22.7	91	79.2	68.4-90.0
\$15,000- 24,999	248	44,137	5	2.7	00.0-05.4	12	5.9	01.4-10.4	15	5.6	02.3-08.9	1	0.8	00.0-02.4	30	10.8	06.1-15.5	185	74.2	66.9-81.5
\$25,000- 34,999	157	30,279				12	5.8	00.9-10.7	3	2.6	00.0-05.7	1	0.5	00.0-01.5	13	5.5	01.6-09.4	128	85.6	78.7-92.5
\$35,000- 49,999	203	39,589	1	0.4	00.0-01.2	9	3.1	00.7-05.5	4	1.8	00.0-04.0	1	0.5	00.0-01.5	10	3.8	00.9-06.7	178	90.4	85.9-94.9
\$50,000- 74,999	236	43,922	2	0.5	00.0-01.3	17	6.0	02.1-09.9	5	2.4	00.0-04.8				6	1.9	00.1-03.7	206	89.2	84.3-94.1
\$75,000+	478	99,813	6	1.7	00.0-03.5	29	7.1	03.8-10.4	8	3.6	00.5-06.7	1	0.1	00.0-00.3	12	3.8	01.1-06.5	422	83.6	78.5-88.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2222	382,008	34	1.5	00.5-02.5	135	5.7	04.3-07.1	67	3.2	02.2-04.2	14	0.5	00.1-00.9	204	9.5	07.7-11.3	1768	79.6	77.2-82.0
White/Non-Hisp	1482	241,877	22	1.1	00.7-01.5	89	5.9	04.1-07.7	39	2.5	01.5-03.5	6	0.4	00.0-00.8	115	8.3	06.1-10.5	1211	81.9	79.0-84.8
Black or Afr. Am./Non-Hisp	349	79,807	6	2.7	00.0-06.4	16	4.1	01.6-06.6	10	3.2	00.8-05.6	1	0.3	00.0-00.9	44	12.3	08.0-16.6	272	77.5	71.4-83.6
Oth. Race/Non-Hisp.	69	15,564				5	9.0	00.0-18.8	1	1.3	00.0-03.8	1	0.1	00.0-00.3	7	14.4	02.6-26.2	55	75.1	60.8-89.4
Hispanic	230	31,351	5	1.7	00.0-03.7	16	4.9	01.8-08.0	15	8.9	03.6-14.2	4	1.1	00.0-02.3	25	9.6	04.3-14.9	165	73.8	66.2-81.4
18-24	99	40,380	1	3.6	00.0-10.5	4	2.8	00.0-06.1	5	6.0	00.7-11.3	1	0.6	00.0-01.8	6	5.8	00.1-11.5	82	81.1	70.9-91.3
25-34	218	60,944	5	1.9	00.0-04.1	18	7.2	02.3-12.1	13	5.2	01.9-08.5	3	0.4	00.0-01.0	28	13.2	06.7-19.7	151	72.0	63.8-80.2
35-44	247	55,804	5	1.5	00.0-03.1	20	6.9	03.0-10.8	9	2.5	00.7-04.3	3	1.2	00.0-02.8	28	11.7	06.4-17.0	182	76.3	69.6-83.0
45-54	348	61,851	6	1.1	00.1-02.1	28	8.5	04.4-12.6	13	2.6	01.0-04.2	3	0.7	00.0-01.5	34	9.8	05.9-13.7	264	77.4	71.9-82.9
55-64	507	67,930	12	1.8	00.6-03.0	29	5.5	03.1-07.9	11	2.7	00.5-04.9	3	0.4	00.0-00.8	60	12.4	08.3-16.5	392	77.1	72.2-82.0
65+	803	95,097	5	0.5	00.1-00.9	36	3.4	02.0-04.8	16	2.0	01.0-03.0	1	0.0	00.0-00.0	48	5.2	03.0-07.4	697	88.9	86.4-91.4
Less Than H.S.	222	45,332	2	0.2	00.0-00.6	13	5.7	01.4-10.0	10	5.6	01.5-09.7	1	0.3	00.0-00.9	34	18.0	09.4-26.6	162	70.2	61.0-79.4
H.S. or G.E.D.	619	114,056	9	1.3	00.3-02.3	25	2.3	01.3-03.3	25	3.8	01.8-05.8	2	0.2	00.0-00.6	66	10.3	07.0-13.6	492	81.9	78.0-85.8
Some Post-H.S.	569	107,148	9	2.1	00.0-04.8	39	7.1	04.0-10.2	20	3.0	01.4-04.6	2	0.3	00.0-00.7	62	10.1	07.0-13.2	437	77.4	72.5-82.3
College Graduate	801	114,275	14	1.6	00.4-02.8	57	7.6	05.1-10.1	12	1.9	00.3-03.5	8	1.0	00.0-02.0	41	4.8	02.8-06.8	669	83.0	79.3-86.7
Less than \$15,000	207	32,645	3	0.7	00.0-01.5	7	3.8	00.0-08.1	13	6.9	02.2-11.6	1	0.4	00.0-01.2	52	26.6	17.8-35.4	131	61.6	52.2-71.0
\$15,000- 24,999	352	56,038	4	1.1	00.0-02.5	27	5.7	02.8-08.6	16	5.4	02.1-08.7	3	0.8	00.0-01.8	59	17.9	11.6-24.2	243	69.1	62.0-76.2
\$25,000- 34,999	210	31,863	4	1.4	00.0-03.0	13	4.9	01.0-08.8	7	5.8	00.9-10.7	1	0.8	00.0-02.4	17	7.3	02.2-12.4	168	79.7	72.1-87.3
\$35,000- 49,999	250	45,506	6	1.7	00.1-03.3	21	9.0	03.9-14.1	6	2.5	00.0-05.6	4	0.5	00.0-01.1	14	4.8	01.5-08.1	199	81.5	74.8-88.2
\$50,000- 74,999	227	43,103	6	2.4	00.0-05.1	10	5.3	00.0-10.6	10	3.0	01.0-05.0				6	4.3	00.0-08.8	195	85.1	78.0-92.2
\$75,000+	505	89,131	8	0.9	00.3-01.5	31	5.6	03.1-08.1	6	1.4	00.2-02.6	2	0.7	00.0-01.7	18	4.8	01.9-07.7	440	86.6	82.7-90.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	378	68,297	69	28.9	21.1-36.7	39	8.6	05.3-11.9
Male	197	35,303	28	25.1	13.3-36.9	20	7.7	03.6-11.8
Female	181	32,993	41	33.0	22.2-43.8	19	9.5	04.2-14.8
White/Non-Hisp	133	28,976	35	35.3	22.8-47.8	17	8.1	03.6-12.6
Hispanic	184	24,719	14	14.3	01.0-27.6	11	5.6	01.7-09.5
25-34	105	21,402	18	38.3	21.1-55.5	12	8.6	02.1-15.1
35-44	95	16,832	12	17.1	05.3-28.9	6	5.8	00.0-11.7
45-54	63	9,372	15	34.9	17.3-52.5	7	6.7	01.2-12.2
55-64	65	10,058	9	10.2	02.8-17.6	6	8.1	00.7-15.5
Less Than H.S.	155	26,577	21	25.1	11.4-38.8	9	3.9	00.8-07.0
H.S. or G.E.D.	131	24,520	25	31.5	19.0-44.0	14	9.1	03.6-14.6
Some Post-H.S.	53	10,862	11	26.2	08.4-44.0	10	14.9	02.9-26.9
Less than \$15,000	60	7,532	8	20.7	03.8-37.6	8	9.8	02.4-17.2
\$15,000- 24,999	105	16,659	20	31.5	18.2-44.8	8	6.6	01.3-11.9

Data was weighted using \_LLCPWT.

3			4			5		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
68	16.7	12.0-21.4	105	25.2	19.1-31.3	97	20.6	14.5-26.7
31	15.7	08.6-22.8	62	27.8	19.2-36.4	56	23.7	13.7-33.7
37	17.9	11.2-24.6	43	22.4	14.0-30.8	41	17.2	10.5-23.9
31	19.3	11.5-27.1	38	25.4	15.6-35.2	12	11.9	01.3-22.5
25	11.3	05.8-16.8	49	26.0	16.4-35.6	85	42.9	31.7-54.1
15	12.7	04.1-21.3	28	18.5	09.5-27.5	32	21.9	07.8-36.0
18	15.8	07.0-24.6	28	35.8	21.7-49.9	31	25.5	14.3-36.7
8	12.3	02.7-21.9	20	30.4	15.9-44.9	13	15.8	04.6-27.0
16	24.7	11.4-38.0	24	39.0	23.5-54.5	10	18.0	05.3-30.7
16	8.1	02.8-13.4	45	26.2	16.2-36.2	64	36.7	24.2-49.2
32	26.9	16.7-37.1	35	19.6	12.0-27.2	25	13.0	06.3-19.7
12	16.6	06.0-27.2	15	39.8	21.2-58.4	5	2.4	00.0-04.8
6	9.4	00.8-18.0	18	32.1	14.9-49.3	20	28.0	13.9-42.1
20	18.2	09.2-27.2	29	24.4	13.8-35.0	28	19.3	09.9-28.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	197	35,303	28	25.1	13.1-37.1	20	7.7	03.6-11.8
White/Non-Hisp	63	15,503	13	27.2	11.1-43.3	8	7.0	01.7-12.3
Hispanic	103	13,194	6	16.3	00.0-39.0	6	6.6	00.3-12.9
25-34	61	11,764	7	30.0	04.5-55.5	7	7.5	01.2-13.8
Less Than H.S.	87	15,440	12	29.2	08.0-50.4	4	3.5	00.0-08.0
H.S. or G.E.D.	78	14,609	11	25.7	11.0-40.4	6	7.7	00.8-14.6
\$15,000- 24,999	57	8,116	6	17.6	02.5-32.7	5	9.3	00.1-18.5

Data was weighted using \_LLCPWT.

3	4			5				
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
31	15.7	09.0-22.4	62	27.8	19.6-36.0	56	23.7	13.5-33.9
10	13.1	05.3-20.9	22	32.4	17.7-47.1	10	20.2	02.6-37.8
16	13.9	05.3-22.5	29	23.4	12.0-34.8	46	39.8	24.1-55.5
9	14.6	01.1-28.1	16	18.6	05.9-31.3	22	29.4	06.5-52.3
9	7.0	00.7-13.3	27	24.3	12.7-35.9	35	35.9	17.3-54.5
19	29.1	16.2-42.0	25	24.4	13.6-35.2	17	13.1	05.1-21.1
9	13.2	03.6-22.8	18	31.5	18.6-44.4	19	28.5	13.6-43.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	181	32,993	41	33.0	22.0-44.0	19	9.5	04.2-14.8
White/Non-Hisp	70	13,472	22	44.6	27.0-62.2	9	9.3	02.0-16.6
Hispanic	81	11,524	8	11.9	02.3-21.5	5	4.4	00.0-08.9
35-44	54	8,826	9	22.4	06.5-38.3	3	6.1	00.0-15.3
Less Than H.S.	68	11,137	9	19.3	06.4-32.2	5	4.4	00.0-08.9
H.S. or G.E.D.	53	9,911	14	40.0	18.8-61.2	8	11.1	02.1-20.1

Data was weighted using \_LLCPWT.

	3			4			5		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	37	17.9	11.2-24.6	43	22.4	13.8-31.0	41	17.2	10.5-23.9
	21	26.5	13.4-39.6	16	17.2	06.6-27.8	2	2.4	00.0-06.1
	9	8.3	01.6-15.0	20	29.0	13.7-44.3	39	46.4	31.3-61.5
	12	20.9	06.4-35.4	10	25.4	06.8-44.0	20	25.2	11.3-39.1
	7	9.8	00.6-19.0	18	28.8	12.9-44.7	29	37.7	22.6-52.8
	13	23.6	09.1-38.1	10	12.5	03.5-21.5	8	12.7	01.3-24.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 13: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3952	714,080	537	15.1	13.3-16.9	668	17.2	15.4-19.0	514	13.1	11.5-14.7	442	11.1	09.7-12.5	248	6.5	05.3-07.7
Male	1753	337,008	278	17.6	14.9-20.3	316	18.6	15.9-21.3	203	12.4	10.0-14.8	205	10.7	08.7-12.7	81	4.3	02.9-05.7
Female	2199	377,072	259	13.0	11.0-15.0	352	16.0	13.8-18.2	311	13.8	11.8-15.8	237	11.5	09.3-13.7	167	8.5	06.5-10.5
White/Non-Hisp	2609	451,145	323	14.1	12.3-15.9	452	17.4	15.2-19.6	335	12.4	10.6-14.2	290	10.5	08.9-12.1	183	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	557	142,705	88	16.9	12.2-21.6	107	20.6	15.9-25.3	91	16.8	12.3-21.3	66	12.7	08.4-17.0	29	4.9	02.5-07.3
Oth. Race/Non-Hisp.	184	35,035	27	17.3	09.9-24.7	30	14.6	08.1-21.1	28	14.2	07.1-21.3	18	14.0	05.8-22.2	9	3.3	00.0-07.0
Hispanic	442	57,876	75	17.4	10.9-23.9	59	12.4	08.1-16.7	44	9.6	06.1-13.1	48	11.2	07.1-15.3	18	4.7	02.0-07.4
18-24	239	82,229	40	12.4	07.9-16.9	48	21.6	14.3-28.9	24	11.5	06.0-17.0	21	11.9	05.4-18.4	19	10.8	04.9-16.7
25-34	441	115,546	85	20.3	14.8-25.8	75	15.5	11.0-20.0	58	13.6	08.9-18.3	29	6.5	03.2-09.8	21	7.4	03.3-11.5
35-44	455	104,333	91	21.8	15.7-27.9	81	16.6	12.3-20.9	42	8.2	04.9-11.5	47	12.8	08.5-17.1	21	4.1	01.7-06.5
45-54	623	118,228	84	13.4	09.9-16.9	111	19.3	15.0-23.6	94	17.2	12.9-21.5	67	9.5	06.6-12.4	26	4.1	02.1-06.1
55-64	847	126,102	117	15.2	12.1-18.3	129	15.8	12.5-19.1	118	13.6	10.7-16.5	78	9.6	07.1-12.1	56	6.8	04.6-09.0
65+	1347	167,641	120	10.0	07.8-12.2	224	16.2	13.8-18.6	178	13.4	11.0-15.8	200	15.1	12.6-17.6	105	6.9	05.3-08.5
Less Than H.S.	431	86,857	54	12.6	07.1-18.1	67	15.9	10.4-21.4	43	11.8	07.3-16.3	45	9.9	06.4-13.4	12	2.3	00.5-04.1
H.S. or G.E.D.	1128	220,941	168	15.6	12.3-18.9	183	18.8	15.3-22.3	136	11.9	09.2-14.6	127	10.7	08.2-13.2	66	6.4	04.2-08.6
Some Post-H.S.	974	203,115	142	16.1	13.0-19.2	177	15.7	12.8-18.6	125	14.3	11.2-17.4	104	10.2	07.5-12.9	65	7.7	05.0-10.4
College Graduate	1394	198,338	171	15.0	12.3-17.7	236	17.5	15.0-20.0	208	14.1	11.7-16.5	165	12.9	10.2-15.6	104	7.4	05.4-09.4
Less than \$15,000	318	48,533	36	13.2	07.5-18.9	46	16.4	10.5-22.3	28	6.7	03.8-09.6	35	9.7	05.6-13.8	16	5.0	01.5-08.5
\$15,000- 24,999	595	98,152	77	14.3	10.0-18.6	80	14.1	10.2-18.0	57	11.4	07.7-15.1	62	8.7	05.8-11.6	41	6.0	03.8-08.2
\$25,000- 34,999	368	62,268	43	9.8	06.3-13.3	80	23.0	16.3-29.7	48	9.8	06.3-13.3	47	14.6	08.9-20.3	22	5.0	02.5-07.5
\$35,000- 49,999	452	84,553	61	14.9	09.4-20.4	82	19.2	13.9-24.5	56	12.6	07.7-17.5	49	8.8	05.3-12.3	27	7.8	03.3-12.3
\$50,000- 74,999	463	88,230	44	10.5	06.8-14.2	98	22.0	16.3-27.7	52	12.0	07.5-16.5	47	8.9	05.4-12.4	36	7.3	03.8-10.8
\$75,000+	975	187,277	145	18.0	14.1-21.9	177	18.2	15.1-21.3	173	16.7	13.6-19.8	112	11.3	08.8-13.8	57	6.2	04.0-08.4

Data was weighted using \_LLCPWT.

N	6		N	8		N	10		N	11		N	12		N	13		N	14	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
279	6.4	05.4-07.4	87	2.2	01.6-02.8	114	2.5	01.9-03.1	2	0.0	00.0-00.0	161	3.6	02.8-04.4	3	0.1	00.0-00.3	11	0.2	00.0-00.4
115	6.1	04.5-07.7	37	1.9	01.1-02.7	48	2.1	01.3-02.9	1	0.0	00.0-00.0	54	3.8	02.4-05.2	1	0.1	00.0-00.3	3	0.2	00.0-00.4
164	6.6	05.2-08.0	50	2.4	01.6-03.2	66	3.0	02.0-04.0	1	0.0	00.0-00.0	107	3.5	02.7-04.3	2	0.0	00.0-00.0	8	0.2	00.0-00.4
227	8.1	06.7-09.5	71	2.6	01.8-03.4	82	2.5	01.7-03.3	1	0.0	00.0-00.0	107	3.5	02.5-04.5	3	0.1	00.0-00.3	8	0.3	00.1-00.5
19	3.8	01.6-06.0	9	1.6	00.4-02.8	18	2.4	01.0-03.8				29	3.6	02.0-05.2				1	0.1	00.0-00.3
10	3.6	00.5-06.7	4	3.5	00.0-07.8	4	3.3	00.0-07.4				7	4.7	00.4-09.0						
13	2.4	00.6-04.2	3	0.7	00.0-01.5	4	1.4	00.0-03.0	1	0.1	00.0-00.3	10	1.5	00.3-02.7				1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 13: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																				
6			8			10			11			12			13			14		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
5	3.0	00.3-05.7	3	0.7	00.0-01.5	3	1.6	00.0-03.8				4	1.9	00.0-04.1						
15	4.3	01.6-07.0	5	1.6	00.0-03.2	7	1.8	00.4-03.2				11	3.5	00.8-06.2				1	0.0	00.0-00.0
20	4.3	01.9-06.7	3	0.5	00.0-01.1	7	2.1	00.3-03.9				9	1.4	00.2-02.6	1	0.3	00.0-00.9			
36	6.7	04.0-09.4	13	1.9	00.7-03.1	17	2.3	00.9-03.7				24	3.6	01.8-05.4	1	0.1	00.0-00.3			
77	9.0	06.5-11.5	19	3.7	01.5-05.9	25	2.1	01.1-03.1	1	0.0	00.0-00.0	48	4.6	02.6-06.6	1	0.0	00.0-00.0	3	0.3	00.0-00.7
126	8.6	06.8-10.4	44	3.3	01.9-04.7	55	4.3	02.9-05.7	1	0.0	00.0-00.0	65	5.3	03.5-07.1				7	0.6	00.0-01.2
26	5.4	02.3-08.5	6	2.3	00.1-04.5	6	1.8	00.0-03.8				15	3.7	01.3-06.1						
62	5.0	03.2-06.8	21	2.1	00.9-03.3	29	2.4	01.2-03.6				58	3.5	02.1-04.9	1	0.2	00.0-00.6	2	0.0	00.0-00.0
68	6.8	04.6-09.0	23	2.1	01.1-03.1	32	2.5	01.3-03.7	1	0.0	00.0-00.0	41	4.9	02.7-07.1	1	0.1	00.0-00.3	6	0.5	00.1-00.9
120	8.0	06.2-09.8	37	2.3	01.3-03.3	47	3.2	02.0-04.4	1	0.0	00.0-00.0	47	2.6	01.6-03.6	1	0.0	00.0-00.0	3	0.2	00.0-00.4
19	6.1	01.8-10.4	9	4.0	00.7-07.3	6	3.1	00.0-06.2				24	5.0	02.5-07.5						
36	5.7	03.2-08.2	12	2.2	00.6-03.8	14	2.3	00.3-04.3				36	5.9	03.0-08.8				2	0.1	00.0-00.3
17	7.0	02.1-11.9	6	1.6	00.0-03.2	9	2.0	00.6-03.4				15	3.3	00.6-06.0				1	0.1	00.0-00.3
31	5.1	02.7-07.5	9	2.7	00.5-04.9	16	2.6	01.0-04.2				14	2.8	00.8-04.8	2	0.5	00.0-01.3	1	0.0	00.0-00.2
46	7.8	04.9-10.7	18	3.9	01.4-06.4	18	3.1	01.1-05.1	1	0.0	00.0-00.0	14	4.3	01.4-07.2				1	0.2	00.0-00.6
73	7.5	05.3-09.7	23	1.8	00.8-02.8	36	3.0	01.8-04.2				25	2.5	01.1-03.9	1	0.1	00.0-00.3	4	0.3	00.0-00.7
Data was weighted using _LLCPWT.																				
15			16			17			18			19			20			22		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
52	1.2	00.8-01.6	9	0.3	00.1-00.5	5	0.1	00.1-00.1	4	0.1	00.1-00.1	2	0.0	00.0-00.0	70	1.9	01.3-02.5	1	0.0	00.0-00.0
27	1.5	00.9-02.1	4	0.3	00.0-00.7	1	0.0	00.0-00.0	1	0.0	00.0-00.0	2	0.0	00.0-00.0	23	1.2	00.6-01.8			
25	1.0	00.4-01.6	5	0.2	00.0-00.4	4	0.1	00.0-00.3	3	0.1	00.0-00.3				47	2.5	01.5-03.5	1	0.0	00.0-00.0
42	1.5	00.9-02.1	8	0.4	00.0-00.8	5	0.1	00.1-00.1	3	0.1	00.0-00.3	1	0.0	00.0-00.0	55	2.3	01.5-03.1	1	0.0	00.0-00.0
5	0.5	00.0-01.1							1	0.1	00.0-00.3	1	0.0	00.0-00.0	8	1.8	00.2-03.4			
			1	0.3	00.0-00.9									2	0.5	00.0-01.3				
2	0.7	00.0-01.9												4	0.8	00.0-01.6				
2	1.2	00.0-03.0	1	0.1	00.0-00.3									7	2.9	00.4-05.4				
						1	0.1	00.0-00.3						6	1.9	00.1-03.7				
5	0.8	00.0-01.6	2	0.2	00.0-00.4	1	0.1	00.0-00.3						5	1.4	00.0-03.0				
10	2.0	00.6-03.4	1	0.2	00.0-00.6				3	0.4	00.0-00.8	1	0.0	00.0-00.0	12	1.9	00.3-03.5	1	0.1	00.0-00.3
13	1.5	00.3-02.7	1	0.3	00.0-00.9	2	0.1	00.0-00.3	1	0.0	00.0-00.0				18	1.8	00.8-02.8			
22	1.5	00.7-02.3	4	0.6	00.0-01.4	1	0.0	00.0-00.0				1	0.0	00.0-00.0	22	1.9	00.7-03.1			
3	1.0	00.0-02.2							1	0.1	00.0-00.3	1	0.1	00.0-00.3	5	2.0	00.0-04.2			
17	1.3	00.5-02.1	2	0.2	00.0-00.6	2	0.1	00.0-00.3	3	0.2	00.0-00.4	1	0.0	00.0-00.0	20	2.2	00.8-03.6	1	0.0	00.0-00.0
11	1.3	00.3-02.3	3	0.4	00.0-01.0	1	0.0	00.0-00.0						20	2.1	00.9-03.3				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 13: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																				
15			16			17			18			19			20			22		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
20	1.1	00.5-01.7	4	0.3	00.0-00.7	2	0.1	00.0-00.3							25	1.4	00.6-02.2			
2	0.6	00.0-01.6							1	0.4	00.0-01.2				14	5.6	00.9-10.3			
10	1.4	00.2-02.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3	8	1.0	00.0-02.0	1	0.1	00.0-00.3
5	0.9	00.1-01.7	3	0.7	00.0-01.5										6	2.2	00.0-04.6			
7	1.4	00.2-02.6													12	2.9	00.7-05.1			
8	2.5	00.3-04.7	2	0.8	00.0-02.2				1	0.2	00.0-00.6				5	0.6	00.0-01.2			
16	1.3	00.5-02.1	2	0.2	00.0-00.4	4	0.2	00.0-00.4							15	1.6	00.4-02.8			
Data was weighted using _LLCPWT.																				
24			25			26			27			28			30			32		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
12	0.2	00.0-00.4	18	0.3	00.1-00.5	4	0.1	00.1-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	37	1.1	00.7-01.5	1	0.0	00.0-00.0
2	0.1	00.0-00.3	6	0.2	00.0-00.4	3	0.1	00.0-00.3	1	0.0	00.0-00.0				14	0.9	00.3-01.5			
10	0.4	00.2-00.6	12	0.4	00.2-00.6	1	0.0	00.0-00.0				1	0.0	00.0-00.0	23	1.2	00.4-02.0	1	0.0	00.0-00.0
7	0.2	00.0-00.4	12	0.3	00.1-00.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.0	00.0-00.0	30	1.4	00.6-02.2	1	0.0	00.0-00.0
2	0.1	00.0-00.3	5	0.5	00.0-01.1	1	0.1	00.0-00.3							2	0.3	00.0-00.9			
2	0.6	00.0-01.4													4	1.2	00.0-02.6			
2	0.5	00.0-01.3													1	0.4	00.0-01.2			
			2	0.3	00.0-00.7										4	1.3	00.0-03.1			
1	0.1	00.0-00.3				1	0.1	00.0-00.3							5	1.3	00.0-02.7			
1	0.3	00.0-00.9	7	0.9	00.1-01.7							1	0.2	00.0-00.6	6	1.0	00.2-01.8			
4	0.5	00.0-01.1	4	0.3	00.1-00.5										9	1.9	00.5-03.3	1	0.0	00.0-00.0
4	0.2	00.0-00.4	5	0.2	00.0-00.4	3	0.2	00.0-00.6	1	0.0	00.0-00.0				12	0.5	00.1-00.9			
1	0.2	00.0-00.6													3	0.5	00.0-01.1			
2	0.1	00.0-00.3	4	0.2	00.0-00.4	2	0.1	00.0-00.3							8	0.9	00.1-01.7			
4	0.4	00.0-00.8	5	0.3	00.1-00.5	1	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	15	1.9	00.5-03.3			
5	0.3	00.0-00.7	8	0.5	00.1-00.9	1	0.1	00.0-00.3							11	0.6	00.2-01.0	1	0.0	00.0-00.0
			4	1.2	00.0-02.4				1	0.1	00.0-00.3				4	2.1	00.0-04.6	1	0.1	00.0-00.3
2	0.5	00.0-01.3	1	0.2	00.0-00.6	2	0.1	00.0-00.3				1	0.2	00.0-00.6	10	2.3	00.1-04.5			
2	0.2	00.0-00.6																		
2	0.3	00.0-00.9	2	0.2	00.0-00.4										6	1.2	00.0-02.4			
2	0.5	00.0-01.3	3	0.4	00.0-00.8	1	0.2	00.0-00.6							5	0.7	00.1-01.3			
1	0.1	00.0-00.3	3	0.2	00.0-00.4										5	0.6	00.0-01.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 13: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																							
36			37			38			40			43			44			45					
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
10	0.1	00.1-00.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	16	0.3	00.1-00.5	1	0.0	00.0-00.0	2	0.1	00.1-00.1	2	0.0	00.0-00.0			
4	0.1	00.0-00.3	1	0.1	00.0-00.3				6	0.2	00.0-00.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0			
6	0.1	00.0-00.3				1	0.1	00.0-00.3	10	0.4	00.0-00.8				1	0.1	00.0-00.3	1	0.0	00.0-00.0			
10	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	14	0.4	00.0-00.8				1	0.1	00.0-00.3	1	0.0	00.0-00.0			
									1	0.1	00.0-00.3				1	0.1	00.0-00.3	1	0.1	00.0-00.3			
									1	0.2	00.0-00.6												
			1	0.5	00.0-01.5				4	0.6	00.0-01.2	1	0.1	00.0-00.3									
1	0.1	00.0-00.3				1	0.4	00.0-01.2	2	0.8	00.0-02.2				1	0.1	00.0-00.3						
1	0.0	00.0-00.0							7	0.3	00.1-00.5							1	0.1	00.0-00.3			
5	0.3	00.1-00.5							3	0.2	00.0-00.4				1	0.2	00.0-00.6						
3	0.2	00.0-00.4							3	0.2	00.0-00.4							1	0.0	00.0-00.0			
1	0.1	00.0-00.3							5	0.5	00.0-01.3				1	0.1	00.0-00.3						
3	0.1	00.0-00.3							6	0.3	00.1-00.5	1	0.1	00.0-00.3									
3	0.1	00.0-00.3	1	0.2	00.0-00.6	1	0.2	00.0-00.6	5	0.2	00.0-00.4				1	0.0	00.0-00.0	2	0.1	00.1-00.1			
3	0.5	00.0-01.1							1	0.1	00.0-00.3												
									1	0.1	00.0-00.3												
2	0.3	00.0-00.9							2	0.1	00.0-00.3							1	0.0	00.0-00.0			
3	0.2	00.0-00.4							2	0.2	00.0-00.6												
1	0.1	00.0-00.3				1	0.2	00.0-00.6	4	0.2	00.0-00.4				1	0.0	00.0-00.0	1	0.1	00.0-00.3			
Data was weighted using _LLCPWT.																							
48			50			52			56			58			60			65					
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
5	0.1	00.0-00.3	17	0.3	00.1-00.5	3	0.1	00.1-00.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	5	0.1	00.1-00.1	1	0.0	00.0-00.0			
			7	0.3	00.1-00.5	2	0.1	00.0-00.3				1	0.0	00.0-00.0	2	0.0	00.0-00.0						
5	0.2	00.0-00.4	10	0.3	00.1-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0				3	0.1	00.0-00.3	1	0.0	00.0-00.0			
4	0.2	00.0-00.4	14	0.4	00.2-00.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0				4	0.1	00.0-00.3	1	0.0	00.0-00.0			
			2	0.3	00.0-00.7																		
			1	0.3	00.0-00.9																		
1	0.1	00.0-00.3													1	0.1	00.0-00.3						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'





**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 10: HEALTH CARE ACCESS**

**TABLE 13: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

76			77			88			99		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
2	1.4	00.0-03.6	21	7.2	03.3-11.1	40	10.8	06.7-14.9	1	0.2	00.0-00.6
2	0.3	00.0-00.7	39	7.3	04.2-10.4	88	13.9	10.4-17.4	1	0.1	00.0-00.3
2	0.2	00.0-00.6	20	6.3	02.6-10.0	36	11.8	07.1-16.5	1	0.8	00.0-02.4
1	0.1	00.0-00.3	13	2.1	00.7-03.5	53	13.9	09.4-18.4			
			14	2.7	00.5-04.9	43	11.0	06.7-15.3			
5	0.4	00.0-00.8	19	1.8	00.8-02.8	63	7.0	04.8-09.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 14: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1753	337,008	278	17.6	14.9-20.3	316	18.6	15.9-21.3	203	12.4	10.0-14.8	205	10.7	08.7-12.7	81	4.3	02.9-05.7
White/Non-Hisp	1150	212,917	177	17.3	14.4-20.2	225	20.0	16.7-23.3	135	11.9	09.4-14.4	135	9.8	07.8-11.8	60	4.7	03.1-06.3
Black or Afr. Am./Non-Hisp	208	64,001	35	17.1	08.7-25.5	38	19.2	11.9-26.5	36	18.9	10.9-26.9	24	10.8	05.3-16.3	5	3.9	00.0-08.0
Oth. Race/Non-Hisp.	112	19,173	14	13.1	04.9-21.3	12	11.5	03.9-19.1	15	12.5	04.3-20.7	16	24.1	10.8-37.4	6	1.9	00.3-03.5
Hispanic	211	26,535	40	23.8	11.6-36.0	32	16.6	08.8-24.4	14	5.6	01.9-09.3	23	9.2	04.5-13.9	7	4.9	00.0-09.8
18-24	141	42,128	28	15.8	08.9-22.7	30	23.5	13.3-33.7	15	12.0	04.4-19.6	11	9.4	02.7-16.1	7	6.8	00.7-12.9
25-34	224	55,425	53	22.3	14.1-30.5	38	16.2	08.9-23.5	27	15.0	07.6-22.4	15	6.4	01.7-11.1	7	3.3	00.2-06.4
35-44	209	51,006	46	26.9	16.7-37.1	48	21.7	14.4-29.0	18	8.3	03.0-13.6	17	9.2	03.9-14.5	5	4.0	00.0-08.3
45-54	278	56,188	47	17.6	11.7-23.5	49	18.5	11.8-25.2	38	17.2	10.3-24.1	29	9.0	04.9-13.1	7	2.3	00.5-04.1
55-64	339	57,732	50	14.3	09.8-18.8	50	15.1	09.6-20.6	45	12.3	08.0-16.6	42	12.7	08.4-17.0	17	3.7	01.5-05.9
65+	562	74,529	54	11.2	07.9-14.5	101	18.1	14.2-22.0	60	9.8	06.9-12.7	91	15.2	11.3-19.1	38	5.8	03.6-08.0
Less Than H.S.	211	41,884	26	14.0	05.2-22.8	36	18.7	09.9-27.5	17	10.3	03.6-17.0	23	8.6	04.3-12.9	5	1.6	00.0-03.2
H.S. or G.E.D.	520	109,737	94	18.8	13.3-24.3	81	19.2	13.9-24.5	59	11.6	07.5-15.7	58	10.8	07.1-14.5	18	4.0	01.5-06.5
Some Post-H.S.	407	96,579	69	18.0	13.1-22.9	79	17.1	12.4-21.8	44	13.6	08.5-18.7	50	10.4	06.7-14.1	21	4.2	02.0-06.4
College Graduate	601	85,175	88	17.9	13.8-22.0	116	19.2	15.3-23.1	83	13.6	09.9-17.3	73	11.3	08.2-14.4	36	6.0	02.9-09.1
Less than \$15,000	116	17,158	16	15.2	05.4-25.0	17	15.8	05.2-26.4	9	7.0	01.3-12.7	13	8.8	03.1-14.5	4	2.6	00.0-05.9
\$15,000- 24,999	246	42,361	38	16.4	10.1-22.7	32	13.2	07.7-18.7	18	8.8	03.9-13.7	21	6.9	03.2-10.6	13	4.7	01.8-07.6
\$25,000- 34,999	159	30,215	25	11.1	06.0-16.2	32	19.2	09.2-29.2	21	10.2	05.1-15.3	23	17.4	07.6-27.2	3	2.2	00.0-04.9
\$35,000- 49,999	204	39,849	34	16.6	07.6-25.6	40	20.9	13.5-28.3	19	11.5	03.5-19.5	27	12.3	05.6-19.0	9	3.4	00.7-06.1
\$50,000- 74,999	238	45,524	29	12.2	07.1-17.3	56	25.8	17.0-34.6	23	9.8	04.1-15.5	25	8.1	04.2-12.0	16	4.3	01.4-07.2
\$75,000+	475	100,048	77	21.4	15.3-27.5	93	19.5	14.8-24.2	84	17.2	12.5-21.9	56	10.4	06.9-13.9	18	4.1	01.6-06.6

Data was weighted using \_LLCPWT.

N	6		N	8		N	10		N	11		N	12		N	13		N	14	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
115	6.1	04.5-07.7	37	1.9	01.1-02.7	48	2.1	01.3-02.9	1	0.0	00.0-00.0	54	3.8	02.4-05.2	1	0.1	00.0-00.3	3	0.2	00.0-00.4
89	7.1	05.3-08.9	30	2.3	01.1-03.5	37	2.4	01.4-03.4				34	3.6	01.8-05.4	1	0.2	00.0-00.6	3	0.3	00.0-00.7
9	5.7	01.4-10.0	5	1.9	00.1-03.7	4	1.6	00.0-03.2				7	2.8	00.3-05.3						
8	4.8	00.0-09.7	1	0.7	00.0-02.1	2	0.6	00.0-01.6				4	3.3	00.0-07.6						
4	1.5	00.0-03.1	1	0.5	00.0-01.5	1	0.7	00.0-02.1	1	0.1	00.0-00.3	3	1.4	00.0-03.4						
3	4.4	00.0-09.3	2	0.7	00.0-01.7	1	0.2	00.0-00.6				1	1.9	00.0-05.6						
5	3.8	00.0-07.7	2	1.4	00.0-03.4	3	1.4	00.0-03.0				6	6.1	00.6-11.6						
7	2.8	00.4-05.2	2	0.7	00.0-01.9	1	0.5	00.0-01.5				2	1.3	00.0-03.1	1	0.7	00.0-02.1			
11	4.9	01.0-08.8	2	1.0	00.0-02.8	8	2.0	00.2-03.8				9	3.0	00.3-05.7						
27	8.5	04.6-12.4	6	3.4	00.0-06.9	10	1.6	00.4-02.8	1	0.1	00.0-00.3	15	4.3	00.8-07.8						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 14: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																				
6			8			10			11			12			13			14		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
62	10.1	07.4-12.8	23	3.2	01.6-04.8	25	5.1	02.7-07.5				21	4.9	02.0-07.8				3	0.9	00.0-02.1
12	5.7	00.8-10.6	1	0.9	00.0-02.7	2	0.7	00.0-01.7				4	3.0	00.0-06.9						
23	3.8	01.8-05.8	9	1.9	00.1-03.7	14	1.7	00.7-02.7				18	3.1	00.9-05.3	1	0.3	00.0-00.9			
24	6.2	03.1-09.3	10	2.4	00.6-04.2	17	2.7	01.1-04.3				17	6.5	02.6-10.4				3	0.7	00.0-01.7
55	9.3	06.4-12.2	17	1.9	00.7-03.1	15	2.6	01.0-04.2	1	0.0	00.0-00.0	15	2.1	00.5-03.7						
5	8.9	00.0-19.7	4	4.4	00.0-09.5	1	1.0	00.0-03.0				4	2.8	00.0-06.1						
18	6.6	02.3-10.9	6	1.9	00.1-03.7	6	1.4	00.0-03.2				10	6.9	01.0-12.8						
6	5.3	00.0-11.0	2	1.6	00.0-04.3	5	2.7	00.2-05.2				5	4.5	00.0-10.0						
14	3.8	01.4-06.2	3	2.4	00.0-05.3	5	2.0	00.0-04.2				4	1.5	00.0-03.5	1	0.9	00.0-02.7			
24	9.6	04.9-14.3	6	3.2	00.0-06.9	7	2.3	00.1-04.5	1	0.1	00.0-00.3	8	5.4	00.1-10.7						
27	5.9	03.2-08.6	10	1.4	00.2-02.6	18	2.7	01.1-04.3				13	2.9	00.4-05.4				2	0.4	00.0-01.0
Data was weighted using _LLCPWT.																				
15			16			17			18			19			20			24		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
27	1.5	00.9-02.1	4	0.3	00.0-00.7	1	0.0	00.0-00.0	1	0.0	00.0-00.0	2	0.0	00.0-00.0	23	1.2	00.6-01.8	2	0.1	00.0-00.3
21	1.8	00.8-02.8	3	0.4	00.0-01.0	1	0.0	00.0-00.0				1	0.0	00.0-00.0	19	1.6	00.6-02.6	1	0.1	00.0-00.3
3	0.8	00.0-01.8							1	0.1	00.0-00.3	1	0.1	00.0-00.3				1	0.2	00.0-00.6
			1	0.5	00.0-01.5										2	1.0	00.0-02.4			
															2	1.2	00.0-03.0			
1	0.7	00.0-02.1	1	0.2	00.0-00.8										2	1.5	00.0-03.7	1	0.5	00.0-01.5
															2	0.3	00.0-00.7			
3	0.9	00.0-01.9	1	0.2	00.0-00.6										1	1.4	00.0-03.9			
4	2.0	00.0-04.2							1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.3	00.0-00.9			
5	1.8	00.0-04.0													6	1.2	00.2-02.2			
14	2.8	01.0-04.6	2	1.1	00.0-02.9	1	0.1	00.0-00.3				1	0.1	00.0-00.3	10	2.2	00.2-04.2	1	0.2	00.0-00.6
1	0.7	00.0-02.1													3	2.4	00.0-05.7	1	0.5	00.0-01.5
10	1.7	00.3-03.1	1	0.1	00.0-00.3				1	0.1	00.0-00.3	1	0.1	00.0-00.3	6	0.8	00.0-01.6			
5	1.4	00.0-02.8	2	0.8	00.0-02.2	1	0.1	00.0-00.3							3	1.0	00.0-02.4			
10	1.5	00.5-02.5	1	0.2	00.0-00.6										11	1.3	00.5-02.1	1	0.1	00.0-00.3
1	0.2	00.0-00.6													5	3.0	00.0-06.1			
4	1.8	00.0-04.0	1	0.2	00.0-00.6				1	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.4	00.0-01.2			
1	0.5	00.0-01.5	1	0.6	00.0-01.8										2	2.6	00.0-06.9			
5	2.7	00.2-05.2													2	0.3	00.0-00.7	1	0.5	00.0-01.5
5	2.7	00.0-05.6	1	1.4	00.0-04.1										2	0.3	00.0-00.9			
7	1.1	00.1-02.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3							8	1.6	00.0-03.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 14: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

25			26			27			30			36			37			40		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
6	0.2	00.0-00.4	3	0.1	00.0-00.3	1	0.0	00.0-00.0	14	0.9	00.3-01.5	4	0.1	00.0-00.3	1	0.1	00.0-00.3	6	0.2	00.0-00.4
5	0.2	00.0-00.4	3	0.2	00.0-00.4	1	0.0	00.0-00.0	9	1.0	00.2-01.8	4	0.2	00.0-00.4	1	0.2	00.0-00.6	6	0.3	00.1-00.5
1	0.1	00.0-00.3							1	0.6	00.0-01.8									
									3	1.2	00.0-02.8									
															1	1.0	00.0-03.0			
									1	0.1	00.0-00.3							2	0.4	00.0-01.0
									3	0.8	00.0-01.8									
3	0.6	00.0-01.4							2	0.7	00.0-01.7	1	0.1	00.0-00.3						
1	0.1	00.0-00.3							5	3.2	00.3-06.1	1	0.3	00.0-00.9				1	0.1	00.0-00.3
2	0.2	00.0-00.4	3	0.5	00.0-01.1	1	0.1	00.0-00.3	3	0.4	00.0-00.8	2	0.3	00.0-00.7				3	0.4	00.0-01.0
									2	0.8	00.0-02.0	1	0.3	00.0-00.9						
2	0.2	00.0-00.4	1	0.0	00.0-00.0				5	1.3	00.1-02.5	2	0.2	00.0-00.4				2	0.1	00.0-00.3
2	0.2	00.0-00.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3	5	1.0	00.0-02.2	1	0.1	00.0-00.3				3	0.3	00.0-00.7
2	0.2	00.0-00.4	1	0.2	00.0-00.6				2	0.3	00.0-00.7				1	0.5	00.0-01.5	1	0.2	00.0-00.6
1	0.5	00.0-01.5				1	0.3	00.0-00.9	1	3.4	00.0-09.9	1	0.7	00.0-02.1						
1	0.4	00.0-01.2	1	0.1	00.0-00.3				4	1.6	00.0-03.6									
															2	0.7	00.0-01.7			
									3	1.8	00.0-04.2	1	0.3	00.0-00.9				1	0.2	00.0-00.6
1	0.2	00.0-00.6	1	0.4	00.0-01.2				2	0.7	00.0-01.7							1	0.1	00.0-00.3
2	0.2	00.0-00.4							1	0.1	00.0-00.3							2	0.3	00.0-00.7

Data was weighted using \_LLCPWT.

43			44			45			50			52			58			60		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	7	0.3	00.1-00.5	2	0.1	00.0-00.3	1	0.0	00.0-00.0	2	0.0	00.0-00.0
									6	0.3	00.0-00.7	2	0.2	00.0-00.6				1	0.0	00.0-00.0
			1	0.1	00.0-00.3				1	0.4	00.0-01.2									
						1	0.2	00.0-00.6												
																		1	0.3	00.0-00.9
1	0.3	00.0-00.9							1	0.5	00.0-01.5									
			1	0.1	00.0-00.3				1	0.2	00.0-00.6									
									1	0.5	00.0-01.5	2	0.9	00.0-02.1						
									2	0.2	00.0-00.4							1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 14: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																				
43			44			45			50			52			58			60		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
						1	0.0	00.0-00.0	2	0.3	00.0-00.7				1	0.1	00.0-00.3	1	0.0	00.0-00.0
									1	0.7	00.0-02.1							1	0.2	00.0-00.6
									2	0.1	00.0-00.3									
1	0.2	00.0-00.6							2	0.1	00.0-00.3									
			1	0.1	00.0-00.3				2	0.5	00.0-01.3	2	0.6	00.0-01.4	1	0.1	00.0-00.3	1	0.0	00.0-00.0
									1	0.3	00.0-00.9									
									1	0.7	00.0-02.1	1	0.6	00.0-01.8				1	0.2	00.0-00.6
									2	0.4	00.0-01.0									
						1	0.1	00.0-00.3												
			1	0.1	00.0-00.3				2	0.4	00.0-01.0				1	0.0	00.0-00.0			
Data was weighted using _LLCPWT.																				
76			77			88			99											
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
4	0.1	00.0-00.3	57	3.6	02.4-04.8	239	13.3	11.1-15.5	1	0.1	00.0-00.3									
4	0.2	00.0-00.4	32	2.8	01.4-04.2	103	10.7	08.2-13.2	1	0.1	00.0-00.3									
			11	6.2	02.1-10.3	24	9.3	04.8-13.8												
			4	4.9	00.0-10.0	26	21.1	11.7-30.5												
			4	0.9	00.0-01.9	75	31.9	23.1-40.7												
			5	3.5	00.0-07.0	32	17.7	10.6-24.8												
			1	1.7	00.0-05.0	60	20.5	13.4-27.6												
			4	1.3	00.0-03.1	48	19.2	12.3-26.1												
2	0.3	00.0-00.9	12	5.0	01.9-08.1	47	13.8	08.9-18.7												
2	0.2	00.0-00.6	13	5.1	01.4-08.8	39	11.8	07.1-16.5												
			22	4.4	01.9-06.9	13	2.3	00.9-03.7	1	0.3	00.0-00.9									
1	0.3	00.0-00.9	8	4.7	00.6-08.8	64	25.0	17.2-32.8	1	0.5	00.0-01.5									
1	0.0	00.0-00.0	23	4.9	02.2-07.6	88	15.3	11.2-19.4												
1	0.1	00.0-00.3	11	2.5	00.5-04.5	34	10.3	06.4-14.2												
1	0.1	00.0-00.3	14	2.3	00.9-03.7	49	7.8	05.3-10.3												
			5	4.8	00.1-09.5	27	20.2	10.8-29.6												
1	0.3	00.0-00.9	13	8.5	02.4-14.6	53	18.3	12.4-24.2												
2	0.5	00.0-01.3	6	4.7	00.0-09.8	21	16.0	08.4-23.6												
			5	1.6	00.0-03.4	29	17.3	09.9-24.7												
			3	0.6	00.0-01.4	27	12.7	06.2-19.2												
1	0.1	00.0-00.3	7	1.0	00.2-01.8	41	8.8	05.5-12.1	1	0.2	00.0-00.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 15: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2199	377,072	259	13.0	11.0-15.0	352	16.0	13.8-18.2	311	13.8	11.8-15.8	237	11.5	09.3-13.7	167	8.5	06.5-10.5
White/Non-Hisp	1459	238,228	146	11.2	08.8-13.6	227	15.1	12.7-17.5	200	12.9	10.7-15.1	155	11.1	08.7-13.5	123	10.1	07.4-12.8
Black or Afr. Am./Non-Hisp	349	78,704	53	16.7	11.4-22.0	69	21.8	15.7-27.9	55	15.1	10.2-20.0	42	14.3	08.0-20.6	24	5.8	03.1-08.5
Oth. Race/Non-Hisp.	72	15,862	13	22.3	09.4-35.2	18	18.4	07.4-29.4	13	16.4	04.2-28.6	2	1.7	00.0-04.4	3	5.0	00.0-12.8
Hispanic	231	31,341	35	12.0	07.1-16.9	27	8.7	04.4-13.0	30	13.1	07.4-18.8	25	12.8	06.5-19.1	11	4.4	01.3-07.5
18-24	98	40,101	12	8.9	03.2-14.6	18	19.7	09.5-29.9	9	11.0	03.4-18.6	10	14.5	03.3-25.7	12	15.0	05.0-25.0
25-34	217	60,121	32	18.4	11.0-25.8	37	14.8	09.1-20.5	31	12.4	06.3-18.5	14	6.6	01.7-11.5	14	11.1	03.8-18.4
35-44	246	53,327	45	16.9	11.2-22.6	33	11.7	06.6-16.8	24	8.1	04.2-12.0	30	16.2	09.7-22.7	16	4.1	01.7-06.5
45-54	345	62,040	37	9.6	05.7-13.5	62	20.1	14.6-25.6	56	17.3	12.0-22.6	38	9.9	05.8-14.0	19	5.8	02.7-08.9
55-64	508	68,370	67	15.9	11.6-20.2	79	16.4	12.3-20.5	73	14.7	10.8-18.6	36	6.9	04.2-09.6	39	9.4	05.9-12.9
65+	785	93,112	66	9.1	06.6-11.6	123	14.7	11.8-17.6	118	16.4	13.1-19.7	109	15.1	11.8-18.4	67	7.7	05.5-09.9
Less Than H.S.	220	44,973	28	11.2	04.5-17.9	31	13.2	06.7-19.7	26	13.2	07.1-19.3	22	11.1	05.4-16.8	7	2.8	00.0-05.9
H.S. or G.E.D.	608	111,204	74	12.5	09.2-15.8	102	18.5	14.0-23.0	77	12.3	08.6-16.0	69	10.5	06.8-14.2	48	8.8	05.1-12.5
Some Post-H.S.	567	106,537	73	14.4	10.5-18.3	98	14.4	10.9-17.9	81	14.9	11.0-18.8	54	9.9	06.0-13.8	44	10.8	06.3-15.3
College Graduate	793	113,163	83	12.8	09.3-16.3	120	16.3	12.8-19.8	125	14.5	11.4-17.6	92	14.2	10.3-18.1	68	8.4	05.7-11.1
Less than \$15,000	202	31,375	20	12.1	05.2-19.0	29	16.7	09.4-24.0	19	6.5	03.0-10.0	22	10.3	04.6-16.0	12	6.3	01.2-11.4
\$15,000- 24,999	349	55,790	39	12.8	06.7-18.9	48	14.8	09.1-20.5	39	13.4	08.1-18.7	41	10.1	05.8-14.4	28	6.9	03.8-10.0
\$25,000- 34,999	209	32,053	18	8.6	03.9-13.3	48	26.6	18.0-35.2	27	9.4	04.7-14.1	24	11.9	06.0-17.8	19	7.8	03.7-11.9
\$35,000- 49,999	248	44,704	27	13.4	06.9-19.9	42	17.7	10.1-25.3	37	13.7	07.8-19.6	22	5.7	02.8-08.6	18	11.7	03.7-19.7
\$50,000- 74,999	225	42,706	15	8.8	03.3-14.3	42	17.9	10.8-25.0	29	14.3	07.4-21.2	22	9.7	03.6-15.8	20	10.4	04.1-16.7
\$75,000+	500	87,230	68	14.0	10.1-17.9	84	16.7	12.6-20.8	89	16.1	12.2-20.0	56	12.4	08.5-16.3	39	8.6	04.9-12.3

Data was weighted using \_LLCPWT.

N	6			N	8			N	10			N	11			N	12			N	13			N	14		
	%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)	
164	6.6	05.2-08.0		50	2.4	01.6-03.2		66	3.0	02.0-04.0		1	0.0	00.0-00.0		107	3.5	02.7-04.3		2	0.0	00.0-00.0		8	0.2	00.0-00.4	
138	9.0	07.0-11.0		41	2.8	01.8-03.8		45	2.7	01.7-03.7		1	0.0	00.0-00.0		73	3.3	02.3-04.3		2	0.1	00.1-00.1		5	0.2	00.0-00.4	
10	2.3	00.5-04.1		4	1.3	00.0-02.7		14	3.0	00.8-05.2						22	4.1	02.1-06.1						1	0.1	00.0-00.3	
2	2.1	00.0-05.6		3	7.0	00.0-16.4		2	6.6	00.0-15.4						3	6.5	00.0-14.5									
9	3.1	00.4-05.8		2	0.9	00.0-02.1		3	2.0	00.0-04.7						7	1.5	00.1-02.9						1	0.2	00.0-00.6	
2	1.5	00.0-04.0		1	0.7	00.0-02.1		2	3.1	00.0-07.4						3	1.9	00.0-04.3									
10	4.7	00.6-08.8		3	1.8	00.0-04.2		4	2.1	00.0-04.5						5	1.0	00.0-02.0						1	0.1	00.0-00.3	
13	5.6	01.7-09.5		1	0.3	00.0-00.9		6	3.5	00.2-06.8						7	1.6	00.2-03.0									
25	8.4	04.5-12.3		11	2.6	00.8-04.4		9	2.6	00.6-04.6						15	4.2	01.7-06.7		1	0.2	00.0-00.6					
50	9.3	06.0-12.6		13	4.0	01.5-06.5		15	2.6	01.0-04.2						33	4.8	02.6-07.0		1	0.1	00.0-00.3		3	0.5	00.0-01.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 15: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																				
6			8			10			11			12			13			14		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
64	7.5	05.3-09.7	21	3.4	01.4-05.4	30	3.6	01.8-05.4	1	0.1	00.0-00.3	44	5.6	03.4-07.8				4	0.3	00.0-00.7
14	5.1	01.2-09.0	5	3.5	00.0-07.0	4	2.8	00.0-06.3				11	4.3	01.4-07.2						
39	6.1	03.4-08.8	12	2.2	00.6-03.8	15	3.1	01.1-05.1				40	4.0	02.4-05.6				2	0.1	00.0-00.3
44	7.4	04.7-10.1	13	1.9	00.7-03.1	15	2.2	00.6-03.8	1	0.1	00.0-00.3	24	3.4	01.6-05.2	1	0.1	00.0-00.3	3	0.2	00.0-00.6
65	6.9	04.7-09.1	20	2.7	01.1-04.3	32	3.7	01.9-05.5				32	2.9	01.7-04.1	1	0.0	00.0-00.0	3	0.3	00.0-00.7
14	4.5	01.6-07.4	5	3.8	00.0-08.3	5	4.2	00.0-08.9				20	6.2	02.7-09.7						
18	5.1	02.0-08.2	6	2.4	00.0-04.8	8	3.0	00.0-06.1				26	5.1	02.7-07.5				2	0.2	00.0-00.6
11	8.6	00.8-16.4	4	1.6	00.0-03.4	4	1.3	00.0-02.7				10	2.1	00.5-03.7				1	0.1	00.0-00.3
17	6.2	02.1-10.3	6	3.0	00.1-05.9	11	3.2	00.8-05.6				10	4.0	00.9-07.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3
22	5.9	03.0-08.8	12	4.6	01.1-08.1	11	3.9	00.8-07.0				6	3.0	00.3-05.7				1	0.4	00.0-01.2
46	9.2	06.1-12.3	13	2.3	00.9-03.7	18	3.4	01.4-05.4				12	1.9	00.5-03.3	1	0.1	00.0-00.3	2	0.3	00.0-00.7
Data was weighted using _LLCPWT.																				
15			16			17			18			20			22			24		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
25	1.0	00.4-01.6	5	0.2	00.0-00.4	4	0.1	00.0-00.3	3	0.1	00.0-00.3	47	2.5	01.5-03.5	1	0.0	00.0-00.0	10	0.4	00.2-00.6
21	1.3	00.5-02.1	5	0.4	00.0-00.8	4	0.2	00.0-00.4	3	0.2	00.0-00.4	36	2.9	01.5-04.3	1	0.0	00.0-00.0	6	0.4	00.0-00.8
2	0.2	00.0-00.6									8	3.2	00.5-05.9				1	0.1	00.0-00.3	
2	1.2	00.0-03.2									2	0.4	00.0-01.0				2	1.1	00.0-02.7	
1	1.6	00.0-04.7									5	4.4	00.0-09.1				1	0.5	00.0-01.5	
						1	0.2	00.0-00.6			4	3.2	00.0-06.5							
2	0.7	00.0-01.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6			4	1.3	00.0-02.9				1	0.3	00.0-00.9	
6	2.1	00.3-03.9	1	0.3	00.0-00.9				2	0.6	00.0-01.4	10	3.2	00.3-06.1	1	0.1	00.0-00.3	1	0.5	00.0-01.5
8	1.3	00.1-02.5	1	0.5	00.0-01.5	2	0.3	00.0-00.7	1	0.1	00.0-00.3	12	2.4	00.8-04.0				4	0.9	00.0-01.9
8	0.5	00.1-00.9	2	0.3	00.0-00.7						12	1.6	00.4-02.8				3	0.2	00.0-00.4	
2	1.2	00.0-03.0							1	0.1	00.0-00.3	2	1.7	00.0-04.6						
7	0.8	00.0-01.6	1	0.3	00.0-00.9	2	0.2	00.0-00.4	2	0.3	00.0-00.7	14	3.6	01.2-06.0	1	0.1	00.0-00.3	2	0.2	00.0-00.4
6	1.3	00.0-02.7	1	0.1	00.0-00.3						17	3.1	01.3-04.9				4	0.7	00.0-01.5	
10	0.7	00.1-01.3	3	0.4	00.0-01.0	2	0.2	00.0-00.4			14	1.4	00.2-02.6				4	0.4	00.0-00.8	
1	0.7	00.0-02.1							1	0.5	00.0-01.5	9	7.0	00.1-13.9						
6	1.1	00.0-02.3				1	0.1	00.0-00.3	1	0.1	00.0-00.3	7	1.5	00.0-03.1	1	0.1	00.0-00.3	2	0.9	00.0-02.3
4	1.3	00.0-02.7	2	0.8	00.0-02.0						4	1.9	00.0-03.9				2	0.4	00.0-01.0	
2	0.2	00.0-00.4									10	5.1	01.2-09.0				1	0.1	00.0-00.3	
3	2.4	00.0-05.5	1	0.2	00.0-00.6				1	0.4	00.0-01.2	3	0.9	00.0-02.1				2	1.0	00.0-02.4
9	1.5	00.3-02.7	1	0.2	00.0-00.6	3	0.4	00.0-00.8			7	1.7	00.1-03.3							

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 15: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

25			26			28			30			32			36			38		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
12	0.4	00.2-00.6	1	0.0	00.0-00.0	1	0.0	00.0-00.0	23	1.2	00.4-02.0	1	0.0	00.0-00.0	6	0.1	00.0-00.3	1	0.1	00.0-00.3
7	0.3	00.1-00.5				1	0.1	00.0-00.3	21	1.7	00.5-02.9	1	0.0	00.0-00.0	6	0.2	00.0-00.4	1	0.2	00.0-00.6
4	0.9	00.1-01.7	1	0.1	00.0-00.3				1	0.1	00.0-00.3									
									1	1.1	00.0-03.3									
									1	0.9	00.0-02.7									
2	0.5	00.0-01.3							3	2.4	00.0-05.7				1	0.3	00.0-00.9			
			1	0.2	00.0-00.6				2	1.7	00.0-04.2							1	0.7	00.0-02.1
4	1.1	00.0-02.3				1	0.3	00.0-00.9	4	1.2	00.0-02.4									
3	0.4	00.0-01.0							4	0.7	00.0-01.5	1	0.1	00.0-00.3	4	0.3	00.0-00.7			
3	0.3	00.0-00.7							9	0.7	00.3-01.1				1	0.0	00.0-00.0			
									1	0.2	00.0-00.6									
2	0.3	00.0-00.7	1	0.1	00.0-00.3				3	0.5	00.0-01.3				1	0.0	00.0-00.0			
3	0.3	00.0-00.7				1	0.2	00.0-00.6	10	2.7	00.3-05.1				2	0.1	00.0-00.3			
6	0.7	00.1-01.3							9	0.9	00.3-01.5	1	0.1	00.0-00.3	3	0.2	00.0-00.4	1	0.3	00.0-00.9
									3	1.4	00.0-03.0	1	0.2	00.0-00.6	2	0.4	00.0-01.0			
3	1.6	00.0-03.4				1	0.2	00.0-00.6	6	2.8	00.0-06.3									
									3	0.7	00.0-01.5				2	0.1	00.0-00.3			
2	0.4	00.0-01.0							3	0.6	00.0-01.2									
2	0.6	00.0-01.6							4	1.1	00.0-02.7				1	0.2	00.0-00.6	1	0.5	00.0-01.5
1	0.2	00.0-00.6																		

Data was weighted using \_LLCPWT.

40			44			45			48			50			52			56		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
10	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.0	00.0-00.0	5	0.2	00.0-00.4	10	0.3	00.1-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0
8	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.0	00.0-00.0	4	0.3	00.0-00.7	8	0.4	00.0-00.8				1	0.0	00.0-00.0
												1	0.1	00.0-00.3						
1	0.2	00.0-00.6										1	0.7	00.0-02.1						
1	0.4	00.0-01.2							1	0.1	00.0-00.3									
2	0.7	00.0-01.7										3	1.1	00.0-02.5						
2	1.6	00.0-04.3										1	0.2	00.0-00.6						
									1	0.2	00.0-00.6	1	0.1	00.0-00.3	2	0.3	00.0-00.7			
									1	0.4	00.0-01.2	2	0.2	00.0-00.6				1	0.1	00.0-00.3
6	0.4	00.0-00.8	1	0.4	00.0-01.2															

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 15: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																				
40			44			45			48			50			52			56		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
									3	0.6	00.0-01.2	2	0.1	00.0-00.3	1	0.0	00.0-00.0			
									1	0.1	00.0-00.3	1	0.5	00.0-01.5						
3	1.0	00.0-02.4	1	0.3	00.0-00.9				4	0.4	00.0-00.8									
3	0.2	00.0-00.4							1	0.2	00.0-00.6	2	0.3	00.0-00.9						
4	0.2	00.0-00.4				1	0.1	00.0-00.3	3	0.5	00.0-01.1	3	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3
1	0.1	00.0-00.3							1	0.1	00.0-00.3	2	0.6	00.0-01.4						
1	0.1	00.0-00.3							1	0.4	00.0-01.2	2	0.7	00.0-01.7						
1	0.0	00.0-00.0										1	0.6	00.0-01.8						
1	0.3	00.0-00.9							1	0.3	00.0-00.9	1	0.3	00.0-00.9						
2	0.1	00.0-00.3				1	0.1	00.0-00.3				3	0.2	00.0-00.6				1	0.1	00.0-00.3
Data was weighted using _LLCPWT.																				
60			65			76			77			88			99					
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
3	0.1	00.0-00.3	1	0.0	00.0-00.0	9	0.5	00.1-00.9	131	5.7	04.3-07.1	158	7.5	05.9-09.1	4	0.2	00.0-00.4			
3	0.2	00.0-00.4	1	0.0	00.0-00.0	6	0.5	00.1-00.9	77	5.3	03.7-06.9	78	6.1	04.3-07.9	2	0.1	00.0-00.3			
						2	0.6	00.0-01.6	17	4.0	01.6-06.4	16	5.6	02.5-08.7	2	0.7	00.0-02.1			
						1	0.5	00.0-01.5	4	5.3	00.0-11.2	7	7.8	00.7-14.9						
									20	12.6	05.7-19.5	51	23.6	16.0-31.2						
						1	0.4	00.0-01.4	9	6.3	01.0-11.6	11	9.6	03.3-15.9						
									14	6.1	01.6-10.6	36	12.6	07.3-17.9						
			1	0.2	00.0-00.6	1	0.3	00.0-00.9	19	9.1	04.4-13.8	32	14.0	08.3-19.7	2	1.2	00.0-03.2			
1	0.4	00.0-01.2							13	2.9	00.9-04.9	23	5.9	03.2-08.6						
						3	0.4	00.0-01.0	16	2.3	00.9-03.7	29	4.2	02.2-06.2	1	0.1	00.0-00.3			
2	0.3	00.0-00.7				4	1.2	00.0-02.6	60	7.7	05.3-10.1	27	3.0	01.4-04.6	1	0.1	00.0-00.3			
						4	2.7	00.0-05.6	24	11.5	05.4-17.6	36	14.7	08.4-21.0						
1	0.1	00.0-00.3				1	0.1	00.0-00.3	32	4.6	02.6-06.6	51	9.1	06.0-12.2	1	0.1	00.0-00.3			
			1	0.1	00.0-00.3	1	0.2	00.0-00.6	37	6.6	03.7-09.5	25	3.4	01.6-05.2	2	0.6	00.0-01.6			
2	0.3	00.0-00.7				3	0.2	00.0-00.4	36	3.6	02.0-05.2	44	6.7	04.2-09.2	1	0.0	00.0-00.0			
						2	2.2	00.0-05.5	16	8.6	03.1-14.1	13	5.6	01.9-09.3	1	0.3	00.0-00.9			
1	0.4	00.0-01.2				1	0.3	00.0-00.9	26	6.4	03.5-09.3	35	10.5	06.2-14.8	1	0.2	00.0-00.6			
1	0.4	00.0-01.2							14	7.8	02.5-13.1	15	7.8	02.1-13.5	1	1.6	00.0-04.7			
1	0.3	00.0-00.9				1	0.1	00.0-00.3	8	2.6	00.4-04.8	24	10.9	05.6-16.2						
									11	4.9	00.4-09.4	16	9.1	03.6-14.6						
						4	0.8	00.0-01.8	12	2.6	00.8-04.4	22	4.9	02.5-07.3						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 16: NOT INCLUDING OVER-THE-COUNTER (OTC) MEDICATIONS, WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? (MEDSCOS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4134	757,963	3242	79.3	77.5-81.1	188	4.1	03.3-04.9	52	1.3	00.9-01.7	46	0.8	00.4-01.2	209	4.8	03.8-05.8	397	9.6	08.4-10.8
Male	1848	362,330	1435	79.1	76.6-81.6	72	3.4	02.4-04.4	20	1.1	00.5-01.7	18	0.6	00.2-01.0	64	3.5	02.3-04.7	239	12.4	10.4-14.4
Female	2286	395,632	1807	79.6	77.2-82.0	116	4.8	03.6-06.0	32	1.4	00.6-02.2	28	1.0	00.4-01.6	145	6.1	04.7-07.5	158	7.1	05.7-08.5
White/Non-Hisp	2740	480,104	2208	80.1	77.9-82.3	145	5.0	03.8-06.2	45	1.7	00.9-02.5	36	1.1	00.7-01.5	125	4.3	03.3-05.3	181	7.8	06.4-09.2
Black or Afr. Am./Non-Hisp	583	152,788	484	84.7	81.2-88.2	24	3.0	01.4-04.6	2	0.3	00.0-00.7	3	0.3	00.0-00.7	30	5.0	02.8-07.2	40	6.8	04.3-09.3
Oth. Race/Non-Hisp.	194	37,548	147	80.0	73.3-86.7	3	0.8	00.0-01.8				3	0.5	00.0-01.1	8	4.7	01.2-08.2	33	14.1	08.4-19.8
Hispanic	449	59,054	282	62.1	55.6-68.6	9	2.1	00.5-03.7	4	1.1	00.0-02.5	2	0.3	00.0-00.7	26	7.5	03.6-11.4	126	26.9	21.4-32.4
18-24	261	88,941	189	77.3	71.4-83.2	12	4.3	01.4-07.2	2	0.9	00.0-02.1				15	4.7	01.8-07.6	43	12.7	08.2-17.2
25-34	471	126,616	336	76.7	71.6-81.8	10	2.1	00.5-03.7	5	1.3	00.0-02.9	9	1.4	00.4-02.4	15	3.6	01.1-06.1	96	15.0	11.1-18.9
35-44	475	112,616	344	74.6	69.5-79.7	15	2.4	00.8-04.0	6	1.5	00.1-02.9	5	1.0	00.0-02.4	25	5.1	02.7-07.5	80	15.3	11.2-19.4
45-54	649	123,052	499	79.1	75.2-83.0	36	5.5	03.3-07.7	8	1.1	00.3-01.9	7	0.9	00.1-01.7	29	4.1	02.3-05.9	70	9.3	06.8-11.8
55-64	880	132,673	703	81.4	78.1-84.7	46	4.6	02.8-06.4	15	2.1	00.7-03.5	13	0.9	00.3-01.5	35	3.8	02.0-05.6	68	7.3	04.9-09.7
65+	1398	174,065	1171	84.0	81.5-86.5	69	5.1	03.5-06.7	16	0.7	00.3-01.1	12	0.7	00.3-01.1	90	6.8	05.0-08.6	40	2.6	01.6-03.6
Less Than H.S.	443	89,152	287	66.7	60.6-72.8	11	3.3	00.8-05.8	4	0.6	00.0-01.2	3	0.6	00.0-01.4	38	9.6	05.7-13.5	100	19.2	14.3-24.1
H.S. or G.E.D.	1177	235,868	901	78.1	75.0-81.2	56	4.1	02.5-05.7	11	0.9	00.3-01.5	12	0.9	00.1-01.7	58	4.6	03.0-06.2	139	11.4	09.0-13.8
Some Post-H.S.	1016	216,428	823	81.8	78.7-84.9	51	4.8	03.2-06.4	20	2.0	00.6-03.4	12	0.6	00.2-01.0	51	4.5	02.7-06.3	59	6.3	04.3-08.3
College Graduate	1473	211,686	1217	84.2	81.8-86.6	68	3.6	02.6-04.6	17	1.1	00.3-01.9	19	1.1	00.5-01.7	59	3.2	02.2-04.2	93	6.8	05.0-08.6
Less than \$15,000	331	51,216	233	71.0	64.1-77.9	21	7.3	02.6-12.0	9	2.6	00.1-05.1	5	0.6	00.0-01.2	23	8.2	04.1-12.3	40	10.2	06.3-14.1
\$15,000- 24,999	615	103,061	436	72.1	67.2-77.0	31	3.7	01.9-05.5	11	2.4	00.2-04.6	6	1.2	00.2-02.2	43	7.5	04.4-10.6	88	13.2	09.9-16.5
\$25,000- 34,999	384	65,728	304	78.1	72.2-84.0	17	3.9	01.4-06.4	2	0.3	00.0-00.7	2	0.2	00.0-00.6	23	6.4	02.9-09.9	36	11.1	06.6-15.6
\$35,000- 49,999	469	87,889	364	77.9	72.8-83.0	24	4.6	02.2-07.0	9	1.4	00.2-02.6	4	0.5	00.0-01.1	15	2.2	00.8-03.6	53	13.4	09.1-17.7
\$50,000- 74,999	491	95,101	402	81.2	76.3-86.1	23	5.0	02.3-07.7	5	0.6	00.0-01.2	4	0.5	00.1-00.9	14	2.5	00.5-04.5	43	10.2	06.3-14.1
\$75,000+	1032	202,916	880	86.5	84.0-89.0	45	3.6	02.2-05.0	7	0.8	00.0-01.6	11	0.6	00.2-01.0	26	2.1	01.1-03.1	63	6.4	04.4-08.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 17: NOT INCLUDING OVER-THE-COUNTER (OTC) MEDICATIONS, WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? (MEDSCOS1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1848	362,330	1435	79.1	76.6-81.6	72	3.4	02.4-04.4	20	1.1	00.5-01.7	18	0.6	00.2-01.0	64	3.5	02.3-04.7	239	12.4	10.4-14.4
White/Non-Hisp	1214	229,344	988	80.8	77.9-83.7	57	4.4	02.8-06.0	15	1.4	00.6-02.2	14	0.8	00.4-01.2	37	2.7	01.3-04.1	103	10.0	07.6-12.4
Black or Afr. Am./Non-Hisp	225	70,370	180	83.6	77.9-89.3	7	1.3	00.1-02.5	1	0.5	00.0-01.5	2	0.5	00.0-01.3	11	5.7	02.0-09.4	24	8.5	04.4-12.6
Oth. Race/Non-Hisp.	119	20,680	85	74.4	64.6-84.2	3	1.4	00.0-03.0				1	0.2	00.0-00.6	4	4.5	00.0-09.2	26	19.6	10.8-28.4
Hispanic	215	27,242	130	65.4	56.6-74.2	2	1.2	00.0-03.0	3	1.2	00.0-02.8				5	1.2	00.0-02.4	75	31.1	22.7-39.5
18-24	154	45,142	111	76.4	68.6-84.2	5	2.8	00.3-05.3	1	1.0	00.0-03.0				5	3.3	00.0-06.6	32	16.5	09.8-23.2
25-34	242	63,265	174	79.1	72.4-85.8	2	0.3	00.0-00.7	1	0.1	00.0-00.3	4	1.0	00.0-02.2	1	1.5	00.0-04.4	60	18.0	11.7-24.3
35-44	220	55,241	158	77.9	71.0-84.8	5	2.2	00.0-04.7	3	0.7	00.0-01.5	2	0.3	00.0-00.7	4	1.2	00.0-02.8	48	17.7	11.4-24.0
45-54	292	59,018	214	76.7	70.8-82.6	11	3.0	00.8-05.2	3	0.8	00.0-01.8	3	1.3	00.0-02.9	14	5.0	01.9-08.1	47	13.1	08.6-17.6
55-64	354	62,141	278	77.7	71.8-83.6	12	2.8	00.4-05.2	6	3.2	00.5-05.9	3	0.2	00.0-00.4	16	5.0	01.7-08.3	39	11.0	06.7-15.3
65+	586	77,523	500	84.3	80.2-88.4	37	7.8	04.7-10.9	6	0.7	00.1-01.3	6	0.7	00.1-01.3	24	4.3	01.9-06.7	13	2.2	00.8-03.6
Less Than H.S.	217	43,397	133	65.4	56.4-74.4	6	3.7	00.2-07.2	3	1.1	00.0-02.3	1	0.6	00.0-01.8	10	5.0	01.1-08.9	64	24.2	16.6-31.8
H.S. or G.E.D.	548	119,150	403	77.1	72.4-81.8	22	2.7	01.3-04.1	7	1.3	00.1-02.5	4	0.2	00.0-00.4	24	4.5	02.0-07.0	88	14.1	10.4-17.8
Some Post-H.S.	429	103,887	353	82.3	77.6-87.0	17	4.0	01.6-06.4	7	1.1	00.0-02.3	6	0.5	00.1-00.9	12	2.4	00.4-04.4	34	9.6	05.9-13.3
College Graduate	640	92,264	538	85.2	82.1-88.3	26	3.3	01.9-04.7	3	0.8	00.0-01.8	7	1.3	00.1-02.5	17	2.2	00.8-03.6	49	7.2	04.8-09.6
Less than \$15,000	122	18,218	79	68.5	57.3-79.7	7	3.6	00.5-06.7	3	4.1	00.0-10.4	1	0.3	00.0-00.9	5	4.5	00.0-09.0	27	19.0	10.0-28.0
\$15,000- 24,999	253	44,823	169	68.5	60.7-76.3	10	3.0	00.6-05.4	4	1.5	00.0-03.3	2	1.2	00.0-02.8	15	8.5	02.6-14.4	53	17.3	11.6-23.0
\$25,000- 34,999	166	32,033	129	75.6	66.6-84.6	4	3.5	00.0-07.8	2	0.6	00.0-01.6	2	0.4	00.0-01.0	8	4.8	00.0-09.7	21	15.1	07.8-22.4
\$35,000- 49,999	212	41,281	164	76.0	68.2-83.8	8	3.4	00.9-05.9	4	2.0	00.0-04.4	2	0.3	00.0-00.7	5	1.5	00.0-03.3	29	16.7	09.4-24.0
\$50,000- 74,999	254	50,321	211	82.7	75.8-89.6	10	4.5	00.8-08.2	2	0.7	00.0-01.7	1	0.1	00.0-00.3	3	0.5	00.0-01.1	27	11.5	05.6-17.4
\$75,000+	508	109,230	430	86.9	83.4-90.4	22	3.2	01.4-05.0	1	0.1	00.0-00.3	5	0.7	00.0-01.5	9	1.0	00.2-01.8	41	8.0	05.1-10.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 18: NOT INCLUDING OVER-THE-COUNTER (OTC) MEDICATIONS, WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? (MEDSCOS1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2286	395,632	1807	79.6	77.2-82.0	116	4.8	03.6-06.0	32	1.4	00.6-02.2	28	1.0	00.4-01.6	145	6.1	04.7-07.5	158	7.1	05.7-08.5
White/Non-Hisp	1526	250,760	1220	79.4	76.5-82.3	88	5.5	03.9-07.1	30	2.1	00.9-03.3	22	1.4	00.6-02.2	88	5.8	04.2-07.4	78	5.8	04.0-07.6
Black or Afr. Am./Non-Hisp	358	82,418	304	85.7	81.2-90.2	17	4.4	01.7-07.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	19	4.4	02.0-06.8	16	5.3	02.4-08.2
Oth. Race/Non-Hisp.	75	16,868	62	86.8	78.2-95.4							2	0.8	00.0-02.2	4	5.0	00.0-10.5	7	7.3	00.6-14.0
Hispanic	234	31,812	152	59.2	50.4-68.0	7	2.9	00.4-05.4	1	1.1	00.0-03.3	2	0.6	00.0-01.4	21	12.9	06.0-19.8	51	23.3	15.9-30.7
18-24	107	43,799	78	78.2	69.4-87.0	7	6.0	00.7-11.3	1	0.8	00.0-02.4				10	6.2	01.3-11.1	11	8.7	03.0-14.4
25-34	229	63,351	162	74.2	66.8-81.6	8	3.9	00.8-07.0	4	2.5	00.0-05.8	5	1.7	00.1-03.3	14	5.8	01.5-10.1	36	11.9	07.0-16.8
35-44	255	57,375	186	71.5	64.4-78.6	10	2.6	00.6-04.6	3	2.3	00.0-05.0	3	1.7	00.0-04.2	21	8.9	04.6-13.2	32	13.0	07.7-18.3
45-54	357	64,034	285	81.2	76.3-86.1	25	7.8	04.1-11.5	5	1.4	00.0-02.8	4	0.5	00.0-01.1	15	3.3	01.1-05.5	23	5.7	03.0-08.4
55-64	526	70,532	425	84.6	81.1-88.1	34	6.1	03.6-08.6	9	1.1	00.3-01.9	10	1.4	00.2-02.6	19	2.7	01.3-04.1	29	4.1	02.3-05.9
65+	812	96,542	671	83.8	80.7-86.9	32	3.0	01.6-04.4	10	0.7	00.3-01.1	6	0.7	00.1-01.3	66	8.9	06.4-11.4	27	2.9	01.5-04.3
Less Than H.S.	226	45,755	154	67.9	59.5-76.3	5	3.0	00.0-06.3	1	0.2	00.0-00.6	2	0.5	00.0-01.5	28	14.0	07.5-20.5	36	14.5	08.4-20.6
H.S. or G.E.D.	629	116,719	498	79.0	74.7-83.3	34	5.6	03.1-08.1	4	0.5	00.0-01.1	8	1.6	00.2-03.0	34	4.7	02.7-06.7	51	8.6	05.7-11.5
Some Post-H.S.	587	112,540	470	81.2	76.9-85.5	34	5.5	03.1-07.9	13	2.9	00.5-05.3	6	0.7	00.0-01.5	39	6.5	03.8-09.2	25	3.2	01.4-05.0
College Graduate	833	119,422	679	83.4	80.1-86.7	42	3.9	02.3-05.5	14	1.4	00.4-02.4	12	0.9	00.3-01.5	42	4.0	02.4-05.6	44	6.4	04.0-08.8
Less than \$15,000	209	32,998	154	72.4	63.6-81.2	14	9.4	02.5-16.3	6	1.8	00.2-03.4	4	0.8	00.0-01.6	18	10.2	04.3-16.1	13	5.3	01.8-08.8
\$15,000- 24,999	362	58,238	267	74.9	68.8-81.0	21	4.2	01.8-06.6	7	3.0	00.0-06.5	4	1.1	00.0-02.3	28	6.8	03.9-09.7	35	10.1	06.0-14.2
\$25,000- 34,999	218	33,694	175	80.5	73.1-87.9	13	4.3	01.6-07.0						15	7.8	02.7-12.9	15	7.4	02.1-12.7	
\$35,000- 49,999	257	46,608	200	79.6	72.9-86.3	16	5.6	01.7-09.5	5	0.8	00.0-01.6	2	0.7	00.0-01.9	10	2.9	00.7-05.1	24	10.4	05.3-15.5
\$50,000- 74,999	237	44,780	191	79.6	72.3-86.9	13	5.6	01.9-09.3	3	0.5	00.0-01.1	3	0.9	00.0-01.9	11	4.7	00.4-09.0	16	8.7	03.6-13.8
\$75,000+	524	93,685	450	86.0	82.3-89.7	23	4.1	02.1-06.1	6	1.7	00.0-03.5	6	0.4	00.0-00.8	17	3.3	01.5-05.1	22	4.6	02.4-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 19: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3983	723,069	2615	63.1	60.9-65.3	1081	29.7	27.7-31.7
Male	1760	341,106	1118	60.7	57.6-63.8	489	31.3	28.2-34.4
Female	2223	381,963	1497	65.1	62.2-68.0	592	28.3	25.6-31.0
White/Non-Hisp	2638	457,040	1837	67.6	65.1-70.1	652	26.6	24.2-29.0
Black or Afr. Am./Non-Hisp	564	146,273	326	55.1	49.4-60.8	197	37.8	32.1-43.5
Oth. Race/Non-Hisp.	186	35,389	119	58.4	48.6-68.2	46	30.9	21.5-40.3
Hispanic	436	57,498	245	56.8	50.1-63.5	129	29.9	23.8-36.0
18-24	240	82,565	144	59.9	51.7-68.1	69	31.3	23.3-39.3
25-34	439	115,825	231	53.0	46.3-59.7	161	38.5	32.0-45.0
35-44	461	108,121	255	56.8	50.7-62.9	151	32.0	26.3-37.7
45-54	625	118,610	367	58.5	53.4-63.6	202	33.8	28.9-38.7
55-64	853	128,189	568	67.5	63.4-71.6	226	26.6	22.7-30.5
65+	1365	169,758	1050	75.3	72.4-78.2	272	21.1	18.4-23.8
Less Than H.S.	432	87,562	241	57.1	50.4-63.8	139	32.7	26.4-39.0
H.S. or G.E.D.	1136	224,466	704	60.9	56.8-65.0	323	29.2	25.5-32.9
Some Post-H.S.	982	205,804	644	63.5	59.4-67.6	279	30.8	26.7-34.9
College Graduate	1409	200,533	1014	68.4	64.9-71.9	333	27.8	24.5-31.1
Less than \$15,000	324	50,046	187	54.2	46.4-62.0	97	34.4	26.6-42.2
\$15,000- 24,999	597	100,239	348	54.7	49.0-60.4	194	34.9	29.4-40.4
\$25,000- 34,999	373	62,914	236	60.8	53.5-68.1	104	28.6	21.9-35.3
\$35,000- 49,999	455	85,113	278	58.6	51.9-65.3	151	34.7	28.4-41.0
\$50,000- 74,999	469	89,681	333	68.6	62.7-74.5	110	26.3	20.6-32.0
\$75,000+	983	189,757	720	70.2	66.3-74.1	223	25.9	22.2-29.6

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
191	5.1	04.1-06.1	96	2.1	01.5-02.7
94	5.3	03.9-06.7	59	2.6	01.8-03.4
97	4.8	03.6-06.0	37	1.7	00.9-02.5
113	4.5	03.5-05.5	36	1.4	00.8-02.0
32	5.6	03.2-08.0	9	1.6	00.2-03.0
12	5.8	01.1-10.5	9	5.0	00.9-09.1
26	6.4	03.3-09.5	36	6.9	04.0-09.8
16	5.8	02.7-08.9	11	3.0	00.8-05.2

NOTE:  
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 10: HEALTH CARE ACCESS**

**TABLE 19: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
29	5.7	03.2-08.2	18	2.8	01.0-04.6
35	8.2	04.7-11.7	20	3.0	01.2-04.8
41	5.8	03.8-07.8	15	1.9	00.7-03.1
41	3.8	02.4-05.2	18	2.1	00.9-03.3
29	2.8	01.4-04.2	14	0.8	00.4-01.2
21	5.2	02.5-07.9	31	5.1	02.6-07.6
78	7.5	05.5-09.5	31	2.5	01.3-03.7
46	4.3	02.7-05.9	13	1.4	00.4-02.4
43	2.6	01.6-03.6	19	1.2	00.6-01.8
27	7.7	03.8-11.6	13	3.7	01.0-06.4
35	7.8	04.7-10.9	20	2.6	01.0-04.2
25	6.7	03.6-09.8	8	3.9	01.0-06.8
19	4.1	01.7-06.5	7	2.6	00.4-04.8
16	3.1	01.1-05.1	10	2.0	00.4-03.6
29	3.1	01.5-04.7	11	0.7	00.3-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 20: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	341,106	1118	60.7	57.6-63.8	489	31.3	28.2-34.4
White/Non-Hisp	1158	215,015	765	63.1	59.4-66.8	320	30.2	26.7-33.7
Black or Afr. Am./Non-Hisp	213	66,296	132	59.1	50.1-68.1	66	35.8	27.0-44.6
Oth. Race/Non-Hisp.	114	19,528	73	58.7	46.0-71.4	31	34.7	22.2-47.2
Hispanic	207	26,479	113	60.0	50.2-69.8	47	19.5	12.2-26.8
18-24	143	42,595	85	62.1	51.7-72.5	40	28.4	18.6-38.2
25-34	220	55,302	100	45.1	35.3-54.9	88	45.0	35.4-54.6
35-44	211	52,271	114	53.2	43.6-62.8	67	34.5	25.5-43.5
45-54	276	55,924	162	58.2	50.4-66.0	84	32.8	25.4-40.2
55-64	344	60,043	221	64.8	58.1-71.5	93	28.8	22.3-35.3
65+	566	74,970	436	75.4	70.7-80.1	117	21.7	17.2-26.2
Less Than H.S.	209	42,150	111	55.6	45.6-65.6	64	31.9	22.7-41.1
H.S. or G.E.D.	520	111,382	296	57.7	51.6-63.8	159	30.8	25.3-36.3
Some Post-H.S.	408	97,711	265	62.2	55.9-68.5	122	33.2	26.9-39.5
College Graduate	610	86,355	440	66.7	61.4-72.0	140	29.5	24.4-34.6
Less than \$15,000	119	18,000	65	48.4	35.7-61.1	35	40.0	26.5-53.5
\$15,000- 24,999	245	43,803	133	52.9	44.3-61.5	81	34.9	26.7-43.1
\$25,000- 34,999	160	30,553	99	57.7	46.5-68.9	42	29.4	18.8-40.0
\$35,000- 49,999	205	39,870	126	59.0	49.4-68.6	70	37.1	27.7-46.5
\$50,000- 74,999	239	45,740	165	68.0	60.0-76.0	59	26.9	19.3-34.5
\$75,000+	477	100,403	340	66.1	60.0-72.2	115	29.3	23.4-35.2

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
94	5.3	03.9-06.7	59	2.6	01.8-03.4
53	5.0	03.4-06.6	20	1.7	00.7-02.7
10	4.0	01.1-06.9	5	1.2	00.0-02.6
6	4.9	00.0-09.8	4	1.8	00.0-04.0
20	8.2	03.7-12.7	27	12.3	06.2-18.4
10	5.3	01.6-09.0	8	4.2	00.7-07.7
20	7.4	03.5-11.3	12	2.5	00.5-04.5
18	8.7	03.4-14.0	12	3.6	01.1-06.1
21	7.0	03.5-10.5	9	2.0	00.4-03.6
16	2.5	01.1-03.9	14	3.9	01.5-06.3
9	2.6	00.2-05.0	4	0.4	00.0-00.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 20: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
12	4.5	01.4-07.6	22	8.0	03.5-12.5
43	8.2	05.1-11.3	22	3.4	01.6-05.2
18	4.1	01.7-06.5	3	0.5	00.0-01.1
19	2.5	01.1-03.9	11	1.3	00.5-02.1
11	7.7	01.8-13.6	8	3.8	00.7-06.9
16	7.0	02.9-11.1	15	5.2	01.9-08.5
13	6.6	02.7-10.5	6	6.3	00.6-12.0
6	2.3	00.1-04.5	3	1.6	00.0-03.8
10	3.9	01.2-06.6	5	1.2	00.0-02.4
15	3.7	01.3-06.1	7	1.0	00.2-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 21: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2223	381,963	1497	65.1	62.2-68.0	592	28.3	25.6-31.0
White/Non-Hisp	1480	242,025	1072	71.5	68.4-74.6	332	23.4	20.3-26.5
Black or Afr. Am./Non-Hisp	351	79,977	194	51.7	44.4-59.0	131	39.5	32.2-46.8
Oth. Race/Non-Hisp.	72	15,862	46	58.1	42.8-73.4	15	26.2	12.7-39.7
Hispanic	229	31,019	132	54.1	45.3-62.9	82	38.8	30.0-47.6
18-24	97	39,970	59	57.7	45.0-70.4	29	34.3	21.6-47.0
25-34	219	60,523	131	60.2	51.4-69.0	73	32.6	24.2-41.0
35-44	250	55,850	141	60.1	52.5-67.7	84	29.6	22.7-36.5
45-54	349	62,687	205	58.8	52.1-65.5	118	34.7	28.2-41.2
55-64	509	68,146	347	69.8	64.7-74.9	133	24.7	20.0-29.4
65+	799	94,788	614	75.2	71.3-79.1	155	20.6	17.1-24.1
Less Than H.S.	223	45,412	130	58.4	49.4-67.4	75	33.4	24.8-42.0
H.S. or G.E.D.	616	113,084	408	64.0	58.7-69.3	164	27.6	22.5-32.7
Some Post-H.S.	574	108,093	379	64.6	59.1-70.1	157	28.6	23.3-33.9
College Graduate	799	114,179	574	69.6	64.9-74.3	193	26.5	22.0-31.0
Less than \$15,000	205	32,046	122	57.5	47.9-67.1	62	31.3	21.9-40.7
\$15,000- 24,999	352	56,437	215	56.0	48.6-63.4	113	35.0	27.7-42.3
\$25,000- 34,999	213	32,361	137	63.8	54.8-72.8	62	27.9	19.5-36.3
\$35,000- 49,999	250	45,242	152	58.2	49.2-67.2	81	32.6	24.2-41.0
\$50,000- 74,999	230	43,941	168	69.1	60.5-77.7	51	25.7	17.3-34.1
\$75,000+	506	89,354	380	74.9	70.0-79.8	108	22.1	17.4-26.8

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
97	4.8	03.6-06.0	37	1.7	00.9-02.5
60	4.0	02.8-05.2	16	1.1	00.5-01.7
22	6.9	03.6-10.2	4	2.0	00.0-04.0
6	6.8	00.0-15.0	5	9.0	00.2-17.8
6	4.9	00.6-09.2	9	2.3	00.7-03.9
6	6.3	01.2-11.4	3	1.7	00.0-03.9
9	4.1	01.0-07.2	6	3.2	00.3-06.1
17	7.8	03.3-12.3	8	2.5	00.1-04.9
20	4.7	02.3-07.1	6	1.8	00.0-03.6
25	4.8	02.4-07.2	4	0.6	00.0-01.4
20	3.1	01.1-05.1	10	1.1	00.3-01.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 21: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

No medication was prescribed			8		
N	%	C.I. (95%)	N	%	C.I. (95%)
9	5.9	01.4-10.4	9	2.3	00.1-04.5
35	6.8	04.1-09.5	9	1.6	00.2-03.0
28	4.6	02.4-06.8	10	2.2	00.6-03.8
24	2.7	01.3-04.1	8	1.1	00.1-02.1
16	7.7	02.6-12.8	5	3.6	00.0-07.3
19	8.4	03.9-12.9	5	0.6	00.0-01.2
12	6.8	02.3-11.3	2	1.6	00.0-04.0
13	5.7	01.6-09.8	4	3.4	00.0-06.9
6	2.2	00.0-04.7	5	2.9	00.0-05.8
14	2.5	00.9-04.1	4	0.5	00.1-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 22: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3989	718,581	710	20.5	18.5-22.5	3279	79.5	77.5-81.5
Male	1764	337,472	261	17.6	15.1-20.1	1503	82.4	79.9-84.9
Female	2225	381,110	449	23.1	20.4-25.8	1776	76.9	74.2-79.6
White/Non-Hisp	2639	452,232	410	18.9	16.5-21.3	2229	81.1	78.7-83.5
Black or Afr. Am./Non-Hisp	564	146,566	144	26.2	21.3-31.1	420	73.8	68.9-78.7
Oth. Race/Non-Hisp.	184	34,697	27	15.3	08.0-22.6	157	84.7	77.4-92.0
Hispanic	441	57,798	92	21.8	16.5-27.1	349	78.2	72.9-83.5
18-24	234	78,476	42	22.0	14.6-29.4	192	78.0	70.6-85.4
25-34	438	114,946	98	27.0	20.9-33.1	340	73.0	66.9-79.1
35-44	460	107,390	109	24.9	19.6-30.2	351	75.1	69.8-80.4
45-54	629	119,096	133	20.7	16.6-24.8	496	79.3	75.2-83.4
55-64	858	129,266	186	20.9	17.2-24.6	672	79.1	75.4-82.8
65+	1370	169,409	142	12.3	09.9-14.7	1228	87.7	85.3-90.1
Less Than H.S.	433	86,381	88	20.9	15.4-26.4	345	79.1	73.6-84.6
H.S. or G.E.D.	1136	223,103	223	20.6	17.1-24.1	913	79.4	75.9-82.9
Some Post-H.S.	987	204,912	202	23.8	19.9-27.7	785	76.2	72.3-80.1
College Graduate	1409	199,481	194	17.1	14.2-20.0	1215	82.9	80.0-85.8
Less than \$15,000	322	48,970	77	26.9	19.6-34.2	245	73.1	65.8-80.4
\$15,000- 24,999	602	100,579	151	27.7	22.8-32.6	451	72.3	67.4-77.2
\$25,000- 34,999	373	62,211	80	22.6	16.3-28.9	293	77.4	71.1-83.7
\$35,000- 49,999	457	85,644	87	21.3	15.4-27.2	370	78.7	72.8-84.6
\$50,000- 74,999	469	89,652	78	19.1	13.8-24.4	391	80.9	75.6-86.2
\$75,000+	989	189,756	132	17.4	13.9-20.9	857	82.6	79.1-86.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 23: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1764	337,472	261	17.6	15.1-20.1	1503	82.4	79.9-84.9
White/Non-Hisp	1156	210,777	160	17.9	14.6-21.2	996	82.1	78.8-85.4
Black or Afr. Am./Non-Hisp	216	66,803	46	22.0	14.7-29.3	170	78.0	70.7-85.3
Oth. Race/Non-Hisp.	113	19,445	15	11.5	04.1-18.9	98	88.5	81.1-95.9
Hispanic	209	26,324	29	13.6	07.3-19.9	180	86.4	80.1-92.7
18-24	137	39,557	16	13.3	05.7-20.9	121	86.7	79.1-94.3
25-34	222	55,190	44	23.2	15.2-31.2	178	76.8	68.8-84.8
35-44	208	51,095	39	23.2	15.2-31.2	169	76.8	68.8-84.8
45-54	279	56,383	44	14.8	09.5-20.1	235	85.2	79.9-90.5
55-64	348	60,467	65	20.2	14.1-26.3	283	79.8	73.7-85.9
65+	570	74,780	53	12.2	08.1-16.3	517	87.8	83.7-91.9
Less Than H.S.	211	41,489	38	22.5	13.5-31.5	173	77.5	68.5-86.5
H.S. or G.E.D.	516	108,366	87	17.9	13.6-22.2	429	82.1	77.8-86.4
Some Post-H.S.	413	97,677	66	18.5	13.2-23.8	347	81.5	76.2-86.8
College Graduate	611	86,432	69	14.3	10.0-18.6	542	85.7	81.4-90.0
Less than \$15,000	119	17,369	28	34.9	21.4-48.4	91	65.1	51.6-78.6
\$15,000- 24,999	244	43,381	51	22.0	15.1-28.9	193	78.0	71.1-84.9
\$25,000- 34,999	160	29,759	25	17.2	08.8-25.6	135	82.8	74.4-91.2
\$35,000- 49,999	206	39,977	25	13.2	06.9-19.5	181	86.8	80.5-93.1
\$50,000- 74,999	240	45,746	35	18.9	10.9-26.9	205	81.1	73.1-89.1
\$75,000+	482	101,060	56	16.0	10.9-21.1	426	84.0	78.9-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 24: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	381,110	449	23.1	20.4-25.8	1776	76.9	74.2-79.6
White/Non-Hisp	1483	241,455	250	19.8	16.5-23.1	1233	80.2	76.9-83.5
Black or Afr. Am./Non-Hisp	348	79,763	98	29.7	23.0-36.4	250	70.3	63.6-77.0
Oth. Race/Non-Hisp.	71	15,252	12	20.2	07.3-33.1	59	79.8	66.9-92.7
Hispanic	232	31,474	63	28.7	20.9-36.5	169	71.3	63.5-79.1
18-24	97	38,919	26	30.9	18.6-43.2	71	69.1	56.8-81.4
25-34	216	59,755	54	30.5	21.5-39.5	162	69.5	60.5-78.5
35-44	252	56,294	70	26.5	19.4-33.6	182	73.5	66.4-80.6
45-54	350	62,713	89	26.0	20.1-31.9	261	74.0	68.1-79.9
55-64	510	68,799	121	21.4	16.9-25.9	389	78.6	74.1-83.1
65+	800	94,629	89	12.4	09.5-15.3	711	87.6	84.7-90.5
Less Than H.S.	222	44,892	50	19.5	12.6-26.4	172	80.5	73.6-87.4
H.S. or G.E.D.	620	114,737	136	23.1	17.8-28.4	484	76.9	71.6-82.2
Some Post-H.S.	574	107,235	136	28.6	23.1-34.1	438	71.4	65.9-76.9
College Graduate	798	113,049	125	19.3	15.2-23.4	673	80.7	76.6-84.8
Less than \$15,000	203	31,601	49	22.5	14.7-30.3	154	77.5	69.7-85.3
\$15,000- 24,999	358	57,198	100	32.0	25.1-38.9	258	68.0	61.1-74.9
\$25,000- 34,999	213	32,452	55	27.6	18.4-36.8	158	72.4	63.2-81.6
\$35,000- 49,999	251	45,667	62	28.4	19.4-37.4	189	71.6	62.6-80.6
\$50,000- 74,999	229	43,906	43	19.2	12.3-26.1	186	80.8	73.9-87.7
\$75,000+	507	88,697	76	19.1	14.4-23.8	431	80.9	76.2-85.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	555	83,072	306	50.4	44.9-55.9	249	49.6	44.1-55.1
Male	254	42,388	135	50.5	42.3-58.7	119	49.5	41.3-57.7
Female	301	40,685	171	50.2	42.6-57.8	130	49.8	42.2-57.4
White/Non-Hisp	368	52,297	212	49.5	42.8-56.2	156	50.5	43.8-57.2
Black or Afr. Am./Non-Hisp	92	17,433	52	53.5	40.6-66.4	40	46.5	33.6-59.4
45-54	80	12,942	44	47.0	32.9-61.1	36	53.0	38.9-67.1
55-64	142	21,729	85	54.3	43.1-65.5	57	45.7	34.5-56.9
65+	297	39,698	162	51.3	43.9-58.7	135	48.7	41.3-56.1
Less Than H.S.	73	14,352	26	39.4	23.7-55.1	47	60.6	44.9-76.3
H.S. or G.E.D.	184	32,108	94	43.2	34.0-52.4	90	56.8	47.6-66.0
Some Post-H.S.	150	21,905	95	62.6	52.4-72.8	55	37.4	27.2-47.6
College Graduate	148	14,706	91	58.8	49.2-68.4	57	41.2	31.6-50.8
Less than \$15,000	64	9,129	37	45.8	28.9-62.7	27	54.2	37.3-71.1
\$15,000- 24,999	111	15,523	54	43.2	32.0-54.4	57	56.8	45.6-68.0
\$25,000- 34,999	59	8,711	27	38.2	20.8-55.6	32	61.8	44.4-79.2
\$35,000- 49,999	70	11,905	39	52.6	36.7-68.5	31	47.4	31.5-63.3
\$50,000- 74,999	52	9,394	35	64.8	47.0-82.6	17	35.2	17.4-53.0
\$75,000+	84	10,314	56	68.2	56.2-80.2	28	31.8	19.8-43.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	42,388	135	50.5	42.1-58.9	119	49.5	41.1-57.9
White/Non-Hisp	178	27,379	96	48.2	38.4-58.0	82	51.8	42.0-61.6
55-64	65	11,928	33	49.9	33.8-66.0	32	50.1	34.0-66.2
65+	132	18,607	75	56.6	45.6-67.6	57	43.4	32.4-54.4
H.S. or G.E.D.	83	15,800	41	44.4	30.9-57.9	42	55.6	42.1-69.1
Some Post-H.S.	62	10,696	40	66.7	50.8-82.6	22	33.3	17.4-49.2
College Graduate	82	9,578	46	55.7	43.2-68.2	36	44.3	31.8-56.8
\$75,000+	56	7,457	36	65.3	50.0-80.6	20	34.7	19.4-50.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 10: HEALTH CARE ACCESS**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	301	40,685	171	50.2	42.6-57.8	130	49.8	42.2-57.4
White/Non-Hisp	190	24,918	116	51.0	41.4-60.6	74	49.0	39.4-58.6
Black or Afr. Am./Non-Hisp	51	7,967	29	50.7	33.6-67.8	22	49.3	32.2-66.4
55-64	77	9,801	52	59.6	44.1-75.1	25	40.4	24.9-55.9
65+	165	21,091	87	46.6	36.8-56.4	78	53.4	43.6-63.2
H.S. or G.E.D.	101	16,309	53	42.0	29.5-54.5	48	58.0	45.5-70.5
Some Post-H.S.	88	11,209	55	58.6	46.1-71.1	33	41.4	28.9-53.9
College Graduate	66	5,129	45	64.4	50.5-78.3	21	35.6	21.7-49.5
\$15,000- 24,999	71	8,985	38	46.0	31.7-60.3	33	54.0	39.7-68.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017

MODULE 13: SUGAR SWEETENED BEVERAGES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT3)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 1: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3573	643,986	1608	41.2	38.8-43.6	476	13.1	11.5-14.7	13	0.7	0.3-01.1	509	15.7	13.9-17.5	967	29.3	27.1-31.5	
Male	1574	299,602	618	35.9	32.6-39.2	226	13.6	11.2-16.0	2	0.4	0.0-01.0	284	19.5	16.6-22.4	444	30.6	27.3-33.9	
Female	1999	344,384	990	45.8	42.7-48.9	250	12.7	10.7-14.7	11	0.9	0.1-01.7	225	12.5	10.1-14.9	523	28.2	25.3-31.1	
White/Non-Hisp	2432	417,770	1203	44.5	41.8-47.2	277	12.3	10.5-14.1	9	0.8	0.2-01.4	290	13.8	11.6-16.0	653	28.7	26.2-31.2	
Black or Afr. Am./Non-Hisp	467	121,885	162	34.6	28.7-40.5	82	13.7	10.0-17.4	3	0.7	0.0-01.9	82	18.0	13.1-22.9	138	32.9	26.6-39.2	
Oth. Race/Non-Hisp.	158	30,818	75	48.5	37.7-59.3	20	16.8	07.6-26.0	1	0.8	0.0-02.4	22	9.4	04.5-14.3	40	24.4	15.4-33.4	
Hispanic	377	50,374	107	24.5	18.8-30.2	78	17.0	12.1-21.9				95	30.6	22.8-38.4	97	27.9	21.2-34.6	
18-24	205	73,055	46	21.1	14.0-28.2	38	17.5	11.0-24.0	1	1.0	0.0-03.0	59	30.7	21.9-39.5	61	29.8	21.4-38.2	
25-34	384	102,942	116	30.4	23.7-37.1	76	15.5	10.6-20.4	3	1.6	0.0-03.6	78	17.7	12.2-23.2	111	34.8	27.7-41.9	
35-44	397	93,095	115	29.3	23.4-35.2	74	15.7	11.4-20.0	2	0.9	0.0-02.5	69	15.8	11.1-20.5	137	38.3	31.4-45.2	
45-54	565	104,282	261	46.8	41.5-52.1	69	11.3	08.0-14.6	3	0.6	0.0-01.6	74	13.6	10.1-17.1	158	27.7	23.0-32.4	
55-64	772	115,815	386	49.0	44.3-53.7	90	12.0	08.9-15.1	3	0.2	0.0-00.4	78	11.5	08.0-15.0	215	27.3	23.2-31.4	
65+	1250	154,796	684	55.3	51.8-58.8	129	10.0	08.0-12.0	1	0.2	0.0-00.6	151	11.9	09.5-14.3	285	22.6	19.7-25.5	
Less Than H.S.	366	76,289	105	27.6	21.3-33.9	78	17.8	12.7-22.9	2	1.6	0.0-03.8	90	21.4	15.1-27.7	91	31.6	24.2-39.0	
H.S. or G.E.D.	991	194,353	392	36.9	32.6-41.2	188	17.3	14.2-20.4	3	0.5	0.0-01.3	154	18.8	14.9-22.7	254	26.6	22.3-30.9	
Some Post-H.S.	885	181,911	400	41.1	36.6-45.6	107	13.3	10.2-16.4	6	1.1	0.1-02.1	117	14.9	11.4-18.4	255	29.6	25.5-33.7	
College Graduate	1313	187,850	703	51.0	47.3-54.7	102	6.9	05.1-08.7	2	0.2	0.0-00.4	145	11.2	08.8-13.6	361	30.7	27.2-34.2	
Less than \$15,000	290	43,015	116	32.4	25.1-39.7	67	26.4	19.0-33.8	3	0.7	0.0-01.5	37	14.4	09.3-19.5	67	26.2	18.4-34.0	
\$15,000- 24,999	542	88,936	191	33.7	28.2-39.2	122	22.6	17.7-27.5	2	1.3	0.0-03.1	91	17.0	12.7-21.3	136	25.4	19.9-30.9	
\$25,000- 34,999	324	53,312	130	35.0	27.9-42.1	43	14.1	08.4-19.8	1	0.1	0.0-00.3	60	21.7	14.8-28.6	90	29.2	21.9-36.5	
\$35,000- 49,999	408	75,628	174	36.7	30.2-43.2	62	15.6	10.5-20.7				63	17.9	11.8-24.0	109	29.8	22.9-36.7	
\$50,000- 74,999	444	85,070	224	48.1	41.4-54.8	38	8.2	05.1-11.3	3	0.5	0.0-01.1	48	12.6	07.9-17.3	131	30.5	24.0-37.0	
\$75,000+	919	174,852	471	45.3	41.0-49.6	71	7.9	05.5-10.3	3	0.9	0.0-02.1	112	12.5	09.6-15.4	262	33.4	28.9-37.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 2: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1574	299,602	618	35.9	32.6-39.2	226	13.6	11.2-16.0	2	0.4	00.0-01.0	284	19.5	16.6-22.4	444	30.6	27.3-33.9	
White/Non-Hisp	1064	193,943	446	37.4	33.5-41.3	128	12.9	10.2-15.6	2	0.6	00.0-01.4	184	19.5	16.0-23.0	304	29.6	25.7-33.5	
Black or Afr. Am./Non-Hisp	173	53,815	56	30.9	21.7-40.1	30	14.3	08.0-20.6				31	18.5	10.9-26.1	56	36.2	25.6-46.8	
Oth. Race/Non-Hisp.	100	17,294	49	51.3	37.6-65.0	10	14.1	02.7-25.5				17	12.6	05.3-19.9	24	22.1	11.3-32.9	
Hispanic	177	22,517	44	25.0	16.0-34.0	49	20.1	12.5-27.7				42	29.2	15.7-42.7	42	25.7	15.9-35.5	
18-24	116	36,172	28	22.4	13.0-31.8	20	15.1	06.7-23.5				33	32.7	20.5-44.9	35	29.8	18.8-40.8	
25-34	194	49,463	54	27.9	18.7-37.1	35	13.6	06.9-20.3				50	22.0	13.2-30.8	55	36.5	26.1-46.9	
35-44	177	43,375	47	24.6	16.4-32.8	39	18.0	11.1-24.9	1	1.7	00.0-04.8	36	19.2	11.8-26.6	54	36.5	25.1-47.9	
45-54	247	47,328	99	37.9	30.5-45.3	37	14.5	08.8-20.2	1	1.0	00.0-03.0	36	15.8	09.9-21.7	74	30.9	23.5-38.3	
55-64	309	53,765	140	43.5	36.1-50.9	34	10.8	06.1-15.5				45	16.4	10.1-22.7	90	29.3	22.6-36.0	
65+	531	69,499	250	48.4	42.9-53.9	61	11.7	08.4-15.0				84	15.8	11.9-19.7	136	24.1	19.6-28.6	
Less Than H.S.	179	36,278	41	22.7	14.1-31.3	50	20.9	13.3-28.5				46	25.0	14.6-35.4	42	31.3	19.9-42.7	
H.S. or G.E.D.	460	96,681	157	30.7	25.0-36.4	89	18.4	13.5-23.3				90	22.7	16.8-28.6	124	28.2	21.5-34.9	
Some Post-H.S.	355	82,919	137	36.4	29.7-43.1	44	12.0	07.5-16.5	2	1.4	00.0-03.4	65	19.5	13.8-25.2	107	30.7	24.2-37.2	
College Graduate	570	81,019	277	46.7	41.4-52.0	43	6.7	04.3-09.1				82	13.7	10.4-17.0	168	32.9	27.8-38.0	
Less than \$15,000	100	15,754	29	17.9	10.1-25.7	24	30.4	16.9-43.9				17	19.6	09.4-29.8	30	32.0	18.1-45.9	
\$15,000- 24,999	228	38,867	60	25.6	17.6-33.6	60	25.5	17.7-33.3				53	23.6	16.2-31.0	55	25.3	17.7-32.9	
\$25,000- 34,999	136	25,117	52	34.1	23.3-44.9	23	18.4	08.6-28.2				24	17.6	09.0-26.2	37	30.0	18.2-41.8	
\$35,000- 49,999	181	33,959	71	36.8	27.0-46.6	30	15.8	09.1-22.5				36	21.1	10.7-31.5	44	26.3	17.1-35.5	
\$50,000- 74,999	222	42,179	106	45.9	36.5-55.3	17	6.9	03.0-10.8				32	16.2	09.1-23.3	67	31.0	21.6-40.4	
\$75,000+	443	91,068	198	38.6	32.5-44.7	38	8.3	05.2-11.4	2	1.3	00.0-03.1	74	16.6	11.9-21.3	131	35.2	28.3-42.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 3: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1999	344,384	990	45.8	42.7-48.9	250	12.7	10.7-14.7	11	0.9	0.1-01.7	225	12.5	10.1-14.9	523	28.2	25.3-31.1	
White/Non-Hisp	1368	223,827	757	50.6	46.9-54.3	149	11.9	09.4-14.4	7	0.9	0.1-01.7	106	8.9	06.4-11.4	349	27.8	24.3-31.3	
Black or Afr. Am./Non-Hisp	294	68,070	106	37.6	30.0-45.2	52	13.3	08.8-17.8	3	1.3	0.0-03.5	51	17.6	11.3-23.9	82	30.3	22.7-37.9	
Oth. Race/Non-Hisp.	58	13,525	26	45.1	28.0-62.2	10	20.4	05.3-35.5	1	1.8	0.0-05.3	5	5.4	0.0-11.7	16	27.3	12.4-42.2	
Hispanic	200	27,857	63	24.1	17.0-31.2	29	14.5	08.2-20.8				53	31.8	22.6-41.0	55	29.7	20.9-38.5	
18-24	89	36,883	18	19.8	09.4-30.2	18	19.8	10.2-29.4	1	2.0	0.0-05.7	26	28.7	16.2-41.2	26	29.7	17.2-42.2	
25-34	190	53,479	62	32.8	23.6-42.0	41	17.3	10.2-24.4	3	3.1	0.0-06.6	28	13.7	07.2-20.2	56	33.2	23.4-43.0	
35-44	220	49,720	68	33.3	25.1-41.5	35	13.7	08.4-19.0	1	0.2	0.0-00.6	33	12.9	07.2-18.6	83	40.0	31.6-48.4	
45-54	318	56,954	162	54.2	47.1-61.3	32	8.6	05.1-12.1	2	0.3	0.0-00.7	38	11.8	07.5-16.1	84	25.1	18.8-31.4	
55-64	463	62,050	246	53.8	47.9-59.7	56	13.1	08.8-17.4	3	0.3	0.0-00.7	33	7.2	04.1-10.3	125	25.6	20.7-30.5	
65+	719	85,297	434	61.0	56.5-65.5	68	8.6	06.2-11.0	1	0.3	0.0-00.9	67	8.7	06.2-11.2	149	21.4	17.7-25.1	
Less Than H.S.	187	40,011	64	32.0	23.0-41.0	28	15.0	07.9-22.1	2	3.0	0.0-07.3	44	18.2	10.9-25.5	49	31.8	22.0-41.6	
H.S. or G.E.D.	531	97,673	235	43.0	36.9-49.1	99	16.2	12.3-20.1	3	0.9	0.0-02.3	64	15.0	09.9-20.1	130	25.0	19.5-30.5	
Some Post-H.S.	530	98,992	263	45.0	39.1-50.9	63	14.3	09.8-18.8	4	0.7	0.0-01.7	52	11.1	07.0-15.2	148	28.8	23.3-34.3	
College Graduate	743	106,831	426	54.3	49.2-59.4	59	7.0	04.6-09.4	2	0.3	0.0-00.7	63	9.3	06.2-12.4	193	29.1	24.4-33.8	
Less than \$15,000	190	27,261	87	40.8	31.0-50.6	43	24.1	15.7-32.5	3	1.0	0.0-02.2	20	11.3	05.6-17.0	37	22.8	13.6-32.0	
\$15,000- 24,999	314	50,069	131	40.1	32.5-47.7	62	20.3	14.0-26.6	2	2.3	0.0-05.4	38	11.8	06.9-16.7	81	25.5	17.9-33.1	
\$25,000- 34,999	188	28,195	78	35.7	26.7-44.7	20	10.2	03.9-16.5	1	0.1	0.0-00.3	36	25.3	14.9-35.7	53	28.6	19.6-37.6	
\$35,000- 49,999	227	41,669	103	36.6	27.8-45.4	32	15.5	08.1-22.9				27	15.3	08.4-22.2	65	32.6	22.6-42.6	
\$50,000- 74,999	222	42,891	118	50.3	40.9-59.7	21	9.6	04.7-14.5	3	0.9	0.0-02.1	16	9.1	03.2-15.0	64	30.1	21.5-38.7	
\$75,000+	476	83,785	273	52.6	46.7-58.5	33	7.5	04.2-10.8	1	0.6	0.0-01.8	38	7.9	04.8-11.0	131	31.5	25.8-37.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 4: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3545	636,581	1901	49.2	46.8-51.6	399	11.7	10.1-13.3	18	0.6	0.2-01.0	527	16.0	14.2-17.8	700	22.5	20.5-24.5
Male	1566	297,064	742	43.8	40.3-47.3	191	12.3	09.9-14.7	12	0.9	0.1-01.7	290	18.7	16.0-21.4	331	24.3	21.2-27.4
Female	1979	339,517	1159	53.9	50.8-57.0	208	11.2	09.2-13.2	6	0.3	0.0-00.7	237	13.6	11.2-16.0	369	21.0	18.3-23.7
White/Non-Hisp	2416	415,174	1415	53.5	50.8-56.2	238	11.0	09.0-13.0	13	0.7	0.1-01.3	284	12.9	10.9-14.9	466	22.0	19.6-24.4
Black or Afr. Am./Non-Hisp	460	118,601	177	36.0	29.7-42.3	69	14.7	10.4-19.0	1	0.6	0.0-01.8	100	22.9	17.8-28.0	113	25.8	20.3-31.3
Oth. Race/Non-Hisp.	154	29,490	77	47.5	36.7-58.3	16	10.7	03.6-17.8				30	23.7	13.9-33.5	31	18.1	10.3-25.9
Hispanic	379	50,248	164	46.4	38.8-54.0	59	12.9	08.8-17.0	3	0.7	0.0-01.7	92	22.2	16.7-27.7	61	17.8	11.9-23.7
18-24	202	70,724	51	25.8	18.0-33.6	34	21.6	13.2-30.0	2	1.6	0.0-04.0	65	29.0	20.8-37.2	50	22.1	15.4-28.8
25-34	381	102,041	106	28.8	21.9-35.7	62	10.8	07.3-14.3	4	0.3	0.1-00.5	100	23.3	17.6-29.0	109	36.9	29.6-44.2
35-44	398	93,253	166	46.0	39.1-52.9	54	11.0	07.5-14.5	4	1.4	0.0-03.2	79	17.3	12.6-22.0	95	24.2	18.7-29.7
45-54	559	103,173	277	49.3	44.0-54.6	73	13.5	10.0-17.0	5	0.8	0.0-01.8	84	15.8	11.9-19.7	120	20.5	16.2-24.8
55-64	772	115,920	470	61.5	57.0-66.0	74	9.1	06.4-11.8				79	9.0	06.5-11.5	149	20.4	16.7-24.1
65+	1233	151,470	831	66.2	62.9-69.5	102	8.9	06.9-10.9	3	0.2	0.0-00.6	120	9.5	07.5-11.5	177	15.1	12.6-17.6
Less Than H.S.	363	75,084	155	41.2	33.8-48.6	69	18.7	13.0-24.4	2	0.3	0.0-00.7	71	15.6	10.5-20.7	66	24.3	17.0-31.6
H.S. or G.E.D.	986	190,486	470	45.3	40.8-49.8	167	16.0	12.7-19.3	6	0.7	0.0-01.5	171	19.9	16.2-23.6	172	18.1	14.8-21.4
Some Post-H.S.	874	180,114	480	50.8	46.3-55.3	93	10.3	07.6-13.0	6	1.1	0.1-02.1	126	14.8	11.7-17.9	169	23.2	18.9-27.5
College Graduate	1302	186,622	781	54.1	50.4-57.8	70	6.1	04.1-08.1	4	0.3	0.1-00.5	157	13.4	10.9-15.9	290	26.1	22.8-29.4
Less than \$15,000	286	41,821	125	41.9	33.7-50.1	51	22.2	14.9-29.5	2	0.6	0.0-01.4	52	16.7	11.2-22.2	56	18.6	12.3-24.9
\$15,000- 24,999	537	88,220	269	44.8	38.9-50.7	92	16.6	12.3-20.9	4	1.1	0.0-02.7	84	16.4	12.1-20.7	88	21.1	15.6-26.6
\$25,000- 34,999	320	52,872	158	45.2	37.4-53.0	46	13.4	08.7-18.1	4	1.1	0.0-02.7	49	18.7	11.6-25.8	63	21.6	15.1-28.1
\$35,000- 49,999	407	73,322	219	49.0	41.9-56.1	39	9.7	06.2-13.2	2	0.2	0.0-00.4	65	15.5	11.0-20.0	82	25.7	19.0-32.4
\$50,000- 74,999	443	84,986	249	51.4	44.7-58.1	34	9.0	05.5-12.5	1	0.3	0.0-00.9	61	16.2	11.1-21.3	98	23.1	17.2-29.0
\$75,000+	916	174,596	528	52.6	48.1-57.1	60	6.3	04.3-08.3	5	1.0	0.0-02.0	128	15.6	12.3-18.9	195	24.6	20.7-28.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 5: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1566	297,064	742	43.8	40.3-47.3	191	12.3	09.9-14.7	12	0.9	00.1-01.7	290	18.7	16.0-21.4	331	24.3	21.2-27.4
White/Non-Hisp	1058	193,309	546	46.0	41.9-50.1	109	11.5	08.6-14.4	9	1.3	00.3-02.3	164	16.6	13.5-19.7	230	24.6	20.9-28.3
Black or Afr. Am./Non-Hisp	173	52,751	58	35.3	24.7-45.9	31	16.7	09.6-23.8	41	22.9	14.5-31.3	43	25.1	16.5-33.7	43	25.1	16.5-33.7
Oth. Race/Non-Hisp.	97	16,088	46	46.4	33.1-59.7	10	9.7	02.1-17.3	22	26.9	13.8-40.0	19	17.1	07.3-26.9	19	17.1	07.3-26.9
Hispanic	179	22,940	68	49.7	37.5-61.9	34	13.7	07.6-19.8	3	1.5	00.0-03.5	49	20.4	13.0-27.8	25	14.8	06.8-22.8
18-24	117	36,564	26	20.9	11.7-30.1	18	20.0	08.2-31.8	1	1.1	00.0-03.3	44	34.9	23.5-46.3	28	23.2	14.2-32.2
25-34	193	49,023	48	23.8	14.8-32.8	32	10.9	05.6-16.2	3	0.4	00.0-00.8	59	27.3	18.5-36.1	51	37.6	26.8-48.4
35-44	177	43,429	68	42.0	30.8-53.2	24	10.6	05.5-15.7	3	2.9	00.0-06.4	37	19.5	12.1-26.9	45	25.1	16.5-33.7
45-54	242	46,468	107	45.4	37.4-53.4	37	15.6	09.9-21.3	3	1.4	00.0-03.4	41	15.6	09.9-21.3	54	22.1	15.2-29.0
55-64	312	54,140	171	56.4	49.0-63.8	34	10.4	05.7-15.1	42	10.8	06.7-14.9	65	22.5	16.2-28.8	65	22.5	16.2-28.8
65+	525	67,441	322	60.7	55.6-65.8	46	9.4	06.5-12.3	2	0.5	00.0-01.1	67	11.7	08.6-14.8	88	17.7	13.6-21.8
Less Than H.S.	178	35,656	68	39.6	28.0-51.2	39	19.6	12.0-27.2	2	0.5	00.0-01.3	42	18.0	10.0-26.0	27	22.2	11.6-32.8
H.S. or G.E.D.	457	95,239	185	38.7	32.0-45.4	81	17.9	12.2-23.6	3	0.4	00.0-01.0	100	23.7	18.0-29.4	88	19.3	14.4-24.2
Some Post-H.S.	352	82,191	174	45.5	38.6-52.4	32	7.7	04.6-10.8	4	2.2	00.0-04.6	62	16.6	11.7-21.5	80	28.0	21.1-34.9
College Graduate	567	80,580	305	48.2	42.9-53.5	39	7.5	04.8-10.2	3	0.5	00.0-01.1	85	15.5	11.6-19.4	135	28.3	23.2-33.4
Less than \$15,000	102	15,919	37	36.2	22.9-49.5	21	25.9	12.8-39.0	1	0.4	00.0-01.2	25	18.4	09.6-27.2	18	19.1	07.9-30.3
\$15,000- 24,999	224	38,345	96	38.6	30.0-47.2	54	22.7	15.4-30.0	1	0.3	00.0-00.9	41	19.6	12.2-27.0	32	18.8	11.0-26.6
\$25,000- 34,999	135	24,935	55	43.4	31.4-55.4	24	13.6	07.3-19.9	4	2.3	00.0-05.4	25	21.5	10.1-32.9	27	19.2	10.2-28.2
\$35,000- 49,999	180	33,076	93	48.5	37.9-59.1	19	10.9	05.4-16.4	1	0.3	00.0-00.9	32	16.3	09.6-23.0	35	24.0	14.8-33.2
\$50,000- 74,999	222	42,179	111	44.5	35.1-53.9	11	7.8	02.3-13.3	1	0.6	00.0-01.8	42	21.4	13.4-29.4	57	25.7	17.1-34.3
\$75,000+	442	90,938	222	46.0	39.3-52.7	33	7.2	04.3-10.1	4	1.8	00.0-03.8	77	16.9	12.4-21.4	106	28.1	22.2-34.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 13: SUGAR SWEETENED BEVERAGES**

**TABLE 6: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	339,517	1159	53.9	50.8-57.0	208	11.2	09.2-13.2	6	0.3	00.0-00.7	237	13.6	11.2-16.0	369	21.0	18.3-23.7
White/Non-Hisp	1358	221,865	869	60.0	56.3-63.7	129	10.6	08.2-13.0	4	0.1	00.0-00.3	120	9.6	07.1-12.1	236	19.7	16.6-22.8
Black or Afr. Am./Non-Hisp	287	65,850	119	36.6	29.0-44.2	38	13.0	07.5-18.5	1	1.1	00.0-03.3	59	23.0	16.5-29.5	70	26.4	19.3-33.5
Oth. Race/Non-Hisp.	57	13,401	31	49.0	31.8-66.2	6	11.9	00.0-24.4				8	19.7	05.2-34.2	12	19.3	06.6-32.0
Hispanic	200	27,309	96	43.7	34.3-53.1	25	12.2	06.3-18.1				43	23.7	15.9-31.5	36	20.4	12.2-28.6
18-24	85	34,161	25	31.0	18.5-43.5	16	23.2	10.7-35.7	1	2.1	00.0-06.2	21	22.7	10.9-34.5	22	21.0	11.2-30.8
25-34	188	53,019	58	33.3	23.5-43.1	30	10.7	06.2-15.2	1	0.2	00.0-00.6	41	19.6	12.2-27.0	58	36.2	26.2-46.2
35-44	221	49,824	98	49.5	40.9-58.1	30	11.3	06.4-16.2	1	0.2	00.0-00.6	42	15.5	09.8-21.2	50	23.5	16.4-30.6
45-54	317	56,705	170	52.6	45.5-59.7	36	11.8	07.3-16.3	2	0.4	00.0-01.0	43	16.1	10.8-21.4	66	19.2	13.5-24.9
55-64	460	61,780	299	66.0	60.5-71.5	40	8.0	05.3-10.7				37	7.5	04.2-10.8	84	18.5	14.0-23.0
65+	708	84,029	509	70.6	66.3-74.9	56	8.6	05.9-11.3	1	0.0	00.0-00.0	53	7.7	05.2-10.2	89	13.1	09.8-16.4
Less Than H.S.	185	39,428	87	42.6	32.8-52.4	30	17.9	09.9-25.9				29	13.4	06.9-19.9	39	26.1	16.3-35.9
H.S. or G.E.D.	529	95,246	285	51.8	45.7-57.9	86	14.1	10.4-17.8	3	1.0	00.0-02.6	71	16.2	11.1-21.3	84	17.0	12.7-21.3
Some Post-H.S.	522	97,923	306	55.2	49.1-61.3	61	12.4	08.3-16.5	2	0.1	00.0-00.3	64	13.2	09.3-17.1	89	19.1	13.8-24.4
College Graduate	735	106,042	476	58.5	53.4-63.6	31	5.1	02.4-07.8	1	0.1	00.0-00.3	72	11.8	08.3-15.3	155	24.5	20.0-29.0
Less than \$15,000	184	25,902	88	45.4	35.2-55.6	30	20.0	11.6-28.4	1	0.6	00.0-01.8	27	15.7	08.4-23.0	38	18.3	10.7-25.9
\$15,000- 24,999	313	49,875	173	49.7	41.7-57.7	38	11.9	06.6-17.2	3	1.7	00.0-04.4	43	13.9	08.8-19.0	56	22.9	15.3-30.5
\$25,000- 34,999	185	27,937	103	46.9	36.7-57.1	22	13.3	06.2-20.4				24	16.1	07.5-24.7	36	23.8	14.8-32.8
\$35,000- 49,999	227	40,246	126	49.3	39.9-58.7	20	8.8	04.1-13.5	1	0.1	00.0-00.3	33	14.8	08.7-20.9	47	27.0	17.6-36.4
\$50,000- 74,999	221	42,806	138	58.2	49.0-67.4	23	10.2	05.5-14.9				19	11.0	04.9-17.1	41	20.5	12.5-28.5
\$75,000+	474	83,658	306	59.7	53.8-65.6	27	5.3	02.9-07.7	1	0.1	00.0-00.3	51	14.2	09.5-18.9	89	20.7	16.0-25.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

**MODULE 16: Preconception Health Family Planning CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
DID YOU OR YOUR PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPFRVN2)	
1 FEMALES ONLY	78
2 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	79
3	80
4	
WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE6)	
4 FEMALES ONLY	81
5 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	82
6	83
4	
9	
7 FEMALES ONLY	84
8 WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)	85
9	86
4	



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 16: Preconception Health Family Planning**

**TABLE 1: DID YOU OR YOUR PARTNER DO ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner			Has had a Hysterectomy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	619	154,366	265	44.2	38.9-49.5	269	43.6	38.1-49.1	53	8.1	05.0-11.2	6	1.0	00.0-02.0	26	3.1	01.5-04.7
Female	619	154,366	265	44.2	38.9-49.5	269	43.6	38.1-49.1	53	8.1	05.0-11.2	6	1.0	00.0-02.0	26	3.1	01.5-04.7
White/Non-Hisp	297	83,159	134	47.2	39.6-54.8	123	42.7	34.9-50.5	22	5.5	02.6-08.4	4	1.1	00.0-02.3	14	3.5	01.3-05.7
Black or Afr. Am./Non-Hisp	123	36,136	40	35.1	23.9-46.3	63	50.1	38.1-62.1	15	12.0	02.8-21.2	1	1.6	00.0-04.7	4	1.2	00.0-02.4
Hispanic	141	20,132	66	42.8	32.0-53.6	59	45.1	33.7-56.5	8	4.9	00.6-09.2				8	7.2	00.3-14.1
18-24	79	31,807	51	52.2	37.9-66.5	14	26.5	12.0-41.0	13	21.0	08.7-33.3				1	0.3	00.0-00.9
25-34	179	51,016	78	44.8	34.4-55.2	86	48.6	38.2-59.0	7	2.5	00.5-04.5	2	1.9	00.0-04.6	6	2.1	00.1-04.1
35-44	216	48,131	100	45.2	36.6-53.8	94	46.0	37.2-54.8	14	4.8	01.9-07.7	2	0.7	00.0-01.7	6	3.4	00.1-06.7
45-54	136	22,435	35	30.0	20.2-39.8	71	51.0	40.6-61.4	15	8.9	03.2-14.6	2	1.2	00.0-03.2	13	8.9	03.2-14.6
Less Than H.S.	90	19,745	37	40.8	25.3-56.3	39	42.0	27.1-56.9	6	6.4	00.0-14.8	1	2.1	00.0-06.2	7	8.8	00.6-17.0
H.S. or G.E.D.	132	35,727	53	40.5	29.1-51.9	64	50.1	38.1-62.1	9	6.6	01.1-12.1	1	0.2	00.0-00.6	5	2.7	00.0-05.6
Some Post-H.S.	158	45,827	73	48.0	37.4-58.6	57	36.6	26.0-47.2	18	11.1	03.8-18.4	1	1.2	00.0-03.6	9	3.0	00.6-05.4
College Graduate	235	52,703	102	45.1	36.7-53.5	106	45.5	37.1-53.9	19	7.1	02.8-11.4	3	1.0	00.0-02.2	5	1.3	00.0-02.7
Less than \$15,000	59	11,325	18	23.2	11.4-35.0	26	49.3	31.9-66.7	12	24.3	08.2-40.4	1	1.8	00.0-05.3	2	1.4	00.0-03.6
\$15,000- 24,999	101	22,609	41	51.8	37.9-65.7	44	36.0	23.1-48.9	9	6.0	01.5-10.5	1	1.8	00.0-05.3	6	4.4	00.5-08.3
\$35,000- 49,999	70	18,996	26	29.9	15.8-44.0	37	61.8	46.1-77.5	5	5.7	00.0-12.0				2	2.5	00.0-06.6
\$50,000- 74,999	68	19,730	37	62.6	47.3-77.9	23	29.8	15.1-44.5	5	2.8	00.0-05.7	1	2.9	00.0-08.4	2	1.9	00.0-04.6
\$75,000+	161	39,944	67	39.5	30.3-48.7	82	51.1	41.3-60.9	4	5.4	00.0-10.9	2	0.8	00.0-02.0	6	3.2	00.1-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 16: Preconception Health Family Planning**

**TABLE 2: WHAT DID YOU OR YOUR PARTNER DO THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR7)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-6)			Drugs (7,8)			Condoms (11,12,13)			External Contraceptives (9,10,11,16)			Withdrawal, Rhythm, No Sex(14,15)			Emergencies or Other (17,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	66,114	92	39.8	31.6-48.0	70	24.9	18.2-31.6	64	24.9	17.6-32.2	2	0.6	00.0-01.6	8	3.3	00.6-06.0	20	6.4	02.7-10.1
White/Non-Hisp	130	38,420	54	46.9	35.9-57.9	42	28.1	18.9-37.3	22	15.4	07.6-23.2	1	0.7	00.0-02.1	4	3.8	00.0-08.3	7	5.0	00.5-09.5
Hispanic	64	8,363	22	35.8	20.7-50.9	15	24.1	10.4-37.8	16	22.5	09.2-35.8	1	1.4	00.0-04.1				10	16.1	04.3-27.9
25-34	75	22,199	22	41.1	24.4-57.8	19	16.7	05.3-28.1	21	31.3	16.0-46.6	2	1.8	00.0-04.5	3	2.0	00.0-04.4	8	7.0	00.9-13.1
35-44	99	21,613	41	44.6	31.5-57.7	21	15.8	08.2-23.4	27	28.1	16.1-40.1				4	7.1	00.0-14.9	6	4.4	00.1-08.7
H.S. or G.E.D.	52	14,190	14	31.6	13.8-49.4	17	29.0	14.7-43.3	16	35.6	17.8-53.4							5	3.7	00.2-07.2
Some Post-H.S.	70	21,019	21	29.1	15.4-42.8	17	24.8	11.3-38.3	20	25.8	12.1-39.5	1	1.4	00.0-04.1	6	8.9	00.5-17.3	5	10.0	00.6-19.4
College Graduate	98	22,914	41	50.2	37.5-62.9	30	25.1	14.9-35.3	19	19.2	09.2-29.2				2	1.5	00.0-03.7	6	4.1	00.2-08.0
\$75,000+	64	14,799	31	48.0	33.1-62.9	19	30.7	17.0-44.4	10	13.8	04.2-23.4				1	3.2	00.0-09.3	3	4.2	00.0-10.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
MODULE 16: Preconception Health Family Planning**

**TABLE 3: WHAT WAS YOUR MAIN REASON FOR NOT DOING ANYTHING THE LAST TIME YOU HAD SEX TO KEEP YOU FROM GETTING PREGNANT? (NOBCUSE6)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, same sex partner(1,18)			Want to get pregnant currently pregnant (2,3,4,17)			Don't want to use, can't use BC, can't pay for BC (5,6,7,8)			Surgical (12,13,14)			Religious Physical (09,11,15,16)			Lapse Method, Same Sex or Other (10,19)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	242	59,949	8	3.9	00.6-07.2	54	25.7	17.5-33.9	9	2.5	00.7-04.3	72	27.5	20.1-34.9	39	11.5	06.8-16.2	60	28.9	20.5-37.3
White/Non-Hisp	113	31,584	3	1.2	00.0-02.8	19	25.3	12.6-38.0	5	3.2	00.3-06.1	41	29.7	18.9-40.5	20	12.3	05.2-19.4	25	28.3	16.0-40.6
Black or Afr. Am./Non-Hisp	56	16,568	3	6.1	00.0-14.7	17	28.4	13.5-43.3				13	22.1	08.8-35.4	7	10.5	01.7-19.3	16	32.9	15.1-50.7
Hispanic	52	7,741				14	23.0	08.9-37.1	4	6.3	00.0-13.9	12	28.1	10.3-45.9	9	13.7	01.5-25.9	13	29.0	12.1-45.9
25-34	74	21,238	2	3.7	00.0-09.6	29	44.9	28.4-61.4	5	3.8	00.0-07.7	14	16.0	05.8-26.2	6	4.1	00.2-08.0	18	27.5	12.6-42.4
35-44	86	20,558	3	2.9	00.0-06.6	14	15.2	05.6-24.8	3	2.2	00.0-04.9	29	37.5	24.2-50.8	15	17.9	07.1-28.7	22	24.3	12.3-36.3
45-54	67	11,226	2	2.1	00.0-05.4	7	12.2	00.6-23.8				28	44.9	30.0-59.8	16	15.6	06.6-24.6	14	25.2	12.3-38.1
H.S. or G.E.D.	59	15,213	2	5.5	00.0-14.7	11	13.9	04.1-23.7	4	5.1	00.0-10.6	22	35.2	19.3-51.1	7	11.3	00.0-23.1	13	28.9	09.9-47.9
Some Post-H.S.	53	14,598	2	3.5	00.0-08.6	14	40.2	19.6-60.8	1	1.7	00.0-05.2	13	12.9	04.5-21.3	9	13.3	02.9-23.7	14	28.4	09.8-47.0
College Graduate	92	22,432	3	3.8	00.0-09.3	18	26.6	14.1-39.1	2	1.6	00.0-04.0	27	26.1	14.9-37.3	20	12.7	05.6-19.8	22	29.3	16.0-42.6
\$75,000+	74	18,684	1	0.3	00.0-00.9	18	29.8	16.5-43.1	1	1.4	00.0-04.1	26	32.1	19.6-44.6	9	5.7	00.2-11.2	19	30.8	17.1-44.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017

MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1	MALES AND FEMALES	88
2	MALES ONLY	89
3	FEMALES ONLY	90
	DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4	MALES AND FEMALES	91
5	MALES ONLY	92
6	FEMALES ONLY	93

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Straight		Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3462	626,629	3299	94.8	93.6-96.0	68	2.2	01.4-03.0	70	2.3	01.5-03.1	25	0.7	00.3-01.1
Male	1527	293,383	1457	95.2	93.6-96.8	35	2.4	01.2-03.6	25	1.7	00.9-02.5	10	0.8	00.0-01.6
Female	1935	333,245	1842	94.4	92.8-96.0	33	2.0	01.0-03.0	45	2.9	01.7-04.1	15	0.7	00.1-01.3
White/Non-Hisp	2396	412,470	2293	95.1	93.7-96.5	51	2.2	01.4-03.0	39	2.0	01.0-03.0	13	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	460	119,076	442	95.0	92.1-97.9	6	2.5	00.1-04.9	9	2.1	00.3-03.9	3	0.5	00.0-01.1
Oth. Race/Non-Hisp.	150	28,941	141	94.8	90.1-99.5	2	0.4	00.0-01.0	4	3.8	00.0-08.3	3	1.0	00.0-02.2
Hispanic	327	45,033	303	91.9	87.8-96.0	8	3.0	00.5-05.5	11	2.7	00.7-04.7	5	2.4	00.0-05.1
18-24	196	69,963	184	92.5	87.4-97.6	3	3.5	00.0-07.6	9	4.0	00.7-07.3			
25-34	365	100,113	332	90.3	86.0-94.6	9	2.1	00.3-03.9	19	5.7	02.4-09.0	5	1.9	00.0-04.1
35-44	390	92,865	363	94.2	91.5-96.9	8	2.0	00.2-03.8	14	2.7	01.1-04.3	5	1.1	00.0-02.5
45-54	544	101,102	515	94.8	92.4-97.2	14	3.3	01.1-05.5	9	0.9	00.3-01.5	6	1.0	00.2-01.8
55-64	758	113,634	724	96.4	94.8-98.0	18	2.0	00.8-03.2	11	1.2	00.2-02.2	5	0.4	00.0-00.8
65+	1209	148,952	1181	97.9	96.7-99.1	16	1.0	00.4-01.6	8	0.8	00.0-01.8	4	0.2	00.0-00.4
Less Than H.S.	320	70,243	298	93.8	90.1-97.5	9	2.4	00.4-04.4	6	2.2	00.0-04.7	7	1.6	00.0-03.4
H.S. or G.E.D.	971	188,939	925	94.0	91.6-96.4	16	2.3	00.5-04.1	21	2.5	01.1-03.9	9	1.1	00.0-02.3
Some Post-H.S.	871	179,316	836	95.5	93.5-97.5	11	1.5	00.3-02.7	22	2.9	01.3-04.5	2	0.1	00.0-00.3
College Graduate	1284	184,524	1224	95.0	93.2-96.8	32	2.6	01.4-03.8	21	1.7	00.7-02.7	7	0.6	00.0-01.2
Less than \$15,000	271	40,842	250	93.1	89.0-97.2	6	2.3	00.0-04.7	9	3.6	00.1-07.1	6	1.0	00.0-02.0
\$15,000- 24,999	526	87,455	492	93.5	90.4-96.6	10	1.3	00.1-02.5	19	3.5	01.5-05.5	5	1.8	00.0-04.0
\$25,000- 34,999	314	50,417	303	96.1	93.0-99.2	2	0.8	00.0-02.2	6	1.6	00.0-03.6	3	1.4	00.0-03.6
\$35,000- 49,999	402	73,887	385	97.4	95.8-99.0	9	1.4	00.2-02.6	6	1.0	00.2-01.8	2	0.3	00.0-00.7
\$50,000- 74,999	437	83,241	413	93.4	89.9-96.9	12	2.9	00.7-05.1	9	3.2	00.5-05.9	3	0.5	00.0-01.1
\$75,000+	910	174,345	874	95.8	94.0-97.6	23	2.8	01.2-04.4	12	1.3	00.3-02.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Straight			Lesbian or gay			Bisexual			Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	293,383	1457	95.2	93.6-96.8	35	2.4	01.2-03.6	25	1.7	00.9-02.5	10	0.8	00.0-01.6
White/Non-Hisp	1049	191,897	1004	95.9	94.1-97.7	25	2.1	00.9-03.3	15	1.3	00.5-02.1	5	0.8	00.0-01.8
Black or Afr. Am./Non-Hisp	176	53,876	166	93.0	87.5-98.5	3	3.6	00.0-08.3	4	2.3	00.0-05.2	3	1.1	00.0-02.5
Oth. Race/Non-Hisp.	93	15,420	89	97.5	94.8-0100	1	0.4	00.0-01.2	1	1.1	00.0-03.3	2	1.0	00.0-02.6
Hispanic	153	20,614	146	95.4	91.1-99.7	5	4.1	00.0-08.4	2	0.5	00.0-01.3			
18-24	113	36,006	108	92.6	85.2-0100	2	5.4	00.0-12.7	3	2.0	00.0-04.4			
25-34	187	48,909	175	94.5	89.8-99.2	5	1.5	00.0-03.3	4	1.4	00.0-03.4	3	2.5	00.0-06.4
35-44	170	43,541	162	94.8	90.7-98.9	6	3.6	00.1-07.1	2	1.6	00.0-03.8			
45-54	233	45,240	220	96.1	93.7-98.5	5	1.2	00.0-02.4	5	1.5	00.1-02.9	3	1.3	00.0-02.9
55-64	309	52,991	289	94.8	92.1-97.5	11	2.7	00.7-04.7	8	2.2	00.2-04.2	1	0.3	00.0-00.9
65+	515	66,696	503	97.2	94.8-99.6	6	1.1	00.1-02.1	3	1.4	00.0-03.6	3	0.3	00.0-00.7
Less Than H.S.	161	34,177	152	97.2	95.0-99.4	5	1.5	00.0-03.1	3	1.1	00.0-02.5	1	0.2	00.0-00.6
H.S. or G.E.D.	454	94,829	434	93.5	89.6-97.4	9	2.8	00.0-05.7	7	2.1	00.1-04.1	4	1.6	00.0-03.8
Some Post-H.S.	351	82,471	338	97.3	95.5-99.1	6	1.2	00.2-02.2	7	1.6	00.2-03.0			
College Graduate	554	79,261	526	94.2	91.5-96.9	15	3.6	01.2-06.0	8	1.4	00.2-02.6	5	0.8	00.0-01.6
Less than \$15,000	94	15,362	84	92.5	86.4-98.6	2	3.6	00.0-08.9	6	3.0	00.3-05.7	2	0.9	00.0-02.3
\$15,000- 24,999	220	37,978	210	95.2	90.1-0100	7	1.5	00.1-02.9	2	0.8	00.0-01.8	1	2.6	00.0-07.5
\$25,000- 34,999	129	23,492	125	96.8	92.9-0100	1	0.5	00.0-01.5	2	2.4	00.0-06.3	1	0.3	00.0-00.9
\$35,000- 49,999	180	32,871	172	96.6	93.9-99.3	5	2.1	00.0-04.5	3	1.3	00.0-02.9			
\$50,000- 74,999	218	41,658	206	96.2	93.7-98.7	5	1.2	00.0-02.6	4	1.5	00.0-03.5	3	1.0	00.0-02.2
\$75,000+	437	91,108	420	95.4	92.7-98.1	12	3.4	00.9-05.9	4	1.1	00.0-02.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1935	333,245	1842	94.4	92.8-96.0	33	2.0	01.0-03.0	45	2.9	01.7-04.1	15	0.7	00.1-01.3
White/Non-Hisp	1347	220,573	1289	94.5	92.5-96.5	26	2.3	01.1-03.5	24	2.7	01.1-04.3	8	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	284	65,200	276	96.6	93.7-99.5	3	1.5	00.0-03.5	5	1.9	00.0-04.1			
Oth. Race/Non-Hisp.	57	13,521	52	91.6	82.2-0100	1	0.5	00.0-01.5	3	6.9	00.0-16.1	1	1.0	00.0-03.0
Hispanic	174	24,419	157	88.9	82.2-95.6	3	2.1	00.0-05.2	9	4.5	01.2-07.8	5	4.4	00.0-09.5
18-24	83	33,957	76	92.3	85.4-99.2	1	1.5	00.0-04.4	6	6.2	00.0-12.5			
25-34	178	51,204	157	86.2	79.3-93.1	4	2.7	00.0-05.6	15	9.7	03.6-15.8	2	1.3	00.0-03.5
35-44	220	49,323	201	93.7	90.2-97.2	2	0.6	00.0-01.6	12	3.7	01.3-06.1	5	2.0	00.0-04.5
45-54	311	55,862	295	93.8	89.9-97.7	9	5.0	01.3-08.7	4	0.5	00.0-01.1	3	0.7	00.0-01.7
55-64	449	60,643	435	97.8	96.2-99.4	7	1.4	00.0-02.8	3	0.3	00.0-00.7	4	0.4	00.0-00.8
65+	694	82,256	678	98.5	97.7-99.3	10	1.0	00.2-01.8	5	0.4	00.0-00.8	1	0.1	00.0-00.3
Less Than H.S.	159	36,066	146	90.6	83.9-97.3	4	3.2	00.0-06.7	3	3.2	00.0-08.1	6	3.0	00.0-06.3
H.S. or G.E.D.	517	94,110	491	94.6	91.9-97.3	7	1.9	00.0-03.9	14	2.9	00.9-04.9	5	0.6	00.0-01.2
Some Post-H.S.	520	96,845	498	94.0	90.7-97.3	5	1.7	00.0-03.5	15	4.0	01.3-06.7	2	0.2	00.0-00.6
College Graduate	730	105,263	698	95.6	93.4-97.8	17	1.9	00.7-03.1	13	1.9	00.3-03.5	2	0.6	00.0-01.6
Less than \$15,000	177	25,480	166	93.4	87.7-99.1	4	1.5	00.0-03.3	3	3.9	00.0-09.2	4	1.1	00.0-02.3
\$15,000- 24,999	306	49,477	282	92.2	88.3-96.1	3	1.1	00.0-02.7	17	5.6	02.3-08.9	4	1.2	00.0-02.4
\$25,000- 34,999	185	26,924	178	95.5	90.8-0100	1	1.2	00.0-03.6	4	1.0	00.0-02.2	2	2.3	00.0-06.2
\$35,000- 49,999	222	41,016	213	98.0	96.6-99.4	4	0.8	00.0-01.8	3	0.7	00.0-01.5	2	0.5	00.0-01.1
\$50,000- 74,999	219	41,583	207	90.6	84.3-96.9	7	4.5	00.4-08.6	5	4.9	00.0-10.2			
\$75,000+	473	83,237	454	96.2	93.8-98.6	11	2.2	00.4-04.0	8	1.6	00.0-03.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3522	636,419	10	0.4	00.2-00.6	8	0.2	00.0-00.4	1	0.0	00.0-00.0	3503	99.4	99.0-99.8
Male	1543	296,350	8	0.5	00.1-00.9	1	0.0	00.0-00.0	1	0.1	00.0-00.3	1533	99.4	99.0-99.8
Female	1979	340,069	2	0.3	00.0-00.7	7	0.3	00.0-00.7				1970	99.4	99.0-99.8
White/Non-Hisp	2410	415,147	4	0.2	00.0-00.4	5	0.1	00.0-00.3	1	0.0	00.0-00.0	2400	99.6	99.2-0100
Black or Afr. Am./Non-Hisp	465	120,476	4	0.7	00.0-01.7	1	0.3	00.0-00.9				460	98.9	97.7-0100
Oth. Race/Non-Hisp.	154	30,620										154	100.0	0100-0100
Hispanic	358	48,330	1	0.8	00.0-02.4	2	0.3	00.0-00.7				355	98.9	97.3-0100
18-24	202	72,157	3	1.6	00.0-03.6							199	98.4	96.4-0100
25-34	380	101,790				2	0.1	00.0-00.3	1	0.2	00.0-00.6	377	99.7	99.3-0100
35-44	395	94,072				1	0.3	00.0-00.9				394	99.7	99.1-0100
45-54	552	102,141	3	0.3	00.0-00.7							549	99.7	99.3-0100
55-64	772	115,493	3	0.7	00.0-01.7	2	0.1	00.0-00.3				767	99.2	98.2-0100
65+	1221	150,765	1	0.1	00.0-00.3	3	0.3	00.0-00.9				1217	99.6	99.0-0100
Less Than H.S.	346	72,851	2	0.5	00.0-01.3	3	0.7	00.0-01.7				341	98.8	97.4-0100
H.S. or G.E.D.	990	193,524	4	0.4	00.0-01.0	5	0.3	00.0-00.7				981	99.3	98.7-99.9
Some Post-H.S.	878	180,724	3	0.6	00.0-01.4							875	99.4	98.6-0100
College Graduate	1291	185,346	1	0.1	00.0-00.3				1	0.1	00.0-00.3	1289	99.8	99.6-0100
Less than \$15,000	285	41,892	2	0.8	00.0-02.0	3	0.4	00.0-01.0				280	98.7	97.3-0100
\$15,000- 24,999	540	89,309	4	0.9	00.0-01.9	1	0.1	00.0-00.3				535	99.1	98.1-0100
\$25,000- 34,999	319	52,179	1	0.2	00.0-00.6							318	99.8	99.4-0100
\$35,000- 49,999	409	76,200				1	0.1	00.0-00.3				408	99.9	99.7-0100
\$50,000- 74,999	440	83,545	1	0.6	00.0-01.8	1	0.1	00.0-00.3				438	99.3	98.1-0100
\$75,000+	908	174,227	1	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3	905	99.4	98.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1543	296,350	8	0.5	00.1-00.9	1	0.0	00.0-00.0	1	0.1	00.0-00.3	1533	99.4	99.0-99.8
White/Non-Hisp	1049	192,903	3	0.2	00.0-00.6				1	0.1	00.0-00.3	1045	99.7	99.3-0100
Black or Afr. Am./Non-Hisp	174	53,062	4	1.7	00.0-03.9							170	98.3	96.1-0100
Oth. Race/Non-Hisp.	96	16,979										96	100.0	0100-0100
Hispanic	165	21,426				1	0.2	00.0-00.6				164	99.8	99.4-0100
18-24	116	36,350	1	0.7	00.0-02.1							115	99.3	97.9-0100
25-34	191	49,670				1	0.1	00.0-00.3	1	0.3	00.0-00.9	189	99.6	99.0-0100
35-44	175	44,116										175	100.0	0100-0100
45-54	236	45,558	3	0.7	00.0-01.5							233	99.3	98.5-0100
55-64	315	53,890	3	1.5	00.0-03.5							312	98.5	96.5-0100
65+	510	66,766	1	0.1	00.0-00.3							509	99.9	99.7-0100
Less Than H.S.	167	34,252	2	1.0	00.0-02.6	1	0.1	00.0-00.3				164	98.8	97.2-0100
H.S. or G.E.D.	460	96,523	3	0.3	00.0-00.7							457	99.7	99.3-0100
Some Post-H.S.	353	83,237	2	0.8	00.0-02.2							351	99.2	97.8-0100
College Graduate	555	79,326	1	0.1	00.0-00.3				1	0.2	00.0-00.6	553	99.6	99.0-0100
Less than \$15,000	97	15,478	2	2.2	00.0-05.5	1	0.3	00.0-00.9				94	97.5	94.0-0100
\$15,000- 24,999	224	39,005	3	1.0	00.0-02.2							221	99.0	97.8-0100
\$25,000- 34,999	129	24,008	1	0.4	00.0-01.2							128	99.6	98.8-0100
\$35,000- 49,999	183	34,438										183	100.0	0100-0100
\$50,000- 74,999	221	42,108										221	100.0	0100-0100
\$75,000+	436	90,884	1	0.6	00.0-01.8				1	0.2	00.0-00.6	434	99.2	98.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2017  
 MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1979	340,069	2	0.3	00.0-00.7	7	0.3	00.0-00.7	1970	99.4	99.0-99.8
White/Non-Hisp	1361	222,244	1	0.2	00.0-00.6	5	0.3	00.0-00.7	1355	99.5	98.9-0100
Black or Afr. Am./Non-Hisp	291	67,414				1	0.6	00.0-01.8	290	99.4	98.2-0100
Oth. Race/Non-Hisp.	58	13,642							58	100.0	0100-0100
Hispanic	193	26,905	1	1.5	00.0-04.2	1	0.3	00.0-00.9	191	98.2	95.3-0100
18-24	86	35,807	2	2.5	00.0-06.0				84	97.5	94.0-0100
25-34	189	52,121				1	0.2	00.0-00.6	188	99.8	99.4-0100
35-44	220	49,956				1	0.7	00.0-02.1	219	99.3	97.9-0100
45-54	316	56,583							316	100.0	0100-0100
55-64	457	61,602				2	0.2	00.0-00.6	455	99.8	99.4-0100
65+	711	84,000				3	0.6	00.0-01.6	708	99.4	98.4-0100
Less Than H.S.	179	38,599				2	1.2	00.0-03.2	177	98.8	96.8-0100
H.S. or G.E.D.	530	97,001	1	0.5	00.0-01.5	5	0.6	00.0-01.4	524	98.9	97.7-0100
Some Post-H.S.	525	97,487	1	0.4	00.0-01.2				524	99.6	98.8-0100
College Graduate	736	106,021							736	100.0	0100-0100
Less than \$15,000	188	26,414				2	0.5	00.0-01.3	186	99.5	98.7-0100
\$15,000- 24,999	316	50,304	1	0.8	00.0-02.4	1	0.1	00.0-00.3	314	99.1	97.5-0100
\$25,000- 34,999	190	28,171							190	100.0	0100-0100
\$35,000- 49,999	226	41,761				1	0.2	00.0-00.6	225	99.8	99.4-0100
\$50,000- 74,999	219	41,437	1	1.2	00.0-03.6	1	0.2	00.0-00.6	217	98.6	96.2-0100
\$75,000+	472	83,343				1	0.5	00.0-01.5	471	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2017**

End of Module Data Report