


DELAWARE

2018 Core Variables Report

Behavioral Risk Factor Surveillance System

May 24, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5222	767,694	865	18.4	16.8-20.0	1584	32.2	30.4-34.0	1684	32.2	30.4-34.0	834	13.3	12.1-14.5	255	3.8	3.2- 4.4
Male	2306	366,799	406	19.3	17.1-21.5	689	32.1	29.6-34.6	767	33.3	30.8-35.8	342	12.1	10.5-13.7	102	3.3	2.5- 4.1
Female	2916	400,894	459	17.7	15.7-19.7	895	32.2	29.8-34.6	917	31.2	28.8-33.6	492	14.5	12.9-16.1	153	4.4	3.4- 5.4
White/Non-Hisp	3543	491,289	581	18.4	16.6-20.2	1185	34.5	32.3-36.7	1103	31.0	29.0-33.0	497	12.0	10.6-13.4	177	4.0	3.2- 4.8
Black or Afr. Am./Non-Hisp	714	156,611	104	16.7	13.0-20.4	171	27.8	23.1-32.5	265	36.9	32.2-41.6	143	15.2	12.1-18.3	31	3.5	2.1- 4.9
Oth. Race/Non-Hisp.	202	35,254	44	23.9	15.3-32.5	51	32.4	22.4-42.4	67	33.1	22.9-43.3	29	8.6	2.5-14.7	11	2.0	0.4- 3.6
MultiRacial/Non-Hisp.	80	5,510	14	16.6	6.4-26.8	20	28.0	15.1-40.9	17	14.3	6.7-21.9	21	31.9	15.0-48.8	8	9.3	2.2-16.4
Hispanic	542	60,292	96	21.4	16.5-26.3	114	23.2	17.5-28.9	189	32.9	27.4-38.4	122	19.3	15.2-23.4	21	3.2	1.4- 5.0
18-24	314	88,348	72	24.2	17.7-30.7	111	36.1	29.0-43.2	88	29.3	22.6-36.0	38	8.9	5.4-12.4	5	1.6	0.0- 3.2
25-34	525	127,300	112	22.2	17.7-26.7	168	35.8	30.3-41.3	173	30.8	25.7-35.9	65	9.9	6.8-13.0	7	1.2	0.2- 2.2
35-44	630	114,212	133	21.9	17.8-26.0	171	31.8	27.1-36.5	207	31.3	26.6-36.0	98	12.3	9.4-15.2	21	2.7	1.1- 4.3
45-54	807	121,562	142	18.2	14.9-21.5	250	30.2	26.3-34.1	246	33.5	29.2-37.8	130	14.8	11.9-17.7	39	3.3	2.1- 4.5
55-64	1105	134,764	157	15.1	12.6-17.6	316	28.9	25.6-32.2	377	35.8	32.3-39.3	194	15.0	12.5-17.5	61	5.2	3.6- 6.8
65+	1841	181,508	249	13.5	11.5-15.5	568	31.7	29.0-34.4	593	31.7	29.0-34.4	309	16.3	14.1-18.5	122	6.8	5.2- 8.4
Less Than H.S.	523	85,500	59	12.3	7.4-17.2	86	21.8	16.5-27.1	167	33.6	27.9-39.3	159	25.5	20.8-30.2	52	6.7	4.5- 8.9
H.S. or G.E.D.	1485	241,941	196	15.6	13.1-18.1	377	28.0	24.7-31.3	530	35.8	32.5-39.1	296	15.9	13.5-18.3	86	4.7	3.5- 5.9
Some Post-H.S.	1358	220,504	213	18.5	15.6-21.4	429	34.4	31.1-37.7	421	30.4	27.1-33.7	220	12.5	10.3-14.7	75	4.2	3.0- 5.4
College Graduate	1830	216,901	395	24.1	21.4-26.8	689	38.9	36.0-41.8	552	29.2	26.5-31.9	154	6.2	5.0- 7.4	40	1.5	0.9- 2.1
Less than \$15,000	398	48,494	27	7.0	3.7-10.3	52	17.1	11.2-23.0	137	37.3	30.2-44.4	129	28.1	22.4-33.8	53	10.6	6.9-14.3
\$15,000- 24,999	790	109,104	95	13.8	10.5-17.1	158	21.3	17.2-25.4	258	34.7	30.2-39.2	216	22.9	19.2-26.6	63	7.2	4.8- 9.6
\$25,000- 34,999	406	53,859	59	17.5	11.8-23.2	116	28.9	23.2-34.6	142	33.5	27.4-39.6	61	14.3	10.0-18.6	28	5.8	3.1- 8.5
\$35,000- 49,999	572	83,023	69	11.9	8.8-15.0	169	34.0	27.9-40.1	213	38.2	32.5-43.9	98	12.9	9.8-16.0	23	3.1	1.7- 4.5
\$50,000- 74,999	647	94,056	112	16.8	13.1-20.5	230	37.2	31.9-42.5	206	31.5	26.2-36.8	84	12.3	9.0-15.6	15	2.2	0.8- 3.6
\$75,000+	1435	234,545	342	25.0	22.1-27.9	588	41.2	37.9-44.5	397	26.5	23.6-29.4	96	6.5	4.7- 8.3	12	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2306	366,799	406	19.3	17.1-21.5	689	32.1	29.6-34.6	767	33.3	30.8-35.8	342	12.1	10.5-13.7	102	3.3	2.5- 4.1
White/Non-Hisp	1556	233,581	262	19.2	16.7-21.7	497	33.6	30.5-36.7	508	32.2	29.3-35.1	219	11.7	9.9-13.5	70	3.3	2.3- 4.3
Black or Afr. Am./Non-Hisp	285	72,063	46	18.4	12.3-24.5	68	26.7	19.6-33.8	111	39.3	31.9-46.7	50	12.8	8.5-17.1	10	2.8	0.8- 4.8
Oth. Race/Non-Hisp.	113	20,477	24	19.5	9.7-29.3	36	38.1	25.2-51.0	35	35.7	21.6-49.8	11	5.3	1.0- 9.6	7	1.3	0.1- 2.5
Hispanic	252	28,195	56	24.1	16.8-31.4	60	24.9	17.3-32.5	82	30.7	22.7-38.7	46	16.6	10.9-22.3	8	3.7	0.6- 6.8
18-24	156	44,769	38	28.0	19.0-37.0	56	36.4	27.0-45.8	48	29.4	20.2-38.6	13	5.6	1.9- 9.3	1	0.6	0.0- 1.8
25-34	238	63,835	54	23.4	16.5-30.3	77	36.2	28.4-44.0	80	31.8	24.2-39.4	25	7.8	3.9-11.7	2	0.8	0.0- 2.2
35-44	297	55,810	68	20.1	14.6-25.6	78	32.3	25.2-39.4	100	33.0	25.9-40.1	46	13.4	8.7-18.1	5	1.3	0.1- 2.5
45-54	357	58,272	68	20.0	14.7-25.3	110	32.0	25.9-38.1	111	33.5	27.4-39.6	46	11.0	7.5-14.5	22	3.5	1.7- 5.3
55-64	493	63,032	60	11.9	8.6-15.2	145	27.7	22.8-32.6	180	40.7	35.0-46.4	84	14.4	10.9-17.9	24	5.2	2.7- 7.7
65+	765	81,082	118	15.8	12.7-18.9	223	29.8	25.9-33.7	248	31.0	27.1-34.9	128	17.0	13.9-20.1	48	6.3	4.1- 8.5
Less Than H.S.	242	39,944	36	11.4	7.1-15.7	52	27.4	19.8-35.0	73	32.1	24.3-39.9	62	23.2	16.7-29.7	19	6.0	2.9- 9.1
H.S. or G.E.D.	669	122,071	99	17.8	13.7-21.9	165	27.8	23.1-32.5	252	37.1	32.0-42.2	120	13.6	10.7-16.5	33	3.8	2.2- 5.4
Some Post-H.S.	576	103,344	102	21.5	16.8-26.2	168	32.1	27.0-37.2	189	32.3	27.2-37.4	87	10.7	8.0-13.4	30	3.5	1.9- 5.1
College Graduate	806	99,979	168	22.2	18.5-25.9	303	39.6	35.1-44.1	248	30.2	26.1-34.3	69	6.7	4.7- 8.7	18	1.3	0.5- 2.1
Less than \$15,000	156	20,707	14	9.3	3.0-15.6	22	19.9	9.7-30.1	54	32.1	22.5-41.7	49	28.5	19.7-37.3	17	10.2	4.3-16.1
\$15,000- 24,999	319	44,154	42	14.2	9.3-19.1	61	20.0	14.3-25.7	111	40.1	32.7-47.5	80	19.6	14.5-24.7	25	6.1	3.2- 9.0
\$25,000- 34,999	157	21,993	27	19.7	9.7-29.7	46	29.3	19.7-38.9	54	32.4	23.2-41.6	21	13.8	7.3-20.3	9	4.7	1.2- 8.2
\$35,000- 49,999	270	43,344	37	11.5	7.4-15.6	81	33.7	25.5-41.9	110	43.3	34.9-51.7	38	10.0	6.1-13.9	4	1.5	0.0- 3.1
\$50,000- 74,999	292	47,629	45	15.6	10.1-21.1	90	33.7	25.9-41.5	99	34.0	25.8-42.2	48	13.7	8.8-18.6	10	3.0	0.8- 5.2
\$75,000+	738	127,512	173	24.1	20.0-28.2	293	41.7	37.0-46.4	211	26.9	22.8-31.0	55	6.6	4.2- 9.0	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	400,894	459	17.7	15.7-19.7	895	32.2	29.8-34.6	917	31.2	28.8-33.6	492	14.5	12.9-16.1	153	4.4	3.4- 5.4
White/Non-Hisp	1987	257,708	319	17.7	15.3-20.1	688	35.2	32.5-37.9	595	30.0	27.3-32.7	278	12.3	10.5-14.1	107	4.7	3.5- 5.9
Black or Afr. Am./Non-Hisp	429	84,548	58	15.3	10.8-19.8	103	28.7	22.6-34.8	154	34.9	29.0-40.8	93	17.2	12.9-21.5	21	4.0	1.8- 6.2
Oth. Race/Non-Hisp.	89	14,777	20	30.0	14.9-45.1	15	24.4	8.7-40.1	32	29.4	16.1-42.7	18	13.2	0.5-25.9	4	2.9	0.0- 6.0
Hispanic	290	32,098	40	19.0	12.5-25.5	54	21.8	13.6-30.0	107	34.8	27.2-42.4	76	21.7	15.6-27.8	13	2.7	0.9- 4.5
18-24	158	43,579	34	20.4	11.4-29.4	55	35.8	25.4-46.2	40	29.1	19.7-38.5	25	12.2	5.9-18.5	4	2.6	0.0- 5.3
25-34	287	63,465	58	21.0	14.9-27.1	91	35.4	28.0-42.8	93	29.9	23.0-36.8	40	12.1	7.0-17.2	5	1.6	0.0- 3.2
35-44	333	58,402	65	23.6	17.5-29.7	93	31.3	25.0-37.6	107	29.6	23.5-35.7	52	11.3	7.4-15.2	16	4.1	1.4- 6.8
45-54	450	63,290	74	16.5	12.4-20.6	140	28.5	23.6-33.4	135	33.5	27.6-39.4	84	18.3	14.0-22.6	17	3.2	1.4- 5.0
55-64	612	71,732	97	17.9	14.0-21.8	171	29.9	25.2-34.6	197	31.5	27.0-36.0	110	15.5	12.0-19.0	37	5.2	3.0- 7.4
65+	1076	100,426	131	11.5	9.1-13.9	345	33.2	29.5-36.9	345	32.3	28.6-36.0	181	15.7	13.0-18.4	74	7.2	5.0- 9.4
Less Than H.S.	281	45,556	23	13.2	5.0-21.4	34	17.0	9.7-24.3	94	35.0	26.8-43.2	97	27.6	20.9-34.3	33	7.3	4.2-10.4
H.S. or G.E.D.	816	119,871	97	13.4	10.3-16.5	212	28.2	23.7-32.7	278	34.4	29.9-38.9	176	18.3	15.0-21.6	53	5.7	3.7- 7.7
Some Post-H.S.	782	117,160	111	15.9	12.6-19.2	261	36.4	31.7-41.1	232	28.8	24.5-33.1	133	14.2	10.9-17.5	45	4.7	2.9- 6.5
College Graduate	1024	116,922	227	25.8	22.1-29.5	386	38.4	34.5-42.3	304	28.4	24.9-31.9	85	5.8	4.2- 7.4	22	1.6	0.8- 2.4
Less than \$15,000	242	27,788	13	5.4	1.9- 8.9	30	14.9	8.2-21.6	83	41.1	31.3-50.9	80	27.7	20.3-35.1	36	10.9	6.0-15.8
\$15,000- 24,999	471	64,950	53	13.5	9.0-18.0	97	22.3	16.8-27.8	147	31.1	25.4-36.8	136	25.1	20.0-30.2	38	8.0	4.7-11.3
\$25,000- 34,999	249	31,866	32	16.0	9.5-22.5	70	28.6	21.3-35.9	88	34.2	26.4-42.0	40	14.5	9.0-20.0	19	6.6	2.7-10.5
\$35,000- 49,999	302	39,679	32	12.3	7.4-17.2	88	34.2	25.6-42.8	103	32.6	25.5-39.7	60	16.0	11.1-20.9	19	4.9	2.4- 7.4
\$50,000- 74,999	355	46,427	67	18.1	13.0-23.2	140	40.7	33.6-47.8	107	28.9	22.4-35.4	36	10.8	6.5-15.1	5	1.4	0.0- 3.0
\$75,000+	697	107,033	169	26.1	21.8-30.4	295	40.7	35.8-45.6	186	25.9	21.6-30.2	41	6.3	3.6- 9.0	6	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5107	755,818	3192	65.4	63.6-67.2	457	8.8	7.6-10.0	548	10.5	9.3-11.7	481	8.5	7.5- 9.5	429	6.8	6.0- 7.6
Male	2261	361,510	1499	69.0	66.5-71.5	181	8.4	6.6-10.2	231	9.7	8.1-11.3	169	6.9	5.5- 8.3	181	6.1	4.7- 7.5
Female	2846	394,309	1693	62.1	59.7-64.5	276	9.2	7.8-10.6	317	11.3	9.7-12.9	312	10.0	8.6-11.4	248	7.4	6.2- 8.6
White/Non-Hisp	3471	484,318	2130	63.6	61.4-65.8	344	9.9	8.5-11.3	366	10.4	9.0-11.8	326	8.8	7.6-10.0	305	7.2	6.2- 8.2
Black or Afr. Am./Non-Hisp	696	153,835	447	67.3	62.6-72.0	43	6.3	3.8- 8.8	77	10.8	7.9-13.7	73	8.9	6.2-11.6	56	6.7	4.0- 9.4
Oth. Race/Non-Hisp.	200	35,055	125	71.1	61.1-81.1	19	10.0	1.4-18.6	19	10.8	4.7-16.9	16	4.4	0.9- 7.9	21	3.7	1.5- 5.9
MultiRacial/Non-Hisp.	79	5,464	38	46.6	31.3-61.9	6	5.4	0.1-10.7	11	11.8	3.8-19.8	11	13.4	4.6-22.2	13	22.9	5.5-40.3
Hispanic	527	59,177	364	72.6	67.5-77.7	34	6.2	3.3- 9.1	62	10.6	7.3-13.9	44	6.1	3.7- 8.5	23	4.6	2.2- 7.0
18-24	310	87,712	205	66.1	59.2-73.0	33	12.6	7.3-17.9	35	10.6	6.3-14.9	27	7.4	3.7-11.1	10	3.2	1.2- 5.2
25-34	517	125,984	360	70.6	65.5-75.7	54	10.0	6.7-13.3	48	9.1	6.0-12.2	29	5.6	3.1- 8.1	26	4.7	2.0- 7.4
35-44	618	112,638	399	65.9	61.2-70.6	67	10.6	7.7-13.5	70	10.2	7.3-13.1	50	6.8	4.4- 9.2	32	6.5	3.8- 9.2
45-54	790	119,418	486	65.6	61.5-69.7	79	8.2	6.0-10.4	86	11.2	8.5-13.9	79	9.7	7.0-12.4	60	5.4	3.8- 7.0
55-64	1081	132,329	652	63.1	59.6-66.6	86	7.0	5.2- 8.8	121	11.5	9.0-14.0	114	9.7	7.5-11.9	108	8.7	6.7-10.7
65+	1791	177,738	1090	62.7	60.0-65.4	138	6.7	5.3- 8.1	188	10.4	8.6-12.2	182	10.5	8.5-12.5	193	9.7	8.1-11.3
Less Than H.S.	500	82,363	303	66.2	60.7-71.7	28	4.8	2.4- 7.2	44	7.1	4.4- 9.8	69	11.9	8.4-15.4	56	10.0	6.9-13.1
H.S. or G.E.D.	1442	237,271	889	63.7	60.2-67.2	108	7.6	5.4- 9.8	142	9.8	7.6-12.0	157	10.0	8.0-12.0	146	8.8	6.8-10.8
Some Post-H.S.	1331	218,336	804	64.4	61.1-67.7	108	8.6	6.4-10.8	157	11.8	9.6-14.0	136	8.9	6.7-11.1	126	6.3	4.9- 7.7
College Graduate	1810	215,171	1183	68.1	65.4-70.8	212	11.9	9.9-13.9	203	11.3	9.3-13.3	114	4.8	3.6- 6.0	98	3.8	2.8- 4.8
Less than \$15,000	386	47,637	161	48.4	41.3-55.5	31	7.7	4.0-11.4	45	12.3	7.2-17.4	74	15.8	11.5-20.1	75	15.7	11.2-20.2
\$15,000- 24,999	769	106,414	422	59.5	54.8-64.2	55	6.3	4.1- 8.5	91	10.4	7.7-13.1	105	12.4	9.5-15.3	96	11.4	8.5-14.3
\$25,000- 34,999	401	53,323	245	61.1	54.6-67.6	29	7.8	3.5-12.1	45	12.9	8.4-17.4	48	12.2	7.9-16.5	34	6.0	3.5- 8.5
\$35,000- 49,999	562	82,363	352	64.9	59.4-70.4	43	7.6	4.7-10.5	60	10.1	6.8-13.4	49	7.5	5.0-10.0	58	10.0	6.1-13.9
\$50,000- 74,999	639	93,091	404	63.8	58.5-69.1	69	10.5	6.6-14.4	76	12.1	8.6-15.6	54	9.4	6.1-12.7	36	4.1	2.1- 6.1
\$75,000+	1423	233,161	1005	70.8	67.7-73.9	155	11.2	9.0-13.4	142	10.6	8.4-12.8	71	4.5	3.1- 5.9	50	2.8	1.8- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2261	361,510	1499	69.0	66.5-71.5	181	8.4	6.6-10.2	231	9.7	8.1-11.3	169	6.9	5.5- 8.3	181	6.1	4.7- 7.5			
White/Non-Hisp	1525	230,668	997	68.9	66.0-71.8	131	8.6	6.8-10.4	158	9.5	7.7-11.3	112	7.0	5.4- 8.6	127	6.0	4.8- 7.2			
Black or Afr. Am./Non-Hisp	278	70,850	185	68.3	61.0-75.6	19	6.8	2.9-10.7	30	11.0	6.3-15.7	25	6.9	3.2-10.6	19	7.0	2.3-11.7			
Oth. Race/Non-Hisp.	112	19,965	72	69.5	55.2-83.8	11	15.2	0.9-29.5	8	6.8	0.7-12.9	7	4.0	0.0- 9.5	14	4.4	1.3- 7.5			
Hispanic	246	27,543	186	74.5	66.9-82.1	13	5.9	0.8-11.0	23	8.7	4.2-13.2	13	4.5	1.0- 8.0	11	6.4	2.3-10.5			
18-24	153	44,329	109	68.8	59.0-78.6	19	17.6	8.4-26.8	14	7.6	2.5-12.7	7	3.4	0.1- 6.7	4	2.6	0.1- 5.1			
25-34	236	63,353	176	74.8	67.4-82.2	24	9.1	4.6-13.6	18	7.4	3.3-11.5	11	5.4	1.7- 9.1	7	3.3	0.0- 7.6			
35-44	291	54,833	205	71.5	64.8-78.2	26	7.8	4.3-11.3	25	8.4	4.1-12.7	20	6.0	2.9- 9.1	15	6.3	2.4-10.2			
45-54	351	57,443	230	70.1	64.2-76.0	25	5.3	2.9- 7.7	39	11.5	7.4-15.6	29	8.4	4.3-12.5	28	4.6	2.6- 6.6			
55-64	484	62,038	309	64.1	58.6-69.6	33	6.8	4.3- 9.3	56	12.4	8.3-16.5	42	8.5	5.4-11.6	44	8.2	5.5-10.9			
65+	746	79,513	470	65.8	61.7-69.9	54	6.4	4.4- 8.4	79	10.1	7.6-12.6	60	8.1	5.6-10.6	83	9.7	7.3-12.1			
Less Than H.S.	233	38,575	161	71.5	64.2-78.8	15	6.7	2.2-11.2	17	6.4	2.5-10.3	15	6.1	2.4- 9.8	25	9.3	5.0-13.6			
H.S. or G.E.D.	652	120,174	405	63.1	58.0-68.2	48	8.4	5.1-11.7	76	11.2	7.9-14.5	60	9.0	6.1-11.9	63	8.2	5.1-11.3			
Some Post-H.S.	567	102,708	375	72.4	67.7-77.1	44	7.9	4.8-11.0	58	8.5	6.0-11.0	43	6.2	3.7- 8.7	47	5.0	3.4- 6.6			
College Graduate	796	98,591	553	72.2	68.3-76.1	74	9.6	6.9-12.3	79	10.2	7.5-12.9	47	4.7	2.9- 6.5	43	3.3	2.1- 4.5			
Less than \$15,000	155	20,622	68	50.6	40.0-61.2	15	6.8	2.9-10.7	18	12.3	3.5-21.1	27	15.7	8.6-22.8	27	14.6	8.3-20.9			
\$15,000- 24,999	310	43,073	172	61.4	54.5-68.3	19	7.0	3.3-10.7	41	11.4	7.3-15.5	35	10.1	6.0-14.2	43	10.1	6.4-13.8			
\$25,000- 34,999	156	21,912	102	62.7	52.1-73.3	12	9.9	0.9-18.9	15	9.4	3.9-14.9	14	10.7	4.2-17.2	13	7.3	2.8-11.8			
\$35,000- 49,999	265	43,004	185	67.8	59.4-76.2	18	6.9	3.0-10.8	27	9.9	4.6-15.2	17	5.8	2.3- 9.3	18	9.6	2.7-16.5			
\$50,000- 74,999	288	46,996	187	65.9	57.7-74.1	23	9.9	3.2-16.6	32	11.1	5.6-16.6	27	9.3	4.6-14.0	19	3.8	1.8- 5.8			
\$75,000+	730	126,363	547	76.0	71.9-80.1	65	8.9	6.2-11.6	68	8.7	6.2-11.2	27	4.0	1.8- 6.2	23	2.4	0.8- 4.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	394,309	1693	62.1	59.7-64.5	276	9.2	7.8-10.6	317	11.3	9.7-12.9	312	10.0	8.6-11.4	248	7.4	6.2- 8.6
White/Non-Hisp	1946	253,650	1133	58.8	55.9-61.7	213	11.2	9.2-13.2	208	11.2	9.2-13.2	214	10.5	8.7-12.3	178	8.3	6.7- 9.9
Black or Afr. Am./Non-Hisp	418	82,984	262	66.5	60.6-72.4	24	5.9	2.8- 9.0	47	10.6	7.1-14.1	48	10.6	6.5-14.7	37	6.4	3.7- 9.1
Oth. Race/Non-Hisp.	88	15,090	53	73.1	60.4-85.8	8	3.1	0.4- 5.8	11	16.0	4.6-27.4	9	4.9	0.8- 9.0	7	2.8	0.1- 5.5
Hispanic	281	31,635	178	70.9	64.2-77.6	21	6.4	3.1- 9.7	39	12.2	7.3-17.1	31	7.6	4.3-10.9	12	2.9	0.9- 4.9
18-24	157	43,382	96	63.4	53.6-73.2	14	7.5	3.0-12.0	21	13.7	7.0-20.4	20	11.5	4.8-18.2	6	3.9	0.6- 7.2
25-34	281	62,631	184	66.3	59.0-73.6	30	10.9	5.8-16.0	30	10.9	6.2-15.6	18	5.7	2.4- 9.0	19	6.2	2.7- 9.7
35-44	327	57,806	194	60.5	53.8-67.2	41	13.3	8.6-18.0	45	12.0	7.9-16.1	30	7.6	4.1-11.1	17	6.7	2.8-10.6
45-54	439	61,974	256	61.4	55.9-66.9	54	10.8	7.5-14.1	47	10.8	7.1-14.5	50	10.8	7.5-14.1	32	6.1	3.6- 8.6
55-64	597	70,290	343	62.3	57.6-67.0	53	7.1	4.6- 9.6	65	10.7	7.8-13.6	72	10.7	7.6-13.8	64	9.2	6.5-11.9
65+	1045	98,226	620	60.3	56.4-64.2	84	7.0	5.2- 8.8	109	10.7	8.2-13.2	122	12.4	9.7-15.1	110	9.6	7.2-12.0
Less Than H.S.	267	43,788	142	61.4	53.2-69.6	13	3.2	1.2- 5.2	27	7.7	3.8-11.6	54	17.0	11.1-22.9	31	10.7	6.2-15.2
H.S. or G.E.D.	790	117,096	484	64.4	59.9-68.9	60	6.9	4.4- 9.4	66	8.3	5.8-10.8	97	11.1	8.4-13.8	83	9.4	6.7-12.1
Some Post-H.S.	764	115,629	429	57.3	52.6-62.0	64	9.2	6.3-12.1	99	14.7	11.2-18.2	93	11.4	8.3-14.5	79	7.4	5.2- 9.6
College Graduate	1014	116,580	630	64.7	60.8-68.6	138	14.0	11.1-16.9	124	12.2	9.5-14.9	67	4.9	3.3- 6.5	55	4.2	2.6- 5.8
Less than \$15,000	231	27,015	93	46.8	37.0-56.6	16	8.4	2.5-14.3	27	12.3	6.4-18.2	47	15.9	10.4-21.4	48	16.6	10.1-23.1
\$15,000- 24,999	459	63,341	250	58.1	52.0-64.2	36	5.9	3.5- 8.3	50	9.8	6.1-13.5	70	14.0	9.9-18.1	53	12.2	8.1-16.3
\$25,000- 34,999	245	31,411	143	60.0	51.8-68.2	17	6.3	2.8- 9.8	30	15.4	8.9-21.9	34	13.3	7.6-19.0	21	5.0	1.9- 8.1
\$35,000- 49,999	297	39,359	167	61.6	54.2-69.0	25	8.3	3.8-12.8	33	10.3	6.0-14.6	32	9.4	5.5-13.3	40	10.4	6.7-14.1
\$50,000- 74,999	351	46,095	217	61.7	54.8-68.6	46	11.2	7.3-15.1	44	13.2	8.5-17.9	27	9.5	4.8-14.2	17	4.4	1.1- 7.7
\$75,000+	693	106,799	458	64.8	60.1-69.5	90	14.0	10.5-17.5	74	12.8	9.3-16.3	44	5.1	3.3- 6.9	27	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5152	759,511	3568	66.8	65.0-68.6	357	7.6	6.4- 8.8	475	10.1	8.9-11.3	425	9.1	7.9-10.3	327	6.4	5.4- 7.4
Male	2274	361,615	1694	71.9	69.4-74.4	139	7.4	5.6- 9.2	167	9.3	7.5-11.1	147	6.5	5.1- 7.9	127	5.0	3.8- 6.2
Female	2878	397,896	1874	62.2	59.7-64.7	218	7.7	6.1- 9.3	308	10.8	9.2-12.4	278	11.5	9.7-13.3	200	7.8	6.4- 9.2
White/Non-Hisp	3492	485,229	2405	65.8	63.6-68.0	249	7.6	6.2- 9.0	316	10.0	8.6-11.4	301	9.9	8.5-11.3	221	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	708	155,262	499	68.8	64.1-73.5	43	5.7	3.5- 7.9	75	11.7	8.2-15.2	52	7.9	5.2-10.6	39	5.9	3.4- 8.4
Oth. Race/Non-Hisp.	201	35,493	124	59.0	48.0-70.0	29	20.1	9.5-30.7	16	6.8	2.5-11.1	16	8.9	3.0-14.8	16	5.2	0.0-10.9
MultiRacial/Non-Hisp.	77	5,387	46	55.8	40.5-71.1	2	1.0	0.0- 2.4	8	15.0	3.8-26.2	8	10.9	2.1-19.7	13	17.3	7.7-26.9
Hispanic	536	59,563	387	74.6	69.5-79.7	24	3.5	1.1- 5.9	50	9.0	5.7-12.3	43	7.2	4.7- 9.7	32	5.7	3.2- 8.2
18-24	310	87,709	156	47.9	40.6-55.2	23	11.4	5.3-17.5	57	18.6	13.1-24.1	42	14.3	9.2-19.4	32	7.9	5.0-10.8
25-34	522	126,739	304	54.6	48.9-60.3	40	8.5	5.2-11.8	84	15.5	11.4-19.6	55	12.7	8.8-16.6	39	8.7	5.2-12.2
35-44	618	112,330	393	64.5	59.6-69.4	56	10.0	6.7-13.3	52	8.0	5.3-10.7	67	9.7	7.0-12.4	50	7.7	5.0-10.4
45-54	799	120,373	524	69.2	65.3-73.1	73	7.8	5.6-10.0	70	7.9	5.7-10.1	72	8.9	6.5-11.3	60	6.2	4.2- 8.2
55-64	1086	132,762	761	71.9	68.6-75.2	56	5.2	3.6- 6.8	102	9.3	7.1-11.5	88	7.6	5.6- 9.6	79	6.1	4.5- 7.7
65+	1817	179,598	1430	80.7	78.5-82.9	109	5.3	4.1- 6.5	110	5.3	4.1- 6.5	101	5.0	3.8- 6.2	67	3.7	2.5- 4.9
Less Than H.S.	513	84,136	355	65.3	59.2-71.4	21	6.5	1.8-11.2	35	7.9	4.2-11.6	48	9.7	6.4-13.0	54	10.6	7.1-14.1
H.S. or G.E.D.	1465	238,962	1005	67.4	63.9-70.9	96	7.3	5.1- 9.5	142	9.8	7.6-12.0	120	8.4	6.4-10.4	102	7.1	5.1- 9.1
Some Post-H.S.	1339	218,498	881	62.9	59.4-66.4	80	6.6	4.6- 8.6	133	11.5	9.1-13.9	133	11.4	8.9-13.9	112	7.6	5.8- 9.4
College Graduate	1809	215,068	1311	70.7	68.0-73.4	155	9.0	7.2-10.8	162	9.8	7.8-11.8	123	7.5	5.9- 9.1	58	3.0	2.0- 4.0
Less than \$15,000	391	48,040	216	52.6	45.5-59.7	16	3.9	1.4- 6.4	41	11.5	6.6-16.4	57	16.1	10.2-22.0	61	15.9	11.0-20.8
\$15,000- 24,999	780	107,462	506	62.8	58.1-67.5	53	6.4	4.0- 8.8	70	8.3	5.6-11.0	74	12.0	8.7-15.3	77	10.6	7.9-13.3
\$25,000- 34,999	400	52,777	268	65.4	59.1-71.7	21	5.3	2.4- 8.2	40	12.3	7.6-17.0	38	8.6	5.3-11.9	33	8.5	4.8-12.2
\$35,000- 49,999	565	82,207	381	64.8	58.9-70.7	36	6.1	3.6- 8.6	57	10.0	5.9-14.1	51	10.8	7.1-14.5	40	8.3	4.4-12.2
\$50,000- 74,999	636	92,889	439	60.7	55.0-66.4	51	11.1	6.2-16.0	59	11.8	8.1-15.5	61	11.7	8.0-15.4	26	4.7	2.2- 7.2
\$75,000+	1429	233,648	1060	71.3	68.2-74.4	114	8.9	6.9-10.9	135	10.9	8.5-13.3	80	6.2	4.4- 8.0	40	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2274	361,615	1694	71.9	69.4-74.4	139	7.4	5.6- 9.2	167	9.3	7.5-11.1	147	6.5	5.1- 7.9	127	5.0	3.8- 6.2
White/Non-Hisp	1535	230,275	1149	72.7	69.8-75.6	98	6.8	5.0- 8.6	111	9.0	7.0-11.0	100	6.9	5.1- 8.7	77	4.6	3.4- 5.8
Black or Afr. Am./Non-Hisp	281	71,203	211	72.9	65.6-80.2	15	6.1	2.8- 9.4	27	12.3	6.6-18.0	15	4.0	1.6- 6.4	13	4.7	0.4- 9.0
Oth. Race/Non-Hisp.	111	20,218	75	63.0	48.3-77.7	13	21.8	6.5-37.1	7	4.8	0.3- 9.3	8	8.7	1.1-16.3	8	1.7	0.3- 3.1
Hispanic	247	27,435	189	72.7	64.3-81.1	9	4.1	0.0- 8.8	14	8.1	2.2-14.0	16	5.8	2.3- 9.3	19	9.2	4.1-14.3
18-24	154	44,461	90	56.3	46.3-66.3	13	11.3	3.3-19.3	24	18.5	10.5-26.5	13	7.5	2.8-12.2	14	6.3	2.6-10.0
25-34	236	63,349	149	59.7	51.5-67.9	19	9.7	4.6-14.8	32	14.5	8.4-20.6	20	9.4	4.7-14.1	16	6.7	1.6-11.8
35-44	288	54,101	200	70.8	63.9-77.7	21	9.4	4.5-14.3	23	8.4	3.9-12.9	24	6.4	3.3- 9.5	20	5.0	2.5- 7.5
45-54	352	57,485	254	75.5	70.2-80.8	29	7.7	4.4-11.0	22	6.6	3.5- 9.7	24	6.0	3.3- 8.7	23	4.1	2.1- 6.1
55-64	486	61,880	369	76.5	72.0-81.0	24	4.9	2.7- 7.1	34	7.5	4.6-10.4	27	5.2	2.8- 7.6	32	5.8	3.4- 8.2
65+	758	80,339	632	84.5	81.4-87.6	33	3.9	2.1- 5.7	32	3.9	2.3- 5.5	39	4.9	3.1- 6.7	22	2.8	1.4- 4.2
Less Than H.S.	236	39,029	180	71.3	63.5-79.1	8	5.8	0.5-11.1	11	8.6	3.3-13.9	14	5.9	2.4- 9.4	23	8.3	4.2-12.4
H.S. or G.E.D.	660	119,948	494	73.5	68.4-78.6	37	6.5	3.2- 9.8	48	8.9	5.6-12.2	39	5.2	3.2- 7.2	42	5.9	3.2- 8.6
Some Post-H.S.	568	102,437	403	69.1	64.0-74.2	34	7.5	4.4-10.6	51	10.6	6.9-14.3	43	8.3	5.2-11.4	37	4.5	2.9- 6.1
College Graduate	797	98,739	611	73.6	69.3-77.9	55	8.4	5.7-11.1	56	8.7	6.0-11.4	51	6.4	4.2- 8.6	24	3.0	1.2- 4.8
Less than \$15,000	153	20,407	96	58.2	47.4-69.0	6	4.2	0.3- 8.1	12	12.4	3.0-21.8	20	12.6	5.5-19.7	19	12.6	6.3-18.9
\$15,000- 24,999	314	43,430	214	68.0	61.1-74.9	22	6.4	3.1- 9.7	25	8.7	3.8-13.6	22	7.6	3.7-11.5	31	9.3	5.6-13.0
\$25,000- 34,999	152	20,946	111	72.9	63.7-82.1	8	5.9	0.8-11.0	14	9.4	3.1-15.7	10	6.1	1.6-10.6	9	5.7	1.4-10.0
\$35,000- 49,999	268	43,006	197	67.8	59.2-76.4	17	5.5	1.8- 9.2	20	10.0	4.1-15.9	15	7.5	3.0-12.0	19	9.2	2.3-16.1
\$50,000- 74,999	287	46,918	215	63.2	54.2-72.2	11	11.8	3.6-20.0	19	9.6	4.1-15.1	34	12.6	7.1-18.1	8	2.7	0.0- 5.6
\$75,000+	733	126,341	577	77.1	73.0-81.2	51	8.3	5.6-11.0	56	9.2	6.3-12.1	29	3.4	1.8- 5.0	20	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	None		1-2 days			3-7 days			8-29 days			30 days				
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2878	397,896	1874	62.2	59.7-64.7	218	7.7	6.1- 9.3	308	10.8	9.2-12.4	278	11.5	9.7-13.3	200	7.8	6.4- 9.2	
White/Non-Hisp	1957	254,954	1256	59.5	56.6-62.4	151	8.3	6.3-10.3	205	10.9	8.9-12.9	201	12.6	10.4-14.8	144	8.6	6.8-10.4	
Black or Afr. Am./Non-Hisp	427	84,058	288	65.4	59.1-71.7	28	5.4	2.9- 7.9	48	11.2	7.1-15.3	37	11.1	6.4-15.8	26	6.9	3.8-10.0	
Oth. Race/Non-Hisp.	90	15,275	49	53.8	37.3-70.3	16	17.8	3.9-31.7	9	9.5	1.7-17.3	8	9.2	0.0-18.6	8	9.8	0.0-22.3	
Hispanic	289	32,128	198	76.2	70.3-82.1	15	2.9	1.1- 4.7	36	9.8	5.9-13.7	27	8.4	4.7-12.1	13	2.8	0.8- 4.8	
18-24	156	43,248	66	39.1	28.7-49.5	10	11.4	2.4-20.4	33	18.8	11.0-26.6	29	21.3	12.5-30.1	18	9.4	4.7-14.1	
25-34	286	63,390	155	49.4	41.8-57.0	21	7.2	2.9-11.5	52	16.6	10.9-22.3	35	16.0	9.9-22.1	23	10.8	5.7-15.9	
35-44	330	58,229	193	58.7	52.0-65.4	35	10.6	6.1-15.1	29	7.6	4.5-10.7	43	12.7	8.2-17.2	30	10.3	5.8-14.8	
45-54	447	62,888	270	63.5	58.0-69.0	44	7.9	5.2-10.6	48	9.1	6.4-11.8	48	11.5	7.6-15.4	37	8.0	4.7-11.3	
55-64	600	70,882	392	67.9	63.2-72.6	32	5.3	3.1- 7.5	68	10.8	7.7-13.9	61	9.6	6.7-12.5	47	6.4	4.2- 8.6	
65+	1059	99,259	798	77.6	74.5-80.7	76	6.4	4.6- 8.2	78	6.5	4.7- 8.3	62	5.1	3.5- 6.7	45	4.4	2.8- 6.0	
Less Than H.S.	277	45,108	175	60.1	51.1-69.1	13	7.2	0.0-14.6	24	7.2	2.3-12.1	34	13.0	7.5-18.5	31	12.5	7.2-17.8	
H.S. or G.E.D.	805	119,014	511	61.3	56.6-66.0	59	8.2	5.1-11.3	94	10.8	7.9-13.7	81	11.5	8.0-15.0	60	8.2	5.7-10.7	
Some Post-H.S.	771	116,060	478	57.5	52.6-62.4	46	5.7	3.5- 7.9	82	12.3	9.0-15.6	90	14.1	10.4-17.8	75	10.4	7.3-13.5	
College Graduate	1012	116,329	700	68.3	64.4-72.2	100	9.6	7.1-12.1	106	10.7	8.2-13.2	72	8.5	6.1-10.9	34	3.0	1.6- 4.4	
Less than \$15,000	238	27,633	120	48.5	39.1-57.9	10	3.6	0.5- 6.7	29	10.9	5.8-16.0	37	18.6	9.8-27.4	42	18.3	11.2-25.4	
\$15,000- 24,999	466	64,033	292	59.2	52.9-65.5	31	6.4	3.3- 9.5	45	8.0	5.1-10.9	52	15.0	10.1-19.9	46	11.4	7.5-15.3	
\$25,000- 34,999	248	31,831	157	60.4	52.2-68.6	13	4.8	1.3- 8.3	26	14.2	7.7-20.7	28	10.2	5.7-14.7	24	10.3	4.8-15.8	
\$35,000- 49,999	297	39,201	184	61.5	53.7-69.3	19	6.8	3.1-10.5	37	10.0	4.5-15.5	36	14.3	8.4-20.2	21	7.4	3.9-10.9	
\$50,000- 74,999	349	45,972	224	58.0	50.7-65.3	40	10.4	5.3-15.5	40	14.1	9.0-19.2	27	10.7	5.8-15.6	18	6.8	2.7-10.9	
\$75,000+	696	107,307	483	64.5	59.6-69.4	63	9.6	6.7-12.5	79	12.9	9.4-16.4	51	9.5	6.2-12.8	20	3.5	1.3- 5.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2638	384,806	1467	56.9	54.2-59.6	250	9.7	8.1-11.3	308	12.2	10.4-14.0	353	12.7	10.9-14.5	260	8.4	7.0- 9.8
Male	1048	167,345	596	60.6	56.5-64.7	111	10.5	8.0-13.0	115	11.1	8.4-13.8	116	9.1	6.9-11.3	110	8.7	6.5-10.9
Female	1590	217,461	871	54.1	50.6-57.6	139	9.2	7.2-11.2	193	13.0	10.6-15.4	237	15.5	13.0-18.0	150	8.2	6.4-10.0
White/Non-Hisp	1831	255,603	1009	55.1	52.0-58.2	178	10.7	8.7-12.7	218	12.2	10.2-14.2	240	12.9	10.9-14.9	186	9.0	7.4-10.6
Black or Afr. Am./Non-Hisp	353	75,996	213	61.8	54.9-68.7	20	5.5	2.0- 9.0	37	10.9	6.6-15.2	48	12.6	7.9-17.3	35	9.2	5.3-13.1
Oth. Race/Non-Hisp.	100	17,109	53	61.6	45.7-77.5	16	16.6	6.2-27.0	9	15.6	2.1-29.1	11	3.3	0.6- 6.0	11	2.9	0.7- 5.1
MultiRacial/Non-Hisp.	55	4,090	27	56.9	39.1-74.7	4	5.4	0.0-11.5	6	7.9	1.0-14.8	11	21.8	8.3-35.3	7	8.0	0.9-15.1
Hispanic	238	23,329	129	59.9	51.7-68.1	26	7.9	4.4-11.4	30	12.8	6.9-18.7	37	14.7	8.8-20.6	16	4.7	1.8- 7.6
18-24	179	52,506	99	58.0	48.6-67.4	22	14.0	7.5-20.5	25	12.4	6.5-18.3	30	14.2	8.1-20.3	3	1.4	0.0- 3.0
25-34	281	71,107	156	57.1	49.5-64.7	36	10.5	6.2-14.8	42	15.4	9.9-20.9	32	11.5	6.6-16.4	15	5.5	2.2- 8.8
35-44	334	58,116	191	57.7	50.8-64.6	35	11.0	6.7-15.3	48	13.1	8.6-17.6	39	11.1	7.0-15.2	21	7.0	3.1-10.9
45-54	412	57,363	228	57.0	50.9-63.1	45	10.3	7.0-13.6	37	9.3	5.2-13.4	56	12.9	9.0-16.8	46	10.5	6.8-14.2
55-64	563	64,637	282	52.3	47.0-57.6	46	8.0	5.5-10.5	62	12.6	9.1-16.1	92	13.9	10.6-17.2	81	13.1	9.8-16.4
65+	869	81,077	511	59.2	55.1-63.3	66	6.3	4.5- 8.1	94	10.2	7.7-12.7	104	13.0	10.1-15.9	94	11.3	8.6-14.0
Less Than H.S.	261	42,265	137	57.4	49.0-65.8	12	3.1	0.9- 5.3	22	9.9	4.8-15.0	49	15.4	9.7-21.1	41	14.1	8.6-19.6
H.S. or G.E.D.	764	121,967	435	57.9	53.0-62.8	48	7.4	4.5-10.3	82	11.1	8.0-14.2	111	13.5	10.4-16.6	88	10.2	7.5-12.9
Some Post-H.S.	735	119,139	387	54.7	49.8-59.6	71	9.4	6.9-11.9	90	14.2	10.5-17.9	111	14.7	11.2-18.2	76	7.1	5.1- 9.1
College Graduate	861	99,845	498	58.1	53.6-62.6	116	15.7	12.2-19.2	113	12.1	9.4-14.8	80	8.5	6.1-10.9	54	5.6	3.4- 7.8
Less than \$15,000	261	30,561	110	42.8	34.0-51.6	8	5.2	0.0-10.9	31	11.7	6.2-17.2	60	21.2	14.5-27.9	52	19.2	12.9-25.5
\$15,000- 24,999	447	60,040	233	52.0	45.7-58.3	27	4.6	2.6- 6.6	46	10.5	6.6-14.4	82	19.8	14.7-24.9	59	13.1	9.2-17.0
\$25,000- 34,999	210	29,675	111	56.8	47.8-65.8	23	8.1	4.0-12.2	26	11.6	5.7-17.5	28	16.3	9.0-23.6	22	7.1	3.6-10.6
\$35,000- 49,999	297	42,607	158	60.3	52.7-67.9	25	6.1	3.4- 8.8	36	11.9	7.2-16.6	48	13.4	8.7-18.1	30	8.3	4.8-11.8
\$50,000- 74,999	335	53,046	200	63.6	56.3-70.9	41	11.0	6.9-15.1	42	12.7	7.6-17.8	26	7.7	3.8-11.6	26	4.9	2.0- 7.8
\$75,000+	626	107,069	390	61.4	56.1-66.7	86	15.2	11.1-19.3	78	12.5	8.8-16.2	52	7.6	5.1-10.1	20	3.4	1.4- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1048	167,345	596	60.6	56.5-64.7	111	10.5	8.0-13.0	115	11.1	8.4-13.8	116	9.1	6.9-11.3	110	8.7	6.5-10.9
White/Non-Hisp	718	104,561	410	59.2	54.5-63.9	82	12.5	9.2-15.8	77	10.3	7.4-13.2	72	8.9	6.4-11.4	77	9.2	6.8-11.6
Black or Afr. Am./Non-Hisp	136	35,786	86	68.8	58.8-78.8	8	3.9	0.4- 7.4	14	11.0	3.9-18.1	13	6.1	2.2-10.0	15	10.3	3.6-17.0
Hispanic	94	11,207	54	59.5	45.8-73.2	9	6.8	1.5-12.1	12	15.0	4.8-25.2	13	14.4	4.8-24.0	6	4.4	0.0- 8.9
18-24	79	23,346	50	63.8	50.5-77.1	10	15.0	4.8-25.2	9	11.4	3.0-19.8	9	8.4	1.9-14.9	1	1.4	0.0- 4.1
25-34	119	34,341	73	64.5	53.7-75.3	17	10.6	4.7-16.5	14	12.3	4.7-19.9	11	8.5	2.6-14.4	4	4.0	0.0- 8.7
35-44	140	25,177	79	61.2	50.6-71.8	19	13.5	6.1-20.9	17	9.4	4.3-14.5	14	7.1	2.8-11.4	11	8.9	1.8-16.0
45-54	156	23,684	85	61.8	52.2-71.4	20	12.4	6.3-18.5	11	7.9	0.1-15.7	19	8.3	4.2-12.4	21	9.6	4.7-14.5
55-64	223	28,168	112	52.6	44.4-60.8	17	6.4	3.1- 9.7	29	14.6	8.5-20.7	29	10.7	6.2-15.2	36	15.7	10.0-21.4
65+	331	32,628	197	60.0	53.5-66.5	28	6.9	4.0- 9.8	35	10.1	6.2-14.0	34	11.1	6.8-15.4	37	11.9	7.6-16.2
Less Than H.S.	95	16,414	53	63.2	51.2-75.2	6	3.5	0.4- 6.6	8	11.3	3.3-19.3	11	8.7	3.0-14.4	17	13.3	5.3-21.3
H.S. or G.E.D.	322	58,441	181	59.2	51.8-66.6	22	8.1	3.8-12.4	36	12.0	6.7-17.3	41	10.1	6.4-13.8	42	10.7	6.4-15.0
Some Post-H.S.	285	49,210	163	63.1	55.8-70.4	30	9.1	5.4-12.8	32	10.8	5.9-15.7	33	9.6	5.3-13.9	27	7.3	4.2-10.4
College Graduate	336	42,176	193	58.4	51.1-65.7	51	17.9	11.8-24.0	39	10.3	6.0-14.6	30	7.5	4.2-10.8	23	5.9	2.4- 9.4
Less than \$15,000	96	12,432	41	42.7	29.4-56.0	5	10.6	0.0-23.9	11	9.7	3.4-16.0	22	22.8	11.0-34.6	17	14.2	6.8-21.6
\$15,000- 24,999	174	23,101	93	58.6	49.2-68.0	13	5.6	2.1- 9.1	16	9.2	3.5-14.9	23	12.6	6.3-18.9	29	13.9	8.0-19.8
\$25,000- 34,999	71	11,127	37	57.2	41.7-72.7	10	11.2	2.8-19.6	11	14.6	4.2-25.0	6	9.3	0.5-18.1	7	7.6	0.9-14.3
\$35,000- 49,999	118	20,745	66	67.5	56.7-78.3	12	6.7	2.4-11.0	14	10.8	3.5-18.1	18	8.6	3.7-13.5	8	6.4	1.3-11.5
\$50,000- 74,999	144	27,143	89	66.9	56.1-77.7	14	9.4	3.5-15.3	20	13.6	5.4-21.8	7	3.1	0.4- 5.8	14	7.0	1.5-12.5
\$75,000+	278	48,903	176	63.2	55.6-70.8	39	15.2	9.5-20.9	30	9.9	4.8-15.0	21	7.0	3.3-10.7	12	4.7	0.8- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1590	217,461	871	54.1	50.6-57.6	139	9.2	7.2-11.2	193	13.0	10.6-15.4	237	15.5	13.0-18.0	150	8.2	6.4-10.0
White/Non-Hisp	1113	151,043	599	52.3	48.2-56.4	96	9.6	7.2-12.0	141	13.5	10.8-16.2	168	15.7	12.8-18.6	109	8.9	6.7-11.1
Black or Afr. Am./Non-Hisp	217	40,209	127	55.6	46.4-64.8	12	6.9	1.2-12.6	23	10.9	5.6-16.2	35	18.4	10.8-26.0	20	8.2	3.7-12.7
Oth. Race/Non-Hisp.	51	8,012	32	61.4	37.7-85.1	8	12.9	1.3-24.5	3	19.8	0.0-43.7	4	4.1	0.0- 9.0	4	1.9	0.0- 4.1
Hispanic	144	12,122	75	60.4	50.6-70.2	17	8.9	3.8-14.0	18	10.7	4.4-17.0	24	15.0	8.1-21.9	10	5.0	1.3- 8.7
18-24	100	29,160	49	53.3	40.4-66.2	12	13.2	4.8-21.6	16	13.3	5.1-21.5	21	18.8	9.4-28.2	2	1.4	0.0- 3.4
25-34	162	36,766	83	50.1	39.5-60.7	19	10.4	3.9-16.9	28	18.3	10.3-26.3	21	14.3	6.9-21.7	11	6.9	2.2-11.6
35-44	194	32,939	112	55.1	46.1-64.1	16	9.2	3.9-14.5	31	16.0	9.1-22.9	25	14.2	7.9-20.5	10	5.5	1.2- 9.8
45-54	256	33,679	143	53.6	46.0-61.2	25	8.8	4.9-12.7	26	10.3	5.8-14.8	37	16.2	10.5-21.9	25	11.1	5.8-16.4
55-64	340	36,468	170	52.1	45.4-58.8	29	9.3	5.6-13.0	33	11.0	6.7-15.3	63	16.4	11.5-21.3	45	11.1	7.4-14.8
65+	538	48,449	314	58.7	53.2-64.2	38	6.0	3.6- 8.4	59	10.2	6.9-13.5	70	14.2	10.1-18.3	57	10.9	7.4-14.4
Less Than H.S.	166	25,851	84	53.7	42.1-65.3	6	2.9	0.0- 6.0	14	9.1	2.6-15.6	38	19.7	11.3-28.1	24	14.7	7.3-22.1
H.S. or G.E.D.	442	63,525	254	56.7	50.2-63.2	26	6.8	2.9-10.7	46	10.3	6.8-13.8	70	16.5	11.8-21.2	46	9.7	6.4-13.0
Some Post-H.S.	450	69,929	224	48.7	42.4-55.0	41	9.5	5.8-13.2	58	16.6	11.3-21.9	78	18.3	13.2-23.4	49	6.9	4.4- 9.4
College Graduate	525	57,669	305	57.9	52.2-63.6	65	14.1	9.8-18.4	74	13.4	9.7-17.1	50	9.2	5.9-12.5	31	5.4	2.9- 7.9
Less than \$15,000	165	18,129	69	42.9	31.3-54.5	3	1.5	0.0- 3.3	20	13.1	4.9-21.3	38	20.0	12.2-27.8	35	22.5	13.3-31.7
\$15,000- 24,999	273	36,939	140	47.9	39.9-55.9	14	3.9	1.4- 6.4	30	11.3	6.0-16.6	59	24.3	17.0-31.6	30	12.5	7.2-17.8
\$25,000- 34,999	139	18,548	74	56.6	45.4-67.8	13	6.3	2.4-10.2	15	9.8	2.9-16.7	22	20.4	10.4-30.4	15	6.9	3.0-10.8
\$35,000- 49,999	179	21,863	92	53.4	43.4-63.4	13	5.5	2.0- 9.0	22	13.0	6.7-19.3	30	18.0	10.6-25.4	22	10.2	5.5-14.9
\$50,000- 74,999	191	25,902	111	60.2	50.6-69.8	27	12.6	6.9-18.3	22	11.9	6.2-17.6	19	12.5	5.4-19.6	12	2.8	1.0- 4.6
\$75,000+	348	58,166	214	59.8	52.7-66.9	47	15.3	9.6-21.0	48	14.6	9.5-19.7	31	8.0	4.3-11.7	8	2.2	0.4- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5207	761,597	4673	89.7	88.5-90.9	534	10.3	9.1-11.5
Male	2299	363,583	2021	88.4	86.6-90.2	278	11.6	9.8-13.4
Female	2908	398,014	2652	90.8	89.2-92.4	256	9.2	7.6-10.8
White/Non-Hisp	3536	489,438	3350	93.6	92.4-94.8	186	6.4	5.2- 7.6
Black or Afr. Am./Non-Hisp	708	153,297	646	90.3	87.4-93.2	62	9.7	6.8-12.6
Oth. Race/Non-Hisp.	203	35,752	180	90.0	84.7-95.3	23	10.0	4.7-15.3
MultiRacial/Non-Hisp.	80	5,510	75	94.9	90.2-99.6	5	5.1	0.4- 9.8
Hispanic	541	59,963	295	55.2	49.3-61.1	246	44.8	38.9-50.7
18-24	307	85,050	232	81.9	77.0-86.8	75	18.1	13.2-23.0
25-34	523	126,541	391	81.2	77.1-85.3	132	18.8	14.7-22.9
35-44	626	112,807	492	84.4	81.1-87.7	134	15.6	12.3-18.9
45-54	807	121,667	729	92.0	89.8-94.2	78	8.0	5.8-10.2
55-64	1103	133,574	1025	94.0	92.2-95.8	78	6.0	4.2- 7.8
65+	1841	181,957	1804	97.7	96.7-98.7	37	2.3	1.3- 3.3
Less Than H.S.	522	84,248	329	68.4	63.1-73.7	193	31.6	26.3-36.9
H.S. or G.E.D.	1478	239,708	1310	89.3	87.1-91.5	168	10.7	8.5-12.9
Some Post-H.S.	1350	217,377	1247	92.5	90.5-94.5	103	7.5	5.5- 9.5
College Graduate	1831	217,417	1768	95.7	94.1-97.3	63	4.3	2.7- 5.9
Less than \$15,000	396	47,503	321	80.9	75.8-86.0	75	19.1	14.0-24.2
\$15,000- 24,999	788	108,750	633	80.0	76.1-83.9	155	20.0	16.1-23.9
\$25,000- 34,999	404	53,020	367	90.7	87.2-94.2	37	9.3	5.8-12.8
\$35,000- 49,999	571	82,882	514	87.9	84.0-91.8	57	12.1	8.2-16.0
\$50,000- 74,999	648	94,135	618	95.3	93.1-97.5	30	4.7	2.5- 6.9
\$75,000+	1437	235,224	1392	96.2	94.8-97.6	45	3.8	2.4- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	363,583	2021	88.4	86.6-90.2	278	11.6	9.8-13.4
White/Non-Hisp	1554	232,448	1451	92.4	90.6-94.2	103	7.6	5.8- 9.4
Black or Afr. Am./Non-Hisp	280	69,932	247	88.4	83.7-93.1	33	11.6	6.9-16.3
Oth. Race/Non-Hisp.	113	20,477	100	93.3	88.8-97.8	13	6.7	2.2-11.2
Hispanic	252	28,242	131	52.1	43.7-60.5	121	47.9	39.5-56.3
18-24	154	43,837	112	81.8	75.3-88.3	42	18.2	11.7-24.7
25-34	238	63,835	170	80.1	74.2-86.0	68	19.9	14.0-25.8
35-44	293	54,405	223	82.2	76.9-87.5	70	17.8	12.5-23.1
45-54	358	58,450	314	90.1	86.6-93.6	44	9.9	6.4-13.4
55-64	491	61,788	455	93.7	91.2-96.2	36	6.3	3.8- 8.8
65+	765	81,268	747	97.5	96.1-98.9	18	2.5	1.1- 3.9
Less Than H.S.	241	39,016	136	61.8	54.2-69.4	105	38.2	30.6-45.8
H.S. or G.E.D.	665	120,835	570	86.7	83.4-90.0	95	13.3	10.0-16.6
Some Post-H.S.	574	102,274	525	92.8	90.1-95.5	49	7.2	4.5- 9.9
College Graduate	806	99,997	781	96.7	95.1-98.3	25	3.3	1.7- 4.9
Less than \$15,000	155	20,110	121	76.9	68.3-85.5	34	23.1	14.5-31.7
\$15,000- 24,999	319	44,140	231	71.0	63.9-78.1	88	29.0	21.9-36.1
\$25,000- 34,999	155	21,154	131	84.2	76.8-91.6	24	15.8	8.4-23.2
\$35,000- 49,999	269	43,202	229	83.2	77.1-89.3	40	16.8	10.7-22.9
\$50,000- 74,999	293	47,708	278	95.1	92.2-98.0	15	4.9	2.0- 7.8
\$75,000+	739	127,692	714	96.4	94.6-98.2	25	3.6	1.8- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	398,014	2652	90.8	89.2-92.4	256	9.2	7.6-10.8
White/Non-Hisp	1982	256,990	1899	94.7	93.1-96.3	83	5.3	3.7- 6.9
Black or Afr. Am./Non-Hisp	428	83,365	399	91.9	88.2-95.6	29	8.1	4.4-11.8
Oth. Race/Non-Hisp.	90	15,275	80	85.7	74.9-96.5	10	14.3	3.5-25.1
Hispanic	289	31,721	164	58.0	50.0-66.0	125	42.0	34.0-50.0
18-24	153	41,213	120	81.9	74.3-89.5	33	18.1	10.5-25.7
25-34	285	62,706	221	82.4	76.7-88.1	64	17.6	11.9-23.3
35-44	333	58,402	269	86.5	82.4-90.6	64	13.5	9.4-17.6
45-54	449	63,218	415	93.8	91.1-96.5	34	6.2	3.5- 8.9
55-64	612	71,786	570	94.2	91.8-96.6	42	5.8	3.4- 8.2
65+	1076	100,689	1057	97.8	96.4-99.2	19	2.2	0.8- 3.6
Less Than H.S.	281	45,233	193	74.0	66.9-81.1	88	26.0	18.9-33.1
H.S. or G.E.D.	813	118,873	740	91.9	89.5-94.3	73	8.1	5.7-10.5
Some Post-H.S.	776	115,103	722	92.2	89.5-94.9	54	7.8	5.1-10.5
College Graduate	1025	117,421	987	94.9	92.5-97.3	38	5.1	2.7- 7.5
Less than \$15,000	241	27,393	200	83.9	77.6-90.2	41	16.1	9.8-22.4
\$15,000- 24,999	469	64,610	402	86.2	81.9-90.5	67	13.8	9.5-18.1
\$25,000- 34,999	249	31,866	236	95.0	91.9-98.1	13	5.0	1.9- 8.1
\$35,000- 49,999	302	39,679	285	92.9	88.0-97.8	17	7.1	2.2-12.0
\$50,000- 74,999	355	46,427	340	95.5	92.6-98.4	15	4.5	1.6- 7.4
\$75,000+	698	107,532	678	96.1	93.7-98.5	20	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5217	766,295	3754	70.7	68.9-72.5	672	11.0	9.8-12.2	791	18.3	16.7-19.9
Male	2304	365,296	1600	67.2	64.7-69.7	249	8.4	7.0- 9.8	455	24.4	21.9-26.9
Female	2913	401,000	2154	73.8	71.4-76.2	423	13.5	11.7-15.3	336	12.7	10.9-14.5
White/Non-Hisp	3540	490,674	2669	73.9	71.9-75.9	479	11.5	10.1-12.9	392	14.6	12.8-16.4
Black or Afr. Am./Non-Hisp	712	155,329	507	69.7	65.2-74.2	93	10.8	8.1-13.5	112	19.5	15.6-23.4
Oth. Race/Non-Hisp.	203	35,752	126	62.5	52.1-72.9	31	12.5	5.2-19.8	46	25.0	15.4-34.6
MultiRacial/Non-Hisp.	80	5,510	58	76.6	65.8-87.4	12	10.4	3.9-16.9	10	12.9	4.1-21.7
Hispanic	542	60,366	298	53.9	47.8-60.0	39	7.9	3.2-12.6	205	38.2	32.5-43.9
18-24	314	88,037	163	56.0	48.7-63.3	16	6.4	2.3-10.5	135	37.6	30.7-44.5
25-34	524	127,256	309	60.0	54.5-65.5	30	7.2	3.9-10.5	185	32.8	27.7-37.9
35-44	627	113,834	404	66.8	62.1-71.5	55	8.9	6.0-11.8	168	24.3	20.2-28.4
45-54	806	121,627	609	76.3	72.8-79.8	97	11.6	9.1-14.1	100	12.1	9.4-14.8
55-64	1104	133,611	864	79.6	76.7-82.5	142	11.8	9.6-14.0	98	8.6	6.6-10.6
65+	1842	181,930	1405	77.3	74.9-79.7	332	16.5	14.3-18.7	105	6.3	4.7- 7.9
Less Than H.S.	523	85,050	322	64.9	59.2-70.6	45	6.9	4.2- 9.6	156	28.2	22.9-33.5
H.S. or G.E.D.	1482	241,424	1024	66.2	62.7-69.7	194	11.9	9.5-14.3	264	21.9	18.8-25.0
Some Post-H.S.	1357	219,775	977	70.3	67.0-73.6	200	13.0	10.6-15.4	180	16.7	14.0-19.4
College Graduate	1829	217,200	1416	78.5	76.1-80.9	231	9.8	8.2-11.4	182	11.7	9.7-13.7
Less than \$15,000	398	48,476	264	62.7	55.6-69.8	53	11.4	7.5-15.3	81	26.0	19.3-32.7
\$15,000- 24,999	790	109,100	523	67.6	63.1-72.1	110	12.2	8.7-15.7	157	20.2	16.5-23.9
\$25,000- 34,999	404	53,724	287	67.3	61.0-73.6	58	12.4	8.3-16.5	59	20.3	14.6-26.0
\$35,000- 49,999	571	82,890	406	70.7	65.6-75.8	77	10.9	8.0-13.8	88	18.4	14.1-22.7
\$50,000- 74,999	648	94,135	482	67.4	61.7-73.1	82	12.2	8.3-16.1	84	20.4	15.1-25.7
\$75,000+	1437	235,224	1117	77.4	74.5-80.3	185	11.0	9.0-13.0	135	11.7	9.3-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2304	365,296	1600	67.2	64.7-69.7	249	8.4	7.0- 9.8	455	24.4	21.9-26.9
White/Non-Hisp	1556	233,264	1148	71.5	68.6-74.4	190	9.8	8.0-11.6	218	18.7	16.0-21.4
Black or Afr. Am./Non-Hisp	282	70,772	188	66.4	59.3-73.5	29	6.7	3.6- 9.8	65	26.9	20.0-33.8
Oth. Race/Non-Hisp.	113	20,477	67	57.0	43.1-70.9	12	7.1	1.6-12.6	34	35.9	21.8-50.0
Hispanic	253	28,298	126	43.6	35.4-51.8	10	4.3	0.0- 9.0	117	52.1	43.7-60.5
18-24	156	44,458	72	49.3	39.3-59.3	4	3.0	0.0- 6.5	80	47.6	37.6-57.6
25-34	238	63,835	119	52.5	44.5-60.5	9	4.1	1.0- 7.2	110	43.3	35.3-51.3
35-44	296	55,628	172	61.1	54.0-68.2	16	5.8	2.1- 9.5	108	33.1	26.4-39.8
45-54	357	58,386	261	73.2	67.5-78.9	31	9.3	5.6-13.0	65	17.5	12.6-22.4
55-64	491	61,847	386	81.2	77.3-85.1	53	8.0	5.6-10.4	52	10.8	7.7-13.9
65+	766	81,141	590	77.9	74.2-81.6	136	16.0	12.9-19.1	40	6.2	3.8- 8.6
Less Than H.S.	241	39,315	137	59.5	51.5-67.5	14	6.5	2.0-11.0	90	34.1	26.5-41.7
H.S. or G.E.D.	667	121,706	435	62.0	56.9-67.1	65	7.4	5.0- 9.8	167	30.6	25.5-35.7
Some Post-H.S.	577	102,843	395	66.2	61.1-71.3	80	10.9	8.0-13.8	102	22.9	18.2-27.6
College Graduate	806	99,969	626	77.9	74.2-81.6	89	7.8	5.6-10.0	91	14.3	11.2-17.4
Less than \$15,000	156	20,707	98	58.7	48.1-69.3	17	7.7	3.4-12.0	41	33.6	23.0-44.2
\$15,000- 24,999	319	44,181	195	61.1	54.0-68.2	34	7.2	4.3-10.1	90	31.7	24.8-38.6
\$25,000- 34,999	156	21,931	102	63.8	53.8-73.8	17	6.8	2.7-10.9	37	29.4	19.8-39.0
\$35,000- 49,999	270	43,344	189	70.3	63.2-77.4	22	6.1	3.0- 9.2	59	23.6	16.9-30.3
\$50,000- 74,999	293	47,708	200	57.2	48.6-65.8	42	12.5	7.2-17.8	51	30.3	21.5-39.1
\$75,000+	739	127,692	574	76.9	73.0-80.8	85	9.4	6.9-11.9	80	13.7	10.4-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	401,000	2154	73.8	71.4-76.2	423	13.5	11.7-15.3	336	12.7	10.9-14.5
White/Non-Hisp	1984	257,410	1521	76.1	73.6-78.6	289	13.0	11.0-15.0	174	10.8	8.8-12.8
Black or Afr. Am./Non-Hisp	430	84,556	319	72.5	66.8-78.2	64	14.3	10.0-18.6	47	13.2	8.9-17.5
Oth. Race/Non-Hisp.	90	15,275	59	69.8	54.7-84.9	19	19.8	5.3-34.3	12	10.4	2.8-18.0
Hispanic	289	32,067	172	63.0	54.6-71.4	29	11.1	3.5-18.7	88	25.9	19.2-32.6
18-24	158	43,579	91	62.8	52.6-73.0	12	9.7	2.4-17.0	55	27.5	18.7-36.3
25-34	286	63,421	190	67.6	60.3-74.9	21	10.2	4.5-15.9	75	22.2	16.1-28.3
35-44	331	58,205	232	72.3	66.2-78.4	39	11.8	7.1-16.5	60	15.8	10.9-20.7
45-54	449	63,241	348	79.1	74.6-83.6	66	13.7	10.0-17.4	35	7.2	4.3-10.1
55-64	613	71,764	478	78.3	74.2-82.4	89	15.1	11.6-18.6	46	6.7	4.2- 9.2
65+	1076	100,789	815	76.8	73.5-80.1	196	16.8	14.1-19.5	65	6.3	4.3- 8.3
Less Than H.S.	282	45,734	185	69.6	61.8-77.4	31	7.3	4.0-10.6	66	23.1	15.7-30.5
H.S. or G.E.D.	815	119,717	589	70.4	65.9-74.9	129	16.6	12.7-20.5	97	13.1	9.8-16.4
Some Post-H.S.	780	116,932	582	74.0	69.7-78.3	120	14.8	11.3-18.3	78	11.3	8.4-14.2
College Graduate	1023	117,231	790	79.1	76.0-82.2	142	11.5	9.1-13.9	91	9.5	7.1-11.9
Less than \$15,000	242	27,769	166	65.7	56.3-75.1	36	14.1	8.0-20.2	40	20.3	11.7-28.9
\$15,000- 24,999	471	64,919	328	72.0	66.1-77.9	76	15.6	10.3-20.9	67	12.4	8.7-16.1
\$25,000- 34,999	248	31,793	185	69.8	61.8-77.8	41	16.2	10.1-22.3	22	14.0	7.3-20.7
\$35,000- 49,999	301	39,546	217	71.1	64.0-78.2	55	16.2	11.1-21.3	29	12.7	7.0-18.4
\$50,000- 74,999	355	46,427	282	77.9	71.4-84.4	40	11.9	6.2-17.6	33	10.2	5.9-14.5
\$75,000+	698	107,532	543	77.9	73.8-82.0	100	12.8	9.7-15.9	55	9.3	6.2-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5221	766,411	530	10.6	9.4-11.8	4691	89.4	88.2-90.6
Male	2308	366,687	213	9.9	8.1-11.7	2095	90.1	88.3-91.9
Female	2913	399,724	317	11.1	9.5-12.7	2596	88.9	87.3-90.5
White/Non-Hisp	3544	491,329	283	8.9	7.5-10.3	3261	91.1	89.7-92.5
Black or Afr. Am./Non-Hisp	714	156,038	78	12.9	9.2-16.6	636	87.1	83.4-90.8
Oth. Race/Non-Hisp.	201	35,309	30	9.9	4.8-15.0	171	90.1	85.0-95.2
MultiRacial/Non-Hisp.	80	5,510	14	16.0	6.2-25.8	66	84.0	74.2-93.8
Hispanic	544	60,498	113	17.0	13.1-20.9	431	83.0	79.1-86.9
18-24	313	87,142	47	11.6	7.7-15.5	266	88.4	84.5-92.3
25-34	525	127,270	108	17.8	13.3-22.3	417	82.2	77.7-86.7
35-44	626	113,787	99	13.5	10.0-17.0	527	86.5	83.0-90.0
45-54	807	121,622	82	10.5	7.6-13.4	725	89.5	86.6-92.4
55-64	1107	134,747	120	10.5	8.1-12.9	987	89.5	87.1-91.9
65+	1843	181,844	74	3.2	2.4- 4.0	1769	96.8	96.0-97.6
Less Than H.S.	524	85,496	104	15.8	11.7-19.9	420	84.2	80.1-88.3
H.S. or G.E.D.	1481	239,926	164	11.3	8.9-13.7	1317	88.7	86.3-91.1
Some Post-H.S.	1359	220,726	151	11.4	9.0-13.8	1208	88.6	86.2-91.0
College Graduate	1831	217,417	107	6.7	5.1- 8.3	1724	93.3	91.7-94.9
Less than \$15,000	398	48,513	84	20.2	14.3-26.1	314	79.8	73.9-85.7
\$15,000- 24,999	790	108,620	142	16.7	13.2-20.2	648	83.3	79.8-86.8
\$25,000- 34,999	406	53,859	51	12.4	8.3-16.5	355	87.6	83.5-91.7
\$35,000- 49,999	569	82,545	70	17.5	12.0-23.0	499	82.5	77.0-88.0
\$50,000- 74,999	648	94,135	42	8.7	5.4-12.0	606	91.3	88.0-94.6
\$75,000+	1437	235,224	48	4.3	2.7- 5.9	1389	95.7	94.1-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2308	366,687	213	9.9	8.1-11.7	2095	90.1	88.3-91.9
White/Non-Hisp	1558	233,773	118	7.8	6.0-9.6	1440	92.2	90.4-94.0
Black or Afr. Am./Non-Hisp	284	71,942	35	16.7	10.0-23.4	249	83.3	76.6-90.0
Oth. Race/Non-Hisp.	112	20,154	11	5.8	0.9-10.7	101	94.2	89.3-99.1
Hispanic	254	28,334	41	12.9	7.6-18.2	213	87.1	81.8-92.4
18-24	157	44,845	20	10.7	5.2-16.2	137	89.3	83.8-94.8
25-34	238	63,835	40	16.3	9.6-23.0	198	83.7	77.0-90.4
35-44	296	55,689	43	13.5	8.0-19.0	253	86.5	81.0-92.0
45-54	358	58,450	35	9.0	5.3-12.7	323	91.0	87.3-94.7
55-64	493	62,850	46	9.4	6.1-12.7	447	90.6	87.3-93.9
65+	766	81,018	29	3.0	1.6- 4.4	737	97.0	95.6-98.4
Less Than H.S.	244	40,083	42	13.2	8.3-18.1	202	86.8	81.9-91.7
H.S. or G.E.D.	667	121,460	72	11.1	7.4-14.8	595	88.9	85.2-92.6
Some Post-H.S.	578	103,685	54	10.5	7.0-14.0	524	89.5	86.0-93.0
College Graduate	806	99,997	42	6.4	3.9- 8.9	764	93.6	91.1-96.1
Less than \$15,000	156	20,707	27	15.1	8.0-22.2	129	84.9	77.8-92.0
\$15,000- 24,999	320	44,216	54	15.0	9.5-20.5	266	85.0	79.5-90.5
\$25,000- 34,999	157	21,993	25	17.0	9.4-24.6	132	83.0	75.4-90.6
\$35,000- 49,999	268	42,977	34	18.8	10.2-27.4	234	81.2	72.6-89.8
\$50,000- 74,999	293	47,708	14	7.9	2.8-13.0	279	92.1	87.0-97.2
\$75,000+	739	127,692	22	3.8	1.8- 5.8	717	96.2	94.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	399,724	317	11.1	9.5-12.7	2596	88.9	87.3-90.5
White/Non-Hisp	1986	257,555	165	9.9	7.9-11.9	1821	90.1	88.1-92.1
Black or Afr. Am./Non-Hisp	430	84,097	43	9.7	5.8-13.6	387	90.3	86.4-94.2
Oth. Race/Non-Hisp.	89	15,155	19	15.4	5.8-25.0	70	84.6	75.0-94.2
Hispanic	290	32,164	72	20.6	14.7-26.5	218	79.4	73.5-85.3
18-24	156	42,297	27	12.5	7.0-18.0	129	87.5	82.0-93.0
25-34	287	63,435	68	19.3	13.4-25.2	219	80.7	74.8-86.6
35-44	330	58,098	56	13.6	9.1-18.1	274	86.4	81.9-90.9
45-54	449	63,172	47	11.8	7.3-16.3	402	88.2	83.7-92.7
55-64	614	71,897	74	11.5	8.4-14.6	540	88.5	85.4-91.6
65+	1077	100,826	45	3.4	2.2- 4.6	1032	96.6	95.4-97.8
Less Than H.S.	280	45,413	62	18.2	11.7-24.7	218	81.8	75.3-88.3
H.S. or G.E.D.	814	118,466	92	11.5	8.4-14.6	722	88.5	85.4-91.6
Some Post-H.S.	781	117,040	97	12.2	9.3-15.1	684	87.8	84.9-90.7
College Graduate	1025	117,421	65	7.0	4.8- 9.2	960	93.0	90.8-95.2
Less than \$15,000	242	27,806	57	23.9	15.1-32.7	185	76.1	67.3-84.9
\$15,000- 24,999	470	64,403	88	17.9	13.4-22.4	382	82.1	77.6-86.6
\$25,000- 34,999	249	31,866	26	9.1	4.6-13.6	223	90.9	86.4-95.4
\$35,000- 49,999	301	39,568	36	16.1	10.0-22.2	265	83.9	77.8-90.0
\$50,000- 74,999	355	46,427	28	9.6	5.3-13.9	327	90.4	86.1-94.7
\$75,000+	698	107,532	26	4.9	2.4- 7.4	672	95.1	92.6-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5172	759,568	4299	80.1	78.5-81.7	436	10.3	9.1-11.5	229	4.9	4.1- 5.7	186	4.1	3.3- 4.9	22	0.5	0.3- 0.7
Male	2282	361,621	1816	75.6	73.1-78.1	213	11.8	9.8-13.8	119	5.8	4.4- 7.2	120	6.1	4.7- 7.5	14	0.6	0.2- 1.0
Female	2890	397,947	2483	84.2	82.2-86.2	223	8.9	7.3-10.5	110	4.1	2.9- 5.3	66	2.3	1.5- 3.1	8	0.4	0.0- 0.8
White/Non-Hisp	3519	486,921	2997	81.2	79.4-83.0	248	9.0	7.6-10.4	150	5.2	4.2- 6.2	116	4.2	3.2- 5.2	8	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	711	155,377	618	84.3	80.6-88.0	52	9.1	6.0-12.2	24	4.2	2.0- 6.4	14	1.9	0.7- 3.1	3	0.5	0.0- 1.1
Oth. Race/Non-Hisp.	200	35,550	148	68.0	57.6-78.4	29	22.2	12.0-32.4	12	4.8	1.3- 8.3	10	4.1	1.0- 7.2	1	1.0	0.0- 3.0
MultiRacial/Non-Hisp.	79	5,478	63	75.8	63.6-88.0	10	16.4	5.6-27.2	3	4.4	0.0- 9.3	3	3.4	0.0- 7.7			
Hispanic	527	57,910	365	70.1	64.8-75.4	83	16.6	12.3-20.9	37	5.5	3.1- 7.9	32	5.9	3.0- 8.8	10	1.8	0.4- 3.2
18-24	304	85,389	201	68.9	62.0-75.8	53	17.2	11.5-22.9	34	8.9	5.0-12.8	14	4.6	1.5- 7.7	2	0.3	0.0- 0.9
25-34	518	125,834	350	70.2	65.3-75.1	83	14.8	10.9-18.7	45	7.4	4.9- 9.9	34	6.4	3.9- 8.9	6	1.3	0.1- 2.5
35-44	619	112,525	440	72.0	67.5-76.5	89	14.3	10.8-17.8	35	5.4	3.0- 7.8	49	7.5	5.0-10.0	6	0.8	0.0- 1.6
45-54	799	120,770	642	80.1	76.6-83.6	75	10.1	7.6-12.6	43	5.8	3.4- 8.2	38	3.9	2.3- 5.5	1	0.1	0.0- 0.3
55-64	1100	133,936	937	84.6	81.9-87.3	83	7.9	5.9- 9.9	46	4.1	2.7- 5.5	30	2.9	1.7- 4.1	4	0.6	0.0- 1.2
65+	1832	181,114	1729	94.0	92.6-95.4	53	3.4	2.2- 4.6	26	1.2	0.6- 1.8	21	1.2	0.6- 1.8	3	0.1	0.0- 0.3
Less Than H.S.	508	82,975	382	77.1	72.4-81.8	55	10.1	6.8-13.4	22	3.6	1.6- 5.6	38	6.9	4.2- 9.6	11	2.3	0.5- 4.1
H.S. or G.E.D.	1472	239,594	1200	78.0	74.9-81.1	123	9.9	7.4-12.4	72	5.8	4.0- 7.6	71	5.8	4.0- 7.6	6	0.4	0.0- 0.8
Some Post-H.S.	1352	218,817	1132	81.5	78.8-84.2	123	11.2	8.8-13.6	58	4.4	2.8- 6.0	36	2.8	1.6- 4.0	3	0.2	0.0- 0.4
College Graduate	1814	215,335	1565	82.3	79.9-84.7	132	10.0	8.0-12.0	75	5.1	3.7- 6.5	40	2.4	1.4- 3.4	2	0.2	0.0- 0.6
Less than \$15,000	395	47,930	321	76.9	70.0-83.8	38	8.2	5.1-11.3	21	8.8	2.7-14.9	14	5.5	2.0- 9.0	1	0.5	0.0- 1.5
\$15,000- 24,999	785	107,968	641	80.8	77.1-84.5	69	9.5	6.8-12.2	37	5.1	2.7- 7.5	36	4.4	2.6- 6.2	2	0.3	0.0- 0.7
\$25,000- 34,999	403	53,356	335	81.0	75.9-86.1	35	8.6	5.5-11.7	17	6.2	2.7- 9.7	12	3.1	0.7- 5.5	4	1.0	0.0- 2.0
\$35,000- 49,999	569	82,671	468	77.8	72.5-83.1	45	13.1	8.2-18.0	24	3.7	2.1- 5.3	30	5.2	3.0- 7.4	2	0.3	0.0- 0.7
\$50,000- 74,999	643	93,747	535	77.8	72.7-82.9	52	11.0	6.9-15.1	31	5.3	2.9- 7.7	25	5.9	3.0- 8.8			
\$75,000+	1429	233,628	1211	81.5	78.8-84.2	124	11.5	9.1-13.9	60	4.4	3.0- 5.8	33	2.5	1.3- 3.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2282	361,621	1816	75.6	73.1-78.1	213	11.8	9.8-13.8	119	5.8	4.4- 7.2	120	6.1	4.7- 7.5	14	0.6	0.2- 1.0
White/Non-Hisp	1545	230,511	1265	76.5	73.8-79.2	122	10.3	8.1-12.5	78	6.3	4.7- 7.9	76	6.6	4.8- 8.4	4	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	282	71,308	234	80.3	74.2-86.4	26	11.4	6.5-16.3	12	5.1	1.6- 8.6	9	2.9	0.7- 5.1	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	112	20,422	76	60.0	45.5-74.5	20	27.4	12.3-42.5	7	4.3	0.2- 8.4	8	6.7	1.2-12.2	1	1.7	0.0- 5.0
Hispanic	244	26,928	163	68.1	60.3-75.9	37	15.6	9.5-21.7	18	6.5	2.6-10.4	18	7.1	2.6-11.6	8	2.7	0.5- 4.9
18-24	149	42,282	86	58.6	48.6-68.6	35	24.5	15.3-33.7	19	10.7	5.2-16.2	8	5.7	1.0-10.4	1	0.5	0.0- 1.5
25-34	233	62,846	140	61.6	53.8-69.4	42	18.0	11.5-24.5	21	8.4	4.5-12.3	26	10.7	6.0-15.4	4	1.3	0.0- 2.7
35-44	291	54,944	192	67.0	60.1-73.9	44	14.8	9.5-20.1	21	7.0	2.9-11.1	30	10.6	6.3-14.9	4	0.6	0.0- 1.2
45-54	352	57,723	272	78.2	73.1-83.3	29	9.1	5.4-12.8	22	6.1	3.2- 9.0	28	6.4	3.5- 9.3	1	0.2	0.0- 0.6
55-64	491	62,551	413	84.8	81.1-88.5	31	5.9	3.5- 8.3	25	4.1	2.3- 5.9	19	4.0	1.8- 6.2	3	1.2	0.0- 2.6
65+	766	81,275	713	92.2	89.8-94.6	32	5.0	3.0- 7.0	11	1.6	0.6- 2.6	9	1.2	0.2- 2.2	1	0.0	0.0- 0.0
Less Than H.S.	236	38,416	161	69.9	62.6-77.2	30	13.6	7.9-19.3	13	4.5	1.6- 7.4	25	9.5	5.0-14.0	7	2.4	0.0- 4.8
H.S. or G.E.D.	663	120,680	505	73.0	68.1-77.9	65	11.8	7.9-15.7	43	6.6	4.2- 9.0	48	8.4	5.5-11.3	2	0.2	0.0- 0.6
Some Post-H.S.	573	102,473	463	78.2	73.7-82.7	54	11.6	8.1-15.1	26	4.5	2.1- 6.9	27	5.2	2.8- 7.6	3	0.5	0.0- 1.1
College Graduate	797	98,591	679	78.5	74.4-82.6	62	11.5	8.2-14.8	35	6.8	4.3- 9.3	19	2.7	1.1- 4.3	2	0.5	0.0- 1.3
Less than \$15,000	156	20,707	120	75.3	66.3-84.3	16	7.4	3.1-11.7	10	5.1	1.4- 8.8	9	10.9	3.5-18.3	1	1.2	0.0- 3.4
\$15,000- 24,999	317	43,727	243	71.5	64.4-78.6	34	13.1	7.8-18.4	19	8.6	3.5-13.7	20	6.7	3.2-10.2	1	0.1	0.0- 0.3
\$25,000- 34,999	155	21,563	122	75.1	66.1-84.1	14	8.7	3.4-14.0	10	9.9	3.2-16.6	6	4.2	0.0- 8.9	3	2.1	0.0- 4.6
\$35,000- 49,999	269	43,106	203	73.1	65.7-80.5	27	14.3	7.8-20.8	14	4.0	1.6- 6.4	23	8.2	4.3-12.1	2	0.5	0.0- 1.3
\$50,000- 74,999	290	47,435	234	72.4	64.4-80.4	28	14.8	7.5-22.1	12	4.2	1.7- 6.7	16	8.6	3.7-13.5			
\$75,000+	733	126,281	605	78.4	74.3-82.5	66	11.9	8.6-15.2	36	5.7	3.5- 7.9	25	3.8	1.8- 5.8	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	397,947	2483	84.2	82.2-86.2	223	8.9	7.3-10.5	110	4.1	2.9- 5.3	66	2.3	1.5- 3.1	8	0.4	0.0- 0.8
White/Non-Hisp	1974	256,409	1732	85.4	83.2-87.6	126	7.8	6.2- 9.4	72	4.3	2.9- 5.7	40	2.1	1.3- 2.9	4	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	429	84,069	384	87.8	83.1-92.5	26	7.1	3.2-11.0	12	3.5	0.6- 6.4	5	1.1	0.1- 2.1	2	0.6	0.0- 1.6
Oth. Race/Non-Hisp.	88	15,128	72	78.7	66.2-91.2	9	15.2	3.8-26.6	5	5.5	0.0-11.6	2	0.5	0.0- 1.3			
Hispanic	283	30,982	202	71.9	64.6-79.2	46	17.5	11.4-23.6	19	4.6	2.1- 7.1	14	4.9	1.0- 8.8	2	1.1	0.0- 2.9
18-24	155	43,107	115	79.0	70.2-87.8	18	10.0	3.3-16.7	15	7.2	1.7-12.7	6	3.7	0.0- 7.6	1	0.2	0.0- 0.6
25-34	285	62,988	210	78.9	73.2-84.6	41	11.5	7.4-15.6	24	6.3	3.0- 9.6	8	2.1	0.5- 3.7	2	1.2	0.0- 3.0
35-44	328	57,581	248	76.8	71.1-82.5	45	13.7	9.0-18.4	14	3.9	1.4- 6.4	19	4.6	1.7- 7.5	2	1.0	0.0- 2.4
45-54	447	63,047	370	81.9	77.0-86.8	46	11.0	7.5-14.5	21	5.5	2.0- 9.0	10	1.6	0.4- 2.8			
55-64	609	71,385	524	84.3	80.6-88.0	52	9.7	6.6-12.8	21	4.0	2.0- 6.0	11	1.8	0.6- 3.0	1	0.1	0.0- 0.3
65+	1066	99,839	1016	95.5	93.9-97.1	21	2.2	0.8- 3.6	15	0.9	0.3- 1.5	12	1.2	0.4- 2.0	2	0.2	0.0- 0.6
Less Than H.S.	272	44,560	221	83.2	77.5-88.9	25	7.2	3.7-10.7	9	2.8	0.3- 5.3	13	4.6	1.5- 7.7	4	2.3	0.0- 4.7
H.S. or G.E.D.	809	118,914	695	83.0	78.9-87.1	58	8.1	5.2-11.0	29	5.1	2.4- 7.8	23	3.2	1.4- 5.0	4	0.6	0.0- 1.4
Some Post-H.S.	779	116,344	669	84.3	81.0-87.6	69	10.8	7.9-13.7	32	4.3	2.5- 6.1	9	0.6	0.2- 1.0			
College Graduate	1017	116,744	886	85.6	82.7-88.5	70	8.7	6.2-11.2	40	3.6	2.2- 5.0	21	2.1	1.1- 3.1			
Less than \$15,000	239	27,224	201	78.2	68.2-88.2	22	8.8	4.3-13.3	11	11.6	1.8-21.4	5	1.4	0.0- 3.0			
\$15,000- 24,999	468	64,241	398	87.1	83.4-90.8	35	7.0	4.1- 9.9	18	2.7	1.3- 4.1	16	2.8	1.2- 4.4	1	0.4	0.0- 1.2
\$25,000- 34,999	248	31,793	213	85.0	79.1-90.9	21	8.5	4.6-12.4	7	3.7	0.0- 7.8	6	2.4	0.0- 4.8	1	0.3	0.0- 0.9
\$35,000- 49,999	300	39,565	265	82.9	75.5-90.3	18	11.8	4.5-19.1	10	3.4	1.0- 5.8	7	1.9	0.3- 3.5			
\$50,000- 74,999	353	46,312	301	83.4	77.9-88.9	24	7.1	3.6-10.6	19	6.5	2.8-10.2	9	3.1	0.4- 5.8			
\$75,000+	696	107,347	606	85.2	81.7-88.7	58	11.1	8.0-14.2	24	2.9	1.5- 4.3	8	0.9	0.1- 1.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5225	767,671	3678	73.2	71.6-74.8	1547	26.8	25.2-28.4
Male	2309	366,492	1716	76.8	74.6-79.0	593	23.2	21.0-25.4
Female	2916	401,180	1962	70.0	67.8-72.2	954	30.0	27.8-32.2
White/Non-Hisp	3541	491,204	2568	75.4	73.6-77.2	973	24.6	22.8-26.4
Black or Afr. Am./Non-Hisp	715	155,851	467	68.4	63.9-72.9	248	31.6	27.1-36.1
Oth. Race/Non-Hisp.	203	35,752	151	78.1	69.9-86.3	52	21.9	13.7-30.1
MultiRacial/Non-Hisp.	80	5,510	57	67.1	50.4-83.8	23	32.9	16.2-49.6
Hispanic	545	60,616	329	64.4	59.1-69.7	216	35.6	30.3-40.9
18-24	315	88,424	246	83.2	78.1-88.3	69	16.8	11.7-21.9
25-34	526	127,390	394	78.2	73.7-82.7	132	21.8	17.3-26.3
35-44	629	114,170	458	73.9	69.6-78.2	171	26.1	21.8-30.4
45-54	808	121,541	601	76.4	72.9-79.9	207	23.6	20.1-27.1
55-64	1106	134,104	752	69.7	66.4-73.0	354	30.3	27.0-33.6
65+	1841	182,043	1227	64.9	62.2-67.6	614	35.1	32.4-37.8
Less Than H.S.	527	85,877	277	59.5	53.8-65.2	250	40.5	34.8-46.2
H.S. or G.E.D.	1484	241,857	906	65.4	62.1-68.7	578	34.6	31.3-37.9
Some Post-H.S.	1358	219,939	972	75.7	72.8-78.6	386	24.3	21.4-27.2
College Graduate	1830	217,151	1508	85.2	83.2-87.2	322	14.8	12.8-16.8
Less than \$15,000	399	48,631	215	58.7	52.0-65.4	184	41.3	34.6-48.0
\$15,000- 24,999	789	108,996	453	58.4	53.7-63.1	336	41.6	36.9-46.3
\$25,000- 34,999	404	53,740	254	66.0	60.1-71.9	150	34.0	28.1-39.9
\$35,000- 49,999	572	83,023	386	70.7	65.4-76.0	186	29.3	24.0-34.6
\$50,000- 74,999	648	94,135	490	78.9	74.8-83.0	158	21.1	17.0-25.2
\$75,000+	1437	235,224	1233	86.9	84.5-89.3	204	13.1	10.7-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2309	366,492	1716	76.8	74.6-79.0	593	23.2	21.0-25.4
White/Non-Hisp	1559	234,018	1192	79.0	76.6-81.4	367	21.0	18.6-23.4
Black or Afr. Am./Non-Hisp	284	71,221	193	70.0	63.1-76.9	91	30.0	23.1-36.9
Oth. Race/Non-Hisp.	113	20,477	86	83.8	75.8-91.8	27	16.2	8.2-24.2
Hispanic	253	28,292	167	68.4	60.8-76.0	86	31.6	24.0-39.2
18-24	157	44,845	133	90.1	85.4-94.8	24	9.9	5.2-14.6
25-34	238	63,835	183	79.2	72.7-85.7	55	20.8	14.3-27.3
35-44	296	55,768	221	75.9	69.6-82.2	75	24.1	17.8-30.4
45-54	359	58,496	269	77.5	72.4-82.6	90	22.5	17.4-27.6
55-64	492	62,207	353	72.3	67.2-77.4	139	27.7	22.6-32.8
65+	767	81,341	557	70.9	67.0-74.8	210	29.1	25.2-33.0
Less Than H.S.	243	40,042	150	67.7	60.4-75.0	93	32.3	25.0-39.6
H.S. or G.E.D.	669	122,102	455	71.4	66.9-75.9	214	28.6	24.1-33.1
Some Post-H.S.	577	102,843	432	78.0	73.9-82.1	145	22.0	17.9-26.1
College Graduate	807	100,043	669	85.7	82.8-88.6	138	14.3	11.4-17.2
Less than \$15,000	156	20,707	93	57.0	46.6-67.4	63	43.0	32.6-53.4
\$15,000- 24,999	319	44,174	192	61.2	54.1-68.3	127	38.8	31.7-45.9
\$25,000- 34,999	157	21,993	111	71.6	62.8-80.4	46	28.4	19.6-37.2
\$35,000- 49,999	270	43,344	201	77.5	71.0-84.0	69	22.5	16.0-29.0
\$50,000- 74,999	293	47,708	227	82.9	77.8-88.0	66	17.1	12.0-22.2
\$75,000+	739	127,692	626	86.0	82.9-89.1	113	14.0	10.9-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2916	401,180	1962	70.0	67.8-72.2	954	30.0	27.8-32.2
White/Non-Hisp	1982	257,186	1376	72.1	69.6-74.6	606	27.9	25.4-30.4
Black or Afr. Am./Non-Hisp	431	84,630	274	67.0	61.1-72.9	157	33.0	27.1-38.9
Oth. Race/Non-Hisp.	90	15,275	65	70.4	55.3-85.5	25	29.6	14.5-44.7
Hispanic	292	32,324	162	60.9	53.3-68.5	130	39.1	31.5-46.7
18-24	158	43,579	113	76.2	67.6-84.8	45	23.8	15.2-32.4
25-34	288	63,555	211	77.3	71.2-83.4	77	22.7	16.6-28.8
35-44	333	58,402	237	72.0	65.9-78.1	96	28.0	21.9-34.1
45-54	449	63,045	332	75.3	70.2-80.4	117	24.7	19.6-29.8
55-64	614	71,897	399	67.5	63.0-72.0	215	32.5	28.0-37.0
65+	1074	100,702	670	60.1	56.2-64.0	404	39.9	36.0-43.8
Less Than H.S.	284	45,836	127	52.3	43.7-60.9	157	47.7	39.1-56.3
H.S. or G.E.D.	815	119,755	451	59.2	54.7-63.7	364	40.8	36.3-45.3
Some Post-H.S.	781	117,096	540	73.7	69.8-77.6	241	26.3	22.4-30.2
College Graduate	1023	117,108	839	84.8	82.1-87.5	184	15.2	12.5-17.9
Less than \$15,000	243	27,924	122	60.0	51.4-68.6	121	40.0	31.4-48.6
\$15,000- 24,999	470	64,821	261	56.5	50.4-62.6	209	43.5	37.4-49.6
\$25,000- 34,999	247	31,747	143	62.1	54.5-69.7	104	37.9	30.3-45.5
\$35,000- 49,999	302	39,679	185	63.2	55.2-71.2	117	36.8	28.8-44.8
\$50,000- 74,999	355	46,427	263	74.8	68.7-80.9	92	25.2	19.1-31.3
\$75,000+	698	107,532	607	87.9	84.6-91.2	91	12.1	8.8-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5166	759,475	1732	35.5	33.7-37.3	3205	60.4	58.6-62.2	229	4.1	3.3- 4.9
Male	2289	364,803	783	38.2	35.5-40.9	1406	57.8	55.1-60.5	100	4.0	3.0- 5.0
Female	2877	394,673	949	33.1	30.7-35.5	1799	62.8	60.4-65.2	129	4.2	3.2- 5.2
White/Non-Hisp	3508	487,109	1094	32.2	30.2-34.2	2268	64.3	62.1-66.5	146	3.5	2.7- 4.3
Black or Afr. Am./Non-Hisp	702	153,783	308	45.6	40.7-50.5	340	46.9	42.0-51.8	54	7.4	4.9- 9.9
Oth. Race/Non-Hisp.	201	35,672	75	35.8	25.2-46.4	119	62.3	51.7-72.9	7	1.9	0.0- 4.1
MultiRacial/Non-Hisp.	80	5,510	39	51.2	35.9-66.5	37	45.2	30.3-60.1	4	3.6	0.0- 7.3
Hispanic	540	60,071	166	31.7	26.2-37.2	363	66.8	61.3-72.3	11	1.5	0.3- 2.7
18-24	312	87,218	103	34.6	27.5-41.7	196	60.7	53.4-68.0	13	4.7	1.6- 7.8
25-34	523	126,543	203	42.3	36.6-48.0	309	56.1	50.4-61.8	11	1.7	0.5- 2.9
35-44	626	113,541	251	39.2	34.3-44.1	353	57.4	52.5-62.3	22	3.4	1.6- 5.2
45-54	799	119,875	316	39.8	35.5-44.1	462	56.7	52.4-61.0	21	3.5	1.7- 5.3
55-64	1094	133,221	398	36.9	33.2-40.6	650	59.5	55.8-63.2	46	3.7	2.5- 4.9
65+	1812	179,078	461	25.0	22.5-27.5	1235	68.4	65.7-71.1	116	6.6	5.0- 8.2
Less Than H.S.	515	83,422	158	33.3	27.6-39.0	319	57.8	51.7-63.9	38	8.9	5.4-12.4
H.S. or G.E.D.	1459	237,738	526	37.6	34.1-41.1	852	58.0	54.5-61.5	81	4.4	3.2- 5.6
Some Post-H.S.	1346	219,129	510	39.1	35.6-42.6	781	57.0	53.5-60.5	55	3.9	2.5- 5.3
College Graduate	1821	216,461	529	30.3	27.6-33.0	1238	67.7	65.0-70.4	54	2.0	1.2- 2.8
Less than \$15,000	393	47,665	161	36.5	30.0-43.0	201	54.8	47.9-61.7	31	8.7	4.6-12.8
\$15,000- 24,999	779	106,177	283	40.4	35.7-45.1	452	53.8	49.1-58.5	44	5.8	3.6- 8.0
\$25,000- 34,999	402	53,429	139	36.1	29.6-42.6	241	59.9	53.4-66.4	22	4.0	2.0- 6.0
\$35,000- 49,999	567	82,371	223	41.7	35.6-47.8	317	53.6	47.7-59.5	27	4.7	2.0- 7.4
\$50,000- 74,999	645	93,887	195	34.6	29.1-40.1	427	62.5	57.0-68.0	23	2.9	1.5- 4.3
\$75,000+	1435	234,960	426	31.7	28.6-34.8	983	66.5	63.2-69.8	26	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2289	364,803	783	38.2	35.5-40.9	1406	57.8	55.1-60.5	100	4.0	3.0- 5.0
White/Non-Hisp	1546	232,583	489	33.3	30.2-36.4	997	63.2	60.1-66.3	60	3.5	2.3- 4.7
Black or Afr. Am./Non-Hisp	281	71,398	131	53.5	46.1-60.9	123	38.9	31.6-46.2	27	7.5	4.2-10.8
Oth. Race/Non-Hisp.	113	20,477	44	38.4	24.3-52.5	67	60.8	46.7-74.9	2	0.8	0.0- 2.0
Hispanic	250	27,938	78	35.2	26.8-43.6	166	62.7	54.1-71.3	6	2.1	0.1- 4.1
18-24	156	44,769	59	44.0	34.0-54.0	95	54.4	44.4-64.4	2	1.7	0.0- 4.6
25-34	238	63,835	97	45.5	37.3-53.7	137	52.9	44.7-61.1	4	1.5	0.0- 3.5
35-44	296	55,756	123	41.5	34.2-48.8	160	53.5	46.2-60.8	13	5.0	1.9- 8.1
45-54	354	57,946	147	42.2	35.7-48.7	196	54.2	47.7-60.7	11	3.6	0.9- 6.3
55-64	486	62,139	182	39.9	34.2-45.6	285	56.1	50.4-61.8	19	4.0	2.0- 6.0
65+	759	80,358	175	22.6	19.1-26.1	533	70.7	66.8-74.6	51	6.7	4.5- 8.9
Less Than H.S.	240	39,447	69	33.7	25.7-41.7	154	58.6	50.4-66.8	17	7.7	3.6-11.8
H.S. or G.E.D.	662	121,224	250	40.7	35.4-46.0	373	54.5	49.2-59.8	39	4.8	2.8- 6.8
Some Post-H.S.	571	102,933	225	42.9	37.4-48.4	325	53.5	48.0-59.0	21	3.6	1.6- 5.6
College Graduate	803	99,737	235	32.0	27.7-36.3	545	66.0	61.7-70.3	23	2.0	1.0- 3.0
Less than \$15,000	154	20,548	57	37.5	27.3-47.7	82	53.7	43.1-64.3	15	8.9	3.0-14.8
\$15,000- 24,999	315	43,394	118	41.1	33.8-48.4	178	51.5	44.1-58.9	19	7.4	3.5-11.3
\$25,000- 34,999	154	21,640	44	32.5	21.9-43.1	101	62.3	51.7-72.9	9	5.2	1.5- 8.9
\$35,000- 49,999	267	42,932	104	42.5	33.7-51.3	154	53.4	44.8-62.0	9	4.1	0.6- 7.6
\$50,000- 74,999	293	47,708	96	39.8	31.4-48.2	179	55.8	47.6-64.0	18	4.3	1.9- 6.7
\$75,000+	738	127,545	241	36.2	31.5-40.9	485	62.1	57.4-66.8	12	1.7	0.3- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2877	394,673	949	33.1	30.7-35.5	1799	62.8	60.4-65.2	129	4.2	3.2- 5.2
White/Non-Hisp	1962	254,526	605	31.3	28.6-34.0	1271	65.2	62.5-67.9	86	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	421	82,386	177	38.8	32.5-45.1	217	53.9	47.4-60.4	27	7.3	3.8-10.8
Oth. Race/Non-Hisp.	88	15,195	31	32.2	16.7-47.7	52	64.3	48.6-80.0	5	3.5	0.0- 8.2
Hispanic	290	32,133	88	28.7	21.8-35.6	197	70.3	63.2-77.4	5	1.0	0.0- 2.0
18-24	156	42,449	44	24.7	15.9-33.5	101	67.4	57.6-77.2	11	7.9	2.4-13.4
25-34	285	62,708	106	39.0	31.4-46.6	172	59.3	51.7-66.9	7	1.8	0.2- 3.4
35-44	330	57,784	128	37.0	30.5-43.5	193	61.1	54.4-67.8	9	1.9	0.5- 3.3
45-54	445	61,929	169	37.6	31.9-43.3	266	59.1	53.4-64.8	10	3.3	1.1- 5.5
55-64	608	71,082	216	34.2	29.5-38.9	365	62.4	57.7-67.1	27	3.4	1.8- 5.0
65+	1053	98,720	286	26.9	23.4-30.4	702	66.6	62.9-70.3	65	6.5	4.3- 8.7
Less Than H.S.	275	43,975	89	32.9	24.7-41.1	165	57.1	48.3-65.9	21	10.0	4.3-15.7
H.S. or G.E.D.	797	116,514	276	34.4	29.7-39.1	479	61.6	56.9-66.3	42	4.0	2.6- 5.4
Some Post-H.S.	775	116,196	285	35.8	31.3-40.3	456	60.0	55.3-64.7	34	4.2	2.2- 6.2
College Graduate	1018	116,725	294	28.9	25.2-32.6	693	69.1	65.4-72.8	31	2.0	1.0- 3.0
Less than \$15,000	239	27,118	104	35.8	27.4-44.2	119	55.7	46.5-64.9	16	8.5	3.0-14.0
\$15,000- 24,999	464	62,783	165	39.9	33.6-46.2	274	55.5	49.2-61.8	25	4.6	2.2- 7.0
\$25,000- 34,999	248	31,789	95	38.5	30.5-46.5	140	58.2	50.2-66.2	13	3.3	1.1- 5.5
\$35,000- 49,999	300	39,439	119	40.8	32.8-48.8	163	53.9	45.7-62.1	18	5.3	1.0- 9.6
\$50,000- 74,999	352	46,179	99	29.2	22.3-36.1	248	69.3	62.4-76.2	5	1.4	0.0- 3.0
\$75,000+	697	107,415	185	26.4	22.3-30.5	498	71.8	67.5-76.1	14	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5213	767,255	323	4.3	3.7- 4.9	4890	95.7	95.1-96.3
Male	2302	366,283	195	5.8	4.8- 6.8	2107	94.2	93.2-95.2
Female	2911	400,972	128	3.0	2.4- 3.6	2783	97.0	96.4-97.6
White/Non-Hisp	3537	491,100	258	5.3	4.5- 6.1	3279	94.7	93.9-95.5
Black or Afr. Am./Non-Hisp	715	156,521	31	3.3	1.7- 4.9	684	96.7	95.1-98.3
Oth. Race/Non-Hisp.	201	35,209	11	1.2	0.4- 2.0	190	98.8	98.0-99.6
MultiRacial/Non-Hisp.	80	5,510	4	2.5	0.0- 5.0	76	97.5	95.0- 100
Hispanic	541	60,301	9	1.0	0.2- 1.8	532	99.0	98.2-99.8
18-24	313	88,272				313	100.0	100.0- 100
25-34	525	127,218				525	100.0	100.0- 100
35-44	628	113,649	11	1.3	0.3- 2.3	617	98.7	97.7-99.7
45-54	806	121,550	24	2.6	1.2- 4.0	782	97.4	96.0-98.8
55-64	1103	134,645	70	6.3	4.3- 8.3	1033	93.7	91.7-95.7
65+	1838	181,921	218	11.1	9.3-12.9	1620	88.9	87.1-90.7
Less Than H.S.	524	85,624	32	4.6	2.6- 6.6	492	95.4	93.4-97.4
H.S. or G.E.D.	1481	241,756	115	5.1	3.9- 6.3	1366	94.9	93.7-96.1
Some Post-H.S.	1355	220,317	92	4.9	3.5- 6.3	1263	95.1	93.7-96.5
College Graduate	1828	216,788	82	2.8	2.0- 3.6	1746	97.2	96.4-98.0
Less than \$15,000	395	48,283	37	5.8	3.4- 8.2	358	94.2	91.8-96.6
\$15,000- 24,999	787	108,888	70	6.3	4.3- 8.3	717	93.7	91.7-95.7
\$25,000- 34,999	405	53,825	31	6.3	3.4- 9.2	374	93.7	90.8-96.6
\$35,000- 49,999	570	82,778	31	3.9	2.1- 5.7	539	96.1	94.3-97.9
\$50,000- 74,999	648	94,135	40	5.0	3.0- 7.0	608	95.0	93.0-97.0
\$75,000+	1435	234,665	53	2.4	1.6- 3.2	1382	97.6	96.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPW.T.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2302	366,283	195	5.8	4.8- 6.8	2107	94.2	93.2-95.2
White/Non-Hisp	1555	233,771	148	6.6	5.2- 8.0	1407	93.4	92.0-94.8
Black or Afr. Am./Non-Hisp	284	71,891	24	5.8	2.7- 8.9	260	94.2	91.1-97.3
Oth. Race/Non-Hisp.	112	19,965	8	1.4	0.2- 2.6	104	98.6	97.4-99.8
Hispanic	252	28,206	5	1.4	0.0- 3.2	247	98.6	96.8- 100
18-24	156	44,769				156	100.0	100.0- 100
25-34	237	63,663				237	100.0	100.0- 100
35-44	295	55,247	3	0.8	0.0- 1.6	292	99.2	98.4- 100
45-54	357	58,379	17	4.7	1.8- 7.6	340	95.3	92.4-98.2
55-64	492	62,996	46	9.5	5.8-13.2	446	90.5	86.8-94.2
65+	765	81,230	129	14.9	12.0-17.8	636	85.1	82.2-88.0
Less Than H.S.	243	40,007	18	6.4	2.7-10.1	225	93.6	89.9-97.3
H.S. or G.E.D.	667	121,987	61	5.9	4.1- 7.7	606	94.1	92.3-95.9
Some Post-H.S.	575	103,413	52	6.6	4.1- 9.1	523	93.4	90.9-95.9
College Graduate	804	99,413	62	4.7	3.3- 6.1	742	95.3	93.9-96.7
Less than \$15,000	154	20,511	19	7.9	3.8-12.0	135	92.1	88.0-96.2
\$15,000- 24,999	319	44,165	36	8.8	5.3-12.3	283	91.2	87.7-94.7
\$25,000- 34,999	156	21,958	16	8.5	3.2-13.8	140	91.5	86.2-96.8
\$35,000- 49,999	269	43,267	21	5.4	2.5- 8.3	248	94.6	91.7-97.5
\$50,000- 74,999	293	47,708	26	6.0	3.1- 8.9	267	94.0	91.1-96.9
\$75,000+	738	127,180	44	3.7	2.3- 5.1	694	96.3	94.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	400,972	128	3.0	2.4- 3.6	2783	97.0	96.4-97.6
White/Non-Hisp	1982	257,329	110	4.1	3.1- 5.1	1872	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	431	84,630	7	1.2	0.2- 2.2	424	98.8	97.8-99.8
Oth. Race/Non-Hisp.	89	15,244	3	0.8	0.0- 1.8	86	99.2	98.2- 100
Hispanic	289	32,094	4	0.6	0.0- 1.2	285	99.4	98.8- 100
18-24	157	43,503				157	100.0	100.0- 100
25-34	288	63,555				288	100.0	100.0- 100
35-44	333	58,402	8	1.9	0.1- 3.7	325	98.1	96.3-99.9
45-54	449	63,172	7	0.7	0.1- 1.3	442	99.3	98.7-99.9
55-64	611	71,649	24	3.4	1.8- 5.0	587	96.6	95.0-98.2
65+	1073	100,691	89	8.0	5.8-10.2	984	92.0	89.8-94.2
Less Than H.S.	281	45,617	14	3.0	1.2- 4.8	267	97.0	95.2-98.8
H.S. or G.E.D.	814	119,769	54	4.3	2.7- 5.9	760	95.7	94.1-97.3
Some Post-H.S.	780	116,903	40	3.5	2.1- 4.9	740	96.5	95.1-97.9
College Graduate	1024	117,374	20	1.1	0.5- 1.7	1004	98.9	98.3-99.5
Less than \$15,000	241	27,772	18	4.3	1.8- 6.8	223	95.7	93.2-98.2
\$15,000- 24,999	468	64,723	34	4.6	2.6- 6.6	434	95.4	93.4-97.4
\$25,000- 34,999	249	31,866	15	4.8	1.7- 7.9	234	95.2	92.1-98.3
\$35,000- 49,999	301	39,511	10	2.1	0.5- 3.7	291	97.9	96.3-99.5
\$50,000- 74,999	355	46,427	14	4.0	1.5- 6.5	341	96.0	93.5-98.5
\$75,000+	697	107,485	9	0.8	0.2- 1.4	688	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5188	764,431	319	4.2	3.6- 4.8	4869	95.8	95.2-96.4
Male	2290	364,736	182	5.2	4.2- 6.2	2108	94.8	93.8-95.8
Female	2898	399,695	137	3.4	2.6- 4.2	2761	96.6	95.8-97.4
White/Non-Hisp	3515	488,718	246	5.3	4.5- 6.1	3269	94.7	93.9-95.5
Black or Afr. Am./Non-Hisp	713	156,406	32	2.6	1.4- 3.8	681	97.4	96.2-98.6
Oth. Race/Non-Hisp.	201	35,152	10	1.5	0.3- 2.7	191	98.5	97.3-99.7
MultiRacial/Non-Hisp.	80	5,510	7	4.2	0.7- 7.7	73	95.8	92.3-99.3
Hispanic	540	60,225	10	1.1	0.3- 1.9	530	98.9	98.1-99.7
18-24	313	87,786				313	100.0	100.0- 100
25-34	524	127,282	5	0.7	0.0- 1.5	519	99.3	98.5- 100
35-44	626	113,795	7	0.8	0.0- 1.6	619	99.2	98.4- 100
45-54	802	121,118	18	1.9	0.7- 3.1	784	98.1	96.9-99.3
55-64	1103	134,565	64	5.1	3.5- 6.7	1039	94.9	93.3-96.5
65+	1820	179,885	225	12.0	10.0-14.0	1595	88.0	86.0-90.0
Less Than H.S.	522	85,291	39	6.1	3.6- 8.6	483	93.9	91.4-96.4
H.S. or G.E.D.	1471	239,869	89	4.4	3.2- 5.6	1382	95.6	94.4-96.8
Some Post-H.S.	1349	219,871	98	4.8	3.6- 6.0	1251	95.2	94.0-96.4
College Graduate	1822	216,911	92	2.8	2.2- 3.4	1730	97.2	96.6-97.8
Less than \$15,000	393	48,154	34	5.9	3.4- 8.4	359	94.1	91.6-96.6
\$15,000- 24,999	783	108,529	62	5.8	3.8- 7.8	721	94.2	92.2-96.2
\$25,000- 34,999	402	53,644	28	5.3	2.6- 8.0	374	94.7	92.0-97.4
\$35,000- 49,999	566	81,917	31	4.2	2.4- 6.0	535	95.8	94.0-97.6
\$50,000- 74,999	646	94,004	51	5.2	3.4- 7.0	595	94.8	93.0-96.6
\$75,000+	1431	234,769	65	3.1	2.1- 4.1	1366	96.9	95.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2290	364,736	182	5.2	4.2- 6.2	2108	94.8	93.8-95.8
White/Non-Hisp	1545	232,555	143	6.4	5.2- 7.6	1402	93.6	92.4-94.8
Black or Afr. Am./Non-Hisp	284	71,891	19	3.6	1.6- 5.6	265	96.4	94.4-98.4
Oth. Race/Non-Hisp.	111	19,877	6	1.2	0.0- 2.4	105	98.8	97.6- 100
Hispanic	252	28,247	4	0.8	0.0- 1.6	248	99.2	98.4- 100
18-24	156	44,283				156	100.0	100.0- 100
25-34	237	63,798	1	0.1	0.0- 0.3	236	99.9	99.7- 100
35-44	296	55,649	3	0.6	0.0- 1.4	293	99.4	98.6- 100
45-54	354	58,009	11	3.2	0.8- 5.6	343	96.8	94.4-99.2
55-64	490	62,714	37	7.5	4.8-10.2	453	92.5	89.8-95.2
65+	757	80,283	130	14.9	12.0-17.8	627	85.1	82.2-88.0
Less Than H.S.	242	39,873	19	6.0	2.7- 9.3	223	94.0	90.7-97.3
H.S. or G.E.D.	662	120,929	47	4.9	3.1- 6.7	615	95.1	93.3-96.9
Some Post-H.S.	572	102,989	55	6.0	4.2- 7.8	517	94.0	92.2-95.8
College Graduate	802	99,765	60	4.3	3.1- 5.5	742	95.7	94.5-96.9
Less than \$15,000	155	20,543	13	6.3	2.4-10.2	142	93.7	89.8-97.6
\$15,000- 24,999	315	43,903	32	8.0	4.5-11.5	283	92.0	88.5-95.5
\$25,000- 34,999	156	21,968	12	5.1	1.8- 8.4	144	94.9	91.6-98.2
\$35,000- 49,999	266	42,421	16	4.5	2.0- 7.0	250	95.5	93.0-98.0
\$50,000- 74,999	291	47,577	37	6.8	4.3- 9.3	254	93.2	90.7-95.7
\$75,000+	737	127,486	47	3.9	2.5- 5.3	690	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2898	399,695	137	3.4	2.6- 4.2	2761	96.6	95.8-97.4
White/Non-Hisp	1970	256,162	103	4.2	3.0- 5.4	1867	95.8	94.6-97.0
Black or Afr. Am./Non-Hisp	429	84,515	13	1.7	0.3- 3.1	416	98.3	96.9-99.7
Oth. Race/Non-Hisp.	90	15,275	4	1.8	0.0- 4.2	86	98.2	95.8- 100
Hispanic	288	31,978	6	1.4	0.0- 2.8	282	98.6	97.2- 100
18-24	157	43,503				157	100.0	100.0- 100
25-34	287	63,484	4	1.2	0.0- 2.6	283	98.8	97.4- 100
35-44	330	58,146	4	0.9	0.0- 2.3	326	99.1	97.7- 100
45-54	448	63,108	7	0.8	0.2- 1.4	441	99.2	98.6-99.8
55-64	613	71,851	27	3.0	1.6- 4.4	586	97.0	95.6-98.4
65+	1063	99,602	95	9.6	7.1-12.1	968	90.4	87.9-92.9
Less Than H.S.	280	45,417	20	6.1	2.6- 9.6	260	93.9	90.4-97.4
H.S. or G.E.D.	809	118,940	42	3.8	2.2- 5.4	767	96.2	94.6-97.8
Some Post-H.S.	777	116,882	43	3.8	2.4- 5.2	734	96.2	94.8-97.6
College Graduate	1020	117,147	32	1.5	0.9- 2.1	988	98.5	97.9-99.1
Less than \$15,000	238	27,611	21	5.7	2.2- 9.2	217	94.3	90.8-97.8
\$15,000- 24,999	468	64,626	30	4.3	2.3- 6.3	438	95.7	93.7-97.7
\$25,000- 34,999	246	31,676	16	5.4	1.3- 9.5	230	94.6	90.5-98.7
\$35,000- 49,999	300	39,496	15	3.9	1.5- 6.3	285	96.1	93.7-98.5
\$50,000- 74,999	355	46,427	14	3.6	1.2- 6.0	341	96.4	94.0-98.8
\$75,000+	694	107,283	18	2.1	0.9- 3.3	676	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5221	767,304	270	3.8	3.2- 4.4	4951	96.2	95.6-96.8
Male	2308	366,506	119	3.7	2.7- 4.7	2189	96.3	95.3-97.3
Female	2913	400,798	151	3.9	3.1- 4.7	2762	96.1	95.3-96.9
White/Non-Hisp	3540	491,057	187	3.8	3.2- 4.4	3353	96.2	95.6-96.8
Black or Afr. Am./Non-Hisp	716	156,693	48	5.6	3.6- 7.6	668	94.4	92.4-96.4
Oth. Race/Non-Hisp.	203	35,752	9	1.3	0.1- 2.5	194	98.7	97.5-99.9
MultiRacial/Non-Hisp.	80	5,510	11	8.7	1.6-15.8	69	91.3	84.2-98.4
Hispanic	541	59,554	10	1.3	0.3- 2.3	531	98.7	97.7-99.7
18-24	313	87,688	3	0.3	0.0- 0.7	310	99.7	99.3- 100
25-34	525	127,251	6	0.6	0.0- 1.2	519	99.4	98.8- 100
35-44	628	113,963	12	1.6	0.4- 2.8	616	98.4	97.2-99.6
45-54	805	121,487	28	4.5	2.1- 6.9	777	95.5	93.1-97.9
55-64	1108	134,993	75	5.4	4.0- 6.8	1033	94.6	93.2-96.0
65+	1842	181,923	146	7.5	5.9- 9.1	1696	92.5	90.9-94.1
Less Than H.S.	525	85,058	31	6.2	3.5- 8.9	494	93.8	91.1-96.5
H.S. or G.E.D.	1483	241,625	97	4.5	3.3- 5.7	1386	95.5	94.3-96.7
Some Post-H.S.	1358	220,504	78	3.9	2.7- 5.1	1280	96.1	94.9-97.3
College Graduate	1830	217,346	63	2.0	1.4- 2.6	1767	98.0	97.4-98.6
Less than \$15,000	397	48,345	46	9.1	5.6-12.6	351	90.9	87.4-94.4
\$15,000- 24,999	791	109,113	63	6.4	4.4- 8.4	728	93.6	91.6-95.6
\$25,000- 34,999	403	53,529	26	4.4	2.4- 6.4	377	95.6	93.6-97.6
\$35,000- 49,999	571	82,885	26	3.9	2.1- 5.7	545	96.1	94.3-97.9
\$50,000- 74,999	648	94,135	25	2.7	1.3- 4.1	623	97.3	95.9-98.7
\$75,000+	1435	234,433	37	2.0	1.0- 3.0	1398	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2308	366,506	119	3.7	2.7- 4.7	2189	96.3	95.3-97.3
White/Non-Hisp	1557	233,809	79	3.5	2.5- 4.5	1478	96.5	95.5-97.5
Black or Afr. Am./Non-Hisp	285	72,063	22	6.4	2.9- 9.9	263	93.6	90.1-97.1
Oth. Race/Non-Hisp.	113	20,477	6	0.9	0.1- 1.7	107	99.1	98.3-99.9
Hispanic	253	27,673	6	1.7	0.3- 3.1	247	98.3	96.9-99.7
18-24	156	44,184	1	0.2	0.0- 0.6	155	99.8	99.4- 100
25-34	237	63,696	2	0.2	0.0- 0.4	235	99.8	99.6- 100
35-44	297	55,810	5	1.6	0.0- 3.4	292	98.4	96.6- 100
45-54	357	58,379	11	4.1	0.6- 7.6	346	95.9	92.4-99.4
55-64	494	63,096	33	5.4	3.2- 7.6	461	94.6	92.4-96.8
65+	767	81,341	67	8.4	5.9-10.9	700	91.6	89.1-94.1
Less Than H.S.	243	39,423	16	5.7	2.6- 8.8	227	94.3	91.2-97.4
H.S. or G.E.D.	669	122,011	48	5.3	3.1- 7.5	621	94.7	92.5-96.9
Some Post-H.S.	578	103,685	24	2.7	1.3- 4.1	554	97.3	95.9-98.7
College Graduate	805	99,925	30	2.1	1.1- 3.1	775	97.9	96.9-98.9
Less than \$15,000	156	20,707	18	7.5	3.4-11.6	138	92.5	88.4-96.6
\$15,000- 24,999	320	44,216	31	8.9	5.2-12.6	289	91.1	87.4-94.8
\$25,000- 34,999	157	21,993	8	3.6	0.7- 6.5	149	96.4	93.5-99.3
\$35,000- 49,999	269	43,205	11	2.8	0.6- 5.0	258	97.2	95.0-99.4
\$50,000- 74,999	293	47,708	13	3.0	1.2- 4.8	280	97.0	95.2-98.8
\$75,000+	738	127,031	21	2.4	0.6- 4.2	717	97.6	95.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	400,798	151	3.9	3.1- 4.7	2762	96.1	95.3-96.9
White/Non-Hisp	1983	257,248	108	4.0	3.0- 5.0	1875	96.0	95.0-97.0
Black or Afr. Am./Non-Hisp	431	84,630	26	4.8	2.4- 7.2	405	95.2	92.8-97.6
Oth. Race/Non-Hisp.	90	15,275	3	1.8	0.0- 4.3	87	98.2	95.7- 100
Hispanic	288	31,881	4	1.0	0.0- 2.2	284	99.0	97.8- 100
18-24	157	43,503	2	0.5	0.0- 1.3	155	99.5	98.7- 100
25-34	288	63,555	4	1.0	0.0- 2.4	284	99.0	97.6- 100
35-44	331	58,153	7	1.6	0.0- 3.2	324	98.4	96.8- 100
45-54	448	63,108	17	4.8	1.9- 7.7	431	95.2	92.3-98.1
55-64	614	71,897	42	5.4	3.4- 7.4	572	94.6	92.6-96.6
65+	1075	100,582	79	6.9	5.1- 8.7	996	93.1	91.3-94.9
Less Than H.S.	282	45,636	15	6.6	2.5-10.7	267	93.4	89.3-97.5
H.S. or G.E.D.	814	119,614	49	3.7	2.5- 4.9	765	96.3	95.1-97.5
Some Post-H.S.	780	116,819	54	5.0	3.2- 6.8	726	95.0	93.2-96.8
College Graduate	1025	117,421	33	2.0	1.2- 2.8	992	98.0	97.2-98.8
Less than \$15,000	241	27,638	28	10.3	5.2-15.4	213	89.7	84.6-94.8
\$15,000- 24,999	471	64,897	32	4.8	2.6- 7.0	439	95.2	93.0-97.4
\$25,000- 34,999	246	31,537	18	4.9	2.4- 7.4	228	95.1	92.6-97.6
\$35,000- 49,999	302	39,679	15	5.0	2.1- 7.9	287	95.0	92.1-97.9
\$50,000- 74,999	355	46,427	12	2.5	0.5- 4.5	343	97.5	95.5-99.5
\$75,000+	697	107,402	16	1.5	0.5- 2.5	681	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5213	766,342	712	14.4	13.0-15.8	4501	85.6	84.2-87.0
Male	2302	365,990	244	11.7	9.7-13.7	2058	88.3	86.3-90.3
Female	2911	400,352	468	16.8	14.8-18.8	2443	83.2	81.2-85.2
White/Non-Hisp	3530	489,505	485	14.1	12.5-15.7	3045	85.9	84.3-87.5
Black or Afr. Am./Non-Hisp	715	156,373	106	17.0	13.1-20.9	609	83.0	79.1-86.9
Oth. Race/Non-Hisp.	202	35,698	24	9.1	3.8-14.4	178	90.9	85.6-96.2
MultiRacial/Non-Hisp.	80	5,510	18	29.0	11.8-46.2	62	71.0	53.8-88.2
Hispanic	545	60,518	62	12.1	8.2-16.0	483	87.9	84.0-91.8
18-24	313	87,737	53	19.7	13.6-25.8	260	80.3	74.2-86.4
25-34	524	127,007	86	19.8	15.1-24.5	438	80.2	75.5-84.9
35-44	630	114,212	92	13.4	10.1-16.7	538	86.6	83.3-89.9
45-54	805	121,385	117	13.7	10.6-16.8	688	86.3	83.2-89.4
55-64	1102	134,272	154	13.0	10.5-15.5	948	87.0	84.5-89.5
65+	1839	181,729	210	10.0	8.4-11.6	1629	90.0	88.4-91.6
Less Than H.S.	525	85,578	75	14.9	10.4-19.4	450	85.1	80.6-89.6
H.S. or G.E.D.	1480	240,805	212	16.0	13.1-18.9	1268	84.0	81.1-86.9
Some Post-H.S.	1356	220,231	178	13.3	10.8-15.8	1178	86.7	84.2-89.2
College Graduate	1826	216,881	242	13.3	11.3-15.3	1584	86.7	84.7-88.7
Less than \$15,000	395	48,151	91	25.5	18.4-32.6	304	74.5	67.4-81.6
\$15,000- 24,999	790	108,942	124	17.1	13.4-20.8	666	82.9	79.2-86.6
\$25,000- 34,999	405	53,800	61	19.1	13.2-25.0	344	80.9	75.0-86.8
\$35,000- 49,999	570	82,737	86	15.3	10.8-19.8	484	84.7	80.2-89.2
\$50,000- 74,999	644	93,540	74	10.7	7.8-13.6	570	89.3	86.4-92.2
\$75,000+	1436	234,904	163	12.1	9.7-14.5	1273	87.9	85.5-90.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2302	365,990	244	11.7	9.7-13.7	2058	88.3	86.3-90.3
White/Non-Hisp	1551	232,773	172	11.7	9.5-13.9	1379	88.3	86.1-90.5
Black or Afr. Am./Non-Hisp	285	72,063	26	12.1	6.0-18.2	259	87.9	81.8-94.0
Oth. Race/Non-Hisp.	113	20,477	10	8.3	1.2-15.4	103	91.7	84.6-98.8
Hispanic	253	28,194	26	14.2	7.3-21.1	227	85.8	78.9-92.7
18-24	157	44,845	20	15.3	7.5-23.1	137	84.7	76.9-92.5
25-34	236	63,452	29	16.3	9.4-23.2	207	83.7	76.8-90.6
35-44	297	55,810	36	11.6	6.9-16.3	261	88.4	83.7-93.1
45-54	355	58,095	45	11.3	7.6-15.0	310	88.7	85.0-92.4
55-64	492	62,745	54	10.3	7.0-13.6	438	89.7	86.4-93.0
65+	765	81,043	60	7.6	5.4- 9.8	705	92.4	90.2-94.6
Less Than H.S.	243	39,944	22	10.4	5.3-15.5	221	89.6	84.5-94.7
H.S. or G.E.D.	667	121,758	69	11.5	7.6-15.4	598	88.5	84.6-92.4
Some Post-H.S.	576	103,263	61	12.4	8.5-16.3	515	87.6	83.7-91.5
College Graduate	803	99,563	90	11.6	8.7-14.5	713	88.4	85.5-91.3
Less than \$15,000	155	20,462	19	11.3	5.2-17.4	136	88.7	82.6-94.8
\$15,000- 24,999	318	43,964	29	10.7	6.0-15.4	289	89.3	84.6-94.0
\$25,000- 34,999	157	21,993	14	14.2	4.2-24.2	143	85.8	75.8-95.8
\$35,000- 49,999	269	43,205	29	11.0	5.1-16.9	240	89.0	83.1-94.9
\$50,000- 74,999	290	47,168	35	9.7	6.0-13.4	255	90.3	86.6-94.0
\$75,000+	739	127,692	75	11.9	8.6-15.2	664	88.1	84.8-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2911	400,352	468	16.8	14.8-18.8	2443	83.2	81.2-85.2
White/Non-Hisp	1979	256,733	313	16.4	14.0-18.8	1666	83.6	81.2-86.0
Black or Afr. Am./Non-Hisp	430	84,310	80	21.1	15.8-26.4	350	78.9	73.6-84.2
Oth. Race/Non-Hisp.	89	15,220	14	10.1	2.3-17.9	75	89.9	82.1-97.7
Hispanic	292	32,324	36	10.3	6.4-14.2	256	89.7	85.8-93.6
18-24	156	42,892	33	24.2	14.8-33.6	123	75.8	66.4-85.2
25-34	288	63,555	57	23.2	16.7-29.7	231	76.8	70.3-83.3
35-44	333	58,402	56	15.2	10.5-19.9	277	84.8	80.1-89.5
45-54	450	63,290	72	15.8	11.1-20.5	378	84.2	79.5-88.9
55-64	610	71,527	100	15.4	11.9-18.9	510	84.6	81.1-88.1
65+	1074	100,686	150	12.0	9.8-14.2	924	88.0	85.8-90.2
Less Than H.S.	282	45,634	53	18.9	12.0-25.8	229	81.1	74.2-88.0
H.S. or G.E.D.	813	119,047	143	20.6	16.3-24.9	670	79.4	75.1-83.7
Some Post-H.S.	780	116,968	117	14.0	10.7-17.3	663	86.0	82.7-89.3
College Graduate	1023	117,318	152	14.8	12.1-17.5	871	85.2	82.5-87.9
Less than \$15,000	240	27,689	72	35.9	25.9-45.9	168	64.1	54.1-74.1
\$15,000- 24,999	472	64,979	95	21.4	16.1-26.7	377	78.6	73.3-83.9
\$25,000- 34,999	248	31,807	47	22.4	15.3-29.5	201	77.6	70.5-84.7
\$35,000- 49,999	301	39,532	57	20.1	13.2-27.0	244	79.9	73.0-86.8
\$50,000- 74,999	354	46,372	39	11.7	7.0-16.4	315	88.3	83.6-93.0
\$75,000+	697	107,212	88	12.4	9.1-15.7	609	87.6	84.3-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	693	107,346	503	71.8	66.9-76.7	190	28.2	23.3-33.1
Male	234	41,095	149	63.9	55.1-72.7	85	36.1	27.3-44.9
Female	459	66,250	354	76.6	71.1-82.1	105	23.4	17.9-28.9
White/Non-Hisp	472	67,477	340	70.7	65.0-76.4	132	29.3	23.6-35.0
Black or Afr. Am./Non-Hisp	104	26,297	81	76.3	64.5-88.1	23	23.7	11.9-35.5
Hispanic	59	6,634	39	68.6	53.7-83.5	20	31.4	16.5-46.3
18-24	51	16,974	36	69.1	52.2-86.0	15	30.9	14.0-47.8
25-34	82	24,288	51	60.6	47.3-73.9	31	39.4	26.1-52.7
35-44	90	14,722	64	75.7	65.3-86.1	26	24.3	13.9-34.7
45-54	115	16,462	86	77.7	68.9-86.5	29	22.3	13.5-31.1
55-64	150	17,046	114	80.0	72.7-87.3	36	20.0	12.7-27.3
65+	205	17,854	152	72.8	65.4-80.2	53	27.2	19.8-34.6
Less Than H.S.	74	12,391	53	73.9	60.8-87.0	21	26.1	13.0-39.2
H.S. or G.E.D.	206	37,810	160	74.9	65.5-84.3	46	25.1	15.7-34.5
Some Post-H.S.	172	28,170	129	74.5	65.3-83.7	43	25.5	16.3-34.7
College Graduate	236	28,356	157	63.7	55.9-71.5	79	36.3	28.5-44.1
Less than \$15,000	90	11,881	75	82.8	70.5-95.1	15	17.2	4.9-29.5
\$15,000- 24,999	120	18,213	99	81.1	71.1-91.1	21	18.9	8.9-28.9
\$25,000- 34,999	61	10,256	46	83.0	72.0-94.0	15	17.0	6.0-28.0
\$35,000- 49,999	84	12,382	56	53.2	36.1-70.3	28	46.8	29.7-63.9
\$50,000- 74,999	71	9,659	49	66.4	51.9-80.9	22	33.6	19.1-48.1
\$75,000+	160	27,640	105	67.2	57.6-76.8	55	32.8	23.2-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	234	41,095	149	63.9	55.1-72.7	85	36.1	27.3-44.9
White/Non-Hisp	166	26,179	106	62.7	52.7-72.7	60	37.3	27.3-47.3
55-64	52	6,345	37	77.2	64.5-89.9	15	22.8	10.1-35.5
65+	59	5,983	36	61.8	47.1-76.5	23	38.2	23.5-52.9
H.S. or G.E.D.	66	13,585	45	60.0	41.6-78.4	21	40.0	21.6-58.4
Some Post-H.S.	57	12,100	38	71.1	55.2-87.0	19	28.9	13.0-44.8
College Graduate	88	11,332	47	54.5	41.4-67.6	41	45.5	32.4-58.6
\$75,000+	73	14,572	41	61.6	46.5-76.7	32	38.4	23.3-53.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	459	66,250	354	76.6	71.1-82.1	105	23.4	17.9-28.9
White/Non-Hisp	306	41,298	234	75.9	69.2-82.6	72	24.1	17.4-30.8
Black or Afr. Am./Non-Hisp	78	17,550	64	81.6	69.3-93.9	14	18.4	6.1-30.7
25-34	55	14,471	40	71.5	57.0-86.0	15	28.5	14.0-43.0
35-44	56	8,861	41	73.7	59.6-87.8	15	26.3	12.2-40.4
45-54	71	9,952	55	80.0	68.8-91.2	16	20.0	8.8-31.2
55-64	98	10,701	77	81.6	72.8-90.4	21	18.4	9.6-27.2
65+	146	11,871	116	78.3	70.1-86.5	30	21.7	13.5-29.9
Less Than H.S.	53	8,604	35	69.8	52.9-86.7	18	30.2	13.3-47.1
H.S. or G.E.D.	140	24,225	115	83.3	73.7-92.9	25	16.7	7.1-26.3
Some Post-H.S.	115	16,069	91	77.0	65.8-88.2	24	23.0	11.8-34.2
College Graduate	148	17,024	110	69.8	60.2-79.4	38	30.2	20.6-39.8
Less than \$15,000	72	9,942	60	83.5	69.8-97.2	12	16.5	2.8-30.2
\$15,000- 24,999	91	13,501	74	83.4	73.2-93.6	17	16.6	6.4-26.8
\$35,000- 49,999	57	7,933	42	60.9	40.1-81.7	15	39.1	18.3-59.9
\$75,000+	87	13,068	64	73.5	62.1-84.9	23	26.5	15.1-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5213	766,427	464	6.0	5.4- 6.6	4749	94.0	93.4-94.6
Male	2300	366,064	214	6.3	5.3- 7.3	2086	93.7	92.7-94.7
Female	2913	400,363	250	5.8	4.8- 6.8	2663	94.2	93.2-95.2
White/Non-Hisp	3531	489,666	440	9.0	8.0-10.0	3091	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	716	156,693	6	0.5	0.1- 0.9	710	99.5	99.1-99.9
Oth. Race/Non-Hisp.	203	35,752	3	0.6	0.0- 1.6	200	99.4	98.4- 100
MultiRacial/Non-Hisp.	80	5,510	5	4.4	0.1- 8.7	75	95.6	91.3-99.9
Hispanic	542	60,068	1	0.1	0.0- 0.3	541	99.9	99.7- 100
18-24	314	88,174	1	0.2	0.0- 0.6	313	99.8	99.4- 100
25-34	524	127,190	2	0.4	0.0- 1.0	522	99.6	99.0- 100
35-44	629	113,994	9	1.4	0.4- 2.4	620	98.6	97.6-99.6
45-54	803	120,778	36	4.1	2.7- 5.5	767	95.9	94.5-97.3
55-64	1107	134,839	101	8.1	6.1-10.1	1006	91.9	89.9-93.9
65+	1836	181,452	315	15.4	13.4-17.4	1521	84.6	82.6-86.6
Less Than H.S.	522	84,854	15	2.1	0.9- 3.3	507	97.9	96.7-99.1
H.S. or G.E.D.	1483	241,250	115	5.4	4.2- 6.6	1368	94.6	93.4-95.8
Some Post-H.S.	1357	220,547	125	6.2	4.8- 7.6	1232	93.8	92.4-95.2
College Graduate	1825	216,929	208	8.1	6.7- 9.5	1617	91.9	90.5-93.3
Less than \$15,000	396	47,908	17	2.6	1.2- 4.0	379	97.4	96.0-98.8
\$15,000- 24,999	790	109,105	57	4.7	3.1- 6.3	733	95.3	93.7-96.9
\$25,000- 34,999	405	53,815	31	3.9	2.1- 5.7	374	96.1	94.3-97.9
\$35,000- 49,999	570	82,843	46	5.7	3.7- 7.7	524	94.3	92.3-96.3
\$50,000- 74,999	648	94,135	70	7.1	5.1- 9.1	578	92.9	90.9-94.9
\$75,000+	1433	234,607	151	7.3	5.9- 8.7	1282	92.7	91.3-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2300	366,064	214	6.3	5.3- 7.3	2086	93.7	92.7-94.7
White/Non-Hisp	1550	233,018	206	9.6	8.0-11.2	1344	90.4	88.8-92.0
Black or Afr. Am./Non-Hisp	285	72,063	2	0.3	0.0- 0.7	283	99.7	99.3- 100
Oth. Race/Non-Hisp.	113	20,477				113	100.0	100.0- 100
Hispanic	252	28,022				252	100.0	100.0- 100
18-24	156	44,595				156	100.0	100.0- 100
25-34	236	63,635				236	100.0	100.0- 100
35-44	297	55,810	5	1.8	0.2- 3.4	292	98.2	96.6-99.8
45-54	357	58,379	13	3.3	1.3- 5.3	344	96.7	94.7-98.7
55-64	493	62,942	49	9.0	6.1-11.9	444	91.0	88.1-93.9
65+	761	80,704	147	17.9	14.8-21.0	614	82.1	79.0-85.2
Less Than H.S.	243	40,022	5	1.6	0.0- 3.2	238	98.4	96.8- 100
H.S. or G.E.D.	666	121,351	51	5.6	3.8- 7.4	615	94.4	92.6-96.2
Some Post-H.S.	576	103,402	56	6.7	4.7- 8.7	520	93.3	91.3-95.3
College Graduate	802	99,827	101	8.6	6.6-10.6	701	91.4	89.4-93.4
Less than \$15,000	155	20,457	7	3.1	0.6- 5.6	148	96.9	94.4-99.4
\$15,000- 24,999	319	44,142	22	5.0	2.3- 7.7	297	95.0	92.3-97.7
\$25,000- 34,999	156	21,949	12	5.6	1.9- 9.3	144	94.4	90.7-98.1
\$35,000- 49,999	268	43,164	21	5.7	2.8- 8.6	247	94.3	91.4-97.2
\$50,000- 74,999	293	47,708	31	6.8	4.1- 9.5	262	93.2	90.5-95.9
\$75,000+	737	127,550	86	7.7	5.7- 9.7	651	92.3	90.3-94.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	400,363	250	5.8	4.8- 6.8	2663	94.2	93.2-95.2
White/Non-Hisp	1981	256,648	234	8.5	7.1- 9.9	1747	91.5	90.1-92.9
Black or Afr. Am./Non-Hisp	431	84,630	4	0.6	0.0- 1.2	427	99.4	98.8- 100
Oth. Race/Non-Hisp.	90	15,275	3	1.3	0.0- 3.5	87	98.7	96.5- 100
Hispanic	290	32,046	1	0.2	0.0- 0.6	289	99.8	99.4- 100
18-24	158	43,579	1	0.5	0.0- 1.5	157	99.5	98.5- 100
25-34	288	63,555	2	0.8	0.0- 2.0	286	99.2	98.0- 100
35-44	332	58,184	4	1.1	0.0- 2.3	328	98.9	97.7- 100
45-54	446	62,400	23	4.8	2.6- 7.0	423	95.2	93.0-97.4
55-64	614	71,897	52	7.3	4.8- 9.8	562	92.7	90.2-95.2
65+	1075	100,748	168	13.5	11.1-15.9	907	86.5	84.1-88.9
Less Than H.S.	279	44,833	10	2.5	0.5- 4.5	269	97.5	95.5-99.5
H.S. or G.E.D.	817	119,899	64	5.2	3.6- 6.8	753	94.8	93.2-96.4
Some Post-H.S.	781	117,144	69	5.8	4.0- 7.6	712	94.2	92.4-96.0
College Graduate	1023	117,102	107	7.6	5.8- 9.4	916	92.4	90.6-94.2
Less than \$15,000	241	27,451	10	2.3	0.7- 3.9	231	97.7	96.1-99.3
\$15,000- 24,999	471	64,963	35	4.5	2.5- 6.5	436	95.5	93.5-97.5
\$25,000- 34,999	249	31,866	19	2.8	1.4- 4.2	230	97.2	95.8-98.6
\$35,000- 49,999	302	39,679	25	5.6	3.1- 8.1	277	94.4	91.9-96.9
\$50,000- 74,999	355	46,427	39	7.5	4.8-10.2	316	92.5	89.8-95.2
\$75,000+	696	107,057	65	6.8	4.8- 8.8	631	93.2	91.2-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5215	767,363	552	7.5	6.7- 8.3	4663	92.5	91.7-93.3
Male	2301	366,174	207	6.0	5.0- 7.0	2094	94.0	93.0-95.0
Female	2914	401,188	345	8.9	7.7-10.1	2569	91.1	89.9-92.3
White/Non-Hisp	3536	491,045	453	9.4	8.4-10.4	3083	90.6	89.6-91.6
Black or Afr. Am./Non-Hisp	714	156,194	48	4.9	3.1- 6.7	666	95.1	93.3-96.9
Oth. Race/Non-Hisp.	203	35,752	12	3.5	0.4- 6.6	191	96.5	93.4-99.6
MultiRacial/Non-Hisp.	80	5,510	13	12.7	4.7-20.7	67	87.3	79.3-95.3
Hispanic	542	60,179	9	1.3	0.1- 2.5	533	98.7	97.5-99.9
18-24	313	88,099				313	100.0	100.0- 100
25-34	525	127,251	9	1.5	0.1- 2.9	516	98.5	97.1-99.9
35-44	629	114,122	21	3.2	1.4- 5.0	608	96.8	95.0-98.6
45-54	802	121,308	48	5.5	3.5- 7.5	754	94.5	92.5-96.5
55-64	1105	134,439	123	10.1	7.9-12.3	982	89.9	87.7-92.1
65+	1841	182,144	351	17.6	15.4-19.8	1490	82.4	80.2-84.6
Less Than H.S.	526	85,766	32	5.2	2.8- 7.6	494	94.8	92.4-97.2
H.S. or G.E.D.	1483	241,557	157	7.4	5.8- 9.0	1326	92.6	91.0-94.2
Some Post-H.S.	1357	220,274	159	8.5	6.9-10.1	1198	91.5	89.9-93.1
College Graduate	1825	217,019	201	7.6	6.2- 9.0	1624	92.4	91.0-93.8
Less than \$15,000	396	48,208	36	5.2	3.2- 7.2	360	94.8	92.8-96.8
\$15,000- 24,999	790	109,086	93	9.5	7.0-12.0	697	90.5	88.0-93.0
\$25,000- 34,999	406	53,859	47	8.2	5.5-10.9	359	91.8	89.1-94.5
\$35,000- 49,999	570	82,806	75	10.7	7.4-14.0	495	89.3	86.0-92.6
\$50,000- 74,999	648	94,135	72	6.8	4.8- 8.8	576	93.2	91.2-95.2
\$75,000+	1434	235,006	133	6.6	5.2- 8.0	1301	93.4	92.0-94.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2301	366,174	207	6.0	5.0- 7.0	2094	94.0	93.0-95.0
White/Non-Hisp	1552	233,523	173	7.8	6.4- 9.2	1379	92.2	90.8-93.6
Black or Afr. Am./Non-Hisp	284	71,642	16	3.5	1.3- 5.7	268	96.5	94.3-98.7
Oth. Race/Non-Hisp.	113	20,477	6	2.4	0.0- 4.9	107	97.6	95.1- 100
Hispanic	252	28,049	3	0.7	0.0- 1.5	249	99.3	98.5- 100
18-24	156	44,595				156	100.0	100.0- 100
25-34	237	63,696	3	1.0	0.0- 2.4	234	99.0	97.6- 100
35-44	296	55,720	4	0.9	0.0- 1.9	292	99.1	98.1- 100
45-54	355	58,269	9	2.1	0.7- 3.5	346	97.9	96.5-99.3
55-64	493	62,675	41	6.5	4.1- 8.9	452	93.5	91.1-95.9
65+	764	81,219	150	19.2	15.9-22.5	614	80.8	77.5-84.1
Less Than H.S.	243	40,048	12	3.9	1.5- 6.3	231	96.1	93.7-98.5
H.S. or G.E.D.	668	121,761	56	5.4	3.6- 7.2	612	94.6	92.8-96.4
Some Post-H.S.	576	103,192	59	7.5	5.3- 9.7	517	92.5	90.3-94.7
College Graduate	802	99,735	79	6.1	4.5- 7.7	723	93.9	92.3-95.5
Less than \$15,000	155	20,457	6	2.8	0.3- 5.3	149	97.2	94.7-99.7
\$15,000- 24,999	319	44,191	30	7.4	3.9-10.9	289	92.6	89.1-96.1
\$25,000- 34,999	157	21,993	19	9.7	4.8-14.6	138	90.3	85.4-95.2
\$35,000- 49,999	269	43,205	22	6.6	3.1-10.1	247	93.4	89.9-96.9
\$50,000- 74,999	293	47,708	34	6.7	4.0- 9.4	259	93.3	90.6-96.0
\$75,000+	737	127,528	67	5.4	3.8- 7.0	670	94.6	93.0-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2914	401,188	345	8.9	7.7-10.1	2569	91.1	89.9-92.3
White/Non-Hisp	1984	257,522	280	10.8	9.2-12.4	1704	89.2	87.6-90.8
Black or Afr. Am./Non-Hisp	430	84,552	32	6.1	3.4- 8.8	398	93.9	91.2-96.6
Oth. Race/Non-Hisp.	90	15,275	6	4.8	0.0-11.3	84	95.2	88.7- 100
Hispanic	290	32,130	6	1.8	0.0- 3.8	284	98.2	96.2- 100
18-24	157	43,503				157	100.0	100.0- 100
25-34	288	63,555	6	1.9	0.0- 4.3	282	98.1	95.7- 100
35-44	333	58,402	17	5.3	2.0- 8.6	316	94.7	91.4-98.0
45-54	447	63,040	39	8.6	5.1-12.1	408	91.4	87.9-94.9
55-64	612	71,763	82	13.3	10.0-16.6	530	86.7	83.4-90.0
65+	1077	100,925	201	16.3	13.6-19.0	876	83.7	81.0-86.4
Less Than H.S.	283	45,718	20	6.4	2.5-10.3	263	93.6	89.7-97.5
H.S. or G.E.D.	815	119,795	101	9.4	7.0-11.8	714	90.6	88.2-93.0
Some Post-H.S.	781	117,082	100	9.4	7.0-11.8	681	90.6	88.2-93.0
College Graduate	1023	117,284	122	8.8	6.8-10.8	901	91.2	89.2-93.2
Less than \$15,000	241	27,751	30	7.0	3.9-10.1	211	93.0	89.9-96.1
\$15,000- 24,999	471	64,895	63	11.0	7.3-14.7	408	89.0	85.3-92.7
\$25,000- 34,999	249	31,866	28	7.2	3.9-10.5	221	92.8	89.5-96.1
\$35,000- 49,999	301	39,601	53	15.1	9.6-20.6	248	84.9	79.4-90.4
\$50,000- 74,999	355	46,427	38	6.9	4.2- 9.6	317	93.1	90.4-95.8
\$75,000+	697	107,478	66	7.9	5.5-10.3	631	92.1	89.7-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5198	765,050	469	7.0	6.2- 7.8	4729	93.0	92.2-93.8
Male	2298	365,500	199	6.6	5.4- 7.8	2099	93.4	92.2-94.6
Female	2900	399,550	270	7.5	6.3- 8.7	2630	92.5	91.3-93.7
White/Non-Hisp	3523	489,256	345	7.5	6.5- 8.5	3178	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	714	156,184	57	6.9	4.7- 9.1	657	93.1	90.9-95.3
Oth. Race/Non-Hisp.	202	35,698	18	3.9	1.4- 6.4	184	96.1	93.6-98.6
MultiRacial/Non-Hisp.	79	5,357	7	7.2	1.1-13.3	72	92.8	86.7-98.9
Hispanic	541	60,135	30	4.4	2.4- 6.4	511	95.6	93.6-97.6
18-24	311	87,997	6	1.7	0.1- 3.3	305	98.3	96.7-99.9
25-34	523	126,928	14	3.1	0.9- 5.3	509	96.9	94.7-99.1
35-44	625	113,398	24	3.6	1.8- 5.4	601	96.4	94.6-98.2
45-54	805	121,190	52	5.8	3.8- 7.8	753	94.2	92.2-96.2
55-64	1101	134,123	135	11.7	9.3-14.1	966	88.3	85.9-90.7
65+	1833	181,415	238	12.0	10.2-13.8	1595	88.0	86.2-89.8
Less Than H.S.	522	85,007	76	11.6	8.3-14.9	446	88.4	85.1-91.7
H.S. or G.E.D.	1472	240,536	164	8.4	6.6-10.2	1308	91.6	89.8-93.4
Some Post-H.S.	1353	219,855	115	5.9	4.5- 7.3	1238	94.1	92.7-95.5
College Graduate	1827	217,163	111	4.9	3.7- 6.1	1716	95.1	93.9-96.3
Less than \$15,000	393	47,974	66	13.6	9.3-17.9	327	86.4	82.1-90.7
\$15,000- 24,999	786	108,711	121	12.4	9.5-15.3	665	87.6	84.7-90.5
\$25,000- 34,999	405	53,785	38	7.4	4.5-10.3	367	92.6	89.7-95.5
\$35,000- 49,999	569	82,643	56	8.8	6.1-11.5	513	91.2	88.5-93.9
\$50,000- 74,999	647	94,066	50	6.9	4.2- 9.6	597	93.1	90.4-95.8
\$75,000+	1435	234,997	59	3.1	2.1- 4.1	1376	96.9	95.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2298	365,500	199	6.6	5.4- 7.8	2099	93.4	92.2-94.6
White/Non-Hisp	1550	232,977	144	6.9	5.5- 8.3	1406	93.1	91.7-94.5
Black or Afr. Am./Non-Hisp	284	71,642	24	6.3	3.4- 9.2	260	93.7	90.8-96.6
Oth. Race/Non-Hisp.	113	20,477	10	2.4	0.6- 4.2	103	97.6	95.8-99.4
Hispanic	253	28,238	10	4.1	1.2- 7.0	243	95.9	93.0-98.8
18-24	156	44,749	2	1.6	0.0- 3.8	154	98.4	96.2- 100
25-34	236	63,555	6	2.2	0.0- 4.7	230	97.8	95.3- 100
35-44	295	55,468	13	4.5	1.6- 7.4	282	95.5	92.6-98.4
45-54	356	58,096	19	4.3	1.9- 6.7	337	95.7	93.3-98.1
55-64	491	62,506	55	10.9	7.6-14.2	436	89.1	85.8-92.4
65+	764	81,126	104	12.4	9.7-15.1	660	87.6	84.9-90.3
Less Than H.S.	243	39,923	24	8.7	4.6-12.8	219	91.3	87.2-95.4
H.S. or G.E.D.	665	121,556	70	7.8	5.4-10.2	595	92.2	89.8-94.6
Some Post-H.S.	575	103,000	50	5.6	3.6- 7.6	525	94.4	92.4-96.4
College Graduate	803	99,841	53	5.2	3.4- 7.0	750	94.8	93.0-96.6
Less than \$15,000	155	20,566	24	14.1	7.0-21.2	131	85.9	78.8-93.0
\$15,000- 24,999	317	44,056	49	12.6	8.3-16.9	268	87.4	83.1-91.7
\$25,000- 34,999	157	21,993	14	5.8	2.5- 9.1	143	94.2	90.9-97.5
\$35,000- 49,999	269	43,205	22	6.7	3.4-10.0	247	93.3	90.0-96.6
\$50,000- 74,999	292	47,638	29	8.3	4.0-12.6	263	91.7	87.4-96.0
\$75,000+	739	127,692	32	3.2	1.8- 4.6	707	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2900	399,550	270	7.5	6.3- 8.7	2630	92.5	91.3-93.7
White/Non-Hisp	1973	256,278	201	8.0	6.6- 9.4	1772	92.0	90.6-93.4
Black or Afr. Am./Non-Hisp	430	84,541	33	7.5	4.4-10.6	397	92.5	89.4-95.6
Oth. Race/Non-Hisp.	89	15,221	8	5.9	0.6-11.2	81	94.1	88.8-99.4
Hispanic	288	31,897	20	4.6	2.2- 7.0	268	95.4	93.0-97.8
18-24	155	43,248	4	1.8	0.0- 4.0	151	98.2	96.0- 100
25-34	287	63,372	8	3.9	0.6- 7.2	279	96.1	92.8-99.4
35-44	330	57,930	11	2.7	0.5- 4.9	319	97.3	95.1-99.5
45-54	449	63,093	33	7.1	4.2-10.0	416	92.9	90.0-95.8
55-64	610	71,617	80	12.3	9.0-15.6	530	87.7	84.4-91.0
65+	1069	100,289	134	11.6	9.2-14.0	935	88.4	86.0-90.8
Less Than H.S.	279	45,084	52	14.2	8.9-19.5	227	85.8	80.5-91.1
H.S. or G.E.D.	807	118,980	94	9.1	6.7-11.5	713	90.9	88.5-93.3
Some Post-H.S.	778	116,855	65	6.2	4.2- 8.2	713	93.8	91.8-95.8
College Graduate	1024	117,322	58	4.6	3.0- 6.2	966	95.4	93.8-97.0
Less than \$15,000	238	27,409	42	13.3	8.0-18.6	196	86.7	81.4-92.0
\$15,000- 24,999	469	64,655	72	12.2	8.3-16.1	397	87.8	83.9-91.7
\$25,000- 34,999	248	31,793	24	8.4	4.1-12.7	224	91.6	87.3-95.9
\$35,000- 49,999	300	39,437	34	11.2	6.7-15.7	266	88.8	84.3-93.3
\$50,000- 74,999	355	46,427	21	5.4	2.1- 8.7	334	94.6	91.3-97.9
\$75,000+	696	107,305	27	3.1	1.7- 4.5	669	96.9	95.5-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5205	765,493	1722	26.0	24.4-27.6	3483	74.0	72.4-75.6
Male	2299	365,297	634	21.4	19.4-23.4	1665	78.6	76.6-80.6
Female	2906	400,196	1088	30.3	28.1-32.5	1818	69.7	67.5-71.9
White/Non-Hisp	3528	490,012	1336	30.4	28.6-32.2	2192	69.6	67.8-71.4
Black or Afr. Am./Non-Hisp	712	155,656	200	22.0	18.3-25.7	512	78.0	74.3-81.7
Oth. Race/Non-Hisp.	202	35,583	47	10.4	6.1-14.7	155	89.6	85.3-93.9
MultiRacial/Non-Hisp.	80	5,510	33	35.7	22.2-49.2	47	64.3	50.8-77.8
Hispanic	544	60,333	63	10.5	6.8-14.2	481	89.5	85.8-93.2
18-24	312	87,929	13	4.4	1.9-6.9	299	95.6	93.1-98.1
25-34	525	127,251	45	9.0	5.9-12.1	480	91.0	87.9-94.1
35-44	628	113,903	90	13.6	10.3-16.9	538	86.4	83.1-89.7
45-54	804	121,091	223	27.5	23.6-31.4	581	72.5	68.6-76.4
55-64	1103	134,165	444	36.5	33.0-40.0	659	63.5	60.0-67.0
65+	1833	181,154	907	47.6	44.7-50.5	926	52.4	49.5-55.3
Less Than H.S.	525	85,489	145	26.9	21.8-32.0	380	73.1	68.0-78.2
H.S. or G.E.D.	1479	241,068	531	27.7	25.0-30.4	948	72.3	69.6-75.0
Some Post-H.S.	1351	219,286	492	28.0	25.1-30.9	859	72.0	69.1-74.9
College Graduate	1826	217,161	547	21.9	19.7-24.1	1279	78.1	75.9-80.3
Less than \$15,000	394	48,178	171	38.2	31.3-45.1	223	61.8	54.9-68.7
\$15,000- 24,999	790	108,985	291	31.8	27.5-36.1	499	68.2	63.9-72.5
\$25,000- 34,999	403	53,527	142	29.5	24.0-35.0	261	70.5	65.0-76.0
\$35,000- 49,999	570	82,736	205	28.0	23.5-32.5	365	72.0	67.5-76.5
\$50,000- 74,999	647	94,082	213	24.3	20.2-28.4	434	75.7	71.6-79.8
\$75,000+	1436	235,197	394	20.3	17.9-22.7	1042	79.7	77.3-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	365,297	634	21.4	19.4-23.4	1665	78.6	76.6-80.6
White/Non-Hisp	1552	233,444	502	25.4	22.9-27.9	1050	74.6	72.1-77.1
Black or Afr. Am./Non-Hisp	283	71,259	62	17.0	11.9-22.1	221	83.0	77.9-88.1
Oth. Race/Non-Hisp.	112	20,308	17	4.8	2.1- 7.5	95	95.2	92.5-97.9
Hispanic	253	28,084	22	11.1	4.8-17.4	231	88.9	82.6-95.2
18-24	155	44,426	7	5.2	1.1- 9.3	148	94.8	90.7-98.9
25-34	237	63,696	13	6.1	2.4- 9.8	224	93.9	90.2-97.6
35-44	296	55,649	26	8.8	4.7-12.9	270	91.2	87.1-95.3
45-54	355	57,998	93	24.2	18.9-29.5	262	75.8	70.5-81.1
55-64	492	62,636	180	34.8	29.5-40.1	312	65.2	59.9-70.5
65+	764	80,892	315	38.6	34.5-42.7	449	61.4	57.3-65.5
Less Than H.S.	243	39,923	44	21.6	14.5-28.7	199	78.4	71.3-85.5
H.S. or G.E.D.	668	121,761	191	20.5	17.0-24.0	477	79.5	76.0-83.0
Some Post-H.S.	574	102,673	173	23.3	19.2-27.4	401	76.7	72.6-80.8
College Graduate	802	99,760	221	20.4	17.3-23.5	581	79.6	76.5-82.7
Less than \$15,000	154	20,418	48	26.8	18.0-35.6	106	73.2	64.4-82.0
\$15,000- 24,999	318	44,007	97	24.6	18.9-30.3	221	75.4	69.7-81.1
\$25,000- 34,999	157	21,993	45	25.5	16.9-34.1	112	74.5	65.9-83.1
\$35,000- 49,999	269	43,205	77	21.7	16.0-27.4	192	78.3	72.6-84.0
\$50,000- 74,999	293	47,708	87	20.8	15.1-26.5	206	79.2	73.5-84.9
\$75,000+	738	127,666	187	18.9	15.8-22.0	551	81.1	78.0-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2906	400,196	1088	30.3	28.1-32.5	1818	69.7	67.5-71.9
White/Non-Hisp	1976	256,567	834	35.0	32.3-37.7	1142	65.0	62.3-67.7
Black or Afr. Am./Non-Hisp	429	84,396	138	26.3	21.0-31.6	291	73.7	68.4-79.0
Oth. Race/Non-Hisp.	90	15,275	30	17.8	8.4-27.2	60	82.2	72.8-91.6
Hispanic	291	32,248	41	10.1	6.2-14.0	250	89.9	86.0-93.8
18-24	157	43,503	6	3.6	0.5- 6.7	151	96.4	93.3-99.5
25-34	288	63,555	32	11.9	7.0-16.8	256	88.1	83.2-93.0
35-44	332	58,253	64	18.3	13.0-23.6	268	81.7	76.4-87.0
45-54	449	63,093	130	30.5	24.8-36.2	319	69.5	63.8-75.2
55-64	611	71,529	264	38.0	33.3-42.7	347	62.0	57.3-66.7
65+	1069	100,262	592	54.9	51.0-58.8	477	45.1	41.2-49.0
Less Than H.S.	282	45,566	101	31.5	23.9-39.1	181	68.5	60.9-76.1
H.S. or G.E.D.	811	119,307	340	35.1	30.8-39.4	471	64.9	60.6-69.2
Some Post-H.S.	777	116,613	319	32.2	28.1-36.3	458	67.8	63.7-71.9
College Graduate	1024	117,401	326	23.2	20.3-26.1	698	76.8	73.9-79.7
Less than \$15,000	240	27,760	123	46.6	37.2-56.0	117	53.4	44.0-62.8
\$15,000- 24,999	472	64,979	194	36.7	30.8-42.6	278	63.3	57.4-69.2
\$25,000- 34,999	246	31,534	97	32.2	24.9-39.5	149	67.8	60.5-75.1
\$35,000- 49,999	301	39,530	128	34.8	27.9-41.7	173	65.2	58.3-72.1
\$50,000- 74,999	354	46,374	126	27.9	21.8-34.0	228	72.1	66.0-78.2
\$75,000+	698	107,532	207	22.0	18.5-25.5	491	78.0	74.5-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5212	766,823	872	16.9	15.5-18.3	4340	83.1	81.7-84.5
Male	2303	366,048	282	11.0	9.4-12.6	2021	89.0	87.4-90.6
Female	2909	400,775	590	22.3	20.1-24.5	2319	77.7	75.5-79.9
White/Non-Hisp	3535	490,742	653	19.6	17.8-21.4	2882	80.4	78.6-82.2
Black or Afr. Am./Non-Hisp	714	155,906	86	12.2	9.1-15.3	628	87.8	84.7-90.9
Oth. Race/Non-Hisp.	202	35,702	34	12.9	5.8-20.0	168	87.1	80.0-94.2
MultiRacial/Non-Hisp.	80	5,510	26	39.5	24.8-54.2	54	60.5	45.8-75.2
Hispanic	542	60,369	59	9.2	6.3-12.1	483	90.8	87.9-93.7
18-24	313	88,228	58	19.5	14.0-25.0	255	80.5	75.0-86.0
25-34	523	126,961	93	18.9	14.4-23.4	430	81.1	76.6-85.6
35-44	626	113,987	125	18.7	15.0-22.4	501	81.3	77.6-85.0
45-54	807	121,669	161	19.3	16.0-22.6	646	80.7	77.4-84.0
55-64	1105	134,433	220	17.6	14.9-20.3	885	82.4	79.7-85.1
65+	1838	181,546	215	11.0	9.2-12.8	1623	89.0	87.2-90.8
Less Than H.S.	525	85,715	98	20.6	15.5-25.7	427	79.4	74.3-84.5
H.S. or G.E.D.	1480	241,213	238	14.9	12.5-17.3	1242	85.1	82.7-87.5
Some Post-H.S.	1356	220,140	265	20.2	17.3-23.1	1091	79.8	76.9-82.7
College Graduate	1826	216,984	270	14.5	12.3-16.7	1556	85.5	83.3-87.7
Less than \$15,000	395	48,376	129	31.8	25.3-38.3	266	68.2	61.7-74.7
\$15,000- 24,999	790	109,054	166	22.6	18.7-26.5	624	77.4	73.5-81.3
\$25,000- 34,999	406	53,859	78	19.7	14.4-25.0	328	80.3	75.0-85.6
\$35,000- 49,999	569	82,419	94	15.6	11.5-19.7	475	84.4	80.3-88.5
\$50,000- 74,999	646	93,929	103	17.0	13.1-20.9	543	83.0	79.1-86.9
\$75,000+	1435	235,051	181	13.4	10.9-15.9	1254	86.6	84.1-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2303	366,048	282	11.0	9.4-12.6	2021	89.0	87.4-90.6
White/Non-Hisp	1554	233,598	212	13.3	11.1-15.5	1342	86.7	84.5-88.9
Black or Afr. Am./Non-Hisp	283	71,276	19	5.9	2.2- 9.6	264	94.1	90.4-97.8
Oth. Race/Non-Hisp.	113	20,477	13	4.8	1.5- 8.1	100	95.2	91.9-98.5
Hispanic	253	28,214	24	8.1	3.8-12.4	229	91.9	87.6-96.2
18-24	156	44,725	13	6.9	2.8-11.0	143	93.1	89.0-97.2
25-34	236	63,550	29	11.8	6.5-17.1	207	88.2	82.9-93.5
35-44	297	55,810	40	10.1	6.6-13.6	257	89.9	86.4-93.4
45-54	357	58,379	54	13.8	9.1-18.5	303	86.2	81.5-90.9
55-64	493	62,675	74	14.4	10.7-18.1	419	85.6	81.9-89.3
65+	764	80,909	72	8.7	6.3-11.1	692	91.3	88.9-93.7
Less Than H.S.	243	39,963	31	12.7	7.2-18.2	212	87.3	81.8-92.8
H.S. or G.E.D.	667	121,605	68	9.3	6.6-12.0	599	90.7	88.0-93.4
Some Post-H.S.	576	103,118	78	11.7	8.6-14.8	498	88.3	85.2-91.4
College Graduate	804	99,899	104	11.6	8.9-14.3	700	88.4	85.7-91.1
Less than \$15,000	155	20,586	37	21.2	13.2-29.2	118	78.8	70.8-86.8
\$15,000- 24,999	320	44,216	49	15.9	10.6-21.2	271	84.1	78.8-89.4
\$25,000- 34,999	157	21,993	18	9.0	4.3-13.7	139	91.0	86.3-95.7
\$35,000- 49,999	268	42,839	28	8.5	4.8-12.2	240	91.5	87.8-95.2
\$50,000- 74,999	293	47,708	44	16.4	10.3-22.5	249	83.6	77.5-89.7
\$75,000+	737	127,520	70	8.4	5.9-10.9	667	91.6	89.1-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	400,775	590	22.3	20.1-24.5	2319	77.7	75.5-79.9
White/Non-Hisp	1981	257,145	441	25.4	22.7-28.1	1540	74.6	71.9-77.3
Black or Afr. Am./Non-Hisp	431	84,630	67	17.6	12.7-22.5	364	82.4	77.5-87.3
Oth. Race/Non-Hisp.	89	15,224	21	23.8	9.1-38.5	68	76.2	61.5-90.9
Hispanic	289	32,155	35	10.1	5.8-14.4	254	89.9	85.6-94.2
18-24	157	43,503	45	32.6	22.8-42.4	112	67.4	57.6-77.2
25-34	287	63,410	64	25.9	19.0-32.8	223	74.1	67.2-81.0
35-44	329	58,177	85	27.1	21.0-33.2	244	72.9	66.8-79.0
45-54	450	63,290	107	24.4	19.5-29.3	343	75.6	70.7-80.5
55-64	612	71,758	146	20.5	16.8-24.2	466	79.5	75.8-83.2
65+	1074	100,637	143	12.9	10.4-15.4	931	87.1	84.6-89.6
Less Than H.S.	282	45,752	67	27.5	19.7-35.3	215	72.5	64.7-80.3
H.S. or G.E.D.	813	119,608	170	20.7	17.0-24.4	643	79.3	75.6-83.0
Some Post-H.S.	780	117,021	187	27.7	23.2-32.2	593	72.3	67.8-76.8
College Graduate	1022	117,085	166	16.9	13.8-20.0	856	83.1	80.0-86.2
Less than \$15,000	240	27,790	92	39.6	30.6-48.6	148	60.4	51.4-69.4
\$15,000- 24,999	470	64,837	117	27.1	21.6-32.6	353	72.9	67.4-78.4
\$25,000- 34,999	249	31,866	60	27.0	19.4-34.6	189	73.0	65.4-80.6
\$35,000- 49,999	301	39,579	66	23.3	16.2-30.4	235	76.7	69.6-83.8
\$50,000- 74,999	353	46,221	59	17.7	12.4-23.0	294	82.3	77.0-87.6
\$75,000+	698	107,532	111	19.3	15.0-23.6	587	80.7	76.4-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5209	766,631	219	3.7	2.9- 4.5	4990	96.3	95.5-97.1
Male	2300	365,937	91	3.6	2.4- 4.8	2209	96.4	95.2-97.6
Female	2909	400,694	128	3.7	2.9- 4.5	2781	96.3	95.5-97.1
White/Non-Hisp	3534	490,805	160	3.6	3.0- 4.2	3374	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	712	155,953	34	5.5	3.0- 8.0	678	94.5	92.0-97.0
Oth. Race/Non-Hisp.	203	35,752	10	1.4	0.2- 2.6	193	98.6	97.4-99.8
MultiRacial/Non-Hisp.	80	5,510	2	1.5	0.0- 3.7	78	98.5	96.3- 100
Hispanic	542	60,261	8	1.0	0.0- 2.0	534	99.0	98.0- 100
18-24	313	88,228	3	1.0	0.0- 2.2	310	99.0	97.8- 100
25-34	522	126,932	9	3.0	0.3- 5.7	513	97.0	94.3-99.7
35-44	629	114,014	14	2.3	0.9- 3.7	615	97.7	96.3-99.1
45-54	806	121,386	27	2.9	1.5- 4.3	779	97.1	95.7-98.5
55-64	1105	134,424	48	4.7	3.1- 6.3	1057	95.3	93.7-96.9
65+	1834	181,646	118	6.1	4.7- 7.5	1716	93.9	92.5-95.3
Less Than H.S.	526	85,729	30	5.4	2.9- 7.9	496	94.6	92.1-97.1
H.S. or G.E.D.	1478	241,247	67	4.4	2.8- 6.0	1411	95.6	94.0-97.2
Some Post-H.S.	1353	219,921	58	3.0	2.0- 4.0	1295	97.0	96.0-98.0
College Graduate	1828	217,245	64	2.8	1.8- 3.8	1764	97.2	96.2-98.2
Less than \$15,000	394	48,199	34	6.7	3.8- 9.6	360	93.3	90.4-96.2
\$15,000- 24,999	788	108,938	42	5.4	3.2- 7.6	746	94.6	92.4-96.8
\$25,000- 34,999	402	53,492	20	4.3	1.9- 6.7	382	95.7	93.3-98.1
\$35,000- 49,999	571	82,885	32	7.1	3.2-11.0	539	92.9	89.0-96.8
\$50,000- 74,999	647	94,059	18	1.9	0.3- 3.5	629	98.1	96.5-99.7
\$75,000+	1436	235,051	42	2.2	1.4- 3.0	1394	97.8	97.0-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2300	365,937	91	3.6	2.4- 4.8	2209	96.4	95.2-97.6
White/Non-Hisp	1554	233,646	65	3.3	2.3- 4.3	1489	96.7	95.7-97.7
Black or Afr. Am./Non-Hisp	283	71,545	11	6.1	1.4-10.8	272	93.9	89.2-98.6
Oth. Race/Non-Hisp.	113	20,477	5	0.9	0.0- 1.9	108	99.1	98.1- 100
Hispanic	252	28,143	5	1.7	0.0- 3.7	247	98.3	96.3- 100
18-24	156	44,725	3	1.9	0.0- 4.3	153	98.1	95.7- 100
25-34	236	63,626	6	4.0	0.0- 8.7	230	96.0	91.3- 100
35-44	297	55,810	6	2.4	0.2- 4.6	291	97.6	95.4-99.8
45-54	356	58,096	10	2.7	0.5- 4.9	346	97.3	95.1-99.5
55-64	492	62,578	18	5.0	2.3- 7.7	474	95.0	92.3-97.7
65+	763	81,102	48	4.8	3.2- 6.4	715	95.2	93.6-96.8
Less Than H.S.	242	39,893	7	3.5	0.6- 6.4	235	96.5	93.6-99.4
H.S. or G.E.D.	667	121,870	25	4.6	1.9- 7.3	642	95.4	92.7-98.1
Some Post-H.S.	575	103,145	18	1.9	0.7- 3.1	557	98.1	96.9-99.3
College Graduate	804	99,849	41	4.4	2.4- 6.4	763	95.6	93.6-97.6
Less than \$15,000	154	20,489	13	7.2	2.1-12.3	141	92.8	87.7-97.9
\$15,000- 24,999	318	44,103	11	3.4	0.9- 5.9	307	96.6	94.1-99.1
\$25,000- 34,999	156	21,946	7	3.2	0.5- 5.9	149	96.8	94.1-99.5
\$35,000- 49,999	269	43,205	9	6.3	0.0-12.8	260	93.7	87.2- 100
\$50,000- 74,999	292	47,632	12	2.9	0.0- 5.8	280	97.1	94.2- 100
\$75,000+	739	127,692	24	2.3	1.1- 3.5	715	97.7	96.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2909	400,694	128	3.7	2.9- 4.5	2781	96.3	95.5-97.1
White/Non-Hisp	1980	257,159	95	3.9	2.9- 4.9	1885	96.1	95.1-97.1
Black or Afr. Am./Non-Hisp	429	84,408	23	4.9	2.4- 7.4	406	95.1	92.6-97.6
Oth. Race/Non-Hisp.	90	15,275	5	2.0	0.0- 4.4	85	98.0	95.6- 100
Hispanic	290	32,118	3	0.3	0.0- 0.7	287	99.7	99.3- 100
18-24	157	43,503				157	100.0	100.0- 100
25-34	286	63,306	3	2.0	0.0- 4.5	283	98.0	95.5- 100
35-44	332	58,204	8	2.1	0.5- 3.7	324	97.9	96.3-99.5
45-54	450	63,290	17	3.0	1.2- 4.8	433	97.0	95.2-98.8
55-64	613	71,846	30	4.4	2.6- 6.2	583	95.6	93.8-97.4
65+	1071	100,544	70	7.0	5.0- 9.0	1001	93.0	91.0-95.0
Less Than H.S.	284	45,836	23	7.1	3.0-11.2	261	92.9	88.8-97.0
H.S. or G.E.D.	811	119,377	42	4.3	2.7- 5.9	769	95.7	94.1-97.3
Some Post-H.S.	778	116,776	40	3.9	2.5- 5.3	738	96.1	94.7-97.5
College Graduate	1024	117,396	23	1.4	0.6- 2.2	1001	98.6	97.8-99.4
Less than \$15,000	240	27,710	21	6.4	3.1- 9.7	219	93.6	90.3-96.9
\$15,000- 24,999	470	64,835	31	6.8	3.7- 9.9	439	93.2	90.1-96.3
\$25,000- 34,999	246	31,546	13	5.0	1.5- 8.5	233	95.0	91.5-98.5
\$35,000- 49,999	302	39,679	23	7.9	4.2-11.6	279	92.1	88.4-95.8
\$50,000- 74,999	355	46,427	6	0.8	0.0- 1.6	349	99.2	98.4- 100
\$75,000+	697	107,359	18	2.0	1.0- 3.0	679	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5221	767,342	767	11.9	10.9-12.9	38	0.7	0.3- 1.1	4297	85.5	84.3-86.7	119	1.8	1.4- 2.2
Male	2306	366,666	374	13.2	11.4-15.0				1875	85.1	83.3-86.9	57	1.7	1.1- 2.3
Female	2915	400,675	393	10.8	9.4-12.2	38	1.4	0.8- 2.0	2422	85.9	84.3-87.5	62	2.0	1.2- 2.8
White/Non-Hisp	3541	491,128	516	11.8	10.6-13.0	23	0.6	0.2- 1.0	2929	85.9	84.5-87.3	73	1.7	1.1- 2.3
Black or Afr. Am./Non-Hisp	713	155,711	140	15.3	12.2-18.4	6	1.0	0.0- 2.0	546	81.6	78.1-85.1	21	2.1	0.7- 3.5
Oth. Race/Non-Hisp.	202	35,715	33	8.0	4.1-11.9	1	0.4	0.0- 1.2	164	90.4	86.1-94.7	4	1.1	0.0- 2.3
MultiRacial/Non-Hisp.	80	5,510	15	16.1	6.1-26.1	1	3.2	0.0- 9.5	61	77.0	64.8-89.2	3	3.7	0.0- 8.6
Hispanic	544	60,540	46	6.9	4.4- 9.4	7	1.0	0.0- 2.0	478	89.8	86.7-92.9	13	2.3	0.7- 3.9
18-24	313	88,172	2	0.6	0.0- 1.6	3	0.5	0.0- 1.1	307	97.7	95.3- 100	1	1.1	0.0- 3.3
25-34	524	126,859	9	1.7	0.3- 3.1	8	1.7	0.3- 3.1	499	95.9	93.9-97.9	8	0.8	0.2- 1.4
35-44	629	114,170	35	5.0	3.0- 7.0	7	0.7	0.1- 1.3	583	93.8	91.6-96.0	4	0.4	0.0- 0.8
45-54	806	121,631	108	14.0	10.9-17.1	7	0.7	0.1- 1.3	674	83.1	79.8-86.4	17	2.2	0.8- 3.6
55-64	1105	134,313	213	19.3	16.2-22.4	5	0.5	0.0- 1.1	850	77.0	73.9-80.1	37	3.2	2.0- 4.4
65+	1844	182,197	400	21.9	19.5-24.3	8	0.3	0.1- 0.5	1384	75.1	72.6-77.6	52	2.6	1.8- 3.4
Less Than H.S.	527	85,877	82	13.3	9.8-16.8	4	0.3	0.1- 0.5	431	84.0	80.1-87.9	10	2.4	0.4- 4.4
H.S. or G.E.D.	1483	241,527	256	14.1	11.9-16.3	12	0.9	0.3- 1.5	1179	83.5	81.1-85.9	36	1.5	0.9- 2.1
Some Post-H.S.	1358	220,032	209	11.5	9.5-13.5	7	0.5	0.0- 1.1	1112	85.9	83.7-88.1	30	2.0	1.0- 3.0
College Graduate	1829	217,256	213	9.0	7.4-10.6	15	0.9	0.3- 1.5	1558	88.2	86.4-90.0	43	1.8	1.2- 2.4
Less than \$15,000	398	48,238	69	13.8	9.9-17.7	3	0.4	0.0- 0.8	311	82.3	77.8-86.8	15	3.5	1.3- 5.7
\$15,000- 24,999	791	109,157	160	16.9	13.8-20.0	13	1.7	0.5- 2.9	599	79.5	76.0-83.0	19	1.9	0.9- 2.9
\$25,000- 34,999	405	53,817	68	14.1	10.0-18.2	3	0.5	0.0- 1.1	322	82.3	77.8-86.8	12	3.2	1.0- 5.4
\$35,000- 49,999	571	82,885	108	15.8	12.1-19.5	2	0.3	0.0- 0.7	447	82.4	78.7-86.1	14	1.5	0.5- 2.5
\$50,000- 74,999	647	94,045	89	11.7	8.6-14.8	2	0.2	0.0- 0.4	545	87.0	83.9-90.1	11	1.1	0.3- 1.9
\$75,000+	1437	235,224	139	7.9	6.1- 9.7	10	0.9	0.3- 1.5	1261	90.0	88.2-91.8	27	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2306	366,666	374	13.2	11.4-15.0	1875	85.1	83.3-86.9	57	1.7	1.1- 2.3
White/Non-Hisp	1557	233,809	254	12.6	10.8-14.4	1266	85.6	83.6-87.6	37	1.7	1.1- 2.3
Black or Afr. Am./Non-Hisp	284	71,642	66	19.1	13.6-24.6	211	79.6	73.9-85.3	7	1.3	0.1- 2.5
Oth. Race/Non-Hisp.	112	20,439	19	9.5	3.4-15.6	91	89.8	83.5-96.1	2	0.7	0.0- 1.7
Hispanic	253	28,292	20	7.1	3.4-10.8	227	90.4	85.9-94.9	6	2.5	0.0- 5.0
18-24	157	44,845	1	0.2	0.0- 0.6	156	99.8	99.4- 100			
25-34	237	63,696	3	2.0	0.0- 4.5	231	97.4	94.9-99.9	3	0.6	0.0- 1.4
35-44	296	55,768	17	5.6	2.3- 8.9	277	94.1	90.8-97.4	2	0.3	0.0- 0.7
45-54	356	58,341	49	14.0	9.1-18.9	298	84.0	78.9-89.1	9	2.1	0.5- 3.7
55-64	493	62,675	103	22.5	17.4-27.6	369	73.5	68.4-78.6	21	4.0	1.8- 6.2
65+	767	81,341	201	26.4	22.7-30.1	544	71.1	67.2-75.0	22	2.4	1.2- 3.6
Less Than H.S.	243	40,042	34	13.2	8.1-18.3	202	83.9	78.2-89.6	7	3.0	0.3- 5.7
H.S. or G.E.D.	668	121,973	117	14.3	11.0-17.6	536	84.3	81.0-87.6	15	1.4	0.6- 2.2
Some Post-H.S.	577	103,264	109	13.5	10.4-16.6	459	85.5	82.4-88.6	9	1.0	0.2- 1.8
College Graduate	805	99,925	109	11.1	8.4-13.8	670	86.6	83.7-89.5	26	2.3	1.3- 3.3
Less than \$15,000	156	20,707	25	12.5	7.0-18.0	121	81.5	74.6-88.4	10	6.0	1.9-10.1
\$15,000- 24,999	319	44,179	68	18.6	13.3-23.9	242	79.4	73.9-84.9	9	2.0	0.4- 3.6
\$25,000- 34,999	156	21,951	25	12.9	7.2-18.6	125	83.1	76.2-90.0	6	4.0	0.0- 8.3
\$35,000- 49,999	269	43,205	56	16.8	11.3-22.3	206	82.2	76.7-87.7	7	1.1	0.3- 1.9
\$50,000- 74,999	293	47,708	55	14.6	9.7-19.5	232	83.9	78.8-89.0	6	1.5	0.1- 2.9
\$75,000+	739	127,692	81	9.3	6.6-12.0	643	89.4	86.7-92.1	15	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	400,675	393	10.8	9.4-12.2	38	1.4	0.8- 2.0	2422	85.9	84.3-87.5	62	2.0	1.2- 2.8
White/Non-Hisp	1984	257,319	262	11.1	9.5-12.7	23	1.2	0.6- 1.8	1663	86.1	84.3-87.9	36	1.6	0.8- 2.4
Black or Afr. Am./Non-Hisp	429	84,069	74	12.1	8.6-15.6	6	1.8	0.0- 3.6	335	83.3	78.8-87.8	14	2.8	0.3- 5.3
Oth. Race/Non-Hisp.	90	15,275	14	6.1	1.8-10.4	1	1.0	0.0- 3.0	73	91.2	85.7-96.7	2	1.7	0.0- 4.1
Hispanic	291	32,248	26	6.7	3.4-10.0	7	2.0	0.0- 4.0	251	89.2	84.9-93.5	7	2.1	0.1- 4.1
18-24	156	43,327	1	1.1	0.0- 3.3	3	1.1	0.0- 2.3	151	95.6	90.7- 100	1	2.2	0.0- 6.5
25-34	287	63,162	6	1.3	0.1- 2.5	8	3.4	0.7- 6.1	268	94.4	91.3-97.5	5	0.9	0.0- 1.9
35-44	333	58,402	18	4.5	2.0- 7.0	7	1.4	0.0- 2.8	306	93.6	90.7-96.5	2	0.5	0.0- 1.3
45-54	450	63,290	59	14.0	9.9-18.1	7	1.4	0.2- 2.6	376	82.3	77.8-86.8	8	2.3	0.0- 4.7
55-64	612	71,638	110	16.6	13.1-20.1	5	1.0	0.0- 2.0	481	80.0	76.1-83.9	16	2.5	1.1- 3.9
65+	1077	100,856	199	18.3	15.4-21.2	8	0.5	0.1- 0.9	840	78.4	75.3-81.5	30	2.8	1.6- 4.0
Less Than H.S.	284	45,836	48	13.5	8.6-18.4	4	0.5	0.0- 1.1	229	84.2	78.7-89.7	3	1.8	0.0- 4.7
H.S. or G.E.D.	815	119,554	139	14.0	11.1-16.9	12	1.8	0.6- 3.0	643	82.6	79.5-85.7	21	1.7	0.9- 2.5
Some Post-H.S.	781	116,767	100	9.8	7.4-12.2	7	1.0	0.0- 2.0	653	86.3	83.4-89.2	21	2.9	0.9- 4.9
College Graduate	1024	117,330	104	7.2	5.4- 9.0	15	1.7	0.5- 2.9	888	89.6	87.4-91.8	17	1.4	0.6- 2.2
Less than \$15,000	242	27,531	44	14.9	9.2-20.6	3	0.6	0.0- 1.4	190	82.9	76.8-89.0	5	1.7	0.0- 3.5
\$15,000- 24,999	472	64,979	92	15.8	11.9-19.7	13	2.9	0.7- 5.1	357	79.5	75.0-84.0	10	1.8	0.4- 3.2
\$25,000- 34,999	249	31,866	43	14.9	9.4-20.4	3	0.8	0.0- 1.8	197	81.8	75.9-87.7	6	2.6	0.4- 4.8
\$35,000- 49,999	302	39,679	52	14.6	9.7-19.5	2	0.6	0.0- 1.6	241	82.7	77.6-87.8	7	2.0	0.2- 3.8
\$50,000- 74,999	354	46,337	34	8.6	5.1-12.1	2	0.4	0.0- 1.0	313	90.2	86.5-93.9	5	0.7	0.1- 1.3
\$75,000+	698	107,532	58	6.3	4.5- 8.1	10	2.0	0.4- 3.6	618	90.7	88.3-93.1	12	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	728	87,032	13	2.6	0.8- 4.4	68	10.7	7.6-13.8	170	24.6	20.5-28.7	323	43.5	38.8-48.2	154	18.6	15.1-22.1
Male	364	46,645	8	2.2	0.4- 4.0	30	10.0	5.5-14.5	82	25.9	19.8-32.0	167	41.9	35.2-48.6	77	20.1	14.6-25.6
Female	364	40,387	5	3.0	0.1- 5.9	38	11.6	7.3-15.9	88	23.1	17.8-28.4	156	45.4	38.9-51.9	77	16.9	12.6-21.2
White/Non-Hisp	497	56,839	9	2.6	0.6- 4.6	36	8.4	5.1-11.7	99	20.6	16.1-25.1	227	46.0	40.5-51.5	126	22.4	18.1-26.7
Black or Afr. Am./Non-Hisp	129	21,420	2	3.1	0.0- 7.6	17	14.1	5.9-22.3	34	27.2	17.4-37.0	58	41.7	30.3-53.1	18	13.9	4.9-22.9
45-54	104	15,921	1	0.2	0.0- 0.6	12	8.6	2.1-15.1	50	43.9	31.9-55.9	41	47.4	34.9-59.9			
55-64	206	25,063				24	10.2	5.1-15.3	48	23.7	16.1-31.3	122	57.5	48.3-66.7	12	8.6	1.5-15.7
65+	374	37,704	4	1.4	0.0- 3.2	15	4.5	2.0- 7.0	54	14.7	10.2-19.2	159	42.1	35.8-48.4	142	37.3	31.2-43.4
Less Than H.S.	77	10,523	1	2.9	0.0- 8.4	4	5.9	0.0-12.0	24	33.0	19.7-46.3	35	46.5	33.0-60.0	13	11.7	4.8-18.6
H.S. or G.E.D.	242	32,857	5	3.5	0.0- 7.0	31	12.7	7.4-18.0	54	21.7	15.0-28.4	107	45.5	37.1-53.9	45	16.7	11.0-22.4
Some Post-H.S.	201	24,296	2	0.7	0.0- 1.7	12	5.5	1.8- 9.2	46	22.0	15.1-28.9	92	46.6	38.0-55.2	49	25.2	17.0-33.4
College Graduate	204	18,881	5	3.3	0.0- 7.0	20	16.6	7.8-25.4	45	27.6	19.0-36.2	88	34.7	26.7-42.7	46	17.8	12.1-23.5
Less than \$15,000	60	5,865	1	0.4	0.0- 1.2	10	14.6	4.8-24.4	19	34.9	19.2-50.6	29	49.8	33.7-65.9	1	0.3	0.0- 0.9
\$15,000- 24,999	153	16,949	2	2.3	0.0- 5.8	25	20.2	11.4-29.0	33	21.7	13.9-29.5	67	44.5	34.5-54.5	26	11.2	6.3-16.1
\$25,000- 34,999	65	7,281	2	9.2	0.0-21.9	3	6.4	0.0-13.5	17	18.1	8.3-27.9	27	46.1	30.4-61.8	16	20.2	9.0-31.4
\$35,000- 49,999	106	12,628	1	0.9	0.0- 2.7	6	6.1	0.8-11.4	25	26.2	14.8-37.6	49	46.0	34.0-58.0	25	20.9	11.7-30.1
\$50,000- 74,999	87	10,912				4	12.3	0.0-25.0	16	20.7	9.9-31.5	45	45.4	31.9-58.9	22	21.6	11.6-31.6
\$75,000+	137	18,331	4	3.3	0.0- 7.2	13	8.8	2.9-14.7	31	26.1	16.1-36.1	59	44.5	33.3-55.7	30	17.3	10.2-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	364	46,645	8	2.2	0.4- 4.0	30	10.0	5.5-14.5	82	25.9	19.8-32.0	167	41.9	35.2-48.6	77	20.1	14.6-25.6
White/Non-Hisp	250	29,296	7	3.1	0.4- 5.8	11	5.3	1.6- 9.0	49	22.3	15.4-29.2	121	45.7	38.1-53.3	62	23.6	17.5-29.7
Black or Afr. Am./Non-Hisp	62	12,431				11	17.6	4.9-30.3	17	28.1	14.0-42.2	24	36.0	19.9-52.1	10	18.3	4.2-32.4
55-64	101	13,512				10	9.6	2.2-17.0	23	27.8	15.5-40.1	61	51.5	38.4-64.6	7	11.1	0.0-23.3
65+	194	20,550	3	1.1	0.0- 2.5	6	3.5	0.2- 6.8	28	14.3	8.4-20.2	87	42.7	34.3-51.1	70	38.4	30.0-46.8
H.S. or G.E.D.	114	16,777	3	2.8	0.0- 6.3	12	9.8	2.9-16.7	28	25.7	15.3-36.1	52	43.6	31.4-55.8	19	18.0	9.4-26.6
Some Post-H.S.	107	13,456	2	1.2	0.0- 2.8	5	4.4	0.0- 9.1	23	22.0	12.2-31.8	50	44.0	32.2-55.8	27	28.3	15.8-40.8
College Graduate	107	10,931	3	3.4	0.0- 8.5	11	19.1	5.6-32.6	21	26.7	14.0-39.4	47	32.7	21.7-43.7	25	18.2	10.2-26.2
\$15,000- 24,999	67	7,747	1	1.1	0.0- 3.3	11	23.7	9.4-38.0	14	20.4	8.6-32.2	32	45.3	29.8-60.8	9	9.4	2.3-16.5
\$35,000- 49,999	55	6,850	1	1.7	0.0- 5.0	1	1.0	0.0- 3.0	12	29.1	11.9-46.3	26	43.8	26.7-60.9	15	24.4	10.9-37.9
\$50,000- 74,999	54	6,928	3	16.3	0.0-34.7	3	16.3	0.0-34.7	8	15.6	4.2-27.0	29	46.5	29.4-63.6	14	21.7	10.1-33.3
\$75,000+	81	11,866	3	3.2	0.0- 7.9	5	5.6	0.0-12.3	15	25.4	11.7-39.1	37	45.8	30.5-61.1	21	20.1	10.1-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	364	40,387	5	3.0	0.1- 5.9	38	11.6	7.3-15.9	88	23.1	17.8-28.4	156	45.4	38.9-51.9	77	16.9	12.6-21.2
White/Non-Hisp	247	27,543	2	1.9	0.0- 4.6	25	11.7	6.2-17.2	50	18.8	12.9-24.7	106	46.3	38.5-54.1	64	21.2	15.3-27.1
Black or Afr. Am./Non-Hisp	67	8,989	2	7.4	0.0-18.0	6	9.1	0.9-17.3	17	25.9	13.0-38.8	34	49.6	34.3-64.9	8	7.9	0.5-15.3
45-54	55	7,776	1	0.3	0.0- 0.9	6	8.4	0.0-17.0	26	43.3	27.8-58.8	22	47.9	32.0-63.8			
55-64	105	11,550				14	10.9	4.2-17.6	25	18.8	10.6-27.0	61	64.4	53.6-75.2	5	5.8	0.1-11.5
65+	180	17,154	1	1.7	0.0- 5.0	9	5.7	1.6- 9.8	26	15.1	8.0-22.2	72	41.5	32.1-50.9	72	35.9	27.3-44.5
H.S. or G.E.D.	128	16,080	2	4.2	0.0-10.3	19	15.6	7.4-23.8	26	17.5	9.5-25.5	55	47.4	36.0-58.8	26	15.3	8.0-22.6
Some Post-H.S.	94	10,840				7	6.9	0.8-13.0	23	22.1	12.5-31.7	42	49.7	37.4-62.0	22	21.3	11.5-31.1
College Graduate	97	7,951	2	3.2	0.0- 8.7	9	13.2	3.8-22.6	24	28.9	17.9-39.9	41	37.4	25.6-49.2	21	17.4	9.4-25.4
\$15,000- 24,999	86	9,202	1	3.3	0.0- 9.6	14	17.2	6.6-27.8	19	22.8	12.2-33.4	35	43.9	30.6-57.2	17	12.8	6.1-19.5
\$35,000- 49,999	51	5,778				5	12.1	1.1-23.1	13	22.8	9.3-36.3	23	48.5	31.4-65.6	10	16.7	4.5-28.9
\$75,000+	56	6,465	1	3.5	0.0-10.4	8	14.7	3.7-25.7	16	27.4	14.5-40.3	22	42.3	27.2-57.4	9	12.1	3.7-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	755,701	3434	66.5	64.7-68.3	559	12.2	10.8-13.6	410	8.7	7.5- 9.9	690	11.8	10.6-13.0	53	0.9	0.5- 1.3
Male	2273	360,279	1457	64.0	61.3-66.7	246	12.6	10.6-14.6	196	9.0	7.2-10.8	343	13.3	11.5-15.1	31	1.1	0.5- 1.7
Female	2873	395,422	1977	68.8	66.4-71.2	313	11.9	10.1-13.7	214	8.4	6.8-10.0	347	10.4	9.0-11.8	22	0.6	0.2- 1.0
White/Non-Hisp	3508	487,514	2490	70.5	68.5-72.5	316	10.2	8.8-11.6	246	7.8	6.6- 9.0	440	11.0	9.8-12.2	16	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	700	152,816	405	58.3	53.4-63.2	93	15.6	11.9-19.3	79	11.5	8.0-15.0	114	13.6	10.5-16.7	9	1.0	0.2- 1.8
Oth. Race/Non-Hisp.	196	33,713	114	65.3	55.1-75.5	31	15.4	6.2-24.6	18	6.4	2.3-10.5	29	10.1	4.6-15.6	4	2.7	0.0- 5.8
MultiRacial/Non-Hisp.	77	5,403	42	49.2	33.5-64.9	12	25.1	7.5-42.7	6	5.5	0.6-10.4	16	19.3	8.3-30.3	1	0.9	0.0- 2.7
Hispanic	533	59,200	289	58.1	52.4-63.8	96	17.2	12.9-21.5	53	10.0	6.7-13.3	72	11.7	8.2-15.2	23	3.0	1.6- 4.4
18-24	305	85,403	202	66.5	59.4-73.6	41	14.6	9.1-20.1	38	13.5	8.2-18.8	18	4.4	1.9- 6.9	6	1.0	0.0- 2.0
25-34	515	124,352	285	58.5	53.0-64.0	86	16.3	12.0-20.6	55	10.5	6.8-14.2	77	13.2	9.7-16.7	12	1.5	0.1- 2.9
35-44	617	112,520	378	63.4	58.5-68.3	75	12.3	8.8-15.8	63	9.7	6.8-12.6	90	13.2	9.9-16.5	11	1.4	0.4- 2.4
45-54	799	120,252	532	69.2	65.3-73.1	88	10.3	7.8-12.8	64	8.3	5.6-11.0	111	11.8	9.3-14.3	4	0.3	0.0- 0.7
55-64	1095	133,031	712	66.2	62.7-69.7	130	13.3	10.6-16.0	89	7.6	5.6- 9.6	157	12.5	10.1-14.9	7	0.4	0.0- 0.8
65+	1815	180,143	1325	72.3	69.8-74.8	139	8.6	6.8-10.4	101	5.6	4.2- 7.0	237	12.8	10.8-14.8	13	0.7	0.3- 1.1
Less Than H.S.	509	82,997	201	43.1	36.8-49.4	86	18.1	13.4-22.8	61	10.3	7.2-13.4	138	26.2	21.3-31.1	23	2.3	1.1- 3.5
H.S. or G.E.D.	1456	236,403	824	57.0	53.5-60.5	189	15.0	12.3-17.7	156	12.3	9.8-14.8	274	14.8	12.6-17.0	13	0.9	0.1- 1.7
Some Post-H.S.	1344	218,233	866	67.7	64.4-71.0	158	12.4	10.0-14.8	126	9.0	6.8-11.2	187	10.5	8.5-12.5	7	0.5	0.1- 0.9
College Graduate	1814	215,459	1531	84.9	82.7-87.1	121	6.5	5.1- 7.9	65	3.8	2.6- 5.0	89	4.2	3.0- 5.4	8	0.6	0.2- 1.0
Less than \$15,000	394	48,220	144	35.5	28.8-42.2	62	15.5	10.8-20.2	68	18.3	11.8-24.8	114	30.0	23.7-36.3	6	0.7	0.1- 1.3
\$15,000- 24,999	770	106,707	354	48.3	43.4-53.2	115	16.6	12.9-20.3	100	11.9	9.2-14.6	184	21.1	17.6-24.6	17	2.1	0.3- 3.9
\$25,000- 34,999	399	53,018	252	61.0	54.7-67.3	42	11.3	7.4-15.2	39	11.6	7.3-15.9	66	16.1	11.6-20.6			
\$35,000- 49,999	567	82,346	348	59.3	53.2-65.4	68	13.4	9.1-17.7	63	14.7	9.4-20.0	83	11.4	8.3-14.5	5	1.1	0.0- 2.3
\$50,000- 74,999	641	92,051	480	69.7	64.2-75.2	62	13.2	8.5-17.9	43	8.9	5.8-12.0	56	8.1	5.4-10.8			
\$75,000+	1433	234,514	1228	83.9	81.4-86.4	104	8.1	6.1-10.1	38	3.6	2.2- 5.0	60	4.3	2.9- 5.7	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2273	360,279	1457	64.0	61.3-66.7	246	12.6	10.6-14.6	196	9.0	7.2-10.8	343	13.3	11.5-15.1	31	1.1	0.5- 1.7
White/Non-Hisp	1544	231,741	1054	68.3	65.4-71.2	142	10.4	8.4-12.4	118	8.2	6.4-10.0	220	12.3	10.3-14.3	10	0.8	0.0- 1.6
Black or Afr. Am./Non-Hisp	275	69,205	146	54.2	46.4-62.0	39	16.8	10.7-22.9	34	12.4	6.9-17.9	48	15.0	10.3-19.7	8	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	109	19,660	58	59.9	45.6-74.2	16	19.2	4.7-33.7	13	6.5	1.6-11.4	20	12.2	4.4-20.0	2	2.2	0.0- 5.9
Hispanic	247	27,659	136	60.1	51.9-68.3	38	14.9	9.0-20.8	26	8.9	4.6-13.2	36	14.0	8.3-19.7	11	2.2	0.8- 3.6
18-24	152	43,354	102	66.0	56.2-75.8	21	17.6	8.6-26.6	20	12.0	6.3-17.7	8	4.3	0.6- 8.0	1	0.2	0.0- 0.6
25-34	232	62,578	130	59.5	51.5-67.5	38	15.1	9.2-21.0	25	10.9	5.0-16.8	31	11.9	7.2-16.6	8	2.6	0.0- 5.3
35-44	288	54,555	162	57.4	50.0-64.8	36	12.8	7.7-17.9	30	11.2	6.3-16.1	54	17.4	12.1-22.7	6	1.2	0.0- 2.6
45-54	354	57,450	216	66.3	60.4-72.2	41	10.8	7.1-14.5	35	8.9	5.6-12.2	59	13.3	9.4-17.2	3	0.6	0.0- 1.6
55-64	486	61,741	300	61.0	55.5-66.5	57	14.2	9.7-18.7	45	8.9	5.8-12.0	79	15.2	11.3-19.1	5	0.6	0.0- 1.2
65+	761	80,600	547	71.3	67.4-75.2	53	7.8	5.4-10.2	41	4.7	2.9- 6.5	112	14.9	11.8-18.0	8	1.2	0.2- 2.2
Less Than H.S.	236	38,645	87	39.2	31.0-47.4	37	15.9	10.0-21.8	26	9.8	5.3-14.3	73	32.5	24.9-40.1	13	2.7	0.7- 4.7
H.S. or G.E.D.	658	119,602	342	53.2	47.9-58.5	89	16.6	12.1-21.1	77	12.7	9.0-16.4	142	16.2	12.9-19.5	8	1.3	0.0- 2.7
Some Post-H.S.	570	102,084	355	67.3	62.4-72.2	63	11.4	8.1-14.7	62	9.4	6.3-12.5	86	11.1	8.2-14.0	4	0.8	0.0- 1.6
College Graduate	796	98,486	666	83.7	80.4-87.0	55	7.5	5.0-10.0	30	4.0	2.2- 5.8	40	4.2	2.4- 6.0	5	0.6	0.0- 1.2
Less than \$15,000	153	20,391	47	37.7	26.9-48.5	27	16.0	8.9-23.1	24	11.2	5.5-16.9	52	34.3	24.3-44.3	3	0.7	0.0- 1.5
\$15,000- 24,999	311	42,572	124	40.2	32.9-47.5	45	15.9	10.4-21.4	47	13.3	8.8-17.8	80	25.5	19.2-31.8	15	5.0	0.9- 9.1
\$25,000- 34,999	153	21,309	91	53.8	43.2-64.4	18	14.0	6.6-21.4	15	12.9	5.8-20.0	29	19.3	10.9-27.7			
\$35,000- 49,999	268	42,793	158	58.1	49.3-66.9	32	13.6	6.7-20.5	31	14.1	6.5-21.7	44	13.8	8.7-18.9	3	0.4	0.0- 1.0
\$50,000- 74,999	289	46,848	201	62.7	54.3-71.1	27	14.5	6.9-22.1	27	11.5	6.2-16.8	34	11.2	6.3-16.1			
\$75,000+	735	126,982	600	80.5	76.8-84.2	59	8.8	6.1-11.5	33	5.6	3.2- 8.0	42	5.0	3.2- 6.8	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	395,422	1977	68.8	66.4-71.2	313	11.9	10.1-13.7	214	8.4	6.8-10.0	347	10.4	9.0-11.8	22	0.6	0.2- 1.0
White/Non-Hisp	1964	255,773	1436	72.4	69.7-75.1	174	10.1	8.1-12.1	128	7.5	5.7- 9.3	220	9.9	8.3-11.5	6	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	425	83,611	259	61.7	55.4-68.0	54	14.6	9.9-19.3	45	10.8	6.3-15.3	66	12.5	8.4-16.6	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	87	14,053	56	72.8	60.3-85.3	15	10.2	3.9-16.5	5	6.3	0.0-13.6	9	7.2	0.1-14.3	2	3.5	0.0- 9.0
Hispanic	286	31,542	153	56.3	48.3-64.3	58	19.3	13.0-25.6	27	11.0	6.1-15.9	36	9.6	5.5-13.7	12	3.7	1.2- 6.2
18-24	153	42,049	100	67.0	56.8-77.2	20	11.6	5.3-17.9	18	15.1	6.3-23.9	10	4.5	1.0- 8.0	5	1.8	0.0- 3.8
25-34	283	61,774	155	57.5	49.9-65.1	48	17.5	11.4-23.6	30	10.1	5.8-14.4	46	14.5	9.2-19.8	4	0.5	0.0- 1.1
35-44	329	57,965	216	69.0	62.7-75.3	39	11.9	7.2-16.6	33	8.4	4.9-11.9	36	9.2	5.3-13.1	5	1.5	0.0- 3.1
45-54	445	62,802	316	71.9	66.4-77.4	47	9.9	6.4-13.4	29	7.7	3.6-11.8	52	10.4	7.3-13.5	1	0.1	0.0- 0.3
55-64	609	71,290	412	70.6	66.1-75.1	73	12.5	9.0-16.0	44	6.5	4.1- 8.9	78	10.2	7.5-12.9	2	0.2	0.0- 0.4
65+	1054	99,542	778	73.0	69.5-76.5	86	9.3	6.9-11.7	60	6.3	4.3- 8.3	125	11.1	8.7-13.5	5	0.3	0.1- 0.5
Less Than H.S.	273	44,351	114	46.5	37.5-55.5	49	20.0	12.6-27.4	35	10.8	6.3-15.3	65	20.7	14.6-26.8	10	2.0	0.4- 3.6
H.S. or G.E.D.	798	116,801	482	60.8	56.1-65.5	100	13.4	10.1-16.7	79	12.0	8.3-15.7	132	13.3	10.2-16.4	5	0.5	0.0- 1.1
Some Post-H.S.	774	116,149	511	68.0	63.5-72.5	95	13.3	10.0-16.6	64	8.6	5.9-11.3	101	9.9	7.4-12.4	3	0.2	0.0- 0.4
College Graduate	1018	116,973	865	86.0	83.3-88.7	66	5.7	3.9- 7.5	35	3.7	2.1- 5.3	49	4.1	2.5- 5.7	3	0.6	0.0- 1.4
Less than \$15,000	241	27,829	97	33.9	25.7-42.1	35	15.1	8.8-21.4	44	23.4	13.6-33.2	62	26.9	18.9-34.9	3	0.6	0.0- 1.4
\$15,000- 24,999	459	64,136	230	53.7	47.4-60.0	70	17.1	12.0-22.2	53	10.9	7.4-14.4	104	18.1	13.8-22.4	2	0.2	0.0- 0.6
\$25,000- 34,999	246	31,709	161	65.7	58.1-73.3	24	9.5	5.2-13.8	24	10.8	5.5-16.1	37	13.9	8.8-19.0			
\$35,000- 49,999	299	39,553	190	60.7	52.5-68.9	36	13.3	8.4-18.2	32	15.4	7.8-23.0	39	8.8	5.3-12.3	2	1.9	0.0- 4.4
\$50,000- 74,999	352	45,202	279	76.9	70.6-83.2	35	11.9	6.8-17.0	16	6.2	2.7- 9.7	22	4.9	2.0- 7.8			
\$75,000+	698	107,532	628	87.9	84.4-91.4	45	7.3	4.6-10.0	5	1.2	0.0- 2.4	18	3.5	1.1- 5.9	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5049	748,960	1530	27.6	26.0-29.2	609	9.9	8.9-10.9	389	6.0	5.2- 6.8	2521	56.4	54.6-58.2
Male	2247	359,807	692	27.0	24.6-29.4	270	9.7	8.3-11.1	167	5.3	4.3- 6.3	1118	58.0	55.3-60.7
Female	2802	389,153	838	28.3	25.9-30.7	339	10.1	8.7-11.5	222	6.7	5.5- 7.9	1403	54.9	52.4-57.4
White/Non-Hisp	3414	479,551	1001	26.1	24.3-27.9	419	10.7	9.5-11.9	307	7.2	6.2- 8.2	1687	56.0	53.8-58.2
Black or Afr. Am./Non-Hisp	696	153,322	224	32.1	27.6-36.6	103	10.5	8.1-12.9	49	5.4	3.4- 7.4	320	52.0	47.1-56.9
Oth. Race/Non-Hisp.	194	33,521	51	22.2	14.4-30.0	19	4.2	1.7- 6.7	7	1.0	0.0- 2.0	117	72.6	64.2-81.0
MultiRacial/Non-Hisp.	79	5,464	17	20.5	8.9-32.1	16	12.4	5.1-19.7	7	9.5	1.9-17.1	39	57.6	42.9-72.3
Hispanic	533	59,375	202	32.6	27.3-37.9	37	6.1	3.7- 8.5	12	1.7	0.5- 2.9	282	59.6	53.9-65.3
18-24	310	88,055	41	10.8	6.5-15.1	7	1.3	0.1- 2.5	3	1.2	0.0- 2.6	259	86.7	82.0-91.4
25-34	525	126,280	120	20.1	15.8-24.4	13	2.2	0.8- 3.6	6	1.8	0.0- 3.6	386	75.9	71.2-80.6
35-44	622	112,886	191	29.7	25.0-34.4	34	4.8	2.8- 6.8	14	2.2	0.8- 3.6	383	63.2	58.3-68.1
45-54	791	119,205	242	30.6	26.7-34.5	70	9.4	6.7-12.1	34	4.1	2.3- 5.9	445	55.9	51.6-60.2
55-64	1075	131,315	372	35.7	32.0-39.4	156	14.1	11.6-16.6	89	7.2	5.4- 9.0	458	43.0	39.3-46.7
65+	1726	171,219	564	32.3	29.6-35.0	329	20.5	18.0-23.0	243	14.7	12.5-16.9	590	32.5	29.8-35.2
Less Than H.S.	512	83,901	180	35.9	30.0-41.8	85	14.8	10.9-18.7	76	12.8	8.9-16.7	171	36.5	30.4-42.6
H.S. or G.E.D.	1409	233,367	444	27.5	24.6-30.4	224	13.0	11.0-15.0	153	7.6	6.0- 9.2	588	51.9	48.4-55.4
Some Post-H.S.	1319	216,021	422	28.8	25.7-31.9	166	10.0	8.0-12.0	111	5.5	4.3- 6.7	620	55.7	52.2-59.2
College Graduate	1787	213,343	477	22.9	20.4-25.4	132	4.6	3.6- 5.6	46	2.3	1.3- 3.3	1132	70.2	67.5-72.9
Less than \$15,000	374	46,469	112	27.4	21.1-33.7	81	16.5	12.0-21.0	45	9.3	6.0-12.6	136	46.8	39.4-54.2
\$15,000- 24,999	765	106,575	263	33.4	28.9-37.9	132	16.3	13.0-19.6	99	9.8	7.3-12.3	271	40.5	35.6-45.4
\$25,000- 34,999	399	53,265	131	27.3	21.8-32.8	63	13.7	9.4-18.0	41	9.5	6.0-13.0	164	49.5	43.0-56.0
\$35,000- 49,999	557	80,969	188	32.2	26.9-37.5	79	11.3	8.4-14.2	43	4.8	3.0- 6.6	247	51.7	45.8-57.6
\$50,000- 74,999	632	91,703	195	28.7	24.0-33.4	75	9.9	7.2-12.6	30	4.5	2.5- 6.5	332	56.9	51.6-62.2
\$75,000+	1418	233,079	380	24.0	21.3-26.7	89	4.8	3.6- 6.0	46	3.1	1.7- 4.5	903	68.0	64.9-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2247	359,807	692	27.0	24.6-29.4	270	9.7	8.3-11.1	167	5.3	4.3- 6.3	1118	58.0	55.3-60.7
White/Non-Hisp	1519	230,014	461	26.7	24.0-29.4	194	10.7	8.9-12.5	133	6.7	5.3- 8.1	731	56.0	52.9-59.1
Black or Afr. Am./Non-Hisp	275	70,338	85	28.8	21.9-35.7	39	10.5	6.8-14.2	17	3.7	1.5- 5.9	134	57.0	49.6-64.4
Oth. Race/Non-Hisp.	108	19,490	26	17.1	8.7-25.5	10	4.0	0.5- 7.5	4	0.6	0.0- 1.2	68	78.2	69.0-87.4
Hispanic	249	27,943	92	30.6	23.2-38.0	12	4.0	1.3- 6.7	5	1.2	0.0- 2.4	140	64.2	56.6-71.8
18-24	155	44,662	19	8.5	3.4-13.6	2	0.6	0.0- 1.4	3	2.3	0.0- 5.0	131	88.6	82.9-94.3
25-34	238	63,835	49	17.4	11.3-23.5	5	1.7	0.0- 3.5	1	0.5	0.0- 1.5	183	80.5	74.2-86.8
35-44	293	54,937	92	30.3	23.6-37.0	17	4.5	2.0- 7.0	4	0.8	0.0- 1.6	180	64.4	57.5-71.3
45-54	350	57,292	116	31.6	25.7-37.5	31	9.3	5.6-13.0	14	3.3	1.3- 5.3	189	55.7	49.2-62.2
55-64	478	61,334	170	36.1	30.4-41.8	68	15.0	11.1-18.9	39	6.2	4.0- 8.4	201	42.7	37.0-48.4
65+	733	77,746	246	32.4	28.3-36.5	147	21.2	17.5-24.9	106	15.1	12.0-18.2	234	31.3	27.4-35.2
Less Than H.S.	236	39,382	83	34.1	26.3-41.9	34	13.6	8.5-18.7	25	7.7	4.2-11.2	94	44.6	36.4-52.8
H.S. or G.E.D.	650	119,958	203	25.8	21.5-30.1	92	10.8	8.3-13.3	66	6.9	4.9- 8.9	289	56.5	51.4-61.6
Some Post-H.S.	559	101,363	181	28.8	24.1-33.5	79	11.2	8.3-14.1	51	5.2	3.6- 6.8	248	54.7	49.4-60.0
College Graduate	791	98,031	222	23.2	19.5-26.9	64	5.2	3.6- 6.8	24	2.6	1.0- 4.2	481	68.9	65.0-72.8
Less than \$15,000	150	20,255	50	32.2	21.6-42.8	29	16.9	9.6-24.2	16	7.2	3.3-11.1	55	43.7	33.1-54.3
\$15,000- 24,999	310	43,150	103	30.0	23.5-36.5	51	15.6	10.7-20.5	43	9.4	5.9-12.9	113	45.0	37.6-52.4
\$25,000- 34,999	156	21,858	49	26.7	18.5-34.9	24	13.0	6.9-19.1	16	9.5	3.8-15.2	67	50.9	40.5-61.3
\$35,000- 49,999	262	41,799	90	31.5	23.7-39.3	43	13.0	8.3-17.7	20	4.8	2.3- 7.3	109	50.7	42.1-59.3
\$50,000- 74,999	288	47,057	95	27.6	20.9-34.3	39	10.2	6.1-14.3	15	4.6	1.9- 7.3	139	57.6	49.8-65.4
\$75,000+	730	126,560	209	25.4	21.5-29.3	47	4.8	3.2- 6.4	25	2.5	1.3- 3.7	449	67.2	62.9-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?  
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2802	389,153	838	28.3	25.9-30.7	339	10.1	8.7-11.5	222	6.7	5.5- 7.9	1403	54.9	52.4-57.4
White/Non-Hisp	1895	249,537	540	25.6	23.1-28.1	225	10.8	9.0-12.6	174	7.7	6.1- 9.3	956	56.0	53.1-58.9
Black or Afr. Am./Non-Hisp	421	82,985	139	34.9	28.8-41.0	64	10.4	7.3-13.5	32	6.9	4.0- 9.8	186	47.8	41.3-54.3
Oth. Race/Non-Hisp.	86	14,031	25	29.2	15.1-43.3	9	4.5	1.0- 8.0	3	1.6	0.0- 3.6	49	64.7	50.2-79.2
Hispanic	284	31,431	110	34.4	26.8-42.0	25	7.9	4.2-11.6	7	2.0	0.0- 4.0	142	55.6	47.6-63.6
18-24	155	43,393	22	13.2	6.1-20.3	5	2.0	0.0- 4.2				128	84.8	77.5-92.1
25-34	287	62,445	71	22.9	16.4-29.4	8	2.6	0.4- 4.8	5	3.2	0.0- 6.7	203	71.2	64.1-78.3
35-44	329	57,949	99	29.1	22.6-35.6	17	5.1	2.2- 8.0	10	3.6	1.1- 6.1	203	62.2	55.5-68.9
45-54	441	61,913	126	29.6	24.3-34.9	39	9.5	5.6-13.4	20	4.8	2.1- 7.5	256	56.0	50.1-61.9
55-64	597	69,980	202	35.4	30.5-40.3	88	13.3	10.2-16.4	50	8.0	5.5-10.5	257	43.4	38.5-48.3
65+	993	93,473	318	32.1	28.4-35.8	182	20.0	16.7-23.3	137	14.4	11.5-17.3	356	33.5	29.8-37.2
Less Than H.S.	276	44,519	97	37.6	29.0-46.2	51	15.8	10.1-21.5	51	17.3	10.8-23.8	77	29.3	20.7-37.9
H.S. or G.E.D.	759	113,409	241	29.4	25.1-33.7	132	15.3	12.4-18.2	87	8.3	6.1-10.5	299	47.0	42.1-51.9
Some Post-H.S.	760	114,659	241	28.8	24.7-32.9	87	8.9	6.4-11.4	60	5.7	3.9- 7.5	372	56.6	51.9-61.3
College Graduate	996	115,312	255	22.6	19.3-25.9	68	4.1	2.9- 5.3	22	2.0	0.8- 3.2	651	71.3	67.8-74.8
Less than \$15,000	224	26,214	62	23.7	16.3-31.1	52	16.2	10.7-21.7	29	10.9	6.0-15.8	81	49.2	39.2-59.2
\$15,000- 24,999	455	63,424	160	35.7	29.6-41.8	81	16.7	12.4-21.0	56	10.1	6.6-13.6	158	37.5	31.2-43.8
\$25,000- 34,999	243	31,407	82	27.7	20.4-35.0	39	14.2	8.1-20.3	25	9.6	5.1-14.1	97	48.5	40.3-56.7
\$35,000- 49,999	295	39,170	98	32.9	25.5-40.3	36	9.5	5.8-13.2	23	4.8	2.4- 7.2	138	52.7	44.7-60.7
\$50,000- 74,999	344	44,645	100	29.9	23.2-36.6	36	9.6	5.9-13.3	15	4.3	1.8- 6.8	193	56.2	49.3-63.1
\$75,000+	688	106,520	171	22.4	18.7-26.1	42	4.8	3.0- 6.6	21	3.8	1.4- 6.2	454	69.0	64.5-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)	
	MALES AND FEMALES	
	WHAT IS YOUR AGE? (AGE)	
2	MALES AND FEMALES	90
3	MALES ONLY	91
4	FEMALES ONLY	92
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
5	MALES AND FEMALES	93
6	MALES ONLY	94
7	FEMALES ONLY	95
	THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
8	MALES AND FEMALES	96
9	MALES ONLY	97
10	FEMALES ONLY	98
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
11	MALES AND FEMALES	99
12	MALES ONLY	100
13	FEMALES ONLY	101
	ARE YOU: (MARITAL STATUS) (MARITAL)	
14	MALES AND FEMALES	102
15	MALES ONLY	103
16	FEMALES ONLY	104
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
17	MALES AND FEMALES	105
18	MALES ONLY	106
19	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
20 MALES AND FEMALES	108
21 MALES ONLY	109
22 FEMALES ONLY	110
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
23 MALES AND FEMALES	111
24 MALES ONLY	112
25 FEMALES ONLY	113
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
26 MALES AND FEMALES	114
27 MALES ONLY	115
28 FEMALES ONLY	116
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
29 MALES AND FEMALES	117
30 MALES ONLY	118
31 FEMALES ONLY	119
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
32 MALES AND FEMALES	120
33 MALES ONLY	121
34 FEMALES ONLY	122
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
35 MALES AND FEMALES	123
36 MALES ONLY	124
37 FEMALES ONLY	125
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
38 MALES AND FEMALES	126
39 MALES ONLY	127
40 FEMALES ONLY	128

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
41 MALES AND FEMALES	129
42 MALES ONLY	130
43 FEMALES ONLY	131
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
44 MALES AND FEMALES	132
45 MALES ONLY	133
46 FEMALES ONLY	134
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
47 MALES AND FEMALES	135
48 MALES ONLY	136
49 FEMALES ONLY	137
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
50 MALES AND FEMALES	138
51 MALES ONLY	139
52 FEMALES ONLY	140
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
53 MALES AND FEMALES	141
54 MALES ONLY	142
55 FEMALES ONLY	143
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
58 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
59 MALES AND FEMALES	147
60 MALES ONLY	148
61 FEMALES ONLY	149
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
62 MALES AND FEMALES	150
63 MALES ONLY	151
64 FEMALES ONLY	152
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
65	MALES AND FEMALES	153
66	MALES ONLY	154
67	FEMALES ONLY	155
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
68	MALES AND FEMALES	156
69	MALES ONLY	157
70	FEMALES ONLY	158
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
71	MALES AND FEMALES	159
72	MALES ONLY	160
73	FEMALES ONLY	161
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
74	MALES AND FEMALES	162
75	MALES ONLY	163
76	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5233	769,124	2312	47.8	46.0-49.6	2921	52.2	50.4-54.0
White/Non-Hisp	3547	491,773	1560	47.6	45.4-49.8	1987	52.4	50.2-54.6
Black or Afr. Am./Non-Hisp	716	156,693	285	46.0	41.1-50.9	431	54.0	49.1-58.9
Oth. Race/Non-Hisp.	203	35,752	113	57.3	46.9-67.7	90	42.7	32.3-53.1
MultiRacial/Non-Hisp.	80	5,510	34	35.1	21.8-48.4	46	64.9	51.6-78.2
Hispanic	546	60,658	254	46.7	40.8-52.6	292	53.3	47.4-59.2
18-24	315	88,424	157	50.7	43.4-58.0	158	49.3	42.0-56.6
25-34	526	127,390	238	50.1	44.6-55.6	288	49.9	44.4-55.4
35-44	630	114,212	297	48.9	43.8-54.0	333	51.1	46.0-56.2
45-54	809	121,786	359	48.0	43.7-52.3	450	52.0	47.7-56.3
55-64	1108	134,993	494	46.7	43.0-50.4	614	53.3	49.6-57.0
65+	1845	182,319	767	44.6	41.7-47.5	1078	55.4	52.5-58.3
Less Than H.S.	528	85,919	244	46.7	40.8-52.6	284	53.3	47.4-59.2
H.S. or G.E.D.	1487	242,049	670	50.5	47.0-54.0	817	49.5	46.0-53.0
Some Post-H.S.	1360	220,846	578	46.9	43.4-50.4	782	53.1	49.6-56.6
College Graduate	1832	217,463	807	46.0	43.1-48.9	1025	54.0	51.1-56.9
Less than \$15,000	399	48,631	156	42.6	35.7-49.5	243	57.4	50.5-64.3
\$15,000- 24,999	792	109,195	320	40.5	35.8-45.2	472	59.5	54.8-64.2
\$25,000- 34,999	406	53,859	157	40.8	34.3-47.3	249	59.2	52.7-65.7
\$35,000- 49,999	572	83,023	270	52.2	46.3-58.1	302	47.8	41.9-53.7
\$50,000- 74,999	648	94,135	293	50.7	45.2-56.2	355	49.3	43.8-54.8
\$75,000+	1437	235,224	739	54.3	51.0-57.6	698	45.7	42.4-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5233	769,124	315	11.5	9.9-13.1	526	16.6	15.0-18.2	630	14.8	13.4-16.2	809	15.8	14.4-17.2	1108	17.6	16.4-18.8	1845	23.7	22.5-24.9
Male	2312	367,423	157	12.2	10.0-14.4	238	17.4	14.9-19.9	297	15.2	13.2-17.2	359	15.9	13.9-17.9	494	17.2	15.4-19.0	767	22.1	20.3-23.9
Female	2921	401,701	158	10.8	8.6-13.0	288	15.8	13.6-18.0	333	14.5	12.7-16.3	450	15.8	14.0-17.6	614	17.9	16.1-19.7	1078	25.1	23.3-26.9
White/Non-Hisp	3547	491,773	147	9.8	8.0-11.6	235	13.2	11.4-15.0	326	12.4	10.8-14.0	519	15.5	13.9-17.1	812	19.5	17.9-21.1	1508	29.5	27.7-31.3
Black or Afr. Am./Non-Hisp	716	156,693	45	11.3	7.6-15.0	99	19.4	15.1-23.7	93	16.7	13.0-20.4	129	17.8	14.3-21.3	175	18.5	15.2-21.8	175	16.3	13.4-19.2
Oth. Race/Non-Hisp.	203	35,752	17	13.7	4.5-22.9	40	33.1	22.7-43.5	36	20.7	12.5-28.9	39	13.5	8.0-19.0	30	8.4	3.7-13.1	41	10.7	5.6-15.8
MultiRacial/Non-Hisp.	80	5,510	7	10.6	2.6-18.6	11	14.3	5.1-23.5	14	31.2	13.6-48.8	14	17.3	7.3-27.3	13	11.4	3.8-19.0	21	15.3	7.7-22.9
Hispanic	546	60,658	93	24.1	18.2-30.0	129	25.8	20.7-30.9	149	26.0	20.9-31.1	84	13.7	10.2-17.2	49	5.8	3.6- 8.0	42	4.6	2.8- 6.4
Less Than H.S.	528	85,919	45	13.5	8.2-18.8	85	20.2	14.9-25.5	117	19.8	15.5-24.1	84	17.2	12.9-21.5	73	11.0	7.9-14.1	124	18.2	14.3-22.1
H.S. or G.E.D.	1487	242,049	133	16.9	13.8-20.0	132	13.6	10.7-16.5	152	11.3	9.1-13.5	196	13.7	11.3-16.1	342	19.1	16.7-21.5	532	25.4	22.9-27.9
Some Post-H.S.	1360	220,846	96	12.7	9.8-15.6	134	16.5	13.4-19.6	142	14.0	11.3-16.7	180	14.0	11.6-16.4	302	18.3	15.9-20.7	506	24.5	22.0-27.0
College Graduate	1832	217,463	38	3.5	2.1- 4.9	172	18.5	15.6-21.4	217	17.8	15.3-20.3	346	19.4	17.2-21.6	387	17.7	15.7-19.7	672	23.0	21.0-25.0
Less than \$15,000	399	48,631	29	13.0	6.9-19.1	53	20.6	14.5-26.7	59	16.1	11.0-21.2	60	15.3	9.8-20.8	100	18.3	14.0-22.6	98	16.7	12.4-21.0
\$15,000- 24,999	792	109,195	54	11.1	7.6-14.6	107	19.2	15.1-23.3	107	15.5	11.8-19.2	104	12.3	9.4-15.2	147	16.9	13.6-20.2	273	25.0	21.5-28.5
\$25,000- 34,999	406	53,859	28	13.6	7.9-19.3	41	15.6	10.5-20.7	50	12.7	8.4-17.0	49	12.6	8.5-16.7	58	11.1	7.8-14.4	180	34.4	28.7-40.1
\$35,000- 49,999	572	83,023	24	9.7	4.8-14.6	67	20.7	15.0-26.4	58	11.4	7.9-14.9	63	10.8	7.7-13.9	128	19.4	15.3-23.5	232	28.1	23.8-32.4
\$50,000- 74,999	648	94,135	22	7.1	3.0-11.2	69	20.7	15.4-26.0	70	15.6	11.5-19.7	91	13.2	10.1-16.3	141	17.9	14.4-21.4	255	25.5	21.6-29.4
\$75,000+	1437	235,224	59	8.4	6.0-10.8	114	15.0	12.1-17.9	197	18.5	15.8-21.2	319	22.6	19.9-25.3	350	18.7	16.5-20.9	398	16.8	14.8-18.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS  
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2312	367,423	157	12.2	10.0-14.4	238	17.4	14.9-19.9	297	15.2	13.2-17.2	359	15.9	13.9-17.9	494	17.2	15.4-19.0	767	22.1	20.3-23.9
White/Non-Hisp	1560	234,065	78	11.1	8.6-13.6	111	13.9	11.2-16.6	151	12.5	10.3-14.7	234	16.2	13.8-18.6	364	18.5	16.3-20.7	622	27.7	25.3-30.1
Black or Afr. Am./Non-Hisp	285	72,063	14	8.4	3.7-13.1	30	17.8	10.7-24.9	44	19.8	13.5-26.1	50	16.9	11.6-22.2	79	22.1	16.4-27.8	68	15.1	11.0-19.2
Oth. Race/Non-Hisp.	113	20,477	11	17.2	3.1-31.3	27	34.9	22.2-47.6	23	21.9	11.1-32.7	19	13.0	5.6-20.4	16	5.7	1.6- 9.8	17	7.3	2.2-12.4
Hispanic	254	28,334	47	26.9	18.7-35.1	56	27.4	19.6-35.2	69	21.8	15.3-28.3	42	14.3	9.0-19.6	20	5.0	2.1- 7.9	20	4.7	2.0- 7.4
Less Than H.S.	244	40,083	28	14.5	8.2-20.8	37	20.0	12.9-27.1	59	22.6	15.9-29.3	40	16.2	10.3-22.1	33	11.6	6.9-16.3	47	15.1	10.2-20.0
H.S. or G.E.D.	670	122,149	64	17.8	13.1-22.5	69	15.0	10.5-19.5	82	13.2	9.7-16.7	98	14.8	11.3-18.3	164	18.8	15.3-22.3	193	20.4	17.1-23.7
Some Post-H.S.	578	103,685	44	12.4	8.3-16.5	52	16.9	12.0-21.8	65	14.2	10.1-18.3	80	14.5	10.8-18.2	137	18.6	14.9-22.3	200	23.4	19.7-27.1
College Graduate	807	100,043	20	4.3	2.1- 6.5	79	19.9	15.6-24.2	90	15.8	12.3-19.3	139	18.3	15.0-21.6	158	16.1	13.4-18.8	321	25.5	22.4-28.6
Less than \$15,000	156	20,707	16	16.4	6.6-26.2	19	17.2	8.6-25.8	23	19.7	10.7-28.7	25	11.7	6.4-17.0	42	20.5	13.4-27.6	31	14.5	8.4-20.6
\$15,000- 24,999	320	44,216	19	8.1	4.0-12.2	44	20.0	13.3-26.7	49	16.3	10.4-22.2	47	13.5	9.0-18.0	69	20.3	14.8-25.8	92	21.7	16.4-27.0
\$25,000- 34,999	157	21,993	11	14.8	4.8-24.8	13	14.2	6.4-22.0	24	14.8	7.7-21.9	22	13.3	6.4-20.2	16	9.1	3.6-14.6	71	33.7	24.9-42.5
\$35,000- 49,999	270	43,344	14	8.1	3.4-12.8	35	22.8	14.0-31.6	32	12.6	7.1-18.1	27	10.5	6.0-15.0	61	18.8	12.5-25.1	101	27.2	20.9-33.5
\$50,000- 74,999	293	47,708	10	9.1	1.8-16.4	33	25.0	16.8-33.2	34	13.2	7.9-18.5	36	12.9	8.2-17.6	58	13.9	9.6-18.2	122	25.8	20.1-31.5
\$75,000+	739	127,692	39	10.7	7.2-14.2	62	15.0	11.3-18.7	96	17.7	13.8-21.6	148	21.9	18.0-25.8	178	17.3	14.4-20.2	216	17.4	14.7-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2921	401,701	158	10.8	8.6-13.0	288	15.8	13.6-18.0	333	14.5	12.7-16.3	450	15.8	14.0-17.6	614	17.9	16.1-19.7	1078	25.1	23.3-26.9
White/Non-Hisp	1987	257,708	69	8.6	6.2-11.0	124	12.5	10.0-15.0	175	12.4	10.2-14.6	285	15.0	13.0-17.0	448	20.4	18.2-22.6	886	31.2	28.8-33.6
Black or Afr. Am./Non-Hisp	431	84,630	31	13.9	8.4-19.4	69	20.7	15.4-26.0	49	14.0	9.5-18.5	79	18.6	13.7-23.5	96	15.5	11.8-19.2	107	17.3	13.2-21.4
Oth. Race/Non-Hisp.	90	15,275	6	9.1	0.5-17.7	13	30.6	13.0-48.2	13	19.0	6.5-31.5	20	14.2	5.8-22.6	14	12.0	2.8-21.2	24	15.2	5.8-24.6
Hispanic	292	32,324	46	21.6	13.4-29.8	73	24.4	17.9-30.9	80	29.8	22.4-37.2	42	13.2	8.3-18.1	29	6.5	3.6-9.4	22	4.6	2.1-7.1
Less Than H.S.	284	45,836	17	12.7	4.5-20.9	48	20.4	12.8-28.0	58	17.4	11.7-23.1	44	18.1	11.6-24.6	40	10.5	6.4-14.6	77	20.9	14.8-27.0
H.S. or G.E.D.	817	119,899	69	16.0	11.7-20.3	63	12.1	8.4-15.8	70	9.4	6.7-12.1	98	12.5	9.6-15.4	178	19.4	16.1-22.7	339	30.5	26.6-34.4
Some Post-H.S.	782	117,160	52	13.0	8.9-17.1	82	16.1	12.2-20.0	77	13.7	10.2-17.2	100	13.5	10.6-16.4	165	18.1	15.0-21.2	306	25.5	22.2-28.8
College Graduate	1025	117,421	18	2.8	1.2- 4.4	93	17.4	13.5-21.3	127	19.5	15.8-23.2	207	20.4	17.5-23.3	229	19.1	16.4-21.8	351	20.9	18.2-23.6
Less than \$15,000	243	27,924	13	10.6	2.8-18.4	34	23.0	14.8-31.2	36	13.4	7.9-18.9	35	18.0	9.6-26.4	58	16.7	11.2-22.2	67	18.3	12.4-24.2
\$15,000- 24,999	472	64,979	35	13.1	7.8-18.4	63	18.7	13.4-24.0	58	14.9	10.2-19.6	57	11.4	7.7-15.1	78	14.5	10.6-18.4	181	27.3	22.4-32.2
\$25,000- 34,999	249	31,866	17	12.8	6.3-19.3	28	16.5	10.0-23.0	26	11.3	5.8-16.8	27	12.1	7.0-17.2	42	12.5	8.0-17.0	109	34.8	27.4-42.2
\$35,000- 49,999	302	39,679	10	11.4	2.8-20.0	32	18.3	11.6-25.0	26	10.0	5.5-14.5	36	11.1	7.0-15.2	67	20.0	14.5-25.5	131	29.1	23.0-35.2
\$50,000- 74,999	355	46,427	12	5.1	2.0- 8.2	36	16.2	9.7-22.7	36	18.0	11.7-24.3	55	13.5	9.6-17.4	83	22.0	16.5-27.5	133	25.1	19.8-30.4
\$75,000+	698	107,532	20	5.7	2.8- 8.6	52	15.0	10.3-19.7	101	19.4	15.5-23.3	171	23.6	19.7-27.5	172	20.3	16.8-23.8	182	16.0	13.3-18.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5177	761,484	158	2.9	2.3- 3.5	80	1.1	0.9- 1.3	15	0.3	0.1- 0.5	288	3.6	3.0- 4.2	5	0.1	0.0- 0.3	4631	92.0	91.0-93.0
Male	2287	362,692	79	3.0	2.2- 3.8	35	0.9	0.5- 1.3	11	0.5	0.1- 0.9	126	3.2	2.4- 4.0	3	0.2	0.0- 0.4	2033	92.2	90.8-93.6
Female	2890	398,792	79	2.9	1.9- 3.9	45	1.2	0.8- 1.6	4	0.1	0.0- 0.3	162	3.9	3.1- 4.7	2	0.1	0.1- 0.1	2598	91.9	90.5-93.3
18-24	313	87,836	31	6.7	3.2-10.2	6	0.8	0.0- 1.6	3	1.2	0.0- 2.8	48	6.8	4.3- 9.3	5	1.0	0.0- 2.0	220	83.4	78.7-88.1
25-34	521	125,331	34	4.1	2.3- 5.9	18	1.9	0.9- 2.9	2	0.3	0.0- 0.7	75	6.3	4.3- 8.3				392	87.5	84.8-90.2
35-44	623	113,088	41	5.7	3.5- 7.9	14	1.2	0.4- 2.0	4	0.3	0.0- 0.7	90	6.8	4.8- 8.8				474	86.0	83.1-88.9
45-54	800	120,725	28	2.7	1.3- 4.1	22	1.7	0.9- 2.5	1	0.1	0.0- 0.3	33	2.5	1.3- 3.7				716	93.1	91.1-95.1
55-64	1096	133,702	12	0.6	0.2- 1.0	10	0.6	0.2- 1.0				27	1.5	0.7- 2.3				1047	97.4	96.4-98.4
65+	1824	180,803	12	0.5	0.1- 0.9	10	0.5	0.1- 0.9	5	0.1	0.0- 0.3	15	0.4	0.2- 0.6				1782	98.4	97.8-99.0
Less Than H.S.	525	85,262	83	13.5	10.0-17.0	21	2.4	1.2- 3.6	2	0.9	0.0- 2.5	135	14.2	10.9-17.5	1	0.2	0.0- 0.6	283	68.9	64.0-73.8
H.S. or G.E.D.	1473	238,938	41	2.9	1.9- 3.9	19	1.0	0.4- 1.6	3	0.2	0.0- 0.4	68	2.7	1.9- 3.5	2	0.2	0.0- 0.4	1340	93.2	91.6-94.8
Some Post-H.S.	1349	219,398	21	1.5	0.3- 2.7	23	1.1	0.5- 1.7	4	0.1	0.0- 0.3	40	2.1	1.1- 3.1	2	0.1	0.0- 0.3	1259	95.1	93.5-96.7
College Graduate	1806	215,203	12	0.3	0.1- 0.5	16	0.6	0.2- 1.0	6	0.3	0.0- 0.7	40	1.7	1.1- 2.3				1732	97.1	96.3-97.9
Less than \$15,000	395	47,936	27	5.9	3.4- 8.4	13	2.1	0.7- 3.5				46	10.0	6.3-13.7				309	82.1	77.4-86.8
\$15,000- 24,999	786	108,369	53	7.8	4.7-10.9	15	1.6	0.6- 2.6	3	0.1	0.0- 0.3	90	6.1	4.3- 7.9	1	0.2	0.0- 0.6	624	84.2	80.7-87.7
\$25,000- 34,999	405	53,785	14	4.3	1.4- 7.2	10	1.7	0.3- 3.1	2	0.4	0.0- 1.2	20	3.4	1.4- 5.4				359	90.2	86.5-93.9
\$35,000- 49,999	569	82,855	12	2.4	0.6- 4.2	7	1.1	0.3- 1.9	1	0.0	0.0- 0.0	24	3.3	1.3- 5.3				525	93.2	90.5-95.9
\$50,000- 74,999	641	92,831	8	1.7	0.1- 3.3	5	0.7	0.0- 1.5	2	0.1	0.0- 0.3	7	0.8	0.2- 1.4	1	0.1	0.0- 0.3	618	96.6	94.6-98.6
\$75,000+	1433	234,502	12	0.5	0.1- 0.9	11	0.4	0.2- 0.6	7	0.7	0.1- 1.3	31	1.7	0.9- 2.5				1372	96.7	95.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2287	362,692	79	3.0	2.2- 3.8	35	0.9	0.5- 1.3	11	0.5	0.1- 0.9	126	3.2	2.4- 4.0	3	0.2	0.0- 0.4	2033	92.2	90.8-93.6
18-24	155	44,257	16	5.4	1.9- 8.9	2	0.6	0.0- 1.6	1	1.5	0.0- 4.4	25	8.3	4.2-12.4	3	1.4	0.0- 3.0	108	82.8	76.5-89.1
25-34	233	61,776	16	5.0	2.3- 7.7	6	1.4	0.2- 2.6	1	0.5	0.0- 1.5	33	5.7	2.8- 8.6				177	87.4	83.1-91.7
35-44	295	55,157	17	4.2	1.5- 6.9	9	1.5	0.3- 2.7	3	0.7	0.0- 1.5	40	4.8	2.8- 6.8				226	88.8	85.3-92.3
45-54	356	58,246	17	3.6	1.4- 5.8	11	1.4	0.4- 2.4	1	0.1	0.0- 0.3	13	1.8	0.6- 3.0				314	93.1	90.4-95.8
55-64	492	62,803	6	0.6	0.0- 1.4	3	0.5	0.0- 1.3				11	1.1	0.3- 1.9				472	97.8	96.4-99.2
65+	756	80,453	7	0.7	0.1- 1.3	4	0.4	0.0- 1.0	5	0.3	0.0- 0.7	4	0.2	0.0- 0.4				736	98.4	97.4-99.4
Less Than H.S.	242	39,526	45	15.0	9.5-20.5	11	2.8	0.6- 5.0	2	1.8	0.0- 5.1	60	14.3	9.4-19.2				124	66.1	58.7-73.5
H.S. or G.E.D.	663	119,846	22	3.1	1.5- 4.7	8	0.9	0.1- 1.7	1	0.1	0.0- 0.3	36	2.9	1.5- 4.3	2	0.4	0.0- 1.0	594	92.6	90.4-94.8
Some Post-H.S.	573	103,001	9	1.1	0.1- 2.1	9	0.6	0.2- 1.0	2	0.1	0.0- 0.3	11	1.0	0.0- 2.0	1	0.2	0.0- 0.6	541	97.0	95.6-98.4
College Graduate	796	98,858	3	0.1	0.0- 0.3	7	0.6	0.0- 1.2	6	0.7	0.0- 1.5	18	1.6	0.6- 2.6				762	97.0	95.8-98.2
Less than \$15,000	154	20,143	15	8.2	3.5-12.9	5	2.0	0.0- 4.4				16	9.0	3.5-14.5				118	80.7	73.3-88.1
\$15,000- 24,999	317	43,603	23	7.3	3.8-10.8	9	1.8	0.2- 3.4	2	0.3	0.0- 0.7	43	7.4	4.5-10.3	1	0.5	0.0- 1.5	239	82.7	77.8-87.6
\$25,000- 34,999	157	21,993	11	8.0	1.7-14.3	2	0.3	0.0- 0.7				11	4.5	1.2- 7.8				133	87.1	80.2-94.0
\$35,000- 49,999	270	43,344	9	4.2	1.1- 7.3	3	1.0	0.0- 2.2	1	0.1	0.0- 0.3	14	3.9	0.6- 7.2				243	90.8	86.3-95.3
\$50,000- 74,999	288	46,481	3	1.5	0.0- 3.7	2	0.4	0.0- 1.0	2	0.2	0.0- 0.6	3	0.6	0.0- 1.4				278	97.2	94.8-99.6
\$75,000+	737	127,388	7	0.6	0.0- 1.2	6	0.4	0.0- 0.8	6	1.1	0.0- 2.3	18	1.7	0.5- 2.9				700	96.2	94.4-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	398,792	79	2.9	1.9- 3.9	45	1.2	0.8- 1.6	4	0.1	0.0- 0.3	162	3.9	3.1- 4.7	2	0.1	0.1- 0.1	2598	91.9	90.5-93.3
18-24	158	43,579	15	8.1	1.8-14.4	4	1.1	0.0- 2.3	2	0.8	0.0- 2.0	23	5.4	2.5- 8.3	2	0.6	0.0- 1.4	112	84.0	76.9-91.1
25-34	288	63,555	18	3.2	1.2- 5.2	12	2.4	0.8- 4.0	1	0.1	0.0- 0.3	42	6.8	4.1- 9.5				215	87.6	83.9-91.3
35-44	328	57,930	24	7.1	3.8-10.4	5	0.9	0.0- 1.9	1	0.0	0.0- 0.0	50	8.6	5.5-11.7				248	83.4	78.9-87.9
45-54	444	62,478	11	1.8	0.4- 3.2	11	1.9	0.5- 3.3				20	3.1	1.3- 4.9				402	93.2	90.7-95.7
55-64	604	70,899	6	0.5	0.1- 0.9	7	0.6	0.0- 1.2				16	1.8	0.6- 3.0				575	97.0	95.6-98.4
65+	1068	100,350	5	0.4	0.0- 0.8	6	0.5	0.0- 1.1				11	0.5	0.1- 0.9				1046	98.5	97.7-99.3
Less Than H.S.	283	45,737	38	12.2	7.5-16.9	10	2.0	0.6- 3.4				75	14.2	9.9-18.5	1	0.3	0.0- 0.9	159	71.3	64.6-78.0
H.S. or G.E.D.	810	119,093	19	2.6	1.2- 4.0	11	1.1	0.3- 1.9	2	0.2	0.0- 0.6	32	2.4	1.2- 3.6				746	93.7	91.7-95.7
Some Post-H.S.	776	116,397	12	1.8	0.0- 4.0	14	1.5	0.5- 2.5	2	0.2	0.0- 0.4	29	3.1	1.5- 4.7	1	0.1	0.0- 0.3	718	93.4	90.7-96.1
College Graduate	1010	116,346	9	0.5	0.1- 0.9	9	0.5	0.1- 0.9				22	1.8	0.8- 2.8				970	97.2	96.2-98.2
Less than \$15,000	241	27,794	12	4.1	1.2- 7.0	8	2.1	0.3- 3.9				30	10.7	5.8-15.6				191	83.0	77.1-88.9
\$15,000- 24,999	469	64,766	30	8.2	3.7-12.7	6	1.4	0.2- 2.6	1	0.1	0.0- 0.3	47	5.2	3.2- 7.2				385	85.2	80.3-90.1
\$25,000- 34,999	248	31,793	3	1.8	0.0- 4.0	8	2.7	0.3- 5.1	2	0.7	0.0- 1.9	9	2.6	0.2- 5.0				226	92.3	88.4-96.2
\$35,000- 49,999	299	39,511	3	0.4	0.0- 0.8	4	1.2	0.0- 2.4				10	2.7	0.3- 5.1				282	95.8	93.3-98.3
\$50,000- 74,999	353	46,350	5	2.0	0.0- 4.5	3	0.9	0.0- 2.3				4	1.0	0.0- 2.0	1	0.2	0.0- 0.6	340	95.9	93.0-98.8
\$75,000+	696	107,114	5	0.3	0.0- 0.7	5	0.5	0.0- 1.1	1	0.2	0.0- 0.6	13	1.6	0.6- 2.6				672	97.4	96.2-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4996	739,360	4705	96.6	96.0-97.2	82	0.8	0.6- 1.0	13	0.1	0.1- 0.1	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	191	2.3	1.9- 2.7
Male	2209	352,498	2065	96.1	95.3-96.9	35	0.7	0.5- 0.9	6	0.1	0.0- 0.3	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3	99	2.9	2.1- 3.7
Female	2787	386,862	2640	97.1	96.5-97.7	47	1.0	0.6- 1.4	7	0.1	0.1- 0.1	1	0.0	0.0- 0.0				92	1.8	1.4- 2.2
18-24	291	83,100	264	97.1	95.9-98.3	9	1.0	0.4- 1.6	1	0.1	0.0- 0.3							17	1.8	0.8- 2.8
25-34	487	120,397	433	94.9	93.1-96.7	13	0.9	0.3- 1.5	2	0.1	0.0- 0.3	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6	36	3.6	2.0- 5.2
35-44	584	109,113	510	92.9	90.7-95.1	17	1.8	0.6- 3.0	3	0.2	0.0- 0.4							54	5.1	3.1- 7.1
45-54	771	116,864	723	97.0	96.0-98.0	11	0.7	0.3- 1.1	3	0.2	0.0- 0.4							34	2.2	1.2- 3.2
55-64	1074	131,530	1034	98.1	97.3-98.9	12	0.4	0.0- 0.8	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0				25	1.4	0.8- 2.0
65+	1789	178,355	1741	98.6	98.2-99.0	20	0.5	0.3- 0.7	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0				25	0.8	0.4- 1.2
Less Than H.S.	460	78,262	358	87.6	84.5-90.7	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3							98	11.9	8.8-15.0
H.S. or G.E.D.	1432	232,585	1360	97.3	96.5-98.1	31	1.1	0.5- 1.7	1	0.0	0.0- 0.0	2	0.0	0.0- 0.0				38	1.5	0.9- 2.1
Some Post-H.S.	1315	214,648	1256	97.7	96.9-98.5	23	0.9	0.5- 1.3	3	0.1	0.1- 0.1							33	1.3	0.7- 1.9
College Graduate	1769	212,031	1714	98.3	97.7-98.9	25	0.6	0.2- 1.0	8	0.2	0.0- 0.4	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	19	0.6	0.2- 1.0
Less than \$15,000	371	45,159	325	93.9	91.7-96.1	12	1.6	0.6- 2.6	4	0.6	0.0- 1.2							30	3.9	2.1- 5.7
\$15,000- 24,999	749	104,191	668	93.0	90.8-95.2	13	1.3	0.1- 2.5	1	0.0	0.0- 0.0							67	5.6	3.8- 7.4
\$25,000- 34,999	388	51,882	363	96.6	94.6-98.6	8	0.9	0.1- 1.7	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3				14	2.3	0.5- 4.1
\$35,000- 49,999	555	80,541	528	96.9	95.3-98.5	10	0.8	0.2- 1.4	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3				14	2.0	0.4- 3.6
\$50,000- 74,999	633	92,281	612	98.3	97.5-99.1	9	0.6	0.2- 1.0	2	0.2	0.0- 0.4							10	1.0	0.2- 1.8
\$75,000+	1408	230,987	1374	98.5	97.9-99.1	17	0.6	0.2- 1.0	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	12	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2209	352,498	2065	96.1	95.3-96.9	35	0.7	0.5- 0.9	6	0.1	0.0- 0.3	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3	99	2.9	2.1- 3.7
18-24	144	41,968	129	96.6	94.6-98.6	5	1.1	0.1- 2.1	1	0.2	0.0- 0.6							9	2.0	0.4- 3.6
25-34	219	59,483	190	93.4	90.5-96.3	5	0.8	0.0- 1.6	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6	1	0.4	0.0- 1.2	20	4.6	2.1- 7.1
35-44	280	53,606	236	91.8	88.5-95.1	7	1.1	0.1- 2.1	2	0.2	0.0- 0.6							35	6.9	3.8-10.0
45-54	344	56,515	322	96.5	94.7-98.3	4	0.4	0.0- 0.8										18	3.0	1.2- 4.8
55-64	482	61,802	466	98.5	97.5-99.5	6	0.3	0.1- 0.5	1	0.1	0.0- 0.3							9	1.1	0.1- 2.1
65+	740	79,124	722	98.8	98.0-99.6	8	0.4	0.0- 0.8	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3				8	0.7	0.1- 1.3
Less Than H.S.	218	36,796	163	84.7	79.4-90.0													55	15.3	10.0-20.6
H.S. or G.E.D.	640	116,094	602	97.0	95.8-98.2	15	0.9	0.3- 1.5				2	0.1	0.0- 0.3				21	2.0	0.8- 3.2
Some Post-H.S.	557	100,697	537	97.9	96.7-99.1	7	0.7	0.1- 1.3	1	0.1	0.0- 0.3							12	1.3	0.3- 2.3
College Graduate	784	97,961	754	97.7	96.5-98.9	13	0.6	0.2- 1.0	5	0.3	0.0- 0.7	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	10	0.8	0.2- 1.4
Less than \$15,000	146	18,695	124	92.1	88.0-96.2	6	1.3	0.1- 2.5	1	0.5	0.0- 1.5							15	6.0	2.3- 9.7
\$15,000- 24,999	298	41,383	256	90.3	86.6-94.0	3	0.8	0.0- 2.0										39	8.9	5.4-12.4
\$25,000- 34,999	146	20,687	135	95.4	91.3-99.5	2	0.6	0.0- 1.6	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				7	3.7	0.0- 7.8
\$35,000- 49,999	262	41,821	248	95.9	93.2-98.6	6	0.8	0.0- 1.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				6	2.9	0.2- 5.6
\$50,000- 74,999	285	46,478	273	98.0	96.6-99.4	4	0.5	0.0- 1.1	1	0.1	0.0- 0.3							7	1.4	0.2- 2.6
\$75,000+	724	125,363	704	98.4	97.4-99.4	9	0.5	0.1- 0.9	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	386,862	2640	97.1	96.5-97.7	47	1.0	0.6- 1.4	7	0.1	0.1- 0.1	1	0.0	0.0- 0.0	92	1.8	1.4- 2.2
18-24	147	41,132	135	97.6	96.0-99.2	4	0.8	0.0- 1.6							8	1.6	0.4- 2.8
25-34	268	60,914	243	96.3	94.3-98.3	8	1.0	0.2- 1.8	1	0.1	0.0- 0.3				16	2.6	1.0- 4.2
35-44	304	55,508	274	94.0	91.1-96.9	10	2.5	0.3- 4.7	1	0.1	0.0- 0.3				19	3.4	1.2- 5.6
45-54	427	60,349	401	97.4	96.2-98.6	7	0.9	0.1- 1.7	3	0.3	0.0- 0.7				16	1.5	0.7- 2.3
55-64	592	69,728	568	97.8	96.6-99.0	6	0.6	0.0- 1.2	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	16	1.6	0.6- 2.6
65+	1049	99,231	1019	98.5	97.9-99.1	12	0.6	0.2- 1.0	1	0.1	0.0- 0.3				17	0.8	0.2- 1.4
Less Than H.S.	242	41,466	195	90.1	86.4-93.8	3	0.9	0.0- 1.9	1	0.2	0.0- 0.6				43	8.8	5.3-12.3
H.S. or G.E.D.	792	116,491	758	97.7	96.5-98.9	16	1.3	0.3- 2.3	1	0.1	0.0- 0.3				17	1.0	0.4- 1.6
Some Post-H.S.	758	113,951	719	97.6	96.6-98.6	16	1.0	0.4- 1.6	2	0.0	0.0- 0.0				21	1.4	0.6- 2.2
College Graduate	985	114,071	960	98.7	98.1-99.3	12	0.7	0.3- 1.1	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	9	0.3	0.1- 0.5
Less than \$15,000	225	26,464	201	95.1	92.7-97.5	6	1.8	0.2- 3.4	3	0.6	0.0- 1.4				15	2.5	1.1- 3.9
\$15,000- 24,999	451	62,808	412	94.8	92.4-97.2	10	1.7	0.0- 3.5	1	0.0	0.0- 0.0				28	3.5	1.9- 5.1
\$25,000- 34,999	242	31,195	228	97.4	95.8-99.0	6	1.1	0.1- 2.1				1	0.1	0.0- 0.3	7	1.5	0.1- 2.9
\$35,000- 49,999	293	38,721	280	98.0	96.6-99.4	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6				8	1.1	0.1- 2.1
\$50,000- 74,999	348	45,803	339	98.6	97.4-99.8	5	0.7	0.1- 1.3	1	0.2	0.0- 0.6				3	0.6	0.0- 1.4
\$75,000+	684	105,624	670	98.7	97.9-99.5	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3				5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	75	5,646	32	40.0	23.9-56.1	24	28.8	16.5-41.1	11	19.3	1.3-37.3	6	9.3	2.2-16.4	1	0.9	0.0-2.7	1	1.8	0.0-5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5177	760,504	2567	50.2	48.4-52.0	746	10.9	9.9-11.9	572	6.8	6.0- 7.6	138	2.5	1.9- 3.1	927	25.0	23.2-26.8	227	4.6	3.8- 5.4
Male	2287	363,682	1233	51.9	49.2-54.6	287	9.5	8.1-10.9	146	4.0	3.2- 4.8	57	2.6	1.8- 3.4	458	27.0	24.3-29.7	106	5.1	3.7- 6.5
Female	2890	396,823	1334	48.6	46.1-51.1	459	12.3	10.9-13.7	426	9.4	8.2-10.6	81	2.4	1.6- 3.2	469	23.2	20.7-25.7	121	4.1	3.1- 5.1
White/Non-Hisp	3526	487,820	1913	54.9	52.7-57.1	535	11.6	10.4-12.8	447	7.8	6.8- 8.8	61	1.7	1.1- 2.3	462	19.8	17.8-21.8	108	4.2	3.2- 5.2
Black or Afr. Am./Non-Hisp	708	155,158	251	36.6	31.9-41.3	110	12.1	9.4-14.8	65	6.1	4.1- 8.1	29	3.4	1.8- 5.0	234	38.6	33.7-43.5	19	3.3	1.3- 5.3
Oth. Race/Non-Hisp.	202	35,732	99	61.5	51.5-71.5	28	4.9	2.5- 7.3	13	1.9	0.5- 3.3	7	2.8	0.3- 5.3	50	27.6	17.8-37.4	5	1.2	0.0- 2.4
MultiRacial/Non-Hisp.	80	5,510	29	31.5	18.6-44.4	13	22.8	5.2-40.4	7	4.9	0.6- 9.2	3	2.1	0.0- 5.2	24	30.7	18.0-43.4	4	7.9	0.0-15.9
Hispanic	539	60,240	210	42.7	36.8-48.6	47	5.9	3.7- 8.1	20	2.5	1.1- 3.9	36	6.5	3.8- 9.2	140	30.0	24.1-35.9	86	12.4	9.3-15.5
18-24	310	86,585	24	5.7	3.2- 8.2	4	0.6	0.0- 1.2				8	1.9	0.5- 3.3	247	83.8	79.1-88.5	27	8.0	4.3-11.7
25-34	520	126,336	188	39.4	33.9-44.9	20	3.5	1.7- 5.3	1	0.0	0.0- 0.0	22	3.6	1.6- 5.6	221	43.5	37.8-49.2	68	10.0	6.9-13.1
35-44	625	113,059	335	56.3	51.4-61.2	73	11.3	8.2-14.4	8	0.8	0.0- 1.6	23	3.1	1.5- 4.7	126	21.3	17.2-25.4	60	7.2	4.7- 9.7
45-54	790	118,882	465	64.8	60.7-68.9	153	15.5	12.8-18.2	18	1.7	0.7- 2.7	25	2.9	1.3- 4.5	107	13.0	9.9-16.1	22	2.1	0.9- 3.3
55-64	1097	133,979	605	61.0	57.5-64.5	224	18.4	15.7-21.1	74	5.9	4.1- 7.7	31	2.2	1.2- 3.2	136	10.6	8.4-12.8	27	1.9	1.1- 2.7
65+	1835	181,663	950	57.5	54.8-60.2	272	12.3	10.5-14.1	471	22.4	20.0-24.8	29	1.5	0.7- 2.3	90	4.9	3.7- 6.1	23	1.3	0.7- 1.9
Less Than H.S.	522	84,734	185	38.8	32.9-44.7	67	9.9	7.0-12.8	57	8.2	5.3-11.1	36	5.7	3.2- 8.2	110	28.9	22.8-35.0	67	8.5	5.4-11.6
H.S. or G.E.D.	1472	238,674	622	42.8	39.3-46.3	224	12.1	10.1-14.1	210	8.5	7.1- 9.9	47	2.6	1.6- 3.6	312	29.2	25.7-32.7	57	4.7	3.1- 6.3
Some Post-H.S.	1350	219,736	634	46.7	43.2-50.2	227	12.4	10.4-14.4	146	6.9	5.5- 8.3	37	2.7	1.5- 3.9	254	26.4	22.9-29.9	52	4.9	3.1- 6.7
College Graduate	1812	215,289	1120	66.4	63.5-69.3	222	8.5	7.1- 9.9	156	4.2	3.4- 5.0	16	0.7	0.1- 1.3	249	17.6	15.1-20.1	49	2.6	1.6- 3.6
Less than \$15,000	391	46,891	65	19.5	14.0-25.0	102	19.6	14.9-24.3	56	9.9	6.4-13.4	32	7.0	3.9-10.1	118	38.8	31.7-45.9	18	5.1	1.8- 8.4
\$15,000- 24,999	787	108,457	227	31.6	27.3-35.9	157	17.1	13.6-20.6	134	10.8	8.4-13.2	22	3.0	1.2- 4.8	178	29.6	24.9-34.3	69	8.0	5.3-10.7
\$25,000- 34,999	403	53,668	152	36.3	30.2-42.4	65	13.0	9.3-16.7	64	10.3	7.0-13.6	14	4.1	1.6- 6.6	92	31.0	24.5-37.5	16	5.4	2.3- 8.5
\$35,000- 49,999	569	82,512	266	50.2	44.3-56.1	95	12.0	9.1-14.9	73	7.2	5.2- 9.2	17	2.5	0.9- 4.1	97	25.1	19.2-31.0	21	3.1	1.5- 4.7
\$50,000- 74,999	648	94,135	350	51.4	45.9-56.9	107	13.7	10.6-16.8	44	4.5	2.7- 6.3	16	2.9	0.9- 4.9	106	23.2	17.9-28.5	25	4.3	1.9- 6.7
\$75,000+	1429	233,664	1060	70.2	66.9-73.5	117	6.4	5.0- 7.8	60	2.5	1.7- 3.3	14	1.2	0.4- 2.0	137	15.0	12.1-17.9	41	4.7	2.9- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS  
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2287	363,682	1233	51.9	49.2-54.6	287	9.5	8.1-10.9	146	4.0	3.2- 4.8	57	2.6	1.8- 3.4	458	27.0	24.3-29.7	106	5.1	3.7- 6.5
White/Non-Hisp	1548	231,998	909	55.5	52.4-58.6	200	9.9	8.3-11.5	111	4.3	3.3- 5.3	28	1.9	0.9- 2.9	246	23.6	20.5-26.7	54	4.8	3.2- 6.4
Black or Afr. Am./Non-Hisp	284	71,994	123	45.4	37.8-53.0	45	11.1	7.4-14.8	16	4.1	1.7- 6.5	15	4.5	1.8- 7.2	76	30.7	23.3-38.1	9	4.1	0.8- 7.4
Oth. Race/Non-Hisp.	112	20,457	52	52.5	38.6-66.4	14	3.6	1.1- 6.1	5	0.7	0.0- 1.5	1	0.4	0.0- 1.2	38	42.0	27.9-56.1	2	0.7	0.0- 1.7
Hispanic	249	28,116	102	41.8	33.4-50.2	14	4.5	1.6- 7.4	7	2.0	0.0- 4.0	12	5.7	1.4-10.0	78	34.3	25.9-42.7	36	11.7	6.8-16.6
18-24	155	44,326	11	4.9	1.6- 8.2	1	0.2	0.0- 0.6				4	2.3	0.0- 4.7	125	82.4	75.3-89.5	14	10.1	4.0-16.2
25-34	234	62,965	84	37.7	29.9-45.5	6	2.6	0.2- 5.0	1	0.1	0.0- 0.3	7	3.7	0.6- 6.8	110	46.6	38.4-54.8	26	9.3	5.0-13.6
35-44	294	55,244	148	52.8	45.4-60.2	33	10.5	6.4-14.6	1	0.2	0.0- 0.6	8	2.4	0.2- 4.6	69	24.7	18.4-31.0	35	9.5	5.0-14.0
45-54	350	57,190	206	66.3	60.4-72.2	64	15.0	10.9-19.1	7	1.7	0.0- 3.5	8	1.9	0.0- 3.9	54	13.4	9.3-17.5	11	1.8	0.4- 3.2
55-64	490	62,718	283	62.3	57.0-67.6	97	17.6	13.5-21.7	19	3.8	1.6- 6.0	15	2.8	1.2- 4.4	67	12.1	8.8-15.4	9	1.4	0.2- 2.6
65+	764	81,240	501	69.6	65.7-73.5	86	9.1	6.9-11.3	118	13.4	10.7-16.1	15	2.2	0.8- 3.6	33	4.3	2.5- 6.1	11	1.4	0.4- 2.4
Less Than H.S.	240	39,527	87	37.6	29.8-45.4	26	9.5	5.2-13.8	19	6.1	2.8- 9.4	12	4.6	1.5- 7.7	62	33.6	25.6-41.6	34	8.6	4.9-12.3
H.S. or G.E.D.	662	120,888	308	44.7	39.6-49.8	97	11.2	8.5-13.9	50	4.3	2.7- 5.9	16	2.5	0.9- 4.1	159	31.3	26.0-36.6	32	6.0	3.5- 8.5
Some Post-H.S.	573	103,047	301	50.5	45.0-56.0	83	10.4	7.7-13.1	34	3.9	2.3- 5.5	19	3.4	1.4- 5.4	112	26.0	20.9-31.1	24	5.8	2.9- 8.7
College Graduate	802	99,269	532	67.5	63.2-71.8	78	6.4	4.6- 8.2	42	2.7	1.7- 3.7	10	0.9	0.1- 1.7	124	20.4	16.5-24.3	16	2.1	0.7- 3.5
Less than \$15,000	151	20,104	26	20.7	11.7-29.7	37	18.3	11.6-25.0	18	7.7	3.6-11.8	5	4.2	0.0- 8.5	59	45.2	34.4-56.0	6	4.0	0.0- 8.3
\$15,000- 24,999	317	43,953	110	35.6	28.7-42.5	57	15.7	10.6-20.8	32	5.7	3.2- 8.2	9	1.6	0.4- 2.8	77	30.1	23.0-37.2	32	11.3	5.8-16.8
\$25,000- 34,999	156	21,939	67	37.8	28.0-47.6	23	10.1	5.4-14.8	17	8.5	3.8-13.2	8	6.9	1.2-12.6	31	27.9	17.1-38.7	10	8.8	2.5-15.1
\$35,000- 49,999	269	42,961	141	55.3	46.9-63.7	36	9.3	5.8-12.8	22	4.7	2.3- 7.1	9	2.7	0.7- 4.7	48	23.9	15.9-31.9	13	4.0	1.3- 6.7
\$50,000- 74,999	293	47,708	167	50.1	41.9-58.3	40	10.7	6.6-14.8	13	3.3	0.9- 5.7	11	4.8	1.1- 8.5	54	29.1	20.5-37.7	8	1.9	0.0- 3.9
\$75,000+	736	126,554	537	67.0	62.3-71.7	60	6.4	4.4- 8.4	19	1.5	0.5- 2.5	7	1.3	0.1- 2.5	88	18.3	14.2-22.4	25	5.6	3.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS  
 TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2890	396,823	1334	48.6	46.1-51.1	459	12.3	10.9-13.7	426	9.4	8.2-10.6	81	2.4	1.6- 3.2	469	23.2	20.7-25.7	121	4.1	3.1- 5.1
White/Non-Hisp	1978	255,823	1004	54.3	51.4-57.2	335	13.0	11.2-14.8	336	11.0	9.4-12.6	33	1.6	1.0- 2.2	216	16.5	13.8-19.2	54	3.6	2.2- 5.0
Black or Afr. Am./Non-Hisp	424	83,163	128	28.9	23.4-34.4	65	12.9	9.0-16.8	49	7.7	5.0-10.4	14	2.5	0.5- 4.5	158	45.4	38.9-51.9	10	2.6	0.6- 4.6
Oth. Race/Non-Hisp.	90	15,275	47	73.5	62.3-84.7	14	6.5	2.0-11.0	8	3.6	0.7- 6.5	6	6.0	0.1-11.9	12	8.4	1.9-14.9	3	2.0	0.0- 4.4
Hispanic	290	32,125	108	43.6	35.6-51.6	33	7.1	3.8-10.4	13	2.9	0.7- 5.1	24	7.2	3.7-10.7	62	26.2	17.8-34.6	50	13.0	8.7-17.3
18-24	155	42,259	13	6.6	2.5-10.7	3	0.9	0.0- 2.1				4	1.4	0.0- 3.0	122	85.2	79.1-91.3	13	5.9	2.0- 9.8
25-34	286	63,371	104	41.0	33.4-48.6	14	4.5	1.8- 7.2				15	3.5	1.3- 5.7	111	40.5	33.1-47.9	42	10.6	5.9-15.3
35-44	331	57,814	187	59.6	52.9-66.3	40	12.0	7.3-16.7	7	1.5	0.0- 3.1	15	3.7	1.3- 6.1	57	18.1	12.8-23.4	25	5.0	2.5- 7.5
45-54	440	61,693	259	63.5	57.8-69.2	89	16.0	12.3-19.7	11	1.6	0.6- 2.6	17	3.8	1.4- 6.2	53	12.7	8.2-17.2	11	2.3	0.7- 3.9
55-64	607	71,261	322	59.8	55.1-64.5	127	19.2	15.5-22.9	55	7.8	5.3-10.3	16	1.6	0.6- 2.6	69	9.3	6.8-11.8	18	2.4	1.2- 3.6
65+	1071	100,424	449	47.8	43.9-51.7	186	14.9	12.4-17.4	353	29.7	26.2-33.2	14	1.0	0.4- 1.6	57	5.4	3.6- 7.2	12	1.2	0.4- 2.0
Less Than H.S.	282	45,207	98	39.9	31.5-48.3	41	10.2	6.3-14.1	38	10.1	5.6-14.6	24	6.7	2.8-10.6	48	24.7	15.9-33.5	33	8.4	3.5-13.3
H.S. or G.E.D.	810	117,787	314	40.8	36.3-45.3	127	13.1	10.2-16.0	160	12.8	10.3-15.3	31	2.7	1.5- 3.9	153	27.2	22.3-32.1	25	3.4	1.6- 5.2
Some Post-H.S.	777	116,689	333	43.4	38.7-48.1	144	14.2	11.3-17.1	112	9.5	7.3-11.7	18	2.0	0.8- 3.2	142	26.8	21.9-31.7	28	4.2	2.2- 6.2
College Graduate	1010	116,020	588	65.4	61.5-69.3	144	10.3	8.1-12.5	114	5.5	4.3- 6.7	6	0.6	0.0- 1.2	125	15.2	11.9-18.5	33	3.0	1.8- 4.2
Less than \$15,000	240	26,787	39	18.6	11.9-25.3	65	20.6	14.3-26.9	38	11.6	6.5-16.7	27	9.2	4.9-13.5	59	34.0	24.8-43.2	12	6.0	1.1-10.9
\$15,000- 24,999	470	64,504	117	28.9	23.2-34.6	100	18.0	13.3-22.7	102	14.2	10.9-17.5	13	3.9	1.2- 6.6	101	29.3	23.0-35.6	37	5.7	3.3- 8.1
\$25,000- 34,999	247	31,729	85	35.2	27.4-43.0	42	15.0	9.7-20.3	47	11.5	6.8-16.2	6	2.1	0.1- 4.1	61	33.1	24.9-41.3	6	3.1	0.0- 6.2
\$35,000- 49,999	300	39,551	125	44.7	36.9-52.5	59	14.9	10.2-19.6	51	9.8	6.5-13.1	8	2.2	0.0- 4.4	49	26.4	17.6-35.2	8	2.0	0.4- 3.6
\$50,000- 74,999	355	46,427	183	52.7	45.6-59.8	67	16.8	12.1-21.5	31	5.8	3.3- 8.3	5	0.8	0.0- 1.6	52	17.1	11.4-22.8	17	6.8	2.7-10.9
\$75,000+	693	107,110	523	74.0	69.3-78.7	57	6.5	4.5- 8.5	41	3.7	2.3- 5.1	7	1.1	0.1- 2.1	49	11.1	7.2-15.0	16	3.6	1.2- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5207	766,277	30	0.4	0.2- 0.6	197	3.3	2.7- 3.9	301	7.6	6.4- 8.8	1487	31.6	29.8-33.4	1360	28.8	27.0-30.6	1832	28.4	26.8-30.0
Male	2299	365,961	13	0.4	0.2- 0.6	95	3.3	2.5- 4.1	136	7.3	5.7- 8.9	670	33.4	30.7-36.1	578	28.3	25.8-30.8	807	27.3	25.1-29.5
Female	2908	400,316	17	0.3	0.1- 0.5	102	3.3	2.3- 4.3	165	7.8	6.0- 9.6	817	30.0	27.6-32.4	782	29.3	26.9-31.7	1025	29.3	27.1-31.5
White/Non-Hisp	3541	491,345	1	0.0	0.0- 0.0	38	1.4	0.8- 2.0	148	6.1	4.7- 7.5	1011	30.8	28.8-32.8	973	30.6	28.6-32.6	1370	31.1	29.1-33.1
Black or Afr. Am./Non-Hisp	712	156,161	2	0.3	0.0- 0.7	11	1.9	0.5- 3.3	62	10.0	7.3-12.7	244	37.6	32.7-42.5	200	30.2	25.7-34.7	193	20.1	16.8-23.4
Oth. Race/Non-Hisp.	198	35,280	1	0.3	0.0- 0.9	5	1.9	0.0- 3.9	8	3.5	0.2- 6.8	35	20.2	9.8-30.6	45	17.1	9.3-24.9	104	57.1	46.3-67.9
MultiRacial/Non-Hisp.	80	5,510							3	5.7	0.0-12.4	28	37.3	21.0-53.6	20	28.3	15.2-41.4	29	28.7	16.5-40.9
Hispanic	539	59,879	24	3.1	1.5- 4.7	142	23.7	19.0-28.4	76	17.4	12.5-22.3	133	27.3	22.0-32.6	90	18.0	12.7-23.3	74	10.4	7.5-13.3
18-24	312	88,187	1	0.1	0.0- 0.3	12	1.5	0.5- 2.5	32	11.5	6.2-16.8	133	46.4	39.1-53.7	96	31.8	25.1-38.5	38	8.6	5.3-11.9
25-34	523	126,975	4	0.4	0.0- 0.8	39	3.6	2.2- 5.0	42	9.7	6.2-13.2	132	25.9	20.8-31.0	134	28.7	23.6-33.8	172	31.7	26.8-36.6
35-44	628	113,916	9	0.7	0.1- 1.3	62	6.4	4.2- 8.6	46	7.9	5.2-10.6	152	24.0	19.7-28.3	142	27.1	22.4-31.8	217	34.0	29.3-38.7
45-54	806	121,157	7	0.5	0.1- 0.9	26	4.1	2.1- 6.1	51	7.6	5.1-10.1	196	27.4	23.3-31.5	180	25.5	21.6-29.4	346	34.9	31.0-38.8
55-64	1104	134,782	4	0.3	0.0- 0.7	29	2.5	1.1- 3.9	40	4.2	2.6- 5.8	342	34.3	30.6-38.0	302	30.0	26.5-33.5	387	28.6	25.5-31.7
65+	1834	181,260	5	0.2	0.0- 0.4	29	1.9	1.1- 2.7	90	6.6	4.8- 8.4	532	33.9	31.2-36.6	506	29.8	27.3-32.3	672	27.6	25.2-30.0
Less than \$15,000	398	48,373	2	0.6	0.0- 1.6	35	7.3	4.4-10.2	69	21.6	15.9-27.3	162	41.5	34.4-48.6	92	21.6	16.1-27.1	38	7.4	4.3-10.5
\$15,000- 24,999	785	108,540	10	0.8	0.2- 1.4	67	7.0	4.6- 9.4	89	13.7	10.4-17.0	333	47.2	42.5-51.9	175	21.9	17.8-26.0	111	9.5	7.1-11.9
\$25,000- 34,999	406	53,859	2	0.3	0.0- 0.7	17	4.9	2.0- 7.8	24	8.0	4.3-11.7	144	36.5	30.4-42.6	138	37.3	30.8-43.8	81	13.1	9.4-16.8
\$35,000- 49,999	572	83,023	4	0.5	0.0- 1.1	4	0.7	0.0- 1.5	25	6.8	3.5-10.1	198	41.0	34.9-47.1	196	32.6	27.5-37.7	145	18.4	14.5-22.3
\$50,000- 74,999	647	94,074				9	1.8	0.2- 3.4	9	2.9	0.7- 5.1	139	28.1	22.6-33.6	222	38.4	33.1-43.7	268	28.9	24.6-33.2
\$75,000+	1435	234,971				3	0.2	0.0- 0.4	22	2.7	1.3- 4.1	190	16.7	14.0-19.4	307	28.2	24.9-31.5	913	52.2	48.9-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	365,961	13	0.4	0.2- 0.6	95	3.3	2.5- 4.1	136	7.3	5.7- 8.9	670	33.4	30.7-36.1	578	28.3	25.8-30.8	807	27.3	25.1-29.5
White/Non-Hisp	1557	233,914				20	1.7	0.9- 2.5	61	5.5	3.9- 7.1	444	31.9	28.8-35.0	425	30.7	27.8-33.6	607	30.2	27.5-32.9
Black or Afr. Am./Non-Hisp	283	71,736	1	0.2	0.0- 0.6	4	1.3	0.0- 2.7	26	9.1	5.4-12.8	111	42.3	34.7-49.9	79	31.8	24.5-39.1	62	15.3	10.6-20.0
Oth. Race/Non-Hisp.	108	20,005	1	0.5	0.0- 1.5	4	3.0	0.0- 6.5	5	2.5	0.0- 5.4	14	18.3	3.6-33.0	21	13.4	4.6-22.2	63	62.2	47.7-76.7
Hispanic	253	28,294	10	3.4	0.9- 5.9	66	21.7	15.4-28.0	42	22.3	14.1-30.5	69	31.2	23.2-39.2	32	10.9	6.0-15.8	34	10.6	6.3-14.9
18-24	156	44,739				8	2.1	0.3- 3.9	20	10.9	5.2-16.6	64	48.6	38.6-58.6	44	28.7	19.9-37.5	20	9.7	4.8-14.6
25-34	237	63,795	2	0.4	0.0- 1.2	17	3.2	1.2- 5.2	18	8.9	4.4-13.4	69	28.7	20.9-36.5	52	27.5	20.1-34.9	79	31.2	24.1-38.3
35-44	296	55,708	4	1.0	0.0- 2.2	35	7.8	4.5-11.1	20	7.5	3.6-11.4	82	28.9	22.0-35.8	65	26.5	19.6-33.4	90	28.4	22.1-34.7
45-54	357	58,025	3	0.3	0.0- 0.7	11	2.6	0.8- 4.4	26	8.3	4.6-12.0	98	31.2	24.9-37.5	80	26.0	20.1-31.9	139	31.6	26.1-37.1
55-64	492	62,971	3	0.6	0.0- 1.4	12	2.5	0.5- 4.5	18	4.3	1.9- 6.7	164	36.4	30.9-41.9	137	30.6	25.3-35.9	158	25.7	21.4-30.0
65+	761	80,723	1	0.1	0.0- 0.3	12	1.8	0.4- 3.2	34	5.6	3.4- 7.8	193	30.9	26.8-35.0	200	30.0	26.1-33.9	321	31.6	27.9-35.3
Less than \$15,000	155	20,449	1	1.2	0.0- 3.6	14	7.8	3.3-12.3	33	26.8	17.2-36.4	65	40.2	29.6-50.8	32	19.2	11.0-27.4	10	4.8	1.3- 8.3
\$15,000- 24,999	315	43,794	5	0.9	0.0- 2.1	35	9.2	5.3-13.1	34	11.7	7.0-16.4	137	50.6	43.3-57.9	65	20.1	14.0-26.2	39	7.5	4.6-10.4
\$25,000- 34,999	157	21,993	2	0.7	0.0- 1.7	14	10.0	3.5-16.5	9	8.2	2.1-14.3	59	38.2	28.4-48.0	36	26.5	16.1-36.9	37	16.3	9.6-23.0
\$35,000- 49,999	270	43,344	3	0.9	0.0- 2.1	4	1.3	0.0- 2.9	14	7.5	2.8-12.2	107	44.6	36.0-53.2	83	29.0	21.9-36.1	59	16.7	11.4-22.0
\$50,000- 74,999	293	47,708				5	1.2	0.0- 2.6	7	4.8	0.7- 8.9	75	32.3	24.1-40.5	99	37.7	29.7-45.7	107	24.0	18.1-29.9
\$75,000+	738	127,476				2	0.3	0.0- 0.7	16	3.3	1.3- 5.3	112	20.4	16.3-24.5	159	28.2	23.7-32.7	449	47.9	43.2-52.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	400,316	17	0.3	0.1- 0.5	102	3.3	2.3- 4.3	165	7.8	6.0- 9.6	817	30.0	27.6-32.4	782	29.3	26.9-31.7	1025	29.3	27.1-31.5
White/Non-Hisp	1984	257,431	1	0.0	0.0- 0.0	18	1.1	0.3- 1.9	87	6.6	4.4- 8.8	567	29.8	27.1-32.5	548	30.5	27.8-33.2	763	31.9	29.4-34.4
Black or Afr. Am./Non-Hisp	429	84,425	1	0.3	0.0- 0.9	7	2.4	0.2- 4.6	36	10.7	6.6-14.8	133	33.6	27.3-39.9	121	28.8	23.1-34.5	131	24.2	19.3-29.1
Oth. Race/Non-Hisp.	90	15,275				1	0.4	0.0- 1.2	3	4.7	0.0-11.6	21	22.5	7.6-37.4	24	22.0	8.3-35.7	41	50.4	34.1-66.7
Hispanic	286	31,586	14	2.9	1.3- 4.5	76	25.5	18.6-32.4	34	13.1	8.0-18.2	64	23.8	17.1-30.5	58	24.5	15.9-33.1	40	10.2	6.3-14.1
18-24	156	43,448	1	0.2	0.0- 0.6	4	0.9	0.0- 1.9	12	12.2	3.4-21.0	69	44.1	33.5-54.7	52	35.1	24.9-45.3	18	7.5	3.0-12.0
25-34	286	63,181	2	0.3	0.0- 0.7	22	4.0	1.8- 6.2	24	10.6	5.1-16.1	63	23.1	16.4-29.8	82	29.8	22.7-36.9	93	32.3	25.2-39.4
35-44	332	58,208	5	0.5	0.0- 1.1	27	5.0	2.3- 7.7	26	8.2	4.7-11.7	70	19.3	13.8-24.8	77	27.7	21.4-34.0	127	39.3	32.6-46.0
45-54	449	63,132	4	0.7	0.0- 1.5	15	5.5	2.0- 9.0	25	6.9	3.8-10.0	98	23.8	18.5-29.1	100	25.1	20.0-30.2	207	37.9	32.6-43.2
55-64	612	71,811	1	0.1	0.0- 0.3	17	2.5	0.7- 4.3	22	4.1	2.1- 6.1	178	32.5	27.8-37.2	165	29.6	25.1-34.1	229	31.2	26.9-35.5
65+	1073	100,537	4	0.3	0.1- 0.5	17	1.9	0.7- 3.1	56	7.4	4.9- 9.9	339	36.4	32.5-40.3	306	29.7	26.2-33.2	351	24.4	21.5-27.3
Less than \$15,000	243	27,924	1	0.2	0.0- 0.6	21	6.9	3.0-10.8	36	17.8	10.9-24.7	97	42.5	32.9-52.1	60	23.3	15.7-30.9	28	9.3	4.4-14.2
\$15,000- 24,999	470	64,746	5	0.8	0.0- 1.6	32	5.5	2.8- 8.2	55	15.0	10.5-19.5	196	44.9	38.6-51.2	110	23.0	17.5-28.5	72	10.8	7.3-14.3
\$25,000- 34,999	249	31,866				3	1.3	0.0- 3.3	15	7.8	2.9-12.7	85	35.2	27.4-43.0	102	44.7	36.5-52.9	44	10.9	6.8-15.0
\$35,000- 49,999	302	39,679	1	0.1	0.0- 0.3				11	6.0	1.3-10.7	91	37.0	28.6-45.4	113	36.5	29.2-43.8	86	20.3	14.8-25.8
\$50,000- 74,999	354	46,367				4	2.4	0.0- 5.1	2	0.9	0.0- 2.3	64	23.7	16.8-30.6	123	39.2	32.3-46.1	161	33.9	27.8-40.0
\$75,000+	697	107,496				1	0.1	0.0- 0.3	6	2.1	0.0- 4.3	78	12.3	9.0-15.6	148	28.2	23.5-32.9	464	57.4	52.3-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5185	757,202	3657	73.5	71.9-75.1	1277	21.5	19.9-23.1	251	5.0	4.2- 5.8
Male	2290	362,777	1595	71.9	69.5-74.3	576	22.4	20.2-24.6	119	5.7	4.3- 7.1
Female	2895	394,426	2062	74.9	72.7-77.1	701	20.7	18.7-22.7	132	4.4	3.4- 5.4
White/Non-Hisp	3527	486,488	2826	82.1	80.5-83.7	550	13.4	12.0-14.8	151	4.5	3.5- 5.5
Black or Afr. Am./Non-Hisp	708	153,500	377	60.6	55.9-65.3	289	33.5	29.0-38.0	42	6.0	3.8- 8.2
Oth. Race/Non-Hisp.	197	34,607	117	60.0	49.4-70.6	71	37.1	26.7-47.5	9	2.9	0.0- 6.2
MultiRacial/Non-Hisp.	79	5,478	42	59.2	44.9-73.5	26	25.1	13.5-36.7	11	15.7	5.9-25.5
Hispanic	545	60,564	200	47.6	41.5-53.7	313	47.1	41.2-53.0	32	5.4	2.9- 7.9
18-24	308	84,155	66	36.3	28.7-43.9	150	36.9	30.0-43.8	92	26.8	20.9-32.7
25-34	523	125,241	207	53.0	47.5-58.5	284	41.9	36.6-47.2	32	5.1	2.9- 7.3
35-44	624	112,791	345	68.9	64.6-73.2	262	29.5	25.2-33.8	17	1.6	0.6- 2.6
45-54	798	120,136	609	85.3	82.8-87.8	165	13.3	10.8-15.8	24	1.4	0.8- 2.0
55-64	1103	134,298	849	85.2	83.0-87.4	217	12.8	10.6-15.0	37	2.1	1.3- 2.9
65+	1829	180,581	1581	91.2	89.8-92.6	199	7.3	5.9- 8.7	49	1.4	1.0- 1.8
Less Than H.S.	523	84,135	193	49.5	43.4-55.6	285	42.0	36.3-47.7	45	8.5	5.4-11.6
H.S. or G.E.D.	1475	237,688	940	69.4	66.3-72.5	457	25.6	22.5-28.7	78	5.0	3.6- 6.4
Some Post-H.S.	1348	218,310	993	76.2	73.3-79.1	278	17.3	14.8-19.8	77	6.5	4.7- 8.3
College Graduate	1820	215,342	1519	84.7	82.5-86.9	251	13.2	11.2-15.2	50	2.1	1.3- 2.9
Less than \$15,000	396	48,246	139	42.7	35.6-49.8	228	51.5	44.4-58.6	29	5.8	3.3- 8.3
\$15,000- 24,999	787	108,312	417	58.8	54.3-63.3	327	36.9	32.4-41.4	43	4.3	2.5- 6.1
\$25,000- 34,999	403	53,657	259	64.6	58.5-70.7	131	31.8	25.9-37.7	13	3.6	1.1- 6.1
\$35,000- 49,999	570	82,402	415	72.6	66.9-78.3	137	23.9	18.4-29.4	18	3.6	1.4- 5.8
\$50,000- 74,999	648	94,135	515	78.8	74.1-83.5	110	17.2	12.9-21.5	23	3.9	1.7- 6.1
\$75,000+	1432	232,564	1287	89.8	87.8-91.8	109	7.3	5.5- 9.1	36	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2290	362,777	1595	71.9	69.5-74.3	576	22.4	20.2-24.6	119	5.7	4.3- 7.1
White/Non-Hisp	1552	231,914	1229	80.4	78.0-82.8	253	15.2	13.0-17.4	70	4.5	3.1- 5.9
Black or Afr. Am./Non-Hisp	281	71,264	152	62.6	55.5-69.7	108	29.0	22.5-35.5	21	8.4	4.3-12.5
Oth. Race/Non-Hisp.	109	19,849	58	47.9	34.0-61.8	44	47.9	33.8-62.0	7	4.3	0.0-10.0
Hispanic	253	28,240	94	47.6	39.0-56.2	145	45.9	37.7-54.1	14	6.6	2.3-10.9
18-24	154	43,214	36	37.9	27.7-48.1	70	32.4	23.4-41.4	48	29.7	21.3-38.1
25-34	237	63,750	84	48.9	40.7-57.1	137	46.0	38.0-54.0	16	5.2	2.1- 8.3
35-44	294	55,280	157	68.4	62.1-74.7	127	29.2	23.1-35.3	10	2.4	0.4- 4.4
45-54	353	57,583	265	85.3	81.6-89.0	73	12.9	9.4-16.4	15	1.8	0.8- 2.8
55-64	491	62,532	371	83.3	79.8-86.8	101	14.0	10.7-17.3	19	2.7	1.3- 4.1
65+	761	80,417	682	92.3	90.1-94.5	68	7.1	4.9- 9.3	11	0.6	0.2- 1.0
Less Than H.S.	241	39,465	88	47.1	38.9-55.3	133	41.0	33.2-48.8	20	11.9	6.0-17.8
H.S. or G.E.D.	665	120,491	427	69.9	65.2-74.6	196	24.4	19.9-28.9	42	5.8	3.6- 8.0
Some Post-H.S.	573	102,887	417	74.5	70.0-79.0	122	18.7	14.8-22.6	34	6.8	4.1- 9.5
College Graduate	803	99,327	657	81.5	78.0-85.0	123	16.5	13.2-19.8	23	2.0	1.0- 3.0
Less than \$15,000	154	20,364	50	35.8	25.2-46.4	89	56.6	46.0-67.2	15	7.6	3.1-12.1
\$15,000- 24,999	316	43,506	149	53.4	46.1-60.7	152	42.8	35.7-49.9	15	3.8	1.4- 6.2
\$25,000- 34,999	157	21,993	97	62.4	52.6-72.2	56	35.4	25.6-45.2	4	2.2	0.0- 4.9
\$35,000- 49,999	268	42,723	190	70.7	62.7-78.7	72	26.1	18.3-33.9	6	3.2	0.1- 6.3
\$50,000- 74,999	293	47,708	226	75.6	68.0-83.2	52	19.3	12.0-26.6	15	5.1	1.6- 8.6
\$75,000+	737	127,135	650	87.5	84.4-90.6	66	9.3	6.8-11.8	21	3.3	1.5- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2895	394,426	2062	74.9	72.7-77.1	701	20.7	18.7-22.7	132	4.4	3.4- 5.4
White/Non-Hisp	1975	254,574	1597	83.6	81.4-85.8	297	11.8	10.0-13.6	81	4.6	3.2- 6.0
Black or Afr. Am./Non-Hisp	427	82,236	225	58.8	52.7-64.9	181	37.3	31.2-43.4	21	3.9	1.7- 6.1
Oth. Race/Non-Hisp.	88	14,758	59	76.3	64.7-87.9	27	22.6	11.2-34.0	2	1.1	0.0- 2.7
Hispanic	292	32,324	106	47.5	39.3-55.7	168	48.1	40.1-56.1	18	4.4	1.7- 7.1
18-24	154	40,940	30	34.6	23.2-46.0	80	41.5	30.9-52.1	44	23.8	16.0-31.6
25-34	286	61,492	123	57.4	50.1-64.7	147	37.6	30.7-44.5	16	5.0	2.1- 7.9
35-44	330	57,511	188	69.4	63.5-75.3	135	29.7	23.8-35.6	7	0.8	0.0- 1.6
45-54	445	62,553	344	85.3	81.6-89.0	92	13.7	10.2-17.2	9	1.0	0.2- 1.8
55-64	612	71,766	478	86.8	84.1-89.5	116	11.7	9.2-14.2	18	1.5	0.7- 2.3
65+	1068	100,164	899	90.4	88.4-92.4	131	7.5	5.7- 9.3	38	2.1	1.3- 2.9
Less Than H.S.	282	44,670	105	51.6	43.0-60.2	152	42.9	34.7-51.1	25	5.5	2.8- 8.2
H.S. or G.E.D.	810	117,197	513	69.0	64.7-73.3	261	26.9	22.8-31.0	36	4.1	2.3- 5.9
Some Post-H.S.	775	115,423	576	77.6	73.7-81.5	156	16.1	12.8-19.4	43	6.3	3.9- 8.7
College Graduate	1017	116,016	862	87.5	84.8-90.2	128	10.4	8.0-12.8	27	2.2	0.8- 3.6
Less than \$15,000	242	27,882	89	47.8	38.4-57.2	139	47.8	38.4-57.2	14	4.4	1.7- 7.1
\$15,000- 24,999	471	64,805	268	62.5	56.6-68.4	175	32.9	27.2-38.6	28	4.6	2.2- 7.0
\$25,000- 34,999	246	31,664	162	66.1	58.3-73.9	75	29.3	21.9-36.7	9	4.6	0.7- 8.5
\$35,000- 49,999	302	39,679	225	74.6	66.8-82.4	65	21.5	13.7-29.3	12	3.9	1.0- 6.8
\$50,000- 74,999	355	46,427	289	82.2	77.1-87.3	58	15.1	10.4-19.8	8	2.8	0.1- 5.5
\$75,000+	695	105,429	637	92.6	90.2-95.0	43	4.9	2.9- 6.9	15	2.5	0.9- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5119	754,120	4862	95.5	94.7-96.3	154	2.6	2.0- 3.2	103	1.9	1.3- 2.5
Male	2262	359,913	2143	95.3	94.1-96.5	62	2.3	1.5- 3.1	57	2.4	1.6- 3.2
Female	2857	394,207	2719	95.6	94.6-96.6	92	2.9	2.1- 3.7	46	1.5	0.9- 2.1
White/Non-Hisp	3456	480,562	3399	98.0	97.2-98.8	13	0.5	0.1- 0.9	44	1.5	0.9- 2.1
Black or Afr. Am./Non-Hisp	703	154,758	683	97.1	95.5-98.7	13	2.3	0.7- 3.9	7	0.6	0.0- 1.2
Oth. Race/Non-Hisp.	199	34,434	178	91.7	87.2-96.2	14	5.6	1.9- 9.3	7	2.6	0.1- 5.1
MultiRacial/Non-Hisp.	79	5,464	78	98.3	95.0- 100				1	1.7	0.0- 5.0
Hispanic	542	60,233	397	75.6	70.7-80.5	111	17.5	13.4-21.6	34	6.9	3.8-10.0
18-24	305	86,492	262	89.0	84.7-93.3	29	6.8	3.5-10.1	14	4.1	1.2- 7.0
25-34	511	123,201	453	94.0	92.0-96.0	39	3.7	2.1- 5.3	19	2.3	0.9- 3.7
35-44	618	112,344	559	93.7	91.7-95.7	38	3.5	1.9- 5.1	21	2.7	1.3- 4.1
45-54	796	119,793	767	96.8	95.2-98.4	15	1.8	0.4- 3.2	14	1.4	0.6- 2.2
55-64	1080	132,597	1053	97.7	96.3-99.1	11	0.9	0.0- 1.9	16	1.4	0.4- 2.4
65+	1809	179,693	1768	98.1	97.5-98.7	22	0.9	0.5- 1.3	19	0.9	0.3- 1.5
Less Than H.S.	523	84,821	400	83.4	79.5-87.3	94	11.7	8.4-15.0	29	4.8	2.4- 7.2
H.S. or G.E.D.	1463	239,069	1414	97.2	96.0-98.4	27	1.3	0.5- 2.1	22	1.5	0.7- 2.3
Some Post-H.S.	1332	216,675	1298	96.6	95.2-98.0	11	1.5	0.3- 2.7	23	1.9	0.9- 2.9
College Graduate	1775	210,708	1730	97.5	96.5-98.5	18	1.2	0.6- 1.8	27	1.3	0.7- 1.9
Less than \$15,000	392	47,707	352	89.0	84.9-93.1	28	6.8	3.7- 9.9	12	4.2	1.5- 6.9
\$15,000- 24,999	781	107,729	729	94.5	92.5-96.5	36	3.8	2.0- 5.6	16	1.7	0.7- 2.7
\$25,000- 34,999	399	53,024	385	96.5	94.0-99.0	9	2.3	0.3- 4.3	5	1.2	0.0- 2.8
\$35,000- 49,999	566	81,852	555	98.5	97.5-99.5	5	0.7	0.1- 1.3	6	0.9	0.1- 1.7
\$50,000- 74,999	629	92,032	620	99.0	98.2-99.8	2	0.4	0.0- 1.0	7	0.7	0.1- 1.3
\$75,000+	1393	229,523	1380	98.6	97.6-99.6	3	0.5	0.0- 1.3	10	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2262	359,913	2143	95.3	94.1-96.5	62	2.3	1.5- 3.1	57	2.4	1.6- 3.2
White/Non-Hisp	1522	228,465	1493	97.6	96.4-98.8	5	0.6	0.0- 1.4	24	1.8	0.8- 2.8
Black or Afr. Am./Non-Hisp	279	71,214	272	97.2	94.8-99.6	4	1.9	0.0- 3.9	3	1.0	0.0- 2.2
Oth. Race/Non-Hisp.	112	19,831	100	91.8	85.9-97.7	10	5.6	1.1-10.1	2	2.7	0.0- 6.6
Hispanic	251	28,033	185	76.5	69.2-83.8	42	14.3	8.8-19.8	24	9.2	3.7-14.7
18-24	154	44,223	127	85.0	77.9-92.1	16	8.0	2.9-13.1	11	7.1	1.8-12.4
25-34	233	61,650	209	95.2	92.7-97.7	14	2.4	0.8- 4.0	10	2.4	0.6- 4.2
35-44	293	55,140	265	93.0	89.7-96.3	17	4.0	1.5- 6.5	11	3.0	0.8- 5.2
45-54	352	57,183	339	97.7	96.1-99.3	6	0.9	0.0- 1.9	7	1.4	0.2- 2.6
55-64	481	61,702	470	98.5	97.3-99.7	3	0.2	0.0- 0.4	8	1.3	0.1- 2.5
65+	749	80,015	733	98.4	97.4-99.4	6	0.5	0.1- 0.9	10	1.2	0.4- 2.0
Less Than H.S.	241	39,307	183	83.7	78.0-89.4	37	9.1	5.2-13.0	21	7.2	2.9-11.5
H.S. or G.E.D.	657	120,235	634	96.9	95.1-98.7	11	1.1	0.1- 2.1	12	1.9	0.3- 3.5
Some Post-H.S.	571	101,928	553	95.6	93.1-98.1	6	2.0	0.0- 4.0	12	2.4	0.8- 4.0
College Graduate	780	96,981	761	97.6	96.4-98.8	7	1.1	0.1- 2.1	12	1.3	0.5- 2.1
Less than \$15,000	155	20,638	138	88.1	81.2-95.0	10	6.0	1.3-10.7	7	5.9	0.6-11.2
\$15,000- 24,999	316	43,484	284	91.8	88.5-95.1	17	4.1	1.7- 6.5	15	4.0	1.5- 6.5
\$25,000- 34,999	154	21,730	145	94.2	89.1-99.3	6	3.9	0.0- 7.8	3	1.9	0.0- 5.2
\$35,000- 49,999	267	42,533	258	97.6	95.8-99.4	3	0.8	0.0- 1.8	6	1.6	0.0- 3.2
\$50,000- 74,999	285	46,504	281	99.0	98.0- 100				4	1.0	0.0- 2.0
\$75,000+	716	124,253	710	98.2	96.4- 100	2	0.9	0.0- 2.3	4	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2857	394,207	2719	95.6	94.6-96.6	92	2.9	2.1- 3.7	46	1.5	0.9- 2.1
White/Non-Hisp	1934	252,096	1906	98.4	97.6-99.2	8	0.4	0.2- 0.6	20	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	424	83,544	411	97.1	94.9-99.3	9	2.6	0.4- 4.8	4	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	87	14,603	78	91.7	85.0-98.4	4	5.6	0.0-11.7	5	2.6	0.1- 5.1
Hispanic	291	32,200	212	74.9	68.2-81.6	69	20.2	14.1-26.3	10	4.8	1.5- 8.1
18-24	151	42,268	135	93.2	88.5-97.9	13	5.7	1.2-10.2	3	1.1	0.0- 2.5
25-34	278	61,552	244	92.7	89.6-95.8	25	5.0	2.5- 7.5	9	2.2	0.4- 4.0
35-44	325	57,205	294	94.4	91.9-96.9	21	3.1	1.3- 4.9	10	2.5	0.7- 4.3
45-54	444	62,610	428	96.1	93.4-98.8	9	2.6	0.2- 5.0	7	1.3	0.1- 2.5
55-64	599	70,895	583	97.0	94.8-99.2	8	1.5	0.0- 3.1	8	1.5	0.0- 3.1
65+	1060	99,678	1035	98.0	97.0-99.0	16	1.3	0.5- 2.1	9	0.8	0.2- 1.4
Less Than H.S.	282	45,514	217	83.2	77.7-88.7	57	13.9	8.8-19.0	8	2.8	0.6- 5.0
H.S. or G.E.D.	806	118,834	780	97.4	95.8-99.0	16	1.5	0.1- 2.9	10	1.1	0.3- 1.9
Some Post-H.S.	761	114,747	745	97.5	95.9-99.1	5	1.0	0.0- 2.0	11	1.4	0.2- 2.6
College Graduate	995	113,727	969	97.4	96.0-98.8	11	1.3	0.3- 2.3	15	1.3	0.3- 2.3
Less than \$15,000	237	27,069	214	89.7	84.8-94.6	18	7.4	3.3-11.5	5	2.9	0.0- 5.8
\$15,000- 24,999	465	64,245	445	96.3	93.9-98.7	19	3.5	1.1- 5.9	1	0.2	0.0- 0.6
\$25,000- 34,999	245	31,295	240	98.1	95.9- 100	3	1.2	0.0- 3.2	2	0.7	0.0- 1.9
\$35,000- 49,999	299	39,319	297	99.4	98.6- 100	2	0.6	0.0- 1.4			
\$50,000- 74,999	344	45,528	339	98.9	97.7- 100	2	0.7	0.0- 1.7	3	0.3	0.0- 0.7
\$75,000+	677	105,271	670	99.1	98.3-99.9	1	0.0	0.0- 0.0	6	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5233	769,124	4807	92.3	91.3-93.3	199	3.5	2.7- 4.3	227	4.3	3.5- 5.1
Male	2312	367,423	2108	91.2	89.6-92.8	107	4.2	3.0- 5.4	97	4.6	3.4- 5.8
Female	2921	401,701	2699	93.2	92.0-94.4	92	2.7	1.9- 3.5	130	4.1	3.3- 4.9
White/Non-Hisp	3547	491,773	3333	93.9	92.7-95.1	83	2.4	1.6- 3.2	131	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	716	156,693	675	94.3	92.1-96.5	23	3.6	1.6- 5.6	18	2.1	0.9- 3.3
Oth. Race/Non-Hisp.	203	35,752	177	90.5	85.0-96.0	9	2.5	0.3- 4.7	17	7.0	1.9-12.1
MultiRacial/Non-Hisp.	80	5,510	73	92.1	85.0-99.2	3	6.1	0.0-13.0	4	1.8	0.0- 3.8
Hispanic	546	60,658	443	81.4	76.9-85.9	78	12.0	8.7-15.3	25	6.6	3.3- 9.9
18-24	315	88,424	265	86.5	81.8-91.2	33	8.3	4.6-12.0	17	5.3	2.2- 8.4
25-34	526	127,390	468	92.7	90.3-95.1	34	3.3	1.9- 4.7	24	4.0	2.0- 6.0
35-44	630	114,212	563	91.3	88.8-93.8	31	3.5	1.7- 5.3	36	5.2	3.2- 7.2
45-54	809	121,786	746	92.2	89.8-94.6	18	2.0	0.6- 3.4	45	5.7	3.7- 7.7
55-64	1108	134,993	1039	93.7	91.5-95.9	27	3.0	1.2- 4.8	42	3.3	1.9- 4.7
65+	1845	182,319	1726	94.4	93.2-95.6	56	2.5	1.7- 3.3	63	3.1	2.1- 4.1
Less Than H.S.	528	85,919	428	84.4	80.5-88.3	72	10.3	7.2-13.4	28	5.3	2.9- 7.7
H.S. or G.E.D.	1487	242,049	1374	92.6	90.8-94.4	49	3.3	1.9- 4.7	64	4.2	2.8- 5.6
Some Post-H.S.	1360	220,846	1281	93.8	92.0-95.6	28	2.4	1.2- 3.6	51	3.8	2.6- 5.0
College Graduate	1832	217,463	1709	94.0	92.6-95.4	47	2.0	1.2- 2.8	76	4.0	2.8- 5.2
Less than \$15,000	399	48,631	357	86.0	80.3-91.7	30	10.2	5.1-15.3	12	3.8	0.9- 6.7
\$15,000- 24,999	792	109,195	733	93.5	91.3-95.7	37	3.6	2.0- 5.2	22	2.9	1.3- 4.5
\$25,000- 34,999	406	53,859	382	95.6	93.1-98.1	10	2.1	0.1- 4.1	14	2.4	0.6- 4.2
\$35,000- 49,999	572	83,023	550	96.4	94.4-98.4	10	1.4	0.2- 2.6	12	2.2	0.4- 4.0
\$50,000- 74,999	648	94,135	623	95.0	92.6-97.4	14	3.1	1.1- 5.1	11	1.9	0.5- 3.3
\$75,000+	1437	235,224	1384	96.5	95.3-97.7	14	1.1	0.3- 1.9	39	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2312	367,423	2108	91.2	89.6-92.8	107	4.2	3.0- 5.4	97	4.6	3.4- 5.8
White/Non-Hisp	1560	234,065	1460	93.1	91.3-94.9	47	3.0	1.8- 4.2	53	3.8	2.4- 5.2
Black or Afr. Am./Non-Hisp	285	72,063	268	94.2	90.9-97.5	10	4.1	1.0- 7.2	7	1.6	0.2- 3.0
Oth. Race/Non-Hisp.	113	20,477	98	88.7	80.7-96.7	5	3.1	0.0- 6.4	10	8.2	0.8-15.6
Hispanic	254	28,334	199	77.5	70.2-84.8	41	14.9	9.4-20.4	14	7.6	2.1-13.1
18-24	157	44,845	127	83.6	76.5-90.7	19	9.4	4.3-14.5	11	7.0	1.9-12.1
25-34	238	63,835	207	91.0	87.1-94.9	21	4.1	1.9- 6.3	10	5.0	1.7- 8.3
35-44	297	55,810	264	90.3	86.4-94.2	13	3.3	0.9- 5.7	20	6.5	3.2- 9.8
45-54	359	58,496	329	92.3	89.0-95.6	9	2.1	0.3- 3.9	21	5.6	2.9- 8.3
55-64	494	63,096	465	92.9	89.2-96.6	16	4.7	1.4- 8.0	13	2.4	0.8- 4.0
65+	767	81,341	716	94.1	92.3-95.9	29	3.3	1.9- 4.7	22	2.5	1.3- 3.7
Less Than H.S.	244	40,083	188	79.2	72.7-85.7	41	13.9	8.6-19.2	15	7.0	2.7-11.3
H.S. or G.E.D.	670	122,149	619	92.1	89.4-94.8	24	3.2	1.4- 5.0	27	4.7	2.5- 6.9
Some Post-H.S.	578	103,685	544	93.3	90.6-96.0	15	3.2	1.0- 5.4	19	3.5	1.5- 5.5
College Graduate	807	100,043	750	93.3	90.9-95.7	26	2.7	1.3- 4.1	31	4.0	2.0- 6.0
Less than \$15,000	156	20,707	137	84.7	76.7-92.7	14	9.3	3.6-15.0	5	5.9	0.0-12.0
\$15,000- 24,999	320	44,216	288	91.0	87.3-94.7	22	4.8	2.4- 7.2	10	4.2	1.3- 7.1
\$25,000- 34,999	157	21,993	145	93.2	87.7-98.7	7	4.3	0.0- 8.8	5	2.5	0.0- 5.8
\$35,000- 49,999	270	43,344	258	95.4	91.9-98.9	7	2.1	0.3- 3.9	5	2.4	0.0- 5.5
\$50,000- 74,999	293	47,708	277	94.7	91.6-97.8	10	3.4	0.9- 5.9	6	1.9	0.1- 3.7
\$75,000+	739	127,692	710	95.9	93.9-97.9	9	1.5	0.1- 2.9	20	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2921	401,701	2699	93.2	92.0-94.4	92	2.7	1.9- 3.5	130	4.1	3.3- 4.9
White/Non-Hisp	1987	257,708	1873	94.5	93.1-95.9	36	1.9	0.9- 2.9	78	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	431	84,630	407	94.4	91.7-97.1	13	3.1	0.9- 5.3	11	2.4	0.8- 4.0
Oth. Race/Non-Hisp.	90	15,275	79	92.8	86.1-99.5	4	1.7	0.0- 3.7	7	5.4	0.0-11.7
Hispanic	292	32,324	244	84.9	79.6-90.2	37	9.4	5.5-13.3	11	5.7	2.0- 9.4
18-24	158	43,579	138	89.4	83.3-95.5	14	7.0	1.7-12.3	6	3.6	0.5- 6.7
25-34	288	63,555	261	94.4	91.7-97.1	13	2.5	0.7- 4.3	14	3.1	1.1- 5.1
35-44	333	58,402	299	92.3	89.0-95.6	18	3.7	1.2- 6.2	16	4.1	1.7- 6.5
45-54	450	63,290	417	92.1	88.8-95.4	9	2.0	0.0- 4.2	24	5.9	3.4- 8.4
55-64	614	71,897	574	94.3	91.9-96.7	11	1.6	0.4- 2.8	29	4.1	2.1- 6.1
65+	1078	100,978	1010	94.5	92.7-96.3	27	1.8	0.8- 2.8	41	3.6	2.2- 5.0
Less Than H.S.	284	45,836	240	89.0	84.5-93.5	31	7.1	3.4-10.8	13	3.8	1.3- 6.3
H.S. or G.E.D.	817	119,899	755	93.0	90.5-95.5	25	3.3	1.1- 5.5	37	3.7	2.1- 5.3
Some Post-H.S.	782	117,160	737	94.2	92.0-96.4	13	1.8	0.4- 3.2	32	4.0	2.2- 5.8
College Graduate	1025	117,421	959	94.6	93.0-96.2	21	1.4	0.6- 2.2	45	4.0	2.4- 5.6
Less than \$15,000	243	27,924	220	87.0	79.0-95.0	16	10.8	3.0-18.6	7	2.2	0.0- 4.6
\$15,000- 24,999	472	64,979	445	95.1	92.6-97.6	15	2.8	0.6- 5.0	12	2.1	0.5- 3.7
\$25,000- 34,999	249	31,866	237	97.2	95.4-99.0	3	0.6	0.0- 1.2	9	2.2	0.4- 4.0
\$35,000- 49,999	302	39,679	292	97.5	95.5-99.5	3	0.7	0.0- 1.9	7	1.8	0.2- 3.4
\$50,000- 74,999	355	46,427	346	95.3	91.6-99.0	4	2.8	0.0- 5.9	5	1.8	0.0- 4.0
\$75,000+	698	107,532	674	97.3	96.1-98.5	5	0.5	0.0- 1.1	19	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1699	253,601	554	29.7	26.6-32.8	1145	70.3	67.2-73.4
Male	608	94,219	244	34.5	29.4-39.6	364	65.5	60.4-70.6
Female	1091	159,382	310	26.8	22.9-30.7	781	73.2	69.3-77.1
White/Non-Hisp	1326	183,418	430	29.4	25.9-32.9	896	70.6	67.1-74.1
Black or Afr. Am./Non-Hisp	225	50,291	75	31.6	23.4-39.8	150	68.4	60.2-76.6
35-44	102	28,406	32	35.6	24.2-47.0	70	64.4	53.0-75.8
45-54	178	36,951	67	34.1	25.7-42.5	111	65.9	57.5-74.3
55-64	375	54,550	110	26.1	20.2-32.0	265	73.9	68.0-79.8
65+	997	109,667	331	28.1	24.8-31.4	666	71.9	68.6-75.2
Less Than H.S.	86	17,624	18	23.5	6.6-40.4	68	76.5	59.6-93.4
H.S. or G.E.D.	463	78,917	120	21.7	16.6-26.8	343	78.3	73.2-83.4
Some Post-H.S.	467	75,645	156	34.0	28.1-39.9	311	66.0	60.1-71.9
College Graduate	677	80,859	257	34.6	29.9-39.3	420	65.4	60.7-70.1
Less than \$15,000	100	13,142	26	28.8	13.3-44.3	74	71.2	55.7-86.7
\$15,000- 24,999	234	34,174	59	24.4	16.4-32.4	175	75.6	67.6-83.6
\$25,000- 34,999	139	18,516	41	25.1	16.1-34.1	98	74.9	65.9-83.9
\$35,000- 49,999	197	27,630	62	29.7	19.5-39.9	135	70.3	60.1-80.5
\$50,000- 74,999	212	29,300	99	39.5	30.5-48.5	113	60.5	51.5-69.5
\$75,000+	480	81,062	180	32.8	27.5-38.1	300	67.2	61.9-72.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	608	94,219	244	34.5	29.4-39.6	364	65.5	60.4-70.6
White/Non-Hisp	479	67,481	188	32.5	27.4-37.6	291	67.5	62.4-72.6
Black or Afr. Am./Non-Hisp	68	19,074	31	43.5	27.4-59.6	37	56.5	40.4-72.6
45-54	66	15,363	24	34.3	20.6-48.0	42	65.7	52.0-79.4
55-64	137	20,943	49	34.3	23.1-45.5	88	65.7	54.5-76.9
65+	365	43,179	159	37.2	31.5-42.9	206	62.8	57.1-68.5
H.S. or G.E.D.	149	28,312	55	28.2	18.4-38.0	94	71.8	62.0-81.6
Some Post-H.S.	170	30,874	59	36.1	26.1-46.1	111	63.9	53.9-73.9
College Graduate	259	29,904	120	39.9	32.6-47.2	139	60.1	52.8-67.4
\$15,000- 24,999	74	10,182	27	32.7	16.2-49.2	47	67.3	50.8-83.8
\$35,000- 49,999	76	12,663	27	35.0	17.6-52.4	49	65.0	47.6-82.4
\$50,000- 74,999	84	12,901	45	43.5	28.2-58.8	39	56.5	41.2-71.8
\$75,000+	216	34,879	94	35.9	27.9-43.9	122	64.1	56.1-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1091	159,382	310	26.8	22.9-30.7	781	73.2	69.3-77.1
White/Non-Hisp	847	115,937	242	27.6	22.9-32.3	605	72.4	67.7-77.1
Black or Afr. Am./Non-Hisp	157	31,218	44	24.4	16.0-32.8	113	75.6	67.2-84.0
35-44	74	20,281	22	33.9	21.2-46.6	52	66.1	53.4-78.8
45-54	112	21,588	43	33.9	23.3-44.5	69	66.1	55.5-76.7
55-64	238	33,607	61	21.0	15.1-26.9	177	79.0	73.1-84.9
65+	632	66,488	172	22.1	18.0-26.2	460	77.9	73.8-82.0
Less Than H.S.	60	12,872	11	23.4	1.4-45.4	49	76.6	54.6-98.6
H.S. or G.E.D.	314	50,605	65	18.0	11.9-24.1	249	82.0	75.9-88.1
Some Post-H.S.	297	44,771	97	32.6	25.3-39.9	200	67.4	60.1-74.7
College Graduate	418	50,955	137	31.5	25.2-37.8	281	68.5	62.2-74.8
Less than \$15,000	69	9,211	17	30.5	10.1-50.9	52	69.5	49.1-89.9
\$15,000- 24,999	160	23,992	32	20.9	12.3-29.5	128	79.1	70.5-87.7
\$25,000- 34,999	103	13,389	27	24.0	13.0-35.0	76	76.0	65.0-87.0
\$35,000- 49,999	121	14,967	35	25.2	13.6-36.8	86	74.8	63.2-86.4
\$50,000- 74,999	128	16,399	54	36.4	25.2-47.6	74	63.6	52.4-74.8
\$75,000+	264	46,183	86	30.5	23.6-37.4	178	69.5	62.6-76.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	543	73,677	380	85.9	83.0-88.8	119	10.6	7.9-13.3	38	2.8	1.6- 4.0	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3
Male	241	31,934	153	80.9	75.8-86.0	59	13.4	9.1-17.7	25	4.3	2.3- 6.3	3	1.1	0.0- 2.5	1	0.2	0.0- 0.6
Female	302	41,744	227	89.8	86.3-93.3	60	8.4	5.1-11.7	13	1.7	0.5- 2.9	2	0.2	0.0- 0.6			
White/Non-Hisp	423	53,065	280	82.5	78.6-86.4	107	13.2	9.7-16.7	30	3.3	1.9- 4.7	5	0.8	0.0- 1.6	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	72	15,374	62	95.8	92.5-99.1	6	2.8	0.0- 5.7	4	1.4	0.0- 3.0						
45-54	65	12,245	56	92.4	85.3-99.5	5	6.0	0.0-12.9	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9			
55-64	107	13,897	83	86.1	78.8-93.4	14	8.4	2.1-14.7	9	5.0	1.5- 8.5				1	0.5	0.0- 1.5
65+	326	30,007	206	78.8	74.3-83.3	94	17.3	13.0-21.6	25	3.6	2.0- 5.2	1	0.3	0.0- 0.9			
H.S. or G.E.D.	118	16,839	81	86.0	80.1-91.9	26	9.3	4.8-13.8	10	4.2	1.1- 7.3	1	0.6	0.0- 1.8			
Some Post-H.S.	155	25,569	113	87.2	81.5-92.9	33	10.9	5.6-16.2	9	2.0	0.6- 3.4						
College Graduate	251	27,200	173	83.9	79.4-88.4	55	11.7	7.8-15.6	18	2.9	1.3- 4.5	4	1.2	0.0- 2.6	1	0.3	0.0- 0.9
\$15,000- 24,999	59	8,337	40	84.9	76.3-93.5	17	13.2	5.4-21.0	1	0.8	0.0- 2.4	1	1.1	0.0- 3.3			
\$35,000- 49,999	62	8,201	39	80.8	69.6-92.0	19	14.9	5.3-24.5	4	4.2	0.0- 9.3						
\$50,000- 74,999	99	11,580	74	87.2	79.8-94.6	20	10.4	3.3-17.5	4	2.2	0.0- 4.6	1	0.2	0.0- 0.6			
\$75,000+	177	26,108	125	84.7	79.4-90.0	29	10.0	5.3-14.7	20	4.0	1.8- 6.2	2	0.9	0.0- 2.3	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	241	31,934	153	80.9	75.8-86.0	59	13.4	9.1-17.7	25	4.3	2.3- 6.3	3	1.1	0.0- 2.5	1	0.2	0.0- 0.6
White/Non-Hisp	186	21,597	108	75.2	68.7-81.7	53	17.5	12.0-23.0	21	5.4	2.7- 8.1	3	1.6	0.0- 3.6	1	0.3	0.0- 0.9
65+	157	15,672	94	74.7	67.6-81.8	46	20.1	13.4-26.8	16	4.6	1.9- 7.3	1	0.6	0.0- 1.8			
H.S. or G.E.D.	55	7,988	36	82.6	72.8-92.4	12	10.6	3.2-18.0	6	5.7	0.4-11.0	1	1.2	0.0- 3.6			
Some Post-H.S.	59	11,147	41	87.9	80.5-95.3	15	10.5	3.4-17.6	3	1.6	0.0- 3.6						
College Graduate	118	11,586	70	72.8	64.2-81.4	30	18.6	11.2-26.0	15	5.8	2.3- 9.3	2	2.1	0.0- 5.2	1	0.6	0.0- 1.8
\$75,000+	92	12,184	51	75.2	66.0-84.4	22	14.9	7.6-22.2	16	7.3	3.0-11.6	2	2.0	0.0- 4.9	1	0.6	0.0- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-Number		N	2-Numbers		N	3-Numbers		N	4-Numbers	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	302	41,744	227	89.8	86.3-93.3	60	8.4	5.1-11.7	13	1.7	0.5- 2.9	2	0.2	0.0- 0.6
White/Non-Hisp	237	31,468	172	87.6	82.9-92.3	54	10.3	5.8-14.8	9	1.9	0.3- 3.5	2	0.3	0.0- 0.7
55-64	58	6,703	50	89.4	79.0-99.8	6	8.4	0.0-18.6	2	2.2	0.0- 5.3			
65+	169	14,335	112	83.4	77.9-88.9	48	14.2	9.1-19.3	9	2.4	0.4- 4.4			
H.S. or G.E.D.	63	8,851	45	89.1	82.0-96.2	14	8.1	2.6-13.6	4	2.8	0.0- 6.7			
Some Post-H.S.	96	14,421	72	86.6	78.4-94.8	18	11.2	3.4-19.0	6	2.3	0.1- 4.5			
College Graduate	133	15,614	103	92.2	88.7-95.7	25	6.5	3.2- 9.8	3	0.7	0.0- 1.7	2	0.5	0.0- 1.3
\$50,000- 74,999	54	5,971	37	82.6	69.7-95.5	14	14.4	2.1-26.7	2	2.5	0.0- 6.0	1	0.5	0.0- 1.5
\$75,000+	85	13,924	74	93.1	86.6-99.6	7	5.8	0.0-12.1	4	1.1	0.0- 2.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1679	249,316	1105	62.5	59.2-65.8	296	17.8	15.3-20.3	40	2.8	1.6- 4.0	17	1.6	0.6- 2.6	6	0.4	0.0- 0.8	3	0.2	0.0- 0.4	212	14.6	12.2-17.1
Male	605	93,566	380	60.7	55.2-66.2	130	20.9	16.2-25.6	13	2.1	0.7- 3.5	8	2.1	0.3- 3.9	1	0.1	0.0- 0.3	3	0.5	0.0- 1.1	70	13.6	9.9-17.4
Female	1074	155,751	725	63.6	59.7-67.5	166	15.9	13.2-18.6	27	3.3	1.7- 4.9	9	1.4	0.4- 2.4	5	0.7	0.0- 1.5				142	15.3	12.4-18.2
White/Non-Hisp	1314	180,332	864	61.6	58.1-65.1	238	18.8	16.1-21.5	35	3.3	1.9- 4.7	14	1.8	0.6- 3.0	6	0.6	0.0- 1.2	3	0.3	0.0- 0.7	154	13.5	11.1-15.9
Black or Afr. Am./Non-Hisp	222	49,708	147	63.1	54.1-72.1	27	13.8	6.5-21.1	4	1.7	0.0- 3.7	2	1.5	0.0- 3.5							42	20.0	12.9-27.1
35-44	100	27,350	62	65.9	55.1-76.7	22	17.3	9.3-25.3	4	3.6	0.0- 7.7	6	6.4	1.1-11.7							6	6.8	0.9-12.6
45-54	177	36,786	111	57.5	48.3-66.7	27	16.2	9.5-22.9	13	7.5	3.0-12.0	6	4.2	0.3- 8.1	3	2.4	0.0- 5.3	1	0.8	0.0- 2.4	16	11.5	4.6-18.4
55-64	370	53,579	241	64.8	58.7-70.9	72	18.3	13.2-23.4	10	2.6	0.6- 4.6	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7				44	13.9	9.6-18.2
65+	986	108,440	657	59.0	54.9-63.1	168	18.9	15.8-22.0	12	1.2	0.4- 2.0	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	2	0.2	0.0- 0.4	143	20.3	16.8-23.8
Less Than H.S.	86	17,624	50	56.3	41.4-71.2	10	7.3	1.8-12.8													26	36.3	22.0-50.6
H.S. or G.E.D.	459	78,592	290	60.2	53.9-66.5	72	17.3	12.2-22.4	7	1.5	0.1- 2.9	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	87	20.6	15.7-25.5
Some Post-H.S.	460	73,949	313	64.2	58.3-70.1	79	18.3	13.6-23.0	8	3.1	0.7- 5.5	4	2.1	0.0- 4.3	1	0.5	0.0- 1.5				55	11.7	8.0-15.4
College Graduate	668	78,596	448	64.7	60.0-69.4	135	20.2	16.3-24.1	25	4.5	2.3- 6.7	12	2.9	0.9- 4.9	4	0.8	0.0- 1.8	2	0.5	0.0- 1.3	42	6.3	4.1- 8.5
Less than \$15,000	100	13,142	68	73.9	62.7-85.1	4	2.6	0.0- 5.3							1	0.3	0.0- 0.9				27	23.1	12.5-33.7
\$15,000- 24,999	233	34,137	163	61.9	53.1-70.7	18	9.1	4.0-14.2	2	1.3	0.0- 3.3	1	0.8	0.0- 2.4				1	0.2	0.0- 0.6	48	26.7	18.7-34.7
\$25,000- 34,999	139	18,516	98	59.9	48.5-71.3	16	10.7	4.0-17.4	3	4.0	0.0- 8.7	1	2.1	0.0- 6.2							21	23.3	12.7-33.9
\$35,000- 49,999	198	27,896	130	61.6	50.8-72.4	43	24.3	14.1-34.5	4	2.7	0.0- 5.8										21	11.3	6.0-16.6
\$50,000- 74,999	211	29,195	144	62.3	53.3-71.3	47	25.5	17.9-33.1	7	6.1	0.6-11.6				1	0.2	0.0- 0.6				12	5.9	2.0-9.9
\$75,000+	477	80,164	307	64.5	59.0-70.0	118	22.5	17.8-27.2	20	3.4	1.6- 5.2	13	4.1	1.6- 6.6	4	1.2	0.0- 2.6	1	0.4	0.0- 1.2	14	4.0	1.1-6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 8: DEMOGRAPHICS**

**TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	605	93,566	380	60.7	55.2-66.2	130	20.9	16.2-25.6	13	2.1	0.7- 3.5	8	2.1	0.3- 3.9	1	0.1	0.0- 0.3	3	0.5	0.0- 1.1	70	13.6	9.9-17.1
White/Non-Hisp	476	67,111	298	60.5	55.0-66.0	103	21.0	16.3-25.7	12	2.5	0.5- 4.5	6	2.2	0.0- 4.4	1	0.1	0.0- 0.3	3	0.7	0.0- 1.7	53	12.9	9.2-16.5
Black or Afr. Am./Non-Hisp	67	18,696	43	59.4	42.7-76.1	10	20.7	5.0-36.4	1	1.3	0.0- 3.8	1	2.1	0.0- 6.2							12	16.5	4.7-28.3
45-54	66	15,363	46	61.1	45.8-76.4	7	14.1	3.1-25.1	2	3.4	0.0- 9.1	3	7.4	0.0-16.2				1	1.9	0.0- 5.6	7	12.2	0.0-24.4
55-64	135	20,411	81	60.5	49.7-71.3	29	18.8	9.6-28.0	6	4.4	0.1- 8.7	1	0.5	0.0- 1.5							18	15.8	8.2-23.4
65+	363	42,964	228	60.0	53.9-66.1	84	22.8	17.7-27.9	5	1.2	0.0- 2.4	3	0.7	0.0- 1.7	1	0.1	0.0- 0.3	2	0.5	0.0- 1.1	40	14.8	9.9-19.7
H.S. or G.E.D.	149	28,378	92	57.6	45.6-69.6	29	21.4	10.6-32.2	2	0.7	0.0- 1.7	1	0.8	0.0- 2.4				1	0.2	0.0- 0.6	24	19.2	10.4-28.0
Some Post-H.S.	168	30,343	107	62.5	52.9-72.1	33	19.7	11.7-27.7	1	1.5	0.0- 4.4	3	3.8	0.0- 8.5							24	12.6	6.9-18.3
College Graduate	258	29,717	163	62.5	55.1-69.9	63	23.5	17.0-30.0	10	4.3	1.0- 7.6	4	1.9	0.0- 4.4	1	0.2	0.0- 0.6	2	1.4	0.0- 3.6	15	6.1	2.8- 9.4
\$15,000- 24,999	74	10,182	49	59.5	44.0-75.0	6	5.9	0.0-12.0	1	1.3	0.0- 3.8							1	0.7	0.0- 2.1	17	32.6	17.5-47.7
\$35,000- 49,999	77	12,929	42	52.1	34.3-69.9	22	31.3	13.1-49.5	2	4.6	0.0-11.1										11	12.0	4.2-19.8
\$50,000- 74,999	84	12,901	55	65.8	51.9-79.7	24	28.0	15.7-40.3	2	3.9	0.0-10.6				1	0.4	0.0- 1.2				2	2.0	0.0- 4.0
\$75,000+	216	34,860	137	63.7	54.9-72.5	57	24.1	16.7-31.5	8	2.1	0.3- 3.9	6	4.3	0.2- 8.4				1	0.8	0.0- 2.4	7	5.0	0.0-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1074	155,751	725	63.6	59.7-67.5	166	15.9	13.2-18.6	27	3.3	1.7- 4.9	9	1.4	0.4- 2.4	5	0.7	0.0- 1.5	142	15.3	12.4-18.3
White/Non-Hisp	838	113,221	566	62.2	57.7-66.7	135	17.6	14.3-20.9	23	3.8	1.8- 5.8	8	1.6	0.4- 2.8	5	0.9	0.0- 1.9	101	13.9	10.8-17.1
Black or Afr. Am./Non-Hisp	155	31,011	104	65.2	55.0-75.4	17	9.6	4.1-15.1	3	2.0	0.0- 4.9	1	1.1	0.0- 3.3				30	22.1	13.1-31.1
35-44	71	19,131	44	63.6	50.9-76.3	14	15.8	6.8-24.8	4	5.1	0.0-11.0	6	9.2	1.9-16.5				3	6.4	0.0-13.0
45-54	111	21,423	65	54.9	43.1-66.7	20	17.7	9.3-26.1	11	10.5	3.8-17.2	3	1.9	0.0- 4.3	3	4.1	0.0- 9.2	9	11.0	3.0-19.0
55-64	235	33,168	160	67.4	60.1-74.7	43	17.9	12.0-23.8	4	1.5	0.0- 3.3				2	0.4	0.0- 1.0	26	12.7	7.6-17.8
65+	623	65,476	429	58.4	53.1-63.7	84	16.4	12.3-20.5	7	1.3	0.1- 2.5							103	23.9	19.0-28.8
Less Than H.S.	60	12,872	34	54.6	35.6-73.6	5	5.7	0.0-11.8										21	39.6	21.6-57.6
H.S. or G.E.D.	310	50,214	198	61.6	54.3-68.9	43	15.0	9.7-20.3	5	1.9	0.0- 3.9				1	0.1	0.0- 0.3	63	21.4	15.5-27.3
Some Post-H.S.	292	43,606	206	65.5	58.1-72.9	46	17.3	11.6-23.0	7	4.3	0.8- 7.8	1	1.0	0.0- 3.0	1	0.9	0.0- 2.7	31	11.0	6.1-15.1
College Graduate	410	48,879	285	66.1	60.0-72.2	72	18.1	13.2-23.0	15	4.6	1.7- 7.5	8	3.5	1.0- 6.0	3	1.2	0.0- 2.8	27	6.4	3.5- 9.3
Less than \$15,000	69	9,211	48	75.6	62.1-89.1	3	2.3	0.0- 5.0							1	0.5	0.0- 1.5	17	21.6	8.9-34.4
\$15,000- 24,999	159	23,956	114	63.0	52.2-73.8	12	10.4	3.5-17.3	1	1.3	0.0- 3.8	1	1.1	0.0- 3.3				31	24.2	15.0-33.4
\$25,000- 34,999	103	13,389	71	57.2	43.7-70.7	14	13.9	5.1-22.7	3	5.5	0.0-12.0							15	23.4	10.5-36.3
\$35,000- 49,999	121	14,967	88	69.9	58.5-81.3	21	18.3	8.9-27.7	2	1.1	0.0- 2.7							10	10.7	3.4-18.0
\$50,000- 74,999	127	16,294	89	59.5	47.9-71.1	23	23.6	13.8-33.4	5	7.9	0.0-16.1							10	9.0	2.5-15.5
\$75,000+	261	45,304	170	65.0	57.7-72.3	61	21.2	15.3-27.1	12	4.4	1.5- 7.3	7	4.0	0.9- 7.1	4	2.2	0.0- 4.7	7	3.2	0.3- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5198	763,661	785	12.9	11.7-14.1	4413	87.1	85.9-88.3
Male	2290	364,450	691	24.0	21.8-26.2	1599	76.0	73.8-78.2
Female	2908	399,211	94	2.8	2.0- 3.6	2814	97.2	96.4-98.0
White/Non-Hisp	3526	488,577	593	14.3	12.9-15.7	2933	85.7	84.3-87.1
Black or Afr. Am./Non-Hisp	712	155,495	114	14.2	11.1-17.3	598	85.8	82.7-88.9
Oth. Race/Non-Hisp.	201	35,624	26	4.7	2.3- 7.1	175	95.3	92.9-97.7
MultiRacial/Non-Hisp.	80	5,510	16	18.8	8.2-29.4	64	81.2	70.6-91.8
Hispanic	540	60,177	13	1.7	0.7- 2.7	527	98.3	97.3-99.3
18-24	311	88,014	8	1.9	0.5- 3.3	303	98.1	96.7-99.5
25-34	522	126,124	32	8.6	5.3-11.9	490	91.4	88.1-94.7
35-44	624	113,372	52	7.5	5.0-10.0	572	92.5	90.0-95.0
45-54	805	121,042	96	11.1	8.6-13.6	709	88.9	86.4-91.4
55-64	1100	133,620	147	13.4	10.9-15.9	953	86.6	84.1-89.1
65+	1836	181,489	450	25.4	22.9-27.9	1386	74.6	72.1-77.1
Less Than H.S.	525	85,793	24	5.3	2.8- 7.8	501	94.7	92.2-97.2
H.S. or G.E.D.	1474	240,032	208	12.4	10.2-14.6	1266	87.6	85.4-89.8
Some Post-H.S.	1351	219,380	239	16.1	13.6-18.6	1112	83.9	81.4-86.4
College Graduate	1826	216,105	311	13.2	11.4-15.0	1515	86.8	85.0-88.6
Less than \$15,000	398	48,373	26	5.3	2.8- 7.8	372	94.7	92.2-97.2
\$15,000- 24,999	792	109,195	86	10.0	7.3-12.7	706	90.0	87.3-92.7
\$25,000- 34,999	406	53,859	65	16.5	12.0-21.0	341	83.5	79.0-88.0
\$35,000- 49,999	572	83,023	109	16.0	12.1-19.9	463	84.0	80.1-87.9
\$50,000- 74,999	648	94,135	140	17.7	14.2-21.2	508	82.3	78.8-85.8
\$75,000+	1435	235,080	243	13.6	11.4-15.8	1192	86.4	84.2-88.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2290	364,450	691	24.0	21.8-26.2	1599	76.0	73.8-78.2
White/Non-Hisp	1547	232,814	537	27.4	24.9-29.9	1010	72.6	70.1-75.1
Black or Afr. Am./Non-Hisp	281	70,865	93	26.2	19.9-32.5	188	73.8	67.5-80.1
Oth. Race/Non-Hisp.	111	20,349	15	4.4	1.5- 7.3	96	95.6	92.7-98.5
Hispanic	252	28,257	13	3.6	1.4- 5.8	239	96.4	94.2-98.6
18-24	156	44,739	4	1.4	0.0- 3.0	152	98.6	97.0- 100
25-34	237	63,773	29	15.9	9.6-22.2	208	84.1	77.8-90.4
35-44	292	55,012	36	11.3	6.8-15.8	256	88.7	84.2-93.2
45-54	358	58,359	70	18.4	13.7-23.1	288	81.6	76.9-86.3
55-64	486	61,723	124	24.8	19.9-29.7	362	75.2	70.3-80.1
65+	761	80,845	428	54.9	50.6-59.2	333	45.1	40.8-49.4
Less Than H.S.	242	39,999	22	10.2	5.1-15.3	220	89.8	84.7-94.9
H.S. or G.E.D.	659	120,419	191	23.2	19.3-27.1	468	76.8	72.9-80.7
Some Post-H.S.	574	103,138	212	30.3	25.6-35.0	362	69.7	65.0-74.4
College Graduate	804	99,796	263	24.0	20.5-27.5	541	76.0	72.5-79.5
Less than \$15,000	155	20,449	21	10.6	4.9-16.3	134	89.4	83.7-95.1
\$15,000- 24,999	320	44,216	77	22.5	16.4-28.6	243	77.5	71.4-83.6
\$25,000- 34,999	157	21,993	54	31.3	22.3-40.3	103	68.7	59.7-77.7
\$35,000- 49,999	270	43,344	94	27.1	20.2-34.0	176	72.9	66.0-79.8
\$50,000- 74,999	293	47,708	122	30.7	24.0-37.4	171	69.3	62.6-76.0
\$75,000+	737	127,549	219	22.6	19.1-26.1	518	77.4	73.9-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2908	399,211	94	2.8	2.0- 3.6	2814	97.2	96.4-98.0
White/Non-Hisp	1979	255,763	56	2.5	1.7- 3.3	1923	97.5	96.7-98.3
Black or Afr. Am./Non-Hisp	431	84,630	21	4.1	2.1- 6.1	410	95.9	93.9-97.9
Oth. Race/Non-Hisp.	90	15,275	11	5.1	1.4- 8.8	79	94.9	91.2-98.6
Hispanic	288	31,920				288	100.0	100.0- 100
18-24	155	43,275	4	2.3	0.0- 4.8	151	97.7	95.2- 100
25-34	285	62,351	3	1.1	0.0- 2.5	282	98.9	97.5- 100
35-44	332	58,360	16	3.9	1.5- 6.3	316	96.1	93.7-98.5
45-54	447	62,683	26	4.3	2.3- 6.3	421	95.7	93.7-97.7
55-64	614	71,897	23	3.6	1.8- 5.4	591	96.4	94.6-98.2
65+	1075	100,645	22	1.8	0.8- 2.8	1053	98.2	97.2-99.2
Less Than H.S.	283	45,794	2	0.9	0.0- 2.3	281	99.1	97.7- 100
H.S. or G.E.D.	815	119,613	17	1.6	0.6- 2.6	798	98.4	97.4-99.4
Some Post-H.S.	777	116,242	27	3.5	1.9- 5.1	750	96.5	94.9-98.1
College Graduate	1022	116,309	48	4.0	2.6- 5.4	974	96.0	94.6-97.4
Less than \$15,000	243	27,924	5	1.5	0.0- 3.1	238	98.5	96.9- 100
\$15,000- 24,999	472	64,979	9	1.5	0.1- 2.9	463	98.5	97.1-99.9
\$25,000- 34,999	249	31,866	11	6.3	2.0-10.6	238	93.7	89.4-98.0
\$35,000- 49,999	302	39,679	15	4.0	1.6- 6.4	287	96.0	93.6-98.4
\$50,000- 74,999	355	46,427	18	4.3	1.8- 6.8	337	95.7	93.2-98.2
\$75,000+	698	107,532	24	2.8	1.2- 4.4	674	97.2	95.6-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5150	755,916	2540	57.4	55.6-59.2	232	4.9	3.9- 5.9	232	4.5	3.7- 5.3	119	4.2	3.2- 5.2	1639	22.4	21.2-23.6	388	6.6	5.8- 7.4
Male	2274	360,953	1252	62.9	60.4-65.4	106	5.5	4.1- 6.9	11	0.7	0.0- 1.5	54	3.7	2.5- 4.9	703	21.6	19.6-23.6	148	5.6	4.4- 6.8
Female	2876	394,963	1288	52.3	49.8-54.8	126	4.4	3.2- 5.6	221	8.0	6.6- 9.4	65	4.6	3.0- 6.2	936	23.1	21.3-24.9	240	7.5	6.3- 8.7
White/Non-Hisp	3501	484,222	1649	56.0	53.8-58.2	118	3.7	2.7- 4.7	128	4.0	3.2- 4.8	54	3.3	2.1- 4.5	1311	27.2	25.6-28.8	241	5.7	4.7- 6.7
Black or Afr. Am./Non-Hisp	707	154,573	342	55.4	50.5-60.3	61	9.1	6.0-12.2	11	1.2	0.4- 2.0	28	6.3	3.6- 9.0	182	17.2	14.1-20.3	83	10.8	8.1-13.5
Oth. Race/Non-Hisp.	198	35,243	115	66.2	55.8-76.6	14	3.8	1.1- 6.5	8	11.0	0.8-21.2	10	5.2	1.3- 9.1	41	11.2	5.9-16.5	10	2.7	0.3- 5.1
MultiRacial/Non-Hisp.	78	5,374	35	58.3	44.0-72.6	3	1.4	0.0- 3.0	6	6.7	0.0-13.8	3	3.7	0.0- 8.0	20	16.5	8.3-24.7	11	13.3	4.5-22.1
Hispanic	534	59,508	336	67.6	62.3-72.9	31	5.7	3.2- 8.2	72	13.1	9.4-16.8	22	4.5	2.1- 6.9	39	4.3	2.5- 6.1	34	4.7	2.7- 6.7
18-24	307	86,816	185	59.8	52.4-67.2	24	7.2	3.7-10.7	12	3.1	0.0- 6.6	79	27.9	21.0-34.8				7	2.0	0.2- 3.8
25-34	517	125,194	399	80.1	75.6-84.6	41	7.5	4.4-10.6	43	6.6	4.1- 9.1	24	4.1	2.1- 6.1	1	0.2	0.0- 0.6	9	1.5	0.3- 2.7
35-44	616	112,193	459	76.8	72.5-81.1	40	6.3	3.8- 8.8	57	7.3	4.9- 9.7	9	1.3	0.3- 2.3	3	0.3	0.0- 0.7	48	7.9	5.0-10.8
45-54	793	118,644	588	76.4	72.7-80.1	48	5.1	2.9- 7.3	30	3.3	1.9- 4.7	3	0.3	0.0- 0.7	41	5.3	3.3- 7.3	83	9.6	7.1-12.1
55-64	1090	132,609	618	56.8	53.1-60.5	52	4.4	2.8- 6.0	36	4.1	2.3- 5.9	1	0.0	0.0- 0.0	204	19.3	16.4-22.2	179	15.4	12.9-17.9
65+	1827	180,460	291	16.3	14.1-18.5	27	1.5	0.7- 2.3	54	3.1	1.9- 4.3	3	0.1	0.0- 0.3	1390	75.9	73.5-78.3	62	3.1	2.1- 4.1
Less Than H.S.	517	84,193	233	50.0	43.9-56.1	39	8.6	5.1-12.1	62	8.4	5.7-11.1	12	5.7	1.0-10.4	93	13.7	10.4-17.0	78	13.5	9.8-17.2
H.S. or G.E.D.	1458	238,113	615	48.5	45.0-52.0	90	7.3	5.1- 9.5	75	5.5	3.5- 7.5	42	5.2	3.2- 7.2	463	24.1	21.6-26.6	173	9.4	7.6-11.2
Some Post-H.S.	1335	216,333	637	58.2	54.9-61.5	52	3.3	1.9- 4.7	46	3.2	2.0- 4.4	46	5.0	3.2- 6.8	465	25.0	22.3-27.7	89	5.5	4.1- 6.9
College Graduate	1817	214,925	1043	69.3	66.8-71.8	50	2.5	1.5- 3.5	49	3.3	2.1- 4.5	19	1.7	0.7- 2.7	610	21.3	19.3-23.3	46	2.0	1.2- 2.8
Less than \$15,000	394	48,214	104	34.7	27.6-41.8	56	16.3	10.6-22.0	21	4.0	1.8- 6.2	14	6.2	1.7-10.7	80	14.1	10.4-17.8	119	24.7	19.4-30.0
\$15,000- 24,999	787	108,571	322	47.9	43.2-52.6	52	7.3	4.6-10.0	52	6.1	3.9- 8.3	19	2.8	1.2- 4.4	240	22.3	18.8-25.8	102	13.6	10.3-16.9
\$25,000- 34,999	405	53,805	167	47.0	40.5-53.5	18	3.6	1.6- 5.6	17	4.8	2.1- 7.5	14	5.9	2.4- 9.4	165	31.2	25.7-36.7	24	7.5	3.8-11.2
\$35,000- 49,999	567	82,576	279	57.0	51.3-62.7	22	4.1	2.3- 5.9	22	4.1	1.9- 6.3	7	3.3	0.0- 6.6	207	26.7	22.4-31.0	30	4.8	2.6- 7.0
\$50,000- 74,999	645	93,868	341	60.6	55.3-65.9	12	2.2	0.6- 3.8	17	5.0	0.9- 9.1	11	3.4	1.0- 5.8	245	27.0	22.9-31.1	19	1.8	0.8- 2.8
\$75,000+	1431	233,832	986	76.2	73.5-78.9	20	1.8	0.6- 3.0	37	2.8	1.8- 3.8	21	2.6	1.2- 4.0	348	15.3	13.3-17.3	19	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2274	360,953	1252	62.9	60.4-65.4	106	5.5	4.1- 6.9	11	0.7	0.0- 1.5	54	3.7	2.5- 4.9	703	21.6	19.8-23.4	148	5.6	4.4- 6.8
White/Non-Hisp	1539	230,492	804	62.6	59.7-65.5	58	4.0	2.6- 5.4	4	0.2	0.0- 0.4	24	2.8	1.4- 4.2	560	25.9	23.5-28.3	89	4.6	3.4- 5.8
Black or Afr. Am./Non-Hisp	280	70,977	129	53.7	46.1-61.3	28	11.3	6.0-16.6	1	0.3	0.0- 0.9	12	5.6	2.1- 9.1	73	18.7	13.6-23.8	37	10.3	6.2-14.4
Oth. Race/Non-Hisp.	110	20,015	72	71.7	57.6-85.8	7	4.3	0.0- 8.8	2	8.0	0.0-22.1	9	7.5	1.6-13.4	17	6.3	2.0-10.6	3	2.3	0.0- 6.0
Hispanic	250	28,076	203	84.4	78.7-90.1	11	4.9	1.6- 8.2	4	0.7	0.1- 1.3	8	3.7	0.2- 7.2	14	3.1	0.9- 5.3	10	3.2	0.7- 5.7
18-24	152	43,854	103	66.1	56.1-76.1	12	8.1	2.6-13.6	1	3.5	0.0-10.2	33	20.8	13.0-28.6				3	1.5	0.0- 3.5
25-34	234	63,290	201	86.6	80.9-92.3	18	7.7	2.8-12.6	1	0.1	0.0- 0.3	10	4.1	1.4- 6.8	1	0.5	0.0- 1.5	3	0.9	0.0- 2.3
35-44	289	54,617	238	82.2	76.3-88.1	20	8.4	3.9-12.9	6	1.0	0.0- 2.0	6	2.2	0.2- 4.2	1	0.2	0.0- 0.6	18	6.1	2.4- 9.8
45-54	352	56,918	268	81.0	76.3-85.7	20	4.2	2.0- 6.4	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	29	8.3	4.8-11.8	32	6.2	3.8- 8.6
55-64	485	61,405	303	60.4	54.7-66.1	27	5.5	2.8- 8.2	2	0.3	0.0- 0.9	1	0.0	0.0- 0.0	82	17.5	13.0-22.0	70	16.3	12.0-20.6
65+	762	80,869	139	18.9	15.6-22.2	9	1.5	0.3- 2.7	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	590	76.9	73.4-80.4	22	2.6	1.2- 4.0
Less Than H.S.	239	39,302	151	65.7	58.1-73.3	14	7.1	3.0-11.2	4	0.5	0.1- 0.9	7	4.5	0.4- 8.6	43	14.2	9.3-19.1	20	8.1	4.0-12.2
H.S. or G.E.D.	655	119,520	335	56.5	51.4-61.6	46	9.0	5.5-12.5	3	1.5	0.0- 4.0	14	3.5	1.3- 5.7	179	20.5	17.0-24.0	78	9.0	6.5-11.5
Some Post-H.S.	567	101,836	300	62.7	57.8-67.6	21	2.7	0.7- 4.7	2	0.3	0.0- 0.7	20	4.9	2.5- 7.3	194	25.3	21.2-29.4	30	4.2	2.4- 6.0
College Graduate	802	99,222	461	70.1	66.6-73.6	25	3.6	1.8- 5.4	2	0.2	0.0- 0.4	13	2.3	0.9- 3.7	282	21.8	18.9-24.7	19	2.0	0.8- 3.2
Less than \$15,000	155	20,645	50	37.0	26.6-47.4	24	17.3	9.5-25.1				5	7.4	0.0-15.8	29	12.9	7.4-18.4	47	25.4	17.2-33.6
\$15,000- 24,999	319	44,109	151	50.8	43.5-58.1	26	11.2	5.5-16.9	4	0.5	0.0- 1.1	11	3.9	1.2- 6.6	87	21.1	15.8-26.4	40	12.4	7.9-16.9
\$25,000- 34,999	156	21,939	76	55.4	45.2-65.6	5	4.0	0.1- 7.9	1	0.2	0.0- 0.6	5	6.1	0.4-11.8	61	29.2	20.8-37.6	8	5.0	1.3- 8.7
\$35,000- 49,999	268	43,048	147	62.8	55.4-70.2	14	5.1	2.4- 7.8	1	0.5	0.0- 1.5	1	0.8	0.0- 2.4	95	27.3	20.8-33.8	10	3.6	0.9- 6.3
\$50,000- 74,999	292	47,609	151	62.0	54.2-69.8	5	1.9	0.0- 4.1	2	3.4	0.0- 9.7	5	4.2	0.3- 8.1	119	26.5	20.6-32.4	10	2.1	0.7- 3.5
\$75,000+	735	126,566	519	79.8	76.7-82.9	12	1.7	0.5- 2.9	2	0.2	0.0- 0.4	9	1.5	0.3- 2.7	186	15.7	13.0-18.4	7	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2876	394,963	1288	52.3	49.8-54.8	126	4.4	3.2- 5.6	221	8.0	6.6- 9.4	65	4.6	3.0- 6.2	936	23.1	21.3-24.9	240	7.5	6.3- 8.7
White/Non-Hisp	1962	253,730	845	50.1	47.2-53.0	60	3.4	2.2- 4.6	124	7.5	5.9- 9.1	30	3.8	1.8- 5.8	751	28.4	26.0-30.8	152	6.8	5.4- 8.2
Black or Afr. Am./Non-Hisp	427	83,596	213	56.8	50.5-63.1	33	7.1	3.6-10.6	10	2.0	0.6- 3.4	16	6.8	2.9-10.7	109	15.9	12.2-19.6	46	11.3	7.4-15.2
Oth. Race/Non-Hisp.	88	15,227	43	59.0	42.9-75.1	7	3.0	0.5- 5.5	6	14.9	0.4-29.4	1	2.2	0.0- 6.5	24	17.7	7.1-28.3	7	3.2	0.5- 5.9
Hispanic	284	31,432	133	52.6	44.4-60.8	20	6.4	2.9- 9.9	68	24.3	17.6-31.0	14	5.3	2.2- 8.4	25	5.4	2.7- 8.1	24	6.0	3.1- 8.9
18-24	155	42,962	82	53.4	42.6-64.2	12	6.2	2.1-10.3	11	2.7	0.9- 4.5	46	35.2	24.4-46.0				4	2.5	0.0- 5.2
25-34	283	61,904	198	73.3	66.6-80.0	23	7.3	3.2-11.4	42	13.2	8.1-18.3	14	4.2	1.7- 6.7				6	2.0	0.0- 4.0
35-44	327	57,577	221	71.7	65.6-77.8	20	4.4	1.7- 7.1	51	13.3	9.0-17.6	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0	30	9.7	5.2-14.2
45-54	441	61,726	320	72.2	66.7-77.7	28	5.8	2.3- 9.3	29	6.3	3.6- 9.0	1	0.3	0.0- 0.9	12	2.6	1.0- 4.2	51	12.9	8.6-17.2
55-64	605	71,203	315	53.7	48.8-58.6	25	3.4	1.8- 5.0	34	7.4	4.3-10.5				122	20.8	16.7-24.9	109	14.7	11.6-17.8
65+	1065	99,591	152	14.3	11.8-16.8	18	1.5	0.5- 2.5	54	5.6	3.6- 7.6	1	0.1	0.0- 0.3	800	75.1	71.8-78.4	40	3.5	2.1- 4.9
Less Than H.S.	278	44,891	82	36.3	27.7-44.9	25	9.9	4.4-15.4	58	15.4	10.5-20.3	5	6.7	0.0-14.5	50	13.4	8.7-18.1	58	18.3	12.2-24.4
H.S. or G.E.D.	803	118,594	280	40.5	35.8-45.2	44	5.5	3.1- 7.9	72	9.5	6.6-12.4	28	6.9	3.8-10.0	284	27.7	24.0-31.4	95	9.8	7.3-12.3
Some Post-H.S.	768	114,497	337	54.2	49.5-58.9	31	3.8	2.0- 5.6	44	5.7	3.7- 7.7	26	5.0	2.5- 7.5	271	24.7	21.2-28.2	59	6.6	4.4- 8.8
College Graduate	1015	115,703	582	68.6	65.1-72.1	25	1.6	0.8- 2.4	47	6.0	3.8- 8.2	6	1.1	0.1- 2.1	328	20.8	18.1-23.5	27	1.9	0.9- 2.9
Less than \$15,000	239	27,569	54	32.9	23.1-42.7	32	15.5	7.5-23.5	21	7.0	3.3-10.7	9	5.4	1.1- 9.7	51	15.0	9.9-20.1	72	24.2	17.1-31.3
\$15,000- 24,999	468	64,462	171	45.9	39.6-52.2	26	4.5	2.3- 6.7	48	9.9	6.6-13.2	8	2.1	0.5- 3.7	153	23.2	18.7-27.7	62	14.4	9.9-18.9
\$25,000- 34,999	249	31,866	91	41.2	33.2-49.2	13	3.3	1.1- 5.5	16	8.0	3.3-12.7	9	5.7	1.4-10.0	104	32.7	25.4-40.0	16	9.2	3.5-14.9
\$35,000- 49,999	299	39,528	132	50.8	42.8-58.8	8	3.0	0.8- 5.2	21	8.0	3.9-12.1	6	6.0	0.0-12.5	112	26.0	20.1-31.9	20	6.2	3.1- 9.3
\$50,000- 74,999	353	46,259	190	59.1	52.0-66.2	7	2.5	0.0- 5.0	15	6.7	1.2-12.2	6	2.7	0.3- 5.1	126	27.5	21.8-33.2	9	1.6	0.4- 2.8
\$75,000+	696	107,266	467	71.9	67.6-76.2	8	2.0	0.0- 4.2	35	6.0	3.6- 8.4	12	3.9	1.4- 6.4	162	15.0	12.3-17.7	12	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5147	754,608	617	15.2	13.6-16.8	464	12.1	10.7-13.5	215	4.6	3.8- 5.4	84	1.9	1.3- 2.5	44	1.0	0.6- 1.4	3723	65.1	63.1-67.1
Male	2272	360,264	264	14.7	12.5-16.9	181	10.9	8.9-12.9	84	3.8	2.6- 5.0	29	1.3	0.5- 2.1	17	0.8	0.2- 1.4	1697	68.5	65.8-71.2
Female	2875	394,345	353	15.8	13.6-18.0	283	13.2	11.2-15.2	131	5.4	4.2- 6.6	55	2.4	1.4- 3.4	27	1.2	0.4- 2.0	2026	62.0	59.5-64.5
White/Non-Hisp	3503	485,271	349	13.1	11.5-14.7	249	10.3	8.9-11.7	93	3.5	2.5- 4.5	26	0.7	0.3- 1.1	9	0.5	0.0- 1.1	2777	71.9	69.7-74.1
Black or Afr. Am./Non-Hisp	704	153,453	99	16.5	12.6-20.4	77	14.3	10.4-18.2	41	6.6	4.2- 9.0	19	4.1	1.7- 6.5	10	1.7	0.5- 2.9	458	56.8	51.9-61.7
Oth. Race/Non-Hisp.	197	34,455	44	30.5	19.7-41.3	20	15.1	6.7-23.5	7	1.1	0.1- 2.1	5	2.7	0.0- 5.8				121	50.6	39.8-61.4
MultiRacial/Non-Hisp.	80	5,510	13	20.1	8.1-32.1	7	8.8	1.5-16.1	1	0.5	0.0- 1.5	2	2.4	0.0- 6.3				57	68.1	54.6-81.6
Hispanic	532	58,986	100	22.0	16.1-27.9	99	19.9	15.2-24.6	70	12.0	8.5-15.5	30	5.4	3.0- 7.8	23	3.4	1.6- 5.2	210	37.3	31.6-43.0
18-24	305	86,466	65	24.7	17.8-31.6	36	8.3	5.0-11.6	22	5.6	2.9- 8.3	9	3.4	0.5- 6.3	7	1.9	0.1- 3.7	166	56.1	48.7-63.5
25-34	520	126,573	110	20.6	16.3-24.9	96	21.0	16.1-25.9	52	8.5	5.6-11.4	26	2.9	1.5- 4.3	17	3.0	1.0- 5.0	219	44.1	38.6-49.6
35-44	613	110,863	129	20.1	16.2-24.0	181	33.0	28.1-37.9	73	8.7	6.2-11.2	26	4.8	2.4- 7.2	14	1.5	0.5- 2.5	190	31.9	27.2-36.6
45-54	790	118,517	163	21.8	17.9-25.7	105	13.9	11.0-16.8	39	5.7	3.5- 7.9	10	1.0	0.2- 1.8	3	0.3	0.0- 0.7	470	57.3	53.0-61.6
55-64	1091	131,801	87	9.3	6.9-11.7	31	2.5	1.3- 3.7	17	1.5	0.5- 2.5	8	0.5	0.1- 0.9	2	0.1	0.0- 0.3	946	86.1	83.4-88.8
65+	1828	180,389	63	4.0	2.6- 5.4	15	0.7	0.3- 1.1	12	0.5	0.1- 0.9	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0	1732	94.5	93.1-95.9
Less Than H.S.	517	84,471	80	18.9	14.0-23.8	73	15.2	10.5-19.9	56	8.8	5.7-11.9	26	4.2	2.2- 6.2	19	3.4	0.7- 6.1	263	49.4	43.3-55.5
H.S. or G.E.D.	1465	238,422	184	15.7	12.8-18.6	111	9.6	7.1-12.1	56	4.6	3.2- 6.0	21	1.8	0.6- 3.0	10	0.9	0.1- 1.7	1083	67.4	63.9-70.9
Some Post-H.S.	1338	215,871	156	15.6	12.7-18.5	106	11.0	8.5-13.5	41	3.0	1.8- 4.2	15	1.4	0.2- 2.6	9	0.6	0.0- 1.2	1011	68.4	64.9-71.9
College Graduate	1805	213,681	195	13.0	10.8-15.2	171	14.7	12.2-17.2	61	4.7	3.1- 6.3	18	1.5	0.7- 2.3	6	0.5	0.0- 1.1	1354	65.6	62.5-68.7
Less than \$15,000	398	48,581	41	14.2	8.1-20.3	38	9.1	5.0-13.2	22	5.5	2.8- 8.2	6	0.8	0.2- 1.4	5	1.5	0.1- 2.9	286	68.9	62.0-75.8
\$15,000- 24,999	783	107,649	90	15.4	11.5-19.3	90	12.0	8.9-15.1	57	8.3	5.4-11.2	23	3.4	1.6- 5.2	13	1.8	0.6- 3.0	510	59.1	54.2-64.0
\$25,000- 34,999	403	53,494	55	20.2	14.3-26.1	33	10.2	6.1-14.3	20	4.4	1.9- 6.9	4	0.5	0.1- 0.9	5	0.8	0.0- 1.6	286	64.0	57.5-70.5
\$35,000- 49,999	571	82,977	66	15.4	10.7-20.1	33	8.4	4.1-12.7	16	3.2	1.2- 5.2	12	4.3	1.0- 7.6	3	0.3	0.0- 0.7	441	68.4	62.3-74.5
\$50,000- 74,999	645	93,978	74	15.1	10.4-19.8	47	13.9	9.2-18.6	17	2.9	1.1- 4.7	9	1.0	0.2- 1.8	3	0.4	0.0- 0.8	495	66.7	61.0-72.4
\$75,000+	1431	234,432	194	15.3	12.8-17.8	166	16.1	13.4-18.8	57	5.0	3.4- 6.6	15	1.5	0.5- 2.5	7	1.1	0.0- 2.3	992	60.9	57.4-64.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2272	360,264	264	14.7	12.5-16.9	181	10.9	8.9-12.9	84	3.8	2.6- 5.0	29	1.3	0.5- 2.1	17	0.8	0.2- 1.4	1697	68.5	65.8-71.2
White/Non-Hisp	1541	231,120	153	12.9	10.5-15.3	94	8.9	6.9-10.9	38	3.5	2.1- 4.9	7	0.3	0.1- 0.5	4	0.2	0.0- 0.4	1245	74.2	71.3-77.1
Black or Afr. Am./Non-Hisp	278	69,932	38	15.2	9.9-20.5	26	14.5	8.0-21.0	12	4.0	1.5- 6.5	5	3.2	0.0- 6.5	4	1.8	0.0- 4.0	193	61.3	53.7-68.9
Oth. Race/Non-Hisp.	110	19,972	19	26.9	12.0-41.8	14	14.4	5.4-23.4	5	1.5	0.1- 2.9	4	2.1	0.0- 4.5				68	55.2	41.1-69.3
Hispanic	247	27,899	47	21.2	13.6-28.8	40	15.9	10.0-21.8	29	9.2	4.7-13.7	10	4.1	1.2- 7.0	8	2.8	0.6- 5.0	113	46.9	38.3-55.5
18-24	152	43,786	29	23.0	13.6-32.4	16	7.9	3.2-12.6	7	2.6	0.0- 5.3	1	0.2	0.0- 0.6	3	2.7	0.0- 6.0	96	63.6	53.6-73.6
25-34	236	63,662	37	16.8	11.1-22.5	37	17.2	10.5-23.9	12	3.7	0.6- 6.8	6	1.4	0.0- 2.8	5	1.2	0.0- 2.4	139	59.8	51.8-67.8
35-44	287	54,155	57	18.1	12.8-23.4	67	26.4	19.3-33.5	32	9.1	5.0-13.2	9	4.5	0.4- 8.6	4	0.9	0.0- 1.9	118	40.9	33.6-48.2
45-54	352	57,308	71	22.0	16.1-27.9	46	15.0	10.3-19.7	21	6.6	3.3- 9.9	5	1.0	0.0- 2.2	2	0.4	0.0- 1.0	207	55.0	48.5-61.5
55-64	485	60,681	47	10.7	7.4-14.0	11	2.8	0.6- 5.0	7	1.6	0.0- 3.2	5	0.8	0.0- 1.8	2	0.2	0.0- 0.4	413	83.9	79.8-88.0
65+	760	80,672	23	4.0	2.0- 6.0	4	0.4	0.0- 0.8	5	0.6	0.0- 1.2	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	724	94.8	92.6-97.0
Less Than H.S.	237	39,264	38	22.1	14.5-29.7	30	12.6	6.9-18.3	23	6.6	2.9-10.3	11	3.3	0.9- 5.7	6	1.5	0.1- 2.9	129	53.9	45.7-62.1
H.S. or G.E.D.	659	120,121	84	15.9	11.6-20.2	49	10.4	6.5-14.3	22	3.6	1.8- 5.4	5	0.3	0.0- 0.7	4	0.7	0.0- 1.7	495	69.1	63.8-74.4
Some Post-H.S.	567	100,855	61	11.9	8.4-15.4	37	9.4	5.9-12.9	16	2.9	0.9- 4.9	6	2.2	0.0- 4.4	3	0.7	0.0- 1.7	444	72.9	67.8-78.0
College Graduate	799	99,139	81	13.3	10.0-16.6	65	12.5	9.0-16.0	22	3.9	1.7- 6.1	5	0.6	0.0- 1.2	4	0.6	0.0- 1.2	622	69.2	64.7-73.7
Less than \$15,000	155	20,657	11	10.6	1.6-19.6	10	5.9	0.0-11.8	4	1.9	0.0- 4.4	1	0.4	0.0- 1.2				129	81.2	71.0-91.4
\$15,000- 24,999	317	43,907	36	16.2	10.3-22.1	30	10.8	5.5-16.1	22	5.7	2.6- 8.8	8	2.1	0.3- 3.9	4	1.2	0.0- 2.6	217	64.0	56.7-71.3
\$25,000- 34,999	156	21,912	23	20.1	11.5-28.7	12	7.8	2.1-13.5	6	2.2	0.2- 4.2	2	0.5	0.0- 1.1	3	1.4	0.0- 3.2	110	68.0	58.2-77.8
\$35,000- 49,999	270	43,344	22	10.1	5.0-15.2	13	7.4	0.9-13.9	11	3.9	1.0- 6.8	6	3.8	0.0- 7.9	2	0.4	0.0- 1.0	216	74.4	66.0-82.8
\$50,000- 74,999	292	47,689	31	15.3	7.7-22.9	19	13.0	6.5-19.5	6	1.4	0.2- 2.6	3	0.6	0.0- 1.4	2	0.5	0.0- 1.3	231	69.1	60.5-77.7
\$75,000+	736	127,244	100	15.9	12.4-19.4	77	14.4	10.9-17.9	26	5.0	2.6- 7.4	5	1.0	0.0- 2.2	4	0.8	0.0- 1.8	524	63.0	58.3-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2875	394,345	353	15.8	13.8-17.8	283	13.2	11.2-15.2	131	5.4	4.2- 6.6	55	2.4	1.4- 3.4	27	1.2	0.4- 2.0	2026	62.0	59.5-64.5
White/Non-Hisp	1962	254,151	196	13.3	11.1-15.5	155	11.5	9.3-13.7	55	3.5	2.3- 4.7	19	1.1	0.5- 1.7	5	0.8	0.0- 1.8	1532	69.8	66.9-72.7
Black or Afr. Am./Non-Hisp	426	83,521	61	17.5	12.0-23.0	51	14.1	9.4-18.8	29	8.8	5.1-12.5	14	4.9	1.6- 8.2	6	1.6	0.2- 3.0	265	53.1	46.6-59.6
Oth. Race/Non-Hisp.	87	14,483	25	35.4	19.3-51.5	6	16.1	0.2-32.0	2	0.7	0.0- 1.7	1	3.5	0.0-10.4				53	44.4	28.3-60.5
Hispanic	285	31,086	53	22.7	14.1-31.3	59	23.6	16.5-30.7	41	14.5	9.0-20.0	20	6.5	3.2- 9.8	15	4.0	1.6- 6.4	97	28.7	21.8-35.6
18-24	153	42,681	36	26.6	16.8-36.4	20	8.7	3.6-13.8	15	8.7	3.8-13.6	8	6.6	0.7-12.5	4	1.0	0.0- 2.2	70	48.4	37.4-59.4
25-34	284	62,911	73	24.3	17.8-30.8	59	24.9	17.6-32.2	40	13.3	8.4-18.2	20	4.4	1.9- 6.9	12	4.9	1.0- 8.8	80	28.2	21.5-34.9
35-44	326	56,708	72	22.1	16.2-28.0	114	39.3	32.4-46.2	41	8.3	5.2-11.4	17	5.1	2.4- 7.8	10	2.0	0.2- 3.8	72	23.2	17.3-29.1
45-54	438	61,209	92	21.7	16.4-27.0	59	12.8	9.3-16.3	18	4.9	2.4- 7.4	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6	263	59.5	53.6-65.4
55-64	606	71,120	40	8.1	5.0-11.2	20	2.2	1.0- 3.4	10	1.4	0.4- 2.4	3	0.3	0.0- 0.7				533	88.0	84.5-91.5
65+	1068	99,716	40	4.0	2.2- 5.8	11	1.0	0.4- 1.6	7	0.4	0.0- 0.8	2	0.4	0.0- 1.0				1008	94.3	92.3-96.3
Less Than H.S.	280	45,207	42	16.2	10.1-22.3	43	17.5	10.4-24.6	33	10.8	5.9-15.7	15	4.9	1.8- 8.0	13	5.1	0.4- 9.8	134	45.6	36.8-54.4
H.S. or G.E.D.	806	118,301	100	15.6	11.7-19.5	62	8.8	5.7-11.9	34	5.7	3.3- 8.1	16	3.3	1.1- 5.5	6	1.0	0.0- 2.0	588	65.7	60.8-70.6
Some Post-H.S.	771	115,016	95	18.8	14.3-23.3	69	12.3	9.0-15.6	25	3.0	1.6- 4.4	9	0.7	0.1- 1.3	6	0.6	0.0- 1.2	567	64.5	59.6-69.4
College Graduate	1006	114,542	114	12.7	10.0-15.4	106	16.6	13.1-20.1	39	5.4	3.2- 7.6	13	2.2	0.8- 3.6	2	0.5	0.0- 1.3	732	62.6	58.5-66.7
Less than \$15,000	243	27,924	30	16.9	8.5-25.3	28	11.5	5.6-17.4	18	8.1	4.0-12.2	5	1.1	0.1- 2.1	5	2.6	0.2- 5.0	157	59.9	50.5-69.3
\$15,000- 24,999	466	63,742	54	14.9	9.4-20.4	60	12.9	9.0-16.8	35	10.1	5.8-14.4	15	4.2	1.7- 6.7	9	2.2	0.2- 4.2	293	55.7	49.2-62.2
\$25,000- 34,999	247	31,583	32	20.2	12.4-28.0	21	11.9	6.4-17.4	14	5.9	2.0- 9.8	2	0.5	0.0- 1.1	2	0.4	0.0- 1.0	176	61.2	52.8-69.6
\$35,000- 49,999	301	39,633	44	21.2	13.4-29.0	20	9.4	4.1-14.7	5	2.5	0.0- 5.0	6	4.8	0.0-10.3	1	0.2	0.0- 0.6	225	61.9	53.3-70.5
\$50,000- 74,999	353	46,289	43	14.9	9.6-20.2	28	14.8	8.3-21.3	11	4.3	0.8- 7.8	6	1.5	0.3- 2.7	1	0.2	0.0- 0.6	264	64.3	56.9-71.7
\$75,000+	695	107,189	94	14.7	11.2-18.2	89	18.2	14.1-22.3	31	5.0	2.8- 7.2	10	2.1	0.5- 3.7	3	1.5	0.0- 3.7	468	58.5	53.4-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4254	624,067	195	3.7	2.9- 4.5	204	4.1	3.3- 4.9	338	7.4	6.4- 8.4	454	10.1	8.9-11.3	406	8.6	7.6- 9.6	2657	66.1	64.1-68.1
Male	1935	305,660	80	3.5	2.5- 4.5	76	3.3	2.3- 4.3	116	5.4	4.2- 6.6	204	9.0	7.4-10.6	157	7.2	5.8- 8.6	1302	71.6	69.1-74.1
Female	2319	318,407	115	4.0	3.0- 5.0	128	4.8	3.4- 6.2	222	9.4	7.8-11.0	250	11.0	9.2-12.8	249	10.0	8.4-11.6	1355	60.8	58.1-63.5
White/Non-Hisp	2920	402,872	81	2.7	1.9- 3.5	110	3.4	2.4- 4.4	160	4.7	3.9- 5.5	270	8.8	7.4-10.2	246	7.3	6.1- 8.5	2053	73.2	71.2-75.2
Black or Afr. Am./Non-Hisp	607	129,849	43	5.0	3.0- 7.0	37	4.5	2.3- 6.7	78	13.5	10.0-17.0	73	11.0	7.9-14.1	82	11.7	8.6-14.8	294	54.3	49.0-59.6
Oth. Race/Non-Hisp.	152	27,847	10	2.0	0.6- 3.4	9	2.0	0.2- 3.8	7	2.2	0.2- 4.2	16	8.4	2.5-14.3	16	11.0	4.7-17.3	94	74.3	65.3-83.3
MultiRacial/Non-Hisp.	69	4,730	8	10.5	2.3-18.7	5	4.8	0.0- 9.7	5	15.2	0.0-35.4	7	7.1	0.8-13.4	9	10.1	2.3-17.9	35	52.3	34.9-69.7
Hispanic	422	47,489	50	9.9	6.4-13.4	36	8.2	4.9-11.5	84	17.5	13.0-22.0	78	18.6	12.3-24.9	46	11.1	7.0-15.2	128	34.7	28.0-41.4
18-24	216	60,385	18	6.4	2.5-10.3	11	4.1	0.4- 7.8	23	7.0	3.7-10.3	31	13.1	7.2-19.0	28	12.2	6.9-17.5	105	57.2	48.8-65.6
25-34	451	111,241	31	4.9	2.7- 7.1	22	4.1	2.1- 6.1	48	8.1	5.2-11.0	59	10.8	7.5-14.1	41	7.5	5.0-10.0	250	64.6	59.3-69.9
35-44	541	99,202	35	4.2	2.2- 6.2	24	3.7	1.9- 5.5	45	7.7	4.8-10.6	62	9.4	6.5-12.3	50	6.9	4.4- 9.4	325	68.1	63.2-73.0
45-54	686	102,263	31	3.1	1.7- 4.5	29	4.2	1.8- 6.6	55	6.4	4.4- 8.4	49	6.7	4.3- 9.1	49	6.6	4.4- 8.8	473	73.0	68.9-77.1
55-64	924	110,254	42	3.4	2.0- 4.8	58	4.7	3.3- 6.1	71	7.9	5.7-10.1	76	8.8	6.4-11.2	58	5.4	3.6- 7.2	619	69.8	66.1-73.5
65+	1436	140,722	38	2.1	1.3- 2.9	60	3.6	2.4- 4.8	96	7.3	5.3- 9.3	177	12.1	9.9-14.3	180	13.2	10.8-15.6	885	61.7	58.6-64.8
Less Than H.S.	391	62,567	62	12.8	8.9-16.7	44	10.0	6.5-13.5	88	19.6	14.7-24.5	78	17.7	12.8-22.6	43	11.3	7.2-15.4	76	28.6	21.9-35.3
H.S. or G.E.D.	1166	190,490	78	4.6	3.0- 6.2	84	5.9	3.9- 7.9	141	11.0	8.8-13.2	192	15.9	13.2-18.6	144	10.3	8.3-12.3	527	52.3	48.4-56.2
Some Post-H.S.	1130	183,677	42	2.6	1.6- 3.6	50	3.1	1.9- 4.3	73	5.2	3.6- 6.8	102	7.7	5.5- 9.9	138	10.9	8.5-13.3	725	70.5	67.0-74.0
College Graduate	1556	186,106	12	0.8	0.2- 1.4	26	1.2	0.6- 1.8	31	1.7	0.7- 2.7	80	3.8	2.8- 4.8	81	3.8	2.8- 4.8	1326	88.8	86.8-90.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	305,660	80	3.5	2.5- 4.5	76	3.3	2.3- 4.3	116	5.4	4.2- 6.6	204	9.0	7.4-10.6	157	7.2	5.8- 8.6	1302	71.6	69.1-74.1
White/Non-Hisp	1320	198,147	34	2.7	1.5- 3.9	40	2.8	1.8- 3.8	47	3.0	2.0- 4.0	114	8.0	6.0-10.0	92	6.0	4.4- 7.6	993	77.6	74.9-80.3
Black or Afr. Am./Non-Hisp	244	58,614	17	4.7	1.8- 7.6	12	2.6	0.8- 4.4	25	10.9	6.0-15.8	32	10.2	6.1-14.3	27	9.5	5.0-14.0	131	62.0	54.4-69.6
Oth. Race/Non-Hisp.	85	15,695	6	2.0	0.2- 3.8	1	0.2	0.0- 0.6	6	3.1	0.0- 6.2	8	4.5	0.8- 8.2	7	8.4	0.8-16.0	57	81.7	72.3-91.1
Hispanic	212	24,384	19	8.7	4.0-13.4	17	7.2	3.1-11.3	36	14.7	9.2-20.2	42	16.2	9.7-22.7	24	11.6	5.5-17.7	74	41.6	32.0-51.2
18-24	109	31,726	12	9.1	2.4-15.8	4	1.6	0.0- 3.4	9	4.9	1.2- 8.6	10	6.4	1.7-11.1	11	10.3	2.9-17.7	63	67.7	57.1-78.3
25-34	206	56,463	9	2.5	0.7- 4.3	10	3.8	0.9- 6.7	17	4.2	1.8- 6.6	27	11.4	6.1-16.7	13	5.5	2.2- 8.8	130	72.5	65.4-79.6
35-44	258	48,949	14	4.6	1.3- 7.9	9	3.7	1.0- 6.4	13	5.6	1.3- 9.9	36	9.2	5.5-12.9	24	6.7	3.4-10.0	162	70.3	63.2-77.4
45-54	305	49,938	13	2.4	1.0- 3.8	12	2.5	0.7- 4.3	22	5.6	2.9- 8.3	25	6.3	3.4- 9.2	22	5.9	2.8- 9.0	211	77.4	72.1-82.7
55-64	424	52,207	21	3.9	1.9- 5.9	21	4.3	2.3- 6.3	28	8.4	4.7-12.1	41	8.9	5.6-12.2	16	3.8	1.4- 6.2	297	70.8	65.5-76.1
65+	633	66,375	11	1.4	0.4- 2.4	20	3.1	1.5- 4.7	27	4.0	2.2- 5.8	65	10.4	7.3-13.5	71	11.2	8.3-14.1	439	69.8	65.5-74.1
Less Than H.S.	198	32,601	25	12.7	6.8-18.6	23	9.8	5.3-14.3	36	14.0	8.5-19.5	38	15.3	9.0-21.6	25	12.7	6.8-18.6	51	35.5	26.3-44.7
H.S. or G.E.D.	555	99,485	34	4.3	2.1- 6.5	31	4.0	2.2- 5.8	47	7.6	5.1-10.1	90	14.7	11.0-18.4	59	8.5	6.0-11.0	294	61.0	55.7-66.3
Some Post-H.S.	474	85,051	16	1.9	0.7- 3.1	16	2.7	0.9- 4.5	21	3.9	1.4- 6.4	44	6.4	4.0- 8.8	36	6.9	3.8-10.0	341	78.2	73.5-82.9
College Graduate	701	87,626	4	0.5	0.0- 1.1	6	0.6	0.0- 1.2	9	1.0	0.2- 1.8	30	2.7	1.5- 3.9	37	4.1	2.3- 5.9	615	91.0	88.6-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2319	318,407	115	4.0	3.0- 5.0	128	4.8	3.4- 6.2	222	9.4	7.8-11.0	250	11.0	9.2-12.8	249	10.0	8.4-11.6	1355	60.8	58.1-63.5
White/Non-Hisp	1600	204,725	47	2.7	1.7- 3.7	70	4.0	2.6- 5.4	113	6.3	4.9- 7.7	156	9.5	7.7-11.3	154	8.6	6.8-10.4	1060	68.9	66.0-71.8
Black or Afr. Am./Non-Hisp	363	71,235	26	5.2	2.7- 7.7	25	5.9	2.2- 9.6	53	15.7	10.8-20.6	41	11.7	7.2-16.2	55	13.5	9.2-17.8	163	48.0	41.1-54.9
Oth. Race/Non-Hisp.	67	12,152	4	2.0	0.0- 4.4	8	4.2	0.1- 8.3	1	1.1	0.0- 3.3	8	13.5	1.3-25.7	9	14.4	3.6-25.2	37	64.8	48.3-81.3
Hispanic	210	23,105	31	11.1	6.0-16.2	19	9.3	4.2-14.4	48	20.5	13.4-27.6	36	21.1	10.5-31.7	22	10.6	5.1-16.1	54	27.4	19.0-35.8
18-24	107	28,659	6	3.5	0.6- 6.4	7	6.8	0.0-14.2	14	9.4	3.9-14.9	21	20.4	9.8-31.0	17	14.2	6.6-21.8	42	45.7	33.0-58.4
25-34	245	54,777	22	7.3	3.4-11.2	12	4.5	1.8- 7.2	31	12.1	7.0-17.2	32	10.1	5.8-14.4	28	9.6	5.5-13.7	120	56.4	48.6-64.2
35-44	283	50,252	21	3.9	1.9- 5.9	15	3.6	1.1- 6.1	32	9.7	5.6-13.8	26	9.6	4.9-14.3	26	7.2	3.7-10.7	163	66.1	59.2-73.0
45-54	381	52,324	18	3.7	1.3- 6.1	17	5.8	1.5-10.1	33	7.1	4.2-10.0	24	7.1	3.4-10.8	27	7.3	4.2-10.4	262	68.8	62.5-75.1
55-64	500	58,047	21	2.9	1.1- 4.7	37	5.1	2.9- 7.3	43	7.5	4.8-10.2	35	8.7	5.2-12.2	42	6.9	4.5- 9.3	322	68.9	64.0-73.8
65+	803	74,348	27	2.8	1.6- 4.0	40	4.1	2.1- 6.1	69	10.2	7.1-13.3	112	13.7	10.8-16.6	109	14.9	11.4-18.4	446	54.4	49.9-58.9
Less Than H.S.	193	29,967	37	13.0	7.7-18.3	21	10.1	4.6-15.6	52	25.7	17.5-33.9	40	20.4	12.8-28.0	18	9.7	4.2-15.2	25	21.1	11.7-30.5
H.S. or G.E.D.	611	91,005	44	5.0	3.0- 7.0	53	8.0	4.5-11.5	94	14.7	11.0-18.4	102	17.2	13.1-21.3	85	12.3	9.0-15.6	233	42.7	37.0-48.4
Some Post-H.S.	656	98,626	26	3.2	1.4- 5.0	34	3.4	1.8- 5.0	52	6.3	4.1- 8.5	58	8.8	5.5-12.1	102	14.5	11.0-18.0	384	63.8	58.9-68.7
College Graduate	855	98,480	8	1.0	0.0- 2.0	20	1.6	0.6- 2.6	22	2.3	0.7- 3.9	50	4.7	2.9- 6.5	44	3.5	2.1- 4.9	711	86.8	83.9-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4859	709,853	63	1.1	0.7- 1.5	1340	27.7	25.9-29.5	2130	43.4	41.4-45.4	974	20.8	19.2-22.4	315	6.2	5.4- 7.0	37	0.8	0.4- 1.2
Male	2218	350,378	4	0.2	0.0- 0.4	246	11.9	9.9-13.9	1071	49.1	46.4-51.8	662	29.2	26.7-31.7	208	8.4	7.0- 9.8	27	1.2	0.6- 1.8
Female	2641	359,474	59	2.1	1.5- 2.7	1094	43.0	40.3-45.7	1059	37.9	35.4-40.4	312	12.6	10.8-14.4	107	4.0	3.0- 5.0	10	0.3	0.1- 0.5
White/Non-Hisp	3327	461,262	42	1.1	0.7- 1.5	886	27.5	25.3-29.7	1488	44.1	41.9-46.3	682	20.6	18.8-22.4	225	6.6	5.6- 7.6	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	657	143,053	6	0.9	0.1- 1.7	131	21.8	17.7-25.9	300	44.2	39.1-49.3	165	26.1	21.6-30.6	54	7.0	4.6- 9.4	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	184	32,034	5	2.2	0.0- 4.9	64	39.1	27.7-50.5	75	39.6	29.0-50.2	20	9.4	2.3-16.5	11	3.7	0.2- 7.2	9	5.9	1.4-10.4
MultiRacial/Non-Hisp.	76	5,406	1	2.4	0.0- 6.9	19	22.4	11.0-33.8	30	44.9	28.6-61.2	21	23.2	11.4-35.0	5	7.1	0.2-14.0			
Hispanic	507	53,910	8	1.9	0.3- 3.5	210	37.4	31.7-43.1	189	37.8	31.5-44.1	61	14.7	10.2-19.2	18	3.3	1.5- 5.1	21	4.8	2.3- 7.3
18-24	286	79,231	8	2.3	0.5- 4.1	132	39.4	31.8-47.0	101	41.3	33.7-48.9	31	12.9	7.6-18.2	6	2.2	0.2- 4.2	8	1.9	0.3- 3.5
25-34	494	120,504	4	0.6	0.0- 1.2	177	33.3	27.8-38.8	194	41.1	35.4-46.8	75	16.7	12.2-21.2	31	6.0	3.6- 8.4	13	2.3	0.9- 3.7
35-44	586	105,006	7	1.0	0.2- 1.8	156	26.3	21.6-31.0	241	41.1	36.0-46.2	120	21.5	17.2-25.8	53	9.3	6.4-12.2	9	0.8	0.2- 1.4
45-54	750	110,772	6	0.9	0.1- 1.7	176	21.3	17.8-24.8	322	42.3	38.0-46.6	191	28.3	24.2-32.4	53	7.1	4.9- 9.3	2	0.1	0.0- 0.3
55-64	1021	123,499	6	0.7	0.0- 1.5	213	21.1	18.0-24.2	478	46.8	42.9-50.7	233	24.3	21.0-27.6	87	7.0	5.2- 8.8	4	0.2	0.0- 0.4
65+	1722	170,841	32	1.6	0.8- 2.4	486	28.0	25.3-30.7	794	45.8	42.9-48.7	324	19.4	17.0-21.8	85	5.2	3.8- 6.6	1	0.0	0.0- 0.0
Less Than H.S.	487	77,161	10	1.3	0.3- 2.3	180	34.8	28.5-41.1	176	34.3	28.4-40.2	75	19.0	14.3-23.7	35	8.8	5.5-12.1	11	1.8	0.4- 3.2
H.S. or G.E.D.	1372	222,869	19	1.3	0.5- 2.1	369	27.6	24.3-30.9	591	42.1	38.6-45.6	291	22.2	19.3-25.1	97	6.3	4.7- 7.9	5	0.5	0.1- 0.9
Some Post-H.S.	1269	205,557	11	0.5	0.1- 0.9	305	23.0	20.1-25.9	593	47.3	43.6-51.0	262	22.1	19.0-25.2	92	6.8	5.2- 8.4	6	0.3	0.1- 0.5
College Graduate	1709	202,124	22	1.5	0.7- 2.3	475	29.7	26.8-32.6	762	44.4	41.3-47.5	344	18.6	16.2-21.0	91	4.6	3.4- 5.8	15	1.2	0.4- 2.0
Less than \$15,000	376	44,567	10	1.5	0.3- 2.7	107	29.2	22.5-35.9	159	41.8	34.7-48.9	64	16.5	11.6-21.4	27	7.5	4.0-11.0	9	3.6	1.1- 6.1
\$15,000- 24,999	761	104,453	14	2.2	0.8- 3.6	242	30.1	25.8-34.4	316	41.7	36.8-46.6	124	17.4	13.9-20.9	57	7.6	5.1-10.1	8	0.9	0.1- 1.7
\$25,000- 34,999	392	51,748	2	0.7	0.0- 1.9	112	30.3	24.0-36.6	170	40.1	33.8-46.4	81	21.4	15.7-27.1	26	7.2	3.9-10.5	1	0.3	0.0- 0.9
\$35,000- 49,999	552	79,373	6	1.1	0.0- 2.3	112	19.6	14.9-24.3	275	49.9	44.0-55.8	120	22.7	18.0-27.4	36	5.9	3.7- 8.1	3	0.7	0.0- 1.7
\$50,000- 74,999	627	91,504	9	1.3	0.3- 2.3	168	28.2	22.9-33.5	272	44.9	39.4-50.4	133	18.9	15.0-22.8	43	6.2	4.0- 8.4	2	0.4	0.0- 1.2
\$75,000+	1384	226,248	5	0.3	0.0- 0.7	320	23.7	20.8-26.6	629	44.8	41.3-48.3	337	24.6	21.7-27.5	88	6.0	4.4- 7.6	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2218	350,378	4	0.2	0.0- 0.4	246	11.9	9.9-13.9	1071	49.1	46.4-51.8	662	29.2	26.7-31.7	208	8.4	7.0- 9.8	27	1.2	0.6- 1.8
White/Non-Hisp	1510	226,198	1	0.0	0.0- 0.0	131	10.2	8.2-12.2	732	49.2	45.9-52.5	489	31.3	28.4-34.2	154	9.2	7.4-11.0	3	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	270	68,341	1	0.5	0.0- 1.5	28	10.3	6.2-14.4	125	48.6	40.8-56.4	85	31.1	23.7-38.5	30	9.4	5.3-13.5	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	105	18,678	1	1.2	0.0- 3.6	21	24.2	9.1-39.3	52	53.0	38.5-67.5	15	9.1	2.4-15.8	7	2.3	0.0- 4.7	9	10.2	2.6-17.8
Hispanic	238	25,493	1	0.2	0.0- 0.6	58	21.1	14.8-27.4	113	44.9	36.3-53.5	43	22.5	14.7-30.3	11	4.9	1.4- 8.4	12	6.3	1.8-10.8
18-24	144	40,841				48	27.8	18.4-37.2	65	51.0	40.6-61.4	23	17.2	9.4-25.0	3	1.6	0.0- 3.6	5	2.5	0.0- 5.0
25-34	228	62,008				50	18.0	12.3-23.7	113	52.5	44.3-60.7	36	17.2	10.7-23.7	18	8.1	4.0-12.2	11	4.1	1.4- 6.8
35-44	280	52,477	1	0.4	0.0- 1.2	34	10.2	5.9-14.5	134	48.0	40.4-55.6	75	29.2	22.1-36.3	30	11.2	6.5-15.9	6	1.0	0.0- 2.0
45-54	348	56,554	2	0.6	0.0- 1.8	26	6.6	3.7- 9.5	153	43.9	37.4-50.4	131	39.6	33.1-46.1	36	9.2	5.9-12.5			
55-64	473	59,296				30	6.4	3.7- 9.1	220	46.3	40.6-52.0	159	36.2	30.7-41.7	60	10.7	7.6-13.8	4	0.3	0.0- 0.7
65+	745	79,203	1	0.1	0.0- 0.3	58	7.9	5.5-10.3	386	52.0	47.7-56.3	238	31.9	27.8-36.0	61	8.1	5.7-10.5	1	0.0	0.0- 0.0
Less Than H.S.	231	37,339				56	21.1	14.6-27.6	96	40.1	31.9-48.3	48	23.7	16.6-30.8	24	12.5	7.0-18.0	7	2.6	0.2- 5.0
H.S. or G.E.D.	640	117,049	1	0.0	0.0- 0.0	78	13.4	9.5-17.3	294	46.3	41.0-51.6	201	31.4	26.5-36.3	64	8.3	5.8-10.8	2	0.5	0.0- 1.3
Some Post-H.S.	556	98,300				45	7.9	5.2-10.6	290	54.6	49.1-60.1	162	28.9	24.0-33.8	55	8.3	5.8-10.8	4	0.3	0.0- 0.7
College Graduate	780	96,437	3	0.6	0.0- 1.4	64	10.4	7.3-13.5	384	50.3	45.8-54.8	250	28.9	25.0-32.8	65	7.2	5.0- 9.4	14	2.5	0.9- 4.1
Less than \$15,000	151	19,783				28	17.0	9.7-24.3	73	52.3	41.7-62.9	29	14.1	8.4-19.8	19	13.8	6.5-21.1	2	2.9	0.0- 6.8
\$15,000- 24,999	311	42,721	1	0.1	0.0- 0.3	52	14.1	9.6-18.6	154	52.3	44.9-59.7	70	23.9	17.6-30.2	27	7.7	4.0-11.4	7	1.9	0.1- 3.7
\$25,000- 34,999	156	21,782				12	9.4	3.1-15.7	78	47.3	36.9-57.7	52	34.5	23.9-45.1	13	8.1	2.8-13.4	1	0.6	0.0- 1.8
\$35,000- 49,999	269	43,123				30	11.2	6.5-15.9	142	53.9	45.5-62.3	76	28.0	20.6-35.4	18	5.6	2.7- 8.5	3	1.3	0.0- 3.1
\$50,000- 74,999	289	46,825	2	0.6	0.0- 1.6	30	15.4	7.8-23.0	131	48.0	39.8-56.2	93	26.3	19.8-32.8	31	8.9	5.2-12.6	2	0.9	0.0- 2.3
\$75,000+	731	125,310				47	7.0	4.5- 9.5	339	48.0	43.3-52.7	268	35.1	30.6-39.6	72	9.0	6.5-11.5	5	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2641	359,474	59	2.1	1.5- 2.7	1094	43.0	40.3-45.7	1059	37.9	35.4-40.4	312	12.6	10.8-14.4	107	4.0	3.0- 5.0	10	0.3	0.1- 0.5
White/Non-Hisp	1817	235,065	41	2.1	1.3- 2.9	755	44.2	41.1-47.3	756	39.2	36.3-42.1	193	10.3	8.5-12.1	71	4.0	2.8- 5.2	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	387	74,712	5	1.2	0.0- 2.4	103	32.3	25.8-38.8	175	40.1	33.6-46.6	80	21.6	16.1-27.1	24	4.8	2.4- 7.2			
Oth. Race/Non-Hisp.	79	13,356	4	3.6	0.0- 9.3	43	60.0	42.8-77.2	23	20.9	8.9-32.9	5	9.9	0.0-24.0	4	5.6	0.0-13.2			
Hispanic	269	28,417	7	3.4	0.5- 6.3	152	52.0	43.2-60.8	76	31.4	22.2-40.6	18	7.7	3.4-12.0	7	1.9	0.3- 3.5	9	3.6	0.9- 6.3
18-24	142	38,390	8	4.7	1.2- 8.2	84	51.7	40.3-63.1	36	31.0	20.0-42.0	8	8.4	1.3-15.5	3	2.8	0.0- 6.3	3	1.4	0.0- 3.2
25-34	266	58,495	4	1.2	0.0- 2.4	127	49.5	41.5-57.5	81	29.1	22.2-36.0	39	16.2	10.1-22.3	13	3.7	1.5- 5.9	2	0.5	0.0- 1.3
35-44	306	52,529	6	1.6	0.2- 3.0	122	42.4	35.1-49.7	107	34.3	27.6-41.0	45	13.8	9.1-18.5	23	7.3	3.8-10.8	3	0.6	0.0- 1.4
45-54	402	54,219	4	1.3	0.0- 2.7	150	36.5	30.8-42.2	169	40.7	34.8-46.6	60	16.4	11.9-20.9	17	4.9	2.2- 7.6	2	0.2	0.0- 0.4
55-64	548	64,203	6	1.3	0.0- 2.7	183	34.6	29.5-39.7	258	47.1	41.8-52.4	74	13.3	9.8-16.8	27	3.6	2.0- 5.2			
65+	977	91,639	31	2.9	1.5- 4.3	428	45.4	41.3-49.5	408	40.4	36.5-44.3	86	8.7	6.5-10.9	24	2.7	1.5- 3.9			
Less Than H.S.	256	39,822	10	2.6	0.6- 4.6	124	47.7	38.3-57.1	80	29.0	21.4-36.6	27	14.5	8.0-21.0	11	5.2	1.5- 8.9	4	1.0	0.0- 2.2
H.S. or G.E.D.	732	105,820	18	2.7	1.1- 4.3	291	43.2	38.1-48.3	297	37.4	32.7-42.1	90	12.0	8.9-15.1	33	4.1	2.3- 5.9	3	0.4	0.0- 1.0
Some Post-H.S.	713	107,258	11	1.0	0.4- 1.6	260	36.9	32.2-41.6	303	40.7	35.8-45.6	100	15.8	11.9-19.7	37	5.3	3.3- 7.3	2	0.3	0.0- 0.7
College Graduate	929	105,687	19	2.2	1.0- 3.4	411	47.2	42.9-51.5	378	39.1	35.0-43.2	94	9.3	6.9-11.7	26	2.2	1.2- 3.2	1	0.1	0.0- 0.3
Less than \$15,000	225	24,784	10	2.7	0.7- 4.7	79	38.9	29.1-48.7	86	33.4	25.2-41.6	35	18.4	11.0-25.8	8	2.4	0.2- 4.6	7	4.1	0.8- 7.4
\$15,000- 24,999	450	61,733	13	3.7	1.3- 6.1	190	41.2	34.9-47.5	162	34.4	28.3-40.5	54	12.9	8.6-17.2	30	7.6	4.3-10.9	1	0.1	0.0- 0.3
\$25,000- 34,999	236	29,966	2	1.2	0.0- 3.2	100	45.4	36.8-54.0	92	34.9	27.1-42.7	29	11.9	6.8-17.0	13	6.6	2.3-10.9			
\$35,000- 49,999	283	36,250	6	2.4	0.0- 4.9	82	29.7	21.7-37.7	133	45.3	37.1-53.5	44	16.4	10.9-21.9	18	6.2	2.9- 9.5			
\$50,000- 74,999	338	44,679	7	2.1	0.3- 3.9	138	41.6	34.3-48.9	141	41.7	34.6-48.8	40	11.2	6.5-15.9	12	3.4	1.2- 5.6			
\$75,000+	653	100,937	5	0.7	0.0- 1.5	273	44.5	39.4-49.6	290	40.9	36.0-45.8	69	11.6	8.3-14.9	16	2.4	1.0- 3.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4840	716,711	290	5.3	4.5- 6.1	2182	42.4	40.4-44.4	1957	42.9	40.9-44.9	403	9.2	8.0-10.4	8	0.2	0.0- 0.4
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	391	18.3	16.1-20.5	7	0.2	0.0- 0.4
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	12	0.7	0.3- 1.1	1	0.1	0.0- 0.3
White/Non-Hisp	3436	476,616	176	4.9	3.9- 5.9	1521	41.1	38.9-43.3	1429	43.4	41.2-45.6	305	10.4	9.0-11.8	5	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	678	146,689	42	4.4	2.8- 6.0	329	44.9	40.0-49.8	261	43.5	38.4-48.6	45	7.0	4.5- 9.5	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	185	32,666	14	8.4	1.0-15.8	82	42.3	31.5-53.1	73	43.5	32.3-54.7	14	4.2	1.3- 7.1	2	1.6	0.0- 4.7
MultiRacial/Non-Hisp.	79	5,456	7	7.5	1.2-13.8	35	54.4	39.5-69.3	26	23.5	13.1-33.9	11	14.5	4.7-24.3			
Hispanic	343	39,860	46	11.7	7.6-15.8	172	51.6	44.0-59.2	105	29.8	22.9-36.7	20	7.0	2.9-11.1			
18-24	266	79,427	17	4.9	1.6- 8.2	108	38.9	31.3-46.5	109	42.1	34.5-49.7	31	13.4	8.1-18.7	1	0.6	0.0- 1.8
25-34	448	117,250	33	6.9	3.6-10.2	196	38.6	32.9-44.3	178	44.9	38.8-51.0	41	9.5	6.2-12.8			
35-44	543	102,755	22	3.1	1.5- 4.7	237	43.2	37.9-48.5	232	44.5	39.2-49.8	50	9.1	6.4-11.8	2	0.2	0.0- 0.4
45-54	753	112,469	36	2.9	1.7- 4.1	328	41.8	37.5-46.1	315	46.6	42.1-51.1	73	8.6	6.4-10.8	1	0.1	0.0- 0.3
55-64	1052	129,085	47	5.8	3.8- 7.8	478	43.8	40.1-47.5	417	39.7	36.0-43.4	106	10.3	7.9-12.7	4	0.4	0.0- 0.8
65+	1778	175,724	135	7.1	5.5- 8.7	835	45.3	42.4-48.2	706	41.0	38.1-43.9	102	6.6	5.0- 8.2			
Less Than H.S.	368	66,617	48	8.6	4.7-12.5	179	45.4	38.3-52.5	117	36.8	29.9-43.7	23	8.4	4.7-12.1	1	0.8	0.0- 2.4
H.S. or G.E.D.	1394	228,171	103	7.2	5.2- 9.2	629	39.9	36.4-43.4	560	44.5	40.8-48.2	100	8.2	6.2-10.2	2	0.1	0.0- 0.3
Some Post-H.S.	1302	211,178	76	4.9	3.5- 6.3	572	41.8	38.3-45.3	539	43.0	39.3-46.7	114	10.2	7.8-12.6	1	0.1	0.0- 0.3
College Graduate	1758	208,663	60	2.6	1.8- 3.4	792	44.6	41.5-47.7	738	43.2	40.1-46.3	165	9.4	7.6-11.2	3	0.2	0.0- 0.4
Less than \$15,000	341	41,434	33	9.0	3.7-14.3	168	48.3	40.9-55.7	121	37.7	30.4-45.0	19	5.0	2.5- 7.5			
\$15,000- 24,999	710	99,596	70	8.6	6.1-11.1	355	47.3	42.4-52.2	245	38.2	33.3-43.1	38	5.4	3.2- 7.6	2	0.5	0.0- 1.5
\$25,000- 34,999	388	51,983	20	4.8	1.7- 7.9	205	53.1	46.4-59.8	137	35.1	28.6-41.6	26	7.0	4.1- 9.9			
\$35,000- 49,999	558	80,574	35	5.0	2.8- 7.2	227	36.9	31.2-42.6	261	50.7	44.8-56.6	35	7.3	4.4-10.2			
\$50,000- 74,999	640	93,039	22	3.8	1.1- 6.5	297	42.1	36.8-47.4	260	43.9	38.4-49.4	60	10.1	6.8-13.4	1	0.1	0.0- 0.3
\$75,000+	1416	231,774	42	3.1	1.7- 4.5	545	36.8	33.5-40.1	654	47.3	44.0-50.6	173	12.9	10.5-15.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	345,649	8	0.3	0.0- 0.7	287	13.7	11.7-15.7	1452	67.5	65.0-70.0	391	18.3	16.1-20.5	7	0.2	0.0- 0.4
White/Non-Hisp	1515	227,288	2	0.2	0.0- 0.4	152	10.3	8.3-12.3	1058	67.9	64.8-71.0	298	21.4	18.7-24.1	5	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	271	69,145	2	0.3	0.0- 0.7	49	18.2	12.7-23.7	179	68.4	61.5-75.3	40	12.8	8.1-17.5	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	104	18,846	1	2.0	0.0- 5.9	27	25.6	14.4-36.8	61	65.1	52.6-77.6	14	7.2	1.9-12.5	1	0.1	0.0- 0.3
Hispanic	161	19,033	3	1.1	0.0- 2.5	53	31.2	21.6-40.8	85	53.1	42.3-63.9	20	14.6	6.4-22.8			
18-24	131	40,396				21	12.3	6.2-18.4	79	61.3	51.1-71.5	31	26.3	16.9-35.7			
25-34	201	58,536	3	0.8	0.0- 2.0	38	16.4	10.3-22.5	124	65.8	57.8-73.8	36	17.0	10.7-23.3			
35-44	260	51,939	3	1.0	0.0- 2.6	47	17.1	11.2-23.0	160	64.5	57.2-71.8	48	17.0	11.7-22.3	2	0.4	0.0- 1.0
45-54	335	55,380	1	0.2	0.0- 0.6	42	12.8	8.5-17.1	221	70.2	64.5-75.9	70	16.5	12.2-20.8	1	0.3	0.0- 0.9
55-64	472	60,308				58	13.5	9.4-17.6	305	64.1	58.6-69.6	105	21.6	16.9-26.3	4	0.8	0.0- 1.6
65+	746	79,090	1	0.1	0.0- 0.3	81	10.7	8.0-13.4	563	74.6	70.9-78.3	101	14.6	11.5-17.7			
Less Than H.S.	171	32,414	2	0.5	0.0- 1.3	52	24.6	17.0-32.2	95	58.2	49.0-67.4	22	16.7	9.4-24.0			
H.S. or G.E.D.	629	116,175	2	0.2	0.0- 0.4	88	13.3	10.0-16.6	440	70.6	65.9-75.3	97	15.7	12.0-19.4	2	0.2	0.0- 0.6
Some Post-H.S.	558	99,736	3	0.7	0.0- 1.7	49	9.3	6.2-12.4	394	69.1	64.0-74.2	111	20.7	16.2-25.2	1	0.2	0.0- 0.6
College Graduate	777	96,112	1	0.1	0.0- 0.3	92	14.2	10.7-17.7	521	65.7	61.2-70.2	160	19.6	16.1-23.1	3	0.4	0.0- 0.8
Less than \$15,000	132	17,863	1	0.3	0.0- 0.9	27	22.0	12.6-31.4	85	66.2	55.8-76.6	19	11.5	5.6-17.4			
\$15,000- 24,999	280	39,728	3	0.8	0.0- 1.6	62	19.3	13.8-24.8	176	66.4	59.5-73.3	38	13.5	8.6-18.4	1	0.1	0.0- 0.3
\$25,000- 34,999	146	21,143				22	18.2	9.8-26.6	99	65.7	55.7-75.7	25	16.1	9.0-23.2			
\$35,000- 49,999	262	42,441	1	0.2	0.0- 0.6	30	10.9	6.4-15.4	198	76.5	70.0-83.0	33	12.5	7.4-17.6			
\$50,000- 74,999	288	46,808				40	13.2	7.7-18.7	188	66.6	59.0-74.2	59	19.9	13.6-26.2	1	0.2	0.0- 0.6
\$75,000+	729	125,736	1	0.2	0.0- 0.6	62	9.7	6.8-12.6	499	67.5	63.0-72.0	165	22.3	18.4-26.2	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	371,062	282	10.0	8.4-11.6	1895	69.1	66.6-71.6	505	20.0	17.8-22.2	12	0.7	0.3- 1.1	1	0.1	0.0- 0.3
White/Non-Hisp	1921	249,328	174	9.3	7.3-11.3	1369	69.2	66.3-72.1	371	21.0	18.5-23.5	7	0.5	0.1- 0.9			
Black or Afr. Am./Non-Hisp	407	77,544	40	8.0	5.1-10.9	280	68.8	62.9-74.7	82	21.3	16.0-26.6	5	1.9	0.1- 3.7			
Oth. Race/Non-Hisp.	81	13,819	13	17.2	1.5-32.9	55	65.1	48.0-82.2	12	14.0	3.8-24.2				1	3.7	0.0-10.8
Hispanic	182	20,827	43	21.3	13.9-28.7	119	70.3	61.7-78.9	20	8.4	3.9-12.9						
18-24	135	39,031	17	10.1	3.6-16.6	87	66.5	56.1-76.9	30	22.1	13.3-30.9				1	1.3	0.0- 3.8
25-34	247	58,714	30	12.9	6.8-19.0	158	60.8	52.6-69.0	54	24.2	16.9-31.5	5	2.1	0.1- 4.1			
35-44	283	50,816	19	5.1	2.2- 8.0	190	69.8	63.1-76.5	72	24.0	17.7-30.3	2	1.1	0.0- 2.5			
45-54	418	57,089	35	5.5	3.3- 7.7	286	69.8	64.5-75.1	94	23.7	18.8-28.6	3	1.0	0.0- 2.2			
55-64	580	68,777	47	10.9	7.2-14.6	420	70.3	65.6-75.0	112	18.4	14.5-22.3	1	0.4	0.0- 1.2			
65+	1032	96,634	134	12.8	10.3-15.3	754	73.7	70.4-77.0	143	13.5	11.0-16.0	1	0.1	0.0- 0.3			
Less Than H.S.	197	34,203	46	16.3	9.0-23.6	127	65.1	55.1-75.1	22	16.4	8.0-24.8	1	0.6	0.0- 1.8	1	1.5	0.0- 4.4
H.S. or G.E.D.	765	111,996	101	14.4	10.7-18.1	541	67.6	62.9-72.3	120	17.4	13.7-21.1	3	0.5	0.0- 1.1			
Some Post-H.S.	744	111,443	73	8.7	6.2-11.2	523	70.8	66.5-75.1	145	19.6	15.7-23.5	3	0.9	0.0- 1.9			
College Graduate	981	112,551	59	4.7	3.1- 6.3	700	70.5	66.6-74.4	217	24.0	20.3-27.7	5	0.7	0.0- 1.5			
Less than \$15,000	209	23,571	32	15.6	6.6-24.6	141	68.3	58.7-77.9	36	16.1	9.8-22.4						
\$15,000- 24,999	430	59,868	67	13.9	9.8-18.0	293	65.8	59.7-71.9	69	19.5	14.2-24.8				1	0.9	0.0- 2.7
\$25,000- 34,999	242	30,840	20	8.1	3.0-13.2	183	77.1	70.2-84.0	38	14.2	8.9-19.5	1	0.7	0.0- 2.1			
\$35,000- 49,999	296	38,133	34	10.4	6.1-14.7	197	65.9	58.6-73.2	63	22.0	15.9-28.1	2	1.6	0.0- 4.0			
\$50,000- 74,999	352	46,230	22	7.6	2.5-12.7	257	71.4	64.5-78.3	72	20.9	15.2-26.6	1	0.2	0.0- 0.6			
\$75,000+	687	106,038	41	6.4	3.7- 9.1	483	68.8	64.1-73.5	155	23.2	18.9-27.5	8	1.6	0.4- 2.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 50 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	942	186,591	20	2.3	0.9- 3.7	922	97.7	96.3-99.1
White/Non-Hisp	478	100,013	9	2.6	0.4- 4.8	469	97.4	95.2-99.6
Black or Afr. Am./Non-Hisp	177	47,426	4	1.3	0.0- 2.7	173	98.7	97.3- 100
Hispanic	212	25,718	4	1.0	0.0- 2.2	208	99.0	97.8- 100
18-24	149	41,466	4	3.8	0.0- 8.1	145	96.2	91.9- 100
25-34	280	61,888	9	2.9	0.7- 5.1	271	97.1	94.9-99.3
35-44	324	56,652	7	1.7	0.3- 3.1	317	98.3	96.9-99.7
45-54	189	26,585				189	100.0	100.0- 100
Less Than H.S.	140	26,906	3	2.6	0.0- 6.3	137	97.4	93.7- 100
H.S. or G.E.D.	231	47,807	6	2.6	0.0- 5.7	225	97.4	94.3- 100
Some Post-H.S.	245	54,945	3	0.8	0.0- 1.8	242	99.2	98.2- 100
College Graduate	320	56,076	8	3.4	0.9- 5.9	312	96.6	94.1-99.1
Less than \$15,000	97	16,317	3	2.1	0.0- 4.8	94	97.9	95.2- 100
\$15,000- 24,999	173	31,876	5	2.9	0.0- 6.2	168	97.1	93.8- 100
\$25,000- 34,999	83	14,586	1	0.9	0.0- 2.7	82	99.1	97.3- 100
\$35,000- 49,999	80	16,958	2	1.9	0.0- 4.8	78	98.1	95.2- 100
\$50,000- 74,999	104	20,059	1	0.6	0.0- 1.8	103	99.4	98.2- 100
\$75,000+	255	54,805	4	2.5	0.0- 5.0	251	97.5	95.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5089	747,366	474	7.4	6.4- 8.4	4615	92.6	91.6-93.6
Male	2248	357,366	270	9.1	7.7-10.5	1978	90.9	89.5-92.3
Female	2841	390,000	204	5.7	4.5- 6.9	2637	94.3	93.1-95.5
White/Non-Hisp	3466	481,145	371	8.8	7.6-10.0	3095	91.2	90.0-92.4
Black or Afr. Am./Non-Hisp	687	150,483	38	4.4	2.6- 6.2	649	95.6	93.8-97.4
Oth. Race/Non-Hisp.	196	34,977	17	3.8	0.7- 6.9	179	96.2	93.1-99.3
MultiRacial/Non-Hisp.	78	5,435	6	7.1	0.0-14.2	72	92.9	85.8- 100
Hispanic	530	58,424	26	5.0	2.1- 7.9	504	95.0	92.1-97.9
18-24	301	84,868	5	0.9	0.0- 1.9	296	99.1	98.1- 100
25-34	514	123,525	13	3.6	1.2- 6.0	501	96.4	94.0-98.8
35-44	614	111,110	18	4.3	1.9- 6.7	596	95.7	93.3-98.1
45-54	786	118,112	42	5.4	3.2- 7.6	744	94.6	92.4-96.8
55-64	1077	131,312	83	6.6	5.0- 8.2	994	93.4	91.8-95.0
65+	1797	178,438	313	16.9	14.7-19.1	1484	83.1	80.9-85.3
Less Than H.S.	513	83,895	52	10.7	6.6-14.8	461	89.3	85.2-93.4
H.S. or G.E.D.	1432	232,434	135	7.2	5.6- 8.8	1297	92.8	91.2-94.4
Some Post-H.S.	1322	215,166	136	7.6	5.8- 9.4	1186	92.4	90.6-94.2
College Graduate	1798	213,207	149	5.9	4.7- 7.1	1649	94.1	92.9-95.3
Less than \$15,000	391	47,522	40	9.2	5.7-12.7	351	90.8	87.3-94.3
\$15,000- 24,999	773	106,172	71	6.9	4.9- 8.9	702	93.1	91.1-95.1
\$25,000- 34,999	401	53,043	51	9.1	5.8-12.4	350	90.9	87.6-94.2
\$35,000- 49,999	565	81,081	63	8.8	6.1-11.5	502	91.2	88.5-93.9
\$50,000- 74,999	641	93,677	60	6.6	4.4- 8.8	581	93.4	91.2-95.6
\$75,000+	1428	233,975	91	5.4	4.0- 6.8	1337	94.6	93.2-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2248	357,366	270	9.1	7.7-10.5	1978	90.9	89.5-92.3
White/Non-Hisp	1524	229,256	219	11.5	9.7-13.3	1305	88.5	86.7-90.3
Black or Afr. Am./Non-Hisp	273	69,181	15	4.8	1.9- 7.7	258	95.2	92.3-98.1
Oth. Race/Non-Hisp.	110	20,119	13	3.5	0.8- 6.2	97	96.5	93.8-99.2
Hispanic	246	27,135	12	5.6	0.3-10.9	234	94.4	89.1-99.7
18-24	151	43,168	1	0.2	0.0- 0.6	150	99.8	99.4- 100
25-34	233	62,162	9	4.7	1.4- 8.0	224	95.3	92.0-98.6
35-44	288	54,337	8	4.6	0.9- 8.3	280	95.4	91.7-99.1
45-54	351	57,382	31	8.1	4.8-11.4	320	91.9	88.6-95.2
55-64	476	60,647	47	8.3	5.6-11.0	429	91.7	89.0-94.4
65+	749	79,669	174	21.9	18.4-25.4	575	78.1	74.6-81.6
Less Than H.S.	235	39,012	32	12.7	7.2-18.2	203	87.3	81.8-92.8
H.S. or G.E.D.	645	117,412	71	8.2	5.8-10.6	574	91.8	89.4-94.2
Some Post-H.S.	564	101,172	73	9.8	6.9-12.7	491	90.2	87.3-93.1
College Graduate	792	98,415	93	8.1	6.1-10.1	699	91.9	89.9-93.9
Less than \$15,000	153	20,319	18	12.3	5.8-18.8	135	87.7	81.2-94.2
\$15,000- 24,999	310	42,450	39	9.7	6.0-13.4	271	90.3	86.6-94.0
\$25,000- 34,999	155	21,848	22	9.0	4.3-13.7	133	91.0	86.3-95.7
\$35,000- 49,999	268	42,185	42	12.8	7.9-17.7	226	87.2	82.3-92.1
\$50,000- 74,999	290	47,404	34	8.4	4.7-12.1	256	91.6	87.9-95.3
\$75,000+	734	126,835	69	7.6	5.2-10.0	665	92.4	90.0-94.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	390,000	204	5.7	4.5- 6.9	2637	94.3	93.1-95.5
White/Non-Hisp	1942	251,889	152	6.4	4.8- 8.0	1790	93.6	92.0-95.2
Black or Afr. Am./Non-Hisp	414	81,302	23	4.1	1.9- 6.3	391	95.9	93.7-98.1
Oth. Race/Non-Hisp.	86	14,858	4	4.2	0.0-10.7	82	95.8	89.3- 100
Hispanic	284	31,290	14	4.6	1.9- 7.3	270	95.4	92.7-98.1
18-24	150	41,700	4	1.7	0.0- 3.7	146	98.3	96.3- 100
25-34	281	61,364	4	2.4	0.0- 5.9	277	97.6	94.1- 100
35-44	326	56,773	10	3.9	1.0- 6.8	316	96.1	93.2-99.0
45-54	435	60,730	11	2.9	0.5- 5.3	424	97.1	94.7-99.5
55-64	601	70,665	36	5.1	3.1- 7.1	565	94.9	92.9-96.9
65+	1048	98,769	139	12.8	10.1-15.5	909	87.2	84.5-89.9
Less Than H.S.	278	44,883	20	8.9	3.0-14.8	258	91.1	85.2-97.0
H.S. or G.E.D.	787	115,022	64	6.1	4.1- 8.1	723	93.9	91.9-95.9
Some Post-H.S.	758	113,994	63	5.7	3.7- 7.7	695	94.3	92.3-96.3
College Graduate	1006	114,792	56	4.1	2.7- 5.5	950	95.9	94.5-97.3
Less than \$15,000	238	27,203	22	6.8	3.3-10.3	216	93.2	89.7-96.7
\$15,000- 24,999	463	63,722	32	5.0	2.8- 7.2	431	95.0	92.8-97.2
\$25,000- 34,999	246	31,195	29	9.1	4.4-13.8	217	90.9	86.2-95.6
\$35,000- 49,999	297	38,896	21	4.4	2.0- 6.8	276	95.6	93.2-98.0
\$50,000- 74,999	351	46,272	26	4.9	2.5- 7.3	325	95.1	92.7-97.5
\$75,000+	694	107,140	22	2.9	1.3- 4.5	672	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5081	744,966	321	5.5	4.7- 6.3	4760	94.5	93.7-95.3
Male	2245	356,451	130	5.0	3.8- 6.2	2115	95.0	93.8-96.2
Female	2836	388,515	191	5.9	4.7- 7.1	2645	94.1	92.9-95.3
White/Non-Hisp	3462	479,193	210	5.4	4.4- 6.4	3252	94.6	93.6-95.6
Black or Afr. Am./Non-Hisp	683	149,876	47	6.2	3.8- 8.6	636	93.8	91.4-96.2
Oth. Race/Non-Hisp.	196	34,977	11	2.1	0.5- 3.7	185	97.9	96.3-99.5
MultiRacial/Non-Hisp.	78	5,385	7	6.3	1.2-11.4	71	93.7	88.6-98.8
Hispanic	527	58,274	35	6.0	3.5- 8.5	492	94.0	91.5-96.5
18-24	297	83,560	17	5.4	2.3- 8.5	280	94.6	91.5-97.7
25-34	510	122,791	21	3.2	1.4- 5.0	489	96.8	95.0-98.6
35-44	613	110,818	22	4.0	1.8- 6.2	591	96.0	93.8-98.2
45-54	788	118,622	51	6.7	4.2- 9.2	737	93.3	90.8-95.8
55-64	1079	131,376	73	6.2	4.4- 8.0	1006	93.8	92.0-95.6
65+	1794	177,798	137	6.6	5.2- 8.0	1657	93.4	92.0-94.8
Less Than H.S.	507	83,287	59	9.0	6.1-11.9	448	91.0	88.1-93.9
H.S. or G.E.D.	1427	231,780	117	7.6	5.6- 9.6	1310	92.4	90.4-94.4
Some Post-H.S.	1325	214,122	85	5.0	3.6- 6.4	1240	95.0	93.6-96.4
College Graduate	1798	213,112	59	2.3	1.5- 3.1	1739	97.7	96.9-98.5
Less than \$15,000	392	47,783	57	13.3	8.2-18.4	335	86.7	81.6-91.8
\$15,000- 24,999	773	106,172	61	6.7	4.5- 8.9	712	93.3	91.1-95.5
\$25,000- 34,999	399	52,751	38	10.1	6.2-14.0	361	89.9	86.0-93.8
\$35,000- 49,999	565	80,991	38	6.3	3.6- 9.0	527	93.7	91.0-96.4
\$50,000- 74,999	641	93,137	18	3.3	1.5- 5.1	623	96.7	94.9-98.5
\$75,000+	1422	232,714	31	2.2	1.0- 3.4	1391	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2245	356,451	130	5.0	3.8- 6.2	2115	95.0	93.8-96.2
White/Non-Hisp	1523	228,378	86	5.0	3.6- 6.4	1437	95.0	93.6-96.4
Black or Afr. Am./Non-Hisp	270	68,684	17	6.0	2.1- 9.9	253	94.0	90.1-97.9
Oth. Race/Non-Hisp.	110	20,119	4	1.1	0.0- 2.3	106	98.9	97.7- 100
Hispanic	245	27,300	15	5.8	2.1- 9.5	230	94.2	90.5-97.9
18-24	150	42,345	8	4.1	0.0- 8.4	142	95.9	91.6- 100
25-34	231	61,657	9	2.2	0.4- 4.0	222	97.8	96.0-99.6
35-44	289	54,570	9	4.5	0.6- 8.4	280	95.5	91.6-99.4
45-54	351	57,571	23	6.8	2.9-10.7	328	93.2	89.3-97.1
55-64	477	60,793	26	5.7	3.2- 8.2	451	94.3	91.8-96.8
65+	747	79,515	55	6.2	4.4- 8.0	692	93.8	92.0-95.6
Less Than H.S.	234	38,975	23	6.7	3.6- 9.8	211	93.3	90.2-96.4
H.S. or G.E.D.	644	117,662	47	6.4	3.7- 9.1	597	93.6	90.9-96.3
Some Post-H.S.	564	99,999	29	4.5	2.1- 6.9	535	95.5	93.1-97.9
College Graduate	791	98,459	30	3.0	1.6- 4.4	761	97.0	95.6-98.4
Less than \$15,000	154	20,552	25	15.4	6.6-24.2	129	84.6	75.8-93.4
\$15,000- 24,999	312	42,964	20	5.3	2.6- 8.0	292	94.7	92.0-97.4
\$25,000- 34,999	154	21,605	15	7.4	3.3-11.5	139	92.6	88.5-96.7
\$35,000- 49,999	267	42,069	17	7.0	2.3-11.7	250	93.0	88.3-97.7
\$50,000- 74,999	290	47,027	8	3.8	0.9- 6.7	282	96.2	93.3-99.1
\$75,000+	730	125,855	19	2.9	0.9- 4.9	711	97.1	95.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2836	388,515	191	5.9	4.7- 7.1	2645	94.1	92.9-95.3
White/Non-Hisp	1939	250,816	124	5.8	4.4- 7.2	1815	94.2	92.8-95.6
Black or Afr. Am./Non-Hisp	413	81,192	30	6.4	3.7- 9.1	383	93.6	90.9-96.3
Oth. Race/Non-Hisp.	86	14,858	7	3.5	0.4- 6.6	79	96.5	93.4-99.6
Hispanic	282	30,974	20	6.2	2.7- 9.7	262	93.8	90.3-97.3
18-24	147	41,215	9	6.8	2.1-11.5	138	93.2	88.5-97.9
25-34	279	61,135	12	4.2	1.3- 7.1	267	95.8	92.9-98.7
35-44	324	56,248	13	3.4	1.2- 5.6	311	96.6	94.4-98.8
45-54	437	61,050	28	6.6	3.3- 9.9	409	93.4	90.1-96.7
55-64	602	70,583	47	6.5	4.3- 8.7	555	93.5	91.3-95.7
65+	1047	98,284	82	6.9	5.1- 8.7	965	93.1	91.3-94.9
Less Than H.S.	273	44,312	36	10.9	6.2-15.6	237	89.1	84.4-93.8
H.S. or G.E.D.	783	114,118	70	8.7	6.0-11.4	713	91.3	88.6-94.0
Some Post-H.S.	761	114,123	56	5.3	3.5- 7.1	705	94.7	92.9-96.5
College Graduate	1007	114,653	29	1.7	1.1- 2.3	978	98.3	97.7-98.9
Less than \$15,000	238	27,231	32	11.7	6.0-17.4	206	88.3	82.6-94.0
\$15,000- 24,999	461	63,208	41	7.6	4.5-10.7	420	92.4	89.3-95.5
\$25,000- 34,999	245	31,147	23	11.9	6.0-17.8	222	88.1	82.2-94.0
\$35,000- 49,999	298	38,922	21	5.5	2.6- 8.4	277	94.5	91.6-97.4
\$50,000- 74,999	351	46,109	10	2.7	0.5- 4.9	341	97.3	95.1-99.5
\$75,000+	692	106,860	12	1.5	0.5- 2.5	680	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5068	743,934	612	11.7	10.5-12.9	4456	88.3	87.1-89.5
Male	2244	357,435	223	8.4	7.0-9.8	2021	91.6	90.2-93.0
Female	2824	386,500	389	14.8	12.8-16.8	2435	85.2	83.2-87.2
White/Non-Hisp	3459	478,810	414	12.3	10.7-13.9	3045	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	682	150,042	70	10.4	7.3-13.5	612	89.6	86.5-92.7
Oth. Race/Non-Hisp.	189	34,294	28	7.7	3.2-12.2	161	92.3	87.8-96.8
MultiRacial/Non-Hisp.	79	5,456	23	27.6	15.6-39.6	56	72.4	60.4-84.4
Hispanic	525	58,118	61	11.0	7.5-14.5	464	89.0	85.5-92.5
18-24	296	83,335	54	18.4	12.9-23.9	242	81.6	76.1-87.1
25-34	509	122,624	58	10.8	7.1-14.5	451	89.2	85.5-92.9
35-44	609	110,654	81	12.8	9.5-16.1	528	87.2	83.9-90.5
45-54	787	118,697	105	10.9	8.4-13.4	682	89.1	86.6-91.6
55-64	1074	130,588	148	12.3	9.9-14.7	926	87.7	85.3-90.1
65+	1793	178,037	166	8.6	7.0-10.2	1627	91.4	89.8-93.0
Less Than H.S.	512	84,038	108	19.8	15.1-24.5	404	80.2	75.5-84.9
H.S. or G.E.D.	1420	230,402	216	13.8	11.4-16.2	1204	86.2	83.8-88.6
Some Post-H.S.	1318	214,352	164	11.8	9.4-14.2	1154	88.2	85.8-90.6
College Graduate	1794	212,478	123	6.2	4.6-7.8	1671	93.8	92.2-95.4
Less than \$15,000	389	46,832	119	28.4	22.3-34.5	270	71.6	65.5-77.7
\$15,000- 24,999	773	106,223	146	17.7	14.4-21.0	627	82.3	79.0-85.6
\$25,000- 34,999	398	52,723	51	13.3	8.8-17.8	347	86.7	82.2-91.2
\$35,000- 49,999	562	80,798	64	11.7	7.8-15.6	498	88.3	84.4-92.2
\$50,000- 74,999	641	93,476	47	8.8	5.7-11.9	594	91.2	88.1-94.3
\$75,000+	1425	233,579	67	5.3	3.3-7.3	1358	94.7	92.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2244	357,435	223	8.4	7.0- 9.8	2021	91.6	90.2-93.0
White/Non-Hisp	1523	229,174	139	8.5	6.7-10.3	1384	91.5	89.7-93.3
Black or Afr. Am./Non-Hisp	271	69,030	21	5.4	2.7- 8.1	250	94.6	91.9-97.3
Oth. Race/Non-Hisp.	109	20,087	16	7.8	2.3-13.3	93	92.2	86.7-97.7
Hispanic	244	27,164	29	12.7	6.6-18.8	215	87.3	81.2-93.4
18-24	151	43,168	18	9.8	4.3-15.3	133	90.2	84.7-95.7
25-34	232	61,996	21	6.2	2.5- 9.9	211	93.8	90.1-97.5
35-44	285	54,179	25	7.0	3.9-10.1	260	93.0	89.9-96.1
45-54	351	57,613	44	8.1	5.2-11.0	307	91.9	89.0-94.8
55-64	475	60,652	55	11.3	7.8-14.8	420	88.7	85.2-92.2
65+	750	79,827	60	8.1	5.6-10.6	690	91.9	89.4-94.4
Less Than H.S.	236	39,245	37	12.6	7.5-17.7	199	87.4	82.3-92.5
H.S. or G.E.D.	645	117,704	80	9.6	7.1-12.1	565	90.4	87.9-92.9
Some Post-H.S.	562	101,014	57	8.9	6.0-11.8	505	91.1	88.2-94.0
College Graduate	789	98,116	48	4.4	2.6- 6.2	741	95.6	93.8-97.4
Less than \$15,000	151	20,288	44	25.8	17.0-34.6	107	74.2	65.4-83.0
\$15,000- 24,999	311	42,689	53	15.0	10.3-19.7	258	85.0	80.3-89.7
\$25,000- 34,999	155	21,848	14	7.9	3.2-12.6	141	92.1	87.4-96.8
\$35,000- 49,999	268	42,185	22	7.5	3.6-11.4	246	92.5	88.6-96.4
\$50,000- 74,999	291	47,513	24	7.6	3.9-11.3	267	92.4	88.7-96.1
\$75,000+	733	126,760	30	3.9	1.9- 5.9	703	96.1	94.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 65: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	386,500	389	14.8	12.8-16.8	2435	85.2	83.2-87.2
White/Non-Hisp	1936	249,636	275	15.9	13.5-18.3	1661	84.1	81.7-86.5
Black or Afr. Am./Non-Hisp	411	81,011	49	14.8	9.7-19.9	362	85.2	80.1-90.3
Oth. Race/Non-Hisp.	80	14,207	12	7.7	0.3-15.1	68	92.3	84.9-99.7
Hispanic	281	30,954	32	9.4	5.3-13.5	249	90.6	86.5-94.7
18-24	145	40,166	36	27.6	18.0-37.2	109	72.4	62.8-82.0
25-34	277	60,629	37	15.4	9.1-21.7	240	84.6	78.3-90.9
35-44	324	56,474	56	18.5	12.8-24.2	268	81.5	75.8-87.2
45-54	436	61,084	61	13.5	9.4-17.6	375	86.5	82.4-90.6
55-64	599	69,936	93	13.2	10.1-16.3	506	86.8	83.7-89.9
65+	1043	98,210	106	9.1	6.9-11.3	937	90.9	88.7-93.1
Less Than H.S.	276	44,793	71	26.1	18.7-33.5	205	73.9	66.5-81.3
H.S. or G.E.D.	775	112,697	136	18.1	14.2-22.0	639	81.9	78.0-85.8
Some Post-H.S.	756	113,338	107	14.4	10.9-17.9	649	85.6	82.1-89.1
College Graduate	1005	114,362	75	7.7	5.2-10.2	930	92.3	89.8-94.8
Less than \$15,000	238	26,544	75	30.4	22.2-38.6	163	69.6	61.4-77.8
\$15,000- 24,999	462	63,534	93	19.4	14.7-24.1	369	80.6	75.9-85.3
\$25,000- 34,999	243	30,875	37	17.1	10.2-24.0	206	82.9	76.0-89.8
\$35,000- 49,999	294	38,613	42	16.3	9.6-23.0	252	83.7	77.0-90.4
\$50,000- 74,999	350	45,963	23	10.1	5.0-15.2	327	89.9	84.8-95.0
\$75,000+	692	106,818	37	7.0	3.7-10.3	655	93.0	89.7-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5069	743,025	905	13.4	12.2-14.6	4164	86.6	85.4-87.8
Male	2241	356,884	317	10.4	9.0-11.8	1924	89.6	88.2-91.0
Female	2828	386,141	588	16.3	14.5-18.1	2240	83.7	81.9-85.5
White/Non-Hisp	3453	477,678	642	14.1	12.7-15.5	2811	85.9	84.5-87.3
Black or Afr. Am./Non-Hisp	682	150,072	130	14.1	11.0-17.2	552	85.9	82.8-89.0
Oth. Race/Non-Hisp.	195	34,563	28	5.9	2.8- 9.0	167	94.1	91.0-97.2
MultiRacial/Non-Hisp.	79	5,456	18	19.1	8.7-29.5	61	80.9	70.5-91.3
Hispanic	525	58,055	62	10.0	6.9-13.1	463	90.0	86.9-93.1
18-24	296	82,647	9	3.4	0.9- 5.9	287	96.6	94.1-99.1
25-34	510	122,793	24	3.4	1.6- 5.2	486	96.6	94.8-98.4
35-44	611	110,864	53	8.4	5.5-11.3	558	91.6	88.7-94.5
45-54	785	118,595	120	12.6	9.9-15.3	665	87.4	84.7-90.1
55-64	1074	130,525	230	19.5	16.6-22.4	844	80.5	77.6-83.4
65+	1793	177,601	469	24.2	21.7-26.7	1324	75.8	73.3-78.3
Less Than H.S.	510	83,746	121	19.6	15.3-23.9	389	80.4	76.1-84.7
H.S. or G.E.D.	1424	230,407	325	16.9	14.5-19.3	1099	83.1	80.7-85.5
Some Post-H.S.	1317	214,298	246	12.9	10.9-14.9	1071	87.1	85.1-89.1
College Graduate	1794	211,909	210	7.8	6.4- 9.2	1584	92.2	90.8-93.6
Less than \$15,000	390	46,809	146	27.5	22.0-33.0	244	72.5	67.0-78.0
\$15,000- 24,999	769	105,655	208	23.3	19.4-27.2	561	76.7	72.8-80.6
\$25,000- 34,999	398	52,825	90	18.3	13.6-23.0	308	81.7	77.0-86.4
\$35,000- 49,999	562	80,573	122	16.4	12.9-19.9	440	83.6	80.1-87.1
\$50,000- 74,999	642	93,609	82	9.2	6.7-11.7	560	90.8	88.3-93.3
\$75,000+	1427	233,940	92	5.0	3.6- 6.4	1335	95.0	93.6-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	356,884	317	10.4	9.0-11.8	1924	89.6	88.2-91.0
White/Non-Hisp	1518	228,896	228	10.8	9.0-12.6	1290	89.2	87.4-91.0
Black or Afr. Am./Non-Hisp	271	68,857	37	10.2	6.3-14.1	234	89.8	85.9-93.7
Oth. Race/Non-Hisp.	110	20,119	13	6.2	1.7-10.7	97	93.8	89.3-98.3
Hispanic	244	26,992	28	9.9	5.6-14.2	216	90.1	85.8-94.4
18-24	150	42,918	2	1.0	0.0- 2.6	148	99.0	97.4- 100
25-34	232	61,996	5	1.2	0.0- 2.6	227	98.8	97.4- 100
35-44	289	54,570	19	5.7	2.2- 9.2	270	94.3	90.8-97.8
45-54	350	57,586	50	9.4	6.3-12.5	300	90.6	87.5-93.7
55-64	473	60,237	85	18.9	14.4-23.4	388	81.1	76.6-85.6
65+	747	79,577	156	20.1	16.6-23.6	591	79.9	76.4-83.4
Less Than H.S.	235	38,951	41	13.4	8.7-18.1	194	86.6	81.9-91.3
H.S. or G.E.D.	643	117,363	114	13.4	10.3-16.5	529	86.6	83.5-89.7
Some Post-H.S.	562	101,016	80	8.7	6.3-11.1	482	91.3	88.9-93.7
College Graduate	789	98,199	79	7.2	5.2- 9.2	710	92.8	90.8-94.8
Less than \$15,000	152	20,219	48	23.5	15.7-31.3	104	76.5	68.7-84.3
\$15,000- 24,999	308	42,283	77	21.2	15.7-26.7	231	78.8	73.3-84.3
\$25,000- 34,999	154	21,788	24	11.8	6.5-17.1	130	88.2	82.9-93.5
\$35,000- 49,999	267	42,078	39	12.7	7.8-17.6	228	87.3	82.4-92.2
\$50,000- 74,999	291	47,609	41	9.0	5.7-12.3	250	91.0	87.7-94.3
\$75,000+	734	126,854	41	4.0	2.2- 5.8	693	96.0	94.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 68: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2828	386,141	588	16.3	14.5-18.1	2240	83.7	81.9-85.5
White/Non-Hisp	1935	248,781	414	17.1	15.1-19.1	1521	82.9	80.9-84.9
Black or Afr. Am./Non-Hisp	411	81,216	93	17.5	13.0-22.0	318	82.5	78.0-87.0
Oth. Race/Non-Hisp.	85	14,445	15	5.6	1.9- 9.3	70	94.4	90.7-98.1
Hispanic	281	31,063	34	10.1	5.8-14.4	247	89.9	85.6-94.2
18-24	146	39,728	7	6.1	1.2-11.0	139	93.9	89.0-98.8
25-34	278	60,798	19	5.7	2.4- 9.0	259	94.3	91.0-97.6
35-44	322	56,294	34	11.0	6.5-15.5	288	89.0	84.5-93.5
45-54	435	61,009	70	15.7	11.4-20.0	365	84.3	80.0-88.6
55-64	601	70,288	145	20.1	16.4-23.8	456	79.9	76.2-83.6
65+	1046	98,024	313	27.6	24.3-30.9	733	72.4	69.1-75.7
Less Than H.S.	275	44,795	80	25.0	18.1-31.9	195	75.0	68.1-81.9
H.S. or G.E.D.	781	113,044	211	20.7	17.4-24.0	570	79.3	76.0-82.6
Some Post-H.S.	755	113,282	166	16.6	13.3-19.9	589	83.4	80.1-86.7
College Graduate	1005	113,710	131	8.4	6.6-10.2	874	91.6	89.8-93.4
Less than \$15,000	238	26,590	98	30.6	23.2-38.0	140	69.4	62.0-76.8
\$15,000- 24,999	461	63,372	131	24.7	19.6-29.8	330	75.3	70.2-80.4
\$25,000- 34,999	244	31,038	66	22.9	16.0-29.8	178	77.1	70.2-84.0
\$35,000- 49,999	295	38,494	83	20.4	15.1-25.7	212	79.6	74.3-84.9
\$50,000- 74,999	351	46,001	41	9.4	5.9-12.9	310	90.6	87.1-94.1
\$75,000+	693	107,086	51	6.3	4.1- 8.5	642	93.7	91.5-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5070	742,052	233	3.7	3.1- 4.3	4837	96.3	95.7-96.9
Male	2242	356,607	87	2.9	2.1- 3.7	2155	97.1	96.3-97.9
Female	2828	385,445	146	4.3	3.3- 5.3	2682	95.7	94.7-96.7
White/Non-Hisp	3459	478,074	170	4.0	3.2- 4.8	3289	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	679	149,502	30	3.7	1.9- 5.5	649	96.3	94.5-98.1
Oth. Race/Non-Hisp.	192	33,738	8	1.8	0.4- 3.2	184	98.2	96.8-99.6
MultiRacial/Non-Hisp.	79	5,456	6	5.3	0.2-10.4	73	94.7	89.6-99.8
Hispanic	526	58,082	14	1.7	0.5- 2.9	512	98.3	97.1-99.5
18-24	297	82,896	3	1.1	0.0- 2.5	294	98.9	97.5- 100
25-34	509	122,050	13	2.3	0.7- 3.9	496	97.7	96.1-99.3
35-44	610	110,495	20	3.6	1.4- 5.8	590	96.4	94.2-98.6
45-54	784	118,145	46	5.1	3.1- 7.1	738	94.9	92.9-96.9
55-64	1077	130,946	55	3.9	2.7- 5.1	1022	96.1	94.9-97.3
65+	1793	177,520	96	4.6	3.4- 5.8	1697	95.4	94.2-96.6
Less Than H.S.	507	83,389	39	6.3	3.8- 8.8	468	93.7	91.2-96.2
H.S. or G.E.D.	1428	230,636	75	4.3	2.9- 5.7	1353	95.7	94.3-97.1
Some Post-H.S.	1316	213,867	77	4.0	2.8- 5.2	1239	96.0	94.8-97.2
College Graduate	1795	211,495	41	1.7	0.9- 2.5	1754	98.3	97.5-99.1
Less than \$15,000	391	46,953	63	13.8	9.5-18.1	328	86.2	81.9-90.5
\$15,000- 24,999	771	105,968	46	5.3	3.3- 7.3	725	94.7	92.7-96.7
\$25,000- 34,999	397	52,396	23	4.3	1.9- 6.7	374	95.7	93.3-98.1
\$35,000- 49,999	563	80,712	24	3.1	1.5- 4.7	539	96.9	95.3-98.5
\$50,000- 74,999	643	93,635	11	1.7	0.3- 3.1	632	98.3	96.9-99.7
\$75,000+	1426	233,039	18	1.3	0.5- 2.1	1408	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2242	356,607	87	2.9	2.1- 3.7	2155	97.1	96.3-97.9
White/Non-Hisp	1520	228,741	62	3.0	2.2- 3.8	1458	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	270	68,564	9	2.8	0.3- 5.3	261	97.2	94.7-99.7
Oth. Race/Non-Hisp.	110	20,119	3	0.7	0.0- 1.7	107	99.3	98.3- 100
Hispanic	244	27,163	5	1.7	0.0- 3.5	239	98.3	96.5- 100
18-24	151	43,168	1	0.8	0.0- 2.4	150	99.2	97.6- 100
25-34	232	61,996	4	1.5	0.0- 3.3	228	98.5	96.7- 100
35-44	287	54,115	8	3.2	0.1- 6.3	279	96.8	93.7-99.9
45-54	347	57,020	20	3.2	1.6- 4.8	327	96.8	95.2-98.4
55-64	476	60,632	23	4.1	2.1- 6.1	453	95.9	93.9-97.9
65+	749	79,676	31	4.0	2.4- 5.6	718	96.0	94.4-97.6
Less Than H.S.	233	38,777	14	4.5	1.8- 7.2	219	95.5	92.8-98.2
H.S. or G.E.D.	645	117,456	29	3.4	1.6- 5.2	616	96.6	94.8-98.4
Some Post-H.S.	562	100,794	28	3.3	1.7- 4.9	534	96.7	95.1-98.3
College Graduate	790	98,225	15	1.4	0.4- 2.4	775	98.6	97.6-99.6
Less than \$15,000	152	20,336	23	12.4	6.3-18.5	129	87.6	81.5-93.7
\$15,000- 24,999	309	42,531	21	4.8	2.4- 7.2	288	95.2	92.8-97.6
\$25,000- 34,999	153	21,577	4	1.4	0.0- 3.0	149	98.6	97.0- 100
\$35,000- 49,999	268	42,185	9	2.6	0.4- 4.8	259	97.4	95.2-99.6
\$50,000- 74,999	292	47,634	5	1.1	0.0- 2.3	287	98.9	97.7- 100
\$75,000+	733	126,642	7	1.2	0.0- 2.6	726	98.8	97.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2828	385,445	146	4.3	3.3- 5.3	2682	95.7	94.7-96.7
White/Non-Hisp	1939	249,333	108	4.8	3.6- 6.0	1831	95.2	94.0-96.4
Black or Afr. Am./Non-Hisp	409	80,937	21	4.4	2.0- 6.8	388	95.6	93.2-98.0
Oth. Race/Non-Hisp.	82	13,619	5	3.4	0.1- 6.7	77	96.6	93.3-99.9
Hispanic	282	30,919	9	1.7	0.3- 3.1	273	98.3	96.9-99.7
18-24	146	39,728	2	1.5	0.0- 3.7	144	98.5	96.3- 100
25-34	277	60,054	9	3.2	0.8- 5.6	268	96.8	94.4-99.2
35-44	323	56,380	12	4.0	1.3- 6.7	311	96.0	93.3-98.7
45-54	437	61,125	26	6.9	3.6-10.2	411	93.1	89.8-96.4
55-64	601	70,314	32	3.8	2.2- 5.4	569	96.2	94.6-97.8
65+	1044	97,844	65	5.2	3.6- 6.8	979	94.8	93.2-96.4
Less Than H.S.	274	44,611	25	7.9	3.8-12.0	249	92.1	88.0-96.2
H.S. or G.E.D.	783	113,180	46	5.2	3.2- 7.2	737	94.8	92.8-96.8
Some Post-H.S.	754	113,074	49	4.6	2.8- 6.4	705	95.4	93.6-97.2
College Graduate	1005	113,270	26	1.9	0.9- 2.9	979	98.1	97.1-99.1
Less than \$15,000	239	26,617	40	14.8	8.9-20.7	199	85.2	79.3-91.1
\$15,000- 24,999	462	63,437	25	5.6	2.9- 8.3	437	94.4	91.7-97.1
\$25,000- 34,999	244	30,819	19	6.2	2.5- 9.9	225	93.8	90.1-97.5
\$35,000- 49,999	295	38,526	15	3.6	1.4- 5.8	280	96.4	94.2-98.6
\$50,000- 74,999	351	46,001	6	2.4	0.0- 4.9	345	97.6	95.1- 100
\$75,000+	693	106,396	11	1.3	0.5- 2.1	682	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5060	740,821	404	6.9	5.9- 7.9	4656	93.1	92.1-94.1
Male	2238	355,535	126	4.6	3.6- 5.6	2112	95.4	94.4-96.4
Female	2822	385,286	278	9.1	7.7-10.5	2544	90.9	89.5-92.3
White/Non-Hisp	3450	477,769	287	7.3	6.1- 8.5	3163	92.7	91.5-93.9
Black or Afr. Am./Non-Hisp	678	149,324	54	7.2	4.7- 9.7	624	92.8	90.3-95.3
Oth. Race/Non-Hisp.	191	32,743	14	3.0	1.0- 5.0	177	97.0	95.0-99.0
MultiRacial/Non-Hisp.	79	5,456	11	10.4	3.3-17.5	68	89.6	82.5-96.7
Hispanic	527	58,273	27	5.0	2.6- 7.4	500	95.0	92.6-97.4
18-24	297	82,896	13	4.0	1.3- 6.7	284	96.0	93.3-98.7
25-34	506	121,123	30	5.9	3.2- 8.6	476	94.1	91.4-96.8
35-44	610	110,257	42	6.6	4.1- 9.1	568	93.4	90.9-95.9
45-54	785	118,329	67	8.0	5.5-10.5	718	92.0	89.5-94.5
55-64	1076	130,827	96	7.7	5.7- 9.7	980	92.3	90.3-94.3
65+	1786	177,389	156	8.0	6.4- 9.6	1630	92.0	90.4-93.6
Less Than H.S.	510	83,905	60	10.5	7.2-13.8	450	89.5	86.2-92.8
H.S. or G.E.D.	1426	230,154	148	8.6	6.6-10.6	1278	91.4	89.4-93.4
Some Post-H.S.	1315	213,836	119	7.6	5.8- 9.4	1196	92.4	90.6-94.2
College Graduate	1786	210,364	77	3.1	2.3- 3.9	1709	96.9	96.1-97.7
Less than \$15,000	391	46,918	84	18.0	13.3-22.7	307	82.0	77.3-86.7
\$15,000- 24,999	767	105,826	87	8.8	6.4-11.2	680	91.2	88.8-93.6
\$25,000- 34,999	399	52,718	41	10.5	6.4-14.6	358	89.5	85.4-93.6
\$35,000- 49,999	562	80,659	51	8.2	5.5-10.9	511	91.8	89.1-94.5
\$50,000- 74,999	643	93,635	27	3.6	1.8- 5.4	616	96.4	94.6-98.2
\$75,000+	1425	233,137	27	2.6	1.2- 4.0	1398	97.4	96.0-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2238	355,535	126	4.6	3.6- 5.6	2112	95.4	94.4-96.4
White/Non-Hisp	1519	228,894	85	4.5	3.3- 5.7	1434	95.5	94.3-96.7
Black or Afr. Am./Non-Hisp	269	68,363	15	5.4	1.9- 8.9	254	94.6	91.1-98.1
Oth. Race/Non-Hisp.	108	19,095	6	2.5	0.0- 5.0	102	97.5	95.0- 100
Hispanic	244	27,163	10	2.8	0.6- 5.0	234	97.2	95.0-99.4
18-24	151	43,168	2	1.0	0.0- 2.6	149	99.0	97.4- 100
25-34	230	61,166	11	3.5	1.1- 5.9	219	96.5	94.1-98.9
35-44	285	53,635	15	3.1	1.3- 4.9	270	96.9	95.1-98.7
45-54	349	57,376	24	5.9	2.2- 9.6	325	94.1	90.4-97.8
55-64	476	60,609	29	5.9	3.2- 8.6	447	94.1	91.4-96.8
65+	747	79,582	45	6.3	4.1- 8.5	702	93.7	91.5-95.9
Less Than H.S.	235	39,167	21	7.6	3.9-11.3	214	92.4	88.7-96.1
H.S. or G.E.D.	644	117,020	46	6.1	3.7- 8.5	598	93.9	91.5-96.3
Some Post-H.S.	562	100,794	34	3.8	2.2- 5.4	528	96.2	94.6-97.8
College Graduate	786	97,301	25	2.3	1.1- 3.5	761	97.7	96.5-98.9
Less than \$15,000	152	20,336	28	14.1	8.0-20.2	124	85.9	79.8-92.0
\$15,000- 24,999	308	42,534	31	6.6	3.9- 9.3	277	93.4	90.7-96.1
\$25,000- 34,999	153	21,577	12	8.1	3.0-13.2	141	91.9	86.8-97.0
\$35,000- 49,999	268	42,185	12	5.0	1.5- 8.5	256	95.0	91.5-98.5
\$50,000- 74,999	292	47,634	14	3.9	1.4- 6.4	278	96.1	93.6-98.6
\$75,000+	734	126,854	6	1.3	0.0- 2.9	728	98.7	97.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 8: DEMOGRAPHICS**

**TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2822	385,286	278	9.1	7.7-10.5	2544	90.9	89.5-92.3
White/Non-Hisp	1931	248,875	202	9.9	8.1-11.7	1729	90.1	88.3-91.9
Black or Afr. Am./Non-Hisp	409	80,961	39	8.6	4.9-12.3	370	91.4	87.7-95.1
Oth. Race/Non-Hisp.	83	13,648	8	3.8	0.5- 7.1	75	96.2	92.9-99.5
Hispanic	283	31,110	17	6.9	3.0-10.8	266	93.1	89.2-97.0
18-24	146	39,728	11	7.2	1.9-12.5	135	92.8	87.5-98.1
25-34	276	59,957	19	8.3	3.6-13.0	257	91.7	87.0-96.4
35-44	325	56,622	27	9.9	5.6-14.2	298	90.1	85.8-94.4
45-54	436	60,953	43	9.9	6.2-13.6	393	90.1	86.4-93.8
55-64	600	70,218	67	9.2	6.7-11.7	533	90.8	88.3-93.3
65+	1039	97,807	111	9.4	7.2-11.6	928	90.6	88.4-92.8
Less Than H.S.	275	44,738	39	13.1	8.0-18.2	236	86.9	81.8-92.0
H.S. or G.E.D.	782	113,134	102	11.2	8.3-14.1	680	88.8	85.9-91.7
Some Post-H.S.	753	113,042	85	11.1	8.0-14.2	668	88.9	85.8-92.0
College Graduate	1000	113,063	52	3.7	2.5- 4.9	948	96.3	95.1-97.5
Less than \$15,000	239	26,582	56	20.9	14.0-27.8	183	79.1	72.2-86.0
\$15,000- 24,999	459	63,292	56	10.3	7.0-13.6	403	89.7	86.4-93.0
\$25,000- 34,999	246	31,141	29	12.1	6.2-18.0	217	87.9	82.0-93.8
\$35,000- 49,999	294	38,474	39	11.6	7.5-15.7	255	88.4	84.3-92.5
\$50,000- 74,999	351	46,001	13	3.4	0.9- 5.9	338	96.6	94.1-99.1
\$75,000+	691	106,283	21	4.1	1.6- 6.6	670	95.9	93.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 9: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	164
2 MALES ONLY	165
3 FEMALES ONLY	166
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	167
5 MALES ONLY	168
6 FEMALES ONLY	169
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	170
8 MALES ONLY	171
9 FEMALES ONLY	172
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	173
11 MALES ONLY	174
12 FEMALES ONLY	175
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	176
14 MALES ONLY	177
15 FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5017	732,843	2234	42.3	40.5-44.1	2783	57.7	55.9-59.5
Male	2213	350,745	1085	45.5	42.8-48.2	1128	54.5	51.8-57.2
Female	2804	382,099	1149	39.3	36.8-41.8	1655	60.7	58.2-63.2
White/Non-Hisp	3429	473,609	1684	48.2	46.0-50.4	1745	51.8	49.6-54.0
Black or Afr. Am./Non-Hisp	672	148,124	261	34.9	30.2-39.6	411	65.1	60.4-69.8
Oth. Race/Non-Hisp.	188	32,286	65	21.9	14.5-29.3	123	78.1	70.7-85.5
MultiRacial/Non-Hisp.	79	5,456	37	43.0	28.3-57.7	42	57.0	42.3-71.7
Hispanic	520	57,392	131	24.0	19.1-28.9	389	76.0	71.1-80.9
18-24	295	82,363	52	17.8	12.7-22.9	243	82.2	77.1-87.3
25-34	503	120,417	160	36.8	31.1-42.5	343	63.2	57.5-68.9
35-44	602	108,316	249	42.6	37.5-47.7	353	57.4	52.3-62.5
45-54	779	117,199	331	43.1	38.8-47.4	448	56.9	52.6-61.2
55-64	1071	130,505	540	49.8	46.1-53.5	531	50.2	46.5-53.9
65+	1767	174,042	902	51.2	48.3-54.1	865	48.8	45.9-51.7
Less Than H.S.	506	82,908	247	51.8	45.7-57.9	259	48.2	42.1-54.3
H.S. or G.E.D.	1411	228,266	714	47.2	43.7-50.7	697	52.8	49.3-56.3
Some Post-H.S.	1300	210,436	630	44.5	41.0-48.0	670	55.5	52.0-59.0
College Graduate	1780	208,950	634	30.8	28.1-33.5	1146	69.2	66.5-71.9
Less than \$15,000	389	46,313	210	55.1	48.2-62.0	179	44.9	38.0-51.8
\$15,000- 24,999	759	104,803	378	53.3	48.6-58.0	381	46.7	42.0-51.4
\$25,000- 34,999	393	51,267	187	41.5	35.2-47.8	206	58.5	52.2-64.8
\$35,000- 49,999	561	80,344	272	44.6	38.9-50.3	289	55.4	49.7-61.1
\$50,000- 74,999	639	93,232	298	43.0	37.7-48.3	341	57.0	51.7-62.3
\$75,000+	1420	232,435	568	38.3	35.0-41.6	852	61.7	58.4-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2213	350,745	1085	45.5	42.8-48.2	1128	54.5	51.8-57.2
White/Non-Hisp	1507	226,143	794	51.1	47.8-54.4	713	48.9	45.6-52.2
Black or Afr. Am./Non-Hisp	268	68,378	117	36.7	29.3-44.1	151	63.3	55.9-70.7
Oth. Race/Non-Hisp.	105	18,736	34	19.2	10.4-28.0	71	80.8	72.0-89.6
Hispanic	240	26,622	93	36.3	28.1-44.5	147	63.7	55.5-71.9
18-24	150	42,832	30	18.1	11.0-25.2	120	81.9	74.8-89.0
25-34	229	60,732	84	39.8	31.6-48.0	145	60.2	52.0-68.4
35-44	281	52,634	134	49.1	41.5-56.7	147	50.9	43.3-58.5
45-54	346	56,419	155	44.9	38.4-51.4	191	55.1	48.6-61.6
55-64	472	60,520	249	50.7	45.0-56.4	223	49.3	43.6-55.0
65+	735	77,609	433	59.0	54.7-63.3	302	41.0	36.7-45.3
Less Than H.S.	231	38,269	134	57.7	49.5-65.9	97	42.3	34.1-50.5
H.S. or G.E.D.	636	115,927	356	49.3	44.0-54.6	280	50.7	45.4-56.0
Some Post-H.S.	555	99,299	302	48.3	42.8-53.8	253	51.7	46.2-57.2
College Graduate	783	96,276	289	33.2	29.1-37.3	494	66.8	62.7-70.9
Less than \$15,000	151	19,901	97	59.8	49.0-70.6	54	40.2	29.4-51.0
\$15,000- 24,999	302	41,571	165	58.0	50.7-65.3	137	42.0	34.7-49.3
\$25,000- 34,999	150	20,955	77	44.0	33.6-54.4	73	56.0	45.6-66.4
\$35,000- 49,999	266	42,043	146	50.3	42.1-58.5	120	49.7	41.5-57.9
\$50,000- 74,999	290	47,373	148	44.6	36.6-52.6	142	55.4	47.4-63.4
\$75,000+	729	126,152	318	42.8	38.1-47.5	411	57.2	52.5-61.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	382,099	1149	39.3	36.8-41.8	1655	60.7	58.2-63.2
White/Non-Hisp	1922	247,466	890	45.5	42.6-48.4	1032	54.5	51.6-57.4
Black or Afr. Am./Non-Hisp	404	79,746	144	33.3	27.2-39.4	260	66.7	60.6-72.8
Oth. Race/Non-Hisp.	83	13,550	31	25.5	12.6-38.4	52	74.5	61.6-87.4
Hispanic	280	30,770	38	13.3	8.0-18.6	242	86.7	81.4-92.0
18-24	145	39,532	22	17.4	9.8-25.0	123	82.6	75.0-90.2
25-34	274	59,686	76	33.8	26.2-41.4	198	66.2	58.6-73.8
35-44	321	55,683	115	36.4	29.7-43.1	206	63.6	56.9-70.3
45-54	433	60,780	176	41.5	35.6-47.4	257	58.5	52.6-64.4
55-64	599	69,985	291	49.0	43.9-54.1	308	51.0	45.9-56.1
65+	1032	96,434	469	44.9	41.0-48.8	563	55.1	51.2-59.0
Less Than H.S.	275	44,639	113	46.7	37.9-55.5	162	53.3	44.5-62.1
H.S. or G.E.D.	775	112,339	358	45.0	40.3-49.7	417	55.0	50.3-59.7
Some Post-H.S.	745	111,137	328	41.1	36.4-45.8	417	58.9	54.2-63.6
College Graduate	997	112,674	345	28.8	25.3-32.3	652	71.2	67.7-74.7
Less than \$15,000	238	26,411	113	51.6	42.6-60.6	125	48.4	39.4-57.4
\$15,000- 24,999	457	63,232	213	50.2	43.9-56.5	244	49.8	43.5-56.1
\$25,000- 34,999	243	30,312	110	39.7	31.9-47.5	133	60.3	52.5-68.1
\$35,000- 49,999	295	38,301	126	38.4	30.8-46.0	169	61.6	54.0-69.2
\$50,000- 74,999	349	45,859	150	41.3	34.4-48.2	199	58.7	51.8-65.6
\$75,000+	691	106,283	250	33.0	28.5-37.5	441	67.0	62.5-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2228	309,066	541	27.8	25.3-30.3	227	11.3	9.3-13.3	1460	60.9	58.2-63.6
Male	1079	158,925	276	28.6	24.9-32.3	111	11.7	9.0-14.4	692	59.7	55.8-63.6
Female	1149	150,141	265	27.1	23.6-30.6	116	10.9	8.4-13.4	768	62.1	58.2-66.0
White/Non-Hisp	1681	228,056	388	26.6	23.7-29.5	130	8.7	6.7-10.7	1163	64.7	61.6-67.8
Black or Afr. Am./Non-Hisp	259	51,299	78	35.8	27.8-43.8	41	14.3	8.8-19.8	140	49.9	41.7-58.1
Oth. Race/Non-Hisp.	65	7,059	20	17.8	7.8-27.8	7	13.4	1.6-25.2	38	68.8	54.1-83.5
Hispanic	130	13,727	34	29.0	18.2-39.8	35	36.2	24.4-48.0	61	34.8	24.6-45.0
18-24	52	14,641	18	38.9	23.8-54.0	14	20.1	8.5-31.7	20	41.0	25.3-56.7
25-34	160	44,353	60	40.8	30.8-50.8	31	19.2	11.4-27.0	69	40.0	30.6-49.4
35-44	249	46,093	94	37.2	29.8-44.6	42	15.5	9.6-21.4	113	47.3	39.5-55.1
45-54	330	50,502	121	34.7	28.4-41.0	36	10.3	6.4-14.2	173	55.0	48.3-61.7
55-64	538	64,707	148	26.8	22.3-31.3	54	10.1	7.2-13.0	336	63.2	58.3-68.1
65+	899	88,769	100	11.6	8.9-14.3	50	5.1	3.3- 6.9	749	83.3	80.2-86.4
Less Than H.S.	245	42,788	85	39.4	31.2-47.6	36	16.6	10.1-23.1	124	43.9	35.9-51.9
H.S. or G.E.D.	712	107,608	227	34.6	29.9-39.3	80	11.2	8.3-14.1	405	54.2	49.3-59.1
Some Post-H.S.	628	93,344	139	22.9	18.6-27.2	64	10.4	6.9-13.9	425	66.7	61.8-71.6
College Graduate	634	64,403	88	16.1	12.2-20.0	44	8.9	5.6-12.2	502	75.0	70.3-79.7
Less than \$15,000	210	25,522	86	42.5	33.3-51.7	29	14.7	7.6-21.8	95	42.9	33.5-52.3
\$15,000- 24,999	377	55,813	125	36.1	29.6-42.6	42	13.4	8.5-18.3	210	50.6	43.9-57.3
\$25,000- 34,999	187	21,255	48	29.4	21.0-37.8	23	13.8	7.5-20.1	116	56.8	47.8-65.8
\$35,000- 49,999	271	35,655	64	30.2	21.4-39.0	29	13.1	7.2-19.0	178	56.7	48.1-65.3
\$50,000- 74,999	298	40,052	57	22.0	15.7-28.3	21	6.1	2.6- 9.6	220	71.9	65.0-78.8
\$75,000+	566	88,824	94	20.6	16.1-25.1	48	10.6	6.9-14.3	424	68.8	63.7-73.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1079	158,925	276	28.6	24.9-32.3	111	11.7	9.0-14.4	692	59.7	55.8-63.6
White/Non-Hisp	791	115,365	193	27.9	23.8-32.0	59	7.6	5.2-10.0	539	64.5	60.2-68.8
Black or Afr. Am./Non-Hisp	115	24,724	35	35.9	23.4-48.4	18	16.9	7.5-26.3	62	47.2	34.9-59.5
Hispanic	92	9,621	24	26.3	14.1-38.5	26	41.1	26.6-55.6	42	32.7	20.9-44.5
25-34	84	24,169	31	43.9	30.2-57.6	17	15.7	7.1-24.3	36	40.4	27.5-53.3
35-44	134	25,849	54	36.5	26.3-46.7	26	20.8	11.4-30.2	54	42.7	31.9-53.5
45-54	154	25,302	66	39.7	30.3-49.1	15	9.6	3.9-15.3	73	50.7	40.9-60.5
55-64	247	30,413	72	27.3	20.6-34.0	21	8.5	4.4-12.6	154	64.2	56.9-71.5
65+	430	45,436	45	10.4	7.1-13.7	21	4.6	2.1- 7.1	364	85.0	80.9-89.1
Less Than H.S.	132	21,920	43	36.8	26.2-47.4	23	21.0	12.2-29.8	66	42.2	31.8-52.6
H.S. or G.E.D.	354	57,035	114	36.1	29.0-43.2	40	11.8	7.5-16.1	200	52.2	45.1-59.3
Some Post-H.S.	300	47,651	65	20.7	14.8-26.6	32	11.4	6.1-16.7	203	67.9	60.8-75.0
College Graduate	289	31,962	53	21.4	15.1-27.7	15	5.7	1.6- 9.8	221	72.9	65.8-80.0
Less than \$15,000	97	11,892	40	46.7	33.8-59.6	12	14.9	4.9-24.9	45	38.4	26.2-50.6
\$15,000- 24,999	164	24,077	54	34.6	24.6-44.6	21	18.8	9.4-28.2	89	46.6	36.4-56.8
\$25,000- 34,999	77	9,216	19	25.8	13.8-37.8	10	16.7	5.9-27.5	48	57.5	43.8-71.2
\$35,000- 49,999	145	20,942	41	39.7	27.2-52.2	19	13.4	6.3-20.5	85	46.9	35.7-58.1
\$50,000- 74,999	148	21,108	32	24.4	15.0-33.8	11	7.2	1.5-12.9	105	68.4	58.2-78.6
\$75,000+	316	53,717	61	22.1	16.2-28.0	23	8.7	4.4-13.0	232	69.3	62.6-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1149	150,141	265	27.1	23.6-30.6	116	10.9	8.4-13.4	768	62.1	58.4-65.8
White/Non-Hisp	890	112,691	195	25.2	21.3-29.1	71	9.9	6.8-13.0	624	64.8	60.5-69.1
Black or Afr. Am./Non-Hisp	144	26,575	43	35.7	25.5-45.9	23	11.9	6.2-17.6	78	52.4	41.8-63.0
25-34	76	20,183	29	37.1	23.0-51.2	14	23.4	10.3-36.5	33	39.5	26.0-53.0
35-44	115	20,244	40	38.2	27.0-49.4	16	8.7	3.4-14.0	59	53.0	41.6-64.4
45-54	176	25,201	55	29.6	21.4-37.8	21	11.0	5.5-16.5	100	59.3	50.3-68.3
55-64	291	34,294	76	26.3	20.2-32.4	33	11.5	7.2-15.8	182	62.3	55.6-69.0
65+	469	43,333	55	12.8	8.7-16.9	29	5.7	3.3- 8.1	385	81.6	76.9-86.3
Less Than H.S.	113	20,868	42	42.2	29.5-54.9	13	12.1	2.1-22.1	58	45.7	33.2-58.2
H.S. or G.E.D.	358	50,573	113	33.0	26.7-39.3	40	10.6	6.9-14.3	205	56.4	49.7-63.1
Some Post-H.S.	328	45,694	74	25.2	18.9-31.5	32	9.4	4.7-14.1	222	65.5	58.6-72.4
College Graduate	345	32,441	35	10.9	6.2-15.6	29	12.1	7.0-17.2	281	77.0	70.7-83.3
Less than \$15,000	113	13,630	46	38.8	26.1-51.5	17	14.5	4.7-24.3	50	46.8	33.1-60.5
\$15,000- 24,999	213	31,736	71	37.2	28.6-45.8	21	9.2	4.7-13.7	121	53.6	44.8-62.4
\$25,000- 34,999	110	12,038	29	32.1	20.7-43.5	13	11.6	4.5-18.7	68	56.3	44.5-68.1
\$35,000- 49,999	126	14,712	23	16.6	9.0-24.2	10	12.7	2.5-22.9	93	70.7	59.5-81.9
\$50,000- 74,999	150	18,944	25	19.3	11.3-27.3	10	5.0	1.3- 8.7	115	75.7	67.3-84.1
\$75,000+	250	35,107	33	18.5	11.6-25.4	25	13.5	6.6-20.4	192	68.1	59.9-76.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	763	120,283	428	56.0	51.3-60.7	335	44.0	39.3-48.7
Male	383	63,536	201	52.1	45.4-58.8	182	47.9	41.2-54.6
Female	380	56,747	227	60.3	53.6-67.0	153	39.7	33.0-46.4
White/Non-Hisp	515	80,123	284	53.9	48.2-59.6	231	46.1	40.4-51.8
Black or Afr. Am./Non-Hisp	118	25,487	72	62.8	51.6-74.0	46	37.2	26.0-48.4
Hispanic	68	8,920	42	57.0	41.5-72.5	26	43.0	27.5-58.5
25-34	91	26,620	62	63.2	50.5-75.9	29	36.8	24.1-49.5
35-44	134	24,088	63	45.2	34.4-56.0	71	54.8	44.0-65.6
45-54	156	22,512	83	53.0	43.4-62.6	73	47.0	37.4-56.6
55-64	202	23,817	128	68.0	60.6-75.4	74	32.0	24.6-39.4
65+	148	14,603	75	50.0	39.8-60.2	73	50.0	39.8-60.2
Less Than H.S.	121	23,986	61	48.0	36.2-59.8	60	52.0	40.2-63.8
H.S. or G.E.D.	305	49,099	164	55.0	47.6-62.4	141	45.0	37.6-52.4
Some Post-H.S.	200	30,678	124	62.8	54.0-71.6	76	37.2	28.4-46.0
College Graduate	132	16,122	77	57.7	46.5-68.9	55	42.3	31.1-53.5
Less than \$15,000	114	14,384	67	57.1	44.9-69.3	47	42.9	30.7-55.1
\$15,000- 24,999	167	27,589	100	63.0	53.2-72.8	67	37.0	27.2-46.8
\$25,000- 34,999	71	9,183	38	54.7	40.8-68.6	33	45.3	31.4-59.2
\$35,000- 49,999	92	15,370	57	65.5	52.4-78.6	35	34.5	21.4-47.6
\$50,000- 74,999	78	11,268	46	56.2	41.9-70.5	32	43.8	29.5-58.1
\$75,000+	141	27,510	68	48.4	37.8-59.0	73	51.6	41.0-62.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	383	63,536	201	52.1	45.4-58.8	182	47.9	41.2-54.6
White/Non-Hisp	250	40,711	125	46.0	38.2-53.8	125	54.0	46.2-61.8
Black or Afr. Am./Non-Hisp	52	12,845	29	63.1	46.6-79.6	23	36.9	20.4-53.4
35-44	78	14,582	37	46.1	31.6-60.6	41	53.9	39.4-68.4
45-54	81	12,469	41	50.3	37.0-63.6	40	49.7	36.4-63.0
55-64	93	10,881	55	64.5	53.1-75.9	38	35.5	24.1-46.9
65+	64	6,614	28	48.7	33.4-64.0	36	51.3	36.0-66.6
Less Than H.S.	66	12,664	30	43.3	29.0-57.6	36	56.7	42.4-71.0
H.S. or G.E.D.	152	27,051	77	51.7	40.7-62.7	75	48.3	37.3-59.3
Some Post-H.S.	95	15,101	61	61.4	48.3-74.5	34	38.6	25.5-51.7
College Graduate	68	8,669	32	49.8	34.3-65.3	36	50.2	34.7-65.7
Less than \$15,000	51	7,127	26	46.9	29.5-64.3	25	53.1	35.7-70.5
\$15,000- 24,999	75	12,860	45	62.1	46.4-77.8	30	37.9	22.2-53.6
\$35,000- 49,999	59	11,061	37	65.4	48.7-82.1	22	34.6	17.9-51.3
\$75,000+	84	16,504	33	37.2	24.7-49.7	51	62.8	50.3-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	380	56,747	227	60.3	53.6-67.0	153	39.7	33.0-46.4
White/Non-Hisp	265	39,412	159	61.9	53.9-69.9	106	38.1	30.1-46.1
Black or Afr. Am./Non-Hisp	66	12,641	43	62.5	47.8-77.2	23	37.5	22.8-52.2
35-44	56	9,505	26	43.8	27.3-60.3	30	56.2	39.7-72.7
45-54	75	10,042	42	56.3	43.0-69.6	33	43.7	30.4-57.0
55-64	109	12,936	73	71.0	61.4-80.6	36	29.0	19.4-38.6
65+	84	7,990	47	51.1	37.0-65.2	37	48.9	34.8-63.0
Less Than H.S.	55	11,323	31	53.3	34.3-72.3	24	46.7	27.7-65.7
H.S. or G.E.D.	153	22,048	87	59.1	49.5-68.7	66	40.9	31.3-50.5
Some Post-H.S.	105	15,577	63	64.1	52.5-75.7	42	35.9	24.3-47.5
College Graduate	64	7,453	45	66.9	50.8-83.0	19	33.1	17.0-49.2
Less than \$15,000	63	7,258	41	67.2	52.1-82.3	22	32.8	17.7-47.9
\$15,000- 24,999	92	14,728	55	63.8	51.6-76.0	37	36.2	24.0-48.4
\$75,000+	57	11,005	35	65.1	49.6-80.6	22	34.9	19.4-50.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1441	186,176	147	13.2	10.7-15.7	193	15.9	13.2-18.6	159	13.2	10.7-15.7	940	57.6	54.1-61.1	2	0.1	0.0- 0.3
Male	683	94,040	68	11.8	8.5-15.1	101	16.7	12.8-20.6	62	10.4	7.3-13.5	451	60.9	56.0-65.8	1	0.1	0.0- 0.3
Female	758	92,136	79	14.5	10.6-18.4	92	15.0	11.3-18.7	97	16.0	12.3-19.7	489	54.3	49.4-59.2	1	0.2	0.0- 0.6
White/Non-Hisp	1149	145,948	103	11.8	9.3-14.3	140	15.2	12.3-18.1	134	13.7	11.0-16.4	771	59.3	55.6-63.0	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	139	25,588	19	18.8	8.8-28.8	23	14.9	7.5-22.3	17	15.4	7.2-23.6	80	50.8	39.6-62.0			
Hispanic	61	4,780	12	19.4	7.1-31.7	17	24.8	11.7-37.9	2	4.7	0.0-11.6	30	51.1	34.8-67.4			
25-34	69	17,733	27	37.2	23.7-50.7	28	40.6	26.7-54.5	8	12.1	2.5-21.7	6	10.2	0.2-20.2			
35-44	111	21,507	25	18.0	10.0-26.0	28	24.3	14.5-34.1	23	24.4	14.4-34.4	35	33.4	22.2-44.6			
45-54	169	27,130	22	13.4	5.2-21.6	32	15.0	9.1-20.9	26	18.8	10.6-27.0	88	52.3	42.3-62.3	1	0.6	0.0- 1.8
55-64	331	40,468	39	12.4	7.7-17.1	52	14.2	9.7-18.7	46	14.5	9.8-19.2	193	58.7	52.0-65.4	1	0.3	0.0- 0.9
65+	741	73,340	22	3.3	1.3- 5.3	47	6.6	4.4- 8.8	55	8.0	5.5-10.5	617	82.1	78.6-85.6			
Less Than H.S.	121	18,518	20	18.1	9.1-27.1	19	15.3	7.1-23.5	10	11.8	3.2-20.4	72	54.8	43.2-66.4			
H.S. or G.E.D.	398	57,354	38	12.8	7.3-18.3	67	19.1	13.6-24.6	50	13.1	8.8-17.4	241	54.5	48.0-61.0	2	0.5	0.0- 1.1
Some Post-H.S.	421	61,946	48	13.6	9.3-17.9	53	14.9	10.2-19.6	46	12.7	8.4-17.0	274	58.8	52.5-65.1			
College Graduate	498	47,856	41	11.3	7.4-15.2	53	13.0	8.9-17.1	53	14.6	9.7-19.5	351	61.1	55.2-67.0			
Less than \$15,000	94	10,884	18	28.0	11.3-44.7	17	13.4	6.0-20.8	11	14.5	4.1-24.9	48	44.1	29.8-58.4			
\$15,000- 24,999	207	27,920	24	14.5	7.8-21.2	46	28.1	19.5-36.7	26	14.1	7.6-20.6	111	43.3	34.7-51.9			
\$25,000- 34,999	115	11,941	8	9.0	0.8-17.2	16	17.3	7.9-26.7	6	5.7	0.8-10.6	84	66.7	54.9-78.5	1	1.3	0.0- 3.8
\$35,000- 49,999	175	20,017	22	12.4	6.9-17.9	15	10.9	4.2-17.6	27	17.1	10.0-24.2	111	59.6	50.4-68.8			
\$50,000- 74,999	218	28,440	25	18.3	10.3-26.3	27	15.1	8.0-22.2	21	11.4	5.5-17.3	145	55.2	46.2-64.2			
\$75,000+	422	60,956	34	10.0	6.3-13.7	52	14.0	9.3-18.7	47	14.2	9.5-18.9	289	61.7	55.4-68.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	683	94,040	68	11.8	8.5-15.1	101	16.7	12.8-20.6	62	10.4	7.3-13.5	451	60.9	56.2-65.6	1	0.1	0.0- 0.3
White/Non-Hisp	531	73,625	42	10.3	6.8-13.8	65	15.2	10.9-19.5	51	10.9	7.4-14.4	372	63.5	58.0-69.0	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	62	11,679	7	14.2	3.0-25.4	13	16.2	5.8-26.6	7	12.4	1.0-23.8	35	57.2	41.3-73.1			
35-44	53	10,899	12	17.4	6.0-28.8	14	23.2	9.1-37.3	10	19.9	7.4-32.4	17	39.4	22.3-56.5			
45-54	72	12,688	10	11.1	2.3-19.9	16	19.4	9.2-29.6	6	10.2	0.2-20.2	40	59.4	45.3-73.5			
55-64	150	19,164	14	10.5	3.4-17.6	27	16.3	9.2-23.4	15	9.2	3.9-14.5	93	63.3	53.5-73.1	1	0.6	0.0- 1.8
65+	361	38,352	10	2.2	0.6- 3.8	25	6.3	3.4- 9.2	28	8.3	4.8-11.8	298	83.3	78.6-88.0			
Less Than H.S.	65	9,163	12	19.8	6.5-33.1	11	11.4	3.2-19.6	3	3.3	0.0- 7.8	39	65.4	50.9-79.9			
H.S. or G.E.D.	197	29,355	15	10.3	4.2-16.4	36	20.8	13.0-28.6	27	13.6	7.7-19.5	118	54.9	46.1-63.7	1	0.4	0.0- 1.2
Some Post-H.S.	201	32,178	23	11.6	5.9-17.3	25	12.8	6.3-19.3	16	9.0	3.7-14.3	137	66.5	57.9-75.1			
College Graduate	219	23,062	18	11.0	5.1-16.9	28	18.1	10.7-25.5	16	11.3	4.4-18.2	157	59.6	50.8-68.4			
\$15,000- 24,999	88	11,072	9	16.1	4.7-27.5	23	29.4	16.9-41.9	8	7.6	1.9-13.3	48	46.9	34.0-59.8			
\$35,000- 49,999	83	9,625	8	8.9	2.4-15.4	8	8.5	1.4-15.6	13	13.4	5.2-21.6	54	69.2	57.8-80.6			
\$50,000- 74,999	105	14,448	13	16.3	6.1-26.5	14	17.6	6.2-29.0	9	11.5	2.5-20.5	69	54.6	41.7-67.5			
\$75,000+	230	37,058	18	10.3	5.0-15.6	30	15.8	9.1-22.5	17	10.9	5.0-16.8	165	63.0	54.6-71.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	758	92,136	79	14.5	10.6-18.4	92	15.0	11.3-18.7	97	16.0	12.3-19.7	489	54.3	49.4-59.2	1	0.2	0.0- 0.6
White/Non-Hisp	618	72,324	61	13.3	9.4-17.2	75	15.1	11.2-19.0	83	16.6	12.5-20.7	399	55.0	49.7-60.3			
Black or Afr. Am./Non-Hisp	77	13,909	12	22.7	7.2-38.2	10	13.9	3.3-24.5	10	18.0	6.2-29.8	45	45.5	30.6-60.4			
35-44	58	10,607	13	18.5	7.5-29.5	14	25.3	11.4-39.2	13	29.0	13.5-44.5	18	27.2	13.7-40.7			
45-54	97	14,442	12	15.4	2.1-28.7	16	11.2	4.7-17.7	20	26.3	13.6-39.0	48	46.1	32.8-59.4	1	1.1	0.0- 3.1
55-64	181	21,303	25	14.1	8.0-20.2	25	12.3	6.2-18.4	31	19.1	11.5-26.7	100	54.4	45.2-63.6			
65+	380	34,988	12	4.5	1.0- 8.0	22	6.9	3.8-10.0	27	7.7	4.2-11.2	319	80.8	75.3-86.3			
Less Than H.S.	56	9,356	8	16.4	4.2-28.6	8	19.1	5.2-33.0	7	20.0	4.5-35.5	33	44.5	28.2-60.8			
H.S. or G.E.D.	201	27,999	23	15.5	6.5-24.5	31	17.4	9.8-25.0	23	12.5	6.4-18.6	123	54.1	44.3-63.9	1	0.5	0.0- 1.5
Some Post-H.S.	220	29,768	25	15.6	8.9-22.3	28	17.1	10.2-24.0	30	16.7	9.8-23.6	137	50.6	42.2-59.0			
College Graduate	279	24,794	23	11.5	6.4-16.6	25	8.2	4.7-11.7	37	17.8	11.1-24.5	194	62.5	54.9-70.1			
\$15,000- 24,999	119	16,848	15	13.5	5.5-21.5	23	27.2	15.2-39.2	18	18.3	8.5-28.1	63	41.0	29.4-52.6			
\$25,000- 34,999	67	6,644	4	11.4	0.0-24.9	8	18.1	4.2-32.0	3	4.7	0.0-10.4	51	63.5	46.8-80.2	1	2.3	0.0- 6.8
\$35,000- 49,999	92	10,391	14	15.7	6.9-24.5	7	13.0	2.2-23.8	14	20.6	9.2-32.0	57	50.7	37.6-63.8			
\$50,000- 74,999	113	13,993	12	20.4	8.2-32.6	13	12.5	4.7-20.3	12	11.3	3.9-18.7	76	55.8	43.3-68.3			
\$75,000+	192	23,898	16	9.5	4.6-14.4	22	11.3	5.8-16.8	30	19.5	11.7-27.3	124	59.8	51.0-68.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5042	737,781	50	1.1	0.7- 1.5	64	1.6	1.0- 2.2	4928	97.3	96.7-97.9
Male	2227	353,933	35	1.6	1.0- 2.2	47	2.8	1.8- 3.8	2145	95.6	94.4-96.8
Female	2815	383,847	15	0.6	0.2- 1.0	17	0.6	0.2- 1.0	2783	98.8	98.2-99.4
White/Non-Hisp	3438	475,538	40	1.4	0.8- 2.0	45	1.7	1.1- 2.3	3353	96.9	96.1-97.7
Black or Afr. Am./Non-Hisp	679	149,359	4	0.5	0.0- 1.1	8	1.2	0.2- 2.2	667	98.4	97.2-99.6
Oth. Race/Non-Hisp.	191	32,645	1	0.4	0.0- 1.2	3	0.8	0.0- 2.0	187	98.9	97.5- 100
MultiRacial/Non-Hisp.	79	5,456	1	0.9	0.0- 2.7	1	2.1	0.0- 6.2	77	97.0	92.5- 100
Hispanic	522	57,905	3	0.4	0.0- 0.8	7	3.4	0.1- 6.7	512	96.2	92.9-99.5
18-24	297	82,896	7	2.1	0.3- 3.9	4	2.5	0.0- 5.0	286	95.4	92.3-98.5
25-34	504	120,663	8	1.2	0.2- 2.2	11	3.0	0.8- 5.2	485	95.8	93.4-98.2
35-44	605	109,203	8	1.5	0.3- 2.7	10	0.8	0.2- 1.4	587	97.8	96.4-99.2
45-54	785	118,407	6	0.8	0.2- 1.4	8	1.2	0.2- 2.2	771	98.0	96.8-99.2
55-64	1071	130,322	13	1.1	0.3- 1.9	16	1.4	0.6- 2.2	1042	97.5	96.5-98.5
65+	1780	176,289	8	0.5	0.1- 0.9	15	1.3	0.5- 2.1	1757	98.2	97.2-99.2
Less Than H.S.	506	83,312	10	1.6	0.4- 2.8	12	4.0	1.3- 6.7	484	94.4	91.5-97.3
H.S. or G.E.D.	1413	228,666	17	1.1	0.5- 1.7	18	1.7	0.7- 2.7	1378	97.2	96.0-98.4
Some Post-H.S.	1311	213,170	8	0.7	0.1- 1.3	8	0.8	0.0- 1.6	1295	98.5	97.5-99.5
College Graduate	1789	210,070	15	1.3	0.5- 2.1	24	1.5	0.7- 2.3	1750	97.2	96.0-98.4
Less than \$15,000	390	46,681	8	2.6	0.2- 5.0	7	2.9	0.0- 6.0	375	94.5	90.8-98.2
\$15,000- 24,999	761	105,071	8	0.9	0.1- 1.7	8	0.7	0.1- 1.3	745	98.3	97.3-99.3
\$25,000- 34,999	397	52,558	6	1.3	0.3- 2.3	5	1.6	0.0- 3.2	386	97.2	95.4-99.0
\$35,000- 49,999	565	80,847	3	0.6	0.0- 1.4	11	2.4	0.4- 4.4	551	97.0	94.8-99.2
\$50,000- 74,999	640	93,316	5	1.1	0.0- 2.3	4	0.8	0.0- 1.8	631	98.1	96.5-99.7
\$75,000+	1420	232,492	14	1.1	0.3- 1.9	21	2.2	1.0- 3.4	1385	96.6	95.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2227	353,933	35	1.6	1.0- 2.2	47	2.8	1.8- 3.8	2145	95.6	94.4-96.8
White/Non-Hisp	1511	227,767	27	2.1	1.1- 3.1	33	2.7	1.5- 3.9	1451	95.3	93.9-96.7
Black or Afr. Am./Non-Hisp	269	68,365	4	1.0	0.0- 2.2	5	2.2	0.0- 4.4	260	96.8	94.3-99.3
Oth. Race/Non-Hisp.	108	19,095	1	0.6	0.0- 1.8	3	1.3	0.0- 3.1	104	98.1	95.9- 100
Hispanic	242	27,004	2	0.6	0.0- 1.4	5	6.7	0.0-13.8	235	92.7	85.6-99.8
18-24	151	43,168	6	3.5	0.2- 6.8	4	4.8	0.1- 9.5	141	91.7	86.0-97.4
25-34	230	61,166	4	1.2	0.0- 2.6	7	4.3	0.8- 7.8	219	94.5	90.8-98.2
35-44	281	52,883	7	2.3	0.1- 4.5	8	1.4	0.4- 2.4	266	96.3	93.9-98.7
45-54	349	57,403	5	1.4	0.0- 2.8	6	1.7	0.1- 3.3	338	96.8	94.6-99.0
55-64	473	60,361	8	1.6	0.4- 2.8	12	2.6	0.8- 4.4	453	95.9	93.7-98.1
65+	743	78,952	5	0.7	0.1- 1.3	10	2.2	0.4- 4.0	728	97.1	95.3-98.9
Less Than H.S.	233	38,978	9	3.3	0.8- 5.8	9	6.7	1.4-12.0	215	90.0	84.3-95.7
H.S. or G.E.D.	636	115,956	12	1.6	0.4- 2.8	16	3.1	1.1- 5.1	608	95.3	93.1-97.5
Some Post-H.S.	558	100,324	5	0.9	0.0- 1.9	5	1.0	0.0- 2.0	548	98.1	96.7-99.5
College Graduate	789	97,423	9	1.8	0.4- 3.2	17	2.6	0.8- 4.4	763	95.6	93.4-97.8
Less than \$15,000	150	20,044	5	3.4	0.0- 6.9	4	1.0	0.0- 2.0	141	95.6	91.9-99.3
\$15,000- 24,999	307	42,456	6	1.6	0.2- 3.0	5	1.3	0.0- 2.7	296	97.1	95.1-99.1
\$25,000- 34,999	151	21,416	4	2.3	0.0- 4.7	3	3.2	0.0- 6.7	144	94.5	90.4-98.6
\$35,000- 49,999	268	42,185	3	1.2	0.0- 2.8	9	4.0	0.5- 7.5	256	94.8	90.9-98.7
\$50,000- 74,999	289	47,316	3	1.8	0.0- 4.2	4	1.5	0.0- 3.3	282	96.8	93.9-99.7
\$75,000+	732	126,542	9	1.5	0.3- 2.7	16	3.8	1.4- 6.2	707	94.7	92.2-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2815	383,847	15	0.6	0.2- 1.0	17	0.6	0.2- 1.0	2783	98.8	98.2-99.4
White/Non-Hisp	1927	247,770	13	0.9	0.3- 1.5	12	0.8	0.2- 1.4	1902	98.4	97.6-99.2
Black or Afr. Am./Non-Hisp	410	80,994				3	0.3	0.0- 0.7	407	99.7	99.3- 100
Oth. Race/Non-Hisp.	83	13,550							83	100.0	100.0- 100
Hispanic	280	30,901	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	277	99.3	98.5- 100
18-24	146	39,728	1	0.5	0.0- 1.5				145	99.5	98.5- 100
25-34	274	59,497	4	1.2	0.0- 2.8	4	1.6	0.0- 3.8	266	97.2	94.7-99.7
35-44	324	56,320	1	0.6	0.0- 1.8	2	0.2	0.0- 0.4	321	99.2	98.0- 100
45-54	436	61,004	1	0.2	0.0- 0.6	2	0.7	0.0- 1.9	433	99.1	97.9- 100
55-64	598	69,961	5	0.7	0.0- 1.5	4	0.4	0.0- 0.8	589	98.8	97.8-99.8
65+	1037	97,336	3	0.3	0.0- 0.7	5	0.6	0.0- 1.2	1029	99.1	98.3-99.9
Less Than H.S.	273	44,334	1	0.1	0.0- 0.3	3	1.6	0.0- 3.6	269	98.3	96.3- 100
H.S. or G.E.D.	777	112,710	5	0.5	0.0- 1.1	2	0.2	0.0- 0.6	770	99.3	98.7-99.9
Some Post-H.S.	753	112,846	3	0.5	0.0- 1.1	3	0.7	0.0- 1.9	747	98.8	97.4- 100
College Graduate	1000	112,647	6	0.9	0.1- 1.7	7	0.5	0.1- 0.9	987	98.6	97.6-99.6
Less than \$15,000	240	26,637	3	2.0	0.0- 4.9	3	4.4	0.0- 9.7	234	93.6	87.7-99.5
\$15,000- 24,999	454	62,615	2	0.5	0.0- 1.3	3	0.4	0.0- 0.8	449	99.2	98.4- 100
\$25,000- 34,999	246	31,141	2	0.5	0.0- 1.3	2	0.5	0.0- 1.3	242	99.0	98.0- 100
\$35,000- 49,999	297	38,661				2	0.7	0.0- 1.7	295	99.3	98.3- 100
\$50,000- 74,999	351	46,001	2	0.5	0.0- 1.5				349	99.5	98.5- 100
\$75,000+	688	105,950	5	0.8	0.0- 1.6	5	0.3	0.0- 0.7	678	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	180
2 MALES ONLY	181
3 FEMALES ONLY	182
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	183
5 MALES ONLY	184
6 FEMALES ONLY	185
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	186
8 MALES ONLY	187
9 FEMALES ONLY	188
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	189
11 MALES ONLY	190
12 FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4962	725,623	564	11.9	10.7-13.1	97	1.8	1.2- 2.4	1431	31.0	29.2-32.8	488	9.5	8.5-10.5	2382	45.7	43.7-47.7
Male	2189	346,428	291	14.2	12.2-16.2	60	2.3	1.5- 3.1	627	30.6	27.9-33.3	295	12.7	10.9-14.5	916	40.2	37.5-42.9
Female	2773	379,195	273	9.9	8.3-11.5	37	1.4	0.6- 2.2	804	31.4	29.0-33.8	193	6.6	5.4- 7.8	1466	50.8	48.3-53.3
White/Non-Hisp	3396	470,844	418	12.7	11.1-14.3	80	2.2	1.6- 2.8	1015	31.9	29.7-34.1	403	11.3	9.9-12.7	1480	41.9	39.7-44.1
Black or Afr. Am./Non-Hisp	659	143,901	58	9.1	6.4-11.8	7	1.5	0.0- 3.1	180	29.9	25.0-34.8	39	6.3	3.9- 8.7	375	53.2	48.1-58.3
Oth. Race/Non-Hisp.	184	32,065	20	15.7	6.7-24.7	2	0.3	0.0- 0.7	52	32.7	22.5-42.9	13	4.1	1.2- 7.0	97	47.2	36.2-58.2
MultiRacial/Non-Hisp.	78	5,329	6	8.1	0.3-15.9				18	36.5	19.1-53.9	7	10.1	1.7-18.5	47	45.3	30.4-60.2
Hispanic	517	57,569	47	10.5	6.6-14.4	5	0.8	0.0- 1.8	136	27.4	22.3-32.5	18	6.4	2.9- 9.9	311	55.0	48.9-61.1
18-24	293	82,019	39	11.1	7.0-15.2	2	1.5	0.0- 3.9	99	33.4	26.5-40.3	14	6.6	2.7-10.5	139	47.4	39.8-55.0
25-34	500	119,741	59	12.9	9.0-16.8	5	1.7	0.0- 3.5	180	38.9	33.2-44.6	35	8.5	5.4-11.6	221	38.0	32.5-43.5
35-44	595	106,619	79	14.0	10.5-17.5	7	0.7	0.1- 1.3	197	34.5	29.6-39.4	57	11.0	7.9-14.1	255	39.8	34.9-44.7
45-54	767	115,380	101	14.4	11.1-17.7	15	1.6	0.6- 2.6	241	30.3	26.4-34.2	75	9.7	7.2-12.2	335	44.0	39.5-48.5
55-64	1057	128,397	111	10.6	8.4-12.8	16	1.8	0.8- 2.8	303	29.2	25.7-32.7	98	8.6	6.6-10.6	529	49.8	46.1-53.5
65+	1750	173,466	175	9.7	7.9-11.5	52	3.0	2.0- 4.0	411	24.0	21.5-26.5	209	11.2	9.4-13.0	903	52.1	49.2-55.0
Less Than H.S.	494	81,099	26	6.7	3.8- 9.6	3	0.3	0.0- 0.7	80	16.2	12.1-20.3	23	6.1	3.0- 9.2	362	70.7	65.2-76.2
H.S. or G.E.D.	1388	225,208	119	10.2	7.8-12.6	21	1.3	0.7- 1.9	357	28.2	24.9-31.5	111	8.0	6.0-10.0	780	52.3	48.6-56.0
Some Post-H.S.	1291	210,350	142	11.3	8.9-13.7	25	2.8	1.2- 4.4	393	34.3	30.8-37.8	125	9.1	7.1-11.1	606	42.5	39.0-46.0
College Graduate	1768	206,711	276	16.6	14.2-19.0	48	2.0	1.4- 2.6	595	36.4	33.5-39.3	228	13.0	11.0-15.0	621	31.9	29.2-34.6
Less than \$15,000	382	46,078	21	6.6	1.9-11.3	5	1.1	0.0- 2.5	72	20.7	15.0-26.4	20	7.5	2.6-12.4	264	64.1	56.8-71.4
\$15,000- 24,999	749	103,175	70	9.5	6.8-12.2	9	1.0	0.2- 1.8	161	25.0	20.7-29.3	43	5.7	3.3- 8.1	466	58.9	54.2-63.6
\$25,000- 34,999	397	52,563	33	9.1	5.4-12.8	3	0.5	0.0- 1.1	110	31.0	24.5-37.5	26	6.2	3.3- 9.1	225	53.2	46.5-59.9
\$35,000- 49,999	558	79,723	49	8.6	5.7-11.5	10	1.6	0.4- 2.8	181	35.5	29.6-41.4	50	7.3	4.9- 9.7	268	47.0	41.3-52.7
\$50,000- 74,999	636	92,198	71	11.3	7.8-14.8	15	3.0	0.8- 5.2	211	33.4	28.3-38.5	76	12.1	8.8-15.4	263	40.2	34.7-45.7
\$75,000+	1408	229,522	236	17.3	14.6-20.0	42	2.3	1.3- 3.3	498	37.2	33.9-40.5	211	13.8	11.6-16.0	421	29.4	26.3-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2189	346,428	291	14.2	12.2-16.2	60	2.3	1.5- 3.1	627	30.6	27.9-33.3	295	12.7	10.9-14.5	916	40.2	37.5-42.9
White/Non-Hisp	1492	225,182	209	15.2	12.8-17.6	48	2.8	1.8- 3.8	426	29.9	27.0-32.8	237	15.4	13.0-17.8	572	36.6	33.5-39.7
Black or Afr. Am./Non-Hisp	257	64,648	31	11.0	6.7-15.3	5	1.6	0.2- 3.0	68	32.2	24.0-40.4	22	6.6	3.5- 9.7	131	48.6	40.6-56.6
Oth. Race/Non-Hisp.	105	18,700	13	16.7	5.9-27.5	1	0.3	0.0- 0.9	34	35.3	22.4-48.2	10	4.5	1.0- 8.0	47	43.2	28.7-57.7
Hispanic	241	26,928	30	15.3	8.2-22.4	4	1.5	0.0- 3.5	75	31.9	23.9-39.9	14	10.7	3.8-17.6	118	40.6	32.4-48.8
18-24	150	43,092	28	15.1	8.6-21.6	1	0.6	0.0- 1.8	47	30.3	21.1-39.5	11	11.7	4.6-18.8	63	42.4	32.2-52.6
25-34	227	59,947	36	16.4	10.3-22.5	4	2.1	0.0- 4.6	76	36.6	28.4-44.8	25	11.0	6.1-15.9	86	33.8	26.2-41.4
35-44	275	50,868	41	15.8	10.1-21.5	4	0.7	0.0- 1.7	91	34.6	27.2-42.0	36	13.8	8.9-18.7	103	35.0	27.7-42.3
45-54	337	55,306	48	15.2	10.5-19.9	12	3.1	1.1- 5.1	98	29.7	23.6-35.8	45	12.6	8.5-16.7	134	39.4	32.7-46.1
55-64	467	59,209	54	11.7	8.2-15.2	7	1.6	0.2- 3.0	123	27.4	22.1-32.7	61	11.4	8.3-14.5	222	47.9	42.2-53.6
65+	733	78,006	84	12.2	9.1-15.3	32	4.3	2.5- 6.1	192	26.5	22.6-30.4	117	15.0	11.9-18.1	308	41.9	37.6-46.2
Less Than H.S.	225	37,215	20	12.3	6.2-18.4	2	0.2	0.0- 0.6	48	21.7	14.8-28.6	16	7.0	2.5-11.5	139	58.8	50.4-67.2
H.S. or G.E.D.	626	114,094	74	12.6	9.3-15.9	12	1.8	0.6- 3.0	170	28.9	23.8-34.0	73	11.2	8.1-14.3	297	45.4	40.1-50.7
Some Post-H.S.	550	98,781	73	14.0	9.9-18.1	16	3.0	1.0- 5.0	160	31.7	26.4-37.0	71	11.9	8.6-15.2	230	39.3	34.0-44.6
College Graduate	779	95,393	124	17.2	13.7-20.7	30	2.9	1.7- 4.1	247	34.9	30.4-39.4	134	17.7	14.4-21.0	244	27.3	23.4-31.2
Less than \$15,000	145	19,631	15	7.6	3.3-11.9	4	2.6	0.0- 5.5	29	19.6	11.4-27.8	16	16.1	5.5-26.7	81	54.0	43.0-65.0
\$15,000- 24,999	296	40,544	41	14.8	9.5-20.1	2	0.4	0.0- 1.0	63	24.6	17.7-31.5	21	5.8	2.7- 8.9	169	54.4	46.8-62.0
\$25,000- 34,999	152	21,490	20	15.3	7.7-22.9	2	1.0	0.0- 2.4	36	28.9	18.3-39.5	14	9.2	3.3-15.1	80	45.6	35.2-56.0
\$35,000- 49,999	267	41,332	28	11.1	6.0-16.2	8	2.4	0.4- 4.4	86	36.3	27.9-44.7	35	10.5	6.4-14.6	110	39.7	32.1-47.3
\$50,000- 74,999	289	46,742	32	11.5	7.0-16.0	12	4.8	1.1- 8.5	82	26.9	19.8-34.0	43	14.2	8.9-19.5	120	42.5	34.1-50.9
\$75,000+	722	124,590	112	17.7	13.8-21.6	27	2.6	1.4- 3.8	247	35.0	30.5-39.5	134	17.5	14.0-21.0	202	27.2	22.9-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2773	379,195	273	9.9	8.3-11.5	37	1.4	0.6- 2.2	804	31.4	29.0-33.8	193	6.6	5.4- 7.8	1466	50.8	48.3-53.3
White/Non-Hisp	1904	245,662	209	10.5	8.7-12.3	32	1.7	0.9- 2.5	589	33.6	30.7-36.5	166	7.5	6.1- 8.9	908	46.7	43.8-49.6
Black or Afr. Am./Non-Hisp	402	79,254	27	7.6	3.9-11.3	2	1.4	0.0- 3.8	112	28.0	21.9-34.1	17	6.1	2.8- 9.4	244	56.9	50.2-63.6
Oth. Race/Non-Hisp.	79	13,365	7	14.2	0.0-30.1	1	0.3	0.0- 0.9	18	29.1	12.2-46.0	3	3.6	0.0- 8.7	50	52.8	35.2-70.4
Hispanic	276	30,641	17	6.3	2.8- 9.8	1	0.1	0.0- 0.3	61	23.5	16.8-30.2	4	2.6	0.0- 5.3	193	67.5	59.9-75.1
18-24	143	38,928	11	6.8	2.1-11.5	1	2.5	0.0- 7.2	52	36.9	26.3-47.5	3	0.9	0.0- 2.1	76	52.9	41.7-64.1
25-34	273	59,794	23	9.4	4.3-14.5	1	1.2	0.0- 3.6	104	41.1	33.5-48.7	10	6.0	1.9-10.1	135	42.3	34.7-49.9
35-44	320	55,751	38	12.4	7.9-16.9	3	0.6	0.0- 1.4	106	34.4	27.7-41.1	21	8.5	4.6-12.4	152	44.1	37.2-51.0
45-54	430	60,074	53	13.7	9.2-18.2	3	0.3	0.0- 0.7	143	30.9	25.6-36.2	30	7.0	4.1- 9.9	201	48.1	42.2-54.0
55-64	590	69,188	57	9.6	6.9-12.3	9	2.0	0.6- 3.4	180	30.8	26.1-35.5	37	6.3	3.8- 8.8	307	51.4	46.3-56.5
65+	1017	95,460	91	7.7	5.7- 9.7	20	2.0	1.0- 3.0	219	21.9	18.8-25.0	92	8.0	6.2- 9.8	595	60.4	56.7-64.1
Less Than H.S.	269	43,884	6	1.9	0.1- 3.7	1	0.4	0.0- 1.2	32	11.5	6.8-16.2	7	5.3	0.8- 9.8	223	80.9	74.4-87.4
H.S. or G.E.D.	762	111,114	45	7.8	4.5-11.1	9	0.8	0.2- 1.4	187	27.4	22.9-31.9	38	4.7	2.7- 6.7	483	59.3	54.4-64.2
Some Post-H.S.	741	111,570	69	8.8	6.4-11.2	9	2.6	0.4- 4.8	233	36.6	31.9-41.3	54	6.6	4.4- 8.8	376	45.3	40.4-50.2
College Graduate	989	111,318	152	16.1	13.0-19.2	18	1.3	0.7- 1.9	348	37.8	33.7-41.9	94	8.9	6.7-11.1	377	35.9	32.0-39.8
Less than \$15,000	237	26,447	6	5.7	0.0-13.1	1	0.1	0.0- 0.3	43	21.5	13.7-29.3	4	1.1	0.0- 2.3	183	71.6	62.2-81.0
\$15,000- 24,999	453	62,631	29	6.0	3.1- 8.9	7	1.4	0.2- 2.6	98	25.2	19.7-30.7	22	5.5	2.4- 8.6	297	61.9	55.8-68.0
\$25,000- 34,999	245	31,073	13	4.9	1.6- 8.2	1	0.1	0.0- 0.3	74	32.5	24.5-40.5	12	4.2	1.1- 7.3	145	58.4	50.2-66.6
\$35,000- 49,999	291	38,392	21	5.9	2.8- 9.0	2	0.7	0.0- 1.7	95	34.7	26.7-42.7	15	3.8	1.6- 6.0	158	54.8	46.6-63.0
\$50,000- 74,999	347	45,456	39	11.0	5.7-16.3	3	1.2	0.0- 2.8	129	40.2	33.1-47.3	33	9.9	5.6-14.2	143	37.7	30.8-44.6
\$75,000+	686	104,933	124	16.8	13.3-20.3	15	1.9	0.3- 3.5	251	39.9	35.0-44.8	77	9.5	7.0-12.0	219	31.9	27.4-36.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2497	380,177	1078	39.6	37.1-42.1	780	31.1	28.7-33.5	295	13.0	11.2-14.8	132	5.7	4.5- 6.9	212	10.6	8.8-12.4
Male	1231	201,113	429	33.1	29.6-36.6	378	29.7	26.4-33.0	172	14.8	12.3-17.3	93	7.0	5.2- 8.8	159	15.4	12.5-18.3
Female	1266	179,064	649	46.9	43.2-50.6	402	32.6	29.1-36.1	123	11.0	8.5-13.5	39	4.3	2.5- 6.1	53	5.2	3.2- 7.2
White/Non-Hisp	1877	268,118	824	39.2	36.5-41.9	602	32.3	29.6-35.0	208	13.1	10.9-15.3	96	5.5	4.1- 6.9	147	9.9	7.9-11.9
Black or Afr. Am./Non-Hisp	266	63,180	124	41.4	33.4-49.4	71	27.9	20.3-35.5	37	12.3	7.6-17.0	11	6.3	2.4-10.2	23	12.0	5.9-18.1
Oth. Race/Non-Hisp.	77	14,657	31	50.1	34.4-65.8	23	28.2	14.7-41.7	9	9.4	1.8-17.0	7	8.0	1.1-14.9	7	4.3	0.0- 9.2
Hispanic	199	25,100	59	29.4	21.2-37.6	64	30.8	22.0-39.6	33	15.6	9.3-21.9	13	5.4	1.5- 9.3	30	18.8	11.0-26.6
18-24	148	41,323	36	21.7	14.1-29.3	43	30.4	20.6-40.2	21	15.3	7.9-22.7	19	11.4	5.7-17.1	29	21.2	13.0-29.4
25-34	270	71,250	87	33.8	26.4-41.2	91	29.4	22.9-35.9	43	15.5	10.2-20.8	14	4.6	1.7- 7.5	35	16.7	10.4-23.0
35-44	329	62,484	102	32.9	26.4-39.4	108	33.0	26.5-39.5	59	16.8	11.9-21.7	25	7.2	3.9-10.5	35	10.2	6.1-14.3
45-54	420	63,304	171	39.5	33.8-45.2	125	28.7	23.2-34.2	54	14.7	10.4-19.0	31	8.5	5.2-11.8	39	8.6	5.5-11.7
55-64	516	62,759	219	46.6	41.3-51.9	171	31.4	26.5-36.3	61	10.2	7.5-12.9	21	3.8	2.0- 5.6	44	8.1	5.4-10.8
65+	814	79,057	463	54.0	49.9-58.1	242	33.1	29.2-37.0	57	7.4	5.0- 9.8	22	2.0	1.0- 3.0	30	3.4	2.0- 4.8
Less Than H.S.	126	22,805	39	30.3	20.5-40.1	23	22.6	12.4-32.8	24	15.8	7.6-24.0	13	9.9	3.4-16.4	27	21.5	12.7-30.3
H.S. or G.E.D.	573	101,038	223	36.0	30.7-41.3	170	28.9	23.8-34.0	74	11.5	8.2-14.8	34	6.0	3.6- 8.4	72	17.7	12.8-22.6
Some Post-H.S.	664	116,990	285	39.4	34.5-44.3	206	31.0	26.3-35.7	87	15.4	11.7-19.1	34	6.7	4.2- 9.2	52	7.5	5.0-10.0
College Graduate	1127	138,499	528	43.9	40.2-47.6	378	34.2	30.7-37.7	109	11.4	8.9-13.9	51	4.1	2.7- 5.5	61	6.3	4.3- 8.3
Less than \$15,000	110	15,615	37	28.0	16.8-39.2	25	23.6	10.7-36.5	19	16.5	5.9-27.1	5	3.2	0.1- 6.3	24	28.6	15.1-42.1
\$15,000- 24,999	274	40,810	111	34.9	27.8-42.0	79	30.8	23.4-38.2	41	15.8	9.9-21.7	16	6.1	2.2-10.0	27	12.4	6.7-18.1
\$25,000- 34,999	163	23,611	70	37.7	27.9-47.5	55	35.7	25.5-45.9	16	11.0	4.5-17.5	8	6.3	1.2-11.4	14	9.3	3.4-15.2
\$35,000- 49,999	278	40,523	107	37.3	28.9-45.7	83	32.9	24.7-41.1	48	16.5	11.0-22.0	14	6.5	2.6-10.4	26	6.7	3.8- 9.6
\$50,000- 74,999	364	52,717	166	40.9	34.2-47.6	115	31.4	25.3-37.5	32	10.0	5.7-14.3	18	4.7	2.3- 7.1	33	13.0	7.7-18.3
\$75,000+	978	160,642	410	38.8	34.9-42.7	331	31.9	28.2-35.6	119	14.6	11.5-17.7	56	6.0	4.0- 8.0	62	8.7	6.2-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1231	201,113	429	33.1	29.6-36.6	378	29.7	26.4-33.0	172	14.8	12.3-17.3	93	7.0	5.2- 8.8	159	15.4	12.5-18.3
White/Non-Hisp	901	139,979	319	31.2	27.5-34.9	287	31.6	27.7-35.5	120	15.3	12.2-18.4	65	6.6	4.6- 8.6	110	15.3	12.0-18.6
Black or Afr. Am./Non-Hisp	118	31,590	48	43.0	30.8-55.2	30	24.5	14.1-34.9	17	11.7	5.4-18.0	7	7.2	1.5-12.9	16	13.7	4.5-22.9
Oth. Race/Non-Hisp.	52	9,554	17	43.2	25.0-61.4	16	30.1	13.6-46.6	7	11.8	1.0-22.6	6	8.6	0.6-16.6	6	6.3	0.0-13.7
Hispanic	119	15,534	28	21.0	11.8-30.2	34	26.6	14.8-38.4	22	17.1	8.3-25.9	10	7.9	1.8-14.0	25	27.5	15.9-39.1
18-24	85	24,632	16	18.4	8.4-28.4	19	23.3	11.7-34.9	12	15.2	5.4-25.0	12	10.0	3.7-16.3	26	33.1	20.9-45.3
25-34	136	38,598	37	30.1	19.7-40.5	44	32.2	22.6-41.8	25	14.9	8.2-21.6	6	3.0	0.5- 5.5	24	19.9	10.9-28.9
35-44	165	31,844	37	27.0	18.0-36.0	47	26.6	17.8-35.4	36	20.6	13.0-28.2	19	10.3	4.8-15.8	26	15.4	8.5-22.3
45-54	199	33,192	61	30.9	23.5-38.3	54	25.9	18.6-33.2	31	16.9	10.6-23.2	24	13.4	7.5-19.3	29	13.0	7.5-18.5
55-64	239	29,997	81	39.7	31.7-47.7	74	27.8	21.1-34.5	36	14.5	9.4-19.6	15	5.2	2.3- 8.1	33	12.9	8.0-17.8
65+	407	42,850	197	46.0	40.1-51.9	140	37.7	32.0-43.4	32	8.6	4.9-12.3	17	2.8	1.2- 4.4	21	4.9	2.5- 7.3
Less Than H.S.	82	14,578	16	20.5	9.5-31.5	15	21.5	9.0-34.0	16	14.3	5.7-22.9	12	15.2	5.4-25.0	23	28.5	16.2-40.8
H.S. or G.E.D.	313	59,850	101	33.1	26.0-40.2	91	26.4	20.3-32.5	38	10.9	6.6-15.2	26	6.2	3.5- 8.9	57	23.4	16.5-30.3
Some Post-H.S.	310	58,381	107	31.2	24.5-37.9	92	30.6	23.5-37.7	50	18.8	13.1-24.5	19	7.2	3.5-10.9	42	12.1	7.6-16.6
College Graduate	524	68,005	204	37.3	32.0-42.6	179	33.6	28.5-38.7	68	14.8	10.7-18.9	36	5.8	3.6- 8.0	37	8.5	5.4-11.6
Less than \$15,000	61	8,847	15	25.9	11.4-40.4	14	15.3	5.9-24.7	10	16.3	3.2-29.4	5	5.6	0.1-11.1	17	36.9	18.5-55.3
\$15,000- 24,999	122	17,579	36	24.8	16.0-33.6	38	33.8	22.0-45.6	18	17.2	8.2-26.2	10	6.0	1.5-10.5	20	18.2	9.0-27.4
\$25,000- 34,999	70	11,374	27	32.6	18.5-46.7	24	40.7	24.4-57.0	5	4.0	0.3- 7.7	5	5.9	0.0-12.2	9	16.9	5.3-28.5
\$35,000- 49,999	152	24,091	53	38.4	26.6-50.2	40	26.9	17.3-36.5	28	18.8	10.8-26.8	9	7.8	2.3-13.3	22	8.2	4.1-12.3
\$50,000- 74,999	164	26,102	60	32.6	22.6-42.6	47	27.6	18.8-36.4	21	13.5	6.8-20.2	13	7.5	3.2-11.8	23	18.8	10.2-27.4
\$75,000+	513	89,333	174	31.3	26.2-36.4	170	31.6	26.3-36.9	76	16.8	12.5-21.1	42	7.1	4.4- 9.8	51	13.0	9.1-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1266	179,064	649	46.9	43.2-50.6	402	32.6	29.1-36.1	123	11.0	8.5-13.5	39	4.3	2.5- 6.1	53	5.2	3.2- 7.2
White/Non-Hisp	976	128,140	505	47.8	43.9-51.7	315	33.0	29.3-36.7	88	10.7	7.8-13.6	31	4.3	2.3- 6.3	37	4.1	2.3- 5.9
Black or Afr. Am./Non-Hisp	148	31,589	76	39.8	29.4-50.2	41	31.3	20.5-42.1	20	13.0	5.9-20.1	4	5.5	0.2-10.8	7	10.4	2.2-18.6
Hispanic	80	9,565	31	43.2	29.5-56.9	30	37.7	24.6-50.8	11	13.1	4.5-21.7	3	1.4	0.0- 3.2	5	4.6	0.3- 8.9
18-24	63	16,691	20	26.5	14.5-38.5	24	41.0	25.1-56.9	9	15.4	4.2-26.6	7	13.4	3.0-23.8	3	3.7	0.0- 9.4
25-34	134	32,652	50	38.3	27.7-48.9	47	26.0	17.8-34.2	18	16.2	7.8-24.6	8	6.5	1.0-12.0	11	13.0	4.6-21.4
35-44	164	30,640	65	39.1	29.9-48.3	61	39.5	30.1-48.9	23	12.8	6.7-18.9	6	3.9	0.2- 7.6	9	4.7	0.6- 8.8
45-54	221	30,112	110	49.1	40.7-57.5	71	31.9	23.7-40.1	23	12.3	6.6-18.0	7	3.1	0.6- 5.6	10	3.7	1.0- 6.4
55-64	277	32,761	138	52.9	45.6-60.2	97	34.6	27.7-41.5	25	6.2	3.5- 8.9	6	2.5	0.1- 4.9	11	3.8	0.9- 6.7
65+	407	36,207	266	63.5	57.8-69.2	102	27.7	22.4-33.0	25	6.0	3.3- 8.7	5	1.1	0.0- 2.3	9	1.7	0.3- 3.1
H.S. or G.E.D.	260	41,187	122	40.2	32.2-48.2	79	32.4	24.0-40.8	36	12.4	7.1-17.7	8	5.6	1.5- 9.7	15	9.3	2.8-15.8
Some Post-H.S.	354	58,608	178	47.6	40.9-54.3	114	31.3	25.2-37.4	37	12.1	7.4-16.8	15	6.1	2.4- 9.8	10	2.9	0.7- 5.1
College Graduate	603	70,494	324	50.3	45.0-55.6	199	34.8	29.7-39.9	41	8.2	5.1-11.3	15	2.5	0.9- 4.1	24	4.2	1.8- 6.6
\$15,000- 24,999	152	23,232	75	42.5	32.3-52.7	41	28.6	19.2-38.0	23	14.8	7.0-22.6	6	6.1	0.0-12.2	7	7.9	0.8-15.0
\$25,000- 34,999	93	12,236	43	42.5	29.0-56.0	31	31.0	18.8-43.2	11	17.6	6.4-28.8	3	6.7	0.0-14.7	5	2.3	0.1- 4.5
\$35,000- 49,999	126	16,432	54	35.8	24.8-46.8	43	41.8	28.5-55.1	20	13.2	6.5-19.9	5	4.6	0.0- 9.5	4	4.6	0.1- 9.1
\$50,000- 74,999	200	26,615	106	49.0	40.0-58.0	68	35.2	26.8-43.6	11	6.6	1.1-12.1	5	1.9	0.0- 3.9	10	7.3	1.6-13.0
\$75,000+	465	71,308	236	48.2	42.1-54.3	161	32.2	26.7-37.7	43	11.7	7.6-15.8	14	4.6	1.7- 7.5	11	3.2	0.1- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2520	385,160	239	11.0	9.2-12.8	118	5.8	4.4- 7.2	49	2.3	1.5- 3.1	64	2.9	1.9- 3.9	182	8.5	6.9-10.1	1868	69.5	67.0-72.0
Male	1239	202,910	135	12.3	9.8-14.8	61	5.4	3.8- 7.0	26	2.5	1.3- 3.7	38	3.8	2.0- 5.6	131	11.8	9.4-14.2	848	64.2	60.5-67.9
Female	1281	182,250	104	9.6	7.2-12.0	57	6.2	4.0- 8.4	23	2.0	1.0- 3.0	26	1.9	0.9- 2.9	51	4.8	3.0- 6.6	1020	75.4	72.1-78.7
White/Non-Hisp	1887	270,404	176	11.4	9.4-13.4	83	5.2	3.8- 6.6	28	1.8	1.0- 2.6	46	2.9	1.7- 4.1	138	8.9	7.1-10.7	1416	69.7	67.0-72.4
Black or Afr. Am./Non-Hisp	269	64,007	20	9.4	3.9-14.9	14	5.3	2.2- 8.4	9	3.5	1.0- 6.0	8	4.0	0.0- 8.1	20	8.3	4.4-12.2	198	69.6	62.0-77.2
Oth. Race/Non-Hisp.	85	16,385	11	13.9	3.7-24.1	4	10.0	0.0-22.7	1	1.3	0.0- 3.8	1	0.2	0.0- 0.6	7	2.9	0.5- 5.3	61	71.7	57.0-86.4
Hispanic	198	25,144	29	12.1	6.6-17.6	16	12.9	5.3-20.5	8	4.6	0.7- 8.5	5	1.2	0.0- 2.4	12	7.8	2.5-13.1	128	61.3	52.1-70.5
18-24	150	41,646	31	20.7	12.5-28.9	14	10.3	4.6-16.0	4	2.5	0.0- 5.2	4	1.8	0.0- 3.8	20	16.0	8.6-23.4	77	48.7	38.7-58.7
25-34	272	72,879	44	15.6	10.1-21.1	17	6.5	2.4-10.6	4	1.9	0.0- 3.9	10	4.9	0.6- 9.2	29	10.6	6.1-15.1	168	60.5	52.9-68.1
35-44	333	63,072	49	15.5	10.4-20.6	25	8.7	4.8-12.6	8	2.7	0.5- 4.9	14	4.4	1.7- 7.1	33	9.6	5.7-13.5	204	59.1	52.4-65.8
45-54	419	63,281	41	8.8	5.7-11.9	23	5.0	2.5- 7.5	16	4.4	2.0- 6.8	9	2.4	0.6- 4.2	35	8.0	4.9-11.1	295	71.5	66.2-76.8
55-64	519	63,589	36	5.6	3.4- 7.8	29	5.6	3.4- 7.8	13	2.1	0.7- 3.5	20	3.6	1.8- 5.4	37	6.8	4.3- 9.3	384	76.4	72.3-80.5
65+	827	80,694	38	4.4	2.6- 6.2	10	1.3	0.3- 2.3	4	0.6	0.0- 1.4	7	0.4	0.2- 0.6	28	3.5	1.9- 5.1	740	89.8	87.3-92.3
Less Than H.S.	122	22,427	14	10.7	3.8-17.6	11	10.1	2.8-17.4	5	3.0	0.0- 6.5	5	2.6	0.0- 5.7	18	12.9	6.4-19.4	69	60.7	49.9-71.5
H.S. or G.E.D.	589	104,836	62	11.7	8.0-15.4	36	7.8	4.5-11.1	15	2.9	1.1- 4.7	17	3.8	1.1- 6.5	61	12.3	8.6-16.0	398	61.6	56.1-67.1
Some Post-H.S.	669	118,115	69	11.4	7.9-14.9	30	5.2	3.0- 7.4	12	2.3	0.9- 3.7	21	3.6	1.6- 5.6	43	6.8	4.3- 9.3	494	70.8	66.1-75.5
College Graduate	1133	139,127	94	10.3	7.8-12.8	41	4.2	2.6- 5.8	16	1.6	0.8- 2.4	21	1.7	0.7- 2.7	60	6.4	4.4- 8.4	901	75.9	72.6-79.2
Less than \$15,000	110	15,529	11	9.2	1.8-16.6	13	10.2	3.7-16.7	5	4.6	0.0- 9.3	6	3.1	0.2- 6.0	19	20.4	7.9-32.9	56	52.5	38.4-66.6
\$15,000- 24,999	275	41,484	24	9.9	5.4-14.4	9	5.6	1.1-10.1	3	0.6	0.0- 1.6	9	3.3	0.4- 6.2	22	8.4	4.3-12.5	208	72.2	64.9-79.5
\$25,000- 34,999	165	23,729	13	9.7	1.1-18.3	11	6.8	2.7-10.9	5	5.4	0.3-10.5	5	3.1	0.0- 6.2	8	6.9	1.2-12.6	123	68.0	57.6-78.4
\$35,000- 49,999	284	41,613	38	12.5	7.6-17.4	12	5.6	2.1- 9.1	5	2.7	0.2- 5.2	7	1.8	0.2- 3.4	19	4.4	2.0- 6.8	203	73.0	66.3-79.7
\$50,000- 74,999	362	53,688	29	11.2	6.1-16.3	17	6.5	2.0-11.0	5	1.6	0.0- 3.6	4	1.2	0.0- 2.6	25	10.6	5.7-15.5	282	69.0	61.9-76.1
\$75,000+	981	161,227	99	12.7	9.6-15.8	47	6.0	4.0- 8.0	24	2.7	1.5- 3.9	23	3.0	1.4- 4.6	71	8.6	6.2-11.0	717	67.0	62.9-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1239	202,910	135	12.3	9.8-14.8	61	5.4	3.8- 7.0	26	2.5	1.3- 3.7	38	3.8	2.0- 5.6	131	11.8	9.4-14.2	848	64.2	60.7-67.7
White/Non-Hisp	905	141,091	95	12.4	9.5-15.3	42	4.9	3.1- 6.7	16	2.2	1.0- 3.4	24	3.6	1.6- 5.6	99	12.5	9.6-15.4	629	64.5	60.4-68.6
Black or Afr. Am./Non-Hisp	120	32,036	11	9.3	1.1-17.5	5	3.9	0.4- 7.4	3	3.0	0.0- 6.5	6	7.0	0.0-15.0	12	9.9	3.8-16.0	83	66.9	55.3-78.5
Oth. Race/Non-Hisp.	56	10,082	9	22.1	7.0-37.2	3	5.2	0.0-11.5				1	0.3	0.0- 0.9	7	4.7	0.8- 8.6	36	67.7	51.8-83.6
Hispanic	116	15,241	18	13.8	6.0-21.6	11	15.0	4.0-26.0	6	5.8	0.1-11.5	4	1.5	0.0- 3.3	9	12.1	3.7-20.5	68	51.9	39.4-64.4
18-24	86	24,757	20	22.7	11.3-34.1	10	11.5	3.9-19.1	1	1.0	0.0- 3.0	4	3.1	0.0- 6.4	14	22.1	10.7-33.5	37	39.6	27.1-52.1
25-34	137	38,979	22	16.0	8.4-23.6	10	5.7	1.8- 9.6	3	2.6	0.0- 5.5	8	8.7	0.9-16.5	21	12.4	6.3-18.5	73	54.6	44.0-65.2
35-44	168	32,154	23	15.0	7.6-22.4	12	7.6	2.5-12.7	2	1.9	0.0- 4.6	10	5.4	1.3- 9.5	23	13.6	7.3-19.9	98	56.4	46.8-66.0
45-54	197	33,102	27	11.4	6.3-16.5	10	3.2	1.0- 5.4	11	5.9	2.2- 9.6	6	2.9	0.2- 5.6	25	12.4	6.9-17.9	118	64.1	56.3-71.9
55-64	241	30,464	22	7.1	3.8-10.4	13	5.9	2.6- 9.2	7	2.8	0.3- 5.3	7	2.7	0.3- 5.1	27	10.8	6.3-15.3	165	70.7	64.0-77.4
65+	410	43,455	21	5.2	2.3- 8.1	6	1.2	0.0- 2.4	2	0.9	0.0- 2.1	3	0.2	0.0- 0.4	21	4.2	2.2- 6.2	357	88.3	84.6-92.0
Less Than H.S.	79	14,552	13	14.3	4.9-23.7	9	13.7	2.9-24.5	4	3.6	0.0- 8.5	3	3.0	0.0- 7.5	11	11.8	4.0-19.6	39	53.6	39.7-67.5
H.S. or G.E.D.	316	60,630	33	11.4	6.5-16.3	14	4.3	1.6- 7.0	8	2.8	0.6- 5.0	10	5.3	0.6-10.0	46	16.3	10.6-22.0	205	59.8	52.4-67.2
Some Post-H.S.	313	59,135	42	15.1	9.2-21.0	16	5.1	2.2- 8.0	7	3.0	0.6- 5.4	14	4.7	1.4- 8.0	33	9.9	5.8-14.0	201	62.1	54.8-69.4
College Graduate	529	68,483	47	10.1	6.6-13.6	22	4.8	2.4- 7.2	7	1.5	0.3- 2.7	11	2.0	0.4- 3.6	41	9.3	6.0-12.6	401	72.2	67.3-77.1
Less than \$15,000	58	8,323	7	7.6	0.5-14.7	9	11.9	3.1-20.7	3	6.8	0.0-14.8	3	3.8	0.0- 8.9	12	28.2	8.6-47.8	24	41.7	23.9-59.5
\$15,000- 24,999	123	17,858	17	14.4	6.6-22.2	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	5	2.6	0.0- 5.7	14	12.6	5.2-20.0	84	69.9	59.7-80.1
\$25,000- 34,999	70	11,379	8	13.8	0.0-29.7	6	7.9	1.4-14.4	1	3.1	0.0- 9.0	2	2.5	0.0- 6.2	4	8.5	0.0-17.1	49	64.2	47.7-80.7
\$35,000- 49,999	151	24,276	17	10.1	3.8-16.4	8	6.9	1.8-12.0	3	3.2	0.0- 7.1	5	2.2	0.0- 4.4	17	6.5	2.6-10.4	101	71.1	61.9-80.3
\$50,000- 74,999	163	26,109	18	17.5	8.1-26.9	7	4.8	0.7- 8.9	1	0.8	0.0- 2.4	3	2.3	0.0- 5.0	19	15.2	7.4-23.0	115	59.3	48.7-69.9
\$75,000+	517	90,002	54	12.3	8.4-16.2	26	6.0	3.3- 8.7	15	3.3	1.5- 5.1	16	4.4	1.7- 7.1	52	11.9	8.2-15.6	354	62.2	56.7-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1281	182,250	104	9.6	7.2-12.0	57	6.2	4.0- 8.4	23	2.0	1.0- 3.0	26	1.9	0.9- 2.9	51	4.8	3.0- 6.6	1020	75.4	72.1-78.7
White/Non-Hisp	982	129,313	81	10.4	7.7-13.1	41	5.5	3.3- 7.7	12	1.4	0.4- 2.4	22	2.3	1.1- 3.5	39	5.0	2.8- 7.2	787	75.4	71.7-79.1
Black or Afr. Am./Non-Hisp	149	31,971	9	9.4	1.8-17.0	9	6.6	1.5-11.7	6	3.9	0.0- 7.8	2	1.1	0.0- 2.9	8	6.7	1.6-11.8	115	72.3	62.3-82.3
Hispanic	82	9,903	11	9.6	2.2-17.0	5	9.8	0.2-19.4	2	2.9	0.0- 7.0	1	0.6	0.0- 1.8	3	1.3	0.0- 2.9	60	75.9	64.1-87.7
18-24	64	16,889	11	17.9	6.5-29.3	4	8.6	0.2-17.0	3	4.6	0.0-10.7				6	7.0	0.3-13.7	40	61.9	47.2-76.6
25-34	135	33,900	22	15.2	7.4-23.0	7	7.5	0.1-14.9	1	1.2	0.0- 3.6	2	0.4	0.0- 1.0	8	8.5	2.0-15.0	95	67.2	56.4-78.0
35-44	165	30,918	26	15.9	8.8-23.0	13	9.9	4.0-15.8	6	3.5	0.4- 6.6	4	3.4	0.0- 7.1	10	5.5	1.4- 9.6	106	61.8	52.6-71.0
45-54	222	30,179	14	5.8	2.3- 9.3	13	6.9	2.0-11.8	5	2.6	0.1- 5.1	3	1.9	0.0- 4.1	10	3.1	0.9- 5.3	177	79.7	73.0-86.4
55-64	278	33,125	14	4.1	1.6- 6.6	16	5.3	2.4- 8.2	6	1.5	0.1- 2.9	13	4.4	1.7- 7.1	10	3.1	0.7- 5.5	219	81.5	76.4-86.6
65+	417	37,239	17	3.6	1.6- 5.6	4	1.3	0.0- 2.7	2	0.3	0.0- 0.7	4	0.5	0.0- 1.1	7	2.8	0.4- 5.2	383	91.5	88.2-94.8
H.S. or G.E.D.	273	44,206	29	12.0	6.1-17.9	22	12.5	5.8-19.2	7	3.0	0.3- 5.7	7	1.6	0.2- 3.0	15	6.7	2.2-11.2	193	64.1	55.7-72.5
Some Post-H.S.	356	58,979	27	7.7	4.0-11.4	14	5.2	2.1- 8.3	5	1.5	0.0- 3.1	7	2.5	0.3- 4.7	10	3.7	0.8- 6.6	293	79.5	73.8-85.2
College Graduate	604	70,643	47	10.5	6.8-14.2	19	3.6	1.6- 5.6	9	1.6	0.2- 3.0	10	1.5	0.5- 2.5	19	3.5	1.5- 5.5	500	79.4	74.9-83.9
Less than \$15,000	52	7,206	4	11.0	0.0-24.7	4	8.1	0.0-17.5	2	2.1	0.0- 5.0	3	2.3	0.0- 5.0	7	11.5	0.0-23.1	32	65.0	45.6-84.4
\$15,000- 24,999	152	23,626	7	6.5	1.2-11.8	8	9.7	2.1-17.3	1	0.8	0.0- 2.4	4	3.8	0.0- 8.3	8	5.2	0.7- 9.7	124	73.9	63.9-83.9
\$25,000- 34,999	95	12,350	5	6.0	0.0-12.9	5	5.8	0.5-11.1	4	7.6	0.0-15.8	3	3.6	0.0- 8.5	4	5.5	0.0-12.9	74	71.5	58.8-84.2
\$35,000- 49,999	133	17,336	21	15.8	8.0-23.6	4	3.8	0.0- 8.1	2	1.9	0.0- 4.6	2	1.1	0.0- 3.1	2	1.5	0.0- 3.9	102	75.7	66.3-85.1
\$50,000- 74,999	199	27,579	11	5.2	1.9- 8.5	10	8.0	0.2-15.8	4	2.4	0.0- 5.7	1	0.2	0.0- 0.6	6	6.3	0.6-12.0	167	78.1	68.5-87.7
\$75,000+	464	71,225	45	13.2	8.3-18.1	21	5.9	2.8- 9.0	9	1.9	0.5- 3.3	7	1.3	0.1- 2.5	19	4.6	1.9- 7.3	363	73.1	67.4-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2395	367,030	658	24.6	22.2-27.0	637	23.9	21.7-26.1	418	18.3	16.1-20.5	219	10.0	8.4-11.6	463	23.3	20.9-25.7
Male	1175	191,515	234	19.4	16.3-22.5	264	18.8	16.1-21.5	226	19.4	16.5-22.3	96	8.6	6.4-10.8	355	33.8	30.1-37.5
Female	1220	175,515	424	30.2	26.9-33.5	373	29.4	26.1-32.7	192	17.0	13.9-20.1	123	11.6	9.1-14.1	108	11.9	9.2-14.6
White/Non-Hisp	1811	260,076	483	22.7	20.3-25.1	498	24.7	22.3-27.1	321	18.4	16.0-20.8	176	10.9	8.9-12.9	333	23.4	20.7-26.1
Black or Afr. Am./Non-Hisp	251	61,290	78	30.1	22.3-37.9	63	19.6	13.7-25.5	41	19.4	12.1-26.7	22	10.0	5.1-14.9	47	20.9	14.4-27.4
Oth. Race/Non-Hisp.	77	14,574	24	31.1	16.2-46.0	19	32.8	16.3-49.3	13	9.9	3.0-16.8				21	26.2	10.7-41.7
Hispanic	180	22,325	42	20.3	13.0-27.6	35	18.7	11.6-25.8	33	21.4	12.8-30.0	16	7.9	3.0-12.8	54	31.7	22.1-41.3
18-24	139	40,307	24	14.6	7.9-21.3	16	7.6	3.5-11.7	25	22.4	12.6-32.2	16	10.1	4.4-15.8	58	45.4	35.0-55.8
25-34	259	69,474	49	19.9	13.2-26.6	60	21.1	15.2-27.0	43	16.6	11.1-22.1	25	10.5	5.6-15.4	82	31.8	24.5-39.1
35-44	309	58,165	52	17.3	11.8-22.8	74	22.9	16.8-29.0	58	18.2	13.1-23.3	39	13.7	9.0-18.4	86	27.9	21.6-34.2
45-54	402	60,146	102	25.7	20.6-30.8	93	21.6	16.9-26.3	72	19.1	13.8-24.4	41	11.6	7.5-15.7	94	22.0	17.1-26.9
55-64	490	60,803	139	30.7	25.2-36.2	129	27.6	22.7-32.5	91	17.1	13.2-21.0	42	7.7	5.2-10.2	89	16.9	13.2-20.6
65+	796	78,135	292	33.7	29.8-37.6	265	34.3	30.4-38.2	129	17.9	14.4-21.4	56	7.3	5.1- 9.5	54	6.8	4.4- 9.2
Less Than H.S.	111	21,254	22	17.2	9.2-25.2	20	19.8	10.6-29.0	17	21.1	10.3-31.9	9	6.8	1.5-12.1	43	35.1	23.9-46.3
H.S. or G.E.D.	543	96,548	156	26.2	21.1-31.3	114	17.6	13.9-21.3	84	17.5	12.8-22.2	52	10.0	6.5-13.5	137	28.7	23.4-34.0
Some Post-H.S.	638	114,326	171	24.3	20.0-28.6	177	25.7	21.4-30.0	114	17.9	13.8-22.0	56	9.4	6.5-12.3	120	22.6	18.1-27.1
College Graduate	1098	134,292	306	24.6	21.5-27.7	325	27.6	24.3-30.9	202	18.6	15.7-21.5	102	11.0	8.5-13.5	163	18.2	15.1-21.3
Less than \$15,000	96	14,332	19	13.8	6.0-21.6	17	15.3	6.5-24.1	15	22.8	7.5-38.1	11	11.3	2.3-20.3	34	36.8	22.1-51.5
\$15,000- 24,999	256	38,369	79	24.2	17.9-30.5	61	26.8	19.4-34.2	43	19.9	13.0-26.8	24	10.2	4.9-15.5	49	18.8	12.5-25.1
\$25,000- 34,999	160	23,388	49	26.5	17.3-35.7	46	26.3	17.9-34.7	20	11.5	5.2-17.8	15	13.0	5.9-20.1	30	22.7	12.7-32.7
\$35,000- 49,999	268	39,129	75	28.5	19.9-37.1	63	21.1	14.8-27.4	48	21.2	13.0-29.4	23	7.6	4.1-11.1	59	21.6	15.1-28.1
\$50,000- 74,999	345	51,140	110	29.4	22.9-35.9	105	25.8	20.1-31.5	51	13.3	9.2-17.4	21	5.1	2.7- 7.5	58	26.3	19.0-33.6
\$75,000+	950	155,764	199	18.1	15.2-21.0	269	24.4	21.1-27.7	192	19.7	16.4-23.0	101	12.6	9.7-15.5	189	25.3	21.4-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1175	191,515	234	19.4	16.3-22.5	264	18.8	16.1-21.5	226	19.4	16.5-22.3	96	8.6	6.4-10.8	355	33.8	30.3-37.3
White/Non-Hisp	868	135,466	165	16.1	13.2-19.0	201	19.6	16.5-22.7	167	20.1	16.8-23.4	80	9.9	7.4-12.4	255	34.4	30.3-38.5
Black or Afr. Am./Non-Hisp	111	29,211	26	31.8	19.5-44.1	27	17.3	9.1-25.5	18	15.1	7.3-22.9	7	6.8	1.3-12.3	33	28.9	18.3-39.5
Oth. Race/Non-Hisp.	51	8,767	15	33.7	15.9-51.5	9	24.2	7.3-41.1	10	14.3	3.5-25.1				17	27.7	12.0-43.4
Hispanic	107	13,980	16	13.1	5.3-20.9	18	12.0	4.7-19.3	21	23.2	11.2-35.2	8	6.1	0.6-11.6	44	45.5	32.2-58.8
18-24	79	23,506	11	12.2	3.6-20.8	7	5.9	1.0-10.8	9	11.9	2.9-20.9	8	9.9	1.9-17.9	44	60.0	46.9-73.1
25-34	129	36,129	15	16.1	6.3-25.9	25	18.1	10.7-25.5	20	15.2	8.1-22.3	11	8.9	3.0-14.8	58	41.8	31.4-52.2
35-44	155	29,262	18	12.4	5.5-19.3	27	15.9	7.9-23.9	37	25.1	16.5-33.7	12	7.6	2.5-12.7	61	39.0	29.4-48.6
45-54	188	31,101	36	22.6	15.3-29.9	23	10.4	5.7-15.1	33	19.1	12.0-26.2	22	12.4	6.7-18.1	74	35.5	27.5-43.5
55-64	229	29,351	44	23.9	15.9-31.9	49	21.6	15.3-27.9	53	21.4	14.9-27.9	15	4.8	2.1- 7.5	68	28.3	21.4-35.2
65+	395	42,168	110	25.8	20.9-30.7	133	32.8	27.3-38.3	74	22.2	16.9-27.5	28	8.0	4.9-11.1	50	11.2	7.5-14.9
Less Than H.S.	74	13,960	7	10.0	1.4-18.6	15	20.0	9.2-30.8	11	19.0	6.7-31.3	4	6.5	0.0-13.8	37	44.6	30.3-58.9
H.S. or G.E.D.	292	54,663	62	23.5	16.4-30.6	58	15.9	11.4-20.4	51	18.5	12.8-24.2	19	4.7	2.3- 7.1	102	37.3	30.0-44.6
Some Post-H.S.	292	56,463	59	18.2	12.3-24.1	61	18.5	13.2-23.8	56	18.9	13.2-24.6	20	7.9	3.8-12.0	96	36.6	29.2-44.0
College Graduate	516	66,171	105	18.8	14.7-22.9	130	21.3	16.8-25.8	108	20.8	16.3-25.3	53	12.8	8.7-16.9	120	26.3	21.4-31.2
Less than \$15,000	52	7,874	7	10.6	1.2-20.0	7	10.2	1.0-19.4	7	15.9	2.4-29.4	4	10.7	0.0-24.0	27	52.6	33.6-71.6
\$15,000- 24,999	116	17,231	25	17.8	10.0-25.6	23	25.9	14.1-37.7	20	20.5	10.5-30.5	9	4.4	0.9- 7.9	39	31.3	20.7-41.9
\$25,000- 34,999	67	11,108	13	15.8	5.0-26.6	20	27.4	14.3-40.5	9	12.5	2.9-22.1	6	9.6	1.0-18.2	19	34.6	17.7-51.5
\$35,000- 49,999	142	22,737	33	29.0	16.5-41.5	32	19.1	11.1-27.1	23	18.4	9.4-27.4	9	6.2	1.7-10.7	45	27.2	18.0-36.4
\$50,000- 74,999	152	24,107	35	23.2	13.6-32.8	40	17.7	11.2-24.2	26	16.3	9.2-23.4	9	5.0	1.5- 8.5	42	37.8	27.2-48.4
\$75,000+	499	86,157	73	12.8	9.1-16.5	110	17.7	13.8-21.6	118	22.3	17.6-27.0	47	10.7	7.0-14.4	151	36.4	30.7-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1220	175,515	424	30.2	26.9-33.5	373	29.4	26.1-32.7	192	17.0	13.9-20.1	123	11.6	9.1-14.1	108	11.9	9.2-14.6
White/Non-Hisp	943	124,610	318	29.8	26.3-33.3	297	30.2	26.5-33.9	154	16.5	13.4-19.6	96	12.0	9.3-14.7	78	11.5	8.4-14.6
Black or Afr. Am./Non-Hisp	140	32,080	52	28.6	19.4-37.8	36	21.6	13.4-29.8	23	23.4	11.8-35.0	15	12.9	4.9-20.9	14	13.5	6.1-20.9
Hispanic	73	8,345	26	32.2	19.3-45.1	17	29.9	16.8-43.0	12	18.5	7.5-29.5	8	10.8	1.6-20.0	10	8.6	1.2-16.0
18-24	60	16,801	13	18.0	7.4-28.6	9	9.8	2.7-16.9	16	36.9	19.8-54.0	8	10.4	2.8-18.0	14	24.9	11.4-38.4
25-34	130	33,345	34	24.1	15.1-33.1	35	24.4	15.2-33.6	23	18.1	9.9-26.3	14	12.3	4.3-20.3	24	21.1	11.5-30.7
35-44	154	28,903	34	22.3	14.1-30.5	47	29.9	20.9-38.9	21	11.1	5.6-16.6	27	20.0	12.2-27.8	25	16.7	9.1-24.3
45-54	214	29,045	66	29.0	21.7-36.3	70	33.6	25.8-41.4	39	19.1	11.3-26.9	19	10.7	4.8-16.6	20	7.5	3.8-11.2
55-64	261	31,453	95	37.1	29.8-44.4	80	33.2	25.9-40.5	38	13.1	8.6-17.6	27	10.3	6.0-14.6	21	6.2	3.1-9.3
65+	401	35,967	182	42.9	37.0-48.8	132	36.0	30.3-41.7	55	12.9	9.0-16.8	28	6.5	3.8-9.2	4	1.8	0.0-4.0
H.S. or G.E.D.	251	41,885	94	29.7	22.6-36.8	56	19.7	13.6-25.8	33	16.2	8.2-24.2	33	16.9	9.8-24.0	35	17.5	10.1-24.9
Some Post-H.S.	346	57,863	112	30.3	24.0-36.6	116	32.7	26.4-39.0	58	16.9	11.2-22.6	36	11.0	6.7-15.3	24	9.0	4.5-13.5
College Graduate	582	68,121	201	30.2	25.5-34.9	195	33.7	28.6-38.8	94	16.5	12.6-20.4	49	9.3	6.2-12.4	43	10.3	6.6-14.0
\$15,000- 24,999	140	21,137	54	29.5	20.3-38.7	38	27.6	17.8-37.4	23	19.5	10.3-28.7	15	14.9	5.9-23.9	10	8.6	1.7-15.5
\$25,000- 34,999	93	12,280	36	36.1	22.6-49.6	26	25.4	14.6-36.2	11	10.5	2.3-18.7	9	16.0	5.2-26.8	11	12.0	3.0-21.0
\$35,000- 49,999	126	16,392	42	27.7	17.9-37.5	31	23.8	13.8-33.8	25	25.0	10.7-39.3	14	9.5	3.8-15.2	14	13.9	5.7-22.1
\$50,000- 74,999	193	27,033	75	35.0	26.2-43.8	65	33.0	24.2-41.8	25	10.6	6.1-15.1	12	5.2	1.9-8.5	16	16.1	6.5-25.7
\$75,000+	451	69,607	126	24.6	19.5-29.7	159	32.6	26.9-38.3	74	16.5	12.0-21.0	54	14.9	10.2-19.6	38	11.4	7.1-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 11: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	193
2	MALES ONLY	194
3	FEMALES ONLY	195
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	196
5	MALES ONLY	197
6	FEMALES ONLY	198
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	199
8	MALES ONLY	200
9	FEMALES ONLY	201
	HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10	MALES AND FEMALES	202
11	MALES ONLY	203
12	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4954	723,607	2063	38.2	36.4-40.0	2891	61.8	60.0-63.6
Male	2193	347,774	823	33.3	30.8-35.8	1370	66.7	64.2-69.2
Female	2761	375,834	1240	42.6	40.1-45.1	1521	57.4	54.9-59.9
White/Non-Hisp	3401	470,838	1557	40.8	38.6-43.0	1844	59.2	57.0-61.4
Black or Afr. Am./Non-Hisp	656	143,442	213	32.4	27.7-37.1	443	67.6	62.9-72.3
Oth. Race/Non-Hisp.	185	31,626	71	39.1	27.7-50.5	114	60.9	49.5-72.3
MultiRacial/Non-Hisp.	77	5,368	22	26.0	13.3-38.7	55	74.0	61.3-86.7
Hispanic	506	55,810	144	32.0	25.7-38.3	362	68.0	61.7-74.3
18-24	288	80,480	61	25.7	18.4-33.0	227	74.3	67.0-81.6
25-34	496	119,252	122	24.7	19.8-29.6	374	75.3	70.4-80.2
35-44	588	105,908	151	26.1	21.6-30.6	437	73.9	69.4-78.4
45-54	762	115,075	270	37.0	32.7-41.3	492	63.0	58.7-67.3
55-64	1057	129,201	435	42.6	38.9-46.3	622	57.4	53.7-61.1
65+	1763	173,692	1024	58.1	55.2-61.0	739	41.9	39.0-44.8
Less Than H.S.	489	80,284	146	30.2	24.5-35.9	343	69.8	64.1-75.5
H.S. or G.E.D.	1387	224,609	515	35.4	31.9-38.9	872	64.6	61.1-68.1
Some Post-H.S.	1290	209,683	539	38.0	34.5-41.5	751	62.0	58.5-65.5
College Graduate	1766	206,523	854	44.3	41.4-47.2	912	55.7	52.8-58.6
Less than \$15,000	377	45,419	131	34.2	27.3-41.1	246	65.8	58.9-72.7
\$15,000- 24,999	752	103,833	277	33.6	29.1-38.1	475	66.4	61.9-70.9
\$25,000- 34,999	388	51,584	177	43.2	36.7-49.7	211	56.8	50.3-63.3
\$35,000- 49,999	555	78,459	222	38.9	33.2-44.6	333	61.1	55.4-66.8
\$50,000- 74,999	630	91,180	270	37.8	32.5-43.1	360	62.2	56.9-67.5
\$75,000+	1411	230,197	643	41.3	38.0-44.6	768	58.7	55.4-62.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2193	347,774	823	33.3	30.8-35.8	1370	66.7	64.2-69.2
White/Non-Hisp	1500	226,374	625	36.1	33.2-39.0	875	63.9	61.0-66.8
Black or Afr. Am./Non-Hisp	255	65,046	66	25.0	18.5-31.5	189	75.0	68.5-81.5
Oth. Race/Non-Hisp.	105	18,223	35	37.3	22.0-52.6	70	62.7	47.4-78.0
Hispanic	238	26,577	62	27.5	19.3-35.7	176	72.5	64.3-80.7
18-24	150	43,095	26	21.4	12.0-30.8	124	78.6	69.2-88.0
25-34	226	59,907	51	23.5	16.6-30.4	175	76.5	69.6-83.4
35-44	277	51,233	59	19.9	13.8-26.0	218	80.1	74.0-86.2
45-54	338	55,724	105	31.0	24.9-37.1	233	69.0	62.9-75.1
55-64	471	60,365	169	37.5	31.8-43.2	302	62.5	56.8-68.2
65+	731	77,451	413	54.9	50.6-59.2	318	45.1	40.8-49.4
Less Than H.S.	226	37,869	58	25.5	18.1-32.9	168	74.5	67.1-81.9
H.S. or G.E.D.	624	114,255	188	27.7	23.0-32.4	436	72.3	67.6-77.0
Some Post-H.S.	553	99,028	206	33.5	28.4-38.6	347	66.5	61.4-71.6
College Graduate	779	95,367	365	42.4	37.9-46.9	414	57.6	53.1-62.1
Less than \$15,000	143	19,457	40	28.5	18.7-38.3	103	71.5	61.7-81.3
\$15,000- 24,999	300	41,432	101	29.1	22.6-35.6	199	70.9	64.4-77.4
\$25,000- 34,999	150	21,402	57	29.8	21.0-38.6	93	70.2	61.4-79.0
\$35,000- 49,999	263	40,895	90	32.9	25.5-40.3	173	67.1	59.7-74.5
\$50,000- 74,999	286	46,296	113	34.5	26.7-42.3	173	65.5	57.7-73.3
\$75,000+	727	125,306	303	36.7	32.2-41.2	424	63.3	58.8-67.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2761	375,834	1240	42.6	40.1-45.1	1521	57.4	54.9-59.9
White/Non-Hisp	1901	244,464	932	45.2	42.3-48.1	969	54.8	51.9-57.7
Black or Afr. Am./Non-Hisp	401	78,395	147	38.5	32.0-45.0	254	61.5	55.0-68.0
Oth. Race/Non-Hisp.	80	13,403	36	41.5	24.3-58.7	44	58.5	41.3-75.7
Hispanic	268	29,233	82	36.0	27.0-45.0	186	64.0	55.0-73.0
18-24	138	37,385	35	30.7	19.3-42.1	103	69.3	57.9-80.7
25-34	270	59,346	71	25.9	18.8-33.0	199	74.1	67.0-81.2
35-44	311	54,675	92	31.8	25.1-38.5	219	68.2	61.5-74.9
45-54	424	59,351	165	42.6	36.5-48.7	259	57.4	51.3-63.5
55-64	586	68,836	266	47.0	41.9-52.1	320	53.0	47.9-58.1
65+	1032	96,241	611	60.7	56.8-64.6	421	39.3	35.4-43.2
Less Than H.S.	263	42,415	88	34.4	26.0-42.8	175	65.6	57.2-74.0
H.S. or G.E.D.	763	110,354	327	43.3	38.4-48.2	436	56.7	51.8-61.6
Some Post-H.S.	737	110,654	333	42.1	37.2-47.0	404	57.9	53.0-62.8
College Graduate	987	111,156	489	45.9	41.8-50.0	498	54.1	50.0-58.2
Less than \$15,000	234	25,962	91	38.6	29.4-47.8	143	61.4	52.2-70.6
\$15,000- 24,999	452	62,401	176	36.6	30.5-42.7	276	63.4	57.3-69.5
\$25,000- 34,999	238	30,182	120	52.6	44.2-61.0	118	47.4	39.0-55.8
\$35,000- 49,999	292	37,563	132	45.5	37.3-53.7	160	54.5	46.3-62.7
\$50,000- 74,999	344	44,884	157	41.1	34.2-48.0	187	58.9	52.0-65.8
\$75,000+	684	104,891	340	46.8	41.9-51.7	344	53.2	48.3-58.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1842	246,695	4	0.1	0.0- 0.3	61	3.1	2.1- 4.1	1215	65.4	62.5-68.3	164	10.9	8.7-13.1	30	2.0	1.0- 3.0	368	18.5	16.1-20.9
Male	738	102,904	2	0.1	0.0- 0.3	23	3.0	1.4- 4.6	468	61.5	56.8-66.2	71	11.4	8.1-14.7	12	2.2	0.6- 3.8	162	21.8	17.9-25.7
Female	1104	143,791	2	0.2	0.0- 0.4	38	3.2	1.8- 4.6	747	68.2	64.5-71.9	93	10.6	7.9-13.3	18	1.8	0.6- 3.0	206	16.1	13.4-18.8
White/Non-Hisp	1417	174,091	3	0.2	0.0- 0.4	45	3.2	2.0- 4.4	952	66.2	62.9-69.5	112	10.3	7.8-12.8	17	1.1	0.5- 1.7	288	19.0	16.5-21.5
Black or Afr. Am./Non-Hisp	181	39,715				6	3.4	0.3- 6.5	119	64.8	56.0-73.6	23	14.1	7.8-20.4	6	4.4	0.5- 8.3	27	13.4	7.3-19.5
Oth. Race/Non-Hisp.	61	11,928				2	1.5	0.0- 3.7	41	74.4	58.9-89.9	4	3.9	0.0- 9.6	1	4.3	0.0-12.5	13	15.9	3.7-28.1
Hispanic	118	15,111	1	0.3	0.0- 0.9	4	2.5	0.0- 5.2	60	50.1	36.2-64.0	23	18.0	9.4-26.6	6	4.1	0.0- 8.8	24	25.0	12.5-37.5
18-24	51	17,499	1	1.0	0.0- 3.0	2	3.0	0.0- 8.3	27	60.3	43.2-77.4	10	14.5	4.3-24.7	3	5.1	0.0-11.8	8	16.2	3.7-28.7
25-34	102	25,260				2	1.7	0.0- 4.2	53	48.4	36.1-60.7	22	24.9	13.1-36.7	2	1.0	0.0- 2.6	23	24.1	13.7-34.5
35-44	135	24,800	1	0.2	0.0- 0.6	9	5.0	0.9- 9.1	86	66.2	56.2-76.2	15	12.9	5.5-20.3	4	4.1	0.0- 9.0	20	11.6	5.3-17.9
45-54	249	39,116	1	0.2	0.0- 0.6	7	4.3	1.0- 7.6	156	63.8	56.5-71.1	28	12.1	7.0-17.2	6	1.6	0.0- 3.2	51	18.0	12.7-23.3
55-64	390	49,460				11	2.2	0.6- 3.8	261	69.4	63.9-74.9	36	9.1	5.8-12.4	6	2.4	0.2- 4.6	76	16.9	12.6-21.2
65+	915	90,560	1	0.1	0.0- 0.3	30	3.0	1.8- 4.2	632	69.4	65.7-73.1	53	6.2	4.2- 8.2	9	1.0	0.0- 2.0	190	20.3	17.0-23.6
Less Than H.S.	117	20,754				6	4.1	0.4- 7.8	58	46.9	34.7-59.1	23	20.8	9.6-32.0	5	5.0	0.0-10.7	25	23.2	12.2-34.2
H.S. or G.E.D.	447	69,298	2	0.1	0.0- 0.3	18	4.3	1.9- 6.7	291	68.4	62.9-73.9	47	11.6	7.7-15.5	9	2.3	0.3- 4.3	80	13.2	9.5-16.9
Some Post-H.S.	483	70,006	1	0.2	0.0- 0.6	11	2.0	0.4- 3.6	326	66.6	60.9-72.3	40	11.5	7.2-15.8	3	0.9	0.0- 2.5	102	18.7	14.4-23.0
College Graduate	787	85,449	1	0.1	0.0- 0.3	26	2.9	1.5- 4.3	536	66.8	62.5-71.1	52	7.4	4.7-10.1	13	1.8	0.6- 3.0	159	21.0	17.3-24.7
Less than \$15,000	104	12,273	1	0.4	0.0- 1.2	3	3.8	0.0- 8.1	65	60.7	47.2-74.2	14	18.9	6.9-30.9	2	3.0	0.0- 8.1	19	13.2	5.8-20.6
\$15,000- 24,999	237	30,329	1	0.6	0.0- 1.8	12	3.8	1.4- 6.2	140	59.7	51.3-68.1	40	18.9	12.4-25.4	4	2.2	0.0- 5.5	40	14.9	9.4-20.4
\$25,000- 34,999	158	19,901				10	7.2	1.1-13.3	101	59.6	48.8-70.4	14	12.6	4.4-20.8	1	0.3	0.0- 0.9	32	20.2	11.4-29.0
\$35,000- 49,999	201	26,689	2	0.4	0.0- 1.0	6	3.5	0.2- 6.8	136	68.8	60.0-77.6	17	6.1	2.8- 9.4	3	2.5	0.0- 5.8	37	18.8	11.0-26.6
\$50,000- 74,999	254	31,285				3	0.7	0.0- 1.5	185	75.1	68.4-81.8	16	5.4	2.3- 8.5	3	2.4	0.0- 5.9	47	16.4	11.1-21.7
\$75,000+	604	89,350				20	2.8	1.2- 4.4	399	65.3	60.2-70.4	39	8.9	5.6-12.2	8	1.2	0.2- 2.2	138	21.8	17.5-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	738	102,904	2	0.1	0.0- 0.3	23	3.0	1.4- 4.6	468	61.5	56.8-66.2	71	11.4	8.3-14.5	12	2.2	0.6- 3.8	162	21.8	17.9-25.7
White/Non-Hisp	570	73,260	1	0.1	0.0- 0.3	18	3.5	1.5- 5.5	374	63.8	58.7-68.9	46	10.6	6.9-14.3	7	1.2	0.0- 2.4	124	20.8	16.7-24.9
Black or Afr. Am./Non-Hisp	56	13,256				1	2.7	0.0- 8.0	31	56.3	40.4-72.2	8	12.3	2.1-22.5	3	8.0	0.0-16.8	13	20.7	8.0-33.4
Hispanic	51	6,554	1	0.7	0.0- 2.1	2	1.3	0.0- 3.3	22	31.9	15.4-48.4	13	25.1	10.0-40.2	2	5.6	0.0-15.2	11	35.5	13.9-57.1
35-44	52	9,037	1	0.5	0.0- 1.5	3	5.1	0.0-12.9	32	64.6	47.7-81.5	7	11.0	1.2-20.8	2	3.8	0.0-10.3	7	15.0	2.3-27.7
45-54	96	15,632	1	0.4	0.0- 1.2	4	5.9	0.0-12.0	52	54.0	41.8-66.2	13	16.4	6.8-26.0	2	2.2	0.0- 5.7	24	21.1	12.1-30.1
55-64	147	19,645				3	1.4	0.0- 3.2	98	67.9	58.5-77.3	12	7.1	2.6-11.6	4	4.2	0.0- 8.9	30	19.4	11.6-27.2
65+	378	38,340				11	2.8	0.8- 4.8	256	67.1	61.4-72.8	25	6.5	3.6- 9.4	3	1.2	0.0- 3.2	83	22.4	17.3-27.5
H.S. or G.E.D.	158	26,869	2	0.4	0.0- 1.0	6	3.5	0.2- 6.8	98	63.3	53.5-73.1	22	13.6	7.1-20.1	4	4.1	0.0- 8.4	26	15.2	8.1-22.3
Some Post-H.S.	185	28,440				4	2.0	0.0- 4.7	117	61.5	52.3-70.7	19	13.5	6.2-20.8				45	23.0	15.7-30.3
College Graduate	341	38,032				11	3.5	1.0- 6.0	226	64.3	57.4-71.2	20	7.9	3.4-12.4	6	2.2	0.0- 4.4	78	22.0	16.3-27.7
\$15,000- 24,999	84	9,877				2	1.6	0.0- 3.8	44	53.0	39.7-66.3	20	22.1	11.9-32.3	2	1.1	0.0- 2.7	16	22.3	10.5-34.1
\$25,000- 34,999	50	5,625				4	6.7	0.0-15.7	28	50.4	33.2-67.6	5	12.9	0.0-26.0				13	29.9	13.0-46.8
\$35,000- 49,999	81	11,633	1	0.5	0.0- 1.5	3	5.0	0.0-11.5	52	59.1	44.6-73.6	9	7.4	1.7-13.1	2	5.4	0.0-12.8	14	22.6	8.7-36.5
\$50,000- 74,999	105	13,908				2	1.0	0.0- 2.4	70	70.2	58.6-81.8	6	5.7	0.8-10.6				27	23.1	12.9-33.3
\$75,000+	285	42,700				10	3.7	1.0- 6.4	186	62.7	55.1-70.3	18	10.1	4.6-15.6	2	0.7	0.0- 1.9	69	22.9	16.4-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1104	143,791	2	0.2	0.0- 0.4	38	3.2	1.8- 4.6	747	68.2	64.5-71.9	93	10.6	7.9-13.3	18	1.8	0.6- 3.0	206	16.1	13.4-18.8
White/Non-Hisp	847	100,831	2	0.2	0.0- 0.6	27	2.9	1.5- 4.3	578	68.0	63.7-72.3	66	10.1	6.8-13.4	10	1.1	0.3- 1.9	164	17.7	14.4-21.0
Black or Afr. Am./Non-Hisp	125	26,458				5	3.7	0.0- 7.6	88	69.0	58.6-79.4	15	15.0	7.0-23.0	3	2.5	0.0- 6.4	14	9.8	3.5-16.1
Hispanic	67	8,557				2	3.4	0.0- 8.1	38	64.0	47.7-80.3	10	12.6	3.0-22.2	4	2.9	0.0- 6.2	13	17.1	5.9-28.3
25-34	61	13,501				1	0.8	0.0- 2.4	34	54.5	37.3-71.7	12	21.6	5.3-37.9	2	1.8	0.0- 4.7	12	21.4	8.3-34.5
35-44	83	15,763				6	5.0	0.3- 9.7	54	67.1	54.6-79.6	8	14.1	3.7-24.5	2	4.3	0.0-11.0	13	9.6	3.1-16.1
45-54	153	23,484				3	3.3	0.0- 7.0	104	70.2	61.4-79.0	15	9.3	3.6-15.0	4	1.3	0.0- 2.7	27	16.0	9.3-22.7
55-64	243	29,815				8	2.8	0.4- 5.2	163	70.4	63.5-77.3	24	10.4	5.7-15.1	2	1.2	0.0- 3.0	46	15.2	10.1-20.3
65+	537	52,220	1	0.1	0.0- 0.3	19	3.1	1.5- 4.7	376	71.2	66.3-76.1	28	6.0	3.3- 8.7	6	0.8	0.0- 1.6	107	18.8	14.5-23.1
Less Than H.S.	69	12,184				4	4.9	0.0-10.6	35	47.9	31.4-64.4	13	25.8	8.9-42.7	3	5.5	0.0-13.7	14	15.9	4.5-27.3
H.S. or G.E.D.	289	42,429				12	4.8	1.5- 8.1	193	71.6	65.1-78.1	25	10.4	5.7-15.1	5	1.1	0.0- 2.5	54	12.0	8.1-15.9
Some Post-H.S.	298	41,567	1	0.4	0.0- 1.2	7	2.0	0.2- 3.8	209	70.2	63.1-77.3	21	10.1	5.0-15.2	3	1.5	0.0- 4.0	57	15.8	10.5-21.1
College Graduate	446	47,417	1	0.1	0.0- 0.3	15	2.4	1.0- 3.8	310	68.8	63.1-74.5	32	7.0	3.9-10.1	7	1.6	0.2- 3.0	81	20.2	15.1-25.3
Less than \$15,000	72	7,867				2	3.6	0.0- 8.7	47	70.1	55.6-84.6	10	15.1	3.5-26.7	1	0.5	0.0- 1.5	12	10.7	3.1-18.3
\$15,000- 24,999	153	20,452	1	0.8	0.0- 2.4	10	4.9	1.6- 8.2	96	62.9	52.5-73.3	20	17.4	9.0-25.8	2	2.7	0.0- 7.6	24	11.3	5.8-16.8
\$25,000- 34,999	108	14,276				6	7.4	0.0-15.0	73	63.2	50.1-76.3	9	12.5	2.3-22.7	1	0.5	0.0- 1.5	19	16.4	6.2-26.6
\$35,000- 49,999	120	15,056	1	0.4	0.0- 1.2	3	2.3	0.0- 5.4	84	76.3	66.7-85.9	8	5.0	1.3- 8.7	1	0.3	0.0- 0.9	23	15.8	7.6-24.0
\$50,000- 74,999	149	17,377				1	0.5	0.0- 1.5	115	79.0	70.6-87.4	10	5.2	0.9- 9.5	3	4.3	0.0-10.4	20	11.0	5.7-16.3
\$75,000+	319	46,651				10	2.0	0.2- 3.8	213	67.8	61.1-74.5	21	7.9	3.8-12.0	6	1.5	0.1- 2.9	69	20.7	15.0-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2036	272,918	922	42.9	40.0-45.8	137	7.8	5.8- 9.8	22	0.7	0.3- 1.1	669	32.0	29.3-34.7	286	16.6	14.2-19.0
Male	807	113,556	345	40.1	35.6-44.6	65	10.0	6.3-13.7	7	0.4	0.0- 0.8	265	32.9	28.6-37.2	125	16.7	13.0-20.4
Female	1229	159,362	577	44.9	41.0-48.8	72	6.2	3.8- 8.6	15	0.9	0.3- 1.5	404	31.4	27.9-34.9	161	16.5	13.6-19.4
White/Non-Hisp	1542	190,713	672	40.0	36.9-43.1	95	6.9	4.9- 8.9	18	0.7	0.3- 1.1	552	37.3	34.2-40.4	205	15.1	12.7-17.5
Black or Afr. Am./Non-Hisp	209	45,905	103	52.4	43.6-61.2	13	4.3	1.2- 7.4	2	0.4	0.0- 1.0	53	22.3	15.4-29.2	38	20.6	13.3-27.9
Oth. Race/Non-Hisp.	69	11,990	34	39.9	20.3-59.5	8	21.7	0.0-44.0				15	18.3	5.0-31.6	12	20.0	5.1-34.9
Hispanic	140	17,342	74	47.6	35.1-60.1	18	18.6	5.1-32.1	2	2.5	0.0- 5.8	21	9.3	4.2-14.4	25	22.0	11.8-32.2
18-24	61	20,723	30	43.3	26.4-60.2	7	18.7	1.8-35.6				16	25.2	11.7-38.7	8	12.8	3.0-22.6
25-34	122	29,426	52	38.8	27.4-50.2	13	10.3	2.9-17.7				24	25.3	15.3-35.3	33	25.6	16.2-35.0
35-44	146	27,076	53	32.1	22.7-41.5	19	12.6	5.5-19.7	3	2.3	0.0- 4.8	27	19.2	11.4-27.0	44	33.9	23.9-43.9
45-54	262	41,231	120	42.1	34.5-49.7	18	7.8	3.5-12.1	1	0.2	0.0- 0.6	54	23.9	17.4-30.4	69	25.9	19.4-32.4
55-64	430	54,604	189	42.6	36.7-48.5	31	6.9	3.8-10.0	4	0.6	0.0- 1.2	137	33.2	27.5-38.9	69	16.7	11.8-21.6
65+	1015	99,858	478	47.4	43.7-51.1	49	3.9	2.5- 5.3	14	0.9	0.3- 1.5	411	41.6	37.9-45.3	63	6.2	4.4- 8.0
Less Than H.S.	142	23,750	81	54.2	43.0-65.4	7	4.0	0.3- 7.7	1	1.0	0.0- 3.0	37	27.6	17.8-37.4	16	13.1	5.7-20.5
H.S. or G.E.D.	508	78,690	227	44.3	38.2-50.4	44	10.4	5.7-15.1	3	0.3	0.0- 0.7	183	34.1	28.6-39.6	51	10.9	7.4-14.4
Some Post-H.S.	534	79,294	246	43.3	37.6-49.0	32	8.3	4.0-12.6	10	1.0	0.2- 1.8	175	30.1	25.0-35.2	71	17.3	12.6-22.0
College Graduate	844	90,157	362	38.1	34.0-42.2	53	5.8	3.4- 8.2	8	0.7	0.1- 1.3	273	33.3	29.2-37.4	148	22.1	18.2-26.0
Less than \$15,000	129	15,365	59	45.7	32.8-58.6	14	14.7	5.1-24.3	2	1.4	0.0- 3.8	47	31.9	20.9-42.9	7	6.3	1.0-11.6
\$15,000- 24,999	274	34,485	140	47.9	39.7-56.1	25	12.0	4.2-19.8	3	1.1	0.0- 2.7	91	33.1	25.7-40.5	15	5.8	2.5- 9.1
\$25,000- 34,999	174	22,076	78	41.8	32.2-51.4	6	2.3	0.0- 4.7	1	0.1	0.0- 0.3	63	35.9	26.5-45.3	26	19.9	11.3-28.5
\$35,000- 49,999	222	30,553	101	47.5	37.9-57.1	14	5.1	1.8- 8.4	5	1.5	0.0- 3.1	73	29.1	21.3-36.9	29	16.8	9.5-24.1
\$50,000- 74,999	268	34,253	124	45.2	36.8-53.6	19	13.5	4.1-22.9	2	0.6	0.0- 1.4	82	27.7	20.6-34.8	41	13.1	8.6-17.6
\$75,000+	639	94,779	263	36.9	32.0-41.8	40	6.2	3.7- 8.7	5	0.4	0.0- 0.8	196	31.8	27.1-36.5	135	24.8	20.3-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	807	113,556	345	40.1	35.6-44.6	65	10.0	6.3-13.7	7	0.4	0.0- 0.8	265	32.9	28.6-37.2	125	16.7	13.0-20.4
White/Non-Hisp	615	80,604	253	37.2	32.5-41.9	47	9.6	6.1-13.1	7	0.6	0.2- 1.0	219	37.8	32.9-42.7	89	14.8	11.3-18.3
Black or Afr. Am./Non-Hisp	64	15,855	31	52.9	37.8-68.0	7	7.8	0.4-15.2				15	20.5	8.3-32.7	11	18.8	6.1-31.5
Hispanic	61	7,076	31	54.6	36.2-73.0	5	5.9	0.0-12.8				14	16.2	6.0-26.4	11	23.3	5.7-40.9
25-34	51	14,084	16	28.2	13.9-42.5	5	11.3	0.0-23.1				11	28.8	12.9-44.7	19	31.7	17.0-46.4
35-44	57	9,959	19	28.9	14.4-43.4	10	19.0	3.9-34.1				14	27.1	11.6-42.6	14	25.0	9.3-40.7
45-54	99	16,160	46	39.8	27.8-51.8	10	14.1	4.5-23.7				20	23.6	13.2-34.0	23	22.4	12.4-32.4
55-64	167	22,457	72	44.0	34.4-53.6	12	5.3	1.8- 8.8				50	30.9	22.3-39.5	33	19.9	11.1-28.7
65+	407	41,664	181	45.7	40.0-51.4	25	5.2	2.8- 7.6	7	1.1	0.1- 2.1	160	40.6	34.9-46.3	34	7.5	4.6-10.4
Less Than H.S.	56	9,263	35	59.1	41.7-76.5	2	1.8	0.0- 4.3				12	24.4	9.3-39.5	7	14.6	0.5-28.7
H.S. or G.E.D.	182	30,947	79	41.5	31.9-51.1	18	15.7	5.5-25.9				65	31.7	23.1-40.3	20	11.1	5.0-17.2
Some Post-H.S.	204	32,940	89	40.7	31.9-49.5	16	8.7	2.8-14.6	3	0.6	0.0- 1.4	65	32.7	24.3-41.1	31	17.3	9.5-25.1
College Graduate	360	39,695	138	33.5	27.6-39.4	28	8.0	3.7-12.3	4	0.7	0.0- 1.5	123	36.6	29.9-43.3	67	21.3	15.6-27.0
\$15,000- 24,999	98	11,616	49	51.3	38.6-64.0	17	14.4	6.8-22.0	2	1.2	0.0- 3.0	24	27.6	15.6-39.6	6	5.5	0.8-10.2
\$25,000- 34,999	56	6,291	21	38.0	22.1-53.9	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	24	42.7	27.0-58.4	9	18.5	5.0-32.0
\$35,000- 49,999	90	13,455	39	39.2	26.7-51.7	4	2.5	0.0- 5.0	2	1.2	0.0- 3.2	27	30.9	18.6-43.2	18	26.2	12.9-39.5
\$50,000- 74,999	112	15,834	45	36.0	23.8-48.2	10	23.6	5.8-41.4	1	0.4	0.0- 1.2	36	25.7	15.3-36.1	20	14.3	7.0-21.6
\$75,000+	302	45,939	126	37.1	29.8-44.4	22	8.5	3.8-13.2	1	0.1	0.0- 0.3	99	36.0	28.6-43.4	54	18.4	12.3-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1229	159,362	577	44.9	41.0-48.8	72	6.2	3.8- 8.6	15	0.9	0.3- 1.5	404	31.4	28.1-34.7	161	16.5	13.6-19.4
White/Non-Hisp	927	110,108	419	42.0	37.9-46.1	48	5.0	3.0- 7.0	11	0.8	0.2- 1.4	333	36.8	32.7-40.9	116	15.4	12.3-18.5
Black or Afr. Am./Non-Hisp	145	30,049	72	52.2	41.2-63.2	6	2.5	0.0- 5.0	2	0.6	0.0- 1.6	38	23.2	15.0-31.4	27	21.5	12.7-30.3
Hispanic	79	10,266	43	42.8	26.9-58.7	13	27.4	7.2-47.6	2	4.1	0.0- 9.8	7	4.6	0.0- 9.3	14	21.1	8.9-33.3
25-34	71	15,342	36	48.6	32.5-64.7	8	9.3	0.0-18.7				13	22.2	10.0-34.4	14	19.9	7.9-31.9
35-44	89	17,118	34	34.0	21.8-46.2	9	8.8	2.5-15.1	3	3.6	0.0- 7.7	13	14.6	6.2-23.0	30	39.1	26.6-51.6
45-54	163	25,072	74	43.7	33.9-53.5	8	3.7	0.6- 6.8	1	0.4	0.0- 1.2	34	24.1	15.9-32.3	46	28.1	19.9-36.3
55-64	263	32,147	117	41.7	34.3-49.1	19	8.0	3.1-12.9	4	1.0	0.0- 2.2	87	34.9	27.5-42.3	36	14.4	9.1-19.7
65+	608	58,194	297	48.6	43.5-53.7	24	3.1	1.5- 4.7	7	0.7	0.1- 1.3	251	42.4	37.5-47.3	29	5.2	3.0- 7.4
Less Than H.S.	86	14,487	46	51.1	36.4-65.8	5	5.4	0.0-11.3	1	1.7	0.0- 5.0	25	29.6	16.9-42.3	9	12.2	4.0-20.4
H.S. or G.E.D.	326	47,744	148	46.1	38.3-53.9	26	6.9	3.4-10.4	3	0.6	0.0- 1.4	118	35.7	28.6-42.8	31	10.7	6.4-15.0
Some Post-H.S.	330	46,354	157	45.1	37.8-52.4	16	8.0	1.9-14.1	7	1.3	0.1- 2.5	110	28.2	22.1-34.3	40	17.3	11.2-23.4
College Graduate	484	50,463	224	41.8	36.1-47.5	25	4.1	1.9- 6.3	4	0.6	0.0- 1.4	150	30.8	25.5-36.1	81	22.7	17.4-28.0
Less than \$15,000	90	9,920	42	45.2	28.7-61.7	10	17.4	4.1-30.7	2	2.2	0.0- 5.9	32	28.0	15.7-40.3	4	7.3	0.0-14.9
\$15,000- 24,999	176	22,869	91	46.2	35.8-56.6	8	10.8	0.0-22.0	1	1.1	0.0- 3.3	67	35.9	26.3-45.5	9	6.0	1.5-10.5
\$25,000- 34,999	118	15,784	57	43.3	31.3-55.3	5	3.1	0.0- 6.2				39	33.1	21.7-44.5	17	20.5	9.5-31.5
\$35,000- 49,999	132	17,097	62	53.9	41.2-66.6	10	7.2	1.5-12.9	3	1.8	0.0- 4.3	46	27.7	17.5-37.9	11	9.3	3.2-15.4
\$50,000- 74,999	156	18,418	79	53.1	42.9-63.3	9	4.7	0.6- 8.8	1	0.7	0.0- 2.1	46	29.5	20.1-38.9	21	12.0	6.5-17.5
\$75,000+	337	48,839	137	36.8	30.1-43.5	18	4.1	1.7- 6.5	4	0.6	0.0- 1.2	97	27.8	21.9-33.7	81	30.7	24.0-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4630	660,567	1915	33.8	32.0-35.6	2715	66.2	64.4-68.0
Male	2020	311,069	753	30.2	27.7-32.7	1267	69.8	67.3-72.3
Female	2610	349,498	1162	36.9	34.5-39.3	1448	63.1	60.7-65.5
White/Non-Hisp	3179	426,185	1484	38.6	36.4-40.8	1695	61.4	59.2-63.6
Black or Afr. Am./Non-Hisp	624	135,082	218	28.0	23.7-32.3	406	72.0	67.7-76.3
Oth. Race/Non-Hisp.	165	28,390	48	19.1	11.3-26.9	117	80.9	73.1-88.7
MultiRacial/Non-Hisp.	72	4,785	28	34.6	20.3-48.9	44	65.4	51.1-79.7
Hispanic	470	50,712	90	18.7	12.8-24.6	380	81.3	75.4-87.2
18-24	240	66,654	47	23.3	16.0-30.6	193	76.7	69.4-84.0
25-34	432	100,800	54	10.5	7.0-14.0	378	89.5	86.0-93.0
35-44	519	92,587	84	15.4	11.5-19.3	435	84.6	80.7-88.5
45-54	710	106,495	154	20.8	17.1-24.5	556	79.2	75.5-82.9
55-64	1023	126,076	330	30.7	27.2-34.2	693	69.3	65.8-72.8
65+	1706	167,955	1246	72.6	69.9-75.3	460	27.4	24.7-30.1
Less Than H.S.	457	74,253	142	28.9	23.4-34.4	315	71.1	65.6-76.6
H.S. or G.E.D.	1307	209,102	537	34.4	31.1-37.7	770	65.6	62.3-68.9
Some Post-H.S.	1205	190,502	523	34.8	31.5-38.1	682	65.2	61.9-68.5
College Graduate	1641	184,424	705	33.9	31.2-36.6	936	66.1	63.4-68.8
Less than \$15,000	365	43,285	151	37.9	30.8-45.0	214	62.1	55.0-69.2
\$15,000- 24,999	697	94,977	295	36.1	31.4-40.8	402	63.9	59.2-68.6
\$25,000- 34,999	368	49,100	179	44.4	37.7-51.1	189	55.6	48.9-62.3
\$35,000- 49,999	530	73,089	228	33.4	28.3-38.5	302	66.6	61.5-71.7
\$50,000- 74,999	594	85,326	256	32.1	27.4-36.8	338	67.9	63.2-72.6
\$75,000+	1308	207,528	476	29.4	26.5-32.3	832	70.6	67.7-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2020	311,069	753	30.2	27.7-32.7	1267	69.8	67.3-72.3
White/Non-Hisp	1378	199,190	588	36.2	33.1-39.3	790	63.8	60.7-66.9
Black or Afr. Am./Non-Hisp	238	60,190	76	23.3	17.0-29.6	162	76.7	70.4-83.0
Oth. Race/Non-Hisp.	96	16,463	25	14.9	6.5-23.3	71	85.1	76.7-93.5
Hispanic	216	23,814	30	11.2	4.9-17.5	186	88.8	82.5-95.1
18-24	126	34,341	22	22.7	12.9-32.5	104	77.3	67.5-87.1
25-34	196	49,905	19	7.1	3.2-11.0	177	92.9	89.0-96.8
35-44	240	44,889	32	11.8	6.7-16.9	208	88.2	83.1-93.3
45-54	300	49,120	54	15.6	10.9-20.3	246	84.4	79.7-89.1
55-64	451	58,434	130	28.9	23.4-34.4	321	71.1	65.6-76.6
65+	707	74,381	496	70.9	67.0-74.8	211	29.1	25.2-33.0
Less Than H.S.	209	34,954	55	27.3	19.5-35.1	154	72.7	64.9-80.5
H.S. or G.E.D.	581	105,142	194	28.4	23.7-33.1	387	71.6	66.9-76.3
Some Post-H.S.	505	85,975	193	29.1	24.4-33.8	312	70.9	66.2-75.6
College Graduate	714	83,746	306	34.5	30.4-38.6	408	65.5	61.4-69.6
Less than \$15,000	137	18,453	46	29.5	18.9-40.1	91	70.5	59.9-81.1
\$15,000- 24,999	273	36,907	105	32.2	25.1-39.3	168	67.8	60.7-74.9
\$25,000- 34,999	143	20,422	62	36.4	26.4-46.4	81	63.6	53.6-73.6
\$35,000- 49,999	250	37,954	89	30.0	22.9-37.1	161	70.0	62.9-77.1
\$50,000- 74,999	264	42,060	114	30.5	23.8-37.2	150	69.5	62.8-76.2
\$75,000+	660	109,480	227	28.2	24.1-32.3	433	71.8	67.7-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 11: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2610	349,498	1162	36.9	34.5-39.3	1448	63.1	60.7-65.5
White/Non-Hisp	1801	226,995	896	40.7	37.8-43.6	905	59.3	56.4-62.2
Black or Afr. Am./Non-Hisp	386	74,891	142	31.8	25.7-37.9	244	68.2	62.1-74.3
Oth. Race/Non-Hisp.	69	11,927	23	24.9	10.6-39.2	46	75.1	60.8-89.4
Hispanic	254	26,898	60	25.4	16.2-34.6	194	74.6	65.4-83.8
18-24	114	32,314	25	23.8	13.2-34.4	89	76.2	65.6-86.8
25-34	236	50,895	35	13.8	8.1-19.5	201	86.2	80.5-91.9
35-44	279	47,697	52	18.8	12.9-24.7	227	81.2	75.3-87.1
45-54	410	57,375	100	25.3	19.6-31.0	310	74.7	69.0-80.4
55-64	572	67,642	200	32.1	27.4-36.8	372	67.9	63.2-72.6
65+	999	93,575	750	73.8	70.1-77.5	249	26.2	22.5-29.9
Less Than H.S.	248	39,299	87	30.3	22.7-37.9	161	69.7	62.1-77.3
H.S. or G.E.D.	726	103,960	343	40.4	35.7-45.1	383	59.6	54.9-64.3
Some Post-H.S.	700	104,527	330	39.4	34.7-44.1	370	60.6	55.9-65.3
College Graduate	927	100,678	399	33.4	29.7-37.1	528	66.6	62.9-70.3
Less than \$15,000	228	24,833	105	44.1	34.7-53.5	123	55.9	46.5-65.3
\$15,000- 24,999	424	58,069	190	38.5	32.2-44.8	234	61.5	55.2-67.8
\$25,000- 34,999	225	28,679	117	50.0	41.4-58.6	108	50.0	41.4-58.6
\$35,000- 49,999	280	35,135	139	37.2	29.9-44.5	141	62.8	55.5-70.1
\$50,000- 74,999	330	43,266	142	33.6	27.1-40.1	188	66.4	59.9-72.9
\$75,000+	648	98,048	249	30.7	26.2-35.2	399	69.3	64.8-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 12: FALLS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208
	DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)	
4	MALES AND FEMALES	209
5	MALES ONLY	210
6	FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3533	415,500	414	11.2	9.8-12.6	201	5.3	4.3-6.3	93	2.5	1.9-3.1	43	1.1	0.7-1.5	105	2.4	1.8-3.0	2677	77.5	75.7-79.3
Male	1518	192,524	157	9.9	7.9-11.9	81	5.1	3.7-6.5	36	2.0	1.2-2.8	20	1.0	0.4-1.6	42	2.2	1.4-3.0	1182	79.8	77.3-82.3
Female	2015	222,976	257	12.3	10.5-14.1	120	5.5	4.3-6.7	57	2.9	1.9-3.9	23	1.2	0.6-1.8	63	2.6	1.8-3.4	1495	75.5	73.1-77.9
White/Non-Hisp	2673	300,159	335	11.9	10.5-13.3	160	5.9	4.7-7.1	74	2.5	1.7-3.3	36	1.3	0.7-1.9	81	2.7	1.9-3.5	1987	75.5	73.5-77.5
Black or Afr. Am./Non-Hisp	438	76,488	33	9.2	5.3-13.1	23	3.7	1.9-5.5	10	2.5	0.7-4.3	1	0.1	0.0-0.3	6	0.9	0.1-1.7	365	83.6	79.1-88.1
Oth. Race/Non-Hisp.	102	12,102	9	4.4	1.1-7.7	7	3.1	0.4-5.8	1	0.2	0.0-0.6	1	0.2	0.0-0.6	6	3.5	0.0-7.2	78	88.5	82.6-94.4
Hispanic	171	14,576	15	9.4	3.5-15.3	3	3.0	0.0-6.7	5	3.5	0.0-7.0	4	3.5	0.0-7.4	7	2.6	0.2-5.0	137	78.1	69.9-86.3
45-54	751	113,950	74	9.2	6.7-11.7	32	4.2	2.6-5.8	17	2.1	0.9-3.3	9	0.8	0.2-1.4	27	2.4	1.2-3.6	592	81.4	78.1-84.7
55-64	1042	128,061	102	9.3	6.9-11.7	75	6.4	4.6-8.2	23	2.0	0.8-3.2	11	1.2	0.4-2.0	33	2.5	1.5-3.5	798	78.6	75.5-81.7
65+	1731	171,372	236	14.0	11.8-16.2	93	5.2	4.0-6.4	53	3.1	2.1-4.1	23	1.3	0.5-2.1	45	2.4	1.6-3.2	1281	73.9	71.4-76.4
Less Than H.S.	266	38,600	22	8.3	3.8-12.8	13	4.8	1.7-7.9	13	4.4	1.3-7.5	6	2.1	0.3-3.9	16	3.6	1.4-5.8	196	76.8	70.5-83.1
H.S. or G.E.D.	982	130,853	110	11.0	8.6-13.4	54	5.0	3.4-6.6	33	3.1	1.7-4.5	14	1.3	0.3-2.3	31	2.5	1.5-3.5	740	77.1	73.8-80.4
Some Post-H.S.	925	118,578	107	11.8	9.1-14.5	63	5.9	4.1-7.7	24	1.8	1.0-2.6	10	0.8	0.2-1.4	30	2.6	1.4-3.8	691	77.1	73.8-80.4
College Graduate	1344	125,716	175	11.9	9.9-13.9	70	5.4	3.8-7.0	23	1.9	0.9-2.9	13	0.9	0.3-1.5	28	1.8	1.0-2.6	1035	78.1	75.6-80.6
Less than \$15,000	247	23,694	29	9.9	5.6-14.2	14	5.9	2.0-9.8	16	5.8	1.9-9.7	5	3.8	0.3-7.3	23	6.4	3.5-9.3	160	68.1	60.5-75.7
\$15,000- 24,999	493	56,523	52	10.5	7.2-13.8	34	6.1	3.7-8.5	16	3.5	1.1-5.9	5	1.2	0.0-2.4	22	3.2	1.6-4.8	364	75.4	70.7-80.1
\$25,000- 34,999	267	29,561	32	10.5	6.2-14.8	23	6.9	3.6-10.2	6	2.0	0.2-3.8	6	1.4	0.2-2.6	9	3.2	0.7-5.7	191	76.1	70.0-82.2
\$35,000- 49,999	409	46,801	53	11.9	8.4-15.4	30	9.0	4.9-13.1	9	2.1	0.5-3.7	9	1.5	0.3-2.7	11	2.6	0.8-4.4	297	72.7	67.2-78.2
\$50,000- 74,999	466	50,981	58	12.0	8.3-15.7	28	5.2	2.8-7.6	13	3.2	0.7-5.7	4	0.6	0.0-1.2	12	2.2	0.8-3.6	351	76.8	71.9-81.7
\$75,000+	1040	134,319	122	10.3	8.1-12.5	39	3.6	2.4-4.8	15	1.1	0.5-1.7	8	0.6	0.2-1.0	11	1.2	0.4-2.0	845	83.2	80.5-85.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1518	192,524	157	9.9	7.9-11.9	81	5.1	3.7- 6.5	36	2.0	1.2- 2.8	20	1.0	0.4- 1.6	42	2.2	1.4- 3.0	1182	79.8	77.3-82.3
White/Non-Hisp	1148	138,480	126	9.9	7.9-11.9	66	5.9	4.1- 7.7	25	1.9	0.9- 2.9	17	1.2	0.6- 1.8	30	2.4	1.4- 3.4	884	78.8	76.1-81.5
Black or Afr. Am./Non-Hisp	177	35,965	12	10.0	3.3-16.7	9	3.8	1.1- 6.5	4	1.5	0.0- 3.3							152	84.7	77.6-91.8
Oth. Race/Non-Hisp.	51	6,020	5	5.2	0.3-10.1	3	1.9	0.0- 4.3	1	0.5	0.0- 1.5				4	5.4	0.0-12.5	38	87.0	77.6-96.4
Hispanic	77	6,598	5	10.6	0.0-21.2	1	0.5	0.0- 1.5	4	7.3	0.0-15.1	2	4.6	0.0-11.7	4	4.1	0.0- 8.8	61	72.8	59.1-86.5
45-54	331	54,760	24	6.9	3.6-10.2	18	5.2	2.7- 7.7	7	1.7	0.3- 3.1	6	1.1	0.1- 2.1	11	1.8	0.6- 3.0	265	83.3	78.8-87.8
55-64	464	59,790	39	8.9	5.0-12.8	23	5.1	2.4- 7.8	6	1.2	0.0- 2.4	5	1.0	0.0- 2.0	11	2.4	0.8- 4.0	380	81.3	76.6-86.0
65+	719	76,736	94	13.1	10.2-16.0	40	5.2	3.2- 7.2	23	2.8	1.4- 4.2	9	1.0	0.2- 1.8	20	2.2	1.0- 3.4	533	75.7	72.0-79.4
Less Than H.S.	112	16,539	9	6.4	1.5-11.3	4	3.6	0.0- 7.5	3	1.6	0.0- 3.4	3	2.9	0.0- 6.4	7	4.5	0.8- 8.2	86	81.0	73.0-89.0
H.S. or G.E.D.	413	60,940	45	11.2	7.3-15.1	21	5.0	2.3- 7.7	12	2.2	0.6- 3.8	5	0.7	0.1- 1.3	9	1.8	0.4- 3.2	321	79.0	74.1-83.9
Some Post-H.S.	393	56,327	35	10.2	6.1-14.3	21	4.8	2.4- 7.2	10	1.8	0.4- 3.2	4	0.6	0.0- 1.2	14	2.0	0.8- 3.2	309	80.6	75.7-85.5
College Graduate	591	57,529	68	9.6	7.1-12.1	34	6.1	3.7- 8.5	11	2.0	0.6- 3.4	8	1.3	0.3- 2.3	12	2.1	0.7- 3.5	458	78.9	75.2-82.6
Less than \$15,000	89	8,981	6	4.7	0.6- 8.8	5	6.4	0.3-12.5	3	3.1	0.0- 7.6	3	5.4	0.0-11.9	8	6.9	1.8-12.0	64	73.5	62.9-84.1
\$15,000- 24,999	193	23,357	23	10.7	5.8-15.6	12	5.8	1.9- 9.7	8	2.8	0.4- 5.2	2	0.8	0.0- 2.0	8	3.1	0.6- 5.6	140	76.8	69.9-83.7
\$25,000- 34,999	98	11,425	13	11.4	4.0-18.8	5	5.1	0.2-10.0	3	3.2	0.0- 7.3	1	0.5	0.0- 1.5	6	4.4	0.7- 8.1	70	75.4	65.4-85.4
\$35,000- 49,999	185	24,194	21	10.2	5.3-15.1	13	10.1	3.4-16.8	6	3.1	0.4- 5.8	2	0.7	0.0- 1.7	2	1.1	0.0- 3.1	141	74.9	66.7-83.1
\$50,000- 74,999	206	23,978	21	12.1	5.8-18.4	14	5.7	2.2- 9.2	7	2.6	0.4- 4.8	2	0.8	0.0- 1.8	6	2.7	0.2- 5.2	156	76.2	68.9-83.5
\$75,000+	529	71,075	52	8.3	5.6-11.0	25	3.7	2.1- 5.3	4	0.4	0.0- 0.8	7	0.9	0.1- 1.7	3	0.6	0.0- 1.4	438	86.1	82.8-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2015	222,976	257	12.3	10.5-14.1	120	5.5	4.3- 6.7	57	2.9	1.9- 3.9	23	1.2	0.6- 1.8	63	2.6	1.8- 3.4	1495	75.5	73.1-77.9
White/Non-Hisp	1525	161,679	209	13.7	11.5-15.9	94	6.0	4.6- 7.4	49	3.1	1.9- 4.3	19	1.4	0.6- 2.2	51	3.1	2.1- 4.1	1103	72.8	70.1-75.5
Black or Afr. Am./Non-Hisp	261	40,523	21	8.6	3.9-13.3	14	3.5	1.1- 5.9	6	3.3	0.4- 6.2	1	0.2	0.0- 0.6	6	1.8	0.2- 3.4	213	82.6	76.7-88.5
Oth. Race/Non-Hisp.	51	6,082	4	3.7	0.0- 8.2	4	4.3	0.0- 9.0				1	0.4	0.0- 1.2	2	1.6	0.0- 4.0	40	90.0	82.7-97.3
Hispanic	94	7,978	10	8.3	1.8-14.8	2	5.0	0.0-11.7	1	0.4	0.0- 1.2	2	2.6	0.0- 6.3	3	1.3	0.0- 2.9	76	82.4	72.8-92.0
45-54	420	59,189	50	11.2	7.7-14.7	14	3.2	1.2- 5.2	10	2.5	0.7- 4.3	3	0.5	0.0- 1.1	16	2.9	0.9- 4.9	327	79.6	74.9-84.3
55-64	578	68,271	63	9.7	6.8-12.6	52	7.6	5.2-10.0	17	2.6	0.6- 4.6	6	1.3	0.1- 2.5	22	2.5	1.3- 3.7	418	76.2	72.1-80.3
65+	1012	94,636	142	14.8	11.9-17.7	53	5.2	3.6- 6.8	30	3.4	1.8- 5.0	14	1.5	0.3- 2.7	25	2.6	1.4- 3.8	748	72.5	69.0-76.0
Less Than H.S.	154	22,061	13	9.7	2.8-16.6	9	5.7	1.2-10.2	10	6.6	1.3-11.9	3	1.4	0.0- 3.0	9	3.0	0.6- 5.4	110	73.6	64.4-82.8
H.S. or G.E.D.	569	69,912	65	10.9	8.0-13.8	33	5.0	3.0- 7.0	21	3.8	1.4- 6.2	9	1.8	0.2- 3.4	22	3.1	1.5- 4.7	419	75.4	71.1-79.7
Some Post-H.S.	532	62,251	72	13.2	9.7-16.7	42	6.8	4.4- 9.2	14	1.8	0.8- 2.8	6	1.1	0.1- 2.1	16	3.2	1.2- 5.2	382	73.9	69.4-78.4
College Graduate	753	68,187	107	13.9	11.0-16.8	36	4.8	3.0- 6.6	12	1.8	0.6- 3.0	5	0.5	0.0- 1.1	16	1.5	0.7- 2.3	577	77.4	73.9-80.9
Less than \$15,000	158	14,713	23	13.1	6.6-19.6	9	5.7	0.4-11.0	13	7.4	1.9-12.9	2	2.9	0.0- 6.8	15	6.1	2.6- 9.6	96	64.8	54.2-75.4
\$15,000- 24,999	300	33,166	29	10.4	5.7-15.1	22	6.3	3.2- 9.4	8	4.1	0.6- 7.6	3	1.4	0.0- 3.2	14	3.3	1.3- 5.3	224	74.4	67.9-80.9
\$25,000- 34,999	169	18,135	19	9.9	4.8-15.0	18	8.0	3.7-12.3	3	1.2	0.0- 2.6	5	1.9	0.0- 3.9	3	2.5	0.0- 6.0	121	76.5	69.1-83.9
\$35,000- 49,999	224	22,607	32	13.8	8.5-19.1	17	7.9	3.6-12.2	3	1.0	0.0- 2.2	7	2.5	0.3- 4.7	9	4.3	1.2- 7.4	156	70.5	63.4-77.6
\$50,000- 74,999	260	27,004	37	12.0	7.7-16.3	14	4.8	1.7- 7.9	6	3.7	0.0- 8.0	2	0.4	0.0- 1.0	6	1.8	0.2- 3.4	195	77.3	71.0-83.6
\$75,000+	511	63,243	70	12.6	9.1-16.1	14	3.4	1.4- 5.4	11	1.8	0.6- 3.0	1	0.2	0.0- 0.6	8	1.9	0.3- 3.5	407	80.0	75.7-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 4: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	844	91,966	211	24.3	20.8-27.8	52	6.3	4.1- 8.5	21	2.3	1.1- 3.5	10	1.0	0.2- 1.8	22	2.2	1.0- 3.4	528	64.0	59.9-68.1
Male	334	38,808	74	22.4	16.7-28.1	16	5.6	2.5- 8.7	7	1.6	0.2- 3.0	5	1.1	0.1- 2.1	8	2.1	0.5- 3.7	224	67.2	60.9-73.5
Female	510	53,158	137	25.8	21.1-30.5	36	6.7	4.0- 9.4	14	2.7	0.9- 4.5	5	0.9	0.0- 1.9	14	2.2	0.6- 3.8	304	61.6	56.3-66.9
White/Non-Hisp	678	72,293	170	25.6	21.7-29.5	41	6.5	4.0- 9.0	14	1.7	0.7- 2.7	9	1.2	0.2- 2.2	18	2.4	1.0- 3.8	426	62.6	58.1-67.1
Black or Afr. Am./Non-Hisp	71	12,136	15	19.6	7.8-31.4	4	3.3	0.0- 7.4	4	5.5	0.0-11.8				4	71.6	58.5-84.7			
45-54	158	21,159	41	27.1	18.1-36.1	10	5.8	1.5-10.1	8	5.4	1.1- 9.7	1	0.3	0.0- 0.9	8	3.9	0.6- 7.2	90	57.5	48.1-66.9
55-64	237	26,604	64	25.1	18.6-31.6	20	6.9	3.4-10.4	6	1.6	0.0- 3.2	3	1.4	0.0- 3.4	8	2.9	0.7- 5.1	136	62.1	54.5-69.7
65+	446	43,824	104	22.4	17.7-27.1	22	6.2	2.9- 9.5	7	1.2	0.2- 2.2	6	1.0	0.0- 2.0	6	0.9	0.1- 1.7	301	68.3	63.0-73.6
Less Than H.S.	68	8,791	13	15.7	5.9-25.5	7	9.3	1.3-17.3	5	8.2	0.0-17.0				3	2.2	0.0- 4.7	40	64.5	50.4-78.6
H.S. or G.E.D.	237	29,013	59	24.4	17.5-31.3	15	6.9	2.6-11.2	5	1.0	0.0- 2.0	2	1.2	0.0- 3.0	11	4.4	1.5- 7.3	145	62.1	54.3-69.9
Some Post-H.S.	230	26,855	61	25.7	18.6-32.8	15	6.4	2.5-10.3	6	2.5	0.3- 4.7	3	0.9	0.0- 1.9	4	1.2	0.0- 2.4	141	63.4	55.6-71.2
College Graduate	308	27,285	78	25.7	20.0-31.4	15	4.4	1.9- 6.9	5	1.4	0.0- 3.0	5	1.2	0.0- 2.4	4	0.8	0.0- 1.8	201	66.4	60.1-72.7
Less than \$15,000	86	7,523	24	25.7	14.5-36.9	11	8.5	2.2-14.8	4	6.7	0.0-15.7	2	1.6	0.0- 3.8	7	8.4	1.9-14.9	38	49.1	35.6-62.6
\$15,000- 24,999	128	13,509	32	24.3	15.1-33.5	10	7.5	2.4-12.6	4	2.8	0.0- 5.9	4	3.6	0.0- 7.5	9	5.4	1.5- 9.3	69	56.3	45.7-66.9
\$25,000- 34,999	73	6,644	16	19.3	9.1-29.5	5	7.7	0.0-15.5	3	3.3	0.0- 7.4	1	2.1	0.0- 6.2	2	5.1	0.0-13.7	46	62.5	49.0-76.0
\$35,000- 49,999	111	12,577	32	28.3	18.5-38.1	6	7.5	0.6-14.4	2	0.8	0.0- 1.8	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1	69	62.2	51.2-73.2
\$50,000- 74,999	112	11,489	29	20.2	12.0-28.4	6	5.3	0.6-10.0	1	0.7	0.0- 2.1				2	0.9	0.0- 2.3	74	72.9	63.5-82.3
\$75,000+	194	22,382	48	28.0	19.6-36.4	6	3.3	0.2- 6.4	4	2.4	0.0- 4.9	2	0.4	0.0- 1.0				134	65.9	57.3-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 5: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	334	38,808	74	22.4	16.7-28.1	16	5.6	2.5- 8.7	7	1.6	0.2- 3.0	5	1.1	0.1- 2.1	8	2.1	0.5- 3.7	224	67.2	60.9-73.5
White/Non-Hisp	263	29,307	54	21.1	15.2-27.0	9	4.8	1.3- 8.3	6	1.9	0.1- 3.7	5	1.4	0.0- 2.8	5	2.0	0.2- 3.8	184	68.8	62.1-75.5
45-54	65	9,090	16	28.2	13.7-42.7	4	9.1	0.1-18.1	4	4.5	0.0- 9.8	1	0.8	0.0- 2.4	3	2.9	0.0- 6.2	37	54.4	39.5-69.3
55-64	84	11,154	20	23.2	13.0-33.4	4	5.0	0.0-10.5	1	0.6	0.0- 1.8				3	3.8	0.0- 8.1	56	67.5	55.7-79.3
65+	185	18,564	38	19.0	12.1-25.9	8	4.3	0.6- 8.0	2	0.7	0.0- 1.9	4	1.9	0.0- 3.9	2	0.7	0.0- 1.7	131	73.3	65.7-80.9
H.S. or G.E.D.	91	12,672	20	23.0	11.6-34.4	5	5.0	0.1- 9.9	2	0.8	0.0- 2.0				2	2.6	0.0- 6.1	62	68.6	56.4-80.8
Some Post-H.S.	84	10,930	16	19.6	9.0-30.2	7	10.7	1.9-19.5	3	2.8	0.0- 6.3	2	1.6	0.0- 4.0	2	1.8	0.0- 4.3	54	63.4	50.5-76.3
College Graduate	133	12,117	33	25.1	16.3-33.9	3	2.7	0.0- 6.2	2	1.7	0.0- 4.6	3	1.9	0.0- 4.4	2	1.4	0.0- 3.4	90	67.2	57.8-76.6
\$15,000- 24,999	53	5,421	8	18.5	5.0-32.0	3	6.6	0.0-15.4	1	0.6	0.0- 1.8	1	2.0	0.0- 5.9	3	6.0	0.0-13.1	37	66.2	50.5-81.9
\$75,000+	91	9,885	21	28.1	15.4-40.8	2	1.3	0.0- 3.5	1	1.8	0.0- 5.3	2	1.0	0.0- 2.4				65	67.8	55.1-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 12: FALLS**

**TABLE 6: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	510	53,158	137	25.8	21.1-30.5	36	6.7	4.0- 9.4	14	2.7	0.9- 4.5	5	0.9	0.0- 1.9	14	2.2	0.6- 3.8	304	61.6	56.3-66.9
White/Non-Hisp	415	42,986	116	28.6	23.3-33.9	32	7.7	4.4-11.0	8	1.6	0.4- 2.8	4	1.0	0.0- 2.2	13	2.7	0.9- 4.5	242	58.4	52.5-64.3
45-54	93	12,070	25	26.2	15.0-37.4	6	3.2	0.5- 5.9	4	6.1	0.0-12.8				5	4.7	0.0-10.0	53	59.8	47.6-72.0
55-64	153	15,449	44	26.5	18.3-34.7	16	8.2	3.5-12.9	5	2.3	0.0- 4.7	3	2.5	0.0- 5.8	5	2.2	0.0- 4.4	80	58.3	48.7-67.9
65+	261	25,260	66	24.8	18.3-31.3	14	7.6	2.7-12.5	5	1.5	0.1- 2.9	2	0.4	0.0- 1.0	4	1.1	0.0- 2.3	170	64.6	57.2-72.0
H.S. or G.E.D.	146	16,341	39	25.4	17.0-33.8	10	8.4	1.7-15.1	3	1.2	0.0- 2.6	2	2.1	0.0- 5.0	9	5.8	1.3-10.3	83	57.1	47.1-67.1
Some Post-H.S.	146	15,924	45	29.9	20.7-39.1	8	3.5	0.6- 6.4	3	2.2	0.0- 4.7	1	0.3	0.0- 0.9	2	0.7	0.0- 1.9	87	63.3	53.7-72.9
College Graduate	175	15,168	45	26.2	18.6-33.8	12	5.8	2.3- 9.3	3	1.2	0.0- 2.6	2	0.7	0.0- 1.7	2	0.4	0.0- 1.0	111	65.7	57.5-73.9
Less than \$15,000	61	5,146	19	29.9	15.4-44.4	7	6.3	1.2-11.4	3	8.9	0.0-21.6	1	1.0	0.0- 3.0	4	5.9	0.0-12.0	27	48.0	31.5-64.5
\$15,000- 24,999	75	8,088	24	28.2	15.7-40.7	7	8.0	1.7-14.3	3	4.3	0.0- 9.4	3	4.7	0.0-10.8	6	5.1	0.6- 9.6	32	49.7	35.0-64.4
\$35,000- 49,999	67	6,494	19	29.5	16.8-42.2	4	6.1	0.0-13.5	2	1.5	0.0- 3.7	1	0.9	0.0- 2.7	1	1.4	0.0- 4.1	40	60.5	47.0-74.0
\$50,000- 74,999	63	5,852	18	24.2	12.0-36.4	4	5.2	0.0-10.5	1	1.3	0.0- 3.8				1	0.5	0.0- 1.5	39	68.7	55.4-82.0
\$75,000+	103	12,497	27	27.8	16.8-38.8	4	4.8	0.0-10.1	3	2.9	0.0- 6.4							69	64.5	52.9-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 13: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	213
2	MALES ONLY	214
3	FEMALES ONLY	215
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	216
5	MALES ONLY	217
6	FEMALES ONLY	218



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 13: SEATBELT USE AND DRINKING AND DRIVING  
 TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4930	721,368	4517	90.5	89.3-91.7	196	4.4	3.6- 5.2	81	2.3	1.5- 3.1	31	0.7	0.3- 1.1	81	1.7	1.1- 2.3	24	0.4	0.2- 0.6
Male	2179	345,317	1923	86.7	84.7-88.7	122	6.5	4.9- 8.1	50	2.9	1.7- 4.1	15	0.8	0.2- 1.4	55	2.7	1.7- 3.7	14	0.5	0.1- 0.9
Female	2751	376,051	2594	93.9	92.5-95.3	74	2.4	1.6- 3.2	31	1.7	0.7- 2.7	16	0.7	0.3- 1.1	26	0.8	0.4- 1.2	10	0.4	0.0- 0.8
White/Non-Hisp	3378	468,252	3106	90.8	89.4-92.2	135	4.1	3.3- 4.9	57	2.6	1.6- 3.6	21	0.8	0.4- 1.2	46	1.4	0.8- 2.0	13	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	651	143,188	580	88.3	85.0-91.6	35	6.1	3.6- 8.6	8	1.5	0.1- 2.9	5	0.8	0.0- 1.6	15	2.3	0.9- 3.7	8	1.1	0.1- 2.1
Oth. Race/Non-Hisp.	184	31,579	167	94.4	90.9-97.9	3	1.1	0.0- 2.7	6	1.2	0.2- 2.2	1	0.1	0.0- 0.3	4	2.0	0.0- 4.2	3	1.2	0.0- 3.4
MultiRacial/Non-Hisp.	77	5,368	73	94.9	89.2- 100	3	4.5	0.0-10.0	1	0.6	0.0- 1.8									
Hispanic	511	56,333	474	91.3	87.4-95.2	17	4.6	1.7- 7.5	3	0.7	0.0- 1.5	3	0.6	0.0- 1.4	14	2.9	0.4- 5.4			
18-24	290	80,991	252	85.8	80.7-90.9	23	8.3	4.6-12.0	6	3.0	0.3- 5.7	1	0.8	0.0- 2.4	8	2.0	0.0- 4.0			
25-34	496	119,365	433	85.4	81.1-89.7	27	5.7	3.0- 8.4	15	4.4	1.7- 7.1	6	1.2	0.2- 2.2	13	2.8	0.8- 4.8	2	0.5	0.0- 1.3
35-44	587	105,556	541	91.3	88.4-94.2	19	3.7	1.7- 5.7	8	1.2	0.2- 2.2	4	0.9	0.0- 1.9	13	2.3	0.7- 3.9	2	0.5	0.0- 1.5
45-54	756	114,048	698	93.5	91.5-95.5	28	3.3	1.9- 4.7	7	0.9	0.1- 1.7	10	0.9	0.3- 1.5	8	0.9	0.0- 1.9	5	0.5	0.1- 0.9
55-64	1049	128,264	963	91.4	89.0-93.8	36	3.2	1.8- 4.6	26	3.1	1.3- 4.9	3	0.5	0.0- 1.1	13	1.1	0.3- 1.9	8	0.7	0.0- 1.5
65+	1752	173,144	1630	92.9	91.3-94.5	63	3.5	2.5- 4.5	19	1.4	0.6- 2.2	7	0.4	0.0- 0.8	26	1.4	0.8- 2.0	7	0.4	0.0- 0.8
Less Than H.S.	493	81,305	454	89.6	85.3-93.9	13	3.2	1.0- 5.4	5	2.4	0.0- 5.3	3	0.6	0.0- 1.2	15	3.2	1.0- 5.4	3	1.0	0.0- 2.4
H.S. or G.E.D.	1372	222,813	1226	88.6	86.2-91.0	56	4.2	2.8- 5.6	36	3.4	1.8- 5.0	11	1.1	0.3- 1.9	34	2.0	1.2- 2.8	9	0.6	0.0- 1.2
Some Post-H.S.	1282	208,833	1164	89.5	87.1-91.9	65	5.9	3.9- 7.9	20	1.8	0.8- 2.8	6	0.6	0.0- 1.2	20	1.9	0.7- 3.1	7	0.2	0.0- 0.4
College Graduate	1760	205,854	1650	93.6	92.0-95.2	62	3.5	2.3- 4.7	20	1.5	0.7- 2.3	11	0.5	0.1- 0.9	12	0.6	0.0- 1.2	5	0.3	0.0- 0.7
Less than \$15,000	377	45,478	335	86.0	80.5-91.5	8	2.4	0.4- 4.4	9	4.5	0.0- 9.0	8	3.1	0.6- 5.6	12	3.1	0.9- 5.3	5	0.8	0.0- 1.6
\$15,000- 24,999	749	103,498	689	91.6	88.9-94.3	25	3.4	1.8- 5.0	14	2.8	0.8- 4.8	3	0.6	0.0- 1.2	15	1.4	0.4- 2.4	3	0.2	0.0- 0.4
\$25,000- 34,999	383	51,474	351	93.1	90.4-95.8	19	4.0	1.8- 6.2	4	1.0	0.0- 2.0				5	0.7	0.1- 1.3	4	1.1	0.0- 2.3
\$35,000- 49,999	555	79,275	496	87.8	83.7-91.9	29	5.9	3.2- 8.6	11	3.1	0.2- 6.0	8	1.2	0.2- 2.2	10	1.9	0.5- 3.3	1	0.1	0.0- 0.3
\$50,000- 74,999	627	90,584	581	91.5	88.0-95.0	25	4.6	1.9- 7.3	9	1.3	0.1- 2.5	3	0.3	0.0- 0.7	8	2.0	0.0- 4.0	1	0.4	0.0- 1.2
\$75,000+	1405	229,508	1309	91.6	89.4-93.8	55	4.2	2.8- 5.6	20	1.9	0.7- 3.1	6	0.7	0.0- 1.5	15	1.6	0.6- 2.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2179	345,317	1923	86.7	84.7-88.7	122	6.5	4.9- 8.1	50	2.9	1.7- 4.1	15	0.8	0.2- 1.4	55	2.7	1.7- 3.7	14	0.5	0.1- 0.9
White/Non-Hisp	1488	224,180	1308	86.9	84.5-89.3	86	6.0	4.4- 7.6	40	3.4	2.0- 4.8	12	1.0	0.2- 1.8	35	2.4	1.4- 3.4	7	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	253	64,560	216	83.5	77.2-89.8	19	9.8	4.7-14.9	3	1.7	0.0- 4.4	1	0.1	0.0- 0.3	10	3.6	1.1- 6.1	4	1.3	0.0- 2.9
Oth. Race/Non-Hisp.	105	18,223	96	94.2	88.9-99.5	2	1.4	0.0- 3.8	2	0.4	0.0- 1.0				2	1.8	0.0- 4.5	3	2.1	0.0- 5.8
Hispanic	239	26,852	218	87.5	80.2-94.8	10	6.6	1.1-12.1	2	1.1	0.0- 2.9	1	0.3	0.0- 0.9	8	4.4	0.0- 9.5			
18-24	149	42,875	122	79.4	71.2-87.6	17	12.0	5.7-18.3	3	3.6	0.0- 8.1	1	1.6	0.0- 4.7	6	3.4	0.0- 6.9			
25-34	225	59,735	192	82.2	75.5-88.9	14	8.3	3.2-13.4	8	4.1	0.8- 7.4				9	4.4	0.9- 7.9	2	1.0	0.0- 2.4
35-44	275	50,979	248	89.6	84.9-94.3	12	5.6	1.9- 9.3	4	0.9	0.0- 1.9	3	1.0	0.0- 2.2	7	2.8	0.3- 5.3	1	0.1	0.0- 0.3
45-54	335	54,939	296	89.8	86.3-93.3	20	5.3	2.8- 7.8	5	1.5	0.1- 2.9	5	1.0	0.0- 2.0	5	1.5	0.0- 3.3	4	0.9	0.1- 1.7
55-64	468	59,654	408	86.5	82.2-90.8	25	4.6	2.4- 6.8	19	5.5	2.0- 9.0	3	1.1	0.0- 2.3	9	1.4	0.4- 2.4	4	0.9	0.0- 2.3
65+	727	77,136	657	90.1	87.4-92.8	34	4.9	2.9- 6.9	11	1.9	0.3- 3.5	3	0.3	0.0- 0.7	19	2.6	1.2- 4.0	3	0.2	0.0- 0.4
Less Than H.S.	225	37,638	199	85.6	78.9-92.3	8	5.2	0.9- 9.5	4	2.5	0.0- 5.8	2	0.7	0.0- 1.7	11	5.5	1.2- 9.8	1	0.6	0.0- 1.8
H.S. or G.E.D.	618	113,200	528	85.3	81.4-89.2	34	5.3	2.9- 7.7	25	5.1	2.4- 7.8	5	1.2	0.0- 2.6	22	2.4	1.2- 3.6	4	0.7	0.0- 1.5
Some Post-H.S.	549	98,366	471	83.2	78.9-87.5	45	10.5	6.8-14.2	12	2.1	0.7- 3.5	3	0.6	0.0- 1.4	14	3.5	1.1- 5.9	4	0.2	0.0- 0.4
College Graduate	776	94,860	714	92.1	89.6-94.6	35	4.5	2.7- 6.3	9	1.3	0.1- 2.5	5	0.4	0.0- 0.8	8	1.1	0.1- 2.1	5	0.6	0.0- 1.4
Less than \$15,000	142	19,176	116	77.0	66.2-87.8	4	3.9	0.0- 8.0	7	9.7	0.0-19.7	5	3.7	0.2- 7.2	6	3.9	0.0- 7.8	4	1.7	0.0- 3.7
\$15,000- 24,999	299	41,495	268	89.2	84.7-93.7	9	3.2	0.8- 5.6	9	4.0	0.5- 7.5	1	0.3	0.0- 0.9	9	2.6	0.6- 4.6	3	0.6	0.0- 1.4
\$25,000- 34,999	148	21,272	129	89.2	83.7-94.7	10	5.5	1.6- 9.4	4	2.4	0.0- 4.9				3	1.1	0.0- 2.5	2	1.8	0.0- 4.3
\$35,000- 49,999	262	40,830	224	83.6	76.9-90.3	22	9.4	4.5-14.3	5	3.2	0.0- 7.7	3	1.2	0.0- 2.8	7	2.4	0.4- 4.4	1	0.2	0.0- 0.6
\$50,000- 74,999	283	45,552	255	88.4	82.5-94.3	18	6.6	1.9-11.3	2	0.8	0.0- 2.0	1	0.4	0.0- 1.2	6	3.0	0.0- 6.3	1	0.8	0.0- 2.4
\$75,000+	725	124,925	658	88.9	85.6-92.2	34	5.5	3.3- 7.7	16	2.3	0.9- 3.7	4	0.7	0.0- 1.7	13	2.7	0.9- 4.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	376,051	2594	93.9	92.5-95.3	74	2.4	1.6- 3.2	31	1.7	0.7- 2.7	16	0.7	0.3- 1.1	26	0.8	0.4- 1.2	10	0.4	0.0- 0.8
White/Non-Hisp	1890	244,073	1798	94.5	92.9-96.1	49	2.4	1.6- 3.2	17	1.8	0.6- 3.0	9	0.6	0.2- 1.0	11	0.5	0.1- 0.9	6	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	398	78,628	364	92.2	89.1-95.3	16	3.0	1.2- 4.8	5	1.3	0.0- 2.7	4	1.3	0.0- 2.7	5	1.2	0.0- 2.6	4	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	79	13,357	71	94.7	90.4-99.0	1	0.7	0.0- 2.1	4	2.2	0.0- 4.6	1	0.3	0.0- 0.9	2	2.2	0.0- 5.3			
Hispanic	272	29,481	256	94.7	91.6-97.8	7	2.7	0.3- 5.1	1	0.2	0.0- 0.6	2	0.8	0.0- 2.2	6	1.5	0.1- 2.9			
18-24	141	38,116	130	93.1	88.6-97.6	6	4.1	0.6- 7.6	3	2.3	0.0- 5.0				2	0.4	0.0- 1.0			
25-34	271	59,630	241	88.5	83.2-93.8	13	3.2	1.2- 5.2	7	4.7	0.2- 9.2	6	2.4	0.2- 4.6	4	1.2	0.0- 2.6			
35-44	312	54,577	293	92.9	89.2-96.6	7	2.1	0.3- 3.9	4	1.4	0.0- 3.2	1	0.8	0.0- 2.4	6	1.9	0.1- 3.7	1	0.9	0.0- 2.7
45-54	421	59,110	402	97.0	95.4-98.6	8	1.5	0.3- 2.7	2	0.4	0.0- 1.0	5	0.7	0.0- 1.5	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3
55-64	581	68,610	555	95.6	93.4-97.8	11	2.0	0.2- 3.8	7	1.0	0.2- 1.8				4	0.9	0.0- 1.9	4	0.5	0.0- 1.1
65+	1025	96,008	973	95.2	93.6-96.8	29	2.4	1.4- 3.4	8	1.0	0.0- 2.0	4	0.4	0.0- 0.8	7	0.5	0.1- 0.9	4	0.5	0.0- 1.1
Less Than H.S.	268	43,667	255	93.1	87.6-98.6	5	1.5	0.0- 3.1	1	2.4	0.0- 6.9	1	0.5	0.0- 1.5	4	1.2	0.0- 3.0	2	1.3	0.0- 3.7
H.S. or G.E.D.	754	109,614	698	92.0	89.5-94.5	22	3.2	1.6- 4.8	11	1.7	0.1- 3.3	6	1.0	0.0- 2.0	12	1.6	0.6- 2.6	5	0.5	0.0- 1.1
Some Post-H.S.	733	110,467	693	95.2	93.2-97.2	20	1.9	0.9- 2.9	8	1.5	0.0- 3.1	3	0.6	0.0- 1.4	6	0.6	0.0- 1.2	3	0.2	0.0- 0.4
College Graduate	984	110,994	936	94.9	92.9-96.9	27	2.6	1.2- 4.0	11	1.6	0.4- 2.8	6	0.6	0.0- 1.4	4	0.3	0.1- 0.5			
Less than \$15,000	235	26,302	219	92.6	88.1-97.1	4	1.3	0.0- 2.7	2	0.8	0.0- 2.0	3	2.6	0.0- 6.1	6	2.5	0.1- 4.9	1	0.2	0.0- 0.6
\$15,000- 24,999	450	62,002	421	93.2	89.9-96.5	16	3.4	1.4- 5.4	5	2.1	0.0- 4.5	2	0.7	0.0- 1.7	6	0.6	0.0- 1.2			
\$25,000- 34,999	235	30,201	222	95.9	93.4-98.4	9	3.0	0.6- 5.4							2	0.4	0.0- 1.0	2	0.7	0.0- 1.7
\$35,000- 49,999	293	38,445	272	92.3	87.6-97.0	7	2.1	0.1- 4.1	6	3.0	0.0- 6.7	5	1.2	0.0- 2.4	3	1.4	0.0- 3.4			
\$50,000- 74,999	344	45,032	326	94.6	91.1-98.1	7	2.5	0.0- 5.2	7	1.9	0.0- 3.9	2	0.2	0.0- 0.4	2	0.9	0.0- 2.3			
\$75,000+	680	104,583	651	94.9	92.4-97.4	21	2.6	1.2- 4.0	4	1.4	0.0- 3.4	2	0.7	0.0- 1.7	2	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2558	389,709	40	1.9	1.1- 2.7	14	0.7	0.3- 1.1	3	0.1	0.1- 0.1	3	0.1	0.0- 0.3	8	0.3	0.0- 0.7	2490	97.0	96.0-98.0
Male	1259	204,841	24	2.0	1.0- 3.0	11	1.0	0.2- 1.8	2	0.1	0.1- 0.1	2	0.1	0.0- 0.3	6	0.4	0.0- 0.8	1214	96.5	95.1-97.9
Female	1299	184,869	16	1.8	0.6- 3.0	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	2	0.2	0.0- 0.6	1276	97.5	96.1-98.9
White/Non-Hisp	1901	271,198	27	1.9	1.1- 2.7	8	0.5	0.1- 0.9	2	0.0	0.0- 0.0	2	0.1	0.0- 0.3	3	0.1	0.0- 0.3	1859	97.4	96.4-98.4
Black or Afr. Am./Non-Hisp	276	66,699	8	2.7	0.5- 4.9	4	1.9	0.0- 3.9	1	0.1	0.0- 0.3				2	1.3	0.0- 3.1	261	94.1	90.8-97.4
Oth. Race/Non-Hisp.	86	15,770	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9							2	0.4	0.0- 1.0	82	98.5	96.7- 100
Hispanic	204	25,269	3	0.8	0.0- 2.0	1	0.2	0.0- 0.6				1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	198	98.5	97.1-99.9
18-24	153	42,775	2	0.8	0.0- 2.0	2	1.6	0.0- 4.1										149	97.6	94.9- 100
25-34	274	73,554	11	4.8	1.7- 7.9	3	1.3	0.0- 2.9							1	0.5	0.0- 1.5	259	93.4	89.9-96.9
35-44	332	61,580	6	1.6	0.2- 3.0	3	0.7	0.0- 1.7	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4	1.2	0.0- 2.8	317	96.4	94.0-98.8
45-54	424	64,445	6	1.8	0.2- 3.4				1	0.1	0.0- 0.3	1	0.3	0.0- 0.9				416	97.8	96.2-99.4
55-64	522	64,652	9	1.7	0.5- 2.9	4	0.7	0.0- 1.5				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	507	97.3	95.7-98.9
65+	853	82,704	6	0.4	0.0- 0.8	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3				2	0.1	0.0- 0.3	842	99.2	98.6-99.8
Less Than H.S.	132	24,223	2	2.2	0.0- 6.1	1	1.2	0.0- 3.6							4	2.6	0.0- 5.7	125	94.0	88.5-99.5
H.S. or G.E.D.	600	105,400	5	0.8	0.0- 1.6	7	1.2	0.0- 2.4				1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	586	97.9	96.5-99.3
Some Post-H.S.	679	119,506	14	2.8	1.0- 4.6	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3				659	96.6	94.8-98.4
College Graduate	1137	139,358	19	1.9	0.9- 2.9	3	0.5	0.0- 1.3	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0	1110	97.0	95.6-98.4
Less than \$15,000	108	15,182	2	4.1	0.0-10.6	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5				1	0.6	0.0- 1.8	103	94.5	87.8- 100
\$15,000- 24,999	285	43,166	3	0.5	0.0- 1.3	4	2.4	0.0- 4.9				1	0.1	0.0- 0.3				277	97.0	94.3-99.7
\$25,000- 34,999	162	23,620	3	1.4	0.0- 3.0	1	0.2	0.0- 0.6				1	0.3	0.0- 0.9				157	98.1	96.3-99.9
\$35,000- 49,999	287	41,820	7	2.4	0.0- 4.8	1	0.7	0.0- 2.1							1	0.1	0.0- 0.3	278	96.7	94.0-99.4
\$50,000- 74,999	364	53,610	8	3.2	0.7- 5.7	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3							354	96.5	94.0-99.0
\$75,000+	981	160,762	15	2.0	0.8- 3.2	5	0.7	0.0- 1.5	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0	956	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1259	204,841	24	2.0	1.0- 3.0	11	1.0	0.2- 1.8	2	0.1	0.1- 0.1	2	0.1	0.0- 0.3	6	0.4	0.0- 0.8	1214	96.5	95.1-97.9
White/Non-Hisp	914	141,551	17	2.4	1.2- 3.6	7	0.8	0.0- 1.6	2	0.1	0.0- 0.3	2	0.2	0.0- 0.4	2	0.1	0.0- 0.3	884	96.4	94.8-98.0
Black or Afr. Am./Non-Hisp	122	33,026	3	1.1	0.0- 2.5	2	2.0	0.0- 4.7							1	1.4	0.0- 4.1	116	95.4	91.3-99.5
Oth. Race/Non-Hisp.	56	9,399	1	1.3	0.0- 3.8	1	0.5	0.0- 1.7							2	0.7	0.0- 1.9	52	97.4	94.5- 100
Hispanic	120	15,592	3	1.3	0.0- 3.3	1	0.3	0.0- 0.9							1	0.6	0.0- 1.8	115	97.8	95.4- 100
18-24	86	24,738	1	0.6	0.0- 1.8	1	2.1	0.0- 6.2										84	97.3	93.0- 100
25-34	138	39,328	7	4.4	0.9- 7.9	1	0.9	0.0- 2.7										130	94.7	90.8-98.6
35-44	167	31,067	4	1.9	0.0- 3.9	3	1.3	0.0- 3.3							4	2.4	0.0- 5.5	156	94.4	90.3-98.5
45-54	201	33,643	4	2.6	0.0- 5.3				1	0.2	0.0- 0.6	1	0.6	0.0- 1.8				195	96.7	93.8-99.6
55-64	247	31,633	5	1.8	0.0- 3.6	4	1.5	0.0- 3.1				1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	236	96.3	93.9-98.7
65+	420	44,431	3	0.4	0.0- 0.8	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6				1	0.0	0.0- 0.0	413	99.0	98.2-99.8
Less Than H.S.	87	16,024	2	3.3	0.0- 9.2	1	1.9	0.0- 5.6							3	1.6	0.0- 3.6	81	93.2	86.1- 100
H.S. or G.E.D.	321	61,006	3	0.9	0.0- 1.9	5	1.1	0.0- 2.5							1	0.0	0.0- 0.0	312	97.9	96.3-99.5
Some Post-H.S.	317	59,021	9	2.9	0.7- 5.1	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3				304	96.4	94.2-98.6
College Graduate	529	68,114	10	1.9	0.7- 3.1	3	1.0	0.0- 2.6	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	2	0.8	0.0- 2.2	512	96.0	93.6-98.4
Less than \$15,000	58	8,172	1	1.7	0.0- 5.0	1	0.6	0.0- 1.8							1	1.1	0.0- 3.3	55	96.6	92.5- 100
\$15,000- 24,999	130	19,523	3	1.1	0.0- 2.7	2	2.3	0.0- 6.0										125	96.5	92.4- 100
\$25,000- 34,999	68	11,364	2	2.3	0.0- 5.4	1	0.5	0.0- 1.5				1	0.7	0.0- 2.1				64	96.6	93.1- 100
\$35,000- 49,999	152	24,380	2	0.9	0.0- 2.3	1	1.2	0.0- 3.6							1	0.2	0.0- 0.6	148	97.7	95.0- 100
\$50,000- 74,999	162	25,578	6	5.0	0.3- 9.7	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9							154	94.4	89.7-99.1
\$75,000+	520	89,692	9	2.1	0.7- 3.5	4	1.0	0.0- 2.2	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6	503	96.1	93.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1299	184,869	16	1.8	0.6- 3.0	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	2	0.2	0.0- 0.6	1276	97.5	96.1-98.9
White/Non-Hisp	987	129,647	10	1.4	0.2- 2.6	1	0.1	0.0- 0.3							1	0.0	0.0- 0.0	975	98.4	97.2-99.6
Black or Afr. Am./Non-Hisp	154	33,673	5	4.2	0.1- 8.3	2	1.7	0.0- 4.2	1	0.2	0.0- 0.6				1	1.1	0.0- 3.3	145	92.8	87.5-98.1
Hispanic	84	9,678										1	0.3	0.0- 0.9				83	99.7	99.1- 100
18-24	67	18,037	1	1.1	0.0- 3.3	1	0.8	0.0- 2.4										65	98.1	95.4- 100
25-34	136	34,226	4	5.3	0.0-10.6	2	1.8	0.0- 4.5							1	1.1	0.0- 3.3	129	91.9	85.6-98.2
35-44	165	30,512	2	1.3	0.0- 3.3				1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				161	98.3	96.3- 100
45-54	223	30,802	2	0.9	0.0- 2.3													221	99.1	97.7- 100
55-64	275	33,019	4	1.6	0.0- 3.4													271	98.4	96.6- 100
65+	433	38,273	3	0.4	0.0- 0.8										1	0.2	0.0- 0.6	429	99.5	98.9- 100
H.S. or G.E.D.	279	44,394	2	0.7	0.0- 1.7	2	1.3	0.0- 3.3				1	0.1	0.0- 0.3				274	97.9	95.7- 100
Some Post-H.S.	362	60,485	5	2.7	0.0- 5.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3							355	96.8	93.9-99.7
College Graduate	608	71,245	9	2.0	0.4- 3.6										1	0.1	0.0- 0.3	598	98.0	96.4-99.6
Less than \$15,000	50	7,010	1	7.0	0.0-20.1				1	1.1	0.0- 3.3							48	91.9	78.6- 100
\$15,000- 24,999	155	23,644				2	2.4	0.0- 6.1				1	0.1	0.0- 0.3				152	97.5	93.8- 100
\$25,000- 34,999	94	12,256	1	0.5	0.0- 1.5													93	99.5	98.5- 100
\$35,000- 49,999	135	17,440	5	4.5	0.0- 9.6													130	95.5	90.4- 100
\$50,000- 74,999	202	28,031	2	1.5	0.0- 3.7													200	98.5	96.3- 100
\$75,000+	461	71,070	6	1.9	0.0- 4.1	1	0.3	0.0- 0.9							1	0.1	0.0- 0.3	453	97.7	95.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	220
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	221
HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
3 FEMALES ONLY	222
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
4 FEMALES ONLY	223
AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)	
5 FEMALES ONLY	224
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)	
6 FEMALES ONLY	225
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	226

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 14: BREAST/CERVICAL CANCER SCREENING  
 TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	372,649	2196	71.6	69.1-74.1	533	28.4	25.9-30.9
White/Non-Hisp	1881	242,048	1613	76.5	73.6-79.4	268	23.5	20.6-26.4
Black or Afr. Am./Non-Hisp	395	78,347	303	66.6	59.9-73.3	92	33.4	26.7-40.1
Oth. Race/Non-Hisp.	75	12,781	55	61.8	44.2-79.4	20	38.2	20.6-55.8
Hispanic	270	29,509	139	47.5	39.1-55.9	131	52.5	44.1-60.9
18-24	138	37,606	17	9.8	4.3-15.3	121	90.2	84.7-95.7
25-34	262	57,945	73	34.2	26.2-42.2	189	65.8	57.8-73.8
35-44	311	54,546	159	51.8	44.7-58.9	152	48.2	41.1-55.3
45-54	416	58,487	386	93.4	90.7-96.1	30	6.6	3.9-9.3
55-64	578	68,449	560	97.6	96.4-98.8	18	2.4	1.2-3.6
65+	1024	95,616	1001	97.8	96.8-98.8	23	2.2	1.2-3.2
Less Than H.S.	268	43,701	179	62.9	53.9-71.9	89	37.1	28.1-46.1
H.S. or G.E.D.	750	109,257	610	75.7	71.0-80.4	140	24.3	19.6-29.0
Some Post-H.S.	722	108,419	583	69.1	64.0-74.2	139	30.9	25.8-36.0
College Graduate	977	109,962	816	73.5	69.4-77.6	161	26.5	22.4-30.6
Less than \$15,000	234	26,249	175	66.1	57.3-74.9	59	33.9	25.1-42.7
\$15,000- 24,999	446	61,754	343	70.4	64.1-76.7	103	29.6	23.3-35.9
\$25,000- 34,999	233	30,033	184	70.3	62.3-78.3	49	29.7	21.7-37.7
\$35,000- 49,999	290	38,123	239	69.3	60.3-78.3	51	30.7	21.7-39.7
\$50,000- 74,999	342	44,240	281	72.4	65.3-79.5	61	27.6	20.5-34.7
\$75,000+	675	103,791	569	75.5	70.6-80.4	106	24.5	19.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2148	261,977	1415	65.8	63.1-68.5	363	16.4	14.2-18.6	104	5.3	3.9- 6.7	89	4.7	3.5- 5.9	177	7.8	6.4- 9.2
White/Non-Hisp	1582	182,197	1028	64.4	61.3-67.5	272	17.5	15.0-20.0	72	5.2	3.6- 6.8	71	4.8	3.4- 6.2	139	8.1	6.5- 9.7
Black or Afr. Am./Non-Hisp	295	51,061	211	70.2	63.1-77.3	45	14.1	8.4-19.8	12	3.6	1.1- 6.1	12	5.6	1.9- 9.3	15	6.5	2.6-10.4
Oth. Race/Non-Hisp.	55	7,901	39	66.9	43.6-90.2	7	7.6	0.7-14.5	4	16.7	0.0-40.6				5	8.8	0.0-21.0
Hispanic	136	13,906	81	62.0	51.4-72.6	30	20.0	11.4-28.6	11	6.6	1.7-11.5	3	3.5	0.0- 8.2	11	7.9	2.4-13.4
25-34	73	19,833	37	54.9	39.6-70.2	15	17.4	5.6-29.2	8	12.7	1.1-24.3	6	10.2	1.8-18.6	7	4.7	0.6- 8.8
35-44	156	28,056	87	59.5	50.1-68.9	30	16.0	9.1-22.9	12	6.3	2.0-10.6	6	4.1	0.4- 7.8	21	14.1	7.6-20.6
45-54	379	53,141	249	66.6	60.3-72.9	80	21.4	15.9-26.9	20	5.6	2.3- 8.9	15	3.4	1.4- 5.4	15	3.0	1.2- 4.8
55-64	556	66,479	392	72.0	67.3-76.7	86	14.1	10.6-17.6	21	3.2	1.6- 4.8	18	2.7	1.3- 4.1	39	8.0	5.1-10.9
65+	967	90,782	639	65.2	61.3-69.1	150	15.4	12.5-18.3	42	4.6	2.8- 6.4	42	5.4	3.0- 7.8	94	9.5	7.0-12.0
Less Than H.S.	169	26,447	110	58.1	47.1-69.1	30	16.7	8.1-25.3	7	6.6	0.7-12.5	7	8.1	1.4-14.8	15	10.6	4.1-17.1
H.S. or G.E.D.	596	81,395	388	66.2	60.9-71.5	103	16.6	12.5-20.7	27	5.7	2.4- 9.0	28	4.7	2.5- 6.9	50	6.9	4.7- 9.1
Some Post-H.S.	571	73,466	351	64.0	59.1-68.9	101	16.6	12.9-20.3	34	5.3	3.1- 7.5	25	3.8	2.0- 5.6	60	10.2	7.1-13.3
College Graduate	804	79,897	559	69.3	65.2-73.4	129	16.1	12.8-19.4	35	4.3	2.5- 6.1	29	4.5	2.3- 6.7	52	5.7	3.5- 7.9
Less than \$15,000	170	16,919	95	50.0	38.8-61.2	36	27.6	15.6-39.6	11	4.2	1.3- 7.1	6	7.7	0.1-15.3	22	10.5	5.0-16.0
\$15,000- 24,999	334	42,317	207	67.7	61.0-74.4	53	13.6	8.9-18.3	24	6.5	3.2- 9.8	13	4.0	1.3- 6.7	37	8.2	4.5-11.9
\$25,000- 34,999	180	20,545	107	58.7	49.1-68.3	36	18.0	11.5-24.5	8	3.5	0.6- 6.4	13	10.4	3.3-17.5	16	9.3	3.8-14.8
\$35,000- 49,999	237	26,322	147	61.7	53.9-69.5	47	19.5	13.4-25.6	11	5.5	1.2- 9.8	10	3.8	0.9- 6.7	22	9.5	5.0-14.0
\$50,000- 74,999	275	31,279	182	65.9	57.7-74.1	44	15.5	9.8-21.2	12	7.1	0.0-14.2	13	3.5	1.5- 5.5	24	8.0	4.1-11.9
\$75,000+	566	78,122	402	68.5	63.4-73.6	97	17.4	13.1-21.7	24	4.5	2.3- 6.7	23	5.3	2.8- 7.8	20	4.3	2.1- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 14: BREAST/CERVICAL CANCER SCREENING  
 TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	372,058	2511	89.4	87.4-91.4	209	10.6	8.6-12.6
White/Non-Hisp	1868	240,578	1762	91.4	89.0-93.8	106	8.6	6.2-11.0
Black or Afr. Am./Non-Hisp	395	78,329	364	88.7	83.8-93.6	31	11.3	6.4-16.2
Oth. Race/Non-Hisp.	75	13,173	58	67.2	50.0-84.4	17	32.8	15.6-50.0
Hispanic	272	29,590	227	84.0	78.5-89.5	45	16.0	10.5-21.5
18-24	141	38,116	59	45.2	33.8-56.6	82	54.8	43.4-66.2
25-34	266	58,653	239	87.6	80.7-94.5	27	12.4	5.5-19.3
35-44	311	54,573	296	95.3	92.4-98.2	15	4.7	1.8- 7.6
45-54	414	58,038	403	98.0	96.4-99.6	11	2.0	0.4- 3.6
55-64	575	68,089	561	98.3	97.3-99.3	14	1.7	0.7- 2.7
65+	1013	94,588	953	93.2	91.2-95.2	60	6.8	4.8- 8.8
Less Than H.S.	268	43,739	233	78.8	69.0-88.6	35	21.2	11.4-31.0
H.S. or G.E.D.	747	108,822	668	83.9	79.6-88.2	79	16.1	11.8-20.4
Some Post-H.S.	720	108,436	671	93.0	90.6-95.4	49	7.0	4.6- 9.4
College Graduate	973	109,750	929	95.4	93.8-97.0	44	4.6	3.0- 6.2
Less than \$15,000	233	26,204	204	86.9	81.6-92.2	29	13.1	7.8-18.4
\$15,000- 24,999	448	62,010	413	91.6	88.3-94.9	35	8.4	5.1-11.7
\$25,000- 34,999	232	29,572	216	87.0	80.1-93.9	16	13.0	6.1-19.9
\$35,000- 49,999	289	38,153	277	91.1	84.2-98.0	12	8.9	2.0-15.8
\$50,000- 74,999	340	43,923	317	90.5	84.8-96.2	23	9.5	3.8-15.2
\$75,000+	673	103,911	650	94.4	91.1-97.7	23	5.6	2.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2417	323,494	1064	49.3	46.6-52.0	498	21.8	19.6-24.0	206	7.6	6.2- 9.0	182	6.3	5.1- 7.5	467	15.1	13.3-16.9
White/Non-Hisp	1696	214,591	693	46.1	43.0-49.2	349	22.1	19.6-24.6	142	8.3	6.5-10.1	138	6.8	5.4- 8.2	374	16.8	14.8-18.8
Black or Afr. Am./Non-Hisp	350	67,166	192	58.9	52.0-65.8	71	20.6	14.7-26.5	24	4.5	1.8- 7.2	20	4.8	1.9- 7.7	43	11.1	7.0-15.2
Oth. Race/Non-Hisp.	58	8,855	32	58.2	37.6-78.8	9	24.6	3.6-45.6	4	2.9	0.0- 6.0	3	2.5	0.0- 5.6	10	11.9	0.0-23.9
Hispanic	224	24,253	106	46.5	36.7-56.3	57	25.2	17.2-33.2	32	13.9	8.2-19.6	13	5.4	1.9- 8.9	16	9.1	3.0-15.2
18-24	59	17,213	41	70.8	55.5-86.1	15	24.0	10.3-37.7	2	4.9	0.0-13.5	1	0.4	0.0- 1.2			
25-34	239	51,382	144	61.1	53.3-68.9	62	26.2	19.1-33.3	16	5.3	1.8- 8.8	9	5.0	1.1- 8.9	8	2.5	0.5- 4.5
35-44	294	51,678	164	60.5	53.4-67.6	73	23.7	17.6-29.8	24	6.5	3.4- 9.6	10	1.9	0.3- 3.5	23	7.4	3.5-11.3
45-54	395	55,346	210	54.0	47.7-60.3	85	21.6	16.1-27.1	39	9.1	5.6-12.6	26	7.2	3.9-10.5	35	8.1	5.0-11.2
55-64	543	64,901	273	51.1	45.8-56.4	108	20.9	16.6-25.2	43	8.0	5.3-10.7	38	6.2	3.8- 8.6	81	13.9	10.4-17.4
65+	887	82,972	232	25.9	22.2-29.6	155	18.3	15.0-21.6	82	9.1	6.7-11.5	98	10.4	8.0-12.8	320	36.3	32.0-40.6
Less Than H.S.	224	32,945	97	41.1	32.5-49.7	42	16.6	10.3-22.9	26	12.4	6.5-18.3	19	8.7	3.8-13.6	40	21.2	13.6-28.8
H.S. or G.E.D.	634	88,143	268	48.1	42.8-53.4	127	21.4	17.1-25.7	49	5.7	3.9- 7.5	46	6.9	4.2- 9.6	144	17.9	14.4-21.4
Some Post-H.S.	649	98,508	256	47.8	42.5-53.1	134	21.4	17.1-25.7	61	9.2	6.1-12.3	51	6.2	4.2- 8.2	147	15.4	12.3-18.5
College Graduate	902	102,908	439	54.2	49.9-58.5	192	24.0	20.3-27.7	70	6.3	4.5- 8.1	66	5.1	3.7- 6.5	135	10.5	8.1-12.9
Less than \$15,000	193	21,964	79	39.3	29.5-49.1	31	21.7	11.3-32.1	24	11.1	5.6-16.6	17	9.8	3.5-16.1	42	18.1	10.7-25.5
\$15,000- 24,999	402	55,275	174	54.4	47.7-61.1	82	19.6	14.7-24.5	33	6.3	3.8- 8.8	27	5.6	2.7- 8.5	86	14.1	10.2-18.0
\$25,000- 34,999	210	25,320	86	49.9	40.9-58.9	39	16.7	11.0-22.4	14	5.5	2.4- 8.6	16	5.9	2.0- 9.8	55	22.1	14.7-29.5
\$35,000- 49,999	269	34,096	109	48.5	40.3-56.7	59	20.4	14.5-26.3	16	4.2	2.0- 6.4	14	5.0	1.5- 8.5	71	21.9	16.0-27.8
\$50,000- 74,999	311	39,416	131	48.3	40.9-55.7	65	20.7	15.0-26.4	25	7.4	3.7-11.1	29	9.4	4.9-13.9	61	14.2	9.7-18.7
\$75,000+	646	97,672	336	54.2	49.3-59.1	139	23.8	19.3-28.3	59	9.2	6.1-12.3	49	5.1	3.3- 6.9	63	7.7	5.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2012	284,732	980	54.5	51.6-57.4	1032	45.5	42.6-48.4
White/Non-Hisp	1329	177,377	633	55.1	51.6-58.6	696	44.9	41.4-48.4
Black or Afr. Am./Non-Hisp	306	63,047	172	58.3	50.9-65.7	134	41.7	34.3-49.1
Oth. Race/Non-Hisp.	55	9,202	25	33.1	15.9-50.3	30	66.9	49.7-84.1
Hispanic	234	26,590	106	48.8	39.4-58.2	128	51.2	41.8-60.6
18-24	121	33,963	45	42.8	30.5-55.1	76	57.2	44.9-69.5
25-34	229	50,708	162	72.6	65.0-80.2	67	27.4	19.8-35.0
35-44	261	46,316	182	74.5	68.2-80.8	79	25.5	19.2-31.8
45-54	307	41,473	209	66.7	60.0-73.4	98	33.3	26.6-40.0
55-64	402	45,779	200	49.8	43.7-55.9	202	50.2	44.1-56.3
65+	692	66,492	182	28.6	24.1-33.1	510	71.4	66.9-75.9
Less Than H.S.	206	34,464	86	45.9	35.7-56.1	120	54.1	43.9-64.3
H.S. or G.E.D.	565	87,922	250	48.4	42.7-54.1	315	51.6	45.9-57.3
Some Post-H.S.	538	83,009	285	61.6	56.3-66.9	253	38.4	33.1-43.7
College Graduate	696	78,556	359	58.3	53.6-63.0	337	41.7	37.0-46.4
Less than \$15,000	178	20,945	76	47.3	36.5-58.1	102	52.7	41.9-63.5
\$15,000- 24,999	356	51,620	158	53.1	46.0-60.2	198	46.9	39.8-54.0
\$25,000- 34,999	164	22,515	83	55.3	45.3-65.3	81	44.7	34.7-54.7
\$35,000- 49,999	218	29,978	101	50.8	41.2-60.4	117	49.2	39.6-58.8
\$50,000- 74,999	254	32,803	122	53.4	45.0-61.8	132	46.6	38.2-55.0
\$75,000+	487	77,084	298	66.3	60.8-71.8	189	33.7	28.2-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	879	139,311	389	48.0	43.5-52.5	200	23.6	19.7-27.5	73	7.3	5.3- 9.3	61	7.0	4.6- 9.4	156	14.1	11.4-16.8
White/Non-Hisp	559	86,292	218	43.5	38.0-49.0	130	23.5	19.0-28.0	46	7.4	4.9- 9.9	49	9.4	6.1-12.7	116	16.2	12.5-19.9
Black or Afr. Am./Non-Hisp	158	34,025	86	56.8	46.4-67.2	43	29.2	19.2-39.2	6	4.6	0.3- 8.9	5	2.2	0.0- 4.6	18	7.2	2.9-11.5
Hispanic	103	12,542	55	56.2	41.7-70.7	20	16.9	7.5-26.3	17	15.2	6.6-23.8	3	4.3	0.0- 9.8	8	7.5	0.0-16.1
25-34	153	33,801	78	55.1	45.1-65.1	40	24.9	16.5-33.3	15	6.1	2.6- 9.6	9	8.0	1.7-14.3	11	5.8	1.7- 9.9
35-44	162	30,543	75	43.2	33.8-52.6	32	17.8	10.7-24.9	16	9.9	4.0-15.8	10	7.5	2.2-12.8	29	21.5	13.1-29.9
45-54	185	24,478	81	41.8	32.8-50.8	48	32.2	22.4-42.0	12	6.1	2.4- 9.8	12	6.2	2.3-10.1	32	13.7	8.2-19.2
55-64	180	20,677	76	44.7	35.7-53.7	43	26.0	17.8-34.2	16	9.0	4.1-13.9	12	7.1	2.4-11.8	33	13.3	8.2-18.4
65+	158	16,415	52	33.2	23.8-42.6	24	15.7	8.6-22.8	14	10.2	3.7-16.7	17	10.6	5.1-16.1	51	30.3	21.3-39.3
Less Than H.S.	77	14,298	37	55.4	39.9-70.9	14	10.5	3.6-17.4	11	11.7	3.9-19.5	5	7.0	0.3-13.7	10	15.5	4.3-26.7
H.S. or G.E.D.	225	37,615	110	51.3	42.5-60.1	51	26.0	18.0-34.0	17	4.6	2.1- 7.1	12	6.3	1.8-10.8	35	11.8	7.1-16.5
Some Post-H.S.	255	46,021	108	49.5	41.3-57.7	65	25.3	18.2-32.4	19	7.1	3.2-11.0	16	6.0	2.1- 9.9	47	12.0	7.7-16.3
College Graduate	322	41,377	134	40.8	33.9-47.7	70	24.1	17.8-30.4	26	8.2	4.3-12.1	28	8.8	4.7-12.9	64	18.0	12.3-23.7
Less than \$15,000	70	9,034	39	45.2	28.5-61.9	9	27.9	7.5-48.3	8	10.4	1.8-19.0	2	3.8	0.0- 9.1	12	12.8	3.6-22.0
\$15,000- 24,999	149	25,413	77	58.7	48.3-69.1	37	24.2	15.2-33.2	8	5.6	1.3- 9.9	12	6.0	1.9-10.1	15	5.6	2.3- 8.9
\$25,000- 34,999	79	11,875	38	65.5	53.2-77.8	17	19.1	8.9-29.3	5	2.9	0.0- 6.2	5	3.7	0.4- 7.0	14	8.8	3.3-14.3
\$35,000- 49,999	94	14,009	44	55.6	41.9-69.3	25	22.6	12.8-32.4	7	5.6	1.1-10.1	2	3.1	0.0- 7.8	16	13.1	5.8-20.4
\$50,000- 74,999	104	14,813	40	38.6	26.1-51.1	23	20.8	11.2-30.4	10	14.5	4.1-24.9	8	11.0	1.4-20.6	23	15.2	6.8-23.6
\$75,000+	262	45,587	101	40.0	32.4-47.6	62	23.7	17.2-30.2	24	7.6	4.3-10.9	20	9.1	4.2-14.0	55	19.6	13.5-25.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 14: BREAST/CERVICAL CANCER SCREENING  
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2692	366,905	676	20.1	18.3-21.9	2016	79.9	78.1-81.7
White/Non-Hisp	1858	237,844	498	22.5	20.1-24.9	1360	77.5	75.1-79.9
Black or Afr. Am./Non-Hisp	389	77,557	111	19.6	14.9-24.3	278	80.4	75.7-85.1
Oth. Race/Non-Hisp.	73	12,333	11	4.2	1.1- 7.3	62	95.8	92.7-98.9
Hispanic	266	29,221	24	7.8	3.7-11.9	242	92.2	88.1-96.3
18-24	136	36,465				136	100.0	100.0- 100
25-34	256	56,840	2	0.6	0.0- 1.6	254	99.4	98.4- 100
35-44	305	53,720	32	7.9	4.8-11.0	273	92.1	89.0-95.2
45-54	410	57,475	83	22.7	17.0-28.4	327	77.3	71.6-83.0
55-64	576	68,013	174	30.6	25.9-35.3	402	69.4	64.7-74.1
65+	1009	94,391	385	37.4	33.7-41.1	624	62.6	58.9-66.3
Less Than H.S.	262	42,721	52	17.4	11.5-23.3	210	82.6	76.7-88.5
H.S. or G.E.D.	736	107,203	204	22.6	18.9-26.3	532	77.4	73.7-81.1
Some Post-H.S.	718	107,926	228	24.2	20.5-27.9	490	75.8	72.1-79.5
College Graduate	964	107,745	189	14.5	12.0-17.0	775	85.5	83.0-88.0
Less than \$15,000	230	25,814	69	25.0	16.6-33.4	161	75.0	66.6-83.4
\$15,000- 24,999	438	60,621	115	19.8	15.5-24.1	323	80.2	75.9-84.5
\$25,000- 34,999	229	29,141	70	24.5	17.6-31.4	159	75.5	68.6-82.4
\$35,000- 49,999	287	37,780	85	22.8	16.9-28.7	202	77.2	71.3-83.1
\$50,000- 74,999	338	43,893	90	21.7	16.4-27.0	248	78.3	73.0-83.6
\$75,000+	670	102,640	125	15.6	12.3-18.9	545	84.4	81.1-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 15: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCPSAAD3) MALES ONLY	228
2 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1) MALES ONLY	229
3 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1) MALES ONLY	230
4 HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1) MALES ONLY	231
5 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME) MALES ONLY	232
6 WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST - WAS IT ...? (PCPSARS1) MALES ONLY	233

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?  
(PCPSAAD3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1580	207,953	794	45.5	42.4-48.6	786	54.5	51.4-57.6
White/Non-Hisp	1168	146,835	620	48.7	45.2-52.2	548	51.3	47.8-54.8
Black or Afr. Am./Non-Hisp	190	40,464	89	40.8	32.2-49.4	101	59.2	50.6-67.8
Oth. Race/Non-Hisp.	53	5,822	17	29.1	12.6-45.6	36	70.9	54.4-87.4
Hispanic	102	9,204	27	19.1	10.3-27.9	75	80.9	72.1-89.7
35-44	118	25,087	15	14.2	6.0-22.4	103	85.8	77.6-94.0
45-54	318	52,179	90	30.3	23.8-36.8	228	69.7	63.2-76.2
55-64	454	58,356	233	49.9	44.0-55.8	221	50.1	44.2-56.0
65+	690	72,332	456	63.8	59.3-68.3	234	36.2	31.7-40.7
Less Than H.S.	132	20,913	38	31.4	21.0-41.8	94	68.6	58.2-79.0
H.S. or G.E.D.	433	66,361	180	37.8	32.1-43.5	253	62.2	56.5-67.9
Some Post-H.S.	400	58,034	201	47.6	41.5-53.7	199	52.4	46.3-58.5
College Graduate	608	61,743	374	57.0	52.1-61.9	234	43.0	38.1-47.9
Less than \$15,000	92	10,919	23	22.1	10.7-33.5	69	77.9	66.5-89.3
\$15,000- 24,999	197	23,929	69	30.2	22.4-38.0	128	69.8	62.0-77.6
\$25,000- 34,999	111	13,014	44	38.6	27.2-50.0	67	61.4	50.0-72.8
\$35,000- 49,999	188	24,719	88	43.4	34.4-52.4	100	56.6	47.6-65.6
\$50,000- 74,999	218	26,423	112	44.1	36.3-51.9	106	55.9	48.1-63.7
\$75,000+	555	79,092	335	53.0	47.7-58.3	220	47.0	41.7-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1571	206,485	359	21.1	18.6-23.6	1212	78.9	76.4-81.4
White/Non-Hisp	1164	145,741	267	21.2	18.5-23.9	897	78.8	76.1-81.5
Black or Afr. Am./Non-Hisp	190	39,989	48	23.7	16.4-31.0	142	76.3	69.0-83.6
Oth. Race/Non-Hisp.	54	6,022	11	14.7	2.4-27.0	43	85.3	73.0-97.6
Hispanic	99	9,220	14	11.1	3.3-18.9	85	88.9	81.1-96.7
35-44	117	24,306	4	1.7	0.0- 3.7	113	98.3	96.3- 100
45-54	317	51,889	53	19.2	13.5-24.9	264	80.8	75.1-86.5
55-64	450	57,846	109	23.6	18.9-28.3	341	76.4	71.7-81.1
65+	687	72,444	193	27.0	23.1-30.9	494	73.0	69.1-76.9
Less Than H.S.	131	21,084	20	16.6	8.6-24.6	111	83.4	75.4-91.4
H.S. or G.E.D.	427	65,473	77	17.3	13.0-21.6	350	82.7	78.4-87.0
Some Post-H.S.	399	57,399	93	22.7	17.6-27.8	306	77.3	72.2-82.4
College Graduate	605	61,385	169	25.6	21.5-29.7	436	74.4	70.3-78.5
Less than \$15,000	93	10,903	14	10.3	4.6-16.0	79	89.7	84.0-95.4
\$15,000- 24,999	196	24,240	25	13.4	7.3-19.5	171	86.6	80.5-92.7
\$25,000- 34,999	112	13,157	20	22.1	11.7-32.5	92	77.9	67.5-88.3
\$35,000- 49,999	188	24,889	30	15.2	8.9-21.5	158	84.8	78.5-91.1
\$50,000- 74,999	218	26,525	55	21.4	15.3-27.5	163	78.6	72.5-84.7
\$75,000+	556	78,833	154	25.2	20.7-29.7	402	74.8	70.3-79.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1559	206,097	763	43.1	40.0-46.2	796	56.9	53.8-60.0
White/Non-Hisp	1157	146,021	605	46.6	43.1-50.1	552	53.4	49.9-56.9
Black or Afr. Am./Non-Hisp	186	39,426	79	37.0	28.4-45.6	107	63.0	54.4-71.6
Oth. Race/Non-Hisp.	54	6,028	24	38.9	21.7-56.1	30	61.1	43.9-78.3
Hispanic	98	9,138	20	16.4	7.4-25.4	78	83.6	74.6-92.6
35-44	117	24,542	15	10.2	4.3-16.1	102	89.8	83.9-95.7
45-54	314	51,864	78	25.0	18.9-31.1	236	75.0	68.9-81.1
55-64	440	56,635	228	52.0	46.1-57.9	212	48.0	42.1-53.9
65+	688	73,057	442	60.2	55.7-64.7	246	39.8	35.3-44.3
Less Than H.S.	130	21,092	31	25.7	16.1-35.3	99	74.3	64.7-83.9
H.S. or G.E.D.	425	64,800	168	35.4	29.7-41.1	257	64.6	58.9-70.3
Some Post-H.S.	397	58,109	198	46.7	40.6-52.8	199	53.3	47.2-59.4
College Graduate	598	60,952	363	54.2	49.3-59.1	235	45.8	40.9-50.7
Less than \$15,000	94	11,028	26	18.8	10.8-26.8	68	81.2	73.2-89.2
\$15,000- 24,999	196	24,155	64	27.7	19.9-35.5	132	72.3	64.5-80.1
\$25,000- 34,999	112	13,106	44	36.5	25.3-47.7	68	63.5	52.3-74.7
\$35,000- 49,999	185	24,726	87	44.3	35.1-53.5	98	55.7	46.5-64.9
\$50,000- 74,999	211	25,082	112	44.9	36.9-52.9	99	55.1	47.1-63.1
\$75,000+	553	79,350	322	50.5	45.2-55.8	231	49.5	44.2-54.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 40 years old.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	755	87,679	689	90.1	87.4-92.8	66	9.9	7.2-12.6
White/Non-Hisp	601	67,599	557	90.9	87.8-94.0	44	9.1	6.0-12.2
Black or Afr. Am./Non-Hisp	77	14,109	63	84.9	76.3-93.5	14	15.1	6.5-23.7
45-54	77	12,616	55	74.4	62.4-86.4	22	25.6	13.6-37.6
55-64	224	29,089	203	91.2	86.7-95.7	21	8.8	4.3-13.3
65+	439	43,481	424	96.0	93.6-98.4	15	4.0	1.6- 6.4
H.S. or G.E.D.	164	22,576	145	88.9	83.6-94.2	19	11.1	5.8-16.4
Some Post-H.S.	197	26,739	173	90.4	85.9-94.9	24	9.6	5.1-14.1
College Graduate	361	32,621	346	95.5	93.1-97.9	15	4.5	2.1- 6.9
\$15,000- 24,999	63	6,614	53	84.6	73.2-96.0	10	15.4	4.0-26.8
\$35,000- 49,999	86	10,564	78	90.9	84.4-97.4	8	9.1	2.6-15.6
\$50,000- 74,999	112	11,267	99	83.5	74.7-92.3	13	16.5	7.7-25.3
\$75,000+	319	39,586	303	93.4	89.9-96.9	16	6.6	3.1-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	803	94,611	531	66.5	62.4-70.6	108	13.1	10.4-15.8	47	5.8	3.8- 7.8	42	5.6	3.6- 7.6	75	8.9	6.4-11.4
White/Non-Hisp	642	72,387	428	65.6	61.1-70.1	83	12.6	9.7-15.5	36	6.2	3.8- 8.6	38	6.6	4.2- 9.0	57	8.9	6.2-11.6
Black or Afr. Am./Non-Hisp	82	15,937	55	71.4	59.6-83.2	10	11.2	3.8-18.6	5	3.6	0.0- 7.3	3	3.4	0.0- 7.3	9	10.3	2.3-18.3
45-54	70	12,664	38	55.9	41.0-70.8	17	19.5	9.3-29.7	2	3.1	0.0- 8.2	8	13.3	3.7-22.9	5	8.2	0.0-16.8
55-64	236	30,423	155	68.3	61.0-75.6	30	12.8	7.7-17.9	19	7.6	3.7-11.5	12	5.3	1.8- 8.8	20	6.1	3.0- 9.2
65+	487	49,001	332	68.2	63.1-73.3	58	11.4	8.1-14.7	26	5.7	3.2- 8.2	22	4.2	2.2- 6.2	49	10.5	7.0-14.0
H.S. or G.E.D.	182	27,288	124	68.6	60.2-77.0	23	11.4	6.1-16.7	11	5.9	2.0- 9.8	6	3.3	0.4- 6.2	18	10.9	5.0-16.8
Some Post-H.S.	205	27,549	134	68.5	60.9-76.1	29	12.0	7.3-16.7	12	5.6	1.9- 9.3	9	3.3	0.8- 5.8	21	10.6	5.1-16.1
College Graduate	383	35,246	255	65.0	59.1-70.9	49	13.8	9.5-18.1	21	6.0	3.3- 8.7	25	8.5	4.8-12.2	33	6.7	4.2- 9.2
\$15,000- 24,999	74	8,415	44	61.1	47.0-75.2	11	16.4	5.8-27.0	3	4.9	0.0-12.3	4	2.9	0.0- 6.0	12	14.8	4.8-24.8
\$35,000- 49,999	91	10,980	58	69.4	57.6-81.2	14	12.5	4.9-20.1	3	3.5	0.0- 7.4	5	5.7	0.0-12.4	11	8.9	2.8-15.0
\$50,000- 74,999	119	12,169	73	56.8	45.8-67.8	25	22.6	13.4-31.8	5	2.3	0.1- 4.5	5	4.3	0.4- 8.2	11	14.0	4.6-23.4
\$75,000+	331	41,538	230	70.8	64.7-76.9	33	8.9	5.4-12.4	24	7.7	4.4-11.0	19	6.0	2.9- 9.1	25	6.6	2.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	810	95,158	581	71.3	67.2-75.4	51	5.1	3.3- 6.9	44	6.8	4.1- 9.5	57	7.1	4.9- 9.3	77	9.8	7.1-12.5
White/Non-Hisp	651	73,237	470	71.8	67.5-76.1	40	5.0	3.2- 6.8	36	6.6	4.2- 9.0	43	6.6	4.4- 8.8	62	10.0	6.9-13.1
Black or Afr. Am./Non-Hisp	79	15,521	55	69.1	55.2-83.0	4	4.4	0.0- 9.3	4	8.9	0.0-20.5	9	9.8	2.0-17.6	7	7.8	0.9-14.7
45-54	70	12,621	52	69.4	54.1-84.7	2	4.8	0.0-11.3	11	20.4	5.9-34.9				5	5.4	0.0-11.1
55-64	237	30,560	167	73.8	67.3-80.3	9	3.1	0.9- 5.3	22	9.5	5.2-13.8	12	3.3	1.1- 5.5	27	10.2	5.7-14.7
65+	493	49,454	357	71.7	66.8-76.6	40	6.6	4.2- 9.0	11	2.0	0.4- 3.6	45	11.6	7.9-15.3	40	8.1	5.2-11.0
H.S. or G.E.D.	182	27,118	125	66.0	56.6-75.4	13	6.4	2.3-10.5	8	6.4	0.0-13.3	17	9.9	4.4-15.4	19	11.3	5.4-17.2
Some Post-H.S.	210	28,248	150	73.1	66.2-80.0	9	3.3	0.9- 5.7	16	7.7	3.6-11.8	15	7.6	3.5-11.7	20	8.3	4.2-12.4
College Graduate	385	35,259	287	74.7	69.0-80.4	27	5.3	3.1- 7.5	19	6.8	3.3-10.3	22	4.3	2.3- 6.3	30	8.9	4.4-13.4
\$15,000- 24,999	74	8,437	46	64.8	50.7-78.9	6	5.1	0.4- 9.8	3	2.3	0.0- 5.0	8	14.2	3.0-25.4	11	13.7	3.3-24.1
\$35,000- 49,999	93	11,193	66	71.8	60.4-83.2	9	10.2	3.1-17.3	5	5.8	0.1-11.5	8	8.9	0.9-16.9	5	3.3	0.2- 6.4
\$50,000- 74,999	122	12,390	78	65.7	55.7-75.7	10	5.3	1.6- 9.0	12	10.4	4.1-16.7	10	7.6	2.3-12.9	12	11.0	3.7-18.3
\$75,000+	332	41,605	249	73.2	66.5-79.9	18	4.3	1.8- 6.8	18	9.0	3.7-14.3	20	5.1	2.6- 7.6	27	8.5	4.2-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

**SECTION 16: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	235
2	MALES ONLY	236
3	FEMALES ONLY	237
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	238
5	MALES ONLY	239
6	FEMALES ONLY	240
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	241
8	MALES ONLY	242
9	FEMALES ONLY	243
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10	MALES AND FEMALES	244
11	MALES ONLY	245
12	FEMALES ONLY	246
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	247
14	MALES ONLY	248
15	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3165	358,225	723	21.5	19.7-23.3	2442	78.5	76.7-80.3
Male	1353	163,514	317	22.9	20.2-25.6	1036	77.1	74.4-79.8
Female	1812	194,711	406	20.4	18.0-22.8	1406	79.6	77.2-82.0
White/Non-Hisp	2463	268,528	577	22.6	20.6-24.6	1886	77.4	75.4-79.4
Black or Afr. Am./Non-Hisp	373	62,360	78	18.8	13.9-23.7	295	81.2	76.3-86.1
Oth. Race/Non-Hisp.	74	7,702	11	13.4	3.0-23.8	63	86.6	76.2-97.0
Hispanic	124	9,760	23	17.4	8.6-26.2	101	82.6	73.8-91.4
45-54	420	62,303	46	11.2	7.5-14.9	374	88.8	85.1-92.5
55-64	1030	126,417	191	18.5	15.6-21.4	839	81.5	78.6-84.4
65+	1715	169,504	486	27.6	24.9-30.3	1229	72.4	69.7-75.1
Less Than H.S.	228	31,296	54	25.7	18.1-33.3	174	74.3	66.7-81.9
H.S. or G.E.D.	893	115,111	195	20.6	17.5-23.7	698	79.4	76.3-82.5
Some Post-H.S.	841	104,080	187	21.1	17.8-24.4	654	78.9	75.6-82.2
College Graduate	1190	106,563	285	21.9	19.2-24.6	905	78.1	75.4-80.8
Less than \$15,000	218	18,877	45	22.9	15.3-30.5	173	77.1	69.5-84.7
\$15,000- 24,999	448	51,062	105	23.0	18.1-27.9	343	77.0	72.1-81.9
\$25,000- 34,999	245	26,161	58	22.3	15.2-29.4	187	77.7	70.6-84.8
\$35,000- 49,999	376	41,901	89	22.6	17.1-28.1	287	77.4	71.9-82.9
\$50,000- 74,999	435	47,175	96	19.9	15.4-24.4	339	80.1	75.6-84.6
\$75,000+	885	108,872	205	20.5	17.4-23.6	680	79.5	76.4-82.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1353	163,514	317	22.9	20.2-25.6	1036	77.1	74.4-79.8
White/Non-Hisp	1056	122,405	250	24.0	20.9-27.1	806	76.0	72.9-79.1
Black or Afr. Am./Non-Hisp	152	29,909	35	20.1	12.5-27.7	117	79.9	72.3-87.5
Hispanic	54	4,366	12	17.1	5.5-28.7	42	82.9	71.3-94.5
45-54	181	29,153	21	12.4	5.9-18.9	160	87.6	81.1-94.1
55-64	462	58,836	88	21.3	16.4-26.2	374	78.7	73.8-83.6
65+	710	75,526	208	28.1	24.2-32.0	502	71.9	68.0-75.8
Less Than H.S.	92	13,069	16	19.7	8.7-30.7	76	80.3	69.3-91.3
H.S. or G.E.D.	371	52,337	81	23.8	18.3-29.3	290	76.2	70.7-81.7
Some Post-H.S.	354	47,989	87	23.2	17.9-28.5	267	76.8	71.5-82.1
College Graduate	530	49,471	133	22.6	18.5-26.7	397	77.4	73.3-81.5
Less than \$15,000	79	7,794	11	12.8	4.8-20.8	68	87.2	79.2-95.2
\$15,000- 24,999	167	20,039	38	27.2	18.0-36.4	129	72.8	63.6-82.0
\$25,000- 34,999	91	10,372	23	26.6	14.8-38.4	68	73.4	61.6-85.2
\$35,000- 49,999	167	20,715	44	27.6	18.6-36.6	123	72.4	63.4-81.4
\$50,000- 74,999	196	22,239	52	24.9	17.6-32.2	144	75.1	67.8-82.4
\$75,000+	463	58,220	108	21.0	16.5-25.5	355	79.0	74.5-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1812	194,711	406	20.4	18.0-22.8	1406	79.6	77.2-82.0
White/Non-Hisp	1407	146,122	327	21.3	18.8-23.8	1080	78.7	76.2-81.2
Black or Afr. Am./Non-Hisp	221	32,451	43	17.6	11.1-24.1	178	82.4	75.9-88.9
Hispanic	70	5,395	11	17.6	4.7-30.5	59	82.4	69.5-95.3
45-54	239	33,151	25	10.1	5.8-14.4	214	89.9	85.6-94.2
55-64	568	67,581	103	16.0	12.7-19.3	465	84.0	80.7-87.3
65+	1005	93,979	278	27.3	23.8-30.8	727	72.7	69.2-76.2
Less Than H.S.	136	18,227	38	30.0	19.4-40.6	98	70.0	59.4-80.6
H.S. or G.E.D.	522	62,773	114	17.9	14.2-21.6	408	82.1	78.4-85.8
Some Post-H.S.	487	56,091	100	19.3	15.0-23.6	387	80.7	76.4-85.0
College Graduate	660	57,092	152	21.3	17.6-25.0	508	78.7	75.0-82.4
Less than \$15,000	139	11,083	34	30.0	18.8-41.2	105	70.0	58.8-81.2
\$15,000- 24,999	281	31,023	67	20.2	14.9-25.5	214	79.8	74.5-85.1
\$25,000- 34,999	154	15,789	35	19.5	10.9-28.1	119	80.5	71.9-89.1
\$35,000- 49,999	209	21,186	45	17.6	11.7-23.5	164	82.4	76.5-88.3
\$50,000- 74,999	239	24,935	44	15.4	10.1-20.7	195	84.6	79.3-89.9
\$75,000+	422	50,653	97	19.9	15.6-24.2	325	80.1	75.8-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	687	74,278	204	31.7	27.2-36.2	106	16.5	12.8-20.2	46	6.5	4.3- 8.7	79	11.6	8.7-14.5	252	33.8	29.5-38.1
Male	304	36,553	77	28.3	21.6-35.0	45	16.7	11.2-22.2	21	5.8	3.1- 8.5	35	11.9	7.4-16.4	126	37.4	30.7-44.1
Female	383	37,725	127	35.0	28.9-41.1	61	16.2	11.3-21.1	25	7.1	3.8-10.4	44	11.3	7.6-15.0	126	30.4	24.7-36.1
White/Non-Hisp	549	58,620	151	28.8	24.1-33.5	87	17.1	12.8-21.4	40	6.8	4.4- 9.2	67	12.8	9.3-16.3	204	34.6	29.9-39.3
Black or Afr. Am./Non-Hisp	74	11,000	26	41.3	26.6-56.0	10	13.7	4.9-22.5	4	3.9	0.0- 8.4	8	9.0	2.3-15.7	26	32.1	18.0-46.2
55-64	185	22,960	60	33.1	24.7-41.5	32	19.4	12.0-26.8	14	6.1	2.4- 9.8	17	9.5	4.2-14.8	62	31.8	24.0-39.6
65+	457	44,440	128	30.3	24.8-35.8	65	14.5	10.2-18.8	31	6.9	4.2- 9.6	56	12.4	8.9-15.9	177	35.9	30.4-41.4
Less Than H.S.	50	7,305	22	38.3	20.9-55.7	6	15.4	0.0-31.1	5	5.6	0.5-10.7	10	23.5	7.8-39.2	7	17.2	2.1-32.3
H.S. or G.E.D.	185	22,910	62	33.8	25.4-42.2	29	16.4	9.3-23.5	9	5.4	1.5- 9.3	22	10.0	5.5-14.5	63	34.4	26.0-42.8
Some Post-H.S.	183	21,698	54	34.0	25.2-42.8	26	15.9	9.4-22.4	14	6.3	2.6-10.0	23	12.7	7.2-18.2	66	31.1	23.1-39.1
College Graduate	267	22,256	64	24.7	18.4-31.0	45	17.5	11.8-23.2	18	8.1	3.6-12.6	24	8.3	4.6-12.0	116	41.4	34.3-48.5
\$15,000- 24,999	102	11,515	36	38.5	26.0-51.0	21	17.8	9.2-26.4	8	6.8	1.3-12.3	9	8.5	2.6-14.4	28	28.4	17.4-39.4
\$25,000- 34,999	56	5,699	19	39.8	21.8-57.8	8	19.7	1.1-38.3	5	8.4	0.0-17.2	5	8.0	0.0-16.2	19	24.0	11.8-36.2
\$35,000- 49,999	85	9,113	28	32.1	19.4-44.8	12	22.8	8.9-36.7	5	5.4	0.1-10.7	9	11.8	3.8-19.8	31	27.8	16.8-38.8
\$50,000- 74,999	96	9,371	26	25.6	14.8-36.4	15	14.3	5.7-22.9	2	2.9	0.0- 7.0	11	11.0	3.6-18.4	42	46.1	33.8-58.4
\$75,000+	194	21,498	44	27.3	19.5-35.1	25	12.3	7.2-17.4	15	7.1	3.0-11.2	28	14.0	8.1-19.9	82	39.3	30.9-47.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	304	36,553	77	28.3	21.8-34.8	45	16.7	11.2-22.2	21	5.8	3.1- 8.5	35	11.9	7.4-16.4	126	37.4	30.7-44.1
White/Non-Hisp	238	28,623	58	26.5	19.4-33.6	35	16.3	10.0-22.6	18	6.1	3.0-9.2	28	12.9	7.6-18.2	99	38.2	30.9-45.5
55-64	87	12,487	28	33.6	21.4-45.8	15	22.2	10.6-33.8	8	6.1	1.2-11.0	5	7.0	0.0-14.3	31	31.1	19.7-42.5
65+	197	20,530	40	23.6	15.6-31.6	29	14.8	8.7-20.9	13	6.6	2.7-10.5	27	13.7	8.4-19.0	88	41.3	33.1-49.5
H.S. or G.E.D.	76	12,040	25	35.4	22.5-48.3	10	15.7	4.3-27.1	3	4.4	0.0- 9.3	8	6.8	1.9-11.7	30	37.7	24.6-50.8
Some Post-H.S.	86	11,082	22	29.7	17.4-42.0	14	18.7	8.7-28.7	6	5.0	0.7- 9.3	9	11.0	3.6-18.4	35	35.6	23.6-47.6
College Graduate	126	10,853	24	18.1	10.5-25.7	21	19.7	10.7-28.7	11	8.7	2.8-14.6	12	10.1	4.0-16.2	58	43.5	32.9-54.1
\$50,000- 74,999	52	5,537	10	15.7	4.9-26.5	8	16.9	3.8-30.0	1	3.0	0.0- 8.7	8	15.8	4.0-27.6	25	48.5	31.8-65.2
\$75,000+	104	12,024	16	21.0	10.6-31.4	12	11.6	4.5-18.7	11	8.2	2.7-13.7	12	13.0	4.8-21.2	53	46.2	34.2-58.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	383	37,725	127	35.0	28.9-41.1	61	16.2	11.3-21.1	25	7.1	3.8-10.4	44	11.3	7.6-15.0	126	30.4	24.7-36.1
White/Non-Hisp	311	29,997	93	30.9	24.6-37.2	52	17.8	12.1-23.5	22	7.5	4.0-11.0	39	12.7	8.2-17.2	105	31.1	25.0-37.2
55-64	98	10,472	32	32.5	21.3-43.7	17	16.2	8.0-24.4	6	6.1	0.6-11.6	12	12.6	5.2-20.0	31	32.7	21.9-43.5
65+	260	23,910	88	36.1	28.5-43.7	36	14.3	8.0-20.6	18	7.2	3.3-11.1	29	11.3	6.6-16.0	89	31.2	24.1-38.3
H.S. or G.E.D.	109	10,870	37	32.0	21.8-42.2	19	17.1	9.1-25.1	6	6.5	0.4-12.6	14	13.6	5.8-21.4	33	30.8	20.4-41.2
Some Post-H.S.	97	10,616	32	38.4	25.9-50.9	12	13.0	5.0-21.0	8	7.6	1.5-13.7	14	14.5	6.5-22.5	31	26.5	16.5-36.5
College Graduate	141	11,403	40	30.9	21.5-40.3	24	15.4	8.3-22.5	7	7.6	0.9-14.3	12	6.7	2.2-11.2	58	39.4	29.8-49.0
\$15,000- 24,999	66	6,212	25	40.1	26.0-54.2	15	17.7	7.7-27.7	6	10.6	1.4-19.8	4	6.4	0.3-12.5	16	25.2	12.9-37.5
\$75,000+	90	9,474	28	35.2	23.0-47.4	13	13.3	5.9-20.7	4	5.6	0.0-12.3	16	15.3	7.1-23.5	29	30.6	19.8-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3166	357,391	2443	76.6	74.6-78.6	723	23.4	21.4-25.4
Male	1353	163,172	1055	76.8	74.1-79.5	298	23.2	20.5-25.9
Female	1813	194,220	1388	76.5	74.0-79.0	425	23.5	21.0-26.0
White/Non-Hisp	2459	267,429	1950	79.0	77.0-81.0	509	21.0	19.0-23.0
Black or Afr. Am./Non-Hisp	375	62,299	279	72.9	67.2-78.6	96	27.1	21.4-32.8
Oth. Race/Non-Hisp.	73	7,486	49	66.2	50.3-82.1	24	33.8	17.9-49.7
Hispanic	124	9,805	64	51.0	39.4-62.6	60	49.0	37.4-60.6
45-54	417	61,914	223	59.2	53.5-64.9	194	40.8	35.1-46.5
55-64	1036	126,715	788	76.2	73.1-79.3	248	23.8	20.7-26.9
65+	1713	168,762	1432	83.3	80.9-85.7	281	16.7	14.3-19.1
Less Than H.S.	225	31,054	132	57.6	49.2-66.0	93	42.4	34.0-50.8
H.S. or G.E.D.	890	114,772	648	74.6	71.1-78.1	242	25.4	21.9-28.9
Some Post-H.S.	844	103,770	674	80.3	77.2-83.4	170	19.7	16.6-22.8
College Graduate	1195	106,741	981	80.8	78.1-83.5	214	19.2	16.5-21.9
Less than \$15,000	217	18,954	137	59.3	50.9-67.7	80	40.7	32.3-49.1
\$15,000- 24,999	447	50,490	323	71.8	66.3-77.3	124	28.2	22.7-33.7
\$25,000- 34,999	245	26,110	179	71.5	64.1-78.9	66	28.5	21.1-35.9
\$35,000- 49,999	378	42,099	295	76.9	71.8-82.0	83	23.1	18.0-28.2
\$50,000- 74,999	437	47,241	355	79.3	74.4-84.2	82	20.7	15.8-25.6
\$75,000+	888	108,793	739	83.0	80.1-85.9	149	17.0	14.1-19.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1353	163,172	1055	76.8	74.1-79.5	298	23.2	20.5-25.9
White/Non-Hisp	1055	121,992	848	78.6	75.7-81.5	207	21.4	18.5-24.3
Black or Afr. Am./Non-Hisp	152	29,909	113	74.8	66.8-82.8	39	25.2	17.2-33.2
Hispanic	55	4,432	25	43.2	25.8-60.6	30	56.8	39.4-74.2
45-54	179	28,839	91	56.4	47.6-65.2	88	43.6	34.8-52.4
55-64	465	59,171	347	74.1	69.2-79.0	118	25.9	21.0-30.8
65+	709	75,163	617	86.7	83.6-89.8	92	13.3	10.2-16.4
Less Than H.S.	91	12,968	50	54.7	42.0-67.4	41	45.3	32.6-58.0
H.S. or G.E.D.	371	52,476	272	75.8	70.7-80.9	99	24.2	19.1-29.3
Some Post-H.S.	355	47,682	278	78.2	73.1-83.3	77	21.8	16.7-26.9
College Graduate	530	49,399	450	82.1	78.0-86.2	80	17.9	13.8-22.0
Less than \$15,000	80	7,982	41	43.9	31.4-56.4	39	56.1	43.6-68.6
\$15,000- 24,999	165	19,497	118	69.1	60.1-78.1	47	30.9	21.9-39.9
\$25,000- 34,999	90	10,265	65	71.0	58.7-83.3	25	29.0	16.7-41.3
\$35,000- 49,999	167	20,719	123	75.1	67.3-82.9	44	24.9	17.1-32.7
\$50,000- 74,999	196	22,111	162	77.2	69.4-85.0	34	22.8	15.0-30.6
\$75,000+	465	58,419	398	84.7	80.8-88.6	67	15.3	11.4-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1813	194,220	1388	76.5	74.0-79.0	425	23.5	21.0-26.0
White/Non-Hisp	1404	145,437	1102	79.3	76.8-81.8	302	20.7	18.2-23.2
Black or Afr. Am./Non-Hisp	223	32,390	166	71.1	63.1-79.1	57	28.9	20.9-36.9
Hispanic	69	5,372	39	57.4	42.1-72.7	30	42.6	27.3-57.9
45-54	238	33,075	132	61.6	54.2-69.0	106	38.4	31.0-45.8
55-64	571	67,545	441	78.1	74.0-82.2	130	21.9	17.8-26.0
65+	1004	93,600	815	80.6	77.3-83.9	189	19.4	16.1-22.7
Less Than H.S.	134	18,086	82	59.6	48.4-70.8	52	40.4	29.2-51.6
H.S. or G.E.D.	519	62,296	376	73.6	68.9-78.3	143	26.4	21.7-31.1
Some Post-H.S.	489	56,088	396	82.1	78.0-86.2	93	17.9	13.8-22.0
College Graduate	665	57,342	531	79.7	75.8-83.6	134	20.3	16.4-24.2
Less than \$15,000	137	10,972	96	70.5	59.7-81.3	41	29.5	18.7-40.3
\$15,000- 24,999	282	30,994	205	73.6	66.7-80.5	77	26.4	19.5-33.3
\$25,000- 34,999	155	15,845	114	71.9	62.3-81.5	41	28.1	18.5-37.7
\$35,000- 49,999	211	21,379	172	78.8	71.9-85.7	39	21.2	14.3-28.1
\$50,000- 74,999	241	25,130	193	81.3	75.2-87.4	48	18.7	12.6-24.8
\$75,000+	423	50,374	341	81.0	76.5-85.5	82	19.0	14.5-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2368	266,079	76	3.0	2.2- 3.8	2292	97.0	96.2-97.8
Male	1015	120,618	36	3.1	1.9- 4.3	979	96.9	95.7-98.1
Female	1353	145,461	40	2.9	1.7- 4.1	1313	97.1	95.9-98.3
White/Non-Hisp	1899	205,607	60	2.9	1.9- 3.9	1839	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	268	44,156	9	2.0	0.4- 3.6	259	98.0	96.4-99.6
Hispanic	61	4,591	1	2.5	0.0- 7.4	60	97.5	92.6- 100
45-54	216	35,469	6	1.2	0.2- 2.2	210	98.8	97.8-99.8
55-64	763	93,939	21	2.5	1.3- 3.7	742	97.5	96.3-98.7
65+	1389	136,670	49	3.8	2.4- 5.2	1340	96.2	94.8-97.6
Less Than H.S.	120	16,580				120	100.0	100.0- 100
H.S. or G.E.D.	623	82,575	20	2.6	1.2- 4.0	603	97.4	96.0-98.8
Some Post-H.S.	655	81,339	24	3.6	2.0- 5.2	631	96.4	94.8-98.0
College Graduate	962	84,769	31	3.3	1.7- 4.9	931	96.7	95.1-98.3
Less than \$15,000	127	10,520	6	3.2	0.5- 5.9	121	96.8	94.1-99.5
\$15,000- 24,999	310	34,642	12	4.6	1.3- 7.9	298	95.4	92.1-98.7
\$25,000- 34,999	173	17,931	8	3.9	1.0- 6.8	165	96.1	93.2-99.0
\$35,000- 49,999	286	31,518	12	3.8	1.3- 6.3	274	96.2	93.7-98.7
\$50,000- 74,999	346	36,481	10	2.7	0.7- 4.7	336	97.3	95.3-99.3
\$75,000+	730	89,452	15	2.1	0.7- 3.5	715	97.9	96.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CORE QUESTIONS DATA REPORT, 2018  
 SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1015	120,618	36	3.1	1.9- 4.3	979	96.9	95.7-98.1
White/Non-Hisp	817	92,213	29	3.2	1.8- 4.6	788	96.8	95.4-98.2
Black or Afr. Am./Non-Hisp	108	21,786	2	1.3	0.0- 3.3	106	98.7	96.7- 100
45-54	87	15,467	4	1.9	0.0- 3.9	83	98.1	96.1- 100
55-64	330	41,784	7	2.3	0.5- 4.1	323	97.7	95.9-99.5
65+	598	63,367	25	4.0	2.2- 5.8	573	96.0	94.2-97.8
H.S. or G.E.D.	261	38,012	6	1.7	0.1- 3.3	255	98.3	96.7-99.9
Some Post-H.S.	267	36,015	12	4.5	1.8- 7.2	255	95.5	92.8-98.2
College Graduate	438	39,664	17	3.6	1.6- 5.6	421	96.4	94.4-98.4
\$15,000- 24,999	110	12,572	4	3.6	0.0- 7.5	106	96.4	92.5- 100
\$25,000- 34,999	61	6,765	3	5.6	0.0-12.3	58	94.4	87.7- 100
\$35,000- 49,999	118	14,949	4	2.8	0.0- 5.7	114	97.2	94.3- 100
\$50,000- 74,999	158	16,515	5	2.7	0.0- 5.4	153	97.3	94.6- 100
\$75,000+	390	48,800	12	2.3	0.7- 3.9	378	97.7	96.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1353	145,461	40	2.9	1.7- 4.1	1313	97.1	95.9-98.3
White/Non-Hisp	1082	113,394	31	2.7	1.5- 3.9	1051	97.3	96.1-98.5
Black or Afr. Am./Non-Hisp	160	22,370	7	2.7	0.5- 4.9	153	97.3	95.1-99.5
45-54	129	20,002	2	0.6	0.0- 1.4	127	99.4	98.6- 100
55-64	433	52,155	14	2.7	0.9- 4.5	419	97.3	95.5-99.1
65+	791	73,303	24	3.6	1.6- 5.6	767	96.4	94.4-98.4
Less Than H.S.	76	10,278				76	100.0	100.0- 100
H.S. or G.E.D.	362	44,562	14	3.4	1.0- 5.8	348	96.6	94.2-99.0
Some Post-H.S.	388	45,325	12	2.9	0.9- 4.9	376	97.1	95.1-99.1
College Graduate	524	45,105	14	3.0	0.5- 5.5	510	97.0	94.5-99.5
Less than \$15,000	88	7,222	5	4.4	0.5- 8.3	83	95.6	91.7-99.5
\$15,000- 24,999	200	22,070	8	5.2	0.5- 9.9	192	94.8	90.1-99.5
\$25,000- 34,999	112	11,165	5	2.9	0.4- 5.4	107	97.1	94.6-99.6
\$35,000- 49,999	168	16,570	8	4.7	1.0- 8.4	160	95.3	91.6-99.0
\$50,000- 74,999	188	19,965	5	2.7	0.2- 5.2	183	97.3	94.8-99.8
\$75,000+	340	40,652	3	1.8	0.0- 4.3	337	98.2	95.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2392	269,148	562	23.7	21.3-26.1	413	18.1	16.1-20.1	356	14.6	12.8-16.4	517	21.2	19.2-23.2	375	15.4	13.6-17.2	169	6.9	5.5- 8.3
Male	1032	122,711	230	22.9	19.4-26.4	190	18.7	15.8-21.6	165	15.1	12.6-17.6	214	20.4	17.3-23.5	152	14.5	12.0-17.0	81	8.4	6.2-10.6
Female	1360	146,436	332	24.5	21.6-27.4	223	17.6	14.9-20.3	191	14.3	11.9-16.7	303	21.9	19.2-24.6	223	16.1	13.6-18.6	88	5.7	4.1- 7.3
White/Non-Hisp	1916	208,037	437	22.6	20.2-25.0	337	18.5	16.3-20.7	272	14.2	12.2-16.2	420	22.0	19.6-24.4	313	16.2	14.2-18.2	137	6.5	5.1- 7.9
Black or Afr. Am./Non-Hisp	271	44,483	78	30.8	23.0-38.6	47	17.7	12.0-23.4	43	14.6	9.3-19.9	54	19.2	13.5-24.9	35	10.8	6.7-14.9	14	6.9	2.8-11.0
Hispanic	63	4,970	17	19.9	8.7-31.1	13	20.9	8.2-33.6	12	22.2	7.9-36.5	17	25.8	11.9-39.7	3	7.4	0.0-16.8	1	3.9	0.0-11.3
45-54	219	35,962	73	31.2	23.4-39.0	43	22.0	14.7-29.3	42	17.8	11.9-23.7	34	16.0	10.3-21.7	16	7.1	3.2-11.0	11	6.0	1.7-10.3
55-64	775	95,284	172	23.0	18.9-27.1	128	16.8	13.5-20.1	113	13.5	10.6-16.4	172	21.1	17.6-24.6	151	20.5	17.0-24.0	39	5.2	3.2- 7.2
65+	1398	137,902	317	22.3	19.6-25.0	242	18.1	15.6-20.6	201	14.6	12.2-17.0	311	22.6	19.9-25.3	208	14.0	11.8-16.2	119	8.4	6.6-10.2
Less Than H.S.	128	17,625	33	20.4	12.6-28.2	25	23.9	13.7-34.1	19	12.1	5.8-18.4	26	23.4	14.0-32.8	18	12.7	5.1-20.3	7	7.6	1.3-13.9
H.S. or G.E.D.	633	83,577	166	27.9	23.0-32.8	103	17.1	13.4-20.8	82	12.7	9.4-16.0	140	21.7	17.8-25.6	102	15.3	12.0-18.6	40	5.3	3.3- 7.3
Some Post-H.S.	659	81,869	146	22.3	18.2-26.4	104	17.6	13.9-21.3	103	14.8	11.5-18.1	147	22.0	18.1-25.9	111	16.1	12.8-19.4	48	7.2	4.7- 9.7
College Graduate	964	85,261	215	21.8	18.7-24.9	178	18.3	15.4-21.2	151	16.9	14.0-19.8	203	19.7	16.8-22.6	144	15.5	12.6-18.4	73	7.9	5.7-10.1
Less than \$15,000	136	11,155	32	18.4	11.3-25.5	29	21.4	12.4-30.4	22	15.6	7.8-23.4	18	16.9	8.7-25.1	26	19.3	11.5-27.1	9	8.4	1.9-14.9
\$15,000- 24,999	314	35,293	84	28.9	22.2-35.6	58	18.8	13.3-24.3	35	9.8	5.9-13.7	67	21.9	16.2-27.6	45	13.5	8.6-18.4	25	7.2	3.7-10.7
\$25,000- 34,999	174	18,068	42	17.2	11.3-23.1	25	16.3	9.2-23.4	19	11.6	4.9-18.3	42	28.3	19.1-37.5	30	18.6	10.4-26.8	16	8.0	3.3-12.7
\$35,000- 49,999	291	31,954	70	23.6	16.7-30.5	50	20.8	14.3-27.3	48	16.9	11.6-22.2	60	17.2	12.1-22.3	45	15.2	10.1-20.3	18	6.4	3.3- 9.5
\$50,000- 74,999	351	37,095	72	21.8	16.1-27.5	71	23.6	17.9-29.3	51	14.0	9.7-18.3	77	20.5	15.6-25.4	56	14.3	10.2-18.4	24	5.8	3.1- 8.5
\$75,000+	734	89,880	166	23.8	19.7-27.9	119	15.7	12.4-19.0	121	15.9	12.6-19.2	164	21.2	17.7-24.7	114	16.0	12.7-19.3	50	7.3	4.8- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1032	122,711	230	22.9	19.4-26.4	190	18.7	15.8-21.6	165	15.1	12.6-17.6	214	20.4	17.3-23.5	152	14.5	12.0-17.0	81	8.4	6.2-10.6
White/Non-Hisp	830	93,832	183	22.1	18.6-25.6	157	19.4	16.1-22.7	129	14.6	11.9-17.3	174	20.7	17.4-24.0	127	16.1	13.2-19.0	60	7.1	5.1-9.1
Black or Afr. Am./Non-Hisp	109	21,936	27	28.5	16.0-41.0	22	17.9	9.3-26.5	14	13.9	6.1-21.7	22	20.2	11.0-29.4	14	8.2	3.5-12.9	10	11.4	3.8-19.0
45-54	88	15,741	24	28.3	15.0-41.6	19	21.8	11.2-32.4	19	20.2	10.6-29.8	14	15.5	6.1-24.9	6	5.2	0.5-9.9	6	9.1	0.7-17.5
55-64	338	43,046	69	23.2	16.7-29.7	56	18.0	12.7-23.3	52	13.1	8.8-17.4	76	20.1	15.0-25.2	66	19.8	14.9-24.7	19	5.8	2.7-8.9
65+	606	63,924	137	21.3	17.4-25.2	115	18.5	14.8-22.2	94	15.1	11.8-18.4	124	21.8	17.7-25.9	80	13.3	10.2-16.4	56	10.0	7.1-12.9
H.S. or G.E.D.	266	38,742	73	28.3	20.7-35.9	43	18.8	12.5-25.1	40	14.0	8.9-19.1	48	18.1	12.6-23.6	44	14.3	9.6-19.0	18	6.4	2.9-9.9
Some Post-H.S.	271	36,491	56	22.8	15.9-29.7	51	17.7	12.6-22.8	40	13.4	8.9-17.9	66	22.6	16.7-28.5	42	16.4	11.3-21.5	16	7.1	3.0-11.2
College Graduate	441	39,875	85	17.8	13.7-21.9	86	19.5	15.2-23.8	78	19.0	14.5-23.5	90	19.5	15.2-23.8	61	14.4	10.5-18.3	41	9.8	6.5-13.1
\$15,000- 24,999	111	12,857	30	27.7	17.3-38.1	25	22.7	13.1-32.3	8	6.7	1.0-12.4	25	23.0	13.4-32.6	13	9.7	3.4-16.0	10	10.3	2.3-18.3
\$25,000- 34,999	62	6,871	13	16.4	7.2-25.6	10	16.3	5.5-27.1	8	12.9	2.5-23.3	17	32.5	17.2-47.8	8	11.9	2.9-20.9	6	10.0	0.6-19.4
\$35,000- 49,999	122	15,286	24	22.2	10.4-34.0	24	20.9	10.5-31.3	25	20.5	11.5-29.5	21	12.5	6.2-18.8	20	18.0	9.8-26.2	8	5.8	1.5-10.1
\$50,000- 74,999	160	16,906	35	24.2	15.6-32.8	39	28.4	19.8-37.0	21	11.3	5.8-16.8	29	15.9	9.6-22.2	27	14.1	8.4-19.8	9	6.1	2.0-10.2
\$75,000+	393	49,086	83	22.6	16.9-28.3	70	17.8	13.1-22.5	68	15.8	11.5-20.1	90	22.3	17.2-27.4	50	13.1	9.2-17.0	32	8.4	4.7-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1360	146,436	332	24.5	21.6-27.4	223	17.6	14.9-20.3	191	14.3	11.9-16.7	303	21.9	19.2-24.6	223	16.1	13.6-18.6	88	5.7	4.1- 7.3
White/Non-Hisp	1086	114,205	254	23.1	20.0-26.2	180	17.8	14.9-20.7	143	13.8	11.3-16.3	246	23.0	19.9-26.1	186	16.2	13.5-18.9	77	6.1	4.5- 7.7
Black or Afr. Am./Non-Hisp	162	22,547	51	33.0	23.6-42.4	25	17.4	10.0-24.8	29	15.4	8.5-22.3	32	18.3	11.4-25.2	21	13.4	6.9-19.9	4	2.5	0.1- 4.9
45-54	131	20,220	49	33.5	24.1-42.9	24	22.1	12.3-31.9	23	16.0	8.9-23.1	20	16.3	9.0-23.6	10	8.5	2.6-14.4	5	3.6	0.0- 7.3
55-64	437	52,238	103	22.9	17.8-28.0	72	15.8	11.7-19.9	61	13.7	9.8-17.6	96	21.9	17.2-26.6	85	21.1	16.2-26.0	20	4.7	2.3- 7.1
65+	792	73,978	180	23.2	19.5-26.9	127	17.7	14.2-21.2	107	14.1	10.8-17.4	187	23.4	19.7-27.1	128	14.6	11.5-17.7	63	7.0	4.8- 9.2
Less Than H.S.	79	10,645	18	18.8	8.8-28.8	17	28.4	14.1-42.7	12	14.4	5.2-23.6	17	20.4	9.8-31.0	13	16.0	4.4-27.6	2	2.0	0.0- 4.9
H.S. or G.E.D.	367	44,835	93	27.6	21.5-33.7	60	15.6	11.1-20.1	42	11.6	7.3-15.9	92	24.7	19.4-30.0	58	16.0	11.1-20.9	22	4.4	2.2- 6.6
Some Post-H.S.	388	45,378	90	21.9	17.0-26.8	53	17.4	12.1-22.7	63	16.0	11.5-20.5	81	21.5	16.4-26.6	69	15.8	11.5-20.1	32	7.4	4.5-10.3
College Graduate	523	45,386	130	25.3	20.6-30.0	92	17.2	13.3-21.1	73	15.1	11.2-19.0	113	19.8	15.9-23.7	83	16.5	12.4-20.6	32	6.1	3.2- 9.0
Less than \$15,000	95	7,653	21	18.7	9.7-27.7	24	24.3	13.1-35.5	15	16.8	6.4-27.2	14	19.6	9.0-30.2	16	13.4	5.8-21.0	5	7.3	0.0-15.1
\$15,000- 24,999	203	22,436	54	29.5	20.9-38.1	33	16.5	10.0-23.0	27	11.6	6.3-16.9	42	21.2	14.3-28.1	32	15.7	8.8-22.6	15	5.4	2.3- 8.5
\$25,000- 34,999	112	11,196	29	17.7	10.1-25.3	15	16.3	6.9-25.7	11	10.7	2.1-19.3	25	25.7	14.5-36.9	22	22.7	10.9-34.5	10	6.7	2.2-11.2
\$35,000- 49,999	169	16,668	46	24.8	16.8-32.8	26	20.6	12.2-29.0	23	13.6	7.5-19.7	39	21.5	14.1-28.9	25	12.6	6.5-18.7	10	6.8	2.3-11.3
\$50,000- 74,999	191	20,189	37	19.7	12.1-27.3	32	19.6	12.3-26.9	30	16.2	9.7-22.7	48	24.4	17.0-31.8	29	14.5	8.4-20.6	15	5.6	2.3- 8.9
\$75,000+	341	40,794	83	25.2	19.3-31.1	49	13.2	8.7-17.7	53	16.1	11.2-21.0	74	20.0	15.3-24.7	64	19.4	14.1-24.7	18	6.1	2.6- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018

SECTION 17: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	251
2	MALES ONLY	252
3	FEMALES ONLY	253
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	254
5	MALES ONLY	255
6	FEMALES ONLY	256
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	257
8	MALES ONLY	258
9	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4634	683,039	1823	42.1	40.1-44.1	2811	57.9	55.9-59.9
Male	2038	325,726	812	41.3	38.4-44.2	1226	58.7	55.8-61.6
Female	2596	357,314	1011	42.8	40.1-45.5	1585	57.2	54.5-59.9
White/Non-Hisp	3172	442,664	1089	37.5	35.3-39.7	2083	62.5	60.3-64.7
Black or Afr. Am./Non-Hisp	620	137,951	365	57.0	51.7-62.3	255	43.0	37.7-48.3
Oth. Race/Non-Hisp.	164	27,838	67	40.8	29.0-52.6	97	59.2	47.4-71.0
MultiRacial/Non-Hisp.	74	5,119	34	54.3	38.6-70.0	40	45.7	30.0-61.4
Hispanic	490	54,444	227	43.6	37.5-49.7	263	56.4	50.3-62.5
18-24	282	79,078	80	26.3	19.8-32.8	202	73.7	67.2-80.2
25-34	475	114,870	276	60.8	55.3-66.3	199	39.2	33.7-44.7
35-44	564	100,208	347	59.5	54.2-64.8	217	40.5	35.2-45.8
45-54	712	107,436	399	55.2	50.7-59.7	313	44.8	40.3-49.3
55-64	992	122,165	406	38.6	34.7-42.5	586	61.4	57.5-65.3
65+	1609	159,282	315	19.2	16.8-21.6	1294	80.8	78.4-83.2
Less Than H.S.	467	78,178	183	39.9	33.6-46.2	284	60.1	53.8-66.4
H.S. or G.E.D.	1287	212,032	468	38.4	34.7-42.1	819	61.6	57.9-65.3
Some Post-H.S.	1197	195,947	493	45.3	41.6-49.0	704	54.7	51.0-58.4
College Graduate	1664	194,724	675	43.9	40.8-47.0	989	56.1	53.0-59.2
Less than \$15,000	350	42,626	175	53.9	46.8-61.0	175	46.1	39.0-53.2
\$15,000- 24,999	714	99,981	305	44.2	39.3-49.1	409	55.8	50.9-60.7
\$25,000- 34,999	359	48,134	132	39.2	32.5-45.9	227	60.8	54.1-67.5
\$35,000- 49,999	519	74,195	212	44.5	38.4-50.6	307	55.5	49.4-61.6
\$50,000- 74,999	596	86,527	222	39.9	34.2-45.6	374	60.1	54.4-65.8
\$75,000+	1332	219,183	551	44.7	41.2-48.2	781	55.3	51.8-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	325,726	812	41.3	38.4-44.2	1226	58.7	55.8-61.6
White/Non-Hisp	1399	213,450	503	37.3	34.0-40.6	896	62.7	59.4-66.0
Black or Afr. Am./Non-Hisp	232	60,352	136	56.4	48.2-64.6	96	43.6	35.4-51.8
Oth. Race/Non-Hisp.	93	15,576	39	36.1	22.4-49.8	54	63.9	50.2-77.6
Hispanic	226	25,685	102	44.1	35.3-52.9	124	55.9	47.1-64.7
18-24	141	40,962	34	22.5	14.3-30.7	107	77.5	69.3-85.7
25-34	219	58,332	116	56.8	48.6-65.0	103	43.2	35.0-51.4
35-44	262	47,514	145	52.0	44.2-59.8	117	48.0	40.2-55.8
45-54	313	51,376	169	52.6	45.7-59.5	144	47.4	40.5-54.3
55-64	440	56,737	189	40.6	34.7-46.5	251	59.4	53.5-65.3
65+	663	70,806	159	24.3	20.2-28.4	504	75.7	71.6-79.8
Less Than H.S.	210	35,749	75	34.5	26.1-42.9	135	65.5	57.1-73.9
H.S. or G.E.D.	575	107,156	229	39.2	33.7-44.7	346	60.8	55.3-66.3
Some Post-H.S.	514	92,399	202	43.6	37.9-49.3	312	56.4	50.7-62.1
College Graduate	731	89,450	304	44.2	39.5-48.9	427	55.8	51.1-60.5
Less than \$15,000	129	17,247	62	46.0	35.0-57.0	67	54.0	43.0-65.0
\$15,000- 24,999	280	39,713	126	47.6	39.8-55.4	154	52.4	44.6-60.2
\$25,000- 34,999	140	20,141	48	32.8	23.0-42.6	92	67.2	57.4-77.0
\$35,000- 49,999	241	37,393	93	42.1	33.3-50.9	148	57.9	49.1-66.7
\$50,000- 74,999	267	43,696	98	36.4	28.2-44.6	169	63.6	55.4-71.8
\$75,000+	688	119,187	291	45.0	40.1-49.9	397	55.0	50.1-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2596	357,314	1011	42.8	40.3-45.3	1585	57.2	54.7-59.7
White/Non-Hisp	1773	229,214	586	37.6	34.5-40.7	1187	62.4	59.3-65.5
Black or Afr. Am./Non-Hisp	388	77,599	229	57.5	50.8-64.2	159	42.5	35.8-49.2
Oth. Race/Non-Hisp.	71	12,262	28	46.8	28.0-65.6	43	53.2	34.4-72.0
Hispanic	264	28,758	125	43.1	34.7-51.5	139	56.9	48.5-65.3
18-24	141	38,116	46	30.4	20.4-40.4	95	69.6	59.6-79.6
25-34	256	56,539	160	64.9	57.3-72.5	96	35.1	27.5-42.7
35-44	302	52,695	202	66.3	59.6-73.0	100	33.7	27.0-40.4
45-54	399	56,060	230	57.5	51.4-63.6	169	42.5	36.4-48.6
55-64	552	65,427	217	36.9	31.8-42.0	335	63.1	58.0-68.2
65+	946	88,476	156	15.1	12.4-17.8	790	84.9	82.2-87.6
Less Than H.S.	257	42,429	108	44.4	35.2-53.6	149	55.6	46.4-64.8
H.S. or G.E.D.	712	104,875	239	37.5	32.4-42.6	473	62.5	57.4-67.6
Some Post-H.S.	683	103,548	291	46.9	41.8-52.0	392	53.1	48.0-58.2
College Graduate	933	105,274	371	43.7	39.4-48.0	562	56.3	52.0-60.6
Less than \$15,000	221	25,379	113	59.2	50.4-68.0	108	40.8	32.0-49.6
\$15,000- 24,999	434	60,268	179	41.9	35.6-48.2	255	58.1	51.8-64.4
\$25,000- 34,999	219	27,993	84	43.8	35.0-52.6	135	56.2	47.4-65.0
\$35,000- 49,999	278	36,801	119	47.0	38.6-55.4	159	53.0	44.6-61.4
\$50,000- 74,999	329	42,832	124	43.5	36.1-50.9	205	56.5	49.1-63.9
\$75,000+	644	99,996	260	44.3	39.2-49.4	384	55.7	50.6-60.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1315	212,581	36	1.7	1.1- 2.3	77	5.2	3.8- 6.6	127	7.5	5.9- 9.1	154	9.8	7.8-11.8	747	58.6	54.9-62.3	174	17.2	14.1-20.3
Male	590	98,698	19	2.2	1.0- 3.4	35	4.7	2.9- 6.5	50	6.5	4.3- 8.7	60	7.5	5.1- 9.9	350	63.8	58.5-69.1	76	15.2	10.7-19.7
Female	725	113,883	17	1.3	0.5- 2.1	42	5.6	3.4- 7.8	77	8.3	5.9-10.7	94	11.8	8.9-14.7	397	54.1	49.2-59.0	98	18.9	14.4-23.4
White/Non-Hisp	776	122,110	31	2.6	1.4- 3.8	68	7.8	5.4-10.2	98	10.4	7.9-12.9	101	11.6	8.9-14.3	390	52.2	47.5-56.9	88	15.3	11.4-19.2
Black or Afr. Am./Non-Hisp	258	56,722	1	0.5	0.0- 1.5	7	2.2	0.2- 4.2	12	2.8	1.0- 4.6	18	3.9	1.7- 6.1	173	66.7	58.9-74.5	47	24.0	16.4-31.6
Oth. Race/Non-Hisp.	51	8,588	1	0.6	0.0- 1.8	2	7.2	0.0-19.7	2	7.2	0.0-19.7	10	20.7	4.0-37.4	31	65.7	46.3-85.1	7	5.8	0.3-11.3
Hispanic	178	19,564	2	0.3	0.0- 0.7	2	1.2	0.0- 2.8	12	4.4	1.3- 7.5	16	9.0	3.3-14.7	120	68.5	59.5-77.5	26	16.7	9.3-24.1
18-24	71	19,031										1	0.9	0.0- 2.7	45	55.3	40.4-70.2	25	43.7	28.8-58.6
25-34	239	60,574							1	0.0	0.0- 0.0	18	4.7	2.2- 7.2	170	72.2	64.4-80.0	50	23.1	15.5-30.7
35-44	278	47,612	1	0.1	0.0- 0.3	4	1.1	0.0- 2.3	24	10.1	5.4-14.8	39	16.7	10.8-22.6	176	60.7	53.3-68.1	34	11.4	6.9-15.9
45-54	285	40,246	12	4.2	1.7- 6.7	29	12.5	7.2-17.8	37	12.7	7.8-17.6	39	12.3	8.0-16.6	137	47.6	40.5-54.7	31	10.7	6.6-14.8
55-64	277	29,841	12	3.9	1.4- 6.4	25	12.2	6.3-18.1	37	11.9	7.4-16.4	33	10.3	5.6-15.0	147	51.0	43.6-58.4	23	10.6	5.5-15.7
65+	165	15,278	11	4.7	1.6- 7.8	19	11.8	5.9-17.7	28	15.9	9.2-22.6	24	12.8	6.9-18.7	72	45.9	36.1-55.7	11	9.0	2.3-15.7
Less Than H.S.	129	22,368				3	5.7	0.0-12.4	3	0.9	0.0- 2.1	9	5.2	1.1- 9.3	93	64.2	51.9-76.5	21	24.1	12.3-35.9
H.S. or G.E.D.	320	56,175	1	0.1	0.0- 0.3	11	3.1	0.7- 5.5	23	5.0	2.6- 7.4	29	8.3	4.6-12.0	205	62.8	55.5-70.1	51	20.6	13.7-27.5
Some Post-H.S.	364	68,786	11	2.3	0.7- 3.9	23	5.2	2.8- 7.6	30	6.8	3.7- 9.9	44	8.0	4.9-11.1	203	60.2	53.5-66.9	53	17.6	11.7-23.5
College Graduate	501	65,095	24	3.1	1.7- 4.5	40	6.8	4.3- 9.3	71	12.6	8.9-16.3	72	14.7	10.6-18.8	245	51.3	45.6-57.0	49	11.5	7.6-15.4
Less than \$15,000	121	15,434	4	1.6	0.0- 3.4	3	2.0	0.0- 4.9	5	2.6	0.1- 5.1	11	7.5	2.4-12.6	78	66.6	55.8-77.4	20	19.7	9.9-29.5
\$15,000- 24,999	227	33,236	3	0.6	0.0- 1.6	4	1.5	0.0- 3.3	17	6.0	2.7- 9.3	20	8.4	3.5-13.3	142	60.9	52.5-69.3	41	22.6	15.2-30.0
\$25,000- 34,999	98	14,719	1	0.5	0.0- 1.5	2	1.7	0.0- 4.1	9	5.8	1.5-10.1	9	6.0	0.0-12.1	64	75.8	66.2-85.4	13	10.2	3.9-16.5
\$35,000- 49,999	159	25,527	2	0.6	0.0- 1.6	7	3.1	0.6- 5.6	12	6.3	1.6-11.0	20	9.3	4.0-14.6	97	60.5	49.3-71.7	21	20.2	9.6-30.8
\$50,000- 74,999	159	24,553	6	2.6	0.2- 5.0	15	8.8	2.5-15.1	14	6.2	2.3-10.1	22	10.0	4.3-15.7	83	56.6	45.8-67.4	19	15.7	7.1-24.3
\$75,000+	421	76,914	15	2.5	0.9- 4.1	37	7.3	4.6-10.0	63	11.4	7.9-14.9	58	12.5	8.8-16.2	203	51.9	45.6-58.2	45	14.3	9.2-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	590	98,698	19	2.2	1.0- 3.4	35	4.7	2.9- 6.5	50	6.5	4.3- 8.7	60	7.5	5.1- 9.9	350	63.8	58.5-69.1	76	15.2	10.7-19.7
White/Non-Hisp	354	56,495	17	3.3	1.5- 5.1	32	7.2	4.3-10.1	38	9.6	5.9-13.3	43	10.0	6.3-13.7	179	54.4	47.7-61.1	45	15.5	10.0-21.0
Black or Afr. Am./Non-Hisp	97	24,752	1	1.0	0.0- 3.0	3	2.3	0.0- 5.0	5	2.5	0.1- 4.9	3	1.2	0.0- 2.8	69	73.7	61.5-85.9	16	19.3	7.5-31.1
Hispanic	81	9,121							6	4.2	0.3- 8.1	5	3.3	0.2- 6.4	60	80.9	71.1-90.7	10	11.5	3.1-19.9
25-34	101	28,821							7	3.9	0.6- 7.2	7	3.9	0.6- 7.2	78	80.0	69.0-91.0	16	16.1	5.3-26.9
35-44	116	19,625				1	1.2	0.0- 3.6	10	6.7	1.8-11.6	12	11.1	3.3-18.9	80	72.9	62.9-82.9	13	8.1	3.0-13.2
45-54	120	18,406	6	6.0	1.1-10.9	10	10.2	3.1-17.3	14	13.2	5.0-21.4	13	10.0	3.7-16.3	61	48.6	37.8-59.4	16	12.0	5.5-18.5
55-64	133	14,692	6	3.6	0.3- 6.9	12	8.8	3.3-14.3	12	8.3	3.2-13.4	15	7.7	3.4-12.0	74	57.0	46.8-67.2	14	14.6	6.0-23.2
65+	91	8,998	7	5.7	0.8-10.6	12	13.7	5.3-22.1	14	16.5	7.3-25.7	12	10.8	4.1-17.5	39	40.6	27.7-53.5	7	12.7	2.1-23.3
Less Than H.S.	55	8,307				1	2.7	0.0- 8.0	1	1.4	0.0- 4.1	3	1.8	0.0- 4.0	44	79.8	66.3-93.3	6	14.4	1.9-26.9
H.S. or G.E.D.	157	29,450				3	1.6	0.0- 3.6	12	4.3	1.8- 6.8	10	6.0	1.5-10.5	107	66.7	56.3-77.1	25	21.4	11.4-31.4
Some Post-H.S.	150	30,790	9	4.3	1.2- 7.4	11	5.3	1.4- 9.2	14	8.1	2.8-13.4	16	5.3	1.6- 9.0	78	64.1	54.1-74.1	22	12.9	5.3-20.5
College Graduate	228	30,150	10	2.8	0.6- 5.0	20	7.6	3.7-11.5	23	8.6	4.5-12.7	31	12.9	7.6-18.2	121	56.3	48.1-64.5	23	11.8	5.5-18.1
\$15,000- 24,999	95	13,539	2	1.4	0.0- 3.9	2	2.4	0.0- 6.1	9	8.9	2.4-15.4	6	4.5	0.4- 8.6	61	68.0	56.8-79.2	15	14.8	6.4-23.2
\$35,000- 49,999	73	11,977	1	0.9	0.0- 2.7	1	0.6	0.0- 1.8	4	3.9	0.0- 9.2	7	5.9	0.4-11.4	50	74.1	61.2-87.0	10	14.6	4.0-25.2
\$50,000- 74,999	74	12,047	4	3.1	0.0- 6.4	8	8.4	0.6-16.2	5	6.0	0.0-12.1	7	4.3	0.6- 8.0	43	63.8	48.5-79.1	7	14.4	1.5-27.3
\$75,000+	215	41,126	7	2.8	0.4- 5.2	19	6.1	3.0- 9.2	24	7.7	3.6-11.8	26	10.2	5.5-14.9	114	59.3	50.9-67.7	25	13.9	7.2-20.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	725	113,883	17	1.3	0.5- 2.1	42	5.6	3.4- 7.8	77	8.3	5.9-10.7	94	11.8	8.9-14.7	397	54.1	49.2-59.0	98	18.9	14.4-23.4
White/Non-Hisp	422	65,615	14	2.1	0.9- 3.3	36	8.3	4.8-11.8	60	11.2	7.7-14.7	58	13.0	8.9-17.1	211	50.2	43.9-56.5	43	15.2	9.7-20.7
Black or Afr. Am./Non-Hisp	161	31,970				4	2.1	0.0- 5.0	7	3.0	0.5- 5.5	15	6.0	2.3- 9.7	104	61.2	51.0-71.4	31	27.6	17.6-37.6
Hispanic	97	10,443	2	0.5	0.0- 1.3	2	2.2	0.0- 5.1	6	4.5	0.0- 9.4	11	13.9	4.1-23.7	60	57.6	44.5-70.7	16	21.3	9.7-32.9
25-34	138	31,753							1	0.1	0.0- 0.3	11	5.3	1.4- 9.2	92	65.2	54.4-76.0	34	29.4	18.8-40.0
35-44	162	27,987	1	0.1	0.0- 0.3	3	1.0	0.0- 2.2	14	12.4	5.1-19.7	27	20.7	12.3-29.1	96	52.1	42.3-61.9	21	13.6	6.7-20.5
45-54	165	21,840	6	2.7	0.2- 5.2	19	14.5	6.7-22.3	23	12.4	6.7-18.1	26	14.2	8.3-20.1	76	46.7	37.3-56.1	15	9.6	4.1-15.1
55-64	144	15,148	6	4.2	0.5- 7.9	13	15.6	5.8-25.4	25	15.4	8.1-22.7	18	12.8	4.6-21.0	73	45.2	34.8-55.6	9	6.8	1.5-12.1
65+	74	6,280	4	3.3	0.0- 6.8	7	9.0	1.4-16.6	14	15.0	5.8-24.2	12	15.6	5.0-26.2	33	53.6	39.3-67.9	4	3.6	0.0- 7.5
Less Than H.S.	74	14,060				2	7.4	0.0-17.6	2	0.6	0.0- 1.6	6	7.2	0.9-13.5	49	54.9	37.8-72.0	15	29.9	13.2-46.6
H.S. or G.E.D.	163	26,724	1	0.3	0.0- 0.9	8	4.6	0.1- 9.1	11	5.8	1.7- 9.9	19	11.0	4.9-17.1	98	58.6	48.4-68.8	26	19.7	10.5-28.9
Some Post-H.S.	214	37,996	2	0.6	0.0- 1.6	12	5.1	2.0- 8.2	16	5.8	2.5- 9.1	28	10.2	5.3-15.1	125	57.0	48.0-66.0	31	21.3	12.9-29.7
College Graduate	273	34,944	14	3.3	1.3- 5.3	20	6.2	2.7- 9.7	48	16.1	10.2-22.0	41	16.2	9.9-22.5	124	46.9	39.1-54.7	26	11.3	6.0-16.6
Less than \$15,000	76	10,170	1	0.4	0.0- 1.2	2	0.8	0.0- 2.0	3	1.7	0.0- 3.7	6	6.0	0.3-11.7	52	69.5	55.6-83.4	12	21.7	8.4-35.0
\$15,000- 24,999	132	19,696	1	0.1	0.0- 0.3	2	0.9	0.0- 2.3	8	4.1	0.6- 7.6	14	11.0	3.4-18.6	81	56.0	44.6-67.4	26	27.9	17.1-38.7
\$25,000- 34,999	66	10,132				1	0.8	0.0- 2.4	6	5.5	0.8-10.2	6	6.1	0.0-14.3	44	76.1	64.1-88.1	9	11.6	3.2-20.0
\$35,000- 49,999	86	13,550	1	0.4	0.0- 1.2	6	5.2	0.5- 9.9	8	8.5	1.1-15.9	13	12.3	3.7-20.9	47	48.5	34.0-63.0	11	25.1	8.6-41.6
\$50,000- 74,999	85	12,505	2	2.2	0.0- 5.5	7	9.3	0.0-18.9	9	6.3	1.6-11.0	15	15.4	5.0-25.8	40	49.7	35.2-64.2	12	17.0	5.4-28.6
\$75,000+	206	35,788	8	2.2	0.4- 4.0	18	8.6	4.1-13.1	39	15.7	9.4-22.0	32	15.3	9.4-21.2	89	43.5	34.5-52.5	20	14.7	6.5-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4766	697,674	229	6.6	5.6- 7.6	4537	93.4	92.4-94.4
Male	2086	330,445	125	7.3	5.7- 8.9	1961	92.7	91.1-94.3
Female	2680	367,230	104	5.9	4.3- 7.5	2576	94.1	92.5-95.7
White/Non-Hisp	3283	456,084	136	5.9	4.7- 7.1	3147	94.1	92.9-95.3
Black or Afr. Am./Non-Hisp	624	137,679	45	8.3	5.4-11.2	579	91.7	88.8-94.6
Oth. Race/Non-Hisp.	167	28,007	13	8.7	0.9-16.5	154	91.3	83.5-99.1
MultiRacial/Non-Hisp.	75	5,315	7	14.2	3.4-25.0	68	85.8	75.0-96.6
Hispanic	495	54,771	25	6.4	3.1- 9.7	470	93.6	90.3-96.9
18-24	278	78,204	54	17.6	12.1-23.1	224	82.4	76.9-87.9
25-34	486	116,974	61	13.0	9.1-16.9	425	87.0	83.1-90.9
35-44	570	101,187	38	7.7	4.8-10.6	532	92.3	89.4-95.2
45-54	726	109,301	37	4.7	2.9- 6.5	689	95.3	93.5-97.1
55-64	1018	125,385	25	2.5	1.3- 3.7	993	97.5	96.3-98.7
65+	1688	166,623	14	0.6	0.2- 1.0	1674	99.4	99.0-99.8
Less Than H.S.	474	79,101	27	9.2	5.3-13.1	447	90.8	86.9-94.7
H.S. or G.E.D.	1326	216,210	62	5.9	4.1- 7.7	1264	94.1	92.3-95.9
Some Post-H.S.	1235	200,574	71	7.9	5.5-10.3	1164	92.1	89.7-94.5
College Graduate	1711	199,443	69	5.1	3.7- 6.5	1642	94.9	93.5-96.3
Less than \$15,000	353	42,491	16	5.7	2.2- 9.2	337	94.3	90.8-97.8
\$15,000- 24,999	724	101,178	44	8.3	5.4-11.2	680	91.7	88.8-94.6
\$25,000- 34,999	365	48,461	16	5.2	2.3- 8.1	349	94.8	91.9-97.7
\$35,000- 49,999	535	75,800	26	6.1	3.2- 9.0	509	93.9	91.0-96.8
\$50,000- 74,999	616	88,738	23	5.2	2.7- 7.7	593	94.8	92.3-97.3
\$75,000+	1374	224,123	75	7.6	5.4- 9.8	1299	92.4	90.2-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2086	330,445	125	7.3	5.7- 8.9	1961	92.7	91.1-94.3
White/Non-Hisp	1442	218,203	75	6.6	4.8- 8.4	1367	93.4	91.6-95.2
Black or Afr. Am./Non-Hisp	235	60,553	22	9.2	4.5-13.9	213	90.8	86.1-95.5
Oth. Race/Non-Hisp.	94	15,545	6	3.5	0.0- 7.2	88	96.5	92.8- 100
Hispanic	226	25,321	14	9.1	2.8-15.4	212	90.9	84.6-97.2
18-24	140	40,857	29	17.9	10.5-25.3	111	82.1	74.7-89.5
25-34	221	58,690	31	11.5	6.8-16.2	190	88.5	83.8-93.2
35-44	260	47,123	20	9.5	4.6-14.4	240	90.5	85.6-95.4
45-54	317	51,699	19	6.0	2.7- 9.3	298	94.0	90.7-97.3
55-64	452	57,942	19	3.2	1.6- 4.8	433	96.8	95.2-98.4
65+	696	74,133	7	0.9	0.1- 1.7	689	99.1	98.3-99.9
Less Than H.S.	212	35,957	13	10.6	4.3-16.9	199	89.4	83.1-95.7
H.S. or G.E.D.	594	108,938	33	6.7	4.0- 9.4	561	93.3	90.6-96.0
Some Post-H.S.	525	93,701	35	7.6	4.5-10.7	490	92.4	89.3-95.5
College Graduate	746	90,690	44	6.5	4.3- 8.7	702	93.5	91.3-95.7
Less than \$15,000	129	17,109	8	6.9	1.0-12.8	121	93.1	87.2-99.0
\$15,000- 24,999	282	39,903	14	7.5	3.0-12.0	268	92.5	88.0-97.0
\$25,000- 34,999	141	20,259	7	4.3	1.0- 7.6	134	95.7	92.4-99.0
\$35,000- 49,999	249	37,877	16	5.7	2.2- 9.2	233	94.3	90.8-97.8
\$50,000- 74,999	277	44,799	15	6.2	2.7- 9.7	262	93.8	90.3-97.3
\$75,000+	706	120,849	50	9.6	6.5-12.7	656	90.4	87.3-93.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018  
SECTION 17: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2680	367,230	104	5.9	4.5- 7.3	2576	94.1	92.7-95.5
White/Non-Hisp	1841	237,880	61	5.3	3.7- 6.9	1780	94.7	93.1-96.3
Black or Afr. Am./Non-Hisp	389	77,126	23	7.5	3.6-11.4	366	92.5	88.6-96.4
Oth. Race/Non-Hisp.	73	12,462	7	15.2	0.0-31.5	66	84.8	68.5- 100
Hispanic	269	29,450	11	4.0	1.3- 6.7	258	96.0	93.3-98.7
18-24	138	37,346	25	17.2	9.2-25.2	113	82.8	74.8-90.8
25-34	265	58,284	30	14.4	8.3-20.5	235	85.6	79.5-91.7
35-44	310	54,064	18	6.0	2.9- 9.1	292	94.0	90.9-97.1
45-54	409	57,602	18	3.5	1.7- 5.3	391	96.5	94.7-98.3
55-64	566	67,443	6	1.9	0.0- 3.9	560	98.1	96.1- 100
65+	992	92,490	7	0.4	0.0- 0.8	985	99.6	99.2- 100
Less Than H.S.	262	43,144	14	8.0	3.3-12.7	248	92.0	87.3-96.7
H.S. or G.E.D.	732	107,272	29	5.1	2.9- 7.3	703	94.9	92.7-97.1
Some Post-H.S.	710	106,873	36	8.1	4.6-11.6	674	91.9	88.4-95.4
College Graduate	965	108,753	25	3.9	1.9- 5.9	940	96.1	94.1-98.1
Less than \$15,000	224	25,381	8	4.9	0.4- 9.4	216	95.1	90.6-99.6
\$15,000- 24,999	442	61,275	30	8.9	5.2-12.6	412	91.1	87.4-94.8
\$25,000- 34,999	224	28,202	9	5.8	1.5-10.1	215	94.2	89.9-98.5
\$35,000- 49,999	286	37,923	10	6.5	1.6-11.4	276	93.5	88.6-98.4
\$50,000- 74,999	339	43,939	8	4.3	0.6- 8.0	331	95.7	92.0-99.4
\$75,000+	668	103,274	25	5.3	2.4- 8.2	643	94.7	91.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CORE QUESTIONS DATA REPORT, 2018**

End of Core Data Report