


DELAWARE

2019 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3890	772,823	3109	81.3	79.5-83.1	781	18.7	16.9-20.5
Male	1737	368,865	1400	80.6	77.9-83.3	337	19.4	16.7-22.1
Female	2153	403,958	1709	81.9	79.7-84.1	444	18.1	15.9-20.3
White/Non-Hisp	2634	486,961	2157	83.6	81.8-85.4	477	16.4	14.6-18.2
Black or Afr. Am./Non-Hisp	492	159,631	380	77.4	72.1-82.7	112	22.6	17.3-27.9
Oth. Race/Non-Hisp.	147	39,300	117	89.0	83.1-94.9	30	11.0	5.1-16.9
MultiRacial/Non-Hisp.	78	8,099	63	86.1	76.7-95.5	15	13.9	4.5-23.3
Hispanic	443	61,961	320	69.5	62.4-76.6	123	30.5	23.4-37.6
18-24	246	87,462	218	87.5	82.0-93.0	28	12.5	7.0-18.0
25-34	436	127,634	366	83.2	77.7-88.7	70	16.8	11.3-22.3
35-44	484	114,965	419	85.9	81.4-90.4	65	14.1	9.6-18.6
45-54	616	119,144	502	83.1	79.2-87.0	114	16.9	13.0-20.8
55-64	789	134,849	595	76.6	72.7-80.5	194	23.4	19.5-27.3
65+	1319	188,768	1009	76.4	73.3-79.5	310	23.6	20.5-26.7
Less Than H.S.	405	83,448	231	56.0	48.9-63.1	174	44.0	36.9-51.1
H.S. or G.E.D.	1051	245,579	810	80.0	76.7-83.3	241	20.0	16.7-23.3
Some Post-H.S.	952	219,707	750	82.3	79.2-85.4	202	17.7	14.6-20.8
College Graduate	1456	219,572	1298	91.1	88.9-93.3	158	8.9	6.7-11.1
Less than \$15,000	296	47,293	172	62.1	54.3-69.9	124	37.9	30.1-45.7
\$15,000- 24,999	487	83,543	325	70.1	64.2-76.0	162	29.9	24.0-35.8
\$25,000- 34,999	295	53,541	218	71.6	64.2-79.0	77	28.4	21.0-35.8
\$35,000- 49,999	401	81,114	316	78.6	71.9-85.3	85	21.4	14.7-28.1
\$50,000- 74,999	448	95,160	379	84.6	79.5-89.7	69	15.4	10.3-20.5
\$75,000+	1147	248,655	1061	92.5	90.3-94.7	86	7.5	5.3- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	368,865	1400	80.6	77.9-83.3	337	19.4	16.7-22.1
White/Non-Hisp	1200	233,962	989	83.3	80.6-86.0	211	16.7	14.0-19.4
Black or Afr. Am./Non-Hisp	171	73,300	129	74.3	65.3-83.3	42	25.7	16.7-34.7
Oth. Race/Non-Hisp.	77	18,941	61	84.6	74.2-95.0	16	15.4	5.0-25.8
Hispanic	211	31,597	162	75.1	65.1-85.1	49	24.9	14.9-34.9
18-24	139	44,290	124	86.3	78.5-94.1	15	13.7	5.9-21.5
25-34	219	64,209	180	80.0	71.2-88.8	39	20.0	11.2-28.8
35-44	212	56,100	194	88.7	82.2-95.2	18	11.3	4.8-17.8
45-54	264	57,118	222	85.5	79.4-91.6	42	14.5	8.4-20.6
55-64	354	62,708	258	71.5	65.4-77.6	96	28.5	22.4-34.6
65+	549	84,439	422	76.2	71.1-81.3	127	23.8	18.7-28.9
Less Than H.S.	200	44,538	116	53.0	42.4-63.6	84	47.0	36.4-57.6
H.S. or G.E.D.	480	128,546	375	80.5	75.8-85.2	105	19.5	14.8-24.2
Some Post-H.S.	400	91,953	319	83.3	78.8-87.8	81	16.7	12.2-21.2
College Graduate	644	101,928	580	90.4	86.7-94.1	64	9.6	5.9-13.3
Less than \$15,000	106	19,861	63	58.1	45.4-70.8	43	41.9	29.2-54.6
\$15,000- 24,999	206	39,260	140	68.1	58.7-77.5	66	31.9	22.5-41.3
\$25,000- 34,999	135	25,783	96	67.4	56.4-78.4	39	32.6	21.6-43.6
\$35,000- 49,999	155	33,352	118	73.8	61.1-86.5	37	26.2	13.5-38.9
\$50,000- 74,999	228	53,565	194	81.9	74.1-89.7	34	18.1	10.3-25.9
\$75,000+	578	124,032	533	92.8	89.9-95.7	45	7.2	4.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2153	403,958	1709	81.9	79.7-84.1	444	18.1	15.9-20.3
White/Non-Hisp	1434	252,999	1168	83.8	81.3-86.3	266	16.2	13.7-18.7
Black or Afr. Am./Non-Hisp	321	86,331	251	80.0	73.9-86.1	70	20.0	13.9-26.1
Oth. Race/Non-Hisp.	70	20,359	56	93.0	87.3-98.7	14	7.0	1.3-12.7
Hispanic	232	30,364	158	63.7	53.7-73.7	74	36.3	26.3-46.3
18-24	107	43,172	94	88.7	81.1-96.3	13	11.3	3.7-18.9
25-34	217	63,425	186	86.3	80.0-92.6	31	13.7	7.4-20.0
35-44	272	58,865	225	83.2	76.9-89.5	47	16.8	10.5-23.1
45-54	352	62,026	280	81.0	75.7-86.3	72	19.0	13.7-24.3
55-64	435	72,141	337	81.1	76.2-86.0	98	18.9	14.0-23.8
65+	770	104,329	587	76.6	72.7-80.5	183	23.4	19.5-27.3
Less Than H.S.	205	38,910	115	59.3	50.1-68.5	90	40.7	31.5-49.9
H.S. or G.E.D.	571	117,034	435	79.6	75.1-84.1	136	20.4	15.9-24.9
Some Post-H.S.	552	127,754	431	81.5	77.0-86.0	121	18.5	14.0-23.0
College Graduate	812	117,644	718	91.7	89.3-94.1	94	8.3	5.9-10.7
Less than \$15,000	190	27,432	109	65.0	55.4-74.6	81	35.0	25.4-44.6
\$15,000- 24,999	281	44,283	185	71.9	65.0-78.8	96	28.1	21.2-35.0
\$25,000- 34,999	160	27,758	122	75.5	65.1-85.9	38	24.5	14.1-34.9
\$35,000- 49,999	246	47,763	198	82.0	75.5-88.5	48	18.0	11.5-24.5
\$50,000- 74,999	220	41,595	185	88.0	82.9-93.1	35	12.0	6.9-17.1
\$75,000+	569	124,623	528	92.1	89.0-95.2	41	7.9	4.8-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3769	749,620	2302	62.0	59.8-64.2	918	25.5	23.5-27.5	549	12.5	11.1-13.9
Male	1691	359,633	1067	63.7	60.6-66.8	403	24.8	21.9-27.7	221	11.6	9.4-13.8
Female	2078	389,987	1235	60.6	57.7-63.5	515	26.1	23.4-28.8	328	13.3	11.3-15.3
White/Non-Hisp	2562	474,003	1537	60.5	58.0-63.0	631	26.1	23.7-28.5	394	13.4	11.8-15.0
Black or Afr. Am./Non-Hisp	477	154,823	292	61.6	55.7-67.5	120	26.6	21.3-31.9	65	11.8	7.7-15.9
Oth. Race/Non-Hisp.	140	37,342	91	73.5	63.5-83.5	35	22.9	13.3-32.5	14	3.7	0.4- 7.0
MultiRacial/Non-Hisp.	76	7,768	46	55.0	38.9-71.1	19	31.1	15.6-46.6	11	13.9	3.5-24.3
Hispanic	427	59,778	282	68.7	61.8-75.6	97	20.1	14.2-26.0	48	11.2	6.7-15.7
18-24	238	84,182	159	67.7	59.7-75.7	63	26.2	18.6-33.8	16	6.2	2.7- 9.7
25-34	420	123,046	279	62.7	56.0-69.4	110	27.8	21.7-33.9	31	9.6	4.9-14.3
35-44	464	110,684	296	66.7	61.0-72.4	118	24.4	19.3-29.5	50	8.9	5.4-12.4
45-54	602	117,163	370	63.4	58.5-68.3	145	24.2	19.7-28.7	87	12.5	9.4-15.6
55-64	766	132,010	437	55.4	50.7-60.1	187	27.7	23.4-32.0	142	16.9	13.6-20.2
65+	1279	182,535	761	60.1	56.6-63.6	295	23.5	20.4-26.6	223	16.4	13.9-18.9
Less Than H.S.	390	80,952	218	54.0	46.7-61.3	91	25.1	19.0-31.2	81	20.9	14.4-27.4
H.S. or G.E.D.	1011	236,366	623	63.0	59.1-66.9	226	23.1	19.6-26.6	162	13.9	11.2-16.6
Some Post-H.S.	928	214,440	522	58.1	53.6-62.6	247	28.4	24.1-32.7	159	13.5	10.8-16.2
College Graduate	1415	213,539	925	68.0	64.7-71.3	347	25.1	21.8-28.4	143	6.9	5.5- 8.3
Less than \$15,000	282	45,036	117	45.6	37.0-54.2	72	25.7	18.4-33.0	93	28.7	21.6-35.8
\$15,000- 24,999	476	81,899	252	54.8	48.5-61.1	119	26.2	20.7-31.7	105	19.0	14.1-23.9
\$25,000- 34,999	291	53,180	165	54.8	46.8-62.8	72	25.9	18.6-33.2	54	19.3	12.8-25.8
\$35,000- 49,999	394	80,848	235	60.5	53.2-67.8	111	27.5	21.2-33.8	48	12.0	6.1-17.9
\$50,000- 74,999	433	91,001	274	63.9	57.6-70.2	97	20.7	15.8-25.6	62	15.4	10.5-20.3
\$75,000+	1121	241,676	775	69.4	65.7-73.1	274	25.2	21.5-28.9	72	5.3	3.5- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	359,633	1067	63.7	60.6-66.8	403	24.8	21.9-27.7	221	11.6	9.4-13.8
White/Non-Hisp	1173	229,140	728	62.4	58.7-66.1	283	25.4	22.1-28.7	162	12.2	9.8-14.6
Black or Afr. Am./Non-Hisp	166	70,815	106	62.0	52.4-71.6	40	26.3	17.9-34.7	20	11.7	4.4-19.0
Oth. Race/Non-Hisp.	75	18,556	49	72.7	59.2-86.2	18	21.5	8.8-34.2	8	5.8	0.0-12.3
Hispanic	207	30,916	140	70.8	62.0-79.6	49	20.4	12.8-28.0	18	8.7	3.4-14.0
18-24	136	42,949	94	70.6	60.6-80.6	32	22.3	13.1-31.5	10	7.1	2.0-12.2
25-34	214	62,613	134	56.4	46.6-66.2	64	34.7	25.5-43.9	16	8.9	1.8-16.0
35-44	206	54,448	143	73.6	65.8-81.4	48	20.8	13.7-27.9	15	5.6	1.3- 9.9
45-54	257	56,260	165	66.3	59.0-73.6	64	24.8	18.1-31.5	28	8.9	5.0-12.8
55-64	346	61,746	206	57.8	51.1-64.5	79	23.5	17.8-29.2	61	18.7	13.4-24.0
65+	532	81,617	325	61.5	56.0-67.0	116	22.1	17.2-27.0	91	16.3	12.0-20.6
Less Than H.S.	196	43,881	110	51.2	40.6-61.8	44	23.0	14.8-31.2	42	25.8	15.4-36.2
H.S. or G.E.D.	461	123,323	293	66.5	61.0-72.0	103	21.6	16.9-26.3	65	11.9	8.2-15.6
Some Post-H.S.	392	90,151	233	61.0	54.3-67.7	105	28.1	21.6-34.6	54	10.9	7.4-14.4
College Graduate	630	100,573	425	68.2	63.1-73.3	147	26.2	21.1-31.3	58	5.6	3.8- 7.4
Less than \$15,000	103	19,610	45	44.6	31.5-57.7	24	24.7	12.7-36.7	34	30.7	19.1-42.3
\$15,000- 24,999	205	38,858	113	56.2	46.6-65.8	55	28.6	20.2-37.0	37	15.2	8.5-21.9
\$25,000- 34,999	133	25,598	78	55.7	44.1-67.3	29	22.6	12.4-32.8	26	21.6	12.4-30.8
\$35,000- 49,999	154	33,563	91	57.6	45.1-70.1	46	29.0	18.6-39.4	17	13.4	1.4-25.4
\$50,000- 74,999	218	50,794	145	65.6	57.0-74.2	43	18.7	12.0-25.4	30	15.7	8.6-22.8
\$75,000+	569	122,486	402	71.1	66.0-76.2	136	25.6	20.5-30.7	31	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2078	389,987	1235	60.6	57.7-63.5	515	26.1	23.4-28.8	328	13.3	11.3-15.3
White/Non-Hisp	1389	244,862	809	58.7	55.0-62.4	348	26.8	23.5-30.1	232	14.5	12.1-16.9
Black or Afr. Am./Non-Hisp	311	84,009	186	61.2	53.8-68.6	80	26.9	20.2-33.6	45	11.9	7.2-16.6
Oth. Race/Non-Hisp.	65	18,786	42	74.2	59.7-88.7	17	24.3	10.0-38.6	6	1.5	0.0- 3.1
Hispanic	220	28,862	142	66.4	56.2-76.6	48	19.7	10.7-28.7	30	13.9	6.5-21.3
18-24	102	41,233	65	64.6	51.9-77.3	31	30.2	17.9-42.5	6	5.2	0.5- 9.9
25-34	206	60,432	145	69.2	60.2-78.2	46	20.6	12.8-28.4	15	10.2	4.1-16.3
35-44	258	56,236	153	60.0	52.0-68.0	70	27.9	20.6-35.2	35	12.1	6.8-17.4
45-54	345	60,903	205	60.6	53.7-67.5	81	23.6	17.5-29.7	59	15.7	10.8-20.6
55-64	420	70,265	231	53.3	46.8-59.8	108	31.3	24.8-37.8	81	15.3	11.0-19.6
65+	747	100,918	436	59.0	54.3-63.7	179	24.6	20.5-28.7	132	16.4	13.1-19.7
Less Than H.S.	194	37,070	108	57.3	47.7-66.9	47	27.6	18.8-36.4	39	15.1	9.2-21.0
H.S. or G.E.D.	550	113,043	330	59.2	53.5-64.9	123	24.8	19.7-29.9	97	16.0	11.9-20.1
Some Post-H.S.	536	124,289	289	56.0	49.9-62.1	142	28.6	22.9-34.3	105	15.4	11.5-19.3
College Graduate	785	112,966	500	67.9	63.4-72.4	200	24.1	20.0-28.2	85	8.0	5.6-10.4
Less than \$15,000	179	25,426	72	46.4	34.8-58.0	48	26.4	17.4-35.4	59	27.2	18.6-35.8
\$15,000- 24,999	271	43,041	139	53.5	45.3-61.7	64	24.1	17.0-31.2	68	22.3	15.4-29.2
\$25,000- 34,999	158	27,582	87	53.9	42.9-64.9	43	29.0	19.0-39.0	28	17.1	8.1-26.1
\$35,000- 49,999	240	47,284	144	62.6	54.0-71.2	65	26.4	18.6-34.2	31	11.0	5.9-16.1
\$50,000- 74,999	215	40,208	129	61.9	52.9-70.9	54	23.1	15.8-30.4	32	15.0	8.5-21.5
\$75,000+	552	119,190	373	67.8	62.1-73.5	138	24.8	19.5-30.1	41	7.4	4.5-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3791	753,269	2452	61.3	58.9-63.7	865	25.3	23.3-27.3	474	13.5	11.7-15.3
Male	1698	360,097	1193	66.5	63.2-69.8	339	22.5	19.6-25.4	166	11.0	8.6-13.4
Female	2093	393,172	1259	56.5	53.4-59.6	526	27.7	24.8-30.6	308	15.7	13.3-18.1
White/Non-Hisp	2572	476,216	1665	60.1	57.4-62.8	585	25.2	22.8-27.6	322	14.7	12.5-16.9
Black or Afr. Am./Non-Hisp	479	154,411	307	61.7	55.6-67.8	118	27.7	22.0-33.4	54	10.6	6.5-14.7
Oth. Race/Non-Hisp.	139	37,676	92	68.9	57.9-79.9	29	20.0	10.6-29.4	18	11.0	3.7-18.3
MultiRacial/Non-Hisp.	76	7,768	38	42.1	27.0-57.2	22	37.8	20.9-54.7	16	20.1	8.3-31.9
Hispanic	430	60,357	291	67.6	60.7-74.5	92	21.8	15.5-28.1	47	10.6	6.5-14.7
18-24	240	85,621	92	33.6	25.8-41.4	97	40.9	32.3-49.5	51	25.5	17.3-33.7
25-34	421	124,293	237	52.6	45.7-59.5	125	31.5	25.2-37.8	59	15.9	10.6-21.2
35-44	472	111,671	270	55.9	49.8-62.0	127	28.9	23.4-34.4	75	15.3	11.0-19.6
45-54	606	116,987	360	62.0	56.9-67.1	158	26.4	21.7-31.1	88	11.7	8.6-14.8
55-64	765	130,876	511	68.2	63.9-72.5	166	20.7	17.0-24.4	88	11.1	8.4-13.8
65+	1287	183,822	982	77.9	75.0-80.8	192	14.0	11.5-16.5	113	8.0	6.0-10.0
Less Than H.S.	390	82,022	265	64.0	56.9-71.1	66	16.6	11.7-21.5	59	19.5	13.0-26.0
H.S. or G.E.D.	1021	236,186	644	61.2	57.1-65.3	221	24.6	20.9-28.3	156	14.2	11.5-16.9
Some Post-H.S.	932	215,736	563	55.5	51.0-60.0	232	27.8	23.7-31.9	137	16.7	12.8-20.6
College Graduate	1423	214,893	965	66.1	62.6-69.6	341	27.0	23.7-30.3	117	7.0	5.2- 8.8
Less than \$15,000	289	45,748	141	54.7	46.5-62.9	77	23.7	17.0-30.4	71	21.6	15.3-27.9
\$15,000- 24,999	470	79,942	275	53.7	47.2-60.2	108	22.2	16.9-27.5	87	24.1	18.4-29.8
\$25,000- 34,999	291	53,180	179	57.8	49.8-65.8	61	22.9	16.0-29.8	51	19.3	12.6-26.0
\$35,000- 49,999	396	80,873	244	58.8	51.2-66.4	102	24.7	18.2-31.2	50	16.5	9.8-23.2
\$50,000- 74,999	440	92,598	282	59.2	52.5-65.9	116	30.6	24.5-36.7	42	10.2	5.3-15.1
\$75,000+	1123	243,325	770	64.1	60.0-68.2	268	27.6	23.9-31.3	85	8.3	5.8-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1698	360,097	1193	66.5	63.2-69.8	339	22.5	19.6-25.4	166	11.0	8.6-13.4
White/Non-Hisp	1179	230,072	835	66.1	62.4-69.8	230	22.5	19.2-25.8	114	11.4	8.7-14.1
Black or Afr. Am./Non-Hisp	164	69,596	117	67.3	57.5-77.1	34	23.3	14.9-31.7	13	9.4	2.0-16.8
Oth. Race/Non-Hisp.	73	18,557	50	72.3	58.6-86.0	15	18.8	6.5-31.1	8	8.8	1.0-16.6
Hispanic	206	31,139	146	68.0	58.2-77.8	46	24.5	15.7-33.3	14	7.5	2.2-12.8
18-24	135	43,201	58	38.0	27.4-48.6	56	40.9	29.9-51.9	21	21.1	10.9-31.3
25-34	212	62,674	127	54.9	45.1-64.7	59	28.5	19.9-37.1	26	16.5	8.1-24.9
35-44	208	54,617	146	68.1	59.7-76.5	42	23.4	15.6-31.2	20	8.5	4.2-12.8
45-54	259	55,766	186	71.4	64.0-78.8	47	20.6	13.5-27.7	26	8.0	4.1-11.9
55-64	347	61,940	247	71.1	65.0-77.2	67	19.7	14.2-25.2	33	9.2	5.7-12.7
65+	537	81,900	429	82.3	78.2-86.4	68	11.2	8.1-14.3	40	6.5	3.8-9.2
Less Than H.S.	194	44,457	132	62.0	51.4-72.6	36	19.2	11.6-26.8	26	18.8	8.8-28.8
H.S. or G.E.D.	467	122,890	313	65.7	59.8-71.6	95	22.7	17.4-28.0	59	11.6	8.1-15.1
Some Post-H.S.	390	90,063	264	61.9	55.0-68.8	83	25.5	19.4-31.6	43	12.6	7.3-17.9
College Graduate	634	100,787	478	73.6	68.7-78.5	121	21.3	16.8-25.8	35	5.0	2.3-7.7
Less than \$15,000	105	19,693	58	55.4	42.5-68.3	25	21.0	10.2-31.8	22	23.6	12.6-34.6
\$15,000- 24,999	200	37,016	124	60.7	51.1-70.3	45	24.4	15.6-33.2	31	14.9	8.8-21.0
\$25,000- 34,999	133	25,627	94	70.2	59.8-80.6	24	18.3	9.5-27.1	15	11.5	4.4-18.6
\$35,000- 49,999	153	33,493	101	59.8	46.9-72.7	36	22.2	12.8-31.6	16	18.0	4.9-31.1
\$50,000- 74,999	224	52,108	152	62.9	54.1-71.7	54	30.0	21.4-38.6	18	7.1	3.2-11.0
\$75,000+	568	121,926	428	70.4	64.9-75.9	105	22.6	17.5-27.7	35	7.0	3.9-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2093	393,172	1259	56.5	53.4-59.6	526	27.7	24.8-30.6	308	15.7	13.3-18.1
White/Non-Hisp	1393	246,144	830	54.6	50.9-58.3	355	27.7	24.4-31.0	208	17.7	14.4-21.0
Black or Afr. Am./Non-Hisp	315	84,815	190	57.1	49.5-64.7	84	31.3	23.7-38.9	41	11.6	7.3-15.9
Oth. Race/Non-Hisp.	66	19,119	42	65.7	48.8-82.6	14	21.2	7.1-35.3	10	13.1	1.1-25.1
Hispanic	224	29,218	145	67.3	57.7-76.9	46	18.9	10.3-27.5	33	13.8	7.5-20.1
18-24	105	42,419	34	29.1	17.5-40.7	41	40.9	27.8-54.0	30	30.0	17.3-42.7
25-34	209	61,619	110	50.3	40.9-59.7	66	34.5	25.5-43.5	33	15.2	8.9-21.5
35-44	264	57,054	124	44.1	36.3-51.9	85	34.1	26.5-41.7	55	21.8	14.7-28.9
45-54	347	61,222	174	53.4	46.5-60.3	111	31.6	25.1-38.1	62	15.0	10.5-19.5
55-64	418	68,936	264	65.6	59.5-71.7	99	21.7	16.6-26.8	55	12.7	8.4-17.0
65+	750	101,922	553	74.4	70.3-78.5	124	16.4	12.7-20.1	73	9.2	6.7-11.7
Less Than H.S.	196	37,564	133	66.3	57.3-75.3	30	13.5	7.6-19.4	33	20.2	12.4-28.0
H.S. or G.E.D.	554	113,295	331	56.4	50.7-62.1	126	26.7	21.4-32.0	97	16.9	12.6-21.2
Some Post-H.S.	542	125,672	299	50.9	44.8-57.0	149	29.5	23.8-35.2	94	19.6	14.3-24.9
College Graduate	789	114,107	487	59.4	54.3-64.5	220	31.9	27.0-36.8	82	8.7	6.2-11.2
Less than \$15,000	184	26,055	83	54.2	43.4-65.0	52	25.7	17.3-34.1	49	20.1	12.8-27.4
\$15,000- 24,999	270	42,926	151	47.6	39.4-55.8	63	20.4	14.1-26.7	56	32.0	23.6-40.4
\$25,000- 34,999	158	27,553	85	46.3	35.7-56.9	37	27.2	17.2-37.2	36	26.5	15.9-37.1
\$35,000- 49,999	243	47,380	143	58.0	48.8-67.2	66	26.6	18.0-35.2	34	15.4	8.7-22.1
\$50,000- 74,999	216	40,491	130	54.4	44.6-64.2	62	31.3	22.7-39.9	24	14.3	4.7-23.9
\$75,000+	555	121,399	342	57.8	51.7-63.9	163	32.6	26.9-38.3	50	9.6	5.5-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2516	572,875	2135	87.0	85.2-88.8	381	13.0	11.2-14.8
Male	1167	280,147	959	85.3	82.6-88.0	208	14.7	12.0-17.4
Female	1349	292,728	1176	88.5	86.1-90.9	173	11.5	9.1-13.9
White/Non-Hisp	1531	334,530	1430	91.9	89.9-93.9	101	8.1	6.1-10.1
Black or Afr. Am./Non-Hisp	354	126,475	319	89.2	84.9-93.5	35	10.8	6.5-15.1
Oth. Race/Non-Hisp.	108	34,222	101	97.5	95.3-99.7	7	2.5	0.3- 4.7
MultiRacial/Non-Hisp.	63	7,275	55	87.6	76.2-99.0	8	12.4	1.0-23.8
Hispanic	412	59,741	187	47.9	40.5-55.3	225	52.1	44.7-59.5
18-24	242	86,120	189	86.4	81.1-91.7	53	13.6	8.3-18.9
25-34	435	127,350	305	78.6	73.5-83.7	130	21.4	16.3-26.5
35-44	477	112,927	382	85.0	81.1-88.9	95	15.0	11.1-18.9
45-54	588	113,522	535	91.1	88.0-94.2	53	8.9	5.8-12.0
55-64	774	132,955	724	93.4	91.0-95.8	50	6.6	4.2- 9.0
Less Than H.S.	298	61,785	126	51.8	43.4-60.2	172	48.2	39.8-56.6
H.S. or G.E.D.	682	182,972	571	87.2	84.1-90.3	111	12.8	9.7-15.9
Some Post-H.S.	612	161,097	551	89.5	85.8-93.2	61	10.5	6.8-14.2
College Graduate	914	165,202	880	97.4	96.2-98.6	34	2.6	1.4- 3.8
Less than \$15,000	210	35,181	141	69.3	60.1-78.5	69	30.7	21.5-39.9
\$15,000- 24,999	312	60,936	226	75.5	68.6-82.4	86	24.5	17.6-31.4
\$25,000- 34,999	171	35,942	134	80.8	73.2-88.4	37	19.2	11.6-26.8
\$35,000- 49,999	252	59,078	217	84.1	77.0-91.2	35	15.9	8.8-23.0
\$50,000- 74,999	284	69,289	263	90.9	86.2-95.6	21	9.1	4.4-13.8
\$75,000+	850	209,425	819	94.9	92.5-97.3	31	5.1	2.7- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1167	280,147	959	85.3	82.6-88.0	208	14.7	12.0-17.4
White/Non-Hisp	728	165,744	668	89.8	86.7-92.9	60	10.2	7.1-13.3
Black or Afr. Am./Non-Hisp	129	58,545	114	91.7	87.2-96.2	15	8.3	3.8-12.8
Oth. Race/Non-Hisp.	60	16,880	56	96.1	92.0- 100	4	3.9	0.0- 8.0
Hispanic	200	31,454	80	45.0	34.2-55.8	120	55.0	44.2-65.8
18-24	137	43,250	101	83.4	76.5-90.3	36	16.6	9.7-23.5
25-34	218	63,925	147	77.0	69.4-84.6	71	23.0	15.4-30.6
35-44	210	55,521	159	80.4	73.5-87.3	51	19.6	12.7-26.5
45-54	250	54,479	223	92.0	88.5-95.5	27	8.0	4.5-11.5
55-64	352	62,971	329	93.7	90.2-97.2	23	6.3	2.8- 9.8
Less Than H.S.	157	35,331	65	50.6	38.4-62.8	92	49.4	37.2-61.6
H.S. or G.E.D.	363	103,394	298	87.7	83.8-91.6	65	12.3	8.4-16.2
Some Post-H.S.	257	67,082	227	88.2	82.5-93.9	30	11.8	6.1-17.5
College Graduate	383	73,450	365	96.3	94.1-98.5	18	3.7	1.5- 5.9
Less than \$15,000	81	15,509	48	63.9	49.8-78.0	33	36.1	22.0-50.2
\$15,000- 24,999	150	30,996	99	72.3	61.9-82.7	51	27.7	17.3-38.1
\$25,000- 34,999	80	17,022	57	77.5	65.9-89.1	23	22.5	10.9-34.1
\$35,000- 49,999	104	26,369	90	90.4	83.7-97.1	14	9.6	2.9-16.3
\$50,000- 74,999	147	39,865	132	86.4	78.8-94.0	15	13.6	6.0-21.2
\$75,000+	417	103,554	394	92.5	88.6-96.4	23	7.5	3.6-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1349	292,728	1176	88.5	86.1-90.9	173	11.5	9.1-13.9
White/Non-Hisp	803	168,786	762	93.9	91.5-96.3	41	6.1	3.7- 8.5
Black or Afr. Am./Non-Hisp	225	67,929	205	87.1	80.2-94.0	20	12.9	6.0-19.8
Hispanic	212	28,287	107	51.1	40.7-61.5	105	48.9	38.5-59.3
18-24	105	42,870	88	89.4	81.4-97.4	17	10.6	2.6-18.6
25-34	217	63,425	158	80.3	73.4-87.2	59	19.7	12.8-26.6
35-44	267	57,407	223	89.4	85.3-93.5	44	10.6	6.5-14.7
45-54	338	59,043	312	90.3	85.2-95.4	26	9.7	4.6-14.8
55-64	422	69,984	395	93.2	89.9-96.5	27	6.8	3.5-10.1
Less Than H.S.	141	26,454	61	53.5	41.7-65.3	80	46.5	34.7-58.3
H.S. or G.E.D.	319	79,579	273	86.6	81.5-91.7	46	13.4	8.3-18.5
Some Post-H.S.	355	94,015	324	90.4	85.7-95.1	31	9.6	4.9-14.3
College Graduate	531	91,752	515	98.2	97.0-99.4	16	1.8	0.6- 3.0
Less than \$15,000	129	19,672	93	73.6	61.6-85.6	36	26.4	14.4-38.4
\$15,000- 24,999	162	29,939	127	78.8	70.0-87.6	35	21.2	12.4-30.0
\$25,000- 34,999	91	18,920	77	83.8	73.6-94.0	14	16.2	6.0-26.4
\$35,000- 49,999	148	32,709	127	79.1	67.9-90.3	21	20.9	9.7-32.1
\$50,000- 74,999	137	29,424	131	96.9	94.0-99.8	6	3.1	0.2- 6.0
\$75,000+	433	105,872	425	97.3	94.9-99.7	8	2.7	0.3- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3884	771,994	2314	63.6	61.4-65.8	1570	36.4	34.2-38.6
Male	1733	368,709	993	60.9	57.8-64.0	740	39.1	36.0-42.2
Female	2151	403,286	1321	66.1	63.4-68.8	830	33.9	31.2-36.6
White/Non-Hisp	2625	485,208	1494	61.2	58.7-63.7	1131	38.8	36.3-41.3
Black or Afr. Am./Non-Hisp	491	159,323	243	57.9	52.2-63.6	248	42.1	36.4-47.8
Oth. Race/Non-Hisp.	147	39,300	96	78.2	69.0-87.4	51	21.8	12.6-31.0
MultiRacial/Non-Hisp.	78	8,099	52	72.2	58.7-85.7	26	27.8	14.3-41.3
Hispanic	446	63,015	364	84.5	79.2-89.8	82	15.5	10.2-20.8
18-24	245	86,901	220	89.8	84.1-95.5	25	10.2	4.5-15.9
25-34	436	127,634	377	83.5	78.4-88.6	59	16.5	11.4-21.6
35-44	485	115,244	387	80.4	75.7-85.1	98	19.6	14.9-24.3
45-54	615	119,034	396	61.3	56.0-66.6	219	38.7	33.4-44.0
55-64	788	135,142	415	50.2	45.7-54.7	373	49.8	45.3-54.3
65+	1315	188,039	519	38.8	35.3-42.3	796	61.2	57.7-64.7
Less Than H.S.	405	83,825	263	64.6	58.1-71.1	142	35.4	28.9-41.9
H.S. or G.E.D.	1049	245,056	588	60.2	56.3-64.1	461	39.8	35.9-43.7
Some Post-H.S.	951	219,568	539	60.9	56.6-65.2	412	39.1	34.8-43.4
College Graduate	1453	219,027	905	69.5	66.4-72.6	548	30.5	27.4-33.6
Less than \$15,000	296	47,293	169	55.6	47.4-63.8	127	44.4	36.2-52.6
\$15,000- 24,999	487	83,476	288	62.4	56.3-68.5	199	37.6	31.5-43.7
\$25,000- 34,999	295	53,541	163	60.3	52.7-67.9	132	39.7	32.1-47.3
\$35,000- 49,999	401	81,470	216	60.5	53.6-67.4	185	39.5	32.6-46.4
\$50,000- 74,999	446	94,973	250	58.5	52.0-65.0	196	41.5	35.0-48.0
\$75,000+	1146	248,500	740	69.3	65.8-72.8	406	30.7	27.2-34.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	368,709	993	60.9	57.8-64.0	740	39.1	36.0-42.2
White/Non-Hisp	1192	232,573	627	56.9	53.2-60.6	565	43.1	39.4-46.8
Black or Afr. Am./Non-Hisp	171	73,300	90	59.0	49.8-68.2	81	41.0	31.8-50.2
Oth. Race/Non-Hisp.	77	18,941	51	74.4	60.5-88.3	26	25.6	11.7-39.5
Hispanic	214	32,651	177	86.1	79.8-92.4	37	13.9	7.6-20.2
18-24	139	44,024	124	90.8	85.3-96.3	15	9.2	3.7-14.7
25-34	219	64,209	179	77.9	69.7-86.1	40	22.1	13.9-30.3
35-44	213	56,379	172	82.1	75.4-88.8	41	17.9	11.2-24.6
45-54	264	57,186	147	53.7	45.9-61.5	117	46.3	38.5-54.1
55-64	353	63,001	166	42.7	36.2-49.2	187	57.3	50.8-63.8
65+	545	83,909	205	36.5	31.0-42.0	340	63.5	58.0-69.0
Less Than H.S.	199	44,838	127	64.5	55.3-73.7	72	35.5	26.3-44.7
H.S. or G.E.D.	479	128,317	274	60.3	54.6-66.0	205	39.7	34.0-45.4
Some Post-H.S.	400	92,022	216	58.6	52.1-65.1	184	41.4	34.9-47.9
College Graduate	642	101,632	366	62.1	56.8-67.4	276	37.9	32.6-43.2
Less than \$15,000	106	19,861	65	57.0	44.1-69.9	41	43.0	30.1-55.9
\$15,000- 24,999	206	39,193	128	65.1	55.9-74.3	78	34.9	25.7-44.1
\$25,000- 34,999	135	25,783	76	62.4	51.8-73.0	59	37.6	27.0-48.2
\$35,000- 49,999	156	34,002	78	58.9	47.7-70.1	78	41.1	29.9-52.3
\$50,000- 74,999	227	53,556	126	58.5	49.7-67.3	101	41.5	32.7-50.3
\$75,000+	578	124,032	335	61.9	56.6-67.2	243	38.1	32.8-43.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2151	403,286	1321	66.1	63.4-68.8	830	33.9	31.2-36.6
White/Non-Hisp	1433	252,634	867	65.2	61.9-68.5	566	34.8	31.5-38.1
Black or Afr. Am./Non-Hisp	320	86,023	153	57.0	49.7-64.3	167	43.0	35.7-50.3
Oth. Race/Non-Hisp.	70	20,359	45	81.8	69.8-93.8	25	18.2	6.2-30.2
Hispanic	232	30,364	187	82.9	74.5-91.3	45	17.1	8.7-25.5
18-24	106	42,877	96	88.7	78.9-98.5	10	11.3	1.5-21.1
25-34	217	63,425	198	89.1	83.0-95.2	19	10.9	4.8-17.0
35-44	272	58,865	215	78.8	72.1-85.5	57	21.2	14.5-27.9
45-54	351	61,847	249	68.3	61.6-75.0	102	31.7	25.0-38.4
55-64	435	72,141	249	56.8	50.5-63.1	186	43.2	36.9-49.5
65+	770	104,130	314	40.7	36.2-45.2	456	59.3	54.8-63.8
Less Than H.S.	206	38,987	136	64.6	55.8-73.4	70	35.4	26.6-44.2
H.S. or G.E.D.	570	116,738	314	60.1	54.6-65.6	256	39.9	34.4-45.4
Some Post-H.S.	551	127,547	323	62.5	56.8-68.2	228	37.5	31.8-43.2
College Graduate	811	117,396	539	75.9	72.2-79.6	272	24.1	20.4-27.8
Less than \$15,000	190	27,432	104	54.6	44.0-65.2	86	45.4	34.8-56.0
\$15,000- 24,999	281	44,283	160	60.1	52.3-67.9	121	39.9	32.1-47.7
\$25,000- 34,999	160	27,758	87	58.4	47.6-69.2	73	41.6	30.8-52.4
\$35,000- 49,999	245	47,468	138	61.6	53.0-70.2	107	38.4	29.8-47.0
\$50,000- 74,999	219	41,416	124	58.4	48.6-68.2	95	41.6	31.8-51.4
\$75,000+	568	124,468	405	76.7	72.2-81.2	163	23.3	18.8-27.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3692	724,028	3367	89.9	88.5-91.3	105	2.8	2.2- 3.4	220	7.3	5.9- 8.7
Male	1646	345,636	1456	87.8	85.4-90.2	60	3.6	2.4- 4.8	130	8.5	6.5-10.5
Female	2046	378,392	1911	91.9	90.1-93.7	45	2.0	1.2- 2.8	90	6.2	4.4- 8.0
White/Non-Hisp	2515	461,258	2342	90.5	88.7-92.3	71	3.1	2.1- 4.1	102	6.4	4.8- 8.0
Black or Afr. Am./Non-Hisp	467	146,365	443	92.6	89.1-96.1	6	1.4	0.0- 2.8	18	6.1	3.0- 9.2
Oth. Race/Non-Hisp.	141	37,426	129	92.8	87.3-98.3	3	2.0	0.0- 4.9	9	5.2	0.7- 9.7
MultiRacial/Non-Hisp.	74	7,523	59	84.4	74.6-94.2	8	8.5	0.5-16.5	7	7.1	1.2-13.0
Hispanic	407	56,022	316	77.4	70.7-84.1	14	2.9	0.7- 5.1	77	19.7	13.2-26.2
18-24	199	74,782	137	75.5	68.1-82.9	5	2.6	0.1- 5.1	57	22.0	14.9-29.1
25-34	394	112,335	298	79.0	73.7-84.3	18	3.7	1.5- 5.9	78	17.3	12.2-22.4
35-44	455	109,220	385	84.9	80.4-89.4	28	5.3	2.9- 7.7	42	9.8	5.7-13.9
45-54	596	113,837	559	95.0	93.0-97.0	16	2.6	1.0- 4.2	21	2.5	1.3- 3.7
55-64	774	132,205	741	95.9	94.1-97.7	18	2.1	0.9- 3.3	15	2.0	0.6- 3.4
65+	1274	181,649	1247	98.2	97.2-99.2	20	1.3	0.5- 2.1	7	0.5	0.1- 0.9
Less Than H.S.	378	73,601	306	82.7	77.2-88.2	16	4.7	1.8- 7.6	56	12.7	7.6-17.8
H.S. or G.E.D.	988	231,442	893	89.6	87.1-92.1	33	2.9	1.7- 4.1	62	7.5	5.1- 9.9
Some Post-H.S.	896	205,296	823	89.1	86.0-92.2	21	2.3	1.1- 3.5	52	8.6	5.7-11.5
College Graduate	1408	210,503	1328	93.8	92.0-95.6	35	2.4	1.2- 3.6	45	3.8	2.4- 5.2
Less than \$15,000	270	42,416	239	88.1	82.6-93.6	9	3.8	0.7- 6.9	22	8.2	3.5-12.9
\$15,000- 24,999	456	75,948	401	86.6	82.1-91.1	19	4.1	1.7- 6.5	36	9.3	5.4-13.2
\$25,000- 34,999	282	51,607	259	90.0	83.9-96.1	9	2.8	0.8- 4.8	14	7.2	1.3-13.1
\$35,000- 49,999	386	75,402	359	93.6	90.5-96.7	6	0.8	0.0- 1.6	21	5.6	2.5- 8.7
\$50,000- 74,999	430	90,272	395	88.8	84.5-93.1	8	2.4	0.2- 4.6	27	8.8	4.9-12.7
\$75,000+	1114	238,446	1039	91.5	89.0-94.0	35	3.1	1.9- 4.3	40	5.4	3.2- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	345,636	1456	87.8	85.4-90.2	60	3.6	2.4- 4.8	130	8.5	6.5-10.5
White/Non-Hisp	1145	221,810	1043	88.2	85.5-90.9	43	4.1	2.5- 5.7	59	7.7	5.2-10.2
Black or Afr. Am./Non-Hisp	163	67,802	154	95.0	91.1-98.9	4	1.8	0.0- 4.3	5	3.3	0.4- 6.2
Oth. Race/Non-Hisp.	74	17,599	66	92.3	85.0-99.6	2	3.4	0.0- 9.5	6	4.3	0.2- 8.4
Hispanic	191	28,368	132	65.5	54.5-76.5	7	4.1	0.4- 7.8	52	30.4	19.4-41.4
18-24	114	38,516	76	77.1	68.1-86.1	5	5.0	0.0-10.1	33	17.9	10.1-25.7
25-34	195	55,598	136	74.1	65.9-82.3	8	4.4	0.7- 8.1	51	21.5	13.9-29.1
35-44	200	53,922	161	80.0	72.0-88.0	14	6.0	2.1- 9.9	25	14.0	6.6-21.4
45-54	251	54,068	231	93.8	90.5-97.1	11	3.8	1.1- 6.5	9	2.4	0.6- 4.2
55-64	347	61,635	329	95.4	93.0-97.8	10	2.8	1.0- 4.6	8	1.8	0.2- 3.4
65+	539	81,897	523	97.7	96.3-99.1	12	1.4	0.4- 2.4	4	0.9	0.0- 1.9
Less Than H.S.	188	39,171	136	72.5	63.3-81.7	10	7.6	2.3-12.9	42	19.9	11.3-28.5
H.S. or G.E.D.	443	119,171	385	87.8	83.9-91.7	20	3.6	1.4- 5.8	38	8.6	5.3-11.9
Some Post-H.S.	379	88,447	348	89.5	84.8-94.2	11	2.9	0.7- 5.1	20	7.6	3.3-11.9
College Graduate	626	97,446	581	93.0	90.3-95.7	19	2.7	0.9- 4.5	26	4.3	2.1- 6.5
Less than \$15,000	92	17,367	73	81.9	72.1-91.7	7	6.4	0.3-12.5	12	11.7	3.5-19.9
\$15,000- 24,999	196	35,367	157	79.8	72.2-87.4	12	6.8	2.1-11.5	27	13.4	6.7-20.1
\$25,000- 34,999	130	24,838	115	86.2	75.6-96.8	6	3.8	0.5- 7.1	9	10.0	0.0-20.4
\$35,000- 49,999	148	30,886	138	95.3	91.4-99.2	2	0.3	0.0- 0.7	8	4.4	0.7- 8.1
\$50,000- 74,999	218	50,888	195	88.2	82.1-94.3	4	1.5	0.0- 3.5	19	10.2	4.5-15.9
\$75,000+	561	119,356	514	89.2	85.3-93.1	23	4.5	2.3- 6.7	24	6.4	3.1- 9.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2046	378,392	1911	91.9	90.1-93.7	45	2.0	1.2- 2.8	90	6.2	4.4- 8.0
White/Non-Hisp	1370	239,449	1299	92.6	90.4-94.8	28	2.2	1.2- 3.2	43	5.1	3.1- 7.1
Black or Afr. Am./Non-Hisp	304	78,563	289	90.5	85.0-96.0	2	1.0	0.0- 2.6	13	8.5	3.2-13.8
Oth. Race/Non-Hisp.	67	19,827	63	93.2	85.4- 100	1	0.8	0.0- 2.4	3	6.0	0.0-13.8
Hispanic	216	27,654	184	89.6	85.3-93.9	7	1.7	0.0- 3.5	25	8.7	4.8-12.6
18-24	85	36,266	61	73.7	61.7-85.7				24	26.3	14.3-38.3
25-34	199	56,736	162	83.8	76.9-90.7	10	3.1	0.6- 5.6	27	13.1	6.6-19.6
35-44	255	55,298	224	89.7	85.4-94.0	14	4.7	2.0- 7.4	17	5.6	2.3- 8.9
45-54	345	59,769	328	96.0	93.6-98.4	5	1.4	0.0- 3.2	12	2.6	0.8- 4.4
55-64	427	70,571	412	96.4	94.0-98.8	8	1.5	0.1- 2.9	7	2.1	0.1- 4.1
65+	735	99,753	724	98.5	97.1-99.9	8	1.2	0.0- 2.6	3	0.3	0.0- 0.7
Less Than H.S.	190	34,430	170	94.2	91.1-97.3	6	1.3	0.0- 2.7	14	4.4	1.7- 7.1
H.S. or G.E.D.	545	112,271	508	91.5	88.0-95.0	13	2.2	0.8- 3.6	24	6.3	3.0- 9.6
Some Post-H.S.	517	116,849	475	88.9	84.8-93.0	10	1.8	0.4- 3.2	32	9.3	5.2-13.4
College Graduate	782	113,057	747	94.5	92.1-96.9	16	2.1	0.7- 3.5	19	3.4	1.6- 5.2
Less than \$15,000	178	25,049	166	92.3	86.0-98.6	2	2.0	0.0- 4.9	10	5.7	0.2-11.2
\$15,000- 24,999	260	40,582	244	92.4	87.7-97.1	7	1.8	0.2- 3.4	9	5.8	1.3-10.3
\$25,000- 34,999	152	26,769	144	93.5	87.4-99.6	3	1.9	0.0- 4.3	5	4.5	0.0-10.2
\$35,000- 49,999	238	44,517	221	92.5	87.8-97.2	4	1.1	0.0- 2.5	13	6.4	1.9-10.9
\$50,000- 74,999	212	39,384	200	89.5	83.2-95.8	4	3.6	0.0- 7.7	8	6.8	1.7-11.9
\$75,000+	553	119,090	525	93.7	90.6-96.8	12	1.8	0.6- 3.0	16	4.5	1.6- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3447	667,175	2095	64.6	62.4-66.8	1352	35.4	33.2-37.6
Male	1498	313,002	873	62.8	59.5-66.1	625	37.2	33.9-40.5
Female	1949	354,173	1222	66.2	63.3-69.1	727	33.8	30.9-36.7
White/Non-Hisp	2394	429,081	1385	61.5	59.0-64.0	1009	38.5	36.0-41.0
Black or Afr. Am./Non-Hisp	446	136,563	287	67.5	61.8-73.2	159	32.5	26.8-38.2
Oth. Race/Non-Hisp.	132	35,489	94	82.6	74.4-90.8	38	17.4	9.2-25.6
MultiRacial/Non-Hisp.	66	6,940	44	65.1	47.7-82.5	22	34.9	17.5-52.3
Hispanic	329	44,945	239	72.2	65.1-79.3	90	27.8	20.7-34.9
18-24	142	58,362	121	86.0	78.0-94.0	21	14.0	6.0-22.0
25-34	314	92,745	270	85.6	80.3-90.9	44	14.4	9.1-19.7
35-44	410	98,130	329	82.8	78.5-87.1	81	17.2	12.9-21.5
45-54	567	109,681	361	61.9	56.6-67.2	206	38.1	32.8-43.4
55-64	754	128,520	418	56.7	52.0-61.4	336	43.3	38.6-48.0
65+	1260	179,738	596	44.2	40.5-47.9	664	55.8	52.1-59.5
Less Than H.S.	321	64,092	201	60.7	53.4-68.0	120	39.3	32.0-46.6
H.S. or G.E.D.	922	213,217	534	61.8	57.7-65.9	388	38.2	34.1-42.3
Some Post-H.S.	833	185,979	517	65.5	61.2-69.8	316	34.5	30.2-38.8
College Graduate	1354	201,321	831	68.1	64.8-71.4	523	31.9	28.6-35.2
Less than \$15,000	245	38,612	140	63.2	55.0-71.4	105	36.8	28.6-45.0
\$15,000- 24,999	418	68,580	239	57.3	50.6-64.0	179	42.7	36.0-49.4
\$25,000- 34,999	268	47,902	164	66.7	59.4-74.0	104	33.3	26.0-40.6
\$35,000- 49,999	364	71,034	206	62.3	55.6-69.0	158	37.7	31.0-44.4
\$50,000- 74,999	402	82,187	243	61.9	54.8-69.0	159	38.1	31.0-45.2
\$75,000+	1067	224,378	677	69.2	65.7-72.7	390	30.8	27.3-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1498	313,002	873	62.8	59.5-66.1	625	37.2	33.9-40.5
White/Non-Hisp	1072	202,511	597	60.8	57.1-64.5	475	39.2	35.5-42.9
Black or Afr. Am./Non-Hisp	156	64,835	97	64.8	55.6-74.0	59	35.2	26.0-44.4
Oth. Race/Non-Hisp.	68	16,849	49	78.4	64.7-92.1	19	21.6	7.9-35.3
Hispanic	138	19,699	96	69.1	58.5-79.7	42	30.9	20.3-41.5
18-24	81	31,630	66	85.7	77.3-94.1	15	14.3	5.9-22.7
25-34	142	43,464	118	85.3	77.7-92.9	24	14.7	7.1-22.3
35-44	174	46,097	139	82.7	76.0-89.4	35	17.3	10.6-24.0
45-54	237	51,771	132	53.8	45.6-62.0	105	46.2	38.0-54.4
55-64	335	59,679	182	55.0	48.1-61.9	153	45.0	38.1-51.9
65+	529	80,361	236	41.8	36.3-47.3	293	58.2	52.7-63.7
Less Than H.S.	145	31,185	89	59.6	49.2-70.0	56	40.4	30.0-50.8
H.S. or G.E.D.	401	108,017	233	61.0	54.7-67.3	168	39.0	32.7-45.3
Some Post-H.S.	351	80,277	207	65.1	58.8-71.4	144	34.9	28.6-41.2
College Graduate	595	92,665	339	63.8	58.7-68.9	256	36.2	31.1-41.3
Less than \$15,000	78	15,094	49	68.8	55.5-82.1	29	31.2	17.9-44.5
\$15,000- 24,999	167	30,347	99	62.7	52.7-72.7	68	37.3	27.3-47.3
\$25,000- 34,999	121	22,345	75	66.2	55.8-76.6	46	33.8	23.4-44.2
\$35,000- 49,999	139	29,372	78	64.2	53.8-74.6	61	35.8	25.4-46.2
\$50,000- 74,999	199	45,679	118	65.7	56.5-74.9	81	34.3	25.1-43.5
\$75,000+	533	110,974	307	62.8	57.5-68.1	226	37.2	31.9-42.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1949	354,173	1222	66.2	63.3-69.1	727	33.8	30.9-36.7
White/Non-Hisp	1322	226,570	788	62.2	58.7-65.7	534	37.8	34.3-41.3
Black or Afr. Am./Non-Hisp	290	71,728	190	70.0	62.9-77.1	100	30.0	22.9-37.1
Oth. Race/Non-Hisp.	64	18,640	45	86.4	77.8-95.0	19	13.6	5.0-22.2
Hispanic	191	25,246	143	74.7	65.3-84.1	48	25.3	15.9-34.7
18-24	61	26,732	55	86.3	71.8-100	6	13.7	0.0-28.2
25-34	172	49,281	152	85.8	78.4-93.2	20	14.2	6.8-21.6
35-44	236	52,033	190	83.0	77.1-88.9	46	17.0	11.1-22.9
45-54	330	57,910	229	69.1	62.4-75.8	101	30.9	24.2-37.6
55-64	419	68,841	236	58.1	51.8-64.4	183	41.9	35.6-48.2
65+	731	99,377	360	46.1	41.4-50.8	371	53.9	49.2-58.6
Less Than H.S.	176	32,907	112	61.8	52.0-71.6	64	38.2	28.4-48.0
H.S. or G.E.D.	521	105,200	301	62.5	57.0-68.0	220	37.5	32.0-43.0
Some Post-H.S.	482	105,702	310	65.8	59.9-71.7	172	34.2	28.3-40.1
College Graduate	759	108,656	492	71.8	67.5-76.1	267	28.2	23.9-32.5
Less than \$15,000	167	23,517	91	59.6	49.0-70.2	76	40.4	29.8-51.0
\$15,000- 24,999	251	38,234	140	53.0	44.4-61.6	111	47.0	38.4-55.6
\$25,000- 34,999	147	25,557	89	67.1	57.1-77.1	58	32.9	22.9-42.9
\$35,000- 49,999	225	41,662	128	60.9	52.1-69.7	97	39.1	30.3-47.9
\$50,000- 74,999	203	36,508	125	57.3	46.7-67.9	78	42.7	32.1-53.3
\$75,000+	534	113,404	370	75.5	70.8-80.2	164	24.5	19.8-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	29
2 MALES ONLY	30
3 FEMALES ONLY	31
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	32
5 MALES ONLY	33
6 FEMALES ONLY	34
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	35
8 MALES ONLY	36
9 FEMALES ONLY	37
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	38
11 MALES ONLY	39
12 FEMALES ONLY	40
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	41
14 MALES ONLY	42
15 FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3862	768,593	331	7.0	6.0- 8.0	3531	93.0	92.0-94.0
Male	1722	365,773	191	9.3	7.5-11.1	1531	90.7	88.9-92.5
Female	2140	402,821	140	4.8	3.8- 5.8	2000	95.2	94.2-96.2
White/Non-Hisp	2616	483,257	266	9.0	7.6-10.4	2350	91.0	89.6-92.4
Black or Afr. Am./Non-Hisp	493	159,709	33	4.6	2.4- 6.8	460	95.4	93.2-97.6
Oth. Race/Non-Hisp.	144	38,575	11	2.2	0.4- 4.0	133	97.8	96.0-99.6
MultiRacial/Non-Hisp.	77	8,055	5	1.3	0.1- 2.5	72	98.7	97.5-99.9
Hispanic	436	62,327	14	2.2	0.8- 3.6	422	97.8	96.4-99.2
18-24	245	87,115	5	1.0	0.0- 2.0	240	99.0	98.0- 100
25-34	432	127,418	4	0.3	0.0- 0.7	428	99.7	99.3- 100
35-44	484	115,163	5	0.9	0.0- 1.9	479	99.1	98.1- 100
45-54	616	119,174	26	4.9	2.7- 7.1	590	95.1	92.9-97.3
55-64	781	133,531	67	7.6	5.4- 9.8	714	92.4	90.2-94.6
65+	1304	186,193	224	19.0	16.1-21.9	1080	81.0	78.1-83.9
Less Than H.S.	399	82,763	43	11.0	6.9-15.1	356	89.0	84.9-93.1
H.S. or G.E.D.	1041	243,882	103	7.7	5.7- 9.7	938	92.3	90.3-94.3
Some Post-H.S.	949	218,869	95	7.7	5.7- 9.7	854	92.3	90.3-94.3
College Graduate	1448	218,654	88	3.9	2.7- 5.1	1360	96.1	94.9-97.3
Less than \$15,000	291	46,514	38	9.7	5.6-13.8	253	90.3	86.2-94.4
\$15,000- 24,999	480	82,386	60	12.5	8.4-16.6	420	87.5	83.4-91.6
\$25,000- 34,999	288	52,495	25	8.6	4.7-12.5	263	91.4	87.5-95.3
\$35,000- 49,999	399	81,366	40	8.3	5.2-11.4	359	91.7	88.6-94.8
\$50,000- 74,999	447	95,013	41	7.2	4.3-10.1	406	92.8	89.9-95.7
\$75,000+	1145	248,391	58	3.6	2.4- 4.8	1087	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1722	365,773	191	9.3	7.5-11.1	1531	90.7	88.9-92.5
White/Non-Hisp	1190	231,094	157	11.8	9.6-14.0	1033	88.2	86.0-90.4
Black or Afr. Am./Non-Hisp	171	73,300	16	7.1	2.8-11.4	155	92.9	88.6-97.2
Oth. Race/Non-Hisp.	74	18,216	4	1.3	0.0- 2.7	70	98.7	97.3- 100
Hispanic	209	32,299	12	4.0	1.3- 6.7	197	96.0	93.3-98.7
18-24	138	43,943	5	2.1	0.1- 4.1	133	97.9	95.9-99.9
25-34	216	64,032	4	0.7	0.0- 1.5	212	99.3	98.5- 100
35-44	212	56,298	1	0.5	0.0- 1.5	211	99.5	98.5- 100
45-54	265	57,296	15	6.8	2.7-10.9	250	93.2	89.1-97.3
55-64	350	61,817	38	10.4	6.5-14.3	312	89.6	85.7-93.5
65+	541	82,388	128	27.0	21.7-32.3	413	73.0	67.7-78.3
Less Than H.S.	195	44,157	30	15.8	8.9-22.7	165	84.2	77.3-91.1
H.S. or G.E.D.	477	127,399	51	8.2	5.3-11.1	426	91.8	88.9-94.7
Some Post-H.S.	398	91,248	50	11.2	7.7-14.7	348	88.8	85.3-92.3
College Graduate	640	101,162	58	6.1	3.9- 8.3	582	93.9	91.7-96.1
Less than \$15,000	102	19,159	13	10.8	3.5-18.1	89	89.2	81.9-96.5
\$15,000- 24,999	204	38,759	36	17.9	10.3-25.5	168	82.1	74.5-89.7
\$25,000- 34,999	133	25,119	12	8.2	2.7-13.7	121	91.8	86.3-97.3
\$35,000- 49,999	155	33,663	16	8.2	3.5-12.9	139	91.8	87.1-96.5
\$50,000- 74,999	228	53,550	29	8.8	4.7-12.9	199	91.2	87.1-95.3
\$75,000+	576	123,768	41	5.4	3.2- 7.6	535	94.6	92.4-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2140	402,821	140	4.8	3.8- 5.8	2000	95.2	94.2-96.2
White/Non-Hisp	1426	252,163	109	6.5	4.9- 8.1	1317	93.5	91.9-95.1
Black or Afr. Am./Non-Hisp	322	86,409	17	2.5	0.9- 4.1	305	97.5	95.9-99.1
Oth. Race/Non-Hisp.	70	20,359	7	3.0	0.1- 5.9	63	97.0	94.1-99.9
Hispanic	227	30,027	2	0.3	0.0- 0.7	225	99.7	99.3- 100
18-24	107	43,172				107	100.0	100.0- 100
25-34	216	63,387				216	100.0	100.0- 100
35-44	272	58,865	4	1.2	0.0- 2.6	268	98.8	97.4- 100
45-54	351	61,878	11	3.2	1.0- 5.4	340	96.8	94.6-99.0
55-64	431	71,714	29	5.2	2.8- 7.6	402	94.8	92.4-97.2
65+	763	103,805	96	12.6	9.3-15.9	667	87.4	84.1-90.7
Less Than H.S.	204	38,606	13	5.4	1.7- 9.1	191	94.6	90.9-98.3
H.S. or G.E.D.	564	116,483	52	7.0	4.5- 9.5	512	93.0	90.5-95.5
Some Post-H.S.	551	127,621	45	5.3	3.3- 7.3	506	94.7	92.7-96.7
College Graduate	808	117,492	30	2.1	1.1- 3.1	778	97.9	96.9-98.9
Less than \$15,000	189	27,355	25	9.0	4.3-13.7	164	91.0	86.3-95.7
\$15,000- 24,999	276	43,627	24	7.7	3.8-11.6	252	92.3	88.4-96.2
\$25,000- 34,999	155	27,376	13	9.0	3.1-14.9	142	91.0	85.1-96.9
\$35,000- 49,999	244	47,703	24	8.4	4.1-12.7	220	91.6	87.3-95.9
\$50,000- 74,999	219	41,463	12	5.1	1.2- 9.0	207	94.9	91.0-98.8
\$75,000+	569	124,623	17	1.8	0.6- 3.0	552	98.2	97.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3884	772,296	3320	84.5	82.7-86.3	564	15.5	13.7-17.3
Male	1735	369,149	1542	86.5	84.0-89.0	193	13.5	11.0-16.0
Female	2149	403,147	1778	82.8	80.4-85.2	371	17.2	14.8-19.6
White/Non-Hisp	2632	486,611	2250	84.0	81.8-86.2	382	16.0	13.8-18.2
Black or Afr. Am./Non-Hisp	492	159,360	410	82.7	77.8-87.6	82	17.3	12.4-22.2
Oth. Race/Non-Hisp.	145	38,942	124	88.8	82.3-95.3	21	11.2	4.7-17.7
MultiRacial/Non-Hisp.	78	8,099	58	81.5	70.7-92.3	20	18.5	7.7-29.3
Hispanic	441	62,412	389	89.3	85.2-93.4	52	10.7	6.6-14.8
18-24	247	87,587	201	76.8	69.2-84.4	46	23.2	15.6-30.8
25-34	432	127,180	361	80.9	75.2-86.6	71	19.1	13.4-24.8
35-44	484	114,896	416	86.2	81.9-90.5	68	13.8	9.5-18.1
45-54	614	118,886	529	86.9	83.6-90.2	85	13.1	9.8-16.4
55-64	787	134,820	652	83.6	80.3-86.9	135	16.4	13.1-19.7
65+	1320	188,928	1161	88.8	86.6-91.0	159	11.2	9.0-13.4
Less Than H.S.	406	84,053	352	80.5	74.0-87.0	54	19.5	13.0-26.0
H.S. or G.E.D.	1050	245,468	891	85.3	82.4-88.2	159	14.7	11.8-17.6
Some Post-H.S.	948	218,913	800	82.3	78.6-86.0	148	17.7	14.0-21.4
College Graduate	1454	219,345	1252	87.2	84.7-89.7	202	12.8	10.3-15.3
Less than \$15,000	295	47,252	232	77.9	70.8-85.0	63	22.1	15.0-29.2
\$15,000- 24,999	486	83,096	395	80.3	75.0-85.6	91	19.7	14.4-25.0
\$25,000- 34,999	294	53,501	254	85.4	80.3-90.5	40	14.6	9.5-19.7
\$35,000- 49,999	401	81,417	328	79.1	72.2-86.0	73	20.9	14.0-27.8
\$50,000- 74,999	448	95,351	386	85.1	80.4-89.8	62	14.9	10.2-19.6
\$75,000+	1146	248,490	1008	85.8	82.5-89.1	138	14.2	10.9-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	369,149	1542	86.5	84.0-89.0	193	13.5	11.0-16.0
White/Non-Hisp	1198	233,481	1068	87.3	84.4-90.2	130	12.7	9.8-15.6
Black or Afr. Am./Non-Hisp	171	73,300	143	79.5	70.9-88.1	28	20.5	11.9-29.1
Oth. Race/Non-Hisp.	77	18,941	66	86.8	77.2-96.4	11	13.2	3.6-22.8
Hispanic	211	32,362	197	94.6	91.1-98.1	14	5.4	1.9- 8.9
18-24	140	44,415	119	81.4	72.0-90.8	21	18.6	9.2-28.0
25-34	216	63,920	177	74.5	65.1-83.9	39	25.5	16.1-34.9
35-44	213	56,379	191	88.2	81.7-94.7	22	11.8	5.3-18.3
45-54	264	57,118	237	90.6	86.5-94.7	27	9.4	5.3-13.5
55-64	354	62,967	312	88.9	84.8-93.0	42	11.1	7.0-15.2
65+	548	84,351	506	92.6	89.7-95.5	42	7.4	4.5-10.3
Less Than H.S.	200	45,066	177	79.9	69.5-90.3	23	20.1	9.7-30.5
H.S. or G.E.D.	480	128,783	422	87.5	83.2-91.8	58	12.5	8.2-16.8
Some Post-H.S.	398	91,473	354	86.2	81.1-91.3	44	13.8	8.7-18.9
College Graduate	644	101,928	576	88.2	84.3-92.1	68	11.8	7.9-15.7
Less than \$15,000	105	19,819	85	73.2	60.7-85.7	20	26.8	14.3-39.3
\$15,000- 24,999	205	38,813	174	82.3	74.1-90.5	31	17.7	9.5-25.9
\$25,000- 34,999	135	25,783	126	92.5	87.2-97.8	9	7.5	2.2-12.8
\$35,000- 49,999	156	34,002	128	75.5	62.4-88.6	28	24.5	11.4-37.6
\$50,000- 74,999	228	53,755	207	88.5	82.0-95.0	21	11.5	5.0-18.0
\$75,000+	578	124,032	527	88.2	83.9-92.5	51	11.8	7.5-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2149	403,147	1778	82.8	80.4-85.2	371	17.2	14.8-19.6
White/Non-Hisp	1434	253,129	1182	80.9	77.8-84.0	252	19.1	16.0-22.2
Black or Afr. Am./Non-Hisp	321	86,060	267	85.4	80.5-90.3	54	14.6	9.7-19.5
Oth. Race/Non-Hisp.	68	20,001	58	90.7	82.3-99.1	10	9.3	0.9-17.7
Hispanic	230	30,051	192	83.5	76.1-90.9	38	16.5	9.1-23.9
18-24	107	43,172	82	72.1	59.9-84.3	25	27.9	15.7-40.1
25-34	216	63,260	184	87.4	81.9-92.9	32	12.6	7.1-18.1
35-44	271	58,517	225	84.3	78.8-89.8	46	15.7	10.2-21.2
45-54	350	61,768	292	83.5	78.6-88.4	58	16.5	11.6-21.4
55-64	433	71,854	340	79.0	73.7-84.3	93	21.0	15.7-26.3
65+	772	104,578	655	85.7	82.6-88.8	117	14.3	11.2-17.4
Less Than H.S.	206	38,987	175	81.2	73.9-88.5	31	18.8	11.5-26.1
H.S. or G.E.D.	570	116,685	469	82.9	79.0-86.8	101	17.1	13.2-21.0
Some Post-H.S.	550	127,440	446	79.5	74.4-84.6	104	20.5	15.4-25.6
College Graduate	810	117,417	676	86.4	83.3-89.5	134	13.6	10.5-16.7
Less than \$15,000	190	27,432	147	81.3	73.9-88.7	43	18.7	11.3-26.1
\$15,000- 24,999	281	44,283	221	78.5	72.0-85.0	60	21.5	15.0-28.0
\$25,000- 34,999	159	27,718	128	78.8	70.6-87.0	31	21.2	13.0-29.4
\$35,000- 49,999	245	47,415	200	81.6	75.1-88.1	45	18.4	11.9-24.9
\$50,000- 74,999	220	41,595	179	80.7	73.4-88.0	41	19.3	12.0-26.6
\$75,000+	568	124,457	481	83.4	78.5-88.3	87	16.6	11.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3865	766,235	3491	90.2	88.8-91.6	374	9.8	8.4-11.2
Male	1727	364,565	1625	94.1	92.3-95.9	102	5.9	4.1- 7.7
Female	2138	401,670	1866	86.7	84.5-88.9	272	13.3	11.1-15.5
White/Non-Hisp	2617	481,001	2361	89.9	88.1-91.7	256	10.1	8.3-11.9
Black or Afr. Am./Non-Hisp	489	158,927	432	89.0	85.5-92.5	57	11.0	7.5-14.5
Oth. Race/Non-Hisp.	145	38,942	132	92.8	87.3-98.3	13	7.2	1.7-12.7
MultiRacial/Non-Hisp.	78	8,099	67	92.4	85.7-99.1	11	7.6	0.9-14.3
Hispanic	440	62,393	406	92.0	88.5-95.5	34	8.0	4.5-11.5
18-24	246	87,367	220	85.4	78.5-92.3	26	14.6	7.7-21.5
25-34	428	124,360	391	90.5	86.6-94.4	37	9.5	5.6-13.4
35-44	480	113,427	442	92.2	89.1-95.3	38	7.8	4.7-10.9
45-54	612	118,684	551	90.5	87.6-93.4	61	9.5	6.6-12.4
55-64	781	134,305	687	88.3	85.4-91.2	94	11.7	8.8-14.6
65+	1318	188,092	1200	92.1	90.3-93.9	118	7.9	6.1- 9.7
Less Than H.S.	405	83,846	364	88.1	84.0-92.2	41	11.9	7.8-16.0
H.S. or G.E.D.	1047	244,472	940	90.5	88.0-93.0	107	9.5	7.0-12.0
Some Post-H.S.	942	215,142	842	88.1	85.0-91.2	100	11.9	8.8-15.0
College Graduate	1445	218,256	1320	92.5	90.5-94.5	125	7.5	5.5- 9.5
Less than \$15,000	295	47,252	245	81.5	74.8-88.2	50	18.5	11.8-25.2
\$15,000- 24,999	484	82,706	420	85.4	80.7-90.1	64	14.6	9.9-19.3
\$25,000- 34,999	292	53,119	263	90.1	85.8-94.4	29	9.9	5.6-14.2
\$35,000- 49,999	400	80,640	355	88.8	84.5-93.1	45	11.2	6.9-15.5
\$50,000- 74,999	445	94,319	413	92.8	89.7-95.9	32	7.2	4.1-10.3
\$75,000+	1136	245,028	1054	91.9	89.2-94.6	82	8.1	5.4-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1727	364,565	1625	94.1	92.3-95.9	102	5.9	4.1- 7.7
White/Non-Hisp	1192	229,124	1122	94.6	92.8-96.4	70	5.4	3.6- 7.2
Black or Afr. Am./Non-Hisp	170	73,093	157	91.2	85.5-96.9	13	8.8	3.1-14.5
Oth. Race/Non-Hisp.	77	18,941	72	93.0	85.4- 100	5	7.0	0.0-14.6
Hispanic	210	32,342	201	96.0	92.7-99.3	9	4.0	0.7- 7.3
18-24	140	44,415	131	92.5	85.4-99.6	9	7.5	0.4-14.6
25-34	213	61,270	197	90.6	84.5-96.7	16	9.4	3.3-15.5
35-44	212	55,453	204	97.0	93.9- 100	8	3.0	0.0- 6.1
45-54	263	56,943	246	94.8	91.9-97.7	17	5.2	2.3- 8.1
55-64	352	62,740	324	91.9	88.2-95.6	28	8.1	4.4-11.8
65+	547	83,745	523	96.6	94.8-98.4	24	3.4	1.6- 5.2
Less Than H.S.	199	44,859	183	91.5	86.6-96.4	16	8.5	3.6-13.4
H.S. or G.E.D.	479	128,177	446	93.3	89.8-96.8	33	6.7	3.2-10.2
Some Post-H.S.	392	87,702	372	95.1	92.6-97.6	20	4.9	2.4- 7.4
College Graduate	644	101,928	611	95.2	92.5-97.9	33	4.8	2.1- 7.5
Less than \$15,000	105	19,819	88	77.3	65.3-89.3	17	22.7	10.7-34.7
\$15,000- 24,999	205	38,813	185	89.1	81.8-96.4	20	10.9	3.6-18.2
\$25,000- 34,999	133	25,401	130	98.0	95.6- 100	3	2.0	0.0- 4.4
\$35,000- 49,999	155	33,225	144	93.1	86.4-99.8	11	6.9	0.2-13.6
\$50,000- 74,999	227	53,149	218	97.1	94.9-99.3	9	2.9	0.7- 5.1
\$75,000+	575	121,233	553	96.1	93.6-98.6	22	3.9	1.4- 6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2138	401,670	1866	86.7	84.5-88.9	272	13.3	11.1-15.5
White/Non-Hisp	1425	251,878	1239	85.5	82.8-88.2	186	14.5	11.8-17.2
Black or Afr. Am./Non-Hisp	319	85,834	275	87.2	82.5-91.9	44	12.8	8.1-17.5
Oth. Race/Non-Hisp.	68	20,001	60	92.5	84.5- 100	8	7.5	0.0-15.5
Hispanic	230	30,051	205	87.8	81.3-94.3	25	12.2	5.7-18.7
18-24	106	42,952	89	78.1	66.5-89.7	17	21.9	10.3-33.5
25-34	215	63,090	194	90.5	85.4-95.6	21	9.5	4.4-14.6
35-44	268	57,974	238	87.7	82.4-93.0	30	12.3	7.0-17.6
45-54	349	61,741	305	86.4	81.7-91.1	44	13.6	8.9-18.3
55-64	429	71,565	363	85.2	80.7-89.7	66	14.8	10.3-19.3
65+	771	104,347	677	88.6	85.7-91.5	94	11.4	8.5-14.3
Less Than H.S.	206	38,987	181	84.1	77.2-91.0	25	15.9	9.0-22.8
H.S. or G.E.D.	568	116,296	494	87.5	84.0-91.0	74	12.5	9.0-16.0
Some Post-H.S.	550	127,440	470	83.3	78.4-88.2	80	16.7	11.8-21.6
College Graduate	801	116,329	709	90.2	87.5-92.9	92	9.8	7.1-12.5
Less than \$15,000	190	27,432	157	84.5	77.4-91.6	33	15.5	8.4-22.6
\$15,000- 24,999	279	43,894	235	82.1	75.8-88.4	44	17.9	11.6-24.2
\$25,000- 34,999	159	27,718	133	82.8	75.4-90.2	26	17.2	9.8-24.6
\$35,000- 49,999	245	47,415	211	85.8	80.1-91.5	34	14.2	8.5-19.9
\$50,000- 74,999	218	41,169	195	87.3	80.8-93.8	23	12.7	6.2-19.2
\$75,000+	561	123,795	501	87.7	83.0-92.4	60	12.3	7.6-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3865	766,235	374	9.8	8.4-11.2	171	5.0	3.8- 6.2	3320	85.2	83.4-87.0
Male	1727	364,565	102	5.9	4.1- 7.7	83	6.5	4.5- 8.5	1542	87.6	85.1-90.1
Female	2138	401,670	272	13.3	11.1-15.5	88	3.6	2.6- 4.6	1778	83.1	80.7-85.5
White/Non-Hisp	2617	481,001	256	10.1	8.3-11.9	111	4.9	3.7- 6.1	2250	85.0	83.0-87.0
Black or Afr. Am./Non-Hisp	489	158,927	57	11.0	7.5-14.5	22	6.1	2.6- 9.6	410	82.9	78.0-87.8
Oth. Race/Non-Hisp.	145	38,942	13	7.2	1.7-12.7	8	4.0	0.7- 7.3	124	88.8	82.3-95.3
MultiRacial/Non-Hisp.	78	8,099	11	7.6	0.9-14.3	9	10.9	2.1-19.7	58	81.5	70.7-92.3
Hispanic	440	62,393	34	8.0	4.5-11.5	17	2.7	0.5- 4.9	389	89.3	85.2-93.4
18-24	246	87,367	26	14.6	7.7-21.5	19	8.4	3.9-12.9	201	77.0	69.4-84.6
25-34	428	124,360	37	9.5	5.6-13.4	30	7.7	3.4-12.0	361	82.8	77.3-88.3
35-44	480	113,427	38	7.8	4.7-10.9	26	4.9	2.2- 7.6	416	87.3	83.2-91.4
45-54	612	118,684	61	9.5	6.6-12.4	22	3.4	1.6- 5.2	529	87.0	83.7-90.3
55-64	781	134,305	94	11.7	8.8-14.6	35	4.4	2.4- 6.4	652	83.9	80.6-87.2
65+	1318	188,092	118	7.9	6.1- 9.7	39	3.0	1.8- 4.2	1161	89.2	87.0-91.4
Less Than H.S.	405	83,846	41	11.9	7.8-16.0	12	7.4	1.5-13.3	352	80.7	74.2-87.2
H.S. or G.E.D.	1047	244,472	107	9.5	7.0-12.0	49	4.9	3.1- 6.7	891	85.7	82.8-88.6
Some Post-H.S.	942	215,142	100	11.9	8.8-15.0	42	4.3	2.5- 6.1	800	83.8	80.3-87.3
College Graduate	1445	218,256	125	7.5	5.5- 9.5	68	4.9	3.3- 6.5	1252	87.6	85.1-90.1
Less than \$15,000	295	47,252	50	18.5	11.8-25.2	13	3.6	0.7- 6.5	232	77.9	70.8-85.0
\$15,000- 24,999	484	82,706	64	14.6	9.9-19.3	25	4.7	2.2- 7.2	395	80.6	75.3-85.9
\$25,000- 34,999	292	53,119	29	9.9	5.6-14.2	9	4.1	1.2- 7.0	254	86.0	80.9-91.1
\$35,000- 49,999	400	80,640	45	11.2	6.9-15.5	27	9.0	3.1-14.9	328	79.8	73.1-86.5
\$50,000- 74,999	445	94,319	32	7.2	4.1-10.3	27	6.8	3.1-10.5	386	86.0	81.3-90.7
\$75,000+	1136	245,028	82	8.1	5.4-10.8	46	4.8	3.0- 6.6	1008	87.0	83.9-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1727	364,565	102	5.9	4.1- 7.7	83	6.5	4.5- 8.5	1542	87.6	85.1-90.1
White/Non-Hisp	1192	229,124	70	5.4	3.6- 7.2	54	5.7	3.7- 7.7	1068	88.9	86.4-91.4
Black or Afr. Am./Non-Hisp	170	73,093	13	8.8	3.1-14.5	14	11.5	4.1-18.9	143	79.7	71.1-88.3
Oth. Race/Non-Hisp.	77	18,941	5	7.0	0.0-14.6	6	6.3	0.0-12.6	66	86.8	77.2-96.4
Hispanic	210	32,342	9	4.0	0.7- 7.3	4	1.3	0.0- 2.7	197	94.7	91.2-98.2
18-24	140	44,415	9	7.5	0.4-14.6	12	11.1	3.8-18.4	119	81.4	72.0-90.8
25-34	213	61,270	16	9.4	3.3-15.5	20	12.8	4.8-20.8	177	77.7	68.5-86.9
35-44	212	55,453	8	3.0	0.0- 6.1	13	7.3	2.0-12.6	191	89.7	83.8-95.6
45-54	263	56,943	17	5.2	2.3- 8.1	9	4.0	1.1- 6.9	237	90.8	86.7-94.9
55-64	352	62,740	28	8.1	4.4-11.8	12	2.7	1.1- 4.3	312	89.2	85.3-93.1
65+	547	83,745	24	3.4	1.6- 5.2	17	3.4	1.2- 5.6	506	93.2	90.5-95.9
Less Than H.S.	199	44,859	16	8.5	3.6-13.4	6	11.3	1.1-21.5	177	80.3	69.9-90.7
H.S. or G.E.D.	479	128,177	33	6.7	3.2-10.2	24	5.4	2.7- 8.1	422	87.9	83.6-92.2
Some Post-H.S.	392	87,702	20	4.9	2.4- 7.4	18	5.1	2.2- 8.0	354	89.9	86.2-93.6
College Graduate	644	101,928	33	4.8	2.1- 7.5	35	7.0	3.9-10.1	576	88.2	84.3-92.1
Less than \$15,000	105	19,819	17	22.7	10.7-34.7	3	4.1	0.0-10.0	85	73.2	60.7-85.7
\$15,000- 24,999	205	38,813	20	10.9	3.6-18.2	11	6.8	1.9-11.7	174	82.3	74.1-90.5
\$25,000- 34,999	133	25,401	3	2.0	0.0- 4.4	4	4.1	0.0- 8.6	126	93.9	88.8-99.0
\$35,000- 49,999	155	33,225	11	6.9	0.2-13.6	16	15.8	3.1-28.5	128	77.3	64.0-90.6
\$50,000- 74,999	227	53,149	9	2.9	0.7- 5.1	11	7.6	1.7-13.5	207	89.5	83.4-95.6
\$75,000+	575	121,233	22	3.9	1.4- 6.4	26	5.8	2.9- 8.7	527	90.3	86.6-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2138	401,670	272	13.3	11.1-15.5	88	3.6	2.6- 4.6	1778	83.1	80.7-85.5
White/Non-Hisp	1425	251,878	186	14.5	11.8-17.2	57	4.2	2.8- 5.6	1182	81.3	78.2-84.4
Black or Afr. Am./Non-Hisp	319	85,834	44	12.8	8.1-17.5	8	1.6	0.2- 3.0	267	85.6	80.7-90.5
Oth. Race/Non-Hisp.	68	20,001	8	7.5	0.0-15.5	2	1.8	0.0- 4.3	58	90.7	82.3-99.1
Hispanic	230	30,051	25	12.2	5.7-18.7	13	4.3	0.0- 8.6	192	83.5	76.1-90.9
18-24	106	42,952	17	21.9	10.3-33.5	7	5.7	0.4-11.0	82	72.4	60.2-84.6
25-34	215	63,090	21	9.5	4.4-14.6	10	2.8	0.6- 5.0	184	87.7	82.2-93.2
35-44	268	57,974	30	12.3	7.0-17.6	13	2.6	0.8- 4.4	225	85.1	79.6-90.6
45-54	349	61,741	44	13.6	8.9-18.3	13	2.9	0.9- 4.9	292	83.5	78.6-88.4
55-64	429	71,565	66	14.8	10.3-19.3	23	5.9	2.6- 9.2	340	79.3	74.0-84.6
65+	771	104,347	94	11.4	8.5-14.3	22	2.7	1.1- 4.3	655	85.9	82.8-89.0
Less Than H.S.	206	38,987	25	15.9	9.0-22.8	6	2.9	0.0- 6.2	175	81.2	73.9-88.5
H.S. or G.E.D.	568	116,296	74	12.5	9.0-16.0	25	4.3	2.3- 6.3	469	83.2	79.3-87.1
Some Post-H.S.	550	127,440	80	16.7	11.8-21.6	24	3.8	1.6- 6.0	446	79.5	74.4-84.6
College Graduate	801	116,329	92	9.8	7.1-12.5	33	3.1	1.7- 4.5	676	87.2	84.1-90.3
Less than \$15,000	190	27,432	33	15.5	8.4-22.6	10	3.2	0.7- 5.7	147	81.3	73.9-88.7
\$15,000- 24,999	279	43,894	44	17.9	11.6-24.2	14	2.9	1.1- 4.7	221	79.2	72.7-85.7
\$25,000- 34,999	159	27,718	26	17.2	9.8-24.6	5	4.0	0.0- 8.1	128	78.8	70.6-87.0
\$35,000- 49,999	245	47,415	34	14.2	8.5-19.9	11	4.2	0.9- 7.5	200	81.6	75.1-88.1
\$50,000- 74,999	218	41,169	23	12.7	6.2-19.2	16	5.7	2.4- 9.0	179	81.5	74.4-88.6
\$75,000+	561	123,795	60	12.3	7.6-17.0	20	3.8	1.6- 6.0	481	83.9	79.0-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3881	772,083	1303	27.4	25.6-29.2	2578	72.6	70.8-74.4
Male	1732	368,805	461	22.1	19.6-24.6	1271	77.9	75.4-80.4
Female	2149	403,279	842	32.3	29.8-34.8	1307	67.7	65.2-70.2
White/Non-Hisp	2628	485,961	1023	31.6	29.4-33.8	1605	68.4	66.2-70.6
Black or Afr. Am./Non-Hisp	492	159,500	156	26.3	21.0-31.6	336	73.7	68.4-79.0
Oth. Race/Non-Hisp.	145	38,975	32	11.7	4.6-18.8	113	88.3	81.2-95.4
MultiRacial/Non-Hisp.	78	8,099	19	16.8	6.2-27.4	59	83.2	72.6-93.8
Hispanic	443	62,741	42	6.9	4.2- 9.6	401	93.1	90.4-95.8
18-24	245	87,310	9	3.8	0.0- 7.7	236	96.2	92.3- 100
25-34	434	127,309	34	8.2	4.1-12.3	400	91.8	87.7-95.9
35-44	483	115,086	76	14.3	10.4-18.2	407	85.7	81.8-89.6
45-54	614	118,788	177	27.2	22.7-31.7	437	72.8	68.3-77.3
55-64	787	135,114	331	39.9	35.4-44.4	456	60.1	55.6-64.6
65+	1318	188,477	676	50.7	47.2-54.2	642	49.3	45.8-52.8
Less Than H.S.	401	83,358	123	31.7	25.0-38.4	278	68.3	61.6-75.0
H.S. or G.E.D.	1050	245,617	381	29.0	25.5-32.5	669	71.0	67.5-74.5
Some Post-H.S.	952	219,808	334	28.8	25.1-32.5	618	71.2	67.5-74.9
College Graduate	1454	219,024	457	22.8	20.1-25.5	997	77.2	74.5-79.9
Less than \$15,000	293	46,983	129	38.3	30.7-45.9	164	61.7	54.1-69.3
\$15,000- 24,999	486	83,510	174	31.6	25.9-37.3	312	68.4	62.7-74.1
\$25,000- 34,999	294	53,386	98	29.7	22.8-36.6	196	70.3	63.4-77.2
\$35,000- 49,999	401	81,538	144	29.8	23.1-36.5	257	70.2	63.5-76.9
\$50,000- 74,999	448	95,264	166	30.2	24.7-35.7	282	69.8	64.3-75.3
\$75,000+	1146	248,509	318	21.7	18.8-24.6	828	78.3	75.4-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1732	368,805	461	22.1	19.6-24.6	1271	77.9	75.4-80.4
White/Non-Hisp	1198	233,579	375	26.0	23.1-28.9	823	74.0	71.1-76.9
Black or Afr. Am./Non-Hisp	170	73,092	41	21.6	13.4-29.8	129	78.4	70.2-86.6
Oth. Race/Non-Hisp.	75	18,616	13	6.3	1.6-11.0	62	93.7	89.0-98.4
Hispanic	211	32,377	12	3.1	1.1- 5.1	199	96.9	94.9-98.9
18-24	138	44,138	5	1.9	0.0- 3.9	133	98.1	96.1- 100
25-34	217	63,884	12	8.5	1.2-15.8	205	91.5	84.2-98.8
35-44	212	56,298	25	9.8	5.1-14.5	187	90.2	85.5-94.9
45-54	264	57,141	62	20.6	14.7-26.5	202	79.4	73.5-85.3
55-64	353	63,114	129	33.3	27.2-39.4	224	66.7	60.6-72.8
65+	548	84,231	228	43.9	38.2-49.6	320	56.1	50.4-61.8
Less Than H.S.	196	44,506	51	29.9	19.7-40.1	145	70.1	59.9-80.3
H.S. or G.E.D.	480	128,649	128	21.5	17.0-26.0	352	78.5	74.0-83.0
Some Post-H.S.	401	92,131	113	22.4	17.7-27.1	288	77.6	72.9-82.3
College Graduate	643	101,720	165	19.1	15.4-22.8	478	80.9	77.2-84.6
Less than \$15,000	104	19,616	36	31.1	19.7-42.5	68	68.9	57.5-80.3
\$15,000- 24,999	206	39,303	54	24.8	16.6-33.0	152	75.2	67.0-83.4
\$25,000- 34,999	134	25,628	35	21.4	13.2-29.6	99	78.6	70.4-86.8
\$35,000- 49,999	156	34,002	42	25.2	13.4-37.0	114	74.8	63.0-86.6
\$50,000- 74,999	228	53,669	65	24.2	16.9-31.5	163	75.8	68.5-83.1
\$75,000+	577	123,887	144	18.5	14.8-22.2	433	81.5	77.8-85.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2149	403,279	842	32.3	29.8-34.8	1307	67.7	65.2-70.2
White/Non-Hisp	1430	252,382	648	36.8	33.5-40.1	782	63.2	59.9-66.5
Black or Afr. Am./Non-Hisp	322	86,409	115	30.3	23.6-37.0	207	69.7	63.0-76.4
Oth. Race/Non-Hisp.	70	20,359	19	16.7	4.4-29.0	51	83.3	71.0-95.6
Hispanic	232	30,364	30	11.1	6.2-16.0	202	88.9	84.0-93.8
18-24	107	43,172	4	5.7	0.0-13.1	103	94.3	86.9-100
25-34	217	63,425	22	8.0	4.1-11.9	195	92.0	88.1-95.9
35-44	271	58,788	51	18.7	12.6-24.8	220	81.3	75.2-87.4
45-54	350	61,647	115	33.2	26.7-39.7	235	66.8	60.3-73.3
55-64	434	72,000	202	45.6	39.3-51.9	232	54.4	48.1-60.7
65+	770	104,246	448	56.1	51.4-60.8	322	43.9	39.2-48.6
Less Than H.S.	205	38,852	72	33.8	25.2-42.4	133	66.2	57.6-74.8
H.S. or G.E.D.	570	116,968	253	37.2	31.9-42.5	317	62.8	57.5-68.1
Some Post-H.S.	551	127,677	221	33.5	28.2-38.8	330	66.5	61.2-71.8
College Graduate	811	117,305	292	26.1	22.4-29.8	519	73.9	70.2-77.6
Less than \$15,000	189	27,367	93	43.4	33.0-53.8	96	56.6	46.2-67.0
\$15,000- 24,999	280	44,206	120	37.7	30.1-45.3	160	62.3	54.7-69.9
\$25,000- 34,999	160	27,758	63	37.4	27.2-47.6	97	62.6	52.4-72.8
\$35,000- 49,999	245	47,535	102	33.0	25.0-41.0	143	67.0	59.0-75.0
\$50,000- 74,999	220	41,595	101	37.9	29.3-46.5	119	62.1	53.5-70.7
\$75,000+	569	124,623	174	24.8	20.1-29.5	395	75.2	70.5-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT2)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	LIMITED WORK ACTIVITIES (_LMTWRK2)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3873	771,482	532	10.9	9.5-12.3	763	16.5	14.9-18.1	2578	72.6	70.8-74.4
Male	1730	368,599	179	8.9	6.9-10.9	280	13.2	11.2-15.2	1271	77.9	75.4-80.4
Female	2143	402,883	353	12.8	11.0-14.6	483	19.5	17.3-21.7	1307	67.8	65.3-70.3
White/Non-Hisp	2621	485,450	400	12.3	10.7-13.9	616	19.2	17.4-21.0	1605	68.5	66.3-70.7
Black or Afr. Am./Non-Hisp	492	159,500	78	12.1	8.2-16.0	78	14.2	10.3-18.1	336	73.7	68.4-79.0
Oth. Race/Non-Hisp.	144	38,884	14	3.4	1.2- 5.6	17	8.1	1.4-14.8	113	88.5	81.4-95.6
MultiRacial/Non-Hisp.	78	8,099	9	3.2	0.7- 5.7	10	13.6	3.2-24.0	59	83.2	72.6-93.8
Hispanic	443	62,741	19	2.5	1.1- 3.9	23	4.4	2.0- 6.8	401	93.1	90.4-95.8
18-24	245	87,310	2	0.5	0.0- 1.3	7	3.2	0.0- 6.9	236	96.2	92.3- 100
25-34	434	127,309	13	3.7	0.2- 7.2	21	4.5	2.1- 6.9	400	91.8	87.7-95.9
35-44	483	115,086	32	6.1	3.4- 8.8	44	8.3	5.4-11.2	407	85.7	81.8-89.6
45-54	613	118,697	83	11.6	8.5-14.7	93	15.6	11.9-19.3	437	72.9	68.4-77.4
55-64	786	135,023	149	18.1	14.6-21.6	181	21.8	18.1-25.5	456	60.2	55.7-64.7
65+	1312	188,056	253	18.0	15.3-20.7	417	32.5	29.0-36.0	642	49.4	45.7-53.1
Less Than H.S.	401	83,358	51	14.1	8.4-19.8	72	17.6	12.7-22.5	278	68.3	61.6-75.0
H.S. or G.E.D.	1047	245,326	164	11.7	9.3-14.1	214	17.2	14.5-19.9	669	71.1	67.6-74.6
Some Post-H.S.	951	219,691	140	11.3	8.9-13.7	193	17.5	14.4-20.6	618	71.2	67.5-74.9
College Graduate	1450	218,831	174	8.5	6.9-10.1	279	14.3	12.1-16.5	997	77.2	74.5-79.9
Less than \$15,000	293	46,983	72	21.6	15.3-27.9	57	16.7	11.2-22.2	164	61.7	54.1-69.3
\$15,000- 24,999	486	83,510	94	15.5	11.6-19.4	80	16.1	11.4-20.8	312	68.4	62.7-74.1
\$25,000- 34,999	294	53,386	50	15.4	10.1-20.7	48	14.3	9.2-19.4	196	70.3	63.4-77.2
\$35,000- 49,999	401	81,538	61	13.6	7.9-19.3	83	16.2	11.7-20.7	257	70.2	63.5-76.9
\$50,000- 74,999	444	94,984	45	9.2	5.5-12.9	117	20.7	16.2-25.2	282	70.0	64.5-75.5
\$75,000+	1144	248,368	101	6.0	4.6- 7.4	215	15.6	12.9-18.3	828	78.4	75.5-81.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1730	368,599	179	8.9	6.9-10.9	280	13.2	11.2-15.2	1271	77.9	75.4-80.4
White/Non-Hisp	1196	233,373	143	10.4	8.2-12.6	230	15.5	13.1-17.9	823	74.1	71.2-77.0
Black or Afr. Am./Non-Hisp	170	73,092	17	9.3	2.6-16.0	24	12.3	6.6-18.0	129	78.4	70.2-86.6
Oth. Race/Non-Hisp.	75	18,616	6	2.6	0.0- 5.3	7	3.7	0.0- 7.6	62	93.7	89.0-98.4
Hispanic	211	32,377	4	0.8	0.0- 1.6	8	2.3	0.5- 4.1	199	96.9	94.9-98.9
18-24	138	44,138	1	0.9	0.0- 2.7	4	1.0	0.0- 2.2	133	98.1	96.1- 100
25-34	217	63,884	6	5.0	0.0-11.7	6	3.4	0.1- 6.7	205	91.5	84.2-98.8
35-44	212	56,298	9	3.8	0.1- 7.5	16	6.0	2.9- 9.1	187	90.2	85.5-94.9
45-54	263	57,050	23	5.9	3.0- 8.8	38	14.6	9.1-20.1	202	79.5	73.6-85.4
55-64	353	63,114	61	17.3	12.2-22.4	68	16.0	11.5-20.5	224	66.7	60.6-72.8
65+	547	84,116	79	15.1	11.0-19.2	148	28.8	23.5-34.1	320	56.1	50.4-61.8
Less Than H.S.	196	44,506	20	14.2	4.8-23.6	31	15.7	9.0-22.4	145	70.1	59.9-80.3
H.S. or G.E.D.	479	128,558	51	8.9	5.6-12.2	76	12.6	9.1-16.1	352	78.5	74.0-83.0
Some Post-H.S.	401	92,131	48	9.2	6.1-12.3	65	13.2	9.5-16.9	288	77.6	72.9-82.3
College Graduate	642	101,604	59	6.1	4.1- 8.1	105	12.9	9.6-16.2	478	81.0	77.3-84.7
Less than \$15,000	104	19,616	18	13.7	6.4-21.0	18	17.4	7.6-27.2	68	68.9	57.5-80.3
\$15,000- 24,999	206	39,303	29	11.3	6.2-16.4	25	13.5	6.2-20.8	152	75.2	67.0-83.4
\$25,000- 34,999	134	25,628	17	11.9	5.0-18.8	18	9.4	4.3-14.5	99	78.6	70.4-86.8
\$35,000- 49,999	156	34,002	18	15.0	3.0-27.0	24	10.3	5.4-15.2	114	74.8	63.0-86.6
\$50,000- 74,999	228	53,669	17	8.5	2.8-14.2	48	15.8	10.5-21.1	163	75.8	68.5-83.1
\$75,000+	576	123,771	44	4.3	2.7- 5.9	99	14.1	10.8-17.4	433	81.6	77.9-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	402,883	353	12.8	11.0-14.6	483	19.5	17.3-21.7	1307	67.8	65.3-70.3
White/Non-Hisp	1425	252,077	257	14.0	11.8-16.2	386	22.7	20.0-25.4	782	63.3	60.0-66.6
Black or Afr. Am./Non-Hisp	322	86,409	61	14.5	9.8-19.2	54	15.8	10.3-21.3	207	69.7	63.0-76.4
Oth. Race/Non-Hisp.	69	20,268	8	4.1	0.6- 7.6	10	12.2	0.2-24.2	51	83.7	71.4-96.0
Hispanic	232	30,364	15	4.4	1.9- 6.9	15	6.7	2.4-11.0	202	88.9	84.0-93.8
18-24	107	43,172	1	0.2	0.0- 0.6	3	5.5	0.0-12.9	103	94.3	86.9- 100
25-34	217	63,425	7	2.3	0.3- 4.3	15	5.7	2.4- 9.0	195	92.0	88.1-95.9
35-44	271	58,788	23	8.3	4.4-12.2	28	10.4	5.5-15.3	220	81.3	75.2-87.4
45-54	350	61,647	60	16.7	11.4-22.0	55	16.5	11.4-21.6	235	66.8	60.3-73.3
55-64	433	71,910	88	18.7	13.8-23.6	113	26.8	21.1-32.5	232	54.5	48.2-60.8
65+	765	103,941	174	20.4	16.7-24.1	269	35.5	31.0-40.0	322	44.0	39.3-48.7
Less Than H.S.	205	38,852	31	14.1	8.2-20.0	41	19.8	12.7-26.9	133	66.2	57.6-74.8
H.S. or G.E.D.	568	116,767	113	14.8	11.3-18.3	138	22.3	18.0-26.6	317	63.0	57.7-68.3
Some Post-H.S.	550	127,560	92	12.7	9.4-16.0	128	20.7	16.2-25.2	330	66.6	61.3-71.9
College Graduate	808	117,227	115	10.6	8.1-13.1	174	15.4	12.5-18.3	519	74.0	70.3-77.7
Less than \$15,000	189	27,367	54	27.2	18.0-36.4	39	16.2	9.9-22.5	96	56.6	46.2-67.0
\$15,000- 24,999	280	44,206	65	19.3	13.4-25.2	55	18.4	12.3-24.5	160	62.3	54.7-69.9
\$25,000- 34,999	160	27,758	33	18.6	10.8-26.4	30	18.8	10.6-27.0	97	62.6	52.4-72.8
\$35,000- 49,999	245	47,535	43	12.6	7.9-17.3	59	20.4	13.5-27.3	143	67.0	59.0-75.0
\$50,000- 74,999	216	41,316	28	10.3	5.8-14.8	69	27.2	19.4-35.0	119	62.5	53.9-71.1
\$75,000+	568	124,597	57	7.6	5.2-10.0	116	17.2	13.1-21.3	395	75.2	70.5-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

**TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3842	764,094	379	8.3	7.1- 9.5	885	18.4	16.8-20.0	2578	73.3	71.5-75.1
Male	1717	365,193	124	6.8	5.2- 8.4	322	14.5	12.5-16.5	1271	78.6	76.2-81.0
Female	2125	398,902	255	9.6	8.0-11.2	563	22.0	19.6-24.4	1307	68.4	65.9-70.9
White/Non-Hisp	2599	481,904	274	8.9	7.5-10.3	720	22.2	20.2-24.2	1605	69.0	66.8-71.2
Black or Afr. Am./Non-Hisp	487	155,802	57	9.3	6.2-12.4	94	15.3	11.2-19.4	336	75.4	70.5-80.3
Oth. Race/Non-Hisp.	144	38,942	12	4.6	0.3- 8.9	19	7.1	1.4-12.8	113	88.4	81.3-95.5
MultiRacial/Non-Hisp.	77	8,050	8	6.9	0.0-13.8	10	9.4	0.8-18.0	59	83.7	73.1-94.3
Hispanic	443	62,741	20	2.8	1.4- 4.2	22	4.2	2.0- 6.4	401	93.1	90.4-95.8
18-24	245	87,310	3	1.3	0.0- 2.9	6	2.5	0.0- 6.0	236	96.2	92.3- 100
25-34	433	125,125	15	2.7	1.1- 4.3	18	3.9	1.7- 6.1	400	93.4	90.7-96.1
35-44	483	115,086	33	5.6	3.1- 8.1	43	8.7	5.6-11.8	407	85.7	81.8-89.6
45-54	610	118,199	64	9.5	6.6-12.4	109	17.4	13.7-21.1	437	73.2	68.7-77.7
55-64	781	133,289	123	16.9	13.2-20.6	202	22.1	18.6-25.6	456	61.0	56.5-65.5
65+	1290	185,085	141	9.9	7.7-12.1	507	39.9	36.4-43.4	642	50.2	46.5-53.9
Less Than H.S.	396	80,125	52	13.2	9.1-17.3	66	15.8	11.3-20.3	278	71.0	65.1-76.9
H.S. or G.E.D.	1039	243,442	132	10.1	7.7-12.5	238	18.3	15.4-21.2	669	71.7	68.2-75.2
Some Post-H.S.	945	218,246	93	7.8	5.6-10.0	234	20.5	17.4-23.6	618	71.7	68.0-75.4
College Graduate	1439	218,061	101	5.0	3.6- 6.4	341	17.5	15.1-19.9	997	77.5	75.0-80.0
Less than \$15,000	291	46,851	61	19.7	13.4-26.0	66	18.4	12.9-23.9	164	61.9	54.3-69.5
\$15,000- 24,999	481	83,128	85	15.2	11.1-19.3	84	16.1	11.4-20.8	312	68.7	63.0-74.4
\$25,000- 34,999	289	51,908	41	12.9	8.2-17.6	52	14.8	9.9-19.7	196	72.3	65.8-78.8
\$35,000- 49,999	397	79,112	42	8.5	5.4-11.6	98	19.2	14.3-24.1	257	72.4	66.7-78.1
\$50,000- 74,999	444	95,001	40	9.1	5.4-12.8	122	20.9	16.4-25.4	282	70.0	64.5-75.5
\$75,000+	1143	248,301	47	3.3	2.1- 4.5	268	18.3	15.6-21.0	828	78.4	75.5-81.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	365,193	124	6.8	5.2- 8.4	322	14.5	12.5-16.5	1271	78.6	76.2-81.0
White/Non-Hisp	1188	232,365	93	7.6	5.6- 9.6	272	18.0	15.5-20.5	823	74.4	71.5-77.3
Black or Afr. Am./Non-Hisp	169	70,908	16	7.4	2.9-11.9	24	11.7	6.0-17.4	129	80.8	73.9-87.7
Oth. Race/Non-Hisp.	74	18,584	3	0.9	0.0- 2.1	9	5.2	0.7- 9.7	62	93.9	89.2-98.6
Hispanic	211	32,377	6	1.9	0.1- 3.7	6	1.2	0.2- 2.2	199	96.9	94.9-98.9
18-24	138	44,138	2	1.2	0.0- 3.0	3	0.7	0.0- 1.5	133	98.1	96.1- 100
25-34	216	61,700	5	1.5	0.0- 3.1	6	3.7	0.2- 7.2	205	94.8	91.1-98.5
35-44	212	56,298	8	3.8	0.1- 7.5	17	6.0	2.9- 9.1	187	90.2	85.5-94.9
45-54	261	56,646	19	6.3	2.8- 9.8	40	13.6	8.5-18.7	202	80.0	74.1-85.9
55-64	353	63,114	48	16.6	11.1-22.1	81	16.6	12.5-20.7	224	66.7	60.6-72.8
65+	537	83,298	42	8.6	5.3-11.9	175	34.8	29.3-40.3	320	56.7	51.0-62.4
Less Than H.S.	193	42,160	17	10.3	5.0-15.6	31	15.6	9.1-22.1	145	74.0	66.0-82.0
H.S. or G.E.D.	479	128,578	47	8.7	5.6-11.8	80	12.8	9.3-16.3	352	78.5	74.0-83.0
Some Post-H.S.	399	91,597	29	6.0	3.3- 8.7	82	16.0	11.9-20.1	288	78.0	73.3-82.7
College Graduate	635	101,113	31	3.8	1.8- 5.8	126	14.8	11.5-18.1	478	81.4	77.7-85.1
Less than \$15,000	103	19,561	15	14.2	5.6-22.8	20	16.7	8.1-25.3	68	69.1	57.7-80.5
\$15,000- 24,999	205	39,280	30	11.8	6.7-16.9	23	12.9	5.6-20.2	152	75.3	67.1-83.5
\$25,000- 34,999	132	25,504	14	10.2	4.3-16.1	19	10.8	4.5-17.1	99	79.0	70.8-87.2
\$35,000- 49,999	154	31,769	13	8.0	2.9-13.1	27	12.0	6.7-17.3	114	80.0	72.7-87.3
\$50,000- 74,999	228	53,669	16	9.4	3.5-15.3	49	14.8	9.7-19.9	163	75.8	68.5-83.1
\$75,000+	574	123,679	18	2.9	1.1- 4.7	123	15.4	12.1-18.7	433	81.7	78.0-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2125	398,902	255	9.6	8.0-11.2	563	22.0	19.6-24.4	1307	68.4	65.9-70.9
White/Non-Hisp	1411	249,539	181	10.0	8.2-11.8	448	26.0	23.1-28.9	782	63.9	60.8-67.0
Black or Afr. Am./Non-Hisp	318	84,894	41	10.8	6.5-15.1	70	18.3	12.6-24.0	207	70.9	64.2-77.6
Oth. Race/Non-Hisp.	70	20,359	9	8.0	0.0-16.0	10	8.7	0.0-18.7	51	83.3	71.0-95.6
Hispanic	232	30,364	14	3.8	1.4- 6.2	16	7.3	3.0-11.6	202	88.9	84.0-93.8
18-24	107	43,172	1	1.4	0.0- 4.1	3	4.3	0.0-11.4	103	94.3	86.9- 100
25-34	217	63,425	10	3.9	1.2- 6.6	12	4.1	1.4- 6.8	195	92.0	88.1-95.9
35-44	271	58,788	25	7.4	3.9-10.9	26	11.3	6.2-16.4	220	81.3	75.2-87.4
45-54	349	61,553	45	12.4	7.9-16.9	69	20.8	15.3-26.3	235	66.9	60.4-73.4
55-64	428	70,176	75	17.2	12.1-22.3	121	27.0	21.5-32.5	232	55.8	49.5-62.1
65+	753	101,788	99	11.0	8.3-13.7	332	44.1	39.4-48.8	322	45.0	40.3-49.7
Less Than H.S.	203	37,964	35	16.3	9.8-22.8	35	16.0	9.7-22.3	133	67.7	59.3-76.1
H.S. or G.E.D.	560	114,864	85	11.7	8.6-14.8	158	24.3	19.8-28.8	317	64.0	58.7-69.3
Some Post-H.S.	546	126,649	64	9.2	6.3-12.1	152	23.7	19.0-28.4	330	67.1	61.8-72.4
College Graduate	804	116,948	70	6.0	4.0- 8.0	215	19.9	16.6-23.2	519	74.1	70.4-77.8
Less than \$15,000	188	27,290	46	23.7	14.9-32.5	46	19.6	12.5-26.7	96	56.7	46.3-67.1
\$15,000- 24,999	276	43,848	55	18.3	12.0-24.6	61	18.9	13.0-24.8	160	62.8	55.2-70.4
\$25,000- 34,999	157	26,403	27	15.6	8.3-22.9	33	18.6	11.0-26.2	97	65.8	56.0-75.6
\$35,000- 49,999	243	47,343	29	8.8	4.9-12.7	71	23.9	16.6-31.2	143	67.3	59.3-75.3
\$50,000- 74,999	216	41,332	24	8.8	4.5-13.1	73	28.8	21.0-36.6	119	62.5	53.9-71.1
\$75,000+	569	124,623	29	3.8	2.0- 5.6	145	21.1	16.8-25.4	395	75.2	70.5-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	54
2 MALES ONLY	55
3 FEMALES ONLY	56
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	57
5 MALES ONLY	58
6 FEMALES ONLY	59
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	60
8 MALES ONLY	61
9 FEMALES ONLY	62
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	63
11 MALES ONLY	64
12 FEMALES ONLY	65
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	66
14 MALES ONLY	67
15 FEMALES ONLY	68
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	69
17 MALES ONLY	70
18 FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	72
20 MALES ONLY	73
21 FEMALES ONLY	74
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	75
23 MALES ONLY	76
24 FEMALES ONLY	77
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	78
26 MALES ONLY	79
27 FEMALES ONLY	80
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	81
29 MALES ONLY	82
30 FEMALES ONLY	83
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	84
32 MALES ONLY	85
33 FEMALES ONLY	86
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	87
35 MALES ONLY	88
36 FEMALES ONLY	89
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	90
38 MALES ONLY	91
39 FEMALES ONLY	92

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40 MALES AND FEMALES	93
41 MALES ONLY	94
42 FEMALES ONLY	95
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43 MALES AND FEMALES	96
44 MALES ONLY	97
45 FEMALES ONLY	98
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46 MALES AND FEMALES	99
47 MALES ONLY	100
48 FEMALES ONLY	101
Sex (_SEX) .	
49 MALES AND FEMALES	102
50 MALES ONLY	103
51 FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3717	748,787	2821	69.1	66.7-71.5	557	22.3	20.1-24.5	46	1.1	0.7- 1.5	73	3.8	2.6- 5.0	4	0.0	0.0- 0.0	216	3.6	2.8- 4.4
Male	1663	358,338	1285	69.3	65.8-72.8	199	21.2	17.9-24.5	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	115	4.6	3.2- 6.0
Female	2054	390,449	1536	68.9	65.8-72.0	358	23.3	20.4-26.2	22	0.9	0.5- 1.3	35	4.1	2.3- 5.9	2	0.0	0.0- 0.0	101	2.8	2.0- 3.6
18-24	224	84,129	138	63.7	55.3-72.1	47	25.1	17.1-33.1	3	1.1	0.0- 2.5	14	6.4	2.5-10.3	1	0.1	0.0- 0.3	21	3.6	1.6- 5.6
25-34	396	122,858	246	61.4	54.5-68.3	63	20.8	14.5-27.1	7	1.5	0.3- 2.7	17	8.3	3.8-12.8	1	0.0	0.0- 0.0	62	8.0	4.7-11.3
35-44	449	108,817	300	60.5	54.0-67.0	82	25.9	19.8-32.0	11	2.7	0.7- 4.7	15	5.9	2.4- 9.4				41	5.0	2.8- 7.2
45-54	587	115,238	429	65.4	59.9-70.9	114	28.3	22.8-33.8	5	0.5	0.0- 1.1	12	2.8	0.8- 4.8				27	3.0	1.6- 4.4
55-64	771	132,612	613	75.0	70.5-79.5	112	20.8	16.5-25.1	7	0.5	0.1- 0.9	5	1.6	0.0- 3.2	1	0.1	0.0- 0.3	33	2.1	1.1- 3.1
65+	1290	185,132	1095	79.8	76.3-83.3	139	17.4	13.9-20.9	13	0.7	0.3- 1.1	10	0.6	0.0- 1.2	1	0.0	0.0- 0.0	32	1.5	0.9- 2.1
Less Than H.S.	331	74,419	185	56.3	48.5-64.1	53	23.7	16.1-31.3	13	3.2	1.0- 5.4	1	0.8	0.0- 2.4	2	0.2	0.0- 0.4	77	15.8	10.5-21.1
H.S. or G.E.D.	1025	241,582	776	70.3	66.2-74.4	168	24.0	20.1-27.9	14	1.2	0.4- 2.0	12	1.7	0.5- 2.9				55	2.8	1.6- 4.0
Some Post-H.S.	930	215,116	728	70.8	66.3-75.3	146	24.0	19.7-28.3	7	0.6	0.0- 1.2	7	2.1	0.5- 3.7	1	0.0	0.0- 0.0	41	2.5	1.5- 3.5
College Graduate	1420	214,684	1124	70.5	66.6-74.4	189	18.2	15.1-21.3	12	0.8	0.0- 1.6	53	9.0	5.9-12.1	1	0.0	0.0- 0.0	41	1.5	0.9- 2.1
Less than \$15,000	269	44,394	157	49.2	40.6-57.8	67	35.6	27.2-44.0	8	2.7	0.3- 5.1	3	2.6	0.0- 5.7				34	9.9	5.2-14.6
\$15,000- 24,999	458	79,974	302	61.4	54.7-68.1	85	26.6	20.3-32.9	11	2.2	0.6- 3.8	7	1.0	0.2- 1.8				53	8.9	4.8-13.0
\$25,000- 34,999	286	52,190	204	65.7	57.7-73.7	53	26.9	19.1-34.7	8	1.9	0.3- 3.5	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	19	5.3	2.0- 8.6
\$35,000- 49,999	394	80,402	302	67.7	59.5-75.9	68	26.4	18.4-34.4	2	0.1	0.0- 0.3	4	3.7	0.0- 7.8	1	0.1	0.0- 0.3	17	2.0	0.8- 3.2
\$50,000- 74,999	443	93,527	360	73.8	67.3-80.3	64	22.6	16.3-28.9	1	0.1	0.0- 0.3	8	1.9	0.1- 3.7	1	0.1	0.0- 0.3	9	1.5	0.1- 2.9
\$75,000+	1128	245,404	945	75.3	71.4-79.2	124	16.2	12.9-19.5	8	1.1	0.3- 1.9	30	6.1	3.6- 8.6				21	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1663	358,338	1285	69.3	65.8-72.8	199	21.2	17.9-24.5	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	115	4.6	3.2- 6.0
18-24	124	41,864	83	64.6	53.6-75.6	19	21.3	11.1-31.5	2	1.4	0.0- 3.4	9	7.5	1.8-13.2	1	0.2	0.0- 0.6	10	5.0	1.3- 8.7
25-34	205	63,141	131	62.9	52.9-72.9	22	17.9	8.7-27.1	4	1.5	0.0- 3.3	8	6.6	1.3-11.9	1	0.1	0.0- 0.3	39	11.1	5.2-17.0
35-44	199	53,436	127	60.2	50.6-69.8	33	25.6	16.0-35.2	6	3.6	0.3- 6.9	6	4.4	0.3- 8.5				27	6.3	3.2- 9.4
45-54	255	55,548	194	67.7	59.5-75.9	37	26.0	17.6-34.4	3	0.4	0.0- 1.0	7	2.6	0.1- 5.1				14	3.2	0.8- 5.6
55-64	347	62,063	284	74.9	68.2-81.6	45	21.2	14.7-27.7	2	0.3	0.0- 0.7	3	1.7	0.0- 3.9				13	1.9	0.5- 3.3
65+	533	82,286	466	79.5	73.6-85.4	43	17.7	11.8-23.6	7	0.9	0.1- 1.7	5	0.8	0.0- 1.6				12	1.1	0.3- 1.9
Less Than H.S.	169	39,840	93	52.7	41.3-64.1	19	22.2	10.2-34.2	11	5.0	1.1- 8.9	1	1.5	0.0- 4.4				45	18.5	10.3-26.7
H.S. or G.E.D.	466	126,560	354	69.6	63.7-75.5	69	24.3	18.4-30.2	4	0.7	0.0- 1.5	5	1.4	0.0- 2.8				34	4.1	2.1- 6.1
Some Post-H.S.	394	91,115	319	74.5	67.8-81.2	48	19.9	13.4-26.4	2	0.4	0.0- 1.0	4	2.3	0.0- 4.7	1	0.1	0.0- 0.3	20	2.8	1.0- 4.6
College Graduate	629	99,714	514	70.5	64.6-76.4	63	18.4	13.1-23.7	7	1.4	0.0- 2.8	28	8.3	4.4-12.2	1	0.0	0.0- 0.0	16	1.3	0.3- 2.3
Less than \$15,000	93	18,169	53	42.1	29.4-54.8	21	35.4	21.5-49.3	2	3.1	0.0- 7.6	2	5.0	0.0-12.1				15	14.4	5.0-23.8
\$15,000- 24,999	193	37,470	121	56.7	46.1-67.3	29	26.5	16.1-36.9	8	2.0	0.4- 3.6	6	2.0	0.2- 3.8				29	12.9	5.1-20.7
\$25,000- 34,999	133	25,529	103	76.1	65.7-86.5	12	15.6	5.6-25.6	5	2.6	0.0- 5.5	1	0.1	0.0- 0.3				12	5.5	1.2- 9.8
\$35,000- 49,999	152	33,005	116	64.6	50.7-78.5	23	30.5	16.0-45.0				2	2.0	0.0- 5.5	1	0.1	0.0- 0.3	10	2.8	0.4- 5.2
\$50,000- 74,999	228	53,391	183	68.6	59.2-78.0	35	26.6	17.2-36.0				4	2.8	0.0- 5.7	1	0.1	0.0- 0.3	5	1.9	0.0- 4.3
\$75,000+	569	122,504	491	77.6	72.3-82.9	47	13.8	9.3-18.3	4	1.4	0.0- 2.8	15	5.1	2.0- 8.2				12	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	390,449	1536	68.9	65.8-72.0	358	23.3	20.4-26.2	22	0.9	0.5- 1.3	35	4.1	2.3- 5.9	2	0.0	0.0- 0.0	101	2.8	2.0- 3.6
18-24	100	42,264	55	62.8	50.1-75.5	28	28.8	16.5-41.1	1	0.8	0.0- 2.4	5	5.4	0.0-10.9				11	2.2	0.6- 3.8
25-34	191	59,717	115	59.8	50.2-69.4	41	23.9	15.7-32.1	3	1.5	0.0- 3.3	9	10.2	2.8-17.6				23	4.6	2.1- 7.1
35-44	250	55,381	173	60.9	52.5-69.3	49	26.2	18.4-34.0	5	1.8	0.0- 3.6	9	7.4	1.7-13.1				14	3.7	0.8- 6.6
45-54	332	59,691	235	63.2	55.9-70.5	77	30.3	23.2-37.4	2	0.6	0.0- 1.6	5	3.0	0.0- 6.1				13	2.8	1.0- 4.6
55-64	424	70,550	329	75.0	69.1-80.9	67	20.5	14.8-26.2	5	0.6	0.0- 1.2	2	1.5	0.0- 3.7	1	0.1	0.0- 0.3	20	2.3	0.9- 3.7
65+	757	102,846	629	80.0	75.7-84.3	96	17.1	13.0-21.2	6	0.5	0.0- 1.1	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0	20	1.8	0.8- 2.8
Less Than H.S.	162	34,579	92	60.3	50.3-70.3	34	25.4	16.2-34.6	2	1.1	0.0- 2.7				2	0.4	0.0- 1.0	32	12.8	7.1-18.5
H.S. or G.E.D.	559	115,022	422	71.0	65.5-76.5	99	23.7	18.4-29.0	10	1.7	0.5- 2.9	7	2.1	0.0- 4.3				21	1.4	0.6- 2.2
Some Post-H.S.	536	124,001	409	68.1	62.0-74.2	98	27.0	21.1-32.9	5	0.7	0.0- 1.5	3	2.0	0.0- 4.2				21	2.3	1.1- 3.5
College Graduate	791	114,970	610	70.5	65.2-75.8	126	18.0	14.1-21.9	5	0.3	0.0- 0.7	25	9.5	4.8-14.2				25	1.6	0.8- 2.4
Less than \$15,000	176	26,224	104	54.1	43.1-65.1	46	35.7	25.1-46.3	6	2.5	0.1- 4.9	1	1.0	0.0- 2.8				19	6.8	2.7-10.9
\$15,000- 24,999	265	42,504	181	65.6	57.6-73.6	56	26.6	19.0-34.2	3	2.3	0.0- 5.0	1	0.1	0.0- 0.3				24	5.4	2.5- 8.3
\$25,000- 34,999	153	26,661	101	55.8	44.4-67.2	41	37.7	26.3-49.1	3	1.2	0.0- 2.8				1	0.3	0.0- 0.9	7	5.0	0.0-10.3
\$35,000- 49,999	242	47,398	186	69.9	60.1-79.7	45	23.4	14.4-32.4	2	0.2	0.0- 0.4	2	4.9	0.0-11.6				7	1.5	0.1- 2.9
\$50,000- 74,999	215	40,136	177	80.9	73.3-88.5	29	17.4	10.0-24.8	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5				4	0.9	0.0- 1.9
\$75,000+	559	122,901	454	72.9	67.2-78.6	77	18.6	13.7-23.5	4	0.8	0.0- 1.6	15	7.0	3.1-10.9				9	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3717	748,787	2795	68.8	66.4-71.2	526	21.8	19.6-24.0	41	1.0	0.6- 1.4	72	3.8	2.6- 5.0	4	0.0	0.0- 0.0	279	4.5	3.7- 5.3
Male	1663	358,338	1270	69.0	65.5-72.5	186	20.9	17.6-24.2	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	143	5.3	3.9- 6.7
Female	2054	390,449	1525	68.7	65.6-71.8	340	22.7	19.8-25.6	17	0.8	0.4- 1.2	34	4.0	2.2- 5.8	2	0.0	0.0- 0.0	136	3.8	3.0- 4.6
18-24	224	84,129	134	63.2	54.8-71.6	40	23.5	15.7-31.3	3	1.1	0.0- 2.5	14	6.4	2.5-10.3	1	0.1	0.0- 0.3	32	5.6	3.1- 8.1
25-34	396	122,858	242	61.0	54.1-67.9	57	20.5	14.2-26.8	6	1.3	0.1- 2.5	17	8.3	3.8-12.8	1	0.0	0.0- 0.0	73	8.9	5.6-12.2
35-44	449	108,817	297	60.3	53.8-66.8	72	24.7	18.6-30.8	10	2.5	0.7- 4.3	14	5.9	2.4- 9.4				56	6.7	4.3- 9.1
45-54	587	115,238	424	65.2	59.7-70.7	112	28.2	22.7-33.7	5	0.5	0.0- 1.1	12	2.8	0.8- 4.8				34	3.3	1.9- 4.7
55-64	771	132,612	608	74.7	70.2-79.2	110	20.7	16.4-25.0	6	0.5	0.1- 0.9	5	1.6	0.0- 3.2	1	0.1	0.0- 0.3	41	2.5	1.5- 3.5
65+	1290	185,132	1090	79.7	76.2-83.2	135	17.1	13.6-20.6	11	0.7	0.3- 1.1	10	0.6	0.0- 1.2	1	0.0	0.0- 0.0	43	1.9	1.1- 2.7
Less Than H.S.	331	74,419	182	56.0	48.2-63.8	51	23.4	15.8-31.0	12	2.9	0.7- 5.1	1	0.8	0.0- 2.4	2	0.2	0.0- 0.4	83	16.8	11.5-22.1
H.S. or G.E.D.	1025	241,582	767	69.9	65.8-74.0	163	23.8	19.9-27.7	13	1.1	0.3- 1.9	11	1.7	0.5- 2.9				71	3.4	2.2- 4.6
Some Post-H.S.	930	215,116	720	70.4	65.9-74.9	132	23.0	18.7-27.3	5	0.5	0.1- 0.9	7	2.1	0.5- 3.7	1	0.0	0.0- 0.0	65	3.9	2.5- 5.3
College Graduate	1420	214,684	1118	70.5	66.6-74.4	179	17.7	14.6-20.8	11	0.8	0.0- 1.6	53	9.0	5.9-12.1	1	0.0	0.0- 0.0	58	2.0	1.2- 2.8
Less than \$15,000	269	44,394	152	48.4	39.8-57.0	63	34.7	26.3-43.1	6	2.3	0.1- 4.5	3	2.6	0.0- 5.7				45	12.0	7.1-16.9
\$15,000- 24,999	458	79,974	298	61.0	54.3-67.7	78	25.9	19.6-32.2	11	2.2	0.6- 3.8	6	0.9	0.1- 1.7				65	10.1	6.0-14.2
\$25,000- 34,999	286	52,190	203	65.7	57.7-73.7	50	26.1	18.3-33.9	7	1.8	0.2- 3.4	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	24	6.2	2.7- 9.7
\$35,000- 49,999	394	80,402	298	67.3	59.1-75.5	64	25.8	17.8-33.8	1	0.1	0.0- 0.3	4	3.7	0.0- 7.8	1	0.1	0.0- 0.3	26	2.9	1.5- 4.3
\$50,000- 74,999	443	93,527	359	73.8	67.3-80.3	62	22.5	16.2-28.8	1	0.1	0.0- 0.3	8	1.9	0.1- 3.7	1	0.1	0.0- 0.3	12	1.6	0.2- 3.0
\$75,000+	1128	245,404	937	75.0	71.1-78.9	117	15.9	12.6-19.2	7	1.0	0.2- 1.8	30	6.1	3.6- 8.6				37	2.1	1.1- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1663	358,338	1270	69.0	65.5-72.5	186	20.9	17.6-24.2	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	143	5.3	3.9- 6.7
18-24	124	41,864	81	64.3	53.3-75.3	17	20.1	10.1-30.1	2	1.4	0.0- 3.4	9	7.5	1.8-13.2	1	0.2	0.0- 0.6	14	6.5	2.2-10.8
25-34	205	63,141	128	62.3	52.3-72.3	19	17.7	8.5-26.9	4	1.5	0.0- 3.3	8	6.6	1.3-11.9	1	0.1	0.0- 0.3	45	11.9	6.0-17.8
35-44	199	53,436	126	60.1	50.5-69.7	29	24.7	15.1-34.3	6	3.6	0.3- 6.9	6	4.4	0.3- 8.5				32	7.3	4.0-10.6
45-54	255	55,548	191	67.4	59.2-75.6	36	26.0	17.6-34.4	3	0.4	0.0- 1.0	7	2.6	0.1- 5.1				18	3.6	1.2- 6.0
55-64	347	62,063	281	74.3	67.6-81.0	43	20.9	14.4-27.4	2	0.3	0.0- 0.7	3	1.7	0.0- 3.9				18	2.7	0.9- 4.5
65+	533	82,286	463	79.4	73.5-85.3	42	17.7	11.8-23.6	7	0.9	0.1- 1.7	5	0.8	0.0- 1.6				16	1.3	0.5- 2.1
Less Than H.S.	169	39,840	90	52.3	40.9-63.7	17	21.6	9.6-33.6	11	5.0	1.1- 8.9	1	1.5	0.0- 4.4				50	19.6	11.2-28.0
H.S. or G.E.D.	466	126,560	349	69.2	63.3-75.1	66	24.2	18.3-30.1	4	0.7	0.0- 1.5	5	1.4	0.0- 2.8				42	4.6	2.4- 6.8
Some Post-H.S.	394	91,115	316	74.1	67.4-80.8	43	19.3	12.8-25.8	2	0.4	0.0- 1.0	4	2.3	0.0- 4.7	1	0.1	0.0- 0.3	28	3.8	1.8- 5.8
College Graduate	629	99,714	510	70.5	64.6-76.4	60	18.0	12.7-23.3	7	1.4	0.0- 2.8	28	8.3	4.4-12.2	1	0.0	0.0- 0.0	23	1.7	0.7- 2.7
Less than \$15,000	93	18,169	53	42.1	29.4-54.8	18	34.2	20.1-48.3	2	3.1	0.0- 7.6	2	5.0	0.0-12.1				18	15.6	6.0-25.2
\$15,000- 24,999	193	37,470	117	55.8	45.2-66.4	27	26.3	15.7-36.9	8	2.0	0.4- 3.6	6	2.0	0.2- 3.8				35	14.0	6.0-22.0
\$25,000- 34,999	133	25,529	102	76.0	65.6-86.4	12	15.6	5.6-25.6	5	2.6	0.0- 5.5	1	0.1	0.0- 0.3				13	5.7	1.4-10.0
\$35,000- 49,999	152	33,005	113	64.0	50.1-77.9	21	30.0	15.5-44.5				2	2.0	0.0- 5.5	1	0.1	0.0- 0.3	15	3.9	1.4- 6.4
\$50,000- 74,999	228	53,391	183	68.6	59.2-78.0	34	26.5	17.1-35.9				4	2.8	0.0- 5.7	1	0.1	0.0- 0.3	6	1.9	0.0- 4.3
\$75,000+	569	122,504	485	77.2	71.9-82.5	44	13.6	9.1-18.1	4	1.4	0.0- 2.8	15	5.1	2.0- 8.2				21	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	390,449	1525	68.7	65.6-71.8	340	22.7	20.0-25.4	17	0.8	0.4- 1.2	34	4.0	2.2- 5.8	2	0.0	0.0- 0.0	136	3.8	3.0- 4.6
18-24	100	42,264	53	62.2	49.3-75.1	23	26.9	14.7-39.1	1	0.8	0.0- 2.4	5	5.4	0.0-10.9				18	4.7	2.0- 7.4
25-34	191	59,717	114	59.6	50.0-69.2	38	23.5	15.3-31.7	2	1.1	0.0- 2.7	9	10.2	2.8-17.6				28	5.7	3.0- 8.4
35-44	250	55,381	171	60.4	52.0-68.8	43	24.6	16.8-32.4	4	1.5	0.0- 3.3	8	7.3	1.6-13.0				24	6.1	2.8- 9.4
45-54	332	59,691	233	63.1	55.8-70.4	76	30.3	23.2-37.4	2	0.6	0.0- 1.6	5	3.0	0.0- 6.1				16	3.0	1.2- 4.8
55-64	424	70,550	327	75.0	69.1-80.9	67	20.5	14.8-26.2	4	0.6	0.0- 1.2	2	1.5	0.0- 3.7	1	0.1	0.0- 0.3	23	2.4	1.0- 3.8
65+	757	102,846	627	80.0	75.7-84.3	93	16.7	12.6-20.8	4	0.5	0.1- 0.9	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0	27	2.3	1.1- 3.5
Less Than H.S.	162	34,579	92	60.3	50.3-70.3	34	25.4	16.2-34.6	1	0.4	0.0- 1.2				2	0.4	0.0- 1.0	33	13.5	7.6-19.4
H.S. or G.E.D.	559	115,022	418	70.7	65.2-76.2	97	23.5	18.2-28.8	9	1.7	0.5- 2.9	6	2.0	0.0- 4.2				29	2.1	1.1- 3.1
Some Post-H.S.	536	124,001	404	67.7	61.6-73.8	89	25.8	19.9-31.7	3	0.5	0.0- 1.3	3	2.0	0.0- 4.2				37	4.0	2.4- 5.6
College Graduate	791	114,970	608	70.5	65.2-75.8	119	17.5	13.8-21.2	4	0.3	0.0- 0.7	25	9.5	4.8-14.2				35	2.2	1.2- 3.2
Less than \$15,000	176	26,224	99	52.8	41.6-64.0	45	35.0	24.4-45.6	4	1.7	0.0- 3.7	1	1.0	0.0- 2.8				27	9.6	4.7-14.5
\$15,000- 24,999	265	42,504	181	65.6	57.6-73.6	51	25.6	18.2-33.0	3	2.3	0.0- 5.0							30	6.5	3.4- 9.6
\$25,000- 34,999	153	26,661	101	55.8	44.4-67.2	38	36.1	24.7-47.5	2	1.1	0.0- 2.7				1	0.3	0.0- 0.9	11	6.7	1.0-12.4
\$35,000- 49,999	242	47,398	185	69.7	59.9-79.5	43	23.0	14.0-32.0	1	0.1	0.0- 0.3	2	4.9	0.0-11.6				11	2.3	0.5- 4.1
\$50,000- 74,999	215	40,136	176	80.7	73.1-88.3	28	17.3	9.9-24.7	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5				6	1.1	0.0- 2.3
\$75,000+	559	122,901	452	72.8	67.1-78.5	73	18.1	13.2-23.0	3	0.6	0.0- 1.4	15	7.0	3.1-10.9				16	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3800	757,293	2636	64.3	61.9-66.7	493	21.1	18.9-23.3	33	0.8	0.4- 1.2	70	3.8	2.6- 5.0	122	1.7	1.3- 2.1	446	8.3	7.1- 9.5
Male	1697	362,395	1200	64.6	61.3-67.9	171	20.2	16.9-23.5	18	1.0	0.4- 1.6	37	3.5	2.1- 4.9	57	1.7	1.1- 2.3	214	9.0	7.2-10.8
Female	2103	394,898	1436	64.1	61.0-67.2	322	21.9	19.2-24.6	15	0.7	0.3- 1.1	33	4.0	2.2- 5.8	65	1.7	1.1- 2.3	232	7.7	6.1- 9.3
18-24	241	85,963	111	56.6	48.2-65.0	32	21.6	14.0-29.2	1	0.3	0.0- 0.9	14	6.3	2.4-10.2	15	3.1	1.1- 5.1	68	12.2	8.3-16.1
25-34	430	126,087	195	51.6	44.9-58.3	50	19.4	13.3-25.5	6	1.2	0.0- 2.4	16	8.1	3.6-12.6	26	2.5	1.1- 3.9	137	17.1	12.6-21.6
35-44	472	112,518	262	52.8	46.5-59.1	63	23.0	16.9-29.1	7	2.1	0.3- 3.9	14	5.7	2.2- 9.2	20	2.0	1.0- 3.0	106	14.4	10.5-18.3
45-54	595	115,299	402	62.5	57.0-68.0	106	27.6	22.1-33.1	4	0.4	0.0- 1.0	11	2.8	0.8- 4.8	14	0.9	0.3- 1.5	58	5.8	3.8- 7.8
55-64	775	132,885	589	72.0	67.5-76.5	108	20.5	16.2-24.8	7	0.5	0.1- 0.9	5	1.6	0.0- 3.2	17	1.1	0.5- 1.7	49	4.4	2.4- 6.4
65+	1287	184,542	1077	79.3	75.8-82.8	134	17.2	13.7-20.7	8	0.5	0.1- 0.9	10	0.6	0.0- 1.2	30	1.2	0.6- 1.8	28	1.2	0.6- 1.8
Less Than H.S.	401	82,937	127	37.9	31.0-44.8	47	20.6	13.7-27.5	6	1.4	0.0- 3.0	1	0.7	0.0- 2.1	10	1.6	0.4- 2.8	210	37.8	31.1-44.5
H.S. or G.E.D.	1035	241,503	730	65.9	61.8-70.0	154	23.2	19.3-27.1	10	0.9	0.3- 1.5	10	1.7	0.5- 2.9	34	1.3	0.7- 1.9	97	7.0	5.0- 9.0
Some Post-H.S.	936	215,811	690	68.1	63.6-72.6	122	22.5	18.2-26.8	5	0.5	0.1- 0.9	7	2.1	0.5- 3.7	42	2.7	1.5- 3.9	70	4.1	2.7- 5.5
College Graduate	1414	213,857	1081	69.1	65.2-73.0	169	17.4	14.3-20.5	12	0.8	0.0- 1.6	52	9.0	5.9-12.1	35	1.1	0.5- 1.7	65	2.6	1.8- 3.4
Less than \$15,000	290	46,346	126	39.5	31.3-47.7	59	32.7	24.5-40.9	4	1.0	0.0- 2.0	3	2.5	0.0- 5.4	16	4.4	1.5- 7.3	82	19.9	13.8-26.0
\$15,000- 24,999	482	82,875	267	53.2	46.7-59.7	71	24.0	17.9-30.1	7	1.7	0.1- 3.3	6	0.9	0.1- 1.7	20	1.8	0.8- 2.8	111	18.4	13.5-23.3
\$25,000- 34,999	290	52,450	189	61.0	52.8-69.2	46	24.1	16.3-31.9	7	1.8	0.2- 3.4				8	1.7	0.3- 3.1	40	11.4	5.3-17.5
\$35,000- 49,999	395	81,006	278	61.6	53.6-69.6	54	24.6	16.6-32.6	1	0.1	0.0- 0.3	4	3.7	0.0- 7.8	17	1.7	0.7- 2.7	41	8.4	4.7-12.1
\$50,000- 74,999	444	93,906	353	72.5	66.0-79.0	61	22.3	16.0-28.6	1	0.1	0.0- 0.3	7	1.8	0.0- 3.6	5	0.8	0.0- 2.0	17	2.5	0.9- 4.1
\$75,000+	1123	244,248	915	73.6	69.7-77.5	113	15.7	12.4-19.0	6	0.8	0.0- 1.6	30	6.1	3.6- 8.6	25	1.3	0.7- 1.9	34	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	362,395	1200	64.6	61.3-67.9	171	20.2	16.9-23.5	18	1.0	0.4- 1.6	37	3.5	2.1- 4.9	57	1.7	1.1- 2.3	214	9.0	7.2-10.8
18-24	135	43,054	63	53.0	41.8-64.2	14	19.2	9.4-29.0	1	0.5	0.0- 1.5	9	7.3	1.8-12.8	6	3.3	0.0- 6.6	42	16.8	10.3-23.3
25-34	218	64,074	114	58.2	48.4-68.0	15	16.6	7.4-25.8	4	1.4	0.0- 3.2	7	6.4	1.3-11.5	15	2.7	0.7- 4.7	63	14.6	8.5-20.7
35-44	209	55,759	112	50.9	41.7-60.1	25	23.0	13.8-32.2	4	2.9	0.0- 6.0	6	4.2	0.3- 8.1	9	1.6	0.4- 2.8	53	17.4	10.7-24.1
45-54	255	55,497	181	65.8	57.6-74.0	34	25.5	17.1-33.9	2	0.3	0.0- 0.7	7	2.6	0.1- 5.1	7	0.7	0.1- 1.3	24	5.1	2.6- 7.6
55-64	348	62,026	273	71.3	64.4-78.2	42	20.8	14.3-27.3	2	0.3	0.0- 0.7	3	1.7	0.0- 3.9	9	1.5	0.1- 2.9	19	4.4	1.5- 7.3
65+	532	81,985	457	79.0	73.1-84.9	41	17.7	11.8-23.6	5	0.7	0.0- 1.5	5	0.8	0.0- 1.6	11	0.8	0.0- 1.6	13	1.0	0.4- 1.6
Less Than H.S.	198	44,381	67	37.3	27.9-46.7	15	19.1	8.1-30.1	5	2.5	0.0- 5.2	1	1.3	0.0- 3.8	9	2.3	0.5- 4.1	101	37.5	27.5-47.5
H.S. or G.E.D.	471	126,383	333	65.8	59.7-71.9	64	24.1	18.2-30.0	3	0.6	0.0- 1.4	5	1.4	0.0- 2.8	18	1.3	0.5- 2.1	48	6.8	4.3- 9.3
Some Post-H.S.	395	91,191	303	71.5	64.8-78.2	37	18.5	12.0-25.0	2	0.4	0.0- 1.0	4	2.3	0.0- 4.7	15	2.6	0.8- 4.4	34	4.6	2.4- 6.8
College Graduate	625	99,133	492	68.5	62.6-74.4	55	17.7	12.4-23.0	8	1.4	0.0- 3.0	27	8.4	4.5-12.3	15	1.0	0.4- 1.6	28	3.0	1.4- 4.6
Less than \$15,000	103	19,295	43	33.6	22.2-45.0	17	31.9	18.4-45.4				2	4.7	0.0-11.4	5	4.2	0.0- 8.7	36	25.6	14.6-36.6
\$15,000- 24,999	203	38,779	103	47.9	38.1-57.7	23	24.1	13.9-34.3	5	1.3	0.1- 2.5	6	1.9	0.1- 3.7	8	1.6	0.0- 3.2	58	23.2	14.6-31.8
\$25,000- 34,999	134	25,657	92	67.5	55.3-79.7	12	15.5	5.7-25.3	4	2.3	0.0- 5.0				3	0.8	0.0- 1.8	23	13.9	3.7-24.1
\$35,000- 49,999	154	33,688	107	60.0	46.7-73.3	16	28.4	13.9-42.9	1	0.1	0.0- 0.3	2	2.0	0.0- 5.3	9	1.6	0.4- 2.8	19	7.9	2.6-13.2
\$50,000- 74,999	229	53,844	180	67.1	57.7-76.5	33	26.1	16.7-35.5				4	2.8	0.0- 5.7	2	1.1	0.0- 3.1	10	2.9	0.5- 5.3
\$75,000+	564	121,348	469	74.7	69.2-80.2	42	13.5	9.0-18.0	4	1.4	0.0- 3.0	15	5.2	2.1- 8.3	14	1.4	0.4- 2.4	20	3.8	1.6- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2103	394,898	1436	64.1	61.0-67.2	322	21.9	19.2-24.6	15	0.7	0.3- 1.1	33	4.0	2.2- 5.8	65	1.7	1.1- 2.3	232	7.7	6.1- 9.3
18-24	106	42,908	48	60.2	47.5-72.9	18	24.0	12.0-36.0				5	5.3	0.0-10.8	9	2.8	0.4- 5.2	26	7.7	3.6-11.8
25-34	212	62,014	81	44.8	35.4-54.2	35	22.3	14.3-30.3	2	1.0	0.0- 2.6	9	9.8	2.5-17.1	11	2.3	0.5- 4.1	74	19.7	12.8-26.6
35-44	263	56,759	150	54.6	46.4-62.8	38	23.1	15.5-30.7	3	1.3	0.0- 3.1	8	7.2	1.5-12.9	11	2.4	0.8- 4.0	53	11.4	7.3-15.5
45-54	340	59,802	221	59.4	52.3-66.5	72	29.6	22.5-36.7	2	0.6	0.0- 1.6	4	2.9	0.0- 6.0	7	1.0	0.0- 2.0	34	6.5	3.8- 9.2
55-64	427	70,858	316	72.6	66.5-78.7	66	20.2	14.5-25.9	5	0.7	0.1- 1.3	2	1.4	0.0- 3.6	8	0.6	0.0- 1.2	30	4.3	1.9- 6.7
65+	755	102,557	620	79.6	75.3-83.9	93	16.7	12.6-20.8	3	0.4	0.0- 0.8	5	0.5	0.0- 1.1	19	1.5	0.5- 2.5	15	1.4	0.4- 2.4
Less Than H.S.	203	38,556	60	38.7	28.9-48.5	32	22.3	14.1-30.5	1	0.2	0.0- 0.6				1	0.7	0.0- 2.1	109	38.2	29.4-47.0
H.S. or G.E.D.	564	115,120	397	65.9	60.2-71.6	90	22.3	17.0-27.6	7	1.3	0.1- 2.5	5	2.0	0.0- 4.2	16	1.2	0.4- 2.0	49	7.3	4.2-10.4
Some Post-H.S.	541	124,620	387	65.6	59.5-71.7	85	25.4	19.5-31.3	3	0.5	0.0- 1.3	3	2.0	0.0- 4.2	27	2.8	1.4- 4.2	36	3.7	1.9- 5.5
College Graduate	789	114,724	589	69.5	64.2-74.8	114	17.2	13.5-20.9	4	0.3	0.0- 0.7	25	9.6	4.9-14.3	20	1.2	0.4- 2.0	37	2.2	1.2- 3.2
Less than \$15,000	187	27,050	83	43.7	32.5-54.9	42	33.3	23.1-43.5	4	1.6	0.0- 3.4	1	0.9	0.0- 2.7	11	4.6	0.9- 8.3	46	15.8	9.1-22.5
\$15,000- 24,999	279	44,096	164	57.9	49.9-65.9	48	24.0	16.7-31.3	2	2.0	0.0- 4.7				12	1.9	0.5- 3.3	53	14.2	9.1-19.3
\$25,000- 34,999	156	26,792	97	54.7	43.5-65.9	34	32.3	20.9-43.7	3	1.4	0.0- 3.0				5	2.6	0.0- 5.3	17	9.0	2.5-15.5
\$35,000- 49,999	241	47,319	171	62.8	53.0-72.6	38	21.9	12.9-30.9				2	4.9	0.0-11.6	8	1.7	0.3- 3.1	22	8.7	3.4-14.0
\$50,000- 74,999	215	40,062	173	79.7	72.1-87.3	28	17.3	9.9-24.7	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1	3	0.4	0.0- 1.0	7	1.9	0.3- 3.5
\$75,000+	559	122,901	446	72.4	66.7-78.1	71	17.9	13.0-22.8	2	0.3	0.0- 0.9	15	7.0	3.1-10.9	11	1.2	0.2- 2.2	14	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3800	757,293	2636	64.3	61.9-66.7	1164	35.7	33.3-38.1
Male	1697	362,395	1200	64.6	61.3-67.9	497	35.4	32.1-38.7
Female	2103	394,898	1436	64.1	61.0-67.2	667	35.9	32.8-39.0
18-24	241	85,963	111	56.6	48.2-65.0	130	43.4	35.0-51.8
25-34	430	126,087	195	51.6	44.9-58.3	235	48.4	41.7-55.1
35-44	472	112,518	262	52.8	46.5-59.1	210	47.2	40.9-53.5
45-54	595	115,299	402	62.5	57.0-68.0	193	37.5	32.0-43.0
55-64	775	132,885	589	72.0	67.5-76.5	186	28.0	23.5-32.5
65+	1287	184,542	1077	79.3	75.8-82.8	210	20.7	17.2-24.2
Less Than H.S.	401	82,937	127	37.9	31.0-44.8	274	62.1	55.2-69.0
H.S. or G.E.D.	1035	241,503	730	65.9	61.8-70.0	305	34.1	30.0-38.2
Some Post-H.S.	936	215,811	690	68.1	63.6-72.6	246	31.9	27.4-36.4
College Graduate	1414	213,857	1081	69.1	65.2-73.0	333	30.9	27.0-34.8
Less than \$15,000	290	46,346	126	39.5	31.3-47.7	164	60.5	52.3-68.7
\$15,000- 24,999	482	82,875	267	53.2	46.7-59.7	215	46.8	40.3-53.3
\$25,000- 34,999	290	52,450	189	61.0	52.8-69.2	101	39.0	30.8-47.2
\$35,000- 49,999	395	81,006	278	61.6	53.6-69.6	117	38.4	30.4-46.4
\$50,000- 74,999	444	93,906	353	72.5	66.0-79.0	91	27.5	21.0-34.0
\$75,000+	1123	244,248	915	73.6	69.7-77.5	208	26.4	22.5-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	362,395	1200	64.6	61.3-67.9	497	35.4	32.1-38.7
18-24	135	43,054	63	53.0	41.8-64.2	72	47.0	35.8-58.2
25-34	218	64,074	114	58.2	48.4-68.0	104	41.8	32.0-51.6
35-44	209	55,759	112	50.9	41.7-60.1	97	49.1	39.9-58.3
45-54	255	55,497	181	65.8	57.6-74.0	74	34.2	26.0-42.4
55-64	348	62,026	273	71.3	64.4-78.2	75	28.7	21.8-35.6
65+	532	81,985	457	79.0	73.1-84.9	75	21.0	15.1-26.9
Less Than H.S.	198	44,381	67	37.3	27.9-46.7	131	62.7	53.3-72.1
H.S. or G.E.D.	471	126,383	333	65.8	59.7-71.9	138	34.2	28.1-40.3
Some Post-H.S.	395	91,191	303	71.5	64.8-78.2	92	28.5	21.8-35.2
College Graduate	625	99,133	492	68.5	62.6-74.4	133	31.5	25.6-37.4
Less than \$15,000	103	19,295	43	33.6	22.2-45.0	60	66.4	55.0-77.8
\$15,000- 24,999	203	38,779	103	47.9	38.1-57.7	100	52.1	42.3-61.9
\$25,000- 34,999	134	25,657	92	67.5	55.3-79.7	42	32.5	20.3-44.7
\$35,000- 49,999	154	33,688	107	60.0	46.7-73.3	47	40.0	26.7-53.3
\$50,000- 74,999	229	53,844	180	67.1	57.7-76.5	49	32.9	23.5-42.3
\$75,000+	564	121,348	469	74.7	69.2-80.2	95	25.3	19.8-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2103	394,898	1436	64.1	61.0-67.2	667	35.9	32.8-39.0
18-24	106	42,908	48	60.2	47.5-72.9	58	39.8	27.1-52.5
25-34	212	62,014	81	44.8	35.4-54.2	131	55.2	45.8-64.6
35-44	263	56,759	150	54.6	46.4-62.8	113	45.4	37.2-53.6
45-54	340	59,802	221	59.4	52.3-66.5	119	40.6	33.5-47.7
55-64	427	70,858	316	72.6	66.5-78.7	111	27.4	21.3-33.5
65+	755	102,557	620	79.6	75.3-83.9	135	20.4	16.1-24.7
Less Than H.S.	203	38,556	60	38.7	28.9-48.5	143	61.3	51.5-71.1
H.S. or G.E.D.	564	115,120	397	65.9	60.2-71.6	167	34.1	28.4-39.8
Some Post-H.S.	541	124,620	387	65.6	59.5-71.7	154	34.4	28.3-40.5
College Graduate	789	114,724	589	69.5	64.2-74.8	200	30.5	25.2-35.8
Less than \$15,000	187	27,050	83	43.7	32.5-54.9	104	56.3	45.1-67.5
\$15,000- 24,999	279	44,096	164	57.9	49.9-65.9	115	42.1	34.1-50.1
\$25,000- 34,999	156	26,792	97	54.7	43.5-65.9	59	45.3	34.1-56.5
\$35,000- 49,999	241	47,319	171	62.8	53.0-72.6	70	37.2	27.4-47.0
\$50,000- 74,999	215	40,062	173	79.7	72.1-87.3	42	20.3	12.7-27.9
\$75,000+	559	122,901	446	72.4	66.7-78.1	113	27.6	21.9-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3800	757,293	2636	64.3	61.9-66.7	493	21.1	18.9-23.3	147	5.2	4.0- 6.4	78	1.1	0.7- 1.5	446	8.3	7.1- 9.5
Male	1697	362,395	1200	64.6	61.3-67.9	171	20.2	16.9-23.5	77	5.2	3.6- 6.8	35	1.0	0.4- 1.6	214	9.0	7.2-10.8
Female	2103	394,898	1436	64.1	61.0-67.2	322	21.9	19.2-24.6	70	5.2	3.4- 7.0	43	1.2	0.8- 1.6	232	7.7	6.1- 9.3
18-24	241	85,963	111	56.6	48.2-65.0	32	21.6	14.0-29.2	16	6.6	2.7-10.5	14	3.0	1.0- 5.0	68	12.2	8.3-16.1
25-34	430	126,087	195	51.6	44.9-58.3	50	19.4	13.3-25.5	31	10.3	5.6-15.0	17	1.5	0.5- 2.5	137	17.1	12.6-21.6
35-44	472	112,518	262	52.8	46.5-59.1	63	23.0	16.9-29.1	24	8.0	4.1-11.9	17	1.8	0.8- 2.8	106	14.4	10.5-18.3
45-54	595	115,299	402	62.5	57.0-68.0	106	27.6	22.1-33.1	21	3.8	1.6- 6.0	8	0.3	0.1- 0.5	58	5.8	3.8- 7.8
55-64	775	132,885	589	72.0	67.5-76.5	108	20.5	16.2-24.8	21	2.7	0.9- 4.5	8	0.4	0.0- 0.8	49	4.4	2.4- 6.4
65+	1287	184,542	1077	79.3	75.8-82.8	134	17.2	13.7-20.7	34	1.9	1.1- 2.7	14	0.4	0.0- 0.8	28	1.2	0.6- 1.8
Less Than H.S.	401	82,937	127	37.9	31.0-44.8	47	20.6	13.7-27.5	11	2.8	0.6- 5.0	6	0.8	0.0- 1.6	210	37.8	31.1-44.5
H.S. or G.E.D.	1035	241,503	730	65.9	61.8-70.0	154	23.2	19.3-27.1	33	3.2	1.8- 4.6	21	0.7	0.3- 1.1	97	7.0	5.0- 9.0
Some Post-H.S.	936	215,811	690	68.1	63.6-72.6	122	22.5	18.2-26.8	24	3.3	1.5- 5.1	30	2.0	1.0- 3.0	70	4.1	2.7- 5.5
College Graduate	1414	213,857	1081	69.1	65.2-73.0	169	17.4	14.3-20.5	78	10.4	7.3-13.5	21	0.6	0.2- 1.0	65	2.6	1.8- 3.4
Less than \$15,000	290	46,346	126	39.5	31.3-47.7	59	32.7	24.5-40.9	11	5.0	1.5- 8.5	12	2.9	0.5- 5.3	82	19.9	13.8-26.0
\$15,000- 24,999	482	82,875	267	53.2	46.7-59.7	71	24.0	17.9-30.1	20	3.0	1.2- 4.8	13	1.3	0.3- 2.3	111	18.4	13.5-23.3
\$25,000- 34,999	290	52,450	189	61.0	52.8-69.2	46	24.1	16.3-31.9	9	2.4	0.6- 4.2	6	1.2	0.0- 2.4	40	11.4	5.3-17.5
\$35,000- 49,999	395	81,006	278	61.6	53.6-69.6	54	24.6	16.6-32.6	8	4.1	0.0- 8.2	14	1.4	0.4- 2.4	41	8.4	4.7-12.1
\$50,000- 74,999	444	93,906	353	72.5	66.0-79.0	61	22.3	16.0-28.6	9	2.0	0.2- 3.8	4	0.7	0.0- 1.9	17	2.5	0.9- 4.1
\$75,000+	1123	244,248	915	73.6	69.7-77.5	113	15.7	12.4-19.0	45	7.5	5.0-10.0	16	0.8	0.2- 1.4	34	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	362,395	1200	64.6	61.3-67.9	171	20.2	16.9-23.5	77	5.2	3.6- 6.8	35	1.0	0.4- 1.6	214	9.0	7.2-10.8
18-24	135	43,054	63	53.0	41.8-64.2	14	19.2	9.4-29.0	10	7.8	2.1-13.5	6	3.3	0.0- 6.6	42	16.8	10.3-23.3
25-34	218	64,074	114	58.2	48.4-68.0	15	16.6	7.4-25.8	18	9.7	4.0-15.4	8	0.9	0.0- 1.9	63	14.6	8.5-20.7
35-44	209	55,759	112	50.9	41.7-60.1	25	23.0	13.8-32.2	13	7.6	2.7-12.5	6	1.1	0.1- 2.1	53	17.4	10.7-24.1
45-54	255	55,497	181	65.8	57.6-74.0	34	25.5	17.1-33.9	11	3.3	0.8- 5.8	5	0.4	0.0- 0.8	24	5.1	2.6- 7.6
55-64	348	62,026	273	71.3	64.4-78.2	42	20.8	14.3-27.3	10	2.8	0.4- 5.2	4	0.8	0.0- 1.8	19	4.4	1.5- 7.3
65+	532	81,985	457	79.0	73.1-84.9	41	17.7	11.8-23.6	15	2.0	0.6- 3.4	6	0.3	0.0- 0.7	13	1.0	0.4- 1.6
Less Than H.S.	198	44,381	67	37.3	27.9-46.7	15	19.1	8.1-30.1	10	5.1	1.0- 9.2	5	1.0	0.0- 2.0	101	37.5	27.5-47.5
H.S. or G.E.D.	471	126,383	333	65.8	59.7-71.9	64	24.1	18.2-30.0	15	2.7	0.9- 4.5	11	0.6	0.0- 1.2	48	6.8	4.3- 9.3
Some Post-H.S.	395	91,191	303	71.5	64.8-78.2	37	18.5	12.0-25.0	11	3.5	1.0- 6.0	10	1.9	0.3- 3.5	34	4.6	2.4- 6.8
College Graduate	625	99,133	492	68.5	62.6-74.4	55	17.7	12.4-23.0	41	10.2	6.1-14.3	9	0.6	0.0- 1.2	28	3.0	1.4- 4.6
Less than \$15,000	103	19,295	43	33.6	22.2-45.0	17	31.9	18.4-45.4	4	7.8	0.2-15.4	3	1.1	0.0- 2.7	36	25.6	14.6-36.6
\$15,000- 24,999	203	38,779	103	47.9	38.1-57.7	23	24.1	13.9-34.3	13	3.7	1.3- 6.1	6	1.1	0.0- 2.5	58	23.2	14.6-31.8
\$25,000- 34,999	134	25,657	92	67.5	55.3-79.7	12	15.5	5.7-25.3	5	2.5	0.0- 5.2	2	0.6	0.0- 1.6	23	13.9	3.7-24.1
\$35,000- 49,999	154	33,688	107	60.0	46.7-73.3	16	28.4	13.9-42.9	5	2.5	0.0- 6.0	7	1.2	0.0- 2.4	19	7.9	2.6-13.2
\$50,000- 74,999	229	53,844	180	67.1	57.7-76.5	33	26.1	16.7-35.5	4	2.8	0.0- 5.7	2	1.1	0.0- 3.1	10	2.9	0.5- 5.3
\$75,000+	564	121,348	469	74.7	69.2-80.2	42	13.5	9.0-18.0	25	7.4	3.9-10.9	8	0.6	0.0- 1.2	20	3.8	1.6- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2103	394,898	1436	64.1	61.0-67.2	322	21.9	19.2-24.6	70	5.2	3.4- 7.0	43	1.2	0.8- 1.6	232	7.7	6.1- 9.3
18-24	106	42,908	48	60.2	47.5-72.9	18	24.0	12.0-36.0	6	5.4	0.0-10.9	8	2.7	0.3- 5.1	26	7.7	3.6-11.8
25-34	212	62,014	81	44.8	35.4-54.2	35	22.3	14.3-30.3	13	11.0	3.6-18.4	9	2.1	0.3- 3.9	74	19.7	12.8-26.6
35-44	263	56,759	150	54.6	46.4-62.8	38	23.1	15.5-30.7	11	8.5	2.6-14.4	11	2.4	0.8- 4.0	53	11.4	7.3-15.5
45-54	340	59,802	221	59.4	52.3-66.5	72	29.6	22.5-36.7	10	4.3	1.0- 7.6	3	0.2	0.0- 0.4	34	6.5	3.8- 9.2
55-64	427	70,858	316	72.6	66.5-78.7	66	20.2	14.5-25.9	11	2.7	0.3- 5.1	4	0.1	0.0- 0.3	30	4.3	1.9- 6.7
65+	755	102,557	620	79.6	75.3-83.9	93	16.7	12.6-20.8	19	1.8	0.8- 2.8	8	0.5	0.0- 1.1	15	1.4	0.4- 2.4
Less Than H.S.	203	38,556	60	38.7	28.9-48.5	32	22.3	14.1-30.5	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	109	38.2	29.4-47.0
H.S. or G.E.D.	564	115,120	397	65.9	60.2-71.6	90	22.3	17.0-27.6	18	3.7	1.3- 6.1	10	0.8	0.2- 1.4	49	7.3	4.2-10.4
Some Post-H.S.	541	124,620	387	65.6	59.5-71.7	85	25.4	19.5-31.3	13	3.1	0.7- 5.5	20	2.1	0.9- 3.3	36	3.7	1.9- 5.5
College Graduate	789	114,724	589	69.5	64.2-74.8	114	17.2	13.5-20.9	37	10.5	5.8-15.2	12	0.6	0.0- 1.2	37	2.2	1.2- 3.2
Less than \$15,000	187	27,050	83	43.7	32.5-54.9	42	33.3	23.1-43.5	7	3.0	0.3- 5.7	9	4.2	0.5- 7.9	46	15.8	9.1-22.5
\$15,000- 24,999	279	44,096	164	57.9	49.9-65.9	48	24.0	16.7-31.3	7	2.4	0.0- 5.1	7	1.4	0.0- 2.8	53	14.2	9.1-19.3
\$25,000- 34,999	156	26,792	97	54.7	43.5-65.9	34	32.3	20.9-43.7	4	2.3	0.0- 4.7	4	1.7	0.0- 3.7	17	9.0	2.5-15.5
\$35,000- 49,999	241	47,319	171	62.8	53.0-72.6	38	21.9	12.9-30.9	3	5.2	0.0-11.9	7	1.5	0.1- 2.9	22	8.7	3.4-14.0
\$50,000- 74,999	215	40,062	173	79.7	72.1-87.3	28	17.3	9.9-24.7	5	0.9	0.1- 1.7	2	0.2	0.0- 0.6	7	1.9	0.3- 3.5
\$75,000+	559	122,901	446	72.4	66.7-78.1	71	17.9	13.0-22.8	20	7.6	3.7-11.5	8	0.9	0.1- 1.7	14	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3830	763,349	438	18.0	16.0-20.0	497	17.5	15.5-19.5	481	14.0	12.4-15.6	724	17.5	15.9-19.1	794	16.5	15.1-17.9	896	16.6	15.2-18.0
Male	1719	366,576	248	20.3	17.4-23.2	225	17.1	14.4-19.8	204	14.0	11.6-16.4	314	16.7	14.5-18.9	358	16.6	14.4-18.8	370	15.5	13.5-17.5
Female	2111	396,773	190	16.0	13.3-18.7	272	17.8	15.1-20.5	277	14.1	12.1-16.1	410	18.2	16.0-20.4	436	16.4	14.4-18.4	526	17.6	15.6-19.6
White/Non-Hisp	2603	482,477	190	15.4	12.9-17.9	249	14.2	12.2-16.2	287	11.8	10.2-13.4	519	18.8	16.8-20.8	626	19.9	18.1-21.7	732	19.9	18.1-21.7
Black or Afr. Am./Non-Hisp	488	158,151	58	18.5	13.4-23.6	54	16.5	11.4-21.6	85	19.3	14.6-24.0	106	17.7	13.6-21.8	92	13.1	9.6-16.6	93	14.9	11.0-18.8
Oth. Race/Non-Hisp.	143	37,781	31	25.4	15.6-35.2	29	35.4	22.9-47.9	17	13.4	5.6-21.2	25	15.0	7.4-22.6	16	4.8	1.9- 7.7	25	6.0	2.9- 9.1
MultiRacial/Non-Hisp.	77	8,012	20	38.3	22.0-54.6	21	29.2	15.3-43.1	8	12.7	2.7-22.7	9	3.8	0.9- 6.7	10	8.6	1.2-16.0	9	7.4	0.5-14.3
Hispanic	442	62,284	131	30.7	24.2-37.2	131	31.9	24.5-39.3	77	20.0	14.5-25.5	52	9.5	6.0-13.0	32	5.2	2.3- 8.1	19	2.6	1.0- 4.2
Less Than H.S.	405	83,622	65	14.8	10.1-19.5	87	23.7	16.3-31.1	65	15.6	10.9-20.3	50	12.7	8.6-16.8	53	12.7	8.6-16.8	85	20.5	15.2-25.8
H.S. or G.E.D.	1041	242,951	154	22.1	18.4-25.8	122	13.6	10.7-16.5	112	12.5	9.6-15.4	184	18.0	15.1-20.9	219	16.9	14.2-19.6	250	16.9	14.4-19.4
Some Post-H.S.	941	218,118	127	23.2	18.5-27.9	114	15.1	11.8-18.4	97	11.6	8.7-14.5	184	16.6	13.7-19.5	209	17.9	15.0-20.8	210	15.6	13.1-18.1
College Graduate	1430	216,472	88	9.6	7.1-12.1	172	21.8	17.9-25.7	206	17.6	14.9-20.3	305	19.7	17.0-22.4	309	15.6	13.4-17.8	350	15.7	13.5-17.9
Less than \$15,000	295	47,239	32	17.6	9.4-25.8	50	14.9	9.4-20.4	49	20.1	13.2-27.0	47	14.8	9.5-20.1	66	16.6	11.7-21.5	51	15.9	10.2-21.6
\$15,000- 24,999	485	83,102	72	17.7	12.8-22.6	69	19.5	13.6-25.4	54	13.4	8.9-17.9	74	15.6	11.1-20.1	91	13.4	9.9-16.9	125	20.4	15.7-25.1
\$25,000- 34,999	294	53,496	36	18.9	12.0-25.8	36	16.8	9.5-24.1	32	9.8	5.5-14.1	41	14.2	8.9-19.5	59	16.9	11.8-22.0	90	23.5	17.4-29.6
\$35,000- 49,999	401	80,709	48	17.3	11.2-23.4	54	17.5	10.4-24.6	39	13.3	7.8-18.8	69	15.9	11.2-20.6	87	17.7	13.0-22.4	104	18.2	13.7-22.7
\$50,000- 74,999	448	95,414	50	19.0	12.9-25.1	48	14.3	9.8-18.8	48	13.7	8.4-19.0	92	17.3	13.0-21.6	104	18.4	13.9-22.9	106	17.3	13.2-21.4
\$75,000+	1136	247,315	83	14.6	10.9-18.3	156	21.2	17.5-24.9	201	18.5	15.6-21.4	294	22.2	19.3-25.1	234	15.2	12.8-17.6	168	8.2	6.6- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	366,576	248	20.3	17.4-23.2	225	17.1	14.4-19.8	204	14.0	11.6-16.4	314	16.7	14.5-18.9	358	16.6	14.4-18.8	370	15.5	13.5-17.5
White/Non-Hisp	1190	232,650	116	17.3	13.8-20.8	121	14.9	12.0-17.8	123	11.6	9.2-14.0	232	18.5	15.8-21.2	284	18.9	16.4-21.4	314	18.8	16.4-21.2
Black or Afr. Am./Non-Hisp	170	73,090	23	18.5	10.9-26.1	19	15.8	7.8-23.8	30	19.9	11.9-27.9	35	16.8	10.5-23.1	36	15.0	9.1-20.9	27	14.0	7.9-20.1
Oth. Race/Non-Hisp.	75	18,499	18	27.8	14.1-41.5	18	36.7	20.6-52.8	8	11.0	0.8-21.2	14	14.8	5.0-24.6	7	5.0	0.3- 9.7	10	4.6	0.7- 8.5
Hispanic	213	32,276	75	37.0	27.2-46.8	56	26.8	16.0-37.6	39	22.0	13.8-30.2	21	6.0	2.7- 9.3	14	6.3	1.2-11.4	8	1.8	0.4- 3.2
Less Than H.S.	202	45,314	41	18.8	11.4-26.2	36	22.2	11.0-33.4	34	18.2	11.1-25.3	29	12.3	6.8-17.8	30	12.7	7.4-18.0	32	15.8	8.7-22.9
H.S. or G.E.D.	479	128,340	98	27.1	21.4-32.8	62	12.6	8.9-16.3	50	11.8	7.5-16.1	94	19.2	14.7-23.7	97	16.0	12.1-19.9	78	13.3	9.8-16.8
Some Post-H.S.	397	91,692	63	24.3	17.6-31.0	48	14.3	9.2-19.4	34	12.5	7.4-17.6	72	14.1	10.4-17.8	99	20.5	15.8-25.2	81	14.3	10.6-18.0
College Graduate	632	100,061	42	8.3	5.4-11.2	78	23.1	17.4-28.8	85	16.3	12.4-20.2	119	17.9	14.0-21.8	130	15.3	12.2-18.4	178	19.1	15.6-22.6
Less than \$15,000	105	19,806	15	15.9	5.9-25.9	21	17.5	7.3-27.7	17	22.2	11.2-33.2	16	16.2	6.4-26.0	25	17.3	9.5-25.1	11	10.8	1.8-19.8
\$15,000- 24,999	207	39,385	40	21.3	13.5-29.1	24	15.5	6.9-24.1	27	15.8	8.2-23.4	38	18.7	11.3-26.1	42	14.5	8.8-20.2	36	14.2	7.7-20.7
\$25,000- 34,999	134	25,737	17	19.8	9.2-30.4	16	15.9	4.9-26.9	17	9.8	4.1-15.5	17	12.4	5.7-19.1	29	20.7	12.3-29.1	38	21.5	13.5-29.5
\$35,000- 49,999	156	34,002	25	19.9	10.5-29.3	20	21.0	7.9-34.1	16	12.6	3.6-21.6	27	13.2	7.3-19.1	30	15.9	8.6-23.2	38	17.5	10.6-24.4
\$50,000- 74,999	229	53,844	34	20.3	12.9-27.7	27	14.9	8.6-21.2	21	14.7	6.3-23.1	41	15.1	9.6-20.6	51	18.3	11.8-24.8	55	16.7	11.2-22.2
\$75,000+	573	123,364	47	14.4	9.7-19.1	84	22.5	17.4-27.6	89	17.3	13.2-21.4	136	21.6	17.5-25.7	119	15.0	11.9-18.1	98	9.2	6.8-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2111	396,773	190	16.0	13.3-18.7	272	17.8	15.1-20.5	277	14.1	12.1-16.1	410	18.2	16.0-20.4	436	16.4	14.4-18.4	526	17.6	15.6-19.6
White/Non-Hisp	1413	249,827	74	13.7	10.2-17.2	128	13.6	10.9-16.3	164	11.9	9.7-14.1	287	19.1	16.6-21.6	342	20.7	18.2-23.2	418	21.0	18.6-23.4
Black or Afr. Am./Non-Hisp	318	85,061	35	18.5	11.6-25.4	35	17.1	10.6-23.6	55	18.8	13.1-24.5	71	18.5	13.0-24.0	56	11.4	7.5-15.3	66	15.7	10.8-20.6
Oth. Race/Non-Hisp.	68	19,281	13	23.0	8.9-37.1	11	34.1	15.1-53.1	9	15.7	3.9-27.5	11	15.3	3.9-26.7	9	4.5	0.8- 8.2	15	7.3	2.2-12.4
Hispanic	229	30,007	56	23.9	16.1-31.7	75	37.4	27.0-47.8	38	17.9	10.6-25.2	31	13.3	7.0-19.6	18	4.1	1.7- 6.5	11	3.5	0.6- 6.4
Less Than H.S.	203	38,308	24	10.2	4.7-15.7	51	25.4	16.2-34.6	31	12.6	6.9-18.3	21	13.1	6.6-19.6	23	12.8	6.5-19.1	53	26.0	18.0-34.0
H.S. or G.E.D.	562	114,611	56	16.4	11.5-21.3	60	14.7	10.0-19.4	62	13.3	9.2-17.4	90	16.6	12.5-20.7	122	18.0	14.1-21.9	172	21.0	17.1-24.9
Some Post-H.S.	544	126,426	64	22.4	16.1-28.7	66	15.7	11.2-20.2	63	11.0	7.9-14.1	112	18.4	14.3-22.5	110	16.0	12.3-19.7	129	16.5	13.0-20.0
College Graduate	798	116,411	46	10.7	6.8-14.6	94	20.8	15.7-25.9	121	18.8	14.9-22.7	186	21.2	17.5-24.9	179	15.9	13.0-18.8	172	12.7	10.2-15.2
Less than \$15,000	190	27,432	17	18.8	6.8-30.8	29	13.1	7.2-19.0	32	18.6	10.0-27.2	31	13.8	7.9-19.7	41	16.1	10.0-22.2	40	19.5	12.2-26.8
\$15,000- 24,999	278	43,717	32	14.4	8.3-20.5	45	23.1	15.3-30.9	27	11.3	6.4-16.2	36	12.8	7.5-18.1	49	12.3	7.8-16.8	89	26.0	19.3-32.7
\$25,000- 34,999	160	27,758	19	18.0	9.4-26.6	20	17.6	8.0-27.2	15	9.8	3.5-16.1	24	15.8	8.0-23.6	30	13.3	7.4-19.2	52	25.4	16.6-34.2
\$35,000- 49,999	245	46,707	23	15.5	7.3-23.7	34	15.0	7.7-22.3	23	13.9	7.2-20.6	42	17.9	11.0-24.8	57	19.1	13.0-25.2	66	18.6	12.7-24.5
\$50,000- 74,999	219	41,570	16	17.4	7.2-27.6	21	13.4	6.9-19.9	27	12.5	7.0-18.0	51	20.0	13.3-26.7	53	18.5	12.2-24.8	51	18.2	11.7-24.7
\$75,000+	563	123,951	36	14.9	9.4-20.4	72	20.0	14.5-25.5	112	19.8	15.5-24.1	158	22.7	18.4-27.0	115	15.4	11.9-18.9	70	7.2	5.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3830	763,349	2527	75.5	73.9-77.1	1303	24.5	22.9-26.1
Male	1719	366,576	1173	77.0	74.6-79.4	546	23.0	20.6-25.4
Female	2111	396,773	1354	74.0	71.6-76.4	757	26.0	23.6-28.4
White/Non-Hisp	2603	482,477	1539	69.9	67.7-72.1	1064	30.1	27.9-32.3
Black or Afr. Am./Non-Hisp	488	158,151	354	80.0	75.7-84.3	134	20.0	15.7-24.3
Oth. Race/Non-Hisp.	143	37,781	109	90.7	86.6-94.8	34	9.3	5.2-13.4
MultiRacial/Non-Hisp.	77	8,012	63	90.8	83.7-97.9	14	9.2	2.1-16.3
Hispanic	442	62,284	414	96.4	94.6-98.2	28	3.6	1.8- 5.4
Less Than H.S.	405	83,622	300	74.6	68.9-80.3	105	25.4	19.7-31.1
H.S. or G.E.D.	1041	242,951	689	76.3	73.2-79.4	352	23.7	20.6-26.8
Some Post-H.S.	941	218,118	613	74.0	70.7-77.3	328	26.0	22.7-29.3
College Graduate	1430	216,472	915	76.3	73.8-78.8	515	23.7	21.2-26.2
Less than \$15,000	295	47,239	212	75.9	69.4-82.4	83	24.1	17.6-30.6
\$15,000- 24,999	485	83,102	314	73.7	68.6-78.8	171	26.3	21.2-31.4
\$25,000- 34,999	294	53,496	172	67.6	60.7-74.5	122	32.4	25.5-39.3
\$35,000- 49,999	401	80,709	252	73.2	67.7-78.7	149	26.8	21.3-32.3
\$50,000- 74,999	448	95,414	284	72.6	67.3-77.9	164	27.4	22.1-32.7
\$75,000+	1136	247,315	850	84.7	82.5-86.9	286	15.3	13.1-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	366,576	1173	77.0	74.6-79.4	546	23.0	20.6-25.4
White/Non-Hisp	1190	232,650	734	72.2	69.3-75.1	456	27.8	24.9-30.7
Black or Afr. Am./Non-Hisp	170	73,090	129	80.1	73.0-87.2	41	19.9	12.8-27.0
Oth. Race/Non-Hisp.	75	18,499	60	91.2	85.3-97.1	15	8.8	2.9-14.7
Hispanic	213	32,276	200	97.5	95.9-99.1	13	2.5	0.9- 4.1
Less Than H.S.	202	45,314	158	79.2	71.6-86.8	44	20.8	13.2-28.4
H.S. or G.E.D.	479	128,340	368	81.8	77.7-85.9	111	18.2	14.1-22.3
Some Post-H.S.	397	91,692	257	73.2	68.1-78.3	140	26.8	21.7-31.9
College Graduate	632	100,061	383	73.4	69.3-77.5	249	26.6	22.5-30.7
Less than \$15,000	105	19,806	82	81.4	71.4-91.4	23	18.6	8.6-28.6
\$15,000- 24,999	207	39,385	150	78.7	71.4-86.0	57	21.3	14.0-28.6
\$25,000- 34,999	134	25,737	81	66.9	56.9-76.9	53	33.1	23.1-43.1
\$35,000- 49,999	156	34,002	104	77.6	70.0-85.2	52	22.4	14.8-30.0
\$50,000- 74,999	229	53,844	147	74.0	66.9-81.1	82	26.0	18.9-33.1
\$75,000+	573	123,364	417	83.9	80.8-87.0	156	16.1	13.0-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2111	396,773	1354	74.0	71.8-76.2	757	26.0	23.8-28.2
White/Non-Hisp	1413	249,827	805	67.8	64.9-70.7	608	32.2	29.3-35.1
Black or Afr. Am./Non-Hisp	318	85,061	225	79.9	74.6-85.2	93	20.1	14.8-25.4
Oth. Race/Non-Hisp.	68	19,281	49	90.2	84.1-96.3	19	9.8	3.7-15.9
Hispanic	229	30,007	214	95.2	91.9-98.5	15	4.8	1.5- 8.1
Less Than H.S.	203	38,308	142	69.2	60.6-77.8	61	30.8	22.2-39.4
H.S. or G.E.D.	562	114,611	321	70.1	65.6-74.6	241	29.9	25.4-34.4
Some Post-H.S.	544	126,426	356	74.6	70.1-79.1	188	25.4	20.9-29.9
College Graduate	798	116,411	532	78.9	75.8-82.0	266	21.1	18.0-24.2
Less than \$15,000	190	27,432	130	71.9	63.5-80.3	60	28.1	19.7-36.5
\$15,000- 24,999	278	43,717	164	69.2	62.3-76.1	114	30.8	23.9-37.7
\$25,000- 34,999	160	27,758	91	68.2	59.0-77.4	69	31.8	22.6-41.0
\$35,000- 49,999	245	46,707	148	70.0	62.6-77.4	97	30.0	22.6-37.4
\$50,000- 74,999	219	41,570	137	70.8	63.2-78.4	82	29.2	21.6-36.8
\$75,000+	563	123,951	433	85.4	82.3-88.5	130	14.6	11.5-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3555	713,014	2	0.0	0.0- 0.0	223	5.9	4.9- 6.9	1560	42.3	39.9-44.7	1442	41.4	39.0-43.8	328	10.4	9.0-11.8	
Male	1591	343,120	1	0.0	0.0- 0.0	11	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	323	21.4	18.7-24.1	
Female	1964	369,894	1	0.0	0.0- 0.0	212	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4	
White/Non-Hisp	2543	467,039				136	4.7	3.7- 5.7	1070	41.5	38.8-44.2	1087	42.7	40.2-45.2	250	11.1	9.3-12.9	
Black or Afr. Am./Non-Hisp	465	149,666				30	6.0	3.5- 8.5	228	40.4	34.5-46.3	174	44.9	38.6-51.2	33	8.7	5.0-12.4	
Oth. Race/Non-Hisp.	136	35,445				11	10.9	2.9-18.9	56	45.8	33.5-58.1	50	29.7	19.5-39.9	19	13.6	6.3-20.9	
MultiRacial/Non-Hisp.	73	7,771				2	2.3	0.0- 6.4	33	48.5	32.4-64.6	30	39.5	23.0-56.0	8	9.8	1.4-18.2	
Hispanic	268	40,379	2	0.5	0.0- 1.3	42	16.5	9.8-23.2	143	54.7	45.3-64.1	68	22.4	15.1-29.7	13	6.0	1.7-10.3	
18-24	209	80,036				9	4.4	1.1- 7.7	83	40.6	31.6-49.6	90	42.7	33.7-51.7	27	12.2	6.5-17.9	
25-34	352	111,115				31	7.8	4.5-11.1	148	41.7	34.4-49.0	138	38.7	31.8-45.6	35	11.9	7.2-16.6	
35-44	421	105,101				26	6.0	3.1- 8.9	173	39.0	32.9-45.1	172	42.6	36.1-49.1	50	12.4	8.5-16.3	
45-54	560	110,629	1	0.1	0.0- 0.3	22	3.1	1.1- 5.1	241	41.7	36.4-47.0	243	44.5	39.0-50.0	53	10.5	7.0-14.0	
55-64	752	127,227	1	0.0	0.0- 0.0	35	4.2	2.2- 6.2	321	43.0	38.3-47.7	325	42.9	38.4-47.4	70	9.9	7.2-12.6	
65+	1261	178,907				100	8.4	6.4-10.4	594	45.3	41.6-49.0	474	38.6	34.9-42.3	93	7.8	5.8- 9.8	
Less Than H.S.	266	64,132	2	0.3	0.0- 0.7	36	10.8	6.3-15.3	122	49.5	40.9-58.1	90	31.5	24.2-38.8	16	7.9	3.2-12.6	
H.S. or G.E.D.	979	228,616				71	6.0	4.0- 8.0	435	40.2	36.1-44.3	382	43.0	38.7-47.3	91	10.7	8.0-13.4	
Some Post-H.S.	897	206,993				57	5.5	3.5- 7.5	387	42.8	38.3-47.3	358	39.6	35.1-44.1	95	12.1	9.0-15.2	
College Graduate	1402	210,607				57	4.4	2.8- 6.0	610	42.0	38.3-45.7	610	44.5	40.8-48.2	125	9.1	7.1-11.1	
Less than \$15,000	244	41,076				26	7.6	3.9-11.3	136	55.1	46.3-63.9	73	32.2	24.0-40.4	9	5.0	1.1- 8.9	
\$15,000- 24,999	434	76,722	1	0.2	0.0- 0.6	47	11.2	7.1-15.3	200	41.3	34.6-48.0	161	39.9	33.2-46.6	25	7.5	3.6-11.4	
\$25,000- 34,999	280	52,126				23	7.4	3.3-11.5	124	43.8	35.8-51.8	105	37.5	29.7-45.3	28	11.4	6.1-16.7	
\$35,000- 49,999	394	79,926				27	5.2	2.1- 8.3	187	48.0	40.6-55.4	150	39.7	32.4-47.0	30	7.0	3.7-10.3	
\$50,000- 74,999	443	93,312				18	3.5	1.5- 5.5	176	35.7	29.4-42.0	201	49.8	43.1-56.5	48	11.0	7.1-14.9	
\$75,000+	1135	245,499				33	3.6	2.0- 5.2	426	38.8	34.9-42.7	531	45.1	41.2-49.0	145	12.5	10.0-15.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	343,120	1	0.0	0.0- 0.0	11	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	323	21.4	18.7-24.1
White/Non-Hisp	1163	225,052				2	0.1	0.0- 0.3	101	9.6	7.2-12.0	812	67.5	63.8-71.2	248	22.9	19.6-26.2
Black or Afr. Am./Non-Hisp	163	69,588				1	1.0	0.0- 3.0	20	12.5	5.1-19.9	111	68.0	58.6-77.4	31	18.5	11.1-25.9
Oth. Race/Non-Hisp.	68	16,525				1	0.9	0.0- 2.7	10	22.9	7.4-38.4	39	48.5	32.6-64.4	18	27.7	13.8-41.6
Hispanic	132	22,445	1	0.3	0.0- 0.9	6	5.4	0.0-11.3	53	45.6	31.7-59.5	59	38.0	25.5-50.5	13	10.7	3.1-18.3
18-24	117	40,119							15	11.3	4.2-18.4	75	64.3	52.9-75.7	27	24.4	14.0-34.8
25-34	179	57,829				3	1.4	0.0- 3.4	37	18.3	8.7-27.9	104	57.5	47.1-67.9	35	22.8	14.2-31.4
35-44	187	52,073				3	1.2	0.0- 3.0	21	13.3	5.9-20.7	115	61.2	51.8-70.6	48	24.3	16.9-31.7
45-54	245	53,289				1	0.0	0.0- 0.0	25	10.0	5.5-14.5	168	68.8	61.4-76.2	51	21.2	14.5-27.9
55-64	339	59,853	1	0.1	0.0- 0.3	1	1.2	0.0- 3.6	37	15.2	9.7-20.7	231	62.7	56.0-69.4	69	20.9	15.4-26.4
65+	524	79,956				3	0.1	0.0- 0.3	57	11.3	7.8-14.8	371	71.2	66.1-76.3	93	17.4	13.1-21.7
Less Than H.S.	140	36,319	1	0.2	0.0- 0.6	4	2.1	0.0- 4.6	42	36.4	23.5-49.3	77	47.5	35.5-59.5	16	13.9	5.7-22.1
H.S. or G.E.D.	452	121,325				4	1.1	0.0- 2.5	49	11.2	7.5-14.9	311	67.8	62.1-73.5	88	19.9	15.0-24.8
Some Post-H.S.	377	88,043				1	0.0	0.0- 0.0	45	10.5	6.6-14.4	238	61.4	54.7-68.1	93	28.1	21.6-34.6
College Graduate	617	96,510				1	0.0	0.0- 0.0	55	9.6	5.7-13.5	436	70.5	65.4-75.6	125	19.9	15.8-24.0
Less than \$15,000	85	16,851				3	3.2	0.0- 8.5	19	23.3	11.5-35.1	54	61.3	47.6-75.0	9	12.3	3.1-21.5
\$15,000- 24,999	177	35,547				2	1.7	0.0- 4.6	33	16.3	7.9-24.7	119	66.2	55.8-76.6	23	15.8	7.8-23.8
\$25,000- 34,999	126	24,940				1	0.1	0.0- 0.3	21	22.1	10.3-33.9	77	55.0	42.8-67.2	27	22.8	12.6-33.0
\$35,000- 49,999	153	33,585				1	0.0	0.0- 0.0	23	21.5	8.6-34.4	99	61.7	49.0-74.4	30	16.7	9.1-24.3
\$50,000- 74,999	226	52,747				1	0.3	0.0- 0.9	24	8.9	4.4-13.4	154	71.7	64.1-79.3	47	19.1	12.6-25.6
\$75,000+	573	122,332				1	0.1	0.0- 0.3	37	8.0	4.7-11.3	391	66.9	61.6-72.2	144	24.9	20.2-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1964	369,894	1	0.0	0.0- 0.0	212	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4	
White/Non-Hisp	1380	241,987				134	9.0	7.0-11.0	969	71.2	68.1-74.3	275	19.6	16.9-22.3	2	0.1	0.0- 0.3	
Black or Afr. Am./Non-Hisp	302	80,078				29	10.3	6.0-14.6	208	64.6	57.0-72.2	63	24.7	17.3-32.1	2	0.3	0.0- 0.7	
Oth. Race/Non-Hisp.	68	18,920				10	19.7	5.2-34.2	46	65.7	49.0-82.4	11	13.3	2.5-24.1	1	1.3	0.0- 3.8	
Hispanic	136	17,934	1	0.8	0.0- 2.4	36	30.4	18.4-42.4	90	66.1	53.9-78.3	9	2.7	0.3- 5.1				
18-24	92	39,916				9	8.9	2.4-15.4	68	70.1	57.4-82.8	15	21.0	8.8-33.2				
25-34	173	53,285				28	14.7	8.2-21.2	111	67.0	58.0-76.0	34	18.3	11.2-25.4				
35-44	234	53,028				23	10.6	5.1-16.1	152	64.2	56.0-72.4	57	24.4	17.0-31.8	2	0.7	0.0- 1.7	
45-54	315	57,340	1	0.3	0.0- 0.9	21	5.9	2.4- 9.4	216	71.2	64.9-77.5	75	22.0	16.5-27.5	2	0.6	0.0- 1.6	
55-64	413	67,374				34	6.9	3.8-10.0	284	67.8	61.7-73.9	94	25.2	19.3-31.1	1	0.1	0.0- 0.3	
65+	737	98,950				97	15.1	11.6-18.6	537	72.7	68.6-76.8	103	12.3	9.6-15.0				
Less Than H.S.	126	27,812	1	0.5	0.0- 1.5	32	22.3	13.1-31.5	80	66.6	55.8-77.4	13	10.6	3.7-17.5				
H.S. or G.E.D.	527	107,291				67	11.6	8.1-15.1	386	73.0	67.9-78.1	71	15.1	11.0-19.2	3	0.4	0.0- 0.8	
Some Post-H.S.	520	118,950				56	9.5	6.4-12.6	342	66.6	60.7-72.5	120	23.5	18.0-29.0	2	0.3	0.0- 0.9	
College Graduate	785	114,097				56	8.1	5.4-10.8	555	69.4	64.9-73.9	174	22.5	18.4-26.6				
Less than \$15,000	159	24,225				23	10.7	5.6-15.8	117	77.3	69.1-85.5	19	12.0	5.5-18.5				
\$15,000- 24,999	257	41,174	1	0.4	0.0- 1.2	45	19.4	12.5-26.3	167	62.8	54.6-71.0	42	17.1	10.8-23.4	2	0.4	0.0- 1.0	
\$25,000- 34,999	154	27,187				22	14.1	6.5-21.7	103	63.6	52.4-74.8	28	21.5	11.1-31.9	1	0.9	0.0- 2.7	
\$35,000- 49,999	241	46,341				26	9.0	3.9-14.1	164	67.2	58.0-76.4	51	23.8	15.2-32.4				
\$50,000- 74,999	217	40,565				17	7.7	3.4-12.0	152	70.6	62.4-78.8	47	21.3	14.0-28.6	1	0.4	0.0- 1.2	
\$75,000+	562	123,166				32	7.0	4.1- 9.9	389	69.5	64.2-74.8	140	23.4	18.5-28.3	1	0.2	0.0- 0.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3555	713,014	2	0.0	0.0- 0.0	223	5.9	4.9- 6.9	1560	42.3	39.9-44.7	1442	41.4	39.0-43.8	328	10.4	9.0-11.8
Male	1591	343,120	1	0.0	0.0- 0.0	11	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	323	21.4	18.7-24.1
Female	1964	369,894	1	0.0	0.0- 0.0	212	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4
White/Non-Hisp	2543	467,039				136	4.7	3.7- 5.7	1070	41.5	38.8-44.2	1087	42.7	40.2-45.2	250	11.1	9.3-12.9
Black or Afr. Am./Non-Hisp	465	149,666				30	6.0	3.5- 8.5	228	40.4	34.5-46.3	174	44.9	38.6-51.2	33	8.7	5.0-12.4
Oth. Race/Non-Hisp.	136	35,445				11	10.9	2.9-18.9	56	45.8	33.5-58.1	50	29.7	19.5-39.9	19	13.6	6.3-20.9
MultiRacial/Non-Hisp.	73	7,771				2	2.3	0.0- 6.4	33	48.5	32.4-64.6	30	39.5	23.0-56.0	8	9.8	1.4-18.2
Hispanic	268	40,379	2	0.5	0.0- 1.3	42	16.5	9.8-23.2	143	54.7	45.3-64.1	68	22.4	15.1-29.7	13	6.0	1.7-10.3
18-24	209	80,036				9	4.4	1.1- 7.7	83	40.6	31.6-49.6	90	42.7	33.7-51.7	27	12.2	6.5-17.9
25-34	352	111,115				31	7.8	4.5-11.1	148	41.7	34.4-49.0	138	38.7	31.8-45.6	35	11.9	7.2-16.6
35-44	421	105,101				26	6.0	3.1- 8.9	173	39.0	32.9-45.1	172	42.6	36.1-49.1	50	12.4	8.5-16.3
45-54	560	110,629	1	0.1	0.0- 0.3	22	3.1	1.1- 5.1	241	41.7	36.4-47.0	243	44.5	39.0-50.0	53	10.5	7.0-14.0
55-64	752	127,227	1	0.0	0.0- 0.0	35	4.2	2.2- 6.2	321	43.0	38.3-47.7	325	42.9	38.4-47.4	70	9.9	7.2-12.6
65+	1261	178,907				100	8.4	6.4-10.4	594	45.3	41.6-49.0	474	38.6	34.9-42.3	93	7.8	5.8- 9.8
Less Than H.S.	266	64,132	2	0.3	0.0- 0.7	36	10.8	6.3-15.3	122	49.5	40.9-58.1	90	31.5	24.2-38.8	16	7.9	3.2-12.6
H.S. or G.E.D.	979	228,616				71	6.0	4.0- 8.0	435	40.2	36.1-44.3	382	43.0	38.7-47.3	91	10.7	8.0-13.4
Some Post-H.S.	897	206,993				57	5.5	3.5- 7.5	387	42.8	38.3-47.3	358	39.6	35.1-44.1	95	12.1	9.0-15.2
College Graduate	1402	210,607				57	4.4	2.8- 6.0	610	42.0	38.3-45.7	610	44.5	40.8-48.2	125	9.1	7.1-11.1
Less than \$15,000	244	41,076				26	7.6	3.9-11.3	136	55.1	46.3-63.9	73	32.2	24.0-40.4	9	5.0	1.1- 8.9
\$15,000- 24,999	434	76,722	1	0.2	0.0- 0.6	47	11.2	7.1-15.3	200	41.3	34.6-48.0	161	39.9	33.2-46.6	25	7.5	3.6-11.4
\$25,000- 34,999	280	52,126				23	7.4	3.3-11.5	124	43.8	35.8-51.8	105	37.5	29.7-45.3	28	11.4	6.1-16.7
\$35,000- 49,999	394	79,926				27	5.2	2.1- 8.3	187	48.0	40.6-55.4	150	39.7	32.4-47.0	30	7.0	3.7-10.3
\$50,000- 74,999	443	93,312				18	3.5	1.5- 5.5	176	35.7	29.4-42.0	201	49.8	43.1-56.5	48	11.0	7.1-14.9
\$75,000+	1135	245,499				33	3.6	2.0- 5.2	426	38.8	34.9-42.7	531	45.1	41.2-49.0	145	12.5	10.0-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1591	343,120	1	0.0	0.0- 0.0	11	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	323	21.4	18.7-24.1
White/Non-Hisp	1163	225,052				2	0.1	0.0- 0.3	101	9.6	7.2-12.0	812	67.5	63.8-71.2	248	22.9	19.6-26.2
Black or Afr. Am./Non-Hisp	163	69,588				1	1.0	0.0- 3.0	20	12.5	5.1-19.9	111	68.0	58.6-77.4	31	18.5	11.1-25.9
Oth. Race/Non-Hisp.	68	16,525				1	0.9	0.0- 2.7	10	22.9	7.4-38.4	39	48.5	32.6-64.4	18	27.7	13.8-41.6
Hispanic	132	22,445	1	0.3	0.0- 0.9	6	5.4	0.0-11.3	53	45.6	31.7-59.5	59	38.0	25.5-50.5	13	10.7	3.1-18.3
18-24	117	40,119							15	11.3	4.2-18.4	75	64.3	52.9-75.7	27	24.4	14.0-34.8
25-34	179	57,829				3	1.4	0.0- 3.4	37	18.3	8.7-27.9	104	57.5	47.1-67.9	35	22.8	14.2-31.4
35-44	187	52,073				3	1.2	0.0- 3.0	21	13.3	5.9-20.7	115	61.2	51.8-70.6	48	24.3	16.9-31.7
45-54	245	53,289				1	0.0	0.0- 0.0	25	10.0	5.5-14.5	168	68.8	61.4-76.2	51	21.2	14.5-27.9
55-64	339	59,853	1	0.1	0.0- 0.3	1	1.2	0.0- 3.6	37	15.2	9.7-20.7	231	62.7	56.0-69.4	69	20.9	15.4-26.4
65+	524	79,956				3	0.1	0.0- 0.3	57	11.3	7.8-14.8	371	71.2	66.1-76.3	93	17.4	13.1-21.7
Less Than H.S.	140	36,319	1	0.2	0.0- 0.6	4	2.1	0.0- 4.6	42	36.4	23.5-49.3	77	47.5	35.5-59.5	16	13.9	5.7-22.1
H.S. or G.E.D.	452	121,325				4	1.1	0.0- 2.5	49	11.2	7.5-14.9	311	67.8	62.1-73.5	88	19.9	15.0-24.8
Some Post-H.S.	377	88,043				1	0.0	0.0- 0.0	45	10.5	6.6-14.4	238	61.4	54.7-68.1	93	28.1	21.6-34.6
College Graduate	617	96,510				1	0.0	0.0- 0.0	55	9.6	5.7-13.5	436	70.5	65.4-75.6	125	19.9	15.8-24.0
Less than \$15,000	85	16,851				3	3.2	0.0- 8.5	19	23.3	11.5-35.1	54	61.3	47.6-75.0	9	12.3	3.1-21.5
\$15,000- 24,999	177	35,547				2	1.7	0.0- 4.6	33	16.3	7.9-24.7	119	66.2	55.8-76.6	23	15.8	7.8-23.8
\$25,000- 34,999	126	24,940				1	0.1	0.0- 0.3	21	22.1	10.3-33.9	77	55.0	42.8-67.2	27	22.8	12.6-33.0
\$35,000- 49,999	153	33,585				1	0.0	0.0- 0.0	23	21.5	8.6-34.4	99	61.7	49.0-74.4	30	16.7	9.1-24.3
\$50,000- 74,999	226	52,747				1	0.3	0.0- 0.9	24	8.9	4.4-13.4	154	71.7	64.1-79.3	47	19.1	12.6-25.6
\$75,000+	573	122,332				1	0.1	0.0- 0.3	37	8.0	4.7-11.3	391	66.9	61.6-72.2	144	24.9	20.2-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1964	369,894	1	0.0	0.0- 0.0	212	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4
White/Non-Hisp	1380	241,987				134	9.0	7.0-11.0	969	71.2	68.1-74.3	275	19.6	16.9-22.3	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	302	80,078				29	10.3	6.0-14.6	208	64.6	57.0-72.2	63	24.7	17.3-32.1	2	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	68	18,920				10	19.7	5.2-34.2	46	65.7	49.0-82.4	11	13.3	2.5-24.1	1	1.3	0.0- 3.8
Hispanic	136	17,934	1	0.8	0.0- 2.4	36	30.4	18.4-42.4	90	66.1	53.9-78.3	9	2.7	0.3- 5.1			
18-24	92	39,916				9	8.9	2.4-15.4	68	70.1	57.4-82.8	15	21.0	8.8-33.2			
25-34	173	53,285				28	14.7	8.2-21.2	111	67.0	58.0-76.0	34	18.3	11.2-25.4			
35-44	234	53,028				23	10.6	5.1-16.1	152	64.2	56.0-72.4	57	24.4	17.0-31.8	2	0.7	0.0- 1.7
45-54	315	57,340	1	0.3	0.0- 0.9	21	5.9	2.4- 9.4	216	71.2	64.9-77.5	75	22.0	16.5-27.5	2	0.6	0.0- 1.6
55-64	413	67,374				34	6.9	3.8-10.0	284	67.8	61.7-73.9	94	25.2	19.3-31.1	1	0.1	0.0- 0.3
65+	737	98,950				97	15.1	11.6-18.6	537	72.7	68.6-76.8	103	12.3	9.6-15.0			
Less Than H.S.	126	27,812	1	0.5	0.0- 1.5	32	22.3	13.1-31.5	80	66.6	55.8-77.4	13	10.6	3.7-17.5			
H.S. or G.E.D.	527	107,291				67	11.6	8.1-15.1	386	73.0	67.9-78.1	71	15.1	11.0-19.2	3	0.4	0.0- 0.8
Some Post-H.S.	520	118,950				56	9.5	6.4-12.6	342	66.6	60.7-72.5	120	23.5	18.0-29.0	2	0.3	0.0- 0.9
College Graduate	785	114,097				56	8.1	5.4-10.8	555	69.4	64.9-73.9	174	22.5	18.4-26.6			
Less than \$15,000	159	24,225				23	10.7	5.6-15.8	117	77.3	69.1-85.5	19	12.0	5.5-18.5			
\$15,000- 24,999	257	41,174	1	0.4	0.0- 1.2	45	19.4	12.5-26.3	167	62.8	54.6-71.0	42	17.1	10.8-23.4	2	0.4	0.0- 1.0
\$25,000- 34,999	154	27,187				22	14.1	6.5-21.7	103	63.6	52.4-74.8	28	21.5	11.1-31.9	1	0.9	0.0- 2.7
\$35,000- 49,999	241	46,341				26	9.0	3.9-14.1	164	67.2	58.0-76.4	51	23.8	15.2-32.4			
\$50,000- 74,999	217	40,565				17	7.7	3.4-12.0	152	70.6	62.4-78.8	47	21.3	14.0-28.6	1	0.4	0.0- 1.2
\$75,000+	562	123,166				32	7.0	4.1- 9.9	389	69.5	64.2-74.8	140	23.4	18.5-28.3	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3588	709,127	30	0.6	0.2- 1.0	1017	28.4	26.2-30.6	1578	43.9	41.5-46.3	686	19.1	17.3-20.9	216	6.0	5.0- 7.0	61	1.9	1.1- 2.7
Male	1646	347,863	3	0.1	0.0- 0.3	213	13.9	11.4-16.4	787	47.2	43.9-50.5	453	27.4	24.5-30.3	146	8.1	6.3- 9.9	44	3.3	1.9- 4.7
Female	1942	361,264	27	1.1	0.5- 1.7	804	42.4	39.3-45.5	791	40.7	37.6-43.8	233	11.1	9.1-13.1	70	4.0	2.6- 5.4	17	0.6	0.2- 1.0
White/Non-Hisp	2463	452,717	19	0.7	0.3- 1.1	661	27.4	24.9-29.9	1067	42.7	40.0-45.4	511	20.3	18.1-22.5	161	6.9	5.5- 8.3	44	2.1	1.3- 2.9
Black or Afr. Am./Non-Hisp	455	146,665	2	0.3	0.0- 0.9	105	24.3	18.8-29.8	205	46.0	39.7-52.3	103	21.2	16.1-26.3	33	6.1	3.6- 8.6	7	2.1	0.0- 4.3
Oth. Race/Non-Hisp.	127	34,737	2	1.4	0.0- 4.1	45	44.0	31.3-56.7	48	36.0	24.4-47.6	22	14.0	6.4-21.6	7	3.7	0.0- 7.4	3	1.0	0.0- 2.2
MultiRacial/Non-Hisp.	72	7,660				16	31.5	15.8-47.2	34	48.4	32.1-64.7	13	9.2	1.8-16.6	6	2.8	0.3- 5.3	3	8.1	0.0-18.9
Hispanic	402	54,463	5	0.4	0.0- 0.8	167	36.7	29.3-44.1	191	52.1	44.5-59.7	28	8.8	4.1-13.5	7	1.7	0.1- 3.3	4	0.3	0.0- 0.7
18-24	233	84,054	3	1.6	0.0- 3.4	102	36.7	28.5-44.9	88	41.2	32.4-50.0	25	15.6	8.7-22.5	12	4.3	1.6- 7.0	3	0.7	0.0- 1.7
25-34	395	113,731	3	0.1	0.0- 0.3	153	38.5	31.4-45.6	164	37.5	30.8-44.2	48	13.6	8.9-18.3	19	7.0	3.5-10.5	8	3.4	0.5- 6.3
35-44	452	106,847	3	0.2	0.0- 0.4	131	25.0	20.1-29.9	195	44.8	38.5-51.1	81	19.3	14.2-24.4	32	8.2	4.5-11.9	10	2.5	0.3- 4.7
45-54	553	108,191	1	0.0	0.0- 0.0	121	23.0	18.3-27.7	235	41.6	36.1-47.1	140	26.1	21.4-30.8	38	5.7	3.5- 7.9	18	3.5	1.3- 5.7
55-64	717	120,484	4	0.3	0.0- 0.7	153	21.3	17.4-25.2	323	48.3	43.6-53.0	167	21.2	17.5-24.9	53	7.3	4.8- 9.8	17	1.7	0.7- 2.7
65+	1238	175,820	16	1.4	0.4- 2.4	357	28.2	24.9-31.5	573	47.2	43.5-50.9	225	18.4	15.5-21.3	62	4.3	3.1- 5.5	5	0.5	0.0- 1.1
Less Than H.S.	365	73,974	6	1.5	0.0- 3.3	153	38.7	30.9-46.5	149	40.7	33.4-48.0	41	14.4	9.1-19.7	15	4.3	1.9- 6.7	1	0.5	0.0- 1.5
H.S. or G.E.D.	975	225,592	6	0.5	0.0- 1.1	255	24.5	21.0-28.0	435	46.5	42.2-50.8	193	19.7	16.4-23.0	65	6.6	4.6- 8.6	21	2.3	1.1- 3.5
Some Post-H.S.	878	201,364	7	0.7	0.0- 1.5	231	27.1	23.0-31.2	377	42.3	37.6-47.0	183	20.4	16.5-24.3	62	7.0	4.8- 9.2	18	2.5	0.7- 4.3
College Graduate	1359	205,454	11	0.5	0.1- 0.9	370	29.9	26.2-33.6	615	43.9	40.2-47.6	268	19.0	16.3-21.7	74	5.2	3.6- 6.8	21	1.5	0.3- 2.7
Less than \$15,000	282	43,941	2	0.2	0.0- 0.4	92	30.1	22.7-37.5	117	43.1	34.5-51.7	52	19.2	12.7-25.7	12	3.7	1.2- 6.2	7	3.7	0.2- 7.2
\$15,000- 24,999	465	80,705	10	1.6	0.2- 3.0	139	27.7	21.8-33.6	203	46.4	39.9-52.9	79	15.8	11.1-20.5	30	8.0	4.3-11.7	4	0.5	0.0- 1.1
\$25,000- 34,999	289	52,064	2	0.1	0.0- 0.3	77	26.5	19.8-33.2	133	45.3	37.3-53.3	58	17.6	11.9-23.3	13	7.0	1.9-12.1	6	3.4	0.0- 7.3
\$35,000- 49,999	387	78,617	2	0.9	0.0- 2.5	104	30.1	22.7-37.5	172	45.4	38.0-52.8	75	15.6	10.9-20.3	29	6.8	3.9- 9.7	5	1.1	0.1- 2.1
\$50,000- 74,999	436	93,078	4	0.5	0.0- 1.1	105	20.8	15.9-25.7	182	44.1	37.4-50.8	98	22.9	17.2-28.6	39	9.6	5.7-13.5	8	2.1	0.3- 3.9
\$75,000+	1100	239,823	5	0.6	0.0- 1.2	250	26.4	22.5-30.3	505	43.7	39.8-47.6	245	21.6	18.3-24.9	71	5.2	3.6- 6.8	24	2.4	0.8- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	347,863	3	0.1	0.0- 0.3	213	13.9	11.4-16.4	787	47.2	43.9-50.5	453	27.4	24.5-30.3	146	8.1	6.3- 9.9	44	3.3	1.9- 4.7
White/Non-Hisp	1155	222,266				104	9.6	7.2-12.0	538	45.9	42.2-49.6	360	30.9	27.4-34.4	120	10.0	7.8-12.2	33	3.6	1.8- 5.4
Black or Afr. Am./Non-Hisp	163	69,588	1	0.6	0.0- 1.8	22	16.5	8.5-24.5	73	47.4	37.6-57.2	47	25.5	17.3-33.7	15	6.0	2.3- 9.7	5	4.0	0.0- 8.3
Oth. Race/Non-Hisp.	63	15,962				14	27.6	11.5-43.7	26	39.0	23.1-54.9	15	23.9	9.6-38.2	5	7.3	0.0-15.1	3	2.1	0.0- 4.6
Hispanic	200	30,527	2	0.3	0.0- 0.7	63	28.7	18.5-38.9	112	58.1	47.1-69.1	18	11.4	4.1-18.7	3	1.1	0.0- 2.3	2	0.3	0.0- 0.7
18-24	130	42,169				48	30.1	19.9-40.3	56	45.1	33.7-56.5	17	19.3	9.1-29.5	7	4.9	0.6- 9.2	2	0.5	0.0- 1.3
25-34	198	58,632	1	0.1	0.0- 0.3	43	20.1	10.9-29.3	102	46.5	36.5-56.5	35	19.9	12.3-27.5	11	7.6	2.7-12.5	6	5.8	0.1-11.5
35-44	206	54,824				28	11.4	6.1-16.7	101	47.9	38.5-57.3	54	28.8	20.2-37.4	15	7.5	2.6-12.4	8	4.4	0.1- 8.7
45-54	247	53,133				23	10.8	5.5-16.1	110	42.4	34.2-50.6	78	32.8	25.2-40.4	24	8.4	4.5-12.3	12	5.6	1.7- 9.5
55-64	338	59,055				29	9.6	5.5-13.7	144	46.8	40.1-53.5	114	29.1	23.4-34.8	40	11.8	7.3-16.3	11	2.6	0.8- 4.4
65+	527	80,050	2	0.6	0.0- 1.6	42	7.6	4.7-10.5	274	51.9	46.2-57.6	155	31.2	25.7-36.7	49	7.8	5.3-10.3	5	1.0	0.0- 2.2
Less Than H.S.	187	42,241				60	30.9	19.9-41.9	90	46.2	35.6-56.8	29	18.5	10.3-26.7	8	4.4	1.1- 7.7			
H.S. or G.E.D.	453	119,875	2	0.1	0.0- 0.3	67	14.7	10.4-19.0	201	45.9	39.8-52.0	120	25.9	20.6-31.2	46	9.6	6.1-13.1	17	3.9	1.7- 6.1
Some Post-H.S.	383	88,189	1	0.5	0.0- 1.5	35	9.7	5.4-14.0	177	44.5	37.6-51.4	118	32.0	25.3-38.7	39	8.7	5.4-12.0	13	4.6	0.9- 8.3
College Graduate	617	96,537				47	8.8	5.3-12.3	318	51.9	46.4-57.4	185	29.1	24.4-33.8	53	7.5	5.0-10.0	14	2.7	0.3- 5.1
Less than \$15,000	101	18,344	1	0.2	0.0- 0.6	30	31.1	18.6-43.6	46	39.9	27.2-52.6	20	22.4	11.0-33.8	2	1.7	0.0- 4.1	2	4.7	0.0-11.6
\$15,000- 24,999	201	38,523	1	0.1	0.0- 0.3	39	21.7	12.7-30.7	97	47.7	37.7-57.7	47	20.7	12.5-28.9	14	8.8	2.9-14.7	3	1.0	0.0- 2.2
\$25,000- 34,999	134	25,657				17	13.4	5.8-21.0	76	57.3	45.7-68.9	29	16.3	9.4-23.2	8	6.6	0.7-12.5	4	6.4	0.0-14.2
\$35,000- 49,999	152	33,488				13	13.9	1.4-26.4	70	48.5	36.2-60.8	50	28.6	18.6-38.6	15	6.9	3.0-10.8	4	2.1	0.0- 4.3
\$50,000- 74,999	226	53,031				20	7.8	3.7-11.9	100	43.8	34.8-52.8	64	29.2	20.8-37.6	35	16.1	9.6-22.6	7	3.2	0.5- 5.9
\$75,000+	570	121,906	1	0.3	0.0- 0.9	38	9.9	5.8-14.0	276	47.7	42.2-53.2	182	30.7	25.8-35.6	56	7.5	5.0-10.0	17	4.0	1.1- 6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1942	361,264	27	1.1	0.5- 1.7	804	42.4	39.3-45.5	791	40.7	37.6-43.8	233	11.1	9.1-13.1	70	4.0	2.6- 5.4	17	0.6	0.2- 1.0
White/Non-Hisp	1308	230,451	19	1.3	0.5- 2.1	557	44.5	40.6-48.4	529	39.6	35.9-43.3	151	10.1	7.9-12.3	41	3.8	2.2- 5.4	11	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	292	77,077	1	0.0	0.0- 0.0	83	31.3	24.0-38.6	132	44.8	37.0-52.6	56	17.2	11.3-23.1	18	6.1	2.4- 9.8	2	0.4	0.0- 1.0
Oth. Race/Non-Hisp.	64	18,775	2	2.6	0.0- 7.5	31	57.9	40.5-75.3	22	33.4	16.7-50.1	7	5.5	0.8-10.2	2	0.6	0.0- 1.6			
Hispanic	202	23,936	3	0.5	0.0- 1.3	104	46.9	36.1-57.7	79	44.3	33.3-55.3	10	5.4	0.5-10.3	4	2.5	0.0- 5.8	2	0.3	0.0- 0.7
18-24	103	41,885	3	3.1	0.0- 6.8	54	43.3	30.2-56.4	32	37.3	23.6-51.0	8	11.8	2.6-21.0	5	3.6	0.0- 7.3	1	0.9	0.0- 2.7
25-34	197	55,099	2	0.2	0.0- 0.4	110	58.1	48.5-67.7	62	27.9	19.5-36.3	13	6.8	2.3-11.3	8	6.3	1.4-11.2	2	0.8	0.0- 2.2
35-44	246	52,023	3	0.4	0.0- 0.8	103	39.4	31.6-47.2	94	41.5	33.3-49.7	27	9.3	5.0-13.6	17	9.0	3.5-14.5	2	0.4	0.0- 1.0
45-54	306	55,059	1	0.1	0.0- 0.3	98	34.9	27.6-42.2	125	40.8	33.5-48.1	62	19.6	13.9-25.3	14	3.2	1.2- 5.2	6	1.5	0.1- 2.9
55-64	379	61,428	4	0.6	0.0- 1.6	124	32.5	26.0-39.0	179	49.7	42.8-56.6	53	13.6	9.1-18.1	13	2.9	0.9- 4.9	6	0.7	0.0- 1.5
65+	711	95,769	14	2.1	0.5- 3.7	315	45.4	40.5-50.3	299	43.3	38.4-48.2	70	7.7	5.3-10.1	13	1.3	0.5- 2.1			
Less Than H.S.	178	31,733	6	3.4	0.0- 7.3	93	49.0	38.4-59.6	59	33.4	23.8-43.0	12	9.0	2.9-15.1	7	4.1	0.6- 7.6	1	1.1	0.0- 3.3
H.S. or G.E.D.	522	105,716	4	0.9	0.0- 1.9	188	35.6	30.1-41.1	234	47.1	41.2-53.0	73	12.7	9.0-16.4	19	3.1	1.5- 4.7	4	0.4	0.0- 1.0
Some Post-H.S.	495	113,175	6	0.9	0.0- 1.9	196	40.7	34.4-47.0	200	40.5	34.2-46.8	65	11.3	7.4-15.2	23	5.7	2.6- 8.8	5	0.8	0.0- 1.6
College Graduate	742	108,917	11	0.9	0.1- 1.7	323	48.6	43.3-53.9	297	36.8	31.9-41.7	83	10.1	7.2-13.0	21	3.1	1.1- 5.1	7	0.5	0.1- 0.9
Less than \$15,000	181	25,597	1	0.2	0.0- 0.6	62	29.4	20.2-38.6	71	45.3	33.9-56.7	32	16.8	9.5-24.1	10	5.2	1.1- 9.3	5	3.1	0.0- 6.6
\$15,000- 24,999	264	42,181	9	2.9	0.4- 5.4	100	33.2	25.4-41.0	106	45.1	36.7-53.5	32	11.4	6.5-16.3	16	7.3	2.4-12.2	1	0.1	0.0- 0.3
\$25,000- 34,999	155	26,407	2	0.2	0.0- 0.6	60	39.3	28.9-49.7	57	33.5	23.5-43.5	29	18.8	10.0-27.6	5	7.5	0.0-15.9	2	0.6	0.0- 1.4
\$35,000- 49,999	235	45,129	2	1.6	0.0- 4.1	91	42.1	32.7-51.5	102	43.0	33.6-52.4	25	6.0	3.1- 8.9	14	6.8	2.5-11.1	1	0.3	0.0- 0.9
\$50,000- 74,999	210	40,047	4	1.2	0.0- 2.8	85	38.1	29.1-47.1	82	44.6	34.6-54.6	34	14.5	8.2-20.8	4	1.0	0.0- 2.2	1	0.6	0.0- 1.8
\$75,000+	530	117,916	4	1.0	0.0- 2.2	212	43.5	37.4-49.6	229	39.6	33.7-45.5	63	12.3	8.2-16.4	15	2.9	0.9- 4.9	7	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3401	682,315	37	1.1	0.5- 1.7	961	30.0	27.8-32.2	1204	34.5	32.1-36.9	677	19.8	17.8-21.8	522	14.6	13.0-16.2
Male	1566	337,712	13	1.2	0.4- 2.0	378	25.5	22.4-28.6	637	39.6	36.3-42.9	330	20.8	18.1-23.5	208	12.9	10.5-15.3
Female	1835	344,604	24	1.1	0.5- 1.7	583	34.4	31.3-37.5	567	29.5	26.6-32.4	347	18.7	16.2-21.2	314	16.2	13.8-18.6
White/Non-Hisp	2441	448,687	25	1.0	0.4- 1.6	707	31.1	28.6-33.6	870	33.7	31.2-36.2	489	20.1	17.9-22.3	350	14.0	12.0-16.0
Black or Afr. Am./Non-Hisp	451	145,609	4	1.2	0.0- 2.8	97	22.9	17.4-28.4	154	37.6	31.5-43.7	91	20.1	15.2-25.0	105	18.2	13.9-22.5
Oth. Race/Non-Hisp.	121	30,656	3	2.0	0.0- 4.5	52	51.2	38.7-63.7	29	25.5	14.7-36.3	19	10.6	3.7-17.5	18	10.7	3.8-17.6
MultiRacial/Non-Hisp.	71	7,475	1	0.9	0.0- 2.7	20	39.7	22.6-56.8	23	33.5	18.4-48.6	13	12.2	3.8-20.6	14	13.8	2.4-25.2
Hispanic	254	38,204				67	25.9	17.1-34.7	101	37.7	28.3-47.1	57	25.0	16.2-33.8	29	11.4	5.5-17.3
18-24	204	79,025	5	2.7	0.2- 5.2	101	43.9	34.9-52.9	53	30.4	21.2-39.6	24	11.6	5.9-17.3	21	11.4	5.9-16.9
25-34	326	102,500	2	0.5	0.0- 1.3	120	38.4	30.8-46.0	111	29.4	23.1-35.7	52	16.9	11.2-22.6	41	14.7	9.4-20.0
35-44	403	100,684	5	1.3	0.0- 2.9	118	28.3	22.8-33.8	137	34.6	28.3-40.9	62	16.5	11.4-21.6	81	19.3	14.2-24.4
45-54	537	106,605	7	1.8	0.2- 3.4	119	23.0	18.3-27.7	187	34.7	29.4-40.0	108	22.0	17.3-26.7	116	18.5	14.4-22.6
55-64	710	120,120	3	0.4	0.0- 1.0	170	24.8	20.7-28.9	239	34.8	30.1-39.5	181	24.9	20.8-29.0	117	15.1	11.8-18.4
65+	1221	173,382	15	0.8	0.2- 1.4	333	27.6	24.3-30.9	477	39.0	35.3-42.7	250	22.2	18.9-25.5	146	10.3	8.1-12.5
Less Than H.S.	249	59,906	8	2.8	0.3- 5.3	73	33.6	24.4-42.8	82	29.6	21.8-37.4	49	20.0	13.3-26.7	37	14.0	8.9-19.1
H.S. or G.E.D.	941	220,993	10	1.0	0.2- 1.8	239	26.3	22.6-30.0	313	34.1	30.0-38.2	207	22.3	18.8-25.8	172	16.3	13.2-19.4
Some Post-H.S.	858	197,097	7	0.9	0.0- 1.9	250	30.5	26.2-34.8	287	33.1	28.6-37.6	176	19.6	15.9-23.3	138	15.9	12.6-19.2
College Graduate	1345	201,902	12	1.0	0.0- 2.0	398	32.7	29.0-36.4	515	37.2	33.5-40.9	245	17.4	14.7-20.1	175	11.7	9.3-14.1
Less than \$15,000	235	39,932	3	1.7	0.0- 3.9	48	22.4	15.0-29.8	81	34.4	25.2-43.6	44	17.0	10.3-23.7	59	24.5	17.2-31.8
\$15,000- 24,999	420	74,921	8	1.3	0.3- 2.3	110	26.5	20.2-32.8	142	34.4	27.9-40.9	86	20.0	14.7-25.3	74	17.7	12.6-22.8
\$25,000- 34,999	272	49,785	2	0.3	0.0- 0.9	85	32.2	24.9-39.5	84	30.6	23.0-38.2	55	17.1	11.4-22.8	46	19.8	12.4-27.2
\$35,000- 49,999	381	77,025	2	1.8	0.0- 4.3	110	32.2	24.6-39.8	124	32.8	25.5-40.1	78	18.7	13.4-24.0	67	14.6	10.3-18.9
\$50,000- 74,999	433	91,564	4	0.7	0.0- 1.5	121	24.3	19.2-29.4	141	33.9	27.2-40.6	93	24.9	18.8-31.0	74	16.3	11.8-20.8
\$75,000+	1093	236,812	6	0.8	0.0- 1.6	295	31.3	27.4-35.2	423	35.6	31.9-39.3	226	20.3	17.0-23.6	143	12.0	9.3-14.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1566	337,712	13	1.2	0.4- 2.0	378	25.5	22.4-28.6	637	39.6	36.3-42.9	330	20.8	18.1-23.5	208	12.9	10.5-15.3	
White/Non-Hisp	1150	221,658	9	0.9	0.1- 1.7	262	23.9	20.6-27.2	461	38.0	34.3-41.7	260	23.3	20.0-26.6	158	13.8	11.1-16.5	
Black or Afr. Am./Non-Hisp	162	69,188	2	2.3	0.0- 5.4	35	22.5	13.9-31.1	71	46.4	36.6-56.2	28	16.3	9.0-23.6	26	12.5	6.6-18.4	
Oth. Race/Non-Hisp.	61	15,343				27	51.9	35.0-68.8	16	23.5	10.2-36.8	9	9.8	1.2-18.4	9	14.7	2.5-26.9	
Hispanic	129	22,157				33	26.3	13.2-39.4	65	47.9	34.2-61.6	21	19.8	9.0-30.6	10	6.1	0.8-11.4	
18-24	115	39,916	4	4.0	0.0- 8.3	59	45.4	33.6-57.2	32	32.3	20.9-43.7	12	10.7	3.1-18.3	8	7.7	1.0-14.4	
25-34	170	55,483	1	0.1	0.0- 0.3	54	33.2	22.6-43.8	72	36.4	26.8-46.0	26	18.0	10.2-25.8	17	12.2	4.9-19.5	
35-44	185	51,761	2	1.7	0.0- 4.8	48	22.6	15.3-29.9	67	38.2	28.6-47.8	32	18.2	10.4-26.0	36	19.3	11.7-26.9	
45-54	242	52,737	3	2.4	0.0- 5.3	46	18.1	12.0-24.2	91	39.1	30.9-47.3	62	25.1	18.4-31.8	40	15.2	9.5-20.9	
55-64	334	58,825	1	0.1	0.0- 0.3	63	21.7	16.0-27.4	132	39.5	33.0-46.0	83	24.3	18.4-30.2	55	14.5	10.0-19.0	
65+	520	78,990	2	0.3	0.0- 0.7	108	19.7	15.4-24.0	243	46.8	40.9-52.7	115	24.3	19.2-29.4	52	8.9	6.0-11.8	
Less Than H.S.	136	35,767	2	1.4	0.0- 3.6	37	30.6	17.9-43.3	56	37.7	26.1-49.3	26	20.3	11.1-29.5	15	9.9	4.4-15.4	
H.S. or G.E.D.	441	118,216	6	1.3	0.0- 2.7	116	26.3	20.8-31.8	151	35.9	29.8-42.0	100	21.4	16.5-26.3	68	15.1	10.8-19.4	
Some Post-H.S.	374	87,208	2	1.1	0.0- 2.9	88	24.9	19.0-30.8	153	39.8	32.9-46.7	78	20.7	14.8-26.6	53	13.5	8.6-18.4	
College Graduate	611	95,747	3	1.1	0.0- 2.9	136	23.0	18.5-27.5	274	44.5	39.0-50.0	126	20.7	16.4-25.0	72	10.6	7.1-14.1	
Less than \$15,000	83	16,425	3	4.2	0.0- 9.3	20	24.6	12.3-36.9	36	38.7	24.8-52.6	12	13.2	4.0-22.4	12	19.3	7.9-30.7	
\$15,000- 24,999	175	35,414	1	0.5	0.0- 1.5	45	31.0	20.6-41.4	72	39.2	28.6-49.8	34	17.3	9.7-24.9	23	12.0	5.5-18.5	
\$25,000- 34,999	126	24,940				41	34.0	23.2-44.8	44	35.0	23.0-47.0	28	19.0	10.4-27.6	13	11.9	3.1-20.7	
\$35,000- 49,999	150	33,205	1	2.4	0.0- 7.1	38	26.3	13.6-39.0	52	37.2	25.4-49.0	34	20.0	11.2-28.8	25	14.1	7.0-21.2	
\$50,000- 74,999	224	51,993	1	0.2	0.0- 0.6	52	19.4	13.3-25.5	78	34.1	25.3-42.9	56	30.3	21.5-39.1	37	16.1	9.8-22.4	
\$75,000+	569	121,506	3	0.9	0.0- 2.1	118	24.7	19.6-29.8	252	42.3	37.0-47.6	126	21.1	16.6-25.6	70	11.1	7.4-14.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1835	344,604	24	1.1	0.5- 1.7	583	34.4	31.3-37.5	567	29.5	26.6-32.4	347	18.7	16.2-21.2	314	16.2	13.8-18.6			
White/Non-Hisp	1291	227,029	16	1.1	0.3- 1.9	445	38.2	34.5-41.9	409	29.5	26.0-33.0	229	17.0	14.3-19.7	192	14.2	11.7-16.7			
Black or Afr. Am./Non-Hisp	289	76,421	2	0.3	0.0- 0.9	62	23.3	16.6-30.0	83	29.5	22.1-36.9	63	23.5	16.8-30.2	79	23.3	17.2-29.4			
Oth. Race/Non-Hisp.	60	15,313	3	4.0	0.0- 9.1	25	50.5	31.7-69.3	13	27.6	10.9-44.3	10	11.4	0.8-22.0	9	6.6	1.3-11.9			
Hispanic	125	16,048				34	25.3	14.3-36.3	36	23.7	14.1-33.3	36	32.1	18.0-46.2	19	18.8	7.8-29.8			
18-24	89	39,110	1	1.5	0.0- 4.4	42	42.5	28.8-56.2	21	28.4	13.9-42.9	12	12.5	4.1-20.9	13	15.2	6.4-24.0			
25-34	156	47,017	1	0.9	0.0- 2.7	66	44.6	33.8-55.4	39	21.2	13.6-28.8	26	15.6	7.4-23.8	24	17.6	9.8-25.4			
35-44	218	48,923	3	0.8	0.0- 2.0	70	34.4	26.4-42.4	70	30.8	23.0-38.6	30	14.7	8.6-20.8	45	19.4	12.5-26.3			
45-54	295	53,868	4	1.2	0.0- 2.6	73	27.8	20.9-34.7	96	30.4	23.9-36.9	46	18.9	12.2-25.6	76	21.7	16.0-27.4			
55-64	376	61,294	2	0.7	0.0- 1.7	107	27.9	22.0-33.8	107	30.3	23.8-36.8	98	25.4	19.5-31.3	62	15.7	10.8-20.6			
65+	701	94,392	13	1.3	0.5- 2.1	225	34.1	29.2-39.0	234	32.5	28.0-37.0	135	20.5	16.4-24.6	94	11.5	8.6-14.4			
Less Than H.S.	113	24,139	6	4.9	0.0-10.2	36	38.0	24.9-51.1	26	17.5	9.5-25.5	23	19.6	10.2-29.0	22	20.0	10.6-29.4			
H.S. or G.E.D.	500	102,777	4	0.7	0.0- 1.5	123	26.4	21.1-31.7	162	32.1	26.6-37.6	107	23.2	17.9-28.5	104	17.6	13.3-21.9			
Some Post-H.S.	484	109,888	5	0.7	0.0- 1.5	162	34.9	28.8-41.0	134	27.8	21.7-33.9	98	18.7	13.8-23.6	85	17.9	13.2-22.6			
College Graduate	734	106,155	9	1.0	0.2- 1.8	262	41.5	36.2-46.8	241	30.5	25.8-35.2	119	14.5	11.0-18.0	103	12.6	9.3-15.9			
Less than \$15,000	152	23,506				28	20.9	11.7-30.1	45	31.4	18.9-43.9	32	19.6	10.4-28.8	47	28.1	18.5-37.7			
\$15,000- 24,999	245	39,507	7	2.0	0.2- 3.8	65	22.5	15.2-29.8	70	30.2	22.2-38.2	52	22.5	15.4-29.6	51	22.8	15.4-30.2			
\$25,000- 34,999	146	24,845	2	0.7	0.0- 1.7	44	30.4	20.6-40.2	40	26.2	17.0-35.4	27	15.2	7.4-23.0	33	27.6	16.2-39.0			
\$35,000- 49,999	231	43,820	1	1.3	0.0- 3.8	72	36.6	27.2-46.0	72	29.4	20.6-38.2	44	17.7	11.0-24.4	42	15.0	9.3-20.7			
\$50,000- 74,999	209	39,572	3	1.4	0.0- 3.2	69	30.8	22.4-39.2	63	33.6	23.4-43.8	37	17.7	10.4-25.0	37	16.6	10.1-23.1			
\$75,000+	524	115,305	3	0.7	0.0- 1.7	177	38.3	32.2-44.4	171	28.6	23.3-33.9	100	19.5	14.6-24.4	73	13.0	9.1-16.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3401	682,315	58	1.7	1.1- 2.3	939	29.4	27.2-31.6	1204	34.5	32.1-36.9	1200	34.4	32.2-36.6
Male	1566	337,712	19	1.6	0.6- 2.6	371	25.0	21.9-28.1	638	39.7	36.4-43.0	538	33.7	30.4-37.0
Female	1835	344,604	39	1.9	1.1- 2.7	568	33.7	30.6-36.8	566	29.5	26.6-32.4	662	35.0	31.9-38.1
White/Non-Hisp	2441	448,687	41	1.7	0.9- 2.5	690	30.4	27.9-32.9	871	33.8	31.3-36.3	839	34.2	31.7-36.7
Black or Afr. Am./Non-Hisp	451	145,609	5	1.4	0.0- 3.0	96	22.7	17.4-28.0	154	37.6	31.5-43.7	196	38.3	32.4-44.2
Oth. Race/Non-Hisp.	121	30,656	6	3.8	0.3- 7.3	49	49.4	36.7-62.1	29	25.5	14.7-36.3	37	21.3	12.1-30.5
MultiRacial/Non-Hisp.	71	7,475	1	0.9	0.0- 2.7	20	39.7	22.6-56.8	23	33.5	18.4-48.6	27	26.0	12.5-39.5
Hispanic	254	38,204	1	0.1	0.0- 0.3	66	25.8	17.0-34.6	100	37.3	28.1-46.5	87	36.8	27.2-46.4
18-24	204	79,025	9	4.9	1.4- 8.4	97	41.8	32.8-50.8	53	30.4	21.2-39.6	45	22.9	15.5-30.3
25-34	326	102,500	4	1.0	0.0- 2.2	118	38.0	30.4-45.6	111	29.4	23.1-35.7	93	31.6	24.5-38.7
35-44	403	100,684	7	1.7	0.0- 3.5	115	27.6	22.1-33.1	138	34.9	28.6-41.2	143	35.8	29.5-42.1
45-54	537	106,605	8	1.9	0.3- 3.5	118	22.9	18.2-27.6	187	34.7	29.4-40.0	224	40.5	35.0-46.0
55-64	710	120,120	9	0.7	0.1- 1.3	164	24.6	20.5-28.7	238	34.6	30.1-39.1	299	40.1	35.4-44.8
65+	1221	173,382	21	1.4	0.6- 2.2	327	27.0	23.7-30.3	477	39.0	35.3-42.7	396	32.6	29.1-36.1
Less Than H.S.	249	59,906	9	2.9	0.4- 5.4	72	33.5	24.3-42.7	81	29.3	21.5-37.1	87	34.3	26.3-42.3
H.S. or G.E.D.	941	220,993	19	2.3	1.1- 3.5	230	25.0	21.3-28.7	313	34.1	30.0-38.2	379	38.5	34.4-42.6
Some Post-H.S.	858	197,097	11	1.1	0.1- 2.1	246	30.2	25.9-34.5	287	33.1	28.6-37.6	314	35.5	31.0-40.0
College Graduate	1345	201,902	19	1.4	0.4- 2.4	390	32.3	28.6-36.0	516	37.3	33.6-41.0	420	29.1	25.8-32.4
Less than \$15,000	235	39,932	6	3.0	0.3- 5.7	45	21.1	13.8-28.4	80	34.0	24.8-43.2	104	41.9	33.1-50.7
\$15,000- 24,999	420	74,921	11	1.9	0.5- 3.3	107	25.9	19.6-32.2	142	34.4	27.9-40.9	160	37.7	31.2-44.2
\$25,000- 34,999	272	49,785	5	1.5	0.0- 3.5	82	31.0	23.9-38.1	84	30.6	23.0-38.2	101	36.8	28.8-44.8
\$35,000- 49,999	381	77,025	5	2.3	0.0- 4.8	107	31.7	24.1-39.3	124	32.8	25.5-40.1	145	33.3	26.6-40.0
\$50,000- 74,999	433	91,564	5	0.8	0.0- 1.6	120	24.2	19.1-29.3	141	33.9	27.2-40.6	167	41.2	34.5-47.9
\$75,000+	1093	236,812	9	1.0	0.2- 1.8	291	31.0	27.1-34.9	424	35.7	32.0-39.4	369	32.3	28.4-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1566	337,712	19	1.6	0.6- 2.6	371	25.0	21.9-28.1	638	39.7	36.4-43.0	538	33.7	30.4-37.0
White/Non-Hisp	1150	221,658	11	1.2	0.2- 2.2	259	23.4	20.1-26.7	462	38.2	34.5-41.9	418	37.2	33.5-40.9
Black or Afr. Am./Non-Hisp	162	69,188	3	2.6	0.0- 5.7	34	22.1	13.5-30.7	71	46.4	36.6-56.2	54	28.9	20.3-37.5
Oth. Race/Non-Hisp.	61	15,343	2	2.6	0.0- 6.7	25	49.3	32.4-66.2	16	23.5	10.2-36.8	18	24.6	10.7-38.5
Hispanic	129	22,157	1	0.2	0.0- 0.6	32	26.1	13.0-39.2	65	47.9	34.2-61.6	31	25.9	14.3-37.5
18-24	115	39,916	5	5.2	0.3-10.1	58	44.2	32.4-56.0	32	32.3	20.9-43.7	20	18.4	8.8-28.0
25-34	170	55,483	2	0.2	0.0- 0.4	53	33.1	22.5-43.7	72	36.4	26.8-46.0	43	30.3	20.5-40.1
35-44	185	51,761	3	2.2	0.0- 5.3	46	21.5	14.4-28.6	68	38.8	29.2-48.4	68	37.4	27.8-47.0
45-54	242	52,737	4	2.6	0.0- 5.5	45	17.9	11.8-24.0	91	39.1	30.9-47.3	102	40.4	32.6-48.2
55-64	334	58,825	1	0.1	0.0- 0.3	63	21.7	16.0-27.4	132	39.5	33.0-46.0	138	38.7	32.0-45.4
65+	520	78,990	4	0.8	0.0- 1.8	106	19.2	14.9-23.5	243	46.8	40.9-52.7	167	33.2	27.7-38.7
Less Than H.S.	136	35,767	3	1.6	0.0- 3.8	36	30.4	17.7-43.1	56	37.7	26.1-49.3	41	30.3	19.9-40.7
H.S. or G.E.D.	441	118,216	10	2.3	0.5- 4.1	112	25.3	19.8-30.8	151	35.9	29.8-42.0	168	36.5	30.6-42.4
Some Post-H.S.	374	87,208	3	1.2	0.0- 3.0	87	24.8	18.9-30.7	153	39.8	32.9-46.7	131	34.2	27.5-40.9
College Graduate	611	95,747	3	1.1	0.0- 2.9	135	22.6	18.1-27.1	275	44.9	39.4-50.4	198	31.3	26.2-36.4
Less than \$15,000	83	16,425	5	6.4	0.1-12.7	18	22.4	10.2-34.6	36	38.7	24.8-52.6	24	32.6	19.3-45.9
\$15,000- 24,999	175	35,414	2	0.7	0.0- 1.9	44	30.8	20.4-41.2	72	39.2	28.6-49.8	57	29.3	20.1-38.5
\$25,000- 34,999	126	24,940	1	0.5	0.0- 1.5	40	33.6	22.8-44.4	44	35.0	23.0-47.0	41	30.9	19.9-41.9
\$35,000- 49,999	150	33,205	1	2.4	0.0- 7.1	38	26.3	13.6-39.0	52	37.2	25.4-49.0	59	34.1	23.3-44.9
\$50,000- 74,999	224	51,993	1	0.2	0.0- 0.6	52	19.4	13.3-25.5	78	34.1	25.3-42.9	93	46.4	37.2-55.6
\$75,000+	569	121,506	3	0.9	0.0- 2.1	117	24.4	19.3-29.5	253	42.6	37.1-48.1	196	32.1	26.8-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1835	344,604	39	1.9	1.1- 2.7	568	33.7	30.6-36.8	566	29.5	26.6-32.4	662	35.0	31.9-38.1
White/Non-Hisp	1291	227,029	30	2.2	1.0- 3.4	431	37.1	33.4-40.8	409	29.5	26.0-33.0	421	31.2	27.7-34.7
Black or Afr. Am./Non-Hisp	289	76,421	2	0.3	0.0- 0.9	62	23.3	16.6-30.0	83	29.5	22.1-36.9	142	46.8	39.0-54.6
Oth. Race/Non-Hisp.	60	15,313	4	5.0	0.0-10.5	24	49.5	30.5-68.5	13	27.6	10.9-44.3	19	18.0	6.2-29.8
Hispanic	125	16,048				34	25.3	14.3-36.3	35	22.7	13.3-32.1	56	52.0	38.5-65.5
18-24	89	39,110	4	4.6	0.0- 9.5	39	39.3	25.8-52.8	21	28.4	13.9-42.9	25	27.6	16.0-39.2
25-34	156	47,017	2	1.9	0.0- 4.4	65	43.7	32.9-54.5	39	21.2	13.6-28.8	50	33.3	23.1-43.5
35-44	218	48,923	4	1.1	0.0- 2.3	69	34.0	26.0-42.0	70	30.8	23.0-38.6	75	34.1	25.9-42.3
45-54	295	53,868	4	1.2	0.0- 2.6	73	27.8	20.9-34.7	96	30.4	23.9-36.9	122	40.6	33.2-48.0
55-64	376	61,294	8	1.1	0.0- 2.3	101	27.4	21.5-33.3	106	30.0	23.5-36.5	161	41.4	34.7-48.1
65+	701	94,392	17	1.9	0.7- 3.1	221	33.6	28.7-38.5	234	32.5	28.0-37.0	229	32.0	27.3-36.7
Less Than H.S.	113	24,139	6	4.9	0.0-10.2	36	38.0	24.9-51.1	25	16.8	8.8-24.8	46	40.3	28.1-52.5
H.S. or G.E.D.	500	102,777	9	2.4	0.4- 4.4	118	24.7	19.6-29.8	162	32.1	26.6-37.6	211	40.8	34.9-46.7
Some Post-H.S.	484	109,888	8	1.0	0.0- 2.0	159	34.6	28.5-40.7	134	27.8	21.7-33.9	183	36.6	30.5-42.7
College Graduate	734	106,155	16	1.5	0.5- 2.5	255	40.9	35.6-46.2	241	30.5	25.8-35.2	222	27.0	22.5-31.5
Less than \$15,000	152	23,506	1	0.7	0.0- 2.1	27	20.2	11.2-29.2	44	30.7	18.2-43.2	80	48.4	36.4-60.4
\$15,000- 24,999	245	39,507	9	3.0	0.6- 5.4	63	21.5	14.4-28.6	70	30.2	22.2-38.2	103	45.3	36.7-53.9
\$25,000- 34,999	146	24,845	4	2.6	0.0- 6.1	42	28.5	19.1-37.9	40	26.2	17.0-35.4	60	42.8	31.4-54.2
\$35,000- 49,999	231	43,820	4	2.2	0.0- 4.9	69	35.8	26.6-45.0	72	29.4	20.6-38.2	86	32.7	24.5-40.9
\$50,000- 74,999	209	39,572	4	1.7	0.0- 3.7	68	30.5	22.1-38.9	63	33.6	23.4-43.8	74	34.3	25.3-43.3
\$75,000+	524	115,305	6	1.0	0.0- 2.0	174	38.0	31.9-44.1	171	28.6	23.3-33.9	173	32.5	26.8-38.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3401	682,315	997	31.1	28.7-33.5	2404	68.9	66.5-71.3
Male	1566	337,712	390	26.6	23.5-29.7	1176	73.4	70.3-76.5
Female	1835	344,604	607	35.5	32.4-38.6	1228	64.5	61.4-67.6
White/Non-Hisp	2441	448,687	731	32.1	29.6-34.6	1710	67.9	65.4-70.4
Black or Afr. Am./Non-Hisp	451	145,609	101	24.1	18.6-29.6	350	75.9	70.4-81.4
Oth. Race/Non-Hisp.	121	30,656	55	53.2	40.7-65.7	66	46.8	34.3-59.3
MultiRacial/Non-Hisp.	71	7,475	21	40.5	23.4-57.6	50	59.5	42.4-76.6
Hispanic	254	38,204	67	25.9	17.1-34.7	187	74.1	65.3-82.9
18-24	204	79,025	106	46.7	37.5-55.9	98	53.3	44.1-62.5
25-34	326	102,500	122	38.9	31.3-46.5	204	61.1	53.5-68.7
35-44	403	100,684	122	29.3	23.8-34.8	281	70.7	65.2-76.2
45-54	537	106,605	126	24.8	19.9-29.7	411	75.2	70.3-80.1
55-64	710	120,120	173	25.3	21.2-29.4	537	74.7	70.6-78.8
65+	1221	173,382	348	28.4	25.1-31.7	873	71.6	68.3-74.9
Less Than H.S.	249	59,906	81	36.4	27.2-45.6	168	63.6	54.4-72.8
H.S. or G.E.D.	941	220,993	249	27.4	23.5-31.3	692	72.6	68.7-76.5
Some Post-H.S.	858	197,097	257	31.3	27.0-35.6	601	68.7	64.4-73.0
College Graduate	1345	201,902	409	33.6	29.9-37.3	936	66.4	62.7-70.1
Less than \$15,000	235	39,932	51	24.1	16.5-31.7	184	75.9	68.3-83.5
\$15,000- 24,999	420	74,921	118	27.8	21.5-34.1	302	72.2	65.9-78.5
\$25,000- 34,999	272	49,785	87	32.5	25.2-39.8	185	67.5	60.2-74.8
\$35,000- 49,999	381	77,025	112	34.0	26.4-41.6	269	66.0	58.4-73.6
\$50,000- 74,999	433	91,564	125	25.0	19.9-30.1	308	75.0	69.9-80.1
\$75,000+	1093	236,812	300	32.0	28.1-35.9	793	68.0	64.1-71.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1566	337,712	390	26.6	23.5-29.7	1176	73.4	70.3-76.5
White/Non-Hisp	1150	221,658	270	24.7	21.4-28.0	880	75.3	72.0-78.6
Black or Afr. Am./Non-Hisp	162	69,188	37	24.7	15.7-33.7	125	75.3	66.3-84.3
Oth. Race/Non-Hisp.	61	15,343	27	51.9	35.0-68.8	34	48.1	31.2-65.0
Hispanic	129	22,157	33	26.3	13.2-39.4	96	73.7	60.6-86.8
18-24	115	39,916	63	49.3	37.3-61.3	52	50.7	38.7-62.7
25-34	170	55,483	55	33.3	22.7-43.9	115	66.7	56.1-77.3
35-44	185	51,761	49	23.7	16.3-31.1	136	76.3	68.9-83.7
45-54	242	52,737	49	20.5	14.0-27.0	193	79.5	73.0-86.0
55-64	334	58,825	64	21.8	16.1-27.5	270	78.2	72.5-83.9
65+	520	78,990	110	19.9	15.6-24.2	410	80.1	75.8-84.4
Less Than H.S.	136	35,767	39	32.0	19.3-44.7	97	68.0	55.3-80.7
H.S. or G.E.D.	441	118,216	122	27.6	22.1-33.1	319	72.4	66.9-77.9
Some Post-H.S.	374	87,208	90	26.0	19.9-32.1	284	74.0	67.9-80.1
College Graduate	611	95,747	138	23.8	19.1-28.5	473	76.2	71.5-80.9
Less than \$15,000	83	16,425	23	28.8	15.9-41.7	60	71.2	58.3-84.1
\$15,000- 24,999	175	35,414	46	31.6	21.2-42.0	129	68.4	58.0-78.8
\$25,000- 34,999	126	24,940	41	34.0	23.2-44.8	85	66.0	55.2-76.8
\$35,000- 49,999	150	33,205	39	28.7	15.8-41.6	111	71.3	58.4-84.2
\$50,000- 74,999	224	51,993	53	19.5	13.4-25.6	171	80.5	74.4-86.6
\$75,000+	569	121,506	120	25.3	20.2-30.4	449	74.7	69.6-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1835	344,604	607	35.5	32.4-38.6	1228	64.5	61.4-67.6
White/Non-Hisp	1291	227,029	461	39.3	35.4-43.2	830	60.7	56.8-64.6
Black or Afr. Am./Non-Hisp	289	76,421	64	23.6	16.9-30.3	225	76.4	69.7-83.1
Oth. Race/Non-Hisp.	60	15,313	28	54.5	35.9-73.1	32	45.5	26.9-64.1
Hispanic	125	16,048	34	25.3	14.3-36.3	91	74.7	63.7-85.7
18-24	89	39,110	43	44.0	30.1-57.9	46	56.0	42.1-69.9
25-34	156	47,017	67	45.5	34.7-56.3	89	54.5	43.7-65.3
35-44	218	48,923	73	35.1	27.1-43.1	145	64.9	56.9-72.9
45-54	295	53,868	77	29.0	21.9-36.1	218	71.0	63.9-78.1
55-64	376	61,294	109	28.6	22.5-34.7	267	71.4	65.3-77.5
65+	701	94,392	238	35.5	30.6-40.4	463	64.5	59.6-69.4
Less Than H.S.	113	24,139	42	42.9	29.8-56.0	71	57.1	44.0-70.2
H.S. or G.E.D.	500	102,777	127	27.1	21.8-32.4	373	72.9	67.6-78.2
Some Post-H.S.	484	109,888	167	35.6	29.5-41.7	317	64.4	58.3-70.5
College Graduate	734	106,155	271	42.4	37.1-47.7	463	57.6	52.3-62.9
Less than \$15,000	152	23,506	28	20.9	11.7-30.1	124	79.1	69.9-88.3
\$15,000- 24,999	245	39,507	72	24.5	17.2-31.8	173	75.5	68.2-82.8
\$25,000- 34,999	146	24,845	46	31.0	21.2-40.8	100	69.0	59.2-78.8
\$35,000- 49,999	231	43,820	73	37.9	28.5-47.3	158	62.1	52.7-71.5
\$50,000- 74,999	209	39,572	72	32.2	23.8-40.6	137	67.8	59.4-76.2
\$75,000+	524	115,305	180	39.0	32.9-45.1	344	61.0	54.9-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3780	748,190	2647	64.6	62.4-66.8	476	15.5	13.7-17.3	381	12.2	10.6-13.8	172	4.8	3.6- 6.0	66	1.9	1.3- 2.5	38	1.1	0.7- 1.5
Male	1693	358,752	1200	66.6	63.3-69.9	213	15.8	13.1-18.5	165	11.3	9.1-13.5	69	4.0	2.4- 5.6	31	1.8	1.0- 2.6	15	0.5	0.1- 0.9
Female	2087	389,438	1447	62.8	59.7-65.9	263	15.2	12.8-17.6	216	13.1	10.7-15.5	103	5.5	3.9- 7.1	35	2.0	1.0- 3.0	23	1.6	0.8- 2.4
White/Non-Hisp	2576	475,080	1986	71.0	68.5-73.5	279	13.3	11.3-15.3	203	10.3	8.5-12.1	77	3.6	2.4- 4.8	20	1.2	0.6- 1.8	11	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	473	152,913	305	58.8	52.7-64.9	77	19.0	14.1-23.9	56	13.6	9.5-17.7	22	6.0	2.5- 9.5	8	1.2	0.2- 2.2	5	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	139	37,159	91	54.0	41.8-66.2	21	23.8	12.6-35.0	16	16.8	7.4-26.2	5	2.3	0.0- 5.2	3	2.4	0.0- 5.5	3	0.7	0.0- 1.5
MultiRacial/Non-Hisp.	74	7,723	46	55.9	40.2-71.6	16	24.2	11.3-37.1	7	12.0	1.4-22.6	2	3.1	0.0- 8.0	2	4.0	0.0- 9.5	1	0.8	0.0- 2.4
Hispanic	432	60,126	158	37.1	29.7-44.5	74	17.7	12.6-22.8	92	22.7	16.6-28.8	63	11.6	7.5-15.7	29	7.9	3.6-12.2	16	2.9	0.9- 4.9
18-24	243	86,159	130	56.8	48.2-65.4	53	21.8	14.5-29.1	37	14.5	8.0-21.0	15	4.3	1.4- 7.2	4	1.7	0.0- 3.9	4	1.0	0.0- 2.0
25-34	421	121,262	179	48.7	41.8-55.6	82	20.8	15.1-26.5	82	15.8	11.5-20.1	49	8.9	4.4-13.4	18	3.7	1.3- 6.1	11	2.0	0.2- 3.8
35-44	476	112,972	132	26.4	21.1-31.7	94	21.4	16.3-26.5	133	31.3	25.6-37.0	69	13.1	9.2-17.0	33	4.9	2.7- 7.1	15	3.0	0.8- 5.2
45-54	588	115,156	333	55.5	50.2-60.8	134	25.0	20.3-29.7	89	13.9	10.2-17.6	21	3.5	1.7- 5.3	8	1.4	0.4- 2.4	3	0.6	0.0- 1.4
55-64	766	130,254	650	84.2	80.7-87.7	74	9.5	6.8-12.2	28	4.5	2.3- 6.7	7	0.5	0.1- 0.9	3	0.9	0.0- 1.9	4	0.5	0.0- 1.1
65+	1286	182,387	1223	94.2	92.4-96.0	39	3.4	2.0- 4.8	12	1.4	0.4- 2.4	11	0.9	0.1- 1.7				1	0.0	0.0- 0.0
Less Than H.S.	389	80,328	196	56.5	49.2-63.8	50	12.8	8.3-17.3	57	10.9	7.2-14.6	42	10.4	4.1-16.7	29	6.1	3.0- 9.2	15	3.3	0.9- 5.7
H.S. or G.E.D.	1023	236,527	723	65.3	61.2-69.4	130	15.2	12.1-18.3	104	13.0	9.9-16.1	43	3.9	2.3- 5.5	17	1.7	0.7- 2.7	6	0.8	0.0- 1.6
Some Post-H.S.	930	213,725	672	65.0	60.5-69.5	132	18.1	14.2-22.0	70	9.9	7.0-12.8	35	4.2	2.4- 6.0	10	1.4	0.4- 2.4	11	1.4	0.4- 2.4
College Graduate	1419	214,151	1044	66.2	62.5-69.9	160	14.0	11.3-16.7	147	14.2	11.5-16.9	52	4.2	2.8- 5.6	10	1.0	0.2- 1.8	6	0.3	0.0- 0.7
Less than \$15,000	293	47,075	204	66.5	58.1-74.9	18	6.2	2.5- 9.9	34	12.3	5.2-19.4	18	6.7	2.4-11.0	12	5.7	1.6- 9.8	7	2.6	0.1- 5.1
\$15,000- 24,999	485	83,360	318	58.2	51.7-64.7	72	18.6	13.1-24.1	41	13.0	8.3-17.7	32	6.0	3.3- 8.7	15	2.7	0.9- 4.5	7	1.4	0.0- 3.0
\$25,000- 34,999	295	53,541	208	68.9	61.6-76.2	32	12.3	6.6-18.0	29	10.3	5.6-15.0	19	6.5	3.0-10.0	7	2.0	0.2- 3.8			
\$35,000- 49,999	401	81,750	284	63.5	55.9-71.1	56	15.8	10.3-21.3	36	11.6	6.7-16.5	15	5.9	0.4-11.4	5	2.3	0.0- 4.8	5	0.9	0.0- 1.9
\$50,000- 74,999	445	94,677	345	71.6	65.3-77.9	49	15.5	10.0-21.0	34	8.3	5.2-11.4	10	2.3	0.5- 4.1	5	1.2	0.0- 2.4	2	1.0	0.0- 2.4
\$75,000+	1133	245,563	744	58.7	54.6-62.8	184	19.0	15.7-22.3	141	15.3	12.2-18.4	45	4.9	2.9- 6.9	13	1.3	0.5- 2.1	6	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	358,752	1200	66.6	63.3-69.9	213	15.8	13.1-18.5	165	11.3	9.1-13.5	69	4.0	2.4- 5.6	31	1.8	1.0- 2.6	15	0.5	0.1- 0.9
White/Non-Hisp	1174	228,190	916	71.8	68.1-75.5	124	14.4	11.3-17.5	89	9.5	7.3-11.7	32	3.1	1.9- 4.3	11	1.1	0.3- 1.9	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	167	71,420	107	61.5	51.9-71.1	26	17.0	9.6-24.4	22	14.0	7.3-20.7	9	5.8	0.0-11.9	3	1.7	0.0- 3.7			
Oth. Race/Non-Hisp.	72	17,343	46	54.7	38.8-70.6	12	22.8	9.3-36.3	8	17.1	3.2-31.0	1	0.3	0.0- 0.9	2	3.8	0.0-10.1	3	1.4	0.0- 3.2
Hispanic	209	31,701	80	43.1	31.9-54.3	40	21.2	13.6-28.8	40	17.6	10.5-24.7	27	9.4	4.3-14.5	15	6.2	2.3-10.1	7	2.5	0.0- 5.4
18-24	139	44,172	78	60.1	49.3-70.9	35	27.8	17.4-38.2	18	8.8	3.9-13.7	4	1.3	0.0- 2.7	2	0.8	0.0- 2.2	2	1.2	0.0- 3.0
25-34	211	61,787	112	59.0	49.4-68.6	35	18.1	10.3-25.9	25	9.9	5.0-14.8	24	9.6	2.3-16.9	9	2.7	0.5- 4.9	6	0.8	0.0- 1.6
35-44	209	55,639	75	33.4	24.8-42.0	35	20.9	12.7-29.1	59	30.6	22.0-39.2	23	9.1	4.8-13.4	13	4.7	1.6- 7.8	4	1.2	0.0- 2.8
45-54	252	54,910	144	57.6	49.6-65.6	52	22.1	15.2-29.0	37	15.2	9.1-21.3	14	3.6	1.6- 5.6	4	1.3	0.0- 2.9	1	0.1	0.0- 0.3
55-64	346	61,191	281	81.3	76.2-86.4	40	10.7	7.0-14.4	19	5.9	2.6- 9.2	2	0.2	0.0- 0.4	3	1.8	0.0- 4.2	1	0.2	0.0- 0.6
65+	536	81,054	510	93.7	90.8-96.6	16	3.4	1.4- 5.4	7	2.1	0.3- 3.9	2	0.7	0.0- 2.1				1	0.0	0.0- 0.0
Less Than H.S.	196	44,425	104	59.7	49.3-70.1	29	12.6	6.7-18.5	22	7.7	3.6-11.8	20	10.9	1.5-20.3	15	6.5	2.0-11.0	6	2.6	0.0- 5.3
H.S. or G.E.D.	466	124,200	323	67.8	62.1-73.5	61	15.7	11.2-20.2	49	11.8	7.7-15.9	18	2.4	1.0- 3.8	12	2.0	0.8- 3.2	3	0.3	0.0- 0.7
Some Post-H.S.	390	89,793	292	66.2	59.1-73.3	57	21.8	14.9-28.7	27	8.8	5.3-12.3	9	2.4	0.4- 4.4	2	0.5	0.0- 1.3	3	0.3	0.0- 0.7
College Graduate	631	99,124	475	68.6	63.3-73.9	64	11.9	8.6-15.2	65	14.7	10.4-19.0	22	4.2	2.2- 6.2	2	0.6	0.0- 1.6	3	0.1	0.0- 0.3
Less than \$15,000	105	19,749	78	76.0	64.8-87.2	6	5.2	0.0-10.7	12	7.5	2.0-13.0	2	3.5	0.0- 9.6	4	5.4	0.0-12.1	3	2.4	0.0- 6.1
\$15,000- 24,999	207	39,385	141	60.7	50.7-70.7	23	18.3	9.5-27.1	13	11.2	3.9-18.5	16	4.4	1.7- 7.1	11	4.7	1.4- 8.0	3	0.7	0.0- 1.7
\$25,000- 34,999	135	25,783	97	77.2	69.0-85.4	14	7.3	3.2-11.4	12	7.4	2.1-12.7	8	5.2	1.1- 9.3	4	2.9	0.0- 6.0			
\$35,000- 49,999	156	34,002	107	58.5	45.8-71.2	23	17.2	8.6-25.8	13	13.4	4.0-22.8	6	8.6	0.0-20.4	3	1.4	0.0- 3.2	4	1.0	0.0- 2.2
\$50,000- 74,999	227	53,443	177	71.3	62.5-80.1	28	18.5	10.1-26.9	18	7.7	3.8-11.6	1	0.9	0.0- 2.7	2	0.8	0.0- 1.8	1	0.8	0.0- 2.4
\$75,000+	573	123,290	380	60.0	54.5-65.5	96	19.4	14.9-23.9	68	15.1	11.0-19.2	23	4.1	2.1- 6.1	5	1.4	0.0- 2.8	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	389,438	1447	62.8	59.7-65.9	263	15.2	12.8-17.6	216	13.1	10.7-15.5	103	5.5	3.9- 7.1	35	2.0	1.0- 3.0	23	1.6	0.8- 2.4
White/Non-Hisp	1402	246,890	1070	70.2	66.7-73.7	155	12.2	9.8-14.6	114	11.0	8.3-13.7	45	4.1	2.3- 5.9	9	1.2	0.2- 2.2	9	1.2	0.2- 2.2
Black or Afr. Am./Non-Hisp	306	81,493	198	56.4	48.8-64.0	51	20.9	14.2-27.6	34	13.2	8.1-18.3	13	6.2	2.3-10.1	5	0.8	0.0- 1.8	5	2.5	0.0- 5.0
Oth. Race/Non-Hisp.	67	19,815	45	53.4	35.4-71.4	9	24.8	7.6-42.0	8	16.5	3.8-29.2	4	4.1	0.0- 9.8	1	1.2	0.0- 3.6			
Hispanic	223	28,424	78	30.5	22.1-38.9	34	13.8	7.1-20.5	52	28.4	18.4-38.4	36	14.1	7.6-20.6	14	9.9	2.1-17.7	9	3.3	0.8- 5.8
18-24	104	41,988	52	53.4	39.9-66.9	18	15.4	6.0-24.8	19	20.5	8.7-32.3	11	7.4	1.5-13.3	2	2.6	0.0- 6.7	2	0.7	0.0- 1.9
25-34	210	59,475	67	38.1	28.9-47.3	47	23.7	15.5-31.9	57	22.0	14.9-29.1	25	8.2	2.7-13.7	9	4.8	0.7- 8.9	5	3.3	0.0- 7.0
35-44	267	57,333	57	19.5	13.4-25.6	59	21.8	15.3-28.3	74	31.9	24.5-39.3	46	16.9	10.6-23.2	20	5.0	2.3- 7.7	11	4.8	1.1- 8.5
45-54	336	60,246	189	53.6	46.5-60.7	82	27.7	21.4-34.0	52	12.8	8.5-17.1	7	3.5	0.6- 6.4	4	1.4	0.0- 2.8	2	1.0	0.0- 2.4
55-64	420	69,063	369	86.8	82.1-91.5	34	8.4	4.5-12.3	9	3.3	0.4- 6.2	5	0.8	0.0- 1.6				3	0.7	0.0- 1.7
65+	750	101,333	713	94.7	92.3-97.1	23	3.5	1.5- 5.5	5	0.9	0.0- 2.1	9	1.0	0.2- 1.8						
Less Than H.S.	193	35,903	92	52.6	42.6-62.6	21	12.9	6.0-19.8	35	14.9	8.6-21.2	22	9.7	1.9-17.5	14	5.6	1.3- 9.9	9	4.2	0.5- 7.9
H.S. or G.E.D.	557	112,328	400	62.6	56.9-68.3	69	14.7	10.8-18.6	55	14.4	9.7-19.1	25	5.6	2.7- 8.5	5	1.4	0.0- 3.2	3	1.3	0.0- 3.1
Some Post-H.S.	540	123,933	380	64.1	58.0-70.2	75	15.5	11.0-20.0	43	10.7	6.4-15.0	26	5.5	2.8- 8.2	8	2.0	0.2- 3.8	8	2.1	0.3- 3.9
College Graduate	788	115,028	569	64.2	59.1-69.3	96	15.9	11.6-20.2	82	13.8	10.3-17.3	30	4.2	2.2- 6.2	8	1.4	0.2- 2.6	3	0.4	0.0- 1.0
Less than \$15,000	188	27,326	126	59.7	48.3-71.1	12	6.9	1.8-12.0	22	15.7	4.5-26.9	16	9.1	3.0-15.2	8	5.9	0.4-11.4	4	2.7	0.0- 6.0
\$15,000- 24,999	278	43,976	177	56.0	47.8-64.2	49	18.9	12.4-25.4	28	14.5	8.0-21.0	16	7.4	2.9-11.9	4	1.0	0.0- 2.0	4	2.1	0.0- 4.8
\$25,000- 34,999	160	27,758	111	61.2	50.2-72.2	18	16.8	6.8-26.8	17	13.0	5.6-20.4	11	7.7	2.4-13.0	3	1.3	0.0- 3.1			
\$35,000- 49,999	245	47,748	177	67.1	58.1-76.1	33	14.9	7.6-22.2	23	10.4	5.5-15.3	9	4.0	0.0- 8.1	2	2.9	0.0- 7.0	1	0.8	0.0- 2.4
\$50,000- 74,999	218	41,234	168	72.0	63.6-80.4	21	11.7	5.4-18.0	16	9.1	4.0-14.2	9	4.2	0.9- 7.5	3	1.8	0.0- 4.0	1	1.2	0.0- 3.6
\$75,000+	560	122,273	364	57.5	51.4-63.6	88	18.7	14.0-23.4	73	15.6	10.9-20.3	22	5.7	2.4- 9.0	8	1.3	0.3- 2.3	5	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	769,825	408	11.0	9.6-12.4	1052	31.9	29.7-34.1	953	28.6	26.4-30.8	1458	28.5	26.5-30.5
Male	1728	368,197	202	12.3	9.9-14.7	481	35.0	31.7-38.3	401	25.0	22.1-27.9	644	27.7	25.0-30.4
Female	2143	401,628	206	9.7	7.9-11.5	571	29.1	26.4-31.8	552	31.8	28.9-34.7	814	29.3	26.8-31.8
White/Non-Hisp	2628	485,129	127	6.5	5.1- 7.9	730	32.8	30.3-35.3	690	30.3	27.8-32.8	1081	30.4	28.2-32.6
Black or Afr. Am./Non-Hisp	492	158,877	47	10.7	6.8-14.6	154	35.3	29.6-41.0	122	30.5	24.8-36.2	169	23.4	18.9-27.9
Oth. Race/Non-Hisp.	146	39,279	11	6.0	1.5-10.5	33	19.6	11.2-28.0	24	18.1	9.1-27.1	78	56.4	45.0-67.8
MultiRacial/Non-Hisp.	78	8,099	6	8.7	0.9-16.5	21	21.6	10.4-32.8	30	53.7	38.4-69.0	21	16.1	6.1-26.1
Hispanic	442	62,726	210	50.0	42.7-57.3	97	27.0	20.1-33.9	70	14.1	9.6-18.6	65	8.8	5.9-11.7
18-24	243	87,187	32	8.6	4.7-12.5	96	40.2	32.0-48.4	77	41.3	32.5-50.1	38	10.0	5.9-14.1
25-34	434	127,405	81	14.1	9.0-19.2	110	28.0	22.1-33.9	111	26.4	20.7-32.1	132	31.5	25.2-37.8
35-44	484	115,143	82	13.4	9.5-17.3	121	28.8	23.1-34.5	93	22.1	16.8-27.4	188	35.8	30.3-41.3
45-54	608	117,383	44	6.8	4.4- 9.2	158	33.1	27.8-38.4	147	27.2	22.5-31.9	259	33.0	28.5-37.5
55-64	785	134,192	63	10.4	7.5-13.3	212	33.5	29.0-38.0	194	26.9	22.8-31.0	316	29.2	25.5-32.9
65+	1317	188,514	106	11.5	9.0-14.0	355	30.9	27.4-34.4	331	30.2	26.9-33.5	525	27.5	24.8-30.2
Less Than H.S.	408	84,301	408	100.0	100.0- 100									
H.S. or G.E.D.	1052	245,858				1052	100.0	100.0- 100						
Some Post-H.S.	953	219,885							953	100.0	100.0- 100			
College Graduate	1458	219,782										1458	100.0	100.0- 100
Less than \$15,000	293	47,105	96	36.5	28.7-44.3	99	34.5	26.1-42.9	67	22.2	15.9-28.5	31	6.8	3.5-10.1
\$15,000- 24,999	487	83,031	103	23.4	17.7-29.1	200	43.4	37.1-49.7	121	27.4	21.7-33.1	63	5.8	3.8- 7.8
\$25,000- 34,999	295	53,541	36	14.8	8.1-21.5	104	40.0	32.4-47.6	95	33.3	25.9-40.7	60	11.9	8.0-15.8
\$35,000- 49,999	402	81,765	26	11.6	5.5-17.7	123	37.9	30.6-45.2	121	27.9	21.6-34.2	132	22.6	16.7-28.5
\$50,000- 74,999	449	95,439	12	3.6	1.2- 6.0	110	33.6	27.1-40.1	126	33.4	26.9-39.9	201	29.5	24.2-34.8
\$75,000+	1147	248,655	19	2.4	0.8- 4.0	161	17.8	14.7-20.9	227	28.0	24.1-31.9	740	51.9	47.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	368,197	202	12.3	9.9-14.7	481	35.0	31.7-38.3	401	25.0	22.1-27.9	644	27.7	25.0-30.4
White/Non-Hisp	1195	232,853	67	7.1	5.1- 9.1	333	35.7	32.0-39.4	303	28.0	24.5-31.5	492	29.2	26.3-32.1
Black or Afr. Am./Non-Hisp	171	73,300	15	11.6	4.3-18.9	64	41.6	32.2-51.0	37	23.0	15.0-31.0	55	23.9	16.5-31.3
Oth. Race/Non-Hisp.	77	18,941	10	12.0	2.8-21.2	15	17.8	7.0-28.6	11	16.7	5.1-28.3	41	53.4	38.1-68.7
Hispanic	211	32,452	101	51.3	40.9-61.7	48	26.4	17.2-35.6	34	13.1	7.2-19.0	28	9.2	4.5-13.9
18-24	136	44,015	23	12.6	5.9-19.3	60	49.1	37.9-60.3	36	30.1	19.5-40.7	17	8.2	3.5-12.9
25-34	218	64,060	35	13.5	5.5-21.5	65	32.8	24.0-41.6	53	24.8	16.6-33.0	65	28.9	20.5-37.3
35-44	212	56,278	41	17.2	10.3-24.1	57	28.8	20.4-37.2	39	21.3	13.5-29.1	75	32.7	24.5-40.9
45-54	262	56,654	24	8.2	4.1-12.3	76	39.1	31.1-47.1	52	22.2	15.7-28.7	110	30.4	23.7-37.1
55-64	354	63,118	35	11.8	7.3-16.3	112	38.8	32.1-45.5	80	21.8	16.5-27.1	127	27.7	22.2-33.2
65+	546	84,072	44	11.2	7.1-15.3	111	27.7	22.2-33.2	141	29.3	24.2-34.4	250	31.7	27.0-36.4
Less Than H.S.	202	45,314	202	100.0	100.0- 100									
H.S. or G.E.D.	481	128,824				481	100.0	100.0- 100						
Some Post-H.S.	401	92,131							401	100.0	100.0- 100			
College Graduate	644	101,928										644	100.0	100.0- 100
Less than \$15,000	104	19,752	45	47.9	35.0-60.8	30	33.0	20.5-45.5	15	10.4	3.9-16.9	14	8.7	2.2-15.2
\$15,000- 24,999	207	39,385	51	26.5	17.3-35.7	79	42.4	32.6-52.2	50	26.2	17.8-34.6	27	4.9	2.4- 7.4
\$25,000- 34,999	135	25,783	20	19.3	7.9-30.7	56	43.2	32.0-54.4	40	28.3	17.9-38.7	19	9.1	3.8-14.4
\$35,000- 49,999	156	34,002	14	15.7	3.5-27.9	47	37.3	25.5-49.1	46	25.5	16.7-34.3	49	21.5	12.3-30.7
\$50,000- 74,999	229	53,844	11	6.0	1.9-10.1	68	41.5	32.3-50.7	63	28.5	20.3-36.7	87	24.1	17.6-30.6
\$75,000+	578	124,032	11	2.3	0.5- 4.1	96	22.2	17.5-26.9	112	25.1	20.0-30.2	359	50.3	44.8-55.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	401,628	206	9.7	7.9-11.5	571	29.1	26.4-31.8	552	31.8	28.9-34.7	814	29.3	26.8-31.8
White/Non-Hisp	1433	252,275	60	5.9	3.9- 7.9	397	30.1	26.8-33.4	387	32.4	28.9-35.9	589	31.6	28.5-34.7
Black or Afr. Am./Non-Hisp	321	85,577	32	10.0	5.9-14.1	90	29.9	23.0-36.8	85	37.0	29.4-44.6	114	23.0	17.7-28.3
Oth. Race/Non-Hisp.	69	20,337	1	0.4	0.0- 1.2	18	21.2	8.5-33.9	13	19.3	5.6-33.0	37	59.1	42.2-76.0
Hispanic	231	30,274	109	48.7	38.9-58.5	49	27.6	17.6-37.6	36	15.3	8.6-22.0	37	8.4	4.7-12.1
18-24	107	43,172	9	4.5	0.8- 8.2	36	31.1	19.7-42.5	41	52.6	39.7-65.5	21	11.7	4.6-18.8
25-34	216	63,346	46	14.6	8.3-20.9	45	23.2	15.4-31.0	58	28.0	20.0-36.0	67	34.1	25.1-43.1
35-44	272	58,865	41	9.7	5.6-13.8	64	28.7	21.1-36.3	54	22.9	16.0-29.8	113	38.7	31.3-46.1
45-54	346	60,730	20	5.4	2.7- 8.1	82	27.4	20.9-33.9	95	31.8	25.3-38.3	149	35.3	29.0-41.6
55-64	431	71,074	28	9.2	5.1-13.3	100	28.8	22.9-34.7	114	31.4	25.1-37.7	189	30.6	25.3-35.9
65+	771	104,442	62	11.7	8.2-15.2	244	33.4	29.1-37.7	190	30.8	26.3-35.3	275	24.1	20.6-27.6
Less Than H.S.	206	38,987	206	100.0	100.0- 100									
H.S. or G.E.D.	571	117,034				571	100.0	100.0- 100						
Some Post-H.S.	552	127,754							552	100.0	100.0- 100			
College Graduate	814	117,854										814	100.0	100.0- 100
Less than \$15,000	189	27,353	51	28.4	19.4-37.4	69	35.6	24.2-47.0	52	30.7	21.3-40.1	17	5.3	1.8- 8.8
\$15,000- 24,999	280	43,646	52	20.5	13.8-27.2	121	44.2	36.2-52.2	71	28.6	21.0-36.2	36	6.6	3.5- 9.7
\$25,000- 34,999	160	27,758	16	10.5	3.6-17.4	48	37.0	26.4-47.6	55	37.9	27.3-48.5	41	14.6	8.9-20.3
\$35,000- 49,999	246	47,763	12	8.7	3.4-14.0	76	38.3	29.3-47.3	75	29.7	21.3-38.1	83	23.3	15.7-30.9
\$50,000- 74,999	220	41,595	1	0.6	0.0- 1.8	42	23.3	15.7-30.9	63	39.7	29.7-49.7	114	36.4	28.0-44.8
\$75,000+	569	124,623	8	2.4	0.0- 4.9	65	13.3	9.6-17.0	115	30.8	24.9-36.7	381	53.5	47.6-59.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3077	610,362	296	7.7	6.5- 8.9	488	13.7	12.1-15.3	295	8.8	7.4-10.2	402	13.4	11.6-15.2	1596	56.4	53.9-58.9
Male	1411	296,907	106	6.7	4.9- 8.5	207	13.3	10.8-15.8	135	8.7	6.7-10.7	156	11.5	9.0-14.0	807	59.9	56.4-63.4
Female	1666	313,454	190	8.8	7.0-10.6	281	14.1	11.9-16.3	160	8.9	7.1-10.7	246	15.2	12.7-17.7	789	53.0	49.5-56.5
White/Non-Hisp	2128	392,051	126	4.7	3.5- 5.9	267	11.3	9.5-13.1	189	8.2	6.8- 9.6	278	12.7	10.9-14.5	1268	63.2	60.5-65.9
Black or Afr. Am./Non-Hisp	404	126,995	59	11.9	8.2-15.6	71	15.7	11.2-20.2	46	10.0	6.3-13.7	54	15.7	10.0-21.4	174	46.7	40.0-53.4
Oth. Race/Non-Hisp.	102	29,477	11	7.8	2.1-13.5	20	8.5	3.4-13.6	9	4.2	0.9- 7.5	8	11.1	0.3-21.9	54	68.4	56.1-80.7
MultiRacial/Non-Hisp.	65	6,653	12	20.3	6.2-34.4	13	16.0	4.6-27.4	6	9.2	0.6-17.8	14	16.5	5.7-27.3	20	38.0	20.2-55.8
Hispanic	325	45,654	82	20.2	13.9-26.5	111	33.4	25.4-41.4	40	13.1	6.2-20.0	41	14.9	8.4-21.4	51	18.4	11.9-24.9
18-24	172	60,732	23	9.2	3.1-15.3	37	11.7	7.0-16.4	12	5.9	2.0- 9.8	25	15.9	8.1-23.7	75	57.3	47.1-67.5
25-34	345	104,606	32	5.7	3.0- 8.4	76	19.0	13.3-24.7	37	9.2	5.5-12.9	51	13.9	8.2-19.6	149	52.2	44.9-59.5
35-44	419	100,445	53	8.4	5.5-11.3	59	10.3	7.0-13.6	36	8.1	4.2-12.0	47	12.8	7.9-17.7	224	60.4	53.9-66.9
45-54	515	99,589	47	7.8	4.7-10.9	54	10.3	6.6-14.0	37	6.0	3.6- 8.4	55	9.8	6.5-13.1	322	66.1	60.8-71.4
55-64	648	108,630	58	7.6	5.1-10.1	91	13.1	9.8-16.4	51	8.1	5.4-10.8	75	12.3	9.0-15.6	373	59.0	54.1-63.9
65+	978	136,361	83	8.4	6.0-10.8	171	16.0	12.9-19.1	122	12.7	10.0-15.4	149	15.9	13.0-18.8	453	47.0	42.9-51.1
Less Than H.S.	292	63,330	96	27.2	20.5-33.9	103	30.6	23.2-38.0	36	12.5	6.6-18.4	26	15.0	7.4-22.6	31	14.7	8.2-21.2
H.S. or G.E.D.	797	180,875	99	9.0	6.3-11.7	200	19.9	16.4-23.4	104	11.8	9.1-14.5	123	17.1	13.4-20.8	271	42.1	37.4-46.8
Some Post-H.S.	757	175,244	67	6.0	4.2- 7.8	121	13.0	10.1-15.9	95	10.2	7.5-12.9	121	13.0	9.9-16.1	353	57.8	53.1-62.5
College Graduate	1227	190,086	31	1.7	0.9- 2.5	63	2.5	1.7- 3.3	60	3.4	2.2- 4.6	132	9.7	7.2-12.2	941	82.7	79.8-85.6
Less than \$15,000	296	47,293	296	100.0	100.0- 100												
\$15,000- 24,999	488	83,668				488	100.0	100.0- 100									
\$25,000- 34,999	295	53,541							295	100.0	100.0- 100						
\$35,000- 49,999	402	81,765										402	100.0	100.0- 100			
\$50,000- 74,999	449	95,439													449	100.0	100.0- 100
\$75,000+	1147	248,655													1147	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1411	296,907	106	6.7	4.9- 8.5	207	13.3	10.8-15.8	135	8.7	6.7-10.7	156	11.5	9.0-14.0	807	59.9	56.4-63.4
White/Non-Hisp	994	189,366	43	3.4	2.2- 4.6	103	9.8	7.4-12.2	92	9.1	6.9-11.3	107	10.7	8.3-13.1	649	66.9	63.2-70.6
Black or Afr. Am./Non-Hisp	143	59,470	17	10.3	4.8-15.8	23	15.7	8.3-23.1	12	6.7	2.0-11.4	16	16.1	6.5-25.7	75	51.2	40.4-62.0
Oth. Race/Non-Hisp.	56	14,859	4	10.1	0.1-20.1	13	9.6	3.3-15.9	5	4.3	0.0- 9.2	5	5.6	0.0-13.2	29	70.4	56.3-84.5
Hispanic	166	26,351	36	18.8	10.4-27.2	58	34.1	22.5-45.7	23	13.5	3.5-23.5	19	10.1	3.6-16.6	30	23.5	13.5-33.5
18-24	94	28,277	10	6.3	1.4-11.2	23	15.9	8.3-23.5	8	6.3	1.2-11.4	11	14.8	4.8-24.8	42	56.6	43.9-69.3
25-34	176	54,659	13	4.6	0.9- 8.3	32	15.8	8.0-23.6	16	8.7	3.2-14.2	26	15.0	6.0-24.0	89	55.9	45.3-66.5
35-44	186	49,381	23	9.1	4.2-14.0	25	9.6	4.7-14.5	16	7.4	1.7-13.1	18	10.6	3.5-17.7	104	63.4	53.8-73.0
45-54	229	50,211	15	6.2	2.3-10.1	24	12.0	5.7-18.3	18	5.6	2.5- 8.7	18	5.4	2.5- 8.3	154	70.9	63.3-78.5
55-64	303	52,364	22	8.2	4.1-12.3	46	13.6	8.9-18.3	24	8.2	4.5-11.9	31	11.6	6.9-16.3	180	58.5	51.4-65.6
65+	423	62,014	23	6.0	2.7- 9.3	57	13.5	8.8-18.2	53	13.7	9.4-18.0	52	12.3	8.4-16.2	238	54.5	48.2-60.8
Less Than H.S.	152	36,292	45	26.0	16.6-35.4	51	28.8	18.4-39.2	20	13.7	5.1-22.3	14	14.8	3.2-26.4	22	16.7	8.5-24.9
H.S. or G.E.D.	376	96,959	30	6.7	3.6- 9.8	79	17.2	12.3-22.1	56	11.5	8.0-15.0	47	13.1	8.4-17.8	164	51.5	44.8-58.2
Some Post-H.S.	326	74,805	15	2.7	0.9- 4.5	50	13.8	8.9-18.7	40	9.8	5.9-13.7	46	11.6	7.7-15.5	175	62.2	55.3-69.1
College Graduate	555	88,742	14	1.9	0.5- 3.3	27	2.2	1.0- 3.4	19	2.6	1.0- 4.2	49	8.2	4.7-11.7	446	85.0	80.9-89.1
Less than \$15,000	106	19,861	106	100.0	100.0- 100												
\$15,000- 24,999	207	39,385				207	100.0	100.0- 100									
\$25,000- 34,999	135	25,783							135	100.0	100.0- 100						
\$35,000- 49,999	156	34,002										156	100.0	100.0- 100			
\$50,000- 74,999	229	53,844													229	100.0	100.0- 100
\$75,000+	578	124,032													578	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1666	313,454	190	8.8	7.0-10.6	281	14.1	11.9-16.3	160	8.9	7.1-10.7	246	15.2	12.7-17.7	789	53.0	49.7-56.3
White/Non-Hisp	1134	202,684	83	5.8	3.8- 7.8	164	12.6	10.1-15.1	97	7.2	5.4- 9.0	171	14.7	12.0-17.4	619	59.7	55.8-63.6
Black or Afr. Am./Non-Hisp	261	67,526	42	13.3	8.4-18.2	48	15.7	10.4-21.0	34	12.8	7.3-18.3	38	15.3	8.6-22.0	99	42.8	34.6-51.0
Hispanic	159	19,303	46	22.2	13.4-31.0	53	32.5	21.9-43.1	17	12.5	3.7-21.3	22	21.3	9.7-32.9	21	11.5	5.2-17.8
18-24	78	32,455	13	11.7	1.3-22.1	14	8.0	2.7-13.3	4	5.6	0.0-11.5	14	16.7	5.1-28.3	33	57.9	42.6-73.2
25-34	169	49,946	19	6.8	2.7-10.9	44	22.5	14.3-30.7	21	9.8	5.1-14.5	25	12.7	5.8-19.6	60	48.2	37.8-58.6
35-44	233	51,063	30	7.7	4.2-11.2	34	11.0	6.5-15.5	20	8.8	3.1-14.5	29	15.0	8.1-21.9	120	57.5	49.1-65.9
45-54	286	49,377	32	9.4	4.7-14.1	30	8.7	5.0-12.4	19	6.4	3.1- 9.7	37	14.4	8.5-20.3	168	61.1	53.7-68.5
55-64	345	56,265	36	7.0	4.3- 9.7	45	12.6	7.9-17.3	27	8.0	3.9-12.1	44	12.9	8.0-17.8	193	59.5	52.6-66.4
65+	555	74,347	60	10.4	7.3-13.5	114	18.1	14.0-22.2	69	11.9	8.2-15.6	97	18.8	14.5-23.1	215	40.8	35.3-46.3
Less Than H.S.	140	27,038	51	28.7	19.3-38.1	52	33.1	22.7-43.5	16	10.8	3.7-17.9	12	15.4	6.4-24.4	9	12.0	1.4-22.6
H.S. or G.E.D.	421	83,915	69	11.6	6.9-16.3	121	23.0	17.9-28.1	48	12.2	7.9-16.5	76	21.8	16.1-27.5	107	31.4	25.3-37.5
Some Post-H.S.	431	100,440	52	8.4	5.5-11.3	71	12.4	8.5-16.3	55	10.5	6.8-14.2	75	14.1	9.6-18.6	178	54.6	47.9-61.3
College Graduate	672	101,345	17	1.4	0.4- 2.4	36	2.9	1.5- 4.3	41	4.0	2.4- 5.6	83	11.0	7.3-14.7	495	80.7	76.6-84.8
Less than \$15,000	190	27,432	190	100.0	100.0- 100												
\$15,000- 24,999	281	44,283				281	100.0	100.0- 100									
\$25,000- 34,999	160	27,758							160	100.0	100.0- 100						
\$35,000- 49,999	246	47,763										246	100.0	100.0- 100			
\$50,000- 74,999	220	41,595													220	100.0	100.0- 100
\$75,000+	569	124,623													569	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 49: Sex (_SEX).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3897	774,343	1741	47.8	45.6-50.0	2156	52.2	50.0-54.4
Male	1741	370,097	1741	100.0	100.0- 100			
Female	2156	404,246				2156	100.0	100.0- 100
White/Non-Hisp	2636	487,171	1200	48.0	45.5-50.5	1436	52.0	49.5-54.5
Black or Afr. Am./Non-Hisp	493	159,709	171	45.9	39.8-52.0	322	54.1	48.0-60.2
Oth. Race/Non-Hisp.	147	39,300	77	48.2	36.4-60.0	70	51.8	40.0-63.6
MultiRacial/Non-Hisp.	78	8,099	35	43.7	28.0-59.4	43	56.3	40.6-72.0
Hispanic	446	63,015	214	51.8	44.5-59.1	232	48.2	40.9-55.5
18-24	247	87,587	140	50.7	42.1-59.3	107	49.3	40.7-57.9
25-34	436	127,634	219	50.3	43.6-57.0	217	49.7	43.0-56.4
35-44	485	115,244	213	48.9	42.8-55.0	272	51.1	45.0-57.2
45-54	617	119,322	265	48.0	42.7-53.3	352	52.0	46.7-57.3
55-64	790	135,500	355	46.8	42.3-51.3	435	53.2	48.7-57.7
65+	1322	189,056	549	44.7	41.2-48.2	773	55.3	51.8-58.8
Less Than H.S.	408	84,301	202	53.8	46.7-60.9	206	46.2	39.1-53.3
H.S. or G.E.D.	1052	245,858	481	52.4	48.3-56.5	571	47.6	43.5-51.7
Some Post-H.S.	953	219,885	401	41.9	37.6-46.2	552	58.1	53.8-62.4
College Graduate	1458	219,782	644	46.4	42.7-50.1	814	53.6	49.9-57.3
Less than \$15,000	296	47,293	106	42.0	33.8-50.2	190	58.0	49.8-66.2
\$15,000- 24,999	488	83,668	207	47.1	40.6-53.6	281	52.9	46.4-59.4
\$25,000- 34,999	295	53,541	135	48.2	40.4-56.0	160	51.8	44.0-59.6
\$35,000- 49,999	402	81,765	156	41.6	34.2-49.0	246	58.4	51.0-65.8
\$50,000- 74,999	449	95,439	229	56.4	49.9-62.9	220	43.6	37.1-50.1
\$75,000+	1147	248,655	578	49.9	46.0-53.8	569	50.1	46.2-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	728,816	372	11.0	9.4-12.6	156	4.9	3.9- 5.9	1075	26.3	24.3-28.3	2102	57.8	55.4-60.2
Male	1651	347,301	176	11.0	8.8-13.2	67	4.9	3.3- 6.5	554	29.8	26.9-32.7	854	54.3	51.0-57.6
Female	2054	381,515	196	11.0	8.8-13.2	89	5.0	3.6- 6.4	521	23.1	20.6-25.6	1248	60.9	58.0-63.8
White/Non-Hisp	2531	462,951	282	12.6	10.6-14.6	99	4.3	3.1- 5.5	855	32.1	29.7-34.5	1295	51.0	48.3-53.7
Black or Afr. Am./Non-Hisp	465	148,891	41	9.5	5.6-13.4	29	7.3	4.0-10.6	85	15.7	11.4-20.0	310	67.5	61.6-73.4
Oth. Race/Non-Hisp.	137	37,296	11	6.2	1.7-10.7	7	4.6	0.0-10.3	37	19.8	11.6-28.0	82	69.4	59.2-79.6
MultiRacial/Non-Hisp.	73	7,677	11	17.6	6.2-29.0	5	3.8	0.0- 8.1	16	20.6	5.7-35.5	41	58.0	41.7-74.3
Hispanic	414	57,170	19	4.1	1.9- 6.3	14	4.4	1.3- 7.5	61	13.2	8.3-18.1	320	78.3	72.4-84.2
18-24	237	84,251	19	12.0	5.5-18.5	9	3.6	0.7- 6.5	22	9.0	4.7-13.3	187	75.4	67.8-83.0
25-34	412	119,593	55	14.8	9.7-19.9	30	6.9	3.8-10.0	72	18.2	13.1-23.3	255	60.1	53.4-66.8
35-44	460	108,840	64	11.1	7.6-14.6	23	6.0	2.5- 9.5	90	23.3	17.8-28.8	283	59.6	53.3-65.9
45-54	581	112,461	70	12.8	9.3-16.3	19	3.5	1.5- 5.5	131	20.8	16.7-24.9	361	62.9	57.8-68.0
55-64	753	125,626	91	11.8	8.9-14.7	37	5.3	3.1- 7.5	226	30.5	26.2-34.8	399	52.4	47.7-57.1
65+	1262	178,045	73	6.2	4.4- 8.0	38	4.1	2.3- 5.9	534	42.3	38.6-46.0	617	47.3	43.6-51.0
Less Than H.S.	378	77,250	51	17.4	11.5-23.3	22	7.5	3.6-11.4	87	23.3	17.6-29.0	218	51.8	44.4-59.2
H.S. or G.E.D.	984	225,934	158	17.1	13.8-20.4	54	6.7	4.3- 9.1	284	25.5	22.0-29.0	488	50.7	46.4-55.0
Some Post-H.S.	907	209,112	102	9.7	7.2-12.2	49	5.0	3.2- 6.8	296	31.1	27.0-35.2	460	54.2	49.7-58.7
College Graduate	1417	212,982	58	3.5	2.1- 4.9	30	2.0	1.0- 3.0	405	23.7	20.8-26.6	924	70.9	67.8-74.0
Less than \$15,000	282	44,803	41	18.3	10.1-26.5	31	12.8	7.3-18.3	56	18.4	12.7-24.1	154	50.5	41.9-59.1
\$15,000- 24,999	472	81,190	73	18.0	13.1-22.9	30	5.7	3.3- 8.1	125	23.1	18.0-28.2	244	53.2	46.7-59.7
\$25,000- 34,999	286	51,151	41	15.6	10.1-21.1	9	3.8	1.1- 6.5	79	23.5	17.0-30.0	157	57.1	49.3-64.9
\$35,000- 49,999	397	80,273	47	13.3	7.8-18.8	21	7.9	3.0-12.8	119	27.3	21.0-33.6	210	51.4	44.0-58.8
\$50,000- 74,999	439	93,847	45	11.0	6.9-15.1	15	5.1	2.0- 8.2	141	31.5	25.4-37.6	238	52.5	45.8-59.2
\$75,000+	1134	245,465	64	6.7	4.5- 8.9	20	2.1	0.9- 3.3	357	28.0	24.5-31.5	693	63.3	59.6-67.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	347,301	176	11.0	8.8-13.2	67	4.9	3.3- 6.5	554	29.8	26.9-32.7	854	54.3	51.0-57.6
White/Non-Hisp	1148	221,206	134	12.7	10.0-15.4	37	3.6	2.0- 5.2	431	35.2	31.7-38.7	546	48.5	44.6-52.4
Black or Afr. Am./Non-Hisp	161	68,944	17	8.7	3.6-13.8	11	8.9	2.8-15.0	38	18.9	11.3-26.5	95	63.5	54.1-72.9
Oth. Race/Non-Hisp.	71	17,283	6	7.4	0.0-15.0	5	3.4	0.0- 6.9	22	26.9	14.0-39.8	38	62.3	47.8-76.8
Hispanic	201	29,924	11	4.7	1.2- 8.2	11	6.5	1.2-11.8	41	16.8	9.7-23.9	138	72.0	63.2-80.8
18-24	135	42,339	9	9.3	2.2-16.4	7	3.6	0.7- 6.5	14	9.5	3.4-15.6	105	77.6	68.6-86.6
25-34	206	61,075	28	13.4	6.7-20.1	17	8.0	3.1-12.9	47	22.4	14.6-30.2	114	56.2	46.6-65.8
35-44	204	53,773	30	12.6	6.7-18.5	10	5.0	0.0-10.5	42	25.2	16.4-34.0	122	57.2	47.6-66.8
45-54	250	53,037	37	13.1	8.2-18.0	5	1.7	0.0- 3.5	76	28.4	21.3-35.5	132	56.7	48.9-64.5
55-64	335	57,937	36	11.8	7.3-16.3	17	6.9	2.8-11.0	106	30.0	23.9-36.1	176	51.2	44.3-58.1
65+	521	79,140	36	6.8	4.3- 9.3	11	3.5	0.6- 6.4	269	50.5	44.6-56.4	205	39.2	33.5-44.9
Less Than H.S.	189	42,134	28	14.8	8.3-21.3	13	9.6	3.3-15.9	56	25.6	17.6-33.6	92	50.0	39.2-60.8
H.S. or G.E.D.	451	119,266	85	17.3	12.6-22.0	21	6.7	3.0-10.4	142	27.4	22.3-32.5	203	48.5	42.4-54.6
Some Post-H.S.	378	86,892	37	8.2	4.9-11.5	18	3.5	1.7- 5.3	147	39.0	32.1-45.9	176	49.3	42.4-56.2
College Graduate	624	97,661	24	3.8	1.3- 6.3	14	1.7	0.3- 3.1	207	26.7	22.2-31.2	379	67.7	62.8-72.6
Less than \$15,000	100	18,291	12	17.5	5.9-29.1	14	18.2	7.6-28.8	22	18.9	9.5-28.3	52	45.4	32.3-58.5
\$15,000- 24,999	197	37,591	32	14.8	8.9-20.7	11	4.0	1.1- 6.9	61	26.4	18.0-34.8	93	54.8	45.0-64.6
\$25,000- 34,999	130	24,408	22	18.4	10.0-26.8	4	3.7	0.0- 7.8	39	28.3	17.5-39.1	65	49.6	37.6-61.6
\$35,000- 49,999	152	32,770	17	13.7	5.5-21.9	4	5.3	0.0-13.7	56	30.3	20.1-40.5	75	50.7	38.4-63.0
\$50,000- 74,999	224	52,860	26	12.0	5.7-18.3	8	4.6	0.5- 8.7	80	33.8	25.0-42.6	110	49.5	40.5-58.5
\$75,000+	572	122,896	36	6.4	3.9- 8.9	10	1.9	0.5- 3.3	194	30.6	25.7-35.5	332	61.0	55.7-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	381,515	196	11.0	8.8-13.2	89	5.0	3.6- 6.4	521	23.1	20.6-25.6	1248	60.9	58.0-63.8
White/Non-Hisp	1383	241,745	148	12.5	9.8-15.2	62	4.9	3.3- 6.5	424	29.3	26.0-32.6	749	53.3	49.6-57.0
Black or Afr. Am./Non-Hisp	304	79,946	24	10.2	4.5-15.9	18	6.0	2.9- 9.1	47	12.9	8.2-17.6	215	70.9	63.8-78.0
Oth. Race/Non-Hisp.	66	20,013	5	5.2	0.0-10.5	2	5.7	0.0-15.7	15	13.6	3.6-23.6	44	75.5	61.4-89.6
Hispanic	213	27,246	8	3.5	0.8- 6.2	3	2.2	0.0- 4.9	20	9.2	2.1-16.3	182	85.2	77.4-93.0
18-24	102	41,912	10	14.8	4.0-25.6	2	3.6	0.0- 8.5	8	8.5	2.2-14.8	82	73.2	61.0-85.4
25-34	206	58,518	27	16.4	9.0-23.8	13	5.6	1.9- 9.3	25	13.8	7.5-20.1	141	64.2	55.0-73.4
35-44	256	55,067	34	9.5	5.8-13.2	13	6.9	2.2-11.6	48	21.5	14.8-28.2	161	62.0	54.2-69.8
45-54	331	59,424	33	12.5	7.6-17.4	14	5.1	2.0- 8.2	55	14.0	9.5-18.5	229	68.4	61.9-74.9
55-64	418	67,689	55	11.7	8.0-15.4	20	4.0	1.8- 6.2	120	31.0	24.9-37.1	223	53.3	46.8-59.8
65+	741	98,905	37	5.8	3.3- 8.3	27	4.6	2.6- 6.6	265	35.8	31.1-40.5	412	53.9	49.2-58.6
Less Than H.S.	189	35,116	23	20.4	10.4-30.4	9	5.1	1.2- 9.0	31	20.5	12.5-28.5	126	54.0	43.8-64.2
H.S. or G.E.D.	533	106,668	73	16.9	12.0-21.8	33	6.7	3.8- 9.6	142	23.3	18.6-28.0	285	53.1	47.2-59.0
Some Post-H.S.	529	122,220	65	10.7	7.0-14.4	31	6.0	3.3- 8.7	149	25.5	20.6-30.4	284	57.7	51.8-63.6
College Graduate	793	115,322	34	3.2	1.8- 4.6	16	2.2	0.8- 3.6	198	21.1	17.2-25.0	545	73.5	69.4-77.6
Less than \$15,000	182	26,513	29	18.7	7.3-30.1	17	9.1	3.8-14.4	34	18.1	10.8-25.4	102	54.0	42.8-65.2
\$15,000- 24,999	275	43,599	41	20.7	13.3-28.1	19	7.1	3.6-10.6	64	20.3	13.8-26.8	151	51.9	43.7-60.1
\$25,000- 34,999	156	26,743	19	13.1	5.8-20.4	5	3.9	0.2- 7.6	40	19.1	12.0-26.2	92	63.9	54.1-73.7
\$35,000- 49,999	245	47,504	30	13.0	5.9-20.1	17	9.8	3.9-15.7	63	25.3	17.5-33.1	135	51.9	42.7-61.1
\$50,000- 74,999	215	40,986	19	9.6	4.7-14.5	7	5.7	1.0-10.4	61	28.4	20.0-36.8	128	56.3	46.9-65.7
\$75,000+	562	122,568	28	6.9	3.6-10.2	10	2.2	0.4- 4.0	163	25.3	20.6-30.0	361	65.6	60.1-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3705	728,816	3177	84.1	82.3-85.9	528	15.9	14.1-17.7
Male	1651	347,301	1408	84.2	81.7-86.7	243	15.8	13.3-18.3
Female	2054	381,515	1769	84.0	81.6-86.4	285	16.0	13.6-18.4
White/Non-Hisp	2531	462,951	2150	83.1	80.9-85.3	381	16.9	14.7-19.1
Black or Afr. Am./Non-Hisp	465	148,891	395	83.2	78.5-87.9	70	16.8	12.1-21.5
Oth. Race/Non-Hisp.	137	37,296	119	89.2	82.1-96.3	18	10.8	3.7-17.9
MultiRacial/Non-Hisp.	73	7,677	57	78.6	66.6-90.6	16	21.4	9.4-33.4
Hispanic	414	57,170	381	91.4	87.7-95.1	33	8.6	4.9-12.3
18-24	237	84,251	209	84.4	77.5-91.3	28	15.6	8.7-22.5
25-34	412	119,593	327	78.3	72.6-84.0	85	21.7	16.0-27.4
35-44	460	108,840	373	83.0	78.3-87.7	87	17.0	12.3-21.7
45-54	581	112,461	492	83.7	79.8-87.6	89	16.3	12.4-20.2
55-64	753	125,626	625	82.9	79.4-86.4	128	17.1	13.6-20.6
65+	1262	178,045	1151	89.6	87.2-92.0	111	10.4	8.0-12.8
Less Than H.S.	378	77,250	305	75.1	68.4-81.8	73	24.9	18.2-31.6
H.S. or G.E.D.	984	225,934	772	76.1	72.2-80.0	212	23.9	20.0-27.8
Some Post-H.S.	907	209,112	756	85.4	82.5-88.3	151	14.6	11.7-17.5
College Graduate	1417	212,982	1329	94.5	92.9-96.1	88	5.5	3.9- 7.1
Less than \$15,000	282	44,803	210	68.9	60.3-77.5	72	31.1	22.5-39.7
\$15,000- 24,999	472	81,190	369	76.3	71.0-81.6	103	23.7	18.4-29.0
\$25,000- 34,999	286	51,151	236	80.6	74.5-86.7	50	19.4	13.3-25.5
\$35,000- 49,999	397	80,273	329	78.8	72.1-85.5	68	21.2	14.5-27.9
\$50,000- 74,999	439	93,847	379	83.9	79.0-88.8	60	16.1	11.2-21.0
\$75,000+	1134	245,465	1050	91.3	88.9-93.7	84	8.7	6.3-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	347,301	1408	84.2	81.7-86.7	243	15.8	13.3-18.3
White/Non-Hisp	1148	221,206	977	83.7	80.8-86.6	171	16.3	13.4-19.2
Black or Afr. Am./Non-Hisp	161	68,944	133	82.4	75.0-89.8	28	17.6	10.2-25.0
Oth. Race/Non-Hisp.	71	17,283	60	89.2	81.0-97.4	11	10.8	2.6-19.0
Hispanic	201	29,924	179	88.8	82.5-95.1	22	11.2	4.9-17.5
18-24	135	42,339	119	87.0	79.6-94.4	16	13.0	5.6-20.4
25-34	206	61,075	161	78.6	70.8-86.4	45	21.4	13.6-29.2
35-44	204	53,773	164	82.4	75.0-89.8	40	17.6	10.2-25.0
45-54	250	53,037	208	85.1	79.8-90.4	42	14.9	9.6-20.2
55-64	335	57,937	282	81.3	75.6-87.0	53	18.7	13.0-24.4
65+	521	79,140	474	89.7	85.8-93.6	47	10.3	6.4-14.2
Less Than H.S.	189	42,134	148	75.6	67.0-84.2	41	24.4	15.8-33.0
H.S. or G.E.D.	451	119,266	345	75.9	70.4-81.4	106	24.1	18.6-29.6
Some Post-H.S.	378	86,892	323	88.3	84.6-92.0	55	11.7	8.0-15.4
College Graduate	624	97,661	586	94.5	91.8-97.2	38	5.5	2.8- 8.2
Less than \$15,000	100	18,291	74	64.3	50.8-77.8	26	35.7	22.2-49.2
\$15,000- 24,999	197	37,591	154	81.1	74.6-87.6	43	18.9	12.4-25.4
\$25,000- 34,999	130	24,408	104	77.9	68.7-87.1	26	22.1	12.9-31.3
\$35,000- 49,999	152	32,770	131	81.0	70.0-92.0	21	19.0	8.0-30.0
\$50,000- 74,999	224	52,860	190	83.4	76.3-90.5	34	16.6	9.5-23.7
\$75,000+	572	122,896	526	91.7	88.8-94.6	46	8.3	5.4-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	381,515	1769	84.0	81.6-86.4	285	16.0	13.6-18.4
White/Non-Hisp	1383	241,745	1173	82.6	79.7-85.5	210	17.4	14.5-20.3
Black or Afr. Am./Non-Hisp	304	79,946	262	83.8	77.7-89.9	42	16.2	10.1-22.3
Oth. Race/Non-Hisp.	66	20,013	59	89.1	78.1- 100	7	10.9	0.0-21.9
Hispanic	213	27,246	202	94.4	90.5-98.3	11	5.6	1.7- 9.5
18-24	102	41,912	90	81.7	70.3-93.1	12	18.3	6.9-29.7
25-34	206	58,518	166	78.0	70.0-86.0	40	22.0	14.0-30.0
35-44	256	55,067	209	83.5	77.6-89.4	47	16.5	10.6-22.4
45-54	331	59,424	284	82.4	76.7-88.1	47	17.6	11.9-23.3
55-64	418	67,689	343	84.3	80.2-88.4	75	15.7	11.6-19.8
65+	741	98,905	677	89.6	86.5-92.7	64	10.4	7.3-13.5
Less Than H.S.	189	35,116	157	74.5	64.3-84.7	32	25.5	15.3-35.7
H.S. or G.E.D.	533	106,668	427	76.4	71.1-81.7	106	23.6	18.3-28.9
Some Post-H.S.	529	122,220	433	83.2	78.7-87.7	96	16.8	12.3-21.3
College Graduate	793	115,322	743	94.6	92.6-96.6	50	5.4	3.4- 7.4
Less than \$15,000	182	26,513	136	72.1	60.7-83.5	46	27.9	16.5-39.3
\$15,000- 24,999	275	43,599	215	72.2	64.6-79.8	60	27.8	20.2-35.4
\$25,000- 34,999	156	26,743	132	83.0	75.0-91.0	24	17.0	9.0-25.0
\$35,000- 49,999	245	47,504	198	77.2	68.8-85.6	47	22.8	14.4-31.2
\$50,000- 74,999	215	40,986	189	84.7	78.0-91.4	26	15.3	8.6-22.0
\$75,000+	562	122,568	524	90.9	87.2-94.6	38	9.1	5.4-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3658	719,616	1947	56.9	54.5-59.3	1711	43.1	40.7-45.5
Male	1623	341,332	968	61.3	58.0-64.6	655	38.7	35.4-42.0
Female	2035	378,285	979	53.0	49.9-56.1	1056	47.0	43.9-50.1
White/Non-Hisp	2505	458,874	1436	60.5	58.0-63.0	1069	39.5	37.0-42.0
Black or Afr. Am./Non-Hisp	452	144,806	211	53.9	47.6-60.2	241	46.1	39.8-52.4
Oth. Race/Non-Hisp.	136	37,060	61	47.8	35.8-59.8	75	52.2	40.2-64.2
MultiRacial/Non-Hisp.	73	7,677	40	57.6	41.9-73.3	33	42.4	26.7-58.1
Hispanic	405	56,190	152	41.6	34.0-49.2	253	58.4	50.8-66.0
18-24	236	84,023	128	57.3	48.9-65.7	108	42.7	34.3-51.1
25-34	407	118,454	246	64.8	58.1-71.5	161	35.2	28.5-41.9
35-44	448	105,435	256	61.4	55.3-67.5	192	38.6	32.5-44.7
45-54	571	110,000	326	62.2	57.1-67.3	245	37.8	32.7-42.9
55-64	745	125,651	397	54.9	50.2-59.6	348	45.1	40.4-49.8
65+	1251	176,053	594	46.9	43.2-50.6	657	53.1	49.4-56.8
Less Than H.S.	375	76,021	107	33.5	26.2-40.8	268	66.5	59.2-73.8
H.S. or G.E.D.	964	223,416	402	48.0	43.7-52.3	562	52.0	47.7-56.3
Some Post-H.S.	898	207,102	489	61.1	56.8-65.4	409	38.9	34.6-43.2
College Graduate	1402	210,275	940	70.9	67.6-74.2	462	29.1	25.8-32.4
Less than \$15,000	283	44,634	95	39.5	31.1-47.9	188	60.5	52.1-68.9
\$15,000- 24,999	464	80,079	177	43.7	37.0-50.4	287	56.3	49.6-63.0
\$25,000- 34,999	281	50,418	120	45.1	37.1-53.1	161	54.9	46.9-62.9
\$35,000- 49,999	394	79,782	208	51.2	43.8-58.6	186	48.8	41.4-56.2
\$50,000- 74,999	440	93,917	254	59.5	53.0-66.0	186	40.5	34.0-47.0
\$75,000+	1118	242,312	791	72.5	69.0-76.0	327	27.5	24.0-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	341,332	968	61.3	58.0-64.6	655	38.7	35.4-42.0
White/Non-Hisp	1133	218,339	711	64.1	60.6-67.6	422	35.9	32.4-39.4
Black or Afr. Am./Non-Hisp	153	66,868	82	56.5	46.5-66.5	71	43.5	33.5-53.5
Oth. Race/Non-Hisp.	68	16,807	34	51.2	35.1-67.3	34	48.8	32.7-64.9
Hispanic	197	29,218	96	54.0	43.0-65.0	101	46.0	35.0-57.0
18-24	134	42,111	70	54.0	43.0-65.0	64	46.0	35.0-57.0
25-34	202	60,035	143	74.2	65.0-83.4	59	25.8	16.6-35.0
35-44	194	50,886	119	65.7	56.1-75.3	75	34.3	24.7-43.9
45-54	248	52,696	148	63.7	56.3-71.1	100	36.3	28.9-43.7
55-64	329	57,132	181	53.3	46.4-60.2	148	46.7	39.8-53.6
65+	516	78,471	307	56.7	50.8-62.6	209	43.3	37.4-49.2
Less Than H.S.	187	41,277	71	38.5	28.1-48.9	116	61.5	51.1-71.9
H.S. or G.E.D.	436	116,747	209	53.7	47.4-60.0	227	46.3	40.0-52.6
Some Post-H.S.	375	86,009	233	64.6	58.1-71.1	142	35.4	28.9-41.9
College Graduate	614	95,793	448	77.0	72.5-81.5	166	23.0	18.5-27.5
Less than \$15,000	102	18,186	42	47.1	33.6-60.6	60	52.9	39.4-66.4
\$15,000- 24,999	192	36,753	81	49.4	39.0-59.8	111	50.6	40.2-61.0
\$25,000- 34,999	126	23,742	62	51.7	39.5-63.9	64	48.3	36.1-60.5
\$35,000- 49,999	150	32,361	88	54.4	41.7-67.1	62	45.6	32.9-58.3
\$50,000- 74,999	223	52,767	136	59.8	50.8-68.8	87	40.2	31.2-49.2
\$75,000+	562	120,473	411	74.6	69.9-79.3	151	25.4	20.7-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	378,285	979	53.0	49.9-56.1	1056	47.0	43.9-50.1
White/Non-Hisp	1372	240,535	725	57.2	53.7-60.7	647	42.8	39.3-46.3
Black or Afr. Am./Non-Hisp	299	77,938	129	51.6	44.0-59.2	170	48.4	40.8-56.0
Oth. Race/Non-Hisp.	68	20,253	27	44.9	27.5-62.3	41	55.1	37.7-72.5
Hispanic	208	26,972	56	28.1	18.1-38.1	152	71.9	61.9-81.9
18-24	102	41,912	58	60.7	48.0-73.4	44	39.3	26.6-52.0
25-34	205	58,419	103	55.1	45.7-64.5	102	44.9	35.5-54.3
35-44	254	54,548	137	57.4	49.4-65.4	117	42.6	34.6-50.6
45-54	323	57,304	178	60.9	54.2-67.6	145	39.1	32.4-45.8
55-64	416	68,520	216	56.3	50.0-62.6	200	43.7	37.4-50.0
65+	735	97,582	287	39.1	34.4-43.8	448	60.9	56.2-65.6
Less Than H.S.	188	34,744	36	27.7	17.7-37.7	152	72.3	62.3-82.3
H.S. or G.E.D.	528	106,669	193	41.7	35.8-47.6	335	58.3	52.4-64.2
Some Post-H.S.	523	121,092	256	58.5	52.6-64.4	267	41.5	35.6-47.4
College Graduate	788	114,482	492	65.8	60.9-70.7	296	34.2	29.3-39.1
Less than \$15,000	181	26,448	53	34.4	23.8-45.0	128	65.6	55.0-76.2
\$15,000- 24,999	272	43,326	96	38.8	30.6-47.0	176	61.2	53.0-69.4
\$25,000- 34,999	155	26,677	58	39.2	28.4-50.0	97	60.8	50.0-71.6
\$35,000- 49,999	244	47,421	120	49.1	39.9-58.3	124	50.9	41.7-60.1
\$50,000- 74,999	217	41,150	118	59.1	50.1-68.1	99	40.9	31.9-49.9
\$75,000+	556	121,839	380	70.5	65.2-75.8	176	29.5	24.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3658	719,616	1168	34.5	32.3-36.7	398	12.2	10.6-13.8	154	4.6	3.6- 5.6	227	5.6	4.6- 6.6	1711	43.1	40.7-45.5
Male	1623	341,332	537	33.8	30.5-37.1	201	14.1	11.7-16.5	95	6.2	4.4- 8.0	135	7.2	5.4- 9.0	655	38.7	35.4-42.0
Female	2035	378,285	631	35.0	31.9-38.1	197	10.6	8.8-12.4	59	3.3	2.1- 4.5	92	4.1	2.9- 5.3	1056	47.0	43.9-50.1
White/Non-Hisp	2505	458,874	806	33.7	31.2-36.2	313	14.5	12.5-16.5	124	5.7	4.3- 7.1	193	6.6	5.4- 7.8	1069	39.5	37.0-42.0
Black or Afr. Am./Non-Hisp	452	144,806	150	37.6	31.5-43.7	40	9.1	5.6-12.6	11	2.8	0.8- 4.8	10	4.4	1.1- 7.7	241	46.1	39.8-52.4
Oth. Race/Non-Hisp.	136	37,060	42	34.6	23.4-45.8	10	9.3	2.6-16.0	2	2.9	0.0- 7.2	7	1.0	0.2- 1.8	75	52.2	40.2-64.2
MultiRacial/Non-Hisp.	73	7,677	26	30.8	15.9-45.7	7	11.7	1.5-21.9	4	7.1	0.0-15.5	3	8.0	0.0-21.1	33	42.4	26.7-58.1
Hispanic	405	56,190	118	32.7	25.3-40.1	20	5.0	1.9- 8.1	9	2.0	0.4- 3.6	5	1.8	0.0- 3.6	253	58.4	50.8-66.0
18-24	236	84,023	86	38.2	29.6-46.8	26	9.9	5.0-14.8	8	4.0	0.1- 7.9	8	5.2	0.9- 9.5	108	42.7	34.3-51.1
25-34	407	118,454	149	36.4	29.7-43.1	69	19.4	14.1-24.7	18	6.5	2.8-10.2	10	2.5	0.7- 4.3	161	35.2	28.5-41.9
35-44	448	105,435	170	41.8	35.5-48.1	57	13.1	9.4-16.8	12	2.3	0.9- 3.7	17	4.2	1.5- 6.9	192	38.6	32.5-44.7
45-54	571	110,000	208	39.1	33.8-44.4	72	13.8	10.1-17.5	26	4.2	2.2- 6.2	20	5.1	2.0- 8.2	245	37.8	32.7-42.9
55-64	745	125,651	246	34.3	29.8-38.8	66	9.3	6.8-11.8	43	6.7	4.0- 9.4	42	4.6	2.8- 6.4	348	45.1	40.4-49.8
65+	1251	176,053	309	24.1	21.0-27.2	108	9.1	6.9-11.3	47	3.9	2.5- 5.3	130	9.8	7.4-12.2	657	53.1	49.4-56.8
Less Than H.S.	375	76,021	79	22.9	16.2-29.6	11	4.7	1.4- 8.0	3	0.8	0.0- 1.8	14	5.1	2.2- 8.0	268	66.5	59.2-73.8
H.S. or G.E.D.	964	223,416	250	29.1	25.2-33.0	76	9.7	7.0-12.4	32	4.0	2.4- 5.6	44	5.3	3.1- 7.5	562	52.0	47.7-56.3
Some Post-H.S.	898	207,102	305	36.7	32.2-41.2	93	12.4	9.5-15.3	41	6.0	3.5- 8.5	50	6.0	3.6- 8.4	409	38.9	34.6-43.2
College Graduate	1402	210,275	528	42.1	38.4-45.8	216	17.6	14.9-20.3	77	5.4	3.6- 7.2	119	5.9	4.5- 7.3	462	29.1	25.8-32.4
Less than \$15,000	283	44,634	66	25.9	18.5-33.3	15	6.8	1.5-12.1	4	1.8	0.0- 4.0	10	5.1	1.0- 9.2	188	60.5	52.1-68.9
\$15,000- 24,999	464	80,079	113	28.5	22.0-35.0	30	7.7	4.2-11.2	13	3.4	0.7- 6.1	21	4.0	1.8- 6.2	287	56.3	49.6-63.0
\$25,000- 34,999	281	50,418	73	25.5	18.4-32.6	22	8.9	4.2-13.6	9	3.8	0.9- 6.7	16	6.9	3.0-10.8	161	54.9	46.9-62.9
\$35,000- 49,999	394	79,782	140	36.3	29.2-43.4	29	7.3	3.8-10.8	13	2.1	0.9- 3.3	26	5.6	1.5- 9.7	186	48.8	41.4-56.2
\$50,000- 74,999	440	93,917	154	35.8	29.3-42.3	43	10.7	6.8-14.6	20	4.3	1.9- 6.7	37	8.6	4.3-12.9	186	40.5	34.0-47.0
\$75,000+	1118	242,312	422	40.9	36.8-45.0	203	18.6	15.5-21.7	78	7.1	4.7- 9.5	88	5.9	4.3- 7.5	327	27.5	24.0-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	341,332	537	33.8	30.5-37.1	201	14.1	11.7-16.5	95	6.2	4.4- 8.0	135	7.2	5.4- 9.0	655	38.7	35.4-42.0
White/Non-Hisp	1133	218,339	366	31.3	27.8-34.8	161	17.0	13.9-20.1	72	7.3	4.9- 9.7	112	8.5	6.3-10.7	422	35.9	32.4-39.4
Black or Afr. Am./Non-Hisp	153	66,868	51	37.5	27.7-47.3	17	9.2	3.7-14.7	9	4.7	1.4- 8.0	5	5.2	0.0-10.7	71	43.5	33.5-53.5
Oth. Race/Non-Hisp.	68	16,807	21	38.1	22.8-53.4	7	11.1	0.5-21.7				6	2.0	0.2- 3.8	34	48.8	32.7-64.9
Hispanic	197	29,218	75	41.0	30.0-52.0	9	7.0	1.5-12.5	8	3.7	0.6- 6.8	4	2.3	0.0- 4.7	101	46.0	35.0-57.0
18-24	134	42,111	47	34.0	23.6-44.4	14	10.7	3.1-18.3	4	5.0	0.0-11.3	5	4.3	0.4- 8.2	64	46.0	35.0-57.0
25-34	202	60,035	79	34.4	25.2-43.6	41	26.6	17.8-35.4	15	9.7	3.6-15.8	8	3.5	0.6- 6.4	59	25.8	16.6-35.0
35-44	194	50,886	75	44.1	34.3-53.9	25	11.7	6.6-16.8	9	3.9	1.2- 6.6	10	6.0	0.9-11.1	75	34.3	24.7-43.9
45-54	248	52,696	84	36.6	28.6-44.6	34	12.8	7.7-17.9	19	7.5	3.4-11.6	11	6.8	1.1-12.5	100	36.3	28.9-43.7
55-64	329	57,132	102	29.7	23.4-36.0	27	9.8	5.7-13.9	24	7.1	3.8-10.4	28	6.7	3.6- 9.8	148	46.7	39.8-53.6
65+	516	78,471	150	27.8	22.7-32.9	60	11.7	8.4-15.0	24	4.0	2.0- 6.0	73	13.2	9.1-17.3	209	43.3	37.4-49.2
Less Than H.S.	187	41,277	53	26.9	17.3-36.5	7	5.2	0.3-10.1	2	1.1	0.0- 2.7	9	5.3	1.4- 9.2	116	61.5	51.1-71.9
H.S. or G.E.D.	436	116,747	104	26.1	20.4-31.8	47	13.4	8.7-18.1	26	5.6	3.2- 8.0	32	8.7	4.6-12.8	227	46.3	40.0-52.6
Some Post-H.S.	375	86,009	139	35.4	28.9-41.9	47	15.2	10.1-20.3	22	7.6	2.9-12.3	25	6.4	3.3- 9.5	142	35.4	28.9-41.9
College Graduate	614	95,793	237	44.4	38.9-49.9	98	17.7	13.6-21.8	44	7.7	4.8-10.6	69	7.2	5.0- 9.4	166	23.0	18.5-27.5
Less than \$15,000	102	18,186	29	34.4	20.9-47.9	6	5.8	0.0-12.7	3	3.0	0.0- 7.3	4	4.0	0.0- 8.7	60	52.9	39.4-66.4
\$15,000- 24,999	192	36,753	46	31.1	20.3-41.9	17	10.2	4.3-16.1	7	3.7	0.6- 6.8	11	4.5	1.4- 7.6	111	50.6	40.2-61.0
\$25,000- 34,999	126	23,742	34	24.0	14.8-33.2	12	12.5	3.9-21.1	5	3.1	0.2- 6.0	11	12.1	4.3-19.9	64	48.3	36.1-60.5
\$35,000- 49,999	150	32,361	54	34.8	22.8-46.8	15	12.0	4.7-19.3	4	2.0	0.0- 4.2	15	5.6	2.1- 9.1	62	45.6	32.9-58.3
\$50,000- 74,999	223	52,767	80	35.5	27.1-43.9	21	8.2	3.9-12.5	13	5.0	2.1- 7.9	22	11.1	4.0-18.2	87	40.2	31.2-49.2
\$75,000+	562	120,473	205	37.9	32.4-43.4	102	21.0	16.3-25.7	50	8.8	5.5-12.1	54	6.9	4.5- 9.3	151	25.4	20.7-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	378,285	631	35.0	31.9-38.1	197	10.6	8.8-12.4	59	3.3	2.1- 4.5	92	4.1	2.9- 5.3	1056	47.0	43.9-50.1
White/Non-Hisp	1372	240,535	440	35.9	32.2-39.6	152	12.2	9.8-14.6	52	4.2	2.4- 6.0	81	4.9	3.5- 6.3	647	42.8	39.3-46.3
Black or Afr. Am./Non-Hisp	299	77,938	99	37.7	30.1-45.3	23	9.1	4.6-13.6	2	1.2	0.0- 3.2	5	3.6	0.0- 7.7	170	48.4	40.8-56.0
Oth. Race/Non-Hisp.	68	20,253	21	31.7	15.4-48.0	3	7.9	0.0-16.5	2	5.3	0.0-13.1	1	0.1	0.0- 0.3	41	55.1	37.7-72.5
Hispanic	208	26,972	43	23.7	13.9-33.5	11	2.9	0.7- 5.1	1	0.2	0.0- 0.6	1	1.3	0.0- 3.8	152	71.9	61.9-81.9
18-24	102	41,912	39	42.4	28.7-56.1	12	9.1	2.8-15.4	4	3.0	0.0- 7.3	3	6.2	0.0-14.0	44	39.3	26.6-52.0
25-34	205	58,419	70	38.4	29.0-47.8	28	12.0	6.7-17.3	3	3.2	0.0- 7.3	2	1.5	0.0- 3.7	102	44.9	35.5-54.3
35-44	254	54,548	95	39.7	31.7-47.7	32	14.3	8.8-19.8	3	0.8	0.0- 1.8	7	2.6	0.4- 4.8	117	42.6	34.6-50.6
45-54	323	57,304	124	41.5	34.4-48.6	38	14.7	9.2-20.2	7	1.1	0.1- 2.1	9	3.6	0.9- 6.3	145	39.1	32.4-45.8
55-64	416	68,520	144	38.2	31.9-44.5	39	8.9	5.6-12.2	19	6.4	2.3-10.5	14	2.8	1.0- 4.6	200	43.7	37.4-50.0
65+	735	97,582	159	21.2	17.3-25.1	48	7.1	4.4- 9.8	23	3.8	1.8- 5.8	57	7.0	4.6- 9.4	448	60.9	56.2-65.6
Less Than H.S.	188	34,744	26	18.3	9.1-27.5	4	4.0	0.0- 8.5	1	0.6	0.0- 1.8	5	4.9	0.4- 9.4	152	72.3	62.3-82.3
H.S. or G.E.D.	528	106,669	146	32.3	26.6-38.0	29	5.6	2.9- 8.3	6	2.2	0.0- 4.4	12	1.6	0.4- 2.8	335	58.3	52.4-64.2
Some Post-H.S.	523	121,092	166	37.6	31.3-43.9	46	10.4	6.9-13.9	19	4.9	2.2- 7.6	25	5.7	2.6- 8.8	267	41.5	35.6-47.4
College Graduate	788	114,482	291	40.2	35.1-45.3	118	17.5	13.8-21.2	33	3.4	1.6- 5.2	50	4.7	3.1- 6.3	296	34.2	29.3-39.1
Less than \$15,000	181	26,448	37	20.0	12.4-27.6	9	7.4	0.0-14.8	1	1.0	0.0- 3.0	6	5.8	0.0-11.7	128	65.6	55.0-76.2
\$15,000- 24,999	272	43,326	67	26.3	19.0-33.6	13	5.7	1.6- 9.8	6	3.2	0.0- 7.3	10	3.6	0.7- 6.5	176	61.2	53.0-69.4
\$25,000- 34,999	155	26,677	39	26.9	16.7-37.1	10	5.7	1.6- 9.8	4	4.4	0.0- 9.1	5	2.3	0.1- 4.5	97	60.8	50.0-71.6
\$35,000- 49,999	244	47,421	86	37.4	28.6-46.2	14	4.0	1.1- 6.9	9	2.1	0.5- 3.7	11	5.6	0.0-12.1	124	50.9	41.7-60.1
\$50,000- 74,999	217	41,150	74	36.3	26.3-46.3	22	13.9	7.2-20.6	7	3.5	0.0- 7.0	15	5.4	1.9- 8.9	99	40.9	31.9-49.9
\$75,000+	556	121,839	217	43.9	37.8-50.0	101	16.3	12.6-20.0	28	5.4	2.5- 8.3	34	4.9	2.9- 6.9	176	29.5	24.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3590	704,562	3101	82.8	80.8-84.8	489	17.2	15.2-19.2
Male	1600	337,482	1309	77.9	74.8-81.0	291	22.1	19.0-25.2
Female	1990	367,081	1792	87.2	84.8-89.6	198	12.8	10.4-15.2
White/Non-Hisp	2461	451,241	2124	80.8	78.3-83.3	337	19.2	16.7-21.7
Black or Afr. Am./Non-Hisp	440	140,448	391	85.7	80.8-90.6	49	14.3	9.4-19.2
Oth. Race/Non-Hisp.	136	37,060	118	89.5	82.8-96.2	18	10.5	3.8-17.2
MultiRacial/Non-Hisp.	72	7,590	57	68.7	52.0-85.4	15	31.3	14.6-48.0
Hispanic	396	53,544	333	86.3	81.8-90.8	63	13.7	9.2-18.2
18-24	232	82,219	166	68.5	59.9-77.1	66	31.5	22.9-40.1
25-34	396	114,152	297	71.4	64.9-77.9	99	28.6	22.1-35.1
35-44	441	103,793	355	81.8	77.3-86.3	86	18.2	13.7-22.7
45-54	560	107,874	475	84.1	79.8-88.4	85	15.9	11.6-20.2
55-64	730	123,970	644	86.3	82.8-89.8	86	13.7	10.2-17.2
65+	1231	172,555	1164	94.3	92.5-96.1	67	5.7	3.9- 7.5
Less Than H.S.	371	75,198	332	89.1	84.8-93.4	39	10.9	6.6-15.2
H.S. or G.E.D.	942	217,204	815	82.2	78.5-85.9	127	17.8	14.1-21.5
Some Post-H.S.	884	202,847	751	79.9	75.8-84.0	133	20.1	16.0-24.2
College Graduate	1374	206,511	1187	83.8	80.9-86.7	187	16.2	13.3-19.1
Less than \$15,000	279	43,776	241	82.4	75.3-89.5	38	17.6	10.5-24.7
\$15,000- 24,999	457	78,819	406	86.7	82.2-91.2	51	13.3	8.8-17.8
\$25,000- 34,999	277	49,101	239	85.9	80.6-91.2	38	14.1	8.8-19.4
\$35,000- 49,999	392	79,272	343	86.4	80.7-92.1	49	13.6	7.9-19.3
\$50,000- 74,999	437	93,321	367	78.5	72.0-85.0	70	21.5	15.0-28.0
\$75,000+	1096	238,072	902	78.0	74.5-81.5	194	22.0	18.5-25.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1600	337,482	1309	77.9	74.8-81.0	291	22.1	19.0-25.2
White/Non-Hisp	1120	216,316	916	75.0	71.1-78.9	204	25.0	21.1-28.9
Black or Afr. Am./Non-Hisp	152	66,740	129	83.1	75.3-90.9	23	16.9	9.1-24.7
Oth. Race/Non-Hisp.	68	16,807	53	85.2	75.0-95.4	15	14.8	4.6-25.0
Hispanic	190	27,831	152	82.3	74.9-89.7	38	17.7	10.3-25.1
18-24	132	41,615	93	64.5	53.1-75.9	39	35.5	24.1-46.9
25-34	197	59,058	132	59.8	49.8-69.8	65	40.2	30.2-50.2
35-44	192	50,575	146	79.4	72.1-86.7	46	20.6	13.3-27.9
45-54	247	52,655	201	80.8	73.7-87.9	46	19.2	12.1-26.3
55-64	326	56,833	274	84.1	79.2-89.0	52	15.9	11.0-20.8
65+	506	76,747	463	91.5	88.2-94.8	43	8.5	5.2-11.8
Less Than H.S.	186	41,222	156	84.1	77.0-91.2	30	15.9	8.8-23.0
H.S. or G.E.D.	426	114,202	337	75.3	69.4-81.2	89	24.7	18.8-30.6
Some Post-H.S.	373	85,708	305	76.2	69.7-82.7	68	23.8	17.3-30.3
College Graduate	604	94,844	503	79.9	75.0-84.8	101	20.1	15.2-25.0
Less than \$15,000	101	18,144	84	83.5	73.5-93.5	17	16.5	6.5-26.5
\$15,000- 24,999	189	35,974	158	84.9	78.2-91.6	31	15.1	8.4-21.8
\$25,000- 34,999	123	22,850	102	82.0	73.0-91.0	21	18.0	9.0-27.0
\$35,000- 49,999	150	32,361	126	82.9	73.3-92.5	24	17.1	7.5-26.7
\$50,000- 74,999	223	52,767	179	76.2	67.8-84.6	44	23.8	15.4-32.2
\$75,000+	557	119,955	441	72.8	67.3-78.3	116	27.2	21.7-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1990	367,081	1792	87.2	84.8-89.6	198	12.8	10.4-15.2
White/Non-Hisp	1341	234,925	1208	86.2	83.3-89.1	133	13.8	10.9-16.7
Black or Afr. Am./Non-Hisp	288	73,707	262	88.0	82.1-93.9	26	12.0	6.1-17.9
Oth. Race/Non-Hisp.	68	20,253	65	93.1	84.5- 100	3	6.9	0.0-15.5
Hispanic	206	25,713	181	90.7	86.0-95.4	25	9.3	4.6-14.0
18-24	100	40,604	73	72.6	59.9-85.3	27	27.4	14.7-40.1
25-34	199	55,093	165	83.9	77.0-90.8	34	16.1	9.2-23.0
35-44	249	53,219	209	84.1	78.6-89.6	40	15.9	10.4-21.4
45-54	313	55,219	274	87.2	82.1-92.3	39	12.8	7.7-17.9
55-64	404	67,137	370	88.1	83.2-93.0	34	11.9	7.0-16.8
65+	725	95,809	701	96.5	94.7-98.3	24	3.5	1.7- 5.3
Less Than H.S.	185	33,976	176	95.2	91.5-98.9	9	4.8	1.1- 8.5
H.S. or G.E.D.	516	103,002	478	89.7	85.8-93.6	38	10.3	6.4-14.2
Some Post-H.S.	511	117,139	446	82.7	77.2-88.2	65	17.3	11.8-22.8
College Graduate	770	111,667	684	87.1	83.6-90.6	86	12.9	9.4-16.4
Less than \$15,000	178	25,632	157	81.6	71.8-91.4	21	18.4	8.6-28.2
\$15,000- 24,999	268	42,845	248	88.1	81.6-94.6	20	11.9	5.4-18.4
\$25,000- 34,999	154	26,251	137	89.4	83.3-95.5	17	10.6	4.5-16.7
\$35,000- 49,999	242	46,911	217	88.9	81.8-96.0	25	11.1	4.0-18.2
\$50,000- 74,999	214	40,554	188	81.5	71.5-91.5	26	18.5	8.5-28.5
\$75,000+	539	118,116	461	83.3	78.8-87.8	78	16.7	12.2-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None						
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3605	709,401	682	20.1	18.1-22.1	245	7.7	6.3- 9.1	429	11.9	10.5-13.3	289	8.8	7.4-10.2	249	7.8	6.4- 9.2	1711	43.7	41.3-46.1
Male	1588	334,790	262	17.3	14.6-20.0	125	7.4	5.6- 9.2	207	13.1	10.7-15.5	163	10.6	8.4-12.8	176	12.2	9.8-14.6	655	39.4	36.1-42.7
Female	2017	374,611	420	22.6	19.9-25.3	120	8.1	6.1-10.1	222	10.7	8.9-12.5	126	7.2	5.4- 9.0	73	4.0	2.6- 5.4	1056	47.4	44.3-50.5
White/Non-Hisp	2477	454,153	480	18.9	16.7-21.1	171	8.3	6.5-10.1	332	13.5	11.7-15.3	229	10.1	8.3-11.9	196	9.3	7.5-11.1	1069	39.9	37.4-42.4
Black or Afr. Am./Non-Hisp	447	142,224	94	23.6	18.1-29.1	33	8.1	4.8-11.4	38	9.0	5.3-12.7	27	7.3	4.0-10.6	14	5.0	1.7- 8.3	241	47.0	40.7-53.3
Oth. Race/Non-Hisp.	134	36,776	25	22.9	12.5-33.3	11	6.5	2.0-11.0	7	6.4	1.1-11.7	9	9.2	2.1-16.3	7	2.3	0.0- 5.2	75	52.6	40.4-64.8
MultiRacial/Non-Hisp.	72	7,618	15	17.9	5.4-30.4	6	3.7	0.4- 7.0	7	13.7	1.9-25.5	4	4.0	0.0- 9.1	7	17.9	2.6-33.2	33	42.7	26.8-58.6
Hispanic	394	54,537	52	18.9	11.6-26.2	20	5.0	2.3- 7.7	35	8.0	4.3-11.7	15	2.7	1.1- 4.3	19	5.3	2.4- 8.2	253	60.2	52.6-67.8
18-24	231	82,425	37	20.2	12.6-27.8	13	6.7	1.4-12.0	32	10.6	6.3-14.9	16	7.5	2.4-12.6	25	11.4	5.5-17.3	108	43.5	34.9-52.1
25-34	400	116,924	77	19.4	13.7-25.1	37	9.5	5.8-13.2	54	14.3	9.6-19.0	41	13.1	8.2-18.0	30	8.1	4.4-11.8	161	35.7	29.0-42.4
35-44	441	103,993	87	20.7	15.6-25.8	39	10.8	6.5-15.1	59	14.7	10.2-19.2	34	6.2	3.8- 8.6	30	8.4	4.9-11.9	192	39.1	32.8-45.4
45-54	563	108,165	115	23.1	18.2-28.0	47	9.0	5.9-12.1	74	11.7	8.6-14.8	47	9.1	6.0-12.2	35	8.8	4.9-12.7	245	38.4	33.3-43.5
55-64	736	124,219	151	22.6	18.5-26.7	44	6.1	3.7- 8.5	93	11.8	8.9-14.7	53	8.0	5.1-10.9	47	6.0	4.0- 8.0	348	45.6	40.9-50.3
65+	1234	173,674	215	16.6	13.9-19.3	65	5.7	3.9- 7.5	117	9.3	7.3-11.3	98	8.4	6.2-10.6	82	6.4	4.6- 8.2	657	53.8	50.1-57.5
Less Than H.S.	369	74,290	38	13.1	7.0-19.2	11	4.1	1.4- 6.8	20	5.0	1.9- 8.1	17	4.5	1.6- 7.4	15	5.3	2.4- 8.2	268	68.0	60.7-75.3
H.S. or G.E.D.	950	220,569	146	17.3	14.0-20.6	51	5.1	3.3- 6.9	71	8.4	5.9-10.9	56	8.6	5.7-11.5	64	8.0	5.5-10.5	562	52.7	48.4-57.0
Some Post-H.S.	885	204,313	179	22.4	18.3-26.5	65	9.0	6.1-11.9	95	10.1	7.6-12.6	65	8.1	5.6-10.6	72	10.9	7.8-14.0	409	39.5	35.2-43.8
College Graduate	1383	207,514	316	23.5	20.4-26.6	117	10.6	8.1-13.1	240	19.6	16.7-22.5	150	11.0	8.6-13.4	98	5.7	4.1- 7.3	462	29.5	26.0-33.0
Less than \$15,000	276	43,207	37	14.6	8.5-20.7	12	5.8	1.5-10.1	11	5.0	0.9- 9.1	18	5.6	1.1-10.1	10	6.5	2.0-11.0	188	62.5	54.1-70.9
\$15,000- 24,999	461	79,216	78	21.1	15.0-27.2	13	2.6	0.8- 4.4	29	6.2	3.1- 9.3	29	6.9	3.4-10.4	25	6.2	3.1- 9.3	287	56.9	50.2-63.6
\$25,000- 34,999	276	49,180	40	13.2	8.1-18.3	11	7.3	1.8-12.8	29	8.8	4.9-12.7	16	7.1	3.2-11.0	19	7.2	3.3-11.1	161	56.3	48.3-64.3
\$35,000- 49,999	390	79,014	89	22.3	16.4-28.2	20	4.0	1.8- 6.2	45	13.4	7.9-18.9	24	4.5	1.8- 7.2	26	6.6	2.3-10.9	186	49.2	41.6-56.8
\$50,000- 74,999	435	92,847	87	19.2	14.3-24.1	36	10.7	5.6-15.8	55	11.2	7.7-14.7	33	8.5	4.8-12.2	38	9.4	5.1-13.7	186	41.0	34.5-47.5
\$75,000+	1106	240,218	233	22.5	18.8-26.2	111	10.9	8.4-13.4	193	16.3	13.6-19.0	134	12.5	9.8-15.2	108	10.1	7.7-12.5	327	27.7	24.2-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1588	334,790	262	17.3	14.6-20.0	125	7.4	5.6-9.2	207	13.1	10.7-15.5	163	10.6	8.4-12.8	176	12.2	9.8-14.6	655	39.4	36.1-42.7
White/Non-Hisp	1115	215,199	178	14.3	11.8-16.8	92	8.0	6.0-10.0	161	14.5	12.0-17.0	125	12.2	9.3-15.1	137	14.5	11.4-17.6	422	36.4	32.7-40.1
Black or Afr. Am./Non-Hisp	151	65,926	31	23.9	15.3-32.5	10	5.8	1.5-10.1	15	10.9	4.2-17.6	15	8.4	2.9-13.9	9	6.9	1.4-12.4	71	44.1	33.9-54.3
Oth. Race/Non-Hisp.	67	16,544	8	16.0	4.4-27.6	7	10.6	1.8-19.4	4	6.3	0.0-13.6	7	12.4	1.4-23.4	7	5.2	0.0-11.7	34	49.6	33.3-65.9
Hispanic	188	27,703	31	22.6	11.6-33.6	11	6.0	1.5-10.5	18	10.6	4.1-17.1	12	4.3	1.6- 7.0	15	8.1	3.0-13.2	101	48.5	37.1-59.9
18-24	130	41,463	19	16.5	8.3-24.7	5	1.7	0.1- 3.3	18	12.6	5.7-19.5	10	10.1	1.7-18.5	14	12.2	4.4-20.0	64	46.7	35.5-57.9
25-34	195	58,504	33	16.3	8.7-23.9	20	8.4	3.7-13.1	32	17.2	9.9-24.5	26	17.2	9.4-25.0	25	14.5	7.6-21.4	59	26.5	17.1-35.9
35-44	188	49,661	30	19.8	12.2-27.4	17	8.8	3.3-14.3	28	16.3	8.7-23.9	17	6.4	2.9- 9.9	21	13.5	6.8-20.2	75	35.1	25.3-44.9
45-54	247	52,381	40	18.4	11.5-25.3	21	9.5	4.4-14.6	33	12.3	7.6-17.0	26	8.6	4.9-12.3	27	14.6	7.5-21.7	100	36.5	28.9-44.1
55-64	322	55,865	51	16.8	11.5-22.1	22	5.5	2.8- 8.2	39	12.0	7.5-16.5	27	7.2	3.9-10.5	35	10.7	6.6-14.8	148	47.7	40.8-54.6
65+	506	76,916	89	16.6	12.3-20.9	40	8.6	5.5-11.7	57	9.4	6.7-12.1	57	12.2	8.1-16.3	54	8.9	5.8-12.0	209	44.2	38.3-50.1
Less Than H.S.	181	39,546	23	13.4	5.4-21.4	8	5.3	0.8- 9.8	12	7.1	1.6-12.6	11	3.2	0.7- 5.7	11	6.7	2.0-11.4	116	64.2	53.8-74.6
H.S. or G.E.D.	425	114,414	47	13.0	8.5-17.5	22	4.4	2.0- 6.8	36	9.8	5.9-13.7	39	12.2	7.3-17.1	54	13.4	9.1-17.7	227	47.2	40.9-53.5
Some Post-H.S.	369	85,087	72	20.7	14.8-26.6	32	6.9	4.2- 9.6	45	11.2	6.9-15.5	34	8.6	5.1-12.1	44	16.9	11.0-22.8	142	35.7	29.0-42.4
College Graduate	603	94,325	118	21.1	16.6-25.6	62	12.2	8.3-16.1	112	21.2	16.7-25.7	78	13.2	9.3-17.1	67	8.9	6.0-11.8	166	23.3	18.8-27.8
Less than \$15,000	97	16,876	11	15.1	3.5-26.7	4	5.1	0.0-12.2	5	10.4	0.8-20.0	12	6.1	1.8-10.4	5	6.3	0.0-12.8	60	57.0	43.1-70.9
\$15,000- 24,999	190	36,076	29	26.1	14.9-37.3	5	1.4	0.0- 2.8	10	3.8	0.9- 6.7	16	7.2	2.7-11.7	19	10.0	4.3-15.7	111	51.5	40.9-62.1
\$25,000- 34,999	123	22,892	15	11.9	4.6-19.2	6	7.3	0.4-14.2	16	10.2	4.1-16.3	8	9.2	2.5-15.9	14	11.4	4.1-18.7	64	50.1	37.8-62.4
\$35,000- 49,999	148	32,123	31	16.8	9.2-24.4	8	2.6	0.1- 5.1	18	19.0	7.8-30.2	14	8.4	1.9-14.9	15	7.2	2.7-11.7	62	45.9	33.2-58.6
\$50,000- 74,999	221	52,104	38	18.2	11.3-25.1	20	7.6	3.7-11.5	27	10.0	5.5-14.5	24	10.1	4.4-15.8	25	13.4	6.1-20.7	87	40.7	31.7-49.7
\$75,000+	553	118,871	97	17.4	13.1-21.7	59	10.8	7.3-14.3	93	16.1	12.2-20.0	72	13.7	9.6-17.8	81	16.1	11.8-20.4	151	25.8	21.1-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2017	374,611	420	22.6	19.9-25.3	120	8.1	6.1-10.1	222	10.7	8.9-12.5	126	7.2	5.4- 9.0	73	4.0	2.6- 5.4	1056	47.4	44.3-50.5
White/Non-Hisp	1362	238,953	302	23.0	19.7-26.3	79	8.6	5.9-11.3	171	12.6	10.2-15.0	104	8.2	6.0-10.4	59	4.6	3.0- 6.2	647	43.0	39.5-46.5
Black or Afr. Am./Non-Hisp	296	76,298	63	23.4	16.3-30.5	23	10.0	5.1-14.9	23	7.5	3.8-11.2	12	6.3	2.0-10.6	5	3.4	0.0- 7.5	170	49.5	41.7-57.3
Oth. Race/Non-Hisp.	67	20,232	17	28.6	12.5-44.7	4	3.2	0.0- 6.5	3	6.5	0.0-13.9	2	6.6	0.0-15.6				41	55.2	37.8-72.6
Hispanic	206	26,833	21	15.0	5.4-24.6	9	3.9	0.8- 7.0	17	5.3	2.0- 8.6	3	1.1	0.0- 2.5	4	2.4	0.0- 5.3	152	72.3	62.3-82.3
18-24	101	40,962	18	24.0	11.3-36.7	8	11.8	1.6-22.0	14	8.5	3.4-13.6	6	4.8	0.0-10.1	11	10.6	2.0-19.2	44	40.2	27.3-53.1
25-34	205	58,419	44	22.5	14.1-30.9	17	10.5	4.4-16.6	22	11.5	5.8-17.2	15	8.9	3.6-14.2	5	1.6	0.0- 3.2	102	44.9	35.5-54.3
35-44	253	54,333	57	21.6	14.9-28.3	22	12.7	6.2-19.2	31	13.2	8.1-18.3	17	6.0	2.7- 9.3	9	3.8	0.9- 6.7	117	42.8	34.8-50.8
45-54	316	55,784	75	27.4	20.5-34.3	26	8.4	4.5-12.3	41	11.1	7.0-15.2	21	9.5	4.4-14.6	8	3.4	0.7- 6.1	145	40.2	33.3-47.1
55-64	414	68,354	100	27.3	21.4-33.2	22	6.5	3.2- 9.8	54	11.5	7.8-15.2	26	8.6	4.1-13.1	12	2.2	0.8- 3.6	200	43.8	37.5-50.1
65+	728	96,759	126	16.5	13.0-20.0	25	3.3	1.5- 5.1	60	9.1	6.2-12.0	41	5.3	3.1- 7.5	28	4.3	2.3- 6.3	448	61.4	56.7-66.1
Less Than H.S.	188	34,744	15	12.8	4.0-21.6	3	2.7	0.0- 5.6	8	2.6	0.2- 5.0	6	5.9	0.6-11.2	4	3.7	0.0- 7.4	152	72.3	62.3-82.3
H.S. or G.E.D.	525	106,155	99	21.8	16.7-26.9	29	5.9	3.2- 8.6	35	7.0	4.1- 9.9	17	4.7	1.8- 7.6	10	2.1	0.3- 3.9	335	58.5	52.6-64.4
Some Post-H.S.	516	119,226	107	23.5	18.0-29.0	33	10.5	5.8-15.2	50	9.4	6.5-12.3	31	7.8	4.3-11.3	28	6.6	3.3- 9.9	267	42.1	36.2-48.0
College Graduate	780	113,188	198	25.5	21.0-30.0	55	9.3	5.8-12.8	128	18.3	14.4-22.2	72	9.2	6.5-11.9	31	3.1	1.7- 4.5	296	34.6	29.5-39.7
Less than \$15,000	179	26,331	26	14.3	7.8-20.8	8	6.3	1.0-11.6	6	1.5	0.0- 3.1	6	5.3	0.0-12.2	5	6.6	0.3-12.9	128	65.9	55.3-76.5
\$15,000- 24,999	271	43,139	49	17.0	11.3-22.7	8	3.7	0.8- 6.6	19	8.1	3.0-13.2	13	6.7	1.4-12.0	6	3.1	0.0- 6.2	176	61.4	53.2-69.6
\$25,000- 34,999	153	26,288	25	14.4	7.3-21.5	5	7.3	0.0-15.9	13	7.6	2.7-12.5	8	5.4	0.7-10.1	5	3.6	0.1- 7.1	97	61.7	50.9-72.5
\$35,000- 49,999	242	46,891	58	26.1	17.9-34.3	12	4.9	1.8- 8.0	27	9.6	5.1-14.1	10	1.7	0.5- 2.9	11	6.2	0.0-12.9	124	51.5	42.1-60.9
\$50,000- 74,999	214	40,743	49	20.5	13.2-27.8	16	14.6	4.4-24.8	28	12.7	7.0-18.4	9	6.4	1.7-11.1	13	4.4	1.3- 7.5	99	41.4	32.4-50.4
\$75,000+	553	121,346	136	27.5	21.6-33.4	52	11.0	7.1-14.9	100	16.4	12.5-20.3	62	11.2	7.7-14.7	27	4.2	2.2- 6.2	176	29.6	24.3-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3605	709,401	3384	92.7	91.3-94.1	221	7.3	5.9- 8.7
Male	1588	334,790	1486	92.6	90.6-94.6	102	7.4	5.4- 9.4
Female	2017	374,611	1898	92.8	91.0-94.6	119	7.2	5.4- 9.0
White/Non-Hisp	2477	454,153	2303	91.6	90.0-93.2	174	8.4	6.8-10.0
Black or Afr. Am./Non-Hisp	447	142,224	431	94.1	90.4-97.8	16	5.9	2.2- 9.6
Oth. Race/Non-Hisp.	134	36,776	128	97.2	93.1- 100	6	2.8	0.0- 6.9
MultiRacial/Non-Hisp.	72	7,618	65	82.8	67.9-97.7	7	17.2	2.3-32.1
Hispanic	394	54,537	380	96.3	93.9-98.7	14	3.7	1.3- 6.1
18-24	231	82,425	203	87.3	81.2-93.4	28	12.7	6.6-18.8
25-34	400	116,924	375	92.8	89.1-96.5	25	7.2	3.5-10.9
35-44	441	103,993	409	92.6	89.5-95.7	32	7.4	4.3-10.5
45-54	563	108,165	533	92.7	89.0-96.4	30	7.3	3.6-11.0
55-64	736	124,219	690	93.0	90.3-95.7	46	7.0	4.3- 9.7
65+	1234	173,674	1174	95.1	93.5-96.7	60	4.9	3.3- 6.5
Less Than H.S.	369	74,290	358	95.9	93.4-98.4	11	4.1	1.6- 6.6
H.S. or G.E.D.	950	220,569	893	92.5	90.0-95.0	57	7.5	5.0-10.0
Some Post-H.S.	885	204,313	818	89.0	85.7-92.3	67	11.0	7.7-14.3
College Graduate	1383	207,514	1297	95.4	94.2-96.6	86	4.6	3.4- 5.8
Less than \$15,000	276	43,207	266	92.0	86.3-97.7	10	8.0	2.3-13.7
\$15,000- 24,999	461	79,216	440	94.2	90.9-97.5	21	5.8	2.5- 9.1
\$25,000- 34,999	276	49,180	259	93.5	89.8-97.2	17	6.5	2.8-10.2
\$35,000- 49,999	390	79,014	366	94.5	90.4-98.6	24	5.5	1.4- 9.6
\$50,000- 74,999	435	92,847	403	90.9	86.4-95.4	32	9.1	4.6-13.6
\$75,000+	1106	240,218	1010	90.9	88.5-93.3	96	9.1	6.7-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1588	334,790	1486	92.6	90.6-94.6	102	7.4	5.4- 9.4
White/Non-Hisp	1115	215,199	1034	91.0	88.5-93.5	81	9.0	6.5-11.5
Black or Afr. Am./Non-Hisp	151	65,926	146	95.5	90.6- 100	5	4.5	0.0- 9.4
Oth. Race/Non-Hisp.	67	16,544	62	98.4	96.8- 100	5	1.6	0.0- 3.2
Hispanic	188	27,703	180	96.1	92.8-99.4	8	3.9	0.6- 7.2
18-24	130	41,463	119	89.9	82.5-97.3	11	10.1	2.7-17.5
25-34	195	58,504	180	91.4	85.7-97.1	15	8.6	2.9-14.3
35-44	188	49,661	175	92.0	86.5-97.5	13	8.0	2.5-13.5
45-54	247	52,381	233	92.5	86.4-98.6	14	7.5	1.4-13.6
55-64	322	55,865	299	93.1	90.0-96.2	23	6.9	3.8-10.0
65+	506	76,916	480	95.1	92.6-97.6	26	4.9	2.4- 7.4
Less Than H.S.	181	39,546	176	96.4	92.9-99.9	5	3.6	0.1- 7.1
H.S. or G.E.D.	425	114,414	388	91.0	87.3-94.7	37	9.0	5.3-12.7
Some Post-H.S.	369	85,087	345	89.7	84.4-95.0	24	10.3	5.0-15.6
College Graduate	603	94,325	567	95.5	93.5-97.5	36	4.5	2.5- 6.5
Less than \$15,000	97	16,876	95	96.7	92.0- 100	2	3.3	0.0- 8.0
\$15,000- 24,999	190	36,076	178	94.2	90.3-98.1	12	5.8	1.9- 9.7
\$25,000- 34,999	123	22,892	116	95.1	90.4-99.8	7	4.9	0.2- 9.6
\$35,000- 49,999	148	32,123	140	96.7	94.0-99.4	8	3.3	0.6- 6.0
\$50,000- 74,999	221	52,104	203	88.3	81.2-95.4	18	11.7	4.6-18.8
\$75,000+	553	118,871	506	91.0	87.5-94.5	47	9.0	5.5-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2017	374,611	1898	92.8	91.0-94.6	119	7.2	5.4- 9.0
White/Non-Hisp	1362	238,953	1269	92.2	90.0-94.4	93	7.8	5.6-10.0
Black or Afr. Am./Non-Hisp	296	76,298	285	92.8	87.3-98.3	11	7.2	1.7-12.7
Oth. Race/Non-Hisp.	67	20,232	66	96.2	88.8- 100	1	3.8	0.0-11.2
Hispanic	206	26,833	200	96.6	93.5-99.7	6	3.4	0.3- 6.5
18-24	101	40,962	84	84.6	74.8-94.4	17	15.4	5.6-25.2
25-34	205	58,419	195	94.3	89.8-98.8	10	5.7	1.2-10.2
35-44	253	54,333	234	93.2	89.5-96.9	19	6.8	3.1-10.5
45-54	316	55,784	300	92.8	88.3-97.3	16	7.2	2.7-11.7
55-64	414	68,354	391	93.0	88.9-97.1	23	7.0	2.9-11.1
65+	728	96,759	694	95.0	92.8-97.2	34	5.0	2.8- 7.2
Less Than H.S.	188	34,744	182	95.3	91.4-99.2	6	4.7	0.8- 8.6
H.S. or G.E.D.	525	106,155	505	94.1	90.8-97.4	20	5.9	2.6- 9.2
Some Post-H.S.	516	119,226	473	88.5	84.2-92.8	43	11.5	7.2-15.8
College Graduate	780	113,188	730	95.3	93.7-96.9	50	4.7	3.1- 6.3
Less than \$15,000	179	26,331	171	88.9	80.1-97.7	8	11.1	2.3-19.9
\$15,000- 24,999	271	43,139	262	94.2	89.3-99.1	9	5.8	0.9-10.7
\$25,000- 34,999	153	26,288	143	92.1	86.4-97.8	10	7.9	2.2-13.6
\$35,000- 49,999	242	46,891	226	92.9	86.2-99.6	16	7.1	0.4-13.8
\$50,000- 74,999	214	40,743	200	94.3	90.4-98.2	14	5.7	1.8- 9.6
\$75,000+	553	121,346	504	90.9	87.6-94.2	49	9.1	5.8-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	129
2 MALES ONLY	130
3 FEMALES ONLY	131
PHYSICAL ACTIVITY CATEGORIES (_PACAT2)	
4 MALES AND FEMALES	132
5 MALES ONLY	133
6 FEMALES ONLY	134
PHYSICAL ACTIVITY INDEX (_PAINDX2)	
7 MALES AND FEMALES	135
8 MALES ONLY	136
9 FEMALES ONLY	137
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	138
11 MALES ONLY	139
12 FEMALES ONLY	140
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)	
13 MALES AND FEMALES	141
14 MALES ONLY	142
15 FEMALES ONLY	143
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)	
16 MALES AND FEMALES	144
17 MALES ONLY	145
18 FEMALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3647	715,798	2635	73.4	71.4-75.4	1012	26.6	24.6-28.6
Male	1620	339,911	1214	75.5	72.6-78.4	406	24.5	21.6-27.4
Female	2027	375,887	1421	71.4	68.7-74.1	606	28.6	25.9-31.3
White/Non-Hisp	2500	456,100	1868	75.4	73.2-77.6	632	24.6	22.4-26.8
Black or Afr. Am./Non-Hisp	452	145,523	279	67.1	61.6-72.6	173	32.9	27.4-38.4
Oth. Race/Non-Hisp.	138	37,391	101	77.5	67.3-87.7	37	22.5	12.3-32.7
MultiRacial/Non-Hisp.	73	7,677	52	71.6	57.1-86.1	21	28.4	13.9-42.9
Hispanic	398	54,193	262	66.9	59.8-74.0	136	33.1	26.0-40.2
18-24	231	82,626	182	81.7	75.6-87.8	49	18.3	12.2-24.4
25-34	409	118,126	299	75.5	69.8-81.2	110	24.5	18.8-30.2
35-44	444	104,863	344	80.1	75.4-84.8	100	19.9	15.2-24.6
45-54	573	110,564	424	72.1	67.0-77.2	149	27.9	22.8-33.0
55-64	744	125,471	550	73.6	69.3-77.9	194	26.4	22.1-30.7
65+	1246	174,149	836	64.7	61.0-68.4	410	35.3	31.6-39.0
Less Than H.S.	369	74,860	202	56.3	48.9-63.7	167	43.7	36.3-51.1
H.S. or G.E.D.	965	221,421	638	68.0	64.1-71.9	327	32.0	28.1-35.9
Some Post-H.S.	894	205,398	622	73.3	69.6-77.0	272	26.7	23.0-30.4
College Graduate	1400	210,581	1158	84.9	82.4-87.4	242	15.1	12.6-17.6
Less than \$15,000	276	43,868	167	60.3	51.9-68.7	109	39.7	31.3-48.1
\$15,000- 24,999	461	78,982	280	62.1	55.8-68.4	181	37.9	31.6-44.2
\$25,000- 34,999	280	50,071	182	69.7	62.8-76.6	98	30.3	23.4-37.2
\$35,000- 49,999	392	79,562	277	72.6	66.1-79.1	115	27.4	20.9-33.9
\$50,000- 74,999	435	92,673	342	77.1	71.6-82.6	93	22.9	17.4-28.4
\$75,000+	1119	241,873	904	81.2	78.3-84.1	215	18.8	15.9-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1620	339,911	1214	75.5	72.6-78.4	406	24.5	21.6-27.4
White/Non-Hisp	1132	216,978	860	75.2	71.9-78.5	272	24.8	21.5-28.1
Black or Afr. Am./Non-Hisp	155	67,214	112	76.2	68.2-84.2	43	23.8	15.8-31.8
Oth. Race/Non-Hisp.	70	17,137	55	83.6	73.4-93.8	15	16.4	6.2-26.6
Hispanic	193	28,638	129	68.2	58.0-78.4	64	31.8	21.6-42.0
18-24	130	41,072	105	81.8	73.2-90.4	25	18.2	9.6-26.8
25-34	204	60,749	149	77.4	69.8-85.0	55	22.6	15.0-30.2
35-44	193	51,067	153	81.9	75.0-88.8	40	18.1	11.2-25.0
45-54	247	52,641	192	73.1	65.5-80.7	55	26.9	19.3-34.5
55-64	330	57,100	252	74.8	68.7-80.9	78	25.2	19.1-31.3
65+	516	77,282	363	68.7	63.2-74.2	153	31.3	25.8-36.8
Less Than H.S.	183	40,630	106	61.5	51.3-71.7	77	38.5	28.3-48.7
H.S. or G.E.D.	441	117,066	307	69.1	63.2-75.0	134	30.9	25.0-36.8
Some Post-H.S.	373	84,682	267	76.2	70.9-81.5	106	23.8	18.5-29.1
College Graduate	614	96,184	528	88.7	85.8-91.6	86	11.3	8.4-14.2
Less than \$15,000	99	18,008	68	65.5	52.6-78.4	31	34.5	21.6-47.4
\$15,000- 24,999	191	35,997	124	66.9	57.5-76.3	67	33.1	23.7-42.5
\$25,000- 34,999	125	23,395	88	74.0	64.6-83.4	37	26.0	16.6-35.4
\$35,000- 49,999	150	32,626	115	81.3	73.3-89.3	35	18.7	10.7-26.7
\$50,000- 74,999	221	52,273	167	73.0	64.8-81.2	54	27.0	18.8-35.2
\$75,000+	561	119,999	459	82.8	78.9-86.7	102	17.2	13.3-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2027	375,887	1421	71.4	68.7-74.1	606	28.6	25.9-31.3
White/Non-Hisp	1368	239,122	1008	75.7	72.8-78.6	360	24.3	21.4-27.2
Black or Afr. Am./Non-Hisp	297	78,309	167	59.3	51.9-66.7	130	40.7	33.3-48.1
Oth. Race/Non-Hisp.	68	20,253	46	72.4	56.1-88.7	22	27.6	11.3-43.9
Hispanic	205	25,556	133	65.3	55.9-74.7	72	34.7	25.3-44.1
18-24	101	41,554	77	81.5	72.7-90.3	24	18.5	9.7-27.3
25-34	205	57,377	150	73.5	65.3-81.7	55	26.5	18.3-34.7
35-44	251	53,796	191	78.3	71.8-84.8	60	21.7	15.2-28.2
45-54	326	57,922	232	71.2	64.7-77.7	94	28.8	22.3-35.3
55-64	414	68,371	298	72.5	66.6-78.4	116	27.5	21.6-33.4
65+	730	96,866	473	61.5	56.6-66.4	257	38.5	33.6-43.4
Less Than H.S.	186	34,229	96	50.2	40.0-60.4	90	49.8	39.6-60.0
H.S. or G.E.D.	524	104,355	331	66.9	61.6-72.2	193	33.1	27.8-38.4
Some Post-H.S.	521	120,716	355	71.2	65.9-76.5	166	28.8	23.5-34.1
College Graduate	786	114,397	630	81.7	77.8-85.6	156	18.3	14.4-22.2
Less than \$15,000	177	25,859	99	56.7	45.7-67.7	78	43.3	32.3-54.3
\$15,000- 24,999	270	42,985	156	58.1	50.1-66.1	114	41.9	33.9-49.9
\$25,000- 34,999	155	26,676	94	65.9	56.1-75.7	61	34.1	24.3-43.9
\$35,000- 49,999	242	46,935	162	66.6	57.8-75.4	80	33.4	24.6-42.2
\$50,000- 74,999	214	40,400	175	82.4	75.7-89.1	39	17.6	10.9-24.3
\$75,000+	558	121,874	445	79.6	75.1-84.1	113	20.4	15.9-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2179	413,086	1167	53.9	51.0-56.8	1012	46.1	43.2-49.0
Male	980	198,554	574	58.1	53.8-62.4	406	41.9	37.6-46.2
Female	1199	214,532	593	50.0	45.9-54.1	606	50.0	45.9-54.1
White/Non-Hisp	1537	266,394	905	57.9	54.6-61.2	632	42.1	38.8-45.4
Black or Afr. Am./Non-Hisp	262	84,214	89	43.1	34.9-51.3	173	56.9	48.7-65.1
Oth. Race/Non-Hisp.	79	19,618	42	57.2	40.5-73.9	37	42.8	26.1-59.5
Hispanic	215	30,698	79	41.5	30.5-52.5	136	58.5	47.5-69.5
18-24	122	43,659	73	65.3	54.7-75.9	49	34.7	24.1-45.3
25-34	203	60,301	93	51.9	42.3-61.5	110	48.1	38.5-57.7
35-44	217	49,198	117	57.5	48.5-66.5	100	42.5	33.5-51.5
45-54	313	60,858	164	49.3	41.9-56.7	149	50.7	43.3-58.1
55-64	432	72,155	238	54.0	47.7-60.3	194	46.0	39.7-52.3
65+	892	126,914	482	51.6	47.3-55.9	410	48.4	44.1-52.7
Less Than H.S.	239	51,775	72	36.8	27.6-46.0	167	63.2	54.0-72.4
H.S. or G.E.D.	610	137,421	283	48.5	43.0-54.0	327	51.5	46.0-57.0
Some Post-H.S.	566	120,061	294	54.3	48.8-59.8	272	45.7	40.2-51.2
College Graduate	758	102,586	516	69.0	64.3-73.7	242	31.0	26.3-35.7
Less than \$15,000	178	30,541	69	43.0	31.8-54.2	109	57.0	45.8-68.2
\$15,000- 24,999	315	54,899	134	45.5	37.5-53.5	181	54.5	46.5-62.5
\$25,000- 34,999	179	32,046	81	52.7	42.5-62.9	98	47.3	37.1-57.5
\$35,000- 49,999	238	46,731	123	53.4	43.8-63.0	115	46.6	37.0-56.2
\$50,000- 74,999	247	51,342	154	58.6	50.2-67.0	93	41.4	33.0-49.8
\$75,000+	629	123,468	414	63.2	58.1-68.3	215	36.8	31.7-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	980	198,554	574	58.1	53.8-62.4	406	41.9	37.6-46.2
White/Non-Hisp	711	130,474	439	58.7	54.0-63.4	272	41.3	36.6-46.0
Black or Afr. Am./Non-Hisp	84	35,656	41	55.2	42.1-68.3	43	44.8	31.7-57.9
Hispanic	108	18,116	44	49.8	33.9-65.7	64	50.2	34.3-66.1
18-24	65	21,641	40	65.5	51.0-80.0	25	34.5	20.0-49.0
25-34	104	31,300	49	56.1	43.0-69.2	55	43.9	30.8-57.0
35-44	93	23,523	53	60.6	47.1-74.1	40	39.4	25.9-52.9
45-54	137	29,238	82	51.6	40.2-63.0	55	48.4	37.0-59.8
55-64	199	34,700	121	58.5	49.7-67.3	78	41.5	32.7-50.3
65+	382	58,153	229	58.5	51.8-65.2	153	41.5	34.8-48.2
Less Than H.S.	120	27,232	43	42.5	29.4-55.6	77	57.5	44.4-70.6
H.S. or G.E.D.	282	73,924	148	51.0	43.2-58.8	134	49.0	41.2-56.8
Some Post-H.S.	229	47,937	123	57.9	49.9-65.9	106	42.1	34.1-50.1
College Graduate	345	48,945	259	77.8	72.3-83.3	86	22.2	16.7-27.7
Less than \$15,000	58	11,818	27	47.4	30.3-64.5	31	52.6	35.5-69.7
\$15,000- 24,999	131	24,553	64	51.5	39.2-63.8	67	48.5	36.2-60.8
\$25,000- 34,999	77	14,783	40	58.9	44.0-73.8	37	41.1	26.2-56.0
\$35,000- 49,999	90	18,316	55	66.7	53.6-79.8	35	33.3	20.2-46.4
\$50,000- 74,999	133	31,448	79	55.1	43.5-66.7	54	44.9	33.3-56.5
\$75,000+	330	62,527	228	67.0	60.3-73.7	102	33.0	26.3-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1199	214,532	593	50.0	45.9-54.1	606	50.0	45.9-54.1
White/Non-Hisp	826	135,920	466	57.2	52.7-61.7	360	42.8	38.3-47.3
Black or Afr. Am./Non-Hisp	178	48,557	48	34.3	23.9-44.7	130	65.7	55.3-76.1
Hispanic	107	12,582	35	29.6	18.4-40.8	72	70.4	59.2-81.6
18-24	57	22,019	33	65.1	49.6-80.6	24	34.9	19.4-50.4
25-34	99	29,001	44	47.5	33.4-61.6	55	52.5	38.4-66.6
35-44	124	25,675	64	54.6	43.0-66.2	60	45.4	33.8-57.0
45-54	176	31,621	82	47.2	37.4-57.0	94	52.8	43.0-62.6
55-64	233	37,456	117	49.9	41.1-58.7	116	50.1	41.3-58.9
65+	510	68,760	253	45.7	40.0-51.4	257	54.3	48.6-60.0
Less Than H.S.	119	24,543	29	30.6	17.9-43.3	90	69.4	56.7-82.1
H.S. or G.E.D.	328	63,497	135	45.6	38.2-53.0	193	54.4	47.0-61.8
Some Post-H.S.	337	72,124	171	51.9	44.5-59.3	166	48.1	40.7-55.5
College Graduate	413	53,641	257	60.9	53.6-68.2	156	39.1	31.8-46.4
Less than \$15,000	120	18,723	42	40.2	25.3-55.1	78	59.8	44.9-74.7
\$15,000- 24,999	184	30,346	70	40.6	30.4-50.8	114	59.4	49.2-69.6
\$25,000- 34,999	102	17,263	41	47.3	34.0-60.6	61	52.7	39.4-66.0
\$35,000- 49,999	148	28,415	68	44.9	32.6-57.2	80	55.1	42.8-67.4
\$50,000- 74,999	114	19,894	75	64.2	52.4-76.0	39	35.8	24.0-47.6
\$75,000+	299	60,941	186	59.2	51.4-67.0	113	40.8	33.0-48.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2794	538,851	1782	64.6	62.1-67.1	1012	35.4	32.9-37.9
Male	1242	252,168	836	67.0	63.5-70.5	406	33.0	29.5-36.5
Female	1552	286,683	946	62.6	59.3-65.9	606	37.4	34.1-40.7
White/Non-Hisp	1978	353,411	1346	68.3	65.6-71.0	632	31.7	29.0-34.4
Black or Afr. Am./Non-Hisp	328	105,735	155	54.7	47.6-61.8	173	45.3	38.2-52.4
Oth. Race/Non-Hisp.	95	24,614	58	65.9	51.8-80.0	37	34.1	20.0-48.2
MultiRacial/Non-Hisp.	56	5,802	35	62.4	44.2-80.6	21	37.6	19.4-55.8
Hispanic	287	40,540	151	55.7	46.9-64.5	136	44.3	35.5-53.1
18-24	170	61,033	121	75.2	67.0-83.4	49	24.8	16.6-33.0
25-34	286	82,503	176	64.9	57.5-72.3	110	35.1	27.7-42.5
35-44	309	72,667	209	71.2	64.7-77.7	100	28.8	22.3-35.3
45-54	430	81,225	281	62.0	55.7-68.3	149	38.0	31.7-44.3
55-64	558	93,666	364	64.6	59.3-69.9	194	35.4	30.1-40.7
65+	1041	147,757	631	58.4	54.3-62.5	410	41.6	37.5-45.7
Less Than H.S.	275	59,537	108	45.1	36.7-53.5	167	54.9	46.5-63.3
H.S. or G.E.D.	758	170,014	431	58.4	53.7-63.1	327	41.6	36.9-46.3
Some Post-H.S.	715	159,549	443	65.6	60.9-70.3	272	34.4	29.7-39.1
College Graduate	1038	148,362	796	78.6	75.1-82.1	242	21.4	17.9-24.9
Less than \$15,000	210	35,170	101	50.5	40.5-60.5	109	49.5	39.5-59.5
\$15,000- 24,999	376	65,748	195	54.5	47.2-61.8	181	45.5	38.2-52.8
\$25,000- 34,999	216	38,951	118	61.1	52.5-69.7	98	38.9	30.3-47.5
\$35,000- 49,999	300	59,993	185	63.7	55.9-71.5	115	36.3	28.5-44.1
\$50,000- 74,999	345	71,815	252	70.4	63.5-77.3	93	29.6	22.7-36.5
\$75,000+	858	174,192	643	73.9	70.0-77.8	215	26.1	22.2-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAINDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1242	252,168	836	67.0	63.5-70.5	406	33.0	29.5-36.5
White/Non-Hisp	899	167,240	627	67.8	63.7-71.9	272	32.2	28.1-36.3
Black or Afr. Am./Non-Hisp	106	44,485	63	64.1	52.9-75.3	43	35.9	24.7-47.1
Hispanic	145	22,964	81	60.4	47.9-72.9	64	39.6	27.1-52.1
18-24	93	28,395	68	73.7	61.9-85.5	25	26.3	14.5-38.1
25-34	152	43,495	97	68.4	58.4-78.4	55	31.6	21.6-41.6
35-44	124	33,195	84	72.1	62.1-82.1	40	27.9	17.9-37.9
45-54	183	38,131	128	62.9	53.3-72.5	55	37.1	27.5-46.7
55-64	256	44,411	178	67.5	60.1-74.9	78	32.5	25.1-39.9
65+	434	64,540	281	62.6	56.3-68.9	153	37.4	31.1-43.7
Less Than H.S.	137	30,597	60	48.8	36.8-60.8	77	51.2	39.2-63.2
H.S. or G.E.D.	344	89,681	210	59.6	52.5-66.7	134	40.4	33.3-47.5
Some Post-H.S.	296	62,306	190	67.6	60.9-74.3	106	32.4	25.7-39.1
College Graduate	459	68,923	373	84.3	80.2-88.4	86	15.7	11.6-19.8
Less than \$15,000	68	13,363	37	53.5	37.6-69.4	31	46.5	30.6-62.4
\$15,000- 24,999	154	29,515	87	59.7	48.5-70.9	67	40.3	29.1-51.5
\$25,000- 34,999	95	18,408	58	67.0	55.0-79.0	37	33.0	21.0-45.0
\$35,000- 49,999	109	21,950	74	72.2	61.0-83.4	35	27.8	16.6-39.0
\$50,000- 74,999	184	41,849	130	66.2	56.8-75.6	54	33.8	24.4-43.2
\$75,000+	426	82,612	324	75.0	69.7-80.3	102	25.0	19.7-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1552	286,683	946	62.6	59.3-65.9	606	37.4	34.1-40.7
White/Non-Hisp	1079	186,171	719	68.7	65.0-72.4	360	31.3	27.6-35.0
Black or Afr. Am./Non-Hisp	222	61,250	92	47.9	38.9-56.9	130	52.1	43.1-61.1
Oth. Race/Non-Hisp.	50	13,913	28	59.8	38.6-81.0	22	40.2	19.0-61.4
Hispanic	142	17,576	70	49.6	37.6-61.6	72	50.4	38.4-62.4
18-24	77	32,638	53	76.4	65.2-87.6	24	23.6	12.4-34.8
25-34	134	39,008	79	61.0	49.6-72.4	55	39.0	27.6-50.4
35-44	185	39,472	125	70.5	62.1-78.9	60	29.5	21.1-37.9
45-54	247	43,093	153	61.2	53.2-69.2	94	38.8	30.8-46.8
55-64	302	49,254	186	61.9	54.3-69.5	116	38.1	30.5-45.7
65+	607	83,217	350	55.2	49.9-60.5	257	44.8	39.5-50.1
Less Than H.S.	138	28,940	48	41.1	29.3-52.9	90	58.9	47.1-70.7
H.S. or G.E.D.	414	80,333	221	57.0	50.5-63.5	193	43.0	36.5-49.5
Some Post-H.S.	419	97,243	253	64.3	58.0-70.6	166	35.7	29.4-42.0
College Graduate	579	79,439	423	73.6	68.3-78.9	156	26.4	21.1-31.7
Less than \$15,000	142	21,808	64	48.7	35.8-61.6	78	51.3	38.4-64.2
\$15,000- 24,999	222	36,233	108	50.3	41.1-59.5	114	49.7	40.5-58.9
\$25,000- 34,999	121	20,543	60	55.7	43.5-67.9	61	44.3	32.1-56.5
\$35,000- 49,999	191	38,043	111	58.8	48.4-69.2	80	41.2	30.8-51.6
\$50,000- 74,999	161	29,965	122	76.3	67.5-85.1	39	23.7	14.9-32.5
\$75,000+	432	91,580	319	72.9	67.0-78.8	113	27.1	21.2-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3460	675,625	1272	37.0	34.6-39.4	2188	63.0	60.6-65.4
Male	1545	323,608	627	43.2	39.7-46.7	918	56.8	53.3-60.3
Female	1915	352,017	645	31.3	28.4-34.2	1270	68.7	65.8-71.6
White/Non-Hisp	2376	433,223	898	37.9	35.2-40.6	1478	62.1	59.4-64.8
Black or Afr. Am./Non-Hisp	427	135,251	151	38.0	31.5-44.5	276	62.0	55.5-68.5
Oth. Race/Non-Hisp.	128	35,295	41	26.2	16.2-36.2	87	73.8	63.8-83.8
MultiRacial/Non-Hisp.	67	6,813	30	55.0	37.9-72.1	37	45.0	27.9-62.1
Hispanic	380	51,310	117	32.2	25.3-39.1	263	67.8	60.9-74.7
18-24	216	76,022	103	44.3	35.3-53.3	113	55.7	46.7-64.7
25-34	384	111,534	145	35.9	29.0-42.8	239	64.1	57.2-71.0
35-44	427	100,997	171	42.7	36.2-49.2	256	57.3	50.8-63.8
45-54	547	104,976	179	29.6	24.7-34.5	368	70.4	65.5-75.3
55-64	707	118,522	238	34.1	29.6-38.6	469	65.9	61.4-70.4
65+	1179	163,574	436	37.7	34.0-41.4	743	62.3	58.6-66.0
Less Than H.S.	351	70,646	91	29.9	22.3-37.5	260	70.1	62.5-77.7
H.S. or G.E.D.	905	207,208	314	35.0	30.7-39.3	591	65.0	60.7-69.3
Some Post-H.S.	844	192,864	319	38.4	33.7-43.1	525	61.6	56.9-66.3
College Graduate	1341	201,334	540	40.1	36.4-43.8	801	59.9	56.2-63.6
Less than \$15,000	264	40,817	100	40.6	32.0-49.2	164	59.4	50.8-68.0
\$15,000- 24,999	434	72,585	144	32.9	26.8-39.0	290	67.1	61.0-73.2
\$25,000- 34,999	269	46,961	88	33.0	25.7-40.3	181	67.0	59.7-74.3
\$35,000- 49,999	376	75,983	146	40.3	32.7-47.9	230	59.7	52.1-67.3
\$50,000- 74,999	421	89,793	172	42.7	36.0-49.4	249	57.3	50.6-64.0
\$75,000+	1074	232,129	402	36.9	32.8-41.0	672	63.1	59.0-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	323,608	627	43.2	39.7-46.7	918	56.8	53.3-60.3
White/Non-Hisp	1076	208,210	438	42.0	38.1-45.9	638	58.0	54.1-61.9
Black or Afr. Am./Non-Hisp	150	64,089	67	50.0	39.6-60.4	83	50.0	39.6-60.4
Oth. Race/Non-Hisp.	66	15,754	24	37.6	21.3-53.9	42	62.4	46.1-78.7
Hispanic	187	26,950	68	37.4	27.2-47.6	119	62.6	52.4-72.8
18-24	125	39,330	68	52.4	40.6-64.2	57	47.6	35.8-59.4
25-34	194	57,744	84	42.6	32.4-52.8	110	57.4	47.2-67.6
35-44	185	48,811	80	52.5	42.9-62.1	105	47.5	37.9-57.1
45-54	237	49,646	89	35.0	27.4-42.6	148	65.0	57.4-72.6
55-64	314	54,128	120	40.9	34.0-47.8	194	59.1	52.2-66.0
65+	490	73,949	186	40.0	33.9-46.1	304	60.0	53.9-66.1
Less Than H.S.	175	38,125	59	39.0	27.4-50.6	116	61.0	49.4-72.6
H.S. or G.E.D.	417	110,675	151	38.7	32.4-45.0	266	61.3	55.0-67.6
Some Post-H.S.	356	81,324	148	46.5	39.4-53.6	208	53.5	46.4-60.6
College Graduate	587	92,080	265	47.4	41.7-53.1	322	52.6	46.9-58.3
Less than \$15,000	95	16,147	38	46.1	32.2-60.0	57	53.9	40.0-67.8
\$15,000- 24,999	180	32,717	62	36.0	26.4-45.6	118	64.0	54.4-73.6
\$25,000- 34,999	121	21,284	47	40.7	29.3-52.1	74	59.3	47.9-70.7
\$35,000- 49,999	145	32,166	70	56.0	43.8-68.2	75	44.0	31.8-56.2
\$50,000- 74,999	213	51,632	86	45.6	36.2-55.0	127	54.4	45.0-63.8
\$75,000+	537	115,169	226	44.3	38.6-50.0	311	55.7	50.0-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	352,017	645	31.3	28.4-34.2	1270	68.7	65.8-71.6
White/Non-Hisp	1300	225,013	460	34.0	30.5-37.5	840	66.0	62.5-69.5
Black or Afr. Am./Non-Hisp	277	71,162	84	27.2	20.3-34.1	193	72.8	65.9-79.7
Oth. Race/Non-Hisp.	62	19,541	17	17.0	6.4-27.6	45	83.0	72.4-93.6
Hispanic	193	24,360	49	26.6	17.6-35.6	144	73.4	64.4-82.4
18-24	91	36,693	35	35.7	21.8-49.6	56	64.3	50.4-78.2
25-34	190	53,789	61	28.6	20.4-36.8	129	71.4	63.2-79.6
35-44	242	52,186	91	33.5	26.1-40.9	151	66.5	59.1-73.9
45-54	310	55,330	90	24.9	19.0-30.8	220	75.1	69.2-81.0
55-64	393	64,394	118	28.5	22.8-34.2	275	71.5	65.8-77.2
65+	689	89,626	250	35.9	31.2-40.6	439	64.1	59.4-68.8
Less Than H.S.	176	32,521	32	19.1	11.3-26.9	144	80.9	73.1-88.7
H.S. or G.E.D.	488	96,533	163	30.9	25.6-36.2	325	69.1	63.8-74.4
Some Post-H.S.	488	111,541	171	32.5	26.6-38.4	317	67.5	61.6-73.4
College Graduate	754	109,255	275	33.8	29.1-38.5	479	66.2	61.5-70.9
Less than \$15,000	169	24,670	62	37.1	26.5-47.7	107	62.9	52.3-73.5
\$15,000- 24,999	254	39,868	82	30.3	22.7-37.9	172	69.7	62.1-77.3
\$25,000- 34,999	148	25,677	41	26.5	17.1-35.9	107	73.5	64.1-82.9
\$35,000- 49,999	231	43,816	76	28.8	21.2-36.4	155	71.2	63.6-78.8
\$50,000- 74,999	208	38,161	86	38.8	29.8-47.8	122	61.2	52.2-70.2
\$75,000+	537	116,960	176	29.6	24.1-35.1	361	70.4	64.9-75.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2688	512,671	810	30.2	27.7-32.7	897	33.9	31.4-36.4	178	6.1	4.9- 7.3	803	29.7	27.3-32.1
Male	1197	241,083	401	34.6	30.9-38.3	402	31.9	28.4-35.4	85	7.5	5.5- 9.5	309	26.0	22.5-29.5
Female	1491	271,589	409	26.3	23.2-29.4	495	35.7	32.0-39.4	93	4.9	3.7- 6.1	494	33.1	29.8-36.4
White/Non-Hisp	1908	338,930	603	32.1	29.2-35.0	691	36.3	33.4-39.2	113	5.6	4.2- 7.0	501	26.1	23.4-28.8
Black or Afr. Am./Non-Hisp	318	99,662	75	26.0	19.3-32.7	73	26.1	19.4-32.8	30	7.5	4.4-10.6	140	40.4	33.3-47.5
Oth. Race/Non-Hisp.	86	22,719	24	25.4	12.7-38.1	29	41.1	25.6-56.6	6	3.8	0.5- 7.1	27	29.7	14.8-44.6
MultiRacial/Non-Hisp.	52	5,163	16	43.2	22.4-64.0	15	14.6	4.6-24.6	8	17.9	1.8-34.0	13	24.4	8.1-40.7
Hispanic	278	38,367	72	24.9	17.8-32.0	74	29.1	20.5-37.7	20	8.8	4.1-13.5	112	37.2	28.6-45.8
18-24	163	57,377	65	39.1	28.9-49.3	49	34.5	23.9-45.1	14	5.3	2.2- 8.4	35	21.1	13.1-29.1
25-34	272	78,481	89	28.2	21.1-35.3	77	36.0	27.8-44.2	13	4.5	1.6- 7.4	93	31.3	23.7-38.9
35-44	301	70,204	113	39.8	32.4-47.2	90	30.6	23.7-37.5	16	5.6	1.9- 9.3	82	24.0	17.9-30.1
45-54	413	76,687	106	22.4	17.5-27.3	162	38.3	32.2-44.4	23	5.3	2.6- 8.0	122	34.0	27.7-40.3
55-64	539	90,068	156	28.7	23.8-33.6	195	36.3	30.8-41.8	27	4.8	2.6- 7.0	161	30.2	24.9-35.5
65+	1000	139,854	281	28.1	24.4-31.8	324	30.2	26.5-33.9	85	9.0	6.6-11.4	310	32.6	28.5-36.7
Less Than H.S.	260	55,048	43	18.6	12.1-25.1	59	25.8	17.6-34.0	24	9.7	5.0-14.4	134	45.9	37.5-54.3
H.S. or G.E.D.	721	160,793	178	26.4	21.9-30.9	227	31.2	26.7-35.7	67	8.1	5.6-10.6	249	34.3	29.4-39.2
Some Post-H.S.	684	150,843	205	30.0	25.1-34.9	214	34.7	29.6-39.8	49	5.7	3.7- 7.7	216	29.6	25.1-34.1
College Graduate	1015	144,600	381	38.8	34.5-43.1	396	39.4	35.1-43.7	37	3.1	1.7- 4.5	201	18.7	15.4-22.0
Less than \$15,000	200	32,953	49	25.0	16.6-33.4	46	25.3	15.1-35.5	29	15.6	9.1-22.1	76	34.1	24.7-43.5
\$15,000- 24,999	360	60,732	79	23.1	17.0-29.2	103	29.0	21.7-36.3	39	10.1	6.2-14.0	139	37.7	30.6-44.8
\$25,000- 34,999	209	36,596	43	23.1	15.5-30.7	70	36.2	27.0-45.4	24	9.7	5.2-14.2	72	31.0	23.0-39.0
\$35,000- 49,999	293	57,123	90	30.7	23.3-38.1	90	32.0	24.4-39.6	22	5.3	2.6- 8.0	91	31.9	24.1-39.7
\$50,000- 74,999	334	69,603	128	36.5	29.4-43.6	114	33.1	25.8-40.4	12	5.3	1.6- 9.0	80	25.0	18.5-31.5
\$75,000+	839	169,065	293	34.8	30.1-39.5	334	38.9	34.2-43.6	20	2.0	0.8- 3.2	192	24.3	20.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1197	241,083	401	34.6	30.9-38.3	402	31.9	28.4-35.4	85	7.5	5.5- 9.5	309	26.0	22.5-29.5
White/Non-Hisp	868	162,051	294	34.6	30.5-38.7	309	32.9	28.8-37.0	57	7.1	4.7- 9.5	208	25.4	21.5-29.3
Black or Afr. Am./Non-Hisp	104	42,531	35	35.7	23.9-47.5	26	26.7	15.9-37.5	9	8.0	2.1-13.9	34	29.6	18.8-40.4
Hispanic	141	21,147	41	26.4	16.6-36.2	38	31.4	18.5-44.3	13	11.8	4.2-19.4	49	30.5	18.5-42.5
18-24	93	28,395	41	44.5	31.6-57.4	27	29.2	16.7-41.7	11	8.8	2.9-14.7	14	17.4	6.4-28.4
25-34	143	40,784	53	31.9	21.7-42.1	38	36.4	24.8-48.0	9	5.4	1.3- 9.5	43	26.4	16.4-36.4
35-44	120	31,474	48	48.8	36.8-60.8	34	22.3	13.5-31.1	7	8.5	0.9-16.1	31	20.4	12.2-28.6
45-54	175	35,408	50	24.6	17.0-32.2	72	36.3	27.3-45.3	10	6.5	1.6-11.4	43	32.7	22.9-42.5
55-64	248	42,787	82	33.2	25.8-40.6	91	35.1	27.7-42.5	14	6.0	2.3- 9.7	61	25.7	18.6-32.8
65+	418	62,234	127	31.2	25.1-37.3	140	30.5	25.0-36.0	34	9.5	5.4-13.6	117	28.9	22.8-35.0
Less Than H.S.	129	27,535	29	23.0	13.2-32.8	29	25.2	13.6-36.8	16	14.9	6.3-23.5	55	36.8	25.4-48.2
H.S. or G.E.D.	329	85,829	87	28.8	22.1-35.5	111	29.7	23.4-36.0	29	8.6	4.7-12.5	102	33.0	25.9-40.1
Some Post-H.S.	286	60,002	93	34.3	27.2-41.4	89	32.5	25.1-39.9	23	7.8	4.1-11.5	81	25.4	19.3-31.5
College Graduate	447	67,056	190	46.8	40.3-53.3	172	37.2	30.9-43.5	16	2.9	1.3- 4.5	69	13.1	9.2-17.0
Less than \$15,000	65	12,185	21	32.9	18.0-47.8	15	21.6	8.3-34.9	8	13.9	2.3-25.5	21	31.6	16.1-47.1
\$15,000- 24,999	146	26,544	32	23.6	14.2-33.0	48	31.8	19.6-44.0	19	15.4	7.8-23.0	47	29.2	18.6-39.8
\$25,000- 34,999	92	16,568	23	26.1	14.7-37.5	32	37.2	23.9-50.5	12	13.6	5.0-22.2	25	23.0	13.0-33.0
\$35,000- 49,999	106	21,253	41	41.7	28.0-55.4	31	30.7	18.2-43.2	9	6.4	1.7-11.1	25	21.1	10.5-31.7
\$50,000- 74,999	177	41,065	65	37.8	28.2-47.4	59	28.1	20.1-36.1	8	6.3	0.6-12.0	45	27.8	18.8-36.8
\$75,000+	416	80,442	157	40.2	33.7-46.7	158	34.4	28.5-40.3	14	3.2	1.0- 5.4	87	22.1	16.8-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1491	271,589	409	26.3	23.2-29.4	495	35.7	32.0-39.4	93	4.9	3.7- 6.1	494	33.1	29.8-36.4
White/Non-Hisp	1040	176,880	309	29.7	25.8-33.6	382	39.4	35.1-43.7	56	4.2	2.8- 5.6	293	26.7	23.0-30.4
Black or Afr. Am./Non-Hisp	214	57,131	40	18.8	11.4-26.2	47	25.7	17.5-33.9	21	7.1	3.6-10.6	106	48.4	39.4-57.4
Hispanic	137	17,219	31	23.1	12.7-33.5	36	26.4	15.8-37.0	7	5.1	0.2-10.0	63	45.4	33.4-57.4
18-24	70	28,981	24	33.8	17.7-49.9	22	39.7	22.8-56.6	3	1.8	0.0- 4.2	21	24.7	12.4-37.0
25-34	129	37,696	36	24.2	14.4-34.0	39	35.6	23.6-47.6	4	3.6	0.0- 7.5	50	36.6	25.2-48.0
35-44	181	38,730	65	32.5	23.9-41.1	56	37.4	27.6-47.2	9	3.3	0.8- 5.8	51	26.8	18.4-35.2
45-54	238	41,279	56	20.5	14.2-26.8	90	40.0	31.8-48.2	13	4.2	1.5- 6.9	79	35.2	27.0-43.4
55-64	291	47,281	74	24.7	18.0-31.4	104	37.3	29.5-45.1	13	3.7	1.5- 5.9	100	34.3	26.7-41.9
65+	582	77,620	154	25.7	21.2-30.2	184	30.0	25.1-34.9	51	8.6	5.9-11.3	193	35.7	30.2-41.2
Less Than H.S.	131	27,513	14	14.1	5.7-22.5	30	26.4	14.4-38.4	8	4.5	1.2- 7.8	79	55.0	42.8-67.2
H.S. or G.E.D.	392	74,964	91	23.6	18.1-29.1	116	33.0	26.3-39.7	38	7.5	4.8-10.2	147	35.9	29.4-42.4
Some Post-H.S.	398	90,841	112	27.2	20.7-33.7	125	36.1	29.0-43.2	26	4.3	2.3- 6.3	135	32.4	25.9-38.9
College Graduate	568	77,543	191	31.8	26.3-37.3	224	41.3	35.4-47.2	21	3.3	1.3- 5.3	132	23.5	18.2-28.8
Less than \$15,000	135	20,768	28	20.4	10.8-30.0	31	27.5	13.4-41.6	21	16.5	8.5-24.5	55	35.6	23.4-47.8
\$15,000- 24,999	214	34,188	47	22.7	14.9-30.5	55	26.9	18.1-35.7	20	6.1	3.0- 9.2	92	44.3	35.1-53.5
\$25,000- 34,999	117	20,028	20	20.6	10.2-31.0	38	35.3	22.4-48.2	12	6.4	2.3-10.5	47	37.6	25.6-49.6
\$35,000- 49,999	187	35,870	49	24.2	16.0-32.4	59	32.8	23.2-42.4	13	4.7	1.4- 8.0	66	38.3	27.9-48.7
\$50,000- 74,999	157	28,538	63	34.6	24.4-44.8	55	40.5	28.0-53.0	4	3.9	0.0- 8.4	35	21.0	12.6-29.4
\$75,000+	423	88,623	136	29.8	23.1-36.5	176	43.0	36.1-49.9	6	0.9	0.1- 1.7	105	26.2	20.3-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2688	512,671	810	30.2	27.7-32.7	1878	69.8	67.3-72.3
Male	1197	241,083	401	34.6	30.9-38.3	796	65.4	61.7-69.1
Female	1491	271,589	409	26.3	23.2-29.4	1082	73.7	70.6-76.8
White/Non-Hisp	1908	338,930	603	32.1	29.2-35.0	1305	67.9	65.0-70.8
Black or Afr. Am./Non-Hisp	318	99,662	75	26.0	19.3-32.7	243	74.0	67.3-80.7
Oth. Race/Non-Hisp.	86	22,719	24	25.4	12.7-38.1	62	74.6	61.9-87.3
MultiRacial/Non-Hisp.	52	5,163	16	43.2	22.4-64.0	36	56.8	36.0-77.6
Hispanic	278	38,367	72	24.9	17.8-32.0	206	75.1	68.0-82.2
18-24	163	57,377	65	39.1	28.9-49.3	98	60.9	50.7-71.1
25-34	272	78,481	89	28.2	21.1-35.3	183	71.8	64.7-78.9
35-44	301	70,204	113	39.8	32.4-47.2	188	60.2	52.8-67.6
45-54	413	76,687	106	22.4	17.5-27.3	307	77.6	72.7-82.5
55-64	539	90,068	156	28.7	23.8-33.6	383	71.3	66.4-76.2
65+	1000	139,854	281	28.1	24.4-31.8	719	71.9	68.2-75.6
Less Than H.S.	260	55,048	43	18.6	12.1-25.1	217	81.4	74.9-87.9
H.S. or G.E.D.	721	160,793	178	26.4	21.9-30.9	543	73.6	69.1-78.1
Some Post-H.S.	684	150,843	205	30.0	25.1-34.9	479	70.0	65.1-74.9
College Graduate	1015	144,600	381	38.8	34.5-43.1	634	61.2	56.9-65.5
Less than \$15,000	200	32,953	49	25.0	16.6-33.4	151	75.0	66.6-83.4
\$15,000- 24,999	360	60,732	79	23.1	17.0-29.2	281	76.9	70.8-83.0
\$25,000- 34,999	209	36,596	43	23.1	15.5-30.7	166	76.9	69.3-84.5
\$35,000- 49,999	293	57,123	90	30.7	23.3-38.1	203	69.3	61.9-76.7
\$50,000- 74,999	334	69,603	128	36.5	29.4-43.6	206	63.5	56.4-70.6
\$75,000+	839	169,065	293	34.8	30.1-39.5	546	65.2	60.5-69.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1197	241,083	401	34.6	30.9-38.3	796	65.4	61.7-69.1
White/Non-Hisp	868	162,051	294	34.6	30.5-38.7	574	65.4	61.3-69.5
Black or Afr. Am./Non-Hisp	104	42,531	35	35.7	23.9-47.5	69	64.3	52.5-76.1
Hispanic	141	21,147	41	26.4	16.6-36.2	100	73.6	63.8-83.4
18-24	93	28,395	41	44.5	31.6-57.4	52	55.5	42.6-68.4
25-34	143	40,784	53	31.9	21.7-42.1	90	68.1	57.9-78.3
35-44	120	31,474	48	48.8	36.8-60.8	72	51.2	39.2-63.2
45-54	175	35,408	50	24.6	17.0-32.2	125	75.4	67.8-83.0
55-64	248	42,787	82	33.2	25.8-40.6	166	66.8	59.4-74.2
65+	418	62,234	127	31.2	25.1-37.3	291	68.8	62.7-74.9
Less Than H.S.	129	27,535	29	23.0	13.2-32.8	100	77.0	67.2-86.8
H.S. or G.E.D.	329	85,829	87	28.8	22.1-35.5	242	71.2	64.5-77.9
Some Post-H.S.	286	60,002	93	34.3	27.2-41.4	193	65.7	58.6-72.8
College Graduate	447	67,056	190	46.8	40.3-53.3	257	53.2	46.7-59.7
Less than \$15,000	65	12,185	21	32.9	18.0-47.8	44	67.1	52.2-82.0
\$15,000- 24,999	146	26,544	32	23.6	14.2-33.0	114	76.4	67.0-85.8
\$25,000- 34,999	92	16,568	23	26.1	14.7-37.5	69	73.9	62.5-85.3
\$35,000- 49,999	106	21,253	41	41.7	28.0-55.4	65	58.3	44.6-72.0
\$50,000- 74,999	177	41,065	65	37.8	28.2-47.4	112	62.2	52.6-71.8
\$75,000+	416	80,442	157	40.2	33.7-46.7	259	59.8	53.3-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	148
2 MALES ONLY	149
3 FEMALES ONLY	150
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	151
5 MALES ONLY	152
6 FEMALES ONLY	153
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)	
7 MALES AND FEMALES	154
8 MALES ONLY	155
9 FEMALES ONLY	156
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	157
11 MALES ONLY	158
12 FEMALES ONLY	159
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	160
14 MALES ONLY	161
15 FEMALES ONLY	162
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	163
17 MALES ONLY	164
18 FEMALES ONLY	165

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3433	672,803	1291	39.5	37.1-41.9	534	14.2	12.6-15.8	32	1.1	0.5- 1.7	18	0.5	0.1- 0.9	2	0.1	0.0- 0.3	1556	44.7	42.3-47.1
Male	1525	318,746	630	42.2	38.7-45.7	274	17.2	14.5-19.9	15	1.4	0.4- 2.4	6	0.5	0.0- 1.3	1	0.0	0.0- 0.0	599	38.6	35.3-41.9
Female	1908	354,057	661	36.9	33.8-40.0	260	11.4	9.4-13.4	17	0.8	0.2- 1.4	12	0.5	0.1- 0.9	1	0.2	0.0- 0.6	957	50.1	46.8-53.4
White/Non-Hisp	2375	432,670	825	37.1	34.4-39.8	344	12.6	10.8-14.4	12	0.7	0.3- 1.1	4	0.1	0.0- 0.3	2	0.2	0.0- 0.6	1188	49.3	46.6-52.0
Black or Afr. Am./Non-Hisp	414	133,999	180	42.4	35.9-48.9	87	19.9	14.6-25.2	3	0.7	0.0- 1.5	4	1.3	0.0- 3.1				140	35.6	29.3-41.9
Oth. Race/Non-Hisp.	125	35,317	53	46.8	34.3-59.3	11	9.0	2.1-15.9	4	2.5	0.0- 5.8	1	0.1	0.0- 0.3				56	41.6	29.3-53.9
MultiRacial/Non-Hisp.	66	5,984	32	55.6	39.3-71.9	11	13.2	3.0-23.4	1	0.3	0.0- 0.9							22	30.9	16.0-45.8
Hispanic	371	51,032	169	45.1	37.3-52.9	70	17.3	11.6-23.0	12	4.9	0.0-10.2	7	1.2	0.2- 2.2				113	31.5	24.1-38.9
18-24	214	76,400	114	52.1	42.9-61.3	24	15.0	7.7-22.3	5	0.7	0.1- 1.3	2	0.2	0.0- 0.6	1	0.9	0.0- 2.7	68	31.1	22.9-39.3
25-34	372	108,746	175	46.6	39.3-53.9	61	11.9	7.8-16.0	3	0.5	0.0- 1.1	6	1.8	0.0- 4.0				127	39.2	32.1-46.3
35-44	418	99,905	179	42.1	35.6-48.6	53	11.8	7.5-16.1	8	2.9	0.0- 5.8							178	43.1	36.6-49.6
45-54	540	104,889	202	36.7	31.2-42.2	58	9.7	6.4-13.0	5	0.8	0.0- 1.8	5	0.6	0.0- 1.4	1	0.1	0.0- 0.3	269	52.2	46.7-57.7
55-64	707	118,433	244	35.0	30.3-39.7	71	11.3	8.2-14.4	3	1.0	0.0- 2.4	2	0.2	0.0- 0.4				387	52.6	47.7-57.5
65+	1182	164,430	377	32.2	28.5-35.9	267	21.7	18.8-24.6	8	0.7	0.1- 1.3	3	0.4	0.0- 0.8				527	45.0	41.1-48.9
Less Than H.S.	339	69,386	125	39.1	30.9-47.3	65	16.2	11.3-21.1	11	4.0	0.0- 8.1	5	0.6	0.0- 1.2				133	40.1	32.5-47.7
H.S. or G.E.D.	906	207,483	331	39.9	35.4-44.4	154	17.3	14.0-20.6	9	1.0	0.2- 1.8	5	0.7	0.0- 1.7	2	0.4	0.0- 1.0	405	40.9	36.6-45.2
Some Post-H.S.	833	192,270	332	40.3	35.4-45.2	137	15.1	11.8-18.4	5	0.9	0.1- 1.7	7	0.8	0.0- 1.6				352	42.8	38.1-47.5
College Graduate	1337	200,172	496	38.6	34.9-42.3	175	9.4	7.4-11.4	7	0.3	0.0- 0.7	1	0.0	0.0- 0.0				658	51.7	47.8-55.6
Less than \$15,000	262	41,306	102	39.7	30.5-48.9	46	17.8	11.5-24.1	9	3.4	0.3- 6.5	4	1.8	0.0- 4.0				101	37.2	28.8-45.6
\$15,000- 24,999	431	73,840	184	44.0	37.1-50.9	70	15.8	11.3-20.3	5	0.6	0.0- 1.2	4	1.9	0.0- 4.8				168	37.7	31.0-44.4
\$25,000- 34,999	264	47,083	101	38.5	30.5-46.5	57	22.9	15.8-30.0	3	3.4	0.0- 8.9	1	0.1	0.0- 0.3				102	35.1	27.3-42.9
\$35,000- 49,999	363	74,186	149	43.3	35.3-51.3	57	16.7	10.8-22.6	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0				155	39.9	32.5-47.3
\$50,000- 74,999	419	88,546	147	41.0	33.9-48.1	66	13.9	9.6-18.2	6	1.5	0.1- 2.9	3	1.0	0.0- 2.2				197	42.7	36.0-49.4
\$75,000+	1072	230,182	385	36.5	32.4-40.6	130	10.7	8.0-13.4	4	0.5	0.0- 1.1	3	0.2	0.0- 0.4	1	0.3	0.0- 0.9	549	51.9	47.8-56.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	318,746	630	42.2	38.7-45.7	274	17.2	14.5-19.9	15	1.4	0.4- 2.4	6	0.5	0.0- 1.3	1	0.0	0.0- 0.0	599	38.6	35.3-41.9
White/Non-Hisp	1071	204,790	427	41.3	37.4-45.2	183	16.0	13.1-18.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	454	41.9	38.0-45.8
Black or Afr. Am./Non-Hisp	145	63,677	62	42.6	32.2-53.0	29	20.7	12.1-29.3	1	0.6	0.0- 1.8	1	1.7	0.0- 5.0				52	34.3	24.7-43.9
Oth. Race/Non-Hisp.	64	15,899	31	52.2	35.7-68.7	5	9.3	0.1-18.5	3	4.6	0.0-11.9	1	0.3	0.0- 0.9				24	33.7	18.4-49.0
Hispanic	181	26,670	85	42.4	31.2-53.6	43	23.5	14.1-32.9	5	7.0	0.0-16.6	3	1.3	0.0- 3.1				45	25.7	14.7-36.7
18-24	121	37,879	64	51.2	39.2-63.2	16	19.0	8.2-29.8	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6				38	29.2	18.8-39.6
25-34	188	56,614	90	47.6	37.2-58.0	31	13.1	6.6-19.6	1	0.1	0.0- 0.3	3	2.4	0.0- 6.3				63	36.8	26.8-46.8
35-44	177	47,655	84	50.6	40.4-60.8	28	15.2	7.4-23.0	3	3.6	0.0- 9.1							62	30.6	22.2-39.0
45-54	237	50,470	96	40.5	32.1-48.9	33	13.5	7.6-19.4	3	1.1	0.0- 2.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	103	44.6	36.4-52.8
55-64	310	52,563	113	32.9	26.6-39.2	35	15.4	9.5-21.3	2	2.1	0.0- 5.0							160	49.6	42.5-56.7
65+	492	73,563	183	36.1	30.2-42.0	131	24.7	20.0-29.4	4	0.9	0.0- 2.1	1	0.2	0.0- 0.6				173	38.0	32.1-43.9
Less Than H.S.	168	37,302	61	36.6	24.6-48.6	34	18.3	10.5-26.1	3	5.5	0.0-12.9	2	0.4	0.0- 1.0				68	39.2	28.2-50.2
H.S. or G.E.D.	420	110,484	166	41.2	34.7-47.7	84	21.6	16.1-27.1	6	1.3	0.0- 2.7	1	1.0	0.0- 3.0	1	0.1	0.0- 0.3	162	34.9	29.0-40.8
Some Post-H.S.	344	78,638	152	44.6	37.3-51.9	59	17.4	11.9-22.9	1	0.5	0.0- 1.5	3	0.5	0.0- 1.1				129	36.9	30.0-43.8
College Graduate	583	90,916	247	44.0	38.5-49.5	94	11.1	8.0-14.2	5	0.5	0.0- 1.1							237	44.5	38.8-50.2
Less than \$15,000	94	16,690	43	44.6	30.7-58.5	18	21.2	9.4-33.0	2	4.1	0.0-11.0							31	30.1	17.9-42.3
\$15,000- 24,999	178	34,003	72	38.1	27.7-48.5	28	16.5	8.9-24.1	2	0.7	0.0- 2.1	2	3.5	0.0- 9.8				74	41.3	30.5-52.1
\$25,000- 34,999	118	21,898	49	39.2	27.4-51.0	30	26.1	14.7-37.5	2	6.6	0.0-18.0	1	0.2	0.0- 0.6				36	27.9	17.5-38.3
\$35,000- 49,999	139	29,802	61	42.2	28.9-55.5	32	26.6	14.4-38.8	1	0.1	0.0- 0.3							45	31.0	19.6-42.4
\$50,000- 74,999	213	50,693	88	48.9	39.5-58.3	40	16.3	9.8-22.8	3	1.5	0.0- 3.5	2	0.7	0.0- 1.7				80	32.6	24.4-40.8
\$75,000+	532	112,772	216	40.2	34.5-45.9	84	14.8	10.3-19.3	3	0.5	0.0- 1.3							229	44.5	38.8-50.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1908	354,057	661	36.9	33.8-40.0	260	11.4	9.4-13.4	17	0.8	0.2- 1.4	12	0.5	0.1- 0.9	1	0.2	0.0- 0.6	957	50.1	46.8-53.4
White/Non-Hisp	1304	227,880	398	33.3	29.4-37.2	161	9.6	7.8-11.4	7	0.7	0.1- 1.3	3	0.2	0.0- 0.4	1	0.3	0.0- 0.9	734	56.0	52.1-59.9
Black or Afr. Am./Non-Hisp	269	70,322	118	42.3	34.3-50.3	58	19.2	12.7-25.7	2	0.8	0.0- 2.0	3	1.0	0.0- 2.2				88	36.7	28.7-44.7
Oth. Race/Non-Hisp.	61	19,418	22	42.3	24.1-60.5	6	8.8	0.0-19.0	1	0.8	0.0- 2.4							32	48.1	29.9-66.3
Hispanic	190	24,362	84	48.1	37.7-58.5	27	10.5	5.2-15.8	7	2.6	0.4- 4.8	4	0.9	0.0- 1.9				68	37.9	27.9-47.9
18-24	93	38,521	50	53.0	38.9-67.1	8	11.2	1.6-20.8	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6	1	1.7	0.0- 5.0	30	32.9	20.4-45.4
25-34	184	52,132	85	45.6	35.6-55.6	30	10.5	5.6-15.4	2	0.9	0.0- 2.3	3	1.1	0.0- 2.9				64	41.9	31.9-51.9
35-44	241	52,249	95	34.5	27.1-41.9	25	8.8	4.7-12.9	5	2.2	0.0- 4.7							116	54.5	46.3-62.7
45-54	303	54,419	106	33.1	26.2-40.0	25	6.1	3.2- 9.0	2	0.6	0.0- 1.4	4	1.1	0.0- 2.5				166	59.1	51.8-66.4
55-64	397	65,870	131	36.6	29.9-43.3	36	8.0	4.9-11.1	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7				227	54.9	48.2-61.6
65+	690	90,867	194	29.1	24.6-33.6	136	19.2	15.3-23.1	4	0.5	0.0- 1.1	2	0.5	0.0- 1.3				354	50.7	45.8-55.6
Less Than H.S.	171	32,083	64	42.1	31.1-53.1	31	13.7	8.0-19.4	8	2.2	0.4- 4.0	3	0.8	0.0- 1.8				65	41.1	30.7-51.5
H.S. or G.E.D.	486	96,998	165	38.3	32.2-44.4	70	12.3	9.0-15.6	3	0.6	0.0- 1.4	4	0.4	0.0- 0.8	1	0.7	0.0- 2.1	243	47.7	41.6-53.8
Some Post-H.S.	489	113,632	180	37.4	31.1-43.7	78	13.5	9.2-17.8	4	1.2	0.0- 2.6	4	1.1	0.0- 2.3				223	46.9	40.6-53.2
College Graduate	754	109,256	249	34.1	29.2-39.0	81	7.9	5.5-10.3	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3				421	57.6	52.5-62.7
Less than \$15,000	168	24,615	59	36.4	24.1-48.7	28	15.5	8.6-22.4	7	3.0	0.5- 5.5	4	3.1	0.0- 6.8				70	42.1	30.7-53.5
\$15,000- 24,999	253	39,837	112	49.0	40.4-57.6	42	15.3	9.8-20.8	3	0.5	0.0- 1.1	2	0.7	0.0- 1.7				94	34.6	26.6-42.6
\$25,000- 34,999	146	25,185	52	37.8	27.0-48.6	27	20.1	11.5-28.7	1	0.7	0.0- 2.1							66	41.4	30.2-52.6
\$35,000- 49,999	224	44,384	88	44.0	34.2-53.8	25	10.1	5.2-15.0				1	0.1	0.0- 0.3				110	45.9	36.3-55.5
\$50,000- 74,999	206	37,853	59	30.5	20.1-40.9	26	10.6	5.3-15.9	3	1.6	0.0- 3.6	1	1.3	0.0- 3.7				117	56.1	45.9-66.3
\$75,000+	540	117,410	169	32.9	27.0-38.8	46	6.8	3.5-10.1	1	0.5	0.0- 1.5	3	0.3	0.0- 0.7	1	0.6	0.0- 1.8	320	59.0	52.9-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3435	672,076	1375	40.8	38.4-43.2	1598	45.7	43.3-48.1	243	7.2	6.0- 8.4	72	2.2	1.4- 3.0	1	0.0	0.0- 0.0	146	4.2	3.2- 5.2
Male	1521	319,248	687	46.6	43.1-50.1	644	40.7	37.2-44.2	83	5.5	3.9- 7.1	28	2.1	0.9- 3.3	1	0.0	0.0- 0.0	78	5.1	3.5- 6.7
Female	1914	352,829	688	35.6	32.5-38.7	954	50.2	46.9-53.5	160	8.7	6.9-10.5	44	2.2	1.2- 3.2				68	3.3	2.3- 4.3
White/Non-Hisp	2376	432,619	934	40.5	37.8-43.2	1136	46.9	44.2-49.6	155	6.8	5.4- 8.2	44	1.7	1.1- 2.3				107	4.1	3.1- 5.1
Black or Afr. Am./Non-Hisp	419	134,459	191	45.2	38.7-51.7	155	37.8	31.5-44.1	31	6.0	3.3- 8.7	16	4.0	1.3- 6.7				26	6.9	3.8-10.0
Oth. Race/Non-Hisp.	124	34,930	41	30.5	19.3-41.7	66	53.1	40.6-65.6	15	15.6	5.4-25.8	1	0.3	0.0- 0.9				1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	65	6,191	29	50.5	33.4-67.6	32	46.9	30.0-63.8	2	0.9	0.0- 2.1	1	0.4	0.0- 1.2				1	1.4	0.0- 4.1
Hispanic	369	50,125	146	38.1	30.7-45.5	176	51.1	43.3-58.9	30	7.3	3.4-11.2	7	1.6	0.2- 3.0	1	0.1	0.0- 0.3	9	1.8	0.2- 3.4
18-24	211	76,171	93	46.6	37.4-55.8	98	44.9	35.7-54.1	11	5.0	1.1- 8.9	2	0.4	0.0- 1.0				7	3.0	0.1- 5.9
25-34	375	107,799	176	45.3	38.0-52.6	155	43.1	35.8-50.4	28	7.1	3.2-11.0	6	1.2	0.0- 2.4				10	3.3	0.8- 5.8
35-44	414	97,858	159	38.1	31.8-44.4	203	48.6	42.1-55.1	25	5.5	3.0- 8.0	10	4.6	0.9- 8.3				17	3.3	1.5- 5.1
45-54	541	105,939	218	40.1	34.6-45.6	228	44.4	38.9-49.9	44	7.4	4.7-10.1	14	2.7	0.9- 4.5				37	5.3	3.1- 7.5
55-64	707	118,748	303	43.6	38.7-48.5	311	42.9	38.2-47.6	50	7.7	4.8-10.6	12	1.6	0.4- 2.8				31	4.2	2.4- 6.0
65+	1187	165,560	426	35.2	31.5-38.9	603	48.7	45.0-52.4	85	8.6	6.4-10.8	28	2.3	1.3- 3.3	1	0.0	0.0- 0.0	44	5.1	3.1- 7.1
Less Than H.S.	339	69,259	151	45.5	37.5-53.5	143	39.6	31.8-47.4	20	4.9	2.2- 7.6	3	0.9	0.0- 1.9				22	9.0	4.5-13.5
H.S. or G.E.D.	900	205,469	392	44.4	39.9-48.9	388	42.8	38.3-47.3	57	6.2	4.0- 8.4	14	2.2	0.4- 4.0	1	0.0	0.0- 0.0	48	4.3	2.7- 5.9
Some Post-H.S.	838	192,987	341	40.2	35.5-44.9	378	45.0	40.3-49.7	65	8.9	6.2-11.6	17	2.2	1.0- 3.4				37	3.6	2.2- 5.0
College Graduate	1339	200,789	483	36.3	32.6-40.0	683	51.1	47.2-55.0	101	7.3	5.1- 9.5	36	2.4	1.4- 3.4				36	2.9	1.5- 4.3
Less than \$15,000	264	41,587	105	41.8	33.0-50.6	118	45.3	36.3-54.3	16	3.5	1.0- 6.0	6	3.0	0.1- 5.9				19	6.4	2.9- 9.9
\$15,000- 24,999	428	72,586	187	42.4	35.7-49.1	180	43.1	36.2-50.0	34	8.6	4.9-12.3	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	23	5.5	2.6- 8.4
\$25,000- 34,999	264	46,805	117	47.5	39.1-55.9	109	41.2	32.8-49.6	18	5.1	2.4- 7.8	4	0.8	0.0- 1.6				16	5.3	2.2- 8.4
\$35,000- 49,999	364	73,933	162	48.6	40.8-56.4	151	38.7	31.3-46.1	32	6.8	3.9- 9.7	10	4.4	0.1- 8.7				9	1.6	0.4- 2.8
\$50,000- 74,999	420	89,104	171	45.9	39.0-52.8	197	43.0	36.3-49.7	24	4.6	2.4- 6.8	11	2.4	0.6- 4.2				17	4.1	1.7- 6.5
\$75,000+	1076	231,167	396	35.5	31.6-39.4	545	51.2	47.1-55.3	71	7.6	5.2-10.0	32	2.8	1.6- 4.0				32	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	319,248	687	46.6	43.1-50.1	644	40.7	37.2-44.2	83	5.5	3.9- 7.1	28	2.1	0.9- 3.3	1	0.0	0.0- 0.0	78	5.1	3.5- 6.7
White/Non-Hisp	1067	204,313	482	46.2	42.3-50.1	463	42.6	38.7-46.5	44	4.4	2.6- 6.2	17	1.5	0.7- 2.3				61	5.3	3.7- 6.9
Black or Afr. Am./Non-Hisp	148	64,818	74	51.2	40.8-61.6	48	32.0	22.6-41.4	9	4.7	1.0- 8.4	6	4.4	0.0- 9.1				11	7.8	2.5-13.1
Oth. Race/Non-Hisp.	62	15,416	23	41.7	25.0-58.4	26	37.2	20.9-53.5	11	19.5	6.0-33.0	1	0.7	0.0- 2.1				1	0.9	0.0- 2.7
Hispanic	179	26,533	78	39.5	28.3-50.7	82	50.9	39.1-62.7	12	6.9	1.8-12.0	2	1.4	0.0- 3.4	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3
18-24	119	37,969	58	52.6	40.6-64.6	48	36.0	24.6-47.4	7	5.9	0.2-11.6	1	0.3	0.0- 0.9				5	5.3	0.0-11.0
25-34	189	56,709	104	53.3	42.9-63.7	65	35.8	25.8-45.8	12	5.2	0.9- 9.5	1	0.3	0.0- 0.9				7	5.3	0.6-10.0
35-44	175	46,494	68	40.6	30.6-50.6	86	47.6	37.4-57.8	8	4.0	0.9- 7.1	4	3.9	0.0-10.0				9	3.9	1.0- 6.8
45-54	237	51,558	109	46.5	38.1-54.9	85	36.4	28.4-44.4	16	6.8	2.5-11.1	6	3.3	0.6- 6.0				21	7.0	3.3-10.7
55-64	310	53,349	151	50.6	43.5-57.7	117	36.1	29.4-42.8	17	6.0	2.3- 9.7	7	2.7	0.3- 5.1				18	4.5	2.1- 6.9
65+	491	73,168	197	39.1	33.2-45.0	243	48.7	42.6-54.8	23	5.0	2.5- 7.5	9	2.1	0.5- 3.7	1	0.1	0.0- 0.3	18	5.0	2.1- 7.9
Less Than H.S.	169	37,757	81	46.5	34.7-58.3	65	38.7	27.3-50.1	8	5.4	1.3- 9.5	2	1.2	0.0- 2.8				13	8.1	2.8-13.4
H.S. or G.E.D.	410	108,823	205	50.3	43.8-56.8	152	36.4	30.1-42.7	22	5.8	2.7- 8.9	6	2.6	0.0- 5.5	1	0.0	0.0- 0.0	24	4.9	2.4- 7.4
Some Post-H.S.	350	79,802	157	45.4	38.1-52.7	145	41.5	34.4-48.6	20	6.0	2.5- 9.5	7	1.9	0.3- 3.5				21	5.2	2.3- 8.1
College Graduate	582	91,461	240	43.2	37.5-48.9	279	46.0	40.3-51.7	33	4.6	2.6- 6.6	12	2.1	0.7- 3.5				18	4.1	1.4- 6.8
Less than \$15,000	93	16,422	43	48.1	34.0-62.2	37	38.8	25.5-52.1	3	4.5	0.0-10.4	1	1.3	0.0- 3.8				9	7.3	1.4-13.2
\$15,000- 24,999	174	33,237	91	48.3	37.3-59.3	57	38.9	27.5-50.3	11	5.1	1.2- 9.0	2	0.6	0.0- 1.6	1	0.2	0.0- 0.6	12	6.9	1.8-12.0
\$25,000- 34,999	118	21,637	56	53.5	40.8-66.2	47	37.5	24.8-50.2	6	3.7	0.4- 7.0							9	5.2	1.3- 9.1
\$35,000- 49,999	140	30,162	72	58.2	45.7-70.7	52	30.5	20.1-40.9	10	4.3	1.0- 7.6	2	5.6	0.0-14.8				4	1.3	0.0- 2.7
\$50,000- 74,999	212	50,469	97	49.5	40.1-58.9	87	38.9	30.1-47.7	13	4.4	1.7- 7.1	3	1.7	0.0- 3.7				12	5.6	1.9- 9.3
\$75,000+	536	114,282	220	41.0	35.5-46.5	253	45.8	40.1-51.5	30	6.4	3.5- 9.3	16	2.9	1.1- 4.7				17	3.9	1.4- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1914	352,829	688	35.6	32.5-38.7	954	50.2	46.9-53.5	160	8.7	6.9-10.5	44	2.2	1.2- 3.2	68	3.3	2.3- 4.3
White/Non-Hisp	1309	228,306	452	35.4	31.7-39.1	673	50.7	46.8-54.6	111	9.0	6.8-11.2	27	1.9	0.9- 2.9	46	3.0	2.0- 4.0
Black or Afr. Am./Non-Hisp	271	69,641	117	39.7	31.9-47.5	107	43.3	35.1-51.5	22	7.3	3.4-11.2	10	3.7	1.0- 6.4	15	6.0	2.3- 9.7
Oth. Race/Non-Hisp.	62	19,514	18	21.7	7.6-35.8	40	65.7	48.1-83.3	4	12.6	0.0-27.3						
Hispanic	190	23,592	68	36.5	26.5-46.5	94	51.2	40.8-61.6	18	7.8	1.7-13.9	5	1.9	0.0- 3.9	5	2.6	0.0- 5.7
18-24	92	38,201	35	40.7	26.8-54.6	50	53.8	39.7-67.9	4	4.2	0.0- 9.5	1	0.5	0.0- 1.5	2	0.8	0.0- 2.0
25-34	186	51,090	72	36.5	27.1-45.9	90	51.0	41.0-61.0	16	9.2	2.5-15.9	5	2.1	0.0- 4.5	3	1.1	0.0- 2.7
35-44	239	51,365	91	35.9	28.1-43.7	117	49.4	41.0-57.8	17	6.8	2.7-10.9	6	5.2	0.7- 9.7	8	2.7	0.3- 5.1
45-54	304	54,381	109	34.0	27.3-40.7	143	52.0	44.7-59.3	28	8.0	4.5-11.5	8	2.1	0.3- 3.9	16	3.8	1.6- 6.0
55-64	397	65,399	152	37.9	31.4-44.4	194	48.5	41.8-55.2	33	9.0	4.7-13.3	5	0.7	0.0- 1.5	13	4.0	1.5- 6.5
65+	696	92,393	229	32.1	27.6-36.6	360	48.7	43.8-53.6	62	11.5	8.2-14.8	19	2.5	1.1- 3.9	26	5.2	2.5- 7.9
Less Than H.S.	170	31,502	70	44.3	33.5-55.1	78	40.7	30.5-50.9	12	4.4	1.3- 7.5	1	0.7	0.0- 2.1	9	9.9	2.3-17.5
H.S. or G.E.D.	490	96,646	187	37.7	32.0-43.4	236	50.1	44.0-56.2	35	6.7	4.0- 9.4	8	1.8	0.0- 3.6	24	3.7	1.9- 5.5
Some Post-H.S.	488	113,185	184	36.5	30.4-42.6	233	47.5	41.2-53.8	45	11.0	7.1-14.9	10	2.5	0.7- 4.3	16	2.5	1.1- 3.9
College Graduate	757	109,328	243	30.5	26.0-35.0	404	55.3	50.2-60.4	68	9.6	6.3-12.9	24	2.7	1.1- 4.3	18	1.9	0.7- 3.1
Less than \$15,000	171	25,165	62	37.6	26.8-48.4	81	49.6	38.0-61.2	13	2.8	1.0- 4.6	5	4.2	0.0- 8.7	10	5.8	1.5-10.1
\$15,000- 24,999	254	39,349	96	37.5	29.3-45.7	123	46.6	38.2-55.0	23	11.5	5.6-17.4	1	0.1	0.0- 0.3	11	4.4	1.1- 7.7
\$25,000- 34,999	146	25,168	61	42.3	31.3-53.3	62	44.4	33.2-55.6	12	6.3	2.0-10.6	4	1.5	0.0- 3.1	7	5.4	0.5-10.3
\$35,000- 49,999	224	43,771	90	41.9	32.1-51.7	99	44.3	34.5-54.1	22	8.4	4.1-12.7	8	3.6	0.1- 7.1	5	1.8	0.0- 3.6
\$50,000- 74,999	208	38,635	74	41.2	31.0-51.4	110	48.5	38.7-58.3	11	4.8	1.7- 7.9	8	3.4	0.3- 6.5	5	2.1	0.0- 4.3
\$75,000+	540	116,885	176	30.1	24.8-35.4	292	56.5	50.6-62.4	41	8.8	5.1-12.5	16	2.7	0.9- 4.5	15	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3431	672,226	2323	68.0	65.8-70.2	763	21.1	19.1-23.1	40	1.2	0.8- 1.6	16	0.6	0.2- 1.0	289	9.2	7.8-10.6
Male	1516	317,220	1056	68.3	65.0-71.6	281	17.8	15.1-20.5	16	1.2	0.6- 1.8	6	0.4	0.0- 0.8	157	12.4	9.9-14.9
Female	1915	355,005	1267	67.7	64.8-70.6	482	24.1	21.4-26.8	24	1.2	0.6- 1.8	10	0.7	0.1- 1.3	132	6.3	4.7- 7.9
White/Non-Hisp	2366	431,828	1619	69.7	67.3-72.1	534	20.2	18.2-22.2	22	1.1	0.5- 1.7	12	0.6	0.2- 1.0	179	8.5	6.9-10.1
Black or Afr. Am./Non-Hisp	418	134,810	276	64.9	58.6-71.2	95	22.1	16.8-27.4	6	0.8	0.0- 1.6	2	0.7	0.0- 1.7	39	11.5	7.2-15.8
Oth. Race/Non-Hisp.	125	34,976	73	55.7	43.2-68.2	36	34.8	22.3-47.3	5	3.3	0.0- 6.8				11	6.3	1.8-10.8
MultiRacial/Non-Hisp.	67	6,389	44	66.6	50.7-82.5	11	14.5	1.8-27.2							12	18.9	6.4-31.4
Hispanic	372	50,340	260	72.0	65.1-78.9	65	15.8	10.5-21.1	4	1.1	0.0- 2.5	2	0.9	0.0- 2.3	41	10.2	5.1-15.3
18-24	214	76,754	148	70.5	62.5-78.5	30	11.1	6.2-16.0	6	2.2	0.0- 4.4				30	16.2	9.5-22.9
25-34	378	109,146	257	67.2	60.3-74.1	67	16.3	11.0-21.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	51	16.2	10.5-21.9
35-44	416	98,945	269	66.0	59.9-72.1	98	24.5	18.8-30.2	10	2.5	0.7- 4.3	3	0.8	0.0- 1.8	36	6.2	3.8- 8.6
45-54	537	104,340	374	69.0	63.9-74.1	116	23.4	18.7-28.1	7	1.4	0.2- 2.6	4	0.9	0.0- 1.9	36	5.4	3.2- 7.6
55-64	710	119,320	494	71.0	66.7-75.3	157	20.8	17.1-24.5	9	1.0	0.2- 1.8	3	0.8	0.0- 1.8	47	6.3	3.9- 8.7
65+	1176	163,721	781	65.7	62.0-69.4	295	25.8	22.5-29.1	6	0.5	0.1- 0.9	5	0.6	0.0- 1.2	89	7.5	5.5- 9.5
Less Than H.S.	341	70,007	236	74.4	67.9-80.9	42	11.3	6.6-16.0	5	0.9	0.1- 1.7				58	13.4	8.7-18.1
H.S. or G.E.D.	905	206,510	614	68.0	63.9-72.1	173	18.8	15.5-22.1	12	1.2	0.4- 2.0	4	0.5	0.0- 1.1	102	11.6	8.7-14.5
Some Post-H.S.	834	192,759	566	67.9	63.6-72.2	182	21.0	17.5-24.5	7	1.2	0.2- 2.2	5	0.8	0.0- 1.6	74	9.1	6.4-11.8
College Graduate	1334	200,261	898	65.9	62.2-69.6	363	27.0	23.5-30.5	16	1.3	0.5- 2.1	7	0.6	0.0- 1.2	50	5.2	3.0- 7.4
Less than \$15,000	264	41,171	178	69.1	61.3-76.9	46	16.7	10.4-23.0	3	1.5	0.0- 3.3	1	0.1	0.0- 0.3	36	12.6	7.1-18.1
\$15,000- 24,999	434	74,096	295	68.3	61.8-74.8	76	16.8	11.5-22.1	5	0.7	0.1- 1.3				58	14.3	9.4-19.2
\$25,000- 34,999	262	46,902	175	68.9	61.5-76.3	51	16.9	10.6-23.2	5	2.5	0.0- 5.0				31	11.6	6.9-16.3
\$35,000- 49,999	364	74,050	244	68.1	60.7-75.5	82	21.5	15.0-28.0	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	36	10.0	5.3-14.7
\$50,000- 74,999	416	87,838	291	70.3	64.4-76.2	95	24.2	18.7-29.7	4	0.4	0.0- 1.0	4	0.8	0.0- 1.6	22	4.3	2.1- 6.5
\$75,000+	1071	230,868	735	69.4	65.7-73.1	275	22.9	19.6-26.2	13	1.4	0.6- 2.2	9	1.2	0.2- 2.2	39	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	317,220	1056	68.3	65.0-71.6	281	17.8	15.1-20.5	16	1.2	0.6- 1.8	6	0.4	0.0- 0.8	157	12.4	9.9-14.9
White/Non-Hisp	1063	203,339	757	69.9	66.2-73.6	200	17.4	14.7-20.1	8	0.8	0.2- 1.4	3	0.2	0.0- 0.4	95	11.6	8.7-14.5
Black or Afr. Am./Non-Hisp	145	64,149	87	59.8	49.6-70.0	30	21.2	12.8-29.6	3	1.2	0.0- 2.6	1	0.7	0.0- 2.1	24	17.2	9.4-25.0
Oth. Race/Non-Hisp.	63	15,463	38	65.3	49.6-81.0	14	21.2	6.9-35.5	2	4.1	0.0-10.8				9	9.4	2.3-16.5
Hispanic	180	26,154	133	80.1	72.8-87.4	23	9.3	4.6-14.0	2	1.7	0.0- 4.1	2	1.8	0.0- 4.3	20	7.1	2.8-11.4
18-24	121	38,233	76	59.7	48.1-71.3	17	10.8	4.5-17.1	5	4.4	0.3- 8.5				23	25.2	14.2-36.2
25-34	189	56,368	130	67.9	58.1-77.7	26	12.2	6.1-18.3				1	0.3	0.0- 0.9	32	19.6	11.0-28.2
35-44	177	46,990	121	70.6	61.4-79.8	32	18.7	10.1-27.3	4	1.6	0.0- 3.4	1	0.6	0.0- 1.8	19	8.5	4.0-13.0
45-54	234	50,641	163	67.8	60.0-75.6	49	23.8	16.5-31.1	2	1.2	0.0- 3.0	2	1.5	0.0- 3.5	18	5.8	2.7- 8.9
55-64	312	53,521	235	77.0	71.1-82.9	48	13.4	8.9-17.9	4	1.0	0.0- 2.0				25	8.6	4.5-12.7
65+	483	71,468	331	65.5	59.6-71.4	109	24.2	18.9-29.5	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	40	9.9	6.2-13.6
Less Than H.S.	168	37,379	121	74.7	65.3-84.1	12	7.3	0.8-13.8	3	1.3	0.0- 2.9				32	16.7	9.3-24.1
H.S. or G.E.D.	413	108,579	273	66.6	60.5-72.7	67	15.8	11.1-20.5	8	1.6	0.2- 3.0	1	0.3	0.0- 0.9	64	15.7	10.8-20.6
Some Post-H.S.	345	78,579	236	65.9	59.0-72.8	67	19.3	14.0-24.6	3	1.3	0.0- 2.9	3	1.2	0.0- 2.6	36	12.3	7.2-17.4
College Graduate	581	91,331	421	69.9	64.4-75.4	134	22.9	18.0-27.8	2	0.4	0.0- 1.0	2	0.2	0.0- 0.4	22	6.6	2.7-10.5
Less than \$15,000	92	16,011	64	68.3	54.6-82.0	11	15.5	3.7-27.3	2	2.2	0.0- 5.3				15	13.9	4.5-23.3
\$15,000- 24,999	178	33,629	126	67.3	56.5-78.1	21	13.7	5.1-22.3	3	1.2	0.0- 2.6				28	17.8	9.2-26.4
\$25,000- 34,999	116	21,340	74	62.5	50.2-74.8	21	16.6	6.4-26.8	2	3.4	0.0- 8.3				19	17.5	9.1-25.9
\$35,000- 49,999	138	29,609	97	69.2	56.9-81.5	24	16.6	6.4-26.8							17	14.2	4.8-23.6
\$50,000- 74,999	210	49,985	155	76.2	69.1-83.3	39	18.0	11.5-24.5	1	0.2	0.0- 0.6	2	1.0	0.0- 2.4	13	4.6	1.7- 7.5
\$75,000+	534	113,634	379	70.5	65.2-75.8	122	20.5	16.0-25.0	4	0.9	0.0- 1.9	3	0.7	0.0- 1.7	26	7.4	4.1-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	355,005	1267	67.7	64.8-70.6	482	24.1	21.4-26.8	24	1.2	0.6- 1.8	10	0.7	0.1- 1.3	132	6.3	4.7- 7.9
White/Non-Hisp	1303	228,489	862	69.6	66.3-72.9	334	22.6	19.9-25.3	14	1.3	0.5- 2.1	9	0.9	0.1- 1.7	84	5.6	4.0- 7.2
Black or Afr. Am./Non-Hisp	273	70,661	189	69.6	62.3-76.9	65	23.1	16.6-29.6	3	0.6	0.0- 1.4	1	0.6	0.0- 1.8	15	6.2	1.9-10.5
Oth. Race/Non-Hisp.	62	19,514	35	48.0	29.8-66.2	22	45.5	27.1-63.9	3	2.7	0.0- 6.4				2	3.8	0.0- 9.7
Hispanic	192	24,186	127	63.2	52.4-74.0	42	22.8	13.6-32.0	2	0.4	0.0- 1.0				21	13.6	4.6-22.6
18-24	93	38,521	72	81.2	71.4-91.0	13	11.4	3.8-19.0	1	0.1	0.0- 0.3				7	7.3	0.6-14.0
25-34	189	52,778	127	66.5	56.9-76.1	41	20.6	12.2-29.0	2	0.4	0.0- 1.0				19	12.5	5.6-19.4
35-44	239	51,955	148	61.9	53.9-69.9	66	29.7	21.9-37.5	6	3.3	0.4- 6.2	2	1.0	0.0- 2.8	17	4.1	1.7- 6.5
45-54	303	53,699	211	70.1	63.4-76.8	67	22.9	16.8-29.0	5	1.6	0.2- 3.0	2	0.3	0.0- 0.7	18	5.0	1.9- 8.1
55-64	398	65,799	259	66.2	60.1-72.3	109	26.8	21.1-32.5	5	1.0	0.0- 2.0	3	1.5	0.0- 3.5	22	4.5	2.1- 6.9
65+	693	92,253	450	65.8	61.1-70.5	186	27.0	22.7-31.3	5	0.7	0.0- 1.5	3	0.8	0.0- 1.8	49	5.6	3.6- 7.6
Less Than H.S.	173	32,628	115	73.9	65.5-82.3	30	15.9	8.8-23.0	2	0.5	0.0- 1.3				26	9.7	4.4-15.0
H.S. or G.E.D.	492	97,931	341	69.6	64.1-75.1	106	22.1	17.2-27.0	4	0.6	0.0- 1.4	3	0.7	0.0- 1.7	38	7.0	4.1- 9.9
Some Post-H.S.	489	114,180	330	69.3	63.8-74.8	115	22.2	17.3-27.1	4	1.1	0.0- 2.3	2	0.6	0.0- 1.6	38	6.8	3.9- 9.7
College Graduate	753	108,930	477	62.5	57.4-67.6	229	30.5	25.6-35.4	14	1.9	0.7- 3.1	5	0.9	0.0- 1.9	28	4.1	1.7- 6.5
Less than \$15,000	172	25,161	114	69.6	60.0-79.2	35	17.4	10.1-24.7	1	1.0	0.0- 3.0	1	0.2	0.0- 0.6	21	11.8	4.9-18.7
\$15,000- 24,999	256	40,467	169	69.1	61.7-76.5	55	19.3	12.8-25.8	2	0.3	0.0- 0.7				30	11.3	6.4-16.2
\$25,000- 34,999	146	25,562	101	74.3	65.3-83.3	30	17.1	9.5-24.7	3	1.8	0.0- 4.2				12	6.8	1.9-11.7
\$35,000- 49,999	226	44,440	147	67.4	58.4-76.4	58	24.9	16.5-33.3	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	19	7.1	2.4-11.8
\$50,000- 74,999	206	37,853	136	62.5	53.1-71.9	56	32.3	23.1-41.5	3	0.7	0.0- 1.9	2	0.7	0.0- 1.7	9	3.8	0.9- 6.7
\$75,000+	537	117,233	356	68.4	62.9-73.9	153	25.3	20.4-30.2	9	1.8	0.4- 3.2	6	1.7	0.1- 3.3	13	2.8	0.3- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3418	667,842	2656	80.0	78.2-81.8	100	3.4	2.6- 4.2	5	0.2	0.0- 0.4	2	0.1	0.0- 0.3	655	16.3	14.7-17.9
Male	1512	315,818	1213	80.7	78.0-83.4	61	4.7	3.1- 6.3	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	234	14.3	11.9-16.7
Female	1906	352,024	1443	79.5	77.1-81.9	39	2.1	1.3- 2.9	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	421	18.1	15.7-20.5
White/Non-Hisp	2358	428,722	1850	81.8	79.8-83.8	57	2.5	1.7- 3.3	3	0.2	0.0- 0.4	1	0.2	0.0- 0.6	447	15.3	13.5-17.1
Black or Afr. Am./Non-Hisp	414	133,005	326	78.5	73.0-84.0	17	5.4	2.5- 8.3							71	16.1	11.2-21.0
Oth. Race/Non-Hisp.	128	35,363	92	78.1	68.3-87.9	8	5.1	0.6- 9.6				1	0.4	0.0- 1.2	27	16.4	7.4-25.4
MultiRacial/Non-Hisp.	66	6,311	53	74.6	57.9-91.3	3	13.3	0.0-29.2	1	1.3	0.0- 3.8				9	10.8	1.4-20.2
Hispanic	372	50,912	275	72.3	65.4-79.2	14	3.1	1.1- 5.1	1	0.4	0.0- 1.2				82	24.3	17.6-31.0
18-24	213	75,451	174	84.2	78.1-90.3	18	8.6	3.9-13.3				1	1.0	0.0- 3.0	20	6.2	2.7- 9.7
25-34	372	106,829	309	84.1	78.8-89.4	15	2.9	0.9- 4.9	2	0.7	0.0- 1.7	1	0.1	0.0- 0.3	45	12.2	7.3-17.1
35-44	413	98,734	341	83.8	79.1-88.5	11	2.9	0.7- 5.1							61	13.2	8.9-17.5
45-54	531	103,425	408	77.8	73.1-82.5	14	3.3	0.9- 5.7	1	0.3	0.0- 0.9				108	18.6	14.3-22.9
55-64	710	119,550	553	80.0	76.3-83.7	15	2.4	0.8- 4.0	1	0.1	0.0- 0.3				141	17.6	14.1-21.1
65+	1179	163,853	871	74.6	71.3-77.9	27	2.2	1.2- 3.2	1	0.1	0.0- 0.3				280	23.0	19.7-26.3
Less Than H.S.	342	70,582	248	71.5	64.6-78.4	12	2.7	0.7- 4.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	80	25.5	18.6-32.4
H.S. or G.E.D.	898	205,507	699	81.1	77.8-84.4	38	4.9	3.1- 6.7				1	0.4	0.0- 1.2	160	13.6	10.9-16.3
Some Post-H.S.	830	189,583	653	81.1	77.6-84.6	23	3.8	1.8- 5.8	3	0.4	0.0- 0.8				151	14.7	11.8-17.6
College Graduate	1331	199,482	1042	80.9	78.0-83.8	27	1.5	0.7- 2.3	1	0.3	0.0- 0.9				261	17.3	14.4-20.2
Less than \$15,000	261	40,732	182	74.0	66.6-81.4	12	5.7	1.0-10.4							67	20.3	14.0-26.6
\$15,000- 24,999	430	72,925	320	77.9	72.2-83.6	16	4.8	1.7- 7.9							94	17.3	12.2-22.4
\$25,000- 34,999	263	47,109	198	72.7	64.9-80.5	11	6.4	2.1-10.7	1	0.6	0.0- 1.8				53	20.2	12.9-27.5
\$35,000- 49,999	362	74,161	292	83.0	77.5-88.5	5	0.9	0.0- 1.9							65	16.1	10.6-21.6
\$50,000- 74,999	415	87,411	325	80.5	75.6-85.4	14	4.0	1.5- 6.5	2	0.5	0.0- 1.1				74	15.1	10.8-19.4
\$75,000+	1066	229,450	879	84.8	82.1-87.5	20	2.2	0.8- 3.6	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	164	12.7	10.2-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1512	315,818	1213	80.7	78.0-83.4	61	4.7	3.1- 6.3	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	234	14.3	11.9-16.7
White/Non-Hisp	1056	200,865	867	84.3	81.8-86.8	39	3.7	2.3- 5.1	1	0.3	0.0- 0.9				149	11.7	9.5-13.9
Black or Afr. Am./Non-Hisp	146	64,513	110	72.4	63.2-81.6	9	7.5	2.0-13.0							27	20.0	11.6-28.4
Oth. Race/Non-Hisp.	66	15,849	53	82.5	71.1-93.9	2	5.1	0.0-12.5				1	0.9	0.0- 2.7	10	11.5	2.5-20.5
Hispanic	181	26,779	131	72.2	62.4-82.0	10	4.9	1.4- 8.4	1	0.7	0.0- 2.1				39	22.2	13.0-31.4
18-24	120	36,931	97	82.2	73.6-90.8	12	10.8	3.4-18.2							11	7.0	1.7-12.3
25-34	188	55,581	159	83.2	75.4-91.0	7	3.3	0.4- 6.2	2	1.3	0.0- 3.3	1	0.3	0.0- 0.9	19	12.0	4.7-19.3
35-44	176	47,428	149	86.7	80.6-92.8	6	3.8	0.0- 7.7							21	9.4	4.5-14.3
45-54	233	50,103	181	76.9	69.5-84.3	8	5.1	0.6- 9.6							44	18.0	11.5-24.5
55-64	314	54,234	244	78.9	73.2-84.6	9	3.7	0.8- 6.6	1	0.2	0.0- 0.6				60	17.2	12.1-22.3
65+	481	71,542	383	77.9	72.6-83.2	19	3.7	1.7- 5.7							79	18.4	13.1-23.7
Less Than H.S.	169	38,101	118	69.8	59.8-79.8	9	3.6	0.7- 6.5	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	40	26.0	16.2-35.8
H.S. or G.E.D.	409	107,992	327	81.7	77.0-86.4	27	7.7	4.4-11.0							55	10.6	7.1-14.1
Some Post-H.S.	344	77,257	286	82.6	76.9-88.3	10	5.0	1.1- 8.9	1	0.3	0.0- 0.9				47	12.2	7.7-16.7
College Graduate	581	91,116	475	82.6	78.1-87.1	15	1.5	0.3- 2.7	1	0.6	0.0- 1.8				90	15.3	11.0-19.6
Less than \$15,000	92	15,744	67	73.4	60.7-86.1	4	6.7	0.0-16.3							21	19.9	9.5-30.3
\$15,000- 24,999	176	33,089	132	73.5	63.3-83.7	11	8.7	2.2-15.2							33	17.8	9.0-26.6
\$25,000- 34,999	118	21,726	88	71.1	59.3-82.9	7	8.1	1.2-15.0							23	20.8	10.2-31.4
\$35,000- 49,999	137	29,997	119	85.1	75.9-94.3	3	1.6	0.0- 3.6							15	13.3	4.3-22.3
\$50,000- 74,999	211	49,748	174	83.1	76.8-89.4	10	4.8	1.3- 8.3	1	0.4	0.0- 1.2				26	11.8	6.3-17.3
\$75,000+	532	113,242	445	84.3	80.2-88.4	15	3.6	1.1- 6.1	2	0.5	0.0- 1.5	1	0.1	0.0- 0.3	69	11.4	7.9-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1906	352,024	1443	79.5	77.1-81.9	39	2.1	1.1- 3.1	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	421	18.1	15.7-20.5
White/Non-Hisp	1302	227,857	983	79.6	76.9-82.3	18	1.4	0.6- 2.2	2	0.2	0.0- 0.6	1	0.3	0.0- 0.9	298	18.4	15.9-20.9
Black or Afr. Am./Non-Hisp	268	68,492	216	84.2	78.3-90.1	8	3.3	0.6- 6.0							44	12.4	6.9-17.9
Oth. Race/Non-Hisp.	62	19,514	39	74.5	59.4-89.6	6	5.1	0.0-10.8							17	20.4	6.1-34.7
Hispanic	191	24,133	144	72.3	62.5-82.1	4	1.1	0.0- 2.3							43	26.6	16.8-36.4
18-24	93	38,521	77	86.1	77.9-94.3	6	6.5	0.8-12.2				1	1.9	0.0- 5.6	9	5.5	0.6-10.4
25-34	184	51,248	150	85.1	78.2-92.0	8	2.6	0.4- 4.8							26	12.3	5.8-18.8
35-44	237	51,306	192	81.1	74.2-88.0	5	2.1	0.0- 4.3							40	16.8	10.1-23.5
45-54	298	53,322	227	78.6	72.9-84.3	6	1.6	0.0- 3.2	1	0.6	0.0- 1.8				64	19.2	13.7-24.7
55-64	396	65,316	309	80.9	76.0-85.8	6	1.2	0.0- 2.4							81	17.9	13.0-22.8
65+	698	92,311	488	72.1	67.6-76.6	8	1.0	0.0- 2.0	1	0.2	0.0- 0.6				201	26.6	22.3-30.9
Less Than H.S.	173	32,481	130	73.4	64.0-82.8	3	1.8	0.0- 4.5							40	24.8	15.6-34.0
H.S. or G.E.D.	489	97,516	372	80.4	75.9-84.9	11	1.9	0.5- 3.3				1	0.8	0.0- 2.2	105	16.9	12.8-21.0
Some Post-H.S.	486	112,326	367	80.1	75.6-84.6	13	3.1	1.1- 5.1	2	0.5	0.0- 1.1				104	16.4	12.3-20.5
College Graduate	750	108,366	567	79.5	75.6-83.4	12	1.6	0.4- 2.8							171	18.9	15.0-22.8
Less than \$15,000	169	24,988	115	74.3	65.3-83.3	8	5.2	0.7- 9.7							46	20.5	12.5-28.5
\$15,000- 24,999	254	39,837	188	81.6	75.9-87.3	5	1.5	0.0- 3.3							61	16.9	11.4-22.4
\$25,000- 34,999	145	25,383	110	74.0	63.4-84.6	4	5.0	0.0-10.3	1	1.2	0.0- 3.6				30	19.8	9.8-29.8
\$35,000- 49,999	225	44,164	173	81.6	74.7-88.5	2	0.4	0.0- 1.0							50	18.0	11.1-24.9
\$50,000- 74,999	204	37,664	151	77.0	69.2-84.8	4	3.0	0.0- 6.9	1	0.6	0.0- 1.8				48	19.4	12.3-26.5
\$75,000+	534	116,208	434	85.3	81.6-89.0	5	0.8	0.0- 1.8							95	13.9	10.2-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3388	661,930	2714	79.8	77.8-81.8	97	2.2	1.6- 2.8	1	0.1	0.0- 0.3	2	0.1	0.1- 0.1	574	17.9	15.9-19.9
Male	1503	315,186	1214	80.8	78.1-83.5	40	2.1	1.1- 3.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	247	16.9	14.2-19.6
Female	1885	346,743	1500	78.8	76.1-81.5	57	2.3	1.5- 3.1				1	0.0	0.0- 0.0	327	18.9	16.4-21.4
White/Non-Hisp	2339	424,821	1891	81.0	78.8-83.2	75	2.5	1.7- 3.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	371	16.4	14.2-18.6
Black or Afr. Am./Non-Hisp	410	131,966	327	77.6	71.9-83.3	9	1.3	0.1- 2.5							74	21.1	15.6-26.6
Oth. Race/Non-Hisp.	126	35,139	100	82.3	73.1-91.5	3	3.1	0.0- 7.4							23	14.6	6.2-23.0
MultiRacial/Non-Hisp.	65	6,228	53	73.2	57.3-89.1	2	6.9	0.0-18.9							10	19.9	6.8-33.0
Hispanic	369	50,544	284	76.1	69.8-82.4	7	1.2	0.2- 2.2				1	0.6	0.0- 1.8	77	22.1	15.8-28.4
18-24	211	74,592	172	77.6	69.2-86.0	2	0.7	0.0- 1.9							37	21.7	13.3-30.1
25-34	370	106,332	284	75.4	69.3-81.5	10	2.3	0.5- 4.1							76	22.3	16.2-28.4
35-44	405	95,739	320	81.1	76.2-86.0	10	2.0	0.4- 3.6	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	73	16.2	11.7-20.7
45-54	528	103,087	396	75.8	71.3-80.3	17	3.0	1.2- 4.8							115	21.2	16.9-25.5
55-64	699	118,437	555	81.6	78.1-85.1	21	2.5	1.1- 3.9							123	15.9	12.6-19.2
65+	1175	163,743	987	84.0	81.1-86.9	37	2.3	1.3- 3.3				1	0.0	0.0- 0.0	150	13.7	11.0-16.4
Less Than H.S.	335	69,349	260	80.6	74.9-86.3	15	2.5	0.9- 4.1							60	16.9	11.4-22.4
H.S. or G.E.D.	890	202,964	711	79.6	75.9-83.3	22	2.1	1.1- 3.1				2	0.2	0.0- 0.4	155	18.2	14.7-21.7
Some Post-H.S.	825	188,838	671	80.2	76.3-84.1	29	3.2	1.6- 4.8	1	0.2	0.0- 0.6				124	16.5	12.8-20.2
College Graduate	1320	198,038	1058	79.3	76.0-82.6	31	1.4	0.8- 2.0							231	19.3	16.0-22.6
Less than \$15,000	258	40,227	204	74.5	65.3-83.7	13	4.9	1.6- 8.2				1	0.1	0.0- 0.3	40	20.5	11.3-29.7
\$15,000- 24,999	428	72,514	331	80.9	76.2-85.6	16	2.2	0.8- 3.6							81	16.9	12.4-21.4
\$25,000- 34,999	261	46,504	200	71.3	63.3-79.3	7	3.7	0.8- 6.6							54	25.0	17.2-32.8
\$35,000- 49,999	358	72,694	292	82.2	76.5-87.9	9	1.6	0.4- 2.8							57	16.3	10.8-21.8
\$50,000- 74,999	410	86,680	334	83.7	78.8-88.6	10	1.8	0.4- 3.2				1	0.3	0.0- 0.9	65	14.2	9.5-18.9
\$75,000+	1055	227,486	867	81.1	77.6-84.6	22	1.6	0.6- 2.6	1	0.2	0.0- 0.6				165	17.1	13.8-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1503	315,186	1214	80.8	78.1-83.5	40	2.1	1.1- 3.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	247	16.9	14.2-19.6
White/Non-Hisp	1054	200,973	857	82.1	79.0-85.2	33	2.4	1.2- 3.6	1	0.2	0.0- 0.6				163	15.4	12.5-18.3
Black or Afr. Am./Non-Hisp	146	64,500	121	80.5	72.3-88.7	3	1.2	0.0- 2.8							22	18.3	10.3-26.3
Oth. Race/Non-Hisp.	64	15,625	50	73.5	57.6-89.4	2	6.6	0.0-15.8							12	20.0	5.3-34.7
Hispanic	177	26,358	138	81.6	73.8-89.4	2	0.6	0.0- 1.4				1	1.1	0.0- 3.3	36	16.8	9.2-24.4
18-24	119	36,516	98	79.0	68.8-89.2	1	1.3	0.0- 3.8							20	19.6	9.4-29.8
25-34	186	55,954	141	73.6	64.2-83.0	6	3.3	0.2- 6.4							39	23.1	14.1-32.1
35-44	173	46,920	138	84.5	78.2-90.8	3	0.6	0.0- 1.2	1	0.8	0.0- 2.4	1	0.6	0.0- 1.8	30	13.6	7.7-19.5
45-54	231	50,006	175	77.5	71.0-84.0	7	2.8	0.0- 5.7							49	19.7	13.6-25.8
55-64	311	53,864	250	82.2	76.9-87.5	7	1.9	0.3- 3.5							54	15.8	10.7-20.9
65+	483	71,925	412	86.1	82.0-90.2	16	2.3	0.9- 3.7							55	11.6	7.7-15.5
Less Than H.S.	165	37,701	131	85.2	78.7-91.7	4	1.7	0.0- 3.7							30	13.1	6.8-19.4
H.S. or G.E.D.	406	107,887	325	81.1	76.0-86.2	10	2.1	0.5- 3.7				1	0.3	0.0- 0.9	70	16.5	11.6-21.4
Some Post-H.S.	343	77,429	281	79.9	73.8-86.0	10	3.2	0.7- 5.7	1	0.5	0.0- 1.5				51	16.4	10.7-22.1
College Graduate	579	90,766	470	79.4	74.3-84.5	16	1.6	0.6- 2.6							93	19.0	13.9-24.1
Less than \$15,000	91	15,651	73	83.0	73.0-93.0	4	3.1	0.0- 6.4							14	13.9	4.3-23.5
\$15,000- 24,999	176	33,323	134	82.1	74.8-89.4	4	1.5	0.0- 3.3							38	16.4	9.3-23.5
\$25,000- 34,999	116	21,513	88	72.4	60.4-84.4	3	2.7	0.0- 6.2							25	24.9	13.3-36.5
\$35,000- 49,999	134	29,498	110	82.4	73.0-91.8	4	1.6	0.0- 3.4							20	16.0	6.6-25.4
\$50,000- 74,999	208	49,317	168	79.9	72.5-87.3	7	2.5	0.1- 4.9				1	0.6	0.0- 1.8	32	17.0	9.7-24.3
\$75,000+	529	113,271	444	83.3	78.8-87.8	12	1.8	0.0- 3.6	1	0.3	0.0- 0.9				72	14.6	10.3-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
 SECTION 12: FRUITS AND VEGETABLES
 TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1885	346,743	1500	78.8	76.1-81.5	57	2.3	1.5- 3.1	1	0.0	0.0- 0.0	327	18.9	16.4-21.4
White/Non-Hisp	1285	223,847	1034	80.0	76.9-83.1	42	2.7	1.7- 3.7	1	0.0	0.0- 0.0	208	17.3	14.4-20.2
Black or Afr. Am./Non-Hisp	264	67,466	206	74.9	67.3-82.5	6	1.3	0.0- 2.9				52	23.8	16.2-31.4
Oth. Race/Non-Hisp.	62	19,514	50	89.4	80.4-98.4	1	0.4	0.0- 1.2				11	10.2	1.2-19.2
Hispanic	192	24,186	146	70.2	60.6-79.8	5	1.9	0.0- 3.9				41	27.9	18.3-37.5
18-24	92	38,076	74	76.2	63.1-89.3	1	0.1	0.0- 0.3				17	23.6	10.5-36.7
25-34	184	50,377	143	77.4	69.6-85.2	4	1.2	0.0- 2.8				37	21.4	13.8-29.0
35-44	232	48,819	182	77.9	70.6-85.2	7	3.3	0.2- 6.4				43	18.8	11.9-25.7
45-54	297	53,080	221	74.1	67.6-80.6	10	3.2	1.0- 5.4				66	22.7	16.4-29.0
55-64	388	64,573	305	81.0	76.3-85.7	14	3.0	1.0- 5.0				69	15.9	11.6-20.2
65+	692	91,817	575	82.3	78.4-86.2	21	2.2	1.0- 3.4	1	0.1	0.0- 0.3	95	15.4	11.7-19.1
Less Than H.S.	170	31,649	129	75.1	66.1-84.1	11	3.6	1.1- 6.1				30	21.4	12.6-30.2
H.S. or G.E.D.	484	95,078	386	77.8	72.5-83.1	12	2.1	0.5- 3.7	1	0.1	0.0- 0.3	85	20.0	14.9-25.1
Some Post-H.S.	482	111,409	390	80.3	75.2-85.4	19	3.2	1.4- 5.0				73	16.5	11.6-21.4
College Graduate	741	107,272	588	79.3	75.0-83.6	15	1.2	0.4- 2.0				138	19.5	15.2-23.8
Less than \$15,000	167	24,575	131	69.1	56.0-82.2	9	6.0	1.1-10.9	1	0.2	0.0- 0.6	26	24.8	11.5-38.1
\$15,000- 24,999	252	39,191	197	80.0	73.9-86.1	12	2.8	0.4- 5.2				43	17.2	11.5-22.9
\$25,000- 34,999	145	24,991	112	70.5	59.3-81.7	4	4.6	0.0- 9.3				29	25.0	14.2-35.8
\$35,000- 49,999	224	43,197	182	82.0	75.1-88.9	5	1.5	0.0- 3.1				37	16.4	9.7-23.1
\$50,000- 74,999	202	37,363	166	88.6	83.7-93.5	3	0.9	0.0- 2.1				33	10.5	5.8-15.2
\$75,000+	526	114,215	423	78.9	73.8-84.0	10	1.4	0.2- 2.6				93	19.7	14.6-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3369	661,146	1522	47.4	45.0-49.8	1621	46.2	43.8-48.6	77	2.3	1.5- 3.1	22	0.5	0.3- 0.7	2	0.1	0.0- 0.3	125	3.6	2.8- 4.4
Male	1496	314,440	769	52.9	49.4-56.4	613	40.2	36.7-43.7	26	1.5	0.7- 2.3	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3	82	5.1	3.7- 6.5
Female	1873	346,706	753	42.3	39.0-45.6	1008	51.6	48.3-54.9	51	3.0	1.8- 4.2	17	0.8	0.4- 1.2	1	0.1	0.0- 0.3	43	2.1	1.1- 3.1
White/Non-Hisp	2335	425,894	1001	47.0	44.3-49.7	1201	47.3	44.6-50.0	50	2.2	1.4- 3.0	17	0.6	0.2- 1.0	2	0.1	0.0- 0.3	64	2.8	2.0- 3.6
Black or Afr. Am./Non-Hisp	408	132,146	209	52.3	45.6-59.0	175	41.4	34.9-47.9	9	2.6	0.4- 4.8							15	3.7	1.3- 6.1
Oth. Race/Non-Hisp.	126	35,133	35	26.6	15.8-37.4	81	67.7	56.3-79.1	7	3.4	0.0- 6.9	2	1.9	0.0- 5.0				1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	66	6,260	28	44.7	27.8-61.6	32	45.9	28.8-63.0	4	4.5	0.0- 9.8							2	4.9	0.0-12.5
Hispanic	358	48,834	220	55.5	47.3-63.7	92	31.4	23.2-39.6	5	0.9	0.1- 1.7	2	0.5	0.0- 1.3				39	11.8	6.7-16.9
18-24	210	75,926	123	61.0	52.0-70.0	71	32.1	23.5-40.7	8	4.3	0.4- 8.2	1	0.3	0.0- 0.9				7	2.3	0.3- 4.3
25-34	365	105,604	180	50.4	43.1-57.7	144	41.1	33.8-48.4	14	2.8	0.6- 5.0	4	0.9	0.0- 2.1				23	4.8	2.3- 7.3
35-44	402	95,179	178	43.9	37.4-50.4	193	49.6	42.9-56.3	16	3.6	1.4- 5.8	2	0.1	0.0- 0.3				13	2.8	0.6- 5.0
45-54	529	103,908	228	43.5	37.8-49.2	267	50.6	44.9-56.3	8	0.8	0.2- 1.4	3	0.4	0.0- 1.0	1	0.2	0.0- 0.6	22	4.6	2.1- 7.1
55-64	695	116,877	292	43.8	38.9-48.7	358	49.8	44.9-54.7	15	2.0	0.8- 3.2	4	0.5	0.0- 1.1				26	3.9	1.9- 5.9
65+	1168	163,651	521	46.1	42.2-50.0	588	48.6	44.7-52.5	16	1.5	0.5- 2.5	8	0.7	0.1- 1.3	1	0.2	0.0- 0.6	34	2.9	1.5- 4.3
Less Than H.S.	327	67,771	189	55.9	47.9-63.9	97	34.2	26.4-42.0	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	35	8.7	5.0-12.4
H.S. or G.E.D.	892	204,210	445	54.0	49.5-58.5	392	39.6	35.3-43.9	18	2.1	0.7- 3.5	2	0.2	0.0- 0.4				35	4.1	2.3- 5.9
Some Post-H.S.	817	188,549	354	43.8	38.9-48.7	413	50.1	45.2-55.0	16	2.4	0.8- 4.0	4	0.4	0.0- 0.8				30	3.3	1.7- 4.9
College Graduate	1316	197,189	527	41.5	37.8-45.2	712	52.9	49.0-56.8	39	3.1	1.7- 4.5	15	1.1	0.3- 1.9	1	0.1	0.0- 0.3	22	1.4	0.6- 2.2
Less than \$15,000	254	39,555	125	53.9	44.9-62.9	96	31.4	23.8-39.0	10	3.4	0.9- 5.9							23	11.3	4.6-18.0
\$15,000- 24,999	423	71,663	208	49.1	42.2-56.0	183	44.1	37.2-51.0	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3				28	6.5	3.4- 9.6
\$25,000- 34,999	262	47,167	121	42.2	34.2-50.2	121	50.4	42.0-58.8	9	3.0	0.8- 5.2				1	0.3	0.0- 0.9	10	4.1	1.2- 7.0
\$35,000- 49,999	356	72,162	158	47.9	39.9-55.9	176	48.0	40.0-56.0	11	2.0	0.0- 4.0	1	0.1	0.0- 0.3				10	2.1	0.1- 4.1
\$50,000- 74,999	413	87,559	190	51.2	44.3-58.1	198	43.3	36.6-50.0	10	2.1	0.5- 3.7	5	0.9	0.1- 1.7				10	2.4	0.4- 4.4
\$75,000+	1056	227,285	439	43.2	39.1-47.3	564	51.5	47.4-55.6	20	2.6	1.0- 4.2	12	0.9	0.3- 1.5				21	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1496	314,440	769	52.9	49.4-56.4	613	40.2	36.7-43.7	26	1.5	0.7- 2.3	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3	82	5.1	3.7- 6.5
White/Non-Hisp	1050	201,380	526	52.5	48.6-56.4	463	41.7	37.8-45.6	14	1.2	0.4- 2.0	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	43	4.3	2.7- 5.9
Black or Afr. Am./Non-Hisp	145	64,039	87	57.9	47.5-68.3	47	35.3	25.1-45.5	2	1.5	0.0- 4.0							9	5.3	1.2- 9.4
Oth. Race/Non-Hisp.	65	15,670	21	33.7	17.8-49.6	39	60.8	44.5-77.1	3	4.0	0.0-10.5	1	0.6	0.0- 1.8				1	0.9	0.0- 2.7
Hispanic	171	25,236	109	57.9	45.4-70.4	36	28.2	15.3-41.1	1	0.2	0.0- 0.6	1	0.8	0.0- 2.4				24	12.8	5.9-19.7
18-24	118	37,850	71	63.1	51.9-74.3	35	27.9	17.5-38.3	6	5.1	0.0-10.4							6	3.9	0.4- 7.4
25-34	182	54,952	97	53.5	42.9-64.1	65	39.2	29.0-49.4	4	0.4	0.0- 0.8	1	0.4	0.0- 1.2				15	6.5	2.2-10.8
35-44	175	47,236	91	52.0	41.8-62.2	70	41.2	30.8-51.6	5	2.4	0.0- 4.8							9	4.4	0.5- 8.3
45-54	234	50,238	111	49.2	40.8-57.6	105	44.3	36.1-52.5	3	0.2	0.0- 0.6	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9	12	5.4	1.9- 8.9
55-64	306	52,400	150	52.0	44.9-59.1	132	40.7	33.8-47.6	4	1.5	0.0- 3.3	1	0.0	0.0- 0.0				19	5.7	2.8- 8.6
65+	481	71,763	249	50.9	44.8-57.0	206	43.4	37.3-49.5	4	0.8	0.0- 1.6	1	0.3	0.0- 0.9				21	4.5	2.0- 7.0
Less Than H.S.	159	36,181	93	53.4	41.2-65.6	42	36.6	24.6-48.6	1	0.4	0.0- 1.2							23	9.6	4.5-14.7
H.S. or G.E.D.	409	108,227	221	58.9	52.6-65.2	158	34.0	28.1-39.9	6	1.7	0.0- 3.5	1	0.2	0.0- 0.6				23	5.2	2.5- 7.9
Some Post-H.S.	342	78,435	170	49.0	41.7-56.3	143	43.3	36.0-50.6	6	1.5	0.0- 3.1	2	0.5	0.0- 1.3				21	5.7	2.6- 8.8
College Graduate	578	90,337	281	49.2	43.5-54.9	268	46.2	40.5-51.9	13	1.8	0.6- 3.0	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	13	2.6	0.8- 4.4
Less than \$15,000	89	15,197	48	52.6	38.1-67.1	24	27.3	14.8-39.8	3	2.0	0.0- 4.5							14	18.1	6.1-30.1
\$15,000- 24,999	175	32,764	102	55.8	44.8-66.8	52	33.7	22.9-44.5	1	0.2	0.0- 0.6							20	10.3	4.4-16.2
\$25,000- 34,999	117	21,761	65	51.6	38.7-64.5	43	39.9	26.6-53.2	2	1.2	0.0- 3.0				1	0.7	0.0- 2.1	6	6.6	0.5-12.7
\$35,000- 49,999	136	29,359	70	56.6	43.5-69.7	56	40.3	27.4-53.2	4	0.6	0.0- 1.2							6	2.4	0.0- 4.8
\$50,000- 74,999	210	49,895	107	55.7	46.5-64.9	90	38.7	29.7-47.7	2	0.7	0.0- 1.7	2	0.8	0.0- 2.0				9	4.1	0.8- 7.4
\$75,000+	531	113,004	247	46.5	40.8-52.2	263	49.5	43.8-55.2	8	1.5	0.3- 2.7	1	0.1	0.0- 0.3				12	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1873	346,706	753	42.3	39.0-45.6	1008	51.6	48.3-54.9	51	3.0	1.8- 4.2	17	0.8	0.4- 1.2	1	0.1	0.0- 0.3	43	2.1	1.1- 3.1
White/Non-Hisp	1285	224,514	475	42.0	38.1-45.9	738	52.3	48.4-56.2	36	3.2	1.8- 4.6	14	0.9	0.3- 1.5	1	0.2	0.0- 0.6	21	1.4	0.6- 2.2
Black or Afr. Am./Non-Hisp	263	68,106	122	47.0	38.8-55.2	128	47.1	38.9-55.3	7	3.6	0.1- 7.1							6	2.3	0.0- 5.0
Oth. Race/Non-Hisp.	61	19,463	14	20.8	6.5-35.1	42	73.3	58.0-88.6	4	2.9	0.0- 6.2	1	2.9	0.0- 8.6						
Hispanic	187	23,599	111	52.9	42.3-63.5	56	34.7	24.3-45.1	4	1.5	0.0- 3.3	1	0.2	0.0- 0.6				15	10.7	3.3-18.1
18-24	92	38,076	52	58.9	45.0-72.8	36	36.3	22.8-49.8	2	3.5	0.0- 9.2	1	0.6	0.0- 1.8				1	0.7	0.0- 2.1
25-34	183	50,652	83	47.0	37.0-57.0	79	43.2	33.2-53.2	10	5.4	1.1- 9.7	3	1.5	0.0- 3.9				8	3.0	0.5- 5.5
35-44	227	47,943	87	35.9	27.7-44.1	123	57.8	49.4-66.2	11	4.7	1.2- 8.2	2	0.3	0.0- 0.7				4	1.3	0.0- 2.9
45-54	295	53,670	117	38.2	31.1-45.3	162	56.5	49.2-63.8	5	1.3	0.1- 2.5	1	0.2	0.0- 0.6				10	3.8	0.1- 7.5
55-64	389	64,477	142	37.2	30.7-43.7	226	57.1	50.4-63.8	11	2.4	0.8- 4.0	3	0.8	0.0- 1.8				7	2.5	0.1- 4.9
65+	687	91,888	272	42.3	37.4-47.2	382	52.6	47.7-57.5	12	2.1	0.5- 3.7	7	1.0	0.2- 1.8	1	0.4	0.0- 1.2	13	1.5	0.5- 2.5
Less Than H.S.	168	31,590	96	58.7	48.3-69.1	55	31.5	21.9-41.1	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6	1	1.2	0.0- 3.6	12	7.6	2.1-13.1
H.S. or G.E.D.	483	95,983	224	48.5	42.4-54.6	234	45.9	40.0-51.8	12	2.6	0.8- 4.4	1	0.2	0.0- 0.6				12	2.9	0.5- 5.3
Some Post-H.S.	475	110,114	184	40.1	33.6-46.6	270	55.0	48.5-61.5	10	3.1	0.7- 5.5	2	0.3	0.0- 0.7				9	1.6	0.4- 2.8
College Graduate	738	106,852	246	34.9	29.8-40.0	444	58.5	53.2-63.8	26	4.2	2.0- 6.4	13	2.0	0.6- 3.4				9	0.4	0.2- 0.6
Less than \$15,000	165	24,358	77	54.8	43.4-66.2	72	33.9	24.1-43.7	7	4.2	0.3- 8.1							9	7.1	0.0-14.7
\$15,000- 24,999	248	38,899	106	43.4	34.8-52.0	131	52.8	44.2-61.4	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3				8	3.3	0.4- 6.2
\$25,000- 34,999	145	25,406	56	34.2	24.0-44.4	78	59.3	48.7-69.9	7	4.5	0.8- 8.2							4	2.0	0.0- 4.2
\$35,000- 49,999	220	42,803	88	41.9	32.1-51.7	120	53.2	43.4-63.0	7	2.9	0.0- 6.2	1	0.1	0.0- 0.3				4	1.8	0.0- 4.7
\$50,000- 74,999	203	37,665	83	45.4	35.2-55.6	108	49.4	39.4-59.4	8	4.1	1.0- 7.2	3	1.1	0.0- 2.3				1	0.1	0.0- 0.3
\$75,000+	525	114,281	192	40.0	33.9-46.1	301	53.4	47.3-59.5	12	3.7	1.0- 6.4	11	1.7	0.3- 3.1				9	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	167
2	MALES ONLY	168
3	FEMALES ONLY	169
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	170
5	MALES ONLY	171
6	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 13: IMMUNIZATION

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1161	163,714	753	63.4	59.5-67.3	408	36.6	32.7-40.5
Male	482	73,139	321	62.3	56.0-68.6	161	37.7	31.4-44.0
Female	679	90,575	432	64.3	59.6-69.0	247	35.7	31.0-40.4
White/Non-Hisp	953	128,158	642	67.7	64.0-71.4	311	32.3	28.6-36.0
Black or Afr. Am./Non-Hisp	114	26,881	54	45.1	32.4-57.8	60	54.9	42.2-67.6
65+	1161	163,714	753	63.4	59.5-67.3	408	36.6	32.7-40.5
Less Than H.S.	88	17,979	52	51.0	36.9-65.1	36	49.0	34.9-63.1
H.S. or G.E.D.	303	47,352	178	55.7	48.1-63.3	125	44.3	36.7-51.9
Some Post-H.S.	295	50,941	185	66.2	59.5-72.9	110	33.8	27.1-40.5
College Graduate	472	47,074	336	72.8	67.7-77.9	136	27.2	22.1-32.3
Less than \$15,000	76	10,402	42	58.4	43.7-73.1	34	41.6	26.9-56.3
\$15,000- 24,999	155	19,754	86	57.4	46.0-68.8	69	42.6	31.2-54.0
\$25,000- 34,999	111	14,718	66	54.6	42.8-66.4	45	45.4	33.6-57.2
\$35,000- 49,999	136	19,336	101	74.5	65.7-83.3	35	25.5	16.7-34.3
\$50,000- 74,999	154	24,432	104	65.7	55.3-76.1	50	34.3	23.9-44.7
\$75,000+	271	36,062	192	72.8	66.3-79.3	79	27.2	20.7-33.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	482	73,139	321	62.3	56.0-68.6	161	37.7	31.4-44.0
White/Non-Hisp	403	56,042	277	67.3	61.4-73.2	126	32.7	26.8-38.6
65+	482	73,139	321	62.3	56.0-68.6	161	37.7	31.4-44.0
H.S. or G.E.D.	96	19,145	50	44.2	31.3-57.1	46	55.8	42.9-68.7
Some Post-H.S.	125	22,241	85	69.2	58.8-79.6	40	30.8	20.4-41.2
College Graduate	224	23,802	164	76.1	69.2-83.0	60	23.9	17.0-30.8
\$50,000- 74,999	78	13,634	53	60.7	45.4-76.0	25	39.3	24.0-54.6
\$75,000+	145	18,468	106	74.6	66.0-83.2	39	25.4	16.8-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	679	90,575	432	64.3	59.6-69.0	247	35.7	31.0-40.4
White/Non-Hisp	550	72,116	365	68.0	63.1-72.9	185	32.0	27.1-36.9
Black or Afr. Am./Non-Hisp	79	13,862	38	50.0	34.7-65.3	41	50.0	34.7-65.3
65+	679	90,575	432	64.3	59.6-69.0	247	35.7	31.0-40.4
Less Than H.S.	53	10,307	31	55.9	37.9-73.9	22	44.1	26.1-62.1
H.S. or G.E.D.	207	28,207	128	63.5	55.3-71.7	79	36.5	28.3-44.7
Some Post-H.S.	170	28,700	100	63.8	55.0-72.6	70	36.2	27.4-45.0
College Graduate	248	23,271	172	69.4	62.1-76.7	76	30.6	23.3-37.9
Less than \$15,000	54	6,759	29	55.6	39.1-72.1	25	44.4	27.9-60.9
\$15,000- 24,999	107	12,735	62	62.7	50.4-75.0	45	37.3	25.0-49.6
\$25,000- 34,999	63	7,492	37	52.6	36.5-68.7	26	47.4	31.3-63.5
\$35,000- 49,999	90	12,681	67	74.4	63.2-85.6	23	25.6	14.4-36.8
\$50,000- 74,999	76	10,798	51	71.9	59.7-84.1	25	28.1	15.9-40.3
\$75,000+	126	17,594	86	71.0	61.0-81.0	40	29.0	19.0-39.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1116	157,672	857	75.3	71.8-78.8	259	24.7	21.2-28.2
Male	465	71,281	350	74.0	68.5-79.5	115	26.0	20.5-31.5
Female	651	86,391	507	76.5	72.0-81.0	144	23.5	19.0-28.0
White/Non-Hisp	918	123,182	727	78.8	75.5-82.1	191	21.2	17.9-24.5
Black or Afr. Am./Non-Hisp	109	26,074	69	61.0	48.3-73.7	40	39.0	26.3-51.7
65+	1116	157,672	857	75.3	71.8-78.8	259	24.7	21.2-28.2
Less Than H.S.	83	17,069	52	63.6	49.7-77.5	31	36.4	22.5-50.3
H.S. or G.E.D.	290	45,212	224	76.8	70.1-83.5	66	23.2	16.5-29.9
Some Post-H.S.	285	49,651	211	74.3	67.8-80.8	74	25.7	19.2-32.2
College Graduate	456	45,461	368	79.3	74.4-84.2	88	20.7	15.8-25.6
Less than \$15,000	72	9,982	51	66.3	51.6-81.0	21	33.7	19.0-48.4
\$15,000- 24,999	149	18,828	108	74.9	65.3-84.5	41	25.1	15.5-34.7
\$25,000- 34,999	109	14,311	79	74.5	64.7-84.3	30	25.5	15.7-35.3
\$35,000- 49,999	132	18,857	112	84.9	77.6-92.2	20	15.1	7.8-22.4
\$50,000- 74,999	150	23,979	119	77.4	67.8-87.0	31	22.6	13.0-32.2
\$75,000+	264	35,251	212	78.4	71.9-84.9	52	21.6	15.1-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	465	71,281	350	74.0	68.5-79.5	115	26.0	20.5-31.5
White/Non-Hisp	389	54,331	301	76.9	71.6-82.2	88	23.1	17.8-28.4
65+	465	71,281	350	74.0	68.5-79.5	115	26.0	20.5-31.5
H.S. or G.E.D.	93	18,801	65	70.4	57.9-82.9	28	29.6	17.1-42.1
Some Post-H.S.	121	21,766	87	69.9	59.3-80.5	34	30.1	19.5-40.7
College Graduate	215	22,956	175	81.4	74.5-88.3	40	18.6	11.7-25.5
\$50,000- 74,999	74	13,181	55	70.4	55.1-85.7	19	29.6	14.3-44.9
\$75,000+	141	17,989	115	76.4	66.8-86.0	26	23.6	14.0-33.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	651	86,391	507	76.5	72.0-81.0	144	23.5	19.0-28.0
White/Non-Hisp	529	68,851	426	80.4	76.1-84.7	103	19.6	15.3-23.9
Black or Afr. Am./Non-Hisp	74	13,056	49	61.6	45.7-77.5	25	38.4	22.5-54.3
65+	651	86,391	507	76.5	72.0-81.0	144	23.5	19.0-28.0
H.S. or G.E.D.	197	26,411	159	81.4	74.5-88.3	38	18.6	11.7-25.5
Some Post-H.S.	164	27,885	124	77.7	70.1-85.3	40	22.3	14.7-29.9
College Graduate	241	22,506	193	77.1	70.0-84.2	48	22.9	15.8-30.0
Less than \$15,000	50	6,339	39	71.4	54.9-87.9	11	28.6	12.1-45.1
\$15,000- 24,999	103	12,054	79	74.4	62.2-86.6	24	25.6	13.4-37.8
\$25,000- 34,999	62	7,187	47	80.6	69.6-91.6	15	19.4	8.4-30.4
\$35,000- 49,999	86	12,202	74	85.7	76.9-94.5	12	14.3	5.5-23.1
\$50,000- 74,999	76	10,798	64	86.0	77.2-94.8	12	14.0	5.2-22.8
\$75,000+	123	17,262	97	80.5	71.9-89.1	26	19.5	10.9-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3251	638,593	1391	45.5	43.0-48.0	1860	54.5	52.0-57.0
Male	1447	305,235	584	43.6	39.9-47.3	863	56.4	52.7-60.1
Female	1804	333,358	807	47.3	44.0-50.6	997	52.7	49.4-56.0
White/Non-Hisp	2228	406,804	835	39.4	36.7-42.1	1393	60.6	57.9-63.3
Black or Afr. Am./Non-Hisp	403	130,486	250	64.9	58.6-71.2	153	35.1	28.8-41.4
Oth. Race/Non-Hisp.	121	32,412	53	48.9	36.0-61.8	68	51.1	38.2-64.0
MultiRacial/Non-Hisp.	64	6,061	44	70.6	54.9-86.3	20	29.4	13.7-45.1
Hispanic	355	49,085	173	38.8	31.5-46.1	182	61.2	53.9-68.5
18-24	206	73,569	85	44.2	34.6-53.8	121	55.8	46.2-65.4
25-34	355	102,857	213	55.6	48.2-63.0	142	44.4	37.0-51.8
35-44	395	93,168	263	65.3	58.8-71.8	132	34.7	28.2-41.2
45-54	510	99,641	315	63.8	58.5-69.1	195	36.2	30.9-41.5
55-64	679	114,142	290	40.1	35.2-45.0	389	59.9	55.0-64.8
65+	1106	155,216	225	19.9	16.8-23.0	881	80.1	77.0-83.2
Less Than H.S.	320	66,746	128	38.8	30.8-46.8	192	61.2	53.2-69.2
H.S. or G.E.D.	860	197,330	355	45.4	40.9-49.9	505	54.6	50.1-59.1
Some Post-H.S.	783	180,442	358	47.1	42.2-52.0	425	52.9	48.0-57.8
College Graduate	1271	190,612	542	46.4	42.5-50.3	729	53.6	49.7-57.5
Less than \$15,000	245	38,138	129	55.1	45.9-64.3	116	44.9	35.7-54.1
\$15,000- 24,999	409	70,002	180	49.2	42.1-56.3	229	50.8	43.7-57.9
\$25,000- 34,999	254	46,139	107	44.7	36.3-53.1	147	55.3	46.9-63.7
\$35,000- 49,999	346	71,291	149	47.8	39.6-56.0	197	52.2	44.0-60.4
\$50,000- 74,999	399	84,129	169	46.6	39.5-53.7	230	53.4	46.3-60.5
\$75,000+	1021	219,507	461	46.9	42.6-51.2	560	53.1	48.8-57.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1447	305,235	584	43.6	39.9-47.3	863	56.4	52.7-60.1
White/Non-Hisp	1005	193,250	363	37.9	33.8-42.0	642	62.1	58.0-66.2
Black or Afr. Am./Non-Hisp	145	64,001	96	65.5	55.7-75.3	49	34.5	24.7-44.3
Oth. Race/Non-Hisp.	62	14,039	24	34.6	18.7-50.5	38	65.4	49.5-81.3
Hispanic	172	25,971	65	32.2	22.2-42.2	107	67.8	57.8-77.8
18-24	118	37,007	41	34.2	23.0-45.4	77	65.8	54.6-77.0
25-34	177	53,040	93	53.0	42.2-63.8	84	47.0	36.2-57.8
35-44	173	46,550	99	54.0	43.6-64.4	74	46.0	35.6-56.4
45-54	226	48,785	130	63.5	55.7-71.3	96	36.5	28.7-44.3
55-64	300	51,238	116	37.8	30.7-44.9	184	62.2	55.1-69.3
65+	453	68,615	105	24.3	18.8-29.8	348	75.7	70.2-81.2
Less Than H.S.	158	35,741	53	36.4	24.1-48.7	105	63.6	51.3-75.9
H.S. or G.E.D.	398	106,860	164	44.5	37.8-51.2	234	55.5	48.8-62.2
Some Post-H.S.	324	74,399	137	44.0	36.6-51.4	187	56.0	48.6-63.4
College Graduate	559	86,939	229	45.2	39.3-51.1	330	54.8	48.9-60.7
Less than \$15,000	85	14,375	43	52.0	37.3-66.7	42	48.0	33.3-62.7
\$15,000- 24,999	165	31,319	66	46.9	35.3-58.5	99	53.1	41.5-64.7
\$25,000- 34,999	112	21,355	39	30.3	19.1-41.5	73	69.7	58.5-80.9
\$35,000- 49,999	131	29,199	56	51.1	37.6-64.6	75	48.9	35.4-62.4
\$50,000- 74,999	203	48,566	84	44.0	34.4-53.6	119	56.0	46.4-65.6
\$75,000+	514	108,994	217	46.1	40.2-52.0	297	53.9	48.0-59.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1804	333,358	807	47.3	44.0-50.6	997	52.7	49.4-56.0
White/Non-Hisp	1223	213,553	472	40.7	36.8-44.6	751	59.3	55.4-63.2
Black or Afr. Am./Non-Hisp	258	66,486	154	64.2	56.4-72.0	104	35.8	28.0-43.6
Oth. Race/Non-Hisp.	59	18,373	29	59.8	41.6-78.0	30	40.2	22.0-58.4
Hispanic	183	23,115	108	46.3	35.9-56.7	75	53.7	43.3-64.1
18-24	88	36,562	44	54.2	39.7-68.7	44	45.8	31.3-60.3
25-34	178	49,817	120	58.3	47.9-68.7	58	41.7	31.3-52.1
35-44	222	46,618	164	76.5	69.4-83.6	58	23.5	16.4-30.6
45-54	284	50,856	185	64.2	56.8-71.6	99	35.8	28.4-43.2
55-64	379	62,904	174	41.9	35.2-48.6	205	58.1	51.4-64.8
65+	653	86,601	120	16.4	12.9-19.9	533	83.6	80.1-87.1
Less Than H.S.	162	31,006	75	41.7	31.3-52.1	87	58.3	47.9-68.7
H.S. or G.E.D.	462	90,469	191	46.5	40.2-52.8	271	53.5	47.2-59.8
Some Post-H.S.	459	106,043	221	49.3	42.6-56.0	238	50.7	44.0-57.4
College Graduate	712	103,673	313	47.4	42.1-52.7	399	52.6	47.3-57.9
Less than \$15,000	160	23,763	86	57.0	45.4-68.6	74	43.0	31.4-54.6
\$15,000- 24,999	244	38,684	114	51.2	42.6-59.8	130	48.8	40.2-57.4
\$25,000- 34,999	142	24,784	68	57.2	46.2-68.2	74	42.8	31.8-53.8
\$35,000- 49,999	215	42,092	93	45.5	35.5-55.5	122	54.5	44.5-64.5
\$50,000- 74,999	196	35,563	85	50.1	39.9-60.3	111	49.9	39.7-60.1
\$75,000+	507	110,513	244	47.7	41.4-54.0	263	52.3	46.0-58.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2019**

End of Calculated Variable Data Report