


DELAWARE

2019 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3890	772,823	646	17.6	15.8-19.4	1225	31.6	29.4-33.8	1238	32.0	29.8-34.2	594	15.1	13.5-16.7	187	3.7	2.9- 4.5
Male	1737	368,865	310	18.5	16.0-21.0	521	29.2	26.3-32.1	569	32.9	29.8-36.0	251	15.1	12.6-17.6	86	4.3	3.1- 5.5
Female	2153	403,958	336	16.8	14.4-19.2	704	33.8	30.9-36.7	669	31.3	28.6-34.0	343	15.1	12.9-17.3	101	3.1	2.1- 4.1
White/Non-Hisp	2634	486,961	422	16.4	14.4-18.4	943	35.5	33.0-38.0	792	31.7	29.2-34.2	347	12.6	11.0-14.2	130	3.8	3.0- 4.6
Black or Afr. Am./Non-Hisp	492	159,631	81	19.1	14.2-24.0	120	25.0	19.9-30.1	179	33.2	27.7-38.7	88	18.6	13.5-23.7	24	4.1	1.9- 6.3
Oth. Race/Non-Hisp.	147	39,300	30	22.4	12.8-32.0	44	38.2	26.4-50.0	43	28.3	17.7-38.9	21	9.1	3.4-14.8	9	1.9	0.3- 3.5
MultiRacial/Non-Hisp.	78	8,099	12	15.5	5.5-25.5	24	32.8	18.1-47.5	27	37.7	21.8-53.6	12	12.0	3.0-21.0	3	1.9	0.0- 4.8
Hispanic	443	61,961	77	19.5	13.2-25.8	74	16.3	11.6-21.0	169	33.7	27.2-40.2	109	28.0	20.9-35.1	14	2.5	0.7- 4.3
18-24	246	87,462	54	20.6	13.7-27.5	92	40.7	32.3-49.1	72	26.2	18.8-33.6	24	11.0	5.7-16.3	4	1.5	0.0- 3.1
25-34	436	127,634	89	20.1	15.0-25.2	117	26.0	20.3-31.7	160	37.0	30.5-43.5	60	15.4	9.9-20.9	10	1.4	0.4- 2.4
35-44	484	114,965	93	23.0	17.5-28.5	148	31.4	25.9-36.9	178	31.4	26.1-36.7	54	12.1	8.0-16.2	11	2.0	0.0- 4.0
45-54	616	119,144	114	18.2	14.3-22.1	214	34.8	29.9-39.7	174	30.1	25.2-35.0	80	13.5	9.6-17.4	34	3.3	1.9- 4.7
55-64	789	134,849	127	15.5	12.4-18.6	238	28.9	24.8-33.0	230	32.2	27.9-36.5	146	17.4	14.1-20.7	48	6.0	3.8- 8.2
65+	1319	188,768	169	12.5	10.1-14.9	416	31.0	27.7-34.3	424	32.9	29.6-36.2	230	17.9	15.0-20.8	80	5.7	3.9- 7.5
Less Than H.S.	405	83,448	39	10.8	6.1-15.5	50	13.1	8.6-17.6	142	32.1	25.6-38.6	145	36.0	28.9-43.1	29	8.1	4.4-11.8
H.S. or G.E.D.	1051	245,579	115	14.5	11.2-17.8	304	29.3	25.6-33.0	391	36.1	32.2-40.0	177	15.9	12.8-19.0	64	4.0	2.6- 5.4
Some Post-H.S.	952	219,707	150	14.5	11.6-17.4	321	35.4	31.1-39.7	279	32.4	28.1-36.7	152	14.0	11.1-16.9	50	3.7	2.1- 5.3
College Graduate	1456	219,572	338	26.7	23.4-30.0	546	37.7	34.2-41.2	414	26.7	23.6-29.8	115	7.4	5.2- 9.6	43	1.5	0.9- 2.1
Less than \$15,000	296	47,293	35	14.5	8.0-21.0	39	17.0	9.4-24.6	98	30.6	23.5-37.7	80	28.0	20.7-35.3	44	9.8	6.1-13.5
\$15,000- 24,999	487	83,543	53	11.3	7.0-15.6	103	20.0	15.3-24.7	169	38.8	32.5-45.1	123	22.8	17.5-28.1	39	7.1	4.0-10.2
\$25,000- 34,999	295	53,541	35	13.0	7.1-18.9	88	29.7	22.8-36.6	95	28.9	22.2-35.6	59	21.3	14.4-28.2	18	7.1	2.4-11.8
\$35,000- 49,999	401	81,114	60	19.4	12.9-25.9	125	28.8	22.3-35.3	131	30.4	24.1-36.7	71	19.1	12.4-25.8	14	2.3	0.9- 3.7
\$50,000- 74,999	448	95,160	59	14.0	9.5-18.5	161	31.7	25.6-37.8	159	38.8	32.3-45.3	59	14.1	9.2-19.0	10	1.4	0.2- 2.6
\$75,000+	1147	248,655	273	23.5	20.2-26.8	479	40.7	36.8-44.6	309	28.2	24.5-31.9	74	6.9	4.7- 9.1	12	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	368,865	310	18.5	16.0-21.0	521	29.2	26.3-32.1	569	32.9	29.8-36.0	251	15.1	12.6-17.6	86	4.3	3.1- 5.5
White/Non-Hisp	1200	233,962	196	16.4	13.5-19.3	407	32.9	29.4-36.4	386	34.0	30.5-37.5	156	12.5	10.1-14.9	55	4.2	2.8- 5.6
Black or Afr. Am./Non-Hisp	171	73,300	34	20.4	12.8-28.0	43	22.9	15.5-30.3	52	30.9	22.1-39.7	31	21.4	12.6-30.2	11	4.3	1.0- 7.6
Oth. Race/Non-Hisp.	77	18,941	20	26.2	13.5-38.9	20	32.1	16.8-47.4	21	26.2	12.7-39.7	9	11.9	1.7-22.1	7	3.5	0.4- 6.6
Hispanic	211	31,597	42	23.2	13.2-33.2	36	17.9	10.8-25.0	84	34.1	24.7-43.5	42	21.3	11.5-31.1	7	3.6	0.3- 6.9
18-24	139	44,290	28	19.2	10.2-28.2	54	38.5	27.9-49.1	42	28.7	18.7-38.7	11	10.8	3.4-18.2	4	2.9	0.0- 6.0
25-34	219	64,209	48	20.7	13.6-27.8	52	23.7	15.9-31.5	80	35.6	26.4-44.8	31	17.4	8.6-26.2	8	2.5	0.3- 4.7
35-44	212	56,100	45	25.9	17.1-34.7	62	27.8	20.4-35.2	87	35.0	26.4-43.6	16	10.7	4.4-17.0	2	0.6	0.0- 1.6
45-54	264	57,118	53	19.2	13.3-25.1	92	33.2	25.9-40.5	77	33.0	25.4-40.6	29	11.6	5.7-17.5	13	3.0	1.0- 5.0
55-64	354	62,708	53	14.2	9.9-18.5	100	28.0	21.9-34.1	105	29.3	23.2-35.4	73	21.5	16.0-27.0	23	7.0	3.7-10.3
65+	549	84,439	83	14.4	10.3-18.5	161	27.5	22.8-32.2	178	34.3	29.0-39.6	91	16.3	12.0-20.6	36	7.6	4.3-10.9
Less Than H.S.	200	44,538	24	14.0	6.2-21.8	29	13.6	7.5-19.7	63	25.5	17.5-33.5	64	35.4	24.6-46.2	20	11.6	5.5-17.7
H.S. or G.E.D.	480	128,546	57	16.5	11.4-21.6	130	25.6	20.7-30.5	188	38.3	32.6-44.0	79	15.4	10.9-19.9	26	4.1	2.1- 6.1
Some Post-H.S.	400	91,953	66	14.0	9.9-18.1	133	34.0	27.7-40.3	120	35.3	28.4-42.2	57	12.4	8.3-16.5	24	4.3	2.3- 6.3
College Graduate	644	101,928	162	27.4	22.7-32.1	228	36.6	31.5-41.7	190	26.4	21.7-31.1	49	8.3	4.6-12.0	15	1.3	0.5- 2.1
Less than \$15,000	106	19,861	18	19.7	8.7-30.7	13	9.7	3.0-16.4	32	28.7	16.9-40.5	30	31.4	19.2-43.6	13	10.5	3.8-17.2
\$15,000- 24,999	206	39,260	26	13.6	6.0-21.2	38	18.9	11.5-26.3	76	35.6	26.4-44.8	48	22.0	13.6-30.4	18	9.9	3.8-16.0
\$25,000- 34,999	135	25,783	17	14.6	4.4-24.8	38	24.4	15.4-33.4	41	28.4	18.4-38.4	28	25.4	14.6-36.2	11	7.2	2.5-11.9
\$35,000- 49,999	155	33,352	30	22.4	11.6-33.2	38	19.9	12.3-27.5	50	31.5	20.9-42.1	29	23.3	10.4-36.2	8	2.9	0.7- 5.1
\$50,000- 74,999	228	53,565	29	14.0	7.9-20.1	69	24.2	17.5-30.9	96	43.8	34.8-52.8	29	16.2	8.6-23.8	5	1.8	0.0- 4.0
\$75,000+	578	124,032	136	23.3	18.6-28.0	244	42.3	37.0-47.6	153	27.2	22.1-32.3	37	6.4	3.5- 9.3	8	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2153	403,958	336	16.8	14.4-19.2	704	33.8	30.9-36.7	669	31.3	28.6-34.0	343	15.1	12.9-17.3	101	3.1	2.1- 4.1
White/Non-Hisp	1434	252,999	226	16.3	13.8-18.8	536	37.9	34.4-41.4	406	29.6	26.3-32.9	191	12.8	10.4-15.2	75	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	321	86,331	47	18.0	11.7-24.3	77	26.9	20.0-33.8	127	35.2	28.3-42.1	57	16.2	10.7-21.7	13	3.8	0.9- 6.7
Oth. Race/Non-Hisp.	70	20,359	10	18.9	4.4-33.4	24	43.9	26.5-61.3	22	30.3	14.2-46.4	12	6.5	1.0-12.0	2	0.5	0.0- 1.1
Hispanic	232	30,364	35	15.6	8.5-22.7	38	14.7	8.6-20.8	85	33.4	24.4-42.4	67	35.0	25.0-45.0	7	1.3	0.3- 2.3
18-24	107	43,172	26	22.0	11.6-32.4	38	43.0	29.7-56.3	30	23.7	12.3-35.1	13	11.3	3.7-18.9			
25-34	217	63,425	41	19.6	12.3-26.9	65	28.3	20.1-36.5	80	38.5	29.3-47.7	29	13.4	7.1-19.7	2	0.3	0.0- 0.7
35-44	272	58,865	48	20.3	13.6-27.0	86	34.9	27.3-42.5	91	28.0	21.5-34.5	38	13.5	8.2-18.8	9	3.3	0.0- 7.0
45-54	352	62,026	61	17.3	12.0-22.6	122	36.3	29.6-43.0	97	27.4	21.3-33.5	51	15.3	10.2-20.4	21	3.7	1.9- 5.5
55-64	435	72,141	74	16.6	12.1-21.1	138	29.7	24.0-35.4	125	34.8	28.5-41.1	73	13.9	9.6-18.2	25	5.0	2.3- 7.7
65+	770	104,329	86	11.0	8.3-13.7	255	33.9	29.4-38.4	246	31.7	27.4-36.0	139	19.2	15.5-22.9	44	4.2	2.6- 5.8
Less Than H.S.	205	38,910	15	7.2	2.9-11.5	21	12.6	5.9-19.3	79	39.6	30.0-49.2	81	36.7	27.9-45.5	9	4.0	0.7- 7.3
H.S. or G.E.D.	571	117,034	58	12.4	8.5-16.3	174	33.4	27.9-38.9	203	33.7	28.6-38.8	98	16.5	12.2-20.8	38	4.0	2.4- 5.6
Some Post-H.S.	552	127,754	84	14.8	10.7-18.9	188	36.4	30.7-42.1	159	30.3	24.8-35.8	95	15.1	11.0-19.2	26	3.4	1.2- 5.6
College Graduate	812	117,644	176	26.1	21.4-30.8	318	38.7	33.8-43.6	224	26.9	22.4-31.4	66	6.6	4.4- 8.8	28	1.7	0.9- 2.5
Less than \$15,000	190	27,432	17	10.7	3.1-18.3	26	22.2	10.6-33.8	66	32.0	23.0-41.0	50	25.6	16.8-34.4	31	9.4	5.3-13.5
\$15,000- 24,999	281	44,283	27	9.2	4.7-13.7	65	21.0	14.9-27.1	93	41.7	33.5-49.9	75	23.6	16.9-30.3	21	4.5	2.0- 7.0
\$25,000- 34,999	160	27,758	18	11.5	5.2-17.8	50	34.6	24.4-44.8	54	29.4	20.2-38.6	31	17.5	9.3-25.7	7	7.0	0.0-15.0
\$35,000- 49,999	246	47,763	30	17.3	9.1-25.5	87	35.0	26.0-44.0	81	29.7	22.1-37.3	42	16.1	9.8-22.4	6	1.9	0.1- 3.7
\$50,000- 74,999	220	41,595	30	14.0	7.7-20.3	92	41.5	31.9-51.1	63	32.5	23.7-41.3	30	11.3	6.4-16.2	5	0.8	0.0- 1.6
\$75,000+	569	124,623	137	23.7	19.0-28.4	235	39.2	33.5-44.9	156	29.3	23.6-35.0	37	7.4	4.3-10.5	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3769	749,620	2302	62.0	59.8-64.2	370	10.4	9.0-11.8	419	11.8	10.2-13.4	364	9.3	7.9-10.7	314	6.5	5.5- 7.5
Male	1691	359,633	1067	63.7	60.6-66.8	180	11.1	8.9-13.3	173	11.3	9.1-13.5	141	7.9	5.9- 9.9	130	6.0	4.6- 7.4
Female	2078	389,987	1235	60.6	57.7-63.5	190	9.8	7.8-11.8	246	12.2	10.2-14.2	223	10.6	8.6-12.6	184	6.9	5.5- 8.3
White/Non-Hisp	2562	474,003	1537	60.5	58.0-63.0	271	11.6	9.8-13.4	273	11.1	9.5-12.7	239	8.8	7.4-10.2	242	7.9	6.7- 9.1
Black or Afr. Am./Non-Hisp	477	154,823	292	61.6	55.7-67.5	39	8.6	5.3-11.9	62	13.8	9.7-17.9	54	11.6	7.3-15.9	30	4.4	2.4- 6.4
Oth. Race/Non-Hisp.	140	37,342	91	73.5	63.5-83.5	11	8.6	2.5-14.7	19	13.3	5.5-21.1	9	1.5	0.3- 2.7	10	3.2	0.0- 6.5
MultiRacial/Non-Hisp.	76	7,768	46	55.0	38.9-71.1	2	3.1	0.0- 8.2	12	24.0	8.9-39.1	10	12.0	2.6-21.4	6	5.9	0.0-12.8
Hispanic	427	59,778	282	68.7	61.8-75.6	39	8.4	4.9-11.9	47	10.1	5.2-15.0	39	9.5	5.2-13.8	20	3.3	1.3- 5.3
18-24	238	84,182	159	67.7	59.7-75.7	31	12.8	6.5-19.1	29	12.8	7.5-18.1	14	5.3	2.0- 8.6	5	1.4	0.0- 3.0
25-34	420	123,046	279	62.7	56.0-69.4	48	12.2	7.9-16.5	54	14.8	9.7-19.9	24	7.1	2.8-11.4	15	3.2	1.0- 5.4
35-44	464	110,684	296	66.7	61.0-72.4	58	12.3	8.6-16.0	43	8.2	4.9-11.5	43	8.4	5.1-11.7	24	4.5	2.1- 6.9
45-54	602	117,163	370	63.4	58.5-68.3	69	11.7	8.4-15.0	61	9.7	6.8-12.6	53	8.7	5.8-11.6	49	6.5	4.1- 8.9
55-64	766	132,010	437	55.4	50.7-60.1	70	9.7	7.0-12.4	86	12.7	9.4-16.0	88	12.5	9.0-16.0	85	9.6	7.1-12.1
65+	1279	182,535	761	60.1	56.6-63.6	94	6.7	4.9- 8.5	146	12.2	9.8-14.6	142	11.1	8.7-13.5	136	9.9	7.9-11.9
Less Than H.S.	390	80,952	218	54.0	46.7-61.3	19	6.8	2.9-10.7	53	13.1	8.8-17.4	56	16.5	10.2-22.8	44	9.7	6.4-13.0
H.S. or G.E.D.	1011	236,366	623	63.0	59.1-66.9	85	8.5	6.1-10.9	116	12.2	9.5-14.9	103	9.9	7.5-12.3	84	6.4	4.6- 8.2
Some Post-H.S.	928	214,440	522	58.1	53.6-62.6	102	12.1	8.8-15.4	103	12.1	9.2-15.0	103	10.2	7.5-12.9	98	7.5	5.5- 9.5
College Graduate	1415	213,539	925	68.0	64.7-71.3	159	12.1	9.7-14.5	145	10.4	8.0-12.8	100	5.1	3.7- 6.5	86	4.3	3.1- 5.5
Less than \$15,000	282	45,036	117	45.6	37.0-54.2	19	8.7	3.8-13.6	40	13.2	7.5-18.9	51	16.0	10.7-21.3	55	16.5	11.0-22.0
\$15,000- 24,999	476	81,899	252	54.8	48.5-61.1	37	7.5	4.6-10.4	63	14.7	10.2-19.2	61	13.3	8.6-18.0	63	9.7	6.8-12.6
\$25,000- 34,999	291	53,180	165	54.8	46.8-62.8	25	7.9	3.8-12.0	33	13.3	7.4-19.2	37	14.5	8.2-20.8	31	9.4	5.5-13.3
\$35,000- 49,999	394	80,848	235	60.5	53.2-67.8	40	8.1	4.8-11.4	58	15.5	10.4-20.6	29	10.2	4.1-16.3	32	5.7	3.5- 7.9
\$50,000- 74,999	433	91,001	274	63.9	57.6-70.2	43	9.1	5.8-12.4	42	9.7	6.2-13.2	44	10.3	6.4-14.2	30	7.0	3.7-10.3
\$75,000+	1121	241,676	775	69.4	65.7-73.1	143	14.0	10.9-17.1	107	9.3	6.9-11.7	57	4.4	2.8- 6.0	39	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1691	359,633	1067	63.7	60.6-66.8	180	11.1	8.9-13.3	173	11.3	9.1-13.5	141	7.9	5.9- 9.9	130	6.0	4.6- 7.4
White/Non-Hisp	1173	229,140	728	62.4	58.7-66.1	129	12.1	9.6-14.6	122	10.6	8.2-13.0	96	7.3	5.5- 9.1	98	7.7	5.7- 9.7
Black or Afr. Am./Non-Hisp	166	70,815	106	62.0	52.4-71.6	17	10.1	4.6-15.6	19	14.7	7.6-21.8	15	11.2	3.9-18.5	9	2.0	0.4- 3.6
Oth. Race/Non-Hisp.	75	18,556	49	72.7	59.2-86.2	6	5.3	0.6-10.0	8	14.3	2.1-26.5	6	2.4	0.0- 4.8	6	5.2	0.0-11.7
Hispanic	207	30,916	140	70.8	62.0-79.6	24	11.4	5.3-17.5	19	7.6	2.9-12.3	16	7.4	2.7-12.1	8	2.7	0.0- 5.4
18-24	136	42,949	94	70.6	60.6-80.6	18	11.7	4.6-18.8	12	10.2	3.5-16.9	9	5.5	1.0-10.0	3	2.0	0.0- 4.7
25-34	214	62,613	134	56.4	46.6-66.2	30	16.1	9.0-23.2	28	17.4	10.0-24.8	11	6.5	0.0-13.4	11	3.7	1.2- 6.2
35-44	206	54,448	143	73.6	65.8-81.4	23	9.9	5.2-14.6	20	9.7	4.0-15.4	11	2.8	0.8- 4.8	9	4.0	0.1- 7.9
45-54	257	56,260	165	66.3	59.0-73.6	31	11.7	7.0-16.4	26	9.8	5.5-14.1	18	7.1	3.2-11.0	17	5.1	2.0- 8.2
55-64	346	61,746	206	57.8	51.1-64.5	37	10.7	6.6-14.8	28	8.5	4.8-12.2	36	12.0	7.1-16.9	39	11.0	7.3-14.7
65+	532	81,617	325	61.5	56.0-67.0	41	7.7	4.4-11.0	59	11.6	7.9-15.3	56	11.0	7.3-14.7	51	8.2	5.5-10.9
Less Than H.S.	196	43,881	110	51.2	40.6-61.8	16	11.4	4.3-18.5	20	8.0	3.7-12.3	24	18.4	8.0-28.8	26	11.0	6.1-15.9
H.S. or G.E.D.	461	123,323	293	66.5	61.0-72.0	44	7.5	5.0-10.0	51	12.2	8.5-15.9	39	7.6	4.7-10.5	34	6.2	3.5- 8.9
Some Post-H.S.	392	90,151	233	61.0	54.3-67.7	45	13.2	8.1-18.3	41	11.8	7.1-16.5	40	7.8	4.7-10.9	33	6.2	3.8- 8.6
College Graduate	630	100,573	425	68.2	63.1-73.3	72	13.2	9.7-16.7	60	11.3	7.2-15.4	37	3.7	2.1- 5.3	36	3.6	2.2- 5.0
Less than \$15,000	103	19,610	45	44.6	31.5-57.7	8	11.3	2.1-20.5	11	11.1	2.1-20.1	18	16.3	7.3-25.3	21	16.7	7.9-25.5
\$15,000- 24,999	205	38,858	113	56.2	46.6-65.8	24	11.7	6.2-17.2	20	12.1	5.4-18.8	26	11.7	5.6-17.8	22	8.2	3.9-12.5
\$25,000- 34,999	133	25,598	78	55.7	44.1-67.3	11	8.2	1.7-14.7	13	12.3	3.5-21.1	17	14.2	6.2-22.2	14	9.6	3.9-15.3
\$35,000- 49,999	154	33,563	91	57.6	45.1-70.1	14	6.3	2.4-10.2	27	19.3	9.7-28.9	11	12.0	0.0-24.2	11	4.8	1.7- 7.9
\$50,000- 74,999	218	50,794	145	65.6	57.0-74.2	19	8.2	3.7-12.7	20	9.9	4.8-15.0	16	7.2	2.3-12.1	18	9.1	3.6-14.6
\$75,000+	569	122,486	402	71.1	66.0-76.2	73	14.2	10.1-18.3	52	9.5	6.0-13.0	24	3.2	1.4- 5.0	18	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2078	389,987	1235	60.6	57.7-63.5	190	9.8	7.8-11.8	246	12.2	10.2-14.2	223	10.6	8.6-12.6	184	6.9	5.5- 8.3
White/Non-Hisp	1389	244,862	809	58.7	55.0-62.4	142	11.1	8.6-13.6	151	11.6	9.2-14.0	143	10.3	8.1-12.5	144	8.2	6.6- 9.8
Black or Afr. Am./Non-Hisp	311	84,009	186	61.2	53.8-68.6	22	7.4	3.5-11.3	43	13.1	8.2-18.0	39	12.0	6.9-17.1	21	6.3	3.0- 9.6
Oth. Race/Non-Hisp.	65	18,786	42	74.2	59.7-88.7	5	11.8	0.8-22.8	11	12.2	2.2-22.2	3	0.5	0.0- 1.1	4	1.2	0.0- 2.6
Hispanic	220	28,862	142	66.4	56.2-76.6	15	5.2	2.1- 8.3	28	12.8	4.0-21.6	23	11.7	4.4-19.0	12	3.9	1.2- 6.6
18-24	102	41,233	65	64.6	51.9-77.3	13	14.0	3.4-24.6	17	15.4	7.0-23.8	5	5.1	0.4- 9.8	2	0.9	0.0- 2.1
25-34	206	60,432	145	69.2	60.2-78.2	18	8.2	3.1-13.3	26	12.2	5.5-18.9	13	7.8	2.5-13.1	4	2.6	0.0- 5.9
35-44	258	56,236	153	60.0	52.0-68.0	35	14.6	8.7-20.5	23	6.7	3.0-10.4	32	13.8	7.9-19.7	15	4.9	2.0- 7.8
45-54	345	60,903	205	60.6	53.7-67.5	38	11.7	7.0-16.4	35	9.6	5.7-13.5	35	10.2	5.9-14.5	32	7.8	4.5-11.1
55-64	420	70,265	231	53.3	46.8-59.8	33	8.8	4.9-12.7	58	16.4	11.3-21.5	52	13.0	8.1-17.9	46	8.5	5.2-11.8
65+	747	100,918	436	59.0	54.3-63.7	53	5.8	3.8- 7.8	87	12.6	9.5-15.7	86	11.2	8.1-14.3	85	11.3	8.6-14.0
Less Than H.S.	194	37,070	108	57.3	47.7-66.9	3	1.3	0.0- 2.9	33	19.1	11.5-26.7	32	14.2	8.1-20.3	18	8.2	3.5-12.9
H.S. or G.E.D.	550	113,043	330	59.2	53.5-64.9	41	9.6	5.9-13.3	65	12.2	8.3-16.1	64	12.4	8.5-16.3	50	6.6	4.4- 8.8
Some Post-H.S.	536	124,289	289	56.0	49.9-62.1	57	11.2	7.1-15.3	62	12.3	8.4-16.2	63	11.9	8.0-15.8	65	8.5	5.8-11.2
College Graduate	785	112,966	500	67.9	63.4-72.4	87	11.2	7.9-14.5	85	9.6	7.1-12.1	63	6.3	4.1- 8.5	50	5.0	3.0- 7.0
Less than \$15,000	179	25,426	72	46.4	34.8-58.0	11	6.7	1.8-11.6	29	14.8	7.5-22.1	33	15.7	9.2-22.2	34	16.4	9.3-23.5
\$15,000- 24,999	271	43,041	139	53.5	45.3-61.7	13	3.7	1.5- 5.9	43	17.0	10.7-23.3	35	14.6	7.7-21.5	41	11.1	7.0-15.2
\$25,000- 34,999	158	27,582	87	53.9	42.9-64.9	14	7.7	2.6-12.8	20	14.2	6.4-22.0	20	14.8	5.2-24.4	17	9.3	3.8-14.8
\$35,000- 49,999	240	47,284	144	62.6	54.0-71.2	26	9.4	4.5-14.3	31	12.7	7.2-18.2	18	9.0	3.3-14.7	21	6.3	3.2- 9.4
\$50,000- 74,999	215	40,208	129	61.9	52.9-70.9	24	10.3	5.2-15.4	22	9.5	4.6-14.4	28	14.1	7.6-20.6	12	4.2	0.9- 7.5
\$75,000+	552	119,190	373	67.8	62.1-73.5	70	13.9	9.2-18.6	55	9.0	6.1-11.9	33	5.6	3.1- 8.1	21	3.7	1.5- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3791	753,269	2452	61.3	58.9-63.7	310	8.2	7.0- 9.4	437	13.5	11.9-15.1	367	10.5	8.9-12.1	225	6.5	5.1- 7.9			
Male	1698	360,097	1193	66.5	63.2-69.8	129	7.8	6.0- 9.6	172	12.2	9.8-14.6	119	7.9	5.9- 9.9	85	5.7	3.9- 7.5			
Female	2093	393,172	1259	56.5	53.4-59.6	181	8.6	6.8-10.4	265	14.8	12.4-17.2	248	12.8	10.6-15.0	140	7.3	5.3- 9.3			
White/Non-Hisp	2572	476,216	1665	60.1	57.4-62.8	214	8.2	6.8- 9.6	295	13.6	11.6-15.6	243	11.2	9.4-13.0	155	6.8	5.2- 8.4			
Black or Afr. Am./Non-Hisp	479	154,411	307	61.7	55.6-67.8	32	7.6	4.3-10.9	62	14.7	10.2-19.2	53	10.4	6.5-14.3	25	5.6	2.3- 8.9			
Oth. Race/Non-Hisp.	139	37,676	92	68.9	57.9-79.9	10	6.3	1.0-11.6	17	13.3	5.1-21.5	12	6.5	0.4-12.6	8	4.9	0.6- 9.2			
MultiRacial/Non-Hisp.	76	7,768	38	42.1	27.0-57.2	8	14.1	1.6-26.6	12	16.1	4.1-28.1	12	21.7	6.8-36.6	6	6.0	0.0-12.7			
Hispanic	430	60,357	291	67.6	60.7-74.5	39	10.4	5.9-14.9	41	9.7	4.8-14.6	39	7.0	3.9-10.1	20	5.3	2.4- 8.2			
18-24	240	85,621	92	33.6	25.8-41.4	31	9.4	5.5-13.3	50	20.6	13.7-27.5	54	27.3	19.3-35.3	13	9.1	2.4-15.8			
25-34	421	124,293	237	52.6	45.7-59.5	35	6.8	3.7- 9.9	72	20.7	15.0-26.4	47	11.3	7.4-15.2	30	8.5	4.2-12.8			
35-44	472	111,671	270	55.9	49.8-62.0	42	10.4	6.7-14.1	71	15.4	11.1-19.7	52	11.1	7.2-15.0	37	7.2	4.5- 9.9			
45-54	606	116,987	360	62.0	56.9-67.1	56	9.5	6.2-12.8	82	14.0	10.1-17.9	66	9.3	6.4-12.2	42	5.1	3.1- 7.1			
55-64	765	130,876	511	68.2	63.9-72.5	63	9.1	6.4-11.8	78	9.3	6.6-12.0	67	7.2	5.0- 9.4	46	6.2	4.0- 8.4			
65+	1287	183,822	982	77.9	75.0-80.8	83	5.8	4.2- 7.4	84	6.9	4.9- 8.9	81	4.7	3.3- 6.1	57	4.7	3.1- 6.3			
Less Than H.S.	390	82,022	265	64.0	56.9-71.1	21	4.5	2.1- 6.9	33	9.6	5.3-13.9	36	8.3	4.8-11.8	35	13.7	7.6-19.8			
H.S. or G.E.D.	1021	236,186	644	61.2	57.1-65.3	67	7.8	5.4-10.2	119	12.7	9.8-15.6	112	11.2	8.5-13.9	79	7.2	5.2- 9.2			
Some Post-H.S.	932	215,736	563	55.5	51.0-60.0	79	8.0	5.8-10.2	121	15.3	11.8-18.8	110	14.5	11.0-18.0	59	6.7	3.8- 9.6			
College Graduate	1423	214,893	965	66.1	62.6-69.6	141	10.4	8.2-12.6	162	14.3	11.4-17.2	104	6.2	4.4- 8.0	51	3.0	2.0- 4.0			
Less than \$15,000	289	45,748	141	54.7	46.5-62.9	19	7.0	2.5-11.5	49	14.8	9.7-19.9	43	11.0	6.7-15.3	37	12.4	7.5-17.3			
\$15,000- 24,999	470	79,942	275	53.7	47.2-60.2	34	7.2	3.9-10.5	52	12.0	7.9-16.1	67	15.7	11.0-20.4	42	11.4	7.3-15.5			
\$25,000- 34,999	291	53,180	179	57.8	49.8-65.8	23	7.7	3.6-11.8	29	12.6	7.1-18.1	36	12.4	6.9-17.9	24	9.5	4.6-14.4			
\$35,000- 49,999	396	80,873	244	58.8	51.2-66.4	45	9.8	5.9-13.7	45	10.5	6.4-14.6	41	13.7	7.6-19.8	21	7.2	1.7-12.7			
\$50,000- 74,999	440	92,598	282	59.2	52.5-65.9	38	8.6	5.1-12.1	61	18.0	12.7-23.3	35	7.6	4.5-10.7	24	6.6	2.1-11.1			
\$75,000+	1123	243,325	770	64.1	60.0-68.2	101	9.1	6.9-11.3	135	14.3	11.2-17.4	81	8.9	6.4-11.4	36	3.6	1.6- 5.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1698	360,097	1193	66.5	63.2-69.8	129	7.8	6.0- 9.6	172	12.2	9.8-14.6	119	7.9	5.9- 9.9	85	5.7	3.9- 7.5
White/Non-Hisp	1179	230,072	835	66.1	62.4-69.8	84	7.6	5.6- 9.6	121	12.0	9.3-14.7	79	8.4	5.9-10.9	60	5.9	4.1- 7.7
Black or Afr. Am./Non-Hisp	164	69,596	117	67.3	57.5-77.1	12	6.7	2.4-11.0	18	14.5	7.2-21.8	11	6.3	1.2-11.4	6	5.2	0.0-11.7
Oth. Race/Non-Hisp.	73	18,557	50	72.3	58.6-86.0	5	4.4	0.0- 8.9	8	13.6	1.6-25.6	8	4.8	0.5- 9.1	2	4.9	0.0-11.8
Hispanic	206	31,139	146	68.0	58.2-77.8	21	12.7	5.3-20.1	21	10.5	4.8-16.2	11	6.1	1.0-11.2	7	2.7	0.3- 5.1
18-24	135	43,201	58	38.0	27.4-48.6	18	9.8	4.3-15.3	31	21.5	12.7-30.3	21	25.5	14.1-36.9	7	5.1	0.6- 9.6
25-34	212	62,674	127	54.9	45.1-64.7	22	9.2	4.3-14.1	31	16.3	9.0-23.6	17	8.7	3.4-14.0	15	10.8	3.2-18.4
35-44	208	54,617	146	68.1	59.7-76.5	17	9.0	4.1-13.9	24	14.1	7.4-20.8	12	4.1	1.4- 6.8	9	4.7	1.4- 8.0
45-54	259	55,766	186	71.4	64.0-78.8	21	8.2	3.7-12.7	23	11.5	5.4-17.6	17	5.6	2.3- 8.9	12	3.2	0.7- 5.7
55-64	347	61,940	247	71.1	65.0-77.2	24	8.1	4.2-12.0	34	9.1	5.0-13.2	21	5.8	3.1- 8.5	21	5.8	2.9- 8.7
65+	537	81,900	429	82.3	78.2-86.4	27	4.1	2.1- 6.1	29	5.5	3.0- 8.0	31	3.6	2.0- 5.2	21	4.4	1.9- 6.9
Less Than H.S.	194	44,457	132	62.0	51.4-72.6	11	5.0	1.3- 8.7	19	11.3	4.6-18.0	16	8.5	3.4-13.6	16	13.2	3.6-22.8
H.S. or G.E.D.	467	122,890	313	65.7	59.8-71.6	31	7.5	4.4-10.6	50	10.8	6.9-14.7	39	8.6	4.9-12.3	34	7.5	4.4-10.6
Some Post-H.S.	390	90,063	264	61.9	55.0-68.8	32	8.5	5.0-12.0	45	15.6	10.1-21.1	30	10.6	5.5-15.7	19	3.5	1.3- 5.7
College Graduate	634	100,787	478	73.6	68.7-78.5	53	8.7	5.8-11.6	57	11.3	7.4-15.2	31	4.0	1.6- 6.4	15	2.3	0.9- 3.7
Less than \$15,000	105	19,693	58	55.4	42.5-68.3	9	10.0	1.0-19.0	16	11.0	4.1-17.9	9	9.0	1.6-16.4	13	14.6	5.8-23.4
\$15,000- 24,999	200	37,016	124	60.7	51.1-70.3	17	10.6	3.9-17.3	21	12.1	5.6-18.6	22	9.7	4.8-14.6	16	6.9	2.8-11.0
\$25,000- 34,999	133	25,627	94	70.2	59.8-80.6	8	7.0	1.3-12.7	13	9.7	2.4-17.0	13	8.1	2.8-13.4	5	5.0	0.0-10.3
\$35,000- 49,999	153	33,493	101	59.8	46.9-72.7	16	9.3	3.4-15.2	16	9.5	3.2-15.8	12	9.7	1.3-18.1	8	11.7	0.0-24.0
\$50,000- 74,999	224	52,108	152	62.9	54.1-71.7	15	6.4	2.5-10.3	31	19.3	11.3-27.3	12	5.6	1.9- 9.3	14	5.9	2.2- 9.6
\$75,000+	568	121,926	428	70.4	64.9-75.9	48	8.6	5.7-11.5	45	10.8	6.7-14.9	32	7.3	3.8-10.8	15	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2093	393,172	1259	56.5	53.4-59.6	181	8.6	6.8-10.4	265	14.8	12.4-17.2	248	12.8	10.6-15.0	140	7.3	5.3- 9.3			
White/Non-Hisp	1393	246,144	830	54.6	50.9-58.3	130	8.8	6.8-10.8	174	15.1	12.4-17.8	164	13.8	11.3-16.3	95	7.7	5.2-10.2			
Black or Afr. Am./Non-Hisp	315	84,815	190	57.1	49.5-64.7	20	8.4	3.7-13.1	44	14.9	9.0-20.8	42	13.7	7.8-19.6	19	5.9	3.0- 8.8			
Oth. Race/Non-Hisp.	66	19,119	42	65.7	48.8-82.6	5	8.2	0.0-17.6	9	13.0	1.4-24.6	4	8.2	0.0-19.4	6	5.0	0.0-10.3			
Hispanic	224	29,218	145	67.3	57.7-76.9	18	7.9	3.4-12.4	20	8.8	0.8-16.8	28	7.9	4.2-11.6	13	8.0	2.5-13.5			
18-24	105	42,419	34	29.1	17.5-40.7	13	9.0	3.1-14.9	19	19.6	9.0-30.2	33	29.2	17.6-40.8	6	13.1	0.9-25.3			
25-34	209	61,619	110	50.3	40.9-59.7	13	4.4	0.9- 7.9	41	25.2	16.8-33.6	30	13.9	7.8-20.0	15	6.2	2.3-10.1			
35-44	264	57,054	124	44.1	36.3-51.9	25	11.8	6.1-17.5	47	16.7	11.2-22.2	40	17.8	10.9-24.7	28	9.6	5.3-13.9			
45-54	347	61,222	174	53.4	46.5-60.3	35	10.7	6.0-15.4	59	16.3	11.4-21.2	49	12.7	8.2-17.2	30	6.9	4.0- 9.8			
55-64	418	68,936	264	65.6	59.5-71.7	39	9.9	6.0-13.8	44	9.5	5.8-13.2	46	8.5	5.4-11.6	25	6.5	3.2- 9.8			
65+	750	101,922	553	74.4	70.3-78.5	56	7.1	4.6- 9.6	55	8.0	5.1-10.9	50	5.6	3.6- 7.6	36	4.9	2.9- 6.9			
Less Than H.S.	196	37,564	133	66.3	57.3-75.3	10	3.9	1.2- 6.6	14	7.5	2.6-12.4	20	8.0	2.9-13.1	19	14.3	7.4-21.2			
H.S. or G.E.D.	554	113,295	331	56.4	50.7-62.1	36	8.2	4.7-11.7	69	14.7	10.4-19.0	73	13.9	9.8-18.0	45	6.8	4.3- 9.3			
Some Post-H.S.	542	125,672	299	50.9	44.8-57.0	47	7.6	4.7-10.5	76	15.2	10.7-19.7	80	17.2	12.3-22.1	40	9.1	4.4-13.8			
College Graduate	789	114,107	487	59.4	54.3-64.5	88	11.9	8.8-15.0	105	17.0	12.7-21.3	73	8.1	5.6-10.6	36	3.6	2.0- 5.2			
Less than \$15,000	184	26,055	83	54.2	43.4-65.0	10	4.8	1.1- 8.5	33	17.7	10.4-25.0	34	12.5	7.2-17.8	24	10.8	5.3-16.3			
\$15,000- 24,999	270	42,926	151	47.6	39.4-55.8	17	4.3	1.9- 6.7	31	12.0	6.7-17.3	45	20.8	13.4-28.2	26	15.3	8.6-22.0			
\$25,000- 34,999	158	27,553	85	46.3	35.7-56.9	15	8.2	1.9-14.5	16	15.3	7.1-23.5	23	16.4	7.4-25.4	19	13.8	5.8-21.8			
\$35,000- 49,999	243	47,380	143	58.0	48.8-67.2	29	10.1	5.0-15.2	29	11.2	5.9-16.5	29	16.5	8.1-24.9	13	4.1	1.6- 6.6			
\$50,000- 74,999	216	40,491	130	54.4	44.6-64.2	23	11.6	5.5-17.7	30	16.2	9.5-22.9	23	10.2	4.7-15.7	10	7.6	0.0-16.8			
\$75,000+	555	121,399	342	57.8	51.7-63.9	53	9.7	6.6-12.8	90	17.8	12.9-22.7	49	10.5	6.8-14.2	21	4.3	1.0- 7.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2074	422,600	1161	56.9	53.8-60.0	222	12.2	10.0-14.4	252	12.5	10.3-14.7	265	11.6	9.4-13.8	174	6.7	5.5- 7.9
Male	846	189,109	483	59.7	55.0-64.4	94	12.3	9.2-15.4	114	13.7	10.2-17.2	85	6.9	5.1- 8.7	70	7.4	5.2- 9.6
Female	1228	233,491	678	54.7	50.6-58.8	128	12.1	9.4-14.8	138	11.6	9.1-14.1	180	15.5	12.0-19.0	104	6.1	4.5- 7.7
White/Non-Hisp	1431	275,396	809	55.3	51.8-58.8	145	12.2	9.7-14.7	176	12.6	10.2-15.0	178	12.5	9.8-15.2	123	7.4	5.8- 9.0
Black or Afr. Am./Non-Hisp	259	86,049	145	57.8	49.4-66.2	27	12.7	7.0-18.4	30	13.1	6.6-19.6	36	11.5	6.0-17.0	21	4.9	2.5- 7.3
Oth. Race/Non-Hisp.	75	18,474	47	71.9	58.4-85.4	4	3.0	0.0- 6.3	7	14.1	2.1-26.1	12	6.0	1.3-10.7	5	5.0	0.0-10.1
Hispanic	213	28,288	115	60.0	50.0-70.0	31	16.3	7.3-25.3	28	9.8	5.1-14.5	25	9.8	4.5-15.1	14	4.1	1.6- 6.6
18-24	164	61,285	86	49.7	39.1-60.3	28	16.5	8.9-24.1	25	14.9	8.0-21.8	22	17.0	7.2-26.8	3	1.9	0.0- 4.4
25-34	248	75,559	152	60.5	51.9-69.1	32	14.2	7.9-20.5	31	13.0	6.1-19.9	24	9.2	4.3-14.1	9	3.0	0.8- 5.2
35-44	270	62,694	144	57.1	49.3-64.9	45	15.1	9.6-20.6	37	13.7	8.2-19.2	27	10.0	5.1-14.9	17	4.2	1.8- 6.6
45-54	351	65,620	192	55.7	48.8-62.6	43	12.9	8.2-17.6	42	14.7	9.8-19.6	38	8.6	5.3-11.9	36	8.3	5.2-11.4
55-64	408	69,794	232	61.3	55.2-67.4	31	7.8	4.1-11.5	44	9.7	6.2-13.2	62	11.4	7.9-14.9	39	9.8	6.3-13.3
65+	633	87,648	355	56.2	50.9-61.5	43	8.4	5.1-11.7	73	10.3	7.4-13.2	92	13.6	10.1-17.1	70	11.4	8.1-14.7
Less Than H.S.	210	45,928	106	49.3	39.5-59.1	20	7.8	3.5-12.1	24	16.6	6.8-26.4	34	15.0	8.9-21.1	26	11.3	6.4-16.2
H.S. or G.E.D.	551	131,848	301	59.4	53.9-64.9	51	12.2	7.9-16.5	67	11.3	8.2-14.4	79	11.1	8.0-14.2	53	6.0	3.8- 8.2
Some Post-H.S.	564	132,232	306	52.6	46.5-58.7	66	12.8	8.9-16.7	67	11.7	8.0-15.4	74	15.2	9.9-20.5	51	7.7	5.2-10.2
College Graduate	734	110,244	440	62.2	57.3-67.1	82	13.1	9.4-16.8	92	13.3	9.6-17.0	77	6.9	4.9- 8.9	43	4.5	2.7- 6.3
Less than \$15,000	204	30,060	80	43.8	34.4-53.2	24	14.2	6.9-21.5	22	8.3	3.8-12.8	38	14.0	8.5-19.5	40	19.6	12.7-26.5
\$15,000- 24,999	293	50,929	151	54.3	46.3-62.3	27	9.9	5.2-14.6	36	10.6	6.3-14.9	45	16.1	10.2-22.0	34	9.0	5.3-12.7
\$25,000- 34,999	173	32,724	95	55.3	44.9-65.7	14	8.1	2.2-14.0	19	8.8	4.1-13.5	33	21.7	12.5-30.9	12	6.2	1.7-10.7
\$35,000- 49,999	235	48,784	128	53.0	43.0-63.0	24	11.8	5.3-18.3	30	14.2	5.4-23.0	33	13.9	6.3-21.5	20	7.1	3.4-10.8
\$50,000- 74,999	233	51,221	142	62.0	53.0-71.0	30	12.4	7.3-17.5	22	9.1	3.8-14.4	24	10.6	3.0-18.2	15	5.9	2.2- 9.6
\$75,000+	540	123,012	343	62.1	56.2-68.0	67	14.1	9.8-18.4	74	14.6	10.7-18.5	37	6.5	2.8-10.2	19	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	846	189,109	483	59.7	55.0-64.4	94	12.3	9.2-15.4	114	13.7	10.2-17.2	85	6.9	5.1- 8.7	70	7.4	5.2- 9.6
White/Non-Hisp	591	123,592	330	57.3	52.0-62.6	68	13.6	9.7-17.5	85	13.4	10.1-16.7	59	7.6	5.2-10.0	49	8.2	5.5-10.9
Black or Afr. Am./Non-Hisp	79	36,520	46	62.0	47.9-76.1	9	11.8	3.0-20.6	8	17.4	4.5-30.3	8	4.1	0.6- 7.6	8	4.7	0.8- 8.6
Hispanic	96	13,699	59	67.4	54.9-79.9	13	12.5	3.9-21.1	14	11.1	3.5-18.7	6	6.2	0.0-12.9	4	2.9	0.0- 6.2
18-24	86	29,148	47	57.2	43.3-71.1	18	22.0	9.5-34.5	15	16.7	7.1-26.3	5	2.8	0.1- 5.5	1	1.3	0.0- 3.8
25-34	125	40,248	87	70.8	59.0-82.6	13	10.1	3.2-17.0	10	9.6	0.0-20.0	10	5.6	0.9-10.3	5	3.9	0.2- 7.6
35-44	96	24,606	58	60.5	47.8-73.2	15	17.2	7.8-26.6	12	14.0	3.8-24.2	6	3.6	0.1- 7.1	5	4.7	0.0- 9.4
45-54	135	29,377	74	56.0	45.0-67.0	19	14.0	6.9-21.1	21	19.9	10.9-28.9	9	4.5	1.2- 7.8	12	5.6	1.9- 9.3
55-64	162	29,631	84	55.6	46.0-65.2	10	6.5	1.2-11.8	27	14.3	7.6-21.0	22	11.1	6.0-16.2	19	12.4	6.3-18.5
65+	242	36,100	133	55.1	46.5-63.7	19	7.1	2.8-11.4	29	10.0	5.3-14.7	33	12.4	7.1-17.7	28	15.4	8.7-22.1
Less Than H.S.	106	26,783	58	49.5	35.6-63.4	8	6.1	0.2-12.0	14	22.6	7.3-37.9	13	10.2	3.9-16.5	13	11.6	4.9-18.3
H.S. or G.E.D.	233	63,379	135	64.2	56.4-72.0	22	11.4	5.7-17.1	32	11.9	7.0-16.8	24	6.0	3.3- 8.7	20	6.5	3.0-10.0
Some Post-H.S.	212	50,204	119	58.1	48.9-67.3	25	13.9	6.6-21.2	26	11.3	6.0-16.6	17	6.7	2.6-10.8	25	10.0	5.5-14.5
College Graduate	286	47,488	167	61.8	54.0-69.6	36	14.5	8.8-20.2	40	13.3	7.4-19.2	31	6.7	3.8- 9.6	12	3.7	1.0- 6.4
Less than \$15,000	71	12,925	31	45.0	29.1-60.9	5	10.9	0.0-23.2	8	5.2	0.9- 9.5	12	14.5	4.7-24.3	15	24.4	11.5-37.3
\$15,000- 24,999	116	22,370	61	56.1	43.8-68.4	15	15.4	5.8-25.0	12	10.5	3.2-17.8	17	12.0	5.5-18.5	11	6.0	1.5-10.5
\$25,000- 34,999	69	13,601	44	68.0	54.3-81.7	3	4.3	0.0-10.8	7	7.3	1.0-13.6	9	10.0	2.9-17.1	6	10.5	0.7-20.3
\$35,000- 49,999	87	19,209	46	49.4	32.2-66.6	8	10.1	0.1-20.1	15	22.6	3.4-41.8	11	10.2	1.2-19.2	7	7.8	1.1-14.5
\$50,000- 74,999	106	26,360	62	66.8	55.6-78.0	13	10.9	4.0-17.8	9	6.0	0.0-12.1	11	6.0	2.1- 9.9	11	10.3	3.4-17.2
\$75,000+	240	57,333	157	66.9	58.9-74.9	29	12.7	7.0-18.4	35	16.0	9.5-22.5	12	2.2	0.6- 3.8	7	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1228	233,491	678	54.7	50.6-58.8	128	12.1	9.4-14.8	138	11.6	9.1-14.1	180	15.5	12.0-19.0	104	6.1	4.5- 7.7
White/Non-Hisp	840	151,805	479	53.7	48.8-58.6	77	11.1	8.0-14.2	91	12.0	8.9-15.1	119	16.4	12.1-20.7	74	6.8	4.8- 8.8
Black or Afr. Am./Non-Hisp	180	49,529	99	54.6	44.2-65.0	18	13.4	6.0-20.8	22	10.0	4.3-15.7	28	16.9	8.3-25.5	13	5.0	2.1- 7.9
Hispanic	117	14,589	56	53.1	38.0-68.2	18	19.9	4.8-35.0	14	8.5	2.8-14.2	19	13.1	4.9-21.3	10	5.3	1.2- 9.4
18-24	78	32,137	39	42.8	27.9-57.7	10	11.5	3.3-19.7	10	13.3	3.5-23.1	17	29.9	13.6-46.2	2	2.5	0.0- 6.6
25-34	123	35,312	65	48.8	36.8-60.8	19	18.8	8.2-29.4	21	16.9	7.7-26.1	14	13.4	4.6-22.2	4	2.0	0.0- 4.0
35-44	174	38,088	86	54.9	45.1-64.7	30	13.8	7.3-20.3	25	13.4	7.3-19.5	21	14.1	6.5-21.7	12	3.8	1.3- 6.3
45-54	216	36,242	118	55.4	46.8-64.0	24	12.0	5.7-18.3	21	10.4	5.3-15.5	29	11.8	6.3-17.3	24	10.4	5.7-15.1
55-64	246	40,164	148	65.5	57.5-73.5	21	8.7	3.4-14.0	17	6.3	2.8- 9.8	40	11.7	6.6-16.8	20	7.8	3.5-12.1
65+	391	51,548	222	57.0	50.3-63.7	24	9.4	4.7-14.1	44	10.5	6.8-14.2	59	14.5	10.0-19.0	42	8.5	5.2-11.8
Less Than H.S.	104	19,145	48	49.0	36.3-61.7	12	10.3	3.6-17.0	10	8.3	2.4-14.2	21	21.6	10.4-32.8	13	10.9	4.0-17.8
H.S. or G.E.D.	318	68,470	166	55.0	47.6-62.4	29	12.9	6.6-19.2	35	10.7	6.6-14.8	55	15.9	10.6-21.2	33	5.5	3.3- 7.7
Some Post-H.S.	352	82,028	187	49.3	41.5-57.1	41	12.1	7.6-16.6	41	11.9	6.8-17.0	57	20.4	12.6-28.2	26	6.3	3.4- 9.2
College Graduate	448	62,755	273	62.6	56.1-69.1	46	12.1	7.2-17.0	52	13.4	8.7-18.1	46	7.0	4.3- 9.7	31	5.0	2.6- 7.4
Less than \$15,000	133	17,136	49	43.0	31.8-54.2	19	16.7	7.7-25.7	14	10.7	3.6-17.8	26	13.5	7.0-20.0	25	16.1	8.8-23.4
\$15,000- 24,999	177	28,559	90	52.9	42.5-63.3	12	5.5	2.0- 9.0	24	10.7	5.6-15.8	28	19.4	10.2-28.6	23	11.4	5.9-16.9
\$25,000- 34,999	104	19,124	51	46.2	32.7-59.7	11	10.7	1.9-19.5	12	9.9	3.2-16.6	24	30.0	16.3-43.7	6	3.2	0.1- 6.3
\$35,000- 49,999	148	29,575	82	55.3	43.3-67.3	16	13.0	4.4-21.6	15	8.8	3.5-14.1	22	16.3	5.5-27.1	13	6.6	2.3-10.9
\$50,000- 74,999	127	24,861	80	56.9	43.2-70.6	17	13.9	6.3-21.5	13	12.5	4.1-20.9	13	15.4	1.1-29.7	4	1.3	0.0- 3.1
\$75,000+	300	65,680	186	57.8	49.6-66.0	38	15.3	9.2-21.4	39	13.4	8.3-18.5	25	10.2	3.5-16.9	12	3.3	0.8- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	770,490	3469	89.5	88.1-90.9	413	10.5	9.1-11.9
Male	1734	367,831	1510	87.9	85.7-90.1	224	12.1	9.9-14.3
Female	2148	402,659	1959	91.0	89.2-92.8	189	9.0	7.2-10.8
White/Non-Hisp	2626	484,045	2511	93.8	92.4-95.2	115	6.2	4.8- 7.6
Black or Afr. Am./Non-Hisp	492	159,341	450	90.2	86.7-93.7	42	9.8	6.3-13.3
Oth. Race/Non-Hisp.	145	39,234	137	97.2	95.0-99.4	8	2.8	0.6- 5.0
MultiRacial/Non-Hisp.	78	8,099	69	88.4	78.0-98.8	9	11.6	1.2-22.0
Hispanic	444	62,721	215	49.8	42.5-57.1	229	50.2	42.9-57.5
18-24	242	86,120	189	86.4	81.1-91.7	53	13.6	8.3-18.9
25-34	435	127,350	305	78.6	73.5-83.7	130	21.4	16.3-26.5
35-44	484	115,198	387	85.0	81.1-88.9	97	15.0	11.1-18.9
45-54	616	118,717	561	91.4	88.5-94.3	55	8.6	5.7-11.5
55-64	787	134,647	736	93.4	91.0-95.8	51	6.6	4.2- 9.0
65+	1318	188,458	1291	97.1	95.7-98.5	27	2.9	1.5- 4.3
Less Than H.S.	406	83,685	223	61.4	54.7-68.1	183	38.6	31.9-45.3
H.S. or G.E.D.	1043	243,302	924	89.9	87.5-92.3	119	10.1	7.7-12.5
Some Post-H.S.	950	219,248	883	91.8	89.1-94.5	67	8.2	5.5-10.9
College Graduate	1457	219,737	1419	97.6	96.6-98.6	38	2.4	1.4- 3.4
Less than \$15,000	293	46,621	220	74.8	67.4-82.2	73	25.2	17.8-32.6
\$15,000- 24,999	485	82,998	394	81.1	75.8-86.4	91	18.9	13.6-24.2
\$25,000- 34,999	294	53,336	252	85.6	80.1-91.1	42	14.4	8.9-19.9
\$35,000- 49,999	401	81,697	364	87.9	82.6-93.2	37	12.1	6.8-17.4
\$50,000- 74,999	449	95,439	427	93.2	89.7-96.7	22	6.8	3.3-10.3
\$75,000+	1147	248,655	1114	95.5	93.5-97.5	33	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1734	367,831	1510	87.9	85.7-90.1	224	12.1	9.9-14.3
White/Non-Hisp	1193	231,696	1124	92.0	89.6-94.4	69	8.0	5.6-10.4
Black or Afr. Am./Non-Hisp	171	73,300	153	91.8	87.7-95.9	18	8.2	4.1-12.3
Oth. Race/Non-Hisp.	77	18,941	72	95.3	90.8-99.8	5	4.7	0.2- 9.2
Hispanic	214	32,651	94	47.0	36.6-57.4	120	53.0	42.6-63.4
18-24	137	43,250	101	83.4	76.5-90.3	36	16.6	9.7-23.5
25-34	218	63,925	147	77.0	69.4-84.6	71	23.0	15.4-30.6
35-44	213	56,379	162	80.7	73.8-87.6	51	19.3	12.4-26.2
45-54	264	56,691	236	92.3	88.8-95.8	28	7.7	4.2-11.2
55-64	354	63,214	331	93.7	90.2-97.2	23	6.3	2.8- 9.8
65+	548	84,371	533	96.1	93.7-98.5	15	3.9	1.5- 6.3
Less Than H.S.	201	44,744	105	59.1	49.1-69.1	96	40.9	30.9-50.9
H.S. or G.E.D.	475	127,128	406	89.3	86.0-92.6	69	10.7	7.4-14.0
Some Post-H.S.	401	92,131	367	90.5	86.2-94.8	34	9.5	5.2-13.8
College Graduate	644	101,928	623	96.6	94.8-98.4	21	3.4	1.6- 5.2
Less than \$15,000	105	19,256	69	66.7	54.4-79.0	36	33.3	21.0-45.6
\$15,000- 24,999	207	39,385	155	77.3	68.7-85.9	52	22.7	14.1-31.3
\$25,000- 34,999	134	25,578	107	82.6	74.2-91.0	27	17.4	9.0-25.8
\$35,000- 49,999	155	33,934	139	91.0	85.3-96.7	16	9.0	3.3-14.7
\$50,000- 74,999	229	53,844	213	89.6	83.7-95.5	16	10.4	4.5-16.3
\$75,000+	578	124,032	555	93.8	90.5-97.1	23	6.2	2.9- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2148	402,659	1959	91.0	89.2-92.8	189	9.0	7.2-10.8
White/Non-Hisp	1433	252,350	1387	95.4	93.8-97.0	46	4.6	3.0- 6.2
Black or Afr. Am./Non-Hisp	321	86,041	297	88.8	83.1-94.5	24	11.2	5.5-16.9
Oth. Race/Non-Hisp.	68	20,293	65	99.0	97.8- 100	3	1.0	0.0- 2.2
Hispanic	230	30,070	121	52.8	43.0-62.6	109	47.2	37.4-57.0
18-24	105	42,870	88	89.4	81.4-97.4	17	10.6	2.6-18.6
25-34	217	63,425	158	80.3	73.4-87.2	59	19.7	12.8-26.6
35-44	271	58,819	225	89.1	85.0-93.2	46	10.9	6.8-15.0
45-54	352	62,026	325	90.6	85.7-95.5	27	9.4	4.5-14.3
55-64	433	71,433	405	93.0	89.9-96.1	28	7.0	3.9-10.1
65+	770	104,087	758	97.9	96.3-99.5	12	2.1	0.5- 3.7
Less Than H.S.	205	38,941	118	64.1	55.3-72.9	87	35.9	27.1-44.7
H.S. or G.E.D.	568	116,174	518	90.4	86.9-93.9	50	9.6	6.1-13.1
Some Post-H.S.	549	127,117	516	92.7	89.2-96.2	33	7.3	3.8-10.8
College Graduate	813	117,810	796	98.6	97.6-99.6	17	1.4	0.4- 2.4
Less than \$15,000	188	27,365	151	80.4	71.6-89.2	37	19.6	10.8-28.4
\$15,000- 24,999	278	43,613	239	84.4	77.9-90.9	39	15.6	9.1-22.1
\$25,000- 34,999	160	27,758	145	88.3	81.0-95.6	15	11.7	4.4-19.0
\$35,000- 49,999	246	47,763	225	85.7	77.7-93.7	21	14.3	6.3-22.3
\$50,000- 74,999	220	41,595	214	97.8	95.8-99.8	6	2.2	0.2- 4.2
\$75,000+	569	124,623	559	97.2	95.2-99.2	10	2.8	0.8- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3883	770,145	2812	72.3	70.3-74.3	450	9.9	8.7-11.1	621	17.7	15.9-19.5
Male	1735	368,574	1188	70.0	67.1-72.9	183	8.5	6.9-10.1	364	21.4	18.7-24.1
Female	2148	401,571	1624	74.5	71.8-77.2	267	11.2	9.2-13.2	257	14.4	12.0-16.8
White/Non-Hisp	2629	484,399	1992	74.8	72.4-77.2	322	10.5	9.1-11.9	315	14.6	12.6-16.6
Black or Afr. Am./Non-Hisp	491	158,683	377	74.3	69.0-79.6	54	10.1	6.6-13.6	60	15.5	11.0-20.0
Oth. Race/Non-Hisp.	147	39,300	106	74.6	64.6-84.6	21	9.0	3.7-14.3	20	16.4	7.2-25.6
MultiRacial/Non-Hisp.	78	8,099	56	72.1	58.4-85.8	10	10.8	1.0-20.6	12	17.0	6.0-28.0
Hispanic	442	62,839	211	45.4	38.3-52.5	33	6.0	2.1- 9.9	198	48.6	41.3-55.9
18-24	243	84,346	142	64.8	57.0-72.6	11	3.0	0.8- 5.2	90	32.3	24.7-39.9
25-34	433	127,494	239	57.9	51.4-64.4	25	6.7	3.2-10.2	169	35.4	29.1-41.7
35-44	482	114,556	337	73.2	67.9-78.5	27	5.5	2.6- 8.4	118	21.3	16.4-26.2
45-54	616	119,293	473	78.3	74.2-82.4	67	9.8	6.9-12.7	76	11.9	8.6-15.2
55-64	789	135,464	591	76.2	72.5-79.9	107	13.3	10.2-16.4	91	10.5	8.0-13.0
65+	1320	188,991	1030	78.4	75.5-81.3	213	15.6	13.1-18.1	77	6.0	4.2- 7.8
Less Than H.S.	406	84,197	224	56.5	49.4-63.6	36	9.2	5.7-12.7	146	34.3	27.4-41.2
H.S. or G.E.D.	1045	244,279	734	70.3	66.6-74.0	122	10.2	7.8-12.6	189	19.6	16.3-22.9
Some Post-H.S.	949	217,564	702	74.9	71.0-78.8	118	10.2	7.8-12.6	129	15.0	11.7-18.3
College Graduate	1457	219,586	1134	78.2	75.1-81.3	174	9.9	7.9-11.9	149	12.0	9.5-14.5
Less than \$15,000	296	47,293	190	63.4	55.4-71.4	42	12.9	8.0-17.8	64	23.7	16.3-31.1
\$15,000- 24,999	483	83,278	319	67.9	62.0-73.8	66	11.1	7.2-15.0	98	21.1	15.8-26.4
\$25,000- 34,999	295	53,541	195	62.8	55.0-70.6	39	13.4	7.9-18.9	61	23.8	16.5-31.1
\$35,000- 49,999	401	81,497	294	71.2	64.5-77.9	55	10.6	7.1-14.1	52	18.3	12.0-24.6
\$50,000- 74,999	448	95,244	351	78.2	72.9-83.5	45	7.4	4.3-10.5	52	14.4	9.9-18.9
\$75,000+	1146	246,672	899	78.3	75.0-81.6	109	7.3	5.3- 9.3	138	14.4	11.5-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	368,574	1188	70.0	67.1-72.9	183	8.5	6.9-10.1	364	21.4	18.7-24.1
White/Non-Hisp	1198	233,757	871	72.2	68.9-75.5	138	9.5	7.5-11.5	189	18.2	15.3-21.1
Black or Afr. Am./Non-Hisp	169	72,274	124	75.3	67.5-83.1	16	8.1	3.2-13.0	29	16.6	10.1-23.1
Oth. Race/Non-Hisp.	77	18,941	55	75.9	62.4-89.4	10	8.2	1.1-15.3	12	15.8	3.5-28.1
Hispanic	213	32,584	80	35.7	26.3-45.1	12	3.4	1.2- 5.6	121	60.8	51.2-70.4
18-24	138	43,415	73	62.6	52.4-72.8	4	2.9	0.0- 6.2	61	34.5	24.5-44.5
25-34	218	64,141	110	56.4	47.0-65.8	10	3.4	0.7- 6.1	98	40.2	31.0-49.4
35-44	211	55,959	125	65.4	56.8-74.0	11	4.2	1.5- 6.9	75	30.4	22.2-38.6
45-54	265	57,296	201	80.4	74.5-86.3	23	7.2	3.1-11.3	41	12.4	7.9-16.9
55-64	354	63,323	262	74.9	69.2-80.6	43	12.5	8.2-16.8	49	12.6	8.3-16.9
65+	549	84,439	417	76.6	71.9-81.3	92	16.1	12.0-20.2	40	7.3	4.6-10.0
Less Than H.S.	201	45,246	91	51.5	41.1-61.9	23	9.4	4.9-13.9	87	39.0	29.0-49.0
H.S. or G.E.D.	478	127,600	310	66.5	61.0-72.0	42	7.7	4.8-10.6	126	25.8	20.7-30.9
Some Post-H.S.	400	92,096	287	73.9	68.2-79.6	45	10.2	6.5-13.9	68	16.0	11.1-20.9
College Graduate	643	101,732	493	79.5	75.4-83.6	73	7.9	5.7-10.1	77	12.6	8.9-16.3
Less than \$15,000	106	19,861	50	45.9	33.2-58.6	13	12.0	4.0-20.0	43	42.1	29.2-55.0
\$15,000- 24,999	207	39,385	123	62.5	52.9-72.1	24	10.2	4.3-16.1	60	27.3	18.5-36.1
\$25,000- 34,999	135	25,783	79	52.5	40.7-64.3	19	13.3	6.8-19.8	37	34.2	22.2-46.2
\$35,000- 49,999	156	34,002	107	70.0	59.8-80.2	20	9.3	4.4-14.2	29	20.6	11.4-29.8
\$50,000- 74,999	228	53,649	174	75.0	67.2-82.8	18	7.1	2.4-11.8	36	17.9	11.0-24.8
\$75,000+	578	124,032	443	79.0	74.5-83.5	57	6.0	4.0- 8.0	78	15.0	10.9-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2148	401,571	1624	74.5	71.8-77.2	267	11.2	9.2-13.2	257	14.4	12.0-16.8
White/Non-Hisp	1431	250,642	1121	77.3	74.2-80.4	184	11.4	9.2-13.6	126	11.3	8.8-13.8
Black or Afr. Am./Non-Hisp	322	86,409	253	73.6	66.5-80.7	38	11.8	6.9-16.7	31	14.6	8.3-20.9
Oth. Race/Non-Hisp.	70	20,359	51	73.4	58.5-88.3	11	9.7	1.7-17.7	8	16.9	3.6-30.2
Hispanic	229	30,255	131	55.9	45.9-65.9	21	8.7	1.1-16.3	77	35.4	25.8-45.0
18-24	105	40,931	69	67.0	54.8-79.2	7	3.0	0.1- 5.9	29	29.9	17.9-41.9
25-34	215	63,353	129	59.4	50.2-68.6	15	10.0	3.7-16.3	71	30.5	22.1-38.9
35-44	271	58,597	212	80.7	74.2-87.2	16	6.6	1.7-11.5	43	12.7	7.8-17.6
45-54	351	61,997	272	76.4	70.3-82.5	44	12.1	7.8-16.4	35	11.5	6.6-16.4
55-64	435	72,141	329	77.4	72.3-82.5	64	13.9	9.6-18.2	42	8.7	5.6-11.8
65+	771	104,552	613	79.8	75.9-83.7	121	15.2	11.9-18.5	37	5.0	2.6- 7.4
Less Than H.S.	205	38,951	133	62.2	52.4-72.0	13	9.0	3.3-14.7	59	28.9	19.5-38.3
H.S. or G.E.D.	567	116,680	424	74.4	69.3-79.5	80	12.9	9.0-16.8	63	12.7	8.6-16.8
Some Post-H.S.	549	125,468	415	75.6	70.5-80.7	73	10.2	7.1-13.3	61	14.2	9.7-18.7
College Graduate	814	117,854	641	77.0	72.5-81.5	101	11.6	8.3-14.9	72	11.4	7.9-14.9
Less than \$15,000	190	27,432	140	76.1	67.3-84.9	29	13.5	7.4-19.6	21	10.4	3.1-17.7
\$15,000- 24,999	276	43,893	196	72.7	65.4-80.0	42	11.9	6.4-17.4	38	15.4	9.7-21.1
\$25,000- 34,999	160	27,758	116	72.3	62.5-82.1	20	13.6	5.0-22.2	24	14.2	7.5-20.9
\$35,000- 49,999	245	47,495	187	72.0	63.0-81.0	35	11.5	6.6-16.4	23	16.6	8.0-25.2
\$50,000- 74,999	220	41,595	177	82.4	75.9-88.9	27	7.7	3.8-11.6	16	9.9	4.4-15.4
\$75,000+	568	122,640	456	77.6	72.5-82.7	52	8.6	5.3-11.9	60	13.8	9.3-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3889	771,837	415	10.6	9.2-12.0	3474	89.4	88.0-90.8
Male	1736	368,612	169	9.5	7.5-11.5	1567	90.5	88.5-92.5
Female	2153	403,224	246	11.6	9.6-13.6	1907	88.4	86.4-90.4
White/Non-Hisp	2633	486,068	201	8.6	7.0-10.2	2432	91.4	89.8-93.0
Black or Afr. Am./Non-Hisp	491	158,784	63	12.2	8.5-15.9	428	87.8	84.1-91.5
Oth. Race/Non-Hisp.	145	39,110	18	10.6	4.3-16.9	127	89.4	83.1-95.7
MultiRacial/Non-Hisp.	78	8,099	14	15.4	5.4-25.4	64	84.6	74.6-94.6
Hispanic	445	62,726	108	19.4	13.9-24.9	337	80.6	75.1-86.1
18-24	245	87,254	40	13.9	8.2-19.6	205	86.1	80.4-91.8
25-34	434	127,030	91	16.2	11.7-20.7	343	83.8	79.3-88.3
35-44	485	115,244	81	14.2	10.1-18.3	404	85.8	81.7-89.9
45-54	615	118,730	81	11.1	8.0-14.2	534	88.9	85.8-92.0
55-64	789	134,732	70	9.2	6.5-11.9	719	90.8	88.1-93.5
65+	1321	188,847	52	3.6	2.2- 5.0	1269	96.4	95.0-97.8
Less Than H.S.	405	83,487	98	17.6	13.1-22.1	307	82.4	77.9-86.9
H.S. or G.E.D.	1049	244,977	124	11.7	9.2-14.2	925	88.3	85.8-90.8
Some Post-H.S.	952	219,117	103	11.7	8.8-14.6	849	88.3	85.4-91.2
College Graduate	1457	219,737	87	5.6	4.0- 7.2	1370	94.4	92.8-96.0
Less than \$15,000	295	47,136	75	25.3	18.0-32.6	220	74.7	67.4-82.0
\$15,000- 24,999	485	83,126	91	16.7	12.6-20.8	394	83.3	79.2-87.4
\$25,000- 34,999	294	52,773	43	18.3	11.6-25.0	251	81.7	75.0-88.4
\$35,000- 49,999	402	81,765	45	11.4	6.7-16.1	357	88.6	83.9-93.3
\$50,000- 74,999	447	94,545	28	7.8	3.9-11.7	419	92.2	88.3-96.1
\$75,000+	1146	248,509	48	5.1	3.3- 6.9	1098	94.9	93.1-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	368,612	169	9.5	7.5-11.5	1567	90.5	88.5-92.5
White/Non-Hisp	1198	233,068	86	9.1	6.7-11.5	1112	90.9	88.5-93.3
Black or Afr. Am./Non-Hisp	170	73,143	20	8.2	3.9-12.5	150	91.8	87.5-96.1
Oth. Race/Non-Hisp.	76	18,796	8	7.0	0.3-13.7	68	93.0	86.3-99.7
Hispanic	213	32,363	44	14.6	8.7-20.5	169	85.4	79.5-91.3
18-24	139	44,127	23	14.0	7.1-20.9	116	86.0	79.1-92.9
25-34	217	63,605	39	13.9	8.2-19.6	178	86.1	80.4-91.8
35-44	213	56,379	33	13.3	7.2-19.4	180	86.7	80.6-92.8
45-54	263	56,704	26	7.0	3.5-10.5	237	93.0	89.5-96.5
55-64	355	63,359	24	7.5	4.2-10.8	331	92.5	89.2-95.8
65+	549	84,439	24	4.5	2.0- 7.0	525	95.5	93.0-98.0
Less Than H.S.	200	44,710	41	14.5	8.8-20.2	159	85.5	79.8-91.2
H.S. or G.E.D.	478	127,943	58	11.0	7.5-14.5	420	89.0	85.5-92.5
Some Post-H.S.	401	92,131	35	10.3	6.0-14.6	366	89.7	85.4-94.0
College Graduate	644	101,928	32	4.7	2.5- 6.9	612	95.3	93.1-97.5
Less than \$15,000	105	19,704	29	27.9	16.1-39.7	76	72.1	60.3-83.9
\$15,000- 24,999	206	39,096	41	16.6	10.3-22.9	165	83.4	77.1-89.7
\$25,000- 34,999	135	25,783	15	11.4	4.5-18.3	120	88.6	81.7-95.5
\$35,000- 49,999	156	34,002	8	3.6	0.7- 6.5	148	96.4	93.5-99.3
\$50,000- 74,999	227	52,950	13	8.5	2.6-14.4	214	91.5	85.6-97.4
\$75,000+	577	123,887	21	4.8	2.3- 7.3	556	95.2	92.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2153	403,224	246	11.6	9.6-13.6	1907	88.4	86.4-90.4
White/Non-Hisp	1435	253,000	115	8.2	6.2-10.2	1320	91.8	89.8-93.8
Black or Afr. Am./Non-Hisp	321	85,641	43	15.6	9.7-21.5	278	84.4	78.5-90.3
Oth. Race/Non-Hisp.	69	20,314	10	13.9	3.3-24.5	59	86.1	75.5-96.7
Hispanic	232	30,364	64	24.5	15.7-33.3	168	75.5	66.7-84.3
18-24	106	43,128	17	13.8	5.0-22.6	89	86.2	77.4-95.0
25-34	217	63,425	52	18.4	11.5-25.3	165	81.6	74.7-88.5
35-44	272	58,865	48	15.2	9.7-20.7	224	84.8	79.3-90.3
45-54	352	62,026	55	14.9	10.0-19.8	297	85.1	80.2-90.0
55-64	434	71,373	46	10.7	6.6-14.8	388	89.3	85.2-93.4
65+	772	104,408	28	3.0	1.6- 4.4	744	97.0	95.6-98.4
Less Than H.S.	205	38,778	57	21.1	14.2-28.0	148	78.9	72.0-85.8
H.S. or G.E.D.	571	117,034	66	12.6	8.7-16.5	505	87.4	83.5-91.3
Some Post-H.S.	551	126,986	68	12.7	8.6-16.8	483	87.3	83.2-91.4
College Graduate	813	117,810	55	6.4	3.9- 8.9	758	93.6	91.1-96.1
Less than \$15,000	190	27,432	46	23.4	14.2-32.6	144	76.6	67.4-85.8
\$15,000- 24,999	279	44,029	50	16.7	11.0-22.4	229	83.3	77.6-89.0
\$25,000- 34,999	159	26,990	28	24.9	14.3-35.5	131	75.1	64.5-85.7
\$35,000- 49,999	246	47,763	37	17.0	9.6-24.4	209	83.0	75.6-90.4
\$50,000- 74,999	220	41,595	15	7.0	2.7-11.3	205	93.0	88.7-97.3
\$75,000+	569	124,623	27	5.5	2.8- 8.2	542	94.5	91.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3862	767,726	3220	82.2	80.4-84.0	340	9.0	7.6-10.4	144	4.5	3.5- 5.5	127	3.7	2.9- 4.5	31	0.6	0.2- 1.0
Male	1719	365,008	1375	80.6	78.1-83.1	163	8.6	6.8-10.4	81	5.3	3.7- 6.9	80	5.0	3.6- 6.4	20	0.5	0.3- 0.7
Female	2143	402,718	1845	83.7	81.3-86.1	177	9.5	7.5-11.5	63	3.8	2.4- 5.2	47	2.5	1.5- 3.5	11	0.6	0.0- 1.2
White/Non-Hisp	2619	483,320	2231	81.9	79.7-84.1	201	9.2	7.6-10.8	93	4.1	3.1- 5.1	90	4.6	3.4- 5.8	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	491	158,807	445	89.9	86.2-93.6	28	5.2	2.8- 7.6	10	3.2	0.7- 5.7	7	1.0	0.2- 1.8	1	0.7	0.0- 2.1
Oth. Race/Non-Hisp.	144	38,718	126	82.5	72.9-92.1	9	7.8	0.5-15.1	4	5.1	0.0-10.4	4	4.1	0.0- 9.0	1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	78	8,099	60	75.7	62.2-89.2	10	14.1	2.3-25.9	5	8.2	0.0-16.4	3	2.0	0.0- 4.4			
Hispanic	437	62,208	283	66.2	59.1-73.3	83	17.8	12.3-23.3	29	10.1	4.4-15.8	20	2.9	1.3- 4.5	22	2.9	1.5- 4.3
18-24	241	85,727	165	73.1	65.5-80.7	39	13.3	7.4-19.2	21	9.7	4.4-15.0	10	3.1	0.7- 5.5	6	0.8	0.2- 1.4
25-34	429	126,191	290	71.6	65.7-77.5	57	10.8	6.9-14.7	32	7.7	4.2-11.2	37	8.7	5.2-12.2	13	1.2	0.4- 2.0
35-44	483	114,822	342	74.5	69.4-79.6	79	12.8	9.1-16.5	30	6.1	3.4- 8.8	27	5.4	2.9- 7.9	5	1.2	0.0- 3.2
45-54	611	118,585	511	85.2	81.7-88.7	56	9.3	6.4-12.2	23	2.6	1.2- 4.0	21	2.9	1.3- 4.5			
55-64	785	134,551	675	85.8	82.7-88.9	67	9.4	6.7-12.1	22	2.4	1.0- 3.8	19	2.3	1.1- 3.5	2	0.1	0.0- 0.3
65+	1313	187,850	1237	93.8	92.0-95.6	42	3.1	1.9- 4.3	16	1.7	0.7- 2.7	13	1.0	0.4- 1.6	5	0.4	0.0- 0.8
Less Than H.S.	402	83,584	276	73.0	66.7-79.3	61	12.0	7.7-16.3	22	6.8	2.7-10.9	22	5.7	2.6- 8.8	21	2.4	1.2- 3.6
H.S. or G.E.D.	1042	242,823	878	85.0	82.3-87.7	81	7.5	5.5- 9.5	36	3.4	2.0- 4.8	45	4.0	2.6- 5.4	2	0.0	0.0- 0.0
Some Post-H.S.	944	218,623	810	84.0	80.3-87.7	71	7.4	4.9- 9.9	34	4.8	2.4- 7.2	25	3.1	1.5- 4.7	4	0.7	0.0- 1.7
College Graduate	1450	218,426	1238	81.3	78.4-84.2	124	10.8	8.3-13.3	50	4.5	2.9- 6.1	35	3.2	1.8- 4.6	3	0.2	0.0- 0.6
Less than \$15,000	293	47,063	234	82.1	76.2-88.0	32	7.7	4.2-11.2	9	5.0	0.9- 9.1	13	4.5	1.4- 7.6	5	0.7	0.1- 1.3
\$15,000- 24,999	483	82,532	389	81.0	75.9-86.1	48	9.4	6.1-12.7	20	5.9	2.0- 9.8	19	2.9	1.3- 4.5	7	0.9	0.1- 1.7
\$25,000- 34,999	291	52,515	235	78.8	71.5-86.1	28	10.2	4.3-16.1	14	4.7	2.0- 7.4	11	3.5	1.3- 5.7	3	2.7	0.0- 6.8
\$35,000- 49,999	400	80,899	344	83.8	78.1-89.5	29	6.5	3.6- 9.4	15	5.8	1.3-10.3	9	3.3	0.8- 5.8	3	0.6	0.0- 1.4
\$50,000- 74,999	447	94,835	385	86.0	81.9-90.1	29	5.8	3.3- 8.3	17	3.8	1.6- 6.0	14	4.0	1.6- 6.4	2	0.4	0.0- 1.0
\$75,000+	1144	248,020	945	79.5	76.0-83.0	118	12.6	9.7-15.5	35	3.2	1.8- 4.6	44	4.6	2.8- 6.4	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	365,008	1375	80.6	78.1-83.1	163	8.6	6.8-10.4	81	5.3	3.7- 6.9	80	5.0	3.6- 6.4	20	0.5	0.3- 0.7
White/Non-Hisp	1189	230,927	983	80.4	77.3-83.5	96	8.3	6.3-10.3	53	4.8	3.2- 6.4	54	6.3	4.1- 8.5	3	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	170	72,502	151	91.4	87.1-95.7	9	4.4	1.5- 7.3	6	3.2	0.3- 6.1	4	1.0	0.0- 2.2			
Oth. Race/Non-Hisp.	76	18,662	63	82.8	71.8-93.8	7	6.4	0.9-11.9	2	5.6	0.0-13.6	3	4.4	0.0-10.5	1	0.8	0.0- 2.4
Hispanic	208	32,101	117	56.3	45.5-67.1	43	21.2	12.0-30.4	17	14.0	4.0-24.0	16	4.8	1.9- 7.7	15	3.6	1.6- 5.6
18-24	135	42,599	86	73.5	64.9-82.1	24	12.5	6.4-18.6	13	8.1	3.0-13.2	8	4.7	0.6- 8.8	4	1.1	0.0- 2.3
25-34	215	63,143	135	68.5	59.9-77.1	30	9.0	5.1-12.9	15	7.9	2.2-13.6	26	13.2	6.7-19.7	9	1.4	0.2- 2.6
35-44	211	55,957	137	70.0	61.8-78.2	38	14.7	8.2-21.2	17	9.4	4.3-14.5	16	5.5	2.2- 8.8	3	0.4	0.0- 0.8
45-54	260	56,599	209	85.9	81.2-90.6	26	8.2	4.5-11.9	16	3.2	1.4- 5.0	9	2.8	0.4- 5.2			
55-64	353	62,812	296	84.1	79.4-88.8	30	9.2	5.3-13.1	13	3.5	1.0- 6.0	12	3.0	1.2- 4.8	2	0.2	0.0- 0.6
65+	545	83,898	512	94.2	91.7-96.7	15	1.9	0.5- 3.3	7	2.0	0.0- 4.0	9	1.6	0.4- 2.8	2	0.2	0.0- 0.4
Less Than H.S.	197	44,637	125	67.6	57.8-77.4	29	11.9	5.0-18.8	13	9.4	2.1-16.7	17	8.5	3.2-13.8	13	2.6	1.0- 4.2
H.S. or G.E.D.	475	126,405	376	81.8	77.7-85.9	40	7.4	4.7-10.1	23	5.1	2.6- 7.6	34	5.7	3.3- 8.1	2	0.1	0.0- 0.3
Some Post-H.S.	395	91,132	332	85.4	80.7-90.1	35	6.7	4.2- 9.2	12	2.8	0.4- 5.2	13	4.6	1.1- 8.1	3	0.4	0.0- 1.0
College Graduate	641	101,182	534	80.6	76.3-84.9	59	10.4	7.3-13.5	31	5.9	3.2- 8.6	16	3.0	1.0- 5.0	1	0.1	0.0- 0.3
Less than \$15,000	103	19,630	67	70.4	59.0-81.8	16	9.8	3.5-16.1	8	11.8	2.6-21.0	10	7.4	1.5-13.3	2	0.6	0.0- 1.6
\$15,000- 24,999	204	38,396	149	76.0	67.4-84.6	24	9.4	4.7-14.1	12	9.1	1.3-16.9	14	4.3	1.6- 7.0	5	1.1	0.1- 2.1
\$25,000- 34,999	132	24,867	100	76.6	65.6-87.6	18	13.8	3.2-24.4	6	5.2	0.7- 9.7	7	4.0	0.7- 7.3	1	0.4	0.0- 1.2
\$35,000- 49,999	155	33,204	133	85.6	78.0-93.2	8	4.5	0.8- 8.2	6	4.7	0.0-10.0	5	3.8	0.0- 8.1	3	1.5	0.0- 3.3
\$50,000- 74,999	228	53,399	188	83.9	78.2-89.6	17	6.8	2.7-10.9	11	3.7	1.2- 6.2	11	5.5	2.0- 9.0	1	0.1	0.0- 0.3
\$75,000+	576	123,628	469	79.8	75.3-84.3	58	9.9	7.0-12.8	25	4.5	2.1- 6.9	22	5.6	2.5- 8.7	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	402,718	1845	83.7	81.3-86.1	177	9.5	7.5-11.5	63	3.8	2.4- 5.2	47	2.5	1.5- 3.5	11	0.6	0.0- 1.2
White/Non-Hisp	1430	252,393	1248	83.4	80.5-86.3	105	10.0	7.5-12.5	40	3.6	2.2- 5.0	36	3.0	1.8- 4.2	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	321	86,306	294	88.6	82.9-94.3	19	5.9	2.6- 9.2	4	3.2	0.0- 7.1	3	1.0	0.0- 2.2	1	1.3	0.0- 3.8
Oth. Race/Non-Hisp.	68	20,056	63	82.3	67.0-97.6	2	9.2	0.0-21.9	2	4.6	0.0-11.9	1	3.9	0.0-11.3			
Hispanic	229	30,107	166	76.8	69.5-84.1	40	14.2	8.5-19.9	12	5.9	1.6-10.2	4	0.9	0.0- 2.1	7	2.1	0.3- 3.9
18-24	106	43,128	79	72.8	60.5-85.1	15	14.1	4.1-24.1	8	11.2	2.2-20.2	2	1.5	0.0- 3.7	2	0.4	0.0- 1.0
25-34	214	63,048	155	74.7	66.9-82.5	27	12.7	6.2-19.2	17	7.6	3.1-12.1	11	4.2	1.3- 7.1	4	0.9	0.0- 1.9
35-44	272	58,865	205	78.7	72.2-85.2	41	11.1	7.0-15.2	13	3.0	1.0- 5.0	11	5.3	1.4- 9.2	2	2.0	0.0- 5.7
45-54	351	61,986	302	84.6	79.5-89.7	30	10.4	5.9-14.9	7	2.1	0.0- 4.3	12	2.9	0.7- 5.1			
55-64	432	71,739	379	87.2	83.1-91.3	37	9.6	5.9-13.3	9	1.4	0.4- 2.4	7	1.8	0.2- 3.4			
65+	768	103,952	725	93.5	91.1-95.9	27	4.0	2.0- 6.0	9	1.4	0.4- 2.4	4	0.5	0.0- 1.1	3	0.5	0.0- 1.1
Less Than H.S.	205	38,947	151	79.2	72.5-85.9	32	12.3	7.0-17.6	9	3.9	0.8- 7.0	5	2.3	0.0- 4.8	8	2.2	0.4- 4.0
H.S. or G.E.D.	567	116,418	502	88.4	84.9-91.9	41	7.7	4.8-10.6	13	1.6	0.6- 2.6	11	2.2	0.6- 3.8			
Some Post-H.S.	549	127,491	478	82.9	77.6-88.2	36	8.0	4.1-11.9	22	6.3	2.6-10.0	12	2.0	0.8- 3.2	1	0.9	0.0- 2.7
College Graduate	809	117,244	704	81.9	77.6-86.2	65	11.1	7.4-14.8	19	3.2	1.4- 5.0	19	3.4	1.4- 5.4	2	0.4	0.0- 1.0
Less than \$15,000	190	27,432	167	90.5	85.4-95.6	16	6.2	2.1-10.3	1	0.1	0.0- 0.3	3	2.4	0.0- 5.5	3	0.8	0.0- 1.8
\$15,000- 24,999	279	44,136	240	85.3	79.6-91.0	24	9.4	4.5-14.3	8	3.0	0.6- 5.4	5	1.7	0.0- 3.5	2	0.6	0.0- 1.6
\$25,000- 34,999	159	27,647	135	80.8	71.4-90.2	10	7.0	1.5-12.5	8	4.2	1.1- 7.3	4	3.1	0.0- 6.2	2	4.8	0.0-12.4
\$35,000- 49,999	245	47,694	211	82.5	74.7-90.3	21	8.0	3.5-12.5	9	6.6	0.0-13.3	4	2.9	0.0- 6.0			
\$50,000- 74,999	219	41,437	197	88.8	83.3-94.3	12	4.4	1.7- 7.1	6	3.9	0.2- 7.6	3	2.2	0.0- 5.1	1	0.7	0.0- 2.1
\$75,000+	568	124,392	476	79.3	74.0-84.6	60	15.2	10.3-20.1	10	1.9	0.3- 3.5	22	3.6	1.6- 5.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3884	771,994	1570	36.4	34.2-38.6	29	0.8	0.4- 1.2	2245	62.1	59.9-64.3	40	0.7	0.5- 0.9
Male	1733	368,709	740	39.1	36.0-42.2				970	60.0	56.9-63.1	23	0.9	0.5- 1.3
Female	2151	403,286	830	33.9	31.2-36.6	29	1.5	0.9- 2.1	1275	64.0	61.3-66.7	17	0.6	0.2- 1.0
White/Non-Hisp	2625	485,208	1131	38.8	36.3-41.3	17	0.8	0.4- 1.2	1447	59.6	57.1-62.1	30	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	491	159,323	248	42.1	36.4-47.8	5	0.6	0.0- 1.2	234	56.3	50.4-62.2	4	1.0	0.0- 2.0
Oth. Race/Non-Hisp.	147	39,300	51	21.8	12.6-31.0	1	0.4	0.0- 1.2	94	77.6	68.4-86.8	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	78	8,099	26	27.8	14.3-41.3	2	2.4	0.0- 5.9	47	65.1	50.8-79.4	3	4.7	0.0-10.4
Hispanic	446	63,015	82	15.5	10.2-20.8	3	0.6	0.0- 1.6	360	83.8	78.5-89.1	1	0.1	0.0- 0.3
18-24	245	86,901	25	10.2	4.5-15.9	1	0.4	0.0- 1.2	219	89.4	83.7-95.1			
25-34	436	127,634	59	16.5	11.4-21.6	9	1.7	0.3- 3.1	366	81.6	76.3-86.9	2	0.1	0.0- 0.3
35-44	485	115,244	98	19.6	14.9-24.3	10	2.0	0.6- 3.4	373	77.7	72.8-82.6	4	0.8	0.0- 1.6
45-54	615	119,034	219	38.7	33.4-44.0	3	0.4	0.0- 1.0	388	59.8	54.5-65.1	5	1.1	0.0- 2.3
55-64	788	135,142	373	49.8	45.3-54.3	2	0.2	0.0- 0.4	403	48.9	44.4-53.4	10	1.2	0.2- 2.2
65+	1315	188,039	796	61.2	57.7-64.7	4	0.3	0.1- 0.5	496	37.6	34.1-41.1	19	0.9	0.5- 1.3
Less Than H.S.	405	83,825	142	35.4	28.9-41.9	4	1.4	0.0- 3.0	259	63.1	56.6-69.6			
H.S. or G.E.D.	1049	245,056	461	39.8	35.9-43.7	11	0.8	0.2- 1.4	568	58.6	54.7-62.5	9	0.8	0.2- 1.4
Some Post-H.S.	951	219,568	412	39.1	34.8-43.4	7	0.6	0.0- 1.2	522	59.6	55.3-63.9	10	0.6	0.2- 1.0
College Graduate	1453	219,027	548	30.5	27.4-33.6	7	0.7	0.1- 1.3	877	67.7	64.4-71.0	21	1.1	0.5- 1.7
Less than \$15,000	296	47,293	127	44.4	36.2-52.6	5	1.7	0.0- 3.5	163	53.8	45.6-62.0	1	0.2	0.0- 0.6
\$15,000- 24,999	487	83,476	199	37.6	31.5-43.7	5	1.3	0.0- 2.9	281	60.7	54.6-66.8	2	0.4	0.0- 1.0
\$25,000- 34,999	295	53,541	132	39.7	32.1-47.3	1	0.7	0.0- 2.1	159	59.0	51.4-66.6	3	0.6	0.0- 1.2
\$35,000- 49,999	401	81,470	185	39.5	32.6-46.4	2	0.6	0.0- 1.4	210	59.3	52.4-66.2	4	0.6	0.0- 1.2
\$50,000- 74,999	446	94,973	196	41.5	35.0-48.0				243	57.1	50.6-63.6	7	1.4	0.2- 2.6
\$75,000+	1146	248,500	406	30.7	27.2-34.2	10	0.9	0.3- 1.5	715	67.6	64.1-71.1	15	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	368,709	740	39.1	36.0-42.2	970	60.0	56.9-63.1	23	0.9	0.5- 1.3
White/Non-Hisp	1192	232,573	565	43.1	39.4-46.8	611	55.9	52.2-59.6	16	0.9	0.3- 1.5
Black or Afr. Am./Non-Hisp	171	73,300	81	41.0	31.8-50.2	88	58.1	48.9-67.3	2	0.9	0.0- 2.3
Oth. Race/Non-Hisp.	77	18,941	26	25.6	11.7-39.5	50	73.9	60.0-87.8	1	0.6	0.0- 1.8
Hispanic	214	32,651	37	13.9	7.6-20.2	176	85.8	79.5-92.1	1	0.2	0.0- 0.6
18-24	139	44,024	15	9.2	3.7-14.7	124	90.8	85.3-96.3			
25-34	219	64,209	40	22.1	13.9-30.3	178	77.8	69.6-86.0	1	0.1	0.0- 0.3
35-44	213	56,379	41	17.9	11.2-24.6	170	81.2	74.5-87.9	2	1.0	0.0- 2.4
45-54	264	57,186	117	46.3	38.5-54.1	143	52.1	44.3-59.9	4	1.6	0.0- 3.4
55-64	353	63,001	187	57.3	50.8-63.8	160	41.3	34.8-47.8	6	1.4	0.2- 2.6
65+	545	83,909	340	63.5	58.0-69.0	195	35.3	29.8-40.8	10	1.2	0.4- 2.0
Less Than H.S.	199	44,838	72	35.5	26.3-44.7	127	64.5	55.3-73.7			
H.S. or G.E.D.	479	128,317	205	39.7	34.0-45.4	269	59.4	53.7-65.1	5	0.9	0.1- 1.7
Some Post-H.S.	400	92,022	184	41.4	34.9-47.9	210	57.8	51.3-64.3	6	0.8	0.0- 1.6
College Graduate	642	101,632	276	37.9	32.6-43.2	354	60.7	55.4-66.0	12	1.5	0.5- 2.5
Less than \$15,000	106	19,861	41	43.0	30.1-55.9	65	57.0	44.1-69.9			
\$15,000- 24,999	206	39,193	78	34.9	25.7-44.1	128	65.1	55.9-74.3			
\$25,000- 34,999	135	25,783	59	37.6	27.0-48.2	74	61.4	50.6-72.2	2	1.0	0.0- 2.4
\$35,000- 49,999	156	34,002	78	41.1	29.9-52.3	76	58.3	47.1-69.5	2	0.7	0.0- 1.7
\$50,000- 74,999	227	53,556	101	41.5	32.7-50.3	122	57.0	48.2-65.8	4	1.5	0.0- 3.1
\$75,000+	578	124,032	243	38.1	32.8-43.4	325	60.8	55.5-66.1	10	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2151	403,286	830	33.9	31.2-36.6	29	1.5	0.9- 2.1	1275	64.0	61.3-66.7	17	0.6	0.2- 1.0
White/Non-Hisp	1433	252,634	566	34.8	31.5-38.1	17	1.6	0.8- 2.4	836	63.0	59.7-66.3	14	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	320	86,023	167	43.0	35.7-50.3	5	1.2	0.0- 2.4	146	54.9	47.5-62.3	2	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	70	20,359	25	18.2	6.2-30.2	1	0.7	0.0- 2.1	44	81.1	68.9-93.3			
Hispanic	232	30,364	45	17.1	8.7-25.5	3	1.3	0.0- 3.3	184	81.6	73.0-90.2			
18-24	106	42,877	10	11.3	1.5-21.1	1	0.8	0.0- 2.4	95	87.9	78.1-97.7			
25-34	217	63,425	19	10.9	4.8-17.0	9	3.5	1.0- 6.0	188	85.4	78.9-91.9	1	0.2	0.0- 0.6
35-44	272	58,865	57	21.2	14.5-27.9	10	3.9	1.4- 6.4	203	74.3	67.2-81.4	2	0.6	0.0- 1.6
45-54	351	61,847	102	31.7	25.0-38.4	3	0.7	0.0- 1.7	245	66.9	60.2-73.6	1	0.7	0.0- 2.1
55-64	435	72,141	186	43.2	36.9-49.5	2	0.3	0.0- 0.7	243	55.5	49.2-61.8	4	1.0	0.0- 2.4
65+	770	104,130	456	59.3	54.8-63.8	4	0.5	0.0- 1.1	301	39.5	35.0-44.0	9	0.7	0.1- 1.3
Less Than H.S.	206	38,987	70	35.4	26.6-44.2	4	3.1	0.0- 6.6	132	61.5	52.5-70.5			
H.S. or G.E.D.	570	116,738	256	39.9	34.4-45.4	11	1.7	0.5- 2.9	299	57.8	52.3-63.3	4	0.7	0.0- 1.5
Some Post-H.S.	551	127,547	228	37.5	31.8-43.2	7	1.1	0.1- 2.1	312	61.0	55.3-66.7	4	0.5	0.0- 1.1
College Graduate	811	117,396	272	24.1	20.4-27.8	7	1.2	0.2- 2.2	523	73.8	69.9-77.7	9	0.9	0.1- 1.7
Less than \$15,000	190	27,432	86	45.4	34.8-56.0	5	2.9	0.0- 6.0	98	51.4	40.6-62.2	1	0.3	0.0- 0.9
\$15,000- 24,999	281	44,283	121	39.9	32.1-47.7	5	2.5	0.0- 5.2	153	56.9	48.9-64.9	2	0.7	0.0- 1.7
\$25,000- 34,999	160	27,758	73	41.6	30.8-52.4	1	1.4	0.0- 4.1	85	56.7	45.9-67.5	1	0.2	0.0- 0.6
\$35,000- 49,999	245	47,468	107	38.4	29.8-47.0	2	1.0	0.0- 2.4	134	60.1	51.5-68.7	2	0.5	0.0- 1.3
\$50,000- 74,999	219	41,416	95	41.6	31.8-51.4				121	57.1	47.3-66.9	3	1.4	0.0- 3.6
\$75,000+	568	124,468	163	23.3	18.8-27.8	10	1.8	0.6- 3.0	390	74.3	69.6-79.0	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1564	280,051	1281	77.9	74.8-81.0	283	22.1	19.0-25.2
Male	737	143,520	576	73.1	68.4-77.8	161	26.9	22.2-31.6
Female	827	136,531	705	82.8	78.5-87.1	122	17.2	12.9-21.5
White/Non-Hisp	1126	187,615	936	77.2	73.3-81.1	190	22.8	18.9-26.7
Black or Afr. Am./Non-Hisp	247	66,763	214	82.6	75.7-89.5	33	17.4	10.5-24.3
Oth. Race/Non-Hisp.	51	8,552	39	75.7	53.9-97.5	12	24.3	2.5-46.1
Hispanic	82	9,742	50	64.1	48.0-80.2	32	35.9	19.8-52.0
25-34	59	21,118	12	16.5	3.8-29.2	47	83.5	70.8-96.2
35-44	98	22,549	52	68.0	57.0-79.0	46	32.0	21.0-43.0
45-54	219	46,057	174	81.4	74.5-88.3	45	18.6	11.7-25.5
55-64	373	67,295	315	84.2	79.3-89.1	58	15.8	10.9-20.7
65+	790	114,143	726	91.8	89.1-94.5	64	8.2	5.5-10.9
Less Than H.S.	141	29,578	116	84.7	77.6-91.8	25	15.3	8.2-22.4
H.S. or G.E.D.	459	97,162	374	79.2	73.9-84.5	85	20.8	15.5-26.1
Some Post-H.S.	411	85,818	332	74.1	67.4-80.8	79	25.9	19.2-32.6
College Graduate	547	66,673	454	78.1	72.2-84.0	93	21.9	16.0-27.8
Less than \$15,000	127	20,984	109	85.6	77.0-94.2	18	14.4	5.8-23.0
\$15,000- 24,999	199	31,365	162	77.9	68.7-87.1	37	22.1	12.9-31.3
\$25,000- 34,999	131	20,997	103	76.2	66.0-86.4	28	23.8	13.6-34.0
\$35,000- 49,999	185	32,198	155	84.5	77.2-91.8	30	15.5	8.2-22.8
\$50,000- 74,999	195	39,365	159	75.0	64.2-85.8	36	25.0	14.2-35.8
\$75,000+	406	76,292	322	71.3	64.6-78.0	84	28.7	22.0-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	143,520	576	73.1	68.4-77.8	161	26.9	22.2-31.6
White/Non-Hisp	563	99,945	450	74.3	69.2-79.4	113	25.7	20.6-30.8
Black or Afr. Am./Non-Hisp	80	29,789	64	75.0	61.9-88.1	16	25.0	11.9-38.1
45-54	117	26,451	89	77.2	66.8-87.6	28	22.8	12.4-33.2
55-64	187	36,098	157	83.4	76.5-90.3	30	16.6	9.7-23.5
65+	337	52,665	302	88.3	83.2-93.4	35	11.7	6.6-16.8
Less Than H.S.	71	15,793	56	82.4	72.2-92.6	15	17.6	7.4-27.8
H.S. or G.E.D.	204	50,666	151	72.6	64.2-81.0	53	27.4	19.0-35.8
Some Post-H.S.	184	38,097	145	67.6	57.6-77.6	39	32.4	22.4-42.4
College Graduate	276	38,469	223	76.1	67.9-84.3	53	23.9	15.7-32.1
\$15,000- 24,999	78	13,692	61	73.0	57.7-88.3	17	27.0	11.7-42.3
\$25,000- 34,999	58	9,447	44	73.8	59.1-88.5	14	26.2	11.5-40.9
\$35,000- 49,999	78	13,969	62	75.2	61.3-89.1	16	24.8	10.9-38.7
\$50,000- 74,999	101	22,241	84	77.2	65.4-89.0	17	22.8	11.0-34.6
\$75,000+	243	47,264	185	67.9	59.1-76.7	58	32.1	23.3-40.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	827	136,531	705	82.8	78.5-87.1	122	17.2	12.9-21.5
White/Non-Hisp	563	87,670	486	80.4	74.5-86.3	77	19.6	13.7-25.5
Black or Afr. Am./Non-Hisp	167	36,974	150	88.7	82.8-94.6	17	11.3	5.4-17.2
35-44	57	12,476	33	73.0	59.7-86.3	24	27.0	13.7-40.3
45-54	102	19,606	85	87.1	79.7-94.5	17	12.9	5.5-20.3
55-64	186	31,197	158	85.0	77.7-92.3	28	15.0	7.7-22.3
65+	453	61,479	424	94.8	92.3-97.3	29	5.2	2.7- 7.7
Less Than H.S.	70	13,785	60	87.3	77.9-96.7	10	12.7	3.3-22.1
H.S. or G.E.D.	255	46,496	223	86.3	80.2-92.4	32	13.7	7.6-19.8
Some Post-H.S.	227	47,721	187	79.3	70.3-88.3	40	20.7	11.7-29.7
College Graduate	271	28,204	231	80.8	72.8-88.8	40	19.2	11.2-27.2
Less than \$15,000	86	12,451	75	83.9	71.6-96.2	11	16.1	3.8-28.4
\$15,000- 24,999	121	17,672	101	81.7	70.5-92.9	20	18.3	7.1-29.5
\$25,000- 34,999	73	11,551	59	78.2	64.3-92.1	14	21.8	7.9-35.7
\$35,000- 49,999	107	18,229	93	91.6	86.5-96.7	14	8.4	3.3-13.5
\$50,000- 74,999	94	17,124	75	72.3	53.3-91.3	19	27.7	8.7-46.7
\$75,000+	163	29,027	137	76.9	67.1-86.7	26	23.1	13.3-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK2)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3692	724,028	220	7.3	5.9- 8.7	2816	74.0	72.0-76.0	471	13.6	12.0-15.2	80	2.3	1.7- 2.9	105	2.8	2.2- 3.4
Male	1646	345,636	130	8.5	6.5-10.5	1221	73.0	70.1-75.9	196	12.5	10.3-14.7	39	2.3	1.3- 3.3	60	3.6	2.4- 4.8
Female	2046	378,392	90	6.2	4.4- 8.0	1595	74.9	72.2-77.6	275	14.6	12.2-17.0	41	2.3	1.5- 3.1	45	2.0	1.2- 2.8
White/Non-Hisp	2515	461,258	102	6.4	4.8- 8.0	1992	74.0	71.5-76.5	300	14.2	12.2-16.2	50	2.3	1.5- 3.1	71	3.1	2.1- 4.1
Black or Afr. Am./Non-Hisp	467	146,365	18	6.1	3.0- 9.2	391	80.9	76.0-85.8	44	9.3	5.8-12.8	8	2.3	0.3- 4.3	6	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	141	37,426	9	5.2	0.7- 9.7	105	72.1	61.9-82.3	22	19.8	10.6-29.0	2	0.9	0.0- 2.3	3	2.0	0.0- 4.9
MultiRacial/Non-Hisp.	74	7,523	7	7.1	1.2-13.0	42	56.0	40.1-71.9	13	22.4	8.5-36.3	4	6.0	0.0-12.5	8	8.5	0.5-16.5
Hispanic	407	56,022	77	19.7	13.2-26.2	216	58.4	51.1-65.7	86	16.2	11.7-20.7	14	2.8	1.0- 4.6	14	2.9	0.7- 5.1
18-24	199	74,782	57	22.0	14.9-29.1	85	50.8	41.4-60.2	46	22.2	14.8-29.6	6	2.5	0.0- 5.2	5	2.6	0.1- 5.1
25-34	394	112,335	78	17.3	12.2-22.4	203	54.1	47.2-61.0	84	22.4	16.5-28.3	11	2.5	0.5- 4.5	18	3.7	1.5- 5.9
35-44	455	109,220	42	9.8	5.7-13.9	274	68.1	62.6-73.6	92	13.4	9.9-16.9	19	3.4	1.2- 5.6	28	5.3	2.9- 7.7
45-54	596	113,837	21	2.5	1.3- 3.7	467	81.0	77.3-84.7	75	11.7	8.6-14.8	17	2.3	0.9- 3.7	16	2.6	1.0- 4.2
55-64	774	132,205	15	2.0	0.6- 3.4	624	80.1	76.6-83.6	103	13.7	10.6-16.8	14	2.1	0.9- 3.3	18	2.1	0.9- 3.3
65+	1274	181,649	7	0.5	0.1- 0.9	1163	90.7	88.5-92.9	71	5.8	4.0- 7.6	13	1.7	0.7- 2.7	20	1.3	0.5- 2.1
Less Than H.S.	378	73,601	56	12.7	7.6-17.8	228	67.7	61.2-74.2	65	13.4	9.1-17.7	13	1.5	0.5- 2.5	16	4.7	1.8- 7.6
H.S. or G.E.D.	988	231,442	62	7.5	5.1- 9.9	761	74.8	71.1-78.5	115	12.7	9.8-15.6	17	2.1	0.9- 3.3	33	2.9	1.7- 4.1
Some Post-H.S.	896	205,296	52	8.6	5.7-11.5	701	75.4	71.3-79.5	104	11.9	9.0-14.8	18	1.8	0.8- 2.8	21	2.3	1.1- 3.5
College Graduate	1408	210,503	45	3.8	2.4- 5.2	1111	74.1	70.8-77.4	185	16.4	13.5-19.3	32	3.3	1.7- 4.9	35	2.4	1.2- 3.6
Less than \$15,000	270	42,416	22	8.2	3.5-12.9	196	70.8	62.0-79.6	35	12.6	5.0-20.2	8	4.7	1.0- 8.4	9	3.8	0.7- 6.9
\$15,000- 24,999	456	75,948	36	9.3	5.4-13.2	329	71.7	66.0-77.4	61	12.8	8.7-16.9	11	2.0	0.4- 3.6	19	4.1	1.7- 6.5
\$25,000- 34,999	282	51,607	14	7.2	1.3-13.1	211	74.5	67.2-81.8	43	13.9	8.8-19.0	5	1.6	0.0- 3.2	9	2.8	0.8- 4.8
\$35,000- 49,999	386	75,402	21	5.6	2.5- 8.7	305	76.3	70.0-82.6	42	12.9	8.0-17.8	12	4.4	0.9- 7.9	6	0.8	0.0- 1.6
\$50,000- 74,999	430	90,272	27	8.8	4.9-12.7	342	76.4	70.9-81.9	44	10.4	6.9-13.9	9	2.0	0.4- 3.6	8	2.4	0.2- 4.6
\$75,000+	1114	238,446	40	5.4	3.2- 7.6	851	73.7	70.0-77.4	168	15.8	12.9-18.7	20	1.9	0.7- 3.1	35	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	345,636	130	8.5	6.5-10.5	1221	73.0	70.1-75.9	196	12.5	10.3-14.7	39	2.3	1.3- 3.3	60	3.6	2.4- 4.8
White/Non-Hisp	1145	221,810	59	7.7	5.2-10.2	900	73.0	69.3-76.7	123	13.4	10.5-16.3	20	1.8	0.8- 2.8	43	4.1	2.5- 5.7
Black or Afr. Am./Non-Hisp	163	67,802	5	3.3	0.4- 6.2	134	83.6	76.9-90.3	14	7.1	2.6-11.6	6	4.3	0.4- 8.2	4	1.8	0.0- 4.3
Oth. Race/Non-Hisp.	74	17,599	6	4.3	0.2- 8.4	53	70.3	56.0-84.6	12	21.4	7.9-34.9	1	0.5	0.0- 1.5	2	3.4	0.0- 9.5
Hispanic	191	28,368	52	30.4	19.4-41.4	87	50.3	39.7-60.9	38	13.6	8.3-18.9	7	1.6	0.4- 2.8	7	4.1	0.4- 7.8
18-24	114	38,516	33	17.9	10.1-25.7	46	54.5	42.5-66.5	26	19.3	10.9-27.7	4	3.3	0.0- 8.2	5	5.0	0.0-10.1
25-34	195	55,598	51	21.5	13.9-29.1	88	46.8	37.0-56.6	46	26.7	17.7-35.7	2	0.6	0.0- 1.6	8	4.4	0.7- 8.1
35-44	200	53,922	25	14.0	6.6-21.4	116	65.4	56.6-74.2	33	10.0	5.9-14.1	12	4.7	1.2- 8.2	14	6.0	2.1- 9.9
45-54	251	54,068	9	2.4	0.6- 4.2	191	82.2	76.9-87.5	30	9.5	5.6-13.4	10	2.0	0.4- 3.6	11	3.8	1.1- 6.5
55-64	347	61,635	8	1.8	0.2- 3.4	283	80.7	75.4-86.0	40	12.4	7.9-16.9	6	2.3	0.1- 4.5	10	2.8	1.0- 4.6
65+	539	81,897	4	0.9	0.0- 1.9	497	92.7	89.8-95.6	21	3.3	1.5- 5.1	5	1.8	0.0- 3.6	12	1.4	0.4- 2.4
Less Than H.S.	188	39,171	42	19.9	11.3-28.5	105	63.0	53.6-72.4	25	8.5	4.6-12.4	6	0.9	0.1- 1.7	10	7.6	2.3-12.9
H.S. or G.E.D.	443	119,171	38	8.6	5.3-11.9	320	72.3	66.8-77.8	55	13.0	8.7-17.3	10	2.5	0.3- 4.7	20	3.6	1.4- 5.8
Some Post-H.S.	379	88,447	20	7.6	3.3-11.9	294	74.8	68.7-80.9	48	13.5	8.8-18.2	6	1.2	0.2- 2.2	11	2.9	0.7- 5.1
College Graduate	626	97,446	26	4.3	2.1- 6.5	497	76.6	71.9-81.3	67	12.6	8.9-16.3	17	3.9	1.5- 6.3	19	2.7	0.9- 4.5
Less than \$15,000	92	17,367	12	11.7	3.5-19.9	61	70.1	57.9-82.3	8	4.3	1.0- 7.6	4	7.6	0.0-15.8	7	6.4	0.3-12.5
\$15,000- 24,999	196	35,367	27	13.4	6.7-20.1	125	65.8	56.8-74.8	26	12.1	6.0-18.2	6	1.9	0.0- 3.9	12	6.8	2.1-11.5
\$25,000- 34,999	130	24,838	9	10.0	0.0-20.4	91	70.1	58.5-81.7	22	15.4	7.4-23.4	2	0.7	0.0- 1.7	6	3.8	0.5- 7.1
\$35,000- 49,999	148	30,886	8	4.4	0.7- 8.1	113	71.8	61.0-82.6	17	15.3	6.9-23.7	8	8.2	0.6-15.8	2	0.3	0.0- 0.7
\$50,000- 74,999	218	50,888	19	10.2	4.5-15.9	169	76.2	68.8-83.6	23	10.9	5.8-16.0	3	1.1	0.0- 2.5	4	1.5	0.0- 3.5
\$75,000+	561	119,356	24	6.4	3.1- 9.7	435	74.6	69.5-79.7	68	12.9	9.2-16.6	11	1.6	0.4- 2.8	23	4.5	2.3- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2046	378,392	90	6.2	4.4- 8.0	1595	74.9	72.2-77.6	275	14.6	12.2-17.0	41	2.3	1.5- 3.1	45	2.0	1.2- 2.8
White/Non-Hisp	1370	239,449	43	5.1	3.1- 7.1	1092	74.9	71.6-78.2	177	15.0	12.3-17.7	30	2.8	1.6- 4.0	28	2.2	1.2- 3.2
Black or Afr. Am./Non-Hisp	304	78,563	13	8.5	3.2-13.8	257	78.6	71.7-85.5	30	11.3	6.2-16.4	2	0.6	0.0- 1.6	2	1.0	0.0- 2.6
Oth. Race/Non-Hisp.	67	19,827	3	6.0	0.0-13.8	52	73.7	59.2-88.2	10	18.3	5.8-30.8	1	1.3	0.0- 3.8	1	0.8	0.0- 2.4
Hispanic	216	27,654	25	8.7	4.8-12.6	129	66.7	57.9-75.5	48	18.9	11.6-26.2	7	4.0	0.5- 7.5	7	1.7	0.0- 3.5
18-24	85	36,266	24	26.3	14.3-38.3	39	46.9	32.2-61.6	20	25.2	12.9-37.5	2	1.6	0.0- 4.0			
25-34	199	56,736	27	13.1	6.6-19.6	115	61.2	51.8-70.6	38	18.2	10.6-25.8	9	4.4	0.7- 8.1	10	3.1	0.6- 5.6
35-44	255	55,298	17	5.6	2.3- 8.9	158	70.6	63.7-77.5	59	16.9	11.4-22.4	7	2.2	0.0- 4.4	14	4.7	2.0- 7.4
45-54	345	59,769	12	2.6	0.8- 4.4	276	79.9	74.4-85.4	45	13.6	9.1-18.1	7	2.5	0.1- 4.9	5	1.4	0.0- 3.2
55-64	427	70,571	7	2.1	0.1- 4.1	341	79.7	74.8-84.6	63	14.9	10.6-19.2	8	1.8	0.4- 3.2	8	1.5	0.1- 2.9
65+	735	99,753	3	0.3	0.0- 0.7	666	89.0	85.7-92.3	50	7.9	5.2-10.6	8	1.6	0.4- 2.8	8	1.2	0.0- 2.6
Less Than H.S.	190	34,430	14	4.4	1.7- 7.1	123	73.0	64.8-81.2	40	19.0	11.2-26.8	7	2.2	0.4- 4.0	6	1.3	0.0- 2.7
H.S. or G.E.D.	545	112,271	24	6.3	3.0- 9.6	441	77.3	72.2-82.4	60	12.4	8.3-16.5	7	1.8	0.4- 3.2	13	2.2	0.8- 3.6
Some Post-H.S.	517	116,849	32	9.3	5.2-13.4	407	75.9	70.6-81.2	56	10.6	6.9-14.3	12	2.3	0.7- 3.9	10	1.8	0.4- 3.2
College Graduate	782	113,057	19	3.4	1.6- 5.2	614	71.9	67.0-76.8	118	19.7	15.2-24.2	15	2.9	0.9- 4.9	16	2.1	0.7- 3.5
Less than \$15,000	178	25,049	10	5.7	0.2-11.2	135	71.2	59.0-83.4	27	18.4	6.4-30.4	4	2.6	0.0- 5.5	2	2.0	0.0- 4.9
\$15,000- 24,999	260	40,582	9	5.8	1.3-10.3	204	76.9	69.6-84.2	35	13.4	7.7-19.1	5	2.2	0.0- 4.4	7	1.8	0.2- 3.4
\$25,000- 34,999	152	26,769	5	4.5	0.0-10.2	120	78.5	69.7-87.3	21	12.6	5.9-19.3	3	2.4	0.0- 5.3	3	1.9	0.0- 4.3
\$35,000- 49,999	238	44,517	13	6.4	1.9-10.9	192	79.3	71.9-86.7	25	11.3	5.4-17.2	4	1.8	0.0- 3.8	4	1.1	0.0- 2.5
\$50,000- 74,999	212	39,384	8	6.8	1.7-11.9	173	76.8	68.8-84.8	21	9.7	4.8-14.6	6	3.1	0.0- 6.2	4	3.6	0.0- 7.7
\$75,000+	553	119,090	16	4.5	1.6- 7.4	416	72.8	67.5-78.1	100	18.7	14.2-23.2	9	2.1	0.3- 3.9	12	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3648	716,972	1378	33.7	31.5-35.9	2270	66.3	64.1-68.5
Male	1592	337,268	634	35.2	32.1-38.3	958	64.8	61.7-67.9
Female	2056	379,704	744	32.3	29.6-35.0	1312	67.7	65.0-70.4
White/Non-Hisp	2515	454,993	1026	37.0	34.5-39.5	1489	63.0	60.5-65.5
Black or Afr. Am./Non-Hisp	469	149,433	162	30.8	25.3-36.3	307	69.2	63.7-74.7
Oth. Race/Non-Hisp.	137	37,319	39	16.7	8.9-24.5	98	83.3	75.5-91.1
MultiRacial/Non-Hisp.	70	7,516	22	32.2	15.7-48.7	48	67.8	51.3-84.3
Hispanic	368	51,937	94	24.3	18.0-30.6	274	75.7	69.4-82.0
18-24	189	71,123	23	12.6	5.7-19.5	166	87.4	80.5-94.3
25-34	355	107,875	48	13.4	8.7-18.1	307	86.6	81.9-91.3
35-44	439	103,958	82	16.2	12.1-20.3	357	83.8	79.7-87.9
45-54	588	115,166	209	37.3	32.0-42.6	379	62.7	57.4-68.0
55-64	770	131,815	341	43.2	38.7-47.7	429	56.8	52.3-61.3
65+	1307	187,035	675	54.2	50.7-57.7	632	45.8	42.3-49.3
Less Than H.S.	351	74,792	124	34.3	27.6-41.0	227	65.7	59.0-72.4
H.S. or G.E.D.	984	227,354	396	36.7	32.8-40.6	588	63.3	59.4-67.2
Some Post-H.S.	890	200,568	323	33.0	28.9-37.1	567	67.0	62.9-71.1
College Graduate	1402	210,360	530	30.9	27.6-34.2	872	69.1	65.8-72.4
Less than \$15,000	271	43,489	107	33.3	25.9-40.7	164	66.7	59.3-74.1
\$15,000- 24,999	448	76,086	184	40.4	33.9-46.9	264	59.6	53.1-66.1
\$25,000- 34,999	281	49,837	109	33.4	26.3-40.5	172	66.6	59.5-73.7
\$35,000- 49,999	380	77,397	160	35.0	28.3-41.7	220	65.0	58.3-71.7
\$50,000- 74,999	420	87,159	160	36.0	29.3-42.7	260	64.0	57.3-70.7
\$75,000+	1100	234,588	395	30.2	26.7-33.7	705	69.8	66.3-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1592	337,268	634	35.2	32.1-38.3	958	64.8	61.7-67.9
White/Non-Hisp	1127	214,664	480	37.4	33.9-40.9	647	62.6	59.1-66.1
Black or Afr. Am./Non-Hisp	163	70,138	60	34.0	25.0-43.0	103	66.0	57.0-75.0
Oth. Race/Non-Hisp.	71	18,191	19	20.0	7.1-32.9	52	80.0	67.1-92.9
Hispanic	161	23,982	44	25.7	16.3-35.1	117	74.3	64.9-83.7
18-24	107	37,529	16	12.6	5.5-19.7	91	87.4	80.3-94.5
25-34	166	52,074	25	12.8	6.3-19.3	141	87.2	80.7-93.7
35-44	186	48,359	35	16.5	10.2-22.8	151	83.5	77.2-89.8
45-54	251	54,999	108	45.5	37.3-53.7	143	54.5	46.3-62.7
55-64	343	61,404	156	44.6	37.9-51.3	187	55.4	48.7-62.1
65+	539	82,903	294	56.6	51.1-62.1	245	43.4	37.9-48.9
Less Than H.S.	159	37,328	58	34.9	24.7-45.1	101	65.1	54.9-75.3
H.S. or G.E.D.	439	117,670	172	37.0	31.1-42.9	267	63.0	57.1-68.9
Some Post-H.S.	373	83,961	145	33.5	27.4-39.6	228	66.5	60.4-72.6
College Graduate	612	96,951	258	34.9	29.8-40.0	354	65.1	60.0-70.2
Less than \$15,000	92	17,588	29	26.8	15.2-38.4	63	73.2	61.6-84.8
\$15,000- 24,999	178	34,365	69	36.0	26.0-46.0	109	64.0	54.0-74.0
\$25,000- 34,999	126	23,291	46	32.5	22.5-42.5	80	67.5	57.5-77.5
\$35,000- 49,999	147	32,489	63	33.3	22.9-43.7	84	66.7	56.3-77.1
\$50,000- 74,999	209	48,440	81	32.4	23.8-41.0	128	67.6	59.0-76.2
\$75,000+	550	115,650	229	36.2	31.1-41.3	321	63.8	58.7-68.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2056	379,704	744	32.3	29.6-35.0	1312	67.7	65.0-70.4
White/Non-Hisp	1388	240,330	546	36.5	33.0-40.0	842	63.5	60.0-67.0
Black or Afr. Am./Non-Hisp	306	79,295	102	28.0	21.3-34.7	204	72.0	65.3-78.7
Oth. Race/Non-Hisp.	66	19,127	20	13.5	5.1-21.9	46	86.5	78.1-94.9
Hispanic	207	27,956	50	23.1	14.5-31.7	157	76.9	68.3-85.5
18-24	82	33,594	7	12.7	0.5-24.9	75	87.3	75.1-99.5
25-34	189	55,800	23	14.0	7.1-20.9	166	86.0	79.1-92.9
35-44	253	55,600	47	16.0	10.5-21.5	206	84.0	78.5-89.5
45-54	337	60,167	101	29.7	23.0-36.4	236	70.3	63.6-77.0
55-64	427	70,411	185	41.9	35.6-48.2	242	58.1	51.8-64.4
65+	768	104,132	381	52.2	47.5-56.9	387	47.8	43.1-52.5
Less Than H.S.	192	37,464	66	33.7	24.9-42.5	126	66.3	57.5-75.1
H.S. or G.E.D.	545	109,684	224	36.3	31.0-41.6	321	63.7	58.4-69.0
Some Post-H.S.	517	116,607	178	32.7	27.0-38.4	339	67.3	61.6-73.0
College Graduate	790	113,409	272	27.4	23.1-31.7	518	72.6	68.3-76.9
Less than \$15,000	179	25,901	78	37.8	28.0-47.6	101	62.2	52.4-72.0
\$15,000- 24,999	270	41,721	115	44.1	35.9-52.3	155	55.9	47.7-64.1
\$25,000- 34,999	155	26,546	63	34.2	24.2-44.2	92	65.8	55.8-75.8
\$35,000- 49,999	233	44,908	97	36.3	27.7-44.9	136	63.7	55.1-72.3
\$50,000- 74,999	211	38,719	79	40.4	30.2-50.6	132	59.6	49.4-69.8
\$75,000+	550	118,937	166	24.4	19.7-29.1	384	75.6	70.9-80.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1373	240,623	951	64.2	60.5-67.9	422	35.8	32.1-39.5
Male	631	117,994	446	64.7	59.4-70.0	185	35.3	30.0-40.6
Female	742	122,629	505	63.7	58.6-68.8	237	36.3	31.2-41.4
White/Non-Hisp	1024	167,898	739	67.8	63.7-71.9	285	32.2	28.1-36.3
Black or Afr. Am./Non-Hisp	161	45,727	117	61.6	51.0-72.2	44	38.4	27.8-49.0
Hispanic	94	12,636	40	40.0	25.9-54.1	54	60.0	45.9-74.1
35-44	82	16,875	29	35.6	22.3-48.9	53	64.4	51.1-77.7
45-54	209	42,922	119	54.3	44.9-63.7	90	45.7	36.3-55.1
55-64	340	56,852	238	67.5	60.8-74.2	102	32.5	25.8-39.2
65+	671	100,512	553	83.1	79.0-87.2	118	16.9	12.8-21.0
Less Than H.S.	123	25,473	79	65.0	54.0-76.0	44	35.0	24.0-46.0
H.S. or G.E.D.	394	83,022	273	61.6	54.7-68.5	121	38.4	31.5-45.3
Some Post-H.S.	323	66,217	238	70.8	63.4-78.2	85	29.2	21.8-36.6
College Graduate	528	64,693	358	60.2	54.1-66.3	170	39.8	33.7-45.9
Less than \$15,000	106	14,456	74	65.5	53.3-77.7	32	34.5	22.3-46.7
\$15,000- 24,999	184	30,763	127	65.2	54.8-75.6	57	34.8	24.4-45.2
\$25,000- 34,999	109	16,636	73	64.4	52.2-76.6	36	35.6	23.4-47.8
\$35,000- 49,999	160	27,096	115	74.4	65.2-83.6	45	25.6	16.4-34.8
\$50,000- 74,999	159	30,994	110	62.2	49.5-74.9	49	37.8	25.1-50.5
\$75,000+	395	70,858	266	59.6	53.1-66.1	129	40.4	33.9-46.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	631	117,994	446	64.7	59.4-70.0	185	35.3	30.0-40.6
White/Non-Hisp	479	80,136	354	68.9	63.4-74.4	125	31.1	25.6-36.6
Black or Afr. Am./Non-Hisp	59	23,522	43	61.8	45.7-77.9	16	38.2	22.1-54.3
45-54	108	25,029	69	56.2	43.3-69.1	39	43.8	30.9-56.7
55-64	156	27,406	113	69.9	60.5-79.3	43	30.1	20.7-39.5
65+	291	46,195	243	82.3	75.2-89.4	48	17.7	10.6-24.8
Less Than H.S.	57	12,831	39	66.8	50.9-82.7	18	33.2	17.3-49.1
H.S. or G.E.D.	171	43,195	103	54.7	44.5-64.9	68	45.3	35.1-55.5
Some Post-H.S.	145	28,085	109	75.5	66.7-84.3	36	24.5	15.7-33.3
College Graduate	257	33,658	194	67.7	59.1-76.3	63	32.3	23.7-40.9
\$15,000- 24,999	69	12,355	48	66.4	49.0-83.8	21	33.6	16.2-51.0
\$35,000- 49,999	63	10,811	47	72.4	57.7-87.1	16	27.6	12.9-42.3
\$50,000- 74,999	80	15,338	58	69.9	54.6-85.2	22	30.1	14.8-45.4
\$75,000+	229	41,861	163	62.8	54.6-71.0	66	37.2	29.0-45.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	742	122,629	505	63.7	58.6-68.8	237	36.3	31.2-41.4
White/Non-Hisp	545	87,761	385	66.8	60.7-72.9	160	33.2	27.1-39.3
Black or Afr. Am./Non-Hisp	102	22,205	74	61.4	47.7-75.1	28	38.6	24.9-52.3
Hispanic	50	6,464	23	49.7	28.9-70.5	27	50.3	29.5-71.1
45-54	101	17,893	50	51.6	38.1-65.1	51	48.4	34.9-61.9
55-64	184	29,445	125	65.1	55.7-74.5	59	34.9	25.5-44.3
65+	380	54,318	310	83.7	79.0-88.4	70	16.3	11.6-21.0
Less Than H.S.	66	12,641	40	63.1	48.2-78.0	26	36.9	22.0-51.8
H.S. or G.E.D.	223	39,827	170	69.1	60.3-77.9	53	30.9	22.1-39.7
Some Post-H.S.	178	38,132	129	67.4	56.6-78.2	49	32.6	21.8-43.4
College Graduate	271	31,035	164	52.1	43.5-60.7	107	47.9	39.3-56.5
Less than \$15,000	77	9,747	56	67.9	54.0-81.8	21	32.1	18.2-46.0
\$15,000- 24,999	115	18,408	79	64.4	51.5-77.3	36	35.6	22.7-48.5
\$25,000- 34,999	63	9,077	44	70.6	54.3-86.9	19	29.4	13.1-45.7
\$35,000- 49,999	97	16,285	68	75.8	64.0-87.6	29	24.2	12.4-36.0
\$50,000- 74,999	79	15,656	52	54.6	35.8-73.4	27	45.4	26.6-64.2
\$75,000+	166	28,997	103	55.0	44.4-65.6	63	45.0	34.4-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	48
2	MALES ONLY	49
3	FEMALES ONLY	50
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	51
5	MALES ONLY	52
6	FEMALES ONLY	53
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	54
8	MALES ONLY	55
9	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	57
11	MALES ONLY	58
12	FEMALES ONLY	59
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	60
14	MALES ONLY	61
15	FEMALES ONLY	62
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	63
17	MALES ONLY	64
18	FEMALES ONLY	65
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	66
20	MALES ONLY	67
21	FEMALES ONLY	68
	(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3876	771,021	220	4.5	3.7- 5.3	3656	95.5	94.7-96.3
Male	1733	368,195	130	6.0	4.6- 7.4	1603	94.0	92.6-95.4
Female	2143	402,826	90	3.1	2.3- 3.9	2053	96.9	96.1-97.7
White/Non-Hisp	2625	484,943	177	5.9	4.7- 7.1	2448	94.1	92.9-95.3
Black or Afr. Am./Non-Hisp	491	159,440	21	2.8	1.2- 4.4	470	97.2	95.6-98.8
Oth. Race/Non-Hisp.	147	39,300	9	1.9	0.3- 3.5	138	98.1	96.5-99.7
MultiRacial/Non-Hisp.	78	8,099	3	0.8	0.0- 1.8	75	99.2	98.2- 100
Hispanic	439	62,569	8	1.2	0.2- 2.2	431	98.8	97.8-99.8
18-24	246	87,208	3	0.6	0.0- 1.4	243	99.4	98.6- 100
25-34	432	127,245	2	0.1	0.0- 0.3	430	99.9	99.7- 100
35-44	485	115,244	3	0.4	0.0- 1.0	482	99.6	99.0- 100
45-54	616	119,174	20	2.9	1.3- 4.5	596	97.1	95.5-98.7
55-64	785	134,261	45	5.2	3.4- 7.0	740	94.8	93.0-96.6
65+	1312	187,890	147	12.3	9.8-14.8	1165	87.7	85.2-90.2
Less Than H.S.	401	82,737	27	6.0	3.5- 8.5	374	94.0	91.5-96.5
H.S. or G.E.D.	1045	244,972	75	5.2	3.6- 6.8	970	94.8	93.2-96.4
Some Post-H.S.	950	219,250	65	5.3	3.7- 6.9	885	94.7	93.1-96.3
College Graduate	1454	219,544	51	2.3	1.3- 3.3	1403	97.7	96.7-98.7
Less than \$15,000	293	46,795	28	7.6	4.1-11.1	265	92.4	88.9-95.9
\$15,000- 24,999	485	83,099	46	7.7	5.0-10.4	439	92.3	89.6-95.0
\$25,000- 34,999	291	52,870	15	4.7	1.8- 7.6	276	95.3	92.4-98.2
\$35,000- 49,999	399	81,463	28	5.9	3.2- 8.6	371	94.1	91.4-96.8
\$50,000- 74,999	449	95,439	23	4.3	1.9- 6.7	426	95.7	93.3-98.1
\$75,000+	1146	248,521	31	1.8	1.0- 2.6	1115	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	368,195	130	6.0	4.6- 7.4	1603	94.0	92.6-95.4
White/Non-Hisp	1195	232,549	107	7.7	5.9- 9.5	1088	92.3	90.5-94.1
Black or Afr. Am./Non-Hisp	171	73,300	12	4.5	1.4- 7.6	159	95.5	92.4-98.6
Oth. Race/Non-Hisp.	77	18,941	3	1.2	0.0- 2.6	74	98.8	97.4- 100
Hispanic	212	32,542	7	2.1	0.3- 3.9	205	97.9	96.1-99.7
18-24	139	44,036	3	1.2	0.0- 2.8	136	98.8	97.2- 100
25-34	216	63,858	2	0.2	0.0- 0.4	214	99.8	99.6- 100
35-44	213	56,379	1	0.5	0.0- 1.5	212	99.5	98.5- 100
45-54	265	57,296	10	2.9	0.7- 5.1	255	97.1	94.9-99.3
55-64	353	62,431	28	7.7	4.4-11.0	325	92.3	89.0-95.6
65+	547	84,196	86	17.7	13.2-22.2	461	82.3	77.8-86.8
Less Than H.S.	199	44,625	21	9.3	4.8-13.8	178	90.7	86.2-95.2
H.S. or G.E.D.	479	128,247	39	5.3	3.1- 7.5	440	94.7	92.5-96.9
Some Post-H.S.	398	91,496	33	7.5	4.4-10.6	365	92.5	89.4-95.6
College Graduate	644	101,928	35	4.0	2.2- 5.8	609	96.0	94.2-97.8
Less than \$15,000	104	19,440	12	10.2	2.9-17.5	92	89.8	82.5-97.1
\$15,000- 24,999	206	38,992	29	11.1	6.0-16.2	177	88.9	83.8-94.0
\$25,000- 34,999	134	25,699	6	3.8	0.0- 7.7	128	96.2	92.3- 100
\$35,000- 49,999	155	33,761	9	4.2	0.5- 7.9	146	95.8	92.1-99.5
\$50,000- 74,999	229	53,844	16	5.6	2.3- 8.9	213	94.4	91.1-97.7
\$75,000+	578	124,032	24	2.7	1.3- 4.1	554	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	402,826	90	3.1	2.3- 3.9	2053	96.9	96.1-97.7
White/Non-Hisp	1430	252,394	70	4.2	2.8- 5.6	1360	95.8	94.4-97.2
Black or Afr. Am./Non-Hisp	320	86,140	9	1.3	0.3- 2.3	311	98.7	97.7-99.7
Oth. Race/Non-Hisp.	70	20,359	6	2.7	0.0- 5.6	64	97.3	94.4- 100
Hispanic	227	30,027	1	0.2	0.0- 0.6	226	99.8	99.4- 100
18-24	107	43,172				107	100.0	100.0- 100
25-34	216	63,387				216	100.0	100.0- 100
35-44	272	58,865	2	0.3	0.0- 0.7	270	99.7	99.3- 100
45-54	351	61,878	10	3.0	1.0- 5.0	341	97.0	95.0-99.0
55-64	432	71,831	17	3.0	1.2- 4.8	415	97.0	95.2-98.8
65+	765	103,694	61	8.0	5.3-10.7	704	92.0	89.3-94.7
Less Than H.S.	202	38,112	6	2.2	0.0- 4.4	196	97.8	95.6- 100
H.S. or G.E.D.	566	116,726	36	5.0	2.8- 7.2	530	95.0	92.8-97.2
Some Post-H.S.	552	127,754	32	3.7	2.1- 5.3	520	96.3	94.7-97.9
College Graduate	810	117,617	16	0.9	0.3- 1.5	794	99.1	98.5-99.7
Less than \$15,000	189	27,355	16	5.7	2.2- 9.2	173	94.3	90.8-97.8
\$15,000- 24,999	279	44,107	17	4.7	2.0- 7.4	262	95.3	92.6-98.0
\$25,000- 34,999	157	27,171	9	5.6	1.1-10.1	148	94.4	89.9-98.9
\$35,000- 49,999	244	47,703	19	7.1	3.2-11.0	225	92.9	89.0-96.8
\$50,000- 74,999	220	41,595	7	2.6	0.0- 5.7	213	97.4	94.3- 100
\$75,000+	568	124,489	7	1.0	0.0- 2.0	561	99.0	98.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3860	767,774	206	4.4	3.6- 5.2	3654	95.6	94.8-96.4
Male	1717	364,877	115	5.8	4.4- 7.2	1602	94.2	92.8-95.6
Female	2143	402,897	91	3.2	2.2- 4.2	2052	96.8	95.8-97.8
White/Non-Hisp	2611	482,321	164	5.6	4.4- 6.8	2447	94.4	93.2-95.6
Black or Afr. Am./Non-Hisp	492	159,673	22	3.4	1.4- 5.4	470	96.6	94.6-98.6
Oth. Race/Non-Hisp.	144	38,575	6	1.0	0.0- 2.0	138	99.0	98.0- 100
MultiRacial/Non-Hisp.	77	8,055	3	0.8	0.0- 1.8	74	99.2	98.2- 100
Hispanic	440	62,480	10	1.4	0.2- 2.6	430	98.6	97.4-99.8
18-24	245	87,115	3	0.5	0.0- 1.3	242	99.5	98.7- 100
25-34	434	127,510	2	0.2	0.0- 0.6	432	99.8	99.4- 100
35-44	484	115,163	3	0.5	0.0- 1.3	481	99.5	98.7- 100
45-54	616	119,114	10	2.7	0.9- 4.5	606	97.3	95.5-99.1
55-64	779	133,458	43	5.1	3.3- 6.9	736	94.9	93.1-96.7
65+	1302	185,415	145	12.2	9.7-14.7	1157	87.8	85.3-90.3
Less Than H.S.	400	82,771	31	8.2	4.5-11.9	369	91.8	88.1-95.5
H.S. or G.E.D.	1037	243,391	57	4.8	3.2- 6.4	980	95.2	93.6-96.8
Some Post-H.S.	948	218,451	57	4.2	2.8- 5.6	891	95.8	94.4-97.2
College Graduate	1450	218,737	60	2.9	1.9- 3.9	1390	97.1	96.1-98.1
Less than \$15,000	289	46,401	22	6.0	2.5- 9.5	267	94.0	90.5-97.5
\$15,000- 24,999	477	82,180	34	7.8	4.1-11.5	443	92.2	88.5-95.9
\$25,000- 34,999	290	52,623	16	6.7	3.0-10.4	274	93.3	89.6-97.0
\$35,000- 49,999	401	81,426	29	6.1	3.4- 8.8	372	93.9	91.2-96.6
\$50,000- 74,999	445	94,663	24	3.8	1.8- 5.8	421	96.2	94.2-98.2
\$75,000+	1143	247,866	42	2.8	1.6- 4.0	1101	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	364,877	115	5.8	4.4- 7.2	1602	94.2	92.8-95.6
White/Non-Hisp	1185	230,353	92	7.2	5.4- 9.0	1093	92.8	91.0-94.6
Black or Afr. Am./Non-Hisp	171	73,300	10	4.7	1.0- 8.4	161	95.3	91.6-99.0
Oth. Race/Non-Hisp.	74	18,216	3	1.0	0.0- 2.4	71	99.0	97.6- 100
Hispanic	209	32,144	8	2.5	0.3- 4.7	201	97.5	95.3-99.7
18-24	138	43,943	3	1.1	0.0- 2.5	135	98.9	97.5- 100
25-34	217	64,085	2	0.5	0.0- 1.3	215	99.5	98.7- 100
35-44	212	56,298				212	100.0	100.0- 100
45-54	264	57,088	6	4.1	0.6- 7.6	258	95.9	92.4-99.4
55-64	348	61,722	25	7.4	3.9-10.9	323	92.6	89.1-96.1
65+	538	81,742	79	16.4	11.9-20.9	459	83.6	79.1-88.1
Less Than H.S.	195	44,016	21	11.5	5.4-17.6	174	88.5	82.4-94.6
H.S. or G.E.D.	473	127,063	25	4.6	2.2- 7.0	448	95.4	93.0-97.8
Some Post-H.S.	397	90,829	28	5.9	3.4- 8.4	369	94.1	91.6-96.6
College Graduate	640	101,162	40	4.6	2.6- 6.6	600	95.4	93.4-97.4
Less than \$15,000	101	19,082	6	6.2	0.0-12.5	95	93.8	87.5- 100
\$15,000- 24,999	201	38,482	20	11.1	4.2-18.0	181	88.9	82.0-95.8
\$25,000- 34,999	133	25,119	9	7.0	1.7-12.3	124	93.0	87.7-98.3
\$35,000- 49,999	155	33,663	12	5.7	2.0- 9.4	143	94.3	90.6-98.0
\$50,000- 74,999	227	53,358	18	4.7	2.0- 7.4	209	95.3	92.6-98.0
\$75,000+	575	123,350	29	4.2	2.2- 6.2	546	95.8	93.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	402,897	91	3.2	2.2- 4.2	2052	96.8	95.8-97.8
White/Non-Hisp	1426	251,967	72	4.3	2.9- 5.7	1354	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	321	86,373	12	2.2	0.8- 3.6	309	97.8	96.4-99.2
Oth. Race/Non-Hisp.	70	20,359	3	1.0	0.0- 2.4	67	99.0	97.6- 100
Hispanic	231	30,336	2	0.3	0.0- 0.7	229	99.7	99.3- 100
18-24	107	43,172				107	100.0	100.0- 100
25-34	217	63,425				217	100.0	100.0- 100
35-44	272	58,865	3	1.0	0.0- 2.4	269	99.0	97.6- 100
45-54	352	62,026	4	1.3	0.0- 2.7	348	98.7	97.3- 100
55-64	431	71,736	18	3.1	1.3- 4.9	413	96.9	95.1-98.7
65+	764	103,672	66	9.0	6.1-11.9	698	91.0	88.1-93.9
Less Than H.S.	205	38,755	10	4.5	1.0- 8.0	195	95.5	92.0-99.0
H.S. or G.E.D.	564	116,328	32	5.0	2.8- 7.2	532	95.0	92.8-97.2
Some Post-H.S.	551	127,621	29	2.9	1.5- 4.3	522	97.1	95.7-98.5
College Graduate	810	117,575	20	1.4	0.6- 2.2	790	98.6	97.8-99.4
Less than \$15,000	188	27,319	16	5.9	2.0- 9.8	172	94.1	90.2-98.0
\$15,000- 24,999	276	43,698	14	4.9	1.6- 8.2	262	95.1	91.8-98.4
\$25,000- 34,999	157	27,504	7	6.4	1.1-11.7	150	93.6	88.3-98.9
\$35,000- 49,999	246	47,763	17	6.3	2.6-10.0	229	93.7	90.0-97.4
\$50,000- 74,999	218	41,304	6	2.5	0.0- 5.0	212	97.5	95.0- 100
\$75,000+	568	124,516	13	1.4	0.4- 2.4	555	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3882	772,600	205	4.0	3.2- 4.8	3677	96.0	95.2-96.8
Male	1735	368,915	94	4.1	2.9- 5.3	1641	95.9	94.7-97.1
Female	2147	403,685	111	3.8	2.8- 4.8	2036	96.2	95.2-97.2
White/Non-Hisp	2628	486,336	145	4.4	3.4- 5.4	2483	95.6	94.6-96.6
Black or Afr. Am./Non-Hisp	491	159,497	29	3.9	1.9- 5.9	462	96.1	94.1-98.1
Oth. Race/Non-Hisp.	145	39,073	9	2.5	0.0- 5.0	136	97.5	95.0- 100
MultiRacial/Non-Hisp.	78	8,099	8	8.7	0.7-16.7	70	91.3	83.3-99.3
Hispanic	443	62,546	10	1.3	0.3- 2.3	433	98.7	97.7-99.7
18-24	247	87,587	5	1.0	0.0- 2.0	242	99.0	98.0- 100
25-34	435	127,578	3	0.5	0.0- 1.1	432	99.5	98.9- 100
35-44	483	114,831	5	0.7	0.0- 1.5	478	99.3	98.5- 100
45-54	617	119,322	20	3.4	1.6- 5.2	597	96.6	94.8-98.4
55-64	787	134,927	45	4.6	3.0- 6.2	742	95.4	93.8-97.0
65+	1313	188,354	127	9.6	7.4-11.8	1186	90.4	88.2-92.6
Less Than H.S.	406	83,888	25	6.4	3.1- 9.7	381	93.6	90.3-96.9
H.S. or G.E.D.	1050	245,726	59	3.6	2.4- 4.8	991	96.4	95.2-97.6
Some Post-H.S.	947	218,869	68	4.6	3.2- 6.0	879	95.4	94.0-96.8
College Graduate	1453	219,598	50	2.8	1.8- 3.8	1403	97.2	96.2-98.2
Less than \$15,000	293	46,825	28	8.4	4.5-12.3	265	91.6	87.7-95.5
\$15,000- 24,999	484	82,912	41	6.5	3.6- 9.4	443	93.5	90.6-96.4
\$25,000- 34,999	294	53,364	18	4.6	1.9- 7.3	276	95.4	92.7-98.1
\$35,000- 49,999	401	81,752	18	3.6	1.6- 5.6	383	96.4	94.4-98.4
\$50,000- 74,999	449	95,439	17	2.4	1.0- 3.8	432	97.6	96.2-99.0
\$75,000+	1145	248,588	28	1.9	1.1- 2.7	1117	98.1	97.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	368,915	94	4.1	2.9- 5.3	1641	95.9	94.7-97.1
White/Non-Hisp	1198	233,531	70	4.5	3.3- 5.7	1128	95.5	94.3-96.7
Black or Afr. Am./Non-Hisp	170	73,124	10	4.1	0.8- 7.4	160	95.9	92.6-99.2
Oth. Race/Non-Hisp.	76	18,789	5	3.7	0.0- 8.4	71	96.3	91.6- 100
Hispanic	212	32,229	5	1.2	0.0- 2.4	207	98.8	97.6- 100
18-24	140	44,415	4	1.7	0.0- 3.7	136	98.3	96.3- 100
25-34	218	64,153	1	0.1	0.0- 0.3	217	99.9	99.7- 100
35-44	212	56,012	1	0.6	0.0- 1.8	211	99.4	98.2- 100
45-54	265	57,296	10	3.1	0.9- 5.3	255	96.9	94.7-99.1
55-64	353	62,815	19	4.4	2.0- 6.8	334	95.6	93.2-98.0
65+	547	84,224	59	11.3	7.6-15.0	488	88.7	85.0-92.4
Less Than H.S.	201	44,947	16	7.5	2.4-12.6	185	92.5	87.4-97.6
H.S. or G.E.D.	480	128,768	25	3.2	1.6- 4.8	455	96.8	95.2-98.4
Some Post-H.S.	398	91,410	26	4.0	2.2- 5.8	372	96.0	94.2-97.8
College Graduate	643	101,889	25	3.6	1.8- 5.4	618	96.4	94.6-98.2
Less than \$15,000	104	19,438	9	8.9	1.8-16.0	95	91.1	84.0-98.2
\$15,000- 24,999	204	38,664	22	8.7	3.2-14.2	182	91.3	85.8-96.8
\$25,000- 34,999	135	25,783	6	3.4	0.0- 6.9	129	96.6	93.1- 100
\$35,000- 49,999	156	34,002	5	2.4	0.0- 4.8	151	97.6	95.2- 100
\$50,000- 74,999	229	53,844	10	2.4	0.6- 4.2	219	97.6	95.8-99.4
\$75,000+	577	123,994	16	2.0	0.8- 3.2	561	98.0	96.8-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2147	403,685	111	3.8	2.8- 4.8	2036	96.2	95.2-97.2
White/Non-Hisp	1430	252,805	75	4.3	2.9- 5.7	1355	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	321	86,373	19	3.8	1.6- 6.0	302	96.2	94.0-98.4
Oth. Race/Non-Hisp.	69	20,283	4	1.5	0.0- 3.5	65	98.5	96.5- 100
Hispanic	231	30,317	5	1.4	0.0- 2.8	226	98.6	97.2- 100
18-24	107	43,172	1	0.2	0.0- 0.6	106	99.8	99.4- 100
25-34	217	63,425	2	0.8	0.0- 2.0	215	99.2	98.0- 100
35-44	271	58,819	4	0.8	0.0- 1.6	267	99.2	98.4- 100
45-54	352	62,026	10	3.7	1.0- 6.4	342	96.3	93.6-99.0
55-64	434	72,113	26	4.8	2.4- 7.2	408	95.2	92.8-97.6
65+	766	104,130	68	8.2	5.7-10.7	698	91.8	89.3-94.3
Less Than H.S.	205	38,941	9	5.1	1.0- 9.2	196	94.9	90.8-99.0
H.S. or G.E.D.	570	116,958	34	4.0	2.2- 5.8	536	96.0	94.2-97.8
Some Post-H.S.	549	127,459	42	5.0	3.0- 7.0	507	95.0	93.0-97.0
College Graduate	810	117,709	25	2.0	0.8- 3.2	785	98.0	96.8-99.2
Less than \$15,000	189	27,386	19	8.0	3.7-12.3	170	92.0	87.7-96.3
\$15,000- 24,999	280	44,248	19	4.5	1.8- 7.2	261	95.5	92.8-98.2
\$25,000- 34,999	159	27,581	12	5.7	1.6- 9.8	147	94.3	90.2-98.4
\$35,000- 49,999	245	47,750	13	4.4	1.5- 7.3	232	95.6	92.7-98.5
\$50,000- 74,999	220	41,595	7	2.4	0.0- 4.8	213	97.6	95.2- 100
\$75,000+	568	124,594	12	1.7	0.5- 2.9	556	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3884	772,296	564	15.5	13.7-17.3	3320	84.5	82.7-86.3
Male	1735	369,149	193	13.5	11.0-16.0	1542	86.5	84.0-89.0
Female	2149	403,147	371	17.2	14.8-19.6	1778	82.8	80.4-85.2
White/Non-Hisp	2632	486,611	382	16.0	13.8-18.2	2250	84.0	81.8-86.2
Black or Afr. Am./Non-Hisp	492	159,360	82	17.3	12.4-22.2	410	82.7	77.8-87.6
Oth. Race/Non-Hisp.	145	38,942	21	11.2	4.7-17.7	124	88.8	82.3-95.3
MultiRacial/Non-Hisp.	78	8,099	20	18.5	7.7-29.3	58	81.5	70.7-92.3
Hispanic	441	62,412	52	10.7	6.6-14.8	389	89.3	85.2-93.4
18-24	247	87,587	46	23.2	15.6-30.8	201	76.8	69.2-84.4
25-34	432	127,180	71	19.1	13.4-24.8	361	80.9	75.2-86.6
35-44	484	114,896	68	13.8	9.5-18.1	416	86.2	81.9-90.5
45-54	614	118,886	85	13.1	9.8-16.4	529	86.9	83.6-90.2
55-64	787	134,820	135	16.4	13.1-19.7	652	83.6	80.3-86.9
65+	1320	188,928	159	11.2	9.0-13.4	1161	88.8	86.6-91.0
Less Than H.S.	406	84,053	54	19.5	13.0-26.0	352	80.5	74.0-87.0
H.S. or G.E.D.	1050	245,468	159	14.7	11.8-17.6	891	85.3	82.4-88.2
Some Post-H.S.	948	218,913	148	17.7	14.0-21.4	800	82.3	78.6-86.0
College Graduate	1454	219,345	202	12.8	10.3-15.3	1252	87.2	84.7-89.7
Less than \$15,000	295	47,252	63	22.1	15.0-29.2	232	77.9	70.8-85.0
\$15,000- 24,999	486	83,096	91	19.7	14.4-25.0	395	80.3	75.0-85.6
\$25,000- 34,999	294	53,501	40	14.6	9.5-19.7	254	85.4	80.3-90.5
\$35,000- 49,999	401	81,417	73	20.9	14.0-27.8	328	79.1	72.2-86.0
\$50,000- 74,999	448	95,351	62	14.9	10.2-19.6	386	85.1	80.4-89.8
\$75,000+	1146	248,490	138	14.2	10.9-17.5	1008	85.8	82.5-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	369,149	193	13.5	11.0-16.0	1542	86.5	84.0-89.0
White/Non-Hisp	1198	233,481	130	12.7	9.8-15.6	1068	87.3	84.4-90.2
Black or Afr. Am./Non-Hisp	171	73,300	28	20.5	11.9-29.1	143	79.5	70.9-88.1
Oth. Race/Non-Hisp.	77	18,941	11	13.2	3.6-22.8	66	86.8	77.2-96.4
Hispanic	211	32,362	14	5.4	1.9- 8.9	197	94.6	91.1-98.1
18-24	140	44,415	21	18.6	9.2-28.0	119	81.4	72.0-90.8
25-34	216	63,920	39	25.5	16.1-34.9	177	74.5	65.1-83.9
35-44	213	56,379	22	11.8	5.3-18.3	191	88.2	81.7-94.7
45-54	264	57,118	27	9.4	5.3-13.5	237	90.6	86.5-94.7
55-64	354	62,967	42	11.1	7.0-15.2	312	88.9	84.8-93.0
65+	548	84,351	42	7.4	4.5-10.3	506	92.6	89.7-95.5
Less Than H.S.	200	45,066	23	20.1	9.7-30.5	177	79.9	69.5-90.3
H.S. or G.E.D.	480	128,783	58	12.5	8.2-16.8	422	87.5	83.2-91.8
Some Post-H.S.	398	91,473	44	13.8	8.7-18.9	354	86.2	81.1-91.3
College Graduate	644	101,928	68	11.8	7.9-15.7	576	88.2	84.3-92.1
Less than \$15,000	105	19,819	20	26.8	14.3-39.3	85	73.2	60.7-85.7
\$15,000- 24,999	205	38,813	31	17.7	9.5-25.9	174	82.3	74.1-90.5
\$25,000- 34,999	135	25,783	9	7.5	2.2-12.8	126	92.5	87.2-97.8
\$35,000- 49,999	156	34,002	28	24.5	11.4-37.6	128	75.5	62.4-88.6
\$50,000- 74,999	228	53,755	21	11.5	5.0-18.0	207	88.5	82.0-95.0
\$75,000+	578	124,032	51	11.8	7.5-16.1	527	88.2	83.9-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2149	403,147	371	17.2	14.8-19.6	1778	82.8	80.4-85.2
White/Non-Hisp	1434	253,129	252	19.1	16.0-22.2	1182	80.9	77.8-84.0
Black or Afr. Am./Non-Hisp	321	86,060	54	14.6	9.7-19.5	267	85.4	80.5-90.3
Oth. Race/Non-Hisp.	68	20,001	10	9.3	0.9-17.7	58	90.7	82.3-99.1
Hispanic	230	30,051	38	16.5	9.1-23.9	192	83.5	76.1-90.9
18-24	107	43,172	25	27.9	15.7-40.1	82	72.1	59.9-84.3
25-34	216	63,260	32	12.6	7.1-18.1	184	87.4	81.9-92.9
35-44	271	58,517	46	15.7	10.2-21.2	225	84.3	78.8-89.8
45-54	350	61,768	58	16.5	11.6-21.4	292	83.5	78.6-88.4
55-64	433	71,854	93	21.0	15.7-26.3	340	79.0	73.7-84.3
65+	772	104,578	117	14.3	11.2-17.4	655	85.7	82.6-88.8
Less Than H.S.	206	38,987	31	18.8	11.5-26.1	175	81.2	73.9-88.5
H.S. or G.E.D.	570	116,685	101	17.1	13.2-21.0	469	82.9	79.0-86.8
Some Post-H.S.	550	127,440	104	20.5	15.4-25.6	446	79.5	74.4-84.6
College Graduate	810	117,417	134	13.6	10.5-16.7	676	86.4	83.3-89.5
Less than \$15,000	190	27,432	43	18.7	11.3-26.1	147	81.3	73.9-88.7
\$15,000- 24,999	281	44,283	60	21.5	15.0-28.0	221	78.5	72.0-85.0
\$25,000- 34,999	159	27,718	31	21.2	13.0-29.4	128	78.8	70.6-87.0
\$35,000- 49,999	245	47,415	45	18.4	11.9-24.9	200	81.6	75.1-88.1
\$50,000- 74,999	220	41,595	41	19.3	12.0-26.6	179	80.7	73.4-88.0
\$75,000+	568	124,457	87	16.6	11.7-21.5	481	83.4	78.5-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	545	113,284	374	66.3	60.2-72.4	171	33.7	27.6-39.8
Male	185	45,298	102	47.9	36.9-58.9	83	52.1	41.1-63.1
Female	360	67,987	272	78.6	72.9-84.3	88	21.4	15.7-27.1
White/Non-Hisp	367	72,390	256	67.4	60.5-74.3	111	32.6	25.7-39.5
Black or Afr. Am./Non-Hisp	79	27,184	57	64.0	47.7-80.3	22	36.0	19.7-52.3
Hispanic	51	6,676	34	74.4	56.6-92.2	17	25.6	7.8-43.4
25-34	67	21,420	37	55.1	37.1-73.1	30	44.9	26.9-62.9
35-44	64	14,363	38	61.2	44.3-78.1	26	38.8	21.9-55.7
45-54	83	15,394	61	73.6	61.8-85.4	22	26.4	14.6-38.2
55-64	129	21,593	94	72.5	62.1-82.9	35	27.5	17.1-37.9
65+	157	20,393	118	72.6	62.8-82.4	39	27.4	17.6-37.2
Less Than H.S.	53	16,181	41	61.6	39.8-83.4	12	38.4	16.6-60.2
H.S. or G.E.D.	156	35,054	107	66.1	55.7-76.5	49	33.9	23.5-44.3
Some Post-H.S.	142	34,960	100	73.2	63.4-83.0	42	26.8	17.0-36.6
College Graduate	193	27,004	125	60.4	49.8-71.0	68	39.6	29.0-50.2
Less than \$15,000	63	10,434	50	83.8	71.6-96.0	13	16.2	4.0-28.4
\$15,000- 24,999	89	16,005	64	75.5	63.3-87.7	25	24.5	12.3-36.7
\$35,000- 49,999	72	16,252	45	55.3	35.1-75.5	27	44.7	24.5-64.9
\$50,000- 74,999	59	13,189	32	51.3	32.9-69.7	27	48.7	30.3-67.1
\$75,000+	128	31,759	82	62.7	50.4-75.0	46	37.3	25.0-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	45,298	102	47.9	36.9-58.9	83	52.1	41.1-63.1
White/Non-Hisp	124	25,322	70	48.9	36.4-61.4	54	51.1	38.6-63.6
H.S. or G.E.D.	57	15,548	33	55.5	36.7-74.3	24	44.5	25.7-63.3
College Graduate	68	12,077	33	40.8	22.6-59.0	35	59.2	41.0-77.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	360	67,987	272	78.6	72.9-84.3	88	21.4	15.7-27.1
White/Non-Hisp	243	47,068	186	77.4	70.1-84.7	57	22.6	15.3-29.9
Black or Afr. Am./Non-Hisp	52	12,362	44	89.0	79.8-98.2	8	11.0	1.8-20.2
45-54	57	10,173	44	82.3	71.3-93.3	13	17.7	6.7-28.7
55-64	89	14,808	66	71.4	57.9-84.9	23	28.6	15.1-42.1
65+	116	14,721	94	81.1	71.3-90.9	22	18.9	9.1-28.7
H.S. or G.E.D.	99	19,506	74	74.5	63.7-85.3	25	25.5	14.7-36.3
Some Post-H.S.	104	26,140	80	81.4	71.4-91.4	24	18.6	8.6-28.6
College Graduate	125	14,927	92	76.1	66.3-85.9	33	23.9	14.1-33.7
\$15,000- 24,999	58	9,140	44	85.9	77.1-94.7	14	14.1	5.3-22.9
\$75,000+	80	19,967	60	76.2	62.9-89.5	20	23.8	10.5-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3883	772,264	381	7.3	6.3- 8.3	3502	92.7	91.7-93.7
Male	1730	368,325	182	7.8	6.4- 9.2	1548	92.2	90.8-93.6
Female	2153	403,939	199	6.9	5.7- 8.1	1954	93.1	91.9-94.3
White/Non-Hisp	2628	485,870	359	11.0	9.6-12.4	2269	89.0	87.6-90.4
Black or Afr. Am./Non-Hisp	492	159,437	2	0.2	0.0- 0.4	490	99.8	99.6- 100
Oth. Race/Non-Hisp.	145	39,077	4	1.3	0.0- 2.7	141	98.7	97.3- 100
MultiRacial/Non-Hisp.	78	8,099	1	3.1	0.0- 9.2	77	96.9	90.8- 100
Hispanic	444	62,833	5	0.4	0.0- 0.8	439	99.6	99.2- 100
18-24	245	87,371	1	0.5	0.0- 1.5	244	99.5	98.5- 100
25-34	434	127,420	4	1.0	0.0- 2.2	430	99.0	97.8- 100
35-44	484	114,972	8	1.5	0.3- 2.7	476	98.5	97.3-99.7
45-54	614	118,870	13	1.4	0.4- 2.4	601	98.6	97.6-99.6
55-64	788	134,899	78	9.2	6.8-11.6	710	90.8	88.4-93.2
65+	1318	188,731	277	20.8	18.1-23.5	1041	79.2	76.5-81.9
Less Than H.S.	406	84,087	18	4.1	1.9- 6.3	388	95.9	93.7-98.1
H.S. or G.E.D.	1049	245,340	103	7.3	5.5- 9.1	946	92.7	90.9-94.5
Some Post-H.S.	949	219,090	82	7.0	5.2- 8.8	867	93.0	91.2-94.8
College Graduate	1454	219,330	178	9.2	7.6-10.8	1276	90.8	89.2-92.4
Less than \$15,000	296	47,293	17	4.0	1.6- 6.4	279	96.0	93.6-98.4
\$15,000- 24,999	486	83,162	35	6.0	3.5- 8.5	451	94.0	91.5-96.5
\$25,000- 34,999	295	53,541	25	7.4	3.9-10.9	270	92.6	89.1-96.1
\$35,000- 49,999	399	81,498	49	9.6	6.3-12.9	350	90.4	87.1-93.7
\$50,000- 74,999	449	95,439	60	10.1	7.0-13.2	389	89.9	86.8-93.0
\$75,000+	1143	248,109	117	6.7	5.1- 8.3	1026	93.3	91.7-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1730	368,325	182	7.8	6.4- 9.2	1548	92.2	90.8-93.6
White/Non-Hisp	1194	232,854	172	11.9	9.7-14.1	1022	88.1	85.9-90.3
Black or Afr. Am./Non-Hisp	170	73,028	1	0.2	0.0- 0.6	169	99.8	99.4- 100
Oth. Race/Non-Hisp.	75	18,718	3	1.7	0.0- 4.1	72	98.3	95.9- 100
Hispanic	213	32,583	2	0.4	0.0- 1.0	211	99.6	99.0- 100
18-24	139	44,313	1	1.0	0.0- 3.0	138	99.0	97.0- 100
25-34	217	63,995	2	1.2	0.0- 3.2	215	98.8	96.8- 100
35-44	212	56,107	2	0.8	0.0- 2.2	210	99.2	97.8- 100
45-54	263	56,979	7	1.9	0.1- 3.7	256	98.1	96.3-99.9
55-64	353	62,758	37	9.5	6.0-13.0	316	90.5	87.0-94.0
65+	546	84,172	133	23.8	19.3-28.3	413	76.2	71.7-80.7
Less Than H.S.	200	45,100	12	5.3	2.2- 8.4	188	94.7	91.6-97.8
H.S. or G.E.D.	479	128,421	43	7.0	4.5- 9.5	436	93.0	90.5-95.5
Some Post-H.S.	398	91,472	34	7.8	4.9-10.7	364	92.2	89.3-95.1
College Graduate	641	101,534	93	10.1	7.6-12.6	548	89.9	87.4-92.4
Less than \$15,000	106	19,861	6	4.6	0.5- 8.7	100	95.4	91.3-99.5
\$15,000- 24,999	206	38,992	19	8.1	3.6-12.6	187	91.9	87.4-96.4
\$25,000- 34,999	135	25,783	11	8.0	2.3-13.7	124	92.0	86.3-97.7
\$35,000- 49,999	153	33,735	18	10.2	4.7-15.7	135	89.8	84.3-95.3
\$50,000- 74,999	229	53,844	31	9.7	5.6-13.8	198	90.3	86.2-94.4
\$75,000+	575	123,622	65	6.7	4.7- 8.7	510	93.3	91.3-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2153	403,939	199	6.9	5.7- 8.1	1954	93.1	91.9-94.3
White/Non-Hisp	1434	253,016	187	10.3	8.5-12.1	1247	89.7	87.9-91.5
Black or Afr. Am./Non-Hisp	322	86,409	1	0.1	0.0- 0.3	321	99.9	99.7- 100
Oth. Race/Non-Hisp.	70	20,359	1	0.9	0.0- 2.7	69	99.1	97.3- 100
Hispanic	231	30,250	3	0.5	0.0- 1.1	228	99.5	98.9- 100
18-24	106	43,058				106	100.0	100.0- 100
25-34	217	63,425	2	0.7	0.0- 1.7	215	99.3	98.3- 100
35-44	272	58,865	6	2.1	0.1- 4.1	266	97.9	95.9-99.9
45-54	351	61,891	6	1.0	0.0- 2.0	345	99.0	98.0- 100
55-64	435	72,141	41	8.9	5.6-12.2	394	91.1	87.8-94.4
65+	772	104,559	144	18.3	14.8-21.8	628	81.7	78.2-85.2
Less Than H.S.	206	38,987	6	2.7	0.0- 5.4	200	97.3	94.6- 100
H.S. or G.E.D.	570	116,920	60	7.5	5.0-10.0	510	92.5	90.0-95.0
Some Post-H.S.	551	127,618	48	6.4	4.2- 8.6	503	93.6	91.4-95.8
College Graduate	813	117,796	85	8.3	6.1-10.5	728	91.7	89.5-93.9
Less than \$15,000	190	27,432	11	3.6	0.7- 6.5	179	96.4	93.5-99.3
\$15,000- 24,999	280	44,169	16	4.0	1.5- 6.5	264	96.0	93.5-98.5
\$25,000- 34,999	160	27,758	14	6.8	2.3-11.3	146	93.2	88.7-97.7
\$35,000- 49,999	246	47,763	31	9.2	5.1-13.3	215	90.8	86.7-94.9
\$50,000- 74,999	220	41,595	29	10.7	6.2-15.2	191	89.3	84.8-93.8
\$75,000+	568	124,487	52	6.8	4.4- 9.2	516	93.2	90.8-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3888	772,971	401	8.2	7.0- 9.4	3487	91.8	90.6-93.0
Male	1733	368,787	160	7.4	5.8- 9.0	1573	92.6	91.0-94.2
Female	2155	404,183	241	8.9	7.3-10.5	1914	91.1	89.5-92.7
White/Non-Hisp	2632	486,306	311	9.7	8.3-11.1	2321	90.3	88.9-91.7
Black or Afr. Am./Non-Hisp	492	159,500	39	6.7	3.8- 9.6	453	93.3	90.4-96.2
Oth. Race/Non-Hisp.	146	39,221	12	2.4	0.6- 4.2	134	97.6	95.8-99.4
MultiRacial/Non-Hisp.	78	8,099	11	13.5	3.7-23.3	67	86.5	76.7-96.3
Hispanic	445	62,947	21	2.5	1.1- 3.9	424	97.5	96.1-98.9
18-24	246	87,485				246	100.0	100.0- 100
25-34	434	127,417	13	3.8	1.3- 6.3	421	96.2	93.7-98.7
35-44	485	115,244	21	3.5	1.5- 5.5	464	96.5	94.5-98.5
45-54	616	119,061	37	6.2	3.8- 8.6	579	93.8	91.4-96.2
55-64	787	134,849	81	10.3	7.6-13.0	706	89.7	87.0-92.4
65+	1320	188,915	249	17.5	14.8-20.2	1071	82.5	79.8-85.2
Less Than H.S.	405	83,946	29	5.9	3.2- 8.6	376	94.1	91.4-96.8
H.S. or G.E.D.	1051	245,807	108	8.2	6.2-10.2	943	91.8	89.8-93.8
Some Post-H.S.	952	219,493	110	9.7	7.3-12.1	842	90.3	87.9-92.7
College Graduate	1456	219,458	152	7.7	5.9- 9.5	1304	92.3	90.5-94.1
Less than \$15,000	295	47,085	34	10.9	6.2-15.6	261	89.1	84.4-93.8
\$15,000- 24,999	486	83,197	62	9.0	6.1-11.9	424	91.0	88.1-93.9
\$25,000- 34,999	295	53,541	35	9.9	5.2-14.6	260	90.1	85.4-94.8
\$35,000- 49,999	402	81,765	50	8.9	5.6-12.2	352	91.1	87.8-94.4
\$50,000- 74,999	448	95,376	41	6.7	4.0- 9.4	407	93.3	90.6-96.0
\$75,000+	1146	248,604	102	7.6	5.6- 9.6	1044	92.4	90.4-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	368,787	160	7.4	5.8- 9.0	1573	92.6	91.0-94.2
White/Non-Hisp	1197	233,160	131	8.8	6.8-10.8	1066	91.2	89.2-93.2
Black or Afr. Am./Non-Hisp	170	73,092	13	6.8	2.1-11.5	157	93.2	88.5-97.9
Oth. Race/Non-Hisp.	76	18,862	5	1.7	0.1- 3.3	71	98.3	96.7-99.9
Hispanic	213	32,583	7	1.1	0.1- 2.1	206	98.9	97.9-99.9
18-24	139	44,313				139	100.0	100.0- 100
25-34	217	63,992	4	3.5	0.0- 7.6	213	96.5	92.4- 100
35-44	213	56,379	4	1.4	0.0- 3.0	209	98.6	97.0- 100
45-54	264	57,035	11	4.3	1.2- 7.4	253	95.7	92.6-98.8
55-64	352	62,708	34	9.2	5.5-12.9	318	90.8	87.1-94.5
65+	548	84,360	107	18.8	14.3-23.3	441	81.2	76.7-85.7
Less Than H.S.	199	44,959	9	4.7	1.0- 8.4	190	95.3	91.6-99.0
H.S. or G.E.D.	480	128,773	35	6.2	3.5- 8.9	445	93.8	91.1-96.5
Some Post-H.S.	400	91,739	41	8.5	5.4-11.6	359	91.5	88.4-94.6
College Graduate	643	101,667	74	8.9	6.0-11.8	569	91.1	88.2-94.0
Less than \$15,000	105	19,653	10	9.5	1.5-17.5	95	90.5	82.5-98.5
\$15,000- 24,999	205	38,914	17	5.4	2.3- 8.5	188	94.6	91.5-97.7
\$25,000- 34,999	135	25,783	13	7.5	1.6-13.4	122	92.5	86.6-98.4
\$35,000- 49,999	156	34,002	18	7.2	2.9-11.5	138	92.8	88.5-97.1
\$50,000- 74,999	229	53,844	22	8.1	3.8-12.4	207	91.9	87.6-96.2
\$75,000+	577	123,981	47	6.2	3.7- 8.7	530	93.8	91.3-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2155	404,183	241	8.9	7.3-10.5	1914	91.1	89.5-92.7
White/Non-Hisp	1435	253,146	180	10.6	8.6-12.6	1255	89.4	87.4-91.4
Black or Afr. Am./Non-Hisp	322	86,409	26	6.6	3.1-10.1	296	93.4	89.9-96.9
Oth. Race/Non-Hisp.	70	20,359	7	3.1	0.2- 6.0	63	96.9	94.0-99.8
Hispanic	232	30,364	14	4.1	1.6- 6.6	218	95.9	93.4-98.4
18-24	107	43,172				107	100.0	100.0- 100
25-34	217	63,425	9	4.0	0.7- 7.3	208	96.0	92.7-99.3
35-44	272	58,865	17	5.6	1.9- 9.3	255	94.4	90.7-98.1
45-54	352	62,026	26	8.0	4.3-11.7	326	92.0	88.3-95.7
55-64	435	72,141	47	11.3	7.2-15.4	388	88.7	84.6-92.8
65+	772	104,554	142	16.5	13.2-19.8	630	83.5	80.2-86.8
Less Than H.S.	206	38,987	20	7.3	3.6-11.0	186	92.7	89.0-96.4
H.S. or G.E.D.	571	117,034	73	10.3	7.4-13.2	498	89.7	86.8-92.6
Some Post-H.S.	552	127,754	69	10.5	7.2-13.8	483	89.5	86.2-92.8
College Graduate	813	117,791	78	6.6	4.6- 8.6	735	93.4	91.4-95.4
Less than \$15,000	190	27,432	24	11.9	6.4-17.4	166	88.1	82.6-93.6
\$15,000- 24,999	281	44,283	45	12.2	7.3-17.1	236	87.8	82.9-92.7
\$25,000- 34,999	160	27,758	22	12.1	4.8-19.4	138	87.9	80.6-95.2
\$35,000- 49,999	246	47,763	32	10.1	5.4-14.8	214	89.9	85.2-94.6
\$50,000- 74,999	219	41,532	19	4.9	2.0- 7.8	200	95.1	92.2-98.0
\$75,000+	569	124,623	55	9.0	6.1-11.9	514	91.0	88.1-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3873	769,527	379	8.5	7.3- 9.7	3494	91.5	90.3-92.7
Male	1726	366,097	161	8.5	6.5-10.5	1565	91.5	89.5-93.5
Female	2147	403,430	218	8.4	7.0- 9.8	1929	91.6	90.2-93.0
White/Non-Hisp	2622	484,369	279	9.2	7.8-10.6	2343	90.8	89.4-92.2
Black or Afr. Am./Non-Hisp	492	159,125	49	9.5	5.8-13.2	443	90.5	86.8-94.2
Oth. Race/Non-Hisp.	143	38,856	11	3.4	0.7- 6.1	132	96.6	93.9-99.3
MultiRacial/Non-Hisp.	78	8,099	5	1.8	0.0- 3.6	73	98.2	96.4- 100
Hispanic	444	62,696	26	4.2	2.0- 6.4	418	95.8	93.6-98.0
18-24	242	86,396	8	3.0	0.5- 5.5	234	97.0	94.5-99.5
25-34	433	126,012	16	5.3	1.4- 9.2	417	94.7	90.8-98.6
35-44	484	114,936	15	2.2	1.0- 3.4	469	97.8	96.6-99.0
45-54	616	119,282	40	5.7	3.5- 7.9	576	94.3	92.1-96.5
55-64	786	134,929	106	12.8	9.7-15.9	680	87.2	84.1-90.3
65+	1312	187,972	194	15.6	12.9-18.3	1118	84.4	81.7-87.1
Less Than H.S.	403	82,880	61	18.6	12.1-25.1	342	81.4	74.9-87.9
H.S. or G.E.D.	1044	243,967	125	9.3	7.1-11.5	919	90.7	88.5-92.9
Some Post-H.S.	948	218,943	103	8.3	6.3-10.3	845	91.7	89.7-93.7
College Graduate	1453	219,321	89	3.9	2.7- 5.1	1364	96.1	94.9-97.3
Less than \$15,000	292	45,989	58	17.4	11.5-23.3	234	82.6	76.7-88.5
\$15,000- 24,999	485	83,345	77	16.0	11.3-20.7	408	84.0	79.3-88.7
\$25,000- 34,999	295	53,541	26	8.5	4.4-12.6	269	91.5	87.4-95.6
\$35,000- 49,999	400	81,480	47	11.0	5.5-16.5	353	89.0	83.5-94.5
\$50,000- 74,999	449	95,439	31	7.6	4.3-10.9	418	92.4	89.1-95.7
\$75,000+	1146	248,347	49	2.9	1.7- 4.1	1097	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	366,097	161	8.5	6.5-10.5	1565	91.5	89.5-93.5
White/Non-Hisp	1194	231,941	121	8.5	6.5-10.5	1073	91.5	89.5-93.5
Black or Afr. Am./Non-Hisp	170	72,717	19	11.9	4.6-19.2	151	88.1	80.8-95.4
Oth. Race/Non-Hisp.	74	18,532	5	2.9	0.0- 6.6	69	97.1	93.4- 100
Hispanic	212	32,332	9	3.9	0.8- 7.0	203	96.1	93.0-99.2
18-24	135	43,224	4	1.8	0.0- 3.8	131	98.2	96.2- 100
25-34	216	62,587	9	6.9	0.0-14.0	207	93.1	86.0- 100
35-44	212	56,071	10	2.7	0.5- 4.9	202	97.3	95.1-99.5
45-54	265	57,296	17	5.2	1.9- 8.5	248	94.8	91.5-98.1
55-64	354	63,207	39	11.7	7.0-16.4	315	88.3	83.6-93.0
65+	544	83,712	82	16.7	12.2-21.2	462	83.3	78.8-87.8
Less Than H.S.	197	43,892	25	18.7	8.3-29.1	172	81.3	70.9-91.7
H.S. or G.E.D.	479	127,575	56	8.4	5.5-11.3	423	91.6	88.7-94.5
Some Post-H.S.	396	91,189	40	8.3	5.4-11.2	356	91.7	88.8-94.6
College Graduate	642	101,642	39	4.2	2.4- 6.0	603	95.8	94.0-97.6
Less than \$15,000	104	18,898	19	17.6	8.0-27.2	85	82.4	72.8-92.0
\$15,000- 24,999	205	39,140	33	15.2	8.3-22.1	172	84.8	77.9-91.7
\$25,000- 34,999	135	25,783	10	5.9	1.8-10.0	125	94.1	90.0-98.2
\$35,000- 49,999	154	33,717	15	13.2	1.2-25.2	139	86.8	74.8-98.8
\$50,000- 74,999	229	53,844	15	8.2	3.1-13.3	214	91.8	86.7-96.9
\$75,000+	577	123,725	25	2.8	1.2- 4.4	552	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2147	403,430	218	8.4	7.0- 9.8	1929	91.6	90.2-93.0
White/Non-Hisp	1428	252,428	158	9.8	7.8-11.8	1270	90.2	88.2-92.2
Black or Afr. Am./Non-Hisp	322	86,409	30	7.5	4.2-10.8	292	92.5	89.2-95.8
Oth. Race/Non-Hisp.	69	20,324	6	3.9	0.0- 7.8	63	96.1	92.2- 100
Hispanic	232	30,364	17	4.6	1.7- 7.5	215	95.4	92.5-98.3
18-24	107	43,172	4	4.3	0.0- 8.8	103	95.7	91.2- 100
25-34	217	63,425	7	3.6	0.5- 6.7	210	96.4	93.3-99.5
35-44	272	58,865	5	1.7	0.1- 3.3	267	98.3	96.7-99.9
45-54	351	61,986	23	6.1	3.2- 9.0	328	93.9	91.0-96.8
55-64	432	71,722	67	13.7	9.6-17.8	365	86.3	82.2-90.4
65+	768	104,260	112	14.7	11.4-18.0	656	85.3	82.0-88.6
Less Than H.S.	206	38,987	36	18.6	11.5-25.7	170	81.4	74.3-88.5
H.S. or G.E.D.	565	116,393	69	10.3	7.4-13.2	496	89.7	86.8-92.6
Some Post-H.S.	552	127,754	63	8.3	5.6-11.0	489	91.7	89.0-94.4
College Graduate	811	117,679	50	3.6	2.2- 5.0	761	96.4	95.0-97.8
Less than \$15,000	188	27,091	39	17.2	9.8-24.6	149	82.8	75.4-90.2
\$15,000- 24,999	280	44,206	44	16.8	10.5-23.1	236	83.2	76.9-89.5
\$25,000- 34,999	160	27,758	16	10.9	4.2-17.6	144	89.1	82.4-95.8
\$35,000- 49,999	246	47,763	32	9.4	5.7-13.1	214	90.6	86.9-94.3
\$50,000- 74,999	220	41,595	16	6.8	2.7-10.9	204	93.2	89.1-97.3
\$75,000+	569	124,623	24	2.9	1.3- 4.5	545	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3878	769,993	705	18.8	17.0-20.6	3173	81.2	79.4-83.0
Male	1728	366,686	224	13.1	10.7-15.5	1504	86.9	84.5-89.3
Female	2150	403,307	481	24.0	21.3-26.7	1669	76.0	73.3-78.7
White/Non-Hisp	2626	483,722	530	22.3	19.9-24.7	2096	77.7	75.3-80.1
Black or Afr. Am./Non-Hisp	491	159,491	67	12.8	8.5-17.1	424	87.2	82.9-91.5
Oth. Race/Non-Hisp.	145	39,118	17	10.4	3.1-17.7	128	89.6	82.3-96.9
MultiRacial/Non-Hisp.	78	8,099	23	33.4	17.7-49.1	55	66.6	50.9-82.3
Hispanic	443	62,851	50	9.2	5.9-12.5	393	90.8	87.5-94.1
18-24	246	87,485	46	24.9	16.7-33.1	200	75.1	66.9-83.3
25-34	432	126,183	87	21.8	16.1-27.5	345	78.2	72.5-83.9
35-44	483	114,245	106	23.0	17.9-28.1	377	77.0	71.9-82.1
45-54	617	119,322	135	17.3	13.8-20.8	482	82.7	79.2-86.2
55-64	782	134,144	149	18.2	14.7-21.7	633	81.8	78.3-85.3
65+	1318	188,613	182	12.8	10.4-15.2	1136	87.2	84.8-89.6
Less Than H.S.	403	83,663	70	22.2	15.5-28.9	333	77.8	71.1-84.5
H.S. or G.E.D.	1047	244,310	208	18.2	15.1-21.3	839	81.8	78.7-84.9
Some Post-H.S.	949	218,299	200	22.6	18.5-26.7	749	77.4	73.3-81.5
College Graduate	1454	219,306	225	14.4	12.0-16.8	1229	85.6	83.2-88.0
Less than \$15,000	293	47,030	89	25.7	19.2-32.2	204	74.3	67.8-80.8
\$15,000- 24,999	487	83,516	119	28.2	22.3-34.1	368	71.8	65.9-77.7
\$25,000- 34,999	294	53,430	58	22.9	15.8-30.0	236	77.1	70.0-84.2
\$35,000- 49,999	402	81,765	92	23.1	16.2-30.0	310	76.9	70.0-83.8
\$50,000- 74,999	447	94,950	83	20.0	14.3-25.7	364	80.0	74.3-85.7
\$75,000+	1144	247,116	163	15.1	12.0-18.2	981	84.9	81.8-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	366,686	224	13.1	10.7-15.5	1504	86.9	84.5-89.3
White/Non-Hisp	1194	231,110	171	15.8	12.9-18.7	1023	84.2	81.3-87.1
Black or Afr. Am./Non-Hisp	170	73,189	14	8.9	2.2-15.6	156	91.1	84.4-97.8
Oth. Race/Non-Hisp.	75	18,760	7	5.5	0.4-10.6	68	94.5	89.4-99.6
Hispanic	211	32,487	16	4.7	2.0- 7.4	195	95.3	92.6-98.0
18-24	139	44,313	17	15.7	6.9-24.5	122	84.3	75.5-93.1
25-34	215	62,758	37	19.1	10.7-27.5	178	80.9	72.5-89.3
35-44	212	55,615	29	11.8	6.5-17.1	183	88.2	82.9-93.5
45-54	265	57,296	37	11.3	6.8-15.8	228	88.7	84.2-93.2
55-64	350	62,612	48	13.3	8.8-17.8	302	86.7	82.2-91.2
65+	547	84,092	56	9.1	6.4-11.8	491	90.9	88.2-93.6
Less Than H.S.	197	44,676	30	21.9	11.7-32.1	167	78.1	67.9-88.3
H.S. or G.E.D.	477	127,737	73	14.3	10.0-18.6	404	85.7	81.4-90.0
Some Post-H.S.	399	90,693	55	12.1	8.2-16.0	344	87.9	84.0-91.8
College Graduate	643	101,782	65	8.6	6.1-11.1	578	91.4	88.9-93.9
Less than \$15,000	104	19,638	25	21.9	11.7-32.1	79	78.1	67.9-88.3
\$15,000- 24,999	206	39,233	36	18.6	11.3-25.9	170	81.4	74.1-88.7
\$25,000- 34,999	134	25,672	17	14.7	6.5-22.9	117	85.3	77.1-93.5
\$35,000- 49,999	156	34,002	31	21.6	9.6-33.6	125	78.4	66.4-90.4
\$50,000- 74,999	227	53,355	28	13.6	7.5-19.7	199	86.4	80.3-92.5
\$75,000+	576	122,601	49	7.8	4.5-11.1	527	92.2	88.9-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2150	403,307	481	24.0	21.3-26.7	1669	76.0	73.3-78.7
White/Non-Hisp	1432	252,612	359	28.3	24.8-31.8	1073	71.7	68.2-75.2
Black or Afr. Am./Non-Hisp	321	86,302	53	16.2	10.5-21.9	268	83.8	78.1-89.5
Oth. Race/Non-Hisp.	70	20,359	10	14.9	2.2-27.6	60	85.1	72.4-97.8
Hispanic	232	30,364	34	14.0	7.9-20.1	198	86.0	79.9-92.1
18-24	107	43,172	29	34.3	21.0-47.6	78	65.7	52.4-79.0
25-34	217	63,425	50	24.4	16.8-32.0	167	75.6	68.0-83.2
35-44	271	58,630	77	33.6	26.0-41.2	194	66.4	58.8-74.0
45-54	352	62,026	98	22.9	17.6-28.2	254	77.1	71.8-82.4
55-64	432	71,533	101	22.4	17.1-27.7	331	77.6	72.3-82.9
65+	771	104,522	126	15.7	12.2-19.2	645	84.3	80.8-87.8
Less Than H.S.	206	38,987	40	22.5	14.7-30.3	166	77.5	69.7-85.3
H.S. or G.E.D.	570	116,573	135	22.4	17.9-26.9	435	77.6	73.1-82.1
Some Post-H.S.	550	127,606	145	30.0	24.1-35.9	405	70.0	64.1-75.9
College Graduate	811	117,524	160	19.4	15.5-23.3	651	80.6	76.7-84.5
Less than \$15,000	189	27,392	64	28.5	19.9-37.1	125	71.5	62.9-80.1
\$15,000- 24,999	281	44,283	83	36.8	28.6-45.0	198	63.2	55.0-71.4
\$25,000- 34,999	160	27,758	41	30.5	19.7-41.3	119	69.5	58.7-80.3
\$35,000- 49,999	246	47,763	61	24.2	15.8-32.6	185	75.8	67.4-84.2
\$50,000- 74,999	220	41,595	55	28.3	18.5-38.1	165	71.7	61.9-81.5
\$75,000+	568	124,516	114	22.3	17.2-27.4	454	77.7	72.6-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3881	771,976	194	4.4	3.6- 5.2	3687	95.6	94.8-96.4
Male	1735	369,423	91	4.8	3.4- 6.2	1644	95.2	93.8-96.6
Female	2146	402,553	103	4.0	2.8- 5.2	2043	96.0	94.8-97.2
White/Non-Hisp	2627	485,580	135	4.0	3.2- 4.8	2492	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	492	159,454	28	5.9	3.2- 8.6	464	94.1	91.4-96.8
Oth. Race/Non-Hisp.	145	39,058	10	4.1	0.0- 8.2	135	95.9	91.8- 100
MultiRacial/Non-Hisp.	78	8,099	3	4.0	0.0-10.1	75	96.0	89.9- 100
Hispanic	443	62,838	14	4.6	0.3- 8.9	429	95.4	91.1-99.7
18-24	245	87,393	1	0.9	0.0- 2.7	244	99.1	97.3- 100
25-34	435	127,578	7	3.0	0.3- 5.7	428	97.0	94.3-99.7
35-44	485	115,244	7	1.2	0.0- 2.4	478	98.8	97.6- 100
45-54	614	118,790	20	2.6	1.2- 4.0	594	97.4	96.0-98.8
55-64	785	134,502	39	5.4	3.2- 7.6	746	94.6	92.4-96.8
65+	1317	188,470	120	9.3	7.1-11.5	1197	90.7	88.5-92.9
Less Than H.S.	406	84,099	24	8.5	4.4-12.6	382	91.5	87.4-95.6
H.S. or G.E.D.	1044	244,516	52	4.3	2.7- 5.9	992	95.7	94.1-97.3
Some Post-H.S.	949	219,204	51	3.4	2.2- 4.6	898	96.6	95.4-97.8
College Graduate	1457	219,742	66	3.9	2.3- 5.5	1391	96.1	94.5-97.7
Less than \$15,000	294	47,180	19	7.1	2.6-11.6	275	92.9	88.4-97.4
\$15,000- 24,999	485	83,279	38	7.7	4.4-11.0	447	92.3	89.0-95.6
\$25,000- 34,999	294	53,501	15	4.0	1.5- 6.5	279	96.0	93.5-98.5
\$35,000- 49,999	402	81,765	23	6.1	2.6- 9.6	379	93.9	90.4-97.4
\$50,000- 74,999	448	95,225	17	2.4	1.0- 3.8	431	97.6	96.2-99.0
\$75,000+	1145	248,335	37	2.2	1.2- 3.2	1108	97.8	96.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	369,423	91	4.8	3.4- 6.2	1644	95.2	93.8-96.6
White/Non-Hisp	1198	233,691	56	3.3	2.3- 4.3	1142	96.7	95.7-97.7
Black or Afr. Am./Non-Hisp	171	73,300	19	10.8	5.1-16.5	152	89.2	83.5-94.9
Oth. Race/Non-Hisp.	76	18,789	5	4.3	0.0-10.4	71	95.7	89.6- 100
Hispanic	212	32,503	7	2.1	0.3- 3.9	205	97.9	96.1-99.7
18-24	138	44,221	1	1.7	0.0- 5.0	137	98.3	95.0- 100
25-34	218	64,153	5	3.1	0.0- 6.6	213	96.9	93.4- 100
35-44	213	56,379	3	1.7	0.0- 4.1	210	98.3	95.9- 100
45-54	264	57,082	9	2.0	0.2- 3.8	255	98.0	96.2-99.8
55-64	354	63,207	14	4.7	1.6- 7.8	340	95.3	92.2-98.4
65+	548	84,381	59	11.7	7.8-15.6	489	88.3	84.4-92.2
Less Than H.S.	201	45,221	14	8.8	2.9-14.7	187	91.2	85.3-97.1
H.S. or G.E.D.	478	128,497	19	3.4	1.4- 5.4	459	96.6	94.6-98.6
Some Post-H.S.	400	91,979	23	4.7	2.3- 7.1	377	95.3	92.9-97.7
College Graduate	644	101,928	34	4.9	2.4- 7.4	610	95.1	92.6-97.6
Less than \$15,000	104	19,747	7	11.4	1.6-21.2	97	88.6	78.8-98.4
\$15,000- 24,999	206	39,233	18	8.1	2.6-13.6	188	91.9	86.4-97.4
\$25,000- 34,999	135	25,783	8	4.8	0.7- 8.9	127	95.2	91.1-99.3
\$35,000- 49,999	156	34,002	10	7.2	0.3-14.1	146	92.8	85.9-99.7
\$50,000- 74,999	228	53,630	7	2.2	0.2- 4.2	221	97.8	95.8-99.8
\$75,000+	578	124,032	21	2.5	1.1- 3.9	557	97.5	96.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2146	402,553	103	4.0	2.8- 5.2	2043	96.0	94.8-97.2
White/Non-Hisp	1429	251,889	79	4.6	3.4- 5.8	1350	95.4	94.2-96.6
Black or Afr. Am./Non-Hisp	321	86,154	9	1.7	0.0- 3.5	312	98.3	96.5- 100
Oth. Race/Non-Hisp.	69	20,268	5	3.9	0.0- 9.6	64	96.1	90.4- 100
Hispanic	231	30,336	7	7.3	0.0-15.7	224	92.7	84.3- 100
18-24	107	43,172				107	100.0	100.0- 100
25-34	217	63,425	2	2.8	0.0- 6.9	215	97.2	93.1- 100
35-44	272	58,865	4	0.7	0.0- 1.5	268	99.3	98.5- 100
45-54	350	61,707	11	3.2	1.0- 5.4	339	96.8	94.6-99.0
55-64	431	71,295	25	6.0	2.9- 9.1	406	94.0	90.9-97.1
65+	769	104,088	61	7.4	5.0- 9.8	708	92.6	90.2-95.0
Less Than H.S.	205	38,878	10	8.1	2.2-14.0	195	91.9	86.0-97.8
H.S. or G.E.D.	566	116,019	33	5.3	2.8- 7.8	533	94.7	92.2-97.2
Some Post-H.S.	549	127,224	28	2.5	1.3- 3.7	521	97.5	96.3-98.7
College Graduate	813	117,814	32	3.1	1.5- 4.7	781	96.9	95.3-98.5
Less than \$15,000	190	27,432	12	4.0	1.5- 6.5	178	96.0	93.5-98.5
\$15,000- 24,999	279	44,046	20	7.5	3.4-11.6	259	92.5	88.4-96.6
\$25,000- 34,999	159	27,718	7	3.3	0.2- 6.4	152	96.7	93.6-99.8
\$35,000- 49,999	246	47,763	13	5.3	1.4- 9.2	233	94.7	90.8-98.6
\$50,000- 74,999	220	41,595	10	2.7	0.7- 4.7	210	97.3	95.3-99.3
\$75,000+	567	124,302	16	2.0	0.6- 3.4	551	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3889	773,021	562	12.8	11.4-14.2	37	1.2	0.6- 1.8	3200	84.2	82.6-85.8	90	1.9	1.3- 2.5
Male	1735	369,390	271	13.9	11.7-16.1				1425	84.3	82.1-86.5	39	1.8	1.0- 2.6
Female	2154	403,631	291	11.7	9.9-13.5	37	2.2	1.2- 3.2	1775	84.1	81.9-86.3	51	1.9	1.1- 2.7
White/Non-Hisp	2635	486,710	366	11.9	10.3-13.5	16	0.9	0.3- 1.5	2191	85.4	83.8-87.0	62	1.8	1.2- 2.4
Black or Afr. Am./Non-Hisp	491	159,347	91	17.5	13.2-21.8	7	1.3	0.0- 2.7	382	78.7	74.0-83.4	11	2.6	0.6- 4.6
Oth. Race/Non-Hisp.	146	39,154	29	11.4	5.3-17.5	1	1.2	0.0- 3.6	113	86.8	80.1-93.5	3	0.6	0.0- 1.4
MultiRacial/Non-Hisp.	78	8,099	9	5.0	0.1- 9.9	1	0.6	0.0- 1.8	65	88.8	78.6-99.0	3	5.6	0.0-14.8
Hispanic	443	62,763	57	10.6	5.9-15.3	11	2.7	0.2- 5.2	365	85.4	80.3-90.5	10	1.2	0.0- 2.4
18-24	246	87,485	2	0.9	0.0- 2.7	1	0.3	0.0- 0.9	243	98.8	97.0- 100			
25-34	432	127,237	13	2.7	0.3- 5.1	6	1.1	0.0- 2.3	410	95.5	92.8-98.2	3	0.8	0.0- 1.8
35-44	485	115,244	30	7.2	3.9-10.5	13	3.4	1.0- 5.8	435	87.6	83.3-91.9	7	1.8	0.0- 3.8
45-54	617	119,322	78	12.6	9.1-16.1	10	1.1	0.3- 1.9	517	85.0	81.5-88.5	12	1.3	0.5- 2.1
55-64	788	134,832	141	18.1	14.6-21.6	6	1.5	0.0- 3.1	625	78.0	74.1-81.9	16	2.5	0.9- 4.1
65+	1321	188,901	298	24.8	21.5-28.1	1	0.0	0.0- 0.0	970	71.8	68.5-75.1	52	3.4	2.2- 4.6
Less Than H.S.	405	83,794	83	20.0	14.7-25.3	9	1.9	0.0- 3.9	302	75.7	70.0-81.4	11	2.3	0.7- 3.9
H.S. or G.E.D.	1048	245,145	173	14.1	11.6-16.6	3	0.5	0.0- 1.1	850	83.7	81.0-86.4	22	1.7	0.7- 2.7
Some Post-H.S.	953	219,885	136	12.5	9.8-15.2	12	1.6	0.4- 2.8	777	83.4	80.3-86.5	28	2.5	1.1- 3.9
College Graduate	1458	219,782	166	9.0	7.0-11.0	13	1.1	0.3- 1.9	1250	88.6	86.4-90.8	29	1.2	0.6- 1.8
Less than \$15,000	295	47,237	71	21.1	14.8-27.4	1	1.4	0.0- 4.1	218	75.6	68.7-82.5	5	1.9	0.0- 3.9
\$15,000- 24,999	487	83,513	83	15.0	10.7-19.3	9	1.3	0.3- 2.3	377	80.5	75.8-85.2	18	3.3	1.3- 5.3
\$25,000- 34,999	294	53,334	50	13.1	8.2-18.0	3	1.9	0.0- 4.8	228	79.5	72.6-86.4	13	5.5	0.8-10.2
\$35,000- 49,999	402	81,765	68	15.5	11.0-20.0	1	0.3	0.0- 0.9	321	82.3	77.6-87.0	12	2.0	0.6- 3.4
\$50,000- 74,999	449	95,439	70	13.5	9.6-17.4	2	0.1	0.0- 0.3	364	84.3	80.2-88.4	13	2.0	0.6- 3.4
\$75,000+	1146	248,509	117	9.0	6.8-11.2	11	1.3	0.3- 2.3	1004	88.9	86.5-91.3	14	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	369,390	271	13.9	11.7-16.1	1425	84.3	82.1-86.5	39	1.8	1.0- 2.6
White/Non-Hisp	1200	233,962	188	13.4	11.0-15.8	983	84.8	82.4-87.2	29	1.8	1.0- 2.6
Black or Afr. Am./Non-Hisp	169	72,938	35	18.6	11.7-25.5	129	78.7	71.4-86.0	5	2.7	0.2- 5.2
Oth. Race/Non-Hisp.	76	18,796	17	19.1	7.3-30.9	58	80.5	68.7-92.3	1	0.5	0.0- 1.5
Hispanic	212	32,554	24	6.8	3.3-10.3	185	92.2	88.3-96.1	3	1.0	0.0- 2.6
18-24	139	44,313	2	1.8	0.0- 5.1	137	98.2	94.9- 100			
25-34	216	63,966	5	1.3	0.1- 2.5	210	98.0	96.2-99.8	1	0.7	0.0- 2.1
35-44	213	56,379	15	9.2	3.5-14.9	197	90.5	84.8-96.2	1	0.4	0.0- 1.2
45-54	265	57,296	33	11.7	7.0-16.4	225	86.4	81.5-91.3	7	1.9	0.3- 3.5
55-64	354	63,152	74	22.1	16.6-27.6	271	74.5	68.6-80.4	9	3.4	0.7- 6.1
65+	548	84,284	142	28.5	23.2-33.8	385	68.4	63.1-73.7	21	3.1	1.5- 4.7
Less Than H.S.	200	44,961	43	21.1	13.3-28.9	152	76.8	68.8-84.8	5	2.1	0.1- 4.1
H.S. or G.E.D.	478	128,572	84	14.2	10.7-17.7	384	83.9	80.2-87.6	10	1.9	0.3- 3.5
Some Post-H.S.	401	92,131	59	12.1	8.2-16.0	330	85.7	81.6-89.8	12	2.2	0.6- 3.8
College Graduate	644	101,928	83	12.2	8.5-15.9	549	86.7	83.0-90.4	12	1.1	0.3- 1.9
Less than \$15,000	105	19,805	25	24.3	12.7-35.9	80	75.7	64.1-87.3			
\$15,000- 24,999	206	39,230	35	15.2	8.7-21.7	163	81.7	74.6-88.8	8	3.1	0.4- 5.8
\$25,000- 34,999	134	25,576	25	14.6	7.7-21.5	106	82.5	74.7-90.3	3	2.9	0.0- 7.0
\$35,000- 49,999	156	34,002	32	16.1	9.4-22.8	121	82.5	75.4-89.6	3	1.4	0.0- 3.4
\$50,000- 74,999	229	53,844	38	14.6	9.1-20.1	184	83.1	77.4-88.8	7	2.3	0.3- 4.3
\$75,000+	577	123,887	72	11.3	7.8-14.8	494	87.3	83.8-90.8	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	403,631	291	11.7	9.9-13.5	37	2.2	1.2- 3.2	1775	84.1	81.9-86.3	51	1.9	1.1- 2.7
White/Non-Hisp	1435	252,748	178	10.6	8.6-12.6	16	1.7	0.7- 2.7	1208	85.9	83.5-88.3	33	1.8	1.0- 2.6
Black or Afr. Am./Non-Hisp	322	86,409	56	16.6	11.3-21.9	7	2.4	0.0- 4.9	253	78.6	72.5-84.7	6	2.5	0.0- 5.2
Oth. Race/Non-Hisp.	70	20,359	12	4.4	1.3- 7.5	1	2.3	0.0- 6.8	55	92.6	86.9-98.3	2	0.7	0.0- 1.7
Hispanic	231	30,210	33	14.8	6.4-23.2	11	5.7	0.6-10.8	180	78.0	68.8-87.2	7	1.5	0.1- 2.9
18-24	107	43,172				1	0.6	0.0- 1.8	106	99.4	98.2- 100			
25-34	216	63,271	8	4.0	0.0- 8.5	6	2.1	0.0- 4.5	200	92.9	87.8-98.0	2	0.9	0.0- 2.3
35-44	272	58,865	15	5.3	2.0- 8.6	13	6.7	2.2-11.2	238	84.8	78.5-91.1	6	3.2	0.0- 7.1
45-54	352	62,026	45	13.4	8.3-18.5	10	2.2	0.6- 3.8	292	83.7	78.4-89.0	5	0.7	0.0- 1.5
55-64	434	71,680	67	14.5	9.8-19.2	6	2.7	0.0- 5.4	354	81.2	75.9-86.5	7	1.6	0.2- 3.0
65+	773	104,617	156	21.9	17.8-26.0	1	0.0	0.0- 0.0	585	74.4	70.1-78.7	31	3.6	2.0- 5.2
Less Than H.S.	205	38,833	40	18.7	11.8-25.6	9	4.2	0.3- 8.1	150	74.4	66.6-82.2	6	2.6	0.0- 5.3
H.S. or G.E.D.	570	116,573	89	13.9	10.0-17.8	3	1.1	0.0- 2.5	466	83.5	79.4-87.6	12	1.5	0.5- 2.5
Some Post-H.S.	552	127,754	77	12.8	9.1-16.5	12	2.8	0.6- 5.0	447	81.8	77.3-86.3	16	2.6	0.6- 4.6
College Graduate	814	117,854	83	6.2	4.4- 8.0	13	2.1	0.7- 3.5	701	90.3	87.9-92.7	17	1.4	0.6- 2.2
Less than \$15,000	190	27,432	46	18.8	11.9-25.7	1	2.4	0.0- 7.1	138	75.6	67.2-84.0	5	3.2	0.0- 6.7
\$15,000- 24,999	281	44,283	48	14.8	9.3-20.3	9	2.4	0.4- 4.4	214	79.4	73.3-85.5	10	3.4	0.9- 5.9
\$25,000- 34,999	160	27,758	25	11.8	4.7-18.9	3	3.6	0.0- 9.1	122	76.7	66.1-87.3	10	7.9	0.0-15.9
\$35,000- 49,999	246	47,763	36	15.0	8.9-21.1	1	0.5	0.0- 1.5	200	82.2	75.7-88.7	9	2.3	0.5- 4.1
\$50,000- 74,999	220	41,595	32	12.2	6.5-17.9	2	0.2	0.0- 0.6	180	85.8	79.9-91.7	6	1.8	0.0- 3.6
\$75,000+	569	124,623	45	6.6	3.9- 9.3	11	2.6	0.8- 4.4	510	90.5	87.4-93.6	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	528	91,698	13	2.7	1.1- 4.3	57	15.1	10.0-20.2	123	23.9	18.8-29.0	231	41.0	35.3-46.7	104	17.3	12.8-21.8
Male	258	49,196	8	3.7	1.0- 6.4	21	11.8	5.3-18.3	59	22.8	15.9-29.7	117	42.3	34.3-50.3	53	19.4	12.9-25.9
Female	270	42,502	5	1.6	0.0- 3.2	36	18.9	10.7-27.1	64	25.1	17.3-32.9	114	39.4	31.2-47.6	51	15.0	9.3-20.7
White/Non-Hisp	352	55,569	7	2.1	0.3- 3.9	26	7.8	4.1-11.5	72	21.1	15.4-26.8	162	46.3	39.6-53.0	85	22.7	17.0-28.4
Black or Afr. Am./Non-Hisp	78	24,503	4	4.4	0.0- 8.9	14	26.0	12.7-39.3	23	28.4	15.9-40.9	31	31.7	19.2-44.2	6	9.6	0.0-19.2
Hispanic	55	6,555	1	1.3	0.0- 4.0	12	35.3	8.6-62.0	19	25.7	9.6-41.8	19	33.7	13.3-54.1	4	4.0	0.0- 8.7
45-54	74	14,771				11	20.4	6.7-34.1	39	44.3	29.6-59.0	23	31.5	18.0-45.0	1	3.8	0.0-11.1
55-64	136	23,100	4	3.1	0.2- 6.0	9	4.4	1.1- 7.7	30	25.5	14.9-36.1	88	60.9	49.5-72.3	5	6.1	0.0-12.8
65+	273	41,335	3	1.4	0.0- 3.4	15	6.3	2.0-10.6	37	13.0	7.1-18.9	120	45.6	37.4-53.8	98	33.6	25.8-41.4
Less Than H.S.	73	14,542	2	2.6	0.0- 6.3	9	13.2	2.8-23.6	16	17.1	7.5-26.7	33	48.9	33.2-64.6	13	18.2	4.7-31.7
H.S. or G.E.D.	164	32,527	4	2.9	0.0- 5.8	22	16.9	7.9-25.9	28	20.2	11.6-28.8	82	45.4	35.6-55.2	28	14.7	7.6-21.8
Some Post-H.S.	129	25,023	4	3.0	0.0- 6.5	16	17.6	7.2-28.0	31	27.7	17.1-38.3	56	37.3	26.5-48.1	22	14.5	7.1-21.9
College Graduate	161	19,516	3	2.2	0.0- 5.1	10	10.4	0.0-21.0	47	30.0	19.0-41.0	60	32.6	22.6-42.6	41	24.8	15.0-34.6
Less than \$15,000	64	8,874	2	3.1	0.0- 7.8	14	20.3	8.1-32.5	20	33.9	17.0-50.8	22	38.8	21.4-56.2	6	3.9	0.0- 8.0
\$15,000- 24,999	81	12,334	4	6.6	0.0-13.7	11	12.1	4.3-19.9	13	19.3	7.3-31.3	39	51.3	36.0-66.6	14	10.8	2.4-19.2
\$35,000- 49,999	62	10,780	1	2.2	0.0- 6.5	4	8.7	0.3-17.1	21	36.0	20.5-51.5	23	37.3	22.4-52.2	13	15.7	4.5-26.9
\$50,000- 74,999	67	12,510	1	1.0	0.0- 3.0	5	9.5	0.0-20.5	11	19.8	6.7-32.9	35	45.9	31.0-60.8	15	23.8	10.1-37.5
\$75,000+	114	21,678	2	2.7	0.0- 6.6	12	20.7	7.4-34.0	29	26.6	15.2-38.0	54	39.9	27.6-52.2	17	10.1	3.4-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 35: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	49,196	8	3.7	1.0- 6.4	21	11.8	5.3-18.3	59	22.8	15.9-29.7	117	42.3	34.3-50.3	53	19.4	12.9-25.9
White/Non-Hisp	181	30,385	5	3.4	0.5- 6.3	11	6.3	2.4-10.2	36	21.9	13.9-29.9	87	46.2	37.2-55.2	42	22.2	14.8-29.6
55-64	70	12,774	2	3.4	0.0- 8.1	5	5.6	0.1-11.1	12	21.8	8.9-34.7	47	63.1	48.8-77.4	4	6.1	0.0-13.9
65+	134	22,926	1	1.7	0.0- 5.0	5	4.6	0.0-10.3	20	10.8	4.5-17.1	59	44.7	33.1-56.3	49	38.1	26.5-49.7
H.S. or G.E.D.	81	17,668	2	3.1	0.0- 7.4	8	12.1	3.1-21.1	17	21.4	10.0-32.8	42	48.7	35.6-61.8	12	14.6	5.2-24.0
Some Post-H.S.	57	10,868	3	6.1	0.0-13.9	6	13.0	0.0-26.7	12	25.9	10.4-41.4	25	36.4	20.7-52.1	11	18.6	6.4-30.8
College Graduate	81	12,339	2	3.1	0.0- 7.6	5	12.6	0.0-28.5	21	28.3	13.4-43.2	30	29.2	16.3-42.1	23	26.7	12.8-40.6
\$75,000+	72	14,055	2	4.1	0.0-10.2	5	13.2	0.0-28.5	17	30.7	15.2-46.2	35	37.9	23.0-52.8	13	14.1	4.1-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 36: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	270	42,502	5	1.6	0.0- 3.2	36	18.9	10.9-26.9	64	25.1	17.3-32.9	114	39.4	31.2-47.6	51	15.0	9.3-20.7
White/Non-Hisp	171	25,184	2	0.6	0.0- 1.4	15	9.5	2.6-16.4	36	20.1	12.1-28.1	75	46.5	36.5-56.5	43	23.2	14.6-31.8
55-64	66	10,326	2	2.7	0.0- 6.6	4	3.0	0.0- 6.1	18	30.0	12.9-47.1	41	58.1	40.3-75.9	1	6.2	0.0-17.8
65+	139	18,410	2	1.0	0.0- 2.6	10	8.5	1.8-15.2	17	15.8	5.6-26.0	61	46.6	35.0-58.2	49	28.1	18.7-37.5
H.S. or G.E.D.	83	14,860	2	2.6	0.0- 6.3	14	22.5	6.4-38.6	11	18.7	5.2-32.2	40	41.3	26.6-56.0	16	14.9	4.5-25.3
Some Post-H.S.	72	14,155	1	0.7	0.0- 2.1	10	21.1	6.2-36.0	19	29.0	14.5-43.5	31	37.9	23.2-52.6	11	11.3	2.3-20.3
College Graduate	80	7,177	1	0.7	0.0- 2.1	5	6.6	0.0-13.3	26	32.9	18.0-47.8	30	38.5	24.4-52.6	18	21.3	9.3-33.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 7: ARTHRITIS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

**TABLE 1: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3881	772,083	1303	27.4	25.6-29.2	2578	72.6	70.8-74.4
Male	1732	368,805	461	22.1	19.6-24.6	1271	77.9	75.4-80.4
Female	2149	403,279	842	32.3	29.8-34.8	1307	67.7	65.2-70.2
White/Non-Hisp	2628	485,961	1023	31.6	29.4-33.8	1605	68.4	66.2-70.6
Black or Afr. Am./Non-Hisp	492	159,500	156	26.3	21.0-31.6	336	73.7	68.4-79.0
Oth. Race/Non-Hisp.	145	38,975	32	11.7	4.6-18.8	113	88.3	81.2-95.4
MultiRacial/Non-Hisp.	78	8,099	19	16.8	6.2-27.4	59	83.2	72.6-93.8
Hispanic	443	62,741	42	6.9	4.2- 9.6	401	93.1	90.4-95.8
18-24	245	87,310	9	3.8	0.0- 7.7	236	96.2	92.3- 100
25-34	434	127,309	34	8.2	4.1-12.3	400	91.8	87.7-95.9
35-44	483	115,086	76	14.3	10.4-18.2	407	85.7	81.8-89.6
45-54	614	118,788	177	27.2	22.7-31.7	437	72.8	68.3-77.3
55-64	787	135,114	331	39.9	35.4-44.4	456	60.1	55.6-64.6
65+	1318	188,477	676	50.7	47.2-54.2	642	49.3	45.8-52.8
Less Than H.S.	401	83,358	123	31.7	25.0-38.4	278	68.3	61.6-75.0
H.S. or G.E.D.	1050	245,617	381	29.0	25.5-32.5	669	71.0	67.5-74.5
Some Post-H.S.	952	219,808	334	28.8	25.1-32.5	618	71.2	67.5-74.9
College Graduate	1454	219,024	457	22.8	20.1-25.5	997	77.2	74.5-79.9
Less than \$15,000	293	46,983	129	38.3	30.7-45.9	164	61.7	54.1-69.3
\$15,000- 24,999	486	83,510	174	31.6	25.9-37.3	312	68.4	62.7-74.1
\$25,000- 34,999	294	53,386	98	29.7	22.8-36.6	196	70.3	63.4-77.2
\$35,000- 49,999	401	81,538	144	29.8	23.1-36.5	257	70.2	63.5-76.9
\$50,000- 74,999	448	95,264	166	30.2	24.7-35.7	282	69.8	64.3-75.3
\$75,000+	1146	248,509	318	21.7	18.8-24.6	828	78.3	75.4-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 2: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1732	368,805	461	22.1	19.6-24.6	1271	77.9	75.4-80.4
White/Non-Hisp	1198	233,579	375	26.0	23.1-28.9	823	74.0	71.1-76.9
Black or Afr. Am./Non-Hisp	170	73,092	41	21.6	13.4-29.8	129	78.4	70.2-86.6
Oth. Race/Non-Hisp.	75	18,616	13	6.3	1.6-11.0	62	93.7	89.0-98.4
Hispanic	211	32,377	12	3.1	1.1- 5.1	199	96.9	94.9-98.9
18-24	138	44,138	5	1.9	0.0- 3.9	133	98.1	96.1- 100
25-34	217	63,884	12	8.5	1.2-15.8	205	91.5	84.2-98.8
35-44	212	56,298	25	9.8	5.1-14.5	187	90.2	85.5-94.9
45-54	264	57,141	62	20.6	14.7-26.5	202	79.4	73.5-85.3
55-64	353	63,114	129	33.3	27.2-39.4	224	66.7	60.6-72.8
65+	548	84,231	228	43.9	38.2-49.6	320	56.1	50.4-61.8
Less Than H.S.	196	44,506	51	29.9	19.7-40.1	145	70.1	59.9-80.3
H.S. or G.E.D.	480	128,649	128	21.5	17.0-26.0	352	78.5	74.0-83.0
Some Post-H.S.	401	92,131	113	22.4	17.7-27.1	288	77.6	72.9-82.3
College Graduate	643	101,720	165	19.1	15.4-22.8	478	80.9	77.2-84.6
Less than \$15,000	104	19,616	36	31.1	19.7-42.5	68	68.9	57.5-80.3
\$15,000- 24,999	206	39,303	54	24.8	16.6-33.0	152	75.2	67.0-83.4
\$25,000- 34,999	134	25,628	35	21.4	13.2-29.6	99	78.6	70.4-86.8
\$35,000- 49,999	156	34,002	42	25.2	13.4-37.0	114	74.8	63.0-86.6
\$50,000- 74,999	228	53,669	65	24.2	16.9-31.5	163	75.8	68.5-83.1
\$75,000+	577	123,887	144	18.5	14.8-22.2	433	81.5	77.8-85.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 3: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2149	403,279	842	32.3	29.8-34.8	1307	67.7	65.2-70.2
White/Non-Hisp	1430	252,382	648	36.8	33.5-40.1	782	63.2	59.9-66.5
Black or Afr. Am./Non-Hisp	322	86,409	115	30.3	23.6-37.0	207	69.7	63.0-76.4
Oth. Race/Non-Hisp.	70	20,359	19	16.7	4.4-29.0	51	83.3	71.0-95.6
Hispanic	232	30,364	30	11.1	6.2-16.0	202	88.9	84.0-93.8
18-24	107	43,172	4	5.7	0.0-13.1	103	94.3	86.9-100
25-34	217	63,425	22	8.0	4.1-11.9	195	92.0	88.1-95.9
35-44	271	58,788	51	18.7	12.6-24.8	220	81.3	75.2-87.4
45-54	350	61,647	115	33.2	26.7-39.7	235	66.8	60.3-73.3
55-64	434	72,000	202	45.6	39.3-51.9	232	54.4	48.1-60.7
65+	770	104,246	448	56.1	51.4-60.8	322	43.9	39.2-48.6
Less Than H.S.	205	38,852	72	33.8	25.2-42.4	133	66.2	57.6-74.8
H.S. or G.E.D.	570	116,968	253	37.2	31.9-42.5	317	62.8	57.5-68.1
Some Post-H.S.	551	127,677	221	33.5	28.2-38.8	330	66.5	61.2-71.8
College Graduate	811	117,305	292	26.1	22.4-29.8	519	73.9	70.2-77.6
Less than \$15,000	189	27,367	93	43.4	33.0-53.8	96	56.6	46.2-67.0
\$15,000- 24,999	280	44,206	120	37.7	30.1-45.3	160	62.3	54.7-69.9
\$25,000- 34,999	160	27,758	63	37.4	27.2-47.6	97	62.6	52.4-72.8
\$35,000- 49,999	245	47,535	102	33.0	25.0-41.0	143	67.0	59.0-75.0
\$50,000- 74,999	220	41,595	101	37.9	29.3-46.5	119	62.1	53.5-70.7
\$75,000+	569	124,623	174	24.8	20.1-29.5	395	75.2	70.5-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1299	211,578	937	73.2	70.1-76.3	362	26.8	23.7-29.9
Male	461	81,582	314	68.7	63.0-74.4	147	31.3	25.6-37.0
Female	838	129,996	623	76.1	72.4-79.8	215	23.9	20.2-27.6
White/Non-Hisp	1021	153,290	726	71.8	68.3-75.3	295	28.2	24.7-31.7
Black or Afr. Am./Non-Hisp	154	41,854	112	75.1	66.3-83.9	42	24.9	16.1-33.7
35-44	76	16,511	49	61.4	47.1-75.7	27	38.6	24.3-52.9
45-54	177	32,287	129	71.6	63.2-80.0	48	28.4	20.0-36.8
55-64	330	53,750	248	78.3	72.8-83.8	82	21.7	16.2-27.2
65+	673	95,262	484	73.5	69.2-77.8	189	26.5	22.2-30.8
Less Than H.S.	122	26,347	75	63.1	51.3-74.9	47	36.9	25.1-48.7
H.S. or G.E.D.	379	71,067	274	73.0	67.1-78.9	105	27.0	21.1-32.9
Some Post-H.S.	333	63,267	238	76.2	70.7-81.7	95	23.8	18.3-29.3
College Graduate	457	50,033	345	75.1	69.8-80.4	112	24.9	19.6-30.2
Less than \$15,000	128	17,953	87	62.2	50.6-73.8	41	37.8	26.2-49.4
\$15,000- 24,999	173	26,307	129	74.9	65.9-83.9	44	25.1	16.1-34.1
\$25,000- 34,999	98	15,849	73	76.9	66.1-87.7	25	23.1	12.3-33.9
\$35,000- 49,999	144	24,270	106	73.5	63.9-83.1	38	26.5	16.9-36.1
\$50,000- 74,999	166	28,769	125	71.8	62.0-81.6	41	28.2	18.4-38.0
\$75,000+	318	53,831	244	78.3	72.6-84.0	74	21.7	16.0-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	461	81,582	314	68.7	63.0-74.4	147	31.3	25.6-37.0
White/Non-Hisp	375	60,689	252	67.3	61.2-73.4	123	32.7	26.6-38.8
45-54	62	11,797	43	63.8	48.3-79.3	19	36.2	20.7-51.7
55-64	129	21,010	89	70.3	60.5-80.1	40	29.7	19.9-39.5
65+	228	37,011	155	70.3	62.5-78.1	73	29.7	21.9-37.5
Less Than H.S.	51	13,292	28	57.9	38.3-77.5	23	42.1	22.5-61.7
H.S. or G.E.D.	128	27,712	89	70.4	59.6-81.2	39	29.6	18.8-40.4
Some Post-H.S.	113	20,669	74	66.9	56.3-77.5	39	33.1	22.5-43.7
College Graduate	165	19,441	122	76.2	68.0-84.4	43	23.8	15.6-32.0
\$15,000- 24,999	54	9,731	40	77.0	62.5-91.5	14	23.0	8.5-37.5
\$50,000- 74,999	65	12,992	43	59.7	42.8-76.6	22	40.3	23.4-57.2
\$75,000+	144	22,868	107	75.1	66.1-84.1	37	24.9	15.9-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	838	129,996	623	76.1	72.4-79.8	215	23.9	20.2-27.6
White/Non-Hisp	646	92,601	474	74.7	70.6-78.8	172	25.3	21.2-29.4
Black or Afr. Am./Non-Hisp	113	26,084	85	77.6	67.8-87.4	28	22.4	12.6-32.2
35-44	51	10,991	36	68.2	52.1-84.3	15	31.8	15.7-47.9
45-54	115	20,491	86	76.0	66.8-85.2	29	24.0	14.8-33.2
55-64	201	32,740	159	83.5	77.4-89.6	42	16.5	10.4-22.6
65+	445	58,252	329	75.5	70.4-80.6	116	24.5	19.4-29.6
Less Than H.S.	71	13,056	47	68.3	54.6-82.0	24	31.7	18.0-45.4
H.S. or G.E.D.	251	43,355	185	74.8	68.1-81.5	66	25.2	18.5-31.9
Some Post-H.S.	220	42,598	164	80.7	74.8-86.6	56	19.3	13.4-25.2
College Graduate	292	30,592	223	74.4	67.3-81.5	69	25.6	18.5-32.7
Less than \$15,000	92	11,845	70	74.5	63.1-85.9	22	25.5	14.1-36.9
\$15,000- 24,999	119	16,577	89	73.7	62.1-85.3	30	26.3	14.7-37.9
\$25,000- 34,999	63	10,375	49	83.7	73.3-94.1	14	16.3	5.9-26.7
\$35,000- 49,999	102	15,684	79	73.3	62.1-84.5	23	26.7	15.5-37.9
\$50,000- 74,999	101	15,777	82	81.8	72.2-91.4	19	18.2	8.6-27.8
\$75,000+	174	30,963	137	80.8	73.5-88.1	37	19.2	11.9-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 7. HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1300	211,667	214	15.7	13.2-18.2	1086	84.3	81.8-86.8
Male	461	81,582	65	12.2	8.3-16.1	396	87.8	83.9-91.7
Female	839	130,086	149	17.9	14.6-21.2	690	82.1	78.8-85.4
White/Non-Hisp	1020	153,273	151	14.3	11.6-17.0	869	85.7	83.0-88.4
Black or Afr. Am./Non-Hisp	156	41,961	34	18.5	10.5-26.5	122	81.5	73.5-89.5
35-44	76	16,511	15	16.4	7.2-25.6	61	83.6	74.4-92.8
45-54	177	32,287	38	21.0	13.6-28.4	139	79.0	71.6-86.4
55-64	330	53,767	56	17.3	11.6-23.0	274	82.7	77.0-88.4
65+	674	95,334	97	13.6	10.3-16.9	577	86.4	83.1-89.7
Less Than H.S.	123	26,441	12	8.2	2.9-13.5	111	91.8	86.5-97.1
H.S. or G.E.D.	380	71,125	58	14.0	9.7-18.3	322	86.0	81.7-90.3
Some Post-H.S.	332	63,205	70	20.9	15.2-26.6	262	79.1	73.4-84.8
College Graduate	457	50,033	73	15.9	11.2-20.6	384	84.1	79.4-88.8
Less than \$15,000	129	17,989	25	17.6	9.6-25.6	104	82.4	74.4-90.4
\$15,000- 24,999	174	26,401	35	17.1	9.8-24.4	139	82.9	75.6-90.2
\$25,000- 34,999	97	15,773	17	15.8	8.2-23.4	80	84.2	76.6-91.8
\$35,000- 49,999	143	24,220	23	11.3	5.6-17.0	120	88.7	83.0-94.4
\$50,000- 74,999	166	28,769	23	13.4	6.1-20.7	143	86.6	79.3-93.9
\$75,000+	318	53,831	51	17.2	11.9-22.5	267	82.8	77.5-88.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 8: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	461	81,582	65	12.2	8.3-16.1	396	87.8	83.9-91.7
White/Non-Hisp	375	60,689	44	10.1	6.6-13.6	331	89.9	86.4-93.4
45-54	62	11,797	11	14.6	3.0-26.2	51	85.4	73.8-97.0
55-64	129	21,010	23	16.0	6.8-25.2	106	84.0	74.8-93.2
65+	228	37,011	21	8.5	4.0-13.0	207	91.5	87.0-96.0
Less Than H.S.	51	13,292	3	4.2	0.0- 9.5	48	95.8	90.5- 100
H.S. or G.E.D.	128	27,712	21	12.5	5.1-19.9	107	87.5	80.1-94.9
Some Post-H.S.	113	20,669	16	12.9	5.8-20.0	97	87.1	80.0-94.2
College Graduate	165	19,441	25	16.9	8.7-25.1	140	83.1	74.9-91.3
\$15,000- 24,999	54	9,731	14	13.5	4.9-22.1	40	86.5	77.9-95.1
\$50,000- 74,999	65	12,992	10	14.3	1.2-27.4	55	85.7	72.6-98.8
\$75,000+	144	22,868	21	17.3	8.9-25.7	123	82.7	74.3-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 9: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	839	130,086	149	17.9	14.6-21.2	690	82.1	78.8-85.4
White/Non-Hisp	645	92,584	107	17.0	13.3-20.7	538	83.0	79.3-86.7
Black or Afr. Am./Non-Hisp	115	26,191	24	19.4	9.8-29.0	91	80.6	71.0-90.2
35-44	51	10,991	10	16.7	5.3-28.1	41	83.3	71.9-94.7
45-54	115	20,491	27	24.7	14.9-34.5	88	75.3	65.5-85.1
55-64	201	32,758	33	18.2	10.8-25.6	168	81.8	74.4-89.2
65+	446	58,323	76	16.9	12.4-21.4	370	83.1	78.6-87.6
Less Than H.S.	72	13,150	9	12.3	3.5-21.1	63	87.7	78.9-96.5
H.S. or G.E.D.	252	43,412	37	14.9	9.8-20.0	215	85.1	80.0-90.2
Some Post-H.S.	219	42,536	54	24.7	17.1-32.3	165	75.3	67.7-82.9
College Graduate	292	30,592	48	15.3	9.8-20.8	244	84.7	79.2-90.2
Less than \$15,000	93	11,881	22	23.6	12.6-34.6	71	76.4	65.4-87.4
\$15,000- 24,999	120	16,671	21	19.1	8.9-29.3	99	80.9	70.7-91.1
\$25,000- 34,999	62	10,298	9	12.8	4.2-21.4	53	87.2	78.6-95.8
\$35,000- 49,999	101	15,635	21	16.4	8.4-24.4	80	83.6	75.6-91.6
\$50,000- 74,999	101	15,777	13	12.7	4.9-20.5	88	87.3	79.5-95.1
\$75,000+	174	30,963	30	17.0	10.1-23.9	144	83.0	76.1-89.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 10: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1295	211,301	532	39.8	36.1-43.5	763	60.2	56.5-63.9
Male	459	81,375	179	40.2	33.5-46.9	280	59.8	53.1-66.5
Female	836	129,926	353	39.6	35.1-44.1	483	60.4	55.9-64.9
White/Non-Hisp	1016	152,997	400	38.9	35.0-42.8	616	61.1	57.2-65.0
Black or Afr. Am./Non-Hisp	156	41,961	78	46.1	34.7-57.5	78	53.9	42.5-65.3
35-44	76	16,511	32	42.5	28.2-56.8	44	57.5	43.2-71.8
45-54	176	32,197	83	42.6	33.2-52.0	93	57.4	48.0-66.8
55-64	330	53,753	149	45.4	38.1-52.7	181	54.6	47.3-61.9
65+	670	95,073	253	35.7	30.8-40.6	417	64.3	59.4-69.2
Less Than H.S.	123	26,441	51	44.6	31.3-57.9	72	55.4	42.1-68.7
H.S. or G.E.D.	378	70,882	164	40.5	33.8-47.2	214	59.5	52.8-66.2
Some Post-H.S.	333	63,274	140	39.1	32.2-46.0	193	60.9	54.0-67.8
College Graduate	453	49,840	174	37.4	31.5-43.3	279	62.6	56.7-68.5
Less than \$15,000	129	17,989	72	56.4	44.8-68.0	57	43.6	32.0-55.2
\$15,000- 24,999	174	26,401	94	49.1	38.7-59.5	80	50.9	40.5-61.3
\$25,000- 34,999	98	15,849	50	51.8	38.9-64.7	48	48.2	35.3-61.1
\$35,000- 49,999	144	24,270	61	45.6	32.1-59.1	83	54.4	40.9-67.9
\$50,000- 74,999	162	28,489	45	30.8	20.4-41.2	117	69.2	58.8-79.6
\$75,000+	316	53,690	101	27.7	21.6-33.8	215	72.3	66.2-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 11: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	459	81,375	179	40.2	33.5-46.9	280	59.8	53.1-66.5
White/Non-Hisp	373	60,483	143	40.1	33.6-46.6	230	59.9	53.4-66.4
45-54	61	11,706	23	28.9	16.0-41.8	38	71.1	58.2-84.0
55-64	129	21,010	61	51.9	40.9-62.9	68	48.1	37.1-59.1
65+	227	36,895	79	34.4	26.0-42.8	148	65.6	57.2-74.0
Less Than H.S.	51	13,292	20	47.5	25.7-69.3	31	52.5	30.7-74.3
H.S. or G.E.D.	127	27,622	51	41.6	29.8-53.4	76	58.4	46.6-70.2
Some Post-H.S.	113	20,669	48	41.1	30.1-52.1	65	58.9	47.9-69.9
College Graduate	164	19,326	59	32.1	23.3-40.9	105	67.9	59.1-76.7
\$15,000- 24,999	54	9,731	29	45.5	27.1-63.9	25	54.5	36.1-72.9
\$50,000- 74,999	65	12,992	17	34.9	17.1-52.7	48	65.1	47.3-82.9
\$75,000+	143	22,752	44	23.6	15.8-31.4	99	76.4	68.6-84.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 12: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	836	129,926	353	39.6	35.1-44.1	483	60.4	55.9-64.9
White/Non-Hisp	643	92,514	257	38.2	33.3-43.1	386	61.8	56.9-66.7
Black or Afr. Am./Non-Hisp	115	26,191	61	47.8	35.1-60.5	54	52.2	39.5-64.9
35-44	51	10,991	23	44.2	27.0-61.4	28	55.8	38.6-73.0
45-54	115	20,491	60	50.4	38.4-62.4	55	49.6	37.6-61.6
55-64	201	32,744	88	41.2	32.0-50.4	113	58.8	49.6-68.0
65+	443	58,178	174	36.5	30.6-42.4	269	63.5	57.6-69.4
Less Than H.S.	72	13,150	31	41.6	27.3-55.9	41	58.4	44.1-72.7
H.S. or G.E.D.	251	43,261	113	39.8	32.0-47.6	138	60.2	52.4-68.0
Some Post-H.S.	220	42,606	92	38.1	29.5-46.7	128	61.9	53.3-70.5
College Graduate	289	30,514	115	40.7	33.3-48.1	174	59.3	51.9-66.7
Less than \$15,000	93	11,881	54	62.8	49.9-75.7	39	37.2	24.3-50.1
\$15,000- 24,999	120	16,671	65	51.2	38.9-63.5	55	48.8	36.5-61.1
\$25,000- 34,999	63	10,375	33	49.7	33.0-66.4	30	50.3	33.6-67.0
\$35,000- 49,999	102	15,684	43	38.1	25.8-50.4	59	61.9	49.6-74.2
\$50,000- 74,999	97	15,498	28	27.4	16.4-38.4	69	72.6	61.6-83.6
\$75,000+	173	30,937	57	30.7	21.9-39.5	116	69.3	60.5-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 13: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1264	203,914	379	30.9	27.4-34.4	885	69.1	65.6-72.6
Male	446	77,969	124	31.9	26.0-37.8	322	68.1	62.2-74.0
Female	818	125,945	255	30.4	26.1-34.7	563	69.6	65.3-73.9
White/Non-Hisp	994	149,451	274	28.5	24.8-32.2	720	71.5	67.8-75.2
Black or Afr. Am./Non-Hisp	151	38,262	57	37.7	27.1-48.3	94	62.3	51.7-72.9
35-44	76	16,511	33	39.3	25.2-53.4	43	60.7	46.6-74.8
45-54	173	31,698	64	35.3	26.1-44.5	109	64.7	55.5-73.9
55-64	325	52,019	123	43.4	36.1-50.7	202	56.6	49.3-63.9
65+	648	92,102	141	19.9	15.8-24.0	507	80.1	76.0-84.2
Less Than H.S.	118	23,208	52	45.5	34.3-56.7	66	54.5	43.3-65.7
H.S. or G.E.D.	370	68,999	132	35.6	28.9-42.3	238	64.4	57.7-71.1
Some Post-H.S.	327	61,829	93	27.7	21.2-34.2	234	72.3	65.8-78.8
College Graduate	442	49,070	101	22.1	16.8-27.4	341	77.9	72.6-83.2
Less than \$15,000	127	17,857	61	51.8	40.2-63.4	66	48.2	36.6-59.8
\$15,000- 24,999	169	26,019	85	48.6	38.0-59.2	84	51.4	40.8-62.0
\$25,000- 34,999	93	14,371	41	46.7	33.8-59.6	52	53.3	40.4-66.2
\$35,000- 49,999	140	21,844	42	30.6	21.0-40.2	98	69.4	59.8-79.0
\$50,000- 74,999	162	28,506	40	30.4	19.8-41.0	122	69.6	59.0-80.2
\$75,000+	315	53,623	47	15.4	9.9-20.9	268	84.6	79.1-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 14: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	446	77,969	124	31.9	26.0-37.8	322	68.1	62.2-74.0
White/Non-Hisp	365	59,476	93	29.6	23.3-35.9	272	70.4	64.1-76.7
45-54	59	11,302	19	31.6	16.7-46.5	40	68.4	53.5-83.3
55-64	129	21,010	48	50.0	39.0-61.0	81	50.0	39.0-61.0
65+	217	36,077	42	19.8	12.5-27.1	175	80.2	72.9-87.5
H.S. or G.E.D.	127	27,642	47	40.2	28.6-51.8	80	59.8	48.2-71.4
Some Post-H.S.	111	20,134	29	27.2	16.8-37.6	82	72.8	62.4-83.2
College Graduate	157	18,835	31	20.6	11.6-29.6	126	79.4	70.4-88.4
\$15,000- 24,999	53	9,707	30	47.7	29.1-66.3	23	52.3	33.7-70.9
\$50,000- 74,999	65	12,992	16	38.7	21.1-56.3	49	61.3	43.7-78.9
\$75,000+	141	22,660	18	15.8	7.2-24.4	123	84.2	75.6-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 15: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	818	125,945	255	30.4	26.1-34.7	563	69.6	65.3-73.9
White/Non-Hisp	629	89,976	181	27.8	23.3-32.3	448	72.2	67.7-76.7
Black or Afr. Am./Non-Hisp	111	24,676	41	37.2	24.5-49.9	70	62.8	50.1-75.5
35-44	51	10,991	25	39.5	23.0-56.0	26	60.5	44.0-77.0
45-54	114	20,397	45	37.3	25.5-49.1	69	62.7	50.9-74.5
55-64	196	31,010	75	38.9	29.5-48.3	121	61.1	51.7-70.5
65+	431	56,025	99	19.9	15.2-24.6	332	80.1	75.4-84.8
Less Than H.S.	70	12,262	35	50.5	35.8-65.2	35	49.5	34.8-64.2
H.S. or G.E.D.	243	41,357	85	32.5	24.9-40.1	158	67.5	59.9-75.1
Some Post-H.S.	216	41,694	64	27.9	19.9-35.9	152	72.1	64.1-80.1
College Graduate	285	30,235	70	23.1	16.6-29.6	215	76.9	70.4-83.4
Less than \$15,000	92	11,804	46	54.8	41.1-68.5	46	45.2	31.5-58.9
\$15,000- 24,999	116	16,312	55	49.1	36.6-61.6	61	50.9	38.4-63.4
\$25,000- 34,999	60	9,020	27	45.5	29.0-62.0	33	54.5	38.0-71.0
\$35,000- 49,999	100	15,492	29	26.9	16.1-37.7	71	73.1	62.3-83.9
\$50,000- 74,999	97	15,514	24	23.4	12.8-34.0	73	76.6	66.0-87.2
\$75,000+	174	30,963	29	15.2	8.1-22.3	145	84.8	77.7-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1290	210,399	123	9.2	7.2-11.2	366	27.1	23.8-30.4
Male	457	80,879	46	11.4	7.5-15.3	143	29.8	24.1-35.5
Female	833	129,520	77	7.8	5.4-10.2	223	25.5	21.6-29.4
White/Non-Hisp	1010	152,004	92	8.6	6.4-10.8	316	31.1	27.4-34.8
Black or Afr. Am./Non-Hisp	156	41,961	17	9.8	4.3-15.3	25	14.1	7.4-20.8
35-44	76	16,511	6	8.3	0.9-15.7	23	32.6	18.5-46.7
45-54	176	32,197	10	9.5	3.2-15.8	47	26.1	17.9-34.3
55-64	329	53,564	28	6.0	3.3- 8.7	79	21.4	16.1-26.7
65+	666	94,360	76	12.0	8.7-15.3	206	30.5	25.8-35.2
Less Than H.S.	121	25,975	9	8.4	1.9-14.9	12	8.7	2.6-14.8
H.S. or G.E.D.	375	70,532	29	7.1	4.0-10.2	83	25.9	19.8-32.0
Some Post-H.S.	330	63,035	28	9.4	5.5-13.3	99	26.9	21.0-32.8
College Graduate	456	49,994	56	12.1	8.0-16.2	171	39.1	33.0-45.2
Less than \$15,000	128	17,918	10	9.0	1.6-16.4	13	8.9	3.0-14.8
\$15,000- 24,999	171	26,009	14	7.2	1.9-12.5	27	13.7	6.1-21.3
\$25,000- 34,999	97	15,739	3	3.8	0.0- 9.5	19	13.0	6.3-19.7
\$35,000- 49,999	143	24,244	7	2.7	0.2- 5.2	40	31.1	19.5-42.7
\$50,000- 74,999	166	28,769	19	10.8	4.9-16.7	61	31.9	22.9-40.9
\$75,000+	317	53,622	36	11.8	7.3-16.3	129	38.5	31.4-45.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
425	31.8	28.5-35.1	255	20.2	17.1-23.3	121	11.7	8.8-14.6
158	31.3	25.6-37.0	79	17.0	12.1-21.9	31	10.6	4.7-16.5
267	32.1	27.8-36.4	176	22.3	18.2-26.4	90	12.4	9.3-15.5
348	33.5	29.8-37.2	179	17.7	14.6-20.8	75	9.1	6.6-11.6
41	28.6	18.6-38.6	47	29.2	18.6-39.8	26	18.3	7.7-28.9
24	29.4	17.4-41.4	17	23.2	10.1-36.3	6	6.5	0.0-13.4
57	31.2	22.4-40.0	43	25.1	16.7-33.5	19	8.1	3.4-12.8
105	34.2	27.1-41.3	82	22.1	16.2-28.0	35	16.3	10.0-22.6
227	32.7	28.0-37.4	105	16.6	12.5-20.7	52	8.2	5.3-11.1
42	29.1	18.7-39.5	31	21.1	11.7-30.5	27	32.7	18.2-47.2
121	29.9	23.8-36.0	96	24.0	18.1-29.9	46	13.1	8.4-17.8
106	32.4	25.7-39.1	67	22.0	15.3-28.7	30	9.2	5.1-13.3
152	34.7	28.8-40.6	60	12.1	8.0-16.2	17	1.9	0.9- 2.9
33	27.6	17.0-38.2	41	34.7	23.1-46.3	31	19.8	11.4-28.2
54	33.5	23.7-43.3	58	33.2	23.0-43.4	18	12.5	5.2-19.8
33	33.5	21.3-45.7	24	20.8	10.2-31.4	18	29.0	16.3-41.7
56	34.0	23.2-44.8	31	19.6	11.2-28.0	9	12.5	0.0-28.4
57	33.2	23.8-42.6	20	15.9	6.9-24.9	9	8.2	1.5-14.9
106	30.8	24.1-37.5	38	14.9	8.0-21.8	8	3.9	0.4- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	457	80,879	46	11.4	7.5-15.3	143	29.8	24.1-35.5
White/Non-Hisp	371	59,987	34	10.7	6.6-14.8	126	33.5	27.4-39.6
45-54	61	11,706	5	14.7	2.4-27.0	17	28.9	13.8-44.0
55-64	128	20,801	10	5.3	1.4- 9.2	32	20.4	12.8-28.0
65+	226	36,608	29	16.0	9.3-22.7	78	33.7	25.3-42.1
Less Than H.S.	50	13,034	4	8.4	0.0-18.0	8	9.9	1.9-17.9
H.S. or G.E.D.	126	27,476	7	6.2	1.1-11.3	26	24.2	14.0-34.4
Some Post-H.S.	112	20,460	14	19.5	9.7-29.3	42	36.9	26.1-47.7
College Graduate	165	19,441	20	12.0	5.3-18.7	67	44.2	34.0-54.4
\$15,000- 24,999	54	9,731	5	9.9	0.0-21.7	9	18.0	1.1-34.9
\$50,000- 74,999	65	12,992	10	15.7	5.1-26.3	26	34.7	19.6-49.8
\$75,000+	143	22,659	20	16.4	8.4-24.4	60	45.6	35.0-56.2

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
158	31.3	25.6-37.0	79	17.0	12.1-21.9	31	10.6	4.7-16.5
131	32.4	26.7-38.1	61	16.9	11.6-22.2	19	6.5	3.0-10.0
24	37.8	22.5-53.1	12	17.0	6.6-27.4	3	1.6	0.0- 3.8
46	35.1	24.5-45.7	28	22.3	13.1-31.5	12	16.9	6.5-27.3
74	30.2	22.0-38.4	33	14.9	7.8-22.0	12	5.2	1.3- 9.1
20	32.3	15.2-49.4	11	21.3	5.2-37.4	7	28.2	2.5-53.9
52	34.8	24.0-45.6	29	22.0	12.0-32.0	12	12.9	4.3-21.5
32	27.2	16.8-37.6	16	11.1	5.2-17.0	8	5.3	1.4- 9.2
52	30.0	20.8-39.2	22	12.6	5.7-19.5	4	1.2	0.0- 2.6
17	27.2	13.1-41.3	17	37.6	18.2-57.0	6	7.4	0.1-14.7
21	26.6	13.3-39.9	5	14.1	0.0-30.2	3	8.9	0.0-21.4
46	28.3	18.9-37.7	15	8.1	2.6-13.6	2	1.7	0.0- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	833	129,520	77	7.8	5.4-10.2	223	25.5	21.6-29.4
White/Non-Hisp	639	92,017	58	7.2	4.8- 9.6	190	29.6	25.1-34.1
Black or Afr. Am./Non-Hisp	115	26,191	9	6.2	1.1-11.3	18	12.9	6.0-19.8
35-44	51	10,991	4	7.6	0.0-16.8	15	34.3	16.1-52.5
45-54	115	20,491	5	6.5	0.0-13.4	30	24.6	15.0-34.2
55-64	201	32,763	18	6.4	2.9- 9.9	47	22.1	15.0-29.2
65+	440	57,752	47	9.5	6.0-13.0	128	28.4	22.7-34.1
Less Than H.S.	71	12,941	5	8.4	0.0-17.2	4	7.5	0.0-16.7
H.S. or G.E.D.	249	43,056	22	7.7	3.6-11.8	57	26.9	19.3-34.5
Some Post-H.S.	218	42,575	14	4.6	1.5- 7.7	57	22.1	15.4-28.8
College Graduate	291	30,552	36	12.2	7.1-17.3	104	35.9	28.8-43.0
Less than \$15,000	92	11,811	6	4.0	0.5- 7.5	8	8.3	1.0-15.6
\$15,000- 24,999	117	16,278	9	5.6	0.9-10.3	18	11.1	4.4-17.8
\$25,000- 34,999	62	10,264	3	5.8	0.0-14.4	11	11.0	3.7-18.3
\$35,000- 49,999	101	15,659	5	2.3	0.1- 4.5	28	35.8	22.1-49.5
\$50,000- 74,999	101	15,777	9	6.8	0.5-13.1	35	29.5	18.5-40.5
\$75,000+	174	30,963	16	8.4	3.5-13.3	69	33.3	24.3-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 7: ARTHRITIS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
267	32.1	27.8-36.4	176	22.3	18.2-26.4	90	12.4	9.3-15.5
217	34.2	29.5-38.9	118	18.1	14.2-22.0	56	10.9	7.4-14.4
31	30.7	18.9-42.5	36	35.1	21.6-48.6	21	15.0	7.0-23.0
15	29.6	14.7-44.5	12	20.6	7.9-33.3	5	7.9	0.0-17.5
33	27.4	16.8-38.0	31	29.8	18.4-41.2	16	11.8	4.7-18.9
59	33.6	24.4-42.8	54	22.0	14.4-29.6	23	15.8	8.0-23.6
153	34.3	28.6-40.0	72	17.7	12.8-22.6	40	10.1	6.2-14.0
22	25.9	13.7-38.1	20	21.0	11.0-31.0	20	37.3	22.6-52.0
69	26.9	19.6-34.2	67	25.3	18.2-32.4	34	13.1	7.8-18.4
74	34.9	26.5-43.3	51	27.2	18.0-36.4	22	11.1	5.2-17.0
100	37.7	30.3-45.1	38	11.8	6.7-16.9	13	2.4	0.8- 4.0
23	27.2	14.9-39.5	30	38.0	23.5-52.5	25	22.5	12.1-32.9
37	37.3	24.8-49.8	41	30.5	19.3-41.7	12	15.5	5.1-25.9
22	35.9	19.8-52.0	15	21.9	7.2-36.6	11	25.5	10.2-40.8
38	34.2	22.4-46.0	23	22.3	11.9-32.7	7	5.4	0.7-10.1
36	38.7	26.0-51.4	15	17.4	7.0-27.8	6	7.7	1.2-14.2
60	32.6	23.4-41.8	23	19.9	9.1-30.7	6	5.6	0.0-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	107
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4	MALES AND FEMALES	110
5	MALES ONLY	111
6	FEMALES ONLY	112
	THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
7	MALES AND FEMALES	113
8	MALES ONLY	114
9	FEMALES ONLY	115
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10	MALES AND FEMALES	116
11	MALES ONLY	117
12	FEMALES ONLY	118
	ARE YOU: (MARITAL STATUS) (MARITAL)	
13	MALES AND FEMALES	119
14	MALES ONLY	120
15	FEMALES ONLY	121
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16	MALES AND FEMALES	122
17	MALES ONLY	123
18	FEMALES ONLY	124
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19	MALES AND FEMALES	125
20	MALES ONLY	126
21	FEMALES ONLY	127

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	128
23 MALES ONLY	129
24 FEMALES ONLY	130
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	131
26 MALES ONLY	132
27 FEMALES ONLY	133
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	134
29 MALES ONLY	135
30 FEMALES ONLY	136
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	137
32 MALES ONLY	138
33 FEMALES ONLY	139
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	140
35 MALES ONLY	141
36 FEMALES ONLY	142
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	143
38 MALES ONLY	144
39 FEMALES ONLY	145
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	146
41 MALES ONLY	147
42 FEMALES ONLY	148

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	149
44 MALES ONLY	150
45 FEMALES ONLY	151
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46 MALES AND FEMALES	152
47 MALES ONLY	153
48 FEMALES ONLY	154
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
49 MALES AND FEMALES	155
50 MALES ONLY	156
51 FEMALES ONLY	157
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
52 MALES AND FEMALES	158
53 MALES ONLY	159
54 FEMALES ONLY	160
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
55 MALES AND FEMALES	161
56 MALES ONLY	162
57 FEMALES ONLY	163
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
58 MALES AND FEMALES	164
59 MALES ONLY	165
60 FEMALES ONLY	166
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
64 MALES AND FEMALES	170
65 MALES ONLY	171
66 FEMALES ONLY	172
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
67 MALES AND FEMALES	173

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
68	MALES ONLY	174
69	FEMALES ONLY	175
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
70	MALES AND FEMALES	176
71	MALES ONLY	177
72	FEMALES ONLY	178
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
73	MALES AND FEMALES	179
74	MALES ONLY	180
75	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3897	774,343	247	11.3	9.5-13.1	436	16.5	14.5-18.5	485	14.9	13.3-16.5	617	15.4	13.8-17.0	790	17.5	15.9-19.1	1322	24.4	22.8-26.0
Male	1741	370,097	140	12.0	9.6-14.4	219	17.3	14.4-20.2	213	15.2	12.7-17.7	265	15.5	13.1-17.9	355	17.1	14.9-19.3	549	22.8	20.4-25.2
Female	2156	404,246	107	10.7	8.2-13.2	217	15.7	13.2-18.2	272	14.6	12.4-16.8	352	15.3	13.3-17.3	435	17.8	15.6-20.0	773	25.9	23.7-28.1
White/Non-Hisp	2636	487,171	111	10.0	7.8-12.2	195	13.4	11.2-15.6	262	12.2	10.4-14.0	402	14.8	13.0-16.6	589	19.6	17.6-21.6	1077	30.0	27.8-32.2
Black or Afr. Am./Non-Hisp	493	159,709	32	11.6	7.1-16.1	50	15.3	10.4-20.2	63	16.2	11.7-20.7	106	19.9	15.4-24.4	108	17.0	13.1-20.9	134	19.8	15.5-24.1
Oth. Race/Non-Hisp.	147	39,300	16	14.4	6.2-22.6	31	33.2	21.0-45.4	24	23.0	13.0-33.0	21	11.2	4.9-17.5	21	9.2	3.5-14.9	34	8.9	4.8-13.0
MultiRacial/Non-Hisp.	78	8,099	14	31.9	15.6-48.2	17	23.1	9.8-36.4	17	24.7	12.4-37.0	8	4.0	0.9-7.1	8	7.2	0.0-14.5	14	9.1	2.0-16.2
Hispanic	446	63,015	68	16.7	12.0-21.4	137	34.3	26.9-41.7	106	25.6	19.1-32.1	58	10.6	7.1-14.1	49	9.2	5.3-13.1	28	3.6	1.8- 5.4
Less Than H.S.	408	84,301	32	8.9	5.0-12.8	81	21.2	14.1-28.3	82	18.3	13.0-23.6	44	9.4	6.1-12.7	63	16.5	11.8-21.2	106	25.6	19.9-31.3
H.S. or G.E.D.	1052	245,858	96	14.2	10.9-17.5	110	14.5	11.4-17.6	121	13.5	10.6-16.4	158	15.8	12.9-18.7	212	18.3	15.4-21.2	355	23.7	20.8-26.6
Some Post-H.S.	953	219,885	77	16.4	12.1-20.7	111	15.3	11.8-18.8	93	11.6	8.7-14.5	147	14.5	11.8-17.2	194	16.4	13.5-19.3	331	25.9	22.6-29.2
College Graduate	1458	219,782	38	4.0	2.4- 5.6	132	18.3	14.6-22.0	188	18.7	15.6-21.8	259	17.6	15.1-20.1	316	17.9	15.5-20.3	525	23.6	21.1-26.1
Less than \$15,000	296	47,293	23	11.8	4.4-19.2	32	12.5	6.8-18.2	53	17.8	11.9-23.7	47	16.3	10.0-22.6	58	17.4	11.7-23.1	83	24.1	17.8-30.4
\$15,000- 24,999	488	83,668	37	8.5	5.4-11.6	76	23.8	17.5-30.1	59	12.4	8.5-16.3	54	12.3	8.0-16.6	91	17.0	12.7-21.3	171	26.1	21.0-31.2
\$25,000- 34,999	295	53,541	12	6.7	2.4-11.0	37	18.1	11.4-24.8	36	15.2	8.1-22.3	37	11.1	7.0-15.2	51	16.4	10.9-21.9	122	32.4	25.5-39.3
\$35,000- 49,999	402	81,765	25	11.8	6.1-17.5	51	17.8	10.7-24.9	47	15.7	9.8-21.6	55	12.0	7.9-16.1	75	16.3	11.6-21.0	149	26.5	21.2-31.8
\$50,000- 74,999	449	95,439	29	13.3	7.4-19.2	47	13.0	8.9-17.1	44	14.8	9.3-20.3	59	13.3	8.8-17.8	105	18.1	13.8-22.4	165	27.4	22.1-32.7
\$75,000+	1147	248,655	46	8.9	5.8-12.0	102	17.0	13.3-20.7	180	18.7	15.6-21.8	263	21.3	18.4-24.2	268	18.8	16.1-21.5	288	15.3	13.1-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS
 TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1741	370,097	140	12.0	9.6-14.4	219	17.3	14.4-20.2	213	15.2	12.7-17.7	265	15.5	13.1-17.9	355	17.1	14.9-19.3	549	22.8	20.4-25.2
White/Non-Hisp	1200	233,962	63	9.8	6.9-12.7	114	15.9	12.6-19.2	112	12.1	9.6-14.6	181	15.6	13.1-18.1	273	18.9	16.4-21.4	457	27.7	24.8-30.6
Black or Afr. Am./Non-Hisp	171	73,300	14	11.3	5.0-17.6	15	14.5	6.3-22.7	25	17.5	9.9-25.1	34	19.3	12.0-26.6	42	17.6	11.3-23.9	41	19.8	12.7-26.9
Oth. Race/Non-Hisp.	77	18,941	10	17.6	5.6-29.6	18	32.8	17.3-48.3	13	22.3	9.0-35.6	11	9.6	2.2-17.0	10	9.1	1.5-16.7	15	8.6	2.9-14.3
Hispanic	214	32,651	42	22.1	14.3-29.9	63	28.7	18.5-38.9	53	29.7	19.7-39.7	24	8.6	4.1-13.1	19	8.3	2.8-13.8	13	2.5	0.9- 4.1
Less Than H.S.	202	45,314	23	12.2	5.9-18.5	35	19.1	8.5-29.7	41	21.3	12.9-29.7	24	10.3	5.2-15.4	35	16.4	9.9-22.9	44	20.8	13.2-28.4
H.S. or G.E.D.	481	128,824	60	16.8	11.9-21.7	65	16.3	11.6-21.0	57	12.6	8.5-16.7	76	17.2	12.7-21.7	112	19.0	14.9-23.1	111	18.1	14.0-22.2
Some Post-H.S.	401	92,131	36	14.4	8.7-20.1	53	17.2	11.3-23.1	39	13.0	7.9-18.1	52	13.7	9.4-18.0	80	14.9	11.0-18.8	141	26.8	21.7-31.9
College Graduate	644	101,928	17	3.6	1.6- 5.6	65	18.2	12.9-23.5	75	18.1	13.4-22.8	110	16.9	13.2-20.6	127	17.1	13.6-20.6	250	26.2	22.3-30.1
Less than \$15,000	106	19,861	10	9.0	2.3-15.7	13	12.7	3.3-22.1	23	22.5	11.5-33.5	15	15.6	6.0-25.2	22	21.6	11.2-32.0	23	18.6	8.6-28.6
\$15,000- 24,999	207	39,385	23	11.4	6.1-16.7	32	22.0	12.2-31.8	25	12.0	6.1-17.9	24	15.3	7.5-23.1	46	18.0	11.5-24.5	57	21.3	14.0-28.6
\$25,000- 34,999	135	25,783	8	6.9	1.4-12.4	16	18.5	7.9-29.1	16	14.1	3.7-24.5	18	10.8	4.7-16.9	24	16.7	9.1-24.3	53	33.0	23.0-43.0
\$35,000- 49,999	156	34,002	11	12.3	3.9-20.7	26	24.1	11.2-37.0	18	15.3	5.5-25.1	18	7.9	3.6-12.2	31	17.8	10.2-25.4	52	22.4	14.8-30.0
\$50,000- 74,999	229	53,844	17	12.5	5.8-19.2	29	14.1	8.6-19.6	24	16.9	8.7-25.1	28	14.4	7.5-21.3	49	16.1	10.6-21.6	82	26.0	18.9-33.1
\$75,000+	578	124,032	25	7.5	3.8-11.2	60	18.5	13.4-23.6	80	17.9	13.6-22.2	126	22.4	18.1-26.7	131	17.7	14.2-21.2	156	16.0	12.9-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS
 TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2156	404,246	107	10.7	8.2-13.2	217	15.7	13.2-18.2	272	14.6	12.4-16.8	352	15.3	13.3-17.3	435	17.8	15.6-20.0	773	25.9	23.7-28.1
White/Non-Hisp	1436	253,209	48	10.2	6.9-13.5	81	11.0	8.3-13.7	150	12.2	9.8-14.6	221	14.0	11.8-16.2	316	20.3	17.6-23.0	620	32.2	29.3-35.1
Black or Afr. Am./Non-Hisp	322	86,409	18	11.9	5.6-18.2	35	16.0	10.1-21.9	38	15.2	9.7-20.7	72	20.5	14.8-26.2	66	16.6	11.5-21.7	93	19.8	14.5-25.1
Oth. Race/Non-Hisp.	70	20,359	6	11.4	0.4-22.4	13	33.6	15.4-51.8	11	23.7	8.6-38.8	10	12.7	2.7-22.7	11	9.3	1.1-17.5	19	9.3	3.6-15.0
Hispanic	232	30,364	26	10.9	5.6-16.2	74	40.3	29.9-50.7	53	21.2	13.9-28.5	34	12.8	7.3-18.3	30	10.1	4.6-15.6	15	4.7	1.6- 7.8
Less Than H.S.	206	38,987	9	5.0	0.9- 9.1	46	23.8	14.6-33.0	41	14.7	8.6-20.8	20	8.5	4.2-12.8	28	16.7	9.4-24.0	62	31.3	22.7-39.9
H.S. or G.E.D.	571	117,034	36	11.5	7.2-15.8	45	12.6	8.3-16.9	64	14.4	10.1-18.7	82	14.2	10.5-17.9	100	17.5	13.4-21.6	244	29.8	25.3-34.3
Some Post-H.S.	552	127,754	41	17.8	11.5-24.1	58	13.9	9.6-18.2	54	10.5	7.0-14.0	95	15.1	11.4-18.8	114	17.5	13.4-21.6	190	25.2	20.9-29.5
College Graduate	814	117,854	21	4.3	1.8- 6.8	67	18.4	13.1-23.7	113	19.3	15.2-23.4	149	18.2	14.7-21.7	189	18.5	15.2-21.8	275	21.3	18.2-24.4
Less than \$15,000	190	27,432	13	13.9	2.3-25.5	19	12.4	5.3-19.5	30	14.4	8.1-20.7	32	16.9	8.9-24.9	36	14.3	8.4-20.2	60	28.1	19.7-36.5
\$15,000- 24,999	281	44,283	14	5.8	2.1- 9.5	44	25.4	17.2-33.6	34	12.7	7.6-17.8	30	9.7	5.6-13.8	45	16.0	10.1-21.9	114	30.4	23.5-37.3
\$25,000- 34,999	160	27,758	4	6.6	0.0-13.3	21	17.7	9.9-25.5	20	16.2	6.6-25.8	19	11.4	5.5-17.3	27	16.2	8.2-24.2	69	31.8	22.6-41.0
\$35,000- 49,999	246	47,763	14	11.4	3.6-19.2	25	13.2	6.1-20.3	29	16.0	8.7-23.3	37	14.9	8.6-21.2	44	15.2	9.3-21.1	97	29.3	22.0-36.6
\$50,000- 74,999	220	41,595	12	14.3	4.3-24.3	18	11.7	5.4-18.0	20	12.1	6.2-18.0	31	11.9	6.6-17.2	56	20.7	13.8-27.6	83	29.3	21.7-36.9
\$75,000+	569	124,623	21	10.3	5.2-15.4	42	15.4	10.1-20.7	100	19.5	15.2-23.8	137	20.3	16.2-24.4	137	20.0	15.9-24.1	132	14.6	11.5-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3847	765,317	139	3.4	2.6- 4.2	68	1.3	0.7- 1.9	10	0.1	0.0- 0.3	220	3.2	2.6- 3.8	9	0.1	0.1- 0.1	3401	91.8	90.6-93.0
Male	1716	365,513	71	3.3	2.3- 4.3	24	1.5	0.5- 2.5	6	0.1	0.0- 0.3	107	3.9	2.7- 5.1	6	0.1	0.0- 0.3	1502	91.1	89.3-92.9
Female	2131	399,804	68	3.5	2.3- 4.7	44	1.2	0.8- 1.6	4	0.2	0.0- 0.4	113	2.7	1.9- 3.5	3	0.1	0.0- 0.3	1899	92.4	91.0-93.8
18-24	242	86,168	18	3.6	1.4- 5.8	9	1.8	0.2- 3.4	1	0.1	0.0- 0.3	38	6.5	3.8- 9.2	2	0.2	0.0- 0.4	174	87.8	83.9-91.7
25-34	434	127,079	39	7.6	4.1-11.1	10	1.4	0.2- 2.6	4	0.3	0.0- 0.7	82	7.5	4.6-10.4	2	0.2	0.0- 0.4	297	83.0	78.5-87.5
35-44	482	114,338	44	7.1	4.4- 9.8	14	3.1	0.4- 5.8	2	0.1	0.0- 0.3	45	3.7	2.1- 5.3	1	0.2	0.0- 0.6	376	85.9	82.0-89.8
45-54	604	116,948	22	2.8	1.2- 4.4	10	1.0	0.2- 1.8				24	1.9	0.9- 2.9	2	0.1	0.0- 0.3	546	94.3	92.3-96.3
55-64	783	133,916	13	1.2	0.2- 2.2	15	1.2	0.4- 2.0				20	1.8	0.4- 3.2	1	0.1	0.0- 0.3	734	95.7	93.9-97.5
65+	1302	186,868	3	0.1	0.0- 0.3	10	0.4	0.0- 0.8	3	0.3	0.0- 0.7	11	0.4	0.2- 0.6	1	0.0	0.0- 0.0	1274	98.8	98.2-99.4
Less Than H.S.	405	83,722	70	15.7	11.0-20.4	14	3.6	0.3- 6.9	3	0.3	0.0- 0.7	121	17.5	12.6-22.4	2	0.3	0.0- 0.7	195	62.5	55.8-69.2
H.S. or G.E.D.	1039	242,451	37	3.7	1.9- 5.5	18	1.3	0.5- 2.1	2	0.1	0.1- 0.1	35	1.8	1.0- 2.6	5	0.1	0.0- 0.3	942	93.0	91.0-95.0
Some Post-H.S.	946	218,039	16	1.2	0.4- 2.0	21	1.3	0.5- 2.1	5	0.3	0.0- 0.7	27	1.2	0.6- 1.8	1	0.0	0.0- 0.0	876	95.9	94.5-97.3
College Graduate	1441	217,632	13	0.6	0.0- 1.2	15	0.5	0.1- 0.9				36	1.4	0.8- 2.0	1	0.1	0.0- 0.3	1376	97.5	96.7-98.3
Less than \$15,000	292	46,708	30	11.6	6.1-17.1	11	1.5	0.3- 2.7				40	6.3	3.9- 8.7	1	0.4	0.0- 1.2	210	80.3	74.2-86.4
\$15,000- 24,999	485	83,277	33	6.5	3.8- 9.2	15	3.4	1.2- 5.6	1	0.1	0.0- 0.3	60	8.2	4.5-11.9	2	0.2	0.0- 0.6	374	81.7	76.8-86.6
\$25,000- 34,999	292	52,899	12	3.3	0.2- 6.4	9	5.0	0.0-10.3	1	0.2	0.0- 0.6	17	2.7	1.3- 4.1	1	0.1	0.0- 0.3	252	88.7	82.6-94.8
\$35,000- 49,999	398	81,407	9	3.9	0.8- 7.0	8	0.9	0.1- 1.7	4	0.4	0.0- 0.8	19	3.1	1.1- 5.1	1	0.0	0.0- 0.0	357	91.7	88.0-95.4
\$50,000- 74,999	446	94,634	5	1.1	0.0- 2.3	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	7	0.8	0.2- 1.4	1	0.2	0.0- 0.6	429	97.5	95.9-99.1
\$75,000+	1134	245,943	7	0.9	0.1- 1.7	11	0.7	0.1- 1.3				16	0.9	0.3- 1.5				1100	97.5	96.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1716	365,513	71	3.3	2.3- 4.3	24	1.5	0.5- 2.5	6	0.1	0.0- 0.3	107	3.9	2.7- 5.1	6	0.1	0.0- 0.3	1502	91.1	89.3-92.9
18-24	136	43,260	12	5.6	1.9- 9.3	5	1.4	0.0- 3.0	1	0.2	0.0- 0.6	23	9.4	4.7-14.1	1	0.1	0.0- 0.3	94	83.3	77.0-89.6
25-34	219	64,209	24	6.7	2.8-10.6	5	2.0	0.0- 4.0	2	0.2	0.0- 0.6	32	5.7	1.4-10.0				156	85.4	79.3-91.5
35-44	213	56,379	18	6.8	2.9-10.7	6	4.6	0.0- 9.7	2	0.3	0.0- 0.7	26	5.2	2.5- 7.9	1	0.3	0.0- 0.9	160	82.8	76.1-89.5
45-54	259	56,300	8	2.1	0.1- 4.1	2	0.5	0.0- 1.3				12	2.3	0.7- 3.9	2	0.2	0.0- 0.4	235	95.0	92.5-97.5
55-64	350	62,258	7	0.6	0.2- 1.0	1	0.6	0.0- 1.8				10	3.0	0.5- 5.5	1	0.1	0.0- 0.3	331	95.6	92.7-98.5
65+	539	83,107	2	0.2	0.0- 0.6	5	0.3	0.1- 0.5	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	526	99.0	98.4-99.6
Less Than H.S.	201	44,935	38	14.5	8.4-20.6	6	4.7	0.0-10.8	1	0.2	0.0- 0.6	54	17.1	9.8-24.4	2	0.6	0.0- 1.4	100	63.0	53.2-72.8
H.S. or G.E.D.	473	126,659	12	2.6	0.8- 4.4	7	1.3	0.1- 2.5	2	0.1	0.0- 0.3	24	2.6	1.0- 4.2	3	0.1	0.0- 0.3	425	93.2	90.7-95.7
Some Post-H.S.	399	91,892	10	1.4	0.2- 2.6	7	1.3	0.0- 2.7	3	0.3	0.0- 0.7	13	1.6	0.4- 2.8	1	0.1	0.0- 0.3	365	95.4	93.2-97.6
College Graduate	635	100,720	9	1.0	0.0- 2.0	4	0.4	0.0- 0.8				15	1.5	0.5- 2.5				607	97.0	95.4-98.6
Less than \$15,000	104	19,427	12	16.2	5.8-26.6	3	0.6	0.0- 1.4				20	7.7	3.8-11.6	1	0.9	0.0- 2.7	68	74.6	63.6-85.6
\$15,000- 24,999	205	39,121	17	5.6	2.3- 8.9	6	5.3	0.8- 9.8				34	12.0	4.7-19.3	1	0.1	0.0- 0.3	147	77.0	68.6-85.4
\$25,000- 34,999	134	25,657	8	3.6	0.0- 7.5	3	5.8	0.0-15.6	1	0.4	0.0- 1.2	10	3.8	1.3- 6.3	1	0.3	0.0- 0.9	111	86.1	75.9-96.3
\$35,000- 49,999	155	33,823	3	1.8	0.0- 4.5	3	0.6	0.0- 1.4	4	0.9	0.0- 1.9	9	4.5	0.2- 8.8				136	92.1	86.8-97.4
\$50,000- 74,999	229	53,844	5	1.9	0.0- 4.1				1	0.1	0.0- 0.3	4	0.9	0.0- 1.9				219	97.1	94.7-99.5
\$75,000+	570	122,487	5	1.5	0.0- 3.1	4	0.7	0.0- 1.7				11	1.6	0.4- 2.8				550	96.2	94.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2131	399,804	68	3.5	2.3- 4.7	44	1.2	0.8- 1.6	4	0.2	0.0- 0.4	113	2.7	2.1- 3.3	3	0.1	0.0- 0.3	1899	92.4	91.0-93.8
18-24	106	42,908	6	1.6	0.0- 3.4	4	2.2	0.0- 4.9				15	3.6	1.4- 5.8	1	0.3	0.0- 0.9	80	92.3	88.2-96.4
25-34	215	62,870	15	8.5	2.8-14.2	5	0.8	0.0- 1.8	2	0.4	0.0- 1.0	50	9.4	5.7-13.1	2	0.4	0.0- 1.0	141	80.5	73.8-87.2
35-44	269	57,959	26	7.4	3.7-11.1	8	1.5	0.3- 2.7				19	2.2	1.0- 3.4				216	88.9	84.8-93.0
45-54	345	60,648	14	3.5	1.1- 5.9	8	1.4	0.2- 2.6				12	1.5	0.5- 2.5				311	93.6	90.9-96.3
55-64	433	71,658	6	1.7	0.0- 3.7	14	1.8	0.6- 3.0				10	0.8	0.0- 1.6				403	95.7	93.3-98.1
65+	763	103,761	1	0.1	0.0- 0.3	5	0.4	0.0- 1.0	2	0.4	0.0- 1.0	7	0.5	0.1- 0.9				748	98.6	97.6-99.6
Less Than H.S.	204	38,787	32	17.1	10.0-24.2	8	2.3	0.5- 4.1	2	0.5	0.0- 1.3	67	18.0	11.9-24.1				95	62.0	53.2-70.8
H.S. or G.E.D.	566	115,792	25	4.9	2.0- 7.8	11	1.3	0.1- 2.5				11	0.9	0.3- 1.5	2	0.1	0.0- 0.3	517	92.8	89.7-95.9
Some Post-H.S.	547	126,147	6	1.0	0.0- 2.2	14	1.4	0.6- 2.2	2	0.3	0.0- 0.9	14	1.0	0.4- 1.6				511	96.3	94.5-98.1
College Graduate	806	116,912	4	0.2	0.0- 0.4	11	0.6	0.0- 1.2				21	1.2	0.4- 2.0	1	0.2	0.0- 0.6	769	97.8	96.8-98.8
Less than \$15,000	188	27,281	18	8.4	2.7-14.1	8	2.1	0.3- 3.9				20	5.2	2.5- 7.9				142	84.3	77.6-91.0
\$15,000- 24,999	280	44,156	16	7.2	2.7-11.7	9	1.8	0.4- 3.2	1	0.2	0.0- 0.6	26	4.8	2.6- 7.0	1	0.3	0.0- 0.9	227	85.8	80.7-90.9
\$25,000- 34,999	158	27,242	4	3.0	0.0- 7.7	6	4.1	0.0- 8.4				7	1.7	0.3- 3.1				141	91.2	84.7-97.7
\$35,000- 49,999	243	47,584	6	5.4	0.5-10.3	5	1.1	0.0- 2.5				10	2.1	0.5- 3.7	1	0.1	0.0- 0.3	221	91.3	86.0-96.6
\$50,000- 74,999	217	40,791				3	0.8	0.0- 2.0				3	0.6	0.0- 1.4	1	0.5	0.0- 1.5	210	98.1	96.5-99.7
\$75,000+	564	123,456	2	0.3	0.0- 0.9	7	0.6	0.0- 1.2				5	0.3	0.0- 0.7				550	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3717	748,787	2727	66.8	64.4-69.2	516	21.2	19.0-23.4	41	1.0	0.6- 1.4	71	3.7	2.5- 4.9	4	0.0	0.0- 0.0	358	7.1	5.9- 8.3
Male	1663	358,338	1236	66.9	63.4-70.4	182	20.3	17.0-23.6	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	181	7.9	6.1- 9.7
Female	2054	390,449	1491	66.8	63.7-69.9	334	22.1	19.4-24.8	17	0.8	0.4- 1.2	33	3.9	2.1- 5.7	2	0.0	0.0- 0.0	177	6.4	5.0- 7.8
18-24	224	84,129	129	60.6	52.0-69.2	38	22.1	14.3-29.9	3	1.1	0.0- 2.5	14	6.4	2.5-10.3	1	0.1	0.0- 0.3	39	9.6	5.5-13.7
25-34	396	122,858	235	59.4	52.5-66.3	56	19.8	13.7-25.9	6	1.3	0.1- 2.5	16	7.8	3.3-12.3	1	0.0	0.0- 0.0	82	11.6	7.7-15.5
35-44	449	108,817	288	57.5	51.0-64.0	71	24.5	18.4-30.6	10	2.5	0.7- 4.3	14	5.9	2.4- 9.4				66	9.6	6.5-12.7
45-54	587	115,238	417	63.9	58.4-69.4	110	27.1	21.8-32.4	5	0.5	0.0- 1.1	12	2.8	0.8- 4.8				43	5.7	3.3- 8.1
55-64	771	132,612	592	72.5	68.0-77.0	106	19.9	15.6-24.2	6	0.5	0.1- 0.9	5	1.6	0.0- 3.2	1	0.1	0.0- 0.3	61	5.4	3.4- 7.4
65+	1290	185,132	1066	77.8	74.3-81.3	135	17.1	13.6-20.6	11	0.7	0.3- 1.1	10	0.6	0.0- 1.2	1	0.0	0.0- 0.0	67	3.7	2.5- 4.9
Less Than H.S.	331	74,419	181	55.8	48.0-63.6	51	23.4	15.8-31.0	12	2.9	0.7- 5.1	1	0.8	0.0- 2.4	2	0.2	0.0- 0.4	84	17.0	11.7-22.3
H.S. or G.E.D.	1025	241,582	746	67.8	63.7-71.9	159	23.0	19.1-26.9	13	1.1	0.3- 1.9	11	1.7	0.5- 2.9				96	6.3	4.3- 8.3
Some Post-H.S.	930	215,116	697	67.4	62.9-71.9	129	22.4	18.1-26.7	5	0.5	0.1- 0.9	7	2.1	0.5- 3.7	1	0.0	0.0- 0.0	91	7.6	5.4- 9.8
College Graduate	1420	214,684	1096	69.3	65.4-73.2	177	17.6	14.5-20.7	11	0.8	0.0- 1.6	52	8.7	5.6-11.8	1	0.0	0.0- 0.0	83	3.6	2.6- 4.6
Less than \$15,000	269	44,394	146	45.8	37.2-54.4	63	34.7	26.3-43.1	6	2.3	0.1- 4.5	3	2.6	0.0- 5.7				51	14.6	8.9-20.3
\$15,000- 24,999	458	79,974	296	60.1	53.4-66.8	78	25.9	19.6-32.2	11	2.2	0.6- 3.8	6	0.9	0.1- 1.7				67	10.9	6.4-15.4
\$25,000- 34,999	286	52,190	199	63.7	55.7-71.7	49	25.8	18.0-33.6	7	1.8	0.2- 3.4	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	29	8.5	4.2-12.8
\$35,000- 49,999	394	80,402	290	65.2	57.2-73.2	64	25.8	17.8-33.8	1	0.1	0.0- 0.3	4	3.7	0.0- 7.8	1	0.1	0.0- 0.3	34	5.1	2.9- 7.3
\$50,000- 74,999	443	93,527	345	69.9	63.2-76.6	61	22.4	16.1-28.7	1	0.1	0.0- 0.3	8	1.9	0.1- 3.7	1	0.1	0.0- 0.3	27	5.6	2.7- 8.5
\$75,000+	1128	245,404	915	73.4	69.5-77.3	115	15.6	12.3-18.9	7	1.0	0.2- 1.8	29	5.8	3.3- 8.3				62	4.2	2.8- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1663	358,338	1236	66.9	63.4-70.4	182	20.3	17.0-23.6	24	1.3	0.7- 1.9	38	3.6	2.2- 5.0	2	0.0	0.0- 0.0	181	7.9	6.1- 9.7
18-24	124	41,864	78	62.4	51.2-73.6	15	17.3	7.7-26.9	2	1.4	0.0- 3.4	9	7.5	1.8-13.2	1	0.2	0.0- 0.6	19	11.2	4.9-17.5
25-34	205	63,141	124	60.5	50.5-70.5	19	17.7	8.5-26.9	4	1.5	0.0- 3.3	8	6.6	1.3-11.9	1	0.1	0.0- 0.3	49	13.7	7.4-20.0
35-44	199	53,436	122	56.6	47.0-66.2	29	24.7	15.1-34.3	6	3.6	0.3- 6.9	6	4.4	0.3- 8.5				36	10.8	5.7-15.9
45-54	255	55,548	186	65.8	57.6-74.0	35	25.2	17.0-33.4	3	0.4	0.0- 1.0	7	2.6	0.1- 5.1				24	6.0	2.9- 9.1
55-64	347	62,063	274	72.4	65.7-79.1	42	20.1	13.6-26.6	2	0.3	0.0- 0.7	3	1.7	0.0- 3.9				26	5.5	2.6- 8.4
65+	533	82,286	452	77.4	71.5-83.3	42	17.7	11.8-23.6	7	0.9	0.1- 1.7	5	0.8	0.0- 1.6				27	3.2	1.6- 4.8
Less Than H.S.	169	39,840	89	51.8	40.4-63.2	17	21.6	9.6-33.6	11	5.0	1.1- 8.9	1	1.5	0.0- 4.4				51	20.1	11.7-28.5
H.S. or G.E.D.	466	126,560	340	67.1	61.0-73.2	63	22.8	17.1-28.5	4	0.7	0.0- 1.5	5	1.4	0.0- 2.8				54	8.0	4.9-11.1
Some Post-H.S.	394	91,115	303	70.4	63.7-77.1	42	18.8	12.3-25.3	2	0.4	0.0- 1.0	4	2.3	0.0- 4.7	1	0.1	0.0- 0.3	42	8.0	4.9-11.1
College Graduate	629	99,714	499	69.2	63.3-75.1	60	18.0	12.7-23.3	7	1.4	0.0- 2.8	28	8.3	4.4-12.2	1	0.0	0.0- 0.0	34	3.0	1.6- 4.4
Less than \$15,000	93	18,169	53	42.1	29.4-54.8	18	34.2	20.1-48.3	2	3.1	0.0- 7.6	2	5.0	0.0-12.1				18	15.6	6.0-25.2
\$15,000- 24,999	193	37,470	117	55.8	45.2-66.4	27	26.3	15.7-36.9	8	2.0	0.4- 3.6	6	2.0	0.2- 3.8				35	14.0	6.0-22.0
\$25,000- 34,999	133	25,529	99	72.1	61.1-83.1	12	15.6	5.6-25.6	5	2.6	0.0- 5.5	1	0.1	0.0- 0.3				16	9.6	3.3-15.9
\$35,000- 49,999	152	33,005	109	61.7	48.0-75.4	21	30.0	15.5-44.5				2	2.0	0.0- 5.5	1	0.1	0.0- 0.3	19	6.2	2.5- 9.9
\$50,000- 74,999	228	53,391	172	63.4	54.0-72.8	34	26.5	17.1-35.9				4	2.8	0.0- 5.7	1	0.1	0.0- 0.3	17	7.1	2.4-11.8
\$75,000+	569	122,504	473	75.5	70.2-80.8	43	13.2	8.7-17.7	4	1.4	0.0- 2.8	15	5.1	2.0- 8.2				34	4.8	2.6- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	390,449	1491	66.8	63.7-69.9	334	22.1	19.4-24.8	17	0.8	0.4- 1.2	33	3.9	2.1- 5.7	2	0.0	0.0- 0.0	177	6.4	5.0- 7.8
18-24	100	42,264	51	58.9	45.8-72.0	23	26.9	14.7-39.1	1	0.8	0.0- 2.4	5	5.4	0.0-10.9				20	8.0	2.7-13.3
25-34	191	59,717	111	58.2	48.6-67.8	37	22.0	14.0-30.0	2	1.1	0.0- 2.7	8	9.2	1.8-16.6				33	9.5	5.0-14.0
35-44	250	55,381	166	58.4	50.0-66.8	42	24.4	16.6-32.2	4	1.5	0.0- 3.3	8	7.3	1.6-13.0				30	8.4	4.5-12.3
45-54	332	59,691	231	62.1	54.8-69.4	75	28.9	22.0-35.8	2	0.6	0.0- 1.6	5	3.0	0.0- 6.1				19	5.5	2.0- 9.0
55-64	424	70,550	318	72.7	66.6-78.8	64	19.8	14.1-25.5	4	0.6	0.0- 1.2	2	1.5	0.0- 3.7	1	0.1	0.0- 0.3	35	5.3	2.8- 7.8
65+	757	102,846	614	78.2	73.9-82.5	93	16.7	12.6-20.8	4	0.5	0.1- 0.9	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0	40	4.1	2.3- 5.9
Less Than H.S.	162	34,579	92	60.3	50.3-70.3	34	25.4	16.2-34.6	1	0.4	0.0- 1.2				2	0.4	0.0- 1.0	33	13.5	7.6-19.4
H.S. or G.E.D.	559	115,022	406	68.6	63.1-74.1	96	23.2	17.9-28.5	9	1.7	0.5- 2.9	6	2.0	0.0- 4.2				42	4.4	2.4- 6.4
Some Post-H.S.	536	124,001	394	65.2	59.1-71.3	87	25.0	19.1-30.9	3	0.5	0.0- 1.3	3	2.0	0.0- 4.2				49	7.3	4.6-10.0
College Graduate	791	114,970	597	69.4	64.1-74.7	117	17.2	13.5-20.9	4	0.3	0.0- 0.7	24	9.0	4.5-13.5				49	4.0	2.4- 5.6
Less than \$15,000	176	26,224	93	48.3	37.1-59.5	45	35.0	24.4-45.6	4	1.7	0.0- 3.7	1	1.0	0.0- 2.8				33	14.0	7.1-20.9
\$15,000- 24,999	265	42,504	179	63.9	55.9-71.9	51	25.6	18.2-33.0	3	2.3	0.0- 5.0							32	8.2	4.1-12.3
\$25,000- 34,999	153	26,661	100	55.6	44.4-66.8	37	35.6	24.0-47.2	2	1.1	0.0- 2.7				1	0.3	0.0- 0.9	13	7.5	1.8-13.2
\$35,000- 49,999	242	47,398	181	67.7	57.9-77.5	43	23.0	14.0-32.0	1	0.1	0.0- 0.3	2	4.9	0.0-11.6				15	4.3	1.6- 7.0
\$50,000- 74,999	215	40,136	173	78.5	70.7-86.3	27	17.0	9.6-24.4	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5				10	3.6	0.7- 6.5
\$75,000+	559	122,901	442	71.2	65.5-76.9	72	18.0	13.1-22.9	3	0.6	0.0- 1.4	14	6.5	2.6-10.4				28	3.7	1.9- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	69	6,793	26	28.6	15.5-41.7	31	54.8	39.9-69.7	5	7.6	0.0-16.4	1	0.8	0.0- 2.4	6	8.3	1.4-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS
 TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3842	762,658	1845	50.3	47.9-52.7	539	10.3	9.1-11.5	449	7.4	6.4- 8.4	110	2.2	1.6- 2.8	715	25.5	23.3-27.7	184	4.4	3.6- 5.2			
Male	1717	364,504	902	53.0	49.7-56.3	213	9.1	7.3-10.9	108	3.7	2.9- 4.5	41	1.6	1.0- 2.2	361	27.9	24.8-31.0	92	4.7	3.3- 6.1			
Female	2125	398,154	943	47.8	44.7-50.9	326	11.4	9.6-13.2	341	10.7	9.1-12.3	69	2.7	1.7- 3.7	354	23.3	20.4-26.2	92	4.2	3.0- 5.4			
White/Non-Hisp	2613	482,082	1379	53.7	51.2-56.2	382	10.5	9.1-11.9	346	8.8	7.6-10.0	49	1.4	0.8- 2.0	370	21.4	18.9-23.9	87	4.2	3.2- 5.2			
Black or Afr. Am./Non-Hisp	486	156,513	170	38.9	33.0-44.8	91	13.4	9.7-17.1	55	6.0	3.8- 8.2	18	2.6	1.0- 4.2	146	37.7	31.6-43.8	6	1.5	0.0- 3.1			
Oth. Race/Non-Hisp.	144	38,854	67	58.5	47.3-69.7	16	7.9	1.6-14.2	16	3.9	1.4- 6.4	2	0.7	0.0- 1.9	39	25.9	16.3-35.5	4	3.0	0.0- 6.3			
MultiRacial/Non-Hisp.	78	8,099	16	20.4	8.8-32.0	14	8.0	2.3-13.7	7	4.6	0.0-10.3	1	0.3	0.0- 0.9	35	56.9	41.4-72.4	5	9.8	0.0-22.5			
Hispanic	442	62,250	171	48.1	40.8-55.4	29	3.9	1.7- 6.1	15	2.2	0.6- 3.8	36	7.3	3.8-10.8	113	24.5	19.0-30.0	78	14.1	9.8-18.4			
18-24	243	86,408	6	1.5	0.1- 2.9				2	0.6	0.0- 1.6	4	0.9	0.0- 2.1	203	89.8	85.9-93.7	28	7.3	4.0-10.6			
25-34	431	125,358	152	41.1	34.2-48.0	23	5.3	2.6- 8.0	3	0.6	0.0- 1.8	19	3.1	1.3- 4.9	169	40.1	33.6-46.6	65	9.9	6.6-13.2			
35-44	481	114,809	262	58.0	52.1-63.9	55	11.8	7.5-16.1	3	0.1	0.0- 0.3	19	2.6	1.0- 4.2	106	22.3	17.4-27.2	36	5.2	3.0- 7.4			
45-54	604	116,731	338	61.5	56.4-66.6	120	14.7	11.4-18.0	14	2.0	0.6- 3.4	26	3.2	1.6- 4.8	85	15.1	11.0-19.2	21	3.6	1.4- 5.8			
55-64	778	132,793	444	64.8	60.5-69.1	144	13.9	11.0-16.8	68	6.4	4.4- 8.4	22	1.9	0.9- 2.9	79	10.2	7.5-12.9	21	2.7	1.3- 4.1			
65+	1305	186,558	643	57.0	53.5-60.5	197	12.1	9.9-14.3	359	23.5	20.6-26.4	20	1.5	0.3- 2.7	73	5.3	3.7- 6.9	13	0.7	0.1- 1.3			
Less Than H.S.	404	83,504	140	40.9	33.6-48.2	55	11.9	8.0-15.8	62	12.1	8.4-15.8	26	5.6	2.5- 8.7	67	20.2	14.3-26.1	54	9.3	6.0-12.6			
H.S. or G.E.D.	1042	241,751	412	44.3	40.2-48.4	153	10.6	8.1-13.1	151	8.7	6.9-10.5	38	2.5	1.5- 3.5	234	29.1	25.0-33.2	54	4.9	3.1- 6.7			
Some Post-H.S.	945	218,732	422	45.3	41.0-49.6	140	10.6	8.2-13.0	110	7.1	5.3- 8.9	29	2.0	1.0- 3.0	206	31.5	26.8-36.2	38	3.4	2.0- 4.8			
College Graduate	1441	217,462	866	65.4	61.9-68.9	190	9.0	7.2-10.8	126	4.4	3.2- 5.6	17	0.7	0.3- 1.1	205	17.5	14.6-20.4	37	3.0	1.6- 4.4			
Less than \$15,000	294	47,119	46	20.2	13.3-27.1	73	17.9	12.6-23.2	37	9.7	5.8-13.6	25	6.0	2.9- 9.1	83	37.9	29.3-46.5	30	8.3	4.2-12.4			
\$15,000- 24,999	483	81,982	108	24.5	18.8-30.2	97	15.3	11.2-19.4	92	14.2	10.5-17.9	22	4.1	1.6- 6.6	133	34.6	28.5-40.7	31	7.2	3.5-10.9			
\$25,000- 34,999	292	52,452	103	41.8	33.6-50.0	47	13.2	8.3-18.1	57	13.8	9.3-18.3	14	4.8	1.9- 7.7	54	22.2	15.3-29.1	17	4.1	1.7- 6.5			
\$35,000- 49,999	399	81,246	169	48.8	41.4-56.2	73	15.6	10.3-20.9	60	8.8	5.9-11.7	7	0.9	0.1- 1.7	77	23.4	16.7-30.1	13	2.5	0.9- 4.1			
\$50,000- 74,999	447	95,146	242	52.8	46.1-59.5	67	10.4	7.1-13.7	32	4.8	2.3- 7.3	11	2.3	0.5- 4.1	82	26.6	19.9-33.3	13	3.3	1.1- 5.5			
\$75,000+	1145	247,992	817	68.6	64.7-72.5	99	6.5	4.7- 8.3	54	2.4	1.4- 3.4	11	0.4	0.0- 0.8	125	18.2	14.5-21.9	39	3.9	2.3- 5.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	364,504	902	53.0	49.7-56.3	213	9.1	7.3-10.9	108	3.7	2.9- 4.5	41	1.6	1.0- 2.2	361	27.9	24.8-31.0	92	4.7	3.3- 6.1
White/Non-Hisp	1187	230,764	690	57.1	53.2-61.0	149	9.2	7.4-11.0	86	4.6	3.4- 5.8	19	1.1	0.5- 1.7	202	24.1	20.4-27.8	41	4.0	2.6- 5.4
Black or Afr. Am./Non-Hisp	170	72,604	69	43.4	33.8-53.0	30	12.6	6.7-18.5	11	2.8	0.8- 4.8	7	2.7	0.3- 5.1	51	37.1	27.9-46.3	2	1.5	0.0- 4.2
Oth. Race/Non-Hisp.	75	18,516	35	54.3	38.8-69.8	8	4.1	0.4- 7.8	5	2.2	0.0- 4.6				24	33.8	19.5-48.1	3	5.6	0.0-12.5
Hispanic	213	32,559	79	46.7	35.9-57.5	12	3.5	0.4- 6.6	2	0.6	0.0- 1.6	14	4.4	1.3- 7.5	65	31.2	22.2-40.2	41	13.6	8.1-19.1
18-24	137	43,700	4	1.9	0.0- 4.3				1	0.4	0.0- 1.2				118	90.4	85.3-95.5	14	7.3	2.8-11.8
25-34	216	63,030	77	40.9	31.1-50.7	11	4.6	1.1- 8.1				8	2.1	0.1- 4.1	84	43.0	33.4-52.6	36	9.3	5.2-13.4
35-44	211	56,197	119	59.0	50.0-68.0	19	8.3	2.6-14.0				7	1.9	0.1- 3.7	50	24.3	16.5-32.1	16	6.4	2.7-10.1
45-54	261	56,427	151	60.0	52.0-68.0	44	12.6	7.9-17.3	9	2.4	0.6- 4.2	10	3.4	0.7- 6.1	42	19.1	12.0-26.2	5	2.4	0.0- 5.9
55-64	351	62,085	204	65.6	59.5-71.7	66	14.0	9.9-18.1	19	4.1	1.9- 6.3	10	2.0	0.6- 3.4	39	10.4	6.5-14.3	13	3.9	1.4- 6.4
65+	541	83,064	347	70.7	65.8-75.6	73	11.7	8.0-15.4	79	11.4	8.3-14.5	6	0.4	0.0- 0.8	28	5.1	2.7- 7.5	8	0.7	0.1- 1.3
Less Than H.S.	198	44,517	70	45.4	34.6-56.2	30	13.2	7.5-18.9	15	5.7	2.4- 9.0	12	3.9	0.6- 7.2	44	22.5	14.5-30.5	27	9.3	4.6-14.0
H.S. or G.E.D.	475	126,522	204	45.2	39.3-51.1	61	8.5	5.2-11.8	34	3.8	2.2- 5.4	13	1.9	0.7- 3.1	138	35.8	29.7-41.9	25	4.8	2.3- 7.3
Some Post-H.S.	396	91,391	195	48.0	41.3-54.7	54	10.0	6.7-13.3	28	4.0	2.0- 6.0	12	1.5	0.5- 2.5	85	31.4	24.3-38.5	22	5.1	2.6- 7.6
College Graduate	642	101,332	431	70.6	65.7-75.5	67	7.2	4.8- 9.6	31	2.5	1.3- 3.7	4	0.3	0.0- 0.7	91	17.3	13.0-21.6	18	2.1	0.9- 3.3
Less than \$15,000	105	19,806	19	28.6	15.9-41.3	17	12.6	5.0-20.2	10	6.0	1.3-10.7	7	4.9	0.0- 9.8	42	42.6	29.7-55.5	10	5.2	0.7- 9.7
\$15,000- 24,999	205	38,590	57	30.4	20.8-40.0	44	15.3	9.4-21.2	19	5.2	2.5- 7.9	7	3.8	0.1- 7.5	58	33.7	24.3-43.1	20	11.7	4.4-19.0
\$25,000- 34,999	133	25,159	59	49.0	37.2-60.8	20	13.0	5.6-20.4	14	5.9	2.2- 9.6	6	3.0	0.3- 5.7	25	24.7	13.9-35.5	9	4.3	1.2- 7.4
\$35,000- 49,999	156	34,002	71	46.8	34.6-59.0	31	16.4	7.2-25.6	9	3.1	0.7- 5.5	2	1.0	0.0- 2.4	37	30.2	18.8-41.6	6	2.4	0.2- 4.6
\$50,000- 74,999	227	53,551	129	53.0	44.0-62.0	27	8.7	4.6-12.8	9	2.8	0.6- 5.0	7	2.2	0.2- 4.2	47	29.3	20.5-38.1	8	4.0	0.7- 7.3
\$75,000+	576	123,369	410	70.0	64.7-75.3	48	6.0	3.8- 8.2	21	1.6	0.8- 2.4	4	0.3	0.1- 0.5	69	17.7	12.6-22.8	24	4.4	2.4- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2125	398,154	943	47.8	44.7-50.9	326	11.4	9.6-13.2	341	10.7	9.1-12.3	69	2.7	1.7- 3.7	354	23.3	20.4-26.2	92	4.2	3.0- 5.4
White/Non-Hisp	1426	251,319	689	50.6	46.9-54.3	233	11.8	9.8-13.8	260	12.8	10.6-15.0	30	1.7	0.9- 2.5	168	18.9	15.4-22.4	46	4.3	2.7- 5.9
Black or Afr. Am./Non-Hisp	316	83,908	101	35.0	27.9-42.1	61	14.0	9.5-18.5	44	8.9	5.4-12.4	11	2.5	0.1- 4.9	95	38.2	30.4-46.0	4	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	69	20,337	32	62.3	46.2-78.4	8	11.5	0.1-22.9	11	5.5	1.2- 9.8	2	1.4	0.0- 3.8	15	18.7	6.5-30.9	1	0.6	0.0- 1.8
Hispanic	229	29,691	92	49.6	39.6-59.6	17	4.4	1.7- 7.1	13	4.0	1.1- 6.9	22	10.4	4.1-16.7	48	17.1	11.0-23.2	37	14.5	8.0-21.0
18-24	106	42,708	2	1.0	0.0- 2.8				1	0.9	0.0- 2.7	4	1.7	0.0- 4.2	85	89.1	83.0-95.2	14	7.3	2.4-12.2
25-34	215	62,328	75	41.2	31.8-50.6	12	5.9	1.8-10.0	3	1.3	0.0- 3.5	11	4.0	0.9- 7.1	85	37.1	28.3-45.9	29	10.5	5.2-15.8
35-44	270	58,612	143	57.0	49.2-64.8	36	15.1	8.8-21.4	3	0.2	0.0- 0.4	12	3.3	0.9- 5.7	56	20.3	14.2-26.4	20	4.0	2.0- 6.0
45-54	343	60,304	187	62.8	56.3-69.3	76	16.7	12.0-21.4	5	1.7	0.0- 3.7	16	2.9	1.1- 4.7	43	11.3	6.8-15.8	16	4.7	2.2- 7.2
55-64	427	70,708	240	64.1	58.2-70.0	78	13.9	9.8-18.0	49	8.5	5.4-11.6	12	1.9	0.5- 3.3	40	10.0	5.9-14.1	8	1.7	0.3- 3.1
65+	764	103,494	296	45.9	41.2-50.6	124	12.4	9.7-15.1	280	33.2	28.7-37.7	14	2.4	0.4- 4.4	45	5.4	3.4- 7.4	5	0.7	0.0- 1.5
Less Than H.S.	206	38,987	70	35.8	26.8-44.8	25	10.3	5.0-15.6	47	19.5	12.8-26.2	14	7.5	2.0-13.0	23	17.6	8.6-26.6	27	9.3	4.4-14.2
H.S. or G.E.D.	567	115,229	208	43.4	37.7-49.1	92	12.9	9.2-16.6	117	14.0	10.7-17.3	25	3.0	1.4- 4.6	96	21.7	16.6-26.8	29	5.0	2.8- 7.2
Some Post-H.S.	549	127,342	227	43.4	37.5-49.3	86	11.1	8.0-14.2	82	9.4	6.7-12.1	17	2.4	0.8- 4.0	121	31.6	25.3-37.9	16	2.2	1.0- 3.4
College Graduate	799	116,131	435	60.9	56.0-65.8	123	10.5	8.0-13.0	95	6.0	4.0- 8.0	13	1.1	0.3- 1.9	114	17.7	13.6-21.8	19	3.8	1.4- 6.2
Less than \$15,000	189	27,313	27	14.1	7.6-20.6	56	21.8	14.5-29.1	27	12.4	6.7-18.1	18	6.8	2.7-10.9	41	34.4	22.4-46.4	20	10.5	4.2-16.8
\$15,000- 24,999	278	43,393	51	19.3	12.8-25.8	53	15.3	9.4-21.2	73	22.2	15.9-28.5	15	4.5	1.0- 8.0	75	35.4	27.4-43.4	11	3.3	0.9- 5.7
\$25,000- 34,999	159	27,294	44	35.3	23.9-46.7	27	13.3	6.8-19.8	43	21.0	13.2-28.8	8	6.5	1.6-11.4	29	19.9	11.7-28.1	8	4.0	0.5- 7.5
\$35,000- 49,999	243	47,244	98	50.3	41.1-59.5	42	15.0	8.7-21.3	51	12.9	8.2-17.6	5	0.8	0.0- 1.6	40	18.5	10.3-26.7	7	2.5	0.1- 4.9
\$50,000- 74,999	220	41,595	113	52.5	42.9-62.1	40	12.5	7.2-17.8	23	7.3	2.4-12.2	4	2.4	0.0- 5.1	35	23.0	13.0-33.0	5	2.4	0.2- 4.6
\$75,000+	569	124,623	407	67.2	61.3-73.1	51	7.0	4.5- 9.5	33	3.3	1.7- 4.9	7	0.5	0.0- 1.1	56	18.6	12.9-24.3	15	3.3	1.1- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	769,825	17	0.2	0.0- 0.4	175	4.0	3.2- 4.8	216	6.7	5.5- 7.9	1052	31.9	29.7-34.1	953	28.6	26.4-30.8	1458	28.5	26.5-30.5
Male	1728	368,197	5	0.2	0.0- 0.4	89	4.9	3.3- 6.5	108	7.3	5.3- 9.3	481	35.0	31.7-38.3	401	25.0	22.1-27.9	644	27.7	25.0-30.4
Female	2143	401,628	12	0.2	0.0- 0.4	86	3.2	2.2- 4.2	108	6.2	4.6- 7.8	571	29.1	26.4-31.8	552	31.8	28.9-34.7	814	29.3	26.8-31.8
White/Non-Hisp	2628	485,129				24	1.2	0.6- 1.8	103	5.3	4.1- 6.5	730	32.8	30.3-35.3	690	30.3	27.8-32.8	1081	30.4	28.2-32.6
Black or Afr. Am./Non-Hisp	492	158,877	1	0.1	0.0- 0.3	7	1.0	0.2- 1.8	39	9.6	5.7-13.5	154	35.3	29.6-41.0	122	30.5	24.8-36.2	169	23.4	18.9-27.9
Oth. Race/Non-Hisp.	146	39,279				4	3.4	0.0- 7.5	7	2.7	0.5- 4.9	33	19.6	11.2-28.0	24	18.1	9.1-27.1	78	56.4	45.0-67.8
MultiRacial/Non-Hisp.	78	8,099				1	0.8	0.0- 2.4	5	7.9	0.3-15.5	21	21.6	10.4-32.8	30	53.7	38.4-69.0	21	16.1	6.1-26.1
Hispanic	442	62,726	16	2.1	0.9- 3.3	136	34.8	27.5-42.1	58	13.1	8.8-17.4	97	27.0	20.1-33.9	70	14.1	9.6-18.6	65	8.8	5.9-11.7
18-24	243	87,187	1	0.1	0.0- 0.3	11	2.4	0.6- 4.2	20	6.1	2.8- 9.4	96	40.2	32.0-48.4	77	41.3	32.5-50.1	38	10.0	5.9-14.1
25-34	434	127,405	2	0.3	0.0- 0.7	59	7.1	4.2-10.0	20	6.6	2.1-11.1	110	28.0	22.1-33.9	111	26.4	20.7-32.1	132	31.5	25.2-37.8
35-44	484	115,143	9	0.5	0.1- 0.9	48	8.8	5.3-12.3	25	4.1	2.1- 6.1	121	28.8	23.1-34.5	93	22.1	16.8-27.4	188	35.8	30.3-41.3
45-54	608	117,383	1	0.1	0.0- 0.3	20	2.1	1.1- 3.1	23	4.5	2.3- 6.7	158	33.1	27.8-38.4	147	27.2	22.5-31.9	259	33.0	28.5-37.5
55-64	785	134,192	2	0.2	0.0- 0.6	17	2.9	1.1- 4.7	44	7.4	4.9- 9.9	212	33.5	29.0-38.0	194	26.9	22.8-31.0	316	29.2	25.5-32.9
65+	1317	188,514	2	0.1	0.0- 0.3	20	1.8	0.8- 2.8	84	9.6	7.1-12.1	355	30.9	27.4-34.4	331	30.2	26.9-33.5	525	27.5	24.8-30.2
Less than \$15,000	293	47,105	3	0.4	0.0- 0.8	46	15.3	9.4-21.2	47	20.9	14.4-27.4	99	34.5	26.1-42.9	67	22.2	15.9-28.5	31	6.8	3.5-10.1
\$15,000- 24,999	487	83,031	4	0.4	0.0- 0.8	39	7.6	3.7-11.5	60	15.3	10.6-20.0	200	43.4	37.1-49.7	121	27.4	21.7-33.1	63	5.8	3.8- 7.8
\$25,000- 34,999	295	53,541	2	0.5	0.0- 1.3	15	6.3	0.8-11.8	19	8.0	3.5-12.5	104	40.0	32.4-47.6	95	33.3	25.9-40.7	60	11.9	8.0-15.8
\$35,000- 49,999	402	81,765				6	2.4	0.0- 4.8	20	9.2	3.5-14.9	123	37.9	30.6-45.2	121	27.9	21.6-34.2	132	22.6	16.7-28.5
\$50,000- 74,999	449	95,439	1	0.1	0.0- 0.3	5	1.3	0.0- 2.7	6	2.2	0.0- 4.4	110	33.6	27.1-40.1	126	33.4	26.9-39.9	201	29.5	24.2-34.8
\$75,000+	1147	248,655	1	0.0	0.0- 0.0	5	0.5	0.0- 1.1	13	1.8	0.4- 3.2	161	17.8	14.7-20.9	227	28.0	24.1-31.9	740	51.9	47.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	368,197	5	0.2	0.0- 0.4	89	4.9	3.3- 6.5	108	7.3	5.3- 9.3	481	35.0	31.7-38.3	401	25.0	22.1-27.9	644	27.7	25.0-30.4
White/Non-Hisp	1195	232,853				15	1.6	0.6- 2.6	52	5.5	3.7- 7.3	333	35.7	32.0-39.4	303	28.0	24.5-31.5	492	29.2	26.3-32.1
Black or Afr. Am./Non-Hisp	171	73,300	1	0.3	0.0- 0.9	3	1.3	0.0- 2.9	11	10.0	2.9-17.1	64	41.6	32.2-51.0	37	23.0	15.0-31.0	55	23.9	16.5-31.3
Oth. Race/Non-Hisp.	77	18,941				4	7.0	0.0-15.2	6	5.1	0.6- 9.6	15	17.8	7.0-28.6	11	16.7	5.1-28.3	41	53.4	38.1-68.7
Hispanic	211	32,452	4	1.3	0.0- 2.7	65	36.2	25.2-47.2	32	13.7	7.6-19.8	48	26.4	17.2-35.6	34	13.1	7.2-19.0	28	9.2	4.5-13.9
18-24	136	44,015				8	3.8	0.3- 7.3	15	8.7	3.0-14.4	60	49.1	37.9-60.3	36	30.1	19.5-40.7	17	8.2	3.5-12.9
25-34	218	64,060				21	5.6	0.9-10.3	14	7.9	0.8-15.0	65	32.8	24.0-41.6	53	24.8	16.6-33.0	65	28.9	20.5-37.3
35-44	212	56,278	2	0.3	0.0- 0.7	27	12.1	5.8-18.4	12	4.8	1.7- 7.9	57	28.8	20.4-37.2	39	21.3	13.5-29.1	75	32.7	24.5-40.9
45-54	262	56,654	1	0.3	0.0- 0.9	12	2.9	1.1- 4.7	11	5.0	1.5- 8.5	76	39.1	31.1-47.1	52	22.2	15.7-28.7	110	30.4	23.7-37.1
55-64	354	63,118	1	0.3	0.0- 0.9	12	4.2	1.1- 7.3	22	7.2	3.9-10.5	112	38.8	32.1-45.5	80	21.8	16.5-27.1	127	27.7	22.2-33.2
65+	546	84,072	1	0.1	0.0- 0.3	9	1.9	0.5- 3.3	34	9.2	5.3-13.1	111	27.7	22.2-33.2	141	29.3	24.2-34.4	250	31.7	27.0-36.4
Less than \$15,000	104	19,752				24	23.4	12.2-34.6	21	24.5	13.1-35.9	30	33.0	20.5-45.5	15	10.4	3.9-16.9	14	8.7	2.2-15.2
\$15,000- 24,999	207	39,385	2	0.6	0.0- 1.4	21	9.7	2.4-17.0	28	16.3	9.0-23.6	79	42.4	32.6-52.2	50	26.2	17.8-34.6	27	4.9	2.4- 7.4
\$25,000- 34,999	135	25,783	1	0.8	0.0- 2.4	10	8.8	0.0-18.6	9	9.7	2.3-17.1	56	43.2	32.0-54.4	40	28.3	17.9-38.7	19	9.1	3.8-14.4
\$35,000- 49,999	156	34,002				3	2.9	0.0- 6.8	11	12.8	0.8-24.8	47	37.3	25.5-49.1	46	25.5	16.7-34.3	49	21.5	12.3-30.7
\$50,000- 74,999	229	53,844	1	0.1	0.0- 0.3	4	1.9	0.0- 4.1	6	3.9	0.4- 7.4	68	41.5	32.3-50.7	63	28.5	20.3-36.7	87	24.1	17.6-30.6
\$75,000+	578	124,032				4	1.0	0.0- 2.2	7	1.3	0.0- 2.7	96	22.2	17.5-26.9	112	25.1	20.0-30.2	359	50.3	44.8-55.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	401,628	12	0.2	0.0- 0.4	86	3.2	2.2- 4.2	108	6.2	4.6- 7.8	571	29.1	26.4-31.8	552	31.8	28.9-34.7	814	29.3	26.8-31.8
White/Non-Hisp	1433	252,275				9	0.8	0.2- 1.4	51	5.1	3.3- 6.9	397	30.1	26.8-33.4	387	32.4	28.9-35.9	589	31.6	28.5-34.7
Black or Afr. Am./Non-Hisp	321	85,577				4	0.7	0.0- 1.5	28	9.3	5.2-13.4	90	29.9	23.0-36.8	85	37.0	29.4-44.6	114	23.0	17.7-28.3
Oth. Race/Non-Hisp.	69	20,337							1	0.4	0.0- 1.2	18	21.2	8.5-33.9	13	19.3	5.6-33.0	37	59.1	42.2-76.0
Hispanic	231	30,274	12	2.9	0.9- 4.9	71	33.3	24.1-42.5	26	12.5	6.2-18.8	49	27.6	17.6-37.6	36	15.3	8.6-22.0	37	8.4	4.7-12.1
18-24	107	43,172	1	0.2	0.0- 0.6	3	0.9	0.0- 2.1	5	3.4	0.0- 6.9	36	31.1	19.7-42.5	41	52.6	39.7-65.5	21	11.7	4.6-18.8
25-34	216	63,346	2	0.5	0.0- 1.3	38	8.7	4.8-12.6	6	5.4	0.1-10.7	45	23.2	15.4-31.0	58	28.0	20.0-36.0	67	34.1	25.1-43.1
35-44	272	58,865	7	0.7	0.1- 1.3	21	5.6	2.3- 8.9	13	3.5	1.1- 5.9	64	28.7	21.1-36.3	54	22.9	16.0-29.8	113	38.7	31.3-46.1
45-54	346	60,730				8	1.4	0.2- 2.6	12	4.0	1.5- 6.5	82	27.4	20.9-33.9	95	31.8	25.3-38.3	149	35.3	29.0-41.6
55-64	431	71,074	1	0.0	0.0- 0.0	5	1.7	0.0- 3.7	22	7.5	3.8-11.2	100	28.8	22.9-34.7	114	31.4	25.1-37.7	189	30.6	25.3-35.9
65+	771	104,442	1	0.0	0.0- 0.0	11	1.7	0.5- 2.9	50	10.0	6.7-13.3	244	33.4	29.1-37.7	190	30.8	26.3-35.3	275	24.1	20.6-27.6
Less than \$15,000	189	27,353	3	0.6	0.0- 1.4	22	9.5	3.8-15.2	26	18.2	10.8-25.6	69	35.6	24.2-47.0	52	30.7	21.3-40.1	17	5.3	1.8- 8.8
\$15,000- 24,999	280	43,646	2	0.2	0.0- 0.6	18	5.8	2.3- 9.3	32	14.5	8.4-20.6	121	44.2	36.2-52.2	71	28.6	21.0-36.2	36	6.6	3.5- 9.7
\$25,000- 34,999	160	27,758	1	0.2	0.0- 0.6	5	4.1	0.0- 9.2	10	6.3	1.2-11.4	48	37.0	26.4-47.6	55	37.9	27.3-48.5	41	14.6	8.9-20.3
\$35,000- 49,999	246	47,763				3	2.1	0.0- 5.0	9	6.6	2.1-11.1	76	38.3	29.3-47.3	75	29.7	21.3-38.1	83	23.3	15.7-30.9
\$50,000- 74,999	220	41,595				1	0.6	0.0- 1.8				42	23.3	15.7-30.9	63	39.7	29.7-49.7	114	36.4	28.0-44.8
\$75,000+	569	124,623	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	6	2.3	0.0- 4.8	65	13.3	9.6-17.0	115	30.8	24.9-36.7	381	53.5	47.6-59.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3855	766,179	2681	73.3	71.3-75.3	977	21.1	19.3-22.9	197	5.5	4.5- 6.5
Male	1718	365,005	1167	72.4	69.5-75.3	464	22.1	19.6-24.6	87	5.5	4.1- 6.9
Female	2137	401,174	1514	74.2	71.7-76.7	513	20.3	17.9-22.7	110	5.6	4.2- 7.0
White/Non-Hisp	2617	483,370	2117	82.6	80.6-84.6	384	12.9	11.1-14.7	116	4.6	3.4- 5.8
Black or Afr. Am./Non-Hisp	488	157,340	260	61.1	55.4-66.8	198	32.4	27.1-37.7	30	6.5	3.8- 9.2
Oth. Race/Non-Hisp.	146	39,279	86	64.1	53.3-74.9	48	25.7	16.3-35.1	12	10.3	3.8-16.8
MultiRacial/Non-Hisp.	78	8,099	26	45.1	29.2-61.0	44	43.0	28.1-57.9	8	11.9	0.9-22.9
Hispanic	443	62,786	127	40.2	32.6-47.8	287	52.3	45.0-59.6	29	7.4	3.9-10.9
18-24	243	85,663	39	34.1	24.7-43.5	134	39.5	31.7-47.3	70	26.4	19.5-33.3
25-34	433	127,036	167	51.5	44.8-58.2	233	41.3	34.8-47.8	33	7.2	4.3-10.1
35-44	481	114,544	270	70.6	65.7-75.5	197	26.8	22.1-31.5	14	2.6	1.0- 4.2
45-54	604	116,967	467	86.0	83.1-88.9	120	12.6	9.7-15.5	17	1.4	0.4- 2.4
55-64	777	133,742	616	86.5	83.8-89.2	132	11.4	8.9-13.9	29	2.2	1.0- 3.4
65+	1317	188,228	1122	90.3	88.3-92.3	161	8.0	6.2- 9.8	34	1.7	0.9- 2.5
Less Than H.S.	405	83,938	129	44.6	37.3-51.9	257	50.6	43.5-57.7	19	4.8	2.1- 7.5
H.S. or G.E.D.	1041	242,305	669	71.0	67.5-74.5	305	22.3	19.0-25.6	67	6.6	4.6- 8.6
Some Post-H.S.	948	219,067	651	72.3	68.4-76.2	224	20.5	17.0-24.0	73	7.3	4.9- 9.7
College Graduate	1450	219,019	1226	87.8	85.6-90.0	186	9.2	7.4-11.0	38	3.0	1.8- 4.2
Less than \$15,000	294	46,988	89	39.7	31.3-48.1	184	53.1	44.7-61.5	21	7.2	3.1-11.3
\$15,000- 24,999	488	83,668	225	50.2	43.9-56.5	234	43.9	37.6-50.2	29	6.0	3.1- 8.9
\$25,000- 34,999	294	53,196	191	67.5	60.2-74.8	92	29.7	22.6-36.8	11	2.8	0.4- 5.2
\$35,000- 49,999	401	80,815	282	76.7	71.4-82.0	98	19.1	14.2-24.0	21	4.2	2.0- 6.4
\$50,000- 74,999	448	95,242	358	80.0	74.9-85.1	73	14.5	10.2-18.8	17	5.5	2.6- 8.4
\$75,000+	1147	248,655	1013	87.1	84.2-90.0	100	8.9	6.4-11.4	34	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1718	365,005	1167	72.4	69.5-75.3	464	22.1	19.6-24.6	87	5.5	4.1- 6.9
White/Non-Hisp	1188	231,184	944	81.8	79.1-84.5	187	13.5	11.0-16.0	57	4.7	3.1- 6.3
Black or Afr. Am./Non-Hisp	168	71,902	85	61.6	52.6-70.6	74	33.1	24.5-41.7	9	5.4	1.5- 9.3
Oth. Race/Non-Hisp.	77	18,941	42	53.8	38.5-69.1	29	31.4	17.9-44.9	6	14.8	3.6-26.0
Hispanic	212	32,554	56	40.2	29.0-51.4	144	53.2	42.4-64.0	12	6.7	1.8-11.6
18-24	136	42,491	20	30.0	18.0-42.0	77	42.0	31.4-52.6	39	28.0	18.6-37.4
25-34	216	63,611	88	55.6	46.2-65.0	114	38.4	29.4-47.4	14	6.0	2.3- 9.7
35-44	211	56,075	111	67.5	59.7-75.3	95	30.0	22.6-37.4	5	2.5	0.1- 4.9
45-54	260	56,451	201	86.7	82.4-91.0	52	12.4	8.1-16.7	7	0.9	0.1- 1.7
55-64	349	62,457	270	83.8	79.3-88.3	67	13.7	9.6-17.8	12	2.5	0.3- 4.7
65+	546	83,920	477	91.8	88.9-94.7	59	7.2	4.3-10.1	10	1.0	0.4- 1.6
Less Than H.S.	200	45,077	58	44.6	33.8-55.4	131	49.2	38.8-59.6	11	6.2	1.7-10.7
H.S. or G.E.D.	472	125,648	297	70.8	65.7-75.9	140	21.4	16.9-25.9	35	7.8	4.7-10.9
Some Post-H.S.	398	91,596	268	70.9	64.8-77.0	101	23.7	17.8-29.6	29	5.4	2.9- 7.9
College Graduate	642	101,866	542	88.2	85.3-91.1	88	9.4	6.9-11.9	12	2.4	0.8- 4.0
Less than \$15,000	104	19,556	27	31.9	19.7-44.1	67	59.0	46.1-71.9	10	9.1	1.7-16.5
\$15,000- 24,999	207	39,385	81	46.5	36.5-56.5	111	45.3	35.5-55.1	15	8.2	3.1-13.3
\$25,000- 34,999	134	25,438	79	62.2	51.0-73.4	51	34.4	23.4-45.4	4	3.3	0.0- 7.2
\$35,000- 49,999	155	33,052	106	75.4	66.2-84.6	42	20.4	11.8-29.0	7	4.2	0.5- 7.9
\$50,000- 74,999	228	53,647	175	77.7	70.6-84.8	44	17.2	10.9-23.5	9	5.1	1.4- 8.8
\$75,000+	578	124,032	497	85.9	82.0-89.8	63	10.6	7.1-14.1	18	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2137	401,174	1514	74.2	71.7-76.7	513	20.3	17.9-22.7	110	5.6	4.2- 7.0
White/Non-Hisp	1429	252,186	1173	83.2	80.3-86.1	197	12.3	9.8-14.8	59	4.5	2.9- 6.1
Black or Afr. Am./Non-Hisp	320	85,438	175	60.7	53.4-68.0	124	31.8	25.1-38.5	21	7.5	3.6-11.4
Oth. Race/Non-Hisp.	69	20,337	44	73.6	59.7-87.5	19	20.3	7.6-33.0	6	6.1	0.0-12.6
Hispanic	231	30,231	71	40.3	29.9-50.7	143	51.4	41.4-61.4	17	8.3	3.4-13.2
18-24	107	43,172	19	38.2	23.9-52.5	57	37.0	25.4-48.6	31	24.9	14.9-34.9
25-34	217	63,425	79	47.4	38.2-56.6	119	44.3	35.1-53.5	19	8.3	3.8-12.8
35-44	270	58,469	159	73.6	67.5-79.7	102	23.7	18.0-29.4	9	2.8	0.6- 5.0
45-54	344	60,515	266	85.3	81.2-89.4	68	12.8	9.1-16.5	10	1.9	0.3- 3.5
55-64	428	71,285	346	88.8	85.5-92.1	65	9.3	6.2-12.4	17	1.9	0.9- 2.9
65+	771	104,308	645	89.1	86.6-91.6	102	8.7	6.3-11.1	24	2.2	1.0- 3.4
Less Than H.S.	205	38,860	71	44.6	35.2-54.0	126	52.2	42.6-61.8	8	3.2	0.5- 5.9
H.S. or G.E.D.	569	116,657	372	71.3	66.4-76.2	165	23.3	18.6-28.0	32	5.3	2.9- 7.7
Some Post-H.S.	550	127,471	383	73.3	68.2-78.4	123	18.1	13.8-22.4	44	8.6	5.3-11.9
College Graduate	808	117,153	684	87.5	84.4-90.6	98	9.0	6.5-11.5	26	3.4	1.4- 5.4
Less than \$15,000	190	27,432	62	45.3	34.1-56.5	117	48.9	38.1-59.7	11	5.8	1.3-10.3
\$15,000- 24,999	281	44,283	144	53.5	45.5-61.5	123	42.6	34.6-50.6	14	4.0	1.1- 6.9
\$25,000- 34,999	160	27,758	112	72.3	63.1-81.5	41	25.3	16.3-34.3	7	2.4	0.0- 5.1
\$35,000- 49,999	246	47,763	176	77.6	71.1-84.1	56	18.1	12.2-24.0	14	4.3	1.6- 7.0
\$50,000- 74,999	220	41,595	183	82.9	75.8-90.0	29	11.1	5.2-17.0	8	6.1	1.6-10.6
\$75,000+	569	124,623	516	88.3	84.2-92.4	37	7.1	3.8-10.4	16	4.6	2.1- 7.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3766	740,058	3554	95.3	94.3-96.3	127	2.5	1.9- 3.1	85	2.2	1.6- 2.8
Male	1679	353,086	1585	95.8	94.6-97.0	55	2.1	1.3- 2.9	39	2.2	1.2- 3.2
Female	2087	386,972	1969	94.8	93.4-96.2	72	2.9	1.9- 3.9	46	2.3	1.3- 3.3
White/Non-Hisp	2544	466,254	2497	98.0	97.2-98.8	19	0.6	0.2- 1.0	28	1.3	0.5- 2.1
Black or Afr. Am./Non-Hisp	471	150,245	453	96.0	93.6-98.4	7	1.9	0.1- 3.7	11	2.1	0.7- 3.5
Oth. Race/Non-Hisp.	143	37,276	139	96.3	91.2- 100	2	0.6	0.0- 1.6	2	3.1	0.0- 8.2
MultiRacial/Non-Hisp.	77	8,064	77	100.0	100.0- 100						
Hispanic	437	61,590	314	75.9	70.2-81.6	96	18.5	13.4-23.6	27	5.5	2.8- 8.2
18-24	234	81,193	199	90.3	85.6-95.0	19	4.0	1.3- 6.7	16	5.6	1.9- 9.3
25-34	416	121,057	360	91.6	88.5-94.7	35	4.8	2.4- 7.2	21	3.6	1.4- 5.8
35-44	467	110,148	429	94.9	92.7-97.1	31	3.8	2.0- 5.6	7	1.3	0.1- 2.5
45-54	600	113,684	573	97.2	95.8-98.6	12	1.1	0.3- 1.9	15	1.7	0.7- 2.7
55-64	760	130,639	736	97.6	96.2-99.0	14	1.4	0.2- 2.6	10	1.1	0.1- 2.1
65+	1289	183,337	1257	97.2	96.0-98.4	16	1.2	0.4- 2.0	16	1.5	0.5- 2.5
Less Than H.S.	402	83,204	302	83.1	78.6-87.6	79	13.0	9.1-16.9	21	3.9	1.7- 6.1
H.S. or G.E.D.	1023	237,171	974	96.6	95.4-97.8	27	1.4	0.8- 2.0	22	2.0	1.0- 3.0
Some Post-H.S.	910	206,584	885	96.5	94.5-98.5	10	1.6	0.2- 3.0	15	2.0	0.6- 3.4
College Graduate	1408	210,444	1377	97.7	96.5-98.9	10	0.5	0.1- 0.9	21	1.8	0.6- 3.0
Less than \$15,000	289	46,059	251	91.2	87.1-95.3	27	6.5	2.8-10.2	11	2.3	0.5- 4.1
\$15,000- 24,999	478	80,938	442	93.3	90.6-96.0	29	5.6	3.1- 8.1	7	1.1	0.1- 2.1
\$25,000- 34,999	289	52,089	279	97.6	95.8-99.4	6	1.0	0.0- 2.0	4	1.4	0.0- 3.0
\$35,000- 49,999	390	78,108	378	95.6	92.1-99.1	6	1.8	0.0- 3.6	6	2.6	0.0- 5.7
\$50,000- 74,999	427	89,228	421	97.9	95.9-99.9	3	1.6	0.0- 3.4	3	0.5	0.0- 1.3
\$75,000+	1103	239,273	1087	98.3	97.3-99.3	7	0.7	0.0- 1.5	9	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1679	353,086	1585	95.8	94.6-97.0	55	2.1	1.3- 2.9	39	2.2	1.2- 3.2
White/Non-Hisp	1151	222,030	1131	98.2	97.0-99.4	8	0.6	0.0- 1.2	12	1.2	0.2- 2.2
Black or Afr. Am./Non-Hisp	164	69,259	159	97.8	95.6- 100	2	0.4	0.0- 1.0	3	1.8	0.0- 4.0
Oth. Race/Non-Hisp.	76	18,789	74	98.8	96.8- 100	1	0.2	0.0- 0.6	1	1.0	0.0- 3.0
Hispanic	211	32,006	154	76.9	69.1-84.7	44	17.3	10.2-24.4	13	5.8	1.7- 9.9
18-24	131	40,276	115	94.5	91.4-97.6	8	2.5	0.3- 4.7	8	3.0	0.8- 5.2
25-34	209	61,837	184	93.5	89.6-97.4	15	2.3	0.5- 4.1	10	4.2	0.7- 7.7
35-44	203	53,257	184	93.3	89.4-97.2	13	4.2	1.1- 7.3	6	2.5	0.1- 4.9
45-54	257	54,548	246	97.6	95.8-99.4	5	1.0	0.0- 2.0	6	1.4	0.0- 2.8
55-64	344	61,319	332	96.1	93.2-99.0	7	2.1	0.0- 4.5	5	1.8	0.0- 3.8
65+	535	81,848	524	98.2	97.0-99.4	7	0.9	0.1- 1.7	4	0.9	0.0- 1.9
Less Than H.S.	198	44,493	153	84.2	77.9-90.5	35	12.6	6.9-18.3	10	3.2	0.7- 5.7
H.S. or G.E.D.	466	122,801	447	97.4	95.8-99.0	10	0.8	0.2- 1.4	9	1.9	0.3- 3.5
Some Post-H.S.	380	86,067	369	97.5	95.3-99.7	5	0.5	0.0- 1.1	6	2.0	0.0- 4.0
College Graduate	623	98,219	609	98.0	96.6-99.4	4	0.2	0.0- 0.4	10	1.8	0.4- 3.2
Less than \$15,000	106	19,861	89	91.8	86.3-97.3	12	6.5	1.4-11.6	5	1.8	0.0- 3.6
\$15,000- 24,999	202	37,473	185	93.9	90.4-97.4	13	5.2	1.9- 8.5	4	0.9	0.0- 1.9
\$25,000- 34,999	132	24,798	129	98.0	95.5- 100	2	1.0	0.0- 2.6	1	1.0	0.0- 3.0
\$35,000- 49,999	149	32,562	144	94.6	88.5- 100	3	2.6	0.0- 6.5	2	2.8	0.0- 7.5
\$50,000- 74,999	214	50,143	210	97.9	95.4- 100	2	1.8	0.0- 4.3	2	0.3	0.0- 0.7
\$75,000+	558	120,154	551	98.9	97.9-99.9	2	0.1	0.0- 0.3	5	1.0	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	386,972	1969	94.8	93.4-96.2	72	2.9	1.9- 3.9	46	2.3	1.3- 3.3
White/Non-Hisp	1393	244,224	1366	97.9	96.7-99.1	11	0.6	0.2- 1.0	16	1.4	0.4- 2.4
Black or Afr. Am./Non-Hisp	307	80,986	294	94.4	90.7-98.1	5	3.3	0.0- 6.6	8	2.4	0.6- 4.2
Oth. Race/Non-Hisp.	67	18,487	65	93.7	83.7- 100	1	1.1	0.0- 3.3	1	5.2	0.0-15.0
Hispanic	226	29,584	160	74.9	66.9-82.9	52	19.9	12.6-27.2	14	5.2	1.5- 8.9
18-24	103	40,917	84	86.2	77.6-94.8	11	5.5	0.4-10.6	8	8.3	1.2-15.4
25-34	207	59,219	176	89.7	84.8-94.6	20	7.3	2.8-11.8	11	3.0	0.8- 5.2
35-44	264	56,891	245	96.4	94.2-98.6	18	3.4	1.2- 5.6	1	0.2	0.0- 0.6
45-54	343	59,136	327	96.8	94.8-98.8	7	1.3	0.1- 2.5	9	1.9	0.3- 3.5
55-64	416	69,320	404	98.9	98.1-99.7	7	0.7	0.1- 1.3	5	0.4	0.0- 0.8
65+	754	101,489	733	96.4	94.4-98.4	9	1.5	0.3- 2.7	12	2.1	0.7- 3.5
Less Than H.S.	204	38,711	149	81.7	75.2-88.2	44	13.5	7.8-19.2	11	4.8	1.3- 8.3
H.S. or G.E.D.	557	114,370	527	95.9	94.1-97.7	17	2.0	0.8- 3.2	13	2.1	0.7- 3.5
Some Post-H.S.	530	120,518	516	95.8	92.9-98.7	5	2.3	0.0- 4.7	9	1.9	0.1- 3.7
College Graduate	785	112,225	768	97.4	95.4-99.4	6	0.8	0.0- 1.6	11	1.8	0.0- 3.6
Less than \$15,000	183	26,198	162	90.8	84.7-96.9	15	6.6	1.1-12.1	6	2.6	0.0- 5.3
\$15,000- 24,999	276	43,465	257	92.8	88.7-96.9	16	6.0	2.3- 9.7	3	1.2	0.0- 3.0
\$25,000- 34,999	157	27,290	150	97.2	94.7-99.7	4	1.0	0.0- 2.2	3	1.8	0.0- 4.0
\$35,000- 49,999	241	45,547	234	96.4	92.1- 100	3	1.2	0.0- 2.6	4	2.4	0.0- 6.5
\$50,000- 74,999	213	39,084	211	98.0	95.1- 100	1	1.2	0.0- 3.6	1	0.8	0.0- 2.4
\$75,000+	545	119,118	536	97.8	95.8-99.8	5	1.3	0.0- 2.9	4	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3897	774,343	3604	93.1	91.9-94.3	100	2.2	1.6- 2.8	193	4.7	3.7- 5.7
Male	1741	370,097	1599	92.4	90.6-94.2	53	2.3	1.3- 3.3	89	5.2	3.8- 6.6
Female	2156	404,246	2005	93.7	92.3-95.1	47	2.1	1.3- 2.9	104	4.2	3.0- 5.4
White/Non-Hisp	2636	487,171	2505	94.9	93.7-96.1	24	0.9	0.3- 1.5	107	4.2	3.2- 5.2
Black or Afr. Am./Non-Hisp	493	159,709	460	93.0	90.1-95.9	12	2.8	1.0- 4.6	21	4.2	1.8- 6.6
Oth. Race/Non-Hisp.	147	39,300	137	93.2	87.3-99.1	4	3.4	0.0- 8.3	6	3.4	0.0- 6.9
MultiRacial/Non-Hisp.	78	8,099	71	94.0	87.5- 100	1	1.1	0.0- 3.3	6	5.0	0.0-11.1
Hispanic	446	63,015	363	84.6	80.3-88.9	53	9.3	6.0-12.6	30	6.1	3.4- 8.8
18-24	247	87,587	216	89.2	84.3-94.1	21	7.1	3.0-11.2	10	3.6	0.9- 6.3
25-34	436	127,634	378	91.5	88.4-94.6	28	3.0	1.4- 4.6	30	5.5	2.8- 8.2
35-44	485	115,244	444	93.7	91.3-96.1	21	2.9	1.3- 4.5	20	3.4	1.6- 5.2
45-54	617	119,322	566	92.1	89.2-95.0	4	0.3	0.0- 0.7	47	7.6	4.7-10.5
55-64	790	135,500	754	95.4	93.4-97.4	7	0.8	0.0- 1.6	29	3.8	2.0- 5.6
65+	1322	189,056	1246	94.7	93.1-96.3	19	1.2	0.6- 1.8	57	4.2	2.8- 5.6
Less Than H.S.	408	84,301	337	86.4	82.3-90.5	48	9.0	5.5-12.5	23	4.7	2.2- 7.2
H.S. or G.E.D.	1052	245,858	970	93.3	91.3-95.3	25	1.8	0.8- 2.8	57	4.9	3.3- 6.5
Some Post-H.S.	953	219,885	905	95.2	93.4-97.0	12	1.5	0.3- 2.7	36	3.3	1.9- 4.7
College Graduate	1458	219,782	1382	94.6	92.8-96.4	11	0.6	0.2- 1.0	65	4.8	3.0- 6.6
Less than \$15,000	296	47,293	269	92.2	87.9-96.5	18	6.0	1.9-10.1	9	1.8	0.4- 3.2
\$15,000- 24,999	488	83,668	458	93.9	90.8-97.0	16	2.5	0.9- 4.1	14	3.5	0.8- 6.2
\$25,000- 34,999	295	53,541	279	95.3	92.4-98.2	4	1.7	0.0- 3.7	12	3.0	0.8- 5.2
\$35,000- 49,999	402	81,765	384	91.6	86.7-96.5	6	2.2	0.0- 4.9	12	6.2	1.9-10.5
\$50,000- 74,999	449	95,439	434	97.7	96.1-99.3	3	0.7	0.0- 1.5	12	1.7	0.5- 2.9
\$75,000+	1147	248,655	1103	96.6	95.2-98.0	8	0.7	0.0- 1.5	36	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1741	370,097	1599	92.4	90.6-94.2	53	2.3	1.3- 3.3	89	5.2	3.8- 6.6
White/Non-Hisp	1200	233,962	1129	94.1	92.3-95.9	14	1.0	0.2- 1.8	57	4.9	3.3- 6.5
Black or Afr. Am./Non-Hisp	171	73,300	160	92.1	86.8-97.4	5	3.4	0.1- 6.7	6	4.5	0.2- 8.8
Oth. Race/Non-Hisp.	77	18,941	73	96.1	91.4- 100	2	1.0	0.0- 2.6	2	2.9	0.0- 7.2
Hispanic	214	32,651	173	84.6	78.3-90.9	27	8.4	4.1-12.7	14	7.0	2.5-11.5
18-24	140	44,415	121	89.2	82.9-95.5	15	8.3	2.4-14.2	4	2.5	0.0- 5.0
25-34	219	64,209	187	90.0	84.9-95.1	13	2.2	0.6- 3.8	19	7.8	2.9-12.7
35-44	213	56,379	191	92.9	89.2-96.6	11	3.4	0.7- 6.1	11	3.7	1.2- 6.2
45-54	265	57,296	247	92.9	88.4-97.4	1	0.1	0.0- 0.3	17	7.0	2.5-11.5
55-64	355	63,359	335	94.2	91.1-97.3	4	1.3	0.0- 3.1	16	4.5	2.0- 7.0
65+	549	84,439	518	94.1	91.6-96.6	9	0.9	0.1- 1.7	22	5.0	2.6- 7.4
Less Than H.S.	202	45,314	170	88.8	83.5-94.1	24	9.1	4.2-14.0	8	2.1	0.5- 3.7
H.S. or G.E.D.	481	128,824	433	90.9	87.6-94.2	12	2.1	0.3- 3.9	36	7.0	4.1- 9.9
Some Post-H.S.	401	92,131	380	95.3	92.8-97.8	5	0.4	0.0- 0.8	16	4.3	1.8- 6.8
College Graduate	644	101,928	611	94.5	91.8-97.2	9	1.1	0.1- 2.1	24	4.5	2.0- 7.0
Less than \$15,000	106	19,861	95	92.1	85.8-98.4	7	6.0	0.1-11.9	4	1.9	0.0- 3.9
\$15,000- 24,999	207	39,385	190	91.0	84.9-97.1	9	3.2	0.7- 5.7	8	5.9	0.2-11.6
\$25,000- 34,999	135	25,783	127	94.1	89.0-99.2	3	3.0	0.0- 7.1	5	2.9	0.0- 6.0
\$35,000- 49,999	156	34,002	146	88.5	79.3-97.7	4	3.4	0.0- 8.9	6	8.1	0.3-15.9
\$50,000- 74,999	229	53,844	220	96.8	94.3-99.3	3	1.2	0.0- 2.8	6	2.0	0.0- 4.0
\$75,000+	578	124,032	555	96.4	94.6-98.2	6	1.1	0.0- 2.5	17	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2156	404,246	2005	93.7	92.3-95.1	47	2.1	1.3- 2.9	104	4.2	3.0- 5.4
White/Non-Hisp	1436	253,209	1376	95.6	94.0-97.2	10	0.8	0.0- 1.6	50	3.7	2.3- 5.1
Black or Afr. Am./Non-Hisp	322	86,409	300	93.9	90.8-97.0	7	2.2	0.4- 4.0	15	3.9	1.2- 6.6
Oth. Race/Non-Hisp.	70	20,359	64	90.5	80.1- 100	2	5.7	0.0-14.9	4	3.8	0.0- 9.3
Hispanic	232	30,364	190	84.6	78.5-90.7	26	10.2	4.9-15.5	16	5.2	2.1- 8.3
18-24	107	43,172	95	89.2	81.6-96.8	6	5.9	0.0-11.8	6	4.8	0.0- 9.9
25-34	217	63,425	191	93.0	89.5-96.5	15	3.8	1.3- 6.3	11	3.2	0.7- 5.7
35-44	272	58,865	253	94.5	91.4-97.6	10	2.4	0.4- 4.4	9	3.1	0.6- 5.6
45-54	352	62,026	319	91.3	87.4-95.2	3	0.5	0.0- 1.1	30	8.2	4.3-12.1
55-64	435	72,141	419	96.5	94.3-98.7	3	0.3	0.0- 0.7	13	3.2	1.0- 5.4
65+	773	104,617	728	95.1	93.1-97.1	10	1.3	0.1- 2.5	35	3.5	1.9- 5.1
Less Than H.S.	206	38,987	167	83.6	76.9-90.3	24	8.8	3.9-13.7	15	7.6	2.7-12.5
H.S. or G.E.D.	571	117,034	537	96.0	94.4-97.6	13	1.4	0.4- 2.4	21	2.7	1.3- 4.1
Some Post-H.S.	552	127,754	525	95.1	92.6-97.6	7	2.3	0.3- 4.3	20	2.6	1.2- 4.0
College Graduate	814	117,854	771	94.7	92.3-97.1	2	0.2	0.0- 0.4	41	5.1	2.7- 7.5
Less than \$15,000	190	27,432	174	92.2	86.5-97.9	11	6.1	0.6-11.6	5	1.7	0.0- 3.7
\$15,000- 24,999	281	44,283	268	96.5	94.0-99.0	7	2.0	0.0- 4.2	6	1.5	0.0- 3.1
\$25,000- 34,999	160	27,758	152	96.4	93.3-99.5	1	0.5	0.0- 1.5	7	3.2	0.3- 6.1
\$35,000- 49,999	246	47,763	238	93.8	88.5-99.1	2	1.3	0.0- 3.7	6	4.8	0.0- 9.7
\$50,000- 74,999	220	41,595	214	98.8	97.6- 100				6	1.2	0.0- 2.4
\$75,000+	569	124,623	548	96.7	94.9-98.5	2	0.3	0.0- 0.9	19	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1030	145,275	349	31.0	26.9-35.1	681	69.0	64.9-73.1
Male	378	59,214	143	33.6	26.7-40.5	235	66.4	59.5-73.3
Female	652	86,061	206	29.2	24.3-34.1	446	70.8	65.9-75.7
White/Non-Hisp	809	105,711	263	29.6	25.3-33.9	546	70.4	66.1-74.7
Black or Afr. Am./Non-Hisp	133	27,905	51	36.3	24.0-48.6	82	63.7	51.4-76.0
45-54	109	19,019	39	34.3	22.7-45.9	70	65.7	54.1-77.3
55-64	218	29,884	70	26.4	19.1-33.7	148	73.6	66.3-80.9
65+	631	76,370	219	30.6	25.5-35.7	412	69.4	64.3-74.5
Less Than H.S.	60	13,176	12	19.1	6.6-31.6	48	80.9	68.4-93.4
H.S. or G.E.D.	276	47,212	85	30.6	22.6-38.6	191	69.4	61.4-77.4
Some Post-H.S.	241	40,917	86	34.7	26.5-42.9	155	65.3	57.1-73.5
College Graduate	450	43,573	165	31.6	25.9-37.3	285	68.4	62.7-74.1
Less than \$15,000	58	7,747	18	10.7	4.0-17.4	40	89.3	82.6-96.0
\$15,000- 24,999	126	15,639	34	22.6	13.4-31.8	92	77.4	68.2-86.6
\$25,000- 34,999	74	9,849	22	21.7	10.7-32.7	52	78.3	67.3-89.3
\$35,000- 49,999	108	15,001	35	27.0	16.4-37.6	73	73.0	62.4-83.6
\$50,000- 74,999	127	18,864	41	32.3	19.6-45.0	86	67.7	55.0-80.4
\$75,000+	281	40,604	114	38.7	30.7-46.7	167	61.3	53.3-69.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	378	59,214	143	33.6	26.5-40.7	235	66.4	59.3-73.5
White/Non-Hisp	308	43,711	112	31.6	24.3-38.9	196	68.4	61.1-75.7
55-64	88	12,685	30	29.0	17.4-40.6	58	71.0	59.4-82.6
65+	220	28,379	88	36.3	27.3-45.3	132	63.7	54.7-72.7
H.S. or G.E.D.	89	20,063	28	31.8	17.9-45.7	61	68.2	54.3-82.1
Some Post-H.S.	93	16,792	30	33.5	19.6-47.4	63	66.5	52.6-80.4
College Graduate	178	18,367	79	37.5	28.5-46.5	99	62.5	53.5-71.5
\$75,000+	134	20,015	57	37.0	24.7-49.3	77	63.0	50.7-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	652	86,061	206	29.2	24.3-34.1	446	70.8	65.9-75.7
White/Non-Hisp	501	62,000	151	28.2	22.9-33.5	350	71.8	66.5-77.1
Black or Afr. Am./Non-Hisp	101	17,318	36	30.7	17.0-44.4	65	69.3	55.6-83.0
45-54	64	9,348	23	44.5	29.2-59.8	41	55.5	40.2-70.8
55-64	130	17,199	40	24.4	15.2-33.6	90	75.6	66.4-84.8
65+	411	47,992	131	27.2	21.5-32.9	280	72.8	67.1-78.5
H.S. or G.E.D.	187	27,149	57	29.8	20.2-39.4	130	70.2	60.6-79.8
Some Post-H.S.	148	24,124	56	35.5	25.5-45.5	92	64.5	54.5-74.5
College Graduate	272	25,207	86	27.3	20.0-34.6	186	72.7	65.4-80.0
\$15,000- 24,999	86	9,775	21	20.7	9.3-32.1	65	79.3	67.9-90.7
\$35,000- 49,999	71	9,746	21	22.2	10.0-34.4	50	77.8	65.6-90.0
\$50,000- 74,999	80	10,651	22	27.1	12.8-41.4	58	72.9	58.6-87.2
\$75,000+	147	20,589	57	40.3	29.7-50.9	90	59.7	49.1-70.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	339	42,633	239	82.5	77.6-87.4	72	11.8	8.1-15.5	21	3.2	0.8- 5.6	3	0.5	0.0- 1.3	3	1.6	0.0- 4.3	1	0.3	0.0- 0.9
Male	137	18,228	89	80.9	73.3-88.5	33	15.3	8.2-22.4	11	1.8	0.6- 3.0	3	1.2	0.0- 3.2				1	0.8	0.0- 2.4
Female	202	24,405	150	83.8	77.3-90.3	39	9.1	5.4-12.8	10	4.2	0.1- 8.3				3	2.9	0.0- 7.6			
White/Non-Hisp	256	30,315	174	79.9	73.8-86.0	55	12.3	8.0-16.6	20	4.3	1.0- 7.6	3	0.7	0.0- 1.9	3	2.3	0.0- 6.0	1	0.5	0.0- 1.5
55-64	68	7,514	55	87.6	79.4-95.8	8	7.2	1.5-12.9	3	1.1	0.0- 2.5	1	2.3	0.0- 6.8				1	1.9	0.0- 5.0
65+	213	21,670	133	72.4	64.4-80.4	61	19.5	13.2-25.8	16	4.9	0.6- 9.2	1	0.1	0.0- 0.3	2	3.1	0.0- 8.4			
H.S. or G.E.D.	82	13,119	57	83.3	75.1-91.5	21	13.7	6.4-21.0	3	1.9	0.0- 4.6							1	1.1	0.0- 3.3
Some Post-H.S.	83	13,627	59	87.5	81.2-93.8	18	9.5	4.2-14.8	5	2.4	0.0- 4.8				1	0.6	0.0- 1.8			
College Graduate	162	13,486	118	86.2	80.5-91.9	29	9.7	4.8-14.6	11	2.3	0.7- 3.9	3	1.6	0.0- 4.1	1	0.2	0.0- 0.6			
\$75,000+	110	15,001	76	89.0	83.7-94.3	18	4.9	2.0- 7.8	13	4.6	1.3- 7.9	2	1.3	0.0- 3.7	1	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	137	18,228	89	80.9	73.1-88.7	33	15.3	8.2-22.4	11	1.8	0.6- 3.0	3	1.2	0.0- 3.2	1	0.8	0.0- 2.4
White/Non-Hisp	108	13,360	68	80.2	71.2-89.2	25	14.6	6.6-22.6	11	2.5	0.9- 4.1	3	1.6	0.0- 4.1	1	1.1	0.0- 3.3
65+	85	9,002	50	72.5	60.5-84.5	25	24.3	12.7-35.9	9	3.0	0.8- 5.2	1	0.2	0.0- 0.6			
College Graduate	76	6,609	49	78.2	67.2-89.2	17	15.6	6.2-25.0	7	3.0	0.6- 5.4	3	3.2	0.0- 8.3			
\$75,000+	54	7,011	35	86.9	78.1-95.7	11	7.7	1.8-13.6	6	2.6	0.2- 5.0	2	2.8	0.0- 7.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	202	24,405	150	83.8	77.3-90.3	39	9.1	5.4-12.8	10	4.2	0.1- 8.3	3	2.9	0.0- 7.6
White/Non-Hisp	148	16,956	106	79.6	71.0-88.2	30	10.5	5.6-15.4	9	5.8	0.1-11.5	3	4.1	0.0-10.8
65+	128	12,668	83	72.3	61.3-83.3	36	16.1	9.2-23.0	7	6.3	0.0-13.6	2	5.3	0.0-14.1
H.S. or G.E.D.	56	7,953	40	83.8	73.6-94.0	14	13.5	4.5-22.5	2	2.7	0.0- 7.0			
Some Post-H.S.	54	8,208	39	86.9	79.1-94.7	11	9.0	2.7-15.3	3	3.1	0.0- 6.8	1	1.0	0.0- 3.0
College Graduate	86	6,878	69	93.9	90.4-97.4	12	4.1	1.4- 6.8	4	1.6	0.0- 3.4	1	0.4	0.0- 1.2
\$75,000+	56	7,990	41	90.8	84.3-97.3	7	2.4	0.4- 4.4	7	6.4	0.5-12.3	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3814	756,681	3214	85.3	83.9-86.7	368	8.5	7.3- 9.7	69	1.8	1.2- 2.4	25	0.6	0.2- 1.0	3	0.2	0.0- 0.4	5	0.1	0.1- 0.1	130	3.4	2.6- 4.1
Male	1703	361,071	1401	83.2	81.0-85.4	194	10.6	8.8-12.4	39	2.3	1.3- 3.3	12	0.4	0.2- 0.6	1	0.3	0.0- 0.9	2	0.1	0.1- 0.1	54	3.1	2.1- 4.1
Female	2111	395,610	1813	87.3	85.5-89.1	174	6.7	5.3- 8.1	30	1.3	0.7- 1.9	13	0.8	0.2- 1.4	2	0.1	0.0- 0.3	3	0.1	0.0- 0.3	76	3.8	2.8- 4.8
White/Non-Hisp	2587	477,002	2138	84.0	82.2-85.8	279	9.1	7.7-10.5	50	1.9	1.3- 2.5	19	0.9	0.5- 1.3	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	99	4.0	3.0- 5.0
Black or Afr. Am./Non-Hisp	487	156,728	422	87.8	84.3-91.3	39	7.4	4.7-10.1	8	1.3	0.1- 2.5	1	0.0	0.0- 0.0	1	0.7	0.0- 2.1				16	2.7	0.9- 4.4
Oth. Race/Non-Hisp.	146	39,120	125	90.4	84.9-95.9	8	4.1	0.6- 7.6	4	3.2	0.0- 6.7	2	0.7	0.0- 1.9				1	0.1	0.0- 0.3	6	1.5	0.1- 2.9
MultiRacial/Non-Hisp.	74	7,847	63	85.7	75.1-96.3	8	11.7	1.5-21.9	1	0.6	0.0- 1.8										2	2.1	0.0- 5.0
Hispanic	438	61,872	400	87.3	81.8-92.8	23	8.4	3.5-13.3	5	1.3	0.0- 2.9	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	3	0.7	0.0- 1.7	4	1.9	0.0- 4.0
18-24	245	86,687	223	90.9	86.4-95.4	14	4.8	1.9- 7.7	5	2.2	0.0- 4.6	1	0.2	0.0- 0.6	1	1.2	0.0- 3.6				1	0.7	0.0- 2.0
25-34	429	126,164	400	93.5	90.6-96.4	23	5.5	2.6- 8.4	4	0.7	0.0- 1.5							1	0.2	0.0- 0.6	1	0.1	0.0- 0.0
35-44	479	114,359	422	89.5	86.4-92.6	41	7.6	4.9-10.3	7	1.4	0.2- 2.6	5	1.1	0.0- 2.3	1	0.1	0.0- 0.3				3	0.4	0.0- 0.0
45-54	597	115,005	511	84.8	81.1-88.5	45	8.9	5.8-12.0	23	3.5	1.9- 5.1	8	1.1	0.1- 2.1	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6	7	1.3	0.1- 2.5
55-64	772	131,069	653	85.4	82.3-88.5	78	8.3	6.1-10.5	11	1.7	0.5- 2.9	7	1.2	0.2- 2.2							23	3.4	1.6- 5.3
65+	1292	183,396	1005	74.9	71.8-78.0	167	13.0	10.5-15.5	19	1.5	0.7- 2.3	4	0.3	0.1- 0.5				2	0.1	0.0- 0.3	95	10.3	7.9-12.7
Less Than H.S.	397	82,023	347	82.9	77.8-88.0	19	6.8	3.3-10.3	5	1.6	0.0- 3.2							2	0.3	0.0- 0.9	24	8.4	4.9-11.9
H.S. or G.E.D.	1029	239,828	863	84.3	81.6-87.0	83	8.5	6.1-10.9	23	2.1	1.1- 3.1	7	0.6	0.0- 1.2	1	0.0	0.0- 0.0				52	4.4	2.8- 6.0
Some Post-H.S.	939	216,598	781	85.5	82.8-88.2	101	8.5	6.5-10.5	18	2.1	0.9- 3.3	7	0.8	0.2- 1.4	2	0.6	0.0- 1.6	2	0.1	0.0- 0.3	28	2.6	1.4- 3.8
College Graduate	1434	216,193	1208	87.1	84.9-89.3	165	9.4	7.6-11.2	23	1.3	0.7- 1.9	11	0.7	0.1- 1.3				1	0.1	0.0- 0.3	26	1.4	0.8- 2.2
Less than \$15,000	292	46,450	256	83.4	77.3-89.5	15	7.9	3.2-12.6	1	0.7	0.0- 2.1	2	0.3	0.0- 0.7							18	7.8	3.7-11.9
\$15,000- 24,999	486	83,409	412	84.7	80.6-88.8	32	6.9	4.2- 9.6	5	0.9	0.0- 2.1	3	0.4	0.0- 0.8				1	0.3	0.0- 0.9	33	6.8	4.1- 9.6
\$25,000- 34,999	294	53,463	257	87.6	82.5-92.7	18	4.8	2.1- 7.5	6	1.6	0.0- 3.2	2	0.7	0.0- 1.7				1	0.1	0.0- 0.3	10	5.3	1.2- 9.4
\$35,000- 49,999	401	81,391	341	86.0	81.7-90.3	42	8.9	5.4-12.4	5	1.1	0.0- 2.3	3	0.7	0.0- 1.5							10	3.2	0.8- 5.6
\$50,000- 74,999	445	94,874	355	82.8	78.3-87.3	64	12.3	8.4-16.2	12	2.8	0.8- 4.8	2	0.3	0.0- 0.9							12	1.8	0.6- 3.0
\$75,000+	1143	247,639	944	85.6	83.2-88.0	147	10.0	8.0-12.0	29	2.2	1.2- 3.2	9	0.9	0.1- 1.7	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	12	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1703	361,071	1401	83.2	81.0-85.4	194	10.6	8.8-12.4	39	2.3	1.3- 3.3	12	0.4	0.2- 0.6	1	0.3	0.0- 0.9	2	0.1	0.1- 0.1	54	3.1	2.1- 4.1
White/Non-Hisp	1177	229,292	950	82.1	79.6-84.6	145	11.2	9.0-13.4	30	2.5	1.5- 3.5	8	0.6	0.2- 1.0							44	3.7	2.5- 4.9
Black or Afr. Am./Non-Hisp	169	71,586	138	85.0	78.7-91.3	21	10.0	5.1-14.9	3	1.6	0.0- 3.8	1	0.1	0.0- 0.3	1	1.5	0.0- 4.4				5	1.8	0.0- 3.6
Oth. Race/Non-Hisp.	76	18,761	63	85.0	75.0-95.0	8	8.5	1.1-15.9	2	4.8	0.0-11.7	1	0.3	0.0- 0.9				1	0.2	0.0- 0.6	1	1.2	0.0- 3.0
Hispanic	210	31,755	190	87.1	80.4-93.8	14	9.4	3.5-15.3	3	1.9	0.0- 4.8	1	0.3	0.0- 0.9				1	0.5	0.0- 1.5	1	0.7	0.0- 2.0
18-24	138	43,515	121	85.3	77.3-93.3	9	6.0	1.3-10.7	5	4.5	0.0- 9.0	1	0.4	0.0- 1.2	1	2.5	0.0- 7.2				1	1.3	0.0- 3.0
25-34	213	63,096	196	93.3	89.4-97.2	16	6.6	2.7-10.5	1	0.1	0.0- 0.3												
35-44	209	55,844	180	87.0	81.7-92.3	23	10.5	5.8-15.2	5	2.2	0.0- 4.4										1	0.2	0.0- 0.6
45-54	258	55,463	217	83.7	78.2-89.2	20	9.8	5.3-14.3	11	3.9	1.2- 6.6	4	0.8	0.0- 1.8				2	0.4	0.0- 1.0	4	1.4	0.0- 3.0
55-64	349	61,908	292	84.3	79.8-88.8	31	8.2	4.9-11.5	7	2.3	0.3- 4.3	4	0.9	0.0- 1.9							15	4.3	1.9- 6.7
65+	536	81,245	395	70.6	65.3-75.9	95	18.4	13.9-22.9	10	2.0	0.4- 3.6	3	0.4	0.0- 1.0							33	8.5	5.2-11.9
Less Than H.S.	197	44,473	171	82.7	75.6-89.8	12	8.7	3.0-14.4	4	2.6	0.0- 5.3										10	5.9	2.0- 9.9
H.S. or G.E.D.	468	124,698	387	83.5	79.6-87.4	41	9.2	6.1-12.3	14	2.9	1.1- 4.7	4	0.5	0.1- 0.9							22	4.0	2.0- 6.0
Some Post-H.S.	394	90,479	316	81.7	77.0-86.4	53	11.6	8.1-15.1	9	2.7	0.5- 4.9	2	0.4	0.0- 1.0	1	1.2	0.0- 3.6				12	2.4	1.0- 3.8
College Graduate	636	100,505	519	84.3	80.8-87.8	88	12.3	9.2-15.4	12	1.3	0.3- 2.3	6	0.6	0.0- 1.2				1	0.2	0.0- 0.6	10	1.3	0.3- 2.3
Less than \$15,000	104	19,427	88	78.2	66.8-89.6	8	13.2	3.2-23.2	1	1.6	0.0- 4.7	1	0.3	0.0- 0.9							6	6.6	0.3-12.9
\$15,000- 24,999	206	39,306	175	84.5	78.6-90.4	14	7.2	3.1-11.3	2	1.6	0.0- 4.0	3	0.8	0.0- 1.8							12	5.9	2.4- 9.4
\$25,000- 34,999	135	25,783	117	89.4	83.9-94.9	8	4.4	1.1- 7.7	3	1.2	0.0- 2.8	1	0.4	0.0- 1.2				1	0.2	0.0- 0.6	5	4.4	0.3- 8.5
\$35,000- 49,999	156	34,002	130	87.6	81.9-93.3	18	8.1	3.6-12.6	3	1.3	0.0- 3.1	2	1.0	0.0- 2.4							3	2.0	0.0- 4.0
\$50,000- 74,999	226	53,445	171	78.1	71.0-85.2	39	15.6	9.3-21.9	7	3.3	0.4- 6.2	2	0.6	0.0- 1.6							7	2.4	0.4- 4.4
\$75,000+	577	123,377	465	82.6	78.9-86.3	81	12.6	9.5-15.7	18	2.5	1.1- 3.9	2	0.3	0.0- 0.7	1	0.9	0.0- 2.7	1	0.1	0.0- 0.3	9	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2111	395,610	1813	87.3	85.5-89.1	174	6.7	5.3- 8.1	30	1.3	0.7- 1.9	13	0.8	0.2- 1.4	2	0.1	0.0- 0.3	3	0.1	0.0- 0.3	76	3.8	2.8- 4.8
White/Non-Hisp	1410	247,710	1188	85.9	83.7-88.1	134	7.2	5.6- 8.8	20	1.4	0.6- 2.2	11	1.2	0.4- 2.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	55	4.2	2.8- 5.6
Black or Afr. Am./Non-Hisp	318	85,142	284	90.2	86.1-94.3	18	5.2	2.1- 8.3	5	1.1	0.0- 2.3										11	3.5	1.0- 6.0
Oth. Race/Non-Hisp.	70	20,359	62	95.4	91.3-99.5				2	1.7	0.0- 4.6	1	1.2	0.0- 3.6							5	1.7	0.0- 3.3
Hispanic	228	30,118	210	87.5	78.9-96.1	9	7.3	0.0-15.1	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	2	0.9	0.0- 2.5	3	3.2	0.0- 7.4
18-24	107	43,172	102	96.5	92.8- 100	5	3.5	0.0- 7.2															
25-34	216	63,068	204	93.7	89.0-98.4	7	4.4	0.1- 8.7	3	1.3	0.0- 2.9							1	0.4	0.0- 1.2	1	0.3	0.0- 0.6
35-44	270	58,515	242	91.9	88.4-95.4	18	4.8	2.3- 7.3	2	0.6	0.0- 1.6	5	2.1	0.0- 4.3	1	0.1	0.0- 0.3				2	0.5	0.0- 1.0
45-54	339	59,542	294	85.8	80.9-90.7	25	8.1	4.0-12.2	12	3.2	1.2- 5.2	4	1.4	0.0- 3.0	1	0.4	0.0- 1.2				3	1.1	0.0- 2.2
55-64	423	69,161	361	86.3	82.0-90.6	47	8.4	5.5-11.3	4	1.2	0.0- 2.6	3	1.4	0.0- 3.2							8	2.6	0.1- 5.1
65+	756	102,151	610	78.2	74.3-82.1	72	8.7	6.3-11.1	9	1.1	0.3- 1.9	1	0.1	0.0- 0.3				2	0.2	0.0- 0.4	62	11.7	8.4-15.0
Less Than H.S.	200	37,550	176	83.1	75.8-90.4	7	4.5	0.6- 8.4	1	0.3	0.0- 0.9							2	0.7	0.0- 1.9	14	11.4	5.1-17.7
H.S. or G.E.D.	561	115,130	476	85.2	81.1-89.3	42	7.8	4.5-11.1	9	1.2	0.2- 2.2	3	0.8	0.0- 1.8	1	0.1	0.0- 0.3				30	4.9	2.5- 7.3
Some Post-H.S.	545	126,119	465	88.2	85.3-91.1	48	6.2	4.0- 8.4	9	1.6	0.4- 2.8	5	1.1	0.0- 2.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	16	2.7	1.1- 4.3
College Graduate	798	115,688	689	89.5	87.0-92.0	77	7.0	5.0- 9.0	11	1.3	0.3- 2.3	5	0.8	0.0- 1.6							16	1.4	0.6- 2.2
Less than \$15,000	188	27,023	168	87.1	80.8-93.4	7	4.0	0.5- 7.5				1	0.3	0.0- 0.9							12	8.6	3.3-13.9
\$15,000- 24,999	280	44,103	237	84.9	79.4-90.4	18	6.6	2.7-10.5	3	0.4	0.0- 0.8							1	0.5	0.0- 1.5	21	7.6	3.5-11.7
\$25,000- 34,999	159	27,680	140	85.8	77.8-93.8	10	5.3	1.2- 9.4	3	1.9	0.0- 4.8	1	0.9	0.0- 2.7							5	6.1	0.0-13.2
\$35,000- 49,999	245	47,389	211	84.9	78.6-91.2	24	9.6	4.5-14.7	2	1.0	0.0- 2.4	1	0.5	0.0- 1.5							7	4.0	0.3- 7.7
\$50,000- 74,999	219	41,428	184	88.9	84.4-93.4	25	7.9	4.2-11.6	5	2.1	0.0- 4.3										5	1.1	0.0- 2.2
\$75,000+	566	124,262	479	88.6	85.7-91.5	66	7.4	5.0- 9.8	11	1.8	0.6- 3.0	7	1.6	0.2- 3.0							3	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3859	766,433	553	12.6	11.2-14.0	3306	87.4	86.0-88.8
Male	1719	365,529	470	23.0	20.5-25.5	1249	77.0	74.5-79.5
Female	2140	400,904	83	3.0	2.0- 4.0	2057	97.0	96.0-98.0
White/Non-Hisp	2616	481,749	426	13.3	11.7-14.9	2190	86.7	85.1-88.3
Black or Afr. Am./Non-Hisp	492	159,619	75	16.1	11.6-20.6	417	83.9	79.4-88.4
Oth. Race/Non-Hisp.	146	39,270	14	6.1	1.4-10.8	132	93.9	89.2-98.6
MultiRacial/Non-Hisp.	77	8,062	10	11.7	1.9-21.5	67	88.3	78.5-98.1
Hispanic	438	61,661	19	3.2	1.4- 5.0	419	96.8	95.0-98.6
18-24	246	87,485	9	2.2	0.6- 3.8	237	97.8	96.2-99.4
25-34	430	126,137	31	5.6	2.9- 8.3	399	94.4	91.7-97.1
35-44	482	114,897	43	10.8	6.7-14.9	439	89.2	85.1-93.3
45-54	605	117,509	59	8.0	5.3-10.7	546	92.0	89.3-94.7
55-64	783	133,645	117	14.6	11.3-17.9	666	85.4	82.1-88.7
65+	1313	186,759	294	24.7	21.4-28.0	1019	75.3	72.0-78.6
Less Than H.S.	397	81,948	24	8.5	4.2-12.8	373	91.5	87.2-95.8
H.S. or G.E.D.	1041	243,058	134	12.9	10.2-15.6	907	87.1	84.4-89.8
Some Post-H.S.	946	218,563	178	15.1	12.2-18.0	768	84.9	82.0-87.8
College Graduate	1457	219,651	215	11.2	9.2-13.2	1242	88.8	86.8-90.8
Less than \$15,000	295	47,239	20	7.3	2.8-11.8	275	92.7	88.2-97.2
\$15,000- 24,999	486	83,228	57	10.8	7.1-14.5	429	89.2	85.5-92.9
\$25,000- 34,999	295	53,541	44	14.9	9.6-20.2	251	85.1	79.8-90.4
\$35,000- 49,999	402	81,765	47	8.5	5.4-11.6	355	91.5	88.4-94.6
\$50,000- 74,999	449	95,439	94	19.5	14.2-24.8	355	80.5	75.2-85.8
\$75,000+	1147	248,655	182	11.9	9.5-14.3	965	88.1	85.7-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1719	365,529	470	23.0	20.5-25.5	1249	77.0	74.5-79.5
White/Non-Hisp	1187	230,261	372	24.9	22.0-27.8	815	75.1	72.2-78.0
Black or Afr. Am./Non-Hisp	171	73,300	54	29.3	20.7-37.9	117	70.7	62.1-79.3
Oth. Race/Non-Hisp.	76	18,912	12	9.3	1.9-16.7	64	90.7	83.3-98.1
Hispanic	210	32,085	14	4.9	1.6- 8.2	196	95.1	91.8-98.4
18-24	139	44,313	8	3.6	0.7- 6.5	131	96.4	93.5-99.3
25-34	214	63,247	26	8.9	4.6-13.2	188	91.1	86.8-95.4
35-44	211	56,147	34	17.6	10.2-25.0	177	82.4	75.0-89.8
45-54	260	56,333	42	12.6	7.7-17.5	218	87.4	82.5-92.3
55-64	351	62,298	88	25.4	19.3-31.5	263	74.6	68.5-80.7
65+	544	83,191	272	53.1	47.6-58.6	272	46.9	41.4-52.4
Less Than H.S.	197	44,714	23	15.4	7.8-23.0	174	84.6	77.0-92.2
H.S. or G.E.D.	474	126,511	120	23.3	18.4-28.2	354	76.7	71.8-81.6
Some Post-H.S.	397	91,498	146	29.2	23.3-35.1	251	70.8	64.9-76.7
College Graduate	643	101,797	179	20.3	16.4-24.2	464	79.7	75.8-83.6
Less than \$15,000	105	19,806	17	16.7	6.7-26.7	88	83.3	73.3-93.3
\$15,000- 24,999	206	39,154	49	21.0	13.6-28.4	157	79.0	71.6-86.4
\$25,000- 34,999	135	25,783	39	27.9	17.9-37.9	96	72.1	62.1-82.1
\$35,000- 49,999	156	34,002	40	18.4	11.1-25.7	116	81.6	74.3-88.9
\$50,000- 74,999	229	53,844	78	29.4	21.2-37.6	151	70.6	62.4-78.8
\$75,000+	578	124,032	152	19.8	15.9-23.7	426	80.2	76.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2140	400,904	83	3.0	2.0- 4.0	2057	97.0	96.0-98.0
White/Non-Hisp	1429	251,488	54	2.7	1.7- 3.7	1375	97.3	96.3-98.3
Black or Afr. Am./Non-Hisp	321	86,319	21	5.0	1.7- 8.3	300	95.0	91.7-98.3
Oth. Race/Non-Hisp.	70	20,359	2	3.1	0.0- 8.8	68	96.9	91.2- 100
Hispanic	228	29,576	5	1.4	0.0- 3.0	223	98.6	97.0- 100
18-24	107	43,172	1	0.8	0.0- 2.4	106	99.2	97.6- 100
25-34	216	62,890	5	2.4	0.0- 5.9	211	97.6	94.1- 100
35-44	271	58,750	9	4.2	0.9- 7.5	262	95.8	92.5-99.1
45-54	345	61,176	17	3.7	1.2- 6.2	328	96.3	93.8-98.8
55-64	432	71,347	29	5.2	2.8- 7.6	403	94.8	92.4-97.2
65+	769	103,568	22	1.8	0.4- 3.2	747	98.2	96.8-99.6
Less Than H.S.	200	37,234	1	0.1	0.0- 0.3	199	99.9	99.7- 100
H.S. or G.E.D.	567	116,546	14	1.7	0.7- 2.7	553	98.3	97.3-99.3
Some Post-H.S.	549	127,064	32	4.9	2.4- 7.4	517	95.1	92.6-97.6
College Graduate	814	117,854	36	3.3	1.7- 4.9	778	96.7	95.1-98.3
Less than \$15,000	190	27,432	3	0.5	0.0- 1.1	187	99.5	98.9- 100
\$15,000- 24,999	280	44,074	8	1.6	0.2- 3.0	272	98.4	97.0-99.8
\$25,000- 34,999	160	27,758	5	2.8	0.1- 5.5	155	97.2	94.5-99.9
\$35,000- 49,999	246	47,763	7	1.5	0.3- 2.7	239	98.5	97.3-99.7
\$50,000- 74,999	220	41,595	16	6.6	2.3-10.9	204	93.4	89.1-97.7
\$75,000+	569	124,623	30	4.0	2.0- 6.0	539	96.0	94.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3803	753,698	1969	57.9	55.7-60.1	149	4.1	3.1- 5.1	183	4.8	3.8- 5.8	101	5.1	3.7- 6.5	1106	21.4	19.8-23.0	295	6.7	5.5- 7.9
Male	1699	360,129	995	63.8	60.7-66.9	74	4.2	3.0- 5.4	5	0.4	0.0- 0.8	47	4.7	2.9- 6.5	464	20.3	17.9-22.7	114	6.7	4.9- 8.5
Female	2104	393,569	974	52.6	49.5-55.7	75	4.0	2.6- 5.4	178	8.8	7.0-10.6	54	5.5	3.3- 7.7	642	22.5	20.3-24.7	181	6.6	5.2- 8.0
White/Non-Hisp	2598	478,632	1294	56.3	53.8-58.8	83	3.6	2.6- 4.6	98	4.1	2.9- 5.3	41	4.2	2.4- 6.0	897	25.8	23.8-27.8	185	6.0	4.8- 7.2
Black or Afr. Am./Non-Hisp	481	155,188	257	59.2	53.3-65.1	22	5.2	2.5- 7.9	9	1.4	0.4- 2.4	24	7.0	3.7-10.3	117	18.2	13.9-22.5	52	9.0	5.3-12.7
Oth. Race/Non-Hisp.	140	37,601	72	63.4	52.2-74.6	9	3.0	0.5- 5.5	4	6.6	0.0-14.0	11	10.3	3.0-17.6	36	9.9	5.6-14.2	8	6.8	0.7-12.9
MultiRacial/Non-Hisp.	75	7,940	47	70.8	57.7-83.9	8	12.1	2.9-21.3				3	4.6	0.0-10.9	9	4.8	0.5- 9.1	8	7.7	0.3-15.1
Hispanic	428	59,898	259	63.8	56.7-70.9	25	5.4	1.3- 9.5	65	15.7	10.2-21.2	19	4.8	2.1- 7.5	24	4.0	1.8- 6.2	36	6.3	3.6- 9.0
18-24	240	85,045	132	52.3	43.5-61.1	16	4.4	1.9- 6.9	7	0.8	0.2- 1.4	81	40.3	31.3-49.3	3	1.0	0.0- 2.6	1	1.1	0.0- 3.3
25-34	422	122,676	325	77.3	71.2-83.4	34	8.2	4.5-11.9	35	7.6	3.7-11.5	10	2.0	0.4- 3.6	1	0.1	0.0- 0.3	17	4.9	1.0- 8.8
35-44	472	112,230	383	85.1	81.2-89.0	21	2.9	1.5- 4.3	37	6.5	3.6- 9.4	3	0.6	0.0- 1.6	2	0.4	0.0- 1.0	26	4.5	2.1- 6.9
45-54	595	116,370	463	78.7	74.6-82.8	29	5.6	2.9- 8.3	25	4.7	2.5- 6.9	4	0.4	0.0- 0.8	19	3.3	1.5- 5.1	55	7.4	5.0- 9.8
55-64	772	131,778	434	59.6	55.1-64.1	34	3.8	2.0- 5.6	25	4.1	2.1- 6.1	1	0.1	0.0- 0.3	152	17.4	14.1-20.7	126	15.0	11.7-18.3
65+	1302	185,598	232	17.1	14.6-19.6	15	1.2	0.0- 2.4	54	4.2	2.8- 5.6	2	0.2	0.0- 0.4	929	71.8	68.7-74.9	70	5.4	3.6- 7.2
Less Than H.S.	387	80,110	155	38.2	31.1-45.3	26	6.8	3.7- 9.9	57	13.5	8.4-18.6	5	0.9	0.0- 1.9	76	21.1	15.4-26.8	68	19.4	12.9-25.9
H.S. or G.E.D.	1025	237,677	488	56.8	52.7-60.9	49	5.3	3.1- 7.5	54	4.8	3.2- 6.4	23	3.5	1.7- 5.3	305	22.2	19.3-25.1	106	7.4	5.4- 9.4
Some Post-H.S.	936	215,460	468	53.6	49.1-58.1	34	3.5	1.9- 5.1	39	3.9	2.3- 5.5	46	10.7	6.8-14.6	263	21.7	18.6-24.8	86	6.7	4.7- 8.7
College Graduate	1440	217,368	850	70.7	67.8-73.6	40	2.5	1.5- 3.5	32	2.4	1.0- 3.8	27	2.9	1.5- 4.3	458	20.3	17.9-22.7	33	1.3	0.7- 1.9
Less than \$15,000	294	47,158	76	31.2	22.8-39.6	28	12.4	6.5-18.3	30	8.6	4.5-12.7	5	2.2	0.0- 5.1	56	16.5	11.0-22.0	99	29.1	22.2-36.0
\$15,000- 24,999	485	83,339	203	48.4	41.9-54.9	31	7.5	4.2-10.8	21	3.7	1.5- 5.9	18	3.4	1.4- 5.4	141	23.5	18.4-28.6	71	13.5	9.6-17.4
\$25,000- 34,999	294	53,025	135	50.7	42.9-58.5	9	3.1	0.7- 5.5	14	5.5	1.6- 9.4	6	3.6	0.5- 6.7	106	27.1	20.8-33.4	24	10.1	5.2-15.0
\$35,000- 49,999	401	81,634	210	58.5	51.2-65.8	8	1.3	0.1- 2.5	16	5.7	2.2- 9.2	11	4.0	1.1- 6.9	134	24.2	18.9-29.5	22	6.2	0.9-11.5
\$50,000- 74,999	446	94,763	258	61.6	55.1-68.1	18	5.3	2.0- 8.6	10	2.6	0.6- 4.6	10	5.9	1.2-10.6	140	22.1	17.4-26.8	10	2.6	0.2- 5.0
\$75,000+	1141	247,585	818	74.8	71.1-78.5	15	1.8	0.8- 2.8	32	4.0	2.0- 6.0	22	5.4	2.7- 8.1	245	13.6	11.4-15.8	9	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	360,129	995	63.8	60.7-66.9	74	4.2	3.0- 5.4	5	0.4	0.0- 0.8	47	4.7	2.9- 6.5	464	20.3	17.9-22.7	114	6.7	4.9- 8.5
White/Non-Hisp	1181	229,400	649	61.2	57.7-64.7	45	4.2	2.8- 5.6	3	0.3	0.0- 0.7	23	4.0	1.6- 6.4	387	24.1	21.4-26.8	74	6.2	4.4- 8.0
Black or Afr. Am./Non-Hisp	168	71,588	99	63.2	54.0-72.4	8	4.5	0.6- 8.4				6	4.9	0.8- 9.0	36	17.8	10.9-24.7	19	9.6	2.9-16.3
Oth. Race/Non-Hisp.	72	17,308	42	66.3	51.8-80.8	6	4.6	0.0- 9.3	1	3.2	0.0- 9.3	6	11.6	0.4-22.8	14	9.7	3.2-16.2	3	4.6	0.0-11.5
Hispanic	208	31,952	166	85.2	79.1-91.3	10	1.8	0.4- 3.2				10	5.3	1.6- 9.0	10	3.2	0.5- 5.9	12	4.4	0.7- 8.1
18-24	136	42,938	81	56.3	44.9-67.7	13	7.8	3.1-12.5				40	35.5	24.1-46.9	2	0.5	0.0- 1.1			
25-34	210	61,579	182	85.7	77.9-93.5	15	5.9	2.4- 9.4	1	0.2	0.0- 0.6	4	1.6	0.0- 3.8				8	6.6	0.0-13.7
35-44	208	55,448	189	92.5	87.8-97.2	8	2.1	0.5- 3.7	1	1.0	0.0- 3.0				1	0.5	0.0- 1.5	9	4.0	0.1- 7.9
45-54	258	55,931	216	83.6	78.1-89.1	11	4.3	1.2- 7.4	1	0.8	0.0- 2.4	2	0.7	0.0- 1.7	7	2.7	0.5- 4.9	21	8.0	3.9-12.1
55-64	347	61,607	208	62.0	55.5-68.5	20	4.9	1.6- 8.2							67	17.7	12.8-22.6	52	15.4	10.7-20.1
65+	540	82,626	119	19.9	15.8-24.0	7	1.9	0.0- 4.3	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9	387	72.9	68.0-77.8	24	4.8	2.3- 7.3
Less Than H.S.	196	44,776	108	50.3	39.9-60.7	12	6.7	2.2-11.2	1	1.2	0.0- 3.6	5	1.7	0.0- 3.5	36	19.4	12.0-26.8	34	20.6	10.6-30.6
H.S. or G.E.D.	467	124,343	275	63.8	58.1-69.5	29	5.8	3.1- 8.5	3	0.5	0.0- 1.3	11	4.0	0.9- 7.1	108	18.7	14.6-22.8	41	7.2	4.3-10.1
Some Post-H.S.	390	89,375	206	57.3	50.6-64.0	19	3.6	1.4- 5.8	1	0.2	0.0- 0.6	20	10.1	4.8-15.4	112	22.8	17.9-27.7	32	6.1	3.6- 8.6
College Graduate	638	100,430	401	75.4	71.7-79.1	14	1.6	0.6- 2.6				11	2.1	0.7- 3.5	206	20.4	17.1-23.7	6	0.5	0.1- 0.9
Less than \$15,000	104	19,725	37	40.0	27.1-52.9	12	10.2	2.6-17.8				1	0.6	0.0- 1.8	17	15.2	6.2-24.2	37	34.0	22.0-46.0
\$15,000- 24,999	207	39,385	103	54.8	45.2-64.4	22	10.4	5.3-15.5				7	3.1	0.0- 6.2	50	20.3	12.9-27.7	25	11.4	5.9-16.9
\$25,000- 34,999	134	25,267	68	55.6	44.2-67.0	3	1.8	0.0- 4.2				3	3.6	0.0- 8.3	48	28.6	19.4-37.8	12	10.4	3.5-17.3
\$35,000- 49,999	156	34,002	88	61.8	49.8-73.8	3	0.5	0.0- 1.1	1	0.4	0.0- 1.2	4	3.2	0.0- 6.7	50	23.1	15.1-31.1	10	11.0	0.0-23.0
\$50,000- 74,999	227	53,235	136	63.9	55.5-72.3	13	8.8	3.1-14.5	1	0.3	0.0- 0.9	6	3.9	0.2- 7.6	67	20.0	13.9-26.1	4	3.2	0.0- 7.1
\$75,000+	576	123,605	430	80.8	76.7-84.9	6	1.0	0.0- 2.0	2	0.8	0.0- 2.0	11	4.2	1.1- 7.3	124	12.9	10.2-15.6	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2104	393,569	974	52.6	49.7-55.5	75	4.0	2.6- 5.4	178	8.8	7.0-10.6	54	5.5	3.3- 7.7	642	22.5	20.3-24.7	181	6.6	5.2- 8.0
White/Non-Hisp	1417	249,232	645	51.9	48.4-55.4	38	3.0	1.6- 4.4	95	7.7	5.5- 9.9	18	4.3	1.8- 6.8	510	27.4	24.5-30.3	111	5.7	4.3- 7.1
Black or Afr. Am./Non-Hisp	313	83,601	158	55.8	48.4-63.2	14	5.8	2.1- 9.5	9	2.6	0.6- 4.6	18	8.8	3.7-13.9	81	18.5	13.0-24.0	33	8.5	4.8-12.2
Oth. Race/Non-Hisp.	68	20,293	30	60.9	44.2-77.6	3	1.6	0.0- 3.8	3	9.4	0.0-22.1	5	9.3	0.0-18.7	22	10.1	4.4-15.8	5	8.8	0.0-18.6
Hispanic	220	27,946	93	39.3	29.9-48.7	15	9.5	1.1-17.9	65	33.7	23.5-43.9	9	4.1	0.4- 7.8	14	4.9	1.6- 8.2	24	8.5	4.2-12.8
18-24	104	42,107	51	48.3	35.0-61.6	3	1.0	0.0- 2.4	7	1.6	0.2- 3.0	41	45.2	31.7-58.7	1	1.6	0.0- 4.7	1	2.3	0.0- 6.8
25-34	212	61,096	143	68.7	59.7-77.7	19	10.6	4.3-16.9	34	15.0	7.6-22.4	6	2.3	0.0- 4.8	1	0.3	0.0- 0.9	9	3.1	0.6- 5.6
35-44	264	56,783	194	77.9	71.6-84.2	13	3.8	1.4- 6.2	36	11.9	6.8-17.0	3	1.3	0.0- 3.1	1	0.3	0.0- 0.9	17	4.9	2.2- 7.6
45-54	337	60,439	247	74.1	68.0-80.2	18	6.9	2.8-11.0	24	8.3	4.4-12.2	2	0.1	0.0- 0.3	12	3.8	1.3- 6.3	34	6.8	4.1- 9.5
55-64	425	70,171	226	57.5	51.2-63.8	14	2.9	1.1- 4.7	25	7.7	4.0-11.4	1	0.1	0.0- 0.3	85	17.2	12.5-21.9	74	14.6	10.3-18.9
65+	762	102,972	113	14.9	11.8-18.0	8	0.7	0.1- 1.3	52	7.4	4.9- 9.9	1	0.1	0.0- 0.3	542	71.0	66.9-75.1	46	5.9	3.5- 8.3
Less Than H.S.	191	35,334	47	22.8	15.0-30.6	14	7.0	2.7-11.3	56	29.1	19.3-38.9				40	23.2	14.8-31.6	34	17.9	10.8-25.0
H.S. or G.E.D.	558	113,334	213	49.1	43.4-54.8	20	4.8	1.7- 7.9	51	9.5	6.2-12.8	12	2.9	1.1- 4.7	197	26.1	21.8-30.4	65	7.5	5.1- 9.9
Some Post-H.S.	546	126,085	262	51.0	44.9-57.1	15	3.3	1.1- 5.5	38	6.6	3.9- 9.3	26	11.2	5.5-16.9	151	20.8	16.7-24.9	54	7.1	4.4- 9.8
College Graduate	802	116,937	449	66.7	62.2-71.2	26	3.2	1.6- 4.8	32	4.4	1.9- 6.9	16	3.5	1.1- 5.9	252	20.2	17.1-23.3	27	1.9	0.9- 2.9
Less than \$15,000	190	27,432	39	24.8	13.4-36.2	16	14.0	5.8-22.2	30	14.8	7.7-21.9	4	3.4	0.0- 8.1	39	17.5	10.8-24.2	62	25.5	17.7-33.3
\$15,000- 24,999	278	43,954	100	42.8	34.6-51.0	9	4.9	0.4- 9.4	21	6.9	2.8-11.0	11	3.7	1.0- 6.4	91	26.3	19.6-33.0	46	15.4	9.7-21.1
\$25,000- 34,999	160	27,758	67	46.2	35.4-57.0	6	4.2	0.1- 8.3	14	10.6	3.5-17.7	3	3.6	0.0- 7.7	58	25.6	17.0-34.2	12	9.8	2.7-16.9
\$35,000- 49,999	245	47,631	122	56.1	47.1-65.1	5	1.9	0.0- 3.9	15	9.5	3.4-15.6	7	4.6	0.1- 9.1	84	25.0	18.1-31.9	12	2.8	0.8- 4.8
\$50,000- 74,999	219	41,529	122	58.6	48.8-68.4	5	0.8	0.0- 1.6	9	5.5	1.2- 9.8	4	8.4	0.0-18.0	73	24.7	17.6-31.8	6	2.0	0.2- 3.8
\$75,000+	565	123,980	388	68.8	62.9-74.7	9	2.5	0.7- 4.3	30	7.1	3.4-10.8	11	6.6	1.9-11.3	121	14.3	11.0-17.6	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3780	748,190	476	15.5	13.7-17.3	381	12.2	10.6-13.8	172	4.8	3.6- 6.0	66	1.9	1.3- 2.5	38	1.1	0.7- 1.5	2647	64.6	62.4-66.8
Male	1693	358,752	213	15.8	13.1-18.5	165	11.3	9.1-13.5	69	4.0	2.4- 5.6	31	1.8	1.0- 2.6	15	0.5	0.1- 0.9	1200	66.6	63.3-69.9
Female	2087	389,438	263	15.2	12.8-17.6	216	13.1	10.7-15.5	103	5.5	3.9- 7.1	35	2.0	1.0- 3.0	23	1.6	0.8- 2.4	1447	62.8	59.7-65.9
White/Non-Hisp	2576	475,080	279	13.3	11.3-15.3	203	10.3	8.5-12.1	77	3.6	2.4- 4.8	20	1.2	0.6- 1.8	11	0.7	0.1- 1.3	1986	71.0	68.5-73.5
Black or Afr. Am./Non-Hisp	473	152,913	77	19.0	14.1-23.9	56	13.6	9.5-17.7	22	6.0	2.5- 9.5	8	1.2	0.2- 2.2	5	1.4	0.0- 2.8	305	58.8	52.7-64.9
Oth. Race/Non-Hisp.	139	37,159	21	23.8	12.6-35.0	16	16.8	7.4-26.2	5	2.3	0.0- 5.2	3	2.4	0.0- 5.5	3	0.7	0.0- 1.5	91	54.0	41.8-66.2
MultiRacial/Non-Hisp.	74	7,723	16	24.2	11.3-37.1	7	12.0	1.4-22.6	2	3.1	0.0- 8.0	2	4.0	0.0- 9.5	1	0.8	0.0- 2.4	46	55.9	40.2-71.6
Hispanic	432	60,126	74	17.7	12.6-22.8	92	22.7	16.6-28.8	63	11.6	7.5-15.7	29	7.9	3.6-12.2	16	2.9	0.9- 4.9	158	37.1	29.7-44.5
18-24	243	86,159	53	21.8	14.5-29.1	37	14.5	8.0-21.0	15	4.3	1.4- 7.2	4	1.7	0.0- 3.9	4	1.0	0.0- 2.0	130	56.8	48.2-65.4
25-34	421	121,262	82	20.8	15.1-26.5	82	15.8	11.5-20.1	49	8.9	4.4-13.4	18	3.7	1.3- 6.1	11	2.0	0.2- 3.8	179	48.7	41.8-55.6
35-44	476	112,972	94	21.4	16.3-26.5	133	31.3	25.6-37.0	69	13.1	9.2-17.0	33	4.9	2.7- 7.1	15	3.0	0.8- 5.2	132	26.4	21.1-31.7
45-54	588	115,156	134	25.0	20.3-29.7	89	13.9	10.2-17.6	21	3.5	1.7- 5.3	8	1.4	0.4- 2.4	3	0.6	0.0- 1.4	333	55.5	50.2-60.8
55-64	766	130,254	74	9.5	6.8-12.2	28	4.5	2.3- 6.7	7	0.5	0.1- 0.9	3	0.9	0.0- 1.9	4	0.5	0.0- 1.1	650	84.2	80.7-87.7
65+	1286	182,387	39	3.4	2.0- 4.8	12	1.4	0.4- 2.4	11	0.9	0.1- 1.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1223	94.2	92.4-96.0
Less Than H.S.	389	80,328	50	12.8	8.3-17.3	57	10.9	7.2-14.6	42	10.4	4.1-16.7	29	6.1	3.0- 9.2	15	3.3	0.9- 5.7	196	56.5	49.2-63.8
H.S. or G.E.D.	1023	236,527	130	15.2	12.1-18.3	104	13.0	9.9-16.1	43	3.9	2.3- 5.5	17	1.7	0.7- 2.7	6	0.8	0.0- 1.6	723	65.3	61.2-69.4
Some Post-H.S.	930	213,725	132	18.1	14.2-22.0	70	9.9	7.0-12.8	35	4.2	2.4- 6.0	10	1.4	0.4- 2.4	11	1.4	0.4- 2.4	672	65.0	60.5-69.5
College Graduate	1419	214,151	160	14.0	11.3-16.7	147	14.2	11.5-16.9	52	4.2	2.8- 5.6	10	1.0	0.2- 1.8	6	0.3	0.0- 0.7	1044	66.2	62.5-69.9
Less than \$15,000	293	47,075	18	6.2	2.5- 9.9	34	12.3	5.2-19.4	18	6.7	2.4-11.0	12	5.7	1.6- 9.8	7	2.6	0.1- 5.1	204	66.5	58.1-74.9
\$15,000- 24,999	485	83,360	72	18.6	13.1-24.1	41	13.0	8.3-17.7	32	6.0	3.3- 8.7	15	2.7	0.9- 4.5	7	1.4	0.0- 3.0	318	58.2	51.7-64.7
\$25,000- 34,999	295	53,541	32	12.3	6.6-18.0	29	10.3	5.6-15.0	19	6.5	3.0-10.0	7	2.0	0.2- 3.8				208	68.9	61.6-76.2
\$35,000- 49,999	401	81,750	56	15.8	10.3-21.3	36	11.6	6.7-16.5	15	5.9	0.4-11.4	5	2.3	0.0- 4.8	5	0.9	0.0- 1.9	284	63.5	55.9-71.1
\$50,000- 74,999	445	94,677	49	15.5	10.0-21.0	34	8.3	5.2-11.4	10	2.3	0.5- 4.1	5	1.2	0.0- 2.4	2	1.0	0.0- 2.4	345	71.6	65.3-77.9
\$75,000+	1133	245,563	184	19.0	15.7-22.3	141	15.3	12.2-18.4	45	4.9	2.9- 6.9	13	1.3	0.5- 2.1	6	0.7	0.0- 1.5	744	58.7	54.6-62.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	358,752	213	15.8	13.1-18.5	165	11.3	9.1-13.5	69	4.0	2.4- 5.6	31	1.8	1.0- 2.6	15	0.5	0.1- 0.9	1200	66.6	63.3-69.9
White/Non-Hisp	1174	228,190	124	14.4	11.3-17.5	89	9.5	7.3-11.7	32	3.1	1.9- 4.3	11	1.1	0.3- 1.9	2	0.1	0.0- 0.3	916	71.8	68.1-75.5
Black or Afr. Am./Non-Hisp	167	71,420	26	17.0	9.6-24.4	22	14.0	7.3-20.7	9	5.8	0.0-11.9	3	1.7	0.0- 3.7				107	61.5	51.9-71.1
Oth. Race/Non-Hisp.	72	17,343	12	22.8	9.3-36.3	8	17.1	3.2-31.0	1	0.3	0.0- 0.9	2	3.8	0.0-10.1	3	1.4	0.0- 3.2	46	54.7	38.8-70.6
Hispanic	209	31,701	40	21.2	13.6-28.8	40	17.6	10.5-24.7	27	9.4	4.3-14.5	15	6.2	2.3-10.1	7	2.5	0.0- 5.4	80	43.1	31.9-54.3
18-24	139	44,172	35	27.8	17.4-38.2	18	8.8	3.9-13.7	4	1.3	0.0- 2.7	2	0.8	0.0- 2.2	2	1.2	0.0- 3.0	78	60.1	49.3-70.9
25-34	211	61,787	35	18.1	10.3-25.9	25	9.9	5.0-14.8	24	9.6	2.3-16.9	9	2.7	0.5- 4.9	6	0.8	0.0- 1.6	112	59.0	49.4-68.6
35-44	209	55,639	35	20.9	12.7-29.1	59	30.6	22.0-39.2	23	9.1	4.8-13.4	13	4.7	1.6- 7.8	4	1.2	0.0- 2.8	75	33.4	24.8-42.0
45-54	252	54,910	52	22.1	15.2-29.0	37	15.2	9.1-21.3	14	3.6	1.6- 5.6	4	1.3	0.0- 2.9	1	0.1	0.0- 0.3	144	57.6	49.6-65.6
55-64	346	61,191	40	10.7	7.0-14.4	19	5.9	2.6- 9.2	2	0.2	0.0- 0.4	3	1.8	0.0- 4.2	1	0.2	0.0- 0.6	281	81.3	76.2-86.4
65+	536	81,054	16	3.4	1.4- 5.4	7	2.1	0.3- 3.9	2	0.7	0.0- 2.1				1	0.0	0.0- 0.0	510	93.7	90.8-96.6
Less Than H.S.	196	44,425	29	12.6	6.7-18.5	22	7.7	3.6-11.8	20	10.9	1.5-20.3	15	6.5	2.0-11.0	6	2.6	0.0- 5.3	104	59.7	49.3-70.1
H.S. or G.E.D.	466	124,200	61	15.7	11.2-20.2	49	11.8	7.7-15.9	18	2.4	1.0- 3.8	12	2.0	0.8- 3.2	3	0.3	0.0- 0.7	323	67.8	62.1-73.5
Some Post-H.S.	390	89,793	57	21.8	14.9-28.7	27	8.8	5.3-12.3	9	2.4	0.4- 4.4	2	0.5	0.0- 1.3	3	0.3	0.0- 0.7	292	66.2	59.1-73.3
College Graduate	631	99,124	64	11.9	8.6-15.2	65	14.7	10.4-19.0	22	4.2	2.2- 6.2	2	0.6	0.0- 1.6	3	0.1	0.0- 0.3	475	68.6	63.3-73.9
Less than \$15,000	105	19,749	6	5.2	0.0-10.7	12	7.5	2.0-13.0	2	3.5	0.0- 9.6	4	5.4	0.0-12.1	3	2.4	0.0- 6.1	78	76.0	64.8-87.2
\$15,000- 24,999	207	39,385	23	18.3	9.5-27.1	13	11.2	3.9-18.5	16	4.4	1.7- 7.1	11	4.7	1.4- 8.0	3	0.7	0.0- 1.7	141	60.7	50.7-70.7
\$25,000- 34,999	135	25,783	14	7.3	3.2-11.4	12	7.4	2.1-12.7	8	5.2	1.1- 9.3	4	2.9	0.0- 6.0				97	77.2	69.0-85.4
\$35,000- 49,999	156	34,002	23	17.2	8.6-25.8	13	13.4	4.0-22.8	6	8.6	0.0-20.4	3	1.4	0.0- 3.2	4	1.0	0.0- 2.2	107	58.5	45.8-71.2
\$50,000- 74,999	227	53,443	28	18.5	10.1-26.9	18	7.7	3.8-11.6	1	0.9	0.0- 2.7	2	0.8	0.0- 1.8	1	0.8	0.0- 2.4	177	71.3	62.5-80.1
\$75,000+	573	123,290	96	19.4	14.9-23.9	68	15.1	11.0-19.2	23	4.1	2.1- 6.1	5	1.4	0.0- 2.8	1	0.0	0.0- 0.0	380	60.0	54.5-65.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	389,438	263	15.2	12.8-17.6	216	13.1	10.7-15.5	103	5.5	3.9- 7.1	35	2.0	1.0- 3.0	23	1.6	0.8- 2.4	1447	62.8	59.7-65.9
White/Non-Hisp	1402	246,890	155	12.2	9.8-14.6	114	11.0	8.3-13.7	45	4.1	2.3- 5.9	9	1.2	0.2- 2.2	9	1.2	0.2- 2.2	1070	70.2	66.7-73.7
Black or Afr. Am./Non-Hisp	306	81,493	51	20.9	14.2-27.6	34	13.2	8.1-18.3	13	6.2	2.3-10.1	5	0.8	0.0- 1.8	5	2.5	0.0- 5.0	198	56.4	48.8-64.0
Oth. Race/Non-Hisp.	67	19,815	9	24.8	7.6-42.0	8	16.5	3.8-29.2	4	4.1	0.0- 9.8	1	1.2	0.0- 3.6				45	53.4	35.4-71.4
Hispanic	223	28,424	34	13.8	7.1-20.5	52	28.4	18.4-38.4	36	14.1	7.6-20.6	14	9.9	2.1-17.7	9	3.3	0.8- 5.8	78	30.5	22.1-38.9
18-24	104	41,988	18	15.4	6.0-24.8	19	20.5	8.7-32.3	11	7.4	1.5-13.3	2	2.6	0.0- 6.7	2	0.7	0.0- 1.9	52	53.4	39.9-66.9
25-34	210	59,475	47	23.7	15.5-31.9	57	22.0	14.9-29.1	25	8.2	2.7-13.7	9	4.8	0.7- 8.9	5	3.3	0.0- 7.0	67	38.1	28.9-47.3
35-44	267	57,333	59	21.8	15.3-28.3	74	31.9	24.5-39.3	46	16.9	10.6-23.2	20	5.0	2.3- 7.7	11	4.8	1.1- 8.5	57	19.5	13.4-25.6
45-54	336	60,246	82	27.7	21.4-34.0	52	12.8	8.5-17.1	7	3.5	0.6- 6.4	4	1.4	0.0- 2.8	2	1.0	0.0- 2.4	189	53.6	46.5-60.7
55-64	420	69,063	34	8.4	4.5-12.3	9	3.3	0.4- 6.2	5	0.8	0.0- 1.6				3	0.7	0.0- 1.7	369	86.8	82.1-91.5
65+	750	101,333	23	3.5	1.5- 5.5	5	0.9	0.0- 2.1	9	1.0	0.2- 1.8							713	94.7	92.3-97.1
Less Than H.S.	193	35,903	21	12.9	6.0-19.8	35	14.9	8.6-21.2	22	9.7	1.9-17.5	14	5.6	1.3- 9.9	9	4.2	0.5- 7.9	92	52.6	42.6-62.6
H.S. or G.E.D.	557	112,328	69	14.7	10.8-18.6	55	14.4	9.7-19.1	25	5.6	2.7- 8.5	5	1.4	0.0- 3.2	3	1.3	0.0- 3.1	400	62.6	56.9-68.3
Some Post-H.S.	540	123,933	75	15.5	11.0-20.0	43	10.7	6.4-15.0	26	5.5	2.8- 8.2	8	2.0	0.2- 3.8	8	2.1	0.3- 3.9	380	64.1	58.0-70.2
College Graduate	788	115,028	96	15.9	11.6-20.2	82	13.8	10.3-17.3	30	4.2	2.2- 6.2	8	1.4	0.2- 2.6	3	0.4	0.0- 1.0	569	64.2	59.1-69.3
Less than \$15,000	188	27,326	12	6.9	1.8-12.0	22	15.7	4.5-26.9	16	9.1	3.0-15.2	8	5.9	0.4-11.4	4	2.7	0.0- 6.0	126	59.7	48.3-71.1
\$15,000- 24,999	278	43,976	49	18.9	12.4-25.4	28	14.5	8.0-21.0	16	7.4	2.9-11.9	4	1.0	0.0- 2.0	4	2.1	0.0- 4.8	177	56.0	47.8-64.2
\$25,000- 34,999	160	27,758	18	16.8	6.8-26.8	17	13.0	5.6-20.4	11	7.7	2.4-13.0	3	1.3	0.0- 3.1				111	61.2	50.2-72.2
\$35,000- 49,999	245	47,748	33	14.9	7.6-22.2	23	10.4	5.5-15.3	9	4.0	0.0- 8.1	2	2.9	0.0- 7.0	1	0.8	0.0- 2.4	177	67.1	58.1-76.1
\$50,000- 74,999	218	41,234	21	11.7	5.4-18.0	16	9.1	4.0-14.2	9	4.2	0.9- 7.5	3	1.8	0.0- 4.0	1	1.2	0.0- 3.6	168	72.0	63.6-80.4
\$75,000+	560	122,273	88	18.7	14.0-23.4	73	15.6	10.9-20.3	22	5.7	2.4- 9.0	8	1.3	0.3- 2.3	5	1.3	0.0- 2.7	364	57.5	51.4-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3077	610,362	136	3.5	2.7- 4.3	160	4.2	3.2- 5.2	209	5.3	4.3- 6.3	279	8.5	7.1- 9.9	295	8.8	7.4-10.2	1998	69.8	67.6-72.0
Male	1411	296,907	53	3.7	2.3- 5.1	53	3.0	1.8- 4.2	92	5.0	3.4- 6.6	115	8.3	6.3-10.3	135	8.7	6.7-10.7	963	71.4	68.3-74.5
Female	1666	313,454	83	3.4	2.4- 4.4	107	5.3	3.7- 6.9	117	5.5	4.1- 6.9	164	8.6	6.8-10.4	160	8.9	7.1-10.7	1035	68.3	65.2-71.4
White/Non-Hisp	2128	392,051	52	1.9	1.3- 2.5	74	2.8	1.8- 3.8	111	4.4	3.4- 5.4	156	6.8	5.4- 8.2	189	8.2	6.8- 9.6	1546	75.9	73.5-78.3
Black or Afr. Am./Non-Hisp	404	126,995	28	5.8	3.1- 8.5	31	6.1	3.6- 8.6	27	4.9	2.5- 7.3	44	10.8	6.7-14.9	46	10.0	6.3-13.7	228	62.4	56.3-68.5
Oth. Race/Non-Hisp.	102	29,477	4	4.4	0.0- 9.3	7	3.5	0.4- 6.6	5	1.0	0.0- 2.0	15	7.5	2.4-12.6	9	4.2	0.9- 7.5	62	79.5	70.9-88.1
MultiRacial/Non-Hisp.	65	6,653	3	5.5	0.0-12.4	9	14.8	1.7-27.9	5	7.2	0.0-15.4	8	8.8	0.8-16.8	6	9.2	0.6-17.8	34	54.4	37.3-71.5
Hispanic	325	45,654	44	9.4	5.7-13.1	38	10.8	5.7-15.9	58	16.0	9.3-22.7	53	17.5	11.4-23.6	40	13.1	6.2-20.0	92	33.3	25.3-41.3
18-24	172	60,732	14	4.0	1.1- 6.9	9	5.2	0.0-10.7	10	2.5	0.7- 4.3	27	9.2	5.1-13.3	12	5.9	2.0- 9.8	100	73.2	65.0-81.4
25-34	345	104,606	16	2.0	0.8- 3.2	16	3.7	1.2- 6.2	34	6.8	3.3-10.3	42	12.2	7.5-16.9	37	9.2	5.5-12.9	200	66.1	59.4-72.8
35-44	419	100,445	28	5.2	2.7- 7.7	25	3.2	1.6- 4.8	25	3.4	1.8- 5.0	34	6.9	4.0- 9.8	36	8.1	4.2-12.0	271	73.2	67.7-78.7
45-54	515	99,589	19	2.6	1.0- 4.2	28	5.2	2.5- 7.9	23	3.6	1.6- 5.6	31	6.7	3.4-10.0	37	6.0	3.6- 8.4	377	75.9	71.0-80.8
55-64	648	108,630	30	4.6	2.4- 6.8	28	2.9	1.5- 4.3	47	7.4	4.9- 9.9	44	5.7	3.3- 8.1	51	8.1	5.4-10.8	448	71.3	66.8-75.8
65+	978	136,361	29	3.1	1.5- 4.7	54	5.2	3.4- 7.0	70	6.2	4.2- 8.2	101	9.9	7.4-12.4	122	12.7	10.0-15.4	602	62.9	58.8-67.0
Less Than H.S.	292	63,330	53	14.7	9.6-19.8	43	12.5	7.8-17.2	54	15.1	9.4-20.8	49	15.5	9.8-21.2	36	12.5	6.6-18.4	57	29.7	21.1-38.3
H.S. or G.E.D.	797	180,875	38	3.1	1.7- 4.5	61	5.9	3.5- 8.3	83	6.4	4.6- 8.2	117	13.5	10.4-16.6	104	11.8	9.1-14.5	394	59.3	54.8-63.8
Some Post-H.S.	757	175,244	31	2.9	1.5- 4.3	36	3.1	1.7- 4.5	49	5.4	3.4- 7.4	72	7.6	5.2-10.0	95	10.2	7.5-12.9	474	70.9	66.8-75.0
College Graduate	1227	190,086	12	0.8	0.0- 1.6	19	0.9	0.3- 1.5	22	0.5	0.3- 0.7	41	2.0	1.2- 2.8	60	3.4	2.2- 4.6	1073	92.4	90.8-94.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1411	296,907	53	3.7	2.3- 5.1	53	3.0	1.8- 4.2	92	5.0	3.4- 6.6	115	8.3	6.3-10.3	135	8.7	6.7-10.7	963	71.4	68.3-74.5
White/Non-Hisp	994	189,366	21	1.5	0.7- 2.3	22	1.9	0.9- 2.9	42	3.7	2.3- 5.1	61	6.2	4.2- 8.2	92	9.1	6.9-11.3	756	77.6	74.5-80.7
Black or Afr. Am./Non-Hisp	143	59,470	11	7.4	2.5-12.3	6	3.0	0.3- 5.7	10	4.4	1.1- 7.7	13	11.3	4.2-18.4	12	6.7	2.0-11.4	91	67.2	57.6-76.8
Oth. Race/Non-Hisp.	56	14,859	2	6.4	0.0-15.2	2	3.7	0.0- 8.8	4	1.7	0.0- 3.5	9	7.9	2.0-13.8	5	4.3	0.0- 9.2	34	76.0	63.5-88.5
Hispanic	166	26,351	15	7.6	2.3-12.9	21	11.1	4.0-18.2	30	16.2	6.0-26.4	28	17.9	9.7-26.1	23	13.5	3.5-23.5	49	33.6	22.6-44.6
18-24	94	28,277	7	3.7	0.4- 7.0	3	2.6	0.0- 6.1	8	4.6	0.9- 8.3	15	11.3	4.6-18.0	8	6.3	1.2-11.4	53	71.5	61.3-81.7
25-34	176	54,659	4	1.2	0.0- 2.6	9	3.4	0.1- 6.7	18	7.2	1.5-12.9	14	8.6	2.7-14.5	16	8.7	3.2-14.2	115	70.9	61.7-80.1
35-44	186	49,381	12	5.9	1.6-10.2	11	3.2	0.8- 5.6	9	1.8	0.4- 3.2	16	7.8	3.1-12.5	16	7.4	1.7-13.1	122	74.0	65.8-82.2
45-54	229	50,211	9	3.7	0.8- 6.6	6	2.4	0.0- 5.1	8	3.5	0.4- 6.6	16	8.5	2.6-14.4	18	5.6	2.5- 8.7	172	76.3	68.9-83.7
55-64	303	52,364	11	5.0	1.3- 8.7	11	3.2	0.8- 5.6	25	8.3	4.4-12.2	21	5.2	2.3- 8.1	24	8.2	4.5-11.9	211	70.0	63.5-76.5
65+	423	62,014	10	2.8	0.3- 5.3	13	3.2	0.8- 5.6	24	4.0	2.0- 6.0	33	9.5	5.2-13.8	53	13.7	9.4-18.0	290	66.8	60.7-72.9
Less Than H.S.	152	36,292	27	15.5	8.1-22.9	18	10.5	4.2-16.8	27	14.9	6.3-23.5	24	13.9	6.6-21.2	20	13.7	5.1-22.3	36	31.4	19.2-43.6
H.S. or G.E.D.	376	96,959	11	2.9	0.5- 5.3	19	3.8	1.6- 6.0	33	5.5	3.1- 7.9	46	11.7	7.2-16.2	56	11.5	8.0-15.0	211	64.5	58.4-70.6
Some Post-H.S.	326	74,805	7	1.6	0.2- 3.0	8	1.2	0.0- 2.4	22	4.9	2.4- 7.4	28	8.8	4.5-13.1	40	9.8	5.9-13.7	221	73.7	67.6-79.8
College Graduate	555	88,742	7	1.3	0.0- 2.7	7	0.7	0.1- 1.3	10	0.3	0.1- 0.5	17	1.8	0.6- 3.0	19	2.6	1.0- 4.2	495	93.2	90.8-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1666	313,454	83	3.4	2.4- 4.4	107	5.3	3.7- 6.9	117	5.5	4.1- 6.9	164	8.6	6.8-10.4	160	8.9	7.1-10.7	1035	68.3	65.2-71.4
White/Non-Hisp	1134	202,684	31	2.3	1.3- 3.3	52	3.6	1.8- 5.4	69	5.2	3.6- 6.8	95	7.4	5.2- 9.6	97	7.2	5.4- 9.0	790	74.3	70.8-77.8
Black or Afr. Am./Non-Hisp	261	67,526	17	4.4	1.9- 6.9	25	8.9	4.8-13.0	17	5.3	2.2- 8.4	31	10.3	5.8-14.8	34	12.8	7.3-18.3	137	58.2	50.4-66.0
Hispanic	159	19,303	29	11.7	6.4-17.0	17	10.4	2.8-18.0	28	15.6	8.5-22.7	25	16.9	7.9-25.9	17	12.5	3.7-21.3	43	32.8	21.0-44.6
18-24	78	32,455	7	4.3	0.0- 8.8	6	7.4	0.0-17.0	2	0.6	0.0- 1.4	12	7.4	2.1-12.7	4	5.6	0.0-11.5	47	74.7	62.2-87.2
25-34	169	49,946	12	2.8	0.8- 4.8	7	4.0	0.3- 7.7	16	6.4	2.3-10.5	28	16.1	8.7-23.5	21	9.8	5.1-14.5	85	60.9	51.3-70.5
35-44	233	51,063	16	4.6	1.9- 7.3	14	3.2	1.0- 5.4	16	4.9	2.0- 7.8	18	6.1	2.6- 9.6	20	8.8	3.1-14.5	149	72.5	65.2-79.8
45-54	286	49,377	10	1.4	0.2- 2.6	22	8.0	3.5-12.5	15	3.8	1.4- 6.2	15	4.9	2.0- 7.8	19	6.4	3.1- 9.7	205	75.5	69.2-81.8
55-64	345	56,265	19	4.2	1.8- 6.6	17	2.7	1.1- 4.3	22	6.4	3.1- 9.7	23	6.2	2.7- 9.7	27	8.0	3.9-12.1	237	72.4	66.1-78.7
65+	555	74,347	19	3.4	1.4- 5.4	41	7.0	4.5- 9.5	46	8.0	4.9-11.1	68	10.1	7.2-13.0	69	11.9	8.2-15.6	312	59.6	54.3-64.9
Less Than H.S.	140	27,038	26	13.5	7.2-19.8	25	15.1	7.7-22.5	27	15.4	8.3-22.5	25	17.7	8.9-26.5	16	10.8	3.7-17.9	21	27.4	15.2-39.6
H.S. or G.E.D.	421	83,915	27	3.3	1.7- 4.9	42	8.3	3.8-12.8	50	7.3	4.8- 9.8	71	15.7	11.2-20.2	48	12.2	7.9-16.5	183	53.2	46.7-59.7
Some Post-H.S.	431	100,440	24	3.8	1.8- 5.8	28	4.5	2.3- 6.7	27	5.7	3.0- 8.4	44	6.7	3.8- 9.6	55	10.5	6.8-14.2	253	68.7	63.0-74.4
College Graduate	672	101,345	5	0.4	0.0- 1.0	12	1.0	0.2- 1.8	12	0.6	0.2- 1.0	24	2.2	1.0- 3.4	41	4.0	2.4- 5.6	578	91.7	89.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 49: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3588	709,127	28	0.6	0.2- 1.0	987	27.6	25.4-29.8	1580	43.7	41.3-46.1	682	18.9	17.1-20.7	275	7.9	6.7- 9.1	36	1.3	0.7- 1.9
Male	1646	347,863	2	0.1	0.0- 0.3	205	13.2	10.7-15.7	778	46.6	43.3-49.9	450	27.2	24.3-30.1	190	11.4	9.2-13.6	21	1.4	0.4- 2.4
Female	1942	361,264	26	1.1	0.5- 1.7	782	41.4	38.3-44.5	802	40.8	37.7-43.9	232	11.0	9.0-13.0	85	4.4	3.0- 5.8	15	1.2	0.4- 2.0
White/Non-Hisp	2463	452,717	18	0.6	0.2- 1.0	650	27.1	24.6-29.6	1079	43.0	40.3-45.7	510	20.3	18.1-22.5	203	8.8	7.2-10.4	3	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	455	146,665	2	0.3	0.0- 0.9	101	23.9	18.4-29.4	208	46.3	40.0-52.6	103	21.2	16.1-26.3	40	8.2	4.9-11.5	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	127	34,737	2	1.4	0.0- 4.1	44	42.3	29.6-55.0	44	29.0	18.4-39.6	21	13.9	6.3-21.5	10	4.6	0.7- 8.5	6	8.7	0.9-16.5
MultiRacial/Non-Hisp.	72	7,660				15	27.2	12.3-42.1	35	52.7	36.4-69.0	13	9.2	1.8-16.6	9	11.0	0.0-22.0			
Hispanic	402	54,463	4	0.3	0.0- 0.7	155	31.3	24.8-37.8	182	50.0	42.2-57.8	26	7.2	3.1-11.3	11	2.2	0.2- 4.2	24	8.9	3.2-14.6
18-24	233	84,054	3	1.6	0.0- 3.4	101	36.3	28.1-44.5	86	39.7	30.9-48.5	24	15.0	8.1-21.9	15	5.1	2.0- 8.2	4	2.3	0.0- 5.0
25-34	395	113,731	3	0.1	0.0- 0.3	147	35.9	29.0-42.8	160	36.7	30.0-43.4	46	13.2	8.7-17.7	26	9.6	5.3-13.9	13	4.5	1.2- 7.8
35-44	452	106,847	3	0.2	0.0- 0.4	128	24.6	19.7-29.5	191	44.0	37.7-50.3	81	19.3	14.2-24.4	42	10.7	6.6-14.8	7	1.2	0.0- 2.4
45-54	553	108,191	1	0.0	0.0- 0.0	117	22.4	17.7-27.1	234	41.7	36.2-47.2	140	26.1	21.4-30.8	56	9.2	6.3-12.1	5	0.5	0.0- 1.1
55-64	717	120,484	4	0.3	0.0- 0.7	148	20.7	16.8-24.6	323	48.5	43.8-53.2	167	21.2	17.5-24.9	69	8.9	6.4-11.4	6	0.4	0.0- 0.8
65+	1238	175,820	14	1.3	0.3- 2.3	346	27.7	24.4-31.0	586	47.8	44.1-51.5	224	18.4	15.5-21.3	67	4.7	3.3- 6.1	1	0.1	0.0- 0.3
Less Than H.S.	365	73,974	6	1.5	0.0- 3.3	144	35.5	27.9-43.1	146	39.8	32.5-47.1	41	14.4	9.1-19.7	16	4.8	2.3- 7.3	12	4.1	0.2- 8.0
H.S. or G.E.D.	975	225,592	5	0.5	0.0- 1.1	251	23.8	20.3-27.3	435	46.5	42.2-50.8	192	19.5	16.2-22.8	86	8.9	6.5-11.3	6	0.8	0.0- 1.6
Some Post-H.S.	878	201,364	7	0.7	0.0- 1.5	226	26.8	22.7-30.9	378	41.7	37.2-46.2	182	20.3	16.4-24.2	79	9.1	6.4-11.8	6	1.3	0.0- 2.7
College Graduate	1359	205,454	10	0.4	0.0- 0.8	358	29.2	25.5-32.9	619	44.0	40.3-47.7	266	18.8	16.1-21.5	94	6.7	4.7- 8.7	12	1.0	0.2- 1.8
Less than \$15,000	282	43,941	2	0.2	0.0- 0.4	89	29.8	22.4-37.2	115	42.5	33.9-51.1	52	19.2	12.7-25.7	19	7.5	3.2-11.8	5	0.9	0.0- 1.9
\$15,000- 24,999	465	80,705	9	1.5	0.1- 2.9	134	24.9	19.6-30.2	202	46.0	39.5-52.5	78	15.7	11.0-20.4	33	7.6	4.3-10.9	9	4.3	0.2- 8.4
\$25,000- 34,999	289	52,064	2	0.1	0.0- 0.3	75	25.8	19.3-32.3	134	45.9	37.9-53.9	57	16.7	11.2-22.2	19	10.7	4.4-17.0	2	0.8	0.0- 2.2
\$35,000- 49,999	387	78,617	1	0.7	0.0- 2.1	104	30.2	22.8-37.6	171	45.2	37.8-52.6	75	15.6	10.9-20.3	34	8.0	4.9-11.1	2	0.3	0.0- 0.7
\$50,000- 74,999	436	93,078	4	0.5	0.0- 1.1	102	20.5	15.6-25.4	184	43.8	37.1-50.5	98	22.9	17.2-28.6	47	11.7	7.6-15.8	1	0.6	0.0- 1.8
\$75,000+	1100	239,823	5	0.6	0.0- 1.2	245	25.9	22.0-29.8	506	43.5	39.6-47.4	245	21.6	18.3-24.9	94	7.6	5.4- 9.8	5	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less					101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	347,863	2	0.1	0.0- 0.3	205	13.2	10.7-15.7	778	46.6	43.3-49.9	450	27.2	24.3-30.1	190	11.4	9.2-13.6	21	1.4	0.4- 2.4			
White/Non-Hisp	1155	222,266				104	9.6	7.2-12.0	538	45.9	42.2-49.6	359	30.8	27.3-34.3	153	13.6	10.9-16.3	1	0.1	0.0- 0.3			
Black or Afr. Am./Non-Hisp	163	69,588	1	0.6	0.0- 1.8	21	16.3	8.3-24.3	74	47.6	37.8-57.4	47	25.5	17.3-33.7	20	10.0	4.5-15.5						
Oth. Race/Non-Hisp.	63	15,962				14	27.6	11.5-43.7	24	31.0	16.7-45.3	14	23.7	9.4-38.0	8	9.4	1.2-17.6	3	8.3	0.0-18.9			
Hispanic	200	30,527	1	0.1	0.0- 0.3	56	21.4	13.8-29.0	105	55.5	44.5-66.5	17	10.1	3.0-17.2	5	1.4	0.0- 2.8	16	11.4	2.2-20.6			
18-24	130	42,169				48	30.1	19.9-40.3	55	43.7	32.5-54.9	17	19.3	9.1-29.5	9	5.5	1.2- 9.8	1	1.4	0.0- 4.1			
25-34	198	58,632	1	0.1	0.0- 0.3	39	16.7	8.3-25.1	99	45.2	35.2-55.2	33	19.2	11.6-26.8	17	13.4	6.1-20.7	9	5.4	0.1-10.7			
35-44	206	54,824				26	11.1	5.8-16.4	98	46.7	37.5-55.9	54	28.8	20.2-37.4	23	11.9	5.6-18.2	5	1.5	0.0- 3.3			
45-54	247	53,133				23	10.8	5.5-16.1	109	42.3	34.1-50.5	78	32.8	25.2-40.4	36	14.0	8.7-19.3	1	0.1	0.0- 0.3			
55-64	338	59,055				26	9.2	5.1-13.3	143	46.8	40.1-53.5	114	29.1	23.4-34.8	51	14.5	9.8-19.2	4	0.5	0.0- 1.1			
65+	527	80,050	1	0.5	0.0- 1.5	43	7.7	4.8-10.6	274	51.9	46.2-57.6	154	31.0	25.5-36.5	54	8.7	6.0-11.4	1	0.1	0.0- 0.3			
Less Than H.S.	187	42,241				54	26.8	16.4-37.2	86	44.3	33.7-54.9	29	18.5	10.3-26.7	8	4.4	1.1- 7.7	10	6.0	0.0-12.7			
H.S. or G.E.D.	453	119,875	1	0.0	0.0- 0.0	67	14.3	10.0-18.6	199	45.4	39.3-51.5	120	25.9	20.6-31.2	63	13.5	9.4-17.6	3	0.9	0.0- 2.1			
Some Post-H.S.	383	88,189	1	0.5	0.0- 1.5	34	9.6	5.3-13.9	176	43.8	36.9-50.7	117	31.9	25.2-38.6	52	13.3	8.6-18.0	3	1.0	0.0- 2.6			
College Graduate	617	96,537				46	8.8	5.3-12.3	316	51.8	46.3-57.3	183	28.6	23.9-33.3	67	10.2	6.9-13.5	5	0.6	0.0- 1.4			
Less than \$15,000	101	18,344	1	0.2	0.0- 0.6	27	30.3	17.8-42.8	45	39.7	27.0-52.4	20	22.4	11.0-33.8	4	6.4	0.0-13.5	4	1.0	0.0- 2.2			
\$15,000- 24,999	201	38,523				37	16.6	9.9-23.3	94	46.4	36.4-56.4	46	20.6	12.4-28.8	17	9.8	3.9-15.7	7	6.5	0.0-13.8			
\$25,000- 34,999	134	25,657				17	13.4	5.8-21.0	76	57.3	45.7-68.9	29	16.3	9.4-23.2	12	13.0	3.8-22.2						
\$35,000- 49,999	152	33,488				13	13.9	1.4-26.4	69	48.1	35.8-60.4	50	28.6	18.6-38.6	19	9.0	4.5-13.5	1	0.4	0.0- 1.2			
\$50,000- 74,999	226	53,031				19	7.5	3.4-11.6	100	42.9	33.9-51.9	64	29.2	20.8-37.6	42	19.3	12.4-26.2	1	1.1	0.0- 3.3			
\$75,000+	570	121,906	1	0.3	0.0- 0.9	38	9.9	5.8-14.0	274	47.0	41.5-52.5	182	30.7	25.8-35.6	73	11.4	7.7-15.1	2	0.7	0.0- 1.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1942	361,264	26	1.1	0.5- 1.7	782	41.4	38.3-44.5	802	40.8	37.7-43.9	232	11.0	9.0-13.0	85	4.4	3.0- 5.8	15	1.2	0.4- 2.0
White/Non-Hisp	1308	230,451	18	1.3	0.5- 2.1	546	44.0	40.1-47.9	541	40.2	36.5-43.9	151	10.1	7.9-12.3	50	4.1	2.7- 5.5	2	0.4	0.0- 1.0
Black or Afr. Am./Non-Hisp	292	77,077	1	0.0	0.0- 0.0	80	30.8	23.5-38.1	134	45.2	37.4-53.0	56	17.2	11.3-23.1	20	6.6	2.9-10.3	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	64	18,775	2	2.6	0.0- 7.5	30	54.8	37.0-72.6	20	27.4	12.1-42.7	7	5.5	0.8-10.2	2	0.6	0.0- 1.6	3	9.1	0.0-20.3
Hispanic	202	23,936	3	0.5	0.0- 1.3	99	43.8	33.2-54.4	77	43.1	32.1-54.1	9	3.5	0.4- 6.6	6	3.3	0.0- 7.2	8	5.8	1.1-10.5
18-24	103	41,885	3	3.1	0.0- 6.8	53	42.5	29.4-55.6	31	35.6	22.1-49.1	7	10.7	1.7-19.7	6	4.7	0.4- 9.0	3	3.3	0.0- 8.0
25-34	197	55,099	2	0.2	0.0- 0.4	108	56.3	46.7-65.9	61	27.6	19.2-36.0	13	6.8	2.3-11.3	9	5.6	1.3- 9.9	4	3.5	0.0- 7.2
35-44	246	52,023	3	0.4	0.0- 0.8	102	38.8	31.0-46.6	93	41.1	32.9-49.3	27	9.3	5.0-13.6	19	9.4	3.9-14.9	2	0.9	0.0- 2.3
45-54	306	55,059	1	0.1	0.0- 0.3	94	33.7	26.4-41.0	125	41.1	33.8-48.4	62	19.6	13.9-25.3	20	4.6	2.2- 7.0	4	0.9	0.0- 1.9
55-64	379	61,428	4	0.6	0.0- 1.6	122	31.8	25.5-38.1	180	50.1	43.2-57.0	53	13.6	9.1-18.1	18	3.6	1.6- 5.6	2	0.3	0.0- 0.7
65+	711	95,769	13	2.0	0.4- 3.6	303	44.5	39.6-49.4	312	44.5	39.6-49.4	70	7.7	5.3-10.1	13	1.3	0.5- 2.1			
Less Than H.S.	178	31,733	6	3.4	0.0- 7.3	90	47.0	36.4-57.6	60	33.8	24.2-43.4	12	9.0	2.9-15.1	8	5.3	1.2- 9.4	2	1.6	0.0- 4.0
H.S. or G.E.D.	522	105,716	4	0.9	0.0- 1.9	184	34.7	29.2-40.2	236	47.8	41.9-53.7	72	12.3	8.8-15.8	23	3.7	1.9- 5.5	3	0.6	0.0- 1.4
Some Post-H.S.	495	113,175	6	0.9	0.0- 1.9	192	40.3	34.0-46.6	202	40.0	33.7-46.3	65	11.3	7.4-15.2	27	5.8	2.9- 8.7	3	1.6	0.0- 3.8
College Graduate	742	108,917	10	0.8	0.2- 1.4	312	47.2	41.9-52.5	303	37.1	32.2-42.0	83	10.1	7.2-13.0	27	3.6	1.4- 5.8	7	1.3	0.0- 2.7
Less than \$15,000	181	25,597	1	0.2	0.0- 0.6	62	29.4	20.2-38.6	70	44.6	33.0-56.2	32	16.8	9.5-24.1	15	8.3	3.0-13.6	1	0.7	0.0- 2.1
\$15,000- 24,999	264	42,181	9	2.9	0.4- 5.4	97	32.4	24.6-40.2	108	45.6	37.2-54.0	32	11.4	6.5-16.3	16	5.5	2.2- 8.8	2	2.2	0.0- 5.9
\$25,000- 34,999	155	26,407	2	0.2	0.0- 0.6	58	37.8	27.6-48.0	58	34.8	24.6-45.0	28	17.1	8.7-25.5	7	8.4	0.0-17.0	2	1.6	0.0- 4.3
\$35,000- 49,999	235	45,129	1	1.3	0.0- 3.8	91	42.3	32.9-51.7	102	43.0	33.6-52.4	25	6.0	3.1- 8.9	15	7.2	2.9-11.5	1	0.2	0.0- 0.6
\$50,000- 74,999	210	40,047	4	1.2	0.0- 2.8	83	37.7	28.7-46.7	84	45.0	35.0-55.0	34	14.5	8.2-20.8	5	1.6	0.0- 3.2			
\$75,000+	530	117,916	4	1.0	0.0- 2.2	207	42.6	36.5-48.7	232	39.9	34.0-45.8	63	12.3	8.2-16.4	21	3.6	1.4- 5.8	3	0.7	0.0- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3556	713,067	226	5.9	4.9- 6.9	1560	42.3	39.9-44.7	1442	41.3	38.9-43.7	323	10.2	8.8-11.6	5	0.2	0.0- 0.6
Male	1592	343,173	13	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	318	20.9	18.2-23.6	5	0.5	0.0- 1.1
Female	1964	369,894	213	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4			
White/Non-Hisp	2543	467,039	136	4.7	3.7- 5.7	1070	41.5	38.8-44.2	1087	42.7	40.2-45.2	247	11.1	9.3-12.9	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	465	149,666	30	6.0	3.5- 8.5	228	40.4	34.5-46.3	174	44.9	38.6-51.2	31	7.8	4.5-11.1	2	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	136	35,445	11	10.9	2.9-18.9	56	45.8	33.5-58.1	50	29.7	19.5-39.9	19	13.6	6.3-20.9			
MultiRacial/Non-Hisp.	73	7,771	2	2.3	0.0- 6.4	33	48.5	32.4-64.6	30	39.5	23.0-56.0	8	9.8	1.4-18.2			
Hispanic	269	40,432	45	17.1	10.4-23.8	143	54.6	45.2-64.0	68	22.3	15.0-29.6	13	6.0	1.7-10.3			
18-24	209	80,036	9	4.4	1.1- 7.7	83	40.6	31.6-49.6	90	42.7	33.7-51.7	27	12.2	6.5-17.9			
25-34	352	111,115	31	7.8	4.5-11.1	148	41.7	34.4-49.0	138	38.7	31.8-45.6	34	11.0	6.5-15.5	1	0.9	0.0- 2.7
35-44	421	105,101	26	6.0	3.1- 8.9	173	39.0	32.9-45.1	172	42.6	36.1-49.1	49	11.9	8.2-15.6	1	0.4	0.0- 1.2
45-54	560	110,629	23	3.2	1.2- 5.2	241	41.7	36.4-47.0	243	44.5	39.0-50.0	52	10.5	7.0-14.0	1	0.0	0.0- 0.0
55-64	752	127,227	36	4.2	2.2- 6.2	321	43.0	38.3-47.7	325	42.9	38.4-47.4	69	9.8	7.1-12.5	1	0.0	0.0- 0.0
65+	1262	178,960	101	8.4	6.4-10.4	594	45.2	41.5-48.9	474	38.6	34.9-42.3	92	7.7	5.7- 9.7	1	0.0	0.0- 0.0
Less Than H.S.	266	64,132	38	11.2	6.7-15.7	122	49.5	40.9-58.1	90	31.5	24.2-38.8	15	7.1	2.6-11.6	1	0.7	0.0- 2.1
H.S. or G.E.D.	980	228,668	72	6.0	4.0- 8.0	435	40.2	36.1-44.3	382	43.0	38.7-47.3	91	10.7	8.0-13.4			
Some Post-H.S.	897	206,993	57	5.5	3.5- 7.5	387	42.8	38.3-47.3	358	39.6	35.1-44.1	94	11.7	8.8-14.6	1	0.5	0.0- 1.5
College Graduate	1402	210,607	57	4.4	2.8- 6.0	610	42.0	38.3-45.7	610	44.5	40.8-48.2	122	9.1	7.1-11.1	3	0.1	0.1- 0.1
Less than \$15,000	244	41,076	26	7.6	3.9-11.3	136	55.1	46.3-63.9	73	32.2	24.0-40.4	9	5.0	1.1- 8.9			
\$15,000- 24,999	435	76,774	49	11.4	7.3-15.5	200	41.2	34.5-47.9	161	39.8	33.1-46.5	25	7.5	3.6-11.4			
\$25,000- 34,999	280	52,126	23	7.4	3.3-11.5	124	43.8	35.8-51.8	105	37.5	29.7-45.3	27	9.4	5.3-13.5	1	1.9	0.0- 5.6
\$35,000- 49,999	394	79,926	27	5.2	2.1- 8.3	187	48.0	40.6-55.4	150	39.7	32.4-47.0	29	6.9	3.6-10.2	1	0.1	0.0- 0.3
\$50,000- 74,999	443	93,312	18	3.5	1.5- 5.5	176	35.7	29.4-42.0	201	49.8	43.1-56.5	47	10.9	7.0-14.8	1	0.1	0.0- 0.3
\$75,000+	1135	245,499	33	3.6	2.0- 5.2	426	38.8	34.9-42.7	531	45.1	41.2-49.0	144	12.5	10.0-15.0	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1592	343,173	13	0.7	0.1- 1.3	192	13.3	10.8-15.8	1064	64.7	61.4-68.0	318	20.9	18.2-23.6	5	0.5	0.0- 1.1
White/Non-Hisp	1163	225,052	2	0.1	0.0- 0.3	101	9.6	7.2-12.0	812	67.5	63.8-71.2	245	22.8	19.5-26.1	3	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	163	69,588	1	1.0	0.0- 3.0	20	12.5	5.1-19.9	111	68.0	58.6-77.4	29	16.4	9.3-23.5	2	2.1	0.0- 5.2
Oth. Race/Non-Hisp.	68	16,525	1	0.9	0.0- 2.7	10	22.9	7.4-38.4	39	48.5	32.6-64.4	18	27.7	13.8-41.6			
Hispanic	133	22,498	8	5.9	0.0-11.8	53	45.5	31.6-59.4	59	38.0	25.5-50.5	13	10.7	3.1-18.3			
18-24	117	40,119				15	11.3	4.2-18.4	75	64.3	52.9-75.7	27	24.4	14.0-34.8			
25-34	179	57,829	3	1.4	0.0- 3.4	37	18.3	8.7-27.9	104	57.5	47.1-67.9	34	21.1	12.9-29.3	1	1.7	0.0- 5.0
35-44	187	52,073	3	1.2	0.0- 3.0	21	13.3	5.9-20.7	115	61.2	51.8-70.6	47	23.4	16.0-30.8	1	0.9	0.0- 2.7
45-54	245	53,289	1	0.0	0.0- 0.0	25	10.0	5.5-14.5	168	68.8	61.4-76.2	50	21.2	14.5-27.9	1	0.0	0.0- 0.0
55-64	339	59,853	2	1.3	0.0- 3.7	37	15.2	9.7-20.7	231	62.7	56.0-69.4	68	20.8	15.3-26.3	1	0.1	0.0- 0.3
65+	525	80,009	4	0.2	0.0- 0.4	57	11.3	7.8-14.8	371	71.1	66.0-76.2	92	17.3	13.0-21.6	1	0.1	0.0- 0.3
Less Than H.S.	140	36,319	5	2.3	0.0- 5.0	42	36.4	23.5-49.3	77	47.5	35.5-59.5	15	12.6	4.8-20.4	1	1.3	0.0- 3.8
H.S. or G.E.D.	453	121,378	5	1.2	0.0- 2.6	49	11.2	7.5-14.9	311	67.7	62.0-73.4	88	19.9	15.0-24.8			
Some Post-H.S.	377	88,043	1	0.0	0.0- 0.0	45	10.5	6.6-14.4	238	61.4	54.7-68.1	92	26.9	20.6-33.2	1	1.1	0.0- 3.3
College Graduate	617	96,510	1	0.0	0.0- 0.0	55	9.6	5.7-13.5	436	70.5	65.4-75.6	122	19.8	15.7-23.9	3	0.2	0.0- 0.4
Less than \$15,000	85	16,851	3	3.2	0.0- 8.5	19	23.3	11.5-35.1	54	61.3	47.6-75.0	9	12.3	3.1-21.5			
\$15,000- 24,999	178	35,600	3	1.8	0.0- 4.7	33	16.3	7.9-24.7	119	66.1	55.7-76.5	23	15.7	7.7-23.7			
\$25,000- 34,999	126	24,940	1	0.1	0.0- 0.3	21	22.1	10.3-33.9	77	55.0	42.8-67.2	26	18.8	10.6-27.0	1	4.0	0.0-11.6
\$35,000- 49,999	153	33,585	1	0.0	0.0- 0.0	23	21.5	8.6-34.4	99	61.7	49.0-74.4	29	16.5	8.9-24.1	1	0.2	0.0- 0.6
\$50,000- 74,999	226	52,747	1	0.3	0.0- 0.9	24	8.9	4.4-13.4	154	71.7	64.1-79.3	46	19.0	12.5-25.5	1	0.1	0.0- 0.3
\$75,000+	573	122,332	1	0.1	0.0- 0.3	37	8.0	4.7-11.3	391	66.9	61.6-72.2	143	24.9	20.2-29.6	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1964	369,894	213	10.8	8.8-12.8	1368	69.3	66.4-72.2	378	19.7	17.2-22.2	5	0.2	0.0- 0.4
White/Non-Hisp	1380	241,987	134	9.0	7.0-11.0	969	71.2	68.1-74.3	275	19.6	16.9-22.3	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	302	80,078	29	10.3	6.0-14.6	208	64.6	57.0-72.2	63	24.7	17.3-32.1	2	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	68	18,920	10	19.7	5.2-34.2	46	65.7	49.0-82.4	11	13.3	2.5-24.1	1	1.3	0.0- 3.8
Hispanic	136	17,934	37	31.2	19.2-43.2	90	66.1	53.9-78.3	9	2.7	0.3- 5.1			
18-24	92	39,916	9	8.9	2.4-15.4	68	70.1	57.4-82.8	15	21.0	8.8-33.2			
25-34	173	53,285	28	14.7	8.2-21.2	111	67.0	58.0-76.0	34	18.3	11.2-25.4			
35-44	234	53,028	23	10.6	5.1-16.1	152	64.2	56.0-72.4	57	24.4	17.0-31.8	2	0.7	0.0- 1.7
45-54	315	57,340	22	6.2	2.5- 9.9	216	71.2	64.9-77.5	75	22.0	16.5-27.5	2	0.6	0.0- 1.6
55-64	413	67,374	34	6.9	3.8-10.0	284	67.8	61.7-73.9	94	25.2	19.3-31.1	1	0.1	0.0- 0.3
65+	737	98,950	97	15.1	11.6-18.6	537	72.7	68.6-76.8	103	12.3	9.6-15.0			
Less Than H.S.	126	27,812	33	22.8	13.6-32.0	80	66.6	55.8-77.4	13	10.6	3.7-17.5			
H.S. or G.E.D.	527	107,291	67	11.6	8.1-15.1	386	73.0	67.9-78.1	71	15.1	11.0-19.2	3	0.4	0.0- 0.8
Some Post-H.S.	520	118,950	56	9.5	6.4-12.6	342	66.6	60.7-72.5	120	23.5	18.0-29.0	2	0.3	0.0- 0.9
College Graduate	785	114,097	56	8.1	5.4-10.8	555	69.4	64.9-73.9	174	22.5	18.4-26.6			
Less than \$15,000	159	24,225	23	10.7	5.6-15.8	117	77.3	69.1-85.5	19	12.0	5.5-18.5			
\$15,000- 24,999	257	41,174	46	19.7	12.8-26.6	167	62.8	54.6-71.0	42	17.1	10.8-23.4	2	0.4	0.0- 1.0
\$25,000- 34,999	154	27,187	22	14.1	6.5-21.7	103	63.6	52.4-74.8	28	21.5	11.1-31.9	1	0.9	0.0- 2.7
\$35,000- 49,999	241	46,341	26	9.0	3.9-14.1	164	67.2	58.0-76.4	51	23.8	15.2-32.4			
\$50,000- 74,999	217	40,565	17	7.7	3.4-12.0	152	70.6	62.4-78.8	47	21.3	14.0-28.6	1	0.4	0.0- 1.2
\$75,000+	562	123,166	32	7.0	4.1- 9.9	389	69.5	64.2-74.8	140	23.4	18.5-28.3	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 55: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	711	181,047	18	3.6	1.4- 5.8	693	96.4	94.2-98.6
White/Non-Hisp	358	95,728	8	2.4	0.4- 4.4	350	97.6	95.6-99.6
Black or Afr. Am./Non-Hisp	120	42,897	1	0.4	0.0- 1.2	119	99.6	98.8- 100
Hispanic	159	21,128	6	9.0	0.0-18.8	153	91.0	81.2- 100
18-24	103	41,658	4	1.8	0.0- 3.8	99	98.2	96.2- 100
25-34	209	59,207	11	8.0	1.9-14.1	198	92.0	85.9-98.1
35-44	257	54,927	3	1.9	0.0- 4.4	254	98.1	95.6- 100
45-54	142	25,254				142	100.0	100.0- 100
Less Than H.S.	99	16,486	7	12.3	0.9-23.7	92	87.7	76.3-99.1
H.S. or G.E.D.	172	47,763	4	2.9	0.0- 6.8	168	97.1	93.2- 100
Some Post-H.S.	182	58,968	4	2.2	0.0- 4.9	178	97.8	95.1- 100
College Graduate	257	57,750	3	3.1	0.0- 7.6	254	96.9	92.4- 100
Less than \$15,000	74	13,067	3	3.1	0.0- 6.8	71	96.9	93.2- 100
\$15,000- 24,999	103	21,210	3	3.8	0.0-10.1	100	96.2	89.9- 100
\$25,000- 34,999	53	12,532	3	7.9	0.0-18.5	50	92.1	81.5- 100
\$35,000- 49,999	80	20,734	2	5.2	0.0-13.6	78	94.8	86.4- 100
\$50,000- 74,999	64	18,017				64	100.0	100.0- 100
\$75,000+	219	67,364	4	3.2	0.0- 7.1	215	96.8	92.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3773	744,527	304	6.3	5.3- 7.3	3469	93.7	92.7-94.7
Male	1682	355,390	166	7.6	6.2- 9.0	1516	92.4	91.0-93.8
Female	2091	389,137	138	5.0	3.8- 6.2	1953	95.0	93.8-96.2
White/Non-Hisp	2572	472,967	236	7.4	6.2- 8.6	2336	92.6	91.4-93.8
Black or Afr. Am./Non-Hisp	473	151,336	26	4.3	2.1- 6.5	447	95.7	93.5-97.9
Oth. Race/Non-Hisp.	141	37,733	15	6.1	2.0-10.2	126	93.9	89.8-98.0
MultiRacial/Non-Hisp.	73	7,677	5	1.9	0.0- 3.9	68	98.1	96.1- 100
Hispanic	425	59,227	16	2.8	0.8- 4.8	409	97.2	95.2-99.2
18-24	242	85,275	10	2.6	0.6- 4.6	232	97.4	95.4-99.4
25-34	420	121,620	11	2.9	0.9- 4.9	409	97.1	95.1-99.1
35-44	468	110,758	13	2.3	0.1- 4.5	455	97.7	95.5-99.9
45-54	593	114,617	27	4.1	2.1- 6.1	566	95.9	93.9-97.9
55-64	771	130,713	70	8.6	6.2-11.0	701	91.4	89.0-93.8
65+	1279	181,544	173	12.4	10.0-14.8	1106	87.6	85.2-90.0
Less Than H.S.	386	79,318	40	8.8	5.5-12.1	346	91.2	87.9-94.5
H.S. or G.E.D.	1013	234,451	92	6.6	5.0- 8.2	921	93.4	91.8-95.0
Some Post-H.S.	924	211,520	74	6.7	4.5- 8.9	850	93.3	91.1-95.5
College Graduate	1429	215,427	93	4.3	3.1- 5.5	1336	95.7	94.5-96.9
Less than \$15,000	293	46,311	39	13.1	8.2-18.0	254	86.9	82.0-91.8
\$15,000- 24,999	482	82,866	43	6.7	4.0- 9.4	439	93.3	90.6-96.0
\$25,000- 34,999	293	53,290	34	11.3	6.0-16.6	259	88.7	83.4-94.0
\$35,000- 49,999	397	80,887	25	5.2	2.3- 8.1	372	94.8	91.9-97.7
\$50,000- 74,999	447	95,149	42	6.7	4.2- 9.2	405	93.3	90.8-95.8
\$75,000+	1144	248,131	54	3.3	2.1- 4.5	1090	96.7	95.5-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1682	355,390	166	7.6	6.2- 9.0	1516	92.4	91.0-93.8
White/Non-Hisp	1169	226,057	135	9.6	7.6-11.6	1034	90.4	88.4-92.4
Black or Afr. Am./Non-Hisp	163	69,919	11	3.4	0.9- 5.9	152	96.6	94.1-99.1
Oth. Race/Non-Hisp.	72	17,436	7	6.0	0.7-11.3	65	94.0	88.7-99.3
Hispanic	206	31,501	8	3.3	0.2- 6.4	198	96.7	93.6-99.8
18-24	137	42,918	5	2.2	0.0- 4.6	132	97.8	95.4- 100
25-34	212	62,447	8	4.2	0.7- 7.7	204	95.8	92.3-99.3
35-44	207	55,041	5	1.6	0.0- 3.2	202	98.4	96.8- 100
45-54	255	54,362	16	4.7	1.6- 7.8	239	95.3	92.2-98.4
55-64	342	60,359	48	13.7	9.4-18.0	294	86.3	82.0-90.6
65+	529	80,264	84	14.7	11.0-18.4	445	85.3	81.6-89.0
Less Than H.S.	194	43,905	21	8.1	4.0-12.2	173	91.9	87.8-96.0
H.S. or G.E.D.	463	123,064	53	8.5	5.8-11.2	410	91.5	88.8-94.2
Some Post-H.S.	386	87,968	40	7.7	4.4-11.0	346	92.3	89.0-95.6
College Graduate	630	99,183	48	5.7	3.7- 7.7	582	94.3	92.3-96.3
Less than \$15,000	105	19,290	17	12.6	5.2-20.0	88	87.4	80.0-94.8
\$15,000- 24,999	205	39,162	23	8.3	4.2-12.4	182	91.7	87.6-95.8
\$25,000- 34,999	133	25,532	17	11.5	5.0-18.0	116	88.5	82.0-95.0
\$35,000- 49,999	153	33,433	10	6.3	0.6-12.0	143	93.7	88.0-99.4
\$50,000- 74,999	227	53,554	31	9.8	5.7-13.9	196	90.2	86.1-94.3
\$75,000+	576	123,905	39	5.0	3.0- 7.0	537	95.0	93.0-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2091	389,137	138	5.0	3.8- 6.2	1953	95.0	93.8-96.2
White/Non-Hisp	1403	246,910	101	5.4	4.0- 6.8	1302	94.6	93.2-96.0
Black or Afr. Am./Non-Hisp	310	81,417	15	5.1	1.6- 8.6	295	94.9	91.4-98.4
Oth. Race/Non-Hisp.	69	20,298	8	6.2	0.1-12.3	61	93.8	87.7-99.9
Hispanic	219	27,726	8	2.2	0.4- 4.0	211	97.8	96.0-99.6
18-24	105	42,358	5	3.0	0.0- 6.1	100	97.0	93.9- 100
25-34	208	59,173	3	1.6	0.0- 3.8	205	98.4	96.2- 100
35-44	261	55,717	8	2.9	0.0- 6.8	253	97.1	93.2- 100
45-54	338	60,256	11	3.5	1.0- 6.0	327	96.5	94.0-99.0
55-64	429	70,354	22	4.2	2.0- 6.4	407	95.8	93.6-98.0
65+	750	101,280	89	10.6	7.7-13.5	661	89.4	86.5-92.3
Less Than H.S.	192	35,414	19	9.6	4.5-14.7	173	90.4	85.3-95.5
H.S. or G.E.D.	550	111,387	39	4.4	2.6- 6.2	511	95.6	93.8-97.4
Some Post-H.S.	538	123,553	34	6.1	3.4- 8.8	504	93.9	91.2-96.6
College Graduate	799	116,243	45	3.2	1.8- 4.6	754	96.8	95.4-98.2
Less than \$15,000	188	27,021	22	13.4	6.9-19.9	166	86.6	80.1-93.1
\$15,000- 24,999	277	43,704	20	5.4	1.7- 9.1	257	94.6	90.9-98.3
\$25,000- 34,999	160	27,758	17	11.0	2.6-19.4	143	89.0	80.6-97.4
\$35,000- 49,999	244	47,454	15	4.4	1.5- 7.3	229	95.6	92.7-98.5
\$50,000- 74,999	220	41,595	11	2.7	0.7- 4.7	209	97.3	95.3-99.3
\$75,000+	568	124,226	15	1.7	0.5- 2.9	553	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 59: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3763	740,633	210	4.9	4.1- 5.7	3553	95.1	94.3-95.9
Male	1678	353,388	93	5.1	3.7- 6.5	1585	94.9	93.5-96.3
Female	2085	387,246	117	4.7	3.5- 5.9	1968	95.3	94.1-96.5
White/Non-Hisp	2562	469,873	120	4.5	3.5- 5.5	2442	95.5	94.5-96.5
Black or Afr. Am./Non-Hisp	472	151,262	33	5.7	3.3- 8.1	439	94.3	91.9-96.7
Oth. Race/Non-Hisp.	142	37,794	10	2.6	0.6- 4.6	132	97.4	95.4-99.4
MultiRacial/Non-Hisp.	73	7,677	7	4.7	0.0- 9.8	66	95.3	90.2- 100
Hispanic	424	58,239	37	8.2	4.3-12.1	387	91.8	87.9-95.7
18-24	241	84,850	14	5.4	2.1- 8.7	227	94.6	91.3-97.9
25-34	419	120,655	13	1.9	0.5- 3.3	406	98.1	96.7-99.5
35-44	468	110,384	16	2.1	0.7- 3.5	452	97.9	96.5-99.3
45-54	591	114,175	37	5.8	3.4- 8.2	554	94.2	91.8-96.6
55-64	770	130,370	54	7.4	4.9- 9.9	716	92.6	90.1-95.1
65+	1274	180,200	76	6.0	4.2- 7.8	1198	94.0	92.2-95.8
Less Than H.S.	385	78,428	50	12.7	8.4-17.0	335	87.3	83.0-91.6
H.S. or G.E.D.	1008	232,884	71	5.5	3.9- 7.1	937	94.5	92.9-96.1
Some Post-H.S.	919	210,080	50	4.6	3.0- 6.2	869	95.4	93.8-97.0
College Graduate	1429	215,354	38	1.8	1.0- 2.6	1391	98.2	97.4-99.0
Less than \$15,000	290	45,623	54	19.1	12.8-25.4	236	80.9	74.6-87.2
\$15,000- 24,999	478	82,224	50	9.3	6.0-12.6	428	90.7	87.4-94.0
\$25,000- 34,999	293	53,290	15	4.9	1.6- 8.2	278	95.1	91.8-98.4
\$35,000- 49,999	395	80,408	18	3.9	1.5- 6.3	377	96.1	93.7-98.5
\$50,000- 74,999	446	95,079	12	1.5	0.5- 2.5	434	98.5	97.5-99.5
\$75,000+	1145	248,107	23	1.8	0.8- 2.8	1122	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1678	353,388	93	5.1	3.7- 6.5	1585	94.9	93.5-96.3
White/Non-Hisp	1165	224,653	61	5.0	3.4- 6.6	1104	95.0	93.4-96.6
Black or Afr. Am./Non-Hisp	163	69,919	13	6.4	2.3-10.5	150	93.6	89.5-97.7
Oth. Race/Non-Hisp.	72	17,436	3	1.7	0.0- 3.9	69	98.3	96.1- 100
Hispanic	205	30,702	14	6.6	1.9-11.3	191	93.4	88.7-98.1
18-24	136	42,493	6	5.1	0.4- 9.8	130	94.9	90.2-99.6
25-34	211	61,670	9	3.3	0.6- 6.0	202	96.7	94.0-99.4
35-44	207	54,667	3	1.4	0.0- 3.2	204	98.6	96.8- 100
45-54	254	54,214	13	5.5	2.0- 9.0	241	94.5	91.0-98.0
55-64	342	60,237	30	9.1	5.0-13.2	312	90.9	86.8-95.0
65+	528	80,108	32	5.8	3.3- 8.3	496	94.2	91.7-96.7
Less Than H.S.	193	43,102	20	11.3	5.4-17.2	173	88.7	82.8-94.6
H.S. or G.E.D.	460	122,645	34	5.6	3.2- 8.0	426	94.4	92.0-96.8
Some Post-H.S.	383	86,800	23	5.3	2.6- 8.0	360	94.7	92.0-97.4
College Graduate	631	99,282	15	1.7	0.3- 3.1	616	98.3	96.9-99.7
Less than \$15,000	103	18,676	15	14.5	5.5-23.5	88	85.5	76.5-94.5
\$15,000- 24,999	202	38,544	24	12.1	6.2-18.0	178	87.9	82.0-93.8
\$25,000- 34,999	133	25,532	3	3.0	0.0- 6.7	130	97.0	93.3- 100
\$35,000- 49,999	151	32,993	7	2.9	0.5- 5.3	144	97.1	94.7-99.5
\$50,000- 74,999	227	53,554	8	1.7	0.3- 3.1	219	98.3	96.9-99.7
\$75,000+	578	124,032	13	2.1	0.7- 3.5	565	97.9	96.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2085	387,246	117	4.7	3.5- 5.9	1968	95.3	94.1-96.5
White/Non-Hisp	1397	245,219	59	4.1	2.7- 5.5	1338	95.9	94.5-97.3
Black or Afr. Am./Non-Hisp	309	81,343	20	5.0	2.5- 7.5	289	95.0	92.5-97.5
Oth. Race/Non-Hisp.	70	20,359	7	3.4	0.1- 6.7	63	96.6	93.3-99.9
Hispanic	219	27,537	23	10.1	3.8-16.4	196	89.9	83.6-96.2
18-24	105	42,358	8	5.6	0.9-10.3	97	94.4	89.7-99.1
25-34	208	58,984	4	0.4	0.0- 1.0	204	99.6	99.0- 100
35-44	261	55,717	13	2.9	0.9- 4.9	248	97.1	95.1-99.1
45-54	337	59,961	24	6.1	3.2- 9.0	313	93.9	91.0-96.8
55-64	428	70,134	24	6.0	2.9- 9.1	404	94.0	90.9-97.1
65+	746	100,092	44	6.1	3.7- 8.5	702	93.9	91.5-96.3
Less Than H.S.	192	35,326	30	14.4	8.1-20.7	162	85.6	79.3-91.9
H.S. or G.E.D.	548	110,238	37	5.5	3.1- 7.9	511	94.5	92.1-96.9
Some Post-H.S.	536	123,280	27	4.0	2.0- 6.0	509	96.0	94.0-98.0
College Graduate	798	116,071	23	1.9	0.9- 2.9	775	98.1	97.1-99.1
Less than \$15,000	187	26,947	39	22.3	13.9-30.7	148	77.7	69.3-86.1
\$15,000- 24,999	276	43,679	26	6.8	3.3-10.3	250	93.2	89.7-96.7
\$25,000- 34,999	160	27,758	12	6.7	1.4-12.0	148	93.3	88.0-98.6
\$35,000- 49,999	244	47,416	11	4.6	1.1- 8.1	233	95.4	91.9-98.9
\$50,000- 74,999	219	41,525	4	1.1	0.0- 2.3	215	98.9	97.7- 100
\$75,000+	567	124,075	10	1.5	0.5- 2.5	557	98.5	97.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 62: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3745	738,549	393	10.5	9.1-11.9	3352	89.5	88.1-90.9
Male	1671	353,566	150	9.2	7.2-11.2	1521	90.8	88.8-92.8
Female	2074	384,984	243	11.7	9.7-13.7	1831	88.3	86.3-90.3
White/Non-Hisp	2555	469,198	252	11.0	9.2-12.8	2303	89.0	87.2-90.8
Black or Afr. Am./Non-Hisp	470	150,257	52	9.4	6.1-12.7	418	90.6	87.3-93.9
Oth. Race/Non-Hisp.	139	37,237	14	4.3	1.6- 7.0	125	95.7	93.0-98.4
MultiRacial/Non-Hisp.	73	7,677	9	18.8	5.3-32.3	64	81.2	67.7-94.7
Hispanic	418	58,391	56	12.5	8.0-17.0	362	87.5	83.0-92.0
18-24	239	84,621	38	16.8	10.1-23.5	201	83.2	76.5-89.9
25-34	416	120,968	61	13.1	9.0-17.2	355	86.9	82.8-91.0
35-44	465	110,191	54	10.0	6.5-13.5	411	90.0	86.5-93.5
45-54	589	113,980	61	9.4	6.7-12.1	528	90.6	87.9-93.3
55-64	763	129,045	80	9.2	6.7-11.7	683	90.8	88.3-93.3
65+	1273	179,745	99	7.8	5.8- 9.8	1174	92.2	90.2-94.2
Less Than H.S.	380	78,516	72	19.0	13.7-24.3	308	81.0	75.7-86.3
H.S. or G.E.D.	1006	232,086	125	11.2	8.8-13.6	881	88.8	86.4-91.2
Some Post-H.S.	912	209,295	113	12.5	9.2-15.8	799	87.5	84.2-90.8
College Graduate	1425	214,765	80	4.7	3.3- 6.1	1345	95.3	93.9-96.7
Less than \$15,000	286	45,173	77	23.7	17.2-30.2	209	76.3	69.8-82.8
\$15,000- 24,999	477	81,983	73	19.2	14.1-24.3	404	80.8	75.7-85.9
\$25,000- 34,999	290	52,377	39	16.6	10.3-22.9	251	83.4	77.1-89.7
\$35,000- 49,999	398	80,937	41	10.9	6.8-15.0	357	89.1	85.0-93.2
\$50,000- 74,999	443	94,466	33	8.4	3.7-13.1	410	91.6	86.9-96.3
\$75,000+	1142	247,740	50	4.0	2.6- 5.4	1092	96.0	94.6-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1671	353,566	150	9.2	7.2-11.2	1521	90.8	88.8-92.8
White/Non-Hisp	1160	224,651	99	9.8	7.4-12.2	1061	90.2	87.8-92.6
Black or Afr. Am./Non-Hisp	162	69,752	15	7.5	3.0-12.0	147	92.5	88.0-97.0
Oth. Race/Non-Hisp.	72	17,436	7	5.0	0.5- 9.5	65	95.0	90.5-99.5
Hispanic	204	31,048	21	9.4	3.9-14.9	183	90.6	85.1-96.1
18-24	135	42,307	22	16.7	8.1-25.3	113	83.3	74.7-91.9
25-34	210	62,338	28	11.1	5.8-16.4	182	88.9	83.6-94.2
35-44	207	54,968	15	5.3	2.2- 8.4	192	94.7	91.6-97.8
45-54	253	54,010	18	6.8	2.9-10.7	235	93.2	89.3-97.1
55-64	340	59,865	33	10.8	6.7-14.9	307	89.2	85.1-93.3
65+	526	80,078	34	6.8	3.9- 9.7	492	93.2	90.3-96.1
Less Than H.S.	192	43,363	30	14.3	8.2-20.4	162	85.7	79.6-91.8
H.S. or G.E.D.	460	122,677	55	10.4	7.1-13.7	405	89.6	86.3-92.9
Some Post-H.S.	382	87,469	37	10.4	5.9-14.9	345	89.6	85.1-94.1
College Graduate	626	98,499	26	4.1	1.9- 6.3	600	95.9	93.7-98.1
Less than \$15,000	103	18,670	24	21.3	11.5-31.1	79	78.7	68.9-88.5
\$15,000- 24,999	202	38,751	27	16.0	9.1-22.9	175	84.0	77.1-90.9
\$25,000- 34,999	133	25,532	14	12.9	5.1-20.7	119	87.1	79.3-94.9
\$35,000- 49,999	153	33,433	16	9.9	3.6-16.2	137	90.1	83.8-96.4
\$50,000- 74,999	225	53,243	12	4.3	1.4- 7.2	213	95.7	92.8-98.6
\$75,000+	576	123,832	21	3.9	1.9- 5.9	555	96.1	94.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	384,984	243	11.7	9.7-13.7	1831	88.3	86.3-90.3
White/Non-Hisp	1395	244,546	153	12.1	9.4-14.8	1242	87.9	85.2-90.6
Black or Afr. Am./Non-Hisp	308	80,505	37	11.1	6.6-15.6	271	88.9	84.4-93.4
Oth. Race/Non-Hisp.	67	19,801	7	3.7	0.4- 7.0	60	96.3	93.0-99.6
Hispanic	214	27,343	35	16.1	8.8-23.4	179	83.9	76.6-91.2
18-24	104	42,313	16	16.9	6.5-27.3	88	83.1	72.7-93.5
25-34	206	58,630	33	15.2	8.9-21.5	173	84.8	78.5-91.1
35-44	258	55,222	39	14.7	8.8-20.6	219	85.3	79.4-91.2
45-54	336	59,970	43	11.6	7.5-15.7	293	88.4	84.3-92.5
55-64	423	69,180	47	7.8	4.7-10.9	376	92.2	89.1-95.3
65+	747	99,668	65	8.6	5.9-11.3	682	91.4	88.7-94.1
Less Than H.S.	188	35,153	42	24.9	16.3-33.5	146	75.1	66.5-83.7
H.S. or G.E.D.	546	109,409	70	12.2	8.7-15.7	476	87.8	84.3-91.3
Some Post-H.S.	530	121,826	76	14.0	9.3-18.7	454	86.0	81.3-90.7
College Graduate	799	116,266	54	5.1	3.1- 7.1	745	94.9	92.9-96.9
Less than \$15,000	183	26,502	53	25.4	16.6-34.2	130	74.6	65.8-83.4
\$15,000- 24,999	275	43,232	46	22.1	14.7-29.5	229	77.9	70.5-85.3
\$25,000- 34,999	157	26,845	25	20.1	10.3-29.9	132	79.9	70.1-89.7
\$35,000- 49,999	245	47,504	25	11.6	5.9-17.3	220	88.4	82.7-94.1
\$50,000- 74,999	218	41,223	21	13.8	4.2-23.4	197	86.2	76.6-95.8
\$75,000+	566	123,908	29	4.2	2.2- 6.2	537	95.8	93.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3742	737,065	641	13.8	12.4-15.2	3101	86.2	84.8-87.6
Male	1676	354,032	238	12.3	10.3-14.3	1438	87.7	85.7-89.7
Female	2066	383,033	403	15.2	13.2-17.2	1663	84.8	82.8-86.8
White/Non-Hisp	2552	468,118	445	14.3	12.7-15.9	2107	85.7	84.1-87.3
Black or Afr. Am./Non-Hisp	468	149,852	97	15.9	12.0-19.8	371	84.1	80.2-88.0
Oth. Race/Non-Hisp.	140	37,322	23	7.8	3.3-12.3	117	92.2	87.7-96.7
MultiRacial/Non-Hisp.	73	7,677	15	12.5	3.5-21.5	58	87.5	78.5-96.5
Hispanic	420	58,422	50	9.1	5.8-12.4	370	90.9	87.6-94.2
18-24	239	84,652	11	3.7	1.2- 6.2	228	96.3	93.8-98.8
25-34	417	121,006	18	2.6	1.0- 4.2	399	97.4	95.8-99.0
35-44	465	109,908	33	7.4	3.9-10.9	432	92.6	89.1-96.1
45-54	587	113,087	74	11.3	8.2-14.4	513	88.7	85.6-91.8
55-64	767	129,938	186	24.3	20.2-28.4	581	75.7	71.6-79.8
65+	1267	178,474	319	23.9	20.8-27.0	948	76.1	73.0-79.2
Less Than H.S.	383	78,327	90	24.0	18.3-29.7	293	76.0	70.3-81.7
H.S. or G.E.D.	1000	231,230	215	16.6	13.9-19.3	785	83.4	80.7-86.1
Some Post-H.S.	913	209,330	171	13.5	10.8-16.2	742	86.5	83.8-89.2
College Graduate	1426	214,584	162	7.3	5.7- 8.9	1264	92.7	91.1-94.3
Less than \$15,000	286	45,149	108	35.2	27.6-42.8	178	64.8	57.2-72.4
\$15,000- 24,999	476	81,642	135	21.6	17.1-26.1	341	78.4	73.9-82.9
\$25,000- 34,999	289	51,857	60	21.9	15.0-28.8	229	78.1	71.2-85.0
\$35,000- 49,999	399	81,083	70	14.1	10.0-18.2	329	85.9	81.8-90.0
\$50,000- 74,999	442	94,079	59	12.5	8.2-16.8	383	87.5	83.2-91.8
\$75,000+	1143	247,766	70	4.3	3.1- 5.5	1073	95.7	94.5-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	354,032	238	12.3	10.3-14.3	1438	87.7	85.7-89.7
White/Non-Hisp	1165	224,983	168	13.0	10.6-15.4	997	87.0	84.6-89.4
Black or Afr. Am./Non-Hisp	163	69,919	31	13.3	7.6-19.0	132	86.7	81.0-92.4
Oth. Race/Non-Hisp.	72	17,436	10	9.9	1.9-17.9	62	90.1	82.1-98.1
Hispanic	203	30,990	16	5.5	1.8- 9.2	187	94.5	90.8-98.2
18-24	135	42,339	5	2.4	0.0- 4.8	130	97.6	95.2- 100
25-34	210	62,323	8	3.1	0.6- 5.6	202	96.9	94.4-99.4
35-44	208	55,122	12	4.9	0.6- 9.2	196	95.1	90.8-99.4
45-54	253	53,718	23	8.4	4.3-12.5	230	91.6	87.5-95.7
55-64	342	60,237	81	26.4	20.3-32.5	261	73.6	67.5-79.7
65+	528	80,293	109	21.6	16.7-26.5	419	78.4	73.5-83.3
Less Than H.S.	193	43,594	39	21.4	13.8-29.0	154	78.6	71.0-86.2
H.S. or G.E.D.	459	122,193	78	14.5	10.6-18.4	381	85.5	81.6-89.4
Some Post-H.S.	384	87,832	60	11.0	7.7-14.3	324	89.0	85.7-92.3
College Graduate	630	99,009	59	6.5	4.3- 8.7	571	93.5	91.3-95.7
Less than \$15,000	102	18,724	36	38.4	25.7-51.1	66	61.6	48.9-74.3
\$15,000- 24,999	202	38,467	46	17.7	11.4-24.0	156	82.3	76.0-88.6
\$25,000- 34,999	133	25,532	22	14.2	7.3-21.1	111	85.8	78.9-92.7
\$35,000- 49,999	154	33,579	24	13.1	6.8-19.4	130	86.9	80.6-93.2
\$50,000- 74,999	226	53,468	29	14.4	7.9-20.9	197	85.6	79.1-92.1
\$75,000+	577	123,858	34	3.5	2.1- 4.9	543	96.5	95.1-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2066	383,033	403	15.2	13.2-17.2	1663	84.8	82.8-86.8
White/Non-Hisp	1387	243,135	277	15.5	13.1-17.9	1110	84.5	82.1-86.9
Black or Afr. Am./Non-Hisp	305	79,933	66	18.2	12.7-23.7	239	81.8	76.3-87.3
Oth. Race/Non-Hisp.	68	19,887	13	6.0	1.7-10.3	55	94.0	89.7-98.3
Hispanic	217	27,432	34	13.1	7.2-19.0	183	86.9	81.0-92.8
18-24	104	42,313	6	5.1	0.6- 9.6	98	94.9	90.4-99.4
25-34	207	58,683	10	2.1	0.5- 3.7	197	97.9	96.3-99.5
35-44	257	54,786	21	9.8	4.3-15.3	236	90.2	84.7-95.7
45-54	334	59,369	51	14.0	9.5-18.5	283	86.0	81.5-90.5
55-64	425	69,701	105	22.5	17.2-27.8	320	77.5	72.2-82.8
65+	739	98,181	210	25.8	21.7-29.9	529	74.2	70.1-78.3
Less Than H.S.	190	34,733	51	27.3	18.9-35.7	139	72.7	64.3-81.1
H.S. or G.E.D.	541	109,037	137	18.9	15.0-22.8	404	81.1	77.2-85.0
Some Post-H.S.	529	121,499	111	15.3	11.4-19.2	418	84.7	80.8-88.6
College Graduate	796	115,575	103	8.1	5.9-10.3	693	91.9	89.7-94.1
Less than \$15,000	184	26,425	72	32.9	23.5-42.3	112	67.1	57.7-76.5
\$15,000- 24,999	274	43,176	89	25.0	18.5-31.5	185	75.0	68.5-81.5
\$25,000- 34,999	156	26,325	38	29.4	18.4-40.4	118	70.6	59.6-81.6
\$35,000- 49,999	245	47,504	46	14.7	9.2-20.2	199	85.3	79.8-90.8
\$50,000- 74,999	216	40,610	30	9.9	5.0-14.8	186	90.1	85.2-95.0
\$75,000+	566	123,908	36	5.1	3.1- 7.1	530	94.9	92.9-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 68: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3745	737,420	157	3.5	2.7- 4.3	3588	96.5	95.7-97.3
Male	1674	352,942	68	3.8	2.6- 5.0	1606	96.2	95.0-97.4
Female	2071	384,478	89	3.3	2.3- 4.3	1982	96.7	95.7-97.7
White/Non-Hisp	2555	468,771	100	3.2	2.4- 4.0	2455	96.8	96.0-97.6
Black or Afr. Am./Non-Hisp	469	150,128	32	5.3	3.1- 7.5	437	94.7	92.5-96.9
Oth. Race/Non-Hisp.	140	37,501	6	2.7	0.0- 5.8	134	97.3	94.2- 100
MultiRacial/Non-Hisp.	73	7,677	5	6.7	0.0-14.5	68	93.3	85.5- 100
Hispanic	422	58,555	12	1.9	0.7- 3.1	410	98.1	96.9-99.3
18-24	239	84,652	6	2.6	0.2- 5.0	233	97.4	95.0-99.8
25-34	419	121,130	3	0.2	0.0- 0.4	416	99.8	99.6- 100
35-44	467	110,734	11	3.1	0.7- 5.5	456	96.9	94.5-99.3
45-54	585	112,704	25	3.1	1.7- 4.5	560	96.9	95.5-98.3
55-64	763	129,112	47	6.1	3.9- 8.3	716	93.9	91.7-96.1
65+	1272	179,088	65	4.9	3.3- 6.5	1207	95.1	93.5-96.7
Less Than H.S.	385	78,663	32	8.6	4.9-12.3	353	91.4	87.7-95.1
H.S. or G.E.D.	1000	230,341	44	3.3	1.9- 4.7	956	96.7	95.3-98.1
Some Post-H.S.	915	210,112	47	3.7	2.3- 5.1	868	96.3	94.9-97.7
College Graduate	1425	214,711	33	1.7	0.9- 2.5	1392	98.3	97.5-99.1
Less than \$15,000	286	45,170	35	10.8	6.3-15.3	251	89.2	84.7-93.7
\$15,000- 24,999	476	81,840	39	5.7	3.3- 8.1	437	94.3	91.9-96.7
\$25,000- 34,999	289	52,009	13	4.4	1.5- 7.3	276	95.6	92.7-98.5
\$35,000- 49,999	398	80,924	15	3.0	1.0- 5.0	383	97.0	95.0-99.0
\$50,000- 74,999	444	94,691	9	2.5	0.1- 4.9	435	97.5	95.1-99.9
\$75,000+	1140	247,150	16	1.3	0.5- 2.1	1124	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1674	352,942	68	3.8	2.6- 5.0	1606	96.2	95.0-97.4
White/Non-Hisp	1163	224,612	45	3.5	2.1- 4.9	1118	96.5	95.1-97.9
Black or Afr. Am./Non-Hisp	163	69,919	15	5.7	2.0- 9.4	148	94.3	90.6-98.0
Oth. Race/Non-Hisp.	72	17,436	4	4.8	0.0-11.1	68	95.2	88.9- 100
Hispanic	206	31,157	1	0.3	0.0- 0.9	205	99.7	99.1- 100
18-24	135	42,339	3	2.9	0.0- 6.8	132	97.1	93.2- 100
25-34	212	62,447	1	0.2	0.0- 0.6	211	99.8	99.4- 100
35-44	208	55,122	4	3.5	0.0- 7.6	204	96.5	92.4- 100
45-54	251	53,092	10	2.6	0.6- 4.6	241	97.4	95.4-99.4
55-64	341	60,057	23	7.5	4.0-11.0	318	92.5	89.0-96.0
65+	527	79,885	27	5.3	2.8- 7.8	500	94.7	92.2-97.2
Less Than H.S.	194	43,546	14	7.9	3.0-12.8	180	92.1	87.2-97.0
H.S. or G.E.D.	459	121,865	17	3.3	1.1- 5.5	442	96.7	94.5-98.9
Some Post-H.S.	383	87,526	22	4.8	2.3- 7.3	361	95.2	92.7-97.7
College Graduate	628	98,601	15	1.7	0.7- 2.7	613	98.3	97.3-99.3
Less than \$15,000	104	18,824	16	15.8	6.8-24.8	88	84.2	75.2-93.2
\$15,000- 24,999	202	38,467	15	5.5	2.0- 9.0	187	94.5	91.0-98.0
\$25,000- 34,999	132	25,227	7	4.8	0.7- 8.9	125	95.2	91.1-99.3
\$35,000- 49,999	153	33,420	6	2.1	0.1- 4.1	147	97.9	95.9-99.9
\$50,000- 74,999	226	53,468	7	4.3	0.0- 8.6	219	95.7	91.4- 100
\$75,000+	574	123,242	7	1.1	0.1- 2.1	567	98.9	97.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2071	384,478	89	3.3	2.3- 4.3	1982	96.7	95.7-97.7
White/Non-Hisp	1392	244,159	55	2.9	1.7- 4.1	1337	97.1	95.9-98.3
Black or Afr. Am./Non-Hisp	306	80,209	17	5.0	2.3- 7.7	289	95.0	92.3-97.7
Oth. Race/Non-Hisp.	68	20,065	2	0.9	0.0- 2.3	66	99.1	97.7- 100
Hispanic	216	27,397	11	3.8	1.3- 6.3	205	96.2	93.7-98.7
18-24	104	42,313	3	2.2	0.0- 4.7	101	97.8	95.3- 100
25-34	207	58,683	2	0.2	0.0- 0.4	205	99.8	99.6- 100
35-44	259	55,612	7	2.8	0.3- 5.3	252	97.2	94.7-99.7
45-54	334	59,612	15	3.6	1.4- 5.8	319	96.4	94.2-98.6
55-64	422	69,055	24	4.9	2.2- 7.6	398	95.1	92.4-97.8
65+	745	99,203	38	4.6	2.4- 6.8	707	95.4	93.2-97.6
Less Than H.S.	191	35,116	18	9.5	4.0-15.0	173	90.5	85.0-96.0
H.S. or G.E.D.	541	108,476	27	3.3	1.5- 5.1	514	96.7	94.9-98.5
Some Post-H.S.	532	122,586	25	3.0	1.4- 4.6	507	97.0	95.4-98.6
College Graduate	797	116,110	18	1.7	0.5- 2.9	779	98.3	97.1-99.5
Less than \$15,000	182	26,346	19	7.3	3.2-11.4	163	92.7	88.6-96.8
\$15,000- 24,999	274	43,373	24	6.0	2.7- 9.3	250	94.0	90.7-97.3
\$25,000- 34,999	157	26,783	6	3.9	0.0- 8.0	151	96.1	92.0- 100
\$35,000- 49,999	245	47,504	9	3.7	0.6- 6.8	236	96.3	93.2-99.4
\$50,000- 74,999	218	41,223	2	0.2	0.0- 0.6	216	99.8	99.4- 100
\$75,000+	566	123,908	9	1.4	0.2- 2.6	557	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3720	732,226	239	5.4	4.4- 6.4	3481	94.6	93.6-95.6
Male	1658	349,028	72	4.4	3.0- 5.8	1586	95.6	94.2-97.0
Female	2062	383,197	167	6.4	5.2- 7.6	1895	93.6	92.4-94.8
White/Non-Hisp	2545	466,769	154	5.1	4.1- 6.1	2391	94.9	93.9-95.9
Black or Afr. Am./Non-Hisp	465	148,114	39	6.3	3.9- 8.7	426	93.7	91.3-96.1
Oth. Race/Non-Hisp.	137	37,164	10	3.5	1.0- 6.0	127	96.5	94.0-99.0
MultiRacial/Non-Hisp.	73	7,677	7	11.6	1.2-22.0	66	88.4	78.0-98.8
Hispanic	413	57,533	21	4.7	2.0- 7.4	392	95.3	92.6-98.0
18-24	232	82,936	16	5.7	2.6- 8.8	216	94.3	91.2-97.4
25-34	417	120,468	15	2.4	1.0- 3.8	402	97.6	96.2-99.0
35-44	462	109,203	28	4.7	2.2- 7.2	434	95.3	92.8-97.8
45-54	581	112,298	37	5.6	3.2- 8.0	544	94.4	92.0-96.8
55-64	762	129,155	55	7.4	4.9- 9.9	707	92.6	90.1-95.1
65+	1266	178,166	88	6.2	4.4- 8.0	1178	93.8	92.0-95.6
Less Than H.S.	380	77,904	43	13.2	8.5-17.9	337	86.8	82.1-91.5
H.S. or G.E.D.	990	228,376	90	7.0	5.0- 9.0	900	93.0	91.0-95.0
Some Post-H.S.	909	208,185	45	3.6	2.2- 5.0	864	96.4	95.0-97.8
College Graduate	1423	214,241	60	2.7	1.7- 3.7	1363	97.3	96.3-98.3
Less than \$15,000	285	44,801	58	18.6	12.5-24.7	227	81.4	75.3-87.5
\$15,000- 24,999	471	80,705	53	9.4	6.1-12.7	418	90.6	87.3-93.9
\$25,000- 34,999	287	51,376	24	8.3	4.4-12.2	263	91.7	87.8-95.6
\$35,000- 49,999	398	80,924	20	4.2	1.7- 6.7	378	95.8	93.3-98.3
\$50,000- 74,999	443	94,618	16	4.7	1.6- 7.8	427	95.3	92.2-98.4
\$75,000+	1138	246,593	23	1.6	0.8- 2.4	1115	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1658	349,028	72	4.4	3.0- 5.8	1586	95.6	94.2-97.0
White/Non-Hisp	1154	223,074	47	4.3	2.7- 5.9	1107	95.7	94.1-97.3
Black or Afr. Am./Non-Hisp	160	68,193	14	6.0	2.3- 9.7	146	94.0	90.3-97.7
Oth. Race/Non-Hisp.	72	17,436	2	0.8	0.0- 2.0	70	99.2	98.0- 100
Hispanic	201	30,328	3	1.3	0.0- 3.3	198	98.7	96.7- 100
18-24	130	41,024	5	5.0	0.1- 9.9	125	95.0	90.1-99.9
25-34	210	61,786	7	1.8	0.4- 3.2	203	98.2	96.8-99.6
35-44	206	54,455	10	4.0	0.1- 7.9	196	96.0	92.1-99.9
45-54	251	53,092	13	5.0	1.5- 8.5	238	95.0	91.5-98.5
55-64	339	59,456	14	6.0	2.5- 9.5	325	94.0	90.5-97.5
65+	522	79,216	23	4.6	2.1- 7.1	499	95.4	92.9-97.9
Less Than H.S.	190	42,658	17	12.7	6.0-19.4	173	87.3	80.6-94.0
H.S. or G.E.D.	453	120,187	23	4.5	2.0- 7.0	430	95.5	93.0-98.0
Some Post-H.S.	379	86,298	16	2.9	1.3- 4.5	363	97.1	95.5-98.7
College Graduate	627	98,533	16	1.9	0.5- 3.3	611	98.1	96.7-99.5
Less than \$15,000	103	18,457	18	23.8	12.2-35.4	85	76.2	64.6-87.8
\$15,000- 24,999	197	37,555	17	8.7	3.4-14.0	180	91.3	86.0-96.6
\$25,000- 34,999	131	24,633	10	8.4	2.7-14.1	121	91.6	85.9-97.3
\$35,000- 49,999	153	33,420	7	2.0	0.2- 3.8	146	98.0	96.2-99.8
\$50,000- 74,999	226	53,468	6	4.8	0.1- 9.5	220	95.2	90.5-99.9
\$75,000+	573	123,081	4	0.3	0.0- 0.7	569	99.7	99.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2062	383,197	167	6.4	5.2- 7.6	1895	93.6	92.4-94.8
White/Non-Hisp	1391	243,696	107	5.9	4.5- 7.3	1284	94.1	92.7-95.5
Black or Afr. Am./Non-Hisp	305	79,921	25	6.5	3.4- 9.6	280	93.5	90.4-96.6
Oth. Race/Non-Hisp.	65	19,729	8	5.8	1.1-10.5	57	94.2	89.5-98.9
Hispanic	212	27,206	18	8.3	2.8-13.8	194	91.7	86.2-97.2
18-24	102	41,912	11	6.3	2.2-10.4	91	93.7	89.6-97.8
25-34	207	58,683	8	3.0	0.6- 5.4	199	97.0	94.6-99.4
35-44	256	54,748	18	5.3	2.4- 8.2	238	94.7	91.8-97.6
45-54	330	59,207	24	6.2	3.1- 9.3	306	93.8	90.7-96.9
55-64	423	69,698	41	8.7	5.2-12.2	382	91.3	87.8-94.8
65+	744	98,950	65	7.5	5.1- 9.9	679	92.5	90.1-94.9
Less Than H.S.	190	35,246	26	13.8	7.3-20.3	164	86.2	79.7-92.7
H.S. or G.E.D.	537	108,189	67	9.7	7.0-12.4	470	90.3	87.6-93.0
Some Post-H.S.	530	121,887	29	4.1	2.1- 6.1	501	95.9	93.9-97.9
College Graduate	796	115,708	44	3.3	2.1- 4.5	752	96.7	95.5-97.9
Less than \$15,000	182	26,344	40	14.9	9.2-20.6	142	85.1	79.4-90.8
\$15,000- 24,999	274	43,149	36	10.1	6.0-14.2	238	89.9	85.8-94.0
\$25,000- 34,999	156	26,743	14	8.3	2.6-14.0	142	91.7	86.0-97.4
\$35,000- 49,999	245	47,504	13	5.6	1.5- 9.7	232	94.4	90.3-98.5
\$50,000- 74,999	217	41,150	10	4.6	0.9- 8.3	207	95.4	91.7-99.1
\$75,000+	565	123,511	19	2.8	1.4- 4.2	546	97.2	95.8-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	179
2	MALES ONLY	180
3	FEMALES ONLY	181
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	182
5	MALES ONLY	183
6	FEMALES ONLY	184
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	185
8	MALES ONLY	186
9	FEMALES ONLY	187
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	188
11	MALES ONLY	189
12	FEMALES ONLY	190
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	191
14	MALES ONLY	192
15	FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3706	729,467	1604	42.3	39.9-44.7	2102	57.7	55.3-60.1
Male	1652	347,952	798	45.8	42.5-49.1	854	54.2	50.9-57.5
Female	2054	381,515	806	39.1	36.2-42.0	1248	60.9	58.0-63.8
White/Non-Hisp	2531	462,951	1236	49.0	46.3-51.7	1295	51.0	48.3-53.7
Black or Afr. Am./Non-Hisp	465	148,891	155	32.5	26.6-38.4	310	67.5	61.6-73.4
Oth. Race/Non-Hisp.	137	37,296	55	30.6	20.4-40.8	82	69.4	59.2-79.6
MultiRacial/Non-Hisp.	73	7,677	32	42.0	25.7-58.3	41	58.0	41.7-74.3
Hispanic	415	57,821	95	22.6	16.5-28.7	320	77.4	71.3-83.5
18-24	237	84,251	50	24.6	17.0-32.2	187	75.4	67.8-83.0
25-34	412	119,593	157	39.9	33.2-46.6	255	60.1	53.4-66.8
35-44	460	108,840	177	40.4	34.1-46.7	283	59.6	53.3-65.9
45-54	581	112,461	220	37.1	32.0-42.2	361	62.9	57.8-68.0
55-64	754	126,277	355	47.9	43.2-52.6	399	52.1	47.4-56.8
65+	1262	178,045	645	52.7	49.0-56.4	617	47.3	43.6-51.0
Less Than H.S.	379	77,901	161	48.6	41.2-56.0	218	51.4	44.0-58.8
H.S. or G.E.D.	984	225,934	496	49.3	45.0-53.6	488	50.7	46.4-55.0
Some Post-H.S.	907	209,112	447	45.8	41.3-50.3	460	54.2	49.7-58.7
College Graduate	1417	212,982	493	29.1	26.0-32.2	924	70.9	67.8-74.0
Less than \$15,000	282	44,803	128	49.5	40.9-58.1	154	50.5	41.9-59.1
\$15,000- 24,999	472	81,190	228	46.8	40.3-53.3	244	53.2	46.7-59.7
\$25,000- 34,999	286	51,151	129	42.9	35.1-50.7	157	57.1	49.3-64.9
\$35,000- 49,999	398	80,924	188	49.0	41.6-56.4	210	51.0	43.6-58.4
\$50,000- 74,999	439	93,847	201	47.5	40.8-54.2	238	52.5	45.8-59.2
\$75,000+	1134	245,465	441	36.7	33.0-40.4	693	63.3	59.6-67.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1652	347,952	798	45.8	42.5-49.1	854	54.2	50.9-57.5
White/Non-Hisp	1148	221,206	602	51.5	47.6-55.4	546	48.5	44.6-52.4
Black or Afr. Am./Non-Hisp	161	68,944	66	36.5	27.1-45.9	95	63.5	54.1-72.9
Oth. Race/Non-Hisp.	71	17,283	33	37.7	23.2-52.2	38	62.3	47.8-76.8
Hispanic	202	30,575	64	29.6	20.4-38.8	138	70.4	61.2-79.6
18-24	135	42,339	30	22.4	13.4-31.4	105	77.6	68.6-86.6
25-34	206	61,075	92	43.8	34.2-53.4	114	56.2	46.6-65.8
35-44	204	53,773	82	42.8	33.2-52.4	122	57.2	47.6-66.8
45-54	250	53,037	118	43.3	35.5-51.1	132	56.7	48.9-64.5
55-64	336	58,588	160	49.3	42.4-56.2	176	50.7	43.8-57.6
65+	521	79,140	316	60.8	55.1-66.5	205	39.2	33.5-44.9
Less Than H.S.	190	42,785	98	50.8	40.0-61.6	92	49.2	38.4-60.0
H.S. or G.E.D.	451	119,266	248	51.5	45.4-57.6	203	48.5	42.4-54.6
Some Post-H.S.	378	86,892	202	50.7	43.8-57.6	176	49.3	42.4-56.2
College Graduate	624	97,661	245	32.3	27.4-37.2	379	67.7	62.8-72.6
Less than \$15,000	100	18,291	48	54.6	41.5-67.7	52	45.4	32.3-58.5
\$15,000- 24,999	197	37,591	104	45.2	35.4-55.0	93	54.8	45.0-64.6
\$25,000- 34,999	130	24,408	65	50.4	38.4-62.4	65	49.6	37.6-61.6
\$35,000- 49,999	153	33,420	78	50.2	37.9-62.5	75	49.8	37.5-62.1
\$50,000- 74,999	224	52,860	114	50.5	41.5-59.5	110	49.5	40.5-58.5
\$75,000+	572	122,896	240	39.0	33.7-44.3	332	61.0	55.7-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	381,515	806	39.1	36.2-42.0	1248	60.9	58.0-63.8
White/Non-Hisp	1383	241,745	634	46.7	43.0-50.4	749	53.3	49.6-57.0
Black or Afr. Am./Non-Hisp	304	79,946	89	29.1	22.0-36.2	215	70.9	63.8-78.0
Oth. Race/Non-Hisp.	66	20,013	22	24.5	10.4-38.6	44	75.5	61.4-89.6
Hispanic	213	27,246	31	14.8	7.0-22.6	182	85.2	77.4-93.0
18-24	102	41,912	20	26.8	14.6-39.0	82	73.2	61.0-85.4
25-34	206	58,518	65	35.8	26.6-45.0	141	64.2	55.0-73.4
35-44	256	55,067	95	38.0	30.2-45.8	161	62.0	54.2-69.8
45-54	331	59,424	102	31.6	25.1-38.1	229	68.4	61.9-74.9
55-64	418	67,689	195	46.7	40.2-53.2	223	53.3	46.8-59.8
65+	741	98,905	329	46.1	41.4-50.8	412	53.9	49.2-58.6
Less Than H.S.	189	35,116	63	46.0	35.8-56.2	126	54.0	43.8-64.2
H.S. or G.E.D.	533	106,668	248	46.9	41.0-52.8	285	53.1	47.2-59.0
Some Post-H.S.	529	122,220	245	42.3	36.4-48.2	284	57.7	51.8-63.6
College Graduate	793	115,322	248	26.5	22.4-30.6	545	73.5	69.4-77.6
Less than \$15,000	182	26,513	80	46.0	34.8-57.2	102	54.0	42.8-65.2
\$15,000- 24,999	275	43,599	124	48.1	39.9-56.3	151	51.9	43.7-60.1
\$25,000- 34,999	156	26,743	64	36.1	26.3-45.9	92	63.9	54.1-73.7
\$35,000- 49,999	245	47,504	110	48.1	38.9-57.3	135	51.9	42.7-61.1
\$50,000- 74,999	215	40,986	87	43.7	34.3-53.1	128	56.3	46.9-65.7
\$75,000+	562	122,568	201	34.4	28.9-39.9	361	65.6	60.1-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1603	307,756	372	26.1	23.0-29.2	156	11.6	9.2-14.0	1075	62.3	58.8-65.8
Male	797	158,608	176	24.0	19.7-28.3	67	10.6	7.3-13.9	554	65.4	60.7-70.1
Female	806	149,149	196	28.2	23.5-32.9	89	12.7	9.4-16.0	521	59.1	54.2-64.0
White/Non-Hisp	1236	226,863	282	25.6	22.1-29.1	99	8.8	6.6-11.0	855	65.6	61.9-69.3
Black or Afr. Am./Non-Hisp	155	48,429	41	29.3	19.1-39.5	29	22.5	13.3-31.7	85	48.2	37.4-59.0
Oth. Race/Non-Hisp.	55	11,413	11	20.4	6.5-34.3	7	15.0	0.0-31.9	37	64.6	46.0-83.2
Hispanic	94	12,429	19	18.9	8.9-28.9	14	20.4	7.7-33.1	61	60.7	46.2-75.2
18-24	50	20,717	19	48.9	30.7-67.1	9	14.6	3.4-25.8	22	36.5	20.2-52.8
25-34	157	47,746	55	37.2	26.8-47.6	30	17.2	9.8-24.6	72	45.6	35.2-56.0
35-44	177	43,943	64	27.4	19.2-35.6	23	14.8	6.4-23.2	90	57.8	47.8-67.8
45-54	220	41,736	70	34.5	26.5-42.5	19	9.4	4.3-14.5	131	56.1	47.7-64.5
55-64	354	59,855	91	24.7	19.0-30.4	37	11.2	6.7-15.7	226	64.1	57.6-70.6
65+	645	93,760	73	11.8	8.5-15.1	38	7.8	4.7-10.9	534	80.3	76.0-84.6
Less Than H.S.	160	37,232	51	36.1	25.9-46.3	22	15.6	8.0-23.2	87	48.3	38.1-58.5
H.S. or G.E.D.	496	111,422	158	34.7	28.8-40.6	54	13.7	9.0-18.4	284	51.6	45.5-57.7
Some Post-H.S.	447	95,683	102	21.1	15.8-26.4	49	10.9	7.2-14.6	296	68.0	62.1-73.9
College Graduate	493	62,072	58	12.0	7.7-16.3	30	6.8	3.7- 9.9	405	81.2	76.1-86.3
Less than \$15,000	128	22,186	41	36.9	23.2-50.6	31	25.9	15.5-36.3	56	37.3	25.9-48.7
\$15,000- 24,999	228	37,994	73	38.5	29.7-47.3	30	12.1	7.2-17.0	125	49.4	40.6-58.2
\$25,000- 34,999	129	21,960	41	36.4	25.4-47.4	9	8.9	2.4-15.4	79	54.8	43.4-66.2
\$35,000- 49,999	187	38,981	47	27.3	17.3-37.3	21	16.4	7.0-25.8	119	56.3	45.3-67.3
\$50,000- 74,999	201	44,596	45	23.1	15.1-31.1	15	10.7	4.4-17.0	141	66.2	57.0-75.4
\$75,000+	441	89,993	64	18.1	12.8-23.4	20	5.6	2.7- 8.5	357	76.2	70.5-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	797	158,608	176	24.0	19.7-28.3	67	10.6	7.3-13.9	554	65.4	60.7-70.1
White/Non-Hisp	602	113,927	134	24.6	19.7-29.5	37	7.0	4.3- 9.7	431	68.4	63.3-73.5
Black or Afr. Am./Non-Hisp	66	25,179	17	23.8	10.7-36.9	11	24.3	9.6-39.0	38	51.9	35.8-68.0
Hispanic	63	8,389	11	16.8	5.2-28.4	11	23.2	6.7-39.7	41	60.0	42.8-77.2
25-34	92	26,778	28	30.5	17.0-44.0	17	18.3	7.9-28.7	47	51.2	37.1-65.3
35-44	82	23,030	30	29.4	16.5-42.3	10	11.7	0.0-23.9	42	58.9	43.6-74.2
45-54	118	22,939	37	30.4	20.2-40.6	5	4.0	0.0- 8.1	76	65.6	55.0-76.2
55-64	159	28,251	36	24.3	15.7-32.9	17	14.2	6.2-22.2	106	61.6	51.6-71.6
65+	316	48,117	36	11.1	6.8-15.4	11	5.8	0.9-10.7	269	83.0	76.9-89.1
Less Than H.S.	97	21,082	28	29.7	18.3-41.1	13	19.1	7.5-30.7	56	51.3	38.6-64.0
H.S. or G.E.D.	248	61,371	85	33.7	25.7-41.7	21	13.1	6.2-20.0	142	53.2	44.8-61.6
Some Post-H.S.	202	44,022	37	16.2	9.9-22.5	18	6.9	3.4-10.4	147	77.0	69.9-84.1
College Graduate	245	31,507	24	11.8	4.5-19.1	14	5.3	1.4- 9.2	207	82.9	75.1-90.7
\$15,000- 24,999	104	17,010	32	32.8	21.4-44.2	11	8.9	2.6-15.2	61	58.3	46.1-70.5
\$25,000- 34,999	65	12,301	22	36.5	21.4-51.6	4	7.4	0.0-15.6	39	56.2	40.5-71.9
\$35,000- 49,999	77	16,139	17	27.8	12.5-43.1	4	10.7	0.0-26.8	56	61.5	43.7-79.3
\$50,000- 74,999	114	26,677	26	23.8	12.2-35.4	8	9.2	1.4-17.0	80	67.0	54.3-79.7
\$75,000+	240	47,879	36	16.4	10.1-22.7	10	4.9	1.4- 8.4	194	78.6	71.7-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	806	149,149	196	28.2	23.5-32.9	89	12.7	9.4-16.0	521	59.1	54.2-64.0
White/Non-Hisp	634	112,936	148	26.7	21.6-31.8	62	10.6	7.3-13.9	424	62.8	57.5-68.1
Black or Afr. Am./Non-Hisp	89	23,251	24	35.2	19.9-50.5	18	20.6	10.0-31.2	47	44.2	30.1-58.3
25-34	65	20,968	27	45.6	29.7-61.5	13	15.8	5.6-26.0	25	38.6	23.5-53.7
35-44	95	20,913	34	25.1	15.5-34.7	13	18.3	6.7-29.9	48	56.6	43.7-69.5
45-54	102	18,796	33	39.6	27.1-52.1	14	16.0	6.4-25.6	55	44.4	32.2-56.6
55-64	195	31,604	55	25.0	17.6-32.4	20	8.6	4.1-13.1	120	66.4	58.2-74.6
65+	329	45,643	37	12.5	7.2-17.8	27	10.0	5.7-14.3	265	77.5	71.2-83.8
Less Than H.S.	63	16,150	23	44.4	27.2-61.6	9	11.0	2.6-19.4	31	44.5	28.2-60.8
H.S. or G.E.D.	248	50,050	73	35.9	27.1-44.7	33	14.4	8.3-20.5	142	49.7	41.1-58.3
Some Post-H.S.	245	51,662	65	25.4	17.6-33.2	31	14.3	8.2-20.4	149	60.3	51.7-68.9
College Graduate	248	30,565	34	12.2	7.3-17.1	16	8.3	3.4-13.2	198	79.5	72.8-86.2
Less than \$15,000	80	12,192	29	40.8	21.8-59.8	17	19.8	8.2-31.4	34	39.4	23.5-55.3
\$15,000- 24,999	124	20,984	41	43.1	30.6-55.6	19	14.8	7.7-21.9	64	42.2	30.2-54.2
\$25,000- 34,999	64	9,659	19	36.2	20.1-52.3	5	10.8	0.8-20.8	40	52.9	37.0-68.8
\$35,000- 49,999	110	22,842	30	27.0	13.7-40.3	17	20.4	8.8-32.0	63	52.6	38.7-66.5
\$50,000- 74,999	87	17,919	19	22.0	11.4-32.6	7	13.1	2.7-23.5	61	64.9	51.8-78.0
\$75,000+	201	42,114	28	20.1	11.5-28.7	10	6.4	1.5-11.3	163	73.5	64.3-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	527	115,835	312	59.1	53.2-65.0	215	40.9	35.0-46.8
Male	243	54,941	147	61.7	53.3-70.1	96	38.3	29.9-46.7
Female	284	60,894	165	56.7	48.5-64.9	119	43.3	35.1-51.5
White/Non-Hisp	380	77,952	209	52.7	45.6-59.8	171	47.3	40.2-54.4
Black or Afr. Am./Non-Hisp	70	25,084	53	75.6	62.5-88.7	17	24.4	11.3-37.5
25-34	85	25,953	49	53.9	39.2-68.6	36	46.1	31.4-60.8
35-44	87	18,542	54	58.2	43.3-73.1	33	41.8	26.9-56.7
45-54	89	18,342	51	52.6	39.7-65.5	38	47.4	34.5-60.3
55-64	128	21,483	78	68.1	58.3-77.9	50	31.9	22.1-41.7
65+	110	18,355	61	52.1	39.4-64.8	49	47.9	35.2-60.6
Less Than H.S.	73	19,234	39	50.5	35.2-65.8	34	49.5	34.2-64.8
H.S. or G.E.D.	212	53,887	133	62.6	53.6-71.6	79	37.4	28.4-46.4
Some Post-H.S.	150	30,544	89	58.8	48.0-69.6	61	41.2	30.4-52.0
College Graduate	88	11,650	49	57.8	43.3-72.3	39	42.2	27.7-56.7
Less than \$15,000	72	13,920	52	72.4	57.5-87.3	20	27.6	12.7-42.5
\$15,000- 24,999	103	19,234	64	63.5	51.7-75.3	39	36.5	24.7-48.3
\$25,000- 34,999	50	9,933	29	57.4	40.3-74.5	21	42.6	25.5-59.7
\$35,000- 49,999	68	17,032	40	67.7	53.0-82.4	28	32.3	17.6-47.0
\$50,000- 74,999	60	15,076	35	56.2	39.5-72.9	25	43.8	27.1-60.5
\$75,000+	84	21,378	35	39.9	26.2-53.6	49	60.1	46.4-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	243	54,941	147	61.7	53.1-70.3	96	38.3	29.7-46.9
White/Non-Hisp	171	36,002	96	53.6	43.4-63.8	75	46.4	36.2-56.6
55-64	53	10,855	35	76.5	63.6-89.4	18	23.5	10.6-36.4
H.S. or G.E.D.	106	28,707	67	62.7	49.6-75.8	39	37.3	24.2-50.4
Some Post-H.S.	55	10,136	36	65.1	48.6-81.6	19	34.9	18.4-51.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	60,894	165	56.7	48.5-64.9	119	43.3	35.1-51.5
White/Non-Hisp	209	41,950	113	51.9	42.3-61.5	96	48.1	38.5-57.7
55-64	75	10,628	43	59.4	45.7-73.1	32	40.6	26.9-54.3
65+	63	10,187	36	48.6	32.3-64.9	27	51.4	35.1-67.7
H.S. or G.E.D.	106	25,180	66	62.5	50.2-74.8	40	37.5	25.2-49.8
Some Post-H.S.	95	20,408	53	55.7	41.6-69.8	42	44.3	30.2-58.4
College Graduate	50	6,263	27	52.9	35.3-70.5	23	47.1	29.5-64.7
\$15,000- 24,999	60	12,138	36	63.3	47.4-79.2	24	36.7	20.8-52.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1066	190,744	111	13.2	10.1-16.3	157	16.8	13.7-19.9	102	9.9	7.4-12.4	693	59.4	55.3-63.5	3	0.6	0.0- 1.4
Male	549	102,873	67	15.1	10.6-19.6	76	16.4	11.9-20.9	54	10.0	6.7-13.3	349	57.3	51.4-63.2	3	1.1	0.0- 2.5
Female	517	87,871	44	11.1	7.2-15.0	81	17.3	12.8-21.8	48	9.8	6.1-13.5	344	61.8	55.9-67.7			
White/Non-Hisp	848	147,952	85	13.8	10.3-17.3	117	16.2	12.7-19.7	78	10.3	7.6-13.0	567	59.5	55.0-64.0	1	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	84	23,271	9	11.6	3.2-20.0	11	10.2	2.9-17.5	8	8.5	0.0-17.1	56	69.7	56.8-82.6			
Hispanic	61	7,541	6	4.5	0.6- 8.4	14	46.2	25.6-66.8	9	8.3	2.0-14.6	31	36.6	19.5-53.7	1	4.4	0.0-12.8
25-34	71	21,609	25	29.9	16.0-43.8	27	41.0	26.1-55.9	12	19.0	6.3-31.7	7	10.0	1.4-18.6			
35-44	89	25,046	10	10.0	2.7-17.3	32	34.7	21.8-47.6	12	8.2	2.7-13.7	35	47.1	32.8-61.4			
45-54	131	23,394	18	19.3	9.1-29.5	21	13.7	7.0-20.4	21	14.6	7.5-21.7	71	52.5	41.5-63.5			
55-64	225	38,228	22	7.9	4.0-11.8	33	11.7	6.6-16.8	22	12.7	6.6-18.8	147	67.0	59.2-74.8	1	0.6	0.0- 1.8
65+	528	74,911	21	4.2	2.0- 6.4	40	7.8	4.9-10.7	35	6.1	3.6- 8.6	432	81.9	77.8-86.0			
Less Than H.S.	87	17,998	10	18.3	6.3-30.3	15	17.0	7.2-26.8	11	14.5	4.7-24.3	51	50.2	37.3-63.1			
H.S. or G.E.D.	281	57,254	40	17.1	11.2-23.0	47	20.1	13.2-27.0	34	9.4	5.7-13.1	157	51.5	43.7-59.3	3	2.0	0.0- 4.4
Some Post-H.S.	294	64,647	37	15.4	9.1-21.7	45	14.8	9.5-20.1	26	9.7	5.0-14.4	186	60.2	52.6-67.8			
College Graduate	401	50,019	24	4.5	2.3- 6.7	49	15.7	10.6-20.8	30	9.3	4.8-13.8	298	70.5	64.2-76.8			
Less than \$15,000	56	8,266	7	25.0	7.9-42.1	9	16.4	5.0-27.8	11	14.8	4.8-24.8	29	43.9	27.8-60.0			
\$15,000- 24,999	124	18,702	18	16.1	6.9-25.3	20	19.4	8.6-30.2	10	6.8	0.3-13.3	76	57.6	45.1-70.1			
\$25,000- 34,999	79	12,027	12	16.1	5.1-27.1	13	17.5	6.3-28.7	5	11.9	0.0-27.0	49	54.5	39.0-70.0			
\$35,000- 49,999	119	21,949	18	16.9	7.3-26.5	19	21.1	9.5-32.7	12	10.1	3.0-17.2	70	51.9	39.2-64.6			
\$50,000- 74,999	139	29,358	8	8.7	1.4-16.0	16	15.2	6.0-24.4	11	8.5	3.0-14.0	102	64.9	53.3-76.5	2	2.8	0.0- 6.9
\$75,000+	355	68,076	28	11.7	6.2-17.2	51	15.6	10.7-20.5	33	10.3	6.0-14.6	243	62.5	55.4-69.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	549	102,873	67	15.1	10.6-19.6	76	16.4	11.9-20.9	54	10.0	6.7-13.3	349	57.3	51.4-63.2	3	1.1	0.0- 2.5
White/Non-Hisp	427	77,275	49	16.1	10.6-21.6	51	15.7	10.4-21.0	38	9.7	6.4-13.0	288	58.2	51.7-64.7	1	0.3	0.0- 0.9
45-54	76	15,047	14	24.5	10.4-38.6	12	12.4	4.6-20.2	12	12.6	4.8-20.4	38	50.5	36.2-64.8			
55-64	105	17,252	11	10.7	3.6-17.8	13	9.6	2.5-16.7	11	13.3	4.9-21.7	69	65.1	53.7-76.5	1	1.3	0.0- 3.8
65+	267	39,838	13	4.7	1.4- 8.0	19	6.4	3.1- 9.7	13	5.7	2.2- 9.2	222	83.2	77.5-88.9			
Less Than H.S.	56	10,806	6	20.8	4.3-37.3	12	19.8	7.1-32.5	7	9.1	1.3-16.9	31	50.4	34.3-66.5			
H.S. or G.E.D.	140	32,458	26	18.4	10.4-26.4	21	18.6	9.0-28.2	18	11.5	5.6-17.4	72	48.0	37.4-58.6	3	3.5	0.0- 7.8
Some Post-H.S.	145	33,483	23	18.4	8.6-28.2	22	17.8	9.4-26.2	14	9.7	2.8-16.6	86	54.1	42.5-65.7			
College Graduate	206	25,937	12	4.5	1.2- 7.8	20	10.3	5.2-15.4	14	8.7	3.8-13.6	160	76.5	69.1-83.9			
\$15,000- 24,999	61	9,914	13	22.8	7.5-38.1	13	28.3	10.7-45.9	3	3.8	0.0- 9.5	32	45.1	28.2-62.0			
\$35,000- 49,999	56	9,927	8	12.3	1.7-22.9	10	27.8	9.8-45.8	6	10.1	1.1-19.1	32	49.8	31.6-68.0			
\$50,000- 74,999	80	17,885	6	11.0	0.4-21.6	10	15.4	2.5-28.3	8	8.6	1.7-15.5	54	60.5	44.6-76.4	2	4.6	0.0-11.3
\$75,000+	192	37,103	15	14.4	5.8-23.0	24	15.6	8.3-22.9	18	9.9	4.8-15.0	135	60.1	50.3-69.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	517	87,871	44	11.1	7.2-15.0	81	17.3	12.8-21.8	48	9.8	6.1-13.5	344	61.8	55.9-67.7
White/Non-Hisp	421	70,677	36	11.3	6.8-15.8	66	16.8	12.3-21.3	40	10.9	6.4-15.4	279	61.0	54.5-67.5
45-54	55	8,347	4	10.0	0.0-20.6	9	15.9	3.4-28.4	9	18.1	4.8-31.4	33	56.0	39.1-72.9
55-64	120	20,976	11	5.6	1.7- 9.5	20	13.5	6.4-20.6	11	12.2	3.4-21.0	78	68.7	57.7-79.7
65+	261	35,073	8	3.7	1.0- 6.4	21	9.5	4.6-14.4	22	6.5	2.8-10.2	210	80.4	74.1-86.7
H.S. or G.E.D.	141	24,796	14	15.3	6.7-23.9	26	22.1	12.3-31.9	16	6.6	2.3-10.9	85	56.0	44.6-67.4
Some Post-H.S.	149	31,164	14	12.2	4.9-19.5	23	11.5	5.8-17.2	12	9.7	3.4-16.0	100	66.7	56.9-76.5
College Graduate	195	24,082	12	4.4	1.7- 7.1	29	21.6	13.0-30.2	16	9.9	2.3-17.5	138	64.0	54.0-74.0
\$15,000- 24,999	63	8,789	5	8.7	0.5-16.9	7	9.3	1.1-17.5	7	10.2	0.0-22.0	44	71.8	56.5-87.1
\$35,000- 49,999	63	12,022	10	20.7	6.0-35.4	9	15.5	1.0-30.0	6	10.1	0.0-20.7	38	53.7	36.1-71.3
\$50,000- 74,999	59	11,473	2	5.0	0.0-13.8	6	14.9	2.2-27.6	3	8.3	0.0-17.5	48	71.8	55.9-87.7
\$75,000+	163	30,974	13	8.4	2.7-14.1	27	15.5	8.6-22.4	15	10.8	3.5-18.1	108	65.3	55.5-75.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3719	731,761	39	1.3	0.7- 1.9	46	1.2	0.6- 1.8	3634	97.5	96.7-98.3
Male	1658	348,353	33	2.1	1.1- 3.1	39	2.4	1.2- 3.6	1586	95.5	94.1-96.9
Female	2061	383,408	6	0.5	0.1- 0.9	7	0.2	0.0- 0.4	2048	99.3	98.7-99.9
White/Non-Hisp	2540	465,874	29	1.6	0.8- 2.4	27	0.9	0.5- 1.3	2484	97.5	96.7-98.3
Black or Afr. Am./Non-Hisp	464	147,654	5	1.1	0.1- 2.1	3	0.7	0.0- 1.9	456	98.2	96.6-99.8
Oth. Race/Non-Hisp.	140	37,689	2	0.4	0.0- 1.0	3	1.1	0.0- 2.9	135	98.5	96.7- 100
MultiRacial/Non-Hisp.	73	7,677	2	1.2	0.0- 3.0	1	0.5	0.0- 1.5	70	98.3	96.3- 100
Hispanic	415	57,899	1	0.1	0.0- 0.3	11	5.1	0.2-10.0	403	94.8	89.9-99.7
18-24	237	84,251	4	1.6	0.0- 3.6	7	1.3	0.3- 2.3	226	97.1	94.9-99.3
25-34	415	120,012	5	1.0	0.0- 2.2	7	1.3	0.1- 2.5	403	97.8	96.2-99.4
35-44	459	108,318	5	1.3	0.1- 2.5	10	2.4	0.0- 4.9	444	96.3	93.6-99.0
45-54	582	112,337	6	1.4	0.0- 2.8	4	0.6	0.0- 1.2	572	98.0	96.6-99.4
55-64	759	128,356	10	1.5	0.3- 2.7	4	0.3	0.0- 0.7	745	98.2	97.0-99.4
65+	1267	178,487	9	1.1	0.1- 2.1	14	1.6	0.4- 2.8	1244	97.4	95.8-99.0
Less Than H.S.	380	77,105	7	3.6	0.5- 6.7	5	3.4	0.0- 7.5	368	92.9	87.8-98.0
H.S. or G.E.D.	989	228,264	13	1.3	0.5- 2.1	14	1.3	0.5- 2.1	962	97.4	96.2-98.6
Some Post-H.S.	910	209,450	11	1.2	0.4- 2.0	10	0.6	0.2- 1.0	889	98.1	97.1-99.1
College Graduate	1420	213,349	8	0.5	0.1- 0.9	15	0.8	0.2- 1.4	1397	98.7	98.1-99.3
Less than \$15,000	285	44,970	5	3.3	0.0- 6.8	5	1.3	0.0- 2.9	275	95.4	91.7-99.1
\$15,000- 24,999	473	80,897	9	2.5	0.1- 4.9	9	1.6	0.2- 3.0	455	95.9	93.2-98.6
\$25,000- 34,999	285	51,133	2	0.9	0.0- 2.1	4	3.4	0.0- 8.5	279	95.7	90.4- 100
\$35,000- 49,999	398	80,924	3	1.0	0.0- 2.2	8	1.8	0.4- 3.2	387	97.2	95.4-99.0
\$50,000- 74,999	443	94,618	3	0.9	0.0- 2.1	3	0.2	0.0- 0.4	437	98.9	97.7- 100
\$75,000+	1136	245,894	12	1.2	0.4- 2.0	9	0.8	0.2- 1.4	1115	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1658	348,353	33	2.1	1.1- 3.1	39	2.4	1.2- 3.6	1586	95.5	94.1-96.9
White/Non-Hisp	1153	222,288	24	2.7	1.3- 4.1	24	1.7	0.9- 2.5	1105	95.6	94.0-97.2
Black or Afr. Am./Non-Hisp	159	67,954	4	1.7	0.1- 3.3	1	1.4	0.0- 4.1	154	96.9	93.8- 100
Oth. Race/Non-Hisp.	72	17,436	2	0.8	0.0- 2.0	2	2.2	0.0- 5.7	68	97.0	93.1- 100
Hispanic	203	30,679	1	0.2	0.0- 0.6	10	9.2	0.4-18.0	192	90.7	81.9-99.5
18-24	135	42,339	3	2.3	0.0- 5.8	7	2.6	0.4- 4.8	125	95.1	91.0-99.2
25-34	208	61,329	4	0.8	0.0- 1.8	7	2.5	0.3- 4.7	197	96.8	94.4-99.2
35-44	204	53,758	5	2.6	0.2- 5.0	9	4.5	0.0- 9.6	190	92.9	87.4-98.4
45-54	250	52,831	6	3.0	0.1- 5.9	4	1.2	0.0- 2.4	240	95.8	92.7-98.9
55-64	337	58,758	8	2.7	0.3- 5.1	3	0.5	0.0- 1.3	326	96.8	94.4-99.2
65+	524	79,338	7	1.7	0.1- 3.3	9	2.8	0.3- 5.3	508	95.5	92.4-98.6
Less Than H.S.	191	42,434	4	2.9	0.0- 6.6	5	6.2	0.0-13.5	182	90.8	82.8-98.8
H.S. or G.E.D.	453	119,859	12	2.2	0.6- 3.8	12	2.3	0.9- 3.7	429	95.5	93.3-97.7
Some Post-H.S.	380	87,073	9	2.8	0.8- 4.8	9	1.5	0.3- 2.7	362	95.7	93.3-98.1
College Graduate	624	97,582	8	1.1	0.3- 1.9	11	1.3	0.3- 2.3	605	97.7	96.3-99.1
Less than \$15,000	103	18,457	4	7.0	0.0-15.0	2	1.9	0.0- 5.2	97	91.0	82.4-99.6
\$15,000- 24,999	198	37,743	6	2.0	0.0- 4.2	8	3.3	0.2- 6.4	184	94.7	91.0-98.4
\$25,000- 34,999	129	24,390	2	1.8	0.0- 4.3	4	7.2	0.0-17.6	123	91.0	80.4- 100
\$35,000- 49,999	153	33,420	3	2.3	0.0- 4.8	7	4.0	0.9- 7.1	143	93.7	89.6-97.8
\$50,000- 74,999	226	53,468	3	1.6	0.0- 3.8	3	0.4	0.0- 0.8	220	98.0	95.8- 100
\$75,000+	572	122,408	10	2.0	0.4- 3.6	8	1.3	0.3- 2.3	554	96.7	94.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2061	383,408	6	0.5	0.1- 0.9	7	0.2	0.0- 0.4	2048	99.3	98.7-99.9
White/Non-Hisp	1387	243,586	5	0.6	0.0- 1.2	3	0.2	0.0- 0.4	1379	99.2	98.4- 100
Black or Afr. Am./Non-Hisp	305	79,701	1	0.6	0.0- 1.8	2	0.1	0.0- 0.3	302	99.2	98.0- 100
Oth. Race/Non-Hisp.	68	20,253				1	0.2	0.0- 0.8	67	99.8	99.2- 100
Hispanic	212	27,221				1	0.6	0.0- 1.8	211	99.4	98.2- 100
18-24	102	41,912	1	0.9	0.0- 2.7				101	99.1	97.3- 100
25-34	207	58,683	1	1.2	0.0- 3.6				206	98.8	96.4- 100
35-44	255	54,561				1	0.3	0.0- 0.9	254	99.7	99.1- 100
45-54	332	59,506							332	100.0	100.0- 100
55-64	422	69,599	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	419	99.5	98.9- 100
65+	743	99,149	2	0.5	0.0- 1.5	5	0.6	0.0- 1.2	736	98.9	97.7- 100
Less Than H.S.	189	34,671	3	4.5	0.0- 9.6				186	95.5	90.4- 100
H.S. or G.E.D.	536	108,405	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	533	99.6	99.0- 100
Some Post-H.S.	530	122,377	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	527	99.8	99.6- 100
College Graduate	796	115,766				4	0.4	0.0- 1.0	792	99.6	99.0- 100
Less than \$15,000	182	26,513	1	0.6	0.0- 1.8	3	0.9	0.0- 2.1	178	98.4	96.6- 100
\$15,000- 24,999	275	43,153	3	2.8	0.0- 6.5	1	0.1	0.0- 0.3	271	97.0	93.3- 100
\$25,000- 34,999	156	26,743							156	100.0	100.0- 100
\$35,000- 49,999	245	47,504				1	0.3	0.0- 0.9	244	99.7	99.1- 100
\$50,000- 74,999	217	41,150							217	100.0	100.0- 100
\$75,000+	564	123,486	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	561	99.4	98.6- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	195
2 MALES ONLY	196
3 FEMALES ONLY	197
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4 MALES AND FEMALES	198
5 MALES ONLY	199
6 FEMALES ONLY	200
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	201
8 MALES ONLY	202
9 FEMALES ONLY	203
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10 MALES AND FEMALES	204
11 MALES ONLY	205
12 FEMALES ONLY	206

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3658	719,616	447	13.4	11.8-15.0	66	1.6	1.0- 2.2	1117	33.4	31.2-35.6	317	8.6	7.2-10.0	1711	43.1	40.7-45.5
Male	1623	341,332	229	15.9	13.2-18.6	43	2.4	1.2- 3.6	502	31.8	28.7-34.9	194	11.2	9.2-13.2	655	38.7	35.4-42.0
Female	2035	378,285	218	11.1	9.1-13.1	23	0.8	0.4- 1.2	615	34.9	31.8-38.0	123	6.2	4.6- 7.8	1056	47.0	43.9-50.1
White/Non-Hisp	2505	458,874	330	14.9	12.7-17.1	56	2.1	1.3- 2.9	788	33.7	31.2-36.2	262	9.8	8.2-11.4	1069	39.5	37.0-42.0
Black or Afr. Am./Non-Hisp	452	144,806	47	11.4	7.5-15.3	1	0.7	0.0- 2.1	138	34.6	28.5-40.7	25	7.2	3.7-10.7	241	46.1	39.8-52.4
Oth. Race/Non-Hisp.	136	37,060	10	8.5	2.2-14.8	2	0.3	0.0- 0.7	39	31.7	20.7-42.7	10	7.2	0.9-13.5	75	52.2	40.2-64.2
MultiRacial/Non-Hisp.	73	7,677	11	13.7	3.9-23.5	1	0.3	0.0- 0.9	24	32.0	16.7-47.3	4	11.6	0.0-25.7	33	42.4	26.7-58.1
Hispanic	405	56,190	40	10.2	6.1-14.3	2	0.5	0.0- 1.1	102	28.7	21.3-36.1	8	2.2	0.4- 4.0	253	58.4	50.8-66.0
18-24	236	84,023	29	13.3	7.2-19.4	2	0.6	0.0- 1.6	81	35.5	26.9-44.1	16	7.9	2.8-13.0	108	42.7	34.3-51.1
25-34	407	118,454	70	18.8	13.5-24.1	2	0.4	0.0- 1.2	141	36.6	29.9-43.3	33	9.0	5.5-12.5	161	35.2	28.5-41.9
35-44	448	105,435	56	13.2	9.1-17.3	5	1.7	0.0- 3.9	166	39.5	33.4-45.6	29	7.1	4.2-10.0	192	38.6	32.5-44.7
45-54	571	110,000	78	14.8	10.9-18.7	6	1.7	0.0- 3.5	208	39.3	34.0-44.6	34	6.4	3.3- 9.5	245	37.8	32.7-42.9
55-64	745	125,651	76	11.3	8.4-14.2	10	1.1	0.3- 1.9	240	32.9	28.4-37.4	71	9.7	6.8-12.6	348	45.1	40.4-49.8
65+	1251	176,053	138	10.3	8.1-12.5	41	3.0	1.6- 4.4	281	23.3	20.2-26.4	134	10.3	8.1-12.5	657	53.1	49.4-56.8
Less Than H.S.	375	76,021	23	6.0	2.7- 9.3	3	1.2	0.0- 2.8	67	21.8	15.1-28.5	14	4.6	1.9- 7.3	268	66.5	59.2-73.8
H.S. or G.E.D.	964	223,416	89	11.4	8.3-14.5	12	2.0	0.4- 3.6	240	27.8	23.9-31.7	61	6.8	4.6- 9.0	562	52.0	47.7-56.3
Some Post-H.S.	898	207,102	119	15.3	12.0-18.6	15	1.2	0.4- 2.0	285	35.0	30.5-39.5	70	9.6	6.7-12.5	409	38.9	34.6-43.2
College Graduate	1402	210,275	213	16.0	13.3-18.7	36	1.7	1.1- 2.3	520	42.2	38.5-45.9	171	11.1	8.9-13.3	462	29.1	25.8-32.4
Less than \$15,000	283	44,634	25	11.9	5.6-18.2				55	21.1	14.0-28.2	15	6.5	2.4-10.6	188	60.5	52.1-68.9
\$15,000- 24,999	464	80,079	34	7.7	4.2-11.2	5	0.8	0.0- 1.6	108	28.4	21.9-34.9	30	6.8	3.7- 9.9	287	56.3	49.6-63.0
\$25,000- 34,999	281	50,418	29	11.3	6.2-16.4	5	2.0	0.2- 3.8	66	23.1	16.2-30.0	20	8.7	4.2-13.2	161	54.9	46.9-62.9
\$35,000- 49,999	394	79,782	36	6.4	3.9- 8.9	7	0.7	0.1- 1.3	134	36.1	28.8-43.4	31	8.1	3.6-12.6	186	48.8	41.4-56.2
\$50,000- 74,999	440	93,917	66	16.5	11.6-21.4	10	2.7	0.2- 5.2	136	31.7	25.4-38.0	42	8.6	4.7-12.5	186	40.5	34.0-47.0
\$75,000+	1118	242,312	188	17.9	14.8-21.0	28	2.0	1.0- 3.0	430	41.0	36.9-45.1	145	11.6	9.2-14.0	327	27.5	24.0-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1623	341,332	229	15.9	13.2-18.6	43	2.4	1.2- 3.6	502	31.8	28.7-34.9	194	11.2	9.2-13.2	655	38.7	35.4-42.0
White/Non-Hisp	1133	218,339	163	17.3	14.0-20.6	35	3.0	1.6- 4.4	354	30.9	27.4-34.4	159	12.9	10.4-15.4	422	35.9	32.4-39.4
Black or Afr. Am./Non-Hisp	153	66,868	20	13.2	6.7-19.7	1	1.6	0.0- 4.7	47	33.2	23.6-42.8	14	8.6	3.1-14.1	71	43.5	33.5-53.5
Oth. Race/Non-Hisp.	68	16,807	6	11.1	0.7-21.5	2	0.7	0.0- 1.7	19	30.0	16.3-43.7	7	9.4	0.0-19.6	34	48.8	32.7-64.9
Hispanic	197	29,218	30	16.3	9.0-23.6	2	0.9	0.0- 2.3	58	33.8	22.8-44.8	6	3.0	0.5- 5.5	101	46.0	35.0-57.0
18-24	134	42,111	16	15.9	5.9-25.9	1	0.4	0.0- 1.2	42	29.8	20.0-39.6	11	7.8	2.5-13.1	64	46.0	35.0-57.0
25-34	202	60,035	45	25.4	16.6-34.2	2	0.8	0.0- 2.4	73	35.6	26.2-45.0	23	12.4	6.5-18.3	59	25.8	16.6-35.0
35-44	194	50,886	24	13.2	6.7-19.7	4	3.1	0.0- 7.4	74	40.1	30.7-49.5	17	9.3	4.4-14.2	75	34.3	24.7-43.9
45-54	248	52,696	42	16.3	10.4-22.2	5	2.5	0.0- 5.2	82	35.6	27.6-43.6	19	9.2	3.1-15.3	100	36.3	28.9-43.7
55-64	329	57,132	33	11.2	6.9-15.5	6	1.5	0.1- 2.9	97	27.8	21.7-33.9	45	12.8	8.5-17.1	148	46.7	39.8-53.6
65+	516	78,471	69	13.4	9.7-17.1	25	4.9	2.0- 7.8	134	24.9	20.2-29.6	79	13.6	9.9-17.3	209	43.3	37.4-49.2
Less Than H.S.	187	41,277	14	7.2	2.1-12.3	2	1.4	0.0- 3.6	45	24.7	15.3-34.1	10	5.2	1.5- 8.9	116	61.5	51.1-71.9
H.S. or G.E.D.	436	116,747	56	15.2	10.3-20.1	9	3.5	0.6- 6.4	99	24.6	19.1-30.1	45	10.4	6.5-14.3	227	46.3	40.0-52.6
Some Post-H.S.	375	86,009	58	19.0	13.1-24.9	10	1.6	0.4- 2.8	128	33.0	26.5-39.5	37	11.0	6.7-15.3	142	35.4	28.9-41.9
College Graduate	614	95,793	99	17.2	12.9-21.5	22	2.4	1.2- 3.6	226	42.4	36.9-47.9	101	15.1	11.4-18.8	166	23.0	18.5-27.5
Less than \$15,000	102	18,186	13	14.5	4.1-24.9				21	26.0	13.1-38.9	8	6.6	1.1-12.1	60	52.9	39.4-66.4
\$15,000- 24,999	192	36,753	15	7.7	3.0-12.4	3	1.2	0.0- 2.6	45	30.5	19.7-41.3	18	10.0	4.3-15.7	111	50.6	40.2-61.0
\$25,000- 34,999	126	23,742	18	17.5	8.3-26.7	3	2.7	0.0- 5.8	28	18.9	10.7-27.1	13	12.6	4.8-20.4	64	48.3	36.1-60.5
\$35,000- 49,999	150	32,361	16	6.6	2.7-10.5	5	1.1	0.0- 2.3	49	35.9	23.6-48.2	18	10.8	4.7-16.9	62	45.6	32.9-58.3
\$50,000- 74,999	223	52,767	33	15.3	8.8-21.8	6	3.8	0.0- 8.1	72	30.5	22.7-38.3	25	10.3	4.2-16.4	87	40.2	31.2-49.2
\$75,000+	562	120,473	99	20.9	15.8-26.0	19	2.7	1.1- 4.3	205	37.5	32.0-43.0	88	13.5	10.0-17.0	151	25.4	20.7-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	378,285	218	11.1	9.1-13.1	23	0.8	0.4- 1.2	615	34.9	31.8-38.0	123	6.2	4.6- 7.8	1056	47.0	43.9-50.1
White/Non-Hisp	1372	240,535	167	12.8	10.4-15.2	21	1.2	0.6- 1.8	434	36.2	32.5-39.9	103	7.0	5.2- 8.8	647	42.8	39.3-46.3
Black or Afr. Am./Non-Hisp	299	77,938	27	9.8	5.3-14.3				91	35.8	28.2-43.4	11	6.0	1.3-10.7	170	48.4	40.8-56.0
Oth. Race/Non-Hisp.	68	20,253	4	6.4	0.0-13.7				20	33.1	16.6-49.6	3	5.4	0.0-13.2	41	55.1	37.7-72.5
Hispanic	208	26,972	10	3.5	0.6- 6.4				44	23.2	13.4-33.0	2	1.5	0.0- 4.0	152	71.9	61.9-81.9
18-24	102	41,912	13	10.7	4.0-17.4	1	0.9	0.0- 2.7	39	41.3	27.6-55.0	5	7.9	0.0-16.5	44	39.3	26.6-52.0
25-34	205	58,419	25	12.1	6.4-17.8				68	37.6	28.2-47.0	10	5.5	1.4- 9.6	102	44.9	35.5-54.3
35-44	254	54,548	32	13.1	7.8-18.4	1	0.4	0.0- 1.2	92	38.9	30.9-46.9	12	5.0	1.9- 8.1	117	42.6	34.6-50.6
45-54	323	57,304	36	13.4	8.1-18.7	1	1.0	0.0- 3.0	126	42.8	35.7-49.9	15	3.7	1.3- 6.1	145	39.1	32.4-45.8
55-64	416	68,520	43	11.4	7.3-15.5	4	0.7	0.0- 1.5	143	37.2	30.9-43.5	26	7.0	3.1-10.9	200	43.7	37.4-50.0
65+	735	97,582	69	7.9	5.4-10.4	16	1.6	0.8- 2.4	147	22.0	17.9-26.1	55	7.6	5.1-10.1	448	60.9	56.2-65.6
Less Than H.S.	188	34,744	9	4.6	0.9- 8.3	1	1.0	0.0- 3.0	22	18.3	8.9-27.7	4	3.8	0.0- 7.9	152	72.3	62.3-82.3
H.S. or G.E.D.	528	106,669	33	7.3	4.0-10.6	3	0.4	0.0- 1.0	141	31.2	25.7-36.7	16	2.9	1.1- 4.7	335	58.3	52.4-64.2
Some Post-H.S.	523	121,092	61	12.6	8.9-16.3	5	0.9	0.0- 1.9	157	36.4	30.1-42.7	33	8.5	4.6-12.4	267	41.5	35.6-47.4
College Graduate	788	114,482	114	15.0	11.7-18.3	14	1.1	0.5- 1.7	294	42.0	36.9-47.1	70	7.8	5.3-10.3	296	34.2	29.3-39.1
Less than \$15,000	181	26,448	12	10.2	2.4-18.0				34	17.8	10.5-25.1	7	6.4	0.3-12.5	128	65.6	55.0-76.2
\$15,000- 24,999	272	43,326	19	7.6	2.5-12.7	2	0.4	0.0- 1.2	63	26.7	19.3-34.1	12	4.1	1.0- 7.2	176	61.2	53.0-69.4
\$25,000- 34,999	155	26,677	11	5.7	1.6- 9.8	2	1.4	0.0- 3.4	38	26.8	16.6-37.0	7	5.3	0.4-10.2	97	60.8	50.0-71.6
\$35,000- 49,999	244	47,421	20	6.3	3.0- 9.6	2	0.4	0.0- 1.0	85	36.2	27.6-44.8	13	6.2	0.0-12.7	124	50.9	41.7-60.1
\$50,000- 74,999	217	41,150	33	18.0	10.6-25.4	4	1.4	0.0- 2.8	64	33.2	23.2-43.2	17	6.4	2.7-10.1	99	40.9	31.9-49.9
\$75,000+	556	121,839	89	15.0	11.3-18.7	9	1.3	0.1- 2.5	225	44.5	38.4-50.6	57	9.7	6.4-13.0	176	29.5	24.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
TOTAL	163	38,195	163	100.0	100.0- 100
Male	121	28,058	121	100.0	100.0- 100
White/Non-Hisp	106	25,949	106	100.0	100.0- 100
H.S. or G.E.D.	51	12,796	51	100.0	100.0- 100
\$75,000+	62	15,808	62	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	121	28,058	121	100.0	100.0- 100
White/Non-Hisp	80	19,545	80	100.0	100.0- 100
\$75,000+	50	12,848	50	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1879	394,750	172	10.9	8.7-13.1	90	5.4	3.6- 7.2	41	2.2	1.2- 3.2	42	2.4	1.4- 3.4	144	9.9	7.7-12.1	1390	69.2	66.1-72.3
Male	945	205,409	91	11.9	8.8-15.0	49	5.5	3.3- 7.7	25	2.4	1.0- 3.8	22	2.3	1.1- 3.5	104	14.3	11.0-17.6	654	63.7	59.2-68.2
Female	934	189,341	81	9.8	7.1-12.5	41	5.4	2.7- 8.1	16	2.0	0.6- 3.4	20	2.4	1.0- 3.8	40	5.1	2.7- 7.5	736	75.3	71.0-79.6
White/Non-Hisp	1392	270,078	115	11.0	8.5-13.5	67	6.2	4.0- 8.4	23	1.9	0.9- 2.9	29	2.3	1.3- 3.3	103	10.6	8.1-13.1	1055	68.0	64.3-71.7
Black or Afr. Am./Non-Hisp	199	73,649	19	11.4	5.1-17.7	8	3.5	0.0- 7.0	4	3.0	0.0- 6.5	7	3.0	0.3- 5.7	11	6.3	1.2-11.4	150	72.8	64.4-81.2
Oth. Race/Non-Hisp.	61	17,702	6	7.0	0.1-13.9	4	5.6	0.0-14.0	2	1.3	0.0- 3.3				6	8.1	0.0-16.9	43	78.0	64.9-91.1
Hispanic	143	20,716	25	12.6	5.9-19.3	9	4.4	0.7- 8.1	10	5.5	1.4- 9.6	4	1.9	0.0- 4.1	15	11.1	3.7-18.5	80	64.6	53.8-75.4
18-24	124	46,364	19	16.4	7.4-25.4	14	15.0	4.6-25.4	3	1.8	0.0- 4.5	4	2.4	0.0- 4.9	26	20.3	10.7-29.9	58	44.2	32.0-56.4
25-34	235	72,433	36	16.1	9.6-22.6	10	4.1	0.4- 7.8	11	4.0	0.5- 7.5	11	4.6	1.5- 7.7	31	16.3	9.4-23.2	136	55.0	46.4-63.6
35-44	249	63,106	31	11.1	6.6-15.6	18	4.8	1.9- 7.7	7	3.2	0.8- 5.6	4	2.1	0.0- 4.3	26	8.7	4.2-13.2	163	70.1	63.0-77.2
45-54	315	66,341	36	11.2	5.9-16.5	16	4.4	1.7- 7.1	7	1.6	0.2- 3.0	9	2.0	0.2- 3.8	17	6.8	2.9-10.7	230	74.1	67.4-80.8
55-64	382	67,354	26	9.0	5.1-12.9	18	5.8	2.3- 9.3	7	2.2	0.0- 4.6	7	1.4	0.0- 3.0	28	6.8	3.9- 9.7	296	74.8	68.9-80.7
65+	574	79,152	24	4.1	2.1- 6.1	14	2.0	0.6- 3.4	6	0.7	0.0- 1.5	7	1.7	0.0- 3.5	16	4.0	1.5- 6.5	507	87.5	83.8-91.2
Less Than H.S.	103	24,676	12	11.4	3.2-19.6	4	2.1	0.0- 4.5	7	3.6	0.7- 6.5	2	2.0	0.0- 5.1	14	14.0	5.2-22.8	64	66.9	54.9-78.9
H.S. or G.E.D.	380	101,053	36	12.1	7.0-17.2	15	3.3	1.1- 5.5	10	1.9	0.5- 3.3	15	4.2	1.7- 6.7	51	16.7	11.2-22.2	253	61.7	54.8-68.6
Some Post-H.S.	475	122,219	45	9.6	6.1-13.1	29	8.7	4.2-13.2	8	1.9	0.1- 3.7	10	2.0	0.6- 3.4	41	11.1	6.8-15.4	342	66.7	60.4-73.0
College Graduate	912	145,373	78	11.1	8.0-14.2	42	4.7	2.5- 6.9	16	2.5	0.5- 4.5	15	1.5	0.5- 2.5	36	3.2	1.8- 4.6	725	77.0	72.9-81.1
Less than \$15,000	91	16,791	17	21.9	8.8-35.0	3	2.9	0.0- 7.4	2	1.2	0.0- 3.0	7	5.8	0.3-11.3	9	14.2	3.2-25.2	53	54.1	39.4-68.8
\$15,000- 24,999	170	33,731	14	6.3	2.4-10.2	6	3.4	0.0- 7.5	8	3.2	0.5- 5.9	4	3.9	0.0- 8.6	19	14.2	6.4-22.0	119	68.8	59.0-78.6
\$25,000- 34,999	116	21,427	13	12.5	4.7-20.3	6	3.1	0.4- 5.8	5	4.3	0.0- 8.6	3	1.4	0.0- 3.2	11	10.9	3.3-18.5	78	67.8	56.8-78.8
\$35,000- 49,999	206	40,361	16	7.2	2.3-12.1	14	8.5	2.0-15.0	1	0.1	0.0- 0.3	4	1.0	0.0- 2.0	14	9.9	1.7-18.1	157	73.3	63.3-83.3
\$50,000- 74,999	251	55,283	29	13.8	7.3-20.3	12	7.5	0.2-14.8	6	1.6	0.0- 3.2	4	2.4	0.0- 4.9	19	11.0	4.7-17.3	181	63.7	54.3-73.1
\$75,000+	769	171,480	69	12.0	8.5-15.5	38	5.1	2.9- 7.3	15	2.9	0.9- 4.9	17	2.4	1.0- 3.8	55	8.2	5.5-10.9	575	69.5	64.8-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	945	205,409	91	11.9	8.8-15.0	49	5.5	3.3- 7.7	25	2.4	1.0- 3.8	22	2.3	1.1- 3.5	104	14.3	11.0-17.6	654	63.7	59.2-68.2
White/Non-Hisp	698	138,013	64	12.4	8.7-16.1	36	6.2	3.5- 8.9	12	1.9	0.5- 3.3	17	2.5	0.9- 4.1	75	16.2	11.7-20.7	494	60.8	55.7-65.9
Black or Afr. Am./Non-Hisp	81	37,679	8	12.7	2.5-22.9	4	5.5	0.0-12.0	2	3.5	0.0- 9.2	3	2.4	0.0- 5.7	6	5.8	0.3-11.3	58	70.2	57.5-82.9
Hispanic	89	14,390	12	10.2	2.4-18.0	4	2.1	0.0- 4.5	8	6.4	0.9-11.9	1	0.9	0.0- 2.7	13	14.6	4.2-25.0	51	65.7	52.0-79.4
18-24	68	22,235	12	25.9	10.2-41.6	8	12.8	0.6-25.0	1	0.3	0.0- 0.9	2	2.9	0.0- 7.4	16	24.4	11.3-37.5	29	33.6	19.9-47.3
25-34	138	43,575	21	17.6	9.0-26.2	6	5.3	0.0-11.0	7	5.1	0.0-10.8	6	3.3	0.2- 6.4	25	23.2	13.0-33.4	73	45.5	34.3-56.7
35-44	117	33,125	14	8.4	3.3-13.5	7	3.8	0.0- 8.1	4	3.5	0.0- 7.0	1	1.0	0.0- 3.0	20	14.7	6.5-22.9	71	68.5	58.1-78.9
45-54	147	33,527	17	12.0	3.6-20.4	10	5.4	1.1- 9.7	5	1.8	0.0- 3.6	4	2.3	0.0- 5.4	10	8.7	2.2-15.2	101	69.8	59.4-80.2
55-64	178	30,176	11	6.4	2.3-10.5	10	6.4	1.5-11.3	5	2.0	0.0- 4.0	4	2.3	0.0- 5.4	22	12.8	6.9-18.7	126	70.1	61.7-78.5
65+	297	42,771	16	5.1	2.0- 8.2	8	2.5	0.3- 4.7	3	0.6	0.0- 1.6	5	2.2	0.0- 4.7	11	5.0	0.9- 9.1	254	84.8	79.1-90.5
Less Than H.S.	70	15,823	9	14.8	2.8-26.8	4	3.3	0.0- 6.8	4	2.5	0.0- 5.2	1	0.9	0.0- 2.7	12	19.9	7.0-32.8	40	58.7	42.6-74.8
H.S. or G.E.D.	199	60,190	19	12.3	5.0-19.6	10	4.3	1.0- 7.6	6	1.8	0.2- 3.4	10	4.4	1.1- 7.7	44	24.0	15.8-32.2	110	53.2	43.8-62.6
Some Post-H.S.	231	55,303	25	13.0	6.5-19.5	15	7.2	1.7-12.7	3	0.9	0.0- 2.1	2	1.2	0.0- 3.2	23	14.7	7.8-21.6	163	63.0	54.2-71.8
College Graduate	438	72,850	37	10.1	6.0-14.2	20	5.7	1.8- 9.6	12	4.0	0.5- 7.5	9	1.9	0.3- 3.5	23	4.5	2.1- 6.9	337	73.9	67.6-80.2
\$15,000- 24,999	78	17,391	7	5.4	1.1- 9.7	4	6.2	0.0-14.2	3	1.1	0.0- 2.5	2	1.8	0.0- 4.9	15	16.7	6.5-26.9	47	68.8	55.1-82.5
\$25,000- 34,999	59	11,386	8	16.3	4.5-28.1	4	3.8	0.0- 7.9	2	2.0	0.0- 4.9	1	0.6	0.0- 1.8	6	13.5	1.2-25.8	38	63.8	48.3-79.3
\$35,000- 49,999	88	17,610	7	9.7	0.1-19.3	6	11.9	0.0-25.0	1	0.1	0.0- 0.5	1	0.6	0.0- 1.8	9	9.1	1.3-16.9	64	68.6	53.1-84.1
\$50,000- 74,999	136	31,577	15	13.3	4.1-22.5	6	3.8	0.0- 8.1	5	2.8	0.1- 5.5	2	1.5	0.0- 3.7	16	18.5	8.1-28.9	92	60.2	48.2-72.2
\$75,000+	406	89,308	37	13.2	7.7-18.7	19	4.3	1.9- 6.7	10	3.3	0.4- 6.2	12	3.4	1.0- 5.8	38	12.3	7.6-17.0	290	63.4	56.7-70.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	934	189,341	81	9.8	7.1-12.5	41	5.4	2.7- 8.1	16	2.0	0.6- 3.4	20	2.4	1.0- 3.8	40	5.1	2.7- 7.5	736	75.3	71.0-79.6
White/Non-Hisp	694	132,065	51	9.5	6.4-12.6	31	6.3	2.8- 9.8	11	1.9	0.5- 3.3	12	2.1	0.7- 3.5	28	4.8	2.4- 7.2	561	75.4	70.5-80.3
Black or Afr. Am./Non-Hisp	118	35,970	11	10.1	3.2-17.0	4	1.5	0.0- 3.3	2	2.6	0.0- 6.9	4	3.5	0.0- 8.0	5	6.8	0.0-15.2	92	75.5	64.3-86.7
Hispanic	54	6,326	13	18.1	5.6-30.6	5	9.4	0.0-20.2	2	3.2	0.0- 7.7	3	4.0	0.0- 9.3	2	3.1	0.0- 7.4	29	62.2	45.7-78.7
18-24	56	24,128	7	7.5	1.0-14.0	6	17.1	0.6-33.6	2	3.1	0.0- 8.4	2	1.9	0.0- 4.8	10	16.5	2.6-30.4	29	53.9	35.3-72.5
25-34	97	28,857	15	13.7	4.3-23.1	4	2.3	0.0- 4.7	4	2.2	0.0- 4.4	5	6.5	0.0-13.0	6	5.9	0.0-12.4	63	69.3	57.1-81.5
35-44	132	29,981	17	14.0	6.6-21.4	11	6.0	2.1- 9.9	3	2.8	0.0- 6.1	3	3.4	0.0- 7.5	6	2.0	0.2- 3.8	92	71.9	62.5-81.3
45-54	168	32,814	19	10.3	3.6-17.0	6	3.4	0.3- 6.5	2	1.3	0.0- 3.7	5	1.7	0.1- 3.3	7	4.8	0.7- 8.9	129	78.4	70.2-86.6
55-64	204	37,179	15	11.2	4.9-17.5	8	5.3	0.0-10.6	2	2.5	0.0- 6.6	3	0.7	0.0- 1.7	6	1.9	0.0- 3.9	170	78.5	70.1-86.9
65+	277	36,381	8	3.0	0.8- 5.2	6	1.4	0.0- 2.8	3	0.8	0.0- 2.0	2	1.1	0.0- 3.1	5	3.0	0.0- 6.1	253	90.8	86.3-95.3
H.S. or G.E.D.	181	40,863	17	11.8	5.1-18.5	5	1.8	0.0- 3.6	4	2.1	0.0- 4.5	5	4.0	0.0- 8.5	7	6.1	0.4-11.8	143	74.2	65.2-83.2
Some Post-H.S.	244	66,916	20	6.7	3.2-10.2	14	10.0	3.1-16.9	5	2.8	0.0- 5.7	8	2.6	0.4- 4.8	18	8.2	2.7-13.7	179	69.7	61.1-78.3
College Graduate	474	72,523	41	12.1	7.4-16.8	22	3.8	1.8- 5.8	4	0.9	0.0- 2.1	6	1.1	0.0- 2.3	13	1.9	0.5- 3.3	388	80.2	75.1-85.3
Less than \$15,000	50	8,270	11	33.2	12.0-54.4				1	1.8	0.0- 5.5	5	9.3	0.0-19.3	4	12.7	0.0-28.0	29	42.9	24.1-61.7
\$15,000- 24,999	92	16,340	7	7.4	0.9-13.9	2	0.4	0.0- 1.0	5	5.6	0.3-10.9	2	6.2	0.0-15.4	4	11.6	0.0-23.8	72	68.8	54.5-83.1
\$25,000- 34,999	57	10,041	5	8.3	0.0-18.5	2	2.3	0.0- 5.6	3	6.8	0.0-15.0	2	2.4	0.0- 5.9	5	8.0	0.2-15.8	40	72.3	57.4-87.2
\$35,000- 49,999	118	22,751	9	5.3	1.2- 9.4	8	5.8	1.3-10.3				3	1.3	0.0- 2.9	5	10.6	0.0-23.7	93	77.0	63.9-90.1
\$50,000- 74,999	115	23,706	14	14.4	5.8-23.0	6	12.6	0.0-28.1	1	0.1	0.0- 0.3	2	3.6	0.0- 8.7	3	0.9	0.0- 2.1	89	68.3	53.2-83.4
\$75,000+	363	82,172	32	10.6	6.1-15.1	19	5.9	2.4- 9.4	5	2.5	0.0- 5.0	5	1.3	0.0- 2.7	17	3.7	1.5- 5.9	285	76.0	69.7-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1857	386,547	493	24.1	21.4-26.8	506	26.0	23.3-28.7	325	17.1	14.7-19.5	163	9.3	7.3-11.3	370	23.4	20.5-26.3
Male	918	195,990	181	17.1	13.8-20.4	214	22.3	18.8-25.8	182	19.4	16.1-22.7	70	6.3	4.3- 8.3	271	34.8	30.3-39.3
Female	939	190,558	312	31.3	27.0-35.6	292	29.8	25.7-33.9	143	14.8	11.9-17.7	93	12.4	8.9-15.9	99	11.7	8.8-14.6
White/Non-Hisp	1387	265,904	371	23.2	20.3-26.1	389	25.2	22.3-28.1	253	17.7	15.2-20.2	110	8.9	6.5-11.3	264	25.0	21.7-28.3
Black or Afr. Am./Non-Hisp	198	72,487	66	31.2	22.8-39.6	48	23.3	15.9-30.7	33	15.8	9.3-22.3	21	10.2	4.9-15.5	30	19.5	11.5-27.5
Oth. Race/Non-Hisp.	59	16,838	17	26.7	12.2-41.2	15	37.4	20.2-54.6	10	14.7	3.7-25.7	4	11.5	0.0-23.1	13	9.7	2.1-17.3
Hispanic	129	18,631	18	9.4	3.9-14.9	32	37.6	23.5-51.7	12	12.6	3.8-21.4	20	9.3	4.4-14.2	47	31.1	19.9-42.3
18-24	117	44,539	16	15.0	5.8-24.2	22	20.6	10.2-31.0	10	6.6	1.7-11.5	15	12.6	3.0-22.2	54	45.2	32.7-57.7
25-34	232	70,966	43	18.8	11.5-26.1	45	18.0	11.3-24.7	37	16.1	10.4-21.8	25	9.1	4.2-14.0	82	38.0	29.4-46.6
35-44	245	62,069	52	20.0	13.3-26.7	57	24.3	17.2-31.4	47	22.5	15.2-29.8	25	10.4	5.5-15.3	64	22.8	16.3-29.3
45-54	313	65,815	71	24.7	18.2-31.2	85	29.4	22.5-36.3	68	18.5	13.4-23.6	28	8.1	4.2-12.0	61	19.2	12.9-25.5
55-64	382	65,444	102	25.5	19.8-31.2	114	29.8	23.9-35.7	71	18.7	13.6-23.8	30	9.6	5.3-13.9	65	16.5	11.8-21.2
65+	568	77,715	209	35.7	30.4-41.0	183	31.8	26.9-36.7	92	17.3	13.2-21.4	40	7.4	4.7-10.1	44	7.7	4.6-10.8
Less Than H.S.	92	22,572	23	29.3	15.2-43.4	13	17.3	4.6-30.0	12	15.6	5.8-25.4	12	6.3	2.0-10.6	32	31.5	18.8-44.2
H.S. or G.E.D.	373	98,298	92	23.4	17.5-29.3	92	21.8	16.7-26.9	58	16.2	11.1-21.3	34	8.6	5.1-12.1	97	30.1	23.4-36.8
Some Post-H.S.	472	119,268	119	23.9	18.6-29.2	135	26.5	21.0-32.0	72	13.9	10.2-17.6	38	9.9	5.4-14.4	108	25.8	20.1-31.5
College Graduate	914	145,252	257	24.0	20.5-27.5	266	30.1	26.0-34.2	181	20.4	16.9-23.9	79	9.8	7.1-12.5	131	15.7	12.2-19.2
Less than \$15,000	86	15,779	17	22.7	9.6-35.8	17	13.6	5.8-21.4	13	14.9	3.5-26.3	13	14.6	2.6-26.6	26	34.2	19.9-48.5
\$15,000- 24,999	165	31,476	59	32.5	21.9-43.1	35	26.0	15.0-37.0	18	12.3	5.4-19.2	12	7.4	1.5-13.3	41	21.8	14.0-29.6
\$25,000- 34,999	112	21,245	27	23.1	12.9-33.3	25	24.1	12.3-35.9	18	16.6	8.4-24.8	12	7.1	2.6-11.6	30	29.1	18.1-40.1
\$35,000- 49,999	202	38,815	67	34.4	24.8-44.0	53	20.8	13.9-27.7	28	16.4	7.8-25.0	21	8.0	3.7-12.3	33	20.4	10.4-30.4
\$50,000- 74,999	245	53,517	57	18.0	11.9-24.1	66	25.9	18.6-33.2	45	16.2	10.3-22.1	21	10.3	2.9-17.7	56	29.7	21.1-38.3
\$75,000+	771	170,892	172	19.8	15.7-23.9	219	27.2	22.9-31.5	166	20.1	16.6-23.6	69	10.4	7.5-13.3	145	22.4	18.1-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	918	195,990	181	17.1	13.8-20.4	214	22.3	18.8-25.8	182	19.4	16.1-22.7	70	6.3	4.3- 8.3	271	34.8	30.3-39.3
White/Non-Hisp	686	132,890	140	16.6	13.1-20.1	161	20.6	17.1-24.1	139	18.4	14.9-21.9	54	6.9	4.5- 9.3	192	37.5	32.2-42.8
Black or Afr. Am./Non-Hisp	78	35,881	14	19.0	8.0-30.0	21	24.4	13.0-35.8	18	22.6	11.2-34.0	3	4.4	0.0- 9.3	22	29.7	16.6-42.8
Hispanic	80	12,777	12	9.6	3.1-16.1	17	36.5	17.7-55.3	7	12.7	1.5-23.9	9	6.2	1.7-10.7	35	35.1	20.2-50.0
18-24	61	19,576	6	5.9	0.8-11.0	10	19.6	7.1-32.1	4	4.7	0.0-10.4	7	7.0	0.5-13.5	34	62.8	47.7-77.9
25-34	134	41,985	20	14.6	6.0-23.2	19	12.9	5.3-20.5	22	13.3	6.8-19.8	10	4.4	0.7- 8.1	63	54.7	43.1-66.3
35-44	113	31,916	11	10.6	3.0-18.2	26	23.2	13.6-32.8	25	27.4	16.0-38.8	9	9.0	1.7-16.3	42	29.7	19.5-39.9
45-54	141	32,285	18	12.0	4.7-19.3	36	29.8	19.4-40.2	37	24.2	15.6-32.8	8	4.7	0.8- 8.6	42	29.3	18.7-39.9
55-64	173	28,182	37	19.0	11.7-26.3	39	24.3	16.3-32.3	35	22.1	14.1-30.1	11	4.3	1.2- 7.4	51	30.4	21.8-39.0
65+	296	42,047	89	32.6	25.2-40.0	84	25.2	19.3-31.1	59	20.6	14.7-26.5	25	8.5	4.6-12.4	39	13.1	7.8-18.4
Less Than H.S.	60	13,921	9	11.5	0.9-22.1	9	22.7	3.9-41.5	7	15.6	2.9-28.3	9	7.1	1.6-12.6	26	43.1	25.5-60.7
H.S. or G.E.D.	194	57,791	32	16.4	9.3-23.5	37	18.4	11.7-25.1	31	16.2	9.1-23.3	11	3.6	1.2- 6.0	83	45.3	35.7-54.9
Some Post-H.S.	225	51,933	42	17.8	10.7-24.9	63	21.5	15.2-27.8	38	17.6	11.5-23.7	17	8.1	3.0-13.2	65	35.0	26.2-43.8
College Graduate	434	71,281	97	18.3	13.8-22.8	105	26.3	20.6-32.0	104	23.6	18.3-28.9	33	7.1	4.0-10.2	95	24.7	18.6-30.8
\$15,000- 24,999	75	16,063	15	23.2	6.9-39.5	19	36.6	18.6-54.6	6	8.4	0.4-16.4	6	4.1	0.0- 8.2	29	27.6	14.9-40.3
\$25,000- 34,999	59	11,264	13	26.0	10.7-41.3	9	12.4	2.0-22.8	11	20.0	8.0-32.0	5	6.6	0.5-12.7	21	34.9	19.6-50.2
\$35,000- 49,999	86	16,966	23	21.3	10.9-31.7	18	17.4	7.4-27.4	15	25.9	9.2-42.6	8	6.5	1.2-11.8	22	28.8	13.3-44.3
\$50,000- 74,999	130	29,587	24	13.9	7.0-20.8	25	18.4	10.0-26.8	29	20.6	11.6-29.6	12	6.9	2.2-11.6	40	40.3	28.0-52.6
\$75,000+	401	87,483	71	13.5	9.0-18.0	94	22.8	17.5-28.1	97	21.0	16.3-25.7	28	6.9	3.6-10.2	111	35.8	28.9-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	939	190,558	312	31.3	27.0-35.6	292	29.8	25.7-33.9	143	14.8	11.9-17.7	93	12.4	8.9-15.9	99	11.7	8.8-14.6
White/Non-Hisp	701	133,013	231	29.8	25.1-34.5	228	29.9	25.2-34.6	114	17.0	13.1-20.9	56	10.8	6.7-14.9	72	12.5	9.0-16.0
Black or Afr. Am./Non-Hisp	120	36,607	52	43.1	30.9-55.3	27	22.3	12.7-31.9	15	9.2	3.7-14.7	18	15.9	7.1-24.7	8	9.5	0.7-18.3
18-24	56	24,964	10	22.2	6.9-37.5	12	21.4	5.5-37.3	6	8.1	0.5-15.7	8	17.0	1.1-32.9	20	31.3	15.0-47.6
25-34	98	28,981	23	24.9	12.7-37.1	26	25.2	13.6-36.8	15	20.2	9.8-30.6	15	15.9	5.7-26.1	19	13.7	6.6-20.8
35-44	132	30,153	41	29.9	19.5-40.3	31	25.5	15.3-35.7	22	17.2	9.0-25.4	16	12.0	5.1-18.9	22	15.4	8.3-22.5
45-54	172	33,531	53	37.0	27.2-46.8	49	29.1	20.3-37.9	31	13.1	7.4-18.8	20	11.4	4.7-18.1	19	9.5	4.0-15.0
55-64	209	37,262	65	30.4	22.2-38.6	75	34.0	25.8-42.2	36	16.1	9.6-22.6	19	13.6	6.5-20.7	14	6.0	1.9-10.1
65+	272	35,668	120	39.5	31.9-47.1	99	39.6	31.8-47.4	33	13.4	7.5-19.3	15	6.2	2.3-10.1	5	1.4	0.0- 3.0
H.S. or G.E.D.	179	40,507	60	33.3	24.1-42.5	55	26.6	19.0-34.2	27	16.2	8.9-23.5	23	15.6	8.2-23.0	14	8.4	3.1-13.7
Some Post-H.S.	247	67,335	77	28.5	20.7-36.3	72	30.4	22.2-38.6	34	11.0	6.3-15.7	21	11.4	4.3-18.5	43	18.7	11.8-25.6
College Graduate	480	73,971	160	29.5	24.0-35.0	161	33.7	27.6-39.8	77	17.4	12.7-22.1	46	12.4	7.7-17.1	36	7.0	4.1- 9.9
\$15,000- 24,999	90	15,413	44	42.2	28.9-55.5	16	15.0	6.4-23.6	12	16.3	5.3-27.3	6	10.8	0.0-21.6	12	15.7	5.7-25.7
\$25,000- 34,999	53	9,981	14	19.8	6.9-32.7	16	37.3	17.7-56.9	7	12.8	2.0-23.6	7	7.6	1.1-14.1	9	22.5	7.2-37.8
\$35,000- 49,999	116	21,849	44	44.5	31.0-58.0	35	23.4	14.2-32.6	13	9.0	2.7-15.3	13	9.2	2.7-15.7	11	13.9	0.6-27.2
\$50,000- 74,999	115	23,930	33	23.0	12.6-33.4	41	35.1	22.9-47.3	16	10.7	4.0-17.4	9	14.5	0.0-29.6	16	16.6	7.0-26.2
\$75,000+	370	83,410	101	26.4	19.7-33.1	125	31.8	24.9-38.7	69	19.3	13.8-24.8	41	14.1	9.0-19.2	34	8.3	4.6-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	209
2 MALES ONLY	210
3 FEMALES ONLY	211
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	212
5 MALES ONLY	213
6 FEMALES ONLY	214
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	215
8 MALES ONLY	216
9 FEMALES ONLY	217
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	218
11 MALES ONLY	219
12 FEMALES ONLY	220
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	221
14 MALES ONLY	222
15 FEMALES ONLY	223
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	224
17 MALES ONLY	225
18 FEMALES ONLY	226

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	227
20 MALES ONLY	228
21 FEMALES ONLY	229
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	230
23 MALES ONLY	231
24 FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3647	715,798	2635	73.4	71.4-75.4	1012	26.6	24.6-28.6
Male	1620	339,911	1214	75.5	72.6-78.4	406	24.5	21.6-27.4
Female	2027	375,887	1421	71.4	68.7-74.1	606	28.6	25.9-31.3
White/Non-Hisp	2500	456,100	1868	75.4	73.2-77.6	632	24.6	22.4-26.8
Black or Afr. Am./Non-Hisp	452	145,523	279	67.1	61.6-72.6	173	32.9	27.4-38.4
Oth. Race/Non-Hisp.	138	37,391	101	77.5	67.3-87.7	37	22.5	12.3-32.7
MultiRacial/Non-Hisp.	73	7,677	52	71.6	57.1-86.1	21	28.4	13.9-42.9
Hispanic	398	54,193	262	66.9	59.8-74.0	136	33.1	26.0-40.2
18-24	231	82,626	182	81.7	75.6-87.8	49	18.3	12.2-24.4
25-34	409	118,126	299	75.5	69.8-81.2	110	24.5	18.8-30.2
35-44	444	104,863	344	80.1	75.4-84.8	100	19.9	15.2-24.6
45-54	573	110,564	424	72.1	67.0-77.2	149	27.9	22.8-33.0
55-64	744	125,471	550	73.6	69.3-77.9	194	26.4	22.1-30.7
65+	1246	174,149	836	64.7	61.0-68.4	410	35.3	31.6-39.0
Less Than H.S.	369	74,860	202	56.3	48.9-63.7	167	43.7	36.3-51.1
H.S. or G.E.D.	965	221,421	638	68.0	64.1-71.9	327	32.0	28.1-35.9
Some Post-H.S.	894	205,398	622	73.3	69.6-77.0	272	26.7	23.0-30.4
College Graduate	1400	210,581	1158	84.9	82.4-87.4	242	15.1	12.6-17.6
Less than \$15,000	276	43,868	167	60.3	51.9-68.7	109	39.7	31.3-48.1
\$15,000- 24,999	461	78,982	280	62.1	55.8-68.4	181	37.9	31.6-44.2
\$25,000- 34,999	280	50,071	182	69.7	62.8-76.6	98	30.3	23.4-37.2
\$35,000- 49,999	392	79,562	277	72.6	66.1-79.1	115	27.4	20.9-33.9
\$50,000- 74,999	435	92,673	342	77.1	71.6-82.6	93	22.9	17.4-28.4
\$75,000+	1119	241,873	904	81.2	78.3-84.1	215	18.8	15.9-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1620	339,911	1214	75.5	72.6-78.4	406	24.5	21.6-27.4
White/Non-Hisp	1132	216,978	860	75.2	71.9-78.5	272	24.8	21.5-28.1
Black or Afr. Am./Non-Hisp	155	67,214	112	76.2	68.2-84.2	43	23.8	15.8-31.8
Oth. Race/Non-Hisp.	70	17,137	55	83.6	73.4-93.8	15	16.4	6.2-26.6
Hispanic	193	28,638	129	68.2	58.0-78.4	64	31.8	21.6-42.0
18-24	130	41,072	105	81.8	73.2-90.4	25	18.2	9.6-26.8
25-34	204	60,749	149	77.4	69.8-85.0	55	22.6	15.0-30.2
35-44	193	51,067	153	81.9	75.0-88.8	40	18.1	11.2-25.0
45-54	247	52,641	192	73.1	65.5-80.7	55	26.9	19.3-34.5
55-64	330	57,100	252	74.8	68.7-80.9	78	25.2	19.1-31.3
65+	516	77,282	363	68.7	63.2-74.2	153	31.3	25.8-36.8
Less Than H.S.	183	40,630	106	61.5	51.3-71.7	77	38.5	28.3-48.7
H.S. or G.E.D.	441	117,066	307	69.1	63.2-75.0	134	30.9	25.0-36.8
Some Post-H.S.	373	84,682	267	76.2	70.9-81.5	106	23.8	18.5-29.1
College Graduate	614	96,184	528	88.7	85.8-91.6	86	11.3	8.4-14.2
Less than \$15,000	99	18,008	68	65.5	52.6-78.4	31	34.5	21.6-47.4
\$15,000- 24,999	191	35,997	124	66.9	57.5-76.3	67	33.1	23.7-42.5
\$25,000- 34,999	125	23,395	88	74.0	64.6-83.4	37	26.0	16.6-35.4
\$35,000- 49,999	150	32,626	115	81.3	73.3-89.3	35	18.7	10.7-26.7
\$50,000- 74,999	221	52,273	167	73.0	64.8-81.2	54	27.0	18.8-35.2
\$75,000+	561	119,999	459	82.8	78.9-86.7	102	17.2	13.3-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2019
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2027	375,887	1421	71.4	68.7-74.1	606	28.6	25.9-31.3
White/Non-Hisp	1368	239,122	1008	75.7	72.8-78.6	360	24.3	21.4-27.2
Black or Afr. Am./Non-Hisp	297	78,309	167	59.3	51.9-66.7	130	40.7	33.3-48.1
Oth. Race/Non-Hisp.	68	20,253	46	72.4	56.1-88.7	22	27.6	11.3-43.9
Hispanic	205	25,556	133	65.3	55.9-74.7	72	34.7	25.3-44.1
18-24	101	41,554	77	81.5	72.7-90.3	24	18.5	9.7-27.3
25-34	205	57,377	150	73.5	65.3-81.7	55	26.5	18.3-34.7
35-44	251	53,796	191	78.3	71.8-84.8	60	21.7	15.2-28.2
45-54	326	57,922	232	71.2	64.7-77.7	94	28.8	22.3-35.3
55-64	414	68,371	298	72.5	66.6-78.4	116	27.5	21.6-33.4
65+	730	96,866	473	61.5	56.6-66.4	257	38.5	33.6-43.4
Less Than H.S.	186	34,229	96	50.2	40.0-60.4	90	49.8	39.6-60.0
H.S. or G.E.D.	524	104,355	331	66.9	61.6-72.2	193	33.1	27.8-38.4
Some Post-H.S.	521	120,716	355	71.2	65.9-76.5	166	28.8	23.5-34.1
College Graduate	786	114,397	630	81.7	77.8-85.6	156	18.3	14.4-22.2
Less than \$15,000	177	25,859	99	56.7	45.7-67.7	78	43.3	32.3-54.3
\$15,000- 24,999	270	42,985	156	58.1	50.1-66.1	114	41.9	33.9-49.9
\$25,000- 34,999	155	26,676	94	65.9	56.1-75.7	61	34.1	24.3-43.9
\$35,000- 49,999	242	46,935	162	66.6	57.8-75.4	80	33.4	24.6-42.2
\$50,000- 74,999	214	40,400	175	82.4	75.7-89.1	39	17.6	10.9-24.3
\$75,000+	558	121,874	445	79.6	75.1-84.1	113	20.4	15.9-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2222	441,009	429	21.1	18.6-23.6	1326	56.4	53.5-59.3	111	5.8	4.0- 7.6	42	1.9	0.9- 2.9	314	14.8	12.6-17.0
Male	1011	211,863	246	25.1	21.4-28.8	500	44.9	40.6-49.2	96	10.3	7.2-13.4	20	2.6	0.8- 4.4	149	17.1	13.6-20.6
Female	1211	229,146	183	17.4	14.1-20.7	826	67.0	63.1-70.9	15	1.6	0.2- 3.0	22	1.2	0.6- 1.8	165	12.8	10.3-15.3
White/Non-Hisp	1573	288,099	285	21.1	18.2-24.0	952	57.6	54.1-61.1	70	4.8	3.0- 6.6	34	1.6	1.0- 2.2	232	14.9	12.4-17.4
Black or Afr. Am./Non-Hisp	232	80,924	40	20.0	12.9-27.1	145	52.3	43.7-60.9	11	8.2	2.1-14.3	4	2.4	0.0- 5.3	32	17.1	10.4-23.8
Oth. Race/Non-Hisp.	86	24,931	11	14.0	4.0-24.0	55	67.3	53.4-81.2	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	17	17.8	6.0-29.6
Hispanic	228	31,747	62	26.9	18.7-35.1	116	47.7	37.5-57.9	26	13.7	4.9-22.5	1	4.3	0.0-12.3	23	7.5	3.4-11.6
18-24	148	58,442	47	28.2	18.2-38.2	55	39.1	28.3-49.9	19	13.7	5.5-21.9	1	0.2	0.0- 0.6	26	18.8	10.2-27.4
25-34	248	71,736	79	30.0	22.6-37.4	116	46.2	37.6-54.8	19	9.2	3.1-15.3	1	0.2	0.0- 0.6	33	14.4	7.9-20.9
35-44	286	69,549	74	28.0	20.6-35.4	153	48.5	40.5-56.5	12	5.3	0.8- 9.8	8	3.9	0.0- 8.0	39	14.3	8.6-20.0
45-54	373	69,945	86	21.7	16.4-27.0	224	59.6	53.1-66.1	9	1.8	0.0- 3.6	2	0.6	0.0- 1.6	52	16.2	10.9-21.5
55-64	473	78,772	61	11.1	7.6-14.6	323	70.9	65.8-76.0	13	1.8	0.8- 2.8	11	2.1	0.7- 3.5	65	14.1	10.2-18.0
65+	694	92,565	82	12.6	9.5-15.7	455	66.4	61.9-70.9	39	4.8	3.0- 6.6	19	3.5	1.0- 6.0	99	12.7	9.8-15.6
Less Than H.S.	179	34,047	33	15.3	8.4-22.2	114	61.8	50.8-72.8	18	9.9	1.9-17.9	2	4.3	0.0-11.9	12	8.7	2.4-15.0
H.S. or G.E.D.	533	130,141	81	16.7	12.4-21.0	348	61.6	55.9-67.3	19	5.2	1.7- 8.7	9	2.2	0.2- 4.2	76	14.2	10.1-18.3
Some Post-H.S.	527	128,637	87	20.0	14.5-25.5	327	55.8	49.5-62.1	23	6.0	2.3- 9.7	12	1.6	0.6- 2.6	78	16.6	11.9-21.3
College Graduate	970	145,339	224	26.9	22.8-31.0	531	51.1	46.6-55.6	49	5.1	3.1- 7.1	19	1.3	0.7- 1.9	147	15.5	12.2-18.8
Less than \$15,000	142	23,362	18	16.2	7.0-25.4	102	70.7	59.3-82.1	8	3.5	0.0- 7.0	2	0.7	0.0- 1.7	12	8.9	1.1-16.7
\$15,000- 24,999	236	42,658	52	20.8	13.5-28.1	142	57.8	48.2-67.4	12	9.0	1.2-16.8	2	0.5	0.0- 1.1	28	11.9	5.8-18.0
\$25,000- 34,999	146	27,969	21	17.1	8.5-25.7	102	68.5	57.3-79.7	3	1.2	0.0- 2.6	3	6.0	0.0-15.2	17	7.3	3.2-11.4
\$35,000- 49,999	233	47,089	30	15.9	8.1-23.7	156	64.1	54.5-73.7	7	5.0	0.0-11.1	4	0.6	0.0- 1.2	36	14.4	8.3-20.5
\$50,000- 74,999	296	61,726	54	24.3	16.5-32.1	169	53.1	44.7-61.5	14	5.4	1.3- 9.5	12	3.3	1.3- 5.3	47	14.0	8.9-19.1
\$75,000+	761	161,163	189	25.7	21.2-30.2	391	48.0	42.9-53.1	41	5.9	3.0- 8.8	17	1.6	0.6- 2.6	123	18.8	14.5-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1011	211,863	246	25.1	21.4-28.8	500	44.9	40.6-49.2	96	10.3	7.2-13.4	20	2.6	0.8- 4.4	149	17.1	13.6-20.6
White/Non-Hisp	710	133,171	164	25.1	20.8-29.4	371	48.6	43.7-53.5	60	9.3	5.8-12.8	14	1.7	0.7- 2.7	101	15.3	11.2-19.4
Black or Afr. Am./Non-Hisp	92	41,832	19	23.1	12.5-33.7	42	36.5	24.9-48.1	9	11.9	2.5-21.3	4	4.7	0.0-10.2	18	23.8	12.6-35.0
Hispanic	115	18,094	37	31.3	19.1-43.5	40	28.2	17.2-39.2	24	22.7	8.4-37.0	1	7.5	0.0-21.2	13	10.3	3.4-17.2
18-24	86	28,472	28	25.1	14.7-35.5	24	28.5	16.5-40.5	15	19.0	6.7-31.3				19	27.4	13.7-41.1
25-34	121	37,056	47	35.3	24.3-46.3	33	27.3	16.3-38.3	18	17.5	6.5-28.5	1	0.4	0.0- 1.2	22	19.5	9.7-29.3
35-44	125	33,824	39	31.4	19.4-43.4	50	32.4	21.6-43.2	11	10.5	1.5-19.5	5	7.0	0.0-15.2	20	18.7	8.5-28.9
45-54	166	33,422	51	28.7	19.9-37.5	85	52.1	42.3-61.9	6	2.9	0.0- 6.6	2	1.2	0.0- 3.2	22	15.1	7.5-22.7
55-64	205	34,372	31	15.0	8.9-21.1	121	59.3	50.9-67.7	13	4.1	1.7- 6.5	7	3.6	0.9- 6.3	33	17.9	11.0-24.8
65+	308	44,715	50	17.2	11.7-22.7	187	62.9	55.6-70.2	33	8.8	5.3-12.3	5	3.1	0.0- 7.6	33	8.0	4.7-11.3
Less Than H.S.	95	20,551	19	16.3	6.7-25.9	51	50.0	35.3-64.7	16	15.2	2.5-27.9	2	7.2	0.0-19.4	7	11.3	1.7-20.9
H.S. or G.E.D.	251	67,515	49	20.8	14.3-27.3	138	49.1	40.9-57.3	17	9.7	3.2-16.2	5	3.3	0.0- 6.8	42	17.2	10.5-23.9
Some Post-H.S.	226	56,482	49	23.7	15.7-31.7	121	46.7	37.7-55.7	18	9.3	2.8-15.8	5	1.8	0.2- 3.4	33	18.4	10.6-26.2
College Graduate	434	66,358	127	33.0	26.9-39.1	189	37.9	31.6-44.2	43	10.1	6.0-14.2	8	1.3	0.3- 2.3	67	17.7	12.4-23.0
Less than \$15,000	60	10,523	11	25.1	9.4-40.8	36	53.9	36.3-71.5	8	7.9	0.3-15.5				5	13.1	0.0-28.2
\$15,000- 24,999	102	20,278	24	19.7	9.7-29.7	53	47.0	32.5-61.5	11	18.3	3.0-33.6	1	0.6	0.0- 1.8	13	14.5	3.7-25.3
\$25,000- 34,999	71	14,368	14	25.8	11.1-40.5	44	55.0	37.6-72.4	2	1.7	0.0- 4.2	3	11.6	0.0-28.5	8	5.9	0.8-11.0
\$35,000- 49,999	97	20,243	16	17.5	7.1-27.9	56	53.0	38.7-67.3	7	11.6	0.0-24.9				18	17.9	7.5-28.3
\$50,000- 74,999	143	33,282	34	32.6	20.6-44.6	68	40.4	29.4-51.4	12	9.6	2.0-17.2	6	2.9	0.5- 5.3	23	14.6	7.0-22.2
\$75,000+	379	79,669	114	28.0	22.1-33.9	155	37.3	30.6-44.0	34	8.4	4.1-12.7	8	1.9	0.1- 3.7	68	24.4	17.3-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1211	229,146	183	17.4	14.1-20.7	826	67.0	63.1-70.9	15	1.6	0.2- 3.0	22	1.2	0.6- 1.8	165	12.8	10.3-15.3
White/Non-Hisp	863	154,928	121	17.7	13.6-21.8	581	65.2	60.7-69.7	10	1.0	0.2- 1.8	20	1.6	0.8- 2.4	131	14.5	11.4-17.6
Black or Afr. Am./Non-Hisp	140	39,092	21	16.7	7.3-26.1	103	69.2	57.6-80.8	2	4.3	0.0-11.9				14	9.9	3.6-16.2
Hispanic	113	13,653	25	21.1	10.7-31.5	76	73.6	62.6-84.6	2	1.7	0.0- 4.1				10	3.7	1.0- 6.4
18-24	62	29,969	19	31.2	14.7-47.7	31	49.1	31.9-66.3	4	8.7	0.0-19.3	1	0.3	0.0- 0.9	7	10.6	1.2-20.0
25-34	127	34,680	32	24.3	14.1-34.5	83	66.4	54.8-78.0	1	0.2	0.0- 0.6				11	9.0	1.2-16.8
35-44	161	35,724	35	24.8	16.0-33.6	103	63.7	54.1-73.3	1	0.4	0.0- 1.2	3	0.9	0.0- 2.3	19	10.1	4.8-15.4
45-54	207	36,523	35	15.4	9.5-21.3	139	66.5	58.1-74.9	3	0.8	0.0- 1.8				30	17.3	10.0-24.6
55-64	268	44,400	30	8.1	4.0-12.2	202	79.9	74.0-85.8				4	0.9	0.0- 1.9	32	11.2	6.7-15.7
65+	386	47,850	32	8.4	4.9-11.9	268	69.6	63.9-75.3	6	1.1	0.1- 2.1	14	3.9	1.5- 6.3	66	17.0	12.3-21.7
Less Than H.S.	84	13,496	14	13.8	4.0-23.6	63	79.9	68.9-90.9	2	1.7	0.0- 4.2				5	4.7	0.0- 9.6
H.S. or G.E.D.	282	62,626	32	12.4	7.1-17.7	210	75.1	68.6-81.6	2	0.4	0.0- 1.0	4	1.1	0.0- 2.3	34	11.0	6.5-15.5
Some Post-H.S.	301	72,155	38	17.1	9.7-24.5	206	62.9	54.5-71.3	5	3.5	0.0- 8.0	7	1.4	0.2- 2.6	45	15.2	9.7-20.7
College Graduate	536	78,981	97	21.8	16.5-27.1	342	62.3	56.2-68.4	6	0.9	0.0- 1.9	11	1.3	0.5- 2.1	80	13.7	9.4-18.0
Less than \$15,000	82	12,839	7	8.8	0.0-18.8	66	84.5	73.1-95.9				2	1.3	0.0- 3.1	7	5.4	0.0-11.1
\$15,000- 24,999	134	22,380	28	21.8	11.4-32.2	89	67.7	56.5-78.9	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9	15	9.5	3.2-15.8
\$25,000- 34,999	75	13,601	7	7.8	0.7-14.9	58	82.9	73.5-92.3	1	0.6	0.0- 1.8				9	8.7	2.2-15.2
\$35,000- 49,999	136	26,846	14	14.7	3.3-26.1	100	72.5	60.3-84.7				4	1.0	0.0- 2.0	18	11.7	4.4-19.0
\$50,000- 74,999	153	28,444	20	14.5	6.7-22.3	101	67.9	57.7-78.1	2	0.6	0.0- 1.8	6	3.7	0.4- 7.0	24	13.2	6.7-19.7
\$75,000+	382	81,494	75	23.5	16.6-30.4	236	58.4	51.0-65.8	7	3.4	0.0- 7.3	9	1.4	0.4- 2.4	55	13.3	8.6-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2567	513,369	1159	44.6	41.9-47.3	544	21.1	18.7-23.5	368	15.7	13.5-17.9	127	4.7	3.5- 5.9	369	14.0	12.0-16.0
Male	1187	251,704	510	42.4	38.3-46.5	258	21.6	18.3-24.9	184	18.1	15.0-21.2	62	4.3	2.9- 5.7	173	13.6	11.1-16.1
Female	1380	261,665	649	46.7	43.0-50.4	286	20.7	17.6-23.8	184	13.3	10.6-16.0	65	5.1	3.1- 7.1	196	14.3	11.4-17.2
White/Non-Hisp	1825	337,281	801	42.6	39.5-45.7	400	21.4	18.9-23.9	244	15.9	13.4-18.4	99	5.5	4.1- 6.9	281	14.7	12.3-17.1
Black or Afr. Am./Non-Hisp	271	95,363	132	47.1	39.1-55.1	48	20.5	13.8-27.2	51	16.2	10.7-21.7	4	2.6	0.0- 6.1	36	13.5	8.2-18.8
Oth. Race/Non-Hisp.	98	27,870	45	51.3	37.6-65.0	23	23.3	12.5-34.1	11	13.1	2.9-23.3	4	2.2	0.0- 4.9	15	10.1	3.0-17.2
MultiRacial/Non-Hisp.	50	5,382	26	58.8	39.0-78.6	8	9.8	1.0-18.6	5	7.5	0.0-16.9	5	9.9	0.0-20.9	6	14.0	0.0-32.0
Hispanic	253	34,897	126	49.6	40.0-59.2	49	20.6	13.3-27.9	46	16.4	10.3-22.5	11	2.5	0.9- 4.1	21	10.8	5.3-16.3
18-24	175	65,828	90	39.8	30.2-49.4	34	21.0	13.0-29.0	21	14.6	6.8-22.4	8	7.0	1.1-12.9	22	17.6	8.6-26.6
25-34	291	86,711	134	46.1	37.9-54.3	63	24.3	17.4-31.2	49	17.7	11.2-24.2	19	5.4	2.5- 8.3	26	6.4	3.3- 9.5
35-44	341	83,694	173	54.2	47.1-61.3	73	21.9	15.8-28.0	56	13.7	9.4-18.0	12	2.3	0.9- 3.7	27	7.9	4.4-11.4
45-54	417	78,226	178	44.8	38.5-51.1	84	18.3	13.6-23.0	69	17.1	12.2-22.0	20	3.8	1.4- 6.2	66	16.0	11.5-20.5
55-64	536	89,368	234	41.4	36.1-46.7	109	19.2	14.9-23.5	71	15.4	11.3-19.5	33	5.7	3.3- 8.1	89	18.3	13.6-23.0
65+	807	109,542	350	41.2	36.7-45.7	181	21.8	18.1-25.5	102	15.4	11.9-18.9	35	4.3	2.5- 6.1	139	17.4	13.9-20.9
Less Than H.S.	194	41,299	88	43.9	32.5-55.3	38	20.3	12.3-28.3	37	19.1	10.5-27.7	4	1.3	0.0- 2.9	27	15.5	8.4-22.6
H.S. or G.E.D.	613	145,961	249	38.0	32.9-43.1	148	24.8	20.3-29.3	83	17.3	13.0-21.6	35	5.7	3.3- 8.1	98	14.2	10.7-17.7
Some Post-H.S.	607	147,750	277	44.3	38.8-49.8	116	19.4	14.9-23.9	87	14.2	10.3-18.1	30	4.7	2.2- 7.2	97	17.3	12.6-22.0
College Graduate	1141	176,115	539	50.2	46.1-54.3	238	19.8	16.5-23.1	161	14.9	12.0-17.8	57	4.5	2.9- 6.1	146	10.6	8.2-13.0
Less than \$15,000	163	25,626	88	46.1	34.7-57.5	29	23.9	14.1-33.7	28	20.9	8.6-33.2	6	1.8	0.4- 3.2	12	7.3	2.0-12.6
\$15,000- 24,999	273	48,281	118	45.2	36.4-54.0	58	22.7	15.3-30.1	38	13.7	8.4-19.0	11	2.6	0.6- 4.6	48	15.8	9.9-21.7
\$25,000- 34,999	178	34,230	70	39.7	29.1-50.3	42	22.1	14.7-29.5	30	17.1	9.7-24.5	11	5.6	0.9-10.3	25	15.4	8.1-22.7
\$35,000- 49,999	273	57,203	112	40.7	31.5-49.9	61	22.7	15.6-29.8	40	12.1	7.4-16.8	18	8.8	2.7-14.9	42	15.8	9.7-21.9
\$50,000- 74,999	337	70,216	158	44.8	37.2-52.4	66	16.0	10.7-21.3	42	14.5	9.0-20.0	18	5.7	2.4- 9.0	53	18.9	11.8-26.0
\$75,000+	888	193,766	415	47.1	42.4-51.8	185	20.6	16.9-24.3	120	16.0	12.3-19.7	46	3.9	2.3- 5.5	122	12.3	9.2-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1187	251,704	510	42.4	38.3-46.5	258	21.6	18.3-24.9	184	18.1	15.0-21.2	62	4.3	2.9- 5.7	173	13.6	11.1-16.1
White/Non-Hisp	842	160,267	348	39.9	35.6-44.2	190	21.9	18.2-25.6	122	18.4	14.5-22.3	53	5.7	3.9- 7.5	129	14.0	11.1-16.9
Black or Afr. Am./Non-Hisp	109	50,342	51	46.6	34.4-58.8	20	19.3	10.1-28.5	24	20.5	11.5-29.5				14	13.6	5.8-21.4
Oth. Race/Non-Hisp.	54	13,971	23	43.2	25.0-61.4	14	32.2	15.1-49.3	6	11.5	1.3-21.7	2	3.1	0.0- 8.2	9	10.0	1.6-18.4
Hispanic	125	18,744	64	52.5	38.6-66.4	22	19.1	9.5-28.7	24	16.2	7.6-24.8	3	1.6	0.0- 3.4	12	10.6	3.2-18.0
18-24	100	32,224	50	41.8	29.1-54.5	19	19.8	9.8-29.8	15	21.9	9.7-34.1	3	2.3	0.0- 5.2	13	14.1	5.7-22.5
25-34	148	46,638	61	44.1	32.1-56.1	33	24.5	14.9-34.1	28	18.3	9.7-26.9	9	5.4	1.5- 9.3	17	7.7	3.2-12.2
35-44	151	41,611	74	53.3	42.3-64.3	32	22.0	12.6-31.4	25	13.2	7.1-19.3	7	3.2	0.7- 5.7	13	8.2	2.7-13.7
45-54	192	38,487	74	38.9	29.9-47.9	41	20.7	13.1-28.3	36	21.2	13.4-29.0	13	4.3	1.6- 7.0	28	14.9	8.4-21.4
55-64	244	41,199	110	40.5	32.9-48.1	46	16.6	11.3-21.9	32	18.2	11.3-25.1	18	7.0	3.1-10.9	38	17.8	11.1-24.5
65+	352	51,544	141	36.5	30.0-43.0	87	24.5	18.6-30.4	48	17.3	11.4-23.2	12	3.2	1.2- 5.2	64	18.6	12.7-24.5
Less Than H.S.	103	24,701	50	52.0	36.9-67.1	16	15.7	5.9-25.5	21	17.2	7.8-26.6	3	1.8	0.0- 4.3	13	13.3	4.5-22.1
H.S. or G.E.D.	296	78,111	107	34.3	26.9-41.7	70	22.7	16.6-28.8	46	21.4	14.9-27.9	20	5.0	2.5- 7.5	53	16.6	11.1-22.1
Some Post-H.S.	261	63,544	107	41.8	33.4-50.2	53	21.4	14.3-28.5	45	18.4	11.1-25.7	12	3.8	1.4- 6.2	44	14.6	9.5-19.7
College Graduate	521	84,289	243	47.4	41.3-53.5	118	22.7	17.4-28.0	72	15.4	11.1-19.7	26	4.4	2.0- 6.8	62	10.1	6.8-13.4
Less than \$15,000	67	11,433	35	43.4	27.3-59.5	9	22.2	7.3-37.1	14	23.1	9.0-37.2				9	11.3	1.7-20.9
\$15,000- 24,999	121	23,535	48	51.4	38.1-64.7	25	20.1	9.5-30.7	17	8.9	3.8-14.0	6	4.1	0.4- 7.8	25	15.4	7.4-23.4
\$25,000- 34,999	86	16,846	33	40.6	24.7-56.5	22	25.0	13.2-36.8	16	20.7	8.7-32.7	3	2.4	0.0- 5.5	12	11.3	3.7-18.9
\$35,000- 49,999	114	26,393	47	47.0	32.1-61.9	28	17.6	8.8-26.4	15	14.3	5.9-22.7	7	6.0	0.7-11.3	17	15.1	6.1-24.1
\$50,000- 74,999	164	37,695	73	41.1	30.5-51.7	31	17.9	9.7-26.1	24	19.2	10.2-28.2	10	3.9	1.2- 6.6	26	18.0	9.8-26.2
\$75,000+	447	97,444	193	41.3	35.0-47.6	102	24.1	18.4-29.8	68	18.6	13.3-23.9	24	4.1	1.9- 6.3	60	11.8	8.1-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1380	261,665	649	46.7	43.0-50.4	286	20.7	17.6-23.8	184	13.3	10.6-16.0	65	5.1	3.1- 7.1	196	14.3	11.4-17.2
White/Non-Hisp	983	177,014	453	45.0	40.7-49.3	210	20.9	17.4-24.4	122	13.5	10.2-16.8	46	5.2	3.2- 7.2	152	15.4	11.7-19.1
Black or Afr. Am./Non-Hisp	162	45,021	81	47.7	36.9-58.5	28	21.9	12.1-31.7	27	11.4	6.1-16.7	4	5.6	0.0-12.9	22	13.4	6.3-20.5
Hispanic	128	16,154	62	46.3	33.6-59.0	27	22.4	11.4-33.4	22	16.8	8.4-25.2	8	3.5	0.6- 6.4	9	11.0	3.0-19.0
18-24	75	33,604	40	37.8	23.7-51.9	15	22.1	9.6-34.6	6	7.5	0.0-16.9	5	11.6	0.6-22.6	9	21.0	5.7-36.3
25-34	143	40,073	73	48.5	37.1-59.9	30	24.1	14.1-34.1	21	17.1	7.3-26.9	10	5.5	1.2- 9.8	9	4.9	0.8- 9.0
35-44	190	42,083	99	55.1	45.9-64.3	41	21.8	14.0-29.6	31	14.2	8.3-20.1	5	1.4	0.0- 2.8	14	7.6	3.1-12.1
45-54	225	39,739	104	50.6	42.2-59.0	43	16.0	10.5-21.5	33	13.1	7.6-18.6	7	3.3	0.0- 6.8	38	17.0	10.9-23.1
55-64	292	48,169	124	42.1	34.7-49.5	63	21.5	15.2-27.8	39	13.0	8.1-17.9	15	4.7	1.8- 7.6	51	18.7	12.2-25.2
65+	455	57,998	209	45.5	39.6-51.4	94	19.3	14.8-23.8	54	13.7	9.4-18.0	23	5.3	2.6- 8.0	75	16.3	12.0-20.6
Less Than H.S.	91	16,598	38	31.8	19.1-44.5	22	27.1	13.8-40.4	16	22.0	6.1-37.9	1	0.4	0.0- 1.2	14	18.7	7.5-29.9
H.S. or G.E.D.	317	67,850	142	42.3	35.0-49.6	78	27.2	20.3-34.1	37	12.7	7.0-18.4	15	6.4	2.3-10.5	45	11.4	7.7-15.1
Some Post-H.S.	346	84,205	170	46.2	38.8-53.6	63	17.9	12.0-23.8	42	11.1	7.0-15.2	18	5.4	1.3- 9.5	53	19.4	12.1-26.7
College Graduate	620	91,826	296	52.7	47.0-58.4	120	17.1	13.0-21.2	89	14.3	10.2-18.4	31	4.7	2.3- 7.1	84	11.2	7.9-14.5
Less than \$15,000	96	14,193	53	48.4	32.3-64.5	20	25.2	12.1-38.3	14	19.1	0.0-38.5	6	3.2	0.5- 5.9	3	4.1	0.0- 9.2
\$15,000- 24,999	152	24,746	70	39.2	28.6-49.8	33	25.0	14.4-35.6	21	18.3	9.5-27.1	5	1.2	0.0- 2.4	23	16.2	8.0-24.4
\$25,000- 34,999	92	17,384	37	38.9	24.8-53.0	20	19.3	9.7-28.9	14	13.7	5.3-22.1	8	8.8	0.2-17.4	13	19.3	7.5-31.1
\$35,000- 49,999	159	30,810	65	35.3	25.1-45.5	33	27.1	16.7-37.5	25	10.1	5.0-15.2	11	11.1	0.9-21.3	25	16.3	7.9-24.7
\$50,000- 74,999	173	32,521	85	49.2	38.2-60.2	35	13.8	7.5-20.1	18	9.1	3.6-14.6	8	7.8	1.5-14.1	27	20.0	8.4-31.6
\$75,000+	441	96,322	222	53.0	46.1-59.9	83	17.1	12.0-22.2	52	13.4	8.5-18.3	22	3.7	1.5- 5.9	62	12.8	7.7-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2528	507,536	864	32.4	29.9-34.9	330	13.3	11.3-15.3	29	1.1	0.5- 1.7	823	33.0	30.3-35.7	315	12.4	10.4-14.4	167	7.8	6.0- 9.6
Male	1168	248,709	324	25.3	22.0-28.6	148	13.0	10.3-15.7	11	0.9	0.3- 1.5	383	32.8	28.9-36.7	193	16.8	13.7-19.9	109	11.2	8.3-14.1
Female	1360	258,827	540	39.3	35.4-43.2	182	13.6	11.1-16.1	18	1.3	0.5- 2.1	440	33.2	29.5-36.9	122	8.1	5.9-10.3	58	4.5	2.9- 6.1
White/Non-Hisp	1798	333,306	601	32.5	29.4-35.6	247	14.5	12.1-16.9	23	1.4	0.6- 2.2	578	31.8	28.9-34.7	225	12.2	10.0-14.4	124	7.6	5.8- 9.4
Black or Afr. Am./Non-Hisp	261	93,664	95	30.0	22.9-37.1	31	11.8	6.3-17.3	1	0.5	0.0- 1.5	91	35.6	27.6-43.6	30	14.3	8.2-20.4	13	7.8	2.7-12.9
Oth. Race/Non-Hisp.	98	28,502	34	35.1	22.0-48.2	8	8.1	0.5-15.7	3	0.8	0.0- 1.8	26	35.1	21.8-48.4	19	12.5	5.2-19.8	8	8.3	1.0-15.6
MultiRacial/Non-Hisp.	50	5,382	20	35.0	16.8-53.2	3	2.9	0.0- 6.2				18	32.0	14.8-49.2	8	27.3	7.1-47.5	1	2.8	0.0- 8.3
Hispanic	249	34,123	81	29.3	21.5-37.1	33	13.9	7.2-20.6	2	0.3	0.0- 0.7	92	37.9	28.1-47.7	25	8.3	4.2-12.4	16	10.3	2.1-18.5
18-24	175	65,848	35	22.6	12.8-32.4	14	7.2	2.5-11.9	3	1.8	0.0- 4.2	68	36.8	27.2-46.4	41	22.8	14.4-31.2	14	8.8	3.1-14.5
25-34	289	86,228	90	29.4	22.1-36.7	37	11.5	6.4-16.6	1	0.1	0.0- 0.3	105	38.7	30.5-46.9	35	11.4	6.5-16.3	21	8.9	4.0-13.8
35-44	334	82,185	112	30.9	24.6-37.2	45	17.4	10.9-23.9	5	1.2	0.0- 2.4	119	32.8	26.3-39.3	37	9.3	5.4-13.2	16	8.4	2.9-13.9
45-54	416	78,877	152	34.6	28.7-40.5	64	15.1	10.8-19.4	3	0.4	0.0- 0.8	132	31.5	25.6-37.4	40	13.1	8.2-18.0	25	5.4	2.5- 8.3
55-64	521	86,957	195	37.6	32.1-43.1	66	12.9	8.8-17.0	4	1.1	0.0- 2.3	164	31.0	25.9-36.1	55	9.3	6.4-12.2	37	8.0	4.9-11.1
65+	793	107,441	280	36.2	31.7-40.7	104	14.5	11.2-17.8	13	1.8	0.6- 3.0	235	29.0	24.9-33.1	107	11.2	8.7-13.7	54	7.3	4.9- 9.7
Less Than H.S.	189	40,246	74	27.0	19.0-35.0	22	9.3	4.0-14.6				56	37.3	25.3-49.3	20	11.2	5.3-17.1	17	15.2	6.4-24.0
H.S. or G.E.D.	599	143,635	213	34.9	29.8-40.0	73	12.2	8.7-15.7	5	1.1	0.1- 2.1	180	28.0	23.3-32.7	80	15.2	11.1-19.3	48	8.5	5.4-11.6
Some Post-H.S.	594	145,548	193	30.0	24.7-35.3	67	13.3	9.2-17.4	3	0.6	0.0- 1.6	193	33.3	28.0-38.6	84	13.3	9.4-17.2	54	9.5	6.0-13.0
College Graduate	1133	175,072	379	33.7	29.8-37.6	168	15.4	12.3-18.5	21	1.7	0.7- 2.7	389	35.4	31.5-39.3	130	9.7	7.3-12.1	46	4.1	2.1- 6.1
Less than \$15,000	159	25,001	62	39.6	27.6-51.6	13	5.5	2.0- 9.0	2	2.7	0.0- 7.8	55	31.9	21.9-41.9	20	16.2	7.0-25.4	7	4.1	0.2- 8.0
\$15,000- 24,999	268	47,087	96	29.9	22.3-37.5	25	7.7	3.8-11.6				81	32.0	23.6-40.4	42	18.2	10.6-25.8	24	12.3	6.0-18.6
\$25,000- 34,999	170	32,883	65	35.6	25.8-45.4	18	10.7	4.4-17.0	3	2.0	0.0- 4.5	49	29.0	19.6-38.4	16	7.0	2.3-11.7	19	15.7	5.7-25.7
\$35,000- 49,999	270	56,520	110	33.0	25.2-40.8	27	10.6	5.3-15.9	3	0.4	0.0- 1.0	73	33.7	24.3-43.1	41	12.4	7.5-17.3	16	9.9	3.2-16.6
\$50,000- 74,999	334	69,465	113	32.4	25.0-39.8	56	17.9	11.4-24.4	3	0.4	0.0- 0.8	101	31.3	24.2-38.4	43	13.1	8.2-18.0	18	4.9	2.2- 7.6
\$75,000+	881	192,575	260	29.7	25.4-34.0	143	16.2	12.7-19.7	14	1.5	0.7- 2.3	308	34.9	30.4-39.4	103	12.0	8.7-15.3	53	5.8	3.6- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1168	248,709	324	25.3	22.0-28.6	148	13.0	10.3-15.7	11	0.9	0.3- 1.5	383	32.8	28.9-36.7	193	16.8	13.7-19.9	109	11.2	8.3-14.1
White/Non-Hisp	826	158,058	223	25.3	21.6-29.0	110	14.2	10.9-17.5	7	1.0	0.2- 1.8	266	30.9	26.8-35.0	134	17.1	13.6-20.6	86	11.5	8.2-14.8
Black or Afr. Am./Non-Hisp	107	49,667	31	25.0	15.2-34.8	10	11.6	3.0-20.2	1	0.9	0.0- 2.7	39	34.0	22.4-45.6	19	17.4	8.6-26.2	7	11.1	2.5-19.7
Oth. Race/Non-Hisp.	53	13,860	13	22.3	7.4-37.2	3	8.4	0.0-19.6	2	1.0	0.0- 2.6	18	43.9	25.7-62.1	13	19.0	6.5-31.5	4	5.3	0.0-12.9
Hispanic	125	18,744	30	19.6	11.0-28.2	20	12.6	5.3-19.9	1	0.3	0.0- 0.9	47	41.0	26.7-55.3	17	10.0	3.9-16.1	10	16.6	2.7-30.5
18-24	100	32,245	17	13.0	5.4-20.6	9	4.5	1.0- 8.0				42	41.5	28.8-54.2	26	30.7	18.5-42.9	6	10.3	0.5-20.1
25-34	147	46,524	31	16.1	8.5-23.7	18	11.3	4.0-18.6				58	43.2	31.4-55.0	26	15.7	8.1-23.3	14	13.6	5.4-21.8
35-44	149	41,238	40	24.9	16.3-33.5	21	17.3	7.5-27.1				52	31.0	21.4-40.6	27	15.5	8.1-22.9	9	11.3	1.9-20.7
45-54	190	38,322	64	34.8	26.2-43.4	30	17.2	10.3-24.1	2	0.5	0.0- 1.3	53	23.4	16.1-30.7	26	16.3	8.7-23.9	15	7.8	2.1-13.5
55-64	239	40,419	65	24.6	18.1-31.1	20	10.3	4.6-16.0	3	1.8	0.0- 4.0	85	35.8	28.2-43.4	38	15.0	9.3-20.7	28	12.4	6.9-17.9
65+	343	49,962	107	35.2	27.9-42.5	50	15.7	10.8-20.6	6	2.4	0.0- 4.8	93	23.6	18.1-29.1	50	12.0	7.9-16.1	37	11.1	7.0-15.2
Less Than H.S.	100	24,138	30	20.6	11.4-29.8	12	5.8	1.7- 9.9				33	40.0	23.5-56.5	15	15.0	5.8-24.2	10	18.6	5.7-31.5
H.S. or G.E.D.	290	77,063	83	28.2	21.3-35.1	37	11.2	6.9-15.5	2	0.9	0.0- 2.1	85	28.4	21.7-35.1	50	19.3	12.8-25.8	33	12.0	6.7-17.3
Some Post-H.S.	256	62,581	68	22.1	15.8-28.4	27	14.2	7.1-21.3				77	31.1	23.3-38.9	53	19.4	12.9-25.9	31	13.2	6.5-19.9
College Graduate	517	83,969	142	26.1	21.0-31.2	72	16.1	11.4-20.8	9	1.8	0.4- 3.2	185	35.8	29.9-41.7	74	13.1	9.4-16.8	35	7.0	3.3-10.7
Less than \$15,000	64	11,285	23	34.8	19.9-49.7	4	2.4	0.0- 4.9				24	31.2	16.5-45.9	10	26.6	9.4-43.8	3	4.9	0.0-12.0
\$15,000- 24,999	120	23,470	31	21.7	11.7-31.7	14	10.3	3.2-17.4				35	26.9	14.6-39.2	25	26.2	13.3-39.1	15	14.9	5.1-24.7
\$25,000- 34,999	84	16,585	25	26.0	13.8-38.2	9	8.3	2.2-14.4	2	3.5	0.0- 8.4	23	32.6	17.9-47.3	12	10.7	2.5-18.9	13	18.8	3.7-33.9
\$35,000- 49,999	112	25,774	35	20.0	10.8-29.2	7	6.6	0.9-12.3	2	0.6	0.0- 1.4	34	39.5	24.2-54.8	21	15.0	7.0-23.0	13	18.3	5.2-31.4
\$50,000- 74,999	161	36,945	43	23.2	14.6-31.8	25	19.0	9.0-29.0				50	32.8	22.4-43.2	28	17.0	9.4-24.6	15	7.9	2.8-13.0
\$75,000+	446	97,425	113	25.2	19.9-30.5	70	16.2	11.3-21.1	7	1.5	0.3- 2.7	153	34.0	27.9-40.1	68	15.1	10.4-19.8	35	8.1	4.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1360	258,827	540	39.3	35.4-43.2	182	13.6	11.1-16.1	18	1.3	0.5- 2.1	440	33.2	29.5-36.9	122	8.1	5.9-10.3	58	4.5	2.9- 6.1
White/Non-Hisp	972	175,248	378	39.0	34.5-43.5	137	14.7	11.6-17.8	16	1.8	0.6- 3.0	312	32.6	28.5-36.7	91	7.8	5.6-10.0	38	4.1	2.5- 5.7
Black or Afr. Am./Non-Hisp	154	43,998	64	35.7	25.5-45.9	21	12.1	5.2-19.0				52	37.4	26.6-48.2	11	10.8	2.4-19.2	6	4.0	0.0- 9.1
Hispanic	124	15,380	51	41.1	28.6-53.6	13	15.6	4.0-27.2	1	0.3	0.0- 0.9	45	34.2	21.5-46.9	8	6.2	0.5-11.9	6	2.7	0.3- 5.1
18-24	75	33,604	18	31.7	15.2-48.2	5	9.8	1.0-18.6	3	3.6	0.0- 8.3	26	32.3	18.2-46.4	15	15.3	4.5-26.1	8	7.3	1.4-13.2
25-34	142	39,704	59	45.0	33.4-56.6	19	11.7	4.8-18.6	1	0.2	0.0- 0.6	47	33.4	22.0-44.8	9	6.3	0.2-12.4	7	3.4	0.3- 6.5
35-44	185	40,947	72	36.9	27.9-45.9	24	17.5	9.1-25.9	5	2.4	0.0- 4.8	67	34.6	26.0-43.2	10	3.1	0.9- 5.3	7	5.4	0.0-11.1
45-54	226	40,555	88	34.4	26.6-42.2	34	13.2	8.3-18.1	1	0.2	0.0- 0.6	79	39.1	30.7-47.5	14	10.0	3.7-16.3	10	3.0	0.6- 5.4
55-64	282	46,539	130	48.9	41.1-56.7	46	15.2	9.5-20.9	1	0.5	0.0- 1.5	79	26.8	20.1-33.5	17	4.4	2.0- 6.8	9	4.2	0.5- 7.9
65+	450	57,479	173	37.1	31.2-43.0	54	13.4	9.1-17.7	7	1.2	0.2- 2.2	142	33.8	28.1-39.5	57	10.4	7.3-13.5	17	4.0	1.8- 6.2
Less Than H.S.	89	16,107	44	36.6	22.9-50.3	10	14.7	3.3-26.1				23	33.1	16.6-49.6	5	5.5	0.0-11.2	7	10.1	0.5-19.7
H.S. or G.E.D.	309	66,572	130	42.8	35.4-50.2	36	13.3	7.8-18.8	3	1.3	0.0- 2.9	95	27.6	21.3-33.9	30	10.4	5.7-15.1	15	4.5	1.8- 7.2
Some Post-H.S.	338	82,967	125	35.9	28.3-43.5	40	12.7	7.8-17.6	3	1.1	0.0- 2.7	116	35.0	27.7-42.3	31	8.7	4.0-13.4	23	6.7	3.0-10.4
College Graduate	616	91,103	237	40.8	35.1-46.5	96	14.7	10.8-18.6	12	1.7	0.5- 2.9	204	34.9	29.4-40.4	56	6.6	4.1- 9.1	11	1.4	0.4- 2.4
Less than \$15,000	95	13,716	39	43.5	26.1-60.9	9	8.2	1.9-14.5	2	4.9	0.0-14.1	31	32.5	18.6-46.4	10	7.6	2.1-13.1	4	3.4	0.0- 7.5
\$15,000- 24,999	148	23,617	65	38.1	27.1-49.1	11	5.0	1.5- 8.5				46	37.0	25.6-48.4	17	10.2	2.6-17.8	9	9.7	2.1-17.3
\$25,000- 34,999	86	16,298	40	45.3	30.8-59.8	9	13.2	2.6-23.8	1	0.5	0.0- 1.5	26	25.5	14.1-36.9	4	3.1	0.0- 7.6	6	12.4	0.0-25.3
\$35,000- 49,999	158	30,747	75	43.9	32.7-55.1	20	13.9	5.7-22.1	1	0.3	0.0- 0.9	39	28.9	17.5-40.3	20	10.2	4.3-16.1	3	2.8	0.0- 6.7
\$50,000- 74,999	173	32,521	70	42.9	31.5-54.3	31	16.7	9.1-24.3	3	0.8	0.0- 1.8	51	29.6	20.4-38.8	15	8.5	2.2-14.8	3	1.5	0.0- 3.3
\$75,000+	435	95,151	147	34.3	27.6-41.0	73	16.2	11.3-21.1	7	1.5	0.3- 2.7	155	35.8	29.3-42.3	35	8.8	4.5-13.1	18	3.5	1.3- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1097	229,292	290	27.5	23.6-31.4	352	29.0	25.3-32.7	73	6.7	4.5- 8.9	60	6.0	3.6- 8.4	4	0.2	0.0- 0.4	318	30.6	26.5-34.7
Male	520	114,285	147	29.9	24.0-35.8	156	26.3	21.2-31.4	54	10.8	7.1-14.5	26	5.5	2.4- 8.6	2	0.3	0.0- 0.7	135	27.1	21.2-33.0
Female	577	115,007	143	25.0	19.9-30.1	196	31.7	26.2-37.2	19	2.7	0.9- 4.5	34	6.5	3.0-10.0	2	0.1	0.0- 0.3	183	34.1	28.6-39.6
White/Non-Hisp	792	152,360	191	25.1	20.6-29.6	263	29.9	25.6-34.2	46	5.5	3.5- 7.5	44	6.5	3.6- 9.4	3	0.2	0.0- 0.6	245	32.8	28.3-37.3
Black or Afr. Am./Non-Hisp	110	40,825	34	28.9	17.7-40.1	40	34.8	22.6-47.0	6	9.1	1.3-16.9	4	3.1	0.0- 6.6				26	24.1	12.5-35.7
Hispanic	95	15,765	31	28.2	15.7-40.7	24	23.2	10.9-35.5	9	7.0	1.3-12.7	8	14.2	0.0-30.1	1	0.6	0.0- 1.8	22	26.8	10.5-43.1
18-24	96	38,306	37	36.4	23.5-49.3	25	27.4	15.2-39.6	7	5.1	0.6- 9.6	3	5.7	0.0-13.9	1	0.2	0.0- 0.6	23	25.2	13.6-36.8
25-34	107	35,565	35	31.3	19.7-42.9	22	17.3	7.5-27.1	8	10.0	1.4-18.6	10	7.0	0.9-13.1				32	34.5	22.0-47.0
35-44	151	41,958	49	31.3	21.9-40.7	36	18.7	10.9-26.5	11	5.6	1.7- 9.5	14	12.1	4.3-19.9				41	32.3	21.5-43.1
45-54	177	29,864	51	24.3	16.9-31.7	50	33.7	24.3-43.1	13	6.9	2.0-11.8	9	2.8	0.6- 5.0	1	0.3	0.0- 0.9	53	32.1	22.9-41.3
55-64	230	37,612	56	23.5	16.4-30.6	81	36.4	28.2-44.6	14	6.9	1.8-12.0	9	3.0	0.5- 5.5	1	0.7	0.0- 2.1	69	29.6	22.0-37.2
65+	336	45,986	62	18.9	12.4-25.4	138	39.9	32.6-47.2	20	6.5	3.2- 9.8	15	4.4	1.5- 7.3	1	0.0	0.0- 0.0	100	30.3	23.8-36.8
H.S. or G.E.D.	214	54,768	54	26.2	18.0-34.4	74	29.5	21.7-37.3	14	6.0	2.5- 9.5	12	9.1	2.2-16.0				60	29.2	20.8-37.6
Some Post-H.S.	255	72,507	76	32.5	24.5-40.5	76	28.9	20.9-36.9	9	3.6	0.1- 7.1	17	5.1	2.2- 8.0	1	0.4	0.0- 1.2	76	29.5	21.5-37.5
College Graduate	576	88,968	145	24.7	19.8-29.6	189	29.0	24.1-33.9	44	10.0	6.1-13.9	27	3.6	1.6- 5.6	2	0.1	0.0- 0.3	169	32.6	27.1-38.1
\$15,000- 24,999	99	19,394	25	27.9	14.2-41.6	35	26.7	14.0-39.4	6	3.0	0.1- 5.9	4	9.2	0.0-18.8				29	33.2	18.3-48.1
\$25,000- 34,999	61	13,684	11	17.1	4.2-30.0	23	32.8	14.8-50.8	3	11.4	0.0-25.7	3	11.5	0.0-29.3	1	0.6	0.0- 1.8	20	26.7	12.2-41.2
\$35,000- 49,999	113	23,081	31	27.1	15.7-38.5	36	26.3	14.9-37.7	5	8.0	0.0-17.6	8	7.8	0.4-15.2				33	30.8	17.1-44.5
\$50,000- 74,999	150	34,806	40	27.7	17.5-37.9	49	24.9	16.7-33.1	7	5.5	0.2-10.8	14	7.0	2.5-11.5	1	0.7	0.0- 2.1	39	34.1	22.3-45.9
\$75,000+	456	97,586	118	27.8	21.7-33.9	133	28.8	22.9-34.7	41	8.2	5.1-11.3	23	3.9	1.9- 5.9				141	31.4	25.3-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	520	114,285	147	29.9	24.0-35.8	156	26.3	21.2-31.4	54	10.8	7.1-14.5	26	5.5	2.4- 8.6	2	0.3	0.0- 0.7	135	27.1	21.2-33.0
White/Non-Hisp	360	70,758	93	26.5	19.6-33.4	115	27.7	21.4-34.0	32	9.7	5.8-13.6	17	5.3	2.0- 8.6	1	0.4	0.0- 1.2	102	30.5	23.4-37.6
Black or Afr. Am./Non-Hisp	55	24,311	18	31.9	16.8-47.0	19	31.1	16.4-45.8	6	15.3	2.8-27.8	1	1.3	0.0- 3.8				11	20.3	5.4-35.2
Hispanic	56	10,522	17	28.6	11.9-45.3	13	17.8	4.7-30.9	8	8.6	0.8-16.4	5	18.6	0.0-41.1	1	0.9	0.0- 2.7	12	25.6	3.3-47.9
18-24	55	19,889	25	50.1	32.7-67.5	11	18.5	5.8-31.2	6	8.8	0.6-17.0	1	1.7	0.0- 5.0	1	0.5	0.0- 1.5	11	20.4	6.9-33.9
25-34	55	20,107	18	28.3	13.4-43.2	10	16.5	2.6-30.4	8	17.6	2.9-32.3	5	8.8	0.0-19.0				14	28.7	11.5-45.9
35-44	74	21,334	26	34.6	19.9-49.3	17	14.5	6.1-22.9	9	8.9	1.8-16.0	5	11.0	0.0-23.3				17	31.0	13.9-48.1
45-54	80	14,075	26	26.8	15.0-38.6	19	28.9	14.8-43.0	6	8.8	0.0-18.0	5	3.9	0.0- 7.8				24	31.6	18.3-44.9
55-64	101	16,409	25	20.0	11.8-28.2	35	41.0	28.7-53.3	11	9.6	2.5-16.7	3	3.8	0.0- 8.9	1	1.6	0.0- 4.7	26	24.1	13.9-34.3
65+	155	22,472	27	18.2	8.4-28.0	64	41.0	30.0-52.0	14	10.6	4.5-16.7	7	2.9	0.4- 5.4				43	27.3	18.1-36.5
H.S. or G.E.D.	113	30,557	31	29.8	17.8-41.8	37	26.8	16.2-37.4	12	9.5	3.6-15.4	6	8.2	0.8-15.6				27	25.7	14.3-37.1
Some Post-H.S.	102	30,766	32	35.9	22.6-49.2	28	24.5	12.9-36.1	5	4.2	0.0-10.5	4	1.5	0.0- 3.3	1	0.8	0.0- 2.4	32	33.0	19.7-46.3
College Graduate	271	44,093	72	25.5	18.4-32.6	85	29.3	22.2-36.4	33	17.9	10.5-25.3	12	3.4	1.0- 5.8				69	24.0	17.1-30.9
\$50,000- 74,999	74	19,708	20	28.6	13.7-43.5	24	22.1	11.3-32.9	6	9.2	0.2-18.2	6	5.8	0.3-11.3	1	1.3	0.0- 3.8	17	33.0	15.2-50.8
\$75,000+	240	51,394	69	31.8	23.2-40.4	66	26.6	18.8-34.4	30	11.3	6.4-16.2	8	2.3	0.3- 4.3				67	28.1	20.1-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	577	115,007	143	25.0	19.9-30.1	196	31.7	26.2-37.2	19	2.7	0.9- 4.5	34	6.5	3.2- 9.8	2	0.1	0.0- 0.3	183	34.1	28.6-39.6
White/Non-Hisp	432	81,602	98	23.9	18.2-29.6	148	31.9	25.8-38.0	14	1.8	0.6- 3.0	27	7.5	3.0-12.0	2	0.1	0.0- 0.3	143	34.7	28.6-40.8
Black or Afr. Am./Non-Hisp	55	16,514	16	24.4	7.9-40.9	21	40.4	20.4-60.4				3	5.6	0.0-13.4				15	29.6	11.2-48.0
25-34	52	15,458	17	35.2	17.6-52.8	12	18.2	4.9-31.5				5	4.6	0.0- 9.7				18	42.0	24.2-59.8
35-44	77	20,624	23	27.9	15.7-40.1	19	23.1	10.6-35.6	2	2.1	0.0- 5.2	9	13.2	3.6-22.8				24	33.7	20.6-46.8
45-54	97	15,790	25	22.0	12.4-31.6	31	38.0	25.3-50.7	7	5.2	0.9- 9.5	4	1.7	0.0- 3.7	1	0.5	0.0- 1.5	29	32.6	20.1-45.1
55-64	129	21,203	31	26.1	15.5-36.7	46	32.8	22.0-43.6	3	4.8	0.0-11.9	6	2.3	0.1- 4.5				43	34.0	23.2-44.8
65+	181	23,515	35	19.6	11.2-28.0	74	38.8	29.6-48.0	6	2.5	0.0- 5.0	8	5.8	0.7-10.9	1	0.1	0.0- 0.3	57	33.3	24.5-42.1
H.S. or G.E.D.	101	24,211	23	21.7	11.1-32.3	37	32.9	20.9-44.9	2	1.7	0.0- 4.1	6	10.2	0.0-22.7				33	33.5	21.0-46.0
Some Post-H.S.	153	41,741	44	29.9	20.1-39.7	48	32.1	21.3-42.9	4	3.2	0.0- 7.1	13	7.8	2.9-12.7				44	27.0	17.4-36.6
College Graduate	305	44,875	73	23.8	16.9-30.7	104	28.7	21.8-35.6	11	2.3	0.5- 4.1	15	3.8	0.9- 6.7	2	0.2	0.0- 0.6	100	41.1	33.1-49.1
\$15,000- 24,999	55	9,587	14	38.5	17.5-59.5	20	22.9	8.2-37.6				2	5.4	0.0-12.8				19	33.1	16.0-50.2
\$35,000- 49,999	71	13,761	18	22.5	9.8-35.2	24	28.3	13.4-43.2	2	1.9	0.0- 4.6	5	6.8	0.0-15.4				22	40.5	21.5-59.5
\$50,000- 74,999	76	15,097	20	26.7	13.8-39.6	25	28.7	16.0-41.4	1	0.6	0.0- 1.8	8	8.5	1.1-15.9				22	35.5	21.4-49.6
\$75,000+	216	46,192	49	23.4	15.4-31.4	67	31.2	22.2-40.2	11	4.7	0.8- 8.6	15	5.6	2.3- 8.9				74	35.1	26.1-44.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1572	324,704	728	47.7	44.2-51.2	250	14.8	12.3-17.3	367	23.8	20.7-26.9	66	4.0	2.6- 5.4	161	9.6	7.6-11.6
Male	743	160,295	325	45.3	40.2-50.4	119	15.8	11.9-19.7	192	25.2	20.7-29.7	32	4.1	2.1- 6.1	75	9.7	6.8-12.6
Female	829	164,409	403	50.1	45.0-55.2	131	13.8	10.7-16.9	175	22.4	17.9-26.9	34	4.0	2.0- 6.0	86	9.6	6.7-12.5
White/Non-Hisp	1154	220,806	529	45.6	41.5-49.7	175	13.1	10.6-15.6	271	26.0	22.1-29.9	53	4.5	2.9- 6.1	126	10.9	8.4-13.4
Black or Afr. Am./Non-Hisp	150	53,816	78	56.6	46.0-67.2	25	16.2	8.2-24.2	33	18.3	11.0-25.6	3	2.2	0.0- 5.3	11	6.7	2.2-11.2
Oth. Race/Non-Hisp.	60	18,923	31	56.5	39.6-73.4	13	19.6	7.1-32.1	10	14.6	4.6-24.6	2	7.1	0.0-19.6	4	2.1	0.0- 4.5
Hispanic	126	18,791	64	49.4	35.1-63.7	19	18.8	5.3-32.3	28	20.1	10.7-29.5	5	2.8	0.0- 5.7	10	8.9	2.0-15.8
18-24	122	50,019	64	46.6	34.4-58.8	24	16.5	8.9-24.1	22	25.8	13.5-38.1	4	4.5	0.0- 9.0	8	6.6	1.5-11.7
25-34	167	52,666	73	45.2	34.8-55.6	25	12.6	5.7-19.5	40	23.8	15.0-32.6	8	5.1	0.0-10.4	21	13.2	5.6-20.8
35-44	208	55,555	106	54.6	45.6-63.6	26	13.0	6.5-19.5	50	22.5	15.4-29.6	7	2.8	0.4- 5.2	19	7.1	3.0-11.2
45-54	253	45,361	116	48.3	40.3-56.3	30	12.3	7.0-17.6	73	28.7	21.4-36.0	8	1.7	0.3- 3.1	26	9.0	4.9-13.1
55-64	327	54,716	152	48.2	41.1-55.3	54	15.7	10.8-20.6	73	20.7	15.4-26.0	16	4.6	2.1- 7.1	32	10.8	6.5-15.1
65+	495	66,386	217	43.9	38.0-49.8	91	17.8	12.7-22.9	109	22.6	17.7-27.5	23	5.1	2.6- 7.6	55	10.6	7.1-14.1
Less Than H.S.	86	20,839	29	29.7	15.0-44.4	10	19.5	4.6-34.4	30	27.6	15.4-39.8	3	5.3	0.0-12.6	14	17.9	4.4-31.4
H.S. or G.E.D.	336	84,311	142	43.5	36.2-50.8	68	22.4	16.3-28.5	74	22.2	16.1-28.3	15	3.0	1.0- 5.0	37	8.9	5.8-12.0
Some Post-H.S.	363	95,338	164	46.7	39.3-54.1	57	12.5	8.4-16.6	88	26.9	19.8-34.0	19	4.5	2.0- 7.0	35	9.4	5.1-13.7
College Graduate	780	122,426	388	54.0	49.1-58.9	114	10.7	8.0-13.4	175	22.1	18.0-26.2	29	4.2	1.7- 6.7	74	8.9	6.2-11.6
Less than \$15,000	82	14,027	25	34.2	15.4-53.0	15	18.2	7.4-29.0	26	28.9	14.8-43.0	2	1.1	0.0- 3.1	14	17.6	6.4-28.8
\$15,000- 24,999	150	29,214	56	38.2	26.8-49.6	34	21.9	11.1-32.7	36	25.3	15.1-35.5	6	4.6	0.3- 8.9	18	10.0	4.5-15.5
\$25,000- 34,999	95	19,310	44	53.0	38.3-67.7	13	11.6	3.6-19.6	24	24.2	12.8-35.6	3	1.7	0.0- 3.7	11	9.6	2.7-16.5
\$35,000- 49,999	168	35,489	76	46.9	35.3-58.5	26	12.1	5.2-19.0	32	21.9	12.1-31.7	13	6.4	2.1-10.7	21	12.8	5.7-19.9
\$50,000- 74,999	213	46,932	97	45.2	35.4-55.0	34	14.6	7.7-21.5	51	24.5	15.1-33.9	10	5.8	1.3-10.3	21	9.9	5.0-14.8
\$75,000+	621	135,036	320	53.0	47.3-58.7	89	12.3	9.0-15.6	136	22.7	17.8-27.6	23	3.9	1.4- 6.4	53	8.0	4.7-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	743	160,295	325	45.3	40.2-50.4	119	15.8	11.9-19.7	192	25.2	20.7-29.7	32	4.1	2.1- 6.1	75	9.7	6.8-12.6
White/Non-Hisp	523	101,103	222	43.4	37.7-49.1	86	14.3	10.4-18.2	133	26.9	21.2-32.6	26	4.9	2.4- 7.4	56	10.5	6.8-14.2
Black or Afr. Am./Non-Hisp	72	31,443	36	52.2	37.7-66.7	9	14.2	3.2-25.2	20	23.0	12.0-34.0	2	3.6	0.0- 8.7	5	7.1	0.4-13.8
Hispanic	75	12,513	38	47.8	28.6-67.0	10	19.9	0.7-39.1	17	18.7	6.9-30.5	3	2.9	0.0- 6.6	7	10.7	0.9-20.5
18-24	68	23,488	31	38.1	23.6-52.6	16	23.1	10.8-35.4	13	23.8	7.9-39.7	3	8.2	0.0-17.2	5	6.8	0.1-13.5
25-34	91	29,251	36	40.4	26.9-53.9	11	10.4	0.8-20.0	27	29.4	16.5-42.3	4	4.1	0.0- 8.8	13	15.7	5.3-26.1
35-44	98	28,643	51	58.2	44.9-71.5	8	11.4	1.6-21.2	26	20.4	11.4-29.4	3	1.7	0.0- 3.9	10	8.3	1.4-15.2
45-54	118	21,976	49	46.7	34.7-58.7	18	12.8	5.7-19.9	36	30.9	19.9-41.9	3	1.6	0.0- 3.8	12	8.0	3.1-12.9
55-64	147	24,511	66	44.4	34.4-54.4	22	14.7	7.6-21.8	36	24.0	15.6-32.4	9	6.5	1.6-11.4	14	10.4	4.3-16.5
65+	221	32,426	92	43.0	34.2-51.8	44	22.4	13.4-31.4	54	23.7	16.6-30.8	10	3.0	0.8- 5.2	21	7.9	3.4-12.4
Less Than H.S.	55	12,895	16	25.8	7.0-44.6	7	24.8	4.0-45.6	24	36.5	18.9-54.1	2	6.7	0.0-17.7	6	6.2	0.5-11.9
H.S. or G.E.D.	172	46,675	61	38.2	28.2-48.2	38	23.2	14.8-31.6	43	25.7	16.5-34.9	7	2.6	0.4- 4.8	23	10.2	5.5-14.9
Some Post-H.S.	145	38,437	69	49.5	37.7-61.3	21	12.5	5.4-19.6	41	26.0	15.8-36.2	7	5.2	0.5- 9.9	7	6.8	0.0-14.1
College Graduate	367	61,423	177	51.9	44.8-59.0	52	10.3	6.0-14.6	84	22.3	16.4-28.2	16	4.0	1.3- 6.7	38	11.6	6.9-16.3
\$15,000- 24,999	69	14,358	26	36.0	19.9-52.1	14	23.6	6.0-41.2	21	33.1	17.2-49.0	1	0.8	0.0- 2.4	7	6.5	0.6-12.4
\$35,000- 49,999	71	15,405	26	39.6	21.8-57.4	12	10.3	1.7-18.9	17	24.9	9.2-40.6	7	10.6	1.6-19.6	9	14.6	2.4-26.8
\$50,000- 74,999	103	25,212	40	42.4	28.3-56.5	21	19.6	8.6-30.6	26	23.5	12.5-34.5	6	5.7	0.0-12.0	10	8.8	2.3-15.3
\$75,000+	324	70,349	159	48.7	41.3-56.1	46	14.4	8.9-19.9	74	24.1	17.2-31.0	14	4.1	1.2- 7.0	31	8.8	4.1-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	829	164,409	403	50.1	45.0-55.2	131	13.8	10.7-16.9	175	22.4	17.9-26.9	34	4.0	2.0- 6.0	86	9.6	6.7-12.5
White/Non-Hisp	631	119,702	307	47.4	41.7-53.1	89	12.1	8.8-15.4	138	25.2	19.5-30.9	27	4.1	2.3- 5.9	70	11.2	7.5-14.9
Black or Afr. Am./Non-Hisp	78	22,372	42	62.7	48.2-77.2	16	19.2	7.6-30.8	13	11.8	3.8-19.8	1	0.1	0.0- 0.3	6	6.2	0.5-11.9
Hispanic	51	6,278	26	52.5	33.7-71.3	9	16.6	3.3-29.9	11	22.9	7.8-38.0	2	2.7	0.0- 7.0	3	5.3	0.0-12.6
18-24	54	26,531	33	54.2	35.4-73.0	8	10.7	1.9-19.5	9	27.5	8.7-46.3	1	1.2	0.0- 3.7	3	6.3	0.0-14.1
25-34	76	23,416	37	51.3	35.6-67.0	14	15.3	5.7-24.9	13	16.9	6.5-27.3	4	6.4	0.0-16.8	8	10.1	0.0-21.7
35-44	110	26,912	55	50.7	38.7-62.7	18	14.8	6.2-23.4	24	24.8	14.4-35.2	4	3.9	0.0- 8.2	9	5.9	1.6-10.2
45-54	135	23,385	67	49.8	39.0-60.6	12	11.8	3.8-19.8	37	26.6	17.2-36.0	5	1.8	0.0- 3.6	14	10.0	3.7-16.3
55-64	180	30,205	86	51.3	41.5-61.1	32	16.6	9.9-23.3	37	17.9	11.2-24.6	7	3.1	0.4- 5.8	18	11.1	4.8-17.4
65+	274	33,960	125	44.7	37.1-52.3	47	13.5	8.8-18.2	55	21.5	14.6-28.4	13	7.0	2.7-11.3	34	13.3	8.0-18.6
H.S. or G.E.D.	164	37,636	81	50.0	39.6-60.4	30	21.3	12.5-30.1	31	17.9	10.3-25.5	8	3.4	0.1- 6.7	14	7.3	3.2-11.4
Some Post-H.S.	218	56,901	95	44.9	35.1-54.7	36	12.5	7.6-17.4	47	27.5	17.7-37.3	12	4.1	1.6- 6.6	28	11.1	5.8-16.4
College Graduate	413	61,003	211	56.1	49.0-63.2	62	11.1	7.6-14.6	91	22.0	16.3-27.7	13	4.5	0.2- 8.8	36	6.3	3.6- 9.0
Less than \$15,000	51	8,631	17	39.9	14.0-65.8	10	18.2	4.3-32.1	15	29.2	9.8-48.6	1	0.2	0.0- 0.8	8	12.3	1.7-22.9
\$15,000- 24,999	81	14,856	30	40.3	24.6-56.0	20	20.2	8.2-32.2	15	17.8	5.3-30.3	5	8.3	0.1-16.5	11	13.4	4.4-22.4
\$25,000- 34,999	51	10,212	22	50.8	31.2-70.4	9	14.9	2.9-26.9	12	24.0	8.5-39.5	2	2.3	0.0- 5.6	6	8.1	0.1-16.1
\$35,000- 49,999	97	20,083	50	52.4	37.3-67.5	14	13.5	3.1-23.9	15	19.5	7.3-31.7	6	3.2	0.1- 6.3	12	11.4	3.4-19.4
\$50,000- 74,999	110	21,720	57	48.5	34.4-62.6	13	8.8	1.9-15.7	25	25.6	9.7-41.5	4	5.9	0.0-12.0	11	11.2	3.6-18.8
\$75,000+	297	64,687	161	57.8	49.4-66.2	43	10.1	6.4-13.8	62	21.3	13.9-28.7	9	3.7	0.0- 7.8	22	7.2	2.3-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1555	321,664	583	36.1	32.8-39.4	139	9.0	7.0-11.0	13	0.5	0.1- 0.9	449	31.0	27.5-34.5	238	14.3	11.8-16.8	133	9.2	6.8-11.6
Male	737	158,883	257	33.2	28.5-37.9	72	9.0	6.3-11.7	6	0.3	0.0- 0.7	207	29.5	24.8-34.2	120	16.8	13.1-20.5	75	11.2	7.5-14.9
Female	818	162,782	326	38.9	34.0-43.8	67	9.0	6.3-11.7	7	0.7	0.1- 1.3	242	32.4	27.3-37.5	118	11.9	8.6-15.2	58	7.2	4.5- 9.9
White/Non-Hisp	1141	217,768	413	34.3	30.6-38.0	93	9.1	6.7-11.5	7	0.3	0.1- 0.5	338	32.8	28.7-36.9	191	15.2	12.5-17.9	99	8.4	6.2-10.6
Black or Afr. Am./Non-Hisp	152	55,317	65	41.8	31.4-52.2	21	9.9	5.0-14.8	1	0.2	0.0- 0.6	36	28.3	17.9-38.7	18	10.3	4.6-16.0	11	9.6	2.2-17.0
Oth. Race/Non-Hisp.	58	18,394	22	44.0	26.8-61.2	3	3.9	0.0-10.2	1	0.4	0.0- 1.2	18	27.4	12.1-42.7	10	16.4	1.7-31.1	4	7.8	0.0-16.0
Hispanic	127	18,628	48	29.1	17.9-40.3	15	10.8	3.7-17.9	3	2.8	0.0- 6.5	41	29.0	17.6-40.4	13	14.9	1.4-28.4	7	13.4	0.0-27.3
18-24	121	50,138	45	35.4	24.2-46.6	10	5.6	1.1-10.1	3	1.0	0.0- 2.4	42	39.1	26.4-51.8	15	14.0	5.6-22.4	6	4.8	0.5- 9.1
25-34	163	50,887	67	38.1	28.1-48.1	14	9.6	3.5-15.7	2	0.8	0.0- 2.2	36	23.3	14.3-32.3	28	14.6	7.3-21.9	16	13.6	5.0-22.2
35-44	209	56,362	87	41.8	32.8-50.8	23	10.9	5.2-16.6				66	30.0	21.8-38.2	24	11.6	5.3-17.9	9	5.6	0.0-11.3
45-54	250	44,812	87	34.0	26.4-41.6	28	10.9	6.4-15.4	4	1.1	0.0- 2.3	68	28.4	21.0-35.8	39	14.4	9.3-19.5	24	11.2	5.3-17.1
55-64	325	54,083	114	32.1	25.6-38.6	27	9.5	5.0-14.0	1	0.1	0.0- 0.3	95	31.0	24.5-37.5	57	16.6	11.5-21.7	31	10.6	6.1-15.1
65+	487	65,383	183	34.7	29.0-40.4	37	7.5	4.6-10.4	3	0.4	0.0- 0.8	142	33.2	27.5-38.9	75	14.6	10.7-18.5	47	9.6	6.3-12.9
Less Than H.S.	85	20,348	28	20.6	10.0-31.2	10	9.2	1.2-17.2	2	0.9	0.0- 2.3	20	24.8	11.7-37.9	15	24.9	10.4-39.4	10	19.5	2.8-36.2
H.S. or G.E.D.	330	83,779	111	31.6	25.1-38.1	20	6.7	2.8-10.6	1	0.4	0.0- 1.2	94	30.8	23.9-37.7	60	15.5	10.2-20.8	44	15.0	9.5-20.5
Some Post-H.S.	362	94,817	129	36.3	29.2-43.4	27	8.2	4.7-11.7	3	0.6	0.0- 1.4	112	33.7	26.1-41.3	60	14.4	9.7-19.1	31	6.8	3.5-10.1
College Graduate	771	120,930	314	42.1	37.2-47.0	79	10.7	7.8-13.6	7	0.5	0.1- 0.9	221	29.7	25.2-34.2	103	11.9	8.8-15.0	47	5.2	2.8- 7.6
Less than \$15,000	82	14,724	24	19.0	9.4-28.6	8	13.7	2.1-25.3	1	2.2	0.0- 6.5	22	25.0	11.7-38.3	21	30.4	12.0-48.8	6	9.7	0.0-20.5
\$15,000- 24,999	150	29,465	53	27.9	18.5-37.3	13	6.8	1.5-12.1	1	0.3	0.0- 0.9	38	27.7	16.9-38.5	25	17.6	9.4-25.8	20	19.6	8.6-30.6
\$25,000- 34,999	95	19,227	38	43.7	28.8-58.6	9	9.8	1.0-18.6				22	14.4	7.0-21.8	17	23.0	7.7-38.3	9	9.0	2.1-15.9
\$35,000- 49,999	165	35,136	70	41.0	29.8-52.2	5	3.2	0.0- 7.1	1	0.1	0.0- 0.3	50	32.4	21.4-43.4	26	10.2	5.5-14.9	13	13.1	2.9-23.3
\$50,000- 74,999	212	46,658	82	34.9	25.9-43.9	22	10.4	4.3-16.5	4	1.0	0.0- 2.2	57	35.4	24.8-46.0	32	13.0	7.3-18.7	15	5.2	2.3- 8.1
\$75,000+	614	132,406	225	35.9	30.6-41.2	62	10.4	7.3-13.5	5	0.5	0.0- 1.1	195	34.2	28.5-39.9	83	12.0	8.5-15.5	44	7.0	4.1- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	158,883	257	33.2	28.5-37.9	72	9.0	6.3-11.7	6	0.3	0.0- 0.7	207	29.5	24.8-34.2	120	16.8	13.1-20.5	75	11.2	7.5-14.9
White/Non-Hisp	519	99,399	177	31.2	25.9-36.5	46	9.9	6.2-13.6	4	0.4	0.0- 0.8	145	30.9	25.2-36.6	90	17.9	13.6-22.2	57	9.7	6.8-12.6
Black or Afr. Am./Non-Hisp	73	32,695	31	43.3	29.2-57.4	6	4.9	0.4- 9.4	19	24.3	12.1-36.5	11	13.1	4.3-21.9	6	14.5	2.5-26.5			
Hispanic	75	12,268	23	20.3	9.5-31.1	14	15.8	4.8-26.8	2	1.5	0.0- 3.7	25	27.7	13.0-42.4	8	20.1	0.5-39.7	3	14.6	0.0-34.6
18-24	67	23,607	20	29.6	15.3-43.9	5	4.6	0.0- 9.9	2	0.8	0.0- 2.0	26	41.3	25.6-57.0	11	18.5	6.9-30.1	3	5.2	0.0-11.5
25-34	89	27,675	33	35.2	22.1-48.3	10	10.6	2.6-18.6				21	24.4	12.1-36.7	15	14.2	5.4-23.0	10	15.6	3.4-27.8
35-44	99	29,450	38	34.7	22.4-47.0	13	13.4	4.0-22.8				27	25.3	13.1-37.5	17	17.7	6.5-28.9	4	8.9	0.0-19.5
45-54	119	22,307	41	36.1	24.7-47.5	14	9.6	3.7-15.5	1	0.7	0.0- 2.1	28	26.1	15.3-36.9	20	16.1	8.1-24.1	15	11.5	2.9-20.1
55-64	147	24,262	45	28.6	19.6-37.6	10	7.6	2.5-12.7	1	0.3	0.0- 0.9	45	31.7	22.5-40.9	28	18.2	10.6-25.8	18	13.6	6.2-21.0
65+	216	31,582	80	34.2	25.2-43.2	20	7.2	3.7-10.7	2	0.5	0.0- 1.3	60	29.8	21.6-38.0	29	16.3	9.8-22.8	25	12.0	6.5-17.5
Less Than H.S.	54	12,605	15	16.5	6.3-26.7	8	8.3	0.3-16.3	2	1.5	0.0- 3.7	14	29.6	11.0-48.2	9	28.6	8.6-48.6	6	15.5	0.0-34.9
H.S. or G.E.D.	171	46,865	52	28.8	20.0-37.6	13	9.5	3.0-16.0				46	29.5	20.1-38.9	33	15.2	9.1-21.3	27	17.0	9.0-25.0
Some Post-H.S.	146	37,991	49	36.0	24.8-47.2	9	4.8	1.5- 8.1				44	27.7	17.3-38.1	32	23.6	14.0-33.2	12	8.0	1.9-14.1
College Graduate	362	60,558	141	38.8	31.9-45.7	40	10.6	6.5-14.7	4	0.6	0.0- 1.2	102	30.7	24.0-37.4	46	11.5	7.4-15.6	29	7.8	3.5-12.1
\$15,000- 24,999	70	14,664	22	21.1	10.3-31.9	7	4.8	0.3- 9.3	1	0.6	0.0- 1.8	15	22.4	7.7-37.1	15	26.2	12.3-40.1	10	24.8	6.2-43.4
\$35,000- 49,999	70	15,315	30	36.1	19.8-52.4	2	5.5	0.0-13.9				18	20.1	8.9-31.3	12	11.4	4.0-18.8	8	27.0	7.2-46.8
\$50,000- 74,999	103	25,212	35	27.7	15.9-39.5	11	13.4	3.2-23.6				29	33.0	18.9-47.1	20	20.4	10.6-30.2	8	5.5	1.2- 9.8
\$75,000+	321	68,490	111	36.4	29.1-43.7	35	10.1	6.0-14.2	4	0.5	0.0- 1.1	97	33.6	26.3-40.9	43	11.4	7.1-15.7	31	7.9	4.4-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	818	162,782	326	38.9	34.0-43.8	67	9.0	6.3-11.7	7	0.7	0.1- 1.3	242	32.4	27.3-37.5	118	11.9	8.6-15.2	58	7.2	4.5- 9.9
White/Non-Hisp	622	118,369	236	36.8	31.3-42.3	47	8.4	5.3-11.5	3	0.3	0.0- 0.7	193	34.3	28.6-40.0	101	12.9	9.2-16.6	42	7.4	4.1-10.7
Black or Afr. Am./Non-Hisp	79	22,621	34	39.5	24.0-55.0	15	17.2	7.0-27.4	1	0.4	0.0- 1.2	17	34.0	16.8-51.2	7	6.3	1.0-11.6	5	2.4	0.0- 5.3
Hispanic	52	6,360	25	46.2	27.0-65.4	1	1.3	0.0- 3.8	1	5.2	0.0-15.0	16	31.4	14.5-48.3	5	4.7	0.2- 9.2	4	11.2	0.0-22.6
18-24	54	26,531	25	40.5	23.3-57.7	5	6.6	0.0-13.7	1	1.2	0.0- 3.7	16	37.3	17.5-57.1	4	10.0	0.0-22.3	3	4.5	0.0-10.4
25-34	74	23,212	34	41.6	26.5-56.7	4	8.3	0.0-17.5	2	1.8	0.0- 4.7	15	21.9	8.8-35.0	13	15.1	3.5-26.7	6	11.3	0.0-23.6
35-44	110	26,912	49	49.6	37.6-61.6	10	8.3	2.6-14.0				39	35.3	23.9-46.7	7	4.9	0.8- 9.0	5	2.0	0.2- 3.8
45-54	131	22,505	46	32.0	21.8-42.2	14	12.2	5.3-19.1	3	1.5	0.0- 3.5	40	30.7	20.5-40.9	19	12.7	6.0-19.4	9	10.9	2.9-18.9
55-64	178	29,821	69	35.0	26.0-44.0	17	11.1	4.2-18.0				50	30.4	21.2-39.6	29	15.4	8.3-22.5	13	8.1	2.8-13.4
65+	271	33,801	103	35.2	27.9-42.5	17	7.8	3.3-12.3	1	0.2	0.0- 0.6	82	36.3	28.7-43.9	46	13.1	8.6-17.6	22	7.4	3.3-11.5
H.S. or G.E.D.	159	36,915	59	35.1	25.3-44.9	7	3.2	0.5- 5.9	1	0.9	0.0- 2.7	48	32.5	22.7-42.3	27	15.8	6.8-24.8	17	12.6	5.7-19.5
Some Post-H.S.	216	56,826	80	36.5	27.5-45.5	18	10.5	5.0-16.0	3	1.0	0.0- 2.4	68	37.7	27.3-48.1	28	8.2	4.1-12.3	19	6.1	2.4- 9.8
College Graduate	409	60,372	173	45.3	38.2-52.4	39	10.7	6.2-15.2	3	0.4	0.0- 0.8	119	28.7	22.4-35.0	57	12.2	7.3-17.1	18	2.6	1.0- 4.2
Less than \$15,000	50	8,521	14	19.1	5.8-32.4	6	17.4	0.3-34.5	1	3.9	0.0-11.3	11	14.1	2.9-25.3	15	40.9	14.6-67.2	3	4.5	0.0-10.0
\$15,000- 24,999	80	14,802	31	34.6	19.9-49.3	6	8.9	0.0-18.5				23	33.0	17.7-48.3	10	9.1	1.1-17.1	10	14.4	4.2-24.6
\$25,000- 34,999	51	10,129	23	54.4	35.0-73.8	5	14.2	0.0-29.5				12	14.9	4.5-25.3	7	8.6	0.2-17.0	4	7.8	0.0-16.6
\$35,000- 49,999	95	19,821	40	44.8	29.7-59.9	3	1.4	0.0- 3.4	1	0.2	0.0- 0.6	32	41.9	26.2-57.6	14	9.3	3.2-15.4	5	2.4	0.0- 4.9
\$50,000- 74,999	109	21,446	47	43.4	29.7-57.1	11	7.0	1.5-12.5	4	2.2	0.0- 4.6	28	38.3	22.8-53.8	12	4.4	1.5- 7.3	7	4.8	0.7- 8.9
\$75,000+	293	63,916	114	35.3	27.5-43.1	27	10.8	5.9-15.7	1	0.5	0.0- 1.5	98	34.8	26.2-43.4	40	12.6	7.1-18.1	13	6.0	0.9-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3460	675,625	769	21.2	19.4-23.0	314	10.2	8.6-11.8	298	9.5	7.9-11.1	75	2.1	1.5- 2.7	181	5.4	4.2- 6.6	1823	51.5	49.1-53.9
Male	1545	323,608	340	21.5	18.8-24.2	177	13.4	10.9-15.9	152	10.8	8.4-13.2	38	2.5	1.5- 3.5	97	7.0	4.8- 9.2	741	44.8	41.3-48.3
Female	1915	352,017	429	20.9	18.5-23.3	137	7.3	5.7- 8.9	146	8.4	6.4-10.4	37	1.8	1.0- 2.6	84	3.9	2.5- 5.3	1082	57.7	54.6-60.8
White/Non-Hisp	2376	433,223	528	21.6	19.4-23.8	220	10.6	8.8-12.4	192	9.0	7.2-10.8	61	2.4	1.6- 3.2	133	5.0	3.6- 6.4	1242	51.3	48.6-54.0
Black or Afr. Am./Non-Hisp	427	135,251	100	21.1	16.2-26.0	35	10.1	5.6-14.6	39	10.8	6.7-14.9	4	1.7	0.0- 3.5	20	6.9	2.8-11.0	229	49.4	42.9-55.9
Oth. Race/Non-Hisp.	128	35,295	17	13.0	4.8-21.2	16	9.5	3.4-15.6	20	17.4	8.8-26.0				7	3.9	0.4- 7.4	68	56.3	44.1-68.5
MultiRacial/Non-Hisp.	67	6,813	18	33.9	17.2-50.6	4	4.1	0.0- 8.8	9	6.8	0.9-12.7	3	4.1	0.0- 9.2	4	12.7	0.0-28.4	29	38.4	21.9-54.9
Hispanic	380	51,310	82	19.9	14.4-25.4	30	8.0	4.5-11.5	35	8.2	4.3-12.1	4	1.4	0.0- 3.0	14	5.6	1.7- 9.5	215	56.8	49.5-64.1
18-24	216	76,022	66	24.1	17.4-30.8	29	15.4	8.3-22.5	22	11.6	5.1-18.1	4	1.7	0.0- 3.5	14	8.3	2.2-14.4	81	38.9	29.9-47.9
25-34	384	111,534	85	18.3	13.4-23.2	39	10.0	5.7-14.3	37	10.0	6.1-13.9	12	2.8	0.8- 4.8	15	5.2	1.1- 9.3	196	53.6	46.5-60.7
35-44	427	100,997	113	27.0	21.3-32.7	41	11.8	7.1-16.5	49	12.3	8.0-16.6	8	2.0	0.0- 4.0	15	3.5	1.1- 5.9	201	43.4	37.1-49.7
45-54	547	104,976	110	18.8	14.7-22.9	40	7.0	4.5- 9.5	57	12.7	8.4-17.0	12	1.7	0.5- 2.9	27	4.0	1.8- 6.2	301	55.8	50.3-61.3
55-64	707	118,522	144	19.5	15.8-23.2	58	8.8	6.3-11.3	50	6.5	4.1- 8.9	20	3.2	1.2- 5.2	37	5.3	3.1- 7.5	398	56.6	51.9-61.3
65+	1179	163,574	251	21.0	17.9-24.1	107	10.0	7.6-12.4	83	6.7	4.7- 8.7	19	1.4	0.6- 2.2	73	6.3	4.3- 8.3	646	54.6	50.7-58.5
Less Than H.S.	351	70,646	49	12.8	8.1-17.5	28	8.4	4.5-12.3	23	6.0	2.7- 9.3	3	1.1	0.0- 2.5	19	9.8	3.1-16.5	229	61.9	54.3-69.5
H.S. or G.E.D.	905	207,208	174	17.0	13.9-20.1	100	12.8	9.7-15.9	71	10.4	7.1-13.7	18	2.1	0.9- 3.3	43	4.4	2.6- 6.2	499	53.2	48.7-57.7
Some Post-H.S.	844	192,864	192	22.3	18.6-26.0	77	10.5	7.4-13.6	71	7.5	5.1- 9.9	24	2.4	1.2- 3.6	37	4.9	2.4- 7.4	443	52.5	47.8-57.2
College Graduate	1341	201,334	347	27.0	23.7-30.3	107	7.9	5.7-10.1	132	12.0	9.3-14.7	29	2.2	1.2- 3.2	82	5.5	3.9- 7.1	644	45.4	41.7-49.1
Less than \$15,000	264	40,817	63	22.4	15.9-28.9	25	11.4	5.7-17.1	21	11.7	3.3-20.1	6	1.8	0.0- 3.6	13	5.2	1.7- 8.7	136	47.5	38.7-56.3
\$15,000- 24,999	434	72,585	83	17.5	12.8-22.2	44	11.0	7.1-14.9	34	9.4	5.1-13.7	5	1.1	0.0- 2.3	21	4.9	2.2- 7.6	247	56.1	49.4-62.8
\$25,000- 34,999	269	46,961	55	19.6	13.5-25.7	21	9.3	4.8-13.8	17	5.4	2.1- 8.7	6	2.0	0.0- 4.2	11	3.5	1.1- 5.9	159	60.3	52.7-67.9
\$35,000- 49,999	376	75,983	73	14.9	10.6-19.2	43	12.9	7.6-18.2	39	9.9	5.6-14.2	6	1.0	0.0- 2.0	23	9.4	3.1-15.7	192	51.9	44.3-59.5
\$50,000- 74,999	421	89,793	100	22.1	16.6-27.6	38	10.2	5.9-14.5	27	9.4	4.7-14.1	14	4.4	1.5- 7.3	20	5.7	2.6- 8.8	222	48.2	41.5-54.9
\$75,000+	1074	232,129	258	24.0	20.7-27.3	87	9.6	6.7-12.5	109	10.7	8.2-13.2	24	2.1	1.1- 3.1	66	5.4	3.2- 7.6	530	48.1	44.0-52.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	323,608	340	21.5	18.8-24.2	177	13.4	10.9-15.9	152	10.8	8.4-13.2	38	2.5	1.5- 3.5	97	7.0	4.8- 9.2	741	44.8	41.3-48.3
White/Non-Hisp	1076	208,210	241	22.7	19.6-25.8	119	13.5	10.4-16.6	86	8.4	6.0-10.8	32	2.7	1.5- 3.9	65	5.0	3.4- 6.6	533	47.7	43.8-51.6
Black or Afr. Am./Non-Hisp	150	64,089	32	19.1	11.5-26.7	19	14.5	6.7-22.3	21	15.3	8.0-22.6	2	2.5	0.0- 5.8	15	12.8	4.6-21.0	61	35.7	26.3-45.1
Oth. Race/Non-Hisp.	66	15,754	9	14.5	0.8-28.2	9	13.8	2.8-24.8	13	24.4	10.5-38.3				4	5.9	0.0-12.8	31	41.4	25.3-57.5
Hispanic	187	26,950	43	19.6	12.3-26.9	22	10.9	5.2-16.6	23	11.6	4.7-18.5	3	2.2	0.0- 5.1	9	8.7	1.8-15.6	87	47.0	36.0-58.0
18-24	125	39,330	39	26.4	17.4-35.4	21	17.0	7.6-26.4	16	12.9	4.7-21.1	2	2.1	0.0- 5.0	10	9.3	2.6-16.0	37	32.3	20.9-43.7
25-34	194	57,744	47	18.5	11.6-25.4	25	13.0	5.7-20.3	21	11.2	5.5-16.9	6	2.7	0.2- 5.2	10	8.5	0.9-16.1	85	46.1	35.9-56.3
35-44	185	48,811	49	29.5	20.3-38.7	24	17.8	9.2-26.4	28	13.7	7.4-20.0	5	2.5	0.0- 5.6	5	3.1	0.0- 6.6	74	33.4	25.0-41.8
45-54	237	49,646	45	18.3	12.4-24.2	23	9.4	4.7-14.1	26	15.9	8.5-23.3	6	2.1	0.0- 4.3	15	5.5	1.4- 9.6	122	48.7	40.5-56.9
55-64	314	54,128	59	17.8	12.7-22.9	36	13.1	8.4-17.8	23	6.1	2.8- 9.4	11	4.9	1.0- 8.8	22	7.4	3.7-11.1	163	50.7	43.6-57.8
65+	490	73,949	101	20.6	15.7-25.5	48	11.8	7.5-16.1	38	7.4	4.5-10.3	8	1.0	0.2- 1.8	35	8.1	4.4-11.8	260	51.1	45.0-57.2
Less Than H.S.	175	38,125	26	14.2	6.9-21.5	19	10.3	4.6-16.0	15	7.1	2.0-12.2	3	1.9	0.0- 4.4	16	15.9	4.5-27.3	96	50.6	39.4-61.8
H.S. or G.E.D.	417	110,675	71	15.2	11.1-19.3	60	17.0	11.7-22.3	39	11.3	6.8-15.8	9	2.4	0.4- 4.4	20	4.9	2.2- 7.6	218	49.3	42.8-55.8
Some Post-H.S.	356	81,324	86	25.8	19.5-32.1	36	12.7	7.6-17.8	35	9.7	5.6-13.8	11	2.9	0.5- 5.3	18	5.2	2.1- 8.3	170	43.7	36.6-50.8
College Graduate	587	92,080	154	28.0	22.9-33.1	61	11.1	7.0-15.2	62	12.8	8.7-16.9	14	2.2	0.6- 3.8	43	7.7	4.8-10.6	253	38.3	33.0-43.6
Less than \$15,000	95	16,147	18	18.6	8.4-28.8	11	13.9	4.5-23.3	13	12.6	2.2-23.0	2	1.0	0.0- 2.4	8	9.3	1.3-17.3	43	44.7	30.8-58.6
\$15,000- 24,999	180	32,717	29	17.0	9.7-24.3	24	14.4	7.7-21.1	20	9.9	4.2-15.6	1	0.5	0.0- 1.5	11	5.7	1.2-10.2	95	52.5	42.1-62.9
\$25,000- 34,999	121	21,284	27	22.3	13.1-31.5	14	14.1	5.9-22.3	9	4.4	1.3- 7.5	3	3.1	0.0- 7.4	5	2.6	0.1- 5.1	63	53.4	41.8-65.0
\$35,000- 49,999	145	32,166	28	13.9	7.4-20.4	25	18.8	8.2-29.4	13	8.9	2.8-15.0	3	1.8	0.0- 4.0	12	17.5	4.2-30.8	64	39.1	27.3-50.9
\$50,000- 74,999	213	51,632	49	22.6	14.4-30.8	19	11.6	4.9-18.3	14	11.1	3.8-18.4	9	4.5	0.2- 8.8	9	6.0	1.5-10.5	113	44.2	35.4-53.0
\$75,000+	537	115,169	133	24.8	20.1-29.5	55	14.2	9.3-19.1	58	12.2	8.3-16.1	14	2.7	0.9- 4.5	42	6.6	4.1- 9.1	235	39.5	34.0-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	352,017	429	20.9	18.5-23.3	137	7.3	5.7- 8.9	146	8.4	6.4-10.4	37	1.8	1.0- 2.6	84	3.9	2.5- 5.3	1082	57.7	54.6-60.8
White/Non-Hisp	1300	225,013	287	20.6	17.7-23.5	101	8.0	6.0-10.0	106	9.5	7.0-12.0	29	2.1	1.1- 3.1	68	5.1	2.9- 7.3	709	54.6	50.7-58.5
Black or Afr. Am./Non-Hisp	277	71,162	68	22.9	16.6-29.2	16	6.2	1.5-10.9	18	6.7	2.8-10.6	2	0.9	0.0- 2.3	5	1.6	0.0- 3.4	168	61.7	54.1-69.3
Oth. Race/Non-Hisp.	62	19,541	8	11.8	2.0-21.6	7	6.0	0.1-11.9	7	11.8	1.2-22.4				3	2.2	0.0- 4.9	37	68.3	53.0-83.6
Hispanic	193	24,360	39	20.2	12.0-28.4	8	4.8	0.7- 8.9	12	4.5	1.2- 7.8	1	0.5	0.0- 1.5	5	2.3	0.0- 5.0	128	67.7	58.5-76.9
18-24	91	36,693	27	21.7	11.7-31.7	8	13.6	3.0-24.2	6	10.2	0.2-20.2	2	1.2	0.0- 3.2	4	7.2	0.0-17.6	44	46.0	31.9-60.1
25-34	190	53,789	38	18.2	11.1-25.3	14	6.8	2.7-10.9	16	8.8	3.3-14.3	6	2.8	0.1- 5.5	5	1.7	0.0- 3.5	111	61.7	52.5-70.9
35-44	242	52,186	64	24.7	17.8-31.6	17	6.2	2.9- 9.5	21	11.0	5.3-16.7	3	1.6	0.0- 3.8	10	3.9	1.0- 6.8	127	52.6	44.4-60.8
45-54	310	55,330	65	19.3	13.8-24.8	17	4.8	2.3- 7.3	31	9.8	5.5-14.1	6	1.4	0.2- 2.6	12	2.6	0.6- 4.6	179	62.1	55.2-69.0
55-64	393	64,394	85	20.9	15.8-26.0	22	5.2	2.7- 7.7	27	6.8	3.5-10.1	9	1.8	0.2- 3.4	15	3.6	1.4- 5.8	235	61.6	55.3-67.9
65+	689	89,626	150	21.2	17.3-25.1	59	8.6	6.1-11.1	45	6.2	3.8- 8.6	11	1.7	0.5- 2.9	38	4.9	3.1- 6.7	386	57.4	52.5-62.3
Less Than H.S.	176	32,521	23	11.1	5.2-17.0	9	6.2	1.1-11.3	8	4.7	0.6- 8.8				3	2.8	0.0- 5.9	133	75.2	66.6-83.8
H.S. or G.E.D.	488	96,533	103	19.2	14.7-23.7	40	8.1	5.2-11.0	32	9.5	4.8-14.2	9	1.8	0.4- 3.2	23	3.8	2.0- 5.6	281	57.7	51.6-63.8
Some Post-H.S.	488	111,541	106	19.7	15.2-24.2	41	8.9	5.0-12.8	36	5.9	3.5- 8.3	13	2.1	0.7- 3.5	19	4.6	0.9- 8.3	273	58.9	52.8-65.0
College Graduate	754	109,255	193	26.2	21.7-30.7	46	5.2	3.2- 7.2	70	11.2	7.7-14.7	15	2.1	0.7- 3.5	39	3.8	2.2- 5.4	391	51.4	46.1-56.7
Less than \$15,000	169	24,670	45	24.9	16.3-33.5	14	9.8	2.9-16.7	8	11.2	0.0-23.5	4	2.3	0.0- 5.2	5	2.5	0.0- 5.0	93	49.4	37.8-61.0
\$15,000- 24,999	254	39,868	54	18.0	11.9-24.1	20	8.2	3.7-12.7	14	9.0	2.5-15.5	4	1.5	0.0- 3.3	10	4.3	0.8- 7.8	152	59.0	50.6-67.4
\$25,000- 34,999	148	25,677	28	17.3	9.5-25.1	7	5.2	0.7- 9.7	8	6.2	0.7-11.7	3	1.1	0.0- 2.3	6	4.2	0.3- 8.1	96	66.0	55.8-76.2
\$35,000- 49,999	231	43,816	45	15.6	9.7-21.5	18	8.7	4.2-13.2	26	10.6	4.5-16.7	3	0.5	0.0- 1.1	11	3.4	1.0- 5.8	128	61.3	52.7-69.9
\$50,000- 74,999	208	38,161	51	21.5	14.4-28.6	19	8.3	3.8-12.8	13	7.1	2.0-12.2	5	4.2	0.1- 8.3	11	5.2	1.5- 8.9	109	53.6	43.8-63.4
\$75,000+	537	116,960	125	23.3	18.4-28.2	32	5.0	2.1- 7.9	51	9.3	6.0-12.6	10	1.6	0.4- 2.8	24	4.3	0.8- 7.8	295	56.6	50.5-62.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1 MALES AND FEMALES	230
2 MALES ONLY	231
3 FEMALES ONLY	232
NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4 MALES AND FEMALES	233
5 MALES ONLY	234
6 FEMALES ONLY	235
HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7 MALES AND FEMALES	236
8 MALES ONLY	237
9 FEMALES ONLY	238
HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10 MALES AND FEMALES	239
11 MALES ONLY	240
12 FEMALES ONLY	241
HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13 MALES AND FEMALES	242
14 MALES ONLY	243
15 FEMALES ONLY	244
NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16 MALES AND FEMALES	245
17 MALES ONLY	246
18 FEMALES ONLY	247

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3435	672,076	1770	50.8	48.4-53.2	1002	29.5	27.3-31.7	498	15.0	13.2-16.8	19	0.4	0.2- 0.6	146	4.2	3.2- 5.2
Male	1521	319,248	684	43.9	40.4-47.4	507	33.2	29.9-36.5	242	17.1	14.4-19.8	10	0.6	0.0- 1.2	78	5.1	3.5- 6.7
Female	1914	352,829	1086	57.1	54.0-60.2	495	26.2	23.3-29.1	256	13.1	10.9-15.3	9	0.3	0.1- 0.5	68	3.3	2.3- 4.3
White/Non-Hisp	2376	432,619	1235	51.4	48.7-54.1	691	29.9	27.4-32.4	334	14.2	12.2-16.2	9	0.4	0.0- 0.8	107	4.1	3.1- 5.1
Black or Afr. Am./Non-Hisp	419	134,459	180	42.0	35.5-48.5	121	28.9	22.8-35.0	89	21.6	16.1-27.1	3	0.6	0.0- 1.6	26	6.9	3.8-10.0
Oth. Race/Non-Hisp.	124	34,930	79	67.0	55.6-78.4	28	22.0	12.0-32.0	16	10.6	3.7-17.5				1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	65	6,191	31	45.6	28.7-62.5	23	42.5	25.1-59.9	10	10.5	1.9-19.1				1	1.4	0.0- 4.1
Hispanic	369	50,125	201	57.5	49.9-65.1	118	32.3	25.0-39.6	36	7.6	4.5-10.7	5	0.7	0.1- 1.3	9	1.8	0.2- 3.4
18-24	211	76,171	99	43.6	34.4-52.8	73	36.7	27.7-45.7	31	16.4	9.1-23.7	1	0.2	0.0- 0.6	7	3.0	0.1- 5.9
25-34	375	107,799	175	48.4	41.1-55.7	131	29.5	23.4-35.6	54	17.5	11.4-23.6	5	1.4	0.0- 3.0	10	3.3	0.8- 5.8
35-44	414	97,858	228	55.6	49.1-62.1	119	29.8	23.7-35.9	48	11.2	7.5-14.9	2	0.1	0.0- 0.3	17	3.3	1.5- 5.1
45-54	541	105,939	272	51.4	45.9-56.9	153	29.2	23.9-34.5	77	13.8	10.3-17.3	2	0.2	0.0- 0.6	37	5.3	3.1- 7.5
55-64	707	118,748	341	47.6	42.7-52.5	217	29.8	25.3-34.3	115	18.1	14.4-21.8	3	0.3	0.0- 0.7	31	4.2	2.4- 6.0
65+	1187	165,560	655	54.9	51.2-58.6	309	26.1	22.8-29.4	173	13.6	11.1-16.1	6	0.3	0.0- 0.7	44	5.1	3.1- 7.1
Less Than H.S.	339	69,259	151	41.8	34.0-49.6	105	29.4	22.3-36.5	57	18.6	11.5-25.7	4	1.3	0.0- 3.1	22	9.0	4.5-13.5
H.S. or G.E.D.	900	205,469	426	47.1	42.6-51.6	272	32.3	28.0-36.6	146	15.9	12.8-19.0	8	0.5	0.1- 0.9	48	4.3	2.7- 5.9
Some Post-H.S.	838	192,987	423	51.9	47.2-56.6	252	30.8	26.5-35.1	124	13.3	10.0-16.6	2	0.4	0.0- 1.0	37	3.6	2.2- 5.0
College Graduate	1339	200,789	762	56.6	52.9-60.3	368	25.7	22.6-28.8	169	14.7	11.8-17.6	4	0.2	0.0- 0.4	36	2.9	1.5- 4.3
Less than \$15,000	264	41,587	121	40.1	31.9-48.3	73	32.1	22.9-41.3	49	19.8	12.7-26.9	2	1.6	0.0- 4.3	19	6.4	2.9- 9.9
\$15,000- 24,999	428	72,586	206	50.1	43.2-57.0	117	26.0	20.1-31.9	75	17.2	12.3-22.1	7	1.2	0.0- 2.8	23	5.5	2.6- 8.4
\$25,000- 34,999	264	46,805	119	43.1	34.7-51.5	78	30.2	22.6-37.8	48	20.7	14.0-27.4	3	0.7	0.0- 1.5	16	5.3	2.2- 8.4
\$35,000- 49,999	364	73,933	182	46.8	39.0-54.6	107	31.5	24.2-38.8	66	20.1	13.0-27.2				9	1.6	0.4- 2.8
\$50,000- 74,999	420	89,104	207	44.2	37.5-50.9	131	33.5	26.8-40.2	64	18.0	12.1-23.9	1	0.2	0.0- 0.6	17	4.1	1.7- 6.5
\$75,000+	1076	231,167	607	57.9	53.8-62.0	317	27.6	24.1-31.1	120	11.7	9.0-14.4				32	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 2: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	319,248	684	43.9	40.4-47.4	507	33.2	29.9-36.5	242	17.1	14.4-19.8	10	0.6	0.0- 1.2	78	5.1	3.5- 6.7
White/Non-Hisp	1067	204,313	472	44.7	40.8-48.6	358	34.2	30.5-37.9	169	15.3	12.6-18.0	7	0.6	0.0- 1.2	61	5.3	3.7- 6.9
Black or Afr. Am./Non-Hisp	148	64,818	55	34.3	24.7-43.9	45	29.0	19.6-38.4	36	27.9	18.3-37.5	1	0.9	0.0- 2.7	11	7.8	2.5-13.1
Oth. Race/Non-Hisp.	62	15,416	35	52.6	35.7-69.5	17	30.1	15.0-45.2	9	16.3	3.4-29.2				1	0.9	0.0- 2.7
Hispanic	179	26,533	90	56.6	45.2-68.0	68	35.5	24.7-46.3	16	6.5	2.0-11.0	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3
18-24	119	37,969	50	35.6	24.4-46.8	47	42.5	30.5-54.5	16	16.2	7.0-25.4	1	0.4	0.0- 1.2	5	5.3	0.0-11.0
25-34	189	56,709	71	38.3	28.1-48.5	83	35.6	26.4-44.8	26	18.8	9.2-28.4	2	2.1	0.0- 4.8	7	5.3	0.6-10.0
35-44	175	46,494	93	51.2	41.0-61.4	51	33.4	23.6-43.2	21	11.5	5.4-17.6	1	0.1	0.0- 0.3	9	3.9	1.0- 6.8
45-54	237	51,558	103	45.1	36.9-53.3	79	32.9	24.9-40.9	33	14.7	9.2-20.2	1	0.4	0.0- 1.2	21	7.0	3.3-10.7
55-64	310	53,349	123	39.7	32.8-46.6	107	32.5	26.0-39.0	60	22.7	16.4-29.0	2	0.6	0.0- 1.4	18	4.5	2.1- 6.9
65+	491	73,168	244	50.3	44.2-56.4	140	26.9	21.8-32.0	86	17.6	12.9-22.3	3	0.2	0.0- 0.4	18	5.0	2.1- 7.9
Less Than H.S.	169	37,757	65	41.8	30.2-53.4	60	28.7	19.5-37.9	29	19.2	7.8-30.6	2	2.1	0.0- 5.2	13	8.1	2.8-13.4
H.S. or G.E.D.	410	108,823	166	42.0	35.5-48.5	144	35.6	29.3-41.9	72	17.1	12.4-21.8	4	0.4	0.0- 0.8	24	4.9	2.4- 7.4
Some Post-H.S.	350	79,802	159	43.7	36.6-50.8	118	35.9	28.8-43.0	51	14.6	9.3-19.9	1	0.7	0.0- 2.1	21	5.2	2.3- 8.1
College Graduate	582	91,461	290	47.3	41.6-53.0	183	29.9	25.0-34.8	88	18.5	13.6-23.4	3	0.3	0.0- 0.7	18	4.1	1.4- 6.8
Less than \$15,000	93	16,422	31	36.8	23.5-50.1	33	32.4	19.3-45.5	19	20.0	8.0-32.0	1	3.6	0.0-10.5	9	7.3	1.4-13.2
\$15,000- 24,999	174	33,237	68	43.9	32.7-55.1	57	29.5	19.7-39.3	33	17.6	10.3-24.9	4	2.1	0.0- 5.4	12	6.9	1.8-12.0
\$25,000- 34,999	118	21,637	52	41.2	28.5-53.9	37	35.8	23.5-48.1	19	17.5	8.5-26.5	1	0.3	0.0- 0.9	9	5.2	1.3- 9.1
\$35,000- 49,999	140	30,162	60	36.1	24.1-48.1	46	30.8	19.6-42.0	30	31.8	17.5-46.1				4	1.3	0.0- 2.7
\$50,000- 74,999	212	50,469	90	39.2	30.4-48.0	73	37.1	27.5-46.7	36	17.8	10.7-24.9	1	0.4	0.0- 1.2	12	5.6	1.9- 9.3
\$75,000+	536	114,282	271	49.7	44.0-55.4	177	31.1	26.0-36.2	71	15.3	10.8-19.8				17	3.9	1.4- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 3: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1914	352,829	1086	57.1	54.0-60.2	495	26.2	23.3-29.1	256	13.1	10.9-15.3	9	0.3	0.1- 0.5	68	3.3	2.3- 4.3
White/Non-Hisp	1309	228,306	763	57.4	53.7-61.1	333	26.1	22.8-29.4	165	13.3	10.6-16.0	2	0.2	0.0- 0.4	46	3.0	2.0- 4.0
Black or Afr. Am./Non-Hisp	271	69,641	125	49.2	41.0-57.4	76	28.8	21.4-36.2	53	15.7	10.6-20.8	2	0.3	0.0- 0.9	15	6.0	2.3- 9.7
Oth. Race/Non-Hisp.	62	19,514	44	78.3	64.2-92.4	11	15.7	2.6-28.8	7	6.0	0.1-11.9						
Hispanic	190	23,592	111	58.6	48.4-68.8	50	28.7	19.1-38.3	20	8.9	4.4-13.4	4	1.2	0.0- 2.4	5	2.6	0.0- 5.7
18-24	92	38,201	49	51.6	37.3-65.9	26	30.9	17.8-44.0	15	16.7	5.3-28.1				2	0.8	0.0- 2.0
25-34	186	51,090	104	59.5	49.9-69.1	48	22.7	14.9-30.5	28	16.0	8.9-23.1	3	0.6	0.0- 1.4	3	1.1	0.0- 2.7
35-44	239	51,365	135	59.6	51.6-67.6	68	26.5	19.2-33.8	27	11.1	6.4-15.8	1	0.2	0.0- 0.6	8	2.7	0.3- 5.1
45-54	304	54,381	169	57.5	50.2-64.8	74	25.7	19.0-32.4	44	12.9	8.6-17.2	1	0.1	0.0- 0.3	16	3.8	1.6- 6.0
55-64	397	65,399	218	54.1	47.4-60.8	110	27.5	21.4-33.6	55	14.3	9.8-18.8	1	0.1	0.0- 0.3	13	4.0	1.5- 6.5
65+	696	92,393	411	58.5	53.6-63.4	169	25.4	21.1-29.7	87	10.4	7.7-13.1	3	0.5	0.0- 1.1	26	5.2	2.5- 7.9
Less Than H.S.	170	31,502	86	41.7	31.5-51.9	45	30.1	19.3-40.9	28	17.8	10.4-25.2	2	0.4	0.0- 1.0	9	9.9	2.3-17.5
H.S. or G.E.D.	490	96,646	260	52.7	46.6-58.8	128	28.6	22.7-34.5	74	14.4	10.3-18.5	4	0.5	0.0- 1.1	24	3.7	1.9- 5.5
Some Post-H.S.	488	113,185	264	57.7	51.4-64.0	134	27.2	21.7-32.7	73	12.4	8.1-16.7	1	0.2	0.0- 0.6	16	2.5	1.1- 3.9
College Graduate	757	109,328	472	64.3	59.6-69.0	185	22.2	18.3-26.1	81	11.5	8.2-14.8	1	0.1	0.0- 0.3	18	1.9	0.7- 3.1
Less than \$15,000	171	25,165	90	42.2	31.4-53.0	40	32.0	19.3-44.7	30	19.7	11.1-28.3	1	0.3	0.0- 0.9	10	5.8	1.5-10.1
\$15,000- 24,999	254	39,349	138	55.4	47.0-63.8	60	23.0	16.1-29.9	42	16.8	10.1-23.5	3	0.4	0.0- 0.8	11	4.4	1.1- 7.7
\$25,000- 34,999	146	25,168	67	44.7	33.5-55.9	41	25.4	16.2-34.6	29	23.5	13.9-33.1	2	1.0	0.0- 2.6	7	5.4	0.5-10.3
\$35,000- 49,999	224	43,771	122	54.2	44.4-64.0	61	32.0	22.2-41.8	36	12.1	7.4-16.8				5	1.8	0.0- 3.6
\$50,000- 74,999	208	38,635	117	50.9	40.9-60.9	58	28.7	20.1-37.3	28	18.3	8.1-28.5				5	2.1	0.0- 4.3
\$75,000+	540	116,885	336	65.9	60.4-71.4	140	24.2	19.3-29.1	49	8.1	5.2-11.0				15	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3433	672,803	518	14.0	12.4-15.6	708	21.1	19.1-23.1	583	18.4	16.4-20.4	68	1.7	1.1- 2.3	1556	44.7	42.3-47.1
Male	1525	318,746	259	16.5	13.8-19.2	353	23.7	20.6-26.8	288	19.7	16.8-22.6	26	1.5	0.7- 2.3	599	38.6	35.3-41.9
Female	1908	354,057	259	11.9	9.9-13.9	355	18.8	16.3-21.3	295	17.3	14.8-19.8	42	2.0	1.2- 2.8	957	50.1	46.8-53.4
White/Non-Hisp	2375	432,670	313	12.1	10.3-13.9	446	19.0	16.6-21.4	385	18.0	15.6-20.4	43	1.6	1.0- 2.2	1188	49.3	46.6-52.0
Black or Afr. Am./Non-Hisp	414	133,999	84	18.5	13.4-23.6	94	22.0	16.5-27.5	89	21.7	16.0-27.4	7	2.2	0.2- 4.2	140	35.6	29.3-41.9
Oth. Race/Non-Hisp.	125	35,317	15	10.7	3.3-18.1	31	32.5	20.2-44.8	20	14.5	6.7-22.3	3	0.6	0.0- 1.2	56	41.6	29.3-53.9
MultiRacial/Non-Hisp.	66	5,984	12	13.5	3.3-23.7	11	17.7	4.6-30.8	20	36.8	20.3-53.3	1	1.1	0.0- 3.3	22	30.9	16.0-45.8
Hispanic	371	51,032	83	22.1	15.0-29.2	108	29.5	22.4-36.6	56	13.9	9.0-18.8	11	3.1	0.7- 5.5	113	31.5	24.1-38.9
18-24	214	76,400	29	14.9	7.8-22.0	60	26.0	18.2-33.8	52	26.9	18.1-35.7	5	1.2	0.0- 2.4	68	31.1	22.9-39.3
25-34	372	108,746	69	14.0	9.3-18.7	101	27.8	21.1-34.5	68	17.8	12.1-23.5	7	1.2	0.2- 2.2	127	39.2	32.1-46.3
35-44	418	99,905	54	13.0	8.1-17.9	94	22.6	16.9-28.3	82	19.5	14.6-24.4	10	1.8	0.4- 3.2	178	43.1	36.6-49.6
45-54	540	104,889	63	9.8	6.9-12.7	98	16.9	12.8-21.0	100	19.0	14.3-23.7	10	2.1	0.3- 3.9	269	52.2	46.7-57.7
55-64	707	118,433	71	11.0	7.9-14.1	122	17.4	13.7-21.1	118	17.9	14.2-21.6	9	1.1	0.3- 1.9	387	52.6	47.7-57.5
65+	1182	164,430	232	19.2	16.3-22.1	233	18.9	16.0-21.8	163	14.3	11.6-17.0	27	2.6	1.2- 4.0	527	45.0	41.1-48.9
Less Than H.S.	339	69,386	75	19.3	13.2-25.4	78	20.4	14.1-26.7	46	18.6	11.0-26.2	7	1.5	0.1- 2.9	133	40.1	32.5-47.7
H.S. or G.E.D.	906	207,483	149	16.9	13.4-20.4	185	21.5	17.8-25.2	146	18.9	15.2-22.6	21	1.8	0.8- 2.8	405	40.9	36.6-45.2
Some Post-H.S.	833	192,270	139	15.4	12.1-18.7	181	22.9	18.6-27.2	146	17.3	13.4-21.2	15	1.7	0.5- 2.9	352	42.8	38.1-47.5
College Graduate	1337	200,172	152	7.9	6.1- 9.7	261	19.5	16.4-22.6	243	19.2	16.3-22.1	23	1.8	0.8- 2.8	658	51.7	47.8-55.6
Less than \$15,000	262	41,306	57	21.8	14.7-28.9	62	21.3	14.4-28.2	40	19.2	10.4-28.0	2	0.4	0.0- 1.0	101	37.2	28.8-45.6
\$15,000- 24,999	431	73,840	70	15.9	11.2-20.6	99	21.3	16.0-26.6	80	22.7	16.6-28.8	14	2.4	0.6- 4.2	168	37.7	31.0-44.4
\$25,000- 34,999	264	47,083	53	23.8	15.8-31.8	62	19.2	13.3-25.1	43	20.8	13.9-27.7	4	1.1	0.0- 2.5	102	35.1	27.3-42.9
\$35,000- 49,999	363	74,186	51	13.9	8.4-19.4	81	23.3	16.2-30.4	68	20.2	13.3-27.1	8	2.7	0.2- 5.2	155	39.9	32.5-47.3
\$50,000- 74,999	419	88,546	66	14.1	9.8-18.4	82	22.7	16.6-28.8	67	18.9	12.6-25.2	7	1.7	0.0- 3.5	197	42.7	36.0-49.4
\$75,000+	1072	230,182	117	10.3	7.6-13.0	198	19.5	16.2-22.8	192	17.0	13.9-20.1	16	1.3	0.5- 2.1	549	51.9	47.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 5: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	318,746	259	16.5	13.8-19.2	353	23.7	20.6-26.8	288	19.7	16.8-22.6	26	1.5	0.7- 2.3	599	38.6	35.3-41.9
White/Non-Hisp	1071	204,790	164	15.0	12.1-17.9	236	23.3	19.6-27.0	198	18.3	15.4-21.2	19	1.5	0.7- 2.3	454	41.9	38.0-45.8
Black or Afr. Am./Non-Hisp	145	63,677	26	17.0	9.2-24.8	31	20.7	12.3-29.1	34	26.0	16.0-36.0	2	2.1	0.0- 4.8	52	34.3	24.7-43.9
Oth. Race/Non-Hisp.	64	15,899	8	12.1	1.3-22.9	18	30.9	15.4-46.4	13	22.8	8.9-36.7	1	0.5	0.0- 1.5	24	33.7	18.4-49.0
Hispanic	181	26,670	47	30.0	18.4-41.6	56	30.2	20.2-40.2	31	13.6	6.9-20.3	2	0.4	0.0- 1.0	45	25.7	14.7-36.7
18-24	121	37,879	16	15.7	5.9-25.5	36	32.7	21.3-44.1	28	21.1	11.7-30.5	3	1.3	0.0- 2.9	38	29.2	18.8-39.6
25-34	188	56,614	35	15.6	8.3-22.9	57	28.9	19.7-38.1	30	18.1	9.3-26.9	3	0.6	0.0- 1.4	63	36.8	26.8-46.8
35-44	177	47,655	28	16.8	8.2-25.4	49	30.1	20.3-39.9	35	21.5	13.5-29.5	3	1.0	0.0- 2.6	62	30.6	22.2-39.0
45-54	237	50,470	34	12.3	7.2-17.4	51	20.0	13.7-26.3	46	20.2	12.6-27.8	3	2.9	0.0- 6.4	103	44.6	36.4-52.8
55-64	310	52,563	32	14.3	8.8-19.8	52	14.3	9.8-18.8	61	20.4	14.7-26.1	5	1.4	0.0- 2.8	160	49.6	42.5-56.7
65+	492	73,563	114	21.8	17.1-26.5	108	20.2	15.3-25.1	88	18.3	13.6-23.0	9	1.8	0.4- 3.2	173	38.0	32.1-43.9
Less Than H.S.	168	37,302	35	22.0	12.2-31.8	37	14.4	8.1-20.7	27	24.1	11.9-36.3	1	0.2	0.0- 0.6	68	39.2	28.2-50.2
H.S. or G.E.D.	420	110,484	84	21.6	15.9-27.3	91	23.4	17.7-29.1	71	18.0	12.9-23.1	12	2.2	0.6- 3.8	162	34.9	29.0-40.8
Some Post-H.S.	344	78,638	58	15.4	10.7-20.1	94	31.5	24.2-38.8	58	14.9	9.8-20.0	5	1.2	0.0- 2.4	129	36.9	30.0-43.8
College Graduate	583	90,916	79	8.5	6.0-11.0	130	21.4	17.1-25.7	130	24.2	19.3-29.1	7	1.4	0.0- 2.8	237	44.5	38.8-50.2
Less than \$15,000	94	16,690	18	22.1	9.8-34.4	27	27.6	15.3-39.9	17	19.7	8.1-31.3	1	0.5	0.0- 1.5	31	30.1	17.9-42.3
\$15,000- 24,999	178	34,003	27	16.0	8.0-24.0	41	18.8	11.5-26.1	34	23.5	13.5-33.5	2	0.4	0.0- 1.0	74	41.3	30.5-52.1
\$25,000- 34,999	118	21,898	29	30.6	17.1-44.1	30	18.3	10.5-26.1	20	21.0	10.8-31.2	3	2.1	0.0- 4.8	36	27.9	17.5-38.3
\$35,000- 49,999	139	29,802	28	23.0	11.4-34.6	32	17.6	9.2-26.0	30	26.1	12.4-39.8	4	2.3	0.0- 4.7	45	31.0	19.6-42.4
\$50,000- 74,999	213	50,693	41	15.9	10.0-21.8	49	29.4	20.0-38.8	39	19.7	11.9-27.5	4	2.3	0.0- 5.2	80	32.6	24.4-40.8
\$75,000+	532	112,772	76	13.3	9.2-17.4	116	23.0	18.1-27.9	102	17.6	13.3-21.9	9	1.7	0.3- 3.1	229	44.5	38.8-50.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1908	354,057	259	11.9	9.9-13.9	355	18.8	16.3-21.3	295	17.3	14.6-20.0	42	2.0	1.2- 2.8	957	50.1	46.8-53.4
White/Non-Hisp	1304	227,880	149	9.4	7.4-11.4	210	15.2	12.5-17.9	187	17.8	14.3-21.3	24	1.6	0.8- 2.4	734	56.0	52.1-59.9
Black or Afr. Am./Non-Hisp	269	70,322	58	19.8	13.3-26.3	63	23.3	16.0-30.6	55	17.9	12.4-23.4	5	2.3	0.0- 4.8	88	36.7	28.7-44.7
Oth. Race/Non-Hisp.	61	19,418	7	9.6	0.0-19.8	13	33.9	15.7-52.1	7	7.8	0.5-15.1	2	0.6	0.0- 1.6	32	48.1	29.9-66.3
Hispanic	190	24,362	36	13.4	7.7-19.1	52	28.7	18.7-38.7	25	14.1	6.8-21.4	9	5.9	1.0-10.8	68	37.9	27.9-47.9
18-24	93	38,521	13	14.1	4.1-24.1	24	19.3	9.1-29.5	24	32.5	18.0-47.0	2	1.2	0.0- 3.2	30	32.9	20.4-45.4
25-34	184	52,132	34	12.3	7.0-17.6	44	26.6	16.8-36.4	38	17.5	10.6-24.4	4	1.8	0.0- 3.8	64	41.9	31.9-51.9
35-44	241	52,249	26	9.5	5.0-14.0	45	15.9	10.2-21.6	47	17.6	11.9-23.3	7	2.5	0.3- 4.7	116	54.5	46.3-62.7
45-54	303	54,419	29	7.5	4.2-10.8	47	14.1	8.8-19.4	54	17.9	12.4-23.4	7	1.4	0.2- 2.6	166	59.1	51.8-66.4
55-64	397	65,870	39	8.4	5.3-11.5	70	19.8	14.1-25.5	57	16.0	11.1-20.9	4	0.9	0.0- 1.9	227	54.9	48.2-61.6
65+	690	90,867	118	17.1	13.4-20.8	125	17.9	14.2-21.6	75	11.1	8.0-14.2	18	3.2	1.0- 5.4	354	50.7	45.8-55.6
Less Than H.S.	171	32,083	40	16.2	10.1-22.3	41	27.3	16.5-38.1	19	12.3	5.0-19.6	6	3.0	0.1- 5.9	65	41.1	30.7-51.5
H.S. or G.E.D.	486	96,998	65	11.6	8.3-14.9	94	19.3	14.4-24.2	75	19.9	14.6-25.2	9	1.5	0.3- 2.7	243	47.7	41.6-53.8
Some Post-H.S.	489	113,632	81	15.4	10.9-19.9	87	16.9	12.2-21.6	88	18.9	13.2-24.6	10	2.0	0.2- 3.8	223	46.9	40.6-53.2
College Graduate	754	109,256	73	7.3	5.1- 9.5	131	17.8	13.5-22.1	113	15.1	11.8-18.4	16	2.1	0.9- 3.3	421	57.6	52.5-62.7
Less than \$15,000	168	24,615	39	21.6	13.6-29.6	35	17.1	9.8-24.4	23	18.9	6.2-31.6	1	0.3	0.0- 0.9	70	42.1	30.7-53.5
\$15,000- 24,999	253	39,837	43	15.8	10.1-21.5	58	23.4	16.0-30.8	46	22.1	14.7-29.5	12	4.2	1.1- 7.3	94	34.6	26.6-42.6
\$25,000- 34,999	146	25,185	24	17.9	9.9-25.9	32	20.0	11.6-28.4	23	20.6	11.4-29.8	1	0.2	0.0- 0.6	66	41.4	30.2-52.6
\$35,000- 49,999	224	44,384	23	7.8	3.7-11.9	49	27.1	17.3-36.9	38	16.2	10.3-22.1	4	3.0	0.0- 6.7	110	45.9	36.3-55.5
\$50,000- 74,999	206	37,853	25	11.8	5.9-17.7	33	13.6	7.9-19.3	28	17.7	7.5-27.9	3	0.8	0.0- 1.8	117	56.1	45.9-66.3
\$75,000+	540	117,410	41	7.5	3.8-11.2	82	16.1	11.6-20.6	90	16.4	11.7-21.1	7	1.0	0.2- 1.8	320	59.0	52.9-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 7: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3431	672,226	710	19.9	18.1-21.7	1636	47.1	44.7-49.5	765	23.1	20.9-25.3	31	0.8	0.4- 1.2	289	9.2	7.8-10.6
Male	1516	317,220	262	16.9	14.4-19.4	711	44.9	41.4-48.4	370	25.2	21.9-28.5	16	0.6	0.2- 1.0	157	12.4	9.9-14.9
Female	1915	355,005	448	22.5	20.0-25.0	925	49.0	45.7-52.3	395	21.3	18.6-24.0	15	0.9	0.3- 1.5	132	6.3	4.7- 7.9
White/Non-Hisp	2366	431,828	489	18.9	16.9-20.9	1151	49.1	46.4-51.8	532	23.1	20.7-25.5	15	0.5	0.3- 0.7	179	8.5	6.9-10.1
Black or Afr. Am./Non-Hisp	418	134,810	91	20.3	15.2-25.4	178	38.1	31.8-44.4	105	28.6	22.5-34.7	5	1.5	0.0- 3.1	39	11.5	7.2-15.8
Oth. Race/Non-Hisp.	125	34,976	33	32.8	20.3-45.3	61	47.7	35.2-60.2	20	13.2	5.0-21.4				11	6.3	1.8-10.8
MultiRacial/Non-Hisp.	67	6,389	10	13.8	1.1-26.5	24	33.8	18.1-49.5	21	33.5	17.8-49.2				12	18.9	6.4-31.4
Hispanic	372	50,340	64	16.8	11.3-22.3	180	53.3	45.5-61.1	79	18.2	12.9-23.5	8	1.4	0.4- 2.4	41	10.2	5.1-15.3
18-24	214	76,754	30	11.6	6.5-16.7	93	44.3	35.1-53.5	57	26.9	18.5-35.3	4	1.1	0.0- 2.3	30	16.2	9.5-22.9
25-34	378	109,146	60	15.1	10.0-20.2	173	43.6	36.5-50.7	91	24.6	18.3-30.9	3	0.5	0.0- 1.3	51	16.2	10.5-21.9
35-44	416	98,945	99	24.4	18.7-30.1	189	47.2	40.7-53.7	88	21.8	16.5-27.1	4	0.4	0.0- 0.8	36	6.2	3.8- 8.6
45-54	537	104,340	114	23.9	19.0-28.8	255	44.6	39.1-50.1	129	25.9	20.8-31.0	3	0.3	0.0- 0.7	36	5.4	3.2- 7.6
55-64	710	119,320	145	18.9	15.4-22.4	342	48.4	43.5-53.3	170	25.9	21.6-30.2	6	0.5	0.0- 1.1	47	6.3	3.9- 8.7
65+	1176	163,721	262	22.5	19.4-25.6	584	51.2	47.3-55.1	230	17.4	14.7-20.1	11	1.4	0.2- 2.6	89	7.5	5.5- 9.5
Less Than H.S.	341	70,007	42	11.4	6.7-16.1	154	47.3	39.3-55.3	81	25.6	18.2-33.0	6	2.3	0.0- 5.0	58	13.4	8.7-18.1
H.S. or G.E.D.	905	206,510	162	17.4	14.1-20.7	392	41.4	37.1-45.7	237	28.6	24.5-32.7	12	1.0	0.2- 1.8	102	11.6	8.7-14.5
Some Post-H.S.	834	192,759	162	19.7	16.2-23.2	404	51.3	46.6-56.0	187	19.7	16.0-23.4	7	0.3	0.1- 0.5	74	9.1	6.4-11.8
College Graduate	1334	200,261	341	25.5	22.2-28.8	681	48.9	45.0-52.8	258	20.1	17.2-23.0	4	0.3	0.0- 0.7	50	5.2	3.0- 7.4
Less than \$15,000	264	41,171	39	11.9	7.4-16.4	108	43.7	34.7-52.7	79	31.6	23.0-40.2	2	0.2	0.0- 0.6	36	12.6	7.1-18.1
\$15,000- 24,999	434	74,096	70	15.1	10.0-20.2	194	44.7	38.0-51.4	106	25.0	19.1-30.9	6	0.9	0.0- 1.9	58	14.3	9.4-19.2
\$25,000- 34,999	262	46,902	44	15.3	9.2-21.4	126	47.5	39.1-55.9	59	25.0	17.6-32.4	2	0.6	0.0- 1.4	31	11.6	6.9-16.3
\$35,000- 49,999	364	74,050	73	19.7	13.2-26.2	168	42.1	34.5-49.7	83	27.2	19.6-34.8	4	1.0	0.0- 2.0	36	10.0	5.3-14.7
\$50,000- 74,999	416	87,838	90	22.6	17.1-28.1	203	45.6	38.7-52.5	100	27.4	20.5-34.3	1	0.1	0.0- 0.3	22	4.3	2.1- 6.5
\$75,000+	1071	230,868	267	23.1	19.8-26.4	542	51.2	47.1-55.3	220	20.4	17.1-23.7	3	0.2	0.0- 0.6	39	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 8: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1516	317,220	262	16.9	14.4-19.4	711	44.9	41.4-48.4	370	25.2	21.9-28.5	16	0.6	0.2- 1.0	157	12.4	9.9-14.9
White/Non-Hisp	1063	203,339	181	16.2	13.5-18.9	519	47.6	43.7-51.5	261	24.1	20.6-27.6	7	0.5	0.1- 0.9	95	11.6	8.7-14.5
Black or Afr. Am./Non-Hisp	145	64,149	29	20.1	11.9-28.3	53	29.7	20.7-38.7	39	33.0	22.8-43.2				24	17.2	9.4-25.0
Oth. Race/Non-Hisp.	63	15,463	13	20.5	6.0-35.0	31	53.3	36.6-70.0	10	16.9	4.0-29.8				9	9.4	2.3-16.5
Hispanic	180	26,154	25	12.4	6.5-18.3	81	56.7	45.7-67.7	48	21.9	13.5-30.3	6	1.9	0.1- 3.7	20	7.1	2.8-11.4
18-24	121	38,233	18	12.7	5.8-19.6	45	32.5	22.1-42.9	32	28.5	16.9-40.1	3	1.2	0.0- 2.6	23	25.2	14.2-36.2
25-34	189	56,368	22	10.9	5.0-16.8	81	39.5	29.5-49.5	53	29.9	19.9-39.9	1	0.2	0.0- 0.6	32	19.6	11.0-28.2
35-44	177	46,990	34	18.3	10.1-26.5	83	53.4	43.4-63.4	38	19.2	11.8-26.6	3	0.6	0.0- 1.4	19	8.5	4.0-13.0
45-54	234	50,641	49	25.1	17.7-32.5	107	40.6	32.6-48.6	58	28.0	19.8-36.2	2	0.6	0.0- 1.6	18	5.8	2.7- 8.9
55-64	312	53,521	44	12.4	8.1-16.7	156	50.1	43.0-57.2	83	27.9	21.4-34.4	4	1.0	0.0- 2.2	25	8.6	4.5-12.7
65+	483	71,468	95	20.7	15.6-25.8	239	49.4	43.3-55.5	106	19.7	15.0-24.4	3	0.3	0.0- 0.7	40	9.9	6.2-13.6
Less Than H.S.	168	37,379	13	8.2	1.5-14.9	69	43.4	31.8-55.0	52	31.1	19.3-42.9	2	0.7	0.0- 1.7	32	16.7	9.3-24.1
H.S. or G.E.D.	413	108,579	66	15.3	10.8-19.8	160	38.3	32.0-44.6	116	29.7	23.4-36.0	7	1.0	0.2- 1.8	64	15.7	10.8-20.6
Some Post-H.S.	345	78,579	64	19.7	14.2-25.2	167	48.0	40.7-55.3	74	19.6	13.7-25.5	4	0.4	0.0- 0.8	36	12.3	7.2-17.4
College Graduate	581	91,331	118	19.8	15.1-24.5	314	51.3	45.6-57.0	126	22.3	17.6-27.0	1	0.0	0.0- 0.0	22	6.6	2.7-10.5
Less than \$15,000	92	16,011	6	5.4	0.9- 9.9	34	37.6	24.5-50.7	36	42.8	28.1-57.5	1	0.3	0.0- 0.9	15	13.9	4.5-23.3
\$15,000- 24,999	178	33,629	22	14.3	5.7-22.9	76	40.6	30.0-51.2	47	25.4	16.2-34.6	5	1.9	0.0- 3.9	28	17.8	9.2-26.4
\$25,000- 34,999	116	21,340	18	16.4	6.2-26.6	55	47.6	34.7-60.5	23	18.1	8.7-27.5	1	0.4	0.0- 1.2	19	17.5	9.1-25.9
\$35,000- 49,999	138	29,609	21	15.2	5.2-25.2	64	36.3	24.9-47.7	33	32.6	18.5-46.7	3	1.6	0.0- 3.6	17	14.2	4.8-23.6
\$50,000- 74,999	210	49,985	37	17.0	10.7-23.3	98	45.6	36.2-55.0	62	32.9	23.7-42.1				13	4.6	1.7- 7.5
\$75,000+	534	113,634	117	20.4	15.9-24.9	276	49.9	44.2-55.6	113	22.2	17.1-27.3	2	0.1	0.0- 0.3	26	7.4	4.1-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 9: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	355,005	448	22.5	20.0-25.0	925	49.0	45.7-52.3	395	21.3	18.6-24.0	15	0.9	0.3- 1.5	132	6.3	4.7- 7.9
White/Non-Hisp	1303	228,489	308	21.3	18.6-24.0	632	50.5	46.6-54.4	271	22.2	18.9-25.5	8	0.5	0.1- 0.9	84	5.6	4.0- 7.2
Black or Afr. Am./Non-Hisp	273	70,661	62	20.5	14.4-26.6	125	45.8	37.8-53.8	66	24.6	17.9-31.3	5	2.8	0.0- 5.7	15	6.2	1.9-10.5
Oth. Race/Non-Hisp.	62	19,514	20	42.6	24.2-61.0	30	43.3	25.5-61.1	10	10.3	0.0-21.1				2	3.8	0.0- 9.7
Hispanic	192	24,186	39	21.6	12.4-30.8	99	49.7	39.3-60.1	31	14.2	7.9-20.5	2	0.9	0.0- 2.1	21	13.6	4.6-22.6
18-24	93	38,521	12	10.5	3.1-17.9	48	55.9	42.0-69.8	25	25.3	13.1-37.5	1	1.0	0.0- 3.0	7	7.3	0.6-14.0
25-34	189	52,778	38	19.6	11.4-27.8	92	48.1	38.1-58.1	38	18.9	11.5-26.3	2	1.0	0.0- 2.6	19	12.5	5.6-19.4
35-44	239	51,955	65	29.9	22.1-37.7	106	41.6	33.4-49.8	50	24.2	16.8-31.6	1	0.2	0.0- 0.6	17	4.1	1.7- 6.5
45-54	303	53,699	65	22.7	16.6-28.8	148	48.3	40.9-55.7	71	23.9	17.6-30.2	1	0.1	0.0- 0.3	18	5.0	1.9- 8.1
55-64	398	65,799	101	24.1	18.6-29.6	186	47.0	40.3-53.7	87	24.2	18.3-30.1	2	0.2	0.0- 0.6	22	4.5	2.1- 6.9
65+	693	92,253	167	23.9	19.8-28.0	345	52.6	47.7-57.5	124	15.7	12.4-19.0	8	2.2	0.0- 4.4	49	5.6	3.6- 7.6
Less Than H.S.	173	32,628	29	15.0	8.1-21.9	85	51.8	41.4-62.2	29	19.3	11.3-27.3	4	4.2	0.0- 9.7	26	9.7	4.4-15.0
H.S. or G.E.D.	492	97,931	96	19.8	15.1-24.5	232	44.9	39.0-50.8	121	27.3	21.8-32.8	5	1.0	0.0- 2.2	38	7.0	4.1- 9.9
Some Post-H.S.	489	114,180	98	19.7	15.0-24.4	237	53.5	47.2-59.8	113	19.7	14.6-24.8	3	0.2	0.0- 0.6	38	6.8	3.9- 9.7
College Graduate	753	108,930	223	30.2	25.3-35.1	367	46.9	41.6-52.2	132	18.3	14.4-22.2	3	0.5	0.0- 1.3	28	4.1	1.7- 6.5
Less than \$15,000	172	25,161	33	16.0	9.1-22.9	74	47.5	35.9-59.1	43	24.5	14.9-34.1	1	0.2	0.0- 0.6	21	11.8	4.9-18.7
\$15,000- 24,999	256	40,467	48	15.8	9.9-21.7	118	48.2	39.8-56.6	59	24.6	17.0-32.2	1	0.1	0.0- 0.3	30	11.3	6.4-16.2
\$25,000- 34,999	146	25,562	26	14.4	7.3-21.5	71	47.5	36.3-58.7	36	30.7	20.1-41.3	1	0.7	0.0- 2.1	12	6.8	1.9-11.7
\$35,000- 49,999	226	44,440	52	22.7	14.3-31.1	104	46.0	36.2-55.8	50	23.6	15.8-31.4	1	0.6	0.0- 1.8	19	7.1	2.4-11.8
\$50,000- 74,999	206	37,853	53	30.1	21.1-39.1	105	45.6	35.8-55.4	38	20.2	10.2-30.2	1	0.2	0.0- 0.6	9	3.8	0.9- 6.7
\$75,000+	537	117,233	150	25.8	20.9-30.7	266	52.5	46.4-58.6	107	18.6	14.3-22.9	1	0.3	0.0- 0.9	13	2.8	0.3- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3418	667,842	88	2.8	2.0- 3.6	1320	39.4	37.0-41.8	1302	40.0	37.6-42.4	53	1.6	1.0- 2.2	655	16.3	14.7-17.9
Male	1512	315,818	57	3.8	2.6- 5.0	647	43.1	39.6-46.6	556	37.7	34.2-41.2	18	1.1	0.3- 1.9	234	14.3	11.9-16.7
Female	1906	352,024	31	1.8	0.8- 2.8	673	36.2	33.1-39.3	746	42.0	38.7-45.3	35	2.0	1.2- 2.8	421	18.1	15.7-20.5
White/Non-Hisp	2358	428,722	50	2.4	1.6- 3.2	909	40.1	37.4-42.8	926	41.4	38.7-44.1	26	0.7	0.3- 1.1	447	15.3	13.5-17.1
Black or Afr. Am./Non-Hisp	414	133,005	10	2.4	0.6- 4.2	162	38.1	31.8-44.4	159	40.0	33.5-46.5	12	3.3	1.1- 5.5	71	16.1	11.2-21.0
Oth. Race/Non-Hisp.	128	35,363	9	5.5	0.8-10.2	46	38.2	25.9-50.5	41	35.4	23.4-47.4	5	4.5	0.0- 9.6	27	16.4	7.4-25.4
MultiRacial/Non-Hisp.	66	6,311	4	14.6	0.0-30.5	24	37.6	21.3-53.9	27	33.8	18.7-48.9	2	3.2	0.0- 7.7	9	10.8	1.4-20.2
Hispanic	372	50,912	14	3.3	1.3- 5.3	145	37.1	29.8-44.4	125	33.9	25.9-41.9	6	1.5	0.0- 3.1	82	24.3	17.6-31.0
18-24	213	75,451	18	8.1	3.8-12.4	96	39.7	30.9-48.5	75	43.8	34.2-53.4	4	2.1	0.0- 4.5	20	6.2	2.7- 9.7
25-34	372	106,829	14	3.0	1.0- 5.0	163	42.9	35.6-50.2	144	40.1	32.8-47.4	6	1.8	0.0- 3.8	45	12.2	7.3-17.1
35-44	413	98,734	7	1.4	0.2- 2.6	181	46.5	39.8-53.2	159	38.0	31.7-44.3	5	0.9	0.1- 1.7	61	13.2	8.9-17.5
45-54	531	103,425	10	1.6	0.2- 3.0	199	37.3	32.0-42.6	211	41.7	36.0-47.4	3	0.8	0.0- 1.8	108	18.6	14.3-22.9
55-64	710	119,550	15	2.3	0.7- 3.9	252	35.8	31.1-40.5	290	42.5	37.6-47.4	12	1.8	0.4- 3.2	141	17.6	14.1-21.1
65+	1179	163,853	24	2.0	1.0- 3.0	429	36.8	33.1-40.5	423	36.3	32.6-40.0	23	1.9	0.9- 2.9	280	23.0	19.7-26.3
Less Than H.S.	342	70,582	12	2.8	0.6- 5.0	121	34.0	26.7-41.3	122	36.2	28.2-44.2	7	1.5	0.1- 2.9	80	25.5	18.6-32.4
H.S. or G.E.D.	898	205,507	32	4.1	2.3- 5.9	369	42.1	37.8-46.4	322	38.7	34.2-43.2	15	1.5	0.5- 2.5	160	13.6	10.9-16.3
Some Post-H.S.	830	189,583	18	2.4	1.0- 3.8	331	40.6	35.9-45.3	317	40.2	35.5-44.9	13	2.2	0.8- 3.6	151	14.7	11.8-17.6
College Graduate	1331	199,482	26	1.7	0.7- 2.7	489	37.3	33.6-41.0	537	42.6	38.9-46.3	18	1.1	0.3- 1.9	261	17.3	14.4-20.2
Less than \$15,000	261	40,732	11	3.8	0.9- 6.7	93	37.2	29.0-45.4	82	34.7	25.3-44.1	8	4.0	0.9- 7.1	67	20.3	14.0-26.6
\$15,000- 24,999	430	72,925	11	2.7	0.9- 4.5	164	37.6	30.9-44.3	150	39.0	32.1-45.9	11	3.4	1.0- 5.8	94	17.3	12.2-22.4
\$25,000- 34,999	263	47,109	7	4.2	0.7- 7.7	102	33.3	26.0-40.6	97	41.2	32.8-49.6	4	1.0	0.0- 2.2	53	20.2	12.9-27.5
\$35,000- 49,999	362	74,161	5	0.9	0.0- 1.9	128	35.7	28.3-43.1	160	47.0	39.0-55.0	4	0.4	0.0- 0.8	65	16.1	10.6-21.6
\$50,000- 74,999	415	87,411	12	3.5	1.0- 6.0	171	43.4	36.5-50.3	155	37.0	30.1-43.9	3	1.1	0.0- 2.5	74	15.1	10.8-19.4
\$75,000+	1066	229,450	21	1.9	0.9- 2.9	432	42.2	38.1-46.3	443	42.6	38.5-46.7	6	0.6	0.0- 1.2	164	12.7	10.2-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1512	315,818	57	3.8	2.6- 5.0	647	43.1	39.6-46.6	556	37.7	34.2-41.2	18	1.1	0.3- 1.9	234	14.3	11.9-16.7
White/Non-Hisp	1056	200,865	37	3.7	2.1- 5.3	468	46.9	43.0-50.8	394	37.1	33.2-41.0	8	0.6	0.0- 1.2	149	11.7	9.5-13.9
Black or Afr. Am./Non-Hisp	146	64,513	5	2.7	0.2- 5.2	54	34.3	24.5-44.1	56	40.2	29.8-50.6	4	2.7	0.0- 5.6	27	20.0	11.6-28.4
Oth. Race/Non-Hisp.	66	15,849	3	6.0	0.0-13.6	25	41.7	25.0-58.4	25	39.1	23.2-55.0	3	1.7	0.0- 3.9	10	11.5	2.5-20.5
Hispanic	181	26,779	10	5.2	1.5- 8.9	72	36.4	25.6-47.2	59	35.8	23.6-48.0	1	0.4	0.0- 1.2	39	22.2	13.0-31.4
18-24	120	36,931	11	7.9	2.6-13.2	57	44.2	32.6-55.8	37	36.7	24.7-48.7	4	4.2	0.0- 9.1	11	7.0	1.7-12.3
25-34	188	55,581	10	4.8	1.3- 8.3	82	41.6	31.4-51.8	76	41.5	30.9-52.1	1	0.1	0.0- 0.3	19	12.0	4.7-19.3
35-44	176	47,428	4	1.9	0.0- 4.3	87	56.3	46.5-66.1	63	32.2	23.0-41.4	1	0.2	0.0- 0.6	21	9.4	4.5-14.3
45-54	233	50,103	5	2.1	0.0- 4.5	90	37.3	29.5-45.1	92	41.6	33.2-50.0	2	1.0	0.0- 2.4	44	18.0	11.5-24.5
55-64	314	54,234	10	3.9	1.0- 6.8	122	38.7	31.8-45.6	119	39.1	32.0-46.2	3	1.1	0.0- 2.7	60	17.2	12.1-22.3
65+	481	71,542	17	3.3	1.3- 5.3	209	42.2	36.3-48.1	169	35.2	29.3-41.1	7	0.9	0.1- 1.7	79	18.4	13.1-23.7
Less Than H.S.	169	38,101	10	3.9	1.0- 6.8	60	30.1	20.7-39.5	58	39.9	27.6-52.2	1	0.2	0.0- 0.6	40	26.0	16.2-35.8
H.S. or G.E.D.	409	107,992	24	6.5	3.6- 9.4	179	45.2	38.7-51.7	142	35.6	29.1-42.1	9	2.2	0.2- 4.2	55	10.6	7.1-14.1
Some Post-H.S.	344	77,257	7	2.0	0.4- 3.6	157	46.2	38.9-53.5	129	38.5	31.4-45.6	4	1.0	0.0- 2.0	47	12.2	7.7-16.7
College Graduate	581	91,116	16	2.1	0.5- 3.7	246	43.5	37.8-49.2	225	38.8	33.3-44.3	4	0.3	0.0- 0.7	90	15.3	11.0-19.6
Less than \$15,000	92	15,744	3	1.5	0.0- 3.3	34	39.0	25.3-52.7	31	36.1	21.8-50.4	3	3.5	0.0- 8.0	21	19.9	9.5-30.3
\$15,000- 24,999	176	33,089	9	5.5	1.6- 9.4	65	31.9	21.9-41.9	65	42.8	31.8-53.8	4	2.0	0.0- 4.5	33	17.8	9.0-26.6
\$25,000- 34,999	118	21,726	5	6.6	0.0-13.3	49	33.1	22.5-43.7	40	39.0	25.9-52.1	1	0.5	0.0- 1.5	23	20.8	10.2-31.4
\$35,000- 49,999	137	29,997	3	1.6	0.0- 3.6	57	37.3	24.8-49.8	60	47.3	33.8-60.8	2	0.5	0.0- 1.3	15	13.3	4.3-22.3
\$50,000- 74,999	211	49,748	10	4.6	1.1- 8.1	93	48.3	38.9-57.7	80	34.7	25.9-43.5	2	0.7	0.0- 1.7	26	11.8	6.3-17.3
\$75,000+	532	113,242	16	3.1	1.1- 5.1	242	47.8	42.1-53.5	203	37.6	31.9-43.3	2	0.1	0.0- 0.3	69	11.4	7.9-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 12: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1906	352,024	31	1.8	0.8- 2.8	673	36.2	33.1-39.3	746	42.0	38.7-45.3	35	2.0	1.2- 2.8	421	18.1	15.7-20.5
White/Non-Hisp	1302	227,857	13	1.3	0.3- 2.3	441	34.1	30.6-37.6	532	45.3	41.4-49.2	18	0.9	0.5- 1.3	298	18.4	15.9-20.9
Black or Afr. Am./Non-Hisp	268	68,492	5	2.1	0.0- 4.5	108	41.7	33.7-49.7	103	39.9	31.9-47.9	8	3.9	1.0- 6.8	44	12.4	6.9-17.9
Oth. Race/Non-Hisp.	62	19,514	6	5.1	0.0-10.8	21	35.4	17.8-53.0	16	32.4	15.2-49.6	2	6.7	0.0-15.7	17	20.4	6.1-34.7
Hispanic	191	24,133	4	1.1	0.0- 2.3	73	37.8	28.0-47.6	66	31.7	21.9-41.5	5	2.8	0.0- 5.9	43	26.6	16.8-36.4
18-24	93	38,521	7	8.4	1.7-15.1	39	35.4	22.7-48.1	38	50.7	36.6-64.8				9	5.5	0.6-10.4
25-34	184	51,248	4	1.1	0.0- 2.7	81	44.2	34.2-54.2	68	38.7	28.9-48.5	5	3.7	0.0- 7.6	26	12.3	5.8-18.8
35-44	237	51,306	3	0.9	0.0- 2.1	94	37.4	29.4-45.4	96	43.4	35.0-51.8	4	1.5	0.0- 3.1	40	16.8	10.1-23.5
45-54	298	53,322	5	1.1	0.0- 2.3	109	37.3	30.0-44.6	119	41.8	34.5-49.1	1	0.6	0.0- 1.8	64	19.2	13.7-24.7
55-64	396	65,316	5	1.0	0.0- 2.2	130	33.3	27.0-39.6	171	45.4	38.7-52.1	9	2.4	0.2- 4.6	81	17.9	13.0-22.8
65+	698	92,311	7	1.0	0.0- 2.0	220	32.7	28.0-37.4	254	37.1	32.4-41.8	16	2.6	0.8- 4.4	201	26.6	22.3-30.9
Less Than H.S.	173	32,481	2	1.6	0.0- 4.3	61	38.6	28.0-49.2	64	32.0	22.6-41.4	6	3.0	0.3- 5.7	40	24.8	15.6-34.0
H.S. or G.E.D.	489	97,516	8	1.5	0.0- 3.3	190	38.7	33.0-44.4	180	42.1	36.0-48.2	6	0.8	0.0- 1.6	105	16.9	12.8-21.0
Some Post-H.S.	486	112,326	11	2.6	0.6- 4.6	174	36.7	30.6-42.8	188	41.3	34.8-47.8	9	2.9	0.7- 5.1	104	16.4	12.3-20.5
College Graduate	750	108,366	10	1.3	0.1- 2.5	243	32.1	27.2-37.0	312	45.9	40.6-51.2	14	1.8	0.4- 3.2	171	18.9	15.0-22.8
Less than \$15,000	169	24,988	8	5.2	0.7- 9.7	59	36.1	25.7-46.5	51	33.9	21.6-46.2	5	4.4	0.1- 8.7	46	20.5	12.5-28.5
\$15,000- 24,999	254	39,837	2	0.3	0.0- 0.7	99	42.4	33.8-51.0	85	35.9	27.5-44.3	7	4.6	0.7- 8.5	61	16.9	11.4-22.4
\$25,000- 34,999	145	25,383	2	2.2	0.0- 5.7	53	33.5	23.5-43.5	57	43.2	32.0-54.4	3	1.4	0.0- 3.2	30	19.8	9.8-29.8
\$35,000- 49,999	225	44,164	2	0.4	0.0- 1.0	71	34.6	25.4-43.8	100	46.7	36.9-56.5	2	0.3	0.0- 0.7	50	18.0	11.1-24.9
\$50,000- 74,999	204	37,664	2	2.1	0.0- 5.8	78	36.9	27.7-46.1	75	40.0	29.6-50.4	1	1.5	0.0- 4.4	48	19.4	12.3-26.5
\$75,000+	534	116,208	5	0.8	0.0- 1.8	190	36.7	30.8-42.6	240	47.5	41.4-53.6	4	1.0	0.0- 2.2	95	13.9	10.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 13: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3388	661,930	85	1.9	1.3- 2.5	1392	39.8	37.4-42.2	1296	39.4	37.0-41.8	41	1.1	0.7- 1.5	574	17.9	15.9-19.9
Male	1503	315,186	36	1.9	1.1- 2.7	655	41.9	38.4-45.4	546	38.3	34.8-41.8	19	1.0	0.4- 1.6	247	16.9	14.2-19.6
Female	1885	346,743	49	1.8	1.2- 2.4	737	37.8	34.7-40.9	750	40.4	37.3-43.5	22	1.1	0.5- 1.7	327	18.9	16.4-21.4
White/Non-Hisp	2339	424,821	68	2.3	1.5- 3.1	981	40.9	38.2-43.6	898	39.6	36.9-42.3	21	0.8	0.4- 1.2	371	16.4	14.2-18.6
Black or Afr. Am./Non-Hisp	410	131,966	4	0.5	0.0- 1.1	140	30.8	24.9-36.7	182	45.6	38.9-52.3	10	2.0	0.6- 3.4	74	21.1	15.6-26.6
Oth. Race/Non-Hisp.	126	35,139	2	1.1	0.0- 2.9	55	50.7	38.2-63.2	43	32.3	20.7-43.9	3	1.3	0.0- 3.1	23	14.6	6.2-23.0
MultiRacial/Non-Hisp.	65	6,228	2	6.9	0.0-18.9	24	38.1	21.0-55.2	28	34.1	19.0-49.2	1	1.0	0.0- 3.0	10	19.9	6.8-33.0
Hispanic	369	50,544	8	1.8	0.2- 3.4	158	47.0	39.0-55.0	121	28.5	21.2-35.8	5	0.5	0.0- 1.1	77	22.1	15.8-28.4
18-24	211	74,592	2	0.7	0.0- 1.9	99	38.8	30.2-47.4	71	38.0	28.6-47.4	2	0.8	0.0- 2.0	37	21.7	13.3-30.1
25-34	370	106,332	9	1.7	0.3- 3.1	138	37.9	30.8-45.0	141	36.9	29.8-44.0	6	1.4	0.2- 2.6	76	22.3	16.2-28.4
35-44	405	95,739	10	2.1	0.5- 3.7	158	39.4	32.9-45.9	160	41.8	35.1-48.5	4	0.5	0.0- 1.1	73	16.2	11.7-20.7
45-54	528	103,087	13	2.2	0.6- 3.8	185	35.2	29.9-40.5	209	40.5	34.8-46.2	6	0.9	0.1- 1.7	115	21.2	16.9-25.5
55-64	699	118,437	18	2.0	0.8- 3.2	268	39.0	34.3-43.7	281	41.7	36.8-46.6	9	1.5	0.3- 2.7	123	15.9	12.6-19.2
65+	1175	163,743	33	2.0	1.2- 2.8	544	45.2	41.5-48.9	434	37.9	34.2-41.6	14	1.1	0.3- 1.9	150	13.7	11.0-16.4
Less Than H.S.	335	69,349	11	1.7	0.5- 2.9	147	45.6	37.6-53.6	113	34.8	26.8-42.8	4	1.0	0.0- 2.2	60	16.9	11.4-22.4
H.S. or G.E.D.	890	202,964	22	2.0	1.0- 3.0	354	37.8	33.5-42.1	352	41.5	37.0-46.0	7	0.5	0.1- 0.9	155	18.2	14.7-21.7
Some Post-H.S.	825	188,838	24	2.5	1.1- 3.9	347	40.3	35.8-44.8	319	39.3	34.6-44.0	11	1.4	0.4- 2.4	124	16.5	12.8-20.2
College Graduate	1320	198,038	28	1.2	0.6- 1.8	535	39.0	35.3-42.7	509	39.2	35.5-42.9	17	1.2	0.4- 2.0	231	19.3	16.0-22.6
Less than \$15,000	258	40,227	10	3.4	0.7- 6.1	106	40.2	31.6-48.8	96	32.6	24.8-40.4	6	3.3	0.2- 6.4	40	20.5	11.3-29.7
\$15,000- 24,999	428	72,514	14	2.0	0.6- 3.4	160	39.5	32.6-46.4	168	40.9	34.2-47.6	5	0.8	0.0- 1.6	81	16.9	12.4-21.4
\$25,000- 34,999	261	46,504	3	1.2	0.0- 3.0	104	33.2	25.9-40.5	96	39.1	30.7-47.5	4	1.5	0.0- 3.3	54	25.0	17.2-32.8
\$35,000- 49,999	358	72,694	9	1.6	0.4- 2.8	131	34.8	27.2-42.4	158	47.2	39.2-55.2	3	0.3	0.1- 0.5	57	16.3	10.8-21.8
\$50,000- 74,999	410	86,680	10	2.0	0.4- 3.6	170	40.4	33.7-47.1	160	42.0	34.9-49.1	5	1.4	0.0- 3.0	65	14.2	9.5-18.9
\$75,000+	1055	227,486	20	1.4	0.6- 2.2	452	41.2	37.1-45.3	407	39.5	35.4-43.6	11	0.8	0.2- 1.4	165	17.1	13.8-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1503	315,186	36	1.9	1.1- 2.7	655	41.9	38.4-45.4	546	38.3	34.8-41.8	19	1.0	0.4- 1.6	247	16.9	14.2-19.6
White/Non-Hisp	1054	200,973	31	2.4	1.2- 3.6	475	44.8	40.9-48.7	374	36.5	32.6-40.4	11	1.0	0.4- 1.6	163	15.4	12.5-18.3
Black or Afr. Am./Non-Hisp	146	64,500	1	0.7	0.0- 2.1	52	30.0	20.8-39.2	69	50.1	39.7-60.5	2	0.9	0.0- 2.3	22	18.3	10.3-26.3
Oth. Race/Non-Hisp.	64	15,625	1	2.1	0.0- 6.2	27	46.0	29.3-62.7	22	29.2	15.1-43.3	2	2.8	0.0- 6.7	12	20.0	5.3-34.7
Hispanic	177	26,358	3	1.6	0.0- 3.8	72	47.9	35.9-59.9	63	33.0	21.8-44.2	3	0.6	0.0- 1.4	36	16.8	9.2-24.4
18-24	119	36,516	1	1.3	0.0- 3.8	56	40.2	29.0-51.4	40	37.1	25.1-49.1	2	1.7	0.0- 4.1	20	19.6	9.4-29.8
25-34	186	55,954	5	2.1	0.1- 4.1	62	34.4	24.4-44.4	78	39.9	29.5-50.3	2	0.6	0.0- 1.6	39	23.1	14.1-32.1
35-44	173	46,920	4	1.7	0.0- 3.7	74	45.8	35.6-56.0	63	38.3	27.9-48.7	2	0.7	0.0- 1.9	30	13.6	7.7-19.5
45-54	231	50,006	6	2.6	0.0- 5.5	88	35.8	28.0-43.6	85	40.9	32.3-49.5	3	1.1	0.0- 2.5	49	19.7	13.6-25.8
55-64	311	53,864	6	1.5	0.1- 2.9	130	42.3	35.4-49.2	116	39.3	32.2-46.4	5	1.0	0.0- 2.0	54	15.8	10.7-20.9
65+	483	71,925	14	2.0	0.6- 3.4	245	50.1	44.0-56.2	164	35.1	29.2-41.0	5	1.1	0.0- 2.3	55	11.6	7.7-15.5
Less Than H.S.	165	37,701	3	1.1	0.0- 2.7	71	46.0	34.4-57.6	59	38.9	26.7-51.1	2	0.8	0.0- 2.2	30	13.1	6.8-19.4
H.S. or G.E.D.	406	107,887	10	2.2	0.6- 3.8	172	39.1	32.8-45.4	152	41.7	35.0-48.4	2	0.4	0.0- 1.2	70	16.5	11.6-21.4
Some Post-H.S.	343	77,429	9	2.6	0.4- 4.8	160	45.1	38.0-52.2	119	34.6	27.5-41.7	4	1.3	0.0- 2.7	51	16.4	10.7-22.1
College Graduate	579	90,766	14	1.3	0.3- 2.3	248	40.8	35.3-46.3	214	37.4	31.9-42.9	10	1.5	0.5- 2.5	93	19.0	13.9-24.1
Less than \$15,000	91	15,651	3	1.8	0.0- 4.0	35	45.7	31.4-60.0	36	35.9	22.6-49.2	3	2.7	0.0- 7.0	14	13.9	4.3-23.5
\$15,000- 24,999	176	33,323	3	1.2	0.0- 2.8	62	35.5	24.5-46.5	72	46.5	35.5-57.5	1	0.5	0.0- 1.5	38	16.4	9.3-23.5
\$25,000- 34,999	116	21,513	3	2.7	0.0- 6.2	47	33.0	22.2-43.8	38	36.5	23.4-49.6	3	2.8	0.0- 6.3	25	24.9	13.3-36.5
\$35,000- 49,999	134	29,498	4	1.6	0.0- 3.4	58	37.7	25.2-50.2	51	44.5	30.8-58.2	1	0.2	0.0- 0.6	20	16.0	6.6-25.4
\$50,000- 74,999	208	49,317	7	2.9	0.4- 5.4	87	39.0	30.0-48.0	80	40.2	30.6-49.8	2	0.9	0.0- 2.3	32	17.0	9.7-24.3
\$75,000+	529	113,271	10	1.3	0.0- 2.7	254	46.7	41.0-52.4	188	36.8	31.1-42.5	5	0.6	0.0- 1.2	72	14.6	10.3-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1885	346,743	49	1.8	1.2- 2.4	737	37.8	34.7-40.9	750	40.4	37.3-43.5	22	1.1	0.5- 1.7	327	18.9	16.4-21.4
White/Non-Hisp	1285	223,847	37	2.3	1.3- 3.3	506	37.4	33.7-41.1	524	42.3	38.4-46.2	10	0.7	0.1- 1.3	208	17.3	14.4-20.2
Black or Afr. Am./Non-Hisp	264	67,466	3	0.3	0.0- 0.7	88	31.6	24.0-39.2	113	41.3	33.5-49.1	8	3.0	0.5- 5.5	52	23.8	16.2-31.4
Oth. Race/Non-Hisp.	62	19,514	1	0.4	0.0- 1.2	28	54.5	36.5-72.5	21	34.8	17.6-52.0	1	0.1	0.0- 0.3	11	10.2	1.2-19.2
Hispanic	192	24,186	5	1.9	0.0- 3.9	86	46.1	35.7-56.5	58	23.7	15.1-32.3	2	0.5	0.0- 1.3	41	27.9	18.3-37.5
18-24	92	38,076	1	0.1	0.0- 0.3	43	37.4	24.3-50.5	31	38.9	24.6-53.2				17	23.6	10.5-36.7
25-34	184	50,377	4	1.2	0.0- 2.8	76	41.7	31.7-51.7	63	33.5	23.9-43.1	4	2.2	0.0- 4.6	37	21.4	13.8-29.0
35-44	232	48,819	6	2.5	0.0- 5.0	84	33.3	25.7-40.9	97	45.2	36.8-53.6	2	0.3	0.0- 0.7	43	18.8	11.9-25.7
45-54	297	53,080	7	1.9	0.3- 3.5	97	34.7	27.4-42.0	124	40.0	32.7-47.3	3	0.7	0.0- 1.7	66	22.7	16.4-29.0
55-64	388	64,573	12	2.4	0.6- 4.2	138	36.2	29.7-42.7	165	43.7	37.0-50.4	4	1.8	0.0- 3.8	69	15.9	11.6-20.2
65+	692	91,817	19	2.1	0.9- 3.3	299	41.3	36.4-46.2	270	40.1	35.2-45.0	9	1.1	0.3- 1.9	95	15.4	11.7-19.1
Less Than H.S.	170	31,649	8	2.3	0.5- 4.1	76	45.1	34.3-55.9	54	30.0	20.6-39.4	2	1.3	0.0- 3.3	30	21.4	12.6-30.2
H.S. or G.E.D.	484	95,078	12	1.7	0.5- 2.9	182	36.3	30.6-42.0	200	41.3	35.4-47.2	5	0.7	0.1- 1.3	85	20.0	14.9-25.1
Some Post-H.S.	482	111,409	15	2.4	0.8- 4.0	187	37.0	30.9-43.1	200	42.6	36.1-49.1	7	1.5	0.1- 2.9	73	16.5	11.6-21.4
College Graduate	741	107,272	14	1.2	0.4- 2.0	287	37.5	32.4-42.6	295	40.7	35.6-45.8	7	1.0	0.0- 2.0	138	19.5	15.2-23.8
Less than \$15,000	167	24,575	7	4.5	0.2- 8.8	71	36.7	26.3-47.1	60	30.4	20.8-40.0	3	3.6	0.0- 7.7	26	24.8	11.5-38.1
\$15,000- 24,999	252	39,191	11	2.7	0.3- 5.1	98	42.9	34.3-51.5	96	36.1	28.1-44.1	4	1.1	0.0- 2.3	43	17.2	11.5-22.9
\$25,000- 34,999	145	24,991				57	33.3	23.3-43.3	58	41.4	30.4-52.4	1	0.3	0.0- 0.9	29	25.0	14.2-35.8
\$35,000- 49,999	224	43,197	5	1.5	0.0- 3.1	73	32.8	23.0-42.6	107	49.0	39.2-58.8	2	0.3	0.0- 0.7	37	16.4	9.7-23.1
\$50,000- 74,999	202	37,363	3	0.9	0.0- 2.1	83	42.2	32.4-52.0	80	44.3	33.9-54.7	3	2.0	0.0- 5.1	33	10.5	5.8-15.2
\$75,000+	526	114,215	10	1.4	0.2- 2.6	198	35.7	30.0-41.4	219	42.1	36.0-48.2	6	1.0	0.0- 2.0	93	19.7	14.6-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3369	661,146	1418	40.4	38.0-42.8	1216	36.0	33.6-38.4	595	19.4	17.4-21.4	15	0.6	0.2- 1.0	125	3.6	2.8- 4.4
Male	1496	314,440	530	34.6	31.3-37.9	587	38.8	35.3-42.3	288	20.7	17.6-23.8	9	0.8	0.2- 1.4	82	5.1	3.7- 6.5
Female	1873	346,706	888	45.7	42.4-49.0	629	33.6	30.5-36.7	307	18.1	15.6-20.6	6	0.4	0.0- 1.0	43	2.1	1.1- 3.1
White/Non-Hisp	2335	425,894	1032	40.7	38.0-43.4	829	37.4	34.7-40.1	404	18.8	16.4-21.2	6	0.3	0.1- 0.5	64	2.8	2.0- 3.6
Black or Afr. Am./Non-Hisp	408	132,146	156	36.5	30.2-42.8	144	33.1	27.0-39.2	87	24.7	18.8-30.6	6	1.9	0.0- 3.9	15	3.7	1.3- 6.1
Oth. Race/Non-Hisp.	126	35,133	77	61.9	49.9-73.9	27	21.8	12.0-31.6	21	15.9	7.1-24.7				1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	66	6,260	28	39.4	22.5-56.3	19	29.2	13.9-44.5	17	26.5	12.2-40.8				2	4.9	0.0-12.5
Hispanic	358	48,834	89	29.6	21.4-37.8	170	44.9	37.1-52.7	58	13.4	8.5-18.3	2	0.2	0.0- 0.4	39	11.8	6.7-16.9
18-24	210	75,926	64	29.4	21.0-37.8	97	47.3	37.9-56.7	41	19.9	12.1-27.7	1	1.1	0.0- 3.3	7	2.3	0.3- 4.3
25-34	365	105,604	135	39.3	32.0-46.6	139	36.0	29.1-42.9	68	19.9	13.6-26.2				23	4.8	2.3- 7.3
35-44	402	95,179	180	43.4	36.9-49.9	137	35.6	29.1-42.1	69	17.7	12.8-22.6	3	0.5	0.0- 1.3	13	2.8	0.6- 5.0
45-54	529	103,908	225	42.1	36.6-47.6	172	30.2	25.3-35.1	107	22.5	17.4-27.6	3	0.6	0.0- 1.4	22	4.6	2.1- 7.1
55-64	695	116,877	315	43.6	38.7-48.5	227	30.9	26.4-35.4	125	21.3	17.0-25.6	2	0.2	0.0- 0.6	26	3.9	1.9- 5.9
65+	1168	163,651	499	41.2	37.5-44.9	444	38.5	34.8-42.2	185	16.4	13.5-19.3	6	1.0	0.0- 2.2	34	2.9	1.5- 4.3
Less Than H.S.	327	67,771	85	30.9	23.1-38.7	139	38.3	30.7-45.9	62	19.5	12.2-26.8	6	2.6	0.0- 5.5	35	8.7	5.0-12.4
H.S. or G.E.D.	892	204,210	343	35.5	31.4-39.6	333	37.5	33.2-41.8	176	22.4	18.5-26.3	5	0.6	0.0- 1.4	35	4.1	2.3- 5.9
Some Post-H.S.	817	188,549	342	41.4	36.7-46.1	286	36.6	31.9-41.3	157	18.3	14.6-22.0	2	0.3	0.0- 0.7	30	3.3	1.7- 4.9
College Graduate	1316	197,189	641	47.4	43.5-51.3	453	33.6	30.1-37.1	199	17.5	14.4-20.6	1	0.1	0.0- 0.3	22	1.4	0.6- 2.2
Less than \$15,000	254	39,555	85	27.6	20.3-34.9	94	43.6	34.4-52.8	49	16.3	10.2-22.4	3	1.2	0.0- 3.0	23	11.3	4.6-18.0
\$15,000- 24,999	423	71,663	150	36.8	30.1-43.5	156	33.8	27.3-40.3	86	22.1	16.2-28.0	3	0.7	0.0- 1.7	28	6.5	3.4- 9.6
\$25,000- 34,999	262	47,167	103	43.5	34.9-52.1	84	25.9	19.4-32.4	64	25.9	18.8-33.0	1	0.6	0.0- 1.8	10	4.1	1.2- 7.0
\$35,000- 49,999	356	72,162	153	40.5	32.9-48.1	118	30.1	23.0-37.2	74	26.8	19.0-34.6	1	0.5	0.0- 1.5	10	2.1	0.1- 4.1
\$50,000- 74,999	413	87,559	172	36.4	30.1-42.7	146	37.2	30.5-43.9	85	24.0	17.5-30.5				10	2.4	0.4- 4.4
\$75,000+	1056	227,285	493	45.3	41.2-49.4	389	36.9	32.8-41.0	153	16.1	13.0-19.2				21	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1496	314,440	530	34.6	31.3-37.9	587	38.8	35.3-42.3	288	20.7	17.6-23.8	9	0.8	0.2- 1.4	82	5.1	3.7- 6.5
White/Non-Hisp	1050	201,380	392	35.8	32.1-39.5	420	41.3	37.2-45.4	190	18.2	15.1-21.3	5	0.5	0.1- 0.9	43	4.3	2.7- 5.9
Black or Afr. Am./Non-Hisp	145	64,039	43	29.7	20.3-39.1	51	31.4	22.0-40.8	39	31.4	21.2-41.6	3	2.2	0.0- 5.1	9	5.3	1.2- 9.4
Oth. Race/Non-Hisp.	65	15,670	35	50.4	33.7-67.1	16	29.2	13.9-44.5	13	19.5	6.6-32.4				1	0.9	0.0- 2.7
Hispanic	171	25,236	35	27.3	14.4-40.2	77	46.1	34.1-58.1	34	13.6	7.7-19.5	1	0.2	0.0- 0.6	24	12.8	5.9-19.7
18-24	118	37,850	33	24.5	14.9-34.1	53	47.1	35.1-59.1	25	22.3	11.7-32.9	1	2.2	0.0- 6.5	6	3.9	0.4- 7.4
25-34	182	54,952	57	34.4	24.4-44.4	72	38.0	28.0-48.0	38	21.0	11.2-30.8				15	6.5	2.2-10.8
35-44	175	47,236	67	36.3	26.5-46.1	63	42.4	32.2-52.6	34	16.1	9.4-22.8	2	0.8	0.0- 2.2	9	4.4	0.5- 8.3
45-54	234	50,238	84	35.9	28.1-43.7	84	32.5	25.1-39.9	52	25.0	16.8-33.2	2	1.2	0.0- 3.0	12	5.4	1.9- 8.9
55-64	306	52,400	117	36.2	29.5-42.9	112	34.7	27.8-41.6	56	22.9	16.4-29.4	2	0.5	0.0- 1.3	19	5.7	2.8- 8.6
65+	481	71,763	172	36.8	30.9-42.7	203	39.9	34.0-45.8	83	18.3	13.4-23.2	2	0.5	0.0- 1.3	21	4.5	2.0- 7.0
Less Than H.S.	159	36,181	33	31.8	19.8-43.8	62	32.7	22.5-42.9	38	24.0	12.2-35.8	3	2.0	0.0- 4.4	23	9.6	4.5-14.7
H.S. or G.E.D.	409	108,227	137	30.6	24.9-36.3	161	40.7	34.2-47.2	84	22.5	16.6-28.4	4	1.0	0.0- 2.6	23	5.2	2.5- 7.9
Some Post-H.S.	342	78,435	124	35.5	28.6-42.4	128	40.0	32.7-47.3	68	18.4	12.9-23.9	1	0.4	0.0- 1.2	21	5.7	2.6- 8.8
College Graduate	578	90,337	234	39.6	34.1-45.1	233	38.1	32.8-43.4	97	19.4	14.5-24.3	1	0.3	0.0- 0.9	13	2.6	0.8- 4.4
Less than \$15,000	89	15,197	17	19.7	8.1-31.3	36	42.6	28.5-56.7	20	16.9	6.1-27.7	2	2.7	0.0- 7.0	14	18.1	6.1-30.1
\$15,000- 24,999	175	32,764	43	30.9	20.1-41.7	69	32.7	22.5-42.9	42	25.5	15.7-35.3	1	0.6	0.0- 1.8	20	10.3	4.4-16.2
\$25,000- 34,999	117	21,761	40	37.6	24.3-50.9	44	32.7	21.7-43.7	26	21.8	12.2-31.4	1	1.3	0.0- 3.8	6	6.6	0.5-12.7
\$35,000- 49,999	136	29,359	49	32.7	20.5-44.9	53	33.0	21.4-44.6	27	30.7	16.4-45.0	1	1.2	0.0- 3.6	6	2.4	0.0- 4.8
\$50,000- 74,999	210	49,895	77	29.6	22.0-37.2	73	40.6	31.0-50.2	51	25.6	17.0-34.2				9	4.1	0.8- 7.4
\$75,000+	531	113,004	221	41.6	35.9-47.3	214	38.6	33.1-44.1	84	17.3	12.6-22.0				12	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1873	346,706	888	45.7	42.4-49.0	629	33.6	30.5-36.7	307	18.1	15.6-20.6	6	0.4	0.0- 1.0	43	2.1	1.1- 3.1
White/Non-Hisp	1285	224,514	640	45.1	41.4-48.8	409	34.0	30.3-37.7	214	19.3	16.0-22.6	1	0.1	0.0- 0.3	21	1.4	0.6- 2.2
Black or Afr. Am./Non-Hisp	263	68,106	113	43.0	35.0-51.0	93	34.7	26.9-42.5	48	18.4	12.5-24.3	3	1.6	0.0- 4.1	6	2.3	0.0- 5.0
Oth. Race/Non-Hisp.	61	19,463	42	71.1	55.2-87.0	11	15.9	3.6-28.2	8	12.9	0.9-24.9						
Hispanic	187	23,599	54	32.2	22.0-42.4	93	43.7	33.5-53.9	24	13.3	5.1-21.5	1	0.2	0.0- 0.6	15	10.7	3.3-18.1
18-24	92	38,076	31	34.2	20.7-47.7	44	47.5	33.2-61.8	16	17.6	6.2-29.0				1	0.7	0.0- 2.1
25-34	183	50,652	78	44.6	34.4-54.8	67	33.8	24.4-43.2	30	18.6	10.8-26.4				8	3.0	0.5- 5.5
35-44	227	47,943	113	50.4	41.8-59.0	74	28.8	21.4-36.2	35	19.4	12.1-26.7	1	0.1	0.0- 0.3	4	1.3	0.0- 2.9
45-54	295	53,670	141	47.9	40.5-55.3	88	28.0	21.5-34.5	55	20.2	14.5-25.9	1	0.1	0.0- 0.3	10	3.8	0.1- 7.5
55-64	389	64,477	198	49.6	42.9-56.3	115	27.9	22.0-33.8	69	20.1	14.6-25.6				7	2.5	0.1- 4.9
65+	687	91,888	327	44.7	39.8-49.6	241	37.4	32.5-42.3	102	14.9	11.2-18.6	4	1.5	0.0- 3.5	13	1.5	0.5- 2.5
Less Than H.S.	168	31,590	52	29.9	20.5-39.3	77	44.7	33.9-55.5	24	14.4	7.3-21.5	3	3.4	0.0- 8.9	12	7.6	2.1-13.1
H.S. or G.E.D.	483	95,983	206	40.9	35.0-46.8	172	33.9	28.2-39.6	92	22.3	17.0-27.6	1	0.0	0.0- 0.0	12	2.9	0.5- 5.3
Some Post-H.S.	475	110,114	218	45.6	39.1-52.1	158	34.2	28.1-40.3	89	18.3	13.2-23.4	1	0.3	0.0- 0.9	9	1.6	0.4- 2.8
College Graduate	738	106,852	407	54.0	48.7-59.3	220	29.8	25.1-34.5	102	15.8	11.9-19.7				9	0.4	0.2- 0.6
Less than \$15,000	165	24,358	68	32.5	22.9-42.1	58	44.3	32.1-56.5	29	16.0	8.7-23.3	1	0.2	0.0- 0.6	9	7.1	0.0-14.7
\$15,000- 24,999	248	38,899	107	41.8	33.4-50.2	87	34.7	26.7-42.7	44	19.3	12.2-26.4	2	0.8	0.0- 2.2	8	3.3	0.4- 6.2
\$25,000- 34,999	145	25,406	63	48.5	37.3-59.7	40	20.1	12.7-27.5	38	29.4	19.4-39.4				4	2.0	0.0- 4.2
\$35,000- 49,999	220	42,803	104	45.9	36.1-55.7	65	28.2	19.4-37.0	47	24.1	15.5-32.7				4	1.8	0.0- 4.7
\$50,000- 74,999	203	37,665	95	45.3	35.5-55.1	73	32.7	23.9-41.5	34	21.9	11.5-32.3				1	0.1	0.0- 0.3
\$75,000+	525	114,281	272	48.9	42.8-55.0	175	35.2	29.3-41.1	69	14.8	10.5-19.1				9	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	249
2 MALES ONLY	250
3 FEMALES ONLY	251
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	252
5 MALES ONLY	253
6 FEMALES ONLY	254
HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)	
7 MALES AND FEMALES	255
8 MALES ONLY	256
9 FEMALES ONLY	257
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	258
11 MALES ONLY	259
12 FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3392	663,800	1620	43.8	41.4-46.2	1772	56.2	53.8-58.6
Male	1505	316,125	661	38.4	35.1-41.7	844	61.6	58.3-64.9
Female	1887	347,674	959	48.6	45.3-51.9	928	51.4	48.1-54.7
White/Non-Hisp	2343	426,684	1227	48.0	45.3-50.7	1116	52.0	49.3-54.7
Black or Afr. Am./Non-Hisp	410	132,473	160	34.7	28.4-41.0	250	65.3	59.0-71.6
Oth. Race/Non-Hisp.	128	35,542	46	34.3	22.5-46.1	82	65.7	53.9-77.5
MultiRacial/Non-Hisp.	66	6,146	25	30.1	15.6-44.6	41	69.9	55.4-84.4
Hispanic	365	49,233	122	38.6	30.8-46.4	243	61.4	53.6-69.2
18-24	207	73,733	59	26.9	18.3-35.5	148	73.1	64.5-81.7
25-34	373	108,035	109	30.1	23.2-37.0	264	69.9	63.0-76.8
35-44	405	95,620	131	34.4	28.1-40.7	274	65.6	59.3-71.9
45-54	527	103,284	218	39.7	34.2-45.2	309	60.3	54.8-65.8
55-64	702	118,004	342	50.5	45.6-55.4	360	49.5	44.6-54.4
65+	1178	165,124	761	63.4	59.7-67.1	417	36.6	32.9-40.3
Less Than H.S.	331	68,272	131	41.8	33.8-49.8	200	58.2	50.2-66.2
H.S. or G.E.D.	900	205,269	369	36.9	32.8-41.0	531	63.1	59.0-67.2
Some Post-H.S.	823	189,206	396	43.3	38.6-48.0	427	56.7	52.0-61.4
College Graduate	1319	197,481	717	52.3	48.4-56.2	602	47.7	43.8-51.6
Less than \$15,000	257	40,301	99	41.6	32.4-50.8	158	58.4	49.2-67.6
\$15,000- 24,999	425	72,120	164	35.1	28.8-41.4	261	64.9	58.6-71.2
\$25,000- 34,999	263	47,279	112	33.7	26.4-41.0	151	66.3	59.0-73.6
\$35,000- 49,999	358	72,476	195	52.0	44.0-60.0	163	48.0	40.0-56.0
\$50,000- 74,999	411	86,450	212	45.1	38.2-52.0	199	54.9	48.0-61.8
\$75,000+	1058	226,754	547	47.6	43.5-51.7	511	52.4	48.3-56.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	316,125	661	38.4	35.1-41.7	844	61.6	58.3-64.9
White/Non-Hisp	1051	201,639	515	43.1	39.2-47.0	536	56.9	53.0-60.8
Black or Afr. Am./Non-Hisp	146	64,766	50	31.1	21.5-40.7	96	68.9	59.3-78.5
Oth. Race/Non-Hisp.	66	16,028	20	26.0	11.9-40.1	46	74.0	59.9-88.1
Hispanic	178	25,821	42	23.4	14.6-32.2	136	76.6	67.8-85.4
18-24	118	37,326	33	24.9	14.5-35.3	85	75.1	64.7-85.5
25-34	186	55,487	43	21.4	12.2-30.6	143	78.6	69.4-87.8
35-44	175	47,170	49	30.9	21.5-40.3	126	69.1	59.7-78.5
45-54	233	49,977	78	32.3	24.7-39.9	155	67.7	60.1-75.3
55-64	308	52,818	136	45.4	38.3-52.5	172	54.6	47.5-61.7
65+	485	73,347	322	62.3	56.0-68.6	163	37.7	31.4-44.0
Less Than H.S.	163	36,619	50	35.3	23.3-47.3	113	64.7	52.7-76.7
H.S. or G.E.D.	413	109,420	136	27.2	21.9-32.5	277	72.8	67.5-78.1
Some Post-H.S.	344	78,865	163	39.7	32.8-46.6	181	60.3	53.4-67.2
College Graduate	575	89,816	308	52.1	46.4-57.8	267	47.9	42.2-53.6
Less than \$15,000	91	15,802	34	44.9	30.8-59.0	57	55.1	41.0-69.2
\$15,000- 24,999	174	32,595	50	23.2	15.2-31.2	124	76.8	68.8-84.8
\$25,000- 34,999	118	22,195	49	35.3	24.1-46.5	69	64.7	53.5-75.9
\$35,000- 49,999	135	29,344	65	45.0	31.5-58.5	70	55.0	41.5-68.5
\$50,000- 74,999	210	50,117	101	37.5	28.7-46.3	109	62.5	53.7-71.3
\$75,000+	531	112,901	257	43.7	38.0-49.4	274	56.3	50.6-62.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1887	347,674	959	48.6	45.3-51.9	928	51.4	48.1-54.7
White/Non-Hisp	1292	225,045	712	52.4	48.5-56.3	580	47.6	43.7-51.5
Black or Afr. Am./Non-Hisp	264	67,708	110	38.1	30.3-45.9	154	61.9	54.1-69.7
Oth. Race/Non-Hisp.	62	19,514	26	41.0	23.2-58.8	36	59.0	41.2-76.8
Hispanic	187	23,412	80	55.3	45.3-65.3	107	44.7	34.7-54.7
18-24	89	36,407	26	29.0	15.1-42.9	63	71.0	57.1-84.9
25-34	187	52,548	66	39.3	29.5-49.1	121	60.7	50.9-70.5
35-44	230	48,450	82	37.8	29.4-46.2	148	62.2	53.8-70.6
45-54	294	53,307	140	46.7	39.3-54.1	154	53.3	45.9-60.7
55-64	394	65,186	206	54.6	47.9-61.3	188	45.4	38.7-52.1
65+	693	91,777	439	64.4	59.7-69.1	254	35.6	30.9-40.3
Less Than H.S.	168	31,653	81	49.3	38.5-60.1	87	50.7	39.9-61.5
H.S. or G.E.D.	487	95,849	233	48.1	42.0-54.2	254	51.9	45.8-58.0
Some Post-H.S.	479	110,340	233	45.9	39.6-52.2	246	54.1	47.8-60.4
College Graduate	744	107,665	409	52.4	47.1-57.7	335	47.6	42.3-52.9
Less than \$15,000	166	24,499	65	39.4	27.2-51.6	101	60.6	48.4-72.8
\$15,000- 24,999	251	39,526	114	45.0	36.4-53.6	137	55.0	46.4-63.6
\$25,000- 34,999	145	25,084	63	32.3	22.7-41.9	82	67.7	58.1-77.3
\$35,000- 49,999	223	43,132	130	56.7	46.9-66.5	93	43.3	33.5-53.1
\$50,000- 74,999	201	36,332	111	55.6	45.8-65.4	90	44.4	34.6-54.2
\$75,000+	527	113,853	290	51.4	45.3-57.5	237	48.6	42.5-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1544	277,838	5	0.3	0.0- 0.7	27	1.3	0.7- 1.9	1015	63.4	59.9-66.9	138	8.8	6.8-10.8	43	2.9	1.7- 4.1	316	23.4	20.1-26.7
Male	627	114,963	3	0.5	0.0- 1.1	13	1.1	0.3- 1.9	395	59.2	53.5-64.9	70	12.3	8.4-16.2	17	2.9	1.3- 4.5	129	24.1	18.6-29.6
Female	917	162,875	2	0.2	0.0- 0.4	14	1.4	0.4- 2.4	620	66.3	61.8-70.8	68	6.4	4.4- 8.4	26	2.9	1.3- 4.5	187	22.8	18.7-26.9
White/Non-Hisp	1186	198,804	2	0.1	0.0- 0.3	18	1.3	0.5- 2.1	801	65.7	62.0-69.4	93	7.3	5.5- 9.1	33	3.0	1.8- 4.2	239	22.7	19.2-26.2
Black or Afr. Am./Non-Hisp	148	42,548				3	1.0	0.0- 2.4	86	56.3	44.5-68.1	17	13.1	4.3-21.9	6	1.3	0.1- 2.5	36	28.2	16.8-39.6
Hispanic	109	17,173	3	3.7	0.0- 8.6	4	2.7	0.0- 5.8	59	47.2	33.7-60.7	23	22.9	11.5-34.3	2	5.6	0.0-13.6	18	17.8	8.0-27.6
18-24	56	19,478				4	2.8	0.0- 5.9	25	45.8	26.6-65.0	13	13.4	4.4-22.4	4	4.3	0.0- 8.8	10	33.8	13.0-54.6
25-34	102	31,350	2	1.9	0.0- 4.6	4	2.8	0.0- 6.5	59	57.0	42.7-71.3	13	10.2	2.8-17.6	4	3.3	0.0- 7.2	20	24.6	10.3-38.9
35-44	125	31,262							86	61.6	49.6-73.6	14	14.7	4.3-25.1	4	5.0	0.0-10.1	21	18.7	9.7-27.7
45-54	213	39,469				4	1.9	0.0- 3.9	141	69.2	61.8-76.6	17	6.3	3.0- 9.6	5	1.6	0.0- 3.4	46	21.0	14.1-27.9
55-64	328	57,048				4	1.0	0.0- 2.2	224	65.9	59.0-72.8	29	6.3	3.6- 9.0	4	1.6	0.0- 3.8	67	25.2	18.7-31.7
65+	720	99,232	3	0.2	0.0- 0.4	11	0.8	0.2- 1.4	480	65.6	61.1-70.1	52	8.1	5.4-10.8	22	3.0	1.4- 4.6	152	22.3	18.2-26.4
Less Than H.S.	110	23,770	2	1.1	0.0- 3.1	3	2.5	0.0- 5.4	66	54.0	39.5-68.5	19	14.6	7.0-22.2	2	3.4	0.0- 8.9	18	24.4	8.3-40.5
H.S. or G.E.D.	346	72,173	1	0.5	0.0- 1.5	4	0.7	0.0- 1.5	221	64.3	57.4-71.2	30	8.3	4.8-11.8	13	3.5	1.1- 5.9	77	22.7	16.6-28.8
Some Post-H.S.	382	79,531	1	0.1	0.0- 0.3	5	0.9	0.1- 1.7	243	61.5	54.4-68.6	40	11.3	6.2-16.4	12	3.0	1.0- 5.0	81	23.2	16.7-29.7
College Graduate	699	101,327	1	0.1	0.0- 0.3	14	1.6	0.4- 2.8	480	66.3	61.2-71.4	49	6.1	3.9- 8.3	16	2.2	0.8- 3.6	139	23.8	18.9-28.7
Less than \$15,000	91	14,529				1	1.0	0.0- 3.0	57	65.8	51.7-79.9	14	18.4	7.0-29.8	2	1.7	0.0- 4.1	17	13.1	5.3-20.9
\$15,000- 24,999	157	24,546	3	2.1	0.0- 5.2	3	1.7	0.0- 4.1	93	57.9	47.5-68.3	21	16.5	8.5-24.5	4	1.8	0.0- 3.6	33	20.0	11.6-28.4
\$25,000- 34,999	104	15,032				1	0.3	0.0- 0.9	71	61.9	49.4-74.4	7	8.4	1.7-15.1	5	12.4	1.6-23.2	20	17.0	7.8-26.2
\$35,000- 49,999	190	36,908				7	1.7	0.1- 3.3	132	67.1	55.5-78.7	11	4.8	1.1- 8.5	4	1.8	0.0- 3.8	36	24.6	13.0-36.2
\$50,000- 74,999	205	37,348	1	0.2	0.0- 0.6	5	1.7	0.0- 3.5	134	52.8	42.2-63.4	18	10.8	2.4-19.2	8	5.9	1.2-10.6	39	28.7	17.7-39.7
\$75,000+	535	105,892				6	1.0	0.0- 2.2	358	65.0	59.3-70.7	43	7.3	4.6-10.0	9	1.6	0.4- 2.8	119	25.2	19.9-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	627	114,963	3	0.5	0.0- 1.1	13	1.1	0.3- 1.9	395	59.2	53.5-64.9	70	12.3	8.4-16.2	17	2.9	1.3- 4.5	129	24.1	18.6-29.6
White/Non-Hisp	499	84,517	2	0.2	0.0- 0.4	9	1.1	0.3- 1.9	324	64.0	58.5-69.5	49	9.5	6.6-12.4	13	3.2	1.2- 5.2	102	22.1	17.0-27.2
45-54	76	15,496							49	69.2	56.7-81.7	7	8.7	1.8-15.6	2	2.5	0.0- 6.2	18	19.6	8.4-30.8
55-64	128	21,771				2	1.9	0.0- 4.6	85	62.0	51.4-72.6	14	10.4	4.3-16.5				27	25.7	15.9-35.5
65+	305	43,466	2	0.4	0.0- 1.0	7	1.0	0.0- 2.0	193	61.6	54.5-68.7	32	12.2	7.3-17.1	7	2.3	0.5- 4.1	64	22.6	16.3-28.9
H.S. or G.E.D.	126	28,070	1	1.4	0.0- 4.1	2	0.8	0.0- 2.0	75	55.1	43.5-66.7	13	12.2	4.9-19.5	5	3.8	0.3- 7.3	30	26.9	15.7-38.1
Some Post-H.S.	156	30,224	1	0.4	0.0- 1.2	2	1.4	0.0- 3.4	96	57.0	46.4-67.6	21	16.6	6.2-27.0	4	2.2	0.0- 4.6	32	22.4	14.2-30.6
College Graduate	301	45,499	1	0.1	0.0- 0.3	8	1.1	0.1- 2.1	199	65.7	58.1-73.3	25	6.8	3.7- 9.9	8	3.4	0.7- 6.1	60	22.9	15.5-30.3
\$15,000- 24,999	50	7,551	2	6.5	0.0-16.5	2	2.6	0.0- 7.1	29	47.7	29.5-65.9	6	21.7	5.4-38.0	1	1.6	0.0- 4.7	10	20.0	6.3-33.7
\$35,000- 49,999	64	12,894				3	1.4	0.0- 3.2	43	59.6	36.5-82.7	7	8.1	0.0-16.3	2	3.6	0.0- 8.7	9	27.3	1.4-53.2
\$50,000- 74,999	96	18,033	1	0.3	0.0- 0.9	4	3.4	0.0- 7.1	52	45.3	31.2-59.4	15	19.3	3.4-35.2	3	3.3	0.0- 7.2	21	28.4	15.3-41.5
\$75,000+	252	48,401				2	0.3	0.0- 0.7	171	67.0	58.8-75.2	18	6.9	3.4-10.4	5	2.0	0.0- 4.0	56	23.8	15.6-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	917	162,875	2	0.2	0.0- 0.4	14	1.4	0.4- 2.4	620	66.3	61.8-70.8	68	6.4	4.4- 8.4	26	2.9	1.3- 4.5	187	22.8	18.7-26.9
White/Non-Hisp	687	114,287				9	1.4	0.2- 2.6	477	67.0	61.7-72.3	44	5.7	3.7- 7.7	20	2.8	1.2- 4.4	137	23.2	18.1-28.3
Black or Afr. Am./Non-Hisp	103	24,115				2	1.1	0.0- 2.9	63	67.8	55.8-79.8	9	7.1	0.0-14.2	4	1.5	0.0- 3.1	25	22.5	12.1-32.9
Hispanic	72	12,053	2	2.1	0.0- 5.8	3	3.4	0.0- 7.7	43	54.8	37.7-71.9	12	16.5	4.0-29.0	1	5.6	0.0-16.2	11	17.5	5.3-29.7
25-34	62	19,935	1	1.1	0.0- 3.3	2	3.8	0.0- 9.5	36	62.6	47.1-78.1	9	12.3	1.5-23.1	2	3.0	0.0- 7.7	12	17.2	5.8-28.6
35-44	78	17,413							55	64.0	49.5-78.5	8	9.7	2.3-17.1	1	3.9	0.0-11.3	14	22.4	9.3-35.5
45-54	137	23,973				4	3.1	0.0- 6.2	92	69.2	59.8-78.6	10	4.8	1.7- 7.9	3	1.0	0.0- 2.4	28	21.9	13.3-30.5
55-64	200	35,276				2	0.4	0.0- 1.0	139	68.3	59.5-77.1	15	3.8	1.4- 6.2	4	2.6	0.0- 6.1	40	24.9	16.5-33.3
65+	415	55,766	1	0.1	0.0- 0.3	4	0.7	0.0- 1.5	287	68.8	62.9-74.7	20	5.0	2.3- 7.7	15	3.5	1.1- 5.9	88	22.0	16.5-27.5
Less Than H.S.	70	13,408	2	1.9	0.0- 5.2	3	4.5	0.0- 9.6	43	58.1	42.8-73.4	8	6.9	1.0-12.8	2	6.0	0.0-15.6	12	22.5	9.2-35.8
H.S. or G.E.D.	220	44,103				2	0.6	0.0- 1.6	146	70.2	62.4-78.0	17	5.8	2.5- 9.1	8	3.4	0.1- 6.7	47	20.0	13.3-26.7
Some Post-H.S.	226	49,307				3	0.5	0.0- 1.1	147	64.3	54.9-73.7	19	8.0	3.1-12.9	8	3.5	0.6- 6.4	49	23.7	14.7-32.7
College Graduate	398	55,828				6	2.1	0.0- 4.3	281	66.8	59.9-73.7	24	5.4	2.7- 8.1	8	1.2	0.2- 2.2	79	24.5	17.8-31.2
Less than \$15,000	64	9,513				1	1.5	0.0- 4.6	44	79.2	66.5-91.9	7	9.1	0.5-17.7	1	1.3	0.0- 3.8	11	8.9	1.6-16.2
\$15,000- 24,999	107	16,995	1	0.2	0.0- 0.6	1	1.3	0.0- 3.8	64	62.4	50.1-74.7	15	14.1	5.1-23.1	3	2.0	0.0- 4.4	23	20.0	9.6-30.4
\$25,000- 34,999	60	7,872				1	0.5	0.0- 1.5	43	63.6	46.0-81.2	2	12.5	0.0-29.0	14	23.4	9.5-37.3			
\$35,000- 49,999	126	24,014				4	1.8	0.0- 4.0	89	71.1	59.7-82.5	4	3.1	0.0- 7.0	2	0.8	0.0- 2.0	27	23.2	12.4-34.0
\$50,000- 74,999	109	19,315				1	0.2	0.0- 0.6	82	59.7	43.6-75.8	3	2.8	0.0- 6.5	5	8.3	0.1-16.5	18	29.0	11.9-46.1
\$75,000+	283	57,491				4	1.6	0.0- 3.6	187	63.3	55.7-70.9	25	7.6	3.7-11.5	4	1.2	0.0- 2.8	63	26.3	19.0-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 7. HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3060	607,945	790	26.8	24.4-29.2	249	7.8	6.4- 9.2	1069	35.7	33.2-38.2	952	29.7	27.3-32.1
Male	1375	292,579	313	23.1	20.0-26.2	103	7.0	5.2- 8.8	534	40.9	37.2-44.6	425	29.0	25.7-32.3
Female	1685	315,367	477	30.1	26.8-33.4	146	8.6	6.6-10.6	535	30.9	27.8-34.0	527	30.4	27.3-33.5
White/Non-Hisp	2100	389,921	561	28.1	25.4-30.8	184	8.7	6.9-10.5	770	36.2	33.5-38.9	585	27.0	24.5-29.5
Black or Afr. Am./Non-Hisp	379	122,761	84	24.0	18.1-29.9	30	6.8	3.7- 9.9	118	34.6	27.7-41.5	147	34.5	28.2-40.8
Oth. Race/Non-Hisp.	119	31,711	24	23.8	11.8-35.8	8	5.6	0.7-10.5	38	34.3	21.8-46.8	49	36.3	24.1-48.5
MultiRacial/Non-Hisp.	60	5,299	10	16.4	1.5-31.3	4	2.4	0.0- 4.9	28	53.7	36.1-71.3	18	27.6	13.3-41.9
Hispanic	328	45,938	97	28.4	21.1-35.7	20	5.6	2.5- 8.7	89	33.6	25.2-42.0	122	32.4	24.6-40.2
18-24	191	71,270	68	38.8	29.2-48.4	7	5.9	0.0-11.8	72	33.5	24.9-42.1	44	21.8	14.0-29.6
25-34	333	98,203	117	33.6	26.5-40.7	12	2.5	0.7- 4.3	106	35.3	27.7-42.9	98	28.6	21.7-35.5
35-44	366	87,387	119	27.1	21.6-32.6	20	5.9	3.0- 8.8	117	36.4	29.3-43.5	110	30.6	24.1-37.1
45-54	479	93,620	124	25.7	20.6-30.8	38	8.7	5.2-12.2	180	38.5	32.6-44.4	137	27.1	22.0-32.2
55-64	646	109,877	148	21.4	17.3-25.5	81	13.5	10.0-17.0	224	34.2	29.3-39.1	193	30.9	26.2-35.6
65+	1045	147,589	214	20.9	17.6-24.2	91	8.6	6.4-10.8	370	35.9	32.0-39.8	370	34.6	30.7-38.5
Less Than H.S.	300	63,479	55	17.3	11.4-23.2	27	8.1	4.6-11.6	87	34.6	26.2-43.0	131	39.9	31.5-48.3
H.S. or G.E.D.	814	189,498	176	23.4	19.5-27.3	68	8.8	6.3-11.3	291	36.2	31.7-40.7	279	31.6	27.3-35.9
Some Post-H.S.	744	172,768	183	27.8	22.9-32.7	60	7.6	4.7-10.5	288	38.4	33.5-43.3	213	26.1	21.8-30.4
College Graduate	1189	179,266	373	32.9	29.0-36.8	94	6.9	5.1- 8.7	398	32.7	29.0-36.4	324	27.5	23.8-31.2
Less than \$15,000	222	35,299	44	22.8	14.6-31.0	23	9.1	4.6-13.6	61	29.3	20.5-38.1	94	38.8	29.0-48.6
\$15,000- 24,999	393	66,618	79	17.7	13.0-22.4	35	10.9	6.2-15.6	129	33.4	26.3-40.5	150	38.0	30.9-45.1
\$25,000- 34,999	238	43,259	48	21.4	14.5-28.3	24	11.9	6.0-17.8	84	32.5	24.9-40.1	82	34.2	25.2-43.2
\$35,000- 49,999	333	68,587	91	30.2	22.4-38.0	25	6.3	3.4- 9.2	118	37.8	29.6-46.0	99	25.6	18.7-32.5
\$50,000- 74,999	370	77,400	103	28.1	21.2-35.0	42	9.2	5.7-12.7	135	40.9	33.5-48.3	90	21.8	16.5-27.1
\$75,000+	959	209,566	310	32.8	28.7-36.9	67	6.9	4.4- 9.4	333	34.5	30.4-38.6	249	25.8	22.1-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 8: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1375	292,579	313	23.1	20.0-26.2	103	7.0	5.2- 8.8	534	40.9	37.2-44.6	425	29.0	25.7-32.3
White/Non-Hisp	951	184,627	228	25.2	21.5-28.9	79	7.9	5.7-10.1	392	42.7	38.4-47.0	252	24.2	20.7-27.7
Black or Afr. Am./Non-Hisp	141	62,727	27	18.1	10.5-25.7	9	6.5	1.6-11.4	49	40.0	29.2-50.8	56	35.4	25.8-45.0
Oth. Race/Non-Hisp.	59	12,764	6	13.5	1.5-25.5	4	4.6	0.0- 9.5	19	32.2	15.9-48.5	30	49.7	32.6-66.8
Hispanic	164	25,312	42	24.8	15.2-34.4	10	4.6	0.9- 8.3	49	35.9	23.6-48.2	63	34.7	22.5-46.9
18-24	110	36,527	33	30.7	19.5-41.9	1	0.3	0.0- 1.1	48	43.3	31.1-55.5	28	25.6	14.6-36.6
25-34	168	50,227	49	27.8	18.4-37.2	9	3.7	0.6- 6.8	58	41.1	29.7-52.5	52	27.5	18.1-36.9
35-44	160	43,000	49	23.9	16.1-31.7	6	3.8	0.5- 7.1	60	43.7	32.7-54.7	45	28.6	19.0-38.2
45-54	209	45,987	53	24.0	16.7-31.3	15	9.1	3.2-15.0	85	42.5	33.5-51.5	56	24.4	17.1-31.7
55-64	289	50,226	51	18.4	12.7-24.1	34	12.4	7.3-17.5	110	33.8	27.1-40.5	94	35.4	28.3-42.5
65+	439	66,613	78	17.9	13.0-22.8	38	9.7	6.0-13.4	173	41.8	35.5-48.1	150	30.6	24.7-36.5
Less Than H.S.	149	34,706	29	21.5	12.1-30.9	11	6.0	1.9-10.1	47	37.0	24.3-49.7	62	35.5	23.9-47.1
H.S. or G.E.D.	386	104,721	78	21.7	16.2-27.2	27	7.6	4.1-11.1	160	42.1	35.4-48.8	121	28.6	22.9-34.3
Some Post-H.S.	313	71,540	56	20.0	13.7-26.3	29	8.3	4.6-12.0	142	45.6	38.0-53.2	86	26.1	19.4-32.8
College Graduate	520	80,602	148	28.6	23.5-33.7	36	5.5	3.3- 7.7	181	36.3	30.4-42.2	155	29.6	24.1-35.1
Less than \$15,000	82	13,826	17	21.0	8.5-33.5	7	9.7	1.3-18.1	23	32.9	17.8-48.0	35	36.3	23.0-49.6
\$15,000- 24,999	165	31,718	30	13.8	7.5-20.1	12	11.3	3.5-19.1	62	41.7	30.1-53.3	61	33.2	22.8-43.6
\$25,000- 34,999	110	20,646	21	19.2	9.4-29.0	8	6.5	0.2-12.8	42	36.7	24.7-48.7	39	37.6	23.9-51.3
\$35,000- 49,999	128	28,600	32	24.6	14.2-35.0	10	6.3	1.6-11.0	49	44.8	30.5-59.1	37	24.3	12.7-35.9
\$50,000- 74,999	192	46,437	34	19.6	12.2-27.0	20	8.3	3.6-13.0	80	47.8	37.8-57.8	58	24.4	17.1-31.7
\$75,000+	482	103,509	143	29.8	24.5-35.1	39	7.0	4.3- 9.7	181	39.2	33.1-45.3	119	24.0	18.9-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 9: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1685	315,367	477	30.1	26.8-33.4	146	8.6	6.6-10.6	535	30.9	27.8-34.0	527	30.4	27.3-33.5
White/Non-Hisp	1149	205,294	333	30.6	26.7-34.5	105	9.4	6.7-12.1	378	30.5	27.0-34.0	333	29.5	25.8-33.2
Black or Afr. Am./Non-Hisp	238	60,033	57	30.3	21.7-38.9	21	7.2	3.5-10.9	69	29.0	21.4-36.6	91	33.5	25.7-41.3
Oth. Race/Non-Hisp.	60	18,947	18	30.7	12.9-48.5	4	6.2	0.0-13.6	19	35.7	17.9-53.5	19	27.3	11.0-43.6
Hispanic	164	20,625	55	32.9	21.9-43.9	10	6.7	1.4-12.0	40	30.9	20.1-41.7	59	29.5	20.3-38.7
18-24	81	34,743	35	47.3	32.0-62.6	6	11.7	0.1-23.3	24	23.3	12.3-34.3	16	17.7	6.5-28.9
25-34	165	47,976	68	39.6	29.2-50.0	3	1.3	0.0- 2.9	48	29.3	20.1-38.5	46	29.7	19.5-39.9
35-44	206	44,388	70	30.2	22.6-37.8	14	7.9	3.0-12.8	57	29.4	21.2-37.6	65	32.5	23.9-41.1
45-54	270	47,633	71	27.3	20.0-34.6	23	8.3	4.4-12.2	95	34.7	27.3-42.1	81	29.8	22.9-36.7
55-64	357	59,651	97	23.9	18.2-29.6	47	14.5	9.6-19.4	114	34.6	27.7-41.5	99	27.0	20.9-33.1
65+	606	80,976	136	23.3	18.8-27.8	53	7.7	5.2-10.2	197	31.0	26.3-35.7	220	37.9	32.6-43.2
Less Than H.S.	151	28,773	26	12.3	6.6-18.0	16	10.6	4.7-16.5	40	31.7	21.3-42.1	69	45.3	33.9-56.7
H.S. or G.E.D.	428	84,777	98	25.5	19.8-31.2	41	10.3	6.4-14.2	131	29.0	23.3-34.7	158	35.3	29.0-41.6
Some Post-H.S.	431	101,228	127	33.4	26.7-40.1	31	7.2	2.9-11.5	146	33.3	27.2-39.4	127	26.2	20.7-31.7
College Graduate	669	98,664	225	36.5	31.0-42.0	58	8.1	5.4-10.8	217	29.7	24.8-34.6	169	25.7	20.6-30.8
Less than \$15,000	140	21,473	27	24.0	13.0-35.0	16	8.7	3.6-13.8	38	27.0	16.6-37.4	59	40.4	27.1-53.7
\$15,000- 24,999	228	34,900	49	21.2	14.1-28.3	23	10.6	5.3-15.9	67	25.9	18.3-33.5	89	42.4	33.2-51.6
\$25,000- 34,999	128	22,612	27	23.4	13.6-33.2	16	16.8	7.4-26.2	42	28.7	18.9-38.5	43	31.1	19.5-42.7
\$35,000- 49,999	205	39,986	59	34.3	23.7-44.9	15	6.3	2.8- 9.8	69	32.9	23.7-42.1	62	26.6	18.4-34.8
\$50,000- 74,999	178	30,964	69	40.8	29.4-52.2	22	10.7	5.4-16.0	55	30.6	21.2-40.0	32	17.9	10.3-25.5
\$75,000+	477	106,057	167	35.7	29.6-41.8	28	6.9	2.8-11.0	152	29.9	24.2-35.6	130	27.4	21.7-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3071	588,173	1356	40.2	37.7-42.7	1715	59.8	57.3-62.3
Male	1334	274,365	563	37.5	33.8-41.2	771	62.5	58.8-66.2
Female	1737	313,808	793	42.5	39.2-45.8	944	57.5	54.2-60.8
White/Non-Hisp	2149	381,627	1050	43.1	40.2-46.0	1099	56.9	54.0-59.8
Black or Afr. Am./Non-Hisp	367	119,359	158	43.5	36.4-50.6	209	56.5	49.4-63.6
Oth. Race/Non-Hisp.	105	26,684	34	26.0	14.6-37.4	71	74.0	62.6-85.4
MultiRacial/Non-Hisp.	55	5,020	17	22.3	8.6-36.0	38	77.7	64.0-91.4
Hispanic	323	43,212	68	18.7	13.0-24.4	255	81.3	75.6-87.0
18-24	162	56,479	56	46.6	35.4-57.8	106	53.4	42.2-64.6
25-34	295	85,342	62	24.0	16.6-31.4	233	76.0	68.6-83.4
35-44	338	79,894	62	20.6	14.7-26.5	276	79.4	73.5-85.3
45-54	478	94,446	109	22.5	17.4-27.6	369	77.5	72.4-82.6
55-64	666	113,018	201	28.5	24.0-33.0	465	71.5	67.0-76.0
65+	1132	158,994	866	75.2	71.7-78.7	266	24.8	21.3-28.3
Less Than H.S.	306	63,053	94	36.2	27.6-44.8	212	63.8	55.2-72.4
H.S. or G.E.D.	821	184,484	370	38.4	33.9-42.9	451	61.6	57.1-66.1
Some Post-H.S.	755	169,012	353	45.5	40.4-50.6	402	54.5	49.4-59.6
College Graduate	1174	168,669	535	38.6	34.7-42.5	639	61.4	57.5-65.3
Less than \$15,000	234	36,342	100	39.0	30.0-48.0	134	61.0	52.0-70.0
\$15,000- 24,999	392	65,141	186	40.2	33.3-47.1	206	59.8	52.9-66.7
\$25,000- 34,999	247	43,599	113	41.3	32.9-49.7	134	58.7	50.3-67.1
\$35,000- 49,999	330	65,434	164	45.8	37.4-54.2	166	54.2	45.8-62.6
\$50,000- 74,999	381	80,178	178	44.2	36.9-51.5	203	55.8	48.5-63.1
\$75,000+	947	197,132	353	34.7	30.4-39.0	594	65.3	61.0-69.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1334	274,365	563	37.5	33.8-41.2	771	62.5	58.8-66.2
White/Non-Hisp	942	176,509	449	40.9	36.8-45.0	493	59.1	55.0-63.2
Black or Afr. Am./Non-Hisp	123	56,280	46	37.2	26.0-48.4	77	62.8	51.6-74.0
Oth. Race/Non-Hisp.	52	10,475	18	36.6	18.8-54.4	34	63.4	45.6-81.2
Hispanic	160	24,229	25	12.7	6.2-19.2	135	87.3	80.8-93.8
18-24	90	26,221	31	39.5	25.6-53.4	59	60.5	46.6-74.4
25-34	149	45,100	26	18.9	8.5-29.3	123	81.1	70.7-91.5
35-44	141	38,316	27	20.1	11.3-28.9	114	79.9	71.1-88.7
45-54	199	43,880	43	21.4	13.4-29.4	156	78.6	70.6-86.6
55-64	287	49,360	84	28.3	21.6-35.0	203	71.7	65.0-78.4
65+	468	71,489	352	73.9	68.4-79.4	116	26.1	20.6-31.6
Less Than H.S.	152	33,526	37	34.0	20.9-47.1	115	66.0	52.9-79.1
H.S. or G.E.D.	368	97,754	140	34.5	28.0-41.0	228	65.5	59.0-72.0
Some Post-H.S.	311	68,127	143	40.7	33.4-48.0	168	59.3	52.0-66.6
College Graduate	495	74,002	239	39.9	34.2-45.6	256	60.1	54.4-65.8
Less than \$15,000	78	13,136	27	42.0	26.3-57.7	51	58.0	42.3-73.7
\$15,000- 24,999	161	30,724	62	29.9	20.3-39.5	99	70.1	60.5-79.7
\$25,000- 34,999	107	20,229	47	43.6	30.5-56.7	60	56.4	43.3-69.5
\$35,000- 49,999	123	26,021	56	44.3	30.0-58.6	67	55.7	41.4-70.0
\$50,000- 74,999	190	45,692	84	39.6	30.0-49.2	106	60.4	50.8-70.0
\$75,000+	461	94,261	182	31.1	25.6-36.6	279	68.9	63.4-74.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1737	313,808	793	42.5	39.2-45.8	944	57.5	54.2-60.8
White/Non-Hisp	1207	205,118	601	45.0	41.1-48.9	606	55.0	51.1-58.9
Black or Afr. Am./Non-Hisp	244	63,079	112	49.1	40.5-57.7	132	50.9	42.3-59.5
Oth. Race/Non-Hisp.	53	16,209	16	19.2	5.7-32.7	37	80.8	67.3-94.3
Hispanic	163	18,983	43	26.2	17.0-35.4	120	73.8	64.6-83.0
18-24	72	30,257	25	52.8	36.3-69.3	47	47.2	30.7-63.7
25-34	146	40,242	36	29.6	18.8-40.4	110	70.4	59.6-81.2
35-44	197	41,578	35	21.0	13.4-28.6	162	79.0	71.4-86.6
45-54	279	50,567	66	23.4	16.9-29.9	213	76.6	70.1-83.1
55-64	379	63,658	117	28.6	22.5-34.7	262	71.4	65.3-77.5
65+	664	87,505	514	76.2	71.9-80.5	150	23.8	19.5-28.1
Less Than H.S.	154	29,527	57	38.8	27.6-50.0	97	61.2	50.0-72.4
H.S. or G.E.D.	453	86,730	230	42.9	36.8-49.0	223	57.1	51.0-63.2
Some Post-H.S.	444	100,885	210	48.7	42.0-55.4	234	51.3	44.6-58.0
College Graduate	679	94,667	296	37.6	32.3-42.9	383	62.4	57.1-67.7
Less than \$15,000	156	23,207	73	37.3	26.7-47.9	83	62.7	52.1-73.3
\$15,000- 24,999	231	34,417	124	49.4	40.6-58.2	107	50.6	41.8-59.4
\$25,000- 34,999	140	23,370	66	39.3	28.7-49.9	74	60.7	50.1-71.3
\$35,000- 49,999	207	39,413	108	46.8	36.6-57.0	99	53.2	43.0-63.4
\$50,000- 74,999	191	34,487	94	50.3	39.9-60.7	97	49.7	39.3-60.1
\$75,000+	486	102,870	171	38.1	31.4-44.8	315	61.9	55.2-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1	MALES AND FEMALES	262
2	MALES ONLY	263
3	FEMALES ONLY	264
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	265
5	MALES ONLY	266
6	FEMALES ONLY	267
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	268
8	MALES ONLY	269
9	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3251	638,593	1391	45.5	43.0-48.0	1860	54.5	52.0-57.0
Male	1447	305,235	584	43.6	39.9-47.3	863	56.4	52.7-60.1
Female	1804	333,358	807	47.3	44.0-50.6	997	52.7	49.4-56.0
White/Non-Hisp	2228	406,804	835	39.4	36.7-42.1	1393	60.6	57.9-63.3
Black or Afr. Am./Non-Hisp	403	130,486	250	64.9	58.6-71.2	153	35.1	28.8-41.4
Oth. Race/Non-Hisp.	121	32,412	53	48.9	36.0-61.8	68	51.1	38.2-64.0
MultiRacial/Non-Hisp.	64	6,061	44	70.6	54.9-86.3	20	29.4	13.7-45.1
Hispanic	355	49,085	173	38.8	31.5-46.1	182	61.2	53.9-68.5
18-24	206	73,569	85	44.2	34.6-53.8	121	55.8	46.2-65.4
25-34	355	102,857	213	55.6	48.2-63.0	142	44.4	37.0-51.8
35-44	395	93,168	263	65.3	58.8-71.8	132	34.7	28.2-41.2
45-54	510	99,641	315	63.8	58.5-69.1	195	36.2	30.9-41.5
55-64	679	114,142	290	40.1	35.2-45.0	389	59.9	55.0-64.8
65+	1106	155,216	225	19.9	16.8-23.0	881	80.1	77.0-83.2
Less Than H.S.	320	66,746	128	38.8	30.8-46.8	192	61.2	53.2-69.2
H.S. or G.E.D.	860	197,330	355	45.4	40.9-49.9	505	54.6	50.1-59.1
Some Post-H.S.	783	180,442	358	47.1	42.2-52.0	425	52.9	48.0-57.8
College Graduate	1271	190,612	542	46.4	42.5-50.3	729	53.6	49.7-57.5
Less than \$15,000	245	38,138	129	55.1	45.9-64.3	116	44.9	35.7-54.1
\$15,000- 24,999	409	70,002	180	49.2	42.1-56.3	229	50.8	43.7-57.9
\$25,000- 34,999	254	46,139	107	44.7	36.3-53.1	147	55.3	46.9-63.7
\$35,000- 49,999	346	71,291	149	47.8	39.6-56.0	197	52.2	44.0-60.4
\$50,000- 74,999	399	84,129	169	46.6	39.5-53.7	230	53.4	46.3-60.5
\$75,000+	1021	219,507	461	46.9	42.6-51.2	560	53.1	48.8-57.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1447	305,235	584	43.6	39.9-47.3	863	56.4	52.7-60.1
White/Non-Hisp	1005	193,250	363	37.9	33.8-42.0	642	62.1	58.0-66.2
Black or Afr. Am./Non-Hisp	145	64,001	96	65.5	55.7-75.3	49	34.5	24.7-44.3
Oth. Race/Non-Hisp.	62	14,039	24	34.6	18.7-50.5	38	65.4	49.5-81.3
Hispanic	172	25,971	65	32.2	22.2-42.2	107	67.8	57.8-77.8
18-24	118	37,007	41	34.2	23.0-45.4	77	65.8	54.6-77.0
25-34	177	53,040	93	53.0	42.2-63.8	84	47.0	36.2-57.8
35-44	173	46,550	99	54.0	43.6-64.4	74	46.0	35.6-56.4
45-54	226	48,785	130	63.5	55.7-71.3	96	36.5	28.7-44.3
55-64	300	51,238	116	37.8	30.7-44.9	184	62.2	55.1-69.3
65+	453	68,615	105	24.3	18.8-29.8	348	75.7	70.2-81.2
Less Than H.S.	158	35,741	53	36.4	24.1-48.7	105	63.6	51.3-75.9
H.S. or G.E.D.	398	106,860	164	44.5	37.8-51.2	234	55.5	48.8-62.2
Some Post-H.S.	324	74,399	137	44.0	36.6-51.4	187	56.0	48.6-63.4
College Graduate	559	86,939	229	45.2	39.3-51.1	330	54.8	48.9-60.7
Less than \$15,000	85	14,375	43	52.0	37.3-66.7	42	48.0	33.3-62.7
\$15,000- 24,999	165	31,319	66	46.9	35.3-58.5	99	53.1	41.5-64.7
\$25,000- 34,999	112	21,355	39	30.3	19.1-41.5	73	69.7	58.5-80.9
\$35,000- 49,999	131	29,199	56	51.1	37.6-64.6	75	48.9	35.4-62.4
\$50,000- 74,999	203	48,566	84	44.0	34.4-53.6	119	56.0	46.4-65.6
\$75,000+	514	108,994	217	46.1	40.2-52.0	297	53.9	48.0-59.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1804	333,358	807	47.3	44.0-50.6	997	52.7	49.4-56.0
White/Non-Hisp	1223	213,553	472	40.7	36.8-44.6	751	59.3	55.4-63.2
Black or Afr. Am./Non-Hisp	258	66,486	154	64.2	56.4-72.0	104	35.8	28.0-43.6
Oth. Race/Non-Hisp.	59	18,373	29	59.8	41.6-78.0	30	40.2	22.0-58.4
Hispanic	183	23,115	108	46.3	35.9-56.7	75	53.7	43.3-64.1
18-24	88	36,562	44	54.2	39.7-68.7	44	45.8	31.3-60.3
25-34	178	49,817	120	58.3	47.9-68.7	58	41.7	31.3-52.1
35-44	222	46,618	164	76.5	69.4-83.6	58	23.5	16.4-30.6
45-54	284	50,856	185	64.2	56.8-71.6	99	35.8	28.4-43.2
55-64	379	62,904	174	41.9	35.2-48.6	205	58.1	51.4-64.8
65+	653	86,601	120	16.4	12.9-19.9	533	83.6	80.1-87.1
Less Than H.S.	162	31,006	75	41.7	31.3-52.1	87	58.3	47.9-68.7
H.S. or G.E.D.	462	90,469	191	46.5	40.2-52.8	271	53.5	47.2-59.8
Some Post-H.S.	459	106,043	221	49.3	42.6-56.0	238	50.7	44.0-57.4
College Graduate	712	103,673	313	47.4	42.1-52.7	399	52.6	47.3-57.9
Less than \$15,000	160	23,763	86	57.0	45.4-68.6	74	43.0	31.4-54.6
\$15,000- 24,999	244	38,684	114	51.2	42.6-59.8	130	48.8	40.2-57.4
\$25,000- 34,999	142	24,784	68	57.2	46.2-68.2	74	42.8	31.8-53.8
\$35,000- 49,999	215	42,092	93	45.5	35.5-55.5	122	54.5	44.5-64.5
\$50,000- 74,999	196	35,563	85	50.1	39.9-60.3	111	49.9	39.7-60.1
\$75,000+	507	110,513	244	47.7	41.4-54.0	263	52.3	46.0-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1144	246,207	47	2.8	1.8- 3.8	77	5.0	3.6- 6.4	167	12.9	10.4-15.4	71	5.1	3.7- 6.5	592	51.9	47.8-56.0	190	22.4	18.3-26.5
Male	489	114,165	15	2.1	0.9- 3.3	25	2.8	1.2- 4.4	60	9.7	6.8-12.6	27	5.0	2.6- 7.4	266	56.4	50.1-62.7	96	23.9	18.0-29.8
Female	655	132,042	32	3.3	1.7- 4.9	52	6.8	4.6- 9.0	107	15.6	11.9-19.3	44	5.2	3.4- 7.0	326	48.0	42.5-53.5	94	21.0	15.5-26.5
White/Non-Hisp	681	135,280	41	4.5	2.9- 6.1	63	7.9	5.5-10.3	119	16.2	12.7-19.7	48	5.8	3.8- 7.8	311	46.8	41.7-51.9	99	18.7	13.8-23.6
Black or Afr. Am./Non-Hisp	215	74,636	1	0.5	0.0- 1.5	5	1.0	0.0- 2.2	24	8.8	4.3-13.3	15	4.5	2.0- 7.0	119	54.1	45.1-63.1	51	31.0	22.0-40.0
Hispanic	146	16,008	2	0.8	0.0- 2.0	3	1.6	0.0- 4.0	13	9.2	2.5-15.9	4	3.8	0.0- 9.3	103	71.2	60.6-81.8	21	13.5	5.3-21.7
18-24	78	31,099							1	1.3	0.0- 3.8				48	47.3	32.2-62.4	29	51.4	36.1-66.7
25-34	196	54,473							4	1.1	0.0- 2.5	5	1.9	0.1- 3.7	137	66.0	56.4-75.6	50	31.0	21.4-40.6
35-44	233	53,449				7	3.5	0.4- 6.6	42	21.2	14.1-28.3	17	5.7	2.2- 9.2	132	52.6	44.0-61.2	35	17.0	9.7-24.3
45-54	263	52,654	7	3.1	0.4- 5.8	32	11.0	6.5-15.5	52	19.1	13.0-25.2	21	7.3	3.6-11.0	110	44.1	35.7-52.5	41	15.4	9.3-21.5
55-64	224	34,124	20	8.2	4.1-12.3	25	9.3	5.0-13.6	42	20.7	13.8-27.6	19	8.6	4.3-12.9	96	43.5	34.9-52.1	22	9.6	4.7-14.5
65+	150	20,408	20	11.5	5.4-17.6	13	6.7	2.4-11.0	26	11.4	6.1-16.7	9	7.9	1.8-14.0	69	53.8	43.0-64.6	13	8.7	3.2-14.2
Less Than H.S.	96	20,111	3	1.5	0.0- 3.3				8	8.6	1.9-15.3	6	6.3	0.4-12.2	60	59.8	44.7-74.9	19	23.8	10.7-36.9
H.S. or G.E.D.	299	78,093	7	1.0	0.2- 1.8	11	2.8	0.6- 5.0	35	10.5	6.2-14.8	20	4.8	2.3- 7.3	167	56.9	49.1-64.7	59	24.1	16.7-31.5
Some Post-H.S.	290	71,792	11	3.0	0.8- 5.2	25	6.3	3.2- 9.4	41	14.3	9.2-19.4	17	4.0	1.8- 6.2	140	45.1	37.1-53.1	56	27.3	18.7-35.9
College Graduate	455	75,573	26	4.7	2.5- 6.9	40	7.2	4.5- 9.9	83	15.3	11.2-19.4	28	6.1	3.2- 9.0	222	50.8	44.1-57.5	56	15.8	10.3-21.3
Less than \$15,000	107	18,714	3	1.6	0.0- 3.8	5	2.9	0.0- 5.8	9	6.4	0.9-11.9	9	8.4	1.7-15.1	69	60.7	45.4-76.0	12	19.9	3.4-36.4
\$15,000- 24,999	146	28,608	6	1.6	0.0- 3.2	3	0.9	0.0- 2.1	13	7.5	2.4-12.6	5	2.6	0.2- 5.0	86	63.7	53.3-74.1	33	23.8	14.6-33.0
\$25,000- 34,999	93	18,685	2	1.2	0.0- 3.0	5	2.5	0.0- 5.0	7	11.7	0.1-23.3	5	3.2	0.0- 6.5	54	57.2	43.5-70.9	20	24.3	12.7-35.9
\$35,000- 49,999	128	29,103	5	2.2	0.0- 4.4	8	4.7	0.0- 9.4	19	10.0	3.7-16.3	7	3.4	0.3- 6.5	63	51.4	36.7-66.1	26	28.3	13.8-42.8
\$50,000- 74,999	139	32,498	3	1.5	0.0- 3.3	9	3.3	0.8- 5.8	22	10.7	5.0-16.4	9	4.2	0.9- 7.5	65	45.4	33.2-57.6	31	34.8	21.9-47.7
\$75,000+	393	90,204	21	3.9	1.9- 5.9	40	8.2	5.1-11.3	81	18.9	14.2-23.6	31	6.8	3.9- 9.7	173	46.2	39.5-52.9	47	15.9	10.0-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	489	114,165	15	2.1	0.9- 3.3	25	2.8	1.2- 4.4	60	9.7	6.8-12.6	27	5.0	2.6- 7.4	266	56.4	50.1-62.7	96	23.9	18.0-29.8
White/Non-Hisp	301	62,005	13	3.1	1.3- 4.9	17	4.3	1.6- 7.0	47	13.7	9.0-18.4	18	5.5	2.4- 8.6	150	52.8	45.2-60.4	56	20.6	13.7-27.5
Black or Afr. Am./Non-Hisp	85	37,867	1	1.1	0.0- 3.3	2	0.5	0.0- 1.3	4	2.3	0.0- 4.8	5	3.7	0.2- 7.2	52	60.7	47.2-74.2	21	31.8	18.5-45.1
Hispanic	56	7,609	2	1.1	0.0- 2.7	2	1.1	0.0- 2.7	3	7.3	0.0-17.5	2	6.8	0.0-18.0	40	71.0	54.1-87.9	9	13.7	1.4-26.0
25-34	86	27,175							1	0.5	0.0- 1.5	2	1.9	0.0- 4.8	63	68.3	53.4-83.2	20	29.3	14.4-44.2
35-44	87	21,490				2	0.8	0.0- 2.0	14	16.6	7.4-25.8	7	8.9	1.5-16.3	50	51.6	37.1-66.1	14	22.1	7.8-36.4
45-54	108	25,494	3	2.2	0.0- 4.7	10	7.1	1.2-13.0	15	12.2	4.8-19.6	5	4.6	0.0- 9.7	51	51.5	38.4-64.6	24	22.5	11.5-33.5
55-64	97	16,438	5	4.1	0.2- 8.0	8	4.6	1.1- 8.1	17	18.5	9.1-27.9	7	5.8	0.7-10.9	45	53.1	40.6-65.6	15	13.9	5.3-22.5
65+	75	12,122	7	9.7	1.5-17.9	5	4.1	0.0- 8.2	12	7.4	2.5-12.3	6	9.3	0.3-18.3	35	56.5	41.2-71.8	10	13.0	4.0-22.0
H.S. or G.E.D.	138	41,848	1	0.2	0.0- 0.6	4	2.6	0.0- 5.9	10	6.2	1.7-10.7	7	4.0	0.5- 7.5	84	62.1	50.9-73.3	32	24.9	14.3-35.5
Some Post-H.S.	113	27,017	5	3.7	0.0- 7.4	6	2.4	0.2- 4.6	15	12.0	5.3-18.7	5	3.9	0.2- 7.6	60	58.0	46.0-70.0	22	20.0	9.4-30.6
College Graduate	197	33,307	9	4.0	1.3- 6.7	15	4.5	2.0- 7.0	30	12.2	6.9-17.5	11	5.9	1.2-10.6	100	49.1	39.1-59.1	32	24.3	13.9-34.7
\$15,000- 24,999	53	12,506	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9	5	5.4	0.0-12.1	2	2.6	0.0- 6.3	29	66.0	49.3-82.7	15	24.9	10.0-39.8
\$35,000- 49,999	50	13,083	1	0.5	0.0- 1.5	4	2.1	0.0- 4.5	3	2.5	0.0- 5.6	1	0.9	0.0- 2.7	27	59.0	35.1-82.9	14	35.0	11.3-58.7
\$50,000- 74,999	70	17,867	1	1.0	0.0- 3.0	4	2.9	0.0- 5.8	8	5.7	1.0-10.4	5	3.5	0.0- 7.6	36	59.5	44.2-74.8	16	27.4	13.1-41.7
\$75,000+	187	43,886	7	3.2	0.7- 5.7	14	4.8	1.3- 8.3	36	16.9	10.6-23.2	12	6.6	2.1-11.1	91	49.8	40.0-59.6	27	18.6	10.0-27.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	655	132,042	32	3.3	1.7- 4.9	52	6.8	4.6- 9.0	107	15.6	11.9-19.3	44	5.2	3.4- 7.0	326	48.0	42.5-53.5	94	21.0	15.5-26.5
White/Non-Hisp	380	73,275	28	5.7	3.2- 8.2	46	11.1	7.4-14.8	72	18.3	13.2-23.4	30	6.1	3.6- 8.6	161	41.8	34.9-48.7	43	17.1	9.8-24.4
Black or Afr. Am./Non-Hisp	130	36,768				3	1.6	0.0- 4.0	20	15.5	7.1-23.9	10	5.2	1.5- 8.9	67	47.4	36.0-58.8	30	30.3	18.1-42.5
Hispanic	90	8,398	2	1.4	0.0- 3.6	1	2.1	0.0- 6.2	10	10.8	2.2-19.4	2	1.0	0.0- 2.6	63	71.3	58.2-84.4	12	13.3	2.1-24.5
25-34	110	27,298							3	1.8	0.0- 4.2	3	1.8	0.0- 4.2	74	63.7	51.4-76.0	30	32.7	20.5-44.9
35-44	146	31,959				5	5.3	0.2-10.4	28	24.2	14.2-34.2	10	3.6	0.9- 6.3	82	53.2	42.8-63.6	21	13.6	6.7-20.5
45-54	155	27,160	4	4.0	0.0- 8.7	22	14.7	8.2-21.2	37	25.5	16.5-34.5	16	9.9	4.6-15.2	59	37.2	27.2-47.2	17	8.7	3.6-13.8
55-64	127	17,686	15	12.1	5.2-19.0	17	13.7	6.1-21.3	25	22.8	13.0-32.6	12	11.2	4.1-18.3	51	34.6	23.8-45.4	7	5.6	0.5-10.7
65+	75	8,286	13	14.0	5.4-22.6	8	10.5	1.9-19.1	14	17.4	7.2-27.6	3	5.8	0.0-12.7	34	49.9	35.8-64.0	3	2.4	0.0- 5.1
Less Than H.S.	56	8,511	3	3.5	0.0- 7.8				3	6.0	0.0-13.1	2	3.3	0.0- 8.2	39	71.1	55.4-86.8	9	16.0	2.1-29.9
H.S. or G.E.D.	161	36,244	6	1.8	0.2- 3.4	7	3.0	0.5- 5.5	25	15.3	7.9-22.7	13	5.7	2.0- 9.4	83	51.0	40.6-61.4	27	23.2	12.8-33.6
Some Post-H.S.	177	44,775	6	2.6	0.0- 5.3	19	8.6	3.9-13.3	26	15.7	8.4-23.0	12	4.1	1.6- 6.6	80	37.3	27.7-46.9	34	31.6	19.8-43.4
College Graduate	258	42,266	17	5.4	2.3- 8.5	25	9.3	5.0-13.6	53	17.8	11.9-23.7	17	6.2	2.7- 9.7	122	52.2	43.6-60.8	24	9.1	4.6-13.6
Less than \$15,000	71	11,881	2	0.9	0.0- 2.3	4	2.8	0.0- 5.9	7	5.9	0.0-12.0	6	6.3	0.2-12.4	44	62.4	41.6-83.2	8	21.7	0.0-44.4
\$15,000- 24,999	93	16,102	5	2.3	0.0- 4.7	2	1.3	0.0- 3.3	8	9.0	1.6-16.4	3	2.5	0.0- 5.6	57	61.9	49.2-74.6	18	22.9	11.1-34.7
\$25,000- 34,999	58	12,565	2	1.8	0.0- 4.3	5	3.7	0.0- 7.4	6	16.7	0.4-33.0	3	3.3	0.0- 7.6	30	53.2	36.0-70.4	12	21.3	8.2-34.4
\$35,000- 49,999	78	16,020	4	3.6	0.0- 7.3	4	6.9	0.0-14.9	16	16.1	5.5-26.7	6	5.4	0.0-10.9	36	45.2	27.4-63.0	12	22.9	5.1-40.7
\$50,000- 74,999	69	14,631	2	2.2	0.0- 5.5	5	3.9	0.0- 8.0	14	16.8	5.4-28.2	4	5.1	0.0-10.8	29	28.2	14.5-41.9	15	43.9	23.5-64.3
\$75,000+	206	46,318	14	4.6	1.7- 7.5	26	11.5	6.6-16.4	45	20.8	13.7-27.9	19	7.0	3.5-10.5	82	42.7	33.5-51.9	20	13.4	5.4-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3325	651,711	168	6.3	4.9- 7.7	3157	93.7	92.3-95.1
Male	1477	311,004	103	8.5	6.3-10.7	1374	91.5	89.3-93.7
Female	1848	340,707	65	4.2	2.8- 5.6	1783	95.8	94.4-97.2
White/Non-Hisp	2293	418,769	102	5.9	4.3- 7.5	2191	94.1	92.5-95.7
Black or Afr. Am./Non-Hisp	407	130,826	21	6.3	3.0- 9.6	386	93.7	90.4-97.0
Oth. Race/Non-Hisp.	123	33,504	11	9.3	1.9-16.7	112	90.7	83.3-98.1
MultiRacial/Non-Hisp.	64	6,105	9	14.3	3.7-24.9	55	85.7	75.1-96.3
Hispanic	359	49,339	22	7.0	3.3-10.7	337	93.0	89.3-96.7
18-24	209	74,638	37	16.2	9.9-22.5	172	83.8	77.5-90.1
25-34	359	104,237	44	12.6	7.7-17.5	315	87.4	82.5-92.3
35-44	395	93,691	35	9.3	5.4-13.2	360	90.7	86.8-94.6
45-54	516	100,417	27	4.6	2.2- 7.0	489	95.4	93.0-97.8
55-64	690	116,918	12	1.4	0.4- 2.4	678	98.6	97.6-99.6
65+	1156	161,811	13	0.5	0.1- 0.9	1143	99.5	99.1-99.9
Less Than H.S.	325	67,478	13	2.8	0.8- 4.8	312	97.2	95.2-99.2
H.S. or G.E.D.	878	201,822	58	8.5	5.8-11.2	820	91.5	88.8-94.2
Some Post-H.S.	806	185,450	44	7.5	4.6-10.4	762	92.5	89.6-95.4
College Graduate	1298	193,538	51	4.0	2.4- 5.6	1247	96.0	94.4-97.6
Less than \$15,000	249	38,477	12	6.6	1.7-11.5	237	93.4	88.5-98.3
\$15,000- 24,999	414	71,302	28	7.4	4.3-10.5	386	92.6	89.5-95.7
\$25,000- 34,999	258	46,775	15	9.3	3.2-15.4	243	90.7	84.6-96.8
\$35,000- 49,999	354	72,597	24	7.8	3.5-12.1	330	92.2	87.9-96.5
\$50,000- 74,999	409	86,068	20	6.5	2.8-10.2	389	93.5	89.8-97.2
\$75,000+	1042	223,691	43	4.7	2.7- 6.7	999	95.3	93.3-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	311,004	103	8.5	6.3-10.7	1374	91.5	89.3-93.7
White/Non-Hisp	1032	198,698	70	8.3	5.8-10.8	962	91.7	89.2-94.2
Black or Afr. Am./Non-Hisp	145	64,001	12	10.0	3.7-16.3	133	90.0	83.7-96.3
Oth. Race/Non-Hisp.	61	13,990	6	7.8	0.0-15.8	55	92.2	84.2- 100
Hispanic	174	26,045	10	7.0	1.1-12.9	164	93.0	87.1-98.9
18-24	119	37,251	20	17.1	8.1-26.1	99	82.9	73.9-91.9
25-34	179	53,779	28	18.5	10.1-26.9	151	81.5	73.1-89.9
35-44	172	46,337	19	9.8	4.1-15.5	153	90.2	84.5-95.9
45-54	230	49,439	18	7.6	3.1-12.1	212	92.4	87.9-96.9
55-64	303	52,223	8	2.3	0.3- 4.3	295	97.7	95.7-99.7
65+	474	71,976	10	1.0	0.4- 1.6	464	99.0	98.4-99.6
Less Than H.S.	160	36,281	8	3.7	0.4- 7.0	152	96.3	93.0-99.6
H.S. or G.E.D.	405	108,862	36	9.6	5.9-13.3	369	90.4	86.7-94.1
Some Post-H.S.	336	76,808	25	11.7	5.8-17.6	311	88.3	82.4-94.2
College Graduate	567	87,798	33	6.3	3.2- 9.4	534	93.7	90.6-96.8
Less than \$15,000	87	14,484	8	13.2	1.6-24.8	79	86.8	75.2-98.4
\$15,000- 24,999	168	31,964	14	7.5	3.0-12.0	154	92.5	88.0-97.0
\$25,000- 34,999	115	21,943	12	15.5	4.5-26.5	103	84.5	73.5-95.5
\$35,000- 49,999	135	29,919	12	8.3	1.8-14.8	123	91.7	85.2-98.2
\$50,000- 74,999	210	50,100	14	9.6	3.3-15.9	196	90.4	84.1-96.7
\$75,000+	522	110,087	34	7.7	4.0-11.4	488	92.3	88.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1848	340,707	65	4.2	2.8- 5.6	1783	95.8	94.4-97.2
White/Non-Hisp	1261	220,071	32	3.7	1.9- 5.5	1229	96.3	94.5-98.1
Black or Afr. Am./Non-Hisp	262	66,825	9	2.7	0.5- 4.9	253	97.3	95.1-99.5
Oth. Race/Non-Hisp.	62	19,514	5	10.4	0.0-21.6	57	89.6	78.4- 100
Hispanic	185	23,295	12	7.1	2.6-11.6	173	92.9	88.4-97.4
18-24	90	37,388	17	15.2	6.4-24.0	73	84.8	76.0-93.6
25-34	180	50,458	16	6.2	2.7- 9.7	164	93.8	90.3-97.3
35-44	223	47,354	16	8.8	3.1-14.5	207	91.2	85.5-96.9
45-54	286	50,978	9	1.6	0.2- 3.0	277	98.4	97.0-99.8
55-64	387	64,694	4	0.7	0.0- 1.7	383	99.3	98.3- 100
65+	682	89,835	3	0.2	0.0- 0.4	679	99.8	99.6- 100
Less Than H.S.	165	31,197	5	1.8	0.0- 3.6	160	98.2	96.4- 100
H.S. or G.E.D.	473	92,960	22	7.2	3.5-10.9	451	92.8	89.1-96.5
Some Post-H.S.	470	108,642	19	4.5	1.8- 7.2	451	95.5	92.8-98.2
College Graduate	731	105,740	18	2.1	0.9- 3.3	713	97.9	96.7-99.1
Less than \$15,000	162	23,993	4	2.6	0.0- 5.5	158	97.4	94.5- 100
\$15,000- 24,999	246	39,339	14	7.3	2.8-11.8	232	92.7	88.2-97.2
\$25,000- 34,999	143	24,831	3	3.8	0.0- 9.7	140	96.2	90.3- 100
\$35,000- 49,999	219	42,677	12	7.5	1.6-13.4	207	92.5	86.6-98.4
\$50,000- 74,999	199	35,969	6	2.2	0.0- 4.6	193	97.8	95.4- 100
\$75,000+	520	113,604	9	1.9	0.3- 3.5	511	98.1	96.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2019**

End of Core Data Report