

DELAWARE

2014 Calculated Variables Report

Behavioral Risk Factor Surveillance System

May 27, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4285	729,169	3489	84.4	83.0-85.8	796	15.6	14.2-17.0
Male	1751	348,573	1419	85.1	82.7-87.5	332	14.9	12.5-17.3
Female	2534	380,597	2070	83.8	81.8-85.8	464	16.2	14.2-18.2
White/Non-Hisp	2900	475,843	2411	86.0	84.4-87.6	489	14.0	12.4-15.6
Black or Afr. Am./Non-Hisp	605	143,965	454	81.7	78.0-85.4	151	18.3	14.6-22.0
Oth. Race/Non-Hisp.	118	27,674	105	90.7	83.6-97.8	13	9.3	02.2-16.4
MultiRacial/Non-Hisp.	323	10,324	258	84.1	79.4-88.8	65	15.9	11.2-20.6
Hispanic	247	56,034	184	74.4	67.7-81.1	63	25.6	18.9-32.3
18-24	178	92,520	161	90.5	85.2-95.8	17	9.5	04.2-14.8
25-34	363	119,802	329	92.7	90.0-95.4	34	7.3	04.6-10.0
35-44	425	110,514	368	86.0	81.7-90.3	57	14.0	09.7-18.3
45-54	724	126,617	594	83.7	80.6-86.8	130	16.3	13.2-19.4
55-64	977	120,364	791	81.7	78.6-84.8	186	18.3	15.2-21.4
65+	1552	151,866	1191	75.9	73.0-78.8	361	24.1	21.2-27.0
Less Than H.S.	414	98,173	243	64.9	58.6-71.2	171	35.1	28.8-41.4
H.S. or G.E.D.	1270	228,270	987	83.9	81.5-86.3	283	16.1	13.7-18.5
Some Post-H.S.	1037	211,007	850	86.8	84.3-89.3	187	13.2	10.7-15.7
College Graduate	1541	188,788	1390	92.5	90.9-94.1	151	7.5	05.9-09.1
Less than \$15,000	371	61,512	209	62.7	55.6-69.8	162	37.3	30.2-44.4
\$15,000- 24,999	660	111,388	475	76.6	72.3-80.9	185	23.4	19.1-27.7
\$25,000- 34,999	373	58,276	282	79.6	74.7-84.5	91	20.4	15.5-25.3
\$35,000- 49,999	504	86,178	433	88.6	85.5-91.7	71	11.4	08.3-14.5
\$50,000- 74,999	561	88,539	488	86.4	82.1-90.7	73	13.6	09.3-17.9
\$75,000+	1095	205,580	1031	94.9	92.9-96.9	64	5.1	03.1-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,573	1419	85.1	82.7-87.5	332	14.9	12.5-17.3
White/Non-Hisp	1202	225,571	989	86.4	83.7-89.1	213	13.6	10.9-16.3
Black or Afr. Am./Non-Hisp	208	65,784	155	82.0	75.9-88.1	53	18.0	11.9-24.1
Oth. Race/Non-Hisp.	50	12,932	48	98.4	96.0-100.0	2	1.6	0.0-04.0
MultiRacial/Non-Hisp.	126	4,391	99	84.1	76.5-91.7	27	15.9	08.3-23.5
Hispanic	116	29,655	89	76.8	67.2-86.4	27	23.2	13.6-32.8
18-24	78	46,656	72	90.4	82.2-98.6	6	9.6	01.4-17.8
25-34	137	59,790	125	93.9	90.2-97.6	12	6.1	02.4-09.8
35-44	182	54,112	161	87.9	80.8-95.0	21	12.1	05.0-19.2
45-54	305	61,145	248	84.0	79.1-88.9	57	16.0	11.1-20.9
55-64	402	56,914	327	83.2	78.7-87.7	75	16.8	12.3-21.3
65+	629	67,422	471	74.0	69.3-78.7	158	26.0	21.3-30.7
Less Than H.S.	188	55,354	116	69.6	60.8-78.4	72	30.4	21.6-39.2
H.S. or G.E.D.	509	112,272	396	85.4	82.1-88.7	113	14.6	11.3-17.9
Some Post-H.S.	398	94,651	327	87.5	83.2-91.8	71	12.5	08.2-16.8
College Graduate	647	84,123	573	92.3	90.1-94.5	74	7.7	05.5-09.9
Less than \$15,000	129	27,884	77	66.3	54.7-77.9	52	33.7	22.1-45.3
\$15,000- 24,999	252	48,619	175	75.6	68.7-82.5	77	24.4	17.5-31.3
\$25,000- 34,999	118	21,711	83	79.0	71.0-87.0	35	21.0	13.0-29.0
\$35,000- 49,999	240	46,816	204	88.8	84.3-93.3	36	11.2	06.7-15.7
\$50,000- 74,999	237	39,345	198	86.4	79.5-93.3	39	13.6	06.7-20.5
\$75,000+	534	114,003	498	94.3	91.0-97.6	36	5.7	02.4-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2534	380,597	2070	83.8	81.8-85.8	464	16.2	14.2-18.2
White/Non-Hisp	1698	250,272	1422	85.5	83.3-87.7	276	14.5	12.3-16.7
Black or Afr. Am./Non-Hisp	397	78,181	299	81.5	76.8-86.2	98	18.5	13.8-23.2
Oth. Race/Non-Hisp.	68	14,742	57	83.9	71.6-96.2	11	16.1	03.8-28.4
MultiRacial/Non-Hisp.	197	5,933	159	84.1	78.2-90.0	38	15.9	10.0-21.8
Hispanic	131	26,379	95	71.7	62.3-81.1	36	28.3	18.9-37.7
18-24	100	45,864	89	90.5	84.0-97.0	11	9.5	03.0-16.0
25-34	226	60,012	204	91.4	87.5-95.3	22	8.6	04.7-12.5
35-44	243	56,402	207	84.2	78.9-89.5	36	15.8	10.5-21.1
45-54	419	65,472	346	83.4	79.1-87.7	73	16.6	12.3-20.9
55-64	575	63,450	464	80.4	76.3-84.5	111	19.6	15.5-23.7
65+	923	84,444	720	77.3	73.6-81.0	203	22.7	19.0-26.4
Less Than H.S.	226	42,819	127	59.0	50.4-67.6	99	41.0	32.4-49.6
H.S. or G.E.D.	761	115,998	591	82.4	79.1-85.7	170	17.6	14.3-20.9
Some Post-H.S.	639	116,356	523	86.3	83.2-89.4	116	13.7	10.6-16.8
College Graduate	894	104,665	817	92.6	90.4-94.8	77	7.4	05.2-09.6
Less than \$15,000	242	33,628	132	59.7	51.1-68.3	110	40.3	31.7-48.9
\$15,000- 24,999	408	62,769	300	77.4	71.9-82.9	108	22.6	17.1-28.1
\$25,000- 34,999	255	36,565	199	80.0	73.7-86.3	56	20.0	13.7-26.3
\$35,000- 49,999	264	39,362	229	88.4	83.7-93.1	35	11.6	06.9-16.3
\$50,000- 74,999	324	49,195	290	86.4	81.3-91.5	34	13.6	08.5-18.7
\$75,000+	561	91,577	533	95.7	93.7-97.7	28	4.3	02.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2665	568,791	2413	89.2	87.6-90.8	252	10.8	09.2-12.4
Male	1102	278,042	979	87.0	84.3-89.7	123	13.0	10.3-15.7
Female	1563	290,749	1434	91.3	89.5-93.1	129	8.7	06.9-10.5
White/Non-Hisp	1673	350,014	1568	92.3	90.5-94.1	105	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	442	122,027	414	94.2	91.5-96.9	28	5.8	03.1-08.5
Oth. Race/Non-Hisp.	95	25,179	83	85.2	72.5-97.9	12	14.8	02.1-27.5
MultiRacial/Non-Hisp.	181	7,268	173	96.4	93.5-99.3	8	3.6	00.7-06.5
Hispanic	227	53,954	134	59.8	52.2-67.4	93	40.2	32.6-47.8
18-24	176	91,757	150	87.7	82.6-92.8	26	12.3	07.2-17.4
25-34	364	119,977	297	81.2	76.1-86.3	67	18.8	13.7-23.9
35-44	424	110,135	371	88.7	85.4-92.0	53	11.3	08.0-14.6
45-54	723	126,428	672	93.9	91.9-95.9	51	6.1	04.1-08.1
55-64	978	120,495	923	93.7	91.3-96.1	55	6.3	03.9-08.7
Less Than H.S.	245	74,017	180	73.7	66.8-80.6	65	26.3	19.4-33.2
H.S. or G.E.D.	758	177,972	666	86.2	82.7-89.7	92	13.8	10.3-17.3
Some Post-H.S.	644	164,641	591	93.2	90.8-95.6	53	6.8	04.4-09.2
College Graduate	1009	150,149	968	95.7	94.1-97.3	41	4.3	02.7-05.9
Less than \$15,000	254	51,568	210	79.3	72.4-86.2	44	20.7	13.8-27.6
\$15,000- 24,999	378	80,801	308	80.5	75.2-85.8	70	19.5	14.2-24.8
\$25,000- 34,999	217	43,249	184	82.1	74.7-89.5	33	17.9	10.5-25.3
\$35,000- 49,999	293	65,054	266	88.5	83.6-93.4	27	11.5	06.6-16.4
\$50,000- 74,999	369	68,959	347	92.7	89.0-96.4	22	7.3	03.6-11.0
\$75,000+	818	179,360	797	95.7	93.2-98.2	21	4.3	01.8-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1102	278,042	979	87.0	84.3-89.7	123	13.0	10.3-15.7
White/Non-Hisp	700	170,888	648	90.9	88.0-93.8	52	9.1	06.2-12.0
Black or Afr. Am./Non-Hisp	144	54,204	132	91.6	86.1-97.1	12	8.4	02.9-13.9
MultiRacial/Non-Hisp.	78	3,458	75	97.0	92.9-0100	3	3.0	00.0-07.1
Hispanic	108	29,033	63	60.1	49.1-71.1	45	39.9	28.9-50.9
18-24	78	46,656	63	84.3	76.1-92.5	15	15.7	07.5-23.9
25-34	138	59,965	109	78.4	70.0-86.8	29	21.6	13.2-30.0
35-44	181	53,733	152	86.5	81.4-91.6	29	13.5	08.4-18.6
45-54	304	60,849	278	93.0	89.9-96.1	26	7.0	03.9-10.1
55-64	401	56,839	377	92.2	87.7-96.7	24	7.8	03.3-12.3
Less Than H.S.	122	43,619	86	73.6	64.0-83.2	36	26.4	16.8-36.0
H.S. or G.E.D.	329	92,923	282	82.9	77.0-88.8	47	17.1	11.2-23.0
Some Post-H.S.	254	75,660	229	91.9	88.0-95.8	25	8.1	04.2-12.0
College Graduate	390	63,900	375	95.8	93.3-98.3	15	4.2	01.7-06.7
Less than \$15,000	92	24,716	75	80.0	68.8-91.2	17	20.0	08.8-31.2
\$15,000- 24,999	150	35,414	114	74.1	64.7-83.5	36	25.9	16.5-35.3
\$25,000- 34,999	65	16,052	51	75.4	60.9-89.9	14	24.6	10.1-39.1
\$35,000- 49,999	136	35,596	117	83.7	75.7-91.7	19	16.3	08.3-24.3
\$50,000- 74,999	143	29,854	132	89.9	83.4-96.4	11	10.1	03.6-16.6
\$75,000+	384	99,079	373	94.3	90.0-98.6	11	5.7	01.4-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1563	290,749	1434	91.3	89.5-93.1	129	8.7	06.9-10.5
White/Non-Hisp	973	179,126	920	93.5	91.3-95.7	53	6.5	04.3-08.7
Black or Afr. Am./Non-Hisp	298	67,823	282	96.3	94.1-98.5	16	3.7	01.5-05.9
Oth. Race/Non-Hisp.	53	12,662	47	93.0	86.5-99.5	6	7.0	00.5-13.5
MultiRacial/Non-Hisp.	103	3,810	98	95.9	91.8-0100	5	4.1	00.0-08.2
Hispanic	119	24,921	71	59.3	48.7-69.9	48	40.7	30.1-51.3
18-24	98	45,101	87	91.3	85.4-97.2	11	8.7	02.8-14.6
25-34	226	60,012	188	84.1	78.6-89.6	38	15.9	10.4-21.4
35-44	243	56,402	219	90.7	86.6-94.8	24	9.3	05.2-13.4
45-54	419	65,579	394	94.7	92.3-97.1	25	5.3	02.9-07.7
55-64	577	63,656	546	95.0	93.0-97.0	31	5.0	03.0-07.0
Less Than H.S.	123	30,398	94	73.9	64.3-83.5	29	26.1	16.5-35.7
H.S. or G.E.D.	429	85,048	384	89.8	86.1-93.5	45	10.2	06.5-13.9
Some Post-H.S.	390	88,981	362	94.4	91.9-96.9	28	5.6	03.1-08.1
College Graduate	619	86,249	593	95.7	93.7-97.7	26	4.3	02.3-06.3
Less than \$15,000	162	26,851	135	78.7	70.3-87.1	27	21.3	12.9-29.7
\$15,000- 24,999	228	45,387	194	85.6	80.1-91.1	34	14.4	08.9-19.9
\$25,000- 34,999	152	27,197	133	86.2	78.4-94.0	19	13.8	06.0-21.6
\$35,000- 49,999	157	29,458	149	94.2	88.9-99.5	8	5.8	00.5-11.1
\$50,000- 74,999	226	39,105	215	94.8	90.3-99.3	11	5.2	00.7-09.7
\$75,000+	434	80,282	424	97.3	95.3-99.3	10	2.7	00.7-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4293	729,780	3140	75.1	73.1-77.1	1153	24.9	22.9-26.9
Male	1751	348,705	1325	77.2	74.3-80.1	426	22.8	19.9-25.7
Female	2542	381,075	1815	73.1	70.7-75.5	727	26.9	24.5-29.3
White/Non-Hisp	2902	476,003	2173	78.0	76.0-80.0	729	22.0	20.0-24.0
Black or Afr. Am./Non-Hisp	605	143,775	397	67.0	61.3-72.7	208	33.0	27.3-38.7
Oth. Race/Non-Hisp.	119	27,689	86	77.7	67.9-87.5	33	22.3	12.5-32.1
MultiRacial/Non-Hisp.	324	10,297	245	77.0	70.7-83.3	79	23.0	16.7-29.3
Hispanic	251	56,686	174	70.8	64.1-77.5	77	29.2	22.5-35.9
18-24	178	92,520	146	83.4	76.7-90.1	32	16.6	09.9-23.3
25-34	364	119,977	287	78.3	73.0-83.6	77	21.7	16.4-27.0
35-44	425	110,514	342	79.5	74.6-84.4	83	20.5	15.6-25.4
45-54	725	126,787	527	71.5	66.8-76.2	198	28.5	23.8-33.2
55-64	980	120,886	730	73.5	70.0-77.0	250	26.5	23.0-30.0
65+	1555	151,610	1063	68.9	65.8-72.0	492	31.1	28.0-34.2
Less Than H.S.	415	98,271	222	57.9	51.4-64.4	193	42.1	35.6-48.6
H.S. or G.E.D.	1275	228,618	847	69.8	66.3-73.3	428	30.2	26.7-33.7
Some Post-H.S.	1037	210,793	775	78.0	74.3-81.7	262	22.0	18.3-25.7
College Graduate	1543	189,167	1285	87.6	85.8-89.4	258	12.4	10.6-14.2
Less than \$15,000	373	61,819	201	56.9	49.3-64.5	172	43.1	35.5-50.7
\$15,000- 24,999	661	111,189	399	64.2	59.1-69.3	262	35.8	30.7-40.9
\$25,000- 34,999	373	58,276	256	67.2	60.3-74.1	117	32.8	25.9-39.7
\$35,000- 49,999	505	86,008	369	68.9	62.6-75.2	136	31.1	24.8-37.4
\$50,000- 74,999	563	88,746	447	83.1	79.4-86.8	116	16.9	13.2-20.6
\$75,000+	1097	206,016	968	89.1	86.2-92.0	129	10.9	08.0-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,705	1325	77.2	74.3-80.1	426	22.8	19.9-25.7
White/Non-Hisp	1200	225,341	920	80.4	77.5-83.3	280	19.6	16.7-22.5
Black or Afr. Am./Non-Hisp	208	65,784	148	66.5	56.9-76.1	60	33.5	23.9-43.1
Oth. Race/Non-Hisp.	50	12,932	40	88.9	79.3-98.5	10	11.1	01.5-20.7
MultiRacial/Non-Hisp.	126	4,344	93	79.7	70.7-88.7	33	20.3	11.3-29.3
Hispanic	118	30,064	89	76.2	67.2-85.2	29	23.8	14.8-32.8
18-24	78	46,656	68	85.1	75.7-94.5	10	14.9	05.5-24.3
25-34	138	59,965	115	81.3	73.1-89.5	23	18.7	10.5-26.9
35-44	182	54,112	148	79.2	71.4-87.0	34	20.8	13.0-28.6
45-54	305	61,145	225	71.3	63.7-78.9	80	28.7	21.1-36.3
55-64	401	57,014	311	75.9	70.4-81.4	90	24.1	18.6-29.6
65+	629	67,280	443	72.7	68.2-77.2	186	27.3	22.8-31.8
Less Than H.S.	188	55,437	114	65.5	56.7-74.3	74	34.5	25.7-43.3
H.S. or G.E.D.	511	112,456	354	71.4	65.7-77.1	157	28.6	22.9-34.3
Some Post-H.S.	397	94,595	315	81.9	76.0-87.8	82	18.1	12.2-24.0
College Graduate	646	84,044	538	88.8	86.3-91.3	108	11.2	08.7-13.7
Less than \$15,000	130	28,118	73	54.3	41.2-67.4	57	45.7	32.6-58.8
\$15,000- 24,999	253	48,614	163	69.7	62.1-77.3	90	30.3	22.7-37.9
\$25,000- 34,999	118	21,711	78	70.1	59.7-80.5	40	29.9	19.5-40.3
\$35,000- 49,999	240	46,816	179	69.8	60.4-79.2	61	30.2	20.8-39.6
\$50,000- 74,999	237	39,345	185	86.4	81.7-91.1	52	13.6	08.9-18.3
\$75,000+	533	113,947	473	88.6	83.9-93.3	60	11.4	06.7-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2542	381,075	1815	73.1	70.7-75.5	727	26.9	24.5-29.3
White/Non-Hisp	1702	250,662	1253	75.8	73.3-78.3	449	24.2	21.7-26.7
Black or Afr. Am./Non-Hisp	397	77,992	249	67.5	60.8-74.2	148	32.5	25.8-39.2
Oth. Race/Non-Hisp.	69	14,757	46	67.9	52.8-83.0	23	32.1	17.0-47.2
MultiRacial/Non-Hisp.	198	5,953	152	75.1	66.7-83.5	46	24.9	16.5-33.3
Hispanic	133	26,622	85	64.8	55.0-74.6	48	35.2	25.4-45.0
18-24	100	45,864	78	81.6	72.2-91.0	22	18.4	09.0-27.8
25-34	226	60,012	172	75.3	68.4-82.2	54	24.7	17.8-31.6
35-44	243	56,402	194	79.7	73.8-85.6	49	20.3	14.4-26.2
45-54	420	65,642	302	71.7	66.2-77.2	118	28.3	22.8-33.8
55-64	579	63,872	419	71.3	66.6-76.0	160	28.7	24.0-33.4
65+	926	84,330	620	65.8	61.7-69.9	306	34.2	30.1-38.3
Less Than H.S.	227	42,834	108	48.1	39.3-56.9	119	51.9	43.1-60.7
H.S. or G.E.D.	764	116,162	493	68.1	63.6-72.6	271	31.9	27.4-36.4
Some Post-H.S.	640	116,198	460	74.9	70.4-79.4	180	25.1	20.6-29.6
College Graduate	897	105,122	747	86.7	84.2-89.2	150	13.3	10.8-15.8
Less than \$15,000	243	33,701	128	59.1	50.5-67.7	115	40.9	32.3-49.5
\$15,000- 24,999	408	62,575	236	60.0	53.1-66.9	172	40.0	33.1-46.9
\$25,000- 34,999	255	36,565	178	65.5	56.7-74.3	77	34.5	25.7-43.3
\$35,000- 49,999	265	39,192	190	67.9	60.1-75.7	75	32.1	24.3-39.9
\$50,000- 74,999	326	49,402	262	80.4	74.9-85.9	64	19.6	14.1-25.1
\$75,000+	564	92,069	495	89.8	86.9-92.7	69	10.2	07.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4288	728,741	3688	85.6	84.0-87.2	600	14.4	12.8-16.0
Male	1751	348,204	1567	88.5	86.1-90.9	184	11.5	09.1-13.9
Female	2537	380,537	2121	83.0	80.8-85.2	416	17.0	14.8-19.2
White/Non-Hisp	2899	475,954	2509	86.0	84.0-88.0	390	14.0	12.0-16.0
Black or Afr. Am./Non-Hisp	605	143,704	492	83.0	78.9-87.1	113	17.0	12.9-21.1
Oth. Race/Non-Hisp.	118	27,133	102	85.5	75.5-95.5	16	14.5	04.5-24.5
MultiRacial/Non-Hisp.	325	10,353	288	86.0	80.3-91.7	37	14.0	08.3-19.7
Hispanic	249	56,268	219	88.7	84.0-93.4	30	11.3	06.6-16.0
18-24	176	91,676	139	82.1	75.0-89.2	37	17.9	10.8-25.0
25-34	363	119,700	304	83.8	78.9-88.7	59	16.2	11.3-21.1
35-44	425	110,514	360	87.3	83.8-90.8	65	12.7	09.2-16.2
45-54	724	126,721	619	85.9	82.6-89.2	105	14.1	10.8-17.4
55-64	980	120,912	852	86.7	84.0-89.4	128	13.3	10.6-16.0
65+	1555	152,029	1359	87.2	85.0-89.4	196	12.8	10.6-15.0
Less Than H.S.	413	98,070	349	88.3	84.6-92.0	64	11.7	08.0-15.4
H.S. or G.E.D.	1273	228,287	1102	85.9	83.0-88.8	171	14.1	11.2-17.0
Some Post-H.S.	1038	210,545	865	81.2	77.7-84.7	173	18.8	15.3-22.3
College Graduate	1541	188,908	1351	88.7	86.7-90.7	190	11.3	09.3-13.3
Less than \$15,000	371	61,704	281	78.2	72.5-83.9	90	21.8	16.1-27.5
\$15,000- 24,999	663	111,693	563	83.2	78.5-87.9	100	16.8	12.1-21.5
\$25,000- 34,999	372	58,209	312	85.5	80.6-90.4	60	14.5	09.6-19.4
\$35,000- 49,999	506	86,234	444	86.7	82.8-90.6	62	13.3	09.4-17.2
\$50,000- 74,999	562	88,469	494	85.8	81.7-89.9	68	14.2	10.1-18.3
\$75,000+	1096	205,686	962	86.8	83.7-89.9	134	13.2	10.1-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,204	1567	88.5	86.1-90.9	184	11.5	09.1-13.9
White/Non-Hisp	1200	225,339	1078	87.7	84.8-90.6	122	12.3	09.4-15.2
Black or Afr. Am./Non-Hisp	208	65,784	180	88.8	83.9-93.7	28	11.2	06.3-16.1
MultiRacial/Non-Hisp.	127	4,401	112	87.2	78.8-95.6	15	12.8	04.4-21.2
Hispanic	118	30,064	106	90.4	84.5-96.3	12	9.6	03.7-15.5
18-24	77	46,100	64	85.8	76.8-94.8	13	14.2	05.2-23.2
25-34	137	59,688	115	84.0	76.0-92.0	22	16.0	08.0-24.0
35-44	182	54,112	161	91.1	86.8-95.4	21	8.9	04.6-13.2
45-54	305	61,145	275	89.1	84.4-93.8	30	10.9	06.2-15.6
55-64	403	57,149	365	89.8	85.9-93.7	38	10.2	06.3-14.1
65+	629	67,476	573	90.9	88.0-93.8	56	9.1	06.2-12.0
Less Than H.S.	189	55,722	169	90.3	85.2-95.4	20	9.7	04.6-14.8
H.S. or G.E.D.	510	112,179	461	88.8	84.7-92.9	49	11.2	07.1-15.3
Some Post-H.S.	397	94,095	341	84.0	78.5-89.5	56	16.0	10.5-21.5
College Graduate	646	84,034	588	91.8	89.1-94.5	58	8.2	05.5-10.9
Less than \$15,000	129	28,058	108	82.8	73.6-92.0	21	17.2	08.0-26.4
\$15,000- 24,999	255	48,997	231	88.8	82.3-95.3	24	11.2	04.7-17.7
\$25,000- 34,999	118	21,711	104	86.7	76.7-96.7	14	13.3	03.3-23.3
\$35,000- 49,999	240	46,816	217	89.6	84.3-94.9	23	10.4	05.1-15.7
\$50,000- 74,999	236	39,068	211	87.6	81.9-93.3	25	12.4	06.7-18.1
\$75,000+	533	113,915	478	89.0	84.7-93.3	55	11.0	06.7-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2537	380,537	2121	83.0	80.8-85.2	416	17.0	14.8-19.2
White/Non-Hisp	1699	250,615	1431	84.4	82.0-86.8	268	15.6	13.2-18.0
Black or Afr. Am./Non-Hisp	397	77,920	312	78.0	71.9-84.1	85	22.0	15.9-28.1
Oth. Race/Non-Hisp.	69	14,757	56	80.7	65.4-96.0	13	19.3	04.0-34.6
MultiRacial/Non-Hisp.	198	5,953	176	85.0	77.4-92.6	22	15.0	07.4-22.6
Hispanic	131	26,204	113	86.7	79.1-94.3	18	13.3	05.7-20.9
18-24	99	45,576	75	78.4	67.8-89.0	24	21.6	11.0-32.2
25-34	226	60,012	189	83.6	78.1-89.1	37	16.4	10.9-21.9
35-44	243	56,402	199	83.7	78.2-89.2	44	16.3	10.8-21.8
45-54	419	65,576	344	82.9	78.4-87.4	75	17.1	12.6-21.6
55-64	577	63,763	487	83.9	80.2-87.6	90	16.1	12.4-19.8
65+	926	84,553	786	84.2	81.3-87.1	140	15.8	12.9-18.7
Less Than H.S.	224	42,348	180	85.8	80.7-90.9	44	14.2	09.1-19.3
H.S. or G.E.D.	763	116,107	641	83.1	79.2-87.0	122	16.9	13.0-20.8
Some Post-H.S.	641	116,450	524	79.0	74.3-83.7	117	21.0	16.3-25.7
College Graduate	895	104,874	763	86.2	83.5-88.9	132	13.8	11.1-16.5
Less than \$15,000	242	33,646	173	74.3	67.2-81.4	69	25.7	18.6-32.8
\$15,000- 24,999	408	62,696	332	78.7	72.0-85.4	76	21.3	14.6-28.0
\$25,000- 34,999	254	36,498	208	84.9	79.6-90.2	46	15.1	09.8-20.4
\$35,000- 49,999	266	39,418	227	83.2	77.3-89.1	39	16.8	10.9-22.7
\$50,000- 74,999	326	49,402	283	84.3	78.6-90.0	43	15.7	10.0-21.4
\$75,000+	563	91,772	484	84.0	79.3-88.7	79	16.0	11.3-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4275	726,274	3872	91.2	90.0-92.4	403	8.8	07.6-10.0
Male	1744	346,502	1648	94.5	92.9-96.1	96	5.5	03.9-07.1
Female	2531	379,772	2224	88.2	86.6-89.8	307	11.8	10.2-13.4
White/Non-Hisp	2892	474,380	2638	91.5	90.1-92.9	254	8.5	07.1-09.9
Black or Afr. Am./Non-Hisp	603	143,402	520	88.5	85.4-91.6	83	11.5	08.4-14.6
Oth. Race/Non-Hisp.	117	26,971	108	94.6	90.1-99.1	9	5.4	00.9-09.9
MultiRacial/Non-Hisp.	324	10,343	294	87.9	82.4-93.4	30	12.1	06.6-17.6
Hispanic	248	55,903	230	94.3	91.2-97.4	18	5.7	02.6-08.8
18-24	175	91,312	154	90.5	85.4-95.6	21	9.5	04.4-14.6
25-34	361	119,259	326	92.5	89.8-95.2	35	7.5	04.8-10.2
35-44	423	110,033	381	92.0	89.3-94.7	42	8.0	05.3-10.7
45-54	721	126,205	650	90.9	88.2-93.6	71	9.1	06.4-11.8
55-64	978	120,350	882	90.5	88.1-92.9	96	9.5	07.1-11.9
65+	1552	151,927	1422	91.2	89.4-93.0	130	8.8	07.0-10.6
Less Than H.S.	411	97,425	364	91.7	88.6-94.8	47	8.3	05.2-11.4
H.S. or G.E.D.	1269	227,511	1150	92.0	90.2-93.8	119	8.0	06.2-09.8
Some Post-H.S.	1037	210,288	924	88.5	85.8-91.2	113	11.5	08.8-14.2
College Graduate	1535	188,118	1413	93.0	91.4-94.6	122	7.0	05.4-08.6
Less than \$15,000	369	61,059	300	84.3	79.4-89.2	69	15.7	10.8-20.6
\$15,000- 24,999	661	111,504	592	90.5	87.8-93.2	69	9.5	06.8-12.2
\$25,000- 34,999	372	58,209	327	90.5	87.2-93.8	45	9.5	06.2-12.8
\$35,000- 49,999	504	85,702	465	92.8	90.1-95.5	39	7.2	04.5-09.9
\$50,000- 74,999	561	88,372	518	90.3	86.6-94.0	43	9.7	06.0-13.4
\$75,000+	1092	205,085	1013	92.9	90.5-95.3	79	7.1	04.7-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	346,502	1648	94.5	92.9-96.1	96	5.5	03.9-07.1
White/Non-Hisp	1197	224,341	1134	94.5	92.3-96.7	63	5.5	03.3-07.7
Black or Afr. Am./Non-Hisp	207	65,508	192	93.0	88.7-97.3	15	7.0	02.7-11.3
MultiRacial/Non-Hisp.	126	4,390	115	89.7	81.7-97.7	11	10.3	02.3-18.3
Hispanic	117	29,699	113	96.4	92.3-0100	4	3.6	00.0-07.7
18-24	76	45,735	71	91.3	83.1-99.5	5	8.7	00.5-16.9
25-34	137	59,688	129	97.1	94.6-99.6	8	2.9	00.4-05.4
35-44	180	53,632	171	95.9	92.8-99.0	9	4.1	01.0-07.2
45-54	304	60,889	288	93.3	89.2-97.4	16	6.7	02.6-10.8
55-64	402	56,613	380	94.2	91.1-97.3	22	5.8	02.7-08.9
65+	627	67,412	594	94.6	92.2-97.0	33	5.4	03.0-07.8
Less Than H.S.	188	55,186	175	93.5	89.0-98.0	13	6.5	02.0-11.0
H.S. or G.E.D.	508	111,540	487	97.5	96.1-98.9	21	2.5	01.1-03.9
Some Post-H.S.	396	93,838	366	90.1	85.4-94.8	30	9.9	05.2-14.6
College Graduate	643	83,765	612	96.0	94.0-98.0	31	4.0	02.0-06.0
Less than \$15,000	128	27,522	115	89.6	82.0-97.2	13	10.4	02.8-18.0
\$15,000- 24,999	255	48,997	243	96.0	93.1-98.9	12	4.0	01.1-06.9
\$25,000- 34,999	118	21,711	111	95.1	90.8-99.4	7	4.9	00.6-09.2
\$35,000- 49,999	238	46,284	229	97.0	94.6-99.4	9	3.0	00.6-05.4
\$50,000- 74,999	236	39,068	226	94.7	90.4-99.0	10	5.3	01.0-09.6
\$75,000+	530	113,645	499	93.8	90.3-97.3	31	6.2	02.7-09.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	379,772	2224	88.2	86.6-89.8	307	11.8	10.2-13.4
White/Non-Hisp	1695	250,038	1504	88.9	86.9-90.9	191	11.1	09.1-13.1
Black or Afr. Am./Non-Hisp	396	77,894	328	84.8	80.5-89.1	68	15.2	10.9-19.5
Oth. Race/Non-Hisp.	68	14,595	61	93.9	88.4-99.4	7	6.1	00.6-11.6
MultiRacial/Non-Hisp.	198	5,953	179	86.6	79.2-94.0	19	13.4	06.0-20.8
Hispanic	131	26,204	117	92.0	87.3-96.7	14	8.0	03.3-12.7
18-24	99	45,576	83	89.7	83.6-95.8	16	10.3	04.2-16.4
25-34	224	59,571	197	87.9	83.2-92.6	27	12.1	07.4-16.8
35-44	243	56,402	210	88.4	83.9-92.9	33	11.6	07.1-16.1
45-54	417	65,316	362	88.7	85.2-92.2	55	11.3	07.8-14.8
55-64	576	63,737	502	87.1	83.8-90.4	74	12.9	09.6-16.2
65+	925	84,515	828	88.4	85.9-90.9	97	11.6	09.1-14.1
Less Than H.S.	223	42,239	189	89.3	85.0-93.6	34	10.7	06.4-15.0
H.S. or G.E.D.	761	115,972	663	86.8	83.5-90.1	98	13.2	09.9-16.5
Some Post-H.S.	641	116,450	558	87.2	84.1-90.3	83	12.8	09.7-15.9
College Graduate	892	104,353	801	90.6	88.2-93.0	91	9.4	07.0-11.8
Less than \$15,000	241	33,537	185	79.9	73.6-86.2	56	20.1	13.8-26.4
\$15,000- 24,999	406	62,507	349	86.2	81.7-90.7	57	13.8	09.3-18.3
\$25,000- 34,999	254	36,498	216	87.8	83.1-92.5	38	12.2	07.5-16.9
\$35,000- 49,999	266	39,418	236	87.9	83.0-92.8	30	12.1	07.2-17.0
\$50,000- 74,999	325	49,304	292	86.8	81.3-92.3	33	13.2	07.7-18.7
\$75,000+	562	91,440	514	91.9	89.2-94.6	48	8.1	05.4-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4275	726,274	403	8.8	07.6-10.0	184	5.3	04.1-06.5	3688	85.9	84.3-87.5
Male	1744	346,502	96	5.5	03.9-07.1	81	5.5	03.7-07.3	1567	88.9	86.5-91.3
Female	2531	379,772	307	11.8	10.2-13.4	103	5.1	03.5-06.7	2121	83.2	81.0-85.4
White/Non-Hisp	2892	474,380	254	8.5	07.1-09.9	129	5.2	03.8-06.6	2509	86.3	84.5-88.1
Black or Afr. Am./Non-Hisp	603	143,402	83	11.5	08.4-14.6	28	5.4	02.5-08.3	492	83.1	79.0-87.2
Oth. Race/Non-Hisp.	117	26,971	9	5.4	00.9-09.9	6	8.6	00.0-17.8	102	86.0	76.0-96.0
MultiRacial/Non-Hisp.	324	10,343	30	12.1	06.6-17.6	6	1.9	00.1-03.7	288	86.1	80.4-91.8
Hispanic	248	55,903	18	5.7	02.6-08.8	11	5.1	01.4-08.8	219	89.2	84.5-93.9
18-24	175	91,312	21	9.5	04.4-14.6	15	8.1	02.8-13.4	139	82.4	75.3-89.5
25-34	361	119,259	35	7.5	04.8-10.2	22	8.4	04.1-12.7	304	84.1	79.2-89.0
35-44	423	110,033	42	8.0	05.3-10.7	21	4.4	02.0-06.8	360	87.7	84.2-91.2
45-54	721	126,205	71	9.1	06.4-11.8	31	4.7	02.7-06.7	619	86.2	82.9-89.5
55-64	978	120,350	96	9.5	07.1-11.9	30	3.4	02.0-04.8	852	87.1	84.6-89.6
65+	1552	151,927	130	8.8	07.0-10.6	63	3.9	02.7-05.1	1359	87.2	85.0-89.4
Less Than H.S.	411	97,425	47	8.3	05.2-11.4	15	2.8	01.2-04.4	349	88.9	85.4-92.4
H.S. or G.E.D.	1269	227,511	119	8.0	06.2-09.8	48	5.9	03.5-08.3	1102	86.2	83.3-89.1
Some Post-H.S.	1037	210,288	113	11.5	08.8-14.2	59	7.1	04.4-09.8	865	81.3	77.8-84.8
College Graduate	1535	188,118	122	7.0	05.4-08.6	62	3.9	02.7-05.1	1351	89.1	87.1-91.1
Less than \$15,000	369	61,059	69	15.7	10.8-20.6	19	5.3	02.4-08.2	281	79.0	73.5-84.5
\$15,000- 24,999	661	111,504	69	9.5	06.8-12.2	29	7.2	02.9-11.5	563	83.3	78.6-88.0
\$25,000- 34,999	372	58,209	45	9.5	06.2-12.8	15	5.0	01.1-08.9	312	85.5	80.6-90.4
\$35,000- 49,999	504	85,702	39	7.2	04.5-09.9	21	5.6	02.7-08.5	444	87.2	83.3-91.1
\$50,000- 74,999	561	88,372	43	9.7	06.0-13.4	24	4.5	02.3-06.7	494	85.9	81.8-90.0
\$75,000+	1092	205,085	79	7.1	04.7-09.5	51	5.9	03.5-08.3	962	87.0	83.9-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	346,502	96	5.5	03.9-07.1	81	5.5	03.7-07.3	1567	88.9	86.5-91.3
White/Non-Hisp	1197	224,341	63	5.5	03.3-07.7	56	6.3	03.9-08.7	1078	88.1	85.2-91.0
Black or Afr. Am./Non-Hisp	207	65,508	15	7.0	02.7-11.3	12	3.9	01.5-06.3	180	89.2	84.3-94.1
MultiRacial/Non-Hisp.	126	4,390	11	10.3	02.3-18.3	3	2.3	00.0-05.2	112	87.4	79.0-95.8
Hispanic	117	29,699	4	3.6	00.0-07.7	7	4.9	01.0-08.8	106	91.5	86.0-97.0
18-24	76	45,735	5	8.7	00.5-16.9	7	4.8	00.7-08.9	64	86.5	77.5-95.5
25-34	137	59,688	8	2.9	00.4-05.4	14	13.2	05.6-20.8	115	84.0	76.0-92.0
35-44	180	53,632	9	4.1	01.0-07.2	10	4.0	01.1-06.9	161	91.9	87.6-96.2
45-54	304	60,889	16	6.7	02.6-10.8	13	3.9	01.5-06.3	275	89.5	85.0-94.0
55-64	402	56,613	22	5.8	02.7-08.9	15	3.6	01.4-05.8	365	90.6	87.1-94.1
65+	627	67,412	33	5.4	03.0-07.8	21	3.6	01.8-05.4	573	91.0	88.1-93.9
Less Than H.S.	188	55,186	13	6.5	02.0-11.0	6	2.4	00.4-04.4	169	91.1	86.2-96.0
H.S. or G.E.D.	508	111,540	21	2.5	01.1-03.9	26	8.2	04.3-12.1	461	89.3	85.2-93.4
Some Post-H.S.	396	93,838	30	9.9	05.2-14.6	25	5.8	02.5-09.1	341	84.2	78.7-89.7
College Graduate	643	83,765	31	4.0	02.0-06.0	24	3.8	01.8-05.8	588	92.1	89.4-94.8
Less than \$15,000	128	27,522	13	10.4	02.8-18.0	7	5.3	00.6-10.0	108	84.4	75.6-93.2
\$15,000- 24,999	255	48,997	12	4.0	01.1-06.9	12	7.2	01.1-13.3	231	88.8	82.3-95.3
\$25,000- 34,999	118	21,711	7	4.9	00.6-09.2	7	8.5	00.0-17.9	104	86.7	76.7-96.7
\$35,000- 49,999	238	46,284	9	3.0	00.6-05.4	12	6.4	01.7-11.1	217	90.7	85.6-95.8
\$50,000- 74,999	236	39,068	10	5.3	01.0-09.6	15	7.1	03.2-11.0	211	87.6	81.9-93.3
\$75,000+	530	113,645	31	6.2	02.7-09.7	21	4.5	01.8-07.2	478	89.2	84.9-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	379,772	307	11.8	10.2-13.4	103	5.1	03.5-06.7	2121	83.2	81.0-85.4
White/Non-Hisp	1695	250,038	191	11.1	09.1-13.1	73	4.3	02.9-05.7	1431	84.6	82.2-87.0
Black or Afr. Am./Non-Hisp	396	77,894	68	15.2	10.9-19.5	16	6.7	01.6-11.8	312	78.1	72.0-84.2
Oth. Race/Non-Hisp.	68	14,595	7	6.1	00.6-11.6	5	12.3	00.0-27.6	56	81.6	66.1-97.1
MultiRacial/Non-Hisp.	198	5,953	19	13.4	06.0-20.8	3	1.6	00.0-03.6	176	85.0	77.4-92.6
Hispanic	131	26,204	14	8.0	03.3-12.7	4	5.4	00.0-12.1	113	86.7	79.1-94.3
18-24	99	45,576	16	10.3	04.2-16.4	8	11.4	01.8-21.0	75	78.4	67.8-89.0
25-34	224	59,571	27	12.1	07.4-16.8	8	3.7	00.6-06.8	189	84.3	78.8-89.8
35-44	243	56,402	33	11.6	07.1-16.1	11	4.7	01.2-08.2	199	83.7	78.2-89.2
45-54	417	65,316	55	11.3	07.8-14.8	18	5.4	02.1-08.7	344	83.3	78.8-87.8
55-64	576	63,737	74	12.9	09.6-16.2	15	3.2	01.4-05.0	487	83.9	80.2-87.6
65+	925	84,515	97	11.6	09.1-14.1	42	4.2	02.6-05.8	786	84.2	81.3-87.1
Less Than H.S.	223	42,239	34	10.7	06.4-15.0	9	3.3	00.6-06.0	180	86.0	80.9-91.1
H.S. or G.E.D.	761	115,972	98	13.2	09.9-16.5	22	3.7	01.2-06.2	641	83.2	79.3-87.1
Some Post-H.S.	641	116,450	83	12.8	09.7-15.9	34	8.2	04.1-12.3	524	79.0	74.3-83.7
College Graduate	892	104,353	91	9.4	07.0-11.8	38	3.9	02.3-05.5	763	86.6	83.9-89.3
Less than \$15,000	241	33,537	56	20.1	13.8-26.4	12	5.4	01.7-09.1	173	74.6	67.5-81.7
\$15,000- 24,999	406	62,507	57	13.8	09.3-18.3	17	7.2	01.1-13.3	332	79.0	72.3-85.7
\$25,000- 34,999	254	36,498	38	12.2	07.5-16.9	8	2.9	00.4-05.4	208	84.9	79.6-90.2
\$35,000- 49,999	266	39,418	30	12.1	07.2-17.0	9	4.7	01.0-08.4	227	83.2	77.3-89.1
\$50,000- 74,999	325	49,304	33	13.2	07.7-18.7	9	2.4	00.4-04.4	283	84.5	78.8-90.2
\$75,000+	562	91,440	48	8.1	05.4-10.8	30	7.6	03.5-11.7	484	84.3	79.6-89.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4277	727,233	1577	26.6	25.0-28.2	2700	73.4	71.8-75.0
Male	1746	347,450	570	22.8	20.4-25.2	1176	77.2	74.8-79.6
Female	2531	379,783	1007	30.1	27.9-32.3	1524	69.9	67.7-72.1
White/Non-Hisp	2894	475,600	1134	30.1	27.9-32.3	1760	69.9	67.7-72.1
Black or Afr. Am./Non-Hisp	603	143,582	211	22.6	18.7-26.5	392	77.4	73.5-81.3
Oth. Race/Non-Hisp.	115	25,755	34	20.0	11.2-28.8	81	80.0	71.2-88.8
MultiRacial/Non-Hisp.	323	10,315	132	35.2	28.1-42.3	191	64.8	57.7-71.9
Hispanic	251	56,686	41	10.9	07.2-14.6	210	89.1	85.4-92.8
18-24	177	91,964	5	1.4	00.0-02.8	172	98.6	97.2-0100
25-34	361	119,256	29	7.4	03.9-10.9	332	92.6	89.1-96.1
35-44	425	110,514	61	11.8	08.5-15.1	364	88.2	84.9-91.5
45-54	724	126,715	230	28.7	24.6-32.8	494	71.3	67.2-75.4
55-64	979	120,849	406	42.2	38.3-46.1	573	57.8	53.9-61.7
65+	1546	150,747	826	53.6	50.3-56.9	720	46.4	43.1-49.7
Less Than H.S.	413	97,692	174	30.8	24.9-36.7	239	69.2	63.3-75.1
H.S. or G.E.D.	1273	228,532	525	28.3	25.4-31.2	748	71.7	68.8-74.6
Some Post-H.S.	1034	209,827	398	26.4	23.3-29.5	636	73.6	70.5-76.7
College Graduate	1534	188,251	473	22.8	20.4-25.2	1061	77.2	74.8-79.6
Less than \$15,000	370	61,195	183	38.4	31.0-45.8	187	61.6	54.2-69.0
\$15,000- 24,999	661	110,804	277	28.7	24.4-33.0	384	71.3	67.0-75.6
\$25,000- 34,999	373	58,276	161	31.1	25.4-36.8	212	68.9	63.2-74.6
\$35,000- 49,999	503	86,058	194	29.1	24.2-34.0	309	70.9	66.0-75.8
\$50,000- 74,999	561	88,587	198	30.3	25.6-35.0	363	69.7	65.0-74.4
\$75,000+	1093	205,424	282	18.2	15.7-20.7	811	81.8	79.3-84.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1746	347,450	570	22.8	20.4-25.2	1176	77.2	74.8-79.6
White/Non-Hisp	1197	225,263	429	26.6	23.5-29.7	768	73.4	70.3-76.5
Black or Afr. Am./Non-Hisp	208	65,784	60	20.1	13.8-26.4	148	79.9	73.6-86.2
MultiRacial/Non-Hisp.	127	4,401	52	34.6	22.8-46.4	75	65.4	53.6-77.2
Hispanic	118	30,064	11	7.4	02.7-12.1	107	92.6	87.9-97.3
18-24	77	46,100	1	1.2	00.0-03.6	76	98.8	96.4-0100
25-34	136	59,288	6	4.9	00.0-10.6	130	95.1	89.4-0100
35-44	182	54,112	20	9.8	05.1-14.5	162	90.2	85.5-94.9
45-54	304	61,074	84	24.5	18.6-30.4	220	75.5	69.6-81.4
55-64	403	57,149	158	41.4	35.1-47.7	245	58.6	52.3-64.9
65+	626	67,195	296	47.0	41.9-52.1	330	53.0	47.9-58.1
Less Than H.S.	188	55,637	70	28.0	19.6-36.4	118	72.0	63.6-80.4
H.S. or G.E.D.	511	112,456	182	23.4	19.1-27.7	329	76.6	72.3-80.9
Some Post-H.S.	395	93,602	127	21.6	17.1-26.1	268	78.4	73.9-82.9
College Graduate	643	83,582	190	20.5	17.0-24.0	453	79.5	76.0-83.0
Less than \$15,000	129	27,692	55	38.0	24.9-51.1	74	62.0	48.9-75.1
\$15,000- 24,999	253	48,679	93	24.2	18.1-30.3	160	75.8	69.7-81.9
\$25,000- 34,999	118	21,711	45	26.6	17.6-35.6	73	73.4	64.4-82.4
\$35,000- 49,999	239	46,747	85	26.4	19.5-33.3	154	73.6	66.7-80.5
\$50,000- 74,999	237	39,345	79	25.9	19.0-32.8	158	74.1	67.2-81.0
\$75,000+	531	113,714	126	15.3	11.8-18.8	405	84.7	81.2-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	379,783	1007	30.1	27.9-32.3	1524	69.9	67.7-72.1
White/Non-Hisp	1697	250,338	705	33.3	30.6-36.0	992	66.7	64.0-69.4
Black or Afr. Am./Non-Hisp	395	77,798	151	24.7	19.6-29.8	244	75.3	70.2-80.4
Oth. Race/Non-Hisp.	68	14,056	27	30.3	16.8-43.8	41	69.7	56.2-83.2
MultiRacial/Non-Hisp.	196	5,914	80	35.7	26.9-44.5	116	64.3	55.5-73.1
Hispanic	133	26,622	30	14.9	09.0-20.8	103	85.1	79.2-91.0
18-24	100	45,864	4	1.6	00.0-03.4	96	98.4	96.6-100
25-34	225	59,968	23	9.9	05.4-14.4	202	90.1	85.6-94.6
35-44	243	56,402	41	13.8	09.3-18.3	202	86.2	81.7-90.7
45-54	420	65,642	146	32.7	27.2-38.2	274	67.3	61.8-72.8
55-64	576	63,700	248	42.9	38.0-47.8	328	57.1	52.2-62.0
65+	920	83,552	530	58.8	54.9-62.7	390	41.2	37.3-45.1
Less Than H.S.	225	42,055	104	34.6	26.8-42.4	121	65.4	57.6-73.2
H.S. or G.E.D.	762	116,076	343	33.1	29.0-37.2	419	66.9	62.8-71.0
Some Post-H.S.	639	116,225	271	30.2	25.9-34.5	368	69.8	65.5-74.1
College Graduate	891	104,669	283	24.7	21.4-28.0	608	75.3	72.0-78.6
Less than \$15,000	241	33,503	128	38.7	30.3-47.1	113	61.3	52.9-69.7
\$15,000- 24,999	408	62,126	184	32.2	26.5-37.9	224	67.8	62.1-73.5
\$25,000- 34,999	255	36,565	116	33.8	26.5-41.1	139	66.2	58.9-73.5
\$35,000- 49,999	264	39,311	109	32.4	25.3-39.5	155	67.6	60.5-74.7
\$50,000- 74,999	324	49,242	119	33.8	27.3-40.3	205	66.2	59.7-72.7
\$75,000+	562	91,710	156	21.8	17.7-25.9	406	78.2	74.1-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	28
2 MALES ONLY	29
3 FEMALES ONLY	30
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	31
5 MALES ONLY	32
6 FEMALES ONLY	33
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7 MALES AND FEMALES	34
8 MALES ONLY	35
9 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4151	715,926	1867	54.1	51.9-56.3	2284	45.9	43.7-48.1
Male	1707	343,005	743	53.9	50.6-57.2	964	46.1	42.8-49.4
Female	2444	372,921	1124	54.3	51.6-57.0	1320	45.7	43.0-48.4
White/Non-Hisp	2807	467,832	1280	54.5	52.0-57.0	1527	45.5	43.0-48.0
Black or Afr. Am./Non-Hisp	587	141,145	234	49.0	43.1-54.9	353	51.0	45.1-56.9
Oth. Race/Non-Hisp.	117	27,474	70	67.7	55.2-80.2	47	32.3	19.8-44.8
MultiRacial/Non-Hisp.	306	9,659	115	42.5	34.9-50.1	191	57.5	49.9-65.1
Hispanic	248	55,816	127	57.5	50.2-64.8	121	42.5	35.2-49.8
18-24	177	92,188	146	86.2	80.3-92.1	31	13.8	07.9-19.7
25-34	362	118,881	255	67.0	60.7-73.3	107	33.0	26.7-39.3
35-44	423	109,821	270	64.3	58.6-70.0	153	35.7	30.0-41.4
45-54	716	125,392	386	55.0	50.1-59.9	330	45.0	40.1-49.9
55-64	958	118,545	400	41.9	38.0-45.8	558	58.1	54.2-62.0
65+	1460	144,857	386	24.6	21.9-27.3	1074	75.4	72.7-78.1
Less Than H.S.	397	95,538	123	39.9	33.0-46.8	274	60.1	53.2-67.0
H.S. or G.E.D.	1223	224,021	428	47.3	43.2-51.4	795	52.7	48.6-56.8
Some Post-H.S.	1007	207,162	429	55.3	51.0-59.6	578	44.7	40.4-49.0
College Graduate	1505	186,986	877	67.7	64.8-70.6	628	32.3	29.4-35.2
Less than \$15,000	354	59,967	110	40.1	32.1-48.1	244	59.9	51.9-67.9
\$15,000- 24,999	646	110,358	206	42.6	36.9-48.3	440	57.4	51.7-63.1
\$25,000- 34,999	361	57,440	138	45.3	38.0-52.6	223	54.7	47.4-62.0
\$35,000- 49,999	496	85,401	204	48.1	41.8-54.4	292	51.9	45.6-58.2
\$50,000- 74,999	547	87,051	254	52.3	46.6-58.0	293	47.7	42.0-53.4
\$75,000+	1080	204,166	685	70.4	66.5-74.3	395	29.6	25.7-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	343,005	743	53.9	50.6-57.2	964	46.1	42.8-49.4
White/Non-Hisp	1174	222,958	517	54.6	50.7-58.5	657	45.4	41.5-49.3
Black or Afr. Am./Non-Hisp	202	64,463	73	44.7	35.3-54.1	129	55.3	45.9-64.7
Oth. Race/Non-Hisp.	50	12,932	34	72.4	51.0-93.8	16	27.6	06.2-49.0
MultiRacial/Non-Hisp.	118	3,906	34	31.2	19.6-42.8	84	68.8	57.2-80.4
Hispanic	117	29,258	62	58.8	48.2-69.4	55	41.2	30.6-51.8
18-24	77	46,324	67	90.0	82.7-97.3	10	10.0	02.7-17.3
25-34	136	58,869	89	62.3	51.9-72.7	47	37.7	27.3-48.1
35-44	181	53,600	120	66.4	57.6-75.2	61	33.6	24.8-42.4
45-54	300	60,123	158	52.2	44.6-59.8	142	47.8	40.2-55.4
55-64	397	56,329	158	42.5	36.2-48.8	239	57.5	51.2-63.8
65+	602	65,498	144	21.8	17.9-25.7	458	78.2	74.3-82.1
Less Than H.S.	183	54,004	60	40.8	30.8-50.8	123	59.2	49.2-69.2
H.S. or G.E.D.	494	110,734	182	51.1	44.8-57.4	312	48.9	42.6-55.2
Some Post-H.S.	390	93,488	152	52.1	44.8-59.4	238	47.9	40.6-55.2
College Graduate	633	83,259	344	67.2	62.9-71.5	289	32.8	28.5-37.1
Less than \$15,000	125	27,331	42	43.5	30.0-57.0	83	56.5	43.0-70.0
\$15,000- 24,999	250	48,634	86	46.0	37.2-54.8	164	54.0	45.2-62.8
\$25,000- 34,999	116	21,570	35	38.1	25.6-50.6	81	61.9	49.4-74.4
\$35,000- 49,999	236	46,505	81	43.6	34.2-53.0	155	56.4	47.0-65.8
\$50,000- 74,999	233	38,976	87	46.0	36.8-55.2	146	54.0	44.8-63.2
\$75,000+	521	112,665	326	69.7	63.8-75.6	195	30.3	24.4-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2444	372,921	1124	54.3	51.6-57.0	1320	45.7	43.0-48.4
White/Non-Hisp	1633	244,874	763	54.4	51.3-57.5	870	45.6	42.5-48.7
Black or Afr. Am./Non-Hisp	385	76,682	161	52.5	45.2-59.8	224	47.5	40.2-54.8
Oth. Race/Non-Hisp.	67	14,542	36	63.5	48.6-78.4	31	36.5	21.6-51.4
MultiRacial/Non-Hisp.	188	5,754	81	50.2	40.8-59.6	107	49.8	40.4-59.2
Hispanic	131	26,558	65	56.1	45.9-66.3	66	43.9	33.7-54.1
18-24	100	45,864	79	82.5	73.5-91.5	21	17.5	08.5-26.5
25-34	226	60,012	166	71.6	64.5-78.7	60	28.4	21.3-35.5
35-44	242	56,221	150	62.4	55.3-69.5	92	37.6	30.5-44.7
45-54	416	65,269	228	57.5	51.6-63.4	188	42.5	36.6-48.4
55-64	561	62,216	242	41.4	36.5-46.3	319	58.6	53.7-63.5
65+	858	79,358	242	27.0	23.3-30.7	616	73.0	69.3-76.7
Less Than H.S.	214	41,534	63	38.8	29.6-48.0	151	61.2	52.0-70.4
H.S. or G.E.D.	729	113,287	246	43.6	38.3-48.9	483	56.4	51.1-61.7
Some Post-H.S.	617	113,674	277	57.9	52.6-63.2	340	42.1	36.8-47.4
College Graduate	872	103,727	533	68.2	64.3-72.1	339	31.8	27.9-35.7
Less than \$15,000	229	32,636	68	37.3	27.7-46.9	161	62.7	53.1-72.3
\$15,000- 24,999	396	61,725	120	40.0	32.6-47.4	276	60.0	52.6-67.4
\$25,000- 34,999	245	35,870	103	49.5	40.9-58.1	142	50.5	41.9-59.1
\$35,000- 49,999	260	38,896	123	53.5	45.5-61.5	137	46.5	38.5-54.5
\$50,000- 74,999	314	48,075	167	57.5	50.4-64.6	147	42.5	35.4-49.6
\$75,000+	559	91,500	359	71.4	66.5-76.3	200	28.6	23.7-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1460	144,857	1241	84.0	81.5-86.5	219	16.0	13.5-18.5
Male	602	65,498	514	82.8	78.5-87.1	88	17.2	12.9-21.5
Female	858	79,358	727	84.9	82.0-87.8	131	15.1	12.2-18.0
White/Non-Hisp	1123	115,623	969	85.7	83.0-88.4	154	14.3	11.6-17.0
Black or Afr. Am./Non-Hisp	145	19,566	112	76.9	68.3-85.5	33	23.1	14.5-31.7
MultiRacial/Non-Hisp.	125	2,709	108	89.3	83.2-95.4	17	10.7	04.6-16.8
65+	1460	144,857	1241	84.0	81.5-86.5	219	16.0	13.5-18.5
Less Than H.S.	155	22,717	89	57.6	46.6-68.6	66	42.4	31.4-53.4
H.S. or G.E.D.	461	46,101	389	85.5	81.6-89.4	72	14.5	10.6-18.4
Some Post-H.S.	357	41,448	306	88.1	84.4-91.8	51	11.9	08.2-15.6
College Graduate	481	34,245	452	94.1	91.6-96.6	29	5.9	03.4-08.4
Less than \$15,000	100	8,951	76	74.2	61.7-86.7	24	25.8	13.3-38.3
\$15,000- 24,999	265	28,920	194	73.5	66.4-80.6	71	26.5	19.4-33.6
\$25,000- 34,999	146	14,371	116	76.2	67.4-85.0	30	23.8	15.0-32.6
\$35,000- 49,999	199	19,255	180	87.6	81.5-93.7	19	12.4	06.3-18.5
\$50,000- 74,999	181	18,305	170	94.8	90.9-98.7	11	5.2	01.3-09.1
\$75,000+	259	24,463	247	92.6	86.1-99.1	12	7.4	00.9-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	602	65,498	514	82.8	78.5-87.1	88	17.2	12.9-21.5
White/Non-Hisp	470	51,282	407	84.7	80.0-89.4	63	15.3	10.6-20.0
Black or Afr. Am./Non-Hisp	62	11,066	48	77.8	65.3-90.3	14	22.2	09.7-34.7
65+	602	65,498	514	82.8	78.5-87.1	88	17.2	12.9-21.5
Less Than H.S.	61	11,282	33	48.5	31.8-65.2	28	51.5	34.8-68.2
H.S. or G.E.D.	168	18,128	144	87.8	82.1-93.5	24	12.2	06.5-17.9
Some Post-H.S.	136	17,836	116	87.9	82.2-93.6	20	12.1	06.4-17.8
College Graduate	237	18,252	221	94.1	90.8-97.4	16	5.9	02.6-09.2
\$15,000- 24,999	100	12,926	74	70.8	58.6-83.0	26	29.2	17.0-41.4
\$25,000- 34,999	51	5,518	39	75.9	62.0-89.8	12	24.1	10.2-38.0
\$35,000- 49,999	98	10,134	84	83.8	74.4-93.2	14	16.2	06.8-25.6
\$50,000- 74,999	91	9,030	85	94.1	87.8-0100	6	5.9	00.0-12.2
\$75,000+	135	13,823	128	89.9	79.1-0100	7	10.1	00.0-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	858	79,358	727	84.9	82.0-87.8	131	15.1	12.2-18.0
White/Non-Hisp	653	64,341	562	86.5	83.4-89.6	91	13.5	10.4-16.6
Black or Afr. Am./Non-Hisp	83	8,500	64	75.7	64.7-86.7	19	24.3	13.3-35.3
MultiRacial/Non-Hisp.	83	1,900	72	89.4	81.8-97.0	11	10.6	03.0-18.2
65+	858	79,358	727	84.9	82.0-87.8	131	15.1	12.2-18.0
Less Than H.S.	94	11,435	56	66.7	54.5-78.9	38	33.3	21.1-45.5
H.S. or G.E.D.	293	27,973	245	84.0	78.9-89.1	48	16.0	10.9-21.1
Some Post-H.S.	221	23,612	190	88.3	83.4-93.2	31	11.7	06.8-16.6
College Graduate	244	15,993	231	94.1	90.4-97.8	13	5.9	02.2-09.6
Less than \$15,000	66	5,883	51	81.5	69.9-93.1	15	18.5	06.9-30.1
\$15,000- 24,999	165	15,995	120	75.7	67.9-83.5	45	24.3	16.5-32.1
\$25,000- 34,999	95	8,852	77	76.4	65.0-87.8	18	23.6	12.2-35.0
\$35,000- 49,999	101	9,121	96	91.8	84.4-99.2	5	8.2	00.8-15.6
\$50,000- 74,999	90	9,275	85	95.6	90.9-0100	5	4.4	00.0-09.1
\$75,000+	124	10,640	119	96.0	92.5-99.5	5	4.0	00.5-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4233	720,915	2894	66.5	64.3-68.7	1339	33.5	31.3-35.7
Male	1729	344,526	1154	64.3	61.0-67.6	575	35.7	32.4-39.0
Female	2504	376,389	1740	68.6	66.1-71.1	764	31.4	28.9-33.9
White/Non-Hisp	2863	470,789	2066	70.3	67.9-72.7	797	29.7	27.3-32.1
Black or Afr. Am./Non-Hisp	596	141,721	355	63.7	58.2-69.2	241	36.3	30.8-41.8
Oth. Race/Non-Hisp.	117	27,505	68	64.7	52.2-77.2	49	35.3	22.8-47.8
MultiRacial/Non-Hisp.	322	10,284	228	71.4	64.3-78.5	94	28.6	21.5-35.7
Hispanic	247	55,829	115	42.3	34.9-49.7	132	57.7	50.3-65.1
18-24	176	91,662	124	75.0	67.6-82.4	52	25.0	17.6-32.4
25-34	362	118,733	197	52.4	45.9-58.9	165	47.6	41.1-54.1
35-44	420	109,192	275	65.6	60.1-71.1	145	34.4	28.9-39.9
45-54	717	125,484	479	66.6	62.1-71.1	238	33.4	28.9-37.9
55-64	971	119,709	688	69.9	66.2-73.6	283	30.1	26.4-33.8
65+	1525	149,037	1084	69.7	66.6-72.8	441	30.3	27.2-33.4
Less Than H.S.	400	96,276	142	37.4	30.5-44.3	258	62.6	55.7-69.5
H.S. or G.E.D.	1249	223,970	761	61.8	57.9-65.7	488	38.2	34.3-42.1
Some Post-H.S.	1025	209,356	696	69.9	66.0-73.8	329	30.1	26.2-34.0
College Graduate	1538	188,497	1281	83.5	81.1-85.9	257	16.5	14.1-18.9
Less than \$15,000	362	60,665	142	36.7	28.7-44.7	220	63.3	55.3-71.3
\$15,000- 24,999	652	110,077	303	47.6	42.1-53.1	349	52.4	46.9-57.9
\$25,000- 34,999	370	58,054	215	52.3	45.2-59.4	155	47.7	40.6-54.8
\$35,000- 49,999	501	85,128	366	65.7	59.6-71.8	135	34.3	28.2-40.4
\$50,000- 74,999	560	88,305	444	76.9	72.2-81.6	116	23.1	18.4-27.8
\$75,000+	1092	204,936	964	85.7	82.4-89.0	128	14.3	11.0-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1729	344,526	1154	64.3	61.0-67.6	575	35.7	32.4-39.0
White/Non-Hisp	1188	223,069	834	68.0	64.1-71.9	354	32.0	28.1-35.9
Black or Afr. Am./Non-Hisp	204	64,777	119	63.5	54.9-72.1	85	36.5	27.9-45.1
MultiRacial/Non-Hisp.	125	4,339	89	71.1	58.6-83.6	36	28.9	16.4-41.4
Hispanic	116	29,607	54	41.7	31.1-52.3	62	58.3	47.7-68.9
18-24	76	45,798	54	72.9	61.5-84.3	22	27.1	15.7-38.5
25-34	137	59,688	65	48.0	37.6-58.4	72	52.0	41.6-62.4
35-44	180	53,711	113	66.4	58.4-74.4	67	33.6	25.6-41.6
45-54	303	60,868	184	61.0	53.7-68.3	119	39.0	31.7-46.3
55-64	400	56,650	291	69.9	63.8-76.0	109	30.1	24.0-36.2
65+	616	65,384	434	69.0	63.9-74.1	182	31.0	25.9-36.1
Less Than H.S.	183	54,505	64	40.3	30.1-50.5	119	59.7	49.5-69.9
H.S. or G.E.D.	500	110,212	300	58.4	52.1-64.7	200	41.6	35.3-47.9
Some Post-H.S.	394	93,902	268	71.9	65.8-78.0	126	28.1	22.0-34.2
College Graduate	644	83,839	518	79.7	75.6-83.8	126	20.3	16.2-24.4
Less than \$15,000	127	27,475	46	36.3	22.6-50.0	81	63.7	50.0-77.4
\$15,000- 24,999	251	48,075	105	41.8	33.2-50.4	146	58.2	49.6-66.8
\$25,000- 34,999	117	21,602	63	48.0	35.7-60.3	54	52.0	39.7-64.3
\$35,000- 49,999	235	45,710	161	59.5	50.3-68.7	74	40.5	31.3-49.7
\$50,000- 74,999	235	39,034	173	74.3	67.2-81.4	62	25.7	18.6-32.8
\$75,000+	532	113,753	458	82.5	77.4-87.6	74	17.5	12.4-22.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	376,389	1740	68.6	66.1-71.1	764	31.4	28.9-33.9
White/Non-Hisp	1675	247,720	1232	72.4	69.5-75.3	443	27.6	24.7-30.5
Black or Afr. Am./Non-Hisp	392	76,944	236	63.8	57.1-70.5	156	36.2	29.5-42.9
Oth. Race/Non-Hisp.	68	14,655	38	67.7	54.2-81.2	30	32.3	18.8-45.8
MultiRacial/Non-Hisp.	197	5,945	139	71.6	63.6-79.6	58	28.4	20.4-36.4
Hispanic	131	26,221	61	43.0	32.6-53.4	70	57.0	46.6-67.4
18-24	100	45,864	70	77.1	67.7-86.5	30	22.9	13.5-32.3
25-34	225	59,045	132	56.8	49.0-64.6	93	43.2	35.4-51.0
35-44	240	55,481	162	64.9	57.6-72.2	78	35.1	27.8-42.4
45-54	414	64,616	295	71.8	66.3-77.3	119	28.2	22.7-33.7
55-64	571	63,059	397	70.0	65.3-74.7	174	30.0	25.3-34.7
65+	909	83,654	650	70.2	66.3-74.1	259	29.8	25.9-33.7
Less Than H.S.	217	41,771	78	33.6	25.2-42.0	139	66.4	58.0-74.8
H.S. or G.E.D.	749	113,758	461	65.1	60.6-69.6	288	34.9	30.4-39.4
Some Post-H.S.	631	115,454	428	68.2	63.1-73.3	203	31.8	26.7-36.9
College Graduate	894	104,658	763	86.5	83.6-89.4	131	13.5	10.6-16.4
Less than \$15,000	235	33,190	96	37.0	28.0-46.0	139	63.0	54.0-72.0
\$15,000- 24,999	401	62,003	198	52.1	45.0-59.2	203	47.9	40.8-55.0
\$25,000- 34,999	253	36,452	152	54.9	46.3-63.5	101	45.1	36.5-53.7
\$35,000- 49,999	266	39,418	205	72.9	65.3-80.5	61	27.1	19.5-34.7
\$50,000- 74,999	325	49,271	271	78.9	72.6-85.2	54	21.1	14.8-27.4
\$75,000+	560	91,182	506	89.8	86.1-93.5	54	10.2	06.5-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4173	708,341	3045	71.0	68.8-73.2	642	21.0	19.0-23.0	38	1.4	0.8-02.0	68	2.6	01.8-03.4	8	0.1	00.0-00.3	372	4.0	03.2-04.8
Male	1698	336,751	1269	71.1	67.8-74.4	220	20.1	17.0-23.2	10	1.2	00.0-02.4	32	2.6	01.6-03.6	4	0.2	00.0-00.4	163	4.8	03.4-06.2
Female	2475	371,590	1776	70.9	68.2-73.6	422	21.8	19.3-24.3	28	1.5	00.7-02.3	36	2.6	01.6-03.6	4	0.1	00.1-00.1	209	3.2	02.4-04.0
18-24	173	90,752	106	61.0	52.2-69.8	41	26.2	17.8-34.6	5	3.0	00.1-05.9	7	4.8	01.1-08.5	3	0.4	00.0-01.0	11	4.5	01.2-07.8
25-34	339	112,691	208	65.2	58.7-71.7	69	22.2	16.5-27.9	6	2.5	00.0-05.4	21	5.1	02.7-07.5	4	0.4	00.0-00.8	31	4.6	02.4-06.8
35-44	407	106,180	257	64.9	59.0-70.8	84	24.8	19.3-30.3	5	0.7	00.1-01.3	16	3.8	01.6-06.0				45	5.8	03.4-08.2
45-54	702	123,365	500	69.9	64.8-75.0	129	23.6	18.7-28.5	6	0.6	00.0-01.2	10	2.0	00.6-03.4				57	3.9	02.1-05.7
55-64	966	119,629	724	76.4	72.7-80.1	148	18.1	14.6-21.6	5	0.8	00.0-01.6	7	1.2	00.2-02.2	1	0.0	00.0-00.0	81	3.4	02.0-04.8
65+	1535	149,993	1221	82.4	79.5-85.3	158	13.7	11.0-16.4	10	1.0	00.0-02.0	5	0.4	00.0-00.8				141	2.4	01.8-03.0
Less Than H.S.	389	91,690	233	61.6	54.9-68.3	83	23.9	18.0-29.8	7	2.5	00.1-04.9	1	0.1	00.0-00.3	1	0.0	00.0-00.0	64	11.9	07.8-16.0
H.S. or G.E.D.	1243	222,637	895	70.7	66.6-74.8	225	23.7	20.0-27.4	11	1.4	00.0-03.0	9	1.6	00.2-03.0	3	0.2	00.0-00.4	100	2.4	01.6-03.2
Some Post-H.S.	1014	206,379	748	70.6	66.1-75.1	159	22.0	17.7-26.3	12	1.6	00.4-02.8	9	1.8	00.6-03.0	1	0.1	00.0-00.3	85	3.9	02.3-05.5
College Graduate	1511	185,725	1158	76.3	73.2-79.4	171	14.9	12.0-17.8	8	0.5	00.1-00.9	49	6.1	04.1-08.1	3	0.1	00.0-00.3	122	2.0	01.4-02.6
Less than \$15,000	359	58,875	214	60.1	52.5-67.7	103	31.8	24.4-39.2	4	1.4	00.0-02.8	4	1.8	00.0-04.0	2	0.2	00.0-00.4	32	4.6	02.2-07.0
\$15,000- 24,999	644	107,507	403	57.2	51.5-62.9	138	29.9	24.2-35.6	17	3.6	01.2-06.0	8	2.0	00.4-03.6	2	0.3	00.0-00.9	76	6.9	04.2-09.6
\$25,000- 34,999	361	56,248	257	69.0	61.7-76.3	64	23.7	16.8-30.6	7	2.0	00.2-03.8							33	5.4	02.1-08.7
\$35,000- 49,999	500	85,226	367	71.9	65.6-78.2	84	24.1	17.8-30.4	2	0.2	00.0-00.6	4	1.6	00.0-03.4				43	2.2	01.0-03.4
\$50,000- 74,999	556	87,707	431	75.0	69.7-80.3	74	19.8	14.7-24.9				9	2.9	00.9-04.9	1	0.2	00.0-00.6	41	2.1	00.7-03.5
\$75,000+	1086	203,561	875	80.3	76.2-84.4	86	11.2	07.7-14.7	6	1.7	00.0-03.7	27	3.7	01.9-05.5	3	0.1	00.0-00.3	89	3.0	01.6-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1698	336,751	1269	71.1	67.8-74.4	220	20.1	17.0-23.2	10	1.2	00.0-02.4	32	2.6	01.6-03.6	4	0.2	00.0-00.4	163	4.8	03.4-06.2
18-24	75	45,336	48	66.7	54.7-78.7	12	17.9	07.7-28.1	2	2.6	00.0-06.7	5	5.6	00.7-10.5	1	0.6	00.0-01.8	7	6.6	00.9-12.3
25-34	127	55,702	75	65.0	54.6-75.4	19	19.2	10.2-28.2	2	3.5	00.0-09.4	10	4.8	01.7-07.9	2	0.4	00.0-01.0	19	7.2	03.1-11.3
35-44	173	51,377	114	67.7	58.7-76.7	25	21.4	12.6-30.2	1	0.4	00.0-01.2	11	5.6	01.7-09.5				22	4.9	02.4-07.4
45-54	293	59,077	224	70.0	61.6-78.4	38	23.5	15.1-31.9				3	0.9	00.0-01.9				28	5.6	02.1-09.1
55-64	398	56,765	297	73.4	67.3-79.5	61	21.2	15.3-27.1	3	1.1	00.0-02.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3	35	3.8	01.6-06.0
65+	620	66,697	502	80.7	75.6-85.8	64	17.0	11.9-22.1	2	0.3	00.0-00.7	1	0.2	00.0-00.6				51	1.8	01.0-02.6
Less Than H.S.	179	52,440	105	60.2	50.6-69.8	37	25.3	16.9-33.7	3	0.9	00.0-02.1							34	13.7	07.4-20.0
H.S. or G.E.D.	494	108,311	360	71.3	65.0-77.6	83	22.8	17.1-28.5	3	1.9	00.0-04.8	3	1.0	00.0-02.2	2	0.3	00.0-00.9	43	2.7	01.3-04.1
Some Post-H.S.	389	92,460	296	70.8	63.5-78.1	47	19.9	13.0-26.8	3	1.7	00.0-03.9	5	2.4	00.2-04.6				38	5.2	02.5-07.9
College Graduate	631	82,296	504	77.9	72.8-83.0	52	13.3	08.8-17.8	1	0.1	00.0-00.3	24	6.8	03.9-09.7	2	0.3	00.0-00.7	48	1.6	00.8-02.4
Less than \$15,000	123	26,335	76	56.9	43.2-70.6	31	34.8	21.5-48.1	1	0.8	00.0-02.4	3	3.8	00.0-08.5				12	3.7	00.6-06.8
\$15,000- 24,999	246	46,540	142	52.5	43.7-61.3	53	32.2	23.6-40.8	2	0.9	00.0-02.1	5	2.6	00.2-05.0	2	0.8	00.0-02.0	42	11.1	05.4-16.8
\$25,000- 34,999	112	20,491	80	66.9	54.4-79.4	18	20.6	09.2-32.0	2	1.6	00.0-04.1							12	10.9	02.5-19.3
\$35,000- 49,999	237	46,366	183	72.5	62.9-82.1	31	22.7	13.1-32.3				2	2.2	00.0-05.3				21	2.6	00.8-04.4
\$50,000- 74,999	236	39,224	186	76.5	68.3-84.7	27	18.6	10.6-26.6				4	2.2	00.0-04.4				19	2.7	00.2-05.2
\$75,000+	524	111,884	432	81.4	75.5-87.3	33	10.1	05.2-15.0	4	2.8	00.0-06.1	14	3.0	01.0-05.0	2	0.2	00.0-00.4	39	2.5	00.9-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2475	371,590	1776	70.9	68.2-73.6	422	21.8	19.3-24.3	28	1.5	0.7-02.3	36	2.6	01.6-03.6	4	0.1	00.1-00.1	209	3.2	02.4-04.0
18-24	98	45,415	58	55.4	42.9-67.9	29	34.6	22.1-47.1	3	3.4	00.0-07.5	2	4.0	00.0-09.7	2	0.3	00.0-00.7	4	2.4	00.0-05.3
25-34	212	56,988	133	65.5	57.9-73.1	50	25.2	17.9-32.5	4	1.5	00.0-03.3	11	5.5	02.0-09.0	2	0.4	00.0-01.0	12	2.0	00.6-03.4
35-44	234	54,804	143	62.4	55.0-69.8	59	28.0	20.9-35.1	4	0.9	00.0-01.9	5	2.1	00.0-04.3				23	6.6	02.7-10.5
45-54	409	64,288	276	69.9	64.2-75.6	91	23.6	18.1-29.1	6	1.2	00.0-02.4	7	3.0	00.6-05.4				29	2.3	01.1-03.5
55-64	568	62,864	427	79.2	75.1-83.3	87	15.3	11.6-19.0	2	0.5	00.0-01.3	6	2.0	00.2-03.8				46	3.1	01.7-04.5
65+	915	83,296	719	83.9	80.8-87.0	94	11.1	08.4-13.8	8	1.6	00.0-03.4	4	0.5	00.0-01.1				90	2.9	01.9-03.9
Less Than H.S.	210	39,249	128	63.5	54.3-72.7	46	22.2	14.4-30.0	4	4.7	00.0-10.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	30	9.4	04.5-14.3
H.S. or G.E.D.	749	114,326	535	70.1	64.8-75.4	142	24.6	19.5-29.7	8	1.0	00.2-01.8	6	2.1	00.0-04.5	1	0.1	00.0-00.3	57	2.1	01.1-03.1
Some Post-H.S.	625	113,919	452	70.5	65.0-76.0	112	23.7	18.4-29.0	9	1.4	00.2-02.6	4	1.3	00.0-02.7	1	0.1	00.0-00.3	47	2.9	01.3-04.5
College Graduate	880	103,429	654	75.0	70.9-79.1	119	16.2	12.5-19.9	7	0.9	00.3-01.5	25	5.6	03.2-08.0	1	0.1	00.0-00.3	74	2.3	01.5-03.1
Less than \$15,000	236	32,540	138	62.7	54.3-71.1	72	29.4	21.8-37.0	3	1.9	00.0-04.1	1	0.2	00.0-00.6	2	0.4	00.0-01.0	20	5.4	01.9-08.9
\$15,000- 24,999	398	60,966	261	60.8	53.4-68.2	85	28.2	20.8-35.6	15	5.7	01.6-09.8	3	1.5	00.0-03.5				34	3.8	01.8-05.8
\$25,000- 34,999	249	35,757	177	70.1	61.5-78.7	46	25.5	16.9-34.1	5	2.2	00.0-04.6							21	2.2	01.0-03.4
\$35,000- 49,999	263	38,860	184	71.1	63.5-78.7	53	25.7	18.1-33.3	2	0.5	00.0-01.3	2	0.8	00.0-02.0				22	1.8	00.6-03.0
\$50,000- 74,999	320	48,483	245	73.8	66.9-80.7	47	20.9	14.4-27.4				5	3.4	00.3-06.5	1	0.3	00.0-00.9	22	1.6	00.4-02.8
\$75,000+	562	91,677	443	78.8	72.9-84.7	53	12.6	07.3-17.9	2	0.3	00.0-00.7	13	4.6	01.5-07.7	1	0.1	00.0-00.3	50	3.7	01.7-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4173	708,341	3021	70.8	68.6-73.0	624	20.9	18.9-22.9	36	1.4	00.8-02.0	66	2.6	01.8-03.4	7	0.1	00.0-00.3	419	4.2	03.4-05.0
Male	1698	336,751	1258	70.9	67.6-74.2	216	20.0	16.9-23.1	10	1.2	00.0-02.4	31	2.6	01.6-03.6	4	0.2	00.0-00.4	179	5.0	03.6-06.4
Female	2475	371,590	1763	70.8	68.1-73.5	408	21.6	19.1-24.1	26	1.5	00.7-02.3	35	2.6	01.6-03.6	3	0.1	00.1-00.1	240	3.5	02.7-04.3
18-24	173	90,752	105	61.0	52.2-69.8	39	26.1	17.7-34.5	5	3.0	00.1-05.9	7	4.8	01.1-08.5	3	0.4	00.0-01.0	14	4.6	01.3-07.9
25-34	339	112,691	205	65.1	58.6-71.6	68	22.2	16.5-27.9	6	2.5	00.0-05.4	21	5.1	02.7-07.5	3	0.3	00.0-00.7	36	4.8	02.6-07.0
35-44	407	106,180	255	64.8	58.9-70.7	81	24.6	19.1-30.1	5	0.7	00.1-01.3	15	3.8	01.6-06.0				51	6.1	03.7-08.5
45-54	702	123,365	498	69.9	64.8-75.0	125	23.5	18.6-28.4	5	0.6	00.0-01.2	10	2.0	00.6-03.4				64	4.0	02.2-05.8
55-64	966	119,629	714	76.2	72.5-79.9	143	18.0	14.5-21.5	5	0.8	00.0-01.6	7	1.2	00.2-02.2	1	0.0	00.0-00.0	96	3.8	02.4-05.2
65+	1535	149,993	1215	82.4	79.5-85.3	155	13.7	11.0-16.4	9	1.0	00.0-02.0	5	0.4	00.0-00.8				151	2.6	02.0-03.2
Less Than H.S.	389	91,690	228	61.5	54.8-68.2	81	23.9	18.0-29.8	7	2.5	00.1-04.9	1	0.1	00.0-00.3	1	0.0	00.0-00.0	71	12.1	08.0-16.2
H.S. or G.E.D.	1243	222,637	886	70.5	66.4-74.6	219	23.6	19.9-27.3	10	1.4	00.0-03.0	9	1.6	00.2-03.0	3	0.2	00.0-00.4	116	2.7	01.9-03.5
Some Post-H.S.	1014	206,379	743	70.5	66.0-75.0	155	21.9	17.6-26.2	11	1.6	00.4-02.8	9	1.8	00.6-03.0	1	0.1	00.0-00.3	95	4.1	02.5-05.7
College Graduate	1511	185,725	1153	76.2	73.1-79.3	165	14.8	11.9-17.7	8	0.5	00.1-00.9	47	6.1	04.1-08.1	2	0.1	00.0-00.3	136	2.2	01.6-02.8
Less than \$15,000	359	58,875	207	59.7	52.1-67.3	100	31.6	24.2-39.0	4	1.4	00.0-02.8	4	1.8	00.0-04.0	2	0.2	00.0-00.4	42	5.2	02.7-07.7
\$15,000- 24,999	644	107,507	397	57.1	51.4-62.8	135	29.8	24.1-35.5	15	3.6	01.2-06.0	8	2.0	00.4-03.6	2	0.3	00.0-00.9	87	7.2	04.5-09.9
\$25,000- 34,999	361	56,248	257	69.0	61.7-76.3	61	23.5	16.6-30.4	7	2.0	00.2-03.8							36	5.6	02.3-08.9
\$35,000- 49,999	500	85,226	366	71.9	65.6-78.2	83	24.0	17.7-30.3	2	0.2	00.0-00.6	4	1.6	00.0-03.4				45	2.3	01.1-03.5
\$50,000- 74,999	556	87,707	428	74.9	69.6-80.2	71	19.7	14.6-24.8				9	2.9	00.9-04.9	1	0.2	00.0-00.6	47	2.4	01.0-03.8
\$75,000+	1086	203,561	872	80.2	76.1-84.3	81	11.2	07.7-14.7	6	1.7	00.0-03.7	25	3.7	01.9-05.5	2	0.1	00.0-00.3	100	3.2	01.8-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1698	336,751	1258	70.9	67.6-74.2	216	20.0	16.9-23.1	10	1.2	00.0-02.4	31	2.6	01.6-03.6	4	0.2	00.0-00.4	179	5.0	03.6-06.4
18-24	75	45,336	48	66.7	54.7-78.7	11	17.8	07.6-28.0	2	2.6	00.0-06.7	5	5.6	00.7-10.5	1	0.6	00.0-01.8	8	6.7	01.0-12.4
25-34	127	55,702	74	64.8	54.4-75.2	18	19.1	10.1-28.1	2	3.5	00.0-09.4	10	4.8	01.7-07.9	2	0.4	00.0-01.0	21	7.5	03.2-11.8
35-44	173	51,377	114	67.7	58.7-76.7	24	21.3	12.5-30.1	1	0.4	00.0-01.2	11	5.6	01.7-09.5				23	5.0	02.5-07.5
45-54	293	59,077	223	69.9	61.5-78.3	38	23.5	15.1-31.9				3	0.9	00.0-01.9				29	5.7	02.2-09.2
55-64	398	56,765	291	73.1	67.0-79.2	60	21.2	15.3-27.1	3	1.1	00.0-02.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3	42	4.2	01.8-06.6
65+	620	66,697	499	80.6	75.5-85.7	64	17.0	11.9-22.1	2	0.3	00.0-00.7	1	0.2	00.0-00.6				54	1.9	01.1-02.7
Less Than H.S.	179	52,440	103	60.0	50.4-69.6	37	25.3	16.9-33.7	3	0.9	00.0-02.1							36	13.8	07.5-20.1
H.S. or G.E.D.	494	108,311	356	71.1	64.8-77.4	81	22.7	17.0-28.4	3	1.9	00.0-04.8	3	1.0	00.0-02.2	2	0.3	00.0-00.9	49	2.9	01.5-04.3
Some Post-H.S.	389	92,460	295	70.7	63.4-78.0	46	19.9	13.0-26.8	3	1.7	00.0-03.9	5	2.4	00.2-04.6				40	5.3	02.6-08.0
College Graduate	631	82,296	500	77.9	72.8-83.0	51	13.2	08.7-17.7	1	0.1	00.0-00.3	23	6.8	03.9-09.7	2	0.3	00.0-00.7	54	1.8	01.0-02.6
Less than \$15,000	123	26,335	74	56.5	42.8-70.2	30	34.8	21.5-48.1	1	0.8	00.0-02.4	3	3.8	00.0-08.5				15	4.2	00.9-07.5
\$15,000- 24,999	246	46,540	141	52.4	43.6-61.2	52	32.1	23.5-40.7	2	0.9	00.0-02.1	5	2.6	00.2-05.0	2	0.8	00.0-02.0	44	11.3	05.6-17.0
\$25,000- 34,999	112	20,491	80	66.9	54.4-79.4	18	20.6	09.2-32.0	2	1.6	00.0-04.1							12	10.9	02.5-19.3
\$35,000- 49,999	237	46,366	182	72.5	62.9-82.1	30	22.6	13.0-32.2				2	2.2	00.0-05.3				23	2.8	01.0-04.6
\$50,000- 74,999	236	39,224	183	76.3	68.1-84.5	26	18.5	10.5-26.5				4	2.2	00.0-04.4				23	3.1	00.6-05.6
\$75,000+	524	111,884	430	81.4	75.5-87.3	33	10.1	05.2-15.0	4	2.8	00.0-06.1	13	3.0	01.0-05.0	2	0.2	00.0-00.4	42	2.5	00.9-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2475	371,590	1763	70.8	68.1-73.5	408	21.6	19.1-24.1	26	1.5	00.7-02.3	35	2.6	01.6-03.6	3	0.1	00.1-00.1	240	3.5	02.7-04.3
18-24	98	45,415	57	55.3	42.8-67.8	28	34.5	22.0-47.0	3	3.4	00.0-07.5	2	4.0	00.0-09.7	2	0.3	00.0-00.7	6	2.6	00.0-05.7
25-34	212	56,988	131	65.4	57.8-73.0	50	25.2	17.9-32.5	4	1.5	00.0-03.3	11	5.5	02.0-09.0	1	0.3	00.0-00.9	15	2.2	00.8-03.6
35-44	234	54,804	141	62.1	54.7-69.5	57	27.7	20.6-34.8	4	0.9	00.0-01.9	4	2.1	00.0-04.3				28	7.2	03.3-11.1
45-54	409	64,288	275	69.9	64.2-75.6	87	23.5	18.0-29.0	5	1.2	00.0-02.4	7	3.0	00.6-05.4				35	2.5	01.3-03.7
55-64	568	62,864	423	79.1	75.0-83.2	83	15.0	11.3-18.7	2	0.5	00.0-01.3	6	2.0	00.2-03.8				54	3.5	02.1-04.9
65+	915	83,296	716	83.8	80.7-86.9	91	11.0	08.3-13.7	7	1.6	00.0-03.4	4	0.5	00.0-01.1				97	3.1	02.1-04.1
Less Than H.S.	210	39,249	125	63.4	54.2-72.6	44	22.0	14.2-29.8	4	4.7	00.0-10.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	35	9.7	04.8-14.6
H.S. or G.E.D.	749	114,326	530	69.9	64.6-75.2	138	24.4	19.3-29.5	7	1.0	00.2-01.8	6	2.1	00.0-04.5	1	0.1	00.0-00.3	67	2.6	01.6-03.6
Some Post-H.S.	625	113,919	448	70.4	64.9-75.9	109	23.6	18.3-28.9	8	1.4	00.2-02.6	4	1.3	00.0-02.7	1	0.1	00.0-00.3	55	3.1	01.5-04.7
College Graduate	880	103,429	653	74.9	70.8-79.0	114	16.1	12.4-19.8	7	0.9	00.3-01.5	24	5.6	03.2-08.0				82	2.5	01.7-03.3
Less than \$15,000	236	32,540	133	62.3	53.9-70.7	70	29.1	21.5-36.7	3	1.9	00.0-04.1	1	0.2	00.0-00.6	2	0.4	00.0-01.0	27	6.1	02.6-09.6
\$15,000- 24,999	398	60,966	256	60.6	53.2-68.0	83	28.1	20.7-35.5	13	5.7	01.6-09.8	3	1.5	00.0-03.5				43	4.1	01.9-06.3
\$25,000- 34,999	249	35,757	177	70.1	61.5-78.7	43	25.2	16.4-34.0	5	2.2	00.0-04.6							24	2.5	01.3-03.7
\$35,000- 49,999	263	38,860	184	71.1	63.5-78.7	53	25.7	18.1-33.3	2	0.5	00.0-01.3	2	0.8	00.0-02.0				22	1.8	00.6-03.0
\$50,000- 74,999	320	48,483	245	73.8	66.9-80.7	45	20.6	14.1-27.1				5	3.4	00.3-06.5	1	0.3	00.0-00.9	24	1.8	00.4-03.2
\$75,000+	562	91,677	442	78.8	72.9-84.7	48	12.5	07.2-17.8	2	0.3	00.0-00.7	12	4.5	01.4-07.6				58	4.0	01.8-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3957	658,739	2907	72.4	70.2-74.6	606	21.9	19.7-24.1	31	1.3	0.5-02.1	65	2.8	02.0-03.6	4	0.0	00.0-00.0	344	1.7	01.5-01.9
Male	1588	308,882	1203	73.1	69.6-76.6	208	21.3	18.0-24.6	8	1.2	00.0-02.4	30	2.8	01.6-04.0	2	0.0	00.0-00.0	137	1.6	01.2-02.0
Female	2369	349,857	1704	71.7	69.0-74.4	398	22.4	19.7-25.1	23	1.3	00.5-02.1	35	2.8	01.6-04.0	2	0.0	00.0-00.0	207	1.8	01.4-02.2
18-24	149	81,284	92	62.8	53.4-72.2	37	27.9	18.9-36.9	3	2.5	00.0-05.6	7	5.3	01.2-09.4	2	0.1	00.0-00.3	8	1.3	00.1-02.5
25-34	286	97,788	176	66.1	59.0-73.2	64	24.3	17.8-30.8	5	2.6	00.0-06.1	20	5.7	03.2-08.2	1	0.1	00.0-00.3	20	1.2	00.6-01.8
35-44	359	94,988	231	66.5	60.2-72.8	79	27.1	21.0-33.2	4	0.5	00.0-01.1	15	4.2	01.8-06.6				30	1.7	00.9-02.5
45-54	664	116,906	478	71.4	66.3-76.5	123	24.7	19.6-29.8	4	0.5	00.0-01.1	10	2.1	00.7-03.5				49	1.3	00.9-01.7
55-64	939	114,934	702	77.5	73.8-81.2	139	18.2	14.7-21.7	5	0.8	00.0-01.8	7	1.2	00.2-02.2	1	0.0	00.0-00.0	85	2.2	01.6-02.8
65+	1511	147,337	1200	82.8	79.9-85.7	152	13.7	11.0-16.4	9	1.0	00.0-02.0	5	0.4	00.0-00.8				145	2.1	01.7-02.5
Less Than H.S.	312	72,728	197	66.6	59.2-74.0	75	29.1	21.8-36.4	6	2.8	00.0-05.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	32	1.4	00.8-02.0
H.S. or G.E.D.	1186	208,724	851	70.6	66.5-74.7	213	24.6	20.7-28.5	10	1.5	00.0-03.1	9	1.7	00.3-03.1	2	0.1	00.1-00.1	101	1.6	01.2-02.0
Some Post-H.S.	971	194,756	723	72.6	68.1-77.1	151	22.4	17.9-26.9	8	1.2	00.0-02.4	8	1.8	00.4-03.2				81	2.0	01.4-02.6
College Graduate	1473	180,669	1125	76.4	73.1-79.7	164	15.2	12.3-18.1	7	0.5	00.1-00.9	47	6.3	04.3-08.3	1	0.0	00.0-00.0	129	1.6	01.2-02.0
Less than \$15,000	322	51,344	186	58.8	50.4-67.2	99	36.2	28.0-44.4	3	1.2	00.0-02.6	4	2.1	00.0-04.5	2	0.2	00.0-00.6	28	1.5	00.7-02.3
\$15,000- 24,999	580	93,058	367	59.0	52.7-65.3	129	33.5	27.2-39.8	12	3.1	00.6-05.6	8	2.3	00.5-04.1	1	0.1	00.0-00.3	63	2.0	01.2-02.8
\$25,000- 34,999	337	50,112	244	70.8	63.2-78.4	59	25.3	17.7-32.9	7	2.2	00.2-04.2							27	1.7	00.9-02.5
\$35,000- 49,999	487	82,751	360	72.4	65.9-78.9	81	24.4	17.9-30.9	2	0.2	00.0-00.6	4	1.6	00.0-03.6				40	1.4	00.8-02.0
\$50,000- 74,999	539	83,964	418	76.0	70.7-81.3	70	20.0	14.9-25.1				8	2.7	00.7-04.7				43	1.3	00.7-01.9
\$75,000+	1057	196,381	855	81.6	77.5-85.7	78	10.9	07.4-14.4	5	1.7	00.0-03.7	25	3.8	02.0-05.6	1	0.0	00.0-00.0	93	2.0	01.4-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1588	308,882	1203	73.1	69.6-76.6	208	21.3	18.0-24.6	8	1.2	0.0-02.4	30	2.8	01.6-04.0	2	0.0	00.0-00.0	137	1.6	01.2-02.0
18-24	65	40,741	43	69.3	56.8-81.8	11	19.8	08.6-31.0	2	2.9	00.0-07.4	5	6.2	00.7-11.7				4	1.8	00.0-04.0
25-34	99	45,829	62	67.9	56.1-79.7	16	21.6	11.0-32.2	1	3.7	00.0-10.8	9	5.3	01.8-08.8	1	0.1	00.0-00.3	10	1.4	00.4-02.4
35-44	149	46,334	102	68.9	59.1-78.7	23	23.4	13.8-33.0				11	6.2	01.9-10.5				13	1.4	00.4-02.4
45-54	268	54,146	209	72.6	63.8-81.4	37	25.5	16.5-34.5				3	1.0	00.0-02.2				19	0.9	00.3-01.5
55-64	386	54,623	287	74.9	68.8-81.0	57	21.2	15.1-27.3	3	1.2	00.0-03.0	1	0.3	00.0-00.9	1	0.1	00.0-00.3	37	2.3	01.3-03.3
65+	610	65,535	492	81.0	75.9-86.1	63	16.9	11.8-22.0	2	0.3	00.0-00.7	1	0.2	00.0-00.6				52	1.5	00.9-02.1
Less Than H.S.	136	40,964	87	67.2	56.6-77.8	34	31.2	20.6-41.8	2	0.5	00.0-01.3							13	1.1	00.3-01.9
H.S. or G.E.D.	465	100,035	340	71.8	65.3-78.3	76	23.5	17.4-29.6	3	2.0	00.0-05.3	3	1.1	00.0-02.5	1	0.1	00.0-00.3	42	1.5	00.9-02.1
Some Post-H.S.	368	86,524	286	72.8	65.4-80.2	46	21.2	13.9-28.5	2	1.6	00.0-04.0	4	2.3	00.0-04.7				30	2.1	00.9-03.3
College Graduate	614	80,115	486	78.0	72.9-83.1	51	13.6	08.9-18.3	1	0.1	00.0-00.3	23	7.0	03.9-10.1	1	0.1	00.0-00.3	52	1.3	00.9-01.7
Less than \$15,000	107	22,815	64	54.2	39.1-69.3	29	39.9	25.0-54.8				3	4.4	00.0-09.7				11	1.5	00.3-02.7
\$15,000- 24,999	212	38,240	127	55.2	45.4-65.0	50	38.4	28.4-48.4	1	0.4	00.0-01.2	5	3.2	00.5-05.9	1	0.2	00.0-00.6	28	2.7	01.1-04.3
\$25,000- 34,999	100	16,975	75	74.1	61.0-87.2	17	23.2	10.1-36.3	2	1.9	00.0-05.0							6	0.7	00.0-01.5
\$35,000- 49,999	229	44,492	179	73.4	63.4-83.4	28	22.8	12.8-32.8				2	2.3	00.0-05.6				20	1.5	00.5-02.5
\$50,000- 74,999	226	36,777	178	78.6	70.4-86.8	25	18.4	10.2-26.6				3	1.7	00.0-03.7				20	1.3	00.5-02.1
\$75,000+	508	108,324	419	82.2	76.3-88.1	32	10.2	05.3-15.1	4	2.9	00.0-06.4	13	3.1	01.1-05.1	1	0.0	00.0-00.0	39	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2369	349,857	1704	71.7	69.0-74.4	398	22.4	19.7-25.1	23	1.3	0.5-02.1	35	2.8	0.1-04.0	2	0.0	0.0-00.0	207	1.8	0.1-02.2
18-24	84	40,543	49	56.4	42.7-70.1	26	36.0	22.5-49.5	1	2.1	0.0-06.2	2	4.4	0.0-10.7	2	0.3	0.0-00.7	4	0.8	0.0-01.8
25-34	187	51,959	114	64.5	56.3-72.7	48	26.8	19.0-34.6	4	1.7	0.0-03.7	11	6.0	0.2-09.7				10	1.1	0.3-01.9
35-44	210	48,654	129	64.1	56.5-71.7	56	30.7	23.1-38.3	4	1.0	0.0-02.0	4	2.3	0.0-04.7				17	1.9	0.9-02.9
45-54	396	62,759	269	70.5	64.6-76.4	86	23.9	18.4-29.4	4	1.0	0.0-02.0	7	3.0	0.6-05.4				30	1.6	0.8-02.4
55-64	553	60,311	415	79.9	75.6-84.2	82	15.5	11.6-19.4	2	0.5	0.0-01.3	6	2.0	0.2-03.8				48	2.1	0.1-02.9
65+	901	81,802	708	84.2	81.1-87.3	89	11.1	0.8-13.8	7	1.6	0.0-03.4	4	0.5	0.0-01.1				93	2.6	0.1-03.4
Less Than H.S.	176	31,764	110	65.9	55.7-76.1	41	26.3	17.1-35.5	4	5.8	0.0-12.5	1	0.2	0.0-00.6	1	0.1	0.0-00.3	19	1.7	0.7-02.7
H.S. or G.E.D.	721	108,689	511	69.6	64.1-75.1	137	25.5	20.2-30.8	7	1.0	0.0-02.0	6	2.2	0.0-04.6	1	0.1	0.0-00.3	59	1.6	0.1-02.2
Some Post-H.S.	603	108,232	437	72.4	66.9-77.9	105	23.4	18.1-28.7	6	0.8	0.0-01.6	4	1.4	0.0-02.8				51	2.0	0.1-02.8
College Graduate	859	100,554	639	75.2	71.1-79.3	113	16.4	12.7-20.1	6	0.7	0.1-01.3	24	5.8	0.3-08.3				77	1.9	0.1-02.5
Less than \$15,000	215	28,528	122	62.4	53.6-71.2	70	33.2	24.6-41.8	3	2.2	0.0-04.7	1	0.2	0.0-00.6	2	0.4	0.0-01.0	17	1.6	0.4-02.8
\$15,000- 24,999	368	54,818	240	61.6	53.6-69.6	79	30.1	22.1-38.1	11	5.0	0.9-09.1	3	1.7	0.0-03.9				35	1.5	0.9-02.1
\$25,000- 34,999	237	33,137	169	69.0	59.8-78.2	42	26.4	17.2-35.6	5	2.4	0.0-04.8							21	2.2	0.1-03.4
\$35,000- 49,999	258	38,259	181	71.3	63.7-78.9	53	26.1	18.5-33.7	2	0.5	0.0-01.3	2	0.8	0.0-02.0				20	1.2	0.6-01.8
\$50,000- 74,999	313	47,188	240	74.0	67.1-80.9	45	21.2	14.5-27.9				5	3.5	0.2-06.8				23	1.3	0.7-01.9
\$75,000+	549	88,056	436	80.9	75.2-86.6	46	11.8	0.6-16.9	1	0.1	0.0-00.3	12	4.7	0.1-08.0				54	2.5	0.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4208	715,426	2907	66.6	64.4-68.8	1301	33.4	31.2-35.6
Male	1706	338,946	1203	66.6	63.1-70.1	503	33.4	29.9-36.9
Female	2502	376,480	1704	66.7	64.0-69.4	798	33.3	30.6-36.0
18-24	177	91,693	92	55.7	46.9-64.5	85	44.3	35.5-53.1
25-34	354	116,335	176	55.6	49.1-62.1	178	44.4	37.9-50.9
35-44	417	107,986	231	58.5	52.6-64.4	186	41.5	35.6-47.4
45-54	711	124,472	478	67.1	62.2-72.0	233	32.9	28.0-37.8
55-64	966	119,541	702	74.5	70.8-78.2	264	25.5	21.8-29.2
65+	1533	149,771	1200	81.4	78.5-84.3	333	18.6	15.7-21.5
Less Than H.S.	408	96,780	197	50.1	43.2-57.0	211	49.9	43.0-56.8
H.S. or G.E.D.	1251	223,316	851	66.0	61.9-70.1	400	34.0	29.9-38.1
Some Post-H.S.	1019	207,350	723	68.2	63.7-72.7	296	31.8	27.3-36.3
College Graduate	1512	185,801	1125	74.3	71.2-77.4	387	25.7	22.6-28.8
Less than \$15,000	367	60,733	186	49.7	41.9-57.5	181	50.3	42.5-58.1
\$15,000- 24,999	655	110,219	367	49.8	44.3-55.3	288	50.2	44.7-55.7
\$25,000- 34,999	367	57,385	244	61.8	54.5-69.1	123	38.2	30.9-45.5
\$35,000- 49,999	501	85,492	360	70.1	63.8-76.4	141	29.9	23.6-36.2
\$50,000- 74,999	556	87,537	418	72.9	67.6-78.2	138	27.1	21.8-32.4
\$75,000+	1085	203,307	855	78.9	74.8-83.0	230	21.1	17.0-25.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	338,946	1203	66.6	63.1-70.1	503	33.4	29.9-36.9
18-24	77	45,829	43	61.6	49.4-73.8	34	38.4	26.2-50.6
25-34	131	56,985	62	54.6	44.0-65.2	69	45.4	34.8-56.0
35-44	176	52,135	102	61.3	52.1-70.5	74	38.7	29.5-47.9
45-54	296	59,438	209	66.1	57.9-74.3	87	33.9	25.7-42.1
55-64	395	56,321	287	72.6	66.5-78.7	108	27.4	21.3-33.5
65+	619	66,442	492	79.9	74.8-85.0	127	20.1	15.0-25.2
Less Than H.S.	185	54,158	87	50.8	41.0-60.6	98	49.2	39.4-59.0
H.S. or G.E.D.	495	108,260	340	66.3	60.0-72.6	155	33.7	27.4-40.0
Some Post-H.S.	389	92,740	286	67.9	60.6-75.2	103	32.1	24.8-39.4
College Graduate	631	82,321	486	75.9	70.8-81.0	145	24.1	19.0-29.2
Less than \$15,000	126	27,085	64	45.7	32.2-59.2	62	54.3	40.8-67.8
\$15,000- 24,999	250	47,667	127	44.2	35.6-52.8	123	55.8	47.2-64.4
\$25,000- 34,999	113	20,864	75	60.3	47.6-73.0	38	39.7	27.0-52.4
\$35,000- 49,999	237	46,438	179	70.3	60.7-79.9	58	29.7	20.1-39.3
\$50,000- 74,999	235	38,993	178	74.1	65.7-82.5	57	25.9	17.5-34.3
\$75,000+	523	111,629	419	79.8	73.9-85.7	104	20.2	14.3-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2502	376,480	1704	66.7	64.0-69.4	798	33.3	30.6-36.0
18-24	100	45,864	49	49.8	37.5-62.1	51	50.2	37.9-62.5
25-34	223	59,350	114	56.5	48.7-64.3	109	43.5	35.7-51.3
35-44	241	55,852	129	55.8	48.4-63.2	112	44.2	36.8-51.6
45-54	415	65,035	269	68.0	62.3-73.7	146	32.0	26.3-37.7
55-64	571	63,220	415	76.2	71.7-80.7	156	23.8	19.3-28.3
65+	914	83,329	708	82.6	79.3-85.9	206	17.4	14.1-20.7
Less Than H.S.	223	42,621	110	49.1	40.3-57.9	113	50.9	42.1-59.7
H.S. or G.E.D.	756	115,056	511	65.7	60.4-71.0	245	34.3	29.0-39.6
Some Post-H.S.	630	114,610	437	68.4	63.1-73.7	193	31.6	26.3-36.9
College Graduate	881	103,480	639	73.1	69.0-77.2	242	26.9	22.8-31.0
Less than \$15,000	241	33,649	122	52.9	43.9-61.9	119	47.1	38.1-56.1
\$15,000- 24,999	405	62,552	240	54.0	46.7-61.3	165	46.0	38.7-53.3
\$25,000- 34,999	254	36,521	169	62.6	53.8-71.4	85	37.4	28.6-46.2
\$35,000- 49,999	264	39,054	181	69.9	62.3-77.5	83	30.1	22.5-37.7
\$50,000- 74,999	321	48,544	240	71.9	65.0-78.8	81	28.1	21.2-35.0
\$75,000+	562	91,677	436	77.7	71.8-83.6	126	22.3	16.4-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4208	715,426	2907	66.6	64.4-68.8	606	20.1	18.1-22.1	119	3.9	02.9-04.9	325	1.4	01.2-01.6	251	7.9	06.7-09.1
Male	1706	338,946	1203	66.6	63.1-70.1	208	19.4	16.3-22.5	50	3.8	02.2-05.4	127	1.3	00.9-01.7	118	8.9	06.9-10.9
Female	2502	376,480	1704	66.7	64.0-69.4	398	20.8	18.3-23.3	69	3.9	02.7-05.1	198	1.6	01.2-02.0	133	7.1	05.7-08.5
18-24	177	91,693	92	55.7	46.9-64.5	37	24.7	16.5-32.9	13	7.2	02.7-11.7	7	1.0	00.0-02.0	28	11.4	06.7-16.1
25-34	354	116,335	176	55.6	49.1-62.1	64	20.5	15.0-26.0	30	7.2	03.7-10.7	16	0.8	00.4-01.2	68	15.9	11.8-20.0
35-44	417	107,986	231	58.5	52.6-64.4	79	23.9	18.4-29.4	23	4.3	02.1-06.5	26	1.3	00.7-01.9	58	12.0	08.7-15.3
45-54	711	124,472	478	67.1	62.2-72.0	123	23.2	18.3-28.1	15	2.5	01.1-03.9	48	1.2	00.8-01.6	47	6.1	03.9-08.3
55-64	966	119,541	702	74.5	70.8-78.2	139	17.5	14.0-21.0	14	2.0	00.6-03.4	84	2.1	01.5-02.7	27	3.9	02.1-05.7
65+	1533	149,771	1200	81.4	78.5-84.3	152	13.5	10.8-16.2	22	1.5	00.5-02.5	137	2.0	01.6-02.4	22	1.6	00.8-02.4
Less Than H.S.	408	96,780	197	50.1	43.2-57.0	75	21.9	16.4-27.4	9	2.2	00.0-04.6	31	1.0	00.6-01.4	96	24.9	19.6-30.2
H.S. or G.E.D.	1251	223,316	851	66.0	61.9-70.1	213	22.9	19.2-26.6	25	3.1	01.1-05.1	97	1.4	01.0-01.8	65	6.5	04.5-08.5
Some Post-H.S.	1019	207,350	723	68.2	63.7-72.7	151	21.1	17.0-25.2	25	3.0	01.4-04.6	72	1.7	01.1-02.3	48	6.1	03.9-08.3
College Graduate	1512	185,801	1125	74.3	71.2-77.4	164	14.8	11.9-17.7	60	6.7	04.7-08.7	124	1.5	01.1-01.9	39	2.8	01.8-03.8
Less than \$15,000	367	60,733	186	49.7	41.9-57.5	99	30.6	23.3-37.9	10	3.0	00.6-05.4	27	1.2	00.6-01.8	45	15.5	10.2-20.8
\$15,000- 24,999	655	110,219	367	49.8	44.3-55.3	129	28.3	22.8-33.8	28	4.8	02.3-07.3	56	1.5	00.9-02.1	75	15.6	11.7-19.5
\$25,000- 34,999	367	57,385	244	61.8	54.5-69.1	59	22.1	15.2-29.0	9	2.0	00.2-03.8	25	1.4	00.6-02.2	30	12.7	07.8-17.6
\$35,000- 49,999	501	85,492	360	70.1	63.8-76.4	81	23.6	17.3-29.9	8	1.9	00.1-03.7	38	1.2	00.6-01.8	14	3.2	01.2-05.2
\$50,000- 74,999	556	87,537	418	72.9	67.6-78.2	70	19.2	14.1-24.3	9	2.7	00.7-04.7	42	1.2	00.8-01.6	17	4.1	01.7-06.5
\$75,000+	1085	203,307	855	78.9	74.8-83.0	78	10.5	07.0-14.0	34	5.4	02.9-07.9	90	1.8	01.2-02.4	28	3.4	01.8-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	338,946	1203	66.6	63.1-70.1	208	19.4	16.3-22.5	50	3.8	02.2-05.4	127	1.3	00.9-01.7	118	8.9	07.1-10.7
18-24	77	45,829	43	61.6	49.4-73.8	11	17.6	07.4-27.8	8	8.4	02.1-14.7	3	1.3	00.0-03.1	12	11.1	04.2-18.0
25-34	131	56,985	62	54.6	44.0-65.2	16	17.3	08.7-25.9	13	7.5	01.4-13.6	8	0.9	00.1-01.7	32	19.6	12.3-26.9
35-44	176	52,135	102	61.3	52.1-70.5	23	20.8	12.2-29.4	13	5.7	02.0-09.4	11	1.1	00.3-01.9	27	11.1	06.6-15.6
45-54	296	59,438	209	66.1	57.9-74.3	37	23.2	14.8-31.6	3	0.9	00.0-01.9	19	0.8	00.4-01.2	28	8.9	04.8-13.0
55-64	395	56,321	287	72.6	66.5-78.7	57	20.6	14.7-26.5	5	1.6	00.0-03.4	37	2.2	01.2-03.2	9	3.0	00.6-05.4
65+	619	66,442	492	79.9	74.8-85.0	63	16.7	11.6-21.8	8	0.6	00.0-01.2	47	1.4	01.0-01.8	9	1.4	00.2-02.6
Less Than H.S.	185	54,158	87	50.8	41.0-60.6	34	23.6	15.4-31.8	2	0.4	00.0-01.0	13	0.8	00.2-01.4	49	24.4	16.8-32.0
H.S. or G.E.D.	495	108,260	340	66.3	60.0-72.6	76	21.7	16.0-27.4	10	3.0	00.0-06.3	39	1.3	00.7-01.9	30	7.6	04.5-10.7
Some Post-H.S.	389	92,740	286	67.9	60.6-75.2	46	19.8	12.9-26.7	11	4.0	00.9-07.1	25	1.6	00.6-02.6	21	6.7	03.4-10.0
College Graduate	631	82,321	486	75.9	70.8-81.0	51	13.2	08.7-17.7	27	7.0	04.1-09.9	50	1.2	00.8-01.6	17	2.7	01.3-04.1
Less than \$15,000	126	27,085	64	45.7	32.2-59.2	29	33.6	20.5-46.7	4	3.8	00.0-08.3	10	1.2	00.2-02.2	19	15.8	06.8-24.8
\$15,000- 24,999	250	47,667	127	44.2	35.6-52.8	50	30.8	22.2-39.4	10	3.1	00.7-05.5	25	2.1	00.7-03.5	38	19.8	12.9-26.7
\$25,000- 34,999	113	20,864	75	60.3	47.6-73.0	17	18.9	07.9-29.9	4	1.8	00.0-04.3	4	0.4	00.0-00.8	13	18.6	08.6-28.6
\$35,000- 49,999	237	46,438	179	70.3	60.7-79.9	28	21.9	12.3-31.5	4	2.4	00.0-05.5	18	1.2	00.4-02.0	8	4.2	00.9-07.5
\$50,000- 74,999	235	38,993	178	74.1	65.7-82.5	25	17.4	09.6-25.2	4	1.7	00.0-03.7	19	1.1	00.5-01.7	9	5.7	01.4-10.0
\$75,000+	523	111,629	419	79.8	73.9-85.7	32	9.9	05.2-14.6	18	5.9	02.2-09.6	39	1.5	00.7-02.3	15	3.0	01.0-05.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2502	376,480	1704	66.7	64.0-69.4	398	20.8	18.3-23.3	69	3.9	02.7-05.1	198	1.6	01.4-01.8	133	7.1	05.7-08.5
18-24	100	45,864	49	49.8	37.5-62.1	26	31.8	19.5-44.1	5	6.0	00.0-12.5	4	0.7	00.0-01.5	16	11.6	04.9-18.3
25-34	223	59,350	114	56.5	48.7-64.3	48	23.5	16.4-30.6	17	6.9	03.2-10.6	8	0.7	00.1-01.3	36	12.5	08.2-16.8
35-44	241	55,852	129	55.8	48.4-63.2	56	26.7	19.8-33.6	10	3.1	00.7-05.5	15	1.5	00.5-02.5	31	12.9	07.8-18.0
45-54	415	65,035	269	68.0	62.3-73.7	86	23.1	17.6-28.6	12	3.9	01.4-06.4	29	1.5	00.7-02.3	19	3.5	01.7-05.3
55-64	571	63,220	415	76.2	71.7-80.7	82	14.8	11.1-18.5	9	2.5	00.5-04.5	47	2.0	01.2-02.8	18	4.6	02.1-07.1
65+	914	83,329	708	82.6	79.3-85.9	89	10.9	08.2-13.6	14	2.2	00.4-04.0	90	2.5	01.9-03.1	13	1.8	00.6-03.0
Less Than H.S.	223	42,621	110	49.1	40.3-57.9	41	19.6	12.3-26.9	7	4.6	00.0-09.5	18	1.3	00.5-02.1	47	25.5	18.1-32.9
H.S. or G.E.D.	756	115,056	511	65.7	60.4-71.0	137	24.1	19.0-29.2	15	3.1	00.7-05.5	58	1.5	00.9-02.1	35	5.5	03.3-07.7
Some Post-H.S.	630	114,610	437	68.4	63.1-73.7	105	22.1	17.0-27.2	14	2.2	00.6-03.8	47	1.7	01.1-02.3	27	5.6	03.1-08.1
College Graduate	881	103,480	639	73.1	69.0-77.2	113	16.0	12.3-19.7	33	6.4	03.9-08.9	74	1.7	01.3-02.1	22	2.8	01.4-04.2
Less than \$15,000	241	33,649	122	52.9	43.9-61.9	70	28.1	20.8-35.4	6	2.4	00.2-04.6	17	1.3	00.3-02.3	26	15.2	08.7-21.7
\$15,000- 24,999	405	62,552	240	54.0	46.7-61.3	79	26.4	19.1-33.7	18	6.2	02.1-10.3	31	1.1	00.7-01.5	37	12.4	08.3-16.5
\$25,000- 34,999	254	36,521	169	62.6	53.8-71.4	42	24.0	15.4-32.6	5	2.1	00.0-04.3	21	2.0	00.8-03.2	17	9.3	04.4-14.2
\$35,000- 49,999	264	39,054	181	69.9	62.3-77.5	53	25.6	18.2-33.0	4	1.3	00.0-02.7	20	1.1	00.5-01.7	6	2.0	00.2-03.8
\$50,000- 74,999	321	48,544	240	71.9	65.0-78.8	45	20.6	14.1-27.1	5	3.4	00.3-06.5	23	1.3	00.7-01.9	8	2.8	00.6-05.0
\$75,000+	562	91,677	436	77.7	71.8-83.6	46	11.3	06.4-16.2	16	4.7	01.6-07.8	51	2.3	01.5-03.1	13	3.9	01.2-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGE5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4234	723,269	342	20.5	18.3-22.7	390	15.7	13.9-17.5	511	15.4	13.8-17.0	932	19.7	18.1-21.3	984	14.6	13.4-15.8	1075	14.2	13.0-15.4
Male	1737	346,653	134	20.9	17.4-24.4	168	17.7	14.8-20.6	209	14.7	12.2-17.2	384	19.5	17.1-21.9	403	14.0	12.2-15.8	439	13.2	11.4-15.0
Female	2497	376,616	208	20.2	17.3-23.1	222	13.8	11.8-15.8	302	16.0	14.0-18.0	548	19.8	17.8-21.8	581	15.1	13.5-16.7	636	15.0	13.6-16.4
White/Non-Hisp	2879	473,368	176	17.6	14.9-20.3	189	12.3	10.3-14.3	308	14.1	12.3-15.9	634	21.0	19.2-22.8	746	17.9	16.3-19.5	826	17.1	15.7-18.5
Black or Afr. Am./Non-Hisp	594	142,229	63	23.2	17.3-29.1	68	17.8	12.9-22.7	101	19.9	15.2-24.6	152	19.7	15.8-23.6	113	9.7	07.3-12.1	97	9.8	07.1-12.5
Oth. Race/Non-Hisp.	117	27,403	28	38.0	24.9-51.1	30	28.8	16.1-41.5	16	11.0	04.9-17.1	14	11.1	04.2-18.0	15	5.6	02.1-09.1	14	5.5	00.2-10.8
MultiRacial/Non-Hisp.	318	10,237	16	13.7	05.5-21.9	19	9.9	05.0-14.8	31	13.8	08.1-19.5	70	20.9	15.2-26.6	81	20.2	14.7-25.7	101	21.4	16.1-26.7
Hispanic	250	56,563	53	30.7	23.1-38.3	76	33.3	26.2-40.4	42	14.7	09.4-20.0	50	14.8	09.9-19.7	13	3.6	01.1-06.1	16	2.9	01.3-04.5
Less Than H.S.	416	98,551	44	24.1	17.4-30.8	49	15.1	10.6-19.6	45	12.7	08.0-17.4	81	19.7	14.6-24.8	73	11.7	08.0-15.4	124	16.7	12.8-20.6
H.S. or G.E.D.	1261	227,401	118	22.9	18.8-27.0	105	15.7	12.2-19.2	134	13.3	10.8-15.8	291	20.2	17.5-22.9	246	12.4	10.4-14.4	367	15.4	13.4-17.4
Some Post-H.S.	1022	208,435	107	25.3	20.6-30.0	84	13.2	10.1-16.3	110	14.8	11.5-18.1	217	17.4	14.7-20.1	253	15.6	13.2-18.0	251	13.7	11.3-16.1
College Graduate	1518	186,464	73	10.7	08.2-13.2	149	18.2	15.1-21.3	221	20.1	17.4-22.8	340	21.6	19.1-24.1	407	17.5	15.5-19.5	328	11.9	10.3-13.5
Less than \$15,000	368	61,490	40	28.4	19.8-37.0	33	13.3	08.4-18.2	41	12.1	07.8-16.4	114	26.5	20.2-32.8	58	9.4	05.5-13.3	82	10.3	07.2-13.4
\$15,000- 24,999	658	111,166	75	25.6	19.7-31.5	71	17.8	13.3-22.3	62	10.2	07.3-13.1	112	14.4	11.1-17.7	122	11.6	08.9-14.3	216	20.4	16.7-24.1
\$25,000- 34,999	372	58,206	36	23.3	15.7-30.9	41	16.9	11.6-22.2	43	14.4	09.7-19.1	57	13.9	09.2-18.6	79	13.1	09.6-16.6	116	18.5	14.4-22.6
\$35,000- 49,999	502	85,332	38	16.8	11.3-22.3	41	17.1	11.0-23.2	44	12.1	08.0-16.2	108	20.1	15.4-24.8	125	18.1	14.4-21.8	146	15.8	12.7-18.9
\$50,000- 74,999	561	88,340	30	12.2	07.5-16.9	45	15.3	10.4-20.2	76	19.2	14.3-24.1	145	23.1	18.8-27.4	145	16.7	13.6-19.8	120	13.5	10.6-16.4
\$75,000+	1089	204,670	54	15.4	11.1-19.7	114	16.7	13.2-20.2	200	22.8	19.1-26.5	305	24.6	21.5-27.7	276	14.6	12.4-16.8	140	6.0	04.8-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	346,653	134	20.9	17.4-24.4	168	17.7	14.8-20.6	209	14.7	12.2-17.2	384	19.5	17.1-21.9	403	14.0	12.2-15.8	439	13.2	11.4-15.0
White/Non-Hisp	1195	224,598	71	19.3	15.0-23.6	78	13.4	10.3-16.5	133	14.1	11.4-16.8	264	20.0	17.3-22.7	312	17.7	15.3-20.1	337	15.4	13.4-17.4
Black or Afr. Am./Non-Hisp	207	65,305	17	17.6	09.6-25.6	22	20.9	12.3-29.5	24	16.4	08.6-24.2	60	23.8	16.7-30.9	42	8.4	05.3-11.5	42	13.0	07.7-18.3
Oth. Race/Non-Hisp.	50	12,932	13	37.1	17.7-56.5	18	43.6	22.6-64.6	5	7.6	00.3-14.9	3	5.8	00.0-13.6	5	3.1	00.0-06.6	6	2.9	00.0-06.0
MultiRacial/Non-Hisp.	125	4,374	5	16.6	00.5-32.7	12	15.0	06.0-24.0	15	13.4	04.6-22.2	26	17.3	09.3-25.3	30	21.9	11.9-31.9	37	15.9	09.4-22.4
Hispanic	117	29,940	23	30.6	19.4-41.8	33	32.8	22.6-43.0	23	14.9	08.4-21.4	25	15.6	08.2-23.0	7	4.2	00.1-08.3	6	2.0	00.2-03.8
Less Than H.S.	189	55,717	26	28.4	18.6-38.2	18	11.9	05.6-18.2	27	14.5	07.2-21.8	41	21.2	13.8-28.6	29	9.3	04.8-13.8	48	14.7	09.2-20.2
H.S. or G.E.D.	509	112,184	56	25.4	19.1-31.7	47	18.8	12.9-24.7	64	13.7	10.0-17.4	121	20.1	15.8-24.4	92	10.0	07.5-12.5	129	12.0	09.3-14.7
Some Post-H.S.	394	93,973	37	25.4	17.8-33.0	32	13.9	08.4-19.4	37	13.4	07.9-18.9	87	17.0	12.7-21.3	108	17.4	13.5-21.3	93	13.0	09.3-16.7
College Graduate	638	82,840	15	5.2	02.5-07.9	69	23.3	18.0-28.6	80	17.8	13.7-21.9	133	20.4	16.5-24.3	172	18.7	15.6-21.8	169	14.5	12.0-17.0
Less than \$15,000	129	28,008	17	37.5	23.0-52.0	9	11.0	03.4-18.6	13	7.2	02.7-11.7	47	30.4	19.0-41.8	16	5.2	01.9-08.5	27	8.6	03.9-13.3
\$15,000- 24,999	254	48,931	24	20.3	12.1-28.5	30	20.4	12.6-28.2	27	11.3	06.4-16.2	49	16.1	10.6-21.6	45	11.2	06.9-15.5	79	20.8	14.7-26.9
\$25,000- 34,999	118	21,711	10	25.9	12.4-39.4	11	13.1	05.3-20.9	12	13.1	05.5-20.7	16	14.7	05.5-23.9	32	17.3	10.2-24.4	37	16.1	09.8-22.4
\$35,000- 49,999	239	46,337	19	18.4	10.2-26.6	17	18.7	09.1-28.3	22	10.8	05.7-15.9	51	20.8	13.9-27.7	59	16.4	11.3-21.5	71	15.0	10.5-19.5
\$50,000- 74,999	236	38,984	9	10.0	02.6-17.4	26	22.3	13.5-31.1	27	16.0	08.7-23.3	54	20.8	14.5-27.1	55	15.6	10.9-20.3	65	15.3	10.6-20.0
\$75,000+	529	113,648	24	15.0	08.9-21.1	64	20.5	15.0-26.0	88	21.5	16.0-27.0	133	21.3	17.0-25.6	139	15.2	12.1-18.3	81	6.5	04.7-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2497	376,616	208	20.2	17.3-23.1	222	13.8	11.8-15.8	302	16.0	14.0-18.0	548	19.8	17.8-21.8	581	15.1	13.5-16.7	636	15.0	13.6-16.4
White/Non-Hisp	1684	248,770	105	16.1	13.0-19.2	111	11.2	09.0-13.4	175	14.2	11.8-16.6	370	21.8	19.4-24.2	434	18.0	16.0-20.0	489	18.7	16.7-20.7
Black or Afr. Am./Non-Hisp	387	76,924	46	27.9	19.9-35.9	46	15.1	10.4-19.8	77	23.0	17.1-28.9	92	16.2	12.1-20.3	71	10.8	07.5-14.1	55	7.1	04.7-09.5
Oth. Race/Non-Hisp.	67	14,470	15	38.8	21.2-56.4	12	15.7	05.3-26.1	11	14.0	04.8-23.2	11	15.9	05.3-26.5	10	7.8	01.9-13.7	8	7.8	00.0-17.2
MultiRacial/Non-Hisp.	193	5,863	11	11.5	04.2-18.8	7	6.1	01.2-11.0	16	14.1	06.8-21.4	44	23.7	15.9-31.5	51	19.0	12.9-25.1	64	25.5	18.1-32.9
Hispanic	133	26,622	30	30.8	20.4-41.2	43	33.8	24.4-43.2	19	14.5	06.3-22.7	25	13.8	07.5-20.1	6	3.0	00.5-05.5	10	4.0	01.1-06.9
Less Than H.S.	227	42,834	18	18.5	09.9-27.1	31	19.3	12.6-26.0	18	10.4	05.3-15.5	40	17.6	11.3-23.9	44	14.8	08.7-20.9	76	19.3	13.6-25.0
H.S. or G.E.D.	752	115,216	62	20.6	14.9-26.3	58	12.8	09.3-16.3	70	12.9	09.6-16.2	170	20.3	16.8-23.8	154	14.7	12.0-17.4	238	18.7	15.8-21.6
Some Post-H.S.	628	114,463	70	25.2	19.3-31.1	52	12.6	09.1-16.1	73	15.9	11.6-20.2	130	17.7	14.2-21.2	145	14.2	11.5-16.9	158	14.3	11.6-17.0
College Graduate	880	103,624	58	15.1	11.2-19.0	80	14.1	10.8-17.4	141	21.8	18.1-25.5	207	22.5	19.2-25.8	235	16.6	14.1-19.1	159	9.8	08.0-11.6
Less than \$15,000	239	33,482	23	20.8	11.4-30.2	24	15.2	08.9-21.5	28	16.2	09.5-22.9	67	23.1	16.6-29.6	42	13.0	06.7-19.3	55	11.8	07.7-15.9
\$15,000- 24,999	404	62,235	51	29.8	22.0-37.6	41	15.9	10.8-21.0	35	9.4	05.9-12.9	63	13.1	09.2-17.0	77	11.9	08.4-15.4	137	20.0	15.5-24.5
\$25,000- 34,999	254	36,496	26	21.7	12.7-30.7	30	19.1	12.2-26.0	31	15.2	09.3-21.1	41	13.4	08.3-18.5	47	10.6	06.7-14.5	79	20.0	14.5-25.5
\$35,000- 49,999	263	38,995	19	15.0	07.7-22.3	24	15.1	08.6-21.6	22	13.8	07.1-20.5	57	19.3	13.2-25.4	66	20.1	14.4-25.8	75	16.8	12.3-21.3
\$50,000- 74,999	325	49,356	21	13.9	07.6-20.2	19	9.8	05.1-14.5	49	21.6	15.1-28.1	91	25.0	19.3-30.7	90	17.5	13.4-21.6	55	12.1	08.2-16.0
\$75,000+	560	91,022	30	15.9	09.6-22.2	50	12.0	08.3-15.7	112	24.4	19.3-29.5	172	28.6	23.9-33.3	137	13.8	11.1-16.5	59	5.3	03.7-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4234	723,269	2674	78.9	77.5-80.3	1560	21.1	19.7-22.5
Male	1737	346,653	1106	80.5	78.5-82.5	631	19.5	17.5-21.5
Female	2497	376,616	1568	77.5	75.7-79.3	929	22.5	20.7-24.3
White/Non-Hisp	2879	473,368	1679	74.2	72.4-76.0	1200	25.8	24.0-27.6
Black or Afr. Am./Non-Hisp	594	142,229	442	85.8	82.7-88.9	152	14.2	11.1-17.3
Oth. Race/Non-Hisp.	117	27,403	95	91.9	86.0-97.8	22	8.1	02.2-14.0
MultiRacial/Non-Hisp.	318	10,237	181	71.0	64.9-77.1	137	29.0	22.9-35.1
Hispanic	250	56,563	228	95.7	93.5-97.9	22	4.3	02.1-06.5
Less Than H.S.	416	98,551	249	75.8	70.9-80.7	167	24.2	19.3-29.1
H.S. or G.E.D.	1261	227,401	761	78.5	76.1-80.9	500	21.5	19.1-23.9
Some Post-H.S.	1022	208,435	645	79.1	76.4-81.8	377	20.9	18.2-23.6
College Graduate	1518	186,464	1010	80.8	78.8-82.8	508	19.2	17.2-21.2
Less than \$15,000	368	61,490	255	84.1	79.6-88.6	113	15.9	11.4-20.4
\$15,000- 24,999	658	111,166	380	73.2	69.1-77.3	278	26.8	22.7-30.9
\$25,000- 34,999	372	58,206	217	74.3	69.4-79.2	155	25.7	20.8-30.6
\$35,000- 49,999	502	85,332	294	76.6	72.7-80.5	208	23.4	19.5-27.3
\$50,000- 74,999	561	88,340	370	78.1	74.4-81.8	191	21.9	18.2-25.6
\$75,000+	1089	204,670	819	87.7	85.7-89.7	270	12.3	10.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	346,653	1106	80.5	78.5-82.5	631	19.5	17.5-21.5
White/Non-Hisp	1195	224,598	703	76.4	73.9-78.9	492	23.6	21.1-26.1
Black or Afr. Am./Non-Hisp	207	65,305	144	83.0	77.3-88.7	63	17.0	11.3-22.7
Oth. Race/Non-Hisp.	50	12,932	42	96.8	93.5-100.0	8	3.2	0.0-06.5
MultiRacial/Non-Hisp.	125	4,374	78	79.1	71.3-86.9	47	20.9	13.1-28.7
Hispanic	117	29,940	108	97.0	94.6-99.4	9	3.0	0.6-05.4
Less Than H.S.	189	55,717	124	79.1	72.4-85.8	65	20.9	14.2-27.6
H.S. or G.E.D.	509	112,184	330	83.2	80.1-86.3	179	16.8	13.7-19.9
Some Post-H.S.	394	93,973	255	80.7	76.4-85.0	139	19.3	15.0-23.6
College Graduate	638	82,840	390	77.1	73.8-80.4	248	22.9	19.6-26.2
Less than \$15,000	129	28,008	93	88.8	83.5-94.1	36	11.2	05.9-16.5
\$15,000- 24,999	254	48,931	151	73.2	66.5-79.9	103	26.8	20.1-33.5
\$25,000- 34,999	118	21,711	65	73.9	65.3-82.5	53	26.1	17.5-34.7
\$35,000- 49,999	239	46,337	137	77.5	71.8-83.2	102	22.5	16.8-28.2
\$50,000- 74,999	236	38,984	143	76.6	70.7-82.5	93	23.4	17.5-29.3
\$75,000+	529	113,648	385	87.3	84.6-90.0	144	12.7	10.0-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2497	376,616	1568	77.5	75.7-79.3	929	22.5	20.7-24.3
White/Non-Hisp	1684	248,770	976	72.3	69.9-74.7	708	27.7	25.3-30.1
Black or Afr. Am./Non-Hisp	387	76,924	298	88.2	85.1-91.3	89	11.8	08.7-14.9
Oth. Race/Non-Hisp.	67	14,470	53	87.5	77.3-97.7	14	12.5	02.3-22.7
MultiRacial/Non-Hisp.	193	5,863	103	65.0	56.8-73.2	90	35.0	26.8-43.2
Hispanic	133	26,622	120	94.3	90.8-97.8	13	5.7	02.2-09.2
Less Than H.S.	227	42,834	125	71.4	64.1-78.7	102	28.6	21.3-35.9
H.S. or G.E.D.	752	115,216	431	74.0	70.5-77.5	321	26.0	22.5-29.5
Some Post-H.S.	628	114,463	390	77.7	74.2-81.2	238	22.3	18.8-25.8
College Graduate	880	103,624	620	83.8	81.4-86.2	260	16.2	13.8-18.6
Less than \$15,000	239	33,482	162	80.2	73.3-87.1	77	19.8	12.9-26.7
\$15,000- 24,999	404	62,235	229	73.2	67.9-78.5	175	26.8	21.5-32.1
\$25,000- 34,999	254	36,496	152	74.5	68.4-80.6	102	25.5	19.4-31.6
\$35,000- 49,999	263	38,995	157	75.5	69.8-81.2	106	24.5	18.8-30.2
\$50,000- 74,999	325	49,356	227	79.4	74.5-84.3	98	20.6	15.7-25.5
\$75,000+	560	91,022	434	88.2	85.7-90.7	126	11.8	09.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4128	697,002	2	0.0	00.0-00.0	253	4.7	03.9-05.5	1954	44.1	41.9-46.3	1614	41.6	39.4-43.8	305	9.6	08.0-11.2	
Male	1682	330,906	1	0.0	00.0-00.0	5	0.2	00.0-00.4	212	12.4	10.0-14.8	1165	67.6	64.3-70.9	299	19.7	16.8-22.6	
Female	2446	366,096	1	0.0	00.0-00.0	248	8.7	07.3-10.1	1742	72.8	70.4-75.2	449	18.1	16.1-20.1	6	0.5	00.0-01.1	
White/Non-Hisp	2860	470,929	1	0.0	00.0-00.0	155	4.1	03.3-04.9	1313	42.2	39.7-44.7	1178	43.9	41.4-46.4	213	9.7	07.9-11.5	
Black or Afr. Am./Non-Hisp	591	140,747				52	5.0	03.2-06.8	294	47.5	41.6-53.4	203	37.0	31.3-42.7	42	10.5	06.0-15.0	
Oth. Race/Non-Hisp.	112	26,220				9	4.2	00.3-08.1	61	52.2	38.7-65.7	37	38.9	25.0-52.8	5	4.7	00.0-09.6	
MultiRacial/Non-Hisp.	315	10,124				16	4.8	01.9-07.7	156	45.2	37.4-53.0	115	37.3	29.9-44.7	28	12.7	05.6-19.8	
Hispanic	175	37,370				18	10.7	05.0-16.4	100	51.4	42.2-60.6	50	34.0	25.2-42.8	7	3.9	00.4-07.4	
18-24	169	88,325				9	3.4	00.9-05.9	76	46.2	37.0-55.4	69	40.5	31.7-49.3	15	9.8	04.3-15.3	
25-34	321	107,298				18	4.6	01.9-07.3	152	41.3	34.6-48.0	128	42.2	35.3-49.1	23	11.9	06.6-17.2	
35-44	395	103,824	1	0.1	00.0-00.3	15	2.7	01.1-04.3	186	45.0	38.9-51.1	146	39.0	32.9-45.1	47	13.2	08.5-17.9	
45-54	701	122,401	1	0.1	00.0-00.3	37	4.4	02.6-06.2	309	40.6	35.9-45.3	288	43.0	38.3-47.7	66	11.9	07.8-16.0	
55-64	966	118,880				44	3.8	02.4-05.2	444	43.1	39.2-47.0	407	45.4	41.5-49.3	71	7.6	05.4-09.8	
65+	1526	150,216				129	7.8	06.2-09.4	753	47.3	44.0-50.6	562	39.6	36.3-42.9	82	5.3	03.9-06.7	
Less Than H.S.	340	80,168	1	0.1	00.0-00.3	28	4.5	02.5-06.5	181	47.2	39.8-54.6	112	36.3	29.0-43.6	18	11.9	05.6-18.2	
H.S. or G.E.D.	1245	223,315	1	0.0	00.0-00.0	102	6.2	04.6-07.8	600	42.0	38.1-45.9	459	43.4	39.3-47.5	83	8.5	06.1-10.9	
Some Post-H.S.	1020	206,863				64	4.1	02.9-05.3	485	45.2	40.7-49.7	393	40.6	36.3-44.9	78	10.1	06.8-13.4	
College Graduate	1511	185,255				59	3.6	02.4-04.8	679	44.1	40.8-47.4	647	42.8	39.5-46.1	126	9.5	07.3-11.7	
Less than \$15,000	319	51,388	1	0.1	00.0-00.3	30	8.1	04.6-11.6	181	52.9	44.5-61.3	90	29.7	22.1-37.3	17	9.3	02.4-16.2	
\$15,000- 24,999	629	104,201				51	5.1	03.1-07.1	321	49.5	43.8-55.2	238	42.6	36.9-48.3	19	2.7	01.1-04.3	
\$25,000- 34,999	360	54,445				35	7.8	04.7-10.9	194	53.0	45.7-60.3	115	32.9	26.0-39.8	16	6.2	02.3-10.1	
\$35,000- 49,999	503	85,464				28	4.1	02.3-05.9	209	36.4	30.5-42.3	213	44.0	37.9-50.1	53	15.5	09.6-21.4	
\$50,000- 74,999	557	87,280				22	3.7	01.9-05.5	256	44.4	38.9-49.9	236	42.0	36.3-47.7	43	9.9	06.0-13.8	
\$75,000+	1089	204,604				39	2.4	01.4-03.4	428	37.2	33.1-41.3	505	48.8	44.5-53.1	117	11.7	08.8-14.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1682	330,906	1	0.0	00.0-00.0	5	0.2	00.0-00.4	212	12.4	10.0-14.8	1165	67.6	64.3-70.9	299	19.7	16.8-22.6	
White/Non-Hisp	1184	222,605	1	0.0	00.0-00.0	3	0.3	00.0-00.7	117	8.4	06.0-10.8	853	70.9	67.0-74.8	210	20.4	16.9-23.9	
Black or Afr. Am./Non-Hisp	204	63,824							34	17.6	10.5-24.7	129	60.6	51.0-70.2	41	21.8	13.0-30.6	
MultiRacial/Non-Hisp.	126	4,390							15	14.4	03.4-25.4	84	59.2	44.9-73.5	27	26.3	12.4-40.2	
Hispanic	82	20,008				2	1.1	00.0-02.7	32	34.9	23.1-46.7	41	56.7	44.4-69.0	7	7.3	00.8-13.8	
18-24	72	43,447							10	17.0	06.4-27.6	47	63.0	50.1-75.9	15	20.0	09.6-30.4	
25-34	115	51,581							12	9.6	03.1-16.1	83	68.1	57.3-78.9	20	22.3	12.3-32.3	
35-44	171	51,716	1	0.1	00.0-00.3	1	0.4	00.0-01.2	23	12.4	06.9-17.9	100	61.0	51.8-70.2	46	26.2	17.6-34.8	
45-54	292	58,450				3	1.0	00.0-02.2	31	9.5	05.8-13.2	193	65.1	57.3-72.9	65	24.5	16.9-32.1	
55-64	400	56,916							46	14.0	08.9-19.1	283	70.1	64.2-76.0	71	16.0	11.7-20.3	
65+	618	66,570				1	0.1	00.0-00.3	88	12.9	09.6-16.2	448	75.2	71.1-79.3	81	11.8	08.9-14.7	
Less Than H.S.	156	45,960				3	0.7	00.0-01.7	41	23.8	15.2-32.4	94	54.7	43.7-65.7	18	20.8	10.6-31.0	
H.S. or G.E.D.	497	109,114	1	0.1	00.0-00.3	1	0.1	00.0-00.3	68	13.1	08.6-17.6	345	69.6	63.7-75.5	82	17.1	12.4-21.8	
Some Post-H.S.	389	92,092				1	0.4	00.0-01.2	39	8.4	04.5-12.3	274	69.8	62.7-76.9	75	21.4	14.7-28.1	
College Graduate	636	82,701							63	9.4	06.5-12.3	449	69.7	65.0-74.4	124	20.9	16.6-25.2	
Less than \$15,000	107	22,149	1	0.3	00.0-00.9				29	28.2	14.9-41.5	61	51.3	36.4-66.2	16	20.3	06.0-34.6	
\$15,000- 24,999	235	43,803				1	0.5	00.0-01.5	39	15.1	09.0-21.2	176	78.0	71.1-84.9	19	6.4	02.7-10.1	
\$25,000- 34,999	111	19,403				1	0.6	00.0-01.8	18	17.2	08.4-26.0	76	64.7	52.5-76.9	16	17.5	07.1-27.9	
\$35,000- 49,999	238	46,108				1	0.2	00.0-00.6	24	8.8	02.9-14.7	161	64.2	54.4-74.0	52	26.8	17.4-36.2	
\$50,000- 74,999	234	38,902				1	0.9	00.0-02.7	19	7.0	03.1-10.9	172	70.0	61.4-78.6	42	22.1	13.9-30.3	
\$75,000+	528	113,025							43	8.4	05.1-11.7	370	70.8	65.1-76.5	115	20.8	15.7-25.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2446	366,096	1	0.0	00.0-00.0	248	8.7	07.3-10.1	1742	72.8	70.4-75.2	449	18.1	16.1-20.1	6	0.5	00.0-01.1	
White/Non-Hisp	1676	248,323				152	7.6	06.0-09.2	1196	72.5	69.8-75.2	325	19.7	17.2-22.2	3	0.2	00.0-00.4	
Black or Afr. Am./Non-Hisp	387	76,923				52	9.1	06.0-12.2	260	72.3	66.4-78.2	74	17.4	12.5-22.3	1	1.2	00.0-03.6	
Oth. Race/Non-Hisp.	65	13,886				9	8.0	00.6-15.4	51	84.8	74.8-94.8	4	5.4	00.0-11.5	1	1.9	00.0-05.6	
MultiRacial/Non-Hisp.	189	5,734				16	8.5	03.4-13.6	141	68.8	59.8-77.8	31	20.4	12.6-28.2	1	2.2	00.0-06.5	
Hispanic	93	17,361				16	21.8	10.6-33.0	68	70.4	58.6-82.2	9	7.8	02.3-13.3				
18-24	97	44,877				9	6.7	01.8-11.6	66	74.5	64.7-84.3	22	18.8	10.2-27.4				
25-34	206	55,717				18	8.9	04.0-13.8	140	70.6	63.0-78.2	45	18.1	12.0-24.2	3	2.4	00.0-05.7	
35-44	224	52,108				14	5.1	02.2-08.0	163	77.4	71.5-83.3	46	17.2	11.9-22.5	1	0.2	00.0-00.6	
45-54	409	63,951	1	0.1	00.0-00.3	34	7.6	04.7-10.5	278	69.1	63.8-74.4	95	22.8	17.9-27.7	1	0.4	00.0-01.2	
55-64	566	61,963				44	7.3	04.9-09.7	398	69.9	65.2-74.6	124	22.8	18.5-27.1				
65+	908	83,647				128	14.0	11.3-16.7	665	74.6	71.1-78.1	114	11.3	08.9-13.7	1	0.1	00.0-00.3	
Less Than H.S.	184	34,208	1	0.2	00.0-00.6	25	9.6	05.1-14.1	140	78.6	71.5-85.7	18	11.6	05.7-17.5				
H.S. or G.E.D.	748	114,201				101	11.9	08.8-15.0	532	69.6	64.9-74.3	114	18.3	14.4-22.2	1	0.2	00.0-00.6	
Some Post-H.S.	631	114,772				63	7.1	04.9-09.3	446	74.7	70.4-79.0	119	17.2	13.5-20.9	3	1.0	00.0-02.6	
College Graduate	875	102,555				59	6.4	04.2-08.6	616	72.1	68.2-76.0	198	21.1	17.8-24.4	2	0.4	00.0-01.0	
Less than \$15,000	212	29,240				30	14.2	08.3-20.1	152	71.5	63.5-79.5	29	13.4	07.5-19.3	1	0.9	00.0-02.7	
\$15,000- 24,999	394	60,397				50	8.5	05.4-11.6	282	74.5	68.6-80.4	62	16.9	11.6-22.2				
\$25,000- 34,999	249	35,042				34	11.8	06.9-16.7	176	72.9	65.8-80.0	39	15.3	09.6-21.0				
\$35,000- 49,999	265	39,357				27	8.6	04.9-12.3	185	68.8	61.4-76.2	52	20.3	14.0-26.6	1	2.3	00.0-06.8	
\$50,000- 74,999	323	48,378				21	6.0	03.1-08.9	237	74.4	68.1-80.7	64	19.4	13.5-25.3	1	0.1	00.0-00.3	
\$75,000+	561	91,579				39	5.3	03.1-07.5	385	72.7	67.8-77.6	135	21.5	17.0-26.0	2	0.5	00.0-01.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4170	708,187	2	0.0	00.0-00.0	258	4.7	03.9-05.5	1981	44.4	42.2-46.6	1624	41.4	39.2-43.6	305	9.5	07.9-11.1
Male	1708	338,982	1	0.0	00.0-00.0	7	0.3	00.1-00.5	228	13.6	11.2-16.0	1173	66.9	63.6-70.2	299	19.2	16.3-22.1
Female	2462	369,205	1	0.0	00.0-00.0	251	8.8	07.4-10.2	1753	72.7	70.3-75.1	451	18.0	16.0-20.0	6	0.5	00.0-01.1
White/Non-Hisp	2860	470,929	1	0.0	00.0-00.0	155	4.1	03.3-04.9	1313	42.2	39.7-44.7	1178	43.9	41.4-46.4	213	9.7	07.9-11.5
Black or Afr. Am./Non-Hisp	591	140,747				52	5.0	03.2-06.8	294	47.5	41.6-53.4	203	37.0	31.3-42.7	42	10.5	06.0-15.0
Oth. Race/Non-Hisp.	113	26,383				9	4.2	00.3-08.1	62	52.5	39.0-66.0	37	38.7	25.0-52.4	5	4.7	00.0-09.6
MultiRacial/Non-Hisp.	315	10,124				16	4.8	01.9-07.7	156	45.2	37.4-53.0	115	37.3	29.9-44.7	28	12.7	05.6-19.8
Hispanic	214	47,466				23	10.4	05.5-15.3	124	52.8	44.6-61.0	60	33.7	25.7-41.7	7	3.1	00.4-05.8
18-24	172	89,215				9	3.4	00.9-05.9	77	46.1	37.1-55.1	71	40.8	32.0-49.6	15	9.7	04.4-15.0
25-34	340	113,604				20	4.7	02.2-07.2	165	42.6	36.1-49.1	132	41.5	34.8-48.2	23	11.3	06.2-16.4
35-44	408	106,719	1	0.1	00.0-00.3	17	3.1	01.5-04.7	195	45.7	39.8-51.6	148	38.3	32.4-44.2	47	12.8	08.3-17.3
45-54	707	123,388	1	0.1	00.0-00.3	38	4.5	02.9-06.1	312	40.7	36.0-45.4	290	43.0	38.3-47.7	66	11.8	07.7-15.9
55-64	967	118,986				44	3.8	02.4-05.2	445	43.2	39.3-47.1	407	45.4	41.5-49.3	71	7.6	05.4-09.8
65+	1526	150,216				129	7.8	06.2-09.4	753	47.3	44.0-50.6	562	39.6	36.3-42.9	82	5.3	03.9-06.7
Less Than H.S.	367	87,490	1	0.1	00.0-00.3	31	4.8	02.8-06.8	199	49.1	42.0-56.2	118	35.1	28.2-42.0	18	10.9	05.0-16.8
H.S. or G.E.D.	1254	226,399	1	0.0	00.0-00.0	103	6.2	04.6-07.8	604	42.0	38.1-45.9	463	43.5	39.4-47.6	83	8.4	06.0-10.8
Some Post-H.S.	1021	206,925				64	4.1	02.9-05.3	486	45.2	40.7-49.7	393	40.6	36.3-44.9	78	10.1	06.8-13.4
College Graduate	1516	185,972				60	3.6	02.4-04.8	683	44.2	40.9-47.5	647	42.6	39.3-45.9	126	9.5	07.3-11.7
Less than \$15,000	335	55,811	1	0.1	00.0-00.3	32	7.9	04.6-11.2	193	53.9	45.7-62.1	92	29.5	22.1-36.9	17	8.5	02.2-14.8
\$15,000- 24,999	643	107,867				53	5.4	03.4-07.4	329	49.7	44.2-55.2	242	42.3	36.8-47.8	19	2.6	01.0-04.2
\$25,000- 34,999	365	55,656				36	8.0	04.7-11.3	198	53.7	46.6-60.8	115	32.2	25.5-38.9	16	6.1	02.2-10.0
\$35,000- 49,999	504	85,785				28	4.0	02.2-05.8	210	36.7	30.8-42.6	213	43.8	37.7-49.9	53	15.5	09.6-21.4
\$50,000- 74,999	558	87,472				22	3.7	01.9-05.5	256	44.3	38.8-49.8	237	42.1	36.4-47.8	43	9.9	06.0-13.8
\$75,000+	1089	204,604				39	2.4	01.4-03.4	428	37.2	33.1-41.3	505	48.8	44.5-53.1	117	11.7	08.8-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	338,982	1	0.0	00.0-00.0	7	0.3	00.1-00.5	228	13.6	11.2-16.0	1173	66.9	63.6-70.2	299	19.2	16.3-22.1
White/Non-Hisp	1184	222,605	1	0.0	00.0-00.0	3	0.3	00.0-00.7	117	8.4	06.0-10.8	853	70.9	67.0-74.8	210	20.4	16.9-23.9
Black or Afr. Am./Non-Hisp	204	63,824							34	17.6	10.5-24.7	129	60.6	51.0-70.2	41	21.8	13.0-30.6
MultiRacial/Non-Hisp.	126	4,390							15	14.4	03.4-25.4	84	59.2	44.9-73.5	27	26.3	12.4-40.2
Hispanic	106	27,159				4	1.7	00.0-03.5	46	40.6	29.8-51.4	49	52.4	41.2-63.6	7	5.4	00.7-10.1
18-24	75	44,337							11	17.3	06.9-27.7	49	63.1	50.4-75.8	15	19.6	09.4-29.8
25-34	128	56,722				1	0.3	00.0-00.9	21	14.6	07.5-21.7	86	64.9	54.7-75.1	20	20.3	11.1-29.5
35-44	177	53,100	1	0.1	00.0-00.3	1	0.4	00.0-01.2	27	13.9	08.2-19.6	102	60.1	51.1-69.1	46	25.5	17.1-33.9
45-54	296	59,110				4	1.1	00.0-02.5	33	10.0	06.1-13.9	194	64.7	57.1-72.3	65	24.2	16.6-31.8
55-64	400	56,916							46	14.0	08.9-19.1	283	70.1	64.2-76.0	71	16.0	11.7-20.3
65+	618	66,570				1	0.1	00.0-00.3	88	12.9	09.6-16.2	448	75.2	71.1-79.3	81	11.8	08.9-14.7
Less Than H.S.	174	51,330				4	0.8	00.0-01.8	53	28.9	20.3-37.5	99	51.6	41.4-61.8	18	18.6	09.2-28.0
H.S. or G.E.D.	503	111,590	1	0.1	00.0-00.3	1	0.1	00.0-00.3	71	13.7	09.2-18.2	348	69.4	63.7-75.1	82	16.7	12.2-21.2
Some Post-H.S.	390	92,154				1	0.4	00.0-01.2	40	8.5	04.6-12.4	274	69.7	62.6-76.8	75	21.4	14.7-28.1
College Graduate	637	82,867				1	0.2	00.0-00.6	63	9.3	06.4-12.2	449	69.6	64.9-74.3	124	20.9	16.6-25.2
Less than \$15,000	115	25,006	1	0.2	00.0-00.6	1	0.3	00.0-00.9	35	32.2	19.3-45.1	62	49.2	35.1-63.3	16	18.0	05.1-30.9
\$15,000- 24,999	245	46,634				2	0.8	00.0-02.0	44	17.4	11.1-23.7	180	75.8	68.7-82.9	19	6.0	02.5-09.5
\$25,000- 34,999	114	20,249				1	0.6	00.0-01.8	21	20.7	11.3-30.1	76	62.0	50.0-74.0	16	16.8	06.8-26.8
\$35,000- 49,999	239	46,428				1	0.2	00.0-00.6	25	9.4	03.3-15.5	161	63.7	53.9-73.5	52	26.6	17.2-36.0
\$50,000- 74,999	235	39,095				1	0.9	00.0-02.7	19	6.9	03.0-10.8	173	70.1	61.7-78.5	42	22.0	14.0-30.0
\$75,000+	528	113,025							43	8.4	05.1-11.7	370	70.8	65.1-76.5	115	20.8	15.7-25.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2462	369,205	1	0.0	00.0-00.0	251	8.8	07.4-10.2	1753	72.7	70.3-75.1	451	18.0	16.0-20.0	6	0.5	00.0-01.1
White/Non-Hisp	1676	248,323				152	7.6	06.0-09.2	1196	72.5	69.8-75.2	325	19.7	17.2-22.2	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	387	76,923				52	9.1	06.0-12.2	260	72.3	66.4-78.2	74	17.4	12.5-22.3	1	1.2	00.0-03.6
Oth. Race/Non-Hisp.	66	14,049				9	7.9	00.6-15.2	52	84.9	74.9-94.9	4	5.3	00.0-11.2	1	1.9	00.0-05.6
MultiRacial/Non-Hisp.	189	5,734				16	8.5	03.4-13.6	141	68.8	59.8-77.8	31	20.4	12.6-28.2	1	2.2	00.0-06.5
Hispanic	108	20,307				19	22.1	11.9-32.3	78	69.1	58.3-79.9	11	8.8	03.3-14.3			
18-24	97	44,877				9	6.7	01.8-11.6	66	74.5	64.7-84.3	22	18.8	10.2-27.4			
25-34	212	56,882				19	9.0	04.1-13.9	144	70.6	63.2-78.0	46	18.1	12.2-24.0	3	2.3	00.0-05.6
35-44	231	53,619				16	5.9	02.8-09.0	168	77.1	71.2-83.0	46	16.8	11.7-21.9	1	0.2	00.0-00.6
45-54	411	64,278	1	0.1	00.0-00.3	34	7.5	04.6-10.4	279	68.9	63.6-74.2	96	23.0	18.1-27.9	1	0.4	00.0-01.2
55-64	567	62,070				44	7.3	04.9-09.7	399	70.0	65.3-74.7	124	22.8	18.5-27.1			
65+	908	83,647				128	14.0	11.3-16.7	665	74.6	71.1-78.1	114	11.3	08.9-13.7	1	0.1	00.0-00.3
Less Than H.S.	193	36,160	1	0.2	00.0-00.6	27	10.5	06.0-15.0	146	77.7	70.6-84.8	19	11.7	06.0-17.4			
H.S. or G.E.D.	751	114,808				102	12.0	08.9-15.1	533	69.4	64.7-74.1	115	18.3	14.4-22.2	1	0.2	00.0-00.6
Some Post-H.S.	631	114,772				63	7.1	04.9-09.3	446	74.7	70.4-79.0	119	17.2	13.5-20.9	3	1.0	00.0-02.6
College Graduate	879	103,105				59	6.4	04.2-08.6	620	72.2	68.3-76.1	198	21.0	17.7-24.3	2	0.4	00.0-01.0
Less than \$15,000	220	30,805				31	14.1	08.4-19.8	158	71.5	63.7-79.3	30	13.5	07.6-19.4	1	0.9	00.0-02.7
\$15,000- 24,999	398	61,233				51	8.9	05.6-12.2	285	74.4	68.5-80.3	62	16.7	11.4-22.0			
\$25,000- 34,999	251	35,406				35	12.3	07.4-17.2	177	72.6	65.5-79.7	39	15.2	09.7-20.7			
\$35,000- 49,999	265	39,357				27	8.6	04.9-12.3	185	68.8	61.4-76.2	52	20.3	14.0-26.6	1	2.3	00.0-06.8
\$50,000- 74,999	323	48,378				21	6.0	03.1-08.9	237	74.4	68.1-80.7	64	19.4	13.5-25.3	1	0.1	00.0-00.3
\$75,000+	561	91,579				39	5.3	03.1-07.5	385	72.7	67.8-77.6	135	21.5	17.0-26.0	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4056	698,236	43	0.7	00.5-00.9	1212	28.7	26.7-30.7	1790	44.7	42.5-46.9	776	19.8	18.0-21.6	176	4.3	03.3-05.3	59	1.8	01.0-02.6
Male	1706	340,278	6	0.1	00.0-00.3	198	12.8	10.4-15.2	854	50.4	46.9-53.9	499	27.5	24.6-30.4	112	6.4	04.6-08.2	37	2.8	01.4-04.2
Female	2350	357,958	37	1.2	00.6-01.8	1014	43.9	41.0-46.8	936	39.2	36.5-41.9	277	12.5	10.5-14.5	64	2.2	01.4-03.0	22	0.9	00.5-01.3
White/Non-Hisp	2764	458,299	26	0.7	00.3-01.1	840	29.2	26.8-31.6	1215	43.8	41.3-46.3	530	19.8	17.6-22.0	109	4.2	03.2-05.2	44	2.3	01.3-03.3
Black or Afr. Am./Non-Hisp	575	139,365	3	0.2	00.0-00.4	118	21.2	16.1-26.3	257	45.5	39.6-51.4	149	25.9	20.8-31.0	36	5.6	02.5-08.7	12	1.6	00.4-02.8
Oth. Race/Non-Hisp.	110	26,145	6	3.1	00.0-06.8	45	43.7	30.6-56.8	44	45.9	32.2-59.6	9	4.9	00.4-09.4	5	1.5	00.0-03.1	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	308	9,915	4	0.7	00.0-01.5	98	33.3	25.7-40.9	133	40.9	33.3-48.5	51	18.2	10.6-25.8	20	6.0	02.9-09.1	2	0.9	00.0-02.1
Hispanic	229	52,338	2	0.8	00.0-02.0	92	38.0	30.6-45.4	108	48.5	40.7-56.3	23	10.5	05.2-15.8	4	2.2	00.0-04.6			
18-24	171	89,529				76	40.9	32.1-49.7	71	45.9	36.9-54.9	21	11.7	05.8-17.6	3	1.5	00.0-03.3			
25-34	346	115,685	5	0.9	00.0-01.9	128	33.0	27.1-38.9	150	46.8	40.1-53.5	39	12.7	08.0-17.4	17	4.2	01.8-06.6	7	2.3	00.3-04.3
35-44	402	106,041	2	0.3	00.0-00.9	107	24.3	19.4-29.2	172	40.8	35.1-46.5	91	25.0	19.5-30.5	21	5.5	03.0-08.0	9	4.0	00.1-07.9
45-54	684	121,183	4	0.6	00.0-01.4	182	23.0	19.3-26.7	297	45.2	40.3-50.1	150	23.4	19.1-27.7	37	6.1	02.6-09.6	14	1.7	00.7-02.7
55-64	931	114,869	6	0.5	00.0-01.1	231	23.3	19.8-26.8	412	43.6	39.7-47.5	206	24.7	21.2-28.2	53	5.2	03.6-06.8	23	2.7	01.3-04.1
65+	1487	146,524	25	1.3	00.7-01.9	473	29.8	26.9-32.7	673	45.3	42.0-48.6	265	20.1	17.2-23.0	45	2.9	01.9-03.9	6	0.5	00.0-01.1
Less Than H.S.	382	91,769	7	1.0	00.0-02.0	116	33.9	27.2-40.6	182	44.7	37.8-51.6	60	13.7	09.2-18.2	10	2.4	00.4-04.4	7	4.3	00.0-08.6
H.S. or G.E.D.	1220	222,196	13	0.6	00.2-01.0	370	28.1	24.4-31.8	527	45.1	41.0-49.2	234	19.8	16.7-22.9	51	4.1	02.7-05.5	25	2.3	01.1-03.5
Some Post-H.S.	983	202,735	9	0.4	00.0-00.8	251	23.8	20.1-27.5	457	46.5	42.0-51.0	200	22.4	18.5-26.3	56	5.7	03.3-08.1	10	1.1	00.1-02.1
College Graduate	1462	180,308	13	0.9	00.3-01.5	470	32.4	29.3-35.5	622	42.3	39.0-45.6	282	20.1	17.2-23.0	58	3.5	02.3-04.7	17	0.8	00.4-01.2
Less than \$15,000	332	56,420	7	2.0	00.2-03.8	97	34.2	26.2-42.2	139	41.3	33.3-49.3	58	15.3	09.4-21.2	25	6.4	03.3-09.5	6	0.9	00.1-01.7
\$15,000- 24,999	640	108,540	12	1.2	00.4-02.0	208	32.5	27.2-37.8	274	42.0	36.5-47.5	108	19.1	14.6-23.6	22	2.3	00.9-03.7	16	2.9	01.1-04.7
\$25,000- 34,999	360	56,627	2	0.4	00.0-01.0	123	29.5	23.2-35.8	150	46.5	39.2-53.8	66	18.5	13.2-23.8	15	4.1	01.6-06.6	4	1.0	00.0-02.2
\$35,000- 49,999	496	84,568	2	0.2	00.0-00.4	115	22.8	17.7-27.9	228	45.1	38.8-51.4	118	23.3	17.8-28.8	26	5.8	03.1-08.5	7	2.8	00.1-05.5
\$50,000- 74,999	544	85,693	4	0.3	00.1-00.5	159	26.1	21.4-30.8	234	42.7	37.0-48.4	112	23.9	18.4-29.4	27	4.8	02.6-07.0	8	2.2	00.0-04.7
\$75,000+	1062	200,670	6	0.6	00.0-01.2	283	25.9	22.0-29.8	499	46.9	42.4-51.4	226	21.2	17.9-24.5	39	4.1	01.7-06.5	9	1.3	00.0-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	340,278	6	0.1	00.0-00.3	198	12.8	10.4-15.2	854	50.4	46.9-53.9	499	27.5	24.6-30.4	112	6.4	04.6-08.2	37	2.8	01.4-04.2
White/Non-Hisp	1180	222,084	2	0.1	00.1-00.1	123	11.7	08.8-14.6	588	49.8	45.7-53.9	360	28.2	24.7-31.7	77	6.5	04.7-08.3	30	3.7	01.5-05.9
Black or Afr. Am./Non-Hisp	206	65,047				19	10.3	04.8-15.8	97	47.0	37.6-56.4	66	32.6	23.8-41.4	19	8.2	01.7-14.7	5	1.9	00.0-04.1
MultiRacial/Non-Hisp.	125	4,373	1	0.4	00.0-01.2	13	13.8	02.6-25.0	61	43.2	30.3-56.1	38	33.7	19.4-48.0	10	7.0	02.1-11.9	2	2.0	00.0-04.9
Hispanic	106	27,220	1	0.9	00.0-02.7	27	22.6	14.0-31.2	60	55.3	43.9-66.7	15	17.4	08.0-26.8	3	3.8	00.0-08.1			
18-24	75	44,337				23	28.1	16.7-39.5	42	59.5	47.0-72.0	9	11.1	03.3-18.9	1	1.3	00.0-03.8			
25-34	132	58,105	1	0.4	00.0-01.2	22	15.3	07.9-22.7	73	55.9	45.5-66.3	20	19.0	10.4-27.6	11	5.7	01.8-09.6	5	3.7	00.0-07.4
35-44	172	52,441	1	0.2	00.0-00.6	21	9.2	04.9-13.5	81	43.1	34.1-52.1	52	32.8	23.8-41.8	12	7.9	03.2-12.6	5	6.9	00.0-14.3
45-54	296	59,728				28	8.9	05.2-12.6	145	49.6	42.0-57.2	91	29.3	22.4-36.2	23	9.8	02.9-16.7	9	2.4	00.6-04.2
55-64	397	56,836	1	0.1	00.0-00.3	35	9.3	05.0-13.6	181	43.8	37.7-49.9	131	35.5	29.6-41.4	35	7.8	04.9-10.7	14	3.5	01.0-06.0
65+	622	66,893	3	0.1	00.0-00.3	67	9.8	06.9-12.7	324	51.0	45.7-56.3	194	33.5	28.4-38.6	30	5.1	02.9-07.3	4	0.5	00.0-01.1
Less Than H.S.	176	51,522	2	0.5	00.0-01.5	35	22.8	14.0-31.6	90	48.8	38.8-58.8	39	18.3	11.0-25.6	6	3.7	00.4-07.0	4	5.9	00.0-13.3
H.S. or G.E.D.	499	111,206	1	0.0	00.0-00.0	59	12.3	08.0-16.6	251	51.6	45.3-57.9	140	26.7	21.4-32.0	30	5.7	03.3-08.1	18	3.6	01.6-05.6
Some Post-H.S.	389	93,010	1	0.0	00.0-00.0	31	8.0	04.3-11.7	199	51.7	44.4-59.0	119	30.0	23.3-36.7	33	8.4	03.7-13.1	6	1.9	00.0-04.1
College Graduate	639	83,547	2	0.2	00.0-00.4	72	12.5	09.0-16.0	313	48.8	43.7-53.9	201	31.6	26.7-36.5	42	6.0	03.8-08.2	9	0.9	00.3-01.5
Less than \$15,000	112	24,728	1	0.2	00.0-00.6	29	31.5	17.4-45.6	44	48.0	33.7-62.3	26	12.8	05.4-20.2	10	7.0	01.9-12.1	2	0.5	00.0-01.1
\$15,000- 24,999	250	47,259	2	0.6	00.0-01.6	51	21.0	14.3-27.7	123	44.7	36.1-53.3	57	26.5	18.3-34.7	11	4.0	01.3-06.7	6	3.3	00.4-06.2
\$25,000- 34,999	115	21,220				14	9.0	03.3-14.7	61	58.7	46.5-70.9	30	24.6	14.0-35.2	8	7.1	01.0-13.2	2	0.6	00.0-01.4
\$35,000- 49,999	237	46,131				17	9.4	03.7-15.1	116	49.2	39.8-58.6	80	30.0	21.4-38.6	17	6.2	02.7-09.7	7	5.2	00.3-10.1
\$50,000- 74,999	236	39,308	2	0.3	00.0-00.9	22	9.9	05.0-14.8	111	41.2	32.8-49.6	77	37.5	28.3-46.7	20	7.5	03.6-11.4	4	3.6	00.0-09.1
\$75,000+	530	113,605				35	7.5	04.0-11.0	280	53.4	47.1-59.7	173	30.0	24.7-35.3	33	6.7	02.8-10.6	9	2.3	00.0-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2350	357,958	37	1.2	00.6-01.8	1014	43.9	41.0-46.8	936	39.2	36.5-41.9	277	12.5	10.5-14.5	64	2.2	01.4-03.0	22	0.9	00.5-01.3
White/Non-Hisp	1584	236,216	24	1.3	00.7-01.9	717	45.6	42.3-48.9	627	38.2	35.1-41.3	170	12.0	09.6-14.4	32	2.0	01.0-03.0	14	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	369	74,318	3	0.4	00.0-01.0	99	30.8	23.2-38.4	160	44.2	36.8-51.6	83	20.1	14.8-25.4	17	3.3	01.3-05.3	7	1.3	00.1-02.5
Oth. Race/Non-Hisp.	62	13,561	5	5.9	00.0-13.0	31	60.5	44.0-77.0	18	26.0	10.7-41.3	3	3.7	00.0-08.4	4	2.4	00.0-05.3	1	1.4	00.0-04.1
MultiRacial/Non-Hisp.	183	5,542	3	0.9	00.0-02.1	85	48.7	39.1-58.3	72	39.2	29.8-48.6	13	6.0	02.1-09.9	10	5.2	01.1-09.3			
Hispanic	123	25,118	1	0.7	00.0-02.1	65	54.6	43.6-65.6	48	41.1	30.1-52.1	8	3.0	00.6-05.4	1	0.5	00.0-01.5			
18-24	96	45,192				53	53.6	41.3-65.9	29	32.5	20.9-44.1	12	12.3	03.7-20.9	2	1.7	00.0-04.2			
25-34	214	57,581	4	1.4	00.0-03.2	106	50.9	42.9-58.9	77	37.5	29.7-45.3	19	6.5	03.2-09.8	6	2.8	00.3-05.3	2	0.9	00.0-02.1
35-44	230	53,600	1	0.5	00.0-01.5	86	39.1	31.7-46.5	91	38.6	31.2-46.0	39	17.4	11.9-22.9	9	3.1	00.7-05.5	4	1.2	00.0-02.6
45-54	388	61,455	4	1.2	00.0-02.6	154	36.8	30.9-42.7	152	40.9	34.6-47.2	59	17.7	12.6-22.8	14	2.5	00.9-04.1	5	1.0	00.0-02.0
55-64	534	58,033	5	1.0	00.0-02.2	196	37.1	32.0-42.2	231	43.4	38.3-48.5	75	14.0	10.5-17.5	18	2.7	01.1-04.3	9	1.8	00.2-03.4
65+	865	79,631	22	2.3	01.1-03.5	406	46.6	42.3-50.9	349	40.5	36.4-44.6	71	8.9	06.4-11.4	15	1.1	00.5-01.7	2	0.5	00.0-01.5
Less Than H.S.	206	40,247	5	1.7	00.0-03.5	81	48.1	38.9-57.3	92	39.5	30.7-48.3	21	7.9	03.8-12.0	4	0.7	00.0-01.5	3	2.1	00.0-04.6
H.S. or G.E.D.	721	110,990	12	1.2	00.4-02.0	311	43.9	38.6-49.2	276	38.6	33.5-43.7	94	12.8	09.7-15.9	21	2.4	00.8-04.0	7	1.1	00.1-02.1
Some Post-H.S.	594	109,725	8	0.8	00.0-01.6	220	37.2	31.5-42.9	258	42.1	36.6-47.6	81	16.0	11.5-20.5	23	3.5	01.7-05.3	4	0.4	00.0-00.8
College Graduate	823	96,761	11	1.6	00.4-02.8	398	49.6	45.1-54.1	309	36.6	32.3-40.9	81	10.2	07.5-12.9	16	1.3	00.5-02.1	8	0.7	00.1-01.3
Less than \$15,000	220	31,693	6	3.3	00.2-06.4	68	36.3	26.9-45.7	95	36.0	27.4-44.6	32	17.1	08.7-25.5	15	6.0	02.3-09.7	4	1.3	00.0-02.7
\$15,000- 24,999	390	61,282	10	1.7	00.3-03.1	157	41.3	33.9-48.7	151	39.9	32.8-47.0	51	13.4	09.1-17.7	11	1.1	00.3-01.9	10	2.6	00.6-04.6
\$25,000- 34,999	245	35,407	2	0.6	00.0-01.4	109	41.8	33.4-50.2	89	39.2	30.4-48.0	36	14.9	09.2-20.6	7	2.3	00.1-04.5	2	1.2	00.0-03.2
\$35,000- 49,999	259	38,436	2	0.4	00.0-01.0	98	38.8	30.8-46.8	112	40.2	32.2-48.2	38	15.2	09.7-20.7	9	5.4	01.1-09.7			
\$50,000- 74,999	308	46,385	2	0.2	00.0-00.4	137	39.9	32.8-47.0	123	44.0	36.6-51.4	35	12.4	06.9-17.9	7	2.5	00.1-04.9	4	1.0	00.0-02.2
\$75,000+	532	87,064	6	1.4	00.0-02.8	248	49.9	43.8-56.0	219	38.5	32.6-44.4	53	9.6	06.5-12.7	6	0.6	00.0-01.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3983	680,318	48	1.1	00.7-01.5	1180	31.6	29.4-33.8	1491	36.8	34.6-39.0	735	17.4	15.8-19.0	529	13.1	11.5-14.7
Male	1684	336,079	18	1.4	00.6-02.2	390	26.8	23.5-30.1	767	42.7	39.4-46.0	334	18.5	16.0-21.0	175	10.6	08.2-13.0
Female	2299	344,239	30	0.9	00.5-01.3	790	36.2	33.3-39.1	724	31.0	28.3-33.7	401	16.4	14.4-18.4	354	15.5	13.3-17.7
White/Non-Hisp	2740	453,689	33	1.3	00.7-01.9	841	31.3	28.8-33.8	1037	37.8	35.3-40.3	489	16.7	14.9-18.5	340	12.9	10.9-14.9
Black or Afr. Am./Non-Hisp	565	135,613	3	0.2	00.0-00.4	124	29.8	23.7-35.9	190	32.7	27.2-38.2	121	19.6	14.9-24.3	127	17.7	14.0-21.4
Oth. Race/Non-Hisp.	104	24,665	5	3.7	00.0-07.6	46	57.6	44.3-70.9	31	25.4	14.4-36.4	13	9.6	02.3-16.9	9	3.8	00.9-06.7
MultiRacial/Non-Hisp.	307	9,911	4	0.8	00.0-01.6	94	34.1	26.3-41.9	121	37.6	29.8-45.4	56	19.2	13.1-25.3	32	8.3	04.8-11.8
Hispanic	200	44,827				58	27.8	20.4-35.2	82	41.4	33.0-49.8	42	22.6	15.0-30.2	18	8.2	03.7-12.7
18-24	168	87,439	4	2.7	00.0-05.6	83	50.4	41.2-59.6	48	29.4	21.0-37.8	17	9.2	04.1-14.3	16	8.2	03.3-13.1
25-34	315	107,024	9	2.0	00.6-03.4	114	37.5	30.6-44.4	108	35.1	28.4-41.8	44	13.3	09.0-17.6	40	12.0	07.3-16.7
35-44	388	102,399	1	0.2	00.0-00.6	109	26.6	21.3-31.9	149	39.0	33.1-44.9	67	16.8	12.5-21.1	62	17.5	12.4-22.6
45-54	678	119,611	3	0.5	00.0-01.1	196	27.1	23.0-31.2	239	35.8	31.1-40.5	136	22.9	18.2-27.6	104	13.7	10.6-16.8
55-64	926	113,969	3	0.3	00.0-00.7	222	23.2	19.7-26.7	363	40.3	36.4-44.2	176	19.3	16.2-22.4	162	17.0	14.1-19.9
65+	1474	145,510	26	1.2	00.6-01.8	440	29.4	26.3-32.5	574	38.8	35.7-41.9	290	20.0	17.3-22.7	144	10.5	08.3-12.7
Less Than H.S.	354	84,997	4	1.4	00.0-03.8	99	32.9	25.8-40.0	119	34.9	28.0-41.8	87	17.3	12.6-22.0	45	13.5	08.0-19.0
H.S. or G.E.D.	1208	218,580	22	1.4	00.6-02.2	328	29.7	25.6-33.8	445	36.2	32.3-40.1	223	18.5	15.6-21.4	190	14.3	11.8-16.8
Some Post-H.S.	972	199,481	7	0.4	00.0-00.8	258	29.5	25.2-33.8	376	37.5	33.2-41.8	187	18.0	14.5-21.5	144	14.7	11.6-17.8
College Graduate	1442	176,198	15	1.5	00.5-02.5	490	35.6	32.3-38.9	550	37.7	34.4-41.0	238	15.7	13.3-18.1	149	9.4	07.4-11.4
Less than \$15,000	323	53,906	6	1.7	00.1-03.3	89	36.6	28.0-45.2	91	27.4	20.1-34.7	65	15.7	10.6-20.8	72	18.6	12.5-24.7
\$15,000- 24,999	624	105,960	14	1.6	00.4-02.8	178	32.1	26.4-37.8	220	32.5	27.4-37.6	112	16.8	13.1-20.5	100	17.0	12.7-21.3
\$25,000- 34,999	348	51,841	3	1.0	00.0-02.2	111	29.5	22.8-36.2	119	38.4	31.3-45.5	55	16.1	11.0-21.2	60	15.0	10.5-19.5
\$35,000- 49,999	492	83,903	5	1.6	00.0-03.4	128	28.5	22.4-34.6	182	35.4	29.3-41.5	109	19.8	15.3-24.3	68	14.7	10.4-19.0
\$50,000- 74,999	539	84,298	7	1.2	00.0-02.4	147	24.7	20.0-29.4	207	37.5	32.0-43.0	112	22.9	17.6-28.2	66	13.7	09.4-18.0
\$75,000+	1052	198,160	3	0.2	00.0-00.6	325	34.2	29.7-38.7	449	40.8	36.5-45.1	180	15.8	12.5-19.1	95	9.0	06.3-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	336,079	18	1.4	00.6-02.2	390	26.8	23.5-30.1	767	42.7	39.2-46.2	334	18.5	16.0-21.0	175	10.6	08.2-13.0
White/Non-Hisp	1171	221,322	10	1.6	00.4-02.8	269	25.0	21.3-28.7	537	44.2	40.1-48.3	231	17.7	15.0-20.4	124	11.5	08.6-14.4
Black or Afr. Am./Non-Hisp	204	63,824				51	30.5	21.3-39.7	78	36.0	27.0-45.0	45	23.0	14.6-31.4	30	10.5	05.8-15.2
MultiRacial/Non-Hisp.	125	4,373	2	1.0	00.0-02.4	21	20.9	08.7-33.1	66	51.4	37.7-65.1	26	20.0	10.4-29.6	10	6.7	01.8-11.6
Hispanic	100	25,858				26	25.1	15.1-35.1	50	48.6	36.8-60.4	16	17.4	08.4-26.4	8	8.9	02.4-15.4
18-24	75	44,337	3	4.7	00.0-10.2	36	49.6	36.5-62.7	27	34.1	21.6-46.6	7	8.6	01.3-15.9	2	3.0	00.0-07.3
25-34	126	56,276	6	3.1	00.6-05.6	28	29.1	18.5-39.7	60	43.4	32.8-54.0	16	11.9	05.8-18.0	16	12.6	05.2-20.0
35-44	170	52,007	1	0.4	00.0-01.2	41	22.2	14.2-30.2	85	48.5	39.3-57.7	27	14.2	08.3-20.1	16	14.7	06.3-23.1
45-54	292	58,626				70	23.5	17.4-29.6	121	40.5	33.1-47.9	69	27.4	19.4-35.4	32	8.6	05.1-12.1
55-64	396	56,671	1	0.1	00.0-00.3	74	19.0	13.5-24.5	170	41.8	35.7-47.9	95	24.8	19.5-30.1	56	14.3	10.0-18.6
65+	614	66,262	6	0.4	00.0-00.8	138	23.1	18.8-27.4	299	45.6	40.5-50.7	118	21.2	16.5-25.9	53	9.7	06.4-13.0
Less Than H.S.	169	50,187	2	2.0	00.0-05.9	48	33.1	23.3-42.9	66	35.6	26.2-45.0	37	16.5	09.8-23.2	16	12.8	04.4-21.2
H.S. or G.E.D.	495	110,934	6	1.2	00.0-02.6	104	25.3	19.2-31.4	221	41.3	35.2-47.4	99	19.5	15.0-24.0	65	12.7	08.6-16.8
Some Post-H.S.	385	91,458	1	0.0	00.0-00.0	83	26.3	19.4-33.2	186	44.8	37.5-52.1	79	20.1	13.8-26.4	36	8.8	04.9-12.7
College Graduate	632	82,508	9	2.7	00.7-04.7	153	25.5	21.0-30.0	294	47.0	41.7-52.3	119	16.9	13.4-20.4	57	7.9	05.4-10.4
Less than \$15,000	111	24,379	2	1.7	00.0-04.6	37	44.0	29.3-58.7	33	30.5	17.4-43.6	25	16.1	07.7-24.5	14	7.6	02.3-12.9
\$15,000- 24,999	242	46,205	6	2.3	00.1-04.5	65	28.1	20.1-36.1	104	37.2	29.0-45.4	42	18.2	11.9-24.5	25	14.3	06.7-21.9
\$25,000- 34,999	112	19,867				29	28.1	15.8-40.4	50	44.2	31.9-56.5	19	18.8	09.0-28.6	14	9.0	03.5-14.5
\$35,000- 49,999	237	46,131	2	2.0	00.0-04.9	46	25.4	16.4-34.4	112	43.6	34.4-52.8	51	16.6	10.7-22.5	26	12.4	06.5-18.3
\$50,000- 74,999	234	39,058	4	2.3	00.0-05.0	45	19.2	12.7-25.7	105	39.7	31.3-48.1	55	27.6	18.6-36.6	25	11.3	04.8-17.8
\$75,000+	525	112,638	1	0.0	00.0-00.0	115	26.6	20.5-32.7	261	46.6	40.3-52.9	102	17.8	12.9-22.7	46	9.0	04.9-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	344,239	30	0.9	00.5-01.3	790	36.2	33.3-39.1	724	31.0	28.3-33.7	401	16.4	14.4-18.4	354	15.5	13.3-17.7
White/Non-Hisp	1569	232,367	23	1.1	00.5-01.7	572	37.3	34.2-40.4	500	31.6	28.5-34.7	258	15.7	13.3-18.1	216	14.3	11.9-16.7
Black or Afr. Am./Non-Hisp	361	71,789	3	0.4	00.0-01.0	73	29.2	21.4-37.0	112	29.8	22.9-36.7	76	16.6	12.1-21.1	97	24.0	18.3-29.7
Oth. Race/Non-Hisp.	58	12,372	1	0.7	00.0-02.1	29	61.3	44.1-78.5	13	21.7	06.6-36.8	7	9.5	00.0-19.5	8	6.8	01.1-12.5
MultiRacial/Non-Hisp.	182	5,538	2	0.7	00.0-01.7	73	44.6	35.0-54.2	55	26.7	18.9-34.5	30	18.6	11.0-26.2	22	9.5	04.4-14.6
Hispanic	100	18,969				32	31.4	20.4-42.4	32	31.6	20.8-42.4	26	29.7	17.2-42.2	10	7.3	01.6-13.0
18-24	93	43,102	1	0.6	00.0-01.8	47	51.3	38.6-64.0	21	24.7	14.1-35.3	10	9.8	02.7-16.9	14	13.6	04.8-22.4
25-34	189	50,747	3	0.8	00.0-01.8	86	46.9	38.3-55.5	48	25.9	18.3-33.5	28	15.0	08.9-21.1	24	11.4	06.3-16.5
35-44	218	50,391				68	31.0	23.9-38.1	64	29.2	21.9-36.5	40	19.4	12.9-25.9	46	20.4	14.3-26.5
45-54	386	60,985	3	0.9	00.0-02.1	126	30.5	25.0-36.0	118	31.4	25.3-37.5	67	18.6	13.9-23.3	72	18.7	13.8-23.6
55-64	530	57,299	2	0.5	00.0-01.3	148	27.3	22.6-32.0	193	38.7	33.6-43.8	81	13.9	10.4-17.4	106	19.6	15.5-23.7
65+	860	79,248	20	1.9	00.9-02.9	302	34.7	30.6-38.8	275	33.1	29.2-37.0	172	19.0	15.9-22.1	91	11.2	08.5-13.9
Less Than H.S.	185	34,810	2	0.4	00.0-01.0	51	32.5	22.7-42.3	53	33.9	24.3-43.5	50	18.6	12.1-25.1	29	14.6	08.3-20.9
H.S. or G.E.D.	713	107,646	16	1.5	00.5-02.5	224	34.2	28.9-39.5	224	31.0	26.3-35.7	124	17.4	13.5-21.3	125	15.9	12.6-19.2
Some Post-H.S.	587	108,023	6	0.7	00.0-01.5	175	32.2	26.5-37.9	190	31.3	26.2-36.4	108	16.1	12.4-19.8	108	19.6	14.9-24.3
College Graduate	810	93,690	6	0.5	00.1-00.9	337	44.5	40.0-49.0	256	29.5	25.4-33.6	119	14.7	11.4-18.0	92	10.8	07.9-13.7
Less than \$15,000	212	29,527	4	1.6	00.0-03.4	52	30.5	21.1-39.9	58	24.9	17.1-32.7	40	15.3	09.2-21.4	58	27.7	18.5-36.9
\$15,000- 24,999	382	59,755	8	1.2	00.2-02.2	113	35.2	27.6-42.8	116	28.8	22.5-35.1	70	15.7	11.0-20.4	75	19.1	14.0-24.2
\$25,000- 34,999	236	31,973	3	1.6	00.0-03.6	82	30.3	22.7-37.9	69	34.8	26.0-43.6	36	14.5	09.0-20.0	46	18.7	12.4-25.0
\$35,000- 49,999	255	37,772	3	1.0	00.0-02.4	82	32.3	24.3-40.3	70	25.5	18.4-32.6	58	23.8	16.9-30.7	42	17.4	10.9-23.9
\$50,000- 74,999	305	45,240	3	0.3	00.0-00.7	102	29.5	23.0-36.0	102	35.5	28.2-42.8	57	18.8	12.7-24.9	41	15.8	10.1-21.5
\$75,000+	527	85,523	2	0.5	00.0-01.3	210	44.2	38.1-50.3	188	33.1	27.6-38.6	78	13.2	09.1-17.3	49	9.0	05.9-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3983	680,318	63	1.6	01.0-02.2	1159	31.0	28.8-33.2	1493	36.7	34.5-38.9	1268	30.7	28.5-32.9
Male	1684	336,079	20	1.8	00.6-03.0	386	26.3	23.0-29.6	765	42.4	39.1-45.7	513	29.4	26.3-32.5
Female	2299	344,239	43	1.3	00.9-01.7	773	35.6	32.7-38.5	728	31.2	28.5-33.9	755	31.9	29.2-34.6
White/Non-Hisp	2740	453,689	45	1.9	00.9-02.9	826	30.5	28.1-32.9	1039	37.9	35.4-40.4	830	29.6	27.2-32.0
Black or Afr. Am./Non-Hisp	565	135,613	3	0.2	00.0-00.4	123	29.8	23.7-35.9	190	32.3	26.8-37.8	249	37.7	32.0-43.4
Oth. Race/Non-Hisp.	104	24,665	6	4.3	00.2-08.4	45	57.0	43.7-70.3	31	25.4	14.4-36.4	22	13.3	05.5-21.1
MultiRacial/Non-Hisp.	307	9,911	6	1.0	00.0-02.0	91	33.1	25.3-40.9	122	38.4	30.4-46.4	88	27.5	20.8-34.2
Hispanic	200	44,827				57	27.4	20.0-34.8	82	41.3	32.9-49.7	61	31.3	23.3-39.3
18-24	168	87,439	4	2.7	00.0-05.6	83	50.4	41.2-59.6	48	29.4	21.0-37.8	33	17.4	10.5-24.3
25-34	315	107,024	10	3.5	00.4-06.6	112	35.7	29.0-42.4	108	34.9	28.2-41.6	85	25.9	20.0-31.8
35-44	388	102,399	3	0.7	00.0-01.5	104	25.7	20.4-31.0	151	39.2	33.3-45.1	130	34.5	28.6-40.4
45-54	678	119,611	4	0.5	00.0-01.1	195	27.0	22.9-31.1	238	35.8	31.1-40.5	241	36.7	31.8-41.6
55-64	926	113,969	6	0.4	00.0-00.8	219	23.1	19.6-26.6	363	40.3	36.4-44.2	338	36.3	32.4-40.2
65+	1474	145,510	33	1.6	01.0-02.2	431	28.9	26.0-31.8	575	38.9	35.8-42.0	435	30.6	27.5-33.7
Less Than H.S.	354	84,997	7	3.7	00.0-08.0	95	30.4	23.7-37.1	120	35.1	28.2-42.0	132	30.8	24.1-37.5
H.S. or G.E.D.	1208	218,580	26	1.5	00.7-02.3	321	29.4	25.3-33.5	448	36.4	32.5-40.3	413	32.7	29.0-36.4
Some Post-H.S.	972	199,481	9	0.5	00.1-00.9	256	29.4	25.1-33.7	374	37.1	32.8-41.4	333	33.0	28.7-37.3
College Graduate	1442	176,198	21	1.8	00.8-02.8	482	35.1	32.0-38.2	550	37.9	34.6-41.2	389	25.2	22.3-28.1
Less than \$15,000	323	53,906	8	5.2	00.0-11.1	87	33.1	25.1-41.1	90	26.2	19.1-33.3	138	35.5	27.9-43.1
\$15,000- 24,999	624	105,960	17	1.8	00.6-03.0	173	31.8	26.1-37.5	222	32.7	27.6-37.8	212	33.8	28.5-39.1
\$25,000- 34,999	348	51,841	5	1.4	00.0-02.8	109	29.1	22.4-35.8	118	38.0	30.9-45.1	116	31.5	25.2-37.8
\$35,000- 49,999	492	83,903	5	1.6	00.0-03.4	127	28.4	22.3-34.5	182	35.4	29.3-41.5	178	34.6	28.9-40.3
\$50,000- 74,999	539	84,298	7	1.2	00.0-02.4	147	24.7	20.0-29.4	207	37.5	32.0-43.0	178	36.6	30.7-42.5
\$75,000+	1052	198,160	6	0.4	00.0-00.8	320	33.8	29.3-38.3	450	41.0	36.7-45.3	276	24.9	21.0-28.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	336,079	20	1.8	00.6-03.0	386	26.3	23.0-29.6	765	42.4	39.1-45.7	513	29.4	26.3-32.5
White/Non-Hisp	1171	221,322	11	2.3	00.3-04.3	268	24.3	20.8-27.8	536	44.2	40.1-48.3	356	29.2	25.5-32.9
Black or Afr. Am./Non-Hisp	204	63,824				50	30.4	21.2-39.6	78	35.1	26.3-43.9	76	34.5	25.5-43.5
MultiRacial/Non-Hisp.	125	4,373	3	1.1	00.0-02.5	19	18.9	06.9-30.9	67	53.2	39.7-66.7	36	26.7	16.1-37.3
Hispanic	100	25,858				26	25.1	15.1-35.1	49	47.8	36.0-59.6	25	27.1	16.7-37.5
18-24	75	44,337	3	4.7	00.0-10.2	36	49.6	36.5-62.7	27	34.1	21.6-46.6	9	11.6	03.4-19.8
25-34	126	56,276	7	5.9	00.0-11.8	27	26.2	16.2-36.2	59	42.3	31.7-52.9	33	25.5	16.3-34.7
35-44	170	52,007	1	0.4	00.0-01.2	40	22.1	14.1-30.1	85	48.2	39.0-57.4	44	29.3	20.3-38.3
45-54	292	58,626				70	23.5	17.4-29.6	120	40.4	33.0-47.8	102	36.1	28.3-43.9
55-64	396	56,671	2	0.1	00.0-00.3	73	19.0	13.5-24.5	170	41.8	35.7-47.9	151	39.1	33.0-45.2
65+	614	66,262	6	0.4	00.0-00.8	137	23.1	18.8-27.4	299	45.5	40.4-50.6	172	31.0	25.9-36.1
Less Than H.S.	169	50,187	3	5.3	00.0-12.4	47	29.9	20.9-38.9	66	35.6	26.2-45.0	53	29.2	19.6-38.8
H.S. or G.E.D.	495	110,934	7	1.2	00.0-02.6	101	25.2	19.1-31.3	223	41.4	35.3-47.5	164	32.2	26.7-37.7
Some Post-H.S.	385	91,458	1	0.0	00.0-00.0	83	26.3	19.4-33.2	184	43.9	36.6-51.2	117	29.8	22.9-36.7
College Graduate	632	82,508	9	2.7	00.7-04.7	153	25.5	21.0-30.0	292	46.8	41.5-52.1	178	25.0	20.9-29.1
Less than \$15,000	111	24,379	3	8.4	00.0-20.7	36	37.4	23.5-51.3	32	27.9	15.4-40.4	40	26.3	15.5-37.1
\$15,000- 24,999	242	46,205	7	2.3	00.1-04.5	63	28.0	20.0-36.0	105	37.3	29.1-45.5	67	32.4	23.8-41.0
\$25,000- 34,999	112	19,867				29	28.1	15.8-40.4	49	43.1	30.8-55.4	34	28.8	18.0-39.6
\$35,000- 49,999	237	46,131	2	2.0	00.0-04.9	45	25.2	16.2-34.2	112	43.5	34.3-52.7	78	29.2	21.4-37.0
\$50,000- 74,999	234	39,058	4	2.3	00.0-05.0	45	19.2	12.7-25.7	105	39.7	31.3-48.1	80	38.9	29.5-48.3
\$75,000+	525	112,638	1	0.0	00.0-00.0	115	26.6	20.5-32.7	260	46.5	40.2-52.8	149	26.9	21.2-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	344,239	43	1.3	00.9-01.7	773	35.6	32.7-38.5	728	31.2	28.5-33.9	755	31.9	29.2-34.6
White/Non-Hisp	1569	232,367	34	1.6	01.0-02.2	558	36.5	33.4-39.6	503	31.9	28.8-35.0	474	30.0	26.9-33.1
Black or Afr. Am./Non-Hisp	361	71,789	3	0.4	00.0-01.0	73	29.2	21.4-37.0	112	29.8	22.9-36.7	173	40.6	33.5-47.7
Oth. Race/Non-Hisp.	58	12,372	2	1.9	00.0-04.6	28	60.1	42.7-77.5	13	21.7	06.6-36.8	15	16.3	04.9-27.7
MultiRacial/Non-Hisp.	182	5,538	3	0.9	00.0-02.1	72	44.4	34.8-54.0	55	26.7	18.9-34.5	52	28.1	19.5-36.7
Hispanic	100	18,969				31	30.4	19.6-41.2	33	32.6	21.8-43.4	36	37.0	24.5-49.5
18-24	93	43,102	1	0.6	00.0-01.8	47	51.3	38.6-64.0	21	24.7	14.1-35.3	24	23.4	12.8-34.0
25-34	189	50,747	3	0.8	00.0-01.8	85	46.2	37.6-54.8	49	26.6	19.0-34.2	52	26.4	19.0-33.8
35-44	218	50,391	2	0.9	00.0-02.3	64	29.5	22.4-36.6	66	29.8	22.5-37.1	86	39.8	32.2-47.4
45-54	386	60,985	4	1.0	00.0-02.4	125	30.3	24.8-35.8	118	31.4	25.3-37.5	139	37.2	31.1-43.3
55-64	530	57,299	4	0.7	00.0-01.5	146	27.1	22.4-31.8	193	38.7	33.6-43.8	187	33.5	28.6-38.4
65+	860	79,248	27	2.5	01.3-03.7	294	33.9	29.8-38.0	276	33.4	29.3-37.5	263	30.2	26.3-34.1
Less Than H.S.	185	34,810	4	1.4	00.0-03.2	48	31.0	21.2-40.8	54	34.4	24.8-44.0	79	33.1	24.5-41.7
H.S. or G.E.D.	713	107,646	19	1.8	00.8-02.8	220	33.7	28.4-39.0	225	31.2	26.5-35.9	249	33.3	28.6-38.0
Some Post-H.S.	587	108,023	8	0.9	00.1-01.7	173	32.0	26.3-37.7	190	31.3	26.2-36.4	216	35.8	30.3-41.3
College Graduate	810	93,690	12	1.0	00.4-01.6	329	43.5	39.0-48.0	258	30.0	25.9-34.1	211	25.5	21.4-29.6
Less than \$15,000	212	29,527	5	2.6	00.1-05.1	51	29.5	20.1-38.9	58	24.9	17.1-32.7	98	43.0	33.4-52.6
\$15,000- 24,999	382	59,755	10	1.4	00.4-02.4	110	34.7	27.1-42.3	117	29.1	22.8-35.4	145	34.8	28.3-41.3
\$25,000- 34,999	236	31,973	5	2.2	00.0-04.4	80	29.7	22.3-37.1	69	34.8	26.0-43.6	82	33.2	25.6-40.8
\$35,000- 49,999	255	37,772	3	1.0	00.0-02.4	82	32.3	24.3-40.3	70	25.5	18.4-32.6	100	41.2	33.2-49.2
\$50,000- 74,999	305	45,240	3	0.3	00.0-00.7	102	29.5	23.0-36.0	102	35.5	28.2-42.8	98	34.6	27.3-41.9
\$75,000+	527	85,523	5	0.8	00.0-01.8	205	43.4	37.1-49.7	190	33.7	28.2-39.2	127	22.2	17.3-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3983	680,318	1222	32.6	30.4-34.8	2761	67.4	65.2-69.6
Male	1684	336,079	406	28.2	24.9-31.5	1278	71.8	68.5-75.1
Female	2299	344,239	816	36.9	34.0-39.8	1483	63.1	60.2-66.0
White/Non-Hisp	2740	453,689	871	32.5	30.0-35.0	1869	67.5	65.0-70.0
Black or Afr. Am./Non-Hisp	565	135,613	126	30.0	23.9-36.1	439	70.0	63.9-76.1
Oth. Race/Non-Hisp.	104	24,665	51	61.3	48.4-74.2	53	38.7	25.8-51.6
MultiRacial/Non-Hisp.	307	9,911	97	34.1	26.3-41.9	210	65.9	58.1-73.7
Hispanic	200	44,827	57	27.4	20.0-34.8	143	72.6	65.2-80.0
18-24	168	87,439	87	53.1	43.9-62.3	81	46.9	37.7-56.1
25-34	315	107,024	122	39.2	32.3-46.1	193	60.8	53.9-67.7
35-44	388	102,399	107	26.4	21.1-31.7	281	73.6	68.3-78.9
45-54	678	119,611	199	27.5	23.4-31.6	479	72.5	68.4-76.6
55-64	926	113,969	225	23.5	20.0-27.0	701	76.5	73.0-80.0
65+	1474	145,510	464	30.5	27.4-33.6	1010	69.5	66.4-72.6
Less Than H.S.	354	84,997	102	34.1	26.8-41.4	252	65.9	58.6-73.2
H.S. or G.E.D.	1208	218,580	347	30.9	26.8-35.0	861	69.1	65.0-73.2
Some Post-H.S.	972	199,481	265	29.9	25.6-34.2	707	70.1	65.8-74.4
College Graduate	1442	176,198	503	36.9	33.6-40.2	939	63.1	59.8-66.4
Less than \$15,000	323	53,906	95	38.3	29.7-46.9	228	61.7	53.1-70.3
\$15,000- 24,999	624	105,960	190	33.6	27.9-39.3	434	66.4	60.7-72.1
\$25,000- 34,999	348	51,841	114	30.5	23.8-37.2	234	69.5	62.8-76.2
\$35,000- 49,999	492	83,903	132	30.0	23.7-36.3	360	70.0	63.7-76.3
\$50,000- 74,999	539	84,298	154	25.9	21.2-30.6	385	74.1	69.4-78.8
\$75,000+	1052	198,160	326	34.2	29.7-38.7	726	65.8	61.3-70.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	336,079	406	28.2	24.9-31.5	1278	71.8	68.5-75.1
White/Non-Hisp	1171	221,322	279	26.6	22.7-30.5	892	73.4	69.5-77.3
Black or Afr. Am./Non-Hisp	204	63,824	50	30.4	21.2-39.6	154	69.6	60.4-78.8
MultiRacial/Non-Hisp.	125	4,373	22	20.0	08.0-32.0	103	80.0	68.0-92.0
Hispanic	100	25,858	26	25.1	15.1-35.1	74	74.9	64.9-84.9
18-24	75	44,337	39	54.3	41.2-67.4	36	45.7	32.6-58.8
25-34	126	56,276	34	32.1	21.5-42.7	92	67.9	57.3-78.5
35-44	170	52,007	41	22.4	14.4-30.4	129	77.6	69.6-85.6
45-54	292	58,626	70	23.5	17.4-29.6	222	76.5	70.4-82.6
55-64	396	56,671	75	19.1	13.6-24.6	321	80.9	75.4-86.4
65+	614	66,262	143	23.5	19.2-27.8	471	76.5	72.2-80.8
Less Than H.S.	169	50,187	50	35.2	25.2-45.2	119	64.8	54.8-74.8
H.S. or G.E.D.	495	110,934	108	26.4	20.1-32.7	387	73.6	67.3-79.9
Some Post-H.S.	385	91,458	84	26.3	19.4-33.2	301	73.7	66.8-80.6
College Graduate	632	82,508	162	28.2	23.5-32.9	470	71.8	67.1-76.5
Less than \$15,000	111	24,379	39	45.8	31.3-60.3	72	54.2	39.7-68.7
\$15,000- 24,999	242	46,205	70	30.3	22.1-38.5	172	69.7	61.5-77.9
\$25,000- 34,999	112	19,867	29	28.1	15.8-40.4	83	71.9	59.6-84.2
\$35,000- 49,999	237	46,131	47	27.3	18.1-36.5	190	72.7	63.5-81.9
\$50,000- 74,999	234	39,058	49	21.4	14.5-28.3	185	78.6	71.7-85.5
\$75,000+	525	112,638	116	26.6	20.5-32.7	409	73.4	67.3-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	344,239	816	36.9	34.0-39.8	1483	63.1	60.2-66.0
White/Non-Hisp	1569	232,367	592	38.1	35.0-41.2	977	61.9	58.8-65.0
Black or Afr. Am./Non-Hisp	361	71,789	76	29.6	21.8-37.4	285	70.4	62.6-78.2
Oth. Race/Non-Hisp.	58	12,372	30	62.0	44.8-79.2	28	38.0	20.8-55.2
MultiRacial/Non-Hisp.	182	5,538	75	45.3	35.7-54.9	107	54.7	45.1-64.3
Hispanic	100	18,969	31	30.4	19.6-41.2	69	69.6	58.8-80.4
18-24	93	43,102	48	51.9	39.2-64.6	45	48.1	35.4-60.8
25-34	189	50,747	88	47.0	38.4-55.6	101	53.0	44.4-61.6
35-44	218	50,391	66	30.4	23.3-37.5	152	69.6	62.5-76.7
45-54	386	60,985	129	31.4	25.9-36.9	257	68.6	63.1-74.1
55-64	530	57,299	150	27.8	23.1-32.5	380	72.2	67.5-76.9
65+	860	79,248	321	36.4	32.3-40.5	539	63.6	59.5-67.7
Less Than H.S.	185	34,810	52	32.4	22.6-42.2	133	67.6	57.8-77.4
H.S. or G.E.D.	713	107,646	239	35.6	30.3-40.9	474	64.4	59.1-69.7
Some Post-H.S.	587	108,023	181	33.0	27.3-38.7	406	67.0	61.3-72.7
College Graduate	810	93,690	341	44.6	40.1-49.1	469	55.4	50.9-59.9
Less than \$15,000	212	29,527	56	32.1	22.7-41.5	156	67.9	58.5-77.3
\$15,000- 24,999	382	59,755	120	36.1	28.5-43.7	262	63.9	56.3-71.5
\$25,000- 34,999	236	31,973	85	32.0	24.4-39.6	151	68.0	60.4-75.6
\$35,000- 49,999	255	37,772	85	33.3	25.3-41.3	170	66.7	58.7-74.7
\$50,000- 74,999	305	45,240	105	29.9	23.4-36.4	200	70.1	63.6-76.6
\$75,000+	527	85,523	210	44.1	38.0-50.2	317	55.9	49.8-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4267	725,426	3179	60.4	58.2-62.6	464	17.9	15.9-19.9	389	13.5	11.9-15.1	159	5.3	04.3-06.3	51	2.1	01.3-02.9	25	0.8	00.4-01.2
Male	1739	345,317	1315	61.5	58.0-65.0	182	17.5	14.6-20.4	151	13.0	10.5-15.5	58	4.6	03.0-06.2	25	2.7	01.3-04.1	8	0.8	00.0-01.6
Female	2528	380,108	1864	59.5	56.8-62.2	282	18.3	15.8-20.8	238	14.0	12.0-16.0	101	5.9	04.5-07.3	26	1.5	00.7-02.3	17	0.8	00.4-01.2
White/Non-Hisp	2898	475,981	2278	65.5	63.0-68.0	276	15.9	13.7-18.1	223	12.2	10.2-14.2	88	4.4	03.2-05.6	21	1.4	00.6-02.2	12	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	603	143,126	393	51.0	45.1-56.9	99	23.4	17.9-28.9	65	15.5	11.0-20.0	27	5.9	03.4-08.4	13	3.1	00.7-05.5	6	1.1	00.0-02.7
Oth. Race/Non-Hisp.	118	27,647	81	69.9	58.9-80.9	17	19.9	09.9-29.9	13	6.1	02.2-10.0	5	2.8	00.0-05.9	1	0.9	00.0-02.7	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	321	10,311	266	71.5	63.7-79.3	20	9.9	04.6-15.2	23	14.1	07.4-20.8	9	3.1	00.7-05.5	3	1.3	00.0-03.1			
Hispanic	245	55,874	101	35.6	28.3-42.9	42	20.7	14.0-27.4	58	23.2	16.7-29.7	26	13.1	08.0-18.2	12	6.1	02.2-10.0	6	1.3	00.1-02.5
18-24	177	92,478	76	42.3	33.7-50.9	57	35.5	26.7-44.3	29	15.1	08.8-21.4	10	4.2	00.9-07.5	3	1.1	00.0-02.7	2	1.8	00.0-04.5
25-34	358	117,662	132	39.6	33.1-46.1	63	18.9	13.8-24.0	102	25.6	20.3-30.9	34	8.1	05.0-11.2	20	6.5	02.8-10.2	7	1.4	00.2-02.6
35-44	421	109,557	109	24.9	19.8-30.0	102	28.3	22.6-34.0	118	25.7	21.0-30.4	69	16.5	12.2-20.8	18	4.1	01.9-06.3	5	0.5	00.1-00.9
45-54	719	126,001	444	60.2	55.3-65.1	136	19.6	15.9-23.3	101	15.7	11.6-19.8	25	2.8	01.4-04.2	8	1.3	00.3-02.3	5	0.4	00.0-00.8
55-64	977	120,573	863	84.9	81.8-88.0	72	9.8	07.3-12.3	23	2.7	01.3-04.1	14	1.7	00.7-02.7	5	0.9	00.0-01.9			
65+	1554	152,135	1504	93.7	91.3-96.1	31	4.4	02.2-06.6	13	1.5	00.5-02.5	4	0.3	00.0-00.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3
Less Than H.S.	404	97,198	276	55.6	48.7-62.5	44	17.5	11.6-23.4	44	15.4	10.3-20.5	28	8.3	05.0-11.6	5	1.8	00.0-03.6	7	1.4	00.0-02.8
H.S. or G.E.D.	1271	227,380	958	60.9	56.8-65.0	135	17.9	14.4-21.4	103	11.4	08.9-13.9	44	5.2	03.2-07.2	21	3.4	01.4-05.4	10	1.2	00.0-02.4
Some Post-H.S.	1036	210,204	781	61.2	56.7-65.7	120	19.3	15.4-23.2	87	13.4	09.9-16.9	33	4.2	02.6-05.8	10	1.4	00.4-02.4	5	0.4	00.0-00.8
College Graduate	1537	188,639	1148	61.5	58.2-64.8	165	16.8	14.1-19.5	155	15.4	12.9-17.9	52	4.8	03.2-06.4	15	1.3	00.5-02.1	2	0.2	00.0-00.6
Less than \$15,000	362	60,664	273	64.7	57.1-72.3	34	14.9	08.4-21.4	25	9.4	04.9-13.9	18	7.3	03.6-11.0	5	2.2	00.0-04.6	7	1.5	00.3-02.7
\$15,000- 24,999	662	111,519	486	58.4	52.7-64.1	62	15.8	10.9-20.7	66	14.4	10.5-18.3	33	7.1	04.4-09.8	10	3.3	00.6-06.0	5	1.0	00.0-02.0
\$25,000- 34,999	373	58,276	269	56.9	49.6-64.2	48	20.8	14.3-27.3	32	13.1	08.0-18.2	17	7.6	03.3-11.9	5	1.0	00.0-02.0	2	0.6	00.0-01.6
\$35,000- 49,999	505	86,097	399	68.7	62.6-74.8	42	12.8	08.5-17.1	50	13.2	08.9-17.5	8	2.1	00.3-03.9	4	2.6	00.0-05.7	2	0.7	00.0-01.9
\$50,000- 74,999	562	88,637	442	64.8	58.9-70.7	64	18.3	13.0-23.6	37	11.3	07.0-15.6	11	3.7	01.2-06.2	7	1.8	00.2-03.4	1	0.1	00.0-00.3
\$75,000+	1093	204,335	733	53.3	48.8-57.8	151	21.7	17.6-25.8	135	15.9	12.6-19.2	56	6.5	04.3-08.7	14	1.8	00.8-02.8	4	0.7	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	345,317	1315	61.5	58.0-65.0	182	17.5	14.6-20.4	151	13.0	10.5-15.5	58	4.6	03.0-06.2	25	2.7	01.3-04.1	8	0.8	00.0-01.6
White/Non-Hisp	1201	225,677	942	65.1	61.0-69.2	116	16.5	13.0-20.0	97	12.4	09.5-15.3	31	3.7	01.9-05.5	10	1.8	00.4-03.2	5	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	206	65,061	148	56.3	46.7-65.9	27	17.6	10.2-25.0	16	14.4	06.4-22.4	8	5.1	01.0-09.2	6	4.8	00.1-09.5	1	1.8	00.0-05.1
Oth. Race/Non-Hisp.	50	12,932	35	73.4	57.5-89.3	8	19.1	04.6-33.6	3	3.1	00.0-07.2	3	2.4	00.0-05.7	1	1.9	00.0-05.6			
MultiRacial/Non-Hisp.	126	4,392	104	67.8	54.1-81.5	6	7.3	00.6-14.0	11	21.5	08.2-34.8	4	3.1	00.0-06.2	1	0.4	00.0-01.2			
Hispanic	112	29,252	53	39.0	28.4-49.6	19	24.5	14.1-34.9	22	19.3	10.1-28.5	9	10.2	03.5-16.9	7	6.3	01.4-11.2	2	0.8	00.0-02.0
18-24	78	46,656	40	45.7	33.2-58.2	20	27.0	15.4-38.6	13	20.4	09.4-31.4	2	2.8	00.0-08.1	1	0.4	00.0-01.2	2	3.6	00.0-08.9
25-34	133	57,766	65	50.1	39.5-60.7	23	18.4	10.4-26.4	29	18.1	10.8-25.4	7	4.7	00.8-08.6	8	8.1	01.4-14.8	1	0.7	00.0-02.1
35-44	179	53,276	49	26.3	18.1-34.5	46	31.3	22.1-40.5	42	19.9	13.4-26.4	31	16.0	09.7-22.3	10	6.1	02.0-10.2	1	0.3	00.0-00.9
45-54	301	60,662	186	58.8	51.2-66.4	49	18.1	12.4-23.8	48	18.0	10.7-25.3	12	3.2	01.2-05.2	5	1.7	00.0-03.5	1	0.1	00.0-00.3
55-64	401	56,935	353	83.8	78.7-88.9	30	11.2	06.7-15.7	13	3.7	01.2-06.2	3	0.8	00.0-01.8	2	0.5	00.0-01.3	2	0.5	00.0-01.3
65+	630	67,617	608	93.3	89.4-97.2	13	4.6	01.1-08.1	6	1.8	00.2-03.4	1	0.2	00.0-00.6	1	0.0	00.0-00.0	1	0.1	00.0-00.3
Less Than H.S.	183	54,738	128	59.0	49.0-69.0	22	18.8	10.2-27.4	22	15.4	08.0-22.8	7	5.2	01.1-09.3	2	1.2	00.0-03.0	2	0.4	00.0-01.0
H.S. or G.E.D.	509	111,496	379	58.9	52.4-65.4	59	19.5	14.2-24.8	38	9.2	05.9-12.5	17	5.3	02.2-08.4	11	5.1	01.4-08.8	5	2.1	00.0-04.5
Some Post-H.S.	396	93,870	318	66.7	59.1-74.3	36	14.7	08.8-20.6	29	14.4	07.7-21.1	8	2.4	00.4-04.4	4	1.7	00.0-03.5	1	0.1	00.0-00.3
College Graduate	645	83,941	486	61.2	55.9-66.5	65	17.4	12.7-22.1	62	14.9	11.0-18.8	24	5.0	02.6-07.4	8	1.5	00.3-02.7			
Less than \$15,000	124	27,200	101	66.2	52.9-79.5	10	17.7	06.3-29.1	7	8.9	00.7-17.1	4	3.6	00.0-07.3	2	3.7	00.0-09.0			
\$15,000- 24,999	253	48,692	193	63.6	54.8-72.4	23	13.2	07.1-19.3	21	12.5	06.2-18.8	8	4.3	00.8-07.8	6	5.3	00.0-11.2	2	1.1	00.0-02.7
\$25,000- 34,999	118	21,711	95	70.0	58.4-81.6	9	12.6	04.4-20.8	10	10.6	03.2-18.0	2	5.1	00.0-12.4	2	1.8	00.0-04.3			
\$35,000- 49,999	240	46,816	196	70.7	61.7-79.7	17	11.7	06.0-17.4	19	11.1	04.8-17.4	5	2.8	00.0-05.9	2	3.5	00.0-09.0	1	0.1	00.0-00.3
\$50,000- 74,999	237	39,345	187	62.3	52.7-71.9	25	19.3	10.3-28.3	14	11.1	04.2-18.0	6	4.2	00.3-08.1	4	3.0	00.0-06.1	1	0.2	00.0-00.6
\$75,000+	532	112,616	352	53.7	47.2-60.2	73	20.7	15.0-26.4	66	15.6	10.7-20.5	30	6.8	03.7-09.9	8	1.9	00.3-03.5	3	1.3	00.0-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	380,108	1864	59.5	56.8-62.2	282	18.3	15.8-20.8	238	14.0	12.0-16.0	101	5.9	04.5-07.3	26	1.5	00.7-02.3	17	0.8	00.4-01.2
White/Non-Hisp	1697	250,303	1336	65.8	62.5-69.1	160	15.5	12.8-18.2	126	12.1	09.7-14.5	57	4.9	03.5-06.3	11	1.1	00.3-01.9	7	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	397	78,065	245	46.5	39.4-53.6	72	28.2	20.6-35.8	49	16.5	11.4-21.6	19	6.6	03.3-09.9	7	1.6	00.2-03.0	5	0.6	00.0-01.2
Oth. Race/Non-Hisp.	68	14,715	46	66.8	51.7-81.9	9	20.6	06.7-34.5	10	8.8	02.3-15.3	2	3.2	00.0-08.1				1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	195	5,919	162	74.2	65.2-83.2	14	11.8	04.2-19.4	12	8.7	03.4-14.0	5	3.2	00.0-06.5	2	2.0	00.0-04.7			
Hispanic	133	26,622	48	31.9	22.3-41.5	23	16.5	08.5-24.5	36	27.5	18.5-36.5	17	16.3	08.5-24.1	5	5.9	00.0-12.0	4	1.9	00.0-04.1
18-24	99	45,822	36	38.8	26.8-50.8	37	44.1	31.6-56.6	16	9.8	04.3-15.3	8	5.5	01.4-09.6	2	1.8	00.0-04.7			
25-34	225	59,896	67	29.4	22.3-36.5	40	19.4	12.9-25.9	73	32.8	25.4-40.2	27	11.3	06.8-15.8	12	4.9	01.6-08.2	6	2.1	00.3-03.9
35-44	242	56,281	60	23.5	17.0-30.0	56	25.5	19.0-32.0	76	31.1	24.4-37.8	38	17.0	11.3-22.7	8	2.2	00.4-04.0	4	0.6	00.0-01.2
45-54	418	65,339	258	61.4	55.5-67.3	87	21.1	16.2-26.0	53	13.5	09.2-17.8	13	2.5	00.9-04.1	3	0.8	00.0-01.8	4	0.7	00.0-01.5
55-64	576	63,638	510	85.8	82.1-89.5	42	8.6	05.9-11.3	10	1.8	00.4-03.2	11	2.6	00.8-04.4				3	1.2	00.0-02.8
65+	924	84,517	896	94.1	91.2-97.0	18	4.3	01.6-07.0	7	1.2	00.2-02.2	3	0.4	00.0-00.8						
Less Than H.S.	221	42,460	148	51.2	42.4-60.0	22	15.8	08.2-23.4	22	15.4	08.3-22.5	21	12.3	06.8-17.8	3	2.6	00.0-05.9	5	2.7	00.0-05.4
H.S. or G.E.D.	762	115,884	579	62.9	57.6-68.2	76	16.5	11.8-21.2	65	13.5	09.8-17.2	27	5.1	02.9-07.3	10	1.7	00.3-03.1	5	0.4	00.0-00.8
Some Post-H.S.	640	116,334	463	56.8	51.3-62.3	84	23.0	17.5-28.5	58	12.5	09.0-16.0	25	5.7	03.2-08.2	6	1.2	00.0-02.4	4	0.7	00.0-01.5
College Graduate	892	104,698	662	61.7	57.4-66.0	100	16.3	12.8-19.8	93	15.8	12.5-19.1	28	4.6	02.6-06.6	7	1.1	00.1-02.1	2	0.3	00.0-00.9
Less than \$15,000	238	33,464	172	63.5	54.7-72.3	24	12.6	05.7-19.5	18	9.8	04.9-14.7	14	10.4	04.5-16.3	3	1.0	00.0-02.2	7	2.7	00.5-04.9
\$15,000- 24,999	409	62,827	293	54.4	47.1-61.7	39	17.9	10.6-25.2	45	15.9	11.0-20.8	25	9.2	05.3-13.1	4	1.7	00.0-03.5	3	0.8	00.0-01.8
\$25,000- 34,999	255	36,565	174	49.2	40.8-57.6	39	25.6	17.0-34.2	22	14.6	07.9-21.3	15	9.1	04.0-14.2	3	0.6	00.0-01.4	2	1.0	00.0-02.6
\$35,000- 49,999	265	39,281	203	66.2	58.2-74.2	25	14.2	07.9-20.5	31	15.6	09.9-21.3	3	1.2	00.0-02.6	2	1.5	00.0-04.0	1	1.3	00.0-03.8
\$50,000- 74,999	325	49,292	255	66.7	59.4-74.0	39	17.5	11.4-23.6	23	11.5	06.2-16.8	5	3.4	00.1-06.7	3	0.9	00.0-01.9			
\$75,000+	561	91,719	381	52.9	47.0-58.8	78	22.8	16.9-28.7	69	16.3	12.0-20.6	26	6.2	03.7-08.7	6	1.7	00.1-03.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4261	726,158	401	13.4	11.8-15.0	1275	31.5	29.3-33.7	1039	29.1	26.9-31.3	1546	26.1	24.5-27.7
Male	1740	346,095	184	15.9	13.2-18.6	511	32.5	29.2-35.8	398	27.3	24.0-30.6	647	24.3	21.8-26.8
Female	2521	380,063	217	11.1	09.3-12.9	764	30.6	28.1-33.1	641	30.6	27.9-33.3	899	27.7	25.5-29.9
White/Non-Hisp	2887	474,667	188	10.1	08.1-12.1	851	31.1	28.7-33.5	723	29.8	27.3-32.3	1125	29.1	27.1-31.1
Black or Afr. Am./Non-Hisp	601	142,844	73	14.3	10.4-18.2	213	35.9	30.2-41.6	151	30.6	24.9-36.3	164	19.2	15.3-23.1
Oth. Race/Non-Hisp.	118	27,647	8	7.6	00.0-15.2	25	24.9	11.4-38.4	25	22.5	11.7-33.3	60	44.9	32.6-57.2
MultiRacial/Non-Hisp.	323	10,337	30	9.4	05.3-13.5	97	30.3	23.0-37.6	72	33.8	25.6-42.0	124	26.5	20.8-32.2
Hispanic	245	56,086	93	42.4	34.8-50.0	65	26.0	19.3-32.7	48	22.5	15.8-29.2	39	9.1	05.8-12.4
18-24	177	92,478	21	13.6	07.5-19.7	68	37.5	28.9-46.1	70	41.5	32.7-50.3	18	7.5	03.6-11.4
25-34	360	118,625	49	16.4	11.5-21.3	109	33.8	27.3-40.3	79	24.1	18.4-29.8	123	25.7	20.8-30.6
35-44	421	109,585	41	12.5	08.0-17.0	99	25.5	20.4-30.6	94	27.5	22.0-33.0	187	34.5	29.4-39.6
45-54	718	126,051	60	11.4	08.1-14.7	217	32.3	28.0-36.6	158	25.7	21.0-30.4	283	30.5	26.6-34.4
55-64	977	120,496	66	10.8	07.7-13.9	268	29.2	25.7-32.7	244	29.4	25.9-32.9	399	30.7	27.4-34.0
65+	1548	151,951	163	15.7	12.8-18.6	500	32.1	29.2-35.0	377	28.7	25.8-31.6	508	23.5	21.1-25.9
Less Than H.S.	401	96,952	401	100.0	0100-0100									
H.S. or G.E.D.	1275	228,618				1275	100.0	0100-0100						
Some Post-H.S.	1039	211,101							1039	100.0	0100-0100			
College Graduate	1546	189,487										1546	100.0	0100-0100
Less than \$15,000	355	60,098	101	39.2	31.0-47.4	141	33.9	26.6-41.2	73	20.9	14.4-27.4	40	6.0	03.6-08.4
\$15,000- 24,999	663	111,780	135	26.5	21.6-31.4	271	36.7	31.6-41.8	179	28.4	23.1-33.7	78	8.4	05.9-10.9
\$25,000- 34,999	372	58,265	35	15.1	09.4-20.8	154	41.6	34.5-48.7	109	31.4	24.9-37.9	74	11.9	08.4-15.4
\$35,000- 49,999	506	86,234	27	9.8	05.7-13.9	181	38.3	32.2-44.4	150	31.1	25.2-37.0	148	20.8	16.3-25.3
\$50,000- 74,999	563	88,746	13	4.3	01.2-07.4	132	28.1	23.0-33.2	153	35.8	30.1-41.5	265	31.7	27.0-36.4
\$75,000+	1097	205,468	7	1.6	00.0-03.4	165	22.4	18.3-26.5	208	27.6	23.3-31.9	717	48.4	44.1-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	346,095	184	15.9	13.2-18.6	511	32.5	29.2-35.8	398	27.3	24.0-30.6	647	24.3	21.8-26.8
White/Non-Hisp	1197	224,694	85	12.2	08.9-15.5	340	32.0	28.1-35.9	286	28.0	24.1-31.9	486	27.8	24.7-30.9
Black or Afr. Am./Non-Hisp	206	64,978	33	18.8	11.7-25.9	76	36.1	27.1-45.1	46	28.3	19.1-37.5	51	16.8	10.7-22.9
Oth. Race/Non-Hisp.	50	12,932	2	1.6	00.0-04.0	10	25.3	03.2-47.4	11	28.4	09.6-47.2	27	44.7	25.3-64.1
MultiRacial/Non-Hisp.	127	4,401	13	10.2	03.5-16.9	39	33.2	20.7-45.7	25	34.3	19.6-49.0	50	22.3	14.1-30.5
Hispanic	114	29,557	46	43.7	32.7-54.7	30	27.8	17.8-37.8	21	21.0	11.8-30.2	17	7.5	03.4-11.6
18-24	78	46,656	16	21.0	10.8-31.2	29	35.8	23.6-48.0	28	39.9	27.0-52.8	5	3.2	00.1-06.3
25-34	135	58,722	20	16.1	08.3-23.9	48	41.2	30.6-51.8	25	20.5	11.9-29.1	42	22.1	14.7-29.5
35-44	179	53,229	17	13.7	05.7-21.7	59	33.8	25.4-42.2	33	21.6	13.6-29.6	70	30.9	23.1-38.7
45-54	302	60,789	37	16.0	10.3-21.7	94	31.9	25.0-38.8	60	25.3	17.5-33.1	111	26.8	21.1-32.5
55-64	399	56,774	28	12.0	06.5-17.5	100	26.4	20.9-31.9	109	32.2	26.5-37.9	162	29.3	24.2-34.4
65+	631	67,626	65	17.2	12.3-22.1	179	27.9	23.6-32.2	139	26.8	21.9-31.7	248	28.0	24.1-31.9
Less Than H.S.	184	54,865	184	100.0	0100-0100									
H.S. or G.E.D.	511	112,456				511	100.0	0100-0100						
Some Post-H.S.	398	94,651							398	100.0	0100-0100			
College Graduate	647	84,123										647	100.0	0100-0100
Less than \$15,000	123	27,171	43	49.0	35.3-62.7	40	28.4	16.2-40.6	23	16.3	07.9-24.7	17	6.2	02.3-10.1
\$15,000- 24,999	255	48,997	61	30.7	22.7-38.7	102	38.9	30.5-47.3	58	21.1	13.8-28.4	34	9.3	04.8-13.8
\$25,000- 34,999	118	21,711	18	22.5	11.5-33.5	51	41.5	29.3-53.7	29	27.9	16.7-39.1	20	8.1	03.6-12.6
\$35,000- 49,999	240	46,816	20	14.0	07.1-20.9	85	39.8	30.8-48.8	73	28.5	20.1-36.9	62	17.7	11.4-24.0
\$50,000- 74,999	237	39,345	8	5.6	00.0-11.5	71	34.3	26.1-42.5	59	33.0	24.0-42.0	99	27.1	20.2-34.0
\$75,000+	533	113,398	4	2.5	00.0-05.6	90	25.7	19.6-31.8	103	29.2	22.9-35.5	336	42.5	36.6-48.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2521	380,063	217	11.1	09.3-12.9	764	30.6	28.1-33.1	641	30.6	27.9-33.3	899	27.7	25.5-29.9
White/Non-Hisp	1690	249,974	103	8.1	06.1-10.1	511	30.3	27.4-33.2	437	31.3	28.2-34.4	639	30.3	27.6-33.0
Black or Afr. Am./Non-Hisp	395	77,866	40	10.6	06.5-14.7	137	35.7	28.6-42.8	105	32.5	25.4-39.6	113	21.2	16.1-26.3
Oth. Race/Non-Hisp.	68	14,715	6	12.9	00.0-26.4	15	24.6	08.5-40.7	14	17.4	06.0-28.8	33	45.1	29.2-61.0
MultiRacial/Non-Hisp.	196	5,936	17	8.8	03.7-13.9	58	28.2	19.8-36.6	47	33.3	24.1-42.5	74	29.6	22.2-37.0
Hispanic	131	26,529	47	40.9	30.7-51.1	35	24.0	15.4-32.6	27	24.0	14.2-33.8	22	11.0	05.9-16.1
18-24	99	45,822	5	6.0	00.0-12.1	39	39.2	27.0-51.4	42	43.1	30.8-55.4	13	11.8	04.9-18.7
25-34	225	59,903	29	16.6	10.5-22.7	61	26.6	19.5-33.7	54	27.6	20.3-34.9	81	29.2	22.5-35.9
35-44	242	56,356	24	11.4	06.7-16.1	40	17.7	12.0-23.4	61	33.0	25.6-40.4	117	37.9	31.0-44.8
45-54	416	65,262	23	7.1	03.8-10.4	123	32.7	27.0-38.4	98	26.2	20.5-31.9	172	34.0	28.7-39.3
55-64	578	63,722	38	9.6	05.9-13.3	168	31.6	26.9-36.3	135	26.8	22.3-31.3	237	31.9	27.6-36.2
65+	917	84,325	98	14.4	10.7-18.1	321	35.5	31.6-39.4	238	30.2	26.3-34.1	260	19.9	17.2-22.6
Less Than H.S.	217	42,087	217	100.0	0100-0100									
H.S. or G.E.D.	764	116,162				764	100.0	0100-0100						
Some Post-H.S.	641	116,450							641	100.0	0100-0100			
College Graduate	899	105,364										899	100.0	0100-0100
Less than \$15,000	232	32,926	58	31.0	22.2-39.8	101	38.6	30.2-47.0	50	24.7	15.5-33.9	23	5.7	02.8-08.6
\$15,000- 24,999	408	62,782	74	23.2	17.1-29.3	169	35.0	28.7-41.3	121	34.1	26.8-41.4	44	7.8	04.7-10.9
\$25,000- 34,999	254	36,554	17	10.7	04.2-17.2	103	41.7	33.3-50.1	80	33.5	25.5-41.5	54	14.1	09.0-19.2
\$35,000- 49,999	266	39,418	7	4.7	00.8-08.6	96	36.5	28.9-44.1	77	34.2	26.2-42.2	86	24.5	18.2-30.8
\$50,000- 74,999	326	49,402	5	3.3	00.2-06.4	61	23.2	16.9-29.5	94	38.1	30.8-45.4	166	35.5	29.2-41.8
\$75,000+	564	92,069	3	0.4	00.0-00.8	75	18.4	12.9-23.9	105	25.5	20.0-31.0	381	55.7	49.6-61.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3548	609,279	344	9.5	08.1-10.9	664	18.4	16.6-20.2	373	9.6	08.2-11.0	506	14.2	12.6-15.8	1661	48.4	46.0-50.8
Male	1501	296,417	117	8.6	06.2-11.0	255	16.5	14.0-19.0	118	7.3	05.5-09.1	240	15.8	13.1-18.5	771	51.7	48.0-55.4
Female	2047	312,862	227	10.4	08.6-12.2	409	20.1	17.6-22.6	255	11.7	09.7-13.7	266	12.6	10.6-14.6	890	45.2	42.3-48.1
White/Non-Hisp	2413	402,204	169	6.9	05.3-08.5	367	13.6	11.8-15.4	244	8.8	07.4-10.2	360	14.9	12.9-16.9	1273	55.7	53.0-58.4
Black or Afr. Am./Non-Hisp	512	119,865	95	14.7	10.8-18.6	129	26.0	20.5-31.5	59	10.6	06.9-14.3	81	16.8	11.9-21.7	148	31.8	25.7-37.9
Oth. Race/Non-Hisp.	97	23,185	9	7.7	01.6-13.8	28	23.0	11.6-34.4	9	5.0	00.7-09.3	8	7.1	00.4-13.8	43	57.3	43.4-71.2
MultiRacial/Non-Hisp.	276	9,009	25	8.1	03.8-12.4	56	18.5	11.8-25.2	25	9.1	04.8-13.4	38	11.2	06.5-15.9	132	53.1	44.7-61.5
Hispanic	205	46,746	41	19.4	12.7-26.1	75	36.7	28.7-44.7	30	15.6	09.7-21.5	14	5.9	02.4-09.4	45	22.5	15.2-29.8
18-24	130	65,803	20	13.8	06.7-20.9	40	28.8	19.4-38.2	17	9.4	04.1-14.7	13	7.2	02.9-11.5	40	40.8	30.0-51.6
25-34	311	104,003	32	10.0	05.5-14.5	75	21.4	16.1-26.7	42	12.5	08.0-17.0	48	18.3	12.6-24.0	114	37.7	30.8-44.6
35-44	390	101,042	31	7.8	04.7-10.9	63	13.6	09.9-17.3	33	7.6	04.9-10.3	46	12.4	07.9-16.9	217	58.6	52.7-64.5
45-54	642	112,172	79	10.1	07.4-12.8	86	12.4	09.3-15.5	57	8.7	06.0-11.4	63	10.0	06.9-13.1	357	58.8	53.9-63.7
55-64	845	104,072	76	9.5	06.6-12.4	116	11.9	09.2-14.6	68	6.3	04.3-08.3	124	17.2	13.9-20.5	461	55.1	50.8-59.4
65+	1204	118,461	102	7.8	05.6-10.0	278	25.2	21.9-28.5	155	12.6	10.2-15.0	208	16.9	14.4-19.4	461	37.5	34.0-41.0
Less Than H.S.	317	76,384	100	29.5	22.4-36.6	135	38.7	31.6-45.8	35	11.5	06.8-16.2	27	11.0	06.3-15.7	20	9.2	03.5-14.9
H.S. or G.E.D.	1039	189,181	136	10.5	08.0-13.0	271	21.7	18.4-25.0	154	12.8	10.1-15.5	181	17.5	14.2-20.8	297	37.6	33.1-42.1
Some Post-H.S.	869	177,592	70	6.9	04.5-09.3	179	17.9	14.2-21.6	109	10.3	07.8-12.8	150	15.1	11.8-18.4	361	49.8	44.9-54.7
College Graduate	1320	165,461	38	2.1	01.3-02.9	78	5.7	03.9-07.5	74	4.2	03.0-05.4	148	10.8	08.4-13.2	982	77.2	74.3-80.1
Less than \$15,000	344	58,125	344	100.0	0100-0100												
\$15,000- 24,999	664	111,824				664	100.0	0100-0100									
\$25,000- 34,999	373	58,276							373	100.0	0100-0100						
\$35,000- 49,999	506	86,234										506	100.0	0100-0100			
\$50,000- 74,999	563	88,746													563	100.0	0100-0100
\$75,000+	1098	206,073													1098	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1501	296,417	117	8.6	06.2-11.0	255	16.5	14.0-19.0	118	7.3	05.5-09.1	240	15.8	13.1-18.5	771	51.7	48.0-55.4
White/Non-Hisp	1035	194,973	57	5.5	03.1-07.9	127	10.8	08.3-13.3	75	6.5	04.5-08.5	179	16.7	13.8-19.6	597	60.5	56.4-64.6
Black or Afr. Am./Non-Hisp	180	55,114	28	15.5	08.2-22.8	50	26.7	18.5-34.9	17	7.1	02.4-11.8	28	18.4	09.8-27.0	57	32.3	22.5-42.1
MultiRacial/Non-Hisp.	115	4,032	10	7.8	01.7-13.9	25	24.5	11.8-37.2	4	2.1	00.0-04.5	18	13.9	04.7-23.1	58	51.7	37.2-66.2
Hispanic	98	24,735	15	16.0	06.6-25.4	38	38.1	26.3-49.9	13	15.7	07.1-24.3	8	7.9	01.8-14.0	24	22.3	12.7-31.9
18-24	52	30,133	7	13.3	02.5-24.1	15	25.4	12.3-38.5	5	8.1	00.8-15.4	7	8.5	01.2-15.8	18	44.7	28.4-61.0
25-34	124	54,889	11	11.0	03.4-18.6	29	18.1	10.5-25.7	9	7.8	02.1-13.5	20	20.4	11.6-29.2	55	42.7	32.1-53.3
35-44	169	50,241	10	5.3	01.6-09.0	25	11.5	06.4-16.6	12	6.1	02.6-09.6	21	13.5	06.2-20.8	101	63.6	54.8-72.4
45-54	270	53,863	28	8.8	04.5-13.1	42	13.4	08.7-18.1	19	8.0	03.7-12.3	35	12.5	07.4-17.6	146	57.2	49.4-65.0
55-64	350	50,313	28	10.3	05.2-15.4	40	10.2	06.1-14.3	20	3.9	01.9-05.9	54	17.2	12.1-22.3	208	58.4	51.7-65.1
65+	527	55,606	32	5.1	02.7-07.5	103	23.6	18.3-28.9	53	10.2	07.1-13.3	102	18.8	14.7-22.9	237	42.3	37.0-47.6
Less Than H.S.	153	43,862	42	28.1	17.9-38.3	61	34.3	24.7-43.9	18	11.1	05.0-17.2	20	14.9	07.5-22.3	12	11.6	02.4-20.8
H.S. or G.E.D.	437	96,789	38	7.6	03.9-11.3	102	19.7	14.6-24.8	51	9.3	05.8-12.8	85	19.3	14.2-24.4	161	44.1	37.2-51.0
Some Post-H.S.	343	80,056	21	5.2	02.3-08.1	58	12.9	08.2-17.6	29	7.6	04.1-11.1	73	16.7	11.2-22.2	162	57.6	50.2-65.0
College Graduate	567	75,105	16	2.2	00.8-03.6	34	6.1	03.2-09.0	20	2.3	00.9-03.7	62	11.0	07.1-14.9	435	78.4	73.7-83.1
Less than \$15,000	117	25,544	117	100.0	0100-0100												
\$15,000- 24,999	255	48,997				255	100.0	0100-0100									
\$25,000- 34,999	118	21,711							118	100.0	0100-0100						
\$35,000- 49,999	240	46,816										240	100.0	0100-0100			
\$50,000- 74,999	237	39,345													237	100.0	0100-0100
\$75,000+	534	114,003													534	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2047	312,862	227	10.4	08.6-12.2	409	20.1	17.6-22.6	255	11.7	09.7-13.7	266	12.6	10.6-14.6	890	45.2	42.3-48.1
White/Non-Hisp	1378	207,232	112	8.3	06.1-10.5	240	16.3	13.8-18.8	169	11.0	08.8-13.2	181	13.2	10.8-15.6	676	51.2	47.7-54.7
Black or Afr. Am./Non-Hisp	332	64,751	67	14.1	10.0-18.2	79	25.5	18.2-32.8	42	13.5	08.0-19.0	53	15.4	10.3-20.5	91	31.5	23.9-39.1
Oth. Race/Non-Hisp.	53	11,907	5	6.4	00.1-12.7	18	32.4	14.4-50.4	5	6.6	00.0-13.5	4	4.3	00.0-08.8	21	50.3	31.5-69.1
MultiRacial/Non-Hisp.	161	4,977	15	8.4	02.5-14.3	31	13.6	07.9-19.3	21	14.8	07.7-21.9	20	9.0	04.7-13.3	74	54.2	44.4-64.0
Hispanic	107	22,011	26	23.3	13.9-32.7	37	35.1	24.5-45.7	17	15.4	07.6-23.2	6	3.6	00.7-06.5	21	22.6	11.6-33.6
18-24	78	35,669	13	14.2	05.0-23.4	25	31.7	18.6-44.8	12	10.6	03.0-18.2	6	6.0	00.7-11.3	22	37.5	23.4-51.6
25-34	187	49,115	21	9.0	04.9-13.1	46	25.1	17.8-32.4	33	17.8	11.1-24.5	28	15.9	09.4-22.4	59	32.2	24.4-40.0
35-44	221	50,801	21	10.3	05.4-15.2	38	15.6	10.5-20.7	21	9.2	05.1-13.3	25	11.4	06.3-16.5	116	53.6	45.8-61.4
45-54	372	58,309	51	11.2	07.7-14.7	44	11.5	07.6-15.4	38	9.3	05.8-12.8	28	7.7	04.2-11.2	211	60.2	54.1-66.3
55-64	495	53,759	48	8.8	05.7-11.9	76	13.5	10.0-17.0	48	8.6	05.5-11.7	70	17.1	12.6-21.6	253	52.0	46.5-57.5
65+	677	62,855	70	10.2	06.5-13.9	175	26.5	22.0-31.0	102	14.8	11.5-18.1	106	15.2	12.1-18.3	224	33.3	28.8-37.8
Less Than H.S.	164	32,522	58	31.4	22.2-40.6	74	44.8	34.6-55.0	17	12.0	04.7-19.3	7	5.8	01.1-10.5	8	6.0	01.1-10.9
H.S. or G.E.D.	602	92,392	98	13.4	10.3-16.5	169	23.8	19.5-28.1	103	16.5	12.4-20.6	96	15.6	11.9-19.3	136	30.7	25.0-36.4
Some Post-H.S.	526	97,536	49	8.3	04.8-11.8	121	21.9	16.6-27.2	80	12.5	09.0-16.0	77	13.8	09.9-17.7	199	43.4	37.5-49.3
College Graduate	753	90,356	22	2.0	01.0-03.0	44	5.4	03.2-07.6	54	5.7	03.7-07.7	86	10.7	07.8-13.6	547	76.1	72.2-80.0
Less than \$15,000	227	32,581	227	100.0	0100-0100												
\$15,000- 24,999	409	62,827				409	100.0	0100-0100									
\$25,000- 34,999	255	36,565							255	100.0	0100-0100						
\$35,000- 49,999	266	39,418										266	100.0	0100-0100			
\$50,000- 74,999	326	49,402													326	100.0	0100-0100
\$75,000+	564	92,069													564	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4148	706,955	483	14.7	12.9-16.5	172	5.2	04.2-06.2	1277	24.6	22.8-26.4	2216	55.5	53.3-57.7
Male	1689	336,429	218	17.4	14.5-20.3	69	6.1	04.3-07.9	610	28.0	25.3-30.7	792	48.5	45.0-52.0
Female	2459	370,526	265	12.2	10.2-14.2	103	4.3	03.1-05.5	667	21.5	19.5-23.5	1424	61.9	59.4-64.4
White/Non-Hisp	2820	464,513	355	17.0	14.8-19.2	104	4.9	03.5-06.3	963	28.4	26.2-30.6	1398	49.7	47.2-52.2
Black or Afr. Am./Non-Hisp	582	139,451	63	11.3	07.4-15.2	35	5.9	03.5-08.3	130	17.2	13.1-21.3	354	65.7	60.2-71.2
Oth. Race/Non-Hisp.	113	26,236	14	13.8	01.8-25.8	3	4.4	00.0-10.9	14	9.4	03.1-15.7	82	72.4	59.3-85.5
MultiRacial/Non-Hisp.	315	10,196	34	16.2	08.2-24.2	12	4.7	01.8-07.6	108	27.1	20.6-33.6	161	52.1	44.1-60.1
Hispanic	238	52,879	11	4.4	01.5-07.3	14	5.7	02.4-09.0	43	19.2	12.7-25.7	170	70.7	63.4-78.0
18-24	168	87,485	31	18.3	11.4-25.2	10	6.5	02.2-10.8	11	4.6	01.7-07.5	116	70.5	62.7-78.3
25-34	349	115,887	53	19.1	13.2-25.0	29	9.8	05.9-13.7	47	13.2	08.9-17.5	220	57.9	51.2-64.6
35-44	413	108,193	59	15.9	11.4-20.4	15	2.8	01.2-04.4	75	20.2	15.5-24.9	264	61.1	55.2-67.0
45-54	701	122,949	112	15.5	12.2-18.8	45	7.0	04.5-09.5	145	21.0	17.1-24.9	399	56.6	51.9-61.3
55-64	952	117,725	125	14.0	10.9-17.1	40	4.2	02.6-05.8	318	33.0	29.3-36.7	469	48.9	45.0-52.8
65+	1504	147,842	100	8.6	06.2-11.0	30	1.9	00.9-02.9	665	45.1	41.8-48.4	709	44.3	41.0-47.6
Less Than H.S.	386	91,672	87	29.8	22.9-36.7	27	10.5	06.0-15.0	105	21.4	16.3-26.5	167	38.4	31.9-44.9
H.S. or G.E.D.	1240	224,278	197	18.5	15.2-21.8	61	5.9	03.9-07.9	388	25.3	22.2-28.4	594	50.3	46.2-54.4
Some Post-H.S.	1009	205,233	111	11.0	08.3-13.7	43	4.3	02.5-06.1	334	26.5	23.0-30.0	521	58.2	53.9-62.5
College Graduate	1499	183,579	86	6.2	04.2-08.2	40	2.7	01.5-03.9	448	23.6	21.1-26.1	925	67.4	64.3-70.5
Less than \$15,000	338	57,410	71	31.5	23.1-39.9	32	9.0	05.1-12.9	93	19.9	14.4-25.4	142	39.6	31.8-47.4
\$15,000- 24,999	636	106,739	111	19.0	14.7-23.3	34	6.0	03.5-08.5	183	23.0	18.7-27.3	308	52.0	46.5-57.5
\$25,000- 34,999	366	57,292	59	19.2	13.5-24.9	18	7.3	02.6-12.0	112	22.4	17.3-27.5	177	51.1	44.0-58.2
\$35,000- 49,999	494	84,747	53	15.4	10.3-20.5	22	5.2	02.3-08.1	159	26.3	21.2-31.4	260	53.1	46.8-59.4
\$50,000- 74,999	552	86,460	52	12.4	08.1-16.7	12	2.7	00.9-04.5	173	29.8	24.7-34.9	315	55.1	49.4-60.8
\$75,000+	1080	203,859	67	8.5	05.6-11.4	34	4.2	02.2-06.2	343	24.5	21.2-27.8	636	62.8	58.7-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	336,429	218	17.4	14.5-20.3	69	6.1	04.3-07.9	610	28.0	25.3-30.7	792	48.5	45.0-52.0
White/Non-Hisp	1168	219,886	155	18.6	15.1-22.1	37	5.7	03.3-08.1	465	31.2	27.9-34.5	511	44.4	40.3-48.5
Black or Afr. Am./Non-Hisp	201	63,508	28	17.9	10.3-25.5	15	6.8	02.7-10.9	57	22.4	14.8-30.0	101	53.0	43.4-62.6
MultiRacial/Non-Hisp.	124	4,353	17	23.1	07.4-38.8	5	5.9	00.2-11.6	46	30.7	19.3-42.1	56	40.3	27.6-53.0
Hispanic	107	27,110	8	6.3	01.6-11.0	9	9.1	03.0-15.2	26	26.0	15.6-36.4	64	58.6	47.4-69.8
18-24	70	42,320	16	23.6	12.4-34.8	7	9.7	02.3-17.1	7	6.6	01.7-11.5	40	60.2	47.3-73.1
25-34	133	58,653	27	25.4	15.2-35.6	13	12.2	05.1-19.3	19	14.5	07.1-21.9	74	47.9	37.5-58.3
35-44	178	53,254	26	17.2	09.9-24.5	5	1.7	00.1-03.3	39	21.7	14.6-28.8	108	59.5	50.7-68.3
45-54	293	58,934	56	17.1	12.0-22.2	15	6.9	02.8-11.0	63	23.6	16.9-30.3	159	52.5	44.9-60.1
55-64	390	55,455	53	15.9	10.8-21.0	14	4.4	01.7-07.1	150	37.9	31.8-44.0	173	41.8	35.7-47.9
65+	609	65,513	40	8.6	05.1-12.1	14	2.6	00.8-04.4	329	55.4	50.3-60.5	226	33.4	28.7-38.1
Less Than H.S.	176	51,305	42	32.0	22.0-42.0	16	12.7	06.0-19.4	51	23.2	15.6-30.8	67	32.1	22.9-41.3
H.S. or G.E.D.	498	110,344	88	20.5	15.0-26.0	24	7.3	03.6-11.0	190	29.5	24.2-34.8	196	42.6	36.3-48.9
Some Post-H.S.	380	90,655	46	12.9	08.2-17.6	15	4.6	01.5-07.7	155	31.0	24.9-37.1	164	51.6	44.2-59.0
College Graduate	631	82,487	40	8.4	04.7-12.1	14	2.0	00.6-03.4	214	26.3	22.2-30.4	363	63.2	58.3-68.1
Less than \$15,000	114	25,171	29	40.2	25.5-54.9	11	9.9	02.8-17.0	38	24.4	13.8-35.0	36	25.4	14.2-36.6
\$15,000- 24,999	243	45,475	56	24.0	16.6-31.4	10	3.7	01.0-06.4	86	29.6	22.0-37.2	91	42.7	33.7-51.7
\$25,000- 34,999	116	21,454	22	20.6	11.2-30.0	5	10.7	00.0-21.7	44	30.2	20.0-40.4	45	38.5	26.2-50.8
\$35,000- 49,999	231	45,907	31	18.7	10.9-26.5	8	5.2	00.9-09.5	87	29.8	21.8-37.8	105	46.2	36.8-55.6
\$50,000- 74,999	232	38,442	25	14.1	06.8-21.4	6	4.1	00.8-07.4	82	33.0	24.8-41.2	119	48.9	39.7-58.1
\$75,000+	526	113,074	34	11.7	06.8-16.6	18	5.6	02.3-08.9	188	25.0	20.3-29.7	286	57.7	51.4-64.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	370,526	265	12.2	10.2-14.2	103	4.3	03.1-05.5	667	21.5	19.5-23.5	1424	61.9	59.4-64.4
White/Non-Hisp	1652	244,627	200	15.6	13.1-18.1	67	4.2	03.0-05.4	498	25.8	23.3-28.3	887	54.4	51.3-57.5
Black or Afr. Am./Non-Hisp	381	75,944	35	5.7	03.3-08.1	20	5.1	02.4-07.8	73	12.8	08.9-16.7	253	76.3	71.0-81.6
Oth. Race/Non-Hisp.	66	14,049	9	9.7	02.1-17.3	2	8.2	00.0-20.0	9	10.9	02.3-19.5	46	71.2	56.3-86.1
MultiRacial/Non-Hisp.	191	5,844	17	11.0	04.7-17.3	7	3.9	01.0-06.8	62	24.3	16.9-31.7	105	60.8	52.0-69.6
Hispanic	131	25,770	3	2.3	00.0-05.6	5	2.2	00.0-04.4	17	12.0	04.7-19.3	106	83.5	75.5-91.5
18-24	98	45,165	15	13.4	05.6-21.2	3	3.5	00.0-07.8	4	2.8	00.0-05.7	76	80.3	71.3-89.3
25-34	216	57,234	26	12.6	07.3-17.9	16	7.3	03.6-11.0	28	11.9	07.2-16.6	146	68.2	60.9-75.5
35-44	235	54,939	33	14.7	09.2-20.2	10	3.8	01.1-06.5	36	18.8	12.5-25.1	156	62.6	55.2-70.0
45-54	408	64,015	56	14.0	09.7-18.3	30	7.1	04.2-10.0	82	18.5	14.0-23.0	240	60.4	54.5-66.3
55-64	562	62,270	72	12.3	08.8-15.8	26	3.9	02.1-05.7	168	28.6	24.3-32.9	296	55.2	50.1-60.3
65+	895	82,329	60	8.7	05.8-11.6	16	1.4	00.6-02.2	336	36.9	33.0-40.8	483	53.0	48.7-57.3
Less Than H.S.	210	40,367	45	27.0	18.2-35.8	11	7.6	02.1-13.1	54	19.0	12.9-25.1	100	46.4	37.4-55.4
H.S. or G.E.D.	742	113,934	109	16.7	13.0-20.4	37	4.4	02.6-06.2	198	21.2	17.7-24.7	398	57.8	52.9-62.7
Some Post-H.S.	629	114,577	65	9.6	06.7-12.5	28	4.0	02.2-05.8	179	22.9	18.8-27.0	357	63.5	58.6-68.4
College Graduate	868	101,092	46	4.4	02.6-06.2	26	3.3	01.5-05.1	234	21.4	18.3-24.5	562	70.8	67.1-74.5
Less than \$15,000	224	32,239	42	24.6	16.0-33.2	21	8.3	04.0-12.6	55	16.4	10.7-22.1	106	50.7	41.3-60.1
\$15,000- 24,999	393	61,265	55	15.2	09.9-20.5	24	7.8	03.7-11.9	97	18.1	13.6-22.6	217	59.0	52.1-65.9
\$25,000- 34,999	250	35,837	37	18.3	11.0-25.6	13	5.2	01.7-08.7	68	17.8	12.7-22.9	132	58.7	50.3-67.1
\$35,000- 49,999	263	38,841	22	11.5	05.2-17.8	14	5.0	01.5-08.5	72	22.3	16.2-28.4	155	61.2	53.4-69.0
\$50,000- 74,999	320	48,019	27	11.1	05.6-16.6	6	1.5	00.1-02.9	91	27.3	21.2-33.4	196	60.1	53.0-67.2
\$75,000+	554	90,785	33	4.5	02.5-06.5	16	2.4	01.0-03.8	155	23.9	19.4-28.4	350	69.2	64.1-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4148	706,955	3493	80.1	78.1-82.1	655	19.9	17.9-21.9
Male	1689	336,429	1402	76.5	73.2-79.8	287	23.5	20.2-26.8
Female	2459	370,526	2091	83.4	81.2-85.6	368	16.6	14.4-18.8
White/Non-Hisp	2820	464,513	2361	78.0	75.6-80.4	459	22.0	19.6-24.4
Black or Afr. Am./Non-Hisp	582	139,451	484	82.9	78.6-87.2	98	17.1	12.8-21.4
Oth. Race/Non-Hisp.	113	26,236	96	81.8	68.9-94.7	17	18.2	05.3-31.1
MultiRacial/Non-Hisp.	315	10,196	269	79.1	71.1-87.1	46	20.9	12.9-28.9
Hispanic	238	52,879	213	89.9	85.6-94.2	25	10.1	05.8-14.4
18-24	168	87,485	127	75.2	67.6-82.8	41	24.8	17.2-32.4
25-34	349	115,887	267	71.1	64.6-77.6	82	28.9	22.4-35.4
35-44	413	108,193	339	81.3	76.6-86.0	74	18.7	14.0-23.4
45-54	701	122,949	544	77.5	73.6-81.4	157	22.5	18.6-26.4
55-64	952	117,725	787	81.9	78.6-85.2	165	18.1	14.8-21.4
65+	1504	147,842	1374	89.4	87.0-91.8	130	10.6	08.2-13.0
Less Than H.S.	386	91,672	272	59.7	52.6-66.8	114	40.3	33.2-47.4
H.S. or G.E.D.	1240	224,278	982	75.6	71.9-79.3	258	24.4	20.7-28.1
Some Post-H.S.	1009	205,233	855	84.7	81.6-87.8	154	15.3	12.2-18.4
College Graduate	1499	183,579	1373	91.0	88.8-93.2	126	9.0	06.8-11.2
Less than \$15,000	338	57,410	235	59.6	51.2-68.0	103	40.4	32.0-48.8
\$15,000- 24,999	636	106,739	491	75.0	70.1-79.9	145	25.0	20.1-29.9
\$25,000- 34,999	366	57,292	289	73.6	66.9-80.3	77	26.4	19.7-33.1
\$35,000- 49,999	494	84,747	419	79.5	74.0-85.0	75	20.5	15.0-26.0
\$50,000- 74,999	552	86,460	488	84.9	80.4-89.4	64	15.1	10.6-19.6
\$75,000+	1080	203,859	979	87.4	84.1-90.7	101	12.6	09.3-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	336,429	1402	76.5	73.2-79.8	287	23.5	20.2-26.8
White/Non-Hisp	1168	219,886	976	75.7	71.8-79.6	192	24.3	20.4-28.2
Black or Afr. Am./Non-Hisp	201	63,508	158	75.4	67.2-83.6	43	24.6	16.4-32.8
MultiRacial/Non-Hisp.	124	4,353	102	71.0	55.5-86.5	22	29.0	13.5-44.5
Hispanic	107	27,110	90	84.6	77.2-92.0	17	15.4	08.0-22.8
18-24	70	42,320	47	66.7	54.4-79.0	23	33.3	21.0-45.6
25-34	133	58,653	93	62.3	51.7-72.9	40	37.7	27.1-48.3
35-44	178	53,254	147	81.1	73.8-88.4	31	18.9	11.6-26.2
45-54	293	58,934	222	76.0	69.7-82.3	71	24.0	17.7-30.3
55-64	390	55,455	323	79.7	74.2-85.2	67	20.3	14.8-25.8
65+	609	65,513	555	88.8	85.1-92.5	54	11.2	07.5-14.9
Less Than H.S.	176	51,305	118	55.3	45.1-65.5	58	44.7	34.5-54.9
H.S. or G.E.D.	498	110,344	386	72.2	66.1-78.3	112	27.8	21.7-33.9
Some Post-H.S.	380	90,655	319	82.5	77.0-88.0	61	17.5	12.0-23.0
College Graduate	631	82,487	577	89.5	85.6-93.4	54	10.5	06.6-14.4
Less than \$15,000	114	25,171	74	49.9	35.8-64.0	40	50.1	36.0-64.2
\$15,000- 24,999	243	45,475	177	72.3	64.7-79.9	66	27.7	20.1-35.3
\$25,000- 34,999	116	21,454	89	68.7	56.4-81.0	27	31.3	19.0-43.6
\$35,000- 49,999	231	45,907	192	76.0	67.6-84.4	39	24.0	15.6-32.4
\$50,000- 74,999	232	38,442	201	81.9	74.3-89.5	31	18.1	10.5-25.7
\$75,000+	526	113,074	474	82.7	77.0-88.4	52	17.3	11.6-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	370,526	2091	83.4	81.2-85.6	368	16.6	14.4-18.8
White/Non-Hisp	1652	244,627	1385	80.2	77.5-82.9	267	19.8	17.1-22.5
Black or Afr. Am./Non-Hisp	381	75,944	326	89.1	85.4-92.8	55	10.9	07.2-14.6
Oth. Race/Non-Hisp.	66	14,049	55	82.1	69.0-95.2	11	17.9	04.8-31.0
MultiRacial/Non-Hisp.	191	5,844	167	85.1	78.2-92.0	24	14.9	08.0-21.8
Hispanic	131	25,770	123	95.5	91.6-99.4	8	4.5	00.6-08.4
18-24	98	45,165	80	83.1	74.5-91.7	18	16.9	08.3-25.5
25-34	216	57,234	174	80.1	73.8-86.4	42	19.9	13.6-26.2
35-44	235	54,939	192	81.5	75.6-87.4	43	18.5	12.6-24.4
45-54	408	64,015	322	78.9	74.0-83.8	86	21.1	16.2-26.0
55-64	562	62,270	464	83.8	79.9-87.7	98	16.2	12.3-20.1
65+	895	82,329	819	89.9	86.8-93.0	76	10.1	07.0-13.2
Less Than H.S.	210	40,367	154	65.4	56.2-74.6	56	34.6	25.4-43.8
H.S. or G.E.D.	742	113,934	596	78.9	74.8-83.0	146	21.1	17.0-25.2
Some Post-H.S.	629	114,577	536	86.4	83.1-89.7	93	13.6	10.3-16.9
College Graduate	868	101,092	796	92.2	89.8-94.6	72	7.8	05.4-10.2
Less than \$15,000	224	32,239	161	67.1	58.1-76.1	63	32.9	23.9-41.9
\$15,000- 24,999	393	61,265	314	77.0	70.7-83.3	79	23.0	16.7-29.3
\$25,000- 34,999	250	35,837	200	76.5	68.9-84.1	50	23.5	15.9-31.1
\$35,000- 49,999	263	38,841	227	83.5	76.6-90.4	36	16.5	09.6-23.4
\$50,000- 74,999	320	48,019	287	87.4	81.9-92.9	33	12.6	07.1-18.1
\$75,000+	554	90,785	505	93.1	90.6-95.6	49	6.9	04.4-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	97
2	MALES ONLY	98
3	FEMALES ONLY	99
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	100
5	MALES ONLY	101
6	FEMALES ONLY	102
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7	MALES AND FEMALES	103
8	MALES ONLY	104
9	FEMALES ONLY	105
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10	MALES AND FEMALES	106
11	MALES ONLY	107
12	FEMALES ONLY	108
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13	MALES AND FEMALES	109
14	MALES ONLY	110
15	FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16	MALES AND FEMALES	112
17	MALES ONLY	113
18	FEMALES ONLY	114
	ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
19	MALES ONLY	115
	ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)	
20	FEMALES ONLY	116

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	701,153	2068	52.9	50.7-55.1	2058	47.1	44.9-49.3
Male	1673	332,665	956	59.5	56.0-63.0	717	40.5	37.0-44.0
Female	2453	368,488	1112	46.9	44.2-49.6	1341	53.1	50.4-55.8
White/Non-Hisp	2807	461,365	1537	57.7	55.2-60.2	1270	42.3	39.8-44.8
Black or Afr. Am./Non-Hisp	583	137,707	211	44.2	38.3-50.1	372	55.8	49.9-61.7
Oth. Race/Non-Hisp.	111	26,092	47	39.7	26.2-53.2	64	60.3	46.8-73.8
MultiRacial/Non-Hisp.	313	10,144	152	50.4	42.4-58.4	161	49.6	41.6-57.6
Hispanic	235	52,586	85	40.9	33.1-48.7	150	59.1	51.3-66.9
18-24	165	85,175	91	57.3	48.1-66.5	74	42.7	33.5-51.9
25-34	346	114,824	179	53.9	47.2-60.6	167	46.1	39.4-52.8
35-44	410	107,029	231	57.4	51.5-63.3	179	42.6	36.7-48.5
45-54	697	122,576	393	58.2	53.3-63.1	304	41.8	36.9-46.7
55-64	950	117,726	502	52.5	48.6-56.4	448	47.5	43.6-51.4
65+	1499	147,224	653	43.2	40.1-46.3	846	56.8	53.7-59.9
Less Than H.S.	384	90,882	78	23.8	17.7-29.9	306	76.2	70.1-82.3
H.S. or G.E.D.	1228	220,509	521	47.5	43.4-51.6	707	52.5	48.4-56.6
Some Post-H.S.	1003	204,852	500	58.0	53.7-62.3	503	42.0	37.7-46.3
College Graduate	1495	182,566	965	68.1	65.0-71.2	530	31.9	28.8-35.0
Less than \$15,000	337	57,408	81	30.0	22.0-38.0	256	70.0	62.0-78.0
\$15,000- 24,999	634	106,011	222	38.8	33.1-44.5	412	61.2	55.5-66.9
\$25,000- 34,999	362	56,851	161	46.0	38.9-53.1	201	54.0	46.9-61.1
\$35,000- 49,999	492	84,177	230	50.2	43.9-56.5	262	49.8	43.5-56.1
\$50,000- 74,999	555	87,194	332	60.6	55.1-66.1	223	39.4	33.9-44.9
\$75,000+	1082	203,841	785	71.4	67.3-75.5	297	28.6	24.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1673	332,665	956	59.5	56.0-63.0	717	40.5	37.0-44.0
White/Non-Hisp	1156	217,389	714	63.7	59.6-67.8	442	36.3	32.2-40.4
Black or Afr. Am./Non-Hisp	201	62,864	86	49.7	40.1-59.3	115	50.3	40.7-59.9
MultiRacial/Non-Hisp.	125	4,369	61	53.7	40.2-67.2	64	46.3	32.8-59.8
Hispanic	105	26,832	50	52.8	41.4-64.2	55	47.2	35.8-58.6
18-24	68	41,169	41	63.8	50.7-76.9	27	36.2	23.1-49.3
25-34	131	57,792	80	63.7	53.7-73.7	51	36.3	26.3-46.3
35-44	176	52,493	113	65.1	56.5-73.7	63	34.9	26.3-43.5
45-54	290	58,395	180	62.4	54.4-70.4	110	37.6	29.6-45.6
55-64	387	55,317	232	58.9	52.6-65.2	155	41.1	34.8-47.4
65+	604	65,097	303	47.4	42.1-52.7	301	52.6	47.3-57.9
Less Than H.S.	175	50,600	50	32.7	22.9-42.5	125	67.3	57.5-77.1
H.S. or G.E.D.	491	108,551	258	57.2	50.9-63.5	233	42.8	36.5-49.1
Some Post-H.S.	375	90,478	217	64.7	57.6-71.8	158	35.3	28.2-42.4
College Graduate	627	81,293	428	73.2	68.9-77.5	199	26.8	22.5-31.1
Less than \$15,000	114	25,171	30	32.8	19.1-46.5	84	67.2	53.5-80.9
\$15,000- 24,999	241	44,825	92	40.3	31.5-49.1	149	59.7	50.9-68.5
\$25,000- 34,999	111	20,917	57	55.5	42.8-68.2	54	44.5	31.8-57.2
\$35,000- 49,999	231	45,623	120	56.6	47.4-65.8	111	43.4	34.2-52.6
\$50,000- 74,999	233	38,951	140	63.3	54.9-71.7	93	36.7	28.3-45.1
\$75,000+	526	113,064	408	76.9	71.0-82.8	118	23.1	17.2-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2453	368,488	1112	46.9	44.2-49.6	1341	53.1	50.4-55.8
White/Non-Hisp	1651	243,976	823	52.4	49.3-55.5	828	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	382	74,843	125	39.5	32.2-46.8	257	60.5	53.2-67.8
Oth. Race/Non-Hisp.	66	14,049	24	24.4	11.9-36.9	42	75.6	63.1-88.1
MultiRacial/Non-Hisp.	188	5,775	91	47.9	38.5-57.3	97	52.1	42.7-61.5
Hispanic	130	25,753	35	28.5	18.7-38.3	95	71.5	61.7-81.3
18-24	97	44,007	50	51.3	38.8-63.8	47	48.7	36.2-61.2
25-34	215	57,033	99	44.0	36.2-51.8	116	56.0	48.2-63.8
35-44	234	54,536	118	50.0	42.4-57.6	116	50.0	42.4-57.6
45-54	407	64,181	213	54.3	48.2-60.4	194	45.7	39.6-51.8
55-64	563	62,410	270	46.9	41.8-52.0	293	53.1	48.0-58.2
65+	895	82,127	350	39.8	35.7-43.9	545	60.2	56.1-64.3
Less Than H.S.	209	40,282	28	12.6	07.5-17.7	181	87.4	82.3-92.5
H.S. or G.E.D.	737	111,959	263	38.1	33.2-43.0	474	61.9	57.0-66.8
Some Post-H.S.	628	114,374	283	52.7	47.2-58.2	345	47.3	41.8-52.8
College Graduate	868	101,274	537	64.0	59.7-68.3	331	36.0	31.7-40.3
Less than \$15,000	223	32,236	51	27.8	18.4-37.2	172	72.2	62.8-81.6
\$15,000- 24,999	393	61,186	130	37.7	30.3-45.1	263	62.3	54.9-69.7
\$25,000- 34,999	251	35,933	104	40.4	32.2-48.6	147	59.6	51.4-67.8
\$35,000- 49,999	261	38,554	110	42.7	34.7-50.7	151	57.3	49.3-65.3
\$50,000- 74,999	322	48,244	192	58.4	51.1-65.7	130	41.6	34.3-48.9
\$75,000+	556	90,777	377	64.5	58.6-70.4	179	35.5	29.6-41.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	701,153	1231	33.0	30.8-35.2	393	10.3	08.9-11.7	153	3.7	02.9-04.5	291	5.9	04.9-06.9	2058	47.1	44.9-49.3
Male	1673	332,665	507	35.0	31.7-38.3	197	12.3	10.1-14.5	81	3.9	02.7-05.1	171	8.2	06.2-10.2	717	40.5	37.0-44.0
Female	2453	368,488	724	31.2	28.7-33.7	196	8.5	06.9-10.1	72	3.4	02.4-04.4	120	3.9	02.9-04.9	1341	53.1	50.4-55.8
White/Non-Hisp	2807	461,365	865	33.6	31.1-36.1	308	12.4	10.6-14.2	127	4.8	03.8-05.8	237	7.0	05.8-08.2	1270	42.3	39.8-44.8
Black or Afr. Am./Non-Hisp	583	137,707	156	33.1	27.4-38.8	30	6.3	03.4-09.2	8	1.4	00.0-02.8	17	3.4	01.0-05.8	372	55.8	49.9-61.7
Oth. Race/Non-Hisp.	111	26,092	36	29.9	18.3-41.5	6	2.6	00.1-05.1	2	0.4	00.0-01.0	3	6.8	00.0-18.8	64	60.3	46.8-73.8
MultiRacial/Non-Hisp.	313	10,144	86	26.4	19.9-32.9	32	10.3	05.6-15.0	11	8.1	01.4-14.8	23	5.6	02.9-08.3	161	49.6	41.6-57.6
Hispanic	235	52,586	65	29.6	22.5-36.7	11	6.3	01.8-10.8	2	1.0	00.0-02.6	7	4.0	00.3-07.7	150	59.1	51.3-66.9
18-24	165	85,175	62	39.4	30.4-48.4	17	11.7	05.4-18.0	8	4.3	01.2-07.4	4	1.9	00.0-03.9	74	42.7	33.5-51.9
25-34	346	114,824	119	35.7	29.4-42.0	41	10.3	06.6-14.0	8	2.1	00.3-03.9	11	5.9	01.8-10.0	167	46.1	39.4-52.8
35-44	410	107,029	156	37.6	31.7-43.5	45	12.5	08.4-16.6	20	4.5	02.1-06.9	10	2.7	00.7-04.7	179	42.6	36.7-48.5
45-54	697	122,576	249	36.6	31.9-41.3	71	10.7	07.8-13.6	32	4.6	02.8-06.4	41	6.3	03.8-08.8	304	41.8	36.9-46.7
55-64	950	117,726	294	30.7	27.0-34.4	101	11.0	08.6-13.4	39	3.9	02.5-05.3	68	7.0	05.0-09.0	448	47.5	43.6-51.4
65+	1499	147,224	339	23.1	20.4-25.8	115	7.3	05.7-08.9	45	3.1	02.1-04.1	154	9.7	07.9-11.5	846	56.8	53.7-59.9
Less Than H.S.	384	90,882	46	14.1	08.8-19.4	16	5.8	02.5-09.1				16	3.9	01.4-06.4	306	76.2	70.1-82.3
H.S. or G.E.D.	1228	220,509	322	30.8	27.1-34.5	93	8.0	06.0-10.0	35	2.8	01.6-04.0	71	5.8	03.4-08.2	707	52.5	48.4-56.6
Some Post-H.S.	1003	204,852	322	38.5	34.0-43.0	84	10.6	07.7-13.5	31	3.7	02.1-05.3	63	5.2	03.4-07.0	503	42.0	37.7-46.3
College Graduate	1495	182,566	540	39.0	35.7-42.3	199	14.7	12.2-17.2	87	6.5	04.9-08.1	139	7.9	06.1-09.7	530	31.9	28.8-35.0
Less than \$15,000	337	57,408	60	23.3	15.7-30.9	8	4.2	00.1-08.3	2	0.4	00.0-01.0	11	2.2	00.6-03.8	256	70.0	62.0-78.0
\$15,000- 24,999	634	106,011	146	26.4	21.1-31.7	30	4.8	02.1-07.5	13	4.4	01.5-07.3	33	3.1	01.9-04.3	412	61.2	55.5-66.9
\$25,000- 34,999	362	56,851	98	26.3	20.4-32.2	33	9.7	05.4-14.0	10	3.7	01.0-06.4	20	6.3	03.0-09.6	201	54.0	46.9-61.1
\$35,000- 49,999	492	84,177	144	33.7	27.4-40.0	44	9.2	05.5-12.9	10	1.7	00.3-03.1	32	5.6	02.3-08.9	262	49.8	43.5-56.1
\$50,000- 74,999	555	87,194	192	38.1	32.6-43.6	66	13.5	09.2-17.8	28	3.8	02.0-05.6	46	5.3	03.1-07.5	223	39.4	33.9-44.9
\$75,000+	1082	203,841	428	40.1	35.8-44.4	171	16.4	13.3-19.5	73	5.7	04.1-07.3	113	9.2	06.7-11.7	297	28.6	24.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1673	332,665	507	35.0	31.7-38.3	197	12.3	10.1-14.5	81	3.9	02.7-05.1	171	8.2	06.2-10.2	717	40.5	37.0-44.0
White/Non-Hisp	1156	217,389	357	35.0	30.9-39.1	150	14.1	11.4-16.8	68	5.5	03.9-07.1	139	9.0	07.0-11.0	442	36.3	32.2-40.4
Black or Afr. Am./Non-Hisp	201	62,864	56	33.8	24.6-43.0	18	9.9	04.0-15.8	2	0.3	00.0-00.7	10	5.7	00.6-10.8	115	50.3	40.7-59.9
MultiRacial/Non-Hisp.	125	4,369	27	16.0	08.6-23.4	15	13.9	04.5-23.3	7	15.7	01.4-30.0	12	8.1	02.6-13.6	64	46.3	32.8-59.8
Hispanic	105	26,832	35	36.7	25.5-47.9	7	7.9	01.2-14.6	1	0.4	00.0-01.2	7	7.8	00.7-14.9	55	47.2	35.8-58.6
18-24	68	41,169	25	41.1	27.4-54.8	8	14.4	04.2-24.6	4	4.4	00.0-09.3	4	3.9	00.0-08.0	27	36.2	23.1-49.3
25-34	131	57,792	50	41.2	30.8-51.6	18	11.2	05.3-17.1	6	2.6	00.1-05.1	6	8.7	01.1-16.3	51	36.3	26.3-46.3
35-44	176	52,493	72	40.7	31.5-49.9	23	15.6	08.9-22.3	10	4.0	01.3-06.7	8	4.9	01.0-08.8	63	34.9	26.3-43.5
45-54	290	58,395	106	37.3	30.0-44.6	35	11.8	07.5-16.1	12	4.5	01.8-07.2	27	8.8	04.5-13.1	110	37.6	29.6-45.6
55-64	387	55,317	115	30.5	24.8-36.2	51	13.4	09.3-17.5	23	5.1	02.9-07.3	43	10.0	06.7-13.3	155	41.1	34.8-47.4
65+	604	65,097	134	23.0	18.7-27.3	60	9.2	06.5-11.9	26	3.5	02.1-04.9	83	11.6	08.7-14.5	301	52.6	47.3-57.9
Less Than H.S.	175	50,600	25	17.8	09.4-26.2	13	9.2	03.5-14.9				12	5.8	01.5-10.1	125	67.3	57.5-77.1
H.S. or G.E.D.	491	108,551	147	36.1	30.0-42.2	50	10.0	06.7-13.3	20	3.2	01.4-05.0	41	7.9	03.8-12.0	233	42.8	36.5-49.1
Some Post-H.S.	375	90,478	120	40.5	33.1-47.9	45	13.3	08.2-18.4	12	2.7	00.5-04.9	40	8.2	04.9-11.5	158	35.3	28.2-42.4
College Graduate	627	81,293	214	38.4	33.3-43.5	88	15.7	11.6-19.8	49	8.8	05.9-11.7	77	10.2	07.3-13.1	199	26.8	22.5-31.1
Less than \$15,000	114	25,171	19	23.4	10.9-35.9	2	4.8	00.0-12.6				9	4.6	00.9-08.3	84	67.2	53.5-80.9
\$15,000- 24,999	241	44,825	55	26.1	18.5-33.7	16	7.0	01.3-12.7	6	4.4	00.1-08.7	15	2.8	01.0-04.6	149	59.7	50.9-68.5
\$25,000- 34,999	111	20,917	28	23.8	13.8-33.8	16	19.8	09.4-30.2	3	3.2	00.0-08.3	10	8.6	02.7-14.5	54	44.5	31.8-57.2
\$35,000- 49,999	231	45,623	68	35.7	26.3-45.1	22	10.0	04.5-15.5	7	2.3	00.1-04.5	23	8.6	02.5-14.7	111	43.4	34.2-52.6
\$50,000- 74,999	233	38,951	70	35.8	27.0-44.6	30	16.0	08.2-23.8	16	4.4	01.9-06.9	24	7.1	03.0-11.2	93	36.7	28.3-45.1
\$75,000+	526	113,064	200	41.7	35.4-48.0	93	16.8	12.7-20.9	42	6.1	03.9-08.3	73	12.2	08.1-16.3	118	23.1	17.2-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2453	368,488	724	31.2	28.7-33.7	196	8.5	06.9-10.1	72	3.4	02.4-04.4	120	3.9	02.9-04.9	1341	53.1	50.4-55.8
White/Non-Hisp	1651	243,976	508	32.3	29.4-35.2	158	10.8	08.6-13.0	59	4.1	02.7-05.5	98	5.2	04.0-06.4	828	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	382	74,843	100	32.5	25.4-39.6	12	3.3	00.9-05.7	6	2.2	00.0-04.6	7	1.5	00.1-02.9	257	60.5	53.2-67.8
Oth. Race/Non-Hisp.	66	14,049	18	21.8	09.6-34.0	3	1.8	00.0-04.0	1	0.2	00.0-00.6	2	0.7	00.0-01.7	42	75.6	63.1-88.1
MultiRacial/Non-Hisp.	188	5,775	59	34.2	25.2-43.2	17	7.6	03.5-11.7	4	2.4	00.0-04.9	11	3.7	01.3-06.1	97	52.1	42.7-61.5
Hispanic	130	25,753	30	22.1	13.7-30.5	4	4.7	00.0-11.2	1	1.6	00.0-04.7				95	71.5	61.7-81.3
18-24	97	44,007	37	37.8	25.6-50.0	9	9.3	02.2-16.4	4	4.2	00.0-08.5				47	48.7	36.2-61.2
25-34	215	57,033	69	30.1	23.0-37.2	23	9.4	05.1-13.7	2	1.5	00.0-04.2	5	3.0	00.1-05.9	116	56.0	48.2-63.8
35-44	234	54,536	84	34.7	27.6-41.8	22	9.5	04.8-14.2	10	5.1	01.4-08.8	2	0.7	00.0-01.7	116	50.0	42.4-57.6
45-54	407	64,181	143	35.9	30.2-41.6	36	9.8	05.9-13.7	20	4.6	02.2-07.0	14	4.0	01.3-06.7	194	45.7	39.6-51.8
55-64	563	62,410	179	30.8	26.1-35.5	50	8.8	06.1-11.5	16	2.8	01.4-04.2	25	4.5	02.5-06.5	293	53.1	48.0-58.2
65+	895	82,127	205	23.1	19.8-26.4	55	5.8	04.0-07.6	19	2.8	01.4-04.2	71	8.2	06.0-10.4	545	60.2	56.1-64.3
Less Than H.S.	209	40,282	21	9.6	04.9-14.3	3	1.5	00.0-03.5				4	1.5	00.0-03.1	181	87.4	82.3-92.5
H.S. or G.E.D.	737	111,959	175	25.7	21.4-30.0	43	6.1	03.7-08.5	15	2.4	00.8-04.0	30	3.8	02.0-05.6	474	61.9	57.0-66.8
Some Post-H.S.	628	114,374	202	37.0	31.5-42.5	39	8.5	05.0-12.0	19	4.4	01.9-06.9	23	2.8	01.2-04.4	345	47.3	41.8-52.8
College Graduate	868	101,274	326	39.4	35.1-43.7	111	13.8	10.7-16.9	38	4.7	02.9-06.5	62	6.0	04.0-08.0	331	36.0	31.7-40.3
Less than \$15,000	223	32,236	41	23.3	14.1-32.5	6	3.6	00.0-07.3	2	0.6	00.0-01.6	2	0.2	00.0-00.6	172	72.2	62.8-81.6
\$15,000- 24,999	393	61,186	91	26.6	19.5-33.7	14	3.2	01.0-05.4	7	4.4	00.5-08.3	18	3.4	01.6-05.2	263	62.3	54.9-69.7
\$25,000- 34,999	251	35,933	70	27.7	20.4-35.0	17	3.8	01.6-06.0	7	4.0	00.7-07.3	10	5.0	00.9-09.1	147	59.6	51.4-67.8
\$35,000- 49,999	261	38,554	76	31.4	24.0-38.8	22	8.3	03.6-13.0	3	0.9	00.0-02.1	9	2.0	00.6-03.4	151	57.3	49.3-65.3
\$50,000- 74,999	322	48,244	122	40.0	32.9-47.1	36	11.4	06.9-15.9	12	3.3	00.9-05.7	22	3.8	01.8-05.8	130	41.6	34.3-48.9
\$75,000+	556	90,777	228	38.0	32.5-43.5	78	16.0	11.3-20.7	31	5.1	02.7-07.5	40	5.4	03.4-07.4	179	35.5	29.6-41.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4101	696,132	3663	84.3	82.5-86.1	438	15.7	13.9-17.5
Male	1659	329,568	1417	79.0	75.9-82.1	242	21.0	17.9-24.1
Female	2442	366,564	2246	89.2	87.2-91.2	196	10.8	08.8-12.8
White/Non-Hisp	2793	459,288	2473	82.7	80.5-84.9	320	17.3	15.1-19.5
Black or Afr. Am./Non-Hisp	579	135,585	541	91.1	87.4-94.8	38	8.9	05.2-12.6
Oth. Race/Non-Hisp.	111	26,092	101	87.2	74.1-0100	10	12.8	00.0-25.9
MultiRacial/Non-Hisp.	311	10,112	276	83.3	75.7-90.9	35	16.7	09.1-24.3
Hispanic	232	52,118	205	83.4	76.5-90.3	27	16.6	09.7-23.5
18-24	162	84,229	114	71.5	63.3-79.7	48	28.5	20.3-36.7
25-34	344	113,218	268	76.0	70.1-81.9	76	24.0	18.1-29.9
35-44	408	106,375	347	80.9	75.6-86.2	61	19.1	13.8-24.4
45-54	692	121,930	587	84.3	81.0-87.6	105	15.7	12.4-19.0
55-64	945	117,153	854	89.6	87.1-92.1	91	10.4	07.9-12.9
65+	1492	146,654	1436	95.8	94.6-97.0	56	4.2	03.0-05.4
Less Than H.S.	381	90,285	351	89.0	83.9-94.1	30	11.0	05.9-16.1
H.S. or G.E.D.	1220	218,058	1084	82.9	79.6-86.2	136	17.1	13.8-20.4
Some Post-H.S.	998	203,388	891	83.9	80.2-87.6	107	16.1	12.4-19.8
College Graduate	1487	182,085	1324	84.5	82.0-87.0	163	15.5	13.0-18.0
Less than \$15,000	335	57,124	305	85.3	78.4-92.2	30	14.7	07.8-21.6
\$15,000- 24,999	629	105,420	574	87.7	83.2-92.2	55	12.3	07.8-16.8
\$25,000- 34,999	362	56,851	315	82.1	76.6-87.6	47	17.9	12.4-23.4
\$35,000- 49,999	485	81,966	441	88.0	83.7-92.3	44	12.0	07.7-16.3
\$50,000- 74,999	552	86,879	496	88.3	84.6-92.0	56	11.7	08.0-15.4
\$75,000+	1081	203,744	914	77.0	72.9-81.1	167	23.0	18.9-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1659	329,568	1417	79.0	75.9-82.1	242	21.0	17.9-24.1
White/Non-Hisp	1148	216,263	965	76.6	72.9-80.3	183	23.4	19.7-27.1
Black or Afr. Am./Non-Hisp	199	61,376	183	89.9	83.6-96.2	16	10.1	03.8-16.4
MultiRacial/Non-Hisp.	124	4,353	106	75.6	60.9-90.3	18	24.4	09.7-39.1
Hispanic	102	26,365	85	78.6	68.0-89.2	17	21.4	10.8-32.0
18-24	67	40,676	42	64.4	51.5-77.3	25	35.6	22.7-48.5
25-34	129	56,186	90	66.9	56.9-76.9	39	33.1	23.1-43.1
35-44	176	52,493	137	74.3	65.7-82.9	39	25.7	17.1-34.3
45-54	288	58,229	232	79.4	73.5-85.3	56	20.6	14.7-26.5
55-64	382	54,743	329	86.6	82.5-90.7	53	13.4	09.3-17.5
65+	600	64,837	571	95.0	92.8-97.2	29	5.0	02.8-07.2
Less Than H.S.	172	50,003	154	84.2	75.6-92.8	18	15.8	07.2-24.4
H.S. or G.E.D.	487	106,615	401	74.9	69.0-80.8	86	25.1	19.2-31.0
Some Post-H.S.	374	90,302	316	79.2	72.9-85.5	58	20.8	14.5-27.1
College Graduate	621	80,904	543	81.5	77.0-86.0	78	18.5	14.0-23.0
Less than \$15,000	114	25,171	97	74.5	60.8-88.2	17	25.5	11.8-39.2
\$15,000- 24,999	238	44,669	213	86.9	79.6-94.2	25	13.1	05.8-20.4
\$25,000- 34,999	111	20,917	90	74.1	62.9-85.3	21	25.9	14.7-37.1
\$35,000- 49,999	227	44,105	199	84.4	77.7-91.1	28	15.6	08.9-22.3
\$50,000- 74,999	230	38,636	201	85.5	79.2-91.8	29	14.5	08.2-20.8
\$75,000+	525	112,968	421	70.4	64.1-76.7	104	29.6	23.3-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2442	366,564	2246	89.2	87.2-91.2	196	10.8	08.8-12.8
White/Non-Hisp	1645	243,025	1508	88.1	85.7-90.5	137	11.9	09.5-14.3
Black or Afr. Am./Non-Hisp	380	74,209	358	92.1	87.6-96.6	22	7.9	03.4-12.4
Oth. Race/Non-Hisp.	66	14,049	59	95.4	91.3-99.5	7	4.6	00.5-08.7
MultiRacial/Non-Hisp.	187	5,759	170	89.1	83.0-95.2	17	10.9	04.8-17.0
Hispanic	130	25,753	120	88.4	80.0-96.8	10	11.6	03.2-20.0
18-24	95	43,554	72	78.1	68.1-88.1	23	21.9	11.9-31.9
25-34	215	57,033	178	85.0	79.7-90.3	37	15.0	09.7-20.3
35-44	232	53,882	210	87.4	81.7-93.1	22	12.6	06.9-18.3
45-54	404	63,701	355	88.7	85.2-92.2	49	11.3	07.8-14.8
55-64	563	62,410	525	92.3	89.6-95.0	38	7.7	05.0-10.4
65+	892	81,818	865	96.5	94.9-98.1	27	3.5	01.9-05.1
Less Than H.S.	209	40,282	197	95.0	91.9-98.1	12	5.0	01.9-08.1
H.S. or G.E.D.	733	111,443	683	90.5	87.4-93.6	50	9.5	06.4-12.6
Some Post-H.S.	624	113,087	575	87.7	83.2-92.2	49	12.3	07.8-16.8
College Graduate	866	101,181	781	86.9	83.8-90.0	85	13.1	10.0-16.2
Less than \$15,000	221	31,953	208	93.9	89.6-98.2	13	6.1	01.8-10.4
\$15,000- 24,999	391	60,751	361	88.3	82.6-94.0	30	11.7	06.0-17.4
\$25,000- 34,999	251	35,933	225	86.8	81.3-92.3	26	13.2	07.7-18.7
\$35,000- 49,999	258	37,861	242	92.2	87.5-96.9	16	7.8	03.1-12.5
\$50,000- 74,999	322	48,244	295	90.5	86.2-94.8	27	9.5	05.2-13.8
\$75,000+	556	90,777	493	85.1	80.4-89.8	63	14.9	10.2-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4089	693,468	1567	40.9	38.7-43.1	344	8.2	07.0-09.4	99	2.6	02.0-03.2	13	0.3	00.1-00.5	8	0.3	00.1-00.5	2058	47.7	45.5-49.9
Male	1651	328,029	654	43.2	39.7-46.7	198	10.8	08.6-13.0	67	3.9	02.7-05.1	10	0.6	00.2-01.0	5	0.3	00.0-00.7	717	41.1	37.6-44.6
Female	2438	365,439	913	38.7	36.0-41.4	146	5.9	04.7-07.1	32	1.5	00.9-02.1	3	0.1	00.1-00.1	3	0.3	00.0-00.7	1341	53.5	50.8-56.2
White/Non-Hisp	2786	458,091	1139	43.7	41.2-46.2	289	9.7	08.3-11.1	72	3.3	02.3-04.3	9	0.3	00.1-00.5	7	0.4	00.0-00.8	1270	42.6	40.1-45.1
Black or Afr. Am./Non-Hisp	577	135,977	173	36.8	30.9-42.7	20	5.2	02.1-08.3	9	1.2	00.2-02.2	2	0.2	00.0-00.4	1	0.1	00.0-00.3	372	56.5	50.4-62.6
Oth. Race/Non-Hisp.	109	25,501	42	31.1	19.5-42.7	3	7.1	00.0-19.3										64	61.7	48.0-75.4
MultiRacial/Non-Hisp.	313	10,144	118	36.2	28.9-43.5	20	5.3	02.8-07.8	13	5.7	01.8-09.6	1	3.3	00.0-09.6				161	49.6	41.6-57.6
Hispanic	232	51,539	71	33.6	26.0-41.2	5	3.5	00.4-06.6	5	2.0	00.0-04.2	1	0.5	00.0-01.5				150	60.3	52.5-68.1
18-24	162	83,742	67	44.5	35.1-53.9	11	6.7	02.4-11.0	7	3.6	00.9-06.3	1	0.4	00.0-01.2	2	1.5	00.0-03.7	74	43.4	34.2-52.6
25-34	343	113,540	137	39.7	33.2-46.2	30	10.5	05.8-15.2	8	3.2	00.8-05.6	1	0.1	00.0-00.3				167	46.6	39.9-53.3
35-44	407	105,671	193	48.3	42.2-54.4	20	5.3	02.6-08.0	13	2.8	01.0-04.6				2	0.4	00.0-01.0	179	43.2	37.3-49.1
45-54	690	120,638	310	45.8	40.9-50.7	56	9.1	06.4-11.8	16	2.0	00.8-03.2	3	0.6	00.0-01.4	1	0.0	00.0-00.0	304	42.5	37.6-47.4
55-64	948	117,597	382	40.4	36.5-44.3	84	8.6	06.4-10.8	29	3.0	01.8-04.2	2	0.2	00.0-00.4	3	0.3	00.0-00.7	448	47.5	43.6-51.4
65+	1482	145,792	464	31.4	28.5-34.3	140	8.8	07.2-10.4	26	1.8	01.0-02.6	6	0.6	00.0-01.2				846	57.4	54.3-60.5
Less Than H.S.	379	89,578	51	15.7	10.2-21.2	9	2.8	00.3-05.3	9	2.9	00.7-05.1	2	0.5	00.0-01.1	2	0.9	00.0-02.3	306	77.3	71.2-83.4
H.S. or G.E.D.	1216	218,517	384	35.8	31.9-39.7	83	7.3	04.9-09.7	36	3.2	01.8-04.6	3	0.4	00.0-00.8	3	0.4	00.0-01.0	707	53.0	48.9-57.1
Some Post-H.S.	991	201,515	390	47.2	42.7-51.7	71	7.4	05.2-09.6	23	2.4	01.0-03.8	4	0.3	00.0-00.7				503	42.7	38.2-47.2
College Graduate	1489	182,147	741	52.6	49.3-55.9	181	13.1	10.7-15.5	31	2.0	01.0-03.0	4	0.2	00.0-00.4	2	0.1	00.0-00.3	530	32.0	28.9-35.1
Less than \$15,000	334	56,862	60	21.9	14.5-29.3	7	4.0	00.0-08.3	7	2.5	00.3-04.7	2	0.7	00.0-01.7	2	0.2	00.0-00.6	256	70.7	62.7-78.7
\$15,000- 24,999	628	105,429	163	30.1	24.6-35.6	33	5.8	03.3-08.3	16	1.6	00.6-02.6	2	0.1	00.0-00.3	2	0.9	00.0-02.3	412	61.6	55.9-67.3
\$25,000- 34,999	359	56,131	124	32.5	26.0-39.0	21	6.9	03.6-10.2	9	4.9	01.2-08.6	4	1.1	00.0-02.3				201	54.7	47.6-61.8
\$35,000- 49,999	489	83,719	179	39.1	32.8-45.4	37	7.6	03.7-11.5	9	2.6	00.4-04.8	2	0.7	00.0-01.7				262	50.0	43.7-56.3
\$50,000- 74,999	549	85,833	250	49.7	44.0-55.4	60	8.2	05.5-10.9	14	1.8	00.4-03.2				2	0.3	00.0-00.7	223	40.0	34.5-45.5
\$75,000+	1075	202,028	593	55.4	50.9-59.9	153	12.6	09.9-15.3	29	2.9	01.5-04.3	3	0.2	00.0-00.6				297	28.9	24.6-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	328,029	654	43.2	39.7-46.7	198	10.8	08.6-13.0	67	3.9	02.7-05.1	10	0.6	00.2-01.0	5	0.3	00.0-00.7	717	41.1	37.6-44.6
White/Non-Hisp	1142	215,004	477	45.6	41.5-49.7	161	11.7	09.3-14.1	51	4.9	03.1-06.7	7	0.6	00.0-01.2	4	0.5	00.0-01.1	442	36.7	32.6-40.8
Black or Afr. Am./Non-Hisp	200	62,809	65	38.8	29.2-48.4	14	9.2	03.1-15.3	4	1.3	00.0-02.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3	115	50.4	40.8-60.0
MultiRacial/Non-Hisp.	125	4,369	40	28.2	17.4-39.0	13	8.3	03.2-13.4	7	9.6	01.4-17.8	1	7.6	00.0-21.5				64	46.3	32.8-59.8
Hispanic	102	25,786	37	40.4	29.0-51.8	4	5.4	00.0-10.9	5	4.0	00.0-08.1	1	1.0	00.0-03.0				55	49.1	37.7-60.5
18-24	66	40,010	27	46.6	32.5-60.7	5	8.1	00.5-15.7	5	5.8	00.7-10.9	1	0.8	00.0-02.4	1	1.4	00.0-04.1	27	37.3	23.8-50.8
25-34	130	57,320	57	43.7	33.3-54.1	17	15.4	07.0-23.8	5	4.3	00.4-08.2							51	36.6	26.4-46.8
35-44	174	51,717	88	53.7	44.5-62.9	12	5.5	01.8-09.2	9	4.5	01.0-08.0				2	0.8	00.0-02.0	63	35.5	26.9-44.1
45-54	285	57,096	128	45.5	37.9-53.1	32	12.0	07.5-16.5	11	2.7	00.7-04.7	3	1.3	00.0-03.1	1	0.1	00.0-00.3	110	38.4	30.4-46.4
55-64	387	55,317	156	41.5	35.4-47.6	51	12.0	08.3-15.7	22	4.9	02.7-07.1	2	0.4	00.0-01.0	1	0.1	00.0-00.3	155	41.1	34.8-47.4
65+	593	64,249	193	32.5	27.6-37.4	80	11.0	08.3-13.7	15	2.2	00.8-03.6	4	1.0	00.0-02.2				301	53.3	48.0-58.6
Less Than H.S.	171	49,499	29	20.4	11.6-29.2	6	3.9	00.0-08.2	7	4.5	00.8-08.2	2	0.8	00.0-02.0	2	1.6	00.0-04.0	125	68.8	59.0-78.6
H.S. or G.E.D.	486	107,574	173	41.3	35.0-47.6	52	10.0	05.7-14.3	25	4.8	02.4-07.2	2	0.7	00.0-01.7	1	0.0	00.0-00.0	233	43.2	36.9-49.5
Some Post-H.S.	368	88,831	154	50.9	43.3-58.5	36	9.1	05.4-12.8	17	3.4	01.0-05.8	3	0.6	00.0-01.4				158	35.9	28.8-43.0
College Graduate	622	80,987	297	51.7	46.4-57.0	104	18.2	13.9-22.5	18	2.8	01.2-04.4	3	0.3	00.0-00.7	1	0.1	00.0-00.3	199	26.9	22.6-31.2
Less than \$15,000	113	25,094	17	20.1	07.9-32.3	3	7.3	00.0-16.3	5	3.0	00.0-06.1	2	1.7	00.0-04.1	2	0.5	00.0-01.3	84	67.4	53.7-81.1
\$15,000- 24,999	240	44,654	64	31.3	22.9-39.7	15	6.5	01.8-11.2	10	1.7	00.5-02.9	1	0.2	00.0-00.6	1	0.5	00.0-01.5	149	59.9	51.1-68.7
\$25,000- 34,999	108	20,198	37	33.9	22.1-45.7	9	10.3	03.2-17.4	5	7.1	00.0-14.5	3	2.6	00.0-05.9				54	46.1	33.2-59.0
\$35,000- 49,999	230	45,554	81	39.7	30.3-49.1	28	11.9	04.8-19.0	8	3.7	00.4-07.0	2	1.2	00.0-03.2				111	43.4	34.2-52.6
\$50,000- 74,999	229	38,595	96	48.8	39.6-58.0	34	11.5	06.4-16.6	6	2.7	00.0-05.4							93	37.1	28.5-45.7
\$75,000+	520	111,530	282	57.0	50.5-63.5	93	14.4	10.3-18.5	25	4.8	02.4-07.2	2	0.3	00.0-00.9				118	23.5	17.6-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2438	365,439	913	38.7	36.0-41.4	146	5.9	04.7-07.1	32	1.5	00.9-02.1	3	0.1	00.1-00.1	3	0.3	00.0-00.7	1341	53.5	50.8-56.2
White/Non-Hisp	1644	243,086	662	42.0	38.9-45.1	128	7.9	06.3-09.5	21	1.8	00.8-02.8	2	0.1	00.0-00.3	3	0.4	00.0-01.0	828	47.8	44.7-50.9
Black or Afr. Am./Non-Hisp	377	73,168	108	35.2	27.9-42.5	6	1.8	00.0-04.0	5	1.1	00.0-02.3	1	0.1	00.0-00.3				257	61.8	54.5-69.1
Oth. Race/Non-Hisp.	65	14,015	22	23.8	11.5-36.1	1	0.5	00.0-01.5										42	75.8	63.3-88.3
MultiRacial/Non-Hisp.	188	5,775	78	42.2	33.0-51.4	7	3.1	00.6-05.6	6	2.7	00.3-05.1							97	52.1	42.7-61.5
Hispanic	130	25,753	34	26.8	17.2-36.4	1	1.6	00.0-04.7										95	71.5	61.7-81.3
18-24	96	43,732	40	42.5	30.0-55.0	6	5.4	01.1-09.7	2	1.5	00.0-03.9				1	1.6	00.0-04.7	47	49.0	36.5-61.5
25-34	213	56,220	80	35.6	28.0-43.2	13	5.5	02.2-08.8	3	2.0	00.0-04.5	1	0.1	00.0-00.3				116	56.8	49.0-64.6
35-44	233	53,954	105	43.0	35.6-50.4	8	5.2	01.1-09.3	4	1.2	00.0-02.6							116	50.6	43.0-58.2
45-54	405	63,543	182	46.1	40.0-52.2	24	6.4	03.5-09.3	5	1.4	00.0-03.0							194	46.1	40.0-52.2
55-64	561	62,280	226	39.5	34.6-44.4	33	5.5	03.3-07.7	7	1.4	00.2-02.6				2	0.4	00.0-01.0	293	53.2	48.1-58.3
65+	889	81,542	271	30.5	26.8-34.2	60	7.2	05.2-09.2	11	1.5	00.3-02.7	2	0.2	00.0-00.6				545	60.6	56.5-64.7
Less Than H.S.	208	40,079	22	9.9	05.2-14.6	3	1.4	00.0-03.2	2	0.9	00.0-02.1							181	87.8	82.7-92.9
H.S. or G.E.D.	730	110,943	211	30.4	25.7-35.1	31	4.6	02.6-06.6	11	1.6	00.4-02.8	1	0.1	00.0-00.3	2	0.7	00.0-01.9	474	62.5	57.6-67.4
Some Post-H.S.	623	112,685	236	44.3	38.6-50.0	35	6.0	03.5-08.5	6	1.7	00.1-03.3	1	0.1	00.0-00.3				345	48.0	42.5-53.5
College Graduate	867	101,160	444	53.3	49.0-57.6	77	9.1	06.6-11.6	13	1.4	00.2-02.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	331	36.1	31.8-40.4
Less than \$15,000	221	31,768	43	23.3	14.1-32.5	4	1.4	00.0-03.4	2	2.1	00.0-05.2							172	73.2	63.8-82.6
\$15,000- 24,999	388	60,775	99	29.2	21.9-36.5	18	5.4	02.5-08.3	6	1.4	00.0-02.8	1	0.1	00.0-00.3	1	1.2	00.0-03.6	263	62.8	55.4-70.2
\$25,000- 34,999	251	35,933	87	31.7	24.3-39.1	12	5.0	01.7-08.3	4	3.6	00.0-07.5	1	0.2	00.0-00.6				147	59.6	51.4-67.8
\$35,000- 49,999	259	38,166	98	38.4	30.6-46.2	9	2.5	00.7-04.3	1	1.2	00.0-03.6							151	57.9	49.9-65.9
\$50,000- 74,999	320	47,238	154	50.4	43.1-57.7	26	5.6	03.1-08.1	8	1.1	00.1-02.1				2	0.5	00.0-01.1	130	42.5	35.2-49.8
\$75,000+	555	90,498	311	53.3	47.4-59.2	60	10.4	07.1-13.7	4	0.6	00.0-01.2	1	0.1	00.0-00.3				179	35.6	29.7-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4089	693,468	813	19.7	17.9-21.5	474	12.9	11.3-14.5	408	10.8	09.4-12.2	216	5.8	04.6-07.0	120	3.2	02.4-04.0	2058	47.7	45.5-49.9
Male	1651	328,029	289	17.4	14.7-20.1	214	14.6	12.1-17.1	210	14.0	11.5-16.5	139	8.1	06.1-10.1	82	4.8	03.4-06.2	717	41.1	37.6-44.6
Female	2438	365,439	524	21.7	19.3-24.1	260	11.4	09.6-13.2	198	7.8	06.2-09.4	77	3.7	02.7-04.7	38	1.8	01.0-02.6	1341	53.5	50.8-56.2
White/Non-Hisp	2786	458,091	567	19.2	17.2-21.2	363	14.9	12.9-16.9	313	12.4	10.6-14.2	185	6.9	05.7-08.1	88	4.0	03.0-05.0	1270	42.6	40.1-45.1
Black or Afr. Am./Non-Hisp	577	135,977	111	23.5	18.2-28.8	42	8.8	05.5-12.1	31	6.7	03.6-09.8	9	3.1	00.7-05.5	12	1.4	00.4-02.4	372	56.5	50.4-62.6
Oth. Race/Non-Hisp.	109	25,501	24	16.6	08.6-24.6	13	12.1	03.1-21.1	6	2.7	00.0-05.4	2	6.9	00.0-19.1				64	61.7	48.0-75.4
MultiRacial/Non-Hisp.	313	10,144	57	15.6	10.5-20.7	32	11.1	06.6-15.6	35	10.9	06.4-15.4	14	3.8	01.6-06.0	14	8.9	01.8-16.0	161	49.6	41.6-57.6
Hispanic	232	51,539	39	16.1	10.4-21.8	18	8.6	04.5-12.7	16	10.5	04.4-16.6	3	1.9	00.0-04.3	6	2.5	00.1-04.9	150	60.3	52.5-68.1
18-24	162	83,742	26	19.8	11.8-27.8	25	14.5	08.2-20.8	16	10.1	04.2-16.0	11	6.7	02.4-11.0	10	5.5	02.0-09.0	74	43.4	34.2-52.6
25-34	343	113,540	57	16.2	11.3-21.1	46	11.7	08.0-15.4	45	15.4	10.3-20.5	19	6.9	03.0-10.8	9	3.2	00.8-05.6	167	46.6	39.9-53.3
35-44	407	105,671	96	20.7	16.0-25.4	63	16.5	11.8-21.2	39	12.3	08.2-16.4	15	4.1	01.6-06.6	15	3.2	01.2-05.2	179	43.2	37.3-49.1
45-54	690	120,638	157	23.1	19.2-27.0	96	15.2	11.7-18.7	70	9.2	06.7-11.7	43	7.4	04.9-09.9	20	2.7	01.3-04.1	304	42.5	37.6-47.4
55-64	948	117,597	213	21.9	18.8-25.0	103	11.8	09.3-14.3	97	9.7	07.5-11.9	53	5.6	03.8-07.4	34	3.5	02.3-04.7	448	47.5	43.6-51.4
65+	1482	145,792	256	17.3	14.9-19.7	137	9.3	07.5-11.1	138	9.0	07.2-10.8	73	4.6	03.4-05.8	32	2.4	01.4-03.4	846	57.4	54.3-60.5
Less Than H.S.	379	89,578	30	7.9	04.6-11.2	12	5.7	01.2-10.2	13	3.1	01.1-05.1	5	1.9	00.0-04.3	13	4.2	01.7-06.7	306	77.3	71.2-83.4
H.S. or G.E.D.	1216	218,517	195	16.2	13.3-19.1	121	12.0	09.5-14.5	97	9.6	07.1-12.1	54	5.2	03.0-07.4	42	3.9	02.3-05.5	707	53.0	48.9-57.1
Some Post-H.S.	991	201,515	210	23.7	19.6-27.8	117	13.7	10.6-16.8	89	11.9	08.6-15.2	45	5.3	03.3-07.3	27	2.8	01.4-04.2	503	42.7	38.2-47.2
College Graduate	1489	182,147	378	25.3	22.4-28.2	223	16.6	14.1-19.1	209	14.9	12.5-17.3	112	9.0	06.8-11.2	37	2.3	01.3-03.3	530	32.0	28.9-35.1
Less than \$15,000	334	56,862	36	11.0	05.5-16.5	16	7.8	02.7-12.9	11	3.9	00.4-07.4	4	3.1	00.0-07.2	11	3.5	01.0-06.0	256	70.7	62.7-78.7
\$15,000- 24,999	628	105,429	98	17.1	12.4-21.8	47	7.7	05.0-10.4	31	6.7	03.4-10.0	20	4.3	01.8-06.8	20	2.6	01.0-04.2	412	61.6	55.9-67.3
\$25,000- 34,999	359	56,131	64	15.9	11.4-20.4	34	8.8	05.1-12.5	34	9.8	05.7-13.9	13	4.8	01.9-07.7	13	5.9	02.0-09.8	201	54.7	47.6-61.8
\$35,000- 49,999	489	83,719	98	20.3	15.0-25.6	54	12.5	08.4-16.6	44	9.8	05.5-14.1	20	4.1	01.4-06.8	11	3.2	00.8-05.6	262	50.0	43.7-56.3
\$50,000- 74,999	549	85,833	126	22.8	18.1-27.5	90	19.1	14.2-24.0	56	10.3	06.8-13.8	38	5.8	03.4-08.2	16	2.1	00.7-03.5	223	40.0	34.5-45.5
\$75,000+	1075	202,028	277	23.8	20.3-27.3	179	17.3	14.0-20.6	185	17.6	14.3-20.9	105	9.3	06.8-11.8	32	3.1	01.7-04.5	297	28.9	24.6-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	328,029	289	17.4	14.7-20.1	214	14.6	12.1-17.1	210	14.0	11.5-16.5	139	8.1	06.1-10.1	82	4.8	03.4-06.2	717	41.1	37.6-44.6
White/Non-Hisp	1142	215,004	197	15.7	12.8-18.6	162	16.4	13.3-19.5	163	16.2	13.1-19.3	116	9.1	06.9-11.3	62	5.9	04.1-07.7	442	36.7	32.6-40.8
Black or Afr. Am./Non-Hisp	200	62,809	40	24.6	16.0-33.2	17	9.5	04.0-15.0	15	8.3	02.4-14.2	7	5.6	00.9-10.3	6	1.7	00.1-03.3	115	50.4	40.8-60.0
MultiRacial/Non-Hisp.	125	4,369	16	8.8	03.7-13.9	11	7.2	01.9-12.5	16	13.5	05.1-21.9	10	7.0	02.1-11.9	8	17.2	02.3-32.1	64	46.3	32.8-59.8
Hispanic	102	25,786	19	17.9	09.3-26.5	11	11.0	04.3-17.7	9	14.7	04.7-24.7	2	2.2	00.0-05.3	6	5.0	00.3-09.7	55	49.1	37.7-60.5
18-24	66	40,010	6	13.4	02.6-24.2	11	18.5	07.5-29.5	10	14.7	04.7-24.7	5	8.1	00.5-15.7	7	8.0	01.9-14.1	27	37.3	23.8-50.8
25-34	130	57,320	15	13.3	05.7-20.9	19	11.5	05.8-17.2	27	23.1	14.1-32.1	13	11.2	03.9-18.5	5	4.3	00.4-08.2	51	36.6	26.4-46.8
35-44	174	51,717	39	20.2	12.6-27.8	32	20.0	11.8-28.2	20	14.5	08.0-21.0	9	4.5	01.0-08.0	11	5.3	01.6-09.0	63	35.5	26.9-44.1
45-54	285	57,096	59	20.9	14.8-27.0	44	16.5	11.0-22.0	32	10.5	06.4-14.6	25	9.5	05.4-13.6	15	4.1	01.6-06.6	110	38.4	30.4-46.4
55-64	387	55,317	77	20.4	15.5-25.3	43	12.2	08.1-16.3	50	12.0	08.3-15.7	37	8.9	05.6-12.2	25	5.4	03.0-07.8	155	41.1	34.8-47.4
65+	593	64,249	91	15.7	12.0-19.4	62	10.8	07.7-13.9	71	10.5	07.8-13.2	49	6.4	04.4-08.4	19	3.2	01.4-05.0	301	53.3	48.0-58.6
Less Than H.S.	171	49,499	14	8.0	03.1-12.9	8	8.7	01.1-16.3	9	4.6	01.5-07.7	4	3.0	00.0-07.1	11	6.9	02.4-11.4	125	68.8	59.0-78.6
H.S. or G.E.D.	486	107,574	69	14.1	09.6-18.6	63	15.8	11.3-20.3	56	14.0	09.3-18.7	37	7.4	03.7-11.1	28	5.5	03.0-08.0	233	43.2	36.9-49.5
Some Post-H.S.	368	88,831	72	23.7	16.8-30.6	46	13.0	08.1-17.9	49	16.6	10.7-22.5	23	6.6	03.3-09.9	20	4.1	01.6-06.6	158	35.9	28.8-43.0
College Graduate	622	80,987	134	20.6	16.7-24.5	96	18.1	14.0-22.2	96	17.2	13.1-21.3	75	14.0	09.9-18.1	22	3.2	01.4-05.0	199	26.9	22.6-31.2
Less than \$15,000	113	25,094	7	4.5	00.2-08.8	7	10.6	00.6-20.6	4	5.7	00.0-13.1	2	6.6	00.0-15.6	9	5.2	01.1-09.3	84	67.4	53.7-81.1
\$15,000- 24,999	240	44,654	32	14.4	08.3-20.5	21	8.1	04.4-11.8	13	9.3	02.6-16.0	13	6.1	01.4-10.8	12	2.3	00.7-03.9	149	59.9	51.1-68.7
\$25,000- 34,999	108	20,198	21	16.9	08.5-25.3	4	2.9	00.0-06.4	15	17.7	07.7-27.7	6	6.6	00.9-12.3	8	9.7	01.7-17.7	54	46.1	33.2-59.0
\$35,000- 49,999	230	45,554	39	17.6	09.6-25.6	29	15.1	08.4-21.8	24	12.2	05.1-19.3	17	6.8	02.1-11.5	10	5.0	01.3-08.7	111	43.4	34.2-52.6
\$50,000- 74,999	229	38,595	34	14.9	08.2-21.6	41	23.7	15.1-32.3	31	12.6	06.7-18.5	24	9.0	04.3-13.7	6	2.7	00.0-05.4	93	37.1	28.5-45.7
\$75,000+	520	111,530	116	21.8	16.5-27.1	89	18.2	13.1-23.3	100	20.2	15.3-25.1	70	11.2	07.3-15.1	27	5.1	02.7-07.5	118	23.5	17.6-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2438	365,439	524	21.7	19.3-24.1	260	11.4	09.6-13.2	198	7.8	06.2-09.4	77	3.7	02.7-04.7	38	1.8	01.0-02.6	1341	53.5	50.8-56.2
White/Non-Hisp	1644	243,086	370	22.4	19.7-25.1	201	13.5	11.3-15.7	150	9.1	07.1-11.1	69	4.9	03.5-06.3	26	2.3	01.1-03.5	828	47.8	44.7-50.9
Black or Afr. Am./Non-Hisp	377	73,168	71	22.5	15.8-29.2	25	8.1	04.4-11.8	16	5.3	02.4-08.2	2	1.1	00.0-03.1	6	1.2	00.0-02.4	257	61.8	54.5-69.1
Oth. Race/Non-Hisp.	65	14,015	15	20.3	08.3-32.3	4	2.4	00.0-04.8	4	1.6	00.0-03.2							42	75.8	63.3-88.3
MultiRacial/Non-Hisp.	188	5,775	41	20.8	13.2-28.4	21	14.1	07.4-20.8	19	8.9	04.4-13.4	4	1.4	00.0-02.8	6	2.7	00.3-05.1	97	52.1	42.7-61.5
Hispanic	130	25,753	20	14.3	07.0-21.6	7	6.2	01.3-11.1	7	6.3	00.0-13.0	1	1.6	00.0-04.7				95	71.5	61.7-81.3
18-24	96	43,732	20	25.7	14.1-37.3	14	11.0	04.5-17.5	6	5.8	00.0-12.1	6	5.4	01.1-09.7	3	3.1	00.0-07.0	47	49.0	36.5-61.5
25-34	213	56,220	42	19.2	12.9-25.5	27	11.8	06.9-16.7	18	7.5	03.4-11.6	6	2.6	00.2-05.0	4	2.1	00.0-04.6	116	56.8	49.0-64.6
35-44	233	53,954	57	21.2	15.5-26.9	31	13.1	08.2-18.0	19	10.2	05.1-15.3	6	3.7	00.2-07.2	4	1.2	00.0-02.6	116	50.6	43.0-58.2
45-54	405	63,543	98	25.0	19.9-30.1	52	14.1	09.4-18.8	38	8.0	05.1-10.9	18	5.4	02.5-08.3	5	1.4	00.0-03.0	194	46.1	40.0-52.2
55-64	561	62,280	136	23.2	19.1-27.3	60	11.5	08.2-14.8	47	7.7	05.2-10.2	16	2.7	01.1-04.3	9	1.8	00.6-03.0	293	53.2	48.1-58.3
65+	889	81,542	165	18.5	15.4-21.6	75	8.1	05.9-10.3	67	7.8	05.6-10.0	24	3.2	01.8-04.6	13	1.7	00.5-02.9	545	60.6	56.5-64.7
Less Than H.S.	208	40,079	16	7.8	03.5-12.1	4	1.8	00.0-03.8	4	1.1	00.0-02.7	1	0.5	00.0-01.5	2	0.9	00.0-02.1	181	87.8	82.7-92.9
H.S. or G.E.D.	730	110,943	126	18.3	14.4-22.2	58	8.3	05.6-11.0	41	5.4	03.2-07.6	17	3.1	01.3-04.9	14	2.4	00.6-04.2	474	62.5	57.6-67.4
Some Post-H.S.	623	112,685	138	23.7	18.6-28.8	71	14.2	10.3-18.1	40	8.1	04.6-11.6	22	4.3	02.1-06.5	7	1.7	00.1-03.3	345	48.0	42.5-53.5
College Graduate	867	101,160	244	29.0	24.9-33.1	127	15.4	12.5-18.3	113	13.0	10.1-15.9	37	5.0	03.0-07.0	15	1.6	00.4-02.8	331	36.1	31.8-40.4
Less than \$15,000	221	31,768	29	16.2	07.6-24.8	9	5.7	01.2-10.2	7	2.5	00.1-04.9	2	0.3	00.0-00.7	2	2.1	00.0-05.2	172	73.2	63.8-82.6
\$15,000- 24,999	388	60,775	66	19.2	12.3-26.1	26	7.4	03.7-11.1	18	4.9	01.8-08.0	7	3.1	00.6-05.6	8	2.7	00.0-05.4	263	62.8	55.4-70.2
\$25,000- 34,999	251	35,933	43	15.3	10.0-20.6	30	12.1	06.6-17.6	19	5.3	02.4-08.2	7	3.8	00.7-06.9	5	3.8	00.0-07.7	147	59.6	51.4-67.8
\$35,000- 49,999	259	38,166	59	23.4	16.5-30.3	25	9.5	05.0-14.0	20	7.1	02.8-11.4	3	0.9	00.0-02.1	1	1.2	00.0-03.6	151	57.9	49.9-65.9
\$50,000- 74,999	320	47,238	92	29.2	22.7-35.7	49	15.3	10.2-20.4	25	8.3	04.4-12.2	14	3.1	00.9-05.3	10	1.6	00.4-02.8	130	42.5	35.2-49.8
\$75,000+	555	90,498	161	26.3	21.4-31.2	90	16.1	12.0-20.2	85	14.4	10.1-18.7	35	6.9	04.0-09.8	5	0.7	00.1-01.3	179	35.6	29.7-41.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4089	693,468	3892	94.8	93.8-95.8	197	5.2	04.2-06.2
Male	1651	328,029	1569	95.2	93.8-96.6	82	4.8	03.4-06.2
Female	2438	365,439	2323	94.5	93.1-95.9	115	5.5	04.1-06.9
White/Non-Hisp	2786	458,091	2629	93.4	92.2-94.6	157	6.6	05.4-07.8
Black or Afr. Am./Non-Hisp	577	135,977	563	98.0	96.6-99.4	14	2.0	00.6-03.4
Oth. Race/Non-Hisp.	109	25,501	109	100.0	0100-0100			
MultiRacial/Non-Hisp.	313	10,144	295	90.3	83.2-97.4	18	9.7	02.6-16.8
Hispanic	232	51,539	225	96.7	94.0-99.4	7	3.3	00.6-06.0
18-24	162	83,742	146	91.7	87.6-95.8	16	8.3	04.2-12.4
25-34	343	113,540	328	95.5	93.0-98.0	15	4.5	02.0-07.0
35-44	407	105,671	386	94.9	92.4-97.4	21	5.1	02.6-07.6
45-54	690	120,638	652	94.5	92.3-96.7	38	5.5	03.3-07.7
55-64	948	117,597	898	95.1	93.5-96.7	50	4.9	03.3-06.5
65+	1482	145,792	1426	95.9	94.7-97.1	56	4.1	02.9-05.3
Less Than H.S.	379	89,578	365	95.6	93.1-98.1	14	4.4	01.9-06.9
H.S. or G.E.D.	1216	218,517	1157	94.5	92.7-96.3	59	5.5	03.7-07.3
Some Post-H.S.	991	201,515	942	94.8	93.0-96.6	49	5.2	03.4-07.0
College Graduate	1489	182,147	1415	94.9	93.5-96.3	74	5.1	03.7-06.5
Less than \$15,000	334	56,862	321	96.4	93.9-98.9	13	3.6	01.1-06.1
\$15,000- 24,999	628	105,429	601	95.7	93.5-97.9	27	4.3	02.1-06.5
\$25,000- 34,999	359	56,131	339	91.6	87.3-95.9	20	8.4	04.1-12.7
\$35,000- 49,999	489	83,719	475	96.3	93.9-98.7	14	3.7	01.3-06.1
\$50,000- 74,999	549	85,833	519	96.2	94.4-98.0	30	3.8	02.0-05.6
\$75,000+	1075	202,028	1008	93.8	91.8-95.8	67	6.2	04.2-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	328,029	1569	95.2	93.8-96.6	82	4.8	03.4-06.2
White/Non-Hisp	1142	215,004	1080	94.1	92.3-95.9	62	5.9	04.1-07.7
Black or Afr. Am./Non-Hisp	200	62,809	194	98.3	96.7-99.9	6	1.7	00.1-03.3
MultiRacial/Non-Hisp.	125	4,369	117	82.8	67.9-97.7	8	17.2	02.3-32.1
Hispanic	102	25,786	96	95.0	90.3-99.7	6	5.0	00.3-09.7
18-24	66	40,010	59	92.0	85.9-98.1	7	8.0	01.9-14.1
25-34	130	57,320	125	95.7	91.8-99.6	5	4.3	00.4-08.2
35-44	174	51,717	163	94.7	91.0-98.4	11	5.3	01.6-09.0
45-54	285	57,096	270	95.9	93.4-98.4	15	4.1	01.6-06.6
55-64	387	55,317	362	94.6	92.2-97.0	25	5.4	03.0-07.8
65+	593	64,249	574	96.8	95.0-98.6	19	3.2	01.4-05.0
Less Than H.S.	171	49,499	160	93.1	88.6-97.6	11	6.9	02.4-11.4
H.S. or G.E.D.	486	107,574	458	94.5	92.0-97.0	28	5.5	03.0-08.0
Some Post-H.S.	368	88,831	348	95.9	93.4-98.4	20	4.1	01.6-06.6
College Graduate	622	80,987	600	96.8	95.0-98.6	22	3.2	01.4-05.0
Less than \$15,000	113	25,094	104	94.8	90.7-98.9	9	5.2	01.1-09.3
\$15,000- 24,999	240	44,654	228	97.7	96.1-99.3	12	2.3	00.7-03.9
\$25,000- 34,999	108	20,198	100	90.3	82.3-98.3	8	9.7	01.7-17.7
\$35,000- 49,999	230	45,554	220	95.0	91.3-98.7	10	5.0	01.3-08.7
\$50,000- 74,999	229	38,595	223	97.3	94.6-0100	6	2.7	00.0-05.4
\$75,000+	520	111,530	493	94.9	92.5-97.3	27	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2438	365,439	2323	94.5	93.1-95.9	115	5.5	04.1-06.9
White/Non-Hisp	1644	243,086	1549	92.8	91.0-94.6	95	7.2	05.4-09.0
Black or Afr. Am./Non-Hisp	377	73,168	369	97.8	95.4-0100	8	2.2	00.0-04.6
Oth. Race/Non-Hisp.	65	14,015	65	100.0	0100-0100			
MultiRacial/Non-Hisp.	188	5,775	178	95.9	93.2-98.6	10	4.1	01.4-06.8
Hispanic	130	25,753	129	98.4	95.3-0100	1	1.6	00.0-04.7
18-24	96	43,732	87	91.5	85.8-97.2	9	8.5	02.8-14.2
25-34	213	56,220	203	95.3	92.0-98.6	10	4.7	01.4-08.0
35-44	233	53,954	223	95.1	91.4-98.8	10	4.9	01.2-08.6
45-54	405	63,543	382	93.2	89.9-96.5	23	6.8	03.5-10.1
55-64	561	62,280	536	95.5	93.5-97.5	25	4.5	02.5-06.5
65+	889	81,542	852	95.1	93.3-96.9	37	4.9	03.1-06.7
Less Than H.S.	208	40,079	205	98.6	97.0-0100	3	1.4	00.0-03.0
H.S. or G.E.D.	730	110,943	699	94.5	92.1-96.9	31	5.5	03.1-07.9
Some Post-H.S.	623	112,685	594	94.0	91.3-96.7	29	6.0	03.3-08.7
College Graduate	867	101,160	815	93.4	91.0-95.8	52	6.6	04.2-09.0
Less than \$15,000	221	31,768	217	97.6	94.5-0100	4	2.4	00.0-05.5
\$15,000- 24,999	388	60,775	373	94.2	90.7-97.7	15	5.8	02.3-09.3
\$25,000- 34,999	251	35,933	239	92.4	87.5-97.3	12	7.6	02.7-12.5
\$35,000- 49,999	259	38,166	255	97.9	95.4-0100	4	2.1	00.0-04.6
\$50,000- 74,999	320	47,238	296	95.3	92.9-97.7	24	4.7	02.3-07.1
\$75,000+	555	90,498	515	92.4	89.5-95.3	40	7.6	04.7-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	328,029	1569	95.2	93.8-96.6	82	4.8	03.4-06.2
White/Non-Hisp	1142	215,004	1080	94.1	92.3-95.9	62	5.9	04.1-07.7
Black or Afr. Am./Non-Hisp	200	62,809	194	98.3	96.7-99.9	6	1.7	00.1-03.3
MultiRacial/Non-Hisp.	125	4,369	117	82.8	67.9-97.7	8	17.2	02.3-32.1
Hispanic	102	25,786	96	95.0	90.3-99.7	6	5.0	00.3-09.7
18-24	66	40,010	59	92.0	85.9-98.1	7	8.0	01.9-14.1
25-34	130	57,320	125	95.7	91.8-99.6	5	4.3	00.4-08.2
35-44	174	51,717	163	94.7	91.0-98.4	11	5.3	01.6-09.0
45-54	285	57,096	270	95.9	93.4-98.4	15	4.1	01.6-06.6
55-64	387	55,317	362	94.6	92.2-97.0	25	5.4	03.0-07.8
65+	593	64,249	574	96.8	95.0-98.6	19	3.2	01.4-05.0
Less Than H.S.	171	49,499	160	93.1	88.6-97.6	11	6.9	02.4-11.4
H.S. or G.E.D.	486	107,574	458	94.5	92.0-97.0	28	5.5	03.0-08.0
Some Post-H.S.	368	88,831	348	95.9	93.4-98.4	20	4.1	01.6-06.6
College Graduate	622	80,987	600	96.8	95.0-98.6	22	3.2	01.4-05.0
Less than \$15,000	113	25,094	104	94.8	90.7-98.9	9	5.2	01.1-09.3
\$15,000- 24,999	240	44,654	228	97.7	96.1-99.3	12	2.3	00.7-03.9
\$25,000- 34,999	108	20,198	100	90.3	82.3-98.3	8	9.7	01.7-17.7
\$35,000- 49,999	230	45,554	220	95.0	91.3-98.7	10	5.0	01.3-08.7
\$50,000- 74,999	229	38,595	223	97.3	94.6-0100	6	2.7	00.0-05.4
\$75,000+	520	111,530	493	94.9	92.5-97.3	27	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2438	365,439	2323	94.5	93.1-95.9	115	5.5	04.1-06.9
White/Non-Hisp	1644	243,086	1549	92.8	91.0-94.6	95	7.2	05.4-09.0
Black or Afr. Am./Non-Hisp	377	73,168	369	97.8	95.4-0100	8	2.2	00.0-04.6
Oth. Race/Non-Hisp.	65	14,015	65	100.0	0100-0100			
MultiRacial/Non-Hisp.	188	5,775	178	95.9	93.2-98.6	10	4.1	01.4-06.8
Hispanic	130	25,753	129	98.4	95.3-0100	1	1.6	00.0-04.7
18-24	96	43,732	87	91.5	85.8-97.2	9	8.5	02.8-14.2
25-34	213	56,220	203	95.3	92.0-98.6	10	4.7	01.4-08.0
35-44	233	53,954	223	95.1	91.4-98.8	10	4.9	01.2-08.6
45-54	405	63,543	382	93.2	89.9-96.5	23	6.8	03.5-10.1
55-64	561	62,280	536	95.5	93.5-97.5	25	4.5	02.5-06.5
65+	889	81,542	852	95.1	93.3-96.9	37	4.9	03.1-06.7
Less Than H.S.	208	40,079	205	98.6	97.0-0100	3	1.4	00.0-03.0
H.S. or G.E.D.	730	110,943	699	94.5	92.1-96.9	31	5.5	03.1-07.9
Some Post-H.S.	623	112,685	594	94.0	91.3-96.7	29	6.0	03.3-08.7
College Graduate	867	101,160	815	93.4	91.0-95.8	52	6.6	04.2-09.0
Less than \$15,000	221	31,768	217	97.6	94.5-0100	4	2.4	00.0-05.5
\$15,000- 24,999	388	60,775	373	94.2	90.7-97.7	15	5.8	02.3-09.3
\$25,000- 34,999	251	35,933	239	92.4	87.5-97.3	12	7.6	02.7-12.5
\$35,000- 49,999	259	38,166	255	97.9	95.4-0100	4	2.1	00.0-04.6
\$50,000- 74,999	320	47,238	296	95.3	92.9-97.7	24	4.7	02.3-07.1
\$75,000+	555	90,498	515	92.4	89.5-95.3	40	7.6	04.7-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	118
2	MALES ONLY	119
3	FEMALES ONLY	120
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	121
5	MALES ONLY	122
6	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1512	148,805	974	64.0	60.9-67.1	538	36.0	32.9-39.1
Male	611	66,084	403	65.0	59.9-70.1	208	35.0	29.9-40.1
Female	901	82,721	571	63.2	59.1-67.3	330	36.8	32.7-40.9
White/Non-Hisp	1165	118,931	782	67.2	63.9-70.5	383	32.8	29.5-36.1
Black or Afr. Am./Non-Hisp	150	20,014	81	50.5	39.1-61.9	69	49.5	38.1-60.9
MultiRacial/Non-Hisp.	131	2,902	77	55.2	44.4-66.0	54	44.8	34.0-55.6
65+	1512	148,805	974	64.0	60.9-67.1	538	36.0	32.9-39.1
Less Than H.S.	157	23,173	95	62.3	51.3-73.3	62	37.7	26.7-48.7
H.S. or G.E.D.	485	47,587	295	61.8	56.5-67.1	190	38.2	32.9-43.5
Some Post-H.S.	369	42,834	231	61.1	54.6-67.6	138	38.9	32.4-45.4
College Graduate	495	34,938	350	71.4	66.7-76.1	145	28.6	23.9-33.3
Less than \$15,000	98	8,816	58	51.5	35.8-67.2	40	48.5	32.8-64.2
\$15,000- 24,999	270	28,997	146	54.8	46.6-63.0	124	45.2	37.0-53.4
\$25,000- 34,999	152	14,669	101	69.3	60.5-78.1	51	30.7	21.9-39.5
\$35,000- 49,999	203	19,744	137	62.7	54.7-70.7	66	37.3	29.3-45.3
\$50,000- 74,999	190	19,229	126	66.4	58.2-74.6	64	33.6	25.4-41.8
\$75,000+	269	25,123	195	73.7	67.4-80.0	74	26.3	20.0-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	611	66,084	403	65.0	59.9-70.1	208	35.0	29.9-40.1
White/Non-Hisp	477	51,800	325	67.6	62.7-72.5	152	32.4	27.5-37.3
Black or Afr. Am./Non-Hisp	62	11,042	33	51.7	34.3-69.1	29	48.3	30.9-65.7
65+	611	66,084	403	65.0	59.9-70.1	208	35.0	29.9-40.1
Less Than H.S.	64	11,576	37	67.9	53.8-82.0	27	32.1	18.0-46.2
H.S. or G.E.D.	173	18,495	108	62.9	54.3-71.5	65	37.1	28.5-45.7
Some Post-H.S.	134	17,646	86	57.4	45.8-69.0	48	42.6	31.0-54.2
College Graduate	240	18,367	172	72.5	66.0-79.0	68	27.5	21.0-34.0
\$15,000- 24,999	100	12,729	52	53.2	39.7-66.7	48	46.8	33.3-60.3
\$25,000- 34,999	52	5,550	36	71.7	58.0-85.4	16	28.3	14.6-42.0
\$35,000- 49,999	98	10,220	61	56.4	44.6-68.2	37	43.6	31.8-55.4
\$50,000- 74,999	92	9,054	60	63.7	51.9-75.5	32	36.3	24.5-48.1
\$75,000+	143	14,383	108	76.6	68.2-85.0	35	23.4	15.0-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	901	82,721	571	63.2	59.1-67.3	330	36.8	32.7-40.9
White/Non-Hisp	688	67,131	457	66.9	62.4-71.4	231	33.1	28.6-37.6
Black or Afr. Am./Non-Hisp	88	8,972	48	49.1	36.0-62.2	40	50.9	37.8-64.0
MultiRacial/Non-Hisp.	85	1,996	47	50.2	36.3-64.1	38	49.8	35.9-63.7
65+	901	82,721	571	63.2	59.1-67.3	330	36.8	32.7-40.9
Less Than H.S.	93	11,597	58	56.7	41.2-72.2	35	43.3	27.8-58.8
H.S. or G.E.D.	312	29,092	187	61.2	54.5-67.9	125	38.8	32.1-45.5
Some Post-H.S.	235	25,188	145	63.8	56.4-71.2	90	36.2	28.8-43.6
College Graduate	255	16,571	178	70.1	63.4-76.8	77	29.9	23.2-36.6
Less than \$15,000	68	6,127	38	44.4	25.8-63.0	30	55.6	37.0-74.2
\$15,000- 24,999	170	16,268	94	56.1	45.7-66.5	76	43.9	33.5-54.3
\$25,000- 34,999	100	9,119	65	67.8	56.2-79.4	35	32.2	20.6-43.8
\$35,000- 49,999	105	9,523	76	69.5	58.7-80.3	29	30.5	19.7-41.3
\$50,000- 74,999	98	10,175	66	68.9	57.5-80.3	32	31.1	19.7-42.5
\$75,000+	126	10,740	87	69.8	60.6-79.0	39	30.2	21.0-39.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1455	142,980	1060	72.9	70.0-75.8	395	27.1	24.2-30.0
Male	579	62,374	408	71.3	66.6-76.0	171	28.7	24.0-33.4
Female	876	80,606	652	74.2	70.5-77.9	224	25.8	22.1-29.5
White/Non-Hisp	1125	115,044	843	74.9	71.8-78.0	282	25.1	22.0-28.2
Black or Afr. Am./Non-Hisp	140	18,626	91	69.8	60.4-79.2	49	30.2	20.8-39.6
MultiRacial/Non-Hisp.	127	2,853	90	66.9	56.7-77.1	37	33.1	22.9-43.3
65+	1455	142,980	1060	72.9	70.0-75.8	395	27.1	24.2-30.0
Less Than H.S.	151	22,291	102	67.4	56.6-78.2	49	32.6	21.8-43.4
H.S. or G.E.D.	471	46,411	341	73.2	68.3-78.1	130	26.8	21.9-31.7
Some Post-H.S.	357	41,307	255	73.4	67.9-78.9	102	26.6	21.1-32.1
College Graduate	470	32,698	357	75.6	71.1-80.1	113	24.4	19.9-28.9
Less than \$15,000	95	8,652	69	71.8	58.7-84.9	26	28.2	15.1-41.3
\$15,000- 24,999	260	27,871	186	71.5	63.9-79.1	74	28.5	20.9-36.1
\$25,000- 34,999	148	14,224	106	71.7	62.5-80.9	42	28.3	19.1-37.5
\$35,000- 49,999	199	19,215	151	74.4	67.0-81.8	48	25.6	18.2-33.0
\$50,000- 74,999	182	18,344	131	71.4	63.4-79.4	51	28.6	20.6-36.6
\$75,000+	253	23,653	186	69.6	61.8-77.4	67	30.4	22.6-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	579	62,374	408	71.3	66.6-76.0	171	28.7	24.0-33.4
White/Non-Hisp	453	49,242	326	72.0	66.7-77.3	127	28.0	22.7-33.3
Black or Afr. Am./Non-Hisp	59	10,385	35	69.1	55.2-83.0	24	30.9	17.0-44.8
65+	579	62,374	408	71.3	66.6-76.0	171	28.7	24.0-33.4
Less Than H.S.	60	10,814	34	62.6	46.3-78.9	26	37.4	21.1-53.7
H.S. or G.E.D.	167	17,872	124	75.8	68.4-83.2	43	24.2	16.8-31.6
Some Post-H.S.	131	17,273	89	69.6	60.2-79.0	42	30.4	21.0-39.8
College Graduate	221	16,415	161	74.0	67.5-80.5	60	26.0	19.5-32.5
\$15,000- 24,999	94	11,950	60	69.9	58.5-81.3	34	30.1	18.7-41.5
\$25,000- 34,999	50	5,312	35	71.9	57.8-86.0	15	28.1	14.0-42.2
\$35,000- 49,999	95	9,817	66	71.4	60.6-82.2	29	28.6	17.8-39.4
\$50,000- 74,999	86	8,414	61	67.6	55.6-79.6	25	32.4	20.4-44.4
\$75,000+	132	13,277	97	68.0	56.4-79.6	35	32.0	20.4-43.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	876	80,606	652	74.2	70.5-77.9	224	25.8	22.1-29.5
White/Non-Hisp	672	65,803	517	77.1	73.2-81.0	155	22.9	19.0-26.8
Black or Afr. Am./Non-Hisp	81	8,241	56	70.8	58.8-82.8	25	29.2	17.2-41.2
MultiRacial/Non-Hisp.	84	1,975	59	68.6	56.3-80.9	25	31.4	19.1-43.7
65+	876	80,606	652	74.2	70.5-77.9	224	25.8	22.1-29.5
Less Than H.S.	91	11,477	68	72.0	58.1-85.9	23	28.0	14.1-41.9
H.S. or G.E.D.	304	28,539	217	71.5	65.2-77.8	87	28.5	22.2-34.8
Some Post-H.S.	226	24,035	166	76.1	69.4-82.8	60	23.9	17.2-30.6
College Graduate	249	16,283	196	77.3	70.8-83.8	53	22.7	16.2-29.2
Less than \$15,000	65	5,995	50	79.3	66.6-92.0	15	20.7	08.0-33.4
\$15,000- 24,999	166	15,922	126	72.7	62.5-82.9	40	27.3	17.1-37.5
\$25,000- 34,999	98	8,912	71	71.6	59.6-83.6	27	28.4	16.4-40.4
\$35,000- 49,999	104	9,397	85	77.5	67.1-87.9	19	22.5	12.1-32.9
\$50,000- 74,999	96	9,930	70	74.7	64.1-85.3	26	25.3	14.7-35.9
\$75,000+	121	10,376	89	71.7	62.1-81.3	32	28.3	18.7-37.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4147	703,709	4024	96.1	95.1-97.1	123	3.9	02.9-04.9
Male	1684	333,160	1607	94.6	92.8-96.4	77	5.4	03.6-07.2
Female	2463	370,550	2417	97.4	96.4-98.4	46	2.6	01.6-03.6
White/Non-Hisp	2820	461,585	2743	95.9	94.5-97.3	77	4.1	02.7-05.5
Black or Afr. Am./Non-Hisp	586	139,491	566	96.0	93.8-98.2	20	4.0	01.8-06.2
Oth. Race/Non-Hisp.	113	26,236	109	98.4	96.4-0100	4	1.6	00.0-03.6
MultiRacial/Non-Hisp.	314	10,163	307	98.4	97.0-99.8	7	1.6	00.2-03.0
Hispanic	235	52,407	227	97.8	96.0-99.6	8	2.2	00.4-04.0
18-24	166	85,922	157	92.9	87.8-98.0	9	7.1	02.0-12.2
25-34	345	114,710	330	93.5	89.6-97.4	15	6.5	02.6-10.4
35-44	413	107,973	402	97.0	95.0-99.0	11	3.0	01.0-05.0
45-54	697	121,947	670	96.3	94.7-97.9	27	3.7	02.1-05.3
55-64	951	117,707	928	97.6	96.4-98.8	23	2.4	01.2-03.6
65+	1513	148,207	1477	97.9	96.9-98.9	36	2.1	01.1-03.1
Less Than H.S.	381	89,445	360	92.4	87.7-97.1	21	7.6	02.9-12.3
H.S. or G.E.D.	1238	222,639	1192	95.2	93.2-97.2	46	4.8	02.8-06.8
Some Post-H.S.	1011	205,619	988	97.4	95.8-99.0	23	2.6	01.0-04.2
College Graduate	1501	183,663	1470	98.0	97.0-99.0	31	2.0	01.0-03.0
Less than \$15,000	336	56,642	325	95.0	89.3-0100	11	5.0	00.0-10.7
\$15,000- 24,999	634	105,946	607	95.4	93.0-97.8	27	4.6	02.2-07.0
\$25,000- 34,999	366	57,116	350	94.0	89.9-98.1	16	6.0	01.9-10.1
\$35,000- 49,999	495	84,363	482	96.1	93.6-98.6	13	3.9	01.4-06.4
\$50,000- 74,999	554	86,633	539	97.2	95.4-99.0	15	2.8	01.0-04.6
\$75,000+	1083	204,147	1060	97.8	96.4-99.2	23	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 13: SEATBELT USE

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	333,160	1607	94.6	92.8-96.4	77	5.4	03.6-07.2
White/Non-Hisp	1165	217,411	1113	93.9	91.4-96.4	52	6.1	03.6-08.6
Black or Afr. Am./Non-Hisp	202	63,316	193	95.9	92.6-99.2	9	4.1	00.8-07.4
MultiRacial/Non-Hisp.	125	4,369	122	98.7	97.1-0100	3	1.3	00.0-02.9
Hispanic	105	26,752	101	97.3	94.6-0100	4	2.7	00.0-05.4
18-24	68	40,757	63	89.5	80.3-98.7	5	10.5	01.3-19.7
25-34	129	57,476	124	94.2	88.1-0100	5	5.8	00.0-11.9
35-44	178	53,137	172	96.4	93.1-99.7	6	3.6	00.3-06.9
45-54	291	58,142	272	94.1	91.2-97.0	19	5.9	03.0-08.8
55-64	387	55,187	371	96.0	93.8-98.2	16	4.0	01.8-06.2
65+	614	66,056	590	96.1	94.1-98.1	24	3.9	01.9-05.9
Less Than H.S.	173	49,255	160	89.3	81.7-96.9	13	10.7	03.1-18.3
H.S. or G.E.D.	496	109,236	465	93.9	91.0-96.8	31	6.1	03.2-09.0
Some Post-H.S.	382	91,332	369	96.6	93.5-99.7	13	3.4	00.3-06.5
College Graduate	628	81,593	610	97.4	96.0-98.8	18	2.6	01.2-04.0
Less than \$15,000	113	24,480	107	91.2	79.0-0100	6	8.8	00.0-21.0
\$15,000- 24,999	241	45,048	226	95.4	92.7-98.1	15	4.6	01.9-07.3
\$25,000- 34,999	116	21,454	108	91.1	83.8-98.4	8	8.9	01.6-16.2
\$35,000- 49,999	232	45,523	222	95.0	91.5-98.5	10	5.0	01.5-08.5
\$50,000- 74,999	234	38,876	224	95.7	92.2-99.2	10	4.3	00.8-07.8
\$75,000+	526	112,888	510	96.8	94.4-99.2	16	3.2	00.8-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	370,550	2417	97.4	96.4-98.4	46	2.6	01.6-03.6
White/Non-Hisp	1655	244,174	1630	97.7	96.3-99.1	25	2.3	00.9-03.7
Black or Afr. Am./Non-Hisp	384	76,176	373	96.0	93.1-98.9	11	4.0	01.1-06.9
Oth. Race/Non-Hisp.	66	14,049	64	98.2	95.1-0100	2	1.8	00.0-04.9
MultiRacial/Non-Hisp.	189	5,794	185	98.2	96.2-0100	4	1.8	00.0-03.8
Hispanic	130	25,655	126	98.4	96.6-0100	4	1.6	00.0-03.4
18-24	98	45,165	94	96.0	91.5-0100	4	4.0	00.0-08.5
25-34	216	57,234	206	92.9	87.8-98.0	10	7.1	02.0-12.2
35-44	235	54,835	230	97.6	95.4-99.8	5	2.4	00.2-04.6
45-54	406	63,806	398	98.3	96.9-99.7	8	1.7	00.3-03.1
55-64	564	62,520	557	99.1	98.3-99.9	7	0.9	00.1-01.7
65+	899	82,151	887	99.3	98.9-99.7	12	0.7	00.3-01.1
Less Than H.S.	208	40,190	200	96.2	91.7-0100	8	3.8	00.0-08.3
H.S. or G.E.D.	742	113,403	727	96.5	94.1-98.9	15	3.5	01.1-05.9
Some Post-H.S.	629	114,287	619	98.0	96.4-99.6	10	2.0	00.4-03.6
College Graduate	873	102,070	860	98.4	97.0-99.8	13	1.6	00.2-03.0
Less than \$15,000	223	32,162	218	97.9	95.2-0100	5	2.1	00.0-04.8
\$15,000- 24,999	393	60,898	381	95.4	92.1-98.7	12	4.6	01.3-07.9
\$25,000- 34,999	250	35,661	242	95.7	90.8-0100	8	4.3	00.0-09.2
\$35,000- 49,999	263	38,841	260	97.4	94.1-0100	3	2.6	00.0-05.9
\$50,000- 74,999	320	47,757	315	98.5	96.9-0100	5	1.5	00.0-03.1
\$75,000+	557	91,259	550	99.0	98.0-0100	7	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4147	703,709	3884	92.0	90.6-93.4	263	8.0	06.6-09.4
Male	1684	333,160	1523	89.2	86.8-91.6	161	10.8	08.4-13.2
Female	2463	370,550	2361	94.6	93.2-96.0	102	5.4	04.0-06.8
White/Non-Hisp	2820	461,585	2645	91.5	89.7-93.3	175	8.5	06.7-10.3
Black or Afr. Am./Non-Hisp	586	139,491	542	92.0	89.1-94.9	44	8.0	05.1-10.9
Oth. Race/Non-Hisp.	113	26,236	106	94.7	89.8-99.6	7	5.3	00.4-10.2
MultiRacial/Non-Hisp.	314	10,163	298	94.8	91.9-97.7	16	5.2	02.3-08.1
Hispanic	235	52,407	222	95.3	92.4-98.2	13	4.7	01.8-07.6
18-24	166	85,922	148	88.9	83.0-94.8	18	11.1	05.2-17.0
25-34	345	114,710	310	87.7	82.8-92.6	35	12.3	07.4-17.2
35-44	413	107,973	391	94.5	92.0-97.0	22	5.5	03.0-08.0
45-54	697	121,947	648	91.8	89.3-94.3	49	8.2	05.7-10.7
55-64	951	117,707	896	93.0	90.6-95.4	55	7.0	04.6-09.4
65+	1513	148,207	1431	94.4	92.8-96.0	82	5.6	04.0-07.2
Less Than H.S.	381	89,445	349	88.1	82.6-93.6	32	11.9	06.4-17.4
H.S. or G.E.D.	1238	222,639	1135	90.1	87.7-92.5	103	9.9	07.5-12.3
Some Post-H.S.	1011	205,619	956	93.7	91.3-96.1	55	6.3	03.9-08.7
College Graduate	1501	183,663	1430	94.7	93.1-96.3	71	5.3	03.7-06.9
Less than \$15,000	336	56,642	314	88.2	80.9-95.5	22	11.8	04.5-19.1
\$15,000- 24,999	634	105,946	591	92.1	89.2-95.0	43	7.9	05.0-10.8
\$25,000- 34,999	366	57,116	338	90.5	86.0-95.0	28	9.5	05.0-14.0
\$35,000- 49,999	495	84,363	459	91.3	88.0-94.6	36	8.7	05.4-12.0
\$50,000- 74,999	554	86,633	525	94.3	91.8-96.8	29	5.7	03.2-08.2
\$75,000+	1083	204,147	1018	92.9	90.5-95.3	65	7.1	04.7-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	333,160	1523	89.2	86.8-91.6	161	10.8	08.4-13.2
White/Non-Hisp	1165	217,411	1052	87.8	84.7-90.9	113	12.2	09.1-15.3
Black or Afr. Am./Non-Hisp	202	63,316	182	90.7	85.8-95.6	20	9.3	04.4-14.2
MultiRacial/Non-Hisp.	125	4,369	114	91.7	85.8-97.6	11	8.3	02.4-14.2
Hispanic	105	26,752	99	95.0	90.5-99.5	6	5.0	00.5-09.5
18-24	68	40,757	60	85.1	74.7-95.5	8	14.9	04.5-25.3
25-34	129	57,476	115	86.8	79.0-94.6	14	13.2	05.4-21.0
35-44	178	53,137	163	92.4	88.1-96.7	15	7.6	03.3-11.9
45-54	291	58,142	258	89.0	84.9-93.1	33	11.0	06.9-15.1
55-64	387	55,187	354	89.8	85.3-94.3	33	10.2	05.7-14.7
65+	614	66,056	558	90.7	87.8-93.6	56	9.3	06.4-12.2
Less Than H.S.	173	49,255	153	82.3	73.3-91.3	20	17.7	08.7-26.7
H.S. or G.E.D.	496	109,236	428	86.6	82.7-90.5	68	13.4	09.5-17.3
Some Post-H.S.	382	91,332	356	92.8	88.5-97.1	26	7.2	02.9-11.5
College Graduate	628	81,593	583	93.5	91.1-95.9	45	6.5	04.1-08.9
Less than \$15,000	113	24,480	101	78.8	63.9-93.7	12	21.2	06.3-36.1
\$15,000- 24,999	241	45,048	216	90.7	86.4-95.0	25	9.3	05.0-13.6
\$25,000- 34,999	116	21,454	103	87.9	80.1-95.7	13	12.1	04.3-19.9
\$35,000- 49,999	232	45,523	205	87.3	81.8-92.8	27	12.7	07.2-18.2
\$50,000- 74,999	234	38,876	214	92.2	87.7-96.7	20	7.8	03.3-12.3
\$75,000+	526	112,888	483	91.0	87.3-94.7	43	9.0	05.3-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	370,550	2361	94.6	93.2-96.0	102	5.4	04.0-06.8
White/Non-Hisp	1655	244,174	1593	94.7	92.9-96.5	62	5.3	03.5-07.1
Black or Afr. Am./Non-Hisp	384	76,176	360	93.1	89.6-96.6	24	6.9	03.4-10.4
Oth. Race/Non-Hisp.	66	14,049	62	94.5	88.2-0100	4	5.5	00.0-11.8
MultiRacial/Non-Hisp.	189	5,794	184	97.1	94.4-99.8	5	2.9	00.2-05.6
Hispanic	130	25,655	123	95.6	91.9-99.3	7	4.4	00.7-08.1
18-24	98	45,165	88	92.3	86.8-97.8	10	7.7	02.2-13.2
25-34	216	57,234	195	88.6	82.9-94.3	21	11.4	05.7-17.1
35-44	235	54,835	228	96.7	94.2-99.2	7	3.3	00.8-05.8
45-54	406	63,806	390	94.4	91.1-97.7	16	5.6	02.3-08.9
55-64	564	62,520	542	95.9	93.9-97.9	22	4.1	02.1-06.1
65+	899	82,151	873	97.4	96.2-98.6	26	2.6	01.4-03.8
Less Than H.S.	208	40,190	196	95.2	90.7-99.7	12	4.8	00.3-09.3
H.S. or G.E.D.	742	113,403	707	93.5	90.8-96.2	35	6.5	03.8-09.2
Some Post-H.S.	629	114,287	600	94.5	92.1-96.9	29	5.5	03.1-07.9
College Graduate	873	102,070	847	95.6	93.4-97.8	26	4.4	02.2-06.6
Less than \$15,000	223	32,162	213	95.3	91.6-99.0	10	4.7	01.0-08.4
\$15,000- 24,999	393	60,898	375	93.2	89.3-97.1	18	6.8	02.9-10.7
\$25,000- 34,999	250	35,661	235	92.1	86.4-97.8	15	7.9	02.2-13.6
\$35,000- 49,999	263	38,841	254	96.0	92.5-99.5	9	4.0	00.5-07.5
\$50,000- 74,999	320	47,757	311	96.0	93.1-98.9	9	4.0	01.1-06.9
\$75,000+	557	91,259	535	95.2	92.7-97.7	22	4.8	02.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	132
2	WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	133
3	WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1974	238,527	1594	80.1	77.7-82.5	380	19.9	17.5-22.3
White/Non-Hisp	1408	174,312	1124	80.4	77.9-82.9	284	19.6	17.1-22.1
Black or Afr. Am./Non-Hisp	278	41,348	238	78.8	71.5-86.1	40	21.2	13.9-28.5
MultiRacial/Non-Hisp.	167	4,708	132	77.4	68.6-86.2	35	22.6	13.8-31.4
Hispanic	56	8,869	42	71.5	54.1-88.9	14	28.5	11.1-45.9
40-44	135	33,520	87	63.7	53.9-73.5	48	36.3	26.5-46.1
45-54	401	62,789	336	81.6	76.7-86.5	65	18.4	13.5-23.3
55-64	558	61,906	474	85.6	82.1-89.1	84	14.4	10.9-17.9
65+	880	80,312	697	81.4	78.1-84.7	183	18.6	15.3-21.9
Less Than H.S.	155	23,970	117	75.5	66.5-84.5	38	24.5	15.5-33.5
H.S. or G.E.D.	605	73,702	484	80.0	75.9-84.1	121	20.0	15.9-24.1
Some Post-H.S.	492	69,454	374	74.8	69.5-80.1	118	25.2	19.9-30.5
College Graduate	717	71,176	614	86.8	83.5-90.1	103	13.2	09.9-16.5
Less than \$15,000	172	19,741	133	79.2	71.2-87.2	39	20.8	12.8-28.8
\$15,000- 24,999	294	31,918	213	69.7	62.4-77.0	81	30.3	23.0-37.6
\$25,000- 34,999	191	20,688	155	77.6	69.6-85.6	36	22.4	14.4-30.4
\$35,000- 49,999	217	27,072	176	82.3	75.4-89.2	41	17.7	10.8-24.6
\$50,000- 74,999	276	36,357	231	81.9	75.2-88.6	45	18.1	11.4-24.8
\$75,000+	471	64,616	396	82.8	77.9-87.7	75	17.2	12.3-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 50 years old
 Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1683	179,995	1386	83.8	81.6-86.0	297	16.2	14.0-18.4
White/Non-Hisp	1240	140,226	1008	83.1	80.6-85.6	232	16.9	14.4-19.4
Black or Afr. Am./Non-Hisp	204	24,188	182	86.9	80.8-93.0	22	13.1	07.0-19.2
MultiRacial/Non-Hisp.	152	3,887	120	78.9	70.5-87.3	32	21.1	12.7-29.5
50-54	245	37,776	215	86.1	80.6-91.6	30	13.9	08.4-19.4
55-64	558	61,906	474	85.6	82.1-89.1	84	14.4	10.9-17.9
65+	880	80,312	697	81.4	78.1-84.7	183	18.6	15.3-21.9
Less Than H.S.	139	19,843	109	80.6	71.6-89.6	30	19.4	10.4-28.4
H.S. or G.E.D.	537	59,049	440	84.2	80.5-87.9	97	15.8	12.1-19.5
Some Post-H.S.	419	51,243	326	78.9	74.0-83.8	93	21.1	16.2-26.0
College Graduate	583	49,635	506	89.6	86.7-92.5	77	10.4	07.5-13.3
Less than \$15,000	146	14,660	115	84.1	77.6-90.6	31	15.9	09.4-22.4
\$15,000- 24,999	261	26,277	196	74.7	67.3-82.1	65	25.3	17.9-32.7
\$25,000- 34,999	161	15,258	136	84.4	77.5-91.3	25	15.6	08.7-22.5
\$35,000- 49,999	195	21,704	159	84.5	78.6-90.4	36	15.5	09.6-21.4
\$50,000- 74,999	229	25,996	195	85.9	79.8-92.0	34	14.1	08.0-20.2
\$75,000+	361	42,830	313	88.0	83.9-92.1	48	12.0	07.9-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1701	282,520	1354	80.2	77.3-83.1	347	19.8	16.9-22.7
White/Non-Hisp	1133	181,000	893	81.3	78.4-84.2	240	18.7	15.8-21.6
Black or Afr. Am./Non-Hisp	253	59,070	207	78.1	69.7-86.5	46	21.9	13.5-30.3
Oth. Race/Non-Hisp.	53	12,137	38	56.9	37.1-76.7	15	43.1	23.3-62.9
MultiRacial/Non-Hisp.	129	4,056	104	82.0	72.2-91.8	25	18.0	08.2-27.8
Hispanic	112	23,278	94	87.4	81.1-93.7	18	12.6	06.3-18.9
18-24	94	43,226	64	64.1	51.6-76.6	30	35.9	23.4-48.4
25-34	209	55,508	178	82.0	75.3-88.7	31	18.0	11.3-24.7
35-44	211	49,353	194	91.5	87.4-95.6	17	8.5	04.4-12.6
45-54	313	49,878	289	91.7	87.8-95.6	24	8.3	04.4-12.2
55-64	377	40,266	329	88.3	84.6-92.0	48	11.7	08.0-15.4
65+	497	44,289	300	61.0	55.3-66.7	197	39.0	33.3-44.7
Less Than H.S.	132	29,618	86	72.9	63.1-82.7	46	27.1	17.3-36.9
H.S. or G.E.D.	476	82,886	364	76.0	69.7-82.3	112	24.0	17.7-30.3
Some Post-H.S.	427	86,575	331	80.1	74.6-85.6	96	19.9	14.4-25.4
College Graduate	660	83,171	569	87.1	83.6-90.6	91	12.9	09.4-16.4
Less than \$15,000	148	25,067	112	79.6	71.2-88.0	36	20.4	12.0-28.8
\$15,000- 24,999	278	48,561	192	69.5	61.1-77.9	86	30.5	22.1-38.9
\$25,000- 34,999	169	26,463	139	84.6	78.1-91.1	30	15.4	08.9-21.9
\$35,000- 49,999	178	28,078	146	85.5	83.8-93.2	32	11.5	06.8-16.2
\$50,000- 74,999	232	35,700	198	89.1	84.4-93.8	34	10.9	06.2-15.6
\$75,000+	427	74,711	380	85.6	79.1-92.1	47	14.4	07.9-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)	
1 MALES ONLY	136

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
 SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1304	195,539	695	45.1	41.6-48.6	609	54.9	51.4-58.4
White/Non-Hisp	952	140,698	522	46.8	42.9-50.7	430	53.2	49.3-57.1
Black or Afr. Am./Non-Hisp	156	36,147	86	45.4	34.4-56.4	70	54.6	43.6-65.6
MultiRacial/Non-Hisp.	104	2,918	57	44.3	32.0-56.6	47	55.7	43.4-68.0
Hispanic	51	9,302	16	31.6	15.7-47.5	35	68.4	52.5-84.3
40-44	91	25,975	6	3.0	00.1-05.9	85	97.0	94.1-99.9
45-54	281	56,583	98	33.1	25.8-40.4	183	66.9	59.6-74.2
55-64	359	51,696	195	52.3	45.6-59.0	164	47.7	41.0-54.4
65+	573	61,286	396	68.0	62.5-73.5	177	32.0	26.5-37.5
Less Than H.S.	126	28,563	38	25.1	16.1-34.1	88	74.9	65.9-83.9
H.S. or G.E.D.	374	59,353	186	43.1	36.8-49.4	188	56.9	50.6-63.2
Some Post-H.S.	292	52,298	175	52.2	44.2-60.2	117	47.8	39.8-55.8
College Graduate	511	55,100	296	51.0	45.5-56.5	215	49.0	43.5-54.5
Less than \$15,000	82	11,505	23	19.8	10.0-29.6	59	80.2	70.4-90.0
\$15,000- 24,999	184	25,989	85	44.3	34.9-53.7	99	55.7	46.3-65.1
\$25,000- 34,999	85	11,947	49	57.6	44.1-71.1	36	42.4	28.9-55.9
\$35,000- 49,999	186	27,457	109	46.7	37.7-55.7	77	53.3	44.3-62.3
\$50,000- 74,999	189	25,200	114	57.1	47.9-66.3	75	42.9	33.7-52.1
\$75,000+	414	69,618	223	41.9	35.4-48.4	191	58.1	51.6-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLLDS2).	
1	MALES AND FEMALES	138
2	MALES ONLY	139
3	FEMALES ONLY	140
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	141
5	MALES ONLY	142
6	FEMALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFLDS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2790	328,786	288	9.6	08.2-11.0	2502	90.4	89.0-91.8
Male	1144	151,890	124	9.8	07.8-11.8	1020	90.2	88.2-92.2
Female	1646	176,896	164	9.4	07.6-11.2	1482	90.6	88.8-92.4
White/Non-Hisp	2069	251,066	213	9.6	08.0-11.2	1856	90.4	88.8-92.0
Black or Afr. Am./Non-Hisp	339	51,712	43	11.1	07.2-15.0	296	88.9	85.0-92.8
MultiRacial/Non-Hisp.	233	5,985	20	9.3	04.4-14.2	213	90.7	85.8-95.6
Hispanic	71	11,014	5	4.2	00.0-08.7	66	95.8	91.3-0100
50-54	425	72,545	29	5.5	03.1-07.9	396	94.5	92.1-96.9
55-64	930	115,013	73	7.6	05.4-09.8	857	92.4	90.2-94.6
65+	1435	141,227	186	13.3	11.1-15.5	1249	86.7	84.5-88.9
Less Than H.S.	248	43,658	26	9.1	04.8-13.4	222	90.9	86.6-95.2
H.S. or G.E.D.	844	102,723	84	8.8	06.6-11.0	760	91.2	89.0-93.4
Some Post-H.S.	674	91,501	77	11.0	08.3-13.7	597	89.0	86.3-91.7
College Graduate	1018	90,421	100	9.2	07.0-11.4	918	90.8	88.6-93.0
Less than \$15,000	217	24,793	27	10.5	05.6-15.4	190	89.5	84.6-94.4
\$15,000- 24,999	414	47,624	48	11.1	07.4-14.8	366	88.9	85.2-92.6
\$25,000- 34,999	235	25,028	25	9.2	04.5-13.9	210	90.8	86.1-95.5
\$35,000- 49,999	368	45,266	45	13.1	09.0-17.2	323	86.9	82.8-91.0
\$50,000- 74,999	394	45,002	41	9.7	06.4-13.0	353	90.3	87.0-93.6
\$75,000+	693	89,118	57	6.6	04.4-08.8	636	93.4	91.2-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1144	151,890	124	9.8	07.8-11.8	1020	90.2	88.2-92.2
White/Non-Hisp	858	113,611	96	10.1	07.7-12.5	762	89.9	87.5-92.3
Black or Afr. Am./Non-Hisp	134	26,898	14	10.2	04.5-15.9	120	89.8	84.1-95.5
MultiRacial/Non-Hisp.	88	2,257	10	12.8	03.0-22.6	78	87.2	77.4-97.0
50-54	179	34,334	9	3.5	01.0-06.0	170	96.5	94.0-99.0
55-64	377	53,786	30	7.2	04.3-10.1	347	92.8	89.9-95.7
65+	588	63,770	85	15.5	11.6-19.4	503	84.5	80.6-88.4
Less Than H.S.	110	23,906	12	9.8	03.5-16.1	98	90.2	83.9-96.5
H.S. or G.E.D.	326	45,417	40	9.1	05.6-12.6	286	90.9	87.4-94.4
Some Post-H.S.	264	40,772	31	12.0	07.3-16.7	233	88.0	83.3-92.7
College Graduate	443	41,536	41	8.5	05.6-11.4	402	91.5	88.6-94.4
Less than \$15,000	75	10,130	8	8.0	01.3-14.7	67	92.0	85.3-98.7
\$15,000- 24,999	164	22,378	24	12.9	06.4-19.4	140	87.1	80.6-93.6
\$25,000- 34,999	81	10,097	10	9.1	02.4-15.8	71	90.9	84.2-97.6
\$35,000- 49,999	174	23,602	19	10.6	05.3-15.9	155	89.4	84.1-94.7
\$50,000- 74,999	166	19,175	22	14.0	07.5-20.5	144	86.0	79.5-92.5
\$75,000+	337	46,790	28	6.9	03.8-10.0	309	93.1	90.0-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1646	176,896	164	9.4	07.6-11.2	1482	90.6	88.8-92.4
White/Non-Hisp	1211	137,455	117	9.3	07.3-11.3	1094	90.7	88.7-92.7
Black or Afr. Am./Non-Hisp	205	24,814	29	12.1	06.8-17.4	176	87.9	82.6-93.2
MultiRacial/Non-Hisp.	145	3,728	10	7.2	02.1-12.3	135	92.8	87.7-97.9
50-54	246	38,211	20	7.3	03.6-11.0	226	92.7	89.0-96.4
55-64	553	61,228	43	8.0	05.1-10.9	510	92.0	89.1-94.9
65+	847	77,457	101	11.5	09.0-14.0	746	88.5	86.0-91.0
Less Than H.S.	138	19,751	14	8.2	02.5-13.9	124	91.8	86.1-97.5
H.S. or G.E.D.	518	57,306	44	8.5	05.6-11.4	474	91.5	88.6-94.4
Some Post-H.S.	410	50,729	46	10.1	06.8-13.4	364	89.9	86.6-93.2
College Graduate	575	48,885	59	9.9	07.0-12.8	516	90.1	87.2-93.0
Less than \$15,000	142	14,663	19	12.2	05.3-19.1	123	87.8	80.9-94.7
\$15,000- 24,999	250	25,246	24	9.4	05.1-13.7	226	90.6	86.3-94.9
\$25,000- 34,999	154	14,931	15	9.3	02.8-15.8	139	90.7	84.2-97.2
\$35,000- 49,999	194	21,664	26	15.8	09.3-22.3	168	84.2	77.7-90.7
\$50,000- 74,999	228	25,828	19	6.5	03.2-09.8	209	93.5	90.2-96.8
\$75,000+	356	42,328	29	6.3	03.6-09.0	327	93.7	91.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2861	335,715	2253	76.5	74.3-78.7	608	23.5	21.3-25.7
Male	1167	153,777	915	75.7	72.2-79.2	252	24.3	20.8-27.8
Female	1694	181,939	1338	77.3	74.8-79.8	356	22.7	20.2-25.2
White/Non-Hisp	2124	256,471	1690	78.4	76.2-80.6	434	21.6	19.4-23.8
Black or Afr. Am./Non-Hisp	344	52,252	259	69.5	62.4-76.6	85	30.5	23.4-37.6
MultiRacial/Non-Hisp.	241	6,158	192	76.2	68.6-83.8	49	23.8	16.2-31.4
Hispanic	70	10,802	46	68.0	53.3-82.7	24	32.0	17.3-46.7
50-54	425	72,640	234	55.2	49.3-61.1	191	44.8	38.9-50.7
55-64	946	117,389	750	78.6	75.1-82.1	196	21.4	17.9-24.9
65+	1490	145,686	1269	85.5	83.1-87.9	221	14.5	12.1-16.9
Less Than H.S.	255	44,411	177	65.0	56.8-73.2	78	35.0	26.8-43.2
H.S. or G.E.D.	863	104,948	658	73.3	69.6-77.0	205	26.7	23.0-30.4
Some Post-H.S.	693	93,836	550	79.8	76.1-83.5	143	20.2	16.5-23.9
College Graduate	1044	92,036	862	82.4	79.7-85.1	182	17.6	14.9-20.3
Less than \$15,000	223	25,167	145	59.0	49.4-68.6	78	41.0	31.4-50.6
\$15,000- 24,999	428	49,234	321	73.4	67.7-79.1	107	26.6	20.9-32.3
\$25,000- 34,999	243	25,398	202	79.4	71.6-87.2	41	20.6	12.8-28.4
\$35,000- 49,999	369	45,128	288	74.6	68.7-80.5	81	25.4	19.5-31.3
\$50,000- 74,999	403	45,954	330	81.4	76.7-86.1	73	18.6	13.9-23.3
\$75,000+	706	90,571	577	80.4	76.7-84.1	129	19.6	15.9-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1167	153,777	915	75.7	72.2-79.2	252	24.3	20.8-27.8
White/Non-Hisp	876	115,155	704	79.2	75.9-82.5	172	20.8	17.5-24.1
Black or Afr. Am./Non-Hisp	137	27,335	96	64.6	53.4-75.8	41	35.4	24.2-46.6
MultiRacial/Non-Hisp.	90	2,320	70	77.4	66.2-88.6	20	22.6	11.4-33.8
50-54	178	34,279	96	52.6	43.4-61.8	82	47.4	38.2-56.6
55-64	385	55,038	302	78.8	73.3-84.3	83	21.2	15.7-26.7
65+	604	64,460	517	85.3	81.4-89.2	87	14.7	10.8-18.6
Less Than H.S.	109	23,421	62	52.6	40.1-65.1	47	47.4	34.9-59.9
H.S. or G.E.D.	327	45,555	242	72.4	66.1-78.7	85	27.6	21.3-33.9
Some Post-H.S.	273	42,235	219	79.7	73.6-85.8	54	20.3	14.2-26.4
College Graduate	457	42,307	391	87.8	84.5-91.1	66	12.2	08.9-15.5
Less than \$15,000	75	10,143	44	48.0	31.5-64.5	31	52.0	35.5-68.5
\$15,000- 24,999	165	22,419	113	66.6	56.8-76.4	52	33.4	23.6-43.2
\$25,000- 34,999	83	10,204	67	75.4	60.5-90.3	16	24.6	09.7-39.5
\$35,000- 49,999	175	23,523	132	71.6	62.6-80.6	43	28.4	19.4-37.4
\$50,000- 74,999	171	19,660	144	82.8	75.9-89.7	27	17.2	10.3-24.1
\$75,000+	343	47,547	292	84.6	79.7-89.5	51	15.4	10.5-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1694	181,939	1338	77.3	74.8-79.8	356	22.7	20.2-25.2
White/Non-Hisp	1248	141,316	986	77.8	74.9-80.7	262	22.2	19.3-25.1
Black or Afr. Am./Non-Hisp	207	24,918	163	74.8	67.0-82.6	44	25.2	17.4-33.0
MultiRacial/Non-Hisp.	151	3,838	122	75.4	65.2-85.6	29	24.6	14.4-34.8
50-54	247	38,361	138	57.6	50.2-65.0	109	42.4	35.0-49.8
55-64	561	62,351	448	78.4	74.1-82.7	113	21.6	17.3-25.9
65+	886	81,226	752	85.7	82.8-88.6	134	14.3	11.4-17.2
Less Than H.S.	146	20,990	115	78.9	70.1-87.7	31	21.1	12.3-29.9
H.S. or G.E.D.	536	59,393	416	74.0	69.3-78.7	120	26.0	21.3-30.7
Some Post-H.S.	420	51,601	331	79.8	75.3-84.3	89	20.2	15.7-24.7
College Graduate	587	49,730	471	77.8	73.5-82.1	116	22.2	17.9-26.5
Less than \$15,000	148	15,024	101	66.4	56.0-76.8	47	33.6	23.2-44.0
\$15,000- 24,999	263	26,815	208	79.2	72.7-85.7	55	20.8	14.3-27.3
\$25,000- 34,999	160	15,194	135	82.1	74.1-90.1	25	17.9	09.9-25.9
\$35,000- 49,999	194	21,605	156	77.9	70.3-85.5	38	22.1	14.5-29.7
\$50,000- 74,999	232	26,294	186	80.3	74.0-86.6	46	19.7	13.4-26.0
\$75,000+	363	43,024	285	75.7	70.2-81.2	78	24.3	18.8-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	145
2	MALES ONLY	146
3	FEMALES ONLY	147

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 18: HIV/AIDS

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3947	674,392	1302	39.1	36.9-41.3	2645	60.9	58.7-63.1
Male	1598	319,496	510	38.1	34.6-41.6	1088	61.9	58.4-65.4
Female	2349	354,896	792	39.9	37.2-42.6	1557	60.1	57.4-62.8
White/Non-Hisp	2679	440,861	712	32.6	30.1-35.1	1967	67.4	64.9-69.9
Black or Afr. Am./Non-Hisp	566	136,193	320	62.2	56.3-68.1	246	37.8	31.9-43.7
Oth. Race/Non-Hisp.	104	24,502	33	23.5	12.9-34.1	71	76.5	65.9-87.1
MultiRacial/Non-Hisp.	298	9,385	107	39.2	31.8-46.6	191	60.8	53.4-68.2
Hispanic	224	50,333	102	40.2	32.6-47.8	122	59.8	52.2-67.4
18-24	157	82,528	60	35.5	26.5-44.5	97	64.5	55.5-73.5
25-34	336	112,635	205	55.9	49.0-62.8	131	44.1	37.2-51.0
35-44	398	104,572	249	61.4	55.5-67.3	149	38.6	32.7-44.5
45-54	671	116,511	325	46.4	41.5-51.3	346	53.6	48.7-58.5
55-64	918	113,057	264	28.6	24.9-32.3	654	71.4	67.7-75.1
65+	1414	138,949	186	13.7	11.3-16.1	1228	86.3	83.9-88.7
Less Than H.S.	360	86,255	120	38.2	31.1-45.3	240	61.8	54.7-68.9
H.S. or G.E.D.	1185	214,095	355	37.6	33.5-41.7	830	62.4	58.3-66.5
Some Post-H.S.	961	196,527	346	41.5	37.0-46.0	615	58.5	54.0-63.0
College Graduate	1427	175,269	476	38.5	35.0-42.0	951	61.5	58.0-65.0
Less than \$15,000	324	55,007	149	48.9	40.7-57.1	175	51.1	42.9-59.3
\$15,000- 24,999	599	101,526	216	42.7	37.0-48.4	383	57.3	51.6-63.0
\$25,000- 34,999	347	53,656	115	44.8	37.4-52.2	232	55.2	47.8-62.6
\$35,000- 49,999	481	82,412	159	41.5	34.8-48.2	322	58.5	51.8-65.2
\$50,000- 74,999	530	83,481	185	41.9	36.0-47.8	345	58.1	52.2-64.0
\$75,000+	1042	196,661	342	36.6	32.1-41.1	700	63.4	58.9-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	319,496	510	38.1	34.6-41.6	1088	61.9	58.4-65.4
White/Non-Hisp	1099	207,548	297	32.8	28.9-36.7	802	67.2	63.3-71.1
Black or Afr. Am./Non-Hisp	196	61,890	109	64.6	55.8-73.4	87	35.4	26.6-44.2
MultiRacial/Non-Hisp.	118	3,832	44	39.6	27.4-51.8	74	60.4	48.2-72.6
Hispanic	101	25,927	31	24.6	15.6-33.6	70	75.4	66.4-84.4
18-24	64	39,096	18	29.3	16.4-42.2	46	70.7	57.8-83.6
25-34	128	56,911	65	49.4	38.6-60.2	63	50.6	39.8-61.4
35-44	173	51,772	99	56.9	47.7-66.1	74	43.1	33.9-52.3
45-54	279	55,425	125	44.2	36.2-52.2	154	55.8	47.8-63.8
55-64	371	52,887	103	31.3	25.0-37.6	268	68.7	62.4-75.0
65+	567	61,017	96	18.4	14.1-22.7	471	81.6	77.3-85.9
Less Than H.S.	162	47,619	53	36.1	25.9-46.3	109	63.9	53.7-74.1
H.S. or G.E.D.	472	104,381	144	38.9	32.4-45.4	328	61.1	54.6-67.6
Some Post-H.S.	363	87,083	125	37.6	30.2-45.0	238	62.4	55.0-69.8
College Graduate	596	78,669	186	39.1	33.6-44.6	410	60.9	55.4-66.4
Less than \$15,000	105	23,073	44	47.8	32.9-62.7	61	52.2	37.3-67.1
\$15,000- 24,999	230	43,522	82	42.2	33.2-51.2	148	57.8	48.8-66.8
\$25,000- 34,999	108	19,590	34	42.3	29.0-55.6	74	57.7	44.4-71.0
\$35,000- 49,999	224	44,236	77	45.8	36.0-55.6	147	54.2	44.4-64.0
\$50,000- 74,999	225	38,059	82	39.6	30.6-48.6	143	60.4	51.4-69.4
\$75,000+	503	109,507	149	35.1	28.6-41.6	354	64.9	58.4-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2349	354,896	792	39.9	37.2-42.6	1557	60.1	57.4-62.8
White/Non-Hisp	1580	233,313	415	32.3	29.2-35.4	1165	67.7	64.6-70.8
Black or Afr. Am./Non-Hisp	370	74,303	211	60.2	52.6-67.8	159	39.8	32.2-47.4
Oth. Race/Non-Hisp.	60	13,154	19	28.4	12.7-44.1	41	71.6	55.9-87.3
MultiRacial/Non-Hisp.	180	5,553	63	38.9	29.5-48.3	117	61.1	51.7-70.5
Hispanic	123	24,406	71	56.7	46.1-67.3	52	43.3	32.7-53.9
18-24	93	43,432	42	41.1	28.8-53.4	51	58.9	46.6-71.2
25-34	208	55,724	140	62.6	54.6-70.6	68	37.4	29.4-45.4
35-44	225	52,800	150	65.8	58.5-73.1	75	34.2	26.9-41.5
45-54	392	61,086	200	48.4	42.3-54.5	192	51.6	45.5-57.7
55-64	547	60,170	161	26.3	22.0-30.6	386	73.7	69.4-78.0
65+	847	77,932	90	10.0	07.5-12.5	757	90.0	87.5-92.5
Less Than H.S.	198	38,637	67	40.8	31.6-50.0	131	59.2	50.0-68.4
H.S. or G.E.D.	713	109,714	211	36.5	31.4-41.6	502	63.5	58.4-68.6
Some Post-H.S.	598	109,444	221	44.7	39.0-50.4	377	55.3	49.6-61.0
College Graduate	831	96,600	290	38.1	33.8-42.4	541	61.9	57.6-66.2
Less than \$15,000	219	31,934	105	49.6	40.2-59.0	114	50.4	41.0-59.8
\$15,000- 24,999	369	58,004	134	43.1	35.8-50.4	235	56.9	49.6-64.2
\$25,000- 34,999	239	34,065	81	46.2	37.2-55.2	158	53.8	44.8-62.8
\$35,000- 49,999	257	38,176	82	36.6	28.4-44.8	175	63.4	55.2-71.6
\$50,000- 74,999	305	45,422	103	43.8	36.2-51.4	202	56.2	48.6-63.8
\$75,000+	539	87,154	193	38.5	32.6-44.4	346	61.5	55.6-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2014**

End of Calculated Variable Data Report