

DELAWARE

2015 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 1, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4060	740,927	3255	82.4	80.8-84.0	805	17.6	16.0-19.2
Male	1748	353,629	1427	83.7	81.3-86.1	321	16.3	13.9-18.7
Female	2312	387,297	1828	81.2	78.8-83.6	484	18.8	16.4-21.2
White/Non-Hisp	2954	482,156	2429	84.6	82.8-86.4	525	15.4	13.6-17.2
Black or Afr. Am./Non-Hisp	610	145,556	469	80.5	76.0-85.0	141	19.5	15.0-24.0
Oth. Race/Non-Hisp.	114	32,545	94	90.1	84.6-95.6	20	9.9	4.4-15.4
Hispanic	248	56,281	161	64.7	56.9-72.5	87	35.3	27.5-43.1
18-24	219	91,001	202	90.5	84.6-96.4	17	9.5	3.6-15.4
25-34	387	122,256	331	85.5	81.0-90.0	56	14.5	10.0-19.0
35-44	400	111,547	337	85.7	81.4-90.0	63	14.3	10.0-18.6
45-54	620	124,617	507	83.8	80.3-87.3	113	16.2	12.7-19.7
55-64	851	123,282	652	76.2	72.5-79.9	199	23.8	20.1-27.5
65+	1524	159,197	1177	76.9	74.0-79.8	347	23.1	20.2-26.0
Less Than H.S.	367	94,494	193	55.3	48.2-62.4	174	44.7	37.6-51.8
H.S. or G.E.D.	1231	230,773	946	80.8	77.7-83.9	285	19.2	16.1-22.3
Some Post-H.S.	1016	215,072	841	87.2	84.8-89.6	175	12.8	10.4-15.2
College Graduate	1424	195,904	1258	92.0	90.4-93.6	166	8.0	6.4- 9.6
Less than \$15,000	252	39,795	141	53.6	43.4-63.8	111	46.4	36.2-56.6
\$15,000- 24,999	577	97,038	385	67.2	61.7-72.7	192	32.8	27.3-38.3
\$25,000- 34,999	385	68,661	289	77.0	71.1-82.9	96	23.0	17.1-28.9
\$35,000- 49,999	459	77,335	377	81.0	75.9-86.1	82	19.0	13.9-24.1
\$50,000- 74,999	502	92,609	445	89.3	85.8-92.8	57	10.7	7.2-14.2
\$75,000+	1046	216,240	965	94.5	92.9-96.1	81	5.5	3.9- 7.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	353,629	1427	83.7	81.3-86.1	321	16.3	13.9-18.7
White/Non-Hisp	1259	228,889	1052	85.0	82.3-87.7	207	15.0	12.3-17.7
Black or Afr. Am./Non-Hisp	256	66,406	201	84.7	79.8-89.6	55	15.3	10.4-20.2
Hispanic	117	31,129	79	69.0	58.2-79.8	38	31.0	20.2-41.8
18-24	107	45,978	96	92.0	86.9-97.1	11	8.0	2.9-13.1
25-34	180	61,196	150	84.5	78.0-91.0	30	15.5	9.0-22.0
35-44	186	54,630	167	87.5	80.6-94.4	19	12.5	5.6-19.4
45-54	256	59,314	217	86.3	81.2-91.4	39	13.7	8.6-18.8
55-64	368	58,318	281	78.0	72.7-83.3	87	22.0	16.7-27.3
65+	627	70,236	494	76.9	72.4-81.4	133	23.1	18.6-27.6
Less Than H.S.	165	47,537	96	59.4	49.8-69.0	69	40.6	31.0-50.2
H.S. or G.E.D.	553	122,277	438	84.2	80.3-88.1	115	15.8	11.9-19.7
Some Post-H.S.	399	95,954	337	88.5	84.8-92.2	62	11.5	7.8-15.2
College Graduate	619	84,446	545	90.7	88.2-93.2	74	9.3	6.8-11.8
Less than \$15,000	84	12,712	54	67.5	53.8-81.2	30	32.5	18.8-46.2
\$15,000- 24,999	240	46,152	162	69.3	61.9-76.7	78	30.7	23.3-38.1
\$25,000- 34,999	176	37,918	135	77.7	68.9-86.5	41	22.3	13.5-31.1
\$35,000- 49,999	199	36,816	161	79.5	72.1-86.9	38	20.5	13.1-27.9
\$50,000- 74,999	226	43,374	197	88.9	83.8-94.0	29	11.1	6.0-16.2
\$75,000+	503	108,218	461	94.2	91.7-96.7	42	5.8	3.3- 8.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2312	387,297	1828	81.2	78.8-83.6	484	18.8	16.4-21.2
White/Non-Hisp	1695	253,267	1377	84.2	81.8-86.6	318	15.8	13.4-18.2
Black or Afr. Am./Non-Hisp	354	79,151	268	77.0	70.1-83.9	86	23.0	16.1-29.9
Oth. Race/Non-Hisp.	66	18,378	55	91.5	85.0-98.0	11	8.5	2.0-15.0
Hispanic	131	25,151	82	59.4	48.4-70.4	49	40.6	29.6-51.6
18-24	112	45,023	106	89.0	78.2-99.8	6	11.0	0.2-21.8
25-34	207	61,060	181	86.5	80.0-93.0	26	13.5	7.0-20.0
35-44	214	56,917	170	83.9	78.4-89.4	44	16.1	10.6-21.6
45-54	364	65,303	290	81.4	76.3-86.5	74	18.6	13.5-23.7
55-64	483	64,964	371	74.6	69.3-79.9	112	25.4	20.1-30.7
65+	897	88,961	683	77.0	73.5-80.5	214	23.0	19.5-26.5
Less Than H.S.	202	46,957	97	51.1	40.9-61.3	105	48.9	38.7-59.1
H.S. or G.E.D.	678	108,495	508	77.1	72.4-81.8	170	22.9	18.2-27.6
Some Post-H.S.	617	119,119	504	86.2	83.1-89.3	113	13.8	10.7-16.9
College Graduate	805	111,458	713	92.9	91.1-94.7	92	7.1	5.3- 8.9
Less than \$15,000	168	27,083	87	47.1	34.4-59.8	81	52.9	40.2-65.6
\$15,000- 24,999	337	50,886	223	65.3	57.3-73.3	114	34.7	26.7-42.7
\$25,000- 34,999	209	30,743	154	76.0	68.9-83.1	55	24.0	16.9-31.1
\$35,000- 49,999	260	40,519	216	82.4	75.5-89.3	44	17.6	10.7-24.5
\$50,000- 74,999	276	49,235	248	89.6	84.7-94.5	28	10.4	5.5-15.3
\$75,000+	543	108,022	504	94.8	92.6-97.0	39	5.2	3.0- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2464	568,332	2201	89.7	88.1-91.3	263	10.3	8.7-11.9
Male	1088	276,154	942	87.9	85.5-90.3	146	12.1	9.7-14.5
Female	1376	292,178	1259	91.4	89.4-93.4	117	8.6	6.6-10.6
White/Non-Hisp	1624	349,099	1523	94.3	92.9-95.7	101	5.7	4.3- 7.1
Black or Afr. Am./Non-Hisp	449	121,047	406	91.7	88.8-94.6	43	8.3	5.4-11.2
Oth. Race/Non-Hisp.	93	29,190	87	95.8	91.5- 100	6	4.2	0.0- 8.5
Hispanic	221	51,978	118	50.7	42.5-58.9	103	49.3	41.1-57.5
18-24	212	88,455	183	90.1	86.2-94.0	29	9.9	6.0-13.8
25-34	386	121,164	314	83.8	79.3-88.3	72	16.2	11.7-20.7
35-44	396	110,660	336	88.2	84.7-91.7	60	11.8	8.3-15.3
45-54	619	124,771	570	91.5	89.0-94.0	49	8.5	6.0-11.0
55-64	851	123,282	798	94.7	92.9-96.5	53	5.3	3.5- 7.1
Less Than H.S.	248	72,007	155	64.0	56.2-71.8	93	36.0	28.2-43.8
H.S. or G.E.D.	745	177,492	657	91.1	88.9-93.3	88	8.9	6.7-11.1
Some Post-H.S.	636	166,893	585	92.5	90.0-95.0	51	7.5	5.0-10.0
College Graduate	826	149,581	795	97.1	95.7-98.5	31	2.9	1.5- 4.3
Less than \$15,000	171	32,411	136	77.4	68.8-86.0	35	22.6	14.0-31.2
\$15,000- 24,999	356	72,752	272	75.1	69.2-81.0	84	24.9	19.0-30.8
\$25,000- 34,999	209	48,366	175	84.3	78.0-90.6	34	15.7	9.4-22.0
\$35,000- 49,999	268	56,735	242	90.5	86.6-94.4	26	9.5	5.6-13.4
\$50,000- 74,999	296	70,199	283	95.8	93.1-98.5	13	4.2	1.5- 6.9
\$75,000+	756	186,006	737	97.6	96.2-99.0	19	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1088	276,154	942	87.9	85.5-90.3	146	12.1	9.7-14.5
White/Non-Hisp	714	170,138	653	92.8	90.6-95.0	61	7.2	5.0- 9.4
Black or Afr. Am./Non-Hisp	192	56,030	171	91.7	87.6-95.8	21	8.3	4.2-12.4
Hispanic	106	28,737	52	49.6	37.6-61.6	54	50.4	38.4-62.4
18-24	102	44,305	86	89.4	83.7-95.1	16	10.6	4.9-16.3
25-34	179	60,104	140	81.7	75.0-88.4	39	18.3	11.6-25.0
35-44	183	53,854	148	85.3	79.6-91.0	35	14.7	9.0-20.4
45-54	256	59,573	228	90.1	86.2-94.0	28	9.9	6.0-13.8
55-64	368	58,318	340	93.2	90.1-96.3	28	6.8	3.7- 9.9
Less Than H.S.	127	38,138	74	58.2	47.2-69.2	53	41.8	30.8-52.8
H.S. or G.E.D.	376	100,054	326	91.5	88.8-94.2	50	8.5	5.8-11.2
Some Post-H.S.	258	75,611	227	90.2	86.1-94.3	31	9.8	5.7-13.9
College Graduate	321	60,409	309	97.2	95.2-99.2	12	2.8	0.8- 4.8
Less than \$15,000	58	10,341	41	67.6	51.7-83.5	17	32.4	16.5-48.3
\$15,000- 24,999	173	36,582	126	72.3	64.3-80.3	47	27.7	19.7-35.7
\$25,000- 34,999	97	26,815	79	83.5	74.3-92.7	18	16.5	7.3-25.7
\$35,000- 49,999	111	27,084	96	87.8	81.1-94.5	15	12.2	5.5-18.9
\$50,000- 74,999	124	31,997	116	93.1	87.4-98.8	8	6.9	1.2-12.6
\$75,000+	344	91,568	330	96.6	94.4-98.8	14	3.4	1.2- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1376	292,178	1259	91.4	89.4-93.4	117	8.6	6.6-10.6
White/Non-Hisp	910	178,961	870	95.8	94.0-97.6	40	4.2	2.4- 6.0
Black or Afr. Am./Non-Hisp	257	65,017	235	91.6	87.5-95.7	22	8.4	4.3-12.5
Oth. Race/Non-Hisp.	54	16,372	50	95.2	88.7- 100	4	4.8	0.0-11.3
Hispanic	115	23,241	66	52.0	40.6-63.4	49	48.0	36.6-59.4
18-24	110	44,150	97	90.7	85.0-96.4	13	9.3	3.6-15.0
25-34	207	61,060	174	85.9	79.6-92.2	33	14.1	7.8-20.4
35-44	213	56,806	188	91.0	86.9-95.1	25	9.0	4.9-13.1
45-54	363	65,198	342	92.7	89.2-96.2	21	7.3	3.8-10.8
55-64	483	64,964	458	96.0	94.0-98.0	25	4.0	2.0- 6.0
Less Than H.S.	121	33,868	81	70.4	59.8-81.0	40	29.6	19.0-40.2
H.S. or G.E.D.	369	77,438	331	90.5	87.0-94.0	38	9.5	6.0-13.0
Some Post-H.S.	378	91,282	358	94.3	91.0-97.6	20	5.7	2.4- 9.0
College Graduate	505	89,172	486	97.0	95.0-99.0	19	3.0	1.0- 5.0
Less than \$15,000	113	22,070	95	82.0	72.2-91.8	18	18.0	8.2-27.8
\$15,000- 24,999	183	36,170	146	77.9	69.5-86.3	37	22.1	13.7-30.5
\$25,000- 34,999	112	21,551	96	85.4	77.6-93.2	16	14.6	6.8-22.4
\$35,000- 49,999	157	29,652	146	93.0	88.5-97.5	11	7.0	2.5-11.5
\$50,000- 74,999	172	38,201	167	98.0	95.8- 100	5	2.0	0.0- 4.2
\$75,000+	412	94,438	407	98.6	97.2- 100	5	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4055	739,919	2311	65.5	63.5-67.5	1744	34.5	32.5-36.5
Male	1744	352,861	984	64.1	61.0-67.2	760	35.9	32.8-39.0
Female	2311	387,058	1327	66.8	64.3-69.3	984	33.2	30.7-35.7
White/Non-Hisp	2951	481,589	1667	65.0	62.6-67.4	1284	35.0	32.6-37.4
Black or Afr. Am./Non-Hisp	608	145,319	308	60.1	54.8-65.4	300	39.9	34.6-45.2
Oth. Race/Non-Hisp.	115	32,643	77	75.7	65.7-85.7	38	24.3	14.3-34.3
Hispanic	247	55,796	185	78.9	73.0-84.8	62	21.1	15.2-27.0
18-24	218	90,517	202	92.1	87.4-96.8	16	7.9	3.2-12.6
25-34	387	122,256	333	87.4	83.5-91.3	54	12.6	8.7-16.5
35-44	399	111,350	314	79.1	73.8-84.4	85	20.9	15.6-26.2
45-54	621	124,991	396	63.6	58.9-68.3	225	36.4	31.7-41.1
55-64	849	123,160	429	49.4	45.1-53.7	420	50.6	46.3-54.9
65+	1525	158,653	605	38.9	35.8-42.0	920	61.1	58.0-64.2
Less Than H.S.	364	93,839	197	64.5	58.2-70.8	167	35.5	29.2-41.8
H.S. or G.E.D.	1234	231,017	644	61.4	57.7-65.1	590	38.6	34.9-42.3
Some Post-H.S.	1017	215,008	592	67.0	63.3-70.7	425	33.0	29.3-36.7
College Graduate	1418	195,371	864	69.3	66.2-72.4	554	30.7	27.6-33.8
Less than \$15,000	253	40,180	128	59.9	50.7-69.1	125	40.1	30.9-49.3
\$15,000- 24,999	574	96,409	294	59.9	54.4-65.4	280	40.1	34.6-45.6
\$25,000- 34,999	386	68,678	216	64.5	57.8-71.2	170	35.5	28.8-42.2
\$35,000- 49,999	461	77,457	274	61.4	55.3-67.5	187	38.6	32.5-44.7
\$50,000- 74,999	501	92,412	257	60.8	54.9-66.7	244	39.2	33.3-45.1
\$75,000+	1045	216,105	682	72.4	68.9-75.9	363	27.6	24.1-31.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	352,861	984	64.1	61.0-67.2	760	35.9	32.8-39.0
White/Non-Hisp	1257	228,668	692	62.8	59.1-66.5	565	37.2	33.5-40.9
Black or Afr. Am./Non-Hisp	255	66,297	131	59.5	51.1-67.9	124	40.5	32.1-48.9
Hispanic	116	30,645	92	79.5	70.7-88.3	24	20.5	11.7-29.3
18-24	106	45,494	95	88.8	81.2-96.4	11	11.2	3.6-18.8
25-34	180	61,196	149	82.5	75.6-89.4	31	17.5	10.6-24.4
35-44	185	54,433	143	77.5	69.5-85.5	42	22.5	14.5-30.5
45-54	257	59,688	160	61.9	54.6-69.2	97	38.1	30.8-45.4
55-64	367	58,276	176	46.8	40.3-53.3	191	53.2	46.7-59.7
65+	628	70,012	250	38.8	33.7-43.9	378	61.2	56.1-66.3
Less Than H.S.	164	47,067	95	63.3	54.1-72.5	69	36.7	27.5-45.9
H.S. or G.E.D.	552	122,100	310	64.3	58.8-69.8	242	35.7	30.2-41.2
Some Post-H.S.	402	96,267	234	65.8	59.7-71.9	168	34.2	28.1-40.3
College Graduate	614	84,012	337	62.0	57.1-66.9	277	38.0	33.1-42.9
Less than \$15,000	84	13,067	45	62.8	49.3-76.3	39	37.2	23.7-50.7
\$15,000- 24,999	239	45,900	133	58.8	50.6-67.0	106	41.2	33.0-49.4
\$25,000- 34,999	176	37,918	106	66.6	56.6-76.6	70	33.4	23.4-43.4
\$35,000- 49,999	200	36,881	126	67.4	58.8-76.0	74	32.6	24.0-41.2
\$50,000- 74,999	225	43,177	100	53.7	44.5-62.9	125	46.3	37.1-55.5
\$75,000+	503	108,139	296	66.5	61.0-72.0	207	33.5	28.0-39.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2311	387,058	1327	66.8	64.3-69.3	984	33.2	30.7-35.7
White/Non-Hisp	1694	252,920	975	66.9	64.0-69.8	719	33.1	30.2-36.0
Black or Afr. Am./Non-Hisp	353	79,022	177	60.6	53.9-67.3	176	39.4	32.7-46.1
Oth. Race/Non-Hisp.	66	18,378	45	76.0	61.5-90.5	21	24.0	9.5-38.5
Hispanic	131	25,151	93	78.2	70.4-86.0	38	21.8	14.0-29.6
18-24	112	45,023	107	95.4	89.9-100	5	4.6	0.0-10.1
25-34	207	61,060	184	92.2	88.5-95.9	23	7.8	4.1-11.5
35-44	214	56,917	171	80.6	73.9-87.3	43	19.4	12.7-26.1
45-54	364	65,303	236	65.1	58.8-71.4	128	34.9	28.6-41.2
55-64	482	64,884	253	51.7	46.0-57.4	229	48.3	42.6-54.0
65+	897	88,641	355	39.0	34.7-43.3	542	61.0	56.7-65.3
Less Than H.S.	200	46,772	102	65.7	57.3-74.1	98	34.3	25.9-42.7
H.S. or G.E.D.	682	108,917	334	58.0	52.7-63.3	348	42.0	36.7-47.3
Some Post-H.S.	615	118,741	358	67.9	63.0-72.8	257	32.1	27.2-37.0
College Graduate	804	111,359	527	74.9	71.2-78.6	277	25.1	21.4-28.8
Less than \$15,000	169	27,114	83	58.5	46.3-70.7	86	41.5	29.3-53.7
\$15,000- 24,999	335	50,508	161	60.9	53.6-68.2	174	39.1	31.8-46.4
\$25,000- 34,999	210	30,760	110	61.9	53.9-69.9	100	38.1	30.1-46.1
\$35,000- 49,999	261	40,576	148	56.0	47.8-64.2	113	44.0	35.8-52.2
\$50,000- 74,999	276	49,235	157	67.0	59.6-74.4	119	33.0	25.6-40.4
\$75,000+	542	107,967	386	78.4	74.3-82.5	156	21.6	17.5-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3921	708,637	3431	81.2	79.2-83.2	111	3.1	2.3- 3.9	379	15.8	13.8-17.8
Male	1689	338,291	1443	78.4	75.1-81.7	55	3.6	2.2- 5.0	191	18.0	14.9-21.1
Female	2232	370,346	1988	83.6	81.1-86.1	56	2.6	1.6- 3.6	188	13.7	11.3-16.1
White/Non-Hisp	2869	462,474	2567	83.7	81.3-86.1	91	3.7	2.7- 4.7	211	12.6	10.4-14.8
Black or Afr. Am./Non-Hisp	580	137,266	501	77.7	72.0-83.4	7	1.5	0.1- 2.9	72	20.8	15.1-26.5
Oth. Race/Non-Hisp.	111	31,714	90	78.2	67.4-89.0	3	4.3	0.0- 9.4	18	17.5	7.5-27.5
Hispanic	233	53,358	161	67.6	59.8-75.4	6	2.1	0.1- 4.1	66	30.3	22.7-37.9
18-24	199	83,138	95	48.2	39.0-57.4	3	0.7	0.0- 1.7	101	51.1	41.9-60.3
25-34	362	113,753	233	63.4	56.7-70.1	16	5.1	1.8- 8.4	113	31.4	24.9-37.9
35-44	382	106,038	313	82.4	77.7-87.1	19	3.9	1.9- 5.9	50	13.7	9.2-18.2
45-54	609	122,645	550	89.6	86.5-92.7	22	3.5	1.7- 5.3	37	6.9	4.2- 9.6
55-64	837	121,191	780	92.4	89.9-94.9	23	2.8	1.2- 4.4	34	4.7	2.5- 6.9
65+	1474	153,097	1408	95.4	94.0-96.8	27	2.2	1.0- 3.4	39	2.4	1.4- 3.4
Less Than H.S.	349	89,176	273	72.4	65.3-79.5	10	2.5	0.5- 4.5	66	25.2	18.1-32.3
H.S. or G.E.D.	1183	221,860	1011	77.7	73.6-81.8	32	3.2	1.6- 4.8	140	19.1	15.2-23.0
Some Post-H.S.	980	203,523	860	82.0	78.3-85.7	32	3.5	1.9- 5.1	88	14.5	11.0-18.0
College Graduate	1388	189,741	1269	88.1	85.6-90.6	35	2.9	1.7- 4.1	84	9.1	6.7-11.5
Less than \$15,000	243	37,838	198	74.0	64.6-83.4	6	2.4	0.0- 4.9	39	23.6	14.4-32.8
\$15,000- 24,999	552	92,525	445	72.8	67.3-78.3	19	2.8	1.2- 4.4	88	24.4	18.9-29.9
\$25,000- 34,999	372	65,064	317	80.5	74.4-86.6	12	3.8	1.1- 6.5	43	15.7	10.0-21.4
\$35,000- 49,999	450	75,834	399	83.9	79.0-88.8	13	3.5	1.0- 6.0	38	12.6	8.1-17.1
\$50,000- 74,999	496	90,217	453	83.3	77.2-89.4	12	3.4	0.3- 6.5	31	13.3	7.6-19.0
\$75,000+	1023	207,766	930	87.3	84.0-90.6	36	3.3	1.9- 4.7	57	9.4	6.3-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	338,291	1443	78.4	75.1-81.7	55	3.6	2.2- 5.0	191	18.0	14.9-21.1
White/Non-Hisp	1220	218,188	1078	82.6	79.1-86.1	43	4.1	2.3- 5.9	99	13.2	9.9-16.5
Black or Afr. Am./Non-Hisp	246	63,483	205	69.9	60.1-79.7	5	2.0	0.0- 4.2	36	28.1	18.1-38.1
Hispanic	111	29,969	65	61.7	50.3-73.1	2	1.0	0.0- 2.6	44	37.3	25.9-48.7
18-24	97	41,670	47	44.5	32.0-57.0	3	1.5	0.0- 3.3	47	54.0	41.5-66.5
25-34	168	56,230	94	55.4	45.2-65.6	13	8.4	2.5-14.3	61	36.2	26.2-46.2
35-44	178	52,137	148	83.1	75.8-90.4	6	2.4	0.2- 4.6	24	14.5	7.4-21.6
45-54	251	58,538	220	86.8	81.5-92.1	8	3.4	0.9- 5.9	23	9.8	5.1-14.5
55-64	363	57,717	334	92.3	88.6-96.0	11	3.2	0.3- 6.1	18	4.5	2.0- 7.0
65+	609	68,096	580	95.1	92.9-97.3	13	2.3	0.7- 3.9	16	2.6	1.0- 4.2
Less Than H.S.	158	44,487	109	64.1	53.5-74.7	4	2.0	0.0- 4.2	45	33.9	23.3-44.5
H.S. or G.E.D.	537	118,185	440	73.3	67.0-79.6	21	4.4	1.7- 7.1	76	22.3	16.2-28.4
Some Post-H.S.	384	90,522	333	81.4	75.5-87.3	15	4.9	2.0- 7.8	36	13.6	8.1-19.1
College Graduate	599	82,029	552	89.7	86.2-93.2	14	1.9	0.7- 3.1	33	8.4	5.1-11.7
Less than \$15,000	81	12,639	62	60.1	43.8-76.4	1	3.2	0.0- 9.3	18	36.8	20.5-53.1
\$15,000- 24,999	229	44,528	171	67.5	59.1-75.9	7	1.8	0.2- 3.4	51	30.7	22.3-39.1
\$25,000- 34,999	168	35,828	138	78.5	69.5-87.5	5	3.4	0.0- 6.9	25	18.2	9.6-26.8
\$35,000- 49,999	193	35,828	168	82.7	75.4-90.0	10	6.8	1.7-11.9	15	10.5	4.8-16.2
\$50,000- 74,999	224	42,222	204	83.0	73.8-92.2	7	5.8	0.0-12.3	13	11.2	3.8-18.6
\$75,000+	493	103,860	450	87.2	81.9-92.5	18	2.6	1.0- 4.2	25	10.2	5.1-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2232	370,346	1988	83.6	81.1-86.1	56	2.6	1.6- 3.6	188	13.7	11.3-16.1
White/Non-Hisp	1649	244,287	1489	84.7	81.8-87.6	48	3.2	2.0- 4.4	112	12.1	9.4-14.8
Black or Afr. Am./Non-Hisp	334	73,783	296	84.3	78.6-90.0	2	1.0	0.0- 2.6	36	14.6	9.1-20.1
Oth. Race/Non-Hisp.	62	17,449	49	76.3	60.6-92.0				13	23.7	8.0-39.4
Hispanic	122	23,389	96	75.1	65.3-84.9	4	3.6	0.0- 7.5	22	21.3	11.9-30.7
18-24	102	41,468	48	51.8	38.7-64.9				54	48.2	35.1-61.3
25-34	194	57,524	139	71.2	63.0-79.4	3	1.9	0.0- 4.6	52	26.8	18.8-34.8
35-44	204	53,901	165	81.7	75.4-88.0	13	5.4	2.3- 8.5	26	12.9	7.2-18.6
45-54	358	64,107	330	92.1	88.4-95.8	14	3.7	1.3- 6.1	14	4.2	1.3- 7.1
55-64	474	63,474	446	92.6	88.9-96.3	12	2.4	0.8- 4.0	16	5.0	1.7- 8.3
65+	865	85,002	828	95.6	93.6-97.6	14	2.2	0.6- 3.8	23	2.3	1.3- 3.3
Less Than H.S.	191	44,689	164	80.6	72.2-89.0	6	3.0	0.1- 5.9	21	16.4	8.4-24.4
H.S. or G.E.D.	646	103,675	571	82.8	77.7-87.9	11	1.7	0.5- 2.9	64	15.4	10.5-20.3
Some Post-H.S.	596	113,001	527	82.5	77.8-87.2	17	2.3	0.9- 3.7	52	15.2	10.7-19.7
College Graduate	789	107,711	717	86.8	83.1-90.5	21	3.6	1.6- 5.6	51	9.6	6.3-12.9
Less than \$15,000	162	25,199	136	81.0	70.4-91.6	5	2.1	0.0- 4.3	21	16.9	6.3-27.5
\$15,000- 24,999	323	47,996	274	77.8	70.9-84.7	12	3.7	1.2- 6.2	37	18.5	11.8-25.2
\$25,000- 34,999	204	29,236	179	82.9	75.3-90.5	7	4.4	0.1- 8.7	18	12.7	5.8-19.6
\$35,000- 49,999	257	40,006	231	85.1	78.4-91.8	3	0.5	0.0- 1.1	23	14.4	7.7-21.1
\$50,000- 74,999	272	47,995	249	83.5	75.3-91.7	5	1.2	0.0- 2.4	18	15.2	7.0-23.4
\$75,000+	530	103,906	480	87.3	83.2-91.4	18	3.9	1.7- 6.1	32	8.7	5.0-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)
 Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3569	602,422	1960	60.9	58.7-63.1	1609	39.1	36.9-41.3
Male	1501	278,320	806	58.5	55.2-61.8	695	41.5	38.2-44.8
Female	2068	324,103	1154	63.1	60.2-66.0	914	36.9	34.0-39.8
White/Non-Hisp	2673	406,136	1420	59.2	56.7-61.7	1253	40.8	38.3-43.3
Black or Afr. Am./Non-Hisp	520	111,665	310	63.1	57.4-68.8	210	36.9	31.2-42.6
Oth. Race/Non-Hisp.	92	26,232	67	83.9	75.9-91.9	25	16.1	8.1-24.1
Hispanic	170	37,949	97	56.1	46.1-66.1	73	43.9	33.9-53.9
18-24	100	41,422	92	90.5	80.9- 100	8	9.5	0.0-19.1
25-34	252	78,974	202	78.9	72.4-85.4	50	21.1	14.6-27.6
35-44	335	92,194	248	72.4	65.9-78.9	87	27.6	21.1-34.1
45-54	574	115,044	354	60.5	55.4-65.6	220	39.5	34.4-44.6
55-64	803	115,674	413	51.6	47.1-56.1	390	48.4	43.9-52.9
65+	1452	151,092	624	44.7	41.4-48.0	828	55.3	52.0-58.6
Less Than H.S.	288	67,573	141	50.2	42.2-58.2	147	49.8	41.8-57.8
H.S. or G.E.D.	1060	181,639	553	56.6	52.5-60.7	507	43.4	39.3-47.5
Some Post-H.S.	895	175,991	509	65.9	62.0-69.8	386	34.1	30.2-38.0
College Graduate	1307	173,086	748	64.8	61.3-68.3	559	35.2	31.7-38.7
Less than \$15,000	204	29,311	90	43.5	32.3-54.7	114	56.5	45.3-67.7
\$15,000- 24,999	476	72,157	260	59.0	52.9-65.1	216	41.0	34.9-47.1
\$25,000- 34,999	335	56,992	179	56.1	48.5-63.7	156	43.9	36.3-51.5
\$35,000- 49,999	414	66,625	222	59.0	52.5-65.5	192	41.0	34.5-47.5
\$50,000- 74,999	462	77,789	256	62.9	57.0-68.8	206	37.1	31.2-43.0
\$75,000+	967	188,729	570	65.9	62.0-69.8	397	34.1	30.2-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1501	278,320	806	58.5	55.2-61.8	695	41.5	38.2-44.8
White/Non-Hisp	1123	189,631	578	56.8	52.9-60.7	545	43.2	39.3-47.1
Black or Afr. Am./Non-Hisp	211	46,118	126	59.6	50.8-68.4	85	40.4	31.6-49.2
Hispanic	69	19,359	41	58.4	42.9-73.9	28	41.6	26.1-57.1
18-24	51	19,593	48	94.8	88.5-100	3	5.2	0.0-11.5
25-34	107	35,829	85	79.9	70.7-89.1	22	20.1	10.9-29.3
35-44	153	44,424	106	63.8	53.2-74.4	47	36.2	25.6-46.8
45-54	230	53,331	132	55.0	47.2-62.8	98	45.0	37.2-52.8
55-64	342	54,614	161	46.8	39.9-53.7	181	53.2	46.3-60.1
65+	597	66,933	265	45.8	40.5-51.1	332	54.2	48.9-59.5
Less Than H.S.	112	29,220	58	52.5	40.9-64.1	54	47.5	35.9-59.1
H.S. or G.E.D.	464	92,046	242	51.2	44.9-57.5	222	48.8	42.5-55.1
Some Post-H.S.	349	79,394	197	65.9	59.8-72.0	152	34.1	28.0-40.2
College Graduate	566	74,642	305	61.7	56.4-67.0	261	38.3	33.0-43.6
Less than \$15,000	62	7,930	28	49.5	32.8-66.2	34	50.5	33.8-67.2
\$15,000- 24,999	183	31,655	107	59.4	50.4-68.4	76	40.6	31.6-49.6
\$25,000- 34,999	147	30,830	82	54.9	42.9-66.9	65	45.1	33.1-57.1
\$35,000- 49,999	179	32,284	88	52.7	42.5-62.9	91	47.3	37.1-57.5
\$50,000- 74,999	207	36,706	112	60.1	50.9-69.3	95	39.9	30.7-49.1
\$75,000+	468	93,556	244	59.4	53.5-65.3	224	40.6	34.7-46.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2068	324,103	1154	63.1	60.2-66.0	914	36.9	34.0-39.8
White/Non-Hisp	1550	216,506	842	61.4	58.1-64.7	708	38.6	35.3-41.9
Black or Afr. Am./Non-Hisp	309	65,547	184	65.5	57.9-73.1	125	34.5	26.9-42.1
Hispanic	101	18,590	56	53.8	41.1-66.5	45	46.2	33.5-58.9
25-34	145	43,145	117	78.0	69.0-87.0	28	22.0	13.0-31.0
35-44	182	47,770	142	80.4	73.5-87.3	40	19.6	12.7-26.5
45-54	344	61,712	222	65.2	58.7-71.7	122	34.8	28.3-41.3
55-64	461	61,059	252	55.9	50.2-61.6	209	44.1	38.4-49.8
65+	855	84,159	359	43.8	39.5-48.1	496	56.2	51.9-60.5
Less Than H.S.	176	38,352	83	48.4	37.2-59.6	93	51.6	40.4-62.8
H.S. or G.E.D.	596	89,593	311	62.1	57.0-67.2	285	37.9	32.8-43.0
Some Post-H.S.	546	96,597	312	65.8	60.7-70.9	234	34.2	29.1-39.3
College Graduate	741	98,444	443	67.1	62.4-71.8	298	32.9	28.2-37.6
Less than \$15,000	142	21,381	62	41.3	27.6-55.0	80	58.7	45.0-72.4
\$15,000- 24,999	293	40,502	153	58.8	50.6-67.0	140	41.2	33.0-49.4
\$25,000- 34,999	188	26,162	97	57.4	48.4-66.4	91	42.6	33.6-51.6
\$35,000- 49,999	235	34,341	134	64.9	56.9-72.9	101	35.1	27.1-43.1
\$50,000- 74,999	255	41,083	144	65.4	57.8-73.0	111	34.6	27.0-42.2
\$75,000+	499	95,173	326	72.3	67.4-77.2	173	27.7	22.8-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4020	733,698	388	7.1	6.1- 8.1	3632	92.9	91.9-93.9
Male	1718	347,580	201	8.0	6.4- 9.6	1517	92.0	90.4-93.6
Female	2302	386,119	187	6.3	4.9- 7.7	2115	93.7	92.3-95.1
White/Non-Hisp	2924	477,531	310	7.7	6.5- 8.9	2614	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	605	144,496	48	7.3	4.0-10.6	557	92.7	89.4-96.0
Oth. Race/Non-Hisp.	113	32,108	7	3.5	0.4- 6.6	106	96.5	93.4-99.6
Hispanic	245	55,573	13	3.6	1.4- 5.8	232	96.4	94.2-98.6
18-24	219	91,001	3	3.2	0.0- 7.7	216	96.8	92.3- 100
25-34	386	122,031	5	1.1	0.0- 2.3	381	98.9	97.7- 100
35-44	396	110,491	6	0.7	0.1- 1.3	390	99.3	98.7-99.9
45-54	616	123,887	28	4.6	2.4- 6.8	588	95.4	93.2-97.6
55-64	839	121,723	81	9.0	6.6-11.4	758	91.0	88.6-93.4
65+	1508	156,116	259	19.0	16.3-21.7	1249	81.0	78.3-83.7
Less Than H.S.	362	92,975	51	13.4	8.1-18.7	311	86.6	81.3-91.9
H.S. or G.E.D.	1216	228,429	124	6.7	5.1- 8.3	1092	93.3	91.7-94.9
Some Post-H.S.	1009	213,538	101	6.6	5.0- 8.2	908	93.4	91.8-95.0
College Graduate	1415	195,383	107	4.9	3.7- 6.1	1308	95.1	93.9-96.3
Less than \$15,000	250	39,936	27	11.9	2.3-21.5	223	88.1	78.5-97.7
\$15,000- 24,999	569	95,742	75	10.1	7.2-13.0	494	89.9	87.0-92.8
\$25,000- 34,999	380	67,135	40	8.4	4.9-11.9	340	91.6	88.1-95.1
\$35,000- 49,999	455	76,549	54	9.5	6.2-12.8	401	90.5	87.2-93.8
\$50,000- 74,999	497	92,075	47	7.9	5.2-10.6	450	92.1	89.4-94.8
\$75,000+	1042	215,431	59	3.4	2.2- 4.6	983	96.6	95.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1718	347,580	201	8.0	6.4- 9.6	1517	92.0	90.4-93.6
White/Non-Hisp	1237	225,365	175	10.1	8.1-12.1	1062	89.9	87.9-91.9
Black or Afr. Am./Non-Hisp	252	65,471	17	5.2	1.9- 8.5	235	94.8	91.5-98.1
Hispanic	115	30,457	4	2.2	0.0- 4.7	111	97.8	95.3- 100
18-24	107	45,978	1	0.8	0.0- 2.4	106	99.2	97.6- 100
25-34	179	60,971	4	2.1	0.0- 4.3	175	97.9	95.7- 100
35-44	182	53,574	3	0.5	0.0- 1.1	179	99.5	98.9- 100
45-54	254	58,970	14	6.4	2.3-10.5	240	93.6	89.5-97.7
55-64	358	56,965	42	9.8	6.3-13.3	316	90.2	86.7-93.7
65+	615	67,717	134	23.8	18.9-28.7	481	76.2	71.3-81.1
Less Than H.S.	161	46,143	22	13.8	7.3-20.3	139	86.2	79.7-92.7
H.S. or G.E.D.	540	120,287	63	6.5	4.3- 8.7	477	93.5	91.3-95.7
Some Post-H.S.	396	94,837	50	8.1	5.2-11.0	346	91.9	89.0-94.8
College Graduate	612	84,056	63	6.5	4.3- 8.7	549	93.5	91.3-95.7
Less than \$15,000	84	13,010	14	9.2	2.7-15.7	70	90.8	84.3-97.3
\$15,000- 24,999	235	45,068	35	11.2	6.3-16.1	200	88.8	83.9-93.7
\$25,000- 34,999	170	36,375	18	8.9	3.2-14.6	152	91.1	85.4-96.8
\$35,000- 49,999	195	36,062	26	10.0	5.1-14.9	169	90.0	85.1-94.9
\$50,000- 74,999	222	42,966	30	11.2	6.5-15.9	192	88.8	84.1-93.5
\$75,000+	501	107,791	38	4.3	2.5- 6.1	463	95.7	93.9-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	386,119	187	6.3	4.9- 7.7	2115	93.7	92.3-95.1
White/Non-Hisp	1687	252,166	135	5.6	4.4- 6.8	1552	94.4	93.2-95.6
Black or Afr. Am./Non-Hisp	353	79,025	31	9.1	3.6-14.6	322	90.9	85.4-96.4
Oth. Race/Non-Hisp.	65	18,225	7	6.2	0.7-11.7	58	93.8	88.3-99.3
Hispanic	130	25,116	9	5.3	1.6- 9.0	121	94.7	91.0-98.4
18-24	112	45,023	2	5.5	0.0-14.1	110	94.5	85.9- 100
25-34	207	61,060	1	0.2	0.0- 0.6	206	99.8	99.4- 100
35-44	214	56,917	3	0.9	0.0- 2.1	211	99.1	97.9- 100
45-54	362	64,917	14	2.9	0.9- 4.9	348	97.1	95.1-99.1
55-64	481	64,758	39	8.3	5.4-11.2	442	91.7	88.8-94.6
65+	893	88,398	125	15.3	12.0-18.6	768	84.7	81.4-88.0
Less Than H.S.	201	46,831	29	13.1	4.5-21.7	172	86.9	78.3-95.5
H.S. or G.E.D.	676	108,143	61	6.9	4.5- 9.3	615	93.1	90.7-95.5
Some Post-H.S.	613	118,701	51	5.5	3.7- 7.3	562	94.5	92.7-96.3
College Graduate	803	111,327	44	3.7	2.3- 5.1	759	96.3	94.9-97.7
Less than \$15,000	166	26,926	13	13.2	0.0-26.9	153	86.8	73.1- 100
\$15,000- 24,999	334	50,673	40	9.2	5.9-12.5	294	90.8	87.5-94.1
\$25,000- 34,999	210	30,760	22	7.9	4.2-11.6	188	92.1	88.4-95.8
\$35,000- 49,999	260	40,488	28	9.1	4.6-13.6	232	90.9	86.4-95.4
\$50,000- 74,999	275	49,109	17	4.9	1.6- 8.2	258	95.1	91.8-98.4
\$75,000+	541	107,640	21	2.6	1.2- 4.0	520	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4054	739,532	3507	85.6	83.8-87.4	547	14.4	12.6-16.2
Male	1745	353,162	1580	89.5	87.3-91.7	165	10.5	8.3-12.7
Female	2309	386,370	1927	82.0	79.5-84.5	382	18.0	15.5-20.5
White/Non-Hisp	2950	480,761	2564	85.7	83.7-87.7	386	14.3	12.3-16.3
Black or Afr. Am./Non-Hisp	611	145,930	521	83.5	78.6-88.4	90	16.5	11.6-21.4
Oth. Race/Non-Hisp.	113	32,395	97	89.4	82.9-95.9	16	10.6	4.1-17.1
Hispanic	246	55,902	213	88.2	83.5-92.9	33	11.8	7.1-16.5
18-24	218	90,524	181	76.9	68.5-85.3	37	23.1	14.7-31.5
25-34	384	121,623	329	85.2	80.5-89.9	55	14.8	10.1-19.5
35-44	398	110,848	342	88.8	85.3-92.3	56	11.2	7.7-14.7
45-54	618	124,718	515	83.4	79.5-87.3	103	16.6	12.7-20.5
55-64	847	123,015	724	86.7	84.0-89.4	123	13.3	10.6-16.0
65+	1531	159,770	1362	88.9	86.7-91.1	169	11.1	8.9-13.3
Less Than H.S.	366	94,489	305	80.8	73.7-87.9	61	19.2	12.1-26.3
H.S. or G.E.D.	1231	230,595	1076	86.9	84.0-89.8	155	13.1	10.2-16.0
Some Post-H.S.	1016	214,733	872	85.1	82.2-88.0	144	14.9	12.0-17.8
College Graduate	1422	195,789	1237	86.7	84.3-89.1	185	13.3	10.9-15.7
Less than \$15,000	253	40,184	209	80.1	69.9-90.3	44	19.9	9.7-30.1
\$15,000- 24,999	575	96,781	491	84.9	80.2-89.6	84	15.1	10.4-19.8
\$25,000- 34,999	384	68,535	326	86.9	83.0-90.8	58	13.1	9.2-17.0
\$35,000- 49,999	459	77,299	402	86.2	81.5-90.9	57	13.8	9.1-18.5
\$50,000- 74,999	502	92,609	440	84.1	78.8-89.4	62	15.9	10.6-21.2
\$75,000+	1045	215,534	924	88.1	85.4-90.8	121	11.9	9.2-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	353,162	1580	89.5	87.3-91.7	165	10.5	8.3-12.7
White/Non-Hisp	1256	228,233	1139	90.3	87.9-92.7	117	9.7	7.3-12.1
Black or Afr. Am./Non-Hisp	257	66,780	230	86.0	78.6-93.4	27	14.0	6.6-21.4
Hispanic	116	30,926	108	91.6	85.1-98.1	8	8.4	1.9-14.9
18-24	107	45,978	89	80.6	70.2-91.0	18	19.4	9.0-29.8
25-34	178	60,891	153	86.3	79.4-93.2	25	13.7	6.8-20.6
35-44	185	54,106	168	92.8	88.7-96.9	17	7.2	3.1-11.3
45-54	255	59,477	232	90.6	86.1-95.1	23	9.4	4.9-13.9
55-64	367	58,243	338	92.8	89.7-95.9	29	7.2	4.1-10.3
65+	629	70,510	576	91.5	88.6-94.4	53	8.5	5.6-11.4
Less Than H.S.	165	47,708	147	86.8	78.4-95.2	18	13.2	4.8-21.6
H.S. or G.E.D.	550	122,005	507	91.2	87.7-94.7	43	8.8	5.3-12.3
Some Post-H.S.	401	96,192	355	87.4	82.7-92.1	46	12.6	7.9-17.3
College Graduate	619	84,446	562	90.9	88.0-93.8	57	9.1	6.2-12.0
Less than \$15,000	85	13,086	78	92.9	84.9- 100	7	7.1	0.0-15.1
\$15,000- 24,999	238	45,895	216	91.5	87.2-95.8	22	8.5	4.2-12.8
\$25,000- 34,999	174	37,776	160	93.0	88.7-97.3	14	7.0	2.7-11.3
\$35,000- 49,999	200	36,881	183	91.0	85.3-96.7	17	9.0	3.3-14.7
\$50,000- 74,999	226	43,374	207	89.9	82.8-97.0	19	10.1	3.0-17.2
\$75,000+	504	108,316	463	90.0	86.1-93.9	41	10.0	6.1-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2309	386,370	1927	82.0	79.5-84.5	382	18.0	15.5-20.5
White/Non-Hisp	1694	252,528	1425	81.6	78.7-84.5	269	18.4	15.5-21.3
Black or Afr. Am./Non-Hisp	354	79,151	291	81.4	75.1-87.7	63	18.6	12.3-24.9
Oth. Race/Non-Hisp.	64	18,129	54	87.7	77.5-97.9	10	12.3	2.1-22.5
Hispanic	130	24,976	105	84.0	76.9-91.1	25	16.0	8.9-23.1
18-24	111	44,546	92	73.1	60.0-86.2	19	26.9	13.8-40.0
25-34	206	60,732	176	84.1	77.8-90.4	30	15.9	9.6-22.2
35-44	213	56,742	174	84.9	79.6-90.2	39	15.1	9.8-20.4
45-54	363	65,241	283	77.0	71.1-82.9	80	23.0	17.1-28.9
55-64	480	64,772	386	81.2	76.9-85.5	94	18.8	14.5-23.1
65+	902	89,260	786	86.9	84.0-89.8	116	13.1	10.2-16.0
Less Than H.S.	201	46,782	158	74.8	63.8-85.8	43	25.2	14.2-36.2
H.S. or G.E.D.	681	108,590	569	82.0	77.3-86.7	112	18.0	13.3-22.7
Some Post-H.S.	615	118,540	517	83.3	79.4-87.2	98	16.7	12.8-20.6
College Graduate	803	111,343	675	83.5	80.0-87.0	128	16.5	13.0-20.0
Less than \$15,000	168	27,097	131	73.9	60.2-87.6	37	26.1	12.4-39.8
\$15,000- 24,999	337	50,886	275	78.9	71.3-86.5	62	21.1	13.5-28.7
\$25,000- 34,999	210	30,760	166	79.4	72.7-86.1	44	20.6	13.9-27.3
\$35,000- 49,999	259	40,418	219	81.9	74.8-89.0	40	18.1	11.0-25.2
\$50,000- 74,999	276	49,235	233	78.9	71.3-86.5	43	21.1	13.5-28.7
\$75,000+	541	107,218	461	86.1	82.6-89.6	80	13.9	10.4-17.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4032	735,836	3651	90.8	89.4-92.2	381	9.2	7.8-10.6
Male	1735	351,230	1652	95.6	94.4-96.8	83	4.4	3.2- 5.6
Female	2297	384,606	1999	86.3	84.1-88.5	298	13.7	11.5-15.9
White/Non-Hisp	2937	478,517	2668	90.4	88.6-92.2	269	9.6	7.8-11.4
Black or Afr. Am./Non-Hisp	603	144,683	547	91.7	89.0-94.4	56	8.3	5.6-11.0
Oth. Race/Non-Hisp.	112	32,190	100	91.3	85.0-97.6	12	8.7	2.4-15.0
Hispanic	246	55,902	218	91.3	87.6-95.0	28	8.7	5.0-12.4
18-24	218	90,524	198	88.0	81.5-94.5	20	12.0	5.5-18.5
25-34	380	120,561	350	92.6	89.5-95.7	30	7.4	4.3-10.5
35-44	395	110,014	357	92.9	90.2-95.6	38	7.1	4.4- 9.8
45-54	614	123,927	541	88.2	84.9-91.5	73	11.8	8.5-15.1
55-64	844	122,555	749	90.5	88.3-92.7	95	9.5	7.3-11.7
65+	1523	159,220	1402	91.4	89.4-93.4	121	8.6	6.6-10.6
Less Than H.S.	365	94,381	315	86.9	81.6-92.2	50	13.1	7.8-18.4
H.S. or G.E.D.	1221	229,186	1112	91.1	88.6-93.6	109	8.9	6.4-11.4
Some Post-H.S.	1012	213,648	921	91.6	89.4-93.8	91	8.4	6.2-10.6
College Graduate	1415	194,694	1285	91.2	89.2-93.2	130	8.8	6.8-10.8
Less than \$15,000	251	39,603	217	87.9	82.0-93.8	34	12.1	6.2-18.0
\$15,000- 24,999	573	96,684	511	88.1	83.6-92.6	62	11.9	7.4-16.4
\$25,000- 34,999	383	68,428	340	90.3	87.0-93.6	43	9.7	6.4-13.0
\$35,000- 49,999	458	77,260	418	91.0	87.3-94.7	40	9.0	5.3-12.7
\$50,000- 74,999	499	92,162	455	89.6	85.5-93.7	44	10.4	6.3-14.5
\$75,000+	1037	213,659	962	93.9	92.3-95.5	75	6.1	4.5- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	351,230	1652	95.6	94.4-96.8	83	4.4	3.2- 5.6
White/Non-Hisp	1250	226,758	1191	95.9	94.5-97.3	59	4.1	2.7- 5.5
Black or Afr. Am./Non-Hisp	254	66,528	242	95.4	92.3-98.5	12	4.6	1.5- 7.7
Hispanic	116	30,926	112	96.8	93.5- 100	4	3.2	0.0- 6.5
18-24	107	45,978	101	95.0	90.7-99.3	6	5.0	0.7- 9.3
25-34	174	59,829	167	96.9	94.4-99.4	7	3.1	0.6- 5.6
35-44	183	53,486	177	98.3	96.7-99.9	6	1.7	0.1- 3.3
45-54	255	59,477	243	94.6	90.7-98.5	12	5.4	1.5- 9.3
55-64	367	58,243	343	95.1	92.7-97.5	24	4.9	2.5- 7.3
65+	625	70,259	597	94.1	91.2-97.0	28	5.9	3.0- 8.8
Less Than H.S.	165	47,708	151	92.5	88.0-97.0	14	7.5	3.0-12.0
H.S. or G.E.D.	546	121,652	525	96.5	94.5-98.5	21	3.5	1.5- 5.5
Some Post-H.S.	398	95,236	378	95.2	92.5-97.9	20	4.8	2.1- 7.5
College Graduate	616	83,824	589	96.6	95.0-98.2	27	3.4	1.8- 5.0
Less than \$15,000	85	13,086	80	93.3	85.3- 100	5	6.7	0.0-14.7
\$15,000- 24,999	236	45,798	226	95.6	92.1-99.1	10	4.4	0.9- 7.9
\$25,000- 34,999	173	37,669	166	96.7	93.8-99.6	7	3.3	0.4- 6.2
\$35,000- 49,999	200	36,881	189	92.9	87.4-98.4	11	7.1	1.6-12.6
\$50,000- 74,999	225	43,268	215	96.5	94.0-99.0	10	3.5	1.0- 6.0
\$75,000+	500	107,003	483	97.4	95.8-99.0	17	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	384,606	1999	86.3	84.1-88.5	298	13.7	11.5-15.9
White/Non-Hisp	1687	251,759	1477	85.4	82.5-88.3	210	14.6	11.7-17.5
Black or Afr. Am./Non-Hisp	349	78,155	305	88.6	84.3-92.9	44	11.4	7.1-15.7
Oth. Race/Non-Hisp.	64	18,129	55	88.3	78.1-98.5	9	11.7	1.5-21.9
Hispanic	130	24,976	106	84.5	77.4-91.6	24	15.5	8.4-22.6
18-24	111	44,546	97	80.9	69.3-92.5	14	19.1	7.5-30.7
25-34	206	60,732	183	88.4	82.9-93.9	23	11.6	6.1-17.1
35-44	212	56,528	180	87.8	82.9-92.7	32	12.2	7.3-17.1
45-54	359	64,449	298	82.3	77.0-87.6	61	17.7	12.4-23.0
55-64	477	64,312	406	86.4	82.9-89.9	71	13.6	10.1-17.1
65+	898	88,961	805	89.4	86.7-92.1	93	10.6	7.9-13.3
Less Than H.S.	200	46,673	164	81.1	71.9-90.3	36	18.9	9.7-28.1
H.S. or G.E.D.	675	107,534	587	84.9	80.4-89.4	88	15.1	10.6-19.6
Some Post-H.S.	614	118,412	543	88.8	85.7-91.9	71	11.2	8.1-14.3
College Graduate	799	110,870	696	87.1	84.0-90.2	103	12.9	9.8-16.0
Less than \$15,000	166	26,516	137	85.3	77.5-93.1	29	14.7	6.9-22.5
\$15,000- 24,999	337	50,886	285	81.4	73.8-89.0	52	18.6	11.0-26.2
\$25,000- 34,999	210	30,760	174	82.4	76.1-88.7	36	17.6	11.3-23.9
\$35,000- 49,999	258	40,380	229	89.3	84.4-94.2	29	10.7	5.8-15.6
\$50,000- 74,999	274	48,893	240	83.6	76.5-90.7	34	16.4	9.3-23.5
\$75,000+	537	106,656	479	90.4	87.5-93.3	58	9.6	6.7-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4032	735,836	381	9.2	7.8-10.6	144	4.7	3.5- 5.9	3507	86.0	84.2-87.8
Male	1735	351,230	83	4.4	3.2- 5.6	72	5.6	3.6- 7.6	1580	90.0	87.8-92.2
Female	2297	384,606	298	13.7	11.5-15.9	72	4.0	2.6- 5.4	1927	82.3	79.8-84.8
White/Non-Hisp	2937	478,517	269	9.6	7.8-11.4	104	4.2	3.0- 5.4	2564	86.1	84.1-88.1
Black or Afr. Am./Non-Hisp	603	144,683	56	8.3	5.6-11.0	26	7.5	3.2-11.8	521	84.2	79.3-89.1
Oth. Race/Non-Hisp.	112	32,190	12	8.7	2.4-15.0	3	1.3	0.0- 2.9	97	90.0	83.5-96.5
Hispanic	246	55,902	28	8.7	5.0-12.4	5	3.1	0.0- 6.2	213	88.2	83.5-92.9
18-24	218	90,524	20	12.0	5.5-18.5	17	11.1	4.4-17.8	181	76.9	68.5-85.3
25-34	380	120,561	30	7.4	4.3-10.5	21	6.6	2.9-10.3	329	86.0	81.5-90.5
35-44	395	110,014	38	7.1	4.4- 9.8	15	3.4	1.2- 5.6	342	89.4	86.1-92.7
45-54	614	123,927	73	11.8	8.5-15.1	26	4.2	2.0- 6.4	515	84.0	80.3-87.7
55-64	844	122,555	95	9.5	7.3-11.7	25	3.5	1.7- 5.3	724	87.0	84.3-89.7
65+	1523	159,220	121	8.6	6.6-10.6	40	2.2	1.4- 3.0	1362	89.2	87.0-91.4
Less Than H.S.	365	94,381	50	13.1	7.8-18.4	10	5.9	0.2-11.6	305	80.9	73.8-88.0
H.S. or G.E.D.	1221	229,186	109	8.9	6.4-11.4	36	3.7	1.9- 5.5	1076	87.4	84.5-90.3
Some Post-H.S.	1012	213,648	91	8.4	6.2-10.6	49	6.1	3.7- 8.5	872	85.6	82.7-88.5
College Graduate	1415	194,694	130	8.8	6.8-10.8	48	4.0	2.4- 5.6	1237	87.2	84.8-89.6
Less than \$15,000	251	39,603	34	12.1	6.2-18.0	8	6.7	0.0-16.3	209	81.3	71.1-91.5
\$15,000- 24,999	573	96,684	62	11.9	7.4-16.4	20	3.2	1.6- 4.8	491	84.9	80.2-89.6
\$25,000- 34,999	383	68,428	43	9.7	6.4-13.0	14	3.3	1.1- 5.5	326	87.0	83.1-90.9
\$35,000- 49,999	458	77,260	40	9.0	5.3-12.7	16	4.8	1.7- 7.9	402	86.2	81.5-90.9
\$50,000- 74,999	499	92,162	44	10.4	6.3-14.5	15	5.2	1.5- 8.9	440	84.5	79.2-89.8
\$75,000+	1037	213,659	75	6.1	4.5- 7.7	38	5.1	2.9- 7.3	924	88.9	86.4-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	351,230	83	4.4	3.2- 5.6	72	5.6	3.6- 7.6	1580	90.0	87.8-92.2
White/Non-Hisp	1250	226,758	59	4.1	2.7- 5.5	52	5.0	3.0- 7.0	1139	90.9	88.5-93.3
Black or Afr. Am./Non-Hisp	254	66,528	12	4.6	1.5- 7.7	12	9.1	2.0-16.2	230	86.3	78.9-93.7
Hispanic	116	30,926	4	3.2	0.0- 6.5	4	5.2	0.0-10.9	108	91.6	85.1-98.1
18-24	107	45,978	6	5.0	0.7- 9.3	12	14.4	4.6-24.2	89	80.6	70.2-91.0
25-34	174	59,829	7	3.1	0.6- 5.6	14	9.1	2.8-15.4	153	87.9	81.2-94.6
35-44	183	53,486	6	1.7	0.1- 3.3	9	4.4	0.9- 7.9	168	93.8	89.9-97.7
45-54	255	59,477	12	5.4	1.5- 9.3	11	4.1	1.6- 6.6	232	90.6	86.1-95.1
55-64	367	58,243	24	4.9	2.5- 7.3	5	2.3	0.1- 4.5	338	92.8	89.7-95.9
65+	625	70,259	28	5.9	3.0- 8.8	21	2.2	1.2- 3.2	576	91.8	88.9-94.7
Less Than H.S.	165	47,708	14	7.5	3.0-12.0	4	5.7	0.0-13.5	147	86.8	78.4-95.2
H.S. or G.E.D.	546	121,652	21	3.5	1.5- 5.5	18	5.0	1.9- 8.1	507	91.5	88.0-95.0
Some Post-H.S.	398	95,236	20	4.8	2.1- 7.5	23	7.0	3.1-10.9	355	88.2	83.7-92.7
College Graduate	616	83,824	27	3.4	1.8- 5.0	27	5.1	2.7- 7.5	562	91.5	88.8-94.2
Less than \$15,000	85	13,086	5	6.7	0.0-14.7	2	0.4	0.0- 1.0	78	92.9	84.9- 100
\$15,000- 24,999	236	45,798	10	4.4	0.9- 7.9	10	4.0	1.3- 6.7	216	91.7	87.4-96.0
\$25,000- 34,999	173	37,669	7	3.3	0.4- 6.2	6	3.4	0.3- 6.5	160	93.3	89.0-97.6
\$35,000- 49,999	200	36,881	11	7.1	1.6-12.6	6	1.9	0.1- 3.7	183	91.0	85.3-96.7
\$50,000- 74,999	225	43,268	10	3.5	1.0- 6.0	8	6.4	0.0-13.1	207	90.1	83.0-97.2
\$75,000+	500	107,003	17	2.6	1.0- 4.2	20	6.3	2.8- 9.8	463	91.1	87.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	384,606	298	13.7	11.5-15.9	72	4.0	2.6- 5.4	1927	82.3	79.8-84.8
White/Non-Hisp	1687	251,759	210	14.6	11.7-17.5	52	3.6	2.2- 5.0	1425	81.8	78.9-84.7
Black or Afr. Am./Non-Hisp	349	78,155	44	11.4	7.1-15.7	14	6.2	0.9-11.5	291	82.4	75.9-88.9
Oth. Race/Non-Hisp.	64	18,129	9	11.7	1.5-21.9	1	0.6	0.0- 1.8	54	87.7	77.5-97.9
Hispanic	130	24,976	24	15.5	8.4-22.6	1	0.5	0.0- 1.5	105	84.0	76.9-91.1
18-24	111	44,546	14	19.1	7.5-30.7	5	7.8	0.0-16.8	92	73.1	60.0-86.2
25-34	206	60,732	23	11.6	6.1-17.1	7	4.3	0.8- 7.8	176	84.1	77.8-90.4
35-44	212	56,528	32	12.2	7.3-17.1	6	2.5	0.3- 4.7	174	85.3	80.0-90.6
45-54	359	64,449	61	17.7	12.4-23.0	15	4.3	1.0- 7.6	283	77.9	72.0-83.8
55-64	477	64,312	71	13.6	10.1-17.1	20	4.7	2.2- 7.2	386	81.7	77.6-85.8
65+	898	88,961	93	10.6	7.9-13.3	19	2.2	1.0- 3.4	786	87.2	84.3-90.1
Less Than H.S.	200	46,673	36	18.9	9.7-28.1	6	6.2	0.0-14.4	158	74.9	63.9-85.9
H.S. or G.E.D.	675	107,534	88	15.1	10.6-19.6	18	2.1	0.9- 3.3	569	82.8	78.1-87.5
Some Post-H.S.	614	118,412	71	11.2	8.1-14.3	26	5.3	2.8- 7.8	517	83.4	79.5-87.3
College Graduate	799	110,870	103	12.9	9.8-16.0	21	3.2	1.2- 5.2	675	83.9	80.4-87.4
Less than \$15,000	166	26,516	29	14.7	6.9-22.5	6	9.7	0.0-23.6	131	75.5	61.6-89.4
\$15,000- 24,999	337	50,886	52	18.6	11.0-26.2	10	2.4	0.4- 4.4	275	78.9	71.3-86.5
\$25,000- 34,999	210	30,760	36	17.6	11.3-23.9	8	3.1	0.7- 5.5	166	79.4	72.7-86.1
\$35,000- 49,999	258	40,380	29	10.7	5.8-15.6	10	7.4	1.5-13.3	219	82.0	74.9-89.1
\$50,000- 74,999	274	48,893	34	16.4	9.3-23.5	7	4.1	0.2- 8.0	233	79.5	71.7-87.3
\$75,000+	537	106,656	58	9.6	6.7-12.5	18	3.8	1.8- 5.8	461	86.6	83.1-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4045	736,817	1471	28.1	26.3-29.9	2574	71.9	70.1-73.7
Male	1742	351,911	526	23.9	21.4-26.4	1216	76.1	73.6-78.6
Female	2303	384,906	945	31.9	29.4-34.4	1358	68.1	65.6-70.6
White/Non-Hisp	2943	478,723	1154	31.9	29.7-34.1	1789	68.1	65.9-70.3
Black or Afr. Am./Non-Hisp	608	145,339	191	22.9	18.8-27.0	417	77.1	73.0-81.2
Oth. Race/Non-Hisp.	112	31,898	30	15.6	8.3-22.9	82	84.4	77.1-91.7
Hispanic	248	56,281	47	13.8	9.1-18.5	201	86.2	81.5-90.9
18-24	218	89,733	12	5.4	1.7- 9.1	206	94.6	90.9-98.3
25-34	386	121,921	29	7.1	4.0-10.2	357	92.9	89.8-96.0
35-44	398	110,824	60	12.5	9.0-16.0	338	87.5	84.0-91.0
45-54	619	124,017	197	31.6	26.9-36.3	422	68.4	63.7-73.1
55-64	848	122,825	352	42.2	37.9-46.5	496	57.8	53.5-62.1
65+	1519	158,487	799	53.4	50.1-56.7	720	46.6	43.3-49.9
Less Than H.S.	367	94,685	153	32.4	26.5-38.3	214	67.6	61.7-73.5
H.S. or G.E.D.	1227	229,212	507	31.3	28.0-34.6	720	68.7	65.4-72.0
Some Post-H.S.	1014	213,861	375	28.8	25.3-32.3	639	71.2	67.7-74.7
College Graduate	1418	195,076	429	21.4	18.9-23.9	989	78.6	76.1-81.1
Less than \$15,000	253	40,152	117	36.0	27.4-44.6	136	64.0	55.4-72.6
\$15,000- 24,999	575	96,913	240	33.6	28.5-38.7	335	66.4	61.3-71.5
\$25,000- 34,999	381	68,065	168	34.0	27.7-40.3	213	66.0	59.7-72.3
\$35,000- 49,999	461	77,457	181	34.7	28.8-40.6	280	65.3	59.4-71.2
\$50,000- 74,999	501	91,342	176	25.7	21.0-30.4	325	74.3	69.6-79.0
\$75,000+	1046	215,725	267	20.5	17.6-23.4	779	79.5	76.6-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	351,911	526	23.9	21.4-26.4	1216	76.1	73.6-78.6
White/Non-Hisp	1255	227,235	418	28.1	24.8-31.4	837	71.9	68.6-75.2
Black or Afr. Am./Non-Hisp	255	66,549	67	19.5	13.6-25.4	188	80.5	74.6-86.4
Hispanic	117	31,129	10	5.2	1.7- 8.7	107	94.8	91.3-98.3
18-24	107	45,978	4	5.0	0.0-11.1	103	95.0	88.9- 100
25-34	180	61,196	14	7.6	2.7-12.5	166	92.4	87.5-97.3
35-44	184	53,908	25	10.8	5.9-15.7	159	89.2	84.3-94.1
45-54	256	59,075	73	29.4	22.5-36.3	183	70.6	63.7-77.5
55-64	366	57,941	132	37.9	31.6-44.2	234	62.1	55.8-68.4
65+	625	69,857	271	44.2	38.9-49.5	354	55.8	50.5-61.1
Less Than H.S.	166	47,911	48	24.2	16.8-31.6	118	75.8	68.4-83.2
H.S. or G.E.D.	550	121,874	180	23.7	19.2-28.2	370	76.3	71.8-80.8
Some Post-H.S.	397	95,046	124	26.2	20.5-31.9	273	73.8	68.1-79.5
College Graduate	618	84,189	172	22.0	18.1-25.9	446	78.0	74.1-81.9
Less than \$15,000	84	13,038	29	22.4	12.2-32.6	55	77.6	67.4-87.8
\$15,000- 24,999	239	46,098	79	27.7	20.6-34.8	160	72.3	65.2-79.4
\$25,000- 34,999	173	37,430	66	28.7	19.7-37.7	107	71.3	62.3-80.3
\$35,000- 49,999	200	36,881	69	31.4	22.4-40.4	131	68.6	59.6-77.6
\$50,000- 74,999	226	43,374	73	24.3	17.0-31.6	153	75.7	68.4-83.0
\$75,000+	503	107,703	122	20.8	16.5-25.1	381	79.2	74.9-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	384,906	945	31.9	29.4-34.4	1358	68.1	65.6-70.6
White/Non-Hisp	1688	251,489	736	35.4	32.3-38.5	952	64.6	61.5-67.7
Black or Afr. Am./Non-Hisp	353	78,790	124	25.8	20.3-31.3	229	74.2	68.7-79.7
Oth. Race/Non-Hisp.	64	17,890	19	16.6	6.4-26.8	45	83.4	73.2-93.6
Hispanic	131	25,151	37	24.4	15.6-33.2	94	75.6	66.8-84.4
18-24	111	43,755	8	5.8	1.5-10.1	103	94.2	89.9-98.5
25-34	206	60,724	15	6.7	2.8-10.6	191	93.3	89.4-97.2
35-44	214	56,917	35	14.2	8.9-19.5	179	85.8	80.5-91.1
45-54	363	64,942	124	33.6	27.3-39.9	239	66.4	60.1-72.7
55-64	482	64,884	220	46.0	40.3-51.7	262	54.0	48.3-59.7
65+	894	88,630	528	60.6	56.3-64.9	366	39.4	35.1-43.7
Less Than H.S.	201	46,774	105	40.8	31.4-50.2	96	59.2	49.8-68.6
H.S. or G.E.D.	677	107,339	327	40.0	34.9-45.1	350	60.0	54.9-65.1
Some Post-H.S.	617	118,815	251	30.8	26.3-35.3	366	69.2	64.7-73.7
College Graduate	800	110,887	257	20.9	17.6-24.2	543	79.1	75.8-82.4
Less than \$15,000	169	27,114	88	42.6	30.6-54.6	81	57.4	45.4-69.4
\$15,000- 24,999	336	50,815	161	39.0	31.7-46.3	175	61.0	53.7-68.3
\$25,000- 34,999	208	30,635	102	40.4	32.0-48.8	106	59.6	51.2-68.0
\$35,000- 49,999	261	40,576	112	37.8	30.0-45.6	149	62.2	54.4-70.0
\$50,000- 74,999	275	47,968	103	26.9	20.6-33.2	172	73.1	66.8-79.4
\$75,000+	543	108,022	145	20.1	16.2-24.0	398	79.9	76.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3943	718,132	3080	70.7	68.5-72.9	653	21.5	19.5-23.5	50	1.1	0.7- 1.5	61	3.0	2.0- 4.0	8	0.2	0.0- 0.4	91	3.4	2.6- 4.2
Male	1685	340,514	1315	71.2	67.9-74.5	276	21.0	17.9-24.1	18	0.8	0.2- 1.4	29	2.8	1.6- 4.0	2	0.2	0.0- 0.6	45	4.0	2.6- 5.4
Female	2258	377,618	1765	70.3	67.4-73.2	377	21.9	19.2-24.6	32	1.3	0.7- 1.9	32	3.3	1.9- 4.7	6	0.3	0.0- 0.7	46	3.0	1.8- 4.2
18-24	212	89,589	139	62.6	54.0-71.2	52	28.2	19.8-36.6	1	0.6	0.0- 1.8	10	4.6	1.1- 8.1				10	4.0	1.3- 6.7
25-34	366	117,198	219	60.2	53.5-66.9	92	24.6	18.5-30.7	9	1.5	0.1- 2.9	16	6.0	2.7- 9.3	1	0.5	0.0- 1.5	29	7.2	3.9-10.5
35-44	370	103,524	233	62.6	56.3-68.9	86	22.5	17.2-27.8	11	1.7	0.5- 2.9	15	6.0	2.3- 9.7	1	0.1	0.0- 0.3	24	6.9	4.0- 9.8
45-54	602	121,668	453	73.5	69.0-78.0	126	22.9	18.6-27.2	4	0.3	0.0- 0.7	8	1.4	0.2- 2.6				11	1.9	0.5- 3.3
55-64	838	121,710	682	76.4	72.3-80.5	129	19.0	15.3-22.7	10	1.2	0.2- 2.2	5	1.0	0.0- 2.0	3	0.6	0.0- 1.6	9	1.8	0.4- 3.2
65+	1507	157,367	1316	81.7	78.6-84.8	162	15.9	13.0-18.8	15	1.1	0.3- 1.9	4	0.5	0.0- 1.1	2	0.1	0.0- 0.3	8	0.7	0.1- 1.3
Less Than H.S.	322	84,315	178	50.1	42.5-57.7	84	29.5	21.7-37.3	11	2.1	0.5- 3.7	3	2.1	0.0- 4.6	1	0.3	0.0- 0.9	45	15.9	10.6-21.2
H.S. or G.E.D.	1213	227,524	939	71.2	67.3-75.1	231	24.8	21.1-28.5	18	1.4	0.6- 2.2	5	0.9	0.1- 1.7	2	0.0	0.0- 0.0	18	1.7	0.7- 2.7
Some Post-H.S.	999	212,126	795	74.3	70.4-78.2	161	19.5	16.0-23.0	14	0.8	0.2- 1.4	10	2.4	0.4- 4.4	5	0.7	0.0- 1.5	14	2.3	0.9- 3.7
College Graduate	1392	190,684	1155	75.5	72.0-79.0	176	16.4	13.5-19.3	7	0.6	0.0- 1.4	40	6.2	4.0- 8.4				14	1.4	0.6- 2.2
Less than \$15,000	246	39,041	156	45.8	36.0-55.6	68	40.2	29.4-51.0	8	3.7	0.2- 7.2	4	5.5	0.0-12.4	2	0.2	0.0- 0.6	8	4.6	0.7- 8.5
\$15,000- 24,999	547	91,828	360	56.1	50.2-62.0	136	29.9	24.4-35.4	9	1.0	0.2- 1.8	4	0.9	0.0- 1.9	1	0.3	0.0- 0.9	37	11.8	7.5-16.1
\$25,000- 34,999	379	67,358	277	68.6	61.9-75.3	83	26.9	20.4-33.4	7	1.1	0.3- 1.9	4	1.3	0.0- 2.7	1	0.1	0.0- 0.3	7	2.1	0.3- 3.9
\$35,000- 49,999	454	75,108	349	69.9	64.0-75.8	89	26.1	20.4-31.8	8	1.7	0.3- 3.1	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	5	1.4	0.0- 2.8
\$50,000- 74,999	495	90,578	419	80.4	74.9-85.9	65	16.4	11.3-21.5	5	1.3	0.0- 2.9	4	1.7	0.0- 3.7				2	0.2	0.0- 0.4
\$75,000+	1029	213,272	878	79.5	75.8-83.2	106	12.9	9.8-16.0	3	0.4	0.0- 1.0	30	4.9	2.7- 7.1	2	0.3	0.0- 0.9	10	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	340,514	1315	71.2	67.9-74.5	276	21.0	17.9-24.1	18	0.8	0.2- 1.4	29	2.8	1.6- 4.0	2	0.2	0.0- 0.6	45	4.0	2.6- 5.4
18-24	102	44,835	67	61.7	49.4-74.0	24	28.1	16.1-40.1	1	1.3	0.0- 3.8	3	3.0	0.0- 6.5				7	5.9	1.2-10.6
25-34	168	58,416	104	63.9	54.1-73.7	39	23.4	14.2-32.6	4	1.0	0.0- 2.2	7	4.8	0.9- 8.7				14	6.9	2.6-11.2
35-44	171	49,873	110	64.0	54.8-73.2	34	19.4	11.8-27.0	6	2.2	0.2- 4.2	7	5.6	0.9-10.3				14	8.8	3.7-13.9
45-54	248	57,802	190	74.6	67.5-81.7	51	22.5	15.6-29.4				4	1.7	0.0- 3.7				3	1.2	0.0- 2.8
55-64	363	57,710	291	75.0	68.9-81.1	60	19.5	14.0-25.0	2	0.3	0.0- 0.7	3	1.4	0.0- 3.2	1	1.0	0.0- 3.0	6	2.9	0.2- 5.6
65+	617	69,546	541	82.2	77.5-86.9	65	15.8	11.1-20.5	5	0.7	0.1- 1.3	4	1.1	0.0- 2.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	144	41,876	69	44.0	33.6-54.4	46	36.3	25.1-47.5	4	1.7	0.0- 3.7	1	1.0	0.0- 3.0				24	17.0	9.6-24.4
H.S. or G.E.D.	541	119,795	412	71.0	65.3-76.7	112	25.4	19.7-31.1	6	0.8	0.0- 1.8	2	0.8	0.0- 2.0				9	1.9	0.5- 3.3
Some Post-H.S.	393	94,160	317	78.0	72.1-83.9	56	15.9	10.6-21.2	6	1.1	0.1- 2.1	4	0.8	0.0- 1.6	2	0.7	0.0- 1.9	8	3.5	0.8- 6.2
College Graduate	598	81,989	511	78.2	73.1-83.3	61	13.0	9.1-16.9	2	0.2	0.0- 0.6	20	7.6	3.9-11.3				4	1.0	0.0- 2.2
Less than \$15,000	82	12,613	53	52.9	37.2-68.6	22	37.5	21.6-53.4	4	6.3	0.0-15.1							3	3.3	0.0- 7.4
\$15,000- 24,999	226	43,907	137	52.2	43.6-60.8	62	32.7	24.1-41.3	3	0.9	0.0- 2.1	1	0.4	0.0- 1.2				23	13.8	7.9-19.7
\$25,000- 34,999	171	36,938	122	68.9	59.1-78.7	41	26.3	16.9-35.7	2	0.8	0.0- 2.0	4	2.4	0.0- 4.9				2	1.7	0.0- 4.2
\$35,000- 49,999	195	34,734	157	75.5	67.1-83.9	33	21.8	13.6-30.0	3	1.3	0.0- 2.9	1	1.1	0.0- 3.3				1	0.3	0.0- 0.9
\$50,000- 74,999	223	42,536	195	80.9	72.3-89.5	24	16.7	8.3-25.1	1	0.3	0.0- 0.9	2	1.9	0.0- 4.6				1	0.1	0.0- 0.3
\$75,000+	493	106,200	425	82.5	77.6-87.4	42	9.5	5.8-13.2	1	0.2	0.0- 0.6	17	4.7	2.2- 7.2	1	0.1	0.0- 0.3	7	3.0	0.6- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	377,618	1765	70.3	67.4-73.2	377	21.9	19.2-24.6	32	1.3	0.7- 1.9	32	3.3	1.9- 4.7	6	0.3	0.0- 0.7	46	3.0	1.8- 4.2
18-24	110	44,754	72	63.4	51.1-75.7	28	28.3	16.5-40.1				7	6.2	0.0-12.5				3	2.1	0.0- 5.0
25-34	198	58,781	115	56.5	47.5-65.5	53	25.8	18.0-33.6	5	2.1	0.0- 4.5	9	7.3	2.2-12.4	1	0.9	0.0- 2.7	15	7.4	2.5-12.3
35-44	199	53,651	123	61.3	52.7-69.9	52	25.5	18.1-32.9	5	1.3	0.0- 2.7	8	6.5	0.6-12.4	1	0.3	0.0- 0.9	10	5.2	1.9- 8.5
45-54	354	63,865	263	72.6	66.7-78.5	75	23.3	17.6-29.0	4	0.6	0.0- 1.2	4	1.1	0.0- 2.3				8	2.4	0.2- 4.6
55-64	475	63,999	391	77.6	72.3-82.9	69	18.7	13.6-23.8	8	2.0	0.2- 3.8	2	0.8	0.0- 2.2	2	0.2	0.0- 0.4	3	0.8	0.0- 1.8
65+	890	87,821	775	81.3	77.4-85.2	97	16.0	12.3-19.7	10	1.5	0.1- 2.9				1	0.1	0.0- 0.3	7	1.2	0.0- 2.4
Less Than H.S.	178	42,440	109	56.1	44.9-67.3	38	22.8	12.2-33.4	7	2.6	0.4- 4.8	2	3.1	0.0- 7.6	1	0.6	0.0- 1.8	21	14.8	7.4-22.2
H.S. or G.E.D.	672	107,729	527	71.4	66.1-76.7	119	24.1	19.0-29.2	12	2.0	0.6- 3.4	3	1.0	0.0- 2.4	2	0.1	0.0- 0.3	9	1.5	0.3- 2.7
Some Post-H.S.	606	117,967	478	71.4	66.1-76.7	105	22.4	17.9-26.9	8	0.7	0.1- 1.3	6	3.6	0.3- 6.9	3	0.6	0.0- 1.6	6	1.3	0.1- 2.5
College Graduate	794	108,696	644	73.4	68.7-78.1	115	19.0	14.7-23.3	5	0.8	0.0- 2.0	20	5.1	2.6- 7.6				10	1.6	0.4- 2.8
Less than \$15,000	164	26,427	103	42.3	30.3-54.3	46	41.5	27.8-55.2	4	2.4	0.0- 5.5	4	8.2	0.0-18.0	2	0.4	0.0- 1.0	5	5.2	0.0-10.7
\$15,000- 24,999	321	47,921	223	59.8	51.8-67.8	74	27.3	20.2-34.4	6	1.1	0.1- 2.1	3	1.4	0.0- 3.0	1	0.5	0.0- 1.5	14	9.9	3.8-16.0
\$25,000- 34,999	208	30,420	155	68.2	59.6-76.8	42	27.6	19.0-36.2	5	1.4	0.2- 2.6				1	0.2	0.0- 0.6	5	2.6	0.2- 5.0
\$35,000- 49,999	259	40,374	192	65.1	57.1-73.1	56	29.8	21.8-37.8	5	2.1	0.1- 4.1	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	4	2.3	0.0- 4.7
\$50,000- 74,999	272	48,043	224	80.0	73.1-86.9	41	16.0	9.9-22.1	4	2.2	0.0- 4.9	2	1.6	0.0- 4.3				1	0.2	0.0- 0.6
\$75,000+	536	107,072	453	76.5	71.0-82.0	64	16.2	11.5-20.9	2	0.6	0.0- 1.6	13	5.1	1.6- 8.6	1	0.5	0.0- 1.5	3	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3943	718,132	3061	70.2	68.0-72.4	642	21.2	19.2-23.2	47	1.0	0.6- 1.4	59	3.0	2.0- 4.0	8	0.2	0.0- 0.4	126	4.3	3.3- 5.3
Male	1685	340,514	1306	70.8	67.5-74.1	274	20.9	17.8-24.0	17	0.8	0.2- 1.4	28	2.7	1.5- 3.9	2	0.2	0.0- 0.6	58	4.6	3.2- 6.0
Female	2258	377,618	1755	69.7	66.8-72.6	368	21.5	19.0-24.0	30	1.2	0.6- 1.8	31	3.2	1.8- 4.6	6	0.3	0.0- 0.7	68	4.1	2.9- 5.3
18-24	212	89,589	137	62.3	53.7-70.9	49	27.4	19.0-35.8	1	0.6	0.0- 1.8	9	4.2	0.7- 7.7				16	5.5	2.4- 8.6
25-34	366	117,198	217	59.4	52.7-66.1	89	24.1	18.0-30.2	9	1.5	0.1- 2.9	16	6.0	2.7- 9.3	1	0.5	0.0- 1.5	34	8.5	5.0-12.0
35-44	370	103,524	231	62.2	55.9-68.5	86	22.5	17.2-27.8	10	1.5	0.5- 2.5	15	6.0	2.3- 9.7	1	0.1	0.0- 0.3	27	7.5	4.4-10.6
45-54	602	121,668	452	73.2	68.7-77.7	125	22.7	18.4-27.0	3	0.2	0.0- 0.4	7	1.3	0.1- 2.5				15	2.5	0.9- 4.1
55-64	838	121,710	679	75.8	71.7-79.9	127	18.9	15.2-22.6	10	1.2	0.2- 2.2	5	1.0	0.0- 2.0	3	0.6	0.0- 1.6	14	2.5	0.9- 4.1
65+	1507	157,367	1308	81.2	78.1-84.3	160	15.9	13.0-18.8	14	1.1	0.3- 1.9	4	0.5	0.0- 1.1	2	0.1	0.0- 0.3	19	1.3	0.5- 2.1
Less Than H.S.	322	84,315	177	49.5	41.9-57.1	83	29.3	21.5-37.1	9	1.9	0.5- 3.3	3	2.1	0.0- 4.6	1	0.3	0.0- 0.9	49	16.9	11.4-22.4
H.S. or G.E.D.	1213	227,524	931	70.9	67.0-74.8	229	24.6	20.9-28.3	18	1.4	0.6- 2.2	5	0.9	0.1- 1.7	2	0.0	0.0- 0.0	28	2.2	1.2- 3.2
Some Post-H.S.	999	212,126	791	73.9	70.0-77.8	156	19.1	15.6-22.6	13	0.7	0.3- 1.1	10	2.4	0.4- 4.4	5	0.7	0.0- 1.5	24	3.2	1.6- 4.8
College Graduate	1392	190,684	1149	74.7	71.2-78.2	173	16.1	13.2-19.0	7	0.6	0.0- 1.4	39	6.1	3.9- 8.3				24	2.4	1.0- 3.8
Less than \$15,000	246	39,041	155	44.4	34.8-54.0	67	40.1	29.3-50.9	8	3.7	0.2- 7.2	4	5.5	0.0-12.4	2	0.2	0.0- 0.6	10	6.1	1.4-10.8
\$15,000- 24,999	547	91,828	356	55.9	50.0-61.8	133	29.6	24.1-35.1	8	1.0	0.2- 1.8	4	0.9	0.0- 1.9	1	0.3	0.0- 0.9	45	12.4	8.1-16.7
\$25,000- 34,999	379	67,358	276	68.4	61.7-75.1	82	26.6	20.1-33.1	7	1.1	0.3- 1.9	4	1.3	0.0- 2.7	1	0.1	0.0- 0.3	9	2.6	0.8- 4.4
\$35,000- 49,999	454	75,108	348	69.8	63.9-75.7	87	25.4	19.7-31.1	7	1.4	0.2- 2.6	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	9	2.6	0.6- 4.6
\$50,000- 74,999	495	90,578	418	80.4	74.9-85.9	63	15.9	10.8-21.0	5	1.3	0.0- 2.9	4	1.7	0.0- 3.7				5	0.7	0.0- 1.5
\$75,000+	1029	213,272	873	78.8	75.1-82.5	104	12.6	9.5-15.7	3	0.4	0.0- 1.0	29	4.9	2.7- 7.1	2	0.3	0.0- 0.9	18	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	340,514	1306	70.8	67.5-74.1	274	20.9	17.8-24.0	17	0.8	0.2- 1.4	28	2.7	1.5- 3.9	2	0.2	0.0- 0.6	58	4.6	3.2- 6.0
18-24	102	44,835	66	61.4	49.1-73.7	23	27.8	15.8-39.8	1	1.3	0.0- 3.8	2	2.2	0.0- 5.3				10	7.3	2.2-12.4
25-34	168	58,416	104	63.9	54.1-73.7	39	23.4	14.2-32.6	4	1.0	0.0- 2.2	7	4.8	0.9- 8.7				14	6.9	2.6-11.2
35-44	171	49,873	108	63.2	54.0-72.4	34	19.4	11.8-27.0	6	2.2	0.2- 4.2	7	5.6	0.9-10.3				16	9.6	4.5-14.7
45-54	248	57,802	189	74.0	66.9-81.1	51	22.5	15.6-29.4				4	1.7	0.0- 3.7				4	1.9	0.0- 3.9
55-64	363	57,710	290	74.9	68.8-81.0	60	19.5	14.0-25.0	2	0.3	0.0- 0.7	3	1.4	0.0- 3.2	1	1.0	0.0- 3.0	7	3.0	0.3- 5.7
65+	617	69,546	537	81.6	76.9-86.3	64	15.7	11.0-20.4	4	0.6	0.0- 1.2	4	1.1	0.0- 2.3	1	0.1	0.0- 0.3	7	0.8	0.0- 1.6
Less Than H.S.	144	41,876	69	44.0	33.6-54.4	45	35.8	24.4-47.2	3	1.5	0.0- 3.5	1	1.0	0.0- 3.0				26	17.6	10.2-25.0
H.S. or G.E.D.	541	119,795	410	70.9	65.2-76.6	112	25.4	19.7-31.1	6	0.8	0.0- 1.8	2	0.8	0.0- 2.0				11	2.0	0.4- 3.6
Some Post-H.S.	393	94,160	314	77.3	71.4-83.2	55	15.9	10.6-21.2	6	1.1	0.1- 2.1	4	0.8	0.0- 1.6	2	0.7	0.0- 1.9	12	4.3	1.6- 7.0
College Graduate	598	81,989	507	77.6	72.5-82.7	61	13.0	9.1-16.9	2	0.2	0.0- 0.6	20	7.6	3.9-11.3				8	1.7	0.3- 3.1
Less than \$15,000	82	12,613	53	52.9	37.2-68.6	22	37.5	21.6-53.4	4	6.3	0.0-15.1							3	3.3	0.0- 7.4
\$15,000- 24,999	226	43,907	136	52.0	43.4-60.6	61	32.6	24.0-41.2	2	0.8	0.0- 2.0	1	0.4	0.0- 1.2				26	14.3	8.2-20.4
\$25,000- 34,999	171	36,938	122	68.9	59.1-78.7	40	25.8	16.4-35.2	2	0.8	0.0- 2.0	4	2.4	0.0- 4.9				3	2.1	0.0- 4.6
\$35,000- 49,999	195	34,734	157	75.5	67.1-83.9	33	21.8	13.6-30.0	3	1.3	0.0- 2.9	1	1.1	0.0- 3.3				1	0.3	0.0- 0.9
\$50,000- 74,999	223	42,536	194	80.7	72.1-89.3	24	16.7	8.3-25.1	1	0.3	0.0- 0.9	2	1.9	0.0- 4.6				2	0.3	0.0- 0.7
\$75,000+	493	106,200	421	81.9	77.0-86.8	42	9.5	5.8-13.2	1	0.2	0.0- 0.6	17	4.7	2.2- 7.2	1	0.1	0.0- 0.3	11	3.6	1.1- 6.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	377,618	1755	69.7	66.8-72.6	368	21.5	19.0-24.0	30	1.2	0.6- 1.8	31	3.2	1.8- 4.6	6	0.3	0.0- 0.7	68	4.1	2.9- 5.3
18-24	110	44,754	71	63.2	50.9-75.5	26	27.0	15.2-38.8	7	6.2	0.0-12.5	7	6.2	0.0-12.5	6	3.7	0.0- 7.4	6	3.7	0.0- 7.4
25-34	198	58,781	113	55.0	46.0-64.0	50	24.7	16.9-32.5	5	2.1	0.0- 4.5	9	7.3	2.2-12.4	1	0.9	0.0- 2.7	20	10.1	4.6-15.6
35-44	199	53,651	123	61.3	52.7-69.9	52	25.5	18.1-32.9	4	0.9	0.0- 1.9	8	6.5	0.6-12.4	1	0.3	0.0- 0.9	11	5.6	2.1- 9.1
45-54	354	63,865	263	72.6	66.7-78.5	74	22.8	17.1-28.5	3	0.4	0.0- 1.0	3	1.0	0.0- 2.2				11	3.1	0.7- 5.5
55-64	475	63,999	389	76.6	71.1-82.1	67	18.4	13.3-23.5	8	2.0	0.2- 3.8	2	0.8	0.0- 2.2	2	0.2	0.0- 0.4	7	2.1	0.1- 4.1
65+	890	87,821	771	80.9	77.0-84.8	96	16.0	12.3-19.7	10	1.5	0.1- 2.9				1	0.1	0.0- 0.3	12	1.6	0.4- 2.8
Less Than H.S.	178	42,440	108	54.9	43.7-66.1	38	22.8	12.2-33.4	6	2.3	0.1- 4.5	2	3.1	0.0- 7.6	1	0.6	0.0- 1.8	23	16.3	8.5-24.1
H.S. or G.E.D.	672	107,729	521	70.8	65.5-76.1	117	23.8	18.7-28.9	12	2.0	0.6- 3.4	3	1.0	0.0- 2.4	2	0.1	0.0- 0.3	17	2.4	1.0- 3.8
Some Post-H.S.	606	117,967	477	71.3	66.0-76.6	101	21.7	17.2-26.2	7	0.5	0.1- 0.9	6	3.6	0.3- 6.9	3	0.6	0.0- 1.6	12	2.3	0.7- 3.9
College Graduate	794	108,696	642	72.6	67.9-77.3	112	18.5	14.2-22.8	5	0.8	0.0- 2.0	19	5.0	2.5- 7.5				16	3.0	1.0- 5.0
Less than \$15,000	164	26,427	102	40.3	28.7-51.9	45	41.3	27.6-55.0	4	2.4	0.0- 5.5	4	8.2	0.0-18.0	2	0.4	0.0- 1.0	7	7.5	0.8-14.2
\$15,000- 24,999	321	47,921	220	59.4	51.4-67.4	72	26.9	19.8-34.0	6	1.1	0.1- 2.1	3	1.4	0.0- 3.0	1	0.5	0.0- 1.5	19	10.7	4.6-16.8
\$25,000- 34,999	208	30,420	154	67.8	59.2-76.4	42	27.6	19.0-36.2	5	1.4	0.2- 2.6				1	0.2	0.0- 0.6	6	3.1	0.6- 5.6
\$35,000- 49,999	259	40,374	191	64.9	56.9-72.9	54	28.4	20.6-36.2	4	1.5	0.0- 3.1	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	8	4.6	0.9- 8.3
\$50,000- 74,999	272	48,043	224	80.0	73.1-86.9	39	15.2	9.1-21.3	4	2.2	0.0- 4.9	2	1.6	0.0- 4.3				3	1.0	0.0- 2.4
\$75,000+	536	107,072	452	75.8	70.1-81.5	62	15.7	11.0-20.4	2	0.6	0.0- 1.6	12	5.0	1.5- 8.5	1	0.5	0.0- 1.5	7	2.4	0.2- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3978	725,267	2961	66.6	64.4-68.8	611	20.1	18.1-22.1	47	1.1	0.7- 1.5	56	2.9	1.9- 3.9	55	1.5	0.9- 2.1	248	7.8	6.6- 9.0
Male	1699	343,760	1261	66.6	63.3-69.9	257	19.4	16.5-22.3	17	0.9	0.3- 1.5	26	2.6	1.4- 3.8	21	1.3	0.5- 2.1	117	9.1	7.1-11.1
Female	2279	381,507	1700	66.5	63.6-69.4	354	20.7	18.2-23.2	30	1.3	0.7- 1.9	30	3.1	1.7- 4.5	34	1.7	0.9- 2.5	131	6.6	5.2- 8.0
18-24	216	90,081	131	60.5	51.9-69.1	45	25.9	17.7-34.1	1	0.6	0.0- 1.8	8	3.9	0.6- 7.2	6	2.3	0.1- 4.5	25	6.7	3.8- 9.6
25-34	380	119,366	194	52.8	46.1-59.5	82	21.9	16.2-27.6	8	1.7	0.1- 3.3	15	5.8	2.7- 8.9	10	2.2	0.4- 4.0	71	15.6	11.1-20.1
35-44	391	109,055	209	54.0	47.7-60.3	82	20.9	15.8-26.0	11	1.6	0.6- 2.6	15	5.7	2.2- 9.2	7	1.4	0.2- 2.6	67	16.4	11.9-20.9
45-54	607	122,895	435	69.9	65.2-74.6	117	21.3	17.0-25.6	2	0.2	0.0- 0.4	7	1.3	0.1- 2.5	7	1.0	0.2- 1.8	39	6.4	4.0- 8.8
55-64	837	121,243	663	74.0	69.9-78.1	124	18.7	15.0-22.4	12	1.7	0.3- 3.1	5	1.0	0.0- 2.0	11	2.0	0.4- 3.6	22	2.5	1.3- 3.7
65+	1500	155,995	1295	80.8	77.7-83.9	156	15.5	12.6-18.4	13	1.1	0.3- 1.9	3	0.4	0.0- 1.0	13	0.7	0.3- 1.1	20	1.5	0.7- 2.3
Less Than H.S.	355	91,422	140	34.6	27.9-41.3	79	25.1	17.8-32.4	7	1.4	0.2- 2.6	3	1.9	0.0- 4.3	6	1.5	0.0- 3.1	120	35.5	28.8-42.2
H.S. or G.E.D.	1219	228,610	908	68.4	64.5-72.3	219	23.6	19.9-27.3	17	1.3	0.5- 2.1	4	0.8	0.0- 1.6	16	1.0	0.4- 1.6	55	4.9	3.3- 6.5
Some Post-H.S.	1000	211,659	770	72.2	68.3-76.1	148	18.5	15.0-22.0	16	1.3	0.5- 2.1	10	2.4	0.4- 4.4	14	1.8	0.6- 3.0	42	3.9	2.5- 5.3
College Graduate	1388	190,441	1130	73.5	70.0-77.0	164	15.6	12.7-18.5	7	0.6	0.0- 1.4	37	6.0	3.8- 8.2	19	2.0	0.8- 3.2	31	2.4	1.4- 3.4
Less than \$15,000	250	39,489	145	40.2	31.2-49.2	64	37.7	27.1-48.3	5	3.1	0.0- 6.6	4	5.5	0.0-12.2	4	1.8	0.0- 4.5	28	11.9	6.6-17.2
\$15,000- 24,999	565	95,423	333	49.1	43.4-54.8	125	27.5	22.2-32.8	7	0.7	0.1- 1.3	3	0.7	0.0- 1.5	8	0.7	0.1- 1.3	89	21.2	16.3-26.1
\$25,000- 34,999	381	66,932	261	60.3	53.2-67.4	77	25.3	18.8-31.8	7	1.1	0.3- 1.9	4	1.3	0.0- 2.7	5	1.5	0.0- 3.1	27	10.6	5.5-15.7
\$35,000- 49,999	456	76,811	338	65.6	59.3-71.9	84	24.1	18.6-29.6	8	1.6	0.4- 2.8	2	0.7	0.0- 1.7	6	1.7	0.0- 3.5	18	6.4	2.5-10.3
\$50,000- 74,999	496	91,012	412	78.4	72.7-84.1	61	15.7	10.6-20.8	5	1.3	0.0- 2.9	4	1.7	0.0- 3.7	4	0.5	0.0- 1.3	10	2.3	0.5- 4.1
\$75,000+	1025	212,692	856	77.6	73.9-81.3	100	12.4	9.3-15.5	5	0.7	0.0- 1.5	28	4.9	2.7- 7.1	13	2.1	0.7- 3.5	23	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	343,760	1261	66.6	63.3-69.9	257	19.4	16.5-22.3	17	0.9	0.3- 1.5	26	2.6	1.4- 3.8	21	1.3	0.5- 2.1	117	9.1	7.1-11.1
18-24	105	45,517	62	58.3	46.1-70.5	21	26.3	14.5-38.1	1	1.3	0.0- 3.8	2	2.2	0.0- 5.3	2	1.6	0.0- 4.1	17	10.3	4.8-15.8
25-34	175	59,625	95	56.7	46.7-66.7	35	19.9	11.3-28.5	2	0.4	0.0- 1.2	6	4.4	0.7- 8.1	2	0.9	0.0- 2.1	35	17.7	10.6-24.8
35-44	180	52,804	98	54.2	44.8-63.6	33	18.0	10.7-25.3	6	2.0	0.2- 3.8	7	5.3	0.8- 9.8	5	2.1	0.1- 4.1	31	18.5	10.9-26.1
45-54	249	58,259	179	70.1	62.8-77.4	45	20.2	13.5-26.9				4	1.7	0.0- 3.7	1	0.6	0.0- 1.8	20	7.4	3.9-10.9
55-64	361	57,142	286	74.1	67.8-80.4	58	19.2	13.7-24.7	3	1.3	0.0- 3.3	3	1.4	0.0- 3.2	6	2.6	0.0- 5.3	5	1.4	0.0- 2.8
65+	614	68,528	531	81.0	76.3-85.7	63	15.5	10.8-20.2	5	0.7	0.1- 1.3	3	1.0	0.0- 2.2	5	0.6	0.0- 1.2	7	1.2	0.2- 2.2
Less Than H.S.	158	45,151	47	26.0	17.8-34.2	41	29.3	18.7-39.9	2	0.9	0.0- 2.5	1	1.0	0.0- 3.0	3	1.5	0.0- 3.5	64	41.4	31.2-51.6
H.S. or G.E.D.	543	120,315	401	68.5	62.6-74.4	105	23.9	18.4-29.4	6	0.8	0.0- 1.8	2	0.8	0.0- 2.0	4	0.6	0.0- 1.4	25	5.4	2.7- 8.1
Some Post-H.S.	392	93,957	306	75.5	69.4-81.6	53	15.6	10.3-20.9	7	1.7	0.1- 3.3	4	0.8	0.0- 1.6	8	2.3	0.3- 4.3	14	4.3	1.8- 6.8
College Graduate	598	81,989	501	76.5	71.4-81.6	57	12.2	8.3-16.1	2	0.2	0.0- 0.6	18	7.3	3.6-11.0	6	1.4	0.0- 2.8	14	2.4	1.0- 3.8
Less than \$15,000	84	13,024	48	46.0	31.1-60.9	21	34.8	19.3-50.3	3	5.2	0.0-13.6				1	0.4	0.0- 1.2	11	13.6	5.4-21.8
\$15,000- 24,999	235	45,249	128	47.2	39.0-55.4	58	30.8	22.4-39.2	1	0.2	0.0- 0.6				4	1.0	0.0- 2.2	44	20.9	14.4-27.4
\$25,000- 34,999	172	36,363	113	57.4	46.4-68.4	38	24.7	15.3-34.1	2	0.8	0.0- 2.0	4	2.4	0.0- 4.9	2	1.7	0.0- 4.2	13	13.1	4.5-21.7
\$35,000- 49,999	196	36,292	151	68.9	59.3-78.5	31	19.6	11.8-27.4	3	1.3	0.0- 2.9	1	1.1	0.0- 3.1	1	0.3	0.0- 0.9	9	8.9	1.5-16.3
\$50,000- 74,999	224	42,969	190	77.1	68.1-86.1	24	16.6	8.2-25.0	1	0.3	0.0- 0.9	2	1.9	0.0- 4.6	2	0.3	0.0- 0.7	5	3.9	0.2- 7.6
\$75,000+	491	105,818	416	81.3	76.4-86.2	39	9.2	5.5-12.9	2	0.3	0.0- 0.7	16	4.7	2.2- 7.2	7	2.2	0.4- 4.0	11	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	381,507	1700	66.5	63.6-69.4	354	20.7	18.2-23.2	30	1.3	0.7- 1.9	30	3.1	1.7- 4.5	34	1.7	0.9- 2.5	131	6.6	5.2- 8.0
18-24	111	44,565	69	62.6	50.3-74.9	24	25.6	14.0-37.2				6	5.6	0.0-11.7	4	3.1	0.0- 6.8	8	3.1	0.7- 5.5
25-34	205	59,741	99	48.9	40.1-57.7	47	24.0	16.4-31.6	6	2.9	0.0- 5.8	9	7.2	2.1-12.3	8	3.5	0.4- 6.6	36	13.5	7.8-19.2
35-44	211	56,252	111	53.8	45.4-62.2	49	23.7	16.6-30.8	5	1.1	0.1- 2.1	8	6.2	0.7-11.7	2	0.7	0.0- 1.7	36	14.4	9.3-19.5
45-54	358	64,635	256	69.7	63.6-75.8	72	22.2	16.7-27.7	2	0.4	0.0- 1.0	3	1.0	0.0- 2.2	6	1.3	0.1- 2.5	19	5.5	2.6- 8.4
55-64	476	64,101	377	73.9	68.4-79.4	66	18.3	13.2-23.4	9	2.1	0.3- 3.9	2	0.8	0.0- 2.2	5	1.5	0.0- 3.3	17	3.4	1.6- 5.2
65+	886	87,467	764	80.6	76.7-84.5	93	15.6	11.9-19.3	8	1.4	0.0- 2.8				8	0.7	0.1- 1.3	13	1.7	0.5- 2.9
Less Than H.S.	197	46,271	93	43.1	32.9-53.3	38	21.0	11.2-30.8	5	2.0	0.0- 4.0	2	2.8	0.0- 6.9	3	1.5	0.0- 3.9	56	29.7	21.1-38.3
H.S. or G.E.D.	676	108,295	507	68.3	63.0-73.6	114	23.3	18.4-28.2	11	1.9	0.5- 3.3	2	0.7	0.0- 1.9	12	1.4	0.4- 2.4	30	4.3	2.5- 6.1
Some Post-H.S.	608	117,702	464	69.5	64.2-74.8	95	20.8	16.3-25.3	9	1.1	0.1- 2.1	6	3.6	0.3- 6.9	6	1.5	0.1- 2.9	28	3.5	1.9- 5.1
College Graduate	790	108,452	629	71.2	66.3-76.1	107	18.2	13.9-22.5	5	0.9	0.0- 2.1	19	5.0	2.5- 7.5	13	2.4	0.6- 4.2	17	2.4	1.0- 3.8
Less than \$15,000	166	26,465	97	37.3	26.1-48.5	43	39.1	25.2-53.0	2	2.0	0.0- 4.9	4	8.1	0.0-17.9	3	2.4	0.0- 6.3	17	11.0	4.3-17.7
\$15,000- 24,999	330	50,174	205	50.9	43.1-58.7	67	24.6	17.7-31.5	6	1.1	0.1- 2.1	3	1.4	0.0- 3.0	4	0.5	0.0- 1.1	45	21.6	14.5-28.7
\$25,000- 34,999	209	30,569	148	63.7	54.9-72.5	39	26.1	17.5-34.7	5	1.3	0.1- 2.5				3	1.2	0.0- 2.6	14	7.7	3.4-12.0
\$35,000- 49,999	260	40,519	187	62.7	54.7-70.7	53	28.2	20.4-36.0	5	1.8	0.0- 3.6	1	0.3	0.0- 0.9	5	2.9	0.0- 6.0	9	4.1	1.2- 7.0
\$50,000- 74,999	272	48,043	222	79.7	72.6-86.8	37	14.9	8.8-21.0	4	2.2	0.0- 4.9	2	1.6	0.0- 4.3	2	0.8	0.0- 2.0	5	0.9	0.1- 1.7
\$75,000+	534	106,873	440	74.0	68.3-79.7	61	15.6	10.9-20.3	3	1.1	0.0- 2.5	12	5.1	1.6- 8.6	6	2.0	0.0- 4.0	12	2.3	0.7- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3978	725,267	2961	66.6	64.4-68.8	1017	33.4	31.2-35.6
Male	1699	343,760	1261	66.6	63.3-69.9	438	33.4	30.1-36.7
Female	2279	381,507	1700	66.5	63.6-69.4	579	33.5	30.6-36.4
18-24	216	90,081	131	60.5	51.9-69.1	85	39.5	30.9-48.1
25-34	380	119,366	194	52.8	46.1-59.5	186	47.2	40.5-53.9
35-44	391	109,055	209	54.0	47.7-60.3	182	46.0	39.7-52.3
45-54	607	122,895	435	69.9	65.2-74.6	172	30.1	25.4-34.8
55-64	837	121,243	663	74.0	69.9-78.1	174	26.0	21.9-30.1
65+	1500	155,995	1295	80.8	77.7-83.9	205	19.2	16.1-22.3
Less Than H.S.	355	91,422	140	34.6	27.9-41.3	215	65.4	58.7-72.1
H.S. or G.E.D.	1219	228,610	908	68.4	64.5-72.3	311	31.6	27.7-35.5
Some Post-H.S.	1000	211,659	770	72.2	68.3-76.1	230	27.8	23.9-31.7
College Graduate	1388	190,441	1130	73.5	70.0-77.0	258	26.5	23.0-30.0
Less than \$15,000	250	39,489	145	40.2	31.2-49.2	105	59.8	50.8-68.8
\$15,000- 24,999	565	95,423	333	49.1	43.4-54.8	232	50.9	45.2-56.6
\$25,000- 34,999	381	66,932	261	60.3	53.2-67.4	120	39.7	32.6-46.8
\$35,000- 49,999	456	76,811	338	65.6	59.3-71.9	118	34.4	28.1-40.7
\$50,000- 74,999	496	91,012	412	78.4	72.7-84.1	84	21.6	15.9-27.3
\$75,000+	1025	212,692	856	77.6	73.9-81.3	169	22.4	18.7-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	343,760	1261	66.6	63.3-69.9	438	33.4	30.1-36.7
18-24	105	45,517	62	58.3	46.1-70.5	43	41.7	29.5-53.9
25-34	175	59,625	95	56.7	46.7-66.7	80	43.3	33.3-53.3
35-44	180	52,804	98	54.2	44.8-63.6	82	45.8	36.4-55.2
45-54	249	58,259	179	70.1	62.8-77.4	70	29.9	22.6-37.2
55-64	361	57,142	286	74.1	67.8-80.4	75	25.9	19.6-32.2
65+	614	68,528	531	81.0	76.3-85.7	83	19.0	14.3-23.7
Less Than H.S.	158	45,151	47	26.0	17.8-34.2	111	74.0	65.8-82.2
H.S. or G.E.D.	543	120,315	401	68.5	62.6-74.4	142	31.5	25.6-37.4
Some Post-H.S.	392	93,957	306	75.5	69.4-81.6	86	24.5	18.4-30.6
College Graduate	598	81,989	501	76.5	71.4-81.6	97	23.5	18.4-28.6
Less than \$15,000	84	13,024	48	46.0	31.1-60.9	36	54.0	39.1-68.9
\$15,000- 24,999	235	45,249	128	47.2	39.0-55.4	107	52.8	44.6-61.0
\$25,000- 34,999	172	36,363	113	57.4	46.4-68.4	59	42.6	31.6-53.6
\$35,000- 49,999	196	36,292	151	68.9	59.3-78.5	45	31.1	21.5-40.7
\$50,000- 74,999	224	42,969	190	77.1	68.1-86.1	34	22.9	13.9-31.9
\$75,000+	491	105,818	416	81.3	76.4-86.2	75	18.7	13.8-23.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	381,507	1700	66.5	63.6-69.4	579	33.5	30.6-36.4
18-24	111	44,565	69	62.6	50.3-74.9	42	37.4	25.1-49.7
25-34	205	59,741	99	48.9	40.1-57.7	106	51.1	42.3-59.9
35-44	211	56,252	111	53.8	45.4-62.2	100	46.2	37.8-54.6
45-54	358	64,635	256	69.7	63.6-75.8	102	30.3	24.2-36.4
55-64	476	64,101	377	73.9	68.4-79.4	99	26.1	20.6-31.6
65+	886	87,467	764	80.6	76.7-84.5	122	19.4	15.5-23.3
Less Than H.S.	197	46,271	93	43.1	32.9-53.3	104	56.9	46.7-67.1
H.S. or G.E.D.	676	108,295	507	68.3	63.0-73.6	169	31.7	26.4-37.0
Some Post-H.S.	608	117,702	464	69.5	64.2-74.8	144	30.5	25.2-35.8
College Graduate	790	108,452	629	71.2	66.3-76.1	161	28.8	23.9-33.7
Less than \$15,000	166	26,465	97	37.3	26.1-48.5	69	62.7	51.5-73.9
\$15,000- 24,999	330	50,174	205	50.9	43.1-58.7	125	49.1	41.3-56.9
\$25,000- 34,999	209	30,569	148	63.7	54.9-72.5	61	36.3	27.5-45.1
\$35,000- 49,999	260	40,519	187	62.7	54.7-70.7	73	37.3	29.3-45.3
\$50,000- 74,999	272	48,043	222	79.7	72.6-86.8	50	20.3	13.2-27.4
\$75,000+	534	106,873	440	74.0	68.3-79.7	94	26.0	20.3-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3978	725,267	2961	66.6	64.4-68.8	611	20.1	18.1-22.1	115	4.5	3.5- 5.5	43	1.1	0.7- 1.5	248	7.8	6.6- 9.0
Male	1699	343,760	1261	66.6	63.3-69.9	257	19.4	16.5-22.3	49	4.1	2.7- 5.5	15	0.7	0.3- 1.1	117	9.1	7.1-11.1
Female	2279	381,507	1700	66.5	63.6-69.4	354	20.7	18.2-23.2	66	4.8	3.2- 6.4	28	1.4	0.6- 2.2	131	6.6	5.2- 8.0
18-24	216	90,081	131	60.5	51.9-69.1	45	25.9	17.7-34.1	11	5.9	1.8-10.0	4	1.0	0.0- 2.2	25	6.7	3.8- 9.6
25-34	380	119,366	194	52.8	46.1-59.5	82	21.9	16.2-27.6	25	7.7	4.2-11.2	8	1.9	0.3- 3.5	71	15.6	11.1-20.1
35-44	391	109,055	209	54.0	47.7-60.3	82	20.9	15.8-26.0	28	7.7	4.0-11.4	5	1.0	0.0- 2.0	67	16.4	11.9-20.9
45-54	607	122,895	435	69.9	65.2-74.6	117	21.3	17.0-25.6	10	1.6	0.4- 2.8	6	0.9	0.1- 1.7	39	6.4	4.0- 8.8
55-64	837	121,243	663	74.0	69.9-78.1	124	18.7	15.0-22.4	20	3.6	1.6- 5.6	8	1.2	0.0- 2.4	22	2.5	1.3- 3.7
65+	1500	155,995	1295	80.8	77.7-83.9	156	15.5	12.6-18.4	18	1.7	0.7- 2.7	11	0.5	0.1- 0.9	20	1.5	0.7- 2.3
Less Than H.S.	355	91,422	140	34.6	27.9-41.3	79	25.1	17.8-32.4	10	3.3	0.8- 5.8	6	1.5	0.0- 3.1	120	35.5	28.8-42.2
H.S. or G.E.D.	1219	228,610	908	68.4	64.5-72.3	219	23.6	19.9-27.3	25	2.4	1.2- 3.6	12	0.7	0.3- 1.1	55	4.9	3.3- 6.5
Some Post-H.S.	1000	211,659	770	72.2	68.3-76.1	148	18.5	15.0-22.0	31	4.7	2.3- 7.1	9	0.8	0.0- 1.6	42	3.9	2.5- 5.3
College Graduate	1388	190,441	1130	73.5	70.0-77.0	164	15.6	12.7-18.5	47	6.9	4.5- 9.3	16	1.6	0.4- 2.8	31	2.4	1.4- 3.4
Less than \$15,000	250	39,489	145	40.2	31.2-49.2	64	37.7	27.1-48.3	9	8.5	1.2-15.8	4	1.8	0.0- 4.5	28	11.9	6.6-17.2
\$15,000- 24,999	565	95,423	333	49.1	43.4-54.8	125	27.5	22.2-32.8	10	1.4	0.4- 2.4	8	0.7	0.1- 1.3	89	21.2	16.3-26.1
\$25,000- 34,999	381	66,932	261	60.3	53.2-67.4	77	25.3	18.8-31.8	13	2.7	0.9- 4.5	3	1.1	0.0- 2.5	27	10.6	5.5-15.7
\$35,000- 49,999	456	76,811	338	65.6	59.3-71.9	84	24.1	18.6-29.6	11	2.4	0.8- 4.0	5	1.5	0.0- 3.1	18	6.4	2.5-10.3
\$50,000- 74,999	496	91,012	412	78.4	72.7-84.1	61	15.7	10.6-20.8	9	3.0	0.5- 5.5	4	0.5	0.0- 1.3	10	2.3	0.5- 4.1
\$75,000+	1025	212,692	856	77.6	73.9-81.3	100	12.4	9.3-15.5	38	6.7	4.3- 9.1	8	1.0	0.2- 1.8	23	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	343,760	1261	66.6	63.3-69.9	257	19.4	16.5-22.3	49	4.1	2.7- 5.5	15	0.7	0.3- 1.1	117	9.1	7.1-11.1
18-24	105	45,517	62	58.3	46.1-70.5	21	26.3	14.5-38.1	4	4.7	0.2- 9.2	1	0.4	0.0- 1.2	17	10.3	4.8-15.8
25-34	175	59,625	95	56.7	46.7-66.7	35	19.9	11.3-28.5	9	5.1	1.2- 9.0	1	0.5	0.0- 1.5	35	17.7	10.6-24.8
35-44	180	52,804	98	54.2	44.8-63.6	33	18.0	10.7-25.3	15	8.2	3.3-13.1	3	1.2	0.0- 2.8	31	18.5	10.9-26.1
45-54	249	58,259	179	70.1	62.8-77.4	45	20.2	13.5-26.9	4	1.7	0.0- 3.7	1	0.6	0.0- 1.8	20	7.4	3.9-10.9
55-64	361	57,142	286	74.1	67.8-80.4	58	19.2	13.7-24.7	8	4.3	1.0- 7.6	4	1.0	0.0- 2.6	5	1.4	0.0- 2.8
65+	614	68,528	531	81.0	76.3-85.7	63	15.5	10.8-20.2	8	1.7	0.3- 3.1	5	0.6	0.0- 1.2	7	1.2	0.2- 2.2
Less Than H.S.	158	45,151	47	26.0	17.8-34.2	41	29.3	18.7-39.9	3	1.9	0.0- 4.3	3	1.5	0.0- 3.5	64	41.4	31.2-51.6
H.S. or G.E.D.	543	120,315	401	68.5	62.6-74.4	105	23.9	18.4-29.4	10	2.0	0.4- 3.6	2	0.2	0.0- 0.6	25	5.4	2.7- 8.1
Some Post-H.S.	392	93,957	306	75.5	69.4-81.6	53	15.6	10.3-20.9	14	3.9	1.5- 6.3	5	0.8	0.0- 1.8	14	4.3	1.8- 6.8
College Graduate	598	81,989	501	76.5	71.4-81.6	57	12.2	8.3-16.1	21	7.9	4.2-11.6	5	1.0	0.0- 2.2	14	2.4	1.0- 3.8
Less than \$15,000	84	13,024	48	46.0	31.1-60.9	21	34.8	19.3-50.3	3	5.2	0.0-13.6	1	0.4	0.0- 1.2	11	13.6	5.4-21.8
\$15,000- 24,999	235	45,249	128	47.2	39.0-55.4	58	30.8	22.4-39.2	1	0.2	0.0- 0.6	4	1.0	0.0- 2.2	44	20.9	14.4-27.4
\$25,000- 34,999	172	36,363	113	57.4	46.4-68.4	38	24.7	15.3-34.1	6	3.2	0.5- 5.9	2	1.7	0.0- 4.2	13	13.1	4.5-21.7
\$35,000- 49,999	196	36,292	151	68.9	59.3-78.5	31	19.6	11.8-27.4	5	2.6	0.1- 5.1				9	8.9	1.5-16.3
\$50,000- 74,999	224	42,969	190	77.1	68.1-86.1	24	16.6	8.2-25.0	3	2.2	0.0- 5.1	2	0.3	0.0- 0.7	5	3.9	0.2- 7.6
\$75,000+	491	105,818	416	81.3	76.4-86.2	39	9.2	5.5-12.9	22	6.7	3.6- 9.8	3	0.5	0.0- 1.3	11	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	381,507	1700	66.5	63.6-69.4	354	20.7	18.2-23.2	66	4.8	3.2- 6.4	28	1.4	0.6- 2.2	131	6.6	5.2- 8.0
18-24	111	44,565	69	62.6	50.3-74.9	24	25.6	14.0-37.2	7	7.0	0.3-13.7	3	1.6	0.0- 4.0	8	3.1	0.7- 5.5
25-34	205	59,741	99	48.9	40.1-57.7	47	24.0	16.4-31.6	16	10.3	4.6-16.0	7	3.3	0.4- 6.2	36	13.5	7.8-19.2
35-44	211	56,252	111	53.8	45.4-62.2	49	23.7	16.6-30.8	13	7.3	1.6-13.0	2	0.7	0.0- 1.7	36	14.4	9.3-19.5
45-54	358	64,635	256	69.7	63.6-75.8	72	22.2	16.7-27.7	6	1.5	0.1- 2.9	5	1.1	0.0- 2.3	19	5.5	2.6- 8.4
55-64	476	64,101	377	73.9	68.4-79.4	66	18.3	13.2-23.4	12	3.1	0.9- 5.3	4	1.3	0.0- 3.1	17	3.4	1.6- 5.2
65+	886	87,467	764	80.6	76.7-84.5	93	15.6	11.9-19.3	10	1.6	0.2- 3.0	6	0.5	0.1- 0.9	13	1.7	0.5- 2.9
Less Than H.S.	197	46,271	93	43.1	32.9-53.3	38	21.0	11.2-30.8	7	4.8	0.3- 9.3	3	1.5	0.0- 3.9	56	29.7	21.1-38.3
H.S. or G.E.D.	676	108,295	507	68.3	63.0-73.6	114	23.3	18.4-28.2	15	2.8	0.8- 4.8	10	1.2	0.4- 2.0	30	4.3	2.5- 6.1
Some Post-H.S.	608	117,702	464	69.5	64.2-74.8	95	20.8	16.3-25.3	17	5.3	1.8- 8.8	4	0.8	0.0- 1.8	28	3.5	1.9- 5.1
College Graduate	790	108,452	629	71.2	66.3-76.1	107	18.2	13.9-22.5	26	6.2	3.5- 8.9	11	2.1	0.3- 3.9	17	2.4	1.0- 3.8
Less than \$15,000	166	26,465	97	37.3	26.1-48.5	43	39.1	25.2-53.0	6	10.1	0.1-20.1	3	2.4	0.0- 6.3	17	11.0	4.3-17.7
\$15,000- 24,999	330	50,174	205	50.9	43.1-58.7	67	24.6	17.7-31.5	9	2.4	0.6- 4.2	4	0.5	0.0- 1.1	45	21.6	14.5-28.7
\$25,000- 34,999	209	30,569	148	63.7	54.9-72.5	39	26.1	17.5-34.7	7	2.1	0.3- 3.9	1	0.4	0.0- 1.2	14	7.7	3.4-12.0
\$35,000- 49,999	260	40,519	187	62.7	54.7-70.7	53	28.2	20.4-36.0	6	2.1	0.3- 3.9	5	2.9	0.0- 6.0	9	4.1	1.2- 7.0
\$50,000- 74,999	272	48,043	222	79.7	72.6-86.8	37	14.9	8.8-21.0	6	3.7	0.0- 7.6	2	0.8	0.0- 2.0	5	0.9	0.1- 1.7
\$75,000+	534	106,873	440	74.0	68.3-79.7	61	15.6	10.9-20.3	16	6.7	3.0-10.4	5	1.4	0.0- 3.0	12	2.3	0.7- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	732,888	398	19.4	17.2-21.6	394	16.7	14.7-18.7	451	15.0	13.4-16.6	796	18.8	17.2-20.4	913	15.5	14.3-16.7	1058	14.6	13.4-15.8
Male	1728	350,360	192	20.8	17.5-24.1	180	16.6	13.9-19.3	198	15.6	13.1-18.1	335	18.3	15.9-20.7	393	15.4	13.4-17.4	430	13.3	11.5-15.1
Female	2282	382,527	206	18.2	15.3-21.1	214	16.9	14.4-19.4	253	14.4	12.2-16.6	461	19.2	17.0-21.4	520	15.6	13.8-17.4	628	15.8	14.2-17.4
White/Non-Hisp	2927	478,021	218	16.3	13.8-18.8	195	13.2	11.0-15.4	288	14.6	12.6-16.6	580	20.1	18.1-22.1	745	17.9	16.3-19.5	901	17.9	16.3-19.5
Black or Afr. Am./Non-Hisp	606	145,389	88	25.1	19.2-31.0	78	16.8	12.5-21.1	85	14.6	11.1-18.1	138	19.1	15.2-23.0	118	14.6	11.3-17.9	99	9.9	7.4-12.4
Oth. Race/Non-Hisp.	112	31,928	23	29.7	17.9-41.5	30	33.3	21.3-45.3	15	11.4	4.9-17.9	20	12.5	5.6-19.4	8	5.3	0.6-10.0	16	7.8	3.1-12.5
Hispanic	244	55,791	54	24.2	17.3-31.1	78	37.8	29.8-45.8	47	20.7	14.0-27.4	33	10.1	6.2-14.0	23	5.8	3.1- 8.5	9	1.4	0.4- 2.4
Less Than H.S.	363	93,195	49	24.8	17.2-32.4	56	19.0	13.3-24.7	43	13.7	8.8-18.6	68	14.8	10.7-18.9	55	10.4	7.3-13.5	92	17.2	12.7-21.7
H.S. or G.E.D.	1221	228,916	131	20.9	16.8-25.0	93	12.4	9.3-15.5	137	15.5	12.4-18.6	246	20.2	17.1-23.3	282	16.6	14.2-19.0	332	14.5	12.5-16.5
Some Post-H.S.	1012	213,951	131	23.9	19.8-28.0	93	14.7	11.2-18.2	110	13.8	10.9-16.7	203	18.6	15.7-21.5	228	15.6	13.1-18.1	247	13.5	11.3-15.7
College Graduate	1399	193,394	86	10.3	7.9-12.7	149	22.4	18.7-26.1	158	16.4	13.7-19.1	277	19.4	16.9-21.9	346	16.9	14.7-19.1	383	14.6	12.8-16.4
Less than \$15,000	253	40,180	22	26.4	14.8-38.0	25	10.9	5.8-16.0	29	14.5	7.4-21.6	74	22.9	16.0-29.8	51	13.7	8.8-18.6	52	11.7	7.4-16.0
\$15,000- 24,999	573	96,647	67	21.4	15.7-27.1	81	20.3	15.6-25.0	62	13.5	9.8-17.2	80	12.1	9.0-15.2	124	15.4	12.1-18.7	159	17.2	13.7-20.7
\$25,000- 34,999	378	67,188	46	20.1	13.4-26.8	41	16.3	10.6-22.0	31	11.1	6.0-16.2	60	17.2	11.9-22.5	75	15.7	11.0-20.4	125	19.7	15.0-24.4
\$35,000- 49,999	459	77,229	48	16.7	11.4-22.0	39	11.8	8.1-15.5	39	15.3	9.6-21.0	84	19.2	14.5-23.9	123	21.5	16.8-26.2	126	15.5	11.8-19.2
\$50,000- 74,999	502	92,609	40	15.5	10.0-21.0	38	18.4	12.1-24.7	53	13.7	9.6-17.8	102	18.0	13.5-22.5	136	19.4	15.5-23.3	133	14.9	11.6-18.2
\$75,000+	1040	215,002	68	12.7	9.2-16.2	127	21.4	17.3-25.5	172	19.9	16.6-23.2	271	25.3	22.0-28.6	245	13.4	11.2-15.6	157	7.2	5.6- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	350,360	192	20.8	17.5-24.1	180	16.6	13.9-19.3	198	15.6	13.1-18.1	335	18.3	15.9-20.7	393	15.4	13.4-17.4	430	13.3	11.7-14.9
White/Non-Hisp	1251	227,665	105	17.6	13.9-21.3	92	13.4	10.1-16.7	125	15.3	12.2-18.4	243	19.9	17.0-22.8	326	18.0	15.6-20.4	360	15.9	13.7-18.1
Black or Afr. Am./Non-Hisp	255	66,644	44	28.1	18.7-37.5	25	14.4	7.9-20.9	35	13.5	8.2-18.8	59	19.1	12.8-25.4	48	14.2	9.1-19.3	44	10.8	6.5-15.1
Hispanic	115	30,949	30	30.5	19.7-41.3	42	39.0	27.4-50.6	21	19.1	9.5-28.7	13	7.3	3.0-11.6	6	3.2	0.5- 5.9	3	0.9	0.0- 1.9
Less Than H.S.	165	47,465	28	24.9	14.9-34.9	33	22.2	13.8-30.6	23	16.9	9.1-24.7	27	11.5	6.4-16.6	23	8.9	4.8-13.0	31	15.7	9.2-22.2
H.S. or G.E.D.	549	121,601	76	22.7	16.8-28.6	54	15.4	10.3-20.5	64	16.3	11.6-21.0	117	19.4	15.1-23.7	132	16.5	13.0-20.0	106	9.8	7.4-12.2
Some Post-H.S.	398	95,163	57	27.4	20.3-34.5	40	13.0	8.3-17.7	45	13.3	9.0-17.6	85	19.8	14.9-24.7	87	15.4	11.3-19.5	84	11.0	8.1-13.9
College Graduate	607	83,549	30	8.2	5.1-11.3	50	17.6	12.5-22.7	65	16.9	12.6-21.2	104	19.4	15.3-23.5	150	18.0	14.5-21.5	208	19.9	16.6-23.2
Less than \$15,000	84	13,067	7	19.3	5.6-33.0	11	15.1	5.5-24.7	8	18.8	4.1-33.5	24	23.0	11.6-34.4	18	11.2	4.3-18.1	16	12.7	4.9-20.5
\$15,000- 24,999	240	46,195	41	26.4	18.0-34.8	40	20.1	13.8-26.4	25	11.7	6.8-16.6	39	13.0	8.1-17.9	51	15.0	9.9-20.1	44	13.8	8.3-19.3
\$25,000- 34,999	171	36,713	25	21.4	11.4-31.4	23	20.1	10.9-29.3	12	10.8	2.8-18.8	27	14.0	7.1-20.9	30	14.8	7.7-21.9	54	19.0	11.9-26.1
\$35,000- 49,999	199	36,736	23	19.4	10.6-28.2	16	11.0	5.3-16.7	19	17.2	8.4-26.0	30	15.2	9.3-21.1	49	21.0	13.9-28.1	62	16.1	10.8-21.4
\$50,000- 74,999	226	43,374	19	14.7	7.3-22.1	16	19.4	9.4-29.4	24	13.4	7.7-19.1	39	16.8	9.9-23.7	58	18.8	12.9-24.7	70	16.9	12.0-21.8
\$75,000+	501	107,519	25	11.9	6.6-17.2	48	16.9	11.4-22.4	82	21.2	16.1-26.3	128	27.2	22.1-32.3	123	14.3	11.2-17.4	95	8.6	6.4-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	382,527	206	18.2	15.3-21.1	214	16.9	14.4-19.4	253	14.4	12.2-16.6	461	19.2	17.0-21.4	520	15.6	13.8-17.4	628	15.8	14.2-17.4
White/Non-Hisp	1676	250,356	113	15.0	11.7-18.3	103	13.1	10.2-16.0	163	14.1	11.6-16.6	337	20.3	17.8-22.8	419	17.8	15.6-20.0	541	19.7	17.5-21.9
Black or Afr. Am./Non-Hisp	351	78,745	44	22.6	15.2-30.0	53	18.8	12.9-24.7	50	15.4	10.5-20.3	79	19.1	14.0-24.2	70	15.0	10.7-19.3	55	9.1	5.8-12.4
Oth. Race/Non-Hisp.	64	17,792	17	38.1	20.9-55.3	16	35.0	17.8-52.2	5	4.7	0.0- 9.4	12	11.0	3.0-19.0	5	3.3	0.0- 6.6	9	7.9	1.2-14.6
Hispanic	129	24,842	24	16.4	9.3-23.5	36	36.2	25.0-47.4	26	22.6	13.6-31.6	20	13.7	6.8-20.6	17	9.0	3.7-14.3	6	2.1	0.3- 3.9
Less Than H.S.	198	45,730	21	24.7	12.9-36.5	23	15.6	8.2-23.0	20	10.5	4.8-16.2	41	18.3	11.6-25.0	32	12.1	7.2-17.0	61	18.9	12.6-25.2
H.S. or G.E.D.	672	107,315	55	18.9	13.0-24.8	39	9.0	5.7-12.3	73	14.6	10.7-18.5	129	21.1	16.8-25.4	150	16.6	13.3-19.9	226	19.8	16.5-23.1
Some Post-H.S.	614	118,788	74	21.0	16.3-25.7	53	16.1	11.2-21.0	65	14.1	10.2-18.0	118	17.6	13.7-21.5	141	15.7	12.6-18.8	163	15.4	12.5-18.3
College Graduate	792	109,845	56	11.8	8.3-15.3	99	26.0	20.7-31.3	93	16.1	12.4-19.8	173	19.5	16.2-22.8	196	16.1	13.4-18.8	175	10.6	8.6-12.6
Less than \$15,000	169	27,114	15	29.8	14.5-45.1	14	8.8	3.1-14.5	21	12.5	5.2-19.8	50	22.8	14.2-31.4	33	14.8	8.1-21.5	36	11.2	6.1-16.3
\$15,000- 24,999	333	50,451	26	16.9	9.1-24.7	41	20.5	13.6-27.4	37	15.1	9.4-20.8	41	11.3	7.0-15.6	73	15.8	11.3-20.3	115	20.4	15.7-25.1
\$25,000- 34,999	207	30,476	21	18.6	10.4-26.8	18	11.7	5.8-17.6	19	11.4	5.5-17.3	33	21.0	13.2-28.8	45	16.8	10.7-22.9	71	20.5	14.8-26.2
\$35,000- 49,999	260	40,493	25	14.3	8.4-20.2	23	12.4	7.3-17.5	20	13.6	6.5-20.7	54	22.7	15.8-29.6	74	22.0	15.7-28.3	64	15.0	10.1-19.9
\$50,000- 74,999	276	49,235	21	16.2	8.0-24.4	22	17.5	9.5-25.5	29	14.1	8.0-20.2	63	19.1	13.4-24.8	78	20.0	14.7-25.3	63	13.1	8.4-17.8
\$75,000+	539	107,483	43	13.6	8.9-18.3	79	26.0	20.1-31.9	90	18.6	14.3-22.9	143	23.4	18.9-27.9	122	12.4	9.7-15.1	62	5.9	3.9- 7.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	732,888	2478	78.2	76.8-79.6	1532	21.8	20.4-23.2
Male	1728	350,360	1098	79.9	77.7-82.1	630	20.1	17.9-22.3
Female	2282	382,527	1380	76.7	74.7-78.7	902	23.3	21.3-25.3
White/Non-Hisp	2927	478,021	1632	73.6	71.8-75.4	1295	26.4	24.6-28.2
Black or Afr. Am./Non-Hisp	606	145,389	450	83.3	79.8-86.8	156	16.7	13.2-20.2
Oth. Race/Non-Hisp.	112	31,928	94	91.8	87.1-96.5	18	8.2	3.5-12.9
Hispanic	244	55,791	224	95.8	93.4-98.2	20	4.2	1.8- 6.6
Less Than H.S.	363	93,195	250	79.2	74.3-84.1	113	20.8	15.9-25.7
H.S. or G.E.D.	1221	228,916	748	77.9	75.4-80.4	473	22.1	19.6-24.6
Some Post-H.S.	1012	213,951	640	78.5	75.8-81.2	372	21.5	18.8-24.2
College Graduate	1399	193,394	830	77.6	75.2-80.0	569	22.4	20.0-24.8
Less than \$15,000	253	40,180	173	82.2	76.7-87.7	80	17.8	12.3-23.3
\$15,000- 24,999	573	96,647	357	75.6	71.5-79.7	216	24.4	20.3-28.5
\$25,000- 34,999	378	67,188	209	72.0	66.3-77.7	169	28.0	22.3-33.7
\$35,000- 49,999	459	77,229	270	73.9	69.0-78.8	189	26.1	21.2-31.0
\$50,000- 74,999	502	92,609	296	75.8	71.5-80.1	206	24.2	19.9-28.5
\$75,000+	1040	215,002	757	86.6	84.6-88.6	283	13.4	11.4-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	350,360	1098	79.9	77.9-81.9	630	20.1	18.1-22.1
White/Non-Hisp	1251	227,665	720	75.6	72.9-78.3	531	24.4	21.7-27.1
Black or Afr. Am./Non-Hisp	255	66,644	192	84.1	78.8-89.4	63	15.9	10.6-21.2
Hispanic	115	30,949	108	97.3	95.1-99.5	7	2.7	0.5- 4.9
Less Than H.S.	165	47,465	128	82.7	76.2-89.2	37	17.3	10.8-23.8
H.S. or G.E.D.	549	121,601	378	82.9	79.6-86.2	171	17.1	13.8-20.4
Some Post-H.S.	398	95,163	261	80.4	76.1-84.7	137	19.6	15.3-23.9
College Graduate	607	83,549	324	72.7	68.8-76.6	283	27.3	23.4-31.2
Less than \$15,000	84	13,067	59	83.1	74.3-91.9	25	16.9	8.1-25.7
\$15,000- 24,999	240	46,195	174	79.8	73.7-85.9	66	20.2	14.1-26.3
\$25,000- 34,999	171	36,713	97	73.0	64.6-81.4	74	27.0	18.6-35.4
\$35,000- 49,999	199	36,736	112	74.3	67.2-81.4	87	25.7	18.6-32.8
\$50,000- 74,999	226	43,374	124	73.8	67.5-80.1	102	26.2	19.9-32.5
\$75,000+	501	107,519	345	85.3	82.4-88.2	156	14.7	11.8-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	382,527	1380	76.7	74.7-78.7	902	23.3	21.3-25.3
White/Non-Hisp	1676	250,356	912	71.8	69.3-74.3	764	28.2	25.7-30.7
Black or Afr. Am./Non-Hisp	351	78,745	258	82.7	78.2-87.2	93	17.3	12.8-21.8
Oth. Race/Non-Hisp.	64	17,792	54	92.0	85.3-98.7	10	8.0	1.3-14.7
Hispanic	129	24,842	116	94.0	89.7-98.3	13	6.0	1.7-10.3
Less Than H.S.	198	45,730	122	75.6	68.3-82.9	76	24.4	17.1-31.7
H.S. or G.E.D.	672	107,315	370	72.3	68.2-76.4	302	27.7	23.6-31.8
Some Post-H.S.	614	118,788	379	76.9	73.2-80.6	235	23.1	19.4-26.8
College Graduate	792	109,845	506	81.3	78.6-84.0	286	18.7	16.0-21.4
Less than \$15,000	169	27,114	114	81.8	74.9-88.7	55	18.2	11.3-25.1
\$15,000- 24,999	333	50,451	183	71.7	65.8-77.6	150	28.3	22.4-34.2
\$25,000- 34,999	207	30,476	112	70.7	63.6-77.8	95	29.3	22.2-36.4
\$35,000- 49,999	260	40,493	158	73.5	66.8-80.2	102	26.5	19.8-33.2
\$50,000- 74,999	276	49,235	172	77.6	71.9-83.3	104	22.4	16.7-28.1
\$75,000+	539	107,483	412	87.9	85.2-90.6	127	12.1	9.4-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3877	702,944	2	0.1	0.0- 0.3	230	5.3	4.1- 6.5	1783	43.3	41.1-45.5	1551	42.5	40.1-44.9	311	8.7	7.5- 9.9	
Male	1681	335,854				8	0.5	0.1- 0.9	197	12.6	10.1-15.1	1169	68.8	65.7-71.9	307	18.1	15.6-20.6	
Female	2196	367,090	2	0.2	0.0- 0.6	222	9.7	7.7-11.7	1586	71.5	68.6-74.4	382	18.5	16.0-21.0	4	0.1	0.0- 0.3	
White/Non-Hisp	2895	474,120				160	4.6	3.4- 5.8	1309	41.5	39.0-44.0	1194	44.4	41.7-47.1	232	9.5	7.9-11.1	
Black or Afr. Am./Non-Hisp	586	138,678				33	6.6	3.1-10.1	275	44.0	38.3-49.7	229	42.2	36.5-47.9	49	7.3	4.6-10.0	
Oth. Race/Non-Hisp.	102	28,854				8	4.6	0.5- 8.7	52	60.5	48.7-72.3	34	30.1	19.1-41.1	8	4.9	1.2- 8.6	
Hispanic	172	38,809	1	1.4	0.0- 4.1	20	10.8	5.3-16.3	94	50.7	40.9-60.5	49	32.4	22.8-42.0	8	4.7	1.4- 8.0	
18-24	206	87,370				14	8.2	2.3-14.1	93	43.9	35.1-52.7	76	37.8	29.2-46.4	23	10.1	5.2-15.0	
25-34	348	109,433	1	0.5	0.0- 1.5	16	2.8	1.2- 4.4	145	41.0	34.3-47.7	152	47.0	40.1-53.9	34	8.8	5.5-12.1	
35-44	367	103,692				15	4.0	1.5- 6.5	166	46.6	40.1-53.1	138	38.3	31.8-44.8	48	11.1	7.4-14.8	
45-54	591	119,713				26	4.7	2.3- 7.1	261	38.5	33.6-43.4	247	46.1	41.0-51.2	57	10.7	7.6-13.8	
55-64	833	120,144	1	0.0	0.0- 0.0	37	3.9	2.3- 5.5	388	43.5	39.2-47.8	344	44.5	40.2-48.8	63	8.1	5.6-10.6	
65+	1492	155,874				120	7.9	5.9- 9.9	713	46.3	43.0-49.6	574	40.3	37.0-43.6	85	5.6	4.2- 7.0	
Less Than H.S.	299	78,614	2	0.8	0.0- 2.2	31	11.6	5.5-17.7	150	45.6	37.6-53.6	101	36.2	28.4-44.0	15	5.8	2.1- 9.5	
H.S. or G.E.D.	1191	221,386				83	6.0	4.0- 8.0	543	40.1	36.2-44.0	471	44.2	40.1-48.3	94	9.8	7.3-12.3	
Some Post-H.S.	997	211,406				52	4.3	2.7- 5.9	481	44.7	40.4-49.0	385	43.3	39.0-47.6	79	7.7	5.7- 9.7	
College Graduate	1377	189,023				62	3.2	2.0- 4.4	604	44.6	40.9-48.3	588	42.2	38.7-45.7	123	10.0	7.8-12.2	
Less than \$15,000	236	37,061	1	1.5	0.0- 4.4	18	13.8	2.2-25.4	126	51.4	40.6-62.2	76	29.4	20.6-38.2	15	3.9	1.2- 6.6	
\$15,000- 24,999	538	88,211				39	8.0	4.9-11.1	278	46.2	40.3-52.1	188	37.3	31.6-43.0	33	8.5	5.2-11.8	
\$25,000- 34,999	373	66,098				26	5.1	2.6- 7.6	166	40.9	33.8-48.0	153	45.9	38.5-53.3	28	8.1	4.4-11.8	
\$35,000- 49,999	456	76,453				24	5.0	2.5- 7.5	220	46.9	40.6-53.2	173	39.7	33.4-46.0	39	8.4	5.3-11.5	
\$50,000- 74,999	497	91,476				25	4.2	1.7- 6.7	208	41.5	35.2-47.8	223	44.9	38.4-51.4	41	9.5	5.6-13.4	
\$75,000+	1034	212,698	1	0.0	0.0- 0.0	33	2.0	1.0- 3.0	427	39.5	35.4-43.6	461	47.6	43.3-51.9	112	10.9	8.5-13.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1681	335,854	8	0.5	0.1- 0.9	197	12.6	10.1-15.1	1169	68.8	65.7-71.9	307	18.1	15.6-20.6
White/Non-Hisp	1250	226,887	2	0.3	0.0- 0.9	110	8.0	5.8-10.2	908	71.9	68.4-75.4	230	19.8	16.7-22.9
Black or Afr. Am./Non-Hisp	248	62,812	2	0.9	0.0- 2.5	40	16.2	8.6-23.8	159	67.5	58.9-76.1	47	15.4	9.5-21.3
Hispanic	77	21,763	3	2.1	0.0- 4.5	27	36.5	21.8-51.2	39	53.1	38.4-67.8	8	8.3	2.2-14.4
18-24	100	43,984	1	1.1	0.0- 3.3	16	20.4	8.6-32.2	60	58.5	46.0-71.0	23	20.0	10.6-29.4
25-34	161	54,002	1	0.2	0.0- 0.6	15	9.5	4.0-15.0	111	72.5	64.3-80.7	34	17.8	11.1-24.5
35-44	169	50,146	2	0.7	0.0- 1.7	22	17.8	9.8-25.8	98	59.2	49.6-68.8	47	22.3	14.9-29.7
45-54	247	57,558	1	1.0	0.0- 3.0	22	6.2	3.1- 9.3	168	70.5	63.8-77.2	56	22.3	16.2-28.4
55-64	362	57,591	39	8.8	5.5-12.1	261	74.4	68.7-80.1	62	16.7	11.8-21.6			
65+	624	69,741	2	0.2	0.0- 0.6	82	14.9	11.0-18.8	456	72.5	67.8-77.2	84	12.4	9.3-15.5
Less Than H.S.	132	39,528	2	0.9	0.0- 2.1	36	28.5	17.1-39.9	79	59.1	47.5-70.7	15	11.5	4.2-18.8
H.S. or G.E.D.	539	116,988	3	1.0	0.0- 2.4	64	11.4	7.3-15.5	379	69.2	63.5-74.9	93	18.4	13.7-23.1
Some Post-H.S.	400	95,368	1	0.1	0.0- 0.3	34	7.5	3.8-11.2	287	75.7	70.4-81.0	78	16.7	12.6-20.8
College Graduate	603	81,951	2	0.1	0.0- 0.3	61	11.7	8.0-15.4	419	65.3	60.0-70.6	121	22.9	18.2-27.6
Less than \$15,000	78	11,843				13	21.1	7.8-34.4	50	66.7	52.0-81.4	15	12.2	4.0-20.4
\$15,000- 24,999	221	41,811	5	2.8	0.0- 5.9	46	19.9	11.9-27.9	140	60.3	51.5-69.1	30	17.0	10.5-23.5
\$25,000- 34,999	170	36,625				26	16.7	8.5-24.9	116	68.6	58.8-78.4	28	14.6	7.9-21.3
\$35,000- 49,999	199	36,577				28	15.2	7.6-22.8	132	67.2	58.2-76.2	39	17.5	11.0-24.0
\$50,000- 74,999	225	42,799				21	8.5	4.2-12.8	163	71.2	62.8-79.6	41	20.3	12.5-28.1
\$75,000+	499	106,313				33	6.2	2.7- 9.7	355	72.1	66.8-77.4	111	21.7	17.2-26.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2196	367,090	2	0.2	0.0- 0.6	222	9.7	7.7-11.7	1586	71.5	68.6-74.4	382	18.5	16.0-21.0	4	0.1	0.0- 0.3
White/Non-Hisp	1645	247,233				158	8.5	6.5-10.5	1199	72.3	69.0-75.6	286	19.2	16.1-22.3	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	338	75,866				31	11.3	5.0-17.6	235	67.1	59.8-74.4	70	21.2	15.5-26.9	2	0.5	0.0- 1.5
Oth. Race/Non-Hisp.	58	16,468				8	8.0	0.6-15.4	38	76.2	63.3-89.1	12	15.8	4.8-26.8			
Hispanic	95	17,046	1	3.2	0.0- 9.5	17	21.9	11.1-32.7	67	68.9	57.1-80.7	10	6.0	2.1- 9.9			
18-24	106	43,386				13	15.5	4.5-26.5	77	67.8	54.5-81.1	16	16.7	5.7-27.7			
25-34	187	55,432	1	1.0	0.0- 3.0	15	5.3	2.2- 8.4	130	71.6	63.2-80.0	41	22.0	14.0-30.0			
35-44	198	53,546				13	7.0	2.1-11.9	144	73.6	66.0-81.2	40	18.8	12.1-25.5	1	0.6	0.0- 1.8
45-54	344	62,155				25	8.0	4.1-11.9	239	68.5	62.2-74.8	79	23.5	17.8-29.2	1	0.0	0.0- 0.0
55-64	471	62,552	1	0.1	0.0- 0.3	37	7.5	4.6-10.4	349	75.3	70.6-80.0	83	17.0	12.9-21.1	1	0.1	0.0- 0.3
65+	868	86,133				118	14.1	10.8-17.4	631	71.6	67.5-75.7	118	14.2	11.1-17.3	1	0.1	0.0- 0.3
Less Than H.S.	167	39,087	2	1.6	0.0- 4.3	29	22.3	11.3-33.3	114	63.0	50.8-75.2	22	13.1	3.7-22.5			
H.S. or G.E.D.	652	104,398				80	11.5	7.8-15.2	479	72.2	66.9-77.5	92	16.2	11.5-20.9	1	0.0	0.0- 0.0
Some Post-H.S.	597	116,038				51	7.7	4.8-10.6	447	75.4	70.7-80.1	98	16.6	12.5-20.7	1	0.3	0.0- 0.9
College Graduate	774	107,073				60	5.5	3.5- 7.5	543	69.8	65.3-74.3	169	24.5	20.2-28.8	2	0.1	0.0- 0.3
Less than \$15,000	158	25,218	1	2.2	0.0- 6.5	18	20.2	4.3-36.1	113	65.6	50.7-80.5	26	11.9	5.6-18.2			
\$15,000- 24,999	317	46,400				34	12.7	7.4-18.0	232	69.9	61.9-77.9	48	16.5	9.1-23.9	3	0.9	0.0- 2.3
\$25,000- 34,999	203	29,474				26	11.5	6.0-17.0	140	70.9	62.9-78.9	37	17.6	10.9-24.3			
\$35,000- 49,999	257	39,876				24	9.6	4.7-14.5	192	75.9	69.0-82.8	41	14.5	9.2-19.8			
\$50,000- 74,999	272	48,678				25	7.8	3.1-12.5	187	70.4	62.6-78.2	60	21.8	14.7-28.9			
\$75,000+	535	106,385	1	0.1	0.0- 0.3	33	4.1	2.3- 5.9	394	72.8	67.7-77.9	106	23.0	17.9-28.1	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3921	715,489	2	0.1	0.0- 0.3	239	5.9	4.7- 7.1	1809	43.3	41.1-45.5	1558	42.0	39.6-44.4	313	8.7	7.5- 9.9
Male	1707	343,547				12	1.4	0.0- 2.8	210	12.9	10.4-15.4	1176	67.8	64.5-71.1	309	17.9	15.5-20.3
Female	2214	371,942	2	0.2	0.0- 0.4	227	10.1	8.1-12.1	1599	71.3	68.4-74.2	382	18.3	15.9-20.7	4	0.1	0.0- 0.3
White/Non-Hisp	2896	474,384				160	4.6	3.4- 5.8	1310	41.5	39.0-44.0	1194	44.4	41.7-47.1	232	9.5	7.9-11.1
Black or Afr. Am./Non-Hisp	588	140,780				34	7.9	3.6-12.2	275	43.4	37.7-49.1	230	41.6	35.9-47.3	49	7.1	4.4- 9.8
Oth. Race/Non-Hisp.	106	29,719				8	4.4	0.3- 8.5	55	60.7	49.1-72.3	35	30.2	19.4-41.0	8	4.7	1.2- 8.2
Hispanic	208	47,942	1	1.2	0.0- 3.4	28	15.0	8.3-21.7	116	49.7	40.9-58.5	53	29.0	20.6-37.4	10	5.2	1.9- 8.5
18-24	211	88,481				14	8.1	2.2-14.0	96	43.9	35.1-52.7	77	37.5	28.9-46.1	24	10.5	5.6-15.4
25-34	366	116,826	1	0.5	0.0- 1.5	20	6.1	2.0-10.2	158	40.6	34.1-47.1	153	44.6	37.7-51.5	34	8.2	5.1-11.3
35-44	379	105,924				17	4.2	1.7- 6.7	172	46.7	40.2-53.2	141	38.0	31.7-44.3	49	11.1	7.4-14.8
45-54	597	121,017				28	5.0	2.6- 7.4	265	38.8	34.1-43.5	247	45.6	40.5-50.7	57	10.6	7.7-13.5
55-64	835	120,442	1	0.0	0.0- 0.0	38	4.0	2.4- 5.6	388	43.4	39.1-47.7	345	44.6	40.3-48.9	63	8.0	5.5-10.5
65+	1493	156,080				120	7.9	5.9- 9.9	713	46.2	42.9-49.5	575	40.4	37.1-43.7	85	5.6	4.2- 7.0
Less Than H.S.	328	86,802	2	0.7	0.0- 1.9	39	13.9	7.8-20.0	165	45.0	37.4-52.6	105	34.3	27.0-41.6	17	6.0	2.5- 9.5
H.S. or G.E.D.	1196	224,036				84	6.8	4.3- 9.3	547	39.9	36.0-43.8	471	43.7	39.6-47.8	94	9.6	7.1-12.1
Some Post-H.S.	999	211,595				52	4.3	2.7- 5.9	483	44.8	40.5-49.1	385	43.3	39.0-47.6	79	7.7	5.7- 9.7
College Graduate	1385	190,542				62	3.2	2.0- 4.4	609	44.8	41.1-48.5	591	42.1	38.6-45.6	123	9.9	7.7-12.1
Less than \$15,000	245	38,766	1	1.4	0.0- 4.1	18	13.2	2.2-24.2	134	53.0	42.6-63.4	77	28.7	20.3-37.1	15	3.7	1.2- 6.2
\$15,000- 24,999	557	93,816				45	10.2	6.3-14.1	288	45.5	39.8-51.2	190	36.0	30.3-41.7	34	8.2	5.1-11.3
\$25,000- 34,999	378	66,993				26	5.1	2.6- 7.6	169	41.3	34.4-48.2	155	45.6	38.3-52.9	28	8.0	4.3-11.7
\$35,000- 49,999	457	76,806				25	5.4	2.7- 8.1	220	46.7	40.4-53.0	173	39.6	33.3-45.9	39	8.4	5.3-11.5
\$50,000- 74,999	497	91,476				25	4.2	1.7- 6.7	208	41.5	35.2-47.8	223	44.9	38.4-51.4	41	9.5	5.6-13.4
\$75,000+	1037	213,266	1	0.0	0.0- 0.0	33	2.0	1.0- 3.0	428	39.5	35.4-43.6	463	47.7	43.4-52.0	112	10.8	8.4-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	343,547	12	1.4	0.0- 2.8	210	12.9	10.4-15.4	1176	67.8	64.5-71.1	309	17.9	15.5-20.3
White/Non-Hisp	1251	227,150	2	0.3	0.0- 0.9	111	8.1	5.9-10.3	908	71.8	68.3-75.3	230	19.8	16.7-22.9
Black or Afr. Am./Non-Hisp	250	64,914	3	4.0	0.0-10.1	40	15.7	8.3-23.1	160	65.4	56.2-74.6	47	14.9	9.2-20.6
Hispanic	98	26,624	6	5.5	0.4-10.6	39	36.9	24.2-49.6	43	48.3	35.4-61.2	10	9.3	3.2-15.4
18-24	103	44,854	1	1.0	0.0- 3.0	17	20.5	8.9-32.1	61	57.8	45.5-70.1	24	20.7	11.3-30.1
25-34	171	58,532	4	5.2	0.0-12.1	21	10.2	4.9-15.5	112	68.1	58.7-77.5	34	16.4	10.1-22.7
35-44	176	51,390	2	0.7	0.0- 1.7	25	18.4	10.4-26.4	101	58.8	49.4-68.2	48	22.1	14.8-29.4
45-54	250	58,102	1	1.0	0.0- 3.0	25	7.1	3.8-10.4	168	69.8	63.1-76.5	56	22.1	16.0-28.2
55-64	364	57,890	1	0.2	0.0- 0.6	39	8.8	5.5-12.1	262	74.4	68.7-80.1	62	16.7	11.8-21.6
65+	625	69,947	2	0.2	0.0- 0.6	82	14.9	11.0-18.8	457	72.5	67.8-77.2	84	12.4	9.3-15.5
Less Than H.S.	151	44,168	5	3.1	0.0- 6.2	46	29.2	18.8-39.6	83	55.8	45.0-66.6	17	11.8	4.9-18.7
H.S. or G.E.D.	542	119,253	4	2.7	0.0- 6.2	66	11.4	7.5-15.3	379	67.9	61.8-74.0	93	18.1	13.6-22.6
Some Post-H.S.	400	95,368	1	0.1	0.0- 0.3	34	7.5	3.8-11.2	287	75.7	70.4-81.0	78	16.7	12.6-20.8
College Graduate	607	82,739	2	0.1	0.0- 0.3	62	11.9	8.2-15.6	422	65.3	60.0-70.6	121	22.7	18.2-27.2
Less than \$15,000	82	12,459				16	23.3	10.4-36.2	51	65.0	50.7-79.3	15	11.6	3.8-19.4
\$15,000- 24,999	233	44,851	7	4.6	0.7- 8.5	53	20.9	13.3-28.5	142	58.3	49.9-66.7	31	16.3	10.0-22.6
\$25,000- 34,999	174	37,369				28	17.7	9.5-25.9	118	67.9	58.3-77.5	28	14.3	7.8-20.8
\$35,000- 49,999	199	36,577				28	15.2	7.6-22.8	132	67.2	58.2-76.2	39	17.5	11.0-24.0
\$50,000- 74,999	225	42,799				21	8.5	4.2-12.8	163	71.2	62.8-79.6	41	20.3	12.5-28.1
\$75,000+	501	106,780				33	6.2	2.9- 9.5	357	72.2	66.9-77.5	111	21.6	17.1-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2214	371,942	2	0.2	0.0- 0.4	227	10.1	8.1-12.1	1599	71.3	68.4-74.2	382	18.3	15.9-20.7	4	0.1	0.0- 0.3
White/Non-Hisp	1645	247,233				158	8.5	6.5-10.5	1199	72.3	69.0-75.6	286	19.2	16.1-22.3	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	338	75,866				31	11.3	5.0-17.6	235	67.1	59.8-74.4	70	21.2	15.5-26.9	2	0.5	0.0- 1.5
Oth. Race/Non-Hisp.	61	17,048				8	7.7	0.6-14.8	41	77.1	64.6-89.6	12	15.2	4.6-25.8			
Hispanic	110	21,317	1	2.6	0.0- 7.5	22	26.9	14.7-39.1	77	65.7	53.5-77.9	10	4.8	1.7- 7.9			
18-24	108	43,627				13	15.4	4.4-26.4	79	67.9	54.8-81.0	16	16.6	5.6-27.6			
25-34	195	58,294	1	0.9	0.0- 2.7	16	7.0	2.3-11.7	137	71.1	62.7-79.5	41	21.0	13.4-28.6			
35-44	203	54,534				15	7.6	2.7-12.5	147	73.4	65.8-81.0	40	18.4	11.9-24.9	1	0.6	0.0- 1.8
45-54	347	62,915				27	8.7	4.6-12.8	240	68.0	61.7-74.3	79	23.2	17.7-28.7	1	0.0	0.0- 0.0
55-64	471	62,552	1	0.1	0.0- 0.3	37	7.5	4.6-10.4	349	75.3	70.6-80.0	83	17.0	12.9-21.1	1	0.1	0.0- 0.3
65+	868	86,133				118	14.1	10.8-17.4	631	71.6	67.5-75.7	118	14.2	11.1-17.3	1	0.1	0.0- 0.3
Less Than H.S.	177	42,634	2	1.4	0.0- 3.9	34	25.2	14.4-36.0	119	61.4	49.8-73.0	22	12.0	3.4-20.6			
H.S. or G.E.D.	654	104,783				80	11.5	7.8-15.2	481	72.3	67.0-77.6	92	16.2	11.5-20.9	1	0.0	0.0- 0.0
Some Post-H.S.	599	116,226				51	7.7	4.8-10.6	449	75.4	70.7-80.1	98	16.6	12.5-20.7	1	0.3	0.0- 0.9
College Graduate	778	107,803				60	5.5	3.5- 7.5	547	70.0	65.5-74.5	169	24.4	20.1-28.7	2	0.1	0.0- 0.3
Less than \$15,000	163	26,307	1	2.1	0.0- 6.2	18	19.4	4.1-34.7	118	67.1	52.6-81.6	26	11.4	5.5-17.3			
\$15,000- 24,999	324	48,965				38	15.4	8.9-21.9	235	68.1	59.9-76.3	48	15.6	8.3-22.9	3	0.9	0.0- 2.3
\$25,000- 34,999	204	29,624				26	11.5	6.0-17.0	141	71.0	63.0-79.0	37	17.5	10.8-24.2			
\$35,000- 49,999	258	40,230				25	10.4	5.3-15.5	192	75.3	68.4-82.2	41	14.4	9.1-19.7			
\$50,000- 74,999	272	48,678				25	7.8	3.1-12.5	187	70.4	62.6-78.2	60	21.8	14.7-28.9			
\$75,000+	536	106,486	1	0.1	0.0- 0.3	33	4.1	2.3- 5.9	395	72.8	67.7-77.9	106	23.0	17.9-28.1	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3748	686,954	34	0.7	0.3- 1.1	1071	29.3	27.1-31.5	1759	46.7	44.3-49.1	665	16.6	15.0-18.2	176	5.2	4.2- 6.2	43	1.5	0.7- 2.3
Male	1693	339,844	2	0.0	0.0- 0.0	187	11.9	9.5-14.3	899	54.7	51.4-58.0	447	23.5	20.8-26.2	122	7.8	6.0- 9.6	36	2.2	1.0- 3.4
Female	2055	347,111	32	1.3	0.7- 1.9	884	46.4	43.3-49.5	860	38.9	35.8-42.0	218	10.0	8.2-11.8	54	2.6	1.6- 3.6	7	0.8	0.0- 1.8
White/Non-Hisp	2744	452,444	29	0.7	0.3- 1.1	787	28.5	26.0-31.0	1272	45.7	43.0-48.4	496	17.9	15.7-20.1	131	5.7	4.3- 7.1	29	1.5	0.5- 2.5
Black or Afr. Am./Non-Hisp	561	133,033	1	0.4	0.0- 1.2	115	24.3	19.0-29.6	289	50.6	44.7-56.5	114	18.4	14.3-22.5	32	4.8	2.8- 6.8	10	1.5	0.1- 2.9
Oth. Race/Non-Hisp.	104	29,706	2	1.0	0.0- 2.4	45	47.7	35.2-60.2	44	43.5	31.0-56.0	8	5.3	0.8- 9.8	4	1.4	0.0- 3.0	1	1.2	0.0- 3.4
Hispanic	224	49,669	1	0.5	0.0- 1.5	89	37.8	29.6-46.0	95	44.6	36.2-53.0	32	11.5	7.0-16.0	6	4.9	0.0- 9.8	1	0.7	0.0- 2.1
18-24	207	87,613	4	1.0	0.0- 2.2	98	47.0	38.2-55.8	69	37.0	28.2-45.8	28	10.3	5.4-15.2	5	1.7	0.1- 3.3	3	2.9	0.0- 6.8
25-34	365	113,299				125	34.4	28.1-40.7	162	43.6	36.9-50.3	57	13.0	8.9-17.1	15	6.4	2.7-10.1	6	2.6	0.0- 5.3
35-44	372	104,244				99	26.6	21.1-32.1	180	48.7	42.2-55.2	61	17.0	11.7-22.3	27	6.9	4.0- 9.8	5	0.8	0.0- 1.6
45-54	560	113,956	2	0.3	0.0- 0.9	134	21.8	17.7-25.9	256	46.4	41.3-51.5	121	22.5	18.2-26.8	37	7.1	4.4- 9.8	10	1.9	0.5- 3.3
55-64	791	114,796	5	0.5	0.1- 0.9	196	23.3	19.6-27.0	373	50.1	45.6-54.6	152	18.6	15.3-21.9	53	6.8	4.6- 9.0	12	0.7	0.3- 1.1
65+	1424	147,565	22	1.7	0.7- 2.7	411	27.7	24.8-30.6	704	50.6	47.3-53.9	243	17.3	14.8-19.8	37	2.3	1.3- 3.3	7	0.4	0.0- 0.8
Less Than H.S.	333	85,815	4	0.6	0.0- 1.4	111	31.2	24.1-38.3	151	49.4	41.8-57.0	47	12.4	7.9-16.9	15	4.9	1.6- 8.2	5	1.4	0.0- 2.8
H.S. or G.E.D.	1137	212,296	12	0.7	0.3- 1.1	303	26.0	22.3-29.7	522	45.2	40.9-49.5	222	20.3	16.8-23.8	63	5.1	3.5- 6.7	15	2.8	0.6- 5.0
Some Post-H.S.	943	201,635	9	0.9	0.1- 1.7	286	30.4	26.3-34.5	435	47.1	42.8-51.4	157	15.2	12.3-18.1	48	5.8	3.6- 8.0	8	0.6	0.0- 1.2
College Graduate	1321	184,419	8	0.4	0.0- 0.8	368	31.4	27.7-35.1	644	46.6	42.9-50.3	238	16.2	13.7-18.7	48	4.6	2.8- 6.4	15	0.8	0.2- 1.4
Less than \$15,000	243	38,829	3	1.0	0.0- 2.2	81	34.6	24.8-44.4	101	42.3	31.9-52.7	47	18.4	11.5-25.3	7	2.7	0.0- 5.6	4	1.0	0.0- 2.0
\$15,000- 24,999	546	92,317	2	0.4	0.0- 1.0	147	25.9	21.0-30.8	263	48.3	42.4-54.2	95	17.7	13.4-22.0	32	4.8	2.6- 7.0	7	2.9	0.0- 6.4
\$25,000- 34,999	368	65,906	4	0.5	0.0- 1.1	88	21.8	15.9-27.7	188	52.2	44.9-59.5	71	18.7	12.8-24.6	15	5.8	1.9- 9.7	2	1.1	0.0- 3.1
\$35,000- 49,999	443	74,454	4	0.4	0.0- 0.8	126	27.5	22.0-33.0	205	49.8	43.5-56.1	82	16.7	12.6-20.8	23	5.3	2.8- 7.8	3	0.2	0.0- 0.4
\$50,000- 74,999	473	88,359	3	0.6	0.0- 1.4	120	31.6	25.1-38.1	226	41.7	35.4-48.0	100	19.5	14.4-24.6	19	4.3	1.8- 6.8	5	2.4	0.0- 5.5
\$75,000+	1003	208,672	4	0.2	0.0- 0.4	262	27.7	23.8-31.6	491	48.4	44.1-52.7	188	16.8	13.9-19.7	46	6.0	3.8- 8.2	12	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	339,844	2	0.0	0.0- 0.0	187	11.9	9.5-14.3	899	54.7	51.4-58.0	447	23.5	20.8-26.2	122	7.8	6.0- 9.6	36	2.2	1.0- 3.4
White/Non-Hisp	1234	224,842	2	0.1	0.1- 0.1	105	9.5	7.0-12.0	651	52.6	48.7-56.5	353	26.5	23.0-30.0	97	9.0	6.8-11.2	26	2.3	0.9- 3.7
Black or Afr. Am./Non-Hisp	246	61,808				31	12.1	5.4-18.8	132	56.4	47.6-65.2	59	23.3	16.2-30.4	18	6.2	2.9- 9.5	6	2.0	0.0- 4.4
Hispanic	103	26,383				29	23.2	13.2-33.2	50	53.8	41.5-66.1	19	14.0	7.3-20.7	4	7.8	0.0-16.6	1	1.3	0.0- 3.8
18-24	103	44,965				29	28.6	17.2-40.0	43	48.2	35.9-60.5	25	18.1	9.3-26.9	4	3.0	0.0- 6.1	2	2.0	0.0- 5.1
25-34	169	54,920				29	14.7	8.0-21.4	91	55.1	45.3-64.9	34	15.8	9.5-22.1	11	9.7	3.6-15.8	4	4.8	0.0-10.3
35-44	180	52,893				21	10.8	5.1-16.5	95	54.7	45.3-64.1	39	22.2	13.6-30.8	20	10.7	5.4-16.0	5	1.7	0.1- 3.3
45-54	248	57,769				18	5.4	2.5- 8.3	127	52.0	44.6-59.4	73	29.1	22.4-35.8	23	10.6	5.7-15.5	7	2.8	0.4- 5.2
55-64	361	57,535	1	0.2	0.0- 0.6	28	6.5	3.6- 9.4	188	57.2	50.7-63.7	96	25.0	19.5-30.5	36	9.7	6.2-13.2	12	1.5	0.5- 2.5
65+	614	68,299	1	0.1	0.0- 0.3	60	9.7	6.8-12.6	344	57.6	52.5-62.7	177	28.8	24.1-33.5	26	3.1	1.7- 4.5	6	0.7	0.1- 1.3
Less Than H.S.	154	43,715				29	16.5	7.7-25.3	87	57.1	46.5-67.7	23	15.5	7.9-23.1	10	8.1	2.0-14.2	5	2.8	0.1- 5.5
H.S. or G.E.D.	537	116,860	1	0.1	0.0- 0.3	58	10.9	7.4-14.4	268	51.4	45.3-57.5	155	27.8	22.3-33.3	44	6.8	4.3- 9.3	11	3.1	0.4- 5.8
Some Post-H.S.	395	94,201				49	13.2	8.1-18.3	211	56.5	49.8-63.2	101	21.6	16.7-26.5	28	7.7	4.4-11.0	6	1.1	0.1- 2.1
College Graduate	598	82,676				50	9.2	6.1-12.3	328	55.4	50.1-60.7	168	24.5	20.4-28.6	38	9.1	5.6-12.6	14	1.8	0.6- 3.0
Less than \$15,000	84	12,899				18	14.4	6.6-22.2	36	48.0	32.7-63.3	25	30.6	16.7-44.5	3	5.4	0.0-13.2	2	1.6	0.0- 4.0
\$15,000- 24,999	234	44,501				31	12.0	6.9-17.1	132	57.7	49.5-65.9	49	22.4	15.3-29.5	17	5.7	2.6- 8.8	5	2.2	0.0- 4.6
\$25,000- 34,999	172	36,872				23	13.1	5.8-20.4	89	53.2	42.2-64.2	47	23.2	14.0-32.4	11	8.7	2.2-15.2	2	1.9	0.0- 5.2
\$35,000- 49,999	199	36,761				26	13.5	7.4-19.6	107	59.2	50.4-68.0	48	20.0	13.5-26.5	15	6.9	3.0-10.8	3	0.5	0.0- 1.1
\$50,000- 74,999	223	42,997				18	11.9	5.0-18.8	115	48.5	39.1-57.9	72	28.7	20.5-36.9	13	6.0	1.7-10.3	5	4.9	0.0-11.2
\$75,000+	497	106,904				30	7.2	3.5-10.9	266	55.6	49.5-61.7	151	26.1	21.0-31.2	39	9.7	6.0-13.4	11	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	347,111	32	1.3	0.7- 1.9	884	46.4	43.3-49.5	860	38.9	35.8-42.0	218	10.0	8.2-11.8	54	2.6	1.6- 3.6	7	0.8	0.0- 1.8
White/Non-Hisp	1510	227,602	27	1.3	0.7- 1.9	682	47.2	43.5-50.9	621	38.8	35.3-42.3	143	9.4	7.2-11.6	34	2.5	1.1- 3.9	3	0.8	0.0- 2.2
Black or Afr. Am./Non-Hisp	315	71,226	1	0.8	0.0- 2.4	84	34.8	27.2-42.4	157	45.6	38.0-53.2	55	14.1	9.6-18.6	14	3.5	1.1- 5.9	4	1.1	0.0- 2.5
Oth. Race/Non-Hisp.	58	15,688	2	1.9	0.0- 4.6	32	67.8	50.7-84.9	17	25.2	8.3-42.1	4	3.5	0.0- 7.0	3	1.6	0.0- 3.6			
Hispanic	121	23,286	1	1.1	0.0- 3.3	60	54.2	43.0-65.4	45	34.3	23.9-44.7	13	8.7	2.8-14.6	2	1.7	0.0- 4.4			
18-24	104	42,648	4	2.1	0.0- 4.6	69	66.4	53.5-79.3	26	25.3	13.1-37.5	3	2.1	0.0- 4.6	1	0.2	0.0- 0.6	1	3.8	0.0-11.1
25-34	196	58,378				96	52.8	43.8-61.8	71	32.8	24.8-40.8	23	10.5	5.0-16.0	4	3.3	0.0- 7.8	2	0.6	0.0- 1.6
35-44	192	51,350				78	42.9	34.3-51.5	85	42.4	33.6-51.2	22	11.6	5.9-17.3	7	3.0	0.5- 5.5			
45-54	312	56,187	2	0.7	0.0- 1.9	116	38.7	31.8-45.6	129	40.5	33.4-47.6	48	15.7	10.2-21.2	14	3.4	1.2- 5.6	3	1.0	0.0- 2.4
55-64	430	57,261	4	0.8	0.0- 1.6	168	40.2	34.3-46.1	185	43.0	36.9-49.1	56	12.1	8.4-15.8	17	3.8	1.6- 6.0			
65+	810	79,267	21	3.2	1.2- 5.2	351	43.2	38.7-47.7	360	44.6	40.1-49.1	66	7.3	5.3- 9.3	11	1.6	0.4- 2.8	1	0.1	0.0- 0.3
Less Than H.S.	179	42,100	4	1.3	0.0- 2.7	82	46.5	35.7-57.3	64	41.3	29.9-52.7	24	9.3	4.6-14.0	5	1.7	0.0- 3.5			
H.S. or G.E.D.	600	95,436	11	1.4	0.4- 2.4	245	44.5	38.4-50.6	254	37.6	32.1-43.1	67	11.1	7.8-14.4	19	3.0	1.2- 4.8	4	2.5	0.0- 5.8
Some Post-H.S.	548	107,434	9	1.7	0.1- 3.3	237	45.5	39.8-51.2	224	38.9	33.4-44.4	56	9.6	6.1-13.1	20	4.1	1.4- 6.8	2	0.2	0.0- 0.4
College Graduate	723	101,743	8	0.8	0.2- 1.4	318	49.4	44.1-54.7	316	39.4	34.5-44.3	70	9.4	6.5-12.3	10	1.0	0.2- 1.8	1	0.1	0.0- 0.3
Less than \$15,000	159	25,930	3	1.5	0.0- 3.3	63	44.6	31.3-57.9	65	39.5	25.8-53.2	22	12.4	5.3-19.5	4	1.3	0.0- 2.9	2	0.6	0.0- 1.4
\$15,000- 24,999	312	47,817	2	0.8	0.0- 2.0	116	38.8	31.0-46.6	131	39.6	32.0-47.2	46	13.2	8.3-18.1	15	4.0	1.3- 6.7	2	3.6	0.0-10.1
\$25,000- 34,999	196	29,033	4	1.2	0.0- 2.6	65	32.8	24.0-41.6	99	50.9	41.7-60.1	24	13.1	7.0-19.2	4	2.1	0.0- 4.3			
\$35,000- 49,999	244	37,693	4	0.8	0.0- 1.6	100	41.2	33.0-49.4	98	40.7	32.3-49.1	34	13.6	8.1-19.1	8	3.7	0.8- 6.6			
\$50,000- 74,999	250	45,362	3	1.1	0.0- 2.5	102	50.4	41.4-59.4	111	35.2	27.4-43.0	28	10.7	5.0-16.4	6	2.6	0.2- 5.0			
\$75,000+	506	101,768	4	0.4	0.0- 0.8	232	49.3	43.2-55.4	225	40.9	35.0-46.8	37	6.9	4.2- 9.6	7	2.1	0.0- 4.6	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3688	671,121	39	0.9	0.5- 1.3	1118	32.4	30.2-34.6	1386	37.1	34.9-39.3	709	17.8	16.0-19.6	436	11.8	10.2-13.4
Male	1676	334,957	15	0.7	0.3- 1.1	428	27.2	24.1-30.3	747	44.1	40.8-47.4	315	17.8	15.3-20.3	171	10.2	8.2-12.2
Female	2012	336,163	24	1.1	0.5- 1.7	690	37.5	34.4-40.6	639	30.1	27.2-33.0	394	17.8	15.4-20.2	265	13.4	11.2-15.6
White/Non-Hisp	2725	446,980	25	0.7	0.3- 1.1	865	33.4	30.9-35.9	1015	36.6	34.1-39.1	518	17.5	15.5-19.5	302	11.8	9.8-13.8
Black or Afr. Am./Non-Hisp	555	132,105	3	0.2	0.0- 0.4	120	26.9	21.4-32.4	220	40.0	34.3-45.7	124	19.9	15.2-24.6	88	12.9	9.6-16.2
Oth. Race/Non-Hisp.	100	27,493	3	3.2	0.0- 7.3	44	48.8	35.9-61.7	31	32.2	19.7-44.7	15	11.9	4.5-19.3	7	3.9	0.6- 7.2
Hispanic	196	43,661	5	2.6	0.2- 5.0	52	25.2	17.9-32.5	75	33.9	25.5-42.3	35	22.9	14.3-31.5	29	15.3	8.2-22.4
18-24	198	84,790	6	1.9	0.3- 3.5	102	52.8	43.6-62.0	53	27.7	19.3-36.1	25	11.9	5.4-18.4	12	5.7	1.4-10.0
25-34	346	107,286	3	0.9	0.0- 2.1	131	38.8	31.9-45.7	119	30.6	24.5-36.7	49	13.4	8.9-17.9	44	16.4	10.7-22.1
35-44	359	100,133	1	0.2	0.0- 0.6	108	29.2	23.5-34.9	135	40.3	33.6-47.0	67	17.8	12.7-22.9	48	12.5	8.4-16.6
45-54	553	112,886	3	0.4	0.0- 1.0	147	24.9	20.4-29.4	205	38.0	32.9-43.1	118	22.5	18.0-27.0	80	14.1	10.4-17.8
55-64	787	114,203	3	0.3	0.0- 0.7	213	27.0	23.1-30.9	293	39.0	34.5-43.5	158	19.9	16.2-23.6	120	13.8	10.9-16.7
65+	1418	147,145	22	1.5	0.7- 2.3	408	28.0	25.1-30.9	569	42.5	39.0-46.0	290	19.9	17.2-22.6	129	8.0	6.4- 9.6
Less Than H.S.	308	80,695	7	1.5	0.3- 2.7	87	28.1	21.0-35.2	105	34.4	27.0-41.8	54	20.2	13.1-27.3	55	15.9	10.6-21.2
H.S. or G.E.D.	1122	209,352	13	1.0	0.4- 1.6	313	28.8	24.9-32.7	422	38.8	34.7-42.9	229	18.8	15.5-22.1	145	12.5	9.6-15.4
Some Post-H.S.	934	198,343	9	0.9	0.1- 1.7	299	35.0	30.7-39.3	333	35.1	31.0-39.2	183	17.1	14.0-20.2	110	11.8	8.9-14.7
College Graduate	1313	180,400	8	0.4	0.0- 0.8	417	35.8	32.1-39.5	523	38.2	34.7-41.7	240	16.5	14.0-19.0	125	9.0	7.0-11.0
Less than \$15,000	237	37,462	5	1.5	0.0- 3.1	70	32.5	22.5-42.5	76	28.9	20.3-37.5	55	25.4	14.6-36.2	31	11.8	6.3-17.3
\$15,000- 24,999	532	89,506	4	0.8	0.0- 1.6	147	25.8	21.1-30.5	169	32.8	27.1-38.5	120	23.5	18.4-28.6	92	17.1	12.2-22.0
\$25,000- 34,999	363	64,237	2	0.4	0.0- 1.0	96	27.4	20.5-34.3	145	39.0	31.9-46.1	78	19.7	14.0-25.4	42	13.5	8.2-18.8
\$35,000- 49,999	439	73,279	5	1.0	0.0- 2.0	127	28.9	23.2-34.6	168	39.0	32.7-45.3	84	19.2	13.7-24.7	55	11.9	8.2-15.6
\$50,000- 74,999	471	87,589	3	0.6	0.0- 1.4	128	32.8	26.3-39.3	194	37.0	30.7-43.3	91	17.3	12.8-21.8	55	12.3	7.6-17.0
\$75,000+	993	202,990	5	0.5	0.0- 1.1	309	33.2	29.1-37.3	407	40.3	36.0-44.6	185	16.8	13.7-19.9	87	9.2	6.7-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	334,957	15	0.7	0.3- 1.1	428	27.2	24.1-30.3	747	44.1	40.8-47.4	315	17.8	15.3-20.3	171	10.2	8.2-12.2
White/Non-Hisp	1232	224,549	7	0.4	0.0- 0.8	310	27.5	23.8-31.2	541	42.2	38.3-46.1	244	19.1	16.0-22.2	130	10.8	8.3-13.3
Black or Afr. Am./Non-Hisp	245	61,624	3	0.5	0.0- 1.1	57	24.2	16.0-32.4	117	51.4	42.6-60.2	44	15.4	9.9-20.9	24	8.4	4.3-12.5
Hispanic	93	24,111	4	3.7	0.0- 7.4	23	21.9	12.3-31.5	41	40.7	27.8-53.6	15	19.1	7.7-30.5	10	14.5	4.1-24.9
18-24	101	44,156	4	2.2	0.0- 4.6	44	46.2	33.9-58.5	27	32.0	19.8-44.2	19	14.6	6.2-23.0	7	5.0	0.9- 9.1
25-34	167	54,287	1	0.4	0.0- 1.2	61	37.0	27.2-46.8	69	35.7	26.3-45.1	21	11.5	5.4-17.6	15	15.4	7.4-23.4
35-44	175	51,226				43	20.6	13.9-27.3	80	49.1	39.5-58.7	31	19.8	11.6-28.0	21	10.5	5.2-15.8
45-54	245	57,171				52	19.0	12.9-25.1	114	45.6	38.0-53.2	49	22.5	16.0-29.0	30	12.8	7.7-17.9
55-64	359	57,251	2	0.6	0.0- 1.4	86	23.9	18.2-29.6	152	46.0	39.3-52.7	69	18.7	13.6-23.8	50	10.9	7.4-14.4
65+	613	68,207	8	1.3	0.3- 2.3	138	21.7	17.6-25.8	296	51.0	45.9-56.1	124	19.5	15.6-23.4	47	6.5	4.1- 8.9
Less Than H.S.	146	41,882	3	1.4	0.0- 3.0	38	23.9	14.1-33.7	62	44.5	33.9-55.1	21	15.6	7.6-23.6	22	14.6	7.3-21.9
H.S. or G.E.D.	533	115,745	7	1.1	0.3- 1.9	131	25.2	20.1-30.3	226	44.1	38.0-50.2	110	19.3	14.4-24.2	59	10.3	6.6-14.0
Some Post-H.S.	394	93,590	2	0.1	0.0- 0.3	115	32.2	25.5-38.9	162	40.8	34.1-47.5	79	17.6	12.9-22.3	36	9.3	5.8-12.8
College Graduate	597	81,806	1	0.1	0.0- 0.3	144	26.6	21.7-31.5	294	46.9	41.6-52.2	105	17.6	13.7-21.5	53	8.8	5.7-11.9
Less than \$15,000	82	12,459	2	1.8	0.0- 5.1	24	19.5	10.1-28.9	34	49.6	34.1-65.1	16	23.5	9.6-37.4	6	5.7	0.8-10.6
\$15,000- 24,999	229	43,658	2	0.7	0.0- 1.9	57	24.1	17.2-31.0	97	42.8	34.4-51.2	46	22.2	14.9-29.5	27	10.2	5.7-14.7
\$25,000- 34,999	171	36,400	1	0.5	0.0- 1.5	46	28.3	18.1-38.5	74	42.0	31.4-52.6	35	17.2	9.0-25.4	15	12.0	4.4-19.6
\$35,000- 49,999	198	36,457	3	1.6	0.0- 3.4	55	28.7	20.3-37.1	85	44.9	35.3-54.5	32	14.4	7.0-21.8	23	10.4	5.3-15.5
\$50,000- 74,999	222	42,421				46	23.3	15.3-31.3	108	46.5	37.1-55.9	48	18.5	11.6-25.4	20	11.6	4.2-19.0
\$75,000+	495	105,424	1	0.1	0.0- 0.3	112	25.1	19.4-30.8	240	46.3	40.0-52.6	97	19.6	14.7-24.5	45	8.9	5.6-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2012	336,163	24	1.1	0.5- 1.7	690	37.5	34.4-40.6	639	30.1	27.2-33.0	394	17.8	15.4-20.2	265	13.4	11.2-15.6
White/Non-Hisp	1493	222,432	18	1.0	0.4- 1.6	555	39.5	35.8-43.2	474	30.9	27.6-34.2	274	15.8	13.3-18.3	172	12.8	10.1-15.5
Black or Afr. Am./Non-Hisp	310	70,481				63	29.3	21.7-36.9	103	30.0	23.3-36.7	80	23.9	16.8-31.0	64	16.8	11.7-21.9
Oth. Race/Non-Hisp.	56	14,921	3	5.8	0.0-13.2	24	53.5	35.1-71.9	16	29.8	11.6-48.0	8	7.1	0.6-13.6	5	3.8	0.1- 7.5
Hispanic	103	19,550	1	1.3	0.0- 3.8	29	29.3	18.3-40.3	34	25.4	15.6-35.2	20	27.7	14.8-40.6	19	16.4	7.6-25.2
18-24	97	40,635	2	1.5	0.0- 3.9	58	59.9	46.4-73.4	26	23.1	11.7-34.5	6	9.0	0.0-18.8	5	6.4	0.0-14.2
25-34	179	52,999	2	1.5	0.0- 3.7	70	40.6	31.2-50.0	50	25.3	17.5-33.1	28	15.3	8.6-22.0	29	17.4	9.6-25.2
35-44	184	48,907	1	0.4	0.0- 1.2	65	38.3	29.7-46.9	55	31.0	22.4-39.6	36	15.6	9.5-21.7	27	14.7	8.4-21.0
45-54	308	55,714	3	0.9	0.0- 2.1	95	30.9	24.4-37.4	91	30.2	23.7-36.7	69	22.5	16.2-28.8	50	15.4	10.1-20.7
55-64	428	56,952	1	0.1	0.0- 0.3	127	30.2	24.7-35.7	141	32.0	26.3-37.7	89	21.1	16.0-26.2	70	16.7	12.2-21.2
65+	805	78,938	14	1.8	0.8- 2.8	270	33.4	29.1-37.7	273	35.2	30.7-39.7	166	20.3	16.8-23.8	82	9.3	6.9-11.7
Less Than H.S.	162	38,813	4	1.5	0.0- 3.1	49	32.6	22.2-43.0	43	23.5	13.3-33.7	33	25.0	13.4-36.6	33	17.4	10.0-24.8
H.S. or G.E.D.	589	93,607	6	0.9	0.0- 1.9	182	33.4	27.3-39.5	196	32.3	26.8-37.8	119	18.2	14.1-22.3	86	15.2	10.5-19.9
Some Post-H.S.	540	104,753	7	1.6	0.0- 3.2	184	37.5	31.8-43.2	171	30.0	24.9-35.1	104	16.7	12.6-20.8	74	14.1	9.6-18.6
College Graduate	716	98,594	7	0.6	0.0- 1.2	273	43.5	38.2-48.8	229	31.0	26.3-35.7	135	15.6	12.1-19.1	72	9.3	6.6-12.0
Less than \$15,000	155	25,003	3	1.3	0.0- 2.9	46	39.0	25.5-52.5	42	18.6	11.2-26.0	39	26.3	11.8-40.8	25	14.8	7.0-22.6
\$15,000- 24,999	303	45,848	2	0.8	0.0- 2.0	90	27.5	20.8-34.2	72	23.3	16.8-29.8	74	24.8	17.5-32.1	65	23.5	15.3-31.7
\$25,000- 34,999	192	27,838	1	0.2	0.0- 0.6	50	26.2	17.6-34.8	71	35.1	26.3-43.9	43	23.0	15.4-30.6	27	15.5	8.8-22.2
\$35,000- 49,999	241	36,822	2	0.4	0.0- 1.0	72	29.2	21.8-36.6	83	33.1	24.9-41.3	52	24.0	16.2-31.8	32	13.3	8.0-18.6
\$50,000- 74,999	249	45,168	3	1.2	0.0- 2.6	82	41.6	32.4-50.8	86	28.1	20.3-35.9	43	16.2	10.1-22.3	35	13.0	6.9-19.1
\$75,000+	498	97,566	4	1.0	0.0- 2.2	197	41.9	35.8-48.0	167	34.0	28.3-39.7	88	13.7	10.0-17.4	42	9.5	5.8-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3688	671,121	59	1.4	1.0- 1.8	1092	31.7	29.5-33.9	1391	37.2	35.0-39.4	1146	29.7	27.5-31.9
Male	1676	334,957	21	1.2	0.6- 1.8	417	26.5	23.4-29.6	751	44.2	40.9-47.5	487	28.1	25.2-31.0
Female	2012	336,163	38	1.7	0.9- 2.5	675	36.9	33.8-40.0	640	30.2	27.3-33.1	659	31.2	28.3-34.1
White/Non-Hisp	2725	446,980	43	1.3	0.7- 1.9	842	32.7	30.2-35.2	1019	36.7	34.2-39.2	821	29.4	26.9-31.9
Black or Afr. Am./Non-Hisp	555	132,105	4	0.6	0.0- 1.4	119	26.6	21.1-32.1	220	40.0	34.3-45.7	212	32.8	27.5-38.1
Oth. Race/Non-Hisp.	100	27,493	3	3.2	0.0- 7.3	44	48.8	35.9-61.7	31	32.2	19.7-44.7	22	15.8	7.8-23.8
Hispanic	196	43,661	6	3.3	0.8- 5.8	50	24.2	17.1-31.3	76	34.3	25.9-42.7	64	38.3	28.9-47.7
18-24	198	84,790	12	4.6	1.9- 7.3	95	49.8	40.6-59.0	53	27.4	19.0-35.8	38	18.2	10.8-25.6
25-34	346	107,286	4	1.0	0.0- 2.2	130	38.7	31.8-45.6	119	30.6	24.5-36.7	93	29.7	23.2-36.2
35-44	359	100,133	1	0.2	0.0- 0.6	106	28.9	23.2-34.6	137	40.6	33.9-47.3	115	30.3	24.2-36.4
45-54	553	112,886	6	0.7	0.1- 1.3	142	24.4	19.9-28.9	207	38.4	33.3-43.5	198	36.6	31.5-41.7
55-64	787	114,203	4	0.4	0.0- 0.8	211	26.9	23.0-30.8	294	39.0	34.5-43.5	278	33.7	29.6-37.8
65+	1418	147,145	31	2.0	1.2- 2.8	399	27.5	24.6-30.4	569	42.5	39.0-46.0	419	27.9	25.0-30.8
Less Than H.S.	308	80,695	9	2.0	0.4- 3.6	83	27.1	20.0-34.2	107	34.8	27.4-42.2	109	36.1	28.3-43.9
H.S. or G.E.D.	1122	209,352	20	1.7	0.7- 2.7	304	28.0	24.1-31.9	424	38.9	34.8-43.0	374	31.3	27.4-35.2
Some Post-H.S.	934	198,343	13	1.4	0.4- 2.4	295	34.5	30.2-38.8	332	34.8	30.7-38.9	294	29.2	25.3-33.1
College Graduate	1313	180,400	15	0.6	0.2- 1.0	408	35.4	31.7-39.1	525	38.4	34.9-41.9	365	25.6	22.5-28.7
Less than \$15,000	237	37,462	7	2.7	0.2- 5.2	67	31.2	21.4-41.0	77	29.0	20.4-37.6	86	37.1	26.3-47.9
\$15,000- 24,999	532	89,506	6	1.4	0.0- 2.8	143	24.8	20.1-29.5	171	33.1	27.4-38.8	212	40.6	34.7-46.5
\$25,000- 34,999	363	64,237	4	1.2	0.0- 2.8	94	26.6	19.7-33.5	145	39.0	31.9-46.1	120	33.2	26.3-40.1
\$35,000- 49,999	439	73,279	9	1.6	0.4- 2.8	122	28.1	22.4-33.8	169	39.2	32.9-45.5	139	31.1	25.0-37.2
\$50,000- 74,999	471	87,589	4	1.2	0.0- 2.6	127	32.2	25.7-38.7	193	36.5	30.2-42.8	147	30.2	24.1-36.3
\$75,000+	993	202,990	10	0.7	0.1- 1.3	302	32.8	28.7-36.9	409	40.6	36.3-44.9	272	26.0	22.3-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	334,957	21	1.2	0.6- 1.8	417	26.5	23.4-29.6	751	44.2	40.9-47.5	487	28.1	25.2-31.0
White/Non-Hisp	1232	224,549	11	0.7	0.1- 1.3	302	26.9	23.2-30.6	544	42.3	38.4-46.2	375	30.1	26.4-33.8
Black or Afr. Am./Non-Hisp	245	61,624	4	1.3	0.0- 2.9	56	23.5	15.5-31.5	117	51.4	42.6-60.2	68	23.9	17.2-30.6
Hispanic	93	24,111	5	4.9	0.6- 9.2	21	20.1	10.9-29.3	42	41.4	28.5-54.3	25	33.6	20.3-46.9
18-24	101	44,156	7	5.1	1.0- 9.2	41	43.3	31.0-55.6	26	30.9	18.7-43.1	27	20.7	11.3-30.1
25-34	167	54,287	1	0.4	0.0- 1.2	61	37.0	27.2-46.8	69	35.7	26.3-45.1	36	26.9	17.7-36.1
35-44	175	51,226				41	20.0	13.3-26.7	82	49.7	40.1-59.3	52	30.3	21.3-39.3
45-54	245	57,171				50	18.3	12.4-24.2	116	46.3	38.7-53.9	79	35.3	28.0-42.6
55-64	359	57,251	3	0.7	0.0- 1.7	84	23.7	18.0-29.4	153	46.0	39.3-52.7	119	29.6	23.7-35.5
65+	613	68,207	10	1.5	0.3- 2.7	136	21.5	17.4-25.6	296	51.0	45.9-56.1	171	26.0	21.7-30.3
Less Than H.S.	146	41,882	3	1.4	0.0- 3.0	36	23.1	13.3-32.9	64	45.3	34.7-55.9	43	30.2	20.4-40.0
H.S. or G.E.D.	533	115,745	10	2.0	0.6- 3.4	127	24.2	19.1-29.3	227	44.1	38.0-50.2	169	29.7	24.0-35.4
Some Post-H.S.	394	93,590	3	0.4	0.0- 1.0	114	31.9	25.2-38.6	161	40.3	33.6-47.0	116	27.4	21.7-33.1
College Graduate	597	81,806	3	0.2	0.0- 0.4	140	26.0	21.1-30.9	296	47.4	42.1-52.7	158	26.4	21.7-31.1
Less than \$15,000	82	12,459	3	2.3	0.0- 5.6	22	18.7	9.3-28.1	35	49.9	34.4-65.4	22	29.2	14.9-43.5
\$15,000- 24,999	229	43,658	2	0.7	0.0- 1.9	55	23.5	16.6-30.4	99	43.4	35.0-51.8	73	32.4	24.6-40.2
\$25,000- 34,999	171	36,400	2	1.8	0.0- 4.5	45	26.9	16.9-36.9	74	42.0	31.4-52.6	50	29.2	19.0-39.4
\$35,000- 49,999	198	36,457	5	2.5	0.1- 4.9	52	27.3	18.9-35.7	86	45.4	35.8-55.0	55	24.8	16.4-33.2
\$50,000- 74,999	222	42,421	1	1.2	0.0- 3.6	45	22.1	14.3-29.9	107	45.4	36.0-54.8	69	31.2	22.2-40.2
\$75,000+	495	105,424	2	0.1	0.0- 0.3	110	24.8	19.1-30.5	241	46.5	40.2-52.8	142	28.5	23.0-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2012	336,163	38	1.7	0.9- 2.5	675	36.9	33.8-40.0	640	30.2	27.3-33.1	659	31.2	28.3-34.1
White/Non-Hisp	1493	222,432	32	1.9	0.9- 2.9	540	38.5	34.8-42.2	475	31.0	27.7-34.3	446	28.6	25.3-31.9
Black or Afr. Am./Non-Hisp	310	70,481				63	29.3	21.7-36.9	103	30.0	23.3-36.7	144	40.7	33.1-48.3
Oth. Race/Non-Hisp.	56	14,921	3	5.8	0.0-13.2	24	53.5	35.1-71.9	16	29.8	11.6-48.0	13	10.9	3.3-18.5
Hispanic	103	19,550	1	1.3	0.0- 3.8	29	29.3	18.3-40.3	34	25.4	15.6-35.2	39	44.0	31.3-56.7
18-24	97	40,635	5	4.1	0.2- 8.0	54	56.9	43.4-70.4	27	23.6	12.2-35.0	11	15.4	3.6-27.2
25-34	179	52,999	3	1.6	0.0- 3.8	69	40.4	31.0-49.8	50	25.3	17.5-33.1	57	32.6	23.4-41.8
35-44	184	48,907	1	0.4	0.0- 1.2	65	38.3	29.7-46.9	55	31.0	22.4-39.6	63	30.3	22.3-38.3
45-54	308	55,714	6	1.3	0.0- 2.7	92	30.5	24.0-37.0	91	30.2	23.7-36.7	119	37.9	30.8-45.0
55-64	428	56,952	1	0.1	0.0- 0.3	127	30.2	24.7-35.7	141	32.0	26.3-37.7	159	37.8	31.9-43.7
65+	805	78,938	21	2.5	1.3- 3.7	263	32.7	28.4-37.0	273	35.2	30.7-39.7	248	29.6	25.7-33.5
Less Than H.S.	162	38,813	6	2.7	0.2- 5.2	47	31.4	21.2-41.6	43	23.5	13.3-33.7	66	42.4	30.6-54.2
H.S. or G.E.D.	589	93,607	10	1.4	0.4- 2.4	177	32.7	26.6-38.8	197	32.4	26.9-37.9	205	33.4	27.9-38.9
Some Post-H.S.	540	104,753	10	2.3	0.5- 4.1	181	36.9	31.2-42.6	171	30.0	24.9-35.1	178	30.8	25.3-36.3
College Graduate	716	98,594	12	0.9	0.3- 1.5	268	43.1	37.8-48.4	229	31.0	26.3-35.7	207	24.9	20.8-29.0
Less than \$15,000	155	25,003	4	2.9	0.0- 6.4	45	37.4	23.9-50.9	42	18.6	11.2-26.0	64	41.1	27.0-55.2
\$15,000- 24,999	303	45,848	4	2.2	0.0- 4.6	88	26.1	19.6-32.6	72	23.3	16.8-29.8	139	48.3	39.9-56.7
\$25,000- 34,999	192	27,838	2	0.4	0.0- 1.0	49	26.0	17.4-34.6	71	35.1	26.3-43.9	70	38.5	29.5-47.5
\$35,000- 49,999	241	36,822	4	0.8	0.0- 1.6	70	28.8	21.4-36.2	83	33.1	24.9-41.3	84	37.3	28.9-45.7
\$50,000- 74,999	249	45,168	3	1.2	0.0- 2.6	82	41.6	32.4-50.8	86	28.1	20.3-35.9	78	29.2	21.2-37.2
\$75,000+	498	97,566	8	1.3	0.1- 2.5	192	41.4	35.3-47.5	168	34.1	28.4-39.8	130	23.2	18.3-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3688	671,121	1151	33.2	31.0-35.4	2537	66.8	64.6-69.0
Male	1676	334,957	438	27.7	24.6-30.8	1238	72.3	69.2-75.4
Female	2012	336,163	713	38.6	35.5-41.7	1299	61.4	58.3-64.5
White/Non-Hisp	2725	446,980	885	34.0	31.5-36.5	1840	66.0	63.5-68.5
Black or Afr. Am./Non-Hisp	555	132,105	123	27.2	21.7-32.7	432	72.8	67.3-78.3
Oth. Race/Non-Hisp.	100	27,493	47	52.0	39.1-64.9	53	48.0	35.1-60.9
Hispanic	196	43,661	56	27.5	20.1-34.9	140	72.5	65.1-79.9
18-24	198	84,790	107	54.5	45.3-63.7	91	45.5	36.3-54.7
25-34	346	107,286	134	39.7	32.8-46.6	212	60.3	53.4-67.2
35-44	359	100,133	107	29.1	23.4-34.8	252	70.9	65.2-76.6
45-54	553	112,886	148	25.0	20.5-29.5	405	75.0	70.5-79.5
55-64	787	114,203	215	27.3	23.4-31.2	572	72.7	68.8-76.6
65+	1418	147,145	430	29.5	26.4-32.6	988	70.5	67.4-73.6
Less Than H.S.	308	80,695	92	29.1	22.0-36.2	216	70.9	63.8-78.0
H.S. or G.E.D.	1122	209,352	324	29.8	25.9-33.7	798	70.2	66.3-74.1
Some Post-H.S.	934	198,343	308	35.9	31.6-40.2	626	64.1	59.8-68.4
College Graduate	1313	180,400	423	36.0	32.3-39.7	890	64.0	60.3-67.7
Less than \$15,000	237	37,462	74	33.9	23.9-43.9	163	66.1	56.1-76.1
\$15,000- 24,999	532	89,506	149	26.3	21.4-31.2	383	73.7	68.8-78.6
\$25,000- 34,999	363	64,237	98	27.7	20.8-34.6	265	72.3	65.4-79.2
\$35,000- 49,999	439	73,279	131	29.7	24.0-35.4	308	70.3	64.6-76.0
\$50,000- 74,999	471	87,589	131	33.3	26.8-39.8	340	66.7	60.2-73.2
\$75,000+	993	202,990	312	33.5	29.4-37.6	681	66.5	62.4-70.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	334,957	438	27.7	24.6-30.8	1238	72.3	69.2-75.4
White/Non-Hisp	1232	224,549	313	27.6	23.9-31.3	919	72.4	68.7-76.1
Black or Afr. Am./Non-Hisp	245	61,624	60	24.7	16.5-32.9	185	75.3	67.1-83.5
Hispanic	93	24,111	26	25.0	15.0-35.0	67	75.0	65.0-85.0
18-24	101	44,156	48	48.4	35.9-60.9	53	51.6	39.1-64.1
25-34	167	54,287	62	37.4	27.6-47.2	105	62.6	52.8-72.4
35-44	175	51,226	41	20.0	13.3-26.7	134	80.0	73.3-86.7
45-54	245	57,171	50	18.3	12.4-24.2	195	81.7	75.8-87.6
55-64	359	57,251	87	24.4	18.5-30.3	272	75.6	69.7-81.5
65+	613	68,207	146	23.0	18.9-27.1	467	77.0	72.9-81.1
Less Than H.S.	146	41,882	39	24.5	14.7-34.3	107	75.5	65.7-85.3
H.S. or G.E.D.	533	115,745	137	26.2	20.9-31.5	396	73.8	68.5-79.1
Some Post-H.S.	394	93,590	117	32.3	25.6-39.0	277	67.7	61.0-74.4
College Graduate	597	81,806	143	26.2	21.3-31.1	454	73.8	68.9-78.7
Less than \$15,000	82	12,459	25	20.9	10.9-30.9	57	79.1	69.1-89.1
\$15,000- 24,999	229	43,658	57	24.2	17.3-31.1	172	75.8	68.9-82.7
\$25,000- 34,999	171	36,400	47	28.8	18.6-39.0	124	71.2	61.0-81.4
\$35,000- 49,999	198	36,457	57	29.8	21.2-38.4	141	70.2	61.6-78.8
\$50,000- 74,999	222	42,421	46	23.3	15.3-31.3	176	76.7	68.7-84.7
\$75,000+	495	105,424	112	24.9	19.2-30.6	383	75.1	69.4-80.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2012	336,163	713	38.6	35.5-41.7	1299	61.4	58.3-64.5
White/Non-Hisp	1493	222,432	572	40.4	36.7-44.1	921	59.6	55.9-63.3
Black or Afr. Am./Non-Hisp	310	70,481	63	29.3	21.7-36.9	247	70.7	63.1-78.3
Oth. Race/Non-Hisp.	56	14,921	27	59.3	41.1-77.5	29	40.7	22.5-58.9
Hispanic	103	19,550	30	30.6	19.6-41.6	73	69.4	58.4-80.4
18-24	97	40,635	59	61.0	47.5-74.5	38	39.0	25.5-52.5
25-34	179	52,999	72	42.0	32.6-51.4	107	58.0	48.6-67.4
35-44	184	48,907	66	38.7	30.1-47.3	118	61.3	52.7-69.9
45-54	308	55,714	98	31.9	25.4-38.4	210	68.1	61.6-74.6
55-64	428	56,952	128	30.2	24.7-35.7	300	69.8	64.3-75.3
65+	805	78,938	284	35.2	30.9-39.5	521	64.8	60.5-69.1
Less Than H.S.	162	38,813	53	34.1	23.7-44.5	109	65.9	55.5-76.3
H.S. or G.E.D.	589	93,607	187	34.1	28.0-40.2	402	65.9	59.8-72.0
Some Post-H.S.	540	104,753	191	39.2	33.5-44.9	349	60.8	55.1-66.5
College Graduate	716	98,594	280	44.1	38.8-49.4	436	55.9	50.6-61.2
Less than \$15,000	155	25,003	49	40.3	26.8-53.8	106	59.7	46.2-73.2
\$15,000- 24,999	303	45,848	92	28.3	21.4-35.2	211	71.7	64.8-78.6
\$25,000- 34,999	192	27,838	51	26.4	17.8-35.0	141	73.6	65.0-82.2
\$35,000- 49,999	241	36,822	74	29.6	22.2-37.0	167	70.4	63.0-77.8
\$50,000- 74,999	249	45,168	85	42.7	33.5-51.9	164	57.3	48.1-66.5
\$75,000+	498	97,566	200	42.7	36.6-48.8	298	57.3	51.2-63.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4032	733,013	2999	62.3	59.9-64.7	459	16.3	14.5-18.1	350	13.3	11.7-14.9	156	5.6	4.4- 6.8	46	1.6	0.8- 2.4	22	0.9	0.5- 1.3
Male	1735	350,085	1309	64.4	61.1-67.7	173	14.7	12.0-17.4	161	12.8	10.4-15.2	64	5.9	3.9- 7.9	17	1.3	0.5- 2.1	11	0.9	0.3- 1.5
Female	2297	382,927	1690	60.4	57.5-63.3	286	17.7	15.3-20.1	189	13.7	11.3-16.1	92	5.4	4.0- 6.8	29	1.8	0.6- 3.0	11	0.9	0.3- 1.5
White/Non-Hisp	2941	478,429	2376	69.4	66.7-72.1	281	15.0	12.8-17.2	180	10.2	8.4-12.0	72	3.8	2.6- 5.0	25	1.2	0.4- 2.0	7	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	603	143,183	367	52.2	46.5-57.9	103	20.8	15.9-25.7	83	16.8	12.5-21.1	33	6.6	3.7- 9.5	11	2.2	0.6- 3.8	6	1.4	0.2- 2.6
Oth. Race/Non-Hisp.	112	31,637	63	45.1	33.3-56.9	21	22.9	12.7-33.1	17	23.0	11.6-34.4	11	9.0	1.2-16.8						
Hispanic	246	55,776	99	34.0	26.9-41.1	35	13.2	8.3-18.1	61	26.5	19.2-33.8	33	17.1	10.0-24.2	9	4.7	0.4- 9.0	9	4.4	1.1- 7.7
18-24	217	90,225	128	58.6	50.0-67.2	46	22.4	15.0-29.8	29	11.0	6.3-15.7	8	3.9	0.6- 7.2	3	2.5	0.0- 6.6	3	1.6	0.0- 3.4
25-34	380	120,176	139	37.7	31.2-44.2	90	22.9	17.2-28.6	86	22.4	16.9-27.9	42	11.1	6.8-15.4	13	3.2	0.8- 5.6	10	2.7	0.7- 4.7
35-44	394	109,465	98	23.7	18.6-28.8	101	27.4	21.7-33.1	107	29.7	23.8-35.6	61	14.5	10.2-18.8	20	3.5	1.5- 5.5	7	1.3	0.0- 2.7
45-54	616	123,787	378	57.4	52.5-62.3	126	22.5	18.2-26.8	77	14.2	10.7-17.7	26	4.5	2.3- 6.7	7	1.0	0.0- 2.0	2	0.4	0.0- 1.0
55-64	847	122,043	745	86.9	84.0-89.8	61	7.3	4.9- 9.7	30	4.5	2.5- 6.5	9	1.2	0.2- 2.2	2	0.2	0.0- 0.4			
65+	1521	158,312	1467	93.9	91.7-96.1	28	2.3	1.1- 3.5	16	2.7	0.9- 4.5	9	1.0	0.0- 2.0	1	0.1	0.0- 0.3			
Less Than H.S.	365	94,360	222	50.6	43.3-57.9	39	10.4	6.5-14.3	52	16.3	11.0-21.6	34	14.3	8.8-19.8	10	5.3	0.6-10.0	8	3.0	0.6- 5.4
H.S. or G.E.D.	1226	228,616	944	66.0	61.9-70.1	139	17.7	14.0-21.4	82	10.8	8.1-13.5	41	3.7	2.1- 5.3	15	1.1	0.5- 1.7	5	0.8	0.0- 1.6
Some Post-H.S.	1013	213,016	755	63.7	59.4-68.0	120	17.5	13.8-21.2	84	11.9	9.0-14.8	43	5.2	3.0- 7.4	6	0.9	0.1- 1.7	5	0.8	0.0- 1.6
College Graduate	1413	194,892	1064	61.9	58.2-65.6	160	16.1	13.2-19.0	132	16.3	13.2-19.4	38	4.3	2.7- 5.9	15	1.1	0.3- 1.9	4	0.2	0.0- 0.4
Less than \$15,000	253	40,097	179	58.6	48.6-68.6	34	18.0	9.8-26.2	23	12.2	6.1-18.3	9	7.2	0.5-13.9	6	3.3	0.2- 6.4	2	0.5	0.0- 1.3
\$15,000- 24,999	576	96,915	411	61.1	55.4-66.8	65	13.2	9.5-16.9	55	15.0	10.5-19.5	32	7.6	4.3-10.9	9	1.6	0.4- 2.8	4	1.5	0.0- 3.3
\$25,000- 34,999	383	67,834	286	62.5	55.2-69.8	41	15.1	9.8-20.4	36	15.0	8.9-21.1	12	4.1	0.8- 7.4	5	1.5	0.0- 3.1	3	1.8	0.0- 4.0
\$35,000- 49,999	461	77,457	366	71.0	65.1-76.9	50	13.5	9.4-17.6	22	7.3	4.0-10.6	16	6.5	2.4-10.6	4	0.5	0.0- 1.1	3	1.1	0.0- 2.5
\$50,000- 74,999	501	92,276	404	67.5	60.8-74.2	42	11.8	7.1-16.5	31	10.8	6.3-15.3	18	7.8	3.1-12.5	4	1.5	0.0- 3.3	2	0.6	0.0- 1.6
\$75,000+	1041	215,033	703	55.4	51.1-59.7	149	20.5	16.8-24.2	131	18.1	14.6-21.6	45	5.0	3.4- 6.6	9	0.9	0.1- 1.7	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	350,085	1309	64.4	61.1-67.7	173	14.7	12.0-17.4	161	12.8	10.4-15.2	64	5.9	3.9- 7.9	17	1.3	0.5- 2.1	11	0.9	0.3- 1.5
White/Non-Hisp	1254	227,158	1015	70.2	66.3-74.1	109	13.8	10.5-17.1	88	11.0	8.3-13.7	29	3.9	1.9- 5.9	9	0.6	0.2- 1.0	4	0.5	0.0- 1.1
Black or Afr. Am./Non-Hisp	253	66,068	172	58.9	49.9-67.9	32	18.0	10.0-26.0	31	13.1	7.2-19.0	12	6.6	1.7-11.5	5	2.7	0.0- 5.4	1	0.7	0.0- 2.1
Hispanic	115	30,625	49	36.6	26.0-47.2	12	10.6	3.9-17.3	32	24.7	14.7-34.7	13	18.3	7.3-29.3	3	4.9	0.0-12.0	6	4.9	0.6- 9.2
18-24	107	45,978	68	64.7	52.9-76.5	23	22.8	12.0-33.6	13	10.6	3.5-17.7	2	1.5	0.0- 3.7	1	0.4	0.0- 1.2			
25-34	174	59,275	85	48.1	38.1-58.1	32	19.2	10.4-28.0	34	15.0	8.9-21.1	13	10.3	3.4-17.2	5	4.2	0.0- 8.5	5	3.3	0.2- 6.4
35-44	184	53,935	57	28.2	20.2-36.2	33	20.1	12.5-27.7	50	29.5	20.9-38.1	33	18.6	11.0-26.2	7	2.5	0.1- 4.9	4	1.1	0.0- 2.3
45-54	254	59,158	158	57.2	49.8-64.6	44	20.7	14.2-27.2	36	15.3	10.2-20.4	11	5.0	1.5- 8.5	3	0.9	0.0- 2.1	2	0.9	0.0- 2.1
55-64	367	58,134	322	86.8	82.3-91.3	25	7.4	3.9-10.9	17	4.8	2.1- 7.5	3	1.1	0.0- 2.7						
65+	626	69,733	603	92.6	88.7-96.5	12	2.6	0.6- 4.6	9	4.4	0.9- 7.9	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6			
Less Than H.S.	164	47,674	99	51.4	41.2-61.6	15	10.4	4.7-16.1	24	14.3	7.4-21.2	17	17.0	8.2-25.8	4	4.1	0.0- 9.0	5	2.8	0.3- 5.3
H.S. or G.E.D.	550	121,672	421	64.5	58.2-70.8	58	18.0	12.3-23.7	47	12.7	8.4-17.0	16	3.5	1.0- 6.0	5	0.5	0.0- 1.1	3	0.7	0.0- 1.7
Some Post-H.S.	399	95,262	309	69.9	63.2-76.6	37	13.4	7.9-18.9	32	9.9	6.0-13.8	17	5.1	2.0- 8.2	2	0.8	0.0- 2.0	2	0.9	0.0- 2.3
College Graduate	615	84,140	474	65.2	59.7-70.7	62	13.5	9.6-17.4	58	15.6	11.1-20.1	14	4.0	1.8- 6.2	6	1.6	0.0- 3.2	1	0.0	0.0- 0.0
Less than \$15,000	85	13,086	65	66.0	50.7-81.3	10	19.6	4.7-34.5	6	10.0	1.8-18.2	2	2.1	0.0- 5.0	1	1.0	0.0- 3.0	1	1.3	0.0- 3.8
\$15,000- 24,999	239	46,029	175	65.1	57.1-73.1	25	13.4	7.7-19.1	24	12.9	7.0-18.8	11	6.4	1.9-10.9	3	1.8	0.0- 4.0	1	0.4	0.0- 1.2
\$25,000- 34,999	176	37,918	135	64.7	53.7-75.7	12	8.5	2.4-14.6	21	19.2	9.4-29.0	6	5.5	0.0-11.2				2	2.1	0.0- 5.2
\$35,000- 49,999	200	36,881	162	72.0	62.6-81.4	16	9.2	4.3-14.1	9	7.0	1.9-12.1	10	10.0	2.2-17.8	1	0.4	0.0- 1.2	2	1.4	0.0- 3.4
\$50,000- 74,999	225	43,040	178	64.2	54.4-74.0	14	7.6	2.9-12.3	20	13.0	6.9-19.1	9	11.7	2.5-20.9	3	3.0	0.0- 6.7	1	0.5	0.0- 1.5
\$75,000+	502	107,544	353	59.4	53.1-65.7	64	19.8	13.9-25.7	60	15.6	11.1-20.1	19	4.4	2.2- 6.6	4	0.7	0.0- 1.5	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	382,927	1690	60.4	57.5-63.3	286	17.7	15.3-20.1	189	13.7	11.3-16.1	92	5.4	4.0- 6.8	29	1.8	0.6- 3.0	11	0.9	0.3- 1.5
White/Non-Hisp	1687	251,271	1361	68.6	65.1-72.1	172	16.1	13.2-19.0	92	9.5	7.1-11.9	43	3.7	2.3- 5.1	16	1.7	0.1- 3.3	3	0.4	0.0- 1.0
Black or Afr. Am./Non-Hisp	350	77,116	195	46.5	39.2-53.8	71	23.1	17.2-29.0	52	19.9	13.6-26.2	21	6.7	3.2-10.2	6	1.8	0.2- 3.4	5	2.1	0.1- 4.1
Oth. Race/Non-Hisp.	65	18,275	35	39.9	24.0-55.8	13	22.4	8.9-35.9	12	29.0	12.5-45.5	5	8.8	0.0-21.1						
Hispanic	131	25,151	50	30.8	21.4-40.2	23	16.4	9.1-23.7	29	28.7	17.9-39.5	20	15.7	8.1-23.3	6	4.5	0.0- 9.0	3	3.8	0.0- 9.1
18-24	110	44,247	60	52.2	39.7-64.7	23	22.1	11.9-32.3	16	11.5	5.2-17.8	6	6.4	0.1-12.7	2	4.7	0.0-12.7	3	3.2	0.0- 6.9
25-34	206	60,901	54	27.6	19.8-35.4	58	26.5	19.1-33.9	52	29.7	21.1-38.3	29	11.8	6.7-16.9	8	2.3	0.3- 4.3	5	2.2	0.0- 4.6
35-44	210	55,529	41	19.3	12.6-26.0	68	34.4	26.4-42.4	57	29.8	21.8-37.8	28	10.4	6.1-14.7	13	4.4	1.3- 7.5	3	1.6	0.0- 4.1
45-54	362	64,629	220	57.5	51.0-64.0	82	24.2	18.7-29.7	41	13.1	8.4-17.8	15	4.1	1.6- 6.6	4	1.1	0.0- 2.5			
55-64	480	63,909	423	87.0	83.1-90.9	36	7.3	4.4-10.2	13	4.2	1.7- 6.7	6	1.3	0.0- 2.7	2	0.3	0.0- 0.7			
65+	895	88,579	864	94.9	92.5-97.3	16	2.1	0.7- 3.5	7	1.3	0.0- 2.7	8	1.6	0.0- 3.2						
Less Than H.S.	201	46,686	123	49.7	39.5-59.9	24	10.5	5.2-15.8	28	18.4	10.2-26.6	17	11.5	5.2-17.8	6	6.5	0.0-14.3	3	3.3	0.0- 7.4
H.S. or G.E.D.	676	106,944	523	67.8	62.5-73.1	81	17.2	12.7-21.7	35	8.7	5.2-12.2	25	3.8	2.0- 5.6	10	1.7	0.5- 2.9	2	0.8	0.0- 2.0
Some Post-H.S.	614	117,754	446	58.7	53.0-64.4	83	20.8	15.9-25.7	52	13.6	9.3-17.9	26	5.2	2.5- 7.9	4	0.9	0.0- 2.1	3	0.8	0.0- 1.8
College Graduate	798	110,752	590	59.4	54.3-64.5	98	18.1	14.0-22.2	74	16.9	12.6-21.2	24	4.6	2.2- 7.0	9	0.8	0.2- 1.4	3	0.3	0.0- 0.7
Less than \$15,000	168	27,011	114	55.1	42.2-68.0	24	17.2	7.6-26.8	17	13.3	5.3-21.3	7	9.7	0.1-19.3	5	4.5	0.0- 9.0	1	0.2	0.0- 0.6
\$15,000- 24,999	337	50,886	236	57.6	49.8-65.4	40	13.0	8.3-17.7	31	16.9	10.2-23.6	21	8.7	4.0-13.4	6	1.4	0.2- 2.6	3	2.5	0.0- 5.6
\$25,000- 34,999	207	29,916	151	59.7	50.5-68.9	29	23.4	14.8-32.0	15	9.7	4.0-15.4	6	2.3	0.3- 4.3	5	3.4	0.0- 6.9	1	1.5	0.0- 4.4
\$35,000- 49,999	261	40,576	204	70.0	62.6-77.4	34	17.5	11.4-23.6	13	7.6	3.3-11.9	6	3.3	0.4- 6.2	3	0.7	0.0- 1.5	1	0.9	0.0- 2.7
\$50,000- 74,999	276	49,235	226	70.4	61.4-79.4	28	15.5	8.1-22.9	11	8.7	2.2-15.2	9	4.3	1.0- 7.6	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1
\$75,000+	539	107,489	350	51.4	45.5-57.3	85	21.2	16.3-26.1	71	20.6	15.3-25.9	26	5.5	3.0- 8.0	5	1.0	0.0- 2.4	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4048	737,465	368	12.9	11.1-14.7	1235	31.3	29.1-33.5	1020	29.2	27.0-31.4	1425	26.6	24.8-28.4
Male	1740	350,902	166	13.7	11.2-16.2	553	34.8	31.5-38.1	402	27.4	24.3-30.5	619	24.1	21.7-26.5
Female	2308	386,563	202	12.1	9.7-14.5	682	28.2	25.5-30.9	618	30.8	28.1-33.5	806	28.8	26.3-31.3
White/Non-Hisp	2948	480,748	140	6.6	5.2- 8.0	908	32.5	30.0-35.0	770	31.8	29.3-34.3	1130	29.1	26.9-31.3
Black or Afr. Am./Non-Hisp	610	145,746	79	15.7	10.8-20.6	219	37.0	31.5-42.5	148	26.8	21.9-31.7	164	20.4	16.3-24.5
Oth. Race/Non-Hisp.	113	31,614	10	9.7	2.4-17.0	25	17.4	9.0-25.8	31	31.3	19.0-43.6	47	41.6	29.8-53.4
Hispanic	248	56,281	120	57.6	50.0-65.2	55	19.8	13.5-26.1	42	14.6	9.5-19.7	31	8.0	4.7-11.3
18-24	218	90,654	23	14.1	6.7-21.5	85	40.2	31.6-48.8	87	40.2	31.8-48.6	23	5.5	3.0- 8.0
25-34	385	120,967	51	15.1	10.2-20.0	102	25.3	19.2-31.4	92	27.2	21.1-33.3	140	32.4	26.5-38.3
35-44	397	110,637	52	14.8	10.1-19.5	100	25.6	19.9-31.3	96	26.2	20.5-31.9	149	33.4	27.7-39.1
45-54	619	124,870	53	10.3	7.2-13.4	182	33.1	28.2-38.0	155	26.9	22.6-31.2	229	29.6	25.5-33.7
55-64	849	123,067	71	10.9	8.0-13.8	279	33.8	29.7-37.9	210	29.3	25.2-33.4	289	26.0	22.7-29.3
65+	1527	159,262	113	12.2	9.5-14.9	473	31.7	28.6-34.8	372	28.9	25.8-32.0	569	27.2	24.7-29.7
Less Than H.S.	368	94,868	368	100.0	100.0- 100									
H.S. or G.E.D.	1235	231,194				1235	100.0	100.0- 100						
Some Post-H.S.	1020	215,443							1020	100.0	100.0- 100			
College Graduate	1425	195,960										1425	100.0	100.0- 100
Less than \$15,000	254	40,200	59	36.7	26.5-46.9	110	37.9	28.7-47.1	53	19.7	11.9-27.5	32	5.7	2.8- 8.6
\$15,000- 24,999	578	97,189	126	29.8	24.5-35.1	257	40.2	34.7-45.7	125	22.6	17.9-27.3	70	7.4	5.0- 9.8
\$25,000- 34,999	386	68,678	41	14.3	9.2-19.4	144	40.8	33.7-47.9	119	32.8	25.9-39.7	82	12.1	8.6-15.6
\$35,000- 49,999	461	77,457	14	5.9	2.0- 9.8	171	41.5	35.4-47.6	143	34.5	28.4-40.6	133	18.0	14.1-21.9
\$50,000- 74,999	502	92,609	10	4.3	1.0- 7.6	134	29.7	23.4-36.0	156	37.7	31.6-43.8	202	28.3	23.0-33.6
\$75,000+	1047	216,338	7	0.6	0.2- 1.0	145	18.5	14.8-22.2	225	30.2	26.1-34.3	670	50.6	46.3-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	350,902	166	13.7	11.2-16.2	553	34.8	31.5-38.1	402	27.4	24.3-30.5	619	24.1	21.7-26.5
White/Non-Hisp	1255	227,817	47	5.2	3.4- 7.0	401	36.2	32.3-40.1	306	31.1	27.2-35.0	501	27.5	24.4-30.6
Black or Afr. Am./Non-Hisp	256	66,596	41	19.9	12.1-27.7	105	43.1	34.3-51.9	53	22.0	14.6-29.4	57	15.0	9.9-20.1
Hispanic	117	31,129	64	60.0	48.8-71.2	25	20.8	11.4-30.2	14	13.0	5.4-20.6	14	6.3	2.6-10.0
18-24	106	45,631	15	14.6	5.0-24.2	45	42.1	30.1-54.1	37	38.5	26.5-50.5	9	4.8	1.3- 8.3
25-34	178	59,907	27	15.4	8.7-22.1	65	36.6	26.6-46.6	39	27.4	18.4-36.4	47	20.6	13.7-27.5
35-44	185	54,106	29	19.3	11.3-27.3	48	30.1	20.9-39.3	47	22.7	15.4-30.0	61	27.8	20.2-35.4
45-54	255	59,567	23	10.5	5.8-15.2	86	36.2	28.8-43.6	61	25.3	18.8-31.8	85	28.1	21.8-34.4
55-64	367	58,134	34	11.5	7.2-15.8	134	37.5	31.0-44.0	77	26.2	20.1-32.3	122	24.8	19.7-29.9
65+	628	70,433	37	11.7	7.4-16.0	171	29.6	24.9-34.3	137	26.4	21.5-31.3	283	32.3	28.0-36.6
Less Than H.S.	166	47,911	166	100.0	100.0- 100									
H.S. or G.E.D.	553	122,277				553	100.0	100.0- 100						
Some Post-H.S.	402	96,267							402	100.0	100.0- 100			
College Graduate	619	84,446										619	100.0	100.0- 100
Less than \$15,000	85	13,086	17	28.3	15.0-41.6	44	50.5	35.6-65.4	17	16.3	5.7-26.9	7	4.9	0.0-10.8
\$15,000- 24,999	241	46,303	66	33.4	25.8-41.0	110	42.6	34.6-50.6	37	16.7	9.6-23.8	28	7.3	3.8-10.8
\$25,000- 34,999	176	37,918	24	18.7	10.5-26.9	63	41.8	31.0-52.6	52	30.0	20.0-40.0	37	9.6	5.5-13.7
\$35,000- 49,999	200	36,881	10	9.3	1.9-16.7	84	45.6	36.4-54.8	56	29.8	20.6-39.0	50	15.3	9.6-21.0
\$50,000- 74,999	226	43,374	4	4.8	0.0-10.9	68	33.2	24.0-42.4	66	37.1	27.9-46.3	88	24.9	18.2-31.6
\$75,000+	504	108,316	3	0.6	0.0- 1.4	79	23.8	17.7-29.9	113	32.2	26.1-38.3	309	43.4	37.5-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	386,563	202	12.1	9.7-14.5	682	28.2	25.5-30.9	618	30.8	28.1-33.5	806	28.8	26.3-31.3
White/Non-Hisp	1693	252,931	93	7.9	5.5-10.3	507	29.3	26.2-32.4	464	32.4	29.1-35.7	629	30.5	27.6-33.4
Black or Afr. Am./Non-Hisp	354	79,151	38	12.3	6.2-18.4	114	31.9	25.2-38.6	95	30.9	24.4-37.4	107	24.9	19.0-30.8
Oth. Race/Non-Hisp.	65	18,225	7	12.2	1.0-23.4	15	16.8	6.0-27.6	17	34.3	16.3-52.3	26	36.7	21.2-52.2
Hispanic	131	25,151	56	54.7	44.1-65.3	30	18.6	11.2-26.0	28	16.5	9.8-23.2	17	10.1	4.2-16.0
18-24	112	45,023	8	13.6	2.2-25.0	40	38.3	26.0-50.6	50	42.0	30.2-53.8	14	6.1	2.4- 9.8
25-34	207	61,060	24	14.8	7.7-21.9	37	14.3	8.8-19.8	53	27.0	19.2-34.8	93	43.9	35.3-52.5
35-44	212	56,530	23	10.5	5.6-15.4	52	21.3	15.0-27.6	49	29.5	21.1-37.9	88	38.8	30.8-46.8
45-54	364	65,303	30	10.2	5.9-14.5	96	30.3	24.0-36.6	94	28.4	22.3-34.5	144	31.1	25.6-36.6
55-64	482	64,933	37	10.5	6.8-14.2	145	30.5	25.2-35.8	133	32.0	26.5-37.5	167	27.0	22.3-31.7
65+	899	88,828	76	12.6	9.3-15.9	302	33.4	29.3-37.5	235	30.8	26.7-34.9	286	23.2	20.1-26.3
Less Than H.S.	202	46,957	202	100.0	100.0- 100									
H.S. or G.E.D.	682	108,917				682	100.0	100.0- 100						
Some Post-H.S.	618	119,176							618	100.0	100.0- 100			
College Graduate	806	111,513										806	100.0	100.0- 100
Less than \$15,000	169	27,114	42	40.7	27.4-54.0	66	31.9	20.7-43.1	36	21.3	10.9-31.7	25	6.0	2.9- 9.1
\$15,000- 24,999	337	50,886	60	26.5	19.1-33.9	147	37.9	30.3-45.5	88	28.1	21.4-34.8	42	7.5	4.6-10.4
\$25,000- 34,999	210	30,760	17	8.9	3.8-14.0	81	39.6	31.0-48.2	67	36.3	27.5-45.1	45	15.2	9.5-20.9
\$35,000- 49,999	261	40,576	4	2.8	0.0- 5.9	87	37.9	29.9-45.9	87	38.8	30.8-46.8	83	20.5	15.0-26.0
\$50,000- 74,999	276	49,235	6	3.8	0.3- 7.3	66	26.5	18.1-34.9	90	38.3	30.1-46.5	114	31.3	23.7-38.9
\$75,000+	543	108,022	4	0.5	0.0- 1.1	66	13.2	9.3-17.1	112	28.3	22.6-34.0	361	57.9	52.0-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3228	592,471	254	6.8	5.4- 8.2	578	16.4	14.6-18.2	386	11.6	10.0-13.2	461	13.1	11.5-14.7	1549	52.1	49.7-54.5
Male	1432	285,878	85	4.6	3.2- 6.0	241	16.2	13.7-18.7	176	13.3	10.8-15.8	200	12.9	10.5-15.3	730	53.1	49.6-56.6
Female	1796	306,593	169	8.8	6.6-11.0	337	16.6	14.2-19.0	210	10.0	8.2-11.8	261	13.2	11.2-15.2	819	51.3	48.0-54.6
White/Non-Hisp	2345	389,940	145	4.1	3.1- 5.1	333	12.0	10.2-13.8	261	10.3	8.5-12.1	338	12.9	11.1-14.7	1268	60.6	57.9-63.3
Black or Afr. Am./Non-Hisp	511	117,237	64	12.7	8.0-17.4	125	22.4	17.7-27.1	77	14.4	10.5-18.3	84	15.8	11.7-19.9	161	34.6	28.7-40.5
Oth. Race/Non-Hisp.	90	25,343	9	13.3	2.1-24.5	10	5.2	1.3- 9.1	13	7.2	2.7-11.7	11	7.1	2.2-12.0	47	67.2	54.9-79.5
Hispanic	195	44,002	28	10.7	6.0-15.4	89	46.1	37.1-55.1	27	16.1	8.7-23.5	18	11.1	4.6-17.6	33	16.0	9.5-22.5
18-24	152	61,841	18	15.8	7.2-24.4	32	18.5	10.7-26.3	20	9.7	5.0-14.4	27	13.8	7.5-20.1	55	42.2	31.8-52.6
25-34	319	98,922	16	2.9	1.1- 4.7	79	20.7	15.4-26.0	51	14.3	9.4-19.2	40	9.2	6.1-12.3	133	53.0	45.9-60.1
35-44	355	97,537	31	6.3	3.4- 9.2	66	14.9	11.0-18.8	30	8.3	4.2-12.4	34	10.1	6.0-14.2	194	60.4	54.1-66.7
45-54	526	106,443	44	6.4	3.9- 8.9	71	12.3	9.0-15.6	50	10.4	7.1-13.7	65	13.5	9.6-17.4	296	57.5	52.2-62.8
55-64	710	103,062	64	7.3	4.9- 9.7	109	13.1	10.4-15.8	58	8.9	6.0-11.8	104	14.8	11.5-18.1	375	56.0	51.3-60.7
65+	1143	121,050	80	5.9	4.1- 7.7	216	19.5	16.4-22.6	169	15.5	12.6-18.4	189	16.7	13.8-19.6	489	42.4	38.7-46.1
Less Than H.S.	257	63,384	59	23.3	15.9-30.7	126	45.7	37.7-53.7	41	15.5	9.8-21.2	14	7.2	2.3-12.1	17	8.3	3.2-13.4
H.S. or G.E.D.	961	182,058	110	8.4	6.0-10.8	257	21.4	17.9-24.9	144	15.4	12.1-18.7	171	17.7	14.6-20.8	279	37.1	32.4-41.8
Some Post-H.S.	821	179,556	53	4.4	2.4- 6.4	125	12.3	9.6-15.0	119	12.6	9.7-15.5	143	14.9	11.8-18.0	381	55.9	51.4-60.4
College Graduate	1189	167,474	32	1.4	0.8- 2.0	70	4.3	2.9- 5.7	82	5.0	3.6- 6.4	133	8.3	6.5-10.1	872	81.1	78.6-83.6
Less than \$15,000	254	40,200	254	100.0	100.0- 100												
\$15,000- 24,999	578	97,189				578	100.0	100.0- 100									
\$25,000- 34,999	386	68,678							386	100.0	100.0- 100						
\$35,000- 49,999	461	77,457										461	100.0	100.0- 100			
\$50,000- 74,999	502	92,609													502	100.0	100.0- 100
\$75,000+	1047	216,338													1047	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1432	285,878	85	4.6	3.2- 6.0	241	16.2	13.7-18.7	176	13.3	10.8-15.8	200	12.9	10.5-15.3	730	53.1	49.6-56.6
White/Non-Hisp	1046	192,330	48	3.1	1.9- 4.3	128	11.1	8.7-13.5	113	10.9	8.0-13.8	151	13.0	10.3-15.7	606	61.9	57.8-66.0
Black or Afr. Am./Non-Hisp	211	51,383	21	8.8	3.7-13.9	58	27.1	19.1-35.1	38	17.4	10.5-24.3	31	13.9	8.0-19.8	63	32.8	23.8-41.8
Hispanic	93	23,337	11	7.6	2.9-12.3	44	40.5	28.3-52.7	13	20.4	7.9-32.9	9	13.9	2.7-25.1	16	17.7	7.9-27.5
18-24	74	29,197	6	8.3	1.4-15.2	19	22.4	10.8-34.0	10	9.2	3.1-15.3	14	17.0	6.4-27.6	25	43.1	28.4-57.8
25-34	145	48,262	6	1.5	0.3- 2.7	43	22.1	14.5-29.7	30	20.7	11.7-29.7	17	9.0	4.1-13.9	49	46.7	35.7-57.7
35-44	165	48,348	11	6.6	1.7-11.5	31	14.6	9.1-20.1	14	9.4	2.3-16.5	16	10.7	4.2-17.2	93	58.7	48.9-68.5
45-54	216	50,497	12	4.1	1.6- 6.6	32	11.9	7.0-16.8	23	10.8	5.5-16.1	25	12.3	7.0-17.6	124	61.0	53.2-68.8
55-64	311	49,203	24	4.9	2.2- 7.6	49	13.5	9.2-17.8	20	8.4	3.9-12.9	40	13.5	8.8-18.2	178	59.7	52.8-66.6
65+	510	58,097	25	3.8	1.8- 5.8	66	16.1	11.2-21.0	74	17.0	11.9-22.1	87	16.3	12.0-20.6	258	46.8	41.1-52.5
Less Than H.S.	124	32,463	17	11.4	5.3-17.5	66	47.7	36.7-58.7	24	21.8	12.4-31.2	10	10.5	2.3-18.7	7	8.6	0.4-16.8
H.S. or G.E.D.	448	99,173	44	6.7	3.8- 9.6	110	19.9	15.4-24.4	63	16.0	10.9-21.1	84	16.9	12.8-21.0	147	40.5	33.8-47.2
Some Post-H.S.	341	83,150	17	2.6	0.8- 4.4	37	9.3	5.0-13.6	52	13.7	8.6-18.8	56	13.2	8.5-17.9	179	61.2	54.1-68.3
College Graduate	519	71,092	7	0.9	0.0- 2.1	28	4.8	2.6- 7.0	37	5.1	2.9- 7.3	50	8.0	5.1-10.9	397	81.3	77.2-85.4
Less than \$15,000	85	13,086	85	100.0	100.0- 100												
\$15,000- 24,999	241	46,303				241	100.0	100.0- 100									
\$25,000- 34,999	176	37,918							176	100.0	100.0- 100						
\$35,000- 49,999	200	36,881										200	100.0	100.0- 100			
\$50,000- 74,999	226	43,374													226	100.0	100.0- 100
\$75,000+	504	108,316													504	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1796	306,593	169	8.8	6.6-11.0	337	16.6	14.2-19.0	210	10.0	8.2-11.8	261	13.2	11.2-15.2	819	51.3	48.0-54.6
White/Non-Hisp	1299	197,610	97	5.0	3.6- 6.4	205	12.9	10.4-15.4	148	9.9	7.9-11.9	187	12.9	10.5-15.3	662	59.4	55.7-63.1
Black or Afr. Am./Non-Hisp	300	65,853	43	15.7	8.6-22.8	67	18.8	13.1-24.5	39	12.1	7.4-16.8	53	17.3	11.8-22.8	98	36.1	28.3-43.9
Oth. Race/Non-Hisp.	50	14,409	6	18.6	1.2-36.0	9	8.5	1.6-15.4	7	4.5	0.8- 8.2	6	6.0	0.5-11.5	22	62.4	44.2-80.6
Hispanic	102	20,664	17	14.1	6.1-22.1	45	52.4	40.1-64.7	14	11.3	5.0-17.6	9	8.0	2.3-13.7	17	14.2	6.6-21.8
18-24	78	32,644	12	22.5	8.2-36.8	13	15.0	4.2-25.8	10	10.1	3.2-17.0	13	11.0	4.3-17.7	30	41.3	26.8-55.8
25-34	174	50,660	10	4.2	1.1- 7.3	36	19.4	12.0-26.8	21	8.2	4.1-12.3	23	9.3	5.2-13.4	84	58.9	49.9-67.9
35-44	190	49,190	20	5.9	3.0- 8.8	35	15.3	9.6-21.0	16	7.2	3.3-11.1	18	9.5	4.6-14.4	101	62.1	54.1-70.1
45-54	310	55,947	32	8.5	4.4-12.6	39	12.6	7.7-17.5	27	10.0	5.7-14.3	40	14.6	9.1-20.1	172	54.3	47.2-61.4
55-64	399	53,859	40	9.4	5.7-13.1	60	12.7	9.2-16.2	38	9.3	5.6-13.0	64	15.9	11.2-20.6	197	52.7	46.4-59.0
65+	633	62,953	55	7.8	5.3-10.3	150	22.7	18.6-26.8	95	14.2	10.9-17.5	102	17.1	12.8-21.4	231	38.2	33.1-43.3
Less Than H.S.	133	30,921	42	35.7	23.2-48.2	60	43.7	31.7-55.7	17	8.9	3.8-14.0	4	3.7	0.0- 8.0	10	8.0	1.9-14.1
H.S. or G.E.D.	513	82,885	66	10.4	6.5-14.3	147	23.3	18.0-28.6	81	14.7	10.8-18.6	87	18.5	13.8-23.2	132	33.0	26.5-39.5
Some Post-H.S.	480	96,406	36	6.0	2.9- 9.1	88	14.8	11.1-18.5	67	11.6	8.1-15.1	87	16.3	12.2-20.4	202	51.3	45.2-57.4
College Graduate	670	96,381	25	1.7	0.9- 2.5	42	3.9	2.3- 5.5	45	4.8	2.8- 6.8	83	8.6	6.2-11.0	475	80.9	77.6-84.2
Less than \$15,000	169	27,114	169	100.0	100.0- 100												
\$15,000- 24,999	337	50,886				337	100.0	100.0- 100									
\$25,000- 34,999	210	30,760							210	100.0	100.0- 100						
\$35,000- 49,999	261	40,576										261	100.0	100.0- 100			
\$50,000- 74,999	276	49,235													276	100.0	100.0- 100
\$75,000+	543	108,022													543	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3931	716,417	433	11.9	10.3-13.5	179	5.4	4.4- 6.4	1245	27.0	25.0-29.0	2074	55.6	53.4-57.8
Male	1686	339,265	211	13.8	11.4-16.2	92	7.1	5.3- 8.9	604	30.2	27.3-33.1	779	48.9	45.4-52.4
Female	2245	377,152	222	10.2	8.2-12.2	87	3.9	2.7- 5.1	641	24.2	21.7-26.7	1295	61.6	58.7-64.5
White/Non-Hisp	2883	470,141	333	13.1	11.1-15.1	113	4.8	3.6- 6.0	1036	32.4	30.0-34.8	1401	49.8	47.1-52.5
Black or Afr. Am./Non-Hisp	582	139,038	57	9.8	6.1-13.5	39	7.4	4.3-10.5	114	16.7	12.8-20.6	372	66.1	60.6-71.6
Oth. Race/Non-Hisp.	110	31,413	13	8.6	3.1-14.1	7	5.7	0.8-10.6	16	11.8	4.0-19.6	74	73.9	63.7-84.1
Hispanic	232	53,207	15	8.1	3.0-13.2	12	5.6	1.7- 9.5	39	16.3	9.8-22.8	166	70.0	62.0-78.0
18-24	210	87,352	22	11.9	5.2-18.6	11	3.5	1.1- 5.9	20	10.1	4.8-15.4	157	74.6	66.6-82.6
25-34	371	117,422	52	13.0	8.3-17.7	34	9.2	5.5-12.9	63	16.5	11.8-21.2	222	61.3	54.8-67.8
35-44	387	108,144	55	13.5	9.2-17.8	20	3.7	1.9- 5.5	67	21.1	15.4-26.8	245	61.7	55.4-68.0
45-54	598	120,404	97	14.0	10.9-17.1	37	7.7	4.4-11.0	137	24.4	19.9-28.9	327	53.9	48.8-59.0
55-64	830	120,099	123	15.4	12.3-18.5	45	6.3	4.1- 8.5	245	31.1	27.0-35.2	417	47.2	42.9-51.5
65+	1482	154,424	81	6.1	4.5- 7.7	30	2.7	1.3- 4.1	697	46.8	43.5-50.1	674	44.4	41.1-47.7
Less Than H.S.	345	88,912	55	18.4	11.7-25.1	30	9.3	5.2-13.4	85	23.8	17.7-29.9	175	48.5	41.1-55.9
H.S. or G.E.D.	1178	222,115	186	16.1	13.0-19.2	64	6.1	4.1- 8.1	408	27.9	24.4-31.4	520	49.9	45.6-54.2
Some Post-H.S.	992	209,838	127	11.6	9.2-14.0	51	5.9	3.7- 8.1	329	29.4	25.7-33.1	485	53.1	48.8-57.4
College Graduate	1398	191,760	65	4.7	3.3- 6.1	32	2.4	1.4- 3.4	417	24.6	21.7-27.5	884	68.3	65.0-71.6
Less than \$15,000	247	38,749	49	24.3	14.1-34.5	22	7.8	3.9-11.7	69	21.2	14.1-28.3	107	46.8	36.6-57.0
\$15,000- 24,999	556	93,915	66	10.9	7.8-14.0	40	7.8	4.9-10.7	187	26.6	22.1-31.1	263	54.7	49.0-60.4
\$25,000- 34,999	379	67,878	58	17.3	11.6-23.0	26	9.3	4.8-13.8	116	25.1	19.4-30.8	179	48.3	41.0-55.6
\$35,000- 49,999	454	76,491	64	13.6	9.7-17.5	17	5.1	1.8- 8.4	146	27.8	22.1-33.5	227	53.5	47.2-59.8
\$50,000- 74,999	495	91,046	51	11.0	7.5-14.5	20	6.5	2.6-10.4	176	32.1	26.0-38.2	248	50.4	43.9-56.9
\$75,000+	1031	212,626	63	6.8	4.4- 9.2	28	3.1	1.7- 4.5	312	27.7	24.0-31.4	628	62.4	58.3-66.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	339,265	211	13.8	11.4-16.2	92	7.1	5.3- 8.9	604	30.2	27.3-33.1	779	48.9	45.4-52.4
White/Non-Hisp	1229	221,856	160	15.4	12.3-18.5	51	5.7	3.7- 7.7	493	34.6	31.1-38.1	525	44.4	40.3-48.5
Black or Afr. Am./Non-Hisp	242	62,848	28	9.7	5.4-14.0	23	10.7	5.0-16.4	57	21.0	14.1-27.9	134	58.6	49.8-67.4
Hispanic	105	28,456	10	12.2	3.2-21.2	9	9.2	2.1-16.3	24	22.0	11.4-32.6	62	56.6	44.3-68.9
18-24	102	43,714	11	9.1	3.4-14.8	7	5.7	1.2-10.2	13	8.3	3.4-13.2	71	76.8	68.2-85.4
25-34	170	57,777	34	19.3	11.1-27.5	24	13.1	6.8-19.4	34	18.4	11.3-25.5	78	49.2	39.0-59.4
35-44	179	52,246	28	16.4	9.1-23.7	10	4.7	1.8- 7.6	38	26.7	17.7-35.7	103	52.3	42.7-61.9
45-54	245	57,254	48	16.6	11.7-21.5	19	10.2	4.5-15.9	57	24.3	17.6-31.0	121	49.0	41.4-56.6
55-64	357	56,217	55	16.5	11.4-21.6	21	7.7	3.8-11.6	122	36.8	30.3-43.3	159	39.0	32.7-45.3
65+	612	68,268	35	6.3	3.8- 8.8	11	2.1	0.3- 3.9	330	54.6	49.3-59.9	236	37.0	31.9-42.1
Less Than H.S.	150	43,552	25	16.9	9.3-24.5	17	10.3	4.6-16.0	42	28.5	18.7-38.3	66	44.3	33.5-55.1
H.S. or G.E.D.	529	117,946	96	19.3	14.2-24.4	31	7.8	4.5-11.1	200	28.7	23.8-33.6	202	44.2	37.9-50.5
Some Post-H.S.	394	93,289	60	13.7	9.8-17.6	32	9.1	5.2-13.0	147	32.0	26.1-37.9	155	45.3	38.4-52.2
College Graduate	603	81,674	30	4.6	2.4- 6.8	12	2.4	0.8- 4.0	210	30.5	25.6-35.4	351	62.5	57.4-67.6
Less than \$15,000	83	12,051	16	19.5	8.3-30.7	6	7.8	0.7-14.9	24	24.3	12.5-36.1	37	48.4	33.1-63.7
\$15,000- 24,999	229	43,944	32	13.0	7.7-18.3	27	12.6	7.1-18.1	76	28.1	21.0-35.2	94	46.3	37.7-54.9
\$25,000- 34,999	172	37,443	29	19.7	10.9-28.5	14	10.9	4.2-17.6	54	24.2	15.8-32.6	75	45.3	34.3-56.3
\$35,000- 49,999	199	36,848	35	15.0	9.5-20.5	9	5.5	1.2- 9.8	73	35.9	26.5-45.3	82	43.7	34.1-53.3
\$50,000- 74,999	222	42,121	21	11.1	5.8-16.4	14	11.6	3.8-19.4	100	37.3	28.3-46.3	87	40.0	30.6-49.4
\$75,000+	493	106,153	37	9.5	5.2-13.8	14	4.3	1.8- 6.8	170	30.8	25.3-36.3	272	55.3	49.0-61.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2245	377,152	222	10.2	8.2-12.2	87	3.9	2.7- 5.1	641	24.2	21.7-26.7	1295	61.6	58.7-64.5
White/Non-Hisp	1654	248,284	173	11.0	8.6-13.4	62	4.1	2.7- 5.5	543	30.4	27.1-33.7	876	54.6	51.1-58.1
Black or Afr. Am./Non-Hisp	340	76,190	29	9.8	4.1-15.5	16	4.7	1.4- 8.0	57	13.1	9.0-17.2	238	72.4	65.5-79.3
Oth. Race/Non-Hisp.	63	17,297	5	4.3	0.0- 8.8	2	1.2	0.0- 3.2	9	10.1	0.9-19.3	47	84.4	74.0-94.8
Hispanic	127	24,751	5	3.4	0.0- 6.9	3	1.5	0.0- 3.3	15	9.7	4.0-15.4	104	85.3	78.4-92.2
18-24	108	43,638	11	14.6	2.8-26.4	4	1.2	0.0- 2.6	7	11.8	2.4-21.2	86	72.4	59.3-85.5
25-34	201	59,644	18	6.8	3.1-10.5	10	5.5	1.2- 9.8	29	14.7	8.4-21.0	144	73.1	65.3-80.9
35-44	208	55,898	27	10.8	6.3-15.3	10	2.8	0.6- 5.0	29	16.0	9.5-22.5	142	70.4	62.8-78.0
45-54	353	63,150	49	11.7	8.0-15.4	18	5.4	1.9- 8.9	80	24.6	18.7-30.5	206	58.3	51.6-65.0
55-64	473	63,882	68	14.4	10.5-18.3	24	5.0	2.5- 7.5	123	26.1	21.0-31.2	258	54.4	48.7-60.1
65+	870	86,156	46	5.9	3.7- 8.1	19	3.2	1.0- 5.4	367	40.6	36.3-44.9	438	50.3	46.0-54.6
Less Than H.S.	195	45,360	30	19.9	8.9-30.9	13	8.4	2.3-14.5	43	19.2	12.1-26.3	109	52.5	41.9-63.1
H.S. or G.E.D.	649	104,169	90	12.4	9.3-15.5	33	4.2	2.6- 5.8	208	27.1	22.2-32.0	318	56.3	50.8-61.8
Some Post-H.S.	598	116,550	67	9.9	7.0-12.8	19	3.3	1.1- 5.5	182	27.4	22.5-32.3	330	59.4	54.1-64.7
College Graduate	795	110,086	35	4.7	2.7- 6.7	20	2.5	1.1- 3.9	207	20.3	16.6-24.0	533	72.5	68.4-76.6
Less than \$15,000	164	26,698	33	26.5	12.8-40.2	16	7.7	3.2-12.2	45	19.8	11.0-28.6	70	46.0	33.1-58.9
\$15,000- 24,999	327	49,972	34	9.0	5.5-12.5	13	3.6	1.2- 6.0	111	25.3	19.2-31.4	169	62.0	54.9-69.1
\$25,000- 34,999	207	30,435	29	14.4	8.1-20.7	12	7.4	1.9-12.9	62	26.2	18.9-33.5	104	52.0	43.2-60.8
\$35,000- 49,999	255	39,642	29	12.2	6.9-17.5	8	4.6	0.0- 9.5	73	20.4	14.3-26.5	145	62.7	54.7-70.7
\$50,000- 74,999	273	48,925	30	11.0	6.3-15.7	6	2.1	0.1- 4.1	76	27.6	19.2-36.0	161	59.3	50.7-67.9
\$75,000+	538	106,473	26	4.1	2.3- 5.9	14	1.9	0.7- 3.1	142	24.6	19.7-29.5	356	69.4	64.3-74.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3931	716,417	3319	82.6	80.8-84.4	612	17.4	15.6-19.2
Male	1686	339,265	1383	79.1	76.4-81.8	303	20.9	18.2-23.6
Female	2245	377,152	1936	85.8	83.6-88.0	309	14.2	12.0-16.4
White/Non-Hisp	2883	470,141	2437	82.1	79.9-84.3	446	17.9	15.7-20.1
Black or Afr. Am./Non-Hisp	582	139,038	486	82.8	78.3-87.3	96	17.2	12.7-21.7
Oth. Race/Non-Hisp.	110	31,413	90	85.7	78.4-93.0	20	14.3	7.0-21.6
Hispanic	232	53,207	205	86.3	80.0-92.6	27	13.7	7.4-20.0
18-24	210	87,352	177	84.7	77.8-91.6	33	15.3	8.4-22.2
25-34	371	117,422	285	77.8	72.1-83.5	86	22.2	16.5-27.9
35-44	387	108,144	312	82.8	78.3-87.3	75	17.2	12.7-21.7
45-54	598	120,404	464	78.3	74.2-82.4	134	21.7	17.6-25.8
55-64	830	120,099	662	78.3	74.6-82.0	168	21.7	18.0-25.4
65+	1482	154,424	1371	91.2	89.0-93.4	111	8.8	6.6-11.0
Less Than H.S.	345	88,912	260	72.2	64.9-79.5	85	27.8	20.5-35.1
H.S. or G.E.D.	1178	222,115	928	77.8	74.3-81.3	250	22.2	18.7-25.7
Some Post-H.S.	992	209,838	814	82.5	79.4-85.6	178	17.5	14.4-20.6
College Graduate	1398	191,760	1301	92.9	91.1-94.7	97	7.1	5.3- 8.9
Less than \$15,000	247	38,749	176	67.9	57.7-78.1	71	32.1	21.9-42.3
\$15,000- 24,999	556	93,915	450	81.3	77.2-85.4	106	18.7	14.6-22.8
\$25,000- 34,999	379	67,878	295	73.4	66.7-80.1	84	26.6	19.9-33.3
\$35,000- 49,999	454	76,491	373	81.4	76.7-86.1	81	18.6	13.9-23.3
\$50,000- 74,999	495	91,046	424	82.5	77.6-87.4	71	17.5	12.6-22.4
\$75,000+	1031	212,626	940	90.1	87.4-92.8	91	9.9	7.2-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 8: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	339,265	1383	79.1	76.4-81.8	303	20.9	18.2-23.6
White/Non-Hisp	1229	221,856	1018	78.9	75.6-82.2	211	21.1	17.8-24.4
Black or Afr. Am./Non-Hisp	242	62,848	191	79.5	72.8-86.2	51	20.5	13.8-27.2
Hispanic	105	28,456	86	78.6	67.8-89.4	19	21.4	10.6-32.2
18-24	102	43,714	84	85.1	77.8-92.4	18	14.9	7.6-22.2
25-34	170	57,777	112	67.6	58.0-77.2	58	32.4	22.8-42.0
35-44	179	52,246	141	78.9	71.3-86.5	38	21.1	13.5-28.7
45-54	245	57,254	178	73.3	66.4-80.2	67	26.7	19.8-33.6
55-64	357	56,217	281	75.8	69.9-81.7	76	24.2	18.3-30.1
65+	612	68,268	566	91.6	88.5-94.7	46	8.4	5.3-11.5
Less Than H.S.	150	43,552	108	72.8	63.8-81.8	42	27.2	18.2-36.2
H.S. or G.E.D.	529	117,946	402	72.9	67.2-78.6	127	27.1	21.4-32.8
Some Post-H.S.	394	93,289	302	77.2	71.9-82.5	92	22.8	17.5-28.1
College Graduate	603	81,674	561	93.0	90.5-95.5	42	7.0	4.5- 9.5
Less than \$15,000	83	12,051	61	72.7	60.2-85.2	22	27.3	14.8-39.8
\$15,000- 24,999	229	43,944	170	74.4	67.1-81.7	59	25.6	18.3-32.9
\$25,000- 34,999	172	37,443	129	69.5	59.3-79.7	43	30.5	20.3-40.7
\$35,000- 49,999	199	36,848	155	79.5	72.6-86.4	44	20.5	13.6-27.4
\$50,000- 74,999	222	42,121	187	77.4	68.6-86.2	35	22.6	13.8-31.4
\$75,000+	493	106,153	442	86.1	81.2-91.0	51	13.9	9.0-18.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 8: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2245	377,152	1936	85.8	83.6-88.0	309	14.2	12.0-16.4
White/Non-Hisp	1654	248,284	1419	85.0	82.5-87.5	235	15.0	12.5-17.5
Black or Afr. Am./Non-Hisp	340	76,190	295	85.5	79.0-92.0	45	14.5	8.0-21.0
Oth. Race/Non-Hisp.	63	17,297	56	94.5	89.6-99.4	7	5.5	0.6-10.4
Hispanic	127	24,751	119	95.1	91.2-99.0	8	4.9	1.0- 8.8
18-24	108	43,638	93	84.2	72.6-95.8	15	15.8	4.2-27.4
25-34	201	59,644	173	87.7	82.2-93.2	28	12.3	6.8-17.8
35-44	208	55,898	171	86.4	81.3-91.5	37	13.6	8.5-18.7
45-54	353	63,150	286	82.9	78.0-87.8	67	17.1	12.2-22.0
55-64	473	63,882	381	80.5	76.0-85.0	92	19.5	15.0-24.0
65+	870	86,156	805	90.9	88.0-93.8	65	9.1	6.2-12.0
Less Than H.S.	195	45,360	152	71.7	60.5-82.9	43	28.3	17.1-39.5
H.S. or G.E.D.	649	104,169	526	83.4	79.9-86.9	123	16.6	13.1-20.1
Some Post-H.S.	598	116,550	512	86.8	83.3-90.3	86	13.2	9.7-16.7
College Graduate	795	110,086	740	92.9	90.5-95.3	55	7.1	4.7- 9.5
Less than \$15,000	164	26,698	115	65.8	52.5-79.1	49	34.2	20.9-47.5
\$15,000- 24,999	327	49,972	280	87.4	83.3-91.5	47	12.6	8.5-16.7
\$25,000- 34,999	207	30,435	166	78.2	70.6-85.8	41	21.8	14.2-29.4
\$35,000- 49,999	255	39,642	218	83.1	76.2-90.0	37	16.9	10.0-23.8
\$50,000- 74,999	273	48,925	237	86.9	82.0-91.8	36	13.1	8.2-18.0
\$75,000+	538	106,473	498	94.0	91.8-96.2	40	6.0	3.8- 8.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	96
2 MALES ONLY	97
3 FEMALES ONLY	98
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	99
5 MALES ONLY	100
6 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	102
8 MALES ONLY	103
9 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	105
11 MALES ONLY	106
12 FEMALES ONLY	107
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	108
14 MALES ONLY	109
15 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3898	710,008	1952	53.1	50.7-55.5	1946	46.9	44.5-49.3
Male	1665	335,633	962	60.3	57.0-63.6	703	39.7	36.4-43.0
Female	2233	374,375	990	46.6	43.7-49.5	1243	53.4	50.5-56.3
White/Non-Hisp	2859	466,017	1556	58.7	56.2-61.2	1303	41.3	38.8-43.8
Black or Afr. Am./Non-Hisp	582	138,710	218	42.2	36.3-48.1	364	57.8	51.9-63.7
Oth. Race/Non-Hisp.	107	30,955	36	31.9	20.7-43.1	71	68.1	56.9-79.3
Hispanic	227	52,425	88	46.6	38.2-55.0	139	53.4	45.0-61.8
18-24	207	86,529	103	54.7	45.9-63.5	104	45.3	36.5-54.1
25-34	364	115,824	221	61.7	55.0-68.4	143	38.3	31.6-45.0
35-44	384	107,161	209	56.7	50.4-63.0	175	43.3	37.0-49.6
45-54	592	119,341	287	51.7	46.6-56.8	305	48.3	43.2-53.4
55-64	827	120,197	416	50.9	46.6-55.2	411	49.1	44.8-53.4
65+	1474	153,080	701	46.7	43.4-50.0	773	53.3	50.0-56.6
Less Than H.S.	338	87,302	75	31.4	23.8-39.0	263	68.6	61.0-76.2
H.S. or G.E.D.	1175	221,487	493	48.2	43.9-52.5	682	51.8	47.5-56.1
Some Post-H.S.	987	208,658	514	57.3	53.0-61.6	473	42.7	38.4-47.0
College Graduate	1381	189,249	868	65.0	61.5-68.5	513	35.0	31.5-38.5
Less than \$15,000	243	38,218	66	27.2	17.0-37.4	177	72.8	62.6-83.0
\$15,000- 24,999	552	92,667	193	39.4	33.7-45.1	359	60.6	54.9-66.3
\$25,000- 34,999	376	67,606	163	48.5	41.2-55.8	213	51.5	44.2-58.8
\$35,000- 49,999	455	76,733	230	51.5	45.2-57.8	225	48.5	42.2-54.8
\$50,000- 74,999	492	89,729	298	63.5	57.4-69.6	194	36.5	30.4-42.6
\$75,000+	1021	211,168	680	66.8	62.7-70.9	341	33.2	29.1-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	335,633	962	60.3	57.0-63.6	703	39.7	36.4-43.0
White/Non-Hisp	1214	219,831	744	64.3	60.6-68.0	470	35.7	32.0-39.4
Black or Afr. Am./Non-Hisp	240	62,255	114	50.6	41.4-59.8	126	49.4	40.2-58.6
Hispanic	103	28,005	54	62.8	51.6-74.0	49	37.2	26.0-48.4
18-24	101	43,826	53	57.4	45.2-69.6	48	42.6	30.4-54.8
25-34	165	56,586	112	70.6	61.8-79.4	53	29.4	20.6-38.2
35-44	177	51,332	104	63.6	54.6-72.6	73	36.4	27.4-45.4
45-54	243	56,231	129	55.8	48.4-63.2	114	44.2	36.8-51.6
55-64	355	56,425	204	58.8	52.3-65.3	151	41.2	34.7-47.7
65+	604	67,646	352	56.4	51.1-61.7	252	43.6	38.3-48.9
Less Than H.S.	149	43,404	52	40.4	29.8-51.0	97	59.6	49.0-70.2
H.S. or G.E.D.	527	117,500	269	57.7	51.8-63.6	258	42.3	36.4-48.2
Some Post-H.S.	388	92,409	244	67.3	61.2-73.4	144	32.7	26.6-38.8
College Graduate	591	79,842	395	68.4	63.5-73.3	196	31.6	26.7-36.5
Less than \$15,000	83	12,637	33	39.8	25.3-54.3	50	60.2	45.7-74.7
\$15,000- 24,999	227	43,490	94	45.1	36.5-53.7	133	54.9	46.3-63.5
\$25,000- 34,999	168	37,078	79	52.8	42.0-63.6	89	47.2	36.4-58.0
\$35,000- 49,999	199	36,827	108	57.5	48.5-66.5	91	42.5	33.5-51.5
\$50,000- 74,999	219	41,378	146	69.3	61.1-77.5	73	30.7	22.5-38.9
\$75,000+	485	104,722	350	75.0	69.9-80.1	135	25.0	19.9-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2233	374,375	990	46.6	43.7-49.5	1243	53.4	50.5-56.3
White/Non-Hisp	1645	246,186	812	53.8	50.3-57.3	833	46.2	42.7-49.7
Black or Afr. Am./Non-Hisp	342	76,454	104	35.4	28.0-42.8	238	64.6	57.2-72.0
Oth. Race/Non-Hisp.	62	17,145	18	23.8	10.3-37.3	44	76.2	62.7-89.7
Hispanic	124	24,419	34	28.0	18.0-38.0	90	72.0	62.0-82.0
18-24	106	42,703	50	52.0	39.1-64.9	56	48.0	35.1-60.9
25-34	199	59,238	109	53.2	44.2-62.2	90	46.8	37.8-55.8
35-44	207	55,829	105	50.4	42.0-58.8	102	49.6	41.2-58.0
45-54	349	63,110	158	48.0	41.3-54.7	191	52.0	45.3-58.7
55-64	472	63,772	212	44.0	38.3-49.7	260	56.0	50.3-61.7
65+	870	85,433	349	39.0	34.7-43.3	521	61.0	56.7-65.3
Less Than H.S.	189	43,898	23	22.6	10.8-34.4	166	77.4	65.6-89.2
H.S. or G.E.D.	648	103,987	224	37.5	31.8-43.2	424	62.5	56.8-68.2
Some Post-H.S.	599	116,249	270	49.3	43.8-54.8	329	50.7	45.2-56.2
College Graduate	790	109,407	473	62.5	57.8-67.2	317	37.5	32.8-42.2
Less than \$15,000	160	25,582	33	20.9	7.0-34.8	127	79.1	65.2-93.0
\$15,000- 24,999	325	49,177	99	34.4	27.0-41.8	226	65.6	58.2-73.0
\$25,000- 34,999	208	30,527	84	43.4	34.4-52.4	124	56.6	47.6-65.6
\$35,000- 49,999	256	39,906	122	45.9	37.7-54.1	134	54.1	45.9-62.3
\$50,000- 74,999	273	48,351	152	58.4	50.0-66.8	121	41.6	33.2-50.0
\$75,000+	536	106,446	330	58.6	52.7-64.5	206	41.4	35.5-47.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3898	710,008	1163	33.2	31.0-35.4	363	10.7	9.1-12.3	133	3.5	2.7- 4.3	293	5.7	4.7- 6.7	1946	46.9	44.5-49.3
Male	1665	335,633	523	34.5	31.2-37.8	193	13.8	11.3-16.3	62	3.7	2.5- 4.9	184	8.2	6.4-10.0	703	39.7	36.4-43.0
Female	2233	374,375	640	31.9	29.0-34.8	170	8.0	6.4- 9.6	71	3.4	2.2- 4.6	109	3.3	2.5- 4.1	1243	53.4	50.5-56.3
White/Non-Hisp	2859	466,017	887	34.9	32.4-37.4	294	12.1	10.1-14.1	113	4.7	3.5- 5.9	262	7.0	5.8- 8.2	1303	41.3	38.8-43.8
Black or Afr. Am./Non-Hisp	582	138,710	153	28.9	23.4-34.4	36	7.7	4.6-10.8	12	1.7	0.1- 3.3	17	3.9	1.4- 6.4	364	57.8	51.9-63.7
Oth. Race/Non-Hisp.	107	30,955	25	19.3	10.7-27.9	8	11.8	3.4-20.2				3	0.9	0.0- 1.9	71	68.1	56.9-79.3
Hispanic	227	52,425	70	39.1	30.5-47.7	10	5.3	1.4- 9.2	3	0.7	0.0- 1.5	5	1.6	0.0- 3.2	139	53.4	45.0-61.8
18-24	207	86,529	75	39.2	30.4-48.0	22	10.8	5.3-16.3	3	1.8	0.0- 4.7	3	2.8	0.0- 6.3	104	45.3	36.5-54.1
25-34	364	115,824	155	40.9	34.2-47.6	48	16.3	10.8-21.8	4	1.4	0.0- 3.2	14	3.1	0.6- 5.6	143	38.3	31.6-45.0
35-44	384	107,161	138	36.7	30.6-42.8	40	12.4	7.9-16.9	18	5.3	2.6- 8.0	13	2.3	0.9- 3.7	175	43.3	37.0-49.6
45-54	592	119,341	183	33.4	28.5-38.3	62	9.5	6.8-12.2	19	3.4	1.6- 5.2	23	5.5	3.0- 8.0	305	48.3	43.2-53.4
55-64	827	120,197	241	29.8	25.7-33.9	76	10.4	7.7-13.1	32	3.9	2.3- 5.5	67	6.8	4.8- 8.8	411	49.1	44.8-53.4
65+	1474	153,080	361	24.2	21.3-27.1	112	6.8	5.2- 8.4	57	4.9	3.3- 6.5	171	10.8	8.8-12.8	773	53.3	50.0-56.6
Less Than H.S.	338	87,302	61	26.2	18.8-33.6	6	3.4	0.1- 6.7	1	0.1	0.0- 0.3	7	1.8	0.4- 3.2	263	68.6	61.0-76.2
H.S. or G.E.D.	1175	221,487	333	32.9	28.8-37.0	81	8.6	6.1-11.1	20	2.3	0.9- 3.7	59	4.4	2.6- 6.2	682	51.8	47.5-56.1
Some Post-H.S.	987	208,658	292	32.3	28.2-36.4	102	13.2	10.1-16.3	41	4.5	2.7- 6.3	79	7.2	5.0- 9.4	473	42.7	38.4-47.0
College Graduate	1381	189,249	476	38.2	34.7-41.7	174	14.1	11.4-16.8	71	5.5	3.9- 7.1	147	7.2	5.8- 8.6	513	35.0	31.5-38.5
Less than \$15,000	243	38,218	43	19.4	9.2-29.6	11	4.7	1.2- 8.2	3	0.8	0.0- 2.0	9	2.3	0.5- 4.1	177	72.8	62.6-83.0
\$15,000- 24,999	552	92,667	138	28.4	23.1-33.7	22	4.0	2.0- 6.0	9	1.8	0.4- 3.2	24	5.3	1.8- 8.8	359	60.6	54.9-66.3
\$25,000- 34,999	376	67,606	106	32.8	25.9-39.7	23	8.6	3.3-13.9	7	0.8	0.0- 1.6	27	6.4	3.5- 9.3	213	51.5	44.2-58.8
\$35,000- 49,999	455	76,733	141	33.1	27.0-39.2	40	9.3	5.0-13.6	16	3.3	1.1- 5.5	33	5.8	3.3- 8.3	225	48.5	42.2-54.8
\$50,000- 74,999	492	89,729	178	36.8	30.5-43.1	55	15.6	9.9-21.3	23	5.6	2.3- 8.9	42	5.5	3.1- 7.9	194	36.5	30.4-42.6
\$75,000+	1021	211,168	358	37.8	33.5-42.1	158	15.7	12.8-18.6	60	6.4	4.4- 8.4	104	6.9	4.9- 8.9	341	33.2	29.1-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	335,633	523	34.5	31.2-37.8	193	13.8	11.3-16.3	62	3.7	2.5- 4.9	184	8.2	6.4-10.0	703	39.7	36.4-43.0
White/Non-Hisp	1214	219,831	378	34.4	30.5-38.3	152	15.4	12.1-18.7	51	4.6	3.0- 6.2	163	9.9	7.7-12.1	470	35.7	32.0-39.4
Black or Afr. Am./Non-Hisp	240	62,255	78	32.0	23.2-40.8	19	9.1	3.8-14.4	7	2.6	0.0- 5.7	10	6.9	1.4-12.4	126	49.4	40.2-58.6
Hispanic	103	28,005	41	51.4	39.1-63.7	8	8.7	1.8-15.6	2	0.9	0.0- 2.3	3	1.8	0.0- 4.0	49	37.2	26.0-48.4
18-24	101	43,826	37	36.9	25.1-48.7	12	14.6	5.0-24.2	1	0.3	0.0- 0.9	3	5.6	0.0-12.5	48	42.6	30.4-54.8
25-34	165	56,586	71	41.4	31.0-51.8	26	20.4	11.4-29.4	4	2.8	0.0- 6.3	11	6.0	0.9-11.1	53	29.4	20.6-38.2
35-44	177	51,332	61	36.9	27.5-46.3	23	16.8	9.2-24.4	11	6.7	2.4-11.0	9	3.2	0.8- 5.6	73	36.4	27.4-45.4
45-54	243	56,231	72	33.2	25.9-40.5	33	11.3	6.8-15.8	9	3.8	1.1- 6.5	15	7.5	3.2-11.8	114	44.2	36.8-51.6
55-64	355	56,425	121	35.0	28.5-41.5	39	13.7	8.6-18.8	8	2.2	0.2- 4.2	36	7.9	4.8-11.0	151	41.2	34.7-47.7
65+	604	67,646	155	25.9	21.2-30.6	59	8.1	5.7-10.5	29	5.6	3.1- 8.1	109	16.8	13.1-20.5	252	43.6	38.3-48.9
Less Than H.S.	149	43,404	43	31.6	21.6-41.6	5	6.5	0.0-13.0				4	2.3	0.0- 4.7	97	59.6	49.0-70.2
H.S. or G.E.D.	527	117,500	159	37.6	31.3-43.9	55	11.2	7.1-15.3	10	1.7	0.5- 2.9	45	7.2	4.3-10.1	258	42.3	36.4-48.2
Some Post-H.S.	388	92,409	126	32.7	26.4-39.0	52	18.3	12.2-24.4	19	5.2	2.3- 8.1	47	11.1	6.8-15.4	144	32.7	26.6-38.8
College Graduate	591	79,842	194	34.7	29.6-39.8	81	16.9	12.4-21.4	33	6.9	4.0- 9.8	87	9.9	7.4-12.4	196	31.6	26.7-36.5
Less than \$15,000	83	12,637	17	20.7	8.9-32.5	8	11.9	2.1-21.7	1	1.7	0.0- 5.0	7	5.5	0.8-10.2	50	60.2	45.7-74.7
\$15,000- 24,999	227	43,490	67	31.0	23.4-38.6	11	4.0	1.3- 6.7	6	2.7	0.2- 5.2	10	7.4	0.5-14.3	133	54.9	46.3-63.5
\$25,000- 34,999	168	37,078	44	31.3	21.1-41.5	12	11.1	2.5-19.7	2	0.4	0.0- 1.0	21	10.0	4.9-15.1	89	47.2	36.4-58.0
\$35,000- 49,999	199	36,827	51	30.4	21.0-39.8	25	14.6	6.6-22.6	7	2.4	0.0- 4.8	25	10.1	5.0-15.2	91	42.5	33.5-51.5
\$50,000- 74,999	219	41,378	90	40.5	31.3-49.7	28	21.2	11.2-31.2	8	3.2	0.7- 5.7	20	4.4	2.2- 6.6	73	30.7	22.5-38.9
\$75,000+	485	104,722	164	38.8	32.3-45.3	82	18.5	13.8-23.2	34	7.8	4.5-11.1	70	9.9	6.4-13.4	135	25.0	19.9-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2233	374,375	640	31.9	29.0-34.8	170	8.0	6.4- 9.6	71	3.4	2.2- 4.6	109	3.3	2.5- 4.1	1243	53.4	50.5-56.3
White/Non-Hisp	1645	246,186	509	35.5	32.0-39.0	142	9.1	7.1-11.1	62	4.8	3.0- 6.6	99	4.5	3.3- 5.7	833	46.2	42.7-49.7
Black or Afr. Am./Non-Hisp	342	76,454	75	26.4	19.1-33.7	17	6.6	3.1-10.1	5	0.9	0.0- 1.9	7	1.5	0.1- 2.9	238	64.6	57.2-72.0
Oth. Race/Non-Hisp.	62	17,145	16	19.8	7.8-31.8	1	3.7	0.0-10.8				1	0.3	0.0- 0.9	44	76.2	62.7-89.7
Hispanic	124	24,419	29	24.9	15.1-34.7	2	1.4	0.0- 3.4	1	0.4	0.0- 1.2	2	1.3	0.0- 3.5	90	72.0	62.0-82.0
18-24	106	42,703	38	41.6	28.5-54.7	10	6.9	2.0-11.8	2	3.4	0.0- 9.1				56	48.0	35.1-60.9
25-34	199	59,238	84	40.5	31.9-49.1	22	12.3	6.2-18.4				3	0.4	0.0- 1.0	90	46.8	37.8-55.8
35-44	207	55,829	77	36.5	28.5-44.5	17	8.4	3.7-13.1	7	3.9	0.2- 7.6	4	1.5	0.0- 3.1	102	49.6	41.2-58.0
45-54	349	63,110	111	33.6	27.3-39.9	29	7.8	4.3-11.3	10	3.0	0.8- 5.2	8	3.7	1.0- 6.4	191	52.0	45.3-58.7
55-64	472	63,772	120	25.3	20.2-30.4	37	7.4	4.7-10.1	24	5.5	3.0- 8.0	31	5.8	3.4- 8.2	260	56.0	50.3-61.7
65+	870	85,433	206	22.8	19.1-26.5	53	5.8	3.8- 7.8	28	4.3	2.1- 6.5	62	6.0	4.2- 7.8	521	61.0	56.7-65.3
Less Than H.S.	189	43,898	18	20.8	9.0-32.6	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	166	77.4	65.6-89.2
H.S. or G.E.D.	648	103,987	174	27.6	22.5-32.7	26	5.7	3.0- 8.4	10	3.0	0.3- 5.7	14	1.2	0.2- 2.2	424	62.5	56.8-68.2
Some Post-H.S.	599	116,249	166	32.1	26.8-37.4	50	9.1	6.2-12.0	22	4.0	1.8- 6.2	32	4.2	2.4- 6.0	329	50.7	45.2-56.2
College Graduate	790	109,407	282	40.7	35.8-45.6	93	12.0	8.7-15.3	38	4.4	2.6- 6.2	60	5.3	3.5- 7.1	317	37.5	32.8-42.2
Less than \$15,000	160	25,582	26	18.7	4.6-32.8	3	1.1	0.0- 2.7	2	0.4	0.0- 1.0	2	0.7	0.0- 1.7	127	79.1	65.2-93.0
\$15,000- 24,999	325	49,177	71	26.1	19.0-33.2	11	4.0	1.1- 6.9	3	1.0	0.0- 2.4	14	3.3	0.9- 5.7	226	65.6	58.2-73.0
\$25,000- 34,999	208	30,527	62	34.6	25.8-43.4	11	5.5	1.4- 9.6	5	1.3	0.0- 2.7	6	2.0	0.2- 3.8	124	56.6	47.6-65.6
\$35,000- 49,999	256	39,906	90	35.6	27.6-43.6	15	4.5	1.8- 7.2	9	4.0	0.7- 7.3	8	1.8	0.2- 3.4	134	54.1	45.9-62.3
\$50,000- 74,999	273	48,351	88	33.6	25.2-42.0	27	10.9	5.4-16.4	15	7.6	1.9-13.3	22	6.3	2.6-10.0	121	41.6	33.2-50.0
\$75,000+	536	106,446	194	36.8	31.3-42.3	76	12.9	9.2-16.6	26	4.9	2.4- 7.4	34	4.0	2.4- 5.6	206	41.4	35.5-47.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	703,595	3462	85.1	83.1-87.1	409	14.9	12.9-16.9
Male	1651	331,448	1422	82.2	79.5-84.9	229	17.8	15.1-20.5
Female	2220	372,147	2040	87.6	85.1-90.1	180	12.4	9.9-14.9
White/Non-Hisp	2844	464,188	2542	84.7	82.3-87.1	302	15.3	12.9-17.7
Black or Afr. Am./Non-Hisp	576	135,460	520	85.3	80.6-90.0	56	14.7	10.0-19.4
Oth. Race/Non-Hisp.	107	30,955	98	93.3	88.0-98.6	9	6.7	1.4-12.0
Hispanic	222	51,258	190	81.3	74.2-88.4	32	18.7	11.6-25.8
18-24	204	85,621	157	72.8	64.2-81.4	47	27.2	18.6-35.8
25-34	360	113,356	273	73.2	66.9-79.5	87	26.8	20.5-33.1
35-44	380	105,797	331	87.3	83.4-91.2	49	12.7	8.8-16.6
45-54	589	118,890	505	84.2	80.3-88.1	84	15.8	11.9-19.7
55-64	820	119,384	751	90.3	87.6-93.0	69	9.7	7.0-12.4
65+	1468	152,671	1398	95.5	94.3-96.7	70	4.5	3.3- 5.7
Less Than H.S.	334	85,995	302	84.5	77.6-91.4	32	15.5	8.6-22.4
H.S. or G.E.D.	1164	218,383	1043	86.1	82.8-89.4	121	13.9	10.6-17.2
Some Post-H.S.	983	208,022	862	81.5	77.8-85.2	121	18.5	14.8-22.2
College Graduate	1373	187,882	1238	87.8	85.3-90.3	135	12.2	9.7-14.7
Less than \$15,000	239	37,184	223	87.6	77.2-98.0	16	12.4	2.0-22.8
\$15,000- 24,999	547	92,249	485	83.8	78.9-88.7	62	16.2	11.3-21.1
\$25,000- 34,999	375	67,367	338	86.4	80.7-92.1	37	13.6	7.9-19.3
\$35,000- 49,999	455	76,733	406	86.4	81.7-91.1	49	13.6	8.9-18.3
\$50,000- 74,999	489	89,402	428	79.9	73.8-86.0	61	20.1	14.0-26.2
\$75,000+	1015	210,312	886	84.9	81.6-88.2	129	15.1	11.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1651	331,448	1422	82.2	79.5-84.9	229	17.8	15.1-20.5
White/Non-Hisp	1207	219,148	1048	83.6	80.3-86.9	159	16.4	13.1-19.7
Black or Afr. Am./Non-Hisp	236	59,628	202	80.0	72.4-87.6	34	20.0	12.4-27.6
Hispanic	100	27,131	76	70.7	59.1-82.3	24	29.3	17.7-40.9
18-24	99	43,191	79	78.6	68.8-88.4	20	21.4	11.6-31.2
25-34	162	54,345	110	63.3	53.1-73.5	52	36.7	26.5-46.9
35-44	176	50,892	146	83.6	77.1-90.1	30	16.4	9.9-22.9
45-54	241	55,904	194	79.3	73.0-85.6	47	20.7	14.4-27.0
55-64	353	56,176	315	89.6	85.5-93.7	38	10.4	6.3-14.5
65+	600	67,353	558	94.1	92.1-96.1	42	5.9	3.9-7.9
Less Than H.S.	146	42,324	124	83.0	75.4-90.6	22	17.0	9.4-24.6
H.S. or G.E.D.	520	114,789	445	83.4	78.7-88.1	75	16.6	11.9-21.3
Some Post-H.S.	386	92,160	319	75.3	68.6-82.0	67	24.7	18.0-31.4
College Graduate	589	79,696	524	87.5	84.0-91.0	65	12.5	9.0-16.0
Less than \$15,000	80	11,875	72	87.3	77.9-96.7	8	12.7	3.3-22.1
\$15,000- 24,999	224	43,245	185	76.8	68.4-85.2	39	23.2	14.8-31.6
\$25,000- 34,999	167	36,840	149	86.2	77.6-94.8	18	13.8	5.2-22.4
\$35,000- 49,999	199	36,827	173	86.2	79.7-92.7	26	13.8	7.3-20.3
\$50,000- 74,999	218	41,228	195	80.0	70.6-89.4	23	20.0	10.6-29.4
\$75,000+	483	104,545	403	80.9	75.8-86.0	80	19.1	14.0-24.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2220	372,147	2040	87.6	85.1-90.1	180	12.4	9.9-14.9
White/Non-Hisp	1637	245,040	1494	85.6	82.5-88.7	143	14.4	11.3-17.5
Black or Afr. Am./Non-Hisp	340	75,831	318	89.5	83.4-95.6	22	10.5	4.4-16.6
Oth. Race/Non-Hisp.	62	17,145	59	98.1	95.7- 100	3	1.9	0.0- 4.3
Hispanic	122	24,126	114	93.3	87.6-99.0	8	6.7	1.0-12.4
18-24	105	42,431	78	66.8	53.5-80.1	27	33.2	19.9-46.5
25-34	198	59,011	163	82.3	75.4-89.2	35	17.7	10.8-24.6
35-44	204	54,905	185	90.6	85.7-95.5	19	9.4	4.5-14.3
45-54	348	62,986	311	88.6	83.9-93.3	37	11.4	6.7-16.1
55-64	467	63,207	436	90.9	87.2-94.6	31	9.1	5.4-12.8
65+	868	85,317	840	96.5	94.9-98.1	28	3.5	1.9- 5.1
Less Than H.S.	188	43,670	178	86.0	74.4-97.6	10	14.0	2.4-25.6
H.S. or G.E.D.	644	103,594	598	89.0	84.7-93.3	46	11.0	6.7-15.3
Some Post-H.S.	597	115,863	543	86.5	82.4-90.6	54	13.5	9.4-17.6
College Graduate	784	108,186	714	88.1	84.6-91.6	70	11.9	8.4-15.4
Less than \$15,000	159	25,310	151	87.8	73.3- 100	8	12.2	0.0-26.7
\$15,000- 24,999	323	49,003	300	90.1	85.0-95.2	23	9.9	4.8-15.0
\$25,000- 34,999	208	30,527	189	86.6	79.7-93.5	19	13.4	6.5-20.3
\$35,000- 49,999	256	39,906	233	86.5	79.6-93.4	23	13.5	6.6-20.4
\$50,000- 74,999	271	48,174	233	79.9	72.1-87.7	38	20.1	12.3-27.9
\$75,000+	532	105,767	483	89.0	85.1-92.9	49	11.0	7.1-14.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3850	697,925	711	18.4	16.6-20.2	266	7.6	6.2- 9.0	399	11.7	10.1-13.3	301	8.4	7.0- 9.8	227	6.2	5.0- 7.4	1946	47.7	45.3-50.1
Male	1638	327,033	280	16.8	14.3-19.3	135	8.9	6.9-10.9	195	12.6	10.2-15.0	166	11.2	8.8-13.6	159	9.8	7.6-12.0	703	40.8	37.5-44.1
Female	2212	370,892	431	19.8	17.4-22.2	131	6.4	4.6- 8.2	204	10.9	8.7-13.1	135	6.0	4.6- 7.4	68	3.0	2.0- 4.0	1243	53.9	51.0-56.8
White/Non-Hisp	2831	461,046	545	19.4	17.2-21.6	217	8.1	6.7- 9.5	324	14.0	12.0-16.0	249	9.3	7.7-10.9	193	7.4	5.8- 9.0	1303	41.7	39.2-44.2
Black or Afr. Am./Non-Hisp	568	133,503	92	15.3	11.6-19.0	26	7.1	3.2-11.0	40	6.5	4.0- 9.0	30	6.9	3.6-10.2	16	4.0	1.3- 6.7	364	60.0	54.1-65.9
Oth. Race/Non-Hisp.	107	30,955	19	15.0	7.4-22.6	3	1.0	0.0- 2.2	7	8.6	1.3-15.9	3	5.3	0.0-11.2	4	2.1	0.0- 4.6	71	68.1	56.9-79.3
Hispanic	222	50,686	38	20.3	12.5-28.1	14	8.2	2.9-13.5	13	6.9	2.6-11.2	10	6.0	1.7-10.3	8	3.3	0.8- 5.8	139	55.2	46.6-63.8
18-24	201	83,902	23	12.3	5.8-18.8	15	8.6	2.9-14.3	34	16.6	9.7-23.5	15	10.4	4.3-16.5	10	5.4	1.3- 9.5	104	46.7	37.7-55.7
25-34	359	113,286	77	19.6	14.7-24.5	39	10.8	6.7-14.9	43	12.1	7.6-16.6	29	9.4	5.3-13.5	28	8.9	4.4-13.4	143	39.2	32.5-45.9
35-44	379	105,763	87	23.8	18.1-29.5	25	6.5	3.6- 9.4	46	11.9	8.0-15.8	29	9.8	5.7-13.9	17	4.1	1.9- 6.3	175	43.8	37.3-50.3
45-54	586	117,315	101	17.4	13.7-21.1	45	8.0	5.1-10.9	63	12.4	8.9-15.9	36	6.4	4.0- 8.8	36	6.6	4.1- 9.1	305	49.1	44.0-54.2
55-64	817	118,499	159	19.2	15.7-22.7	55	6.8	4.6- 9.0	92	12.1	9.2-15.0	56	6.3	4.5- 8.1	44	5.9	3.7- 8.1	411	49.8	45.3-54.3
65+	1458	151,284	258	17.6	15.1-20.1	84	5.4	3.8- 7.0	118	7.8	6.0- 9.6	135	9.2	7.4-11.0	90	6.1	4.5- 7.7	773	54.0	50.7-57.3
Less Than H.S.	333	85,879	32	12.0	6.9-17.1	11	6.5	1.2-11.8	14	6.2	1.3-11.1	9	4.2	0.7- 7.7	4	1.4	0.0- 2.8	263	69.7	61.9-77.5
H.S. or G.E.D.	1148	213,805	185	16.4	13.1-19.7	75	7.4	5.0- 9.8	98	11.8	8.9-14.7	49	5.1	2.9- 7.3	59	5.7	3.5- 7.9	682	53.7	49.4-58.0
Some Post-H.S.	980	206,741	180	19.0	15.7-22.3	65	6.6	4.6- 8.6	98	11.2	8.5-13.9	86	10.0	7.3-12.7	78	10.0	7.1-12.9	473	43.1	38.8-47.4
College Graduate	1372	188,188	313	23.2	20.3-26.1	115	9.4	7.0-11.8	189	14.8	12.1-17.5	157	12.5	10.0-15.0	85	4.9	3.5- 6.3	513	35.2	31.7-38.7
Less than \$15,000	239	37,195	22	5.5	2.8- 8.2	11	9.3	0.0-19.5	8	3.0	0.0- 6.1	13	4.7	1.4- 8.0	8	2.7	0.5- 4.9	177	74.8	64.4-85.2
\$15,000- 24,999	544	91,743	81	17.5	13.0-22.0	22	4.0	1.8- 6.2	33	6.4	3.7- 9.1	22	3.6	1.6- 5.6	27	7.4	3.5-11.3	359	61.2	55.3-67.1
\$25,000- 34,999	372	67,150	61	19.0	13.1-24.9	24	7.2	3.3-11.1	33	9.8	5.5-14.1	20	5.0	2.5- 7.5	21	7.1	2.2-12.0	213	51.8	44.5-59.1
\$35,000- 49,999	453	76,105	97	20.1	14.8-25.4	31	7.0	3.9-10.1	35	9.1	5.2-13.0	34	8.4	4.3-12.5	31	6.5	3.6- 9.4	225	48.9	42.6-55.2
\$50,000- 74,999	488	88,830	106	19.0	14.3-23.7	45	10.6	6.5-14.7	64	13.5	9.4-17.6	47	12.3	6.8-17.8	32	7.6	3.7-11.5	194	36.9	30.8-43.0
\$75,000+	1014	209,147	220	21.9	18.2-25.6	85	8.7	6.3-11.1	171	17.0	13.7-20.3	122	12.0	9.3-14.7	75	6.9	4.7- 9.1	341	33.6	29.5-37.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1638	327,033	280	16.8	14.3-19.3	135	8.9	6.9-10.9	195	12.6	10.2-15.0	166	11.2	8.8-13.6	159	9.8	7.6-12.0	703	40.8	37.5-44.1
White/Non-Hisp	1202	217,369	207	17.4	14.3-20.5	107	9.3	7.1-11.5	147	13.3	10.6-16.0	139	12.6	9.7-15.5	132	11.3	8.4-14.2	470	36.2	32.5-39.9
Black or Afr. Am./Non-Hisp	230	57,857	37	12.8	7.9-17.7	15	7.7	2.6-12.8	27	10.7	5.6-15.8	13	8.0	2.3-13.7	12	7.6	1.7-13.5	126	53.2	44.0-62.4
Hispanic	98	26,267	18	22.9	10.4-35.4	10	13.3	3.9-22.7	7	8.1	1.0-15.2	8	11.0	2.8-19.2	6	5.1	0.6- 9.6	49	39.6	27.6-51.6
18-24	97	41,872	11	14.0	3.8-24.2	9	8.1	2.4-13.8	12	10.2	3.9-16.5	10	14.1	4.3-23.9	7	9.0	1.2-16.8	48	44.6	32.1-57.1
25-34	161	54,168	27	12.6	7.1-18.1	19	11.9	5.4-18.4	22	16.2	8.4-24.0	17	11.9	5.0-18.8	23	16.8	8.0-25.6	53	30.7	21.7-39.7
35-44	176	50,892	32	21.1	12.5-29.7	15	8.7	3.8-13.6	25	12.2	6.5-17.9	20	15.6	8.2-23.0	11	5.7	1.8- 9.6	73	36.7	27.7-45.7
45-54	238	54,349	30	12.5	7.8-17.2	24	11.9	6.2-17.6	27	11.6	6.7-16.5	22	9.6	5.1-14.1	21	8.8	4.3-13.3	114	45.7	38.1-53.3
55-64	349	55,347	75	22.1	16.4-27.8	27	7.1	4.2-10.0	43	15.3	9.8-20.8	22	4.9	2.5- 7.3	31	8.7	4.8-12.6	151	42.0	35.3-48.7
65+	597	66,818	103	18.3	14.2-22.4	39	5.4	3.2- 7.6	63	9.6	6.7-12.5	75	12.6	9.5-15.7	65	10.1	7.0-13.2	252	44.1	38.8-49.4
Less Than H.S.	144	41,982	21	14.9	7.1-22.7	6	6.3	0.6-12.0	10	7.0	1.9-12.1	7	8.0	1.1-14.9	3	2.2	0.0- 4.7	97	61.6	50.8-72.4
H.S. or G.E.D.	511	111,440	76	16.3	11.4-21.2	44	9.7	5.8-13.6	57	14.0	9.5-18.5	30	6.2	2.9- 9.5	46	9.1	5.2-13.0	258	44.6	38.5-50.7
Some Post-H.S.	385	91,598	68	17.5	12.2-22.8	31	8.2	4.9-11.5	44	10.5	6.8-14.2	46	14.2	8.9-19.5	52	16.6	10.9-22.3	144	33.0	26.7-39.3
College Graduate	588	79,535	114	17.9	14.0-21.8	54	10.1	6.8-13.4	84	16.3	11.8-20.8	83	16.7	12.4-21.0	57	7.3	4.9- 9.7	196	31.7	26.8-36.6
Less than \$15,000	81	11,963	7	5.1	0.8- 9.4	4	4.7	0.0-10.2	5	8.2	0.0-17.4	9	11.6	2.2-21.0	6	6.8	0.9-12.7	50	63.6	49.3-77.9
\$15,000- 24,999	223	43,147	31	13.5	8.0-19.0	12	6.1	2.2-10.0	22	10.6	5.3-15.9	5	2.4	0.0- 4.8	20	12.0	4.6-19.4	133	55.3	46.7-63.9
\$25,000- 34,999	166	36,698	25	19.3	10.3-28.3	11	8.4	1.7-15.1	13	7.8	2.5-13.1	13	5.8	2.1- 9.5	15	11.0	2.6-19.4	89	47.7	36.7-58.7
\$35,000- 49,999	197	36,199	32	18.6	10.0-27.2	15	6.1	2.2-10.0	13	6.8	1.9-11.7	20	12.9	5.1-20.7	26	12.4	6.5-18.3	91	43.2	34.0-52.4
\$50,000- 74,999	218	41,239	52	18.7	12.6-24.8	25	13.9	6.6-21.2	30	14.3	8.2-20.4	21	12.1	4.1-20.1	17	10.2	2.9-17.5	73	30.8	22.6-39.0
\$75,000+	480	103,016	86	18.8	13.3-24.3	40	10.3	6.6-14.0	90	19.5	14.4-24.6	77	16.4	11.9-20.9	52	9.6	5.9-13.3	135	25.4	20.1-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	370,892	431	19.8	17.4-22.2	131	6.4	4.6- 8.2	204	10.9	8.7-13.1	135	6.0	4.6- 7.4	68	3.0	2.0- 4.0	1243	53.9	51.0-56.8
White/Non-Hisp	1629	243,677	338	21.2	18.5-23.9	110	7.0	5.2- 8.8	177	14.7	11.8-17.6	110	6.4	4.6- 8.2	61	4.0	2.8- 5.2	833	46.7	43.2-50.2
Black or Afr. Am./Non-Hisp	338	75,646	55	17.3	11.8-22.8	11	6.7	1.0-12.4	13	3.3	1.1- 5.5	17	6.1	2.4- 9.8	4	1.3	0.0- 2.9	238	65.3	57.9-72.7
Oth. Race/Non-Hisp.	62	17,145	13	18.1	6.3-29.9	2	1.1	0.0- 2.9	1	0.6	0.0- 1.8	1	3.7	0.0-10.8	1	0.3	0.0- 0.9	44	76.2	62.7-89.7
Hispanic	124	24,419	20	17.6	8.8-26.4	4	2.7	0.0- 5.6	6	5.6	0.7-10.5	2	0.6	0.0- 1.6	2	1.4	0.0- 3.6	90	72.0	62.0-82.0
18-24	104	42,030	12	10.5	2.9-18.1	6	9.1	0.0-18.7	22	23.0	11.4-34.6	5	6.7	0.0-13.6	3	1.8	0.0- 4.3	56	48.8	35.7-61.9
25-34	198	59,118	50	26.1	18.5-33.7	20	9.8	4.7-14.9	21	8.3	3.4-13.2	12	7.1	2.2-12.0	5	1.8	0.0- 4.0	90	46.9	37.9-55.9
35-44	203	54,871	55	26.4	19.1-33.7	10	4.5	1.0- 8.0	21	11.5	6.0-17.0	9	4.4	0.7- 8.1	6	2.7	0.3- 5.1	102	50.5	41.9-59.1
45-54	348	62,966	71	21.7	16.2-27.2	21	4.7	2.5- 6.9	36	13.0	7.9-18.1	14	3.8	1.4- 6.2	15	4.8	2.1- 7.5	191	52.1	45.4-58.8
55-64	468	63,151	84	16.6	12.3-20.9	28	6.6	3.5- 9.7	49	9.3	6.4-12.2	34	7.5	4.8-10.2	13	3.5	1.3- 5.7	260	56.6	50.9-62.3
65+	861	84,466	155	17.0	13.7-20.3	45	5.4	3.4- 7.4	55	6.4	4.2- 8.6	60	6.5	4.5- 8.5	25	3.0	1.6- 4.4	521	61.7	57.4-66.0
Less Than H.S.	189	43,898	11	9.2	2.9-15.5	5	6.8	0.0-15.6	4	5.3	0.0-13.3	2	0.7	0.0- 1.7	1	0.6	0.0- 1.8	166	77.4	65.6-89.2
H.S. or G.E.D.	637	102,365	109	16.5	12.4-20.6	31	4.8	2.6- 7.0	41	9.4	5.5-13.3	19	4.0	1.3- 6.7	13	2.0	0.6- 3.4	424	63.5	57.8-69.2
Some Post-H.S.	595	115,143	112	20.2	15.7-24.7	34	5.4	3.0- 7.8	54	11.9	8.2-15.6	40	6.6	3.9- 9.3	26	4.8	2.6- 7.0	329	51.2	45.7-56.7
College Graduate	784	108,653	199	27.0	22.7-31.3	61	9.0	5.9-12.1	105	13.6	10.1-17.1	74	9.4	6.5-12.3	28	3.2	1.8- 4.6	317	37.8	33.1-42.5
Less than \$15,000	158	25,232	15	5.6	2.1- 9.1	7	11.5	0.0-26.0	3	0.5	0.0- 1.1	4	1.4	0.0- 3.0	2	0.8	0.0- 2.0	127	80.2	66.1-94.3
\$15,000- 24,999	321	48,596	50	21.0	14.1-27.9	10	2.2	0.6- 3.8	11	2.5	0.7- 4.3	17	4.7	2.0- 7.4	7	3.3	0.6- 6.0	226	66.3	58.9-73.7
\$25,000- 34,999	206	30,452	36	18.7	11.3-26.1	13	5.8	2.3- 9.3	20	12.2	5.5-18.9	7	4.1	0.4- 7.8	6	2.4	0.0- 4.9	124	56.8	47.8-65.8
\$35,000- 49,999	256	39,906	65	21.4	15.1-27.7	16	7.8	2.9-12.7	22	11.2	5.1-17.3	14	4.3	1.6- 7.0	5	1.2	0.0- 2.4	134	54.1	45.9-62.3
\$50,000- 74,999	270	47,591	54	19.3	12.2-26.4	20	7.6	3.3-11.9	34	12.9	7.4-18.4	26	12.5	5.2-19.8	15	5.4	2.1- 8.7	121	42.2	33.8-50.6
\$75,000+	534	106,132	134	24.9	20.0-29.8	45	7.1	4.4- 9.8	81	14.6	10.5-18.7	45	7.6	4.7-10.5	23	4.3	2.3- 6.3	206	41.5	35.6-47.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3850	697,925	3667	94.7	93.5-95.9	183	5.3	4.1- 6.5
Male	1638	327,033	1554	94.0	92.0-96.0	84	6.0	4.0- 8.0
Female	2212	370,892	2113	95.2	93.8-96.6	99	4.8	3.4- 6.2
White/Non-Hisp	2831	461,046	2676	93.6	92.2-95.0	155	6.4	5.0- 7.8
Black or Afr. Am./Non-Hisp	568	133,503	552	95.9	93.2-98.6	16	4.1	1.4- 6.8
Oth. Race/Non-Hisp.	107	30,955	103	97.9	95.4- 100	4	2.1	0.0- 4.6
Hispanic	222	50,686	217	98.3	96.7-99.9	5	1.7	0.1- 3.3
18-24	201	83,902	192	93.5	88.6-98.4	9	6.5	1.6-11.4
25-34	359	113,286	336	93.6	89.9-97.3	23	6.4	2.7-10.1
35-44	379	105,763	361	95.7	93.3-98.1	18	4.3	1.9- 6.7
45-54	586	117,315	550	93.8	91.4-96.2	36	6.2	3.8- 8.6
55-64	817	118,499	783	95.0	93.0-97.0	34	5.0	3.0- 7.0
65+	1458	151,284	1396	95.6	94.2-97.0	62	4.4	3.0- 5.8
Less Than H.S.	333	85,879	331	99.3	98.3- 100	2	0.7	0.0- 1.7
H.S. or G.E.D.	1148	213,805	1098	94.2	91.8-96.6	50	5.8	3.4- 8.2
Some Post-H.S.	980	206,741	924	92.6	90.2-95.0	56	7.4	5.0- 9.8
College Graduate	1372	188,188	1297	95.2	93.8-96.6	75	4.8	3.4- 6.2
Less than \$15,000	239	37,195	231	97.4	95.2-99.6	8	2.6	0.4- 4.8
\$15,000- 24,999	544	91,743	519	93.4	89.7-97.1	25	6.6	2.9-10.3
\$25,000- 34,999	372	67,150	356	96.4	94.2-98.6	16	3.6	1.4- 5.8
\$35,000- 49,999	453	76,105	431	94.9	92.2-97.6	22	5.1	2.4- 7.8
\$50,000- 74,999	488	88,830	464	92.6	88.1-97.1	24	7.4	2.9-11.9
\$75,000+	1014	209,147	949	93.4	91.2-95.6	65	6.6	4.4- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1638	327,033	1554	94.0	92.0-96.0	84	6.0	4.0- 8.0
White/Non-Hisp	1202	217,369	1130	93.1	90.7-95.5	72	6.9	4.5- 9.3
Black or Afr. Am./Non-Hisp	230	57,857	225	94.9	89.4- 100	5	5.1	0.0-10.6
Hispanic	98	26,267	96	98.4	96.0- 100	2	1.6	0.0- 4.0
18-24	97	41,872	92	91.8	84.2-99.4	5	8.2	0.6-15.8
25-34	161	54,168	146	90.1	83.0-97.2	15	9.9	2.8-17.0
35-44	176	50,892	167	95.6	92.3-98.9	9	4.4	1.1- 7.7
45-54	238	54,349	223	93.5	89.6-97.4	15	6.5	2.6-10.4
55-64	349	55,347	336	96.4	93.7-99.1	13	3.6	0.9- 6.3
65+	597	66,818	570	95.5	93.3-97.7	27	4.5	2.3- 6.7
Less Than H.S.	144	41,982	143	99.2	97.6- 100	1	0.8	0.0- 2.4
H.S. or G.E.D.	511	111,440	480	92.8	89.1-96.5	31	7.2	3.5-10.9
Some Post-H.S.	385	91,598	360	91.0	86.5-95.5	25	9.0	4.5-13.5
College Graduate	588	79,535	561	96.4	94.6-98.2	27	3.6	1.8- 5.4
Less than \$15,000	81	11,963	77	94.5	88.8- 100	4	5.5	0.0-11.2
\$15,000- 24,999	223	43,147	210	91.7	84.6-98.8	13	8.3	1.2-15.4
\$25,000- 34,999	166	36,698	159	97.0	94.5-99.5	7	3.0	0.5- 5.5
\$35,000- 49,999	197	36,199	185	92.5	87.2-97.8	12	7.5	2.2-12.8
\$50,000- 74,999	218	41,239	212	93.6	86.7- 100	6	6.4	0.0-13.3
\$75,000+	480	103,016	448	93.3	90.0-96.6	32	6.7	3.4-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 9: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	370,892	2113	95.2	93.8-96.6	99	4.8	3.4- 6.2
White/Non-Hisp	1629	243,677	1546	94.0	92.2-95.8	83	6.0	4.2- 7.8
Black or Afr. Am./Non-Hisp	338	75,646	327	96.6	94.2-99.0	11	3.4	1.0- 5.8
Oth. Race/Non-Hisp.	62	17,145	61	99.7	99.1- 100	1	0.3	0.0- 0.9
Hispanic	124	24,419	121	98.2	95.8- 100	3	1.8	0.0- 4.2
18-24	104	42,030	100	95.2	88.9- 100	4	4.8	0.0-11.1
25-34	198	59,118	190	96.8	94.1-99.5	8	3.2	0.5- 5.9
35-44	203	54,871	194	95.8	92.3-99.3	9	4.2	0.7- 7.7
45-54	348	62,966	327	94.1	91.2-97.0	21	5.9	3.0- 8.8
55-64	468	63,151	447	93.8	90.9-96.7	21	6.2	3.3- 9.1
65+	861	84,466	826	95.7	93.9-97.5	35	4.3	2.5- 6.1
Less Than H.S.	189	43,898	188	99.4	98.2- 100	1	0.6	0.0- 1.8
H.S. or G.E.D.	637	102,365	618	95.8	92.9-98.7	19	4.2	1.3- 7.1
Some Post-H.S.	595	115,143	564	94.0	91.5-96.5	31	6.0	3.5- 8.5
College Graduate	784	108,653	736	94.3	92.3-96.3	48	5.7	3.7- 7.7
Less than \$15,000	158	25,232	154	98.8	97.4- 100	4	1.2	0.0- 2.6
\$15,000- 24,999	321	48,596	309	94.9	91.4-98.4	12	5.1	1.6- 8.6
\$25,000- 34,999	206	30,452	197	95.7	92.0-99.4	9	4.3	0.6- 8.0
\$35,000- 49,999	256	39,906	246	97.0	94.6-99.4	10	3.0	0.6- 5.4
\$50,000- 74,999	270	47,591	252	91.7	85.8-97.6	18	8.3	2.4-14.2
\$75,000+	534	106,132	501	93.4	90.9-95.9	33	6.6	4.1- 9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19 MALES AND FEMALES	131
20 MALES ONLY	132
21 FEMALES ONLY	133
TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22 MALES AND FEMALES	134
23 MALES ONLY	135
24 FEMALES ONLY	136
CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25 MALES AND FEMALES	137
26 MALES ONLY	138
27 FEMALES ONLY	139
CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28 MALES AND FEMALES	140
29 MALES ONLY	141
30 FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3740	677,311	1340	40.3	37.9-42.7	839	19.3	17.5-21.1	29	0.8	0.4- 1.2	13	0.3	0.1- 0.5	1519	39.3	37.1-41.5
Male	1598	320,970	615	43.0	39.5-46.5	395	20.8	18.3-23.3	9	0.5	0.1- 0.9	6	0.4	0.0- 0.8	573	35.2	31.9-38.5
Female	2142	356,341	725	37.9	34.8-41.0	444	17.9	15.7-20.1	20	1.0	0.4- 1.6	7	0.2	0.0- 0.4	946	43.1	40.2-46.0
White/Non-Hisp	2765	453,568	929	37.4	34.7-40.1	620	18.4	16.6-20.2	15	0.5	0.1- 0.9	7	0.2	0.0- 0.4	1194	43.5	40.8-46.2
Black or Afr. Am./Non-Hisp	540	126,580	227	45.8	39.9-51.7	134	24.5	19.4-29.6	11	1.9	0.5- 3.3	5	0.9	0.0- 1.9	163	26.9	21.8-32.0
Oth. Race/Non-Hisp.	99	27,377	44	55.0	42.5-67.5	18	14.4	6.4-22.4	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	35	30.1	19.1-41.1
Hispanic	220	49,408	103	50.4	42.0-58.8	41	15.0	9.7-20.3							76	34.6	26.6-42.6
18-24	195	81,821	100	52.8	43.6-62.0	20	11.7	5.2-18.2	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9	72	34.5	25.9-43.1
25-34	349	107,052	156	47.5	40.6-54.4	53	12.5	8.6-16.4	5	1.0	0.0- 2.0				135	39.0	32.3-45.7
35-44	366	102,671	159	43.9	37.4-50.4	57	16.4	11.7-21.1	2	0.5	0.0- 1.3	2	0.9	0.0- 2.3	146	38.3	32.0-44.6
45-54	578	115,650	217	39.6	34.5-44.7	110	17.7	14.0-21.4	8	1.5	0.1- 2.9	4	0.5	0.0- 1.1	239	40.8	35.7-45.9
55-64	794	115,574	270	35.3	31.0-39.6	162	21.1	17.4-24.8	3	0.6	0.0- 1.4	3	0.2	0.0- 0.4	356	42.9	38.4-47.4
65+	1410	147,010	426	31.5	28.2-34.8	421	29.8	26.7-32.9	9	0.5	0.1- 0.9	3	0.1	0.0- 0.3	551	38.2	34.9-41.5
Less Than H.S.	323	82,025	110	37.4	30.0-44.8	73	21.2	14.9-27.5	4	0.9	0.1- 1.7	2	0.5	0.0- 1.1	134	40.1	32.5-47.7
H.S. or G.E.D.	1105	207,827	382	40.7	36.4-45.0	247	18.4	15.5-21.3	12	1.1	0.3- 1.9	4	0.5	0.0- 1.1	460	39.3	35.2-43.4
Some Post-H.S.	963	203,238	355	41.9	37.6-46.2	214	19.2	16.1-22.3	7	0.9	0.1- 1.7	3	0.2	0.0- 0.6	384	37.8	33.7-41.9
College Graduate	1332	180,550	489	39.2	35.5-42.9	301	19.6	16.9-22.3	6	0.2	0.0- 0.4	4	0.1	0.0- 0.3	532	40.8	37.1-44.5
Less than \$15,000	228	35,385	78	38.5	28.3-48.7	53	26.5	15.7-37.3	3	0.6	0.0- 1.4	1	0.7	0.0- 2.1	93	33.7	24.7-42.7
\$15,000- 24,999	530	89,525	181	38.6	32.5-44.7	140	23.2	18.5-27.9	3	0.6	0.0- 1.4	5	0.7	0.0- 1.5	201	36.9	31.4-42.4
\$25,000- 34,999	362	65,357	137	40.6	33.2-48.0	79	19.4	14.1-24.7	4	2.0	0.0- 4.2				142	38.0	30.9-45.1
\$35,000- 49,999	441	74,345	150	36.7	30.4-43.0	103	20.2	14.9-25.5	6	2.1	0.3- 3.9	2	1.1	0.0- 2.7	180	39.8	33.5-46.1
\$50,000- 74,999	480	86,533	179	42.1	35.4-48.8	108	18.9	14.6-23.2	3	0.7	0.0- 1.7				190	38.3	31.8-44.8
\$75,000+	993	204,353	378	43.8	39.3-48.3	191	15.9	13.0-18.8	4	0.3	0.0- 0.7	2	0.0	0.0- 0.0	418	40.0	35.9-44.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	320,970	615	43.0	39.5-46.5	395	20.8	18.3-23.3	9	0.5	0.1- 0.9	6	0.4	0.0- 0.8	573	35.2	31.9-38.5
White/Non-Hisp	1175	214,610	410	38.3	34.2-42.4	313	22.8	19.7-25.9	5	0.4	0.0- 0.8	4	0.2	0.0- 0.4	443	38.3	34.4-42.2
Black or Afr. Am./Non-Hisp	225	57,311	111	52.8	43.6-62.0	48	18.6	12.3-24.9	3	0.9	0.0- 1.9	2	1.6	0.0- 4.0	61	26.1	17.5-34.7
Hispanic	97	25,072	51	57.6	45.3-69.9	16	13.5	5.7-21.3							30	28.9	17.7-40.1
18-24	94	41,673	47	55.6	43.1-68.1	12	12.6	4.4-20.8	1	0.5	0.0- 1.5				34	31.3	19.9-42.7
25-34	158	52,394	73	48.4	38.0-58.8	25	12.8	6.7-18.9	1	0.8	0.0- 2.4				59	38.0	28.2-47.8
35-44	169	49,241	86	51.7	42.1-61.3	25	14.1	8.2-20.0	1	0.8	0.0- 2.4	2	1.9	0.0- 4.6	55	31.5	22.7-40.3
45-54	235	54,487	98	40.4	33.0-47.8	53	21.6	15.5-27.7	2	0.7	0.0- 1.7	2	0.7	0.0- 1.7	80	36.6	29.0-44.2
55-64	345	55,338	132	38.0	31.3-44.7	79	25.0	18.9-31.1	2	0.3	0.0- 0.9	1	0.0	0.0- 0.0	131	36.6	30.1-43.1
65+	578	64,569	171	31.1	26.0-36.2	195	33.5	28.4-38.6	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	209	35.2	30.1-40.3
Less Than H.S.	141	40,994	56	40.9	29.9-51.9	30	21.3	13.1-29.5	2	0.7	0.0- 1.7				53	37.1	26.3-47.9
H.S. or G.E.D.	489	108,042	175	41.7	35.2-48.2	118	18.9	14.6-23.2	4	0.9	0.0- 1.9	2	0.8	0.0- 2.0	190	37.8	31.7-43.9
Some Post-H.S.	384	91,711	152	44.0	37.1-50.9	95	22.0	16.7-27.3	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3	134	33.1	26.8-39.4
College Graduate	574	77,525	228	43.9	38.4-49.4	151	22.6	18.3-26.9	2	0.1	0.0- 0.3	2	0.2	0.0- 0.6	191	33.2	28.1-38.3
Less than \$15,000	76	11,930	35	48.8	32.9-64.7	18	25.0	12.3-37.7							23	26.1	12.8-39.4
\$15,000- 24,999	219	42,344	80	40.2	31.6-48.8	55	22.7	15.6-29.8	1	0.3	0.0- 0.9	4	1.3	0.0- 3.1	79	35.4	27.2-43.6
\$25,000- 34,999	158	35,168	63	42.0	30.6-53.4	35	17.6	10.2-25.0	1	1.2	0.0- 3.6				59	39.2	28.2-50.2
\$35,000- 49,999	195	36,134	67	40.1	30.5-49.7	47	20.2	11.8-28.6	2	1.2	0.0- 2.8	2	2.3	0.0- 5.6	77	36.2	27.2-45.2
\$50,000- 74,999	217	40,927	86	44.5	34.7-54.3	61	24.3	17.0-31.6	2	1.2	0.0- 3.2				68	30.1	21.3-38.9
\$75,000+	475	102,566	195	46.7	40.2-53.2	114	19.4	15.1-23.7	2	0.1	0.0- 0.3				164	33.8	27.9-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2142	356,341	725	37.9	34.8-41.0	444	17.9	15.7-20.1	20	1.0	0.4- 1.6	7	0.2	0.0- 0.4	946	43.1	40.2-46.0
White/Non-Hisp	1590	238,959	519	36.6	33.1-40.1	307	14.4	12.4-16.4	10	0.7	0.1- 1.3	3	0.1	0.0- 0.3	751	48.2	44.7-51.7
Black or Afr. Am./Non-Hisp	315	69,269	116	40.1	32.5-47.7	86	29.4	22.0-36.8	8	2.7	0.3- 5.1	3	0.4	0.0- 0.8	102	27.5	21.2-33.8
Oth. Race/Non-Hisp.	58	14,789	21	48.6	30.2-67.0	13	16.4	4.6-28.2	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1	22	34.1	18.2-50.0
Hispanic	123	24,336	52	43.0	31.8-54.2	25	16.6	9.3-23.9							46	40.4	29.4-51.4
18-24	101	40,148	53	49.9	36.6-63.2	8	10.7	0.7-20.7	1	0.9	0.0- 2.7	1	0.7	0.0- 2.1	38	37.9	25.0-50.8
25-34	191	54,657	83	46.7	37.5-55.9	28	12.2	6.9-17.5	4	1.1	0.0- 2.3				76	40.0	31.0-49.0
35-44	197	53,431	73	36.7	28.3-45.1	32	18.5	11.6-25.4	1	0.1	0.0- 0.3				91	44.7	36.1-53.3
45-54	343	61,163	119	38.8	32.1-45.5	57	14.1	9.8-18.4	6	2.3	0.0- 4.7	2	0.3	0.0- 0.7	159	44.4	37.7-51.1
55-64	449	60,236	138	32.8	27.1-38.5	83	17.5	13.4-21.6	1	0.8	0.0- 2.4	2	0.3	0.0- 0.7	225	48.7	42.8-54.6
65+	832	82,441	255	31.8	27.5-36.1	226	26.9	23.0-30.8	7	0.7	0.1- 1.3	2	0.1	0.0- 0.3	342	40.6	36.3-44.9
Less Than H.S.	182	41,031	54	33.9	23.7-44.1	43	21.1	11.3-30.9	2	1.0	0.0- 2.4	2	0.9	0.0- 2.3	81	43.1	32.3-53.9
H.S. or G.E.D.	616	99,785	207	39.6	33.7-45.5	129	17.9	14.0-21.8	8	1.4	0.2- 2.6	2	0.1	0.0- 0.3	270	40.9	35.2-46.6
Some Post-H.S.	579	111,527	203	40.2	34.5-45.9	119	16.8	13.1-20.5	6	1.2	0.0- 2.6	1	0.1	0.0- 0.3	250	41.7	36.2-47.2
College Graduate	758	103,024	261	35.7	30.8-40.6	150	17.3	13.6-21.0	4	0.4	0.0- 0.8	2	0.1	0.0- 0.3	341	46.6	41.5-51.7
Less than \$15,000	152	23,454	43	33.3	20.8-45.8	35	27.2	12.5-41.9	3	0.9	0.0- 2.1	1	1.1	0.0- 3.3	70	37.5	25.5-49.5
\$15,000- 24,999	311	47,181	101	37.1	28.7-45.5	85	23.6	17.5-29.7	2	0.9	0.0- 2.3	1	0.1	0.0- 0.3	122	38.3	30.7-45.9
\$25,000- 34,999	204	30,189	74	39.0	30.2-47.8	44	21.6	14.2-29.0	3	2.8	0.0- 6.7				83	36.7	28.3-45.1
\$35,000- 49,999	246	38,212	83	33.4	25.4-41.4	56	20.3	13.6-27.0	4	3.1	0.0- 6.2				103	43.2	34.8-51.6
\$50,000- 74,999	263	45,606	93	40.1	31.3-48.9	47	14.0	8.9-19.1	1	0.3	0.0- 0.9				122	45.6	36.6-54.6
\$75,000+	518	101,787	183	41.0	34.9-47.1	77	12.3	8.6-16.0	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3	254	46.2	40.3-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3758	680,849	1687	46.1	43.7-48.5	1648	42.5	40.1-44.9	197	5.7	4.5- 6.9	69	1.9	1.3- 2.5	157	3.7	2.9- 4.5
Male	1606	323,114	816	50.8	47.3-54.3	616	38.4	35.1-41.7	61	4.6	3.0- 6.2	22	1.5	0.7- 2.3	91	4.7	3.3- 6.1
Female	2152	357,735	871	41.9	39.0-44.8	1032	46.2	43.3-49.1	136	6.8	5.2- 8.4	47	2.3	1.3- 3.3	66	2.9	1.9- 3.9
White/Non-Hisp	2767	453,772	1219	46.0	43.3-48.7	1248	43.0	40.3-45.7	131	5.0	3.8- 6.2	50	2.0	1.2- 2.8	119	3.9	2.9- 4.9
Black or Afr. Am./Non-Hisp	549	126,485	273	49.6	43.7-55.5	199	36.1	30.4-41.8	45	9.5	6.2-12.8	10	1.6	0.4- 2.8	22	3.3	1.5- 5.1
Oth. Race/Non-Hisp.	98	27,460	38	38.3	25.6-51.0	49	53.5	40.6-66.4	4	3.5	0.0- 8.4	3	0.9	0.0- 1.9	4	3.8	0.0- 7.9
Hispanic	225	51,770	101	43.7	35.3-52.1	101	45.8	37.4-54.2	11	4.0	1.3- 6.7	4	2.9	0.0- 5.8	8	3.5	1.0- 6.0
18-24	197	80,919	102	51.2	42.2-60.2	77	39.6	30.8-48.4	9	3.1	0.9- 5.3	6	3.3	0.2- 6.4	3	2.8	0.0- 6.1
25-34	353	110,238	165	50.1	43.2-57.0	144	39.2	32.5-45.9	22	4.9	2.5- 7.3	7	2.3	0.3- 4.3	15	3.5	1.0- 6.0
35-44	367	102,234	143	38.4	31.9-44.9	179	49.0	42.5-55.5	19	7.4	3.3-11.5	7	1.2	0.2- 2.2	19	4.0	2.0- 6.0
45-54	579	116,195	255	44.6	39.5-49.7	249	42.2	37.3-47.1	39	7.9	5.0-10.8	13	1.8	0.6- 3.0	23	3.6	1.8- 5.4
55-64	803	117,244	360	47.2	42.7-51.7	326	38.0	33.7-42.3	49	7.1	4.6- 9.6	22	2.7	1.1- 4.3	46	5.1	3.1- 7.1
65+	1410	146,348	643	46.9	43.4-50.4	647	44.8	41.5-48.1	57	4.2	2.8- 5.6	13	0.9	0.3- 1.5	50	3.3	1.9- 4.7
Less Than H.S.	317	81,288	161	50.5	42.9-58.1	125	41.0	33.6-48.4	8	2.5	0.5- 4.5	3	0.9	0.0- 2.1	20	5.0	2.5- 7.5
H.S. or G.E.D.	1104	207,677	536	51.2	46.9-55.5	442	37.1	33.0-41.2	48	5.5	3.3- 7.7	12	0.9	0.3- 1.5	66	5.4	3.6- 7.2
Some Post-H.S.	970	205,775	468	46.8	42.5-51.1	401	41.0	36.7-45.3	55	6.9	4.5- 9.3	13	2.2	0.6- 3.8	33	3.1	1.5- 4.7
College Graduate	1349	182,425	518	38.1	34.6-41.6	671	50.6	46.9-54.3	84	6.3	4.5- 8.1	41	3.2	2.0- 4.4	35	1.9	1.1- 2.7
Less than \$15,000	227	33,345	105	47.4	38.0-56.8	88	37.2	28.2-46.2	16	7.7	3.0-12.4				18	7.7	2.6-12.8
\$15,000- 24,999	524	88,042	242	48.4	42.3-54.5	219	39.7	34.0-45.4	26	5.8	3.1- 8.5	9	1.4	0.4- 2.4	28	4.6	2.4- 6.8
\$25,000- 34,999	361	65,238	166	50.5	43.1-57.9	156	41.1	34.0-48.2	19	4.2	1.5- 6.9	3	0.5	0.0- 1.1	17	3.6	1.6- 5.6
\$35,000- 49,999	444	74,731	232	48.7	42.2-55.2	160	36.2	30.1-42.3	27	9.3	5.2-13.4	7	1.9	0.3- 3.5	18	4.0	1.6- 6.4
\$50,000- 74,999	483	87,651	234	49.2	42.7-55.7	209	41.4	34.9-47.9	17	4.0	1.5- 6.5	9	2.1	0.3- 3.9	14	3.3	0.4- 6.2
\$75,000+	998	204,692	395	40.4	36.1-44.7	491	47.8	43.5-52.1	62	6.9	4.5- 9.3	28	3.1	1.5- 4.7	22	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	323,114	816	50.8	47.3-54.3	616	38.4	35.1-41.7	61	4.6	3.0- 6.2	22	1.5	0.7- 2.3	91	4.7	3.3- 6.1
White/Non-Hisp	1177	214,449	599	52.1	48.0-56.2	450	36.0	32.1-39.9	41	4.7	2.7- 6.7	15	1.5	0.5- 2.5	72	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	225	56,888	116	51.8	42.4-61.2	80	38.6	29.2-48.0	15	6.9	2.8-11.0	4	1.0	0.0- 2.0	10	1.8	0.6- 3.0
Hispanic	101	27,328	50	44.0	31.7-56.3	41	46.0	33.3-58.7	3	2.2	0.0- 4.9	3	4.1	0.0- 9.0	4	3.7	0.0- 7.6
18-24	95	41,629	53	52.8	39.9-65.7	35	41.9	28.8-55.0	5	3.5	0.2- 6.8	1	0.5	0.0- 1.5	1	1.2	0.0- 3.6
25-34	160	54,405	83	55.7	45.7-65.7	55	32.0	23.0-41.0	6	3.4	0.5- 6.3	4	2.6	0.0- 5.5	12	6.4	1.5-11.3
35-44	169	49,121	71	38.8	29.4-48.2	79	48.3	38.5-58.1	7	7.8	0.7-14.9	3	1.2	0.0- 2.8	9	3.8	1.1- 6.5
45-54	237	54,629	123	52.0	44.4-59.6	88	36.5	29.2-43.8	7	4.2	0.7- 7.7	4	1.6	0.0- 3.4	15	5.6	2.3- 8.9
55-64	347	55,605	173	50.6	43.7-57.5	128	35.8	29.3-42.3	17	5.2	2.3- 8.1	6	2.3	0.0- 4.8	23	6.1	3.0- 9.2
65+	579	64,458	304	54.8	49.5-60.1	222	36.5	31.4-41.6	19	4.0	1.5- 6.5	4	0.6	0.0- 1.2	30	4.1	2.1- 6.1
Less Than H.S.	141	41,889	78	51.6	40.4-62.8	51	42.1	30.9-53.3	2	0.8	0.0- 2.0	1	0.8	0.0- 2.4	9	4.6	1.1- 8.1
H.S. or G.E.D.	485	107,224	268	56.5	50.2-62.8	165	33.2	27.3-39.1	11	3.9	1.0- 6.8	4	0.7	0.0- 1.5	37	5.8	3.4- 8.2
Some Post-H.S.	389	92,433	205	51.6	44.7-58.5	139	35.1	28.4-41.8	18	5.5	2.2- 8.8	6	2.5	0.3- 4.7	21	5.3	2.2- 8.4
College Graduate	581	78,871	264	42.9	37.6-48.2	255	46.2	40.7-51.7	30	6.7	3.8- 9.6	11	1.8	0.4- 3.2	21	2.3	0.9- 3.7
Less than \$15,000	72	11,225	36	50.1	33.6-66.6	24	38.7	22.8-54.6	4	3.0	0.0- 6.3				8	8.3	0.0-17.3
\$15,000- 24,999	215	41,173	112	50.1	41.3-58.9	70	35.6	26.8-44.4	10	6.0	1.7-10.3	4	1.4	0.0- 3.0	19	6.9	2.8-11.0
\$25,000- 34,999	158	35,296	83	58.9	48.1-69.7	59	34.6	24.2-45.0	4	1.2	0.0- 2.6	1	0.5	0.0- 1.5	11	4.8	1.5- 8.1
\$35,000- 49,999	196	36,398	114	53.5	43.7-63.3	66	36.9	27.3-46.5	5	3.9	0.0- 7.8	3	2.1	0.0- 4.6	8	3.6	0.7- 6.5
\$50,000- 74,999	219	41,077	119	53.8	44.2-63.4	81	33.8	25.2-42.4	7	3.7	0.4- 7.0	3	3.0	0.0- 6.7	9	5.7	0.0-11.6
\$75,000+	477	102,682	225	46.0	39.7-52.3	211	43.0	36.7-49.3	20	6.6	2.7-10.5	8	1.6	0.0- 3.2	13	2.8	1.0- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2152	357,735	871	41.9	39.0-44.8	1032	46.2	43.3-49.1	136	6.8	5.2- 8.4	47	2.3	1.3- 3.3	66	2.9	1.9- 3.9
White/Non-Hisp	1590	239,323	620	40.6	37.1-44.1	798	49.3	45.8-52.8	90	5.4	4.0- 6.8	35	2.4	1.2- 3.6	47	2.3	1.1- 3.5
Black or Afr. Am./Non-Hisp	324	69,597	157	47.8	40.5-55.1	119	34.0	27.3-40.7	30	11.6	6.7-16.5	6	2.0	0.0- 4.2	12	4.5	1.6- 7.4
Oth. Race/Non-Hisp.	56	14,636	16	34.4	15.8-53.0	31	53.6	35.2-72.0	4	6.5	0.0-15.7	3	1.7	0.0- 3.7	2	3.8	0.0- 9.5
Hispanic	124	24,442	51	43.5	32.3-54.7	60	45.7	34.7-56.7	8	6.0	1.1-10.9	1	1.6	0.0- 4.7	4	3.2	0.0- 6.5
18-24	102	39,290	49	49.4	36.5-62.3	42	37.2	25.4-49.0	4	2.6	0.0- 5.5	5	6.3	0.0-12.6	2	4.5	0.0-11.0
25-34	193	55,833	82	44.7	35.7-53.7	89	46.2	37.0-55.4	16	6.4	2.7-10.1	3	2.0	0.0- 4.5	3	0.6	0.0- 1.4
35-44	198	53,113	72	38.0	29.4-46.6	100	49.8	41.2-58.4	12	7.0	2.3-11.7	4	1.1	0.0- 2.7	10	4.1	1.2- 7.0
45-54	342	61,567	132	38.0	31.3-44.7	161	47.3	40.6-54.0	32	11.2	6.7-15.7	9	1.9	0.5- 3.3	8	1.7	0.3- 3.1
55-64	456	61,640	187	44.0	38.1-49.9	198	39.9	34.2-45.6	32	8.7	4.6-12.8	16	3.0	1.2- 4.8	23	4.3	2.1- 6.5
65+	831	81,889	339	40.6	36.1-45.1	425	51.3	46.8-55.8	38	4.3	2.7- 5.9	9	1.0	0.2- 1.8	20	2.7	0.9- 4.5
Less Than H.S.	176	39,398	83	49.3	38.7-59.9	74	39.7	29.9-49.5	6	4.4	0.5- 8.3	2	1.1	0.0- 2.9	11	5.5	1.8- 9.2
H.S. or G.E.D.	619	100,453	268	45.6	39.7-51.5	277	41.2	35.7-46.7	37	7.2	4.3-10.1	8	1.1	0.1- 2.1	29	4.9	2.0- 7.8
Some Post-H.S.	581	113,342	263	43.0	37.5-48.5	262	45.8	40.3-51.3	37	7.9	4.8-11.0	7	2.0	0.0- 4.2	12	1.3	0.3- 2.3
College Graduate	768	103,554	254	34.4	29.7-39.1	416	53.9	49.0-58.8	54	6.0	3.8- 8.2	30	4.2	2.2- 6.2	14	1.5	0.3- 2.7
Less than \$15,000	155	22,120	69	46.0	34.4-57.6	64	36.5	25.5-47.5	12	10.1	3.2-17.0				10	7.4	1.1-13.7
\$15,000- 24,999	309	46,870	130	46.9	38.7-55.1	149	43.4	35.8-51.0	16	5.7	2.4- 9.0	5	1.4	0.0- 2.8	9	2.7	0.7- 4.7
\$25,000- 34,999	203	29,942	83	40.5	31.7-49.3	97	48.8	39.8-57.8	15	7.8	2.3-13.3	2	0.5	0.0- 1.3	6	2.3	0.3- 4.3
\$35,000- 49,999	248	38,333	118	44.1	35.7-52.5	94	35.4	27.8-43.0	22	14.4	7.5-21.3	4	1.7	0.0- 3.7	10	4.4	0.7- 8.1
\$50,000- 74,999	264	46,575	115	45.2	36.4-54.0	128	48.1	39.1-57.1	10	4.3	0.6- 8.0	6	1.3	0.1- 2.5	5	1.1	0.0- 2.3
\$75,000+	521	102,010	170	34.7	29.0-40.4	280	52.6	46.7-58.5	42	7.1	4.2-10.0	20	4.7	1.8- 7.6	9	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3725	675,785	2574	68.1	65.9-70.3	215	6.4	5.0- 7.8	13	0.4	0.2- 0.6	4	0.1	0.0- 0.3	919	25.0	23.0-27.0
Male	1583	318,157	1117	68.3	65.0-71.6	95	7.0	4.8- 9.2	9	0.6	0.0- 1.2				362	24.1	21.2-27.0
Female	2142	357,627	1457	67.9	65.0-70.8	120	5.9	4.3- 7.5	4	0.1	0.0- 0.3	4	0.2	0.0- 0.4	557	25.9	23.4-28.4
White/Non-Hisp	2742	448,442	1945	71.1	68.7-73.5	127	4.0	3.0- 5.0	8	0.4	0.0- 0.8	3	0.1	0.0- 0.3	659	24.4	22.0-26.8
Black or Afr. Am./Non-Hisp	544	127,168	321	58.5	52.6-64.4	34	8.2	4.1-12.3	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	185	32.7	27.2-38.2
Oth. Race/Non-Hisp.	99	28,002	74	73.5	61.7-85.3	6	7.0	0.0-14.1							19	19.5	8.9-30.1
Hispanic	223	51,101	154	63.4	54.8-72.0	40	23.0	15.0-31.0	1	0.2	0.0- 0.6				28	13.4	7.3-19.5
18-24	196	82,035	118	60.8	52.0-69.6	13	7.1	1.4-12.8	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2	63	31.0	23.0-39.0
25-34	352	108,331	240	68.4	62.1-74.7	20	6.4	2.9- 9.9	2	0.6	0.0- 1.6				90	24.6	18.7-30.5
35-44	365	102,459	256	69.9	63.8-76.0	27	9.6	5.1-14.1	2	0.3	0.0- 0.7				80	20.2	15.3-25.1
45-54	577	115,775	402	70.9	66.2-75.6	44	6.0	3.8- 8.2							131	23.1	18.8-27.4
55-64	800	116,123	548	67.4	63.1-71.7	35	4.5	2.7- 6.3	4	0.7	0.0- 1.5	2	0.3	0.0- 0.7	211	27.3	23.2-31.4
65+	1387	143,637	980	69.4	66.1-72.7	70	5.7	3.9- 7.5	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0	332	24.7	21.6-27.8
Less Than H.S.	317	83,065	193	61.8	54.2-69.4	38	14.6	8.3-20.9				2	0.5	0.0- 1.3	84	23.1	17.0-29.2
H.S. or G.E.D.	1098	205,927	692	62.4	58.3-66.5	62	4.4	3.0- 5.8	5	0.8	0.0- 1.6				339	32.4	28.3-36.5
Some Post-H.S.	959	202,444	680	70.7	66.8-74.6	41	5.2	2.8- 7.6	2	0.2	0.0- 0.6				236	24.0	20.3-27.7
College Graduate	1333	180,664	1001	74.7	71.4-78.0	73	6.3	4.1- 8.5	6	0.2	0.0- 0.4	2	0.1	0.0- 0.3	251	18.6	15.9-21.3
Less than \$15,000	228	35,469	130	57.2	47.0-67.4	26	9.7	5.2-14.2							72	33.1	23.5-42.7
\$15,000- 24,999	527	87,711	335	63.7	58.0-69.4	35	8.5	4.2-12.8	2	0.7	0.0- 1.9				155	27.1	22.2-32.0
\$25,000- 34,999	362	65,419	245	66.1	59.2-73.0	25	7.1	3.8-10.4	3	1.4	0.0- 3.2	1	0.2	0.0- 0.6	88	25.2	18.9-31.5
\$35,000- 49,999	436	74,133	302	66.2	59.9-72.5	20	5.8	1.7- 9.9	1	0.0	0.0- 0.0				113	28.0	22.1-33.9
\$50,000- 74,999	479	85,343	369	73.1	66.8-79.4	18	6.0	2.5- 9.5	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	90	20.8	14.9-26.7
\$75,000+	996	204,830	754	75.6	71.9-79.3	51	5.4	3.4- 7.4	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	186	18.6	15.3-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1583	318,157	1117	68.3	65.0-71.6	95	7.0	4.8- 9.2	9	0.6	0.0- 1.2	362	24.1	21.2-27.0
White/Non-Hisp	1162	210,956	837	71.7	68.0-75.4	51	3.2	2.2- 4.2	6	0.6	0.0- 1.2	268	24.5	21.0-28.0
Black or Afr. Am./Non-Hisp	222	56,506	139	58.7	49.1-68.3	18	11.0	3.0-19.0	2	1.0	0.0- 2.8	63	29.3	20.9-37.7
Hispanic	99	26,659	68	62.2	49.1-75.3	20	26.6	14.3-38.9				11	11.2	2.4-20.0
18-24	94	41,082	55	56.5	43.6-69.4	7	11.3	0.5-22.1	1	1.2	0.0- 3.6	31	31.0	19.6-42.4
25-34	160	53,636	107	69.3	60.1-78.5	8	4.5	0.6- 8.4	1	1.1	0.0- 3.3	44	25.1	16.5-33.7
35-44	168	48,997	121	70.4	61.2-79.6	12	10.3	3.2-17.4				35	19.2	11.8-26.6
45-54	234	54,191	160	68.7	61.4-76.0	17	7.4	3.7-11.1				57	23.9	17.0-30.8
55-64	340	54,025	236	65.4	58.7-72.1	16	5.1	2.2- 8.0	4	1.4	0.0- 3.2	84	28.0	21.5-34.5
65+	569	63,203	424	75.5	70.8-80.2	33	4.9	2.9- 6.9	3	0.2	0.0- 0.4	109	19.4	14.9-23.9
Less Than H.S.	137	40,962	91	62.8	51.4-74.2	21	19.6	8.8-30.4				25	17.6	9.6-25.6
H.S. or G.E.D.	481	106,116	321	64.5	58.4-70.6	23	3.5	1.7- 5.3	3	1.3	0.0- 2.9	134	30.6	24.7-36.5
Some Post-H.S.	381	90,281	267	68.7	62.0-75.4	18	5.9	2.0- 9.8	2	0.4	0.0- 1.0	94	25.0	18.9-31.1
College Graduate	574	78,101	433	75.8	70.9-80.7	33	6.7	3.6- 9.8	4	0.2	0.0- 0.4	104	17.3	13.2-21.4
Less than \$15,000	71	11,053	46	64.6	49.3-79.9	10	12.3	3.7-20.9				15	23.1	9.4-36.8
\$15,000- 24,999	214	41,157	138	62.5	53.7-71.3	17	9.5	2.4-16.6	1	1.4	0.0- 4.1	58	26.6	19.0-34.2
\$25,000- 34,999	158	35,359	110	69.4	59.4-79.4	12	6.9	2.6-11.2	3	2.5	0.0- 5.8	33	21.1	12.1-30.1
\$35,000- 49,999	191	35,722	125	62.3	52.5-72.1	11	7.9	0.6-15.2	1	0.1	0.0- 0.3	54	29.7	21.1-38.3
\$50,000- 74,999	216	39,871	170	76.5	68.1-84.9	7	5.3	1.0- 9.6	1	0.1	0.0- 0.3	38	18.1	10.5-25.7
\$75,000+	478	102,523	367	74.8	69.3-80.3	22	5.3	2.4- 8.2	2	0.3	0.0- 0.9	87	19.5	14.4-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2142	357,627	1457	67.9	65.0-70.8	120	5.9	4.3- 7.5	4	0.1	0.0- 0.3	4	0.2	0.0- 0.4	557	25.9	23.4-28.4
White/Non-Hisp	1580	237,486	1108	70.6	67.3-73.9	76	4.7	3.1- 6.3	2	0.1	0.0- 0.3	3	0.2	0.0- 0.6	391	24.4	21.5-27.3
Black or Afr. Am./Non-Hisp	322	70,663	182	58.3	50.9-65.7	16	5.9	2.2- 9.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	122	35.4	28.3-42.5
Oth. Race/Non-Hisp.	58	15,340	44	77.8	62.3-93.3	3	2.2	0.0- 4.9							11	20.0	4.7-35.3
Hispanic	124	24,442	86	64.8	53.6-76.0	20	18.9	8.7-29.1	1	0.4	0.0- 1.2				17	15.9	7.7-24.1
18-24	102	40,953	63	65.2	53.2-77.2	6	3.0	0.1- 5.9				1	0.8	0.0- 2.4	32	31.0	19.4-42.6
25-34	192	54,695	133	67.6	58.8-76.4	12	8.2	2.3-14.1	1	0.2	0.0- 0.6				46	24.0	16.4-31.6
35-44	197	53,462	135	69.4	61.4-77.4	15	8.9	3.2-14.6	2	0.6	0.0- 1.4				45	21.0	14.3-27.7
45-54	343	61,584	242	72.8	66.9-78.7	27	4.8	2.6- 7.0							74	22.3	16.6-28.0
55-64	460	62,098	312	69.0	63.7-74.3	19	3.9	1.7- 6.1				2	0.5	0.0- 1.3	127	26.6	21.5-31.7
65+	818	80,434	556	64.6	60.1-69.1	37	6.3	3.6- 9.0	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	223	28.9	24.6-33.2
Less Than H.S.	180	42,103	102	60.7	50.3-71.1	17	9.7	3.4-16.0				2	1.1	0.0- 2.7	59	28.5	19.3-37.7
H.S. or G.E.D.	617	99,811	371	60.1	54.4-65.8	39	5.3	3.1- 7.5	2	0.2	0.0- 0.6				205	34.3	28.6-40.0
Some Post-H.S.	578	112,163	413	72.3	67.4-77.2	23	4.6	2.1- 7.1							142	23.1	18.6-27.6
College Graduate	759	102,563	568	73.9	69.4-78.4	40	6.0	3.1- 8.9	2	0.3	0.0- 0.7	2	0.2	0.0- 0.6	147	19.6	15.7-23.5
Less than \$15,000	157	24,416	84	53.9	40.8-67.0	16	8.5	3.4-13.6							57	37.6	25.3-49.9
\$15,000- 24,999	313	46,554	197	64.6	57.2-72.0	18	7.6	2.3-12.9	1	0.2	0.0- 0.6				97	27.6	21.1-34.1
\$25,000- 34,999	204	30,060	135	62.3	53.5-71.1	13	7.3	2.0-12.6				1	0.4	0.0- 1.2	55	30.0	21.8-38.2
\$35,000- 49,999	245	38,411	177	69.7	61.5-77.9	9	3.8	0.0- 8.1							59	26.4	18.6-34.2
\$50,000- 74,999	263	45,472	199	70.1	61.1-79.1	11	6.7	1.2-12.2				1	0.1	0.0- 0.3	52	23.1	14.7-31.5
\$75,000+	518	102,307	387	76.4	71.5-81.3	29	5.5	2.6- 8.4	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	99	17.6	13.5-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3750	680,256	2523	68.0	65.8-70.2	935	24.3	22.3-26.3	42	1.2	0.6- 1.8	14	0.3	0.1- 0.5	236	6.2	5.0- 7.4
Male	1596	321,741	1132	71.5	68.4-74.6	334	20.4	17.7-23.1	18	1.2	0.4- 2.0	1	0.0	0.0- 0.0	111	6.8	5.0- 8.6
Female	2154	358,516	1391	64.8	61.9-67.7	601	27.7	25.0-30.4	24	1.3	0.5- 2.1	13	0.6	0.2- 1.0	125	5.6	4.0- 7.2
White/Non-Hisp	2764	453,497	1855	68.8	66.3-71.3	688	23.5	21.3-25.7	30	1.2	0.6- 1.8	11	0.3	0.1- 0.5	180	6.3	4.9- 7.7
Black or Afr. Am./Non-Hisp	546	126,090	368	68.6	63.3-73.9	150	26.5	21.4-31.6	8	1.6	0.2- 3.0	1	0.4	0.0- 1.2	19	2.9	1.1- 4.7
Oth. Race/Non-Hisp.	101	28,302	70	62.1	49.4-74.8	21	26.4	14.8-38.0	2	0.8	0.0- 2.0	1	0.2	0.0- 0.6	7	10.6	1.6-19.6
Hispanic	222	51,397	158	66.9	58.5-75.3	41	20.0	12.9-27.1	2	1.5	0.0- 3.9	1	0.8	0.0- 2.4	20	10.6	4.7-16.5
18-24	198	83,019	137	71.4	63.8-79.0	40	17.8	11.5-24.1	3	2.3	0.0- 5.2				18	8.5	3.8-13.2
25-34	349	108,318	241	65.2	58.3-72.1	79	24.3	18.2-30.4	4	0.9	0.0- 2.1	3	0.7	0.0- 1.7	22	8.9	4.2-13.6
35-44	366	102,179	244	68.8	62.9-74.7	96	25.2	19.7-30.7	7	1.6	0.0- 3.2	2	0.5	0.0- 1.3	17	3.9	1.4- 6.4
45-54	578	115,698	367	68.6	64.1-73.1	170	25.7	21.4-30.0	7	0.8	0.0- 1.6				34	4.9	2.9- 6.9
55-64	806	117,330	525	64.9	60.6-69.2	214	27.4	23.3-31.5	13	1.9	0.7- 3.1	6	0.8	0.0- 1.6	48	4.9	3.3- 6.5
65+	1406	146,387	978	69.1	65.8-72.4	323	23.8	20.9-26.7	7	0.5	0.1- 0.9	3	0.1	0.1- 0.1	95	6.6	4.8- 8.4
Less Than H.S.	318	82,755	209	67.1	60.0-74.2	64	21.2	15.3-27.1	3	0.5	0.0- 1.1				42	11.1	6.6-15.6
H.S. or G.E.D.	1099	206,259	771	70.7	66.8-74.6	228	19.6	16.5-22.7	9	1.1	0.3- 1.9	2	0.2	0.0- 0.6	89	8.4	5.7-11.1
Some Post-H.S.	975	205,805	662	67.0	62.9-71.1	252	27.0	23.1-30.9	7	1.2	0.0- 2.4	2	0.4	0.0- 1.0	52	4.4	2.8- 6.0
College Graduate	1340	181,752	871	66.9	63.4-70.4	387	27.5	24.2-30.8	23	1.8	0.8- 2.8	10	0.6	0.2- 1.0	49	3.2	2.0- 4.4
Less than \$15,000	228	35,512	145	64.8	55.4-74.2	60	25.6	17.4-33.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	21	9.3	3.6-15.0
\$15,000- 24,999	528	87,965	366	70.2	64.7-75.7	108	21.7	16.4-27.0	8	1.0	0.2- 1.8	1	0.5	0.0- 1.5	45	6.7	4.2- 9.2
\$25,000- 34,999	359	64,620	246	69.1	62.6-75.6	84	24.9	18.6-31.2	1	0.1	0.0- 0.3	1	0.7	0.0- 2.1	27	5.2	3.0- 7.4
\$35,000- 49,999	442	74,289	303	67.1	61.2-73.0	102	24.9	19.6-30.2	5	1.5	0.0- 3.1	1	0.2	0.0- 0.6	31	6.3	3.6- 9.0
\$50,000- 74,999	486	88,103	341	69.5	63.2-75.8	118	22.3	17.0-27.6	5	1.9	0.0- 3.9	3	0.2	0.0- 0.6	19	6.0	1.7-10.3
\$75,000+	1001	205,208	662	69.2	65.3-73.1	280	25.4	21.9-28.9	17	1.9	0.5- 3.3	5	0.3	0.0- 0.7	37	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1596	321,741	1132	71.5	68.4-74.6	334	20.4	17.7-23.1	18	1.2	0.4- 2.0	1	0.0	0.0- 0.0	111	6.8	5.0- 8.6
White/Non-Hisp	1170	213,520	824	72.2	68.7-75.7	249	20.0	17.1-22.9	13	1.1	0.3- 1.9	1	0.0	0.0- 0.0	83	6.7	4.5- 8.9
Black or Afr. Am./Non-Hisp	225	56,801	167	75.9	68.3-83.5	44	18.6	11.5-25.7	3	1.4	0.0- 3.4				11	4.1	1.2- 7.0
Hispanic	99	27,207	70	65.1	52.8-77.4	17	18.4	8.8-28.0	2	2.9	0.0- 7.2				10	13.6	3.8-23.4
18-24	95	41,637	66	74.3	64.1-84.5	15	15.4	6.6-24.2	2	1.9	0.0- 4.6				12	8.3	3.0-13.6
25-34	158	54,183	118	70.2	60.4-80.0	24	15.1	8.0-22.2	1	1.1	0.0- 3.3				15	13.7	5.5-21.9
35-44	168	48,997	116	73.4	65.6-81.2	38	20.9	13.8-28.0	4	1.4	0.0- 3.0				10	4.3	1.0- 7.6
45-54	236	54,537	166	74.5	68.0-81.0	54	21.1	15.0-27.2	2	0.3	0.0- 0.7				14	4.2	1.7- 6.7
55-64	342	54,730	231	65.6	59.1-72.1	85	27.2	20.9-33.5	7	2.8	0.4- 5.2				19	4.5	2.1- 6.9
65+	578	64,388	422	72.6	67.7-77.5	113	21.1	16.4-25.8	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0	40	6.1	3.9- 8.3
Less Than H.S.	138	41,595	85	62.7	52.3-73.1	31	24.3	15.5-33.1	1	0.4	0.0- 1.2				21	12.7	6.0-19.4
H.S. or G.E.D.	484	107,065	358	74.4	68.9-79.9	81	15.7	11.6-19.8	5	1.5	0.1- 2.9				40	8.4	4.3-12.5
Some Post-H.S.	387	91,952	279	72.9	67.0-78.8	84	22.1	16.6-27.6	3	1.1	0.0- 2.5				21	3.9	1.9- 5.9
College Graduate	577	78,430	405	71.7	67.0-76.4	135	21.8	17.5-26.1	9	1.5	0.3- 2.7	1	0.0	0.0- 0.0	27	4.9	2.5- 7.3
Less than \$15,000	74	11,256	51	64.0	48.5-79.5	17	29.7	14.6-44.8							6	6.3	0.2-12.4
\$15,000- 24,999	213	41,188	151	70.0	61.4-78.6	40	20.4	12.2-28.6	2	0.5	0.0- 1.3				20	9.1	4.4-13.8
\$25,000- 34,999	157	34,895	115	73.6	64.6-82.6	30	21.9	13.3-30.5							12	4.5	1.8- 7.2
\$35,000- 49,999	193	35,928	141	73.8	65.8-81.8	32	17.5	10.6-24.4	3	2.0	0.0- 4.9				17	6.6	2.9-10.3
\$50,000- 74,999	218	41,007	166	76.6	68.2-85.0	38	13.1	8.0-18.2	3	3.1	0.0- 6.8				11	7.2	0.5-13.9
\$75,000+	479	103,049	346	75.4	70.3-80.5	107	20.4	15.7-25.1	7	0.9	0.1- 1.7				19	3.3	0.6- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	358,516	1391	64.8	61.9-67.7	601	27.7	25.0-30.4	24	1.3	0.5- 2.1	13	0.6	0.2- 1.0	125	5.6	4.0- 7.2
White/Non-Hisp	1594	239,977	1031	65.7	62.4-69.0	439	26.6	23.5-29.7	17	1.3	0.3- 2.3	10	0.6	0.2- 1.0	97	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	321	69,290	201	62.7	55.4-70.0	106	33.0	25.9-40.1	5	1.7	0.0- 3.9	1	0.7	0.0- 2.1	8	2.0	0.2- 3.8
Oth. Race/Non-Hisp.	59	15,477	36	55.5	37.7-73.3	14	27.5	11.8-43.2	2	1.5	0.0- 3.9	1	0.4	0.0- 1.2	6	15.1	0.8-29.4
Hispanic	123	24,189	88	69.0	57.8-80.2	24	21.9	11.3-32.5				1	1.8	0.0- 5.3	10	7.3	1.8-12.8
18-24	103	41,382	71	68.4	57.0-79.8	25	20.2	11.6-28.8	1	2.7	0.0- 7.8				6	8.7	1.1-16.3
25-34	191	54,135	123	60.3	50.9-69.7	55	33.5	24.3-42.7	3	0.8	0.0- 1.8	3	1.4	0.0- 3.2	7	4.1	0.2- 8.0
35-44	198	53,182	128	64.7	56.3-73.1	58	29.2	21.4-37.0	3	1.7	0.0- 4.2	2	1.0	0.0- 2.6	7	3.5	0.0- 7.4
45-54	342	61,161	201	63.3	57.0-69.6	116	29.8	23.7-35.9	5	1.3	0.0- 2.7				20	5.6	2.7- 8.5
55-64	464	62,599	294	64.3	58.6-70.0	129	27.7	22.4-33.0	6	1.2	0.2- 2.2	6	1.5	0.1- 2.9	29	5.2	2.8- 7.6
65+	828	81,999	556	66.4	62.1-70.7	210	25.9	22.0-29.8	5	0.7	0.0- 1.5	2	0.1	0.0- 0.3	55	7.0	4.5- 9.5
Less Than H.S.	180	41,160	124	71.6	62.2-81.0	33	18.2	10.2-26.2	2	0.6	0.0- 1.6				21	9.6	3.7-15.5
H.S. or G.E.D.	615	99,194	413	66.7	61.2-72.2	147	23.7	19.0-28.4	4	0.7	0.0- 1.5	2	0.5	0.0- 1.3	49	8.4	4.9-11.9
Some Post-H.S.	588	113,853	383	62.2	56.7-67.7	168	31.0	25.7-36.3	4	1.4	0.0- 3.4	2	0.7	0.0- 1.7	31	4.8	2.4- 7.2
College Graduate	763	103,322	466	63.2	58.5-67.9	252	31.9	27.2-36.6	14	2.0	0.4- 3.6	9	1.0	0.2- 1.8	22	1.9	0.7- 3.1
Less than \$15,000	154	24,256	94	65.2	53.6-76.8	43	23.7	14.3-33.1	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	15	10.8	3.0-18.6
\$15,000- 24,999	315	46,776	215	70.4	63.1-77.7	68	22.7	15.8-29.6	6	1.4	0.2- 2.6	1	0.9	0.0- 2.7	25	4.6	2.6- 6.6
\$25,000- 34,999	202	29,726	131	63.8	55.0-72.6	54	28.3	19.7-36.9	1	0.2	0.0- 0.6	1	1.5	0.0- 4.4	15	6.1	2.6- 9.6
\$35,000- 49,999	249	38,361	162	60.8	52.6-69.0	70	31.7	23.9-39.5	2	1.1	0.0- 2.7	1	0.4	0.0- 1.2	14	6.0	2.1- 9.9
\$50,000- 74,999	268	47,096	175	63.4	54.6-72.2	80	30.3	22.1-38.5	2	0.8	0.0- 2.0	3	0.4	0.0- 1.0	8	5.0	0.0-10.5
\$75,000+	522	102,159	316	62.9	57.2-68.6	173	30.6	25.3-35.9	10	2.8	0.3- 5.3	5	0.7	0.1- 1.3	18	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3723	676,762	2846	73.9	71.7-76.1	252	7.4	6.2- 8.6	11	0.3	0.1- 0.5	11	0.2	0.0- 0.4	603	18.3	16.5-20.1
Male	1583	318,593	1185	72.3	69.2-75.4	101	6.7	4.9- 8.5	6	0.4	0.0- 0.8	4	0.1	0.0- 0.3	287	20.5	17.6-23.4
Female	2140	358,169	1661	75.3	72.6-78.0	151	8.0	6.2- 9.8	5	0.1	0.0- 0.3	7	0.2	0.0- 0.4	316	16.3	13.9-18.7
White/Non-Hisp	2749	451,127	2155	76.7	74.3-79.1	167	6.1	4.9- 7.3	8	0.3	0.1- 0.5	8	0.2	0.0- 0.4	411	16.7	14.5-18.9
Black or Afr. Am./Non-Hisp	539	126,989	372	66.9	61.4-72.4	45	8.8	5.5-12.1	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	119	23.7	18.8-28.6
Oth. Race/Non-Hisp.	102	28,473	71	62.4	49.3-75.5	12	14.0	5.0-23.0	1	0.6	0.0- 1.8	1	0.6	0.0- 1.8	18	23.1	10.6-35.6
Hispanic	219	50,117	160	72.8	65.2-80.4	21	10.3	4.4-16.2	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	36	16.2	10.1-22.3
18-24	197	82,367	148	75.0	67.4-82.6	5	1.4	0.0- 2.8							44	23.6	16.2-31.0
25-34	343	107,679	239	67.4	60.7-74.1	19	6.6	2.9-10.3	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	82	25.7	19.4-32.0
35-44	366	102,640	257	70.6	64.7-76.5	41	13.0	8.7-17.3	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	64	15.6	10.9-20.3
45-54	577	115,953	433	74.0	69.5-78.5	46	8.8	5.5-12.1	2	0.4	0.0- 1.2	2	0.2	0.0- 0.6	94	16.5	12.8-20.2
55-64	799	116,591	598	74.1	70.2-78.0	60	7.8	5.4-10.2	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7	137	17.7	14.2-21.2
65+	1393	143,953	1134	79.6	76.7-82.5	79	6.0	4.2- 7.8	3	0.3	0.0- 0.7	4	0.2	0.0- 0.6	173	13.9	11.4-16.4
Less Than H.S.	313	82,024	221	70.0	62.9-77.1	18	6.4	2.5-10.3	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	71	22.9	16.6-29.2
H.S. or G.E.D.	1096	205,629	819	70.2	66.1-74.3	56	6.3	4.1- 8.5	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	217	23.3	19.4-27.2
Some Post-H.S.	962	203,841	736	75.8	72.1-79.5	62	6.6	4.4- 8.8	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3	157	16.8	13.5-20.1
College Graduate	1334	181,584	1056	77.8	74.7-80.9	115	9.5	7.1-11.9	3	0.1	0.0- 0.3	5	0.2	0.0- 0.4	155	12.3	9.8-14.8
Less than \$15,000	229	35,766	153	63.3	53.5-73.1	11	2.4	0.6- 4.2	2	0.9	0.0- 2.3	2	0.5	0.0- 1.3	61	32.9	23.3-42.5
\$15,000- 24,999	515	85,927	365	68.8	63.1-74.5	40	9.2	5.3-13.1	2	0.5	0.0- 1.3	3	0.5	0.0- 1.1	105	21.1	16.2-26.0
\$25,000- 34,999	357	64,102	272	74.4	68.1-80.7	22	8.4	3.9-12.9	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	61	16.9	12.0-21.8
\$35,000- 49,999	435	73,463	353	77.8	72.3-83.3	28	7.9	4.2-11.6							54	14.3	9.8-18.8
\$50,000- 74,999	485	87,956	387	74.5	68.4-80.6	25	6.7	3.4-10.0	2	0.2	0.0- 0.6	2	0.4	0.0- 1.0	69	18.2	12.5-23.9
\$75,000+	997	205,122	785	76.5	72.8-80.2	83	8.2	6.0-10.4	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	125	15.1	11.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1583	318,593	1185	72.3	69.2-75.4	101	6.7	4.9- 8.5	6	0.4	0.0- 0.8	4	0.1	0.0- 0.3	287	20.5	17.6-23.4
White/Non-Hisp	1164	212,463	886	72.9	69.2-76.6	66	5.3	3.7- 6.9	4	0.4	0.0- 0.8	3	0.1	0.0- 0.3	205	21.3	17.6-25.0
Black or Afr. Am./Non-Hisp	222	56,612	157	71.9	63.9-79.9	17	8.6	3.3-13.9	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9	46	18.7	12.0-25.4
Hispanic	97	26,200	69	73.2	62.4-84.0	9	6.6	1.7-11.5	1	0.8	0.0- 2.4				18	19.4	9.6-29.2
18-24	95	41,197	69	75.0	64.8-85.2	3	1.4	0.0- 3.0							23	23.6	13.6-33.6
25-34	154	52,982	102	64.5	54.3-74.7	5	3.7	0.0- 7.6							47	31.8	21.6-42.0
35-44	167	48,885	116	70.3	61.9-78.7	15	9.7	4.6-14.8	3	1.4	0.0- 3.0	1	0.3	0.0- 0.9	32	18.4	11.3-25.5
45-54	236	54,820	176	73.3	66.2-80.4	17	7.8	2.9-12.7	1	0.7	0.0- 2.1	1	0.4	0.0- 1.2	41	17.8	11.9-23.7
55-64	343	54,851	244	69.1	62.6-75.6	32	11.3	6.8-15.8	1	0.1	0.0- 0.3				66	19.4	13.7-25.1
65+	569	62,589	463	80.2	75.7-84.7	27	5.1	2.2- 8.0	1	0.3	0.0- 0.9	2	0.1	0.0- 0.3	76	14.2	10.3-18.1
Less Than H.S.	136	40,572	91	68.1	58.1-78.1	10	6.8	1.9-11.7	1	0.5	0.0- 1.5				34	24.6	15.2-34.0
H.S. or G.E.D.	483	106,196	358	70.1	64.0-76.2	16	4.6	2.1- 7.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	107	25.1	19.4-30.8
Some Post-H.S.	382	91,155	280	74.0	68.1-79.9	25	6.1	3.2- 9.0	4	1.1	0.0- 2.3				73	18.8	13.5-24.1
College Graduate	572	77,973	448	75.8	70.9-80.7	49	9.3	6.0-12.6				3	0.3	0.0- 0.9	72	14.5	10.2-18.8
Less than \$15,000	75	11,681	47	60.2	44.9-75.5	2	1.5	0.0- 3.7	1	1.8	0.0- 5.3	1	1.3	0.0- 3.8	24	35.3	20.4-50.2
\$15,000- 24,999	208	40,201	141	68.4	60.2-76.6	15	6.5	2.6-10.4	2	1.0	0.0- 2.8				50	24.0	16.6-31.4
\$25,000- 34,999	158	34,784	118	75.5	66.3-84.7	11	10.5	3.1-17.9	1	0.5	0.0- 1.5				28	13.5	7.2-19.8
\$35,000- 49,999	188	34,898	152	80.5	73.2-87.8	11	5.2	1.7- 8.7							25	14.3	7.8-20.8
\$50,000- 74,999	219	41,204	180	74.4	65.0-83.8	7	5.5	1.0-10.0							32	20.0	11.0-29.0
\$75,000+	477	102,634	368	73.1	67.2-79.0	36	6.7	4.0- 9.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	70	19.8	14.3-25.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2140	358,169	1661	75.3	72.6-78.0	151	8.0	6.2- 9.8	5	0.1	0.0- 0.3	7	0.2	0.0- 0.4	316	16.3	13.9-18.7
White/Non-Hisp	1585	238,664	1269	80.1	77.2-83.0	101	6.8	5.0- 8.6	4	0.2	0.0- 0.4	5	0.2	0.0- 0.4	206	12.7	10.3-15.1
Black or Afr. Am./Non-Hisp	317	70,377	215	62.9	55.5-70.3	28	9.1	4.8-13.4	1	0.2	0.0- 0.6				73	27.8	20.9-34.7
Oth. Race/Non-Hisp.	60	15,649	41	62.6	44.2-81.0	7	9.5	0.7-18.3				1	1.0	0.0- 3.0	11	26.9	8.1-45.7
Hispanic	122	23,917	91	72.4	61.2-83.6	12	14.5	3.9-25.1				1	0.4	0.0- 1.2	18	12.8	6.3-19.3
18-24	102	41,170	79	75.0	63.8-86.2	2	1.5	0.0- 3.9							21	23.5	12.5-34.5
25-34	189	54,697	137	70.2	61.6-78.8	14	9.4	3.3-15.5	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	35	19.8	12.4-27.2
35-44	199	53,755	141	70.9	62.7-79.1	26	16.0	9.1-22.9							32	13.0	6.9-19.1
45-54	341	61,133	257	74.6	68.7-80.5	29	9.8	5.5-14.1	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	53	15.4	10.9-19.9
55-64	456	61,740	354	78.6	73.9-83.3	28	4.7	2.7- 6.7	1	0.1	0.0- 0.3	2	0.5	0.0- 1.1	71	16.1	11.8-20.4
65+	824	81,364	671	79.1	75.2-83.0	52	6.7	4.3- 9.1	2	0.2	0.0- 0.6	2	0.4	0.0- 1.0	97	13.6	10.1-17.1
Less Than H.S.	177	41,452	130	72.0	62.2-81.8	8	6.1	0.0-12.2				2	0.7	0.0- 1.7	37	21.2	12.8-29.6
H.S. or G.E.D.	613	99,433	461	70.3	64.6-76.0	40	8.2	4.9-11.5				2	0.1	0.0- 0.3	110	21.3	16.0-26.6
Some Post-H.S.	580	112,686	456	77.3	72.6-82.0	37	7.1	4.2-10.0	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6	84	15.1	11.0-19.2
College Graduate	762	103,611	608	79.3	75.2-83.4	66	9.6	6.3-12.9	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3	83	10.7	7.8-13.6
Less than \$15,000	154	24,085	106	64.8	52.5-77.1	9	2.9	0.5- 5.3	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	37	31.7	19.5-43.9
\$15,000- 24,999	307	45,726	224	69.0	61.2-76.8	25	11.6	5.3-17.9				3	0.8	0.0- 1.8	55	18.5	12.4-24.6
\$25,000- 34,999	199	29,318	154	73.2	65.0-81.4	11	5.9	1.4-10.4				1	0.1	0.0- 0.3	33	20.9	13.3-28.5
\$35,000- 49,999	247	38,566	201	75.3	67.5-83.1	17	10.4	4.1-16.7							29	14.3	8.0-20.6
\$50,000- 74,999	266	46,752	207	74.5	66.5-82.5	18	7.6	2.7-12.5	2	0.4	0.0- 1.0	2	0.8	0.0- 2.0	37	16.6	9.3-23.9
\$75,000+	520	102,488	417	79.8	75.1-84.5	47	9.6	6.1-13.1	1	0.1	0.0- 0.3				55	10.4	6.7-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3707	671,555	2066	57.2	54.8-59.6	1476	37.9	35.7-40.1	52	1.2	0.8- 1.6	16	0.4	0.2- 0.6	1	0.0	0.0- 0.0	96	3.3	2.5- 4.1
Male	1585	316,849	966	62.4	59.1-65.7	553	32.1	29.0-35.2	14	0.8	0.2- 1.4	5	0.4	0.0- 0.8	1	0.0	0.0- 0.0	46	4.3	2.9- 5.7
Female	2122	354,706	1100	52.7	49.6-55.8	923	43.0	39.9-46.1	38	1.5	0.9- 2.1	11	0.4	0.2- 0.6				50	2.4	1.4- 3.4
White/Non-Hisp	2734	448,609	1437	54.4	51.7-57.1	1191	41.9	39.2-44.6	49	1.7	1.1- 2.3	14	0.4	0.2- 0.6	1	0.0	0.0- 0.0	42	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	540	124,977	365	65.8	60.1-71.5	142	27.8	22.3-33.3	3	0.3	0.0- 0.7	1	0.4	0.0- 1.2				29	5.8	3.1- 8.5
Oth. Race/Non-Hisp.	99	28,616	52	53.1	40.4-65.8	42	40.4	27.9-52.9										5	6.5	0.0-13.0
Hispanic	219	49,637	147	67.3	59.5-75.1	58	23.2	16.5-29.9										14	9.5	4.0-15.0
18-24	194	81,351	113	61.6	53.0-70.2	64	28.7	20.7-36.7	2	1.0	0.0- 2.4							15	8.7	4.0-13.4
25-34	344	106,237	209	58.8	51.9-65.7	112	35.9	29.2-42.6	5	1.1	0.0- 2.3	3	0.3	0.0- 0.7				15	3.9	1.5- 6.3
35-44	359	100,807	197	54.9	48.4-61.4	142	40.3	33.8-46.8	5	1.4	0.0- 2.8	3	0.8	0.0- 1.8				12	2.6	0.6- 4.6
45-54	577	115,850	318	57.5	52.4-62.6	231	37.9	33.0-42.8	13	1.7	0.5- 2.9	2	0.2	0.0- 0.6				13	2.7	0.9- 4.5
55-64	798	116,828	460	59.6	55.3-63.9	307	36.8	32.5-41.1	9	0.9	0.3- 1.5	6	1.1	0.1- 2.1				16	1.6	0.6- 2.6
65+	1391	143,758	744	53.4	49.9-56.9	601	43.1	39.8-46.4	18	1.1	0.5- 1.7	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	25	2.2	0.8- 3.6
Less Than H.S.	308	78,831	208	65.4	57.8-73.0	75	26.8	19.5-34.1	1	0.1	0.0- 0.3							24	7.8	4.1-11.5
H.S. or G.E.D.	1094	206,506	625	58.3	54.0-62.6	412	35.4	31.5-39.3	13	0.9	0.3- 1.5	3	0.4	0.0- 0.8	1	0.0	0.0- 0.0	40	5.0	2.8- 7.2
Some Post-H.S.	955	201,478	540	57.7	53.4-62.0	386	39.4	35.1-43.7	10	0.8	0.2- 1.4	3	0.4	0.0- 1.0				16	1.6	0.6- 2.6
College Graduate	1333	181,088	685	52.5	48.8-56.2	595	43.2	39.5-46.9	28	2.4	1.2- 3.6	10	0.6	0.2- 1.0				15	1.3	0.5- 2.1
Less than \$15,000	226	35,288	128	51.4	40.8-62.0	77	35.9	24.9-46.9	3	0.4	0.0- 1.0	3	0.9	0.0- 2.1				15	11.4	3.6-19.2
\$15,000- 24,999	520	86,830	321	65.0	59.5-70.5	171	30.2	24.9-35.5	6	0.4	0.0- 0.8	2	1.0	0.0- 2.4				20	3.4	1.2- 5.6
\$25,000- 34,999	357	63,588	211	63.4	56.5-70.3	133	33.1	26.4-39.8	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0				9	3.0	0.6- 5.4
\$35,000- 49,999	431	72,778	260	59.8	53.5-66.1	160	35.7	29.6-41.8	1	0.1	0.0- 0.3	2	0.4	0.0- 1.0				8	4.0	0.9- 7.1
\$50,000- 74,999	486	87,844	260	54.1	47.6-60.6	205	39.8	33.5-46.1	11	2.9	0.9- 4.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	8	2.9	0.5- 5.3
\$75,000+	996	204,274	523	56.1	51.8-60.4	439	40.9	36.6-45.2	19	1.7	0.7- 2.7	5	0.3	0.0- 0.7				10	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	316,849	966	62.4	59.1-65.7	553	32.1	29.0-35.2	14	0.8	0.2- 1.4	5	0.4	0.0- 0.8	1	0.0	0.0- 0.0	46	4.3	2.9- 5.7
White/Non-Hisp	1162	210,979	683	60.3	56.4-64.2	444	36.1	32.2-40.0	13	1.1	0.3- 1.9	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	18	2.2	1.0- 3.4
Black or Afr. Am./Non-Hisp	223	55,725	155	69.8	62.0-77.6	51	22.3	15.2-29.4	1	0.4	0.0- 1.2	1	0.8	0.0- 2.4				15	6.7	2.8-10.6
Hispanic	98	25,947	69	69.2	57.8-80.6	20	16.7	8.5-24.9										9	14.0	4.6-23.4
18-24	93	40,710	56	69.0	58.4-79.6	23	16.4	9.0-23.8	2	2.0	0.0- 4.9							12	12.6	5.2-20.0
25-34	154	51,314	96	62.2	52.4-72.0	46	30.7	21.3-40.1	1	1.0	0.0- 3.0	1	0.3	0.0- 0.9				10	5.9	1.8-10.0
35-44	166	48,695	96	59.0	49.4-68.6	62	35.9	26.7-45.1	1	0.3	0.0- 0.9	2	1.3	0.0- 3.1				5	3.5	0.0- 7.2
45-54	236	54,686	150	66.5	59.4-73.6	76	30.0	23.1-36.9	3	0.7	0.0- 1.5							7	2.8	0.6- 5.0
55-64	344	55,297	216	61.7	55.0-68.4	117	35.1	28.4-41.8	3	0.6	0.0- 1.4	2	1.0	0.0- 2.8				6	1.6	0.2- 3.0
65+	574	63,023	341	58.5	53.2-63.8	222	38.6	33.3-43.9	4	0.7	0.0- 1.5				1	0.2	0.0- 0.6	6	2.0	0.0- 4.0
Less Than H.S.	136	38,734	94	70.0	60.6-79.4	29	20.2	12.2-28.2										13	9.8	3.9-15.7
H.S. or G.E.D.	484	107,226	306	63.5	57.6-69.4	155	30.1	24.6-35.6	5	0.9	0.0- 1.9	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	16	4.9	2.2- 7.6
Some Post-H.S.	379	89,864	237	65.2	58.9-71.5	130	30.7	24.6-36.8	2	0.8	0.0- 2.0	1	0.5	0.0- 1.5				9	2.9	0.5- 5.3
College Graduate	576	78,328	324	55.0	49.5-60.5	235	40.9	35.4-46.4	7	1.1	0.1- 2.1	3	0.6	0.0- 1.2				7	2.4	0.4- 4.4
Less than \$15,000	73	11,546	50	65.9	50.8-81.0	21	29.0	15.1-42.9										2	5.1	0.0-13.7
\$15,000- 24,999	211	40,909	142	67.2	59.0-75.4	57	24.9	17.5-32.3	2	0.3	0.0- 0.9	2	2.1	0.0- 5.0				8	5.5	1.2- 9.8
\$25,000- 34,999	160	34,597	108	71.7	62.5-80.9	48	24.3	15.7-32.9										4	4.0	0.0- 8.1
\$35,000- 49,999	189	35,128	128	68.4	59.8-77.0	57	28.9	20.7-37.1				1	0.6	0.0- 1.8				3	2.1	0.0- 5.0
\$50,000- 74,999	219	40,783	123	58.2	49.2-67.2	83	32.8	24.6-41.0	5	3.7	0.0- 7.4				1	0.2	0.0- 0.6	7	5.1	0.8- 9.4
\$75,000+	478	102,874	272	59.7	53.6-65.8	194	38.1	32.0-44.2	4	0.4	0.0- 0.8	2	0.2	0.0- 0.6				6	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	354,706	1100	52.7	49.6-55.8	923	43.0	39.9-46.1	38	1.5	0.9- 2.1	11	0.4	0.2- 0.6	50	2.4	1.4- 3.4
White/Non-Hisp	1572	237,630	754	49.1	45.4-52.8	747	46.9	43.4-50.4	36	2.2	1.2- 3.2	11	0.6	0.2- 1.0	24	1.2	0.4- 2.0
Black or Afr. Am./Non-Hisp	317	69,253	210	62.5	54.7-70.3	91	32.3	24.7-39.9	2	0.2	0.0- 0.4				14	5.0	1.3- 8.7
Oth. Race/Non-Hisp.	56	15,216	26	46.2	27.8-64.6	27	47.7	29.5-65.9							3	6.1	0.0-14.9
Hispanic	121	23,690	78	65.2	54.4-76.0	38	30.2	20.0-40.4							5	4.6	0.0- 9.5
18-24	101	40,641	57	54.2	40.9-67.5	41	41.0	28.1-53.9							3	4.8	0.0-10.9
25-34	190	54,923	113	55.6	46.2-65.0	66	40.8	31.4-50.2	4	1.1	0.0- 2.3	2	0.4	0.0- 1.0	5	2.1	0.0- 4.5
35-44	193	52,112	101	51.2	42.4-60.0	80	44.4	35.6-53.2	4	2.4	0.0- 4.9	1	0.3	0.0- 0.9	7	1.8	0.4- 3.2
45-54	341	61,164	168	49.3	42.6-56.0	155	45.0	38.1-51.9	10	2.6	0.6- 4.6	2	0.5	0.0- 1.1	6	2.6	0.1- 5.1
55-64	454	61,531	244	57.8	52.1-63.5	190	38.3	32.6-44.0	6	1.1	0.1- 2.1	4	1.1	0.0- 2.3	10	1.7	0.5- 2.9
65+	817	80,734	403	49.5	45.0-54.0	379	46.6	42.1-51.1	14	1.4	0.4- 2.4	2	0.1	0.1- 0.1	19	2.4	0.4- 4.4
Less Than H.S.	172	40,096	114	60.9	49.5-72.3	46	33.2	21.8-44.6	1	0.1	0.0- 0.3				11	5.8	1.5-10.1
H.S. or G.E.D.	610	99,280	319	52.8	46.9-58.7	257	41.0	35.3-46.7	8	0.8	0.0- 1.6	2	0.3	0.0- 0.7	24	5.1	2.0- 8.2
Some Post-H.S.	576	111,614	303	51.7	46.0-57.4	256	46.4	40.7-52.1	8	0.9	0.3- 1.5	2	0.4	0.0- 1.0	7	0.6	0.0- 1.2
College Graduate	757	102,760	361	50.6	45.5-55.7	360	44.9	40.0-49.8	21	3.3	1.5- 5.1	7	0.7	0.1- 1.3	8	0.5	0.1- 0.9
Less than \$15,000	153	23,742	78	44.3	31.6-57.0	56	39.2	24.9-53.5	3	0.6	0.0- 1.4	3	1.3	0.0- 3.1	13	14.5	3.7-25.3
\$15,000- 24,999	309	45,920	179	63.0	55.6-70.4	114	34.9	27.5-42.3	4	0.6	0.0- 1.2				12	1.5	0.5- 2.5
\$25,000- 34,999	197	28,990	103	53.6	44.4-62.8	85	43.6	34.4-52.8	3	0.8	0.0- 2.0	1	0.1	0.0- 0.3	5	1.9	0.1- 3.7
\$35,000- 49,999	242	37,650	132	51.8	43.4-60.2	103	42.1	33.7-50.5	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	5.8	0.5-11.1
\$50,000- 74,999	267	47,060	137	50.5	41.7-59.3	122	46.0	37.2-54.8	6	2.3	0.3- 4.3	1	0.3	0.0- 0.9	1	1.0	0.0- 3.0
\$75,000+	518	101,400	251	52.4	46.5-58.3	245	43.7	37.8-49.6	15	3.0	1.2- 4.8	3	0.4	0.0- 1.0	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3670	665,619	1228	36.1	33.7-38.5	1755	45.3	42.9-47.7	374	10.1	8.7-11.5	219	6.4	5.2- 7.6	2	0.0	0.0- 0.0	92	2.1	1.5- 2.7
Male	1571	316,414	591	39.9	36.4-43.4	719	43.7	40.2-47.2	133	8.4	6.6-10.2	73	5.6	3.8- 7.4	2	0.0	0.0- 0.0	53	2.3	1.5- 3.1
Female	2099	349,206	637	32.7	29.8-35.6	1036	46.7	43.6-49.8	241	11.6	9.6-13.6	146	7.1	5.5- 8.7				39	1.8	0.8- 2.8
White/Non-Hisp	2716	447,863	895	36.6	33.9-39.3	1357	46.9	44.2-49.6	263	9.4	7.8-11.0	129	4.9	3.7- 6.1	2	0.0	0.0- 0.0	70	2.1	1.3- 2.9
Black or Afr. Am./Non-Hisp	523	120,917	192	36.4	30.5-42.3	191	37.1	31.2-43.0	69	12.8	9.1-16.5	60	12.0	8.5-15.5				11	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	97	27,225	31	36.6	23.7-49.5	47	46.4	33.5-59.3	9	11.4	1.8-21.0	8	4.5	0.2- 8.8				2	1.0	0.0- 2.4
Hispanic	219	49,292	76	34.7	26.7-42.7	101	46.0	37.6-54.4	20	7.8	3.5-12.1	15	8.0	3.5-12.5				7	3.5	0.8- 6.2
18-24	191	78,454	88	45.6	36.4-54.8	80	42.4	33.2-51.6	10	5.0	1.1- 8.9	12	5.4	1.7- 9.1				1	1.6	0.0- 4.7
25-34	345	106,262	141	44.7	37.8-51.6	138	38.0	31.3-44.7	34	9.4	5.7-13.1	25	6.8	3.7- 9.9				7	1.1	0.3- 1.9
35-44	362	101,408	112	30.8	24.5-37.1	163	44.8	38.3-51.3	53	14.3	10.0-18.6	21	7.4	3.3-11.5				13	2.7	1.1- 4.3
45-54	568	113,973	191	34.2	29.1-39.3	256	44.5	39.4-49.6	57	10.7	7.6-13.8	48	8.1	5.4-10.8	1	0.1	0.0- 0.3	15	2.3	0.9- 3.7
55-64	786	114,729	278	36.2	31.9-40.5	346	43.3	38.8-47.8	84	9.9	7.2-12.6	53	7.6	5.1-10.1	1	0.0	0.0- 0.0	24	2.8	1.4- 4.2
65+	1371	143,409	409	31.0	27.7-34.3	743	53.2	49.7-56.7	130	10.2	7.8-12.6	58	3.7	2.5- 4.9				31	1.9	0.9- 2.9
Less Than H.S.	310	78,005	134	42.1	34.5-49.7	123	42.5	34.9-50.1	21	6.4	3.3- 9.5	20	5.7	3.0- 8.4				12	3.3	1.1- 5.5
H.S. or G.E.D.	1073	202,971	384	40.8	36.3-45.3	500	41.3	37.2-45.4	81	7.9	5.5-10.3	64	6.5	4.3- 8.7				44	3.5	1.9- 5.1
Some Post-H.S.	951	202,177	338	35.4	31.3-39.5	447	46.2	41.9-50.5	97	10.3	7.8-12.8	50	6.7	4.3- 9.1				19	1.3	0.5- 2.1
College Graduate	1319	178,795	369	29.4	26.1-32.7	676	49.9	46.2-53.6	172	13.6	11.1-16.1	85	6.2	4.4- 8.0	2	0.1	0.0- 0.3	15	0.8	0.4- 1.2
Less than \$15,000	220	32,101	83	41.8	32.0-51.6	94	41.6	32.2-51.0	19	6.0	2.9- 9.1	17	8.9	3.8-14.0				7	1.7	0.3- 3.1
\$15,000- 24,999	512	86,766	179	38.6	32.5-44.7	237	43.3	37.4-49.2	45	8.1	5.0-11.2	33	7.1	4.2-10.0	2	0.2	0.0- 0.4	16	2.6	0.8- 4.4
\$25,000- 34,999	355	64,636	118	38.1	30.5-45.7	178	45.7	38.4-53.0	27	8.4	4.5-12.3	20	5.1	2.2- 8.0				12	2.8	1.0- 4.6
\$35,000- 49,999	438	73,915	165	35.7	29.6-41.8	190	42.2	35.7-48.7	43	11.2	7.1-15.3	27	8.1	4.4-11.8				13	2.7	0.7- 4.7
\$50,000- 74,999	475	85,807	166	39.0	32.3-45.7	240	46.2	39.7-52.7	43	9.4	5.3-13.5	19	4.5	2.0- 7.0				7	0.8	0.2- 1.4
\$75,000+	984	202,561	293	32.0	27.9-36.1	479	46.3	42.0-50.6	132	13.0	10.3-15.7	67	7.6	5.1-10.1				13	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1571	316,414	591	39.9	36.4-43.4	719	43.7	40.2-47.2	133	8.4	6.6-10.2	73	5.6	3.8- 7.4	2	0.0	0.0- 0.0	53	2.3	1.5- 3.1
White/Non-Hisp	1155	211,706	426	40.6	36.5-44.7	558	44.7	40.6-48.8	88	7.6	5.6- 9.6	41	4.4	2.4- 6.4	2	0.1	0.0- 0.3	40	2.6	1.6- 3.6
Black or Afr. Am./Non-Hisp	219	55,774	89	41.8	32.4-51.2	76	37.8	28.2-47.4	27	9.8	5.3-14.3	21	9.6	4.9-14.3				6	1.0	0.2- 1.8
Hispanic	96	24,956	39	34.7	23.1-46.3	37	43.5	30.6-56.4	7	7.9	1.0-14.8	9	9.8	2.7-16.9				4	4.1	0.0- 8.4
18-24	92	40,606	45	44.4	31.7-57.1	39	49.6	36.5-62.7	3	2.5	0.0- 5.4	5	3.4	0.3- 6.5						
25-34	155	51,903	76	53.1	42.9-63.3	48	29.2	20.2-38.2	17	10.8	4.7-16.9	7	4.7	0.8- 8.6				7	2.2	0.4- 4.0
35-44	167	48,812	59	33.2	23.8-42.6	73	43.5	33.7-53.3	20	10.7	5.2-16.2	9	9.8	2.4-17.2				6	2.8	0.4- 5.2
45-54	231	53,466	90	40.3	32.5-48.1	101	41.3	33.7-48.9	18	9.6	4.9-14.3	12	5.2	1.9- 8.5	1	0.2	0.0- 0.6	9	3.3	0.8- 5.8
55-64	344	55,241	127	36.9	30.2-43.6	152	44.9	38.0-51.8	33	7.4	4.3-10.5	19	7.5	3.6-11.4	1	0.0	0.0- 0.0	12	3.3	1.1- 5.5
65+	563	63,116	191	35.5	30.2-40.8	292	50.7	45.2-56.2	41	8.6	5.1-12.1	21	3.2	1.4- 5.0				18	1.9	0.9- 2.9
Less Than H.S.	138	40,144	65	42.2	31.2-53.2	49	42.5	31.1-53.9	10	6.7	2.0-11.4	8	4.9	1.2- 8.6				6	3.6	0.3- 6.9
H.S. or G.E.D.	473	104,974	190	45.1	38.6-51.6	213	40.5	34.2-46.8	26	5.8	3.1- 8.5	19	5.3	2.0- 8.6				25	3.3	1.7- 4.9
Some Post-H.S.	382	91,591	149	39.8	33.1-46.5	170	43.9	37.0-50.8	33	7.8	4.5-11.1	18	6.5	2.8-10.2				12	1.9	0.5- 3.3
College Graduate	568	77,007	186	32.7	27.6-37.8	281	48.2	42.7-53.7	63	12.7	8.8-16.6	28	5.4	2.9- 7.9	2	0.2	0.0- 0.6	8	0.8	0.2- 1.4
Less than \$15,000	71	11,206	31	47.7	31.0-64.4	26	38.6	22.7-54.5	6	7.5	0.6-14.4	5	4.9	0.0- 9.8				3	1.3	0.0- 3.1
\$15,000- 24,999	212	40,569	86	39.9	31.5-48.3	87	41.0	32.2-49.8	16	8.8	3.5-14.1	12	6.7	2.4-11.0	2	0.3	0.0- 0.9	9	3.2	0.3- 6.1
\$25,000- 34,999	154	34,861	58	46.4	34.8-58.0	72	39.3	28.7-49.9	8	6.5	1.4-11.6	7	3.6	0.3- 6.9				9	4.2	1.1- 7.3
\$35,000- 49,999	194	36,074	83	39.6	30.4-48.8	82	43.7	33.7-53.7	15	9.0	3.5-14.5	8	5.8	1.3-10.3				6	1.9	0.3- 3.5
\$50,000- 74,999	216	40,690	80	41.9	31.9-51.9	108	44.4	35.0-53.8	15	6.0	2.3- 9.7	9	6.6	1.7-11.5				4	1.1	0.0- 2.3
\$75,000+	471	101,844	161	35.7	29.4-42.0	230	46.4	39.9-52.9	51	10.0	6.5-13.5	22	6.3	2.4-10.2				7	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES
 TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2099	349,206	637	32.7	29.8-35.6	1036	46.7	43.6-49.8	241	11.6	9.6-13.6	146	7.1	5.5- 8.7	39	1.8	0.8- 2.8
White/Non-Hisp	1561	236,157	469	33.0	29.5-36.5	799	48.9	45.2-52.6	175	11.1	8.9-13.3	88	5.3	3.7- 6.9	30	1.7	0.5- 2.9
Black or Afr. Am./Non-Hisp	304	65,143	103	31.7	24.6-38.8	115	36.5	29.4-43.6	42	15.4	9.7-21.1	39	14.0	8.7-19.3	5	2.3	0.0- 4.7
Oth. Race/Non-Hisp.	56	14,636	14	35.4	16.8-54.0	27	46.4	28.2-64.6	6	8.6	0.0-18.2	8	8.4	0.4-16.4	1	1.1	0.0- 3.3
Hispanic	123	24,336	37	34.7	23.3-46.1	64	48.6	37.4-59.8	13	7.8	2.9-12.7	6	6.1	0.6-11.6	3	2.8	0.0- 6.1
18-24	99	37,848	43	46.9	33.6-60.2	41	34.6	23.2-46.0	7	7.7	0.4-15.0	7	7.5	0.8-14.2	1	3.3	0.0- 9.6
25-34	190	54,359	65	36.6	27.8-45.4	90	46.5	37.3-55.7	17	8.2	3.7-12.7	18	8.7	4.0-13.4			
35-44	195	52,596	53	28.6	20.4-36.8	90	46.0	37.2-54.8	33	17.6	10.9-24.3	12	5.2	1.3- 9.1	7	2.7	0.3- 5.1
45-54	337	60,506	101	28.9	22.6-35.2	155	47.4	40.5-54.3	39	11.8	7.5-16.1	36	10.6	6.5-14.7	6	1.4	0.2- 2.6
55-64	442	59,488	151	35.6	29.7-41.5	194	41.9	36.0-47.8	51	12.3	7.8-16.8	34	7.8	4.7-10.9	12	2.5	0.9- 4.1
65+	808	80,293	218	27.4	23.3-31.5	451	55.2	50.7-59.7	89	11.4	8.5-14.3	37	4.1	2.5- 5.7	13	1.8	0.2- 3.4
Less Than H.S.	172	37,861	69	41.9	31.1-52.7	74	42.4	32.2-52.6	11	6.0	2.1- 9.9	12	6.6	2.3-10.9	6	3.0	0.5- 5.5
H.S. or G.E.D.	600	97,997	194	36.2	30.1-42.3	287	42.2	36.5-47.9	55	10.1	6.4-13.8	45	7.8	4.9-10.7	19	3.7	1.0- 6.4
Some Post-H.S.	569	110,586	189	31.8	26.7-36.9	277	48.1	42.4-53.8	64	12.4	8.7-16.1	32	6.9	3.8-10.0	7	0.8	0.0- 1.6
College Graduate	751	101,789	183	26.8	22.3-31.3	395	51.2	46.1-56.3	109	14.3	10.8-17.8	57	6.9	4.5- 9.3	7	0.7	0.1- 1.3
Less than \$15,000	149	20,895	52	38.6	26.8-50.4	68	43.2	31.6-54.8	13	5.2	1.9- 8.5	12	11.1	3.7-18.5	4	1.9	0.0- 3.9
\$15,000- 24,999	300	46,197	93	37.5	28.9-46.1	150	45.4	37.4-53.4	29	7.5	4.0-11.0	21	7.4	3.7-11.1	7	2.2	0.4- 4.0
\$25,000- 34,999	201	29,775	60	28.4	20.6-36.2	106	53.1	44.1-62.1	19	10.6	4.7-16.5	13	6.8	1.7-11.9	3	1.1	0.0- 2.5
\$35,000- 49,999	244	37,842	82	32.0	24.0-40.0	108	40.8	32.6-49.0	28	13.4	7.5-19.3	19	10.4	4.5-16.3	7	3.4	0.0- 6.9
\$50,000- 74,999	259	45,118	86	36.3	27.7-44.9	132	47.9	38.9-56.9	28	12.5	5.6-19.4	10	2.7	0.9- 4.5	3	0.6	0.0- 1.2
\$75,000+	513	100,717	132	28.3	22.6-34.0	249	46.1	40.2-52.0	81	16.0	11.7-20.3	45	8.9	5.4-12.4	6	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3571	650,378	699	20.1	18.1-22.1	1566	43.3	40.9-45.7	787	21.5	19.5-23.5	476	14.0	12.4-15.6	23	0.5	0.3- 0.7	20	0.6	0.2- 1.0
Male	1517	306,346	342	22.4	19.5-25.3	695	44.8	41.3-48.3	300	20.0	17.1-22.9	169	12.1	9.7-14.5	6	0.3	0.1- 0.5	5	0.5	0.1- 0.9
Female	2054	344,032	357	18.1	15.6-20.6	871	42.0	38.9-45.1	487	22.9	20.4-25.4	307	15.8	13.4-18.2	17	0.7	0.3- 1.1	15	0.6	0.0- 1.2
White/Non-Hisp	2636	435,264	456	18.1	15.7-20.5	1188	45.6	42.9-48.3	609	22.1	19.9-24.3	350	13.3	11.5-15.1	20	0.6	0.2- 1.0	13	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	515	119,957	160	28.8	23.5-34.1	196	36.1	30.2-42.0	86	20.1	14.8-25.4	69	13.8	9.7-17.9	1	0.4	0.0- 1.2	3	0.9	0.0- 2.1
Oth. Race/Non-Hisp.	95	27,655	17	21.6	9.6-33.6	40	35.6	23.6-47.6	18	16.5	7.9-25.1	19	23.7	12.1-35.3				1	2.5	0.0- 7.4
Hispanic	214	48,240	46	17.8	12.1-23.5	100	48.6	40.0-57.2	44	20.6	13.7-27.5	22	12.5	6.0-19.0	2	0.5	0.0- 1.3			
18-24	189	78,969	50	26.6	18.2-35.0	82	42.9	33.5-52.3	34	18.2	10.8-25.6	20	10.3	5.4-15.2				3	1.9	0.0- 4.1
25-34	335	102,642	83	22.7	16.8-28.6	140	42.1	35.2-49.0	61	18.6	13.1-24.1	47	15.8	10.5-21.1	4	0.8	0.0- 1.8			
35-44	354	99,763	57	16.9	11.6-22.2	157	42.5	35.8-49.2	68	20.4	15.1-25.7	66	19.4	14.3-24.5	4	0.6	0.0- 1.2	2	0.3	0.0- 0.7
45-54	565	113,195	94	17.2	13.3-21.1	253	45.0	39.9-50.1	125	23.3	18.8-27.8	89	14.1	10.6-17.6	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3
55-64	776	112,892	163	20.4	16.9-23.9	318	40.8	36.3-45.3	173	22.6	18.7-26.5	111	14.6	11.5-17.7	5	0.9	0.1- 1.7	6	0.6	0.0- 1.2
65+	1310	136,688	243	18.9	16.0-21.8	601	46.3	42.8-49.8	313	23.0	20.1-25.9	138	10.8	8.4-13.2	7	0.3	0.1- 0.5	8	0.8	0.0- 1.8
Less Than H.S.	291	74,390	90	27.3	20.2-34.4	131	45.8	37.6-54.0	40	15.4	8.9-21.9	27	10.8	5.9-15.7				3	0.7	0.0- 1.7
H.S. or G.E.D.	1038	197,716	261	25.7	21.6-29.8	471	44.0	39.5-48.5	193	18.3	15.0-21.6	98	10.4	7.9-12.9	5	0.3	0.1- 0.5	10	1.3	0.3- 2.3
Some Post-H.S.	931	197,854	167	18.0	14.7-21.3	420	42.9	38.6-47.2	216	23.6	19.7-27.5	119	14.6	11.5-17.7	5	0.7	0.1- 1.3	4	0.2	0.0- 0.6
College Graduate	1294	176,765	178	13.4	10.9-15.9	534	42.1	38.4-45.8	336	25.3	22.2-28.4	230	18.4	15.5-21.3	13	0.8	0.2- 1.4	3	0.1	0.1- 0.1
Less than \$15,000	212	33,616	64	31.5	21.5-41.5	71	36.5	25.1-47.9	51	19.4	12.1-26.7	20	9.3	4.0-14.6	4	1.0	0.0- 2.2	2	2.3	0.0- 6.2
\$15,000- 24,999	499	83,704	140	26.5	21.4-31.6	214	44.2	38.1-50.3	83	16.4	11.5-21.3	58	12.7	8.6-16.8	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3
\$25,000- 34,999	343	62,271	70	18.7	13.4-24.0	161	47.6	40.0-55.2	70	19.1	13.6-24.6	38	13.4	8.1-18.7	2	0.8	0.0- 2.2	2	0.4	0.0- 1.0
\$35,000- 49,999	418	70,728	78	20.2	15.1-25.3	211	44.9	38.4-51.4	75	21.1	15.2-27.0	51	12.9	8.6-17.2	2	0.2	0.0- 0.6	1	0.8	0.0- 2.4
\$50,000- 74,999	475	84,803	85	20.6	14.5-26.7	212	42.6	36.3-48.9	107	18.9	14.0-23.8	66	17.3	12.4-22.2	3	0.3	0.0- 0.7	2	0.4	0.0- 1.2
\$75,000+	982	202,244	129	14.4	11.1-17.7	430	44.9	40.6-49.2	241	24.1	20.6-27.6	170	15.7	12.6-18.8	9	0.7	0.1- 1.3	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1517	306,346	342	22.4	19.5-25.3	695	44.8	41.3-48.3	300	20.0	17.1-22.9	169	12.1	9.7-14.5	6	0.3	0.1- 0.5	5	0.5	0.1- 0.9
White/Non-Hisp	1112	204,241	226	20.5	17.0-24.0	526	48.1	43.8-52.4	235	20.7	17.4-24.0	116	9.9	7.7-12.1	6	0.4	0.0- 0.8	3	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	213	54,161	76	32.8	24.2-41.4	80	32.7	24.1-41.3	27	18.2	9.2-27.2	29	15.5	8.8-22.2				1	0.9	0.0- 2.7
Hispanic	94	24,802	23	18.3	10.1-26.5	45	52.6	39.9-65.3	16	17.7	8.5-26.9	10	11.4	3.4-19.4						
18-24	90	38,966	28	27.2	16.2-38.2	33	39.1	26.2-52.0	15	19.0	6.7-31.3	12	12.6	5.2-20.0				2	2.1	0.0- 5.0
25-34	150	50,379	47	30.1	20.3-39.9	64	42.8	32.4-53.2	21	14.0	7.1-20.9	18	13.2	6.5-19.9						
35-44	164	48,375	26	16.7	9.1-24.3	81	48.8	38.8-58.8	32	20.4	12.8-28.0	24	13.8	7.5-20.1	1	0.3	0.0- 0.9			
45-54	229	53,373	49	20.9	14.6-27.2	108	45.9	38.1-53.7	46	20.6	14.3-26.9	25	12.1	6.6-17.6	1	0.4	0.0- 1.2			
55-64	332	52,622	77	21.8	16.1-27.5	143	41.0	34.1-47.9	62	21.1	15.0-27.2	48	14.9	9.8-20.0	1	0.6	0.0- 1.8	1	0.6	0.0- 1.8
65+	535	59,752	110	18.8	14.5-23.1	260	50.7	45.2-56.2	120	22.2	17.5-26.9	40	7.3	4.2-10.4	3	0.4	0.0- 0.8	2	0.6	0.0- 1.6
Less Than H.S.	128	36,703	41	25.9	16.5-35.3	58	45.7	34.3-57.1	18	19.5	8.5-30.5	10	7.9	2.4-13.4				1	1.0	0.0- 3.0
H.S. or G.E.D.	456	102,234	127	27.4	21.3-33.5	219	47.3	40.6-54.0	74	15.4	11.1-19.7	32	8.9	5.2-12.6	2	0.2	0.0- 0.6	2	0.7	0.0- 1.7
Some Post-H.S.	370	88,579	68	19.5	14.0-25.0	181	45.6	38.7-52.5	76	21.3	15.2-27.4	42	12.8	8.3-17.3	1	0.3	0.0- 0.9	2	0.4	0.0- 1.2
College Graduate	553	76,132	103	17.3	13.2-21.4	233	41.4	35.9-46.9	131	24.6	19.7-29.5	83	16.2	11.9-20.5	3	0.4	0.0- 1.0			
Less than \$15,000	67	10,673	20	37.2	19.6-54.8	26	30.9	16.2-45.6	14	18.9	6.7-31.1	7	13.0	1.2-24.8						
\$15,000- 24,999	202	39,055	68	31.1	23.3-38.9	84	42.9	34.1-51.7	30	15.1	7.1-23.1	20	11.0	5.5-16.5						
\$25,000- 34,999	148	33,498	35	19.6	11.6-27.6	73	53.9	42.5-65.3	23	12.4	6.1-18.7	17	14.2	6.0-22.4						
\$35,000- 49,999	182	34,230	43	20.1	12.8-27.4	94	47.2	37.2-57.2	30	23.0	13.2-32.8	14	9.6	3.9-15.3	1	0.1	0.0- 0.3			
\$50,000- 74,999	214	39,703	44	24.4	14.4-34.4	101	43.6	34.2-53.0	43	16.2	10.3-22.1	23	14.6	7.9-21.3	1	0.3	0.0- 0.9	2	0.9	0.0- 2.3
\$75,000+	470	101,438	73	16.6	11.7-21.5	226	48.8	42.3-55.3	112	24.2	18.9-29.5	55	9.6	6.1-13.1	4	0.7	0.0- 1.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	344,032	357	18.1	15.6-20.6	871	42.0	38.9-45.1	487	22.9	20.4-25.4	307	15.8	13.4-18.2	17	0.7	0.3- 1.1	15	0.6	0.0- 1.2
White/Non-Hisp	1524	231,023	230	16.0	13.1-18.9	662	43.3	39.8-46.8	374	23.3	20.4-26.2	234	16.4	13.7-19.1	14	0.7	0.3- 1.1	10	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	302	65,796	84	25.4	19.1-31.7	116	38.9	30.9-46.9	59	21.8	15.3-28.3	40	12.4	7.5-17.3	1	0.7	0.0- 2.1	2	0.9	0.0- 2.5
Oth. Race/Non-Hisp.	54	14,992	10	21.5	3.7-39.3	20	35.7	18.5-52.9	11	19.8	6.9-32.7	12	18.3	5.0-31.6				1	4.6	0.0-13.4
Hispanic	120	23,438	23	17.4	9.6-25.2	55	44.2	33.2-55.2	28	23.7	13.9-33.5	12	13.7	3.5-23.9	2	1.0	0.0- 2.4			
18-24	99	40,003	22	26.1	13.4-38.8	49	46.6	33.1-60.1	19	17.4	9.0-25.8	8	8.1	1.2-15.0				1	1.7	0.0- 5.0
25-34	185	52,263	36	15.6	9.9-21.3	76	41.4	32.4-50.4	40	23.1	14.9-31.3	29	18.4	10.2-26.6	4	1.5	0.0- 3.3			
35-44	190	51,388	31	17.1	9.8-24.4	76	36.5	28.3-44.7	36	20.4	13.1-27.7	42	24.7	16.9-32.5	3	0.9	0.0- 1.9	2	0.5	0.0- 1.3
45-54	336	59,822	45	13.8	9.1-18.5	145	44.2	37.3-51.1	79	25.7	19.6-31.8	64	15.9	11.4-20.4	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3
55-64	444	60,270	86	19.3	14.6-24.0	175	40.7	34.8-46.6	111	23.9	18.8-29.0	63	14.3	10.2-18.4	4	1.2	0.0- 2.4	5	0.6	0.0- 1.2
65+	775	76,936	133	18.9	15.0-22.8	341	42.8	38.3-47.3	193	23.6	19.7-27.5	98	13.5	10.2-16.8	4	0.2	0.0- 0.4	6	0.9	0.0- 2.3
Less Than H.S.	163	37,687	49	28.7	18.1-39.3	73	45.9	34.3-57.5	22	11.3	5.4-17.2	17	13.6	5.4-21.8				2	0.5	0.0- 1.3
H.S. or G.E.D.	582	95,482	134	23.8	18.5-29.1	252	40.6	34.7-46.5	119	21.4	16.5-26.3	66	12.1	8.6-15.6	3	0.3	0.0- 0.7	8	1.8	0.0- 3.6
Some Post-H.S.	561	109,275	99	16.8	12.5-21.1	239	40.7	35.2-46.2	140	25.5	20.4-30.6	77	16.0	11.5-20.5	4	0.9	0.0- 1.9	2	0.1	0.0- 0.3
College Graduate	741	100,633	75	10.4	7.5-13.3	301	42.7	37.6-47.8	205	25.9	21.6-30.2	147	20.0	15.9-24.1	10	1.0	0.2- 1.8	3	0.1	0.0- 0.3
Less than \$15,000	145	22,943	44	28.8	17.0-40.6	45	39.2	24.5-53.9	37	19.5	10.7-28.3	13	7.6	2.3-12.9	4	1.5	0.0- 3.3	2	3.3	0.0- 9.2
\$15,000- 24,999	297	44,649	72	22.6	16.1-29.1	130	45.3	36.9-53.7	53	17.6	11.7-23.5	38	14.1	8.0-20.2	1	0.2	0.0- 0.6	3	0.2	0.0- 0.4
\$25,000- 34,999	195	28,772	35	17.8	11.3-24.3	88	40.2	31.4-49.0	47	26.8	18.0-35.6	21	12.5	5.8-19.2	2	1.7	0.0- 4.8	2	1.0	0.0- 2.4
\$35,000- 49,999	236	36,498	35	20.3	13.0-27.6	117	42.7	34.3-51.1	45	19.3	12.8-25.8	37	15.9	9.4-22.4	1	0.4	0.0- 1.2	1	1.5	0.0- 4.4
\$50,000- 74,999	261	45,100	41	17.1	10.0-24.2	111	41.7	33.1-50.3	64	21.3	13.9-28.7	43	19.6	12.3-26.9	2	0.3	0.0- 0.9			
\$75,000+	512	100,805	56	12.2	7.9-16.5	204	40.9	35.0-46.8	129	24.1	19.2-29.0	115	22.0	16.9-27.1	5	0.7	0.1- 1.3	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3670	665,619	2350	61.8	59.4-64.2	1320	38.2	35.8-40.6
Male	1571	316,414	927	57.7	54.2-61.2	644	42.3	38.8-45.8
Female	2099	349,206	1423	65.5	62.6-68.4	676	34.5	31.6-37.4
White/Non-Hisp	2716	447,863	1751	61.3	58.6-64.0	965	38.7	36.0-41.4
Black or Afr. Am./Non-Hisp	523	120,917	320	61.9	56.0-67.8	203	38.1	32.2-44.0
Oth. Race/Non-Hisp.	97	27,225	64	62.4	49.5-75.3	33	37.6	24.7-50.5
Hispanic	219	49,292	136	61.8	53.6-70.0	83	38.2	30.0-46.4
18-24	191	78,454	102	52.8	43.6-62.0	89	47.2	38.0-56.4
25-34	345	106,262	197	54.2	47.3-61.1	148	45.8	38.9-52.7
35-44	362	101,408	237	66.5	60.2-72.8	125	33.5	27.2-39.8
45-54	568	113,973	362	63.5	58.4-68.6	206	36.5	31.4-41.6
55-64	786	114,729	484	60.9	56.4-65.4	302	39.1	34.6-43.6
65+	1371	143,409	931	67.2	63.9-70.5	440	32.8	29.5-36.1
Less Than H.S.	310	78,005	164	54.6	47.0-62.2	146	45.4	37.8-53.0
H.S. or G.E.D.	1073	202,971	645	55.7	51.2-60.2	428	44.3	39.8-48.8
Some Post-H.S.	951	202,177	594	63.3	59.2-67.4	357	36.7	32.6-40.8
College Graduate	1319	178,795	935	69.9	66.6-73.2	384	30.1	26.8-33.4
Less than \$15,000	220	32,101	130	56.5	46.9-66.1	90	43.5	33.9-53.1
\$15,000- 24,999	512	86,766	317	58.7	52.6-64.8	195	41.3	35.2-47.4
\$25,000- 34,999	355	64,636	225	59.1	51.5-66.7	130	40.9	33.3-48.5
\$35,000- 49,999	438	73,915	260	61.6	55.5-67.7	178	38.4	32.3-44.5
\$50,000- 74,999	475	85,807	302	60.2	53.5-66.9	173	39.8	33.1-46.5
\$75,000+	984	202,561	678	66.8	62.5-71.1	306	33.2	28.9-37.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1571	316,414	927	57.7	54.2-61.2	644	42.3	38.8-45.8
White/Non-Hisp	1155	211,706	689	56.8	52.7-60.9	466	43.2	39.1-47.3
Black or Afr. Am./Non-Hisp	219	55,774	124	57.2	47.8-66.6	95	42.8	33.4-52.2
Hispanic	96	24,956	53	61.2	49.2-73.2	43	38.8	26.8-50.8
18-24	92	40,606	47	55.6	42.9-68.3	45	44.4	31.7-57.1
25-34	155	51,903	72	44.6	34.4-54.8	83	55.4	45.2-65.6
35-44	167	48,812	102	64.0	54.6-73.4	65	36.0	26.6-45.4
45-54	231	53,466	132	56.3	48.5-64.1	99	43.7	35.9-51.5
55-64	344	55,241	205	59.9	53.2-66.6	139	40.1	33.4-46.8
65+	563	63,116	354	62.6	57.3-67.9	209	37.4	32.1-42.7
Less Than H.S.	138	40,144	67	54.2	43.2-65.2	71	45.8	34.8-56.8
H.S. or G.E.D.	473	104,974	258	51.6	45.1-58.1	215	48.4	41.9-54.9
Some Post-H.S.	382	91,591	221	58.3	51.4-65.2	161	41.7	34.8-48.6
College Graduate	568	77,007	374	66.5	61.4-71.6	194	33.5	28.4-38.6
Less than \$15,000	71	11,206	37	51.0	34.3-67.7	34	49.0	32.3-65.7
\$15,000- 24,999	212	40,569	117	56.9	48.3-65.5	95	43.1	34.5-51.7
\$25,000- 34,999	154	34,861	87	49.4	38.0-60.8	67	50.6	39.2-62.0
\$35,000- 49,999	194	36,074	105	58.5	49.3-67.7	89	41.5	32.3-50.7
\$50,000- 74,999	216	40,690	132	56.9	46.9-66.9	84	43.1	33.1-53.1
\$75,000+	471	101,844	303	62.8	56.5-69.1	168	37.2	30.9-43.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2099	349,206	1423	65.5	62.6-68.4	676	34.5	31.6-37.4
White/Non-Hisp	1561	236,157	1062	65.3	61.8-68.8	499	34.7	31.2-38.2
Black or Afr. Am./Non-Hisp	304	65,143	196	65.9	58.6-73.2	108	34.1	26.8-41.4
Oth. Race/Non-Hisp.	56	14,636	41	63.5	44.9-82.1	15	36.5	17.9-55.1
Hispanic	123	24,336	83	62.5	51.1-73.9	40	37.5	26.1-48.9
18-24	99	37,848	55	49.8	36.7-62.9	44	50.2	37.1-63.3
25-34	190	54,359	125	63.4	54.6-72.2	65	36.6	27.8-45.4
35-44	195	52,596	135	68.8	60.6-77.0	60	31.2	23.0-39.4
45-54	337	60,506	230	69.7	63.4-76.0	107	30.3	24.0-36.6
55-64	442	59,488	279	61.9	56.0-67.8	163	38.1	32.2-44.0
65+	808	80,293	577	70.8	66.5-75.1	231	29.2	24.9-33.5
Less Than H.S.	172	37,861	97	55.1	44.5-65.7	75	44.9	34.3-55.5
H.S. or G.E.D.	600	97,997	387	60.2	54.1-66.3	213	39.8	33.7-45.9
Some Post-H.S.	569	110,586	373	67.4	62.1-72.7	196	32.6	27.3-37.9
College Graduate	751	101,789	561	72.4	67.7-77.1	190	27.6	22.9-32.3
Less than \$15,000	149	20,895	93	59.5	47.7-71.3	56	40.5	28.7-52.3
\$15,000- 24,999	300	46,197	200	60.3	51.7-68.9	100	39.7	31.1-48.3
\$25,000- 34,999	201	29,775	138	70.5	62.5-78.5	63	29.5	21.5-37.5
\$35,000- 49,999	244	37,842	155	64.6	56.4-72.8	89	35.4	27.2-43.6
\$50,000- 74,999	259	45,118	170	63.1	54.5-71.7	89	36.9	28.3-45.5
\$75,000+	513	100,717	375	71.0	65.3-76.7	138	29.0	23.3-34.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3571	650,378	2852	79.3	77.3-81.3	719	20.7	18.7-22.7
Male	1517	306,346	1170	77.2	74.3-80.1	347	22.8	19.9-25.7
Female	2054	344,032	1682	81.3	78.8-83.8	372	18.7	16.2-21.2
White/Non-Hisp	2636	435,264	2167	81.5	79.1-83.9	469	18.5	16.1-20.9
Black or Afr. Am./Non-Hisp	515	119,957	352	70.4	65.1-75.7	163	29.6	24.3-34.9
Oth. Race/Non-Hisp.	95	27,655	77	75.9	63.6-88.2	18	24.1	11.8-36.4
Hispanic	214	48,240	168	82.2	76.5-87.9	46	17.8	12.1-23.5
18-24	189	78,969	136	71.5	62.9-80.1	53	28.5	19.9-37.1
25-34	335	102,642	252	77.3	71.4-83.2	83	22.7	16.8-28.6
35-44	354	99,763	295	82.8	77.5-88.1	59	17.2	11.9-22.5
45-54	565	113,195	470	82.8	78.9-86.7	95	17.2	13.3-21.1
55-64	776	112,892	607	78.9	75.2-82.6	169	21.1	17.4-24.8
65+	1310	136,688	1059	80.3	77.4-83.2	251	19.7	16.8-22.6
Less Than H.S.	291	74,390	198	71.9	64.6-79.2	93	28.1	20.8-35.4
H.S. or G.E.D.	1038	197,716	767	73.1	69.0-77.2	271	26.9	22.8-31.0
Some Post-H.S.	931	197,854	760	81.8	78.5-85.1	171	18.2	14.9-21.5
College Graduate	1294	176,765	1113	86.6	84.1-89.1	181	13.4	10.9-15.9
Less than \$15,000	212	33,616	146	66.3	56.1-76.5	66	33.7	23.5-43.9
\$15,000- 24,999	499	83,704	356	73.4	68.3-78.5	143	26.6	21.5-31.7
\$25,000- 34,999	343	62,271	271	80.8	75.5-86.1	72	19.2	13.9-24.5
\$35,000- 49,999	418	70,728	339	79.0	73.7-84.3	79	21.0	15.7-26.3
\$50,000- 74,999	475	84,803	388	79.0	72.9-85.1	87	21.0	14.9-27.1
\$75,000+	982	202,244	850	85.5	82.2-88.8	132	14.5	11.2-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1517	306,346	1170	77.2	74.3-80.1	347	22.8	19.9-25.7
White/Non-Hisp	1112	204,241	883	79.1	75.6-82.6	229	20.9	17.4-24.4
Black or Afr. Am./Non-Hisp	213	54,161	136	66.3	57.5-75.1	77	33.7	24.9-42.5
Hispanic	94	24,802	71	81.7	73.5-89.9	23	18.3	10.1-26.5
18-24	90	38,966	60	70.7	59.3-82.1	30	29.3	17.9-40.7
25-34	150	50,379	103	69.9	60.1-79.7	47	30.1	20.3-39.9
35-44	164	48,375	138	83.3	75.7-90.9	26	16.7	9.1-24.3
45-54	229	53,373	180	79.1	72.8-85.4	49	20.9	14.6-27.2
55-64	332	52,622	254	77.6	71.9-83.3	78	22.4	16.7-28.1
65+	535	59,752	423	80.6	76.3-84.9	112	19.4	15.1-23.7
Less Than H.S.	128	36,703	86	73.1	63.5-82.7	42	26.9	17.3-36.5
H.S. or G.E.D.	456	102,234	327	71.8	65.7-77.9	129	28.2	22.1-34.3
Some Post-H.S.	370	88,579	300	80.1	74.6-85.6	70	19.9	14.4-25.4
College Graduate	553	76,132	450	82.7	78.6-86.8	103	17.3	13.2-21.4
Less than \$15,000	67	10,673	47	62.8	45.2-80.4	20	37.2	19.6-54.8
\$15,000- 24,999	202	39,055	134	68.9	61.1-76.7	68	31.1	23.3-38.9
\$25,000- 34,999	148	33,498	113	80.4	72.4-88.4	35	19.6	11.6-27.6
\$35,000- 49,999	182	34,230	139	79.9	72.6-87.2	43	20.1	12.8-27.4
\$50,000- 74,999	214	39,703	168	74.7	64.7-84.7	46	25.3	15.3-35.3
\$75,000+	470	101,438	397	83.4	78.5-88.3	73	16.6	11.7-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 10: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2054	344,032	1682	81.3	78.8-83.8	372	18.7	16.2-21.2
White/Non-Hisp	1524	231,023	1284	83.7	80.8-86.6	240	16.3	13.4-19.2
Black or Afr. Am./Non-Hisp	302	65,796	216	73.7	67.2-80.2	86	26.3	19.8-32.8
Oth. Race/Non-Hisp.	54	14,992	43	73.9	55.3-92.5	11	26.1	7.5-44.7
Hispanic	120	23,438	97	82.6	74.8-90.4	23	17.4	9.6-25.2
18-24	99	40,003	76	72.2	59.3-85.1	23	27.8	14.9-40.7
25-34	185	52,263	149	84.4	78.7-90.1	36	15.6	9.9-21.3
35-44	190	51,388	157	82.4	75.1-89.7	33	17.6	10.3-24.9
45-54	336	59,822	290	86.1	81.4-90.8	46	13.9	9.2-18.6
55-64	444	60,270	353	80.1	75.4-84.8	91	19.9	15.2-24.6
65+	775	76,936	636	80.2	76.3-84.1	139	19.8	15.9-23.7
Less Than H.S.	163	37,687	112	70.8	60.0-81.6	51	29.2	18.4-40.0
H.S. or G.E.D.	582	95,482	440	74.4	68.9-79.9	142	25.6	20.1-31.1
Some Post-H.S.	561	109,275	460	83.2	78.9-87.5	101	16.8	12.5-21.1
College Graduate	741	100,633	663	89.5	86.6-92.4	78	10.5	7.6-13.4
Less than \$15,000	145	22,943	99	67.8	55.5-80.1	46	32.2	19.9-44.5
\$15,000- 24,999	297	44,649	222	77.2	70.7-83.7	75	22.8	16.3-29.3
\$25,000- 34,999	195	28,772	158	81.3	74.6-88.0	37	18.7	12.0-25.4
\$35,000- 49,999	236	36,498	200	78.2	70.6-85.8	36	21.8	14.2-29.4
\$50,000- 74,999	261	45,100	220	82.9	75.8-90.0	41	17.1	10.0-24.2
\$75,000+	512	100,805	453	87.6	83.3-91.9	59	12.4	8.1-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3774	681,194	2626	70.6	68.4-72.8	1148	29.4	27.2-31.6
Male	1603	318,802	1162	72.3	69.2-75.4	441	27.7	24.6-30.8
Female	2171	362,392	1464	69.1	66.2-72.0	707	30.9	28.0-33.8
White/Non-Hisp	2780	452,955	1955	72.2	69.8-74.6	825	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	555	128,336	376	67.5	61.8-73.2	179	32.5	26.8-38.2
Oth. Race/Non-Hisp.	101	28,443	72	73.4	62.6-84.2	29	26.6	15.8-37.4
Hispanic	219	50,781	134	61.5	52.9-70.1	85	38.5	29.9-47.1
18-24	194	79,922	154	78.0	69.8-86.2	40	22.0	13.8-30.2
25-34	350	109,141	264	72.6	66.1-79.1	86	27.4	20.9-33.9
35-44	362	101,975	259	73.9	68.0-79.8	103	26.1	20.2-32.0
45-54	579	116,145	414	71.8	67.1-76.5	165	28.2	23.5-32.9
55-64	805	117,853	553	66.3	62.0-70.6	252	33.7	29.4-38.0
65+	1435	148,892	945	65.5	62.2-68.8	490	34.5	31.2-37.8
Less Than H.S.	322	83,396	158	51.9	44.3-59.5	164	48.1	40.5-55.7
H.S. or G.E.D.	1118	208,888	682	64.1	60.0-68.2	436	35.9	31.8-40.0
Some Post-H.S.	971	203,387	684	74.5	71.0-78.0	287	25.5	22.0-29.0
College Graduate	1346	182,392	1093	82.1	79.2-85.0	253	17.9	15.0-20.8
Less than \$15,000	234	36,353	122	49.0	38.6-59.4	112	51.0	40.6-61.4
\$15,000- 24,999	529	87,734	293	56.8	50.9-62.7	236	43.2	37.3-49.1
\$25,000- 34,999	364	64,950	239	69.1	62.2-76.0	125	30.9	24.0-37.8
\$35,000- 49,999	438	74,594	311	68.9	62.8-75.0	127	31.1	25.0-37.2
\$50,000- 74,999	485	88,393	362	70.1	63.8-76.4	123	29.9	23.6-36.2
\$75,000+	996	203,282	821	82.1	78.4-85.8	175	17.9	14.2-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	318,802	1162	72.3	69.2-75.4	441	27.7	24.6-30.8
White/Non-Hisp	1176	211,743	857	73.0	69.3-76.7	319	27.0	23.3-30.7
Black or Afr. Am./Non-Hisp	226	56,277	162	70.8	62.2-79.4	64	29.2	20.6-37.8
Hispanic	99	27,071	70	71.1	58.9-83.3	29	28.9	16.7-41.1
18-24	92	38,751	74	85.8	78.7-92.9	18	14.2	7.1-21.3
25-34	159	53,840	118	70.0	60.0-80.0	41	30.0	20.0-40.0
35-44	164	48,133	121	71.8	62.0-81.6	43	28.2	18.4-38.0
45-54	236	54,467	168	71.3	64.0-78.6	68	28.7	21.4-36.0
55-64	342	55,101	243	69.5	63.0-76.0	99	30.5	24.0-37.0
65+	592	65,794	423	69.4	64.1-74.7	169	30.6	25.3-35.9
Less Than H.S.	140	41,168	74	54.9	43.9-65.9	66	45.1	34.1-56.1
H.S. or G.E.D.	491	107,685	322	68.6	62.5-74.7	169	31.4	25.3-37.5
Some Post-H.S.	382	89,466	281	75.2	69.5-80.9	101	24.8	19.1-30.5
College Graduate	581	78,337	481	83.5	79.4-87.6	100	16.5	12.4-20.6
Less than \$15,000	76	11,776	41	55.2	39.1-71.3	35	44.8	28.7-60.9
\$15,000- 24,999	214	41,181	120	60.0	51.6-68.4	94	40.0	31.6-48.4
\$25,000- 34,999	161	34,896	110	69.7	59.1-80.3	51	30.3	19.7-40.9
\$35,000- 49,999	189	35,484	130	68.1	58.7-77.5	59	31.9	22.5-41.3
\$50,000- 74,999	219	41,259	169	70.6	61.0-80.2	50	29.4	19.8-39.0
\$75,000+	477	100,911	402	82.2	76.7-87.7	75	17.8	12.3-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2171	362,392	1464	69.1	66.2-72.0	707	30.9	28.0-33.8
White/Non-Hisp	1604	241,212	1098	71.5	68.4-74.6	506	28.5	25.4-31.6
Black or Afr. Am./Non-Hisp	329	72,059	214	65.0	57.4-72.6	115	35.0	27.4-42.6
Oth. Race/Non-Hisp.	59	15,619	41	75.2	61.3-89.1	18	24.8	10.9-38.7
Hispanic	120	23,710	64	50.5	39.1-61.9	56	49.5	38.1-60.9
18-24	102	41,170	80	70.7	57.4-84.0	22	29.3	16.0-42.6
25-34	191	55,302	146	75.0	66.6-83.4	45	25.0	16.6-33.4
35-44	198	53,842	138	75.7	69.2-82.2	60	24.3	17.8-30.8
45-54	343	61,678	246	72.2	66.1-78.3	97	27.8	21.7-33.9
55-64	463	62,753	310	63.4	57.5-69.3	153	36.6	30.7-42.5
65+	843	83,098	522	62.3	58.0-66.6	321	37.7	33.4-42.0
Less Than H.S.	182	42,227	84	48.9	37.9-59.9	98	51.1	40.1-62.1
H.S. or G.E.D.	627	101,202	360	59.4	53.7-65.1	267	40.6	34.9-46.3
Some Post-H.S.	589	113,921	403	74.0	69.3-78.7	186	26.0	21.3-30.7
College Graduate	765	104,055	612	81.1	77.2-85.0	153	18.9	15.0-22.8
Less than \$15,000	158	24,576	81	46.0	33.1-58.9	77	54.0	41.1-66.9
\$15,000- 24,999	315	46,553	173	54.0	45.8-62.2	142	46.0	37.8-54.2
\$25,000- 34,999	203	30,054	129	68.4	60.6-76.2	74	31.6	23.8-39.4
\$35,000- 49,999	249	39,109	181	69.6	61.6-77.6	68	30.4	22.4-38.4
\$50,000- 74,999	266	47,134	193	69.6	61.2-78.0	73	30.4	22.0-38.8
\$75,000+	519	102,370	419	82.0	77.1-86.9	100	18.0	13.1-22.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3602	654,558	1174	30.2	28.0-32.4	609	18.0	16.2-19.8	627	19.8	17.8-21.8	1192	32.0	29.8-34.2
Male	1528	306,656	549	33.4	30.1-36.7	246	15.5	13.0-18.0	266	20.2	17.3-23.1	467	30.9	27.6-34.2
Female	2074	347,903	625	27.5	25.0-30.0	363	20.2	17.7-22.7	361	19.3	16.6-22.0	725	33.0	30.1-35.9
White/Non-Hisp	2668	439,296	930	32.8	30.3-35.3	435	18.0	15.8-20.2	448	19.5	17.1-21.9	855	29.7	27.2-32.2
Black or Afr. Am./Non-Hisp	526	121,493	140	26.8	21.5-32.1	93	16.3	12.4-20.2	105	19.7	14.8-24.6	188	37.1	31.0-43.2
Oth. Race/Non-Hisp.	93	26,267	23	21.2	11.4-31.0	25	27.3	15.7-38.9	13	20.1	7.2-33.0	32	31.4	19.6-43.2
Hispanic	211	49,587	49	21.6	14.5-28.7	37	15.8	9.9-21.7	39	22.2	14.9-29.5	86	40.4	31.6-49.2
18-24	189	78,329	64	28.9	21.1-36.7	33	17.7	11.0-24.4	49	28.9	20.1-37.7	43	24.5	16.1-32.9
25-34	338	105,465	92	25.3	19.2-31.4	74	20.7	15.2-26.2	82	24.6	18.9-30.3	90	29.5	22.8-36.2
35-44	357	100,860	90	25.7	20.0-31.4	73	22.1	16.6-27.6	82	24.0	18.3-29.7	112	28.3	22.4-34.2
45-54	557	111,593	179	31.4	26.7-36.1	101	19.6	15.5-23.7	106	17.9	14.0-21.8	171	31.1	26.2-36.0
55-64	783	114,590	244	31.7	27.4-36.0	137	16.9	13.8-20.0	139	15.3	12.4-18.2	263	36.1	31.6-40.6
65+	1366	141,579	505	36.1	32.8-39.4	191	13.0	10.8-15.2	169	13.5	11.0-16.0	501	37.3	33.8-40.8
Less Than H.S.	302	78,183	53	17.0	11.9-22.1	39	11.1	7.0-15.2	41	18.4	11.0-25.8	169	53.5	45.5-61.5
H.S. or G.E.D.	1064	200,999	315	29.7	25.8-33.6	132	13.1	10.2-16.0	171	19.1	15.6-22.6	446	38.2	33.9-42.5
Some Post-H.S.	930	196,368	288	30.9	26.8-35.0	172	19.9	16.4-23.4	169	20.9	17.2-24.6	301	28.2	24.3-32.1
College Graduate	1293	176,194	517	36.2	32.7-39.7	264	24.0	20.7-27.3	244	19.9	16.8-23.0	268	19.9	16.8-23.0
Less than \$15,000	222	34,758	64	32.1	22.3-41.9	16	5.1	2.0- 8.2	29	9.3	5.0-13.6	113	53.5	42.9-64.1
\$15,000- 24,999	507	84,736	116	21.0	16.1-25.9	73	13.9	10.2-17.6	77	18.4	13.7-23.1	241	46.7	40.6-52.8
\$25,000- 34,999	349	62,429	98	31.5	24.1-38.9	59	16.2	10.9-21.5	61	17.7	12.4-23.0	131	34.6	27.5-41.7
\$35,000- 49,999	420	71,775	144	30.7	24.8-36.6	66	16.5	11.4-21.6	79	19.5	14.6-24.4	131	33.2	26.9-39.5
\$50,000- 74,999	472	86,553	158	26.0	20.5-31.5	92	21.1	15.8-26.4	94	21.7	16.2-27.2	128	31.1	24.6-37.6
\$75,000+	971	198,094	388	36.8	32.7-40.9	210	23.2	19.5-26.9	186	19.9	16.4-23.4	187	20.1	16.2-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1528	306,656	549	33.4	30.1-36.7	246	15.5	13.0-18.0	266	20.2	17.3-23.1	467	30.9	27.6-34.2
White/Non-Hisp	1126	204,659	427	35.9	32.0-39.8	173	15.3	12.4-18.2	189	19.3	16.0-22.6	337	29.5	25.6-33.4
Black or Afr. Am./Non-Hisp	216	54,219	72	32.6	23.8-41.4	34	11.9	7.0-16.8	40	20.1	11.9-28.3	70	35.4	26.0-44.8
Hispanic	95	26,485	25	25.0	13.8-36.2	18	16.6	7.4-25.8	23	28.9	17.1-40.7	29	29.5	17.2-41.8
18-24	90	38,332	29	32.3	20.3-44.3	14	16.6	6.6-26.6	27	33.4	20.7-46.1	20	17.7	8.9-26.5
25-34	154	52,754	50	30.0	20.4-39.6	24	12.4	5.9-18.9	37	25.5	17.1-33.9	43	32.2	22.0-42.4
35-44	163	47,815	43	26.9	17.9-35.9	36	20.4	13.0-27.8	34	21.2	13.4-29.0	50	31.5	21.7-41.3
45-54	226	52,393	73	31.9	24.8-39.0	41	17.8	11.9-23.7	41	18.3	12.0-24.6	71	32.0	24.4-39.6
55-64	331	53,359	110	35.6	28.9-42.3	57	16.1	11.2-21.0	59	15.1	10.4-19.8	105	33.2	26.5-39.9
65+	561	61,562	244	41.6	36.3-46.9	74	11.1	8.2-14.0	68	13.0	9.5-16.5	175	34.3	28.8-39.8
Less Than H.S.	133	38,939	24	15.4	8.3-22.5	18	13.7	6.4-21.0	24	22.2	11.4-33.0	67	48.7	37.3-60.1
H.S. or G.E.D.	472	104,663	161	33.9	27.8-40.0	58	12.9	8.6-17.2	78	19.5	14.4-24.6	175	33.7	27.4-40.0
Some Post-H.S.	365	86,227	126	35.1	28.2-42.0	62	13.7	9.4-18.0	66	22.1	16.4-27.8	111	29.1	22.8-35.4
College Graduate	550	74,723	237	40.4	34.9-45.9	107	21.2	16.5-25.9	97	18.6	14.1-23.1	109	19.7	15.2-24.2
Less than \$15,000	72	11,202	26	39.9	23.6-56.2	5	4.7	0.0-9.6	6	8.3	0.0-16.9	35	47.1	30.6-63.6
\$15,000- 24,999	208	40,122	46	20.8	12.8-28.8	27	11.3	6.4-16.2	40	25.4	17.4-33.4	95	42.5	33.9-51.1
\$25,000- 34,999	151	33,314	42	33.0	21.4-44.6	27	15.0	7.4-22.6	25	15.7	8.3-23.1	57	36.3	24.9-47.7
\$35,000- 49,999	180	33,909	65	34.1	24.3-43.9	27	13.4	6.9-19.9	26	17.8	10.0-25.6	62	34.7	24.9-44.5
\$50,000- 74,999	215	40,666	81	31.4	22.2-40.6	38	15.7	9.6-21.8	44	22.6	15.0-30.2	52	30.2	20.6-39.8
\$75,000+	460	97,354	201	38.8	32.7-44.9	94	21.1	15.8-26.4	82	18.7	13.8-23.6	83	21.4	15.3-27.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	347,903	625	27.5	25.0-30.0	363	20.2	17.7-22.7	361	19.3	16.6-22.0	725	33.0	30.1-35.9
White/Non-Hisp	1542	234,637	503	30.2	27.1-33.3	262	20.3	17.2-23.4	259	19.6	16.3-22.9	518	29.9	26.6-33.2
Black or Afr. Am./Non-Hisp	310	67,274	68	22.2	15.9-28.5	59	19.8	13.9-25.7	65	19.4	13.7-25.1	118	38.6	30.6-46.6
Oth. Race/Non-Hisp.	54	14,081	14	23.6	9.3-37.9	13	27.1	10.8-43.4	8	20.8	1.4-40.2	19	28.5	13.2-43.8
Hispanic	116	23,102	24	17.7	9.5-25.9	19	14.9	7.6-22.2	16	14.6	7.0-22.2	57	52.9	41.5-64.3
18-24	99	39,996	35	25.7	15.7-35.7	19	18.8	9.6-28.0	22	24.5	12.2-36.8	23	31.0	17.3-44.7
25-34	184	52,711	42	20.6	13.7-27.5	50	29.0	20.6-37.4	45	23.7	15.9-31.5	47	26.7	18.1-35.3
35-44	194	53,045	47	24.6	17.2-32.0	37	23.5	15.7-31.3	48	26.4	18.2-34.6	62	25.4	18.7-32.1
45-54	331	59,200	106	31.0	24.7-37.3	60	21.1	15.0-27.2	65	17.6	12.7-22.5	100	30.2	23.7-36.7
55-64	452	61,231	134	28.3	23.0-33.6	80	17.6	13.3-21.9	80	15.4	11.5-19.3	158	38.6	32.5-44.7
65+	805	80,017	261	32.0	27.9-36.1	117	14.5	11.4-17.6	101	13.9	10.4-17.4	326	39.6	35.1-44.1
Less Than H.S.	169	39,244	29	18.5	11.1-25.9	21	8.6	4.3-12.9	17	14.6	4.2-25.0	102	58.3	47.1-69.5
H.S. or G.E.D.	592	96,336	154	25.0	20.1-29.9	74	13.3	9.4-17.2	93	18.7	13.6-23.8	271	43.0	37.1-48.9
Some Post-H.S.	565	110,141	162	27.7	23.0-32.4	110	24.8	19.5-30.1	103	20.0	15.3-24.7	190	27.5	22.6-32.4
College Graduate	743	101,471	280	33.2	28.7-37.7	157	26.0	21.3-30.7	147	20.9	16.8-25.0	159	20.0	15.9-24.1
Less than \$15,000	150	23,556	38	28.4	16.4-40.4	11	5.3	1.4-9.2	23	9.8	4.7-14.9	78	56.6	43.5-69.7
\$15,000- 24,999	299	44,615	70	21.2	15.1-27.3	46	16.3	10.8-21.8	37	12.1	7.4-16.8	146	50.5	42.3-58.7
\$25,000- 34,999	198	29,115	56	29.9	21.3-38.5	32	17.7	10.6-24.8	36	19.9	12.5-27.3	74	32.6	24.6-40.6
\$35,000- 49,999	240	37,867	79	27.7	20.8-34.6	39	19.4	11.6-27.2	53	21.0	14.7-27.3	69	31.9	23.7-40.1
\$50,000- 74,999	257	45,887	77	21.3	15.4-27.2	54	26.0	17.8-34.2	50	20.9	13.1-28.7	76	31.8	23.2-40.4
\$75,000+	511	100,740	187	34.8	29.3-40.3	116	25.2	19.9-30.5	104	21.0	15.9-26.1	104	18.9	14.0-23.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3629	658,507	1810	48.5	46.1-50.9	1819	51.5	49.1-53.9
Male	1541	308,589	808	49.2	45.7-52.7	733	50.8	47.3-54.3
Female	2088	349,918	1002	47.9	44.8-51.0	1086	52.1	49.0-55.2
White/Non-Hisp	2686	441,273	1383	51.0	48.3-53.7	1303	49.0	46.3-51.7
Black or Afr. Am./Non-Hisp	531	122,664	238	43.7	37.8-49.6	293	56.3	50.4-62.2
Oth. Race/Non-Hisp.	95	26,662	50	49.2	36.1-62.3	45	50.8	37.7-63.9
Hispanic	213	49,993	88	37.9	29.7-46.1	125	62.1	53.9-70.3
18-24	190	78,533	98	46.8	37.6-56.0	92	53.2	44.0-62.4
25-34	340	105,752	168	46.1	39.2-53.0	172	53.9	47.0-60.8
35-44	358	100,998	164	47.8	41.1-54.5	194	52.2	45.5-58.9
45-54	562	112,749	285	51.5	46.4-56.6	277	48.5	43.4-53.6
55-64	788	115,376	386	49.0	44.5-53.5	402	51.0	46.5-55.5
65+	1379	142,957	709	49.7	46.2-53.2	670	50.3	46.8-53.8
Less Than H.S.	305	78,564	95	28.4	21.9-34.9	210	71.6	65.1-78.1
H.S. or G.E.D.	1072	202,202	455	43.1	38.8-47.4	617	56.9	52.6-61.2
Some Post-H.S.	939	197,974	469	51.3	47.0-55.6	470	48.7	44.4-53.0
College Graduate	1300	176,951	788	60.4	56.7-64.1	512	39.6	35.9-43.3
Less than \$15,000	224	34,992	82	37.6	27.6-47.6	142	62.4	52.4-72.4
\$15,000- 24,999	510	85,269	192	35.3	29.6-41.0	318	64.7	59.0-70.4
\$25,000- 34,999	351	62,725	159	48.0	40.6-55.4	192	52.0	44.6-59.4
\$35,000- 49,999	427	72,999	217	48.2	41.7-54.7	210	51.8	45.3-58.3
\$50,000- 74,999	473	86,685	251	47.3	40.8-53.8	222	52.7	46.2-59.2
\$75,000+	975	198,553	602	60.1	55.6-64.6	373	39.9	35.4-44.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1541	308,589	808	49.2	45.7-52.7	733	50.8	47.3-54.3
White/Non-Hisp	1134	205,603	608	51.4	47.3-55.5	526	48.6	44.5-52.7
Black or Afr. Am./Non-Hisp	218	54,546	108	44.8	35.6-54.0	110	55.2	46.0-64.4
Hispanic	97	26,890	45	42.5	30.0-55.0	52	57.5	45.0-70.0
18-24	90	38,332	43	48.9	36.0-61.8	47	51.1	38.2-64.0
25-34	155	52,952	75	42.6	32.4-52.8	80	57.4	47.2-67.6
35-44	163	47,815	79	47.3	37.3-57.3	84	52.7	42.7-62.7
45-54	228	52,798	116	50.1	42.3-57.9	112	49.9	42.1-57.7
55-64	334	53,916	170	52.2	45.3-59.1	164	47.8	40.9-54.7
65+	568	62,336	325	53.3	47.8-58.8	243	46.7	41.2-52.2
Less Than H.S.	135	39,267	44	29.6	20.2-39.0	91	70.4	61.0-79.8
H.S. or G.E.D.	474	104,894	221	47.0	40.5-53.5	253	53.0	46.5-59.5
Some Post-H.S.	369	87,011	192	49.3	42.4-56.2	177	50.7	43.8-57.6
College Graduate	555	75,313	349	62.0	56.5-67.5	206	38.0	32.5-43.5
Less than \$15,000	72	11,202	31	44.6	28.1-61.1	41	55.4	38.9-71.9
\$15,000- 24,999	210	40,449	75	32.6	24.2-41.0	135	67.4	59.0-75.8
\$25,000- 34,999	153	33,610	71	48.4	36.6-60.2	82	51.6	39.8-63.4
\$35,000- 49,999	181	34,117	93	47.8	37.6-58.0	88	52.2	42.0-62.4
\$50,000- 74,999	216	40,798	120	47.3	37.7-56.9	96	52.7	43.1-62.3
\$75,000+	463	97,727	298	60.0	53.5-66.5	165	40.0	33.5-46.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2088	349,918	1002	47.9	44.8-51.0	1086	52.1	49.0-55.2
White/Non-Hisp	1552	235,670	775	50.7	47.0-54.4	777	49.3	45.6-53.0
Black or Afr. Am./Non-Hisp	313	68,118	130	42.7	35.1-50.3	183	57.3	49.7-64.9
Oth. Race/Non-Hisp.	55	14,219	28	51.2	32.4-70.0	27	48.8	30.0-67.6
Hispanic	116	23,102	43	32.5	22.3-42.7	73	67.5	57.3-77.7
18-24	100	40,201	55	44.7	32.0-57.4	45	55.3	42.6-68.0
25-34	185	52,799	93	49.7	40.5-58.9	92	50.3	41.1-59.5
35-44	195	53,183	85	48.3	39.5-57.1	110	51.7	42.9-60.5
45-54	334	59,951	169	52.7	45.8-59.6	165	47.3	40.4-54.2
55-64	454	61,461	216	46.1	40.2-52.0	238	53.9	48.0-59.8
65+	811	80,622	384	46.8	42.3-51.3	427	53.2	48.7-57.7
Less Than H.S.	170	39,298	51	27.2	18.8-35.6	119	72.8	64.4-81.2
H.S. or G.E.D.	598	97,309	234	38.9	33.2-44.6	364	61.1	55.4-66.8
Some Post-H.S.	570	110,963	277	52.8	47.1-58.5	293	47.2	41.5-52.9
College Graduate	745	101,638	439	59.2	54.3-64.1	306	40.8	35.9-45.7
Less than \$15,000	152	23,790	51	34.3	22.1-46.5	101	65.7	53.5-77.9
\$15,000- 24,999	300	44,819	117	37.7	30.1-45.3	183	62.3	54.7-69.9
\$25,000- 34,999	198	29,115	88	47.5	38.3-56.7	110	52.5	43.3-61.7
\$35,000- 49,999	246	38,882	124	48.5	40.1-56.9	122	51.5	43.1-59.9
\$50,000- 74,999	257	45,887	131	47.3	38.5-56.1	126	52.7	43.9-61.5
\$75,000+	512	100,826	304	60.1	54.2-66.0	208	39.9	34.0-45.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3706	669,437	1032	30.5	28.3-32.7	2674	69.5	67.3-71.7
Male	1581	314,649	515	34.4	31.1-37.7	1066	65.6	62.3-68.9
Female	2125	354,788	517	27.0	24.3-29.7	1608	73.0	70.3-75.7
White/Non-Hisp	2734	447,012	750	29.6	27.1-32.1	1984	70.4	67.9-72.9
Black or Afr. Am./Non-Hisp	542	124,552	159	33.7	28.0-39.4	383	66.3	60.6-72.0
Oth. Race/Non-Hisp.	98	27,763	37	39.9	27.2-52.6	61	60.1	47.4-72.8
Hispanic	214	49,685	51	23.2	16.3-30.1	163	76.8	69.9-83.7
18-24	190	78,751	83	39.3	30.5-48.1	107	60.7	51.9-69.5
25-34	344	106,307	125	35.1	28.6-41.6	219	64.9	58.4-71.4
35-44	358	101,175	131	39.3	32.8-45.8	227	60.7	54.2-67.2
45-54	569	114,578	140	24.9	20.4-29.4	429	75.1	70.6-79.6
55-64	790	115,462	206	25.8	22.1-29.5	584	74.2	70.5-77.9
65+	1408	146,015	329	24.4	21.3-27.5	1079	75.6	72.5-78.7
Less Than H.S.	317	81,270	58	17.0	12.1-21.9	259	83.0	78.1-87.9
H.S. or G.E.D.	1089	204,338	230	26.3	22.4-30.2	859	73.7	69.8-77.6
Some Post-H.S.	952	200,279	262	32.3	28.0-36.6	690	67.7	63.4-72.0
College Graduate	1333	180,485	479	39.3	35.6-43.0	854	60.7	57.0-64.4
Less than \$15,000	227	35,664	38	17.8	9.4-26.2	189	82.2	73.8-90.6
\$15,000- 24,999	519	86,446	113	29.0	23.1-34.9	406	71.0	65.1-76.9
\$25,000- 34,999	360	64,583	101	36.3	28.7-43.9	259	63.7	56.1-71.3
\$35,000- 49,999	432	73,579	120	31.2	25.1-37.3	312	68.8	62.7-74.9
\$50,000- 74,999	480	87,252	129	27.3	21.4-33.2	351	72.7	66.8-78.6
\$75,000+	987	200,968	365	37.5	33.4-41.6	622	62.5	58.4-66.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1581	314,649	515	34.4	31.1-37.7	1066	65.6	62.3-68.9
White/Non-Hisp	1159	209,386	361	32.7	28.8-36.6	798	67.3	63.4-71.2
Black or Afr. Am./Non-Hisp	223	55,295	88	44.3	34.9-53.7	135	55.7	46.3-65.1
Hispanic	98	26,419	31	26.0	16.0-36.0	67	74.0	64.0-84.0
18-24	89	37,680	45	47.8	34.7-60.9	44	52.2	39.1-65.3
25-34	157	53,004	66	37.0	27.2-46.8	91	63.0	53.2-72.8
35-44	163	47,959	70	40.7	31.1-50.3	93	59.3	49.7-68.9
45-54	232	54,135	70	30.2	22.9-37.5	162	69.8	62.5-77.1
55-64	341	54,792	101	28.7	22.8-34.6	240	71.3	65.4-77.2
65+	581	64,363	158	28.8	23.7-33.9	423	71.2	66.1-76.3
Less Than H.S.	138	40,484	33	22.2	14.0-30.4	105	77.8	69.6-86.0
H.S. or G.E.D.	482	105,837	126	32.3	26.2-38.4	356	67.7	61.6-73.8
Some Post-H.S.	377	88,447	124	35.7	28.8-42.6	253	64.3	57.4-71.2
College Graduate	576	77,777	230	42.2	36.7-47.7	346	57.8	52.3-63.3
Less than \$15,000	74	11,634	14	25.5	8.8-42.2	60	74.5	57.8-91.2
\$15,000- 24,999	210	40,609	63	36.7	27.7-45.7	147	63.3	54.3-72.3
\$25,000- 34,999	160	34,735	63	49.0	37.6-60.4	97	51.0	39.6-62.4
\$35,000- 49,999	188	35,399	55	32.7	23.1-42.3	133	67.3	57.7-76.9
\$50,000- 74,999	216	40,327	71	30.7	21.7-39.7	145	69.3	60.3-78.3
\$75,000+	475	100,653	184	35.9	30.2-41.6	291	64.1	58.4-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2125	354,788	517	27.0	24.3-29.7	1608	73.0	70.3-75.7
White/Non-Hisp	1575	237,626	389	26.9	23.8-30.0	1186	73.1	70.0-76.2
Black or Afr. Am./Non-Hisp	319	69,257	71	25.3	18.6-32.0	248	74.7	68.0-81.4
Oth. Race/Non-Hisp.	57	15,100	21	45.5	27.3-63.7	36	54.5	36.3-72.7
Hispanic	116	23,267	20	20.1	10.7-29.5	96	79.9	70.5-89.3
18-24	101	41,071	38	31.4	20.2-42.6	63	68.6	57.4-79.8
25-34	187	53,302	59	33.2	24.8-41.6	128	66.8	58.4-75.2
35-44	195	53,216	61	38.0	29.2-46.8	134	62.0	53.2-70.8
45-54	337	60,443	70	20.1	14.8-25.4	267	79.9	74.6-85.2
55-64	449	60,670	105	23.2	18.5-27.9	344	76.8	72.1-81.5
65+	827	81,653	171	20.9	17.4-24.4	656	79.1	75.6-82.6
Less Than H.S.	179	40,786	25	11.8	6.3-17.3	154	88.2	82.7-93.7
H.S. or G.E.D.	607	98,501	104	19.8	15.1-24.5	503	80.2	75.5-84.9
Some Post-H.S.	575	111,831	138	29.6	24.3-34.9	437	70.4	65.1-75.7
College Graduate	757	102,708	249	37.1	32.2-42.0	508	62.9	58.0-67.8
Less than \$15,000	153	24,030	24	14.1	4.7-23.5	129	85.9	76.5-95.3
\$15,000- 24,999	309	45,837	50	22.1	15.0-29.2	259	77.9	70.8-85.0
\$25,000- 34,999	200	29,848	38	21.6	13.8-29.4	162	78.4	70.6-86.2
\$35,000- 49,999	244	38,179	65	29.9	22.1-37.7	179	70.1	62.3-77.9
\$50,000- 74,999	264	46,925	58	24.4	17.0-31.8	206	75.6	68.2-83.0
\$75,000+	512	100,316	181	39.1	33.2-45.0	331	60.9	55.0-66.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3579	651,499	681	20.3	18.3-22.3	1097	28.0	26.0-30.0	311	10.1	8.7-11.5	1490	41.7	39.3-44.1
Male	1527	305,874	335	21.6	18.7-24.5	463	27.4	24.3-30.5	159	12.6	10.2-15.0	570	38.4	34.9-41.9
Female	2052	345,625	346	19.2	16.7-21.7	634	28.5	25.8-31.2	152	7.8	6.0-9.6	920	44.5	41.4-47.6
White/Non-Hisp	2653	437,869	512	20.5	18.3-22.7	849	30.4	27.9-32.9	216	9.0	7.4-10.6	1076	40.1	37.4-42.8
Black or Afr. Am./Non-Hisp	522	120,583	94	20.6	15.7-25.5	139	22.5	18.0-27.0	58	13.2	9.1-17.3	231	43.6	37.5-49.7
Oth. Race/Non-Hisp.	92	26,377	24	26.1	14.7-37.5	25	23.5	13.1-33.9	10	12.7	2.1-23.3	33	37.7	24.8-50.6
Hispanic	209	49,007	28	12.1	7.2-17.0	57	24.8	17.4-32.2	19	10.4	5.1-15.7	105	52.7	43.9-61.5
18-24	188	77,782	59	28.5	20.5-36.5	38	17.9	11.4-24.4	24	11.3	6.4-16.2	67	42.3	32.7-51.9
25-34	336	104,744	79	22.1	16.2-28.0	87	23.8	18.1-29.5	42	12.7	8.4-17.0	128	41.3	34.2-48.4
35-44	355	100,516	85	24.9	19.2-30.6	77	22.8	17.1-28.5	44	14.2	9.1-19.3	149	38.1	31.6-44.6
45-54	554	111,360	99	17.2	13.5-20.9	182	34.1	29.2-39.0	36	7.1	4.2-10.0	237	41.7	36.6-46.8
55-64	778	113,951	133	17.1	14.0-20.2	247	31.6	27.3-35.9	69	8.4	6.0-10.8	329	42.8	38.3-47.3
65+	1357	141,097	226	16.4	13.9-18.9	466	33.0	29.9-36.1	94	8.1	5.9-10.3	571	42.5	39.0-46.0
Less Than H.S.	301	77,804	26	8.0	4.5-11.5	68	20.5	14.8-26.2	30	9.3	5.4-13.2	177	62.2	54.9-69.5
H.S. or G.E.D.	1046	198,455	143	15.9	12.8-19.0	294	26.6	22.9-30.3	76	10.2	7.3-13.1	533	47.4	42.9-51.9
Some Post-H.S.	928	196,429	173	21.4	17.5-25.3	290	29.8	25.9-33.7	81	10.7	7.8-13.6	384	38.1	33.8-42.4
College Graduate	1291	175,996	338	29.5	26.0-33.0	443	30.7	27.4-34.0	123	9.6	7.4-11.8	387	30.2	26.7-33.7
Less than \$15,000	219	34,464	25	12.0	4.7-19.3	55	25.9	17.5-34.3	13	6.5	0.6-12.4	126	55.7	45.1-66.3
\$15,000- 24,999	501	84,195	59	13.6	9.1-18.1	127	21.5	17.2-25.8	52	15.8	10.9-20.7	263	49.1	43.0-55.2
\$25,000- 34,999	346	62,271	59	20.9	14.2-27.6	99	27.4	20.7-34.1	39	16.4	9.9-22.9	149	35.3	28.6-42.0
\$35,000- 49,999	421	71,984	74	18.7	13.2-24.2	137	28.8	23.1-34.5	43	12.8	8.5-17.1	167	39.8	33.3-46.3
\$50,000- 74,999	469	85,789	91	19.1	13.8-24.4	156	27.6	22.1-33.1	32	7.4	4.1-10.7	190	45.8	39.1-52.5
\$75,000+	969	197,482	271	28.1	24.4-31.8	326	31.8	27.7-35.9	84	9.0	6.5-11.5	288	31.2	26.9-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	305,874	335	21.6	18.7-24.5	463	27.4	24.3-30.5	159	12.6	10.2-15.0	570	38.4	34.9-41.9
White/Non-Hisp	1125	204,684	241	21.4	17.9-24.9	360	30.0	26.3-33.7	107	10.9	8.2-13.6	417	37.8	33.7-41.9
Black or Afr. Am./Non-Hisp	215	53,564	55	25.4	17.2-33.6	51	19.1	12.6-25.6	31	19.8	11.8-27.8	78	35.7	26.1-45.3
Hispanic	96	26,238	18	13.5	6.6-20.4	26	27.6	15.6-39.6	11	11.9	4.3-19.5	41	47.0	33.9-60.1
18-24	89	37,680	28	30.8	18.8-42.8	14	17.3	7.1-27.5	17	17.0	8.2-25.8	30	35.0	22.1-47.9
25-34	153	52,117	42	21.9	13.1-30.7	32	20.2	12.0-28.4	22	14.8	7.9-21.7	57	43.1	32.5-53.7
35-44	162	47,641	41	21.7	14.4-29.0	37	25.5	16.3-34.7	28	18.6	10.6-26.6	56	34.3	24.5-44.1
45-54	226	52,596	49	21.1	14.8-27.4	67	29.2	22.3-36.1	17	7.9	3.2-12.6	93	41.8	34.0-49.6
55-64	334	53,916	64	18.5	13.4-23.6	106	33.7	27.0-40.4	33	9.5	5.6-13.4	131	38.4	31.7-45.1
65+	560	61,485	111	18.8	14.5-23.1	207	34.5	29.6-39.4	42	10.2	6.1-14.3	200	36.6	31.3-41.9
Less Than H.S.	134	38,907	15	10.6	4.7-16.5	29	19.3	11.3-27.3	18	12.5	5.8-19.2	72	57.7	46.9-68.5
H.S. or G.E.D.	467	103,529	79	18.4	13.7-23.1	136	28.1	22.2-34.0	41	13.5	8.6-18.4	211	40.0	33.5-46.5
Some Post-H.S.	366	86,197	77	21.8	15.5-28.1	113	27.2	21.3-33.1	42	13.4	8.7-18.1	134	37.6	30.9-44.3
College Graduate	552	75,138	163	31.4	26.1-36.7	184	30.5	25.6-35.4	57	10.6	7.1-14.1	148	27.5	22.4-32.6
Less than \$15,000	71	11,147	9	14.2	2.6-25.8	21	30.1	15.0-45.2	5	12.5	0.0-28.2	36	43.2	27.5-58.9
\$15,000- 24,999	206	39,906	33	16.3	8.7-23.9	39	16.3	10.4-22.2	30	21.1	13.3-28.9	104	46.4	37.6-55.2
\$25,000- 34,999	152	33,448	34	25.9	15.1-36.7	37	22.7	12.9-32.5	26	24.2	13.4-35.0	55	27.1	17.9-36.3
\$35,000- 49,999	180	34,032	34	19.9	10.9-28.9	58	27.8	19.4-36.2	19	13.2	6.7-19.7	69	39.1	29.1-49.1
\$50,000- 74,999	214	40,025	49	18.9	11.1-26.7	69	27.4	19.2-35.6	21	11.4	5.3-17.5	75	42.3	32.5-52.1
\$75,000+	462	97,686	138	26.2	21.1-31.3	160	33.9	27.8-40.0	36	8.6	5.1-12.1	128	31.3	25.0-37.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2052	345,625	346	19.2	16.7-21.7	634	28.5	25.8-31.2	152	7.8	6.0- 9.6	920	44.5	41.4-47.6
White/Non-Hisp	1528	233,185	271	19.8	16.9-22.7	489	30.8	27.5-34.1	109	7.3	5.5- 9.1	659	42.1	38.4-45.8
Black or Afr. Am./Non-Hisp	307	67,020	39	16.8	10.7-22.9	88	25.3	19.2-31.4	27	8.0	4.3-11.7	153	49.9	42.1-57.7
Oth. Race/Non-Hisp.	53	14,095	13	29.9	12.8-47.0	14	21.3	8.4-34.2	6	14.6	0.0-32.0	20	34.1	16.9-51.3
Hispanic	113	22,769	10	10.5	3.4-17.6	31	21.5	13.1-29.9	8	8.7	1.6-15.8	64	59.3	48.1-70.5
18-24	99	40,102	31	26.3	15.7-36.9	24	18.6	10.4-26.8	7	5.9	1.2-10.6	37	49.3	35.8-62.8
25-34	183	52,627	37	22.4	14.8-30.0	55	27.4	19.4-35.4	20	10.7	5.6-15.8	71	39.6	30.2-49.0
35-44	193	52,875	44	27.8	19.6-36.0	40	20.4	13.5-27.3	16	10.2	3.9-16.5	93	41.6	33.2-50.0
45-54	328	58,764	50	13.6	9.3-17.9	115	38.5	31.6-45.4	19	6.3	2.6-10.0	144	41.6	34.9-48.3
55-64	444	60,035	69	15.9	11.8-20.0	141	29.8	24.5-35.1	36	7.5	4.8-10.2	198	46.8	40.7-52.9
65+	797	79,611	115	14.6	11.5-17.7	259	31.9	27.8-36.0	52	6.4	4.2- 8.6	371	47.0	42.5-51.5
Less Than H.S.	167	38,898	11	5.4	1.7- 9.1	39	21.7	13.9-29.5	12	6.2	1.9-10.5	105	66.8	57.4-76.2
H.S. or G.E.D.	579	94,925	64	13.2	9.1-17.3	158	24.9	20.2-29.6	35	6.5	3.8- 9.2	322	55.4	49.5-61.3
Some Post-H.S.	562	110,232	96	21.1	16.2-26.0	177	31.8	26.7-36.9	39	8.6	5.1-12.1	250	38.4	32.9-43.9
College Graduate	739	100,858	175	28.1	23.4-32.8	259	30.9	26.4-35.4	66	8.8	6.1-11.5	239	32.2	27.5-36.9
Less than \$15,000	148	23,317	16	10.9	1.7-20.1	34	23.8	13.6-34.0	8	3.6	0.1- 7.1	90	61.6	48.9-74.3
\$15,000- 24,999	295	44,288	26	11.2	6.1-16.3	88	26.2	19.7-32.7	22	11.0	5.1-16.9	159	51.6	43.2-60.0
\$25,000- 34,999	194	28,823	25	15.0	7.9-22.1	62	32.8	24.0-41.6	13	7.4	2.5-12.3	94	44.8	35.8-53.8
\$35,000- 49,999	241	37,952	40	17.5	11.0-24.0	79	29.7	22.1-37.3	24	12.3	6.6-18.0	98	40.5	32.1-48.9
\$50,000- 74,999	255	45,764	42	19.2	11.9-26.5	87	27.9	20.6-35.2	11	4.0	1.3- 6.7	115	48.9	39.9-57.9
\$75,000+	507	99,795	133	30.0	24.3-35.7	166	29.7	24.6-34.8	48	9.3	5.6-13.0	160	31.0	25.3-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3579	651,499	681	20.3	18.3-22.3	2898	79.7	77.7-81.7
Male	1527	305,874	335	21.6	18.7-24.5	1192	78.4	75.5-81.3
Female	2052	345,625	346	19.2	16.7-21.7	1706	80.8	78.3-83.3
White/Non-Hisp	2653	437,869	512	20.5	18.3-22.7	2141	79.5	77.3-81.7
Black or Afr. Am./Non-Hisp	522	120,583	94	20.6	15.7-25.5	428	79.4	74.5-84.3
Oth. Race/Non-Hisp.	92	26,377	24	26.1	14.7-37.5	68	73.9	62.5-85.3
Hispanic	209	49,007	28	12.1	7.2-17.0	181	87.9	83.0-92.8
18-24	188	77,782	59	28.5	20.5-36.5	129	71.5	63.5-79.5
25-34	336	104,744	79	22.1	16.2-28.0	257	77.9	72.0-83.8
35-44	355	100,516	85	24.9	19.2-30.6	270	75.1	69.4-80.8
45-54	554	111,360	99	17.2	13.5-20.9	455	82.8	79.1-86.5
55-64	778	113,951	133	17.1	14.0-20.2	645	82.9	79.8-86.0
65+	1357	141,097	226	16.4	13.9-18.9	1131	83.6	81.1-86.1
Less Than H.S.	301	77,804	26	8.0	4.5-11.5	275	92.0	88.5-95.5
H.S. or G.E.D.	1046	198,455	143	15.9	12.8-19.0	903	84.1	81.0-87.2
Some Post-H.S.	928	196,429	173	21.4	17.5-25.3	755	78.6	74.7-82.5
College Graduate	1291	175,996	338	29.5	26.0-33.0	953	70.5	67.0-74.0
Less than \$15,000	219	34,464	25	12.0	4.7-19.3	194	88.0	80.7-95.3
\$15,000- 24,999	501	84,195	59	13.6	9.1-18.1	442	86.4	81.9-90.9
\$25,000- 34,999	346	62,271	59	20.9	14.2-27.6	287	79.1	72.4-85.8
\$35,000- 49,999	421	71,984	74	18.7	13.2-24.2	347	81.3	75.8-86.8
\$50,000- 74,999	469	85,789	91	19.1	13.8-24.4	378	80.9	75.6-86.2
\$75,000+	969	197,482	271	28.1	24.4-31.8	698	71.9	68.2-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	305,874	335	21.6	18.7-24.5	1192	78.4	75.5-81.3
White/Non-Hisp	1125	204,684	241	21.4	17.9-24.9	884	78.6	75.1-82.1
Black or Afr. Am./Non-Hisp	215	53,564	55	25.4	17.2-33.6	160	74.6	66.4-82.8
Hispanic	96	26,238	18	13.5	6.6-20.4	78	86.5	79.6-93.4
18-24	89	37,680	28	30.8	18.8-42.8	61	69.2	57.2-81.2
25-34	153	52,117	42	21.9	13.1-30.7	111	78.1	69.3-86.9
35-44	162	47,641	41	21.7	14.4-29.0	121	78.3	71.0-85.6
45-54	226	52,596	49	21.1	14.8-27.4	177	78.9	72.6-85.2
55-64	334	53,916	64	18.5	13.4-23.6	270	81.5	76.4-86.6
65+	560	61,485	111	18.8	14.5-23.1	449	81.2	76.9-85.5
Less Than H.S.	134	38,907	15	10.6	4.7-16.5	119	89.4	83.5-95.3
H.S. or G.E.D.	467	103,529	79	18.4	13.7-23.1	388	81.6	76.9-86.3
Some Post-H.S.	366	86,197	77	21.8	15.5-28.1	289	78.2	71.9-84.5
College Graduate	552	75,138	163	31.4	26.1-36.7	389	68.6	63.3-73.9
Less than \$15,000	71	11,147	9	14.2	2.6-25.8	62	85.8	74.2-97.4
\$15,000- 24,999	206	39,906	33	16.3	8.7-23.9	173	83.7	76.1-91.3
\$25,000- 34,999	152	33,448	34	25.9	15.1-36.7	118	74.1	63.3-84.9
\$35,000- 49,999	180	34,032	34	19.9	10.9-28.9	146	80.1	71.1-89.1
\$50,000- 74,999	214	40,025	49	18.9	11.1-26.7	165	81.1	73.3-88.9
\$75,000+	462	97,686	138	26.2	21.1-31.3	324	73.8	68.7-78.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2052	345,625	346	19.2	16.7-21.7	1706	80.8	78.3-83.3
White/Non-Hisp	1528	233,185	271	19.8	16.9-22.7	1257	80.2	77.3-83.1
Black or Afr. Am./Non-Hisp	307	67,020	39	16.8	10.7-22.9	268	83.2	77.1-89.3
Oth. Race/Non-Hisp.	53	14,095	13	29.9	12.8-47.0	40	70.1	53.0-87.2
Hispanic	113	22,769	10	10.5	3.4-17.6	103	89.5	82.4-96.6
18-24	99	40,102	31	26.3	15.7-36.9	68	73.7	63.1-84.3
25-34	183	52,627	37	22.4	14.8-30.0	146	77.6	70.0-85.2
35-44	193	52,875	44	27.8	19.6-36.0	149	72.2	64.0-80.4
45-54	328	58,764	50	13.6	9.3-17.9	278	86.4	82.1-90.7
55-64	444	60,035	69	15.9	11.8-20.0	375	84.1	80.0-88.2
65+	797	79,611	115	14.6	11.5-17.7	682	85.4	82.3-88.5
Less Than H.S.	167	38,898	11	5.4	1.7- 9.1	156	94.6	90.9-98.3
H.S. or G.E.D.	579	94,925	64	13.2	9.1-17.3	515	86.8	82.7-90.9
Some Post-H.S.	562	110,232	96	21.1	16.2-26.0	466	78.9	74.0-83.8
College Graduate	739	100,858	175	28.1	23.4-32.8	564	71.9	67.2-76.6
Less than \$15,000	148	23,317	16	10.9	1.7-20.1	132	89.1	79.9-98.3
\$15,000- 24,999	295	44,288	26	11.2	6.1-16.3	269	88.8	83.7-93.9
\$25,000- 34,999	194	28,823	25	15.0	7.9-22.1	169	85.0	77.9-92.1
\$35,000- 49,999	241	37,952	40	17.5	11.0-24.0	201	82.5	76.0-89.0
\$50,000- 74,999	255	45,764	42	19.2	11.9-26.5	213	80.8	73.5-88.1
\$75,000+	507	99,795	133	30.0	24.3-35.7	374	70.0	64.3-75.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	163
2	MALES ONLY	164
3	FEMALES ONLY	165
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	166
5	MALES ONLY	167
6	FEMALES ONLY	168
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	169
8	MALES ONLY	170
9	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Total have arthritis and limited usual activities			Total have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	720,078	633	12.4	11.0-13.8	713	14.0	12.6-15.4	2574	73.6	71.8-75.4
Male	1695	344,665	213	9.9	8.1-11.7	266	12.4	10.4-14.4	1216	77.7	75.2-80.2
Female	2225	375,413	420	14.8	13.0-16.6	447	15.4	13.6-17.2	1358	69.9	67.4-72.4
White/Non-Hisp	2857	468,814	474	13.7	12.1-15.3	594	16.8	15.0-18.6	1789	69.5	67.3-71.7
Black or Afr. Am./Non-Hisp	587	141,126	99	11.1	8.2-14.0	71	9.5	6.8-12.2	417	79.4	75.5-83.3
Oth. Race/Non-Hisp.	108	31,462	17	9.3	3.8-14.8	9	5.1	0.4- 9.8	82	85.6	78.5-92.7
Hispanic	244	55,714	22	6.6	3.5- 9.7	21	6.3	3.0- 9.6	201	87.1	82.6-91.6
18-24	216	89,249	4	2.4	0.0- 5.5	6	2.4	0.2- 4.6	206	95.1	91.4-98.8
25-34	385	121,808	14	3.4	1.4- 5.4	14	3.7	1.2- 6.2	357	92.9	89.8-96.0
35-44	390	109,253	24	4.8	2.6- 7.0	28	6.4	3.7- 9.1	338	88.7	85.2-92.2
45-54	598	120,088	97	16.9	13.0-20.8	79	12.5	9.2-15.8	422	70.6	65.9-75.3
55-64	821	119,676	160	19.5	16.2-22.8	165	21.2	17.5-24.9	496	59.3	55.0-63.6
65+	1457	151,580	323	21.4	18.7-24.1	414	29.9	26.8-33.0	720	48.7	45.4-52.0
Less Than H.S.	350	91,848	82	17.3	12.8-21.8	54	13.0	8.9-17.1	214	69.7	63.8-75.6
H.S. or G.E.D.	1172	221,968	221	14.0	11.6-16.4	231	15.1	12.6-17.6	720	70.9	67.6-74.2
Some Post-H.S.	992	210,339	162	12.8	10.3-15.3	191	14.8	12.1-17.5	639	72.4	68.9-75.9
College Graduate	1389	192,278	165	7.9	6.3- 9.5	235	12.3	10.3-14.3	989	79.8	77.3-82.3
Less than \$15,000	244	39,273	67	22.4	15.1-29.7	41	12.2	7.1-17.3	136	65.4	56.6-74.2
\$15,000- 24,999	557	94,835	125	17.6	13.7-21.5	97	14.6	10.9-18.3	335	67.8	62.7-72.9
\$25,000- 34,999	369	66,227	85	18.4	13.3-23.5	71	13.7	9.6-17.8	213	67.9	61.6-74.2
\$35,000- 49,999	448	75,879	84	18.5	13.0-24.0	84	14.8	10.9-18.7	280	66.6	60.5-72.7
\$50,000- 74,999	495	90,625	71	10.8	7.9-13.7	99	14.3	10.4-18.2	325	74.9	70.2-79.6
\$75,000+	1030	212,845	84	6.0	4.4- 7.6	167	13.4	10.9-15.9	779	80.6	77.7-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	344,665	213	9.9	8.1-11.7	266	12.4	10.4-14.4	1216	77.7	75.2-80.2
White/Non-Hisp	1224	223,101	159	10.9	8.5-13.3	228	15.9	13.4-18.4	837	73.3	70.0-76.6
Black or Afr. Am./Non-Hisp	246	64,836	33	9.3	5.0-13.6	25	8.1	4.2-12.0	188	82.7	77.0-88.4
Hispanic	117	31,129	6	3.5	0.6- 6.4	4	1.7	0.1- 3.3	107	94.8	91.3-98.3
18-24	106	45,766	1	2.9	0.0- 8.4	2	1.7	0.0- 4.2	103	95.4	89.5- 100
25-34	179	61,084	5	2.7	0.2- 5.2	8	4.7	0.4- 9.0	166	92.6	87.7-97.5
35-44	180	53,450	9	4.0	1.3- 6.7	12	6.0	2.1- 9.9	159	90.0	85.3-94.7
45-54	248	56,977	35	14.0	8.5-19.5	30	12.9	8.0-17.8	183	73.1	66.2-80.0
55-64	352	56,069	61	17.5	12.6-22.4	57	18.3	13.0-23.6	234	64.2	57.7-70.7
65+	608	67,625	100	16.1	12.2-20.0	154	26.3	21.6-31.0	354	57.6	52.3-62.9
Less Than H.S.	159	46,715	24	14.3	8.0-20.6	17	8.0	3.5-12.5	118	77.7	70.3-85.1
H.S. or G.E.D.	531	118,931	77	10.0	6.9-13.1	84	11.9	8.8-15.0	370	78.2	73.9-82.5
Some Post-H.S.	391	93,505	49	10.0	6.1-13.9	69	15.0	10.5-19.5	273	75.0	69.5-80.5
College Graduate	604	82,816	62	7.4	5.0- 9.8	96	13.3	10.0-16.6	446	79.3	75.4-83.2
Less than \$15,000	83	12,978	20	18.4	8.8-28.0	8	3.6	0.7- 6.5	55	78.0	67.8-88.2
\$15,000- 24,999	232	45,192	42	15.6	9.7-21.5	30	10.7	5.8-15.6	160	73.7	66.6-80.8
\$25,000- 34,999	164	35,770	29	14.3	7.0-21.6	28	11.1	5.4-16.8	107	74.7	65.9-83.5
\$35,000- 49,999	196	36,425	30	15.7	7.7-23.7	35	14.8	9.1-20.5	131	69.4	60.4-78.4
\$50,000- 74,999	224	43,166	24	7.6	4.1-11.1	47	16.3	9.6-23.0	153	76.1	68.8-83.4
\$75,000+	495	106,080	38	5.4	3.2- 7.6	76	14.2	10.5-17.9	381	80.4	76.1-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2225	375,413	420	14.8	13.0-16.6	447	15.4	13.6-17.2	1358	69.9	67.4-72.4
White/Non-Hisp	1633	245,713	315	16.4	14.0-18.8	366	17.5	15.1-19.9	952	66.1	63.0-69.2
Black or Afr. Am./Non-Hisp	341	76,290	66	12.6	8.7-16.5	46	10.8	6.9-14.7	229	76.6	71.1-82.1
Oth. Race/Non-Hisp.	63	17,844	11	8.9	2.2-15.6	7	7.4	0.0-15.2	45	83.6	73.4-93.8
Hispanic	127	24,585	16	10.4	4.5-16.3	17	12.2	5.1-19.3	94	77.3	68.7-85.9
18-24	110	43,484	3	2.0	0.0- 4.5	4	3.2	0.0- 6.7	103	94.8	90.5-99.1
25-34	206	60,724	9	4.0	1.1- 6.9	6	2.7	0.2- 5.2	191	93.3	89.4-97.2
35-44	210	55,803	15	5.6	2.3- 8.9	16	6.8	2.9-10.7	179	87.6	82.5-92.7
45-54	350	63,110	62	19.5	13.8-25.2	49	12.2	7.9-16.5	239	68.3	62.0-74.6
55-64	469	63,607	99	21.3	16.6-26.0	108	23.7	18.6-28.8	262	55.1	49.2-61.0
65+	849	83,956	223	25.6	21.7-29.5	260	32.8	28.5-37.1	366	41.6	37.3-45.9
Less Than H.S.	191	45,133	58	20.4	13.5-27.3	37	18.2	11.3-25.1	96	61.3	51.9-70.7
H.S. or G.E.D.	641	103,036	144	18.6	14.7-22.5	147	18.9	15.0-22.8	350	62.5	57.4-67.6
Some Post-H.S.	601	116,834	113	15.0	11.5-18.5	122	14.6	11.3-17.9	366	70.4	65.9-74.9
College Graduate	785	109,462	103	8.3	6.1-10.5	139	11.6	9.2-14.0	543	80.1	77.0-83.2
Less than \$15,000	161	26,295	47	24.4	14.6-34.2	33	16.4	8.8-24.0	81	59.2	47.0-71.4
\$15,000- 24,999	325	49,643	83	19.3	14.0-24.6	67	18.2	12.5-23.9	175	62.5	55.2-69.8
\$25,000- 34,999	205	30,457	56	23.3	16.4-30.2	43	16.8	10.9-22.7	106	59.9	51.5-68.3
\$35,000- 49,999	252	39,454	54	21.1	13.8-28.4	49	14.8	9.5-20.1	149	64.0	56.0-72.0
\$50,000- 74,999	271	47,460	47	13.8	9.1-18.5	52	12.4	8.1-16.7	172	73.8	67.5-80.1
\$75,000+	535	106,766	46	6.6	4.2- 9.0	91	12.6	9.5-15.7	398	80.9	77.0-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3903	717,372	399	8.9	7.7-10.1	930	17.2	15.8-18.6	2574	73.9	72.1-75.7
Male	1686	343,514	128	7.2	5.4-9.0	342	14.8	12.8-16.8	1216	77.9	75.4-80.4
Female	2217	373,858	271	10.4	8.8-12.0	588	19.5	17.5-21.5	1358	70.2	67.7-72.7
White/Non-Hisp	2845	467,896	275	9.0	7.6-10.4	781	21.3	19.3-23.3	1789	69.6	67.4-71.8
Black or Afr. Am./Non-Hisp	584	140,272	72	8.9	6.2-11.6	95	11.2	8.5-13.9	417	79.9	76.0-83.8
Oth. Race/Non-Hisp.	107	31,051	12	5.9	1.8-10.0	13	7.3	1.8-12.8	82	86.7	79.8-93.6
Hispanic	245	55,749	24	7.6	4.1-11.1	20	5.4	2.7- 8.1	201	87.0	82.5-91.5
18-24	216	89,249	5	3.3	0.0- 6.6	5	1.5	0.0- 3.1	206	95.1	91.4-98.8
25-34	385	121,808	14	3.1	1.3- 4.9	14	4.0	1.5- 6.5	357	92.9	89.8-96.0
35-44	390	109,253	23	4.3	2.3- 6.3	29	7.0	4.1- 9.9	338	88.7	85.2-92.2
45-54	599	120,028	85	14.1	10.4-17.8	92	15.3	11.8-18.8	422	70.7	66.0-75.4
55-64	814	118,632	116	15.8	12.5-19.1	202	24.4	20.7-28.1	496	59.9	55.6-64.2
65+	1447	150,229	148	10.1	7.9-12.3	579	40.7	37.4-44.0	720	49.2	45.9-52.5
Less Than H.S.	347	91,115	66	15.5	11.0-20.0	67	14.2	10.1-18.3	214	70.2	64.3-76.1
H.S. or G.E.D.	1167	221,772	155	11.7	9.3-14.1	292	17.3	14.8-19.8	720	71.0	67.7-74.3
Some Post-H.S.	988	209,674	95	7.7	5.5- 9.9	254	19.6	16.7-22.5	639	72.7	69.2-76.2
College Graduate	1385	191,504	81	3.7	2.7- 4.7	315	16.2	14.0-18.4	989	80.1	77.7-82.5
Less than \$15,000	244	38,887	62	20.7	13.6-27.8	46	13.3	8.0-18.6	136	66.0	57.4-74.6
\$15,000- 24,999	552	94,201	88	14.9	11.0-18.8	129	16.8	13.1-20.5	335	68.3	63.2-73.4
\$25,000- 34,999	369	66,227	51	13.6	8.7-18.5	105	18.5	14.0-23.0	213	67.9	61.6-74.2
\$35,000- 49,999	447	75,767	51	12.2	7.5-16.9	116	21.1	16.2-26.0	280	66.7	60.6-72.8
\$50,000- 74,999	492	90,373	30	5.0	3.0- 7.0	137	19.9	15.4-24.4	325	75.1	70.4-79.8
\$75,000+	1027	212,186	39	3.3	1.9- 4.7	209	15.8	13.3-18.3	779	80.9	78.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	343,514	128	7.2	5.4- 9.0	342	14.8	12.8-16.8	1216	77.9	75.4-80.4
White/Non-Hisp	1217	222,405	91	7.9	5.7-10.1	289	18.6	15.9-21.3	837	73.5	70.2-76.8
Black or Afr. Am./Non-Hisp	246	64,856	20	6.8	2.7-10.9	38	10.5	6.4-14.6	188	82.6	76.9-88.3
Hispanic	117	31,129	4	1.8	0.0- 3.8	6	3.4	0.5- 6.3	107	94.8	91.3-98.3
18-24	106	45,766	2	4.0	0.0- 9.9	1	0.6	0.0- 1.8	103	95.4	89.5- 100
25-34	179	61,084	6	2.8	0.3- 5.3	7	4.6	0.3- 8.9	166	92.6	87.7-97.5
35-44	180	53,450	8	3.5	1.0- 6.0	13	6.5	2.4-10.6	159	90.0	85.3-94.7
45-54	248	56,977	28	12.2	6.9-17.5	37	14.6	9.5-19.7	183	73.1	66.2-80.0
55-64	346	55,324	39	12.5	8.0-17.0	73	22.5	17.0-28.0	234	65.1	58.6-71.6
65+	605	67,219	43	8.0	4.5-11.5	208	34.0	29.1-38.9	354	58.0	52.7-63.3
Less Than H.S.	158	46,575	24	14.3	8.0-20.6	16	7.7	3.4-12.0	118	77.9	70.5-85.3
H.S. or G.E.D.	526	118,559	53	8.4	5.5-11.3	103	13.2	10.1-16.3	370	78.4	74.1-82.7
Some Post-H.S.	390	93,430	27	6.2	2.7- 9.7	90	18.8	14.1-23.5	273	75.1	69.6-80.6
College Graduate	602	82,253	23	3.0	1.4- 4.6	133	17.2	13.7-20.7	446	79.9	76.2-83.6
Less than \$15,000	82	12,877	16	15.6	6.6-24.6	11	5.7	1.0-10.4	55	78.6	68.4-88.8
\$15,000- 24,999	230	45,100	30	14.0	7.9-20.1	40	12.1	7.4-16.8	160	73.9	66.8-81.0
\$25,000- 34,999	164	35,770	17	10.9	3.8-18.0	40	14.4	8.3-20.5	107	74.7	65.9-83.5
\$35,000- 49,999	196	36,425	18	11.5	3.7-19.3	47	19.1	12.8-25.4	131	69.4	60.4-78.4
\$50,000- 74,999	223	42,929	11	3.2	1.2- 5.2	59	20.3	13.2-27.4	153	76.5	69.2-83.8
\$75,000+	493	105,640	15	2.9	1.1- 4.7	97	16.4	12.5-20.3	381	80.7	76.4-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2217	373,858	271	10.4	8.8-12.0	588	19.5	17.5-21.5	1358	70.2	67.8-72.6
White/Non-Hisp	1628	245,491	184	10.1	8.1-12.1	492	23.8	21.3-26.3	952	66.2	63.1-69.3
Black or Afr. Am./Non-Hisp	338	75,416	52	10.8	6.9-14.7	57	11.8	8.1-15.5	229	77.5	72.2-82.8
Oth. Race/Non-Hisp.	63	17,844	7	5.2	0.7- 9.7	11	11.2	2.0-20.4	45	83.6	73.4-93.8
Hispanic	128	24,620	20	14.9	7.5-22.3	14	7.9	2.8-13.0	94	77.2	68.6-85.8
18-24	110	43,484	3	2.6	0.0- 5.7	4	2.6	0.0- 5.5	103	94.8	90.5-99.1
25-34	206	60,724	8	3.4	0.7- 6.1	7	3.3	0.4- 6.2	191	93.3	89.4-97.2
35-44	210	55,803	15	5.0	2.1- 7.9	16	7.4	3.1-11.7	179	87.6	82.5-92.7
45-54	351	63,050	57	15.8	10.9-20.7	55	15.8	10.7-20.9	239	68.4	62.1-74.7
55-64	468	63,308	77	18.7	13.8-23.6	129	26.0	21.1-30.9	262	55.3	49.6-61.0
65+	842	83,010	105	11.8	9.1-14.5	371	46.2	41.7-50.7	366	42.0	37.7-46.3
Less Than H.S.	189	44,540	42	16.8	10.3-23.3	51	21.0	13.9-28.1	96	62.2	52.8-71.6
H.S. or G.E.D.	641	103,213	102	15.5	11.8-19.2	189	22.1	18.0-26.2	350	62.4	57.3-67.5
Some Post-H.S.	598	116,244	68	9.0	6.5-11.5	164	20.2	16.3-24.1	366	70.7	66.2-75.2
College Graduate	783	109,251	58	4.2	2.8- 5.6	182	15.5	12.8-18.2	543	80.2	77.1-83.3
Less than \$15,000	162	26,010	46	23.2	13.6-32.8	35	17.0	9.4-24.6	81	59.8	47.6-72.0
\$15,000- 24,999	322	49,100	58	15.8	10.7-20.9	89	21.0	15.1-26.9	175	63.2	55.9-70.5
\$25,000- 34,999	205	30,457	34	16.7	10.0-23.4	65	23.4	16.9-29.9	106	59.9	51.5-68.3
\$35,000- 49,999	251	39,342	33	12.9	7.2-18.6	69	22.9	15.8-30.0	149	64.2	56.2-72.2
\$50,000- 74,999	269	47,444	19	6.7	3.4-10.0	78	19.5	14.0-25.0	172	73.9	67.6-80.2
\$75,000+	534	106,545	24	3.6	1.8- 5.4	112	15.3	11.8-18.8	398	81.0	77.1-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3920	719,219	247	4.9	4.1- 5.7	326	6.6	5.6- 7.6	773	14.9	13.5-16.3	2574	73.7	71.9-75.5
Male	1694	344,327	63	3.0	1.8- 4.2	106	5.4	4.0- 6.8	309	13.8	11.8-15.8	1216	77.7	75.2-80.2
Female	2226	374,892	184	6.5	5.1- 7.9	220	7.6	6.4- 8.8	464	15.9	14.1-17.7	1358	70.0	67.5-72.5
White/Non-Hisp	2857	468,632	161	4.5	3.5- 5.5	257	7.6	6.4- 8.8	650	18.3	16.5-20.1	1789	69.5	67.3-71.7
Black or Afr. Am./Non-Hisp	585	140,320	52	5.8	3.6- 8.0	45	5.5	3.3- 7.7	71	8.9	6.4-11.4	417	79.8	75.9-83.7
Oth. Race/Non-Hisp.	108	31,462	5	4.1	0.0- 8.2	9	4.4	0.9- 7.9	12	5.9	1.2-10.6	82	85.6	78.5-92.7
Hispanic	245	55,749	16	4.3	1.9- 6.7	8	2.2	0.4- 4.0	20	6.5	3.0-10.0	201	87.0	82.5-91.5
18-24	216	89,249	2	1.7	0.0- 4.6	5	1.9	0.0- 3.9	3	1.3	0.0- 2.7	206	95.1	91.4-98.8
25-34	385	121,808	3	0.9	0.0- 2.1	11	3.2	0.8- 5.6	14	2.9	1.1- 4.7	357	92.9	89.8-96.0
35-44	390	109,253	11	1.8	0.6- 3.0	15	2.9	1.1- 4.7	26	6.6	3.7- 9.5	338	88.7	85.2-92.2
45-54	601	120,284	50	8.0	5.1-10.9	41	6.0	3.6- 8.4	88	15.5	12.0-19.0	422	70.5	65.8-75.2
55-64	817	118,624	70	8.2	5.8-10.6	70	8.4	6.0-10.8	181	23.4	19.7-27.1	496	59.9	55.6-64.2
65+	1458	151,577	106	6.6	5.0- 8.2	181	13.7	11.3-16.1	451	31.0	27.9-34.1	720	48.7	45.4-52.0
Less Than H.S.	348	91,410	45	8.8	5.5-12.1	31	6.0	3.3- 8.7	58	15.2	10.7-19.7	214	70.0	64.1-75.9
H.S. or G.E.D.	1172	221,340	98	6.0	4.4- 7.6	118	8.0	6.0-10.0	236	14.9	12.4-17.4	720	71.1	67.8-74.4
Some Post-H.S.	993	210,508	50	4.5	2.5- 6.5	93	7.5	5.5- 9.5	211	15.6	13.1-18.1	639	72.4	68.9-75.9
College Graduate	1390	192,316	53	2.0	1.2- 2.8	81	4.0	2.8- 5.2	267	14.2	12.0-16.4	989	79.7	77.2-82.2
Less than \$15,000	244	39,201	49	16.2	9.7-22.7	24	7.6	3.7-11.5	35	10.6	5.5-15.7	136	65.5	56.7-74.3
\$15,000- 24,999	556	94,556	57	7.9	5.2-10.6	68	9.1	6.4-11.8	96	15.0	11.1-18.9	335	68.0	62.9-73.1
\$25,000- 34,999	367	66,085	39	8.7	5.4-12.0	43	10.3	6.0-14.6	72	13.0	9.1-16.9	213	68.0	61.7-74.3
\$35,000- 49,999	448	75,838	22	6.6	2.3-10.9	47	9.0	5.7-12.3	99	17.8	13.5-22.1	280	66.6	60.5-72.7
\$50,000- 74,999	496	90,767	14	2.2	0.8- 3.6	40	6.9	3.8-10.0	117	16.2	12.5-19.9	325	74.8	70.1-79.5
\$75,000+	1029	212,788	16	0.8	0.2- 1.4	43	3.7	2.3- 5.1	191	14.9	12.4-17.4	779	80.6	77.7-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1694	344,327	63	3.0	1.8- 4.2	106	5.4	4.0- 6.8	309	13.8	11.8-15.8	1216	77.7	75.2-80.2
White/Non-Hisp	1223	222,889	38	2.7	1.3- 4.1	83	6.2	4.4- 8.0	265	17.8	15.1-20.5	837	73.3	70.0-76.6
Black or Afr. Am./Non-Hisp	246	64,712	16	4.0	1.5- 6.5	16	5.5	1.8- 9.2	26	7.7	4.0-11.4	188	82.8	77.1-88.5
Hispanic	117	31,129	3	1.5	0.0- 3.3	1	0.6	0.0- 1.8	6	3.1	0.4- 5.8	107	94.8	91.3-98.3
18-24	106	45,766	1	2.9	0.0- 8.4	1	1.1	0.0- 3.3	1	0.6	0.0- 1.8	103	95.4	89.5- 100
25-34	179	61,084	1	0.4	0.0- 1.2	6	4.8	0.3- 9.3	6	2.2	0.2- 4.2	166	92.6	87.7-97.5
35-44	180	53,450	4	1.6	0.0- 3.2	3	1.0	0.0- 2.2	14	7.4	3.1-11.7	159	90.0	85.3-94.7
45-54	248	56,977	13	4.2	1.5- 6.9	17	7.2	2.9-11.5	35	15.5	10.0-21.0	183	73.1	66.2-80.0
55-64	351	55,895	19	5.9	2.8- 9.0	25	7.3	3.8-10.8	73	22.4	16.9-27.9	234	64.4	57.9-70.9
65+	608	67,461	25	3.4	1.6- 5.2	53	9.6	6.3-12.9	176	29.3	24.4-34.2	354	57.8	52.5-63.1
Less Than H.S.	158	46,541	11	5.2	1.9- 8.5	11	6.2	1.7-10.7	18	10.6	5.3-15.9	118	78.0	70.6-85.4
H.S. or G.E.D.	530	118,731	21	3.1	1.5- 4.7	45	6.8	4.3- 9.3	94	11.8	8.7-14.9	370	78.3	74.0-82.6
Some Post-H.S.	391	93,505	15	3.5	0.6- 6.4	23	5.3	2.2- 8.4	80	16.2	12.1-20.3	273	75.0	69.5-80.5
College Graduate	605	82,852	16	1.2	0.4- 2.0	26	3.3	1.7- 4.9	117	16.2	12.7-19.7	446	79.3	75.4-83.2
Less than \$15,000	82	12,805	11	10.8	3.0-18.6	6	4.2	0.3- 8.1	10	6.0	0.9-11.1	55	79.1	69.1-89.1
\$15,000- 24,999	232	45,192	18	6.7	2.8-10.6	22	8.8	4.3-13.3	32	10.8	5.9-15.7	160	73.7	66.6-80.8
\$25,000- 34,999	164	35,770	8	3.3	0.6- 6.0	18	10.7	3.8-17.6	31	11.4	5.7-17.1	107	74.7	65.9-83.5
\$35,000- 49,999	196	36,425	7	5.7	0.0-12.8	16	6.8	2.5-11.1	42	18.1	11.8-24.4	131	69.4	60.4-78.4
\$50,000- 74,999	224	43,089	3	0.9	0.0- 2.1	15	6.7	1.2-12.2	53	16.1	10.8-21.4	153	76.3	69.0-83.6
\$75,000+	495	106,080	5	0.7	0.0- 1.5	20	3.0	1.2- 4.8	89	16.0	12.1-19.9	381	80.4	76.1-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN
 TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2226	374,892	184	6.5	5.1- 7.9	220	7.6	6.4- 8.8	464	15.9	14.1-17.7	1358	70.0	67.6-72.4
White/Non-Hisp	1634	245,743	123	6.2	4.6- 7.8	174	8.9	7.3-10.5	385	18.8	16.4-21.2	952	66.1	63.0-69.2
Black or Afr. Am./Non-Hisp	339	75,609	36	7.3	4.2-10.4	29	5.6	3.1- 8.1	45	9.9	6.4-13.4	229	77.3	72.0-82.6
Oth. Race/Non-Hisp.	63	17,844	3	3.5	0.0- 8.2	7	4.9	0.6- 9.2	8	8.0	0.0-16.0	45	83.6	73.4-93.8
Hispanic	128	24,620	13	7.8	2.9-12.7	7	4.2	0.7- 7.7	14	10.8	3.9-17.7	94	77.2	68.6-85.8
18-24	110	43,484	1	0.5	0.0- 1.5	4	2.7	0.0- 5.8	2	2.0	0.0- 4.7	103	94.8	90.5-99.1
25-34	206	60,724	2	1.4	0.0- 3.6	5	1.6	0.0- 3.2	8	3.7	0.8- 6.6	191	93.3	89.4-97.2
35-44	210	55,803	7	2.1	0.3- 3.9	12	4.7	1.6- 7.8	12	5.7	1.8- 9.6	179	87.6	82.5-92.7
45-54	353	63,306	37	11.4	6.5-16.3	24	4.9	2.7- 7.1	53	15.5	10.8-20.2	239	68.1	61.8-74.4
55-64	466	62,729	51	10.3	6.8-13.8	45	9.5	6.4-12.6	108	24.4	19.3-29.5	262	55.8	50.1-61.5
65+	850	84,116	81	9.2	6.7-11.7	128	17.0	13.5-20.5	275	32.3	28.2-36.4	366	41.5	37.2-45.8
Less Than H.S.	190	44,868	34	12.5	7.0-18.0	20	5.8	2.9- 8.7	40	20.0	12.7-27.3	96	61.7	52.3-71.1
H.S. or G.E.D.	642	102,609	77	9.4	6.7-12.1	73	9.5	6.8-12.2	142	18.4	14.5-22.3	350	62.8	57.7-67.9
Some Post-H.S.	602	117,003	35	5.2	2.7- 7.7	70	9.3	6.8-11.8	131	15.1	11.8-18.4	366	70.3	65.8-74.8
College Graduate	785	109,464	37	2.6	1.6- 3.6	55	4.6	3.0- 6.2	150	12.8	10.3-15.3	543	80.1	77.0-83.2
Less than \$15,000	162	26,396	38	18.9	10.1-27.7	18	9.3	3.8-14.8	25	12.9	5.8-20.0	81	58.9	46.7-71.1
\$15,000- 24,999	324	49,364	39	9.0	5.1-12.9	46	9.4	6.1-12.7	64	18.8	12.9-24.7	175	62.8	55.5-70.1
\$25,000- 34,999	203	30,315	31	15.1	8.6-21.6	25	9.8	5.5-14.1	41	14.9	9.6-20.2	106	60.2	51.8-68.6
\$35,000- 49,999	252	39,413	15	7.4	1.9-12.9	31	11.1	6.0-16.2	57	17.5	11.6-23.4	149	64.1	56.1-72.1
\$50,000- 74,999	272	47,677	11	3.4	1.0- 5.8	25	7.0	3.9-10.1	64	16.2	11.1-21.3	172	73.5	67.2-79.8
\$75,000+	534	106,709	11	0.9	0.3- 1.5	23	4.4	2.2- 6.6	102	13.8	10.5-17.1	398	80.9	77.0-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3733	673,686	3614	96.3	95.3-97.3	119	3.7	2.7- 4.7
Male	1589	315,843	1530	95.6	94.0-97.2	59	4.4	2.8- 6.0
Female	2144	357,843	2084	96.9	95.7-98.1	60	3.1	1.9- 4.3
White/Non-Hisp	2758	449,528	2679	96.6	95.4-97.8	79	3.4	2.2- 4.6
Black or Afr. Am./Non-Hisp	544	125,511	522	95.8	93.4-98.2	22	4.2	1.8- 6.6
Oth. Race/Non-Hisp.	98	27,725	92	92.9	86.4-99.4	6	7.1	0.6-13.6
Hispanic	216	50,401	211	97.3	94.4- 100	5	2.7	0.0- 5.6
18-24	192	79,443	186	96.3	93.0-99.6	6	3.7	0.4- 7.0
25-34	345	106,843	325	93.6	90.1-97.1	20	6.4	2.9- 9.9
35-44	359	101,549	349	97.0	94.1-99.9	10	3.0	0.1- 5.9
45-54	574	115,334	558	96.0	93.6-98.4	16	4.0	1.6- 6.4
55-64	795	116,248	768	96.6	95.0-98.2	27	3.4	1.8- 5.0
65+	1419	147,005	1382	97.6	96.6-98.6	37	2.4	1.4- 3.4
Less Than H.S.	323	83,175	303	93.9	90.6-97.2	20	6.1	2.8- 9.4
H.S. or G.E.D.	1098	205,758	1062	95.7	93.3-98.1	36	4.3	1.9- 6.7
Some Post-H.S.	961	201,469	931	96.5	94.9-98.1	30	3.5	1.9- 5.1
College Graduate	1335	180,193	1302	97.6	96.4-98.8	33	2.4	1.2- 3.6
Less than \$15,000	230	35,987	212	85.6	77.0-94.2	18	14.4	5.8-23.0
\$15,000- 24,999	526	86,838	504	96.8	95.2-98.4	22	3.2	1.6- 4.8
\$25,000- 34,999	364	65,407	356	97.0	94.6-99.4	8	3.0	0.6- 5.4
\$35,000- 49,999	432	73,510	414	95.6	93.2-98.0	18	4.4	2.0- 6.8
\$50,000- 74,999	480	86,861	476	99.2	98.2- 100	4	0.8	0.0- 1.8
\$75,000+	987	200,603	960	95.8	93.4-98.2	27	4.2	1.8- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	315,843	1530	95.6	94.0-97.2	59	4.4	2.8- 6.0
White/Non-Hisp	1167	210,156	1125	95.4	93.2-97.6	42	4.6	2.4- 6.8
Black or Afr. Am./Non-Hisp	223	55,173	215	96.4	93.5-99.3	8	3.6	0.7- 6.5
Hispanic	99	27,071	97	98.1	94.8- 100	2	1.9	0.0- 5.2
18-24	91	38,372	89	98.1	95.2- 100	2	1.9	0.0- 4.8
25-34	157	52,804	147	92.4	86.5-98.3	10	7.6	1.7-13.5
35-44	164	48,332	160	95.6	89.9- 100	4	4.4	0.0-10.1
45-54	234	54,265	223	94.2	90.5-97.9	11	5.8	2.1- 9.5
55-64	339	54,442	327	96.1	93.2-99.0	12	3.9	1.0- 6.8
65+	586	64,912	568	97.3	95.7-98.9	18	2.7	1.1- 4.3
Less Than H.S.	140	40,869	132	94.2	89.9-98.5	8	5.8	1.5-10.1
H.S. or G.E.D.	484	106,470	465	94.6	90.9-98.3	19	5.4	1.7- 9.1
Some Post-H.S.	380	89,213	365	96.1	93.7-98.5	15	3.9	1.5- 6.3
College Graduate	577	77,187	560	96.9	94.9-98.9	17	3.1	1.1- 5.1
Less than \$15,000	76	11,776	72	90.6	80.2- 100	4	9.4	0.0-19.8
\$15,000- 24,999	214	40,679	206	97.3	95.3-99.3	8	2.7	0.7- 4.7
\$25,000- 34,999	161	35,322	155	95.0	90.7-99.3	6	5.0	0.7- 9.3
\$35,000- 49,999	187	35,209	177	95.1	91.6-98.6	10	4.9	1.4- 8.4
\$50,000- 74,999	216	40,376	214	99.5	98.9- 100	2	0.5	0.0- 1.1
\$75,000+	474	99,774	456	93.6	89.5-97.7	18	6.4	2.3-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2144	357,843	2084	96.9	95.7-98.1	60	3.1	1.9- 4.3
White/Non-Hisp	1591	239,372	1554	97.6	96.6-98.6	37	2.4	1.4- 3.4
Black or Afr. Am./Non-Hisp	321	70,338	307	95.3	91.8-98.8	14	4.7	1.2- 8.2
Oth. Race/Non-Hisp.	58	15,169	55	93.9	85.1- 100	3	6.1	0.0-14.9
Hispanic	117	23,330	114	96.3	91.2- 100	3	3.7	0.0- 8.8
18-24	101	41,071	97	94.7	88.8- 100	4	5.3	0.0-11.2
25-34	188	54,039	178	94.9	91.0-98.8	10	5.1	1.2- 9.0
35-44	195	53,216	189	98.2	96.4- 100	6	1.8	0.0- 3.6
45-54	340	61,069	335	97.6	94.7- 100	5	2.4	0.0- 5.3
55-64	456	61,805	441	97.1	95.5-98.7	15	2.9	1.3- 4.5
65+	833	82,093	814	97.8	96.6-99.0	19	2.2	1.0- 3.4
Less Than H.S.	183	42,306	171	93.7	88.8-98.6	12	6.3	1.4-11.2
H.S. or G.E.D.	614	99,288	597	97.0	94.6-99.4	17	3.0	0.6- 5.4
Some Post-H.S.	581	112,256	566	96.8	94.8-98.8	15	3.2	1.2- 5.2
College Graduate	758	103,006	742	98.1	96.9-99.3	16	1.9	0.7- 3.1
Less than \$15,000	154	24,211	140	83.1	71.5-94.7	14	16.9	5.3-28.5
\$15,000- 24,999	312	46,160	298	96.3	94.1-98.5	14	3.7	1.5- 5.9
\$25,000- 34,999	203	30,085	201	99.3	98.3- 100	2	0.7	0.0- 1.7
\$35,000- 49,999	245	38,301	237	96.1	93.0-99.2	8	3.9	0.8- 7.0
\$50,000- 74,999	264	46,485	262	99.0	97.2- 100	2	1.0	0.0- 2.8
\$75,000+	513	100,829	504	97.9	96.1-99.7	9	2.1	0.3- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3733	673,686	3492	92.5	91.1-93.9	241	7.5	6.1- 8.9
Male	1589	315,843	1460	90.7	88.5-92.9	129	9.3	7.1-11.5
Female	2144	357,843	2032	94.2	92.6-95.8	112	5.8	4.2- 7.4
White/Non-Hisp	2758	449,528	2582	92.4	90.8-94.0	176	7.6	6.0- 9.2
Black or Afr. Am./Non-Hisp	544	125,511	502	91.5	88.0-95.0	42	8.5	5.0-12.0
Oth. Race/Non-Hisp.	98	27,725	91	91.9	85.2-98.6	7	8.1	1.4-14.8
Hispanic	216	50,401	211	97.3	94.4- 100	5	2.7	0.0- 5.6
18-24	192	79,443	176	92.9	88.8-97.0	16	7.1	3.0-11.2
25-34	345	106,843	308	87.2	82.1-92.3	37	12.8	7.7-17.9
35-44	359	101,549	336	94.0	90.5-97.5	23	6.0	2.5- 9.5
45-54	574	115,334	537	91.2	87.9-94.5	37	8.8	5.5-12.1
55-64	795	116,248	744	94.3	92.3-96.3	51	5.7	3.7- 7.7
65+	1419	147,005	1347	94.9	93.5-96.3	72	5.1	3.7- 6.5
Less Than H.S.	323	83,175	296	91.5	87.8-95.2	27	8.5	4.8-12.2
H.S. or G.E.D.	1098	205,758	1018	90.8	87.7-93.9	80	9.2	6.1-12.3
Some Post-H.S.	961	201,469	904	93.0	90.6-95.4	57	7.0	4.6- 9.4
College Graduate	1335	180,193	1259	94.5	92.9-96.1	76	5.5	3.9- 7.1
Less than \$15,000	230	35,987	207	82.6	73.8-91.4	23	17.4	8.6-26.2
\$15,000- 24,999	526	86,838	491	94.5	92.3-96.7	35	5.5	3.3- 7.7
\$25,000- 34,999	364	65,407	339	92.2	88.5-95.9	25	7.8	4.1-11.5
\$35,000- 49,999	432	73,510	403	93.0	90.1-95.9	29	7.0	4.1- 9.9
\$50,000- 74,999	480	86,861	458	91.6	86.5-96.7	22	8.4	3.3-13.5
\$75,000+	987	200,603	925	92.7	90.0-95.4	62	7.3	4.6-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	315,843	1460	90.7	88.5-92.9	129	9.3	7.1-11.5
White/Non-Hisp	1167	210,156	1064	89.6	86.9-92.3	103	10.4	7.7-13.1
Black or Afr. Am./Non-Hisp	223	55,173	207	90.8	84.7-96.9	16	9.2	3.1-15.3
Hispanic	99	27,071	97	98.1	94.8- 100	2	1.9	0.0- 5.2
18-24	91	38,372	84	94.3	89.8-98.8	7	5.7	1.2-10.2
25-34	157	52,804	136	83.3	74.7-91.9	21	16.7	8.1-25.3
35-44	164	48,332	152	93.5	87.6-99.4	12	6.5	0.6-12.4
45-54	234	54,265	214	88.1	82.2-94.0	20	11.9	6.0-17.8
55-64	339	54,442	313	93.0	89.5-96.5	26	7.0	3.5-10.5
65+	586	64,912	547	92.9	90.2-95.6	39	7.1	4.4- 9.8
Less Than H.S.	140	40,869	129	91.6	86.3-96.9	11	8.4	3.1-13.7
H.S. or G.E.D.	484	106,470	440	88.6	83.7-93.5	44	11.4	6.5-16.3
Some Post-H.S.	380	89,213	349	91.2	87.5-94.9	31	8.8	5.1-12.5
College Graduate	577	77,187	534	92.3	89.4-95.2	43	7.7	4.8-10.6
Less than \$15,000	76	11,776	71	87.4	75.6-99.2	5	12.6	0.8-24.4
\$15,000- 24,999	214	40,679	199	94.5	91.2-97.8	15	5.5	2.2- 8.8
\$25,000- 34,999	161	35,322	147	89.4	83.1-95.7	14	10.6	4.3-16.9
\$35,000- 49,999	187	35,209	170	92.0	87.7-96.3	17	8.0	3.7-12.3
\$50,000- 74,999	216	40,376	205	91.5	83.3-99.7	11	8.5	0.3-16.7
\$75,000+	474	99,774	429	88.3	83.4-93.2	45	11.7	6.8-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2144	357,843	2032	94.2	92.6-95.8	112	5.8	4.2- 7.4
White/Non-Hisp	1591	239,372	1518	94.8	93.0-96.6	73	5.2	3.4- 7.0
Black or Afr. Am./Non-Hisp	321	70,338	295	92.1	88.0-96.2	26	7.9	3.8-12.0
Oth. Race/Non-Hisp.	58	15,169	54	92.1	82.7- 100	4	7.9	0.0-17.3
Hispanic	117	23,330	114	96.3	91.2- 100	3	3.7	0.0- 8.8
18-24	101	41,071	92	91.7	85.2-98.2	9	8.3	1.8-14.8
25-34	188	54,039	172	91.0	85.5-96.5	16	9.0	3.5-14.5
35-44	195	53,216	184	94.4	90.1-98.7	11	5.6	1.3- 9.9
45-54	340	61,069	323	94.1	90.4-97.8	17	5.9	2.2- 9.6
55-64	456	61,805	431	95.4	93.4-97.4	25	4.6	2.6- 6.6
65+	833	82,093	800	96.4	94.8-98.0	33	3.6	2.0- 5.2
Less Than H.S.	183	42,306	167	91.3	85.8-96.8	16	8.7	3.2-14.2
H.S. or G.E.D.	614	99,288	578	93.1	89.6-96.6	36	6.9	3.4-10.4
Some Post-H.S.	581	112,256	555	94.4	91.7-97.1	26	5.6	2.9- 8.3
College Graduate	758	103,006	725	96.2	94.6-97.8	33	3.8	2.2- 5.4
Less than \$15,000	154	24,211	136	80.4	68.6-92.2	18	19.6	7.8-31.4
\$15,000- 24,999	312	46,160	292	94.6	91.9-97.3	20	5.4	2.7- 8.1
\$25,000- 34,999	203	30,085	192	95.4	92.1-98.7	11	4.6	1.3- 7.9
\$35,000- 49,999	245	38,301	233	94.0	90.1-97.9	12	6.0	2.1- 9.9
\$50,000- 74,999	264	46,485	253	91.7	85.2-98.2	11	8.3	1.8-14.8
\$75,000+	513	100,829	496	97.0	95.0-99.0	17	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	183
5	MALES ONLY	184
6	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
 SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1413	146,587	930	65.6	62.3-68.9	483	34.4	31.1-37.7
Male	584	64,889	398	68.0	62.9-73.1	186	32.0	26.9-37.1
Female	829	81,698	532	63.8	59.5-68.1	297	36.2	31.9-40.5
White/Non-Hisp	1201	116,206	801	66.7	63.2-70.2	400	33.3	29.8-36.8
Black or Afr. Am./Non-Hisp	137	21,445	80	60.1	48.9-71.3	57	39.9	28.7-51.1
65+	1413	146,587	930	65.6	62.3-68.9	483	34.4	31.1-37.7
Less Than H.S.	98	16,819	59	61.1	48.6-73.6	39	38.9	26.4-51.4
H.S. or G.E.D.	419	43,918	269	67.6	61.9-73.3	150	32.4	26.7-38.1
Some Post-H.S.	351	43,981	222	61.7	55.0-68.4	129	38.3	31.6-45.0
College Graduate	541	41,335	378	70.2	65.5-74.9	163	29.8	25.1-34.5
Less than \$15,000	74	6,530	45	57.8	42.9-72.7	29	42.2	27.3-57.1
\$15,000- 24,999	202	22,419	126	64.6	55.6-73.6	76	35.4	26.4-44.4
\$25,000- 34,999	159	17,266	99	69.8	60.4-79.2	60	30.2	20.8-39.6
\$35,000- 49,999	177	19,108	116	56.6	46.0-67.2	61	43.4	32.8-54.0
\$50,000- 74,999	196	20,614	129	71.2	63.9-78.5	67	28.8	21.5-36.1
\$75,000+	271	27,453	184	65.5	58.2-72.8	87	34.5	27.2-41.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	584	64,889	398	68.0	62.9-73.1	186	32.0	26.9-37.1
White/Non-Hisp	496	51,714	339	67.0	61.7-72.3	157	33.0	27.7-38.3
Black or Afr. Am./Non-Hisp	54	8,993	35	71.1	55.0-87.2	19	28.9	12.8-45.0
65+	584	64,889	398	68.0	62.9-73.1	186	32.0	26.9-37.1
H.S. or G.E.D.	150	17,955	96	63.1	53.3-72.9	54	36.9	27.1-46.7
Some Post-H.S.	130	17,660	83	63.9	52.9-74.9	47	36.1	25.1-47.1
College Graduate	271	21,820	195	72.6	65.9-79.3	76	27.4	20.7-34.1
\$15,000- 24,999	60	8,739	42	72.3	57.0-87.6	18	27.7	12.4-43.0
\$25,000- 34,999	66	8,477	44	70.9	55.0-86.8	22	29.1	13.2-45.0
\$35,000- 49,999	81	8,845	56	59.2	44.3-74.1	25	40.8	25.9-55.7
\$50,000- 74,999	98	10,866	71	74.1	64.1-84.1	27	25.9	15.9-35.9
\$75,000+	151	15,226	97	64.3	54.7-73.9	54	35.7	26.1-45.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	829	81,698	532	63.8	59.5-68.1	297	36.2	31.9-40.5
White/Non-Hisp	705	64,492	462	66.5	62.0-71.0	243	33.5	29.0-38.0
Black or Afr. Am./Non-Hisp	83	12,452	45	52.1	37.6-66.6	38	47.9	33.4-62.4
65+	829	81,698	532	63.8	59.5-68.1	297	36.2	31.9-40.5
Less Than H.S.	67	9,481	36	48.9	33.8-64.0	31	51.1	36.0-66.2
H.S. or G.E.D.	269	25,963	173	70.7	63.8-77.6	96	29.3	22.4-36.2
Some Post-H.S.	221	26,321	139	60.1	51.9-68.3	82	39.9	31.7-48.1
College Graduate	270	19,515	183	67.5	60.6-74.4	87	32.5	25.6-39.4
Less than \$15,000	51	4,598	34	63.7	46.5-80.9	17	36.3	19.1-53.5
\$15,000- 24,999	142	13,679	84	59.7	48.9-70.5	58	40.3	29.5-51.1
\$25,000- 34,999	93	8,789	55	68.8	58.2-79.4	38	31.2	20.6-41.8
\$35,000- 49,999	96	10,262	60	54.4	39.7-69.1	36	45.6	30.9-60.3
\$50,000- 74,999	98	9,748	58	68.1	57.5-78.7	40	31.9	21.3-42.5
\$75,000+	120	12,227	87	67.0	55.8-78.2	33	33.0	21.8-44.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1366	140,232	1066	76.7	73.6-79.8	300	23.3	20.2-26.4
Male	556	61,166	440	77.3	72.4-82.2	116	22.7	17.8-27.6
Female	810	79,066	626	76.2	72.1-80.3	184	23.8	19.7-27.9
White/Non-Hisp	1165	112,198	922	79.4	76.5-82.3	243	20.6	17.7-23.5
Black or Afr. Am./Non-Hisp	130	19,820	86	61.1	49.3-72.9	44	38.9	27.1-50.7
65+	1366	140,232	1066	76.7	73.6-79.8	300	23.3	20.2-26.4
Less Than H.S.	91	15,624	65	65.2	52.1-78.3	26	34.8	21.7-47.9
H.S. or G.E.D.	406	42,582	320	80.2	75.3-85.1	86	19.8	14.9-24.7
Some Post-H.S.	338	41,190	261	74.6	68.1-81.1	77	25.4	18.9-31.9
College Graduate	526	40,288	417	80.1	76.0-84.2	109	19.9	15.8-24.0
Less than \$15,000	72	6,180	49	65.3	50.2-80.4	23	34.7	19.6-49.8
\$15,000- 24,999	194	21,361	157	78.3	70.3-86.3	37	21.7	13.7-29.7
\$25,000- 34,999	152	16,102	117	77.5	67.5-87.5	35	22.5	12.5-32.5
\$35,000- 49,999	174	18,655	132	71.0	60.6-81.4	42	29.0	18.6-39.4
\$50,000- 74,999	193	20,460	160	85.7	80.2-91.2	33	14.3	8.8-19.8
\$75,000+	260	25,950	210	79.3	73.0-85.6	50	20.7	14.4-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	556	61,166	440	77.3	72.4-82.2	116	22.7	17.8-27.6
White/Non-Hisp	474	49,127	381	79.2	74.5-83.9	93	20.8	16.1-25.5
Black or Afr. Am./Non-Hisp	50	7,963	33	61.9	42.3-81.5	17	38.1	18.5-57.7
65+	556	61,166	440	77.3	72.4-82.2	116	22.7	17.8-27.6
H.S. or G.E.D.	146	17,481	114	77.8	69.4-86.2	32	22.2	13.8-30.6
Some Post-H.S.	122	15,725	99	78.0	67.0-89.0	23	22.0	11.0-33.0
College Graduate	259	20,979	207	79.6	73.7-85.5	52	20.4	14.5-26.3
\$15,000- 24,999	57	8,618	44	72.6	56.1-89.1	13	27.4	10.9-43.9
\$25,000- 34,999	61	7,562	47	74.0	55.8-92.2	14	26.0	7.8-44.2
\$35,000- 49,999	80	8,804	66	79.0	65.5-92.5	14	21.0	7.5-34.5
\$50,000- 74,999	96	10,750	82	85.7	77.7-93.7	14	14.3	6.3-22.3
\$75,000+	142	13,954	117	81.9	74.3-89.5	25	18.1	10.5-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	810	79,066	626	76.2	72.1-80.3	184	23.8	19.7-27.9
White/Non-Hisp	691	63,071	541	79.5	75.6-83.4	150	20.5	16.6-24.4
Black or Afr. Am./Non-Hisp	80	11,857	53	60.6	45.7-75.5	27	39.4	24.5-54.3
65+	810	79,066	626	76.2	72.1-80.3	184	23.8	19.7-27.9
Less Than H.S.	64	8,759	47	63.5	47.0-80.0	17	36.5	20.0-53.0
H.S. or G.E.D.	260	25,100	206	82.0	75.9-88.1	54	18.0	11.9-24.1
Some Post-H.S.	216	25,465	162	72.4	64.4-80.4	54	27.6	19.6-35.6
College Graduate	267	19,310	210	80.6	75.1-86.1	57	19.4	13.9-24.9
Less than \$15,000	50	4,509	35	63.9	45.1-82.7	15	36.1	17.3-54.9
\$15,000- 24,999	137	12,743	113	82.2	74.8-89.6	24	17.8	10.4-25.2
\$25,000- 34,999	91	8,540	70	80.5	71.5-89.5	21	19.5	10.5-28.5
\$35,000- 49,999	94	9,852	66	63.9	48.8-79.0	28	36.1	21.0-51.2
\$50,000- 74,999	97	9,711	78	85.6	78.2-93.0	19	14.4	7.0-21.8
\$75,000+	118	11,996	93	76.4	66.0-86.8	25	23.6	13.2-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3601	650,922	1272	41.7	39.3-44.1	2329	58.3	55.9-60.7
Male	1530	306,035	558	40.1	36.6-43.6	972	59.9	56.4-63.4
Female	2071	344,887	714	43.2	40.1-46.3	1357	56.8	53.7-59.9
White/Non-Hisp	2658	433,411	763	35.6	32.9-38.3	1895	64.4	61.7-67.1
Black or Afr. Am./Non-Hisp	525	121,311	303	59.9	54.0-65.8	222	40.1	34.2-46.0
Oth. Race/Non-Hisp.	96	26,959	40	35.4	23.6-47.2	56	64.6	52.8-76.4
Hispanic	211	49,433	110	48.7	39.9-57.5	101	51.3	42.5-60.1
18-24	185	77,423	75	41.3	31.9-50.7	110	58.7	49.3-68.1
25-34	335	103,663	202	56.4	49.3-63.5	133	43.6	36.5-50.7
35-44	348	98,144	227	62.3	55.6-69.0	121	37.7	31.0-44.4
45-54	558	111,591	304	53.8	48.7-58.9	254	46.2	41.1-51.3
55-64	772	112,792	245	32.8	28.5-37.1	527	67.2	62.9-71.5
65+	1354	140,043	200	14.8	12.3-17.3	1154	85.2	82.7-87.7
Less Than H.S.	314	80,640	117	40.6	32.6-48.6	197	59.4	51.4-67.4
H.S. or G.E.D.	1056	198,782	349	41.9	37.4-46.4	707	58.1	53.6-62.6
Some Post-H.S.	926	193,335	352	42.0	37.7-46.3	574	58.0	53.7-62.3
College Graduate	1289	175,074	449	41.9	38.2-45.6	840	58.1	54.4-61.8
Less than \$15,000	221	33,813	101	52.7	42.1-63.3	120	47.3	36.7-57.9
\$15,000- 24,999	512	84,876	207	46.7	40.6-52.8	305	53.3	47.2-59.4
\$25,000- 34,999	350	63,734	115	38.0	30.6-45.4	235	62.0	54.6-69.4
\$35,000- 49,999	424	72,527	156	45.1	38.4-51.8	268	54.9	48.2-61.6
\$50,000- 74,999	463	83,636	157	44.4	37.5-51.3	306	55.6	48.7-62.5
\$75,000+	955	193,882	365	42.5	38.0-47.0	590	57.5	53.0-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1530	306,035	558	40.1	36.6-43.6	972	59.9	56.4-63.4
White/Non-Hisp	1121	202,381	340	35.1	31.0-39.2	781	64.9	60.8-69.0
Black or Afr. Am./Non-Hisp	215	53,771	134	60.2	50.6-69.8	81	39.8	30.2-49.4
Hispanic	97	26,616	42	37.0	24.8-49.2	55	63.0	50.8-75.2
18-24	89	37,909	25	26.8	15.2-38.4	64	73.2	61.6-84.8
25-34	155	52,669	81	44.7	34.5-54.9	74	55.3	45.1-65.5
35-44	158	46,375	95	57.7	47.5-67.9	63	42.3	32.1-52.5
45-54	228	52,605	127	57.0	49.4-64.6	101	43.0	35.4-50.6
55-64	332	52,658	115	38.4	31.5-45.3	217	61.6	54.7-68.5
65+	550	61,103	106	18.4	14.1-22.7	444	81.6	77.3-85.9
Less Than H.S.	134	38,713	52	35.5	25.1-45.9	82	64.5	54.1-74.9
H.S. or G.E.D.	469	104,016	175	42.5	36.0-49.0	294	57.5	51.0-64.0
Some Post-H.S.	363	85,106	146	40.5	33.6-47.4	217	59.5	52.6-66.4
College Graduate	556	76,095	183	39.1	33.6-44.6	373	60.9	55.4-66.4
Less than \$15,000	71	10,327	37	53.4	36.5-70.3	34	46.6	29.7-63.5
\$15,000- 24,999	210	40,795	98	51.5	42.7-60.3	112	48.5	39.7-57.3
\$25,000- 34,999	154	34,327	54	34.2	23.2-45.2	100	65.8	54.8-76.8
\$35,000- 49,999	183	34,785	59	42.0	32.0-52.0	124	58.0	48.0-68.0
\$50,000- 74,999	209	39,620	63	39.9	29.9-49.9	146	60.1	50.1-70.1
\$75,000+	458	96,845	177	41.7	35.2-48.2	281	58.3	51.8-64.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2071	344,887	714	43.2	40.1-46.3	1357	56.8	53.7-59.9
White/Non-Hisp	1537	231,030	423	36.1	32.4-39.8	1114	63.9	60.2-67.6
Black or Afr. Am./Non-Hisp	310	67,539	169	59.7	52.3-67.1	141	40.3	32.9-47.7
Oth. Race/Non-Hisp.	57	14,488	24	35.5	19.2-51.8	33	64.5	48.2-80.8
Hispanic	114	22,817	68	62.2	51.2-73.2	46	37.8	26.8-48.8
18-24	96	39,514	50	55.2	41.9-68.5	46	44.8	31.5-58.1
25-34	180	50,994	121	68.5	59.9-77.1	59	31.5	22.9-40.1
35-44	190	51,769	132	66.4	57.6-75.2	58	33.6	24.8-42.4
45-54	330	58,985	177	51.0	44.1-57.9	153	49.0	42.1-55.9
55-64	440	60,134	130	28.0	22.7-33.3	310	72.0	66.7-77.3
65+	804	78,940	94	12.0	9.1-14.9	710	88.0	85.1-90.9
Less Than H.S.	180	41,927	65	45.3	33.9-56.7	115	54.7	43.3-66.1
H.S. or G.E.D.	587	94,765	174	41.2	35.1-47.3	413	58.8	52.7-64.9
Some Post-H.S.	563	108,229	206	43.2	37.5-48.9	357	56.8	51.1-62.5
College Graduate	733	98,979	266	44.0	38.9-49.1	467	56.0	50.9-61.1
Less than \$15,000	150	23,486	64	52.4	39.1-65.7	86	47.6	34.3-60.9
\$15,000- 24,999	302	44,082	109	42.2	34.2-50.2	193	57.8	49.8-65.8
\$25,000- 34,999	196	29,408	61	42.4	33.2-51.6	135	57.6	48.4-66.8
\$35,000- 49,999	241	37,742	97	47.9	39.3-56.5	144	52.1	43.5-60.7
\$50,000- 74,999	254	44,016	94	48.4	39.2-57.6	160	51.6	42.4-60.8
\$75,000+	497	97,037	188	43.3	37.2-49.4	309	56.7	50.6-62.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CALCULATED VARIABLE DATA REPORT, 2015**

End of Calculated Variable Data Report