

DELAWARE

2015 Core Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4060	740,927	675	18.6	16.8-20.4	1305	33.2	31.0-35.4	1275	30.6	28.6-32.6	605	14.0	12.4-15.6	200	3.6	3.0- 4.2
Male	1748	353,629	317	19.4	16.9-21.9	571	32.5	29.4-35.6	539	31.7	28.6-34.8	241	13.1	10.9-15.3	80	3.2	2.2- 4.2
Female	2312	387,297	358	17.9	15.5-20.3	734	33.8	31.1-36.5	736	29.6	26.9-32.3	364	14.8	12.6-17.0	120	3.9	2.9- 4.9
White/Non-Hisp	2954	482,156	506	18.7	16.7-20.7	1024	36.6	34.1-39.1	899	29.3	26.9-31.7	381	11.8	10.2-13.4	144	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	610	145,556	90	16.1	12.0-20.2	165	30.0	24.7-35.3	214	34.5	29.0-40.0	113	15.6	11.5-19.7	28	3.9	2.1- 5.7
Oth. Race/Non-Hisp.	114	32,545	23	31.1	18.6-43.6	35	30.4	19.8-41.0	36	28.5	17.9-39.1	15	7.8	3.1-12.5	5	2.1	0.0- 4.6
Hispanic	248	56,281	33	12.4	6.9-17.9	41	17.5	11.4-23.6	87	34.8	27.4-42.2	75	32.7	24.9-40.5	12	2.6	0.8- 4.4
18-24	219	91,001	55	23.5	16.4-30.6	89	37.1	28.9-45.3	58	29.9	21.7-38.1	16	8.9	3.0-14.8	1	0.6	0.0- 1.8
25-34	387	122,256	77	20.8	15.7-25.9	137	37.3	30.6-44.0	117	27.5	21.8-33.2	50	13.5	9.0-18.0	6	1.0	0.2- 1.8
35-44	400	111,547	92	24.5	19.0-30.0	130	32.5	26.8-38.2	115	28.6	22.9-34.3	58	13.4	9.1-17.7	5	0.9	0.1- 1.7
45-54	620	124,617	115	20.2	16.3-24.1	198	33.3	28.6-38.0	194	30.3	25.8-34.8	81	11.4	8.5-14.3	32	4.9	2.5- 7.3
55-64	851	123,282	133	16.4	13.3-19.5	248	28.0	24.1-31.9	271	31.8	27.7-35.9	147	18.0	14.7-21.3	52	5.8	3.8- 7.8
65+	1524	159,197	194	11.0	9.2-12.8	479	31.8	28.7-34.9	504	34.2	31.1-37.3	249	17.2	14.7-19.7	98	5.9	4.3- 7.5
Less Than H.S.	367	94,494	24	6.6	3.7- 9.5	49	14.0	9.5-18.5	120	34.7	27.4-42.0	133	36.4	29.5-43.3	41	8.4	5.1-11.7
H.S. or G.E.D.	1231	230,773	155	15.3	12.2-18.4	347	31.0	27.1-34.9	444	34.6	30.7-38.5	213	15.2	12.3-18.1	72	4.0	2.8- 5.2
Some Post-H.S.	1016	215,072	165	19.2	15.7-22.7	332	35.7	31.6-39.8	344	32.4	28.5-36.3	136	10.4	8.2-12.6	39	2.3	1.3- 3.3
College Graduate	1424	195,904	326	27.1	23.8-30.4	570	42.5	39.0-46.0	362	22.3	19.4-25.2	119	5.9	4.5- 7.3	47	2.1	1.3- 2.9
Less than \$15,000	252	39,795	24	13.4	5.4-21.4	51	16.1	10.4-21.8	66	24.1	16.1-32.1	68	30.8	20.6-41.0	43	15.5	9.0-22.0
\$15,000- 24,999	577	97,038	68	12.9	9.2-16.6	131	22.4	17.9-26.9	186	31.8	26.5-37.1	132	25.4	19.9-30.9	60	7.4	4.9- 9.9
\$25,000- 34,999	385	68,661	41	13.7	8.2-19.2	105	30.2	23.7-36.7	143	33.1	26.4-39.8	81	19.9	14.2-25.6	15	3.1	1.1- 5.1
\$35,000- 49,999	459	77,335	71	16.5	11.6-21.4	151	31.3	25.6-37.0	155	33.2	27.3-39.1	63	15.2	10.5-19.9	19	3.7	1.5- 5.9
\$50,000- 74,999	502	92,609	91	19.1	14.2-24.0	180	33.4	27.5-39.3	174	36.8	30.5-43.1	46	9.1	5.8-12.4	11	1.7	0.5- 2.9
\$75,000+	1046	216,240	259	26.3	22.6-30.0	445	44.7	40.4-49.0	261	23.5	20.0-27.0	68	4.9	3.3- 6.5	13	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	353,629	317	19.4	16.9-21.9	571	32.5	29.4-35.6	539	31.7	28.6-34.8	241	13.1	10.9-15.3	80	3.2	2.2- 4.2
White/Non-Hisp	1259	228,889	225	18.9	16.0-21.8	442	35.6	31.7-39.5	385	30.4	26.7-34.1	151	11.8	9.3-14.3	56	3.2	2.0- 4.4
Black or Afr. Am./Non-Hisp	256	66,406	47	18.9	12.4-25.4	72	28.5	20.1-36.9	82	37.4	28.4-46.4	40	10.5	6.4-14.6	15	4.8	1.9- 7.7
Hispanic	117	31,129	19	15.1	6.3-23.9	21	19.1	10.1-28.1	39	34.8	23.6-46.0	33	29.6	18.8-40.4	5	1.4	0.0- 2.8
18-24	107	45,978	28	23.6	13.8-33.4	41	37.8	25.8-49.8	27	30.7	18.9-42.5	11	8.0	2.9-13.1			
25-34	180	61,196	34	16.3	10.0-22.6	61	37.2	27.0-47.4	55	31.0	22.0-40.0	26	14.1	7.8-20.4	4	1.4	0.0- 3.0
35-44	186	54,630	52	28.5	20.3-36.7	60	28.9	20.9-36.9	55	30.1	21.5-38.7	18	12.0	5.3-18.7	1	0.5	0.0- 1.5
45-54	256	59,314	50	21.8	15.7-27.9	86	32.1	25.2-39.0	81	32.4	25.3-39.5	28	10.5	6.0-15.0	11	3.2	0.5- 5.9
55-64	368	58,318	64	17.6	12.5-22.7	108	27.2	21.5-32.9	109	33.2	26.9-39.5	63	15.9	11.4-20.4	24	6.1	3.0- 9.2
65+	627	70,236	84	12.2	9.1-15.3	205	32.1	27.4-36.8	205	32.5	27.6-37.4	94	16.6	12.5-20.7	39	6.5	4.0- 9.0
Less Than H.S.	165	47,537	10	4.9	1.6- 8.2	28	15.4	8.7-22.1	58	39.1	28.7-49.5	61	35.6	26.2-45.0	8	5.0	0.9- 9.1
H.S. or G.E.D.	553	122,277	86	17.9	13.4-22.4	155	32.3	26.0-38.6	197	33.9	28.4-39.4	83	12.5	8.8-16.2	32	3.4	1.8- 5.0
Some Post-H.S.	399	95,954	65	17.8	12.5-23.1	145	36.2	29.7-42.7	127	34.4	27.9-40.9	45	9.0	5.7-12.3	17	2.6	1.0- 4.2
College Graduate	619	84,446	152	30.0	24.9-35.1	240	38.8	33.7-43.9	153	21.9	17.6-26.2	51	6.7	4.3- 9.1	23	2.6	1.2- 4.0
Less than \$15,000	84	12,712	9	18.4	3.7-33.1	19	21.9	10.1-33.7	26	27.1	14.4-39.8	16	22.1	9.4-34.8	14	10.4	3.5-17.3
\$15,000- 24,999	240	46,152	35	15.7	9.8-21.6	55	18.8	13.1-24.5	72	34.8	26.6-43.0	52	22.1	15.2-29.0	26	8.6	4.7-12.5
\$25,000- 34,999	176	37,918	14	12.0	4.4-19.6	52	29.4	19.8-39.0	69	36.4	26.2-46.6	32	19.0	10.2-27.8	9	3.2	0.7- 5.7
\$35,000- 49,999	199	36,816	34	19.6	11.0-28.2	72	33.4	25.0-41.8	55	26.5	17.7-35.3	30	16.5	9.6-23.4	8	4.0	0.3- 7.7
\$50,000- 74,999	226	43,374	40	16.4	10.1-22.7	76	34.8	25.4-44.2	81	37.6	28.4-46.8	23	9.1	4.4-13.8	6	2.0	0.0- 4.0
\$75,000+	503	108,218	135	26.4	21.3-31.5	204	43.1	36.8-49.4	122	24.7	19.4-30.0	35	5.1	2.7- 7.5	7	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2312	387,297	358	17.9	15.5-20.3	734	33.8	31.1-36.5	736	29.6	26.9-32.3	364	14.8	12.6-17.0	120	3.9	2.9- 4.9
White/Non-Hisp	1695	253,267	281	18.5	15.8-21.2	582	37.5	34.2-40.8	514	28.2	25.1-31.3	230	11.7	9.5-13.9	88	4.1	2.9- 5.3
Black or Afr. Am./Non-Hisp	354	79,151	43	13.8	8.5-19.1	93	31.2	24.5-37.9	132	32.0	25.7-38.3	73	19.8	13.1-26.5	13	3.2	0.8- 5.6
Oth. Race/Non-Hisp.	66	18,378	11	30.8	13.0-48.6	22	30.0	15.7-44.3	22	30.8	15.5-46.1	8	5.4	0.9- 9.9	3	3.1	0.0- 7.6
Hispanic	131	25,151	14	9.1	3.6-14.6	20	15.5	7.9-23.1	48	34.8	25.0-44.6	42	36.5	25.5-47.5	7	4.1	0.8- 7.4
18-24	112	45,023	27	23.4	13.4-33.4	48	36.4	25.2-47.6	31	29.2	17.4-41.0	5	9.8	0.0-20.4	1	1.2	0.0- 3.6
25-34	207	61,060	43	25.2	17.4-33.0	76	37.3	28.9-45.7	62	23.9	16.6-31.2	24	13.0	6.5-19.5	2	0.5	0.0- 1.3
35-44	214	56,917	40	20.7	13.4-28.0	70	36.1	27.9-44.3	60	27.1	19.8-34.4	40	14.8	9.5-20.1	4	1.3	0.0- 2.7
45-54	364	65,303	65	18.7	13.4-24.0	112	34.4	28.1-40.7	113	28.3	22.6-34.0	53	12.1	8.2-16.0	21	6.4	2.9- 9.9
55-64	483	64,964	69	15.4	11.3-19.5	140	28.7	23.4-34.0	162	30.6	25.5-35.7	84	19.8	14.9-24.7	28	5.6	2.9- 8.3
65+	897	88,961	110	10.0	7.8-12.2	274	31.6	27.5-35.7	299	35.4	31.3-39.5	155	17.6	14.3-20.9	59	5.4	3.6- 7.2
Less Than H.S.	202	46,957	14	8.3	3.6-13.0	21	12.6	6.1-19.1	62	30.2	20.8-39.6	72	37.2	26.8-47.6	33	11.8	6.3-17.3
H.S. or G.E.D.	678	108,495	69	12.3	8.2-16.4	192	29.5	24.6-34.4	247	35.3	30.0-40.6	130	18.3	13.8-22.8	40	4.6	2.6- 6.6
Some Post-H.S.	617	119,119	100	20.2	15.5-24.9	187	35.3	30.0-40.6	217	30.7	26.0-35.4	91	11.6	8.7-14.5	22	2.2	1.0- 3.4
College Graduate	805	111,458	174	25.0	20.5-29.5	330	45.3	40.4-50.2	209	22.7	18.8-26.6	68	5.3	3.7- 6.9	24	1.8	0.8- 2.8
Less than \$15,000	168	27,083	15	11.1	1.7-20.5	32	13.4	7.5-19.3	40	22.6	12.4-32.8	52	34.9	21.6-48.2	29	17.9	8.9-26.9
\$15,000- 24,999	337	50,886	33	10.4	6.1-14.7	76	25.7	19.0-32.4	114	29.1	22.6-35.6	80	28.3	20.3-36.3	34	6.3	3.4- 9.2
\$25,000- 34,999	209	30,743	27	15.8	8.4-23.2	53	31.2	22.6-39.8	74	29.1	21.7-36.5	49	21.0	14.3-27.7	6	3.0	0.1- 5.9
\$35,000- 49,999	260	40,519	37	13.8	8.5-19.1	79	29.3	21.9-36.7	100	39.3	31.5-47.1	33	14.1	7.6-20.6	11	3.5	1.0- 6.0
\$50,000- 74,999	276	49,235	51	21.5	13.9-29.1	104	32.1	24.8-39.4	93	36.1	27.3-44.9	23	9.0	4.3-13.7	5	1.4	0.0- 2.8
\$75,000+	543	108,022	124	26.3	20.8-31.8	241	46.3	40.6-52.0	139	22.2	17.7-26.7	33	4.7	2.7- 6.7	6	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3965	728,422	2568	67.1	64.9-69.3	400	10.3	8.9-11.7	356	8.8	7.4-10.2	316	7.1	5.9- 8.3	325	6.7	5.7- 7.7	
Male	1713	348,073	1165	69.2	66.1-72.3	166	10.6	8.2-13.0	141	8.4	6.6-10.2	111	5.7	4.1- 7.3	130	6.2	4.8- 7.6	
Female	2252	380,348	1403	65.2	62.5-67.9	234	10.0	8.2-11.8	215	9.3	7.5-11.1	205	8.4	6.6-10.2	195	7.2	5.8- 8.6	
White/Non-Hisp	2893	475,502	1856	64.5	62.0-67.0	311	12.0	10.0-14.0	261	9.1	7.5-10.7	224	7.4	6.0- 8.8	241	7.1	5.9- 8.3	
Black or Afr. Am./Non-Hisp	598	143,901	406	73.5	69.0-78.0	48	6.5	4.1- 8.9	62	9.3	6.2-12.4	46	5.8	3.4- 8.2	36	4.8	2.8- 6.8	
Oth. Race/Non-Hisp.	108	31,655	71	70.3	59.3-81.3	10	7.5	1.2-13.8	11	11.4	3.6-19.2	12	8.6	2.5-14.7	4	2.2	0.0- 4.9	
Hispanic	235	53,086	154	71.5	64.8-78.2	18	6.5	3.0-10.0	15	5.3	2.0- 8.6	19	6.2	2.9- 9.5	29	10.5	6.2-14.8	
18-24	215	90,203	160	68.7	60.1-77.3	23	13.5	7.0-20.0	21	9.8	4.1-15.5	8	7.0	1.7-12.3	3	1.0	0.0- 2.2	
25-34	380	119,839	265	72.4	66.5-78.3	50	11.4	7.1-15.7	36	9.8	6.1-13.5	13	3.0	1.0- 5.0	16	3.5	1.5- 5.5	
35-44	393	110,619	269	73.0	67.9-78.1	47	11.8	8.1-15.5	27	6.2	3.5- 8.9	25	4.5	2.5- 6.5	25	4.5	2.5- 6.5	
45-54	615	124,275	386	64.9	60.2-69.6	68	9.6	7.1-12.1	53	8.5	5.8-11.2	53	8.1	5.4-10.8	55	9.0	6.1-11.9	
55-64	840	121,469	535	63.0	58.7-67.3	80	9.4	6.9-11.9	70	8.9	6.2-11.6	75	8.2	5.8-10.6	80	10.4	7.7-13.1	
65+	1465	153,234	922	63.5	60.2-66.8	124	7.2	5.6- 8.8	142	9.6	7.6-11.6	138	10.8	8.6-13.0	139	9.0	7.2-10.8	
Less Than H.S.	348	90,780	198	61.1	54.0-68.2	19	5.3	2.4- 8.2	38	10.7	5.6-15.8	30	7.5	4.2-10.8	63	15.4	10.9-19.9	
H.S. or G.E.D.	1198	226,439	777	67.8	63.9-71.7	96	9.2	6.7-11.7	105	7.6	5.4- 9.8	112	8.3	5.9-10.7	108	7.2	5.4- 9.0	
Some Post-H.S.	1003	213,522	642	65.1	61.0-69.2	104	11.4	8.3-14.5	105	10.5	7.8-13.2	77	7.5	5.3- 9.7	75	5.6	4.0- 7.2	
College Graduate	1396	193,190	941	72.0	68.9-75.1	179	12.5	10.1-14.9	104	7.0	5.4- 8.6	96	5.3	3.7- 6.9	76	3.1	2.1- 4.1	
Less than \$15,000	247	39,364	124	48.6	38.4-58.8	21	11.5	5.2-17.8	27	9.5	4.8-14.2	33	13.6	6.7-20.5	42	16.8	9.9-23.7	
\$15,000- 24,999	554	94,172	321	61.0	55.3-66.7	44	7.0	4.5- 9.5	56	7.8	5.1-10.5	54	11.5	7.0-16.0	79	12.6	9.1-16.1	
\$25,000- 34,999	377	67,427	235	67.2	60.7-73.7	38	9.7	4.8-14.6	30	6.6	3.3- 9.9	41	7.7	5.0-10.4	33	8.8	5.3-12.3	
\$35,000- 49,999	455	76,694	281	61.1	54.8-67.4	44	10.2	6.5-13.9	58	12.8	8.7-16.9	45	10.7	6.0-15.4	27	5.2	2.8- 7.6	
\$50,000- 74,999	493	90,817	355	72.3	66.4-78.2	50	9.9	5.8-14.0	38	9.3	5.0-13.6	32	6.1	3.2- 9.0	18	2.5	1.1- 3.9	
\$75,000+	1036	214,949	739	73.6	69.9-77.3	136	13.0	10.1-15.9	72	7.3	5.1- 9.5	45	3.0	1.8- 4.2	44	3.1	1.9- 4.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	348,073	1165	69.2	66.1-72.3	166	10.6	8.2-13.0	141	8.4	6.6-10.2	111	5.7	4.1- 7.3	130	6.2	4.8- 7.6
White/Non-Hisp	1235	226,243	834	66.6	62.7-70.5	123	12.5	9.4-15.6	105	8.5	6.3-10.7	75	5.5	3.7- 7.3	98	6.9	5.1- 8.7
Black or Afr. Am./Non-Hisp	253	65,938	175	73.5	66.4-80.6	25	7.9	4.2-11.6	21	9.2	4.1-14.3	18	5.0	2.1- 7.9	14	4.4	1.7- 7.1
Hispanic	111	29,154	80	79.4	71.6-87.2	9	6.0	1.9-10.1	4	2.8	0.1- 5.5	6	4.3	0.2- 8.4	12	7.6	2.7-12.5
18-24	105	45,548	81	69.7	57.7-81.7	14	18.0	7.4-28.6	5	5.2	0.0-10.7	4	6.6	0.0-13.3	1	0.5	0.0- 1.5
25-34	175	59,078	116	68.6	59.4-77.8	24	13.5	6.1-20.9	20	10.9	4.8-17.0	7	3.4	0.7- 6.1	8	3.7	0.6- 6.8
35-44	184	54,392	134	77.1	70.2-84.0	26	11.7	6.6-16.8	10	5.6	1.7- 9.5	6	2.8	0.4- 5.2	8	2.8	0.6- 5.0
45-54	254	59,405	170	67.6	60.5-74.7	24	8.8	4.9-12.7	25	9.8	5.3-14.3	15	5.7	2.2- 9.2	20	8.0	3.7-12.3
55-64	365	57,482	244	64.7	58.2-71.2	25	6.7	3.8- 9.6	36	10.8	6.3-15.3	24	6.1	3.0- 9.2	36	11.8	7.3-16.3
65+	606	68,212	405	68.1	63.2-73.0	49	6.5	4.1- 8.9	44	7.5	4.6-10.4	52	9.0	5.9-12.1	56	8.8	6.1-11.5
Less Than H.S.	161	45,956	100	65.6	56.6-74.6	14	6.4	2.5-10.3	14	7.6	2.9-12.3	10	6.3	1.8-10.8	23	14.0	7.7-20.3
H.S. or G.E.D.	541	120,239	374	73.5	68.4-78.6	40	8.7	4.8-12.6	42	6.7	4.2- 9.2	40	5.2	3.0- 7.4	45	5.9	3.5- 8.3
Some Post-H.S.	398	95,885	262	63.5	56.6-70.4	41	12.7	7.2-18.2	43	11.9	7.2-16.6	22	6.2	2.7- 9.7	30	5.6	3.1- 8.1
College Graduate	602	82,617	423	72.7	68.0-77.4	70	12.9	9.2-16.6	39	5.7	3.5- 7.9	38	5.6	3.2- 8.0	32	3.2	1.8- 4.6
Less than \$15,000	84	12,852	48	55.8	40.7-70.9	8	13.0	2.2-23.8	4	6.1	0.0-14.1	9	12.1	1.9-22.3	15	13.1	4.3-21.9
\$15,000- 24,999	235	45,219	140	62.5	54.7-70.3	19	7.4	3.7-11.1	20	6.2	3.1- 9.3	17	8.9	3.8-14.0	39	15.1	9.4-20.8
\$25,000- 34,999	172	37,073	118	72.0	62.2-81.8	19	10.9	2.9-18.9	11	5.2	0.3-10.1	9	3.2	0.5- 5.9	15	8.6	3.5-13.7
\$35,000- 49,999	197	36,763	125	58.3	48.5-68.1	15	9.7	3.6-15.8	32	18.5	11.1-25.9	16	9.5	2.1-16.9	9	4.0	0.9- 7.1
\$50,000- 74,999	220	42,401	157	71.0	61.8-80.2	22	12.1	4.7-19.5	17	9.1	2.8-15.4	12	4.3	1.2- 7.4	12	3.4	1.0- 5.8
\$75,000+	498	107,336	373	75.2	69.5-80.9	57	12.2	7.5-16.9	31	7.6	4.1-11.1	18	2.1	0.9- 3.3	19	2.9	0.9- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2252	380,348	1403	65.2	62.5-67.9	234	10.0	8.2-11.8	215	9.3	7.5-11.1	205	8.4	6.6-10.2	195	7.2	5.8- 8.6
White/Non-Hisp	1658	249,259	1022	62.5	59.2-65.8	188	11.5	9.3-13.7	156	9.7	7.3-12.1	149	9.1	6.9-11.3	143	7.2	5.6- 8.8
Black or Afr. Am./Non-Hisp	345	77,963	231	73.6	67.7-79.5	23	5.4	2.7- 8.1	41	9.4	5.7-13.1	28	6.5	3.0-10.0	22	5.1	2.6- 7.6
Oth. Race/Non-Hisp.	61	17,929	40	73.0	58.9-87.1	8	11.5	1.1-21.9	4	7.5	0.0-16.1	6	4.4	0.1- 8.7	3	3.7	0.0- 8.6
Hispanic	124	23,932	74	62.0	51.4-72.6	9	7.1	1.4-12.8	11	8.3	1.8-14.8	13	8.5	3.0-14.0	17	14.0	6.7-21.3
18-24	110	44,655	79	67.6	55.3-79.9	9	8.8	2.1-15.5	16	14.5	4.7-24.3	4	7.5	0.0-15.9	2	1.5	0.0- 3.9
25-34	205	60,761	149	76.1	69.2-83.0	26	9.3	5.2-13.4	16	8.7	4.0-13.4	6	2.7	0.0- 5.6	8	3.3	0.6- 6.0
35-44	209	56,227	135	69.1	61.7-76.5	21	11.9	6.2-17.6	17	6.8	3.1-10.5	19	6.1	3.0- 9.2	17	6.1	3.0- 9.2
45-54	361	64,870	216	62.4	56.1-68.7	44	10.2	6.7-13.7	28	7.2	4.1-10.3	38	10.4	6.1-14.7	35	9.8	5.7-13.9
55-64	475	63,987	291	61.6	55.9-67.3	55	11.9	8.2-15.6	34	7.1	4.0-10.2	51	10.2	6.9-13.5	44	9.1	5.8-12.4
65+	859	85,021	517	59.7	55.4-64.0	75	7.8	5.6-10.0	98	11.2	8.5-13.9	86	12.2	9.1-15.3	83	9.1	6.6-11.6
Less Than H.S.	187	44,824	98	56.5	46.1-66.9	5	4.2	0.0- 8.5	24	13.8	5.0-22.6	20	8.6	3.9-13.3	40	16.9	10.2-23.6
H.S. or G.E.D.	657	106,199	403	61.3	55.8-66.8	56	9.7	6.6-12.8	63	8.6	5.3-11.9	72	11.8	7.7-15.9	63	8.6	6.1-11.1
Some Post-H.S.	605	117,636	380	66.3	61.4-71.2	63	10.4	7.1-13.7	62	9.3	6.4-12.2	55	8.5	5.8-11.2	45	5.5	3.5- 7.5
College Graduate	794	110,573	518	71.6	67.5-75.7	109	12.2	9.3-15.1	65	8.0	5.6-10.4	58	5.1	3.1- 7.1	44	3.1	1.9- 4.3
Less than \$15,000	163	26,511	76	45.2	31.9-58.5	13	10.7	3.1-18.3	23	11.2	5.3-17.1	24	14.4	5.4-23.4	27	18.6	9.2-28.0
\$15,000- 24,999	319	48,953	181	59.7	51.7-67.7	25	6.7	3.4-10.0	36	9.4	4.9-13.9	37	14.0	6.9-21.1	40	10.3	6.2-14.4
\$25,000- 34,999	205	30,354	117	61.4	53.2-69.6	19	8.1	3.8-12.4	19	8.3	4.0-12.6	32	13.1	8.0-18.2	18	9.1	4.2-14.0
\$35,000- 49,999	258	39,930	156	63.7	55.9-71.5	29	10.7	6.0-15.4	26	7.4	3.7-11.1	29	11.9	6.0-17.8	18	6.3	2.8- 9.8
\$50,000- 74,999	273	48,415	198	73.3	65.5-81.1	28	7.9	4.2-11.6	21	9.4	3.5-15.3	20	7.7	2.8-12.6	6	1.6	0.0- 3.4
\$75,000+	538	107,614	366	71.9	67.0-76.8	79	13.8	9.9-17.7	41	7.1	4.4- 9.8	27	3.9	1.9- 5.9	25	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3998	733,369	2844	68.1	65.9-70.3	291	7.9	6.7- 9.1	340	9.7	8.3-11.1	277	8.3	6.9- 9.7	246	6.0	4.8- 7.2	
Male	1728	350,978	1315	72.6	69.5-75.7	107	7.5	5.5- 9.5	128	7.7	5.7- 9.7	94	6.9	5.1- 8.7	84	5.3	3.9- 6.7	
Female	2270	382,390	1529	64.0	61.1-66.9	184	8.2	6.6- 9.8	212	11.5	9.5-13.5	183	9.7	7.5-11.9	162	6.6	5.0- 8.2	
White/Non-Hisp	2914	478,285	2079	66.5	64.0-69.0	213	8.6	7.0-10.2	240	9.7	7.9-11.5	198	9.4	7.4-11.4	184	5.8	4.6- 7.0	
Black or Afr. Am./Non-Hisp	599	143,966	429	71.4	66.3-76.5	44	6.7	4.2- 9.2	50	8.2	5.5-10.9	40	6.9	4.2- 9.6	36	6.8	3.3-10.3	
Oth. Race/Non-Hisp.	114	32,557	74	75.4	66.2-84.6	12	6.9	2.4-11.4	15	9.4	3.1-15.7	7	3.4	0.1- 6.7	6	4.9	0.0- 9.8	
Hispanic	241	54,909	170	68.7	60.9-76.5	12	5.1	1.6- 8.6	23	11.5	5.6-17.4	24	8.3	4.2-12.4	12	6.4	1.5-11.3	
18-24	216	89,900	128	52.3	43.5-61.1	19	9.0	4.5-13.5	39	19.1	12.4-25.8	22	13.3	6.4-20.2	8	6.3	0.8-11.8	
25-34	380	120,811	238	62.1	55.6-68.6	38	10.4	6.3-14.5	42	11.3	7.0-15.6	38	10.4	6.5-14.3	24	5.8	2.9- 8.7	
35-44	399	111,438	262	70.6	65.3-75.9	38	8.6	5.3-11.9	39	8.1	5.2-11.0	32	6.2	3.5- 8.9	28	6.4	3.7- 9.1	
45-54	613	123,877	411	68.8	64.3-73.3	54	8.2	5.7-10.7	53	8.7	6.0-11.4	50	8.5	5.6-11.4	45	5.7	3.7- 7.7	
55-64	840	121,849	582	69.0	64.9-73.1	62	7.7	5.3-10.1	74	8.5	6.1-10.9	55	7.4	5.0- 9.8	67	7.3	4.9- 9.7	
65+	1494	156,787	1179	78.6	75.7-81.5	77	4.7	3.3- 6.1	91	6.0	4.4- 7.6	79	6.4	4.4- 8.4	68	4.4	3.0- 5.8	
Less Than H.S.	351	91,933	245	62.9	55.5-70.3	17	3.9	1.5- 6.3	33	11.9	7.0-16.8	26	10.8	5.3-16.3	30	10.5	5.0-16.0	
H.S. or G.E.D.	1211	228,527	862	70.1	66.2-74.0	77	6.1	4.1- 8.1	98	9.2	6.7-11.7	79	7.8	5.3-10.3	95	6.8	5.0- 8.6	
Some Post-H.S.	1004	213,158	690	65.5	61.4-69.6	76	9.2	6.7-11.7	90	10.5	7.8-13.2	92	10.1	7.4-12.8	56	4.7	2.9- 6.5	
College Graduate	1411	195,107	1033	71.1	67.8-74.4	120	10.3	7.9-12.7	118	8.5	6.7-10.3	79	6.0	4.2- 7.8	61	4.1	2.7- 5.5	
Less than \$15,000	247	39,137	130	46.7	36.7-56.7	21	8.0	3.3-12.7	31	15.4	8.3-22.5	28	11.2	5.5-16.9	37	18.7	8.1-29.3	
\$15,000- 24,999	566	95,586	361	60.0	54.1-65.9	39	6.1	3.7- 8.5	59	12.2	8.1-16.3	57	14.0	9.1-18.9	50	7.7	5.2-10.2	
\$25,000- 34,999	379	67,890	258	71.2	64.7-77.7	23	5.7	2.6- 8.8	39	10.1	5.0-15.2	33	7.0	3.9-10.1	26	6.0	3.3- 8.7	
\$35,000- 49,999	451	76,109	307	65.4	59.3-71.5	39	7.6	4.9-10.3	46	13.0	8.1-17.9	32	7.8	3.9-11.7	27	6.2	3.5- 8.9	
\$50,000- 74,999	498	92,345	386	73.0	67.1-78.9	28	6.2	3.5- 8.9	34	7.6	4.1-11.1	32	9.3	5.2-13.4	18	4.0	1.6- 6.4	
\$75,000+	1040	215,434	777	71.1	67.2-75.0	97	10.8	8.1-13.5	78	8.4	5.9-10.9	57	7.1	4.6- 9.6	31	2.5	1.1- 3.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1728	350,978	1315	72.6	69.5-75.7	107	7.5	5.5- 9.5	128	7.7	5.7- 9.7	94	6.9	5.1- 8.7	84	5.3	3.9- 6.7	
White/Non-Hisp	1245	227,334	947	70.5	66.6-74.4	75	7.9	5.4-10.4	100	9.3	6.6-12.0	61	7.2	4.8- 9.6	62	5.1	3.5- 6.7	
Black or Afr. Am./Non-Hisp	254	65,929	193	77.7	71.0-84.4	18	7.6	3.3-11.9	15	3.3	1.3- 5.3	14	6.3	2.0-10.6	14	5.1	2.2- 8.0	
Hispanic	114	30,621	88	75.2	64.6-85.8	4	3.8	0.0- 8.3	6	4.8	0.3- 9.3	12	8.9	2.8-15.0	4	7.2	0.0-15.4	
18-24	105	45,335	68	59.2	47.0-71.4	10	11.1	3.7-18.5	15	17.3	7.5-27.1	11	10.9	3.1-18.7	1	1.5	0.0- 4.4	
25-34	176	60,522	108	59.9	50.1-69.7	18	11.4	4.7-18.1	16	8.8	2.7-14.9	19	11.5	5.4-17.6	15	8.4	3.3-13.5	
35-44	186	54,630	139	78.6	71.7-85.5	11	4.8	1.5- 8.1	17	5.5	2.6- 8.4	9	4.6	0.7- 8.5	10	6.4	2.1-10.7	
45-54	254	59,414	182	73.1	66.8-79.4	19	7.9	3.8-12.0	19	6.9	3.4-10.4	16	6.4	2.9- 9.9	18	5.6	2.7- 8.5	
55-64	366	57,642	282	77.0	71.3-82.7	24	6.5	3.2- 9.8	31	6.0	3.5- 8.5	14	5.3	2.0- 8.6	15	5.1	2.0- 8.2	
65+	618	69,540	515	83.0	78.9-87.1	23	4.1	1.9- 6.3	30	4.4	2.2- 6.6	25	4.2	1.8- 6.6	25	4.3	2.1- 6.5	
Less Than H.S.	161	46,949	118	70.6	61.4-79.8	8	4.1	0.8- 7.4	13	6.8	2.3-11.3	12	9.7	3.6-15.8	10	8.8	2.5-15.1	
H.S. or G.E.D.	545	121,158	409	74.6	69.3-79.9	28	6.2	2.9- 9.5	38	6.7	3.4-10.0	39	7.5	4.6-10.4	31	4.9	2.7- 7.1	
Some Post-H.S.	396	95,275	294	68.8	62.1-75.5	28	8.9	4.8-13.0	29	9.7	5.0-14.4	26	8.3	3.8-12.8	19	4.4	2.0- 6.8	
College Graduate	615	84,222	485	75.0	70.1-79.9	42	9.4	5.7-13.1	48	7.5	5.0-10.0	16	3.0	1.2- 4.8	24	5.0	2.5- 7.5	
Less than \$15,000	84	13,032	50	59.2	44.3-74.1	5	5.2	0.0-12.8	10	14.0	2.4-25.6	10	11.1	2.7-19.5	9	10.5	2.3-18.7	
\$15,000- 24,999	235	45,323	149	62.1	54.1-70.1	18	7.7	3.6-11.8	26	6.9	3.8-10.0	21	14.4	7.5-21.3	21	8.8	4.5-13.1	
\$25,000- 34,999	173	37,571	130	77.1	67.5-86.7	11	4.6	0.7- 8.5	13	9.2	1.0-17.4	10	5.1	1.0- 9.2	9	4.0	0.9- 7.1	
\$35,000- 49,999	197	36,338	150	73.3	64.3-82.3	11	4.0	1.1- 6.9	15	10.7	3.1-18.3	11	6.3	1.4-11.2	10	5.7	1.6- 9.8	
\$50,000- 74,999	225	43,291	184	80.6	73.9-87.3	8	3.7	0.2- 7.2	13	5.4	2.1- 8.7	15	7.6	3.1-12.1	5	2.7	0.0- 5.4	
\$75,000+	502	107,989	403	73.7	67.6-79.8	37	10.6	6.3-14.9	33	8.0	4.1-11.9	15	5.5	1.8- 9.2	14	2.2	0.6- 3.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2270	382,390	1529	64.0	61.1-66.9	184	8.2	6.6- 9.8	212	11.5	9.5-13.5	183	9.7	7.5-11.9	162	6.6	5.0- 8.2
White/Non-Hisp	1669	250,951	1132	62.9	59.4-66.4	138	9.3	7.1-11.5	140	10.1	7.9-12.3	137	11.3	8.4-14.2	122	6.4	4.8- 8.0
Black or Afr. Am./Non-Hisp	345	78,037	236	66.0	58.7-73.3	26	6.0	3.1- 8.9	35	12.3	7.6-17.0	26	7.4	3.9-10.9	22	8.2	2.3-14.1
Oth. Race/Non-Hisp.	65	18,291	39	76.5	64.5-88.5	8	7.9	1.2-14.6	11	10.1	1.5-18.7	3	1.9	0.0- 4.4	4	3.6	0.0- 8.5
Hispanic	127	24,288	82	60.5	49.1-71.9	8	6.8	1.1-12.5	17	19.8	8.8-30.8	12	7.7	2.4-13.0	8	5.3	1.4- 9.2
18-24	111	44,565	60	45.2	32.9-57.5	9	6.9	1.8-12.0	24	20.9	11.5-30.3	11	15.8	4.4-27.2	7	11.2	0.8-21.6
25-34	204	60,288	130	64.4	56.0-72.8	20	9.4	4.7-14.1	26	13.8	7.7-19.9	19	9.3	4.0-14.6	9	3.2	0.7- 5.7
35-44	213	56,808	123	62.9	55.1-70.7	27	12.3	6.6-18.0	22	10.6	5.5-15.7	23	7.8	4.1-11.5	18	6.4	3.1- 9.7
45-54	359	64,462	229	64.9	58.6-71.2	35	8.4	5.3-11.5	34	10.4	6.1-14.7	34	10.5	5.8-15.2	27	5.7	3.2- 8.2
55-64	474	64,207	300	61.8	56.1-67.5	38	8.8	5.3-12.3	43	10.8	7.1-14.5	41	9.3	6.0-12.6	52	9.4	6.1-12.7
65+	876	87,247	664	75.0	71.1-78.9	54	5.2	3.6- 6.8	61	7.3	4.9- 9.7	54	8.1	5.2-11.0	43	4.4	2.6- 6.2
Less Than H.S.	190	44,985	127	55.0	44.0-66.0	9	3.6	0.7- 6.5	20	17.2	8.8-25.6	14	12.0	3.0-21.0	20	12.3	3.3-21.3
H.S. or G.E.D.	666	107,368	453	65.0	59.5-70.5	49	6.0	3.8- 8.2	60	11.9	7.8-16.0	40	8.3	4.2-12.4	64	8.8	5.9-11.7
Some Post-H.S.	608	117,884	396	63.0	57.7-68.3	48	9.5	6.2-12.8	61	11.1	7.8-14.4	66	11.5	8.2-14.8	37	5.0	2.5- 7.5
College Graduate	796	110,885	548	68.2	63.7-72.7	78	11.0	7.9-14.1	70	9.2	6.7-11.7	63	8.2	5.3-11.1	37	3.4	1.8- 5.0
Less than \$15,000	163	26,105	80	40.5	28.3-52.7	16	9.4	3.3-15.5	21	16.1	7.1-25.1	18	11.3	3.9-18.7	28	22.7	8.0-37.4
\$15,000- 24,999	331	50,262	212	58.1	49.9-66.3	21	4.7	2.3- 7.1	33	17.0	9.9-24.1	36	13.7	6.6-20.8	29	6.7	3.6- 9.8
\$25,000- 34,999	206	30,319	128	63.9	55.5-72.3	12	7.0	1.9-12.1	26	11.3	6.2-16.4	23	9.4	4.7-14.1	17	8.4	3.9-12.9
\$35,000- 49,999	254	39,771	157	58.1	49.9-66.3	28	10.9	6.4-15.4	31	15.1	9.0-21.2	21	9.2	3.3-15.1	17	6.6	2.7-10.5
\$50,000- 74,999	273	49,054	202	66.3	57.7-74.9	20	8.3	4.0-12.6	21	9.5	3.4-15.6	17	10.8	3.9-17.7	13	5.1	1.6- 8.6
\$75,000+	538	107,445	374	68.4	63.1-73.7	60	11.1	7.6-14.6	45	8.8	5.9-11.7	42	8.8	5.7-11.9	17	2.9	0.5- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1974	354,938	1146	58.5	55.4-61.6	191	10.6	8.6-12.6	220	11.3	9.1-13.5	224	10.6	8.6-12.6	193	8.9	7.1-10.7
Male	761	153,956	449	58.3	53.2-63.4	75	11.8	8.3-15.3	94	11.1	8.0-14.2	73	9.0	6.5-11.5	70	9.8	6.9-12.7
Female	1213	200,981	697	58.7	54.6-62.8	116	9.7	7.5-11.9	126	11.4	8.5-14.3	151	11.9	9.2-14.6	123	8.3	6.3-10.3
White/Non-Hisp	1469	249,566	862	57.7	54.0-61.4	144	11.6	9.1-14.1	167	11.6	9.1-14.1	155	10.3	7.9-12.7	141	8.7	6.7-10.7
Black or Afr. Am./Non-Hisp	274	59,180	160	62.9	55.3-70.5	23	7.5	4.0-11.0	26	8.8	4.1-13.5	35	11.5	6.6-16.4	30	9.3	5.2-13.4
Oth. Race/Non-Hisp.	56	12,874	29	58.9	42.4-75.4	6	6.0	0.3-11.7	10	20.7	6.2-35.2	10	11.6	2.8-20.4	1	2.9	0.0- 8.4
Hispanic	112	23,127	66	60.3	48.3-72.3	9	8.1	2.6-13.6	13	11.7	4.3-19.1	15	11.0	4.3-17.7	9	8.9	0.0-18.1
18-24	111	50,460	66	56.4	44.2-68.6	15	12.8	5.0-20.6	17	17.0	7.0-27.0	11	11.5	3.3-19.7	2	2.3	0.0- 5.4
25-34	202	60,120	127	62.5	53.7-71.3	25	12.2	6.5-17.9	22	10.0	5.1-14.9	18	8.3	3.6-13.0	10	7.0	1.9-12.1
35-44	196	46,716	117	63.2	55.0-71.4	25	13.7	7.2-20.2	17	7.6	3.3-11.9	23	10.1	5.6-14.6	14	5.4	2.3- 8.5
45-54	318	60,918	176	55.3	48.4-62.2	39	11.8	7.7-15.9	32	10.4	6.1-14.7	37	12.1	7.2-17.0	34	10.5	5.8-15.2
55-64	408	60,473	220	57.5	51.4-63.6	36	7.3	4.6-10.0	47	10.5	7.0-14.0	56	10.7	7.2-14.2	49	13.9	9.4-18.4
65+	709	71,480	420	57.3	52.4-62.2	49	7.2	4.7- 9.7	82	12.0	8.7-15.3	77	11.4	8.3-14.5	81	12.0	8.7-15.3
Less Than H.S.	190	49,224	107	54.0	43.8-64.2	11	6.0	1.5-10.5	25	16.9	8.1-25.7	21	9.3	4.6-14.0	26	13.7	6.8-20.6
H.S. or G.E.D.	575	102,268	317	54.7	48.6-60.8	46	9.6	6.3-12.9	67	11.1	7.4-14.8	76	12.5	8.2-16.8	69	12.1	8.6-15.6
Some Post-H.S.	533	113,170	303	59.2	53.3-65.1	50	11.0	6.9-15.1	62	11.0	7.3-14.7	66	11.9	8.2-15.6	52	6.9	4.5- 9.3
College Graduate	664	87,078	414	65.1	60.2-70.0	81	13.2	9.7-16.7	65	8.9	6.2-11.6	60	7.9	5.4-10.4	44	4.9	2.7- 7.1
Less than \$15,000	160	26,273	66	45.1	32.0-58.2	7	3.2	0.3- 6.1	21	14.9	5.5-24.3	34	18.2	10.2-26.2	32	18.7	9.7-27.7
\$15,000- 24,999	320	52,004	164	53.3	45.5-61.1	23	6.4	3.1- 9.7	41	11.8	6.9-16.7	45	15.8	8.9-22.7	47	12.7	8.0-17.4
\$25,000- 34,999	191	29,313	110	60.6	51.0-70.2	14	8.9	4.0-13.8	25	11.2	4.9-17.5	25	9.9	5.2-14.6	17	9.4	4.1-14.7
\$35,000- 49,999	247	42,892	139	56.9	48.3-65.5	30	10.4	6.1-14.7	29	11.8	4.9-18.7	31	14.2	7.3-21.1	18	6.6	3.1-10.1
\$50,000- 74,999	202	38,155	141	72.4	63.8-81.0	17	11.8	4.4-19.2	21	7.3	3.6-11.0	17	6.4	2.9- 9.9	6	2.2	0.0- 4.4
\$75,000+	464	96,932	304	65.2	59.1-71.3	62	14.0	9.3-18.7	45	9.8	6.5-13.1	30	6.5	3.4- 9.6	23	4.5	2.1- 6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	761	153,956	449	58.3	53.2-63.4	75	11.8	8.3-15.3	94	11.1	8.0-14.2	73	9.0	6.5-11.5	70	9.8	6.9-12.7
White/Non-Hisp	563	108,664	333	57.3	51.2-63.4	55	12.8	8.1-17.5	78	13.3	9.2-17.4	47	7.8	4.9-10.7	50	8.8	5.5-12.1
Black or Afr. Am./Non-Hisp	108	25,798	67	63.3	51.7-74.9	9	9.1	2.6-15.6	6	3.1	0.4- 5.8	15	13.5	5.3-21.7	11	11.0	3.7-18.3
25-34	99	32,672	61	57.9	44.6-71.2	10	10.3	1.9-18.7	13	10.5	3.4-17.6	8	9.8	2.5-17.1	7	11.4	2.4-20.4
35-44	72	17,676	44	60.2	46.5-73.9	11	20.5	8.0-33.0	7	6.4	1.1-11.7	6	7.9	1.4-14.4	4	5.0	0.0-10.5
45-54	118	27,003	70	65.4	55.4-75.4	17	12.5	5.8-19.2	7	5.2	0.5- 9.9	13	8.8	3.3-14.3	11	8.0	1.7-14.3
55-64	153	25,454	81	53.4	43.2-63.6	12	7.8	2.9-12.7	22	12.3	6.0-18.6	17	8.8	3.3-14.3	21	17.7	9.5-25.9
65+	262	27,619	158	55.3	47.1-63.5	18	7.1	2.6-11.6	37	16.9	10.0-23.8	23	9.4	4.5-14.3	26	11.3	5.8-16.8
Less Than H.S.	72	19,922	43	53.7	39.4-68.0	7	8.7	1.1-16.3	10	14.2	4.4-24.0	3	4.1	0.0- 9.4	9	19.3	6.0-32.6
H.S. or G.E.D.	231	47,694	126	56.1	46.9-65.3	21	11.3	5.4-17.2	28	9.9	5.0-14.8	30	10.0	5.1-14.9	26	12.8	6.9-18.7
Some Post-H.S.	192	48,782	114	59.1	49.1-69.1	17	12.0	4.2-19.8	26	13.5	6.6-20.4	17	9.6	4.3-14.9	18	5.8	2.5- 9.1
College Graduate	260	35,355	165	63.7	55.7-71.7	27	12.0	6.1-17.9	29	7.8	4.5-11.1	22	9.9	5.0-14.8	17	6.6	2.1-11.1
\$15,000- 24,999	124	22,336	67	52.7	41.5-63.9	6	4.3	0.0- 8.8	16	11.6	4.3-18.9	16	14.6	6.6-22.6	19	16.8	8.0-25.6
\$25,000- 34,999	80	14,621	48	63.8	48.7-78.9	7	9.2	1.8-16.6	12	13.7	2.3-25.1	7	6.4	0.0-13.1	6	6.9	0.6-13.2
\$35,000- 49,999	98	19,405	56	52.5	38.8-66.2	12	10.7	3.6-17.8	13	17.1	4.0-30.2	11	13.8	4.0-23.6	6	6.0	0.7-11.3
\$50,000- 74,999	88	16,938	59	67.1	52.4-81.8	11	20.5	6.0-35.0	10	7.4	2.1-12.7	6	3.6	0.3- 6.9	2	1.3	0.0- 3.1
\$75,000+	189	44,753	122	66.7	57.1-76.3	24	14.7	6.5-22.9	22	9.9	4.8-15.0	9	4.0	1.1- 6.9	12	4.8	1.1- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1213	200,981	697	58.7	54.6-62.8	116	9.7	7.5-11.9	126	11.4	8.5-14.3	151	11.9	9.2-14.6	123	8.3	6.3-10.3
White/Non-Hisp	906	140,901	529	58.0	53.1-62.9	89	10.8	8.1-13.5	89	10.3	7.0-13.6	108	12.3	8.8-15.8	91	8.7	6.3-11.1
Black or Afr. Am./Non-Hisp	166	33,382	93	62.6	52.2-73.0	14	6.2	2.3-10.1	20	13.3	5.5-21.1	20	9.9	4.2-15.6	19	8.1	3.4-12.8
Hispanic	71	13,810	40	58.3	43.4-73.2	4	6.3	0.0-13.0	10	16.7	5.1-28.3	12	14.1	4.5-23.7	5	4.5	0.0- 9.0
18-24	63	28,135	36	53.8	36.9-70.7	9	11.1	3.3-18.9	10	19.4	4.9-33.9	7	14.0	1.1-26.9	1	1.7	0.0- 5.0
25-34	103	27,448	66	68.0	57.4-78.6	15	14.5	7.1-21.9	9	9.3	2.4-16.2	10	6.5	1.2-11.8	3	1.7	0.0- 3.9
35-44	124	29,040	73	65.0	54.8-75.2	14	9.6	2.7-16.5	10	8.3	2.2-14.4	17	11.5	5.4-17.6	10	5.6	1.9- 9.3
45-54	200	33,914	106	47.1	38.3-55.9	22	11.1	5.8-16.4	25	14.5	7.8-21.2	24	14.7	7.1-22.3	23	12.5	5.8-19.2
55-64	255	35,020	139	60.5	53.1-67.9	24	7.0	4.1- 9.9	25	9.2	5.3-13.1	39	12.1	7.4-16.8	28	11.2	6.3-16.1
65+	447	43,861	262	58.6	52.5-64.7	31	7.3	4.4-10.2	45	9.0	5.7-12.3	54	12.7	8.6-16.8	55	12.4	8.3-16.5
Less Than H.S.	118	29,302	64	54.2	40.1-68.3	4	4.3	0.0-10.0	15	18.7	5.6-31.8	18	12.8	5.5-20.1	17	9.9	3.2-16.6
H.S. or G.E.D.	344	54,574	191	53.5	45.7-61.3	25	8.1	4.6-11.6	39	12.2	6.9-17.5	46	14.7	8.0-21.4	43	11.6	7.5-15.7
Some Post-H.S.	341	64,388	189	59.3	52.4-66.2	33	10.3	6.2-14.4	36	9.0	5.3-12.7	49	13.6	8.3-18.9	34	7.8	4.5-11.1
College Graduate	404	51,724	249	66.1	60.0-72.2	54	14.1	9.8-18.4	36	9.7	5.8-13.6	38	6.5	4.0- 9.0	27	3.7	1.7- 5.7
Less than \$15,000	114	19,608	48	48.6	32.5-64.7	5	1.9	0.0- 3.9	13	12.6	1.8-23.4	27	20.1	9.9-30.3	21	16.7	6.3-27.1
\$15,000- 24,999	196	29,668	97	53.7	42.7-64.7	17	7.9	3.2-12.6	25	12.0	5.3-18.7	29	16.7	6.1-27.3	28	9.6	5.1-14.1
\$25,000- 34,999	111	14,692	62	57.4	46.0-68.8	7	8.5	1.8-15.2	13	8.7	3.4-14.0	18	13.4	6.7-20.1	11	11.9	3.5-20.3
\$35,000- 49,999	149	23,487	83	60.6	50.0-71.2	18	10.3	4.8-15.8	16	7.5	2.4-12.6	20	14.5	5.1-23.9	12	7.2	2.3-12.1
\$50,000- 74,999	114	21,217	82	76.6	67.0-86.2	6	4.8	0.1- 9.5	11	7.2	2.1-12.3	11	8.6	2.7-14.5	4	3.0	0.0- 6.7
\$75,000+	275	52,180	182	63.9	56.3-71.5	38	13.4	8.5-18.3	23	9.7	5.2-14.2	21	8.7	3.4-14.0	11	4.3	1.2- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4055	737,299	3778	91.8	90.6-93.0	277	8.2	7.0- 9.4
Male	1742	350,661	1588	90.1	88.3-91.9	154	9.9	8.1-11.7
Female	2313	386,639	2190	93.4	91.8-95.0	123	6.6	5.0- 8.2
White/Non-Hisp	2952	479,650	2841	95.7	94.7-96.7	111	4.3	3.3- 5.3
Black or Afr. Am./Non-Hisp	610	145,825	565	92.9	90.4-95.4	45	7.1	4.6- 9.6
Oth. Race/Non-Hisp.	114	32,521	108	96.2	92.3- 100	6	3.8	0.0- 7.7
Hispanic	245	54,807	141	53.0	45.0-61.0	104	47.0	39.0-55.0
18-24	212	88,455	183	90.1	86.2-94.0	29	9.9	6.0-13.8
25-34	386	121,164	314	83.8	79.3-88.3	72	16.2	11.7-20.7
35-44	396	110,660	336	88.2	84.7-91.7	60	11.8	8.3-15.3
45-54	619	124,771	570	91.5	89.0-94.0	49	8.5	6.0-11.0
55-64	851	123,282	798	94.7	92.9-96.5	53	5.3	3.5- 7.1
65+	1531	159,706	1518	99.1	98.5-99.7	13	0.9	0.3- 1.5
Less Than H.S.	366	93,082	270	71.9	65.8-78.0	96	28.1	22.0-34.2
H.S. or G.E.D.	1232	230,286	1140	92.9	91.1-94.7	92	7.1	5.3- 8.9
Some Post-H.S.	1015	214,283	963	94.0	92.0-96.0	52	6.0	4.0- 8.0
College Graduate	1421	195,487	1385	97.5	96.3-98.7	36	2.5	1.3- 3.7
Less than \$15,000	252	39,573	215	81.3	74.2-88.4	37	18.7	11.6-25.8
\$15,000- 24,999	577	96,919	490	80.9	76.4-85.4	87	19.1	14.6-23.6
\$25,000- 34,999	386	68,678	351	88.7	84.2-93.2	35	11.3	6.8-15.8
\$35,000- 49,999	459	77,147	431	92.6	89.7-95.5	28	7.4	4.5-10.3
\$50,000- 74,999	502	92,609	489	96.8	94.6-99.0	13	3.2	1.0- 5.4
\$75,000+	1046	216,209	1027	97.9	96.7-99.1	19	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	350,661	1588	90.1	88.3-91.9	154	9.9	8.1-11.7
White/Non-Hisp	1255	227,062	1188	94.2	92.4-96.0	67	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	257	66,780	235	92.7	89.2-96.2	22	7.3	3.8-10.8
Hispanic	115	29,767	60	51.0	39.4-62.6	55	49.0	37.4-60.6
18-24	102	44,305	86	89.4	83.7-95.1	16	10.6	4.9-16.3
25-34	179	60,104	140	81.7	75.0-88.4	39	18.3	11.6-25.0
35-44	183	53,854	148	85.3	79.6-91.0	35	14.7	9.0-20.4
45-54	256	59,573	228	90.1	86.2-94.0	28	9.9	6.0-13.8
55-64	368	58,318	340	93.2	90.1-96.3	28	6.8	3.7- 9.9
65+	630	70,550	622	98.3	96.9-99.7	8	1.7	0.3- 3.1
Less Than H.S.	165	46,819	111	65.8	56.8-74.8	54	34.2	25.2-43.2
H.S. or G.E.D.	551	121,549	498	92.6	90.2-95.0	53	7.4	5.0- 9.8
Some Post-H.S.	399	95,323	367	92.0	88.7-95.3	32	8.0	4.7-11.3
College Graduate	616	84,079	601	97.5	95.9-99.1	15	2.5	0.9- 4.1
Less than \$15,000	84	12,570	67	73.4	60.3-86.5	17	26.6	13.5-39.7
\$15,000- 24,999	240	46,033	191	77.4	70.7-84.1	49	22.6	15.9-29.3
\$25,000- 34,999	176	37,918	157	87.8	81.1-94.5	19	12.2	5.5-18.9
\$35,000- 49,999	199	36,676	182	90.0	84.9-95.1	17	10.0	4.9-15.1
\$50,000- 74,999	226	43,374	218	94.9	90.8-99.0	8	5.1	1.0- 9.2
\$75,000+	503	108,187	489	97.1	95.1-99.1	14	2.9	0.9- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2313	386,639	2190	93.4	91.8-95.0	123	6.6	5.0- 8.2
White/Non-Hisp	1697	252,589	1653	96.9	95.5-98.3	44	3.1	1.7- 4.5
Black or Afr. Am./Non-Hisp	353	79,046	330	93.0	89.5-96.5	23	7.0	3.5-10.5
Oth. Race/Non-Hisp.	66	18,378	62	95.7	89.8- 100	4	4.3	0.0-10.2
Hispanic	130	25,040	81	55.5	44.5-66.5	49	44.5	33.5-55.5
18-24	110	44,150	97	90.7	85.0-96.4	13	9.3	3.6-15.0
25-34	207	61,060	174	85.9	79.6-92.2	33	14.1	7.8-20.4
35-44	213	56,806	188	91.0	86.9-95.1	25	9.0	4.9-13.1
45-54	363	65,198	342	92.7	89.2-96.2	21	7.3	3.8-10.8
55-64	483	64,964	458	96.0	94.0-98.0	25	4.0	2.0- 6.0
65+	901	89,156	896	99.7	99.3- 100	5	0.3	0.0- 0.7
Less Than H.S.	201	46,264	159	78.1	70.3-85.9	42	21.9	14.1-29.7
H.S. or G.E.D.	681	108,737	642	93.2	90.7-95.7	39	6.8	4.3- 9.3
Some Post-H.S.	616	118,960	596	95.6	93.1-98.1	20	4.4	1.9- 6.9
College Graduate	805	111,408	784	97.5	95.9-99.1	21	2.5	0.9- 4.1
Less than \$15,000	168	27,002	148	85.0	77.0-93.0	20	15.0	7.0-23.0
\$15,000- 24,999	337	50,886	299	84.2	77.9-90.5	38	15.8	9.5-22.1
\$25,000- 34,999	210	30,760	194	89.8	84.1-95.5	16	10.2	4.5-15.9
\$35,000- 49,999	260	40,471	249	94.9	91.6-98.2	11	5.1	1.8- 8.4
\$50,000- 74,999	276	49,235	271	98.4	96.8- 100	5	1.6	0.0- 3.2
\$75,000+	543	108,022	538	98.8	97.6- 100	5	1.2	0.0- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4061	740,376	3073	74.0	72.0-76.0	539	10.9	9.5-12.3	449	15.1	13.3-16.9
Male	1747	352,840	1274	70.5	67.4-73.6	200	9.6	7.6-11.6	273	19.9	17.0-22.8
Female	2314	387,536	1799	77.2	74.7-79.7	339	12.1	10.3-13.9	176	10.7	8.5-12.9
White/Non-Hisp	2956	481,972	2322	77.4	75.0-79.8	391	11.2	9.6-12.8	243	11.4	9.4-13.4
Black or Afr. Am./Non-Hisp	610	145,193	443	73.3	68.2-78.4	100	13.1	9.6-16.6	67	13.6	9.3-17.9
Oth. Race/Non-Hisp.	113	32,360	81	67.9	56.1-79.7	11	6.6	1.5-11.7	21	25.5	14.1-36.9
Hispanic	248	56,281	135	50.1	42.1-58.1	14	4.8	1.9- 7.7	99	45.1	37.1-53.1
18-24	217	90,591	120	59.7	51.3-68.1	22	10.5	5.0-16.0	75	29.8	22.2-37.4
25-34	386	122,168	229	58.9	52.4-65.4	35	8.2	5.1-11.3	122	32.9	26.4-39.4
35-44	400	111,547	298	76.2	70.9-81.5	31	6.8	3.9- 9.7	71	17.0	12.3-21.7
45-54	619	124,640	492	81.1	77.2-85.0	70	10.0	7.1-12.9	57	8.9	6.2-11.6
55-64	850	123,228	677	82.3	79.2-85.4	116	11.7	9.2-14.2	57	6.0	4.0- 8.0
65+	1529	158,941	1210	80.0	77.5-82.5	256	15.9	13.5-18.3	63	4.1	2.7- 5.5
Less Than H.S.	367	94,814	233	60.9	54.0-67.8	42	10.6	6.7-14.5	92	28.5	22.0-35.0
H.S. or G.E.D.	1231	230,686	915	74.9	71.2-78.6	159	9.0	7.0-11.0	157	16.1	12.6-19.6
Some Post-H.S.	1017	214,354	787	74.7	70.8-78.6	131	11.6	8.9-14.3	99	13.7	10.4-17.0
College Graduate	1424	195,838	1121	78.4	75.5-81.3	205	12.7	10.3-15.1	98	8.9	6.7-11.1
Less than \$15,000	254	40,200	167	67.2	58.2-76.2	35	7.6	4.1-11.1	52	25.2	16.6-33.8
\$15,000- 24,999	578	97,189	385	63.6	58.1-69.1	85	11.6	8.5-14.7	108	24.8	19.5-30.1
\$25,000- 34,999	383	67,490	285	74.2	67.9-80.5	56	11.6	7.3-15.9	42	14.2	9.1-19.3
\$35,000- 49,999	459	77,247	346	74.2	68.3-80.1	61	10.5	7.0-14.0	52	15.2	9.9-20.5
\$50,000- 74,999	501	92,509	405	78.0	72.3-83.7	71	11.8	8.1-15.5	25	10.2	5.1-15.3
\$75,000+	1046	216,284	840	78.7	75.0-82.4	127	11.8	8.9-14.7	79	9.5	6.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	352,840	1274	70.5	67.4-73.6	200	9.6	7.6-11.6	273	19.9	17.0-22.8
White/Non-Hisp	1258	228,526	960	75.2	71.7-78.7	153	10.2	7.8-12.6	145	14.6	11.5-17.7
Black or Afr. Am./Non-Hisp	256	66,042	180	67.1	58.3-75.9	29	10.1	5.0-15.2	47	22.8	14.6-31.0
Hispanic	117	31,129	54	46.0	34.4-57.6	4	3.5	0.0- 7.4	59	50.4	38.8-62.0
18-24	106	45,690	52	55.9	43.9-67.9	8	11.1	2.5-19.7	46	33.0	22.6-43.4
25-34	180	61,196	90	48.2	38.4-58.0	10	5.6	1.7- 9.5	80	46.2	36.2-56.2
35-44	186	54,630	135	75.4	67.4-83.4	8	2.4	0.4- 4.4	43	22.1	14.3-29.9
45-54	255	59,337	199	78.4	72.1-84.7	23	10.4	5.3-15.5	33	11.2	6.9-15.5
55-64	368	58,318	284	79.8	74.7-84.9	44	11.4	7.3-15.5	40	8.7	5.2-12.2
65+	628	69,712	494	80.3	76.4-84.2	105	15.4	11.9-18.9	29	4.3	2.5- 6.1
Less Than H.S.	166	47,911	93	53.6	43.6-63.6	17	10.9	5.0-16.8	56	35.5	25.9-45.1
H.S. or G.E.D.	551	121,888	391	71.5	66.0-77.0	53	7.4	4.9- 9.9	107	21.1	15.8-26.4
Some Post-H.S.	399	95,179	298	71.7	65.2-78.2	48	10.9	6.2-15.6	53	17.5	12.0-23.0
College Graduate	619	84,446	484	77.0	72.5-81.5	81	10.9	7.8-14.0	54	12.1	8.4-15.8
Less than \$15,000	85	13,086	47	57.5	43.0-72.0	9	5.5	0.4-10.6	29	37.0	22.9-51.1
\$15,000- 24,999	241	46,303	143	60.1	52.3-67.9	30	10.2	6.1-14.3	68	29.7	22.4-37.0
\$25,000- 34,999	173	36,731	123	72.1	62.7-81.5	28	12.8	5.7-19.9	22	15.1	8.0-22.2
\$35,000- 49,999	200	36,881	141	68.0	58.2-77.8	26	8.9	4.2-13.6	33	23.1	13.5-32.7
\$50,000- 74,999	225	43,274	176	74.0	65.2-82.8	32	11.4	6.5-16.3	17	14.6	6.2-23.0
\$75,000+	504	108,316	412	76.4	70.5-82.3	40	9.7	5.4-14.0	52	13.9	9.2-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2314	387,536	1799	77.2	74.7-79.7	339	12.1	10.3-13.9	176	10.7	8.5-12.9
White/Non-Hisp	1698	253,446	1362	79.4	76.5-82.3	238	12.1	9.9-14.3	98	8.6	6.2-11.0
Black or Afr. Am./Non-Hisp	354	79,151	263	78.4	72.9-83.9	71	15.6	10.9-20.3	20	6.0	2.9- 9.1
Oth. Race/Non-Hisp.	65	18,256	45	67.8	51.1-84.5	8	5.7	0.4-11.0	12	26.5	10.0-43.0
Hispanic	131	25,151	81	55.1	44.1-66.1	10	6.4	1.7-11.1	40	38.5	27.3-49.7
18-24	111	44,901	68	63.5	51.5-75.5	14	9.9	3.4-16.4	29	26.7	15.5-37.9
25-34	206	60,971	139	69.6	61.6-77.6	25	10.8	5.9-15.7	42	19.6	12.3-26.9
35-44	214	56,917	163	76.9	69.8-84.0	23	11.1	5.6-16.6	28	12.1	6.6-17.6
45-54	364	65,303	293	83.6	78.9-88.3	47	9.7	6.2-13.2	24	6.7	3.4-10.0
55-64	482	64,910	393	84.4	80.7-88.1	72	11.9	8.6-15.2	17	3.6	1.6- 5.6
65+	901	89,229	716	79.7	76.2-83.2	151	16.3	13.2-19.4	34	4.0	2.2- 5.8
Less Than H.S.	201	46,902	140	68.3	59.1-77.5	25	10.3	5.0-15.6	36	21.5	13.3-29.7
H.S. or G.E.D.	680	108,797	524	78.7	74.0-83.4	106	10.8	8.1-13.5	50	10.5	6.2-14.8
Some Post-H.S.	618	119,176	489	77.2	72.3-82.1	83	12.1	8.8-15.4	46	10.7	6.6-14.8
College Graduate	805	111,392	637	79.4	75.5-83.3	124	14.0	10.5-17.5	44	6.5	4.1- 8.9
Less than \$15,000	169	27,114	120	71.9	60.5-83.3	26	8.5	3.8-13.2	23	19.5	8.7-30.3
\$15,000- 24,999	337	50,886	242	66.8	58.8-74.8	55	12.9	8.4-17.4	40	20.3	12.3-28.3
\$25,000- 34,999	210	30,760	162	76.7	68.9-84.5	28	10.2	5.7-14.7	20	13.1	6.0-20.2
\$35,000- 49,999	259	40,366	205	80.0	73.9-86.1	35	12.0	6.9-17.1	19	8.0	4.1-11.9
\$50,000- 74,999	276	49,235	229	81.6	74.2-89.0	39	12.1	6.6-17.6	8	6.3	0.6-12.0
\$75,000+	542	107,968	428	81.0	76.7-85.3	87	14.0	10.1-17.9	27	5.0	2.6- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4054	738,724	388	11.3	9.9-12.7	3666	88.7	87.3-90.1
Male	1744	352,282	157	10.0	8.0-12.0	1587	90.0	88.0-92.0
Female	2310	386,441	231	12.5	10.3-14.7	2079	87.5	85.3-89.7
White/Non-Hisp	2955	481,617	209	8.8	7.2-10.4	2746	91.2	89.6-92.8
Black or Afr. Am./Non-Hisp	608	145,051	79	12.8	9.3-16.3	529	87.2	83.7-90.7
Oth. Race/Non-Hisp.	113	32,096	16	11.3	4.0-18.6	97	88.7	81.4-96.0
Hispanic	244	55,390	67	30.1	22.3-37.9	177	69.9	62.1-77.7
18-24	216	90,040	29	13.7	8.0-19.4	187	86.3	80.6-92.0
25-34	387	122,256	77	19.7	14.6-24.8	310	80.3	75.2-85.4
35-44	400	111,547	56	11.0	7.7-14.3	344	89.0	85.7-92.3
45-54	616	123,725	85	13.3	10.0-16.6	531	86.7	83.4-90.0
55-64	850	123,228	73	7.9	5.7-10.1	777	92.1	89.9-94.3
65+	1525	158,666	62	4.8	3.2- 6.4	1463	95.2	93.6-96.8
Less Than H.S.	364	93,899	76	18.4	13.1-23.7	288	81.6	76.3-86.9
H.S. or G.E.D.	1227	229,671	124	11.9	9.2-14.6	1103	88.1	85.4-90.8
Some Post-H.S.	1018	215,058	118	13.6	10.5-16.7	900	86.4	83.3-89.5
College Graduate	1423	195,412	68	4.9	3.3- 6.5	1355	95.1	93.5-96.7
Less than \$15,000	254	40,200	48	20.5	12.9-28.1	206	79.5	71.9-87.1
\$15,000- 24,999	573	96,146	116	23.6	18.7-28.5	457	76.4	71.5-81.3
\$25,000- 34,999	382	67,298	44	13.4	8.5-18.3	338	86.6	81.7-91.5
\$35,000- 49,999	460	77,293	48	13.8	9.1-18.5	412	86.2	81.5-90.9
\$50,000- 74,999	501	92,374	25	7.1	3.4-10.8	476	92.9	89.2-96.6
\$75,000+	1046	216,284	47	5.4	3.4- 7.4	999	94.6	92.6-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	352,282	157	10.0	8.0-12.0	1587	90.0	88.0-92.0
White/Non-Hisp	1258	228,632	85	8.0	5.8-10.2	1173	92.0	89.8-94.2
Black or Afr. Am./Non-Hisp	254	65,900	30	9.8	5.3-14.3	224	90.2	85.7-94.7
Hispanic	116	30,682	30	28.1	16.9-39.3	86	71.9	60.7-83.1
18-24	105	45,279	8	6.8	1.7-11.9	97	93.2	88.1-98.3
25-34	180	61,196	39	20.9	13.3-28.5	141	79.1	71.5-86.7
35-44	186	54,630	20	7.7	4.0-11.4	166	92.3	88.6-96.0
45-54	254	59,113	30	10.9	6.6-15.2	224	89.1	84.8-93.4
55-64	368	58,318	32	8.5	4.8-12.2	336	91.5	87.8-95.2
65+	627	69,789	26	5.2	2.5- 7.9	601	94.8	92.1-97.5
Less Than H.S.	164	47,104	34	18.5	10.9-26.1	130	81.5	73.9-89.1
H.S. or G.E.D.	550	121,671	59	10.6	7.3-13.9	491	89.4	86.1-92.7
Some Post-H.S.	400	95,882	40	10.2	6.3-14.1	360	89.8	85.9-93.7
College Graduate	618	84,211	24	4.7	2.3- 7.1	594	95.3	92.9-97.7
Less than \$15,000	85	13,086	17	16.3	7.1-25.5	68	83.7	74.5-92.9
\$15,000- 24,999	238	45,634	52	22.9	16.0-29.8	186	77.1	70.2-84.0
\$25,000- 34,999	174	36,993	18	13.2	5.8-20.6	156	86.8	79.4-94.2
\$35,000- 49,999	199	36,716	15	11.1	4.8-17.4	184	88.9	82.6-95.2
\$50,000- 74,999	225	43,139	7	2.5	0.3- 4.7	218	97.5	95.3-99.7
\$75,000+	504	108,316	25	5.3	2.8- 7.8	479	94.7	92.2-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2310	386,441	231	12.5	10.3-14.7	2079	87.5	85.3-89.7
White/Non-Hisp	1697	252,985	124	9.5	7.1-11.9	1573	90.5	88.1-92.9
Black or Afr. Am./Non-Hisp	354	79,151	49	15.4	10.1-20.7	305	84.6	79.3-89.9
Oth. Race/Non-Hisp.	65	18,066	9	12.9	2.1-23.7	56	87.1	76.3-97.9
Hispanic	128	24,708	37	32.5	21.7-43.3	91	67.5	56.7-78.3
18-24	111	44,761	21	20.8	10.8-30.8	90	79.2	69.2-89.2
25-34	207	61,060	38	18.5	11.6-25.4	169	81.5	74.6-88.4
35-44	214	56,917	36	14.3	8.8-19.8	178	85.7	80.2-91.2
45-54	362	64,612	55	15.5	10.6-20.4	307	84.5	79.6-89.4
55-64	482	64,910	41	7.3	4.8-9.8	441	92.7	90.2-95.2
65+	898	88,877	36	4.5	2.5-6.5	862	95.5	93.5-97.5
Less Than H.S.	200	46,796	42	18.2	11.1-25.3	158	81.8	74.7-88.9
H.S. or G.E.D.	677	108,000	65	13.4	9.1-17.7	612	86.6	82.3-90.9
Some Post-H.S.	618	119,176	78	16.3	11.8-20.8	540	83.7	79.2-88.2
College Graduate	805	111,201	44	4.9	3.1-6.7	761	95.1	93.3-96.9
Less than \$15,000	169	27,114	31	22.5	12.1-32.9	138	77.5	67.1-87.9
\$15,000- 24,999	335	50,512	64	24.2	17.1-31.3	271	75.8	68.7-82.9
\$25,000- 34,999	208	30,305	26	13.7	7.8-19.6	182	86.3	80.4-92.2
\$35,000- 49,999	261	40,576	33	16.2	9.1-23.3	228	83.8	76.7-90.9
\$50,000- 74,999	276	49,235	18	11.2	4.5-17.9	258	88.8	82.1-95.5
\$75,000+	542	107,968	22	5.4	2.5-8.3	520	94.6	91.7-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4000	731,058	3216	75.6	73.6-77.6	380	11.9	10.3-13.5	193	6.2	5.0- 7.4	169	5.0	4.0- 6.0	42	1.2	0.6- 1.8
Male	1723	348,182	1317	70.9	67.8-74.0	193	13.4	11.0-15.8	97	7.7	5.7- 9.7	94	6.1	4.5- 7.7	22	1.9	0.5- 3.3
Female	2277	382,876	1899	80.0	77.5-82.5	187	10.5	8.5-12.5	96	4.8	3.4- 6.2	75	4.1	2.7- 5.5	20	0.6	0.2- 1.0
White/Non-Hisp	2915	476,591	2341	74.6	72.2-77.0	280	12.3	10.5-14.1	148	7.3	5.7- 8.9	130	5.3	4.1- 6.5	16	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	603	143,612	521	82.4	77.5-87.3	46	9.7	6.2-13.2	20	2.6	1.2- 4.0	13	3.3	1.1- 5.5	3	2.0	0.0- 4.9
Oth. Race/Non-Hisp.	112	32,207	85	71.5	60.5-82.5	12	12.1	4.7-19.5	7	7.7	1.4-14.0	4	5.7	0.0-13.1	4	2.9	0.0- 6.0
Hispanic	240	54,991	159	65.7	58.1-73.3	35	16.0	9.7-22.3	13	6.2	2.1-10.3	16	6.5	3.2- 9.8	17	5.6	2.9- 8.3
18-24	217	89,964	141	69.0	61.4-76.6	41	18.2	11.9-24.5	18	6.1	3.0- 9.2	12	5.8	1.5-10.1	5	0.9	0.1- 1.7
25-34	374	120,229	228	58.2	51.5-64.9	55	15.4	10.5-20.3	47	13.9	9.0-18.8	33	8.6	4.9-12.3	11	3.9	0.4- 7.4
35-44	393	108,751	273	72.1	66.8-77.4	58	14.2	9.9-18.5	31	7.0	4.1- 9.9	22	5.0	2.8- 7.2	9	1.7	0.5- 2.9
45-54	612	123,781	476	76.6	72.3-80.9	76	13.6	10.1-17.1	27	3.8	2.0- 5.6	28	5.4	3.0- 7.8	5	0.7	0.1- 1.3
55-64	842	122,456	683	79.1	75.4-82.8	70	10.2	7.5-12.9	44	6.1	3.7- 8.5	41	4.3	2.7- 5.9	4	0.4	0.0- 1.0
65+	1504	157,420	1363	90.8	88.8-92.8	77	4.6	3.4- 5.8	24	2.0	1.0- 3.0	32	2.4	1.2- 3.6	8	0.3	0.1- 0.5
Less Than H.S.	349	90,686	273	76.8	71.1-82.5	27	10.0	5.7-14.3	13	3.7	1.3- 6.1	20	6.1	3.2- 9.0	16	3.3	1.7- 4.9
H.S. or G.E.D.	1218	229,004	974	73.8	69.9-77.7	116	12.8	9.9-15.7	60	6.5	4.1- 8.9	56	5.2	3.2- 7.2	12	1.7	0.0- 3.5
Some Post-H.S.	1009	213,216	803	75.9	72.0-79.8	105	12.5	9.6-15.4	51	6.3	4.1- 8.5	44	4.9	2.7- 7.1	6	0.4	0.0- 0.8
College Graduate	1404	193,674	1150	76.7	73.6-79.8	130	11.2	8.8-13.6	67	6.7	4.7- 8.7	49	4.6	2.8- 6.4	8	0.8	0.2- 1.4
Less than \$15,000	249	39,063	194	71.7	62.3-81.1	24	15.0	7.6-22.4	9	2.1	0.3- 3.9	15	9.5	2.6-16.4	7	1.7	0.3- 3.1
\$15,000- 24,999	569	96,140	453	76.3	71.2-81.4	50	12.6	7.9-17.3	25	3.5	1.9- 5.1	28	4.8	2.6- 7.0	13	2.8	1.0- 4.6
\$25,000- 34,999	379	67,834	294	76.3	70.6-82.0	38	11.0	6.9-15.1	21	5.5	2.8- 8.2	21	6.3	3.2- 9.4	5	1.0	0.0- 2.0
\$35,000- 49,999	455	76,655	374	76.1	70.6-81.6	40	11.9	7.4-16.4	18	4.8	2.3- 7.3	19	6.4	3.3- 9.5	4	0.8	0.0- 1.8
\$50,000- 74,999	498	90,841	423	78.3	72.2-84.4	37	8.9	5.0-12.8	18	6.5	2.6-10.4	20	6.3	2.2-10.4			
\$75,000+	1039	214,325	809	74.2	70.5-77.9	124	12.8	10.3-15.3	59	8.5	5.8-11.2	42	4.2	2.4- 6.0	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1723	348,182	1317	70.9	67.8-74.0	193	13.4	11.0-15.8	97	7.7	5.7- 9.7	94	6.1	4.5- 7.7	22	1.9	0.5- 3.3
White/Non-Hisp	1243	226,196	955	70.4	66.7-74.1	147	14.2	11.5-16.9	68	8.7	6.0-11.4	67	6.1	4.1- 8.1	6	0.6	0.0- 1.2
Black or Afr. Am./Non-Hisp	256	65,520	208	74.1	65.3-82.9	22	12.7	6.2-19.2	14	3.8	1.4- 6.2	10	5.4	1.3- 9.5	2	4.0	0.0-10.1
Hispanic	112	30,348	65	64.6	54.2-75.0	16	12.0	5.5-18.5	9	8.7	2.0-15.4	10	7.6	2.5-12.7	12	7.1	3.0-11.2
18-24	106	45,468	66	68.6	58.2-79.0	22	21.0	11.6-30.4	11	6.9	2.4-11.4	4	2.1	0.0- 4.3	3	1.3	0.0- 2.7
25-34	173	60,112	91	48.5	38.5-58.5	26	13.4	6.9-19.9	24	17.0	8.8-25.2	24	14.6	7.7-21.5	8	6.6	0.0-13.5
35-44	182	52,396	108	63.6	55.2-72.0	34	18.5	11.6-25.4	20	9.1	4.6-13.6	15	6.6	2.9-10.3	5	2.2	0.2- 4.2
45-54	253	59,198	183	73.3	66.8-79.8	41	15.3	10.0-20.6	13	4.5	1.8- 7.2	13	5.9	2.4- 9.4	3	0.9	0.0- 2.1
55-64	367	58,303	281	73.7	67.8-79.6	38	11.9	7.6-16.2	23	9.0	4.7-13.3	23	4.8	2.3- 7.3	2	0.6	0.0- 1.6
65+	620	69,552	568	91.8	89.3-94.3	32	4.7	2.9- 6.5	5	1.1	0.1- 2.1	14	2.3	0.9- 3.7	1	0.2	0.0- 0.6
Less Than H.S.	159	45,330	112	72.5	64.5-80.5	15	10.7	5.0-16.4	8	4.4	1.1- 7.7	11	7.0	2.7-11.3	13	5.4	2.3- 8.5
H.S. or G.E.D.	548	121,785	417	70.1	64.2-76.0	58	13.5	9.4-17.6	33	7.8	4.1-11.5	34	5.8	3.3- 8.3	6	2.9	0.0- 6.4
Some Post-H.S.	396	94,398	295	70.3	63.8-76.8	52	14.7	9.8-19.6	28	9.4	5.3-13.5	20	5.5	2.2- 8.8	1	0.2	0.0- 0.6
College Graduate	609	83,447	485	71.4	66.3-76.5	67	13.6	9.9-17.3	26	7.3	4.2-10.4	29	7.0	3.9-10.1	2	0.7	0.0- 1.7
Less than \$15,000	83	12,670	60	60.0	44.3-75.7	9	23.2	7.5-38.9	4	4.1	0.0- 9.2	8	10.2	1.8-18.6	2	2.4	0.0- 5.7
\$15,000- 24,999	235	45,589	176	71.9	63.9-79.9	22	13.8	6.5-21.1	13	4.4	1.7- 7.1	15	5.9	2.4- 9.4	9	4.0	0.9- 7.1
\$25,000- 34,999	173	37,423	125	72.1	63.5-80.7	20	12.5	6.2-18.8	14	7.8	3.1-12.5	12	6.5	2.4-10.6	2	1.1	0.0- 2.7
\$35,000- 49,999	197	36,470	155	74.5	66.1-82.9	20	11.9	5.2-18.6	9	4.9	1.4- 8.4	11	7.1	2.4-11.8	2	1.5	0.0- 3.7
\$50,000- 74,999	223	41,942	183	73.8	64.2-83.4	17	9.6	2.7-16.5	11	8.7	2.4-15.0	12	7.9	1.8-14.0			
\$75,000+	500	106,945	371	67.9	62.0-73.8	71	14.1	10.4-17.8	30	11.0	6.3-15.7	26	6.4	3.1- 9.7	2	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2277	382,876	1899	80.0	77.5-82.5	187	10.5	8.5-12.5	96	4.8	3.4- 6.2	75	4.1	2.7- 5.5	20	0.6	0.2- 1.0
White/Non-Hisp	1672	250,395	1386	78.4	75.3-81.5	133	10.6	8.2-13.0	80	6.0	4.2- 7.8	63	4.7	3.1- 6.3	10	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	347	78,093	313	89.4	85.1-93.7	24	7.2	3.7-10.7	6	1.6	0.0- 3.4	3	1.5	0.0- 3.5	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	65	18,291	49	72.5	57.0-88.0	7	11.1	1.5-20.7	4	6.0	0.0-12.7	2	7.2	0.0-19.5	3	3.2	0.0- 7.3
Hispanic	128	24,643	94	67.1	55.9-78.3	19	21.0	10.0-32.0	4	3.1	0.0- 6.6	6	5.0	0.7- 9.3	5	3.8	0.3- 7.3
18-24	111	44,496	75	69.5	58.3-80.7	19	15.3	7.3-23.3	7	5.2	0.9- 9.5	8	9.5	1.5-17.5	2	0.6	0.0- 1.4
25-34	201	60,117	137	67.9	59.5-76.3	29	17.4	10.1-24.7	23	10.9	5.4-16.4	9	2.6	0.6- 4.6	3	1.1	0.0- 2.5
35-44	211	56,354	165	80.1	73.4-86.8	24	10.2	4.9-15.5	11	5.1	1.4- 8.8	7	3.4	0.7- 6.1	4	1.2	0.0- 2.6
45-54	359	64,583	293	79.5	74.0-85.0	35	12.0	7.5-16.5	14	3.1	0.7- 5.5	15	5.0	2.1- 7.9	2	0.4	0.0- 1.0
55-64	475	64,153	402	83.9	79.6-88.2	32	8.6	4.9-12.3	21	3.4	1.6- 5.2	18	3.9	1.7- 6.1	2	0.2	0.0- 0.4
65+	884	87,867	795	90.0	87.3-92.7	45	4.4	2.8- 6.0	19	2.7	0.9- 4.5	18	2.5	0.9- 4.1	7	0.4	0.0- 0.8
Less Than H.S.	190	45,356	161	81.2	73.2-89.2	12	9.3	2.8-15.8	5	3.1	0.0- 6.6	9	5.2	1.3- 9.1	3	1.2	0.0- 2.6
H.S. or G.E.D.	670	107,219	557	78.1	73.0-83.2	58	12.0	7.9-16.1	27	5.1	2.4- 7.8	22	4.4	1.7- 7.1	6	0.4	0.0- 0.8
Some Post-H.S.	613	118,818	508	80.4	75.9-84.9	53	10.8	7.3-14.3	23	3.9	1.7- 6.1	24	4.5	2.0- 7.0	5	0.5	0.0- 1.1
College Graduate	795	110,227	665	80.8	76.9-84.7	63	9.3	6.4-12.2	41	6.3	3.8- 8.8	20	2.9	1.3- 4.5	6	0.8	0.0- 1.6
Less than \$15,000	166	26,394	134	77.4	66.2-88.6	15	11.1	3.5-18.7	5	1.1	0.1- 2.1	7	9.1	0.0-18.3	5	1.3	0.0- 2.7
\$15,000- 24,999	334	50,552	277	80.3	73.8-86.8	28	11.6	5.7-17.5	12	2.6	1.0- 4.2	13	3.9	1.4- 6.4	4	1.6	0.0- 3.2
\$25,000- 34,999	206	30,410	169	81.4	74.5-88.3	18	9.1	4.4-13.8	7	2.6	0.4- 4.8	9	6.1	1.0-11.2	3	0.9	0.0- 2.1
\$35,000- 49,999	258	40,185	219	77.5	70.1-84.9	20	11.9	5.8-18.0	9	4.7	1.0- 8.4	8	5.7	1.6- 9.8	2	0.2	0.0- 0.6
\$50,000- 74,999	275	48,899	240	82.2	74.6-89.8	20	8.2	3.9-12.5	7	4.7	0.0- 9.6	8	4.9	0.0-10.4			
\$75,000+	539	107,381	438	80.4	75.9-84.9	53	11.4	7.7-15.1	29	5.9	3.2- 8.6	16	2.0	0.8- 3.2	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4055	739,919	1744	34.5	32.5-36.5	30	1.0	0.6- 1.4	2238	63.7	61.7-65.7	43	0.9	0.5- 1.3
Male	1744	352,861	760	35.9	32.8-39.0				954	62.7	59.6-65.8	30	1.4	0.8- 2.0
Female	2311	387,058	984	33.2	30.7-35.7	30	1.9	0.9- 2.9	1284	64.6	62.1-67.1	13	0.3	0.1- 0.5
White/Non-Hisp	2951	481,589	1284	35.0	32.6-37.4	16	0.7	0.3- 1.1	1618	63.3	60.9-65.7	33	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	608	145,319	300	39.9	34.6-45.2	8	1.6	0.2- 3.0	296	57.9	52.4-63.4	4	0.6	0.0- 1.4
Oth. Race/Non-Hisp.	115	32,643	38	24.3	14.3-34.3				77	75.7	65.7-85.7			
Hispanic	247	55,796	62	21.1	15.2-27.0	4	2.6	0.0- 6.5	178	75.8	69.1-82.5	3	0.5	0.0- 1.3
18-24	218	90,517	16	7.9	3.2-12.6	4	1.2	0.0- 2.6	197	90.7	85.8-95.6	1	0.2	0.0- 0.6
25-34	387	122,256	54	12.6	8.7-16.5	6	2.1	0.0- 4.3	325	85.0	80.5-89.5	2	0.3	0.0- 0.7
35-44	399	111,350	85	20.9	15.6-26.2	7	1.5	0.0- 3.1	304	76.9	71.6-82.2	3	0.7	0.0- 1.5
45-54	621	124,991	225	36.4	31.7-41.1	7	0.8	0.2- 1.4	377	60.9	56.0-65.8	12	1.8	0.4- 3.2
55-64	849	123,160	420	50.6	46.3-54.9	3	0.5	0.0- 1.1	417	47.9	43.6-52.2	9	1.0	0.2- 1.8
65+	1525	158,653	920	61.1	58.0-64.2	3	0.3	0.0- 0.7	586	37.7	34.6-40.8	16	0.9	0.3- 1.5
Less Than H.S.	364	93,839	167	35.5	29.2-41.8	3	1.7	0.0- 4.1	193	62.4	55.9-68.9	1	0.4	0.0- 1.2
H.S. or G.E.D.	1234	231,017	590	38.6	34.9-42.3	3	0.4	0.0- 1.0	627	60.1	56.2-64.0	14	0.9	0.3- 1.5
Some Post-H.S.	1017	215,008	425	33.0	29.3-36.7	12	1.4	0.4- 2.4	571	64.9	61.0-68.8	9	0.7	0.1- 1.3
College Graduate	1418	195,371	554	30.7	27.6-33.8	12	0.9	0.3- 1.5	833	67.2	64.1-70.3	19	1.2	0.6- 1.8
Less than \$15,000	253	40,180	125	40.1	30.9-49.3	4	2.2	0.0- 5.1	123	57.6	48.2-67.0	1	0.1	0.0- 0.3
\$15,000- 24,999	574	96,409	280	40.1	34.6-45.6	3	2.0	0.0- 4.5	289	57.7	52.0-63.4	2	0.1	0.0- 0.3
\$25,000- 34,999	386	68,678	170	35.5	28.8-42.2	4	0.9	0.0- 1.9	209	63.0	56.3-69.7	3	0.5	0.0- 1.1
\$35,000- 49,999	461	77,457	187	38.6	32.5-44.7	2	0.3	0.0- 0.7	262	59.2	53.1-65.3	10	1.9	0.5- 3.3
\$50,000- 74,999	501	92,412	244	39.2	33.3-45.1	2	0.5	0.0- 1.3	250	59.5	53.6-65.4	5	0.7	0.0- 1.5
\$75,000+	1045	216,105	363	27.6	24.1-31.1	9	0.7	0.1- 1.3	662	70.8	67.3-74.3	11	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1744	352,861	760	35.9	32.8-39.0	954	62.7	59.6-65.8	30	1.4	0.8- 2.0
White/Non-Hisp	1257	228,668	565	37.2	33.5-40.9	669	61.1	57.4-64.8	23	1.6	0.8- 2.4
Black or Afr. Am./Non-Hisp	255	66,297	124	40.5	32.1-48.9	128	58.6	50.2-67.0	3	0.9	0.0- 2.5
Hispanic	116	30,645	24	20.5	11.7-29.3	91	79.0	70.2-87.8	1	0.6	0.0- 1.8
18-24	106	45,494	11	11.2	3.6-18.8	95	88.8	81.2-96.4			
25-34	180	61,196	31	17.5	10.6-24.4	147	82.0	75.1-88.9	2	0.6	0.0- 1.4
35-44	185	54,433	42	22.5	14.5-30.5	141	76.3	68.3-84.3	2	1.3	0.0- 3.1
45-54	257	59,688	97	38.1	30.8-45.4	152	58.6	51.2-66.0	8	3.3	0.6- 6.0
55-64	367	58,276	191	53.2	46.7-59.7	169	45.3	38.8-51.8	7	1.5	0.0- 3.1
65+	628	70,012	378	61.2	56.1-66.3	239	37.2	32.3-42.1	11	1.6	0.6- 2.6
Less Than H.S.	164	47,067	69	36.7	27.5-45.9	94	62.6	53.4-71.8	1	0.7	0.0- 2.1
H.S. or G.E.D.	552	122,100	242	35.7	30.2-41.2	301	63.1	57.6-68.6	9	1.3	0.3- 2.3
Some Post-H.S.	402	96,267	168	34.2	28.1-40.3	228	64.5	58.4-70.6	6	1.2	0.0- 2.6
College Graduate	614	84,012	277	38.0	33.1-42.9	323	59.7	54.6-64.8	14	2.3	0.9- 3.7
Less than \$15,000	84	13,067	39	37.2	23.7-50.7	45	62.8	49.3-76.3			
\$15,000- 24,999	239	45,900	106	41.2	33.0-49.4	131	58.5	50.3-66.7	2	0.2	0.0- 0.6
\$25,000- 34,999	176	37,918	70	33.4	23.4-43.4	104	65.9	55.9-75.9	2	0.7	0.0- 1.7
\$35,000- 49,999	200	36,881	74	32.6	24.0-41.2	119	64.4	55.6-73.2	7	3.1	0.6- 5.6
\$50,000- 74,999	225	43,177	125	46.3	37.1-55.5	97	52.4	43.2-61.6	3	1.2	0.0- 2.8
\$75,000+	503	108,139	207	33.5	28.0-39.0	287	65.0	59.5-70.5	9	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2311	387,058	984	33.2	30.7-35.7	30	1.9	0.9- 2.9	1284	64.6	62.1-67.1	13	0.3	0.1- 0.5
White/Non-Hisp	1694	252,920	719	33.1	30.2-36.0	16	1.3	0.5- 2.1	949	65.3	62.4-68.2	10	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	353	79,022	176	39.4	32.7-46.1	8	3.0	0.6- 5.4	168	57.4	50.5-64.3	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	66	18,378	21	24.0	9.5-38.5				45	76.0	61.5-90.5			
Hispanic	131	25,151	38	21.8	14.0-29.6	4	5.8	0.0-14.4	87	71.9	61.7-82.1	2	0.5	0.0- 1.3
18-24	112	45,023	5	4.6	0.0-10.1	4	2.4	0.0- 5.1	102	92.7	86.6-98.8	1	0.4	0.0- 1.2
25-34	207	61,060	23	7.8	4.1-11.5	6	4.2	0.0- 8.5	178	88.0	82.5-93.5			
35-44	214	56,917	43	19.4	12.7-26.1	7	2.9	0.0- 5.8	163	77.5	70.4-84.6	1	0.2	0.0- 0.6
45-54	364	65,303	128	34.9	28.6-41.2	7	1.6	0.4- 2.8	225	63.0	56.7-69.3	4	0.5	0.1- 0.9
55-64	482	64,884	229	48.3	42.6-54.0	3	0.9	0.0- 2.1	248	50.2	44.5-55.9	2	0.6	0.0- 1.4
65+	897	88,641	542	61.0	56.7-65.3	3	0.5	0.0- 1.1	347	38.1	34.0-42.2	5	0.4	0.0- 0.8
Less Than H.S.	200	46,772	98	34.3	25.9-42.7	3	3.4	0.0- 8.3	99	62.3	53.1-71.5			
H.S. or G.E.D.	682	108,917	348	42.0	36.7-47.3	3	0.8	0.0- 1.8	326	56.7	51.4-62.0	5	0.5	0.0- 1.1
Some Post-H.S.	615	118,741	257	32.1	27.2-37.0	12	2.6	0.6- 4.6	343	65.2	60.1-70.3	3	0.2	0.0- 0.4
College Graduate	804	111,359	277	25.1	21.4-28.8	12	1.6	0.4- 2.8	510	72.9	69.0-76.8	5	0.4	0.0- 0.8
Less than \$15,000	169	27,114	86	41.5	29.3-53.7	4	3.3	0.0- 7.6	78	55.1	42.6-67.6	1	0.1	0.0- 0.3
\$15,000- 24,999	335	50,508	174	39.1	31.8-46.4	3	3.9	0.0- 8.8	158	57.1	49.5-64.7			
\$25,000- 34,999	210	30,760	100	38.1	30.1-46.1	4	2.1	0.0- 4.3	105	59.5	51.3-67.7	1	0.3	0.0- 0.9
\$35,000- 49,999	261	40,576	113	44.0	35.8-52.2	2	0.7	0.0- 1.7	143	54.6	46.4-62.8	3	0.7	0.0- 1.7
\$50,000- 74,999	276	49,235	119	33.0	25.6-40.4	2	0.9	0.0- 2.3	153	65.7	58.1-73.3	2	0.3	0.0- 0.7
\$75,000+	542	107,967	156	21.6	17.5-25.7	9	1.5	0.3- 2.7	375	76.7	72.4-81.0	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1738	254,193	1495	78.9	75.8-82.0	243	21.1	18.0-24.2
Male	756	125,841	633	74.7	69.8-79.6	123	25.3	20.4-30.2
Female	982	128,353	862	83.1	79.4-86.8	120	16.9	13.2-20.6
White/Non-Hisp	1281	168,525	1130	83.2	80.1-86.3	151	16.8	13.7-19.9
Black or Afr. Am./Non-Hisp	300	57,957	247	73.8	66.0-81.6	53	26.2	18.4-34.0
Hispanic	62	11,756	42	51.0	35.7-66.3	20	49.0	33.7-64.3
25-34	54	15,458	15	21.2	9.4-33.0	39	78.8	67.0-90.6
35-44	85	23,285	57	72.4	61.0-83.8	28	27.6	16.2-39.0
45-54	225	45,555	174	70.8	62.4-79.2	51	29.2	20.8-37.6
55-64	419	62,259	355	83.0	77.9-88.1	64	17.0	11.9-22.1
65+	916	96,649	870	95.5	93.9-97.1	46	4.5	2.9- 6.1
Less Than H.S.	167	33,321	138	79.6	71.6-87.6	29	20.4	12.4-28.4
H.S. or G.E.D.	589	89,140	508	79.5	74.4-84.6	81	20.5	15.4-25.6
Some Post-H.S.	424	70,873	358	75.7	68.8-82.6	66	24.3	17.4-31.2
College Graduate	551	59,735	484	81.2	75.7-86.7	67	18.8	13.3-24.3
Less than \$15,000	125	16,112	106	77.2	63.1-91.3	19	22.8	8.7-36.9
\$15,000- 24,999	279	38,534	236	74.6	65.6-83.6	43	25.4	16.4-34.4
\$25,000- 34,999	169	24,325	146	80.6	71.6-89.6	23	19.4	10.4-28.4
\$35,000- 49,999	187	29,860	155	74.9	65.5-84.3	32	25.1	15.7-34.5
\$50,000- 74,999	244	36,261	220	81.3	72.7-89.9	24	18.7	10.1-27.3
\$75,000+	363	59,580	307	78.7	72.4-85.0	56	21.3	15.0-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	756	125,841	633	74.7	69.8-79.6	123	25.3	20.4-30.2
White/Non-Hisp	563	84,953	492	81.4	76.5-86.3	71	18.6	13.7-23.5
Black or Afr. Am./Non-Hisp	124	26,844	95	64.6	51.5-77.7	29	35.4	22.3-48.5
45-54	97	22,734	72	66.6	53.9-79.3	25	33.4	20.7-46.1
55-64	190	30,904	161	82.2	74.9-89.5	29	17.8	10.5-25.1
65+	376	42,742	358	96.7	94.9-98.5	18	3.3	1.5- 5.1
Less Than H.S.	69	17,280	57	78.2	65.9-90.5	12	21.8	9.5-34.1
H.S. or G.E.D.	241	43,431	200	75.6	67.4-83.8	41	24.4	16.2-32.6
Some Post-H.S.	168	32,945	136	68.7	57.7-79.7	32	31.3	20.3-42.3
College Graduate	275	31,870	237	77.7	69.7-85.7	38	22.3	14.3-30.3
\$15,000- 24,999	106	18,934	85	67.1	52.0-82.2	21	32.9	17.8-48.0
\$25,000- 34,999	69	12,618	57	77.4	62.9-91.9	12	22.6	8.1-37.1
\$35,000- 49,999	74	12,005	56	66.3	51.0-81.6	18	33.7	18.4-49.0
\$50,000- 74,999	125	20,001	111	75.0	61.7-88.3	14	25.0	11.7-38.3
\$75,000+	207	36,248	174	76.2	67.6-84.8	33	23.8	15.2-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 4: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	982	128,353	862	83.1	79.4-86.8	120	16.9	13.2-20.6
White/Non-Hisp	718	83,572	638	85.1	81.2-89.0	80	14.9	11.0-18.8
Black or Afr. Am./Non-Hisp	176	31,113	152	81.7	73.5-89.9	24	18.3	10.1-26.5
45-54	128	22,821	102	75.0	64.2-85.8	26	25.0	14.2-35.8
55-64	229	31,355	194	83.8	76.9-90.7	35	16.2	9.3-23.1
65+	540	53,906	512	94.5	92.1-96.9	28	5.5	3.1- 7.9
Less Than H.S.	98	16,041	81	81.1	71.3-90.9	17	18.9	9.1-28.7
H.S. or G.E.D.	348	45,709	308	83.2	77.5-88.9	40	16.8	11.1-22.5
Some Post-H.S.	256	37,928	222	81.8	73.4-90.2	34	18.2	9.8-26.6
College Graduate	276	27,865	247	85.3	78.4-92.2	29	14.7	7.8-21.6
Less than \$15,000	86	11,253	70	70.5	52.1-88.9	16	29.5	11.1-47.9
\$15,000- 24,999	173	19,600	151	81.9	73.1-90.7	22	18.1	9.3-26.9
\$25,000- 34,999	100	11,707	89	84.1	73.9-94.3	11	15.9	5.7-26.1
\$35,000- 49,999	113	17,855	99	80.8	69.0-92.6	14	19.2	7.4-31.0
\$50,000- 74,999	119	16,260	109	89.0	80.8-97.2	10	11.0	2.8-19.2
\$75,000+	156	23,332	133	82.6	74.0-91.2	23	17.4	8.8-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	719,013	3602	84.5	82.5-86.5	379	15.5	13.5-17.5
Male	1708	342,046	1517	82.2	79.1-85.3	191	17.8	14.7-20.9
Female	2273	376,967	2085	86.5	84.1-88.9	188	13.5	11.1-15.9
White/Non-Hisp	2908	468,073	2697	87.5	85.3-89.7	211	12.5	10.3-14.7
Black or Afr. Am./Non-Hisp	594	140,649	522	79.7	74.0-85.4	72	20.3	14.6-26.0
Oth. Race/Non-Hisp.	113	32,235	95	82.8	73.0-92.6	18	17.2	7.4-27.0
Hispanic	237	54,179	171	70.2	62.6-77.8	66	29.8	22.2-37.4
18-24	201	83,910	100	49.4	40.2-58.6	101	50.6	41.4-59.8
25-34	367	115,311	254	69.0	62.5-75.5	113	31.0	24.5-37.5
35-44	387	107,138	337	86.5	82.0-91.0	50	13.5	9.0-18.0
45-54	616	124,175	579	93.2	90.5-95.9	37	6.8	4.1- 9.5
55-64	844	122,492	810	95.3	93.1-97.5	34	4.7	2.5- 6.9
65+	1507	156,779	1468	97.6	96.6-98.6	39	2.4	1.4- 3.4
Less Than H.S.	358	90,729	292	75.3	68.4-82.2	66	24.7	17.8-31.6
H.S. or G.E.D.	1208	224,897	1068	81.2	77.3-85.1	140	18.8	14.9-22.7
Some Post-H.S.	991	207,152	903	85.7	82.2-89.2	88	14.3	10.8-17.8
College Graduate	1403	191,897	1319	91.0	88.6-93.4	84	9.0	6.6-11.4
Less than \$15,000	245	38,376	206	76.8	67.6-86.0	39	23.2	14.0-32.4
\$15,000- 24,999	568	95,244	480	76.3	71.0-81.6	88	23.7	18.4-29.0
\$25,000- 34,999	379	67,330	336	84.8	79.3-90.3	43	15.2	9.7-20.7
\$35,000- 49,999	454	76,746	416	87.6	83.3-91.9	38	12.4	8.1-16.7
\$50,000- 74,999	498	90,652	467	86.7	81.0-92.4	31	13.3	7.6-19.0
\$75,000+	1029	208,852	972	90.6	87.5-93.7	57	9.4	6.3-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	342,046	1517	82.2	79.1-85.3	191	17.8	14.7-20.9
White/Non-Hisp	1233	220,474	1134	86.9	83.6-90.2	99	13.1	9.8-16.4
Black or Afr. Am./Non-Hisp	249	64,315	213	72.3	62.5-82.1	36	27.7	17.9-37.5
Hispanic	114	30,607	70	63.4	52.2-74.6	44	36.6	25.4-47.8
18-24	98	42,085	51	46.6	34.1-59.1	47	53.4	40.9-65.9
25-34	170	56,743	109	64.2	54.2-74.2	61	35.8	25.8-45.8
35-44	178	52,137	154	85.5	78.4-92.6	24	14.5	7.4-21.6
45-54	255	59,340	232	90.3	85.6-95.0	23	9.7	5.0-14.4
55-64	364	58,037	346	95.5	93.0-98.0	18	4.5	2.0- 7.0
65+	620	69,801	604	97.5	95.9-99.1	16	2.5	0.9- 4.1
Less Than H.S.	160	44,997	115	66.5	55.9-77.1	45	33.5	22.9-44.1
H.S. or G.E.D.	542	118,646	466	77.8	71.7-83.9	76	22.2	16.1-28.3
Some Post-H.S.	390	92,754	354	86.7	81.2-92.2	36	13.3	7.8-18.8
College Graduate	605	82,581	572	91.6	88.3-94.9	33	8.4	5.1-11.7
Less than \$15,000	81	12,639	63	63.2	46.9-79.5	18	36.8	20.5-53.1
\$15,000- 24,999	235	45,381	184	69.8	61.6-78.0	51	30.2	22.0-38.4
\$25,000- 34,999	173	37,467	148	82.6	74.4-90.8	25	17.4	9.2-25.6
\$35,000- 49,999	195	36,488	180	89.7	84.0-95.4	15	10.3	4.6-16.0
\$50,000- 74,999	224	42,222	211	88.8	81.4-96.2	13	11.2	3.8-18.6
\$75,000+	495	104,220	470	89.9	84.8-95.0	25	10.1	5.0-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2273	376,967	2085	86.5	84.1-88.9	188	13.5	11.1-15.9
White/Non-Hisp	1675	247,599	1563	88.1	85.4-90.8	112	11.9	9.2-14.6
Black or Afr. Am./Non-Hisp	345	76,334	309	85.9	80.4-91.4	36	14.1	8.6-19.6
Oth. Race/Non-Hisp.	64	17,969	51	76.9	61.6-92.2	13	23.1	7.8-38.4
Hispanic	123	23,572	101	78.9	69.5-88.3	22	21.1	11.7-30.5
18-24	103	41,825	49	52.2	39.1-65.3	54	47.8	34.7-60.9
25-34	197	58,567	145	73.7	65.7-81.7	52	26.3	18.3-34.3
35-44	209	55,000	183	87.3	81.8-92.8	26	12.7	7.2-18.2
45-54	361	64,835	347	95.9	93.0-98.8	14	4.1	1.2- 7.0
55-64	480	64,456	464	95.1	91.8-98.4	16	4.9	1.6- 8.2
65+	887	86,978	864	97.8	96.8-98.8	23	2.2	1.2- 3.2
Less Than H.S.	198	45,732	177	83.9	75.9-91.9	21	16.1	8.1-24.1
H.S. or G.E.D.	666	106,251	602	84.9	80.0-89.8	64	15.1	10.2-20.0
Some Post-H.S.	601	114,398	549	85.0	80.5-89.5	52	15.0	10.5-19.5
College Graduate	798	109,316	747	90.6	87.5-93.7	51	9.4	6.3-12.5
Less than \$15,000	164	25,737	143	83.4	73.0-93.8	21	16.6	6.2-27.0
\$15,000- 24,999	333	49,863	296	82.2	75.7-88.7	37	17.8	11.3-24.3
\$25,000- 34,999	206	29,863	188	87.6	80.9-94.3	18	12.4	5.7-19.1
\$35,000- 49,999	259	40,257	236	85.7	79.0-92.4	23	14.3	7.6-21.0
\$50,000- 74,999	274	48,429	256	84.9	76.7-93.1	18	15.1	6.9-23.3
\$75,000+	534	104,632	502	91.3	87.8-94.8	32	8.7	5.2-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3542	596,985	2908	77.1	74.9-79.3	349	12.3	10.5-14.1	174	7.0	5.6- 8.4	111	3.7	2.7- 4.7
Male	1498	277,511	1208	76.0	72.9-79.1	149	11.1	8.9-13.3	86	8.5	6.1-10.9	55	4.4	2.8- 6.0
Female	2044	319,474	1700	78.1	75.2-81.0	200	13.3	10.8-15.8	88	5.6	4.0- 7.2	56	3.1	2.1- 4.1
White/Non-Hisp	2658	404,100	2190	76.5	74.0-79.0	248	12.2	10.0-14.4	129	7.1	5.5- 8.7	91	4.2	3.0- 5.4
Black or Afr. Am./Non-Hisp	508	108,647	436	84.3	80.2-88.4	48	9.1	6.0-12.2	17	4.7	2.0- 7.4	7	1.9	0.1- 3.7
Oth. Race/Non-Hisp.	93	26,156	70	66.5	53.2-79.8	12	16.9	6.7-27.1	8	11.4	1.0-21.8	3	5.2	0.0-11.3
Hispanic	167	37,188	121	73.3	65.1-81.5	25	15.2	8.7-21.7	15	8.4	3.1-13.7	6	3.0	0.3- 5.7
18-24	98	40,649	60	61.7	48.6-74.8	22	24.6	12.4-36.8	13	12.2	4.2-20.2	3	1.5	0.0- 3.3
25-34	249	77,995	148	58.3	50.3-66.3	48	18.7	12.6-24.8	37	15.5	9.4-21.6	16	7.5	2.8-12.2
35-44	332	91,540	233	70.5	64.4-76.6	46	14.7	10.0-19.4	34	10.2	5.9-14.5	19	4.5	2.3- 6.7
45-54	572	114,208	446	77.5	73.2-81.8	71	12.5	9.2-15.8	33	6.2	3.7- 8.7	22	3.8	1.8- 5.8
55-64	803	115,444	668	82.9	79.6-86.2	84	11.0	8.3-13.7	28	3.1	1.7- 4.5	23	3.0	1.2- 4.8
65+	1435	149,406	1309	89.8	87.4-92.2	72	5.3	3.7- 6.9	27	2.6	1.2- 4.0	27	2.3	1.1- 3.5
Less Than H.S.	283	66,748	229	76.7	69.4-84.0	29	13.8	7.3-20.3	15	6.1	2.8- 9.4	10	3.3	0.8- 5.8
H.S. or G.E.D.	1043	179,470	863	78.7	75.0-82.4	99	12.2	9.1-15.3	49	5.2	3.2- 7.2	32	3.9	1.9- 5.9
Some Post-H.S.	892	173,975	731	75.6	71.3-79.9	81	10.6	7.7-13.5	48	9.8	6.3-13.3	32	4.1	2.3- 5.9
College Graduate	1304	172,506	1068	76.9	73.6-80.2	140	13.7	11.0-16.4	61	6.2	4.2- 8.2	35	3.1	1.7- 4.5
Less than \$15,000	204	28,923	166	81.2	73.2-89.2	22	11.5	4.8-18.2	10	4.1	0.2- 8.0	6	3.2	0.1- 6.3
\$15,000- 24,999	464	69,965	380	78.5	72.6-84.4	44	12.6	7.1-18.1	21	5.2	2.7- 7.7	19	3.7	1.7- 5.7
\$25,000- 34,999	329	54,859	274	77.6	70.3-84.9	25	9.6	5.1-14.1	18	8.2	2.3-14.1	12	4.5	1.2- 7.8
\$35,000- 49,999	412	66,315	350	79.2	73.1-85.3	28	8.2	4.5-11.9	21	8.6	3.9-13.3	13	4.0	1.3- 6.7
\$50,000- 74,999	465	78,179	389	76.9	70.8-83.0	40	10.9	6.8-15.0	24	8.2	4.1-12.3	12	3.9	0.4- 7.4
\$75,000+	966	188,133	760	75.1	71.4-78.8	116	13.8	10.9-16.7	54	7.5	5.0-10.0	36	3.6	2.0- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1498	277,511	1208	76.0	72.9-79.1	149	11.1	8.9-13.3	86	8.5	6.1-10.9	55	4.4	2.8- 6.0
White/Non-Hisp	1121	189,287	908	75.2	71.3-79.1	105	10.9	8.4-13.4	65	9.1	6.2-12.0	43	4.8	2.8- 6.8
Black or Afr. Am./Non-Hisp	210	45,652	176	81.3	74.2-88.4	21	10.6	5.3-15.9	8	5.4	1.1- 9.7	5	2.8	0.0- 5.7
Hispanic	67	18,781	47	74.2	61.9-86.5	12	16.2	6.4-26.0	6	8.0	0.0-16.2	2	1.6	0.0- 4.1
18-24	50	19,178	29	57.7	41.0-74.4	10	19.2	7.0-31.4	8	19.9	5.2-34.6	3	3.2	0.0- 7.1
25-34	107	35,895	57	53.3	41.0-65.6	20	13.4	6.3-20.5	17	20.0	9.0-31.0	13	13.2	4.2-22.2
35-44	154	44,598	109	73.7	65.7-81.7	22	13.6	7.5-19.7	17	10.0	4.7-15.3	6	2.8	0.3- 5.3
45-54	228	52,787	177	78.6	72.3-84.9	26	11.0	6.1-15.9	17	6.7	3.0-10.4	8	3.7	0.8- 6.6
55-64	345	55,127	278	80.1	74.6-85.6	39	12.2	7.7-16.7	17	4.3	1.8- 6.8	11	3.4	0.5- 6.3
65+	593	66,330	541	89.8	86.3-93.3	30	5.3	2.9- 7.7	9	2.6	0.2- 5.0	13	2.3	0.7- 3.9
Less Than H.S.	113	29,399	90	78.0	69.0-87.0	10	10.1	3.6-16.6	9	8.9	2.6-15.2	4	3.0	0.0- 6.3
H.S. or G.E.D.	461	91,797	366	76.1	70.6-81.6	46	11.9	8.0-15.8	28	6.4	3.5- 9.3	21	5.7	2.2- 9.2
Some Post-H.S.	348	78,172	275	70.3	63.2-77.4	33	10.4	6.3-14.5	25	13.6	7.3-19.9	15	5.7	2.4- 9.0
College Graduate	566	75,125	469	80.7	76.4-85.0	60	11.7	8.2-15.2	23	5.6	2.9- 8.3	14	2.0	0.6- 3.4
Less than \$15,000	63	7,990	53	78.4	63.1-93.7	6	6.6	0.3-12.9	3	9.9	0.0-22.4	1	5.0	0.0-14.4
\$15,000- 24,999	178	30,841	145	80.3	73.0-87.6	15	10.4	4.7-16.1	11	6.8	2.1-11.5	7	2.6	0.4- 4.8
\$25,000- 34,999	143	29,324	113	71.9	60.1-83.7	15	12.2	4.9-19.5	10	11.8	1.6-22.0	5	4.1	0.0- 8.4
\$35,000- 49,999	178	32,054	146	73.0	62.8-83.2	11	8.3	2.6-14.0	11	11.1	2.5-19.7	10	7.6	1.9-13.3
\$50,000- 74,999	211	37,494	173	73.6	63.8-83.4	21	9.9	4.8-15.0	10	10.0	2.6-17.4	7	6.5	0.0-13.8
\$75,000+	468	93,301	369	76.9	72.0-81.8	55	13.4	9.5-17.3	26	6.8	3.7- 9.9	18	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2044	319,474	1700	78.1	75.2-81.0	200	13.3	10.8-15.8	88	5.6	4.0- 7.2	56	3.1	2.1- 4.1
White/Non-Hisp	1537	214,813	1282	77.7	74.2-81.2	143	13.4	10.3-16.5	64	5.3	3.7- 6.9	48	3.7	2.3- 5.1
Black or Afr. Am./Non-Hisp	298	62,995	260	86.5	81.4-91.6	27	8.0	4.3-11.7	9	4.3	1.0- 7.6	2	1.2	0.0- 3.2
Hispanic	100	18,406	74	72.4	61.4-83.4	13	14.1	5.3-22.9	9	8.9	2.4-15.4	4	4.5	0.0- 9.4
25-34	142	42,101	91	62.6	52.2-73.0	28	23.2	13.8-32.6	20	11.6	5.7-17.5	3	2.7	0.0- 6.4
35-44	178	46,941	124	67.6	58.6-76.6	24	15.8	8.5-23.1	17	10.4	3.7-17.1	13	6.2	2.5- 9.9
45-54	344	61,421	269	76.7	71.0-82.4	45	13.7	9.2-18.2	16	5.8	2.3- 9.3	14	3.8	1.3- 6.3
55-64	458	60,317	390	85.5	81.6-89.4	45	9.8	6.3-13.3	11	2.1	0.7- 3.5	12	2.6	0.8- 4.4
65+	842	83,075	768	89.9	86.8-93.0	42	5.3	3.1- 7.5	18	2.6	0.8- 4.4	14	2.2	0.6- 3.8
Less Than H.S.	170	37,348	139	75.7	64.9-86.5	19	16.7	6.3-27.1	6	4.0	0.7- 7.3	6	3.6	0.1- 7.1
H.S. or G.E.D.	582	87,672	497	81.4	76.3-86.5	53	12.6	7.9-17.3	21	4.0	1.6- 6.4	11	2.1	0.7- 3.5
Some Post-H.S.	544	95,803	456	79.8	74.5-85.1	48	10.7	6.6-14.8	23	6.7	3.0-10.4	17	2.7	1.1- 4.3
College Graduate	738	97,381	599	74.1	69.2-79.0	80	15.3	11.0-19.6	38	6.7	4.0- 9.4	21	4.0	1.8- 6.2
Less than \$15,000	141	20,932	113	82.3	72.9-91.7	16	13.4	4.4-22.4	7	1.9	0.1- 3.7	5	2.5	0.0- 5.0
\$15,000- 24,999	286	39,124	235	77.1	68.3-85.9	29	14.3	5.7-22.9	10	4.0	1.1- 6.9	12	4.5	1.6- 7.4
\$25,000- 34,999	186	25,535	161	84.3	77.2-91.4	10	6.6	1.9-11.3	8	4.1	0.8- 7.4	7	5.0	0.1- 9.9
\$35,000- 49,999	234	34,261	204	85.0	78.9-91.1	17	8.1	3.6-12.6	10	6.3	2.0-10.6	3	0.6	0.0- 1.4
\$50,000- 74,999	254	40,685	216	80.0	72.9-87.1	19	11.9	5.8-18.0	14	6.6	2.5-10.7	5	1.5	0.1- 2.9
\$75,000+	498	94,833	391	73.4	67.7-79.1	61	14.2	9.9-18.5	28	8.1	4.0-12.2	18	4.3	1.9- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3569	602,422	1609	39.1	36.9-41.3	1960	60.9	58.7-63.1
Male	1501	278,320	695	41.5	38.2-44.8	806	58.5	55.2-61.8
Female	2068	324,103	914	36.9	34.0-39.8	1154	63.1	60.2-66.0
White/Non-Hisp	2673	406,136	1253	40.8	38.3-43.3	1420	59.2	56.7-61.7
Black or Afr. Am./Non-Hisp	520	111,665	210	36.9	31.2-42.6	310	63.1	57.4-68.8
Oth. Race/Non-Hisp.	92	26,232	25	16.1	8.1-24.1	67	83.9	75.9-91.9
Hispanic	170	37,949	73	43.9	33.9-53.9	97	56.1	46.1-66.1
18-24	100	41,422	8	9.5	0.0-19.1	92	90.5	80.9- 100
25-34	252	78,974	50	21.1	14.6-27.6	202	78.9	72.4-85.4
35-44	335	92,194	87	27.6	21.1-34.1	248	72.4	65.9-78.9
45-54	574	115,044	220	39.5	34.4-44.6	354	60.5	55.4-65.6
55-64	803	115,674	390	48.4	43.9-52.9	413	51.6	47.1-56.1
65+	1452	151,092	828	55.3	52.0-58.6	624	44.7	41.4-48.0
Less Than H.S.	288	67,573	147	49.8	41.8-57.8	141	50.2	42.2-58.2
H.S. or G.E.D.	1060	181,639	507	43.4	39.3-47.5	553	56.6	52.5-60.7
Some Post-H.S.	895	175,991	386	34.1	30.2-38.0	509	65.9	62.0-69.8
College Graduate	1307	173,086	559	35.2	31.7-38.7	748	64.8	61.3-68.3
Less than \$15,000	204	29,311	114	56.5	45.3-67.7	90	43.5	32.3-54.7
\$15,000- 24,999	476	72,157	216	41.0	34.9-47.1	260	59.0	52.9-65.1
\$25,000- 34,999	335	56,992	156	43.9	36.3-51.5	179	56.1	48.5-63.7
\$35,000- 49,999	414	66,625	192	41.0	34.5-47.5	222	59.0	52.5-65.5
\$50,000- 74,999	462	77,789	206	37.1	31.2-43.0	256	62.9	57.0-68.8
\$75,000+	967	188,729	397	34.1	30.2-38.0	570	65.9	62.0-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1501	278,320	695	41.5	38.2-44.8	806	58.5	55.2-61.8
White/Non-Hisp	1123	189,631	545	43.2	39.3-47.1	578	56.8	52.9-60.7
Black or Afr. Am./Non-Hisp	211	46,118	85	40.4	31.6-49.2	126	59.6	50.8-68.4
Hispanic	69	19,359	28	41.6	26.1-57.1	41	58.4	42.9-73.9
18-24	51	19,593	3	5.2	0.0-11.5	48	94.8	88.5-100
25-34	107	35,829	22	20.1	10.9-29.3	85	79.9	70.7-89.1
35-44	153	44,424	47	36.2	25.6-46.8	106	63.8	53.2-74.4
45-54	230	53,331	98	45.0	37.2-52.8	132	55.0	47.2-62.8
55-64	342	54,614	181	53.2	46.3-60.1	161	46.8	39.9-53.7
65+	597	66,933	332	54.2	48.9-59.5	265	45.8	40.5-51.1
Less Than H.S.	112	29,220	54	47.5	35.9-59.1	58	52.5	40.9-64.1
H.S. or G.E.D.	464	92,046	222	48.8	42.5-55.1	242	51.2	44.9-57.5
Some Post-H.S.	349	79,394	152	34.1	28.0-40.2	197	65.9	59.8-72.0
College Graduate	566	74,642	261	38.3	33.0-43.6	305	61.7	56.4-67.0
Less than \$15,000	62	7,930	34	50.5	33.8-67.2	28	49.5	32.8-66.2
\$15,000- 24,999	183	31,655	76	40.6	31.6-49.6	107	59.4	50.4-68.4
\$25,000- 34,999	147	30,830	65	45.1	33.1-57.1	82	54.9	42.9-66.9
\$35,000- 49,999	179	32,284	91	47.3	37.1-57.5	88	52.7	42.5-62.9
\$50,000- 74,999	207	36,706	95	39.9	30.7-49.1	112	60.1	50.9-69.3
\$75,000+	468	93,556	224	40.6	34.7-46.5	244	59.4	53.5-65.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2068	324,103	914	36.9	34.0-39.8	1154	63.1	60.2-66.0
White/Non-Hisp	1550	216,506	708	38.6	35.3-41.9	842	61.4	58.1-64.7
Black or Afr. Am./Non-Hisp	309	65,547	125	34.5	26.9-42.1	184	65.5	57.9-73.1
Hispanic	101	18,590	45	46.2	33.5-58.9	56	53.8	41.1-66.5
25-34	145	43,145	28	22.0	13.0-31.0	117	78.0	69.0-87.0
35-44	182	47,770	40	19.6	12.7-26.5	142	80.4	73.5-87.3
45-54	344	61,712	122	34.8	28.3-41.3	222	65.2	58.7-71.7
55-64	461	61,059	209	44.1	38.4-49.8	252	55.9	50.2-61.6
65+	855	84,159	496	56.2	51.9-60.5	359	43.8	39.5-48.1
Less Than H.S.	176	38,352	93	51.6	40.4-62.8	83	48.4	37.2-59.6
H.S. or G.E.D.	596	89,593	285	37.9	32.8-43.0	311	62.1	57.0-67.2
Some Post-H.S.	546	96,597	234	34.2	29.1-39.3	312	65.8	60.7-70.9
College Graduate	741	98,444	298	32.9	28.2-37.6	443	67.1	62.4-71.8
Less than \$15,000	142	21,381	80	58.7	45.0-72.4	62	41.3	27.6-55.0
\$15,000- 24,999	293	40,502	140	41.2	33.0-49.4	153	58.8	50.6-67.0
\$25,000- 34,999	188	26,162	91	42.6	33.6-51.6	97	57.4	48.4-66.4
\$35,000- 49,999	235	34,341	101	35.1	27.1-43.1	134	64.9	56.9-72.9
\$50,000- 74,999	255	41,083	111	34.6	27.0-42.2	144	65.4	57.8-73.0
\$75,000+	499	95,173	173	27.7	22.8-32.6	326	72.3	67.4-77.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4041	736,380	263	4.8	3.8- 5.8	3778	95.2	94.2-96.2
Male	1731	349,348	144	5.5	4.3- 6.7	1587	94.5	93.3-95.7
Female	2310	387,032	119	4.2	2.8- 5.6	2191	95.8	94.4-97.2
White/Non-Hisp	2943	479,561	211	5.5	4.5- 6.5	2732	94.5	93.5-95.5
Black or Afr. Am./Non-Hisp	608	145,291	32	4.5	1.6- 7.4	576	95.5	92.6-98.4
Oth. Race/Non-Hisp.	113	32,108	3	2.0	0.0- 4.7	110	98.0	95.3- 100
Hispanic	245	55,573	9	2.7	0.7- 4.7	236	97.3	95.3-99.3
18-24	219	91,001	2	2.7	0.0- 7.0	217	97.3	93.0- 100
25-34	386	122,031	2	0.6	0.0- 1.4	384	99.4	98.6- 100
35-44	397	110,591	4	0.4	0.0- 0.8	393	99.6	99.2- 100
45-54	617	124,238	20	2.7	1.1- 4.3	597	97.3	95.7-98.9
55-64	846	122,375	55	6.4	4.4- 8.4	791	93.6	91.6-95.6
65+	1521	157,838	176	12.8	10.4-15.2	1345	87.2	84.8-89.6
Less Than H.S.	364	93,189	41	10.2	5.3-15.1	323	89.8	84.9-94.7
H.S. or G.E.D.	1229	230,125	96	5.2	3.8- 6.6	1133	94.8	93.4-96.2
Some Post-H.S.	1013	214,273	64	3.9	2.7- 5.1	949	96.1	94.9-97.3
College Graduate	1418	195,563	59	2.7	1.7- 3.7	1359	97.3	96.3-98.3
Less than \$15,000	253	40,165	21	10.1	0.7-19.5	232	89.9	80.5-99.3
\$15,000- 24,999	575	96,419	57	7.3	4.8- 9.8	518	92.7	90.2-95.2
\$25,000- 34,999	381	67,056	25	4.2	2.2- 6.2	356	95.8	93.8-97.8
\$35,000- 49,999	457	76,681	30	5.9	3.2- 8.6	427	94.1	91.4-96.8
\$50,000- 74,999	500	92,414	32	5.9	3.4- 8.4	468	94.1	91.6-96.6
\$75,000+	1045	216,264	36	2.2	1.2- 3.2	1009	97.8	96.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	349,348	144	5.5	4.3- 6.7	1587	94.5	93.3-95.7
White/Non-Hisp	1248	226,464	125	7.5	5.7- 9.3	1123	92.5	90.7-94.3
Black or Afr. Am./Non-Hisp	254	66,141	12	2.5	0.9- 4.1	242	97.5	95.9-99.1
Hispanic	115	30,457	3	1.5	0.0- 3.7	112	98.5	96.3- 100
18-24	107	45,978	1	0.8	0.0- 2.4	106	99.2	97.6- 100
25-34	179	60,971	2	1.2	0.0- 3.0	177	98.8	97.0- 100
35-44	183	53,674	2	0.3	0.0- 0.7	181	99.7	99.3- 100
45-54	254	58,970	10	3.7	1.0- 6.4	244	96.3	93.6-99.0
55-64	364	57,491	34	8.7	5.4-12.0	330	91.3	88.0-94.6
65+	621	68,860	92	15.2	11.3-19.1	529	84.8	80.9-88.7
Less Than H.S.	162	46,232	16	8.3	3.6-13.0	146	91.7	87.0-96.4
H.S. or G.E.D.	547	121,208	53	5.4	3.4- 7.4	494	94.6	92.6-96.6
Some Post-H.S.	398	95,415	38	5.8	3.4- 8.2	360	94.2	91.8-96.6
College Graduate	615	84,236	35	3.7	1.9- 5.5	580	96.3	94.5-98.1
Less than \$15,000	85	13,086	13	8.7	2.2-15.2	72	91.3	84.8-97.8
\$15,000- 24,999	238	45,533	29	8.5	4.2-12.8	209	91.5	87.2-95.8
\$25,000- 34,999	171	36,297	11	3.4	1.0- 5.8	160	96.6	94.2-99.0
\$35,000- 49,999	196	36,105	14	6.1	2.2-10.0	182	93.9	90.0-97.8
\$50,000- 74,999	224	43,179	21	8.6	4.3-12.9	203	91.4	87.1-95.7
\$75,000+	503	108,274	24	3.0	1.4- 4.6	479	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2310	387,032	119	4.2	2.8- 5.6	2191	95.8	94.4-97.2
White/Non-Hisp	1695	253,097	86	3.6	2.6- 4.6	1609	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	354	79,151	20	6.1	1.0-11.2	334	93.9	88.8-99.0
Oth. Race/Non-Hisp.	65	18,225	3	3.6	0.0- 8.3	62	96.4	91.7- 100
Hispanic	130	25,116	6	4.1	0.6- 7.6	124	95.9	92.4-99.4
18-24	112	45,023	1	4.5	0.0-13.1	111	95.5	86.9- 100
25-34	207	61,060				207	100.0	100.0- 100
35-44	214	56,917	2	0.4	0.0- 1.0	212	99.6	99.0- 100
45-54	363	65,268	10	1.8	0.6- 3.0	353	98.2	97.0-99.4
55-64	482	64,884	21	4.3	2.1- 6.5	461	95.7	93.5-97.9
65+	900	88,978	84	10.9	8.0-13.8	816	89.1	86.2-92.0
Less Than H.S.	202	46,957	25	12.1	3.5-20.7	177	87.9	79.3-96.5
H.S. or G.E.D.	682	108,917	43	4.9	2.9- 6.9	639	95.1	93.1-97.1
Some Post-H.S.	615	118,858	26	2.4	1.2- 3.6	589	97.6	96.4-98.8
College Graduate	803	111,327	24	2.0	1.0- 3.0	779	98.0	97.0-99.0
Less than \$15,000	168	27,078	8	10.8	0.0-24.3	160	89.2	75.7- 100
\$15,000- 24,999	337	50,886	28	6.3	3.6- 9.0	309	93.7	91.0-96.4
\$25,000- 34,999	210	30,760	14	5.0	1.9- 8.1	196	95.0	91.9-98.1
\$35,000- 49,999	261	40,576	16	5.8	1.9- 9.7	245	94.2	90.3-98.1
\$50,000- 74,999	276	49,235	11	3.6	0.5- 6.7	265	96.4	93.3-99.5
\$75,000+	542	107,991	12	1.4	0.4- 2.4	530	98.6	97.6-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4026	735,546	241	4.2	3.4- 5.0	3785	95.8	95.0-96.6
Male	1729	349,932	127	5.0	3.8- 6.2	1602	95.0	93.8-96.2
Female	2297	385,613	114	3.5	2.7- 4.3	2183	96.5	95.7-97.3
White/Non-Hisp	2930	478,851	189	4.5	3.7- 5.3	2741	95.5	94.7-96.3
Black or Afr. Am./Non-Hisp	604	144,280	32	4.3	2.3- 6.3	572	95.7	93.7-97.7
Oth. Race/Non-Hisp.	114	32,491	6	3.0	0.1- 5.9	108	97.0	94.1-99.9
Hispanic	246	55,973	10	2.7	0.7- 4.7	236	97.3	95.3-99.3
18-24	219	91,001	1	0.5	0.0- 1.5	218	99.5	98.5- 100
25-34	387	122,256	3	0.5	0.0- 1.1	384	99.5	98.9- 100
35-44	398	110,923	3	0.4	0.0- 1.0	395	99.6	99.0- 100
45-54	618	124,483	17	3.0	1.2- 4.8	601	97.0	95.2-98.8
55-64	839	121,698	49	5.3	3.5- 7.1	790	94.7	92.9-96.5
65+	1508	156,703	165	12.2	9.8-14.6	1343	87.8	85.4-90.2
Less Than H.S.	361	93,427	28	6.0	3.3- 8.7	333	94.0	91.3-96.7
H.S. or G.E.D.	1216	229,209	72	4.0	2.8- 5.2	1144	96.0	94.8-97.2
Some Post-H.S.	1011	213,910	62	4.4	3.0- 5.8	949	95.6	94.2-97.0
College Graduate	1420	195,625	76	3.4	2.4- 4.4	1344	96.6	95.6-97.6
Less than \$15,000	250	39,712	17	4.6	1.5- 7.7	233	95.4	92.3-98.5
\$15,000- 24,999	567	95,964	40	5.7	3.5- 7.9	527	94.3	92.1-96.5
\$25,000- 34,999	380	67,511	28	6.7	3.4-10.0	352	93.3	90.0-96.6
\$35,000- 49,999	458	77,294	38	5.8	3.3- 8.3	420	94.2	91.7-96.7
\$50,000- 74,999	499	92,270	34	5.2	3.0- 7.4	465	94.8	92.6-97.0
\$75,000+	1043	215,449	39	2.2	1.4- 3.0	1004	97.8	97.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1729	349,932	127	5.0	3.8- 6.2	1602	95.0	93.8-96.2
White/Non-Hisp	1244	226,543	109	6.0	4.4- 7.6	1135	94.0	92.4-95.6
Black or Afr. Am./Non-Hisp	253	65,590	12	4.2	1.1- 7.3	241	95.8	92.7-98.9
Hispanic	117	31,129	4	2.1	0.0- 4.6	113	97.9	95.4- 100
18-24	107	45,978				107	100.0	100.0- 100
25-34	180	61,196	2	0.9	0.0- 2.3	178	99.1	97.7- 100
35-44	184	54,006	1	0.1	0.0- 0.3	183	99.9	99.7- 100
45-54	256	59,607	10	4.3	1.0- 7.6	246	95.7	92.4-99.0
55-64	361	57,281	23	5.1	2.6- 7.6	338	94.9	92.4-97.4
65+	618	68,461	91	16.7	12.4-21.0	527	83.3	79.0-87.6
Less Than H.S.	163	46,951	15	8.5	3.4-13.6	148	91.5	86.4-96.6
H.S. or G.E.D.	543	121,206	35	3.8	2.2- 5.4	508	96.2	94.6-97.8
Some Post-H.S.	398	95,252	30	5.3	2.8- 7.8	368	94.7	92.2-97.2
College Graduate	616	84,267	46	4.7	3.1- 6.3	570	95.3	93.7-96.9
Less than \$15,000	84	13,010	8	6.2	0.3-12.1	76	93.8	87.9-99.7
\$15,000- 24,999	236	45,463	20	6.5	2.8-10.2	216	93.5	89.8-97.2
\$25,000- 34,999	172	37,048	14	7.6	2.1-13.1	158	92.4	86.9-97.9
\$35,000- 49,999	199	36,837	16	6.1	2.0-10.2	183	93.9	89.8-98.0
\$50,000- 74,999	224	43,162	24	8.4	4.5-12.3	200	91.6	87.7-95.5
\$75,000+	502	107,833	26	2.8	1.6- 4.0	476	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	385,613	114	3.5	2.7- 4.3	2183	96.5	95.7-97.3
White/Non-Hisp	1686	252,307	80	3.2	2.4- 4.0	1606	96.8	96.0-97.6
Black or Afr. Am./Non-Hisp	351	78,690	20	4.4	2.0- 6.8	331	95.6	93.2-98.0
Oth. Race/Non-Hisp.	65	18,225	6	5.3	0.0-10.6	59	94.7	89.4- 100
Hispanic	129	24,844	6	3.3	0.4- 6.2	123	96.7	93.8-99.6
18-24	112	45,023	1	1.0	0.0- 3.0	111	99.0	97.0- 100
25-34	207	61,060	1	0.2	0.0- 0.6	206	99.8	99.4- 100
35-44	214	56,917	2	0.6	0.0- 1.6	212	99.4	98.4- 100
45-54	362	64,876	7	1.7	0.1- 3.3	355	98.3	96.7-99.9
55-64	478	64,417	26	5.4	3.0- 7.8	452	94.6	92.2-97.0
65+	890	88,242	74	8.6	6.2-11.0	816	91.4	89.0-93.8
Less Than H.S.	198	46,477	13	3.5	1.3- 5.7	185	96.5	94.3-98.7
H.S. or G.E.D.	673	108,004	37	4.2	2.4- 6.0	636	95.8	94.0-97.6
Some Post-H.S.	613	118,658	32	3.7	2.1- 5.3	581	96.3	94.7-97.9
College Graduate	804	111,359	30	2.5	1.3- 3.7	774	97.5	96.3-98.7
Less than \$15,000	166	26,702	9	3.8	0.1- 7.5	157	96.2	92.5-99.9
\$15,000- 24,999	331	50,501	20	5.1	2.6- 7.6	311	94.9	92.4-97.4
\$25,000- 34,999	208	30,463	14	5.6	2.5- 8.7	194	94.4	91.3-97.5
\$35,000- 49,999	259	40,457	22	5.5	2.4- 8.6	237	94.5	91.4-97.6
\$50,000- 74,999	275	49,109	10	2.3	0.5- 4.1	265	97.7	95.9-99.5
\$75,000+	541	107,616	13	1.7	0.7- 2.7	528	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4056	738,982	211	3.6	3.0- 4.2	3845	96.4	95.8-97.0
Male	1745	352,458	96	3.6	2.6- 4.6	1649	96.4	95.4-97.4
Female	2311	386,524	115	3.6	2.8- 4.4	2196	96.4	95.6-97.2
White/Non-Hisp	2952	480,380	156	3.7	2.9- 4.5	2796	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	611	145,930	36	4.4	2.6- 6.2	575	95.6	93.8-97.4
Oth. Race/Non-Hisp.	113	32,057	4	1.0	0.0- 2.2	109	99.0	97.8- 100
Hispanic	247	56,137	6	1.6	0.0- 3.2	241	98.4	96.8- 100
18-24	219	91,001	1	0.2	0.0- 0.6	218	99.8	99.4- 100
25-34	387	122,256	1	0.1	0.0- 0.3	386	99.9	99.7- 100
35-44	398	110,745	6	1.1	0.1- 2.1	392	98.9	97.9-99.9
45-54	616	123,344	20	2.8	1.2- 4.4	596	97.2	95.6-98.8
55-64	849	123,186	52	5.4	3.8- 7.0	797	94.6	93.0-96.2
65+	1529	159,415	128	9.1	6.9-11.3	1401	90.9	88.7-93.1
Less Than H.S.	364	93,422	23	4.6	2.2- 7.0	341	95.4	93.0-97.8
H.S. or G.E.D.	1231	230,401	81	4.6	3.2- 6.0	1150	95.4	94.0-96.8
Some Post-H.S.	1020	215,443	52	3.1	2.1- 4.1	968	96.9	95.9-97.9
College Graduate	1422	195,789	53	2.4	1.6- 3.2	1369	97.6	96.8-98.4
Less than \$15,000	250	39,052	23	6.7	3.0-10.4	227	93.3	89.6-97.0
\$15,000- 24,999	577	97,123	45	6.4	4.0- 8.8	532	93.6	91.2-96.0
\$25,000- 34,999	385	68,640	26	4.7	2.2- 7.2	359	95.3	92.8-97.8
\$35,000- 49,999	461	77,457	17	4.2	1.7- 6.7	444	95.8	93.3-98.3
\$50,000- 74,999	501	92,318	35	4.3	2.7- 5.9	466	95.7	94.1-97.3
\$75,000+	1046	216,060	21	1.2	0.6- 1.8	1025	98.8	98.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	352,458	96	3.6	2.6- 4.6	1649	96.4	95.4-97.4
White/Non-Hisp	1257	227,825	71	3.8	2.6- 5.0	1186	96.2	95.0-97.4
Black or Afr. Am./Non-Hisp	257	66,780	18	4.0	1.8- 6.2	239	96.0	93.8-98.2
Hispanic	117	31,129	3	1.0	0.0- 2.4	114	99.0	97.6- 100
18-24	107	45,978				107	100.0	100.0- 100
25-34	180	61,196	1	0.2	0.0- 0.6	179	99.8	99.4- 100
35-44	184	53,828	3	0.9	0.0- 1.9	181	99.1	98.1- 100
45-54	254	58,987	7	2.4	0.2- 4.6	247	97.6	95.4-99.8
55-64	368	58,318	29	5.8	3.4- 8.2	339	94.2	91.8-96.6
65+	628	70,193	56	10.2	6.7-13.7	572	89.8	86.3-93.3
Less Than H.S.	164	47,412	12	5.6	1.5- 9.7	152	94.4	90.3-98.5
H.S. or G.E.D.	550	121,522	35	4.1	2.3- 5.9	515	95.9	94.1-97.7
Some Post-H.S.	402	96,267	25	3.0	1.6- 4.4	377	97.0	95.6-98.4
College Graduate	619	84,446	24	2.3	1.1- 3.5	595	97.7	96.5-98.9
Less than \$15,000	84	12,900	13	9.7	3.0-16.4	71	90.3	83.6-97.0
\$15,000- 24,999	240	46,237	20	7.3	3.4-11.2	220	92.7	88.8-96.6
\$25,000- 34,999	176	37,918	15	5.3	1.4- 9.2	161	94.7	90.8-98.6
\$35,000- 49,999	200	36,881	5	3.0	0.0- 6.1	195	97.0	93.9- 100
\$50,000- 74,999	225	43,083	21	6.0	3.1- 8.9	204	94.0	91.1-96.9
\$75,000+	503	108,038	8	0.6	0.0- 1.2	495	99.4	98.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2311	386,524	115	3.6	2.8- 4.4	2196	96.4	95.6-97.2
White/Non-Hisp	1695	252,554	85	3.5	2.5- 4.5	1610	96.5	95.5-97.5
Black or Afr. Am./Non-Hisp	354	79,151	18	4.7	2.2- 7.2	336	95.3	92.8-97.8
Oth. Race/Non-Hisp.	65	18,225	4	1.8	0.0- 3.8	61	98.2	96.2- 100
Hispanic	130	25,008	3	2.4	0.0- 5.3	127	97.6	94.7- 100
18-24	112	45,023	1	0.5	0.0- 1.5	111	99.5	98.5- 100
25-34	207	61,060				207	100.0	100.0- 100
35-44	214	56,917	3	1.3	0.0- 2.9	211	98.7	97.1- 100
45-54	362	64,357	13	3.2	1.0- 5.4	349	96.8	94.6-99.0
55-64	481	64,868	23	5.0	2.6- 7.4	458	95.0	92.6-97.4
65+	901	89,222	72	8.3	5.9-10.7	829	91.7	89.3-94.1
Less Than H.S.	200	46,011	11	3.6	1.1- 6.1	189	96.4	93.9-98.9
H.S. or G.E.D.	681	108,879	46	5.2	3.2- 7.2	635	94.8	92.8-96.8
Some Post-H.S.	618	119,176	27	3.1	1.7- 4.5	591	96.9	95.5-98.3
College Graduate	803	111,343	29	2.4	1.2- 3.6	774	97.6	96.4-98.8
Less than \$15,000	166	26,151	10	5.3	0.8- 9.8	156	94.7	90.2-99.2
\$15,000- 24,999	337	50,886	25	5.6	2.9- 8.3	312	94.4	91.7-97.1
\$25,000- 34,999	209	30,721	11	4.1	1.4- 6.8	198	95.9	93.2-98.6
\$35,000- 49,999	261	40,576	12	5.2	1.5- 8.9	249	94.8	91.1-98.5
\$50,000- 74,999	276	49,235	14	2.8	1.0- 4.6	262	97.2	95.4-99.0
\$75,000+	543	108,022	13	1.8	0.6- 3.0	530	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4054	739,532	547	14.4	12.6-16.2	3507	85.6	83.8-87.4
Male	1745	353,162	165	10.5	8.3-12.7	1580	89.5	87.3-91.7
Female	2309	386,370	382	18.0	15.5-20.5	1927	82.0	79.5-84.5
White/Non-Hisp	2950	480,761	386	14.3	12.3-16.3	2564	85.7	83.7-87.7
Black or Afr. Am./Non-Hisp	611	145,930	90	16.5	11.6-21.4	521	83.5	78.6-88.4
Oth. Race/Non-Hisp.	113	32,395	16	10.6	4.1-17.1	97	89.4	82.9-95.9
Hispanic	246	55,902	33	11.8	7.1-16.5	213	88.2	83.5-92.9
18-24	218	90,524	37	23.1	14.7-31.5	181	76.9	68.5-85.3
25-34	384	121,623	55	14.8	10.1-19.5	329	85.2	80.5-89.9
35-44	398	110,848	56	11.2	7.7-14.7	342	88.8	85.3-92.3
45-54	618	124,718	103	16.6	12.7-20.5	515	83.4	79.5-87.3
55-64	847	123,015	123	13.3	10.6-16.0	724	86.7	84.0-89.4
65+	1531	159,770	169	11.1	8.9-13.3	1362	88.9	86.7-91.1
Less Than H.S.	366	94,489	61	19.2	12.1-26.3	305	80.8	73.7-87.9
H.S. or G.E.D.	1231	230,595	155	13.1	10.2-16.0	1076	86.9	84.0-89.8
Some Post-H.S.	1016	214,733	144	14.9	12.0-17.8	872	85.1	82.2-88.0
College Graduate	1422	195,789	185	13.3	10.9-15.7	1237	86.7	84.3-89.1
Less than \$15,000	253	40,184	44	19.9	9.7-30.1	209	80.1	69.9-90.3
\$15,000- 24,999	575	96,781	84	15.1	10.4-19.8	491	84.9	80.2-89.6
\$25,000- 34,999	384	68,535	58	13.1	9.2-17.0	326	86.9	83.0-90.8
\$35,000- 49,999	459	77,299	57	13.8	9.1-18.5	402	86.2	81.5-90.9
\$50,000- 74,999	502	92,609	62	15.9	10.6-21.2	440	84.1	78.8-89.4
\$75,000+	1045	215,534	121	11.9	9.2-14.6	924	88.1	85.4-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	353,162	165	10.5	8.3-12.7	1580	89.5	87.3-91.7
White/Non-Hisp	1256	228,233	117	9.7	7.3-12.1	1139	90.3	87.9-92.7
Black or Afr. Am./Non-Hisp	257	66,780	27	14.0	6.6-21.4	230	86.0	78.6-93.4
Hispanic	116	30,926	8	8.4	1.9-14.9	108	91.6	85.1-98.1
18-24	107	45,978	18	19.4	9.0-29.8	89	80.6	70.2-91.0
25-34	178	60,891	25	13.7	6.8-20.6	153	86.3	79.4-93.2
35-44	185	54,106	17	7.2	3.1-11.3	168	92.8	88.7-96.9
45-54	255	59,477	23	9.4	4.9-13.9	232	90.6	86.1-95.1
55-64	367	58,243	29	7.2	4.1-10.3	338	92.8	89.7-95.9
65+	629	70,510	53	8.5	5.6-11.4	576	91.5	88.6-94.4
Less Than H.S.	165	47,708	18	13.2	4.8-21.6	147	86.8	78.4-95.2
H.S. or G.E.D.	550	122,005	43	8.8	5.3-12.3	507	91.2	87.7-94.7
Some Post-H.S.	401	96,192	46	12.6	7.9-17.3	355	87.4	82.7-92.1
College Graduate	619	84,446	57	9.1	6.2-12.0	562	90.9	88.0-93.8
Less than \$15,000	85	13,086	7	7.1	0.0-15.1	78	92.9	84.9- 100
\$15,000- 24,999	238	45,895	22	8.5	4.2-12.8	216	91.5	87.2-95.8
\$25,000- 34,999	174	37,776	14	7.0	2.7-11.3	160	93.0	88.7-97.3
\$35,000- 49,999	200	36,881	17	9.0	3.3-14.7	183	91.0	85.3-96.7
\$50,000- 74,999	226	43,374	19	10.1	3.0-17.2	207	89.9	82.8-97.0
\$75,000+	504	108,316	41	10.0	6.1-13.9	463	90.0	86.1-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2309	386,370	382	18.0	15.5-20.5	1927	82.0	79.5-84.5
White/Non-Hisp	1694	252,528	269	18.4	15.5-21.3	1425	81.6	78.7-84.5
Black or Afr. Am./Non-Hisp	354	79,151	63	18.6	12.3-24.9	291	81.4	75.1-87.7
Oth. Race/Non-Hisp.	64	18,129	10	12.3	2.1-22.5	54	87.7	77.5-97.9
Hispanic	130	24,976	25	16.0	8.9-23.1	105	84.0	76.9-91.1
18-24	111	44,546	19	26.9	13.8-40.0	92	73.1	60.0-86.2
25-34	206	60,732	30	15.9	9.6-22.2	176	84.1	77.8-90.4
35-44	213	56,742	39	15.1	9.8-20.4	174	84.9	79.6-90.2
45-54	363	65,241	80	23.0	17.1-28.9	283	77.0	71.1-82.9
55-64	480	64,772	94	18.8	14.5-23.1	386	81.2	76.9-85.5
65+	902	89,260	116	13.1	10.2-16.0	786	86.9	84.0-89.8
Less Than H.S.	201	46,782	43	25.2	14.2-36.2	158	74.8	63.8-85.8
H.S. or G.E.D.	681	108,590	112	18.0	13.3-22.7	569	82.0	77.3-86.7
Some Post-H.S.	615	118,540	98	16.7	12.8-20.6	517	83.3	79.4-87.2
College Graduate	803	111,343	128	16.5	13.0-20.0	675	83.5	80.0-87.0
Less than \$15,000	168	27,097	37	26.1	12.4-39.8	131	73.9	60.2-87.6
\$15,000- 24,999	337	50,886	62	21.1	13.5-28.7	275	78.9	71.3-86.5
\$25,000- 34,999	210	30,760	44	20.6	13.9-27.3	166	79.4	72.7-86.1
\$35,000- 49,999	259	40,418	40	18.1	11.0-25.2	219	81.9	74.8-89.0
\$50,000- 74,999	276	49,235	43	21.1	13.5-28.7	233	78.9	71.3-86.5
\$75,000+	541	107,218	80	13.9	10.4-17.4	461	86.1	82.6-89.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	102,884	381	66.0	59.3-72.7	144	34.0	27.3-40.7
Male	155	34,983	83	43.7	32.5-54.9	72	56.3	45.1-67.5
Female	370	67,901	298	77.5	70.2-84.8	72	22.5	15.2-29.8
White/Non-Hisp	373	66,389	269	69.5	62.4-76.6	104	30.5	23.4-37.6
Black or Afr. Am./Non-Hisp	82	22,862	56	52.4	34.6-70.2	26	47.6	29.8-65.4
25-34	51	16,903	30	52.6	34.8-70.4	21	47.4	29.6-65.2
35-44	53	11,623	38	67.5	51.6-83.4	15	32.5	16.6-48.4
45-54	99	19,855	73	73.7	61.9-85.5	26	26.3	14.5-38.1
55-64	120	15,922	95	72.9	62.1-83.7	25	27.1	16.3-37.9
65+	161	17,152	121	79.4	72.1-86.7	40	20.6	13.3-27.9
Less Than H.S.	60	17,995	50	69.0	45.5-92.5	10	31.0	7.5-54.5
H.S. or G.E.D.	145	28,815	109	70.9	59.3-82.5	36	29.1	17.5-40.7
Some Post-H.S.	140	30,836	91	58.0	46.4-69.6	49	42.0	30.4-53.6
College Graduate	178	24,950	130	68.9	59.3-78.5	48	31.1	21.5-40.7
\$15,000- 24,999	82	14,552	62	78.9	67.9-89.9	20	21.1	10.1-32.1
\$25,000- 34,999	57	8,878	43	74.9	61.2-88.6	14	25.1	11.4-38.8
\$35,000- 49,999	56	10,623	40	65.3	46.5-84.1	16	34.7	15.9-53.5
\$50,000- 74,999	59	14,306	44	66.8	47.6-86.0	15	33.2	14.0-52.4
\$75,000+	113	23,811	75	54.6	42.3-66.9	38	45.4	33.1-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	155	34,983	83	43.7	32.7-54.7	72	56.3	45.3-67.3
White/Non-Hisp	111	20,644	59	45.5	32.6-58.4	52	54.5	41.6-67.4
College Graduate	54	7,098	27	39.9	24.0-55.8	27	60.1	44.2-76.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	370	67,901	298	77.5	70.2-84.8	72	22.5	15.2-29.8
White/Non-Hisp	262	45,746	210	80.4	73.3-87.5	52	19.6	12.5-26.7
Black or Afr. Am./Non-Hisp	58	13,747	44	65.0	42.3-87.7	14	35.0	12.3-57.7
45-54	76	14,235	61	80.3	66.8-93.8	15	19.7	6.2-33.2
55-64	91	11,747	71	74.5	62.5-86.5	20	25.5	13.5-37.5
65+	112	11,420	93	82.8	74.4-91.2	19	17.2	8.8-25.6
H.S. or G.E.D.	106	18,473	88	87.6	80.5-94.7	18	12.4	5.3-19.5
Some Post-H.S.	97	19,630	71	67.8	54.9-80.7	26	32.2	19.3-45.1
College Graduate	124	17,852	103	80.4	69.8-91.0	21	19.6	9.0-30.2
\$15,000- 24,999	62	10,733	52	88.4	79.0-97.8	10	11.6	2.2-21.0
\$75,000+	76	14,293	58	71.9	59.6-84.2	18	28.1	15.8-40.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4057	740,071	415	7.3	6.3- 8.3	3642	92.7	91.7-93.7
Male	1745	352,983	200	7.9	6.5- 9.3	1545	92.1	90.7-93.5
Female	2312	387,088	215	6.7	5.5- 7.9	2097	93.3	92.1-94.5
White/Non-Hisp	2951	481,229	392	10.3	8.9-11.7	2559	89.7	88.3-91.1
Black or Afr. Am./Non-Hisp	611	145,930	4	0.6	0.0- 1.4	607	99.4	98.6- 100
Oth. Race/Non-Hisp.	113	32,057	1	0.3	0.0- 0.9	112	99.7	99.1- 100
Hispanic	248	56,281	4	1.7	0.0- 3.7	244	98.3	96.3- 100
18-24	219	91,001				219	100.0	100.0- 100
25-34	387	122,256	4	1.2	0.0- 2.4	383	98.8	97.6- 100
35-44	397	110,848	13	2.8	0.8- 4.8	384	97.2	95.2-99.2
45-54	619	124,315	35	5.7	3.5- 7.9	584	94.3	92.1-96.5
55-64	849	123,099	86	11.1	8.2-14.0	763	88.9	86.0-91.8
65+	1528	159,516	267	16.4	14.0-18.8	1261	83.6	81.2-86.0
Less Than H.S.	366	94,192	19	5.6	2.9- 8.3	347	94.4	91.7-97.1
H.S. or G.E.D.	1233	231,044	110	7.4	5.6- 9.2	1123	92.6	90.8-94.4
Some Post-H.S.	1017	215,173	103	6.9	5.3- 8.5	914	93.1	91.5-94.7
College Graduate	1421	195,654	181	8.4	6.8-10.0	1240	91.6	90.0-93.2
Less than \$15,000	253	39,958	20	5.4	2.5- 8.3	233	94.6	91.7-97.5
\$15,000- 24,999	577	97,051	28	4.8	2.4- 7.2	549	95.2	92.8-97.6
\$25,000- 34,999	385	68,631	34	6.2	3.3- 9.1	351	93.8	90.9-96.7
\$35,000- 49,999	461	77,457	44	5.8	3.6- 8.0	417	94.2	92.0-96.4
\$50,000- 74,999	502	92,609	68	9.3	6.6-12.0	434	90.7	88.0-93.4
\$75,000+	1045	216,164	127	8.7	6.7-10.7	918	91.3	89.3-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	352,983	200	7.9	6.5- 9.3	1545	92.1	90.7-93.5
White/Non-Hisp	1256	228,255	188	11.5	9.3-13.7	1068	88.5	86.3-90.7
Black or Afr. Am./Non-Hisp	257	66,780	1	0.3	0.0- 0.9	256	99.7	99.1- 100
Hispanic	117	31,129				117	100.0	100.0- 100
18-24	107	45,978				107	100.0	100.0- 100
25-34	180	61,196	2	0.9	0.0- 2.1	178	99.1	97.9- 100
35-44	183	53,931	3	2.1	0.0- 5.0	180	97.9	95.0- 100
45-54	256	59,255	16	7.4	3.5-11.3	240	92.6	88.7-96.5
55-64	367	58,215	40	12.5	7.8-17.2	327	87.5	82.8-92.2
65+	628	70,451	136	19.8	15.9-23.7	492	80.2	76.3-84.1
Less Than H.S.	165	47,477	8	5.7	1.4-10.0	157	94.3	90.0-98.6
H.S. or G.E.D.	551	122,127	50	8.3	5.4-11.2	501	91.7	88.8-94.6
Some Post-H.S.	401	96,192	38	6.2	3.8- 8.6	363	93.8	91.4-96.2
College Graduate	617	84,295	103	10.7	8.2-13.2	514	89.3	86.8-91.8
Less than \$15,000	85	13,086	9	9.8	2.5-17.1	76	90.2	82.9-97.5
\$15,000- 24,999	241	46,303	10	5.2	1.3- 9.1	231	94.8	90.9-98.7
\$25,000- 34,999	175	37,871	14	5.4	1.5- 9.3	161	94.6	90.7-98.5
\$35,000- 49,999	200	36,881	22	6.0	2.9- 9.1	178	94.0	90.9-97.1
\$50,000- 74,999	226	43,374	37	11.3	6.8-15.8	189	88.7	84.2-93.2
\$75,000+	502	108,141	74	10.6	7.3-13.9	428	89.4	86.1-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2312	387,088	215	6.7	5.5- 7.9	2097	93.3	92.1-94.5
White/Non-Hisp	1695	252,974	204	9.2	7.6-10.8	1491	90.8	89.2-92.4
Black or Afr. Am./Non-Hisp	354	79,151	3	0.9	0.0- 2.1	351	99.1	97.9- 100
Oth. Race/Non-Hisp.	65	18,225				65	100.0	100.0- 100
Hispanic	131	25,151	4	3.8	0.0- 8.1	127	96.2	91.9- 100
18-24	112	45,023				112	100.0	100.0- 100
25-34	207	61,060	2	1.5	0.0- 3.7	205	98.5	96.3- 100
35-44	214	56,917	10	3.6	1.1- 6.1	204	96.4	93.9-98.9
45-54	363	65,061	19	4.2	2.0- 6.4	344	95.8	93.6-98.0
55-64	482	64,884	46	9.9	6.6-13.2	436	90.1	86.8-93.4
65+	900	89,065	131	13.7	11.0-16.4	769	86.3	83.6-89.0
Less Than H.S.	201	46,715	11	5.5	2.0- 9.0	190	94.5	91.0-98.0
H.S. or G.E.D.	682	108,917	60	6.4	4.2- 8.6	622	93.6	91.4-95.8
Some Post-H.S.	616	118,981	65	7.5	5.1- 9.9	551	92.5	90.1-94.9
College Graduate	804	111,359	78	6.6	4.8- 8.4	726	93.4	91.6-95.2
Less than \$15,000	168	26,871	11	3.2	0.7- 5.7	157	96.8	94.3-99.3
\$15,000- 24,999	336	50,749	18	4.4	1.9- 6.9	318	95.6	93.1-98.1
\$25,000- 34,999	210	30,760	20	7.2	2.9-11.5	190	92.8	88.5-97.1
\$35,000- 49,999	261	40,576	22	5.6	2.9- 8.3	239	94.4	91.7-97.1
\$50,000- 74,999	276	49,235	31	7.6	4.5-10.7	245	92.4	89.3-95.5
\$75,000+	543	108,022	53	6.8	4.4- 9.2	490	93.2	90.8-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4062	740,339	445	7.2	6.4- 8.0	3617	92.8	92.0-93.6
Male	1748	353,056	165	5.4	4.4- 6.4	1583	94.6	93.6-95.6
Female	2314	387,283	280	8.8	7.4-10.2	2034	91.2	89.8-92.6
White/Non-Hisp	2954	481,012	372	8.6	7.4- 9.8	2582	91.4	90.2-92.6
Black or Afr. Am./Non-Hisp	611	145,930	38	4.5	2.7- 6.3	573	95.5	93.7-97.3
Oth. Race/Non-Hisp.	114	32,491	10	3.2	0.8- 5.6	104	96.8	94.4-99.2
Hispanic	248	56,281	12	4.4	1.7- 7.1	236	95.6	92.9-98.3
18-24	219	91,001	1	0.4	0.0- 1.2	218	99.6	98.8- 100
25-34	387	122,256	6	1.1	0.1- 2.1	381	98.9	97.9-99.9
35-44	397	110,375	12	2.7	0.9- 4.5	385	97.3	95.5-99.1
45-54	620	124,749	31	3.8	2.2- 5.4	589	96.2	94.6-97.8
55-64	850	123,202	104	12.5	9.8-15.2	746	87.5	84.8-90.2
65+	1531	159,720	288	17.3	14.9-19.7	1243	82.7	80.3-85.1
Less Than H.S.	367	94,626	42	7.8	4.9-10.7	325	92.2	89.3-95.1
H.S. or G.E.D.	1233	230,827	133	6.9	5.3- 8.5	1100	93.1	91.5-94.7
Some Post-H.S.	1020	215,443	109	7.1	5.5- 8.7	911	92.9	91.3-94.5
College Graduate	1422	195,436	158	7.1	5.7- 8.5	1264	92.9	91.5-94.3
Less than \$15,000	253	39,958	32	10.0	5.3-14.7	221	90.0	85.3-94.7
\$15,000- 24,999	577	97,099	63	7.0	4.8- 9.2	514	93.0	90.8-95.2
\$25,000- 34,999	386	68,678	50	9.0	5.9-12.1	336	91.0	87.9-94.1
\$35,000- 49,999	461	77,457	62	8.9	6.2-11.6	399	91.1	88.4-93.8
\$50,000- 74,999	502	92,609	58	8.1	5.6-10.6	444	91.9	89.4-94.4
\$75,000+	1045	215,691	92	5.4	4.0- 6.8	953	94.6	93.2-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	353,056	165	5.4	4.4- 6.4	1583	94.6	93.6-95.6
White/Non-Hisp	1257	227,843	135	6.3	4.9- 7.7	1122	93.7	92.3-95.1
Black or Afr. Am./Non-Hisp	257	66,780	15	3.9	1.4- 6.4	242	96.1	93.6-98.6
Hispanic	117	31,129	3	1.6	0.0- 3.6	114	98.4	96.4- 100
18-24	107	45,978	1	0.8	0.0- 2.4	106	99.2	97.6- 100
25-34	180	61,196	1	0.6	0.0- 1.8	179	99.4	98.2- 100
35-44	183	53,458	2	0.6	0.0- 1.4	181	99.4	98.6- 100
45-54	257	59,688	7	1.5	0.3- 2.7	250	98.5	97.3-99.7
55-64	368	58,318	32	8.0	4.5-11.5	336	92.0	88.5-95.5
65+	629	70,460	120	17.2	13.7-20.7	509	82.8	79.3-86.3
Less Than H.S.	166	47,911	13	6.5	2.6-10.4	153	93.5	89.6-97.4
H.S. or G.E.D.	551	121,909	40	4.5	2.7- 6.3	511	95.5	93.7-97.3
Some Post-H.S.	402	96,267	31	4.2	2.4- 6.0	371	95.8	94.0-97.6
College Graduate	618	84,077	79	7.3	5.3- 9.3	539	92.7	90.7-94.7
Less than \$15,000	85	13,086	7	7.0	0.3-13.7	78	93.0	86.3-99.7
\$15,000- 24,999	240	46,213	17	5.2	2.3- 8.1	223	94.8	91.9-97.7
\$25,000- 34,999	176	37,918	14	5.9	1.8-10.0	162	94.1	90.0-98.2
\$35,000- 49,999	200	36,881	28	8.9	4.6-13.2	172	91.1	86.8-95.4
\$50,000- 74,999	226	43,374	27	7.3	4.0-10.6	199	92.7	89.4-96.0
\$75,000+	502	107,668	38	3.0	1.8- 4.2	464	97.0	95.8-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2314	387,283	280	8.8	7.4-10.2	2034	91.2	89.8-92.6
White/Non-Hisp	1697	253,169	237	10.6	8.8-12.4	1460	89.4	87.6-91.2
Black or Afr. Am./Non-Hisp	354	79,151	23	5.0	2.5- 7.5	331	95.0	92.5-97.5
Oth. Race/Non-Hisp.	65	18,225	7	4.1	0.6- 7.6	58	95.9	92.4-99.4
Hispanic	131	25,151	9	7.9	2.2-13.6	122	92.1	86.4-97.8
18-24	112	45,023				112	100.0	100.0- 100
25-34	207	61,060	5	1.6	0.0- 3.4	202	98.4	96.6- 100
35-44	214	56,917	10	4.6	1.5- 7.7	204	95.4	92.3-98.5
45-54	363	65,061	24	6.0	3.3- 8.7	339	94.0	91.3-96.7
55-64	482	64,884	72	16.5	12.2-20.8	410	83.5	79.2-87.8
65+	902	89,260	168	17.4	14.3-20.5	734	82.6	79.5-85.7
Less Than H.S.	201	46,715	29	9.3	5.2-13.4	172	90.7	86.6-94.8
H.S. or G.E.D.	682	108,917	93	9.6	7.1-12.1	589	90.4	87.9-92.9
Some Post-H.S.	618	119,176	78	9.4	6.9-11.9	540	90.6	88.1-93.1
College Graduate	804	111,359	79	6.9	4.9- 8.9	725	93.1	91.1-95.1
Less than \$15,000	168	26,871	25	11.4	5.1-17.7	143	88.6	82.3-94.9
\$15,000- 24,999	337	50,886	46	8.7	5.8-11.6	291	91.3	88.4-94.2
\$25,000- 34,999	210	30,760	36	12.7	7.8-17.6	174	87.3	82.4-92.2
\$35,000- 49,999	261	40,576	34	8.9	5.2-12.6	227	91.1	87.4-94.8
\$50,000- 74,999	276	49,235	31	8.8	4.9-12.7	245	91.2	87.3-95.1
\$75,000+	543	108,022	54	7.9	5.4-10.4	489	92.1	89.6-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4044	738,703	393	7.1	6.1- 8.1	3651	92.9	91.9-93.9
Male	1737	351,998	136	5.5	4.1- 6.9	1601	94.5	93.1-95.9
Female	2307	386,705	257	8.6	7.0-10.2	2050	91.4	89.8-93.0
White/Non-Hisp	2943	480,046	308	7.9	6.7- 9.1	2635	92.1	90.9-93.3
Black or Afr. Am./Non-Hisp	610	145,792	47	6.3	3.2- 9.4	563	93.7	90.6-96.8
Oth. Race/Non-Hisp.	112	32,242	9	3.7	1.2- 6.2	103	96.3	93.8-98.8
Hispanic	247	56,246	11	3.0	0.8- 5.2	236	97.0	94.8-99.2
18-24	217	90,594	4	3.0	0.0- 7.3	213	97.0	92.7- 100
25-34	387	122,256	11	2.0	0.4- 3.6	376	98.0	96.4-99.6
35-44	397	110,547	12	3.2	0.5- 5.9	385	96.8	94.1-99.5
45-54	616	124,447	48	6.8	4.4- 9.2	568	93.2	90.8-95.6
55-64	847	122,643	95	11.5	8.8-14.2	752	88.5	85.8-91.2
65+	1522	159,181	219	12.6	10.4-14.8	1303	87.4	85.2-89.6
Less Than H.S.	367	94,603	52	13.5	8.2-18.8	315	86.5	81.2-91.8
H.S. or G.E.D.	1227	230,331	150	8.0	6.0-10.0	1077	92.0	90.0-94.0
Some Post-H.S.	1013	214,640	102	6.2	4.8- 7.6	911	93.8	92.4-95.2
College Graduate	1418	195,203	86	3.9	2.7- 5.1	1332	96.1	94.9-97.3
Less than \$15,000	248	39,422	42	20.5	10.1-30.9	206	79.5	69.1-89.9
\$15,000- 24,999	575	96,952	87	11.1	8.2-14.0	488	88.9	86.0-91.8
\$25,000- 34,999	385	68,634	55	11.2	6.5-15.9	330	88.8	84.1-93.5
\$35,000- 49,999	457	76,853	49	7.9	5.2-10.6	408	92.1	89.4-94.8
\$50,000- 74,999	500	92,515	39	6.4	3.7- 9.1	461	93.6	90.9-96.3
\$75,000+	1046	215,913	33	1.6	0.8- 2.4	1013	98.4	97.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	351,998	136	5.5	4.1- 6.9	1601	94.5	93.1-95.9
White/Non-Hisp	1250	227,183	104	6.1	4.3- 7.9	1146	93.9	92.1-95.7
Black or Afr. Am./Non-Hisp	256	66,641	19	5.1	2.4- 7.8	237	94.9	92.2-97.6
Hispanic	117	31,129	6	3.5	0.2- 6.8	111	96.5	93.2-99.8
18-24	107	45,978	2	1.3	0.0- 3.3	105	98.7	96.7- 100
25-34	180	61,196	6	1.9	0.1- 3.7	174	98.1	96.3-99.9
35-44	183	53,630	3	3.1	0.0- 8.0	180	96.9	92.0- 100
45-54	254	59,282	14	3.3	1.3- 5.3	240	96.7	94.7-98.7
55-64	366	57,818	39	10.2	6.5-13.9	327	89.8	86.1-93.5
65+	623	70,136	71	11.3	8.0-14.6	552	88.7	85.4-92.0
Less Than H.S.	166	47,911	17	7.5	3.4-11.6	149	92.5	88.4-96.6
H.S. or G.E.D.	548	121,670	41	5.4	2.7- 8.1	507	94.6	91.9-97.3
Some Post-H.S.	398	95,620	37	5.2	3.0- 7.4	361	94.8	92.6-97.0
College Graduate	615	83,986	39	4.8	2.8- 6.8	576	95.2	93.2-97.2
Less than \$15,000	82	12,750	10	8.0	0.7-15.3	72	92.0	84.7-99.3
\$15,000- 24,999	240	46,228	24	8.9	4.6-13.2	216	91.1	86.8-95.4
\$25,000- 34,999	175	37,875	19	9.0	1.7-16.3	156	91.0	83.7-98.3
\$35,000- 49,999	197	36,380	18	6.6	2.9-10.3	179	93.4	89.7-97.1
\$50,000- 74,999	224	43,279	24	7.4	3.9-10.9	200	92.6	89.1-96.1
\$75,000+	503	107,891	19	2.2	1.0- 3.4	484	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2307	386,705	257	8.6	7.0-10.2	2050	91.4	89.8-93.0
White/Non-Hisp	1693	252,863	204	9.5	7.7-11.3	1489	90.5	88.7-92.3
Black or Afr. Am./Non-Hisp	354	79,151	28	7.4	2.1-12.7	326	92.6	87.3-97.9
Oth. Race/Non-Hisp.	64	18,083	6	3.9	0.6-7.2	58	96.1	92.8-99.4
Hispanic	130	25,116	5	2.4	0.0- 4.9	125	97.6	95.1- 100
18-24	110	44,616	2	4.8	0.0-13.4	108	95.2	86.6- 100
25-34	207	61,060	5	2.1	0.0- 4.8	202	97.9	95.2- 100
35-44	214	56,917	9	3.4	0.9- 5.9	205	96.6	94.1-99.1
45-54	362	65,164	34	10.0	5.9-14.1	328	90.0	85.9-94.1
55-64	481	64,825	56	12.7	8.8-16.6	425	87.3	83.4-91.2
65+	899	89,045	148	13.6	10.9-16.3	751	86.4	83.7-89.1
Less Than H.S.	201	46,692	35	19.6	10.2-29.0	166	80.4	71.0-89.8
H.S. or G.E.D.	679	108,660	109	10.8	8.3-13.3	570	89.2	86.7-91.7
Some Post-H.S.	615	119,019	65	6.9	4.9- 8.9	550	93.1	91.1-95.1
College Graduate	803	111,217	47	3.2	1.6- 4.8	756	96.8	95.2-98.4
Less than \$15,000	166	26,672	32	26.5	12.4-40.6	134	73.5	59.4-87.6
\$15,000- 24,999	335	50,724	63	13.0	8.9-17.1	272	87.0	82.9-91.1
\$25,000- 34,999	210	30,760	36	14.0	8.3-19.7	174	86.0	80.3-91.7
\$35,000- 49,999	260	40,473	31	9.1	5.0-13.2	229	90.9	86.8-95.0
\$50,000- 74,999	276	49,235	15	5.6	1.5- 9.7	261	94.4	90.3-98.5
\$75,000+	543	108,022	14	1.1	0.3- 1.9	529	98.9	98.1-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4045	736,817	1471	28.1	26.3-29.9	2574	71.9	70.1-73.7
Male	1742	351,911	526	23.9	21.4-26.4	1216	76.1	73.6-78.6
Female	2303	384,906	945	31.9	29.4-34.4	1358	68.1	65.6-70.6
White/Non-Hisp	2943	478,723	1154	31.9	29.7-34.1	1789	68.1	65.9-70.3
Black or Afr. Am./Non-Hisp	608	145,339	191	22.9	18.8-27.0	417	77.1	73.0-81.2
Oth. Race/Non-Hisp.	112	31,898	30	15.6	8.3-22.9	82	84.4	77.1-91.7
Hispanic	248	56,281	47	13.8	9.1-18.5	201	86.2	81.5-90.9
18-24	218	89,733	12	5.4	1.7- 9.1	206	94.6	90.9-98.3
25-34	386	121,921	29	7.1	4.0-10.2	357	92.9	89.8-96.0
35-44	398	110,824	60	12.5	9.0-16.0	338	87.5	84.0-91.0
45-54	619	124,017	197	31.6	26.9-36.3	422	68.4	63.7-73.1
55-64	848	122,825	352	42.2	37.9-46.5	496	57.8	53.5-62.1
65+	1519	158,487	799	53.4	50.1-56.7	720	46.6	43.3-49.9
Less Than H.S.	367	94,685	153	32.4	26.5-38.3	214	67.6	61.7-73.5
H.S. or G.E.D.	1227	229,212	507	31.3	28.0-34.6	720	68.7	65.4-72.0
Some Post-H.S.	1014	213,861	375	28.8	25.3-32.3	639	71.2	67.7-74.7
College Graduate	1418	195,076	429	21.4	18.9-23.9	989	78.6	76.1-81.1
Less than \$15,000	253	40,152	117	36.0	27.4-44.6	136	64.0	55.4-72.6
\$15,000- 24,999	575	96,913	240	33.6	28.5-38.7	335	66.4	61.3-71.5
\$25,000- 34,999	381	68,065	168	34.0	27.7-40.3	213	66.0	59.7-72.3
\$35,000- 49,999	461	77,457	181	34.7	28.8-40.6	280	65.3	59.4-71.2
\$50,000- 74,999	501	91,342	176	25.7	21.0-30.4	325	74.3	69.6-79.0
\$75,000+	1046	215,725	267	20.5	17.6-23.4	779	79.5	76.6-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1742	351,911	526	23.9	21.4-26.4	1216	76.1	73.6-78.6
White/Non-Hisp	1255	227,235	418	28.1	24.8-31.4	837	71.9	68.6-75.2
Black or Afr. Am./Non-Hisp	255	66,549	67	19.5	13.6-25.4	188	80.5	74.6-86.4
Hispanic	117	31,129	10	5.2	1.7- 8.7	107	94.8	91.3-98.3
18-24	107	45,978	4	5.0	0.0-11.1	103	95.0	88.9- 100
25-34	180	61,196	14	7.6	2.7-12.5	166	92.4	87.5-97.3
35-44	184	53,908	25	10.8	5.9-15.7	159	89.2	84.3-94.1
45-54	256	59,075	73	29.4	22.5-36.3	183	70.6	63.7-77.5
55-64	366	57,941	132	37.9	31.6-44.2	234	62.1	55.8-68.4
65+	625	69,857	271	44.2	38.9-49.5	354	55.8	50.5-61.1
Less Than H.S.	166	47,911	48	24.2	16.8-31.6	118	75.8	68.4-83.2
H.S. or G.E.D.	550	121,874	180	23.7	19.2-28.2	370	76.3	71.8-80.8
Some Post-H.S.	397	95,046	124	26.2	20.5-31.9	273	73.8	68.1-79.5
College Graduate	618	84,189	172	22.0	18.1-25.9	446	78.0	74.1-81.9
Less than \$15,000	84	13,038	29	22.4	12.2-32.6	55	77.6	67.4-87.8
\$15,000- 24,999	239	46,098	79	27.7	20.6-34.8	160	72.3	65.2-79.4
\$25,000- 34,999	173	37,430	66	28.7	19.7-37.7	107	71.3	62.3-80.3
\$35,000- 49,999	200	36,881	69	31.4	22.4-40.4	131	68.6	59.6-77.6
\$50,000- 74,999	226	43,374	73	24.3	17.0-31.6	153	75.7	68.4-83.0
\$75,000+	503	107,703	122	20.8	16.5-25.1	381	79.2	74.9-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	384,906	945	31.9	29.4-34.4	1358	68.1	65.6-70.6
White/Non-Hisp	1688	251,489	736	35.4	32.3-38.5	952	64.6	61.5-67.7
Black or Afr. Am./Non-Hisp	353	78,790	124	25.8	20.3-31.3	229	74.2	68.7-79.7
Oth. Race/Non-Hisp.	64	17,890	19	16.6	6.4-26.8	45	83.4	73.2-93.6
Hispanic	131	25,151	37	24.4	15.6-33.2	94	75.6	66.8-84.4
18-24	111	43,755	8	5.8	1.5-10.1	103	94.2	89.9-98.5
25-34	206	60,724	15	6.7	2.8-10.6	191	93.3	89.4-97.2
35-44	214	56,917	35	14.2	8.9-19.5	179	85.8	80.5-91.1
45-54	363	64,942	124	33.6	27.3-39.9	239	66.4	60.1-72.7
55-64	482	64,884	220	46.0	40.3-51.7	262	54.0	48.3-59.7
65+	894	88,630	528	60.6	56.3-64.9	366	39.4	35.1-43.7
Less Than H.S.	201	46,774	105	40.8	31.4-50.2	96	59.2	49.8-68.6
H.S. or G.E.D.	677	107,339	327	40.0	34.9-45.1	350	60.0	54.9-65.1
Some Post-H.S.	617	118,815	251	30.8	26.3-35.3	366	69.2	64.7-73.7
College Graduate	800	110,887	257	20.9	17.6-24.2	543	79.1	75.8-82.4
Less than \$15,000	169	27,114	88	42.6	30.6-54.6	81	57.4	45.4-69.4
\$15,000- 24,999	336	50,815	161	39.0	31.7-46.3	175	61.0	53.7-68.3
\$25,000- 34,999	208	30,635	102	40.4	32.0-48.8	106	59.6	51.2-68.0
\$35,000- 49,999	261	40,576	112	37.8	30.0-45.6	149	62.2	54.4-70.0
\$50,000- 74,999	275	47,968	103	26.9	20.6-33.2	172	73.1	66.8-79.4
\$75,000+	543	108,022	145	20.1	16.2-24.0	398	79.9	76.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4044	738,418	718	17.8	16.0-19.6	3326	82.2	80.4-84.0
Male	1739	351,764	235	13.3	11.1-15.5	1504	86.7	84.5-88.9
Female	2305	386,654	483	22.0	19.5-24.5	1822	78.0	75.5-80.5
White/Non-Hisp	2946	480,958	555	19.7	17.5-21.9	2391	80.3	78.1-82.5
Black or Afr. Am./Non-Hisp	607	145,108	81	13.7	9.6-17.8	526	86.3	82.2-90.4
Oth. Race/Non-Hisp.	114	32,491	19	10.5	3.8-17.2	95	89.5	82.8-96.2
Hispanic	246	55,949	37	14.7	9.0-20.4	209	85.3	79.6-91.0
18-24	218	90,721	40	20.4	13.0-27.8	178	79.6	72.2-87.0
25-34	387	122,256	63	16.3	11.8-20.8	324	83.7	79.2-88.2
35-44	399	111,023	72	17.0	12.5-21.5	327	83.0	78.5-87.5
45-54	616	124,340	131	20.3	16.4-24.2	485	79.7	75.8-83.6
55-64	843	122,079	191	20.5	17.2-23.8	652	79.5	76.2-82.8
65+	1525	159,255	212	14.4	11.9-16.9	1313	85.6	83.1-88.1
Less Than H.S.	364	93,767	75	22.3	16.0-28.6	289	77.7	71.4-84.0
H.S. or G.E.D.	1229	230,667	215	18.0	14.9-21.1	1014	82.0	78.9-85.1
Some Post-H.S.	1015	214,833	201	18.5	15.4-21.6	814	81.5	78.4-84.6
College Graduate	1418	195,367	222	14.7	12.2-17.2	1196	85.3	82.8-87.8
Less than \$15,000	253	40,182	87	39.2	28.8-49.6	166	60.8	50.4-71.2
\$15,000- 24,999	573	96,329	123	22.6	17.3-27.9	450	77.4	72.1-82.7
\$25,000- 34,999	383	68,403	82	20.8	15.5-26.1	301	79.2	73.9-84.5
\$35,000- 49,999	459	77,140	90	19.4	14.5-24.3	369	80.6	75.7-85.5
\$50,000- 74,999	501	92,452	73	15.0	10.5-19.5	428	85.0	80.5-89.5
\$75,000+	1045	216,071	140	13.7	10.8-16.6	905	86.3	83.4-89.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	351,764	235	13.3	11.1-15.5	1504	86.7	84.5-88.9
White/Non-Hisp	1255	228,074	186	15.4	12.7-18.1	1069	84.6	81.9-87.3
Black or Afr. Am./Non-Hisp	254	66,105	25	8.9	4.8-13.0	229	91.1	87.0-95.2
Hispanic	116	30,850	9	6.5	1.6-11.4	107	93.5	88.6-98.4
18-24	106	45,698	15	14.1	6.7-21.5	91	85.9	78.5-93.3
25-34	180	61,196	27	14.3	8.2-20.4	153	85.7	79.6-91.8
35-44	185	54,106	27	14.2	8.1-20.3	158	85.8	79.7-91.9
45-54	253	59,184	40	14.6	9.5-19.7	213	85.4	80.3-90.5
55-64	364	57,436	59	13.6	9.3-17.9	305	86.4	82.1-90.7
65+	627	70,186	65	10.4	7.1-13.7	562	89.6	86.3-92.9
Less Than H.S.	162	46,810	25	14.9	8.2-21.6	137	85.1	78.4-91.8
H.S. or G.E.D.	551	122,047	79	14.2	10.3-18.1	472	85.8	81.9-89.7
Some Post-H.S.	399	95,787	57	13.1	9.0-17.2	342	86.9	82.8-91.0
College Graduate	617	84,310	72	11.3	8.0-14.6	545	88.7	85.4-92.0
Less than \$15,000	84	13,068	20	24.4	11.3-37.5	64	75.6	62.5-88.7
\$15,000- 24,999	238	45,564	44	18.3	12.2-24.4	194	81.7	75.6-87.8
\$25,000- 34,999	174	37,792	27	15.0	7.9-22.1	147	85.0	77.9-92.1
\$35,000- 49,999	199	36,601	28	12.3	6.8-17.8	171	87.7	82.2-93.2
\$50,000- 74,999	225	43,216	23	10.4	5.3-15.5	202	89.6	84.5-94.7
\$75,000+	504	108,316	57	11.2	7.3-15.1	447	88.8	84.9-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2305	386,654	483	22.0	19.5-24.5	1822	78.0	75.5-80.5
White/Non-Hisp	1691	252,884	369	23.5	20.4-26.6	1322	76.5	73.4-79.6
Black or Afr. Am./Non-Hisp	353	79,002	56	17.7	11.2-24.2	297	82.3	75.8-88.8
Oth. Race/Non-Hisp.	65	18,225	13	10.8	2.0-19.6	52	89.2	80.4-98.0
Hispanic	130	25,099	28	24.7	14.3-35.1	102	75.3	64.9-85.7
18-24	112	45,023	25	26.9	14.6-39.2	87	73.1	60.8-85.4
25-34	207	61,060	36	18.2	11.5-24.9	171	81.8	75.1-88.5
35-44	214	56,917	45	19.6	13.1-26.1	169	80.4	73.9-86.9
45-54	363	65,156	91	25.5	19.6-31.4	272	74.5	68.6-80.4
55-64	479	64,642	132	26.6	21.7-31.5	347	73.4	68.5-78.3
65+	898	89,070	147	17.6	14.1-21.1	751	82.4	78.9-85.9
Less Than H.S.	202	46,957	50	29.6	19.6-39.6	152	70.4	60.4-80.4
H.S. or G.E.D.	678	108,620	136	22.3	17.2-27.4	542	77.7	72.6-82.8
Some Post-H.S.	616	119,046	144	22.9	18.4-27.4	472	77.1	72.6-81.6
College Graduate	801	111,057	150	17.2	13.7-20.7	651	82.8	79.3-86.3
Less than \$15,000	169	27,114	67	46.3	33.2-59.4	102	53.7	40.6-66.8
\$15,000- 24,999	335	50,765	79	26.5	18.5-34.5	256	73.5	65.5-81.5
\$25,000- 34,999	209	30,611	55	27.9	20.1-35.7	154	72.1	64.3-79.9
\$35,000- 49,999	260	40,539	62	25.8	18.4-33.2	198	74.2	66.8-81.6
\$50,000- 74,999	276	49,235	50	19.1	12.0-26.2	226	80.9	73.8-88.0
\$75,000+	541	107,755	83	16.1	12.0-20.2	458	83.9	79.8-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4056	740,268	179	3.4	2.6- 4.2	3877	96.6	95.8-97.4
Male	1748	353,542	82	3.8	2.4- 5.2	1666	96.2	94.8-97.6
Female	2308	386,727	97	3.1	2.3- 3.9	2211	96.9	96.1-97.7
White/Non-Hisp	2951	481,392	125	3.5	2.3- 4.7	2826	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	610	145,736	31	2.7	1.5- 3.9	579	97.3	96.1-98.5
Oth. Race/Non-Hisp.	114	32,491	2	1.8	0.0- 4.9	112	98.2	95.1- 100
Hispanic	247	56,106	11	3.9	1.4- 6.4	236	96.1	93.6-98.6
18-24	219	91,001	1	0.2	0.0- 0.6	218	99.8	99.4- 100
25-34	387	122,256	4	2.1	0.0- 4.6	383	97.9	95.4- 100
35-44	398	110,848	9	3.4	0.5- 6.3	389	96.6	93.7-99.5
45-54	620	124,910	21	3.5	1.5- 5.5	599	96.5	94.5-98.5
55-64	848	122,949	34	3.7	2.3- 5.1	814	96.3	94.9-97.7
65+	1526	159,270	106	5.8	4.4- 7.2	1420	94.2	92.8-95.6
Less Than H.S.	367	94,693	24	5.0	2.5- 7.5	343	95.0	92.5-97.5
H.S. or G.E.D.	1230	230,789	58	3.8	2.2- 5.4	1172	96.2	94.6-97.8
Some Post-H.S.	1018	215,206	40	3.4	1.6- 5.2	978	96.6	94.8-98.4
College Graduate	1422	195,654	54	2.0	1.2- 2.8	1368	98.0	97.2-98.8
Less than \$15,000	254	40,200	13	3.9	0.6- 7.2	241	96.1	92.8-99.4
\$15,000- 24,999	576	96,876	32	3.4	2.0- 4.8	544	96.6	95.2-98.0
\$25,000- 34,999	384	68,565	32	10.1	4.2-16.0	352	89.9	84.0-95.8
\$35,000- 49,999	460	77,420	15	1.8	0.4- 3.2	445	98.2	96.8-99.6
\$50,000- 74,999	501	92,415	23	3.0	1.6- 4.4	478	97.0	95.6-98.4
\$75,000+	1046	216,187	27	1.9	0.7- 3.1	1019	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	353,542	82	3.8	2.4- 5.2	1666	96.2	94.8-97.6
White/Non-Hisp	1258	228,410	58	4.4	2.2- 6.6	1200	95.6	93.4-97.8
Black or Afr. Am./Non-Hisp	257	66,780	14	2.2	0.8- 3.6	243	97.8	96.4-99.2
Hispanic	117	31,129	3	1.9	0.0- 4.4	114	98.1	95.6- 100
18-24	107	45,978	1	0.4	0.0- 1.2	106	99.6	98.8- 100
25-34	180	61,196	2	3.2	0.0- 8.1	178	96.8	91.9- 100
35-44	185	54,106	4	4.8	0.0-10.5	181	95.2	89.5- 100
45-54	256	59,607	6	2.6	0.0- 5.3	250	97.4	94.7- 100
55-64	368	58,318	17	3.3	1.5- 5.1	351	96.7	94.9-98.5
65+	628	70,379	51	7.1	4.6- 9.6	577	92.9	90.4-95.4
Less Than H.S.	166	47,911	10	5.4	1.1- 9.7	156	94.6	90.3-98.9
H.S. or G.E.D.	551	122,107	26	3.9	1.4- 6.4	525	96.1	93.6-98.6
Some Post-H.S.	402	96,267	19	4.4	1.1- 7.7	383	95.6	92.3-98.9
College Graduate	619	84,446	25	1.8	0.8- 2.8	594	98.2	97.2-99.2
Less than \$15,000	85	13,086	3	0.9	0.0- 2.1	82	99.1	97.9- 100
\$15,000- 24,999	241	46,303	17	4.0	1.8- 6.2	224	96.0	93.8-98.2
\$25,000- 34,999	175	37,848	17	13.9	3.9-23.9	158	86.1	76.1-96.1
\$35,000- 49,999	200	36,881	8	2.5	0.1- 4.9	192	97.5	95.1-99.9
\$50,000- 74,999	226	43,374	10	2.6	0.6- 4.6	216	97.4	95.4-99.4
\$75,000+	504	108,316	11	1.5	0.0- 3.1	493	98.5	96.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	386,727	97	3.1	2.3- 3.9	2211	96.9	96.1-97.7
White/Non-Hisp	1693	252,982	67	2.7	1.9- 3.5	1626	97.3	96.5-98.1
Black or Afr. Am./Non-Hisp	353	78,956	17	3.2	1.2- 5.2	336	96.8	94.8-98.8
Oth. Race/Non-Hisp.	65	18,225	2	3.3	0.0- 9.0	63	96.7	91.0- 100
Hispanic	130	24,977	8	6.3	1.8-10.8	122	93.7	89.2-98.2
18-24	112	45,023				112	100.0	100.0- 100
25-34	207	61,060	2	1.1	0.0- 2.9	205	98.9	97.1- 100
35-44	213	56,742	5	2.0	0.0- 4.0	208	98.0	96.0- 100
45-54	364	65,303	15	4.3	1.6- 7.0	349	95.7	93.0-98.4
55-64	480	64,631	17	4.0	1.8- 6.2	463	96.0	93.8-98.2
65+	898	88,890	55	4.7	3.3- 6.1	843	95.3	93.9-96.7
Less Than H.S.	201	46,782	14	4.7	2.0- 7.4	187	95.3	92.6-98.0
H.S. or G.E.D.	679	108,682	32	3.8	2.0- 5.6	647	96.2	94.4-98.0
Some Post-H.S.	616	118,938	21	2.5	1.1- 3.9	595	97.5	96.1-98.9
College Graduate	803	111,207	29	2.2	1.2- 3.2	774	97.8	96.8-98.8
Less than \$15,000	169	27,114	10	5.4	0.5-10.3	159	94.6	89.7-99.5
\$15,000- 24,999	335	50,573	15	2.8	1.0- 4.6	320	97.2	95.4-99.0
\$25,000- 34,999	209	30,717	15	5.5	2.2- 8.8	194	94.5	91.2-97.8
\$35,000- 49,999	260	40,539	7	1.3	0.0- 2.7	253	98.7	97.3- 100
\$50,000- 74,999	275	49,041	13	3.3	1.3- 5.3	262	96.7	94.7-98.7
\$75,000+	542	107,871	16	2.4	0.8- 4.0	526	97.6	96.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4061	739,800	609	11.5	10.3-12.7	45	1.7	1.1- 2.3	3286	84.2	82.8-85.6	121	2.7	2.1- 3.3
Male	1746	352,275	268	12.2	10.2-14.2				1434	85.7	83.5-87.9	44	2.2	1.4- 3.0
Female	2315	387,525	341	10.8	9.2-12.4	45	3.2	2.0- 4.4	1852	82.9	80.7-85.1	77	3.1	2.1- 4.1
White/Non-Hisp	2956	481,983	424	11.0	9.6-12.4	29	1.4	0.6- 2.2	2421	85.1	83.3-86.9	82	2.5	1.7- 3.3
Black or Afr. Am./Non-Hisp	611	145,930	118	15.1	11.6-18.6	4	1.1	0.0- 2.5	469	81.2	77.3-85.1	20	2.6	1.2- 4.0
Oth. Race/Non-Hisp.	113	32,057	16	8.2	3.3-13.1	1	0.2	0.0- 0.6	95	91.1	86.2-96.0	1	0.5	0.0- 1.5
Hispanic	247	55,286	26	6.9	3.8-10.0	10	6.6	1.5-11.7	198	81.1	74.6-87.6	13	5.4	1.7- 9.1
18-24	219	91,001				1	0.6	0.0- 1.8	213	96.9	94.4-99.4	5	2.4	0.2- 4.6
25-34	386	121,261	6	1.9	0.1- 3.7	11	3.2	0.8- 5.6	361	93.9	91.0-96.8	8	1.1	0.3- 1.9
35-44	400	111,547	23	4.2	2.0- 6.4	9	2.9	0.5- 5.3	359	90.4	86.9-93.9	9	2.5	0.5- 4.5
45-54	619	124,476	81	13.8	10.1-17.5	13	2.9	0.7- 5.1	505	79.7	75.4-84.0	20	3.5	1.5- 5.5
55-64	850	123,202	162	18.8	15.5-22.1	5	0.4	0.0- 0.8	660	77.9	74.4-81.4	23	2.9	1.5- 4.3
65+	1529	159,278	322	21.6	18.9-24.3	6	0.3	0.0- 0.7	1146	74.8	71.9-77.7	55	3.3	2.1- 4.5
Less Than H.S.	366	93,439	84	17.2	12.7-21.7	10	3.9	0.8- 7.0	251	72.6	66.7-78.5	21	6.4	3.1- 9.7
H.S. or G.E.D.	1235	231,194	213	13.4	11.0-15.8	5	0.8	0.0- 1.6	983	83.8	81.3-86.3	34	2.0	1.2- 2.8
Some Post-H.S.	1020	215,443	132	9.0	7.0-11.0	11	2.1	0.5- 3.7	844	86.0	83.3-88.7	33	2.9	1.7- 4.1
College Graduate	1420	195,273	176	9.3	7.5-11.1	19	1.2	0.4- 2.0	1192	88.0	86.0-90.0	33	1.5	0.9- 2.1
Less than \$15,000	254	40,200	55	18.0	11.7-24.3	3	0.5	0.0- 1.3	184	77.0	69.6-84.4	12	4.5	0.2- 8.8
\$15,000- 24,999	578	97,189	104	13.0	9.7-16.3	8	3.3	0.4- 6.2	442	79.2	74.7-83.7	24	4.4	2.2- 6.6
\$25,000- 34,999	385	67,683	58	11.9	7.8-16.0	7	2.6	0.2- 5.0	310	83.1	78.2-88.0	10	2.4	0.6- 4.2
\$35,000- 49,999	459	76,995	74	13.9	9.8-18.0	2	1.7	0.0- 4.2	365	81.6	76.7-86.5	18	2.8	1.2- 4.4
\$50,000- 74,999	502	92,609	84	14.1	10.2-18.0	6	1.9	0.0- 4.3	401	81.9	77.2-86.6	11	2.1	0.5- 3.7
\$75,000+	1046	216,268	103	7.3	5.3- 9.3	13	1.3	0.3- 2.3	914	90.3	88.1-92.5	16	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1746	352,275	268	12.2	10.2-14.2	1434	85.7	83.5-87.9	44	2.2	1.4- 3.0
White/Non-Hisp	1258	228,572	192	12.2	9.8-14.6	1033	85.7	83.3-88.1	33	2.1	1.1- 3.1
Black or Afr. Am./Non-Hisp	257	66,780	49	15.7	10.2-21.2	203	82.6	76.7-88.5	5	1.7	0.0- 3.5
Hispanic	116	30,134	6	3.9	0.6- 7.2	106	91.3	85.0-97.6	4	4.8	0.0-10.3
18-24	107	45,978				106	98.9	96.7- 100	1	1.1	0.0- 3.3
25-34	179	60,202	3	2.2	0.0- 4.9	174	97.4	94.5- 100	2	0.3	0.0- 0.7
35-44	186	54,630	10	5.1	1.6- 8.6	170	90.7	85.6-95.8	6	4.2	0.5- 7.9
45-54	255	59,173	33	16.4	10.1-22.7	213	80.3	73.8-86.8	9	3.3	0.9- 5.7
55-64	368	58,318	69	18.8	13.7-23.9	293	80.0	74.9-85.1	6	1.2	0.2- 2.2
65+	627	70,017	148	24.3	19.8-28.8	459	72.8	68.3-77.3	20	2.9	1.1- 4.7
Less Than H.S.	164	46,483	36	19.4	12.1-26.7	120	74.7	66.5-82.9	8	5.9	1.2-10.6
H.S. or G.E.D.	553	122,277	86	12.8	9.3-16.3	453	85.7	82.0-89.4	14	1.5	0.5- 2.5
Some Post-H.S.	402	96,267	51	8.9	6.0-11.8	341	89.0	85.7-92.3	10	2.1	0.5- 3.7
College Graduate	616	83,914	93	11.4	8.5-14.3	511	87.3	84.2-90.4	12	1.3	0.3- 2.3
Less than \$15,000	85	13,086	10	14.1	3.3-24.9	73	83.8	72.8-94.8	2	2.1	0.0- 5.2
\$15,000- 24,999	241	46,303	40	13.1	8.0-18.2	189	82.6	76.9-88.3	12	4.3	1.2- 7.4
\$25,000- 34,999	175	36,924	29	11.9	5.8-18.0	143	87.4	81.1-93.7	3	0.8	0.0- 1.8
\$35,000- 49,999	198	36,419	38	16.2	9.9-22.5	151	80.7	74.0-87.4	9	3.2	0.7- 5.7
\$50,000- 74,999	226	43,374	47	18.6	11.7-25.5	175	79.6	72.3-86.9	4	1.9	0.0- 4.4
\$75,000+	503	108,245	56	8.1	5.4-10.8	442	91.3	88.4-94.2	5	0.6	0.0- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2315	387,525	341	10.8	9.2-12.4	45	3.2	2.0- 4.4	1852	82.9	80.7-85.1	77	3.1	2.1- 4.1
White/Non-Hisp	1698	253,411	232	9.9	8.3-11.5	29	2.7	1.3- 4.1	1388	84.5	82.1-86.9	49	2.9	1.7- 4.1
Black or Afr. Am./Non-Hisp	354	79,151	69	14.6	10.1-19.1	4	2.1	0.0- 4.5	266	79.9	74.6-85.2	15	3.4	1.2- 5.6
Oth. Race/Non-Hisp.	65	18,225	10	8.3	1.8-14.8	1	0.3	0.0- 0.9	53	90.6	83.7-97.5	1	0.8	0.0- 2.4
Hispanic	131	25,151	20	10.6	5.1-16.1	10	14.5	4.3-24.7	92	68.9	58.1-79.7	9	6.1	1.2-11.0
18-24	112	45,023				1	1.3	0.0- 3.8	107	95.0	90.5-99.5	4	3.8	0.1- 7.5
25-34	207	61,060	3	1.5	0.0- 3.5	11	6.3	1.6-11.0	187	90.4	85.3-95.5	6	1.8	0.2- 3.4
35-44	214	56,917	13	3.3	1.1- 5.5	9	5.7	1.2-10.2	189	90.2	85.1-95.3	3	0.8	0.0- 1.8
45-54	364	65,303	48	11.5	7.4-15.6	13	5.6	1.7- 9.5	292	79.2	73.3-85.1	11	3.8	0.7- 6.9
55-64	482	64,884	93	18.9	14.2-23.6	5	0.7	0.0- 1.5	367	76.0	70.9-81.1	17	4.4	1.9- 6.9
65+	902	89,260	174	19.4	16.1-22.7	6	0.6	0.0- 1.2	687	76.3	72.6-80.0	35	3.6	2.0- 5.2
Less Than H.S.	202	46,957	48	14.9	9.6-20.2	10	7.8	1.9-13.7	131	70.5	62.1-78.9	13	6.8	2.3-11.3
H.S. or G.E.D.	682	108,917	127	14.2	10.9-17.5	5	1.6	0.0- 3.2	530	81.6	77.9-85.3	20	2.6	1.2- 4.0
Some Post-H.S.	618	119,176	81	9.1	6.4-11.8	11	3.8	1.1- 6.5	503	83.6	79.7-87.5	23	3.5	1.7- 5.3
College Graduate	804	111,359	83	7.8	5.8- 9.8	19	2.1	0.5- 3.7	681	88.5	86.0-91.0	21	1.6	0.8- 2.4
Less than \$15,000	169	27,114	45	19.8	11.8-27.8	3	0.8	0.0- 2.0	111	73.8	64.0-83.6	10	5.6	0.0-11.7
\$15,000- 24,999	337	50,886	64	13.0	8.7-17.3	8	6.4	1.1-11.7	253	76.2	69.3-83.1	12	4.4	1.3- 7.5
\$25,000- 34,999	210	30,760	29	12.0	6.7-17.3	7	5.8	0.7-10.9	167	77.9	70.3-85.5	7	4.3	0.4- 8.2
\$35,000- 49,999	261	40,576	36	11.9	6.6-17.2	2	3.3	0.0- 8.2	214	82.4	75.5-89.3	9	2.5	0.3- 4.7
\$50,000- 74,999	276	49,235	37	10.1	6.2-14.0	6	3.6	0.0- 8.1	226	83.9	78.0-89.8	7	2.4	0.2- 4.6
\$75,000+	543	108,022	47	6.6	4.1- 9.1	13	2.6	0.8- 4.4	472	89.3	86.0-92.6	11	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	559	78,906	10	2.6	0.4- 4.8	39	6.4	3.9- 8.9	132	30.5	24.8-36.2	242	41.1	35.6-46.6	136	19.3	15.2-23.4
Male	254	41,779	5	3.7	0.0- 7.6	17	5.9	2.4- 9.4	62	34.2	25.6-42.8	111	36.8	29.2-44.4	59	19.3	13.2-25.4
Female	305	37,127	5	1.4	0.0- 2.8	22	6.9	3.2-10.6	70	26.5	19.8-33.2	131	45.9	38.3-53.5	77	19.4	14.1-24.7
White/Non-Hisp	393	49,566	8	3.0	0.0- 6.1	27	6.8	3.7- 9.9	75	26.8	20.1-33.5	174	42.6	35.9-49.3	109	20.8	16.1-25.5
Black or Afr. Am./Non-Hisp	106	20,023				7	4.3	0.8- 7.8	35	37.4	24.1-50.7	46	42.1	29.4-54.8	18	16.3	7.7-24.9
45-54	78	16,808	2	1.1	0.0- 2.7	14	11.1	3.7-18.5	35	53.7	39.0-68.4	27	34.1	20.2-48.0			
55-64	154	22,097	3	0.8	0.0- 1.8	10	3.8	1.3- 6.3	49	33.2	23.6-42.8	84	57.0	47.0-67.0	8	5.2	1.1- 9.3
65+	290	31,047	1	0.3	0.0- 0.9	8	2.9	0.4- 5.4	29	10.6	5.7-15.5	126	41.6	34.3-48.9	126	44.6	37.2-52.0
Less Than H.S.	72	14,499				6	7.2	0.0-14.6	28	45.4	30.9-59.9	26	29.1	16.6-41.6	12	18.3	7.1-29.5
H.S. or G.E.D.	191	28,354	6	4.8	0.0-10.1	13	5.3	1.4- 9.2	43	29.8	19.6-40.0	78	40.3	30.7-49.9	51	19.8	12.9-26.7
Some Post-H.S.	126	18,388	2	3.1	0.0- 7.4	9	7.1	2.0-12.2	27	25.9	15.5-36.3	50	39.8	28.0-51.6	38	24.0	15.0-33.0
College Graduate	167	17,525	2	0.8	0.0- 2.0	10	6.6	1.7-11.5	34	24.5	14.9-34.1	86	53.4	43.4-63.4	35	14.7	8.8-20.6
\$15,000- 24,999	99	12,316	2	1.2	0.0- 3.0	5	3.9	0.4- 7.4	31	40.4	26.7-54.1	33	26.6	16.2-37.0	28	27.9	15.9-39.9
\$25,000- 34,999	53	7,689	3	14.7	0.0-32.1	3	2.3	0.0- 5.2	12	24.5	9.0-40.0	21	32.7	15.8-49.6	14	25.9	9.2-42.6
\$35,000- 49,999	70	9,544	1	2.5	0.0- 7.4	4	6.4	0.0-12.9	14	29.9	14.0-45.8	34	47.7	31.6-63.8	17	13.4	5.6-21.2
\$50,000- 74,999	82	12,865	1	2.6	0.0- 7.7	4	4.4	0.0- 9.3	21	34.4	18.3-50.5	37	41.3	27.4-55.2	19	17.2	8.0-26.4
\$75,000+	100	15,542	3	1.4	0.0- 3.0	6	7.6	0.3-14.9	19	21.3	10.3-32.3	55	57.6	44.3-70.9	17	12.2	4.8-19.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	41,779	5	3.7	0.0- 7.6	17	5.9	2.4- 9.4	62	34.2	25.4-43.0	111	36.8	29.2-44.4	59	19.3	13.2-25.4
White/Non-Hisp	184	27,264	4	4.5	0.0-10.0	14	7.4	2.5-12.3	37	30.4	20.2-40.6	82	38.4	29.2-47.6	47	19.4	12.7-26.1
55-64	67	10,759	1	0.7	0.0- 2.1	5	3.8	0.1- 7.5	22	35.1	20.4-49.8	34	52.6	37.5-67.7	5	7.9	0.3-15.5
65+	138	16,346				5	4.4	0.0- 8.9	16	10.7	4.6-16.8	63	40.7	30.3-51.1	54	44.2	33.4-55.0
H.S. or G.E.D.	81	15,177	4	8.0	0.0-17.6	6	6.7	0.0-13.6	23	39.6	23.7-55.5	34	33.3	20.4-46.2	14	12.4	4.4-20.4
Some Post-H.S.	50	8,518	1	3.9	0.0-11.3	4	10.2	0.4-20.0	7	18.8	5.3-32.3	20	37.1	21.0-53.2	18	30.0	15.3-44.7
College Graduate	89	9,319				4	3.1	0.0- 6.6	19	29.4	14.3-44.5	45	48.5	34.2-62.8	21	19.0	9.2-28.8
\$75,000+	56	8,730	1	0.8	0.0- 2.4	3	8.2	0.0-19.2	15	30.8	14.3-47.3	27	47.0	29.6-64.4	10	13.1	3.3-22.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	305	37,127	5	1.4	0.0- 2.8	22	6.9	3.2-10.6	70	26.5	19.8-33.2	131	45.9	38.3-53.5	77	19.4	14.1-24.7
White/Non-Hisp	209	22,302	4	1.2	0.0- 2.4	13	6.1	2.2-10.0	38	22.3	14.5-30.1	92	47.9	39.1-56.7	62	22.5	16.0-29.0
Black or Afr. Am./Non-Hisp	62	10,006				5	4.3	0.2- 8.4	19	30.8	15.3-46.3	27	47.4	30.7-64.1	11	17.5	5.2-29.8
55-64	87	11,338	2	0.8	0.0- 2.0	5	3.8	0.3- 7.3	27	31.5	19.2-43.8	50	61.3	48.4-74.2	3	2.6	0.0- 5.7
65+	152	14,701	1	0.6	0.0- 1.8	3	1.3	0.0- 2.9	13	10.4	2.8-18.0	63	42.5	32.3-52.7	72	45.1	34.9-55.3
H.S. or G.E.D.	110	13,176	2	1.0	0.0- 2.4	7	3.6	0.7- 6.5	20	18.6	9.2-28.0	44	48.4	35.3-61.5	37	28.4	17.4-39.4
Some Post-H.S.	76	9,870	1	2.4	0.0- 7.1	5	4.4	0.3- 8.5	20	32.1	17.0-47.2	30	42.1	25.6-58.6	20	18.9	8.3-29.5
College Graduate	78	8,206	2	1.7	0.0- 4.1	6	10.5	1.1-19.9	15	18.9	8.1-29.7	41	59.1	45.8-72.4	14	9.9	3.8-16.0
\$15,000- 24,999	60	6,326	1	0.7	0.0- 2.1	3	4.4	0.0- 9.5	17	35.4	17.6-53.2	20	27.8	14.3-41.3	19	31.7	15.2-48.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	91
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	94
5 MALES ONLY	95
6 FEMALES ONLY	96
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	97
8 MALES ONLY	98
9 FEMALES ONLY	99
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
10 MALES AND FEMALES	100
11 MALES ONLY	101
12 FEMALES ONLY	102
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	103
14 MALES ONLY	104
15 FEMALES ONLY	105
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	106
17 MALES ONLY	107
18 FEMALES ONLY	108
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	109
20 MALES ONLY	110
21 FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	112
23 MALES ONLY	113
24 FEMALES ONLY	114
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25 MALES AND FEMALES	115
26 MALES ONLY	116
27 FEMALES ONLY	117
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
28 MALES AND FEMALES	118
29 MALES ONLY	119
30 FEMALES ONLY	120
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	121
32 MALES ONLY	122
33 FEMALES ONLY	123
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	124
35 MALES ONLY	125
36 FEMALES ONLY	126
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37 MALES AND FEMALES	127
38 MALES ONLY	128
39 FEMALES ONLY	129
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	130
41 MALES ONLY	131
42 FEMALES ONLY	132

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	133
44 MALES ONLY	134
45 FEMALES ONLY	135
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	136
47 MALES ONLY	137
48 FEMALES ONLY	138
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	139
50 MALES ONLY	140
51 FEMALES ONLY	141
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	142
53 MALES ONLY	143
54 FEMALES ONLY	144
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	145
56 MALES ONLY	146
57 FEMALES ONLY	147
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	148
59 MALES ONLY	149
60 FEMALES ONLY	150
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
64 MALES AND FEMALES	154
65 MALES ONLY	155
66 FEMALES ONLY	156
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
67 MALES AND FEMALES	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
68 MALES ONLY	158
69 FEMALES ONLY	159
70 ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	160
71 MALES ONLY	161
72 FEMALES ONLY	162
73 BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	163
74 MALES ONLY	164
75 FEMALES ONLY	165
76 DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	166
77 MALES ONLY	167
78 FEMALES ONLY	168
79 DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	169
80 MALES ONLY	170
81 FEMALES ONLY	171
82 BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	172
83 MALES ONLY	173
84 FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4070	742,149	1752	47.7	45.5-49.9	2318	52.3	50.1-54.5
White/Non-Hisp	2961	482,670	1261	47.5	45.0-50.0	1700	52.5	50.0-55.0
Black or Afr. Am./Non-Hisp	611	145,930	257	45.8	40.1-51.5	354	54.2	48.5-59.9
Oth. Race/Non-Hisp.	115	32,643	49	43.7	31.9-55.5	66	56.3	44.5-68.1
Hispanic	248	56,281	117	55.3	47.5-63.1	131	44.7	36.9-52.5
18-24	219	91,001	107	50.5	41.9-59.1	112	49.5	40.9-58.1
25-34	387	122,256	180	50.1	43.4-56.8	207	49.9	43.2-56.6
35-44	400	111,547	186	49.0	42.7-55.3	214	51.0	44.7-57.3
45-54	621	124,991	257	47.8	42.9-52.7	364	52.2	47.3-57.1
55-64	851	123,282	368	47.3	43.0-51.6	483	52.7	48.4-57.0
65+	1532	159,810	630	44.1	40.8-47.4	902	55.9	52.6-59.2
Less Than H.S.	368	94,868	166	50.5	43.2-57.8	202	49.5	42.2-56.8
H.S. or G.E.D.	1235	231,194	553	52.9	48.8-57.0	682	47.1	43.0-51.2
Some Post-H.S.	1020	215,443	402	44.7	40.4-49.0	618	55.3	51.0-59.6
College Graduate	1425	195,960	619	43.1	39.6-46.6	806	56.9	53.4-60.4
Less than \$15,000	254	40,200	85	32.6	24.0-41.2	169	67.4	58.8-76.0
\$15,000- 24,999	578	97,189	241	47.6	41.9-53.3	337	52.4	46.7-58.1
\$25,000- 34,999	386	68,678	176	55.2	48.3-62.1	210	44.8	37.9-51.7
\$35,000- 49,999	461	77,457	200	47.6	41.3-53.9	261	52.4	46.1-58.7
\$50,000- 74,999	502	92,609	226	46.8	40.3-53.3	276	53.2	46.7-59.7
\$75,000+	1047	216,338	504	50.1	45.8-54.4	543	49.9	45.6-54.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4010	732,888	219	12.4	10.4-14.4	387	16.7	14.7-18.7	400	15.2	13.4-17.0	621	17.1	15.5-18.7	851	16.8	15.4-18.2	1532	21.8	20.4-23.2
Male	1728	350,360	107	13.1	10.2-16.0	180	17.5	14.6-20.4	186	15.6	13.1-18.1	257	17.0	14.6-19.4	368	16.6	14.4-18.8	630	20.1	17.9-22.3
Female	2282	382,527	112	11.8	9.1-14.5	207	16.0	13.5-18.5	214	14.9	12.5-17.3	364	17.1	14.9-19.3	483	17.0	15.0-19.0	902	23.3	21.3-25.3
White/Non-Hisp	2927	478,021	131	11.4	9.0-13.8	194	13.2	11.0-15.4	209	12.3	10.3-14.3	435	18.0	16.0-20.0	663	18.8	17.0-20.6	1295	26.4	24.6-28.2
Black or Afr. Am./Non-Hisp	606	145,389	45	16.1	10.6-21.6	82	18.0	13.3-22.7	82	15.7	11.8-19.6	117	18.0	14.1-21.9	124	15.6	12.1-19.1	156	16.7	13.2-20.2
Oth. Race/Non-Hisp.	112	31,928	11	16.6	6.2-27.0	25	28.9	17.5-40.3	28	26.4	15.0-37.8	10	6.1	1.8-10.4	20	13.8	6.4-21.2	18	8.2	3.5-12.9
Hispanic	244	55,791	25	10.9	6.4-15.4	71	33.5	25.5-41.5	67	32.0	24.2-39.8	39	14.1	9.2-19.0	22	5.3	2.8-7.8	20	4.2	1.8-6.6
Less Than H.S.	363	93,195	23	13.7	6.4-21.0	51	19.6	13.5-25.7	52	17.6	12.1-23.1	53	13.8	9.5-18.1	71	14.5	10.6-18.4	113	20.8	15.9-25.7
H.S. or G.E.D.	1221	228,916	85	15.9	12.0-19.8	102	13.4	9.9-16.9	100	12.4	9.5-15.3	182	18.1	15.0-21.2	279	18.2	15.5-20.9	473	22.1	19.6-24.6
Some Post-H.S.	1012	213,951	87	17.0	13.3-20.7	92	15.4	11.9-18.9	96	13.5	10.4-16.6	155	15.7	13.0-18.4	210	16.8	14.1-19.5	372	21.5	18.8-24.2
College Graduate	1399	193,394	23	2.6	1.4-3.8	140	20.3	16.8-23.8	149	19.1	15.8-22.4	229	19.1	16.4-21.8	289	16.5	14.1-18.9	569	22.4	20.0-24.8
Less than \$15,000	253	40,180	18	24.3	12.7-35.9	16	7.1	2.8-11.4	31	15.2	8.5-21.9	44	17.0	10.5-23.5	64	18.7	12.4-25.0	80	17.8	12.3-23.3
\$15,000- 24,999	573	96,647	32	11.9	6.8-17.0	79	21.2	16.1-26.3	66	15.1	11.2-19.0	71	13.5	9.8-17.2	109	13.9	10.8-17.0	216	24.4	20.3-28.5
\$25,000- 34,999	378	67,188	20	8.9	4.8-13.0	51	21.0	14.3-27.7	30	12.0	6.3-17.7	50	16.4	11.1-21.7	58	13.6	9.3-17.9	169	28.0	22.3-33.7
\$35,000- 49,999	459	77,229	27	11.1	6.4-15.8	40	11.8	7.9-15.7	34	12.7	7.8-17.6	65	18.6	13.5-23.7	104	19.7	15.2-24.2	189	26.1	21.2-31.0
\$50,000- 74,999	502	92,609	19	9.1	4.4-13.8	46	19.7	13.4-26.0	38	12.7	8.0-17.4	72	14.8	10.7-18.9	121	19.5	15.2-23.8	206	24.2	19.9-28.5
\$75,000+	1040	215,002	36	8.2	5.1-11.3	87	15.9	12.2-19.6	156	21.9	18.2-25.6	224	22.1	19.0-25.2	254	18.5	15.8-21.2	283	13.4	11.4-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	350,360	107	13.1	10.2-16.0	180	17.5	14.6-20.4	186	15.6	13.1-18.1	257	17.0	14.6-19.4	368	16.6	14.4-18.8	630	20.1	18.1-22.1
White/Non-Hisp	1251	227,665	62	11.7	8.4-15.0	95	14.9	11.4-18.4	98	12.6	9.7-15.5	179	17.9	15.0-20.8	286	18.6	16.1-21.1	531	24.4	21.7-27.1
Black or Afr. Am./Non-Hisp	255	66,644	21	17.9	9.5-26.3	35	17.8	10.2-25.4	33	14.2	8.1-20.3	45	17.7	11.4-24.0	58	16.4	11.1-21.7	63	15.9	10.6-21.2
Hispanic	115	30,949	17	15.1	7.7-22.5	35	34.2	22.6-45.8	31	31.5	20.1-42.9	20	13.9	7.2-20.6	5	2.6	0.2- 5.0	7	2.7	0.5- 4.9
Less Than H.S.	165	47,465	15	14.0	4.8-23.2	27	19.5	11.5-27.5	29	22.0	13.2-30.8	23	13.1	7.2-19.0	34	14.0	8.5-19.5	37	17.3	10.8-23.8
H.S. or G.E.D.	549	121,601	45	15.8	10.9-20.7	65	18.0	12.3-23.7	48	13.4	8.7-18.1	86	17.7	13.4-22.0	134	17.9	14.0-21.8	171	17.1	13.8-20.4
Some Post-H.S.	398	95,163	37	18.5	12.0-25.0	39	17.2	11.3-23.1	47	12.9	8.6-17.2	61	15.8	11.3-20.3	77	16.0	11.7-20.3	137	19.6	15.3-23.9
College Graduate	607	83,549	9	2.6	0.6- 4.6	47	14.8	10.1-19.5	61	18.0	13.3-22.7	85	20.0	15.7-24.3	122	17.3	13.8-20.8	283	27.3	23.4-31.2
Less than \$15,000	84	13,067	6	18.5	4.8-32.2	6	5.5	1.0-10.0	11	24.6	9.5-39.7	12	15.9	6.1-25.7	24	18.6	8.6-28.6	25	16.9	8.1-25.7
\$15,000- 24,999	240	46,195	19	14.2	6.9-21.5	43	23.0	15.7-30.3	31	15.2	9.7-20.7	32	13.0	7.7-18.3	49	14.3	9.6-19.0	66	20.2	14.1-26.3
\$25,000- 34,999	171	36,713	10	7.3	2.6-12.0	30	27.2	16.4-38.0	14	12.4	3.4-21.4	23	14.8	7.5-22.1	20	11.2	5.1-17.3	74	27.0	18.6-35.4
\$35,000- 49,999	199	36,736	14	13.5	5.3-21.7	17	11.8	5.5-18.1	16	14.1	5.9-22.3	25	16.9	9.6-24.2	40	18.0	11.7-24.3	87	25.7	18.6-32.8
\$50,000- 74,999	226	43,374	7	6.0	1.3-10.7	21	21.3	11.7-30.9	19	14.2	6.8-21.6	24	13.0	6.5-19.5	53	19.3	13.0-25.6	102	26.2	19.9-32.5
\$75,000+	501	107,519	18	9.3	4.4-14.2	28	12.4	7.1-17.7	74	20.7	15.4-26.0	100	23.4	18.5-28.3	125	19.5	15.2-23.8	156	14.7	11.8-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 4: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2282	382,527	112	11.8	9.1-14.5	207	16.0	13.5-18.5	214	14.9	12.5-17.3	364	17.1	14.9-19.3	483	17.0	15.0-19.0	902	23.3	21.3-25.3
White/Non-Hisp	1676	250,356	69	11.2	8.1-14.3	99	11.7	9.0-14.4	111	12.1	9.6-14.6	256	18.0	15.5-20.5	377	18.9	16.5-21.3	764	28.2	25.7-30.7
Black or Afr. Am./Non-Hisp	351	78,745	24	14.5	7.6-21.4	47	18.2	12.1-24.3	49	17.0	11.7-22.3	72	18.2	13.3-23.1	66	14.9	10.4-19.4	93	17.3	12.8-21.8
Oth. Race/Non-Hisp.	64	17,792	7	17.6	2.5-32.7	16	34.7	18.2-51.2	13	23.0	7.1-38.9	6	5.6	0.5-10.7	12	11.1	3.1-19.1	10	8.0	1.3-14.7
Hispanic	129	24,842	8	5.6	1.5- 9.7	36	32.6	21.6-43.6	36	32.7	22.5-42.9	19	14.3	7.0-21.6	17	8.8	4.1-13.5	13	6.0	1.7-10.3
Less Than H.S.	198	45,730	8	13.4	2.2-24.6	24	19.7	10.7-28.7	23	12.9	6.8-19.0	30	14.6	8.3-20.9	37	14.9	9.2-20.6	76	24.4	17.1-31.7
H.S. or G.E.D.	672	107,315	40	16.1	10.2-22.0	37	8.1	5.0-11.2	52	11.2	7.9-14.5	96	18.4	14.1-22.7	145	18.5	14.8-22.2	302	27.7	23.6-31.8
Some Post-H.S.	614	118,788	50	15.9	11.4-20.4	53	13.9	9.6-18.2	49	14.0	9.5-18.5	94	15.6	11.9-19.3	133	17.5	14.0-21.0	235	23.1	19.4-26.8
College Graduate	792	109,845	14	2.5	1.1- 3.9	93	24.4	19.3-29.5	88	19.9	15.6-24.2	144	18.5	15.2-21.8	167	16.0	13.1-18.9	286	18.7	16.0-21.4
Less than \$15,000	169	27,114	12	27.1	11.4-42.8	10	7.8	1.9-13.7	20	10.7	5.2-16.2	32	17.5	9.1-25.9	40	18.7	10.9-26.5	55	18.2	11.3-25.1
\$15,000- 24,999	333	50,451	13	9.7	2.8-16.6	36	19.5	12.2-26.8	35	14.9	9.4-20.4	39	14.0	8.7-19.3	60	13.6	9.7-17.5	150	28.3	22.4-34.2
\$25,000- 34,999	207	30,476	10	10.8	3.9-17.7	21	13.6	7.1-20.1	16	11.5	5.4-17.6	27	18.4	11.0-25.8	38	16.4	10.1-22.7	95	29.3	22.2-36.4
\$35,000- 49,999	260	40,493	13	8.9	3.8-14.0	23	11.7	6.8-16.6	18	11.6	5.7-17.5	40	20.1	12.8-27.4	64	21.2	14.9-27.5	102	26.5	19.8-33.2
\$50,000- 74,999	276	49,235	12	11.8	4.0-19.6	25	18.4	10.4-26.4	19	11.4	5.5-17.3	48	16.3	10.8-21.8	68	19.6	13.9-25.3	104	22.4	16.7-28.1
\$75,000+	539	107,483	18	7.1	3.2-11.0	59	19.4	14.1-24.7	82	23.2	17.9-28.5	124	20.8	16.7-24.9	129	17.4	13.7-21.1	127	12.1	9.4-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4025	733,494	92	3.5	2.7- 4.3	70	1.9	1.3- 2.5	3	0.1	0.1- 0.1	82	2.2	1.6- 2.8	1	0.0	0.0- 0.0	3777	92.3	91.1-93.5
Male	1724	348,803	45	4.0	2.6- 5.4	26	2.0	1.0- 3.0				45	2.8	1.8- 3.8	1	0.1	0.0- 0.3	1607	91.1	89.1-93.1
Female	2301	384,691	47	3.0	2.0- 4.0	44	1.7	1.1- 2.3	3	0.1	0.0- 0.3	37	1.7	1.1- 2.3				2170	93.5	92.1-94.9
18-24	216	90,081	10	2.3	0.7- 3.9	7	2.6	0.4- 4.8				7	1.5	0.3- 2.7	1	0.3	0.0- 0.9	191	93.3	90.4-96.2
25-34	384	120,897	27	7.6	4.1-11.1	13	2.8	0.6- 5.0				31	5.1	2.7- 7.5				313	84.6	80.1-89.1
35-44	395	110,076	30	8.3	4.8-11.8	12	2.7	0.9- 4.5	1	0.1	0.0- 0.3	24	5.1	2.6- 7.6				328	83.8	79.3-88.3
45-54	616	124,322	17	3.3	1.5- 5.1	14	1.9	0.7- 3.1				8	1.1	0.1- 2.1				577	93.7	91.5-95.9
55-64	847	122,550	7	0.9	0.1- 1.7	12	1.1	0.3- 1.9	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6				825	97.6	96.4-98.8
65+	1514	157,262	1	0.0	0.0- 0.0	11	0.6	0.2- 1.0				8	0.8	0.0- 1.6				1494	98.5	97.7-99.3
Less Than H.S.	360	92,202	59	20.8	14.9-26.7	17	4.6	1.7- 7.5				44	9.8	6.7-12.9				240	64.8	58.1-71.5
H.S. or G.E.D.	1227	229,957	22	2.0	1.0- 3.0	21	1.6	0.8- 2.4				12	1.2	0.2- 2.2				1172	95.1	93.5-96.7
Some Post-H.S.	1012	213,781	7	0.6	0.2- 1.0	21	1.6	0.8- 2.4	3	0.2	0.0- 0.4	10	1.3	0.3- 2.3	1	0.1	0.0- 0.3	970	96.2	94.8-97.6
College Graduate	1409	193,866	4	0.2	0.0- 0.4	11	1.2	0.4- 2.0				16	0.9	0.3- 1.5				1378	97.7	96.7-98.7
Less than \$15,000	251	39,604	13	7.2	2.7-11.7	6	1.3	0.0- 2.7	1	0.3	0.0- 0.9	8	3.0	0.8- 5.2				223	88.2	82.9-93.5
\$15,000- 24,999	571	95,884	38	11.5	7.4-15.6	21	3.1	1.5- 4.7				29	6.3	3.8- 8.8	1	0.3	0.0- 0.9	482	78.9	74.2-83.6
\$25,000- 34,999	382	67,015	12	5.4	1.7- 9.1	3	0.7	0.0- 1.5				12	4.5	0.8- 8.2				355	89.4	84.3-94.5
\$35,000- 49,999	459	77,117	8	4.0	0.5- 7.5	4	1.0	0.0- 2.0				6	1.4	0.2- 2.6				441	93.7	89.8-97.6
\$50,000- 74,999	502	92,609	2	0.5	0.0- 1.5	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	4	1.0	0.0- 2.4				492	97.7	95.9-99.5
\$75,000+	1038	215,223	2	0.1	0.0- 0.3	12	1.3	0.5- 2.1	1	0.1	0.0- 0.3	8	0.7	0.0- 1.5				1015	97.7	96.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1724	348,803	45	4.0	2.6- 5.4	26	2.0	1.0- 3.0	45	2.8	1.8- 3.8	1	0.1	0.0- 0.3	1607	91.1	89.1-93.1
18-24	105	45,517	5	2.7	0.0- 5.4	6	4.6	0.7- 8.5	5	2.4	0.2- 4.6	1	0.6	0.0- 1.8	88	89.7	84.2-95.2
25-34	178	60,456	17	9.8	4.5-15.1	5	3.1	0.0- 6.8	13	4.7	1.4- 8.0				143	82.5	75.4-89.6
35-44	183	53,689	14	9.3	3.2-15.4	4	2.3	0.0- 4.7	13	6.6	1.9-11.3				152	81.8	74.4-89.2
45-54	253	59,182	7	2.8	0.6- 5.0	7	2.4	0.4- 4.4	6	2.0	0.0- 4.0				233	92.7	89.2-96.2
55-64	365	57,646	2	0.5	0.0- 1.3	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2				360	98.6	97.2- 100
65+	620	69,005				2	0.3	0.0- 0.9	5	0.9	0.1- 1.7				613	98.8	97.8-99.8
Less Than H.S.	160	45,511	33	25.1	15.9-34.3	6	4.9	0.0-10.0	25	11.1	6.4-15.8				96	59.0	49.0-69.0
H.S. or G.E.D.	547	121,289	10	2.0	0.6- 3.4	8	1.8	0.4- 3.2	7	1.6	0.0- 3.6				522	94.7	92.2-97.2
Some Post-H.S.	398	95,506				8	2.2	0.6- 3.8	5	1.8	0.0- 3.8	1	0.3	0.0- 0.9	384	95.8	93.3-98.3
College Graduate	610	83,595	2	0.3	0.0- 0.7	4	0.8	0.0- 1.6	8	1.2	0.2- 2.2				596	97.7	96.3-99.1
Less than \$15,000	84	13,024	3	4.3	0.0- 9.2	2	2.0	0.0- 5.1	6	7.4	1.3-13.5				73	86.4	78.2-94.6
\$15,000- 24,999	237	45,413	19	11.3	5.8-16.8	6	2.4	0.2- 4.6	18	6.5	3.6- 9.4	1	0.6	0.0- 1.8	193	79.2	72.9-85.5
\$25,000- 34,999	173	36,446	6	6.5	0.4-12.6				7	6.6	0.1-13.1				160	87.0	78.4-95.6
\$35,000- 49,999	198	36,540	3	5.0	0.0-11.9	2	1.3	0.0- 3.3	4	2.5	0.0- 5.0				189	91.1	83.8-98.4
\$50,000- 74,999	226	43,374	1	1.0	0.0- 3.0	2	1.2	0.0- 3.0	2	1.7	0.0- 4.4				221	96.2	92.5-99.9
\$75,000+	497	107,399	2	0.3	0.0- 0.7	4	0.9	0.0- 1.9	5	1.1	0.0- 2.5				486	97.7	95.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2301	384,691	47	3.0	2.0- 4.0	44	1.7	1.1- 2.3	3	0.1	0.0- 0.3	37	1.7	1.1- 2.3	2170	93.5	92.1-94.9
18-24	111	44,565	5	1.9	0.1- 3.7	1	0.6	0.0- 1.8				2	0.6	0.0- 1.4	103	96.9	94.5-99.3
25-34	206	60,441	10	5.4	0.9- 9.9	8	2.4	0.4- 4.4				18	5.6	2.5- 8.7	170	86.6	80.9-92.3
35-44	212	56,387	16	7.3	3.4-11.2	8	3.2	0.8- 5.6	1	0.2	0.0- 0.6	11	3.8	1.3- 6.3	176	85.6	80.5-90.7
45-54	363	65,140	10	3.6	1.1- 6.1	7	1.5	0.1- 2.9				2	0.3	0.0- 0.7	344	94.5	91.6-97.4
55-64	482	64,904	5	1.2	0.0- 2.4	10	1.6	0.4- 2.8	2	0.5	0.0- 1.3				465	96.6	94.8-98.4
65+	894	88,257	1	0.1	0.0- 0.3	9	0.9	0.3- 1.5				3	0.7	0.0- 1.9	881	98.3	97.1-99.5
Less Than H.S.	200	46,691	26	16.6	9.2-24.0	11	4.3	1.4- 7.2				19	8.5	4.2-12.8	144	70.5	61.9-79.1
H.S. or G.E.D.	680	108,668	12	2.1	0.7- 3.5	13	1.4	0.4- 2.4				5	0.8	0.0- 1.6	650	95.7	93.9-97.5
Some Post-H.S.	614	118,275	7	1.0	0.2- 1.8	13	1.2	0.4- 2.0	3	0.4	0.0- 0.8	5	0.9	0.0- 1.9	586	96.5	94.9-98.1
College Graduate	799	110,271	2	0.2	0.0- 0.4	7	1.4	0.2- 2.6				8	0.7	0.1- 1.3	782	97.7	96.3-99.1
Less than \$15,000	167	26,580	10	8.6	2.3-14.9	4	1.0	0.0- 2.2	1	0.4	0.0- 1.2	2	0.9	0.0- 2.3	150	89.0	82.3-95.7
\$15,000- 24,999	334	50,471	19	11.7	5.6-17.8	15	3.6	1.4- 5.8				11	6.2	2.3-10.1	289	78.6	71.5-85.7
\$25,000- 34,999	209	30,569	6	4.1	0.6- 7.6	3	1.5	0.0- 3.3				5	2.1	0.1- 4.1	195	92.3	88.0-96.6
\$35,000- 49,999	261	40,576	5	3.1	0.4- 5.8	2	0.6	0.0- 1.6				2	0.3	0.0- 0.7	252	95.9	93.0-98.8
\$50,000- 74,999	276	49,235	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	271	99.1	98.3-99.9
\$75,000+	541	107,824				8	1.7	0.3- 3.1	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	529	97.7	96.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3943	718,132	3817	95.7	94.7-96.7	44	1.0	0.6- 1.4	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	77	3.1	2.3- 3.9
Male	1685	340,514	1627	95.4	94.0-96.8	16	0.8	0.4- 1.2	1	0.0	0.0- 0.0				1	0.1	0.0- 0.3	40	3.7	2.3- 5.1
Female	2258	377,618	2190	95.9	94.7-97.1	28	1.3	0.7- 1.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	37	2.6	1.6- 3.6
18-24	212	89,589	196	94.5	91.4-97.6	5	1.1	0.0- 2.5							1	0.4	0.0- 1.2	10	4.0	1.3- 6.7
25-34	366	117,198	332	91.5	88.0-95.0	9	2.0	0.4- 3.6										25	6.5	3.4- 9.6
35-44	370	103,524	343	92.5	89.4-95.6	5	1.0	0.0- 2.0										22	6.5	3.6- 9.4
45-54	602	121,668	587	97.5	95.9-99.1	6	0.8	0.0- 1.6				1	0.2	0.0- 0.6				8	1.5	0.3- 2.7
55-64	838	121,710	824	97.5	95.9-99.1	7	0.8	0.0- 1.6	1	0.0	0.0- 0.0				1	0.4	0.0- 1.2	5	1.3	0.1- 2.5
65+	1507	157,367	1488	98.7	97.9-99.5	11	0.5	0.1- 0.9	1	0.0	0.0- 0.0							7	0.7	0.1- 1.3
Less Than H.S.	322	84,315	273	83.1	77.6-88.6	5	1.0	0.0- 2.2							1	0.6	0.0- 1.8	43	15.3	10.0-20.6
H.S. or G.E.D.	1213	227,524	1185	97.8	96.8-98.8	13	0.7	0.3- 1.1										15	1.5	0.5- 2.5
Some Post-H.S.	999	212,126	975	96.8	95.2-98.4	10	0.9	0.1- 1.7	2	0.0	0.0- 0.0							12	2.2	0.8- 3.6
College Graduate	1392	190,684	1368	97.6	96.2-99.0	16	1.6	0.6- 2.6				1	0.1	0.0- 0.3				7	0.7	0.1- 1.3
Less than \$15,000	246	39,041	236	93.9	89.2-98.6	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3				1	1.4	0.0- 4.1	6	4.3	0.4- 8.2
\$15,000- 24,999	547	91,828	502	87.6	83.3-91.9	8	0.8	0.2- 1.4	1	0.1	0.0- 0.3							36	11.5	7.2-15.8
\$25,000- 34,999	379	67,358	370	97.4	95.6-99.2	3	1.1	0.0- 2.5										6	1.5	0.3- 2.7
\$35,000- 49,999	454	75,108	445	97.4	95.4-99.4	6	1.7	0.0- 3.5										3	0.9	0.0- 2.1
\$50,000- 74,999	495	90,578	490	99.3	98.5- 100	5	0.7	0.0- 1.5												
\$75,000+	1029	213,272	1011	97.0	95.4-98.6	9	1.0	0.2- 1.8										9	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1685	340,514	1627	95.4	94.0-96.8	16	0.8	0.4- 1.2	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	40	3.7	2.3- 5.1
18-24	102	44,835	92	92.7	87.6-97.8	2	0.6	0.0- 1.6				1	0.8	0.0- 2.4	7	5.9	1.2-10.6
25-34	168	58,416	154	93.1	88.8-97.4	1	0.6	0.0- 1.8							13	6.4	2.1-10.7
35-44	171	49,873	155	90.4	85.3-95.5	3	1.3	0.0- 2.9							13	8.4	3.5-13.3
45-54	248	57,802	244	98.1	96.1- 100	1	0.6	0.0- 1.8							3	1.2	0.0- 2.8
55-64	363	57,710	356	97.0	94.3-99.7	4	1.0	0.0- 2.6							3	2.0	0.0- 4.4
65+	617	69,546	610	99.2	98.4- 100	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3				1	0.1	0.0- 0.3
Less Than H.S.	144	41,876	118	82.4	75.0-89.8	3	1.6	0.0- 3.8							23	16.0	8.7-23.3
H.S. or G.E.D.	541	119,795	530	98.0	96.4-99.6	3	0.3	0.0- 0.7							8	1.7	0.3- 3.1
Some Post-H.S.	393	94,160	381	95.7	93.0-98.4	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3				7	3.5	0.8- 6.2
College Graduate	598	81,989	590	98.3	96.9-99.7	6	1.1	0.0- 2.3							2	0.5	0.0- 1.3
Less than \$15,000	82	12,613	79	96.7	92.6- 100	1	0.4	0.0- 1.2							2	2.9	0.0- 7.0
\$15,000- 24,999	226	43,907	200	85.7	79.6-91.8	3	0.9	0.0- 2.1	1	0.1	0.0- 0.3				22	13.3	7.4-19.2
\$25,000- 34,999	171	36,938	168	97.9	95.4- 100	2	1.6	0.0- 4.0							1	0.5	0.0- 1.5
\$35,000- 49,999	195	34,734	194	99.7	99.1- 100										1	0.3	0.0- 0.9
\$50,000- 74,999	223	42,536	221	99.7	99.3- 100	2	0.3	0.0- 0.7									
\$75,000+	493	106,200	482	96.4	93.9-98.9	4	0.6	0.0- 1.4							7	3.0	0.6- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	377,618	2190	95.9	94.7-97.1	28	1.3	0.7- 1.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	37	2.6	1.6- 3.6
18-24	110	44,754	104	96.3	92.6- 100	3	1.6	0.0- 4.0										3	2.1	0.0- 5.0
25-34	198	58,781	178	89.9	84.4-95.4	8	3.5	0.4- 6.6										12	6.6	1.9-11.3
35-44	199	53,651	188	94.4	90.9-97.9	2	0.8	0.0- 1.8										9	4.8	1.5- 8.1
45-54	354	63,865	343	96.9	94.5-99.3	5	1.0	0.0- 2.0				1	0.3	0.0- 0.9				5	1.8	0.0- 3.8
55-64	475	63,999	468	97.9	95.9-99.9	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3				1	0.8	0.0- 2.4	2	0.6	0.0- 1.6
65+	890	87,821	878	98.4	97.2-99.6	6	0.5	0.1- 0.9										6	1.1	0.0- 2.3
Less Than H.S.	178	42,440	155	83.7	75.9-91.5	2	0.3	0.0- 0.7							1	1.3	0.0- 3.8	20	14.7	7.3-22.1
H.S. or G.E.D.	672	107,729	655	97.6	96.2-99.0	10	1.2	0.4- 2.0										7	1.2	0.2- 2.2
Some Post-H.S.	606	117,967	594	97.7	96.1-99.3	6	1.1	0.1- 2.1	1	0.0	0.0- 0.0							5	1.2	0.0- 2.4
College Graduate	794	108,696	778	97.0	95.0-99.0	10	1.9	0.1- 3.7				1	0.2	0.0- 0.6				5	0.9	0.0- 1.9
Less than \$15,000	164	26,427	157	92.5	85.8-99.2	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				1	2.0	0.0- 5.9	4	5.0	0.0-10.5
\$15,000- 24,999	321	47,921	302	89.3	83.2-95.4	5	0.8	0.0- 1.6										14	9.9	3.8-16.0
\$25,000- 34,999	208	30,420	202	96.9	94.4-99.4	1	0.4	0.0- 1.2										5	2.6	0.2- 5.0
\$35,000- 49,999	259	40,374	251	95.4	91.7-99.1	6	3.2	0.1- 6.3										2	1.3	0.0- 3.3
\$50,000- 74,999	272	48,043	269	99.0	97.6- 100	3	1.0	0.0- 2.4												
\$75,000+	536	107,072	529	97.6	95.4-99.8	5	1.4	0.0- 3.0										2	1.0	0.0- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4024	732,326	2052	49.8	47.6-52.0	535	11.3	9.9-12.7	514	7.3	6.5- 8.1	94	2.4	1.8- 3.0	686	24.3	22.1-26.5	143	4.8	3.8- 5.8
Male	1731	350,138	958	50.6	47.3-53.9	206	11.0	9.0-13.0	128	4.2	3.2- 5.2	38	2.3	1.3- 3.3	335	26.9	23.6-30.2	66	5.0	3.4- 6.6
Female	2293	382,188	1094	49.2	46.3-52.1	329	11.7	9.9-13.5	386	10.1	8.7-11.5	56	2.6	1.8- 3.4	351	21.8	19.1-24.5	77	4.7	3.3- 6.1
White/Non-Hisp	2936	478,080	1604	54.3	51.8-56.8	411	12.5	10.9-14.1	412	8.4	7.4- 9.4	38	1.6	1.0- 2.2	394	19.7	17.2-22.2	77	3.6	2.4- 4.8
Black or Afr. Am./Non-Hisp	604	143,686	221	36.0	30.7-41.3	85	12.1	8.8-15.4	63	5.7	3.9- 7.5	33	4.0	2.2- 5.8	190	40.1	34.2-46.0	12	2.1	0.7- 3.5
Oth. Race/Non-Hisp.	115	32,643	68	61.8	50.2-73.4	9	5.3	0.6-10.0	6	2.5	0.0- 5.0	2	0.8	0.0- 2.4	27	26.9	15.9-37.9	3	2.7	0.0- 6.0
Hispanic	246	55,822	102	42.8	34.8-50.8	12	4.1	1.2- 7.0	12	2.8	0.8- 4.8	19	6.7	3.0-10.4	53	21.6	15.3-27.9	48	21.9	14.8-29.0
18-24	216	88,750	20	7.4	3.3-11.5	3	1.2	0.0- 2.8	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5	176	84.8	79.1-90.5	15	5.8	2.1- 9.5
25-34	385	121,758	144	39.5	33.0-46.0	17	3.9	1.5- 6.3	11	2.3	0.7- 3.9	11	2.3	0.7- 3.9	160	41.4	34.7-48.1	53	12.9	8.4-17.4
35-44	395	110,317	232	63.2	57.3-69.1	47	11.5	7.2-15.8	4	0.9	0.0- 1.9	20	4.2	2.0- 6.4	71	16.0	11.9-20.1	21	4.2	2.2- 6.2
45-54	618	124,779	350	58.9	54.0-63.8	112	17.8	13.9-21.7	18	2.3	0.9- 3.7	22	3.9	1.9- 5.9	94	13.0	9.9-16.1	22	4.2	2.2- 6.2
55-64	846	121,633	487	64.0	60.1-67.9	150	16.0	12.9-19.1	66	6.1	4.3- 7.9	21	2.5	1.1- 3.9	100	8.8	6.6-11.0	22	2.6	1.2- 4.0
65+	1517	158,173	797	54.3	51.0-57.6	199	14.0	11.6-16.4	417	25.7	22.8-28.6	15	1.0	0.4- 1.6	79	4.2	2.8- 5.6	10	0.9	0.1- 1.7
Less Than H.S.	364	93,717	130	35.8	29.1-42.5	47	10.3	6.8-13.8	62	10.5	7.2-13.8	21	5.8	3.1- 8.5	65	25.7	18.1-33.3	39	11.9	7.4-16.4
H.S. or G.E.D.	1222	227,159	534	43.6	39.5-47.7	181	13.0	10.3-15.7	208	9.1	7.5-10.7	31	2.4	1.4- 3.4	224	27.3	23.2-31.4	44	4.6	2.8- 6.4
Some Post-H.S.	1014	214,298	495	47.2	42.9-51.5	147	11.4	9.0-13.8	122	6.9	5.3- 8.5	22	1.7	0.9- 2.5	201	29.2	25.1-33.3	27	3.6	1.8- 5.4
College Graduate	1409	194,442	887	66.5	63.2-69.8	160	10.0	7.8-12.2	119	4.1	3.1- 5.1	19	1.7	0.7- 2.7	191	14.6	12.1-17.1	33	3.1	1.7- 4.5
Less than \$15,000	250	39,258	42	20.3	12.5-28.1	57	14.8	9.7-19.9	42	10.4	6.3-14.5	17	7.0	2.5-11.5	77	40.8	30.0-51.6	15	6.7	2.8-10.6
\$15,000- 24,999	571	95,001	149	25.2	20.5-29.9	103	15.1	11.4-18.8	121	13.9	10.8-17.0	27	4.7	2.5- 6.9	131	30.7	25.2-36.2	40	10.4	6.7-14.1
\$25,000- 34,999	383	68,260	139	35.4	28.5-42.3	72	20.7	14.4-27.0	62	9.7	6.6-12.8	9	2.6	0.4- 4.8	88	28.1	21.4-34.8	13	3.4	1.4- 5.4
\$35,000- 49,999	459	77,255	202	41.1	35.0-47.2	82	16.2	11.7-20.7	67	10.9	7.2-14.6	11	2.7	0.7- 4.7	78	22.2	16.9-27.5	19	6.8	2.7-10.9
\$50,000- 74,999	500	92,313	301	58.5	52.2-64.8	62	11.9	8.2-15.6	47	4.1	2.7- 5.5	6	1.6	0.2- 3.0	69	19.7	14.2-25.2	15	4.1	1.4- 6.8
\$75,000+	1043	215,217	792	72.2	68.1-76.3	87	8.0	5.6-10.4	39	1.8	1.0- 2.6	11	1.2	0.4- 2.0	92	14.1	10.4-17.8	22	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	350,138	958	50.6	47.3-53.9	206	11.0	9.0-13.0	128	4.2	3.2- 5.2	38	2.3	1.3- 3.3	335	26.9	23.6-30.2	66	5.0	3.4- 6.6
White/Non-Hisp	1252	227,715	727	52.4	48.3-56.5	159	12.6	9.9-15.3	105	5.0	3.8- 6.2	15	1.7	0.7- 2.7	212	24.5	20.6-28.4	34	3.9	1.9- 5.9
Black or Afr. Am./Non-Hisp	252	65,688	112	42.2	33.6-50.8	36	12.1	7.0-17.2	15	2.9	0.9- 4.9	13	3.0	0.8- 5.2	69	36.7	27.3-46.1	7	3.1	0.4- 5.8
Hispanic	116	30,923	53	49.4	37.6-61.2	2	1.1	0.0- 2.9	2	1.1	0.0- 2.9	8	5.1	1.2- 9.0	28	25.1	15.5-34.7	23	18.2	9.4-27.0
18-24	106	45,810	9	4.8	1.5- 8.1	2	2.2	0.0- 5.1	1	0.5	0.0- 1.7				87	86.2	78.8-93.6	7	6.3	0.0-12.6
25-34	178	60,698	66	36.1	26.7-45.5	3	1.5	0.0- 3.5				2	1.3	0.0- 3.3	84	49.3	39.3-59.3	23	11.7	5.0-18.4
35-44	184	54,031	113	63.8	55.0-72.6	21	12.3	4.9-19.7	1	0.7	0.0- 2.1	9	4.7	1.4- 8.0	32	15.5	9.6-21.4	8	3.0	0.8- 5.2
45-54	255	59,539	134	56.9	49.6-64.2	52	18.9	13.0-24.8	3	0.8	0.0- 1.8	9	4.4	1.5- 7.3	44	13.6	9.1-18.1	13	5.4	1.9- 8.9
55-64	365	57,579	219	65.4	59.3-71.5	61	16.5	11.6-21.4	15	3.3	1.3- 5.3	8	2.2	0.2- 4.2	50	9.2	5.9-12.5	12	3.5	1.0- 6.0
65+	626	70,145	407	65.2	60.1-70.3	67	13.0	9.1-16.9	106	15.9	12.0-19.8	7	1.0	0.2- 1.8	36	4.2	2.2- 6.2	3	0.8	0.0- 1.8
Less Than H.S.	163	47,012	63	39.4	29.4-49.4	20	11.3	5.8-16.8	13	6.3	2.2-10.4	7	3.7	0.8- 6.6	40	28.2	18.2-38.2	20	11.1	5.0-17.2
H.S. or G.E.D.	549	121,546	252	42.4	36.5-48.3	82	14.5	10.0-19.0	50	4.4	2.8- 6.0	14	2.2	0.6- 3.8	130	32.0	25.9-38.1	21	4.6	1.7- 7.5
Some Post-H.S.	399	95,414	202	47.3	40.6-54.0	56	10.1	7.0-13.2	28	4.0	2.0- 6.0	7	1.8	0.4- 3.2	93	31.8	24.9-38.7	13	4.9	1.4- 8.4
College Graduate	612	83,995	437	71.6	66.7-76.5	48	7.0	4.5- 9.5	37	3.2	1.8- 4.6	10	2.4	0.4- 4.4	68	13.5	9.6-17.4	12	2.3	0.7- 3.9
Less than \$15,000	82	12,188	17	25.6	10.5-40.7	20	18.4	8.6-28.2	6	6.4	0.3-12.5	2	0.9	0.0- 2.1	31	41.5	26.0-57.0	6	7.1	1.0-13.2
\$15,000- 24,999	240	46,195	70	26.5	19.6-33.4	45	17.1	11.0-23.2	25	6.8	3.3-10.3	8	3.9	0.6- 7.2	73	37.3	28.9-45.7	19	8.3	4.2-12.4
\$25,000- 34,999	174	37,720	62	35.5	25.3-45.7	29	19.3	9.9-28.7	24	8.3	3.8-12.8	4	2.4	0.0- 5.1	48	31.2	21.0-41.4	7	3.4	0.7- 6.1
\$35,000- 49,999	199	36,772	93	42.7	33.3-52.1	30	13.6	7.7-19.5	22	8.5	3.8-13.2	8	3.9	0.6- 7.2	37	23.5	15.5-31.5	9	7.9	0.6-15.2
\$50,000- 74,999	225	43,249	152	62.9	53.7-72.1	19	8.5	4.0-13.0	16	3.4	1.4- 5.4	3	1.8	0.0- 4.0	29	20.4	12.0-28.8	6	3.1	0.2- 6.0
\$75,000+	500	107,195	388	70.0	63.5-76.5	41	8.9	5.2-12.6	12	1.1	0.1- 2.1	7	1.9	0.3- 3.5	43	15.2	9.5-20.9	9	2.8	0.0- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS
 TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2293	382,188	1094	49.2	46.3-52.1	329	11.7	9.9-13.5	386	10.1	8.7-11.5	56	2.6	1.8- 3.4	351	21.8	19.1-24.5	77	4.7	3.3- 6.1
White/Non-Hisp	1684	250,364	877	56.0	52.7-59.3	252	12.4	10.4-14.4	307	11.5	9.7-13.3	23	1.4	0.6- 2.2	182	15.3	12.2-18.4	43	3.4	2.2- 4.6
Black or Afr. Am./Non-Hisp	352	77,999	109	30.8	24.3-37.3	49	12.2	7.9-16.5	48	8.0	5.1-10.9	20	4.8	2.3- 7.3	121	43.0	35.6-50.4	5	1.2	0.0- 2.4
Oth. Race/Non-Hisp.	66	18,378	39	61.2	44.7-77.7	5	5.3	0.0-12.4	5	3.8	0.0- 8.1	1	0.1	0.0- 0.3	14	26.6	10.9-42.3	2	3.1	0.0- 7.8
Hispanic	130	24,899	49	34.6	24.8-44.4	10	7.9	1.8-14.0	10	5.0	1.5- 8.5	11	8.8	2.3-15.3	25	17.3	10.0-24.6	25	26.6	15.6-37.6
18-24	110	42,940	11	10.2	2.8-17.6	1	0.3	0.0- 0.9				1	0.9	0.0- 2.7	89	83.3	74.9-91.7	8	5.3	1.2- 9.4
25-34	207	61,060	78	42.9	34.1-51.7	14	6.2	1.9-10.5				9	3.3	0.8- 5.8	76	33.4	25.2-41.6	30	14.1	8.0-20.2
35-44	211	56,286	119	62.7	54.9-70.5	26	10.6	5.9-15.3	3	1.1	0.0- 2.5	11	3.8	1.3- 6.3	39	16.5	10.6-22.4	13	5.3	2.2- 8.4
45-54	363	65,240	216	60.6	54.1-67.1	60	16.8	11.7-21.9	15	3.6	1.2- 6.0	13	3.6	1.2- 6.0	50	12.4	8.3-16.5	9	3.0	0.8- 5.2
55-64	481	64,055	268	62.7	57.4-68.0	89	15.5	11.8-19.2	51	8.7	6.0-11.4	13	2.7	0.7- 4.7	50	8.5	5.8-11.2	10	1.8	0.4- 3.2
65+	891	88,028	390	45.6	41.3-49.9	132	14.8	11.7-17.9	311	33.5	29.4-37.6	8	1.0	0.0- 2.0	43	4.1	2.1- 6.1	7	1.0	0.0- 2.0
Less Than H.S.	201	46,705	67	32.1	23.3-40.9	27	9.3	5.2-13.4	49	14.8	9.3-20.3	14	8.0	3.3-12.7	25	23.2	11.6-34.8	19	12.6	5.9-19.3
H.S. or G.E.D.	673	105,613	282	45.0	39.5-50.5	99	11.3	8.6-14.0	158	14.6	11.7-17.5	17	2.6	1.0- 4.2	94	21.9	16.6-27.2	23	4.6	2.4- 6.8
Some Post-H.S.	615	118,884	293	47.1	41.8-52.4	91	12.5	9.2-15.8	94	9.2	6.8-11.6	15	1.6	0.6- 2.6	108	27.1	22.0-32.2	14	2.5	0.9- 4.1
College Graduate	797	110,447	450	62.5	57.8-67.2	112	12.2	9.1-15.3	82	4.7	3.5- 5.9	9	1.2	0.2- 2.2	123	15.5	12.0-19.0	21	3.8	1.6- 6.0
Less than \$15,000	168	27,070	25	17.9	9.1-26.7	37	13.1	7.2-19.0	36	12.2	6.7-17.7	15	9.8	3.3-16.3	46	40.5	26.4-54.6	9	6.5	1.6-11.4
\$15,000- 24,999	331	48,805	79	23.9	17.6-30.2	58	13.3	9.2-17.4	96	20.5	15.6-25.4	19	5.4	2.5- 8.3	58	24.5	17.4-31.6	21	12.4	6.3-18.5
\$25,000- 34,999	209	30,540	77	35.3	26.9-43.7	43	22.5	14.7-30.3	38	11.6	7.3-15.9	5	3.0	0.0- 6.1	40	24.2	16.2-32.2	6	3.4	0.3- 6.5
\$35,000- 49,999	260	40,483	109	39.7	31.9-47.5	52	18.7	12.2-25.2	45	13.2	7.7-18.7	3	1.6	0.0- 3.8	41	21.0	13.9-28.1	10	5.9	1.8-10.0
\$50,000- 74,999	275	49,064	149	54.6	46.0-63.2	43	15.0	9.1-20.9	31	4.7	2.5- 6.9	3	1.5	0.0- 3.3	40	19.2	11.9-26.5	9	5.1	0.8- 9.4
\$75,000+	543	108,022	404	74.3	69.2-79.4	46	7.1	4.4- 9.8	27	2.4	1.2- 3.6	4	0.6	0.0- 1.2	49	12.9	8.4-17.4	13	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4048	737,465	9	0.5	0.1- 0.9	123	3.5	2.7- 4.3	236	8.8	7.2-10.4	1235	31.3	29.1-33.5	1020	29.2	27.0-31.4	1425	26.6	24.8-28.4
Male	1740	350,902	3	0.4	0.0- 1.2	59	3.9	2.7- 5.1	104	9.3	7.1-11.5	553	34.8	31.5-38.1	402	27.4	24.3-30.5	619	24.1	21.7-26.5
Female	2308	386,563	6	0.6	0.0- 1.2	64	3.2	2.2- 4.2	132	8.4	6.2-10.6	682	28.2	25.5-30.9	618	30.8	28.1-33.5	806	28.8	26.3-31.3
White/Non-Hisp	2948	480,748				29	1.2	0.6- 1.8	111	5.4	4.0- 6.8	908	32.5	30.0-35.0	770	31.8	29.3-34.3	1130	29.1	26.9-31.3
Black or Afr. Am./Non-Hisp	610	145,746				13	1.6	0.6- 2.6	66	14.2	9.3-19.1	219	37.0	31.5-42.5	148	26.8	21.9-31.7	164	20.4	16.3-24.5
Oth. Race/Non-Hisp.	113	31,614	1	2.9	0.0- 8.4	2	0.8	0.0- 2.0	7	6.0	1.1-10.9	25	17.4	9.0-25.8	31	31.3	19.0-43.6	47	41.6	29.8-53.4
Hispanic	248	56,281	8	5.0	0.1- 9.9	73	28.6	21.9-35.3	39	24.0	16.2-31.8	55	19.8	13.5-26.1	42	14.6	9.5-19.7	31	8.0	4.7-11.3
18-24	218	90,654				7	2.1	0.5- 3.7	16	12.0	4.6-19.4	85	40.2	31.6-48.8	87	40.2	31.8-48.6	23	5.5	3.0- 8.0
25-34	385	120,967	3	1.4	0.0- 3.2	26	4.9	2.7- 7.1	22	8.8	4.7-12.9	102	25.3	19.2-31.4	92	27.2	21.1-33.3	140	32.4	26.5-38.3
35-44	397	110,637	3	1.4	0.0- 3.8	27	5.6	3.2- 8.0	22	7.8	4.1-11.5	100	25.6	19.9-31.3	96	26.2	20.5-31.9	149	33.4	27.7-39.1
45-54	619	124,870	2	0.4	0.0- 1.0	17	2.7	1.1- 4.3	34	7.2	4.5- 9.9	182	33.1	28.2-38.0	155	26.9	22.6-31.2	229	29.6	25.5-33.7
55-64	849	123,067				18	2.8	1.2- 4.4	53	8.1	5.6-10.6	279	33.8	29.7-37.9	210	29.3	25.2-33.4	289	26.0	22.7-29.3
65+	1527	159,262	1	0.1	0.0- 0.3	25	2.6	1.2- 4.0	87	9.5	7.1-11.9	473	31.7	28.6-34.8	372	28.9	25.8-32.0	569	27.2	24.7-29.7
Less than \$15,000	254	40,200	2	2.0	0.0- 4.9	21	9.7	5.0-14.4	36	24.9	14.5-35.3	110	37.9	28.7-47.1	53	19.7	11.9-27.5	32	5.7	2.8- 8.6
\$15,000- 24,999	578	97,189	2	0.3	0.0- 0.7	47	10.3	7.0-13.6	77	19.3	14.4-24.2	257	40.2	34.7-45.7	125	22.6	17.9-27.3	70	7.4	5.0- 9.8
\$25,000- 34,999	386	68,678				11	3.4	1.0- 5.8	30	10.9	6.2-15.6	144	40.8	33.7-47.9	119	32.8	25.9-39.7	82	12.1	8.6-15.6
\$35,000- 49,999	461	77,457	1	1.6	0.0- 4.7	4	1.4	0.0- 2.8	9	2.9	0.7- 5.1	171	41.5	35.4-47.6	143	34.5	28.4-40.6	133	18.0	14.1-21.9
\$50,000- 74,999	502	92,609							10	4.3	1.0- 7.6	134	29.7	23.4-36.0	156	37.7	31.6-43.8	202	28.3	23.0-33.6
\$75,000+	1047	216,338				2	0.2	0.0- 0.4	5	0.4	0.0- 0.8	145	18.5	14.8-22.2	225	30.2	26.1-34.3	670	50.6	46.3-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	350,902	3	0.4	0.0- 1.2	59	3.9	2.7- 5.1	104	9.3	7.1-11.5	553	34.8	31.5-38.1	402	27.4	24.3-30.5	619	24.1	21.7-26.5
White/Non-Hisp	1255	227,817				14	1.5	0.5- 2.5	33	3.7	2.1- 5.3	401	36.2	32.3-40.1	306	31.1	27.2-35.0	501	27.5	24.4-30.6
Black or Afr. Am./Non-Hisp	256	66,596				5	1.4	0.0- 2.8	36	18.5	10.7-26.3	105	43.1	34.3-51.9	53	22.0	14.6-29.4	57	15.0	9.9-20.1
Hispanic	117	31,129	3	5.0	0.0-12.8	36	26.6	17.4-35.8	25	28.4	17.4-39.4	25	20.8	11.4-30.2	14	13.0	5.4-20.6	14	6.3	2.6-10.0
18-24	106	45,631				5	3.0	0.3- 5.7	10	11.5	2.1-20.9	45	42.1	30.1-54.1	37	38.5	26.5-50.5	9	4.8	1.3- 8.3
25-34	178	59,907				15	6.2	2.5- 9.9	12	9.2	3.3-15.1	65	36.6	26.6-46.6	39	27.4	18.4-36.4	47	20.6	13.7-27.5
35-44	185	54,106	1	2.4	0.0- 6.9	16	7.2	3.3-11.1	12	9.8	3.7-15.9	48	30.1	20.9-39.3	47	22.7	15.4-30.0	61	27.8	20.2-35.4
45-54	255	59,567	1	0.3	0.0- 0.9	6	1.8	0.2- 3.4	16	8.3	4.0-12.6	86	36.2	28.8-43.6	61	25.3	18.8-31.8	85	28.1	21.8-34.4
55-64	367	58,134				6	2.4	0.0- 4.8	28	9.1	5.4-12.8	134	37.5	31.0-44.0	77	26.2	20.1-32.3	122	24.8	19.7-29.9
65+	628	70,433	1	0.1	0.0- 0.3	11	3.2	0.8- 5.6	25	8.4	4.7-12.1	171	29.6	24.9-34.3	137	26.4	21.5-31.3	283	32.3	28.0-36.6
Less than \$15,000	85	13,086				6	7.9	1.2-14.6	11	20.4	7.9-32.9	44	50.5	35.6-65.4	17	16.3	5.7-26.9	7	4.9	0.0-10.8
\$15,000- 24,999	241	46,303	1	0.2	0.0- 0.6	29	13.2	7.7-18.7	36	20.1	13.4-26.8	110	42.6	34.6-50.6	37	16.7	9.6-23.8	28	7.3	3.8-10.8
\$25,000- 34,999	176	37,918				6	3.7	0.4- 7.0	18	14.9	7.1-22.7	63	41.8	31.0-52.6	52	30.0	20.0-40.0	37	9.6	5.5-13.7
\$35,000- 49,999	200	36,881	1	3.5	0.0-10.2	3	2.0	0.0- 4.2	6	3.8	0.5- 7.1	84	45.6	36.4-54.8	56	29.8	20.6-39.0	50	15.3	9.6-21.0
\$50,000- 74,999	226	43,374							4	4.8	0.0-10.9	68	33.2	24.0-42.4	66	37.1	27.9-46.3	88	24.9	18.2-31.6
\$75,000+	504	108,316				1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	79	23.8	17.7-29.9	113	32.2	26.1-38.3	309	43.4	37.5-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2308	386,563	6	0.6	0.0- 1.2	64	3.2	2.2- 4.2	132	8.4	6.2-10.6	682	28.2	25.5-30.9	618	30.8	28.1-33.5	806	28.8	26.3-31.3
White/Non-Hisp	1693	252,931				15	1.0	0.4- 1.6	78	6.9	4.7- 9.1	507	29.3	26.2-32.4	464	32.4	29.1-35.7	629	30.5	27.6-33.4
Black or Afr. Am./Non-Hisp	354	79,151				8	1.7	0.1- 3.3	30	10.5	4.4-16.6	114	31.9	25.2-38.6	95	30.9	24.4-37.4	107	24.9	19.0-30.8
Oth. Race/Non-Hisp.	65	18,225	1	5.0	0.0-14.4	2	1.3	0.0- 3.3	4	5.9	0.0-12.2	15	16.8	6.0-27.6	17	34.3	16.3-52.3	26	36.7	21.2-52.2
Hispanic	131	25,151	5	5.1	0.0-10.2	37	31.0	21.4-40.6	14	18.5	7.5-29.5	30	18.6	11.2-26.0	28	16.5	9.8-23.2	17	10.1	4.2-16.0
18-24	112	45,023				2	1.1	0.0- 2.7	6	12.5	1.1-23.9	40	38.3	26.0-50.6	50	42.0	30.2-53.8	14	6.1	2.4- 9.8
25-34	207	61,060	3	2.7	0.0- 6.0	11	3.7	1.3- 6.1	10	8.5	2.4-14.6	37	14.3	8.8-19.8	53	27.0	19.2-34.8	93	43.9	35.3-52.5
35-44	212	56,530	2	0.5	0.0- 1.3	11	4.1	1.6- 6.6	10	5.9	1.6-10.2	52	21.3	15.0-27.6	49	29.5	21.1-37.9	88	38.8	30.8-46.8
45-54	364	65,303	1	0.4	0.0- 1.2	11	3.6	1.2- 6.0	18	6.3	2.8- 9.8	96	30.3	24.0-36.6	94	28.4	22.3-34.5	144	31.1	25.6-36.6
55-64	482	64,933				12	3.2	1.2- 5.2	25	7.3	4.0-10.6	145	30.5	25.2-35.8	133	32.0	26.5-37.5	167	27.0	22.3-31.7
65+	899	88,828				14	2.1	0.7- 3.5	62	10.4	7.3-13.5	302	33.4	29.3-37.5	235	30.8	26.7-34.9	286	23.2	20.1-26.3
Less than \$15,000	169	27,114	2	3.0	0.0- 7.3	15	10.6	4.3-16.9	25	27.1	13.2-41.0	66	31.9	20.7-43.1	36	21.3	10.9-31.7	25	6.0	2.9- 9.1
\$15,000- 24,999	337	50,886	1	0.3	0.0- 0.9	18	7.7	3.8-11.6	41	18.5	11.4-25.6	147	37.9	30.3-45.5	88	28.1	21.4-34.8	42	7.5	4.6-10.4
\$25,000- 34,999	210	30,760				5	2.9	0.0- 5.8	12	6.0	1.7-10.3	81	39.6	31.0-48.2	67	36.3	27.5-45.1	45	15.2	9.5-20.9
\$35,000- 49,999	261	40,576				1	0.9	0.0- 2.7	3	2.0	0.0- 4.7	87	37.9	29.9-45.9	87	38.8	30.8-46.8	83	20.5	15.0-26.0
\$50,000- 74,999	276	49,235							6	3.8	0.3- 7.3	66	26.5	18.1-34.9	90	38.3	30.1-46.5	114	31.3	23.7-38.9
\$75,000+	543	108,022				1	0.1	0.0- 0.3	3	0.5	0.0- 1.1	66	13.2	9.3-17.1	112	28.3	22.6-34.0	361	57.9	52.0-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4038	732,563	2971	74.1	72.3-75.9	887	20.3	18.5-22.1	180	5.6	4.6- 6.6
Male	1739	350,208	1257	73.8	71.1-76.5	398	20.1	17.7-22.5	84	6.2	4.6- 7.8
Female	2299	382,355	1714	74.5	72.0-77.0	489	20.5	18.1-22.9	96	5.0	3.6- 6.4
18-24	215	87,746	45	36.6	27.4-45.8	104	37.9	29.9-45.9	66	25.5	18.8-32.2
25-34	386	121,380	146	52.9	46.4-59.4	214	42.0	35.7-48.3	26	5.2	2.7- 7.7
35-44	398	110,858	230	71.1	66.2-76.0	151	24.7	20.2-29.2	17	4.2	1.8- 6.6
45-54	619	124,057	476	86.7	84.2-89.2	122	10.8	8.4-13.2	21	2.5	1.1- 3.9
55-64	847	122,072	693	87.4	84.9-89.9	135	10.8	8.4-13.2	19	1.8	0.8- 2.8
65+	1522	158,949	1340	92.7	91.3-94.1	153	6.3	4.9- 7.7	29	1.0	0.6- 1.4
Less Than H.S.	365	92,052	152	48.6	41.5-55.7	190	45.2	38.1-52.3	23	6.2	3.1- 9.3
H.S. or G.E.D.	1228	229,990	849	73.4	70.1-76.7	312	20.3	17.6-23.0	67	6.4	4.2- 8.6
Some Post-H.S.	1015	213,425	745	74.7	71.2-78.2	217	18.7	15.6-21.8	53	6.6	4.4- 8.8
College Graduate	1417	195,239	1216	86.4	84.0-88.8	166	10.6	8.4-12.8	35	3.0	1.6- 4.4
Less than \$15,000	251	39,976	99	42.6	32.6-52.6	129	49.9	39.9-59.9	23	7.5	2.8-12.2
\$15,000- 24,999	576	96,984	310	56.2	50.7-61.7	247	40.0	34.7-45.3	19	3.8	1.6- 6.0
\$25,000- 34,999	384	68,415	255	68.5	62.2-74.8	112	25.0	19.3-30.7	17	6.5	3.0-10.0
\$35,000- 49,999	460	77,292	352	74.8	69.3-80.3	95	22.3	17.0-27.6	13	2.9	0.9- 4.9
\$50,000- 74,999	501	92,502	432	84.9	80.6-89.2	58	12.7	8.6-16.8	11	2.4	0.8- 4.0
\$75,000+	1045	214,626	930	89.9	87.5-92.3	84	6.0	4.2- 7.8	31	4.1	2.3- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	350,208	1257	73.8	71.1-76.5	398	20.1	17.7-22.5	84	6.2	4.6- 7.8
18-24	106	45,871	25	38.8	25.9-51.7	51	37.3	26.3-48.3	30	23.9	14.9-32.9
25-34	179	60,320	62	53.8	44.2-63.4	106	39.7	30.9-48.5	11	6.5	2.2-10.8
35-44	185	54,106	105	71.0	63.9-78.1	69	23.5	17.2-29.8	11	5.5	1.8- 9.2
45-54	256	58,932	186	84.4	80.3-88.5	56	11.7	8.2-15.2	14	3.9	1.5- 6.3
55-64	366	58,017	299	88.1	84.4-91.8	58	10.5	7.0-14.0	9	1.4	0.2- 2.6
65+	628	70,431	565	94.5	92.5-96.5	55	4.8	3.0- 6.6	8	0.7	0.1- 1.3
Less Than H.S.	165	47,155	61	49.4	39.2-59.6	92	44.0	34.4-53.6	12	6.6	2.3-10.9
H.S. or G.E.D.	551	122,084	367	72.3	67.6-77.0	146	20.0	15.9-24.1	38	7.8	4.9-10.7
Some Post-H.S.	401	95,657	291	76.1	70.6-81.6	91	17.4	12.7-22.1	19	6.5	3.2- 9.8
College Graduate	615	84,121	534	87.0	83.5-90.5	68	10.1	7.0-13.2	13	2.8	0.8- 4.8
Less than \$15,000	83	12,893	33	40.2	24.9-55.5	42	48.3	33.2-63.4	8	11.5	1.7-21.3
\$15,000- 24,999	241	46,303	110	50.7	42.5-58.9	116	42.5	34.7-50.3	15	6.8	2.7-10.9
\$25,000- 34,999	176	37,918	114	69.0	60.2-77.8	52	24.9	16.9-32.9	10	6.0	1.9-10.1
\$35,000- 49,999	200	36,881	147	71.9	62.9-80.9	44	23.7	14.9-32.5	9	4.4	1.1- 7.7
\$50,000- 74,999	225	43,267	193	84.9	78.4-91.4	30	14.0	7.7-20.3	2	1.1	0.0- 2.5
\$75,000+	503	107,706	445	89.8	86.3-93.3	44	6.0	3.6- 8.4	14	4.2	1.7- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	382,355	1714	74.5	72.0-77.0	489	20.5	18.1-22.9	96	5.0	3.6- 6.4
18-24	109	41,875	20	34.2	21.3-47.1	53	38.5	26.7-50.3	36	27.3	17.3-37.3
25-34	207	61,060	84	51.9	43.1-60.7	108	44.2	35.6-52.8	15	3.9	1.5- 6.3
35-44	213	56,752	125	71.2	64.3-78.1	82	25.8	19.5-32.1	6	3.0	0.0- 6.1
45-54	363	65,126	290	88.8	85.7-91.9	66	10.0	7.1-12.9	7	1.2	0.0- 2.6
55-64	481	64,055	394	86.8	83.3-90.3	77	11.1	8.0-14.2	10	2.0	0.4- 3.6
65+	894	88,518	775	91.3	89.3-93.3	98	7.4	5.4- 9.4	21	1.3	0.7- 1.9
Less Than H.S.	200	44,897	91	47.6	37.8-57.4	98	46.5	36.5-56.5	11	5.8	1.1-10.5
H.S. or G.E.D.	677	107,906	482	74.6	70.1-79.1	166	20.6	16.7-24.5	29	4.8	1.9- 7.7
Some Post-H.S.	614	117,768	454	73.6	68.9-78.3	126	19.7	15.4-24.0	34	6.7	4.0- 9.4
College Graduate	802	111,118	682	86.0	82.7-89.3	98	10.9	8.0-13.8	22	3.1	1.3- 4.9
Less than \$15,000	168	27,082	66	43.7	31.0-56.4	87	50.7	37.8-63.6	15	5.6	0.5-10.7
\$15,000- 24,999	335	50,682	200	61.1	53.7-68.5	131	37.8	30.4-45.2	4	1.1	0.0- 2.3
\$25,000- 34,999	208	30,496	141	67.8	59.4-76.2	60	25.0	17.6-32.4	7	7.1	1.2-13.0
\$35,000- 49,999	260	40,411	205	77.4	70.7-84.1	51	21.0	14.5-27.5	4	1.6	0.0- 3.4
\$50,000- 74,999	276	49,235	239	84.9	79.0-90.8	28	11.5	6.2-16.8	9	3.6	0.9- 6.3
\$75,000+	542	106,920	485	90.1	87.0-93.2	40	5.9	3.5- 8.3	17	3.9	1.7- 6.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4035	733,846	3933	96.9	96.1-97.7	75	2.3	1.7- 2.9	27	0.8	0.4- 1.2
Male	1737	350,339	1692	96.7	95.5-97.9	36	2.4	1.4- 3.4	9	0.8	0.2- 1.4
Female	2298	383,507	2241	97.0	96.0-98.0	39	2.3	1.3- 3.3	18	0.7	0.3- 1.1
White/Non-Hisp	2936	477,262	2909	99.0	98.4-99.6	10	0.2	0.0- 0.4	17	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	606	144,550	596	98.1	96.7-99.5	8	1.7	0.3- 3.1	2	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	113	31,877	106	91.6	83.4-99.8	6	7.9	0.0-16.1	1	0.5	0.0- 1.5
Hispanic	246	55,901	194	79.4	73.5-85.3	50	19.9	14.0-25.8	2	0.7	0.0- 1.7
18-24	217	90,604	202	93.7	89.8-97.6	10	4.5	1.0- 8.0	5	1.8	0.0- 3.6
25-34	380	119,734	350	94.7	92.3-97.1	24	4.2	2.2- 6.2	6	1.2	0.2- 2.2
35-44	395	109,647	379	95.9	93.7-98.1	12	3.0	1.2- 4.8	4	1.1	0.0- 2.3
45-54	615	123,033	601	97.7	96.3-99.1	12	2.1	0.7- 3.5	2	0.2	0.0- 0.6
55-64	849	122,839	844	99.7	99.5-99.9	4	0.3	0.1- 0.5	1	0.0	0.0- 0.0
65+	1520	158,809	1502	98.3	97.3-99.3	13	1.3	0.5- 2.1	5	0.4	0.0- 0.8
Less Than H.S.	367	94,434	319	88.1	84.4-91.8	45	11.1	7.6-14.6	3	0.7	0.0- 1.5
H.S. or G.E.D.	1228	229,624	1208	98.5	97.5-99.5	13	0.9	0.3- 1.5	7	0.6	0.0- 1.2
Some Post-H.S.	1009	213,667	994	98.0	96.6-99.4	10	1.5	0.1- 2.9	5	0.4	0.0- 0.8
College Graduate	1409	191,436	1395	98.7	97.9-99.5	7	0.7	0.1- 1.3	7	0.6	0.0- 1.2
Less than \$15,000	253	40,068	234	87.2	79.9-94.5	18	12.4	5.1-19.7	1	0.4	0.0- 1.2
\$15,000- 24,999	574	96,436	551	95.0	92.6-97.4	21	4.7	2.3- 7.1	2	0.4	0.0- 1.0
\$25,000- 34,999	385	68,531	380	98.2	96.4- 100	5	1.8	0.0- 3.6			
\$35,000- 49,999	459	76,843	454	98.0	96.0- 100	3	1.5	0.0- 3.3	2	0.6	0.0- 1.4
\$50,000- 74,999	494	90,446	494	100.0	100.0- 100						
\$75,000+	1034	213,174	1025	98.9	97.9-99.9	3	0.4	0.0- 1.0	6	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	350,339	1692	96.7	95.5-97.9	36	2.4	1.4- 3.4	9	0.8	0.2- 1.4
White/Non-Hisp	1252	227,278	1243	98.7	97.7-99.7	2	0.2	0.0- 0.6	7	1.1	0.1- 2.1
Black or Afr. Am./Non-Hisp	255	66,037	250	97.7	95.5-99.9	5	2.3	0.1- 4.5			
Hispanic	116	30,856	91	81.7	74.1-89.3	24	17.7	10.1-25.3	1	0.6	0.0- 1.8
18-24	107	45,978	98	92.2	86.9-97.5	7	5.6	1.3- 9.9	2	2.2	0.0- 5.3
25-34	179	60,923	165	95.1	92.0-98.2	10	3.0	0.6- 5.4	4	1.9	0.0- 3.9
35-44	183	53,303	174	94.8	91.3-98.3	7	3.8	0.9- 6.7	2	1.3	0.0- 3.3
45-54	253	58,125	247	98.2	96.4- 100	5	1.7	0.0- 3.5	1	0.1	0.0- 0.3
55-64	367	57,985	365	99.7	99.3- 100	2	0.3	0.0- 0.7			
65+	624	70,068	619	98.8	97.6- 100	5	1.2	0.0- 2.4			
Less Than H.S.	165	47,477	141	87.5	82.2-92.8	23	12.1	6.8-17.4	1	0.4	0.0- 1.2
H.S. or G.E.D.	550	121,222	543	98.4	96.8- 100	5	1.0	0.0- 2.2	2	0.6	0.0- 1.8
Some Post-H.S.	397	95,556	393	99.0	97.8- 100	3	0.7	0.0- 1.7	1	0.4	0.0- 1.2
College Graduate	613	82,669	607	98.6	97.0- 100	5	1.1	0.0- 2.5	1	0.4	0.0- 1.2
Less than \$15,000	85	13,086	74	81.9	70.3-93.5	11	18.1	6.5-29.7			
\$15,000- 24,999	240	46,029	231	96.8	94.6-99.0	8	2.8	0.8- 4.8	1	0.4	0.0- 1.2
\$25,000- 34,999	176	37,918	173	97.4	94.5- 100	3	2.6	0.0- 5.5			
\$35,000- 49,999	200	36,881	198	97.8	94.9- 100	2	2.2	0.0- 5.1			
\$50,000- 74,999	222	42,702	222	100.0	100.0- 100						
\$75,000+	498	106,471	492	98.0	96.2-99.8	3	0.8	0.0- 1.8	3	1.2	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2298	383,507	2241	97.0	96.0-98.0	39	2.3	1.3- 3.3	18	0.7	0.3- 1.1
White/Non-Hisp	1684	249,984	1666	99.2	98.8-99.6	8	0.2	0.0- 0.4	10	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	351	78,513	346	98.4	96.6- 100	3	1.2	0.0- 3.0	2	0.5	0.0- 1.3
Oth. Race/Non-Hisp.	66	18,378	63	90.6	77.9- 100	2	8.5	0.0-21.2	1	0.9	0.0- 2.7
Hispanic	130	25,045	103	76.6	67.8-85.4	26	22.6	13.8-31.4	1	0.7	0.0- 2.1
18-24	110	44,626	104	95.2	89.7- 100	3	3.3	0.0- 8.6	3	1.5	0.0- 3.3
25-34	201	58,810	185	94.2	90.9-97.5	14	5.4	2.1- 8.7	2	0.4	0.0- 1.0
35-44	212	56,344	205	96.9	94.5-99.3	5	2.1	0.1- 4.1	2	0.9	0.0- 2.3
45-54	362	64,908	354	97.2	95.0-99.4	7	2.4	0.2- 4.6	1	0.4	0.0- 1.2
55-64	482	64,853	479	99.7	99.3- 100	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3
65+	896	88,741	883	98.0	96.6-99.4	8	1.3	0.1- 2.5	5	0.7	0.0- 1.5
Less Than H.S.	202	46,957	178	88.8	83.7-93.9	22	10.2	5.3-15.1	2	1.1	0.0- 2.7
H.S. or G.E.D.	678	108,402	665	98.6	97.8-99.4	8	0.9	0.1- 1.7	5	0.5	0.1- 0.9
Some Post-H.S.	612	118,112	601	97.3	94.9-99.7	7	2.2	0.0- 4.6	4	0.5	0.0- 1.1
College Graduate	796	108,767	788	98.8	97.8-99.8	2	0.4	0.0- 1.0	6	0.8	0.0- 1.6
Less than \$15,000	168	26,982	160	89.7	80.3-99.1	7	9.6	0.2-19.0	1	0.7	0.0- 2.1
\$15,000- 24,999	334	50,407	320	93.3	89.2-97.4	13	6.4	2.3-10.5	1	0.3	0.0- 0.9
\$25,000- 34,999	209	30,612	207	99.1	97.9- 100	2	0.9	0.0- 2.1			
\$35,000- 49,999	259	39,962	256	98.1	95.7- 100	1	0.9	0.0- 2.7	2	1.1	0.0- 2.7
\$50,000- 74,999	272	47,744	272	100.0	100.0- 100						
\$75,000+	536	106,703	533	99.7	99.3- 100				3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 26: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4070	742,149	3908	96.2	95.4-97.0	64	1.4	1.0- 1.8	98	2.4	1.8- 3.0
Male	1752	354,317	1679	95.5	94.1-96.9	36	2.1	1.3- 2.9	37	2.5	1.5- 3.5
Female	2318	387,832	2229	96.8	96.0-97.6	28	0.8	0.4- 1.2	61	2.4	1.6- 3.2
White/Non-Hisp	2961	482,670	2864	96.8	96.0-97.6	34	0.9	0.5- 1.3	63	2.3	1.5- 3.1
Black or Afr. Am./Non-Hisp	611	145,930	596	97.9	96.5-99.3	3	0.2	0.0- 0.4	12	2.0	0.6- 3.4
Oth. Race/Non-Hisp.	115	32,643	108	94.9	89.4- 100	1	0.4	0.0- 1.2	6	4.7	0.0-10.2
Hispanic	248	56,281	219	88.4	83.9-92.9	23	10.0	5.7-14.3	6	1.6	0.2- 3.0
18-24	219	91,001	210	97.4	95.4-99.4	5	1.4	0.0- 2.8	4	1.2	0.0- 2.8
25-34	387	122,256	366	95.4	93.0-97.8	9	1.9	0.5- 3.3	12	2.7	0.7- 4.7
35-44	400	111,547	381	95.7	93.5-97.9	11	2.5	0.9- 4.1	8	1.8	0.4- 3.2
45-54	621	124,991	597	96.1	94.1-98.1	3	0.3	0.0- 0.7	21	3.6	1.6- 5.6
55-64	851	123,282	834	98.4	97.6-99.2	5	0.5	0.1- 0.9	12	1.1	0.3- 1.9
65+	1532	159,810	1481	96.2	94.8-97.6	28	1.6	0.6- 2.6	23	2.2	1.0- 3.4
Less Than H.S.	368	94,868	339	92.0	88.7-95.3	23	6.2	3.3- 9.1	6	1.8	0.0- 3.6
H.S. or G.E.D.	1235	231,194	1190	96.8	95.6-98.0	19	1.0	0.4- 1.6	26	2.2	1.0- 3.4
Some Post-H.S.	1020	215,443	989	97.7	96.7-98.7	9	0.5	0.0- 1.1	22	1.8	1.0- 2.6
College Graduate	1425	195,960	1376	97.0	95.8-98.2	12	0.6	0.0- 1.2	37	2.4	1.4- 3.4
Less than \$15,000	254	40,200	247	96.7	93.6-99.8	5	2.8	0.0- 5.9	2	0.6	0.0- 1.4
\$15,000- 24,999	578	97,189	552	95.8	93.8-97.8	19	3.2	1.4- 5.0	7	1.0	0.2- 1.8
\$25,000- 34,999	386	68,678	374	98.6	97.6-99.6	5	0.5	0.0- 1.1	7	0.9	0.1- 1.7
\$35,000- 49,999	461	77,457	450	97.5	95.7-99.3	4	0.6	0.0- 1.4	7	1.9	0.3- 3.5
\$50,000- 74,999	502	92,609	497	99.0	98.0- 100	2	0.5	0.0- 1.5	3	0.4	0.0- 1.0
\$75,000+	1047	216,338	1021	97.5	96.3-98.7	7	0.6	0.0- 1.2	19	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1752	354,317	1679	95.5	94.1-96.9	36	2.1	1.3- 2.9	37	2.5	1.5- 3.5
White/Non-Hisp	1261	229,104	1227	96.7	95.1-98.3	15	1.2	0.4- 2.0	19	2.1	0.9- 3.3
Black or Afr. Am./Non-Hisp	257	66,780	248	96.9	94.4-99.4	2	0.3	0.0- 0.7	7	2.8	0.4- 5.2
Hispanic	117	31,129	97	85.0	77.9-92.1	17	13.5	6.6-20.4	3	1.5	0.0- 3.3
18-24	107	45,978	102	96.0	92.1-99.9	4	2.5	0.0- 5.2	1	1.4	0.0- 4.1
25-34	180	61,196	168	93.9	89.8-98.0	6	2.4	0.2- 4.6	6	3.7	0.2- 7.2
35-44	186	54,630	174	94.1	90.4-97.8	9	4.5	1.4- 7.6	3	1.5	0.0- 3.5
45-54	257	59,688	244	95.6	92.3-98.9	3	0.5	0.0- 1.3	10	3.9	0.6- 7.2
55-64	368	58,318	362	98.9	97.9-99.9	2	0.2	0.0- 0.6	4	0.9	0.0- 1.9
65+	630	70,550	610	95.2	92.3-98.1	11	2.3	0.1- 4.5	9	2.5	0.5- 4.5
Less Than H.S.	166	47,911	148	88.9	83.2-94.6	15	8.7	3.8-13.6	3	2.4	0.0- 5.7
H.S. or G.E.D.	553	122,277	541	97.6	95.8-99.4	6	1.0	0.0- 2.0	6	1.5	0.0- 3.1
Some Post-H.S.	402	96,267	387	96.9	94.9-98.9	5	0.9	0.0- 2.1	10	2.2	0.6- 3.8
College Graduate	619	84,446	596	96.7	94.9-98.5	9	1.2	0.0- 2.4	14	2.1	0.7- 3.5
Less than \$15,000	85	13,086	80	95.3	90.6- 100	3	3.0	0.0- 6.9	2	1.7	0.0- 4.4
\$15,000- 24,999	241	46,303	224	93.7	90.0-97.4	14	5.7	2.2- 9.2	3	0.7	0.0- 1.5
\$25,000- 34,999	176	37,918	172	98.8	97.4- 100	2	0.5	0.0- 1.3	2	0.8	0.0- 2.0
\$35,000- 49,999	200	36,881	197	97.7	94.8- 100	2	1.1	0.0- 2.9	1	1.2	0.0- 3.6
\$50,000- 74,999	226	43,374	224	98.6	96.4- 100	1	1.0	0.0- 3.0	1	0.4	0.0- 1.2
\$75,000+	504	108,316	488	96.7	94.5-98.9	6	1.2	0.0- 2.4	10	2.1	0.5- 3.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 28: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2318	387,832	2229	96.8	96.0-97.6	28	0.8	0.4- 1.2	61	2.4	1.6- 3.2
White/Non-Hisp	1700	253,566	1637	96.9	95.9-97.9	19	0.6	0.2- 1.0	44	2.5	1.5- 3.5
Black or Afr. Am./Non-Hisp	354	79,151	348	98.7	97.3- 100	1	0.0	0.0- 0.0	5	1.3	0.0- 2.7
Oth. Race/Non-Hisp.	66	18,378	63	98.2	96.0- 100				3	1.8	0.0- 4.0
Hispanic	131	25,151	122	92.6	87.1-98.1	6	5.7	0.6-10.8	3	1.8	0.0- 4.2
18-24	112	45,023	108	98.8	97.6- 100	1	0.2	0.0- 0.6	3	1.0	0.0- 2.2
25-34	207	61,060	198	96.8	94.3-99.3	3	1.4	0.0- 3.4	6	1.8	0.2- 3.4
35-44	214	56,917	207	97.3	95.1-99.5	2	0.6	0.0- 1.6	5	2.1	0.1- 4.1
45-54	364	65,303	353	96.6	94.2-99.0				11	3.4	1.0- 5.8
55-64	483	64,964	472	98.0	96.6-99.4	3	0.7	0.0- 1.5	8	1.2	0.2- 2.2
65+	902	89,260	871	97.0	95.6-98.4	17	1.1	0.5- 1.7	14	1.9	0.7- 3.1
Less Than H.S.	202	46,957	191	95.2	91.9-98.5	8	3.6	0.7- 6.5	3	1.2	0.0- 2.6
H.S. or G.E.D.	682	108,917	649	96.0	94.2-97.8	13	1.0	0.4- 1.6	20	3.0	1.4- 4.6
Some Post-H.S.	618	119,176	602	98.3	97.3-99.3	4	0.3	0.0- 0.7	12	1.5	0.5- 2.5
College Graduate	806	111,513	780	97.2	95.8-98.6	3	0.1	0.0- 0.3	23	2.7	1.3- 4.1
Less than \$15,000	169	27,114	167	97.3	93.2- 100	2	2.7	0.0- 6.8			
\$15,000- 24,999	337	50,886	328	97.7	96.1-99.3	5	0.9	0.0- 1.9	4	1.3	0.0- 2.7
\$25,000- 34,999	210	30,760	202	98.3	96.9-99.7	3	0.6	0.0- 1.4	5	1.1	0.1- 2.1
\$35,000- 49,999	261	40,576	253	97.4	95.2-99.6	2	0.1	0.0- 0.3	6	2.5	0.3- 4.7
\$50,000- 74,999	276	49,235	273	99.4	98.8- 100	1	0.1	0.0- 0.3	2	0.5	0.0- 1.1
\$75,000+	543	108,022	533	98.4	97.2-99.6	1	0.1	0.0- 0.3	9	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2179	343,061	137	6.0	4.2- 7.8	2042	94.0	92.2-95.8
Male	848	146,496	61	7.1	3.8-10.4	787	92.9	89.6-96.2
Female	1331	196,565	76	5.1	3.5- 6.7	1255	94.9	93.3-96.5
White/Non-Hisp	1726	243,540	108	5.6	3.8- 7.4	1618	94.4	92.6-96.2
Black or Afr. Am./Non-Hisp	277	62,010	19	8.3	1.8-14.8	258	91.7	85.2-98.2
Hispanic	69	15,158	4	5.2	0.0-11.1	65	94.8	88.9- 100
25-34	82	30,801	2	1.6	0.0- 4.0	80	98.4	96.0- 100
35-44	157	49,119	10	7.7	1.2-14.2	147	92.3	85.8-98.8
45-54	301	62,626	25	9.1	5.0-13.2	276	90.9	86.8-95.0
55-64	459	68,892	26	3.9	1.9- 5.9	433	96.1	94.1-98.1
65+	1116	109,668	67	4.7	3.3- 6.1	1049	95.3	93.9-96.7
Less Than H.S.	164	41,404	8	7.5	0.0-16.3	156	92.5	83.7- 100
H.S. or G.E.D.	645	104,980	35	5.9	2.8- 9.0	610	94.1	91.0-97.2
Some Post-H.S.	520	94,887	29	3.8	2.0- 5.6	491	96.2	94.4-98.0
College Graduate	836	99,165	65	7.6	4.9-10.3	771	92.4	89.7-95.1
Less than \$15,000	132	17,480	4	2.8	0.0- 6.5	128	97.2	93.5- 100
\$15,000- 24,999	258	35,404	10	3.7	0.6- 6.8	248	96.3	93.2-99.4
\$25,000- 34,999	207	30,812	16	6.2	1.9-10.5	191	93.8	89.5-98.1
\$35,000- 49,999	261	38,137	11	2.5	0.3- 4.7	250	97.5	95.3-99.7
\$50,000- 74,999	277	42,592	20	6.0	2.7- 9.3	257	94.0	90.7-97.3
\$75,000+	550	103,200	50	8.2	4.7-11.7	500	91.8	88.3-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	848	146,496	61	7.1	3.8-10.4	787	92.9	89.6-96.2
White/Non-Hisp	674	102,064	50	7.4	4.1-10.7	624	92.6	89.3-95.9
Black or Afr. Am./Non-Hisp	102	26,385	9	10.2	0.0-23.5	93	89.8	76.5- 100
35-44	64	21,181	5	9.5	0.0-21.8	59	90.5	78.2- 100
45-54	121	27,982	11	8.2	2.5-13.9	110	91.8	86.1-97.5
55-64	178	28,923	8	2.5	0.0- 5.0	170	97.5	95.0- 100
65+	430	45,444	32	6.4	3.7- 9.1	398	93.6	90.9-96.3
Less Than H.S.	61	18,052	2	12.3	0.0-31.1	59	87.7	68.9- 100
H.S. or G.E.D.	240	48,937	17	6.8	1.1-12.5	223	93.2	87.5-98.9
Some Post-H.S.	175	35,128	11	4.4	1.1- 7.7	164	95.6	92.3-98.9
College Graduate	366	42,546	31	7.9	3.8-12.0	335	92.1	88.0-96.2
\$15,000- 24,999	76	13,035	2	0.7	0.0- 1.7	74	99.3	98.3- 100
\$25,000- 34,999	83	16,509	7	2.7	0.3- 5.1	76	97.3	94.9-99.7
\$35,000- 49,999	108	18,175	4	3.1	0.0- 7.0	104	96.9	93.0- 100
\$50,000- 74,999	111	16,774	6	5.1	0.2-10.0	105	94.9	90.0-99.8
\$75,000+	267	48,785	26	9.9	3.6-16.2	241	90.1	83.8-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1331	196,565	76	5.1	3.5- 6.7	1255	94.9	93.3-96.5
White/Non-Hisp	1052	141,476	58	4.3	2.7- 5.9	994	95.7	94.1-97.3
Black or Afr. Am./Non-Hisp	175	35,625	10	6.8	1.5-12.1	165	93.2	87.9-98.5
35-44	93	27,937	5	6.4	0.1-12.7	88	93.6	87.3-99.9
45-54	180	34,645	14	9.8	3.9-15.7	166	90.2	84.3-96.1
55-64	281	39,969	18	5.0	2.1- 7.9	263	95.0	92.1-97.9
65+	686	64,224	35	3.6	2.2- 5.0	651	96.4	95.0-97.8
Less Than H.S.	103	23,352	6	3.7	0.0- 7.6	97	96.3	92.4- 100
H.S. or G.E.D.	405	56,043	18	5.1	2.0- 8.2	387	94.9	91.8-98.0
Some Post-H.S.	345	59,759	18	3.5	1.3- 5.7	327	96.5	94.3-98.7
College Graduate	470	56,619	34	7.4	3.7-11.1	436	92.6	88.9-96.3
Less than \$15,000	88	12,468				88	100.0	100.0- 100
\$15,000- 24,999	182	22,369	8	5.4	0.5-10.3	174	94.6	89.7-99.5
\$25,000- 34,999	124	14,303	9	10.2	1.6-18.8	115	89.8	81.2-98.4
\$35,000- 49,999	153	19,962	7	1.9	0.3- 3.5	146	98.1	96.5-99.7
\$50,000- 74,999	166	25,819	14	6.6	2.3-10.9	152	93.4	89.1-97.7
\$75,000+	283	54,415	24	6.6	2.7-10.5	259	93.4	89.5-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	136	20,313	82	76.8	67.2-86.4	41	18.2	9.8-26.6	9	3.1	0.6- 5.6	1	0.2	0.0- 0.6	3	1.7	0.0- 4.2
Male	61	10,461	39	80.3	66.8-93.8	19	17.7	4.8-30.6	1	1.2	0.0- 3.6	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5
Female	75	9,852	43	73.2	60.5-85.9	22	18.8	7.6-30.0	8	5.1	0.4- 9.8				2	2.9	0.0- 8.0
White/Non-Hisp	108	13,593	65	75.5	64.5-86.5	32	20.5	10.1-30.9	8	3.1	0.6- 5.6	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6
65+	66	5,044	36	71.9	60.3-83.5	24	22.7	12.1-33.3	4	3.7	0.0- 7.6				2	1.7	0.0- 4.2
College Graduate	64	7,413	43	79.6	67.1-92.1	16	17.2	5.2-29.2	2	1.6	0.0- 4.0	1	0.5	0.0- 1.5	2	1.2	0.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	61	10,461	39	80.3	66.4-94.2	19	17.7	4.4-31.0	1	1.2	0.0- 3.6	1	0.3	0.0- 0.9	1	0.5	0.0- 1.5
White/Non-Hisp	50	7,578	32	76.2	59.3-93.1	15	21.0	4.9-37.1	1	1.6	0.0- 4.7	1	0.4	0.0- 1.2	1	0.7	0.0- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
 Denominator excludes: Respondents reporting only one phone number in the household
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	75	9,852	43	73.2	60.5-85.9	22	18.8	7.8-29.8	8	5.1	0.4- 9.8	2	2.9	0.0- 8.0
White/Non-Hisp	58	6,015	33	74.6	60.5-88.7	17	19.9	6.4-33.4	7	5.0	0.9- 9.1	1	0.5	0.0- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2183	342,959	1802	86.6	84.6-88.6	381	13.4	11.4-15.4
Male	851	146,872	693	84.6	81.3-87.9	158	15.4	12.1-18.7
Female	1332	196,087	1109	88.1	85.6-90.6	223	11.9	9.4-14.4
White/Non-Hisp	1729	243,761	1448	87.7	85.3-90.1	281	12.3	9.9-14.7
Black or Afr. Am./Non-Hisp	278	62,193	222	86.9	82.2-91.6	56	13.1	8.4-17.8
Hispanic	69	15,158	51	75.8	62.9-88.7	18	24.2	11.3-37.1
25-34	80	30,155	66	88.2	80.8-95.6	14	11.8	4.4-19.2
35-44	157	49,119	144	94.8	91.3-98.3	13	5.2	1.7- 8.7
45-54	301	62,626	262	87.3	82.2-92.4	39	12.7	7.6-17.8
55-64	461	69,130	390	89.8	86.9-92.7	71	10.2	7.3-13.1
65+	1119	109,889	892	82.2	79.3-85.1	227	17.8	14.9-20.7
Less Than H.S.	165	41,458	97	69.5	60.1-78.9	68	30.5	21.1-39.9
H.S. or G.E.D.	649	105,172	496	82.4	77.9-86.9	153	17.6	13.1-22.1
Some Post-H.S.	520	94,926	445	90.7	87.8-93.6	75	9.3	6.4-12.2
College Graduate	835	98,606	754	94.2	92.4-96.0	81	5.8	4.0- 7.6
Less than \$15,000	132	17,480	84	74.0	62.2-85.8	48	26.0	14.2-37.8
\$15,000- 24,999	259	35,468	183	72.5	62.9-82.1	76	27.5	17.9-37.1
\$25,000- 34,999	207	30,812	164	83.9	77.2-90.6	43	16.1	9.4-22.8
\$35,000- 49,999	263	38,244	224	89.0	84.5-93.5	39	11.0	6.5-15.5
\$50,000- 74,999	277	42,592	256	93.9	90.8-97.0	21	6.1	3.0- 9.2
\$75,000+	551	103,254	511	95.5	93.5-97.5	40	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	851	146,872	693	84.6	81.3-87.9	158	15.4	12.1-18.7
White/Non-Hisp	676	102,199	559	86.0	82.7-89.3	117	14.0	10.7-17.3
Black or Afr. Am./Non-Hisp	103	26,569	81	85.5	77.3-93.7	22	14.5	6.3-22.7
35-44	64	21,181	59	92.8	85.5- 100	5	7.2	0.0-14.5
45-54	121	27,982	98	83.4	75.2-91.6	23	16.6	8.4-24.8
55-64	179	29,107	147	88.5	83.6-93.4	32	11.5	6.6-16.4
65+	432	45,579	349	82.4	77.7-87.1	83	17.6	12.9-22.3
Less Than H.S.	61	18,052	33	65.9	50.8-81.0	28	34.1	19.0-49.2
H.S. or G.E.D.	241	49,001	181	82.5	76.0-89.0	60	17.5	11.0-24.0
Some Post-H.S.	175	35,128	147	87.7	82.0-93.4	28	12.3	6.6-18.0
College Graduate	367	42,674	326	91.7	88.4-95.0	41	8.3	5.0-11.6
\$15,000- 24,999	77	13,099	47	64.6	49.3-79.9	30	35.4	20.1-50.7
\$25,000- 34,999	83	16,509	62	82.3	72.3-92.3	21	17.7	7.7-27.7
\$35,000- 49,999	109	18,245	93	89.5	83.2-95.8	16	10.5	4.2-16.8
\$50,000- 74,999	111	16,774	100	91.9	86.6-97.2	11	8.1	2.8-13.4
\$75,000+	267	48,785	246	93.4	89.7-97.1	21	6.6	2.9-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1332	196,087	1109	88.1	85.6-90.6	223	11.9	9.4-14.4
White/Non-Hisp	1053	141,562	889	88.9	85.8-92.0	164	11.1	8.0-14.2
Black or Afr. Am./Non-Hisp	175	35,625	141	87.9	82.2-93.6	34	12.1	6.4-17.8
35-44	93	27,937	85	96.3	93.6-99.0	8	3.7	1.0- 6.4
45-54	180	34,645	164	90.4	83.9-96.9	16	9.6	3.1-16.1
55-64	282	40,023	243	90.8	87.3-94.3	39	9.2	5.7-12.7
65+	687	64,310	543	82.0	78.3-85.7	144	18.0	14.3-21.7
Less Than H.S.	104	23,406	64	72.3	60.5-84.1	40	27.7	15.9-39.5
H.S. or G.E.D.	408	56,171	315	82.3	76.0-88.6	93	17.7	11.4-24.0
Some Post-H.S.	345	59,799	298	92.6	89.5-95.7	47	7.4	4.3-10.5
College Graduate	468	55,933	428	96.0	94.2-97.8	40	4.0	2.2- 5.8
Less than \$15,000	88	12,468	59	74.3	59.2-89.4	29	25.7	10.6-40.8
\$15,000- 24,999	182	22,369	136	77.1	64.6-89.6	46	22.9	10.4-35.4
\$25,000- 34,999	124	14,303	102	85.8	77.0-94.6	22	14.2	5.4-23.0
\$35,000- 49,999	154	19,999	131	88.5	81.8-95.2	23	11.5	4.8-18.2
\$50,000- 74,999	166	25,819	156	95.2	91.5-98.9	10	4.8	1.1- 8.5
\$75,000+	284	54,469	265	97.3	95.7-98.9	19	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4059	740,424	670	12.7	11.3-14.1	3389	87.3	85.9-88.7
Male	1745	353,428	590	23.4	20.9-25.9	1155	76.6	74.1-79.1
Female	2314	386,997	80	3.0	2.0- 4.0	2234	97.0	96.0-98.0
18-24	219	91,001	9	2.2	0.6- 3.8	210	97.8	96.2-99.4
25-34	386	121,932	28	6.3	3.4- 9.2	358	93.7	90.8-96.6
35-44	400	111,547	45	12.6	8.3-16.9	355	87.4	83.1-91.7
45-54	618	124,559	76	11.8	8.7-14.9	542	88.2	85.1-91.3
55-64	851	123,282	119	13.1	10.2-16.0	732	86.9	84.0-89.8
65+	1530	159,480	384	23.8	21.1-26.5	1146	76.2	73.5-78.9
Less Than H.S.	366	94,500	21	5.2	2.1- 8.3	345	94.8	91.7-97.9
H.S. or G.E.D.	1234	230,959	212	14.3	11.8-16.8	1022	85.7	83.2-88.2
Some Post-H.S.	1017	214,726	181	14.1	11.6-16.6	836	85.9	83.4-88.4
College Graduate	1422	195,780	253	12.8	10.6-15.0	1169	87.2	85.0-89.4
Less than \$15,000	252	39,849	23	6.1	3.0- 9.2	229	93.9	90.8-97.0
\$15,000- 24,999	577	96,937	86	12.1	9.0-15.2	491	87.9	84.8-91.0
\$25,000- 34,999	385	68,636	69	12.0	8.3-15.7	316	88.0	84.3-91.7
\$35,000- 49,999	461	77,457	96	16.7	12.6-20.8	365	83.3	79.2-87.4
\$50,000- 74,999	502	92,609	96	16.8	12.1-21.5	406	83.2	78.5-87.9
\$75,000+	1046	216,234	178	12.5	10.0-15.0	868	87.5	85.0-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	353,428	590	23.4	20.9-25.9	1155	76.6	74.1-79.1
18-24	107	45,978	7	3.5	0.8-6.2	100	96.5	93.8-99.2
25-34	180	61,196	22	10.1	5.0-15.2	158	89.9	84.8-95.0
35-44	186	54,630	33	19.0	11.4-26.6	153	81.0	73.4-88.6
45-54	255	59,371	57	20.3	14.2-26.4	198	79.7	73.6-85.8
55-64	368	58,318	103	25.1	19.6-30.6	265	74.9	69.4-80.4
65+	628	70,219	361	51.9	46.6-57.2	267	48.1	42.8-53.4
Less Than H.S.	166	47,911	21	10.3	4.2-16.4	145	89.7	83.6-95.8
H.S. or G.E.D.	552	122,041	198	25.9	21.4-30.4	354	74.1	69.6-78.6
Some Post-H.S.	400	95,875	153	27.1	21.8-32.4	247	72.9	67.6-78.2
College Graduate	616	84,267	215	23.0	19.3-26.7	401	77.0	73.3-80.7
Less than \$15,000	84	12,851	21	18.3	9.1-27.5	63	81.7	72.5-90.9
\$15,000- 24,999	241	46,303	77	22.8	16.7-28.9	164	77.2	71.1-83.3
\$25,000- 34,999	175	37,877	62	20.1	13.4-26.8	113	79.9	73.2-86.6
\$35,000- 49,999	200	36,881	82	30.2	22.4-38.0	118	69.8	62.0-77.6
\$50,000- 74,999	226	43,374	87	33.4	24.6-42.2	139	66.6	57.8-75.4
\$75,000+	503	108,212	155	21.0	16.5-25.5	348	79.0	74.5-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2314	386,997	80	3.0	2.0- 4.0	2234	97.0	96.0-98.0
18-24	112	45,023	2	0.9	0.0- 2.1	110	99.1	97.9- 100
25-34	206	60,735	6	2.5	0.0- 5.0	200	97.5	95.0- 100
35-44	214	56,917	12	6.4	2.5-10.3	202	93.6	89.7-97.5
45-54	363	65,188	19	4.0	1.8- 6.2	344	96.0	93.8-98.2
55-64	483	64,964	16	2.3	0.7- 3.9	467	97.7	96.1-99.3
65+	902	89,260	23	1.7	0.7- 2.7	879	98.3	97.3-99.3
Less Than H.S.	200	46,589				200	100.0	100.0- 100
H.S. or G.E.D.	682	108,917	14	1.3	0.5- 2.1	668	98.7	97.9-99.5
Some Post-H.S.	617	118,851	28	3.6	1.8- 5.4	589	96.4	94.6-98.2
College Graduate	806	111,513	38	5.2	3.0- 7.4	768	94.8	92.6-97.0
Less than \$15,000	168	26,998	2	0.4	0.0- 1.0	166	99.6	99.0- 100
\$15,000- 24,999	336	50,634	9	2.3	0.1- 4.5	327	97.7	95.5-99.9
\$25,000- 34,999	210	30,760	7	2.0	0.0- 4.0	203	98.0	96.0- 100
\$35,000- 49,999	261	40,576	14	4.5	1.6- 7.4	247	95.5	92.6-98.4
\$50,000- 74,999	276	49,235	9	2.2	0.6- 3.8	267	97.8	96.2-99.4
\$75,000+	543	108,022	23	3.9	1.7- 6.1	520	96.1	93.9-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4030	735,488	1898	58.6	56.4-60.8	191	5.9	4.7- 7.1	187	4.7	3.7- 5.7	90	4.7	3.5- 5.9	1392	20.1	18.7-21.5	272	6.1	5.1- 7.1
Male	1735	350,793	937	66.1	63.2-69.0	85	5.6	4.0- 7.2	5	0.2	0.0- 0.4	34	4.3	2.5- 6.1	579	18.6	16.6-20.6	95	5.3	3.9- 6.7
Female	2295	384,695	961	51.9	49.0-54.8	106	6.1	4.1- 8.1	182	8.8	7.2-10.4	56	5.0	3.4- 6.6	813	21.5	19.5-23.5	177	6.8	5.4- 8.2
White/Non-Hisp	2940	479,607	1301	57.1	54.6-59.6	117	4.9	3.5- 6.3	125	3.8	3.0- 4.6	51	4.2	2.8- 5.6	1171	24.3	22.5-26.1	175	5.6	4.4- 6.8
Black or Afr. Am./Non-Hisp	604	143,491	327	61.0	55.5-66.5	39	7.2	3.7-10.7	11	2.8	0.6- 5.0	19	5.1	2.4- 7.8	146	15.5	12.2-18.8	62	8.4	5.7-11.1
Oth. Race/Non-Hisp.	112	32,437	59	50.6	38.4-62.8	6	7.3	1.0-13.6	12	13.9	5.1-22.7	13	17.2	7.0-27.4	12	5.2	1.9- 8.5	10	5.7	1.2-10.2
Hispanic	248	56,281	156	69.3	62.2-76.4	19	9.0	3.9-14.1	37	13.2	8.3-18.1	6	1.7	0.3- 3.1	18	3.8	1.4- 6.2	12	2.9	1.1- 4.7
18-24	216	90,241	120	53.2	44.4-62.0	20	12.5	5.4-19.6	4	1.1	0.0- 2.5	70	31.7	23.7-39.7				2	1.4	0.0- 3.8
25-34	385	122,117	304	79.7	74.6-84.8	24	6.3	3.2- 9.4	35	8.8	5.3-12.3	13	3.0	1.2- 4.8				9	2.3	0.5- 4.1
35-44	394	110,270	320	82.5	78.0-87.0	16	4.7	2.0- 7.4	29	7.1	4.0-10.2	4	1.5	0.0- 3.1	3	0.7	0.0- 1.5	22	3.6	1.8- 5.4
45-54	617	124,135	452	77.0	73.1-80.9	52	7.5	5.0-10.0	27	3.7	2.1- 5.3	2	0.2	0.0- 0.6	16	2.2	1.0- 3.4	68	9.2	6.5-11.9
55-64	845	122,257	451	56.0	51.7-60.3	48	5.0	3.0- 7.0	27	3.3	1.7- 4.9	1	0.0	0.0- 0.0	202	20.5	17.4-23.6	116	15.1	12.0-18.2
65+	1519	157,724	227	17.4	14.7-20.1	27	1.8	1.0- 2.6	64	3.9	2.7- 5.1				1148	73.0	69.9-76.1	53	3.9	2.3- 5.5
Less Than H.S.	360	93,159	129	42.3	35.0-49.6	31	14.6	7.9-21.3	41	9.3	5.8-12.8	3	1.3	0.0- 2.9	88	17.8	13.3-22.3	68	14.8	10.5-19.1
H.S. or G.E.D.	1225	229,058	527	56.2	52.3-60.1	77	7.1	4.9- 9.3	71	4.9	3.3- 6.5	23	3.8	1.6- 6.0	425	20.7	18.2-23.2	102	7.3	5.3- 9.3
Some Post-H.S.	1016	214,852	478	59.1	55.0-63.2	39	3.3	2.1- 4.5	41	3.5	2.1- 4.9	47	9.3	6.4-12.2	344	19.5	17.0-22.0	67	5.3	3.7- 6.9
College Graduate	1412	194,911	755	68.5	65.4-71.6	44	3.1	1.9- 4.3	33	3.5	1.7- 5.3	17	2.2	1.0- 3.4	530	21.3	19.1-23.5	33	1.3	0.7- 1.9
Less than \$15,000	253	40,097	58	26.0	18.0-34.0	44	23.6	13.2-34.0	13	4.3	1.8- 6.8	6	7.7	0.6-14.8	71	15.5	10.6-20.4	61	22.8	15.2-30.4
\$15,000- 24,999	574	96,279	226	48.7	43.0-54.4	42	9.6	5.3-13.9	33	6.9	4.0- 9.8	7	1.8	0.2- 3.4	184	20.7	16.8-24.6	82	12.3	9.0-15.6
\$25,000- 34,999	383	68,391	175	60.6	54.1-67.1	20	5.6	2.7- 8.5	15	2.0	0.8- 3.2	7	3.1	0.6- 5.6	148	24.1	19.0-29.2	18	4.6	2.1- 7.1
\$35,000- 49,999	459	77,068	222	59.9	54.0-65.8	12	2.9	0.7- 5.1	12	3.5	1.0- 6.0	7	2.7	0.3- 5.1	184	24.7	20.0-29.4	22	6.3	3.2- 9.4
\$50,000- 74,999	501	92,556	252	64.2	58.7-69.7	10	2.0	0.4- 3.6	19	5.1	2.0- 8.2	9	2.5	0.7- 4.3	198	23.0	18.9-27.1	13	3.2	1.0- 5.4
\$75,000+	1044	215,875	700	74.1	70.6-77.6	27	2.9	1.5- 4.3	37	4.2	2.4- 6.0	22	5.6	2.9- 8.3	246	12.3	10.3-14.3	12	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	350,793	937	66.1	63.2-69.0	85	5.6	4.0- 7.2	5	0.2	0.0- 0.4	34	4.3	2.5- 6.1	579	18.6	16.6-20.6	95	5.3	3.9- 6.7
White/Non-Hisp	1251	227,039	631	63.2	59.5-66.9	59	5.4	3.6- 7.2	5	0.3	0.0- 0.7	21	4.5	2.1- 6.9	478	22.1	19.6-24.6	57	4.5	2.9- 6.1
Black or Afr. Am./Non-Hisp	254	65,569	142	66.5	59.1-73.9	14	5.2	1.9- 8.5				7	4.1	0.8- 7.4	66	15.8	10.9-20.7	25	8.4	4.5-12.3
Hispanic	117	31,129	100	86.7	78.5-94.9	9	9.6	1.8-17.4				1	0.6	0.0- 1.8	5	2.1	0.1- 4.1	2	1.0	0.0- 2.6
18-24	104	45,218	66	62.3	50.5-74.1	13	10.3	4.4-16.2				25	27.4	16.2-38.6						
25-34	178	61,057	157	88.2	82.3-94.1	10	5.6	1.1-10.1				7	3.3	0.4- 6.2				4	2.9	0.0- 5.8
35-44	184	54,004	166	90.2	85.1-95.3	9	5.4	1.3- 9.5				1	1.2	0.0- 3.6	2	0.8	0.0- 1.8	6	2.4	0.2- 4.6
45-54	255	59,101	199	80.7	75.0-86.4	21	8.1	4.2-12.0	2	0.6	0.0- 1.6				8	2.0	0.4- 3.6	25	8.7	4.6-12.8
55-64	368	58,318	214	59.1	52.6-65.6	23	4.9	2.2- 7.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	88	21.8	16.7-26.9	41	13.8	9.1-18.5
65+	625	69,399	119	23.4	18.7-28.1	7	1.1	0.1- 2.1	2	0.4	0.0- 1.0				478	71.8	66.9-76.7	19	3.3	1.3- 5.3
Less Than H.S.	164	46,972	89	59.3	49.7-68.9	12	8.8	2.5-15.1				1	0.4	0.0- 1.2	36	17.7	11.0-24.4	26	13.8	7.7-19.9
H.S. or G.E.D.	548	121,191	293	65.4	60.1-70.7	42	8.2	5.3-11.1	2	0.2	0.0- 0.6	8	3.5	0.4- 6.6	166	17.3	14.0-20.6	37	5.3	2.9- 7.7
Some Post-H.S.	399	95,793	215	65.5	59.4-71.6	14	3.2	1.2- 5.2	3	0.5	0.0- 1.1	18	9.0	4.3-13.7	127	17.0	13.3-20.7	22	4.8	2.4- 7.2
College Graduate	613	83,946	332	70.6	66.5-74.7	17	2.8	1.2- 4.4				7	2.3	0.5- 4.1	248	23.1	19.6-26.6	9	1.2	0.0- 2.4
Less than \$15,000	85	13,086	26	37.5	22.4-52.6	17	22.2	9.7-34.7				2	6.8	0.0-16.0	22	14.7	6.7-22.7	18	18.8	7.8-29.8
\$15,000- 24,999	238	45,431	120	57.5	49.5-65.5	20	9.0	4.5-13.5	1	0.3	0.0- 0.9	4	2.2	0.0- 4.7	58	16.9	11.2-22.6	35	14.1	8.4-19.8
\$25,000- 34,999	174	37,653	84	63.4	54.0-72.8	11	6.8	2.1-11.5				3	1.8	0.0- 4.0	70	23.9	16.3-31.5	6	4.0	0.5- 7.5
\$35,000- 49,999	199	36,683	97	61.9	53.1-70.7	4	3.5	0.0- 7.4				3	3.5	0.0- 7.8	88	25.7	18.8-32.6	7	5.4	1.1- 9.7
\$50,000- 74,999	226	43,374	111	66.4	58.8-74.0	6	3.4	0.3- 6.5	1	0.2	0.0- 0.6	3	2.6	0.0- 5.7	100	25.5	19.2-31.8	5	1.9	0.0- 3.9
\$75,000+	504	108,316	349	78.5	73.8-83.2	14	3.1	1.1- 5.1	1	0.3	0.0- 0.9	9	5.0	1.5- 8.5	128	12.6	9.9-15.3	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2295	384,695	961	51.9	49.0-54.8	106	6.1	4.1- 8.1	182	8.8	7.2-10.4	56	5.0	3.4- 6.6	813	21.5	19.5-23.5	177	6.8	5.4- 8.2
White/Non-Hisp	1689	252,568	670	51.6	48.1-55.1	58	4.5	2.3- 6.7	120	6.9	5.3- 8.5	30	4.0	2.2- 5.8	693	26.4	23.9-28.9	118	6.6	5.0- 8.2
Black or Afr. Am./Non-Hisp	350	77,922	185	56.4	49.0-63.8	25	8.9	3.2-14.6	11	5.2	1.3- 9.1	12	5.9	1.8-10.0	80	15.3	11.0-19.6	37	8.3	4.6-12.0
Oth. Race/Non-Hisp.	64	18,198	28	38.5	21.8-55.2	5	9.9	0.3-19.5	12	24.7	10.0-39.4	8	19.1	4.0-34.2	6	3.7	0.6- 6.8	5	4.1	0.0- 9.0
Hispanic	131	25,151	56	47.9	36.9-58.9	10	8.3	2.2-14.4	37	29.6	20.0-39.2	5	3.0	0.1- 5.9	13	6.0	1.7-10.3	10	5.2	1.7- 8.7
18-24	112	45,023	54	44.0	31.8-56.2	7	14.7	2.2-27.2	4	2.3	0.0- 5.0	45	36.1	24.5-47.7				2	2.8	0.0- 7.5
25-34	207	61,060	147	71.1	63.3-78.9	14	7.1	2.6-11.6	35	17.6	10.9-24.3	6	2.6	0.4- 4.8				5	1.6	0.0- 3.2
35-44	210	56,266	154	75.2	68.1-82.3	7	4.0	0.5- 7.5	29	13.9	8.0-19.8	3	1.8	0.0- 4.0	1	0.6	0.0- 1.8	16	4.7	2.2- 7.2
45-54	362	65,034	253	73.7	68.2-79.2	31	7.0	3.7-10.3	25	6.6	3.7- 9.5	2	0.4	0.0- 1.2	8	2.5	0.5- 4.5	43	9.7	6.2-13.2
55-64	477	63,939	237	53.1	47.4-58.8	25	5.1	2.6- 7.6	26	6.2	3.5- 8.9				114	19.3	15.4-23.2	75	16.3	12.0-20.6
65+	894	88,325	108	12.6	9.9-15.3	20	2.3	0.9- 3.7	62	6.6	4.6- 8.6				670	74.0	70.3-77.7	34	4.4	2.2- 6.6
Less Than H.S.	196	46,187	40	25.0	16.2-33.8	19	20.5	9.1-31.9	41	18.7	11.6-25.8	2	2.2	0.0- 5.3	52	17.9	11.8-24.0	42	15.8	9.9-21.7
H.S. or G.E.D.	677	107,867	234	45.9	40.2-51.6	35	6.0	2.7- 9.3	69	10.2	7.1-13.3	15	4.0	1.1- 6.9	259	24.4	20.5-28.3	65	9.5	6.4-12.6
Some Post-H.S.	617	119,059	263	54.0	48.7-59.3	25	3.3	1.7- 4.9	38	6.0	3.5- 8.5	29	9.5	5.6-13.4	217	21.6	18.1-25.1	45	5.6	3.6- 7.6
College Graduate	799	110,965	423	66.9	62.6-71.2	27	3.4	1.6- 5.2	33	6.2	3.3- 9.1	10	2.2	0.6- 3.8	282	19.9	17.0-22.8	24	1.4	0.6- 2.2
Less than \$15,000	168	27,011	32	20.5	11.7-29.3	27	24.3	10.2-38.4	13	6.4	2.5-10.3	4	8.1	0.0-17.7	49	15.9	9.6-22.2	43	24.8	14.6-35.0
\$15,000- 24,999	336	50,848	106	40.8	33.0-48.6	22	10.1	3.0-17.2	32	12.8	7.5-18.1	3	1.4	0.0- 3.4	126	24.1	18.6-29.6	47	10.7	7.0-14.4
\$25,000- 34,999	209	30,738	91	57.2	48.8-65.6	9	4.2	1.3- 7.1	15	4.4	1.9- 6.9	4	4.7	0.0- 9.8	78	24.3	18.0-30.6	12	5.3	2.0- 8.6
\$35,000- 49,999	260	40,385	125	58.0	50.0-66.0	8	2.3	0.3- 4.3	12	6.7	2.0-11.4	4	2.0	0.0- 4.0	96	23.8	17.5-30.1	15	7.2	2.5-11.9
\$50,000- 74,999	275	49,182	141	62.3	54.5-70.1	4	0.9	0.0- 1.9	18	9.5	3.8-15.2	6	2.4	0.2- 4.6	98	20.7	15.4-26.0	8	4.3	0.8- 7.8
\$75,000+	540	107,559	351	69.6	64.3-74.9	13	2.8	0.8- 4.8	36	8.2	4.9-11.5	13	6.2	2.3-10.1	118	12.0	9.3-14.7	9	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4032	733,013	459	16.3	14.5-18.1	350	13.3	11.7-14.9	156	5.6	4.4- 6.8	46	1.6	0.8- 2.4	22	0.9	0.5- 1.3	2999	62.3	59.9-64.7
Male	1735	350,085	173	14.7	12.0-17.4	161	12.8	10.4-15.2	64	5.9	3.9- 7.9	17	1.3	0.5- 2.1	11	0.9	0.3- 1.5	1309	64.4	61.1-67.7
Female	2297	382,927	286	17.7	15.3-20.1	189	13.7	11.3-16.1	92	5.4	4.0- 6.8	29	1.8	0.6- 3.0	11	0.9	0.3- 1.5	1690	60.4	57.5-63.3
White/Non-Hisp	2941	478,429	281	15.0	12.8-17.2	180	10.2	8.4-12.0	72	3.8	2.6- 5.0	25	1.2	0.4- 2.0	7	0.5	0.1- 0.9	2376	69.4	66.7-72.1
Black or Afr. Am./Non-Hisp	603	143,183	103	20.8	15.9-25.7	83	16.8	12.5-21.1	33	6.6	3.7- 9.5	11	2.2	0.6- 3.8	6	1.4	0.2- 2.6	367	52.2	46.5-57.9
Oth. Race/Non-Hisp.	112	31,637	21	22.9	12.7-33.1	17	23.0	11.6-34.4	11	9.0	1.2-16.8							63	45.1	33.3-56.9
Hispanic	246	55,776	35	13.2	8.3-18.1	61	26.5	19.2-33.8	33	17.1	10.0-24.2	9	4.7	0.4- 9.0	9	4.4	1.1- 7.7	99	34.0	26.9-41.1
18-24	217	90,225	46	22.4	15.0-29.8	29	11.0	6.3-15.7	8	3.9	0.6- 7.2	3	2.5	0.0- 6.6	3	1.6	0.0- 3.4	128	58.6	50.0-67.2
25-34	380	120,176	90	22.9	17.2-28.6	86	22.4	16.9-27.9	42	11.1	6.8-15.4	13	3.2	0.8- 5.6	10	2.7	0.7- 4.7	139	37.7	31.2-44.2
35-44	394	109,465	101	27.4	21.7-33.1	107	29.7	23.8-35.6	61	14.5	10.2-18.8	20	3.5	1.5- 5.5	7	1.3	0.0- 2.7	98	23.7	18.6-28.8
45-54	616	123,787	126	22.5	18.2-26.8	77	14.2	10.7-17.7	26	4.5	2.3- 6.7	7	1.0	0.0- 2.0	2	0.4	0.0- 1.0	378	57.4	52.5-62.3
55-64	847	122,043	61	7.3	4.9- 9.7	30	4.5	2.5- 6.5	9	1.2	0.2- 2.2	2	0.2	0.0- 0.4				745	86.9	84.0-89.8
65+	1521	158,312	28	2.3	1.1- 3.5	16	2.7	0.9- 4.5	9	1.0	0.0- 2.0	1	0.1	0.0- 0.3				1467	93.9	91.7-96.1
Less Than H.S.	365	94,360	39	10.4	6.5-14.3	52	16.3	11.0-21.6	34	14.3	8.8-19.8	10	5.3	0.6-10.0	8	3.0	0.6- 5.4	222	50.6	43.3-57.9
H.S. or G.E.D.	1226	228,616	139	17.7	14.0-21.4	82	10.8	8.1-13.5	41	3.7	2.1- 5.3	15	1.1	0.5- 1.7	5	0.8	0.0- 1.6	944	66.0	61.9-70.1
Some Post-H.S.	1013	213,016	120	17.5	13.8-21.2	84	11.9	9.0-14.8	43	5.2	3.0- 7.4	6	0.9	0.1- 1.7	5	0.8	0.0- 1.6	755	63.7	59.4-68.0
College Graduate	1413	194,892	160	16.1	13.2-19.0	132	16.3	13.2-19.4	38	4.3	2.7- 5.9	15	1.1	0.3- 1.9	4	0.2	0.0- 0.4	1064	61.9	58.2-65.6
Less than \$15,000	253	40,097	34	18.0	9.8-26.2	23	12.2	6.1-18.3	9	7.2	0.5-13.9	6	3.3	0.2- 6.4	2	0.5	0.0- 1.3	179	58.6	48.6-68.6
\$15,000- 24,999	576	96,915	65	13.2	9.5-16.9	55	15.0	10.5-19.5	32	7.6	4.3-10.9	9	1.6	0.4- 2.8	4	1.5	0.0- 3.3	411	61.1	55.4-66.8
\$25,000- 34,999	383	67,834	41	15.1	9.8-20.4	36	15.0	8.9-21.1	12	4.1	0.8- 7.4	5	1.5	0.0- 3.1	3	1.8	0.0- 4.0	286	62.5	55.2-69.8
\$35,000- 49,999	461	77,457	50	13.5	9.4-17.6	22	7.3	4.0-10.6	16	6.5	2.4-10.6	4	0.5	0.0- 1.1	3	1.1	0.0- 2.5	366	71.0	65.1-76.9
\$50,000- 74,999	501	92,276	42	11.8	7.1-16.5	31	10.8	6.3-15.3	18	7.8	3.1-12.5	4	1.5	0.0- 3.3	2	0.6	0.0- 1.6	404	67.5	60.8-74.2
\$75,000+	1041	215,033	149	20.5	16.8-24.2	131	18.1	14.6-21.6	45	5.0	3.4- 6.6	9	0.9	0.1- 1.7	4	0.2	0.0- 0.4	703	55.4	51.1-59.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	350,085	173	14.7	12.0-17.4	161	12.8	10.4-15.2	64	5.9	3.9- 7.9	17	1.3	0.5- 2.1	11	0.9	0.3- 1.5	1309	64.4	61.1-67.7
White/Non-Hisp	1254	227,158	109	13.8	10.5-17.1	88	11.0	8.3-13.7	29	3.9	1.9- 5.9	9	0.6	0.2- 1.0	4	0.5	0.0- 1.1	1015	70.2	66.3-74.1
Black or Afr. Am./Non-Hisp	253	66,068	32	18.0	10.0-26.0	31	13.1	7.2-19.0	12	6.6	1.7-11.5	5	2.7	0.0- 5.4	1	0.7	0.0- 2.1	172	58.9	49.9-67.9
Hispanic	115	30,625	12	10.6	3.9-17.3	32	24.7	14.7-34.7	13	18.3	7.3-29.3	3	4.9	0.0-12.0	6	4.9	0.6- 9.2	49	36.6	26.0-47.2
18-24	107	45,978	23	22.8	12.0-33.6	13	10.6	3.5-17.7	2	1.5	0.0- 3.7	1	0.4	0.0- 1.2				68	64.7	52.9-76.5
25-34	174	59,275	32	19.2	10.4-28.0	34	15.0	8.9-21.1	13	10.3	3.4-17.2	5	4.2	0.0- 8.5	5	3.3	0.2- 6.4	85	48.1	38.1-58.1
35-44	184	53,935	33	20.1	12.5-27.7	50	29.5	20.9-38.1	33	18.6	11.0-26.2	7	2.5	0.1- 4.9	4	1.1	0.0- 2.3	57	28.2	20.2-36.2
45-54	254	59,158	44	20.7	14.2-27.2	36	15.3	10.2-20.4	11	5.0	1.5- 8.5	3	0.9	0.0- 2.1	2	0.9	0.0- 2.1	158	57.2	49.8-64.6
55-64	367	58,134	25	7.4	3.9-10.9	17	4.8	2.1- 7.5	3	1.1	0.0- 2.7							322	86.8	82.3-91.3
65+	626	69,733	12	2.6	0.6- 4.6	9	4.4	0.9- 7.9	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				603	92.6	88.7-96.5
Less Than H.S.	164	47,674	15	10.4	4.7-16.1	24	14.3	7.4-21.2	17	17.0	8.2-25.8	4	4.1	0.0- 9.0	5	2.8	0.3- 5.3	99	51.4	41.2-61.6
H.S. or G.E.D.	550	121,672	58	18.0	12.3-23.7	47	12.7	8.4-17.0	16	3.5	1.0- 6.0	5	0.5	0.0- 1.1	3	0.7	0.0- 1.7	421	64.5	58.2-70.8
Some Post-H.S.	399	95,262	37	13.4	7.9-18.9	32	9.9	6.0-13.8	17	5.1	2.0- 8.2	2	0.8	0.0- 2.0	2	0.9	0.0- 2.3	309	69.9	63.2-76.6
College Graduate	615	84,140	62	13.5	9.6-17.4	58	15.6	11.1-20.1	14	4.0	1.8- 6.2	6	1.6	0.0- 3.2	1	0.0	0.0- 0.0	474	65.2	59.7-70.7
Less than \$15,000	85	13,086	10	19.6	4.7-34.5	6	10.0	1.8-18.2	2	2.1	0.0- 5.0	1	1.0	0.0- 3.0	1	1.3	0.0- 3.8	65	66.0	50.7-81.3
\$15,000- 24,999	239	46,029	25	13.4	7.7-19.1	24	12.9	7.0-18.8	11	6.4	1.9-10.9	3	1.8	0.0- 4.0	1	0.4	0.0- 1.2	175	65.1	57.1-73.1
\$25,000- 34,999	176	37,918	12	8.5	2.4-14.6	21	19.2	9.4-29.0	6	5.5	0.0-11.2				2	2.1	0.0- 5.2	135	64.7	53.7-75.7
\$35,000- 49,999	200	36,881	16	9.2	4.3-14.1	9	7.0	1.9-12.1	10	10.0	2.2-17.8	1	0.4	0.0- 1.2	2	1.4	0.0- 3.4	162	72.0	62.6-81.4
\$50,000- 74,999	225	43,040	14	7.6	2.9-12.3	20	13.0	6.9-19.1	9	11.7	2.5-20.9	3	3.0	0.0- 6.7	1	0.5	0.0- 1.5	178	64.2	54.4-74.0
\$75,000+	502	107,544	64	19.8	13.9-25.7	60	15.6	11.1-20.1	19	4.4	2.2- 6.6	4	0.7	0.0- 1.5	2	0.3	0.0- 0.7	353	59.4	53.1-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	382,927	286	17.7	15.3-20.1	189	13.7	11.3-16.1	92	5.4	4.0- 6.8	29	1.8	0.6- 3.0	11	0.9	0.3- 1.5	1690	60.4	57.5-63.3
White/Non-Hisp	1687	251,271	172	16.1	13.2-19.0	92	9.5	7.1-11.9	43	3.7	2.3- 5.1	16	1.7	0.1- 3.3	3	0.4	0.0- 1.0	1361	68.6	65.1-72.1
Black or Afr. Am./Non-Hisp	350	77,116	71	23.1	17.2-29.0	52	19.9	13.6-26.2	21	6.7	3.2-10.2	6	1.8	0.2- 3.4	5	2.1	0.1- 4.1	195	46.5	39.2-53.8
Oth. Race/Non-Hisp.	65	18,275	13	22.4	8.9-35.9	12	29.0	12.5-45.5	5	8.8	0.0-21.1							35	39.9	24.0-55.8
Hispanic	131	25,151	23	16.4	9.1-23.7	29	28.7	17.9-39.5	20	15.7	8.1-23.3	6	4.5	0.0- 9.0	3	3.8	0.0- 9.1	50	30.8	21.4-40.2
18-24	110	44,247	23	22.1	11.9-32.3	16	11.5	5.2-17.8	6	6.4	0.1-12.7	2	4.7	0.0-12.7	3	3.2	0.0- 6.9	60	52.2	39.7-64.7
25-34	206	60,901	58	26.5	19.1-33.9	52	29.7	21.1-38.3	29	11.8	6.7-16.9	8	2.3	0.3- 4.3	5	2.2	0.0- 4.6	54	27.6	19.8-35.4
35-44	210	55,529	68	34.4	26.4-42.4	57	29.8	21.8-37.8	28	10.4	6.1-14.7	13	4.4	1.3- 7.5	3	1.6	0.0- 4.1	41	19.3	12.6-26.0
45-54	362	64,629	82	24.2	18.7-29.7	41	13.1	8.4-17.8	15	4.1	1.6- 6.6	4	1.1	0.0- 2.5				220	57.5	51.0-64.0
55-64	480	63,909	36	7.3	4.4-10.2	13	4.2	1.7- 6.7	6	1.3	0.0- 2.7	2	0.3	0.0- 0.7				423	87.0	83.1-90.9
65+	895	88,579	16	2.1	0.7- 3.5	7	1.3	0.0- 2.7	8	1.6	0.0- 3.2							864	94.9	92.5-97.3
Less Than H.S.	201	46,686	24	10.5	5.2-15.8	28	18.4	10.2-26.6	17	11.5	5.2-17.8	6	6.5	0.0-14.3	3	3.3	0.0- 7.4	123	49.7	39.5-59.9
H.S. or G.E.D.	676	106,944	81	17.2	12.7-21.7	35	8.7	5.2-12.2	25	3.8	2.0- 5.6	10	1.7	0.5- 2.9	2	0.8	0.0- 2.0	523	67.8	62.5-73.1
Some Post-H.S.	614	117,754	83	20.8	15.9-25.7	52	13.6	9.3-17.9	26	5.2	2.5- 7.9	4	0.9	0.0- 2.1	3	0.8	0.0- 1.8	446	58.7	53.0-64.4
College Graduate	798	110,752	98	18.1	14.0-22.2	74	16.9	12.6-21.2	24	4.6	2.2- 7.0	9	0.8	0.2- 1.4	3	0.3	0.0- 0.7	590	59.4	54.3-64.5
Less than \$15,000	168	27,011	24	17.2	7.6-26.8	17	13.3	5.3-21.3	7	9.7	0.1-19.3	5	4.5	0.0- 9.0	1	0.2	0.0- 0.6	114	55.1	42.2-68.0
\$15,000- 24,999	337	50,886	40	13.0	8.3-17.7	31	16.9	10.2-23.6	21	8.7	4.0-13.4	6	1.4	0.2- 2.6	3	2.5	0.0- 5.6	236	57.6	49.8-65.4
\$25,000- 34,999	207	29,916	29	23.4	14.8-32.0	15	9.7	4.0-15.4	6	2.3	0.3- 4.3	5	3.4	0.0- 6.9	1	1.5	0.0- 4.4	151	59.7	50.5-68.9
\$35,000- 49,999	261	40,576	34	17.5	11.4-23.6	13	7.6	3.3-11.9	6	3.3	0.4- 6.2	3	0.7	0.0- 1.5	1	0.9	0.0- 2.7	204	70.0	62.6-77.4
\$50,000- 74,999	276	49,235	28	15.5	8.1-22.9	11	8.7	2.2-15.2	9	4.3	1.0- 7.6	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1	226	70.4	61.4-79.4
\$75,000+	539	107,489	85	21.2	16.3-26.1	71	20.6	15.3-25.9	26	5.5	3.0- 8.0	5	1.0	0.0- 2.4	2	0.2	0.0- 0.6	350	51.4	45.5-57.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3228	592,471	124	3.8	2.6- 5.0	130	3.0	2.2- 3.8	271	7.9	6.5- 9.3	307	8.5	7.3- 9.7	386	11.6	10.0-13.2	2010	65.2	62.8-67.6
Male	1432	285,878	40	2.3	1.3- 3.3	45	2.3	1.3- 3.3	106	7.0	5.4- 8.6	135	9.1	7.1-11.1	176	13.3	10.8-15.8	930	66.0	62.7-69.3
Female	1796	306,593	84	5.1	3.1- 7.1	85	3.7	2.5- 4.9	165	8.6	6.6-10.6	172	8.0	6.4- 9.6	210	10.0	8.2-11.8	1080	64.5	61.4-67.6
White/Non-Hisp	2345	389,940	66	2.0	1.4- 2.6	79	2.1	1.5- 2.7	138	5.0	3.6- 6.4	195	7.1	5.9- 8.3	261	10.3	8.5-12.1	1606	73.6	71.2-76.0
Black or Afr. Am./Non-Hisp	511	117,237	33	7.4	3.3-11.5	31	5.3	2.8- 7.8	66	11.5	8.0-15.0	59	10.9	7.2-14.6	77	14.4	10.5-18.3	245	50.5	44.4-56.6
Oth. Race/Non-Hisp.	90	25,343	6	11.1	0.3-21.9	3	2.2	0.0- 5.3	1	0.2	0.0- 0.6	9	5.1	1.2- 9.0	13	7.2	2.7-11.7	58	74.3	62.5-86.1
Hispanic	195	44,002	13	5.2	1.9- 8.5	15	5.4	2.1- 8.7	56	28.2	20.0-36.4	33	17.8	11.3-24.3	27	16.1	8.7-23.5	51	27.1	18.9-35.3
18-24	152	61,841	12	13.3	4.9-21.7	6	2.5	0.3- 4.7	13	8.9	2.8-15.0	19	9.7	4.0-15.4	20	9.7	5.0-14.4	82	56.0	45.6-66.4
25-34	319	98,922	9	1.7	0.3- 3.1	7	1.2	0.0- 2.4	37	10.5	6.2-14.8	42	10.2	6.7-13.7	51	14.3	9.4-19.2	173	62.2	55.5-68.9
35-44	355	97,537	16	2.6	1.2- 4.0	15	3.6	1.1- 6.1	29	6.7	4.0- 9.4	37	8.2	5.3-11.1	30	8.3	4.2-12.4	228	70.5	64.8-76.2
45-54	526	106,443	28	3.7	1.9- 5.5	16	2.7	0.7- 4.7	30	4.4	2.4- 6.4	41	7.8	4.9-10.7	50	10.4	7.1-13.7	361	71.0	66.1-75.9
55-64	710	103,062	29	3.5	1.7- 5.3	35	3.7	2.1- 5.3	54	6.5	4.5- 8.5	55	6.6	4.6- 8.6	58	8.9	6.0-11.8	479	70.8	66.7-74.9
65+	1143	121,050	30	1.8	1.0- 2.6	50	4.1	2.5- 5.7	104	10.2	7.7-12.7	112	9.3	7.1-11.5	169	15.5	12.6-18.4	678	59.0	55.1-62.9
Less Than H.S.	257	63,384	28	12.2	5.3-19.1	31	11.1	6.6-15.6	70	26.0	18.9-33.1	56	19.7	14.0-25.4	41	15.5	9.8-21.2	31	15.5	8.8-22.2
H.S. or G.E.D.	961	182,058	55	5.2	3.2- 7.2	55	3.1	1.7- 4.5	122	10.4	7.7-13.1	135	11.0	8.6-13.4	144	15.4	12.1-18.7	450	54.8	50.3-59.3
Some Post-H.S.	821	179,556	24	2.3	0.7- 3.9	29	2.1	1.1- 3.1	51	5.0	3.2- 6.8	74	7.2	4.8- 9.6	119	12.6	9.7-15.5	524	70.8	66.7-74.9
College Graduate	1189	167,474	17	0.6	0.2- 1.0	15	0.8	0.2- 1.4	28	1.3	0.7- 1.9	42	3.0	1.8- 4.2	82	5.0	3.6- 6.4	1005	89.4	87.4-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1432	285,878	40	2.3	1.3- 3.3	45	2.3	1.3- 3.3	106	7.0	5.4- 8.6	135	9.1	7.1-11.1	176	13.3	10.8-15.8	930	66.0	62.7-69.3
White/Non-Hisp	1046	192,330	20	1.5	0.5- 2.5	28	1.6	0.8- 2.4	49	4.6	2.8- 6.4	79	6.5	4.7- 8.3	113	10.9	8.0-13.8	757	74.9	71.2-78.6
Black or Afr. Am./Non-Hisp	211	51,383	10	3.5	0.8- 6.2	11	5.3	1.0- 9.6	31	12.8	7.5-18.1	27	14.2	7.3-21.1	38	17.4	10.5-24.3	94	46.6	37.4-55.8
Hispanic	93	23,337	7	4.8	0.9- 8.7	4	2.8	0.1- 5.5	22	17.1	9.3-24.9	22	23.4	13.2-33.6	13	20.4	7.9-32.9	25	31.6	18.7-44.5
18-24	74	29,197	5	7.0	0.5-13.5	1	1.3	0.0- 3.8	7	6.4	1.3-11.5	12	16.1	5.3-26.9	10	9.2	3.1-15.3	39	60.1	46.6-73.6
25-34	145	48,262	2	0.5	0.0- 1.3	4	1.0	0.0- 2.0	17	8.3	3.4-13.2	26	13.7	7.6-19.8	30	20.7	11.7-29.7	66	55.7	45.1-66.3
35-44	165	48,348	5	1.9	0.1- 3.7	6	4.8	0.3- 9.3	13	6.3	2.6-10.0	18	8.2	4.1-12.3	14	9.4	2.3-16.5	109	69.4	60.4-78.4
45-54	216	50,497	8	2.9	0.7- 5.1	4	1.3	0.0- 2.7	14	4.9	2.0- 7.8	18	7.0	3.1-10.9	23	10.8	5.5-16.1	149	73.2	66.3-80.1
55-64	311	49,203	11	2.6	0.2- 5.0	13	2.3	0.7- 3.9	23	7.4	3.9-10.9	26	6.0	3.3- 8.7	20	8.4	3.9-12.9	218	73.2	66.9-79.5
65+	510	58,097	9	1.1	0.3- 1.9	16	2.7	0.9- 4.5	31	8.6	4.5-12.7	35	7.5	4.4-10.6	74	17.0	11.9-22.1	345	63.1	57.2-69.0
Less Than H.S.	124	32,463	8	5.3	1.0- 9.6	9	6.1	1.8-10.4	35	23.7	15.1-32.3	31	24.0	15.2-32.8	24	21.8	12.4-31.2	17	19.1	8.3-29.9
H.S. or G.E.D.	448	99,173	22	3.7	1.7- 5.7	22	2.9	0.7- 5.1	49	9.3	6.0-12.6	61	10.6	7.3-13.9	63	16.0	10.9-21.1	231	57.5	51.0-64.0
Some Post-H.S.	341	83,150	8	1.3	0.0- 2.7	9	1.3	0.1- 2.5	12	2.7	0.9- 4.5	25	6.6	2.7-10.5	52	13.7	8.6-18.8	235	74.5	68.2-80.8
College Graduate	519	71,092	2	0.1	0.0- 0.3	5	0.8	0.0- 2.0	10	1.3	0.3- 2.3	18	3.4	1.4- 5.4	37	5.1	2.9- 7.3	447	89.2	86.1-92.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1796	306,593	84	5.1	3.1- 7.1	85	3.7	2.5- 4.9	165	8.6	6.6-10.6	172	8.0	6.4- 9.6	210	10.0	8.2-11.8	1080	64.5	61.4-67.6
White/Non-Hisp	1299	197,610	46	2.4	1.4- 3.4	51	2.6	1.4- 3.8	89	5.3	3.3- 7.3	116	7.6	5.8- 9.4	148	9.9	7.9-11.9	849	72.2	68.9-75.5
Black or Afr. Am./Non-Hisp	300	65,853	23	10.4	3.5-17.3	20	5.3	2.6- 8.0	35	10.5	5.8-15.2	32	8.3	5.0-11.6	39	12.1	7.4-16.8	151	53.4	45.4-61.4
Oth. Race/Non-Hisp.	50	14,409	4	15.1	0.0-32.2	2	3.6	0.0- 9.1	1	0.3	0.0- 0.9	8	8.2	1.5-14.9	7	4.5	0.8- 8.2	28	68.3	50.5-86.1
Hispanic	102	20,664	6	5.7	0.0-11.6	11	8.5	2.4-14.6	34	40.8	27.9-53.7	11	11.6	4.0-19.2	14	11.3	5.0-17.6	26	22.2	13.0-31.4
18-24	78	32,644	7	19.0	4.7-33.3	5	3.5	0.0- 7.0	6	11.1	0.7-21.5	7	4.0	0.7- 7.3	10	10.1	3.2-17.0	43	52.3	37.4-67.2
25-34	174	50,660	7	2.8	0.3- 5.3	3	1.4	0.0- 3.4	20	12.6	5.7-19.5	16	6.8	3.1-10.5	21	8.2	4.1-12.3	107	68.3	59.7-76.9
35-44	190	49,190	11	3.4	1.0- 5.8	9	2.5	0.5- 4.5	16	7.1	2.8-11.4	19	8.2	4.1-12.3	16	7.2	3.3-11.1	119	71.6	64.5-78.7
45-54	310	55,947	20	4.5	2.0- 7.0	12	4.0	0.7- 7.3	16	4.1	1.6- 6.6	23	8.6	4.3-12.9	27	10.0	5.7-14.3	212	68.9	62.2-75.6
55-64	399	53,859	18	4.4	1.7- 7.1	22	5.1	2.6- 7.6	31	5.6	3.4- 7.8	29	7.1	4.2-10.0	38	9.3	5.6-13.0	261	68.6	62.9-74.3
65+	633	62,953	21	2.5	1.1- 3.9	34	5.3	2.9- 7.7	73	11.7	8.4-15.0	77	11.0	8.1-13.9	95	14.2	10.9-17.5	333	55.3	50.2-60.4
Less Than H.S.	133	30,921	20	19.5	7.2-31.8	22	16.2	8.2-24.2	35	28.4	17.4-39.4	25	15.3	8.4-22.2	17	8.9	3.8-14.0	14	11.8	4.5-19.1
H.S. or G.E.D.	513	82,885	33	7.0	3.3-10.7	33	3.4	2.0- 4.8	73	11.8	7.3-16.3	74	11.5	8.2-14.8	81	14.7	10.8-18.6	219	51.6	45.1-58.1
Some Post-H.S.	480	96,406	16	3.1	0.4- 5.8	20	2.9	1.1- 4.7	39	7.0	4.3- 9.7	49	7.8	5.3-10.3	67	11.6	8.1-15.1	289	67.6	62.1-73.1
College Graduate	670	96,381	15	0.9	0.3- 1.5	10	0.8	0.2- 1.4	18	1.2	0.6- 1.8	24	2.7	1.3- 4.1	45	4.8	2.8- 6.8	558	89.5	87.0-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4029	735,270	3132	82.2	80.6-83.8	897	17.8	16.2-19.4
Male	1739	351,245	1363	82.9	80.7-85.1	376	17.1	14.9-19.3
Female	2290	384,025	1769	81.6	79.4-83.8	521	18.4	16.2-20.6
18-24	216	89,825	202	93.7	89.6-97.8	14	6.3	2.2-10.4
25-34	384	121,598	353	92.9	90.0-95.8	31	7.1	4.2-10.0
35-44	396	110,175	343	89.5	86.4-92.6	53	10.5	7.4-13.6
45-54	616	123,707	535	85.7	82.0-89.4	81	14.3	10.6-18.0
55-64	848	122,903	667	78.7	75.2-82.2	181	21.3	17.8-24.8
65+	1512	158,148	990	63.5	60.2-66.8	522	36.5	33.2-39.8
Less Than H.S.	360	93,207	138	52.0	44.9-59.1	222	48.0	40.9-55.1
H.S. or G.E.D.	1214	227,442	786	74.3	71.0-77.6	428	25.7	22.4-29.0
Some Post-H.S.	1016	215,088	874	91.2	89.2-93.2	142	8.8	6.8-10.8
College Graduate	1419	195,517	1321	95.9	94.5-97.3	98	4.1	2.7- 5.5
Less than \$15,000	253	40,043	132	63.0	54.4-71.6	121	37.0	28.4-45.6
\$15,000- 24,999	574	96,982	348	64.8	59.5-70.1	226	35.2	29.9-40.5
\$25,000- 34,999	385	68,618	274	75.2	69.7-80.7	111	24.8	19.3-30.3
\$35,000- 49,999	461	77,457	379	84.2	79.9-88.5	82	15.8	11.5-20.1
\$50,000- 74,999	502	92,609	452	92.4	89.7-95.1	50	7.6	4.9-10.3
\$75,000+	1046	215,987	1003	95.7	93.7-97.7	43	4.3	2.3- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	351,245	1363	82.9	80.7-85.1	376	17.1	14.9-19.3
18-24	106	45,860	97	93.1	88.2-98.0	9	6.9	2.0-11.8
25-34	178	60,697	157	90.9	86.4-95.4	21	9.1	4.6-13.6
35-44	182	53,259	161	90.1	85.2-95.0	21	9.9	5.0-14.8
45-54	254	58,768	213	85.3	80.0-90.6	41	14.7	9.4-20.0
55-64	368	58,318	283	76.7	71.0-82.4	85	23.3	17.6-29.0
65+	627	70,387	432	67.5	62.6-72.4	195	32.5	27.6-37.4
Less Than H.S.	162	46,793	74	56.0	46.2-65.8	88	44.0	34.2-53.8
H.S. or G.E.D.	549	121,093	366	77.8	73.7-81.9	183	22.2	18.1-26.3
Some Post-H.S.	402	96,267	345	90.8	87.5-94.1	57	9.2	5.9-12.5
College Graduate	615	84,201	571	95.9	94.1-97.7	44	4.1	2.3- 5.9
Less than \$15,000	85	13,086	38	56.3	42.0-70.6	47	43.7	29.4-58.0
\$15,000- 24,999	241	46,303	143	62.3	54.5-70.1	98	37.7	29.9-45.5
\$25,000- 34,999	175	37,858	127	76.9	69.1-84.7	48	23.1	15.3-30.9
\$35,000- 49,999	200	36,881	160	85.0	79.3-90.7	40	15.0	9.3-20.7
\$50,000- 74,999	226	43,374	198	91.8	88.1-95.5	28	8.2	4.5-11.9
\$75,000+	503	107,965	480	95.5	93.0-98.0	23	4.5	2.0- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2290	384,025	1769	81.6	79.4-83.8	521	18.4	16.2-20.6
18-24	110	43,965	105	94.3	87.8-100	5	5.7	0.0-12.2
25-34	206	60,901	196	94.9	91.0-98.8	10	5.1	1.2-9.0
35-44	214	56,917	182	88.9	84.6-93.2	32	11.1	6.8-15.4
45-54	362	64,939	322	86.0	80.9-91.1	40	14.0	8.9-19.1
55-64	480	64,585	384	80.5	76.0-85.0	96	19.5	15.0-24.0
65+	885	87,761	558	60.3	56.0-64.6	327	39.7	35.4-44.0
Less Than H.S.	198	46,414	64	48.0	37.4-58.6	134	52.0	41.4-62.6
H.S. or G.E.D.	665	106,349	420	70.3	65.4-75.2	245	29.7	24.8-34.6
Some Post-H.S.	614	118,820	529	91.5	89.1-93.9	85	8.5	6.1-10.9
College Graduate	804	111,316	750	95.8	94.0-97.6	54	4.2	2.4-6.0
Less than \$15,000	168	26,956	94	66.2	55.6-76.8	74	33.8	23.2-44.4
\$15,000- 24,999	333	50,679	205	67.1	60.2-74.0	128	32.9	26.0-39.8
\$25,000- 34,999	210	30,760	147	73.1	65.5-80.7	63	26.9	19.3-34.5
\$35,000- 49,999	261	40,576	219	83.5	77.2-89.8	42	16.5	10.2-22.8
\$50,000- 74,999	276	49,235	254	92.9	88.8-97.0	22	7.1	3.0-11.2
\$75,000+	543	108,022	523	96.0	93.1-98.9	20	4.0	1.1-6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3748	686,954	32	0.7	0.3- 1.1	1048	28.7	26.5-30.9	1772	47.0	44.6-49.4	663	16.6	15.0-18.2	218	6.4	5.2- 7.6	15	0.6	0.0- 1.2
Male	1693	339,844	2	0.0	0.0- 0.0	176	11.2	8.8-13.6	901	54.7	51.4-58.0	446	23.4	20.7-26.1	157	9.9	7.9-11.9	11	0.7	0.3- 1.1
Female	2055	347,111	30	1.3	0.7- 1.9	872	45.8	42.7-48.9	871	39.5	36.4-42.6	217	9.9	8.1-11.7	61	2.9	1.9- 3.9	4	0.6	0.0- 1.6
White/Non-Hisp	2744	452,444	27	0.7	0.3- 1.1	775	27.8	25.4-30.2	1284	46.2	43.5-48.9	496	17.9	15.7-20.1	159	6.9	5.5- 8.3	3	0.4	0.0- 1.2
Black or Afr. Am./Non-Hisp	561	133,033	1	0.4	0.0- 1.2	113	24.1	18.8-29.4	290	50.8	44.9-56.7	113	18.3	14.2-22.4	43	6.4	4.0- 8.8	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	104	29,706	2	1.0	0.0- 2.4	42	46.2	33.7-58.7	46	44.3	31.8-56.8	8	5.3	0.8- 9.8	5	2.5	0.0- 5.2	1	0.7	0.0- 2.1
Hispanic	224	49,669	1	0.5	0.0- 1.5	83	35.8	27.8-43.8	94	42.9	34.5-51.3	32	11.5	7.0-16.0	7	5.6	0.5-10.7	7	3.6	0.5- 6.7
18-24	207	87,613	4	1.0	0.0- 2.2	96	46.2	37.4-55.0	70	37.3	28.5-46.1	28	10.3	5.4-15.2	7	2.7	0.3- 5.1	2	2.4	0.0- 6.1
25-34	365	113,299				123	34.0	27.7-40.3	162	43.3	36.6-50.0	57	13.0	8.9-17.1	21	9.0	4.5-13.5	2	0.7	0.0- 1.7
35-44	372	104,244				94	26.0	20.5-31.5	181	48.7	42.2-55.2	60	16.8	11.5-22.1	32	7.8	4.7-10.9	5	0.7	0.1- 1.3
45-54	560	113,956	2	0.3	0.0- 0.9	130	21.3	17.2-25.4	258	46.5	41.4-51.6	121	22.5	18.2-26.8	47	9.0	6.1-11.9	2	0.4	0.0- 1.0
55-64	791	114,796	5	0.5	0.1- 0.9	193	22.5	19.0-26.0	375	50.8	46.3-55.3	152	18.6	15.3-21.9	65	7.5	5.3- 9.7	1	0.1	0.0- 0.3
65+	1424	147,565	20	1.7	0.7- 2.7	404	26.9	24.0-29.8	711	51.4	48.1-54.7	242	17.2	14.7-19.7	45	2.8	1.8- 3.8	2	0.1	0.0- 0.3
Less Than H.S.	333	85,815	4	0.6	0.0- 1.4	104	29.5	22.6-36.4	152	49.1	41.5-56.7	47	12.4	7.9-16.9	20	6.3	2.8- 9.8	6	2.0	0.2- 3.8
H.S. or G.E.D.	1137	212,296	12	0.7	0.3- 1.1	299	25.6	21.9-29.3	526	45.6	41.3-49.9	222	20.3	16.8-23.8	77	7.1	4.9- 9.3	1	0.8	0.0- 2.4
Some Post-H.S.	943	201,635	8	0.9	0.1- 1.7	283	30.0	25.9-34.1	438	47.5	43.2-51.8	156	15.1	12.2-18.0	57	6.4	4.2- 8.6	1	0.1	0.0- 0.3
College Graduate	1321	184,419	7	0.4	0.0- 0.8	359	30.7	27.0-34.4	649	46.9	43.2-50.6	237	16.1	13.6-18.6	62	5.4	3.6- 7.2	7	0.5	0.1- 0.9
Less than \$15,000	243	38,829	3	1.0	0.0- 2.2	78	33.3	23.5-43.1	104	43.6	33.2-54.0	47	18.4	11.5-25.3	11	3.6	0.7- 6.5			
\$15,000- 24,999	546	92,317	2	0.4	0.0- 1.0	144	25.2	20.3-30.1	262	48.0	42.1-53.9	95	17.7	13.4-22.0	38	6.0	3.6- 8.4	5	2.8	0.0- 6.3
\$25,000- 34,999	368	65,906	4	0.5	0.0- 1.1	84	20.1	14.4-25.8	189	53.0	45.7-60.3	71	18.7	12.8-24.6	17	6.8	2.5-11.1	3	0.9	0.0- 1.9
\$35,000- 49,999	443	74,454	4	0.4	0.0- 0.8	121	26.6	21.1-32.1	209	50.6	44.3-56.9	82	16.7	12.6-20.8	26	5.5	3.0- 8.0	1	0.1	0.0- 0.3
\$50,000- 74,999	473	88,359	2	0.5	0.0- 1.3	118	31.4	24.9-37.9	229	42.0	35.7-48.3	100	19.5	14.4-24.6	24	6.7	2.8-10.6			
\$75,000+	1003	208,672	3	0.2	0.0- 0.4	260	27.4	23.5-31.3	493	48.8	44.5-53.1	187	16.7	13.8-19.6	58	6.9	4.5- 9.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	339,844	2	0.0	0.0- 0.0	176	11.2	8.8-13.6	901	54.7	51.4-58.0	446	23.4	20.7-26.1	157	9.9	7.9-11.9	11	0.7	0.3- 1.1
White/Non-Hisp	1234	224,842	2	0.1	0.1- 0.1	101	9.0	6.5-11.5	654	53.0	49.1-56.9	353	26.5	23.0-30.0	123	11.3	8.8-13.8	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	246	61,808				30	12.1	5.4-18.8	132	56.4	47.6-65.2	59	23.3	16.2-30.4	24	8.2	4.3-12.1	1	0.1	0.0- 0.3
Hispanic	103	26,383				24	20.0	10.2-29.8	49	50.6	38.3-62.9	19	14.0	7.3-20.7	5	9.0	0.0-18.0	6	6.5	0.8-12.2
18-24	103	44,965				27	27.0	15.6-38.4	44	48.8	36.5-61.1	25	18.1	9.3-26.9	6	5.1	0.6- 9.6	1	1.1	0.0- 3.3
25-34	169	54,920				28	14.2	7.5-20.9	90	54.2	44.4-64.0	34	15.8	9.5-22.1	15	14.4	6.6-22.2	2	1.3	0.0- 3.3
35-44	180	52,893				19	10.5	4.8-16.2	95	54.5	45.1-63.9	38	21.8	13.2-30.4	25	12.4	6.9-17.9	3	0.9	0.0- 1.9
45-54	248	57,769				15	4.5	1.8- 7.2	128	52.2	44.8-59.6	73	29.1	22.4-35.8	30	13.4	8.1-18.7	2	0.7	0.0- 1.7
55-64	361	57,535	1	0.2	0.0- 0.6	27	6.3	3.4- 9.2	188	57.2	50.7-63.7	96	25.0	19.5-30.5	48	11.2	7.5-14.9	1	0.2	0.0- 0.6
65+	614	68,299	1	0.1	0.0- 0.3	58	9.2	6.3-12.1	345	58.0	52.9-63.1	177	28.8	24.1-33.5	32	3.8	2.4- 5.2	1	0.1	0.0- 0.3
Less Than H.S.	154	43,715				25	14.9	6.1-23.7	85	54.9	44.3-65.5	23	15.5	7.9-23.1	15	10.9	4.4-17.4	6	3.9	0.4- 7.4
H.S. or G.E.D.	537	116,860	1	0.1	0.0- 0.3	56	10.6	7.1-14.1	270	51.7	45.6-57.8	155	27.8	22.3-33.3	55	9.9	6.2-13.6			
Some Post-H.S.	395	94,201				47	12.5	7.4-17.6	213	57.1	50.4-63.8	101	21.6	16.7-26.5	34	8.8	5.3-12.3			
College Graduate	598	82,676				47	8.7	5.6-11.8	328	55.5	50.2-60.8	167	24.3	20.2-28.4	51	10.8	7.1-14.5	5	0.8	0.0- 1.6
Less than \$15,000	84	12,899				16	11.5	4.8-18.2	38	50.9	35.8-66.0	25	30.6	16.7-44.5	5	7.0	0.0-15.0			
\$15,000- 24,999	234	44,501				30	11.5	6.6-16.4	130	56.5	48.3-64.7	49	22.4	15.3-29.5	22	7.9	4.0-11.8	3	1.7	0.0- 4.1
\$25,000- 34,999	172	36,872				20	11.6	4.5-18.7	89	53.2	42.2-64.2	47	23.2	14.0-32.4	13	10.5	3.2-17.8	3	1.5	0.0- 3.5
\$35,000- 49,999	199	36,761				24	13.0	6.9-19.1	109	59.7	50.9-68.5	48	20.0	13.5-26.5	18	7.4	3.5-11.3			
\$50,000- 74,999	223	42,997				18	11.9	5.0-18.8	115	48.5	39.1-57.9	72	28.7	20.5-36.9	18	10.9	3.6-18.2			
\$75,000+	497	106,904				29	6.7	3.2-10.2	267	56.1	50.0-62.2	150	25.9	20.8-31.0	50	11.1	7.4-14.8	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	347,111	30	1.3	0.7- 1.9	872	45.8	42.7-48.9	871	39.5	36.4-42.6	217	9.9	8.1-11.7	61	2.9	1.9- 3.9	4	0.6	0.0- 1.6
White/Non-Hisp	1510	227,602	25	1.3	0.7- 1.9	674	46.4	42.7-50.1	630	39.6	36.1-43.1	143	9.4	7.2-11.6	36	2.6	1.2- 4.0	2	0.7	0.0- 2.1
Black or Afr. Am./Non-Hisp	315	71,226	1	0.8	0.0- 2.4	83	34.5	26.9-42.1	158	45.9	38.3-53.5	54	14.0	9.5-18.5	19	4.8	2.1- 7.5			
Oth. Race/Non-Hisp.	58	15,688	2	1.9	0.0- 4.6	30	65.6	48.4-82.8	18	26.1	9.2-43.0	4	3.5	0.0- 7.0	3	1.6	0.0- 3.6	1	1.3	0.0- 3.8
Hispanic	121	23,286	1	1.1	0.0- 3.3	59	53.8	42.6-65.0	45	34.3	23.9-44.7	13	8.7	2.8-14.6	2	1.7	0.0- 4.4	1	0.4	0.0- 1.2
18-24	104	42,648	4	2.1	0.0- 4.6	69	66.4	53.5-79.3	26	25.3	13.1-37.5	3	2.1	0.0- 4.6	1	0.2	0.0- 0.6	1	3.8	0.0-11.1
25-34	196	58,378				95	52.6	43.6-61.6	72	33.0	25.0-41.0	23	10.5	5.0-16.0	6	3.9	0.0- 8.4			
35-44	192	51,350				75	42.0	33.4-50.6	86	42.7	33.9-51.5	22	11.6	5.9-17.3	7	3.0	0.5- 5.5	2	0.6	0.0- 1.4
45-54	312	56,187	2	0.7	0.0- 1.9	115	38.5	31.6-45.4	130	40.7	33.6-47.8	48	15.7	10.2-21.2	17	4.4	1.9- 6.9			
55-64	430	57,261	4	0.8	0.0- 1.6	166	38.9	33.0-44.8	187	44.4	38.3-50.5	56	12.1	8.4-15.8	17	3.8	1.6- 6.0			
65+	810	79,267	19	3.0	1.0- 5.0	346	42.2	37.7-46.7	366	45.6	41.1-50.1	65	7.2	5.2- 9.2	13	1.9	0.7- 3.1	1	0.1	0.0- 0.3
Less Than H.S.	179	42,100	4	1.3	0.0- 2.7	79	44.7	33.9-55.5	67	43.1	31.7-54.5	24	9.3	4.6-14.0	5	1.7	0.0- 3.5			
H.S. or G.E.D.	600	95,436	11	1.4	0.4- 2.4	243	43.9	37.8-50.0	256	38.1	32.6-43.6	67	11.1	7.8-14.4	22	3.8	1.8- 5.8	1	1.7	0.0- 5.0
Some Post-H.S.	548	107,434	8	1.6	0.0- 3.2	236	45.3	39.6-51.0	225	39.1	33.6-44.6	55	9.5	6.0-13.0	23	4.4	1.7- 7.1	1	0.1	0.0- 0.3
College Graduate	723	101,743	7	0.7	0.1- 1.3	312	48.6	43.3-53.9	321	39.9	35.0-44.8	70	9.4	6.5-12.3	11	1.1	0.3- 1.9	2	0.3	0.0- 0.7
Less than \$15,000	159	25,930	3	1.5	0.0- 3.3	62	44.2	30.9-57.5	66	40.0	26.3-53.7	22	12.4	5.3-19.5	6	1.9	0.1- 3.7			
\$15,000- 24,999	312	47,817	2	0.8	0.0- 2.0	114	37.9	30.1-45.7	132	40.0	32.2-47.8	46	13.2	8.3-18.1	16	4.3	1.6- 7.0	2	3.8	0.0-10.3
\$25,000- 34,999	196	29,033	4	1.2	0.0- 2.6	64	30.9	22.3-39.5	100	52.7	43.5-61.9	24	13.1	7.0-19.2	4	2.1	0.0- 4.3			
\$35,000- 49,999	244	37,693	4	0.8	0.0- 1.6	97	40.0	31.8-48.2	100	41.8	33.4-50.2	34	13.6	8.1-19.1	8	3.7	0.8- 6.6	1	0.2	0.0- 0.6
\$50,000- 74,999	250	45,362	2	1.0	0.0- 2.4	100	49.8	40.8-58.8	114	35.9	27.9-43.9	28	10.7	5.0-16.4	6	2.6	0.2- 5.0			
\$75,000+	506	101,768	3	0.3	0.0- 0.7	231	49.1	43.0-55.2	226	41.1	35.2-47.0	37	6.9	4.2- 9.6	8	2.5	0.0- 5.0	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3921	715,489	232	5.3	4.1- 6.5	1783	42.6	40.4-44.8	1551	41.8	39.4-44.2	305	8.5	7.3- 9.7	6	0.1	0.0- 0.3	44	1.8	1.0- 2.6
Male	1707	343,547	8	0.5	0.1- 0.9	197	12.3	9.8-14.8	1169	67.3	64.0-70.6	301	17.5	15.1-19.9	6	0.2	0.0- 0.4	26	2.2	0.8- 3.6
Female	2214	371,942	224	9.8	7.8-11.8	1586	70.6	67.7-73.5	382	18.3	15.9-20.7	4	0.1	0.0- 0.3				18	1.3	0.5- 2.1
White/Non-Hisp	2896	474,384	160	4.6	3.4- 5.8	1309	41.5	39.0-44.0	1194	44.4	41.7-47.1	226	9.3	7.7-10.9	6	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	588	140,780	33	6.5	3.0-10.0	275	43.4	37.7-49.1	229	41.5	35.8-47.2	49	7.1	4.4- 9.8				2	1.5	0.0- 4.2
Oth. Race/Non-Hisp.	106	29,719	8	4.4	0.3- 8.5	52	58.7	46.9-70.5	34	29.2	18.6-39.8	8	4.7	1.2- 8.2				4	2.9	0.0- 6.0
Hispanic	208	47,942	21	9.9	5.0-14.8	94	41.1	32.5-49.7	49	26.2	18.0-34.4	8	3.8	1.1- 6.5				36	19.0	11.7-26.3
18-24	211	88,481	14	8.1	2.2-14.0	93	43.4	34.6-52.2	76	37.3	28.7-45.9	23	9.9	5.0-14.8				5	1.3	0.0- 2.7
25-34	366	116,826	17	3.1	1.3- 4.9	145	38.4	31.9-44.9	152	44.0	37.1-50.9	34	8.2	5.1-11.3				18	6.3	2.0-10.6
35-44	379	105,924	15	3.9	1.4- 6.4	166	45.6	39.1-52.1	138	37.5	31.2-43.8	48	10.9	7.2-14.6				12	2.1	0.7- 3.5
45-54	597	121,017	26	4.6	2.2- 7.0	261	38.1	33.4-42.8	247	45.6	40.5-50.7	55	10.2	7.3-13.1	2	0.4	0.0- 1.0	6	1.1	0.1- 2.1
55-64	835	120,442	38	3.9	2.3- 5.5	388	43.4	39.1-47.7	344	44.4	40.1-48.7	61	7.9	5.4-10.4	2	0.1	0.0- 0.3	2	0.2	0.0- 0.6
65+	1493	156,080	120	7.9	5.9- 9.9	713	46.2	42.9-49.5	574	40.2	36.9-43.5	83	5.5	4.1- 6.9	2	0.1	0.1- 0.1	1	0.1	0.0- 0.3
Less Than H.S.	328	86,802	33	11.2	5.5-16.9	150	41.3	33.9-48.7	101	32.8	25.5-40.1	15	5.2	1.7- 8.7				29	9.4	5.3-13.5
H.S. or G.E.D.	1196	224,036	83	5.9	3.9- 7.9	543	39.6	35.7-43.5	471	43.7	39.6-47.8	91	9.5	7.0-12.0	3	0.1	0.0- 0.3	5	1.2	0.0- 3.0
Some Post-H.S.	999	211,595	52	4.3	2.7- 5.9	481	44.7	40.4-49.0	385	43.3	39.0-47.6	79	7.7	5.7- 9.7				2	0.1	0.0- 0.3
College Graduate	1385	190,542	62	3.2	2.0- 4.4	604	44.3	40.6-48.0	588	41.9	38.4-45.4	120	9.6	7.4-11.8	3	0.3	0.0- 0.7	8	0.8	0.2- 1.4
Less than \$15,000	245	38,766	19	14.6	3.4-25.8	126	49.1	38.9-59.3	76	28.1	19.7-36.5	15	3.7	1.2- 6.2				9	4.4	1.1- 7.7
\$15,000- 24,999	557	93,816	39	7.5	4.6-10.4	278	43.5	37.8-49.2	188	35.0	29.5-40.5	31	7.9	4.8-11.0	2	0.1	0.0- 0.3	19	6.0	2.7- 9.3
\$25,000- 34,999	378	66,993	26	5.1	2.6- 7.6	166	40.3	33.4-47.2	153	45.3	38.0-52.6	28	8.0	4.3-11.7				5	1.3	0.1- 2.5
\$35,000- 49,999	457	76,806	24	5.0	2.5- 7.5	220	46.7	40.4-53.0	173	39.6	33.3-45.9	38	8.3	5.2-11.4	1	0.0	0.0- 0.0	1	0.5	0.0- 1.5
\$50,000- 74,999	497	91,476	25	4.2	1.7- 6.7	208	41.5	35.2-47.8	223	44.9	38.4-51.4	41	9.5	5.6-13.4						
\$75,000+	1037	213,266	34	2.1	1.1- 3.1	427	39.4	35.3-43.5	461	47.4	43.1-51.7	109	10.6	8.2-13.0	3	0.3	0.0- 0.7	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	343,547	8	0.5	0.1- 0.9	197	12.3	9.8-14.8	1169	67.3	64.0-70.6	301	17.5	15.1-19.9	6	0.2	0.0- 0.4	26	2.2	0.8- 3.6
White/Non-Hisp	1251	227,150	2	0.3	0.0- 0.9	110	8.0	5.8-10.2	908	71.8	68.3-75.3	224	19.5	16.4-22.6	6	0.3	0.0- 0.7	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	250	64,914	2	0.9	0.0- 2.3	40	15.7	8.3-23.1	159	65.3	56.1-74.5	47	14.9	9.2-20.6				2	3.2	0.0- 9.3
Hispanic	98	26,624	3	1.7	0.0- 3.7	27	29.8	17.3-42.3	39	43.4	30.7-56.1	8	6.8	1.9-11.7				21	18.3	9.5-27.1
18-24	103	44,854	1	1.0	0.0- 3.0	16	20.0	8.4-31.6	60	57.4	45.1-69.7	23	19.6	10.4-28.8				3	1.9	0.0- 4.3
25-34	171	58,532	1	0.2	0.0- 0.6	15	8.8	3.7-13.9	111	66.9	57.5-76.3	34	16.4	10.1-22.7				10	7.7	0.4-15.0
35-44	176	51,390	2	0.7	0.0- 1.7	22	17.3	9.5-25.1	98	57.8	48.4-67.2	47	21.8	14.5-29.1				7	2.4	0.4- 4.4
45-54	250	58,102	1	1.0	0.0- 3.0	22	6.2	3.1- 9.3	168	69.8	63.1-76.5	54	21.2	15.3-27.1	2	0.8	0.0- 2.0	3	0.9	0.0- 2.1
55-64	364	57,890				39	8.8	5.5-12.1	261	74.0	68.3-79.7	60	16.4	11.5-21.3	2	0.3	0.0- 0.7	2	0.5	0.0- 1.3
65+	625	69,947	2	0.2	0.0- 0.6	82	14.9	11.0-18.8	456	72.2	67.5-76.9	82	12.3	9.2-15.4	2	0.1	0.0- 0.3	1	0.3	0.0- 0.9
Less Than H.S.	151	44,168	2	0.8	0.0- 2.0	36	25.5	15.1-35.9	79	52.9	42.1-63.7	15	10.3	3.6-17.0				19	10.5	5.0-16.0
H.S. or G.E.D.	542	119,253	3	1.0	0.0- 2.2	64	11.2	7.3-15.1	379	67.9	61.8-74.0	90	17.9	13.4-22.4	3	0.2	0.0- 0.4	3	1.9	0.0- 5.2
Some Post-H.S.	400	95,368	1	0.1	0.0- 0.3	34	7.5	3.8-11.2	287	75.7	70.4-81.0	78	16.7	12.6-20.8						
College Graduate	607	82,739	2	0.1	0.0- 0.3	61	11.6	7.9-15.3	419	64.7	59.4-70.0	118	22.1	17.6-26.6	3	0.6	0.0- 1.4	4	1.0	0.0- 2.0
Less than \$15,000	82	12,459				13	20.0	7.3-32.7	50	63.4	49.1-77.7	15	11.6	3.8-19.4				4	4.9	0.0-10.0
\$15,000- 24,999	233	44,851	5	2.6	0.0- 5.5	46	18.6	11.2-26.0	140	56.2	47.6-64.8	28	15.5	9.4-21.6	2	0.3	0.0- 0.7	12	6.8	2.3-11.3
\$25,000- 34,999	174	37,369				26	16.4	8.4-24.4	116	67.3	57.7-76.9	28	14.3	7.8-20.8				4	2.0	0.0- 4.2
\$35,000- 49,999	199	36,577				28	15.2	7.6-22.8	132	67.2	58.2-76.2	38	17.5	11.0-24.0	1	0.1	0.0- 0.3			
\$50,000- 74,999	225	42,799				21	8.5	4.2-12.8	163	71.2	62.8-79.6	41	20.3	12.5-28.1						
\$75,000+	501	106,780				33	6.2	2.9- 9.5	355	71.8	66.5-77.1	108	21.0	16.5-25.5	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2214	371,942	224	9.8	7.8-11.8	1586	70.6	67.7-73.5	382	18.3	15.9-20.7	4	0.1	0.0- 0.3	18	1.3	0.5- 2.1
White/Non-Hisp	1645	247,233	158	8.5	6.5-10.5	1199	72.3	69.0-75.6	286	19.2	16.1-22.3	2	0.0	0.0- 0.0			
Black or Afr. Am./Non-Hisp	338	75,866	31	11.3	5.0-17.6	235	67.1	59.8-74.4	70	21.2	15.5-26.9	2	0.5	0.0- 1.5			
Oth. Race/Non-Hisp.	61	17,048	8	7.7	0.6-14.8	38	73.6	60.3-86.9	12	15.2	4.6-25.8				3	3.4	0.0- 7.7
Hispanic	110	21,317	18	20.1	10.1-30.1	67	55.1	42.9-67.3	10	4.8	1.7- 7.9				15	20.0	8.4-31.6
18-24	108	43,627	13	15.4	4.4-26.4	77	67.4	54.3-80.5	16	16.6	5.6-27.6				2	0.6	0.0- 1.4
25-34	195	58,294	16	6.0	2.5- 9.5	130	68.1	59.5-76.7	41	21.0	13.4-28.6				8	4.9	0.6- 9.2
35-44	203	54,534	13	6.9	2.2-11.6	144	72.2	64.6-79.8	40	18.4	11.9-24.9	1	0.6	0.0- 1.8	5	1.8	0.0- 3.6
45-54	347	62,915	25	7.9	4.0-11.8	239	67.6	61.3-73.9	79	23.2	17.7-28.7	1	0.0	0.0- 0.0	3	1.2	0.0- 2.6
55-64	471	62,552	38	7.6	4.7-10.5	349	75.3	70.6-80.0	83	17.0	12.9-21.1	1	0.1	0.0- 0.3			
65+	868	86,133	118	14.1	10.8-17.4	631	71.6	67.5-75.7	118	14.2	11.1-17.3	1	0.1	0.0- 0.3			
Less Than H.S.	177	42,634	31	21.9	11.5-32.3	114	57.7	46.3-69.1	22	12.0	3.4-20.6				10	8.3	2.0-14.6
H.S. or G.E.D.	654	104,783	80	11.5	7.8-15.2	479	71.9	66.6-77.2	92	16.2	11.5-20.9	1	0.0	0.0- 0.0	2	0.4	0.0- 1.0
Some Post-H.S.	599	116,226	51	7.7	4.8-10.6	447	75.2	70.5-79.9	98	16.6	12.5-20.7	1	0.3	0.0- 0.9	2	0.2	0.0- 0.4
College Graduate	778	107,803	60	5.5	3.5- 7.5	543	69.3	64.8-73.8	169	24.4	20.1-28.7	2	0.1	0.0- 0.3	4	0.7	0.0- 1.5
Less than \$15,000	163	26,307	19	21.5	6.2-36.8	113	62.9	48.6-77.2	26	11.4	5.5-17.3				5	4.1	0.0- 8.4
\$15,000- 24,999	324	48,965	34	12.0	6.9-17.1	232	66.2	58.0-74.4	48	15.6	8.3-22.9	3	0.9	0.0- 2.3	7	5.2	0.3-10.1
\$25,000- 34,999	204	29,624	26	11.5	6.0-17.0	140	70.5	62.5-78.5	37	17.5	10.8-24.2				1	0.5	0.0- 1.5
\$35,000- 49,999	258	40,230	24	9.5	4.6-14.4	192	75.3	68.4-82.2	41	14.4	9.1-19.7				1	0.9	0.0- 2.7
\$50,000- 74,999	272	48,678	25	7.8	3.1-12.5	187	70.4	62.6-78.2	60	21.8	14.7-28.9						
\$75,000+	536	106,486	34	4.1	2.3- 5.9	394	72.7	67.6-77.8	106	23.0	17.9-28.1	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	528	161,284	20	4.7	2.3- 7.1	508	95.3	92.9-97.7
White/Non-Hisp	277	86,862	12	5.1	1.6- 8.6	265	94.9	91.4-98.4
Black or Afr. Am./Non-Hisp	118	37,997	3	1.9	0.0- 4.1	115	98.1	95.9- 100
Hispanic	79	17,497	3	5.1	0.0-11.0	76	94.9	89.0- 100
18-24	110	43,965	6	4.2	0.5- 7.9	104	95.8	92.1-99.5
25-34	206	60,901	10	7.0	2.1-11.9	196	93.0	88.1-97.9
35-44	212	56,418	4	2.5	0.0- 5.4	208	97.5	94.6- 100
Less Than H.S.	55	21,082	3	6.6	0.0-15.4	52	93.4	84.6- 100
H.S. or G.E.D.	127	36,963	6	4.1	0.4- 7.8	121	95.9	92.2-99.6
Some Post-H.S.	150	51,781	5	3.7	0.0- 7.4	145	96.3	92.6- 100
College Graduate	194	51,071	6	5.3	0.6-10.0	188	94.7	90.0-99.4
\$15,000- 24,999	84	22,259	3	3.1	0.0- 6.6	81	96.9	93.4- 100
\$35,000- 49,999	54	13,018	3	6.7	0.0-15.1	51	93.3	84.9- 100
\$50,000- 74,999	56	20,488	1	0.9	0.0- 2.9	55	99.1	97.1- 100
\$75,000+	158	53,013	7	6.6	1.3-11.9	151	93.4	88.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3971	726,050	953	20.5	18.7-22.3	3018	79.5	77.7-81.3
Male	1706	345,047	379	19.0	16.6-21.4	1327	81.0	78.6-83.4
Female	2265	381,002	574	21.8	19.3-24.3	1691	78.2	75.7-80.7
18-24	213	89,302	26	16.5	9.1-23.9	187	83.5	76.1-90.9
25-34	379	120,228	37	11.0	6.9-15.1	342	89.0	84.9-93.1
35-44	392	109,522	62	13.7	9.8-17.6	330	86.3	82.4-90.2
45-54	600	121,366	136	21.4	17.3-25.5	464	78.6	74.5-82.7
55-64	837	121,746	245	27.7	23.8-31.6	592	72.3	68.4-76.2
65+	1495	155,730	430	27.7	24.8-30.6	1065	72.3	69.4-75.2
Less Than H.S.	352	91,851	107	29.6	22.7-36.5	245	70.4	63.5-77.3
H.S. or G.E.D.	1195	224,866	289	19.7	16.6-22.8	906	80.3	77.2-83.4
Some Post-H.S.	1000	212,140	262	22.3	19.0-25.6	738	77.7	74.4-81.0
College Graduate	1406	193,296	290	14.9	12.7-17.1	1116	85.1	82.9-87.3
Less than \$15,000	250	39,768	108	40.0	29.8-50.2	142	60.0	49.8-70.2
\$15,000- 24,999	567	95,369	181	28.3	23.2-33.4	386	71.7	66.6-76.8
\$25,000- 34,999	384	68,385	107	22.8	17.5-28.1	277	77.2	71.9-82.5
\$35,000- 49,999	456	76,592	113	25.3	19.6-31.0	343	74.7	69.0-80.4
\$50,000- 74,999	498	92,202	106	17.8	13.3-22.3	392	82.2	77.7-86.7
\$75,000+	1038	214,197	145	10.6	8.2-13.0	893	89.4	87.0-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	345,047	379	19.0	16.6-21.4	1327	81.0	78.6-83.4
18-24	105	45,664	12	9.4	3.7-15.1	93	90.6	84.9-96.3
25-34	174	59,654	21	14.9	8.0-21.8	153	85.1	78.2-92.0
35-44	180	53,056	27	13.0	7.3-18.7	153	87.0	81.3-92.7
45-54	245	57,126	50	19.9	14.0-25.8	195	80.1	74.2-86.0
55-64	363	57,655	101	27.0	21.3-32.7	262	73.0	67.3-78.7
65+	617	68,614	161	25.5	21.0-30.0	456	74.5	70.0-79.0
Less Than H.S.	158	46,107	40	25.8	17.4-34.2	118	74.2	65.8-82.6
H.S. or G.E.D.	537	119,304	113	16.3	12.4-20.2	424	83.7	79.8-87.6
Some Post-H.S.	395	94,097	92	20.4	15.3-25.5	303	79.6	74.5-84.7
College Graduate	607	82,771	132	17.5	13.8-21.2	475	82.5	78.8-86.2
Less than \$15,000	84	13,038	33	32.3	18.8-45.8	51	67.7	54.2-81.2
\$15,000- 24,999	234	44,841	76	30.7	23.3-38.1	158	69.3	61.9-76.7
\$25,000- 34,999	175	37,642	40	20.5	12.7-28.3	135	79.5	71.7-87.3
\$35,000- 49,999	198	36,292	47	21.9	14.6-29.2	151	78.1	70.8-85.4
\$50,000- 74,999	225	43,299	53	19.7	12.6-26.8	172	80.3	73.2-87.4
\$75,000+	498	106,728	69	10.5	7.2-13.8	429	89.5	86.2-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	381,002	574	21.8	19.3-24.3	1691	78.2	75.7-80.7
18-24	108	43,638	14	23.8	10.5-37.1	94	76.2	62.9-89.5
25-34	205	60,574	16	7.3	2.6-12.0	189	92.7	88.0-97.4
35-44	212	56,466	35	14.3	8.8-19.8	177	85.7	80.2-91.2
45-54	355	64,240	86	22.8	17.1-28.5	269	77.2	71.5-82.9
55-64	474	64,092	144	28.3	23.2-33.4	330	71.7	66.6-76.8
65+	878	87,115	269	29.5	25.6-33.4	609	70.5	66.6-74.4
Less Than H.S.	194	45,745	67	33.6	22.8-44.4	127	66.4	55.6-77.2
H.S. or G.E.D.	658	105,563	176	23.5	18.8-28.2	482	76.5	71.8-81.2
Some Post-H.S.	605	118,043	170	23.7	19.2-28.2	435	76.3	71.8-80.8
College Graduate	799	110,526	158	13.0	10.3-15.7	641	87.0	84.3-89.7
Less than \$15,000	166	26,730	75	43.8	30.5-57.1	91	56.2	42.9-69.5
\$15,000- 24,999	333	50,528	105	26.2	18.9-33.5	228	73.8	66.5-81.1
\$25,000- 34,999	209	30,743	67	25.6	18.7-32.5	142	74.4	67.5-81.3
\$35,000- 49,999	258	40,300	66	28.5	20.3-36.7	192	71.5	63.3-79.7
\$50,000- 74,999	273	48,902	53	16.1	10.6-21.6	220	83.9	78.4-89.4
\$75,000+	540	107,468	76	10.7	7.4-14.0	464	89.3	86.0-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3984	727,576	514	8.6	7.6- 9.6	3470	91.4	90.4-92.4
Male	1712	346,118	179	7.2	5.8- 8.6	1533	92.8	91.4-94.2
Female	2272	381,457	335	9.9	8.5-11.3	1937	90.1	88.7-91.5
18-24	212	89,091	1	0.4	0.0- 1.2	211	99.6	98.8- 100
25-34	379	120,482	12	2.5	0.7- 4.3	367	97.5	95.7-99.3
35-44	392	109,504	14	3.3	1.3- 5.3	378	96.7	94.7-98.7
45-54	607	122,079	58	9.5	6.4-12.6	549	90.5	87.4-93.6
55-64	837	121,052	111	12.1	9.4-14.8	726	87.9	85.2-90.6
65+	1504	156,804	310	17.6	15.2-20.0	1194	82.4	80.0-84.8
Less Than H.S.	355	91,972	62	12.9	8.8-17.0	293	87.1	83.0-91.2
H.S. or G.E.D.	1197	224,921	177	8.8	7.0-10.6	1020	91.2	89.4-93.0
Some Post-H.S.	1003	213,032	133	8.8	6.8-10.8	870	91.2	89.2-93.2
College Graduate	1410	193,787	141	6.1	4.7- 7.5	1269	93.9	92.5-95.3
Less than \$15,000	251	39,842	66	19.5	12.8-26.2	185	80.5	73.8-87.2
\$15,000- 24,999	564	94,757	107	13.0	9.7-16.3	457	87.0	83.7-90.3
\$25,000- 34,999	382	68,199	67	12.2	8.5-15.9	315	87.8	84.1-91.5
\$35,000- 49,999	459	77,242	58	10.3	6.6-14.0	401	89.7	86.0-93.4
\$50,000- 74,999	499	92,328	46	5.8	3.8- 7.8	453	94.2	92.2-96.2
\$75,000+	1040	215,137	53	3.3	2.1- 4.5	987	96.7	95.5-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1712	346,118	179	7.2	5.8- 8.6	1533	92.8	91.4-94.2
18-24	104	45,453	1	0.8	0.0- 2.4	103	99.2	97.6- 100
25-34	174	59,654	8	4.2	0.9- 7.5	166	95.8	92.5-99.1
35-44	181	53,192	4	2.9	0.0- 6.0	177	97.1	94.0- 100
45-54	249	57,599	20	7.8	3.7-11.9	229	92.2	88.1-96.3
55-64	361	57,026	45	11.2	7.3-15.1	316	88.8	84.9-92.7
65+	621	69,320	101	13.7	10.4-17.0	520	86.3	83.0-89.6
Less Than H.S.	158	45,927	20	12.2	6.1-18.3	138	87.8	81.7-93.9
H.S. or G.E.D.	539	119,572	54	6.0	3.8- 8.2	485	94.0	91.8-96.2
Some Post-H.S.	396	94,844	45	7.1	4.4- 9.8	351	92.9	90.2-95.6
College Graduate	608	82,884	60	6.3	4.1- 8.5	548	93.7	91.5-95.9
Less than \$15,000	85	13,086	19	13.4	5.8-21.0	66	86.6	79.0-94.2
\$15,000- 24,999	233	44,353	35	11.5	6.8-16.2	198	88.5	83.8-93.2
\$25,000- 34,999	173	37,513	19	7.5	3.2-11.8	154	92.5	88.2-96.8
\$35,000- 49,999	200	36,881	26	9.3	4.6-14.0	174	90.7	86.0-95.4
\$50,000- 74,999	225	43,299	29	8.4	4.7-12.1	196	91.6	87.9-95.3
\$75,000+	498	107,292	20	2.6	1.0- 4.2	478	97.4	95.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2272	381,457	335	9.9	8.5-11.3	1937	90.1	88.7-91.5
18-24	108	43,638				108	100.0	100.0- 100
25-34	205	60,828	4	0.8	0.0- 1.6	201	99.2	98.4- 100
35-44	211	56,313	10	3.7	1.2- 6.2	201	96.3	93.8-98.8
45-54	358	64,480	38	11.0	6.1-15.9	320	89.0	84.1-93.9
55-64	476	64,026	66	13.0	9.3-16.7	410	87.0	83.3-90.7
65+	883	87,483	209	20.6	17.3-23.9	674	79.4	76.1-82.7
Less Than H.S.	197	46,044	42	13.6	7.9-19.3	155	86.4	80.7-92.1
H.S. or G.E.D.	658	105,349	123	12.0	9.1-14.9	535	88.0	85.1-90.9
Some Post-H.S.	607	118,188	88	10.2	7.3-13.1	519	89.8	86.9-92.7
College Graduate	802	110,903	81	5.9	4.3- 7.5	721	94.1	92.5-95.7
Less than \$15,000	166	26,755	47	22.5	13.1-31.9	119	77.5	68.1-86.9
\$15,000- 24,999	331	50,405	72	14.3	9.8-18.8	259	85.7	81.2-90.2
\$25,000- 34,999	209	30,686	48	17.9	11.8-24.0	161	82.1	76.0-88.2
\$35,000- 49,999	259	40,362	32	11.2	5.5-16.9	227	88.8	83.1-94.5
\$50,000- 74,999	274	49,029	17	3.6	1.4- 5.8	257	96.4	94.2-98.6
\$75,000+	542	107,845	33	3.9	2.1- 5.7	509	96.1	94.3-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3974	727,156	195	4.4	3.6- 5.2	3779	95.6	94.8-96.4
Male	1709	346,784	72	4.4	3.0- 5.8	1637	95.6	94.2-97.0
Female	2265	380,371	123	4.4	3.2- 5.6	2142	95.6	94.4-96.8
18-24	213	89,302	6	2.2	0.2- 4.2	207	97.8	95.8-99.8
25-34	378	120,369	6	1.8	0.0- 4.0	372	98.2	96.0- 100
35-44	392	109,352	12	3.4	0.7- 6.1	380	96.6	93.9-99.3
45-54	602	121,535	43	6.7	4.3- 9.1	559	93.3	90.9-95.7
55-64	836	121,473	60	7.0	4.8- 9.2	776	93.0	90.8-95.2
65+	1499	156,526	67	4.5	2.9- 6.1	1432	95.5	93.9-97.1
Less Than H.S.	353	91,799	40	9.0	5.7-12.3	313	91.0	87.7-94.3
H.S. or G.E.D.	1194	225,104	67	5.0	3.2- 6.8	1127	95.0	93.2-96.8
Some Post-H.S.	1002	213,158	38	3.1	1.5- 4.7	964	96.9	95.3-98.5
College Graduate	1407	193,270	49	2.9	1.9- 3.9	1358	97.1	96.1-98.1
Less than \$15,000	249	39,473	27	8.0	4.1-11.9	222	92.0	88.1-95.9
\$15,000- 24,999	562	94,347	42	7.3	4.4-10.2	520	92.7	89.8-95.6
\$25,000- 34,999	381	68,154	20	6.8	2.3-11.3	361	93.2	88.7-97.7
\$35,000- 49,999	458	77,193	22	3.9	1.7- 6.1	436	96.1	93.9-98.3
\$50,000- 74,999	499	92,328	19	3.1	1.5- 4.7	480	96.9	95.3-98.5
\$75,000+	1038	214,914	19	1.6	0.8- 2.4	1019	98.4	97.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	346,784	72	4.4	3.0- 5.8	1637	95.6	94.2-97.0
18-24	105	45,664	5	3.9	0.4- 7.4	100	96.1	92.6-99.6
25-34	174	59,654				174	100.0	100.0- 100
35-44	180	52,886	6	5.0	0.0-10.3	174	95.0	89.7- 100
45-54	249	58,129	17	7.2	3.3-11.1	232	92.8	88.9-96.7
55-64	361	57,496	21	6.0	2.9- 9.1	340	94.0	90.9-97.1
65+	618	69,080	22	4.0	1.5- 6.5	596	96.0	93.5-98.5
Less Than H.S.	159	46,268	15	9.1	3.8-14.4	144	90.9	85.6-96.2
H.S. or G.E.D.	536	119,620	27	5.5	2.6- 8.4	509	94.5	91.6-97.4
Some Post-H.S.	398	95,384	10	1.9	0.5- 3.3	388	98.1	96.7-99.5
College Graduate	606	82,661	19	2.8	1.2- 4.4	587	97.2	95.6-98.8
Less than \$15,000	84	12,781	7	6.0	0.3-11.7	77	94.0	88.3-99.7
\$15,000- 24,999	235	44,893	16	6.7	2.6-10.8	219	93.3	89.2-97.4
\$25,000- 34,999	172	37,468	13	10.8	2.8-18.8	159	89.2	81.2-97.2
\$35,000- 49,999	200	36,881	7	2.3	0.3- 4.3	193	97.7	95.7-99.7
\$50,000- 74,999	225	43,299	5	2.4	0.0- 4.8	220	97.6	95.2- 100
\$75,000+	496	107,069	5	1.0	0.0- 2.2	491	99.0	97.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	380,371	123	4.4	3.2- 5.6	2142	95.6	94.4-96.8
18-24	108	43,638	1	0.4	0.0- 1.2	107	99.6	98.8- 100
25-34	204	60,715	6	3.6	0.0- 7.7	198	96.4	92.3- 100
35-44	212	56,466	6	1.9	0.1- 3.7	206	98.1	96.3-99.9
45-54	353	63,406	26	6.3	3.2- 9.4	327	93.7	90.6-96.8
55-64	475	63,977	39	7.9	5.2-10.6	436	92.1	89.4-94.8
65+	881	87,446	45	4.8	2.8- 6.8	836	95.2	93.2-97.2
Less Than H.S.	194	45,531	25	8.8	4.3-13.3	169	91.2	86.7-95.7
H.S. or G.E.D.	658	105,485	40	4.3	2.5- 6.1	618	95.7	93.9-97.5
Some Post-H.S.	604	117,774	28	4.1	1.7- 6.5	576	95.9	93.5-98.3
College Graduate	801	110,609	30	3.0	1.6- 4.4	771	97.0	95.6-98.4
Less than \$15,000	165	26,692	20	9.0	3.9-14.1	145	91.0	85.9-96.1
\$15,000- 24,999	327	49,454	26	7.9	3.8-12.0	301	92.1	88.0-96.2
\$25,000- 34,999	209	30,686	7	1.9	0.3- 3.5	202	98.1	96.5-99.7
\$35,000- 49,999	258	40,312	15	5.4	1.9- 8.9	243	94.6	91.1-98.1
\$50,000- 74,999	274	49,029	14	3.6	1.4- 5.8	260	96.4	94.2-98.6
\$75,000+	542	107,845	14	2.2	0.8- 3.6	528	97.8	96.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	722,297	439	10.8	9.4-12.2	3519	89.2	87.8-90.6
Male	1704	344,584	169	9.7	7.7-11.7	1535	90.3	88.3-92.3
Female	2254	377,714	270	11.9	9.7-14.1	1984	88.1	85.9-90.3
18-24	211	88,308	24	14.6	7.5-21.7	187	85.4	78.3-92.5
25-34	375	118,439	46	11.3	7.4-15.2	329	88.7	84.8-92.6
35-44	390	108,849	43	8.6	5.5-11.7	347	91.4	88.3-94.5
45-54	605	122,336	65	9.7	7.0-12.4	540	90.3	87.6-93.0
55-64	832	120,171	123	14.9	11.8-18.0	709	85.1	82.0-88.2
65+	1491	155,595	133	7.9	6.1- 9.7	1358	92.1	90.3-93.9
Less Than H.S.	348	89,453	60	17.6	11.7-23.5	288	82.4	76.5-88.3
H.S. or G.E.D.	1190	223,962	167	12.8	10.1-15.5	1023	87.2	84.5-89.9
Some Post-H.S.	996	212,082	103	9.4	6.9-11.9	893	90.6	88.1-93.1
College Graduate	1406	192,977	106	6.8	4.8- 8.8	1300	93.2	91.2-95.2
Less than \$15,000	247	39,132	67	21.3	14.4-28.2	180	78.7	71.8-85.6
\$15,000- 24,999	559	92,828	98	20.6	15.1-26.1	461	79.4	73.9-84.9
\$25,000- 34,999	376	67,118	62	13.5	9.4-17.6	314	86.5	82.4-90.6
\$35,000- 49,999	458	77,205	50	11.5	7.4-15.6	408	88.5	84.4-92.6
\$50,000- 74,999	495	91,183	28	6.2	3.3- 9.1	467	93.8	90.9-96.7
\$75,000+	1035	214,033	49	4.4	2.8- 6.0	986	95.6	94.0-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1704	344,584	169	9.7	7.7-11.7	1535	90.3	88.3-92.3	
18-24	104	45,148	11	11.7	3.9-19.5	93	88.3	80.5-96.1	
25-34	174	59,654	25	12.8	6.7-18.9	149	87.2	81.1-93.3	
35-44	180	52,668	11	5.3	1.6- 9.0	169	94.7	91.0-98.4	
45-54	247	57,855	19	7.7	4.0-11.4	228	92.3	88.6-96.0	
55-64	360	56,682	50	14.2	9.7-18.7	310	85.8	81.3-90.3	
65+	617	68,702	52	7.6	4.9-10.3	565	92.4	89.7-95.1	
Less Than H.S.	155	44,761	27	16.6	9.2-24.0	128	83.4	76.0-90.8	
H.S. or G.E.D.	538	119,278	67	10.5	7.4-13.6	471	89.5	86.4-92.6	
Some Post-H.S.	395	95,001	34	8.4	4.5-12.3	361	91.6	87.7-95.5	
College Graduate	606	82,693	40	6.3	3.6- 9.0	566	93.7	91.0-96.4	
Less than \$15,000	83	12,495	20	18.1	8.3-27.9	63	81.9	72.1-91.7	
\$15,000- 24,999	233	44,420	50	25.5	17.3-33.7	183	74.5	66.3-82.7	
\$25,000- 34,999	170	36,803	27	12.3	6.2-18.4	143	87.7	81.6-93.8	
\$35,000- 49,999	200	36,881	15	8.3	3.4-13.2	185	91.7	86.8-96.6	
\$50,000- 74,999	222	42,281	12	3.7	1.2- 6.2	210	96.3	93.8-98.8	
\$75,000+	497	107,137	18	2.5	1.1- 3.9	479	97.5	96.1-98.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2254	377,714	270	11.9	9.7-14.1	1984	88.1	85.9-90.3
18-24	107	43,161	13	17.6	6.0-29.2	94	82.4	70.8-94.0
25-34	201	58,785	21	9.8	4.7-14.9	180	90.2	85.1-95.3
35-44	210	56,181	32	11.6	6.9-16.3	178	88.4	83.7-93.1
45-54	358	64,480	46	11.5	7.4-15.6	312	88.5	84.4-92.6
55-64	472	63,489	73	15.6	11.1-20.1	399	84.4	79.9-88.9
65+	874	86,893	81	8.1	5.9-10.3	793	91.9	89.7-94.1
Less Than H.S.	193	44,692	33	18.5	9.3-27.7	160	81.5	72.3-90.7
H.S. or G.E.D.	652	104,684	100	15.3	11.0-19.6	552	84.7	80.4-89.0
Some Post-H.S.	601	117,081	69	10.3	7.0-13.6	532	89.7	86.4-93.0
College Graduate	800	110,284	66	7.2	4.7- 9.7	734	92.8	90.3-95.3
Less than \$15,000	164	26,636	47	22.8	13.6-32.0	117	77.2	68.0-86.4
\$15,000- 24,999	326	48,408	48	16.2	9.1-23.3	278	83.8	76.7-90.9
\$25,000- 34,999	206	30,314	35	15.0	9.3-20.7	171	85.0	79.3-90.7
\$35,000- 49,999	258	40,325	35	14.5	8.2-20.8	223	85.5	79.2-91.8
\$50,000- 74,999	273	48,902	16	8.3	3.2-13.4	257	91.7	86.6-96.8
\$75,000+	538	106,896	31	6.2	3.3- 9.1	507	93.8	90.9-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3968	725,844	739	13.7	12.3-15.1	3229	86.3	84.9-87.7
Male	1705	345,711	250	10.9	9.1-12.7	1455	89.1	87.3-90.9
Female	2263	380,133	489	16.3	14.3-18.3	1774	83.7	81.7-85.7
18-24	213	89,302	8	5.0	0.5- 9.5	205	95.0	90.5-99.5
25-34	377	119,846	17	4.8	2.1- 7.5	360	95.2	92.5-97.9
35-44	391	109,090	28	4.5	2.5- 6.5	363	95.5	93.5-97.5
45-54	606	122,464	95	16.2	12.3-20.1	511	83.8	79.9-87.7
55-64	832	120,882	186	20.5	17.2-23.8	646	79.5	76.2-82.8
65+	1496	155,913	397	24.7	21.8-27.6	1099	75.3	72.4-78.2
Less Than H.S.	352	91,064	114	24.6	19.1-30.1	238	75.4	69.9-80.9
H.S. or G.E.D.	1195	225,285	260	15.8	13.1-18.5	935	84.2	81.5-86.9
Some Post-H.S.	1000	212,755	185	12.7	10.2-15.2	815	87.3	84.8-89.8
College Graduate	1402	192,875	178	7.3	5.9- 8.7	1224	92.7	91.3-94.1
Less than \$15,000	250	39,798	99	32.2	23.6-40.8	151	67.8	59.2-76.4
\$15,000- 24,999	562	94,420	169	25.1	20.0-30.2	393	74.9	69.8-80.0
\$25,000- 34,999	381	68,163	98	18.0	13.5-22.5	283	82.0	77.5-86.5
\$35,000- 49,999	459	77,242	73	14.0	9.7-18.3	386	86.0	81.7-90.3
\$50,000- 74,999	497	91,750	71	10.8	7.1-14.5	426	89.2	85.5-92.9
\$75,000+	1035	214,299	74	4.4	3.0- 5.8	961	95.6	94.2-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1705	345,711	250	10.9	9.1-12.7	1455	89.1	87.3-90.9
18-24	105	45,664	3	2.0	0.0- 4.5	102	98.0	95.5- 100
25-34	174	59,654	13	8.7	3.2-14.2	161	91.3	85.8-96.8
35-44	180	52,668	7	2.4	0.2- 4.6	173	97.6	95.4-99.8
45-54	249	58,057	32	12.1	7.2-17.0	217	87.9	83.0-92.8
55-64	357	56,933	66	17.2	12.3-22.1	291	82.8	77.9-87.7
65+	618	68,860	128	19.3	15.2-23.4	490	80.7	76.6-84.8
Less Than H.S.	156	45,272	38	21.2	13.8-28.6	118	78.8	71.4-86.2
H.S. or G.E.D.	538	119,975	88	11.0	8.1-13.9	450	89.0	86.1-91.9
Some Post-H.S.	396	94,980	52	9.6	5.9-13.3	344	90.4	86.7-94.1
College Graduate	604	82,592	72	6.9	4.9- 8.9	532	93.1	91.1-95.1
Less than \$15,000	85	13,086	28	21.6	11.6-31.6	57	78.4	68.4-88.4
\$15,000- 24,999	232	44,346	57	21.5	14.8-28.2	175	78.5	71.8-85.2
\$25,000- 34,999	172	37,477	34	12.1	6.8-17.4	138	87.9	82.6-93.2
\$35,000- 49,999	200	36,881	31	13.5	7.6-19.4	169	86.5	80.6-92.4
\$50,000- 74,999	223	42,722	31	10.5	4.6-16.4	192	89.5	83.6-95.4
\$75,000+	496	107,090	26	3.1	1.5- 4.7	470	96.9	95.3-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 7: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2263	380,133	489	16.3	14.3-18.3	1774	83.7	81.7-85.7
18-24	108	43,638	5	8.2	0.0-16.8	103	91.8	83.2- 100
25-34	203	60,192	4	0.9	0.0- 1.9	199	99.1	98.1- 100
35-44	211	56,423	21	6.4	3.3- 9.5	190	93.6	90.5-96.7
45-54	357	64,407	63	19.9	14.0-25.8	294	80.1	74.2-86.0
55-64	475	63,949	120	23.4	18.7-28.1	355	76.6	71.9-81.3
65+	878	87,053	269	29.0	25.1-32.9	609	71.0	67.1-74.9
Less Than H.S.	196	45,792	76	28.0	20.0-36.0	120	72.0	64.0-80.0
H.S. or G.E.D.	657	105,310	172	21.3	16.6-26.0	485	78.7	74.0-83.4
Some Post-H.S.	604	117,775	133	15.1	11.8-18.4	471	84.9	81.6-88.2
College Graduate	798	110,283	106	7.6	5.8- 9.4	692	92.4	90.6-94.2
Less than \$15,000	165	26,712	71	37.4	25.4-49.4	94	62.6	50.6-74.6
\$15,000- 24,999	330	50,075	112	28.2	20.8-35.6	218	71.8	64.4-79.2
\$25,000- 34,999	209	30,686	64	25.2	18.1-32.3	145	74.8	67.7-81.9
\$35,000- 49,999	259	40,362	42	14.4	8.1-20.7	217	85.6	79.3-91.9
\$50,000- 74,999	274	49,029	40	11.0	6.5-15.5	234	89.0	84.5-93.5
\$75,000+	539	107,208	48	5.8	3.6- 8.0	491	94.2	92.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3974	725,327	170	3.4	2.6- 4.2	3804	96.6	95.8-97.4
Male	1708	344,993	65	3.1	2.1- 4.1	1643	96.9	95.9-97.9
Female	2266	380,335	105	3.7	2.5- 4.9	2161	96.3	95.1-97.5
18-24	213	89,302	2	2.1	0.0- 5.6	211	97.9	94.4- 100
25-34	374	118,442	4	0.8	0.0- 1.8	370	99.2	98.2- 100
35-44	391	109,090	12	2.2	0.8- 3.6	379	97.8	96.4-99.2
45-54	604	121,738	33	5.8	3.3- 8.3	571	94.2	91.7-96.7
55-64	835	121,425	45	5.1	3.1- 7.1	790	94.9	92.9-96.9
65+	1503	156,731	71	3.7	2.5- 4.9	1432	96.3	95.1-97.5
Less Than H.S.	354	91,677	33	7.7	4.4-11.0	321	92.3	89.0-95.6
H.S. or G.E.D.	1197	225,035	52	3.9	2.1- 5.7	1145	96.1	94.3-97.9
Some Post-H.S.	1000	212,562	47	2.8	1.8- 3.8	953	97.2	96.2-98.2
College Graduate	1404	192,189	38	1.5	0.7- 2.3	1366	98.5	97.7-99.3
Less than \$15,000	249	39,763	31	9.0	4.7-13.3	218	91.0	86.7-95.3
\$15,000- 24,999	564	95,010	37	7.6	3.7-11.5	527	92.4	88.5-96.3
\$25,000- 34,999	382	68,199	29	6.4	3.5- 9.3	353	93.6	90.7-96.5
\$35,000- 49,999	459	77,242	12	1.6	0.6- 2.6	447	98.4	97.4-99.4
\$50,000- 74,999	496	91,251	7	1.5	0.1- 2.9	489	98.5	97.1-99.9
\$75,000+	1036	214,018	18	0.9	0.3- 1.5	1018	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	344,993	65	3.1	2.1- 4.1	1643	96.9	95.9-97.9
18-24	105	45,664	1	0.5	0.0- 1.5	104	99.5	98.5- 100
25-34	172	58,349	1	0.8	0.0- 2.4	171	99.2	97.6- 100
35-44	180	52,668	5	2.0	0.0- 4.0	175	98.0	96.0- 100
45-54	248	57,687	12	5.1	1.6- 8.6	236	94.9	91.4-98.4
55-64	361	57,494	20	5.9	2.8- 9.0	341	94.1	91.0-97.2
65+	620	69,256	26	3.6	1.6- 5.6	594	96.4	94.4-98.4
Less Than H.S.	157	45,632	14	8.5	3.4-13.6	143	91.5	86.4-96.6
H.S. or G.E.D.	538	119,575	18	2.6	1.0- 4.2	520	97.4	95.8-99.0
Some Post-H.S.	397	95,014	14	2.2	0.8- 3.6	383	97.8	96.4-99.2
College Graduate	605	81,881	19	1.9	0.5- 3.3	586	98.1	96.7-99.5
Less than \$15,000	85	13,086	8	5.9	0.8-11.0	77	94.1	89.0-99.2
\$15,000- 24,999	234	44,781	19	6.9	3.0-10.8	215	93.1	89.2-97.0
\$25,000- 34,999	173	37,513	13	5.3	1.6- 9.0	160	94.7	91.0-98.4
\$35,000- 49,999	200	36,881	4	1.3	0.0- 2.9	196	98.7	97.1- 100
\$50,000- 74,999	223	42,272	3	1.3	0.0- 3.1	220	98.7	96.9- 100
\$75,000+	496	107,090	8	1.0	0.0- 2.0	488	99.0	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2266	380,335	105	3.7	2.5- 4.9	2161	96.3	95.1-97.5	
18-24	108	43,638	1	3.7	0.0-10.8	107	96.3	89.2- 100	
25-34	202	60,093	3	0.9	0.0- 1.9	199	99.1	98.1- 100	
35-44	211	56,423	7	2.3	0.3- 4.3	204	97.7	95.7-99.7	
45-54	356	64,051	21	6.4	3.1- 9.7	335	93.6	90.3-96.9	
55-64	474	63,931	25	4.5	2.1- 6.9	449	95.5	93.1-97.9	
65+	883	87,474	45	3.7	2.5- 4.9	838	96.3	95.1-97.5	
Less Than H.S.	197	46,044	19	7.0	2.9-11.1	178	93.0	88.9-97.1	
H.S. or G.E.D.	659	105,460	34	5.3	2.0- 8.6	625	94.7	91.4-98.0	
Some Post-H.S.	603	117,548	33	3.2	1.8- 4.6	570	96.8	95.4-98.2	
College Graduate	799	110,308	19	1.2	0.4- 2.0	780	98.8	98.0-99.6	
Less than \$15,000	164	26,677	23	10.5	4.4-16.6	141	89.5	83.4-95.6	
\$15,000- 24,999	330	50,229	18	8.2	1.5-14.9	312	91.8	85.1-98.5	
\$25,000- 34,999	209	30,686	16	7.8	3.1-12.5	193	92.2	87.5-96.9	
\$35,000- 49,999	259	40,362	8	1.8	0.2- 3.4	251	98.2	96.6-99.8	
\$50,000- 74,999	273	48,979	4	1.8	0.0- 3.8	269	98.2	96.2- 100	
\$75,000+	540	106,928	10	0.7	0.1- 1.3	530	99.3	98.7-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3952	718,707	297	6.5	5.3- 7.7	3655	93.5	92.3-94.7
Male	1697	341,194	96	4.9	3.7- 6.1	1601	95.1	93.9-96.3
Female	2255	377,513	201	8.0	6.2- 9.8	2054	92.0	90.2-93.8
18-24	211	87,642	6	6.7	0.6-12.8	205	93.3	87.2-99.4
25-34	373	117,679	11	2.3	0.7- 3.9	362	97.7	96.1-99.3
35-44	387	108,227	24	5.5	3.0- 8.0	363	94.5	92.0-97.0
45-54	599	119,987	50	8.4	5.5-11.3	549	91.6	88.7-94.5
55-64	831	120,494	68	7.2	5.0- 9.4	763	92.8	90.6-95.0
65+	1496	155,925	134	8.3	6.5-10.1	1362	91.7	89.9-93.5
Less Than H.S.	348	89,801	52	14.6	8.9-20.3	296	85.4	79.7-91.1
H.S. or G.E.D.	1189	223,621	104	7.4	5.0- 9.8	1085	92.6	90.2-95.0
Some Post-H.S.	995	209,661	80	5.4	3.8- 7.0	915	94.6	93.0-96.2
College Graduate	1402	191,785	59	2.8	1.8- 3.8	1343	97.2	96.2-98.2
Less than \$15,000	250	39,798	55	20.2	12.4-28.0	195	79.8	72.0-87.6
\$15,000- 24,999	559	93,499	69	12.2	7.9-16.5	490	87.8	83.5-92.1
\$25,000- 34,999	379	67,870	38	8.5	5.2-11.8	341	91.5	88.2-94.8
\$35,000- 49,999	458	76,989	25	4.6	2.1- 7.1	433	95.4	92.9-97.9
\$50,000- 74,999	496	91,208	19	4.0	1.6- 6.4	477	96.0	93.6-98.4
\$75,000+	1034	213,138	25	1.7	0.9- 2.5	1009	98.3	97.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	341,194	96	4.9	3.7- 6.1	1601	95.1	93.9-96.3
18-24	104	44,481				104	100.0	100.0- 100
25-34	171	57,882	8	3.2	0.8- 5.6	163	96.8	94.4-99.2
35-44	178	52,197	7	4.2	0.7- 7.7	171	95.8	92.3-99.3
45-54	246	57,033	17	7.3	3.2-11.4	229	92.7	88.6-96.8
55-64	358	56,737	31	8.7	5.2-12.2	327	91.3	87.8-94.8
65+	618	68,989	31	4.8	2.6- 7.0	587	95.2	93.0-97.4
Less Than H.S.	155	44,874	14	11.4	5.1-17.7	141	88.6	82.3-94.9
H.S. or G.E.D.	535	118,914	35	4.4	2.6- 6.2	500	95.6	93.8-97.4
Some Post-H.S.	393	92,724	23	4.4	2.2- 6.6	370	95.6	93.4-97.8
College Graduate	604	81,832	24	3.1	1.3- 4.9	580	96.9	95.1-98.7
Less than \$15,000	85	13,086	13	11.1	3.5-18.7	72	88.9	81.3-96.5
\$15,000- 24,999	232	44,394	29	11.7	6.8-16.6	203	88.3	83.4-93.2
\$25,000- 34,999	172	37,473	14	6.9	2.6-11.2	158	93.1	88.8-97.4
\$35,000- 49,999	200	36,881	7	2.8	0.4- 5.2	193	97.2	94.8-99.6
\$50,000- 74,999	223	42,272	8	2.9	0.5- 5.3	215	97.1	94.7-99.5
\$75,000+	494	106,210	8	1.2	0.2- 2.2	486	98.8	97.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2255	377,513	201	8.0	6.2- 9.8	2054	92.0	90.2-93.8
18-24	107	43,161	6	13.6	2.0-25.2	101	86.4	74.8-98.0
25-34	202	59,797	3	1.4	0.0- 3.2	199	98.6	96.8- 100
35-44	209	56,030	17	6.6	2.7-10.5	192	93.4	89.5-97.3
45-54	353	62,954	33	9.4	5.3-13.5	320	90.6	86.5-94.7
55-64	473	63,758	37	5.9	3.4- 8.4	436	94.1	91.6-96.6
65+	878	86,936	103	11.1	8.4-13.8	775	88.9	86.2-91.6
Less Than H.S.	193	44,927	38	17.8	8.8-26.8	155	82.2	73.2-91.2
H.S. or G.E.D.	654	104,708	69	10.8	6.5-15.1	585	89.2	84.9-93.5
Some Post-H.S.	602	116,937	57	6.2	4.0- 8.4	545	93.8	91.6-96.0
College Graduate	798	109,953	35	2.7	1.5- 3.9	763	97.3	96.1-98.5
Less than \$15,000	165	26,712	42	24.6	13.6-35.6	123	75.4	64.4-86.4
\$15,000- 24,999	327	49,105	40	12.6	5.7-19.5	287	87.4	80.5-94.3
\$25,000- 34,999	207	30,397	24	10.5	5.4-15.6	183	89.5	84.4-94.6
\$35,000- 49,999	258	40,108	18	6.3	1.8-10.8	240	93.7	89.2-98.2
\$50,000- 74,999	273	48,936	11	5.0	1.3- 8.7	262	95.0	91.3-98.7
\$75,000+	540	106,928	17	2.1	0.7- 3.5	523	97.9	96.5-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	172
2 MALES ONLY	173
3 FEMALES ONLY	174
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	175
5 MALES ONLY	176
6 FEMALES ONLY	177
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	178
8 MALES ONLY	179
9 FEMALES ONLY	180
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	181
11 MALES ONLY	182
12 FEMALES ONLY	183
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	184
14 MALES ONLY	185
15 FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3934	716,704	1860	44.4	42.2-46.6	2074	55.6	53.4-57.8
Male	1688	339,399	909	51.1	47.6-54.6	779	48.9	45.4-52.4
Female	2246	377,305	951	38.4	35.5-41.3	1295	61.6	58.7-64.5
White/Non-Hisp	2883	470,141	1482	50.2	47.5-52.9	1401	49.8	47.1-52.5
Black or Afr. Am./Non-Hisp	584	139,238	212	34.0	28.5-39.5	372	66.0	60.5-71.5
Oth. Race/Non-Hisp.	110	31,413	36	26.1	15.9-36.3	74	73.9	63.7-84.1
Hispanic	232	53,207	66	30.0	22.0-38.0	166	70.0	62.0-78.0
18-24	210	87,352	53	25.4	17.4-33.4	157	74.6	66.6-82.6
25-34	372	117,575	150	38.8	32.3-45.3	222	61.2	54.7-67.7
35-44	387	108,144	142	38.3	32.0-44.6	245	61.7	55.4-68.0
45-54	598	120,404	271	46.1	41.0-51.2	327	53.9	48.8-59.0
55-64	830	120,099	413	52.8	48.5-57.1	417	47.2	42.9-51.5
65+	1483	154,471	809	55.6	52.3-58.9	674	44.4	41.1-47.7
Less Than H.S.	345	88,912	170	51.5	44.1-58.9	175	48.5	41.1-55.9
H.S. or G.E.D.	1180	222,315	660	50.2	45.9-54.5	520	49.8	45.5-54.1
Some Post-H.S.	992	209,838	507	46.9	42.6-51.2	485	53.1	48.8-57.4
College Graduate	1398	191,760	514	31.7	28.4-35.0	884	68.3	65.0-71.6
Less than \$15,000	247	38,749	140	53.2	43.0-63.4	107	46.8	36.6-57.0
\$15,000- 24,999	557	93,962	294	45.3	39.6-51.0	263	54.7	49.0-60.4
\$25,000- 34,999	379	67,878	200	51.7	44.4-59.0	179	48.3	41.0-55.6
\$35,000- 49,999	455	76,644	228	46.6	40.3-52.9	227	53.4	47.1-59.7
\$50,000- 74,999	495	91,046	247	49.6	43.1-56.1	248	50.4	43.9-56.9
\$75,000+	1031	212,626	403	37.6	33.5-41.7	628	62.4	58.3-66.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1688	339,399	909	51.1	47.6-54.6	779	48.9	45.4-52.4
White/Non-Hisp	1229	221,856	704	55.6	51.5-59.7	525	44.4	40.3-48.5
Black or Afr. Am./Non-Hisp	243	62,895	109	41.5	32.7-50.3	134	58.5	49.7-67.3
Hispanic	105	28,456	43	43.4	31.1-55.7	62	56.6	44.3-68.9
18-24	102	43,714	31	23.2	14.6-31.8	71	76.8	68.2-85.4
25-34	170	57,777	92	50.8	40.6-61.0	78	49.2	39.0-59.4
35-44	179	52,246	76	47.7	38.1-57.3	103	52.3	42.7-61.9
45-54	245	57,254	124	51.0	43.4-58.6	121	49.0	41.4-56.6
55-64	357	56,217	198	61.0	54.7-67.3	159	39.0	32.7-45.3
65+	613	68,315	377	63.1	58.0-68.2	236	36.9	31.8-42.0
Less Than H.S.	150	43,552	84	55.7	44.9-66.5	66	44.3	33.5-55.1
H.S. or G.E.D.	530	117,993	328	55.8	49.5-62.1	202	44.2	37.9-50.5
Some Post-H.S.	394	93,289	239	54.7	47.8-61.6	155	45.3	38.4-52.2
College Graduate	603	81,674	252	37.5	32.4-42.6	351	62.5	57.4-67.6
Less than \$15,000	83	12,051	46	51.6	36.3-66.9	37	48.4	33.1-63.7
\$15,000- 24,999	230	43,991	136	53.7	45.1-62.3	94	46.3	37.7-54.9
\$25,000- 34,999	172	37,443	97	54.7	43.7-65.7	75	45.3	34.3-56.3
\$35,000- 49,999	199	36,848	117	56.3	46.7-65.9	82	43.7	34.1-53.3
\$50,000- 74,999	222	42,121	135	60.0	50.6-69.4	87	40.0	30.6-49.4
\$75,000+	493	106,153	221	44.7	38.4-51.0	272	55.3	49.0-61.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	377,305	951	38.4	35.5-41.3	1295	61.6	58.7-64.5
White/Non-Hisp	1654	248,284	778	45.4	41.9-48.9	876	54.6	51.1-58.1
Black or Afr. Am./Non-Hisp	341	76,343	103	27.8	20.9-34.7	238	72.2	65.3-79.1
Oth. Race/Non-Hisp.	63	17,297	16	15.6	5.2-26.0	47	84.4	74.0-94.8
Hispanic	127	24,751	23	14.7	7.8-21.6	104	85.3	78.4-92.2
18-24	108	43,638	22	27.6	14.5-40.7	86	72.4	59.3-85.5
25-34	202	59,797	58	27.1	19.3-34.9	144	72.9	65.1-80.7
35-44	208	55,898	66	29.6	22.0-37.2	142	70.4	62.8-78.0
45-54	353	63,150	147	41.7	35.0-48.4	206	58.3	51.6-65.0
55-64	473	63,882	215	45.6	39.9-51.3	258	54.4	48.7-60.1
65+	870	86,156	432	49.7	45.4-54.0	438	50.3	46.0-54.6
Less Than H.S.	195	45,360	86	47.5	36.9-58.1	109	52.5	41.9-63.1
H.S. or G.E.D.	650	104,322	332	43.8	38.3-49.3	318	56.2	50.7-61.7
Some Post-H.S.	598	116,550	268	40.6	35.3-45.9	330	59.4	54.1-64.7
College Graduate	795	110,086	262	27.5	23.4-31.6	533	72.5	68.4-76.6
Less than \$15,000	164	26,698	94	54.0	41.1-66.9	70	46.0	33.1-58.9
\$15,000- 24,999	327	49,972	158	38.0	30.9-45.1	169	62.0	54.9-69.1
\$25,000- 34,999	207	30,435	103	48.0	39.2-56.8	104	52.0	43.2-60.8
\$35,000- 49,999	256	39,795	111	37.5	29.5-45.5	145	62.5	54.5-70.5
\$50,000- 74,999	273	48,925	112	40.7	32.1-49.3	161	59.3	50.7-67.9
\$75,000+	538	106,473	182	30.6	25.5-35.7	356	69.4	64.3-74.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1857	317,980	433	26.9	23.8-30.0	179	12.3	9.9-14.7	1245	60.9	57.6-64.2
Male	907	173,205	211	27.0	22.9-31.1	92	13.9	10.6-17.2	604	59.1	54.6-63.6
Female	950	144,775	222	26.7	22.2-31.2	87	10.3	7.4-13.2	641	63.0	58.3-67.7
White/Non-Hisp	1482	236,187	333	26.0	22.7-29.3	113	9.6	7.4-11.8	1036	64.4	60.7-68.1
Black or Afr. Am./Non-Hisp	210	47,087	57	28.9	19.5-38.3	39	21.9	13.5-30.3	114	49.2	39.6-58.8
Hispanic	66	15,987	15	27.0	11.9-42.1	12	18.7	6.4-31.0	39	54.3	37.8-70.8
18-24	53	22,175	22	46.7	27.9-65.5	11	13.7	4.3-23.1	20	39.6	21.8-57.4
25-34	149	45,410	52	33.5	23.3-43.7	34	23.8	14.8-32.8	63	42.7	32.3-53.1
35-44	142	41,473	55	35.2	25.2-45.2	20	9.7	5.0-14.4	67	55.1	44.7-65.5
45-54	271	55,533	97	30.3	23.8-36.8	37	16.7	10.0-23.4	137	53.0	45.4-60.6
55-64	413	63,390	123	29.2	23.7-34.7	45	11.9	7.8-16.0	245	59.0	52.9-65.1
65+	808	85,854	81	10.9	8.0-13.8	30	4.9	2.5- 7.3	697	84.2	80.7-87.7
Less Than H.S.	170	45,810	55	35.8	24.6-47.0	30	18.1	10.3-25.9	85	46.1	35.3-56.9
H.S. or G.E.D.	658	111,371	186	32.0	26.7-37.3	64	12.3	8.6-16.0	408	55.7	50.2-61.2
Some Post-H.S.	507	98,405	127	24.8	20.1-29.5	51	12.5	8.2-16.8	329	62.7	57.0-68.4
College Graduate	514	60,851	65	14.7	10.4-19.0	32	7.7	4.6-10.8	417	77.7	72.6-82.8
Less than \$15,000	140	20,624	49	45.6	30.9-60.3	22	14.6	7.3-21.9	69	39.8	26.9-52.7
\$15,000- 24,999	293	42,550	66	24.0	17.7-30.3	40	17.2	11.3-23.1	187	58.7	51.4-66.0
\$25,000- 34,999	200	35,097	58	33.5	24.1-42.9	26	18.0	10.0-26.0	116	48.5	38.9-58.1
\$35,000- 49,999	227	35,534	64	29.2	21.4-37.0	17	10.9	4.0-17.8	146	59.9	50.9-68.9
\$50,000- 74,999	247	45,185	51	22.2	15.3-29.1	20	13.0	5.6-20.4	176	64.7	55.9-73.5
\$75,000+	403	80,007	63	18.2	12.3-24.1	28	8.2	4.7-11.7	312	73.6	67.3-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	907	173,205	211	27.0	22.9-31.1	92	13.9	10.6-17.2	604	59.1	54.6-63.6
White/Non-Hisp	704	123,436	160	27.7	22.8-32.6	51	10.2	6.9-13.5	493	62.2	57.1-67.3
Black or Afr. Am./Non-Hisp	108	26,034	28	23.5	13.9-33.1	23	25.9	13.9-37.9	57	50.6	37.9-63.3
25-34	92	29,338	34	38.1	24.4-51.8	24	25.7	14.1-37.3	34	36.2	23.7-48.7
35-44	76	24,934	28	34.3	20.6-48.0	10	9.8	3.3-16.3	38	55.9	41.6-70.2
45-54	124	29,209	48	32.5	23.1-41.9	19	20.0	9.6-30.4	57	47.6	36.6-58.6
55-64	198	34,280	55	27.0	19.2-34.8	21	12.6	6.5-18.7	122	60.4	51.6-69.2
65+	376	43,030	35	9.9	5.8-14.0	11	3.4	0.7- 6.1	330	86.7	82.0-91.4
Less Than H.S.	84	24,272	25	30.3	18.0-42.6	17	18.4	8.6-28.2	42	51.2	37.5-64.9
H.S. or G.E.D.	327	65,805	96	34.6	27.0-42.2	31	14.0	8.3-19.7	200	51.4	43.8-59.0
Some Post-H.S.	239	51,075	60	25.1	18.4-31.8	32	16.5	9.8-23.2	147	58.4	50.4-66.4
College Graduate	252	30,627	30	12.4	7.1-17.7	12	6.4	2.3-10.5	210	81.2	74.7-87.7
\$15,000- 24,999	135	23,581	32	24.2	15.0-33.4	27	23.4	14.2-32.6	76	52.3	41.9-62.7
\$25,000- 34,999	97	20,477	29	36.0	22.1-49.9	14	19.8	8.4-31.2	54	44.2	30.7-57.7
\$35,000- 49,999	117	20,758	35	26.6	17.0-36.2	9	9.8	2.4-17.2	73	63.7	52.5-74.9
\$50,000- 74,999	135	25,258	21	18.5	9.9-27.1	14	19.3	7.1-31.5	100	62.3	49.8-74.8
\$75,000+	221	47,446	37	21.4	12.6-30.2	14	9.7	4.2-15.2	170	68.9	59.5-78.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	950	144,775	222	26.7	22.2-31.2	87	10.3	7.4-13.2	641	63.0	58.3-67.7
White/Non-Hisp	778	112,750	173	24.2	19.7-28.7	62	9.0	6.1-11.9	543	66.9	62.0-71.8
Black or Afr. Am./Non-Hisp	102	21,053	29	35.5	19.2-51.8	16	17.0	5.4-28.6	57	47.5	32.8-62.2
25-34	57	16,073	18	25.2	12.1-38.3	10	20.3	5.8-34.8	29	54.5	38.0-71.0
35-44	66	16,539	27	36.4	22.7-50.1	10	9.6	2.5-16.7	29	54.0	39.3-68.7
45-54	147	26,324	49	28.0	19.4-36.6	18	13.0	5.0-21.0	80	59.0	48.8-69.2
55-64	215	29,110	68	31.7	23.9-39.5	24	11.0	5.7-16.3	123	57.3	48.9-65.7
65+	432	42,824	46	11.9	7.8-16.0	19	6.5	2.4-10.6	367	81.6	76.1-87.1
Less Than H.S.	86	21,538	30	41.9	23.7-60.1	13	17.7	5.2-30.2	43	40.4	24.7-56.1
H.S. or G.E.D.	331	45,566	90	28.3	21.8-34.8	33	9.7	6.0-13.4	208	62.0	54.9-69.1
Some Post-H.S.	268	47,330	67	24.5	17.8-31.2	19	8.1	3.0-13.2	182	67.4	59.6-75.2
College Graduate	262	30,224	35	17.0	10.3-23.7	20	9.0	4.3-13.7	207	74.1	66.5-81.7
Less than \$15,000	94	14,407	33	49.0	30.2-67.8	16	14.4	5.6-23.2	45	36.6	20.3-52.9
\$15,000- 24,999	158	18,969	34	23.8	15.6-32.0	13	9.5	3.6-15.4	111	66.7	57.5-75.9
\$25,000- 34,999	103	14,620	29	30.0	18.4-41.6	12	15.5	4.7-26.3	62	54.5	42.0-67.0
\$35,000- 49,999	110	14,776	29	32.9	20.4-45.4	8	12.5	0.2-24.8	73	54.7	41.0-68.4
\$50,000- 74,999	112	19,928	30	27.0	16.0-38.0	6	5.2	0.5- 9.9	76	67.8	55.8-79.8
\$75,000+	182	32,561	26	13.5	7.6-19.4	14	6.1	2.4- 9.8	142	80.4	73.7-87.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	610	124,108	350	59.5	54.0-65.0	260	40.5	35.0-46.0
Male	301	70,580	169	58.8	51.2-66.4	132	41.2	33.6-48.8
Female	309	53,528	181	60.3	52.1-68.5	128	39.7	31.5-47.9
White/Non-Hisp	444	83,777	234	53.5	46.8-60.2	210	46.5	39.8-53.2
Black or Afr. Am./Non-Hisp	96	23,904	67	77.9	67.9-87.9	29	22.1	12.1-32.1
25-34	86	26,024	53	61.7	47.2-76.2	33	38.3	23.8-52.8
35-44	75	18,620	46	62.9	49.2-76.6	29	37.1	23.4-50.8
45-54	133	25,979	71	60.5	50.3-70.7	62	39.5	29.3-49.7
55-64	167	25,881	92	58.2	48.8-67.6	75	41.8	32.4-51.2
65+	111	13,598	66	55.7	43.0-68.4	45	44.3	31.6-57.0
Less Than H.S.	84	24,541	51	59.6	43.7-75.5	33	40.4	24.5-56.3
H.S. or G.E.D.	250	49,317	140	60.7	52.1-69.3	110	39.3	30.7-47.9
Some Post-H.S.	178	36,680	100	57.6	48.2-67.0	78	42.4	33.0-51.8
College Graduate	96	13,465	57	59.5	46.6-72.4	39	40.5	27.6-53.4
Less than \$15,000	71	12,424	38	66.8	51.1-82.5	33	33.2	17.5-48.9
\$15,000- 24,999	106	17,554	59	57.0	45.4-68.6	47	43.0	31.4-54.6
\$25,000- 34,999	84	18,076	58	73.5	61.5-85.5	26	26.5	14.5-38.5
\$35,000- 49,999	81	14,238	51	68.3	55.6-81.0	30	31.7	19.0-44.4
\$50,000- 74,999	71	15,947	37	62.2	48.5-75.9	34	37.8	24.1-51.5
\$75,000+	90	21,000	47	47.2	32.9-61.5	43	52.8	38.5-67.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	301	70,580	169	58.8	51.2-66.4	132	41.2	33.6-48.8
White/Non-Hisp	209	46,448	105	52.5	43.1-61.9	104	47.5	38.1-56.9
Black or Afr. Am./Non-Hisp	51	12,860	36	78.7	66.4-91.0	15	21.3	9.0-33.6
25-34	58	18,711	35	60.2	42.2-78.2	23	39.8	21.8-57.8
45-54	66	15,189	36	63.6	50.3-76.9	30	36.4	23.1-49.7
55-64	75	13,449	39	59.0	45.1-72.9	36	41.0	27.1-54.9
H.S. or G.E.D.	127	31,982	71	60.7	48.4-73.0	56	39.3	27.0-51.6
Some Post-H.S.	92	21,267	49	55.0	42.3-67.7	43	45.0	32.3-57.7
\$15,000- 24,999	59	11,240	34	61.2	45.7-76.7	25	38.8	23.3-54.3
\$75,000+	50	14,622	23	43.0	24.4-61.6	27	57.0	38.4-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	309	53,528	181	60.3	52.1-68.5	128	39.7	31.5-47.9
White/Non-Hisp	235	37,329	129	54.8	45.4-64.2	106	45.2	35.8-54.6
45-54	67	10,789	35	56.0	40.5-71.5	32	44.0	28.5-59.5
55-64	92	12,432	53	57.3	44.6-70.0	39	42.7	30.0-55.4
65+	65	7,867	40	56.4	39.5-73.3	25	43.6	26.7-60.5
H.S. or G.E.D.	123	17,335	69	60.8	50.6-71.0	54	39.2	29.0-49.4
Some Post-H.S.	86	15,414	51	61.1	47.6-74.6	35	38.9	25.4-52.4
College Graduate	55	7,837	34	57.5	39.9-75.1	21	42.5	24.9-60.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1230	191,324	131	17.9	14.2-21.6	149	14.3	11.4-17.2	124	10.3	7.9-12.7	820	57.0	52.9-61.1	6	0.5	0.0- 1.1
Male	598	101,485	75	17.7	13.0-22.4	75	15.7	11.2-20.2	61	11.3	7.8-14.8	385	54.8	49.1-60.5	2	0.5	0.0- 1.3
Female	632	89,839	56	18.0	11.9-24.1	74	12.6	8.9-16.3	63	9.3	6.2-12.4	435	59.5	53.4-65.6	4	0.6	0.0- 1.4
White/Non-Hisp	1026	151,103	93	16.5	12.2-20.8	119	13.6	10.5-16.7	102	10.0	7.5-12.5	707	59.3	54.8-63.8	5	0.6	0.0- 1.2
Black or Afr. Am./Non-Hisp	112	22,699	18	17.9	7.9-27.9	18	18.0	6.4-29.6	13	12.1	4.1-20.1	62	51.1	38.6-63.6	1	0.9	0.0- 2.7
25-34	62	19,190	26	49.4	33.7-65.1	23	26.9	14.7-39.1	8	15.8	3.8-27.8	4	6.8	0.0-14.6	1	1.2	0.0- 3.6
35-44	65	22,296	13	21.4	8.1-34.7	17	28.6	13.7-43.5	12	13.8	5.4-22.2	23	36.2	20.9-51.5			
45-54	134	28,869	24	22.3	12.7-31.9	20	14.0	7.1-20.9	17	9.4	4.3-14.5	73	54.3	43.7-64.9			
55-64	242	36,670	21	10.0	4.5-15.5	31	13.0	7.7-18.3	31	12.3	6.4-18.2	158	64.2	56.2-72.2	1	0.6	0.0- 1.8
65+	691	71,986	34	4.8	2.8- 6.8	50	6.7	4.3- 9.1	53	7.4	4.7-10.1	551	80.8	76.9-84.7	3	0.3	0.0- 0.7
Less Than H.S.	82	20,126	15	20.8	9.2-32.4	12	18.3	5.4-31.2	7	9.1	0.9-17.3	48	51.8	37.1-66.5			
H.S. or G.E.D.	404	61,768	48	17.4	10.7-24.1	61	14.0	9.7-18.3	43	12.3	7.4-17.2	251	56.2	49.1-63.3	1	0.1	0.0- 0.3
Some Post-H.S.	325	61,326	46	25.2	17.4-33.0	30	11.3	6.2-16.4	31	7.7	4.4-11.0	217	55.7	48.1-63.3	1	0.2	0.0- 0.6
College Graduate	413	46,665	22	8.1	3.0-13.2	46	17.2	11.3-23.1	40	9.8	6.1-13.5	301	63.0	55.9-70.1	4	1.8	0.0- 3.8
Less than \$15,000	68	7,758	13	31.1	11.3-50.9	13	15.5	5.3-25.7	8	9.1	0.5-17.7	33	39.4	23.1-55.7	1	4.9	0.0-14.3
\$15,000- 24,999	184	24,358	28	24.2	15.0-33.4	23	15.2	8.1-22.3	20	7.3	3.6-11.0	113	53.3	43.9-62.7			
\$25,000- 34,999	114	16,808	9	11.4	2.8-20.0	18	16.0	7.2-24.8	14	16.4	6.0-26.8	72	55.7	43.4-68.0	1	0.5	0.0- 1.5
\$35,000- 49,999	144	21,020	18	16.9	6.7-27.1	14	9.3	3.6-15.0	14	13.2	4.0-22.4	98	60.6	48.3-72.9			
\$50,000- 74,999	176	29,238	16	18.7	6.7-30.7	21	20.4	9.8-31.0	22	10.8	5.3-16.3	116	50.0	38.6-61.4	1	0.1	0.0- 0.3
\$75,000+	310	58,366	27	15.9	9.2-22.6	32	12.6	7.3-17.9	35	11.5	6.6-16.4	214	59.5	51.7-67.3	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	598	101,485	75	17.7	13.0-22.4	75	15.7	11.2-20.2	61	11.3	7.8-14.8	385	54.8	49.1-60.5	2	0.5	0.0- 1.3
White/Non-Hisp	490	76,274	50	14.5	9.6-19.4	57	14.4	9.9-18.9	46	10.1	6.4-13.8	335	60.3	54.2-66.4	2	0.6	0.0- 1.6
Black or Afr. Am./Non-Hisp	56	13,134	12	23.5	8.4-38.6	11	26.3	8.3-44.3	9	16.4	3.9-28.9	24	33.7	18.4-49.0			
45-54	56	13,855	16	28.4	13.9-42.9	9	15.7	4.9-26.5	7	9.9	1.5-18.3	24	46.0	29.9-62.1			
55-64	122	20,691	10	8.0	1.3-14.7	17	15.6	7.4-23.8	18	13.1	5.7-20.5	77	63.3	52.3-74.3			
65+	328	37,219	19	5.4	2.5- 8.3	20	6.2	2.9- 9.5	23	8.0	3.5-12.5	265	80.2	74.3-86.1	1	0.3	0.0- 0.9
H.S. or G.E.D.	198	33,586	33	17.7	10.4-25.0	28	13.4	7.9-18.9	19	13.3	6.0-20.6	118	55.6	46.6-64.6			
Some Post-H.S.	146	29,764	22	25.0	14.4-35.6	18	16.8	7.8-25.8	14	6.4	2.3-10.5	91	51.5	40.5-62.5	1	0.3	0.0- 0.9
College Graduate	208	24,469	13	12.7	3.7-21.7	20	13.8	6.5-21.1	18	9.0	4.1-13.9	156	63.0	53.0-73.0	1	1.6	0.0- 4.7
\$15,000- 24,999	75	12,154	19	31.3	17.6-45.0	11	18.8	7.8-29.8	8	7.5	1.8-13.2	37	42.5	29.2-55.8			
\$25,000- 34,999	53	8,853	3	8.7	0.0-21.2	8	14.9	2.7-27.1	7	19.9	2.8-37.0	35	56.4	37.4-75.4			
\$35,000- 49,999	73	13,218	7	18.0	2.9-33.1	6	8.6	1.0-16.2	7	12.1	1.1-23.1	53	61.3	44.1-78.5			
\$50,000- 74,999	100	15,730	11	14.9	4.3-25.5	13	29.1	13.2-45.0	14	11.6	4.3-18.9	62	44.4	31.3-57.5			
\$75,000+	169	32,330	18	17.8	8.8-26.8	16	11.2	3.6-18.8	18	11.8	4.7-18.9	116	58.9	48.1-69.7	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	632	89,839	56	18.0	11.9-24.1	74	12.6	8.9-16.3	63	9.3	6.2-12.4	435	59.5	53.4-65.6	4	0.6	0.0- 1.4
White/Non-Hisp	536	74,829	43	18.6	11.5-25.7	62	12.8	8.7-16.9	56	9.9	6.4-13.4	372	58.2	51.5-64.9	3	0.5	0.0- 1.1
Black or Afr. Am./Non-Hisp	56	9,566	6	10.1	0.0-21.3	7	6.5	0.4-12.6	4	6.2	0.0-13.3	38	74.9	61.0-88.8	1	2.2	0.0- 6.5
45-54	78	15,014	8	16.7	4.0-29.4	11	12.3	3.7-20.9	10	9.0	2.9-15.1	49	62.0	48.1-75.9			
55-64	120	15,979	11	12.5	3.5-21.5	14	9.6	4.1-15.1	13	11.4	2.2-20.6	81	65.2	53.4-77.0	1	1.3	0.0- 3.8
65+	363	34,768	15	4.1	1.4- 6.8	30	7.2	3.7-10.7	30	6.8	3.9- 9.7	286	81.5	76.6-86.4	2	0.4	0.0- 1.0
H.S. or G.E.D.	206	28,183	15	17.1	5.3-28.9	33	14.6	8.1-21.1	24	11.1	4.8-17.4	133	56.8	45.8-67.8	1	0.3	0.0- 0.9
Some Post-H.S.	179	31,563	24	25.3	13.9-36.7	12	6.1	2.0-10.2	17	8.9	3.6-14.2	126	59.7	48.7-70.7			
College Graduate	205	22,196	9	3.0	0.5- 5.5	26	21.1	11.7-30.5	22	10.7	4.8-16.6	145	63.0	53.0-73.0	3	2.1	0.0- 4.8
\$15,000- 24,999	109	12,205	9	17.3	5.1-29.5	12	11.7	2.9-20.5	12	7.0	2.3-11.7	76	64.0	51.1-76.9			
\$25,000- 34,999	61	7,955	6	14.4	2.8-26.0	10	17.2	4.3-30.1	7	12.4	2.2-22.6	37	55.0	39.7-70.3	1	1.1	0.0- 3.3
\$35,000- 49,999	71	7,802	11	15.1	4.7-25.5	8	10.4	2.2-18.6	7	15.1	0.0-31.6	45	59.4	42.5-76.3			
\$50,000- 74,999	76	13,508	5	23.1	1.3-44.9	8	10.3	0.0-21.1	8	9.8	1.8-17.8	54	56.4	36.8-76.0	1	0.3	0.0- 0.9
\$75,000+	141	26,037	9	13.5	3.3-23.7	16	14.4	7.0-21.8	17	11.0	4.3-17.7	98	60.3	48.9-71.7	1	0.8	0.0- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	720,162	38	1.1	0.5- 1.7	50	1.5	0.9- 2.1	3870	97.3	96.5-98.1
Male	1695	340,879	32	2.2	1.0- 3.4	32	2.4	1.2- 3.6	1631	95.4	93.8-97.0
Female	2263	379,283	6	0.2	0.0- 0.4	18	0.7	0.3- 1.1	2239	99.1	98.7-99.5
White/Non-Hisp	2901	472,270	32	1.5	0.7- 2.3	38	1.7	0.9- 2.5	2831	96.8	95.6-98.0
Black or Afr. Am./Non-Hisp	587	140,135				5	1.0	0.0- 2.0	582	99.0	98.0- 100
Oth. Race/Non-Hisp.	109	31,206	2	0.8	0.0- 2.0	5	3.9	0.0- 8.2	102	95.3	91.0-99.6
Hispanic	234	53,435	1	0.5	0.0- 1.5	2	0.6	0.0- 1.6	231	98.9	97.5- 100
18-24	211	87,868	4	1.4	0.0- 2.8	6	2.2	0.2- 4.2	201	96.4	93.9-98.9
25-34	372	117,526	7	2.4	0.0- 4.9	11	3.5	1.0- 6.0	354	94.1	90.6-97.6
35-44	387	107,907	4	0.9	0.0- 2.1	4	0.7	0.0- 1.5	379	98.3	96.7-99.9
45-54	602	121,299	4	0.6	0.0- 1.4	9	1.3	0.3- 2.3	589	98.1	96.9-99.3
55-64	830	120,528	11	1.4	0.2- 2.6	12	1.6	0.6- 2.6	807	97.1	95.5-98.7
65+	1501	156,281	7	0.4	0.0- 0.8	8	0.3	0.1- 0.5	1486	99.2	98.6-99.8
Less Than H.S.	348	89,886	10	2.2	0.6- 3.8	4	1.2	0.0- 2.6	334	96.6	94.4-98.8
H.S. or G.E.D.	1193	224,150	16	1.6	0.2- 3.0	14	1.1	0.3- 1.9	1163	97.3	95.7-98.9
Some Post-H.S.	998	210,801	8	1.0	0.0- 2.0	21	2.6	1.0- 4.2	969	96.4	94.6-98.2
College Graduate	1400	191,447	4	0.2	0.0- 0.4	11	1.0	0.2- 1.8	1385	98.8	98.0-99.6
Less than \$15,000	250	39,798	1	0.1	0.0- 0.3	4	1.3	0.0- 2.7	245	98.6	97.2- 100
\$15,000- 24,999	562	94,422	8	1.6	0.2- 3.0	8	1.6	0.2- 3.0	546	96.8	94.8-98.8
\$25,000- 34,999	379	67,928	3	0.5	0.0- 1.3	7	1.3	0.1- 2.5	369	98.2	96.8-99.6
\$35,000- 49,999	456	76,786	6	1.0	0.2- 1.8	4	0.8	0.0- 1.6	446	98.3	97.1-99.5
\$50,000- 74,999	497	91,300	4	1.7	0.0- 4.6	4	2.1	0.0- 4.8	489	96.2	92.3- 100
\$75,000+	1031	212,555	7	1.0	0.0- 2.0	12	1.5	0.5- 2.5	1012	97.5	96.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1695	340,879	32	2.2	1.0- 3.4	32	2.4	1.2- 3.6	1631	95.4	93.8-97.0
White/Non-Hisp	1233	222,465	27	3.1	1.3- 4.9	26	2.9	1.3- 4.5	1180	94.0	91.8-96.2
Black or Afr. Am./Non-Hisp	244	63,422				2	0.7	0.0- 1.9	242	99.3	98.1- 100
Hispanic	107	28,684				1	0.8	0.0- 2.4	106	99.2	97.6- 100
18-24	103	44,230	3	2.4	0.0- 5.1	5	4.0	0.1- 7.9	95	93.6	88.9-98.3
25-34	171	57,882	7	4.9	0.0-10.0	9	5.6	0.9-10.3	155	89.5	82.8-96.2
35-44	178	51,877	4	2.0	0.0- 4.5	2	1.2	0.0- 3.0	172	96.8	93.7-99.9
45-54	247	57,438	2	0.9	0.0- 2.3	5	1.7	0.0- 3.5	240	97.4	95.2-99.6
55-64	356	56,598	9	2.6	0.2- 5.0	6	2.2	0.2- 4.2	341	95.2	92.1-98.3
65+	618	68,980	7	1.0	0.0- 2.0	5	0.4	0.0- 0.8	606	98.6	97.4-99.8
Less Than H.S.	153	44,526	8	3.7	0.8- 6.6	3	2.2	0.0- 4.7	142	94.1	90.2-98.0
H.S. or G.E.D.	535	118,884	14	2.9	0.4- 5.4	8	1.4	0.2- 2.6	513	95.7	93.0-98.4
Some Post-H.S.	395	93,439	6	2.2	0.2- 4.2	15	4.5	1.4- 7.6	374	93.3	89.6-97.0
College Graduate	601	81,138	4	0.5	0.0- 1.1	6	1.5	0.0- 3.1	591	98.0	96.4-99.6
Less than \$15,000	85	13,086	1	0.4	0.0- 1.2	1	1.8	0.0- 5.3	83	97.8	94.3- 100
\$15,000- 24,999	231	44,095	7	2.8	0.1- 5.5	6	3.1	0.0- 6.2	218	94.0	90.1-97.9
\$25,000- 34,999	171	37,401	3	1.0	0.0- 2.4	6	2.1	0.0- 4.3	162	96.9	94.4-99.4
\$35,000- 49,999	200	36,881	5	1.8	0.2- 3.4	2	0.9	0.0- 2.3	193	97.4	95.2-99.6
\$50,000- 74,999	223	42,272	4	3.7	0.0-10.0	3	3.4	0.0- 8.7	216	92.9	85.1- 100
\$75,000+	491	105,627	6	2.0	0.0- 4.0	7	2.3	0.3- 4.3	478	95.7	93.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2263	379,283	6	0.2	0.0- 0.4	18	0.7	0.3- 1.1	2239	99.1	98.7-99.5
White/Non-Hisp	1668	249,805	5	0.2	0.0- 0.4	12	0.6	0.2- 1.0	1651	99.2	98.8-99.6
Black or Afr. Am./Non-Hisp	343	76,713				3	1.2	0.0- 2.8	340	98.8	97.2- 100
Oth. Race/Non-Hisp.	63	17,297				2	0.9	0.0- 2.3	61	99.1	97.7- 100
Hispanic	127	24,751	1	1.0	0.0- 3.0	1	0.4	0.0- 1.2	125	98.6	96.4- 100
18-24	108	43,638	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	106	99.2	98.2- 100
25-34	201	59,644				2	1.4	0.0- 3.4	199	98.6	96.6- 100
35-44	209	56,030				2	0.3	0.0- 0.7	207	99.7	99.3- 100
45-54	355	63,861	2	0.3	0.0- 0.7	4	1.0	0.0- 2.0	349	98.8	97.6- 100
55-64	474	63,931	2	0.3	0.0- 0.7	6	1.0	0.0- 2.0	466	98.7	97.7-99.7
65+	883	87,302				3	0.3	0.0- 0.7	880	99.7	99.3- 100
Less Than H.S.	195	45,360	2	0.7	0.0- 1.9	1	0.2	0.0- 0.6	192	99.0	97.8- 100
H.S. or G.E.D.	658	105,266	2	0.2	0.0- 0.6	6	0.7	0.1- 1.3	650	99.1	98.5-99.7
Some Post-H.S.	603	117,362	2	0.2	0.0- 0.4	6	1.0	0.0- 2.0	595	98.8	97.8-99.8
College Graduate	799	110,309				5	0.6	0.0- 1.2	794	99.4	98.8- 100
Less than \$15,000	165	26,712				3	1.0	0.0- 2.2	162	99.0	97.8- 100
\$15,000- 24,999	331	50,327	1	0.5	0.0- 1.5	2	0.3	0.0- 0.7	328	99.2	98.2- 100
\$25,000- 34,999	208	30,527				1	0.3	0.0- 0.9	207	99.7	99.1- 100
\$35,000- 49,999	256	39,906	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6	253	99.2	98.0- 100
\$50,000- 74,999	274	49,029				1	1.0	0.0- 3.0	273	99.0	97.0- 100
\$75,000+	540	106,928	1	0.0	0.0- 0.0	5	0.7	0.1- 1.3	534	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	188
2 MALES ONLY	189
3 FEMALES ONLY	190
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	191
5 MALES ONLY	192
6 FEMALES ONLY	193
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	194
8 MALES ONLY	195
9 FEMALES ONLY	196
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10 MALES AND FEMALES	197
11 MALES ONLY	198
12 FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3898	710,008	401	11.9	10.3-13.5	109	1.8	1.4-2.2	1118	31.3	29.1-33.5	324	8.0	6.6-9.4	1946	46.9	44.5-49.3
Male	1665	335,633	194	14.1	11.4-16.8	66	2.3	1.7-2.9	505	31.9	28.8-35.0	197	11.9	9.5-14.3	703	39.7	36.4-43.0
Female	2233	374,375	207	10.0	8.2-11.8	43	1.4	0.8-2.0	613	30.7	27.8-33.6	127	4.6	3.4-5.8	1243	53.4	50.5-56.3
White/Non-Hisp	2859	466,017	311	12.1	10.3-13.9	104	2.6	2.0-3.2	864	34.2	31.7-36.7	277	9.7	7.9-11.5	1303	41.3	38.8-43.8
Black or Afr. Am./Non-Hisp	582	138,710	53	12.3	8.0-16.6	2	0.2	0.0-0.6	137	23.8	18.9-28.7	26	5.9	2.8-9.0	364	57.8	51.9-63.7
Oth. Race/Non-Hisp.	107	30,955	10	12.7	4.1-21.3	1	0.2	0.0-0.6	22	17.7	9.3-26.1	3	1.3	0.0-2.9	71	68.1	56.9-79.3
Hispanic	227	52,425	12	8.1	2.0-14.2				66	35.5	27.1-43.9	10	3.1	1.1-5.1	139	53.4	45.0-61.8
18-24	207	86,529	19	11.4	5.1-17.7				75	37.9	29.1-46.7	9	5.5	0.8-10.2	104	45.3	36.5-54.1
25-34	364	115,824	52	15.6	10.1-21.1	4	0.6	0.0-1.4	143	36.8	30.3-43.3	22	8.6	3.9-13.3	143	38.3	31.6-45.0
35-44	384	107,161	39	13.8	8.9-18.7	4	0.8	0.0-1.6	136	34.6	28.7-40.5	30	7.5	4.4-10.6	175	43.3	37.0-49.6
45-54	592	119,341	60	9.9	7.0-12.8	6	1.0	0.0-2.0	184	33.3	28.6-38.0	37	7.5	4.8-10.2	305	48.3	43.2-53.4
55-64	827	120,197	97	12.7	9.8-15.6	18	2.1	0.9-3.3	224	27.4	23.5-31.3	77	8.7	6.3-11.1	411	49.1	44.8-53.4
65+	1474	153,080	130	9.2	7.2-11.2	77	5.1	3.7-6.5	348	23.0	20.1-25.9	146	9.4	7.6-11.2	773	53.3	50.0-56.6
Less Than H.S.	338	87,302	14	6.4	1.9-10.9				51	22.3	15.0-29.6	10	2.7	0.9-4.5	263	68.6	61.0-76.2
H.S. or G.E.D.	1175	221,487	102	11.7	8.6-14.8	19	1.1	0.5-1.7	303	29.5	25.6-33.4	69	6.0	3.8-8.2	682	51.8	47.5-56.1
Some Post-H.S.	987	208,658	104	12.3	9.4-15.2	28	2.2	1.2-3.2	290	31.5	27.6-35.4	92	11.2	8.1-14.3	473	42.7	38.4-47.0
College Graduate	1381	189,249	181	14.5	11.8-17.2	61	3.1	2.1-4.1	473	37.8	34.3-41.3	153	9.6	7.6-11.6	513	35.0	31.5-38.5
Less than \$15,000	243	38,218	15	5.2	1.7-8.7	3	0.7	0.0-1.5	40	19.1	8.9-29.3	8	2.1	0.3-3.9	177	72.8	62.6-83.0
\$15,000- 24,999	552	92,667	37	7.0	4.3-9.7	10	1.5	0.3-2.7	125	26.3	21.2-31.4	21	4.6	1.3-7.9	359	60.6	54.9-66.3
\$25,000- 34,999	376	67,606	26	7.3	4.0-10.6	10	2.0	0.6-3.4	102	31.3	24.4-38.2	25	8.0	3.1-12.9	213	51.5	44.2-58.8
\$35,000- 49,999	455	76,733	47	11.6	6.9-16.3	14	2.2	0.8-3.6	131	28.8	23.1-34.5	38	8.8	4.5-13.1	225	48.5	42.2-54.8
\$50,000- 74,999	492	89,729	59	16.1	10.6-21.6	22	3.3	1.5-5.1	172	35.1	29.0-41.2	45	8.9	4.8-13.0	194	36.5	30.4-42.6
\$75,000+	1021	211,168	153	16.3	13.0-19.6	26	1.4	0.8-2.0	360	36.9	32.8-41.0	141	12.2	9.5-14.9	341	33.2	29.1-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1665	335,633	194	14.1	11.4-16.8	66	2.3	1.7- 2.9	505	31.9	28.8-35.0	197	11.9	9.5-14.3	703	39.7	36.4-43.0
White/Non-Hisp	1214	219,831	146	13.6	10.7-16.5	63	3.4	2.4- 4.4	371	33.3	29.4-37.2	164	14.0	10.9-17.1	470	35.7	32.0-39.4
Black or Afr. Am./Non-Hisp	240	62,255	29	15.3	7.3-23.3	1	0.1	0.0- 0.3	67	24.7	17.4-32.0	17	10.5	4.2-16.8	126	49.4	40.2-58.6
Hispanic	103	28,005	8	13.0	2.4-23.6				39	45.6	33.1-58.1	7	4.2	0.9- 7.5	49	37.2	26.0-48.4
18-24	101	43,826	9	12.8	3.0-22.6				39	35.8	24.4-47.2	5	8.9	0.3-17.5	48	42.6	30.4-54.8
25-34	165	56,586	27	18.2	9.2-27.2	3	1.2	0.0- 2.8	64	35.9	26.3-45.5	18	15.3	6.5-24.1	53	29.4	20.6-38.2
35-44	177	51,332	20	18.9	10.3-27.5	3	1.0	0.0- 2.2	63	34.4	25.4-43.4	18	9.3	4.6-14.0	73	36.4	27.4-45.4
45-54	243	56,231	27	10.9	6.4-15.4	3	0.7	0.0- 1.7	73	32.2	24.9-39.5	26	11.9	6.8-17.0	114	44.2	36.8-51.6
55-64	355	56,425	46	14.5	9.8-19.2	11	2.4	0.6- 4.2	109	31.8	25.5-38.1	38	10.2	6.3-14.1	151	41.2	34.7-47.7
65+	604	67,646	63	10.1	7.2-13.0	46	7.2	4.8- 9.6	152	24.5	20.0-29.0	91	14.7	11.2-18.2	252	43.6	38.3-48.9
Less Than H.S.	149	43,404	10	11.2	2.8-19.6				36	25.4	16.6-34.2	6	3.8	0.7- 6.9	97	59.6	49.0-70.2
H.S. or G.E.D.	527	117,500	62	14.3	9.2-19.4	15	1.9	0.7- 3.1	141	32.1	26.0-38.2	51	9.3	5.6-13.0	258	42.3	36.4-48.2
Some Post-H.S.	388	92,409	45	14.4	8.9-19.9	16	2.6	1.0- 4.2	128	31.9	25.8-38.0	55	18.3	12.2-24.4	144	32.7	26.6-38.8
College Graduate	591	79,842	77	15.4	11.1-19.7	34	3.9	2.3- 5.5	199	36.3	31.2-41.4	85	12.8	9.3-16.3	196	31.6	26.7-36.5
Less than \$15,000	83	12,637	6	8.5	0.5-16.5	3	2.0	0.0- 4.4	18	24.2	11.5-36.9	6	5.1	0.2-10.0	50	60.2	45.7-74.7
\$15,000- 24,999	227	43,490	18	7.7	3.4-12.0	4	1.4	0.0- 3.0	61	28.4	21.0-35.8	11	7.7	0.8-14.6	133	54.9	46.3-63.5
\$25,000- 34,999	168	37,078	12	5.9	1.8-10.0	7	3.1	0.6- 5.6	43	31.3	20.9-41.7	17	12.4	3.8-21.0	89	47.2	36.4-58.0
\$35,000- 49,999	199	36,827	22	14.2	5.8-22.6	11	3.9	1.4- 6.4	50	25.2	17.6-32.8	25	14.2	6.2-22.2	91	42.5	33.5-51.5
\$50,000- 74,999	219	41,378	29	18.9	10.1-27.7	10	2.6	0.8- 4.4	84	37.0	28.0-46.0	23	10.8	3.5-18.1	73	30.7	22.5-38.9
\$75,000+	485	104,722	74	19.2	13.7-24.7	19	1.9	0.9- 2.9	166	36.8	30.7-42.9	91	17.1	12.4-21.8	135	25.0	19.9-30.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2233	374,375	207	10.0	8.2-11.8	43	1.4	0.8-2.0	613	30.7	27.8-33.6	127	4.6	3.4-5.8	1243	53.4	50.5-56.3
White/Non-Hisp	1645	246,186	165	10.8	8.6-13.0	41	2.0	1.2-2.8	493	35.0	31.5-38.5	113	5.9	4.5-7.3	833	46.2	42.7-49.7
Black or Afr. Am./Non-Hisp	342	76,454	24	9.8	5.3-14.3	1	0.3	0.0-0.9	70	23.2	16.3-30.1	9	2.2	0.4-4.0	238	64.6	57.2-72.0
Oth. Race/Non-Hisp.	62	17,145	4	5.8	0.0-13.2	1	0.3	0.0-0.9	13	17.7	5.9-29.5				44	76.2	62.7-89.7
Hispanic	124	24,419	4	2.5	0.0-5.6				27	23.8	14.2-33.4	3	1.7	0.0-3.9	90	72.0	62.0-82.0
18-24	106	42,703	10	9.9	2.5-17.3				36	40.1	27.0-53.2	4	2.0	0.0-4.2	56	48.0	35.1-60.9
25-34	199	59,238	25	13.1	6.8-19.4	1	0.1	0.0-0.3	79	37.7	29.3-46.1	4	2.3	0.0-5.2	90	46.8	37.8-55.8
35-44	207	55,829	19	9.2	4.5-13.9	1	0.6	0.0-1.8	73	34.8	27.0-42.6	12	5.8	1.7-9.9	102	49.6	41.2-58.0
45-54	349	63,110	33	9.0	5.3-12.7	3	1.2	0.0-2.8	111	34.3	27.8-40.8	11	3.6	1.1-6.1	191	52.0	45.3-58.7
55-64	472	63,772	51	11.1	7.6-14.6	7	1.8	0.2-3.4	115	23.6	18.7-28.5	39	7.5	4.8-10.2	260	56.0	50.3-61.7
65+	870	85,433	67	8.5	5.8-11.2	31	3.4	1.8-5.0	196	21.9	18.2-25.6	55	5.2	3.6-6.8	521	61.0	56.7-65.3
Less Than H.S.	189	43,898	4	1.8	0.0-3.6				15	19.3	7.5-31.1	4	1.5	0.0-3.1	166	77.4	65.6-89.2
H.S. or G.E.D.	648	103,987	40	8.7	5.2-12.2	4	0.2	0.0-0.4	162	26.5	21.4-31.6	18	2.1	0.7-3.5	424	62.5	56.8-68.2
Some Post-H.S.	599	116,249	59	10.6	7.5-13.7	12	1.9	0.7-3.1	162	31.2	26.1-36.3	37	5.5	3.1-7.9	329	50.7	45.2-56.2
College Graduate	790	109,407	104	13.8	10.1-17.5	27	2.5	1.3-3.7	274	38.9	34.0-43.8	68	7.3	4.9-9.7	317	37.5	32.8-42.2
Less than \$15,000	160	25,582	9	3.6	0.5-6.7				22	16.6	2.5-30.7	2	0.7	0.0-1.7	127	79.1	65.2-93.0
\$15,000- 24,999	325	49,177	19	6.4	2.9-9.9	6	1.7	0.0-3.5	64	24.5	17.4-31.6	10	1.8	0.2-3.4	226	65.6	58.2-73.0
\$25,000- 34,999	208	30,527	14	9.0	3.5-14.5	3	0.6	0.0-1.2	59	31.3	22.7-39.9	8	2.6	0.6-4.6	124	56.6	47.6-65.6
\$35,000- 49,999	256	39,906	25	9.3	4.8-13.8	3	0.7	0.0-1.5	81	32.2	24.2-40.2	13	3.8	1.4-6.2	134	54.1	45.9-62.3
\$50,000- 74,999	273	48,351	30	13.7	6.6-20.8	12	3.9	0.8-7.0	88	33.5	25.3-41.7	22	7.3	3.0-11.6	121	41.6	33.2-50.0
\$75,000+	536	106,446	79	13.5	9.8-17.2	7	0.9	0.1-1.7	194	37.0	31.5-42.5	50	7.3	4.6-10.0	206	41.4	35.5-47.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1904	364,725	912	36.5	33.6-39.4	590	34.5	31.4-37.6	197	12.8	10.4-15.2	76	5.6	3.8- 7.4	129	10.6	8.2-13.0
Male	935	193,622	375	30.4	26.5-34.3	295	33.6	29.3-37.9	129	15.8	12.3-19.3	48	7.0	4.5- 9.5	88	13.3	9.8-16.8
Female	969	171,103	537	43.6	39.3-47.9	295	35.6	31.1-40.1	68	9.4	6.1-12.7	28	4.0	2.0- 6.0	41	7.4	4.3-10.5
White/Non-Hisp	1528	268,664	764	38.7	35.4-42.0	470	35.2	31.7-38.7	150	12.2	9.7-14.7	55	4.8	3.0- 6.6	89	9.1	6.6-11.6
Black or Afr. Am./Non-Hisp	204	53,356	84	30.6	22.8-38.4	65	33.3	24.5-42.1	28	15.6	7.2-24.0	9	7.6	1.9-13.3	18	12.8	5.5-20.1
Hispanic	83	22,686	24	27.3	14.4-40.2	27	26.3	14.0-38.6	11	14.9	4.5-25.3	7	9.9	1.9-17.9	14	21.6	9.8-33.4
18-24	97	44,719	22	20.3	9.7-30.9	26	24.6	13.8-35.4	20	21.9	10.3-33.5	9	8.9	1.8-16.0	20	24.3	12.5-36.1
25-34	216	68,921	57	22.6	15.9-29.3	73	34.4	26.0-42.8	32	14.7	8.2-21.2	15	7.6	2.7-12.5	39	20.7	13.3-28.1
35-44	204	59,393	80	31.9	24.3-39.5	72	43.1	34.5-51.7	25	11.5	6.6-16.4	11	6.4	1.3-11.5	16	7.1	3.0-11.2
45-54	281	59,676	91	29.8	23.5-36.1	117	42.7	35.4-50.0	34	13.8	8.3-19.3	14	4.4	1.9- 6.9	25	9.3	5.2-13.4
55-64	406	59,525	220	49.3	43.0-55.6	120	32.8	26.7-38.9	41	10.7	6.6-14.8	13	4.2	1.5- 6.9	12	3.0	0.8- 5.2
65+	685	69,662	436	60.0	55.1-64.9	176	27.9	23.2-32.6	44	7.2	4.5- 9.9	12	2.3	0.7- 3.9	17	2.6	1.0- 4.2
Less Than H.S.	70	26,032	22	22.9	10.7-35.1	18	20.5	9.1-31.9	12	21.7	6.0-37.4	5	10.9	0.1-21.7	13	24.1	9.2-39.0
H.S. or G.E.D.	466	99,072	184	28.5	23.0-34.0	154	38.9	32.2-45.6	67	15.5	10.8-20.2	25	8.9	4.4-13.4	36	8.2	4.5-11.9
Some Post-H.S.	507	117,575	232	37.2	31.7-42.7	156	31.3	25.8-36.8	52	12.7	8.4-17.0	17	3.5	1.5- 5.5	50	15.3	10.4-20.2
College Graduate	859	121,913	473	45.3	40.8-49.8	261	37.1	32.6-41.6	66	8.8	6.1-11.5	29	3.7	1.9- 5.5	30	5.0	2.6- 7.4
Less than \$15,000	62	9,363	22	19.5	7.0-32.0	20	23.5	7.8-39.2	6	31.5	0.5-62.5	4	8.5	0.0-18.1	10	17.1	3.8-30.4
\$15,000- 24,999	185	35,620	68	28.1	20.1-36.1	53	29.7	20.9-38.5	26	14.0	7.9-20.1	9	5.9	1.4-10.4	29	22.2	12.6-31.8
\$25,000- 34,999	159	32,356	61	26.5	17.9-35.1	55	36.3	25.7-46.9	23	19.7	8.7-30.7	6	5.7	0.8-10.6	14	11.7	4.8-18.6
\$35,000- 49,999	228	38,890	117	41.6	32.4-50.8	62	29.4	20.8-38.0	26	15.6	8.0-23.2	9	6.8	1.9-11.7	14	6.6	2.7-10.5
\$50,000- 74,999	294	56,042	140	33.0	26.1-39.9	99	38.3	29.7-46.9	28	9.5	5.0-14.0	11	6.7	1.4-12.0	16	12.4	5.0-19.8
\$75,000+	673	138,938	329	39.8	34.7-44.9	220	38.5	33.2-43.8	67	10.5	7.6-13.4	25	3.9	1.5- 6.3	32	7.4	4.3-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	935	193,622	375	30.4	26.5-34.3	295	33.6	29.3-37.9	129	15.8	12.3-19.3	48	7.0	4.5- 9.5	88	13.3	9.8-16.8
White/Non-Hisp	732	138,787	306	33.1	28.4-37.8	238	35.0	29.9-40.1	97	15.9	11.8-20.0	34	5.5	2.8- 8.2	57	10.6	6.9-14.3
Black or Afr. Am./Non-Hisp	104	27,094	39	23.8	14.4-33.2	25	29.3	17.0-41.6	20	17.1	7.7-26.5	7	13.2	2.6-23.8	13	16.6	5.2-28.0
25-34	108	37,546	24	17.9	9.5-26.3	29	24.0	13.2-34.8	18	19.0	8.4-29.6	7	8.3	0.5-16.1	30	30.8	19.0-42.6
35-44	103	32,232	34	24.8	14.6-35.0	35	42.4	29.9-54.9	15	12.0	5.3-18.7	8	10.1	1.5-18.7	11	10.7	3.8-17.6
45-54	124	29,520	24	16.7	9.6-23.8	57	47.9	37.3-58.5	19	18.0	9.6-26.4	9	6.5	1.8-11.2	15	11.0	4.5-17.5
55-64	198	32,115	87	42.6	34.0-51.2	63	35.1	26.3-43.9	32	13.3	7.4-19.2	8	5.0	0.5- 9.5	8	3.9	0.4- 7.4
65+	345	37,350	196	54.0	47.1-60.9	96	30.1	23.6-36.6	29	9.4	5.5-13.3	10	3.0	0.6- 5.4	14	3.5	1.3- 5.7
H.S. or G.E.D.	253	61,684	82	25.7	18.4-33.0	86	38.1	29.3-46.9	44	16.5	10.0-23.0	14	8.8	3.1-14.5	27	10.9	5.2-16.6
Some Post-H.S.	241	61,368	89	28.7	21.3-36.1	71	30.3	22.5-38.1	37	16.3	9.6-23.0	11	4.9	1.6- 8.2	33	19.7	12.1-27.3
College Graduate	392	54,329	190	39.3	33.0-45.6	126	36.1	29.6-42.6	39	13.2	8.1-18.3	20	5.8	2.7- 8.9	17	5.5	2.4- 8.6
\$15,000- 24,999	90	19,267	23	20.8	10.8-30.8	23	23.4	13.0-33.8	18	16.9	8.1-25.7	2	3.1	0.0- 7.6	24	35.8	20.9-50.7
\$25,000- 34,999	77	19,188	23	21.2	10.0-32.4	30	38.5	23.2-53.8	13	25.4	8.9-41.9	4	6.8	0.0-13.9	7	8.0	1.1-14.9
\$35,000- 49,999	106	20,555	50	40.3	26.6-54.0	23	23.5	10.6-36.4	15	14.6	5.6-23.6	7	11.1	2.3-19.9	11	10.5	3.6-17.4
\$50,000- 74,999	145	28,551	67	30.0	20.8-39.2	45	28.5	18.1-38.9	17	14.2	6.2-22.2	6	10.1	0.5-19.7	10	17.2	5.0-29.4
\$75,000+	345	76,845	136	31.9	24.8-39.0	123	42.0	34.4-49.6	48	12.6	8.3-16.9	19	5.6	1.7- 9.5	19	7.9	3.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	969	171,103	537	43.6	39.3-47.9	295	35.6	31.1-40.1	68	9.4	6.1-12.7	28	4.0	2.0- 6.0	41	7.4	4.3-10.5
White/Non-Hisp	796	129,877	458	44.6	39.9-49.3	232	35.5	30.6-40.4	53	8.3	5.4-11.2	21	3.9	1.5- 6.3	32	7.6	3.9-11.3
Black or Afr. Am./Non-Hisp	100	26,262	45	37.7	25.2-50.2	40	37.4	24.5-50.3	8	14.2	0.0-28.5	2	1.9	0.0- 4.6	5	8.9	0.3-17.5
25-34	108	31,375	33	28.3	17.9-38.7	44	46.7	34.7-58.7	14	9.6	4.1-15.1	8	6.8	1.5-12.1	9	8.5	1.2-15.8
35-44	101	27,162	46	40.3	29.1-51.5	37	44.0	32.2-55.8	10	10.9	3.6-18.2	3	2.0	0.0- 4.9	5	2.8	0.0- 5.7
45-54	157	30,156	67	42.6	33.0-52.2	60	37.7	28.1-47.3	15	9.7	2.6-16.8	5	2.4	0.2- 4.6	10	7.7	2.6-12.8
55-64	208	27,410	133	57.2	48.6-65.8	57	30.0	22.0-38.0	9	7.6	1.5-13.7	5	3.2	0.1- 6.3	4	2.0	0.0- 4.4
65+	340	32,312	240	66.8	59.7-73.9	80	25.5	19.0-32.0	15	4.7	1.4- 8.0	2	1.4	0.0- 3.4	3	1.7	0.0- 3.7
H.S. or G.E.D.	213	37,387	102	33.2	25.2-41.2	68	40.2	30.0-50.4	23	13.9	7.4-20.4	11	9.0	1.7-16.3	9	3.6	0.5- 6.7
Some Post-H.S.	266	56,208	143	46.5	38.7-54.3	85	32.3	24.9-39.7	15	8.6	3.3-13.9	6	2.0	0.2- 3.8	17	10.5	4.8-16.2
College Graduate	467	67,584	283	50.2	43.9-56.5	135	37.9	31.4-44.4	27	5.3	2.8- 7.8	9	2.1	0.5- 3.7	13	4.6	1.3- 7.9
\$15,000- 24,999	95	16,353	45	36.7	24.2-49.2	30	37.2	23.5-50.9	8	10.7	2.3-19.1	7	9.2	0.8-17.6	5	6.1	0.0-12.6
\$25,000- 34,999	82	13,168	38	34.3	21.6-47.0	25	33.1	19.8-46.4	10	11.4	2.2-20.6	2	4.2	0.0-10.1	7	17.1	4.4-29.8
\$35,000- 49,999	122	18,334	67	43.0	31.2-54.8	39	36.0	24.4-47.6	11	16.7	4.4-29.0	2	1.9	0.0- 4.8	3	2.3	0.0- 5.0
\$50,000- 74,999	149	27,492	73	36.2	25.8-46.6	54	48.6	36.4-60.8	11	4.7	1.4- 8.0	5	3.2	0.1- 6.3	6	7.3	0.0-14.7
\$75,000+	328	62,093	193	49.5	42.4-56.6	97	34.0	27.1-40.9	19	7.8	3.7-11.9	6	1.8	0.2- 3.4	13	6.8	2.3-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1925	370,395	156	10.6	8.4-12.8	85	5.2	3.6- 6.8	35	3.2	1.6- 4.8	36	3.1	1.7- 4.5	97	6.3	4.5- 8.1	1516	71.7	68.6-74.8
Male	948	198,037	82	10.5	7.6-13.4	38	4.0	2.2- 5.8	21	3.7	1.9- 5.5	22	3.6	1.4- 5.8	66	7.9	5.2-10.6	719	70.3	66.0-74.6
Female	977	172,358	74	10.6	7.5-13.7	47	6.5	3.8- 9.2	14	2.6	0.1- 5.1	14	2.6	0.6- 4.6	31	4.4	2.2- 6.6	797	73.3	68.6-78.0
White/Non-Hisp	1541	271,807	109	9.4	7.0-11.8	70	5.6	3.6- 7.6	22	1.9	0.9- 2.9	27	3.4	1.6- 5.2	74	5.9	3.9- 7.9	1239	73.8	70.3-77.3
Black or Afr. Am./Non-Hisp	212	55,313	23	13.9	7.6-20.2	8	3.7	0.6- 6.8	6	6.8	0.0-14.2	5	2.7	0.0- 5.6	14	8.9	2.6-15.2	156	64.1	54.5-73.7
Hispanic	83	23,258	18	21.0	10.4-31.6	4	5.2	0.0-11.7	5	10.6	1.0-20.2	3	2.0	0.0- 4.4	2	2.3	0.0- 5.4	51	58.8	45.1-72.5
18-24	100	46,438	20	17.0	8.6-25.4	6	7.0	0.0-15.0	5	6.0	0.0-14.4	6	8.4	1.1-15.7	10	11.7	3.3-20.1	53	49.8	36.9-62.7
25-34	217	68,990	32	17.7	10.6-24.8	17	7.7	2.8-12.6	10	5.9	1.8-10.0	9	4.7	0.0- 9.4	19	8.2	3.1-13.3	130	55.9	47.1-64.7
35-44	205	59,427	18	8.3	4.2-12.4	9	4.9	1.4- 8.4	4	1.6	0.0- 3.2	4	1.8	0.0- 4.3	14	6.1	2.2-10.0	156	77.3	70.4-84.2
45-54	284	61,251	36	11.8	6.9-16.7	15	4.4	1.9- 6.9	8	3.9	0.8- 7.0	8	3.6	0.9- 6.3	17	7.0	3.1-10.9	200	69.3	62.6-76.0
55-64	409	60,410	28	7.8	4.3-11.3	18	4.4	1.9- 6.9	1	1.2	0.0- 3.6	4	1.0	0.0- 2.4	18	4.7	2.0- 7.4	340	80.8	75.7-85.9
65+	695	71,049	21	2.9	1.5- 4.3	19	3.2	1.6- 4.8	7	1.3	0.1- 2.5	5	0.8	0.0- 1.6	18	1.6	0.8- 2.4	625	90.2	87.7-92.7
Less Than H.S.	71	26,148	10	14.4	5.2-23.6	9	15.2	1.1-29.3	7	17.2	2.1-32.3	2	1.1	0.0- 2.9	4	2.9	0.0- 6.2	39	49.1	32.6-65.6
H.S. or G.E.D.	482	103,650	44	12.8	7.9-17.7	23	3.4	1.6- 5.2	11	3.1	0.7- 5.5	11	4.0	0.9- 7.1	32	6.0	2.9- 9.1	361	70.7	64.4-77.0
Some Post-H.S.	510	118,857	40	9.6	6.1-13.1	23	5.1	2.4- 7.8	9	2.4	0.6- 4.2	12	4.8	1.5- 8.1	37	10.5	6.4-14.6	389	67.7	61.8-73.6
College Graduate	860	121,608	62	8.8	6.1-11.5	30	4.6	2.4- 6.8	8	1.0	0.2- 1.8	11	1.2	0.4- 2.0	24	3.2	1.4- 5.0	725	81.2	77.5-84.9
Less than \$15,000	62	9,352	2	5.5	0.0-14.1	3	3.8	0.0- 9.3	1	21.8	0.0-55.7	1	1.9	0.0- 5.8	9	16.3	3.4-29.2	46	50.8	25.5-76.1
\$15,000- 24,999	188	36,125	22	13.7	7.0-20.4	11	6.2	1.5-10.9	6	6.8	0.9-12.7	7	3.5	0.0- 7.0	16	11.1	2.9-19.3	126	58.7	48.7-68.7
\$25,000- 34,999	162	32,573	15	10.9	4.6-17.2	8	3.8	0.9- 6.7	4	2.7	0.0- 5.8	4	8.2	0.0-17.6	6	2.5	0.0- 5.0	125	71.8	61.2-82.4
\$35,000- 49,999	230	39,518	17	11.1	4.6-17.6	8	3.1	0.7- 5.5	9	5.7	1.0-10.4	5	2.0	0.2- 3.8	10	4.5	0.4- 8.6	181	73.6	65.2-82.0
\$50,000- 74,999	295	56,614	31	14.3	8.4-20.2	14	7.4	2.3-12.5	1	0.2	0.0- 0.6	4	2.9	0.0- 7.2	11	6.9	1.2-12.6	234	68.3	59.7-76.9
\$75,000+	674	140,103	46	7.8	4.7-10.9	25	3.5	1.7- 5.3	9	2.0	0.4- 3.6	14	3.2	1.2- 5.2	35	6.1	3.4- 8.8	545	77.4	72.9-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	948	198,037	82	10.5	7.6-13.4	38	4.0	2.2- 5.8	21	3.7	1.9- 5.5	22	3.6	1.4- 5.8	66	7.9	5.2-10.6	719	70.3	66.0-74.6
White/Non-Hisp	737	140,567	52	8.0	4.9-11.1	29	4.1	1.9- 6.3	13	2.4	0.8- 4.0	15	3.6	1.1- 6.1	50	7.5	4.6-10.4	578	74.4	69.5-79.3
Black or Afr. Am./Non-Hisp	110	28,865	15	18.1	8.1-28.1	2	0.8	0.0- 2.0	3	5.3	0.0-11.2	4	3.6	0.0- 8.5	10	13.5	2.7-24.3	76	58.7	45.6-71.8
Hispanic	51	16,719	12	21.6	8.7-34.5	4	7.3	0.0-16.3	5	14.8	1.7-27.9	2	2.3	0.0- 5.4	1	1.7	0.0- 5.0	27	52.4	34.8-70.0
18-24	51	24,519	6	12.4	2.6-22.2	1	0.7	0.0- 2.1	2	1.4	0.0- 3.4	4	8.2	0.0-16.6	7	14.9	2.4-27.4	31	62.4	46.3-78.5
25-34	109	37,722	20	21.6	11.0-32.2	8	5.9	0.0-12.2	9	10.5	3.2-17.8	5	6.8	0.0-15.0	10	8.0	0.6-15.4	57	47.1	34.8-59.4
35-44	103	32,232	10	9.5	3.2-15.8	6	6.5	0.6-12.4	2	1.9	0.0- 4.4	1	0.4	0.0- 1.2	11	7.5	2.0-13.0	73	74.1	64.3-83.9
45-54	127	31,075	18	10.0	4.9-15.1	6	4.4	0.7- 8.1	5	6.8	0.9-12.7	5	4.8	0.1- 9.5	13	11.3	4.2-18.4	80	62.7	52.7-72.7
55-64	202	32,944	14	5.7	1.8- 9.6	8	3.8	0.1- 7.5	3	1.3	0.0- 3.5	3	1.3	0.0- 3.5	13	6.9	2.2-11.6	164	82.3	75.4-89.2
65+	348	37,885	14	4.3	1.8- 6.8	9	2.2	0.4- 4.0	3	0.8	0.0- 1.8	4	1.1	0.0- 2.3	12	2.2	0.8- 3.6	306	89.5	86.0-93.0
H.S. or G.E.D.	262	65,033	26	12.6	6.5-18.7	9	1.9	0.5- 3.3	5	3.1	0.2- 6.0	7	3.3	0.4- 6.2	28	8.4	3.7-13.1	187	70.8	63.0-78.6
Some Post-H.S.	242	61,929	19	8.9	4.0-13.8	10	4.4	0.3- 8.5	7	4.0	0.5- 7.5	9	6.8	1.1-12.5	22	12.6	6.1-19.1	175	63.3	54.5-72.1
College Graduate	393	54,491	30	8.5	5.0-12.0	13	4.1	1.4- 6.8	4	1.3	0.0- 2.9	4	0.7	0.0- 1.7	14	3.7	1.2- 6.2	328	81.7	76.6-86.8
\$15,000- 24,999	91	19,366	13	16.6	6.8-26.4	4	3.1	0.0- 6.2	5	12.0	1.4-22.6	7	6.6	0.3-12.9	10	13.6	0.0-27.3	52	48.1	34.6-61.6
\$25,000- 34,999	78	19,329	9	11.4	3.2-19.6	3	2.1	0.0- 4.6	2	3.6	0.0- 8.5	1	7.7	0.0-21.8	3	1.5	0.0- 3.3	60	73.6	58.5-88.7
\$35,000- 49,999	108	21,183	7	7.0	0.9-13.1	4	1.5	0.0- 3.1	5	5.7	0.0-11.4	2	1.6	0.0- 4.0	8	8.1	0.7-15.5	82	76.1	65.3-86.9
\$50,000- 74,999	145	28,541	11	10.0	2.9-17.1	6	9.3	0.3-18.3				1	0.5	0.0- 1.5	5	9.0	0.0-18.8	122	71.1	58.6-83.6
\$75,000+	348	78,375	27	10.0	4.9-15.1	13	2.8	0.8- 4.8	7	3.1	0.4- 5.8	9	3.8	0.9- 6.7	24	5.9	2.8- 9.0	268	74.5	67.8-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	977	172,358	74	10.6	7.7-13.5	47	6.5	3.8- 9.2	14	2.6	0.1- 5.1	14	2.6	0.6- 4.6	31	4.4	2.2- 6.6	797	73.3	68.6-78.0
White/Non-Hisp	804	131,240	57	10.9	7.4-14.4	41	7.2	3.7-10.7	9	1.5	0.1- 2.9	12	3.1	0.7- 5.5	24	4.2	1.8- 6.6	661	73.1	68.0-78.2
Black or Afr. Am./Non-Hisp	102	26,448	8	9.3	2.6-16.0	6	6.9	0.4-13.4	3	8.4	0.0-22.3	1	1.7	0.0- 5.0	4	3.8	0.0- 8.3	80	70.0	55.5-84.5
25-34	108	31,268	12	13.0	4.6-21.4	9	9.8	2.2-17.4	1	0.2	0.0- 0.6	4	2.1	0.0- 4.5	9	8.4	1.9-14.9	73	66.5	55.1-77.9
35-44	102	27,196	8	6.8	1.7-11.9	3	3.0	0.0- 6.7	2	1.2	0.0- 3.0	3	3.5	0.0- 8.8	3	4.4	0.0- 9.9	83	81.1	71.9-90.3
45-54	157	30,175	18	13.7	5.5-21.9	9	4.3	1.0- 7.6	3	0.9	0.0- 1.9	3	2.5	0.0- 5.6	4	2.5	0.0- 5.0	120	76.1	67.1-85.1
55-64	207	27,466	14	10.4	4.5-16.3	10	5.1	1.6- 8.6	1	2.6	0.0- 7.5	1	0.7	0.0- 2.1	5	2.2	0.2- 4.2	176	79.0	71.2-86.8
65+	347	33,164	7	1.4	0.2- 2.6	10	4.3	1.4- 7.2	4	1.9	0.0- 4.1	1	0.4	0.0- 1.2	6	1.0	0.2- 1.8	319	91.1	87.2-95.0
H.S. or G.E.D.	220	38,616	18	13.2	5.4-21.0	14	5.9	2.0- 9.8	6	3.2	0.0- 6.9	4	5.2	0.0-11.9	4	1.9	0.0- 4.3	174	70.6	60.8-80.4
Some Post-H.S.	268	56,928	21	10.4	5.3-15.5	13	5.9	2.4- 9.4	2	0.6	0.0- 1.4	3	2.6	0.0- 5.7	15	8.1	3.0-13.2	214	72.5	65.1-79.9
College Graduate	467	67,117	32	9.0	4.9-13.1	17	5.1	1.8- 8.4	4	0.8	0.0- 1.6	7	1.6	0.2- 3.0	10	2.7	0.2- 5.2	397	80.8	75.3-86.3
\$15,000- 24,999	97	16,760	9	10.3	1.5-19.1	7	9.7	0.3-19.1	1	0.8	0.0- 2.4				6	8.3	0.9-15.7	74	70.9	58.2-83.6
\$25,000- 34,999	84	13,244	6	10.0	0.4-19.6	5	6.3	0.2-12.4	2	1.4	0.0- 3.6	3	9.0	0.0-19.6	3	4.0	0.0- 9.7	65	69.2	55.1-83.3
\$35,000- 49,999	122	18,334	10	15.8	4.4-27.2	4	5.0	0.1- 9.9	4	5.7	0.0-13.3	3	2.4	0.0- 5.1	2	0.4	0.0- 1.0	99	70.6	57.9-83.3
\$50,000- 74,999	150	28,074	20	18.6	9.2-28.0	8	5.4	1.1- 9.7	1	0.5	0.0- 1.5	3	5.3	0.0-13.7	6	4.8	0.0-10.1	112	65.5	53.5-77.5
\$75,000+	326	61,728	19	5.1	2.6- 7.6	12	4.3	1.0- 7.6	2	0.7	0.0- 1.7	5	2.3	0.0- 4.8	11	6.4	1.7-11.1	277	81.1	74.8-87.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1843	349,681	517	21.8	19.4-24.2	587	28.7	25.8-31.6	301	17.1	14.7-19.5	150	10.8	8.6-13.0	288	21.6	18.7-24.5
Male	898	184,742	179	15.7	12.6-18.8	257	24.3	20.4-28.2	185	20.2	16.7-23.7	73	11.5	8.2-14.8	204	28.3	23.8-32.8
Female	945	164,939	338	28.7	25.0-32.4	330	33.6	29.5-37.7	116	13.7	10.6-16.8	77	10.0	7.3-12.7	84	14.0	10.1-17.9
White/Non-Hisp	1488	260,948	425	21.9	19.2-24.6	477	28.8	25.5-32.1	254	18.1	15.4-20.8	118	10.9	8.4-13.4	214	20.2	16.7-23.7
Black or Afr. Am./Non-Hisp	192	49,049	53	18.8	12.5-25.1	63	30.6	22.2-39.0	23	13.1	6.4-19.8	17	12.0	5.3-18.7	36	25.4	16.6-34.2
Hispanic	77	20,762	12	20.1	6.8-33.4	27	28.6	15.7-41.5	6	8.1	0.0-17.5	6	7.2	0.3-14.1	26	36.0	22.1-49.9
18-24	91	40,612	15	13.3	4.5-22.1	15	17.5	6.9-28.1	14	11.5	5.0-18.0	13	16.8	6.4-27.2	34	40.9	27.6-54.2
25-34	202	63,980	35	14.5	8.8-20.2	51	23.2	15.9-30.5	31	14.4	8.3-20.5	20	11.4	5.5-17.3	65	36.4	27.4-45.4
35-44	198	57,784	42	17.8	11.3-24.3	66	32.1	23.9-40.3	31	18.3	11.4-25.2	20	13.1	6.6-19.6	39	18.8	12.3-25.3
45-54	274	57,814	50	18.8	13.3-24.3	96	32.6	25.9-39.3	40	17.4	11.3-23.5	31	10.2	6.1-14.3	57	21.0	14.9-27.1
55-64	396	58,891	126	29.6	23.9-35.3	129	30.5	24.8-36.2	66	17.4	12.7-22.1	29	9.8	5.9-13.7	46	12.7	8.0-17.4
65+	669	68,459	245	32.6	28.1-37.1	228	32.9	28.2-37.6	118	22.1	17.6-26.6	33	5.8	3.4- 8.2	45	6.7	4.3- 9.1
Less Than H.S.	64	22,847	11	16.5	4.2-28.8	16	19.7	8.3-31.1	6	9.7	0.3-19.1	7	13.1	1.1-25.1	24	41.0	24.5-57.5
H.S. or G.E.D.	452	95,614	105	15.3	11.6-19.0	151	33.7	27.2-40.2	74	17.5	12.8-22.2	37	10.9	6.4-15.4	85	22.6	16.5-28.7
Some Post-H.S.	482	111,350	147	25.6	20.5-30.7	126	21.0	16.7-25.3	79	16.1	12.0-20.2	44	11.1	7.2-15.0	86	26.2	20.3-32.1
College Graduate	843	119,737	253	24.5	20.8-28.2	293	33.5	29.2-37.8	142	19.3	15.4-23.2	62	9.9	6.6-13.2	93	12.8	9.7-15.9
Less than \$15,000	57	6,908	14	18.3	7.5-29.1	20	25.5	10.4-40.6	8	17.0	3.1-30.9	2	3.3	0.0- 7.8	13	35.9	18.7-53.1
\$15,000- 24,999	181	34,646	44	18.8	11.7-25.9	49	25.3	17.3-33.3	23	11.8	6.3-17.3	24	12.7	6.6-18.8	41	31.4	21.2-41.6
\$25,000- 34,999	154	31,745	29	13.2	6.5-19.9	62	35.8	25.4-46.2	21	15.4	7.0-23.8	20	14.9	7.3-22.5	22	20.7	10.3-31.1
\$35,000- 49,999	218	36,541	73	28.2	19.4-37.0	63	23.8	16.7-30.9	32	15.6	9.1-22.1	16	12.5	4.5-20.5	34	19.9	11.9-27.9
\$50,000- 74,999	286	53,990	81	20.2	14.7-25.7	92	28.5	20.9-36.1	47	15.8	9.7-21.9	22	12.0	5.5-18.5	44	23.5	15.5-31.5
\$75,000+	655	133,818	162	21.5	17.4-25.6	215	31.7	26.6-36.8	129	19.7	15.8-23.6	50	9.1	6.0-12.2	99	18.0	13.7-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	898	184,742	179	15.7	12.6-18.8	257	24.3	20.4-28.2	185	20.2	16.7-23.7	73	11.5	8.2-14.8	204	28.3	23.8-32.8
White/Non-Hisp	704	133,142	141	16.0	12.3-19.7	207	25.6	20.9-30.3	157	21.9	17.8-26.0	57	12.2	8.1-16.3	142	24.3	19.2-29.4
Black or Afr. Am./Non-Hisp	100	26,232	20	12.1	5.4-18.8	27	18.8	10.2-27.4	15	16.7	6.1-27.3	9	13.3	2.5-24.1	29	39.1	25.4-52.8
25-34	98	33,664	11	7.5	2.0-13.0	21	15.8	7.6-24.0	14	14.7	5.7-23.7	7	8.0	1.5-14.5	45	53.9	41.0-66.8
35-44	100	31,160	15	12.9	3.9-21.9	26	26.7	14.9-38.5	17	16.2	7.6-24.8	13	18.2	7.6-28.8	29	25.9	15.9-35.9
45-54	117	27,729	14	12.1	5.4-18.8	31	24.4	15.6-33.2	21	23.9	13.3-34.5	11	7.8	2.9-12.7	40	31.7	21.9-41.5
55-64	195	31,904	53	27.5	19.5-35.5	53	26.1	18.1-34.1	41	21.7	14.3-29.1	14	8.5	3.4-13.6	34	16.2	9.3-23.1
65+	333	36,091	81	22.0	16.5-27.5	116	31.8	25.5-38.1	82	29.9	23.2-36.6	17	6.5	2.8-10.2	37	9.8	6.3-13.3
H.S. or G.E.D.	245	59,538	34	10.3	6.0-14.6	73	31.1	22.5-39.7	55	20.6	13.9-27.3	18	10.5	4.2-16.8	65	27.4	19.2-35.6
Some Post-H.S.	227	57,038	53	19.1	12.0-26.2	43	13.3	8.2-18.4	46	18.2	12.3-24.1	25	13.8	7.3-20.3	60	35.6	26.4-44.8
College Graduate	381	52,838	86	18.1	13.6-22.6	129	30.2	24.5-35.9	79	24.0	17.5-30.5	27	9.9	5.2-14.6	60	17.8	12.7-22.9
\$15,000- 24,999	89	18,893	11	10.4	3.0-17.8	21	19.9	10.5-29.3	13	10.7	4.2-17.2	8	8.9	2.4-15.4	36	50.2	36.3-64.1
\$25,000- 34,999	74	18,930	10	7.9	0.8-15.0	24	31.4	16.7-46.1	14	20.3	7.2-33.4	10	14.6	4.0-25.2	16	25.7	10.2-41.2
\$35,000- 49,999	98	18,680	29	31.1	16.6-45.6	24	15.9	8.1-23.7	16	16.0	6.8-25.2	7	16.0	1.7-30.3	22	21.0	11.0-31.0
\$50,000- 74,999	141	27,854	34	15.3	9.0-21.6	43	21.0	13.2-28.8	32	22.9	12.5-33.3	9	11.1	1.5-20.7	23	29.7	17.0-42.4
\$75,000+	332	72,346	59	15.5	9.8-21.2	91	26.6	19.3-33.9	80	23.2	17.1-29.3	30	10.7	6.4-15.0	72	24.0	17.3-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKs)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	945	164,939	338	28.7	25.0-32.4	330	33.6	29.5-37.7	116	13.7	10.6-16.8	77	10.0	7.3-12.7	84	14.0	10.1-17.9
White/Non-Hisp	784	127,806	284	28.1	24.2-32.0	270	32.2	27.7-36.7	97	14.2	10.7-17.7	61	9.6	6.5-12.7	72	15.9	11.2-20.6
Black or Afr. Am./Non-Hisp	92	22,817	33	26.6	16.2-37.0	36	44.3	31.0-57.6	8	9.0	2.1-15.9	8	10.5	2.9-18.1	7	9.6	2.0-17.2
25-34	104	30,316	24	22.3	12.7-31.9	30	31.4	20.0-42.8	17	14.1	6.3-21.9	13	15.2	5.4-25.0	20	16.9	8.5-25.3
35-44	98	26,624	27	23.5	14.1-32.9	40	38.3	26.9-49.7	14	20.7	9.7-31.7	7	7.1	0.8-13.4	10	10.5	3.2-17.8
45-54	157	30,085	36	24.9	16.5-33.3	65	40.1	30.5-49.7	19	11.4	5.7-17.1	20	12.4	5.7-19.1	17	11.2	4.1-18.3
55-64	201	26,987	73	32.2	24.4-40.0	76	35.6	27.4-43.8	25	12.2	6.9-17.5	15	11.4	5.5-17.3	12	8.6	2.5-14.7
65+	336	32,368	164	44.4	37.3-51.5	112	34.0	26.9-41.1	36	13.4	7.7-19.1	16	5.0	2.3- 7.7	8	3.2	0.5- 5.9
H.S. or G.E.D.	207	36,076	71	23.5	16.6-30.4	78	37.9	28.3-47.5	19	12.3	5.8-18.8	19	11.8	5.5-18.1	20	14.5	6.3-22.7
Some Post-H.S.	255	54,311	94	32.4	25.1-39.7	83	29.1	22.2-36.0	33	13.8	7.9-19.7	19	8.4	4.1-12.7	26	16.3	9.2-23.4
College Graduate	462	66,899	167	29.5	24.0-35.0	164	36.1	29.8-42.4	63	15.6	10.9-20.3	35	9.9	5.4-14.4	33	8.9	5.2-12.6
\$15,000- 24,999	92	15,753	33	28.9	16.9-40.9	28	31.8	18.7-44.9	10	13.1	4.1-22.1	16	17.3	6.7-27.9	5	8.9	0.5-17.3
\$25,000- 34,999	80	12,815	19	21.0	9.0-33.0	38	42.3	28.2-56.4	7	8.0	0.9-15.1	10	15.4	4.6-26.2	6	13.2	1.4-25.0
\$35,000- 49,999	120	17,861	44	25.1	16.1-34.1	39	32.1	20.7-43.5	16	15.3	6.3-24.3	9	8.7	2.2-15.2	12	18.8	6.3-31.3
\$50,000- 74,999	145	26,136	47	25.4	16.2-34.6	49	36.5	24.3-48.7	15	8.1	3.2-13.0	13	13.1	4.3-21.9	21	16.8	8.4-25.2
\$75,000+	323	61,472	103	28.5	22.2-34.8	124	37.6	30.7-44.5	49	15.6	10.5-20.7	20	7.3	3.2-11.4	27	11.0	5.9-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
1 MALES AND FEMALES	201
2 MALES ONLY	202
3 FEMALES ONLY	203
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4 MALES AND FEMALES	204
5 MALES ONLY	205
6 FEMALES ONLY	206
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7 MALES AND FEMALES	207
8 MALES ONLY	208
9 FEMALES ONLY	209
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10 MALES AND FEMALES	210
11 MALES ONLY	211
12 FEMALES ONLY	212
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13 MALES AND FEMALES	213
14 MALES ONLY	214
15 FEMALES ONLY	215
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16 MALES AND FEMALES	216
17 MALES ONLY	217

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE

18 FEMALES ONLY

PAGE

218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3740	677,311	765	17.5	15.9-19.1	565	18.0	16.0-20.0	891	25.2	23.0-27.4	1519	39.3	37.1-41.5
Male	1598	320,970	351	18.8	16.4-21.2	266	19.3	16.4-22.2	408	26.7	23.4-30.0	573	35.2	31.9-38.5
Female	2142	356,341	414	16.3	14.3-18.3	299	16.8	14.4-19.2	483	23.9	21.2-26.6	946	43.1	40.2-46.0
White/Non-Hisp	2765	453,568	550	16.2	14.4-18.0	378	15.0	13.0-17.0	643	25.3	22.8-27.8	1194	43.5	40.8-46.2
Black or Afr. Am./Non-Hisp	540	126,580	135	23.2	18.7-27.7	95	21.1	16.0-26.2	147	28.9	23.2-34.6	163	26.9	21.8-32.0
Oth. Race/Non-Hisp.	99	27,377	19	13.3	5.7-20.9	21	34.3	20.8-47.8	24	22.3	12.1-32.5	35	30.1	19.1-41.1
Hispanic	220	49,408	36	13.4	8.3-18.5	56	31.3	22.9-39.7	52	20.7	14.2-27.2	76	34.6	26.6-42.6
18-24	195	81,821	18	7.2	3.7-10.7	53	25.7	17.7-33.7	52	32.6	23.4-41.8	72	34.5	25.9-43.1
25-34	349	107,052	52	12.7	8.6-16.8	82	24.3	18.4-30.2	80	24.0	17.7-30.3	135	39.0	32.3-45.7
35-44	366	102,671	56	15.4	11.1-19.7	75	22.5	16.8-28.2	89	23.8	18.1-29.5	146	38.3	32.0-44.6
45-54	578	115,650	108	17.6	13.9-21.3	89	16.1	12.4-19.8	142	25.6	21.1-30.1	239	40.8	35.7-45.9
55-64	794	115,574	147	19.0	15.5-22.5	80	11.3	8.4-14.2	211	26.8	22.9-30.7	356	42.9	38.4-47.4
65+	1410	147,010	373	26.7	23.6-29.8	179	13.0	10.6-15.4	307	22.1	19.2-25.0	551	38.2	34.9-41.5
Less Than H.S.	323	82,025	73	18.0	13.1-22.9	66	24.2	17.5-30.9	50	17.6	10.9-24.3	134	40.1	32.5-47.7
H.S. or G.E.D.	1105	207,827	228	17.3	14.4-20.2	158	16.6	13.3-19.9	259	26.8	22.7-30.9	460	39.3	35.2-43.4
Some Post-H.S.	963	203,238	195	17.5	14.6-20.4	142	16.7	13.0-20.4	242	28.0	23.9-32.1	384	37.8	33.7-41.9
College Graduate	1332	180,550	266	17.5	14.8-20.2	196	17.8	14.7-20.9	338	23.9	20.8-27.0	532	40.8	37.1-44.5
Less than \$15,000	228	35,385	44	18.8	11.9-25.7	41	16.0	9.7-22.3	50	31.5	19.7-43.3	93	33.7	24.7-42.7
\$15,000- 24,999	530	89,525	133	22.2	17.7-26.7	84	20.9	15.0-26.8	112	20.0	15.7-24.3	201	36.9	31.4-42.4
\$25,000- 34,999	362	65,357	71	18.5	13.2-23.8	57	21.3	14.4-28.2	92	22.2	16.5-27.9	142	38.0	30.9-45.1
\$35,000- 49,999	441	74,345	94	18.9	14.2-23.6	67	18.2	12.9-23.5	100	23.2	17.5-28.9	180	39.8	33.5-46.1
\$50,000- 74,999	480	86,533	96	17.2	12.9-21.5	74	15.4	10.9-19.9	120	29.2	22.7-35.7	190	38.3	31.8-44.8
\$75,000+	993	204,353	178	14.5	11.8-17.2	136	16.3	13.0-19.6	261	29.2	25.1-33.3	418	40.0	35.9-44.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	320,970	351	18.8	16.4-21.2	266	19.3	16.4-22.2	408	26.7	23.4-30.0	573	35.2	31.9-38.5
White/Non-Hisp	1175	214,610	272	19.6	16.7-22.5	176	15.6	12.5-18.7	284	26.6	22.7-30.5	443	38.3	34.4-42.2
Black or Afr. Am./Non-Hisp	225	57,311	47	19.6	13.1-26.1	45	23.5	15.1-31.9	72	30.8	22.4-39.2	61	26.1	17.5-34.7
Hispanic	97	25,072	16	13.5	5.7-21.3	28	36.4	23.5-49.3	23	21.2	11.2-31.2	30	28.9	17.7-40.1
18-24	94	41,673	12	10.0	3.9-16.1	24	27.3	15.5-39.1	24	31.4	18.9-43.9	34	31.3	19.9-42.7
25-34	158	52,394	22	12.5	6.4-18.6	38	24.4	15.6-33.2	39	25.1	15.5-34.7	59	38.0	28.2-47.8
35-44	169	49,241	26	14.6	8.5-20.7	43	26.1	17.5-34.7	45	27.8	18.4-37.2	55	31.5	22.7-40.3
45-54	235	54,487	48	19.4	13.5-25.3	46	17.5	11.6-23.4	61	26.6	19.9-33.3	80	36.6	29.0-44.2
55-64	345	55,338	72	22.5	16.6-28.4	40	12.8	8.1-17.5	102	28.1	22.0-34.2	131	36.6	30.1-43.1
65+	578	64,569	168	29.3	24.4-34.2	71	12.2	8.7-15.7	130	23.3	18.6-28.0	209	35.2	30.1-40.3
Less Than H.S.	141	40,994	29	18.8	11.4-26.2	37	27.9	17.9-37.9	22	16.2	7.8-24.6	53	37.1	26.3-47.9
H.S. or G.E.D.	489	108,042	104	17.5	13.2-21.8	73	17.3	12.6-22.0	122	27.4	21.1-33.7	190	37.8	31.7-43.9
Some Post-H.S.	384	91,711	87	19.9	15.0-24.8	58	16.8	10.7-22.9	105	30.3	23.8-36.8	134	33.1	26.8-39.4
College Graduate	574	77,525	130	20.0	15.9-24.1	96	19.8	15.1-24.5	157	27.0	22.1-31.9	191	33.2	28.1-38.3
Less than \$15,000	76	11,930	13	19.8	7.8-31.8	19	25.5	12.4-38.6	21	28.5	12.6-44.4	23	26.1	12.8-39.4
\$15,000- 24,999	219	42,344	55	23.1	15.8-30.4	40	20.4	12.6-28.2	45	21.1	14.4-27.8	79	35.4	27.2-43.6
\$25,000- 34,999	158	35,168	31	17.2	9.8-24.6	28	24.6	13.6-35.6	40	19.1	10.9-27.3	59	39.2	28.2-50.2
\$35,000- 49,999	195	36,134	40	16.0	9.7-22.3	34	23.4	14.4-32.4	44	24.4	15.4-33.4	77	36.2	27.2-45.2
\$50,000- 74,999	217	40,927	55	22.7	15.6-29.8	38	15.7	9.6-21.8	56	31.4	21.6-41.2	68	30.1	21.3-38.9
\$75,000+	475	102,566	103	17.4	13.3-21.5	73	16.7	11.8-21.6	135	32.1	25.8-38.4	164	33.8	27.9-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2142	356,341	414	16.3	14.3-18.3	299	16.8	14.4-19.2	483	23.9	21.2-26.6	946	43.1	40.2-46.0
White/Non-Hisp	1590	238,959	278	13.2	11.2-15.2	202	14.4	11.7-17.1	359	24.2	21.1-27.3	751	48.2	44.7-51.7
Black or Afr. Am./Non-Hisp	315	69,269	88	26.2	19.9-32.5	50	19.0	12.9-25.1	75	27.3	19.5-35.1	102	27.5	21.2-33.8
Oth. Race/Non-Hisp.	58	14,789	15	17.3	5.3-29.3	12	33.3	14.1-52.5	9	15.3	2.4-28.2	22	34.1	18.2-50.0
Hispanic	123	24,336	20	13.3	6.8-19.8	28	26.0	15.4-36.6	29	20.3	12.3-28.3	46	40.4	29.4-51.4
18-24	101	40,148	6	4.2	0.7- 7.7	29	24.0	13.4-34.6	28	33.8	20.5-47.1	38	37.9	25.0-50.8
25-34	191	54,657	30	12.9	7.4-18.4	44	24.3	16.3-32.3	41	22.8	15.0-30.6	76	40.0	31.0-49.0
35-44	197	53,431	30	16.1	9.6-22.6	32	19.1	11.5-26.7	44	20.1	13.4-26.8	91	44.7	36.1-53.3
45-54	343	61,163	60	16.0	11.3-20.7	43	14.9	10.0-19.8	81	24.7	18.6-30.8	159	44.4	37.7-51.1
55-64	449	60,236	75	15.8	11.7-19.9	40	9.9	6.0-13.8	109	25.6	20.5-30.7	225	48.7	42.8-54.6
65+	832	82,441	205	24.7	20.8-28.6	108	13.6	10.3-16.9	177	21.2	17.7-24.7	342	40.6	36.3-44.9
Less Than H.S.	182	41,031	44	17.3	11.2-23.4	29	20.6	11.6-29.6	28	19.0	8.6-29.4	81	43.1	32.3-53.9
H.S. or G.E.D.	616	99,785	124	17.1	13.2-21.0	85	15.9	11.4-20.4	137	26.1	20.8-31.4	270	40.9	35.2-46.6
Some Post-H.S.	579	111,527	108	15.5	12.0-19.0	84	16.7	12.4-21.0	137	26.1	21.0-31.2	250	41.7	36.2-47.2
College Graduate	758	103,024	136	15.6	12.1-19.1	100	16.3	12.2-20.4	181	21.5	17.6-25.4	341	46.6	41.5-51.7
Less than \$15,000	152	23,454	31	18.3	10.1-26.5	22	11.2	5.1-17.3	29	32.9	17.2-48.6	70	37.5	25.5-49.5
\$15,000- 24,999	311	47,181	78	21.3	15.6-27.0	44	21.3	12.7-29.9	67	19.1	13.6-24.6	122	38.3	30.7-45.9
\$25,000- 34,999	204	30,189	40	20.0	12.6-27.4	29	17.4	10.1-24.7	52	25.9	18.1-33.7	83	36.7	28.3-45.1
\$35,000- 49,999	246	38,212	54	21.6	14.7-28.5	33	13.2	7.7-18.7	56	22.0	14.9-29.1	103	43.2	34.8-51.6
\$50,000- 74,999	263	45,606	41	12.2	7.5-16.9	36	15.0	8.7-21.3	64	27.2	19.0-35.4	122	45.6	36.6-54.6
\$75,000+	518	101,787	75	11.7	8.2-15.2	63	16.0	11.3-20.7	126	26.2	20.7-31.7	254	46.2	40.3-52.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3758	680,849	1679	44.0	41.6-46.4	838	23.5	21.5-25.5	1084	28.8	26.6-31.0	157	3.7	2.9- 4.5
Male	1606	323,114	619	40.0	36.5-43.5	377	23.7	20.8-26.6	519	31.6	28.3-34.9	91	4.7	3.3- 6.1
Female	2152	357,735	1060	47.6	44.7-50.5	461	23.3	20.8-25.8	565	26.3	23.6-29.0	66	2.9	1.9- 3.9
White/Non-Hisp	2767	453,772	1246	43.2	40.5-45.9	593	22.9	20.5-25.3	809	30.0	27.5-32.5	119	3.9	2.9- 4.9
Black or Afr. Am./Non-Hisp	549	126,485	224	41.9	36.2-47.6	137	25.2	20.3-30.1	166	29.7	24.2-35.2	22	3.3	1.5- 5.1
Oth. Race/Non-Hisp.	98	27,460	51	52.2	39.3-65.1	19	20.9	9.5-32.3	24	23.1	12.9-33.3	4	3.8	0.0- 7.9
Hispanic	225	51,770	108	49.8	41.4-58.2	63	26.6	19.2-34.0	46	20.2	13.5-26.9	8	3.5	1.0- 6.0
18-24	197	80,919	74	37.9	29.1-46.7	62	27.1	19.7-34.5	58	32.2	23.4-41.0	3	2.8	0.0- 6.1
25-34	353	110,238	142	37.6	31.1-44.1	91	29.1	22.8-35.4	105	29.9	23.4-36.4	15	3.5	1.0- 6.0
35-44	367	102,234	194	54.9	48.4-61.4	76	20.6	15.1-26.1	78	20.5	15.4-25.6	19	4.0	2.0- 6.0
45-54	579	116,195	256	44.0	38.9-49.1	118	20.2	16.1-24.3	182	32.3	27.4-37.2	23	3.6	1.8- 5.4
55-64	803	117,244	355	42.7	38.2-47.2	169	22.1	18.4-25.8	233	30.1	26.0-34.2	46	5.1	3.1- 7.1
65+	1410	146,348	635	45.4	41.9-48.9	311	23.3	20.4-26.2	414	28.0	24.9-31.1	50	3.3	1.9- 4.7
Less Than H.S.	317	81,288	121	39.5	32.1-46.9	90	27.2	20.5-33.9	86	28.2	20.9-35.5	20	5.0	2.5- 7.5
H.S. or G.E.D.	1104	207,677	443	38.4	34.3-42.5	257	24.9	21.2-28.6	338	31.3	27.2-35.4	66	5.4	3.6- 7.2
Some Post-H.S.	970	205,775	406	42.6	38.3-46.9	238	24.1	20.4-27.8	293	30.2	26.3-34.1	33	3.1	1.5- 4.7
College Graduate	1349	182,425	699	53.6	49.9-57.3	251	19.7	16.8-22.6	364	24.8	21.7-27.9	35	1.9	1.1- 2.7
Less than \$15,000	227	33,345	83	35.9	26.9-44.9	47	18.2	11.7-24.7	79	38.2	28.6-47.8	18	7.7	2.6-12.8
\$15,000- 24,999	524	88,042	230	42.2	36.3-48.1	128	29.0	23.1-34.9	138	24.2	19.5-28.9	28	4.6	2.4- 6.8
\$25,000- 34,999	361	65,238	157	41.1	34.0-48.2	76	26.9	19.5-34.3	111	28.4	21.9-34.9	17	3.6	1.6- 5.6
\$35,000- 49,999	444	74,731	175	42.9	36.6-49.2	121	27.4	21.7-33.1	130	25.7	20.2-31.2	18	4.0	1.6- 6.4
\$50,000- 74,999	483	87,651	201	41.4	34.9-47.9	113	22.0	17.1-26.9	155	33.3	26.8-39.8	14	3.3	0.4- 6.2
\$75,000+	998	204,692	520	51.7	47.4-56.0	188	19.1	15.6-22.6	268	27.3	23.4-31.2	22	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1606	323,114	619	40.0	36.5-43.5	377	23.7	20.8-26.6	519	31.6	28.3-34.9	91	4.7	3.3- 6.1
White/Non-Hisp	1177	214,449	448	37.7	33.8-41.6	275	24.0	20.5-27.5	382	32.6	28.7-36.5	72	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	225	56,888	89	42.7	33.3-52.1	54	24.8	17.0-32.6	72	30.8	22.2-39.4	10	1.8	0.6- 3.0
Hispanic	101	27,328	43	48.2	35.5-60.9	28	25.4	14.8-36.0	26	22.7	12.5-32.9	4	3.7	0.0- 7.6
18-24	95	41,629	36	38.9	26.2-51.6	31	27.7	17.3-38.1	27	32.2	19.9-44.5	1	1.2	0.0- 3.6
25-34	160	54,405	55	33.9	24.5-43.3	40	29.5	19.9-39.1	53	30.2	20.8-39.6	12	6.4	1.5-11.3
35-44	169	49,121	84	54.7	45.1-64.3	38	20.6	12.8-28.4	38	20.8	13.0-28.6	9	3.8	1.1- 6.5
45-54	237	54,629	86	35.9	28.6-43.2	52	20.2	14.5-25.9	84	38.3	30.7-45.9	15	5.6	2.3- 8.9
55-64	347	55,605	137	39.6	32.9-46.3	75	21.1	15.6-26.6	112	33.2	26.7-39.7	23	6.1	3.0- 9.2
65+	579	64,458	215	37.8	32.5-43.1	136	24.6	19.9-29.3	198	33.5	28.4-38.6	30	4.1	2.1- 6.1
Less Than H.S.	141	41,889	48	38.4	27.2-49.6	45	29.9	20.3-39.5	39	27.1	17.5-36.7	9	4.6	1.1- 8.1
H.S. or G.E.D.	485	107,224	165	34.1	28.2-40.0	117	25.5	20.0-31.0	166	34.6	28.3-40.9	37	5.8	3.4- 8.2
Some Post-H.S.	389	92,433	139	37.9	31.0-44.8	95	23.0	17.3-28.7	134	33.7	27.4-40.0	21	5.3	2.2- 8.4
College Graduate	581	78,871	262	50.5	45.0-56.0	119	19.3	15.2-23.4	179	27.9	23.2-32.6	21	2.3	0.9- 3.7
Less than \$15,000	72	11,225	22	31.7	17.2-46.2	14	14.0	4.6-23.4	28	46.0	29.1-62.9	8	8.3	0.0-17.3
\$15,000- 24,999	215	41,173	80	41.4	32.4-50.4	60	28.3	20.7-35.9	56	23.5	16.6-30.4	19	6.9	2.8-11.0
\$25,000- 34,999	158	35,296	60	35.5	25.1-45.9	36	29.2	17.4-41.0	51	30.5	20.5-40.5	11	4.8	1.5- 8.1
\$35,000- 49,999	196	36,398	64	38.1	28.5-47.7	52	25.2	17.6-32.8	72	33.2	24.0-42.4	8	3.6	0.7- 6.5
\$50,000- 74,999	219	41,077	78	36.2	27.2-45.2	56	23.2	15.9-30.5	76	34.9	25.1-44.7	9	5.7	0.0-11.6
\$75,000+	477	102,682	215	46.0	39.5-52.5	103	21.6	16.3-26.9	146	29.6	23.7-35.5	13	2.8	1.0- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2152	357,735	1060	47.6	44.7-50.5	461	23.3	20.8-25.8	565	26.3	23.6-29.0	66	2.9	1.9- 3.9
White/Non-Hisp	1590	239,323	798	48.2	44.7-51.7	318	21.9	19.0-24.8	427	27.7	24.4-31.0	47	2.3	1.1- 3.5
Black or Afr. Am./Non-Hisp	324	69,597	135	41.3	34.2-48.4	83	25.5	19.4-31.6	94	28.7	21.6-35.8	12	4.5	1.6- 7.4
Oth. Race/Non-Hisp.	56	14,636	36	57.9	39.3-76.5	11	27.3	8.9-45.7	7	11.0	1.0-21.0	2	3.8	0.0- 9.5
Hispanic	124	24,442	65	51.5	40.3-62.7	35	27.9	17.3-38.5	20	17.4	8.8-26.0	4	3.2	0.0- 6.5
18-24	102	39,290	38	37.0	25.0-49.0	31	26.5	15.7-37.3	31	32.1	19.4-44.8	2	4.5	0.0-11.0
25-34	193	55,833	87	41.3	32.5-50.1	51	28.6	20.6-36.6	52	29.5	20.5-38.5	3	0.6	0.0- 1.4
35-44	198	53,113	110	55.0	46.4-63.6	38	20.7	13.1-28.3	40	20.2	13.3-27.1	10	4.1	1.2- 7.0
45-54	342	61,567	170	51.1	44.4-57.8	66	20.2	14.5-25.9	98	27.0	21.1-32.9	8	1.7	0.3- 3.1
55-64	456	61,640	218	45.5	39.6-51.4	94	23.0	17.9-28.1	121	27.2	22.1-32.3	23	4.3	2.1- 6.5
65+	831	81,889	420	51.3	46.8-55.8	175	22.2	18.5-25.9	216	23.7	20.0-27.4	20	2.7	0.9- 4.5
Less Than H.S.	176	39,398	73	40.7	30.7-50.7	45	24.4	15.6-33.2	47	29.5	18.7-40.3	11	5.5	1.8- 9.2
H.S. or G.E.D.	619	100,453	278	43.0	37.3-48.7	140	24.3	19.0-29.6	172	27.8	22.5-33.1	29	4.9	2.0- 7.8
Some Post-H.S.	581	113,342	267	46.4	40.9-51.9	143	24.9	20.0-29.8	159	27.3	22.4-32.2	12	1.3	0.3- 2.3
College Graduate	768	103,554	437	55.9	51.0-60.8	132	20.0	15.9-24.1	185	22.5	18.2-26.8	14	1.5	0.3- 2.7
Less than \$15,000	155	22,120	61	38.1	26.9-49.3	33	20.3	11.9-28.7	51	34.3	22.9-45.7	10	7.4	1.1-13.7
\$15,000- 24,999	309	46,870	150	42.9	35.3-50.5	68	29.6	20.8-38.4	82	24.8	18.3-31.3	9	2.7	0.7- 4.7
\$25,000- 34,999	203	29,942	97	47.6	38.6-56.6	40	24.2	16.4-32.0	60	25.9	18.3-33.5	6	2.3	0.3- 4.3
\$35,000- 49,999	248	38,333	111	47.4	39.0-55.8	69	29.6	21.6-37.6	58	18.7	12.8-24.6	10	4.4	0.7- 8.1
\$50,000- 74,999	264	46,575	123	46.0	37.2-54.8	57	21.1	14.4-27.8	79	31.8	23.4-40.2	5	1.1	0.0- 2.3
\$75,000+	521	102,010	305	57.4	51.5-63.3	85	16.6	12.1-21.1	122	25.0	19.5-30.5	9	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3725	675,785	209	6.3	5.1- 7.5	1012	28.0	25.8-30.2	1585	40.6	38.2-43.0	919	25.0	23.0-27.0
Male	1583	318,157	93	6.9	4.9- 8.9	443	29.2	26.1-32.3	685	39.9	36.6-43.2	362	24.1	21.2-27.0
Female	2142	357,627	116	5.8	4.2- 7.4	569	27.0	24.3-29.7	900	41.3	38.2-44.4	557	25.9	23.4-28.4
White/Non-Hisp	2742	448,442	122	4.0	3.0- 5.0	733	27.9	25.4-30.4	1228	43.6	40.9-46.3	659	24.4	22.0-26.8
Black or Afr. Am./Non-Hisp	544	127,168	34	7.5	3.8-11.2	128	23.3	18.4-28.2	197	36.5	30.6-42.4	185	32.7	27.2-38.2
Oth. Race/Non-Hisp.	99	28,002	6	7.0	0.0-14.1	29	27.8	16.6-39.0	45	45.7	32.8-58.6	19	19.5	8.9-30.1
Hispanic	223	51,101	40	23.1	15.1-31.1	89	38.5	30.3-46.7	66	25.0	18.3-31.7	28	13.4	7.3-19.5
18-24	196	82,035	13	6.2	1.3-11.1	50	24.7	17.1-32.3	70	38.1	28.9-47.3	63	31.0	23.0-39.0
25-34	352	108,331	20	6.7	3.0-10.4	106	31.5	25.0-38.0	136	37.3	30.6-44.0	90	24.6	18.7-30.5
35-44	365	102,459	28	9.8	5.3-14.3	111	31.2	25.1-37.3	146	38.9	32.4-45.4	80	20.2	15.3-25.1
45-54	577	115,775	39	5.6	3.4- 7.8	156	24.4	20.3-28.5	251	46.9	41.8-52.0	131	23.1	18.8-27.4
55-64	800	116,123	38	5.0	3.0- 7.0	226	29.0	24.9-33.1	325	38.7	34.4-43.0	211	27.3	23.2-31.4
65+	1387	143,637	67	5.5	3.7- 7.3	350	27.4	24.3-30.5	638	42.4	39.1-45.7	332	24.7	21.6-27.8
Less Than H.S.	317	83,065	38	14.7	8.2-21.2	95	28.0	21.5-34.5	100	34.2	26.4-42.0	84	23.1	17.0-29.2
H.S. or G.E.D.	1098	205,927	61	4.8	3.2- 6.4	239	22.5	18.8-26.2	459	40.3	36.0-44.6	339	32.4	28.3-36.5
Some Post-H.S.	959	202,444	38	4.5	2.5- 6.5	280	29.4	25.3-33.5	405	42.2	37.9-46.5	236	24.0	20.3-27.7
College Graduate	1333	180,664	71	6.2	4.0- 8.4	394	32.6	29.1-36.1	617	42.6	39.1-46.1	251	18.6	15.9-21.3
Less than \$15,000	228	35,469	22	8.9	4.6-13.2	49	18.2	11.7-24.7	85	39.8	28.6-51.0	72	33.1	23.5-42.7
\$15,000- 24,999	527	87,711	33	7.3	4.0-10.6	153	31.2	25.5-36.9	186	34.4	28.7-40.1	155	27.1	22.2-32.0
\$25,000- 34,999	362	65,419	26	8.0	4.3-11.7	102	34.0	26.4-41.6	146	32.8	26.5-39.1	88	25.2	18.9-31.5
\$35,000- 49,999	436	74,133	19	5.6	1.5- 9.7	102	23.2	18.1-28.3	202	43.2	36.9-49.5	113	28.0	22.1-33.9
\$50,000- 74,999	479	85,343	19	6.0	2.5- 9.5	144	28.8	23.3-34.3	226	44.4	37.9-50.9	90	20.8	14.9-26.7
\$75,000+	996	204,830	52	5.6	3.6- 7.6	295	30.7	26.6-34.8	463	45.2	40.9-49.5	186	18.6	15.3-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1583	318,157	93	6.9	4.9- 8.9	443	29.2	26.1-32.3	685	39.9	36.6-43.2	362	24.1	21.2-27.0
White/Non-Hisp	1162	210,956	49	3.5	2.3- 4.7	312	28.9	25.0-32.8	533	43.1	39.0-47.2	268	24.5	21.0-28.0
Black or Afr. Am./Non-Hisp	222	56,506	18	9.1	2.2-16.0	63	26.1	18.1-34.1	78	35.4	26.4-44.4	63	29.3	20.9-37.7
Hispanic	99	26,659	20	26.6	14.3-38.9	36	35.2	23.0-47.4	32	26.9	16.9-36.9	11	11.2	2.4-20.0
18-24	94	41,082	7	9.0	0.0-18.2	23	24.8	13.6-36.0	33	35.1	22.8-47.4	31	31.0	19.6-42.4
25-34	160	53,636	8	5.4	1.1- 9.7	44	33.1	23.3-42.9	64	36.5	26.9-46.1	44	25.1	16.5-33.7
35-44	168	48,997	12	10.3	3.2-17.4	54	32.1	22.9-41.3	67	38.4	28.8-48.0	35	19.2	11.8-26.6
45-54	234	54,191	16	7.2	3.5-10.9	59	22.8	16.7-28.9	102	46.1	38.3-53.9	57	23.9	17.0-30.8
55-64	340	54,025	20	6.5	3.2- 9.8	106	30.7	24.4-37.0	130	34.8	28.5-41.1	84	28.0	21.5-34.5
65+	569	63,203	30	4.3	2.5- 6.1	152	30.7	25.4-36.0	278	45.5	40.2-50.8	109	19.4	14.9-23.9
Less Than H.S.	137	40,962	21	19.6	8.8-30.4	42	30.6	20.6-40.6	49	32.2	22.2-42.2	25	17.6	9.6-25.6
H.S. or G.E.D.	481	106,116	23	4.5	2.3- 6.7	120	25.0	19.5-30.5	204	39.9	33.6-46.2	134	30.6	24.7-36.5
Some Post-H.S.	381	90,281	17	4.4	1.7- 7.1	108	29.7	23.2-36.2	162	40.9	34.2-47.6	94	25.0	18.9-31.1
College Graduate	574	78,101	32	6.5	3.4- 9.6	170	33.0	27.9-38.1	268	43.2	37.9-48.5	104	17.3	13.2-21.4
Less than \$15,000	71	11,053	9	11.4	3.0-19.8	18	23.4	10.3-36.5	29	42.1	25.0-59.2	15	23.1	9.4-36.8
\$15,000- 24,999	214	41,157	16	7.1	2.8-11.4	67	28.8	21.2-36.4	73	37.4	28.6-46.2	58	26.6	19.0-34.2
\$25,000- 34,999	158	35,359	13	8.7	3.4-14.0	40	36.7	24.7-48.7	72	33.5	24.1-42.9	33	21.1	12.1-30.1
\$35,000- 49,999	191	35,722	11	7.6	0.3-14.9	41	22.4	14.6-30.2	85	40.4	30.8-50.0	54	29.7	21.1-38.3
\$50,000- 74,999	216	39,871	8	5.4	1.1- 9.7	73	31.9	23.7-40.1	97	44.6	34.8-54.4	38	18.1	10.5-25.7
\$75,000+	478	102,523	21	5.5	2.6- 8.4	150	32.3	26.2-38.4	220	42.7	36.4-49.0	87	19.5	14.4-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2142	357,627	116	5.8	4.2- 7.4	569	27.0	24.3-29.7	900	41.3	38.2-44.4	557	25.9	23.4-28.4
White/Non-Hisp	1580	237,486	73	4.5	2.9- 6.1	421	27.0	23.9-30.1	695	44.1	40.6-47.6	391	24.4	21.5-27.3
Black or Afr. Am./Non-Hisp	322	70,663	16	6.1	2.4- 9.8	65	21.1	15.0-27.2	119	37.4	29.8-45.0	122	35.4	28.3-42.5
Oth. Race/Non-Hisp.	58	15,340	3	2.2	0.0- 4.9	17	26.8	12.3-41.3	27	51.0	33.0-69.0	11	20.0	4.7-35.3
Hispanic	124	24,442	20	19.2	9.0-29.4	53	42.0	31.2-52.8	34	23.0	14.2-31.8	17	15.9	7.7-24.1
18-24	102	40,953	6	3.3	0.2- 6.4	27	24.6	14.0-35.2	37	41.1	27.6-54.6	32	31.0	19.4-42.6
25-34	192	54,695	12	7.9	2.0-13.8	62	29.9	21.7-38.1	72	38.1	29.1-47.1	46	24.0	16.4-31.6
35-44	197	53,462	16	9.3	3.6-15.0	57	30.3	22.3-38.3	79	39.4	30.8-48.0	45	21.0	14.3-27.7
45-54	343	61,584	23	4.2	2.0- 6.4	97	25.8	20.1-31.5	149	47.7	40.8-54.6	74	22.3	16.6-28.0
55-64	460	62,098	18	3.7	1.5- 5.9	120	27.6	22.3-32.9	195	42.1	36.2-48.0	127	26.6	21.5-31.7
65+	818	80,434	37	6.4	3.7- 9.1	198	24.8	21.1-28.5	360	40.0	35.7-44.3	223	28.9	24.6-33.2
Less Than H.S.	180	42,103	17	9.9	3.6-16.2	53	25.4	17.6-33.2	51	36.1	24.5-47.7	59	28.5	19.3-37.7
H.S. or G.E.D.	617	99,811	38	5.1	2.9- 7.3	119	19.8	15.1-24.5	255	40.8	35.1-46.5	205	34.3	28.6-40.0
Some Post-H.S.	578	112,163	21	4.5	2.0- 7.0	172	29.2	24.3-34.1	243	43.2	37.7-48.7	142	23.1	18.6-27.6
College Graduate	759	102,563	39	6.0	3.1- 8.9	224	32.3	27.4-37.2	349	42.1	37.2-47.0	147	19.6	15.7-23.5
Less than \$15,000	157	24,416	13	7.8	2.7-12.9	31	15.9	8.6-23.2	56	38.7	24.6-52.8	57	37.6	25.3-49.9
\$15,000- 24,999	313	46,554	17	7.4	2.1-12.7	86	33.3	25.1-41.5	113	31.7	24.4-39.0	97	27.6	21.1-34.1
\$25,000- 34,999	204	30,060	13	7.2	1.9-12.5	62	30.7	22.5-38.9	74	32.1	23.9-40.3	55	30.0	21.8-38.2
\$35,000- 49,999	245	38,411	8	3.8	0.0- 8.1	61	23.9	17.2-30.6	117	45.9	37.5-54.3	59	26.4	18.6-34.2
\$50,000- 74,999	263	45,472	11	6.6	1.1-12.1	71	26.1	18.5-33.7	129	44.3	35.7-52.9	52	23.1	14.7-31.5
\$75,000+	518	102,307	31	5.8	2.9- 8.7	145	29.0	23.7-34.3	243	47.6	41.7-53.5	99	17.6	13.5-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3750	680,256	846	21.9	20.1-23.7	1300	35.8	33.6-38.0	1368	36.1	33.7-38.5	236	6.2	5.0- 7.4
Male	1596	321,741	299	18.4	15.9-20.9	558	36.1	32.6-39.6	628	38.7	35.4-42.0	111	6.8	5.0- 8.6
Female	2154	358,516	547	25.0	22.5-27.5	742	35.5	32.6-38.4	740	33.9	31.0-36.8	125	5.6	4.0- 7.2
White/Non-Hisp	2764	453,497	623	21.3	19.1-23.5	923	34.7	32.2-37.2	1038	37.8	35.1-40.5	180	6.3	4.9- 7.7
Black or Afr. Am./Non-Hisp	546	126,090	133	22.5	17.8-27.2	197	35.6	29.9-41.3	197	38.9	32.8-45.0	19	2.9	1.1- 4.7
Oth. Race/Non-Hisp.	101	28,302	24	27.4	15.8-39.0	38	33.6	22.2-45.0	32	28.5	16.7-40.3	7	10.6	1.6-19.6
Hispanic	222	51,397	40	20.7	13.4-28.0	105	48.1	39.5-56.7	57	20.6	14.5-26.7	20	10.6	4.7-16.5
18-24	198	83,019	36	16.8	10.9-22.7	81	38.2	29.4-47.0	63	36.5	27.3-45.7	18	8.5	3.8-13.2
25-34	349	108,318	71	20.6	15.1-26.1	146	40.7	34.0-47.4	110	29.8	23.5-36.1	22	8.9	4.2-13.6
35-44	366	102,179	95	25.4	19.9-30.9	130	36.7	30.2-43.2	124	34.1	27.8-40.4	17	3.9	1.4- 6.4
45-54	578	115,698	150	22.2	18.3-26.1	179	31.8	27.1-36.5	215	41.0	35.9-46.1	34	4.9	2.9- 6.9
55-64	806	117,330	203	25.5	21.6-29.4	258	32.1	28.0-36.2	297	37.5	33.2-41.8	48	4.9	3.3- 6.5
65+	1406	146,387	280	20.7	17.8-23.6	490	36.4	33.1-39.7	541	36.3	33.0-39.6	95	6.6	4.8- 8.4
Less Than H.S.	318	82,755	60	19.3	13.6-25.0	121	36.8	29.4-44.2	95	32.7	25.1-40.3	42	11.1	6.6-15.6
H.S. or G.E.D.	1099	206,259	210	18.7	15.6-21.8	386	35.4	31.3-39.5	414	37.5	33.2-41.8	89	8.4	5.7-11.1
Some Post-H.S.	975	205,805	221	23.3	19.8-26.8	325	33.7	29.6-37.8	377	38.6	34.3-42.9	52	4.4	2.8- 6.0
College Graduate	1340	181,752	352	25.0	21.9-28.1	464	38.4	34.7-42.1	475	33.3	29.8-36.8	49	3.2	2.0- 4.4
Less than \$15,000	228	35,512	53	22.3	14.7-29.9	75	26.3	18.9-33.7	79	42.1	30.9-53.3	21	9.3	3.6-15.0
\$15,000- 24,999	528	87,965	102	18.9	14.2-23.6	200	41.5	35.6-47.4	181	32.9	27.4-38.4	45	6.7	4.2- 9.2
\$25,000- 34,999	359	64,620	77	23.6	17.3-29.9	115	35.3	27.7-42.9	140	35.9	29.0-42.8	27	5.2	3.0- 7.4
\$35,000- 49,999	442	74,289	96	23.1	17.8-28.4	151	35.0	28.9-41.1	164	35.6	29.3-41.9	31	6.3	3.6- 9.0
\$50,000- 74,999	486	88,103	102	19.8	14.9-24.7	167	30.5	25.0-36.0	198	43.7	37.0-50.4	19	6.0	1.7-10.3
\$75,000+	1001	205,208	270	25.0	21.5-28.5	350	37.9	33.6-42.2	344	34.0	29.9-38.1	37	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1596	321,741	299	18.4	15.9-20.9	558	36.1	32.6-39.6	628	38.7	35.4-42.0	111	6.8	5.0- 8.6
White/Non-Hisp	1170	213,520	225	18.7	15.8-21.6	388	34.3	30.4-38.2	474	40.3	36.2-44.4	83	6.7	4.5- 8.9
Black or Afr. Am./Non-Hisp	225	56,801	37	13.6	8.1-19.1	85	37.4	28.2-46.6	92	44.8	35.4-54.2	11	4.1	1.2- 7.0
Hispanic	99	27,207	18	20.1	10.1-30.1	45	46.5	33.8-59.2	26	19.9	11.3-28.5	10	13.6	3.8-23.4
18-24	95	41,637	15	13.5	6.4-20.6	36	38.9	26.2-51.6	32	39.3	26.6-52.0	12	8.3	3.0-13.6
25-34	158	54,183	21	14.7	7.6-21.8	61	40.9	30.7-51.1	61	30.8	22.0-39.6	15	13.7	5.5-21.9
35-44	168	48,997	40	21.6	14.5-28.7	61	40.6	30.6-50.6	57	33.5	24.1-42.9	10	4.3	1.0- 7.6
45-54	236	54,537	43	16.8	11.3-22.3	74	30.1	23.2-37.0	105	49.0	41.4-56.6	14	4.2	1.7- 6.7
55-64	342	54,730	83	25.5	19.4-31.6	111	30.6	24.5-36.7	129	39.4	32.7-46.1	19	4.5	2.1- 6.9
65+	578	64,388	95	18.3	13.8-22.8	208	36.9	31.6-42.2	235	38.7	33.4-44.0	40	6.1	3.9- 8.3
Less Than H.S.	138	41,595	27	20.7	12.5-28.9	48	38.3	26.9-49.7	42	28.4	18.8-38.0	21	12.7	6.0-19.4
H.S. or G.E.D.	484	107,065	77	15.5	11.4-19.6	173	35.4	29.3-41.5	194	40.7	34.4-47.0	40	8.4	4.3-12.5
Some Post-H.S.	387	91,952	76	19.8	14.7-24.9	130	34.9	28.0-41.8	160	41.3	34.6-48.0	21	3.9	1.9- 5.9
College Graduate	577	78,430	117	19.0	14.9-23.1	205	38.0	32.7-43.3	228	38.1	32.8-43.4	27	4.9	2.5- 7.3
Less than \$15,000	74	11,256	14	22.1	8.8-35.4	25	24.7	13.1-36.3	29	46.9	30.2-63.6	6	6.3	0.2-12.4
\$15,000- 24,999	213	41,188	36	15.1	9.2-21.0	88	39.9	31.5-48.3	69	35.9	27.1-44.7	20	9.1	4.4-13.8
\$25,000- 34,999	157	34,895	28	21.0	12.4-29.6	48	36.8	24.8-48.8	69	37.7	27.1-48.3	12	4.5	1.8- 7.2
\$35,000- 49,999	193	35,928	28	15.2	8.5-21.9	61	35.5	25.9-45.1	87	42.7	33.1-52.3	17	6.6	2.9-10.3
\$50,000- 74,999	218	41,007	34	14.7	8.6-20.8	81	32.4	24.2-40.6	92	45.6	35.8-55.4	11	7.2	0.5-13.9
\$75,000+	479	103,049	103	20.2	15.5-24.9	182	41.3	34.8-47.8	175	35.2	29.1-41.3	19	3.3	0.6- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2154	358,516	547	25.0	22.5-27.5	742	35.5	32.6-38.4	740	33.9	31.0-36.8	125	5.6	4.0- 7.2
White/Non-Hisp	1594	239,977	398	23.6	20.7-26.5	535	35.0	31.7-38.3	564	35.5	32.0-39.0	97	5.8	4.0- 7.6
Black or Afr. Am./Non-Hisp	321	69,290	96	29.8	22.9-36.7	112	34.2	27.3-41.1	105	34.0	26.2-41.8	8	2.0	0.2- 3.8
Oth. Race/Non-Hisp.	59	15,477	17	29.4	13.7-45.1	21	29.3	15.0-43.6	15	26.2	8.6-43.8	6	15.1	0.8-29.4
Hispanic	123	24,189	22	21.3	10.5-32.1	60	49.8	38.6-61.0	31	21.5	12.9-30.1	10	7.3	1.8-12.8
18-24	103	41,382	21	20.2	10.8-29.6	45	37.5	25.3-49.7	31	33.7	20.2-47.2	6	8.7	1.1-16.3
25-34	191	54,135	50	26.5	18.5-34.5	85	40.5	31.9-49.1	49	28.9	19.9-37.9	7	4.1	0.2- 8.0
35-44	198	53,182	55	28.8	20.8-36.8	69	33.1	25.3-40.9	67	34.6	26.2-43.0	7	3.5	0.0- 7.4
45-54	342	61,161	107	27.1	21.4-32.8	105	33.4	27.1-39.7	110	34.0	27.3-40.7	20	5.6	2.7- 8.5
55-64	464	62,599	120	25.4	20.1-30.7	147	33.5	28.0-39.0	168	35.9	30.4-41.4	29	5.2	2.8- 7.6
65+	828	81,999	185	22.7	19.0-26.4	282	36.0	31.7-40.3	306	34.3	30.2-38.4	55	7.0	4.5- 9.5
Less Than H.S.	180	41,160	33	17.8	9.8-25.8	73	35.4	26.2-44.6	53	37.2	25.6-48.8	21	9.6	3.7-15.5
H.S. or G.E.D.	615	99,194	133	22.2	17.7-26.7	213	35.5	29.8-41.2	220	33.9	28.2-39.6	49	8.4	4.9-11.9
Some Post-H.S.	588	113,853	145	26.1	21.2-31.0	195	32.7	27.8-37.6	217	36.4	30.9-41.9	31	4.8	2.4- 7.2
College Graduate	763	103,322	235	29.6	25.1-34.1	259	38.8	33.9-43.7	247	29.7	25.2-34.2	22	1.9	0.7- 3.1
Less than \$15,000	154	24,256	39	22.3	13.1-31.5	50	27.0	17.4-36.6	50	39.9	25.4-54.4	15	10.8	3.0-18.6
\$15,000- 24,999	315	46,776	66	22.3	15.4-29.2	112	43.0	34.8-51.2	112	30.2	23.5-36.9	25	4.6	2.6- 6.6
\$25,000- 34,999	202	29,726	49	26.7	18.1-35.3	67	33.6	25.2-42.0	71	33.6	25.2-42.0	15	6.1	2.6- 9.6
\$35,000- 49,999	249	38,361	68	30.4	22.8-38.0	90	34.6	27.0-42.2	77	28.9	21.1-36.7	14	6.0	2.1- 9.9
\$50,000- 74,999	268	47,096	68	24.3	16.9-31.7	86	28.7	21.4-36.0	106	42.0	33.2-50.8	8	5.0	0.0-10.5
\$75,000+	522	102,159	167	29.8	24.5-35.1	168	34.4	28.9-39.9	169	32.7	26.8-38.6	18	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3723	676,762	244	6.8	5.6- 8.0	1242	33.4	31.2-35.6	1634	41.5	39.1-43.9	603	18.3	16.5-20.1
Male	1583	318,593	97	6.4	4.8- 8.0	487	31.7	28.4-35.0	712	41.4	37.9-44.9	287	20.5	17.6-23.4
Female	2140	358,169	147	7.2	5.6- 8.8	755	34.9	32.0-37.8	922	41.6	38.5-44.7	316	16.3	13.9-18.7
White/Non-Hisp	2749	451,127	161	5.6	4.4- 6.8	916	33.4	30.9-35.9	1261	44.3	41.6-47.0	411	16.7	14.5-18.9
Black or Afr. Am./Non-Hisp	539	126,989	44	8.7	5.4-12.0	169	29.9	24.6-35.2	207	37.6	31.5-43.7	119	23.7	18.8-28.6
Oth. Race/Non-Hisp.	102	28,473	13	14.5	5.5-23.5	27	24.7	14.5-34.9	44	37.6	25.6-49.6	18	23.1	10.6-35.6
Hispanic	219	50,117	21	8.6	4.3-12.9	98	48.5	39.9-57.1	64	26.7	19.4-34.0	36	16.2	10.1-22.3
18-24	197	82,367	4	1.2	0.0- 2.6	67	33.5	24.9-42.1	82	41.8	32.6-51.0	44	23.6	16.2-31.0
25-34	343	107,679	20	5.2	2.3- 8.1	113	34.2	27.5-40.9	128	34.9	28.4-41.4	82	25.7	19.4-32.0
35-44	366	102,640	44	13.6	9.1-18.1	116	33.1	26.8-39.4	142	37.7	31.4-44.0	64	15.6	10.9-20.3
45-54	577	115,953	41	7.2	4.5- 9.9	191	31.3	26.8-35.8	251	45.0	39.9-50.1	94	16.5	12.8-20.2
55-64	799	116,591	58	7.2	4.8- 9.6	255	32.7	28.4-37.0	349	42.4	37.9-46.9	137	17.7	14.2-21.2
65+	1393	143,953	76	5.9	4.1- 7.7	482	35.3	32.0-38.6	662	44.9	41.6-48.2	173	13.9	11.4-16.4
Less Than H.S.	313	82,024	16	3.5	1.3- 5.7	108	33.2	26.1-40.3	118	40.4	32.4-48.4	71	22.9	16.6-29.2
H.S. or G.E.D.	1096	205,629	55	6.0	4.0- 8.0	344	30.8	26.9-34.7	480	39.9	35.6-44.2	217	23.3	19.4-27.2
Some Post-H.S.	962	203,841	62	6.8	4.6- 9.0	301	33.0	28.7-37.3	442	43.4	39.1-47.7	157	16.8	13.5-20.1
College Graduate	1334	181,584	110	8.9	6.7-11.1	485	37.2	33.7-40.7	584	41.5	37.8-45.2	155	12.3	9.8-14.8
Less than \$15,000	229	35,766	13	3.3	1.1- 5.5	65	26.6	18.2-35.0	90	37.3	26.5-48.1	61	32.9	23.3-42.5
\$15,000- 24,999	515	85,927	43	8.4	5.3-11.5	170	34.4	28.3-40.5	197	36.1	30.6-41.6	105	21.1	16.2-26.0
\$25,000- 34,999	357	64,102	20	8.1	3.6-12.6	125	39.3	31.7-46.9	151	35.7	29.0-42.4	61	16.9	12.0-21.8
\$35,000- 49,999	435	73,463	26	7.4	3.7-11.1	136	30.4	24.5-36.3	219	47.9	41.4-54.4	54	14.3	9.8-18.8
\$50,000- 74,999	485	87,956	24	6.5	3.2- 9.8	162	28.7	23.4-34.0	230	46.5	40.0-53.0	69	18.2	12.5-23.9
\$75,000+	997	205,122	80	7.7	5.5- 9.9	360	36.2	32.1-40.3	432	41.1	36.8-45.4	125	15.1	11.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1583	318,593	97	6.4	4.8- 8.0	487	31.7	28.4-35.0	712	41.4	38.1-44.7	287	20.5	17.6-23.4
White/Non-Hisp	1164	212,463	64	5.1	3.5- 6.7	346	30.3	26.4-34.2	549	43.4	39.3-47.5	205	21.3	17.6-25.0
Black or Afr. Am./Non-Hisp	222	56,612	16	8.3	3.2-13.4	72	31.9	23.3-40.5	88	41.1	31.7-50.5	46	18.7	12.0-25.4
Hispanic	97	26,200	10	7.4	2.3-12.5	40	47.2	34.1-60.3	29	26.1	15.3-36.9	18	19.4	9.6-29.2
18-24	95	41,197	3	1.4	0.0- 3.0	30	31.6	19.3-43.9	39	43.5	30.8-56.2	23	23.6	13.6-33.6
25-34	154	52,982	5	3.7	0.0- 7.6	45	33.9	24.1-43.7	57	30.7	21.7-39.7	47	31.8	21.6-42.0
35-44	167	48,885	18	11.0	5.7-16.3	47	30.2	20.6-39.8	70	40.4	30.6-50.2	32	18.4	11.3-25.5
45-54	236	54,820	14	6.3	2.0-10.6	75	30.4	23.5-37.3	106	45.5	37.7-53.3	41	17.8	11.9-23.7
55-64	343	54,851	31	10.3	6.0-14.6	96	28.7	22.4-35.0	150	41.5	34.8-48.2	66	19.4	13.7-25.1
65+	569	62,589	25	4.9	2.0- 7.8	188	35.1	29.8-40.4	280	45.8	40.5-51.1	76	14.2	10.3-18.1
Less Than H.S.	136	40,572	7	3.0	0.6- 5.4	43	31.8	21.6-42.0	52	40.5	29.1-51.9	34	24.6	15.2-34.0
H.S. or G.E.D.	483	106,196	17	4.7	2.2- 7.2	147	31.0	25.1-36.9	212	39.2	33.1-45.3	107	25.1	19.4-30.8
Some Post-H.S.	382	91,155	27	6.9	3.8-10.0	105	30.8	23.9-37.7	177	43.5	36.8-50.2	73	18.8	13.5-24.1
College Graduate	572	77,973	45	8.9	5.6-12.2	190	34.3	29.2-39.4	265	42.2	36.9-47.5	72	14.5	10.2-18.8
Less than \$15,000	75	11,681	3	3.2	0.0- 7.3	24	34.1	19.2-49.0	24	27.4	11.3-43.5	24	35.3	20.4-50.2
\$15,000- 24,999	208	40,201	16	6.6	2.7-10.5	63	32.1	23.3-40.9	79	37.2	28.8-45.6	50	24.0	16.6-31.4
\$25,000- 34,999	158	34,784	11	10.6	3.2-18.0	50	39.8	27.8-51.8	69	36.2	26.2-46.2	28	13.5	7.2-19.8
\$35,000- 49,999	188	34,898	10	4.4	1.3- 7.5	54	31.4	21.8-41.0	99	49.9	39.9-59.9	25	14.3	7.8-20.8
\$50,000- 74,999	219	41,204	6	5.4	1.1- 9.7	72	27.7	20.3-35.1	109	46.9	37.3-56.5	32	20.0	11.0-29.0
\$75,000+	477	102,634	36	6.8	4.1- 9.5	160	33.1	27.0-39.2	211	40.3	34.0-46.6	70	19.8	14.3-25.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2140	358,169	147	7.2	5.6- 8.8	755	34.9	32.0-37.8	922	41.6	38.5-44.7	316	16.3	13.9-18.7
White/Non-Hisp	1585	238,664	97	6.0	4.4- 7.6	570	36.2	32.7-39.7	712	45.1	41.6-48.6	206	12.7	10.3-15.1
Black or Afr. Am./Non-Hisp	317	70,377	28	9.1	4.8-13.4	97	28.3	21.6-35.0	119	34.7	27.1-42.3	73	27.8	20.9-34.7
Oth. Race/Non-Hisp.	60	15,649	8	10.5	1.5-19.5	16	26.8	12.1-41.5	25	35.8	19.7-51.9	11	26.9	8.1-45.7
Hispanic	122	23,917	11	9.9	2.6-17.2	58	49.9	38.7-61.1	35	27.3	17.5-37.1	18	12.8	6.3-19.3
18-24	102	41,170	1	1.1	0.0- 3.3	37	35.3	23.3-47.3	43	40.1	26.8-53.4	21	23.5	12.5-34.5
25-34	189	54,697	15	6.6	2.5-10.7	68	34.6	25.8-43.4	71	39.0	29.8-48.2	35	19.8	12.4-27.2
35-44	199	53,755	26	16.0	9.1-22.9	69	35.8	27.4-44.2	72	35.2	27.2-43.2	32	13.0	6.9-19.1
45-54	341	61,133	27	8.0	4.3-11.7	116	32.0	25.7-38.3	145	44.6	37.7-51.5	53	15.4	10.9-19.9
55-64	456	61,740	27	4.5	2.5- 6.5	159	36.2	30.5-41.9	199	43.2	37.3-49.1	71	16.1	11.8-20.4
65+	824	81,364	51	6.7	4.3- 9.1	294	35.4	31.1-39.7	382	44.3	39.8-48.8	97	13.6	10.1-17.1
Less Than H.S.	177	41,452	9	4.0	0.5- 7.5	65	34.5	24.7-44.3	66	40.2	28.8-51.6	37	21.2	12.8-29.6
H.S. or G.E.D.	613	99,433	38	7.4	4.3-10.5	197	30.6	25.3-35.9	268	40.7	35.0-46.4	110	21.3	16.0-26.6
Some Post-H.S.	580	112,686	35	6.7	4.0- 9.4	196	34.8	29.5-40.1	265	43.4	37.9-48.9	84	15.1	11.0-19.2
College Graduate	762	103,611	65	8.9	6.0-11.8	295	39.4	34.5-44.3	319	41.0	36.1-45.9	83	10.7	7.8-13.6
Less than \$15,000	154	24,085	10	3.3	0.8- 5.8	41	22.9	13.1-32.7	66	42.1	28.2-56.0	37	31.7	19.5-43.9
\$15,000- 24,999	307	45,726	27	9.9	5.2-14.6	107	36.5	28.1-44.9	118	35.1	27.7-42.5	55	18.5	12.4-24.6
\$25,000- 34,999	199	29,318	9	5.2	0.9- 9.5	75	38.8	29.8-47.8	82	35.2	26.8-43.6	33	20.9	13.3-28.5
\$35,000- 49,999	247	38,566	16	10.0	3.7-16.3	82	29.6	22.5-36.7	120	46.1	37.7-54.5	29	14.3	8.0-20.6
\$50,000- 74,999	266	46,752	18	7.5	2.6-12.4	90	29.6	22.0-37.2	121	46.2	37.4-55.0	37	16.6	9.3-23.9
\$75,000+	520	102,488	44	8.5	5.4-11.6	200	39.2	33.5-44.9	221	41.8	35.9-47.7	55	10.4	6.7-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3707	671,555	1223	30.7	28.5-32.9	1073	30.7	28.5-32.9	1315	35.2	32.8-37.6	96	3.3	2.5- 4.1
Male	1585	316,849	449	26.8	23.9-29.7	473	30.5	27.2-33.8	617	38.4	35.1-41.7	46	4.3	2.9- 5.7
Female	2122	354,706	774	34.3	31.4-37.2	600	30.9	28.2-33.6	698	32.4	29.5-35.3	50	2.4	1.4- 3.4
White/Non-Hisp	2734	448,609	993	34.6	32.1-37.1	738	28.7	26.2-31.2	961	35.1	32.4-37.8	42	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	540	124,977	113	20.1	15.6-24.6	176	32.0	26.3-37.7	222	42.1	36.0-48.2	29	5.8	3.1- 8.5
Oth. Race/Non-Hisp.	99	28,616	34	32.1	20.1-44.1	26	24.9	14.7-35.1	34	36.5	24.0-49.0	5	6.5	0.0-13.0
Hispanic	219	49,637	49	19.4	13.1-25.7	102	51.1	42.7-59.5	54	20.0	14.3-25.7	14	9.5	4.0-15.0
18-24	194	81,351	50	20.9	14.6-27.2	66	35.1	26.1-44.1	63	35.2	26.0-44.4	15	8.7	4.0-13.4
25-34	344	106,237	103	30.7	24.4-37.0	122	35.8	29.1-42.5	104	29.6	23.1-36.1	15	3.9	1.5- 6.3
35-44	359	100,807	124	35.2	28.9-41.5	106	29.6	23.5-35.7	117	32.5	26.2-38.8	12	2.6	0.6- 4.6
45-54	577	115,850	197	30.0	25.5-34.5	149	25.1	20.8-29.4	218	42.3	37.2-47.4	13	2.7	0.9- 4.5
55-64	798	116,828	251	29.7	25.6-33.8	231	31.1	26.8-35.4	300	37.5	33.2-41.8	16	1.6	0.6- 2.6
65+	1391	143,758	488	35.1	31.8-38.4	383	29.4	26.3-32.5	495	33.3	30.2-36.4	25	2.2	0.8- 3.6
Less Than H.S.	308	78,831	60	17.8	12.3-23.3	124	39.8	32.2-47.4	100	34.7	26.7-42.7	24	7.8	4.1-11.5
H.S. or G.E.D.	1094	206,506	341	28.6	24.9-32.3	313	29.7	25.6-33.8	400	36.8	32.5-41.1	40	5.0	2.8- 7.2
Some Post-H.S.	955	201,478	322	32.4	28.5-36.3	269	29.7	25.6-33.8	348	36.3	32.0-40.6	16	1.6	0.6- 2.6
College Graduate	1333	181,088	494	36.5	33.0-40.0	365	29.7	26.4-33.0	459	32.5	29.2-35.8	15	1.3	0.5- 2.1
Less than \$15,000	226	35,288	64	24.2	16.2-32.2	59	22.1	14.8-29.4	88	42.2	31.4-53.0	15	11.4	3.6-19.2
\$15,000- 24,999	520	86,830	142	24.5	19.8-29.2	169	37.2	31.1-43.3	189	34.9	29.4-40.4	20	3.4	1.2- 5.6
\$25,000- 34,999	357	63,588	112	26.8	20.7-32.9	118	39.9	32.3-47.5	118	30.3	23.8-36.8	9	3.0	0.6- 5.4
\$35,000- 49,999	431	72,778	132	28.4	22.9-33.9	121	30.6	24.5-36.7	170	37.0	30.7-43.3	8	4.0	0.9- 7.1
\$50,000- 74,999	486	87,844	169	33.4	27.5-39.3	141	26.5	21.2-31.8	168	37.2	30.5-43.9	8	2.9	0.5- 5.3
\$75,000+	996	204,274	376	35.1	31.0-39.2	276	29.7	25.6-33.8	334	34.2	29.9-38.5	10	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	316,849	449	26.8	23.9-29.7	473	30.5	27.2-33.8	617	38.4	35.1-41.7	46	4.3	2.9- 5.7
White/Non-Hisp	1162	210,979	366	30.8	27.1-34.5	327	28.2	24.3-32.1	451	38.9	34.8-43.0	18	2.2	1.0- 3.4
Black or Afr. Am./Non-Hisp	223	55,725	38	16.3	10.2-22.4	74	32.6	23.4-41.8	96	44.4	35.0-53.8	15	6.7	2.8-10.6
Hispanic	98	25,947	16	14.0	6.2-21.8	44	48.8	36.1-61.5	29	23.2	14.4-32.0	9	14.0	4.6-23.4
18-24	93	40,710	21	15.7	8.4-23.0	27	37.1	23.8-50.4	33	34.6	22.4-46.8	12	12.6	5.2-20.0
25-34	154	51,314	41	27.9	18.7-37.1	46	33.8	23.6-44.0	57	32.4	23.0-41.8	10	5.9	1.8-10.0
35-44	166	48,695	54	32.2	23.2-41.2	52	30.4	21.0-39.8	55	33.8	24.4-43.2	5	3.5	0.0- 7.2
45-54	236	54,686	61	22.7	16.6-28.8	60	22.5	16.6-28.4	108	52.0	44.4-59.6	7	2.8	0.6- 5.0
55-64	344	55,297	97	29.3	23.0-35.6	104	30.2	24.1-36.3	137	39.0	32.3-45.7	6	1.6	0.2- 3.0
65+	574	63,023	173	30.3	25.4-35.2	178	31.6	26.5-36.7	217	36.1	31.0-41.2	6	2.0	0.0- 4.0
Less Than H.S.	136	38,734	21	12.1	6.2-18.0	54	42.3	30.9-53.7	48	35.8	25.4-46.2	13	9.8	3.9-15.7
H.S. or G.E.D.	484	107,226	127	25.3	20.0-30.6	149	30.3	24.2-36.4	192	39.5	33.2-45.8	16	4.9	2.2- 7.6
Some Post-H.S.	379	89,864	104	26.3	20.6-32.0	107	29.5	22.8-36.2	159	41.3	34.6-48.0	9	2.9	0.5- 5.3
College Graduate	576	78,328	194	35.7	30.4-41.0	163	27.4	22.7-32.1	212	34.5	29.4-39.6	7	2.4	0.4- 4.4
Less than \$15,000	73	11,546	15	16.3	6.3-26.3	22	28.0	14.3-41.7	34	50.6	34.3-66.9	2	5.1	0.0-13.7
\$15,000- 24,999	211	40,909	48	20.5	13.8-27.2	74	34.8	26.0-43.6	81	39.2	30.8-47.6	8	5.5	1.2- 9.8
\$25,000- 34,999	160	34,597	36	17.6	10.3-24.9	64	47.5	35.9-59.1	56	30.9	20.9-40.9	4	4.0	0.0- 8.1
\$35,000- 49,999	189	35,128	45	22.8	15.2-30.4	51	30.9	21.3-40.5	90	44.2	34.4-54.0	3	2.1	0.0- 5.0
\$50,000- 74,999	219	40,783	68	30.2	22.2-38.2	63	24.1	17.0-31.2	81	40.5	30.5-50.5	7	5.1	0.8- 9.4
\$75,000+	478	102,874	162	33.4	27.5-39.3	135	27.5	21.6-33.4	175	37.5	31.2-43.8	6	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS
BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2122	354,706	774	34.3	31.4-37.2	600	30.9	28.2-33.6	698	32.4	29.5-35.3	50	2.4	1.4- 3.4
White/Non-Hisp	1572	237,630	627	37.9	34.4-41.4	411	29.2	25.9-32.5	510	31.7	28.2-35.2	24	1.2	0.4- 2.0
Black or Afr. Am./Non-Hisp	317	69,253	75	23.1	16.8-29.4	102	31.6	24.7-38.5	126	40.3	32.5-48.1	14	5.0	1.3- 8.7
Oth. Race/Non-Hisp.	56	15,216	21	34.5	17.6-51.4	16	23.6	9.9-37.3	16	35.9	17.3-54.5	3	6.1	0.0-14.9
Hispanic	121	23,690	33	25.3	15.7-34.9	58	53.7	42.5-64.9	25	16.4	9.3-23.5	5	4.6	0.0- 9.5
18-24	101	40,641	29	26.1	15.9-36.3	39	33.2	21.2-45.2	30	35.8	22.1-49.5	3	4.8	0.0-10.9
25-34	190	54,923	62	33.2	24.6-41.8	76	37.8	29.0-46.6	47	26.9	18.1-35.7	5	2.1	0.0- 4.5
35-44	193	52,112	70	38.1	29.5-46.7	54	28.9	21.1-36.7	62	31.3	22.9-39.7	7	1.8	0.4- 3.2
45-54	341	61,164	136	36.5	30.0-43.0	89	27.3	21.2-33.4	110	33.6	27.1-40.1	6	2.6	0.1- 5.1
55-64	454	61,531	154	30.1	24.8-35.4	127	32.0	26.1-37.9	163	36.2	30.5-41.9	10	1.7	0.5- 2.9
65+	817	80,734	315	38.8	34.5-43.1	205	27.6	23.5-31.7	278	31.2	27.1-35.3	19	2.4	0.4- 4.4
Less Than H.S.	172	40,096	39	23.3	14.3-32.3	70	37.3	27.1-47.5	52	33.5	21.3-45.7	11	5.8	1.5-10.1
H.S. or G.E.D.	610	99,280	214	32.1	26.8-37.4	164	29.0	23.5-34.5	208	33.8	28.1-39.5	24	5.1	2.0- 8.2
Some Post-H.S.	576	111,614	218	37.3	32.0-42.6	162	29.8	24.7-34.9	189	32.2	26.7-37.7	7	0.6	0.0- 1.2
College Graduate	757	102,760	300	37.1	32.2-42.0	202	31.5	26.8-36.2	247	31.0	26.5-35.5	8	0.5	0.1- 0.9
Less than \$15,000	153	23,742	49	28.1	17.3-38.9	37	19.3	10.9-27.7	54	38.1	24.0-52.2	13	14.5	3.7-25.3
\$15,000- 24,999	309	45,920	94	28.1	21.4-34.8	95	39.3	30.7-47.9	108	31.0	24.1-37.9	12	1.5	0.5- 2.5
\$25,000- 34,999	197	28,990	76	37.7	28.7-46.7	54	30.8	22.2-39.4	62	29.6	21.4-37.8	5	1.9	0.1- 3.7
\$35,000- 49,999	242	37,650	87	33.6	25.8-41.4	70	30.3	22.7-37.9	80	30.3	22.5-38.1	5	5.8	0.5-11.1
\$50,000- 74,999	267	47,060	101	36.2	27.8-44.6	78	28.5	20.7-36.3	87	34.4	25.8-43.0	1	1.0	0.0- 3.0
\$75,000+	518	101,400	214	36.9	31.4-42.4	141	31.8	26.3-37.3	159	30.9	25.2-36.6	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	236
17	MALES ONLY	237
18	FEMALES ONLY	238

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	239
20 MALES ONLY	240
21 FEMALES ONLY	241
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	242
23 MALES ONLY	243
24 FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3774	681,194	2626	70.6	68.4-72.8	1148	29.4	27.2-31.6
Male	1603	318,802	1162	72.3	69.2-75.4	441	27.7	24.6-30.8
Female	2171	362,392	1464	69.1	66.2-72.0	707	30.9	28.0-33.8
White/Non-Hisp	2780	452,955	1955	72.2	69.8-74.6	825	27.8	25.4-30.2
Black or Afr. Am./Non-Hisp	555	128,336	376	67.5	61.8-73.2	179	32.5	26.8-38.2
Oth. Race/Non-Hisp.	101	28,443	72	73.4	62.6-84.2	29	26.6	15.8-37.4
Hispanic	219	50,781	134	61.5	52.9-70.1	85	38.5	29.9-47.1
18-24	194	79,922	154	78.0	69.8-86.2	40	22.0	13.8-30.2
25-34	350	109,141	264	72.6	66.1-79.1	86	27.4	20.9-33.9
35-44	362	101,975	259	73.9	68.0-79.8	103	26.1	20.2-32.0
45-54	579	116,145	414	71.8	67.1-76.5	165	28.2	23.5-32.9
55-64	805	117,853	553	66.3	62.0-70.6	252	33.7	29.4-38.0
65+	1435	148,892	945	65.5	62.2-68.8	490	34.5	31.2-37.8
Less Than H.S.	322	83,396	158	51.9	44.3-59.5	164	48.1	40.5-55.7
H.S. or G.E.D.	1118	208,888	682	64.1	60.0-68.2	436	35.9	31.8-40.0
Some Post-H.S.	971	203,387	684	74.5	71.0-78.0	287	25.5	22.0-29.0
College Graduate	1346	182,392	1093	82.1	79.2-85.0	253	17.9	15.0-20.8
Less than \$15,000	234	36,353	122	49.0	38.6-59.4	112	51.0	40.6-61.4
\$15,000- 24,999	529	87,734	293	56.8	50.9-62.7	236	43.2	37.3-49.1
\$25,000- 34,999	364	64,950	239	69.1	62.2-76.0	125	30.9	24.0-37.8
\$35,000- 49,999	438	74,594	311	68.9	62.8-75.0	127	31.1	25.0-37.2
\$50,000- 74,999	485	88,393	362	70.1	63.8-76.4	123	29.9	23.6-36.2
\$75,000+	996	203,282	821	82.1	78.4-85.8	175	17.9	14.2-21.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1603	318,802	1162	72.3	69.2-75.4	441	27.7	24.6-30.8
White/Non-Hisp	1176	211,743	857	73.0	69.3-76.7	319	27.0	23.3-30.7
Black or Afr. Am./Non-Hisp	226	56,277	162	70.8	62.2-79.4	64	29.2	20.6-37.8
Hispanic	99	27,071	70	71.1	58.9-83.3	29	28.9	16.7-41.1
18-24	92	38,751	74	85.8	78.7-92.9	18	14.2	7.1-21.3
25-34	159	53,840	118	70.0	60.0-80.0	41	30.0	20.0-40.0
35-44	164	48,133	121	71.8	62.0-81.6	43	28.2	18.4-38.0
45-54	236	54,467	168	71.3	64.0-78.6	68	28.7	21.4-36.0
55-64	342	55,101	243	69.5	63.0-76.0	99	30.5	24.0-37.0
65+	592	65,794	423	69.4	64.1-74.7	169	30.6	25.3-35.9
Less Than H.S.	140	41,168	74	54.9	43.9-65.9	66	45.1	34.1-56.1
H.S. or G.E.D.	491	107,685	322	68.6	62.5-74.7	169	31.4	25.3-37.5
Some Post-H.S.	382	89,466	281	75.2	69.5-80.9	101	24.8	19.1-30.5
College Graduate	581	78,337	481	83.5	79.4-87.6	100	16.5	12.4-20.6
Less than \$15,000	76	11,776	41	55.2	39.1-71.3	35	44.8	28.7-60.9
\$15,000- 24,999	214	41,181	120	60.0	51.6-68.4	94	40.0	31.6-48.4
\$25,000- 34,999	161	34,896	110	69.7	59.1-80.3	51	30.3	19.7-40.9
\$35,000- 49,999	189	35,484	130	68.1	58.7-77.5	59	31.9	22.5-41.3
\$50,000- 74,999	219	41,259	169	70.6	61.0-80.2	50	29.4	19.8-39.0
\$75,000+	477	100,911	402	82.2	76.7-87.7	75	17.8	12.3-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
 GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2171	362,392	1464	69.1	66.2-72.0	707	30.9	28.0-33.8
White/Non-Hisp	1604	241,212	1098	71.5	68.4-74.6	506	28.5	25.4-31.6
Black or Afr. Am./Non-Hisp	329	72,059	214	65.0	57.4-72.6	115	35.0	27.4-42.6
Oth. Race/Non-Hisp.	59	15,619	41	75.2	61.3-89.1	18	24.8	10.9-38.7
Hispanic	120	23,710	64	50.5	39.1-61.9	56	49.5	38.1-60.9
18-24	102	41,170	80	70.7	57.4-84.0	22	29.3	16.0-42.6
25-34	191	55,302	146	75.0	66.6-83.4	45	25.0	16.6-33.4
35-44	198	53,842	138	75.7	69.2-82.2	60	24.3	17.8-30.8
45-54	343	61,678	246	72.2	66.1-78.3	97	27.8	21.7-33.9
55-64	463	62,753	310	63.4	57.5-69.3	153	36.6	30.7-42.5
65+	843	83,098	522	62.3	58.0-66.6	321	37.7	33.4-42.0
Less Than H.S.	182	42,227	84	48.9	37.9-59.9	98	51.1	40.1-62.1
H.S. or G.E.D.	627	101,202	360	59.4	53.7-65.1	267	40.6	34.9-46.3
Some Post-H.S.	589	113,921	403	74.0	69.3-78.7	186	26.0	21.3-30.7
College Graduate	765	104,055	612	81.1	77.2-85.0	153	18.9	15.0-22.8
Less than \$15,000	158	24,576	81	46.0	33.1-58.9	77	54.0	41.1-66.9
\$15,000- 24,999	315	46,553	173	54.0	45.8-62.2	142	46.0	37.8-54.2
\$25,000- 34,999	203	30,054	129	68.4	60.6-76.2	74	31.6	23.8-39.4
\$35,000- 49,999	249	39,109	181	69.6	61.6-77.6	68	30.4	22.4-38.4
\$50,000- 74,999	266	47,134	193	69.6	61.2-78.0	73	30.4	22.0-38.8
\$75,000+	519	102,370	419	82.0	77.1-86.9	100	18.0	13.1-22.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2422	445,635	513	25.6	23.1-28.1	1459	56.1	53.4-58.8	121	5.4	4.2- 6.6	42	1.3	0.7- 1.9	4	0.4	0.0- 1.0	283	11.2	9.4-13.0
Male	1073	213,815	267	29.8	25.7-33.9	555	45.2	41.1-49.3	91	9.3	6.9-11.7	17	1.6	0.6- 2.6	4	0.7	0.0- 1.7	139	13.4	10.5-16.3
Female	1349	231,820	246	21.8	18.7-24.9	904	66.1	62.6-69.6	30	1.9	0.9- 2.9	25	1.0	0.4- 1.6				144	9.1	7.1-11.1
White/Non-Hisp	1804	303,044	377	26.2	23.1-29.3	1085	56.0	52.7-59.3	77	4.5	3.1- 5.9	33	1.4	0.8- 2.0	3	0.5	0.0- 1.3	229	11.4	9.4-13.4
Black or Afr. Am./Non-Hisp	349	80,459	75	26.1	19.0-33.2	225	58.8	51.5-66.1	15	3.9	1.4- 6.4	5	1.2	0.0- 2.6				29	10.0	5.5-14.5
Oth. Race/Non-Hisp.	67	19,444	17	20.4	9.0-31.8	33	48.2	32.5-63.9	4	9.2	0.2-18.2	1	0.5	0.0- 1.5	1	1.0	0.0- 3.0	11	20.7	6.2-35.2
Hispanic	126	29,856	29	23.4	14.4-32.4	68	52.2	41.2-63.2	18	15.1	7.3-22.9	1	0.9	0.0- 2.7				10	8.4	2.3-14.5
18-24	141	57,024	69	53.6	43.0-64.2	41	25.9	16.7-35.1	13	9.0	3.5-14.5	2	1.4	0.0- 3.6				16	10.1	4.4-15.8
25-34	245	72,821	82	32.4	25.1-39.7	117	51.4	43.4-59.4	19	6.8	3.3-10.3	3	0.7	0.0- 1.7				24	8.7	4.2-13.2
35-44	243	70,410	74	28.2	21.5-34.9	127	52.4	44.6-60.2	12	5.3	2.0- 8.6	2	0.8	0.0- 2.0	2	1.8	0.0- 4.9	26	11.6	5.5-17.7
45-54	391	80,092	75	19.5	14.8-24.2	251	64.7	59.0-70.4	15	4.3	1.8- 6.8	5	1.0	0.0- 2.0				45	10.4	6.9-13.9
55-64	517	73,628	84	17.2	13.1-21.3	345	62.9	57.6-68.2	23	4.7	2.3- 7.1	9	2.0	0.4- 3.6				56	13.2	9.3-17.1
65+	853	87,092	121	12.8	10.1-15.5	561	68.7	64.8-72.6	39	4.1	2.5- 5.7	21	2.0	1.0- 3.0	2	0.3	0.0- 0.7	109	12.1	9.4-14.8
Less Than H.S.	151	41,839	21	20.4	10.2-30.6	105	62.5	51.7-73.3	11	7.9	3.0-12.8							14	9.2	3.7-14.7
H.S. or G.E.D.	629	125,947	118	24.0	18.7-29.3	399	58.9	53.4-64.4	32	5.5	3.1- 7.9	13	1.9	0.5- 3.3	1	0.1	0.0- 0.3	66	9.6	6.5-12.7
Some Post-H.S.	626	137,308	127	24.0	19.3-28.7	383	55.8	50.5-61.1	26	5.5	3.0- 8.0	8	0.8	0.2- 1.4	2	0.9	0.0- 2.5	80	13.0	9.3-16.7
College Graduate	1007	138,268	246	30.4	26.5-34.3	566	51.6	47.5-55.7	52	4.7	3.1- 6.3	21	1.7	0.7- 2.7	1	0.1	0.0- 0.3	121	11.5	9.0-14.0
Less than \$15,000	108	16,641	17	24.0	9.7-38.3	81	69.6	55.5-83.7	2	2.0	0.0- 4.9							8	4.4	0.7- 8.1
\$15,000- 24,999	272	46,351	44	21.7	13.9-29.5	183	62.2	54.2-70.2	11	4.3	1.4- 7.2	3	0.4	0.0- 0.8				31	11.5	6.8-16.2
\$25,000- 34,999	222	40,488	47	20.9	13.6-28.2	136	62.2	53.8-70.6	11	6.1	2.0-10.2	5	0.9	0.0- 1.9				23	10.0	5.3-14.7
\$35,000- 49,999	291	47,896	59	23.8	17.3-30.3	186	62.2	54.9-69.5	15	5.8	2.3- 9.3	4	1.4	0.0- 3.0	1	0.3	0.0- 0.9	26	6.6	3.7- 9.5
\$50,000- 74,999	332	57,878	64	22.9	16.6-29.2	205	60.7	53.3-68.1	18	4.5	2.0- 7.0	7	1.1	0.1- 2.1				38	10.8	5.7-15.9
\$75,000+	760	154,883	197	29.5	25.0-34.0	401	48.1	43.4-52.8	43	6.2	3.7- 8.7	16	1.8	0.8- 2.8	2	0.8	0.0- 2.2	101	13.5	10.0-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1073	213,815	267	29.8	25.7-33.9	555	45.2	41.1-49.3	91	9.3	6.9-11.7	17	1.6	0.6- 2.6	4	0.7	0.0- 1.7	139	13.4	10.5-16.3
White/Non-Hisp	790	143,679	192	29.6	24.9-34.3	423	47.1	42.4-51.8	57	7.5	5.1- 9.9	14	1.8	0.6- 3.0	3	1.0	0.0- 2.6	101	13.0	9.7-16.3
Black or Afr. Am./Non-Hisp	150	36,481	40	35.2	23.0-47.4	72	38.3	27.9-48.7	13	7.9	2.6-13.2	1	1.5	0.0- 4.4				24	17.0	8.4-25.6
Hispanic	68	18,621	20	27.4	14.9-39.9	27	40.5	25.4-55.6	14	21.9	9.9-33.9							7	10.2	1.4-19.0
18-24	68	30,327	35	56.9	42.6-71.2	11	13.0	4.8-21.2	11	14.4	5.0-23.8	1	1.8	0.0- 5.3				10	13.8	4.2-23.4
25-34	108	33,430	44	39.4	27.8-51.0	32	34.3	22.3-46.3	16	13.5	6.1-20.9	2	0.6	0.0- 1.4				14	12.2	4.0-20.4
35-44	117	33,217	46	37.3	26.9-47.7	40	35.2	24.6-45.8	10	7.8	2.7-12.9	2	1.7	0.0- 4.2	2	3.9	0.0-10.2	17	14.0	4.8-23.2
45-54	158	37,386	37	22.5	15.1-29.9	87	56.7	47.7-65.7	11	7.9	2.8-13.0	2	1.0	0.0- 2.6				21	11.8	5.9-17.7
55-64	225	35,938	41	18.5	12.2-24.8	134	54.4	46.2-62.6	17	7.9	3.2-12.6	5	3.0	0.1- 5.9				28	16.3	9.6-23.0
65+	384	41,364	56	12.0	8.1-15.9	246	66.4	60.5-72.3	26	6.1	3.4- 8.8	5	1.6	0.0- 3.2	2	0.7	0.0- 1.7	49	13.1	8.8-17.4
Less Than H.S.	72	21,951	14	28.4	12.1-44.7	38	43.4	28.9-57.9	10	14.4	5.4-23.4							10	13.8	4.4-23.2
H.S. or G.E.D.	300	70,192	70	29.4	22.0-36.8	168	48.5	40.7-56.3	24	8.5	4.4-12.6	4	1.9	0.0- 4.1	1	0.2	0.0- 0.6	33	11.5	6.2-16.8
Some Post-H.S.	258	60,040	53	24.7	17.3-32.1	137	45.0	37.2-52.8	19	9.5	4.6-14.4	6	1.5	0.1- 2.9	2	2.1	0.0- 5.6	41	17.2	10.7-23.7
College Graduate	439	60,221	129	35.7	29.6-41.8	209	41.8	35.9-47.7	38	8.2	5.3-11.1	7	2.1	0.3- 3.9	1	0.3	0.0- 0.9	55	12.0	8.1-15.9
\$15,000- 24,999	116	23,644	25	28.9	16.0-41.8	69	51.1	38.8-63.4	6	6.5	1.0-12.0							16	13.4	5.6-21.2
\$25,000- 34,999	104	21,569	23	21.5	11.1-31.9	53	53.2	40.5-65.9	10	10.7	3.3-18.1	1	0.5	0.0- 1.5				17	14.2	6.4-22.0
\$35,000- 49,999	118	21,879	31	31.6	20.4-42.8	63	48.8	37.2-60.4	12	11.7	4.3-19.1	2	1.8	0.0- 4.7	1	0.6	0.0- 1.8	9	5.5	1.6- 9.4
\$50,000- 74,999	154	27,209	31	26.7	16.9-36.5	91	51.8	40.6-63.0	15	8.1	3.0-13.2	2	0.9	0.0- 2.3				15	12.5	3.3-21.7
\$75,000+	372	77,761	104	30.6	24.1-37.1	169	39.5	33.0-46.0	30	9.2	5.1-13.3	10	2.6	0.8- 4.4	2	1.7	0.0- 4.4	57	16.5	10.8-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1349	231,820	246	21.8	18.7-24.9	904	66.1	62.6-69.6	30	1.9	0.9- 2.9	25	1.0	0.4- 1.6	144	9.1	7.1-11.1
White/Non-Hisp	1014	159,365	185	23.1	19.2-27.0	662	64.0	59.7-68.3	20	1.8	0.6- 3.0	19	1.0	0.4- 1.6	128	10.0	7.8-12.2
Black or Afr. Am./Non-Hisp	199	43,978	35	18.5	11.2-25.8	153	75.8	68.0-83.6	2	0.6	0.0- 1.4	4	1.0	0.0- 2.0	5	4.1	0.2- 8.0
Hispanic	58	11,235	9	16.7	5.1-28.3	41	71.6	58.3-84.9	4	4.0	0.0- 8.1	1	2.3	0.0- 6.8	3	5.4	0.0-11.9
18-24	73	26,697	34	49.9	34.8-65.0	30	40.5	25.4-55.6	2	2.8	0.0- 7.5	1	1.0	0.0- 3.0	6	5.8	0.7-10.9
25-34	137	39,391	38	26.4	17.4-35.4	85	66.0	56.4-75.6	3	1.1	0.0- 2.3	1	0.8	0.0- 2.4	10	5.8	1.9- 9.7
35-44	126	37,193	28	20.0	12.2-27.8	87	67.7	57.3-78.1	2	3.0	0.0- 7.1				9	9.4	1.4-17.4
45-54	233	42,706	38	16.8	10.7-22.9	164	71.7	64.6-78.8	4	1.2	0.0- 2.6	3	1.0	0.0- 2.2	24	9.2	4.9-13.5
55-64	292	37,690	43	15.9	10.6-21.2	211	71.1	64.6-77.6	6	1.6	0.2- 3.0	4	1.0	0.0- 2.2	28	10.3	6.2-14.4
65+	469	45,728	65	13.6	9.7-17.5	315	70.8	65.7-75.9	13	2.3	0.5- 4.1	16	2.3	1.1- 3.5	60	11.1	8.0-14.2
Less Than H.S.	79	19,888	7	11.6	2.8-20.4	67	83.5	73.5-93.5	1	0.8	0.0- 2.4				4	4.1	0.0- 8.4
H.S. or G.E.D.	329	55,755	48	17.2	10.5-23.9	231	72.0	64.9-79.1	8	1.7	0.1- 3.3	9	1.9	0.5- 3.3	33	7.2	4.3-10.1
Some Post-H.S.	368	77,268	74	23.4	17.5-29.3	246	64.1	57.4-70.8	7	2.4	0.0- 4.8	2	0.3	0.0- 0.7	39	9.8	5.5-14.1
College Graduate	568	78,047	117	26.3	21.0-31.6	357	59.1	53.4-64.8	14	1.9	0.5- 3.3	14	1.5	0.5- 2.5	66	11.2	7.7-14.7
Less than \$15,000	72	10,666	7	19.0	0.2-37.8	60	76.3	57.9-94.7							5	4.8	0.0- 9.9
\$15,000- 24,999	156	22,707	19	14.1	6.7-21.5	114	73.6	65.0-82.2	5	2.1	0.0- 4.3	3	0.7	0.0- 1.7	15	9.4	4.1-14.7
\$25,000- 34,999	118	18,919	24	20.2	10.2-30.2	83	72.4	61.8-83.0	1	0.8	0.0- 2.4	4	1.4	0.0- 3.0	6	5.2	0.3-10.1
\$35,000- 49,999	173	26,017	28	17.2	10.3-24.1	123	73.5	65.5-81.5	3	0.9	0.0- 1.9	2	1.0	0.0- 2.6	17	7.5	3.2-11.8
\$50,000- 74,999	178	30,669	33	19.4	11.8-27.0	114	68.7	59.7-77.7	3	1.3	0.0- 2.9	5	1.3	0.1- 2.5	23	9.4	4.5-14.3
\$75,000+	388	77,123	93	28.5	22.2-34.8	232	56.8	49.9-63.7	13	3.2	0.7- 5.7	6	1.0	0.0- 2.0	44	10.5	6.0-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2576	473,013	1108	44.9	42.2-47.6	741	26.0	23.8-28.2	313	14.0	12.0-16.0	112	4.4	3.2- 5.6	302	10.7	8.9-12.5
Male	1141	227,218	483	44.9	40.8-49.0	312	23.6	20.5-26.7	160	16.5	13.2-19.8	49	4.8	3.0- 6.6	137	10.2	7.7-12.7
Female	1435	245,795	625	44.9	41.2-48.6	429	28.3	25.2-31.4	153	11.7	9.2-14.2	63	4.0	2.6- 5.4	165	11.1	8.7-13.5
White/Non-Hisp	1923	323,561	804	42.8	39.7-45.9	579	27.1	24.6-29.6	223	13.6	11.1-16.1	81	4.3	2.9- 5.7	236	12.2	9.8-14.6
Black or Afr. Am./Non-Hisp	367	84,183	170	49.7	42.6-56.8	94	23.8	17.9-29.7	47	14.4	9.7-19.1	15	4.2	1.5- 6.9	41	7.9	4.8-11.0
Oth. Race/Non-Hisp.	70	19,905	32	50.4	34.9-65.9	22	32.1	18.2-46.0	7	5.6	1.1-10.1	3	3.2	0.0- 7.7	6	8.7	0.0-18.1
Hispanic	131	30,878	66	53.9	43.3-64.5	31	18.8	11.2-26.4	21	17.1	8.5-25.7	6	5.2	0.5- 9.9	7	5.0	0.9- 9.1
18-24	151	61,740	76	48.7	38.5-58.9	37	21.5	14.1-28.9	23	20.7	11.5-29.9	6	2.3	0.3- 4.3	9	6.8	0.9-12.7
25-34	261	77,736	126	47.4	39.6-55.2	62	20.1	14.0-26.2	39	16.9	10.8-23.0	9	4.1	1.2- 7.0	25	11.5	5.6-17.4
35-44	257	74,971	130	52.9	45.3-60.5	60	22.8	16.7-28.9	31	10.4	6.3-14.5	10	5.1	0.8- 9.4	26	8.8	4.9-12.7
45-54	407	81,796	177	44.6	38.7-50.5	114	25.0	20.1-29.9	49	13.4	9.1-17.7	19	4.9	2.4- 7.4	48	12.0	7.9-16.1
55-64	544	77,114	219	39.2	34.1-44.3	169	32.8	27.9-37.7	68	12.6	9.1-16.1	20	3.8	1.8- 5.8	68	11.6	8.3-14.9
65+	921	94,845	364	39.8	35.7-43.9	291	31.7	28.0-35.4	99	11.5	8.8-14.2	46	5.5	3.5- 7.5	121	11.4	9.0-13.8
Less Than H.S.	155	42,481	65	48.2	37.2-59.2	51	28.6	19.6-37.6	25	12.7	6.4-19.0	3	2.4	0.0- 5.1	11	8.2	2.9-13.5
H.S. or G.E.D.	661	130,817	264	40.4	35.3-45.5	196	26.8	22.3-31.3	90	17.9	13.0-22.8	29	5.2	2.5- 7.9	82	9.7	6.6-12.8
Some Post-H.S.	673	149,634	280	43.4	38.3-48.5	175	22.9	19.0-26.8	91	15.9	12.2-19.6	36	5.2	3.0- 7.4	91	12.5	8.8-16.2
College Graduate	1079	147,848	493	49.4	45.3-53.5	318	28.0	24.5-31.5	107	9.2	7.0-11.4	44	3.4	2.0- 4.8	117	9.9	7.4-12.4
Less than \$15,000	119	17,616	48	40.5	28.2-52.8	37	39.3	26.0-52.6	18	8.8	3.9-13.7	2	0.9	0.0- 2.3	14	10.6	3.2-18.0
\$15,000- 24,999	283	48,586	108	42.2	34.4-50.0	84	25.6	19.5-31.7	34	14.5	9.0-20.0	15	5.3	1.8- 8.8	42	12.5	7.8-17.2
\$25,000- 34,999	236	44,374	99	47.0	38.0-56.0	70	27.8	20.4-35.2	34	15.2	9.3-21.1	8	1.6	0.0- 3.8	25	8.5	4.2-12.8
\$35,000- 49,999	308	50,912	116	40.4	33.0-47.8	103	30.4	23.7-37.1	38	12.1	7.4-16.8	15	6.1	2.6- 9.6	36	11.0	4.7-17.3
\$50,000- 74,999	356	60,925	153	39.1	32.2-46.0	93	24.2	18.1-30.3	42	18.0	10.9-25.1	20	6.3	2.8- 9.8	48	12.4	7.1-17.7
\$75,000+	813	164,914	389	47.7	43.0-52.4	214	24.6	20.9-28.3	90	12.6	9.3-15.9	33	4.4	2.2- 6.6	87	10.7	7.8-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1141	227,218	483	44.9	40.8-49.0	312	23.6	20.5-26.7	160	16.5	13.2-19.8	49	4.8	3.0-6.6	137	10.2	7.7-12.7
White/Non-Hisp	841	152,363	347	43.5	38.8-48.2	239	24.7	21.0-28.4	112	15.6	11.7-19.5	33	4.3	2.1-6.5	110	12.0	8.7-15.3
Black or Afr. Am./Non-Hisp	159	39,057	67	47.8	36.6-59.0	47	24.2	15.8-32.6	21	15.4	7.8-23.0	5	4.0	0.0-8.1	19	8.7	3.8-13.6
Hispanic	70	19,254	41	58.2	43.7-72.7	11	11.9	3.7-20.1	13	21.9	9.2-34.6	4	7.4	0.0-14.8	1	0.6	0.0-1.8
18-24	71	32,648	36	50.1	35.4-64.8	18	20.8	10.6-31.0	13	23.2	9.7-36.7	2	1.2	0.0-3.0	2	4.7	0.0-12.3
25-34	117	37,451	55	48.4	36.6-60.2	23	12.1	6.0-18.2	21	20.5	10.7-30.3	5	6.0	0.7-11.3	13	13.0	3.8-22.2
35-44	121	34,550	58	49.4	38.2-60.6	25	19.9	11.7-28.1	19	14.7	7.6-21.8	5	6.3	0.0-14.1	14	9.7	4.0-15.4
45-54	165	38,387	70	43.0	34.2-51.8	45	24.1	16.8-31.4	23	16.7	9.4-24.0	9	7.1	2.2-12.0	18	9.1	4.2-14.0
55-64	240	37,828	93	41.8	33.8-49.8	80	31.7	24.4-39.0	34	12.0	7.1-16.9	5	2.2	0.0-4.4	28	12.3	6.4-18.2
65+	413	44,141	165	40.1	34.0-46.2	118	29.8	24.1-35.5	47	12.9	8.6-17.2	22	5.5	3.0-8.0	61	11.7	8.4-15.0
Less Than H.S.	73	22,125	35	52.5	37.6-67.4	19	19.7	9.7-29.7	14	18.6	7.6-29.6	3	4.5	0.0-9.8	2	4.7	0.0-11.0
H.S. or G.E.D.	314	72,524	122	41.2	33.9-48.5	91	25.3	19.2-31.4	48	18.2	11.3-25.1	13	5.5	1.2-9.8	40	9.8	5.1-14.5
Some Post-H.S.	276	66,550	110	44.4	36.2-52.6	75	20.5	15.0-26.0	39	18.9	12.2-25.6	13	4.8	1.7-7.9	39	11.4	6.5-16.3
College Graduate	475	64,648	214	47.3	41.2-53.4	127	26.6	21.3-31.9	59	11.8	8.1-15.5	20	4.2	2.0-6.4	55	10.1	6.4-13.8
\$15,000- 24,999	117	24,020	49	47.7	35.5-59.9	30	21.9	12.9-30.9	19	19.2	9.8-28.6	5	3.9	0.0-7.8	14	7.3	2.4-12.2
\$25,000- 34,999	108	24,003	47	53.1	40.0-66.2	30	20.8	12.0-29.6	17	15.1	6.5-23.7	3	2.1	0.0-5.8	11	8.9	2.4-15.4
\$35,000- 49,999	128	23,712	48	38.8	27.4-50.2	41	27.3	17.5-37.1	20	15.8	7.6-24.0	7	7.3	1.2-13.4	12	10.8	0.4-21.2
\$50,000- 74,999	167	28,907	63	36.7	26.9-46.5	50	24.1	16.1-32.1	22	19.1	9.3-28.9	8	6.4	0.5-12.3	24	13.8	4.6-23.0
\$75,000+	398	82,059	187	46.7	40.0-53.4	95	21.9	16.8-27.0	52	15.5	10.0-21.0	17	5.3	1.6-9.0	47	10.5	6.6-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1435	245,795	625	44.9	41.2-48.6	429	28.3	25.2-31.4	153	11.7	9.2-14.2	63	4.0	2.6- 5.4	165	11.1	8.7-13.5
White/Non-Hisp	1082	171,198	457	42.3	38.0-46.6	340	29.2	25.5-32.9	111	11.9	8.8-15.0	48	4.3	2.7- 5.9	126	12.3	9.2-15.4
Black or Afr. Am./Non-Hisp	208	45,126	103	51.3	42.3-60.3	47	23.4	15.2-31.6	26	13.6	7.7-19.5	10	4.4	0.9- 7.9	22	7.3	3.2-11.4
Hispanic	61	11,624	25	46.8	31.9-61.7	20	30.2	16.5-43.9	8	9.1	2.4-15.8	2	1.7	0.0- 4.1	6	12.2	1.8-22.6
18-24	80	29,092	40	47.1	33.0-61.2	19	22.3	11.1-33.5	10	18.0	5.7-30.3	4	3.4	0.0- 7.1	7	9.2	0.6-17.8
25-34	144	40,285	71	46.4	36.0-56.8	39	27.6	18.0-37.2	18	13.5	6.2-20.8	4	2.3	0.0- 5.0	12	10.1	2.8-17.4
35-44	136	40,421	72	55.8	45.4-66.2	35	25.3	16.5-34.1	12	6.8	2.3-11.3	5	4.0	0.0- 8.1	12	8.1	2.4-13.8
45-54	242	43,409	107	46.1	38.1-54.1	69	25.8	19.1-32.5	26	10.5	5.8-15.2	10	3.0	0.8- 5.2	30	14.6	8.1-21.1
55-64	304	39,286	126	36.7	30.2-43.2	89	33.7	26.8-40.6	34	13.2	8.3-18.1	15	5.4	2.1- 8.7	40	10.9	7.2-14.6
65+	508	50,704	199	39.6	34.1-45.1	173	33.4	28.3-38.5	52	10.3	6.8-13.8	24	5.5	2.6- 8.4	60	11.2	7.9-14.5
Less Than H.S.	82	20,356	30	43.6	27.3-59.9	32	38.1	23.4-52.8	11	6.2	1.9-10.5				9	12.0	3.4-20.6
H.S. or G.E.D.	347	58,292	142	39.5	32.4-46.6	105	28.8	22.1-35.5	42	17.5	10.2-24.8	16	4.8	1.9- 7.7	42	9.4	5.5-13.3
Some Post-H.S.	397	83,083	170	42.7	36.2-49.2	100	24.8	19.3-30.3	52	13.5	9.4-17.6	23	5.6	2.9- 8.3	52	13.5	8.2-18.8
College Graduate	604	83,201	279	51.1	45.6-56.6	191	29.2	24.3-34.1	48	7.1	4.6- 9.6	24	2.9	1.3- 4.5	62	9.7	6.4-13.0
Less than \$15,000	79	11,196	31	37.1	22.4-51.8	24	41.5	24.4-58.6	16	13.1	5.5-20.7	2	1.4	0.0- 3.6	6	7.0	0.5-13.5
\$15,000- 24,999	166	24,566	59	36.9	27.5-46.3	54	29.2	21.0-37.4	15	9.8	4.1-15.5	10	6.6	0.9-12.3	28	17.5	9.9-25.1
\$25,000- 34,999	128	20,371	52	39.8	28.6-51.0	40	36.1	24.7-47.5	17	15.4	7.2-23.6	5	0.9	0.1- 1.7	14	8.0	2.9-13.1
\$35,000- 49,999	180	27,200	68	41.8	32.4-51.2	62	33.1	24.1-42.1	18	9.0	3.7-14.3	8	5.0	1.1- 8.9	24	11.1	3.8-18.4
\$50,000- 74,999	189	32,018	90	41.4	31.6-51.2	43	24.3	15.1-33.5	20	17.0	6.8-27.2	12	6.2	2.1-10.3	24	11.2	5.3-17.1
\$75,000+	415	82,855	202	48.7	42.2-55.2	119	27.3	21.8-32.8	38	9.6	6.1-13.1	16	3.5	1.3- 5.7	40	10.9	6.4-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2600	475,915	1032	36.9	34.4-39.4	371	13.7	11.9-15.5	20	1.0	0.2- 1.8	756	31.3	28.8-33.8	258	10.5	8.7-12.3	163	6.6	5.0- 8.2
Male	1150	228,259	405	31.5	28.0-35.0	169	13.4	11.0-15.8	9	1.0	0.2- 1.8	337	31.7	27.8-35.6	138	13.7	10.8-16.6	92	8.7	6.2-11.2
Female	1450	247,656	627	41.8	38.3-45.3	202	14.0	11.5-16.5	11	1.0	0.0- 2.2	419	30.9	27.6-34.2	120	7.6	5.8- 9.4	71	4.6	2.8- 6.4
White/Non-Hisp	1939	324,776	786	38.9	35.8-42.0	279	14.0	11.8-16.2	15	0.6	0.2- 1.0	559	31.0	28.1-33.9	172	8.8	7.0-10.6	128	6.7	4.9- 8.5
Black or Afr. Am./Non-Hisp	370	85,276	145	32.9	26.8-39.0	46	11.5	7.2-15.8	1	0.1	0.0- 0.3	103	30.9	24.2-37.6	50	15.4	9.9-20.9	25	9.2	4.7-13.7
Oth. Race/Non-Hisp.	70	19,905	23	30.0	15.7-44.3	10	7.8	1.9-13.7	2	9.1	0.0-22.2	27	42.0	26.9-57.1	6	9.2	1.0-17.4	2	2.0	0.0- 4.9
Hispanic	132	30,941	41	30.8	21.4-40.2	23	18.8	10.4-27.2	2	2.9	0.0- 6.8	46	31.2	21.0-41.4	18	13.6	6.5-20.7	2	2.7	0.0- 7.4
18-24	152	61,909	45	29.9	20.5-39.3	12	6.7	2.6-10.8	1	0.8	0.0- 2.4	50	32.2	22.6-41.8	32	20.6	12.4-28.8	12	9.9	3.4-16.4
25-34	262	78,238	82	32.5	25.2-39.8	39	11.7	7.0-16.4				102	39.6	32.0-47.2	25	8.8	4.1-13.5	14	7.4	2.5-12.3
35-44	257	74,971	95	35.9	28.8-43.0	48	19.1	13.2-25.0	3	2.5	0.0- 6.2	82	31.3	24.0-38.6	24	7.6	4.1-11.1	5	3.6	0.0- 7.5
45-54	410	82,360	151	35.1	29.4-40.8	67	17.1	12.8-21.4	5	1.8	0.0- 3.6	121	30.5	25.0-36.0	45	10.3	7.0-13.6	21	5.2	2.5- 7.9
55-64	547	77,301	241	39.9	34.8-45.0	60	12.2	8.5-15.9	4	0.4	0.0- 0.8	152	30.4	25.5-35.3	52	9.8	6.7-12.9	38	7.3	4.4-10.2
65+	935	96,012	403	44.4	40.3-48.5	141	14.5	11.8-17.2	7	0.6	0.0- 1.2	238	25.4	21.7-29.1	75	8.1	5.9-10.3	71	7.0	5.0- 9.0
Less Than H.S.	157	42,786	65	41.1	30.5-51.7	11	8.0	2.7-13.3	3	3.1	0.0- 6.6	35	24.3	14.3-34.3	21	11.6	5.7-17.5	22	11.9	5.2-18.6
H.S. or G.E.D.	670	131,888	269	35.6	30.7-40.5	73	12.0	8.7-15.3	4	0.6	0.0- 1.4	204	32.7	27.6-37.8	67	10.5	7.2-13.8	53	8.5	5.2-11.8
Some Post-H.S.	678	150,693	274	36.8	32.1-41.5	99	13.1	10.0-16.2	4	1.0	0.0- 2.8	175	28.8	24.3-33.3	85	13.3	9.6-17.0	41	6.9	3.8-10.0
College Graduate	1086	148,275	420	36.4	32.5-40.3	187	17.7	14.6-20.8	9	0.6	0.0- 1.2	341	35.0	31.1-38.9	84	7.3	5.3- 9.3	45	3.0	2.0- 4.0
Less than \$15,000	121	17,730	40	27.3	16.3-38.3	9	6.7	1.6-11.8	1	0.4	0.0- 1.2	41	33.8	22.2-45.4	14	10.3	3.8-16.8	16	21.4	8.3-34.5
\$15,000- 24,999	289	49,084	138	47.2	39.6-54.8	24	7.8	3.9-11.7	2	1.1	0.0- 2.9	72	24.4	18.1-30.7	31	13.6	6.9-20.3	22	5.9	2.8- 9.0
\$25,000- 34,999	238	44,682	93	32.7	25.1-40.3	34	14.8	8.5-21.1	1	0.0	0.0- 0.0	68	30.3	21.9-38.7	28	16.3	8.5-24.1	14	5.9	2.2- 9.6
\$35,000- 49,999	309	51,173	137	42.4	35.0-49.8	33	10.6	5.7-15.5	2	1.3	0.0- 3.3	96	30.3	23.6-37.0	30	10.7	6.2-15.2	11	4.7	0.0- 9.8
\$50,000- 74,999	358	61,118	145	37.8	30.5-45.1	55	14.6	9.9-19.3	4	0.4	0.0- 1.0	107	33.8	26.4-41.2	27	7.3	4.0-10.6	20	6.1	1.8-10.4
\$75,000+	815	165,131	289	32.2	28.1-36.3	148	18.0	14.5-21.5	5	1.2	0.0- 3.0	267	35.4	30.9-39.9	73	8.3	5.8-10.8	33	4.9	2.5- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1150	228,259	405	31.5	28.0-35.0	169	13.4	11.0-15.8	9	1.0	0.2- 1.8	337	31.7	27.8-35.6	138	13.7	10.8-16.6	92	8.7	6.2-11.2
White/Non-Hisp	847	153,033	317	34.4	30.1-38.7	122	13.5	10.6-16.4	6	0.6	0.0- 1.2	247	31.5	27.0-36.0	82	9.9	7.0-12.8	73	10.0	6.7-13.3
Black or Afr. Am./Non-Hisp	161	39,365	49	24.6	16.4-32.8	23	10.5	5.2-15.8				43	30.3	19.3-41.3	33	26.4	16.0-36.8	13	8.2	2.7-13.7
Hispanic	70	19,254	15	21.1	10.1-32.1	13	19.9	8.3-31.5	2	4.7	0.0-11.0	26	33.1	18.8-47.4	13	17.4	7.0-27.8	1	3.9	0.0-11.3
18-24	72	32,816	19	22.5	10.9-34.1	4	5.0	0.0-10.3	1	1.5	0.0- 4.4	23	34.4	20.1-48.7	19	25.8	13.3-38.3	6	10.7	1.3-20.1
25-34	117	37,451	30	26.9	16.9-36.9	17	10.2	4.3-16.1				45	38.8	27.2-50.4	18	15.2	6.0-24.4	7	9.0	1.4-16.6
35-44	121	34,550	38	31.3	21.5-41.1	23	17.1	9.8-24.4	1	1.2	0.0- 3.6	38	32.6	21.8-43.4	18	12.8	5.9-19.7	3	5.1	0.0-12.7
45-54	166	38,428	53	32.3	23.9-40.7	28	18.6	11.5-25.7	3	2.7	0.0- 6.0	50	28.3	20.5-36.1	19	9.8	4.9-14.7	13	8.3	3.0-13.6
55-64	240	37,828	93	33.1	26.0-40.2	27	13.2	7.5-18.9	1	0.1	0.0- 0.3	67	30.6	23.2-38.0	28	12.7	7.4-18.0	24	10.3	5.2-15.4
65+	419	44,909	166	39.6	33.7-45.5	69	15.7	11.6-19.8	3	0.5	0.0- 1.1	109	27.3	21.4-33.2	34	7.8	4.7-10.9	38	9.1	5.6-12.6
Less Than H.S.	73	22,125	22	27.7	15.4-40.0	6	8.5	1.4-15.6	3	6.0	0.0-12.7	21	33.6	17.5-49.7	12	14.1	4.7-23.5	9	10.0	2.7-17.3
H.S. or G.E.D.	318	73,207	107	31.0	24.1-37.9	39	12.5	8.0-17.0	2	0.8	0.0- 2.2	94	31.1	23.8-38.4	45	13.7	9.0-18.4	31	10.9	5.8-16.0
Some Post-H.S.	277	66,664	102	31.6	24.7-38.5	46	13.6	9.1-18.1	1	0.1	0.0- 0.3	69	27.1	20.0-34.2	41	18.3	11.0-25.6	18	9.3	3.4-15.2
College Graduate	478	64,852	173	32.8	27.3-38.3	78	16.3	12.0-20.6	3	0.3	0.0- 0.7	152	37.0	31.1-42.9	39	8.4	5.1-11.7	33	5.2	3.0- 7.4
\$15,000- 24,999	119	24,219	52	40.8	29.4-52.2	7	5.9	0.8-11.0	2	2.2	0.0- 5.7	32	25.9	16.1-35.7	18	19.6	7.6-31.6	8	5.6	0.3-10.9
\$25,000- 34,999	110	24,310	37	26.6	16.2-37.0	14	12.9	4.7-21.1				34	33.6	20.7-46.5	15	20.0	7.3-32.7	10	6.9	1.8-12.0
\$35,000- 49,999	128	23,937	44	30.3	20.1-40.5	19	11.7	5.0-18.4	1	2.0	0.0- 5.9	37	29.3	18.7-39.9	19	17.4	8.8-26.0	8	9.3	0.0-19.9
\$50,000- 74,999	168	28,971	63	30.7	21.9-39.5	30	18.8	11.0-26.6	3	0.8	0.0- 1.8	48	30.6	20.0-41.2	11	8.5	2.8-14.2	13	10.6	2.0-19.2
\$75,000+	398	82,059	132	30.8	24.9-36.7	68	15.6	11.3-19.9				129	35.2	28.5-41.9	45	10.7	6.6-14.8	24	7.8	3.3-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1450	247,656	627	41.8	38.3-45.3	202	14.0	11.5-16.5	11	1.0	0.0- 2.2	419	30.9	27.6-34.2	120	7.6	5.8- 9.4	71	4.6	2.8- 6.4
White/Non-Hisp	1092	171,743	469	42.8	38.5-47.1	157	14.5	11.6-17.4	9	0.6	0.0- 1.2	312	30.6	26.7-34.5	90	7.7	5.5- 9.9	55	3.8	2.4- 5.2
Black or Afr. Am./Non-Hisp	209	45,911	96	39.9	31.5-48.3	23	12.5	6.2-18.8	1	0.1	0.0- 0.3	60	31.4	23.2-39.6	17	6.0	2.5- 9.5	12	10.0	2.9-17.1
Hispanic	62	11,687	26	46.7	31.8-61.6	10	17.0	5.2-28.8				20	28.1	15.6-40.6	5	7.5	0.2-14.8	1	0.7	0.0- 2.1
18-24	80	29,092	26	38.1	23.6-52.6	8	8.5	1.8-15.2				27	29.6	17.6-41.6	13	14.8	4.6-25.0	6	8.9	0.5-17.3
25-34	145	40,786	52	37.8	27.6-48.0	22	13.2	6.1-20.3				57	40.3	30.3-50.3	7	2.9	0.4- 5.4	7	5.9	0.0-11.8
35-44	136	40,421	57	39.9	29.9-49.9	25	20.7	11.7-29.7	2	3.5	0.0-10.0	44	30.3	20.9-39.7	6	3.1	0.4- 5.8	2	2.4	0.0- 5.9
45-54	244	43,932	98	37.6	30.0-45.2	39	15.8	10.3-21.3	2	1.0	0.0- 2.8	71	32.4	24.8-40.0	26	10.7	6.0-15.4	8	2.4	0.2- 4.6
55-64	307	39,473	148	46.5	39.6-53.4	33	11.2	6.5-15.9	3	0.6	0.0- 1.6	85	30.2	23.5-36.9	24	7.0	3.9-10.1	14	4.5	2.0- 7.0
65+	516	51,103	237	48.6	43.1-54.1	72	13.4	9.9-16.9	4	0.7	0.0- 1.5	129	23.8	19.3-28.3	41	8.5	5.4-11.6	33	5.1	2.9- 7.3
Less Than H.S.	84	20,662	43	55.4	40.3-70.5	5	7.5	0.0-15.1				14	14.2	5.8-22.6	9	8.9	2.4-15.4	13	13.9	2.7-25.1
H.S. or G.E.D.	352	58,681	162	41.4	34.1-48.7	34	11.3	6.6-16.0	2	0.4	0.0- 1.0	110	34.8	27.7-41.9	22	6.6	2.1-11.1	22	5.6	1.5- 9.7
Some Post-H.S.	401	84,029	172	41.0	34.5-47.5	53	12.6	8.3-16.9	3	1.8	0.0- 4.9	106	30.2	24.1-36.3	44	9.3	6.0-12.6	23	5.0	2.5- 7.5
College Graduate	608	83,423	247	39.2	33.9-44.5	109	18.9	14.2-23.6	6	0.9	0.0- 1.9	189	33.4	28.1-38.7	45	6.4	4.0- 8.8	12	1.3	0.5- 2.1
Less than \$15,000	80	11,233	29	30.7	16.8-44.6	5	5.6	0.0-11.7	1	0.6	0.0- 1.8	26	32.4	18.3-46.5	10	12.4	3.2-21.6	9	18.4	1.3-35.5
\$15,000- 24,999	170	24,865	86	53.4	43.8-63.0	17	9.7	3.6-15.8				40	23.0	15.0-31.0	13	7.7	2.4-13.0	14	6.1	2.2-10.0
\$25,000- 34,999	128	20,371	56	40.0	29.0-51.0	20	17.0	7.6-26.4	1	0.1	0.0- 0.3	34	26.3	16.1-36.5	13	11.7	4.3-19.1	4	4.8	0.0-10.5
\$35,000- 49,999	181	27,237	93	53.1	43.5-62.7	14	9.7	2.8-16.6	1	0.7	0.0- 2.1	59	31.2	22.6-39.8	11	4.7	1.6- 7.8	3	0.7	0.0- 1.5
\$50,000- 74,999	190	32,147	82	44.1	33.7-54.5	25	10.9	5.6-16.2	1	0.1	0.0- 0.3	59	36.7	26.5-46.9	16	6.1	2.6- 9.6	7	2.0	0.4- 3.6
\$75,000+	417	83,072	157	33.6	27.7-39.5	80	20.4	15.1-25.7	5	2.4	0.0- 5.7	138	35.6	29.3-41.9	28	5.9	3.2- 8.6	9	2.1	0.3- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1213	227,683	392	35.4	31.5-39.3	337	25.3	22.0-28.6	87	6.6	4.8- 8.4	61	5.6	3.6- 7.6	13	1.3	0.1- 2.5	323	25.8	22.5-29.1
Male	582	117,596	192	36.0	30.3-41.7	155	23.1	18.4-27.8	58	9.5	6.4-12.6	29	5.0	2.6- 7.4	6	1.8	0.0- 4.2	142	24.6	19.7-29.5
Female	631	110,087	200	34.8	29.7-39.9	182	27.7	23.0-32.4	29	3.5	1.7- 5.3	32	6.2	3.3- 9.1	7	0.8	0.2- 1.4	181	27.1	22.4-31.8
White/Non-Hisp	918	160,321	270	32.7	28.2-37.2	264	26.7	22.6-30.8	64	5.7	3.9- 7.5	47	5.6	3.6- 7.6	12	1.8	0.0- 3.6	261	27.5	23.4-31.6
Black or Afr. Am./Non-Hisp	159	37,337	69	42.0	32.2-51.8	33	20.2	11.8-28.6	13	7.9	2.6-13.2	8	7.3	0.4-14.2				36	22.5	14.3-30.7
Hispanic	65	16,120	27	44.2	28.7-59.7	16	20.0	9.2-30.8	9	17.4	4.1-30.7	3	3.5	0.0- 8.0				10	14.9	4.7-25.1
18-24	96	34,026	43	44.2	31.9-56.5	15	16.2	7.4-25.0	4	5.4	0.0-11.1	6	6.3	0.6-12.0	2	0.8	0.0- 2.0	26	27.0	15.2-38.8
25-34	131	38,461	60	46.8	35.4-58.2	28	17.7	10.1-25.3	12	8.2	1.9-14.5	4	5.5	0.0-12.0	1	3.6	0.0-10.5	26	18.3	10.7-25.9
35-44	132	41,142	48	35.2	25.2-45.2	34	30.1	19.7-40.5	8	4.6	1.1- 8.1	6	3.4	0.5- 6.3				36	26.7	17.5-35.9
45-54	189	37,807	65	35.7	27.5-43.9	55	29.8	21.8-37.8	10	5.6	1.7- 9.5	13	7.2	3.1-11.3	2	0.6	0.0- 1.6	44	21.1	14.0-28.2
55-64	251	34,425	75	27.1	20.2-34.0	80	30.6	23.5-37.7	13	6.0	1.7-10.3	12	6.6	1.9-11.3	4	1.3	0.0- 2.7	67	28.4	21.3-35.5
65+	400	40,205	97	23.8	17.9-29.7	119	26.4	21.1-31.7	40	9.8	6.3-13.3	20	5.0	2.1- 7.9	4	1.5	0.0- 3.1	120	33.4	27.3-39.5
Less Than H.S.	52	14,120	21	35.4	19.9-50.9	11	21.0	7.7-34.3	9	20.0	5.3-34.7	4	13.7	0.0-29.0				7	10.0	2.2-17.8
H.S. or G.E.D.	265	56,031	88	34.7	26.5-42.9	73	25.6	18.0-33.2	26	9.4	4.7-14.1	11	5.0	1.7- 8.3	6	3.8	0.0- 8.7	61	21.5	14.4-28.6
Some Post-H.S.	317	76,082	102	35.6	28.5-42.7	81	22.2	16.3-28.1	16	3.9	1.5- 6.3	14	4.7	1.8- 7.6	1	0.2	0.0- 0.6	103	33.4	26.5-40.3
College Graduate	578	81,425	181	35.8	30.3-41.3	171	28.7	23.8-33.6	36	4.8	2.8- 6.8	32	5.4	2.9- 7.9	6	0.9	0.1- 1.7	152	24.4	19.9-28.9
\$15,000- 24,999	113	19,005	35	30.7	19.7-41.7	30	20.5	12.3-28.7	15	12.9	5.5-20.3	7	6.8	1.3-12.3	1	0.6	0.0- 1.8	25	28.5	17.3-39.7
\$25,000- 34,999	94	20,008	36	53.5	38.6-68.4	21	10.4	4.1-16.7	7	11.0	0.4-21.6	5	7.1	0.0-14.4	2	1.8	0.0- 4.5	23	16.2	7.8-24.6
\$35,000- 49,999	129	25,216	45	34.8	24.0-45.6	29	18.4	10.4-26.4	7	5.3	0.4-10.2	4	2.2	0.0- 4.9				44	39.3	27.3-51.3
\$50,000- 74,999	168	29,059	50	29.7	20.3-39.1	51	21.4	14.0-28.8	7	2.4	0.2- 4.6	8	7.9	1.2-14.6	1	4.7	0.0-13.5	51	33.8	23.4-44.2
\$75,000+	482	94,381	149	32.0	26.3-37.7	137	31.1	25.2-37.0	37	6.2	3.5- 8.9	23	3.7	1.9- 5.5	7	1.0	0.2- 1.8	129	25.9	20.6-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	582	117,596	192	36.0	30.3-41.7	155	23.1	18.4-27.8	58	9.5	6.4-12.6	29	5.0	2.6- 7.4	6	1.8	0.0- 4.2	142	24.6	19.7-29.5
White/Non-Hisp	433	82,455	132	32.9	26.2-39.6	120	25.2	19.3-31.1	40	7.9	4.8-11.0	20	4.6	2.1- 7.1	6	2.6	0.0- 5.9	115	26.8	20.7-32.9
Black or Afr. Am./Non-Hisp	79	17,939	30	37.5	24.2-50.8	17	21.8	10.4-33.2	12	14.0	4.4-23.6	6	8.1	0.1-16.1				14	18.6	7.8-29.4
25-34	66	20,302	30	50.4	33.9-66.9	8	6.1	1.2-11.0	9	13.5	2.3-24.7	2	1.5	0.0- 3.7	1	6.7	0.0-19.2	16	21.8	9.6-34.0
35-44	61	19,213	21	31.9	17.2-46.6	17	36.3	19.6-53.0	5	5.3	0.0-10.6	3	3.3	0.0- 7.4				15	23.1	11.1-35.1
45-54	82	18,302	25	31.7	19.9-43.5	29	36.1	23.8-48.4	6	6.6	0.7-12.5	5	6.3	0.6-12.0	1	0.6	0.0- 2.0	16	18.6	9.6-27.6
55-64	111	17,595	39	28.7	18.5-38.9	32	28.7	17.7-39.7	8	9.6	1.8-17.4	5	7.5	0.0-15.3	1	0.8	0.0- 2.4	26	24.6	14.6-34.6
65+	209	22,367	53	26.2	18.0-34.4	61	25.9	18.6-33.2	26	11.8	6.7-16.9	11	5.7	1.0-10.4	3	2.3	0.0- 5.2	55	28.0	20.4-35.6
H.S. or G.E.D.	137	35,255	46	34.2	22.6-45.8	33	21.8	12.2-31.4	16	9.8	3.5-16.1	7	6.0	0.9-11.1	2	4.6	0.0-12.0	33	23.5	13.3-33.7
Some Post-H.S.	137	35,143	45	37.3	26.3-48.3	33	21.1	11.9-30.3	8	5.2	0.9- 9.5	3	3.4	0.0- 7.5	1	0.4	0.0- 1.2	47	32.5	22.1-42.9
College Graduate	280	38,774	88	34.8	27.2-42.4	88	29.3	22.4-36.2	27	8.7	4.8-12.6	16	4.5	2.0- 7.0	3	0.9	0.0- 2.1	58	21.8	15.7-27.9
\$15,000- 24,999	56	10,482	21	36.2	19.9-52.5	8	9.1	2.4-15.8	9	14.3	3.9-24.7	3	3.8	0.0- 8.5				15	36.6	19.9-53.3
\$35,000- 49,999	59	13,196	18	33.7	17.8-49.6	11	12.5	2.5-22.5	6	9.4	0.2-18.6	2	2.7	0.0- 7.4				22	41.7	23.7-59.7
\$50,000- 74,999	79	13,283	23	26.3	13.4-39.2	22	19.0	8.6-29.4	3	1.8	0.0- 4.0	2	4.7	0.0-12.7	1	10.3	0.0-28.7	28	37.8	22.5-53.1
\$75,000+	243	48,630	76	29.5	21.9-37.1	69	32.5	24.1-40.9	25	9.2	4.5-13.9	12	4.1	1.4- 6.8	4	1.0	0.0- 2.0	57	23.6	16.0-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	631	110,087	200	34.8	29.7-39.9	182	27.7	23.0-32.4	29	3.5	1.7- 5.3	32	6.2	3.3- 9.1	7	0.8	0.2- 1.4	181	27.1	22.4-31.8
White/Non-Hisp	485	77,866	138	32.6	26.7-38.5	144	28.3	23.0-33.6	24	3.3	1.5- 5.1	27	6.7	3.6- 9.8	6	0.9	0.1- 1.7	146	28.2	22.7-33.7
Black or Afr. Am./Non-Hisp	80	19,398	39	46.3	31.8-60.8	16	18.8	6.6-31.0	1	2.3	0.0- 6.8	2	6.5	0.0-17.3				22	26.1	13.9-38.3
18-24	50	14,852	20	39.3	23.2-55.4	12	30.4	14.1-46.7				3	6.6	0.0-15.0	2	1.9	0.0- 4.6	13	21.7	9.5-33.9
25-34	65	18,160	30	42.7	27.6-57.8	20	30.7	16.8-44.6	3	2.3	0.0- 5.0	2	10.0	0.0-23.1				10	14.3	5.3-23.3
35-44	71	21,929	27	38.1	24.4-51.8	17	24.8	12.5-37.1	3	3.9	0.0- 8.6	3	3.5	0.0- 7.6				21	29.7	16.2-43.2
45-54	107	19,505	40	39.4	28.0-50.8	26	23.9	14.1-33.7	4	4.7	0.0-10.2	8	8.0	2.1-13.9	1	0.6	0.0- 1.8	28	23.4	12.6-34.2
55-64	140	16,831	36	25.3	16.3-34.3	48	32.5	23.5-41.5	5	2.2	0.2- 4.2	7	5.7	0.8-10.6	3	1.9	0.0- 4.3	41	32.4	22.6-42.2
65+	191	17,838	44	20.8	13.0-28.6	58	26.9	19.5-34.3	14	7.3	2.4-12.2	9	4.1	1.2- 7.0	1	0.5	0.0- 1.5	65	40.2	30.6-49.8
H.S. or G.E.D.	128	20,776	42	35.4	24.6-46.2	40	32.2	20.4-44.0	10	8.6	1.9-15.3	4	3.3	0.0- 6.6	4	2.4	0.0- 4.8	28	18.1	10.3-25.9
Some Post-H.S.	180	40,939	57	34.1	24.9-43.3	48	23.1	15.5-30.7	8	2.9	0.5- 5.3	11	5.8	1.7- 9.9				56	34.1	24.9-43.3
College Graduate	298	42,651	93	36.7	28.7-44.7	83	28.2	20.9-35.5	9	1.3	0.3- 2.3	16	6.1	2.0-10.2	3	0.8	0.0- 1.8	94	26.8	20.3-33.3
\$15,000- 24,999	57	8,523	14	24.0	10.5-37.5	22	34.5	19.6-49.4	6	11.2	0.2-22.2	4	10.6	0.2-21.0	1	1.3	0.0- 3.8	10	18.5	5.6-31.4
\$35,000- 49,999	70	12,020	27	35.9	21.6-50.2	18	24.9	12.4-37.4	1	0.9	0.0- 2.7	2	1.7	0.0- 4.2				22	36.6	20.7-52.5
\$50,000- 74,999	89	15,776	27	32.6	19.3-45.9	29	23.5	13.1-33.9	4	2.9	0.0- 6.4	6	10.6	0.6-20.6				23	30.4	16.1-44.7
\$75,000+	239	45,751	73	34.6	26.4-42.8	68	29.7	21.9-37.5	12	3.0	0.8- 5.2	11	3.3	0.9- 5.7	3	1.0	0.0- 2.2	72	28.4	21.1-35.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1456	270,026	743	51.6	48.1-55.1	253	15.3	12.8-17.8	301	22.6	19.5-25.7	56	3.9	2.5- 5.3	103	6.6	4.8- 8.4
Male	667	133,758	320	47.4	42.1-52.7	100	14.4	10.5-18.3	175	27.2	22.1-32.3	22	4.2	1.7- 6.7	50	6.9	4.2- 9.6
Female	789	136,267	423	55.8	51.1-60.5	153	16.2	12.9-19.5	126	18.0	14.1-21.9	34	3.6	2.0- 5.2	53	6.4	4.2- 8.6
White/Non-Hisp	1112	191,271	555	49.1	45.0-53.2	196	15.6	12.7-18.5	233	23.3	19.4-27.2	47	4.8	2.8- 6.8	81	7.2	5.0- 9.4
Black or Afr. Am./Non-Hisp	183	41,376	99	54.4	44.8-64.0	38	19.2	11.6-26.8	32	21.5	12.9-30.1	6	1.6	0.0- 3.6	8	3.2	0.0- 6.5
Hispanic	77	18,572	46	61.9	48.0-75.8	5	4.2	0.1- 8.3	20	27.1	13.8-40.4				6	6.8	0.5-13.1
18-24	101	36,453	57	51.1	38.9-63.3	16	14.1	6.1-22.1	24	28.7	16.7-40.7	1	1.3	0.0- 3.8	3	4.8	0.0-11.9
25-34	158	47,703	76	48.0	37.8-58.2	27	16.2	8.0-24.4	41	25.3	16.3-34.3	5	4.4	0.3- 8.5	9	6.1	1.4-10.8
35-44	150	45,634	89	58.5	48.3-68.7	23	14.0	7.5-20.5	30	21.0	12.2-29.8	5	4.8	0.0-10.1	3	1.8	0.0- 4.0
45-54	216	43,409	117	55.5	47.5-63.5	28	9.7	5.8-13.6	43	21.8	14.9-28.7	6	3.3	0.2- 6.4	22	9.6	5.1-14.1
55-64	305	42,807	156	49.7	42.4-57.0	62	20.3	14.4-26.2	54	17.8	12.1-23.5	12	4.1	1.2- 7.0	21	8.1	3.8-12.4
65+	506	51,026	239	48.6	42.9-54.3	96	17.5	13.4-21.6	103	21.2	16.7-25.7	27	5.0	2.6- 7.4	41	7.6	4.9-10.3
Less Than H.S.	68	18,234	40	56.7	41.6-71.8	12	12.5	3.7-21.3	11	23.3	7.8-38.8	1	0.5	0.0- 1.5	4	7.0	0.0-14.1
H.S. or G.E.D.	321	67,016	148	46.6	38.8-54.4	70	16.4	11.3-21.5	68	28.0	20.0-36.0	13	4.0	1.5- 6.5	22	5.0	2.3- 7.7
Some Post-H.S.	393	92,188	188	49.3	42.6-56.0	70	17.1	11.8-22.4	83	21.2	15.9-26.5	17	4.3	1.4- 7.2	35	8.0	4.3-11.7
College Graduate	673	92,175	367	56.9	51.8-62.0	100	12.8	9.7-15.9	139	19.9	15.8-24.0	25	4.1	1.7- 6.5	42	6.4	3.9- 8.9
Less than \$15,000	56	9,469	18	37.3	18.5-56.1	18	33.8	13.6-54.0	9	20.0	4.1-35.9	3	2.1	0.0- 4.6	8	6.8	0.7-12.9
\$15,000- 24,999	131	21,187	69	62.7	52.9-72.5	28	14.8	8.9-20.7	21	14.9	7.1-22.7	5	2.2	0.2- 4.2	8	5.5	1.4- 9.6
\$25,000- 34,999	122	24,557	63	53.4	40.1-66.7	22	15.2	3.8-26.6	26	21.8	10.8-32.8	2	3.3	0.0- 7.8	9	6.4	0.9-11.9
\$35,000- 49,999	162	28,962	78	52.9	42.3-63.5	39	16.0	9.9-22.1	33	21.1	13.3-28.9	6	3.0	0.0- 6.1	6	7.0	0.0-15.8
\$50,000- 74,999	207	36,430	110	54.3	44.5-64.1	33	17.3	9.5-25.1	46	23.2	15.2-31.2	4	1.5	0.0- 3.1	14	3.7	1.3- 6.1
\$75,000+	540	108,227	296	52.5	46.6-58.4	62	11.3	8.0-14.6	116	22.1	16.8-27.4	25	6.2	3.1- 9.3	41	7.9	5.0-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	667	133,758	320	47.4	42.1-52.7	100	14.4	10.5-18.3	175	27.2	22.1-32.3	22	4.2	1.7- 6.7	50	6.9	4.2- 9.6
White/Non-Hisp	503	95,525	234	44.5	38.2-50.8	81	16.2	11.3-21.1	131	26.8	20.7-32.9	19	5.3	2.0- 8.6	38	7.2	3.9-10.5
Black or Afr. Am./Non-Hisp	88	19,463	44	52.8	39.5-66.1	16	14.9	6.1-23.7	20	25.4	13.4-37.4	2	0.7	0.0- 1.9	6	6.3	0.0-13.2
25-34	74	24,125	32	43.8	28.7-58.9	14	20.7	6.4-35.0	20	25.1	12.2-38.0	2	5.1	0.0-12.2	6	5.3	0.2-10.4
35-44	72	21,085	40	52.7	37.6-67.8	13	16.7	6.7-26.7	15	20.5	7.4-33.6	4	10.1	0.0-21.1			
45-54	94	21,329	48	51.5	39.7-63.3	9	7.9	2.4-13.4	20	21.5	11.9-31.1	4	5.1	0.0-11.0	13	14.0	6.2-21.8
55-64	126	20,200	61	44.0	33.2-54.8	23	21.6	11.8-31.4	29	22.1	12.3-31.9	3	2.5	0.0- 6.0	10	9.8	2.4-17.2
65+	244	25,585	111	50.7	42.7-58.7	35	12.3	7.8-16.8	70	28.1	21.2-35.0	9	2.7	0.7- 4.7	19	6.2	2.5- 9.9
H.S. or G.E.D.	165	41,371	76	46.4	35.6-57.2	25	10.1	5.4-14.8	44	34.0	22.6-45.4	7	3.6	0.3- 6.9	13	5.8	1.5-10.1
Some Post-H.S.	169	42,285	83	46.3	36.3-56.3	28	18.4	9.4-27.4	38	22.1	14.3-29.9	5	4.7	0.0-10.2	15	8.6	1.9-15.3
College Graduate	302	40,652	145	50.3	42.9-57.7	42	14.0	8.9-19.1	85	24.6	18.5-30.7	10	5.4	0.7-10.1	20	5.7	2.6- 8.8
\$15,000- 24,999	58	10,737	33	63.8	48.7-78.9	10	12.5	4.3-20.7	9	16.5	3.2-29.8	2	2.1	0.0- 5.0	4	5.1	0.0-11.0
\$25,000- 34,999	55	14,176	28	47.7	28.3-67.1	9	18.0	0.0-36.4	13	23.9	7.0-40.8	1	3.1	0.0- 9.0	4	7.4	0.0-16.2
\$35,000- 49,999	74	14,665	36	49.0	32.9-65.1	11	9.7	2.1-17.3	25	31.5	18.0-45.0				2	9.7	0.0-25.8
\$50,000- 74,999	97	17,246	44	44.7	29.6-59.8	21	27.7	13.2-42.2	25	24.4	12.8-36.0	1	0.3	0.0- 1.1	6	2.9	0.4- 5.4
\$75,000+	264	53,564	133	48.2	40.0-56.4	30	10.7	6.2-15.2	65	24.1	16.1-32.1	14	8.7	3.0-14.4	22	8.3	4.2-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	789	136,267	423	55.8	51.1-60.5	153	16.2	12.9-19.5	126	18.0	14.1-21.9	34	3.6	2.0- 5.2	53	6.4	4.2- 8.6
White/Non-Hisp	609	95,746	321	53.6	48.1-59.1	115	14.9	11.6-18.2	102	19.8	15.1-24.5	28	4.3	2.3- 6.3	43	7.2	4.5- 9.9
Black or Afr. Am./Non-Hisp	95	21,914	55	55.9	42.0-69.8	22	23.0	11.0-35.0	12	18.1	5.8-30.4	4	2.4	0.0- 5.9	2	0.5	0.0- 1.3
18-24	53	16,252	33	63.2	47.5-78.9	10	22.3	7.4-37.2	7	8.8	1.5-16.1	1	2.9	0.0- 8.4	2	2.8	0.0- 6.7
25-34	84	23,578	44	52.2	38.7-65.7	13	11.6	4.2-19.0	21	25.4	13.1-37.7	3	3.8	0.0- 8.1	3	7.0	0.0-14.8
35-44	78	24,549	49	63.4	49.9-76.9	10	11.7	3.7-19.7	15	21.4	9.2-33.6	1	0.2	0.0- 0.6	3	3.3	0.0- 7.2
45-54	122	22,080	69	59.4	48.6-70.2	19	11.5	5.8-17.2	23	22.1	12.5-31.7	2	1.6	0.0- 4.0	9	5.3	1.2- 9.4
55-64	179	22,607	95	54.8	45.6-64.0	39	19.1	12.2-26.0	25	13.9	7.4-20.4	9	5.5	1.2- 9.8	11	6.7	2.2-11.2
65+	262	25,441	128	46.6	38.8-54.4	61	22.8	16.1-29.5	33	14.2	8.3-20.1	18	7.3	3.2-11.4	22	9.1	4.8-13.4
H.S. or G.E.D.	156	25,645	72	46.9	36.5-57.3	45	26.6	17.0-36.2	24	18.2	9.8-26.6	6	4.5	0.2- 8.8	9	3.8	0.9- 6.7
Some Post-H.S.	224	49,903	105	51.9	43.3-60.5	42	16.1	10.2-22.0	45	20.4	13.3-27.5	12	4.1	1.2- 7.0	20	7.5	3.8-11.2
College Graduate	371	51,523	222	62.0	55.1-68.9	58	11.8	7.9-15.7	54	16.3	10.8-21.8	15	3.0	1.0- 5.0	22	6.9	3.0-10.8
\$15,000- 24,999	73	10,450	36	61.5	48.8-74.2	18	17.2	8.8-25.6	12	13.2	5.4-21.0	3	2.3	0.0- 5.0	4	5.8	0.0-11.7
\$25,000- 34,999	67	10,381	35	61.3	46.2-76.4	13	11.4	4.0-18.8	13	18.9	6.6-31.2	1	3.6	0.0-10.5	5	4.9	0.0-10.0
\$35,000- 49,999	88	14,297	42	56.9	43.8-70.0	28	22.5	13.1-31.9	8	10.4	2.6-18.2	6	6.0	0.0-12.1	4	4.3	0.0- 9.2
\$50,000- 74,999	110	19,183	66	62.9	50.7-75.1	12	8.0	2.5-13.5	21	22.1	11.1-33.1	3	2.5	0.0- 5.4	8	4.5	0.8- 8.2
\$75,000+	276	54,664	163	56.6	48.8-64.4	32	11.9	6.8-17.0	51	20.2	13.7-26.7	11	3.7	1.0- 6.4	19	7.6	3.3-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1477	272,487	568	38.3	34.8-41.8	149	11.2	8.8-13.6	5	0.1	0.0- 0.3	419	29.2	25.9-32.5	208	13.7	11.3-16.1	128	7.4	5.6- 9.2
Male	678	135,262	234	35.5	30.2-40.8	71	11.9	8.2-15.6	4	0.3	0.1- 0.5	194	28.7	23.8-33.6	109	15.5	12.0-19.0	66	8.1	5.4-10.8
Female	799	137,225	334	41.1	36.4-45.8	78	10.6	7.7-13.5	1	0.0	0.0- 0.0	225	29.6	25.3-33.9	99	11.9	8.8-15.0	62	6.8	4.4- 9.2
White/Non-Hisp	1128	192,940	428	38.8	34.7-42.9	106	9.7	7.2-12.2	5	0.2	0.0- 0.4	318	29.3	25.6-33.0	163	13.9	11.2-16.6	108	8.0	5.8-10.2
Black or Afr. Am./Non-Hisp	184	41,586	79	38.9	29.9-47.9	19	12.7	6.0-19.4				51	24.3	16.7-31.9	26	17.4	9.6-25.2	9	6.8	0.9-12.7
Hispanic	78	18,780	24	33.7	19.8-47.6	17	20.3	10.3-30.3				21	29.8	16.7-42.9	12	11.2	3.9-18.5	4	5.0	0.0-10.5
18-24	101	36,453	42	43.4	31.2-55.6	13	11.2	4.5-17.9				29	25.4	15.2-35.6	14	16.0	7.2-24.8	3	4.1	0.0- 8.6
25-34	159	47,856	49	28.2	19.4-37.0	17	14.2	6.4-22.0				58	37.0	27.2-46.8	21	10.0	4.9-15.1	14	10.5	3.4-17.6
35-44	150	45,634	58	44.4	34.2-54.6	20	12.3	6.2-18.4				50	31.1	21.9-40.3	17	9.9	4.4-15.4	5	2.4	0.0- 4.8
45-54	220	43,979	83	37.6	30.0-45.2	19	9.4	4.3-14.5	2	0.6	0.0- 1.4	67	30.3	23.0-37.6	35	16.8	10.1-23.5	14	5.3	2.2- 8.4
55-64	310	43,448	133	41.3	34.2-48.4	36	13.0	7.9-18.1	1	0.1	0.0- 0.3	68	22.0	16.1-27.9	43	14.0	9.3-18.7	29	9.6	5.1-14.1
65+	516	52,098	193	36.5	31.0-42.0	41	6.9	4.2- 9.6	2	0.2	0.0- 0.4	144	29.2	24.3-34.1	76	16.4	12.3-20.5	60	10.9	7.8-14.0
Less Than H.S.	70	18,583	27	34.0	20.7-47.3	5	6.3	0.0-12.6				16	29.5	15.8-43.2	13	16.4	6.8-26.0	9	13.8	1.8-25.8
H.S. or G.E.D.	328	67,765	111	32.3	24.7-39.9	28	8.8	4.9-12.7	2	0.4	0.0- 1.0	90	28.8	21.7-35.9	58	18.1	12.4-23.8	39	11.6	7.1-16.1
Some Post-H.S.	397	92,689	159	40.6	34.1-47.1	36	11.6	6.9-16.3				122	30.5	24.6-36.4	59	12.9	8.8-17.0	21	4.4	1.5- 7.3
College Graduate	680	93,011	271	41.5	36.4-46.6	80	13.6	9.9-17.3	3	0.1	0.0- 0.3	191	28.3	23.8-32.8	77	10.4	7.5-13.3	58	6.2	4.2- 8.2
Less than \$15,000	58	9,728	22	28.5	13.4-43.6	2	5.8	0.0-15.8				17	21.1	7.8-34.4	11	31.3	10.7-51.9	6	13.3	0.0-27.2
\$15,000- 24,999	133	21,552	59	40.4	30.0-50.8	5	4.7	0.2- 9.2	1	0.5	0.0- 1.5	28	27.9	17.7-38.1	28	17.1	10.0-24.2	12	9.4	3.3-15.5
\$25,000- 34,999	123	24,815	52	38.2	25.9-50.5	7	10.6	0.0-22.4	1	0.1	0.0- 0.3	40	34.8	22.5-47.1	13	9.2	2.9-15.5	10	7.0	1.3-12.7
\$35,000- 49,999	166	29,472	54	28.7	19.9-37.5	19	13.7	6.4-21.0				55	32.7	22.5-42.9	28	20.7	11.7-29.7	10	4.1	1.2- 7.0
\$50,000- 74,999	208	36,584	84	42.8	33.0-52.6	21	7.8	3.3-12.3	2	0.6	0.0- 1.6	60	31.5	22.1-40.9	27	9.3	5.0-13.6	14	8.0	1.3-14.7
\$75,000+	545	108,735	205	39.0	33.3-44.7	72	14.3	10.4-18.2	1	0.0	0.0- 0.0	159	29.8	24.5-35.1	61	10.6	7.3-13.9	47	6.4	4.0- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	678	135,262	234	35.5	30.2-40.8	71	11.9	8.2-15.6	4	0.3	0.1-0.5	194	28.7	23.8-33.6	109	15.5	12.0-19.0	66	8.1	5.4-10.8
White/Non-Hisp	510	96,200	169	35.5	29.2-41.8	52	11.0	6.7-15.3	4	0.4	0.0-0.8	145	28.3	22.4-34.2	81	14.6	10.9-18.3	59	10.2	6.5-13.9
Black or Afr. Am./Non-Hisp	89	19,672	37	37.1	24.6-49.6	7	11.6	2.4-20.8				25	25.1	14.1-36.1	15	22.5	10.5-34.5	5	3.7	0.2-7.2
25-34	75	24,279	23	29.9	16.6-43.2	3	9.5	0.0-21.5				26	36.1	21.2-51.0	16	13.5	5.7-21.3	7	11.0	0.8-21.2
35-44	72	21,085	26	42.1	27.2-57.0	11	14.8	5.2-24.4				23	31.2	16.9-45.5	9	10.1	2.5-17.7	3	1.7	0.0-3.7
45-54	96	21,625	33	35.5	24.5-46.5	9	11.9	3.5-20.3	2	1.2	0.0-3.0	26	25.0	15.4-34.6	20	21.6	12.0-31.2	6	4.8	0.3-9.3
55-64	128	20,507	48	36.5	25.7-47.3	22	19.2	10.0-28.4	1	0.2	0.0-0.6	25	18.0	10.2-25.8	18	12.2	5.9-18.5	14	13.8	5.2-22.4
65+	250	26,332	82	30.5	22.9-38.1	18	5.6	2.7-8.5	1	0.2	0.0-0.6	77	33.4	26.0-40.8	37	16.8	10.5-23.1	35	13.6	8.5-18.7
H.S. or G.E.D.	169	41,856	46	29.6	18.6-40.6	14	9.0	3.5-14.5	2	0.6	0.0-1.6	51	30.5	20.3-40.7	37	19.7	12.3-27.1	19	10.5	4.8-16.2
Some Post-H.S.	170	42,493	68	39.3	29.5-49.1	13	13.0	4.6-21.4				49	27.8	18.8-36.8	27	12.7	7.0-18.4	13	7.2	1.3-13.1
College Graduate	308	41,462	110	37.6	30.3-44.9	40	13.8	8.7-18.9	2	0.2	0.0-0.6	85	26.8	20.5-33.1	38	13.4	8.3-18.5	33	8.1	4.8-11.4
\$15,000- 24,999	58	10,737	25	44.5	28.2-60.8	2	4.8	0.0-11.7	1	1.0	0.0-3.0	10	22.8	8.1-37.5	17	23.0	10.8-35.2	3	3.9	0.0-8.8
\$25,000- 34,999	56	14,434	23	36.7	18.5-54.9	5	17.5	0.0-36.5				16	30.5	13.3-47.7	6	5.6	0.7-10.5	6	9.6	0.2-19.0
\$35,000- 49,999	76	15,026	20	23.4	11.1-35.7	5	7.9	0.0-16.1				32	42.7	26.4-59.0	15	22.1	9.8-34.4	4	3.9	0.0-8.2
\$50,000- 74,999	98	17,401	32	31.8	18.7-44.9	13	12.7	3.9-21.5	2	1.2	0.0-3.2	30	33.3	18.4-48.2	15	11.0	4.3-17.7	6	10.0	0.0-22.3
\$75,000+	267	53,938	94	39.0	30.6-47.4	35	13.4	7.9-18.9	1	0.1	0.0-0.3	74	27.1	19.7-34.5	32	11.7	7.0-16.4	31	8.7	4.8-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	799	137,225	334	41.1	36.4-45.8	78	10.6	7.7-13.5	1	0.0	0.0- 0.0	225	29.6	25.3-33.9	99	11.9	8.8-15.0	62	6.8	4.4- 9.2
White/Non-Hisp	618	96,740	259	42.0	36.7-47.3	54	8.5	5.6-11.4	1	0.0	0.0- 0.0	173	30.3	25.4-35.2	82	13.3	9.6-17.0	49	5.9	3.7- 8.1
Black or Afr. Am./Non-Hisp	95	21,914	42	40.5	27.6-53.4	12	13.7	4.1-23.3				26	23.5	12.9-34.1	11	12.7	2.3-23.1	4	9.5	0.0-20.1
18-24	53	16,252	25	46.8	31.1-62.5	8	13.1	3.1-23.1				13	23.2	10.1-36.3	5	11.1	0.0-23.6	2	5.9	0.0-13.9
25-34	84	23,578	26	26.5	14.5-38.5	14	19.2	8.8-29.6				32	38.0	25.5-50.5	5	6.4	0.0-13.3	7	10.0	0.2-19.8
35-44	78	24,549	32	46.3	32.2-60.4	9	10.1	2.3-17.9				27	30.9	18.9-42.9	8	9.8	2.0-17.6	2	2.9	0.0- 7.0
45-54	124	22,354	50	39.6	29.0-50.2	10	7.0	1.5-12.5				41	35.4	24.6-46.2	15	12.1	3.1-21.1	8	5.8	1.3-10.3
55-64	182	22,942	85	45.6	36.6-54.6	14	7.4	3.1-11.7				43	25.5	17.1-33.9	25	15.5	8.4-22.6	15	5.9	2.4- 9.4
65+	266	25,766	111	42.8	35.0-50.6	23	8.2	3.7-12.7	1	0.1	0.0- 0.3	67	24.8	18.3-31.3	39	16.0	10.3-21.7	25	8.1	4.6-11.6
H.S. or G.E.D.	159	25,908	65	36.7	26.9-46.5	14	8.6	3.1-14.1				39	25.9	16.9-34.9	21	15.5	6.5-24.5	20	13.3	6.0-20.6
Some Post-H.S.	227	50,197	91	41.6	32.8-50.4	23	10.4	5.5-15.3				73	32.8	25.2-40.4	32	13.1	7.2-19.0	8	2.1	0.3- 3.9
College Graduate	372	51,549	161	44.7	37.6-51.8	40	13.4	7.9-18.9	1	0.1	0.0- 0.3	106	29.4	22.9-35.9	39	7.9	4.4-11.4	25	4.6	2.4- 6.8
\$15,000- 24,999	75	10,815	34	36.3	23.6-49.0	3	4.6	0.0-10.5				18	32.9	19.0-46.8	11	11.3	3.7-18.9	9	14.8	4.2-25.4
\$25,000- 34,999	67	10,381	29	40.3	24.8-55.8	2	0.9	0.0- 2.3	1	0.3	0.0- 0.9	24	40.8	24.5-57.1	7	14.1	1.4-26.8	4	3.5	0.0- 7.8
\$35,000- 49,999	90	14,446	34	34.3	22.0-46.6	14	19.8	8.2-31.4				23	22.3	12.3-32.3	13	19.3	6.2-32.4	6	4.4	0.7- 8.1
\$50,000- 74,999	110	19,183	52	52.8	39.9-65.7	8	3.4	0.9- 5.9				30	29.8	17.8-41.8	12	7.8	2.3-13.3	8	6.2	0.3-12.1
\$75,000+	278	54,796	111	38.9	31.1-46.7	37	15.1	9.2-21.0				85	32.5	25.1-39.9	29	9.4	4.7-14.1	16	4.1	1.7- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3706	669,437	733	21.6	19.6-23.6	224	6.2	5.2- 7.2	258	8.7	7.3-10.1	73	2.1	1.5- 2.7	94	2.9	1.9- 3.9	2324	58.5	56.1-60.9
Male	1581	314,649	340	22.1	19.2-25.0	119	7.6	5.8- 9.4	133	11.0	8.5-13.5	38	2.7	1.7- 3.7	55	4.2	2.6- 5.8	896	52.4	48.9-55.9
Female	2125	354,788	393	21.2	18.7-23.7	105	5.0	3.8- 6.2	125	6.5	4.9- 8.1	35	1.5	0.9- 2.1	39	1.8	1.0- 2.6	1428	63.9	61.0-66.8
White/Non-Hisp	2734	447,012	526	20.6	18.4-22.8	162	6.3	5.1- 7.5	177	8.7	6.7-10.7	57	2.3	1.5- 3.1	70	3.0	1.8- 4.2	1742	59.1	56.4-61.8
Black or Afr. Am./Non-Hisp	542	124,552	112	24.5	19.2-29.8	36	6.3	3.8- 8.8	53	9.7	6.6-12.8	9	1.3	0.1- 2.5	14	3.1	1.1- 5.1	318	55.2	49.3-61.1
Oth. Race/Non-Hisp.	98	27,763	29	30.0	17.7-42.3	7	7.0	0.7-13.3	7	11.9	2.1-21.7	1	1.6	0.0- 4.7	2	2.3	0.0- 5.6	52	47.2	34.5-59.9
Hispanic	214	49,685	38	17.1	11.2-23.0	12	4.7	1.2- 8.2	12	5.1	2.0- 8.2	2	0.9	0.0- 2.3	6	2.7	0.5- 4.9	144	69.5	62.1-76.9
18-24	190	78,751	51	22.6	15.5-29.7	25	10.2	5.9-14.5	30	17.5	10.1-24.9	3	1.5	0.0- 3.3	8	6.5	1.4-11.6	73	41.7	32.3-51.1
25-34	344	106,307	93	27.2	21.1-33.3	21	4.8	2.3- 7.3	26	6.9	3.4-10.4	12	2.9	0.7- 5.1	14	3.7	0.8- 6.6	178	54.4	47.5-61.3
35-44	358	101,175	86	26.7	20.6-32.8	27	7.8	4.3-11.3	36	11.1	6.4-15.8	10	2.9	0.9- 4.9	8	1.4	0.2- 2.6	191	50.1	43.4-56.8
45-54	569	114,578	110	20.4	16.1-24.7	26	3.6	2.0- 5.2	42	8.0	5.3-10.7	13	2.6	1.0- 4.2	16	3.4	1.4- 5.4	362	62.1	57.0-67.2
55-64	790	115,462	146	18.1	14.8-21.4	42	5.1	3.3- 6.9	51	7.8	5.3-10.3	12	1.7	0.7- 2.7	19	2.4	1.2- 3.6	520	65.0	60.7-69.3
65+	1408	146,015	235	17.6	14.9-20.3	80	7.0	5.0- 9.0	70	4.9	3.5- 6.3	21	1.0	0.4- 1.6	27	1.4	0.8- 2.0	975	68.0	64.7-71.3
Less Than H.S.	317	81,270	39	11.0	7.1-14.9	19	5.6	2.5- 8.7	12	4.3	1.6- 7.0	1	0.5	0.0- 1.5	4	1.0	0.0- 2.2	242	77.6	71.9-83.3
H.S. or G.E.D.	1089	204,338	154	18.0	14.5-21.5	50	5.7	3.7- 7.7	63	8.7	5.6-11.8	20	1.7	0.7- 2.7	22	3.1	1.3- 4.9	780	62.8	58.3-67.3
Some Post-H.S.	952	200,279	166	20.6	16.9-24.3	70	7.8	5.6-10.0	69	9.2	6.5-11.9	23	2.5	1.3- 3.7	27	3.5	1.5- 5.5	597	56.4	52.1-60.7
College Graduate	1333	180,485	372	31.6	28.1-35.1	85	5.4	4.0- 6.8	113	9.7	7.3-12.1	29	2.7	1.3- 4.1	40	3.0	1.8- 4.2	694	47.6	43.9-51.3
Less than \$15,000	227	35,664	22	11.9	3.9-19.9	10	3.6	0.9- 6.3	14	8.1	2.8-13.4	2	0.4	0.0- 1.0	7	2.4	0.0- 4.8	172	73.6	64.2-83.0
\$15,000- 24,999	519	86,446	72	19.6	14.3-24.9	36	8.9	5.4-12.4	29	6.8	2.7-10.9	6	1.3	0.1- 2.5	10	1.7	0.5- 2.9	366	61.8	55.5-68.1
\$25,000- 34,999	360	64,583	69	25.9	18.5-33.3	24	8.5	4.6-12.4	23	5.5	2.6- 8.4	9	1.5	0.0- 3.1	9	3.2	0.8- 5.6	226	55.3	47.9-62.7
\$35,000- 49,999	432	73,579	87	22.2	16.9-27.5	29	8.8	4.9-12.7	28	6.5	3.6- 9.4				11	3.0	0.0- 6.5	277	59.4	52.9-65.9
\$50,000- 74,999	480	87,252	99	18.9	14.2-23.6	24	5.0	2.3- 7.7	37	9.3	5.4-13.2	8	2.0	0.2- 3.8	9	3.2	0.0- 6.5	303	61.5	55.2-67.8
\$75,000+	987	200,968	285	29.2	25.3-33.1	57	4.8	3.2- 6.4	84	10.8	7.7-13.9	34	3.8	2.2- 5.4	29	3.0	1.4- 4.6	498	48.5	44.2-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1581	314,649	340	22.1	19.2-25.0	119	7.6	5.8- 9.4	133	11.0	8.5-13.5	38	2.7	1.7- 3.7	55	4.2	2.6- 5.8	896	52.4	48.9-55.9
White/Non-Hisp	1159	209,386	246	21.3	18.0-24.6	82	7.4	5.4- 9.4	88	11.1	7.8-14.4	27	2.6	1.2- 4.0	36	3.8	1.8- 5.8	680	53.8	49.7-57.9
Black or Afr. Am./Non-Hisp	223	55,295	49	27.7	18.9-36.5	24	9.1	4.8-13.4	27	11.3	6.2-16.4	5	2.2	0.0- 4.6	13	6.8	2.3-11.3	105	42.9	33.5-52.3
Hispanic	98	26,419	22	16.6	9.0-24.2	6	5.7	0.0-11.6	7	6.5	1.4-11.6	2	1.7	0.0- 4.1	3	3.0	0.0- 6.3	58	66.5	55.5-77.5
18-24	89	37,680	26	25.3	14.3-36.3	13	11.6	4.9-18.3	17	24.5	12.5-36.5	1	0.7	0.0- 2.3	6	10.0	1.4-18.6	26	27.9	15.9-39.9
25-34	157	53,004	37	23.2	14.8-31.6	13	6.1	1.8-10.4	17	10.1	3.8-16.4	10	5.4	1.3- 9.5	10	5.7	0.4-11.0	70	49.5	39.1-59.9
35-44	163	47,959	42	25.2	16.8-33.6	17	10.0	4.7-15.3	15	13.3	5.3-21.3	6	4.1	0.6- 7.6	6	1.9	0.1- 3.7	77	45.5	35.5-55.5
45-54	232	54,135	44	18.8	12.7-24.9	16	4.8	2.1- 7.5	19	8.5	4.2-12.8	8	4.0	0.9- 7.1	10	5.7	1.8- 9.6	135	58.1	50.5-65.7
55-64	341	54,792	74	20.6	15.3-25.9	23	6.7	3.4-10.0	28	10.1	5.6-14.6	4	0.9	0.0- 1.9	8	2.4	0.6- 4.2	204	59.3	52.6-66.0
65+	581	64,363	114	21.4	16.5-26.3	37	8.2	4.9-11.5	36	5.6	3.2- 8.0	8	1.0	0.2- 1.8	14	1.5	0.5- 2.5	372	62.2	56.9-67.5
Less Than H.S.	138	40,484	22	13.1	6.8-19.4	11	8.5	2.8-14.2	6	4.6	0.7- 8.5	1	1.1	0.0- 3.3	3	1.7	0.0- 3.9	95	71.0	61.8-80.2
H.S. or G.E.D.	482	105,837	76	20.2	14.9-25.5	27	6.7	3.8- 9.6	41	12.0	6.9-17.1	13	2.4	0.8- 4.0	16	5.2	1.7- 8.7	309	53.5	47.0-60.0
Some Post-H.S.	377	88,447	76	22.1	16.0-28.2	32	7.7	4.6-10.8	31	11.8	6.7-16.9	8	2.4	0.4- 4.4	17	5.1	1.6- 8.6	213	50.9	44.0-57.8
College Graduate	576	77,777	165	29.4	24.5-34.3	49	8.6	5.7-11.5	54	11.4	7.5-15.3	16	4.4	1.5- 7.3	18	2.8	1.2- 4.4	274	43.5	38.2-48.8
Less than \$15,000	74	11,634	9	19.3	2.8-35.8	2	3.1	0.0- 7.8	6	11.7	0.7-22.7				5	4.2	0.0- 9.1	52	61.6	44.7-78.5
\$15,000- 24,999	210	40,609	31	18.7	10.5-26.9	26	16.0	9.1-22.9	18	8.5	3.8-13.2	3	1.7	0.0- 3.9	5	2.5	0.1- 4.9	127	52.5	43.5-61.5
\$25,000- 34,999	160	34,735	37	33.9	21.9-45.9	15	9.5	3.8-15.2	11	4.1	0.8- 7.4	5	2.1	0.0- 4.6	7	4.4	0.7- 8.1	85	46.0	34.8-57.2
\$35,000- 49,999	188	35,399	41	22.8	15.2-30.4	13	7.3	2.4-12.2	13	6.5	2.4-10.6				7	5.6	0.0-12.7	114	57.8	48.0-67.6
\$50,000- 74,999	216	40,327	50	18.7	12.2-25.2	15	5.0	1.7- 8.3	17	11.1	4.0-18.2	4	2.1	0.0- 4.8	5	4.9	0.0-11.6	125	58.2	48.6-67.8
\$75,000+	475	100,653	143	26.9	21.8-32.0	31	5.6	3.2- 8.0	45	14.1	8.8-19.4	17	4.4	1.9- 6.9	14	2.8	0.8- 4.8	225	46.2	39.9-52.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2125	354,788	393	21.2	18.7-23.7	105	5.0	3.8- 6.2	125	6.5	4.9- 8.1	35	1.5	0.9- 2.1	39	1.8	1.0- 2.6	1428	63.9	61.0-66.8
White/Non-Hisp	1575	237,626	280	20.0	17.1-22.9	80	5.2	3.8- 6.6	89	6.6	4.6- 8.6	30	2.1	1.1- 3.1	34	2.3	1.1- 3.5	1062	63.8	60.3-67.3
Black or Afr. Am./Non-Hisp	319	69,257	63	21.9	15.6-28.2	12	4.0	0.9- 7.1	26	8.4	4.7-12.1	4	0.5	0.0- 1.1	1	0.1	0.0- 0.3	213	65.1	57.8-72.4
Oth. Race/Non-Hisp.	57	15,100	19	37.9	19.7-56.1	3	6.0	0.0-14.8	1	0.8	0.0- 2.4	1	2.9	0.0- 8.4	33	52.6	34.6-70.6			
Hispanic	116	23,267	16	17.6	8.4-26.8	6	3.6	0.5- 6.7	5	3.5	0.0- 7.0				3	2.3	0.0- 5.0	86	72.9	62.9-82.9
18-24	101	41,071	25	20.2	11.2-29.2	12	8.9	3.2-14.6	13	11.1	2.7-19.5	2	2.1	0.0- 5.0	2	3.4	0.0- 8.7	47	54.3	41.4-67.2
25-34	187	53,302	56	31.2	22.8-39.6	8	3.5	0.8- 6.2	9	3.7	0.8- 6.6	2	0.6	0.0- 1.4	4	1.7	0.0- 3.5	108	59.3	50.5-68.1
35-44	195	53,216	44	28.1	19.5-36.7	10	5.8	1.3-10.3	21	9.1	4.6-13.6	4	1.8	0.0- 3.8	2	1.0	0.0- 2.4	114	54.2	45.4-63.0
45-54	337	60,443	66	21.8	15.7-27.9	10	2.4	0.4- 4.4	23	7.6	4.1-11.1	5	1.3	0.1- 2.5	6	1.2	0.0- 2.4	227	65.7	59.0-72.4
55-64	449	60,670	72	15.9	12.0-19.8	19	3.5	1.7- 5.3	23	5.7	2.8- 8.6	8	2.4	0.6- 4.2	11	2.4	0.8- 4.0	316	70.1	64.8-75.4
65+	827	81,653	121	14.5	11.4-17.6	43	6.1	3.9- 8.3	34	4.4	2.6- 6.2	13	1.1	0.5- 1.7	13	1.3	0.5- 2.1	603	72.6	68.7-76.5
Less Than H.S.	179	40,786	17	8.9	4.0-13.8	8	2.8	0.6- 5.0	6	3.9	0.4- 7.4				1	0.3	0.0- 0.9	147	84.2	77.7-90.7
H.S. or G.E.D.	607	98,501	78	15.7	11.2-20.2	23	4.6	2.2- 7.0	22	5.1	1.6- 8.6	7	1.1	0.1- 2.1	6	0.8	0.0- 1.6	471	72.8	67.3-78.3
Some Post-H.S.	575	111,831	90	19.5	14.6-24.4	38	7.9	5.0-10.8	38	7.1	4.4- 9.8	15	2.5	0.9- 4.1	10	2.2	0.0- 4.4	384	60.8	55.3-66.3
College Graduate	757	102,708	207	33.3	28.4-38.2	36	3.1	1.9- 4.3	59	8.5	5.8-11.2	13	1.4	0.4- 2.4	22	3.1	1.5- 4.7	420	50.7	45.6-55.8
Less than \$15,000	153	24,030	13	8.3	0.0-16.9	8	3.8	0.7- 6.9	8	6.3	0.6-12.0	2	0.7	0.0- 1.7	2	1.5	0.0- 4.0	120	79.5	69.1-89.9
\$15,000- 24,999	309	45,837	41	20.3	13.2-27.4	10	2.5	0.7- 4.3	11	5.3	0.0-12.0	3	0.9	0.0- 1.9	5	1.0	0.2- 1.8	239	70.0	61.6-78.4
\$25,000- 34,999	200	29,848	32	16.7	9.8-23.6	9	7.4	1.9-12.9	12	7.2	2.3-12.1	4	0.9	0.0- 2.1	2	1.7	0.0- 4.2	141	66.1	57.3-74.9
\$35,000- 49,999	244	38,179	46	21.7	14.4-29.0	16	10.3	4.2-16.4	15	6.6	2.5-10.7				4	0.5	0.0- 1.1	163	60.9	52.5-69.3
\$50,000- 74,999	264	46,925	49	19.1	12.2-26.0	9	5.0	0.9- 9.1	20	7.7	3.6-11.8	4	1.9	0.0- 4.1	4	1.8	0.0- 3.6	178	64.4	56.2-72.6
\$75,000+	512	100,316	142	31.5	25.8-37.2	26	4.1	2.1- 6.1	39	7.5	4.8-10.2	17	3.1	1.3- 4.9	15	3.1	0.7- 5.5	273	50.8	44.7-56.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	248
2 MALES ONLY	249
3 FEMALES ONLY	250
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	251
5 MALES ONLY	252
6 FEMALES ONLY	253
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	254
8 MALES ONLY	255
9 FEMALES ONLY	256
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	257
11 MALES ONLY	258
12 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1346	190,099	633	47.1	43.4-50.8	713	52.9	49.2-56.6
Male	479	76,950	213	44.3	38.2-50.4	266	55.7	49.6-61.8
Female	867	113,149	420	49.1	44.6-53.6	447	50.9	46.4-55.4
White/Non-Hisp	1068	142,989	474	45.1	41.0-49.2	594	54.9	50.8-59.0
Black or Afr. Am./Non-Hisp	170	29,096	99	53.8	43.8-63.8	71	46.2	36.2-56.2
35-44	52	12,294	24	42.8	27.1-58.5	28	57.2	41.5-72.9
45-54	176	35,288	97	57.4	48.2-66.6	79	42.6	33.4-51.8
55-64	325	48,655	160	47.9	41.0-54.8	165	52.1	45.2-59.0
65+	737	77,717	323	41.7	37.0-46.4	414	58.3	53.6-63.0
Less Than H.S.	136	27,862	82	57.1	46.7-67.5	54	42.9	32.5-53.3
H.S. or G.E.D.	452	64,590	221	47.9	41.6-54.2	231	52.1	45.8-58.4
Some Post-H.S.	353	57,964	162	46.4	39.3-53.5	191	53.6	46.5-60.7
College Graduate	400	38,918	165	39.0	32.7-45.3	235	61.0	54.7-67.3
Less than \$15,000	108	13,594	67	64.7	52.2-77.2	41	35.3	22.8-47.8
\$15,000- 24,999	222	30,496	125	54.6	45.6-63.6	97	45.4	36.4-54.4
\$25,000- 34,999	156	21,276	85	57.4	47.0-67.8	71	42.6	32.2-53.0
\$35,000- 49,999	168	25,334	84	55.5	44.9-66.1	84	44.5	33.9-55.1
\$50,000- 74,999	170	22,722	71	43.1	33.3-52.9	99	56.9	47.1-66.7
\$75,000+	251	41,259	84	30.9	23.6-38.2	167	69.1	61.8-76.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	479	76,950	213	44.3	38.2-50.4	266	55.7	49.6-61.8
White/Non-Hisp	387	59,675	159	40.6	33.9-47.3	228	59.4	52.7-66.1
Black or Afr. Am./Non-Hisp	58	11,235	33	53.4	36.2-70.6	25	46.6	29.4-63.8
45-54	65	15,300	35	52.0	37.3-66.7	30	48.0	33.3-62.7
55-64	118	20,076	61	48.8	37.8-59.8	57	51.2	40.2-62.2
65+	254	28,665	100	38.0	30.0-46.0	154	62.0	54.0-70.0
H.S. or G.E.D.	161	25,956	77	45.7	35.5-55.9	84	54.3	44.1-64.5
Some Post-H.S.	118	23,367	49	40.1	27.8-52.4	69	59.9	47.6-72.2
College Graduate	158	17,125	62	35.6	26.2-45.0	96	64.4	55.0-73.8
\$15,000- 24,999	72	11,867	42	59.3	44.2-74.4	30	40.7	25.6-55.8
\$25,000- 34,999	57	9,063	29	56.3	38.1-74.5	28	43.7	25.5-61.9
\$35,000- 49,999	65	11,138	30	51.5	34.3-68.7	35	48.5	31.3-65.7
\$50,000- 74,999	71	10,310	24	31.7	17.8-45.6	47	68.3	54.4-82.2
\$75,000+	114	20,831	38	27.7	17.7-37.7	76	72.3	62.3-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	867	113,149	420	49.1	44.6-53.6	447	50.9	46.4-55.4
White/Non-Hisp	681	83,314	315	48.3	43.2-53.4	366	51.7	46.6-56.8
Black or Afr. Am./Non-Hisp	112	17,860	66	54.0	41.7-66.3	46	46.0	33.7-58.3
45-54	111	19,988	62	61.5	49.7-73.3	49	38.5	26.7-50.3
55-64	207	28,578	99	47.3	38.5-56.1	108	52.7	43.9-61.5
65+	483	49,051	223	43.9	38.0-49.8	260	56.1	50.2-62.0
Less Than H.S.	95	17,446	58	52.8	39.9-65.7	37	47.2	34.3-60.1
H.S. or G.E.D.	291	38,634	144	49.5	41.7-57.3	147	50.5	42.7-58.3
Some Post-H.S.	235	34,597	113	50.6	42.2-59.0	122	49.4	41.0-57.8
College Graduate	242	21,792	103	41.7	33.7-49.7	139	58.3	50.3-66.3
Less than \$15,000	80	10,739	47	59.7	44.4-75.0	33	40.3	25.0-55.6
\$15,000- 24,999	150	18,629	83	51.6	40.4-62.8	67	48.4	37.2-59.6
\$25,000- 34,999	99	12,212	56	58.1	46.1-70.1	43	41.9	29.9-53.9
\$35,000- 49,999	103	14,196	54	58.7	45.2-72.2	49	41.3	27.8-54.8
\$50,000- 74,999	99	12,412	47	52.7	40.4-65.0	52	47.3	35.0-59.6
\$75,000+	137	20,429	46	34.2	23.8-44.6	91	65.8	55.4-76.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1329	187,393	399	34.0	30.5-37.5	930	66.0	62.5-69.5
Male	470	75,800	128	32.8	26.7-38.9	342	67.2	61.1-73.3
Female	859	111,593	271	34.8	30.5-39.1	588	65.2	60.9-69.5
White/Non-Hisp	1056	142,071	275	29.8	25.9-33.7	781	70.2	66.3-74.1
Black or Afr. Am./Non-Hisp	167	28,242	72	44.4	34.2-54.6	95	55.6	45.4-65.8
35-44	52	12,294	23	38.1	23.0-53.2	29	61.9	46.8-77.0
45-54	177	35,227	85	48.0	38.4-57.6	92	52.0	42.4-61.6
55-64	318	47,611	116	39.3	32.4-46.2	202	60.7	53.8-67.6
65+	727	76,365	148	19.9	16.0-23.8	579	80.1	76.2-84.0
Less Than H.S.	133	27,129	66	52.2	41.8-62.6	67	47.8	37.4-58.2
H.S. or G.E.D.	447	64,394	155	40.3	34.0-46.6	292	59.7	53.4-66.0
Some Post-H.S.	349	57,299	95	28.3	21.6-35.0	254	71.7	65.0-78.4
College Graduate	396	38,144	81	18.5	13.6-23.4	315	81.5	76.6-86.4
Less than \$15,000	108	13,207	62	60.9	48.0-73.8	46	39.1	26.2-52.0
\$15,000- 24,999	217	29,862	88	47.1	37.9-56.3	129	52.9	43.7-62.1
\$25,000- 34,999	156	21,276	51	42.3	31.3-53.3	105	57.7	46.7-68.7
\$35,000- 49,999	167	25,222	51	36.7	25.1-48.3	116	63.3	51.7-74.9
\$50,000- 74,999	167	22,469	30	20.1	12.7-27.5	137	79.9	72.5-87.3
\$75,000+	248	40,600	39	17.2	11.1-23.3	209	82.8	76.7-88.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	470	75,800	128	32.8	26.7-38.9	342	67.2	61.1-73.3
White/Non-Hisp	380	58,979	91	29.8	22.9-36.7	289	70.2	63.3-77.1
Black or Afr. Am./Non-Hisp	58	11,255	20	39.3	21.7-56.9	38	60.7	43.1-78.3
45-54	65	15,300	28	45.5	30.6-60.4	37	54.5	39.6-69.4
55-64	112	19,331	39	35.7	24.9-46.5	73	64.3	53.5-75.1
65+	251	28,260	43	19.1	11.7-26.5	208	80.9	73.5-88.3
H.S. or G.E.D.	156	25,584	53	38.7	28.1-49.3	103	61.3	50.7-71.9
Some Post-H.S.	117	23,292	27	24.7	12.7-36.7	90	75.3	63.3-87.3
College Graduate	156	16,562	23	14.7	7.3-22.1	133	85.3	77.9-92.7
\$15,000- 24,999	70	11,775	30	53.5	38.2-68.8	40	46.5	31.2-61.8
\$25,000- 34,999	57	9,063	17	43.2	23.6-62.8	40	56.8	37.2-76.4
\$35,000- 49,999	65	11,138	18	37.7	18.3-57.1	47	62.3	42.9-81.7
\$50,000- 74,999	70	10,073	11	13.5	4.9-22.1	59	86.5	77.9-95.1
\$75,000+	112	20,392	15	15.3	6.7-23.9	97	84.7	76.1-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2015
 SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	859	111,593	271	34.8	30.5-39.1	588	65.2	60.9-69.5
White/Non-Hisp	676	83,093	184	29.8	25.1-34.5	492	70.2	65.5-74.9
Black or Afr. Am./Non-Hisp	109	16,987	52	47.8	35.3-60.3	57	52.2	39.7-64.7
45-54	112	19,928	57	49.9	37.6-62.2	55	50.1	37.8-62.4
55-64	206	28,280	77	41.8	32.8-50.8	129	58.2	49.2-67.2
65+	476	48,105	105	20.4	15.9-24.9	371	79.6	75.1-84.1
Less Than H.S.	93	16,853	42	44.4	31.7-57.1	51	55.6	42.9-68.3
H.S. or G.E.D.	291	38,811	102	41.3	33.5-49.1	189	58.7	50.9-66.5
Some Post-H.S.	232	34,007	68	30.8	23.0-38.6	164	69.2	61.4-77.0
College Graduate	240	21,581	58	21.3	14.8-27.8	182	78.7	72.2-85.2
Less than \$15,000	81	10,454	46	57.6	42.3-72.9	35	42.4	27.1-57.7
\$15,000- 24,999	147	18,087	58	42.9	31.7-54.1	89	57.1	45.9-68.3
\$25,000- 34,999	99	12,212	34	41.7	29.2-54.2	65	58.3	45.8-70.8
\$35,000- 49,999	102	14,084	33	36.0	22.7-49.3	69	64.0	50.7-77.3
\$50,000- 74,999	97	12,396	19	25.5	14.3-36.7	78	74.5	63.3-85.7
\$75,000+	136	20,208	24	19.2	10.6-27.8	112	80.8	72.2-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

**TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1346	189,240	247	18.5	15.6-21.4	326	25.0	21.9-28.1	773	56.6	53.1-60.1
Male	478	76,613	63	13.5	8.8-18.2	106	24.4	18.7-30.1	309	62.1	56.0-68.2
Female	868	112,627	184	21.8	17.9-25.7	220	25.3	21.6-29.0	464	52.9	48.4-57.4
White/Non-Hisp	1068	142,807	161	14.9	11.8-18.0	257	24.9	21.4-28.4	650	60.1	56.0-64.2
Black or Afr. Am./Non-Hisp	168	28,290	52	28.6	19.8-37.4	45	27.3	17.9-36.7	71	44.0	34.0-54.0
35-44	52	12,294	11	16.2	6.2-26.2	15	25.6	12.3-38.9	26	58.3	42.8-73.8
45-54	179	35,484	50	27.2	18.4-36.0	41	20.3	12.9-27.7	88	52.5	43.1-61.9
55-64	321	47,603	70	20.5	15.0-26.0	70	21.0	15.5-26.5	181	58.4	51.7-65.1
65+	738	77,713	106	12.9	9.8-16.0	181	26.7	22.4-31.0	451	60.4	55.7-65.1
Less Than H.S.	134	27,424	45	29.3	19.9-38.7	31	20.1	11.9-28.3	58	50.6	40.2-61.0
H.S. or G.E.D.	452	63,962	98	20.8	15.9-25.7	118	27.7	22.0-33.4	236	51.4	45.1-57.7
Some Post-H.S.	354	58,133	50	16.2	9.9-22.5	93	27.3	21.0-33.6	211	56.5	49.2-63.8
College Graduate	401	38,956	53	9.7	6.4-13.0	81	19.9	14.8-25.0	267	70.3	64.6-76.0
Less than \$15,000	108	13,522	49	47.0	33.5-60.5	24	22.1	11.9-32.3	35	30.9	18.6-43.2
\$15,000- 24,999	221	30,218	57	24.7	17.1-32.3	68	28.4	20.8-36.0	96	46.9	37.7-56.1
\$25,000- 34,999	154	21,134	39	27.3	17.9-36.7	43	32.1	21.3-42.9	72	40.6	30.4-50.8
\$35,000- 49,999	168	25,293	22	19.7	8.1-31.3	47	27.1	17.9-36.3	99	53.2	42.0-64.4
\$50,000- 74,999	171	22,863	14	8.6	3.5-13.7	40	27.2	17.0-37.4	117	64.1	53.7-74.5
\$75,000+	250	41,203	16	4.2	1.7- 6.7	43	19.0	12.5-25.5	191	76.8	70.1-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	478	76,613	63	13.5	9.0-18.0	106	24.4	18.7-30.1	309	62.1	56.0-68.2
White/Non-Hisp	386	59,462	38	10.2	5.1-15.3	83	23.1	17.0-29.2	265	66.8	59.9-73.7
Black or Afr. Am./Non-Hisp	58	11,111	16	23.3	10.0-36.6	16	31.8	14.4-49.2	26	44.9	27.8-62.0
45-54	65	15,300	13	15.7	5.9-25.5	17	26.7	13.0-40.4	35	57.7	43.0-72.4
55-64	117	19,903	19	16.5	8.3-24.7	25	20.5	11.3-29.7	73	63.0	52.2-73.8
65+	254	28,501	25	8.1	3.8-12.4	53	22.6	15.3-29.9	176	69.3	61.5-77.1
H.S. or G.E.D.	160	25,756	21	14.3	7.2-21.4	45	31.2	21.2-41.2	94	54.6	44.2-65.0
Some Post-H.S.	118	23,367	15	14.1	3.3-24.9	23	21.2	10.2-32.2	80	64.7	51.8-77.6
College Graduate	159	17,162	16	5.7	2.0- 9.4	26	15.9	8.6-23.2	117	78.3	70.5-86.1
\$15,000- 24,999	72	11,867	18	25.4	12.3-38.5	22	33.5	19.0-48.0	32	41.1	25.8-56.4
\$25,000- 34,999	57	9,063	8	13.0	2.4-23.6	18	42.1	22.3-61.9	31	44.9	26.7-63.1
\$35,000- 49,999	65	11,138	7	18.6	0.0-38.2	16	22.3	9.2-35.4	42	59.0	40.6-77.4
\$50,000- 74,999	71	10,233	3	3.7	0.0- 8.2	15	28.4	9.8-47.0	53	67.9	49.7-86.1
\$75,000+	114	20,831	5	3.7	0.0- 7.6	20	15.0	7.0-23.0	89	81.3	72.7-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	868	112,627	184	21.8	17.9-25.7	220	25.3	21.6-29.0	464	52.9	48.4-57.4
White/Non-Hisp	682	83,345	123	18.3	14.2-22.4	174	26.3	22.0-30.6	385	55.4	50.3-60.5
Black or Afr. Am./Non-Hisp	110	17,179	36	32.0	20.2-43.8	29	24.5	14.3-34.7	45	43.5	31.3-55.7
45-54	114	20,184	37	35.9	23.4-48.4	24	15.5	8.6-22.4	53	48.6	36.3-60.9
55-64	204	27,700	51	23.4	16.1-30.7	45	21.4	14.5-28.3	108	55.2	46.6-63.8
65+	484	49,212	81	15.7	11.6-19.8	128	29.0	23.7-34.3	275	55.3	49.4-61.2
Less Than H.S.	94	17,181	34	32.6	20.6-44.6	20	15.2	7.8-22.6	40	52.2	39.5-64.9
H.S. or G.E.D.	292	38,206	77	25.3	18.8-31.8	73	25.4	18.7-32.1	142	49.3	41.5-57.1
Some Post-H.S.	236	34,766	35	17.6	10.0-25.2	70	31.4	23.8-39.0	131	50.9	42.5-59.3
College Graduate	242	21,794	37	12.9	7.8-18.0	55	23.1	15.8-30.4	150	64.0	56.2-71.8
Less than \$15,000	81	10,840	38	45.9	30.0-61.8	18	22.6	10.6-34.6	25	31.4	16.7-46.1
\$15,000- 24,999	149	18,351	39	24.3	14.7-33.9	46	25.2	16.8-33.6	64	50.6	39.4-61.8
\$25,000- 34,999	97	12,071	31	38.0	25.5-50.5	25	24.6	14.6-34.6	41	37.4	25.8-49.0
\$35,000- 49,999	103	14,155	15	20.5	6.6-34.4	31	30.9	18.2-43.6	57	48.6	34.5-62.7
\$50,000- 74,999	100	12,630	11	12.7	4.5-20.9	25	26.3	15.7-36.9	64	61.1	49.3-72.9
\$75,000+	136	20,372	11	4.7	1.4- 8.0	23	23.1	13.3-32.9	102	72.1	62.1-82.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

**TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1320	186,717	82	5.5	3.9- 7.1	396	28.6	25.5-31.7	461	35.1	31.6-38.6	270	21.1	18.0-24.2	111	9.6	7.2-12.0
Male	467	74,947	46	8.3	5.2-11.4	164	31.6	26.1-37.1	154	35.6	29.5-41.7	83	21.3	15.8-26.8	20	3.2	1.2- 5.2
Female	853	111,770	36	3.7	2.1- 5.3	232	26.6	22.7-30.5	307	34.7	30.6-38.8	187	21.0	17.5-24.5	91	14.0	10.3-17.7
White/Non-Hisp	1046	140,957	69	6.1	4.1- 8.1	350	31.6	27.9-35.3	378	36.1	32.2-40.0	177	18.2	14.9-21.5	72	8.0	5.5-10.5
Black or Afr. Am./Non-Hisp	167	28,440	7	2.6	0.4- 4.8	28	21.2	12.4-30.0	49	26.3	17.5-35.1	54	31.4	22.0-40.8	29	18.5	10.5-26.5
35-44	52	12,294	2	3.4	0.0- 8.7	11	23.6	9.9-37.3	21	41.9	25.4-58.4	10	18.0	6.6-29.4	8	13.1	3.1-23.1
45-54	178	35,344	12	6.4	1.9-10.9	46	26.8	18.8-34.8	57	30.9	22.3-39.5	36	17.2	10.7-23.7	27	18.7	10.1-27.3
55-64	320	48,112	18	6.3	3.0- 9.6	96	28.4	22.3-34.5	98	31.4	24.9-37.9	77	25.0	18.7-31.3	31	8.9	5.2-12.6
65+	714	74,821	47	5.2	3.2- 7.2	234	34.4	29.7-39.1	255	34.2	29.7-38.7	137	21.0	16.7-25.3	41	5.3	3.1- 7.5
Less Than H.S.	133	26,914	12	9.7	3.6-15.8	11	11.7	4.1-19.3	38	29.0	19.8-38.2	50	34.8	25.0-44.6	22	14.8	6.8-22.8
H.S. or G.E.D.	441	63,267	25	4.9	2.5- 7.3	107	22.2	17.3-27.1	167	39.4	33.1-45.7	97	21.0	15.9-26.1	45	12.5	8.0-17.0
Some Post-H.S.	348	57,499	14	3.4	1.0- 5.8	114	31.5	25.2-37.8	129	36.4	29.7-43.1	65	20.0	13.7-26.3	26	8.7	4.2-13.2
College Graduate	393	38,272	31	6.9	3.8-10.0	163	47.2	40.7-53.7	125	30.7	25.0-36.4	57	12.9	8.8-17.0	17	2.3	0.9- 3.7
Less than \$15,000	108	13,522	5	2.9	0.2- 5.6	15	10.9	2.5-19.3	21	22.2	11.2-33.2	44	39.8	27.1-52.5	23	24.1	10.8-37.4
\$15,000- 24,999	216	29,777	15	6.8	2.1-11.5	40	16.2	10.1-22.3	74	31.8	23.6-40.0	59	29.6	21.2-38.0	28	15.6	7.8-23.4
\$25,000- 34,999	154	20,643	10	4.5	1.4- 7.6	36	16.8	10.1-23.5	57	38.4	27.6-49.2	39	30.0	19.8-40.2	12	10.2	3.5-16.9
\$35,000- 49,999	166	25,181	4	1.2	0.0- 2.4	51	28.4	19.0-37.8	68	38.7	28.5-48.9	31	21.9	10.9-32.9	12	9.9	1.7-18.1
\$50,000- 74,999	169	22,535	8	4.3	0.8- 7.8	64	33.4	24.4-42.4	71	41.7	31.3-52.1	17	13.3	6.0-20.6	9	7.3	2.0-12.6
\$75,000+	244	40,385	22	8.6	4.3-12.9	117	50.4	42.4-58.4	71	30.4	23.0-37.8	28	9.1	5.0-13.2	6	1.6	0.0- 3.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	467	74,947	46	8.3	5.2-11.4	164	31.6	26.1-37.1	154	35.6	29.5-41.7	83	21.3	15.8-26.8	20	3.2	1.2- 5.2
White/Non-Hisp	378	58,672	42	9.5	5.8-13.2	142	32.8	26.7-38.9	124	35.0	28.3-41.7	56	20.4	13.9-26.9	14	2.4	0.6- 4.2
Black or Afr. Am./Non-Hisp	57	10,965	2	2.2	0.0- 5.9	14	29.9	13.6-46.2	22	37.1	19.9-54.3	16	24.8	10.5-39.1	3	6.0	0.0-13.6
45-54	64	15,161	7	8.7	0.9-16.5	18	29.5	16.0-43.0	20	37.9	22.8-53.0	12	16.4	6.4-26.4	7	7.5	0.8-14.2
55-64	115	19,641	9	9.9	3.0-16.8	38	30.1	19.9-40.3	39	35.5	24.9-46.1	24	21.6	12.2-31.0	5	2.9	0.0- 6.4
65+	246	27,237	28	8.2	4.1-12.3	101	43.8	35.6-52.0	73	26.7	20.0-33.4	38	20.5	12.7-28.3	6	0.8	0.0- 1.6
H.S. or G.E.D.	156	25,295	16	9.2	3.5-14.9	50	25.1	17.1-33.1	53	39.8	29.0-50.6	32	24.0	15.2-32.8	5	1.8	0.0- 4.0
Some Post-H.S.	115	23,067	7	5.6	0.3-10.9	39	32.5	21.3-43.7	44	37.0	25.0-49.0	20	21.6	9.4-33.8	5	3.3	0.0- 7.0
College Graduate	156	16,847	18	8.9	3.2-14.6	72	53.2	43.0-63.4	44	28.0	19.2-36.8	16	8.3	3.0-13.6	6	1.6	0.0- 3.4
\$15,000- 24,999	72	11,867	5	5.1	0.0-11.4	14	17.5	6.3-28.7	25	34.8	20.3-49.3	20	34.4	19.3-49.5	8	8.2	0.9-15.5
\$25,000- 34,999	56	8,473	6	5.8	0.5-11.1	16	15.0	6.0-24.0	18	41.8	21.8-61.8	14	34.1	15.3-52.9	2	3.2	0.0- 9.3
\$35,000- 49,999	64	11,063	1	0.3	0.0- 0.9	25	34.1	18.8-49.4	27	35.6	20.1-51.1	10	26.9	6.3-47.5	1	3.1	0.0- 9.2
\$50,000- 74,999	69	9,905	8	9.8	1.6-18.0	31	40.9	24.8-57.0	23	38.6	20.2-57.0	5	7.9	0.3-15.5	2	2.8	0.0- 7.5
\$75,000+	112	20,618	13	12.2	4.4-20.0	52	46.0	34.2-57.8	36	33.7	22.3-45.1	10	8.0	2.3-13.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	853	111,770	36	3.7	2.1- 5.3	232	26.6	22.7-30.5	307	34.7	30.6-38.8	187	21.0	17.5-24.5	91	14.0	10.3-17.7
White/Non-Hisp	668	82,285	27	3.7	1.9- 5.5	208	30.7	26.2-35.2	254	36.9	32.2-41.6	121	16.6	13.1-20.1	58	12.1	8.0-16.2
Black or Afr. Am./Non-Hisp	110	17,475	5	2.9	0.4- 5.4	14	15.7	5.7-25.7	27	19.5	11.1-27.9	38	35.6	23.4-47.8	26	26.3	14.9-37.7
45-54	114	20,184	5	4.7	0.0-10.2	28	24.7	15.1-34.3	37	25.7	16.5-34.9	24	17.8	9.4-26.2	20	27.1	14.4-39.8
55-64	205	28,472	9	3.8	1.1- 6.5	58	27.3	19.7-34.9	59	28.6	20.8-36.4	53	27.4	19.2-35.6	26	13.0	7.1-18.9
65+	468	47,583	19	3.4	1.6- 5.2	133	29.0	23.5-34.5	182	38.5	32.8-44.2	99	21.2	16.3-26.1	35	7.9	4.6-11.2
Less Than H.S.	94	17,262	7	8.8	1.4-16.2	8	13.2	3.4-23.0	26	26.1	15.5-36.7	35	34.0	22.4-45.6	18	18.0	7.0-29.0
H.S. or G.E.D.	285	37,972	9	2.0	0.6- 3.4	57	20.3	14.0-26.6	114	39.0	31.4-46.6	65	19.0	13.1-24.9	40	19.6	12.7-26.5
Some Post-H.S.	233	34,432	7	2.0	0.4- 3.6	75	30.9	23.5-38.3	85	35.9	28.1-43.7	45	18.9	12.2-25.6	21	12.3	5.2-19.4
College Graduate	237	21,425	13	5.4	2.1- 8.7	91	42.4	34.2-50.6	81	32.8	25.4-40.2	41	16.6	10.7-22.5	11	2.8	0.6- 5.0
Less than \$15,000	81	10,840	3	2.4	0.0- 5.3	13	12.3	2.1-22.5	15	22.6	10.1-35.1	32	37.0	22.5-51.5	18	25.8	9.9-41.7
\$15,000- 24,999	144	17,910	10	7.8	1.1-14.5	26	15.4	8.7-22.1	49	29.8	20.0-39.6	39	26.4	16.8-36.0	20	20.6	9.0-32.2
\$25,000- 34,999	98	12,169	4	3.6	0.0- 7.3	20	18.1	8.9-27.3	39	36.1	24.5-47.7	25	27.1	15.7-38.5	10	15.1	5.1-25.1
\$35,000- 49,999	102	14,118	3	1.9	0.0- 4.1	26	23.9	12.3-35.5	41	41.0	27.5-54.5	21	17.9	8.1-27.7	11	15.2	2.1-28.3
\$50,000- 74,999	100	12,630				33	27.5	17.5-37.5	48	44.2	32.2-56.2	12	17.6	6.6-28.6	7	10.8	2.4-19.2
\$75,000+	132	19,767	9	4.9	1.4- 8.4	65	54.8	44.2-65.4	35	26.9	16.9-36.9	18	10.2	4.1-16.3	5	3.1	0.0- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2015

SECTION 13: SEATBELT USE

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3733	673,686	3485	92.5	91.1-93.9	122	3.7	2.7- 4.7	61	1.9	1.3- 2.5	21	0.8	0.2- 1.4	37	1.0	0.4- 1.6	7	0.1	0.1- 0.1
Male	1589	315,843	1457	90.7	88.5-92.9	70	4.9	3.3- 6.5	27	2.2	1.0- 3.4	11	0.8	0.2- 1.4	21	1.4	0.4- 2.4	3	0.0	0.0- 0.0
Female	2144	357,843	2028	94.1	92.5-95.7	52	2.7	1.7- 3.7	34	1.6	0.8- 2.4	10	0.8	0.0- 1.6	16	0.6	0.2- 1.0	4	0.1	0.0- 0.3
White/Non-Hisp	2758	449,528	2578	92.3	90.7-93.9	97	4.2	3.0- 5.4	40	1.8	1.0- 2.6	15	0.9	0.3- 1.5	24	0.8	0.2- 1.4	4	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	544	125,511	499	91.4	87.9-94.9	20	4.3	1.6- 7.0	12	1.9	0.7- 3.1	4	1.2	0.0- 3.0	6	1.1	0.0- 2.3	3	0.2	0.0- 0.4
Oth. Race/Non-Hisp.	98	27,725	91	91.9	85.2-98.6	1	1.0	0.0- 3.0	3	3.4	0.0- 7.7				3	3.7	0.0- 8.8			
Hispanic	216	50,401	211	97.3	94.4- 100				2	1.2	0.0- 3.4				3	1.5	0.0- 3.5			
18-24	192	79,443	176	92.9	88.8-97.0	10	3.4	1.0- 5.8	4	1.7	0.0- 3.5	2	2.0	0.0- 4.9						
25-34	345	106,843	307	87.1	82.0-92.2	17	6.5	2.4-10.6	14	4.0	1.6- 6.4	1	0.1	0.0- 0.3	5	2.3	0.0- 5.0	1	0.1	0.0- 0.3
35-44	359	101,549	336	94.0	90.5-97.5	13	2.9	0.7- 5.1	7	2.4	0.0- 5.1	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7			
45-54	574	115,334	536	91.2	87.9-94.5	21	4.8	2.1- 7.5	8	1.5	0.3- 2.7	3	1.4	0.0- 3.2	5	1.1	0.0- 2.3	1	0.1	0.0- 0.3
55-64	795	116,248	743	94.2	92.2-96.2	24	2.4	1.2- 3.6	11	1.2	0.2- 2.2	5	0.8	0.0- 1.6	11	1.3	0.1- 2.5	1	0.1	0.0- 0.3
65+	1419	147,005	1343	94.7	93.1-96.3	35	2.7	1.5- 3.9	17	1.2	0.4- 2.0	9	0.7	0.3- 1.1	11	0.5	0.1- 0.9	4	0.2	0.0- 0.4
Less Than H.S.	323	83,175	295	91.4	87.7-95.1	7	2.5	0.5- 4.5	15	3.3	1.1- 5.5	1	1.0	0.0- 3.0	4	1.8	0.0- 3.6	1	0.1	0.0- 0.3
H.S. or G.E.D.	1098	205,758	1015	90.6	87.5-93.7	44	5.0	2.6- 7.4	16	1.6	0.2- 3.0	9	1.4	0.2- 2.6	11	1.3	0.0- 2.7	3	0.1	0.0- 0.3
Some Post-H.S.	961	201,469	902	92.9	90.5-95.3	27	3.5	1.7- 5.3	14	1.9	0.7- 3.1	7	0.7	0.1- 1.3	9	0.8	0.0- 1.6	2	0.1	0.1- 0.1
College Graduate	1335	180,193	1258	94.5	92.9-96.1	43	3.1	1.9- 4.3	16	1.6	0.6- 2.6	4	0.2	0.0- 0.4	13	0.6	0.2- 1.0	1	0.0	0.0- 0.0
Less than \$15,000	230	35,987	205	82.4	73.6-91.2	5	2.9	0.0- 6.2	9	5.3	0.6-10.0	3	6.1	0.0-13.2	6	3.0	0.0- 6.3	2	0.2	0.0- 0.6
\$15,000- 24,999	526	86,838	490	94.4	92.2-96.6	13	2.3	0.7- 3.9	16	2.4	1.0- 3.8	2	0.4	0.0- 1.0	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3
\$25,000- 34,999	364	65,407	338	92.0	88.3-95.7	17	4.8	1.9- 7.7	4	1.7	0.0- 3.5	1	0.2	0.0- 0.6	3	1.1	0.0- 2.7	1	0.2	0.0- 0.6
\$35,000- 49,999	432	73,510	403	93.0	90.1-95.9	11	2.6	0.8- 4.4	8	2.6	0.6- 4.6	6	1.1	0.1- 2.1	4	0.7	0.0- 1.5			
\$50,000- 74,999	480	86,861	458	91.6	86.5-96.7	18	7.6	2.5-12.7	2	0.5	0.0- 1.5	2	0.2	0.0- 0.6						
\$75,000+	987	200,603	924	92.6	89.9-95.3	35	3.1	1.5- 4.7	14	2.2	0.6- 3.8	4	0.6	0.0- 1.2	9	1.5	0.0- 3.1	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1589	315,843	1457	90.7	88.5-92.9	70	4.9	3.3- 6.5	27	2.2	1.0- 3.4	11	0.8	0.2- 1.4	21	1.4	0.4- 2.4	3	0.0	0.0- 0.0
White/Non-Hisp	1167	210,156	1062	89.6	86.9-92.3	61	5.8	3.8- 7.8	18	2.2	0.6- 3.8	9	1.1	0.3- 1.9	15	1.3	0.0- 2.7	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	223	55,173	206	90.8	84.7-96.9	8	5.6	0.1-11.1	5	1.7	0.1- 3.3	1	0.1	0.0- 0.3	2	1.7	0.0- 4.1	1	0.0	0.0- 0.0
Hispanic	99	27,071	97	98.1	94.8- 100										2	1.9	0.0- 5.2			
18-24	91	38,372	84	94.3	89.8-98.8	5	3.8	0.3- 7.3	1	0.6	0.0- 1.8	1	1.3	0.0- 3.8						
25-34	157	52,804	136	83.3	74.7-91.9	11	9.1	2.2-16.0	8	4.7	1.2- 8.2				2	2.9	0.0- 7.8			
35-44	164	48,332	152	93.5	87.6-99.4	8	2.1	0.5- 3.7	3	4.0	0.0- 9.7				1	0.4	0.0- 1.2			
45-54	234	54,265	213	88.0	82.1-93.9	9	6.2	1.3-11.1	5	1.9	0.1- 3.7	2	1.4	0.0- 3.6	4	2.4	0.0- 4.8	1	0.1	0.0- 0.3
55-64	339	54,442	313	93.0	89.5-96.5	14	3.1	1.1- 5.1	4	1.2	0.0- 2.8	2	0.9	0.0- 2.3	6	1.8	0.0- 3.8			
65+	586	64,912	545	92.8	90.1-95.5	21	4.4	2.0- 6.8	6	1.1	0.1- 2.1	6	1.1	0.1- 2.1	6	0.5	0.1- 0.9	2	0.1	0.0- 0.3
Less Than H.S.	140	40,869	129	91.6	86.3-96.9	3	2.6	0.0- 5.7	6	3.4	0.5- 6.3				2	2.4	0.0- 5.7			
H.S. or G.E.D.	484	106,470	440	88.6	83.7-93.5	25	6.0	2.5- 9.5	8	1.9	0.0- 4.4	6	1.5	0.1- 2.9	5	2.0	0.0- 4.5			
Some Post-H.S.	380	89,213	347	91.1	87.4-94.8	16	4.8	1.7- 7.9	7	2.4	0.4- 4.4	3	0.8	0.0- 2.0	5	0.7	0.0- 1.5	2	0.2	0.0- 0.4
College Graduate	577	77,187	533	92.2	89.3-95.1	26	4.7	2.3- 7.1	6	1.8	0.0- 3.6	2	0.3	0.0- 0.7	9	0.9	0.1- 1.7	1	0.0	0.0- 0.0
Less than \$15,000	76	11,776	70	87.2	75.4-99.0	1	3.3	0.0- 9.6	2	4.5	0.0-11.4				2	4.9	0.0-13.3	1	0.1	0.0- 0.3
\$15,000- 24,999	214	40,679	199	94.5	91.2-97.8	7	2.9	0.2- 5.6	7	2.6	0.6- 4.6				1	0.1	0.0- 0.3			
\$25,000- 34,999	161	35,322	147	89.4	83.1-95.7	8	5.6	0.9-10.3	3	2.9	0.0- 6.2				3	2.1	0.0- 4.8			
\$35,000- 49,999	187	35,209	170	92.0	87.7-96.3	7	3.1	0.6- 5.6	3	2.2	0.0- 4.7	4	1.9	0.0- 3.9	3	0.9	0.0- 2.1			
\$50,000- 74,999	216	40,376	205	91.5	83.3-99.7	9	8.0	0.0-16.2				2	0.5	0.0- 1.1						
\$75,000+	474	99,774	429	88.3	83.4-93.2	27	5.3	2.4- 8.2	8	3.2	0.3- 6.1	4	1.2	0.0- 2.6	6	2.1	0.0- 4.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2144	357,843	2028	94.1	92.5-95.7	52	2.7	1.7- 3.7	34	1.6	0.8- 2.4	10	0.8	0.0- 1.6	16	0.6	0.2- 1.0	4	0.1	0.0- 0.3
White/Non-Hisp	1591	239,372	1516	94.7	92.9-96.5	36	2.8	1.4- 4.2	22	1.4	0.6- 2.2	6	0.6	0.0- 1.4	9	0.3	0.1- 0.5	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	321	70,338	293	91.9	87.8-96.0	12	3.2	1.0- 5.4	7	2.0	0.2- 3.8	3	2.0	0.0- 4.9	4	0.7	0.0- 1.5	2	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	58	15,169	54	92.1	82.7- 100	1	1.9	0.0- 5.6	1	0.7	0.0- 2.1				2	5.4	0.0-14.0			
Hispanic	117	23,330	114	96.3	91.2- 100				2	2.6	0.0- 7.1				1	1.1	0.0- 3.3			
18-24	101	41,071	92	91.7	85.2-98.2	5	3.0	0.3- 5.7	3	2.7	0.0- 6.0	1	2.6	0.0- 7.7						
25-34	188	54,039	171	90.8	85.3-96.3	6	3.8	0.0- 8.1	6	3.3	0.4- 6.2	1	0.2	0.0- 0.6	3	1.6	0.0- 4.1	1	0.2	0.0- 0.6
35-44	195	53,216	184	94.4	90.1-98.7	5	3.7	0.0- 7.6	4	1.0	0.0- 2.2	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9			
45-54	340	61,069	323	94.1	90.4-97.8	12	3.5	1.1- 5.9	3	1.0	0.0- 2.4	1	1.3	0.0- 3.8	1	0.0	0.0- 0.0			
55-64	456	61,805	430	95.3	93.1-97.5	10	1.7	0.5- 2.9	7	1.2	0.2- 2.2	3	0.8	0.0- 1.6	5	0.9	0.0- 1.9	1	0.1	0.0- 0.3
65+	833	82,093	798	96.2	94.6-97.8	14	1.4	0.4- 2.4	11	1.3	0.3- 2.3	3	0.3	0.0- 0.7	5	0.5	0.0- 1.1	2	0.2	0.0- 0.4
Less Than H.S.	183	42,306	166	91.1	85.6-96.6	4	2.4	0.0- 4.9	9	3.3	0.4- 6.2	1	1.9	0.0- 5.6	2	1.2	0.0- 2.8	1	0.2	0.0- 0.6
H.S. or G.E.D.	614	99,288	575	92.8	89.3-96.3	19	3.9	1.4- 6.4	8	1.2	0.0- 2.4	3	1.3	0.0- 3.5	6	0.5	0.1- 0.9	3	0.3	0.0- 0.7
Some Post-H.S.	581	112,256	555	94.4	91.7-97.1	11	2.4	0.2- 4.6	7	1.6	0.2- 3.0	4	0.7	0.0- 1.5	4	0.9	0.0- 2.1			
College Graduate	758	103,006	725	96.2	94.6-97.8	17	1.9	0.7- 3.1	10	1.5	0.3- 2.7	2	0.2	0.0- 0.4	4	0.3	0.0- 0.7			
Less than \$15,000	154	24,211	135	80.1	68.3-91.9	4	2.8	0.0- 6.5	7	5.8	0.0-11.9	3	9.0	0.0-19.4	4	2.1	0.0- 4.5	1	0.3	0.0- 0.9
\$15,000- 24,999	312	46,160	291	94.3	91.6-97.0	6	1.7	0.1- 3.3	9	2.3	0.5- 4.1	2	0.7	0.0- 1.7	3	0.7	0.0- 1.9	1	0.3	0.0- 0.9
\$25,000- 34,999	203	30,085	191	95.1	91.8-98.4	9	3.9	0.8- 7.0	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2				1	0.3	0.0- 0.9
\$35,000- 49,999	245	38,301	233	94.0	90.1-97.9	4	2.1	0.0- 4.5	5	3.0	0.1- 5.9	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2			
\$50,000- 74,999	264	46,485	253	91.7	85.2-98.2	9	7.3	1.0-13.6	2	1.0	0.0- 2.8									
\$75,000+	513	100,829	495	96.9	94.9-98.9	8	0.9	0.1- 1.7	6	1.3	0.1- 2.5				3	0.8	0.0- 2.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	265
2	MALES ONLY	266
3	FEMALES ONLY	267
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	268
5	MALES ONLY	269
6	FEMALES ONLY	270
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	271
8	MALES ONLY	272
9	FEMALES ONLY	273
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10	MALES AND FEMALES	274
11	MALES ONLY	275
12	FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3722	671,056	1898	44.6	42.2-47.0	1824	55.4	53.0-57.8
Male	1586	314,792	766	41.6	38.3-44.9	820	58.4	55.1-61.7
Female	2136	356,264	1132	47.3	44.2-50.4	1004	52.7	49.6-55.8
White/Non-Hisp	2754	448,924	1450	45.5	42.8-48.2	1304	54.5	51.8-57.2
Black or Afr. Am./Non-Hisp	541	124,942	254	43.8	37.9-49.7	287	56.2	50.3-62.1
Oth. Race/Non-Hisp.	96	26,968	44	47.3	34.4-60.2	52	52.7	39.8-65.6
Hispanic	214	49,701	91	38.0	29.6-46.4	123	62.0	53.6-70.4
18-24	193	79,826	64	31.7	23.3-40.1	129	68.3	59.9-76.7
25-34	344	106,162	115	32.9	26.4-39.4	229	67.1	60.6-73.6
35-44	356	100,801	136	38.3	31.8-44.8	220	61.7	55.2-68.2
45-54	572	114,696	252	41.4	36.3-46.5	320	58.6	53.5-63.7
55-64	796	115,969	378	45.6	41.1-50.1	418	54.4	49.9-58.9
65+	1413	146,587	930	65.6	62.3-68.9	483	34.4	31.1-37.7
Less Than H.S.	319	82,026	145	43.4	35.8-51.0	174	56.6	49.0-64.2
H.S. or G.E.D.	1095	205,041	511	40.4	36.3-44.5	584	59.6	55.5-63.7
Some Post-H.S.	959	200,812	488	44.9	40.6-49.2	471	55.1	50.8-59.4
College Graduate	1333	180,060	747	49.7	46.0-53.4	586	50.3	46.6-54.0
Less than \$15,000	226	34,812	115	47.2	36.4-58.0	111	52.8	42.0-63.6
\$15,000- 24,999	524	87,054	260	44.5	38.6-50.4	264	55.5	49.6-61.4
\$25,000- 34,999	363	64,960	165	42.3	35.0-49.6	198	57.7	50.4-65.0
\$35,000- 49,999	432	73,510	209	40.3	34.0-46.6	223	59.7	53.4-66.0
\$50,000- 74,999	478	86,547	254	42.9	36.6-49.2	224	57.1	50.8-63.4
\$75,000+	987	200,055	516	46.6	42.3-50.9	471	53.4	49.1-57.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	314,792	766	41.6	38.3-44.9	820	58.4	55.1-61.7
White/Non-Hisp	1167	209,985	580	41.3	37.4-45.2	587	58.7	54.8-62.6
Black or Afr. Am./Non-Hisp	221	54,741	103	42.5	33.5-51.5	118	57.5	48.5-66.5
Hispanic	98	26,624	37	37.6	24.9-50.3	61	62.4	49.7-75.1
18-24	92	38,755	31	33.5	21.5-45.5	61	66.5	54.5-78.5
25-34	157	52,804	39	24.0	15.4-32.6	118	76.0	67.4-84.6
35-44	162	47,721	54	35.6	25.8-45.4	108	64.4	54.6-74.2
45-54	233	53,742	90	36.5	29.1-43.9	143	63.5	56.1-70.9
55-64	340	54,164	147	43.0	36.1-49.9	193	57.0	50.1-63.9
65+	584	64,889	398	68.0	62.9-73.1	186	32.0	26.9-37.1
Less Than H.S.	138	40,048	57	39.2	28.6-49.8	81	60.8	50.2-71.4
H.S. or G.E.D.	483	106,205	205	38.8	32.7-44.9	278	61.2	55.1-67.3
Some Post-H.S.	380	89,273	183	40.0	33.5-46.5	197	60.0	53.5-66.5
College Graduate	576	77,121	315	48.0	42.5-53.5	261	52.0	46.5-57.5
Less than \$15,000	73	10,738	25	26.8	14.1-39.5	48	73.2	60.5-85.9
\$15,000- 24,999	214	41,261	98	43.0	34.4-51.6	116	57.0	48.4-65.6
\$25,000- 34,999	160	34,875	73	39.9	29.1-50.7	87	60.1	49.3-70.9
\$35,000- 49,999	187	35,209	88	38.6	28.8-48.4	99	61.4	51.6-71.2
\$50,000- 74,999	215	40,317	118	41.2	32.4-50.0	97	58.8	50.0-67.6
\$75,000+	475	99,906	233	45.2	38.9-51.5	242	54.8	48.5-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2136	356,264	1132	47.3	44.2-50.4	1004	52.7	49.6-55.8
White/Non-Hisp	1587	238,939	870	49.1	45.6-52.6	717	50.9	47.4-54.4
Black or Afr. Am./Non-Hisp	320	70,202	151	44.8	37.2-52.4	169	55.2	47.6-62.8
Oth. Race/Non-Hisp.	56	14,412	27	43.8	26.0-61.6	29	56.2	38.4-74.0
Hispanic	116	23,078	54	38.4	27.8-49.0	62	61.6	51.0-72.2
18-24	101	41,071	33	30.0	17.8-42.2	68	70.0	57.8-82.2
25-34	187	53,358	76	41.6	32.4-50.8	111	58.4	49.2-67.6
35-44	194	53,080	82	40.8	32.4-49.2	112	59.2	50.8-67.6
45-54	339	60,954	162	45.7	39.0-52.4	177	54.3	47.6-61.0
55-64	456	61,805	231	47.8	41.9-53.7	225	52.2	46.3-58.1
65+	829	81,698	532	63.8	59.5-68.1	297	36.2	31.9-40.5
Less Than H.S.	181	41,978	88	47.4	36.4-58.4	93	52.6	41.6-63.6
H.S. or G.E.D.	612	98,836	306	42.1	36.4-47.8	306	57.9	52.2-63.6
Some Post-H.S.	579	111,538	305	48.9	43.4-54.4	274	51.1	45.6-56.6
College Graduate	757	102,938	432	51.0	45.9-56.1	325	49.0	43.9-54.1
Less than \$15,000	153	24,074	90	56.3	43.2-69.4	63	43.7	30.6-56.8
\$15,000- 24,999	310	45,793	162	45.8	38.0-53.6	148	54.2	46.4-62.0
\$25,000- 34,999	203	30,085	92	45.1	36.1-54.1	111	54.9	45.9-63.9
\$35,000- 49,999	245	38,301	121	41.8	33.8-49.8	124	58.2	50.2-66.2
\$50,000- 74,999	263	46,230	136	44.4	35.8-53.0	127	55.6	47.0-64.2
\$75,000+	512	100,148	283	48.0	42.1-53.9	229	52.0	46.1-57.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1717	265,190	8	0.5	0.1- 0.9	33	2.0	1.2- 2.8	1066	60.5	57.2-63.8	148	10.3	7.9-12.7	39	2.3	1.3- 3.3	423	24.4	21.5-27.3
Male	692	114,311	6	0.9	0.1- 1.7	12	2.1	0.7- 3.5	428	58.5	53.2-63.8	68	11.2	7.7-14.7	19	2.9	0.9- 4.9	159	24.5	19.8-29.2
Female	1025	150,879	2	0.2	0.0- 0.4	21	1.9	0.9- 2.9	638	62.0	57.9-66.1	80	9.6	6.7-12.5	20	1.9	0.7- 3.1	264	24.3	20.8-27.8
White/Non-Hisp	1334	185,777	3	0.4	0.0- 0.8	23	1.7	0.9- 2.5	855	63.0	59.3-66.7	94	7.6	5.4- 9.8	24	1.6	0.4- 2.8	335	25.7	22.4-29.0
Black or Afr. Am./Non-Hisp	221	45,921	3	0.7	0.0- 1.5	5	1.9	0.0- 4.1	115	54.7	45.5-63.9	33	16.4	9.7-23.1	11	4.8	1.3- 8.3	54	21.6	14.3-28.9
Hispanic	74	15,835	2	1.8	0.0- 4.5	4	6.9	0.0-14.3	44	50.6	34.9-66.3	10	17.8	2.7-32.9	1	1.7	0.0- 5.0	13	21.2	6.9-35.5
18-24	52	20,204	3	3.8	0.0- 8.3	4	7.2	0.0-14.5	19	47.5	28.9-66.1	7	12.0	2.2-21.8	4	7.4	0.0-14.8	15	22.2	9.9-34.5
25-34	102	30,473				4	2.6	0.0- 5.3	57	53.8	41.6-66.0	15	17.5	6.7-28.3	3	1.2	0.0- 2.6	23	24.9	14.5-35.3
35-44	120	34,956							74	64.2	53.2-75.2	15	12.3	4.1-20.5	3	3.2	0.0- 7.7	28	20.4	11.6-29.2
45-54	220	40,925	1	0.2	0.0- 0.6	2	1.1	0.0- 2.9	150	68.1	60.1-76.1	18	6.8	2.9-10.7	2	1.2	0.0- 3.4	47	22.5	15.1-29.9
55-64	355	50,292	3	0.6	0.0- 1.4	5	0.8	0.0- 1.6	231	62.8	56.3-69.3	34	10.7	6.4-15.0	7	1.3	0.1- 2.5	75	23.8	17.9-29.7
65+	851	85,319	1	0.2	0.0- 0.6	18	2.5	1.1- 3.9	524	59.8	55.3-64.3	59	8.2	5.7-10.7	20	2.5	0.9- 4.1	229	26.8	22.7-30.9
Less Than H.S.	110	26,817	2	1.3	0.0- 3.1	3	3.5	0.0- 7.8	53	43.4	29.7-57.1	20	22.9	10.7-35.1	3	2.9	0.0- 6.6	29	26.0	15.8-36.2
H.S. or G.E.D.	461	74,064	3	0.9	0.0- 2.1	8	2.0	0.2- 3.8	267	58.4	51.9-64.9	47	10.7	6.8-14.6	17	4.0	1.3- 6.7	119	23.9	18.4-29.4
Some Post-H.S.	451	82,176	1	0.1	0.0- 0.3	11	1.6	0.6- 2.6	283	62.3	56.2-68.4	47	12.1	7.6-16.6	10	2.1	0.3- 3.9	99	21.8	16.7-26.9
College Graduate	690	81,651	2	0.3	0.0- 0.7	11	1.8	0.4- 3.2	461	66.4	61.3-71.5	34	3.9	2.3- 5.5	9	1.0	0.2- 1.8	173	26.6	21.7-31.5
Less than \$15,000	92	12,680				2	0.8	0.0- 2.2	54	62.0	45.1-78.9	14	12.7	3.3-22.1	5	5.0	0.0-10.3	17	19.4	7.1-31.7
\$15,000- 24,999	226	32,799	2	1.6	0.0- 4.0	4	1.6	0.0- 3.8	123	49.5	40.9-58.1	31	18.3	11.0-25.6	11	5.3	1.6- 9.0	55	23.7	16.4-31.0
\$25,000- 34,999	151	25,082	1	0.6	0.0- 1.8	3	2.5	0.0- 6.2	94	57.8	46.4-69.2	10	10.3	3.2-17.4	5	2.6	0.0- 5.7	38	26.3	15.5-37.1
\$35,000- 49,999	194	27,542	1	0.3	0.0- 0.9	4	3.4	0.0- 6.9	110	51.6	41.4-61.8	22	16.0	6.2-25.8	4	0.9	0.0- 1.9	53	27.8	18.8-36.8
\$50,000- 74,999	231	33,230				4	1.5	0.0- 3.1	151	71.0	63.9-78.1	18	7.9	4.0-11.8	6	1.1	0.1- 2.1	52	18.5	12.6-24.4
\$75,000+	488	85,970	2	0.3	0.0- 0.7	6	0.8	0.2- 1.4	338	67.0	60.9-73.1	31	6.2	2.7- 9.7	4	1.8	0.0- 4.0	107	23.9	18.6-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	692	114,311	6	0.9	0.1- 1.7	12	2.1	0.7- 3.5	428	58.5	53.2-63.8	68	11.2	7.7-14.7	19	2.9	0.9- 4.9	159	24.5	19.8-29.2
White/Non-Hisp	528	77,451	2	0.7	0.0- 1.7	7	1.9	0.3- 3.5	344	63.0	57.1-68.9	40	7.2	4.5- 9.9	12	2.3	0.0- 4.7	123	24.9	19.6-30.2
Black or Afr. Am./Non-Hisp	91	18,965	2	1.1	0.0- 2.7	2	1.0	0.0- 2.4	45	46.9	34.0-59.8	14	18.2	7.4-29.0	5	4.3	0.0- 8.6	23	28.6	16.1-41.1
45-54	78	17,238	1	0.5	0.0- 1.5	1	0.6	0.0- 1.8	50	62.8	49.5-76.1	7	6.9	1.4-12.4	1	2.5	0.0- 7.4	18	26.7	13.8-39.6
55-64	141	22,491	2	0.9	0.0- 2.3	1	0.3	0.0- 0.9	99	64.6	54.0-75.2	14	8.5	3.2-13.8				25	25.7	15.5-35.9
65+	361	38,222	1	0.4	0.0- 1.2	6	2.5	0.3- 4.7	218	58.6	51.7-65.5	32	11.2	6.5-15.9	13	2.8	0.6- 5.0	91	24.5	18.2-30.8
H.S. or G.E.D.	177	35,475	1	1.1	0.0- 3.3	3	1.3	0.0- 2.9	107	60.0	49.8-70.2	19	9.5	3.8-15.2	7	4.6	0.0- 9.5	40	23.5	14.7-32.3
Some Post-H.S.	171	33,071	1	0.2	0.0- 0.6	2	0.9	0.0- 2.3	108	60.7	50.7-70.7	23	12.6	6.3-18.9	6	3.0	0.0- 6.3	31	22.7	13.7-31.7
College Graduate	297	34,139	2	0.7	0.0- 1.7	6	3.3	0.4- 6.2	197	66.9	59.5-74.3	13	3.7	1.3- 6.1	4	0.5	0.0- 1.1	75	25.0	17.9-32.1
\$15,000- 24,999	83	14,557	2	3.6	0.0- 9.1	1	2.3	0.0- 6.6	41	45.1	31.6-58.6	14	20.5	9.3-31.7	5	4.6	0.0- 9.5	20	23.9	11.7-36.1
\$25,000- 34,999	64	11,956	1	1.2	0.0- 3.6				34	42.8	26.1-59.5	5	12.0	0.6-23.4	4	3.6	0.0- 9.3	20	40.4	22.0-58.8
\$35,000- 49,999	82	12,913	1	0.7	0.0- 2.1	2	2.9	0.0- 7.2	50	53.4	36.5-70.3	9	21.3	3.3-39.3	3	1.5	0.0- 3.5	17	20.1	7.0-33.2
\$50,000- 74,999	107	14,643				1	1.0	0.0- 3.0	69	68.5	57.7-79.3	6	5.1	0.4- 9.8	4	1.7	0.0- 3.5	27	23.7	13.7-33.7
\$75,000+	225	41,384	1	0.1	0.0- 0.3	4	1.2	0.0- 2.4	156	66.3	57.5-75.1	16	5.1	1.8- 8.4	2	3.1	0.0- 7.4	46	24.1	15.9-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1025	150,879	2	0.2	0.0- 0.4	21	1.9	0.9- 2.9	638	62.0	57.9-66.1	80	9.6	6.7-12.5	20	1.9	0.7- 3.1	264	24.3	20.8-27.8
White/Non-Hisp	806	108,326	1	0.2	0.0- 0.6	16	1.5	0.5- 2.5	511	62.9	58.2-67.6	54	7.9	4.8-11.0	12	1.1	0.3- 1.9	212	26.3	22.2-30.4
Black or Afr. Am./Non-Hisp	130	26,956	1	0.4	0.0- 1.2	3	2.6	0.0- 6.3	70	60.2	48.2-72.2	19	15.1	6.9-23.3	6	5.1	0.2-10.0	31	16.7	9.1-24.3
25-34	69	20,662				2	1.7	0.0- 4.1	40	52.6	37.5-67.7	10	21.3	6.8-35.8	2	1.2	0.0- 3.0	15	23.1	10.9-35.3
35-44	71	19,111							42	68.1	56.1-80.1	10	9.7	3.0-16.4	1	1.1	0.0- 3.3	18	21.1	10.9-31.3
45-54	142	23,687				1	1.5	0.0- 4.4	100	72.0	62.4-81.6	11	6.8	1.5-12.1	1	0.3	0.0- 0.9	29	19.4	11.0-27.8
55-64	214	27,800	1	0.3	0.0- 0.9	4	1.2	0.0- 2.4	132	61.3	53.3-69.3	20	12.6	6.3-18.9	7	2.4	0.4- 4.4	50	22.3	15.6-29.0
65+	490	47,097				12	2.4	0.6- 4.2	306	60.8	55.1-66.5	27	5.8	3.1- 8.5	7	2.2	0.0- 4.4	138	28.7	23.6-33.8
Less Than H.S.	67	15,593				2	2.9	0.0- 7.6	39	58.3	40.9-75.7	7	13.8	0.9-26.7	1	1.7	0.0- 5.0	18	23.2	10.9-35.5
H.S. or G.E.D.	284	38,589	2	0.7	0.0- 1.7	5	2.6	0.0- 5.5	160	57.0	49.2-64.8	28	11.8	6.5-17.1	10	3.5	0.6- 6.4	79	24.3	17.8-30.8
Some Post-H.S.	280	49,105				9	2.1	0.5- 3.7	175	63.3	55.7-70.9	24	11.9	5.6-18.2	4	1.5	0.0- 3.5	68	21.3	15.4-27.2
College Graduate	393	47,513				5	0.7	0.0- 1.5	264	66.1	59.2-73.0	21	4.1	1.9- 6.3	5	1.3	0.1- 2.5	98	27.8	21.1-34.5
Less than \$15,000	70	10,505				1	0.3	0.0- 0.9	44	67.4	49.4-85.4	8	10.8	0.6-21.0	5	6.0	0.0-12.5	12	15.5	3.2-27.8
\$15,000- 24,999	143	18,242				3	1.1	0.0- 2.7	82	53.0	42.2-63.8	17	16.5	6.9-26.1	6	5.8	0.1-11.5	35	23.7	14.9-32.5
\$25,000- 34,999	87	13,126				3	4.8	0.0-11.7	60	71.6	59.4-83.8	5	8.7	0.0-17.5	1	1.6	0.0- 4.7	18	13.3	6.0-20.6
\$35,000- 49,999	112	14,628				2	3.9	0.0- 9.2	60	49.9	37.9-61.9	13	11.4	3.6-19.2	1	0.3	0.0- 0.9	36	34.5	22.7-46.3
\$50,000- 74,999	124	18,587				3	1.9	0.0- 4.4	82	72.9	63.5-82.3	12	10.1	4.0-16.2	2	0.6	0.0- 1.4	25	14.5	8.0-21.0
\$75,000+	263	44,586	1	0.4	0.0- 1.2	2	0.4	0.0- 1.0	182	67.7	59.5-75.9	15	7.2	1.3-13.1	2	0.5	0.0- 1.3	61	23.8	16.7-30.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1888	298,211	855	43.0	39.9-46.1	102	6.6	4.6- 8.6	22	0.8	0.4- 1.2	626	29.1	26.4-31.8	283	20.5	17.8-23.2
Male	759	129,974	335	39.9	35.0-44.8	60	8.2	5.5-10.9	7	0.7	0.0- 1.5	237	28.4	23.9-32.9	120	22.8	18.1-27.5
Female	1129	168,237	520	45.3	41.2-49.4	42	5.4	2.7- 8.1	15	1.0	0.4- 1.6	389	29.6	26.1-33.1	163	18.7	15.4-22.0
White/Non-Hisp	1441	203,017	644	42.2	38.7-45.7	54	3.3	2.1- 4.5	17	0.9	0.3- 1.5	519	32.6	29.3-35.9	207	21.1	17.8-24.4
Black or Afr. Am./Non-Hisp	253	54,549	129	50.0	41.4-58.6	25	14.0	5.8-22.2	3	1.0	0.0- 2.4	52	16.0	10.5-21.5	44	19.1	12.2-26.0
Hispanic	91	18,866	34	36.9	23.0-50.8	18	20.7	10.5-30.9				19	16.9	8.1-25.7	20	25.5	12.8-38.2
18-24	63	25,080	23	30.7	17.0-44.4	10	18.8	3.5-34.1	1	0.8	0.0- 2.4	16	27.4	13.1-41.7	13	22.2	9.7-34.7
25-34	115	34,876	50	46.0	34.4-57.6	16	11.0	4.9-17.1				17	13.0	5.4-20.6	32	30.0	18.6-41.4
35-44	135	38,522	52	35.5	25.3-45.7	13	8.2	3.5-12.9	1	1.0	0.0- 3.0	27	21.1	12.9-29.3	42	34.2	23.8-44.6
45-54	250	47,091	103	38.2	30.6-45.8	12	3.5	1.1- 5.9				60	22.9	16.6-29.2	75	35.5	27.9-43.1
55-64	377	52,702	182	49.3	42.8-55.8	19	3.5	1.7- 5.3	4	0.7	0.0- 1.5	107	28.7	22.8-34.6	65	17.7	13.0-22.4
65+	925	95,765	435	46.8	42.5-51.1	29	4.1	1.7- 6.5	16	1.6	0.6- 2.6	390	41.4	37.3-45.5	55	6.0	4.0- 8.0
Less Than H.S.	144	35,449	74	47.7	36.3-59.1	14	14.1	3.1-25.1				42	28.2	19.0-37.4	14	10.1	3.6-16.6
H.S. or G.E.D.	508	82,281	234	45.0	38.7-51.3	32	6.6	3.7- 9.5	9	0.9	0.3- 1.5	174	29.9	24.2-35.6	59	17.7	12.2-23.2
Some Post-H.S.	484	89,790	214	42.6	36.7-48.5	18	5.4	2.5- 8.3	6	1.2	0.2- 2.2	165	27.5	22.6-32.4	81	23.3	17.6-29.0
College Graduate	745	89,292	331	40.1	35.2-45.0	38	5.1	2.9- 7.3	7	0.8	0.0- 1.8	241	29.5	25.2-33.8	128	24.5	19.8-29.2
Less than \$15,000	115	16,426	56	48.4	31.9-64.9	6	17.1	0.0-38.1				44	29.0	16.5-41.5	9	5.5	1.4- 9.6
\$15,000- 24,999	258	38,416	115	47.4	39.4-55.4	25	10.9	6.0-15.8	4	1.0	0.0- 2.0	86	29.2	22.3-36.1	28	11.5	6.6-16.4
\$25,000- 34,999	165	27,470	77	43.3	33.1-53.5	11	10.7	3.1-18.3	1	0.2	0.0- 0.6	57	31.0	21.8-40.2	19	14.7	5.7-23.7
\$35,000- 49,999	209	29,596	87	48.3	38.5-58.1	10	3.9	1.0- 6.8	3	0.6	0.0- 1.4	74	26.2	18.9-33.5	35	20.9	13.1-28.7
\$50,000- 74,999	251	36,665	116	47.5	39.1-55.9	8	4.7	0.8- 8.6	5	0.8	0.0- 1.8	89	28.6	21.7-35.5	33	18.3	11.0-25.6
\$75,000+	516	93,284	224	36.4	30.7-42.1	24	3.3	1.5- 5.1	4	0.9	0.0- 1.9	143	26.3	21.2-31.4	121	33.1	27.0-39.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	759	129,974	335	39.9	35.0-44.8	60	8.2	5.5-10.9	7	0.7	0.0- 1.5	237	28.4	23.9-32.9	120	22.8	18.1-27.5
White/Non-Hisp	574	85,879	255	40.4	34.9-45.9	33	4.4	2.4- 6.4	4	0.3	0.0- 0.7	192	30.5	25.0-36.0	90	24.4	18.7-30.1
Black or Afr. Am./Non-Hisp	102	23,112	45	44.3	31.8-56.8	17	18.5	8.1-28.9	2	1.9	0.0- 5.2	22	18.1	9.3-26.9	16	17.2	6.6-27.8
35-44	53	16,878	18	31.4	14.5-48.3	6	9.1	1.7-16.5				10	15.9	5.3-26.5	19	43.5	25.5-61.5
45-54	88	19,248	36	35.3	23.5-47.1	6	5.9	0.6-11.2				19	17.2	8.6-25.8	27	41.6	28.9-54.3
55-64	146	23,136	69	48.9	38.5-59.3	8	3.2	0.8- 5.6	1	0.7	0.0- 2.1	40	28.3	18.5-38.1	28	19.0	11.2-26.8
65+	396	43,968	188	48.6	41.9-55.3	25	7.1	2.8-11.4	6	1.6	0.0- 3.6	148	35.2	29.1-41.3	29	7.5	4.2-10.8
Less Than H.S.	56	15,571	28	48.7	32.6-64.8	8	12.1	3.3-20.9				14	29.2	15.1-43.3	6	10.0	1.4-18.6
H.S. or G.E.D.	202	40,716	97	43.7	34.1-53.3	21	9.2	4.1-14.3	2	0.5	0.0- 1.3	53	25.7	16.5-34.9	29	20.8	11.4-30.2
Some Post-H.S.	181	35,404	73	34.3	25.5-43.1	11	9.1	2.8-15.4	3	1.8	0.0- 4.2	58	24.5	16.9-32.1	36	30.2	20.0-40.4
College Graduate	314	36,963	135	38.5	31.4-45.6	20	4.8	1.9- 7.7	2	0.0	0.0- 0.0	109	33.0	25.9-40.1	48	23.6	16.5-30.7
\$15,000- 24,999	96	17,427	47	53.3	40.6-66.0	16	14.0	6.0-22.0	2	1.2	0.0- 3.2	22	19.2	9.8-28.6	9	12.2	3.8-20.6
\$25,000- 34,999	73	13,905	32	37.4	22.5-52.3	7	16.5	3.0-30.0				23	28.2	14.3-42.1	11	17.9	2.8-33.0
\$35,000- 49,999	88	13,579	41	58.7	44.2-73.2	7	5.7	0.4-11.0	1	0.0	0.0- 0.0	26	19.7	9.9-29.5	13	15.9	5.9-25.9
\$50,000- 74,999	116	16,313	44	37.9	26.9-48.9	6	8.8	0.8-16.8	2	0.9	0.0- 2.7	48	33.3	23.5-43.1	16	19.1	9.3-28.9
\$75,000+	233	45,177	95	31.1	23.5-38.7	13	3.5	1.0- 6.0	1	0.3	0.0- 0.9	72	28.3	20.3-36.3	52	36.8	27.2-46.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1129	168,237	520	45.3	41.2-49.4	42	5.4	2.7- 8.1	15	1.0	0.4- 1.6	389	29.6	26.1-33.1	163	18.7	15.4-22.0
White/Non-Hisp	867	117,139	389	43.5	38.8-48.2	21	2.5	1.1- 3.9	13	1.2	0.2- 2.2	327	34.1	30.0-38.2	117	18.7	14.8-22.6
Black or Afr. Am./Non-Hisp	151	31,437	84	54.1	42.1-66.1	8	10.6	0.0-22.8	1	0.3	0.0- 0.9	30	14.4	7.7-21.1	28	20.5	11.3-29.7
Hispanic	54	8,864	24	45.9	30.0-61.8	10	22.1	8.8-35.4				12	19.1	6.9-31.3	8	12.9	3.7-22.1
25-34	76	22,191	38	55.0	40.9-69.1	9	9.3	2.6-16.0				8	5.8	1.1-10.5	21	29.9	16.4-43.4
35-44	82	21,644	34	38.6	25.9-51.3	7	7.5	1.4-13.6	1	1.8	0.0- 5.3	17	25.1	13.5-36.7	23	26.9	15.7-38.1
45-54	162	27,843	67	40.2	30.4-50.0	6	1.8	0.2- 3.4				41	26.8	18.2-35.4	48	31.3	22.1-40.5
55-64	231	29,566	113	49.7	41.9-57.5	11	3.8	1.4- 6.2	3	0.8	0.0- 1.6	67	29.0	21.6-36.4	37	16.7	10.6-22.8
65+	529	51,797	247	45.4	39.9-50.9	4	1.5	0.0- 3.7	10	1.6	0.4- 2.8	242	46.8	41.3-52.3	26	4.8	2.6- 7.0
Less Than H.S.	88	19,878	46	46.9	31.4-62.4	6	15.6	0.0-33.6				28	27.4	15.2-39.6	8	10.1	0.5-19.7
H.S. or G.E.D.	306	41,565	137	46.2	38.4-54.0	11	4.0	1.5- 6.5	7	1.2	0.2- 2.2	121	34.0	27.1-40.9	30	14.6	8.7-20.5
Some Post-H.S.	303	54,386	141	48.0	40.6-55.4	7	3.0	0.3- 5.7	3	0.7	0.0- 1.5	107	29.4	22.9-35.9	45	18.8	12.7-24.9
College Graduate	431	52,329	196	41.2	34.7-47.7	18	5.2	2.1- 8.3	5	1.4	0.0- 3.0	132	27.1	21.6-32.6	80	25.1	18.6-31.6
Less than \$15,000	90	13,552	45	50.2	30.6-69.8	5	17.9	0.0-42.6				36	28.0	13.9-42.1	4	3.9	0.0- 8.0
\$15,000- 24,999	162	20,989	68	42.5	32.3-52.7	9	8.3	2.4-14.2	2	0.8	0.0- 1.8	64	37.5	27.9-47.1	19	10.9	5.4-16.4
\$25,000- 34,999	92	13,565	45	49.4	36.1-62.7	4	4.8	0.0-11.1	1	0.4	0.0- 1.2	34	33.8	21.6-46.0	8	11.5	2.1-20.9
\$35,000- 49,999	121	16,017	46	39.6	28.2-51.0	3	2.4	0.0- 5.3	2	1.0	0.0- 2.6	48	31.8	21.8-41.8	22	25.2	13.8-36.6
\$50,000- 74,999	135	20,352	72	55.3	43.3-67.3	2	1.4	0.0- 3.6	3	0.8	0.0- 1.8	41	24.9	15.5-34.3	17	17.6	7.0-28.2
\$75,000+	283	48,107	129	41.4	33.6-49.2	11	3.1	0.7- 5.5	3	1.6	0.0- 3.6	71	24.3	17.8-30.8	69	29.6	22.2-37.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3392	587,835	1621	37.5	35.3-39.7	1771	62.5	60.3-64.7
Male	1402	266,397	661	37.8	34.3-41.3	741	62.2	58.7-65.7
Female	1990	321,439	960	37.2	34.3-40.1	1030	62.8	59.9-65.7
White/Non-Hisp	2542	395,305	1295	40.8	38.1-43.5	1247	59.2	56.5-61.9
Black or Afr. Am./Non-Hisp	484	109,564	203	35.3	29.6-41.0	281	64.7	59.0-70.4
Oth. Race/Non-Hisp.	80	21,890	33	29.1	17.3-40.9	47	70.9	59.1-82.7
Hispanic	181	42,564	39	15.1	9.2-21.0	142	84.9	79.0-90.8
18-24	148	60,381	53	35.3	25.3-45.3	95	64.7	54.7-74.7
25-34	273	84,845	57	19.1	13.6-24.6	216	80.9	75.4-86.4
35-44	288	81,727	55	18.4	12.5-24.3	233	81.6	75.7-87.5
45-54	523	105,045	128	23.3	18.6-28.0	395	76.7	72.0-81.4
55-64	751	109,210	243	29.5	25.4-33.6	508	70.5	66.4-74.6
65+	1366	140,232	1066	76.7	73.6-79.8	300	23.3	20.2-26.4
Less Than H.S.	280	71,476	116	35.3	27.7-42.9	164	64.7	57.1-72.3
H.S. or G.E.D.	1018	183,898	496	39.2	34.9-43.5	522	60.8	56.5-65.1
Some Post-H.S.	865	172,804	411	37.5	33.2-41.8	454	62.5	58.2-66.8
College Graduate	1213	156,608	592	36.7	33.2-40.2	621	63.3	59.8-66.8
Less than \$15,000	216	33,462	102	38.9	28.9-48.9	114	61.1	51.1-71.1
\$15,000- 24,999	478	77,946	241	42.0	35.7-48.3	237	58.0	51.7-64.3
\$25,000- 34,999	334	59,661	169	41.1	33.8-48.4	165	58.9	51.6-66.2
\$35,000- 49,999	401	65,649	193	37.9	31.8-44.0	208	62.1	56.0-68.2
\$50,000- 74,999	442	76,042	235	42.7	36.4-49.0	207	57.3	51.0-63.6
\$75,000+	884	172,734	350	29.9	26.0-33.8	534	70.1	66.2-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1402	266,397	661	37.8	34.3-41.3	741	62.2	58.7-65.7
White/Non-Hisp	1042	176,704	525	40.1	36.0-44.2	517	59.9	55.8-64.0
Black or Afr. Am./Non-Hisp	191	47,064	85	41.6	32.0-51.2	106	58.4	48.8-68.0
Hispanic	83	22,985	15	14.0	5.6-22.4	68	86.0	77.6-94.4
18-24	68	27,074	27	44.4	30.3-58.5	41	55.6	41.5-69.7
25-34	121	40,104	26	23.2	14.2-32.2	95	76.8	67.8-85.8
35-44	124	37,815	25	20.3	10.3-30.3	99	79.7	69.7-89.7
45-54	207	48,529	43	21.1	14.0-28.2	164	78.9	71.8-86.0
55-64	311	49,353	93	26.5	20.6-32.4	218	73.5	67.6-79.4
65+	556	61,166	440	77.3	72.4-82.2	116	22.7	17.8-27.6
Less Than H.S.	120	34,388	42	31.9	21.9-41.9	78	68.1	58.1-78.1
H.S. or G.E.D.	434	91,691	192	38.0	31.7-44.3	242	62.0	55.7-68.3
Some Post-H.S.	331	73,940	161	39.6	32.5-46.7	170	60.4	53.3-67.5
College Graduate	509	64,315	262	39.0	33.7-44.3	247	61.0	55.7-66.3
Less than \$15,000	69	10,220	29	38.4	22.5-54.3	40	61.6	45.7-77.5
\$15,000- 24,999	188	36,302	82	41.9	32.3-51.5	106	58.1	48.5-67.7
\$25,000- 34,999	141	32,152	71	40.3	29.1-51.5	70	59.7	48.5-70.9
\$35,000- 49,999	173	31,092	90	41.0	31.4-50.6	83	59.0	49.4-68.6
\$50,000- 74,999	190	33,117	107	46.0	36.0-56.0	83	54.0	44.0-64.0
\$75,000+	415	82,970	182	32.7	26.4-39.0	233	67.3	61.0-73.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1990	321,439	960	37.2	34.3-40.1	1030	62.8	59.9-65.7
White/Non-Hisp	1500	218,602	770	41.4	37.9-44.9	730	58.6	55.1-62.1
Black or Afr. Am./Non-Hisp	293	62,500	118	30.5	23.8-37.2	175	69.5	62.8-76.2
Hispanic	98	19,580	24	16.3	8.5-24.1	74	83.7	75.9-91.5
18-24	80	33,307	26	28.0	14.1-41.9	54	72.0	58.1-85.9
25-34	152	44,742	31	15.5	9.0-22.0	121	84.5	78.0-91.0
35-44	164	43,912	30	16.8	10.1-23.5	134	83.2	76.5-89.9
45-54	316	56,516	85	25.1	19.0-31.2	231	74.9	68.8-81.0
55-64	440	59,858	150	32.0	26.5-37.5	290	68.0	62.5-73.5
65+	810	79,066	626	76.2	72.1-80.3	184	23.8	19.7-27.9
Less Than H.S.	160	37,088	74	38.5	27.1-49.9	86	61.5	50.1-72.9
H.S. or G.E.D.	584	92,207	304	40.3	34.6-46.0	280	59.7	54.0-65.4
Some Post-H.S.	534	98,863	250	35.9	30.8-41.0	284	64.1	59.0-69.2
College Graduate	704	92,293	330	35.1	30.4-39.8	374	64.9	60.2-69.6
Less than \$15,000	147	23,242	73	39.1	26.6-51.6	74	60.9	48.4-73.4
\$15,000- 24,999	290	41,645	159	42.1	33.7-50.5	131	57.9	49.5-66.3
\$25,000- 34,999	193	27,509	98	42.1	33.3-50.9	95	57.9	49.1-66.7
\$35,000- 49,999	228	34,557	103	35.1	27.1-43.1	125	64.9	56.9-72.9
\$50,000- 74,999	252	42,925	128	40.1	32.1-48.1	124	59.9	51.9-67.9
\$75,000+	469	89,764	168	27.3	22.2-32.4	301	72.7	67.6-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3601	650,922	1272	41.7	39.3-44.1	2329	58.3	55.9-60.7
Male	1530	306,035	558	40.1	36.6-43.6	972	59.9	56.4-63.4
Female	2071	344,887	714	43.2	40.1-46.3	1357	56.8	53.7-59.9
White/Non-Hisp	2658	433,411	763	35.6	32.9-38.3	1895	64.4	61.7-67.1
Black or Afr. Am./Non-Hisp	525	121,311	303	59.9	54.0-65.8	222	40.1	34.2-46.0
Oth. Race/Non-Hisp.	96	26,959	40	35.4	23.6-47.2	56	64.6	52.8-76.4
Hispanic	211	49,433	110	48.7	39.9-57.5	101	51.3	42.5-60.1
18-24	185	77,423	75	41.3	31.9-50.7	110	58.7	49.3-68.1
25-34	335	103,663	202	56.4	49.3-63.5	133	43.6	36.5-50.7
35-44	348	98,144	227	62.3	55.6-69.0	121	37.7	31.0-44.4
45-54	558	111,591	304	53.8	48.7-58.9	254	46.2	41.1-51.3
55-64	772	112,792	245	32.8	28.5-37.1	527	67.2	62.9-71.5
65+	1354	140,043	200	14.8	12.3-17.3	1154	85.2	82.7-87.7
Less Than H.S.	314	80,640	117	40.6	32.6-48.6	197	59.4	51.4-67.4
H.S. or G.E.D.	1056	198,782	349	41.9	37.4-46.4	707	58.1	53.6-62.6
Some Post-H.S.	926	193,335	352	42.0	37.7-46.3	574	58.0	53.7-62.3
College Graduate	1289	175,074	449	41.9	38.2-45.6	840	58.1	54.4-61.8
Less than \$15,000	221	33,813	101	52.7	42.1-63.3	120	47.3	36.7-57.9
\$15,000- 24,999	512	84,876	207	46.7	40.6-52.8	305	53.3	47.2-59.4
\$25,000- 34,999	350	63,734	115	38.0	30.6-45.4	235	62.0	54.6-69.4
\$35,000- 49,999	424	72,527	156	45.1	38.4-51.8	268	54.9	48.2-61.6
\$50,000- 74,999	463	83,636	157	44.4	37.5-51.3	306	55.6	48.7-62.5
\$75,000+	955	193,882	365	42.5	38.0-47.0	590	57.5	53.0-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1530	306,035	558	40.1	36.6-43.6	972	59.9	56.4-63.4
White/Non-Hisp	1121	202,381	340	35.1	31.0-39.2	781	64.9	60.8-69.0
Black or Afr. Am./Non-Hisp	215	53,771	134	60.2	50.6-69.8	81	39.8	30.2-49.4
Hispanic	97	26,616	42	37.0	24.8-49.2	55	63.0	50.8-75.2
18-24	89	37,909	25	26.8	15.2-38.4	64	73.2	61.6-84.8
25-34	155	52,669	81	44.7	34.5-54.9	74	55.3	45.1-65.5
35-44	158	46,375	95	57.7	47.5-67.9	63	42.3	32.1-52.5
45-54	228	52,605	127	57.0	49.4-64.6	101	43.0	35.4-50.6
55-64	332	52,658	115	38.4	31.5-45.3	217	61.6	54.7-68.5
65+	550	61,103	106	18.4	14.1-22.7	444	81.6	77.3-85.9
Less Than H.S.	134	38,713	52	35.5	25.1-45.9	82	64.5	54.1-74.9
H.S. or G.E.D.	469	104,016	175	42.5	36.0-49.0	294	57.5	51.0-64.0
Some Post-H.S.	363	85,106	146	40.5	33.6-47.4	217	59.5	52.6-66.4
College Graduate	556	76,095	183	39.1	33.6-44.6	373	60.9	55.4-66.4
Less than \$15,000	71	10,327	37	53.4	36.5-70.3	34	46.6	29.7-63.5
\$15,000- 24,999	210	40,795	98	51.5	42.7-60.3	112	48.5	39.7-57.3
\$25,000- 34,999	154	34,327	54	34.2	23.2-45.2	100	65.8	54.8-76.8
\$35,000- 49,999	183	34,785	59	42.0	32.0-52.0	124	58.0	48.0-68.0
\$50,000- 74,999	209	39,620	63	39.9	29.9-49.9	146	60.1	50.1-70.1
\$75,000+	458	96,845	177	41.7	35.2-48.2	281	58.3	51.8-64.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2071	344,887	714	43.2	40.1-46.3	1357	56.8	53.7-59.9
White/Non-Hisp	1537	231,030	423	36.1	32.4-39.8	1114	63.9	60.2-67.6
Black or Afr. Am./Non-Hisp	310	67,539	169	59.7	52.3-67.1	141	40.3	32.9-47.7
Oth. Race/Non-Hisp.	57	14,488	24	35.5	19.2-51.8	33	64.5	48.2-80.8
Hispanic	114	22,817	68	62.2	51.2-73.2	46	37.8	26.8-48.8
18-24	96	39,514	50	55.2	41.9-68.5	46	44.8	31.5-58.1
25-34	180	50,994	121	68.5	59.9-77.1	59	31.5	22.9-40.1
35-44	190	51,769	132	66.4	57.6-75.2	58	33.6	24.8-42.4
45-54	330	58,985	177	51.0	44.1-57.9	153	49.0	42.1-55.9
55-64	440	60,134	130	28.0	22.7-33.3	310	72.0	66.7-77.3
65+	804	78,940	94	12.0	9.1-14.9	710	88.0	85.1-90.9
Less Than H.S.	180	41,927	65	45.3	33.9-56.7	115	54.7	43.3-66.1
H.S. or G.E.D.	587	94,765	174	41.2	35.1-47.3	413	58.8	52.7-64.9
Some Post-H.S.	563	108,229	206	43.2	37.5-48.9	357	56.8	51.1-62.5
College Graduate	733	98,979	266	44.0	38.9-49.1	467	56.0	50.9-61.1
Less than \$15,000	150	23,486	64	52.4	39.1-65.7	86	47.6	34.3-60.9
\$15,000- 24,999	302	44,082	109	42.2	34.2-50.2	193	57.8	49.8-65.8
\$25,000- 34,999	196	29,408	61	42.4	33.2-51.6	135	57.6	48.4-66.8
\$35,000- 49,999	241	37,742	97	47.9	39.3-56.5	144	52.1	43.5-60.7
\$50,000- 74,999	254	44,016	94	48.4	39.2-57.6	160	51.6	42.4-60.8
\$75,000+	497	97,037	188	43.3	37.2-49.4	309	56.7	50.6-62.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	956	211,572	32	2.5	1.5- 3.5	47	3.6	2.2- 5.0	78	7.1	5.1- 9.1	112	9.8	7.4-12.2	516	56.5	52.2-60.8	171	20.5	16.8-24.2
Male	420	98,061	15	2.8	1.0- 4.6	13	2.4	0.8- 4.0	32	6.7	4.2- 9.2	47	9.7	6.0-13.4	236	60.7	54.6-66.8	77	17.7	13.0-22.4
Female	536	113,512	17	2.2	1.0- 3.4	34	4.6	2.6- 6.6	46	7.5	4.8-10.2	65	9.9	6.8-13.0	280	52.9	46.8-59.0	94	22.9	17.2-28.6
White/Non-Hisp	575	120,392	28	3.6	2.0- 5.2	39	5.1	3.1- 7.1	62	9.4	6.5-12.3	80	11.4	8.3-14.5	296	54.7	49.0-60.4	70	15.8	10.9-20.7
Black or Afr. Am./Non-Hisp	241	60,488	3	1.4	0.0- 3.0	1	0.4	0.0- 1.2	9	3.3	0.8- 5.8	19	8.4	3.1-13.7	145	61.2	52.8-69.6	64	25.3	18.0-32.6
Hispanic	70	15,740	1	1.2	0.0- 3.6	2	1.6	0.0- 4.0	3	2.8	0.0- 6.1	6	4.8	0.3- 9.3	41	66.9	53.6-80.2	17	22.7	10.4-35.0
18-24	69	28,781												42	62.4	46.7-78.1	27	37.6	21.9-53.3	
25-34	166	47,550							3	2.2	0.0- 5.3	6	3.0	0.3- 5.7	113	64.7	55.1-74.3	44	30.2	21.0-39.4
35-44	181	49,144	4	1.9	0.0- 3.9	3	1.3	0.0- 2.9	15	8.2	3.5-12.9	31	19.3	11.7-26.9	100	54.9	45.7-64.1	28	14.5	8.4-20.6
45-54	224	43,777	11	5.0	1.7- 8.3	18	9.1	4.4-13.8	22	9.6	5.3-13.9	30	11.7	7.0-16.4	112	50.6	42.2-59.0	31	14.0	7.9-20.1
55-64	181	27,290	5	3.8	0.1- 7.5	14	7.1	2.2-12.0	24	14.3	7.6-21.0	28	13.3	7.8-18.8	88	50.4	41.0-59.8	22	11.2	5.9-16.5
65+	121	13,511	12	8.8	2.1-15.5	12	7.5	2.8-12.2	14	13.9	4.9-22.9	14	6.2	2.3-10.1	52	51.2	39.4-63.0	17	12.5	5.6-19.4
Less Than H.S.	67	21,590				4	4.3	0.0- 9.6	4	3.8	0.0- 7.7	1	5.8	0.0-16.8	41	58.2	40.0-76.4	17	27.9	10.5-45.3
H.S. or G.E.D.	261	64,335	12	3.9	1.5- 6.3	6	1.2	0.0- 2.4	20	7.2	3.7-10.7	23	7.1	3.8-10.4	152	63.5	56.1-70.9	48	17.1	11.4-22.8
Some Post-H.S.	275	66,031	9	2.5	0.3- 4.7	13	3.4	1.0- 5.8	17	6.0	2.7- 9.3	26	6.6	3.5- 9.7	154	57.7	49.9-65.5	56	23.8	16.9-30.7
College Graduate	351	59,185	11	1.9	0.5- 3.3	23	5.7	2.8- 8.6	37	9.5	5.6-13.4	62	17.8	12.5-23.1	168	47.1	40.0-54.2	50	18.0	11.9-24.1
Less than \$15,000	70	13,343	2	1.2	0.0- 3.4	1	4.0	0.0-11.8	6	6.4	0.1-12.7	6	2.2	0.0- 4.6	40	69.4	53.5-85.3	15	16.7	5.5-27.9
\$15,000- 24,999	153	29,563	6	4.3	0.6- 8.0	5	1.8	0.0- 3.6	3	0.9	0.0- 2.1	15	7.1	2.8-11.4	89	67.3	58.5-76.1	35	18.6	11.5-25.7
\$25,000- 34,999	87	18,919				2	1.9	0.0- 4.6	8	9.8	2.4-17.2	5	4.2	0.0- 8.9	53	58.0	44.7-71.3	19	26.1	14.1-38.1
\$35,000- 49,999	135	29,002	5	2.5	0.0- 5.2	8	3.6	0.7- 6.5	17	10.9	4.6-17.2	10	6.1	1.8-10.4	73	56.3	45.3-67.3	22	20.7	11.3-30.1
\$50,000- 74,999	127	29,354	5	2.3	0.0- 4.8	7	2.4	0.0- 4.9	8	6.1	0.6-11.6	18	14.6	5.4-23.8	69	59.3	47.5-71.1	20	15.3	7.3-23.3
\$75,000+	290	69,491	11	2.9	0.7- 5.1	16	4.6	1.9- 7.3	29	8.7	4.8-12.6	53	15.5	10.4-20.6	142	51.4	43.4-59.4	39	17.0	10.7-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	420	98,061	15	2.8	1.0- 4.6	13	2.4	0.8- 4.0	32	6.7	4.2- 9.2	47	9.7	6.0-13.4	236	60.7	54.6-66.8	77	17.7	13.0-22.4
White/Non-Hisp	255	55,725	14	4.3	1.4- 7.2	12	3.9	1.2- 6.6	25	9.4	5.5-13.3	33	10.3	6.2-14.4	141	61.5	53.7-69.3	30	10.5	5.6-15.4
Black or Afr. Am./Non-Hisp	105	27,801	1	1.3	0.0- 3.8				4	3.2	0.0- 6.9	9	10.7	1.3-20.1	60	58.8	46.3-71.3	31	26.1	15.7-36.5
25-34	66	20,395							2	1.5	0.0- 3.7	3	4.8	0.0-10.7	50	73.8	60.5-87.1	11	19.9	7.6-32.2
35-44	81	22,456							7	8.0	1.5-14.5	11	16.1	4.3-27.9	46	58.6	44.5-72.7	17	17.2	8.0-26.4
45-54	94	21,682	6	6.9	0.8-13.0	7	8.2	1.3-15.1	8	7.2	1.9-12.5	10	10.6	3.5-17.7	52	55.0	42.7-67.3	11	12.2	4.4-20.0
55-64	87	15,861	1	2.1	0.0- 6.2	1	0.5	0.0- 1.5	9	14.0	4.6-23.4	16	14.0	6.2-21.8	47	57.5	44.6-70.4	13	12.0	4.4-19.6
65+	62	7,398	8	13.0	1.6-24.4	5	6.2	0.1-12.3	6	9.6	0.6-18.6	5	2.8	0.0- 5.7	24	50.7	34.2-67.2	14	17.6	7.4-27.8
H.S. or G.E.D.	135	36,231	4	2.8	0.0- 5.7				9	6.3	1.8-10.8	14	7.7	2.8-12.6	76	63.8	54.0-73.6	32	19.3	11.5-27.1
Some Post-H.S.	112	27,811	6	4.1	0.0- 8.6	2	2.2	0.0- 5.9	8	5.1	1.2- 9.0	6	3.2	0.1- 6.3	68	66.5	55.3-77.7	22	18.8	9.8-27.8
College Graduate	140	24,404	5	2.5	0.0- 5.0	10	6.3	1.8-10.8	14	10.7	4.2-17.2	26	18.5	10.7-26.3	70	47.1	36.7-57.5	15	14.9	5.9-23.9
\$15,000- 24,999	79	17,765	3	3.9	0.0- 8.8				1	0.8	0.0- 2.6	6	5.8	0.0-11.7	49	70.9	59.1-82.7	20	18.7	9.3-28.1
\$35,000- 49,999	50	12,844	1	2.6	0.0- 7.7	1	2.1	0.0- 6.2	7	10.9	1.7-20.1	5	9.5	1.1-17.9	28	60.3	43.6-77.0	8	14.7	3.1-26.3
\$50,000- 74,999	53	14,341	1	0.5	0.0- 1.5	1	0.3	0.0- 0.9	3	3.9	0.0- 9.0	6	14.1	0.0-30.4	34	61.1	42.5-79.7	8	20.1	5.8-34.4
\$75,000+	134	32,145	8	4.6	0.5- 8.7	8	5.1	0.6- 9.6	14	10.0	4.1-15.9	24	14.4	7.7-21.1	66	55.8	44.4-67.2	14	10.2	3.3-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	536	113,512	17	2.2	1.0- 3.4	34	4.6	2.6- 6.6	46	7.5	4.8-10.2	65	9.9	6.8-13.0	280	52.9	46.8-59.0	94	22.9	17.2-28.6
White/Non-Hisp	320	64,667	14	2.9	1.1- 4.7	27	6.1	3.2- 9.0	37	9.4	5.5-13.3	47	12.4	7.9-16.9	155	48.8	41.0-56.6	40	20.4	12.6-28.2
Black or Afr. Am./Non-Hisp	136	32,687	2	1.5	0.0- 3.7	1	0.7	0.0- 2.1	5	3.4	0.1- 6.7	10	6.5	1.0-12.0	85	63.2	51.6-74.8	33	24.7	14.5-34.9
25-34	100	27,154							1	2.7	0.0- 7.8	3	1.6	0.0- 3.6	63	57.8	45.3-70.3	33	37.9	25.6-50.2
35-44	100	26,688	4	3.4	0.0- 6.9	3	2.3	0.0- 5.4	8	8.4	1.7-15.1	20	21.9	11.9-31.9	54	51.7	39.5-63.9	11	12.2	4.0-20.4
45-54	130	22,095	5	3.1	0.2- 6.0	11	9.9	3.4-16.4	14	11.9	5.0-18.8	20	12.8	6.3-19.3	60	46.4	35.4-57.4	20	15.9	6.5-25.3
55-64	94	11,430	4	6.2	0.0-12.9	13	16.3	5.7-26.9	15	14.7	5.7-23.7	12	12.3	4.5-20.1	41	40.4	28.2-52.6	9	10.1	2.7-17.5
65+	59	6,113	4	3.7	0.0- 7.8	7	9.0	1.4-16.6	8	19.1	3.0-35.2	9	10.3	2.5-18.1	28	51.7	35.2-68.2	3	6.3	0.0-15.9
H.S. or G.E.D.	126	28,105	8	5.3	1.4- 9.2	6	2.8	0.1- 5.5	11	8.4	2.7-14.1	9	6.3	1.6-11.0	76	62.9	52.1-73.7	16	14.2	6.4-22.0
Some Post-H.S.	163	38,220	3	1.4	0.0- 3.2	11	4.2	1.3- 7.1	9	6.6	1.5-11.7	20	9.1	4.2-14.0	86	51.3	41.1-61.5	34	27.4	17.8-37.0
College Graduate	211	34,781	6	1.5	0.1- 2.9	13	5.2	1.5- 8.9	23	8.7	3.6-13.8	36	17.4	10.3-24.5	98	47.1	37.9-56.3	35	20.2	12.2-28.2
\$15,000- 24,999	74	11,799	3	4.9	0.0-10.4	5	4.4	0.3- 8.5	2	0.9	0.0- 2.3	9	9.2	2.7-15.7	40	62.0	48.9-75.1	15	18.6	7.8-29.4
\$35,000- 49,999	85	16,157	4	2.4	0.0- 5.3	7	4.7	0.8- 8.6	10	11.0	2.6-19.4	5	3.4	0.0- 7.1	45	53.0	39.1-66.9	14	25.5	11.8-39.2
\$50,000- 74,999	74	15,013	4	4.0	0.0- 8.9	6	4.4	0.0- 9.1	5	8.2	0.0-17.4	12	15.2	6.2-24.2	35	57.6	43.1-72.1	12	10.7	3.8-17.6
\$75,000+	156	37,347	3	1.4	0.0- 3.4	8	4.1	0.6- 7.6	15	7.6	2.5-12.7	29	16.5	9.1-23.9	76	47.6	36.6-58.6	25	22.8	13.0-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1239	265,719	536	44.4	40.5-48.3	72	6.9	4.5- 9.3	375	29.1	25.6-32.6	13	0.6	0.2- 1.0	8	0.7	0.1- 1.3	235	18.3	15.4-21.2
Male	540	118,992	195	36.1	30.6-41.6	35	7.8	4.5-11.1	179	30.9	25.8-36.0	11	1.0	0.4- 1.6	3	0.8	0.0- 1.8	117	23.5	18.4-28.6
Female	699	146,727	341	51.1	45.8-56.4	37	6.2	2.9- 9.5	196	27.6	22.7-32.5	2	0.4	0.0- 1.0	5	0.6	0.0- 1.2	118	14.1	10.8-17.4
White/Non-Hisp	741	149,747	323	45.7	40.6-50.8	46	7.6	4.3-10.9	198	23.8	19.7-27.9	9	0.6	0.2- 1.0	7	1.1	0.1- 2.1	158	21.1	17.0-25.2
Black or Afr. Am./Non-Hisp	296	71,964	141	48.2	40.2-56.2	15	6.1	1.4-10.8	90	29.9	22.1-37.7	3	0.8	0.0- 1.8				47	15.0	9.1-20.9
Hispanic	109	23,729	28	25.6	15.0-36.2	7	7.9	0.8-15.0	57	53.9	41.9-65.9	1	1.1	0.0- 3.3	1	0.3	0.0- 0.9	15	11.3	5.0-17.6
18-24	74	31,768	28	36.2	21.7-50.7	6	14.1	0.6-27.6	29	34.6	19.9-49.3							11	15.0	3.2-26.8
25-34	198	56,309	88	46.9	37.9-55.9	9	7.1	1.6-12.6	69	32.4	24.0-40.8	3	0.6	0.0- 1.2	1	0.3	0.0- 0.9	28	12.8	7.5-18.1
35-44	223	60,195	109	47.9	39.5-56.3	12	6.1	1.8-10.4	64	27.1	19.5-34.7	4	1.2	0.0- 2.6				34	17.7	10.6-24.8
45-54	294	58,312	149	49.5	42.2-56.8	15	5.0	2.3- 7.7	69	22.7	17.0-28.4	2	0.3	0.0- 0.7	4	2.4	0.0- 4.9	55	20.1	14.2-26.0
55-64	240	36,549	80	35.2	27.2-43.2	22	7.1	3.6-10.6	72	30.3	22.7-37.9	1	0.3	0.0- 0.9	2	0.3	0.0- 0.7	63	26.9	19.5-34.3
65+	193	20,386	73	39.8	30.8-48.8	8	3.6	0.3- 6.9	67	34.3	25.3-43.3	2	0.7	0.0- 1.7	1	0.4	0.0- 1.2	42	21.2	13.4-29.0
Less Than H.S.	114	32,187	38	26.7	16.1-37.3	7	10.5	0.0-21.7	57	55.4	41.9-68.9	1	0.8	0.0- 2.4				11	6.6	2.3-10.9
H.S. or G.E.D.	339	80,659	150	43.7	36.4-51.0	19	8.1	3.4-12.8	104	27.3	21.2-33.4	8	1.4	0.2- 2.6	2	0.3	0.0- 0.7	56	19.2	12.9-25.5
Some Post-H.S.	345	79,788	144	45.0	37.9-52.1	24	7.0	2.9-11.1	103	27.5	21.4-33.6	4	0.4	0.0- 0.8	5	1.6	0.0- 3.4	65	18.5	12.8-24.2
College Graduate	437	72,283	202	52.3	46.0-58.6	22	4.0	2.0- 6.0	110	21.2	16.1-26.3				1	0.4	0.0- 1.2	102	22.2	17.1-27.3
Less than \$15,000	98	17,128	36	30.9	16.0-45.8	8	11.6	0.2-23.0	36	44.2	26.2-62.2	2	2.4	0.0- 6.3	1	0.9	0.0- 2.7	15	10.0	3.5-16.5
\$15,000- 24,999	201	38,723	58	24.8	17.5-32.1	9	3.6	0.7- 6.5	97	50.8	41.6-60.0	6	2.1	0.3- 3.9	1	0.2	0.0- 0.6	30	18.5	10.1-26.9
\$25,000- 34,999	112	23,999	53	53.5	41.0-66.0	7	6.1	0.8-11.4	38	31.8	19.6-44.0	1	0.2	0.0- 0.6	1	0.9	0.0- 2.7	12	7.6	2.7-12.5
\$35,000- 49,999	154	32,419	77	52.1	41.9-62.3	10	7.5	2.0-13.0	35	23.0	14.6-31.4	2	0.6	0.0- 1.6	3	1.2	0.0- 3.0	27	15.5	8.8-22.2
\$50,000- 74,999	155	36,886	74	43.9	33.1-54.7	13	8.8	1.9-15.7	34	26.4	16.4-36.4							34	20.9	11.5-30.3
\$75,000+	358	80,175	173	50.4	43.3-57.5	17	6.5	2.2-10.8	79	17.1	12.2-22.0	2	0.3	0.0- 0.9	2	1.2	0.0- 2.8	85	24.5	18.4-30.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	540	118,992	195	36.1	30.6-41.6	35	7.8	4.5-11.1	179	30.9	25.8-36.0	11	1.0	0.4- 1.6	3	0.8	0.0- 1.8	117	23.5	18.4-28.6
White/Non-Hisp	327	67,561	125	37.8	30.5-45.1	24	8.9	4.2-13.6	88	24.7	18.4-31.0	9	1.3	0.3- 2.3	3	1.3	0.0- 3.1	78	26.0	19.1-32.9
Black or Afr. Am./Non-Hisp	130	32,082	44	35.6	24.4-46.8	5	5.2	0.0-11.3	55	37.3	26.3-48.3	2	0.7	0.0- 1.7				24	21.1	10.1-32.1
25-34	77	21,373	23	28.8	16.1-41.5	5	13.0	0.3-25.7	33	37.6	24.1-51.1	3	1.6	0.0- 3.4				13	19.2	8.2-30.2
35-44	95	26,768	33	30.5	19.1-41.9	8	9.4	1.4-17.4	37	37.1	23.8-50.4	3	1.4	0.0- 3.2				14	21.6	9.1-34.1
45-54	121	28,813	51	42.9	31.9-53.9	7	5.1	1.0- 9.2	29	22.5	13.9-31.1	2	0.6	0.0- 1.4	2	2.8	0.0- 6.9	30	26.1	16.1-36.1
55-64	114	20,148	39	36.3	24.7-47.9	11	7.7	2.2-13.2	34	26.6	16.6-36.6	1	0.5	0.0- 1.5				29	28.8	17.8-39.8
65+	100	10,923	39	43.6	30.5-56.7	2	1.9	0.0- 4.4	30	27.5	15.7-39.3	2	1.3	0.0- 3.3	1	0.7	0.0- 2.1	26	25.0	13.2-36.8
Less Than H.S.	51	13,649	18	32.8	16.1-49.5	3	6.0	0.0-12.9	24	50.9	33.1-68.7							6	10.3	1.9-18.7
H.S. or G.E.D.	166	41,718	62	37.2	27.6-46.8	12	8.2	2.3-14.1	56	29.7	20.7-38.7	7	2.0	0.4- 3.6				29	23.0	13.8-32.2
Some Post-H.S.	143	33,904	47	32.8	22.2-43.4	10	10.9	2.3-19.5	49	29.0	19.8-38.2	4	1.0	0.0- 2.0	2	1.8	0.0- 4.9	31	24.6	13.8-35.4
College Graduate	179	29,537	68	40.0	30.8-49.2	10	4.8	1.7- 7.9	50	25.8	17.6-34.0				1	0.9	0.0- 2.7	50	28.5	19.7-37.3
\$15,000- 24,999	95	20,616	24	20.8	11.2-30.4	4	4.6	0.0- 9.7	50	50.9	37.6-64.2	5	2.7	0.3- 5.1				12	21.0	7.1-34.9
\$25,000- 34,999	52	11,616	19	42.0	21.8-62.2	3	6.4	0.0-14.2	22	40.8	20.4-61.2	1	0.4	0.0- 1.2				7	10.3	1.7-18.9
\$35,000- 49,999	59	14,604	29	49.1	32.6-65.6	3	7.7	0.0-17.1	16	26.7	13.4-40.0	2	1.4	0.0- 3.4	2	2.4	0.0- 6.3	7	12.6	2.4-22.8
\$50,000- 74,999	63	15,815	26	33.7	19.0-48.4	9	17.5	2.8-32.2	12	27.7	10.6-44.8							16	21.1	6.6-35.6
\$75,000+	174	38,724	68	39.3	30.1-48.5	10	5.8	1.1-10.5	43	18.3	11.6-25.0	2	0.7	0.0- 1.7	1	1.4	0.0- 4.1	50	34.5	25.1-43.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRST10)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	699	146,727	341	51.1	45.8-56.4	37	6.2	2.9- 9.5	196	27.6	22.7-32.5	2	0.4	0.0- 1.0	5	0.6	0.0- 1.2	118	14.1	10.8-17.4
White/Non-Hisp	414	82,186	198	52.3	45.4-59.2	22	6.6	1.7-11.5	110	23.1	17.8-28.4				4	1.0	0.0- 2.2	80	17.0	12.1-21.9
Black or Afr. Am./Non-Hisp	166	39,882	97	58.4	47.0-69.8	10	6.9	0.0-13.8	35	23.9	12.7-35.1	1	0.8	0.0- 2.4				23	10.0	5.1-14.9
Hispanic	67	13,880	20	25.5	13.3-37.7	3	3.6	0.0- 7.9	34	58.3	43.8-72.8	1	1.8	0.0- 5.3	1	0.5	0.0- 1.5	8	10.3	2.1-18.5
25-34	121	34,937	65	57.9	46.5-69.3	4	3.5	0.0- 7.0	36	29.2	18.2-40.2				1	0.5	0.0- 1.5	15	8.9	3.8-14.0
35-44	128	33,427	76	61.9	51.9-71.9	4	3.5	0.0- 7.8	27	19.1	11.5-26.7	1	1.0	0.0- 3.0				20	14.5	7.6-21.4
45-54	173	29,499	98	56.0	46.8-65.2	8	4.9	1.0- 8.8	40	22.9	15.3-30.5				2	2.0	0.0- 4.9	25	14.2	8.1-20.3
55-64	126	16,401	41	33.7	23.1-44.3	11	6.3	1.8-10.8	38	34.8	23.2-46.4				2	0.6	0.0- 1.6	34	24.5	15.5-33.5
65+	93	9,463	34	35.5	23.2-47.8	6	5.6	0.0-12.1	37	42.2	28.7-55.7							16	16.7	7.1-26.3
Less Than H.S.	63	18,538	20	22.3	9.4-35.2	4	13.8	0.0-32.0	33	58.7	39.3-78.1	1	1.4	0.0- 4.1				5	3.9	0.4- 7.4
H.S. or G.E.D.	173	38,941	88	50.7	40.3-61.1	7	8.0	0.6-15.4	48	24.6	16.6-32.6	1	0.9	0.0- 2.7	2	0.6	0.0- 1.4	27	15.2	7.4-23.0
Some Post-H.S.	202	45,884	97	54.1	45.1-63.1	14	4.1	0.8- 7.4	54	26.5	18.7-34.3				3	1.4	0.0- 3.2	34	13.9	8.2-19.6
College Graduate	258	42,746	134	60.7	52.7-68.7	12	3.4	0.9- 5.9	60	17.9	11.8-24.0							52	17.9	12.2-23.6
Less than \$15,000	63	11,989	27	35.1	15.1-55.1	5	7.0	0.0-14.3	23	48.8	26.1-71.5	1	2.8	0.0- 8.3	1	1.3	0.0- 4.0	6	5.0	0.3- 9.7
\$15,000- 24,999	106	18,107	34	29.4	18.6-40.2	5	2.5	0.1- 4.9	47	50.7	38.0-63.4	1	1.4	0.0- 4.1	1	0.3	0.0- 1.1	18	15.7	7.3-24.1
\$25,000- 34,999	60	12,383	34	64.3	50.2-78.4	4	5.7	0.0-13.0	16	23.2	11.0-35.4				1	1.7	0.0- 5.0	5	5.1	0.2-10.0
\$35,000- 49,999	95	17,815	48	54.6	41.7-67.5	7	7.4	1.3-13.5	19	20.0	9.2-30.8				1	0.2	0.0- 0.6	20	17.8	9.0-26.6
\$50,000- 74,999	92	21,071	48	51.6	37.5-65.7	4	2.3	0.0- 5.0	22	25.4	13.8-37.0							18	20.7	8.2-33.2
\$75,000+	184	41,452	105	60.8	51.0-70.6	7	7.1	0.0-14.4	36	16.0	8.7-23.3				1	0.9	0.0- 2.7	35	15.1	9.2-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2015**

End of Core Data Report