

DELAWARE

2016 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016

MODULE 1: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3271	626,711	2099	61.4	59.0-63.8	1172	38.6	36.2-41.0
Male	1436	296,864	872	59.4	55.9-62.9	564	40.6	37.1-44.1
Female	1835	329,847	1227	63.2	59.9-66.5	608	36.8	33.5-40.1
White/Non-Hisp	2265	399,404	1486	61.5	58.6-64.4	779	38.5	35.6-41.4
Black or Afr. Am./Non-Hisp	463	125,387	295	63.0	56.9-69.1	168	37.0	30.9-43.1
Oth. Race/Non-Hisp.	105	24,055	54	51.9	39.7-64.1	51	48.1	35.9-60.3
MultiRacial/Non-Hisp.	54	11,844	32	58.1	40.9-75.3	22	41.9	24.7-59.1
Hispanic	300	51,332	173	58.2	50.8-65.6	127	41.8	34.4-49.2
18-24	222	77,166	73	32.6	24.6-40.6	149	67.4	59.4-75.4
25-34	414	114,238	233	57.8	51.5-64.1	181	42.2	35.9-48.5
35-44	380	99,775	223	59.6	53.3-65.9	157	40.4	34.1-46.7
45-54	545	105,448	356	64.7	59.4-70.0	189	35.3	30.0-40.6
55-64	671	102,068	480	72.6	68.5-76.7	191	27.4	23.3-31.5
65+	1006	124,621	711	71.5	68.0-75.0	295	28.5	25.0-32.0
Less Than H.S.	323	73,429	179	54.6	47.2-62.0	144	45.4	38.0-52.8
H.S. or G.E.D.	995	192,002	615	59.7	55.6-63.8	380	40.3	36.2-44.4
Some Post-H.S.	781	184,831	497	60.6	55.5-65.7	284	39.4	34.3-44.5
College Graduate	1158	173,932	799	66.6	62.9-70.3	359	33.4	29.7-37.1
Less than \$15,000	237	40,188	142	57.8	48.4-67.2	95	42.2	32.8-51.6
\$15,000- 24,999	476	80,190	291	60.7	54.8-66.6	185	39.3	33.4-45.2
\$25,000- 34,999	302	53,066	187	57.4	47.8-67.0	115	42.6	33.0-52.2
\$35,000- 49,999	402	75,542	260	64.0	57.9-70.1	142	36.0	29.9-42.1
\$50,000- 74,999	425	87,865	281	62.9	56.6-69.2	144	37.1	30.8-43.4
\$75,000+	853	184,302	601	67.3	63.0-71.6	252	32.7	28.4-37.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1436	296,864	872	59.4	56.1-62.7	564	40.6	37.3-43.9
White/Non-Hisp	977	183,977	607	59.3	55.2-63.4	370	40.7	36.6-44.8
Black or Afr. Am./Non-Hisp	181	59,994	114	62.0	52.6-71.4	67	38.0	28.6-47.4
Oth. Race/Non-Hisp.	66	15,582	32	47.2	31.7-62.7	34	52.8	37.3-68.3
Hispanic	141	23,623	72	59.0	48.6-69.4	69	41.0	30.6-51.4
18-24	127	39,087	33	30.7	20.1-41.3	94	69.3	58.7-79.9
25-34	182	55,550	90	52.6	43.0-62.2	92	47.4	37.8-57.0
35-44	180	48,867	93	55.9	46.9-64.9	87	44.1	35.1-53.1
45-54	252	50,903	161	65.2	57.4-73.0	91	34.8	27.0-42.6
55-64	285	48,955	204	74.2	68.3-80.1	81	25.8	19.9-31.7
65+	402	52,891	286	71.3	65.8-76.8	116	28.7	23.2-34.2
Less Than H.S.	157	36,665	73	47.5	36.7-58.3	84	52.5	41.7-63.3
H.S. or G.E.D.	456	98,395	267	60.3	54.2-66.4	189	39.7	33.6-45.8
Some Post-H.S.	313	81,128	196	63.0	56.3-69.7	117	37.0	30.3-43.7
College Graduate	504	79,436	332	59.5	53.8-65.2	172	40.5	34.8-46.2
Less than \$15,000	83	14,780	39	40.0	23.9-56.1	44	60.0	43.9-76.1
\$15,000- 24,999	204	36,481	115	58.8	50.0-67.6	89	41.2	32.4-50.0
\$25,000- 34,999	94	18,679	56	61.2	48.1-74.3	38	38.8	25.7-51.9
\$35,000- 49,999	187	36,471	116	63.0	54.4-71.6	71	37.0	28.4-45.6
\$50,000- 74,999	216	46,671	138	61.8	53.2-70.4	78	38.2	29.6-46.8
\$75,000+	427	96,047	297	66.9	61.0-72.8	130	33.1	27.2-39.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1835	329,847	1227	63.2	59.9-66.5	608	36.8	33.5-40.1
White/Non-Hisp	1288	215,427	879	63.5	59.4-67.6	409	36.5	32.4-40.6
Black or Afr. Am./Non-Hisp	282	65,393	181	63.9	56.3-71.5	101	36.1	28.5-43.7
Hispanic	159	27,708	101	57.6	46.8-68.4	58	42.4	31.6-53.2
18-24	95	38,080	40	34.6	22.1-47.1	55	65.4	52.9-77.9
25-34	232	58,688	143	62.7	54.7-70.7	89	37.3	29.3-45.3
35-44	200	50,908	130	63.0	54.4-71.6	70	37.0	28.4-45.6
45-54	293	54,545	195	64.2	56.8-71.6	98	35.8	28.4-43.2
55-64	386	53,113	276	71.2	65.5-76.9	110	28.8	23.1-34.5
65+	604	71,731	425	71.7	67.4-76.0	179	28.3	24.0-32.6
Less Than H.S.	166	36,764	106	61.6	51.6-71.6	60	38.4	28.4-48.4
H.S. or G.E.D.	539	93,607	348	59.1	53.4-64.8	191	40.9	35.2-46.6
Some Post-H.S.	468	103,703	301	58.7	51.6-65.8	167	41.3	34.2-48.4
College Graduate	654	94,496	467	72.6	67.9-77.3	187	27.4	22.7-32.1
Less than \$15,000	154	25,408	103	68.2	58.4-78.0	51	31.8	22.0-41.6
\$15,000- 24,999	272	43,709	176	62.2	54.4-70.0	96	37.8	30.0-45.6
\$25,000- 34,999	208	34,386	131	55.4	42.9-67.9	77	44.6	32.1-57.1
\$35,000- 49,999	215	39,072	144	64.9	56.5-73.3	71	35.1	26.7-43.5
\$50,000- 74,999	209	41,194	143	64.1	54.9-73.3	66	35.9	26.7-45.1
\$75,000+	426	88,255	304	67.8	61.3-74.3	122	32.2	25.7-38.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3364	646,394	480	13.1	11.5-14.7	58	1.4	01.0-01.8	2826	85.5	83.9-87.1
Male	1478	306,086	203	12.3	10.1-14.5				1275	87.7	85.5-89.9
Female	1886	340,308	277	13.9	11.7-16.1	58	2.6	01.8-03.4	1551	83.5	81.3-85.7
White/Non-Hisp	2345	416,423	341	12.8	11.0-14.6	31	1.0	00.6-01.4	1973	86.2	84.4-88.0
Black or Afr. Am./Non-Hisp	471	126,646	82	16.9	12.4-21.4	14	2.3	00.9-03.7	375	80.8	76.1-85.5
Oth. Race/Non-Hisp.	107	24,530	8	9.6	01.6-17.6				99	90.4	82.4-98.4
MultiRacial/Non-Hisp.	55	12,243	9	10.7	01.9-19.5	1	1.4	00.0-04.1	45	88.0	78.8-97.2
Hispanic	302	51,862	26	7.7	04.2-11.2	10	2.7	00.5-04.9	266	89.6	85.5-93.7
18-24	237	82,411	12	6.4	01.9-10.9	5	1.7	00.0-03.5	220	91.9	87.2-96.6
25-34	422	117,610	21	4.6	02.2-07.0	14	2.1	00.7-03.5	387	93.4	90.7-96.1
35-44	392	103,641	42	11.1	07.2-15.0	9	1.8	00.4-03.2	341	87.1	83.0-91.2
45-54	556	108,071	78	14.1	10.0-18.2	7	0.7	00.1-01.3	471	85.2	81.1-89.3
55-64	686	103,612	111	16.8	13.1-20.5	9	0.9	00.3-01.5	566	82.3	78.6-86.0
65+	1036	127,521	209	22.4	18.9-25.9	13	1.3	00.5-02.1	814	76.3	72.8-79.8
Less Than H.S.	325	76,296	52	15.3	10.2-20.4	8	2.2	00.4-04.0	265	82.4	77.1-87.7
H.S. or G.E.D.	1021	198,171	140	12.2	09.5-14.9	16	1.3	00.5-02.1	865	86.4	83.7-89.1
Some Post-H.S.	809	189,424	124	14.1	11.0-17.2	12	1.1	00.3-01.9	673	84.7	81.6-87.8
College Graduate	1195	179,987	161	12.1	09.7-14.5	22	1.4	00.6-02.2	1012	86.5	84.1-88.9
Less than \$15,000	241	40,966	42	19.6	12.3-26.9	5	1.5	00.0-03.3	194	78.9	71.5-86.3
\$15,000- 24,999	486	82,233	65	11.6	08.1-15.1	10	2.5	00.5-04.5	411	85.8	81.9-89.7
\$25,000- 34,999	309	53,900	46	14.1	08.8-19.4	7	3.5	00.8-06.2	256	82.4	76.5-88.3
\$35,000- 49,999	412	76,756	63	13.9	09.4-18.4	10	1.6	00.4-02.8	339	84.4	79.7-89.1
\$50,000- 74,999	445	92,771	64	14.9	09.6-20.2	5	0.7	00.0-01.5	376	84.4	79.1-89.7
\$75,000+	879	189,511	128	12.5	09.8-15.2	10	0.7	00.1-01.3	741	86.8	84.1-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1478	306,086	203	12.3	10.1-14.5	1275	87.7	85.5-89.9
White/Non-Hisp	1013	192,474	139	11.0	08.6-13.4	874	89.0	86.6-91.4
Black or Afr. Am./Non-Hisp	181	59,743	33	17.7	10.3-25.1	148	82.3	74.9-89.7
Oth. Race/Non-Hisp.	68	16,057	5	10.0	00.4-19.6	63	90.0	80.4-99.6
Hispanic	144	23,726	15	11.3	04.6-18.0	129	88.7	82.0-95.4
18-24	135	41,277	6	5.2	00.1-10.3	129	94.8	89.7-99.9
25-34	185	58,222	9	4.3	01.0-07.6	176	95.7	92.4-99.0
35-44	186	50,127	16	9.5	04.4-14.6	170	90.5	85.4-95.6
45-54	257	52,143	34	12.8	06.5-19.1	223	87.2	80.9-93.5
55-64	292	49,463	39	15.2	09.5-20.9	253	84.8	79.1-90.5
65+	415	54,242	98	25.5	19.6-31.4	317	74.5	68.6-80.4
Less Than H.S.	157	38,980	22	12.3	05.6-19.0	135	87.7	81.0-94.4
H.S. or G.E.D.	466	100,569	46	10.2	06.1-14.3	420	89.8	85.7-93.9
Some Post-H.S.	324	82,894	56	14.4	09.7-19.1	268	85.6	80.9-90.3
College Graduate	525	82,404	77	12.5	09.0-16.0	448	87.5	84.0-91.0
Less than \$15,000	84	14,744	12	10.7	03.4-18.0	72	89.3	82.0-96.6
\$15,000- 24,999	207	37,289	25	12.8	06.9-18.7	182	87.2	81.3-93.1
\$25,000- 34,999	99	19,341	17	16.5	06.1-26.9	82	83.5	73.1-93.9
\$35,000- 49,999	192	36,743	25	14.2	06.8-21.6	167	85.8	78.4-93.2
\$50,000- 74,999	225	48,646	32	14.7	07.4-22.0	193	85.3	78.0-92.6
\$75,000+	439	98,172	66	11.5	08.0-15.0	373	88.5	85.0-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 1: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1886	340,308	277	13.9	11.7-16.1	58	2.6	01.8-03.4	1551	83.5	81.3-85.7
White/Non-Hisp	1332	223,950	202	14.3	11.8-16.8	31	1.9	01.1-02.7	1099	83.8	81.1-86.5
Black or Afr. Am./Non-Hisp	290	66,903	49	16.2	10.9-21.5	14	4.4	01.9-06.9	227	79.4	73.5-85.3
Hispanic	158	28,136	11	4.6	01.3-07.9	10	5.1	01.2-09.0	137	90.3	85.2-95.4
18-24	102	41,133	6	7.7	00.3-15.1	5	3.4	00.1-06.7	91	88.9	80.9-96.9
25-34	237	59,388	12	4.8	01.5-08.1	14	4.1	01.6-06.6	211	91.1	87.0-95.2
35-44	206	53,514	26	12.6	06.7-18.5	9	3.5	00.8-06.2	171	83.9	77.6-90.2
45-54	299	55,928	44	15.3	10.0-20.6	7	1.3	00.1-02.5	248	83.4	78.1-88.7
55-64	394	54,149	72	18.3	13.4-23.2	9	1.7	00.3-03.1	313	80.0	74.9-85.1
65+	621	73,279	111	20.1	16.0-24.2	13	2.2	00.8-03.6	497	77.7	73.4-82.0
Less Than H.S.	168	37,316	30	18.5	10.7-26.3	8	4.5	01.0-08.0	130	77.0	68.8-85.2
H.S. or G.E.D.	555	97,602	94	14.4	10.7-18.1	16	2.7	00.9-04.5	445	83.0	79.1-86.9
Some Post-H.S.	485	106,530	68	13.9	09.6-18.2	12	2.0	00.6-03.4	405	84.1	79.6-88.6
College Graduate	670	97,583	84	11.8	08.7-14.9	22	2.6	01.2-04.0	564	85.6	82.3-88.9
Less than \$15,000	157	26,222	30	24.7	14.7-34.7	5	2.3	00.0-05.2	122	73.0	62.8-83.2
\$15,000- 24,999	279	44,944	40	10.7	06.8-14.6	10	4.6	01.1-08.1	229	84.7	79.6-89.8
\$25,000- 34,999	210	34,559	29	12.8	06.9-18.7	7	5.5	01.2-09.8	174	81.7	74.4-89.0
\$35,000- 49,999	220	40,013	38	13.6	08.1-19.1	10	3.2	00.8-05.6	172	83.2	77.3-89.1
\$50,000- 74,999	220	44,125	32	15.1	07.7-22.5	5	1.5	00.0-03.1	183	83.3	75.7-90.9
\$75,000+	440	91,340	62	13.6	09.7-17.5	10	1.4	00.4-02.4	368	85.0	80.9-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 2: DIABETES CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016

MODULE 2: DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	561	78,352	166	29.4	24.3-34.5	395	70.6	65.5-75.7
Male	265	39,285	87	33.9	26.1-41.7	178	66.1	58.3-73.9
Female	296	39,068	79	24.8	18.5-31.1	217	75.2	68.9-81.5
White/Non-Hisp	389	50,125	110	27.8	22.1-33.5	279	72.2	66.5-77.9
Black or Afr. Am./Non-Hisp	88	18,823	32	35.5	21.8-49.2	56	64.5	50.8-78.2
45-54	74	12,183	14	20.6	07.3-33.9	60	79.4	66.1-92.7
55-64	150	21,610	51	31.7	21.9-41.5	99	68.3	58.5-78.1
65+	306	37,277	92	31.7	24.8-38.6	214	68.3	61.4-75.2
Less Than H.S.	65	13,521	15	23.6	10.7-36.5	50	76.4	63.5-89.3
H.S. or G.E.D.	192	26,737	64	33.2	24.2-42.2	128	66.8	57.8-75.8
Some Post-H.S.	155	23,162	48	29.4	20.0-38.8	107	70.6	61.2-80.0
College Graduate	148	14,837	39	27.9	18.9-36.9	109	72.1	63.1-81.1
Less than \$15,000	67	9,947	20	22.6	09.7-35.5	47	77.4	64.5-90.3
\$15,000- 24,999	103	15,031	40	40.0	27.1-52.9	63	60.0	47.1-72.9
\$25,000- 34,999	65	8,569	22	33.9	18.8-49.0	43	66.1	51.0-81.2
\$35,000- 49,999	78	10,668	15	19.2	09.0-29.4	63	80.8	70.6-91.0
\$50,000- 74,999	56	7,934	17	29.2	13.3-45.1	39	70.8	54.9-86.7
\$75,000+	92	14,981	19	25.5	12.8-38.2	73	74.5	61.8-87.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	265	39,285	87	33.9	26.1-41.7	178	66.1	58.3-73.9
White/Non-Hisp	195	27,061	60	30.0	21.8-38.2	135	70.0	61.8-78.2
55-64	62	9,194	24	35.4	19.5-51.3	38	64.6	48.7-80.5
65+	147	19,358	49	36.9	26.7-47.1	98	63.1	52.9-73.3
H.S. or G.E.D.	77	12,502	31	38.5	23.2-53.8	46	61.5	46.2-76.8
Some Post-H.S.	77	12,251	26	32.9	18.6-47.2	51	67.1	52.8-81.4
College Graduate	83	8,799	23	29.4	17.1-41.7	60	70.6	58.3-82.9
\$75,000+	64	10,278	15	26.6	10.5-42.7	49	73.4	57.3-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	296	39,068	79	24.8	18.5-31.1	217	75.2	68.9-81.5
White/Non-Hisp	194	23,064	50	25.3	17.5-33.1	144	74.7	66.9-82.5
Black or Afr. Am./Non-Hisp	57	11,409	16	23.8	10.1-37.5	41	76.2	62.5-89.9
55-64	88	12,416	27	29.0	16.7-41.3	61	71.0	58.7-83.3
65+	159	17,920	43	26.1	17.1-35.1	116	73.9	64.9-82.9
H.S. or G.E.D.	115	14,235	33	28.5	18.1-38.9	82	71.5	61.1-81.9
Some Post-H.S.	78	10,911	22	25.5	13.5-37.5	56	74.5	62.5-86.5
College Graduate	65	6,038	16	25.6	12.9-38.3	49	74.4	61.7-87.1
\$15,000- 24,999	55	7,871	18	26.8	11.5-42.1	37	73.2	57.9-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	550	76,659	80	16.8	12.5-21.1	128	25.7	20.0-31.4	332	56.0	50.1-61.9	10	1.6	00.4-02.8
Male	260	38,760	38	15.3	09.4-21.2	69	24.9	17.5-32.3	147	58.1	49.9-66.3	6	1.7	00.1-03.3
Female	290	37,899	42	18.2	11.9-24.5	59	26.6	18.0-35.2	185	53.8	45.6-62.0	4	1.5	00.0-03.1
White/Non-Hisp	385	49,486	63	18.8	13.7-23.9	93	25.0	18.9-31.1	222	54.6	48.1-61.1	7	1.7	00.3-03.1
Black or Afr. Am./Non-Hisp	87	18,352	9	12.3	02.9-21.7	20	32.2	15.9-48.5	56	53.8	38.3-69.3	2	1.7	00.0-04.4
45-54	73	11,712	14	18.6	07.0-30.2	18	30.6	14.1-47.1	40	48.6	32.3-64.9	1	2.1	00.0-06.2
55-64	148	21,279	23	18.8	09.6-28.0	37	30.8	19.0-42.6	83	48.5	37.3-59.7	5	1.9	00.1-03.7
65+	300	36,670	38	14.1	09.0-19.2	67	19.5	13.8-25.2	192	65.3	58.4-72.2	3	1.0	00.0-02.4
Less Than H.S.	63	13,395	8	12.0	01.4-22.6	16	36.8	17.8-55.8	39	51.2	33.2-69.2			
H.S. or G.E.D.	188	26,077	25	13.7	07.4-20.0	42	26.6	16.8-36.4	118	57.9	47.9-67.9	3	1.8	00.0-04.0
Some Post-H.S.	152	22,428	27	26.0	16.2-35.8	27	15.2	08.5-21.9	96	57.3	46.9-67.7	2	1.4	00.0-03.6
College Graduate	146	14,663	20	12.5	06.2-18.8	43	30.3	20.7-39.9	78	54.4	44.0-64.8	5	2.8	00.1-05.5
Less than \$15,000	67	9,947	9	17.1	02.6-31.6	15	38.8	17.6-60.0	42	43.3	25.7-60.9	1	0.8	00.0-02.4
\$15,000- 24,999	102	14,949	13	14.6	05.6-23.6	18	20.0	07.3-32.7	71	65.4	51.9-78.9			
\$25,000- 34,999	63	8,395	7	5.7	00.8-10.6	15	27.2	12.5-41.9	40	65.8	50.7-80.9	1	1.3	00.0-03.8
\$35,000- 49,999	77	10,624	15	21.4	10.2-32.6	16	23.1	10.4-35.8	43	51.6	37.9-65.3	3	3.9	00.0-09.0
\$50,000- 74,999	55	7,715	8	14.0	03.0-25.0	18	39.4	17.4-61.4	28	45.5	26.3-64.7	1	1.0	00.0-03.2
\$75,000+	90	14,422	13	21.3	08.6-34.0	29	24.9	14.5-35.3	44	50.2	36.3-64.1	4	3.6	00.0-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	38,760	38	15.3	09.4-21.2	69	24.9	17.5-32.3	147	58.1	49.9-66.3	6	1.7	00.1-03.3
White/Non-Hisp	192	26,711	30	16.4	10.1-22.7	55	26.3	18.7-33.9	102	55.1	46.3-63.9	5	2.2	00.0-04.6
55-64	62	9,194	11	25.6	08.9-42.3	16	25.4	11.9-38.9	33	47.8	31.1-64.5	2	1.2	00.0-03.0
65+	142	18,833	20	13.4	06.7-20.1	36	17.3	10.8-23.8	83	67.3	58.3-76.3	3	2.0	00.0-04.7
H.S. or G.E.D.	76	12,414	13	13.3	04.5-22.1	18	33.9	16.8-51.0	45	52.8	36.7-68.9			
Some Post-H.S.	75	11,989	12	21.7	08.2-35.2	15	13.8	06.0-21.6	47	62.4	47.7-77.1	1	2.0	00.0-05.9
College Graduate	81	8,625	9	10.1	02.8-17.4	29	31.4	18.7-44.1	38	53.7	39.6-67.8	5	4.8	00.3-09.3
\$75,000+	63	10,189	8	16.5	01.8-31.2	22	25.0	12.7-37.3	29	53.5	36.4-70.6	4	5.1	00.0-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	290	37,899	42	18.2	11.9-24.5	59	26.6	18.2-35.0	185	53.8	45.8-61.8	4	1.5	00.0-03.1
White/Non-Hisp	193	22,776	33	21.6	13.6-29.6	38	23.5	14.1-32.9	120	54.0	44.4-63.6	2	1.0	00.0-02.4
Black or Afr. Am./Non-Hisp	56	10,938	6	15.5	01.8-29.2	14	36.3	15.9-56.7	35	45.9	27.9-63.9	1	2.3	00.0-06.8
55-64	86	12,085	12	13.6	04.2-23.0	21	34.9	17.7-52.1	50	49.0	33.5-64.5	3	2.5	00.0-05.4
65+	158	17,837	18	14.9	07.1-22.7	31	21.9	12.5-31.3	109	63.2	52.8-73.6			
H.S. or G.E.D.	112	13,663	12	14.0	04.8-23.2	24	19.9	10.9-28.9	73	62.6	51.0-74.2	3	3.4	00.0-07.5
Some Post-H.S.	77	10,440	15	31.0	17.3-44.7	12	16.8	05.8-27.8	49	51.4	37.3-65.5	1	0.8	00.0-02.4
College Graduate	65	6,038	11	15.9	05.1-26.7	14	28.6	13.9-43.3	40	55.5	40.6-70.4			
\$15,000- 24,999	54	7,788	8	17.4	03.3-31.5	8	25.4	04.0-46.8	38	57.2	36.8-77.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	544	76,332	324	58.1	52.4-63.8	78	16.4	11.7-21.1	36	6.8	04.1-09.5	11	1.9	00.3-03.5	92	16.4	12.7-20.1	3	0.4	00.0-00.8
Male	255	37,921	143	54.6	46.4-62.8	41	18.7	11.8-25.6	16	4.7	02.2-07.2	5	2.2	00.0-04.7	50	19.8	13.7-25.9			
Female	289	38,412	181	61.6	53.8-69.4	37	14.1	07.8-20.4	20	8.8	03.9-13.7	6	1.7	00.0-03.5	42	13.0	08.3-17.7	3	0.8	00.0-01.8
White/Non-Hisp	378	48,872	215	52.7	46.0-59.4	66	21.3	15.2-27.4	17	4.6	02.1-07.1	10	2.1	00.5-03.7	69	19.2	14.3-24.1	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	88	18,823	62	73.2	61.0-85.4	5	4.4	00.0-09.7	9	10.6	02.0-19.2	1	2.5	00.0-07.2	10	8.7	02.0-15.4	1	0.6	00.0-01.8
45-54	74	12,183	45	57.6	41.5-73.7	11	22.8	07.3-38.3	3	3.3	00.0-07.6				15	16.4	06.2-26.6			
55-64	147	21,127	93	59.7	48.7-70.7	22	16.9	08.3-25.5	10	7.0	02.1-11.9				21	15.9	08.5-23.3	1	0.4	00.0-01.2
65+	294	35,968	172	57.3	50.0-64.6	42	14.2	09.1-19.3	22	9.0	04.1-13.9	11	4.1	00.8-07.4	46	15.2	10.3-20.1	1	0.3	00.0-00.9
Less Than H.S.	62	13,043	36	58.6	41.0-76.2	8	19.6	03.9-35.3	7	11.3	00.0-22.9				11	10.5	03.2-17.8			
H.S. or G.E.D.	190	26,614	112	60.6	51.6-69.6	20	8.5	04.0-13.0	13	7.5	03.2-11.8	5	4.0	00.0-08.3	38	18.5	11.6-25.4	2	0.9	00.0-02.1
Some Post-H.S.	151	22,554	80	52.9	42.5-63.3	32	23.0	13.8-32.2	6	3.3	00.4-06.2	5	1.7	00.0-03.5	28	19.2	11.6-26.8			
College Graduate	140	14,026	95	61.2	50.0-72.4	18	17.7	07.1-28.3	10	6.6	01.9-11.3	1	0.3	00.0-00.9	15	13.5	05.9-21.1	1	0.6	00.0-01.8
Less than \$15,000	64	9,478	36	59.7	41.1-78.3	8	11.8	01.4-22.2	7	16.8	01.3-32.3				12	10.4	03.0-17.8	1	1.2	00.0-03.6
\$15,000- 24,999	101	14,739	72	67.2	53.7-80.7	14	18.6	05.5-31.7	6	5.3	00.8-09.8	1	0.5	00.0-01.5	8	8.4	02.1-14.7			
\$25,000- 34,999	65	8,569	31	50.2	34.1-66.3	11	17.3	05.7-28.9	7	7.8	01.3-14.3	1	5.4	00.0-15.6	15	19.3	08.5-30.1			
\$35,000- 49,999	76	10,224	43	51.8	38.1-65.5	15	19.8	09.2-30.4	2	3.9	00.0-09.2	3	1.8	00.0-04.2	13	22.7	10.5-34.9			
\$50,000- 74,999	55	7,854	37	78.3	66.3-90.3	7	8.9	01.6-16.2	2	1.7	00.0-04.2	1	0.8	00.0-02.4	8	10.2	02.0-18.4			
\$75,000+	90	14,861	54	53.1	39.0-67.2	11	19.9	06.2-33.6	6	5.9	00.2-11.6	2	1.3	00.0-03.3	16	19.3	09.1-29.5	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	255	37,921	143	54.6	46.4-62.8	41	18.7	11.8-25.6	16	4.7	02.2-07.2	5	2.2	00.0-04.7	50	19.8	13.7-25.9
White/Non-Hisp	189	26,238	100	49.8	40.8-58.8	36	22.7	14.5-30.9	9	4.1	01.2-07.0	4	1.4	00.0-03.0	40	21.9	14.6-29.2
55-64	61	8,938	37	50.6	33.5-67.7	11	24.7	08.0-41.4	4	4.4	00.0-08.9				9	20.4	07.3-33.5
65+	140	18,478	78	56.0	45.8-66.2	22	16.9	08.9-24.9	8	5.2	01.5-08.9	5	4.5	00.0-09.8	27	17.4	10.3-24.5
H.S. or G.E.D.	76	12,415	43	62.5	48.0-77.0	6	5.0	00.1-09.9	6	5.8	00.9-10.7	2	4.4	00.0-11.7	19	22.3	10.5-34.1
Some Post-H.S.	76	11,951	34	41.1	26.2-56.0	19	29.0	14.7-43.3	3	2.9	00.0-06.4	2	2.0	00.0-04.9	18	25.0	13.0-37.0
College Graduate	77	8,209	50	58.5	42.8-74.2	12	24.6	08.5-40.7	5	4.3	00.0-08.6	1	0.6	00.0-01.8	9	12.1	02.7-21.5
\$75,000+	62	10,158	37	53.6	36.2-71.0	8	23.2	05.8-40.6	4	3.2	00.0-06.7	2	1.9	00.0-04.8	11	18.2	06.2-30.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	289	38,412	181	61.6	53.8-69.4	37	14.1	07.8-20.4	20	8.8	03.9-13.7	6	1.7	00.0-03.5	42	13.0	08.3-17.7	3	0.8	00.0-01.8
White/Non-Hisp	189	22,634	115	56.1	46.3-65.9	30	19.6	10.4-28.8	8	5.0	00.9-09.1	6	2.9	00.0-06.0	29	16.0	09.3-22.7	1	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	57	11,409	41	74.1	59.2-89.0	2	4.4	00.0-12.4	7	15.2	01.9-28.5				6	5.3	00.0-10.8	1	1.0	00.0-03.0
55-64	86	12,189	56	66.4	53.3-79.5	11	11.2	03.8-18.6	6	9.0	01.2-16.8				12	12.7	04.3-21.1	1	0.7	00.0-02.1
65+	154	17,490	94	58.5	47.9-69.1	20	11.3	05.0-17.6	14	13.0	04.2-21.8	6	3.7	00.0-07.6	19	12.8	05.9-19.7	1	0.7	00.0-02.1
H.S. or G.E.D.	114	14,199	69	58.8	47.6-70.0	14	11.6	04.3-18.9	7	9.1	02.2-16.0	3	3.6	00.0-08.5	19	15.2	07.2-23.2	2	1.6	00.0-03.8
Some Post-H.S.	75	10,603	46	66.1	52.6-79.6	13	16.2	05.4-27.0	3	3.8	00.0-08.7	3	1.2	00.0-02.8	10	12.7	03.3-22.1			
College Graduate	63	5,817	45	65.1	50.0-80.2	6	8.0	00.6-15.4	5	9.9	00.3-19.5				6	15.6	02.9-28.3	1	1.5	00.0-04.4
\$15,000- 24,999	55	7,871	40	67.6	47.6-87.6	6	16.7	00.0-36.7	4	5.8	00.0-11.9	1	0.9	00.0-02.7	4	8.9	00.0-18.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	543	76,592	70	12.1	08.6-15.6	145	25.3	20.4-30.2	75	14.6	10.7-18.5	117	20.5	15.8-25.2	62	12.7	08.2-17.2	74	14.8	10.5-19.1
Male	258	38,471	38	15.4	09.9-20.9	70	26.2	18.8-33.6	30	13.2	07.5-18.9	52	18.3	12.6-24.0	30	11.8	06.3-17.3	38	15.1	08.2-22.0
Female	285	38,121	32	8.8	04.9-12.7	75	24.3	18.0-30.6	45	16.0	10.5-21.5	65	22.7	15.4-30.0	32	13.5	06.4-20.6	36	14.6	09.1-20.1
White/Non-Hisp	376	48,935	50	13.5	09.2-17.8	102	26.1	20.2-32.0	58	17.2	12.1-22.3	85	21.2	15.7-26.7	32	6.8	04.1-09.5	49	15.3	10.4-20.2
Black or Afr. Am./Non-Hisp	87	18,641	11	8.1	01.4-14.8	23	19.6	09.8-29.4	8	10.3	02.3-18.3	17	20.7	08.9-32.5	20	30.1	15.2-45.0	8	11.4	00.0-23.2
45-54	73	12,137	12	12.3	04.3-20.3	20	22.5	10.7-34.3	5	5.9	00.0-12.0	12	21.3	06.0-36.6	8	16.7	02.6-30.8	16	21.3	08.6-34.0
55-64	145	21,100	13	8.3	03.0-13.6	38	27.5	17.3-37.7	24	19.9	10.7-29.1	33	18.3	11.2-25.4	21	17.3	05.9-28.7	16	8.7	03.8-13.6
65+	294	36,075	42	15.3	09.6-21.0	79	25.1	18.8-31.4	43	15.8	10.5-21.1	69	23.1	16.6-29.6	27	8.0	04.7-11.3	34	12.8	08.1-17.5
Less Than H.S.	61	13,030	7	9.2	00.4-18.0	14	21.5	08.2-34.8	7	9.1	01.7-16.5	12	29.1	11.5-46.7	11	20.0	02.4-37.6	10	11.2	03.2-19.2
H.S. or G.E.D.	188	26,287	24	12.5	06.4-18.6	48	21.8	14.7-28.9	26	16.2	08.8-23.6	46	19.8	13.1-26.5	19	9.8	04.9-14.7	25	19.8	10.2-29.4
Some Post-H.S.	149	22,686	23	14.3	07.6-21.0	41	28.3	18.5-38.1	18	13.7	06.4-21.0	29	18.1	10.8-25.4	15	11.2	03.6-18.8	23	14.4	07.5-21.3
College Graduate	144	14,495	16	10.7	04.6-16.8	42	30.3	19.9-40.7	23	17.6	09.6-25.6	30	17.9	11.0-24.8	17	13.6	06.0-21.2	16	9.9	04.2-15.6
Less than \$15,000	64	9,731	6	6.5	00.0-13.0	17	22.1	08.8-35.4	5	6.3	00.2-12.4	15	27.5	09.7-45.3	10	23.1	01.5-44.7	11	14.5	03.3-25.7
\$15,000- 24,999	99	14,579	9	13.9	03.5-24.3	31	24.3	14.3-34.3	16	19.2	08.2-30.2	19	19.1	06.9-31.3	14	12.0	04.0-20.0	10	11.5	03.7-19.3
\$25,000- 34,999	63	8,264	10	10.2	03.1-17.3	11	21.7	06.0-37.4	13	21.6	07.9-35.3	15	24.4	09.9-38.9	4	7.9	00.0-16.3	10	14.2	04.4-24.0
\$35,000- 49,999	74	10,205	11	9.8	02.9-16.7	22	29.5	17.0-42.0	11	14.4	04.6-24.2	13	18.3	07.5-29.1	8	11.5	02.9-20.1	9	16.5	04.5-28.5
\$50,000- 74,999	55	7,847	5	9.5	00.0-19.1	13	16.1	05.7-26.5	8	21.7	05.8-37.6	15	21.1	08.6-33.6	5	7.4	00.1-14.7	9	24.1	00.6-47.6
\$75,000+	92	14,981	16	18.2	08.8-27.6	25	30.1	16.2-44.0	13	14.3	05.7-22.9	21	18.3	09.1-27.5	6	7.7	00.0-17.7	11	11.4	03.4-19.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	38,471	38	15.4	09.7-21.1	70	26.2	18.8-33.6	30	13.2	07.5-18.9	52	18.3	12.4-24.2	30	11.8	06.1-17.5	38	15.1	08.2-22.0
White/Non-Hisp	190	26,505	30	17.4	10.3-24.5	51	27.7	19.1-36.3	22	14.4	07.7-21.1	44	21.5	14.4-28.6	18	6.7	03.2-10.2	25	12.3	06.6-18.0
55-64	61	9,004	3	7.9	00.0-17.3	18	30.4	13.7-47.1	9	21.1	05.8-36.4	15	20.5	08.9-32.1	9	11.9	02.3-21.5	7	8.1	01.2-15.0
65+	141	18,734	26	20.2	11.6-28.8	35	24.2	14.8-33.6	16	13.3	06.0-20.6	31	21.3	12.9-29.7	15	8.9	03.6-14.2	18	12.0	05.7-18.3
H.S. or G.E.D.	74	12,122	10	11.5	03.3-19.7	18	19.1	07.9-30.3	11	19.1	06.0-32.2	16	18.2	07.4-29.0	8	10.3	01.9-18.7	11	21.8	04.6-39.0
Some Post-H.S.	76	12,208	15	21.4	10.0-32.8	21	25.2	12.1-38.3	7	9.3	01.1-17.5	16	21.3	09.9-32.7	9	14.3	01.6-27.0	8	8.5	01.4-15.6
College Graduate	81	8,580	8	10.6	02.2-19.0	22	29.6	14.5-44.7	8	11.8	02.8-20.8	18	18.9	09.5-28.3	12	17.1	05.5-28.7	13	12.1	04.8-19.4
\$75,000+	64	10,278	11	20.9	08.2-33.6	17	30.0	13.1-46.9	7	9.5	01.9-17.1	17	22.6	10.1-35.1	5	10.1	00.0-24.2	7	7.0	01.3-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	285	38,121	32	8.8	04.9-12.7	75	24.3	18.0-30.6	45	16.0	10.5-21.5	65	22.7	15.4-30.0	32	13.5	06.4-20.6	36	14.6	09.1-20.1			
White/Non-Hisp	186	22,430	20	8.8	04.3-13.3	51	24.2	16.6-31.8	36	20.4	12.6-28.2	41	20.8	12.0-29.6	14	7.0	02.9-11.1	24	18.8	10.8-26.8			
Black or Afr. Am./Non-Hisp	56	11,227	8	9.9	00.0-20.1	17	26.2	11.5-40.9	5	8.8	01.0-16.6	13	25.4	08.7-42.1	10	26.4	06.6-46.2	3	3.2	00.0-07.1			
55-64	84	12,096	10	8.6	02.5-14.7	20	25.3	12.6-38.0	15	19.0	07.4-30.6	18	16.6	07.8-25.4	12	21.4	03.6-39.2	9	9.1	02.0-16.2			
65+	153	17,340	16	9.9	03.0-16.8	44	26.0	18.0-34.0	27	18.5	10.7-26.3	38	25.0	15.0-35.0	12	7.0	02.7-11.3	16	13.6	06.3-20.9			
H.S. or G.E.D.	114	14,165	14	13.3	04.5-22.1	30	24.1	15.1-33.1	15	13.7	06.1-21.3	30	21.2	13.0-29.4	11	9.4	03.5-15.3	14	18.2	08.4-28.0			
Some Post-H.S.	73	10,479	8	6.1	01.4-10.8	20	31.9	17.4-46.4	11	18.8	06.6-31.0	13	14.4	06.2-22.6	6	7.6	00.9-14.3	15	21.3	09.5-33.1			
College Graduate	63	5,914	8	10.9	02.9-18.9	20	31.3	17.8-44.8	15	26.1	12.0-40.2	12	16.4	06.2-26.6	5	8.5	00.3-16.7	3	6.7	00.0-16.3			
\$15,000- 24,999	53	7,619	1	7.2	00.0-20.5	18	30.7	14.4-47.0	9	11.5	03.3-19.7	13	26.7	06.5-46.9	7	12.9	00.2-25.6	5	11.0	00.0-22.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 13: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	526	73,564	264	52.5	46.6-58.4	189	33.7	28.4-39.0	14	1.9	0.9-02.9	11	2.3	0.9-03.7	39	7.5	04.0-11.0	9	2.1	0.1-04.1
Male	250	37,928	127	50.2	41.8-58.6	85	33.4	25.6-41.2	8	1.6	0.4-02.8	3	1.2	0.0-02.8	22	10.0	03.5-16.5	5	3.6	0.0-07.5
Female	276	35,636	137	54.9	47.1-62.7	104	34.0	26.7-41.3	6	2.1	0.3-03.9	8	3.4	0.9-05.9	17	5.0	02.5-07.5	4	0.6	0.0-01.2
White/Non-Hisp	370	47,650	195	55.8	49.3-62.3	136	33.4	27.5-39.3	7	1.2	0.2-02.2	6	2.0	0.2-03.8	20	5.2	02.7-07.7	6	2.4	0.0-05.3
Black or Afr. Am./Non-Hisp	82	17,361	34	42.0	26.5-57.5	29	38.6	23.9-53.3	4	2.7	0.0-05.6	4	3.6	0.0-07.5	10	12.8	00.3-25.3	1	0.4	0.0-01.2
45-54	67	10,493	37	58.9	43.2-74.6	17	29.7	14.0-45.4				3	3.8	0.0-08.1	9	6.9	01.4-12.4	1	0.6	0.0-01.8
55-64	141	20,674	69	54.6	43.2-66.0	52	35.0	24.4-45.6	5	2.0	0.2-03.8	2	0.7	0.0-01.7	11	6.3	02.2-10.4	2	1.4	0.0-03.8
65+	287	35,115	141	48.2	40.9-55.5	112	38.6	31.3-45.9	8	2.2	0.4-04.0	6	3.2	0.5-05.9	15	5.0	02.3-07.7	5	2.7	0.0-06.4
Less Than H.S.	57	11,771	28	53.3	35.5-71.1	10	19.1	05.0-33.2	2	1.5	0.0-03.7	3	4.7	0.0-10.4	11	13.4	04.4-22.4	3	8.1	0.0-19.3
H.S. or G.E.D.	187	25,933	88	51.4	41.8-61.0	80	37.7	28.9-46.5	3	1.1	0.0-02.3				11	8.5	00.0-17.1	5	1.3	0.1-02.5
Some Post-H.S.	141	21,775	75	53.2	42.4-64.0	51	37.8	27.4-48.2	2	1.1	0.0-02.7	4	2.7	0.2-05.2	8	4.1	01.0-07.2	1	1.2	0.0-03.6
College Graduate	141	14,085	73	52.7	41.9-63.5	48	32.3	22.7-41.9	7	4.9	01.0-08.8	4	3.9	0.0-08.2	9	6.2	01.1-11.3			
Less than \$15,000	62	9,632	28	56.2	37.4-75.0	19	26.1	09.8-42.4	2	1.9	0.0-04.6	3	4.8	0.0-10.5	6	6.3	00.2-12.4	4	4.8	0.0-10.7
\$15,000- 24,999	96	12,733	45	48.2	35.5-60.9	34	33.3	21.1-45.5	3	3.0	0.0-06.5	3	4.2	0.0-09.1	10	11.0	03.7-18.3	1	0.3	0.0-00.9
\$25,000- 34,999	61	8,188	29	47.5	31.0-64.0	28	41.5	25.4-57.6	1	1.1	0.0-03.3				2	1.8	0.0-04.3	1	8.0	0.0-22.7
\$35,000- 49,999	74	10,396	43	58.2	44.5-71.9	23	32.2	19.3-45.1	1	0.7	0.0-02.1	1	0.5	0.0-01.5	5	7.5	00.1-14.9	1	0.8	0.0-02.4
\$50,000- 74,999	53	7,471	25	41.3	22.3-60.3	21	36.7	18.7-54.7	3	3.0	0.0-06.5	1	1.8	0.0-05.3	3	17.2	00.0-42.9			
\$75,000+	90	14,661	50	59.8	46.3-73.3	33	35.8	22.5-49.1	2	1.1	0.0-02.7				5	3.3	0.0-06.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEM03)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	37,928	127	50.2	41.8-58.6	85	33.4	25.6-41.2	8	1.6	0.4-2.8	3	1.2	0.0-0.2.8	22	10.0	03.5-16.5	5	3.6	00.0-07.5
White/Non-Hisp	184	26,008	98	55.3	46.3-64.3	64	32.5	24.1-40.9	4	1.0	0.0-0.2.0	1	0.5	0.0-0.1.5	14	6.7	02.8-10.6	3	3.9	00.0-09.2
55-64	59	8,947	24	41.9	24.8-59.0	26	45.4	28.3-62.5	3	2.8	0.0-0.6.1	1	0.6	0.0-0.1.8	4	6.4	00.0-13.3	1	2.9	00.0-08.4
65+	138	18,458	73	52.9	42.5-63.3	47	33.5	23.7-43.3	5	2.0	0.2-0.3.8	1	1.4	0.0-0.4.1	9	5.7	01.4-10.0	3	4.5	00.0-11.4
H.S. or G.E.D.	74	12,327	39	51.7	35.4-68.0	29	35.6	21.3-49.9	2	1.4	0.0-0.3.4				2	10.0	00.0-26.9	2	1.4	00.0-03.4
Some Post-H.S.	70	11,487	39	52.4	36.7-68.1	24	39.6	23.9-55.3	1	0.5	0.0-0.1.5	1	1.2	0.0-0.3.6	4	4.0	00.0-08.5	1	2.3	00.0-06.8
College Graduate	81	8,573	37	50.3	35.6-65.0	28	31.1	18.6-43.6	5	4.7	0.6-0.8.8	2	3.7	0.0-0.9.8	9	10.2	02.0-18.4			
\$75,000+	63	10,182	35	59.0	41.9-76.1	22	36.2	19.3-53.1	2	1.5	0.0-0.3.7				4	3.2	00.0-06.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 15: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	276	35,636	137	54.9	47.1-62.7	104	34.0	26.7-41.3	6	2.1	00.3-03.9	8	3.4	00.9-05.9	17	5.0	02.5-07.5	4	0.6	00.0-01.2
White/Non-Hisp	186	21,641	97	56.3	47.3-65.3	72	34.4	26.2-42.6	3	1.3	00.0-02.9	5	3.8	00.3-07.3	6	3.4	00.5-06.3	3	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	51	9,947	24	56.8	38.0-75.6	17	31.5	14.3-48.7	1	2.1	00.0-06.2	2	3.1	00.0-07.4	6	6.0	00.3-11.7	1	0.6	00.0-01.8
55-64	82	11,727	45	64.3	50.8-77.8	26	27.1	15.3-38.9	2	1.3	00.0-03.3	1	0.7	00.0-02.1	7	6.2	01.1-11.3	1	0.3	00.0-01.1
65+	149	16,657	68	43.1	33.1-53.1	65	44.3	33.9-54.7	3	2.5	00.0-05.4	5	5.2	00.3-10.1	6	4.2	00.7-07.7	2	0.7	00.0-01.7
H.S. or G.E.D.	113	13,606	49	51.1	40.1-62.1	51	39.6	29.2-50.0	1	0.8	00.0-02.4				9	7.2	02.1-12.3	3	1.3	00.0-02.9
Some Post-H.S.	71	10,288	36	54.1	39.8-68.4	27	35.7	22.4-49.0	1	1.7	00.0-05.0	3	4.3	00.0-09.2	4	4.2	00.0-08.5			
College Graduate	60	5,513	36	56.6	40.9-72.3	20	34.1	19.0-49.2	2	5.2	00.0-12.8	2	4.1	00.0-10.4						
\$15,000- 24,999	50	5,772	23	49.1	32.4-65.8	18	28.3	15.2-41.4	2	4.8	00.0-11.5	2	6.9	00.0-16.5	4	10.2	00.2-20.2	1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	536	74,969	100	20.8	15.7-25.9	141	27.3	22.0-32.6	49	9.8	06.5-13.1	81	13.0	09.7-16.3	48	6.8	04.4-09.2	117	22.3	17.2-27.4
Male	257	38,241	49	20.0	13.1-26.9	74	29.2	21.6-36.8	18	7.1	03.2-11.0	37	12.9	08.0-17.8	25	7.7	04.0-11.4	54	23.1	15.5-30.7
Female	279	36,728	51	21.7	13.9-29.5	67	25.4	18.1-32.7	31	12.5	07.2-17.8	44	13.1	08.6-17.6	23	5.8	03.1-08.5	63	21.5	14.6-28.4
White/Non-Hisp	375	47,967	69	21.2	15.7-26.7	98	26.0	20.1-31.9	32	8.4	04.9-11.9	57	14.3	10.0-18.6	38	7.8	05.1-10.5	81	22.3	16.4-28.2
Black or Afr. Am./Non-Hisp	82	17,993	17	22.9	08.2-37.6	22	28.8	15.3-42.3	10	13.5	04.1-22.9	11	8.8	02.9-14.7	6	4.0	00.1-07.9	16	22.0	08.3-35.7
45-54	73	12,148	15	25.0	10.1-39.9	18	22.6	10.4-34.8	8	11.0	01.8-20.2	8	9.5	01.3-17.7	7	9.0	01.6-16.4	17	22.9	07.6-38.2
55-64	141	20,257	22	20.2	08.4-32.0	43	31.9	20.9-42.9	11	7.7	02.6-12.8	22	14.3	07.4-21.2	12	4.8	01.7-07.9	31	21.3	12.7-29.9
65+	292	35,399	52	18.7	12.8-24.6	75	26.7	19.8-33.6	29	12.2	06.9-17.5	47	14.5	09.6-19.4	28	8.5	04.8-12.2	61	19.4	13.9-24.9
Less Than H.S.	61	13,218	11	23.9	05.7-42.1	16	30.5	14.2-46.8	7	11.2	01.8-20.6	4	6.7	00.0-14.1	5	3.9	00.2-07.6	18	23.8	08.9-38.7
H.S. or G.E.D.	182	25,371	39	24.5	16.3-32.7	38	21.2	13.6-28.8	18	10.1	04.2-16.0	35	14.6	08.9-20.3	19	8.3	04.0-12.6	33	21.3	11.3-31.3
Some Post-H.S.	151	22,218	26	18.7	09.9-27.5	40	27.4	17.8-37.0	14	7.9	02.8-13.0	21	14.3	07.6-21.0	15	8.3	03.2-13.4	35	23.4	15.2-31.6
College Graduate	141	14,067	24	14.7	08.2-21.2	47	35.5	24.5-46.5	9	10.1	03.2-17.0	21	14.3	07.6-21.0	9	4.4	01.3-07.5	31	21.0	12.6-29.4
Less than \$15,000	64	9,710	11	30.9	09.1-52.7	15	28.1	09.9-46.3	4	6.2	00.0-13.1	8	8.0	01.3-14.7	11	11.4	03.2-19.6	15	15.4	05.6-25.2
\$15,000- 24,999	99	14,634	15	13.5	05.7-21.3	23	27.6	15.4-39.8	16	21.5	09.9-33.1	13	7.5	03.0-12.0	12	7.3	02.4-12.2	20	22.7	10.0-35.4
\$25,000- 34,999	63	7,865	21	34.5	18.2-50.8	11	16.4	06.0-26.8	9	11.7	03.3-20.1	10	17.8	05.3-30.3	4	7.5	00.0-15.9	8	12.0	00.2-23.8
\$35,000- 49,999	76	10,324	16	20.7	10.1-31.3	20	24.1	12.7-35.5	5	9.7	01.1-18.3	8	9.0	01.9-16.1	6	6.1	00.8-11.4	21	30.4	17.1-43.7
\$50,000- 74,999	55	7,822	7	11.5	01.9-21.1	12	17.1	05.3-28.9	3	6.0	00.0-12.9	14	22.5	08.2-36.8	3	2.7	00.0-05.8	16	40.3	18.5-62.1
\$75,000+	90	14,567	16	20.3	08.1-32.5	35	39.9	25.8-54.0	4	5.1	00.0-10.2	14	14.3	05.5-23.1	5	5.6	00.0-11.5	16	14.8	06.2-23.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	257	38,241	49	20.0	13.1-26.9	74	29.2	21.6-36.8	18	7.1	03.2-11.0	37	12.9	08.0-17.8	25	7.7	04.0-11.4	54	23.1	15.5-30.7
White/Non-Hisp	190	26,406	34	19.5	11.9-27.1	54	29.3	20.9-37.7	13	8.2	03.1-13.3	29	15.3	09.0-21.6	21	8.2	04.5-11.9	39	19.5	12.2-26.8
55-64	60	9,067	4	6.0	00.0-12.5	23	43.3	26.2-60.4	4	5.1	00.0-10.6	11	17.6	05.8-29.4	4	3.0	00.0-06.3	14	25.0	11.5-38.5
65+	141	18,442	27	20.8	11.6-30.0	38	27.6	18.2-37.0	11	10.5	03.4-17.6	21	13.3	06.8-19.8	18	11.5	05.2-17.8	26	16.2	08.6-23.8
H.S. or G.E.D.	75	12,374	16	22.4	10.1-34.7	18	22.8	10.1-35.5	8	8.6	01.7-15.5	10	11.7	03.1-20.3	8	7.5	01.6-13.4	15	27.0	09.4-44.6
Some Post-H.S.	74	11,825	10	16.5	03.2-29.8	23	30.0	15.9-44.1	5	7.1	00.0-14.9	13	16.9	06.7-27.1	8	11.0	02.0-20.0	15	18.5	08.5-28.5
College Graduate	80	8,310	17	19.3	09.3-29.3	24	35.7	20.0-51.4	3	5.2	00.0-11.5	12	13.0	04.8-21.2	7	5.4	01.1-09.7	17	21.4	09.4-33.4
\$75,000+	64	10,278	14	22.2	07.1-37.3	23	39.9	22.5-57.3	2	3.0	00.0-07.3	10	16.3	04.9-27.7	5	7.9	00.0-16.3	10	10.7	02.7-18.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	279	36,728	51	21.7	13.9-29.5	67	25.4	18.1-32.7	31	12.5	07.2-17.8	44	13.1	08.6-17.6	23	5.8	03.1-08.5	63	21.5	14.6-28.4
White/Non-Hisp	185	21,562	35	23.2	14.8-31.6	44	22.0	14.6-29.4	19	8.7	04.0-13.4	28	13.0	07.1-18.9	17	7.3	03.4-11.2	42	25.8	16.2-35.4
Black or Afr. Am./Non-Hisp	52	10,839	10	22.8	03.0-42.6	14	33.0	15.0-51.0	8	20.1	05.6-34.6	8	9.1	02.0-16.2	3	2.7	00.0-05.8	9	12.3	02.3-22.3
55-64	81	11,190	18	31.7	13.7-49.7	20	22.6	10.6-34.6	7	9.7	01.9-17.5	11	11.6	03.8-19.4	8	6.2	01.3-11.1	17	18.2	07.2-29.2
65+	151	16,957	25	16.4	09.0-23.8	37	25.7	15.7-35.7	18	14.0	06.0-22.0	26	15.9	08.6-23.2	10	5.2	01.7-08.7	35	22.9	14.7-31.1
H.S. or G.E.D.	107	12,997	23	26.5	15.7-37.3	20	19.7	10.9-28.5	10	11.5	02.3-20.7	25	17.2	09.8-24.6	11	9.1	03.0-15.2	18	16.0	08.0-24.0
Some Post-H.S.	77	10,393	16	21.3	09.7-32.9	17	24.3	11.2-37.4	9	8.9	02.0-15.8	8	11.3	03.1-19.5	7	5.3	01.0-09.6	20	29.0	16.1-41.9
College Graduate	61	5,757	7	8.1	01.0-15.2	23	35.0	20.1-49.9	6	17.3	03.6-31.0	9	16.2	04.8-27.6	2	3.0	00.0-07.1	14	20.3	08.9-31.7
\$15,000- 24,999	53	7,703	9	15.7	03.7-27.7	9	15.0	03.8-26.2	10	24.5	07.3-41.7	11	12.5	04.3-20.7	6	6.9	01.0-12.8	8	25.5	04.1-46.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	549	77,167	145	24.9	20.2-29.6	266	50.8	44.9-56.7	60	9.1	06.4-11.8	63	12.3	07.6-17.0	15	2.9	00.9-04.9
Male	258	38,699	73	27.6	20.3-34.9	116	48.7	40.3-57.1	38	11.6	06.9-16.3	27	10.9	05.6-16.2	4	1.2	00.0-02.8
Female	291	38,468	72	22.1	16.0-28.2	150	53.0	44.8-61.2	22	6.5	03.4-09.6	36	13.8	06.2-21.4	11	4.6	01.1-08.1
White/Non-Hisp	380	49,166	106	29.2	23.1-35.3	179	47.8	41.3-54.3	45	9.4	06.1-12.7	46	12.0	07.1-16.9	4	1.7	00.0-03.7
Black or Afr. Am./Non-Hisp	88	18,823	25	19.5	10.5-28.5	49	60.6	46.3-74.9	4	5.1	00.0-10.8	7	10.6	00.0-22.9	3	4.2	00.0-09.7
45-54	70	11,870	17	19.7	08.5-30.9	32	47.8	31.3-64.3	3	1.7	00.0-04.1	8	16.3	00.8-31.8	10	14.6	03.2-26.0
55-64	147	21,307	34	22.7	13.9-31.5	65	44.7	33.5-55.9	17	9.8	04.5-15.1	29	21.9	09.9-33.9	2	1.0	00.0-02.6
65+	301	36,709	87	28.2	21.7-34.7	154	54.9	47.8-62.0	36	10.6	06.5-14.7	22	5.9	03.2-08.6	2	0.3	00.0-00.9
Less Than H.S.	63	13,343	16	19.7	07.7-31.7	21	38.0	20.9-55.1	9	11.9	03.5-20.3	12	24.7	05.7-43.7	5	5.8	00.0-13.1
H.S. or G.E.D.	189	26,489	48	23.4	16.1-30.7	90	50.3	40.7-59.9	25	12.1	06.2-18.0	22	10.4	04.9-15.9	4	3.8	00.0-07.9
Some Post-H.S.	151	22,593	37	23.0	14.6-31.4	79	58.0	47.8-68.2	10	5.4	01.7-09.1	20	11.7	04.4-19.0	5	1.8	00.0-03.8
College Graduate	145	14,647	44	35.1	24.3-45.9	76	52.8	42.2-63.4	15	6.2	02.7-09.7	9	5.6	01.5-09.7	1	0.3	00.0-00.9
Less than \$15,000	62	9,520	10	5.9	01.4-10.4	30	57.7	37.3-78.1	7	7.5	00.6-14.4	11	21.7	00.0-43.7	4	7.2	00.0-16.4
\$15,000- 24,999	102	14,923	28	24.7	14.3-35.1	48	48.5	35.2-61.8	12	9.6	03.5-15.7	11	12.5	00.9-24.1	3	4.7	00.0-11.2
\$25,000- 34,999	64	8,481	14	24.8	09.9-39.7	36	54.8	38.7-70.9	8	12.5	01.1-23.9	5	7.1	00.2-14.0	1	0.8	00.0-02.4
\$35,000- 49,999	75	10,508	20	28.3	16.0-40.6	34	46.2	32.5-59.9	10	11.1	03.3-18.9	7	8.8	00.0-17.8	4	5.7	00.0-12.6
\$50,000- 74,999	56	7,934	18	29.8	13.9-45.7	24	47.3	27.1-67.5	5	10.1	00.0-21.3	8	12.0	02.0-22.0	1	0.7	00.0-02.1
\$75,000+	91	14,661	28	32.4	19.5-45.3	45	51.2	37.1-65.3	8	3.9	00.8-07.0	9	12.0	01.6-22.4	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	38,699	73	27.6	20.3-34.9	116	48.7	40.3-57.1	38	11.6	07.1-16.1	27	10.9	05.4-16.4	4	1.2	00.0-02.8
White/Non-Hisp	189	26,538	60	33.2	24.4-42.0	80	44.2	35.0-53.4	28	10.7	05.8-15.6	19	10.5	05.0-16.0	2	1.4	00.0-03.6
55-64	60	8,974	14	22.3	09.4-35.2	25	44.5	27.6-61.4	11	14.6	05.2-24.0	10	18.5	02.4-34.6			
65+	146	19,306	45	30.6	21.0-40.2	68	50.3	39.9-60.7	21	11.8	05.5-18.1	11	6.7	02.4-11.0	1	0.5	00.0-01.5
H.S. or G.E.D.	74	12,253	21	25.0	12.8-37.2	26	40.9	23.8-58.0	16	18.0	07.0-29.0	10	13.9	03.5-24.3	1	2.3	00.0-06.8
Some Post-H.S.	75	12,084	17	20.0	09.2-30.8	42	61.5	47.0-76.0	5	4.9	00.0-09.8	9	12.4	00.2-24.6	2	1.2	00.0-03.0
College Graduate	82	8,737	27	39.3	24.0-54.6	39	47.6	33.3-61.9	11	7.5	02.6-12.4	5	5.7	00.4-11.0			
\$75,000+	64	10,278	20	33.1	17.0-49.2	30	48.1	31.0-65.2	6	3.3	00.2-06.4	7	14.6	00.3-28.9	1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	291	38,468	72	22.1	16.0-28.2	150	53.0	44.8-61.2	22	6.5	03.4-09.6	36	13.8	06.2-21.4	11	4.6	01.1-08.1
White/Non-Hisp	191	22,629	46	24.5	16.3-32.7	99	52.0	42.6-61.4	17	7.7	03.4-12.0	27	13.7	05.5-21.9	2	2.0	00.0-05.5
Black or Afr. Am./Non-Hisp	57	11,409	16	17.6	07.0-28.2	30	55.0	36.6-73.4	3	4.4	00.0-09.5	5	16.2	00.0-35.4	3	6.9	00.0-15.9
55-64	87	12,333	20	23.0	10.8-35.2	40	44.8	29.9-59.7	6	6.2	00.3-12.1	19	24.3	07.2-41.4	2	1.7	00.0-04.4
65+	155	17,403	42	25.5	17.1-33.9	86	60.0	50.4-69.6	15	9.3	04.0-14.6	11	5.0	01.5-08.5	1	0.2	00.0-00.6
H.S. or G.E.D.	115	14,235	27	22.1	13.1-31.1	64	58.4	47.4-69.4	9	7.0	01.7-12.3	12	7.4	02.1-12.7	3	5.1	00.0-11.6
Some Post-H.S.	76	10,509	20	26.5	13.8-39.2	37	54.0	39.7-68.3	5	5.9	00.4-11.4	11	10.9	03.6-18.2	3	2.6	00.0-06.1
College Graduate	63	5,910	17	28.9	15.0-42.8	37	60.4	45.7-75.1	4	4.5	00.0-09.2	4	5.4	00.0-11.9	1	0.8	00.0-02.4
\$15,000- 24,999	55	7,871	14	19.7	08.1-31.3	24	40.8	22.6-59.0	6	10.1	00.7-19.5	8	20.6	00.6-40.6	3	8.9	00.0-20.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	549	77,137	105	17.6	13.5-21.7	444	82.4	78.3-86.5
Male	259	38,699	55	20.0	13.3-26.7	204	80.0	73.3-86.7
Female	290	38,438	50	15.1	10.2-20.0	240	84.9	80.0-89.8
White/Non-Hisp	384	49,673	60	13.9	09.8-18.0	324	86.1	82.0-90.2
Black or Afr. Am./Non-Hisp	85	18,488	25	26.8	14.3-39.3	60	73.2	60.7-85.7
45-54	72	12,045	12	16.2	03.3-29.1	60	83.8	70.9-96.7
55-64	146	21,145	41	21.7	13.3-30.1	105	78.3	69.9-86.7
65+	301	36,833	46	16.4	11.1-21.7	255	83.6	78.3-88.9
Less Than H.S.	63	13,324	15	19.6	08.2-31.0	48	80.4	69.0-91.8
H.S. or G.E.D.	188	26,319	42	20.0	12.7-27.3	146	80.0	72.7-87.3
Some Post-H.S.	152	22,922	17	10.9	03.5-18.3	135	89.1	81.7-96.5
College Graduate	145	14,476	31	22.0	13.6-30.4	114	78.0	69.6-86.4
Less than \$15,000	65	9,775	14	18.8	06.5-31.1	51	81.2	68.9-93.5
\$15,000- 24,999	101	14,868	30	24.9	13.9-35.9	71	75.1	64.1-86.1
\$25,000- 34,999	64	8,479	10	16.3	04.9-27.7	54	83.7	72.3-95.1
\$35,000- 49,999	76	10,425	11	14.6	04.6-24.6	65	85.4	75.4-95.4
\$50,000- 74,999	55	7,851	7	12.8	02.4-23.2	48	87.2	76.8-97.6
\$75,000+	92	14,981	11	11.2	01.0-21.4	81	88.8	78.6-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	38,699	55	20.0	13.1-26.9	204	80.0	73.1-86.9
White/Non-Hisp	193	26,818	30	13.7	07.8-19.6	163	86.3	80.4-92.2
55-64	60	8,951	18	27.5	12.0-43.0	42	72.5	57.0-88.0
65+	145	19,154	26	17.7	10.3-25.1	119	82.3	74.9-89.7
H.S. or G.E.D.	76	12,449	20	21.8	09.5-34.1	56	78.2	65.9-90.5
Some Post-H.S.	76	12,138	8	14.0	01.1-26.9	68	86.0	73.1-98.9
College Graduate	80	8,438	21	25.8	13.3-38.3	59	74.2	61.7-86.7
\$75,000+	64	10,278	9	13.0	00.0-27.3	55	87.0	72.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	290	38,438	50	15.1	10.2-20.0	240	84.9	80.0-89.8
White/Non-Hisp	191	22,855	30	14.1	08.2-20.0	161	85.9	80.0-91.8
Black or Afr. Am./Non-Hisp	55	11,156	10	14.8	04.6-25.0	45	85.2	75.0-95.4
55-64	86	12,194	23	17.5	09.1-25.9	63	82.5	74.1-90.9
65+	156	17,679	20	14.9	07.5-22.3	136	85.1	77.7-92.5
H.S. or G.E.D.	112	13,871	22	18.4	10.0-26.8	90	81.6	73.2-90.0
Some Post-H.S.	76	10,785	9	7.5	02.2-12.8	67	92.5	87.2-97.8
College Graduate	65	6,038	10	16.7	06.1-27.3	55	83.3	72.7-93.9
\$15,000- 24,999	54	7,789	15	20.3	08.1-32.5	39	79.7	67.5-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	559	78,140	268	47.3	41.6-53.0	291	52.7	47.0-58.4
Male	264	39,119	113	44.9	36.5-53.3	151	55.1	46.7-63.5
Female	295	39,021	155	49.7	41.7-57.7	140	50.3	42.3-58.3
White/Non-Hisp	387	49,913	180	43.2	36.7-49.7	207	56.8	50.3-63.3
Black or Afr. Am./Non-Hisp	88	18,823	54	60.7	45.8-75.6	34	39.3	24.4-54.2
45-54	74	12,183	38	55.0	38.9-71.1	36	45.0	28.9-61.1
55-64	150	21,610	72	44.3	33.3-55.3	78	55.7	44.7-66.7
65+	304	37,065	142	44.0	36.9-51.1	162	56.0	48.9-63.1
Less Than H.S.	64	13,355	25	31.7	17.0-46.4	39	68.3	53.6-83.0
H.S. or G.E.D.	192	26,737	85	46.5	36.7-56.3	107	53.5	43.7-63.3
Some Post-H.S.	155	23,162	71	47.0	36.8-57.2	84	53.0	42.8-63.2
College Graduate	147	14,790	86	62.8	53.2-72.4	61	37.2	27.6-46.8
Less than \$15,000	67	9,947	27	36.4	19.2-53.6	40	63.6	46.4-80.8
\$15,000- 24,999	102	14,866	56	49.6	36.3-62.9	46	50.4	37.1-63.7
\$25,000- 34,999	65	8,569	32	50.5	34.4-66.6	33	49.5	33.4-65.6
\$35,000- 49,999	77	10,622	33	46.7	33.0-60.4	44	53.3	39.6-67.0
\$50,000- 74,999	56	7,934	22	39.9	18.9-60.9	34	60.1	39.1-81.1
\$75,000+	92	14,981	50	56.6	42.9-70.3	42	43.4	29.7-57.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	264	39,119	113	44.9	36.5-53.3	151	55.1	46.7-63.5
White/Non-Hisp	194	26,895	81	39.8	31.0-48.6	113	60.2	51.4-69.0
55-64	62	9,194	28	45.6	28.9-62.3	34	54.4	37.7-71.1
65+	146	19,192	56	38.8	28.8-48.8	90	61.2	51.2-71.2
H.S. or G.E.D.	77	12,502	27	42.8	26.1-59.5	50	57.2	40.5-73.9
Some Post-H.S.	77	12,251	36	45.2	30.5-59.9	41	54.8	40.1-69.5
College Graduate	83	8,799	40	55.8	42.1-69.5	43	44.2	30.5-57.9
\$75,000+	64	10,278	31	53.5	36.4-70.6	33	46.5	29.4-63.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**  
**Denominator excludes: Respondents that reported not being diagnosed with diabetes**  
**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	295	39,021	155	49.7	41.7-57.7	140	50.3	42.3-58.3
White/Non-Hisp	193	23,018	99	47.2	38.0-56.4	94	52.8	43.6-62.0
Black or Afr. Am./Non-Hisp	57	11,409	33	54.3	35.1-73.5	24	45.7	26.5-64.9
55-64	88	12,416	44	43.3	28.8-57.8	44	56.7	42.2-71.2
65+	158	17,873	86	49.5	39.3-59.7	72	50.5	40.3-60.7
H.S. or G.E.D.	115	14,235	58	49.7	38.5-60.9	57	50.3	39.1-61.5
Some Post-H.S.	78	10,911	35	49.1	34.8-63.4	43	50.9	36.6-65.2
College Graduate	64	5,991	46	73.0	59.7-86.3	18	27.0	13.7-40.3
\$15,000- 24,999	55	7,871	30	49.6	30.8-68.4	25	50.4	31.6-69.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 4: HEALTH CARE ACCESS CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
DELAYED GETTING MEDICAL CARE (DELAYMED)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 4: HEALTH CARE ACCESS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
37	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3585	653,735	1669	36.1	34.1-38.1	1916	63.9	61.9-65.9
Male	1559	308,084	716	35.6	32.5-38.7	843	64.4	61.3-67.5
Female	2026	345,652	953	36.4	33.7-39.1	1073	63.6	60.9-66.3
White/Non-Hisp	2600	436,537	1288	37.4	35.0-39.8	1312	62.6	60.2-65.0
Black or Afr. Am./Non-Hisp	518	130,208	223	36.9	31.6-42.2	295	63.1	57.8-68.4
Oth. Race/Non-Hisp.	112	24,272	39	24.6	14.8-34.4	73	75.4	65.6-85.2
MultiRacial/Non-Hisp.	63	12,871	23	31.5	17.0-46.0	40	68.5	54.0-83.0
Hispanic	202	35,370	62	29.6	21.4-37.8	140	70.4	62.2-78.6
18-24	189	66,368	37	17.6	11.3-23.9	152	82.4	76.1-88.7
25-34	332	97,856	61	19.6	14.1-25.1	271	80.4	74.9-85.9
35-44	333	91,218	42	11.6	07.5-15.7	291	88.4	84.3-92.5
45-54	573	111,132	86	12.4	09.1-15.7	487	87.6	84.3-90.9
55-64	800	120,341	175	20.8	17.1-24.5	625	79.2	75.5-82.9
65+	1323	163,116	1254	94.5	92.9-96.1	69	5.5	03.9-07.1
Less Than H.S.	275	65,204	169	58.9	50.7-67.1	106	41.1	32.9-49.3
H.S. or G.E.D.	1093	202,168	553	37.8	34.3-41.3	540	62.2	58.7-65.7
Some Post-H.S.	901	194,789	426	35.6	31.5-39.7	475	64.4	60.3-68.5
College Graduate	1306	189,892	516	26.8	24.1-29.5	790	73.2	70.5-75.9
Less than \$15,000	263	41,837	164	57.8	49.2-66.4	99	42.2	33.6-50.8
\$15,000- 24,999	474	77,706	289	57.3	51.4-63.2	185	42.7	36.8-48.6
\$25,000- 34,999	341	56,195	193	44.8	36.6-53.0	148	55.2	47.0-63.4
\$35,000- 49,999	451	78,776	211	37.2	31.7-42.7	240	62.8	57.3-68.3
\$50,000- 74,999	481	94,413	203	31.4	26.1-36.7	278	68.6	63.3-73.9
\$75,000+	950	197,727	260	18.3	15.4-21.2	690	81.7	78.8-84.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1559	308,084	716	35.6	32.7-38.5	843	64.4	61.5-67.3
White/Non-Hisp	1131	204,007	554	37.1	33.6-40.6	577	62.9	59.4-66.4
Black or Afr. Am./Non-Hisp	188	58,069	80	37.8	29.2-46.4	108	62.2	53.6-70.8
Oth. Race/Non-Hisp.	69	15,974	23	26.1	12.8-39.4	46	73.9	60.6-87.2
Hispanic	86	15,631	28	25.2	14.6-35.8	58	74.8	64.2-85.4
18-24	104	33,576	19	17.9	09.1-26.7	85	82.1	73.3-90.9
25-34	144	48,501	29	21.3	12.7-29.9	115	78.7	70.1-87.3
35-44	153	43,373	25	14.7	08.0-21.4	128	85.3	78.6-92.0
45-54	263	52,963	48	13.0	08.5-17.5	215	87.0	82.5-91.5
55-64	331	55,858	69	21.1	15.4-26.8	262	78.9	73.2-84.6
65+	553	72,971	520	93.2	90.7-95.7	33	6.8	04.3-09.3
Less Than H.S.	121	30,183	80	61.3	48.2-74.4	41	38.7	25.6-51.8
H.S. or G.E.D.	471	100,530	203	31.4	26.3-36.5	268	68.6	63.5-73.7
Some Post-H.S.	371	87,345	174	37.1	31.0-43.2	197	62.9	56.8-69.0
College Graduate	591	88,854	257	30.5	26.2-34.8	334	69.5	65.2-73.8
Less than \$15,000	76	12,015	52	59.9	44.2-75.6	24	40.1	24.4-55.8
\$15,000- 24,999	194	34,986	123	62.4	53.6-71.2	71	37.6	28.8-46.4
\$25,000- 34,999	116	20,514	68	50.0	37.1-62.9	48	50.0	37.1-62.9
\$35,000- 49,999	205	37,794	93	36.2	28.0-44.4	112	63.8	55.6-72.0
\$50,000- 74,999	243	50,517	100	30.5	23.1-37.9	143	69.5	62.1-76.9
\$75,000+	489	103,378	157	21.4	17.3-25.5	332	78.6	74.5-82.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2026	345,652	953	36.4	33.7-39.1	1073	63.6	60.9-66.3
White/Non-Hisp	1469	232,530	734	37.6	34.3-40.9	735	62.4	59.1-65.7
Black or Afr. Am./Non-Hisp	330	72,139	143	36.2	29.5-42.9	187	63.8	57.1-70.5
Hispanic	116	19,739	34	33.2	21.6-44.8	82	66.8	55.2-78.4
18-24	85	32,792	18	17.3	08.1-26.5	67	82.7	73.5-91.9
25-34	188	49,355	32	17.9	10.8-25.0	156	82.1	75.0-89.2
35-44	180	47,845	17	8.8	03.9-13.7	163	91.2	86.3-96.1
45-54	310	58,169	38	11.8	06.9-16.7	272	88.2	83.3-93.1
55-64	469	64,483	106	20.6	15.5-25.7	363	79.4	74.3-84.5
65+	770	90,145	734	95.6	93.8-97.4	36	4.4	02.6-06.2
Less Than H.S.	154	35,021	89	56.9	46.3-67.5	65	43.1	32.5-53.7
H.S. or G.E.D.	622	101,638	350	44.1	39.2-49.0	272	55.9	51.0-60.8
Some Post-H.S.	530	107,445	252	34.4	29.1-39.7	278	65.6	60.3-70.9
College Graduate	715	101,038	259	23.5	20.0-27.0	456	76.5	73.0-80.0
Less than \$15,000	187	29,822	112	56.9	46.7-67.1	75	43.1	32.9-53.3
\$15,000- 24,999	280	42,721	166	53.1	45.5-60.7	114	46.9	39.3-54.5
\$25,000- 34,999	225	35,681	125	41.8	31.6-52.0	100	58.2	48.0-68.4
\$35,000- 49,999	246	40,982	118	38.0	30.6-45.4	128	62.0	54.6-69.4
\$50,000- 74,999	238	43,896	103	32.4	25.0-39.8	135	67.6	60.2-75.0
\$75,000+	461	94,349	103	14.9	11.0-18.8	358	85.1	81.2-89.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3572	654,479	1503	50.5	48.1-52.9	321	9.9	08.5-11.3	1550	35.0	32.8-37.2	108	2.3	01.7-02.9	89	2.3	01.7-02.9	1	0.0	00.0-00.0
Male	1550	307,930	694	52.3	49.0-55.6	139	10.7	08.5-12.9	610	31.4	28.3-34.5	68	3.3	02.3-04.3	39	2.4	01.4-03.4			
Female	2022	346,549	809	49.0	45.9-52.1	182	9.2	07.4-11.0	940	38.1	35.2-41.0	40	1.4	00.8-02.0	50	2.3	01.5-03.1	1	0.0	00.0-00.0
White/Non-Hisp	2592	435,919	1069	50.4	47.7-53.1	237	10.7	08.9-12.5	1143	34.2	31.8-36.6	82	2.4	01.8-03.0	61	2.3	01.5-03.1			
Black or Afr. Am./Non-Hisp	512	130,250	222	49.0	43.3-54.7	41	8.4	05.3-11.5	227	38.9	33.4-44.4	10	1.8	00.4-03.2	12	1.9	00.5-03.3			
Oth. Race/Non-Hisp.	114	25,752	61	68.0	57.6-78.4	9	6.4	01.7-11.1	35	19.4	11.2-27.6	1	0.3	00.0-00.9	8	6.0	00.3-11.7			
MultiRacial/Non-Hisp.	62	12,667	23	43.8	26.7-60.9	6	9.7	00.1-19.3	28	41.9	25.4-58.4	4	4.0	00.1-07.9	1	0.6	00.0-01.8			
Hispanic	201	35,296	85	45.9	36.7-55.1	17	9.1	04.0-14.2	87	40.9	32.1-49.7	8	3.1	00.4-05.8	4	1.0	00.0-02.0			
18-24	187	66,529	84	50.7	41.1-60.3	46	27.6	19.0-36.2	43	17.1	11.2-23.0	5	1.6	00.0-03.2	9	3.1	00.6-05.6			
25-34	333	98,506	179	55.0	47.9-62.1	33	8.1	04.8-11.4	104	31.3	24.4-38.2	12	3.9	01.4-06.4	5	1.8	00.0-03.6			
35-44	334	91,955	218	72.0	66.3-77.7	20	4.0	02.0-06.0	82	20.9	15.8-26.0	10	1.5	00.5-02.5	4	1.6	00.0-03.6			
45-54	570	110,833	360	70.5	65.8-75.2	40	6.9	04.2-09.6	134	18.7	14.8-22.6	22	2.5	01.1-03.9	13	1.3	00.3-02.3	1	0.1	00.0-00.3
55-64	791	119,480	444	57.7	53.2-62.2	93	13.3	10.2-16.4	198	23.1	19.2-27.0	29	2.4	01.4-03.4	27	3.5	01.9-05.1			
65+	1322	163,464	200	16.7	14.0-19.4	85	6.8	05.0-08.6	978	72.2	69.1-75.3	30	1.8	01.0-02.6	29	2.5	01.3-03.7			
Less Than H.S.	273	64,472	47	18.8	12.7-24.9	23	8.0	03.9-12.1	188	68.6	61.2-76.0	6	0.7	00.1-01.3	9	3.9	00.8-07.0			
H.S. or G.E.D.	1082	201,436	386	45.4	41.3-49.5	109	10.9	08.4-13.4	532	39.4	35.7-43.1	30	2.5	01.3-03.7	25	1.9	00.9-02.9			
Some Post-H.S.	904	196,490	370	51.4	46.9-55.9	91	11.8	08.9-14.7	388	31.9	28.0-35.8	31	2.5	01.3-03.7	23	2.3	01.1-03.5	1	0.1	00.0-00.3
College Graduate	1303	190,399	698	65.8	62.7-68.9	97	7.6	05.8-09.4	437	22.0	19.5-24.5	40	2.4	01.4-03.4	31	2.2	01.2-03.2			
Less than \$15,000	257	40,977	20	12.4	05.3-19.5	17	6.0	01.9-10.1	213	79.4	71.6-87.2	2	0.4	00.0-01.0	5	1.8	00.0-04.0			
\$15,000- 24,999	473	77,314	91	19.4	14.9-23.9	51	11.9	08.0-15.8	297	62.6	56.9-68.3	16	2.6	01.0-04.2	18	3.5	01.3-05.7			
\$25,000- 34,999	336	55,756	95	38.2	28.6-47.8	32	8.5	04.8-12.2	186	49.0	40.4-57.6	14	2.2	00.8-03.6	8	1.9	00.1-03.7	1	0.2	00.0-00.6
\$35,000- 49,999	452	78,900	194	47.9	41.8-54.0	53	14.2	09.7-18.7	177	32.9	27.4-38.4	17	2.8	01.2-04.4	11	2.2	00.4-04.0			
\$50,000- 74,999	485	95,912	259	62.6	56.9-68.3	41	9.1	05.6-12.6	163	24.1	19.6-28.6	15	3.0	01.0-05.0	7	1.2	00.0-02.4			
\$75,000+	951	199,643	625	73.3	69.8-76.8	71	8.9	06.2-11.6	203	13.2	10.8-15.6	30	2.5	01.3-03.7	22	2.1	00.9-03.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1550	307,930	694	52.3	49.0-55.6	139	10.7	08.5-12.9	610	31.4	28.5-34.3	68	3.3	02.3-04.3	39	2.4	01.4-03.4
White/Non-Hisp	1125	203,332	489	51.6	47.7-55.5	100	11.1	08.6-13.6	462	31.7	28.2-35.2	50	3.4	02.2-04.6	24	2.1	00.9-03.3
Black or Afr. Am./Non-Hisp	186	58,114	91	51.8	42.6-61.0	15	9.7	04.0-15.4	68	33.4	24.8-42.0	7	3.4	00.3-06.5	5	1.6	00.0-03.4
Oth. Race/Non-Hisp.	71	16,777	36	65.2	51.3-79.1	8	9.4	02.3-16.5	20	17.4	06.8-28.0	1	0.4	00.0-01.2	6	7.5	00.0-15.9
Hispanic	85	15,428	45	57.1	43.6-70.6	6	8.6	00.4-16.8	28	29.5	17.7-41.3	4	3.3	00.0-06.6	2	1.5	00.0-03.7
18-24	102	33,595	48	46.8	35.0-58.6	27	33.1	21.5-44.7	16	13.9	06.3-21.5	4	2.5	00.0-05.4	7	3.7	00.6-06.8
25-34	145	48,457	82	53.8	42.8-64.8	21	12.0	05.7-18.3	31	27.5	16.7-38.3	8	5.4	01.1-09.7	3	1.4	00.0-03.2
35-44	154	44,110	107	74.5	66.7-82.3	7	2.9	00.5-05.3	33	18.2	11.3-25.1	4	1.6	00.0-03.4	3	2.9	00.0-06.6
45-54	259	52,544	163	74.2	67.9-80.5	18	6.3	02.8-09.8	59	14.7	10.0-19.4	14	3.4	01.2-05.6	5	1.3	00.0-03.1
55-64	327	55,459	196	60.6	53.9-67.3	35	11.8	07.5-16.1	69	21.4	15.5-27.3	19	4.1	01.9-06.3	8	2.2	00.0-04.4
65+	553	72,992	92	18.1	14.0-22.2	31	6.7	04.0-09.4	398	69.8	64.9-74.7	19	2.5	01.3-03.7	13	2.9	00.7-05.1
Less Than H.S.	119	29,325	27	22.2	13.0-31.4	11	8.6	02.1-15.1	75	62.6	50.8-74.4	2	0.5	00.0-01.3	4	6.1	00.0-12.4
H.S. or G.E.D.	465	99,696	194	49.2	43.1-55.3	48	12.6	08.1-17.1	189	32.7	27.2-38.2	23	3.3	01.7-04.9	11	2.2	00.4-04.0
Some Post-H.S.	371	88,528	170	54.0	47.5-60.5	39	12.3	08.2-16.4	135	27.4	21.9-32.9	19	4.3	01.9-06.7	8	1.9	00.1-03.7
College Graduate	590	89,209	302	63.7	59.0-68.4	40	7.7	04.8-10.6	208	23.7	19.8-27.6	24	3.1	01.3-04.9	16	1.7	00.7-02.7
Less than \$15,000	72	11,447	9	22.3	05.6-39.0	6	5.9	00.8-11.0	54	66.4	49.9-82.9	1	1.1	00.0-03.3	2	4.3	00.0-11.4
\$15,000- 24,999	193	34,594	39	19.2	12.3-26.1	26	16.2	09.1-23.3	109	55.9	46.7-65.1	10	4.5	01.2-07.8	9	4.3	00.4-08.2
\$25,000- 34,999	114	20,134	36	41.0	27.5-54.5	5	2.5	00.1-04.9	61	49.6	36.5-62.7	9	4.5	01.2-07.8	3	2.4	00.0-05.9
\$35,000- 49,999	206	37,918	89	46.3	37.5-55.1	19	14.4	07.0-21.8	80	32.6	24.4-40.8	14	3.9	01.5-06.3	4	2.8	00.0-06.1
\$50,000- 74,999	245	50,928	133	64.3	56.5-72.1	23	10.9	05.4-16.4	74	19.3	13.6-25.0	10	3.8	00.9-06.7	5	1.6	00.0-03.6
\$75,000+	490	105,154	296	69.8	64.7-74.9	39	8.7	05.6-11.8	125	16.6	12.7-20.5	20	3.5	01.5-05.5	10	1.4	00.4-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	346,549	809	49.0	45.9-52.1	182	9.2	07.4-11.0	940	38.1	35.4-40.8	40	1.4	00.8-02.0	50	2.3	01.5-03.1	1	0.0	00.0-00.0
White/Non-Hisp	1467	232,587	580	49.3	45.6-53.0	137	10.4	08.0-12.8	681	36.3	33.0-39.6	32	1.5	00.7-02.3	37	2.5	01.5-03.5			
Black or Afr. Am./Non-Hisp	326	72,136	131	46.7	39.6-53.8	26	7.3	04.0-10.6	159	43.3	36.4-50.2	3	0.5	00.0-01.1	7	2.2	00.2-04.2			
Hispanic	116	19,868	40	37.2	25.6-48.8	11	9.5	03.2-15.8	59	49.7	37.7-61.7	4	3.0	00.0-07.3	2	0.5	00.0-01.3			
18-24	85	32,934	36	54.7	39.8-69.6	19	21.9	09.7-34.1	27	20.3	11.1-29.5	1	0.6	00.0-01.8	2	2.5	00.0-06.4			
25-34	188	50,050	97	56.1	47.1-65.1	12	4.3	01.6-07.0	73	35.0	26.6-43.4	4	2.5	00.0-05.0	2	2.1	00.0-05.0			
35-44	180	47,845	111	69.7	61.9-77.5	13	5.0	02.1-07.9	49	23.4	16.0-30.8	6	1.4	00.2-02.6	1	0.5	00.0-01.5			
45-54	311	58,288	197	67.1	60.4-73.8	22	7.5	03.6-11.4	75	22.4	16.3-28.5	8	1.6	00.2-03.0	8	1.2	00.4-02.0	1	0.2	00.0-00.6
55-64	464	64,021	248	55.3	49.2-61.4	58	14.6	10.3-18.9	129	24.6	19.1-30.1	10	0.8	00.2-01.4	19	4.7	02.3-07.1			
65+	769	90,472	108	15.5	12.0-19.0	54	6.9	04.5-09.3	580	74.2	70.1-78.3	11	1.3	00.3-02.3	16	2.2	00.8-03.6			
Less Than H.S.	154	35,147	20	16.1	07.7-24.5	12	7.5	02.0-13.0	113	73.6	64.0-83.2	4	0.8	00.0-01.6	5	2.1	00.0-04.5			
H.S. or G.E.D.	617	101,740	192	41.7	36.2-47.2	61	9.2	06.5-11.9	343	45.9	40.8-51.0	7	1.7	00.1-03.3	14	1.5	00.5-02.5			
Some Post-H.S.	533	107,962	200	49.2	42.9-55.5	52	11.5	07.2-15.8	253	35.6	30.3-40.9	12	0.9	00.3-01.5	15	2.7	00.9-04.5	1	0.1	00.0-00.3
College Graduate	713	101,191	396	67.7	63.4-72.0	57	7.5	05.1-09.9	229	20.5	17.4-23.6	16	1.7	00.7-02.7	15	2.6	00.8-04.4			
Less than \$15,000	185	29,530	11	8.6	01.9-15.3	11	6.0	00.7-11.3	159	84.5	76.3-92.7	1	0.1	00.0-00.3	3	0.9	00.0-01.9			
\$15,000- 24,999	280	42,721	52	19.5	13.6-25.4	25	8.4	04.5-12.3	188	68.0	61.1-74.9	6	1.1	00.1-02.1	9	3.0	00.5-05.5			
\$25,000- 34,999	222	35,622	59	36.6	23.5-49.7	27	11.8	06.1-17.5	125	48.7	37.3-60.1	5	0.8	00.0-01.6	5	1.7	00.0-03.5	1	0.3	00.0-00.9
\$35,000- 49,999	246	40,982	105	49.5	41.5-57.5	34	14.0	08.5-19.5	97	33.1	25.8-40.4	3	1.7	00.0-04.1	7	1.7	00.3-03.1			
\$50,000- 74,999	240	44,984	126	60.7	52.5-68.9	18	7.1	03.0-11.2	89	29.5	22.2-36.8	5	1.9	00.0-04.1	2	0.8	00.0-02.0			
\$75,000+	461	94,489	329	77.2	72.1-82.3	32	9.1	04.6-13.6	78	9.4	06.9-11.9	10	1.4	00.2-02.6	12	2.9	00.9-04.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3895	717,599	44	1.3	00.9-01.7	263	7.3	05.9-08.7	125	3.8	02.8-04.8	26	1.0	00.4-01.6	320	8.2	06.8-09.6	3117	78.4	76.4-80.4
Male	1728	342,236	18	1.0	00.4-01.6	105	5.6	04.2-07.0	48	3.0	02.0-04.0	14	1.1	00.3-01.9	123	7.5	05.5-09.5	1420	81.8	79.3-84.3
Female	2167	375,363	26	1.7	00.9-02.5	158	8.8	06.6-11.0	77	4.6	03.2-06.0	12	0.9	00.3-01.5	197	8.8	07.2-10.4	1697	75.3	72.4-78.2
White/Non-Hisp	2715	462,136	36	1.6	01.0-02.2	180	7.8	06.0-09.6	77	3.2	02.2-04.2	17	1.1	00.5-01.7	179	6.3	04.9-07.7	2226	80.1	77.7-82.5
Black or Afr. Am./Non-Hisp	553	143,708	4	0.6	00.0-01.2	35	4.9	02.9-06.9	24	5.7	02.6-08.8	2	0.3	00.0-00.7	52	8.8	05.9-11.7	436	79.7	75.2-84.2
Oth. Race/Non-Hisp.	121	25,958	1	2.9	00.0-08.4	12	11.9	03.3-20.5	3	4.1	00.0-09.0	1	0.4	00.0-01.2	12	8.3	01.8-14.8	92	72.5	61.3-83.7
MultiRacial/Non-Hisp.	65	13,466				3	4.0	00.0-09.9	5	5.4	00.0-11.1	1	4.8	00.0-13.8	11	17.2	04.9-29.5	45	68.6	53.5-83.7
Hispanic	342	56,324	3	1.3	00.0-02.9	27	7.8	04.3-11.3	13	4.0	01.1-06.9	3	0.3	00.0-00.7	55	17.2	11.5-22.9	241	69.4	62.7-76.1
18-24	234	81,841	3	0.6	00.0-01.4	20	12.6	04.6-20.6	15	4.9	02.0-07.8	4	2.1	00.0-04.8	18	4.8	02.1-07.5	174	74.9	66.5-83.3
25-34	424	117,145	6	1.7	00.1-03.3	48	7.9	05.4-10.4	15	4.2	01.5-06.9	7	1.2	00.2-02.2	48	13.4	08.3-18.5	300	71.6	65.7-77.5
35-44	403	106,050	7	1.7	00.3-03.1	38	9.6	06.1-13.1	13	3.8	01.3-06.3	5	1.6	00.0-03.2	46	9.7	06.2-13.2	294	73.5	68.0-79.0
45-54	627	119,912	9	1.6	00.4-02.8	53	8.3	05.6-11.0	26	4.4	02.0-06.8	4	1.4	00.0-02.8	51	7.9	04.8-11.0	484	76.4	71.9-80.9
55-64	832	125,019	11	1.9	00.5-03.3	49	5.2	03.4-07.0	18	2.8	00.6-05.0	2	0.3	00.0-00.9	74	7.5	05.3-09.7	678	82.3	78.8-85.8
65+	1335	163,690	8	0.6	00.0-01.2	49	3.1	02.1-04.1	38	3.4	02.0-04.8	4	0.3	00.0-00.7	81	5.9	04.3-07.5	1155	86.6	84.2-89.0
Less Than H.S.	385	89,452	6	2.1	00.1-04.1	15	3.6	01.4-05.8	18	6.7	02.6-10.8	3	0.5	00.0-01.1	74	23.0	16.3-29.7	269	64.1	57.0-71.2
H.S. or G.E.D.	1201	221,137	10	0.8	00.2-01.4	59	4.5	03.1-05.9	34	2.9	01.7-04.1	6	0.8	00.0-01.6	110	8.0	06.0-10.0	982	83.0	80.3-85.7
Some Post-H.S.	958	211,389	11	1.4	00.4-02.4	73	9.2	05.7-12.7	31	3.6	02.0-05.2	6	1.2	00.0-02.4	71	6.1	04.1-08.1	766	78.5	74.4-82.6
College Graduate	1337	193,629	17	1.4	00.6-02.2	114	9.7	07.5-11.9	42	3.8	02.0-05.6	11	1.3	00.5-02.1	65	4.0	02.6-05.4	1088	79.7	76.6-82.8
Less than \$15,000	305	49,928	5	3.0	00.0-06.5	19	5.9	02.2-09.6	12	6.2	00.5-11.9	2	0.2	00.0-00.6	72	20.5	14.8-26.2	195	64.1	56.1-72.1
\$15,000- 24,999	583	95,851	5	1.0	00.0-02.0	50	7.9	05.4-10.4	24	4.0	01.8-06.2	2	0.9	00.0-02.3	90	17.9	13.2-22.6	412	68.3	63.0-73.6
\$25,000- 34,999	369	61,730	3	1.2	00.0-02.8	30	15.2	05.8-24.6	15	4.1	01.6-06.6	3	0.8	00.0-01.8	28	6.5	03.6-09.4	290	72.3	63.3-81.3
\$35,000- 49,999	488	87,268	7	2.1	00.5-03.7	36	7.7	04.8-10.6	19	5.3	02.4-08.2	3	1.2	00.0-02.8	25	4.8	02.3-07.3	398	78.8	73.9-83.7
\$50,000- 74,999	496	99,562	7	0.8	00.2-01.4	21	4.6	01.5-07.7	21	5.5	02.6-08.4	4	1.4	00.0-03.4	19	4.4	01.5-07.3	424	83.2	78.1-88.3
\$75,000+	963	201,957	8	1.0	00.0-02.0	73	7.4	05.4-09.4	24	3.2	01.4-05.0	5	0.6	00.0-01.2	34	3.5	01.9-05.1	819	84.3	81.2-87.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1728	342,236	18	1.0	00.4-01.6	105	5.6	04.2-07.0	48	3.0	02.0-04.0	14	1.1	00.3-01.9	123	7.5	05.5-09.5	1420	81.8	79.3-84.3
White/Non-Hisp	1196	216,918	14	0.9	00.3-01.5	71	6.1	04.3-07.9	27	2.4	01.2-03.6	6	1.0	00.0-02.0	64	5.6	03.2-08.0	1014	84.0	80.9-87.1
Black or Afr. Am./Non-Hisp	210	66,519	1	0.3	00.0-00.9	11	3.2	01.0-05.4	9	4.0	00.9-07.1	2	0.6	00.0-01.6	21	9.4	04.3-14.5	166	82.5	76.2-88.8
Oth. Race/Non-Hisp.	77	17,668	1	4.2	00.0-12.2	7	8.5	00.0-17.3	2	4.6	00.0-11.5	1	0.6	00.0-01.8	5	7.8	00.0-16.4	61	74.4	60.5-88.3
Hispanic	157	25,304	2	1.8	00.0-04.5	14	8.2	02.9-13.5	3	2.6	00.0-05.9	3	0.8	00.0-01.8	22	12.7	06.2-19.2	113	73.9	65.1-82.7
18-24	133	41,464	3	1.3	00.0-03.1	6	3.5	00.4-06.6	5	3.4	00.0-06.9	3	2.8	00.0-07.5	10	4.4	01.1-07.7	106	84.6	77.3-91.9
25-34	189	58,502	2	0.9	00.0-02.3	19	5.8	02.9-08.7	7	3.8	00.7-06.9	4	1.8	00.0-03.6	21	16.0	07.2-24.8	136	71.7	62.5-80.9
35-44	193	52,420				20	10.0	04.9-15.1	3	2.0	00.0-04.4	2	1.4	00.0-03.8	13	6.2	02.1-10.3	155	80.4	73.3-87.5
45-54	292	57,491	4	0.9	00.0-01.9	25	7.8	03.9-11.7	11	4.7	01.4-08.0	1	0.5	00.0-01.5	25	6.9	03.4-10.4	226	79.2	73.1-85.3
55-64	354	58,922	4	1.9	00.0-04.4	13	3.4	01.4-05.4	5	1.6	00.0-03.2	2	0.6	00.0-01.6	28	6.8	03.5-10.1	302	85.6	80.9-90.3
65+	555	72,528	5	0.8	00.0-01.6	20	3.2	01.6-04.8	17	2.7	01.3-04.1	2	0.3	00.0-00.7	26	4.7	02.3-07.1	485	88.3	85.2-91.4
Less Than H.S.	181	44,248	3	1.3	00.0-03.1	10	4.1	01.2-07.0	5	2.5	00.1-04.9	2	0.7	00.0-01.7	38	24.6	14.0-35.2	123	66.9	56.3-77.5
H.S. or G.E.D.	536	110,725	3	0.5	00.0-01.1	24	3.1	01.7-04.5	13	2.4	00.8-04.0	3	0.5	00.0-01.1	40	6.6	03.9-09.3	453	86.9	83.4-90.4
Some Post-H.S.	400	94,975	6	1.5	00.0-03.3	27	5.6	03.1-08.1	14	3.9	01.5-06.3	4	2.1	00.0-04.6	24	4.7	02.3-07.1	325	82.2	77.5-86.9
College Graduate	604	90,953	6	0.8	00.0-01.6	42	8.6	05.5-11.7	16	3.1	01.1-05.1	5	1.2	00.0-02.4	21	3.4	01.0-05.8	514	82.9	78.6-87.2
Less than \$15,000	101	17,076	3	1.7	00.0-03.7	4	3.9	00.0-07.8	1	1.5	00.0-04.4	2	0.7	00.0-01.9	24	20.8	10.4-31.2	67	71.3	59.5-83.1
\$15,000- 24,999	253	44,211	2	1.1	00.0-02.9	25	7.5	04.0-11.0	8	3.0	00.6-05.4	1	0.5	00.0-01.5	39	17.4	10.3-24.5	178	70.5	62.9-78.1
\$25,000- 34,999	128	23,597				6	5.5	00.0-11.4	6	3.8	00.3-07.3	2	1.1	00.0-02.7	9	6.3	01.4-11.2	105	83.4	75.4-91.4
\$35,000- 49,999	226	42,014	3	1.9	00.0-04.1	17	6.5	02.8-10.2	7	3.0	00.3-05.7				12	5.8	01.3-10.3	187	82.8	76.5-89.1
\$50,000- 74,999	255	53,358	2	0.4	00.0-01.0	6	1.8	00.2-03.4	9	5.5	01.4-09.6	3	2.6	00.0-06.3	8	2.8	00.4-05.2	227	87.0	80.9-93.1
\$75,000+	498	106,963	4	1.1	00.0-02.5	33	5.8	03.4-08.2	12	2.8	00.8-04.8	2	0.6	00.0-01.4	11	3.1	00.7-05.5	436	86.7	82.8-90.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2167	375,363	26	1.7	00.9-02.5	158	8.8	06.6-11.0	77	4.6	03.2-06.0	12	0.9	00.3-01.5	197	8.8	07.2-10.4	1697	75.3	72.4-78.2
White/Non-Hisp	1519	245,218	22	2.1	00.9-03.3	109	9.3	06.4-12.2	50	3.8	02.4-05.2	11	1.2	00.4-02.0	115	6.9	05.1-08.7	1212	76.6	73.1-80.1
Black or Afr. Am./Non-Hisp	343	77,189	3	0.9	00.0-01.9	24	6.4	03.3-09.5	15	7.1	02.2-12.0				31	8.3	05.0-11.6	270	77.3	71.0-83.6
Hispanic	185	31,019	1	0.9	00.0-02.7	13	7.5	02.6-12.4	10	5.1	00.6-09.6				33	20.8	12.0-29.6	128	65.8	56.2-75.4
18-24	101	40,378				14	21.8	07.1-36.5	10	6.5	02.0-11.0	1	1.4	00.0-04.1	8	5.3	01.2-09.4	68	65.0	50.7-79.3
25-34	235	58,644	4	2.4	00.0-05.3	29	10.0	05.9-14.1	8	4.7	00.0-09.4	3	0.6	00.0-01.4	27	10.8	05.9-15.7	164	71.5	64.1-78.9
35-44	210	53,630	7	3.3	00.6-06.0	18	9.3	04.2-14.4	10	5.7	01.4-10.0	3	1.9	00.0-04.1	33	13.1	07.4-18.8	139	66.8	58.8-74.8
45-54	335	62,421	5	2.2	00.0-04.4	28	8.9	05.2-12.6	15	4.1	01.2-07.0	3	2.1	00.0-04.6	26	8.9	03.8-14.0	258	73.8	67.1-80.5
55-64	478	66,097	7	1.8	00.4-03.2	36	6.8	04.3-09.3	13	3.9	00.0-07.8				46	8.1	05.4-10.8	376	79.4	74.3-84.5
65+	780	91,162	3	0.5	00.0-01.1	29	3.1	01.7-04.5	21	3.9	01.7-06.1	2	0.3	00.0-00.7	55	6.9	04.7-09.1	670	85.3	82.2-88.4
Less Than H.S.	204	45,204	3	2.8	00.0-06.5	5	3.2	00.3-06.1	13	10.8	03.2-18.4	1	0.4	00.0-01.2	36	21.4	13.4-29.4	146	61.4	51.8-71.0
H.S. or G.E.D.	665	110,412	7	1.2	00.2-02.2	35	5.8	03.4-08.2	21	3.4	01.6-05.2	3	1.2	00.0-02.8	70	9.3	06.8-11.8	529	79.1	75.2-83.0
Some Post-H.S.	558	116,413	5	1.4	00.0-02.8	46	12.2	06.3-18.1	17	3.5	01.3-05.7	2	0.4	00.0-01.2	47	7.2	04.3-10.1	441	75.4	69.1-81.7
College Graduate	733	102,676	11	2.0	00.6-03.4	72	10.8	07.7-13.9	26	4.3	01.6-07.0	6	1.5	00.1-02.9	44	4.5	02.9-06.1	574	76.9	72.6-81.2
Less than \$15,000	204	32,852	2	3.7	00.0-08.8	15	6.9	01.8-12.0	11	8.7	00.3-17.1				48	20.4	13.5-27.3	128	60.3	50.3-70.3
\$15,000- 24,999	330	51,640	3	0.9	00.0-01.9	25	8.2	04.5-11.9	16	5.0	01.7-08.3	1	1.2	00.0-03.6	51	18.3	11.8-24.8	234	66.3	59.0-73.6
\$25,000- 34,999	241	38,133	3	1.9	00.0-04.3	24	21.2	07.3-35.1	9	4.2	00.7-07.7	1	0.6	00.0-01.8	19	6.7	03.0-10.4	185	65.3	52.6-78.0
\$35,000- 49,999	262	45,253	4	2.4	00.0-04.8	19	8.7	04.4-13.0	12	7.5	02.4-12.6	3	2.4	00.0-05.5	13	4.0	01.3-06.7	211	75.0	67.7-82.3
\$50,000- 74,999	241	46,204	5	1.4	00.0-02.8	15	7.8	01.5-14.1	12	5.4	01.5-09.3	1	0.2	00.0-00.6	11	6.3	00.6-12.0	197	78.9	70.5-87.3
\$75,000+	465	94,994	4	0.9	00.0-01.9	40	9.1	05.8-12.4	12	3.7	00.8-06.6	3	0.6	00.0-01.4	23	4.0	01.8-06.2	383	81.6	76.7-86.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 10: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3608	658,340	185	6.1	04.9-07.3	3423	93.9	92.7-95.1
Male	1570	310,636	76	5.6	04.0-07.2	1494	94.4	92.8-96.0
Female	2038	347,703	109	6.6	05.0-08.2	1929	93.4	91.8-95.0
White/Non-Hisp	2611	438,491	95	4.7	03.5-05.9	2516	95.3	94.1-96.5
Black or Afr. Am./Non-Hisp	521	131,153	40	7.9	05.0-10.8	481	92.1	89.2-95.0
Oth. Race/Non-Hisp.	115	25,816	6	7.1	01.0-13.2	109	92.9	86.8-99.0
MultiRacial/Non-Hisp.	63	12,871	5	12.3	00.0-25.2	58	87.7	74.8-0100
Hispanic	202	35,089	32	14.7	08.8-20.6	170	85.3	79.4-91.2
18-24	195	68,481	23	9.7	05.0-14.4	172	90.3	85.6-95.0
25-34	334	99,139	52	14.5	09.8-19.2	282	85.5	80.8-90.2
35-44	333	91,211	25	6.2	03.3-09.1	308	93.8	90.9-96.7
45-54	574	111,062	35	6.2	03.7-08.7	539	93.8	91.3-96.3
55-64	799	120,169	33	4.0	02.2-05.8	766	96.0	94.2-97.8
65+	1333	164,267	17	1.1	00.5-01.7	1316	98.9	98.3-99.5
Less Than H.S.	275	64,923	26	9.8	05.1-14.5	249	90.2	85.5-94.9
H.S. or G.E.D.	1099	203,170	58	6.3	04.3-08.3	1041	93.7	91.7-95.7
Some Post-H.S.	911	197,517	51	6.5	04.3-08.7	860	93.5	91.3-95.7
College Graduate	1312	191,017	49	4.2	02.6-05.8	1263	95.8	94.2-97.4
Less than \$15,000	263	41,443	25	11.3	05.8-16.8	238	88.7	83.2-94.2
\$15,000- 24,999	476	78,206	47	10.9	07.0-14.8	429	89.1	85.2-93.0
\$25,000- 34,999	341	56,101	17	5.9	02.8-09.0	324	94.1	91.0-97.2
\$35,000- 49,999	451	78,445	24	6.0	03.1-08.9	427	94.0	91.1-96.9
\$50,000- 74,999	486	96,061	24	7.1	03.6-10.6	462	92.9	89.4-96.4
\$75,000+	954	199,839	22	3.1	01.5-04.7	932	96.9	95.3-98.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 11: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1570	310,636	76	5.6	04.0-07.2	1494	94.4	92.8-96.0
White/Non-Hisp	1139	205,617	37	4.5	02.5-06.5	1102	95.5	93.5-97.5
Black or Afr. Am./Non-Hisp	190	58,668	13	6.4	02.5-10.3	177	93.6	89.7-97.5
Oth. Race/Non-Hisp.	71	16,777	4	5.3	00.0-11.2	67	94.7	88.8-0100
Hispanic	85	15,174	16	18.2	08.2-28.2	69	81.8	71.8-91.8
18-24	109	35,343	13	12.7	05.1-20.3	96	87.3	79.7-94.9
25-34	147	49,327	19	10.4	04.3-16.5	128	89.6	83.5-95.7
35-44	153	43,366	15	7.4	03.1-11.7	138	92.6	88.3-96.9
45-54	264	52,835	15	4.3	01.6-07.0	249	95.7	93.0-98.4
55-64	329	55,611	7	2.7	00.5-04.9	322	97.3	95.1-99.5
65+	556	73,245	7	1.0	00.0-02.0	549	99.0	98.0-0100
Less Than H.S.	120	29,726	11	8.1	01.8-14.4	109	91.9	85.6-98.2
H.S. or G.E.D.	474	100,640	25	6.3	03.4-09.2	449	93.7	90.8-96.6
Some Post-H.S.	375	89,283	19	5.7	02.6-08.8	356	94.3	91.2-97.4
College Graduate	596	89,815	20	3.6	01.6-05.6	576	96.4	94.4-98.4
Less than \$15,000	76	11,644	6	10.8	02.0-19.6	70	89.2	80.4-98.0
\$15,000- 24,999	196	35,486	23	10.8	04.9-16.7	173	89.2	83.3-95.1
\$25,000- 34,999	116	20,514	3	2.4	00.0-05.1	113	97.6	94.9-0100
\$35,000- 49,999	205	37,463	5	2.5	00.0-05.4	200	97.5	94.6-0100
\$50,000- 74,999	247	51,148	15	8.3	03.2-13.4	232	91.7	86.6-96.8
\$75,000+	492	105,285	10	2.7	00.9-04.5	482	97.3	95.5-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 12: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2038	347,703	109	6.6	05.0-08.2	1929	93.4	91.8-95.0
White/Non-Hisp	1472	232,875	58	4.8	03.2-06.4	1414	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	331	72,485	27	9.2	05.1-13.3	304	90.8	86.7-94.9
Hispanic	117	19,915	16	12.0	05.3-18.7	101	88.0	81.3-94.7
18-24	86	33,138	10	6.6	02.1-11.1	76	93.4	88.9-97.9
25-34	187	49,812	33	18.5	11.2-25.8	154	81.5	74.2-88.8
35-44	180	47,845	10	5.2	01.5-08.9	170	94.8	91.1-98.5
45-54	310	58,228	20	8.0	03.7-12.3	290	92.0	87.7-96.3
55-64	470	64,558	26	5.0	02.3-07.7	444	95.0	92.3-97.7
65+	777	91,022	10	1.1	00.1-02.1	767	98.9	97.9-99.9
Less Than H.S.	155	35,198	15	11.2	04.1-18.3	140	88.8	81.7-95.9
H.S. or G.E.D.	625	102,530	33	6.3	03.6-09.0	592	93.7	91.0-96.4
Some Post-H.S.	536	108,234	32	7.1	04.2-10.0	504	92.9	90.0-95.8
College Graduate	716	101,202	29	4.7	02.5-06.9	687	95.3	93.1-97.5
Less than \$15,000	187	29,798	19	11.5	04.8-18.2	168	88.5	81.8-95.2
\$15,000- 24,999	280	42,721	24	10.9	05.6-16.2	256	89.1	83.8-94.4
\$25,000- 34,999	225	35,587	14	7.9	03.2-12.6	211	92.1	87.4-96.8
\$35,000- 49,999	246	40,982	19	9.1	04.2-14.0	227	90.9	86.0-95.8
\$50,000- 74,999	239	44,913	9	5.8	01.3-10.3	230	94.2	89.7-98.7
\$75,000+	462	94,554	12	3.6	00.9-06.3	450	96.4	93.7-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	301	60,883	56	23.6	15.8-31.4	29	14.9	07.1-22.7	45	17.3	10.8-23.8	70	18.0	12.7-23.3	101	26.2	19.7-32.7
Male	164	32,164	20	15.2	06.8-23.6	17	21.9	09.0-34.8	23	15.4	08.0-22.8	48	21.5	13.7-29.3	56	26.0	17.6-34.4
Female	137	28,719	36	33.0	20.3-45.7	12	7.0	02.1-11.9	22	19.4	09.0-29.8	22	14.2	06.8-21.6	45	26.3	16.1-36.5
White/Non-Hisp	110	23,353	25	26.5	15.1-37.9	10	8.7	02.6-14.8	21	21.5	09.9-33.1	41	31.4	20.6-42.2	13	11.9	04.5-19.3
Hispanic	141	20,994	10	7.9	01.0-14.8	9	5.9	01.2-10.6	15	15.4	06.4-24.4	20	9.6	04.3-14.9	87	61.2	50.0-72.4
25-34	91	19,544	15	15.7	06.7-24.7	8	17.8	01.1-34.5	16	20.1	08.7-31.5	15	11.7	04.8-18.6	37	34.8	21.3-48.3
35-44	70	14,809	8	15.8	02.9-28.7	7	5.7	00.4-11.0	7	15.5	02.8-28.2	17	26.0	12.1-39.9	31	37.0	23.1-50.9
45-54	54	8,593	9	15.8	03.1-28.5	4	11.4	00.0-23.2	11	33.3	11.0-55.6	18	30.9	14.0-47.8	12	8.6	01.9-15.3
Less Than H.S.	116	24,875	9	9.1	00.3-17.9	8	12.2	00.0-25.5	17	18.7	08.1-29.3	18	13.8	06.5-21.1	64	46.1	32.8-59.4
H.S. or G.E.D.	102	17,395	20	21.4	10.8-32.0	11	21.6	05.9-37.3	15	15.0	06.4-23.6	35	27.4	16.2-38.6	21	14.6	07.0-22.2
\$15,000- 24,999	111	18,441	15	15.8	06.4-25.2	11	7.8	02.3-13.3	12	12.9	04.9-20.9	28	22.3	12.1-32.5	45	41.1	28.4-53.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 14: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	164	32,164	20	15.2	06.8-23.6	17	21.9	08.8-35.0	23	15.4	08.1-22.7	48	21.5	13.9-29.1	56	26.0	17.6-34.4
White/Non-Hisp	64	12,336	10	24.7	08.4-41.0	4	4.4	00.0-09.1	10	15.9	05.1-26.7	28	35.0	20.5-49.5	12	20.0	07.3-32.7
Hispanic	71	9,677	5	10.9	00.0-23.4	3	7.5	00.0-16.5	6	10.1	00.5-19.7	14	13.7	05.5-21.9	43	57.9	42.6-73.2
Less Than H.S.	64	14,587	6	13.9	00.0-28.4	5	19.2	00.0-40.0	8	13.3	02.1-24.5	14	18.2	07.0-29.4	31	35.4	19.5-51.3
H.S. or G.E.D.	63	10,763	8	11.0	02.8-19.2	7	28.6	05.9-51.3	9	15.6	04.2-27.0	24	27.4	13.5-41.3	15	17.4	06.4-28.4
\$15,000- 24,999	59	9,058	5	9.0	00.0-18.8	5	9.7	00.0-19.5	8	16.7	04.2-29.2	17	27.9	12.0-43.8	24	36.7	21.0-52.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	137	28,719	36	33.0	20.7-45.3	12	7.0	02.1-11.9	22	19.4	09.0-29.8	22	14.2	06.8-21.6	45	26.3	16.1-36.5
Hispanic	70	11,317	5	5.4	00.0-11.5	6	4.5	00.6-08.4	9	19.9	05.4-34.4	6	6.2	00.0-12.9	44	64.0	48.1-79.9
25-34	50	10,033	13	28.1	12.2-44.0	2	1.8	00.0-04.3	9	25.1	07.5-42.7	5	8.7	00.0-17.5	21	36.3	17.9-54.7
Less Than H.S.	52	10,288	3	2.3	00.0-05.2	3	2.4	00.0-05.1	9	26.4	07.6-45.2	4	7.6	00.0-16.0	33	61.3	42.1-80.5
\$15,000- 24,999	52	9,383	10	22.3	06.8-37.8	6	6.1	00.8-11.4	4	9.3	00.0-19.5	11	17.0	05.6-28.4	21	45.3	25.7-64.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4046	750,873	3253	80.5	78.7-82.3	176	4.0	03.2-04.8	36	0.7	00.5-00.9	43	1.1	00.7-01.5	183	4.0	03.0-05.0	355	9.8	08.4-11.2
Male	1805	359,065	1425	79.5	77.0-82.0	63	3.4	02.2-04.6	12	0.4	00.2-00.6	21	1.0	00.6-01.4	67	3.6	02.0-05.2	217	12.1	10.1-14.1
Female	2241	391,808	1828	81.4	79.0-83.8	113	4.5	03.3-05.7	24	0.9	00.5-01.3	22	1.1	00.3-01.9	116	4.4	03.2-05.6	138	7.6	05.8-09.4
White/Non-Hisp	2816	482,637	2299	81.2	79.0-83.4	140	4.5	03.5-05.5	27	0.8	00.4-01.2	40	1.5	00.7-02.3	125	4.2	03.0-05.4	185	7.9	06.5-09.3
Black or Afr. Am./Non-Hisp	572	150,466	469	80.9	76.6-85.2	24	4.3	02.1-06.5	6	0.7	00.1-01.3	2	0.3	00.0-00.7	25	4.0	02.2-05.8	46	9.9	06.6-13.2
Oth. Race/Non-Hisp.	133	29,688	106	84.6	78.1-91.1	5	2.3	00.1-04.5				1	0.8	00.0-02.4	7	2.4	00.4-04.4	14	9.9	04.2-15.6
MultiRacial/Non-Hisp.	67	13,753	61	90.4	79.8-0100	2	1.7	00.0-04.1							1	0.8	00.0-02.4	3	7.2	00.0-17.4
Hispanic	357	57,774	239	70.3	64.0-76.6	4	1.1	00.0-02.5	3	0.6	00.0-01.4				18	3.9	01.7-06.1	93	24.3	18.2-30.4
18-24	260	89,432	203	81.1	75.0-87.2	6	2.5	00.0-05.0				3	2.0	00.0-04.9	11	3.4	00.9-05.9	37	11.0	06.5-15.5
25-34	453	125,205	331	75.8	70.5-81.1	20	3.2	01.4-05.0	5	1.1	00.0-02.3	4	0.8	00.0-01.8	20	5.9	02.0-09.8	73	13.2	09.3-17.1
35-44	423	112,550	329	78.5	73.6-83.4	13	3.4	01.0-05.8	3	0.4	00.0-01.0	4	0.6	00.0-01.2	9	2.6	00.8-04.4	65	14.6	10.5-18.7
45-54	645	123,000	515	79.1	74.8-83.4	26	4.9	02.4-07.4	7	0.7	00.1-01.3	8	1.3	00.3-02.3	16	2.1	00.7-03.5	73	11.8	08.5-15.1
55-64	855	128,687	689	81.4	78.1-84.7	51	5.5	03.5-07.5	11	1.0	00.2-01.8	4	0.4	00.0-01.0	45	3.9	02.3-05.5	55	7.7	05.3-10.1
65+	1367	167,171	1150	85.2	82.8-87.6	60	4.1	02.7-05.5	10	0.6	00.2-01.0	20	1.4	00.8-02.0	81	5.4	03.8-07.0	46	3.4	02.2-04.6
Less Than H.S.	399	92,502	268	68.6	61.9-75.3	13	3.6	01.1-06.1	2	0.2	00.0-00.4	6	0.8	00.0-01.6	28	8.5	03.4-13.6	82	18.3	13.2-23.4
H.S. or G.E.D.	1249	232,525	1008	82.4	79.7-85.1	47	3.1	01.9-04.3	6	0.3	00.1-00.5	12	0.8	00.2-01.4	56	2.8	01.8-03.8	120	10.6	08.2-13.0
Some Post-H.S.	986	218,026	796	80.8	77.5-84.1	51	4.9	03.1-06.7	11	1.1	00.3-01.9	13	1.4	00.0-02.8	45	3.6	02.2-05.0	70	8.2	05.8-10.6
College Graduate	1398	204,891	1174	84.1	81.6-86.6	65	4.3	02.9-05.7	17	1.0	00.4-01.6	12	1.1	00.3-01.9	49	3.2	01.8-04.6	81	6.4	04.8-08.0
Less than \$15,000	314	52,540	223	71.7	64.4-79.0	23	8.1	03.8-12.4	5	0.7	00.1-01.3	5	1.2	00.0-02.6	30	7.8	04.1-11.5	28	10.5	05.2-15.8
\$15,000- 24,999	602	100,804	451	75.0	70.3-79.7	27	3.5	01.7-05.3	4	0.5	00.1-00.9	10	1.5	00.3-02.7	25	3.7	01.5-05.9	85	15.7	11.6-19.8
\$25,000- 34,999	380	62,531	298	79.8	74.5-85.1	18	4.0	01.5-06.5	3	1.6	00.0-03.6	7	1.8	00.4-03.2	17	3.0	01.2-04.8	37	9.9	06.2-13.6
\$35,000- 49,999	507	90,224	410	79.6	75.1-84.1	23	4.7	02.2-07.2	5	0.6	00.0-01.4	5	1.0	00.0-02.0	20	3.5	01.7-05.3	44	10.6	07.1-14.1
\$50,000- 74,999	513	103,800	431	79.7	74.2-85.2	23	4.7	02.0-07.4	2	0.4	00.0-01.0	6	2.3	00.0-05.0	16	2.5	00.7-04.3	35	10.5	06.2-14.8
\$75,000+	1009	212,113	877	88.0	85.5-90.5	38	3.4	02.0-04.8	12	0.9	00.3-01.5	4	0.4	00.0-00.8	16	1.1	00.5-01.7	62	6.3	04.3-08.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 17: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	359,065	1425	79.5	77.0-82.0	63	3.4	02.2-04.6	12	0.4	00.2-00.6	21	1.0	00.6-01.4	67	3.6	02.0-05.2	217	12.1	10.1-14.1
White/Non-Hisp	1248	228,593	1009	80.5	77.4-83.6	49	3.5	02.1-04.9	11	0.6	00.2-01.0	20	1.4	00.6-02.2	48	3.9	01.7-06.1	111	10.1	07.9-12.3
Black or Afr. Am./Non-Hisp	219	69,247	170	77.4	70.3-84.5	12	5.7	02.0-09.4	1	0.1	00.0-00.3				9	3.6	00.9-06.3	27	13.2	07.3-19.1
Oth. Race/Non-Hisp.	83	19,110	66	84.8	76.8-92.8	1	0.4	00.0-01.2				1	1.3	00.0-03.8	3	1.4	00.0-03.0	12	12.1	04.7-19.5
Hispanic	165	26,190	104	71.6	63.6-79.6	1	0.7	00.0-02.1							3	1.6	00.0-03.6	57	26.2	18.4-34.0
18-24	148	45,780	110	77.7	69.3-86.1	4	4.0	00.0-08.7				2	0.9	00.0-02.1	2	1.0	00.0-02.6	30	16.3	08.9-23.7
25-34	204	62,596	151	79.4	71.6-87.2	2	1.0	00.0-02.6	1	0.6	00.0-01.8	1	0.4	00.0-01.2	5	6.1	00.0-13.2	44	12.5	08.0-17.0
35-44	203	55,009	154	77.4	70.3-84.5	3	0.9	00.0-02.1							2	1.2	00.0-02.8	44	20.5	13.6-27.4
45-54	302	59,292	235	76.8	70.3-83.3	9	4.1	00.6-07.6	3	0.5	00.0-01.1	3	1.6	00.0-03.4	6	2.4	00.0-04.9	46	14.6	09.7-19.5
55-64	364	60,913	287	80.4	75.5-85.3	24	5.4	02.7-08.1	3	0.4	00.0-00.8	2	0.7	00.0-01.7	18	3.9	01.5-06.3	30	9.1	05.4-12.8
65+	572	74,566	478	83.6	79.9-87.3	21	4.6	02.2-07.0	5	0.6	00.0-01.4	13	2.1	00.9-03.3	33	5.4	03.0-07.8	22	3.6	01.8-05.4
Less Than H.S.	187	45,589	115	67.1	57.1-77.1	6	2.3	00.3-04.3	1	0.2	00.0-00.6	5	1.3	00.0-02.7	9	9.5	00.1-18.9	51	19.5	12.8-26.2
H.S. or G.E.D.	563	117,485	442	78.8	74.5-83.1	16	2.8	01.2-04.4	2	0.1	00.0-00.3	3	0.5	00.0-01.3	22	2.9	01.3-04.5	78	14.8	10.9-18.7
Some Post-H.S.	416	98,629	338	82.0	77.3-86.7	19	5.2	02.1-08.3	3	0.8	00.0-01.8	8	1.3	00.3-02.3	14	2.0	00.8-03.2	34	8.7	05.2-12.2
College Graduate	633	96,123	528	84.4	80.9-87.9	22	2.8	01.2-04.4	6	0.4	00.0-00.8	5	1.1	00.1-02.1	18	2.1	00.7-03.5	54	9.1	06.4-11.8
Less than \$15,000	104	17,743	64	65.1	52.4-77.8	7	5.8	01.1-10.5	1	0.4	00.0-01.4	1	1.6	00.0-04.7	12	8.8	03.1-14.5	19	18.2	08.2-28.2
\$15,000- 24,999	261	45,670	191	73.5	66.2-80.8	9	2.0	00.4-03.6	1	0.3	00.0-00.9	7	2.6	00.2-05.0	5	3.5	00.0-07.4	48	18.2	11.9-24.5
\$25,000- 34,999	134	24,392	100	80.1	72.5-87.7	5	4.2	00.1-08.3				2	1.1	00.0-02.7	8	3.2	00.8-05.6	19	11.6	05.7-17.5
\$35,000- 49,999	238	43,444	194	79.4	72.7-86.1	9	5.6	01.3-09.9	1	0.2	00.0-00.6	3	1.5	00.0-03.3	8	2.8	00.4-05.2	23	10.5	05.8-15.2
\$50,000- 74,999	265	55,997	216	79.3	72.0-86.6	11	4.8	00.7-08.9				2	0.6	00.0-01.6	7	1.2	00.2-02.2	29	14.1	07.6-20.6
\$75,000+	519	111,811	446	87.6	84.3-90.9	15	2.6	00.8-04.4	7	0.8	00.0-01.6	3	0.4	00.0-01.0	8	0.9	00.1-01.7	40	7.7	05.0-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 18: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2241	391,808	1828	81.4	79.0-83.8	113	4.5	03.3-05.7	24	0.9	00.5-01.3	22	1.1	00.3-01.9	116	4.4	03.2-05.6	138	7.6	05.8-09.4
White/Non-Hisp	1568	254,044	1290	81.8	79.1-84.5	91	5.4	03.8-07.0	16	0.9	00.3-01.5	20	1.6	00.4-02.8	77	4.4	03.0-05.8	74	5.9	04.1-07.7
Black or Afr. Am./Non-Hisp	353	81,219	299	83.8	78.7-88.9	12	3.2	00.8-05.6	5	1.1	00.0-02.3	2	0.5	00.0-01.3	16	4.3	01.8-06.8	19	7.0	03.1-10.9
Oth. Race/Non-Hisp.	50	10,578	40	84.2	72.8-95.6	4	5.8	00.0-11.9							4	4.1	00.0-08.8	2	5.9	00.0-14.7
Hispanic	192	31,583	135	69.2	59.8-78.6	3	1.4	00.0-03.6	3	1.0	00.0-02.4				15	5.7	02.2-09.2	36	22.7	13.5-31.9
18-24	112	43,652	93	84.7	76.1-93.3	2	0.9	00.0-02.3				1	3.1	00.0-09.0	9	5.9	01.0-10.8	7	5.4	00.7-10.1
25-34	249	62,609	180	72.3	64.9-79.7	18	5.4	02.5-08.3	4	1.6	00.0-03.6	3	1.2	00.0-03.0	15	5.7	02.2-09.2	29	13.8	07.5-20.1
35-44	220	57,542	175	79.4	72.5-86.3	10	5.7	01.4-10.0	3	0.8	00.0-02.0	4	1.1	00.0-02.3	7	3.9	00.8-07.0	21	9.0	04.1-13.9
45-54	343	63,708	280	81.3	75.6-87.0	17	5.7	02.4-09.0	4	0.9	00.0-01.9	5	1.1	00.0-02.3	10	1.9	00.3-03.5	27	9.2	04.7-13.7
55-64	491	67,774	402	82.2	77.9-86.5	27	5.6	03.1-08.1	8	1.6	00.2-03.0	2	0.3	00.0-00.7	27	3.9	01.9-05.9	25	6.4	03.3-09.5
65+	795	92,605	672	86.5	83.8-89.2	39	3.6	02.4-04.8	5	0.5	00.0-01.1	7	0.8	00.2-01.4	48	5.4	03.4-07.4	24	3.1	01.5-04.7
Less Than H.S.	212	46,913	153	70.0	61.2-78.8	7	4.9	00.4-09.4	1	0.1	00.0-00.3	1	0.2	00.0-00.6	19	7.6	03.3-11.9	31	17.1	09.5-24.7
H.S. or G.E.D.	686	115,040	566	86.0	82.7-89.3	31	3.4	01.8-05.0	4	0.4	00.0-00.8	9	1.0	00.2-01.8	34	2.8	01.6-04.0	42	6.4	03.9-08.9
Some Post-H.S.	570	119,397	458	79.9	75.2-84.6	32	4.6	02.6-06.6	8	1.3	00.1-02.5	5	1.6	00.0-03.8	31	4.8	02.6-07.0	36	7.8	04.5-11.1
College Graduate	765	108,768	646	83.8	80.3-87.3	43	5.6	03.4-07.8	11	1.5	00.5-02.5	7	1.1	00.0-02.3	31	4.1	01.9-06.3	27	4.0	02.2-05.8
Less than \$15,000	210	34,797	159	75.0	66.0-84.0	16	9.3	03.2-15.4	4	0.8	00.0-01.6	4	1.0	00.0-02.2	18	7.2	02.3-12.1	9	6.6	00.3-12.9
\$15,000- 24,999	341	55,134	260	76.4	70.1-82.7	18	4.7	01.8-07.6	3	0.6	00.0-01.4	3	0.6	00.0-01.4	20	3.9	01.7-06.1	37	13.7	08.0-19.4
\$25,000- 34,999	246	38,139	198	79.6	72.3-86.9	13	3.8	00.7-06.9	3	2.6	00.0-05.7	5	2.3	00.1-04.5	9	2.9	00.5-05.3	18	8.9	04.0-13.8
\$35,000- 49,999	269	46,781	216	79.9	73.6-86.2	14	3.9	01.4-06.4	4	1.0	00.0-02.4	2	0.5	00.0-01.3	12	4.1	01.6-06.6	21	10.7	05.4-16.0
\$50,000- 74,999	248	47,803	215	80.1	71.7-88.5	12	4.5	01.0-08.0	2	0.8	00.0-02.2	4	4.2	00.0-09.9	9	4.1	00.6-07.6	6	6.2	00.5-11.9
\$75,000+	490	100,302	431	88.3	84.6-92.0	23	4.3	02.1-06.5	5	0.9	00.1-01.7	1	0.3	00.0-00.9	8	1.3	00.1-02.5	22	4.8	02.3-07.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 19: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3932	726,166	331	8.6	07.4-09.8	3413	85.7	84.1-87.3	188	5.6	04.4-06.8
Male	1745	346,331	126	7.2	05.4-09.0	1496	84.5	82.0-87.0	123	8.3	06.1-10.5
Female	2187	379,835	205	9.9	08.1-11.7	1917	86.9	84.9-88.9	65	3.2	02.0-04.4
White/Non-Hisp	2740	467,957	179	7.0	05.6-08.4	2457	88.2	86.2-90.2	104	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	560	145,784	54	9.0	05.9-12.1	484	86.2	82.1-90.3	22	4.8	01.9-07.7
Oth. Race/Non-Hisp.	120	26,271	18	12.1	04.8-19.4	92	81.3	72.9-89.7	10	6.6	01.9-11.3
MultiRacial/Non-Hisp.	66	13,298	12	24.1	08.8-39.4	51	72.9	57.4-88.4	3	3.0	00.0-06.7
Hispanic	347	56,830	58	15.2	10.1-20.3	248	70.6	63.9-77.3	41	14.2	08.9-19.5
18-24	240	84,053	13	6.2	02.3-10.1	207	86.8	81.3-92.3	20	7.0	02.9-11.1
25-34	425	118,419	54	10.9	07.4-14.4	346	81.4	75.9-86.9	25	7.7	03.0-12.4
35-44	410	107,965	51	8.7	05.6-11.8	328	84.2	80.1-88.3	31	7.1	04.0-10.2
45-54	629	120,117	58	11.2	07.3-15.1	529	81.6	77.3-85.9	42	7.2	04.7-09.7
55-64	840	126,187	77	9.1	06.6-11.6	726	85.9	83.0-88.8	37	4.9	02.9-06.9
65+	1347	165,316	75	5.8	04.2-07.4	1244	92.4	90.6-94.2	28	1.8	01.0-02.6
Less Than H.S.	392	90,284	63	16.3	11.2-21.4	297	70.7	63.6-77.8	32	13.0	06.5-19.5
H.S. or G.E.D.	1215	225,274	114	9.3	06.9-11.7	1030	85.2	82.5-87.9	71	5.6	04.0-07.2
Some Post-H.S.	967	213,630	84	8.0	06.0-10.0	853	88.0	85.3-90.7	30	4.0	02.0-06.0
College Graduate	1343	194,367	67	4.7	03.3-06.1	1221	91.1	89.1-93.1	55	4.2	02.8-05.6
Less than \$15,000	311	51,311	60	18.7	13.0-24.4	237	73.3	65.5-81.1	14	7.9	00.8-15.0
\$15,000- 24,999	588	97,085	89	16.7	12.4-21.0	459	75.0	70.1-79.9	40	8.4	05.1-11.7
\$25,000- 34,999	373	62,189	38	11.6	06.7-16.5	315	83.9	78.6-89.2	20	4.5	02.1-06.9
\$35,000- 49,999	491	87,592	47	10.2	06.9-13.5	427	85.1	81.0-89.2	17	4.7	02.2-07.2
\$50,000- 74,999	501	100,705	26	8.0	03.9-12.1	457	87.5	82.6-92.4	18	4.5	01.4-07.6
\$75,000+	972	204,546	17	1.8	00.8-02.8	912	93.5	91.5-95.5	43	4.6	02.8-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 20: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	346,331	126	7.2	05.4-09.0	1496	84.5	82.0-87.0	123	8.3	06.1-10.5
White/Non-Hisp	1209	220,097	63	5.4	03.6-07.2	1077	87.1	84.2-90.0	69	7.4	04.9-09.9
Black or Afr. Am./Non-Hisp	213	67,472	19	9.0	03.5-14.5	180	82.0	74.4-89.6	14	8.9	02.8-15.0
Oth. Race/Non-Hisp.	75	17,332	10	8.1	01.8-14.4	59	84.8	76.0-93.6	6	7.0	00.5-13.5
Hispanic	159	25,520	26	16.4	08.8-24.0	106	67.9	58.5-77.3	27	15.7	08.8-22.6
18-24	137	42,853	9	8.3	02.0-14.6	115	83.5	75.7-91.3	13	8.2	02.9-13.5
25-34	187	58,548	18	7.7	03.4-12.0	150	79.9	70.7-89.1	19	12.4	03.6-21.2
35-44	197	53,331	24	8.8	04.3-13.3	150	81.1	74.6-87.6	23	10.1	05.2-15.0
45-54	291	57,324	20	8.6	03.1-14.1	238	79.5	72.6-86.4	33	11.9	07.0-16.8
55-64	357	59,500	25	6.0	03.3-08.7	311	87.3	83.2-91.4	21	6.7	03.4-10.0
65+	564	73,866	29	4.8	02.8-06.8	522	92.9	90.4-95.4	13	2.3	00.7-03.9
Less Than H.S.	185	44,824	29	12.2	06.9-17.5	133	68.8	57.8-79.8	23	19.0	07.8-30.2
H.S. or G.E.D.	543	113,268	46	8.2	04.7-11.7	445	83.1	78.8-87.4	52	8.8	05.9-11.7
Some Post-H.S.	402	95,669	27	6.4	03.5-09.3	356	88.3	84.4-92.2	19	5.2	02.3-08.1
College Graduate	608	91,235	22	4.2	02.0-06.4	557	90.0	86.7-93.3	29	5.8	03.3-08.3
Less than \$15,000	103	17,341	23	22.2	12.0-32.4	70	55.5	39.6-71.4	10	22.3	04.5-40.1
\$15,000- 24,999	254	44,417	38	13.1	08.0-18.2	189	76.5	69.8-83.2	27	10.4	05.5-15.3
\$25,000- 34,999	129	23,697	13	13.5	03.9-23.1	103	78.6	68.4-88.8	13	7.9	03.0-12.8
\$35,000- 49,999	229	42,338	14	5.9	02.2-09.6	203	87.7	82.4-93.0	12	6.5	02.6-10.4
\$50,000- 74,999	256	53,519	11	7.8	01.5-14.1	231	87.0	80.3-93.7	14	5.2	01.9-08.5
\$75,000+	504	108,503	9	2.1	00.5-03.7	468	91.4	88.3-94.5	27	6.5	03.8-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 21: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2187	379,835	205	9.9	08.1-11.7	1917	86.9	84.9-88.9	65	3.2	02.0-04.4
White/Non-Hisp	1531	247,860	116	8.4	06.4-10.4	1380	89.1	86.7-91.5	35	2.5	01.1-03.9
Black or Afr. Am./Non-Hisp	347	78,312	35	9.0	05.5-12.5	304	89.8	86.1-93.5	8	1.2	00.2-02.2
Hispanic	188	31,309	32	14.2	07.1-21.3	142	72.8	63.4-82.2	14	13.0	05.2-20.8
18-24	103	41,200	4	3.9	00.0-08.4	92	90.3	82.5-98.1	7	5.8	00.0-12.5
25-34	238	59,871	36	14.0	08.3-19.7	196	82.9	76.6-89.2	6	3.2	00.1-06.3
35-44	213	54,634	27	8.5	04.4-12.6	178	87.3	82.0-92.6	8	4.2	00.7-07.7
45-54	338	62,793	38	13.6	08.3-18.9	291	83.5	77.8-89.2	9	2.9	00.5-05.3
55-64	483	66,687	52	11.9	08.0-15.8	415	84.7	80.4-89.0	16	3.4	01.4-05.4
65+	783	91,450	46	6.6	04.1-09.1	722	92.0	89.5-94.5	15	1.3	00.5-02.1
Less Than H.S.	207	45,460	34	20.3	12.1-28.5	164	72.6	63.6-81.6	9	7.0	01.5-12.5
H.S. or G.E.D.	672	112,006	68	10.4	07.3-13.5	585	87.3	84.0-90.6	19	2.3	01.1-03.5
Some Post-H.S.	565	117,961	57	9.3	06.4-12.2	497	87.7	84.0-91.4	11	3.0	00.5-05.5
College Graduate	735	103,132	45	5.1	03.1-07.1	664	92.1	89.7-94.5	26	2.8	01.4-04.2
Less than \$15,000	208	33,970	37	17.0	10.1-23.9	167	82.4	75.5-89.3	4	0.6	00.0-01.2
\$15,000- 24,999	334	52,668	51	19.7	13.0-26.4	270	73.7	66.4-81.0	13	6.6	02.3-10.9
\$25,000- 34,999	244	38,492	25	10.4	05.1-15.7	212	87.1	81.4-92.8	7	2.5	00.3-04.7
\$35,000- 49,999	262	45,253	33	14.2	08.7-19.7	224	82.7	76.6-88.8	5	3.1	00.0-06.4
\$50,000- 74,999	245	47,186	15	8.2	03.1-13.3	226	88.0	80.7-95.3	4	3.8	00.0-09.3
\$75,000+	468	96,043	8	1.5	00.3-02.7	444	96.0	94.0-98.0	16	2.5	00.9-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 22: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3907	721,802	2572	63.5	61.3-65.7	1101	30.3	28.1-32.5	153	4.2	03.2-05.2	81	1.9	01.3-02.5
Male	1734	343,086	1100	61.4	58.3-64.5	494	30.5	27.6-33.4	84	5.4	03.8-07.0	56	2.8	01.8-03.8
Female	2173	378,716	1472	65.4	62.5-68.3	607	30.2	27.3-33.1	69	3.2	02.0-04.4	25	1.2	00.6-01.8
White/Non-Hisp	2727	465,044	1881	66.1	63.6-68.6	717	28.9	26.4-31.4	92	3.4	02.4-04.4	37	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	553	145,082	343	63.3	58.0-68.6	185	32.3	27.2-37.4	18	3.5	01.5-05.5	7	0.8	00.2-01.4
Oth. Race/Non-Hisp.	121	26,525	63	51.2	39.4-63.0	46	36.0	24.8-47.2	9	10.8	02.8-18.8	3	2.0	00.0-04.7
MultiRacial/Non-Hisp.	67	13,753	48	71.2	56.3-86.1	13	14.4	05.2-23.6	6	14.5	01.0-28.0			
Hispanic	341	56,262	185	51.0	43.9-58.1	106	36.2	28.9-43.5	16	4.2	01.5-06.9	34	8.6	04.7-12.5
18-24	238	83,873	142	61.2	52.4-70.0	77	33.5	24.9-42.1	5	2.3	00.0-04.8	14	3.0	00.8-05.2
25-34	420	117,577	229	55.7	49.4-62.0	147	35.1	29.0-41.2	26	7.1	04.0-10.2	18	2.2	01.0-03.4
35-44	406	107,227	236	63.1	57.4-68.8	128	27.7	22.4-33.0	27	5.1	02.7-07.5	15	4.1	01.6-06.6
45-54	627	119,283	384	58.3	53.0-63.6	205	35.1	30.2-40.0	22	4.7	01.8-07.6	16	1.9	00.7-03.1
55-64	834	125,303	555	63.6	59.3-67.9	228	30.5	26.2-34.8	39	4.6	02.6-06.6	12	1.3	00.5-02.1
65+	1341	164,428	1002	74.4	71.5-77.3	300	23.2	20.3-26.1	33	2.0	01.2-02.8	6	0.4	00.0-00.8
Less Than H.S.	389	89,638	212	53.7	46.6-60.8	118	31.9	25.4-38.4	28	7.9	04.2-11.6	31	6.5	03.6-09.4
H.S. or G.E.D.	1204	223,535	747	61.7	58.0-65.4	378	32.1	28.6-35.6	48	3.8	02.2-05.4	31	2.3	01.3-03.3
Some Post-H.S.	961	212,240	634	64.1	59.6-68.6	279	30.4	26.1-34.7	44	5.0	03.0-07.0	4	0.5	00.0-01.1
College Graduate	1340	194,585	972	69.5	66.2-72.8	322	27.3	24.0-30.6	32	2.3	01.3-03.3	14	1.0	00.4-01.6
Less than \$15,000	307	50,860	175	55.1	46.9-63.3	99	34.3	26.5-42.1	23	7.8	03.9-11.7	10	2.7	00.5-04.9
\$15,000- 24,999	588	96,846	326	54.6	49.1-60.1	208	36.9	31.6-42.2	35	4.7	02.7-06.7	19	3.8	01.6-06.0
\$25,000- 34,999	368	61,641	231	53.9	45.5-62.3	110	37.4	28.6-46.2	17	6.4	02.3-10.5	10	2.3	00.5-04.1
\$35,000- 49,999	486	86,928	310	58.1	52.4-63.8	151	34.8	29.3-40.3	15	4.4	01.5-07.3	10	2.7	00.5-04.9
\$50,000- 74,999	500	100,410	359	69.9	64.2-75.6	122	24.1	19.0-29.2	16	5.5	02.0-09.0	3	0.5	00.0-01.1
\$75,000+	968	204,013	717	69.9	66.0-73.8	224	27.4	23.5-31.3	20	2.1	00.9-03.3	7	0.6	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 23: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1734	343,086	1100	61.4	58.3-64.5	494	30.5	27.6-33.4	84	5.4	03.8-07.0	56	2.8	01.8-03.8
White/Non-Hisp	1201	218,070	796	62.8	59.1-66.5	327	30.4	26.9-33.9	52	4.1	02.7-05.5	26	2.8	01.4-04.2
Black or Afr. Am./Non-Hisp	212	67,295	129	61.6	53.2-70.0	71	32.1	24.1-40.1	8	5.2	01.3-09.1	4	1.1	00.0-02.3
Oth. Race/Non-Hisp.	76	17,422	39	52.9	38.2-67.6	31	36.6	22.5-50.7	4	9.4	00.0-19.2	2	1.0	00.0-02.6
Hispanic	158	25,381	79	52.7	42.3-63.1	45	29.3	19.3-39.3	10	7.6	01.7-13.5	24	10.3	05.4-15.2
18-24	137	42,853	80	61.4	51.0-71.8	40	29.8	20.0-39.6	5	4.5	00.0-09.4	12	4.3	00.8-07.8
25-34	185	58,382	96	55.9	46.3-65.5	60	31.9	23.1-40.7	16	8.9	04.0-13.8	13	3.3	01.1-05.5
35-44	195	52,387	110	60.1	51.7-68.5	58	26.8	19.4-34.2	15	6.7	02.6-10.8	12	6.4	02.1-10.7
45-54	290	56,565	168	54.9	47.1-62.7	102	38.2	30.6-45.8	10	4.6	00.9-08.3	10	2.4	00.6-04.2
55-64	352	58,630	238	62.9	56.4-69.4	89	30.8	24.3-37.3	20	5.2	02.5-07.9	5	1.1	00.1-02.1
65+	563	73,359	401	70.5	65.8-75.2	140	25.9	21.4-30.4	18	3.0	01.2-04.8	4	0.7	00.0-01.5
Less Than H.S.	184	44,582	93	55.6	45.6-65.6	49	26.3	17.9-34.7	19	9.6	04.3-14.9	23	8.5	04.2-12.8
H.S. or G.E.D.	538	111,989	299	56.0	50.3-61.7	186	35.0	29.5-40.5	30	5.2	02.5-07.9	23	3.8	01.8-05.8
Some Post-H.S.	400	94,882	264	63.4	57.1-69.7	113	29.6	23.7-35.5	22	6.4	03.3-09.5	1	0.6	00.0-01.8
College Graduate	606	90,988	442	68.7	63.6-73.8	144	27.9	23.0-32.8	12	2.3	00.5-04.1	8	1.1	00.3-01.9
Less than \$15,000	102	17,267	55	58.7	44.8-72.6	29	24.1	13.3-34.9	10	9.5	02.8-16.2	8	7.7	01.4-14.0
\$15,000- 24,999	255	44,069	136	54.2	46.2-62.2	84	34.3	26.7-41.9	23	6.5	03.0-10.0	12	5.0	01.3-08.7
\$25,000- 34,999	129	23,529	74	49.8	37.6-62.0	41	37.0	24.8-49.2	9	11.5	02.3-20.7	5	1.7	00.1-03.3
\$35,000- 49,999	225	41,813	134	53.1	44.5-61.7	78	38.4	30.2-46.6	9	6.1	01.0-11.2	4	2.4	00.0-04.9
\$50,000- 74,999	255	53,223	181	70.4	62.8-78.0	62	23.5	16.6-30.4	9	5.1	01.0-09.2	3	1.0	00.0-02.2
\$75,000+	502	108,186	361	66.2	60.7-71.7	126	30.0	24.5-35.5	9	2.7	00.7-04.7	6	1.1	00.1-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 24: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2173	378,716	1472	65.4	62.5-68.3	607	30.2	27.3-33.1	69	3.2	02.0-04.4	25	1.2	00.6-01.8
White/Non-Hisp	1526	246,973	1085	69.0	65.3-72.7	390	27.6	24.1-31.1	40	2.8	01.4-04.2	11	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	341	77,787	214	64.7	58.0-71.4	114	32.6	25.9-39.3	10	2.1	00.7-03.5	3	0.6	00.0-01.4
Hispanic	183	30,881	106	49.6	39.8-59.4	61	41.8	31.8-51.8	6	1.4	00.2-02.6	10	7.2	01.3-13.1
18-24	101	41,021	62	61.0	46.9-75.1	37	37.4	23.3-51.5				2	1.7	00.0-04.4
25-34	235	59,196	133	55.5	47.1-63.9	87	38.2	30.0-46.4	10	5.2	01.5-08.9	5	1.0	00.0-02.0
35-44	211	54,840	126	65.9	58.1-73.7	70	28.5	21.1-35.9	12	3.6	01.1-06.1	3	2.0	00.0-04.5
45-54	337	62,718	216	61.5	54.6-68.4	103	32.2	25.7-38.7	12	4.9	00.6-09.2	6	1.4	00.0-02.8
55-64	482	66,673	317	64.2	58.3-70.1	139	30.1	24.4-35.8	19	4.1	01.6-06.6	7	1.5	00.1-02.9
65+	778	91,069	601	77.5	73.8-81.2	160	20.9	17.2-24.6	15	1.3	00.7-01.9	2	0.2	00.0-00.6
Less Than H.S.	205	45,056	119	51.9	42.5-61.3	69	37.5	28.1-46.9	9	6.2	00.9-11.5	8	4.4	00.3-08.5
H.S. or G.E.D.	666	111,545	448	67.5	62.8-72.2	192	29.3	24.8-33.8	18	2.4	01.0-03.8	8	0.8	00.2-01.4
Some Post-H.S.	561	117,358	370	64.8	58.5-71.1	166	30.9	24.6-37.2	22	3.8	01.4-06.2	3	0.5	00.0-01.3
College Graduate	734	103,597	530	70.2	65.5-74.9	178	26.7	22.2-31.2	20	2.2	00.8-03.6	6	0.9	00.1-01.7
Less than \$15,000	205	33,593	120	53.3	43.3-63.3	70	39.6	29.6-49.6	13	6.9	01.8-12.0	2	0.2	00.0-00.6
\$15,000- 24,999	333	52,777	190	55.0	47.7-62.3	124	39.0	31.7-46.3	12	3.2	01.2-05.2	7	2.9	00.4-05.4
\$25,000- 34,999	239	38,112	157	56.4	44.8-68.0	69	37.6	25.4-49.8	8	3.3	00.6-06.0	5	2.7	00.2-05.2
\$35,000- 49,999	261	45,115	176	62.7	55.1-70.3	73	31.4	24.1-38.7	6	2.9	00.0-06.0	6	3.0	00.0-06.3
\$50,000- 74,999	245	47,186	178	69.3	60.7-77.9	60	24.7	16.9-32.5	7	6.0	00.3-11.7			
\$75,000+	466	95,827	356	74.0	68.3-79.7	98	24.5	18.8-30.2	11	1.3	00.3-02.3	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3908	721,441	664	19.2	17.4-21.0	3244	80.8	79.0-82.6
Male	1740	344,495	255	16.1	13.6-18.6	1485	83.9	81.4-86.4
Female	2168	376,946	409	22.1	19.6-24.6	1759	77.9	75.4-80.4
White/Non-Hisp	2726	464,604	425	19.1	16.9-21.3	2301	80.9	78.7-83.1
Black or Afr. Am./Non-Hisp	551	143,965	119	20.4	15.9-24.9	432	79.6	75.1-84.1
Oth. Race/Non-Hisp.	123	26,866	24	19.6	10.2-29.0	99	80.4	71.0-89.8
MultiRacial/Non-Hisp.	65	13,404	15	13.2	05.2-21.2	50	86.8	78.8-94.8
Hispanic	346	56,666	59	17.5	11.6-23.4	287	82.5	76.6-88.4
18-24	232	81,210	37	19.4	12.5-26.3	195	80.6	73.7-87.5
25-34	427	118,707	97	20.6	15.5-25.7	330	79.4	74.3-84.5
35-44	409	107,934	88	22.8	17.5-28.1	321	77.2	71.9-82.5
45-54	625	119,688	133	24.9	20.0-29.8	492	75.1	70.2-80.0
55-64	831	125,014	148	19.0	15.5-22.5	683	81.0	77.5-84.5
65+	1344	164,816	153	11.7	09.3-14.1	1191	88.3	85.9-90.7
Less Than H.S.	393	90,508	69	16.0	11.3-20.7	324	84.0	79.3-88.7
H.S. or G.E.D.	1206	222,934	231	21.1	17.8-24.4	975	78.9	75.6-82.2
Some Post-H.S.	956	211,609	188	22.9	19.0-26.8	768	77.1	73.2-81.0
College Graduate	1339	194,398	172	14.6	11.9-17.3	1167	85.4	82.7-88.1
Less than \$15,000	304	50,498	68	18.6	12.9-24.3	236	81.4	75.7-87.1
\$15,000- 24,999	589	96,638	133	20.5	16.4-24.6	456	79.5	75.4-83.6
\$25,000- 34,999	372	62,168	84	23.8	17.3-30.3	288	76.2	69.7-82.7
\$35,000- 49,999	488	87,243	90	24.1	18.8-29.4	398	75.9	70.6-81.2
\$50,000- 74,999	498	99,537	91	26.7	20.4-33.0	407	73.3	67.0-79.6
\$75,000+	968	203,722	111	14.9	11.6-18.2	857	85.1	81.8-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 26: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	344,495	255	16.1	13.6-18.6	1485	83.9	81.4-86.4
White/Non-Hisp	1208	219,231	159	15.0	12.3-17.7	1049	85.0	82.3-87.7
Black or Afr. Am./Non-Hisp	208	66,341	40	19.8	12.4-27.2	168	80.2	72.8-87.6
Oth. Race/Non-Hisp.	77	17,668	11	14.5	03.9-25.1	66	85.5	74.9-96.1
Hispanic	159	25,491	27	16.7	07.5-25.9	132	83.3	74.1-92.5
18-24	134	41,885	16	17.4	08.0-26.8	118	82.6	73.2-92.0
25-34	189	58,695	30	13.0	06.7-19.3	159	87.0	80.7-93.3
35-44	195	52,845	38	17.2	10.9-23.5	157	82.8	76.5-89.1
45-54	291	57,336	54	24.3	16.7-31.9	237	75.7	68.1-83.3
55-64	354	59,230	51	16.0	10.9-21.1	303	84.0	78.9-89.1
65+	565	73,593	63	10.6	07.5-13.7	502	89.4	86.3-92.5
Less Than H.S.	187	45,153	35	15.9	09.6-22.2	152	84.1	77.8-90.4
H.S. or G.E.D.	541	112,124	102	21.0	15.9-26.1	439	79.0	73.9-84.1
Some Post-H.S.	395	94,312	66	18.5	13.2-23.8	329	81.5	76.2-86.8
College Graduate	610	91,572	49	7.5	05.0-10.0	561	92.5	90.0-95.0
Less than \$15,000	99	16,731	26	21.5	11.7-31.3	73	78.5	68.7-88.3
\$15,000- 24,999	255	44,330	57	17.9	12.4-23.4	198	82.1	76.6-87.6
\$25,000- 34,999	129	23,734	26	25.4	13.4-37.4	103	74.6	62.6-86.6
\$35,000- 49,999	229	42,338	32	19.4	11.8-27.0	197	80.6	73.0-88.2
\$50,000- 74,999	254	52,697	46	24.5	16.1-32.9	208	75.5	67.1-83.9
\$75,000+	504	108,503	40	10.3	06.6-14.0	464	89.7	86.0-93.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 4: HEALTH CARE ACCESS**

**TABLE 27: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2168	376,946	409	22.1	19.6-24.6	1759	77.9	75.4-80.4
White/Non-Hisp	1518	245,373	266	22.8	19.5-26.1	1252	77.2	73.9-80.5
Black or Afr. Am./Non-Hisp	343	77,624	79	20.9	15.4-26.4	264	79.1	73.6-84.6
Hispanic	187	31,175	32	18.2	10.6-25.8	155	81.8	74.2-89.4
18-24	98	39,324	21	21.5	10.9-32.1	77	78.5	67.9-89.1
25-34	238	60,012	67	28.1	20.3-35.9	171	71.9	64.1-79.7
35-44	214	55,089	50	28.1	20.1-36.1	164	71.9	63.9-79.9
45-54	334	62,351	79	25.6	19.1-32.1	255	74.4	67.9-80.9
55-64	477	65,784	97	21.8	16.9-26.7	380	78.2	73.3-83.1
65+	779	91,223	90	12.6	09.3-15.9	689	87.4	84.1-90.7
Less Than H.S.	206	45,355	34	16.1	09.0-23.2	172	83.9	76.8-91.0
H.S. or G.E.D.	665	110,810	129	21.2	16.9-25.5	536	78.8	74.5-83.1
Some Post-H.S.	561	117,297	122	26.5	21.0-32.0	439	73.5	68.0-79.0
College Graduate	729	102,826	123	20.9	16.6-25.2	606	79.1	74.8-83.4
Less than \$15,000	205	33,767	42	17.2	10.1-24.3	163	82.8	75.7-89.9
\$15,000- 24,999	334	52,308	76	22.6	16.5-28.7	258	77.4	71.3-83.5
\$25,000- 34,999	243	38,434	58	22.9	15.6-30.2	185	77.1	69.8-84.4
\$35,000- 49,999	259	44,904	58	28.6	21.2-36.0	201	71.4	64.0-78.8
\$50,000- 74,999	244	46,840	45	29.2	20.2-38.2	199	70.8	61.8-79.8
\$75,000+	464	95,219	71	20.3	14.6-26.0	393	79.7	74.0-85.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016**

**MODULE 7: COGNITIVE DECLINE CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	71
2 MALES ONLY	72
3 FEMALES ONLY	73
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	74
5 MALES ONLY	75
6 FEMALES ONLY	76
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	77
8 MALES ONLY	78
9 FEMALES ONLY	79
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	80
11 MALES ONLY	81
12 FEMALES ONLY	82
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	83
14 MALES ONLY	84
15 FEMALES ONLY	85
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	86
17 MALES ONLY	87
18 FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2628	382,202	234	8.8	07.4-10.2	2394	91.2	89.8-92.6
Male	1115	174,315	94	7.6	05.8-09.4	1021	92.4	90.6-94.2
Female	1513	207,888	140	9.9	07.7-12.1	1373	90.1	87.9-92.3
White/Non-Hisp	2054	278,484	188	9.4	07.6-11.2	1866	90.6	88.8-92.4
Black or Afr. Am./Non-Hisp	332	70,865	23	6.7	03.6-09.8	309	93.3	90.2-96.4
Oth. Race/Non-Hisp.	54	8,259	4	4.4	00.0-09.5	50	95.6	90.5-0100
Hispanic	101	11,544	11	13.5	05.3-21.7	90	86.5	78.3-94.7
45-54	584	109,379	57	8.8	05.9-11.7	527	91.2	88.3-94.1
55-64	776	116,525	63	8.4	05.9-10.9	713	91.6	89.1-94.1
65+	1268	156,299	114	9.1	07.1-11.1	1154	90.9	88.9-92.9
Less Than H.S.	207	40,673	39	20.2	12.8-27.6	168	79.8	72.4-87.2
H.S. or G.E.D.	822	120,292	85	9.7	07.3-12.1	737	90.3	87.9-92.7
Some Post-H.S.	649	109,461	61	8.1	05.6-10.6	588	91.9	89.4-94.4
College Graduate	943	111,087	48	4.4	02.8-06.0	895	95.6	94.0-97.2
Less than \$15,000	207	26,702	39	22.2	14.2-30.2	168	77.8	69.8-85.8
\$15,000- 24,999	373	50,776	63	19.0	13.3-24.7	310	81.0	75.3-86.7
\$25,000- 34,999	247	32,343	18	6.7	03.2-10.2	229	93.3	89.8-96.8
\$35,000- 49,999	348	50,775	29	7.7	04.4-11.0	319	92.3	89.0-95.6
\$50,000- 74,999	341	53,883	22	7.7	03.8-11.6	319	92.3	88.4-96.2
\$75,000+	678	111,876	20	2.3	01.1-03.5	658	97.7	96.5-98.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1115	174,315	94	7.6	05.8-09.4	1021	92.4	90.6-94.2
White/Non-Hisp	870	125,848	81	8.6	06.4-10.8	789	91.4	89.2-93.6
Black or Afr. Am./Non-Hisp	120	31,241	5	4.0	00.0-08.3	115	96.0	91.7-0100
Hispanic	50	6,103	4	10.0	00.0-20.6	46	90.0	79.4-0100
45-54	265	50,550	23	6.2	03.3-09.1	242	93.8	90.9-96.7
55-64	327	54,985	24	8.9	04.8-13.0	303	91.1	87.0-95.2
65+	523	68,779	47	7.5	05.1-09.9	476	92.5	90.1-94.9
Less Than H.S.	93	19,413	15	14.2	06.2-22.2	78	85.8	77.8-93.8
H.S. or G.E.D.	332	54,233	32	8.8	05.1-12.5	300	91.2	87.5-94.9
Some Post-H.S.	256	47,335	24	6.6	03.7-09.5	232	93.4	90.5-96.3
College Graduate	431	53,122	22	4.5	02.1-06.9	409	95.5	93.1-97.9
Less than \$15,000	61	7,184	10	25.7	11.4-40.0	51	74.3	60.0-88.6
\$15,000- 24,999	162	24,621	32	19.1	11.5-26.7	130	80.9	73.3-88.5
\$25,000- 34,999	87	12,508	7	5.8	00.9-10.7	80	94.2	89.3-99.1
\$35,000- 49,999	157	24,602	10	5.5	01.8-09.2	147	94.5	90.8-98.2
\$50,000- 74,999	154	25,127	10	4.3	01.2-07.4	144	95.7	92.6-98.8
\$75,000+	350	59,415	8	1.8	00.4-03.2	342	98.2	96.8-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1513	207,888	140	9.9	07.7-12.1	1373	90.1	87.9-92.3
White/Non-Hisp	1184	152,636	107	10.0	07.5-12.5	1077	90.0	87.5-92.5
Black or Afr. Am./Non-Hisp	212	39,625	18	8.8	04.3-13.3	194	91.2	86.7-95.7
Hispanic	51	5,441	7	17.5	04.8-30.2	44	82.5	69.8-95.2
45-54	319	58,828	34	11.0	06.1-15.9	285	89.0	84.1-93.9
55-64	449	61,540	39	8.1	05.0-11.2	410	91.9	88.8-95.0
65+	745	87,520	67	10.4	07.5-13.3	678	89.6	86.7-92.5
Less Than H.S.	114	21,260	24	25.6	13.8-37.4	90	74.4	62.6-86.2
H.S. or G.E.D.	490	66,060	53	10.3	07.0-13.6	437	89.7	86.4-93.0
Some Post-H.S.	393	62,126	37	9.2	05.5-12.9	356	90.8	87.1-94.5
College Graduate	512	57,965	26	4.3	02.1-06.5	486	95.7	93.5-97.9
Less than \$15,000	146	19,518	29	20.9	11.3-30.5	117	79.1	69.5-88.7
\$15,000- 24,999	211	26,155	31	19.0	10.6-27.4	180	81.0	72.6-89.4
\$25,000- 34,999	160	19,835	11	7.3	02.4-12.2	149	92.7	87.8-97.6
\$35,000- 49,999	191	26,174	19	9.8	04.7-14.9	172	90.2	85.1-95.3
\$50,000- 74,999	187	28,756	12	10.6	03.7-17.5	175	89.4	82.5-96.3
\$75,000+	328	52,461	12	2.9	00.9-04.9	316	97.1	95.1-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	229	33,228	11	5.0	01.7-08.3	11	7.2	00.9-13.5	58	26.4	19.0-33.8	35	12.9	07.6-18.2	114	48.5	40.3-56.7
Male	93	13,141	5	4.4	00.1-08.7	5	3.8	00.0-08.1	20	24.0	13.6-34.4	15	15.4	06.2-24.6	48	52.3	40.1-64.5
Female	136	20,088	6	5.4	00.9-09.9	6	9.3	00.0-19.1	38	28.1	17.9-38.3	20	11.3	05.2-17.4	66	46.0	35.0-57.0
White/Non-Hisp	184	25,779	8	4.9	01.2-08.6	9	6.4	00.0-13.7	41	23.3	15.1-31.5	27	12.9	06.8-19.0	99	52.5	43.1-61.9
45-54	55	9,294	3	2.9	00.0-06.6	3	15.4	00.0-34.4	17	31.3	14.6-48.0	8	9.4	02.0-16.8	24	40.9	24.2-57.6
55-64	61	9,715	2	2.6	00.0-06.3	3	3.9	00.0-09.2	20	31.9	17.4-46.4	12	19.0	06.3-31.7	24	42.6	25.9-59.3
65+	113	14,219	6	8.0	01.5-14.5	5	4.0	00.0-08.7	21	19.6	10.6-28.6	15	11.0	04.3-17.7	66	57.5	46.3-68.7
H.S. or G.E.D.	83	11,453	4	5.0	00.0-10.3	3	3.7	00.0-09.2	17	22.9	11.7-34.1	14	12.3	04.7-19.9	45	56.1	43.0-69.2
Some Post-H.S.	60	8,711	1	0.8	00.0-02.4	2	1.5	00.0-03.7	18	25.3	12.6-38.0	13	20.5	08.3-32.7	26	51.9	36.0-67.8
\$15,000- 24,999	62	9,536	5	5.5	00.2-10.8	5	16.3	00.0-35.1	15	24.3	10.8-37.8	12	19.4	06.1-32.7	25	34.4	19.7-49.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	93	13,141	5	4.4	00.1-08.7	5	3.8	00.0-07.9	20	24.0	13.6-34.4	15	15.4	06.0-24.8	48	52.3	40.3-64.3
White/Non-Hisp	80	10,750	4	4.7	00.0-09.8	4	2.3	00.0-04.7	14	20.6	10.6-30.6	14	18.2	07.0-29.4	44	54.2	41.9-66.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	136	20,088	6	5.4	00.9-09.9	6	9.3	00.0-19.3	38	28.1	17.9-38.3	20	11.3	05.2-17.4	66	46.0	35.2-56.8
White/Non-Hisp	104	15,029	4	5.0	00.0-10.3	5	9.3	00.0-21.3	27	25.2	13.4-37.0	13	9.2	02.7-15.7	55	51.4	37.7-65.1
65+	67	9,074	5	10.2	01.2-19.2	3	4.7	00.0-11.8	16	22.0	09.8-34.2	7	7.6	00.2-15.0	36	55.4	40.3-70.5
H.S. or G.E.D.	52	6,701	1	2.3	00.0-06.6	2	5.6	00.0-15.0	13	27.9	12.8-43.0	8	11.6	02.4-20.8	28	52.7	36.2-69.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	230	33,096	13	6.3	02.2-10.4	8	1.7	00.5-02.9	67	30.1	22.1-38.1	34	16.0	09.9-22.1	108	46.0	37.6-54.4
Male	92	12,813	6	5.9	00.6-11.2	3	1.5	00.0-03.3	22	22.0	12.4-31.6	15	19.9	09.3-30.5	46	50.6	38.1-63.1
Female	138	20,284	7	6.5	00.6-12.4	5	1.8	00.0-03.6	45	35.2	23.8-46.6	19	13.4	06.5-20.3	62	43.0	32.0-54.0
White/Non-Hisp	186	25,918	11	5.5	01.6-09.4	5	1.4	00.0-02.8	50	27.1	17.9-36.3	27	16.9	09.8-24.0	93	49.1	39.5-58.7
45-54	55	9,115	5	12.2	00.2-24.2	3	3.0	00.0-06.7	15	35.7	16.1-55.3	7	11.0	01.8-20.2	25	38.1	21.4-54.8
55-64	62	9,780	5	5.0	00.1-09.9	2	1.2	00.0-03.0	23	33.6	19.1-48.1	9	18.2	05.3-31.1	23	42.0	25.3-58.7
65+	113	14,202	3	3.4	00.0-07.9	3	1.1	00.0-02.5	29	24.1	14.5-33.7	18	17.6	09.0-26.2	60	53.8	42.4-65.2
H.S. or G.E.D.	84	11,314	7	5.9	01.0-10.8	1	0.5	00.0-01.5	19	21.5	10.9-32.1	11	12.5	04.1-20.9	46	59.6	46.9-72.3
Some Post-H.S.	60	8,711				3	2.1	00.0-04.5	18	26.7	13.6-39.8	11	18.7	06.7-30.7	28	52.5	36.6-68.4
\$15,000- 24,999	63	9,668	5	8.2	00.0-18.0	3	2.0	00.0-04.4	17	31.3	13.7-48.9	16	25.5	11.2-39.8	22	33.1	17.8-48.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	92	12,813	6	5.9	00.6-11.2	3	1.5	00.0-03.3	22	22.0	12.4-31.6	15	19.9	08.9-30.9	46	50.6	38.3-62.9
White/Non-Hisp	80	10,733	6	7.0	00.7-13.3	2	1.1	00.0-02.7	17	19.2	09.4-29.0	13	21.1	08.9-33.3	42	51.6	38.7-64.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	138	20,284	7	6.5	00.6-12.4	5	1.8	00.0-03.6	45	35.2	23.6-46.8	19	13.4	06.5-20.3	62	43.0	32.0-54.0
White/Non-Hisp	106	15,184	5	4.5	00.0-09.2	3	1.7	00.0-03.9	33	32.7	18.8-46.6	14	13.9	05.7-22.1	51	47.3	33.6-61.0
65+	67	9,074	1	3.5	00.0-10.2	3	1.8	00.0-04.0	19	26.6	13.7-39.5	11	17.2	06.0-28.4	33	51.0	36.1-65.9
H.S. or G.E.D.	53	6,832	5	7.9	00.6-15.2	1	0.8	00.0-02.4	13	23.6	09.5-37.7	8	15.3	03.3-27.3	26	52.5	36.0-69.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 7: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	87	12,494	35	34.6	21.5-47.7	21	27.3	13.2-41.4	22	28.3	15.2-41.4	3	4.0	00.0-08.9	6	5.9	00.2-11.6
Female	56	8,724	19	29.9	14.0-45.8	14	29.3	09.9-48.7	15	27.7	10.8-44.6	2	4.6	00.0-11.3	6	8.5	00.3-16.7
White/Non-Hisp	66	8,833	27	32.9	17.6-48.2	16	26.1	09.4-42.8	15	27.7	11.6-43.8	3	5.6	00.0-12.5	5	7.7	00.0-15.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 7: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	56	8,724	19	29.9	15.0-44.8	14	29.3	16.4-42.2	15	27.7	11.8-43.6	2	4.6	00.0-11.3	6	8.5	00.5-16.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	227	32,439	16	6.8	02.7-10.9	14	4.0	01.5-06.5	49	26.8	18.6-35.0	33	13.7	08.4-19.0	115	48.6	40.6-56.6
Male	91	12,984	7	6.0	00.5-11.5	5	3.7	00.0-07.4	23	28.9	16.9-40.9	13	13.8	05.4-22.2	43	47.7	35.5-59.9
Female	136	19,455	9	7.4	01.3-13.5	9	4.2	00.5-07.9	26	25.4	14.0-36.8	20	13.7	07.0-20.4	72	49.2	38.2-60.2
White/Non-Hisp	182	25,052	14	6.7	02.6-10.8	12	4.6	01.3-07.9	37	24.1	14.7-33.5	24	12.7	07.0-18.4	95	52.0	42.8-61.2
45-54	54	8,662	7	11.5	00.1-22.9	7	6.7	00.6-12.8	10	29.8	10.8-48.8	11	15.9	05.7-26.1	19	36.1	19.8-52.4
55-64	63	9,842	7	10.5	01.5-19.5	3	4.8	00.0-11.3	21	37.4	21.3-53.5	9	17.6	05.3-29.9	23	29.8	15.5-44.1
65+	110	13,935	2	1.3	00.0-03.3	4	1.8	00.0-03.6	18	17.5	07.9-27.1	13	9.7	03.6-15.8	73	69.7	59.1-80.3
H.S. or G.E.D.	84	11,569	5	4.8	00.0-10.3	5	3.0	00.3-05.7	15	21.4	09.8-33.0	12	12.2	04.9-19.5	47	58.6	46.1-71.1
Some Post-H.S.	59	8,546	4	6.9	00.0-14.7	5	6.4	00.0-13.8	12	24.6	09.1-40.1	11	17.3	06.1-28.5	27	44.8	28.7-60.9
\$15,000- 24,999	63	9,668	8	13.0	01.6-24.4	5	5.8	00.0-12.5	12	25.1	07.1-43.1	14	20.1	07.8-32.4	24	36.0	20.7-51.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	91	12,984	7	6.0	00.5-11.5	5	3.7	00.0-07.4	23	28.9	16.7-41.1	13	13.8	05.8-21.8	43	47.7	35.7-59.7
White/Non-Hisp	78	10,594	6	6.6	00.0-13.3	5	4.5	00.0-09.0	18	21.6	10.8-32.4	11	15.8	06.2-25.4	38	51.5	39.2-63.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	136	19,455	9	7.4	01.3-13.5	9	4.2	00.5-07.9	26	25.4	13.8-37.0	20	13.7	06.8-20.6	72	49.2	38.2-60.2
White/Non-Hisp	104	14,459	8	6.7	01.2-12.2	7	4.6	00.0-09.3	19	25.9	11.6-40.2	13	10.4	03.7-17.1	57	52.4	38.9-65.9
65+	65	8,891	1	1.4	00.0-04.1	4	2.8	00.0-05.7	8	18.2	04.5-31.9	8	8.3	01.6-15.0	44	69.4	55.1-83.7
H.S. or G.E.D.	53	6,832	4	7.2	00.0-16.2	3	3.0	00.0-06.3	7	12.0	03.0-21.0	8	14.3	03.9-24.7	31	63.5	49.0-78.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	228	33,165	117	47.7	39.3-56.1	111	52.3	43.9-60.7
Male	91	12,987	42	42.7	30.4-55.0	49	57.3	45.0-69.6
Female	137	20,178	75	50.9	39.7-62.1	62	49.1	37.9-60.3
White/Non-Hisp	183	25,709	93	44.9	35.3-54.5	90	55.1	45.5-64.7
45-54	56	9,426	27	44.1	26.9-61.3	29	55.9	38.7-73.1
55-64	60	9,579	38	57.6	41.3-73.9	22	42.4	26.1-58.7
65+	112	14,160	52	43.4	32.6-54.2	60	56.6	45.8-67.4
H.S. or G.E.D.	85	11,625	38	38.9	26.6-51.2	47	61.1	48.8-73.4
Some Post-H.S.	59	8,567	36	57.8	41.5-74.1	23	42.2	25.9-58.5
\$15,000- 24,999	63	9,668	35	53.5	35.9-71.1	28	46.5	28.9-64.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 7: COGNITIVE DECLINE**

**TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	91	12,987	42	42.7	30.2-55.2	49	57.3	44.8-69.8
White/Non-Hisp	79	10,692	38	46.0	32.5-59.5	41	54.0	40.5-67.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 7: COGNITIVE DECLINE**

**TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	137	20,178	75	50.9	39.9-61.9	62	49.1	38.1-60.1
White/Non-Hisp	104	15,017	55	44.1	30.8-57.4	49	55.9	42.6-69.2
65+	67	9,074	34	43.5	29.2-57.8	33	56.5	42.2-70.8
H.S. or G.E.D.	53	6,832	28	46.3	30.4-62.2	25	53.7	37.8-69.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016

MODULE 8: SUGAR SWEETENED BEVERAGES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)	
1	MALES AND FEMALES	90
2	MALES ONLY	91
3	FEMALES ONLY	92
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)	
4	MALES AND FEMALES	93
5	MALES ONLY	94
6	FEMALES ONLY	95

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 1: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3610	663,393	1647	42.1	39.9-44.3	479	15.3	13.5-17.1	34	1.2	0.6-01.8	477	13.8	12.2-15.4	973	27.7	25.5-29.9	
Male	1592	315,234	644	35.9	32.8-39.0	238	18.1	15.4-20.8	23	1.6	0.8-02.4	237	15.7	13.3-18.1	450	28.7	25.6-31.8	
Female	2018	348,159	1003	47.7	44.6-50.8	241	12.7	10.7-14.7	11	0.8	0.2-01.4	240	12.1	10.1-14.1	523	26.7	23.8-29.6	
White/Non-Hisp	2546	436,023	1273	46.3	43.6-49.0	288	13.4	11.4-15.4	25	1.2	0.6-01.8	291	12.5	10.5-14.5	669	26.6	24.1-29.1	
Black or Afr. Am./Non-Hisp	495	126,992	177	32.8	27.5-38.1	79	17.2	12.9-21.5	6	1.3	0.1-02.5	78	14.7	10.8-18.6	155	34.0	28.1-39.9	
Oth. Race/Non-Hisp.	110	23,356	48	44.1	31.9-56.3	14	12.6	04.8-20.4				14	13.2	03.8-22.6	34	30.1	19.1-41.1	
MultiRacial/Non-Hisp.	59	11,938	25	43.5	26.3-60.7	10	19.2	06.5-31.9	1	1.4	0.0-04.1	7	15.6	02.5-28.7	16	20.3	07.2-33.4	
Hispanic	314	50,498	84	30.2	22.9-37.5	74	24.3	17.6-31.0	2	1.5	0.0-03.5	76	22.5	16.8-28.2	78	21.5	15.8-27.2	
18-24	221	75,066	58	27.2	19.6-34.8	45	20.0	13.1-26.9	4	1.6	0.0-03.2	49	19.7	13.2-26.2	65	31.5	22.3-40.7	
25-34	383	106,321	86	24.9	19.2-30.6	88	23.1	17.0-29.2	7	2.2	0.2-04.2	73	17.5	12.6-22.4	129	32.2	25.9-38.5	
35-44	385	102,045	122	34.6	28.5-40.7	78	21.1	16.0-26.2	6	1.1	0.1-02.1	62	14.4	09.9-18.9	117	28.9	23.2-34.6	
45-54	578	108,832	259	45.7	40.2-51.2	76	11.1	08.2-14.0	9	2.1	0.5-03.7	73	13.0	09.3-16.7	161	28.2	22.9-33.5	
55-64	770	115,577	392	51.7	47.2-56.2	89	11.4	08.7-14.1	5	0.6	0.0-01.4	79	9.5	07.0-12.0	205	26.8	22.9-30.7	
65+	1241	152,474	713	56.3	52.8-59.8	98	9.6	07.4-11.8	3	0.1	0.0-00.3	135	11.5	09.1-13.9	292	22.3	19.4-25.2	
Less Than H.S.	346	79,960	122	35.4	28.3-42.5	83	25.8	18.7-32.9	5	2.5	0.0-05.0	63	16.7	11.6-21.8	73	19.6	13.5-25.7	
H.S. or G.E.D.	1103	202,534	458	37.9	34.2-41.6	182	17.5	14.4-20.6	12	0.9	0.3-01.5	167	15.4	12.5-18.3	284	28.3	24.4-32.2	
Some Post-H.S.	895	196,959	404	41.2	36.7-45.7	119	14.5	11.4-17.6	12	1.6	0.6-02.6	112	13.6	10.5-16.7	248	29.1	24.6-33.6	
College Graduate	1254	182,007	659	50.4	46.7-54.1	92	9.1	06.7-11.5	5	0.5	0.0-01.1	133	11.0	08.6-13.4	365	29.1	25.8-32.4	
Less than \$15,000	280	46,452	108	32.4	24.4-40.4	55	21.0	14.1-27.9	6	4.3	0.4-08.2	38	15.2	08.7-21.7	73	27.1	18.5-35.7	
\$15,000- 24,999	551	89,019	233	40.8	35.3-46.3	102	20.0	15.5-24.5	8	2.1	0.3-03.9	79	13.7	10.2-17.2	129	23.4	18.7-28.1	
\$25,000- 34,999	354	59,515	141	35.0	27.7-42.3	51	15.6	10.1-21.1	3	0.8	0.0-01.8	61	16.4	11.1-21.7	98	32.3	23.1-41.5	
\$35,000- 49,999	460	81,780	192	37.0	31.5-42.5	77	20.6	15.5-25.7	3	0.6	0.0-01.4	68	17.1	12.4-21.8	120	24.7	19.6-29.8	
\$50,000- 74,999	473	94,728	222	43.2	37.1-49.3	53	15.4	10.5-20.3	5	0.9	0.0-01.9	51	8.7	05.8-11.6	142	31.8	25.7-37.9	
\$75,000+	917	192,864	474	48.8	44.5-53.1	72	8.5	06.1-10.9	5	1.0	0.0-02.0	100	13.4	10.1-16.7	266	28.3	24.4-32.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 2: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never %	C.I. (95%)	1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED				N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1592	315,234	644	35.9	32.8-39.0	238	18.1	15.2-21.0	23	1.6	00.8-02.4	237	15.7	13.3-18.1	450	28.7	25.6-31.8
White/Non-Hisp	1113	203,304	492	39.1	35.4-42.8	141	16.0	12.5-19.5	17	1.8	00.8-02.8	161	16.2	13.3-19.1	302	26.8	23.3-30.3
Black or Afr. Am./Non-Hisp	189	59,056	58	26.8	19.0-34.6	33	18.1	11.2-25.0	3	0.9	00.0-02.1	29	13.9	08.0-19.8	66	40.3	30.5-50.1
Oth. Race/Non-Hisp.	70	15,964	26	39.0	24.1-53.9	11	15.8	05.0-26.6				11	17.4	04.3-30.5	22	27.9	15.0-40.8
Hispanic	146	23,113	39	30.7	20.7-40.7	38	28.7	18.1-39.3	2	3.2	00.0-07.5	29	17.5	10.2-24.8	38	19.9	12.1-27.7
18-24	129	39,730	29	18.3	11.0-25.6	29	24.6	15.0-34.2	3	2.4	00.0-05.3	26	21.9	12.7-31.1	42	32.9	22.3-43.5
25-34	171	52,306	36	25.7	16.7-34.7	41	25.6	15.6-35.6	5	2.7	00.0-05.4	33	15.9	09.6-22.2	56	30.0	20.6-39.4
35-44	181	49,884	53	27.9	20.1-35.7	45	27.8	19.8-35.8	3	0.8	00.0-01.8	32	15.8	08.9-22.7	48	27.7	19.5-35.9
45-54	264	51,126	99	38.4	30.4-46.4	40	13.4	08.5-18.3	5	2.9	00.2-05.6	35	13.5	08.0-19.0	85	31.8	23.6-40.0
55-64	324	54,402	146	43.2	36.5-49.9	44	13.7	09.0-18.4	5	1.4	00.0-03.2	39	13.2	08.5-17.9	90	28.6	22.5-34.7
65+	512	66,978	275	52.3	46.8-57.8	38	8.3	05.2-11.4	2	0.2	00.0-00.4	69	15.1	11.0-19.2	128	24.1	19.4-28.8
Less Than H.S.	160	38,327	58	34.2	24.2-44.2	42	27.7	16.3-39.1	4	3.2	00.0-06.5	25	14.6	07.5-21.7	31	20.4	10.6-30.2
H.S. or G.E.D.	493	102,755	173	28.7	23.6-33.8	104	20.6	15.9-25.3	8	0.9	00.1-01.7	73	16.2	11.7-20.7	135	33.6	27.5-39.7
Some Post-H.S.	369	88,314	144	34.9	28.6-41.2	47	17.7	12.0-23.4	7	2.4	00.4-04.4	63	17.8	12.7-22.9	108	27.3	21.2-33.4
College Graduate	564	84,530	266	45.8	40.3-51.3	44	11.3	07.2-15.4	4	1.0	00.0-02.2	75	13.5	09.8-17.2	175	28.4	23.7-33.1
Less than \$15,000	92	15,761	27	23.9	12.9-34.9	17	19.0	08.2-29.8	2	2.8	00.0-06.9	17	20.3	07.2-33.4	29	33.9	16.1-51.7
\$15,000- 24,999	241	41,458	93	35.4	27.6-43.2	49	21.8	14.9-28.7	6	4.0	00.5-07.5	33	14.8	09.1-20.5	60	24.1	17.0-31.2
\$25,000- 34,999	120	22,343	46	35.2	23.6-46.8	22	21.5	10.5-32.5	2	1.1	00.0-02.7	25	20.4	10.0-30.8	25	21.8	11.2-32.4
\$35,000- 49,999	210	38,441	75	31.2	23.4-39.0	38	22.4	14.4-30.4	3	1.2	00.0-02.8	35	20.1	12.3-27.9	59	25.0	17.9-32.1
\$50,000- 74,999	235	49,772	91	32.8	25.2-40.4	30	20.5	12.5-28.5	5	1.7	00.0-03.7	37	11.7	07.2-16.2	72	33.3	24.5-42.1
\$75,000+	476	101,936	228	44.4	38.5-50.3	45	10.7	07.2-14.2	3	1.2	00.0-02.6	56	14.9	10.6-19.2	144	28.8	23.5-34.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 3: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never	1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month			
	TOTAL	WEIGHTED		%	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2018	348,159	1003	47.7	44.6-50.8	241	12.7	10.7-14.7	11	0.8	0.2-01.4	240	12.1	10.1-14.1	523	26.7	23.8-29.6
White/Non-Hisp	1433	232,719	781	52.5	48.6-56.4	147	11.0	08.6-13.4	8	0.7	00.0-01.5	130	9.3	06.9-11.7	367	26.5	22.8-30.2
Black or Afr. Am./Non-Hisp	306	67,937	119	38.0	30.9-45.1	46	16.5	11.0-22.0	3	1.6	00.0-03.6	49	15.4	10.1-20.7	89	28.5	21.8-35.2
Hispanic	168	27,385	45	29.8	19.6-40.0	36	20.5	12.3-28.7				47	26.8	18.2-35.4	40	22.9	14.9-30.9
18-24	92	35,336	29	37.2	23.3-51.1	16	14.9	05.9-23.9	1	0.7	00.0-02.1	23	17.2	08.6-25.8	23	30.0	14.1-45.9
25-34	212	54,015	50	24.2	16.9-31.5	47	20.7	13.8-27.6	2	1.7	00.0-04.6	40	19.1	11.7-26.5	73	34.4	26.0-42.8
35-44	204	52,161	69	40.9	32.3-49.5	33	14.6	08.7-20.5	3	1.4	00.0-03.2	30	13.1	07.4-18.8	69	30.0	22.2-37.8
45-54	314	57,706	160	52.2	44.9-59.5	36	9.0	05.5-12.5	4	1.3	00.0-03.1	38	12.5	07.6-17.4	76	24.9	18.2-31.6
55-64	446	61,175	246	59.2	53.3-65.1	45	9.3	06.0-12.6				40	6.3	03.9-08.7	115	25.2	20.1-30.3
65+	729	85,496	438	59.5	54.8-64.2	60	10.7	07.6-13.8	1	0.1	00.0-00.3	66	8.8	06.1-11.5	164	20.9	17.2-24.6
Less Than H.S.	186	41,632	64	36.5	26.7-46.3	41	24.1	15.7-32.5	1	1.9	00.0-05.6	38	18.7	11.4-26.0	42	18.9	11.5-26.3
H.S. or G.E.D.	610	99,779	285	47.4	42.1-52.7	78	14.4	10.3-18.5	4	0.8	00.0-01.8	94	14.6	10.9-18.3	149	22.7	18.4-27.0
Some Post-H.S.	526	108,645	260	46.4	40.1-52.7	72	11.8	08.5-15.1	5	0.9	00.0-02.1	49	10.2	06.3-14.1	140	30.6	23.9-37.3
College Graduate	690	97,477	393	54.4	49.3-59.5	48	7.1	04.6-09.6	1	0.1	00.0-00.3	58	8.8	05.7-11.9	190	29.6	24.7-34.5
Less than \$15,000	188	30,691	81	36.8	26.6-47.0	38	22.0	13.4-30.6	4	5.0	00.0-10.7	21	12.5	05.6-19.4	44	23.7	14.9-32.5
\$15,000- 24,999	310	47,561	140	45.5	37.9-53.1	53	18.5	12.4-24.6	2	0.4	00.0-01.0	46	12.8	08.1-17.5	69	22.7	16.4-29.0
\$25,000- 34,999	234	37,172	95	34.8	25.6-44.0	29	12.0	06.5-17.5	1	0.6	00.0-01.8	36	14.0	08.3-19.7	73	38.6	26.3-50.9
\$35,000- 49,999	250	43,339	117	42.2	34.4-50.0	39	19.1	12.6-25.6				33	14.4	08.7-20.1	61	24.3	17.2-31.4
\$50,000- 74,999	238	44,956	131	54.8	46.0-63.6	23	9.7	05.0-14.4				14	5.3	01.6-09.0	70	30.2	21.8-38.6
\$75,000+	441	90,928	246	53.8	47.3-60.3	27	6.1	03.2-09.0	2	0.7	00.0-01.9	44	11.8	07.1-16.5	122	27.7	21.8-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 4: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3606	660,423	1997	50.7	48.3-53.1	443	13.6	12.0-15.2	25	0.8	0.4-01.2	384	11.2	09.8-12.6	757	23.7	21.5-25.9	
Male	1588	313,870	783	43.1	39.8-46.4	236	17.2	14.5-19.9	13	1.1	0.3-01.9	188	13.6	11.2-16.0	368	25.0	22.1-27.9	
Female	2018	346,553	1214	57.6	54.5-60.7	207	10.3	08.5-12.1	12	0.5	0.1-00.9	196	9.0	07.2-10.8	389	22.6	19.7-25.5	
White/Non-Hisp	2543	433,334	1549	56.5	53.8-59.2	267	11.7	09.9-13.5	18	0.6	0.2-01.0	215	9.4	07.6-11.2	494	21.8	19.3-24.3	
Black or Afr. Am./Non-Hisp	493	126,353	191	35.5	30.0-41.0	79	18.5	13.6-23.4	5	1.6	0.0-03.4	85	14.1	10.6-17.6	133	30.3	24.6-36.0	
Oth. Race/Non-Hisp.	109	23,536	56	49.6	37.4-61.8	13	11.0	02.6-19.4				12	10.9	03.8-18.0	28	28.5	17.3-39.7	
MultiRacial/Non-Hisp.	57	11,722	27	52.9	35.7-70.1	12	16.3	04.9-27.7				5	16.9	02.8-31.0	13	13.9	05.5-22.3	
Hispanic	316	50,917	123	39.6	32.3-46.9	62	17.1	12.2-22.0	2	0.9	0.0-02.5	60	19.1	12.8-25.4	69	23.3	16.8-29.8	
18-24	218	74,022	57	29.1	20.9-37.3	46	20.5	13.8-27.2	1	0.5	0.0-01.5	44	16.5	10.6-22.4	70	33.3	24.1-42.5	
25-34	382	104,985	109	29.5	23.2-35.8	78	19.8	14.1-25.5	8	2.1	0.3-03.9	73	19.2	13.7-24.7	114	29.4	23.3-35.5	
35-44	384	101,693	158	43.1	36.8-49.4	69	16.0	11.5-20.5	3	0.6	0.0-01.2	52	11.8	08.1-15.5	102	28.5	22.8-34.2	
45-54	578	108,571	313	53.1	47.6-58.6	74	13.2	09.7-16.7	6	1.2	0.0-02.8	53	8.5	05.8-11.2	132	24.1	19.0-29.2	
55-64	766	115,037	486	65.9	61.8-70.0	71	8.9	06.5-11.3	1	0.1	0.0-00.3	69	7.7	05.3-10.1	139	17.5	14.2-20.8	
65+	1247	153,123	856	67.5	64.2-70.8	102	8.2	06.2-10.2	6	0.4	0.0-00.8	89	7.3	05.3-09.3	194	16.6	13.9-19.3	
Less Than H.S.	353	80,153	172	50.4	43.0-57.8	70	19.9	13.8-26.0	4	0.9	0.0-02.1	50	13.1	08.6-17.6	57	15.6	10.7-20.5	
H.S. or G.E.D.	1098	201,257	561	47.7	43.8-51.6	149	14.3	11.6-17.0	11	0.7	0.1-01.3	139	12.5	09.8-15.2	238	24.8	21.1-28.5	
Some Post-H.S.	888	195,135	512	51.2	46.5-55.9	116	14.0	10.9-17.1	7	1.0	0.2-01.8	77	9.9	07.0-12.8	176	23.9	19.4-28.4	
College Graduate	1255	181,945	743	53.3	49.6-57.0	106	9.6	07.2-12.0	3	0.6	0.0-01.6	118	10.5	08.1-12.9	285	26.1	22.6-29.6	
Less than \$15,000	289	47,722	157	50.2	41.4-59.0	36	14.9	07.1-22.7	2	0.4	0.0-01.0	33	12.3	06.6-18.0	61	22.1	15.0-29.2	
\$15,000- 24,999	546	87,707	284	51.3	45.8-56.8	93	16.3	12.4-20.2	7	1.4	0.0-02.8	69	12.5	09.0-16.0	93	18.5	14.2-22.8	
\$25,000- 34,999	352	58,192	189	49.2	40.8-57.6	50	12.9	08.4-17.4				42	11.5	06.6-16.4	71	26.3	16.7-35.9	
\$35,000- 49,999	456	80,112	223	45.1	39.2-51.0	77	19.6	14.5-24.7	5	1.7	0.1-03.3	52	13.0	08.7-17.3	99	20.6	15.9-25.3	
\$50,000- 74,999	476	95,229	275	51.2	44.9-57.5	44	12.8	08.3-17.3	2	0.3	0.0-00.7	49	9.1	05.8-12.4	106	26.7	20.8-32.6	
\$75,000+	914	192,709	539	52.8	48.5-57.1	77	9.8	07.1-12.5	4	0.8	0.0-01.8	78	10.7	07.8-13.6	216	25.9	21.8-30.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 5: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1588	313,870	783	43.1	39.8-46.4	236	17.2	14.5-19.9	13	1.1	00.3-01.9	188	13.6	11.2-16.0	368	25.0	22.1-27.9	
White/Non-Hisp	1110	201,835	601	48.1	44.2-52.0	153	15.6	12.7-18.5	9	0.9	00.1-01.7	104	11.3	08.6-14.0	243	24.0	20.5-27.5	
Black or Afr. Am./Non-Hisp	186	58,654	58	27.7	19.7-35.7	35	23.1	14.5-31.7	3	2.0	00.0-04.9	37	17.3	11.0-23.6	53	29.9	20.9-38.9	
Oth. Race/Non-Hisp.	70	16,170	35	48.4	33.3-63.5	9	13.4	01.6-25.2				9	13.2	03.4-23.0	17	25.0	11.9-38.1	
Hispanic	148	23,502	50	30.9	21.7-40.1	27	18.4	10.6-26.2	1	1.7	00.0-04.8	32	27.1	16.3-37.9	38	22.0	13.6-30.4	
18-24	129	39,905	24	18.4	10.2-26.6	31	26.9	17.1-36.7	1	1.0	00.0-03.0	28	21.5	12.5-30.5	45	32.1	21.9-42.3	
25-34	170	51,473	41	23.7	14.3-33.1	37	23.4	14.0-32.8	3	2.1	00.0-04.6	36	21.5	13.5-29.5	53	29.4	20.4-38.4	
35-44	182	50,113	62	34.9	26.3-43.5	40	20.5	13.2-27.8	3	1.1	00.0-02.5	28	15.3	08.8-21.8	49	28.1	19.9-36.3	
45-54	263	50,696	125	41.2	33.4-49.0	40	15.4	09.9-20.9	4	2.1	00.0-05.4	26	10.5	05.8-15.2	68	30.8	22.2-39.4	
55-64	322	53,921	187	58.6	51.9-65.3	37	11.8	07.5-16.1				31	9.7	05.6-13.8	67	19.9	14.6-25.2	
65+	512	67,040	339	68.0	62.9-73.1	49	9.6	06.1-13.1	2	0.4	00.0-01.0	38	7.3	04.6-10.0	84	14.7	11.2-18.2	
Less Than H.S.	161	38,048	74	43.2	31.8-54.6	38	27.9	16.9-38.9	1	1.0	00.0-03.0	22	14.0	06.9-21.1	26	14.0	07.3-20.7	
H.S. or G.E.D.	490	101,823	227	41.6	35.7-47.5	80	17.1	12.8-21.4	6	1.1	00.1-02.1	67	15.3	10.8-19.8	110	24.9	19.2-30.6	
Some Post-H.S.	367	88,337	181	41.3	35.0-47.6	58	17.2	11.9-22.5	3	0.9	00.0-02.1	35	12.1	07.4-16.8	90	28.5	22.2-34.8	
College Graduate	564	84,355	297	46.0	40.7-51.3	58	12.6	08.3-16.9	3	1.3	00.0-03.5	64	13.3	09.6-17.0	142	26.8	21.9-31.7	
Less than \$15,000	94	16,239	49	38.8	24.9-52.7	12	23.0	04.4-41.6	1	0.8	00.0-02.4	13	19.8	06.7-32.9	19	17.5	07.3-27.7	
\$15,000- 24,999	239	40,557	116	45.2	37.2-53.2	44	17.8	11.5-24.1	2	1.9	00.0-04.4	27	13.2	07.3-19.1	50	21.9	15.0-28.8	
\$25,000- 34,999	120	22,270	58	44.6	32.1-57.1	20	17.1	08.3-25.9				16	15.2	04.8-25.6	26	23.0	12.2-33.8	
\$35,000- 49,999	208	37,812	89	41.6	33.0-50.2	46	24.9	17.1-32.7	2	0.9	00.0-02.5	22	13.4	06.1-20.7	49	19.1	12.8-25.4	
\$50,000- 74,999	235	49,903	117	41.5	33.1-49.9	25	14.5	07.8-21.2	2	0.6	00.0-01.4	32	12.1	06.6-17.6	59	31.3	22.5-40.1	
\$75,000+	474	101,643	247	43.6	37.9-49.3	55	14.0	09.5-18.5	4	1.5	00.0-03.5	50	14.2	09.9-18.5	118	26.7	21.2-32.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 8: SUGAR SWEETENED BEVERAGES**

**TABLE 6: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SUGAR-SWEETENED FRUIT DRINKS (SUCH AS KOOL-AID AND LEMONADE), SWEET TEA, AND SPORTS OR ENERGY DRINKS (SUCH AS GATORADE AND RED BULL)? DO NOT INCLUDE 100 PERCENT FRUIT JUICE, DIET DRINKS, OR ARTIFICIALLY SWEETENED DRINKS. (SSBFRUT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-5 Times per Day			6+ Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2018	346,553	1214	57.6	54.5-60.7	207	10.3	08.5-12.1	12	0.5	00.1-00.9	196	9.0	07.2-10.8	389	22.6	19.7-25.5	
White/Non-Hisp	1433	231,499	948	63.7	59.8-67.6	114	8.3	06.1-10.5	9	0.4	00.2-00.6	111	7.8	05.8-09.8	251	19.8	16.3-23.3	
Black or Afr. Am./Non-Hisp	307	67,700	133	42.3	35.0-49.6	44	14.4	09.7-19.1	2	1.3	00.0-03.1	48	11.4	07.5-15.3	80	30.6	23.5-37.7	
Hispanic	168	27,416	73	47.0	36.8-57.2	35	16.0	10.1-21.9	1	0.3	00.0-00.9	28	12.3	06.2-18.4	31	24.4	15.0-33.8	
18-24	89	34,117	33	41.6	26.9-56.3	15	12.9	05.3-20.5				16	10.7	04.2-17.2	25	34.7	18.6-50.8	
25-34	212	53,512	68	35.1	26.7-43.5	41	16.4	10.1-22.7	5	2.2	00.0-04.6	37	16.9	09.6-24.2	61	29.4	21.2-37.6	
35-44	202	51,580	96	51.1	42.5-59.7	29	11.6	06.3-16.9				24	8.4	04.5-12.3	53	28.9	20.9-36.9	
45-54	315	57,875	188	63.5	56.6-70.4	34	11.2	06.7-15.7	2	0.3	00.0-00.9	27	6.8	03.9-09.7	64	18.2	12.9-23.5	
55-64	444	61,115	299	72.2	67.1-77.3	34	6.3	03.9-08.7	1	0.1	00.0-00.3	38	6.0	03.6-08.4	72	15.3	11.2-19.4	
65+	735	86,083	517	67.1	62.6-71.6	53	7.1	04.7-09.5	4	0.4	00.0-01.0	51	7.3	04.8-09.8	110	18.0	13.9-22.1	
Less Than H.S.	192	42,104	98	56.9	47.5-66.3	32	12.7	07.6-17.8	3	0.9	00.0-02.1	28	12.4	06.5-18.3	31	17.2	10.1-24.3	
H.S. or G.E.D.	608	99,434	334	53.9	48.6-59.2	69	11.4	07.9-14.9	5	0.3	00.0-00.7	72	9.5	06.8-12.2	128	24.8	19.9-29.7	
Some Post-H.S.	521	106,799	331	59.3	52.6-66.0	58	11.4	07.7-15.1	4	1.0	00.0-02.2	42	8.0	04.5-11.5	86	20.2	13.7-26.7	
College Graduate	691	97,590	446	59.6	54.5-64.7	48	7.0	04.5-09.5				54	8.0	05.3-10.7	143	25.4	20.5-30.3	
Less than \$15,000	195	31,483	108	56.1	45.9-66.3	24	10.8	05.1-16.5	1	0.2	00.0-00.6	20	8.4	03.5-13.3	42	24.5	15.5-33.5	
\$15,000- 24,999	307	47,150	168	56.5	49.1-63.9	49	15.1	10.0-20.2	5	0.9	00.1-01.7	42	11.9	07.4-16.4	43	15.5	10.0-21.0	
\$25,000- 34,999	232	35,922	131	52.1	40.5-63.7	30	10.3	05.8-14.8				26	9.2	04.9-13.5	45	28.4	14.7-42.1	
\$35,000- 49,999	248	42,300	134	48.2	40.2-56.2	31	14.9	08.6-21.2	3	2.3	00.0-05.0	30	12.7	07.8-17.6	50	21.9	15.2-28.6	
\$50,000- 74,999	241	45,326	158	61.9	53.3-70.5	19	10.9	04.8-17.0				17	5.7	02.4-09.0	47	21.6	14.5-28.7	
\$75,000+	440	91,065	292	63.1	56.4-69.8	22	5.1	02.4-07.8				28	6.8	02.9-10.7	98	25.1	19.0-31.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1	MALES AND FEMALES	97
2	MALES ONLY	98
3	FEMALES ONLY	99
	DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4	MALES AND FEMALES	100
5	MALES ONLY	101
6	FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3509	647,499	3358	96.1	95.3-96.9	66	1.6	01.0-02.2	67	2.0	01.4-02.6	18	0.3	00.1-00.5
Male	1556	309,853	1485	95.4	94.0-96.8	36	2.0	01.0-03.0	26	2.2	01.2-03.2	9	0.4	00.0-00.8
Female	1953	337,646	1873	96.8	96.0-97.6	30	1.2	00.6-01.8	41	1.8	01.2-02.4	9	0.2	00.0-00.4
White/Non-Hisp	2520	431,666	2405	96.1	95.1-97.1	56	1.7	01.1-02.3	49	2.0	01.2-02.8	10	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	496	126,550	481	96.5	94.5-98.5	6	1.4	00.0-02.8	8	1.9	00.3-03.5	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	105	22,785	100	92.9	85.3-0100	3	5.2	00.0-12.3				2	1.9	00.0-05.2
MultiRacial/Non-Hisp.	59	11,938	56	94.4	87.1-0100	1	0.6	00.0-01.8	2	5.1	00.0-12.4			
Hispanic	259	42,016	248	97.0	94.8-99.2				6	1.8	00.0-03.8	5	1.2	00.0-02.4
18-24	214	74,300	204	96.4	93.9-98.9	1	0.2	00.0-00.6	7	3.2	00.7-05.7	2	0.2	00.0-00.6
25-34	362	101,641	335	93.8	91.1-96.5	7	1.6	00.2-03.0	19	4.5	02.1-06.9	1	0.1	00.0-00.3
35-44	364	97,648	351	96.3	93.9-98.7	3	0.9	00.0-02.1	10	2.8	00.8-04.8			
45-54	563	107,364	543	97.1	95.3-98.9	10	2.0	00.4-03.6	10	0.9	00.3-01.5			
55-64	761	113,494	721	95.6	93.8-97.4	26	3.2	01.4-05.0	9	0.8	00.2-01.4	5	0.5	00.1-00.9
65+	1222	150,561	1181	97.1	95.9-98.3	19	1.2	00.4-02.0	12	0.9	00.3-01.5	10	0.8	00.2-01.4
Less Than H.S.	302	72,154	291	97.6	95.8-99.4	1	0.5	00.0-01.5	3	0.9	00.0-02.1	7	1.0	00.0-02.0
H.S. or G.E.D.	1087	200,226	1048	96.7	95.3-98.1	17	1.5	00.5-02.5	17	1.5	00.7-02.3	5	0.3	00.1-00.5
Some Post-H.S.	882	195,306	845	95.8	94.0-97.6	15	1.7	00.5-02.9	20	2.3	01.1-03.5	2	0.2	00.0-00.6
College Graduate	1228	178,091	1164	95.2	93.6-96.8	33	2.0	01.2-02.8	27	2.7	01.3-04.1	4	0.1	00.0-00.3
Less than \$15,000	271	45,241	256	94.9	91.8-98.0	3	0.8	00.0-01.8	9	3.7	01.0-06.4	3	0.5	00.0-01.1
\$15,000- 24,999	519	84,566	494	95.9	93.9-97.9	11	1.5	00.3-02.7	10	1.9	00.5-03.3	4	0.6	00.0-01.4
\$25,000- 34,999	340	56,860	324	96.4	94.2-98.6	4	1.4	00.0-03.2	8	1.5	00.1-02.9	4	0.7	00.0-01.5
\$35,000- 49,999	455	80,166	434	96.9	95.3-98.5	9	1.0	00.2-01.8	10	1.8	00.6-03.0	2	0.3	00.0-00.7
\$50,000- 74,999	469	94,264	448	95.2	92.7-97.7	11	2.5	00.7-04.3	9	2.3	00.3-04.3	1	0.1	00.0-00.3
\$75,000+	908	191,419	871	95.8	94.0-97.6	23	2.3	01.1-03.5	13	1.7	00.5-02.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1556	309,853	1485	95.4	94.0-96.8	36	2.0	01.0-03.0	26	2.2	01.2-03.2	9	0.4	00.0-00.8
White/Non-Hisp	1105	202,109	1051	95.5	93.9-97.1	30	1.8	01.0-02.6	20	2.3	00.9-03.7	4	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	188	59,065	180	95.3	91.6-99.0	3	1.9	00.0-04.4	4	2.6	00.0-05.3	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	67	15,641	63	90.0	79.2-0100	3	7.5	00.0-17.5				1	2.4	00.0-07.1
Hispanic	126	20,224	123	98.6	97.0-0100							3	1.4	00.0-03.0
18-24	126	39,619	119	94.8	90.5-99.1				5	4.8	00.5-09.1	2	0.5	00.0-01.1
25-34	165	51,257	155	94.3	90.2-98.4	3	1.4	00.0-03.2	6	4.2	00.5-07.9	1	0.2	00.0-00.6
35-44	173	47,944	167	95.1	91.0-99.2	2	1.7	00.0-04.1	4	3.2	00.0-06.7			
45-54	255	50,058	246	96.3	93.2-99.4	6	2.9	00.0-05.8	3	0.8	00.0-01.8			
55-64	319	53,182	300	94.8	91.7-97.9	15	4.3	01.2-07.4	2	0.5	00.0-01.3	2	0.5	00.0-01.1
65+	509	67,067	489	96.6	94.6-98.6	10	1.2	00.4-02.0	6	0.9	00.0-01.9	4	1.3	00.0-02.7
Less Than H.S.	144	36,316	138	97.8	95.6-0100				1	0.5	00.0-01.5	5	1.7	00.0-03.5
H.S. or G.E.D.	483	100,682	467	96.6	94.4-98.8	7	1.7	00.1-03.3	7	1.5	00.3-02.7	2	0.2	00.0-00.6
Some Post-H.S.	365	87,760	348	94.4	91.3-97.5	9	2.3	00.1-04.5	7	2.8	00.4-05.2	1	0.4	00.0-01.2
College Graduate	558	83,787	526	93.9	91.2-96.6	20	2.8	01.4-04.2	11	3.2	00.7-05.7	1	0.2	00.0-00.6
Less than \$15,000	88	14,958	82	94.5	89.2-99.8	2	1.0	00.0-02.4	2	3.3	00.0-08.2	2	1.2	00.0-03.0
\$15,000- 24,999	224	39,213	210	95.0	91.7-98.3	8	2.6	00.2-05.0	4	1.5	00.0-03.3	2	1.0	00.0-02.6
\$25,000- 34,999	115	21,105	110	97.0	94.3-99.7	2	1.2	00.0-03.0	1	0.7	00.0-02.1	2	1.2	00.0-02.8
\$35,000- 49,999	212	38,673	207	98.4	97.0-99.8	4	1.2	00.0-02.4	1	0.4	00.0-01.2			
\$50,000- 74,999	233	49,590	220	92.7	88.0-97.4	5	3.1	00.2-06.0	7	4.0	00.3-07.7	1	0.2	00.0-00.6
\$75,000+	472	101,481	451	94.5	91.6-97.4	12	2.5	00.5-04.5	8	2.7	00.5-04.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1953	337,646	1873	96.8	96.0-97.6	30	1.2	00.6-01.8	41	1.8	01.2-02.4	9	0.2	00.0-00.4
White/Non-Hisp	1415	229,558	1354	96.6	95.6-97.6	26	1.5	00.7-02.3	29	1.7	00.9-02.5	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	308	67,485	301	97.6	95.6-99.6	3	1.0	00.0-02.4	4	1.4	00.0-02.8			
Hispanic	133	21,792	125	95.5	91.6-99.4				6	3.6	00.1-07.1	2	1.0	00.0-02.6
18-24	88	34,680	85	98.1	95.9-0100	1	0.5	00.0-01.5	2	1.4	00.0-03.4			
25-34	197	50,384	180	93.4	89.9-96.9	4	1.8	00.0-03.8	13	4.9	02.0-07.8			
35-44	191	49,704	184	97.5	95.3-99.7	1	0.1	00.0-00.3	6	2.4	00.2-04.6			
45-54	308	57,306	297	97.8	96.2-99.4	4	1.3	00.0-02.7	7	0.9	00.1-01.7			
55-64	442	60,313	421	96.4	94.4-98.4	11	2.2	00.6-03.8	7	1.0	00.0-02.0	3	0.5	00.0-01.1
65+	713	83,494	692	97.5	96.1-98.9	9	1.2	00.2-02.2	6	0.8	00.0-01.6	6	0.4	00.0-00.8
Less Than H.S.	158	35,838	153	97.5	94.8-0100	1	1.0	00.0-03.0	2	1.2	00.0-03.2	2	0.3	00.0-00.7
H.S. or G.E.D.	604	99,544	581	96.8	95.2-98.4	10	1.4	00.2-02.6	10	1.4	00.4-02.4	3	0.3	00.0-00.7
Some Post-H.S.	517	107,545	497	97.0	95.4-98.6	6	1.1	00.1-02.1	13	1.8	00.6-03.0	1	0.0	00.0-00.0
College Graduate	670	94,304	638	96.3	94.7-97.9	13	1.3	00.5-02.1	16	2.2	01.0-03.4	3	0.1	00.0-00.3
Less than \$15,000	183	30,283	174	95.2	91.5-98.9	1	0.7	00.0-02.1	7	3.9	00.6-07.2	1	0.2	00.0-00.6
\$15,000- 24,999	295	45,353	284	96.8	94.4-99.2	3	0.7	00.0-01.5	6	2.3	00.1-04.5	2	0.3	00.0-00.7
\$25,000- 34,999	225	35,755	214	96.1	93.0-99.2	2	1.5	00.0-03.9	7	2.0	00.0-04.0	2	0.4	00.0-01.0
\$35,000- 49,999	243	41,493	227	95.6	93.1-98.1	5	0.9	00.1-01.7	9	3.0	00.8-05.2	2	0.5	00.0-01.3
\$50,000- 74,999	236	44,674	228	97.9	95.9-99.9	6	1.8	00.0-03.6	2	0.4	00.0-01.0			
\$75,000+	436	89,938	420	97.3	95.7-98.9	11	2.0	00.6-03.4	5	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3585	657,942	4	0.1	00.0-00.3	6	0.1	00.1-00.1	2	0.1	00.1-00.1	3573	99.7	99.5-99.9
Male	1574	312,232	3	0.2	00.0-00.6	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1567	99.6	99.2-0100
Female	2011	345,710	1	0.0	00.0-00.0	4	0.1	00.0-00.3				2006	99.9	99.7-0100
White/Non-Hisp	2537	433,768	4	0.2	00.0-00.4	5	0.1	00.0-00.3	2	0.1	00.0-00.3	2526	99.6	99.2-0100
Black or Afr. Am./Non-Hisp	502	127,094				1	0.0	00.0-00.0				501	100.0	0100-0100
Oth. Race/Non-Hisp.	108	23,057										108	100.0	0100-0100
MultiRacial/Non-Hisp.	59	11,938										59	100.0	0100-0100
Hispanic	300	48,453										300	100.0	0100-0100
18-24	223	75,665										223	100.0	0100-0100
25-34	376	103,712										376	100.0	0100-0100
35-44	376	100,037										376	100.0	0100-0100
45-54	573	108,940	1	0.1	00.0-00.3							572	99.9	99.7-0100
55-64	765	113,542				3	0.2	00.0-00.4	1	0.1	00.0-00.3	761	99.7	99.3-0100
65+	1246	153,348	3	0.4	00.0-01.0	3	0.3	00.0-00.7	1	0.2	00.0-00.6	1239	99.1	98.3-99.9
Less Than H.S.	339	78,962	1	0.7	00.0-02.1							338	99.3	97.9-0100
H.S. or G.E.D.	1104	202,247	1	0.0	00.0-00.0	3	0.2	00.0-00.4	1	0.0	00.0-00.0	1099	99.7	99.3-0100
Some Post-H.S.	887	195,434	1	0.0	00.0-00.0	2	0.1	00.1-00.1	1	0.1	00.0-00.3	883	99.8	99.4-0100
College Graduate	1244	179,439	1	0.1	00.0-00.3	1	0.0	00.0-00.0				1242	99.9	99.7-0100
Less than \$15,000	283	46,625				1	0.1	00.0-00.3				282	99.9	99.7-0100
\$15,000- 24,999	541	87,973	1	0.6	00.0-01.8	1	0.1	00.0-00.3				539	99.3	98.1-0100
\$25,000- 34,999	354	59,503										354	100.0	0100-0100
\$35,000- 49,999	465	82,514	1	0.1	00.0-00.3							464	99.9	99.7-0100
\$50,000- 74,999	475	95,086	1	0.0	00.0-00.0				1	0.3	00.0-00.9	473	99.7	99.1-0100
\$75,000+	908	190,631				2	0.2	00.0-00.4	1	0.1	00.0-00.3	905	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1574	312,232	3	0.2	00.0-00.6	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1567	99.6	99.2-0100
White/Non-Hisp	1110	202,708	3	0.4	00.0-01.0	2	0.1	00.0-00.3	2	0.2	00.0-00.4	1103	99.3	98.7-99.9
Black or Afr. Am./Non-Hisp	187	58,739										187	100.0	0100-0100
Oth. Race/Non-Hisp.	69	15,730										69	100.0	0100-0100
Hispanic	136	21,657										136	100.0	0100-0100
18-24	130	40,035										130	100.0	0100-0100
25-34	169	52,163										169	100.0	0100-0100
35-44	175	48,529										175	100.0	0100-0100
45-54	261	51,037	1	0.2	00.0-00.6							260	99.8	99.4-0100
55-64	318	52,517				1	0.3	00.0-00.9	1	0.2	00.0-00.6	316	99.6	99.0-0100
65+	512	67,225	2	0.9	00.0-02.5	1	0.1	00.0-00.3	1	0.4	00.0-01.2	508	98.6	96.8-0100
Less Than H.S.	156	38,266	1	1.4	00.0-03.9							155	98.6	96.1-0100
H.S. or G.E.D.	488	101,645	1	0.1	00.0-00.3	2	0.2	00.0-00.6	1	0.1	00.0-00.3	484	99.6	99.2-0100
Some Post-H.S.	364	87,424							1	0.3	00.0-00.9	363	99.7	99.1-0100
College Graduate	561	83,661	1	0.1	00.0-00.3							560	99.9	99.7-0100
Less than \$15,000	92	15,551										92	100.0	0100-0100
\$15,000- 24,999	234	40,723	1	1.3	00.0-03.8							233	98.7	96.2-0100
\$25,000- 34,999	119	22,241										119	100.0	0100-0100
\$35,000- 49,999	213	38,966	1	0.3	00.0-00.9							212	99.7	99.1-0100
\$50,000- 74,999	236	50,046							1	0.6	00.0-01.8	235	99.4	98.2-0100
\$75,000+	470	100,244				1	0.1	00.0-00.3	1	0.1	00.0-00.3	468	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2016  
 MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY  
 TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2011	345,710	1	0.0	00.0-00.0	4	0.1	00.0-00.3	2006	99.9	99.7-0100
White/Non-Hisp	1427	231,060	1	0.0	00.0-00.0	3	0.1	00.0-00.3	1423	99.8	99.6-0100
Black or Afr. Am./Non-Hisp	315	68,356				1	0.1	00.0-00.3	314	99.9	99.7-0100
Hispanic	164	26,796							164	100.0	0100-0100
18-24	93	35,630							93	100.0	0100-0100
25-34	207	51,549							207	100.0	0100-0100
35-44	201	51,508							201	100.0	0100-0100
45-54	312	57,903							312	100.0	0100-0100
55-64	447	61,025				2	0.1	00.0-00.3	445	99.9	99.7-0100
65+	734	86,123	1	0.1	00.0-00.3	2	0.3	00.0-00.9	731	99.6	99.0-0100
Less Than H.S.	183	40,696							183	100.0	0100-0100
H.S. or G.E.D.	616	100,602				1	0.2	00.0-00.6	615	99.8	99.4-0100
Some Post-H.S.	523	108,009	1	0.0	00.0-00.0	2	0.1	00.0-00.3	520	99.9	99.7-0100
College Graduate	683	95,778				1	0.0	00.0-00.0	682	100.0	0100-0100
Less than \$15,000	191	31,074				1	0.2	00.0-00.6	190	99.8	99.4-0100
\$15,000- 24,999	307	47,250				1	0.1	00.0-00.3	306	99.9	99.7-0100
\$25,000- 34,999	235	37,262							235	100.0	0100-0100
\$35,000- 49,999	252	43,549							252	100.0	0100-0100
\$50,000- 74,999	239	45,040	1	0.1	00.0-00.3				238	99.9	99.7-0100
\$75,000+	438	90,387				1	0.3	00.0-00.9	437	99.7	99.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2016**

End of Module Data Report