



2008 Delaware Youth Tobacco Survey

Weighted Frequency Tables

Public High Schools



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Tobacco Prevention and Control Program

Table 1. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ESMOKE -- Percent ever smoked cigarettes

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	48.1	50.6	45.7	39.6	43.6	47.5	67.1	50.8	42.2	51.5	46.9
95% CI	3.6	4.8	4.0	6.1	6.8	6.7	7.8	5.1	4.9	8.4	9.7
n	1,730	881	848	525	500	444	259	980	448	189	108

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 2. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CSMOKE -- Percent smoked cigarettes on 1 or more days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	17.3	17.9	16.6	14.4	14.7	15.7	26.6	21.9	9.3	11.9	23.2
95% CI	2.3	3.0	3.0	4.4	5.1	3.9	6.7	3.5	2.8	4.9	9.0
n	1,813	915	894	548	530	465	265	1,020	473	202	110

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 3. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable FSMOKER -- Percent smoked cigarettes on 20+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	7.4	6.6	8.2	4.7	6.8	6.2	13.7	10.2	2.9	2.4	13.6
95% CI	1.6	2.2	2.5	1.9	3.5	2.6	6.1	2.6	1.6	2.3	7.7
n	1,813	915	894	548	530	465	265	1,020	473	202	110

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 4. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ESLT -- Percent ever used smokeless tobacco (SLT)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	11.7	5.9	17.2	10.8	8.1	12.6	16.9	16.5	3.3	7.8	18.8
95% CI	2.0	1.7	3.4	4.0	3.7	5.0	4.9	2.8	1.6	3.8	9.4
n	1,834	916	913	543	535	479	271	1,028	479	201	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 5. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CSLT -- Percent of current users of smokeless tobacco (SLT) -- used
 smokeless tobacco (SLT) on 1+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	5.7	2.0	9.1	6.6	3.3	6.8	6.3	7.8	1.8	3.6	11.4
95% CI	1.3	1.2	2.2	2.9	2.1	3.0	3.8	1.9	1.2	2.6	7.7
n	1,827	913	909	544	533	475	269	1,027	479	196	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 6. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFSLT -- Percent who used smokeless tobacco (SLT) 20+ days of the past 30
 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	2.0	0.6	3.2	1.7	1.2	2.7	2.5	2.0	1.4	1.3	6.0
95% CI	0.6	0.5	1.1	1.2	1.0	1.6	1.7	0.8	1.1	1.2	4.4
n	1,827	913	909	544	533	475	269	1,027	479	196	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 7. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ECIGAR -- Percent who ever smoked a cigar

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	27.4	23.0	31.5	20.7	26.1	27.3	39.0	31.6	20.4	22.6	28.1
95% CI	2.7	3.8	3.2	4.4	4.7	4.5	6.1	3.4	3.8	6.0	8.9
n	1,836	916	916	550	533	479	269	1,032	483	199	111

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 8. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CCIGAR -- Percent current cigar smoker -- smoked a cigar 1+ days of the past
 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	12.2	9.9	14.3	9.4	11.7	11.3	17.8	13.2	10.2	8.9	16.7
95% CI	2.2	2.5	2.9	3.4	3.7	3.4	6.6	2.9	2.9	4.5	8.3
n	1,832	918	910	547	533	476	271	1,030	482	198	111

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 9. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFCIGAR -- Percent frequent cigar smoker -- smoked a cigar 20+ days of the
 past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	1.3	0.8	1.8	1.8	0.7	1.2	1.7	1.0	1.6	1.5	4.7
95% CI	0.6	0.7	1.0	1.4	0.8	1.1	1.4	0.7	1.2	1.8	4.6
n	1,832	918	910	547	533	476	271	1,030	482	198	111

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 10. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CPIPE -- Percent who smoked tobacco in a pipe 1+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	2.3	1.9	2.7	2.7	2.4	1.7	2.4	2.3	1.7	2.6	8.6
95% CI	0.7	0.9	1.0	1.5	1.7	1.2	1.5	1.0	1.2	2.2	4.9
n	1,837	919	915	549	532	478	274	1,031	482	201	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 11. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFPIPE -- Percent who smoked tobacco in a pipe 20+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	0.9	0.7	1.1	1.0	0.7	1.0	0.7	0.5	1.2	0.9	4.5
95% CI	0.4	0.5	0.7	0.9	0.8	0.9	0.7	0.4	1.1	1.3	3.6
n	1,837	919	915	549	532	478	274	1,031	482	201	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 12. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EBIDIS -- Percent ever smoked bidis

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	4.9	3.6	6.2	4.6	5.1	4.3	5.7	4.5	5.2	3.6	12.3
95% CI	0.9	1.3	1.5	1.5	2.0	1.7	2.3	1.3	1.9	3.2	7.4
n	1,829	917	909	543	531	477	274	1,026	484	196	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 13. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EKRETEKS -- Percent ever smoked kreteks

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	5.3	5.3	5.3	4.0	4.5	5.6	7.7	6.3	3.3	2.8	11.0
95% CI	1.3	1.7	1.6	2.0	2.9	2.4	3.0	1.8	1.5	2.4	7.0
n	1,829	917	909	543	531	477	274	1,026	484	196	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 14. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EBK -- Percent ever smoked bidis or kreteks

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	7.4	6.6	8.3	6.3	6.8	7.0	10.1	8.1	5.9	4.8	14.4
95% CI	1.3	1.9	1.8	2.1	2.8	2.4	2.7	1.8	1.9	3.8	7.5
n	1,829	917	909	543	531	477	274	1,026	484	196	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 15. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CBIDIS -- Percent smoked bidis on 1 or more days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	2.8	1.6	3.9	3.8	2.1	2.9	2.1	2.9	2.1	2.7	6.7
95% CI	0.8	1.0	1.2	1.6	1.5	1.5	2.1	1.1	1.4	2.9	4.3
n	1,829	917	910	547	529	477	273	1,026	483	199	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 16. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFBIDIS -- Percent smoked bidis on 20+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	0.7	0.5	0.8	0.8	0.5	0.6	0.8	0.7	0.4	0.5	3.6
95% CI	0.3	0.4	0.5	0.8	0.8	0.5	0.7	0.5	0.7	0.9	3.2
n	1,829	917	910	547	529	477	273	1,026	483	199	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 17. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ETOBUSE -- Percent ever tobacco use -- those who have ever used any form of
 tobacco

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	52.8	53.3	52.4	45.1	49.2	53.3	68.5	56.3	46.5	54.8	51.3
95% CI	3.4	4.6	4.0	6.3	6.3	6.8	8.0	4.5	4.6	7.6	9.9
n	1,866	931	930	559	543	481	277	1,042	491	206	115

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 18. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CTOBUSE -- Percent current tobacco use -- those who have use any form of
 tobacco in the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	25.0	22.6	27.1	22.6	22.4	22.9	34.0	29.9	16.8	19.6	28.7
95% CI	2.7	3.6	3.3	5.8	5.3	4.5	7.5	3.6	3.7	6.2	9.7
n	1,864	931	928	558	543	480	277	1,041	490	206	115

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 19. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE7 -- Percent of ever smokers who smoked first whole cigarette before age
 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	13.7	11.1	16.5	19.8	11.8	14.1	9.7	12.5	14.2	14.0	31.7
95% CI	2.2	3.0	3.4	5.4	3.7	4.1	4.1	2.6	5.1	6.6	11.1
n	806	423	383	210	216	209	169	472	190	94	46

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 20. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE8A -- Percent of ever smokers who smoked 100+ cigarettes in their
 lifetime

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	23.4	19.7	27.3	21.2	23.3	23.3	25.5	29.2	10.9	15.8	36.7
95% CI	3.8	4.8	5.5	6.5	7.4	7.0	9.4	5.4	4.5	7.2	16.5
n	806	420	386	210	216	209	169	474	190	94	46

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 21. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE9 -- Percent ever smoked daily

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	12.6	12.3	13.1	8.7	11.5	12.6	20.3	15.4	7.0	10.8	21.2
95% CI	1.9	2.6	2.7	2.7	4.1	3.3	6.1	2.9	2.2	5.2	7.9
n	1,855	926	925	554	542	479	275	1,040	487	203	115

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 22. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE11 -- Percent of current smokers who smoked 6+ cigarettes per day on the
 days they smoked

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	23.6	16.3	31.6	21.7	28.8	23.1	22.2	27.3	8.8	5.8	45.5
95% CI	5.3	6.3	8.3	8.5	9.7	11.5	11.4	6.8	9.2	11.0	21.1
n	290	153	136	80	71	72	66	203	41	21	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 23. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12A -- Percent of current smokers who smoked no usual brand during the
 past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	9.2	11.4	7.0	9.4	8.8	13.1	7.1	10.3	4.2	5.8	8.7
95% CI	3.4	5.5	3.9	6.3	6.4	6.5	5.7	4.1	5.9	11.0	11.9
n	285	150	134	77	71	71	65	199	41	21	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 24. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12B -- Percent of current smokers who smoked Camel during the past 30
 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	5.3	3.2	7.7	5.4	3.1	7.6	5.6	7.2	0.0	0.0	3.4
95% CI	2.6	2.6	5.0	4.8	3.8	6.0	5.9	3.5	0.0	0.0	6.6
n	285	150	134	77	71	71	65	199	41	21	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 25. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12C -- Percent of current smokers who smoked Marlboro during the past 30
 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	42.4	37.8	47.7	20.3	35.5	48.3	61.6	49.2	16.0	25.5	57.8
95% CI	6.1	8.7	10.6	8.3	11.3	10.8	10.8	7.0	11.3	17.9	22.5
n	285	150	134	77	71	71	65	199	41	21	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 26. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12D -- Percent of current smokers who smoked Newport during the past 30
 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	37.7	43.7	31.9	56.9	49.9	25.9	22.1	28.8	75.7	55.9	26.0
95% CI	6.8	8.5	9.1	8.0	11.6	11.7	11.0	6.9	12.5	23.2	19.7
n	285	150	134	77	71	71	65	199	41	21	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 27. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12E -- Percent of current smokers who smoked other brands during the
 past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	5.3	3.8	5.8	7.9	2.8	5.0	3.6	4.4	4.1	12.9	4.1
95% CI	2.7	2.5	4.6	6.2	3.4	4.4	4.9	2.7	7.5	14.7	8.0
n	285	150	134	77	71	71	65	199	41	21	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 28. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE18A -- Percent who smoked cigarettes on school property during the past
 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	6.9	7.1	6.6	6.2	6.0	5.4	10.6	8.1	4.1	5.1	16.1
95% CI	1.4	2.1	2.0	2.6	3.6	2.4	4.0	2.2	1.8	3.3	7.7
n	1,828	911	913	545	534	474	270	1,027	477	203	112

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 29. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE21A -- Percent who want to stop smoking cigarettes

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	57.7	59.9	55.4	44.5	61.3	47.7	71.2	57.7	63.7	57.5	44.9
95% CI	6.8	9.1	9.0	12.5	17.2	13.6	11.5	8.2	15.7	21.3	22.3
n	251	129	122	71	64	57	59	168	36	21	24

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 30. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE21B -- Percent of current smokers who want to stop smoking cigarettes

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	56.3	60.9	51.3	41.7	59.3	47.6	71.1	56.8	62.9	53.1	38.9
95% CI	7.4	9.6	10.1	13.5	19.4	12.9	11.7	8.4	18.3	19.9	21.7
n	217	117	100	65	54	48	50	150	28	17	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 31. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE24 -- Percent of current smokers who, when they last tried to quit,
 stayed off cigarettes for less than 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	39.8	40.3	39.8	45.2	42.0	36.8	36.5	43.7	29.9	31.7	30.3
95% CI	6.2	8.3	9.1	13.2	11.9	11.3	14.9	7.1	14.4	20.9	20.6
n	271	146	124	76	66	68	60	188	39	19	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 32. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE26 -- Percent of ever SLT users who first used SLT before age 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	13.5	12.5	13.5	18.0	22.0	10.6	6.2	10.3	40.2	10.8	28.8
95% CI	5.1	8.0	5.9	10.0	9.7	10.6	6.6	4.7	32.5	14.5	20.8
n	205	55	149	57	46	62	40	159	13	15	17

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 33. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE28 -- Percent who used SLT on school property during the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	4.2	2.0	6.3	4.8	1.9	4.5	6.1	5.2	1.8	3.7	11.9
95% CI	1.2	1.0	1.8	2.4	1.4	2.4	3.5	1.6	1.2	2.6	7.2
n	1,834	920	911	549	534	475	272	1,031	483	196	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 34. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE31 -- Percent of ever cigar smokers who smoked their first cigar before
 age 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	8.5	7.1	9.6	13.5	7.2	7.1	6.8	7.4	11.6	9.4	9.2
95% CI	2.5	3.6	3.6	6.4	5.0	4.8	4.4	2.9	6.6	8.5	9.9
n	477	198	278	112	135	130	98	310	92	44	26

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 35. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE37 -- Percent who have never smoked who will not try a cigarette soon

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	98.1	97.7	98.5	97.7	98.4	97.2	100.0	98.1	98.6	95.7	98.6
95% CI	1.0	1.7	1.3	1.8	1.9	2.3	0.0	1.4	1.6	3.9	2.8
n	905	452	452	306	277	233	89	500	253	90	61

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 36. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE38 -- Percent who have never smoked who will definitely not smoke
 cigarettes during the next year

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	87.2	85.9	88.3	86.7	85.4	90.1	87.7	84.6	92.6	82.1	83.3
95% CI	2.5	3.8	3.2	4.8	3.5	3.5	7.7	3.6	3.3	7.9	7.7
n	913	456	456	310	279	235	89	503	256	91	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 37. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE40 -- Percent who have never smoked who will definitely not smoke if one
 of their best friends offered them a cigarette

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	88.2	88.8	87.7	86.8	87.4	90.2	90.3	85.4	93.5	85.9	83.0
95% CI	2.2	3.1	3.1	3.9	3.5	3.7	7.4	3.4	3.6	7.3	7.0
n	913	456	456	310	279	235	89	502	257	91	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 38. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41A -- Percent who have discussed with parent (or guardian) about the
 dangers of tobacco use, in the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	62.7	63.2	62.2	69.3	65.9	57.6	54.4	65.4	57.4	68.0	56.8
95% CI	2.7	3.3	3.6	4.5	2.7	6.5	5.6	3.6	5.0	6.6	8.3
n	1,839	921	915	548	532	479	276	1,030	487	199	115

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 39. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41B -- Percent of current smokers who have discussed with parent (or
 guardian) about the dangers of tobacco use, in the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	67.8	68.3	67.3	65.2	72.1	72.8	63.6	64.3	78.9	81.0	65.9
95% CI	5.9	8.3	8.0	10.5	8.8	11.3	13.7	8.0	11.1	16.0	23.0
n	288	151	137	78	72	72	66	202	42	21	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 40. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41C -- Percent who have never smoked who have discussed with parent (or
 guardian) about the dangers of tobacco use, in the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	63.8	65.0	62.8	72.5	65.2	57.4	48.3	67.8	58.9	66.3	44.7
95% CI	3.8	4.7	5.4	5.8	4.5	9.3	9.9	4.9	6.3	10.2	11.9
n	910	454	455	307	279	235	89	501	257	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 41. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43A -- Percent who think young people who smoke cigarettes have more
 friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	20.1	17.3	22.7	24.0	20.0	16.4	18.6	14.8	28.2	24.1	22.2
95% CI	2.3	3.0	3.3	4.9	4.4	3.5	5.8	2.6	3.9	6.3	8.5
n	1,818	906	909	541	527	475	271	1,017	481	197	115

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 42. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43B -- Percent of current smokers who think young people who smoke
 cigarettes have more friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	36.1	29.3	43.2	45.9	41.5	32.5	26.3	29.3	59.3	38.4	39.5
95% CI	6.3	8.0	9.7	12.6	15.6	10.8	12.4	7.3	15.7	24.2	23.1
n	283	149	134	78	70	71	64	196	42	21	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 43. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43C -- Percent who have never smoked who think young people who smoke
 cigarettes have more friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	14.9	12.1	17.4	17.9	14.5	12.6	11.4	8.6	23.1	22.5	14.9
95% CI	2.7	3.0	3.6	5.6	5.1	5.0	5.9	2.6	5.5	10.2	10.1
n	903	449	453	305	277	233	88	497	255	88	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 44. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44A -- Percent who think smoking cigarettes makes young people look cool
 or fit in

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	10.1	8.5	11.6	12.8	8.9	7.8	10.4	8.8	12.0	11.0	15.5
95% CI	1.4	1.5	2.2	3.2	2.5	2.3	3.1	1.6	3.3	4.8	7.3
n	1,833	916	914	546	531	478	274	1,028	485	198	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 45. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44B -- Percent of current smokers who think smoking cigarettes makes
 young people look cool or fit in

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	19.4	15.8	23.2	30.0	21.1	18.6	10.2	17.2	30.0	4.6	33.0
95% CI	4.5	6.1	7.5	8.0	11.7	8.7	5.3	5.1	11.7	9.0	24.4
n	286	150	136	78	72	71	65	199	42	21	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 46. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44C -- Percent who have never smoked who think smoking cigarettes makes
 young people look cool or fit in

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	6.6	5.5	7.4	6.8	5.5	6.9	7.7	5.9	7.2	9.0	6.4
95% CI	1.5	1.9	2.1	3.2	2.1	2.7	5.2	2.0	3.5	5.8	6.3
n	910	455	454	308	280	234	88	501	256	90	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 47. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE45A -- Percent of current smokers who think young people risk harming
 themselves if they smoke between 1 and 5 cigarettes per day

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	86.7	88.8	84.5	85.3	82.8	90.4	88.3	88.8	83.8	81.4	67.6
95% CI	3.5	5.2	5.3	8.1	7.5	6.7	5.9	4.3	11.4	16.3	25.0
n	289	152	137	78	73	72	66	202	42	21	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 48. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE45B -- Percent who have never smoked who think young people risk harming
 themselves if they smoke between 1 and 5 cigarettes per day

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	95.4	97.0	93.9	93.3	96.7	98.4	92.9	97.4	92.6	94.4	94.1
95% CI	2.1	1.8	3.3	4.9	2.0	1.6	6.9	1.6	4.1	6.7	6.9
n	911	455	455	307	280	235	89	502	257	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 49. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE46A -- Percent of current smokers who think it is safe to smoke a year
 or two, as long as you quit after that

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	35.5	24.9	46.9	28.1	33.4	36.5	42.0	33.9	46.9	9.0	51.4
95% CI	5.7	6.7	8.0	13.1	9.8	9.3	11.9	6.3	14.0	12.3	27.4
n	284	151	133	74	73	72	65	200	41	20	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 50. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE46B -- Percent who have never smoked who think it is safe to smoke a
 year or two, as long as you quit after that

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	6.7	4.6	8.4	10.6	4.9	4.7	3.4	5.7	7.7	10.0	4.7
95% CI	2.0	2.3	2.9	4.2	2.3	2.7	3.5	2.4	3.7	6.7	5.3
n	903	453	449	303	279	232	89	500	253	88	61

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 51. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE47A -- Percent of current smokers who think they would be able to quit
 cigarette smoking now if they wanted to

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	77.3	77.6	77.0	68.6	75.2	74.8	86.6	77.0	76.0	92.2	69.6
95% CI	5.2	9.5	6.9	14.3	11.0	8.3	9.0	6.3	16.3	14.5	19.0
n	225	116	109	60	58	53	54	157	31	16	20

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 52. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE47B -- Percent of frequent smokers who think they would be able to quit
 cigarette smoking now if they wanted to

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	64.9	62.2	67.0	51.4	67.7	48.0	77.6	66.0	55.9	72.2	62.6
95% CI	7.2	17.1	11.5	21.6	16.2	15.3	12.3	8.2	30.0	45.4	25.2
n	114	51	63	23	33	27	31	85	12	4	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 53. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE48A -- Percent who have ever participated in a program to help quit
 using tobacco

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	8.2	7.9	8.4	11.5	7.3	5.7	7.7	8.1	6.2	8.7	22.3
95% CI	2.4	3.3	3.4	5.0	4.2	3.8	4.6	2.8	3.6	7.0	13.3
n	607	298	308	156	166	158	126	364	141	57	42

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 54. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE48B -- Percent of current smokers who have ever participated in a
 program to help quit using tobacco

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	8.2	7.3	9.2	15.0	5.1	4.7	7.9	8.2	2.5	21.2	18.5
95% CI	3.6	4.3	5.4	8.9	5.8	5.3	7.9	3.9	4.7	20.4	19.0
n	259	136	123	64	67	69	59	185	36	15	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 55. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE49 -- Percent who at school this year were taught about the dangers of
 tobacco use

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	35.8	35.2	36.5	55.3	32.6	28.5	19.7	33.1	40.1	39.3	36.9
95% CI	4.3	4.6	5.3	8.3	4.3	6.0	5.6	5.4	5.9	7.9	10.1
n	1,831	919	909	541	535	480	271	1,030	480	198	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 56. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE50 -- Percent who at school this year practiced ways to say 'NO' to
 tobacco

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	17.7	18.3	17.1	30.6	15.0	11.8	8.6	15.0	20.8	22.1	24.1
95% CI	3.0	3.7	3.6	5.9	3.6	2.7	3.3	3.6	4.3	7.5	9.1
n	1,828	920	905	539	535	480	270	1,028	477	199	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 57. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51A -- Percent who participated in any community event to discourage
 people for using tobacco during the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	9.5	9.9	8.9	10.5	9.8	8.8	8.1	9.1	9.6	7.2	19.3
95% CI	1.8	2.4	2.2	3.5	2.9	4.3	4.2	2.6	2.9	4.3	8.4
n	1,437	718	717	398	424	391	222	825	375	147	84

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 58. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51B -- Percent of current tobacco users who participated in any
 community event to discourage people for using tobacco during the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	8.1	9.5	6.9	15.1	6.7	5.7	5.3	6.2	9.8	10.2	32.7
95% CI	2.7	4.1	3.4	7.5	4.3	5.0	4.2	2.5	8.0	11.3	19.3
n	374	172	201	95	100	100	79	254	65	29	24

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 59. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51C -- Percent who have never used tobacco who participated in any
 community event to discourage people from using tobacco during the past 12 months

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	9.8	10.1	9.3	8.3	9.4	11.2	11.1	10.4	8.8	7.6	12.9
95% CI	2.3	3.1	3.5	3.9	3.8	5.9	8.9	3.7	4.3	6.2	11.4
n	660	333	326	214	204	172	69	353	197	64	43

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 60. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE52 -- Percent who have seen or heard anti-smoking commercials during the
 past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	82.1	82.7	81.6	79.0	81.8	85.4	83.8	83.4	81.0	79.2	76.6
95% CI	2.1	2.9	2.5	3.4	3.3	3.8	4.7	2.6	3.6	5.8	7.8
n	1,817	915	899	537	536	474	266	1,025	473	197	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 61. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE53 -- Percent who watch TV or movies who see actors using tobacco (most
 or some of the time)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	86.9	87.4	86.4	84.6	86.2	89.5	88.1	87.4	86.2	90.3	81.9
95% CI	1.9	2.1	2.5	3.8	3.3	3.2	4.7	2.3	3.4	4.1	7.4
n	1,774	905	867	521	523	466	260	999	466	192	107

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 62. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE55 -- Percent who use the Internet and see Internet ads for tobacco
 products (most or some of the time)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	43.4	43.0	43.7	43.5	45.6	42.4	41.3	41.1	46.8	48.3	44.1
95% CI	2.8	3.8	3.7	6.2	4.1	4.8	7.7	3.5	4.8	7.5	10.7
n	1,759	892	865	515	517	463	260	999	455	188	107

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 63. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE5355 -- Percent who use the Internet, watch TV, or go to movies who see
 (most or some of the time) ads for tobacco products

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	88.7	89.8	87.6	86.6	88.6	91.2	89.2	88.7	89.2	90.1	85.2
95% CI	1.7	1.9	2.3	3.3	2.4	2.6	4.9	2.2	2.9	4.1	6.7
n	1,804	912	890	529	531	473	267	1,017	470	196	111

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 64. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE57A -- Percent of current tobacco users who would ever use or wear
 anything with a tobacco company name or picture on it

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	49.0	44.3	53.2	47.8	50.7	51.6	47.2	53.2	35.3	44.2	64.3
95% CI	5.9	7.8	7.9	11.9	11.3	11.2	12.3	6.9	11.9	15.8	18.6
n	429	194	233	117	118	109	84	287	75	35	28

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 65. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE57B -- Percent of never tobacco users who would ever use or wear
 anything with a tobacco company name or picture on it

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	14.4	10.1	18.6	11.7	19.5	12.7	13.8	17.8	8.8	18.7	9.8
95% CI	2.8	3.0	4.1	3.9	5.5	4.6	8.5	3.8	4.3	7.4	7.3
n	879	451	425	294	269	225	88	468	253	92	60

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 66. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567A -- Percent who are receptive to tobacco advertising

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	1,814	912	897	536	529	475	268	1,020	473	197	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 67. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567B -- Percent of current tobacco users who are receptive to tobacco
 advertising

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	429	194	233	117	118	109	84	287	75	35	28

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 68. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567C -- Percent who have never used tobacco who are receptive to tobacco
 advertising

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	879	451	425	294	269	225	88	468	253	92	60

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 69. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE58A -- Percent of current smokers who were in the same room with someone
 who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	88.3	91.9	84.4	85.3	80.1	93.9	92.9	90.8	77.1	86.2	88.8
95% CI	4.2	4.4	7.1	8.0	10.5	6.0	7.4	3.9	15.0	14.2	12.2
n	279	150	129	72	72	71	64	198	39	19	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 70. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE58B -- Percent who have never smoked who were in the same room with
 someone who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	38.7	39.5	37.9	35.6	41.5	39.0	40.2	42.1	32.5	49.2	27.1
95% CI	3.8	4.5	5.1	6.0	6.6	7.4	13.7	5.0	6.4	10.1	10.3
n	895	448	446	300	279	229	87	494	249	90	61

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 71. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE59A -- Percent of current smokers who rode in a car with someone who was
 smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	82.6	85.7	79.2	78.5	78.8	85.9	86.3	87.5	66.0	62.5	81.6
95% CI	4.8	5.4	7.8	10.3	11.1	6.9	8.8	4.3	16.9	23.9	17.1
n	280	150	130	72	73	71	64	198	39	20	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 72. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE59B -- Percent who have never smoked who rode in a car with someone who
 was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	23.9	25.6	22.3	25.6	29.1	17.2	19.6	25.3	22.1	30.2	9.9
95% CI	3.1	4.6	4.2	6.0	6.1	4.1	6.0	4.6	4.7	9.9	7.7
n	898	448	449	302	279	230	87	497	249	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 73. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE5859 -- Percent who rode in a car or were in the same room with someone
 who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	59.3	60.8	57.7	54.9	61.4	60.2	62.0	63.6	51.8	60.2	51.9
95% CI	2.7	3.2	3.3	4.9	5.9	6.9	7.5	3.7	4.7	6.1	8.9
n	1,831	917	910	544	537	475	270	1,030	476	201	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 74. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60A -- Percent who definitely or probably think smoke from other
 people's cigarettes is harmful to them

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	93.6	94.8	92.4	91.8	93.6	94.7	94.9	95.5	92.1	89.3	86.9
95% CI	1.4	1.5	2.0	3.3	2.4	1.8	2.7	1.4	2.7	5.0	6.2
n	1,796	909	886	528	529	470	267	1,014	467	195	113

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 75. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60B -- Percent of current smokers who definitely or probably think smoke
 from other people's cigarettes is harmful to them

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	88.5	90.6	86.2	81.6	88.5	86.4	94.9	92.4	80.9	79.1	74.9
95% CI	4.1	4.5	5.8	9.5	7.7	6.3	6.2	4.1	13.4	16.7	16.4
n	278	149	129	71	73	71	63	197	38	20	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 76. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60C -- Percent who have never smoked who definitely or probably think
 smoke from other people's cigarettes is harmful to them

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	95.8	96.8	94.9	95.3	96.1	95.3	97.5	97.0	94.9	93.4	90.2
95% CI	1.5	1.6	2.7	3.2	2.7	3.3	3.0	1.6	2.8	5.6	8.0
n	899	451	447	303	279	230	87	498	249	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 77. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE61A -- Percent of current smokers who live with someone who currently
 smokes cigarettes

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	63.6	63.7	63.5	60.9	65.6	69.4	60.2	66.4	63.9	26.6	68.3
95% CI	6.3	7.6	8.5	11.2	11.9	16.1	11.2	7.5	16.8	19.5	25.2
n	278	149	129	71	73	71	63	197	38	20	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 78. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE61B -- Percent who have never smoked who live with someone who currently
 smokes cigarettes

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	28.4	28.4	28.4	29.4	30.9	24.4	27.1	30.9	24.0	36.7	17.9
95% CI	3.1	4.3	4.5	5.7	6.2	4.7	11.2	4.4	5.6	11.1	9.4
n	898	449	448	301	279	231	87	496	250	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 79. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE62A -- Percent of current SLT users who live with someone who uses SLT

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	41.3	49.4	39.8	41.3	39.6	32.1	52.3	42.3	16.7	13.4	70.1
95% CI	10.2	24.2	11.7	17.1	23.2	20.3	25.2	11.4	29.6	24.5	26.5
n	98	21	76	33	20	30	15	73	7	7	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 80. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE62B -- Percent who have never used SLT who live with someone who uses
 SLT

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	5.5	5.4	5.6	5.3	6.1	4.0	6.8	7.5	2.5	2.3	10.7
95% CI	1.1	1.5	1.7	2.4	2.3	1.9	2.3	1.7	1.5	2.2	6.9
n	1,570	842	728	464	477	408	219	850	440	177	96

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 81. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63A -- Percent of current smokers with one or more smokers among their
 four closest friends (with "Not sure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	90.5	93.2	87.6	86.4	91.6	92.3	91.5	93.5	82.0	80.7	80.9
95% CI	4.2	4.1	7.3	8.3	7.4	9.7	6.9	4.1	13.9	15.3	17.1
n	276	148	128	69	73	71	63	196	37	20	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 82. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63B -- Percent who have never smoked with one or more smokers among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	33.5	33.8	33.1	29.3	36.4	31.9	40.7	33.4	32.0	49.5	18.4
95% CI	3.4	4.3	4.9	5.6	6.3	6.6	15.0	4.5	5.4	10.2	9.3
n	897	451	445	301	278	231	87	497	248	89	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 83. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64A -- Percent of current SLT users with one or more SLT users among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	86.6	94.7	84.8	92.7	89.9	81.5	82.1	86.7	68.7	88.9	100.0
95% CI	6.3	10.5	7.3	8.9	12.8	12.9	21.1	7.3	36.7	21.9	0.0
n	97	20	76	31	20	32	14	73	6	7	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 84. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64B -- Percent of current tobacco users with one or more SLT users among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	41.0	26.6	52.4	54.8	34.8	39.6	35.0	44.8	25.2	34.9	67.5
95% CI	5.7	8.3	6.6	12.7	12.1	10.2	11.7	6.6	9.7	14.7	20.5
n	418	187	230	112	117	106	83	280	72	36	29

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 85. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64C -- Percent who have never used SLT who have one or more SLT users
 among their four closest friends (with "Not sure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	18.4	15.4	21.7	20.3	18.1	17.8	16.1	21.3	12.9	22.1	18.5
95% CI	2.3	2.4	3.6	4.5	4.2	4.2	7.0	3.0	3.9	5.7	7.9
n	1,579	845	731	464	478	410	222	850	443	181	96

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 86. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE7_1 -- Percent who smoked first whole cigarette before age 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	6.3	5.4	7.2	7.5	4.8	6.4	6.3	6.1	5.7	6.7	14.6
95% CI	1.0	1.5	1.6	2.3	1.7	2.1	2.9	1.4	2.0	3.4	6.4
n	1,804	912	891	540	529	468	265	1,015	474	199	110

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 87. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE31_1 -- Percent who smoked first cigar before age 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	2.4	1.8	3.0	2.8	2.0	1.9	2.9	2.4	2.3	2.7	4.3
95% CI	0.7	0.9	1.2	1.7	1.3	1.2	1.8	0.9	1.3	2.1	3.6
n	1,844	924	916	551	537	479	272	1,034	486	199	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 88. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE26_1 -- Percent who used SLT before age 11

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	1.7	0.8	2.5	2.3	1.8	1.3	1.0	1.7	1.3	0.9	6.3
95% CI	0.6	0.6	1.1	1.4	1.2	1.2	1.0	0.7	1.0	1.2	5.6
n	1,838	918	915	550	535	477	270	1,031	484	197	114

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 89. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE18_1 -- Percent of current smokers who smoked cigarettes on school
 property during the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	38.3	38.1	39.0	42.1	40.5	32.1	38.4	35.6	41.6	39.3	70.9
95% CI	6.3	8.9	9.5	9.4	17.1	10.1	13.3	8.5	14.4	19.1	19.6
n	291	153	137	80	72	72	66	203	42	22	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 90. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE_28_1 -- Percent of current SLT users who used SLT on school property
 during the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	55.9	49.2	57.6	56.0	36.5	45.2	81.3	51.7	60.8	76.0	92.4
95% CI	13.7	28.5	14.5	22.4	25.5	24.2	11.0	14.9	35.0	30.0	13.6
n	103	22	80	36	20	32	15	76	8	7	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 91. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63A_1 -- Percent of current smokers with one or more smokers among their
 four closest friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	89.7	92.4	86.9	84.9	90.9	91.7	90.8	92.8	81.4	77.2	80.9
95% CI	4.5	4.4	7.8	9.0	8.3	10.3	7.5	4.6	14.3	18.2	17.1
n	253	133	120	62	67	66	58	177	36	17	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 92. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63B_1 -- Percent who have never smoked with one or more smokers among
 their four closest friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	27.0	28.3	25.7	22.8	27.5	27.2	36.5	28.8	23.0	40.1	13.2
95% CI	3.3	4.0	5.2	5.2	6.0	6.0	15.3	4.7	4.8	10.2	9.9
n	820	418	402	278	245	216	81	466	219	76	58

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 93. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64A_1 -- Percent of current SLT users with one or more SLT users among
 their four closest friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	85.6	94.1	83.8	92.2	88.9	79.7	81.5	86.2	54.4	86.4	100.0
95% CI	6.7	11.7	7.7	9.4	14.9	14.1	21.8	7.7	48.9	26.6	0.0
n	89	18	70	29	18	29	13	69	4	6	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 94. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64C_1 -- Percent who have never used SLT who have one or more SLT users
 among their four closest friends

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	11.5	9.2	14.1	11.7	9.6	12.7	12.2	15.4	4.9	12.2	12.4
95% CI	1.8	1.8	3.1	3.7	3.3	4.1	6.1	2.7	2.2	5.3	7.0
n	1,457	785	669	420	433	388	213	792	407	161	89

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 95. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE50_1 -- Percent who at school this year practiced ways to say 'NO' to
 tobacco (No "Unsure"s)

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	19.2	19.3	19.0	34.5	16.2	12.7	9.1	16.2	22.7	25.4	26.7
95% CI	3.3	4.0	4.0	6.3	3.8	2.9	3.6	3.9	4.5	8.3	10.0
n	1,678	864	811	478	492	446	258	957	435	174	102

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 96. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable FSMOKER_1 -- Percent of current smokers who smoked cigarettes on 20+ days
 of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	42.8	37.0	49.5	32.5	46.6	39.8	51.4	46.7	30.8	20.2	58.6
95% CI	6.9	9.2	10.2	7.1	15.3	11.4	16.1	8.4	15.0	17.2	24.5
n	293	154	138	81	73	72	66	204	42	22	22

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 97. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFCIGAR_1 -- Percent of current cigar smoker who smoked a cigar 20+ days of
 the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	10.9	8.3	12.8	18.8	5.6	10.5	9.8	7.4	15.7	17.2	28.0
95% CI	4.4	6.5	5.9	11.5	6.2	10.3	7.2	4.5	10.0	17.6	24.3
n	210	85	124	50	60	54	45	128	46	17	16

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 98. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFSLT_1 -- Percent of current smokeless tobacco (SLT) users who used SLT
 20+ days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	34.4	31.1	34.8	26.2	36.8	39.9	39.3	26.1	80.9	34.9	52.6
95% CI	8.4	14.2	9.9	15.3	14.3	16.0	17.6	9.3	24.8	32.1	21.6
n	104	22	81	36	20	33	15	77	8	7	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 99. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFPIPE_1 -- Percent of current pipe users who smoked tobacco in a pipe 20+
 days of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	37.1	35.0	38.6	37.7	29.4	57.3	30.9	20.1	71.8	34.7	52.0
95% CI	13.6	20.7	18.9	25.5	25.9	37.9	30.7	14.1	33.6	42.8	29.9
n	44	18	26	15	14	7	8	23	7	5	9

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 100. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFBIDIS_1 -- Percent of current bidis smokers who smoked bidis on 20+ days
 of the past 30 days

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	23.8	29.5	21.5	21.1	25.9	19.0	35.3	23.9	17.3	17.3	53.9
95% CI	10.3	19.2	11.1	19.0	27.4	16.8	43.3	14.2	29.6	33.1	33.4
n	53	16	37	22	11	14	6	31	9	5	7

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 101. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable SUSCEPNS -- Susceptible Never Smokers

	Gender/Grade/Race										
	Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
%	17.5	17.6	17.5	18.4	19.4	15.7	14.3	19.6	12.8	21.4	26.2
95% CI	2.6	4.1	3.5	4.5	3.4	4.4	8.3	3.8	4.1	8.4	9.3
n	914	456	457	310	280	235	89	503	257	91	62

%=Percentage, CI=Confidence Interval, n=Cell Size

Weighted Preferred Table of Contents for Delaware
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
Alphabetic Table of Contents (by Analysis Variable)

<u>Analysis Variable (Description)</u>	Table Number
CBIDIS (Percent smoked bidis on 1 or more days of the past 30 days).....	15
CCIGAR (Percent current cigar smoker -- smoked a cigar 1+ days of the past 30 days)	8
CFBIDIS (Percent smoked bidis on 20+ days of the past 30 days).....	16
CFBIDIS_1 (Percent of current bidis smokers who smoked bidis on 20+ days of the past 30 days)	100
CFCIGAR (Percent frequent cigar smoker -- smoked a cigar 20+ days of the past 30 days).....	9
CFCIGAR_1 (Percent of current cigar smoker who smoked a cigar 20+ days of the past 30 days)	97
CFPIPE (Percent who smoked tobacco in a pipe 20+ days of the past 30 days).....	11
CFPIPE_1 (Percent of current pipe users who smoked tobacco in a pipe 20+ days of the past 30 days)	99
CFSLT (Percent who used smokeless tobacco (SLT) 20+ days of the past 30 days).....	6
CFSLT_1 (Percent of current smokeless tobacco (SLT) users who used SLT 20+ days of the past 30 days)	98
CORE11 (Percent of current smokers who smoked 6+ cigarettes per day on the days they smoked).....	22
CORE12A (Percent of current smokers who smoked no usual brand during the past 30 days)	23
CORE12B (Percent of current smokers who smoked Camel during the past 30 days).....	24
CORE12C (Percent of current smokers who smoked Marlboro during the past 30 days)	25
CORE12D (Percent of current smokers who smoked Newport during the past 30 days).....	26
CORE12E (Percent of current smokers who smoked other brands during the past 30 days)	27
CORE18A (Percent who smoked cigarettes on school property during the past 30 days).....	28
CORE18_1 (Percent of current smokers who smoked cigarettes on school property during the past 30 days)	89
CORE21A (Percent who want to stop smoking cigarettes).....	29
CORE21B (Percent of current smokers who want to stop smoking cigarettes)	30
CORE24 (Percent of current smokers who, when they last tried to quit, stayed off cigarettes for less than 30 days).....	31
CORE26 (Percent of ever SLT users who first used SLT before age 11)	32
CORE26_1 (Percent who used SLT before age 11).....	88
CORE28 (Percent who used SLT on school property during the past 30 days)	33
CORE31 (Percent of ever cigar smokers who smoked their first cigar before age 11).....	34
CORE31_1 (Percent who smoked first cigar before age 11)	87
CORE37 (Percent who have never smoked who will not try a cigarette soon).....	35
CORE38 (Percent who have never smoked who will definitely not smoke cigarettes during the next year)	36
CORE40 (Percent who have never smoked who will definitely not smoke if one of their best friends offered them a cigarette).....	37
CORE41A (Percent who have discussed with parent (or guardian) about the dangers of tobacco use, in the past 12 months)	38
CORE41B (Percent of current smokers who have discussed with parent (or guardian) about the dangers of tobacco use, in the past)	39
CORE41C (Percent who have never smoked who have discussed with parent (or guardian) about the dangers of tobacco use, in the pa)	40
CORE43A (Percent who think young people who smoke cigarettes have more friends).....	41
CORE43B (Percent of current smokers who think young people who smoke cigarettes have more friends)	42
CORE43C (Percent who have never smoked who think young people who smoke cigarettes have more friends).....	43
CORE44A (Percent who think smoking cigarettes makes young people look cool or fit in)	44
CORE44B (Percent of current smokers who think smoking cigarettes makes young people look cool or fit in).....	45
CORE44C (Percent who have never smoked who think smoking cigarettes makes young people look cool or fit in)	46
CORE45A (Percent of current smokers who think young people risk harming themselves if they smoke between 1 and 5 cigarettes per)	47
CORE45B (Percent who have never smoked who think young people risk harming themselves if they smoke between 1 and 5 cigarettes)	48
CORE46A (Percent of current smokers who think it is safe to smoke a year or two, as long as you quit after that).....	49
CORE46B (Percent who have never smoked who think it is safe to smoke a year or two, as long as you quit after that)	50
CORE47A (Percent of current smokers who think they would be able to quit cigarette smoking now if they wanted to).....	51
CORE47B (Percent of frequent smokers who think they would be able to quit cigarette smoking now if they wanted to)	52
CORE48A (Percent who have ever participated in a program to help quit using tobacco).....	53
CORE48B (Percent of current smokers who have ever participated in a program to help quit using tobacco)	54
CORE49 (Percent who at school this year were taught about the dangers of tobacco use).....	55
CORE50 (Percent who at school this year practiced ways to say 'NO' to tobacco)	56
CORE50_1 (Percent who at school this year practiced ways to say 'NO' to tobacco (No "Unsure")).....	95
CORE51A (Percent who participated in any community event to discourage people for using tobacco during the past 12 months)	57
CORE51B (Percent of current tobacco users who participated in any community event to discourage people for using tobacco during)	58

Weighted Preferred Table of Contents for Delaware
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2008
Alphabetic Table of Contents (by Analysis Variable)

<u>Analysis Variable (Description)</u>	Table Number
CORE51C (Percent who have never used tobacco who participated in any community event to discourage people from using tobacco du)	59
CORE52 (Percent who have seen or heard anti-smoking commercials during the past 30 days).....	60
CORE53 (Percent who watch TV or movies who see actors using tobacco (most or some of the time))	61
CORE5355 (Percent who use the Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products)..	63
CORE55 (Percent who use the Internet and see Internet ads for tobacco products (most or some of the time))	62
CORE567A (Percent who are receptive to tobacco advertising).....	66
CORE567B (Percent of current tobacco users who are receptive to tobacco advertising)	67
CORE567C (Percent who have never used tobacco who are receptive to tobacco advertising).....	68
CORE57A (Percent of current tobacco users who would ever use or wear anything with a tobacco company name or picture on it)	64
CORE57B (Percent of never tobacco users who would ever use or wear anything with a tobacco company name or picture on it).....	65
CORE5859 (Percent who rode in a car or were in the same room with someone who was smoking cigarettes on 1+ days during the past)	73
CORE58A (Percent of current smokers who were in the same room with someone who was smoking cigarettes on 1+ days during the pas)	69
CORE58B (Percent who have never smoked who were in the same room with someone who was smoking cigarettes on 1+ days during the)	70
CORE59A (Percent of current smokers who rode in a car with someone who was smoking cigarettes on 1+ days during the past 7 days)	71
CORE59B (Percent who have never smoked who rode in a car with someone who was smoking cigarettes on 1+ days during the past 7 d)	72
CORE60A (Percent who definitely or probably think smoke from other people's cigarettes is harmful to them).....	74
CORE60B (Percent of current smokers who definitely or probably think smoke from other people's cigarettes is harmful to them)	75
CORE60C (Percent who have never smoked who definitely or probably think smoke from other people's cigarettes is harmful to the).	76
CORE61A (Percent of current smokers who live with someone who currently smokes cigarettes)	77
CORE61B (Percent who have never smoked who live with someone who currently smokes cigarettes).....	78
CORE62A (Percent of current SLT users who live with someone who uses SLT)	79
CORE62B (Percent who have never used SLT who live with someone who uses SLT).....	80
CORE63A (Percent of current smokers with one or more smokers among their four closest friends (with "Not sure"s))	81
CORE63A_1 (Percent of current smokers with one or more smokers among their four closest friends).....	91
CORE63B (Percent who have never smoked with one or more smokers among their four closest friends (with "Not sure"s))	82
CORE63B_1 (Percent who have never smoked with one or more smokers among their four closest friends).....	92
CORE64A (Percent of current SLT users with one or more SLT users among their four closest friends (with "Not sure"s))	83
CORE64A_1 (Percent of current SLT users with one or more SLT users among their four closest friends).....	93
CORE64B (Percent of current tobacco users with one or more SLT users among their four closest friends (with "Not sure"s))	84
CORE64C (Percent who have never used SLT who have one or more SLT users among their four closest friends (with "Not sure"s))....	85
CORE64C_1 (Percent who have never used SLT who have one or more SLT users among their four closest friends)	94
CORE7 (Percent of ever smokers who smoked first whole cigarette before age 11).....	19
CORE7_1 (Percent who smoked first whole cigarette before age 11)	86
CORE8A (Percent of ever smokers who smoked 100+ cigarettes in their lifetime).....	20
CORE9 (Percent ever smoked daily)	21
CORE_28_1 (Percent of current SLT users who used SLT on school property during the past 30 days).....	90
CPIPE (Percent who smoked tobacco in a pipe 1+ days of the past 30 days)	10
CSLT (Percent of current users of smokeless tobacco (SLT) -- used smokeless tobacco (SLT) on 1+ days of the past 30 days).....	5
CSMOKE (Percent smoked cigarettes on 1 or more days of the past 30 days)	2
CTOBUSE (Percent current tobacco use -- those who have use any form of tobacco in the past 30 days).....	18
EBIDIS (Percent ever smoked bidis)	12
EBK (Percent ever smoked bidis or kreteks).....	14
ECIGAR (Percent who ever smoked a cigar)	7
EKRETEKS (Percent ever smoked kreteks).....	13
ESLT (Percent ever used smokeless tobacco (SLT))	4
ESMOKE (Percent ever smoked cigarettes).....	1
ETOBUSE (Percent ever tobacco use -- those who have ever used any form of tobacco)	17
FSMOKER (Percent smoked cigarettes on 20+ days of the past 30 days).....	3
FSMOKER_1 (Percent of current smokers who smoked cigarettes on 20+ days of the past 30 days)	96
SUSCEPNS (Susceptible Never Smokers).....	101