



2008 Delaware Youth Tobacco Survey

Weighted Frequency Tables

Public Middle Schools



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Tobacco Prevention and Control Program

Table 1. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ESMOKE -- Percent ever smoked cigarettes

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	25.8	25.4	26.3	15.1	24.1	37.1	24.5	26.4	32.4	20.4
95% CI	3.4	4.3	3.5	2.9	4.5	6.6	4.3	4.5	5.5	6.3
n	2,048	1,017	1,021	804	537	702	1,064	553	291	129

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 2. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CSMOKE -- Percent smoked cigarettes on 1 or more days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	7.1	7.4	6.9	3.3	6.7	10.9	7.4	5.9	9.5	8.7
95% CI	1.4	2.0	1.7	1.2	2.0	2.8	1.9	2.3	4.0	4.7
n	2,094	1,033	1,043	823	541	716	1,076	565	294	138

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 3. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable FSMOKER -- Percent smoked cigarettes on 20+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.3	0.8	1.9	0.2	1.2	2.4	1.2	1.2	2.0	2.7
95% CI	0.5	0.6	0.9	0.3	0.9	1.2	0.8	1.0	1.2	3.1
n	2,094	1,033	1,043	823	541	716	1,076	565	294	138

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 4. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ESLT -- Percent ever used smokeless tobacco (SLT)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	4.2	2.5	5.9	3.0	4.5	5.1	5.2	1.8	5.9	7.6
95% CI	1.0	1.0	1.5	1.3	1.9	1.9	1.4	1.2	2.9	3.6
n	2,108	1,042	1,049	831	543	720	1,091	569	291	136

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 5. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CSLT -- Percent of current users of smokeless tobacco (SLT) -- used
 smokeless tobacco (SLT) on 1+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.9	0.8	2.9	1.2	2.5	1.9	2.2	0.8	2.5	4.4
95% CI	0.5	0.5	1.0	1.0	1.1	0.8	0.8	0.9	1.8	3.0
n	2,079	1,034	1,028	816	531	719	1,076	560	290	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 6. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFSLT -- Percent who used smokeless tobacco (SLT) 20+ days of the past 30
 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.4	0.0	0.9	0.2	0.7	0.3	0.4	0.4	0.7	0.8
95% CI	0.4	0.0	0.7	0.3	0.9	0.5	0.4	0.8	1.0	1.5
n	2,079	1,034	1,028	816	531	719	1,076	560	290	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 7. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ECIGAR -- Percent who ever smoked a cigar

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	10.2	8.0	12.4	5.4	10.6	14.2	10.0	9.1	14.4	8.7
95% CI	1.9	2.5	2.0	1.6	2.9	3.6	2.4	2.7	4.0	5.1
n	2,107	1,041	1,048	826	548	719	1,090	563	296	137

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 8. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CCIGAR -- Percent current cigar smoker -- smoked a cigar 1+ days of the past
 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	4.7	3.7	5.6	2.2	4.8	6.8	4.6	4.2	5.9	5.2
95% CI	1.1	1.4	1.5	1.1	1.8	2.5	1.8	1.9	2.8	4.3
n	2,085	1,026	1,042	816	535	721	1,076	564	292	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 9. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFCIGAR -- Percent frequent cigar smoker -- smoked a cigar 20+ days of the
 past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.7	0.1	1.3	0.5	0.9	0.7	0.6	0.6	1.3	2.8
95% CI	0.4	0.2	0.8	0.5	0.9	0.8	0.5	0.8	1.3	3.2
n	2,085	1,026	1,042	816	535	721	1,076	564	292	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 10. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CPIPE -- Percent who smoked tobacco in a pipe 1+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.9	1.3	2.4	1.1	1.7	2.7	2.0	1.6	2.0	2.1
95% CI	0.6	0.7	1.0	0.7	1.3	1.4	0.7	1.1	1.8	2.0
n	2,096	1,035	1,046	819	540	725	1,080	569	294	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 11. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFPIPE -- Percent who smoked tobacco in a pipe 20+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.5	0.4	0.7	0.3	0.7	0.6	0.5	0.4	1.1	1.4
95% CI	0.4	0.4	0.6	0.3	0.8	0.6	0.4	0.7	1.2	1.4
n	2,096	1,035	1,046	819	540	725	1,080	569	294	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 12. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EBIDIS -- Percent ever smoked bidis

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	2.7	2.3	3.0	2.6	2.5	2.9	1.9	2.6	5.3	6.2
95% CI	0.8	1.1	1.2	1.3	1.6	1.5	0.9	1.3	2.8	4.5
n	2,100	1,032	1,050	821	540	725	1,092	560	293	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 13. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EKRETEKS -- Percent ever smoked kreteks

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.7	1.0	2.4	1.7	1.4	2.1	1.7	1.4	2.1	4.3
95% CI	0.6	0.6	1.0	0.9	0.8	1.2	0.8	1.1	1.6	3.9
n	2,100	1,032	1,050	821	540	725	1,092	560	293	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 14. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable EBK -- Percent ever smoked bidis or kreteks

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	3.3	2.4	4.1	3.0	2.9	3.8	2.5	3.4	5.3	6.2
95% CI	0.9	1.1	1.4	1.4	1.6	1.8	1.0	1.6	2.8	4.5
n	2,100	1,032	1,050	821	540	725	1,092	560	293	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 15. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CBIDIS -- Percent smoked bidis on 1 or more days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.8	1.2	2.4	1.3	2.2	2.0	1.3	2.1	3.0	3.4
95% CI	0.6	0.7	1.1	1.0	1.4	1.2	0.8	1.2	1.9	2.8
n	2,091	1,032	1,043	817	536	726	1,079	565	294	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 16. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFBIDIS -- Percent smoked bidis on 20+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.3	0.0	0.6	0.1	0.5	0.4	0.1	0.4	1.1	1.4
95% CI	0.3	0.1	0.6	0.2	0.8	0.4	0.2	0.7	1.2	2.0
n	2,091	1,032	1,043	817	536	726	1,079	565	294	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 17. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable ETOBUSE -- Percent ever tobacco use -- those who have ever used any form of
 tobacco

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	28.0	27.1	29.3	17.1	26.0	40.0	26.7	28.7	34.6	22.5
95% CI	3.6	4.4	3.8	2.9	4.9	6.6	4.4	4.8	5.6	6.1
n	2,149	1,055	1,076	846	553	736	1,105	583	300	139

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 18. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CTOBUSE -- Percent current tobacco use -- those who have use any form of
 tobacco in the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	10.3	9.0	11.6	5.1	9.2	16.0	10.4	9.4	11.8	11.8
95% CI	1.9	2.4	2.3	2.0	2.0	3.9	2.4	3.3	4.3	5.8
n	2,137	1,051	1,068	838	549	736	1,098	581	298	138

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 19. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE7 -- Percent of ever smokers who smoked first whole cigarette before age
 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	24.0	19.1	28.4	36.8	23.1	19.9	25.4	22.0	20.4	41.3
95% CI	4.6	4.9	6.5	10.1	7.9	5.8	6.2	7.7	8.9	19.8
n	504	244	260	119	130	254	244	141	89	26

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 20. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE8A -- Percent of ever smokers who smoked 100+ cigarettes in their
 lifetime

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	7.0	5.1	8.7	3.7	8.2	7.4	8.3	4.9	6.2	14.5
95% CI	2.3	3.4	3.0	3.6	4.9	3.3	3.8	4.2	3.9	10.5
n	503	243	260	119	128	255	244	140	90	26

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 21. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE9 -- Percent ever smoked daily

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	3.5	2.9	4.1	1.5	3.2	5.5	3.2	3.1	5.5	4.2
95% CI	0.9	1.2	1.3	0.9	1.6	1.9	1.1	1.8	2.8	3.8
n	2,119	1,047	1,054	830	545	730	1,087	577	296	137

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 22. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE11 -- Percent of current smokers who smoked 6+ cigarettes per day on the
 days they smoked

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	11.0	5.9	15.9	8.4	11.5	11.4	13.1	3.9	11.8	30.9
95% CI	5.4	6.0	8.5	9.9	10.7	7.5	8.5	7.5	12.1	31.3
n	140	69	71	28	36	76	71	31	25	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 23. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12A -- Percent of current smokers who smoked no usual brand during the
 past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	11.7	11.4	12.0	8.2	15.9	10.3	14.9	9.9	4.8	8.0
95% CI	5.8	7.9	7.8	11.1	10.9	7.5	9.0	11.2	9.3	14.7
n	137	70	67	27	34	76	68	30	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 24. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12B -- Percent of current smokers who smoked Camel during the past 30
 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	3.7	1.8	5.8	7.9	5.2	1.8	4.3	2.1	3.9	8.1
95% CI	2.6	2.5	4.8	10.7	6.7	2.5	4.9	4.1	8.0	15.7
n	137	70	67	27	34	76	68	30	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 25. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12C -- Percent of current smokers who smoked Marlboro during the past 30
 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	29.4	30.3	28.6	24.6	24.2	33.6	35.9	17.5	25.3	46.1
95% CI	7.4	11.6	9.8	15.8	14.1	10.7	12.5	16.0	17.5	26.7
n	137	70	67	27	34	76	68	30	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 26. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12D -- Percent of current smokers who smoked Newport during the past 30
 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	47.5	49.3	45.6	52.7	41.4	49.5	38.2	57.0	66.0	30.9
95% CI	7.8	11.1	11.5	18.1	14.0	11.2	13.5	19.2	19.7	20.8
n	137	70	67	27	34	76	68	30	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 27. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE12E -- Percent of current smokers who smoked other brands during the
 past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	7.6	7.2	8.1	6.7	13.3	4.8	6.6	13.5	0.0	6.9
95% CI	4.8	6.5	7.5	9.6	10.8	5.3	6.0	13.1	0.0	13.6
n	137	70	67	27	34	76	68	30	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 28. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE18A -- Percent who smoked cigarettes on school property during the past
 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	2.0	1.8	2.3	0.8	2.8	2.4	1.5	2.4	3.0	3.4
95% CI	0.7	1.1	0.8	0.6	1.3	1.4	0.8	1.4	2.4	2.8
n	2,097	1,038	1,042	818	543	723	1,078	568	295	136

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 29. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE21A -- Percent who want to stop smoking cigarettes

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	43.8	49.6	38.0	62.9	40.3	39.5	44.4	46.6	40.4	21.8
95% CI	8.1	11.0	14.0	14.1	15.6	11.2	9.5	18.1	20.5	26.2
n	141	72	69	31	42	68	71	33	26	9

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 30. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE21B -- Percent of current smokers who want to stop smoking cigarettes

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	36.3	45.2	26.6	43.5	29.8	39.0	40.8	32.6	32.1	24.4
95% CI	8.3	12.7	15.2	23.2	14.8	12.7	12.4	19.1	21.3	28.5
n	101	53	48	18	30	53	51	21	20	8

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 31. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE24 -- Percent of current smokers who, when they last tried to quit,
 stayed off cigarettes for less than 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	40.9	45.2	36.1	28.7	52.8	37.2	45.3	25.8	53.6	28.9
95% CI	8.6	10.9	12.4	18.2	14.9	11.5	13.2	17.2	14.8	28.7
n	132	69	63	25	34	73	68	29	25	9

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 32. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE26 -- Percent of ever SLT users who first used SLT before age 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	27.4	22.3	29.5	53.5	16.7	21.8	22.0	50.1	22.7	55.1
95% CI	9.1	14.7	12.0	20.7	16.9	10.9	10.6	37.4	29.5	32.6
n	89	27	62	25	25	39	56	8	15	9

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 33. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE28 -- Percent who used SLT on school property during the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.5	0.6	2.3	1.4	1.6	1.4	1.5	0.8	2.2	4.4
95% CI	0.6	0.4	1.0	0.8	1.1	1.0	0.7	0.9	1.7	3.9
n	2,096	1,031	1,047	820	538	724	1,080	566	295	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 34. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE31 -- Percent of ever cigar smokers who smoked their first cigar before
 age 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	26.5	22.2	28.9	50.4	27.6	17.7	27.7	24.8	27.9	24.0
95% CI	5.7	7.5	7.3	16.0	10.0	7.1	8.7	12.4	15.1	29.5
n	190	71	118	41	51	97	97	44	37	8

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 35. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE37 -- Percent who have never smoked who will not try a cigarette soon

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	96.4	95.0	97.9	97.7	95.4	96.1	97.2	95.0	96.4	96.4
95% CI	1.0	1.7	1.0	1.3	2.2	1.8	1.1	2.4	2.9	3.6
n	1,500	755	735	665	395	436	807	396	190	100

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 36. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE38 -- Percent who have never smoked who will definitely not smoke
 cigarettes during the next year

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	87.3	84.8	89.7	92.4	85.4	83.4	86.2	89.0	87.2	87.4
95% CI	1.8	2.7	2.4	1.9	3.8	3.2	2.5	3.4	5.3	7.1
n	1,510	760	740	668	398	440	809	400	193	101

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 37. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE40 -- Percent who have never smoked who will definitely not smoke if one
 of their best friends offered them a cigarette

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	87.1	85.4	88.8	91.0	83.1	87.0	85.5	89.6	87.4	87.3
95% CI	1.8	2.3	3.0	2.1	4.1	3.1	2.6	3.1	4.9	6.9
n	1,508	756	742	669	394	441	808	397	195	101

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 38. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41A -- Percent who have discussed with parent (or guardian) about the
 dangers of tobacco use, in the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	68.4	71.5	65.6	71.0	68.3	66.3	71.0	63.7	70.3	69.0
95% CI	2.8	3.5	3.5	4.9	5.4	3.9	2.8	5.1	5.8	6.9
n	2,103	1,033	1,052	822	540	728	1,091	566	293	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 39. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41B -- Percent of current smokers who have discussed with parent (or
 guardian) about the dangers of tobacco use, in the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	65.0	64.3	65.8	69.8	67.7	62.2	67.3	58.6	65.8	67.2
95% CI	7.3	10.5	11.7	25.1	14.1	8.1	9.5	17.2	22.4	35.0
n	142	72	70	28	36	78	74	30	26	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

Table 40. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE41C -- Percent who have never smoked who have discussed with parent (or
 guardian) about the dangers of tobacco use, in the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	70.6	74.8	66.7	74.0	69.7	67.7	73.4	66.0	70.4	70.2
95% CI	3.1	3.8	3.9	5.0	5.8	5.0	3.6	5.0	6.0	8.2
n	1,505	752	743	666	395	441	803	400	196	101

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 41. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43A -- Percent who think young people who smoke cigarettes have more
 friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	18.6	17.5	19.6	15.5	20.5	19.3	14.5	23.4	21.9	22.5
95% CI	2.4	3.1	2.8	3.4	5.1	3.7	2.6	3.6	4.9	7.3
n	2,081	1,022	1,041	813	537	717	1,081	558	288	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 42. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43B -- Percent of current smokers who think young people who smoke
 cigarettes have more friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	49.5	46.5	52.7	58.2	56.3	43.6	45.4	57.3	42.5	67.8
95% CI	8.9	13.4	10.7	19.8	17.0	12.4	14.7	16.0	16.8	28.7
n	134	68	66	27	33	74	69	29	25	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

Table 43. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE43C -- Percent who have never smoked who think young people who smoke
 cigarettes have more friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	14.0	13.8	14.2	12.9	16.9	12.0	10.3	19.0	16.6	16.9
95% CI	2.4	3.1	3.1	3.5	5.6	3.1	2.5	4.1	5.9	7.2
n	1,497	746	741	659	394	440	803	395	191	102

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 44. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44A -- Percent who think smoking cigarettes makes young people look cool
 or fit in

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	10.6	9.1	12.2	9.8	9.3	12.5	9.4	12.1	10.4	16.1
95% CI	1.6	2.1	2.3	2.2	2.7	3.0	1.6	3.7	3.2	7.1
n	2,095	1,032	1,045	818	540	724	1,085	561	294	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 45. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44B -- Percent of current smokers who think smoking cigarettes makes
 young people look cool or fit in

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	29.8	30.5	29.0	45.0	33.1	23.7	24.8	35.1	30.1	69.4
95% CI	8.0	11.2	10.8	18.0	12.1	11.6	10.4	16.9	16.0	28.0
n	138	70	68	28	34	76	72	30	25	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 46. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE44C -- Percent who have never smoked who think smoking cigarettes makes
 young people look cool or fit in

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	7.4	6.0	8.8	7.8	6.2	8.1	6.6	8.7	6.1	10.3
95% CI	1.5	1.9	2.4	2.1	2.6	3.1	1.7	3.1	3.7	6.2
n	1,506	752	744	661	398	444	803	397	197	102

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 47. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE45A -- Percent of current smokers who think young people risk harming
 themselves if they smoke between 1 and 5 cigarettes per day

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	86.3	98.3	73.7	85.4	84.9	87.3	90.2	83.3	79.0	75.1
95% CI	4.4	2.5	8.8	11.2	9.2	5.3	7.0	14.3	17.4	19.6
n	140	71	69	28	35	77	72	30	26	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 48. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE45B -- Percent who have never smoked who think young people risk harming
 themselves if they smoke between 1 and 5 cigarettes per day

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	92.5	95.3	89.9	90.4	92.8	94.6	95.5	88.2	89.8	92.8
95% CI	2.3	1.6	3.7	3.6	4.3	2.3	2.3	4.0	4.8	5.2
n	1,509	754	745	666	398	442	806	398	197	102

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 49. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE46A -- Percent of current smokers who think it is safe to smoke a year
 or two, as long as you quit after that

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	31.3	28.6	34.2	37.6	26.5	32.2	22.6	28.2	61.2	63.3
95% CI	8.5	13.3	12.0	17.6	15.1	11.6	10.9	13.8	19.4	28.0
n	138	71	67	27	34	77	72	30	25	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 50. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE46B -- Percent who have never smoked who think it is safe to smoke a
 year or two, as long as you quit after that

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	8.1	7.3	8.9	8.9	7.3	8.0	7.7	8.0	11.1	9.0
95% CI	1.3	2.1	1.9	2.3	2.5	2.1	1.9	2.6	4.8	5.9
n	1,505	755	740	665	397	440	803	396	197	102

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 51. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE47A -- Percent of current smokers who think they would be able to quit
 cigarette smoking now if they wanted to

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	84.6	86.9	82.0	88.5	91.1	79.9	82.7	87.1	89.7	71.4
95% CI	7.4	9.4	12.0	13.0	11.7	10.1	10.7	13.4	11.6	26.7
n	119	62	57	21	32	66	58	26	24	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 52. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE47B -- Percent of frequent smokers who think they would be able to quit
 cigarette smoking now if they wanted to

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	62.0	45.5	68.8	36.3	87.0	50.2	67.3	56.2	66.2	34.9
95% CI	21.6	41.1	22.8	55.7	20.8	32.9	28.5	44.6	47.7	29.2
n	24	6	18	3	7	14	11	5	5	3

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 53. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE48A -- Percent who have ever participated in a program to help quit
 using tobacco

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	8.1	7.7	8.4	12.5	9.6	5.2	6.8	7.4	15.0	13.4
95% CI	2.5	4.3	3.9	5.3	5.0	3.0	3.2	4.8	8.3	13.5
n	410	192	216	109	105	194	213	103	69	21

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 54. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE48B -- Percent of current smokers who have ever participated in a
 program to help quit using tobacco

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	10.2	9.5	10.9	12.0	15.2	6.9	8.7	10.9	17.5	0.0
95% CI	6.9	9.4	10.8	17.2	14.3	8.4	7.5	12.4	15.9	0.0
n	120	63	57	22	32	66	63	25	23	8

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 55. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE49 -- Percent who at school this year were taught about the dangers of
 tobacco use

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	57.5	59.5	55.8	51.7	60.5	59.9	59.8	54.7	55.5	54.9
95% CI	3.4	4.2	4.1	7.6	8.2	7.8	4.7	4.3	7.3	8.7
n	2,085	1,028	1,039	817	532	723	1,082	556	293	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 56. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE50 -- Percent who at school this year practiced ways to say 'NO' to
 tobacco

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	36.6	38.8	34.6	36.6	38.6	35.0	36.9	35.4	40.5	35.6
95% CI	2.8	3.6	3.8	5.8	7.6	6.3	4.1	3.9	6.3	8.6
n	2,084	1,028	1,038	816	531	724	1,083	552	294	134

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 57. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51A -- Percent who participated in any community event to discourage
 people for using tobacco during the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	12.8	13.8	11.7	14.5	13.0	11.3	9.1	17.5	14.5	14.5
95% CI	1.9	2.3	2.7	3.9	3.6	3.3	2.2	4.3	4.6	8.7
n	1,368	677	681	480	357	522	693	392	189	82

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 58. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51B -- Percent of current tobacco users who participated in any
 community event to discourage people for using tobacco during the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	9.0	10.9	7.8	16.8	6.0	8.5	4.4	12.9	9.2	22.1
95% CI	4.4	7.6	5.7	11.9	8.0	5.4	5.0	7.9	10.3	26.0
n	166	69	96	30	35	100	77	44	28	14

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 59. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE51C -- Percent who have never used tobacco who participated in any
 community event to discourage people from using tobacco during the past 12 months

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	13.3	14.1	12.3	14.5	14.8	10.2	10.4	18.0	12.6	10.3
95% CI	2.3	2.6	3.2	3.9	4.5	4.2	2.8	5.1	5.5	8.6
n	939	482	448	384	261	287	491	273	111	57

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 60. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE52 -- Percent who have seen or heard anti-smoking commercials during the
 past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	67.1	72.2	62.5	63.9	65.1	72.0	70.1	64.3	64.1	61.1
95% CI	2.9	3.7	3.6	4.9	6.0	3.3	3.6	4.5	5.6	7.6
n	2,057	1,015	1,024	806	524	715	1,072	546	286	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 61. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE53 -- Percent who watch TV or movies who see actors using tobacco (most
 or some of the time)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	77.1	76.0	78.3	67.8	79.8	83.1	78.1	77.0	75.4	72.1
95% CI	2.2	2.8	2.8	3.5	3.3	2.8	3.3	3.5	4.3	8.4
n	2,017	1,010	990	794	514	698	1,055	533	281	129

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 62. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE55 -- Percent who use the Internet and see Internet ads for tobacco
 products (most or some of the time)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	42.3	44.1	40.8	32.6	45.8	47.7	42.0	42.0	48.0	40.0
95% CI	2.8	3.9	3.6	4.7	4.5	4.3	3.5	5.4	7.1	7.3
n	1,957	979	964	752	500	694	1,024	525	269	119

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 63. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE5355 -- Percent who use the Internet, watch TV, or go to movies who see
 (most or some of the time) ads for tobacco products

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	81.6	81.1	82.1	73.4	83.6	87.0	82.2	82.1	80.2	75.2
95% CI	2.1	2.6	2.7	4.0	3.4	2.4	2.9	3.3	4.3	8.0
n	2,045	1,022	1,006	799	520	715	1,067	543	285	130

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 64. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE57A -- Percent of current tobacco users who would ever use or wear
 anything with a tobacco company name or picture on it

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	55.2	50.0	58.9	56.8	48.2	57.9	60.7	47.6	53.0	55.4
95% CI	6.8	12.3	9.5	14.6	9.7	9.9	10.0	15.5	18.6	25.3
n	198	85	112	40	45	112	102	48	32	13

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 65. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE57B -- Percent of never tobacco users who would ever use or wear
 anything with a tobacco company name or picture on it

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	9.6	7.1	11.9	5.3	9.5	14.5	10.4	8.0	10.6	9.3
95% CI	2.1	2.2	3.0	1.6	3.5	4.3	2.8	3.0	6.7	6.4
n	1,503	752	735	670	387	436	801	390	193	104

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 66. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567A -- Percent who are receptive to tobacco advertising

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	2,056	1,017	1,022	804	521	719	1,073	542	289	132

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 67. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567B -- Percent of current tobacco users who are receptive to tobacco
 advertising

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	198	85	112	40	45	112	102	48	32	13

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 68. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE567C -- Percent who have never used tobacco who are receptive to tobacco
 advertising

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
n	1,503	752	735	670	387	436	801	390	193	104

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 69. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE58A -- Percent of current smokers who were in the same room with someone
 who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	76.3	82.7	69.3	74.8	66.3	82.0	79.3	69.2	79.7	64.5
95% CI	8.2	9.7	12.2	15.8	19.7	8.1	9.5	18.2	13.6	29.9
n	136	70	66	26	34	76	70	29	26	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 70. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE58B -- Percent who have never smoked who were in the same room with
 someone who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	37.8	42.9	32.9	33.5	37.6	43.3	43.6	33.9	21.2	30.9
95% CI	2.8	4.2	3.7	4.2	4.6	5.4	4.6	4.9	5.7	9.5
n	1,466	739	717	642	384	437	793	379	190	97

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 71. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE59A -- Percent of current smokers who rode in a car with someone who was
 smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	70.8	79.0	61.8	83.5	62.1	71.6	78.8	59.2	69.6	56.3
95% CI	8.3	9.7	11.9	13.9	19.0	9.1	9.0	17.6	17.6	28.2
n	135	70	65	27	32	76	70	28	26	10

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 72. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE59B -- Percent who have never smoked who rode in a car with someone who
 was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	28.1	32.2	24.1	27.3	28.5	29.0	31.2	25.5	22.9	21.9
95% CI	2.7	3.8	3.8	4.4	4.7	5.4	4.5	4.2	4.8	8.5
n	1,470	743	717	651	382	433	789	383	192	99

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 73. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE5859 -- Percent who rode in a car or were in the same room with someone
 who was smoking cigarettes on 1+ days during the past 7 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	50.3	56.0	44.9	43.2	48.1	58.7	56.0	45.0	41.4	41.2
95% CI	2.9	3.8	3.6	3.8	4.6	4.8	4.0	5.0	5.0	8.7
n	2,079	1,028	1,033	816	527	723	1,083	550	293	133

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 74. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60A -- Percent who definitely or probably think smoke from other
 people's cigarettes is harmful to them

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	91.5	94.4	88.6	89.8	91.1	93.2	94.4	88.0	87.7	88.2
95% CI	2.0	1.8	2.9	3.2	3.7	2.7	1.8	4.1	4.6	5.3
n	2,020	1,010	994	784	514	710	1,062	528	280	131

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 75. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60B -- Percent of current smokers who definitely or probably think smoke
 from other people's cigarettes is harmful to them

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	80.7	89.8	70.4	77.3	78.7	82.5	87.1	81.4	69.2	49.1
95% CI	6.7	8.0	13.0	19.3	13.8	7.9	8.2	15.1	18.4	27.3
n	131	69	62	24	31	76	66	28	25	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 76. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE60C -- Percent who have never smoked who definitely or probably think
 smoke from other people's cigarettes is harmful to them

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	93.4	95.6	91.2	92.2	93.3	94.9	96.0	89.8	89.2	94.8
95% CI	2.0	1.6	3.1	2.9	4.0	2.6	2.2	3.4	5.6	4.3
n	1,455	739	707	640	380	431	790	374	186	98

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 77. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE61A -- Percent of current smokers who live with someone who currently
 smokes cigarettes

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	69.0	73.0	64.5	75.8	71.2	66.1	76.9	52.8	69.0	83.0
95% CI	7.0	10.3	11.1	17.0	16.3	9.3	9.4	18.8	18.7	22.4
n	134	70	64	26	32	76	68	28	26	11

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 78. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE61B -- Percent who have never smoked who live with someone who currently
 smokes cigarettes

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	35.6	37.1	34.0	35.7	34.4	36.9	39.7	30.0	32.1	33.0
95% CI	3.4	4.5	4.3	5.6	6.2	6.6	5.1	4.8	8.1	8.3
n	1,466	745	711	646	380	436	794	379	189	97

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 79. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE62A -- Percent of current SLT users who live with someone who uses SLT

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	37.3	30.1	39.3	36.4	26.6	50.8	37.7	52.4	13.7	53.9
95% CI	18.7	28.7	21.9	29.9	30.8	35.3	20.0	59.9	25.4	44.6
n	37	9	28	9	13	15	21	3	6	6

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 80. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE62B -- Percent who have never used SLT who live with someone who uses
 SLT

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	5.7	5.7	5.6	4.2	6.0	6.6	6.9	4.1	4.9	4.8
95% CI	1.0	1.3	1.5	1.6	1.8	1.8	1.4	2.1	3.2	3.9
n	1,915	975	924	762	481	660	1,000	515	262	120

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 81. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63A -- Percent of current smokers with one or more smokers among their
 four closest friends (with "Not sure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	85.1	86.7	83.3	82.9	75.3	90.2	91.1	73.8	89.2	76.0
95% CI	6.5	8.9	9.8	16.0	14.8	6.8	7.0	17.3	19.4	27.5
n	131	67	64	26	30	75	68	27	26	9

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 82. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63B -- Percent who have never smoked with one or more smokers among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	19.3	19.1	19.2	11.7	22.8	24.1	17.9	20.3	24.7	15.1
95% CI	2.8	3.9	3.4	3.6	4.8	4.7	3.0	5.4	8.1	8.2
n	1,468	745	713	650	381	433	794	380	188	99

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 83. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64A -- Percent of current SLT users with one or more SLT users among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	77.1	71.5	78.5	70.4	92.0	63.3	79.8	52.4	86.5	76.9
95% CI	13.3	31.9	14.6	23.8	15.1	25.0	14.7	59.9	25.1	38.3
n	38	8	30	10	13	15	23	3	6	5

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 84. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64B -- Percent of current tobacco users with one or more SLT users among
 their four closest friends (with "Not sure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	40.4	38.9	41.8	42.8	53.9	34.0	45.9	32.0	33.3	51.4
95% CI	7.6	10.6	11.1	13.4	12.7	10.3	9.8	15.9	17.1	22.7
n	193	83	109	40	41	111	99	46	32	13

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 85. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64C -- Percent who have never used SLT who have one or more SLT users
 among their four closest friends (with "Not sure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	13.3	12.6	14.0	8.9	13.9	16.8	13.8	12.7	14.0	9.3
95% CI	2.4	3.0	2.7	2.4	3.9	4.3	3.3	3.5	4.8	5.2
n	1,921	975	930	769	484	656	1,003	516	264	120

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 86. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE7_1 -- Percent who smoked first whole cigarette before age 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	6.3	4.8	7.7	5.6	5.9	7.2	6.2	6.1	6.5	9.1
95% CI	1.2	1.3	1.9	1.9	2.2	2.3	1.6	2.2	2.8	5.3
n	2,021	1,001	1,011	784	524	710	1,039	548	290	131

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 87. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE31_1 -- Percent who smoked first cigar before age 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	2.7	1.8	3.4	2.4	2.7	2.8	2.8	2.2	3.9	1.4
95% CI	0.7	0.8	1.0	1.1	1.3	1.1	1.0	1.2	1.8	2.1
n	2,116	1,042	1,056	833	546	723	1,091	572	296	136

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 88. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE26_1 -- Percent who used SLT before age 11

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	1.4	0.9	1.9	1.7	1.3	1.3	1.2	1.3	1.8	3.4
95% CI	0.5	0.6	0.8	1.0	1.1	0.7	0.7	1.0	1.9	2.8
n	2,108	1,043	1,047	830	544	720	1,088	569	294	136

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 89. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE18_1 -- Percent of current smokers who smoked cigarettes on school
 property during the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	25.0	22.4	27.6	18.9	35.2	20.7	19.2	31.5	32.0	38.9
95% CI	8.0	11.7	10.3	16.5	15.4	10.1	9.9	17.0	21.6	24.5
n	144	73	71	28	37	79	74	31	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 90. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE_28_1 -- Percent of current SLT users who used SLT on school property
 during the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	50.9	43.3	52.9	71.0	52.2	38.5	45.0	52.4	56.5	68.2
95% CI	19.0	28.5	22.7	20.2	30.5	32.0	22.1	59.9	37.6	37.7
n	40	9	31	10	14	16	23	3	7	6

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 91. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63A_1 -- Percent of current smokers with one or more smokers among their
 four closest friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	82.6	84.4	80.6	81.2	72.9	88.0	90.1	65.3	87.3	73.4
95% CI	7.5	10.6	10.7	17.4	15.8	8.3	7.8	20.5	22.5	29.7
n	113	57	56	23	28	62	61	21	22	8

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 92. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE63B_1 -- Percent who have never smoked with one or more smokers among
 their four closest friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	13.6	13.7	13.3	8.5	15.7	17.4	11.6	16.2	17.4	10.0
95% CI	2.6	3.5	3.3	3.0	4.5	4.6	2.6	5.1	7.3	6.5
n	1,377	702	666	627	350	397	743	363	172	93

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 93. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64A_1 -- Percent of current SLT users with one or more SLT users among
 their four closest friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	67.7	43.3	71.8	42.0	89.6	51.2	70.2	52.4	79.3	72.1
95% CI	18.5	50.4	19.4	45.1	19.6	27.3	21.9	59.9	37.3	44.3
n	26	4	22	5	10	11	15	3	4	4

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 94. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE64C_1 -- Percent who have never used SLT who have one or more SLT users
 among their four closest friends

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	5.9	6.3	5.5	3.0	6.4	8.2	6.6	5.4	5.1	2.5
95% CI	1.5	1.7	1.9	1.5	3.1	2.7	2.2	2.1	2.8	2.8
n	1,774	910	848	722	448	592	928	479	239	111

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 95. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CORE50_1 -- Percent who at school this year practiced ways to say 'NO' to
 tobacco (No "Unsure"s)

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	43.5	46.1	41.0	44.4	45.4	41.0	44.1	41.2	48.9	43.7
95% CI	3.4	4.4	4.4	6.5	8.3	7.2	4.8	4.7	7.8	10.1
n	1,742	860	868	669	448	616	904	471	241	109

%=Percentage, CI=Confidence Interval, n=Cell Size

Table 96. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable FSMOKER_1 -- Percent of current smokers who smoked cigarettes on 20+ days
 of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	18.8	10.8	27.1	7.3	18.2	22.4	16.7	20.8	21.0	30.9
95% CI	6.2	8.1	9.7	8.1	13.2	8.1	9.2	13.3	13.2	31.3
n	144	73	71	28	37	79	74	31	26	12

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 97. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFCIGAR_1 -- Percent of current cigar smoker who smoked a cigar 20+ days of
 the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	15.8	3.6	22.8	22.9	19.1	10.9	12.5	13.6	22.8	53.1
95% CI	8.6	4.7	12.6	16.6	18.0	9.9	9.5	17.5	20.6	39.9
n	94	35	58	18	25	50	45	22	17	7

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 98. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFSLT_1 -- Percent of current smokeless tobacco (SLT) users who used SLT
 20+ days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	23.3	0.0	29.4	18.7	29.6	18.2	17.4	52.4	29.6	17.9
95% CI	17.0	0.0	20.3	26.4	29.1	24.3	17.0	59.9	35.0	32.8
n	40	9	31	10	14	16	23	3	7	6

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 99. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFPIPE_1 -- Percent of current pipe users who smoked tobacco in a pipe 20+
 days of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	29.3	31.0	28.5	26.3	41.5	23.5	24.8	25.0	53.0	65.3
95% CI	14.5	26.0	20.0	26.0	37.6	17.1	18.1	39.4	46.4	49.7
n	38	13	25	9	9	20	21	8	6	3

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 100. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CFBIDIS_1 -- Percent of current bidis smokers who smoked bidis on 20+ days
 of the past 30 days

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	18.3	4.0	25.3	6.8	25.0	17.9	7.4	18.7	35.7	42.3
95% CI	15.4	8.0	20.8	12.0	32.6	19.9	14.1	31.1	32.4	47.7
n	39	14	25	11	12	16	12	12	9	5

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 50

Table 101. Weighted Preferred Response Report for Delaware
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable SUSCEPNS -- Susceptible Never Smokers

	Gender/Grade/Race									
	Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
%	20.5	23.0	18.0	13.8	25.1	23.1	20.7	20.4	21.7	15.4
95% CI	2.5	3.6	3.4	2.3	5.3	3.9	3.0	4.4	7.3	8.2
n	1,521	763	748	675	399	443	814	403	196	101

%=Percentage, CI=Confidence Interval, n=Cell Size

Weighted Preferred Table of Contents for Delaware
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
Alphabetic Table of Contents (by Analysis Variable)

Analysis Variable (Description)	Table Number
CBIDIS (Percent smoked bidis on 1 or more days of the past 30 days).....	15
CCIGAR (Percent current cigar smoker -- smoked a cigar 1+ days of the past 30 days)	8
CFBIDIS (Percent smoked bidis on 20+ days of the past 30 days).....	16
CFBIDIS_1 (Percent of current bidis smokers who smoked bidis on 20+ days of the past 30 days)	100
CFCIGAR (Percent frequent cigar smoker -- smoked a cigar 20+ days of the past 30 days).....	9
CFCIGAR_1 (Percent of current cigar smoker who smoked a cigar 20+ days of the past 30 days)	97
CFPIPE (Percent who smoked tobacco in a pipe 20+ days of the past 30 days).....	11
CFPIPE_1 (Percent of current pipe users who smoked tobacco in a pipe 20+ days of the past 30 days)	99
CFSLT (Percent who used smokeless tobacco (SLT) 20+ days of the past 30 days).....	6
CFSLT_1 (Percent of current smokeless tobacco (SLT) users who used SLT 20+ days of the past 30 days)	98
CORE11 (Percent of current smokers who smoked 6+ cigarettes per day on the days they smoked).....	22
CORE12A (Percent of current smokers who smoked no usual brand during the past 30 days)	23
CORE12B (Percent of current smokers who smoked Camel during the past 30 days).....	24
CORE12C (Percent of current smokers who smoked Marlboro during the past 30 days)	25
CORE12D (Percent of current smokers who smoked Newport during the past 30 days).....	26
CORE12E (Percent of current smokers who smoked other brands during the past 30 days)	27
CORE18A (Percent who smoked cigarettes on school property during the past 30 days).....	28
CORE18_1 (Percent of current smokers who smoked cigarettes on school property during the past 30 days)	89
CORE21A (Percent who want to stop smoking cigarettes).....	29
CORE21B (Percent of current smokers who want to stop smoking cigarettes)	30
CORE24 (Percent of current smokers who, when they last tried to quit, stayed off cigarettes for less than 30 days).....	31
CORE26 (Percent of ever SLT users who first used SLT before age 11)	32
CORE26_1 (Percent who used SLT before age 11).....	88
CORE28 (Percent who used SLT on school property during the past 30 days)	33
CORE31 (Percent of ever cigar smokers who smoked their first cigar before age 11).....	34
CORE31_1 (Percent who smoked first cigar before age 11)	87
CORE37 (Percent who have never smoked who will not try a cigarette soon).....	35
CORE38 (Percent who have never smoked who will definitely not smoke cigarettes during the next year)	36
CORE40 (Percent who have never smoked who will definitely not smoke if one of their best friends offered them a cigarette).....	37
CORE41A (Percent who have discussed with parent (or guardian) about the dangers of tobacco use, in the past 12 months)	38
CORE41B (Percent of current smokers who have discussed with parent (or guardian) about the dangers of tobacco use, in the past)	39
CORE41C (Percent who have never smoked who have discussed with parent (or guardian) about the dangers of tobacco use, in the pa)	40
CORE43A (Percent who think young people who smoke cigarettes have more friends).....	41
CORE43B (Percent of current smokers who think young people who smoke cigarettes have more friends)	42
CORE43C (Percent who have never smoked who think young people who smoke cigarettes have more friends).....	43
CORE44A (Percent who think smoking cigarettes makes young people look cool or fit in)	44
CORE44B (Percent of current smokers who think smoking cigarettes makes young people look cool or fit in).....	45
CORE44C (Percent who have never smoked who think smoking cigarettes makes young people look cool or fit in)	46
CORE45A (Percent of current smokers who think young people risk harming themselves if they smoke between 1 and 5 cigarettes per)	47
CORE45B (Percent who have never smoked who think young people risk harming themselves if they smoke between 1 and 5 cigarettes)	48
CORE46A (Percent of current smokers who think it is safe to smoke a year or two, as long as you quit after that).....	49
CORE46B (Percent who have never smoked who think it is safe to smoke a year or two, as long as you quit after that)	50
CORE47A (Percent of current smokers who think they would be able to quit cigarette smoking now if they wanted to).....	51
CORE47B (Percent of frequent smokers who think they would be able to quit cigarette smoking now if they wanted to)	52
CORE48A (Percent who have ever participated in a program to help quit using tobacco).....	53
CORE48B (Percent of current smokers who have ever participated in a program to help quit using tobacco)	54
CORE49 (Percent who at school this year were taught about the dangers of tobacco use).....	55
CORE50 (Percent who at school this year practiced ways to say 'NO' to tobacco)	56
CORE50_1 (Percent who at school this year practiced ways to say 'NO' to tobacco (No "Unsure"))	95
CORE51A (Percent who participated in any community event to discourage people for using tobacco during the past 12 months)	57
CORE51B (Percent of current tobacco users who participated in any community event to discourage people for using tobacco during)	58

Weighted Preferred Table of Contents for Delaware
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2008
Alphabetic Table of Contents (by Analysis Variable)

Analysis Variable (Description)	Table Number
CORE51C (Percent who have never used tobacco who participated in any community event to discourage people from using tobacco du)	59
CORE52 (Percent who have seen or heard anti-smoking commercials during the past 30 days).....	60
CORE53 (Percent who watch TV or movies who see actors using tobacco (most or some of the time))	61
CORE5355 (Percent who use the Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products)..	63
CORE55 (Percent who use the Internet and see Internet ads for tobacco products (most or some of the time))	62
CORE567A (Percent who are receptive to tobacco advertising).....	66
CORE567B (Percent of current tobacco users who are receptive to tobacco advertising)	67
CORE567C (Percent who have never used tobacco who are receptive to tobacco advertising).....	68
CORE57A (Percent of current tobacco users who would ever use or wear anything with a tobacco company name or picture on it)	64
CORE57B (Percent of never tobacco users who would ever use or wear anything with a tobacco company name or picture on it).....	65
CORE5859 (Percent who rode in a car or were in the same room with someone who was smoking cigarettes on 1+ days during the past)	73
CORE58A (Percent of current smokers who were in the same room with someone who was smoking cigarettes on 1+ days during the pas)	69
CORE58B (Percent who have never smoked who were in the same room with someone who was smoking cigarettes on 1+ days during the)	70
CORE59A (Percent of current smokers who rode in a car with someone who was smoking cigarettes on 1+ days during the past 7 days)	71
CORE59B (Percent who have never smoked who rode in a car with someone who was smoking cigarettes on 1+ days during the past 7 d)	72
CORE60A (Percent who definitely or probably think smoke from other people's cigarettes is harmful to them).....	74
CORE60B (Percent of current smokers who definitely or probably think smoke from other people's cigarettes is harmful to them)	75
CORE60C (Percent who have never smoked who definitely or probably think smoke from other people's cigarettes is harmful to the).	76
CORE61A (Percent of current smokers who live with someone who currently smokes cigarettes)	77
CORE61B (Percent who have never smoked who live with someone who currently smokes cigarettes).....	78
CORE62A (Percent of current SLT users who live with someone who uses SLT)	79
CORE62B (Percent who have never used SLT who live with someone who uses SLT).....	80
CORE63A (Percent of current smokers with one or more smokers among their four closest friends (with "Not sure"))	81
CORE63A_1 (Percent of current smokers with one or more smokers among their four closest friends).....	91
CORE63B (Percent who have never smoked with one or more smokers among their four closest friends (with "Not sure"))	82
CORE63B_1 (Percent who have never smoked with one or more smokers among their four closest friends).....	92
CORE64A (Percent of current SLT users with one or more SLT users among their four closest friends (with "Not sure"))	83
CORE64A_1 (Percent of current SLT users with one or more SLT users among their four closest friends).....	93
CORE64B (Percent of current tobacco users with one or more SLT users among their four closest friends (with "Not sure"))	84
CORE64C (Percent who have never used SLT who have one or more SLT users among their four closest friends (with "Not sure"))....	85
CORE64C_1 (Percent who have never used SLT who have one or more SLT users among their four closest friends)	94
CORE7 (Percent of ever smokers who smoked first whole cigarette before age 11).....	19
CORE7_1 (Percent who smoked first whole cigarette before age 11)	86
CORE8A (Percent of ever smokers who smoked 100+ cigarettes in their lifetime).....	20
CORE9 (Percent ever smoked daily)	21
CORE_28_1 (Percent of current SLT users who used SLT on school property during the past 30 days).....	90
CPIPE (Percent who smoked tobacco in a pipe 1+ days of the past 30 days)	10
CSLT (Percent of current users of smokeless tobacco (SLT) -- used smokeless tobacco (SLT) on 1+ days of the past 30 days).....	5
CSMOKE (Percent smoked cigarettes on 1 or more days of the past 30 days)	2
CTOBUSE (Percent current tobacco use -- those who have use any form of tobacco in the past 30 days).....	18
EBIDIS (Percent ever smoked bidis)	12
EBK (Percent ever smoked bidis or kreteks).....	14
ECIGAR (Percent who ever smoked a cigar)	7
EKRETEKS (Percent ever smoked kreteks).....	13
ESLT (Percent ever used smokeless tobacco (SLT))	4
ESMOKE (Percent ever smoked cigarettes).....	1
ETOBUSE (Percent ever tobacco use -- those who have ever used any form of tobacco)	17
FSMOKER (Percent smoked cigarettes on 20+ days of the past 30 days).....	3
FSMOKER_1 (Percent of current smokers who smoked cigarettes on 20+ days of the past 30 days)	96
SUSCEPNS (Susceptible Never Smokers).....	101