

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

2019 Analysis

September 2021



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology



FORWARD CONSULTANTS

CONTACT INFORMATION

George Yocher

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

1351 West North Street Suite 103

Dover, DE 19904

302.608.5745 Office

302.608.5731 Fax

george.yocher@delaware.gov

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

vikrum@forward-consultants.com

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2019 Analysis. September 2021.”

Delaware PRAMS is made possible through a cooperative agreement with the Centers for Disease Control and Prevention, grant 5 U01DP006239.

TABLE OF CONTENTS

EXECUTIVE SUMMARY 18

INTRODUCTION..... 20

METHODS 20

Choosing & Retooling the Questions for Analysis..... 21

Choosing Demographic Categories for Analysis..... 22

Putting the Questions & Demographic Categories Together for Analysis..... 23

RESULTS 25

Pregnancy Intention & Becoming Pregnant..... 26

 Pregnancy Intention 26

 Becoming Pregnant..... 26

Prenatal Care 27

 Starting Prenatal Care 27

 Access to Prenatal Care 27

 During Prenatal Care Visits 27

Infant Care 27

 Breastfeeding 28

 SIDS Prevention..... 28

 Infant Survival 28

Alcohol & Tobacco Use 29

 Alcohol Use 29

 Tobacco Use..... 29

Health Care Utilization..... 29

 HIV Testing 29

 Parenting Classes 30

 Physician Visits..... 30

 Dentist Visits..... 30

 Contraception..... 30

Health Status 31

 Before Becoming Pregnant..... 31

 During Most Recent Pregnancy 31

 Postpartum Depression 32

Health Coverage..... 32

 Before Becoming Pregnant..... 32

 Prenatal Care Payer..... 32

 During Most Recent Pregnancy 33

 During Delivery and Well-Baby Checkups 33

Social Support 33

DISCUSSION 33

GRAPHS..... 36

TABLES..... 159

APPENDIX A (RAW VARIABLE GRAPHS)..... 182

APPENDIX B (RAW VARIABLE TABLES)..... 247

TABLE OF FIGURES

BEFORE PREGNANCY

Q4: Before you got pregnant, did you have any other babies who were born alive?..... 36

Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? 37

Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? 38

Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? 38

Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? 38

Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history?..... 39

Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? 44

Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? 44

Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? 45

Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office? 45

Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?..... 47

Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? 48

Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?..... 48

Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? 49

Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure? 49

Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? 49

Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? 50

BEFORE PREGNANCY (Continued)

Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? 50

Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? 51

Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?..... 51

Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?..... 52

Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?..... 52

Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? 53

Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?..... 54

Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? 54

Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?..... 55

Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?..... 55

Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?..... 56

Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? 56

Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? 57

Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby?..... 57

Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?..... 57

BEFORE PREGNANCY (Continued)

Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?..... 58

Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner? 58

Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents? 59

Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov? 60

Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? 60

Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? 60

Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? 61

Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? 62

Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? 62

Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. 71

Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. 71

Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. 72

Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future..... 73

Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted..... 73

Q19: When you got pregnant with your new baby, were you trying to get pregnant? 74

Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? 74

Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? 85

Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? 86

Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? 87

HEALTH RISKS BEFORE PREGNANCY

Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth? 36

Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?..... 36

Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes? 40

Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? 40

Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? 41

Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma?..... 41

Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia?..... 42

Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems?..... 42

Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)? 43

Q8H: During the month before you got pregnant with your new baby, did you have anxiety? 43

Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition? 46

Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? 46

Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? 47

Q35: Have you smoked any cigarettes in the past 2 years? 103

Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?..... 103

Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? 105

Q40B: Have you used hookah in the past 2 years? 106

Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years? 106

Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years? 107

Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 107

Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 108

Q43: Have you had any alcoholic drinks in the past 2 years? 108

Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?..... 109

HEALTH RISKS BEFORE PREGNANCY (Continued)

Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?..... 117

Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 117

Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? 118

Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?..... 151

Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? 152

Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? 152

PRENATAL CARE

Q16A: During my most recent pregnancy, I did not go for prenatal care. 63

Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care..... 63

Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. 64

Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. 64

Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. 64

Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care..... 65

Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care..... 66

Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. 66

Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. 67

Q23: Did you get prenatal care as early in your pregnancy as you wanted? 75

Q24A: I couldn’t get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. 75

Q24B: I didn’t have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. 76

PRENATAL CARE (Continued)

Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted..... 76

Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 77

Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. 77

Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 78

Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted..... 78

Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 79

Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. 79

Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 80

Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. 80

Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? 81

Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? 81

Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 82

Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? 82

Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 83

Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? 83

Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?..... 84

Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?..... 84

Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? 85

Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?..... 85

PRENATAL CARE (Continued)

Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?..... 153

HEALTH RISKS DURING PREGNANCY

Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. 90

Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. 90

Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? 91

Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy?) 91

Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia?..... 92

Q32C: During your most recent pregnancy, did you have depression? 92

Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy?..... 93

Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? 93

Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy?..... 94

Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?..... 94

Q33E: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?..... 95

Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?..... 95

Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 96

Q33H: Did you have to have a blood transfusion during your most recent pregnancy?..... 96

Q33I: Did you get hurt in a car accident during your most recent pregnancy? 97

Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?..... 97

Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes? 98

Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia?..... 98

Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea?..... 99

Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?..... 99

HEALTH RISKS DURING PREGNANCY (Continued)

Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis? 100

Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)? 100

Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? 101

Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis? 101

Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? 102

Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? 102

Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?..... 104

Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? 105

Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week? 109

Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 118

Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 118

Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? 119

DELIVERY AND POSTPARTUM

Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. 67

Q17B: I have private health insurance from my parents as my health insurance now. 68

Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now..... 68

Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now..... 69

Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now. 69

Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now..... 70

Q17G: I have TRICARE or other military health care as my health insurance now. 70

Q17H: I do not have health insurance now. 71

Q38: Do you currently smoke 11 or more cigarettes on average each day? 104

Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)? 119

DELIVERY AND POSTPARTUM (Continued)

Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days? 120

Q53: Is your baby alive now? 121

Q54: Is your baby living with you now? 121

Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? 125

Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? 126

Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? 126

Q60: Does your baby always or often sleep alone in his or her own crib or bed? 127

Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? 127

Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? 128

Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed? 128

Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair? 129

Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? 129

Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? 130

Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket? 130

Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? 131

Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? 131

Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? 132

Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? 132

Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? 133

Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? 133

Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? 134

Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? 134

Q69: Since your new baby was born, have you had a postpartum checkup for yourself? 145

Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? 145

DELIVERY AND POSTPARTUM (Continued)

Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?..... 146

Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?..... 146

Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? 146

Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), Nuvaring®, or condoms? 147

Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?..... 147

Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 148

Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 148

Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?..... 149

Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? 150

Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?..... 150

Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? 151

INTERCONCEPTION BEHAVIORS

Q66: Are you or your husband or partner doing anything now to keep from getting pregnant? 135

Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 135

Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 135

Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 136

Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 137

Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 137

Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 137

INTERCONCEPTION BEHAVIORS (Continued)

Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 138

Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 138

Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 139

Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 140

Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. 140

Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. 141

Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. 141

Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 142

Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 142

Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 143

Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 143

Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 143

Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 144

HEALTH PROMOTING BEHAVIORS

Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? 87

Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? 88

Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy. 88

Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums..... 89

Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. 89

HEALTH PROMOTING BEHAVIORS (Continued)

Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? 122

Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?..... 122

Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? 123

Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? 123

Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group?..... 124

Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline ortoll-free number? 124

Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?..... 125

Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems?..... 154

Q77D: During your most recent pregnancy, did you receive help to quit smoking? 155

Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home? 155

Q79A: During your most recent pregnancy, did you take any parenting classes? 158

Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? 158

SOCIOECONOMIC INDICATORS

Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? 110

Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? 110

Q46C: During the 12 months before your new baby was born, did you move to a new address? 111

Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? 111

Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? 112

Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?..... 112

Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? 113

Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? 113

Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?..... 114

SOCIOECONOMIC INDICATORS (Continued)

Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? 114

Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? 115

Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? 115

Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? 116

Q46N: During the 12 months before your new baby was born, did someone very close to you die? 116

Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? 153

Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? 154

Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? 156

Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? 156

Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? 157

Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? 157

TABLE OF TABLES

Table 1. Questions Omitted from Analysis..... 21
Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 21
Table 3. Response Rates by Demographic Category 22
Table 4. Cross-Table of Respondents by Demographic Categories. 24
Table 5. χ^2 of Demographic Category Comparisons. 24
Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme..... 25
Table 7A. Percent Response Yes and Lower/Upper 95% CI, Q4-Q8C 159
Table 7B. Percent Response Yes and Lower/Upper 95% CI, Q8D-Q11D 160
Table 7C. Percent Response Yes and Lower/Upper 95% CI, Q11E-Q12H 161
Table 7D. Percent Response Yes and Lower/Upper 95% CI, Q12I-Q14F 162
Table 7E. Percent Response Yes and Lower/Upper 95% CI, Q14G-Q16A 163
Table 7F. Percent Response Yes and Lower/Upper 95% CI, Q16B-Q17C..... 164
Table 7G. Percent Response Yes and Lower/Upper 95% CI, Q17D-Q19..... 165
Table 7H. Percent Response Yes and Lower/Upper 95% CI, Q20-Q24I 166
Table 7I. Percent Response Yes and Lower/Upper 95% CI, Q24J-Q25I..... 167
Table 7J. Percent Response Yes and Lower/Upper 95% CI, Q25J-Q30E 168
Table 7K. Percent Response Yes and Lower/Upper 95% CI, Q31-Q33G..... 169
Table 7L. Percent Response Yes and Lower/Upper 95% CI, Q33H-Q34I 170
Table 7M. Percent Response Yes and Lower/Upper 95% CI, Q34J-Q40D 171
Table 7N. Percent Response Yes and Lower/Upper 95% CI, Q41-Q46F 172
Table 7O. Percent Response Yes and Lower/Upper 95% CI, Q46G-Q47C..... 173
Table 7P. Percent Response Yes and Lower/Upper 95% CI, Q48A-Q55D..... 174
Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Q55E-Q62C 175
Table 7R. Percent Response Yes and Lower/Upper 95% CI, Q62D-Q65 176
Table 7S. Percent Response Yes and Lower/Upper 95% CI, Q66-Q68B 177
Table 7T. Percent Response Yes and Lower/Upper 95% CI, Q68C-Q70A 178
Table 7U. Percent Response Yes and Lower/Upper 95% CI, Q70B-Q72 179
Table 7V. Percent Response Yes and Lower/Upper 95% CI, Q74-Q78B 180
Table 7W. Percent Response Yes and Lower/Upper 95% CI, Q78C-Q79B 180

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2019 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives. The survey year of 2019 is part of the Phase 8 survey cycle, which started in 2016.

Methods

Delaware's 2019 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 82 questions in the survey, 12 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 70 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 246 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2019 Delaware PRAMS-eligible population.

It is essential to note that the denominators used to generate the percentages throughout this report are based on how the entire PRAMS-eligible population would have responded to the question. Therefore, the denominators - in total and stratified by age, race/ethnicity, marital status, prior live birth, educational attainment - were the same for every response presented in the report. These denominators are given in Table 6. This way of reporting differs from the method used by the CDC, in which the inclusion (or exclusion) criteria specific to each question are used to calculate the percentages. This inclusion (or exclusion) criteria are based on the flow of the questions and responses in the PRAMS survey. For example, in the PRAMS survey, if the respondent answers "No" to question 19 ("When you got pregnant with your new baby, were you trying to get pregnant?"), then the survey prompts the respondent to proceed to question 20 ("When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?"). If the respondent answers "Yes" to question 19, then the respondent is prompted to skip question 20 and proceed to question 21. In this report, the entire PRAMS-eligible population (in total and stratified by the demographic categories listed above) was used for the denominators in the calculations to question 20, regardless of the

response given by the respondent to question 19. However, in the method used by the CDC, only those respondents who answered "No" to question 19 were included in the denominator calculation for question 20.

Results

White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents. These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. Roughly one in ten Black non-Hispanic women did not want to be pregnant; this contrasts with approximately one in fourteen White non-Hispanic women. The percentage of White non-Hispanic women wanted to be pregnant sooner was almost twice that of Black non-Hispanic women. Moreover, more than half of White non-Hispanic women tried to get pregnant at the time they became pregnant with their new baby as compared to about one-third of Black non-Hispanic women. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanic women consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanic women and Hispanic women. As in previous PRAMS analyses, a comparatively high percentage of Hispanic women said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

Conclusions

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. Although the percentage of Black non-Hispanic women and White non-Hispanic women that reported breastfeeding or pumping breast milk to feed their new baby *after delivery* was fairly similar in this year's analysis, a higher percentage of White non-Hispanic women were likely to report that they were *currently* breastfeeding or feeding pumped milk to their new baby compared to Black non-Hispanic women. Generally speaking, these, as well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health.

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.*

This report offers a comprehensive snapshot of Delaware's 2019 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2019 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.* In order to reduce response bias, the CDC has set a benchmark rate of 55 percent as the PRAMS survey response rate. In 2019, Delaware surveyed 1,655 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 56.19 percent (930 women responding).

* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 82 questions in the 2019 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

Table 1. Questions Omitted from Analysis.

| Question | Reason for Omission from Analysis |
|---|--|
| 1, 2, 3, 21, 22, 49, 50, 58, 73, 81, and 82 | Data Specific to Respondent |
| 80 | Too Complex to Derive Meaningful Results |

Of the remaining 70 questions, 53 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 17 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 53 to 227. To ease analysis and downstream comparisons, the 17 multi-response questions were retooled into binary responses as defined by Table 2.

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.[†]

| | Response = “No” | Response = “Yes” | Response = “N/A” [‡] |
|------------|-------------------------------|------------------|-------------------------------|
| Q9 | 1 | 2, 3, 4 | |
| Q27 | Segmented into two questions. | | |
| Q36 | 4, 5, 6 | 1, 2, 3 | 7 |
| Q37 | 6 | 1, 2, 3, 4, 5 | 7 |
| Q38 | 4, 5, 6 | 1, 2, 3 | 7 |
| Q39 | 1 | 2, 3 | |
| Q41 | 3, 4, 5 | 1, 2 | |
| Q42 | 3, 4, 5 | 1, 2 | |
| Q44 | 4, 5, 6 | 1, 2, 3 | 7 |
| Q45 | 6 | 1, 2, 3, 4, 5 | 7 |
| Q52 | 1, 2 | 3, 4, 5, 7 | 6 |
| Q59 | 1, 3 | 2 | |
| Q60 | 3, 4, 5 | 1, 2 | |
| Q64 | 1 | 2 | 3 |
| Q71 | 3, 4, 5 | 1, 2 | |
| Q72 | 3, 4, 5 | 1, 2 | |
| Q75 | Segmented into two questions. | | |

[†] Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

[‡] “N/A” responses refer to responses that cannot be categorized in a binary manner.

These 17 multi-response questions resulted in 19 additional binary questions, which brought the total number of questions under investigation to 246.

Finally, note that this analysis makes use of “non-RAW” variables. Of the 246 questions investigated, 129 comprised of variables that were transformed by the CDC from “RAW” to “non-RAW”. Graphs of the 129 “RAW” variables are presented in Appendix A (pages 182 to 246) and the corresponding tables of the 129 “RAW” variables are given in Appendix B (pages 247 to 258). The results, graphs, and tables of the “non-RAW” variables are featured with the other variables (questions) in the body of this report.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

Table 3. Response Rates by Demographic Category, Delaware 2019 PRAMS.

| Total | | Respondents | Total | Percent Response |
|---------------------|-----------------------|-------------|-------|------------------|
| | | 930 | 1,655 | 56.19% |
| Age | Under 20 Years | 31 | 73 | 42.47% |
| | 20-24 Years | 145 | 315 | 46.03% |
| | 25-34 Years | 546 | 937 | 58.27% |
| | Over 34 Years | 208 | 330 | 63.03% |
| | Total | 930 | 1,655 | 56.19% |
| Ethnicity | White Non-Hispanics | 478 | 760 | 62.89% |
| | Black Non-Hispanics | 209 | 487 | 42.92% |
| | Hispanic | 181 | 301 | 60.13% |
| | Total [§] | 868 | 1,548 | 56.07% |
| Married | Married | 522 | 823 | 63.43% |
| | Not Married | 406 | 829 | 48.97% |
| | Total ^{**} | 928 | 1,652 | 56.17% |
| Previous Live Birth | Yes | 569 | 1013 | 56.17% |
| | No | 361 | 642 | 56.23% |
| | Total | 930 | 1,655 | 56.19% |
| Education | Less Than 12 Years | 116 | 227 | 51.10% |
| | 12 Years | 236 | 492 | 47.97% |
| | Greater Than 12 Years | 571 | 915 | 62.40% |
| | Total ^{**} | 923 | 1,634 | 56.49% |

[§] The “Ethnicity” totals were markedly lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 62 (6.67%).

^{**} The “Married” and “Education” totals were slightly lower as data was not reported or available for certain respondents.

A cross-table of the demographic category was created (Table 4) and χ^2 tests were performed (Table 5) to assess whether a significant relationship ($\alpha = 0.05$) exists between categories. Note that an analysis of “Age” on both “Married” and “Previous Live Birth” was not conducted given the relatively small counts in these cells.

In this population, significant associations occurred between “Ethnicity: Hispanic/White NH” and “Ethnicity: Black NH/White NH” and all other demographic categories except for “Previous Live Birth”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2019 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^{††} This weighted average methodology involved performing the following steps for each of the 246 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *wtnal* in the 2019 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on page 25.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

^{††} Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2019 PRAMS.

| | | Total | Race/Ethnicity | | | Married | | Previous Live Birth | | Education | | |
|---------------------|--------------------|-------|--------------------|--------------------|----------|---------|-------------|---------------------|-----|--------------------|----------|-----------------------|
| | | | White Non-Hispanic | Black Non-Hispanic | Hispanic | Married | Not Married | Yes | No | Less Than 12 Years | 12 Years | Greater Than 12 Years |
| Age | Under 20 Years | 73 | 13 | 35 | 25 | 2 | 71 | 7 | 66 | 42 | 25 | 4 |
| | 20-24 Years | 315 | 102 | 117 | 88 | 61 | 253 | 139 | 176 | 40 | 164 | 109 |
| | 25-34 Years | 937 | 478 | 246 | 140 | 546 | 390 | 602 | 335 | 105 | 240 | 580 |
| | Over 34 Years | 330 | 167 | 89 | 48 | 214 | 115 | 265 | 65 | 40 | 63 | 222 |
| Race/Ethnicity | White Non-Hispanic | 760 | | | | 482 | 277 | 459 | 301 | 67 | 159 | 528 |
| | Black Non-Hispanic | 487 | | | | 141 | 345 | 313 | 174 | 65 | 202 | 209 |
| | Hispanic | 301 | | | | 104 | 196 | 183 | 118 | 93 | 118 | 88 |
| Married | Married | 823 | | | | | | 518 | 305 | 59 | 138 | 619 |
| | Not Married | 829 | | | | | | 494 | 335 | 166 | 353 | 296 |
| Previous Live Birth | Yes | 1,013 | | | | | | | | 162 | 291 | 547 |
| | No | 642 | | | | | | | | 65 | 201 | 368 |
| Education | Less Than 12 Years | 227 | | | | | | | | | | |
| | 12 Years | 492 | | | | | | | | | | |
| | Greater Than 12 | 915 | | | | | | | | | | |

Table 5. χ^2 of Demographic Category Comparisons, Delaware 2019 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

| | Black NH | Hispanic | Married | Previous Live Birth | Education |
|---------------------|----------------------------------|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Age | 51.94 ^{##} (<i>S</i>) | 70.10 ^{##} (<i>S</i>) | N/A | 174.95 (<i>S</i>) | N/A |
| Ethnicity: Black NH | | | 141.00 ^{##} (<i>S</i>) | 1.89 ^{##} (<i>N/S</i>) | 84.72 ^{##} (<i>S</i>) |
| Ethnicity: Hispanic | | | 72.35 ^{##} (<i>S</i>) | 0.01 ^{##} (<i>N/S</i>) | 157.35 ^{##} (<i>S</i>) |
| Married | | | | | 259.05 (<i>S</i>) |
| Previous Live Birth | | | | | 11.53 (<i>S</i>) |

^{##} The χ^2 results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2019 PRAMS.

| | | Population of Births | Percent Response |
|----------------------------|-----------------------|----------------------|------------------|
| Total | | 9,865 | N/A |
| Age | Under 20 Years | 461 | 4.67% |
| | 20-24 Years | 1,798 | 18.23% |
| | 25-34 Years | 5,674 | 57.51% |
| | Over 34 Years | 1,932 | 19.58% |
| Ethnicity | White NH | 4,890 | 52.87% |
| | Black NH | 2,470 | 26.70% |
| | Hispanic | 1,889 | 20.43% |
| Married | Married | 5,315 | 53.96% |
| | Not Married | 4,534 | 46.04% |
| Previous Live Birth | Yes | 6,043 | 61.26% |
| | No | 3,822 | 38.74% |
| Education | Less Than 12 Years | 1,393 | 14.21% |
| | 12 Years | 2,522 | 25.71% |
| | Greater Than 12 Years | 5,894 | 60.09% |

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 36 to 158. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 159 to 181 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

RESULTS

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 36 and provided in the table on page 159), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (59.73 percent) did not overlap the 95 percent confidence interval for the percent of Hispanics responding “Yes” (65.69 percent). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small

cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2019 PRAMS-eligible population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

A significantly higher percentage of White non-Hispanics (17.97 percent) wanted to be pregnant *sooner* as compared to Black non-Hispanics (9.08 percent) and Hispanics (10.00 percent) as indicated by the results to Q18B. However, as given in Q18A, a significantly lower percentage of White non-Hispanics (16.74 percent) wanted to be pregnant *later* as compared to Black non-Hispanics (29.47 percent) or Hispanics (22.19 percent). In addition, 41.49 percent of White non-Hispanics and 46.42 percent of Hispanics wanted to be pregnant then; this contrasts with 27.21 percent of Black non-Hispanics (Q18C). Furthermore, a significantly higher percentage of White non-Hispanics (59.93 percent) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (36.64 percent) and Hispanics (43.63 percent) as suggested in Q19. This also was the case for married women (69.76 percent) compared with non-married women (30.55 percent) and for older women and women with more years of education.

Note that 16.68 percent of White non-Hispanics claimed that they or their husband or partner were doing something to keep from getting pregnant (Q20), which was significantly lower than the corresponding percentages for Black non-Hispanics (23.03 percent) and Hispanics (21.93 percent).

Becoming Pregnant

A higher percentage of White non-Hispanic women (33.75 percent) stated that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about their desire to have or not have children as compared to 18.48 percent of Black non-Hispanic women and 21.22 percent of Hispanic women as shown in Q12D. Similarly, compared to Black non-Hispanic and Hispanic women, a higher percentage of White non-Hispanic women responded that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about taking a vitamin with folic acid (Q12A) and about smoking cigarettes (Q12H). As given in Q12E, a lower percentage of Hispanic women (23.27 percent) claimed that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about using birth control to prevent pregnancy as compared to White non-Hispanic women (30.56 percent) and Black non-Hispanic women (32.07 percent).

Moreover, as given in Q14D, when asked if a doctor, nurse, or other health care worker talked with the respondent about getting counseling or treatment for depression or anxiety before getting pregnant with their new baby, a lower percentage of White non-Hispanic women (7.06 percent) and Black non-Hispanic women (9.94 percent) answered “Yes” as compared to Hispanic women (12.43 percent). Finally, a lower percentage of White non-Hispanic women stated that a doctor, nurse, or other health care worker talked with them about visiting a dentist or dental hygienist before pregnancy (9.58 percent) as compared to Black non-Hispanic women (14.91 percent) and Hispanic women (14.73 percent) as given in Q14B.

Prenatal Care

Starting Prenatal Care

As shown in Q23, a higher percentage of women in older age groups stated that they received prenatal care as early in their pregnancy as they wanted (ages 20-24 years: 83.14 percent; ages 25-34 years: 82.06 percent; and over 34 years: 83.25 percent) as compared to women in the youngest age group (age under 20 years: 71.64 percent). For this question, the percentages reported across the race/ethnicity groups (White non-Hispanics: 81.75 percent; Black non-Hispanics: 80.56 percent; and Hispanics: 82.59 percent) and marital status (married: 83.60 percent and not married: 80.31 percent) were similar.

Access to Prenatal Care

A substantially higher percentage of Hispanic women (7.16 percent) compared to White non-Hispanic women (2.05 percent) and Black non-Hispanic women (2.19 percent) stated that they did not have enough money or insurance to pay for prenatal care visits (Q24B). In addition, a higher percentage of Black non-Hispanic women (4.36 percent) and Hispanic women (4.34 percent) compared to White non-Hispanic women (1.04 percent) claimed that they had no way to get to the clinic or doctor’s office (Q24C). Furthermore, as presented in Q24H, a slightly higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women responded that they didn’t have anyone to take care of their children, which kept them from getting prenatal care when they wanted it. For Q24H, similar results occurred among women with fewer years of education (higher percentages reported) compared to women with more years of education (lower percentages reported). Compared to women in older age ranges, a slightly higher percentage of women ages 20-24 years said that they didn’t know they were pregnant (Q24I) as a reason for why they could not get prenatal care when they wanted. Finally, when compared with White non-Hispanics (0.00 percent) and Black non-Hispanics (0.66 percent), a significantly higher percentage of Hispanics (2.05 percent) stated that they didn’t want prenatal care as a reason for why they didn’t get prenatal care when they would have wanted it (Q24K).

During Prenatal Care Visits

As provided in Q25F, a significantly lower percentage of White non-Hispanics (87.03 percent) as compared to Black non-Hispanics (91.58 percent) and Hispanics (90.99 percent) claimed that

a doctor, nurse, or other health care worker asked them if they were feeling down or depressed during any of their prenatal care visits. Furthermore, a higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women, answered “Yes” when asked whether or not a health care provider discussed if they were using drugs such as marijuana, cocaine, crack, or meth (Q25G) and if they wanted to be tested for HIV (Q25H).

Infant Care

Approximately one-seventh of White non-Hispanic women (13.94 percent) and Hispanic women (13.37 percent) responded that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born (Q65). This was significantly lower than the reported percentage of Black non-Hispanics (19.76 percent). In addition, among women under age 20 years, this percentage was 35.08 percent, which is almost three times higher than that of the older age groups (ages 25-34 years: 13.06 percent; ages over 34 years: 12.16 percent).

Breastfeeding

As compared to Black non-Hispanics, a slightly higher percentage of White non-Hispanic and Hispanic respondents stated that they received information about breastfeeding from a nurse, midwife, or doula (Q55B) or a breastfeeding or lactation specialist (Q55C). In addition, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic women and Hispanic women reported that they received information about breastfeeding from a breastfeeding support group (Q55E) or a breastfeeding hotline or toll-free number (Q55F).

As suggested by the results to Q56, a significantly higher percentage of Hispanic women (89.86 percent) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to White non-Hispanic women (83.59 percent) and Black non-Hispanic women (82.98 percent). Note also that a higher percentage of women with more education and that were married claimed that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education and that were non-married. However, when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q57), only 38.61 percent of Black non-Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to 54.78 percent of White non-Hispanic women and 55.98 percent of Hispanic women. Correspondingly, a significantly higher percentage of women with more education and that were married stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to women with fewer years of education and that were non-married.

SIDS Prevention

A significantly higher percentage of White non-Hispanics (86.85 percent) and Hispanics (73.28 percent) compared to Black non-Hispanics (63.43 percent) reported laying their baby down on his or her back when they sleep (Q59). Compared with non-married women and women with

fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. In addition, a significantly higher percentage of White non-Hispanics (82.98 percent) reported that their baby always or often sleeps alone in his or her own crib or bed as compared to the corresponding percentages reported by Black non-Hispanics (65.87 percent) and Hispanics (69.35 percent) as given in Q60.

Infant Survival

When women were asked whether or not their baby was alive at the time of the survey (Q53), a significantly lower percentage of women who were over age 34 years (96.03 percent) responded “Yes” as compared to women under age 20 years (100.00 percent). Furthermore, in Q54, a significantly lower percentage of women over age 34 years (95.06 percent) stated that their baby was living with them now as compared to women under age 20 years (100.00 percent).

Alcohol & Tobacco Use

Alcohol Use

Based on the results to Q43, a significantly higher percentage of White non-Hispanics (77.85 percent) answered that they had consumed at least one alcoholic drink in the past two years as compared to Black non-Hispanics (56.92 percent) and Hispanics (47.07 percent). In Q44, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant (15.62 percent) was markedly higher than the percentage of Black non-Hispanics (4.82 percent) and Hispanics (3.46 percent).

Tobacco Use

A significantly higher percentage of White non-Hispanics (25.94 percent) and Black non-Hispanics (16.16 percent) compared to Hispanics (10.35 percent) responded that they smoked in the past two years (Q35). When asked whether or not they smoked in the past two years, the percentage of non-married women responding “Yes” (29.06 percent) was almost triple that of married women (10.33 percent).

Note that the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was more than triple the percentage reported by Black non-Hispanic women (White non-Hispanics: 11.95 percent compared to Black non-Hispanics: 3.62 percent) as indicated in Q36. As indicated in Q38, White non-Hispanic women (7.22 percent) were more likely to currently smoke as compared to Black non-Hispanic women (1.24 percent) and Hispanic women (0.21 percent).

Health Care Utilization

HIV Testing

As presented in Q12L, a significantly lower percentage of White non-Hispanic women (21.50 percent) and Hispanic women (21.05 percent) stated that they had a test for HIV in the 12 months before they got pregnant as compared to Black non-Hispanic women (32.29 percent).

Parenting Classes

As presented in Q79A, a higher percentage of Black non-Hispanic women (10.68 percent) and Hispanic women (12.06 percent) stated that they took parenting classes as compared to White non-Hispanic women (5.35 percent).

Physician Visits

As compared to both Black non-Hispanic and Hispanic women, a significantly higher percentage of White non-Hispanic women responded that they had a regular checkup with an OB/GYN (Q11B), a visit for an illness or chronic condition (Q11C), a visit for family planning or birth control (Q11E), or a visit for depression or anxiety (Q11F) in the 12 months before they got pregnant with their new baby.

Dentist Visits

Approximately half (51.37 percent) of White non-Hispanics claimed that they had a visit to have their teeth cleaned by a dentist or dental hygienist in the 12 months before they got pregnant with their new baby (Q11G); this contrasts with 35.14 percent of Black non-Hispanics and 23.08 percent of Hispanics. As presented in Q30A, 85.24 percent of respondents stated that they knew it was important to care for their teeth and gums during pregnancy. In addition, roughly half (48.54 percent) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For these two questions, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. As shown in Q29, however, a significantly higher percentage of White non-Hispanics (48.82 percent) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (36.83 percent) or Hispanics (28.89 percent). Furthermore, as indicated in Q30C, 65.37 percent of White non-Hispanics and 64.30 percent of Black non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Hispanics (39.50 percent). Finally, a higher percentage of Black non-Hispanics (24.69 percent) *needed* to see a dentist for a problem, as compared to 20.50 percent of White non-Hispanics and 15.71 percent of Hispanics (Q30D).

Contraception

A significantly higher percentage of White non-Hispanic women (13.17 percent) and Hispanic women (13.78 percent) said that they are now using an IUD (such as Mirena®, ParaGard®, Liletta®, or Skyla®) as compared to 8.64 percent of Black non-Hispanic women (Q68G). In addition, a significantly higher percentage of Hispanic women (17.52 percent) compared to White non-Hispanic women (3.44 percent) and Black non-Hispanic women (7.09 percent) stated that they are using a contraceptive implant in the arm (Nexplanon® or Implanon®) to keep from getting pregnant now (Q68H). Two-fifths (41.43 percent) of all respondents said that a doctor, nurse, or other health care worker gave or prescribed a contraceptive method such as the pill, shot (Depo-Provera®, NuvaRing®, or condoms (Q70E) and one-fifth (21.14 percent) said that a health care provider inserted an IUD or contraceptive implant at a postpartum checkup (Q70F).

Health Status

Before Becoming Pregnant

As compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. In the responses to Q7B, 42.00 percent of White non-Hispanic women stated that they were exercising 3 or more days of the week for fitness outside of their regular jobs; this contrasts with 27.61 percent of Black non-Hispanic women. Moreover, a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported dieting (changing eating habits) to lose weight (Q7A) and regular use of prescription medicines other than birth control (Q7C) at some point in time during the 12 months before getting pregnant with their new baby.

Almost half (47.56 percent) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby (Q9), which was significantly higher than that reported by Black non-Hispanic women (34.29 percent) and Hispanic women (32.91 percent).

Generally speaking, the race/ethnicity categories differed in the reported presence of adverse health conditions in the three months before getting pregnant (Q8A-H). In Q8E, 25.95 percent of Black non-Hispanics stated they had anemia as compared to 8.49 percent of White non-Hispanics and 15.77 percent of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were also apparent for asthma (Q8D). Conversely, a higher percentage of White non-Hispanic women reported having thyroid problems (Q8F) and anxiety (Q8H) as compared to Black non-Hispanic women.

Finally, a higher percentage of Black non-Hispanic women (2.33 percent) as compared to White non-Hispanic women (0.89 percent) and Hispanic women (0.71 percent) stated that their husband or partner pushed, hit, slapped, kicked, choked, or physically hurt them before they got pregnant with their new baby (Q47A).

During Most Recent Pregnancy

In Q32A, 12.28 percent of White non-Hispanic women and 12.43 percent of Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes (diabetes that started during this pregnancy); these percentages were slightly higher than the percentage reported by Black non-Hispanic women (9.37 percent). A higher percentage of Black non-Hispanic women (28.52 percent) and Hispanic women (22.01 percent) stated that they had a problem with severe nausea, vomiting, or dehydration during their most recent pregnancy; this contrasts with only 15.14 percent of White non-Hispanic women (Q33C). Compared to White non-Hispanic women and Hispanic women, a significantly higher percentage of Black non-Hispanic women also labor pains more than 3 weeks before their baby was due (Q33F).

Postpartum Depression

As given in Q71, a significantly higher percentage of White non-Hispanic women (7.13 percent) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with Black non-Hispanic women (5.36 percent) and Hispanic women (3.11 percent). In Q72, almost one-eighth (11.37 percent) of Black non-Hispanic women stated that they have always or often felt little interest or little pleasure in doing things since their new baby was born, which contrasts with 6.89 percent of White non-Hispanic women and 4.13 percent of Hispanic women.

Health Coverage

Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. Compared to Black non-Hispanic (34.29 percent) and Hispanic (16.52 percent) women, a significantly higher percentage of White non-Hispanic women (59.96 percent) stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q15A). Conversely, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was more than double that of White non-Hispanic women (Black non-Hispanic: 53.67 percent; White non-Hispanic: 25.74 percent) as presented in Q15D. Finally, compared to the other two race/ethnicity groups, a markedly high percentage of Hispanic women (19.59 percent) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby (Q15F); furthermore, a high percentage of Hispanic women (33.57 percent) claimed that they did not have any health insurance during the month before they became pregnant (Q15H).

Prenatal Care Payer

As provided in Q16E, a significantly higher percentage of Black non-Hispanic women (65.75 percent) said Medicaid paid for at least part of their prenatal care as compared to White non-Hispanic women (31.54 percent). Similar results occurred for younger women (73.33 percent of women under 20 years of age) as compared to older women (34.58 percent of women over 34 years of age), non-married women (71.70 percent) compared to married women (24.37 percent), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q16E results generally took place at each demographic category as shown in Q16B. Compared to the other race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q16G: 26.10 percent) helped pay for their prenatal care. Finally, as given in Q16I, a disproportionately high percentage of Hispanic women (6.77 percent) said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

According to Q77B, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women during their most recent pregnancy. Similar results were reported among women with fewer years of education (75.29 percent of women less than 12 years of education and 66.05 percent of women with 12 years of education) compared with women with more years of education (25.38 percent of women with over 12 years of education) and non-married women (69.84 percent) compared with married women (19.62 percent). A significantly higher percentage of Hispanic women (68.20 percent) and Black non-Hispanic women (63.84 percent) were on WIC compared to White non-Hispanic women (25.30 percent). Finally, a significantly higher percentage of Black non-Hispanics (44.49 percent) and Hispanics (31.41 percent) compared to White non-Hispanics (21.46 percent) reported that they were on food stamps or received money to buy food during their most recent pregnancy (Q77A).

During Delivery and Well-Baby Checkups

In Q17D, a significantly higher percentage of Black non-Hispanics (58.88 percent) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (28.50 percent) and Hispanics (43.61 percent). Similar results occurred for non-married women (61.62 percent) compared to married women (18.94 percent) and younger age groups (64.55 percent of women under 20 years of age and 62.31 percent of women ages 20 to 24) compared to older age groups (33.85 percent of women ages 25 to 34 years and 24.16 percent of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q17A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q17F: 20.44 percent) is their current form of health insurance. Finally, an estimated 1 in 4 Hispanic women were reported as not having health insurance now (Q17H).

Across all socio-demographic categories assessed, approximately 8 out of 9 women reported having had a postpartum checkup since their new baby was born (Q69).

Social Support

A significantly higher percentage of White non-Hispanics (29.84 percent) claimed to have a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Black non-Hispanics (18.45 percent) and Hispanics (14.63 percent) as given in Q46A. Furthermore, as shown in Q46D, a significantly higher percentage of Black non-Hispanics (3.40 percent) as compared to White non-Hispanics (1.60 percent) stated that they were homeless or had to sleep outside in a car or in a shelter at some point during the 12 months before their new baby was born. A significantly higher percentage of Black non-Hispanic women (26.45 percent) as compared to White non-Hispanic women (18.70 percent) and Hispanic women (16.81 percent) stated that they had argued with

their husband or partner more than usual during the 12 months before their baby was born (Q46I). Furthermore, as provided by Q46J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (11.22 percent) was slightly more than double that of White non-Hispanics (4.99 percent). Moreover, a significantly higher percentage of White non-Hispanics (83.95 percent) compared to Black non-Hispanics (72.06 percent) or Hispanics (69.93 percent) stated that they would know someone who could loan them \$50 if they needed it (Q78A).

Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q46A-N and Q78A-D).

DISCUSSION

As thoroughly and consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Overall, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on the measures in the "Health Status" section of the Results). According to the "Health Status" section of the Results, White non-Hispanics were generally in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2019 PRAMS analysis tend to echo the results of the 2013, 2014, 2015, 2016, and 2017 PRAMS analyses. Black non-Hispanics, Hispanics, and non-married women generally reported greater utilization of parenting classes and said that a health care provider asked them about whether someone was hurting them emotionally or physically, if they were feeling down or depressed, and if they wanted to be tested for HIV during their pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women were less likely to have health insurance throughout the perinatal period (see "Prenatal Care" and "Health Coverage" sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.


Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. A higher percentage of White non-Hispanics reported that they received information about breastfeeding from a health care provider or breastfeeding or lactation specialist whereas a higher percentage of Black non-Hispanic women reported that they received information about breastfeeding from a breastfeeding support group or a breastfeeding hotline or toll-free number. Yet, when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby, a significantly smaller percentage of Black non-Hispanic women stated that they

were currently breastfeeding or feeding pumped milk to their new baby as compared to White non-Hispanic women (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.


Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about one-quarter of Black non-Hispanic women reported that they wanted to be pregnant at the time they found out they were pregnant; this contrasts with two-fifths of White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.

GRAPHS

Q4: Before you got pregnant, did you have any other babies who were born alive?^{§§,*} (% “Yes”)**




Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?^{§§,*} (% “Yes”)**




^{§§} For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.

^{***} Indicates that at least one cell count used as a numerator for a percentage in this graph or table is less than 30.


Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?§§,* (% “Yes”)**




Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)




Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)




Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)




Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history? (% “Yes”)




Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes?* (% “Yes”)**




Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension?* (% “Yes”)**




Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? (% “Yes”)




Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? (% “Yes”)




Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? (% “Yes”)




Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems?* (% “Yes”)**




Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)?* (% “Yes”)**




Q8H: During the month before you got pregnant with your new baby, did you have anxiety? (% “Yes”)




Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? (% “Yes”)




Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? (% “Yes”)




Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor's office? (% "Yes")




Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN's office? (% "Yes")




Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* (% “Yes”)**




Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? (% “Yes”)




Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?* (% “Yes”)**




Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?* (% “Yes”)**




Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?* (% “Yes”)**




Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? (% “Yes”)




Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* (% “Yes”)**




Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? (% “Yes”)




Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? (% “Yes”)




Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? (% “Yes”)




Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? (% “Yes”)




Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed? (% “Yes”)




Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? (% “Yes”)




Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)? (% “Yes”)




Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? (% “Yes”)




Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy? (% “Yes”)




Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?* (% “Yes”)**




Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?* (% “Yes”)**




Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? (% “Yes”)




Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? (% “Yes”)




Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? (% “Yes”)




Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby? (% “Yes”)




Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby? (% “Yes”)




Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner?* (% “Yes”)**




Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents?* (% “Yes”)**




Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov?* (% “Yes”)**




Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? (% “Yes”)




Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)?* (% “Yes”)**




Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program?* (% “Yes”)**




Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care?* (% “Yes”)**




Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? (% “Yes”)




Q16A: During my most recent pregnancy, I did not go for prenatal care. * (% “Yes”)**




Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. (% “Yes”)




Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. * (% “Yes”)**




Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. * (% “Yes”)**




Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. (% “Yes”)




Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. * (% “Yes”)**




Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care. * (% “Yes”)**




Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. * (% “Yes”)**




Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. * (% “Yes”)**




Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. * (% “Yes”)**




Q17B: I have private health insurance from my parents as my health insurance now. * (% “Yes”)**




Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now. * (% “Yes”)**




Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now.* (% “Yes”)**




Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now.* (% “Yes”)**




Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now. * (% “Yes”)**




Q17G: I have TRICARE or other military health care as my health insurance now. * (% “Yes”)**




Q17H: I do not have health insurance now. * (% “Yes”)**




Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% “Yes”)




Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.* (% “Yes”)**




Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% “Yes”)




Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future.* (% “Yes”)**




Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn’t sure what I wanted. (% “Yes”)




Q19: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)




Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)




Q23: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”)




Q24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy?(% “Yes”)




Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?(% “Yes”)



Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?(% “Yes”)




Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol?(% “Yes”)




Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?(% “Yes”)




Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?(% “Yes”)




Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?(% “Yes”)




Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?(% “Yes”)




Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby?(% “Yes”)




Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?(% “Yes”)




Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? (% “Yes”)




Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy?* (% “Yes”)**




Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? (% “Yes”)




Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? (% “Yes”)




Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy. (% “Yes”)




Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums. (% “Yes”)




Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. (% “Yes”)




Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. (% “Yes”)




Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. (% “Yes”)




Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)




Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy)?* (% “Yes”)**




Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia? (% “Yes”)




Q32C: During your most recent pregnancy, did you have depression? (% “Yes”)




Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”)




Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? (% “Yes”)




Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy? (% “Yes”)




Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?* (% “Yes”)**




Q33E: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy?* (% “Yes”)**




Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?* (% “Yes”)**




Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?* (% “Yes”)**




Q33H: Did you have to have a blood transfusion during your most recent pregnancy?* (% “Yes”)**




Q33I: Did you get hurt in a car accident during your most recent pregnancy?* (% “Yes”)**




Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?* (% “Yes”)**




Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes?* (% “Yes”)**




Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia?* (% “Yes”)**




Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea?* (% “Yes”)**




Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?* (% “Yes”)**




Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis?* (% “Yes”)**




Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)?* (% “Yes”)**




Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? (% “Yes”)




Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis?* (% “Yes”)**




Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? (% “Yes”)




Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? (% “Yes”)




Q35: Have you smoked any cigarettes in the past 2 years?* (% “Yes”)**




Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* (% “Yes”)**




Q38: Do you currently smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?* (% “Yes”)**




Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years?* (% “Yes”)**




Q40B: Have you used hookah in the past 2 years?* (% “Yes”)**




Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years?* (% “Yes”)**




Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years?* (% “Yes”)**




Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q43: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)




Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* (% “Yes”)**




Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* (% “Yes”)**




Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)




Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)




Q46C: During the 12 months before your new baby was born, did you move to a new address?* (% “Yes”)**




Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?* (% “Yes”)**




Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job?* (% “Yes”)**




Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?* (% “Yes”)**




Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay?* (% “Yes”)**




Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel?* (% “Yes”)**




Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)




Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% “Yes”)




Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills?* (% “Yes”)**




Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail?* (% “Yes”)**




Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs?* (% “Yes”)**




Q46N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)




Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)?
 (% “Yes”)




Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days?
 (% “Yes”)




Q53: Is your baby alive now?(% “Yes”)




Q54: Is your baby living with you now?(% “Yes”)




Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? (% “Yes”)




Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula? (% “Yes”)




Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? (% “Yes”)




Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? (% “Yes”)




Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? (% “Yes”)




Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? (% “Yes”)




Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends? (% “Yes”)




Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? (% “Yes”)




Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? (% “Yes”)




Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? (% “Yes”)




Q60: Does your baby always or often sleep alone in his or her own crib or bed?(% “Yes”)




Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?(% “Yes”)




Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?(% “Yes”)




Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?(% “Yes”)




Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?*
(% “Yes”)**




**Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?
(% “Yes”)**




Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket?(% “Yes”)




Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket?(% “Yes”)




Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows?(% “Yes”)




Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?(% “Yes”)




Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?(% “Yes”)




Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?(% “Yes”)




Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room?(% “Yes”)




Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?(% “Yes”)




Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?(% “Yes”)




Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? (% “Yes”)



Q66: Are you or your husband or partner doing anything now to keep from getting pregnant?(% “Yes”)




Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




^{†††} Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.††† (% "Yes")




Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.††† (% "Yes")




Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††} (% “Yes”)




Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.^{*} (% “Yes”)**




Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant.††† (% “Yes”)




Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant.††† (% “Yes”)




Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant.††† (% “Yes”)




Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.†††,* (% “Yes”)**




Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.††† (% “Yes”)




Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.††† (% “Yes”)




Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant.^{†††} (% “Yes”)




Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant.^{†††,*} (% “Yes”)**




Q69: Since your new baby was born, have you had a postpartum checkup for yourself?††† (% “Yes”)




Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid?††† (% “Yes”)




Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?^{†††} (% “Yes”)




Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?^{†††} (% “Yes”)




Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth?^{†††} (% “Yes”)




Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms?^{†††} (% “Yes”)




Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?^{†††} (% “Yes”)




Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?^{†††} (% “Yes”)




Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?^{†††} (% “Yes”)




Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?^{†††} (% “Yes”)




Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes?††† (% “Yes”)




Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?* (% “Yes”)**




Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? (% “Yes”)




Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?* (% “Yes”)**




Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* (% “Yes”)**




Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* (% “Yes”)**




Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?(% “Yes”)




Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? (% “Yes”)




Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? (% “Yes”)




Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems* (% “Yes”)**




Q77D: During your most recent pregnancy, did you receive help to quit smoking?* (% “Yes”)**



Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home?* (% “Yes”)**



Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it?(% “Yes”)




Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”)




Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? (% "Yes")




Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% "Yes")



Q79A: During your most recent pregnancy, did you take any parenting classes? (% “Yes”)



Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety?* (% “Yes”)**



TABLES

| Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q4-Q8C | | | | | | | | | | | | |
|--|-----------------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|--------|
| | Percent Response Yes | Q4 | Q5 | Q6 | Q7A | Q7B | Q7C | Q7D | Q7E | Q8A | Q8B | Q8C |
| Total | Yes | 59.95% | 9.61% | 7.85% | 31.40% | 38.98% | 21.96% | 19.46% | 37.12% | 1.84% | 6.06% | 16.73% |
| Age | Under 20 Years | 4.16% | 2.93% | 0.00% | 16.39% | 31.16% | 11.86% | 20.64% | 27.99% | 2.93% | 2.93% | 11.25% |
| | 20-24 Years | 47.32% | 11.80% | 8.79% | 20.78% | 19.37% | 13.42% | 18.73% | 33.77% | 1.53% | 3.43% | 23.58% |
| | 25-34 Years | 61.05% | 8.81% | 7.64% | 33.48% | 45.29% | 21.83% | 17.64% | 38.65% | 0.94% | 6.29% | 15.12% |
| | Over 34 Years | 81.78% | 11.50% | 9.47% | 38.75% | 40.56% | 32.70% | 25.21% | 37.95% | 4.53% | 8.58% | 16.40% |
| Ethnicity | White Non-Hispanic | 59.73% | 6.61% | 5.32% | 35.40% | 42.00% | 30.13% | 17.13% | 38.62% | 1.62% | 6.47% | 18.71% |
| | Black Non-Hispanic | 56.66% | 13.81% | 12.54% | 28.02% | 27.61% | 12.89% | 19.47% | 34.77% | 2.40% | 7.77% | 17.51% |
| | Hispanic | 65.69% | 12.09% | 7.18% | 29.69% | 43.61% | 14.26% | 28.60% | 39.37% | 2.30% | 4.15% | 15.18% |
| Married | Married | 62.77% | 6.86% | 6.95% | 37.14% | 47.57% | 25.37% | 20.35% | 42.37% | 1.69% | 5.80% | 11.48% |
| | Not Married | 56.86% | 12.86% | 8.94% | 24.77% | 29.06% | 17.80% | 18.48% | 30.86% | 1.78% | 6.15% | 22.96% |
| Previous Live Birth | Yes | 96.23% | 15.68% | 12.75% | 32.95% | 35.58% | 20.14% | 21.49% | 35.73% | 2.04% | 6.00% | 16.95% |
| | No | 2.59% | 0.00% | 0.10% | 28.94% | 44.35% | 24.84% | 16.25% | 39.32% | 1.53% | 6.15% | 16.40% |
| Education | Less Than 12 Years | 66.62% | 20.68% | 15.49% | 24.33% | 33.53% | 14.71% | 29.64% | 36.29% | 7.17% | 5.36% | 19.93% |
| | 12 Years | 59.40% | 11.76% | 8.95% | 21.91% | 25.53% | 21.01% | 22.12% | 37.90% | 1.18% | 8.61% | 22.46% |
| | Greater Than 12 Years | 58.30% | 6.09% | 5.49% | 37.06% | 46.26% | 24.15% | 15.91% | 37.08% | 0.89% | 5.19% | 13.53% |
| | Lower 95% CI | Q4 | Q5 | Q6 | Q7A | Q7B | Q7C | Q7D | Q7E | Q8A | Q8B | Q8C |
| Total | Yes | 58.98% | 9.03% | 7.32% | 30.48% | 38.02% | 21.14% | 18.68% | 36.17% | 1.58% | 5.59% | 16.00% |
| Age | Under 20 Years | 2.34% | 1.39% | 0.00% | 13.01% | 26.93% | 8.91% | 16.95% | 23.89% | 1.39% | 1.39% | 8.37% |
| | 20-24 Years | 45.01% | 10.30% | 7.48% | 18.90% | 17.55% | 11.85% | 16.92% | 31.58% | 0.97% | 2.59% | 21.62% |
| | 25-34 Years | 59.78% | 8.07% | 6.95% | 32.25% | 44.00% | 20.75% | 16.64% | 37.38% | 0.69% | 5.66% | 14.19% |
| | Over 34 Years | 80.06% | 10.08% | 8.16% | 36.58% | 38.37% | 30.61% | 23.27% | 35.79% | 3.61% | 7.33% | 14.75% |
| Ethnicity | White Non-Hispanic | 58.36% | 5.91% | 4.69% | 34.06% | 40.62% | 28.84% | 16.07% | 37.26% | 1.27% | 5.78% | 17.61% |
| | Black Non-Hispanic | 54.71% | 12.45% | 11.23% | 26.25% | 25.84% | 11.57% | 17.91% | 32.89% | 1.79% | 6.71% | 16.01% |
| | Hispanic | 63.54% | 10.62% | 6.02% | 27.63% | 41.37% | 12.69% | 26.56% | 37.17% | 1.62% | 3.25% | 13.56% |
| Married | Married | 61.47% | 6.18% | 6.26% | 35.84% | 46.23% | 24.20% | 19.27% | 41.05% | 1.35% | 5.17% | 10.62% |
| | Not Married | 55.42% | 11.89% | 8.11% | 23.52% | 27.73% | 16.69% | 17.35% | 29.51% | 1.40% | 5.45% | 21.73% |
| Previous Live Birth | Yes | 95.75% | 14.77% | 11.91% | 31.76% | 34.37% | 19.13% | 20.45% | 34.52% | 1.68% | 5.40% | 16.00% |
| | No | 2.08% | 0.00% | 0.00% | 27.50% | 42.78% | 23.47% | 15.08% | 37.77% | 1.14% | 5.39% | 15.22% |
| Education | Less Than 12 Years | 64.14% | 18.55% | 13.59% | 22.08% | 31.05% | 12.85% | 27.24% | 33.76% | 5.81% | 4.18% | 17.83% |
| | 12 Years | 57.48% | 10.50% | 7.83% | 20.29% | 23.82% | 19.42% | 20.50% | 36.01% | 0.76% | 7.52% | 20.83% |
| | Greater Than 12 Years | 57.04% | 5.48% | 4.90% | 35.83% | 44.99% | 23.06% | 14.97% | 35.85% | 0.65% | 4.63% | 12.65% |
| | Upper 95% CI | Q4 | Q5 | Q6 | Q7A | Q7B | Q7C | Q7D | Q7E | Q8A | Q8B | Q8C |
| Total | Yes | 60.91% | 10.19% | 8.38% | 32.31% | 39.94% | 22.78% | 20.24% | 38.08% | 2.11% | 6.53% | 17.47% |
| Age | Under 20 Years | 5.99% | 4.47% | 0.00% | 19.77% | 35.38% | 14.81% | 24.34% | 32.09% | 4.47% | 4.47% | 14.14% |
| | 20-24 Years | 49.63% | 13.29% | 10.10% | 22.65% | 21.20% | 15.00% | 20.53% | 35.95% | 2.10% | 4.28% | 25.54% |
| | 25-34 Years | 62.32% | 9.55% | 8.33% | 34.70% | 46.59% | 22.90% | 18.63% | 39.91% | 1.19% | 6.92% | 16.05% |
| | Over 34 Years | 83.50% | 12.92% | 10.77% | 40.92% | 42.75% | 34.79% | 27.14% | 40.12% | 5.46% | 9.83% | 18.05% |
| Ethnicity | White Non-Hispanic | 61.11% | 7.30% | 5.95% | 36.74% | 43.38% | 31.41% | 18.18% | 39.98% | 1.98% | 7.16% | 19.80% |
| | Black Non-Hispanic | 58.61% | 15.17% | 13.84% | 29.79% | 29.37% | 14.21% | 21.03% | 36.65% | 3.00% | 8.82% | 19.01% |
| | Hispanic | 67.83% | 13.56% | 8.35% | 31.75% | 45.84% | 15.84% | 30.63% | 41.57% | 2.97% | 5.05% | 16.80% |
| Married | Married | 64.07% | 7.54% | 7.63% | 38.44% | 48.91% | 26.54% | 21.44% | 43.70% | 2.04% | 6.43% | 12.34% |
| | Not Married | 58.30% | 13.84% | 9.77% | 26.03% | 30.38% | 18.91% | 19.61% | 32.20% | 2.17% | 6.85% | 24.18% |
| Previous Live Birth | Yes | 96.71% | 16.60% | 13.59% | 34.13% | 36.79% | 21.15% | 22.52% | 36.94% | 2.40% | 6.60% | 17.89% |
| | No | 3.09% | 0.00% | 0.20% | 30.38% | 45.93% | 26.21% | 17.42% | 40.87% | 1.92% | 6.91% | 17.57% |
| Education | Less Than 12 Years | 69.09% | 22.80% | 17.39% | 26.59% | 36.01% | 16.57% | 32.03% | 38.81% | 8.52% | 6.54% | 22.02% |
| | 12 Years | 61.31% | 13.02% | 10.06% | 23.52% | 27.23% | 22.60% | 23.74% | 39.80% | 1.60% | 9.71% | 24.09% |
| | Greater Than 12 Years | 59.55% | 6.71% | 6.07% | 38.29% | 47.53% | 25.25% | 16.84% | 38.32% | 1.13% | 5.76% | 14.40% |

| Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q8D-Q11D | | | | | | | | | | | | |
|--|-----------------------|------------|------------|------------|------------|------------|-----------|------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q8D | Q8E | Q8F | Q8G | Q8H | Q9 | Q10 | Q11A | Q11B | Q11C | Q11D |
| Total | Yes | 11.13% | 14.48% | 5.81% | 5.60% | 23.99% | 41.98% | 66.01% | 36.46% | 43.60% | 11.48% | 3.91% |
| Age | Under 20 Years | 27.73% | 19.06% | 2.93% | 2.93% | 11.25% | 15.76% | 62.47% | 46.34% | 30.20% | 5.86% | 13.21% |
| | 20-24 Years | 11.61% | 28.73% | 2.03% | 3.25% | 31.10% | 27.27% | 52.16% | 32.95% | 34.33% | 9.67% | 3.85% |
| | 25-34 Years | 9.91% | 10.99% | 6.14% | 6.52% | 22.75% | 45.58% | 69.04% | 34.62% | 47.51% | 10.57% | 3.77% |
| | Over 34 Years | 10.30% | 10.35% | 9.04% | 5.72% | 24.07% | 51.36% | 70.83% | 42.75% | 43.94% | 17.16% | 2.16% |
| Ethnicity | White Non-Hispanic | 12.77% | 8.49% | 8.13% | 7.43% | 32.56% | 47.56% | 77.15% | 36.16% | 53.76% | 16.17% | 4.65% |
| | Black Non-Hispanic | 15.81% | 25.95% | 2.30% | 3.10% | 17.62% | 34.29% | 60.06% | 39.53% | 40.77% | 7.59% | 3.82% |
| | Hispanic | 4.39% | 15.77% | 3.18% | 4.48% | 17.24% | 32.91% | 46.16% | 32.54% | 24.97% | 4.95% | 2.22% |
| Married | Married | 9.07% | 9.40% | 8.35% | 6.09% | 19.29% | 56.83% | 77.24% | 40.79% | 53.21% | 14.12% | 4.59% |
| | Not Married | 13.59% | 20.36% | 2.85% | 4.80% | 29.60% | 24.73% | 52.71% | 31.15% | 32.38% | 8.42% | 3.13% |
| Previous Live Birth | Yes | 11.52% | 15.00% | 4.73% | 3.61% | 24.22% | 38.74% | 63.02% | 34.03% | 41.06% | 11.92% | 3.75% |
| | No | 10.50% | 13.65% | 7.50% | 8.74% | 23.64% | 47.11% | 70.72% | 40.29% | 47.62% | 10.78% | 4.16% |
| Education | Less Than 12 Years | 14.74% | 18.03% | 2.22% | 2.56% | 20.34% | 30.96% | 41.19% | 26.10% | 21.17% | 3.88% | 5.34% |
| | 12 Years | 12.05% | 17.23% | 4.33% | 4.45% | 25.07% | 25.55% | 51.48% | 32.23% | 31.09% | 8.17% | 1.90% |
| | Greater Than 12 Years | 9.85% | 12.49% | 7.27% | 6.73% | 24.40% | 51.63% | 78.35% | 40.99% | 54.31% | 14.73% | 4.47% |
| | Lower 95% CI | Q8D | Q8E | Q8F | Q8G | Q8H | Q9 | Q10 | Q11A | Q11B | Q11C | Q11D |
| Total | Yes | 10.51% | 13.78% | 5.34% | 5.14% | 23.15% | 41.01% | 65.07% | 35.51% | 42.62% | 10.85% | 3.53% |
| Age | Under 20 Years | 23.65% | 15.48% | 1.39% | 1.39% | 8.37% | 12.44% | 58.05% | 41.79% | 26.01% | 3.71% | 10.12% |
| | 20-24 Years | 10.13% | 26.64% | 1.38% | 2.43% | 28.96% | 25.21% | 49.85% | 30.78% | 32.13% | 8.30% | 2.96% |
| | 25-34 Years | 9.13% | 10.18% | 5.51% | 5.88% | 21.66% | 44.29% | 67.83% | 33.38% | 46.21% | 9.77% | 3.28% |
| | Over 34 Years | 8.95% | 8.99% | 7.76% | 4.69% | 22.17% | 49.13% | 68.80% | 40.55% | 41.73% | 15.48% | 1.51% |
| Ethnicity | White Non-Hispanic | 11.83% | 7.71% | 7.36% | 6.70% | 31.24% | 46.16% | 75.97% | 34.81% | 52.36% | 15.13% | 4.06% |
| | Black Non-Hispanic | 14.37% | 24.22% | 1.71% | 2.41% | 16.12% | 32.42% | 58.13% | 37.60% | 38.83% | 6.55% | 3.06% |
| | Hispanic | 3.46% | 14.13% | 2.39% | 3.55% | 15.54% | 30.79% | 43.91% | 30.43% | 23.02% | 3.97% | 1.56% |
| Married | Married | 8.30% | 8.61% | 7.60% | 5.45% | 18.23% | 55.50% | 76.11% | 39.46% | 51.86% | 13.18% | 4.02% |
| | Not Married | 12.59% | 19.18% | 2.36% | 4.17% | 28.27% | 23.47% | 51.26% | 29.80% | 31.02% | 7.61% | 2.63% |
| Previous Live Birth | Yes | 10.72% | 14.10% | 4.20% | 3.14% | 23.14% | 37.51% | 61.81% | 32.84% | 39.82% | 11.10% | 3.27% |
| | No | 9.53% | 12.56% | 6.67% | 7.84% | 22.29% | 45.53% | 69.27% | 38.74% | 46.03% | 9.80% | 3.53% |
| Education | Less Than 12 Years | 12.88% | 16.01% | 1.44% | 1.73% | 18.22% | 28.54% | 38.60% | 23.79% | 19.03% | 2.86% | 4.16% |
| | 12 Years | 10.78% | 15.76% | 3.54% | 3.64% | 23.38% | 23.85% | 49.53% | 30.40% | 29.28% | 7.10% | 1.37% |
| | Greater Than 12 Years | 9.09% | 11.65% | 6.61% | 6.09% | 23.30% | 50.35% | 77.30% | 39.74% | 53.03% | 13.83% | 3.94% |
| | Upper 95% CI | Q8D | Q8E | Q8F | Q8G | Q8H | Q9 | Q10 | Q11A | Q11B | Q11C | Q11D |
| Total | Yes | 11.75% | 15.17% | 6.27% | 6.05% | 24.84% | 42.96% | 66.94% | 37.41% | 44.58% | 12.11% | 4.29% |
| Age | Under 20 Years | 31.82% | 22.65% | 4.47% | 4.47% | 14.14% | 19.09% | 66.89% | 50.89% | 34.39% | 8.00% | 16.30% |
| | 20-24 Years | 13.09% | 30.82% | 2.68% | 4.07% | 33.24% | 29.33% | 54.47% | 35.13% | 36.52% | 11.03% | 4.74% |
| | 25-34 Years | 10.68% | 11.80% | 6.76% | 7.16% | 23.84% | 46.88% | 70.24% | 35.86% | 48.81% | 11.37% | 4.27% |
| | Over 34 Years | 11.66% | 11.71% | 10.32% | 6.76% | 25.98% | 53.59% | 72.86% | 44.96% | 46.15% | 18.84% | 2.81% |
| Ethnicity | White Non-Hispanic | 13.71% | 9.27% | 8.90% | 8.17% | 33.87% | 48.96% | 78.32% | 37.51% | 55.15% | 17.20% | 5.24% |
| | Black Non-Hispanic | 17.25% | 27.68% | 2.89% | 3.78% | 19.12% | 36.16% | 61.99% | 41.45% | 42.71% | 8.64% | 4.57% |
| | Hispanic | 5.31% | 17.41% | 3.98% | 5.41% | 18.94% | 35.03% | 48.41% | 34.65% | 26.92% | 5.93% | 2.88% |
| Married | Married | 9.84% | 10.18% | 9.09% | 6.74% | 20.35% | 58.17% | 78.37% | 42.11% | 54.55% | 15.06% | 5.15% |
| | Not Married | 14.58% | 21.53% | 3.33% | 5.42% | 30.93% | 25.98% | 54.16% | 32.49% | 33.74% | 9.23% | 3.64% |
| Previous Live Birth | Yes | 12.33% | 15.90% | 5.27% | 4.08% | 25.30% | 39.97% | 64.24% | 35.22% | 42.30% | 12.73% | 4.23% |
| | No | 11.48% | 14.74% | 8.34% | 9.63% | 24.98% | 48.69% | 72.16% | 41.85% | 49.20% | 11.76% | 4.80% |
| Education | Less Than 12 Years | 16.61% | 20.05% | 2.99% | 3.39% | 22.45% | 33.39% | 43.77% | 28.40% | 23.32% | 4.89% | 6.52% |
| | 12 Years | 13.32% | 18.71% | 5.13% | 5.25% | 26.76% | 27.26% | 53.43% | 34.05% | 32.89% | 9.24% | 2.43% |
| | Greater Than 12 Years | 10.62% | 13.34% | 7.93% | 7.37% | 25.49% | 52.90% | 79.40% | 42.25% | 55.58% | 15.64% | 5.00% |

| Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q11E-Q12H | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q11E | Q11F | Q11G | Q12A | Q12B | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H |
| Total | Yes | 11.67% | 9.22% | 40.70% | 21.81% | 28.55% | 10.73% | 26.79% | 28.73% | 21.01% | 18.38% | 51.87% |
| Age | Under 20 Years | 6.46% | 2.93% | 52.45% | 5.86% | 22.85% | 6.37% | 12.23% | 37.04% | 19.67% | 34.11% | 53.80% |
| | 20-24 Years | 12.01% | 10.22% | 24.28% | 12.51% | 23.31% | 9.07% | 16.93% | 30.29% | 16.43% | 21.55% | 45.22% |
| | 25-34 Years | 11.53% | 8.14% | 43.35% | 23.95% | 30.15% | 11.13% | 29.95% | 29.83% | 23.01% | 18.58% | 53.20% |
| | Over 34 Years | 13.04% | 12.98% | 45.41% | 27.99% | 30.08% | 12.16% | 30.17% | 22.04% | 19.72% | 11.07% | 53.71% |
| Ethnicity | White Non-Hispanic | 15.35% | 13.13% | 51.37% | 26.64% | 29.72% | 8.95% | 33.75% | 30.56% | 23.20% | 17.25% | 60.86% |
| | Black Non-Hispanic | 8.51% | 4.18% | 35.14% | 17.74% | 29.48% | 12.86% | 18.48% | 32.07% | 19.43% | 22.57% | 49.41% |
| | Hispanic | 7.50% | 8.13% | 23.08% | 14.56% | 27.46% | 11.26% | 21.22% | 23.27% | 17.10% | 19.01% | 38.06% |
| Married | Married | 15.45% | 8.88% | 50.13% | 32.40% | 33.83% | 12.31% | 39.20% | 31.61% | 27.33% | 15.94% | 59.85% |
| | Not Married | 7.30% | 9.67% | 29.80% | 9.24% | 22.46% | 8.68% | 12.10% | 25.46% | 13.68% | 21.30% | 42.58% |
| Previous Live Birth | Yes | 9.78% | 9.58% | 35.56% | 19.02% | 26.81% | 11.94% | 24.46% | 26.98% | 18.23% | 16.02% | 49.00% |
| | No | 14.68% | 8.66% | 48.83% | 26.22% | 31.30% | 8.83% | 30.48% | 31.49% | 25.40% | 22.11% | 56.41% |
| Education | Less Than 12 Years | 8.54% | 2.73% | 19.60% | 11.55% | 15.28% | 13.08% | 13.08% | 18.66% | 12.70% | 17.80% | 29.63% |
| | 12 Years | 7.39% | 9.96% | 24.07% | 13.46% | 27.47% | 9.82% | 17.40% | 26.73% | 19.21% | 21.76% | 43.62% |
| | Greater Than 12 Years | 14.06% | 10.46% | 53.12% | 27.95% | 32.12% | 10.44% | 33.94% | 32.00% | 23.65% | 17.24% | 60.79% |
| | Lower 95% CI | Q11E | Q11F | Q11G | Q12A | Q12B | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H |
| Total | Yes | 11.04% | 8.65% | 39.73% | 21.00% | 27.66% | 10.12% | 25.92% | 27.83% | 20.21% | 17.61% | 50.89% |
| Age | Under 20 Years | 4.22% | 1.39% | 47.89% | 3.71% | 19.02% | 4.14% | 9.24% | 32.63% | 16.04% | 29.78% | 49.25% |
| | 20-24 Years | 10.51% | 8.82% | 22.30% | 10.98% | 21.35% | 7.75% | 15.20% | 28.17% | 14.72% | 19.65% | 42.91% |
| | 25-34 Years | 10.70% | 7.43% | 42.06% | 22.84% | 28.96% | 10.31% | 28.76% | 28.64% | 21.92% | 17.57% | 51.90% |
| | Over 34 Years | 11.54% | 11.48% | 43.19% | 25.99% | 28.04% | 10.71% | 28.12% | 20.20% | 17.94% | 9.67% | 51.49% |
| Ethnicity | White Non-Hispanic | 14.34% | 12.18% | 49.97% | 25.40% | 28.44% | 8.15% | 32.42% | 29.27% | 22.01% | 16.19% | 59.49% |
| | Black Non-Hispanic | 7.41% | 3.39% | 33.25% | 16.24% | 27.68% | 11.54% | 16.94% | 30.23% | 17.87% | 20.92% | 47.44% |
| | Hispanic | 6.32% | 6.90% | 21.18% | 12.97% | 25.45% | 9.84% | 19.37% | 21.36% | 15.40% | 17.24% | 35.87% |
| Married | Married | 14.47% | 8.11% | 48.79% | 31.14% | 32.56% | 11.43% | 37.89% | 30.36% | 26.13% | 14.95% | 58.54% |
| | Not Married | 6.54% | 8.81% | 28.47% | 8.39% | 21.24% | 7.86% | 11.15% | 24.19% | 12.68% | 20.11% | 41.14% |
| Previous Live Birth | Yes | 9.03% | 8.84% | 34.35% | 18.03% | 25.69% | 11.12% | 23.38% | 25.86% | 17.26% | 15.09% | 47.74% |
| | No | 13.55% | 7.77% | 47.25% | 24.83% | 29.83% | 7.93% | 29.02% | 30.01% | 24.02% | 20.79% | 54.84% |
| Education | Less Than 12 Years | 7.08% | 1.88% | 17.52% | 9.88% | 13.39% | 11.31% | 11.31% | 16.61% | 10.95% | 15.79% | 27.23% |
| | 12 Years | 6.37% | 8.79% | 22.40% | 12.12% | 25.73% | 8.66% | 15.92% | 25.00% | 17.68% | 20.15% | 41.68% |
| | Greater Than 12 Years | 13.17% | 9.68% | 51.85% | 26.80% | 30.93% | 9.66% | 32.73% | 30.81% | 22.56% | 16.27% | 59.54% |
| | Upper 95% CI | Q11E | Q11F | Q11G | Q12A | Q12B | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H |
| Total | Yes | 12.31% | 9.80% | 41.67% | 22.63% | 29.44% | 11.35% | 27.66% | 29.62% | 21.81% | 19.14% | 52.86% |
| Age | Under 20 Years | 8.71% | 4.47% | 57.01% | 8.00% | 26.69% | 8.60% | 15.22% | 41.44% | 23.30% | 38.43% | 58.35% |
| | 20-24 Years | 13.52% | 11.62% | 26.26% | 14.04% | 25.26% | 10.40% | 18.66% | 32.41% | 18.14% | 23.45% | 47.52% |
| | 25-34 Years | 12.36% | 8.85% | 44.64% | 25.06% | 31.34% | 11.95% | 31.14% | 31.02% | 24.11% | 19.59% | 54.50% |
| | Over 34 Years | 14.54% | 14.48% | 47.63% | 30.00% | 32.13% | 13.62% | 32.21% | 23.89% | 21.49% | 12.47% | 55.94% |
| Ethnicity | White Non-Hispanic | 16.36% | 14.08% | 52.77% | 27.88% | 31.01% | 9.75% | 35.07% | 31.85% | 24.38% | 18.31% | 62.23% |
| | Black Non-Hispanic | 9.61% | 4.97% | 37.02% | 19.25% | 31.28% | 14.18% | 20.01% | 33.91% | 20.99% | 24.22% | 51.38% |
| | Hispanic | 8.69% | 9.36% | 24.98% | 16.15% | 29.47% | 12.69% | 23.06% | 25.18% | 18.79% | 20.78% | 40.25% |
| Married | Married | 16.42% | 9.64% | 51.48% | 33.66% | 35.11% | 13.20% | 40.51% | 32.86% | 28.53% | 16.92% | 61.17% |
| | Not Married | 8.05% | 10.53% | 31.13% | 10.08% | 23.67% | 9.50% | 13.05% | 26.72% | 14.68% | 22.49% | 44.02% |
| Previous Live Birth | Yes | 10.52% | 10.32% | 36.77% | 20.01% | 27.93% | 12.76% | 25.54% | 28.10% | 19.20% | 16.94% | 50.26% |
| | No | 15.80% | 9.55% | 50.42% | 27.62% | 32.77% | 9.73% | 31.94% | 32.96% | 26.78% | 23.42% | 57.98% |
| Education | Less Than 12 Years | 10.01% | 3.59% | 21.69% | 13.23% | 17.17% | 14.85% | 14.85% | 20.70% | 14.45% | 19.81% | 32.03% |
| | 12 Years | 8.41% | 11.13% | 25.74% | 14.79% | 29.21% | 10.98% | 18.88% | 28.46% | 20.75% | 23.37% | 45.55% |
| | Greater Than 12 Years | 14.95% | 11.24% | 54.40% | 29.10% | 33.31% | 11.23% | 35.15% | 33.19% | 24.73% | 18.20% | 62.04% |

| Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q12I-Q14F | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q12I | Q12J | Q12K | Q12L | Q13 | Q14A | Q14B | Q14C | Q14D | Q14E | Q14F |
| Total | Yes | 42.05% | 42.06% | 44.54% | 23.70% | 26.29% | 15.18% | 12.00% | 11.23% | 8.82% | 16.56% | 16.40% |
| Age | Under 20 Years | 48.66% | 47.43% | 42.17% | 31.18% | 9.39% | 9.39% | 3.53% | 6.46% | 8.78% | 9.39% | 9.39% |
| | 20-24 Years | 38.08% | 36.76% | 35.99% | 27.51% | 19.43% | 12.14% | 9.08% | 4.22% | 6.44% | 13.01% | 16.11% |
| | 25-34 Years | 43.34% | 43.02% | 46.30% | 23.38% | 31.01% | 17.99% | 14.83% | 13.72% | 9.84% | 19.92% | 19.05% |
| | Over 34 Years | 40.36% | 42.91% | 47.91% | 19.29% | 22.81% | 11.12% | 8.44% | 11.59% | 8.03% | 11.73% | 10.59% |
| Ethnicity | White Non-Hispanic | 46.93% | 46.03% | 52.25% | 21.50% | 30.17% | 14.33% | 9.58% | 11.38% | 7.06% | 18.05% | 15.19% |
| | Black Non-Hispanic | 44.07% | 42.71% | 42.94% | 32.29% | 24.69% | 17.71% | 14.91% | 9.62% | 9.94% | 13.31% | 17.55% |
| | Hispanic | 32.13% | 34.30% | 31.73% | 21.05% | 18.70% | 15.32% | 14.73% | 13.54% | 12.43% | 17.84% | 19.58% |
| Married | Married | 48.03% | 48.06% | 52.47% | 22.41% | 34.63% | 18.32% | 14.95% | 13.45% | 8.80% | 19.48% | 17.47% |
| | Not Married | 35.19% | 35.19% | 35.42% | 25.29% | 16.48% | 11.55% | 8.60% | 8.68% | 8.87% | 13.20% | 15.09% |
| Previous Live Birth | Yes | 42.37% | 41.67% | 43.57% | 22.73% | 23.06% | 14.76% | 11.27% | 9.65% | 8.57% | 14.88% | 14.98% |
| | No | 41.54% | 42.69% | 46.08% | 25.22% | 31.38% | 15.83% | 13.16% | 13.74% | 9.21% | 19.22% | 18.65% |
| Education | Less Than 12 Years | 29.25% | 25.26% | 24.34% | 21.18% | 19.30% | 17.47% | 11.66% | 12.07% | 11.55% | 18.72% | 19.69% |
| | 12 Years | 37.67% | 42.05% | 35.00% | 23.20% | 18.39% | 13.45% | 11.55% | 7.90% | 9.23% | 14.02% | 16.79% |
| | Greater Than 12 Years | 46.98% | 46.08% | 53.69% | 24.36% | 31.37% | 15.45% | 12.33% | 12.44% | 8.01% | 17.10% | 15.42% |
| | Lower 95% CI | Q12I | Q12J | Q12K | Q12L | Q13 | Q14A | Q14B | Q14C | Q14D | Q14E | Q14F |
| Total | Yes | 41.07% | 41.09% | 43.56% | 22.86% | 25.42% | 14.47% | 11.36% | 10.61% | 8.26% | 15.83% | 15.67% |
| Age | Under 20 Years | 44.10% | 42.87% | 37.67% | 26.95% | 6.73% | 6.73% | 1.85% | 4.22% | 6.20% | 6.73% | 6.73% |
| | 20-24 Years | 35.83% | 34.53% | 33.77% | 25.45% | 17.61% | 10.63% | 7.75% | 3.29% | 5.31% | 11.45% | 14.41% |
| | 25-34 Years | 42.05% | 41.73% | 45.00% | 22.28% | 29.81% | 16.99% | 13.91% | 12.83% | 9.07% | 18.88% | 18.02% |
| | Over 34 Years | 38.18% | 40.70% | 45.68% | 17.53% | 20.94% | 9.72% | 7.20% | 10.17% | 6.81% | 10.29% | 9.22% |
| Ethnicity | White Non-Hispanic | 45.54% | 44.63% | 50.85% | 20.35% | 28.88% | 13.35% | 8.76% | 10.49% | 6.34% | 16.97% | 14.18% |
| | Black Non-Hispanic | 42.11% | 40.76% | 40.99% | 30.45% | 22.99% | 16.21% | 13.51% | 8.45% | 8.76% | 11.97% | 16.05% |
| | Hispanic | 30.03% | 32.16% | 29.63% | 19.21% | 16.94% | 13.70% | 13.13% | 12.00% | 10.94% | 16.11% | 17.79% |
| Married | Married | 46.68% | 46.71% | 51.13% | 21.29% | 33.35% | 17.28% | 13.99% | 12.53% | 8.04% | 18.41% | 16.45% |
| | Not Married | 33.80% | 33.80% | 34.02% | 24.03% | 15.40% | 10.62% | 7.78% | 7.86% | 8.04% | 12.22% | 14.04% |
| Previous Live Birth | Yes | 41.12% | 40.42% | 42.32% | 21.68% | 22.00% | 13.87% | 10.48% | 8.90% | 7.86% | 13.98% | 14.08% |
| | No | 39.98% | 41.13% | 44.50% | 23.84% | 29.91% | 14.68% | 12.09% | 12.65% | 8.29% | 17.97% | 17.42% |
| Education | Less Than 12 Years | 26.86% | 22.98% | 22.08% | 19.04% | 17.23% | 15.48% | 9.97% | 10.36% | 9.88% | 16.67% | 17.60% |
| | 12 Years | 35.78% | 40.12% | 33.13% | 21.56% | 16.87% | 12.12% | 10.30% | 6.84% | 8.10% | 12.66% | 15.33% |
| | Greater Than 12 Years | 45.71% | 44.80% | 52.42% | 23.27% | 30.18% | 14.53% | 11.49% | 11.59% | 7.32% | 16.14% | 14.50% |
| | Upper 95% CI | Q12I | Q12J | Q12K | Q12L | Q13 | Q14A | Q14B | Q14C | Q14D | Q14E | Q14F |
| Total | Yes | 43.02% | 43.04% | 45.52% | 24.54% | 27.16% | 15.88% | 12.65% | 11.86% | 9.38% | 17.30% | 17.14% |
| Age | Under 20 Years | 53.22% | 51.98% | 46.68% | 35.41% | 12.05% | 12.05% | 5.22% | 8.71% | 11.37% | 12.05% | 12.05% |
| | 20-24 Years | 40.32% | 38.99% | 38.21% | 29.57% | 21.26% | 13.65% | 10.40% | 5.15% | 7.58% | 14.56% | 17.81% |
| | 25-34 Years | 44.63% | 44.31% | 47.60% | 24.48% | 32.22% | 18.99% | 15.76% | 14.62% | 10.62% | 20.96% | 20.07% |
| | Over 34 Years | 42.55% | 45.11% | 50.13% | 21.05% | 24.69% | 12.53% | 9.68% | 13.02% | 9.24% | 13.16% | 11.97% |
| Ethnicity | White Non-Hispanic | 48.33% | 47.43% | 53.65% | 22.65% | 31.45% | 15.31% | 10.41% | 12.27% | 7.77% | 19.12% | 16.19% |
| | Black Non-Hispanic | 46.02% | 44.66% | 44.89% | 34.14% | 26.39% | 19.22% | 16.32% | 10.78% | 11.13% | 14.65% | 19.05% |
| | Hispanic | 34.24% | 36.44% | 33.83% | 22.89% | 20.46% | 16.95% | 16.33% | 15.08% | 13.92% | 19.57% | 21.37% |
| Married | Married | 49.37% | 49.40% | 53.81% | 23.53% | 35.90% | 19.36% | 15.90% | 14.36% | 9.56% | 20.54% | 18.49% |
| | Not Married | 36.58% | 36.58% | 36.81% | 26.56% | 17.56% | 12.48% | 9.42% | 9.50% | 9.70% | 14.19% | 16.13% |
| Previous Live Birth | Yes | 43.61% | 42.91% | 44.82% | 23.79% | 24.13% | 15.65% | 12.07% | 10.39% | 9.28% | 15.78% | 15.88% |
| | No | 43.10% | 44.26% | 47.66% | 26.60% | 32.85% | 16.99% | 14.23% | 14.83% | 10.13% | 20.47% | 19.89% |
| Education | Less Than 12 Years | 31.63% | 27.54% | 26.59% | 23.33% | 21.37% | 19.47% | 13.34% | 13.78% | 13.23% | 20.77% | 21.78% |
| | 12 Years | 39.56% | 43.98% | 36.86% | 24.85% | 19.90% | 14.78% | 12.79% | 8.95% | 10.35% | 15.37% | 18.24% |
| | Greater Than 12 Years | 48.26% | 47.35% | 54.97% | 25.46% | 32.55% | 16.37% | 13.17% | 13.28% | 8.71% | 18.06% | 16.34% |

| Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q14G-Q16A | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q14G | Q14H | Q15A | Q15B | Q15C | Q15D | Q15E | Q15F | Q15G | Q15H | Q16A |
| Total | Yes | 17.15% | 15.77% | 45.69% | 7.25% | 2.57% | 33.96% | 2.32% | 3.85% | 3.03% | 11.14% | 1.42% |
| Age | Under 20 Years | 9.39% | 9.39% | 3.07% | 29.86% | 5.14% | 61.62% | 0.00% | 2.93% | 0.00% | 8.78% | 5.14% |
| | 20-24 Years | 16.86% | 16.11% | 12.74% | 25.23% | 0.22% | 53.55% | 5.10% | 4.94% | 3.22% | 19.17% | 0.75% |
| | 25-34 Years | 20.10% | 18.19% | 55.19% | 1.99% | 2.23% | 29.02% | 1.85% | 3.77% | 3.80% | 8.53% | 1.29% |
| | Over 34 Years | 10.59% | 9.89% | 58.64% | 0.57% | 5.13% | 23.62% | 1.69% | 3.30% | 1.29% | 11.92% | 1.54% |
| Ethnicity | White Non-Hispanic | 16.34% | 14.79% | 59.96% | 6.04% | 2.95% | 25.74% | 0.99% | 0.08% | 4.77% | 4.46% | 0.83% |
| | Black Non-Hispanic | 18.33% | 16.82% | 34.29% | 13.55% | 2.83% | 53.67% | 4.36% | 0.23% | 0.78% | 8.45% | 2.38% |
| | Hispanic | 18.86% | 18.86% | 16.52% | 2.37% | 1.17% | 34.92% | 3.14% | 19.59% | 1.58% | 33.57% | 0.15% |
| Married | Married | 19.00% | 17.57% | 66.89% | 2.34% | 3.14% | 16.44% | 1.28% | 2.38% | 4.98% | 8.76% | 1.53% |
| | Not Married | 14.91% | 13.61% | 21.01% | 13.03% | 1.90% | 54.62% | 3.55% | 5.34% | 0.75% | 13.98% | 1.29% |
| Previous Live Birth | Yes | 15.08% | 14.49% | 42.39% | 2.88% | 2.71% | 39.44% | 3.35% | 4.98% | 3.50% | 11.05% | 0.68% |
| | No | 20.42% | 17.81% | 50.92% | 14.15% | 2.33% | 25.29% | 0.71% | 2.06% | 2.28% | 11.29% | 2.59% |
| Education | Less Than 12 Years | 19.69% | 19.69% | 5.23% | 8.24% | 3.57% | 46.92% | 1.25% | 16.94% | 0.00% | 27.23% | 2.67% |
| | 12 Years | 17.01% | 15.54% | 24.20% | 10.10% | 2.52% | 54.35% | 4.91% | 4.94% | 0.91% | 16.04% | 2.35% |
| | Greater Than 12 Years | 16.57% | 14.90% | 64.75% | 5.87% | 2.37% | 22.01% | 1.43% | 0.32% | 4.68% | 5.02% | 0.74% |
| | Lower 95% CI | Q14G | Q14H | Q15A | Q15B | Q15C | Q15D | Q15E | Q15F | Q15G | Q15H | Q16A |
| Total | Yes | 16.40% | 15.05% | 44.71% | 6.74% | 2.25% | 33.03% | 2.03% | 3.47% | 2.69% | 10.52% | 1.19% |
| Age | Under 20 Years | 6.73% | 6.73% | 1.50% | 25.68% | 3.12% | 57.18% | 0.00% | 1.39% | 0.00% | 6.20% | 3.12% |
| | 20-24 Years | 15.13% | 14.41% | 11.20% | 23.22% | 0.00% | 51.25% | 4.08% | 3.94% | 2.40% | 17.35% | 0.35% |
| | 25-34 Years | 19.06% | 17.18% | 53.90% | 1.62% | 1.85% | 27.84% | 1.50% | 3.27% | 3.31% | 7.80% | 0.99% |
| | Over 34 Years | 9.22% | 8.56% | 56.45% | 0.24% | 4.14% | 21.73% | 1.12% | 2.50% | 0.79% | 10.47% | 0.99% |
| Ethnicity | White Non-Hispanic | 15.31% | 13.79% | 58.59% | 5.37% | 2.48% | 24.51% | 0.72% | 0.00% | 4.18% | 3.88% | 0.57% |
| | Black Non-Hispanic | 16.80% | 15.35% | 32.41% | 12.20% | 2.18% | 51.71% | 3.56% | 0.04% | 0.43% | 7.35% | 1.77% |
| | Hispanic | 17.10% | 17.10% | 14.85% | 1.68% | 0.69% | 32.77% | 2.35% | 17.80% | 1.02% | 31.44% | -0.03% |
| Married | Married | 17.94% | 16.54% | 65.63% | 1.93% | 2.67% | 15.44% | 0.98% | 1.97% | 4.39% | 8.00% | 1.20% |
| | Not Married | 13.88% | 12.61% | 19.83% | 12.05% | 1.51% | 53.18% | 3.01% | 4.69% | 0.50% | 12.97% | 0.97% |
| Previous Live Birth | Yes | 14.17% | 13.60% | 41.14% | 2.46% | 2.30% | 38.21% | 2.89% | 4.43% | 3.04% | 10.26% | 0.47% |
| | No | 19.14% | 16.60% | 49.34% | 13.05% | 1.85% | 23.91% | 0.44% | 1.61% | 1.80% | 10.29% | 2.09% |
| Education | Less Than 12 Years | 17.60% | 17.60% | 4.06% | 6.80% | 2.59% | 44.30% | 0.66% | 14.97% | 0.00% | 24.89% | 1.82% |
| | 12 Years | 15.54% | 14.12% | 22.52% | 8.92% | 1.91% | 52.40% | 4.07% | 4.09% | 0.54% | 14.61% | 1.76% |
| | Greater Than 12 Years | 15.62% | 13.99% | 63.53% | 5.27% | 1.98% | 20.95% | 1.13% | 0.18% | 4.14% | 4.46% | 0.52% |
| | Upper 95% CI | Q14G | Q14H | Q15A | Q15B | Q15C | Q15D | Q15E | Q15F | Q15G | Q15H | Q16A |
| Total | Yes | 17.89% | 16.49% | 46.68% | 7.76% | 2.88% | 34.90% | 2.62% | 4.23% | 3.37% | 11.76% | 1.65% |
| Age | Under 20 Years | 12.05% | 12.05% | 4.65% | 34.03% | 7.15% | 66.06% | 0.00% | 4.47% | 0.00% | 11.37% | 7.15% |
| | 20-24 Years | 18.60% | 17.81% | 14.28% | 27.23% | 0.43% | 55.86% | 6.12% | 5.94% | 4.04% | 20.99% | 1.15% |
| | 25-34 Years | 21.14% | 19.19% | 56.48% | 2.35% | 2.62% | 30.20% | 2.20% | 4.26% | 4.30% | 9.25% | 1.58% |
| | Over 34 Years | 11.97% | 11.23% | 60.84% | 0.91% | 6.11% | 25.52% | 2.27% | 4.10% | 1.79% | 13.36% | 2.09% |
| Ethnicity | White Non-Hispanic | 17.38% | 15.78% | 61.34% | 6.70% | 3.43% | 26.97% | 1.27% | 0.16% | 5.37% | 5.04% | 1.08% |
| | Black Non-Hispanic | 19.85% | 18.30% | 36.16% | 14.90% | 3.48% | 55.64% | 5.17% | 0.42% | 1.12% | 9.55% | 2.98% |
| | Hispanic | 20.63% | 20.63% | 18.20% | 3.05% | 1.66% | 37.07% | 3.93% | 21.38% | 2.14% | 35.70% | 0.32% |
| Married | Married | 20.05% | 18.59% | 68.16% | 2.75% | 3.61% | 17.44% | 1.59% | 2.79% | 5.56% | 9.52% | 1.86% |
| | Not Married | 15.95% | 14.60% | 22.20% | 14.01% | 2.30% | 56.07% | 4.09% | 6.00% | 1.00% | 14.99% | 1.62% |
| Previous Live Birth | Yes | 15.98% | 15.37% | 43.63% | 3.31% | 3.12% | 40.68% | 3.80% | 5.53% | 3.97% | 11.84% | 0.88% |
| | No | 21.70% | 19.02% | 52.51% | 15.26% | 2.81% | 26.67% | 0.97% | 2.51% | 2.75% | 12.30% | 3.10% |
| Education | Less Than 12 Years | 21.78% | 21.78% | 6.40% | 9.69% | 4.54% | 49.54% | 1.83% | 18.91% | 0.00% | 29.57% | 3.52% |
| | 12 Years | 18.48% | 16.95% | 25.87% | 11.27% | 3.13% | 56.29% | 5.75% | 5.78% | 1.29% | 17.48% | 2.94% |
| | Greater Than 12 Years | 17.52% | 15.81% | 65.97% | 6.46% | 2.76% | 23.07% | 1.73% | 0.47% | 5.22% | 5.58% | 0.96% |

| Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q16B-Q17C | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q16B | Q16C | Q16D | Q16E | Q16F | Q16G | Q16H | Q16I | Q17A | Q17B | Q17C |
| Total | Yes | 43.73% | 5.64% | 2.35% | 46.14% | 1.78% | 5.06% | 3.37% | 2.39% | 42.10% | 5.22% | 2.31% |
| Age | Under 20 Years | 7.61% | 18.34% | 0.00% | 73.33% | 0.00% | 5.86% | 0.00% | 2.93% | 2.47% | 23.48% | 0.00% |
| | 20-24 Years | 8.05% | 21.60% | 0.97% | 73.06% | 3.75% | 7.72% | 3.75% | 2.25% | 6.13% | 18.88% | 1.72% |
| | 25-34 Years | 53.63% | 1.47% | 2.04% | 39.33% | 1.33% | 4.40% | 4.24% | 1.58% | 51.95% | 1.19% | 1.91% |
| | Over 34 Years | 56.51% | 0.00% | 5.13% | 34.58% | 1.69% | 4.30% | 1.29% | 4.78% | 56.10% | 0.00% | 4.59% |
| Ethnicity | White Non-Hispanic | 59.15% | 5.88% | 3.10% | 31.54% | 1.13% | 0.00% | 4.97% | 1.32% | 56.90% | 4.92% | 3.10% |
| | Black Non-Hispanic | 31.00% | 9.25% | 1.09% | 65.75% | 3.29% | 0.23% | 1.32% | 1.75% | 29.52% | 9.32% | 0.39% |
| | Hispanic | 14.69% | 1.43% | 1.38% | 65.64% | 2.05% | 26.10% | 2.16% | 6.77% | 12.06% | 1.63% | 1.38% |
| Married | Married | 65.71% | 2.03% | 3.30% | 24.37% | 1.04% | 2.28% | 5.69% | 2.37% | 64.81% | 1.73% | 3.37% |
| | Not Married | 18.13% | 9.89% | 1.26% | 71.70% | 2.65% | 8.09% | 0.67% | 2.42% | 15.63% | 9.33% | 1.08% |
| Previous Live Birth | Yes | 39.71% | 2.48% | 3.25% | 50.10% | 2.51% | 6.22% | 4.07% | 3.34% | 38.55% | 1.90% | 2.96% |
| | No | 50.09% | 10.64% | 0.93% | 39.87% | 0.62% | 3.22% | 2.28% | 0.89% | 47.71% | 10.48% | 1.29% |
| Education | Less Than 12 Years | 3.46% | 4.37% | 2.84% | 66.58% | 3.46% | 24.55% | 0.00% | 9.38% | 1.76% | 6.07% | 3.11% |
| | 12 Years | 21.73% | 8.47% | 1.76% | 72.56% | 1.90% | 4.39% | 1.30% | 3.08% | 19.28% | 6.64% | 1.45% |
| | Greater Than 12 Years | 62.94% | 4.78% | 2.51% | 29.81% | 1.28% | 0.55% | 5.09% | 0.28% | 61.66% | 4.47% | 2.51% |
| | Lower 95% CI | Q16B | Q16C | Q16D | Q16E | Q16F | Q16G | Q16H | Q16I | Q17A | Q17B | Q17C |
| Total | Yes | 42.75% | 5.19% | 2.05% | 45.15% | 1.52% | 4.62% | 3.02% | 2.09% | 41.12% | 4.78% | 2.02% |
| Age | Under 20 Years | 5.19% | 14.81% | 0.00% | 69.29% | 0.00% | 3.71% | 0.00% | 1.39% | 1.05% | 19.61% | 0.00% |
| | 20-24 Years | 6.79% | 19.70% | 0.51% | 71.01% | 2.87% | 6.49% | 2.88% | 1.57% | 5.02% | 17.07% | 1.12% |
| | 25-34 Years | 52.33% | 1.16% | 1.67% | 38.06% | 1.03% | 3.87% | 3.71% | 1.25% | 50.65% | 0.91% | 1.56% |
| | Over 34 Years | 54.29% | 0.00% | 4.14% | 32.46% | 1.12% | 3.40% | 0.79% | 3.83% | 53.89% | 0.00% | 3.66% |
| Ethnicity | White Non-Hispanic | 57.78% | 5.22% | 2.62% | 30.24% | 0.84% | 0.00% | 4.36% | 1.00% | 55.51% | 4.31% | 2.62% |
| | Black Non-Hispanic | 29.18% | 8.11% | 0.68% | 63.88% | 2.59% | 0.04% | 0.87% | 1.24% | 27.72% | 8.17% | 0.14% |
| | Hispanic | 13.09% | 0.89% | 0.85% | 63.50% | 1.41% | 24.12% | 1.51% | 5.64% | 10.59% | 1.06% | 0.85% |
| Married | Married | 64.43% | 1.65% | 2.82% | 23.21% | 0.77% | 1.88% | 5.07% | 1.96% | 63.53% | 1.38% | 2.88% |
| | Not Married | 17.01% | 9.02% | 0.93% | 70.39% | 2.18% | 7.29% | 0.43% | 1.97% | 14.57% | 8.49% | 0.78% |
| Previous Live Birth | Yes | 38.48% | 2.09% | 2.80% | 48.84% | 2.12% | 5.61% | 3.57% | 2.89% | 37.32% | 1.55% | 2.53% |
| | No | 48.50% | 9.66% | 0.63% | 38.31% | 0.37% | 2.66% | 1.80% | 0.59% | 46.12% | 9.51% | 0.93% |
| Education | Less Than 12 Years | 2.50% | 3.30% | 1.96% | 64.10% | 2.50% | 22.29% | 0.00% | 7.85% | 1.07% | 4.82% | 2.20% |
| | 12 Years | 20.12% | 7.38% | 1.25% | 70.82% | 1.37% | 3.59% | 0.86% | 2.41% | 17.74% | 5.67% | 0.98% |
| | Greater Than 12 Years | 61.71% | 4.24% | 2.11% | 28.64% | 0.99% | 0.36% | 4.53% | 0.14% | 60.42% | 3.94% | 2.11% |
| | Upper 95% CI | Q16B | Q16C | Q16D | Q16E | Q16F | Q16G | Q16H | Q16I | Q17A | Q17B | Q17C |
| Total | Yes | 44.71% | 6.10% | 2.65% | 47.12% | 2.04% | 5.49% | 3.73% | 2.69% | 43.07% | 5.66% | 2.61% |
| Age | Under 20 Years | 10.03% | 21.88% | 0.00% | 77.37% | 0.00% | 8.00% | 0.00% | 4.47% | 3.88% | 27.35% | 0.00% |
| | 20-24 Years | 9.30% | 23.51% | 1.42% | 75.11% | 4.63% | 8.96% | 4.63% | 2.94% | 7.24% | 20.69% | 2.32% |
| | 25-34 Years | 54.93% | 1.78% | 2.41% | 40.60% | 1.62% | 4.94% | 4.76% | 1.90% | 53.25% | 1.47% | 2.27% |
| | Over 34 Years | 58.72% | 0.00% | 6.11% | 36.70% | 2.27% | 5.20% | 1.79% | 5.73% | 58.31% | 0.00% | 5.53% |
| Ethnicity | White Non-Hispanic | 60.53% | 6.54% | 3.59% | 32.85% | 1.43% | 0.00% | 5.58% | 1.64% | 58.29% | 5.53% | 3.59% |
| | Black Non-Hispanic | 32.82% | 10.39% | 1.50% | 67.62% | 3.99% | 0.42% | 1.77% | 2.27% | 31.31% | 10.47% | 0.63% |
| | Hispanic | 16.29% | 1.96% | 1.90% | 67.78% | 2.68% | 28.08% | 2.82% | 7.90% | 13.53% | 2.21% | 1.90% |
| Married | Married | 66.98% | 2.41% | 3.78% | 25.52% | 1.32% | 2.68% | 6.32% | 2.78% | 66.10% | 2.08% | 3.85% |
| | Not Married | 19.26% | 10.76% | 1.58% | 73.01% | 3.11% | 8.88% | 0.90% | 2.87% | 16.68% | 10.18% | 1.38% |
| Previous Live Birth | Yes | 40.94% | 2.87% | 3.70% | 51.36% | 2.90% | 6.83% | 4.57% | 3.79% | 39.78% | 2.24% | 3.39% |
| | No | 51.67% | 11.62% | 1.24% | 41.42% | 0.87% | 3.78% | 2.75% | 1.19% | 49.29% | 11.45% | 1.64% |
| Education | Less Than 12 Years | 4.42% | 5.44% | 3.71% | 69.05% | 4.42% | 26.81% | 0.00% | 10.91% | 2.45% | 7.32% | 4.03% |
| | 12 Years | 23.34% | 9.56% | 2.27% | 74.30% | 2.43% | 5.19% | 1.74% | 3.76% | 20.82% | 7.61% | 1.92% |
| | Greater Than 12 Years | 64.18% | 5.33% | 2.91% | 30.98% | 1.56% | 0.74% | 5.65% | 0.41% | 62.90% | 4.99% | 2.91% |

| Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q17D-Q19 | | | | | | | | | | | | |
|--|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Percent Response Yes | Q17D | Q17E | Q17F | Q17G | Q17H | Q18A | Q18B | Q18C | Q18D | Q18E | Q19 |
| Total | Yes | 38.58% | 1.25% | 3.97% | 3.26% | 8.61% | 21.06% | 14.57% | 39.11% | 7.36% | 16.99% | 51.74% |
| Age | Under 20 Years | 64.55% | 2.93% | 8.78% | 0.00% | 5.86% | 41.57% | 5.86% | 14.07% | 5.14% | 33.37% | 11.60% |
| | 20-24 Years | 62.31% | 2.03% | 5.69% | 3.75% | 12.01% | 34.73% | 7.86% | 29.63% | 3.57% | 23.25% | 37.30% |
| | 25-34 Years | 33.85% | 0.95% | 3.32% | 3.75% | 6.85% | 18.60% | 15.51% | 46.24% | 5.54% | 13.42% | 59.59% |
| | Over 34 Years | 24.16% | 0.99% | 3.15% | 2.12% | 11.29% | 10.67% | 20.14% | 32.98% | 16.76% | 17.71% | 51.68% |
| Ethnicity | White Non-Hispanic | 28.50% | 0.78% | 0.00% | 5.08% | 4.10% | 16.74% | 17.97% | 41.49% | 7.44% | 15.80% | 59.93% |
| | Black Non-Hispanic | 58.88% | 2.74% | 0.23% | 1.09% | 5.35% | 29.47% | 9.08% | 27.71% | 10.27% | 22.26% | 36.64% |
| | Hispanic | 43.61% | 0.92% | 20.44% | 1.58% | 26.49% | 22.19% | 10.00% | 46.42% | 4.31% | 15.37% | 43.63% |
| Married | Married | 18.94% | 0.46% | 2.07% | 5.33% | 6.69% | 13.01% | 20.30% | 47.43% | 5.79% | 12.64% | 69.76% |
| | Not Married | 61.62% | 2.18% | 5.97% | 0.84% | 10.90% | 30.44% | 7.67% | 29.50% | 9.23% | 22.14% | 30.55% |
| Previous Live Birth | Yes | 40.47% | 1.42% | 4.83% | 3.61% | 9.75% | 19.43% | 11.68% | 40.02% | 10.46% | 17.14% | 49.51% |
| | No | 35.58% | 0.97% | 2.61% | 2.70% | 6.80% | 23.63% | 19.14% | 37.67% | 2.47% | 16.74% | 55.26% |
| Education | Less Than 12 Years | 52.60% | 1.94% | 19.60% | 1.94% | 23.77% | 26.99% | 9.85% | 32.87% | 5.02% | 22.27% | 33.45% |
| | 12 Years | 60.98% | 1.37% | 3.41% | 1.07% | 10.98% | 24.21% | 11.51% | 32.56% | 10.15% | 20.88% | 37.85% |
| | Greater Than 12 Years | 25.65% | 1.05% | 0.32% | 4.54% | 3.91% | 18.51% | 16.82% | 43.46% | 6.47% | 14.23% | 61.94% |
| | Lower 95% CI | Q17D | Q17E | Q17F | Q17G | Q17J | Q18A | Q18B | Q18C | Q18D | Q18E | Q19 |
| Total | Yes | 37.62% | 1.03% | 3.59% | 2.91% | 8.06% | 20.25% | 13.88% | 38.15% | 6.85% | 16.25% | 50.75% |
| Age | Under 20 Years | 60.18% | 1.39% | 6.20% | 0.00% | 3.71% | 37.07% | 3.71% | 10.90% | 3.12% | 29.06% | 8.68% |
| | 20-24 Years | 60.07% | 1.38% | 4.62% | 2.88% | 10.50% | 32.53% | 6.61% | 27.52% | 2.71% | 21.30% | 35.07% |
| | 25-34 Years | 32.62% | 0.70% | 2.85% | 3.26% | 6.19% | 17.59% | 14.57% | 44.94% | 4.95% | 12.54% | 58.31% |
| | Over 34 Years | 22.25% | 0.55% | 2.37% | 1.47% | 9.88% | 9.29% | 18.36% | 30.88% | 15.09% | 16.01% | 49.46% |
| Ethnicity | White Non-Hispanic | 27.24% | 0.53% | 0.00% | 4.46% | 3.55% | 15.69% | 16.90% | 40.11% | 6.70% | 14.78% | 58.56% |
| | Black Non-Hispanic | 56.94% | 2.10% | 0.04% | 0.68% | 4.46% | 27.67% | 7.94% | 25.95% | 9.07% | 20.62% | 34.74% |
| | Hispanic | 41.38% | 0.49% | 18.62% | 1.02% | 24.50% | 20.31% | 8.64% | 44.17% | 3.40% | 13.75% | 41.39% |
| Married | Married | 17.88% | 0.28% | 1.69% | 4.73% | 6.02% | 12.11% | 19.22% | 46.09% | 5.17% | 11.75% | 68.53% |
| | Not Married | 60.20% | 1.75% | 5.28% | 0.57% | 9.99% | 29.10% | 6.89% | 28.17% | 8.38% | 20.93% | 29.21% |
| Previous Live Birth | Yes | 39.23% | 1.13% | 4.29% | 3.14% | 9.01% | 18.44% | 10.87% | 38.79% | 9.69% | 16.19% | 48.25% |
| | No | 34.06% | 0.66% | 2.11% | 2.19% | 6.00% | 22.28% | 17.89% | 36.13% | 1.98% | 15.56% | 53.68% |
| Education | Less Than 12 Years | 49.98% | 1.21% | 17.52% | 1.21% | 21.53% | 24.66% | 8.28% | 30.40% | 3.87% | 20.09% | 30.97% |
| | 12 Years | 59.07% | 0.91% | 2.70% | 0.67% | 9.76% | 22.54% | 10.27% | 30.73% | 8.97% | 19.30% | 35.96% |
| | Greater Than 12 Years | 24.53% | 0.79% | 0.18% | 4.00% | 3.41% | 17.52% | 15.86% | 42.20% | 5.84% | 13.34% | 60.70% |
| | Upper 95% CI | Q17D | Q17E | Q17F | Q17G | Q17J | Q18A | Q18B | Q18C | Q18D | Q18E | Q19 |
| Total | Yes | 39.54% | 1.47% | 4.36% | 3.61% | 9.16% | 21.86% | 15.27% | 40.07% | 7.88% | 17.73% | 52.72% |
| Age | Under 20 Years | 68.91% | 4.47% | 11.37% | 0.00% | 8.00% | 46.07% | 8.00% | 17.24% | 7.15% | 37.67% | 14.52% |
| | 20-24 Years | 64.55% | 2.69% | 6.76% | 4.63% | 13.51% | 36.93% | 9.10% | 31.74% | 4.43% | 25.20% | 39.54% |
| | 25-34 Years | 35.08% | 1.20% | 3.78% | 4.25% | 7.50% | 19.61% | 16.46% | 47.54% | 6.14% | 14.31% | 60.87% |
| | Over 34 Years | 26.07% | 1.44% | 3.93% | 2.76% | 12.70% | 12.05% | 21.93% | 35.07% | 18.42% | 19.41% | 53.91% |
| Ethnicity | White Non-Hispanic | 29.77% | 1.02% | 0.00% | 5.69% | 4.66% | 17.78% | 19.05% | 42.88% | 8.17% | 16.82% | 61.31% |
| | Black Non-Hispanic | 60.82% | 3.39% | 0.42% | 1.50% | 6.24% | 31.27% | 10.21% | 29.48% | 11.47% | 23.90% | 38.54% |
| | Hispanic | 45.85% | 1.35% | 22.26% | 2.14% | 28.48% | 24.06% | 11.35% | 48.67% | 5.23% | 17.00% | 45.86% |
| Married | Married | 19.99% | 0.64% | 2.45% | 5.93% | 7.36% | 13.92% | 21.38% | 48.78% | 6.42% | 13.54% | 71.00% |
| | Not Married | 63.03% | 2.60% | 6.66% | 1.11% | 11.80% | 31.78% | 8.44% | 30.83% | 10.07% | 23.35% | 31.89% |
| Previous Live Birth | Yes | 41.71% | 1.72% | 5.37% | 4.08% | 10.50% | 20.43% | 12.49% | 41.26% | 11.23% | 18.09% | 50.77% |
| | No | 37.10% | 1.28% | 3.12% | 3.22% | 7.60% | 24.98% | 20.39% | 39.20% | 2.96% | 17.92% | 56.84% |
| Education | Less Than 12 Years | 55.22% | 2.66% | 21.69% | 2.66% | 26.00% | 29.32% | 11.41% | 35.33% | 6.16% | 24.46% | 35.93% |
| | 12 Years | 62.88% | 1.82% | 4.12% | 1.47% | 12.20% | 25.88% | 12.76% | 34.39% | 11.33% | 22.47% | 39.74% |
| | Greater Than 12 Years | 26.76% | 1.31% | 0.47% | 5.07% | 4.40% | 19.50% | 17.77% | 44.73% | 7.09% | 15.12% | 63.18% |

| Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q20-Q24I | | | | | | | | | | | | |
|--|-----------------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E | Q24F | Q24G | Q24H | Q24I |
| Total | Yes | 19.29% | 82.00% | 7.90% | 3.16% | 2.44% | 6.31% | 2.90% | 1.58% | 2.08% | 0.76% | 4.03% |
| Age | Under 20 Years | 29.08% | 71.64% | 2.93% | 5.86% | 4.16% | 2.93% | 12.23% | 1.23% | 7.09% | 0.00% | 2.93% |
| | 20-24 Years | 26.86% | 83.14% | 5.66% | 4.56% | 4.89% | 3.59% | 4.60% | 3.29% | 2.09% | 1.50% | 5.81% |
| | 25-34 Years | 15.02% | 82.06% | 8.72% | 2.08% | 2.10% | 6.81% | 2.28% | 1.53% | 1.36% | 0.77% | 4.34% |
| | Over 34 Years | 22.46% | 83.25% | 8.76% | 4.38% | 0.77% | 8.17% | 0.90% | 0.20% | 2.96% | 0.20% | 1.71% |
| Ethnicity | White Non-Hispanic | 16.68% | 81.75% | 10.01% | 2.05% | 1.04% | 8.39% | 2.96% | 1.80% | 1.04% | 0.78% | 4.27% |
| | Black Non-Hispanic | 23.03% | 80.56% | 4.95% | 2.19% | 4.36% | 3.92% | 2.77% | 1.88% | 0.46% | 0.46% | 5.30% |
| | Hispanic | 21.93% | 82.59% | 7.11% | 7.16% | 4.34% | 4.33% | 3.86% | 1.13% | 6.81% | 1.33% | 3.06% |
| Married | Married | 14.75% | 83.60% | 8.78% | 2.43% | 0.91% | 7.45% | 1.24% | 0.59% | 0.85% | 0.33% | 1.51% |
| | Not Married | 24.68% | 80.31% | 6.66% | 3.78% | 4.24% | 4.99% | 4.85% | 2.74% | 3.52% | 1.25% | 7.00% |
| Previous Live Birth | Yes | 19.84% | 81.38% | 8.91% | 3.19% | 2.85% | 6.81% | 3.34% | 1.85% | 2.25% | 1.23% | 3.67% |
| | No | 18.43% | 82.98% | 6.31% | 3.11% | 1.80% | 5.51% | 2.20% | 1.15% | 1.81% | 0.00% | 4.59% |
| Education | Less Than 12 Years | 22.68% | 83.70% | 6.99% | 4.64% | 5.22% | 2.60% | 6.60% | 1.93% | 6.19% | 1.53% | 1.66% |
| | 12 Years | 23.01% | 77.18% | 5.96% | 5.25% | 3.85% | 5.14% | 4.71% | 2.17% | 3.28% | 0.38% | 8.83% |
| | Greater Than 12 Years | 17.08% | 83.66% | 8.96% | 1.94% | 1.14% | 7.74% | 1.20% | 1.19% | 0.61% | 0.74% | 2.50% |
| | Lower 95% CI | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E | Q24F | Q24G | Q24H | Q24I |
| Total | Yes | 18.51% | 81.24% | 7.37% | 2.81% | 2.14% | 5.83% | 2.57% | 1.33% | 1.80% | 0.58% | 3.64% |
| Age | Under 20 Years | 24.94% | 67.52% | 1.39% | 3.71% | 2.34% | 1.39% | 9.24% | 0.23% | 4.75% | 0.00% | 1.39% |
| | 20-24 Years | 24.81% | 81.41% | 4.59% | 3.59% | 3.89% | 2.73% | 3.63% | 2.47% | 1.43% | 0.94% | 4.73% |
| | 25-34 Years | 14.09% | 81.06% | 7.99% | 1.71% | 1.72% | 6.15% | 1.89% | 1.21% | 1.06% | 0.54% | 3.81% |
| | Over 34 Years | 20.60% | 81.59% | 7.50% | 3.47% | 0.38% | 6.95% | 0.48% | 0.00% | 2.21% | 0.00% | 1.13% |
| Ethnicity | White Non-Hispanic | 15.64% | 80.67% | 9.17% | 1.65% | 0.76% | 7.61% | 2.48% | 1.43% | 0.76% | 0.53% | 3.70% |
| | Black Non-Hispanic | 21.37% | 79.00% | 4.09% | 1.61% | 3.56% | 3.15% | 2.12% | 1.34% | 0.19% | 0.19% | 4.41% |
| | Hispanic | 20.06% | 80.88% | 5.95% | 6.00% | 3.42% | 3.41% | 2.99% | 0.65% | 5.67% | 0.81% | 2.28% |
| Married | Married | 13.80% | 82.60% | 8.02% | 2.02% | 0.66% | 6.74% | 0.94% | 0.38% | 0.60% | 0.18% | 1.18% |
| | Not Married | 23.42% | 79.15% | 5.93% | 3.23% | 3.65% | 4.36% | 4.23% | 2.27% | 2.99% | 0.93% | 6.25% |
| Previous Live Birth | Yes | 18.83% | 80.40% | 8.19% | 2.75% | 2.43% | 6.18% | 2.88% | 1.51% | 1.87% | 0.95% | 3.20% |
| | No | 17.20% | 81.79% | 5.54% | 2.56% | 1.38% | 4.79% | 1.73% | 0.81% | 1.39% | 0.00% | 3.92% |
| Education | Less Than 12 Years | 20.48% | 81.76% | 5.65% | 3.54% | 4.05% | 1.76% | 5.30% | 1.21% | 4.93% | 0.88% | 0.99% |
| | 12 Years | 21.37% | 75.54% | 5.03% | 4.38% | 3.10% | 4.28% | 3.89% | 1.60% | 2.59% | 0.14% | 7.73% |
| | Greater Than 12 Years | 16.12% | 82.71% | 8.23% | 1.59% | 0.87% | 7.06% | 0.93% | 0.91% | 0.41% | 0.52% | 2.11% |
| | Upper 95% CI | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E | Q24F | Q24G | Q24H | Q24I |
| Total | Yes | 20.07% | 82.76% | 8.43% | 3.50% | 2.75% | 6.79% | 3.23% | 1.82% | 2.36% | 0.93% | 4.42% |
| Age | Under 20 Years | 33.23% | 75.75% | 4.47% | 8.00% | 5.99% | 4.47% | 15.22% | 2.24% | 9.43% | 0.00% | 4.47% |
| | 20-24 Years | 28.91% | 84.87% | 6.73% | 5.52% | 5.88% | 4.45% | 5.57% | 4.12% | 2.75% | 2.06% | 6.89% |
| | 25-34 Years | 15.95% | 83.05% | 9.46% | 2.45% | 2.47% | 7.46% | 2.67% | 1.85% | 1.66% | 1.00% | 4.87% |
| | Over 34 Years | 24.33% | 84.92% | 10.02% | 5.29% | 1.16% | 9.39% | 1.32% | 0.40% | 3.72% | 0.40% | 2.28% |
| Ethnicity | White Non-Hispanic | 17.73% | 82.84% | 10.85% | 2.45% | 1.33% | 9.17% | 3.43% | 2.17% | 1.33% | 1.02% | 4.84% |
| | Black Non-Hispanic | 24.69% | 82.12% | 5.80% | 2.76% | 5.17% | 4.68% | 3.41% | 2.41% | 0.72% | 0.72% | 6.18% |
| | Hispanic | 23.80% | 84.30% | 8.27% | 8.33% | 5.26% | 5.25% | 4.72% | 1.60% | 7.95% | 1.85% | 3.83% |
| Married | Married | 15.71% | 84.59% | 9.54% | 2.84% | 1.17% | 8.15% | 1.54% | 0.79% | 1.10% | 0.49% | 1.84% |
| | Not Married | 25.93% | 81.46% | 7.39% | 4.34% | 4.83% | 5.63% | 5.48% | 3.22% | 4.06% | 1.58% | 7.74% |
| Previous Live Birth | Yes | 20.84% | 82.36% | 9.63% | 3.63% | 3.27% | 7.45% | 3.79% | 2.19% | 2.62% | 1.51% | 4.15% |
| | No | 19.66% | 84.17% | 7.08% | 3.66% | 2.22% | 6.23% | 2.66% | 1.49% | 2.23% | 0.00% | 5.25% |
| Education | Less Than 12 Years | 24.88% | 85.64% | 8.32% | 5.74% | 6.39% | 3.43% | 7.91% | 2.66% | 7.46% | 2.17% | 2.33% |
| | 12 Years | 24.66% | 78.82% | 6.88% | 6.12% | 4.61% | 6.00% | 5.54% | 2.74% | 3.98% | 0.62% | 9.94% |
| | Greater Than 12 Years | 18.04% | 84.60% | 9.69% | 2.30% | 1.41% | 8.42% | 1.48% | 1.47% | 0.80% | 0.96% | 2.90% |

| Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q24J-Q25I | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E | Q25F | Q25G | Q25H | Q25I |
| Total | Yes | 2.20% | 0.56% | 52.36% | 94.89% | 95.27% | 94.91% | 86.92% | 88.90% | 87.77% | 66.49% | 93.60% |
| Age | Under 20 Years | 13.21% | 0.00% | 60.26% | 94.14% | 100.00% | 100.00% | 99.39% | 100.00% | 94.86% | 84.84% | 97.07% |
| | 20-24 Years | 3.89% | 0.97% | 48.76% | 94.33% | 94.71% | 95.46% | 88.38% | 90.93% | 91.39% | 71.82% | 94.18% |
| | 25-34 Years | 1.03% | 0.59% | 54.20% | 95.76% | 96.26% | 95.59% | 87.19% | 89.16% | 88.27% | 65.21% | 94.75% |
| | Over 34 Years | 1.42% | 0.20% | 48.42% | 93.04% | 91.77% | 91.20% | 81.77% | 83.61% | 81.25% | 60.91% | 88.88% |
| Ethnicity | White Non-Hispanic | 1.61% | 0.00% | 54.27% | 97.22% | 95.99% | 94.99% | 84.49% | 87.03% | 86.49% | 59.47% | 91.95% |
| | Black Non-Hispanic | 3.79% | 0.66% | 50.15% | 92.32% | 94.71% | 94.71% | 90.99% | 91.58% | 87.62% | 73.92% | 95.15% |
| | Hispanic | 2.35% | 2.05% | 47.30% | 91.27% | 93.91% | 94.62% | 88.57% | 90.99% | 92.38% | 76.27% | 95.65% |
| Married | Married | 0.51% | 0.13% | 53.75% | 96.30% | 95.80% | 95.34% | 85.52% | 86.83% | 85.85% | 60.72% | 92.57% |
| | Not Married | 4.17% | 1.06% | 50.80% | 93.22% | 94.63% | 94.39% | 88.50% | 91.29% | 89.98% | 73.14% | 94.79% |
| Previous Live Birth | Yes | 2.87% | 0.84% | 45.93% | 93.36% | 93.52% | 92.93% | 86.93% | 87.98% | 85.15% | 65.42% | 92.23% |
| | No | 1.12% | 0.10% | 62.53% | 97.32% | 98.04% | 98.04% | 86.90% | 90.36% | 91.93% | 68.19% | 95.77% |
| Education | Less Than 12 Years | 3.92% | 1.53% | 43.67% | 90.69% | 89.37% | 89.37% | 84.08% | 90.34% | 84.35% | 72.41% | 91.87% |
| | 12 Years | 2.77% | 0.69% | 47.75% | 92.18% | 93.85% | 93.85% | 86.47% | 90.90% | 88.96% | 73.83% | 93.34% |
| | Greater Than 12 Years | 1.47% | 0.28% | 56.45% | 97.16% | 97.30% | 96.69% | 87.82% | 87.67% | 88.02% | 62.16% | 94.13% |
| | Lower 95% CI | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E | Q25F | Q25G | Q25H | Q25I |
| Total | Yes | 1.91% | 0.41% | 51.38% | 94.46% | 94.85% | 94.48% | 86.25% | 88.28% | 87.13% | 65.56% | 93.12% |
| Age | Under 20 Years | 10.12% | 0.00% | 55.79% | 92.00% | 100.00% | 100.00% | 98.69% | 100.00% | 92.85% | 81.57% | 95.53% |
| | 20-24 Years | 2.99% | 0.51% | 46.45% | 93.26% | 93.68% | 94.50% | 86.90% | 89.60% | 90.10% | 69.74% | 93.09% |
| | 25-34 Years | 0.77% | 0.39% | 52.90% | 95.24% | 95.76% | 95.05% | 86.32% | 88.35% | 87.43% | 63.97% | 94.17% |
| | Over 34 Years | 0.89% | 0.00% | 46.19% | 91.91% | 90.55% | 89.93% | 80.05% | 81.96% | 79.51% | 58.74% | 87.48% |
| Ethnicity | White Non-Hispanic | 1.25% | 0.00% | 52.87% | 96.76% | 95.44% | 94.37% | 83.47% | 86.09% | 85.53% | 58.09% | 91.19% |
| | Black Non-Hispanic | 3.04% | 0.34% | 48.18% | 91.27% | 93.83% | 93.83% | 89.86% | 90.49% | 86.32% | 72.19% | 94.30% |
| | Hispanic | 1.67% | 1.41% | 45.04% | 90.00% | 92.83% | 93.60% | 87.13% | 89.70% | 91.18% | 74.36% | 94.74% |
| Married | Married | 0.32% | 0.03% | 52.41% | 95.79% | 95.26% | 94.77% | 84.58% | 85.92% | 84.92% | 59.41% | 91.87% |
| | Not Married | 3.59% | 0.77% | 49.35% | 92.49% | 93.98% | 93.72% | 87.57% | 90.47% | 89.10% | 71.85% | 94.14% |
| Previous Live Birth | Yes | 2.45% | 0.61% | 44.67% | 92.73% | 92.90% | 92.29% | 86.08% | 87.16% | 84.25% | 64.22% | 91.56% |
| | No | 0.79% | 0.00% | 61.00% | 96.81% | 97.60% | 97.60% | 85.83% | 89.43% | 91.06% | 66.71% | 95.13% |
| Education | Less Than 12 Years | 2.90% | 0.88% | 41.07% | 89.16% | 87.75% | 87.75% | 82.16% | 88.79% | 82.45% | 70.06% | 90.43% |
| | 12 Years | 2.13% | 0.37% | 45.80% | 91.14% | 92.91% | 92.91% | 85.14% | 89.78% | 87.74% | 72.11% | 92.37% |
| | Greater Than 12 Years | 1.16% | 0.14% | 55.19% | 96.73% | 96.88% | 96.24% | 86.98% | 86.83% | 87.19% | 60.93% | 93.53% |
| | Upper 95% CI | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E | Q25F | Q25G | Q25H | Q25I |
| Total | Yes | 2.49% | 0.70% | 53.35% | 95.33% | 95.69% | 95.34% | 87.58% | 89.52% | 88.42% | 67.42% | 94.09% |
| Age | Under 20 Years | 16.30% | 0.00% | 64.73% | 96.29% | 100.00% | 100.00% | 100.10% | 100.00% | 96.88% | 88.12% | 98.61% |
| | 20-24 Years | 4.78% | 1.42% | 51.07% | 95.40% | 95.75% | 96.42% | 89.86% | 92.25% | 92.69% | 73.90% | 95.26% |
| | 25-34 Years | 1.29% | 0.79% | 55.50% | 96.28% | 96.75% | 96.12% | 88.06% | 89.97% | 89.11% | 66.45% | 95.33% |
| | Over 34 Years | 1.94% | 0.40% | 50.65% | 94.18% | 93.00% | 92.46% | 83.49% | 85.26% | 82.99% | 63.09% | 90.28% |
| Ethnicity | White Non-Hispanic | 1.96% | 0.00% | 55.66% | 97.68% | 96.54% | 95.60% | 85.50% | 87.97% | 87.45% | 60.84% | 92.72% |
| | Black Non-Hispanic | 4.54% | 0.98% | 52.13% | 93.37% | 95.60% | 95.60% | 92.12% | 92.68% | 88.92% | 75.65% | 95.99% |
| | Hispanic | 3.03% | 2.68% | 49.55% | 92.55% | 94.98% | 95.64% | 90.00% | 92.28% | 93.58% | 78.19% | 96.57% |
| Married | Married | 0.71% | 0.22% | 55.09% | 96.81% | 96.34% | 95.91% | 86.47% | 87.74% | 86.79% | 62.03% | 93.28% |
| | Not Married | 4.76% | 1.36% | 52.26% | 93.95% | 95.29% | 95.06% | 89.43% | 92.11% | 90.85% | 74.43% | 95.44% |
| Previous Live Birth | Yes | 3.30% | 1.08% | 47.18% | 93.98% | 94.14% | 93.58% | 87.78% | 88.80% | 86.04% | 66.62% | 92.91% |
| | No | 1.46% | 0.20% | 64.07% | 97.83% | 98.48% | 98.48% | 87.97% | 91.30% | 92.79% | 69.66% | 96.41% |
| Education | Less Than 12 Years | 4.94% | 2.17% | 46.28% | 92.22% | 90.99% | 90.99% | 86.00% | 91.89% | 86.26% | 74.76% | 93.30% |
| | 12 Years | 3.41% | 1.01% | 49.70% | 93.23% | 94.79% | 94.79% | 87.81% | 92.02% | 90.19% | 75.54% | 94.31% |
| | Greater Than 12 Years | 1.77% | 0.41% | 57.72% | 97.58% | 97.71% | 97.15% | 88.65% | 88.51% | 88.85% | 63.40% | 94.73% |

| Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q25J-Q30E | | | | | | | | | | | | |
|---|-----------------------|-------------|------------|-------------|-------------|------------|------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q25J | Q26 | Q27A | Q27B | Q28 | Q29 | Q30A | Q30B | Q30C | Q30D | Q30E |
| Total | Yes | 84.70% | 88.68% | 10.50% | 51.01% | 76.01% | 41.57% | 85.24% | 48.54% | 60.71% | 20.49% | 12.01% |
| Age | Under 20 Years | 100.00% | 78.60% | 5.14% | 61.95% | 71.12% | 46.60% | 77.49% | 53.69% | 88.16% | 20.18% | 16.74% |
| | 20-24 Years | 89.48% | 87.30% | 6.13% | 44.28% | 73.21% | 28.30% | 82.61% | 42.16% | 51.85% | 23.46% | 11.89% |
| | 25-34 Years | 83.40% | 90.52% | 11.19% | 52.78% | 80.71% | 44.86% | 87.75% | 51.09% | 61.28% | 21.16% | 12.26% |
| | Over 34 Years | 80.44% | 86.99% | 13.84% | 49.47% | 65.96% | 43.08% | 82.17% | 45.74% | 60.75% | 15.86% | 10.27% |
| Ethnicity | White Non-Hispanic | 78.99% | 90.28% | 7.98% | 56.40% | 81.84% | 48.82% | 88.86% | 50.09% | 65.37% | 20.50% | 10.71% |
| | Black Non-Hispanic | 91.34% | 88.83% | 8.82% | 40.11% | 64.23% | 36.83% | 81.80% | 47.97% | 64.30% | 24.69% | 12.11% |
| | Hispanic | 90.20% | 82.71% | 15.54% | 50.31% | 72.43% | 28.89% | 80.90% | 45.04% | 39.30% | 15.71% | 13.65% |
| Married | Married | 81.10% | 90.46% | 11.85% | 57.21% | 80.65% | 51.12% | 87.42% | 53.30% | 68.46% | 14.34% | 10.15% |
| | Not Married | 89.12% | 86.55% | 8.95% | 43.56% | 70.47% | 30.54% | 82.63% | 43.00% | 51.73% | 27.79% | 14.24% |
| Previous Live Birth | Yes | 84.48% | 89.21% | 11.60% | 47.74% | 73.69% | 37.47% | 85.72% | 43.96% | 52.06% | 24.40% | 14.26% |
| | No | 85.06% | 87.84% | 8.77% | 56.18% | 79.67% | 48.07% | 84.49% | 55.76% | 74.39% | 14.31% | 8.46% |
| Education | Less Than 12 Years | 82.59% | 75.75% | 8.02% | 53.83% | 61.06% | 18.45% | 78.44% | 31.97% | 33.44% | 26.40% | 13.77% |
| | 12 Years | 91.91% | 89.75% | 12.91% | 38.00% | 71.99% | 31.47% | 83.41% | 49.39% | 50.43% | 27.10% | 15.00% |
| | Greater Than 12 Years | 82.04% | 91.41% | 10.16% | 56.04% | 81.75% | 51.69% | 88.02% | 52.41% | 72.00% | 16.17% | 10.43% |
| | Lower 95% CI | Q25J | Q26 | Q27A | Q27B | Q28 | Q29 | Q30A | Q30B | Q30C | Q30D | Q30E |
| Total | Yes | 83.99% | 88.06% | 9.90% | 50.02% | 75.16% | 40.60% | 84.54% | 47.55% | 59.75% | 19.70% | 11.37% |
| Age | Under 20 Years | 100.00% | 74.86% | 3.12% | 57.52% | 66.98% | 42.04% | 73.68% | 49.13% | 85.22% | 16.52% | 13.33% |
| | 20-24 Years | 88.07% | 85.76% | 5.02% | 41.98% | 71.16% | 26.22% | 80.86% | 39.88% | 49.54% | 21.50% | 10.40% |
| | 25-34 Years | 82.43% | 89.76% | 10.37% | 51.48% | 79.69% | 43.56% | 86.89% | 49.79% | 60.01% | 20.10% | 11.40% |
| | Over 34 Years | 78.67% | 85.49% | 12.30% | 47.24% | 63.84% | 40.87% | 80.46% | 43.52% | 58.57% | 14.23% | 8.91% |
| Ethnicity | White Non-Hispanic | 77.84% | 89.45% | 7.22% | 55.01% | 80.75% | 47.42% | 87.98% | 48.69% | 64.03% | 19.37% | 9.84% |
| | Black Non-Hispanic | 90.23% | 87.59% | 7.70% | 38.18% | 62.34% | 34.93% | 80.28% | 46.00% | 62.41% | 22.99% | 10.83% |
| | Hispanic | 88.86% | 81.01% | 13.91% | 48.06% | 70.42% | 26.85% | 79.13% | 42.79% | 37.10% | 14.07% | 12.10% |
| Married | Married | 80.05% | 89.67% | 10.99% | 55.88% | 79.59% | 49.77% | 86.53% | 51.96% | 67.21% | 13.40% | 9.34% |
| | Not Married | 88.21% | 85.56% | 8.12% | 42.12% | 69.14% | 29.20% | 81.53% | 41.56% | 50.27% | 26.48% | 13.22% |
| Previous Live Birth | Yes | 83.57% | 88.43% | 10.79% | 46.48% | 72.58% | 36.25% | 84.83% | 42.71% | 50.80% | 23.32% | 13.38% |
| | No | 83.93% | 86.80% | 7.87% | 54.61% | 78.39% | 46.48% | 83.34% | 54.19% | 73.01% | 13.20% | 7.58% |
| Education | Less Than 12 Years | 80.60% | 73.50% | 6.59% | 51.21% | 58.50% | 16.41% | 76.28% | 29.52% | 30.96% | 24.09% | 11.96% |
| | 12 Years | 90.84% | 88.57% | 11.60% | 36.10% | 70.23% | 29.66% | 81.96% | 47.43% | 48.47% | 25.36% | 13.61% |
| | Greater Than 12 Years | 81.06% | 90.69% | 9.39% | 54.77% | 80.76% | 50.41% | 87.19% | 51.14% | 70.86% | 15.23% | 9.65% |
| | Upper 95% CI | Q25J | Q26 | Q27A | Q27B | Q28 | Q29 | Q30A | Q30B | Q30C | Q30D | Q30E |
| Total | Yes | 85.41% | 89.31% | 11.11% | 52.00% | 76.85% | 42.55% | 85.94% | 49.52% | 61.68% | 21.29% | 12.65% |
| Age | Under 20 Years | 100.00% | 82.35% | 7.15% | 66.39% | 75.26% | 51.15% | 81.30% | 58.24% | 91.11% | 23.85% | 20.15% |
| | 20-24 Years | 90.90% | 88.83% | 7.24% | 46.58% | 75.25% | 30.38% | 84.37% | 44.44% | 54.16% | 25.42% | 13.39% |
| | 25-34 Years | 84.37% | 91.28% | 12.01% | 54.08% | 81.74% | 46.15% | 88.60% | 52.39% | 62.55% | 22.22% | 13.11% |
| | Over 34 Years | 82.21% | 88.49% | 15.38% | 51.70% | 68.07% | 45.29% | 83.87% | 47.96% | 62.93% | 17.49% | 11.62% |
| Ethnicity | White Non-Hispanic | 80.13% | 91.11% | 8.74% | 57.79% | 82.92% | 50.22% | 89.74% | 51.50% | 66.70% | 21.63% | 11.58% |
| | Black Non-Hispanic | 92.45% | 90.07% | 9.94% | 42.04% | 66.12% | 38.73% | 83.32% | 49.94% | 66.19% | 26.39% | 13.40% |
| | Hispanic | 91.54% | 84.42% | 17.17% | 52.57% | 74.45% | 30.94% | 82.67% | 47.28% | 41.51% | 17.35% | 15.20% |
| Married | Married | 82.15% | 91.25% | 12.72% | 58.54% | 81.72% | 52.46% | 88.31% | 54.64% | 69.71% | 15.28% | 10.96% |
| | Not Married | 90.02% | 87.55% | 9.79% | 45.00% | 71.80% | 31.88% | 83.73% | 44.45% | 53.18% | 29.09% | 15.26% |
| Previous Live Birth | Yes | 85.39% | 90.00% | 12.41% | 49.00% | 74.80% | 38.69% | 86.60% | 45.22% | 53.32% | 25.49% | 15.14% |
| | No | 86.19% | 88.88% | 9.66% | 57.75% | 80.95% | 49.65% | 85.63% | 57.34% | 75.78% | 15.42% | 9.34% |
| Education | Less Than 12 Years | 84.58% | 78.00% | 9.44% | 56.44% | 63.62% | 20.48% | 80.60% | 34.42% | 35.91% | 28.72% | 15.58% |
| | 12 Years | 92.97% | 90.93% | 14.22% | 39.89% | 73.74% | 33.28% | 84.86% | 51.34% | 52.38% | 28.83% | 16.39% |
| | Greater Than 12 Years | 83.02% | 92.12% | 10.93% | 57.31% | 82.73% | 52.96% | 88.84% | 53.69% | 73.15% | 17.11% | 11.21% |

| Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q31-Q33G | | | | | | | | | | | | |
|--|-----------------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q31 | Q32A | Q32B | Q32C | Q33A | Q33B | Q33C | Q33D | Q33E | Q33F | Q33G |
| Total | Yes | 8.67% | 11.68% | 15.85% | 17.21% | 16.97% | 11.70% | 19.52% | 2.50% | 6.24% | 14.15% | 4.36% |
| Age | Under 20 Years | 28.45% | 0.61% | 27.73% | 17.97% | 6.98% | 11.00% | 28.83% | 5.74% | 5.61% | 5.61% | 1.23% |
| | 20-24 Years | 7.93% | 8.60% | 14.20% | 21.58% | 20.61% | 18.49% | 29.09% | 1.22% | 3.25% | 20.35% | 4.94% |
| | 25-34 Years | 7.97% | 11.37% | 15.38% | 16.27% | 15.42% | 8.88% | 17.43% | 2.72% | 6.52% | 13.10% | 4.49% |
| | Over 34 Years | 6.70% | 18.11% | 15.93% | 15.73% | 20.52% | 13.83% | 14.53% | 2.26% | 8.36% | 13.48% | 4.22% |
| Ethnicity | White Non-Hispanic | 6.79% | 12.28% | 17.43% | 18.91% | 14.88% | 12.77% | 15.14% | 0.88% | 7.94% | 12.34% | 2.87% |
| | Black Non-Hispanic | 10.53% | 9.37% | 18.93% | 19.40% | 19.66% | 11.08% | 28.52% | 6.12% | 4.54% | 20.39% | 5.02% |
| | Hispanic | 11.89% | 12.43% | 12.47% | 14.95% | 21.51% | 12.80% | 22.01% | 2.60% | 5.23% | 11.78% | 7.05% |
| Married | Married | 5.18% | 10.76% | 13.11% | 11.45% | 15.50% | 9.79% | 13.69% | 1.18% | 7.59% | 10.95% | 3.45% |
| | Not Married | 12.55% | 12.56% | 18.87% | 23.90% | 18.63% | 13.98% | 26.30% | 4.05% | 4.69% | 17.83% | 5.45% |
| Previous Live Birth | Yes | 7.14% | 12.29% | 14.56% | 18.80% | 17.12% | 12.33% | 19.99% | 1.53% | 6.14% | 14.77% | 4.29% |
| | No | 11.09% | 10.72% | 17.90% | 14.70% | 16.74% | 10.70% | 18.78% | 4.03% | 6.40% | 13.16% | 4.49% |
| Education | Less Than 12 Years | 11.77% | 8.40% | 17.17% | 24.06% | 23.45% | 15.02% | 15.19% | 3.08% | 2.97% | 12.22% | 1.78% |
| | 12 Years | 14.71% | 12.02% | 16.28% | 21.08% | 19.69% | 17.48% | 31.02% | 3.55% | 5.97% | 19.72% | 6.87% |
| | Greater Than 12 Years | 5.37% | 12.42% | 15.51% | 13.93% | 14.37% | 8.48% | 15.62% | 1.74% | 7.13% | 12.22% | 3.88% |
| | Lower 95% CI | Q31 | Q32A | Q32B | Q32C | Q33A | Q33B | Q33C | Q33D | Q33E | Q33F | Q33G |
| Total | Yes | 8.12% | 11.05% | 15.13% | 16.47% | 16.23% | 11.06% | 18.74% | 2.19% | 5.76% | 13.46% | 3.96% |
| Age | Under 20 Years | 24.33% | -0.10% | 23.65% | 14.47% | 4.65% | 8.14% | 24.70% | 3.62% | 3.51% | 3.51% | 0.23% |
| | 20-24 Years | 6.68% | 7.31% | 12.59% | 19.68% | 18.74% | 16.70% | 26.99% | 0.71% | 2.43% | 18.48% | 3.93% |
| | 25-34 Years | 7.27% | 10.54% | 14.44% | 15.31% | 14.48% | 8.14% | 16.45% | 2.29% | 5.88% | 12.23% | 3.95% |
| | Over 34 Years | 5.59% | 16.39% | 14.30% | 14.11% | 18.72% | 12.29% | 12.96% | 1.60% | 7.13% | 11.96% | 3.32% |
| Ethnicity | White Non-Hispanic | 6.08% | 11.36% | 16.36% | 17.82% | 13.88% | 11.84% | 14.13% | 0.62% | 7.18% | 11.42% | 2.40% |
| | Black Non-Hispanic | 9.32% | 8.22% | 17.39% | 17.84% | 18.09% | 9.84% | 26.74% | 5.17% | 3.72% | 18.80% | 4.16% |
| | Hispanic | 10.43% | 10.94% | 10.98% | 13.35% | 19.65% | 11.30% | 20.14% | 1.88% | 4.22% | 10.32% | 5.90% |
| Married | Married | 4.59% | 9.92% | 12.21% | 10.60% | 14.53% | 8.99% | 12.77% | 0.89% | 6.88% | 10.11% | 2.96% |
| | Not Married | 11.59% | 11.60% | 17.74% | 22.66% | 17.50% | 12.97% | 25.02% | 3.48% | 4.07% | 16.71% | 4.79% |
| Previous Live Birth | Yes | 6.49% | 11.46% | 13.67% | 17.81% | 16.17% | 11.50% | 18.98% | 1.22% | 5.54% | 13.88% | 3.77% |
| | No | 10.09% | 9.74% | 16.68% | 13.58% | 15.56% | 9.72% | 17.54% | 3.40% | 5.62% | 12.08% | 3.83% |
| Education | Less Than 12 Years | 10.08% | 6.95% | 15.19% | 21.82% | 21.22% | 13.14% | 13.30% | 2.17% | 2.08% | 10.50% | 1.09% |
| | 12 Years | 13.33% | 10.75% | 14.84% | 19.49% | 18.14% | 16.00% | 29.22% | 2.83% | 5.05% | 18.17% | 5.89% |
| | Greater Than 12 Years | 4.80% | 11.58% | 14.58% | 13.05% | 13.47% | 7.77% | 14.70% | 1.41% | 6.47% | 11.38% | 3.38% |
| | Upper 95% CI | Q31 | Q32A | Q32B | Q32C | Q33A | Q33B | Q33C | Q33D | Q33E | Q33F | Q33G |
| Total | Yes | 9.23% | 12.31% | 16.57% | 17.96% | 17.71% | 12.33% | 20.30% | 2.80% | 6.72% | 14.84% | 4.77% |
| Age | Under 20 Years | 32.57% | 1.31% | 31.82% | 21.48% | 9.30% | 13.85% | 32.97% | 7.87% | 7.71% | 7.71% | 2.24% |
| | 20-24 Years | 9.17% | 9.90% | 15.82% | 23.48% | 22.48% | 20.28% | 31.19% | 1.73% | 4.07% | 22.21% | 5.94% |
| | 25-34 Years | 8.68% | 12.19% | 16.32% | 17.23% | 16.36% | 9.62% | 18.42% | 3.14% | 7.16% | 13.98% | 5.03% |
| | Over 34 Years | 7.82% | 19.82% | 17.56% | 17.36% | 22.32% | 15.37% | 16.10% | 2.92% | 9.60% | 15.01% | 5.12% |
| Ethnicity | White Non-Hispanic | 7.49% | 13.20% | 18.49% | 20.01% | 15.87% | 13.71% | 16.14% | 1.14% | 8.69% | 13.26% | 3.34% |
| | Black Non-Hispanic | 11.74% | 10.52% | 20.47% | 20.96% | 21.22% | 12.32% | 30.30% | 7.06% | 5.36% | 21.98% | 5.89% |
| | Hispanic | 13.35% | 13.92% | 13.96% | 16.56% | 23.36% | 14.31% | 23.87% | 3.32% | 6.23% | 13.23% | 8.21% |
| Married | Married | 5.78% | 11.59% | 14.02% | 12.31% | 16.47% | 10.59% | 14.62% | 1.47% | 8.30% | 11.79% | 3.94% |
| | Not Married | 13.52% | 13.53% | 20.01% | 25.14% | 19.76% | 14.99% | 27.58% | 4.63% | 5.30% | 18.94% | 6.12% |
| Previous Live Birth | Yes | 7.79% | 13.11% | 15.45% | 19.78% | 18.07% | 13.16% | 21.00% | 1.84% | 6.75% | 15.67% | 4.80% |
| | No | 12.08% | 11.70% | 19.12% | 15.83% | 17.92% | 11.68% | 20.02% | 4.65% | 7.17% | 14.23% | 5.15% |
| Education | Less Than 12 Years | 13.47% | 9.86% | 19.15% | 26.31% | 25.67% | 16.89% | 17.07% | 3.99% | 3.86% | 13.94% | 2.48% |
| | 12 Years | 16.09% | 13.29% | 17.72% | 22.67% | 21.25% | 18.96% | 32.83% | 4.27% | 6.90% | 21.27% | 7.86% |
| | Greater Than 12 Years | 5.95% | 13.26% | 16.43% | 14.82% | 15.26% | 9.20% | 16.55% | 2.08% | 7.78% | 13.06% | 4.37% |

| Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q33H-Q34I | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q33H | Q33I | Q34A | Q34B | Q34C | Q34D | Q34E | Q34F | Q34G | Q34H | Q34I |
| Total | Yes | 2.09% | 2.09% | 2.28% | 3.11% | 3.56% | 1.46% | 0.66% | 1.14% | 13.52% | 4.74% | 2.01% |
| Age | Under 20 Years | 2.93% | 10.28% | 5.14% | 0.00% | 14.76% | 0.00% | 0.00% | 5.14% | 0.00% | 8.07% | 8.07% |
| | 20-24 Years | 4.48% | 2.22% | 0.32% | 1.60% | 7.77% | 3.35% | 0.32% | 1.07% | 16.84% | 4.57% | 1.63% |
| | 25-34 Years | 1.44% | 1.70% | 2.77% | 3.74% | 2.04% | 1.42% | 0.99% | 0.94% | 13.52% | 5.34% | 1.99% |
| | Over 34 Years | 1.59% | 1.15% | 2.01% | 3.42% | 1.42% | 0.14% | 0.14% | 0.84% | 13.68% | 2.35% | 0.99% |
| Ethnicity | White Non-Hispanic | 1.77% | 1.92% | 1.85% | 2.66% | 1.61% | 0.55% | 0.06% | 0.00% | 16.42% | 2.08% | 0.89% |
| | Black Non-Hispanic | 1.76% | 3.54% | 4.03% | 3.85% | 7.38% | 3.24% | 1.74% | 3.24% | 12.65% | 9.60% | 5.50% |
| | Hispanic | 3.32% | 0.71% | 0.71% | 3.19% | 3.78% | 0.92% | 0.00% | 0.71% | 9.40% | 4.65% | 0.00% |
| Married | Married | 1.23% | 1.02% | 1.30% | 1.70% | 0.87% | 0.36% | 0.36% | 0.61% | 14.94% | 3.04% | 0.61% |
| | Not Married | 2.87% | 3.34% | 3.45% | 4.65% | 6.73% | 2.75% | 1.01% | 1.77% | 11.91% | 6.63% | 3.66% |
| Previous Live Birth | Yes | 1.91% | 2.23% | 2.47% | 2.88% | 2.50% | 1.23% | 0.27% | 0.72% | 13.68% | 5.04% | 1.38% |
| | No | 2.38% | 1.85% | 1.99% | 3.48% | 5.24% | 1.82% | 1.27% | 1.82% | 13.28% | 4.28% | 3.01% |
| Education | Less Than 12 Years | 3.53% | 1.70% | 4.61% | 3.35% | 5.58% | 0.00% | 0.00% | 1.70% | 5.12% | 4.99% | 2.67% |
| | 12 Years | 4.07% | 2.57% | 1.92% | 3.80% | 6.86% | 2.79% | 1.28% | 1.17% | 10.22% | 5.37% | 3.51% |
| | Greater Than 12 Years | 0.93% | 1.99% | 1.91% | 2.79% | 1.70% | 1.24% | 0.55% | 1.01% | 17.05% | 4.46% | 1.23% |
| | Lower 95% CI | Q33H | Q33I | Q34A | Q34B | Q34C | Q34D | Q34E | Q34F | Q34G | Q34H | Q34I |
| Total | Yes | 1.81% | 1.80% | 1.99% | 2.77% | 3.19% | 1.22% | 0.50% | 0.93% | 12.85% | 4.33% | 1.73% |
| Age | Under 20 Years | 1.39% | 7.51% | 3.12% | 0.00% | 11.53% | 0.00% | 0.00% | 3.12% | 0.00% | 5.58% | 5.58% |
| | 20-24 Years | 3.52% | 1.54% | 0.06% | 1.02% | 6.54% | 2.52% | 0.06% | 0.59% | 15.11% | 3.61% | 1.05% |
| | 25-34 Years | 1.13% | 1.36% | 2.34% | 3.24% | 1.68% | 1.11% | 0.73% | 0.69% | 12.63% | 4.76% | 1.62% |
| | Over 34 Years | 1.03% | 0.67% | 1.39% | 2.61% | 0.89% | -0.02% | -0.02% | 0.44% | 12.15% | 1.68% | 0.55% |
| Ethnicity | White Non-Hispanic | 1.40% | 1.54% | 1.47% | 2.21% | 1.25% | 0.34% | -0.01% | 0.00% | 15.38% | 1.68% | 0.62% |
| | Black Non-Hispanic | 1.24% | 2.81% | 3.25% | 3.09% | 6.34% | 2.54% | 1.22% | 2.54% | 11.34% | 8.44% | 4.61% |
| | Hispanic | 2.51% | 0.33% | 0.33% | 2.40% | 2.92% | 0.49% | 0.00% | 0.33% | 8.08% | 3.70% | 0.00% |
| Married | Married | 0.93% | 0.75% | 0.99% | 1.35% | 0.62% | 0.20% | 0.20% | 0.40% | 13.98% | 2.58% | 0.40% |
| | Not Married | 2.38% | 2.82% | 2.92% | 4.04% | 6.00% | 2.27% | 0.72% | 1.38% | 10.97% | 5.91% | 3.11% |
| Previous Live Birth | Yes | 1.57% | 1.86% | 2.08% | 2.46% | 2.10% | 0.95% | 0.14% | 0.50% | 12.81% | 4.49% | 1.08% |
| | No | 1.90% | 1.43% | 1.55% | 2.90% | 4.54% | 1.39% | 0.91% | 1.39% | 12.20% | 3.64% | 2.47% |
| Education | Less Than 12 Years | 2.56% | 1.02% | 3.51% | 2.41% | 4.37% | 0.00% | 0.00% | 1.02% | 3.97% | 3.85% | 1.82% |
| | 12 Years | 3.30% | 1.95% | 1.39% | 3.05% | 5.88% | 2.15% | 0.84% | 0.75% | 9.04% | 4.49% | 2.79% |
| | Greater Than 12 Years | 0.68% | 1.63% | 1.56% | 2.37% | 1.37% | 0.96% | 0.36% | 0.76% | 16.09% | 3.94% | 0.95% |
| | Upper 95% CI | Q33H | Q33I | Q34A | Q34B | Q34C | Q34D | Q34E | Q34F | Q34G | Q34H | Q34I |
| Total | Yes | 2.37% | 2.37% | 2.58% | 3.45% | 3.93% | 1.69% | 0.82% | 1.35% | 14.20% | 5.16% | 2.29% |
| Age | Under 20 Years | 4.47% | 13.05% | 7.15% | 0.00% | 18.00% | 0.00% | 0.00% | 7.15% | 0.00% | 10.55% | 10.55% |
| | 20-24 Years | 5.43% | 2.91% | 0.58% | 2.18% | 9.01% | 4.18% | 0.58% | 1.54% | 18.57% | 5.54% | 2.22% |
| | 25-34 Years | 1.75% | 2.03% | 3.20% | 4.23% | 2.41% | 1.73% | 1.25% | 1.19% | 14.41% | 5.93% | 2.35% |
| | Over 34 Years | 2.14% | 1.62% | 2.64% | 4.24% | 1.94% | 0.31% | 0.31% | 1.25% | 15.21% | 3.03% | 1.43% |
| Ethnicity | White Non-Hispanic | 2.13% | 2.30% | 2.23% | 3.11% | 1.96% | 0.76% | 0.12% | 0.00% | 17.45% | 2.48% | 1.15% |
| | Black Non-Hispanic | 2.28% | 4.27% | 4.81% | 4.61% | 8.41% | 3.94% | 2.25% | 3.94% | 13.96% | 10.76% | 6.40% |
| | Hispanic | 4.12% | 1.09% | 1.09% | 3.98% | 4.64% | 1.35% | 0.00% | 1.09% | 10.71% | 5.60% | 0.00% |
| Married | Married | 1.53% | 1.29% | 1.60% | 2.05% | 1.12% | 0.52% | 0.52% | 0.82% | 15.90% | 3.50% | 0.82% |
| | Not Married | 3.35% | 3.86% | 3.98% | 5.26% | 7.46% | 3.22% | 1.30% | 2.15% | 12.85% | 7.36% | 4.20% |
| Previous Live Birth | Yes | 2.26% | 2.61% | 2.86% | 3.30% | 2.89% | 1.51% | 0.40% | 0.93% | 14.55% | 5.59% | 1.67% |
| | No | 2.86% | 2.28% | 2.44% | 4.06% | 5.95% | 2.24% | 1.62% | 2.24% | 14.35% | 4.92% | 3.55% |
| Education | Less Than 12 Years | 4.50% | 2.38% | 5.71% | 4.30% | 6.78% | 0.00% | 0.00% | 2.38% | 6.28% | 6.13% | 3.52% |
| | 12 Years | 4.84% | 3.19% | 2.46% | 4.54% | 7.85% | 3.44% | 1.71% | 1.58% | 11.40% | 6.25% | 4.23% |
| | Greater Than 12 Years | 1.17% | 2.35% | 2.26% | 3.21% | 2.03% | 1.52% | 0.74% | 1.27% | 18.01% | 4.99% | 1.51% |

| Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q34J-Q40D | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q34J | Q34K | Q35 | Q36 | Q37 | Q38 | Q39 | Q40A | Q40B | Q40C | Q40D |
| Total | Yes | 13.77% | 13.48% | 18.92% | 6.86% | 8.60% | 3.95% | 4.71% | 6.32% | 4.01% | 0.29% | 3.71% |
| Age | Under 20 Years | 12.23% | 8.78% | 0.00% | 0.00% | 0.00% | 0.00% | 5.74% | 2.93% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 14.40% | 21.02% | 24.38% | 6.89% | 8.68% | 3.97% | 7.26% | 7.88% | 9.30% | 0.00% | 5.17% |
| | 25-34 Years | 12.43% | 11.83% | 18.25% | 7.19% | 8.38% | 3.77% | 4.05% | 7.07% | 3.82% | 0.31% | 4.06% |
| | Over 34 Years | 17.49% | 12.45% | 20.31% | 7.48% | 11.21% | 5.42% | 4.02% | 3.50% | 0.57% | 0.57% | 2.21% |
| Ethnicity | White Non-Hispanic | 11.73% | 13.30% | 25.94% | 11.95% | 12.54% | 7.22% | 3.75% | 11.37% | 3.29% | 0.58% | 3.65% |
| | Black Non-Hispanic | 16.22% | 16.69% | 16.16% | 3.62% | 8.02% | 1.24% | 9.62% | 1.98% | 4.49% | 0.00% | 5.07% |
| | Hispanic | 15.99% | 12.40% | 10.35% | 0.00% | 1.78% | 0.21% | 2.29% | 1.00% | 5.10% | 0.00% | 2.43% |
| Married | Married | 14.39% | 9.18% | 10.33% | 1.87% | 3.25% | 1.63% | 3.18% | 5.61% | 3.57% | 0.33% | 2.93% |
| | Not Married | 12.98% | 18.57% | 29.06% | 12.74% | 14.89% | 6.69% | 6.52% | 7.19% | 4.53% | 0.24% | 4.64% |
| Previous Live Birth | Yes | 15.63% | 13.90% | 21.97% | 8.55% | 11.07% | 5.10% | 5.39% | 5.45% | 1.73% | 0.18% | 3.11% |
| | No | 10.84% | 12.82% | 14.09% | 4.19% | 4.68% | 2.14% | 3.63% | 7.71% | 7.60% | 0.45% | 4.66% |
| Education | Less Than 12 Years | 14.29% | 15.47% | 24.13% | 7.10% | 12.91% | 4.15% | 6.50% | 6.26% | 0.79% | 0.00% | 1.66% |
| | 12 Years | 14.90% | 22.84% | 24.47% | 11.61% | 13.61% | 6.24% | 5.70% | 6.18% | 5.25% | 0.15% | 5.74% |
| | Greater Than 12 Years | 13.11% | 9.07% | 15.23% | 4.77% | 5.44% | 2.90% | 3.68% | 6.46% | 4.04% | 0.42% | 3.30% |
| | Lower 95% CI | Q34J | Q34K | Q35 | Q36 | Q37 | Q38 | Q39 | Q40A | Q40B | Q40C | Q40D |
| Total | Yes | 13.09% | 12.81% | 18.14% | 6.36% | 8.04% | 3.57% | 4.29% | 5.84% | 3.62% | 0.18% | 3.34% |
| Age | Under 20 Years | 9.24% | 6.20% | 0.00% | 0.00% | 0.00% | 0.00% | 3.62% | 1.39% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 12.78% | 19.14% | 22.40% | 5.72% | 7.38% | 3.07% | 6.06% | 6.63% | 7.96% | 0.00% | 4.15% |
| | 25-34 Years | 11.58% | 10.99% | 17.24% | 6.52% | 7.66% | 3.28% | 3.54% | 6.40% | 3.33% | 0.16% | 3.54% |
| | Over 34 Years | 15.80% | 10.97% | 18.52% | 6.31% | 9.80% | 4.41% | 3.14% | 2.68% | 0.24% | 0.24% | 1.55% |
| Ethnicity | White Non-Hispanic | 10.83% | 12.35% | 24.71% | 11.04% | 11.61% | 6.49% | 3.22% | 10.48% | 2.79% | 0.37% | 3.12% |
| | Black Non-Hispanic | 14.76% | 15.22% | 14.71% | 2.88% | 6.95% | 0.80% | 8.46% | 1.43% | 3.67% | 0.00% | 4.20% |
| | Hispanic | 14.33% | 10.91% | 8.98% | 0.00% | 1.19% | 0.00% | 1.62% | 0.55% | 4.11% | 0.00% | 1.73% |
| Married | Married | 13.45% | 8.40% | 9.51% | 1.50% | 2.77% | 1.29% | 2.71% | 4.99% | 3.07% | 0.17% | 2.47% |
| | Not Married | 12.00% | 17.44% | 27.73% | 11.77% | 13.86% | 5.97% | 5.80% | 6.44% | 3.93% | 0.10% | 4.03% |
| Previous Live Birth | Yes | 14.72% | 13.03% | 20.92% | 7.84% | 10.28% | 4.55% | 4.82% | 4.88% | 1.41% | 0.08% | 2.67% |
| | No | 9.85% | 11.76% | 12.99% | 3.56% | 4.01% | 1.68% | 3.04% | 6.86% | 6.76% | 0.24% | 3.99% |
| Education | Less Than 12 Years | 12.45% | 13.57% | 21.88% | 5.75% | 11.15% | 3.11% | 5.21% | 4.99% | 0.33% | 0.00% | 0.99% |
| | 12 Years | 13.51% | 21.20% | 22.79% | 10.36% | 12.28% | 5.30% | 4.79% | 5.24% | 4.38% | 0.00% | 4.83% |
| | Greater Than 12 Years | 12.25% | 8.34% | 14.32% | 4.22% | 4.86% | 2.47% | 3.20% | 5.83% | 3.54% | 0.25% | 2.84% |
| | Upper 95% CI | Q34J | Q34K | Q35 | Q36 | Q37 | Q38 | Q39 | Q40A | Q40B | Q40C | Q40D |
| Total | Yes | 14.45% | 14.16% | 19.69% | 7.36% | 9.15% | 4.34% | 5.13% | 6.80% | 4.39% | 0.39% | 4.08% |
| Age | Under 20 Years | 15.22% | 11.37% | 0.00% | 0.00% | 0.00% | 0.00% | 7.87% | 4.47% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 16.02% | 22.91% | 26.36% | 8.06% | 9.98% | 4.87% | 8.46% | 9.13% | 10.64% | 0.00% | 6.19% |
| | 25-34 Years | 13.29% | 12.67% | 19.25% | 7.87% | 9.10% | 4.27% | 4.57% | 7.73% | 4.32% | 0.45% | 4.57% |
| | Over 34 Years | 19.19% | 13.92% | 22.11% | 8.66% | 12.62% | 6.43% | 4.89% | 4.32% | 0.91% | 0.91% | 2.86% |
| Ethnicity | White Non-Hispanic | 12.63% | 14.25% | 27.17% | 12.86% | 13.47% | 7.94% | 4.29% | 12.26% | 3.79% | 0.79% | 4.18% |
| | Black Non-Hispanic | 17.67% | 18.16% | 17.61% | 4.35% | 9.10% | 1.67% | 10.79% | 2.53% | 5.31% | 0.00% | 5.93% |
| | Hispanic | 17.64% | 13.88% | 11.72% | 0.00% | 2.38% | 0.41% | 2.97% | 1.44% | 6.09% | 0.00% | 3.12% |
| Married | Married | 15.33% | 9.96% | 11.15% | 2.23% | 3.73% | 1.97% | 3.65% | 6.23% | 4.07% | 0.48% | 3.38% |
| | Not Married | 13.96% | 19.71% | 30.38% | 13.71% | 15.93% | 7.42% | 7.24% | 7.94% | 5.14% | 0.39% | 5.25% |
| Previous Live Birth | Yes | 16.55% | 14.77% | 23.01% | 9.25% | 11.86% | 5.66% | 5.96% | 6.02% | 2.06% | 0.29% | 3.55% |
| | No | 11.82% | 13.88% | 15.20% | 4.83% | 5.35% | 2.60% | 4.22% | 8.55% | 8.44% | 0.67% | 5.32% |
| Education | Less Than 12 Years | 16.12% | 17.36% | 26.38% | 8.45% | 14.67% | 5.20% | 7.80% | 7.54% | 1.26% | 0.00% | 2.33% |
| | 12 Years | 16.29% | 24.48% | 26.15% | 12.86% | 14.95% | 7.18% | 6.60% | 7.12% | 6.12% | 0.31% | 6.64% |
| | Greater Than 12 Years | 13.97% | 9.80% | 16.15% | 5.31% | 6.02% | 3.33% | 4.16% | 7.08% | 4.55% | 0.58% | 3.75% |

| Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q41-Q46F | | | | | | | | | | | | |
|--|-----------------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q41 | Q42 | Q43 | Q44 | Q45 | Q46A | Q46B | Q46C | Q46D | Q46E | Q46F |
| Total | Yes | 1.76% | 0.97% | 63.84% | 9.61% | 6.71% | 22.61% | 5.98% | 25.69% | 1.89% | 7.55% | 9.13% |
| Age | Under 20 Years | 2.93% | 0.00% | 15.16% | 2.93% | 0.00% | 20.90% | 8.07% | 25.52% | 0.00% | 0.00% | 2.93% |
| | 20-24 Years | 0.75% | 0.75% | 63.08% | 6.18% | 7.42% | 24.95% | 9.14% | 37.70% | 1.63% | 16.95% | 20.28% |
| | 25-34 Years | 2.13% | 1.19% | 70.97% | 11.00% | 7.14% | 22.59% | 4.58% | 23.59% | 2.40% | 5.83% | 6.65% |
| | Over 34 Years | 1.35% | 0.77% | 55.23% | 10.34% | 6.40% | 20.89% | 6.67% | 20.72% | 1.06% | 5.67% | 7.49% |
| Ethnicity | White Non-Hispanic | 3.36% | 1.28% | 77.85% | 15.62% | 6.75% | 29.84% | 4.59% | 24.86% | 1.60% | 7.06% | 6.47% |
| | Black Non-Hispanic | 0.23% | 1.19% | 56.92% | 4.82% | 8.67% | 18.45% | 9.26% | 26.31% | 3.40% | 11.07% | 12.81% |
| | Hispanic | 0.21% | 0.21% | 47.07% | 3.46% | 5.50% | 14.63% | 6.53% | 26.56% | 1.13% | 5.40% | 12.69% |
| Married | Married | 1.51% | 0.38% | 69.77% | 9.79% | 7.15% | 23.25% | 2.95% | 22.62% | 0.56% | 5.77% | 3.72% |
| | Not Married | 2.07% | 1.67% | 57.14% | 9.44% | 6.23% | 21.94% | 9.57% | 29.26% | 3.45% | 9.55% | 15.50% |
| Previous Live Birth | Yes | 1.59% | 0.93% | 60.51% | 7.96% | 5.22% | 20.17% | 6.43% | 23.96% | 2.69% | 7.69% | 10.75% |
| | No | 2.03% | 1.03% | 69.11% | 12.23% | 9.08% | 26.46% | 5.28% | 28.43% | 0.62% | 7.34% | 6.57% |
| Education | Less Than 12 Years | 2.62% | 0.69% | 34.34% | 2.62% | 4.49% | 16.33% | 8.48% | 22.47% | 2.22% | 5.53% | 14.87% |
| | 12 Years | 1.11% | 1.36% | 54.25% | 10.04% | 4.68% | 21.88% | 6.77% | 25.36% | 2.92% | 10.11% | 14.57% |
| | Greater Than 12 Years | 1.86% | 0.88% | 75.20% | 11.17% | 8.17% | 24.55% | 5.11% | 26.77% | 1.38% | 7.01% | 5.29% |
| | Lower 95% CI | Q41 | Q42 | Q43 | Q44 | Q45 | Q46A | Q46B | Q46C | Q46D | Q46E | Q46F |
| Total | Yes | 1.50% | 0.78% | 62.90% | 9.03% | 6.22% | 21.78% | 5.52% | 24.83% | 1.62% | 7.03% | 8.56% |
| Age | Under 20 Years | 1.39% | 0.00% | 11.88% | 1.39% | 0.00% | 17.19% | 5.58% | 21.54% | 0.00% | 0.00% | 1.39% |
| | 20-24 Years | 0.35% | 0.35% | 60.85% | 5.06% | 6.21% | 22.95% | 7.81% | 35.46% | 1.05% | 15.22% | 18.42% |
| | 25-34 Years | 1.75% | 0.90% | 69.79% | 10.18% | 6.47% | 21.50% | 4.04% | 22.49% | 2.00% | 5.22% | 6.00% |
| | Over 34 Years | 0.83% | 0.38% | 53.01% | 8.99% | 5.31% | 19.08% | 5.56% | 18.91% | 0.61% | 4.64% | 6.32% |
| Ethnicity | White Non-Hispanic | 2.85% | 0.96% | 76.69% | 14.60% | 6.05% | 28.56% | 4.00% | 23.65% | 1.24% | 6.34% | 5.78% |
| | Black Non-Hispanic | 0.04% | 0.76% | 54.96% | 3.97% | 7.56% | 16.92% | 8.11% | 24.57% | 2.69% | 9.84% | 11.49% |
| | Hispanic | 0.00% | 0.00% | 44.82% | 2.64% | 4.47% | 13.03% | 5.41% | 24.57% | 0.65% | 4.39% | 11.19% |
| Married | Married | 1.18% | 0.21% | 68.53% | 8.99% | 6.45% | 22.11% | 2.49% | 21.50% | 0.36% | 5.14% | 3.21% |
| | Not Married | 1.66% | 1.29% | 55.70% | 8.59% | 5.53% | 20.74% | 8.71% | 27.93% | 2.92% | 8.69% | 14.45% |
| Previous Live Birth | Yes | 1.28% | 0.69% | 59.28% | 7.27% | 4.66% | 19.16% | 5.81% | 22.89% | 2.28% | 7.02% | 9.96% |
| | No | 1.58% | 0.71% | 67.65% | 11.20% | 8.17% | 25.06% | 4.57% | 27.00% | 0.37% | 6.51% | 5.78% |
| Education | Less Than 12 Years | 1.79% | 0.25% | 31.85% | 1.79% | 3.40% | 14.39% | 7.02% | 20.28% | 1.44% | 4.33% | 13.00% |
| | 12 Years | 0.70% | 0.91% | 52.30% | 8.87% | 3.85% | 20.26% | 5.79% | 23.67% | 2.27% | 8.93% | 13.20% |
| | Greater Than 12 Years | 1.51% | 0.64% | 74.10% | 10.37% | 7.47% | 23.45% | 4.55% | 25.64% | 1.09% | 6.36% | 4.72% |
| | Upper 95% CI | Q41 | Q42 | Q43 | Q44 | Q45 | Q46A | Q46B | Q46C | Q46D | Q46E | Q46F |
| Total | Yes | 2.02% | 1.16% | 64.79% | 10.19% | 7.21% | 23.43% | 6.45% | 26.55% | 2.16% | 8.08% | 9.69% |
| Age | Under 20 Years | 4.47% | 0.00% | 18.43% | 4.47% | 0.00% | 24.61% | 10.55% | 29.50% | 0.00% | 0.00% | 4.47% |
| | 20-24 Years | 1.15% | 1.15% | 65.31% | 7.29% | 8.63% | 26.95% | 10.48% | 39.94% | 2.22% | 18.68% | 22.13% |
| | 25-34 Years | 2.51% | 1.47% | 72.16% | 11.81% | 7.81% | 23.68% | 5.12% | 24.70% | 2.80% | 6.44% | 7.30% |
| | Over 34 Years | 1.86% | 1.16% | 57.45% | 11.70% | 7.49% | 22.70% | 7.78% | 22.53% | 1.52% | 6.70% | 8.67% |
| Ethnicity | White Non-Hispanic | 3.86% | 1.59% | 79.02% | 16.64% | 7.46% | 31.13% | 5.18% | 26.07% | 1.95% | 7.77% | 7.16% |
| | Black Non-Hispanic | 0.42% | 1.62% | 58.87% | 5.66% | 9.78% | 19.97% | 10.40% | 28.04% | 4.12% | 12.31% | 14.13% |
| | Hispanic | 0.41% | 0.41% | 49.32% | 4.29% | 6.53% | 16.22% | 7.64% | 28.55% | 1.60% | 6.42% | 14.20% |
| Married | Married | 1.83% | 0.54% | 71.00% | 10.59% | 7.84% | 24.38% | 3.40% | 23.75% | 0.76% | 6.40% | 4.23% |
| | Not Married | 2.48% | 2.04% | 58.58% | 10.29% | 6.93% | 23.15% | 10.42% | 30.58% | 3.98% | 10.41% | 16.55% |
| Previous Live Birth | Yes | 1.91% | 1.17% | 61.74% | 8.64% | 5.78% | 21.18% | 7.05% | 25.04% | 3.10% | 8.37% | 11.53% |
| | No | 2.48% | 1.35% | 70.58% | 13.27% | 9.99% | 27.85% | 5.99% | 29.86% | 0.87% | 8.16% | 7.35% |
| Education | Less Than 12 Years | 3.46% | 1.12% | 36.83% | 3.46% | 5.58% | 18.27% | 9.94% | 24.66% | 2.99% | 6.73% | 16.74% |
| | 12 Years | 1.52% | 1.81% | 56.19% | 11.21% | 5.50% | 23.49% | 7.75% | 27.06% | 3.58% | 11.28% | 15.95% |
| | Greater Than 12 Years | 2.20% | 1.12% | 76.31% | 11.98% | 8.87% | 25.65% | 5.67% | 27.90% | 1.68% | 7.66% | 5.87% |

| Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q46G-Q47C | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q46G | Q46H | Q46I | Q46J | Q46K | Q46L | Q46M | Q46N | Q47A | Q47B | Q47C |
| Total | Yes | 12.75% | 3.15% | 19.55% | 7.20% | 15.24% | 2.03% | 12.40% | 19.12% | 1.16% | 1.21% | 1.64% |
| Age | Under 20 Years | 5.86% | 0.00% | 21.99% | 16.39% | 2.93% | 1.84% | 5.86% | 22.51% | 0.00% | 2.93% | 8.07% |
| | 20-24 Years | 19.45% | 5.98% | 29.69% | 12.02% | 25.30% | 3.41% | 21.87% | 23.61% | 1.07% | 2.89% | 2.57% |
| | 25-34 Years | 12.23% | 2.93% | 17.11% | 3.71% | 12.63% | 2.06% | 11.09% | 18.07% | 0.97% | 0.71% | 1.13% |
| | Over 34 Years | 9.71% | 1.92% | 16.72% | 10.77% | 16.51% | 0.72% | 8.98% | 17.21% | 2.10% | 0.70% | 0.77% |
| Ethnicity | White Non-Hispanic | 11.33% | 3.91% | 18.70% | 4.99% | 13.39% | 3.36% | 15.48% | 21.25% | 0.89% | 1.44% | 1.47% |
| | Black Non-Hispanic | 15.45% | 2.32% | 26.45% | 11.22% | 20.72% | 1.30% | 12.37% | 21.50% | 2.33% | 1.12% | 1.96% |
| | Hispanic | 16.48% | 3.14% | 16.81% | 8.82% | 16.38% | 0.21% | 7.78% | 15.12% | 0.71% | 1.13% | 2.22% |
| Married | Married | 8.50% | 3.92% | 14.63% | 4.35% | 10.15% | 0.46% | 8.58% | 16.54% | 0.97% | 0.40% | 0.07% |
| | Not Married | 17.66% | 2.25% | 25.40% | 10.57% | 21.27% | 3.88% | 16.92% | 22.22% | 1.39% | 2.16% | 3.49% |
| Previous Live Birth | Yes | 13.90% | 3.01% | 21.80% | 7.77% | 17.21% | 2.06% | 13.53% | 18.78% | 1.80% | 1.39% | 1.46% |
| | No | 10.94% | 3.37% | 16.01% | 6.30% | 12.14% | 1.98% | 10.61% | 19.66% | 0.15% | 0.93% | 1.93% |
| Education | Less Than 12 Years | 15.19% | 1.53% | 16.80% | 7.02% | 14.62% | 2.35% | 9.86% | 24.10% | 1.38% | 2.62% | 3.74% |
| | 12 Years | 13.64% | 2.96% | 23.75% | 10.10% | 20.51% | 2.96% | 14.36% | 25.20% | 0.87% | 1.03% | 1.45% |
| | Greater Than 12 Years | 11.62% | 3.64% | 18.59% | 6.07% | 13.21% | 1.57% | 12.05% | 15.52% | 1.25% | 0.96% | 1.25% |
| | Lower 95% CI | Q46G | Q46H | Q46I | Q46J | Q46K | Q46L | Q46M | Q46N | Q47A | Q47B | Q47C |
| Total | Yes | 12.10% | 2.80% | 18.77% | 6.69% | 14.53% | 1.75% | 11.75% | 18.34% | 0.95% | 0.99% | 1.39% |
| Age | Under 20 Years | 3.71% | 0.00% | 18.21% | 13.01% | 1.39% | 0.61% | 3.71% | 18.70% | 0.00% | 1.39% | 5.58% |
| | 20-24 Years | 17.62% | 4.88% | 27.58% | 10.51% | 23.29% | 2.57% | 19.96% | 21.64% | 0.59% | 2.11% | 1.84% |
| | 25-34 Years | 11.38% | 2.49% | 16.13% | 3.22% | 11.76% | 1.69% | 10.27% | 17.07% | 0.71% | 0.49% | 0.85% |
| | Over 34 Years | 8.39% | 1.31% | 15.05% | 9.39% | 14.85% | 0.34% | 7.71% | 15.53% | 1.46% | 0.33% | 0.38% |
| Ethnicity | White Non-Hispanic | 10.44% | 3.36% | 17.60% | 4.38% | 12.44% | 2.85% | 14.46% | 20.11% | 0.63% | 1.10% | 1.13% |
| | Black Non-Hispanic | 14.02% | 1.73% | 24.71% | 9.98% | 19.13% | 0.86% | 11.07% | 19.88% | 1.73% | 0.71% | 1.42% |
| | Hispanic | 14.81% | 2.35% | 15.13% | 7.54% | 14.71% | 0.00% | 6.57% | 13.51% | 0.33% | 0.65% | 1.56% |
| Married | Married | 7.75% | 3.40% | 13.68% | 3.80% | 9.34% | 0.28% | 7.83% | 15.54% | 0.71% | 0.23% | 0.00% |
| | Not Married | 16.55% | 1.82% | 24.13% | 9.67% | 20.08% | 3.31% | 15.83% | 21.01% | 1.05% | 1.74% | 2.96% |
| Previous Live Birth | Yes | 13.03% | 2.58% | 20.75% | 7.10% | 16.25% | 1.70% | 12.67% | 17.80% | 1.47% | 1.09% | 1.16% |
| | No | 9.95% | 2.80% | 14.85% | 5.53% | 11.11% | 1.54% | 9.63% | 18.40% | 0.03% | 0.62% | 1.49% |
| Education | Less Than 12 Years | 13.30% | 0.88% | 14.84% | 5.68% | 12.77% | 1.55% | 8.30% | 21.85% | 0.77% | 1.79% | 2.75% |
| | 12 Years | 12.30% | 2.30% | 22.09% | 8.93% | 18.93% | 2.30% | 12.99% | 23.51% | 0.51% | 0.63% | 0.98% |
| | Greater Than 12 Years | 10.81% | 3.17% | 17.60% | 5.46% | 12.35% | 1.26% | 11.22% | 14.60% | 0.96% | 0.71% | 0.96% |
| | Upper 95% CI | Q46G | Q46H | Q46I | Q46J | Q46K | Q46L | Q46M | Q46N | Q47A | Q47B | Q47C |
| Total | Yes | 13.41% | 3.49% | 20.34% | 7.71% | 15.95% | 2.31% | 13.05% | 19.90% | 1.37% | 1.42% | 1.89% |
| Age | Under 20 Years | 8.00% | 0.00% | 25.77% | 19.77% | 4.47% | 3.07% | 8.00% | 26.32% | 0.00% | 4.47% | 10.55% |
| | 20-24 Years | 21.28% | 7.07% | 31.81% | 13.52% | 27.31% | 4.24% | 23.78% | 25.57% | 1.54% | 3.66% | 3.30% |
| | 25-34 Years | 13.08% | 3.36% | 18.09% | 4.20% | 13.49% | 2.43% | 11.91% | 19.07% | 1.22% | 0.93% | 1.40% |
| | Over 34 Years | 11.03% | 2.53% | 18.38% | 12.15% | 18.16% | 1.09% | 10.26% | 18.90% | 2.74% | 1.07% | 1.16% |
| Ethnicity | White Non-Hispanic | 12.22% | 4.45% | 19.79% | 5.60% | 14.35% | 3.86% | 16.49% | 22.40% | 1.16% | 1.77% | 1.80% |
| | Black Non-Hispanic | 16.87% | 2.92% | 28.19% | 12.47% | 22.32% | 1.75% | 13.66% | 23.12% | 2.92% | 1.54% | 2.51% |
| | Hispanic | 18.16% | 3.93% | 18.50% | 10.10% | 18.05% | 0.41% | 8.99% | 16.74% | 1.09% | 1.60% | 2.88% |
| Married | Married | 9.25% | 4.44% | 15.58% | 4.90% | 10.96% | 0.64% | 9.33% | 17.54% | 1.23% | 0.57% | 0.15% |
| | Not Married | 18.77% | 2.68% | 26.67% | 11.46% | 22.46% | 4.44% | 18.01% | 23.43% | 1.73% | 2.58% | 4.03% |
| Previous Live Birth | Yes | 14.78% | 3.44% | 22.84% | 8.45% | 18.16% | 2.42% | 14.39% | 19.77% | 2.14% | 1.68% | 1.77% |
| | No | 11.93% | 3.95% | 17.17% | 7.07% | 13.18% | 2.43% | 11.58% | 20.92% | 0.27% | 1.23% | 2.37% |
| Education | Less Than 12 Years | 17.07% | 2.17% | 18.76% | 8.36% | 16.48% | 3.14% | 11.43% | 26.34% | 1.99% | 3.46% | 4.74% |
| | 12 Years | 14.98% | 3.62% | 25.41% | 11.28% | 22.09% | 3.63% | 15.72% | 26.90% | 1.23% | 1.42% | 1.92% |
| | Greater Than 12 Years | 12.44% | 4.12% | 19.58% | 6.68% | 14.08% | 1.89% | 12.88% | 16.45% | 1.53% | 1.21% | 1.53% |

| Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q48A-Q55D | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q48A | Q48B | Q48C | Q51 | Q52 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D |
| Total | Yes | 0.76% | 0.49% | 1.48% | 21.20% | 44.14% | 97.45% | 97.15% | 76.83% | 72.36% | 72.51% | 69.08% |
| Age | Under 20 Years | 0.00% | 0.00% | 0.00% | 23.61% | 48.15% | 100.00% | 100.00% | 83.15% | 80.68% | 75.88% | 74.82% |
| | 20-24 Years | 0.32% | 1.63% | 1.22% | 22.85% | 42.88% | 98.28% | 97.53% | 78.51% | 70.48% | 73.59% | 68.72% |
| | 25-34 Years | 0.75% | 0.10% | 1.73% | 20.63% | 43.89% | 97.47% | 97.52% | 78.63% | 73.06% | 73.55% | 70.49% |
| | Over 34 Years | 1.40% | 0.70% | 1.35% | 20.76% | 45.10% | 96.03% | 95.06% | 68.47% | 70.08% | 67.64% | 63.90% |
| Ethnicity | White Non-Hispanic | 0.28% | 0.06% | 1.42% | 22.73% | 41.00% | 97.89% | 97.48% | 75.73% | 74.82% | 72.95% | 67.55% |
| | Black Non-Hispanic | 2.33% | 1.85% | 1.55% | 25.00% | 49.31% | 95.87% | 96.03% | 80.24% | 66.84% | 72.00% | 76.65% |
| | Hispanic | 0.21% | 0.00% | 2.03% | 13.47% | 44.76% | 98.29% | 97.57% | 73.65% | 70.86% | 74.38% | 61.32% |
| Married | Married | 0.54% | 0.00% | 0.51% | 21.44% | 41.19% | 97.73% | 97.30% | 71.98% | 73.68% | 73.25% | 67.86% |
| | Not Married | 1.03% | 1.07% | 2.62% | 20.99% | 47.40% | 97.12% | 96.98% | 82.67% | 70.72% | 71.54% | 70.63% |
| Previous Live Birth | Yes | 1.20% | 0.76% | 1.42% | 18.15% | 40.68% | 97.31% | 96.91% | 74.74% | 70.87% | 70.11% | 68.01% |
| | No | 0.07% | 0.07% | 1.57% | 26.02% | 49.62% | 97.68% | 97.54% | 80.14% | 74.72% | 76.29% | 70.76% |
| Education | Less Than 12 Years | 0.41% | 2.11% | 1.07% | 17.95% | 46.01% | 98.06% | 96.82% | 67.82% | 69.96% | 61.47% | 66.10% |
| | 12 Years | 0.49% | 0.11% | 2.81% | 25.77% | 48.13% | 96.67% | 95.98% | 83.02% | 65.58% | 74.52% | 70.11% |
| | Greater Than 12 Years | 0.97% | 0.28% | 1.02% | 20.01% | 41.98% | 97.78% | 97.87% | 76.26% | 75.85% | 74.32% | 69.27% |
| | Lower 95% CI | Q48A | Q48B | Q48C | Q51 | Q52 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D |
| Total | Yes | 0.59% | 0.35% | 1.24% | 20.39% | 43.16% | 97.14% | 96.83% | 76.00% | 71.48% | 71.63% | 68.16% |
| Age | Under 20 Years | 0.00% | 0.00% | 0.00% | 19.73% | 43.59% | 100.00% | 100.00% | 79.73% | 77.08% | 71.97% | 70.86% |
| | 20-24 Years | 0.06% | 1.05% | 0.71% | 20.91% | 40.59% | 97.68% | 96.81% | 76.61% | 68.37% | 71.55% | 66.58% |
| | 25-34 Years | 0.52% | 0.02% | 1.39% | 19.58% | 42.60% | 97.06% | 97.11% | 77.56% | 71.90% | 72.40% | 69.30% |
| | Over 34 Years | 0.87% | 0.33% | 0.83% | 18.95% | 42.88% | 95.16% | 94.09% | 66.40% | 68.04% | 65.55% | 61.76% |
| Ethnicity | White Non-Hispanic | 0.13% | -0.01% | 1.09% | 21.56% | 39.62% | 97.49% | 97.05% | 74.53% | 73.61% | 71.71% | 66.24% |
| | Black Non-Hispanic | 1.73% | 1.32% | 1.06% | 23.29% | 47.34% | 95.09% | 95.26% | 78.67% | 64.99% | 70.23% | 74.99% |
| | Hispanic | 0.00% | 0.00% | 1.40% | 11.93% | 42.52% | 97.70% | 96.88% | 71.66% | 68.81% | 72.41% | 59.13% |
| Married | Married | 0.34% | 0.00% | 0.32% | 20.34% | 39.87% | 97.33% | 96.86% | 70.78% | 72.49% | 72.05% | 66.60% |
| | Not Married | 0.74% | 0.77% | 2.15% | 19.81% | 45.94% | 96.64% | 96.48% | 81.57% | 69.39% | 70.23% | 69.31% |
| Previous Live Birth | Yes | 0.92% | 0.54% | 1.12% | 17.18% | 39.44% | 96.90% | 96.47% | 73.64% | 69.73% | 68.96% | 66.84% |
| | No | -0.01% | -0.01% | 1.18% | 24.63% | 48.03% | 97.21% | 97.05% | 78.88% | 73.34% | 74.95% | 69.31% |
| Education | Less Than 12 Years | 0.07% | 1.35% | 0.53% | 15.94% | 43.39% | 97.34% | 95.90% | 65.36% | 67.56% | 58.91% | 63.61% |
| | 12 Years | 0.22% | -0.02% | 2.16% | 24.07% | 46.18% | 95.97% | 95.21% | 81.55% | 63.72% | 72.82% | 68.33% |
| | Greater Than 12 Years | 0.72% | 0.14% | 0.77% | 18.99% | 40.72% | 97.41% | 97.51% | 75.17% | 74.76% | 73.21% | 68.10% |
| | Upper 95% CI | Q48A | Q48B | Q48C | Q51 | Q52 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D |
| Total | Yes | 0.93% | 0.63% | 1.72% | 22.00% | 45.12% | 97.76% | 97.48% | 77.66% | 73.24% | 73.39% | 69.99% |
| Age | Under 20 Years | 0.00% | 0.00% | 0.00% | 27.48% | 52.71% | 100.00% | 100.00% | 86.56% | 84.28% | 79.78% | 78.78% |
| | 20-24 Years | 0.58% | 2.22% | 1.73% | 24.79% | 45.17% | 98.88% | 98.25% | 80.41% | 72.59% | 75.63% | 70.86% |
| | 25-34 Years | 0.97% | 0.18% | 2.07% | 21.68% | 45.18% | 97.88% | 97.92% | 79.70% | 74.21% | 74.70% | 71.67% |
| | Over 34 Years | 1.92% | 1.07% | 1.86% | 22.56% | 47.32% | 96.90% | 96.03% | 70.55% | 72.12% | 69.73% | 66.04% |
| Ethnicity | White Non-Hispanic | 0.43% | 0.12% | 1.75% | 23.91% | 42.37% | 98.29% | 97.92% | 76.93% | 76.04% | 74.20% | 68.87% |
| | Black Non-Hispanic | 2.92% | 2.38% | 2.04% | 26.70% | 51.28% | 96.66% | 96.80% | 81.82% | 68.70% | 73.77% | 78.32% |
| | Hispanic | 0.41% | 0.00% | 2.67% | 15.01% | 47.01% | 98.87% | 98.27% | 75.63% | 72.91% | 76.34% | 63.52% |
| Married | Married | 0.73% | 0.00% | 0.71% | 22.54% | 42.51% | 98.13% | 97.74% | 73.19% | 74.86% | 74.44% | 69.11% |
| | Not Married | 1.33% | 1.37% | 3.08% | 22.18% | 48.85% | 97.61% | 97.47% | 83.77% | 72.04% | 72.85% | 71.96% |
| Previous Live Birth | Yes | 1.47% | 0.97% | 1.72% | 19.12% | 41.92% | 97.72% | 97.35% | 75.83% | 72.02% | 71.27% | 69.19% |
| | No | 0.16% | 0.16% | 1.97% | 27.41% | 51.20% | 98.16% | 98.03% | 81.41% | 76.09% | 77.64% | 72.20% |
| Education | Less Than 12 Years | 0.74% | 2.86% | 1.61% | 19.97% | 48.63% | 98.79% | 97.74% | 70.27% | 72.37% | 64.02% | 68.58% |
| | 12 Years | 0.76% | 0.24% | 3.45% | 27.48% | 50.08% | 97.37% | 96.74% | 84.48% | 67.43% | 76.22% | 71.90% |
| | Greater Than 12 Years | 1.22% | 0.41% | 1.28% | 21.03% | 43.24% | 98.16% | 98.24% | 77.35% | 76.95% | 75.44% | 70.45% |

| Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q55E-Q62C | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | Percent Response Yes | Q55E | Q55F | Q55G | Q56 | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C |
| Total | Yes | 23.29% | 12.83% | 62.81% | 85.35% | 52.04% | 78.10% | 75.90% | 77.09% | 90.93% | 27.24% | 11.40% |
| Age | Under 20 Years | 26.04% | 27.02% | 85.30% | 92.39% | 21.62% | 69.56% | 57.59% | 74.56% | 81.66% | 31.67% | 1.23% |
| | 20-24 Years | 25.99% | 14.12% | 75.85% | 87.14% | 40.32% | 67.54% | 71.48% | 83.64% | 90.39% | 37.33% | 11.26% |
| | 25-34 Years | 24.13% | 12.48% | 62.08% | 86.32% | 55.87% | 83.38% | 79.18% | 75.89% | 93.17% | 23.94% | 11.36% |
| | Over 34 Years | 17.68% | 9.25% | 47.47% | 79.17% | 58.97% | 74.46% | 74.74% | 75.13% | 87.07% | 26.48% | 14.06% |
| Ethnicity | White Non-Hispanic | 19.76% | 7.26% | 62.11% | 83.59% | 54.78% | 86.85% | 82.92% | 71.95% | 93.09% | 15.39% | 10.17% |
| | Black Non-Hispanic | 28.29% | 19.11% | 67.58% | 82.98% | 38.61% | 63.43% | 65.87% | 79.25% | 85.40% | 37.78% | 15.07% |
| | Hispanic | 27.10% | 21.05% | 58.78% | 89.86% | 55.98% | 73.28% | 69.35% | 86.64% | 93.13% | 39.19% | 9.88% |
| Married | Married | 21.53% | 8.25% | 59.94% | 89.70% | 68.97% | 83.17% | 78.88% | 73.00% | 90.71% | 22.63% | 11.19% |
| | Not Married | 25.32% | 18.12% | 66.05% | 80.33% | 32.39% | 72.20% | 72.32% | 81.92% | 91.16% | 32.61% | 11.68% |
| Previous Live Birth | Yes | 23.08% | 12.89% | 52.39% | 83.35% | 53.36% | 77.68% | 77.43% | 80.20% | 91.32% | 27.49% | 11.83% |
| | No | 23.64% | 12.73% | 79.30% | 88.52% | 49.95% | 78.77% | 73.47% | 72.17% | 90.31% | 26.84% | 10.72% |
| Education | Less Than 12 Years | 22.08% | 16.89% | 56.55% | 83.39% | 38.33% | 72.39% | 74.97% | 91.07% | 95.08% | 32.97% | 13.12% |
| | 12 Years | 26.82% | 15.69% | 64.85% | 77.04% | 30.13% | 71.53% | 76.66% | 83.93% | 88.35% | 26.68% | 11.48% |
| | Greater Than 12 Years | 21.93% | 10.51% | 63.23% | 89.52% | 64.79% | 82.45% | 75.73% | 70.80% | 91.13% | 26.19% | 10.83% |
| | Lower 95% CI | Q55E | Q55F | Q55G | Q56 | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C |
| Total | Yes | 22.46% | 12.17% | 61.86% | 84.66% | 51.05% | 77.29% | 75.06% | 76.26% | 90.36% | 26.36% | 10.77% |
| Age | Under 20 Years | 22.04% | 22.96% | 82.07% | 89.97% | 17.86% | 65.36% | 53.08% | 70.59% | 78.12% | 27.43% | 0.23% |
| | 20-24 Years | 23.96% | 12.51% | 73.87% | 85.60% | 38.05% | 65.37% | 69.39% | 81.93% | 89.03% | 35.09% | 9.80% |
| | 25-34 Years | 23.02% | 11.62% | 60.82% | 85.43% | 54.58% | 82.42% | 78.13% | 74.77% | 92.52% | 22.83% | 10.53% |
| | Over 34 Years | 15.97% | 7.96% | 45.24% | 77.36% | 56.77% | 72.51% | 72.80% | 73.20% | 85.57% | 24.51% | 12.51% |
| Ethnicity | White Non-Hispanic | 18.64% | 6.53% | 60.75% | 82.55% | 53.39% | 85.90% | 81.87% | 70.69% | 92.38% | 14.38% | 9.32% |
| | Black Non-Hispanic | 26.51% | 17.56% | 65.74% | 81.50% | 36.69% | 61.53% | 64.00% | 77.65% | 84.01% | 35.87% | 13.66% |
| | Hispanic | 25.10% | 19.21% | 56.56% | 88.50% | 53.74% | 71.29% | 67.27% | 85.11% | 91.99% | 36.99% | 8.54% |
| Married | Married | 20.42% | 7.51% | 58.62% | 88.89% | 67.73% | 82.17% | 77.78% | 71.81% | 89.93% | 21.51% | 10.34% |
| | Not Married | 24.06% | 17.00% | 64.67% | 79.17% | 31.03% | 70.90% | 71.02% | 80.80% | 90.33% | 31.25% | 10.75% |
| Previous Live Birth | Yes | 22.01% | 12.04% | 51.13% | 82.41% | 52.11% | 76.63% | 76.38% | 79.20% | 90.61% | 26.37% | 11.01% |
| | No | 22.29% | 11.68% | 78.01% | 87.51% | 48.36% | 77.48% | 72.07% | 70.75% | 89.37% | 25.43% | 9.74% |
| Education | Less Than 12 Years | 19.90% | 14.92% | 53.95% | 81.44% | 35.78% | 70.05% | 72.69% | 89.57% | 93.94% | 30.50% | 11.35% |
| | 12 Years | 25.09% | 14.27% | 62.99% | 75.39% | 28.33% | 69.77% | 75.01% | 82.49% | 87.10% | 24.96% | 10.24% |
| | Greater Than 12 Years | 20.88% | 9.73% | 62.00% | 88.74% | 63.57% | 81.48% | 74.64% | 69.64% | 90.41% | 25.07% | 10.04% |
| | Upper 95% CI | Q55E | Q55F | Q55G | Q56 | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C |
| Total | Yes | 24.13% | 13.49% | 63.77% | 86.05% | 53.03% | 78.92% | 76.74% | 77.92% | 91.50% | 28.12% | 12.02% |
| Age | Under 20 Years | 30.05% | 31.07% | 88.53% | 94.81% | 25.38% | 73.76% | 62.10% | 78.54% | 85.19% | 35.92% | 2.24% |
| | 20-24 Years | 28.02% | 15.73% | 77.83% | 88.69% | 42.58% | 69.70% | 73.56% | 85.35% | 91.75% | 39.57% | 12.72% |
| | 25-34 Years | 25.24% | 13.34% | 63.34% | 87.21% | 57.16% | 84.35% | 80.24% | 77.00% | 93.83% | 25.05% | 12.18% |
| | Over 34 Years | 19.38% | 10.55% | 49.69% | 80.99% | 61.16% | 76.40% | 76.68% | 77.06% | 88.56% | 28.45% | 15.61% |
| Ethnicity | White Non-Hispanic | 20.87% | 7.99% | 63.47% | 84.62% | 56.18% | 87.80% | 83.98% | 73.20% | 93.80% | 16.40% | 11.01% |
| | Black Non-Hispanic | 30.06% | 20.66% | 69.43% | 84.47% | 40.53% | 65.33% | 67.74% | 80.85% | 86.80% | 39.70% | 16.48% |
| | Hispanic | 29.11% | 22.89% | 61.00% | 91.22% | 58.22% | 75.28% | 71.42% | 88.18% | 94.27% | 41.39% | 11.23% |
| Married | Married | 22.63% | 8.99% | 61.25% | 90.52% | 70.21% | 84.18% | 79.98% | 74.20% | 91.49% | 23.76% | 12.04% |
| | Not Married | 26.59% | 19.24% | 67.43% | 81.49% | 33.75% | 73.51% | 73.62% | 83.04% | 91.98% | 33.98% | 12.62% |
| Previous Live Birth | Yes | 24.14% | 13.73% | 53.64% | 84.29% | 54.62% | 78.73% | 78.49% | 81.21% | 92.03% | 28.62% | 12.64% |
| | No | 24.98% | 13.79% | 80.58% | 89.54% | 51.53% | 80.07% | 74.87% | 73.59% | 91.25% | 28.24% | 11.70% |
| Education | Less Than 12 Years | 24.25% | 18.86% | 59.16% | 85.34% | 40.88% | 74.74% | 77.24% | 92.57% | 96.21% | 35.44% | 14.90% |
| | 12 Years | 28.54% | 17.11% | 66.71% | 78.68% | 31.92% | 73.29% | 78.31% | 85.36% | 89.60% | 28.41% | 12.73% |
| | Greater Than 12 Years | 22.99% | 11.30% | 64.46% | 90.31% | 66.01% | 83.42% | 76.83% | 71.97% | 91.86% | 27.31% | 11.62% |

| Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q62D-Q65 | | | | | | | | | | | | |
|--|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| | Percent Response Yes | Q62D | Q62E | Q62F | Q62G | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 |
| Total | Yes | 45.05% | 37.77% | 37.14% | 9.11% | 11.93% | 94.57% | 91.43% | 62.83% | 92.09% | 91.74% | 15.17% |
| Age | Under 20 Years | 27.39% | 30.20% | 53.40% | 13.81% | 16.85% | 97.07% | 94.14% | 76.39% | 97.07% | 98.77% | 35.08% |
| | 20-24 Years | 51.55% | 29.79% | 52.73% | 17.64% | 16.46% | 95.87% | 90.01% | 61.43% | 92.64% | 94.66% | 19.97% |
| | 25-34 Years | 44.35% | 42.39% | 31.16% | 6.44% | 11.00% | 95.85% | 93.80% | 64.46% | 93.34% | 92.16% | 13.06% |
| | Over 34 Years | 45.25% | 33.42% | 36.32% | 7.88% | 9.26% | 89.00% | 85.14% | 56.11% | 86.74% | 86.12% | 12.16% |
| Ethnicity | White Non-Hispanic | 49.27% | 49.14% | 29.98% | 7.42% | 8.62% | 96.24% | 93.47% | 63.86% | 92.26% | 91.52% | 13.94% |
| | Black Non-Hispanic | 38.89% | 26.37% | 44.94% | 11.78% | 12.86% | 93.16% | 87.37% | 60.44% | 90.36% | 88.26% | 19.76% |
| | Hispanic | 41.31% | 22.10% | 43.96% | 7.90% | 18.38% | 91.64% | 90.54% | 63.13% | 93.13% | 94.78% | 13.37% |
| Married | Married | 43.55% | 46.29% | 29.46% | 7.21% | 9.17% | 94.00% | 92.15% | 62.53% | 90.81% | 91.67% | 11.27% |
| | Not Married | 46.73% | 27.92% | 46.28% | 11.36% | 15.08% | 95.22% | 90.55% | 63.04% | 93.57% | 91.80% | 19.81% |
| Previous Live Birth | Yes | 46.01% | 37.48% | 37.48% | 8.21% | 11.92% | 94.03% | 91.88% | 61.09% | 90.93% | 90.87% | 13.88% |
| | No | 43.53% | 38.22% | 36.62% | 10.52% | 11.94% | 95.42% | 90.71% | 65.59% | 93.93% | 93.12% | 17.22% |
| Education | Less Than 12 Years | 49.02% | 21.45% | 50.62% | 16.79% | 22.07% | 94.26% | 88.96% | 64.48% | 94.09% | 92.05% | 22.96% |
| | 12 Years | 48.22% | 26.51% | 44.07% | 10.83% | 17.06% | 90.09% | 88.88% | 63.87% | 91.22% | 90.72% | 18.68% |
| | Greater Than 12 Years | 42.99% | 46.61% | 30.82% | 6.64% | 7.44% | 96.90% | 93.18% | 62.04% | 92.32% | 92.25% | 11.91% |
| | Lower 95% CI | Q62D | Q62E | Q62F | Q62G | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 |
| Total | Yes | 44.07% | 36.81% | 36.19% | 8.54% | 11.29% | 94.12% | 90.87% | 61.88% | 91.56% | 91.20% | 14.47% |
| Age | Under 20 Years | 23.32% | 26.01% | 48.85% | 10.66% | 13.44% | 95.53% | 92.00% | 72.52% | 95.53% | 97.76% | 30.73% |
| | 20-24 Years | 49.24% | 27.68% | 50.42% | 15.88% | 14.75% | 94.96% | 88.62% | 59.18% | 91.44% | 93.63% | 18.12% |
| | 25-34 Years | 43.06% | 41.10% | 29.96% | 5.80% | 10.18% | 95.33% | 93.17% | 63.21% | 92.69% | 91.46% | 12.18% |
| | Over 34 Years | 43.03% | 31.32% | 34.18% | 6.68% | 7.97% | 87.61% | 83.55% | 53.90% | 85.22% | 84.57% | 10.71% |
| Ethnicity | White Non-Hispanic | 47.86% | 47.74% | 28.69% | 6.69% | 7.84% | 95.71% | 92.78% | 62.51% | 91.51% | 90.73% | 12.97% |
| | Black Non-Hispanic | 36.97% | 24.63% | 42.98% | 10.51% | 11.54% | 92.16% | 86.06% | 58.51% | 89.19% | 86.99% | 18.19% |
| | Hispanic | 39.09% | 20.23% | 41.72% | 6.68% | 16.63% | 90.39% | 89.22% | 60.95% | 91.99% | 93.78% | 11.84% |
| Married | Married | 42.21% | 44.95% | 28.24% | 6.52% | 8.39% | 93.36% | 91.42% | 61.23% | 90.03% | 90.92% | 10.42% |
| | Not Married | 45.28% | 26.61% | 44.83% | 10.44% | 14.04% | 94.60% | 89.70% | 61.64% | 92.86% | 91.00% | 18.65% |
| Previous Live Birth | Yes | 44.75% | 36.26% | 36.25% | 7.52% | 11.10% | 93.43% | 91.19% | 59.86% | 90.21% | 90.15% | 13.01% |
| | No | 41.96% | 36.68% | 35.09% | 9.55% | 10.91% | 94.76% | 89.79% | 64.08% | 93.17% | 92.31% | 16.02% |
| Education | Less Than 12 Years | 46.39% | 19.30% | 48.00% | 14.82% | 19.89% | 93.04% | 87.32% | 61.96% | 92.85% | 90.63% | 20.76% |
| | 12 Years | 46.26% | 24.78% | 42.13% | 9.62% | 15.59% | 88.93% | 87.65% | 61.99% | 90.11% | 89.59% | 17.16% |
| | Greater Than 12 Years | 41.73% | 45.33% | 29.64% | 6.01% | 6.77% | 96.46% | 92.54% | 60.80% | 91.64% | 91.57% | 11.09% |
| | Upper 95% CI | Q62D | Q62E | Q62F | Q62G | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 |
| Total | Yes | 46.03% | 38.72% | 38.10% | 9.68% | 12.57% | 95.02% | 91.98% | 63.78% | 92.63% | 92.28% | 15.88% |
| Age | Under 20 Years | 31.46% | 34.39% | 57.96% | 16.96% | 20.27% | 98.61% | 96.29% | 80.27% | 98.61% | 99.77% | 39.44% |
| | 20-24 Years | 53.86% | 31.91% | 55.04% | 19.40% | 18.18% | 96.79% | 91.39% | 63.68% | 93.85% | 95.70% | 21.82% |
| | 25-34 Years | 45.65% | 43.67% | 32.37% | 7.08% | 11.81% | 96.37% | 94.42% | 65.70% | 93.99% | 92.86% | 13.94% |
| | Over 34 Years | 47.47% | 35.52% | 38.47% | 9.08% | 10.55% | 90.40% | 86.72% | 58.32% | 88.25% | 87.66% | 13.62% |
| Ethnicity | White Non-Hispanic | 50.67% | 50.55% | 31.26% | 8.16% | 9.41% | 96.77% | 94.16% | 65.20% | 93.01% | 92.30% | 14.91% |
| | Black Non-Hispanic | 40.82% | 28.11% | 46.90% | 13.05% | 14.18% | 94.16% | 88.68% | 62.37% | 91.52% | 89.53% | 21.33% |
| | Hispanic | 43.53% | 23.98% | 46.19% | 9.12% | 20.12% | 92.89% | 91.86% | 65.31% | 94.27% | 95.78% | 14.91% |
| Married | Married | 44.88% | 47.63% | 30.69% | 7.91% | 9.94% | 94.64% | 92.87% | 63.83% | 91.58% | 92.41% | 12.12% |
| | Not Married | 48.18% | 29.22% | 47.74% | 12.29% | 16.12% | 95.84% | 91.40% | 64.45% | 94.29% | 92.60% | 20.97% |
| Previous Live Birth | Yes | 47.27% | 38.70% | 38.70% | 8.91% | 12.74% | 94.63% | 92.57% | 62.32% | 91.66% | 91.60% | 14.75% |
| | No | 45.10% | 39.76% | 38.15% | 11.49% | 12.97% | 96.09% | 91.63% | 67.09% | 94.69% | 93.92% | 18.42% |
| Education | Less Than 12 Years | 51.64% | 23.61% | 53.25% | 18.75% | 24.25% | 95.48% | 90.61% | 66.99% | 95.32% | 93.47% | 25.17% |
| | 12 Years | 50.17% | 28.23% | 46.01% | 12.04% | 18.53% | 91.26% | 90.11% | 65.74% | 92.32% | 91.86% | 20.20% |
| | Greater Than 12 Years | 44.25% | 47.88% | 32.00% | 7.28% | 8.11% | 97.34% | 93.83% | 63.28% | 93.00% | 92.94% | 12.74% |

| Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q66-Q68B | | | | | | | | | | | | |
|--|-----------------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q66 | Q67A | Q67B | Q67C | Q67D | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B |
| Total | Yes | 78.48% | 2.22% | 0.12% | 1.60% | 7.62% | 6.11% | 5.87% | 2.30% | 0.73% | 5.52% | 2.50% |
| Age | Under 20 Years | 75.93% | 2.93% | 0.00% | 0.00% | 11.71% | 10.02% | 16.97% | 2.93% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 82.25% | 1.82% | 0.22% | 1.32% | 7.20% | 8.17% | 4.48% | 2.47% | 0.75% | 3.00% | 1.72% |
| | 25-34 Years | 78.91% | 2.02% | 0.14% | 1.67% | 7.60% | 5.87% | 4.64% | 2.10% | 0.96% | 4.68% | 2.45% |
| | Over 34 Years | 74.33% | 2.98% | 0.00% | 2.01% | 7.10% | 4.00% | 8.12% | 2.54% | 0.20% | 11.64% | 3.98% |
| Ethnicity | White Non-Hispanic | 78.73% | 2.07% | 0.08% | 0.63% | 8.13% | 5.25% | 4.93% | 1.73% | 0.86% | 6.75% | 4.06% |
| | Black Non-Hispanic | 77.52% | 2.48% | 0.16% | 1.66% | 6.06% | 4.96% | 5.97% | 2.69% | 1.21% | 6.61% | 1.12% |
| | Hispanic | 80.54% | 2.37% | 0.21% | 3.79% | 7.62% | 9.26% | 5.68% | 3.27% | 0.00% | 2.11% | 0.94% |
| Married | Married | 75.14% | 3.08% | 0.07% | 1.80% | 9.67% | 6.90% | 6.06% | 3.32% | 0.51% | 5.25% | 4.07% |
| | Not Married | 82.32% | 1.21% | 0.17% | 1.36% | 5.25% | 5.22% | 5.66% | 1.10% | 0.98% | 5.86% | 0.67% |
| Previous Live Birth | Yes | 78.41% | 1.36% | 0.19% | 2.42% | 7.13% | 6.07% | 5.46% | 2.30% | 1.19% | 8.69% | 3.40% |
| | No | 78.60% | 3.57% | 0.00% | 0.29% | 8.39% | 6.19% | 6.51% | 2.29% | 0.00% | 0.51% | 1.08% |
| Education | Less Than 12 Years | 76.01% | 1.76% | 0.56% | 4.71% | 7.58% | 6.43% | 6.20% | 4.15% | 0.28% | 7.06% | 0.28% |
| | 12 Years | 78.92% | 2.90% | 0.15% | 1.14% | 8.16% | 6.90% | 5.15% | 1.60% | 1.61% | 6.04% | 2.32% |
| | Greater Than 12 Years | 79.15% | 2.05% | 0.00% | 0.88% | 7.40% | 5.70% | 6.09% | 2.17% | 0.46% | 4.98% | 3.12% |
| | Lower 95% CI | Q66 | Q67A | Q67B | Q67C | Q67D | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B |
| Total | Yes | 77.67% | 1.93% | 0.05% | 1.35% | 7.10% | 5.64% | 5.40% | 2.00% | 0.56% | 5.07% | 2.19% |
| Age | Under 20 Years | 72.03% | 1.39% | 0.00% | 0.00% | 8.78% | 7.28% | 13.55% | 1.39% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 80.49% | 1.20% | 0.00% | 0.79% | 6.01% | 6.90% | 3.52% | 1.75% | 0.35% | 2.21% | 1.12% |
| | 25-34 Years | 77.85% | 1.66% | 0.04% | 1.34% | 6.91% | 5.26% | 4.09% | 1.73% | 0.70% | 4.13% | 2.05% |
| | Over 34 Years | 72.38% | 2.22% | 0.00% | 1.38% | 5.95% | 3.12% | 6.90% | 1.84% | 0.00% | 10.21% | 3.11% |
| Ethnicity | White Non-Hispanic | 77.58% | 1.67% | 0.00% | 0.41% | 7.37% | 4.62% | 4.33% | 1.37% | 0.60% | 6.05% | 3.50% |
| | Black Non-Hispanic | 75.88% | 1.87% | 0.00% | 1.16% | 5.12% | 4.11% | 5.04% | 2.05% | 0.78% | 5.63% | 0.71% |
| | Hispanic | 78.76% | 1.68% | 0.00% | 2.93% | 6.43% | 7.95% | 4.64% | 2.47% | 0.00% | 1.46% | 0.50% |
| Married | Married | 73.98% | 2.61% | 0.00% | 1.44% | 8.87% | 6.21% | 5.42% | 2.84% | 0.32% | 4.65% | 3.54% |
| | Not Married | 81.21% | 0.90% | 0.05% | 1.03% | 4.60% | 4.57% | 4.99% | 0.80% | 0.69% | 5.18% | 0.43% |
| Previous Live Birth | Yes | 77.37% | 1.07% | 0.08% | 2.03% | 6.48% | 5.47% | 4.89% | 1.92% | 0.91% | 7.98% | 2.94% |
| | No | 77.30% | 2.98% | 0.00% | 0.12% | 7.51% | 5.42% | 5.72% | 1.82% | 0.00% | 0.29% | 0.75% |
| Education | Less Than 12 Years | 73.77% | 1.07% | 0.17% | 3.60% | 6.19% | 5.14% | 4.93% | 3.11% | 0.00% | 5.72% | 0.00% |
| | 12 Years | 77.33% | 2.25% | 0.00% | 0.73% | 7.09% | 5.91% | 4.29% | 1.11% | 1.12% | 5.11% | 1.73% |
| | Greater Than 12 Years | 78.12% | 1.69% | 0.00% | 0.64% | 6.74% | 5.11% | 5.48% | 1.80% | 0.29% | 4.43% | 2.68% |
| | Upper 95% CI | Q66 | Q67A | Q67B | Q67C | Q67D | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B |
| Total | Yes | 79.29% | 2.51% | 0.19% | 1.84% | 8.14% | 6.59% | 6.33% | 2.59% | 0.90% | 5.97% | 2.81% |
| Age | Under 20 Years | 79.84% | 4.47% | 0.00% | 0.00% | 14.65% | 12.76% | 20.40% | 4.47% | 0.00% | 0.00% | 0.00% |
| | 20-24 Years | 84.02% | 2.44% | 0.43% | 1.84% | 8.40% | 9.43% | 5.43% | 3.19% | 1.15% | 3.79% | 2.32% |
| | 25-34 Years | 79.97% | 2.39% | 0.23% | 2.01% | 8.29% | 6.48% | 5.19% | 2.48% | 1.21% | 5.23% | 2.85% |
| | Over 34 Years | 76.27% | 3.74% | 0.00% | 2.63% | 8.24% | 4.87% | 9.33% | 3.25% | 0.40% | 13.07% | 4.85% |
| Ethnicity | White Non-Hispanic | 79.87% | 2.47% | 0.16% | 0.85% | 8.90% | 5.87% | 5.54% | 2.10% | 1.12% | 7.46% | 4.61% |
| | Black Non-Hispanic | 79.17% | 3.10% | 0.31% | 2.17% | 7.00% | 5.82% | 6.91% | 3.32% | 1.64% | 7.59% | 1.54% |
| | Hispanic | 82.33% | 3.05% | 0.41% | 4.65% | 8.82% | 10.56% | 6.73% | 4.07% | 0.00% | 2.76% | 1.37% |
| Married | Married | 76.30% | 3.54% | 0.15% | 2.16% | 10.46% | 7.58% | 6.71% | 3.80% | 0.71% | 5.85% | 4.60% |
| | Not Married | 83.43% | 1.53% | 0.29% | 1.70% | 5.90% | 5.87% | 6.33% | 1.41% | 1.27% | 6.54% | 0.90% |
| Previous Live Birth | Yes | 79.45% | 1.65% | 0.30% | 2.81% | 7.78% | 6.67% | 6.04% | 2.67% | 1.46% | 9.40% | 3.85% |
| | No | 79.90% | 4.16% | 0.00% | 0.46% | 9.27% | 6.95% | 7.29% | 2.77% | 0.00% | 0.74% | 1.41% |
| Education | Less Than 12 Years | 78.26% | 2.45% | 0.95% | 5.82% | 8.97% | 7.72% | 7.46% | 5.20% | 0.55% | 8.41% | 0.55% |
| | 12 Years | 80.52% | 3.56% | 0.31% | 1.56% | 9.23% | 7.88% | 6.01% | 2.09% | 2.10% | 6.97% | 2.91% |
| | Greater Than 12 Years | 80.19% | 2.41% | 0.00% | 1.12% | 8.07% | 6.29% | 6.70% | 2.55% | 0.64% | 5.54% | 3.57% |

| Table 7T. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q68C-Q70A | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|
| | Percent Response Yes | Q68C | Q68D | Q68E | Q68F | Q68G | Q68H | Q68I | Q68J | Q68K | Q69 | Q70A |
| Total | Yes | 18.46% | 24.17% | 7.97% | 1.92% | 11.86% | 7.22% | 3.63% | 12.48% | 8.16% | 88.86% | 50.48% |
| Age | Under 20 Years | 22.51% | 36.43% | 11.14% | 0.00% | 11.71% | 14.44% | 2.93% | 8.78% | 5.74% | 78.73% | 48.03% |
| | 20-24 Years | 19.41% | 27.30% | 10.76% | 4.45% | 12.80% | 15.08% | 3.91% | 12.96% | 9.49% | 89.14% | 47.71% |
| | 25-34 Years | 20.12% | 24.20% | 8.43% | 1.63% | 11.44% | 5.85% | 4.16% | 12.47% | 7.84% | 90.51% | 53.89% |
| | Over 34 Years | 11.74% | 18.24% | 3.28% | 0.84% | 12.26% | 2.20% | 1.99% | 12.93% | 8.45% | 86.16% | 43.62% |
| Ethnicity | White Non-Hispanic | 23.64% | 23.58% | 4.37% | 1.66% | 13.17% | 3.44% | 4.30% | 14.43% | 7.96% | 90.09% | 44.48% |
| | Black Non-Hispanic | 18.13% | 21.25% | 13.94% | 3.66% | 8.64% | 7.09% | 1.51% | 11.28% | 8.48% | 88.04% | 54.19% |
| | Hispanic | 7.58% | 25.03% | 11.95% | 0.92% | 13.78% | 17.52% | 5.87% | 11.74% | 8.73% | 83.55% | 55.07% |
| Married | Married | 17.33% | 26.13% | 1.94% | 0.63% | 12.96% | 5.34% | 5.07% | 12.81% | 7.21% | 91.86% | 54.33% |
| | Not Married | 19.85% | 21.71% | 15.07% | 3.43% | 10.61% | 9.32% | 1.96% | 12.14% | 9.31% | 85.30% | 45.78% |
| Previous Live Birth | Yes | 14.05% | 18.53% | 9.38% | 2.51% | 13.40% | 7.71% | 3.55% | 10.48% | 6.94% | 86.60% | 48.97% |
| | No | 25.44% | 33.09% | 5.75% | 0.97% | 9.42% | 6.44% | 3.77% | 15.64% | 10.09% | 92.43% | 52.87% |
| Education | Less Than 12 Years | 14.22% | 21.37% | 8.82% | 0.97% | 11.44% | 13.84% | 4.85% | 11.49% | 8.54% | 82.38% | 54.39% |
| | 12 Years | 14.44% | 22.60% | 17.28% | 4.53% | 8.69% | 9.62% | 1.07% | 10.40% | 8.50% | 84.20% | 47.95% |
| | Greater Than 12 Years | 21.36% | 25.73% | 3.86% | 1.04% | 13.19% | 4.70% | 4.25% | 13.72% | 8.01% | 92.60% | 50.79% |
| | Lower 95% CI | Q68C | Q68D | Q68E | Q68F | Q68G | Q68H | Q68I | Q68J | Q68K | Q69 | Q70A |
| Total | Yes | 17.70% | 23.33% | 7.44% | 1.65% | 11.22% | 6.71% | 3.26% | 11.83% | 7.62% | 88.24% | 49.49% |
| Age | Under 20 Years | 18.70% | 32.04% | 8.27% | 0.00% | 8.78% | 11.23% | 1.39% | 6.20% | 3.62% | 74.99% | 43.47% |
| | 20-24 Years | 17.58% | 25.24% | 9.33% | 3.50% | 11.26% | 13.43% | 3.01% | 11.41% | 8.14% | 87.70% | 45.40% |
| | 25-34 Years | 19.08% | 23.09% | 7.70% | 1.30% | 10.61% | 5.24% | 3.64% | 11.61% | 7.14% | 89.75% | 52.59% |
| | Over 34 Years | 10.31% | 16.51% | 2.49% | 0.44% | 10.79% | 1.55% | 1.37% | 11.43% | 7.21% | 84.62% | 41.41% |
| Ethnicity | White Non-Hispanic | 22.45% | 22.39% | 3.79% | 1.31% | 12.22% | 2.93% | 3.73% | 13.44% | 7.20% | 89.26% | 43.09% |
| | Black Non-Hispanic | 16.61% | 19.64% | 12.57% | 2.92% | 7.53% | 6.08% | 1.03% | 10.04% | 7.38% | 86.76% | 52.22% |
| | Hispanic | 6.38% | 23.08% | 10.49% | 0.49% | 12.23% | 15.80% | 4.81% | 10.28% | 7.46% | 81.88% | 52.83% |
| Married | Married | 16.31% | 24.95% | 1.57% | 0.42% | 12.06% | 4.74% | 4.48% | 11.91% | 6.52% | 91.12% | 52.99% |
| | Not Married | 18.69% | 20.51% | 14.03% | 2.90% | 9.72% | 8.47% | 1.55% | 11.18% | 8.46% | 84.27% | 44.33% |
| Previous Live Birth | Yes | 13.18% | 17.55% | 8.64% | 2.12% | 12.55% | 7.04% | 3.08% | 9.71% | 6.30% | 85.74% | 47.71% |
| | No | 24.06% | 31.59% | 5.01% | 0.66% | 8.49% | 5.66% | 3.16% | 14.49% | 9.14% | 91.59% | 51.28% |
| Education | Less Than 12 Years | 12.39% | 19.22% | 7.33% | 0.45% | 9.77% | 12.02% | 3.72% | 9.81% | 7.08% | 80.38% | 51.78% |
| | 12 Years | 13.07% | 20.97% | 15.80% | 3.72% | 7.59% | 8.47% | 0.67% | 9.20% | 7.41% | 82.78% | 46.00% |
| | Greater Than 12 Years | 20.31% | 24.61% | 3.37% | 0.78% | 12.33% | 4.16% | 3.73% | 12.84% | 7.31% | 91.94% | 49.51% |
| | Upper 95% CI | Q68C | Q68D | Q68E | Q68F | Q68G | Q68H | Q68I | Q68J | Q68K | Q69 | Q70A |
| Total | Yes | 19.23% | 25.02% | 8.51% | 2.19% | 12.50% | 7.73% | 4.00% | 13.13% | 8.70% | 89.48% | 51.47% |
| Age | Under 20 Years | 26.32% | 40.82% | 14.01% | 0.00% | 14.65% | 17.65% | 4.47% | 11.37% | 7.87% | 82.46% | 52.59% |
| | 20-24 Years | 21.24% | 29.36% | 12.19% | 5.41% | 14.34% | 16.74% | 4.81% | 14.51% | 10.85% | 90.58% | 50.02% |
| | 25-34 Years | 21.16% | 25.32% | 9.15% | 1.96% | 12.27% | 6.46% | 4.68% | 13.33% | 8.54% | 91.28% | 55.19% |
| | Over 34 Years | 13.18% | 19.96% | 4.07% | 1.25% | 13.72% | 2.86% | 2.61% | 14.42% | 9.69% | 87.70% | 45.83% |
| Ethnicity | White Non-Hispanic | 24.83% | 24.77% | 4.94% | 2.02% | 14.12% | 3.95% | 4.87% | 15.41% | 8.72% | 90.93% | 45.87% |
| | Black Non-Hispanic | 19.65% | 22.86% | 15.30% | 4.40% | 9.75% | 8.10% | 1.99% | 12.53% | 9.58% | 89.32% | 56.15% |
| | Hispanic | 8.77% | 26.98% | 13.41% | 1.35% | 15.34% | 19.23% | 6.93% | 13.19% | 10.00% | 85.22% | 57.31% |
| Married | Married | 18.35% | 27.31% | 2.31% | 0.85% | 13.86% | 5.95% | 5.66% | 13.71% | 7.91% | 92.59% | 55.67% |
| | Not Married | 21.02% | 22.91% | 16.11% | 3.96% | 11.51% | 10.17% | 2.36% | 13.09% | 10.16% | 86.33% | 47.23% |
| Previous Live Birth | Yes | 14.93% | 19.51% | 10.11% | 2.91% | 14.26% | 8.39% | 4.01% | 11.25% | 7.59% | 87.46% | 50.23% |
| | No | 26.82% | 34.58% | 6.49% | 1.28% | 10.34% | 7.22% | 4.37% | 16.79% | 11.05% | 93.27% | 54.45% |
| Education | Less Than 12 Years | 16.06% | 23.52% | 10.31% | 1.48% | 13.11% | 15.65% | 5.97% | 13.16% | 10.01% | 84.38% | 57.01% |
| | 12 Years | 15.81% | 24.24% | 18.76% | 5.34% | 9.79% | 10.77% | 1.47% | 11.59% | 9.59% | 85.62% | 49.90% |
| | Greater Than 12 Years | 22.40% | 26.85% | 4.36% | 1.30% | 14.06% | 5.24% | 4.76% | 14.60% | 8.70% | 93.27% | 52.07% |


| Table 7U. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q70B-Q72 | | | | | | | | | | | | |
|--|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|
| | Percent Response Yes | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G | Q70H | Q70I | Q70J | Q71 | Q72 |
| Total | Yes | 49.86% | 49.29% | 79.35% | 41.43% | 21.14% | 57.78% | 66.63% | 79.68% | 23.29% | 5.75% | 7.78% |
| Age | Under 20 Years | 63.19% | 61.10% | 78.73% | 59.80% | 38.12% | 57.91% | 78.12% | 78.12% | 22.14% | 2.93% | 8.07% |
| | 20-24 Years | 52.95% | 43.45% | 80.60% | 49.80% | 24.41% | 59.78% | 68.21% | 77.96% | 25.00% | 8.26% | 12.01% |
| | 25-34 Years | 49.77% | 52.93% | 82.11% | 42.15% | 20.42% | 59.37% | 68.80% | 82.85% | 23.35% | 4.58% | 6.42% |
| | Over 34 Years | 44.06% | 41.22% | 70.21% | 27.11% | 16.16% | 51.22% | 56.06% | 72.31% | 21.83% | 7.52% | 7.76% |
| Ethnicity | White Non-Hispanic | 41.38% | 45.73% | 81.27% | 39.39% | 18.07% | 55.24% | 62.86% | 81.18% | 14.07% | 7.13% | 6.89% |
| | Black Non-Hispanic | 59.82% | 55.87% | 77.36% | 47.21% | 22.58% | 56.36% | 71.18% | 79.45% | 28.91% | 5.36% | 11.37% |
| | Hispanic | 55.27% | 46.76% | 74.35% | 40.86% | 25.82% | 63.85% | 67.07% | 73.70% | 33.78% | 3.11% | 4.13% |
| Married | Married | 46.09% | 48.43% | 80.76% | 35.32% | 19.98% | 55.76% | 64.06% | 81.62% | 19.78% | 5.78% | 7.23% |
| | Not Married | 54.10% | 50.11% | 77.61% | 48.74% | 22.45% | 59.99% | 69.53% | 77.57% | 27.37% | 5.73% | 8.46% |
| Previous Live Birth | Yes | 48.24% | 43.78% | 74.16% | 34.88% | 23.23% | 56.78% | 65.16% | 77.36% | 22.55% | 5.99% | 7.75% |
| | No | 52.42% | 58.00% | 87.54% | 51.77% | 17.83% | 59.37% | 68.96% | 83.34% | 24.47% | 5.36% | 7.83% |
| Education | Less Than 12 Years | 55.85% | 46.40% | 71.51% | 43.11% | 22.83% | 63.03% | 70.82% | 72.94% | 34.11% | 2.35% | 5.12% |
| | 12 Years | 50.59% | 48.56% | 76.14% | 45.21% | 22.63% | 58.60% | 65.28% | 79.29% | 27.94% | 8.89% | 12.35% |
| | Greater Than 12 Years | 48.34% | 50.37% | 82.70% | 39.73% | 20.00% | 56.19% | 66.24% | 81.57% | 18.72% | 5.20% | 6.30% |
| | Lower 95% CI | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G | Q70H | Q70I | Q70J | Q71 | Q72 |
| Total | Yes | 48.87% | 48.30% | 78.55% | 40.45% | 20.33% | 56.81% | 65.70% | 78.88% | 22.46% | 5.29% | 7.25% |
| Age | Under 20 Years | 58.79% | 56.65% | 74.99% | 55.33% | 33.69% | 53.41% | 74.35% | 74.35% | 18.35% | 1.39% | 5.58% |
| | 20-24 Years | 50.64% | 41.16% | 78.78% | 47.49% | 22.42% | 57.51% | 66.05% | 76.05% | 23.00% | 6.98% | 10.51% |
| | 25-34 Years | 48.47% | 51.63% | 81.11% | 40.87% | 19.37% | 58.09% | 67.60% | 81.87% | 22.25% | 4.03% | 5.78% |
| | Over 34 Years | 41.84% | 39.02% | 68.18% | 25.13% | 14.52% | 48.99% | 53.84% | 70.32% | 19.98% | 6.35% | 6.57% |
| Ethnicity | White Non-Hispanic | 40.00% | 44.33% | 80.17% | 38.02% | 16.99% | 53.84% | 61.50% | 80.08% | 13.09% | 6.41% | 6.18% |
| | Black Non-Hispanic | 57.89% | 53.91% | 75.71% | 45.24% | 20.93% | 54.41% | 69.39% | 77.86% | 27.12% | 4.47% | 10.12% |
| | Hispanic | 53.03% | 44.51% | 72.38% | 38.64% | 23.85% | 61.69% | 64.95% | 71.71% | 31.65% | 2.33% | 3.23% |
| Married | Married | 44.75% | 47.09% | 79.70% | 34.03% | 18.90% | 54.43% | 62.77% | 80.57% | 18.71% | 5.15% | 6.53% |
| | Not Married | 52.65% | 48.65% | 76.40% | 47.28% | 21.24% | 58.57% | 68.19% | 76.36% | 26.08% | 5.06% | 7.65% |
| Previous Live Birth | Yes | 46.98% | 42.53% | 73.06% | 33.68% | 22.17% | 55.53% | 63.96% | 76.30% | 21.50% | 5.40% | 7.07% |
| | No | 50.84% | 56.44% | 86.50% | 50.19% | 16.61% | 57.81% | 67.50% | 82.16% | 23.10% | 4.65% | 6.98% |
| Education | Less Than 12 Years | 53.25% | 43.79% | 69.14% | 40.51% | 20.63% | 60.49% | 68.44% | 70.60% | 31.62% | 1.55% | 3.97% |
| | 12 Years | 48.64% | 46.61% | 74.47% | 43.27% | 21.00% | 56.68% | 63.42% | 77.71% | 26.19% | 7.78% | 11.07% |
| | Greater Than 12 Years | 47.07% | 49.09% | 81.74% | 38.48% | 18.98% | 54.92% | 65.03% | 80.58% | 17.72% | 4.63% | 5.68% |
| | Upper 95% CI | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G | Q70H | Q70I | Q70J | Q71 | Q72 |
| Total | Yes | 50.85% | 50.28% | 80.15% | 42.40% | 21.94% | 58.76% | 67.57% | 80.47% | 24.13% | 6.21% | 8.31% |
| Age | Under 20 Years | 67.59% | 65.55% | 82.46% | 64.28% | 42.56% | 62.42% | 81.90% | 81.90% | 25.93% | 4.47% | 10.55% |
| | 20-24 Years | 55.25% | 45.74% | 82.43% | 52.11% | 26.39% | 62.05% | 70.36% | 79.88% | 27.01% | 9.53% | 13.52% |
| | 25-34 Years | 51.07% | 54.23% | 83.10% | 43.44% | 21.47% | 60.65% | 70.01% | 83.83% | 24.45% | 5.12% | 7.06% |
| | Over 34 Years | 46.27% | 43.41% | 72.25% | 29.09% | 17.80% | 53.45% | 58.27% | 74.31% | 23.67% | 8.70% | 8.96% |
| Ethnicity | White Non-Hispanic | 42.76% | 47.13% | 82.36% | 40.76% | 19.15% | 56.63% | 64.21% | 82.27% | 15.04% | 7.85% | 7.60% |
| | Black Non-Hispanic | 61.75% | 57.82% | 79.01% | 49.18% | 24.23% | 58.32% | 72.96% | 81.04% | 30.70% | 6.25% | 12.62% |
| | Hispanic | 57.51% | 49.01% | 76.32% | 43.08% | 27.79% | 66.02% | 69.19% | 75.69% | 35.91% | 3.90% | 5.03% |
| Married | Married | 47.43% | 49.78% | 81.82% | 36.60% | 21.05% | 57.10% | 65.35% | 82.66% | 20.85% | 6.41% | 7.92% |
| | Not Married | 55.55% | 51.57% | 78.82% | 50.19% | 23.67% | 61.42% | 70.87% | 78.78% | 28.67% | 6.41% | 9.27% |
| Previous Live Birth | Yes | 49.50% | 45.03% | 75.27% | 36.08% | 24.30% | 58.03% | 66.36% | 78.41% | 23.61% | 6.59% | 8.42% |
| | No | 54.00% | 59.57% | 88.59% | 53.36% | 19.04% | 60.93% | 70.43% | 84.52% | 25.83% | 6.07% | 8.68% |
| Education | Less Than 12 Years | 58.46% | 49.02% | 73.88% | 45.71% | 25.04% | 65.56% | 73.21% | 75.27% | 36.60% | 3.14% | 6.28% |
| | 12 Years | 52.55% | 50.51% | 77.80% | 47.16% | 24.27% | 60.52% | 67.14% | 80.87% | 29.69% | 10.00% | 13.64% |
| | Greater Than 12 Years | 49.62% | 51.64% | 83.67% | 40.98% | 21.02% | 57.45% | 67.44% | 82.56% | 19.71% | 5.76% | 6.92% |

| Table 7V. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q74-Q78B | | | | | | | | | | | | |
|--|-----------------------|------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q74 | Q75A | Q75B | Q76 | Q77A | Q77B | Q77C | Q77D | Q77E | Q78A | Q78B |
| Total | Yes | 14.87% | 9.51% | 4.99% | 89.27% | 28.59% | 42.84% | 10.27% | 3.48% | 1.56% | 75.98% | 82.77% |
| Age | Under 20 Years | 2.93% | 2.93% | 0.00% | 85.56% | 27.73% | 90.44% | 6.46% | 0.00% | 0.00% | 51.25% | 81.91% |
| | 20-24 Years | 14.20% | 10.04% | 4.91% | 85.79% | 43.91% | 72.85% | 8.63% | 4.92% | 0.97% | 73.86% | 81.60% |
| | 25-34 Years | 14.37% | 9.61% | 4.45% | 90.45% | 26.88% | 33.98% | 11.66% | 3.38% | 1.98% | 79.19% | 84.77% |
| | Over 34 Years | 19.81% | 10.29% | 7.83% | 89.91% | 19.57% | 29.56% | 8.61% | 3.26% | 1.27% | 74.42% | 78.20% |
| Ethnicity | White Non-Hispanic | 15.24% | 9.78% | 5.18% | 91.52% | 21.46% | 25.30% | 12.20% | 3.13% | 1.25% | 83.95% | 89.41% |
| | Black Non-Hispanic | 13.59% | 8.12% | 5.15% | 85.30% | 44.49% | 63.84% | 10.44% | 6.90% | 1.97% | 72.06% | 80.38% |
| | Hispanic | 16.47% | 10.36% | 5.91% | 86.44% | 31.41% | 68.20% | 7.65% | 0.92% | 2.22% | 69.93% | 76.19% |
| Married | Married | 16.72% | 9.98% | 5.82% | 91.54% | 10.97% | 19.62% | 8.24% | 0.21% | 0.00% | 78.90% | 83.90% |
| | Not Married | 12.76% | 9.00% | 4.04% | 86.68% | 49.36% | 69.84% | 12.68% | 7.33% | 3.40% | 72.59% | 81.38% |
| Previous Live Birth | Yes | 15.70% | 10.78% | 4.72% | 89.76% | 33.43% | 44.00% | 10.54% | 4.03% | 2.05% | 77.47% | 81.58% |
| | No | 13.56% | 7.50% | 5.42% | 88.49% | 20.94% | 40.99% | 9.84% | 2.62% | 0.79% | 73.63% | 84.65% |
| Education | Less Than 12 Years | 14.74% | 6.65% | 7.81% | 87.37% | 40.59% | 75.29% | 4.95% | 2.91% | 4.67% | 71.28% | 81.70% |
| | 12 Years | 13.95% | 8.18% | 5.99% | 84.08% | 47.64% | 66.05% | 13.94% | 5.94% | 2.05% | 71.57% | 80.10% |
| | Greater Than 12 Years | 15.44% | 10.84% | 3.94% | 91.93% | 17.63% | 25.38% | 9.98% | 2.53% | 0.64% | 79.56% | 84.58% |
| | Lower 95% CI | Q74 | Q75A | Q75B | Q76 | Q77A | Q77B | Q77C | Q77D | Q77E | Q78A | Q78B |
| Total | Yes | 14.17% | 8.93% | 4.56% | 88.66% | 27.70% | 41.86% | 9.67% | 3.12% | 1.32% | 75.14% | 82.03% |
| Age | Under 20 Years | 1.39% | 1.39% | 0.00% | 82.35% | 23.65% | 87.76% | 4.22% | 0.00% | 0.00% | 46.69% | 78.40% |
| | 20-24 Years | 12.58% | 8.65% | 3.91% | 84.18% | 41.62% | 70.79% | 7.34% | 3.92% | 0.51% | 71.83% | 79.80% |
| | 25-34 Years | 13.46% | 8.84% | 3.92% | 89.69% | 25.73% | 32.75% | 10.82% | 2.91% | 1.62% | 78.14% | 83.83% |
| | Over 34 Years | 18.03% | 8.93% | 6.63% | 88.57% | 17.80% | 27.53% | 7.36% | 2.47% | 0.77% | 72.47% | 76.36% |
| Ethnicity | White Non-Hispanic | 14.23% | 8.94% | 4.56% | 90.73% | 20.31% | 24.08% | 11.28% | 2.64% | 0.94% | 82.92% | 88.54% |
| | Black Non-Hispanic | 12.24% | 7.04% | 4.28% | 83.90% | 42.53% | 61.94% | 9.23% | 5.90% | 1.42% | 70.29% | 78.81% |
| | Hispanic | 14.80% | 8.98% | 4.85% | 84.90% | 29.32% | 66.10% | 6.45% | 0.49% | 1.56% | 67.86% | 74.27% |
| Married | Married | 15.71% | 9.17% | 5.19% | 90.80% | 10.13% | 18.55% | 7.50% | 0.09% | 0.00% | 77.81% | 82.91% |
| | Not Married | 11.79% | 8.16% | 3.47% | 85.69% | 47.90% | 68.50% | 11.71% | 6.57% | 2.88% | 71.29% | 80.25% |
| Previous Live Birth | Yes | 14.78% | 10.00% | 4.18% | 88.99% | 32.24% | 42.75% | 9.76% | 3.53% | 1.69% | 76.42% | 80.60% |
| | No | 12.48% | 6.66% | 4.71% | 87.48% | 19.65% | 39.43% | 8.89% | 2.11% | 0.51% | 72.23% | 83.51% |
| Education | Less Than 12 Years | 12.88% | 5.34% | 6.40% | 85.62% | 38.01% | 73.02% | 3.81% | 2.03% | 3.56% | 68.90% | 79.67% |
| | 12 Years | 12.59% | 7.11% | 5.06% | 82.66% | 45.69% | 64.20% | 12.59% | 5.02% | 1.50% | 69.81% | 78.54% |
| | Greater Than 12 Years | 14.51% | 10.05% | 3.45% | 91.23% | 16.65% | 24.27% | 9.22% | 2.13% | 0.43% | 78.53% | 83.66% |
| | Upper 95% CI | Q74 | Q75A | Q75B | Q76 | Q77A | Q77B | Q77C | Q77D | Q77E | Q78A | Q78B |
| Total | Yes | 15.57% | 10.09% | 5.42% | 89.88% | 29.49% | 43.81% | 10.86% | 3.84% | 1.81% | 76.82% | 83.52% |
| Age | Under 20 Years | 4.47% | 4.47% | 0.00% | 88.77% | 31.82% | 93.12% | 8.71% | 0.00% | 0.00% | 55.81% | 85.43% |
| | 20-24 Years | 15.81% | 11.43% | 5.91% | 87.41% | 46.21% | 74.90% | 9.93% | 5.92% | 1.42% | 75.89% | 83.39% |
| | 25-34 Years | 15.28% | 10.38% | 4.99% | 91.21% | 28.03% | 35.21% | 12.49% | 3.85% | 2.34% | 80.25% | 85.70% |
| | Over 34 Years | 21.59% | 11.64% | 9.03% | 91.25% | 21.34% | 31.60% | 9.86% | 4.05% | 1.77% | 76.36% | 80.04% |
| Ethnicity | White Non-Hispanic | 16.25% | 10.61% | 5.80% | 92.30% | 22.61% | 26.52% | 13.11% | 3.61% | 1.56% | 84.98% | 90.27% |
| | Black Non-Hispanic | 14.94% | 9.19% | 6.03% | 86.69% | 46.45% | 65.73% | 11.64% | 7.90% | 2.51% | 73.83% | 81.95% |
| | Hispanic | 18.14% | 11.73% | 6.97% | 87.99% | 33.51% | 70.30% | 8.85% | 1.35% | 2.88% | 72.00% | 78.11% |
| Married | Married | 17.72% | 10.78% | 6.45% | 92.29% | 11.81% | 20.69% | 8.98% | 0.33% | 0.00% | 80.00% | 84.89% |
| | Not Married | 13.73% | 9.83% | 4.61% | 87.67% | 50.81% | 71.18% | 13.65% | 8.09% | 3.93% | 73.89% | 82.52% |
| Previous Live Birth | Yes | 16.61% | 11.56% | 5.25% | 90.52% | 34.62% | 45.26% | 11.31% | 4.52% | 2.41% | 78.52% | 82.56% |
| | No | 14.65% | 8.33% | 6.14% | 89.50% | 22.23% | 42.55% | 10.78% | 3.13% | 1.08% | 75.02% | 85.80% |
| Education | Less Than 12 Years | 16.60% | 7.96% | 9.22% | 89.11% | 43.17% | 77.55% | 6.09% | 3.79% | 5.78% | 73.65% | 83.73% |
| | 12 Years | 15.30% | 9.25% | 6.91% | 85.51% | 49.59% | 67.90% | 15.29% | 6.86% | 2.60% | 73.33% | 81.66% |
| | Greater Than 12 Years | 16.36% | 11.63% | 4.44% | 92.62% | 18.60% | 26.49% | 10.75% | 2.93% | 0.84% | 80.59% | 85.50% |


| Table 7W. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS: Q78C-Q79B | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q78C | Q78D | Q79A | Q79B |
| Total | Yes | 84.94% | 84.29% | 8.03% | 10.45% |
| Age | Under 20 Years | 87.77% | 80.07% | 17.46% | 6.46% |
| | 20-24 Years | 88.22% | 83.78% | 8.96% | 9.04% |
| | 25-34 Years | 85.38% | 86.72% | 8.29% | 11.84% |
| | Over 34 Years | 79.92% | 78.62% | 4.15% | 8.65% |
| Ethnicity | White Non-Hispanic | 90.91% | 90.95% | 5.35% | 12.80% |
| | Black Non-Hispanic | 82.59% | 82.76% | 10.68% | 9.76% |
| | Hispanic | 81.44% | 74.99% | 12.06% | 7.95% |
| Married | Married | 85.12% | 86.21% | 5.46% | 8.82% |
| | Not Married | 84.67% | 81.98% | 10.94% | 12.41% |
| Previous Live Birth | Yes | 83.74% | 83.19% | 7.31% | 10.07% |
| | No | 86.84% | 86.02% | 9.17% | 11.06% |
| Education | Less Than 12 Years | 84.64% | 86.17% | 16.89% | 12.63% |
| | 12 Years | 86.06% | 80.99% | 9.43% | 11.34% |
| | Greater Than 12 Years | 84.90% | 85.85% | 5.41% | 9.66% |
| | Lower 95% CI | Q78C | Q78D | Q79A | Q79B |
| Total | Yes | 84.23% | 83.57% | 7.49% | 9.85% |
| Age | Under 20 Years | 84.78% | 76.43% | 13.99% | 4.22% |
| | 20-24 Years | 86.73% | 82.08% | 7.64% | 7.72% |
| | 25-34 Years | 84.46% | 85.84% | 7.57% | 11.00% |
| | Over 34 Years | 78.13% | 76.79% | 3.26% | 7.40% |
| Ethnicity | White Non-Hispanic | 90.11% | 90.15% | 4.72% | 11.87% |
| | Black Non-Hispanic | 81.09% | 81.27% | 9.47% | 8.59% |
| | Hispanic | 79.69% | 73.04% | 10.60% | 6.73% |
| Married | Married | 84.16% | 85.28% | 4.85% | 8.06% |
| | Not Married | 83.62% | 80.86% | 10.03% | 11.45% |
| Previous Live Birth | Yes | 82.80% | 82.25% | 6.65% | 9.32% |
| | No | 85.77% | 84.92% | 8.26% | 10.06% |
| Education | Less Than 12 Years | 82.75% | 84.36% | 14.92% | 10.89% |
| | 12 Years | 84.71% | 79.46% | 8.29% | 10.10% |
| | Greater Than 12 Years | 83.99% | 84.96% | 4.83% | 8.90% |
| | Upper 95% CI | Q78C | Q78D | Q79A | Q79B |
| Total | Yes | 85.65% | 85.01% | 8.57% | 11.06% |
| Age | Under 20 Years | 90.76% | 83.72% | 20.92% | 8.71% |
| | 20-24 Years | 89.71% | 85.49% | 10.28% | 10.37% |
| | 25-34 Years | 86.30% | 87.61% | 9.01% | 12.68% |
| | Over 34 Years | 81.70% | 80.45% | 5.04% | 9.91% |
| Ethnicity | White Non-Hispanic | 91.72% | 91.75% | 5.99% | 13.74% |
| | Black Non-Hispanic | 84.08% | 84.25% | 11.90% | 10.93% |
| | Hispanic | 83.20% | 76.94% | 13.53% | 9.17% |
| Married | Married | 86.08% | 87.14% | 6.07% | 9.58% |
| | Not Married | 85.72% | 83.10% | 11.85% | 13.37% |
| Previous Live Birth | Yes | 84.67% | 84.14% | 7.96% | 10.83% |
| | No | 87.92% | 87.12% | 10.09% | 12.05% |
| Education | Less Than 12 Years | 86.53% | 87.98% | 18.86% | 14.37% |
| | 12 Years | 87.41% | 82.52% | 10.57% | 12.58% |
| | Greater Than 12 Years | 85.82% | 86.74% | 5.99% | 10.41% |

APPENDIX A (RAW VARIABLE GRAPHS)


Appendix AQ5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?*,§§ [RAW] (% “Yes”)**




AQ6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?*,§§ [RAW] (% “Yes”)**




**AQ11A: In the 12 months before you got pregnant with your new baby, did you have a regular
checkup at your family doctor’s office? [RAW] (% “Yes”)**




**AQ11B: In the 12 months before you got pregnant with your new baby, did you have a regular
checkup at your OB/GYN’s office? [RAW] (% “Yes”)**




AQ11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* [RAW] (% “Yes”)**




AQ11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? [RAW] (% “Yes”)




AQ11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?* [RAW] (% “Yes”)**




AQ11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?* [RAW] (% “Yes”)**




AQ11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? [RAW] (% “Yes”)




AQ12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid? * [RAW] (% “Yes”)**




AQ12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? [RAW] (% “Yes”)




AQ12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* [RAW] (% “Yes”)**




AQ12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? [RAW] (% “Yes”)




AQ12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? [RAW] (% “Yes”)




AQ12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? [RAW] (% “Yes”)




AQ12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? [RAW] (% “Yes”)




AQ12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes? [RAW] (% “Yes”)




AQ12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically? [RAW] (% “Yes”)




**AQ12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed? [RAW]
(% “Yes”)**




**AQ12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? [RAW]
(% “Yes”)**




AQ12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)? [RAW] (% “Yes”)




AQ14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy? [RAW] (% “Yes”)




AQ14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?* [RAW] (% “Yes”)**




AQ14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?* [RAW] (% “Yes”)**




AQ14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? [RAW] (% “Yes”)




AQ14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? [RAW] (% “Yes”)




AQ14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. [RAW] (% “Yes”)




AQ16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. [RAW] (% “Yes”)




AQ16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. * [RAW] (% “Yes”)**




AQ16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care.* [RAW] (% “Yes”)**




AQ20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? [RAW] (% “Yes”)




AQ23: Did you get prenatal care as early in your pregnancy as you wanted? [RAW] (% “Yes”)




AQ24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% “Yes”)**




AQ24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% “Yes”)**




AQ24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% “Yes”)**




AQ24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. [RAW] (% "Yes")




AQ24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy?[RAW] (% “Yes”)




AQ25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?[RAW] (% “Yes”)




AQ25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?[RAW] (% “Yes”)




AQ25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol?[RAW] (% “Yes”)




AQ25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?[RAW] (% “Yes”)




AQ25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?[RAW] (% “Yes”)




AQ25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?[RAW] (% “Yes”)




AQ25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?[RAW] (% “Yes”)




AQ25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby?[RAW] (% “Yes”)




AQ25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?[RAW] (% “Yes”)




AQ36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ38: Do you currently smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* [RAW] (% “Yes”)**




AQ45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* [RAW] (% “Yes”)**




AQ53: Is your baby alive now?[RAW] (% “Yes”)




AQ54: Is your baby living with you now?[RAW] (% “Yes”)




AQ55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? [RAW] (% “Yes”)




AQ55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula? [RAW] (% “Yes”)




AQ55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? [RAW] (% “Yes”)




AQ55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? [RAW] (% “Yes”)




AQ55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? [RAW] (% “Yes”)




AQ55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? [RAW] (% “Yes”)




AQ55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends? [RAW] (% “Yes”)




AQ56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? [RAW] (% “Yes”)




AQ57: Are you currently breastfeeding or feeding pumped milk to your new baby? [RAW] (% “Yes”)




AQ59: Do you most often lay your baby down on his or her back when he or she sleeps now?[RAW] (% “Yes”)




AQ60: Does your baby always or often sleep alone in his or her own crib or bed?[RAW] (% “Yes”)




AQ61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?[RAW] (% “Yes”)




AQ62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?[RAW] (% “Yes”)




AQ62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?[RAW] (% “Yes”)




AQ62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?* [RAW] (% “Yes”)**




AQ62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?[RAW] (% “Yes”)




AQ62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket?[RAW] (% “Yes”)




AQ62F: In the past 2 weeks, did your new baby usually sleep with a blanket?[RAW] (% “Yes”)




AQ62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows?[RAW] (% “Yes”)




AQ62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?[RAW] (% “Yes”)




AQ63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?[RAW] (% “Yes”)




AQ63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?[RAW] (% “Yes”)




AQ63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room?[RAW] (% “Yes”)




AQ63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?[RAW] (% “Yes”)




AQ64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?[RAW] (% “Yes”)




AQ65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? [RAW] (% “Yes”)




AQ67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} [RAW] (% “Yes”)**




AQ67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. ††† [RAW] (% "Yes")




AQ67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. ††† [RAW] (% "Yes")




AQ67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.††† [RAW] (% “Yes”)




AQ67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% “Yes”)**




AQ68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? [RAW] (% “Yes”)




AQ70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy? [RAW] (% “Yes”)




AQ70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again? [RAW] (% “Yes”)




AQ70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? [RAW] (% “Yes”)




AQ70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms? [RAW] (% “Yes”)




AQ70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)? [RAW] (% “Yes”)




AQ70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? [RAW] (% “Yes”)




AQ70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? [RAW] (% “Yes”)




AQ70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? [RAW] (% “Yes”)




AQ70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? [RAW] (% “Yes”)




AQ75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* [RAW] (% “Yes”)**




AQ75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* [RAW] (% “Yes”)**




AQ76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?[RAW] (% “Yes”)



AQ79A: During your most recent pregnancy, did you take any parenting classes? [RAW] (% “Yes”)



AQ79B: During your most recent pregnancy, did you receive counseling for depression or anxiety?* [RAW] (% “Yes”)**



APPENDIX B (RAW VARIABLE TABLES)

| Table BA. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q5-Q12B | | | | | | | | | | | | |
|--|-----------------------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q5 | Q6 | Q11A | Q11B | Q11C | Q11D | Q11E | Q11F | Q11G | Q12A | Q12B |
| Total | Yes | 9.65% | 8.04% | 37.47% | 44.27% | 11.61% | 3.91% | 11.79% | 9.34% | 41.37% | 22.22% | 29.30% |
| Age | Under 20 Years | 2.93% | 0.00% | 51.48% | 30.20% | 5.86% | 13.21% | 6.46% | 2.93% | 52.45% | 5.86% | 27.99% |
| | 20-24 Years | 12.01% | 8.95% | 34.67% | 35.08% | 10.42% | 3.85% | 12.01% | 10.22% | 26.35% | 13.48% | 23.31% |
| | 25-34 Years | 8.81% | 7.93% | 34.89% | 48.23% | 10.57% | 3.77% | 11.72% | 8.34% | 43.61% | 24.36% | 30.80% |
| | Over 34 Years | 11.50% | 9.47% | 44.32% | 44.52% | 17.16% | 2.16% | 13.04% | 12.98% | 46.11% | 27.99% | 30.80% |
| Ethnicity | White Non-Hispanic | 6.61% | 5.65% | 36.79% | 54.34% | 16.44% | 4.65% | 15.35% | 13.13% | 51.65% | 27.28% | 30.08% |
| | Black Non-Hispanic | 13.81% | 12.65% | 41.72% | 42.16% | 7.59% | 3.82% | 8.51% | 4.64% | 36.80% | 17.97% | 30.90% |
| | Hispanic | 12.30% | 7.18% | 33.33% | 24.97% | 4.95% | 2.22% | 8.09% | 8.13% | 23.66% | 14.77% | 28.63% |
| Married | Married | 6.86% | 7.00% | 41.29% | 53.64% | 14.12% | 4.59% | 15.45% | 8.88% | 50.71% | 32.40% | 33.94% |
| | Not Married | 12.95% | 9.30% | 32.76% | 33.31% | 8.72% | 3.13% | 7.54% | 9.92% | 30.57% | 10.13% | 23.98% |
| Previous Live Birth | Yes | 15.68% | 12.97% | 35.05% | 41.97% | 12.14% | 3.75% | 9.96% | 9.77% | 36.58% | 19.63% | 27.36% |
| | No | 0.10% | 0.25% | 41.30% | 47.89% | 10.78% | 4.16% | 14.68% | 8.66% | 48.93% | 26.33% | 32.38% |
| Education | Less Than 12 Years | 20.68% | 15.49% | 29.00% | 21.17% | 4.85% | 5.34% | 9.34% | 3.14% | 20.40% | 11.55% | 18.57% |
| | 12 Years | 11.91% | 8.95% | 34.59% | 32.38% | 8.17% | 1.90% | 7.39% | 10.19% | 26.23% | 14.52% | 27.85% |
| | Greater Than 12 Years | 6.09% | 5.81% | 40.99% | 54.86% | 14.73% | 4.47% | 14.06% | 10.46% | 53.12% | 28.18% | 32.45% |
| | Lower 95% CI | Q5 | Q6 | Q11A | Q11B | Q11C | Q11D | Q11E | Q11F | Q11G | Q12A | Q12B |
| Total | Yes | 9.06% | 7.51% | 36.52% | 43.29% | 10.98% | 3.53% | 11.15% | 8.77% | 40.40% | 21.40% | 28.41% |
| Age | Under 20 Years | 1.39% | 0.00% | 46.91% | 26.01% | 3.71% | 10.12% | 4.22% | 1.39% | 47.89% | 3.71% | 23.89% |
| | 20-24 Years | 10.51% | 7.63% | 32.47% | 32.87% | 9.01% | 2.96% | 10.51% | 8.82% | 24.31% | 11.90% | 21.35% |
| | 25-34 Years | 8.07% | 7.22% | 33.65% | 46.93% | 9.77% | 3.28% | 10.88% | 7.62% | 42.32% | 23.24% | 29.60% |
| | Over 34 Years | 10.08% | 8.16% | 42.10% | 42.31% | 15.48% | 1.51% | 11.54% | 11.48% | 43.89% | 25.99% | 28.74% |
| Ethnicity | White Non-Hispanic | 5.91% | 5.00% | 35.44% | 52.94% | 15.40% | 4.06% | 14.34% | 12.18% | 50.25% | 26.03% | 28.79% |
| | Black Non-Hispanic | 12.45% | 11.34% | 39.78% | 40.22% | 6.55% | 3.06% | 7.41% | 3.81% | 34.90% | 16.46% | 29.07% |
| | Hispanic | 10.82% | 6.02% | 31.21% | 23.02% | 3.97% | 1.56% | 6.86% | 6.90% | 21.75% | 13.17% | 26.59% |
| Married | Married | 6.18% | 6.31% | 39.97% | 52.30% | 13.18% | 4.02% | 14.47% | 8.11% | 49.37% | 31.14% | 32.67% |
| | Not Married | 11.97% | 8.45% | 31.39% | 31.94% | 7.90% | 2.63% | 6.77% | 9.05% | 29.22% | 9.25% | 22.73% |
| Previous Live Birth | Yes | 14.77% | 12.13% | 33.84% | 40.73% | 11.32% | 3.27% | 9.20% | 9.02% | 35.37% | 18.62% | 26.23% |
| | No | 0.00% | 0.09% | 39.74% | 46.31% | 9.80% | 3.53% | 13.55% | 7.77% | 47.35% | 24.93% | 30.90% |
| Education | Less Than 12 Years | 18.55% | 13.59% | 26.62% | 19.03% | 3.72% | 4.16% | 7.81% | 2.23% | 18.28% | 9.88% | 16.53% |
| | 12 Years | 10.65% | 7.83% | 32.73% | 30.55% | 7.10% | 1.37% | 6.37% | 9.01% | 24.51% | 13.15% | 26.10% |
| | Greater Than 12 Years | 5.48% | 5.21% | 39.74% | 53.59% | 13.83% | 3.94% | 13.17% | 9.68% | 51.85% | 27.03% | 31.25% |
| | Upper 95% CI | Q5 | Q6 | Q11A | Q11B | Q11C | Q11D | Q11E | Q11F | Q11G | Q12A | Q12B |
| Total | Yes | 10.23% | 8.58% | 38.43% | 45.25% | 12.25% | 4.29% | 12.42% | 9.91% | 42.34% | 23.04% | 30.20% |
| Age | Under 20 Years | 4.47% | 0.00% | 56.04% | 34.39% | 8.00% | 16.30% | 8.71% | 4.47% | 57.01% | 8.00% | 32.09% |
| | 20-24 Years | 13.51% | 10.27% | 36.87% | 37.29% | 11.83% | 4.74% | 13.52% | 11.62% | 28.39% | 15.06% | 25.26% |
| | 25-34 Years | 9.55% | 8.63% | 36.13% | 49.53% | 11.37% | 4.27% | 12.56% | 9.06% | 44.90% | 25.47% | 32.00% |
| | Over 34 Years | 12.92% | 10.77% | 46.53% | 46.74% | 18.84% | 2.81% | 14.54% | 14.48% | 48.33% | 30.00% | 32.86% |
| Ethnicity | White Non-Hispanic | 7.30% | 6.30% | 38.14% | 55.73% | 17.48% | 5.24% | 16.36% | 14.08% | 53.05% | 28.52% | 31.37% |
| | Black Non-Hispanic | 15.17% | 13.96% | 43.67% | 44.11% | 8.64% | 4.57% | 9.61% | 5.47% | 38.70% | 19.49% | 32.72% |
| | Hispanic | 13.78% | 8.35% | 35.46% | 26.92% | 5.93% | 2.88% | 9.32% | 9.36% | 25.58% | 16.37% | 30.67% |
| Married | Married | 7.54% | 7.69% | 42.62% | 54.99% | 15.06% | 5.15% | 16.42% | 9.64% | 52.06% | 33.66% | 35.21% |
| | Not Married | 13.92% | 10.14% | 34.12% | 34.68% | 9.54% | 3.64% | 8.31% | 10.79% | 31.91% | 11.01% | 25.22% |
| Previous Live Birth | Yes | 16.60% | 13.82% | 36.25% | 43.22% | 12.96% | 4.23% | 10.71% | 10.52% | 37.79% | 20.63% | 28.48% |
| | No | 0.20% | 0.41% | 42.86% | 49.48% | 11.76% | 4.80% | 15.80% | 9.55% | 50.52% | 27.72% | 33.87% |
| Education | Less Than 12 Years | 22.80% | 17.39% | 31.38% | 23.32% | 5.97% | 6.52% | 10.87% | 4.06% | 22.51% | 13.23% | 20.61% |
| | 12 Years | 13.18% | 10.06% | 36.45% | 34.21% | 9.24% | 2.43% | 8.41% | 11.37% | 27.95% | 15.90% | 29.60% |
| | Greater Than 12 Years | 6.71% | 6.41% | 42.25% | 56.13% | 15.64% | 5.00% | 14.95% | 11.24% | 54.40% | 29.33% | 33.64% |

| Appendix BB. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q12C-Q14A | | | | | | | | | | | | |
|--|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H | Q12I | Q12J | Q12K | Q12L | Q14A |
| Total | Yes | 10.94% | 27.24% | 29.82% | 21.64% | 19.50% | 54.07% | 43.75% | 43.57% | 45.78% | 25.22% | 16.35% |
| Age | Under 20 Years | 6.37% | 12.23% | 42.17% | 24.81% | 39.25% | 58.94% | 53.80% | 52.56% | 47.31% | 36.32% | 9.39% |
| | 20-24 Years | 9.07% | 17.15% | 31.36% | 16.43% | 22.62% | 47.78% | 39.90% | 38.58% | 36.74% | 28.26% | 15.53% |
| | 25-34 Years | 11.49% | 30.47% | 30.44% | 23.49% | 19.59% | 55.06% | 44.86% | 44.20% | 47.27% | 24.74% | 18.86% |
| | Over 34 Years | 12.16% | 30.74% | 23.63% | 20.29% | 11.64% | 55.87% | 41.65% | 44.20% | 49.49% | 21.15% | 11.41% |
| Ethnicity | White Non-Hispanic | 9.02% | 34.10% | 31.19% | 23.27% | 18.16% | 63.05% | 48.57% | 47.44% | 53.15% | 22.36% | 15.17% |
| | Black Non-Hispanic | 13.09% | 18.82% | 34.30% | 20.73% | 24.38% | 52.25% | 46.45% | 44.75% | 44.93% | 34.60% | 20.09% |
| | Hispanic | 11.85% | 22.21% | 24.44% | 18.47% | 20.18% | 40.02% | 33.51% | 35.67% | 33.11% | 23.60% | 16.04% |
| Married | Married | 12.31% | 39.33% | 31.87% | 27.46% | 16.01% | 60.98% | 48.90% | 48.67% | 52.86% | 23.01% | 18.58% |
| | Not Married | 9.14% | 12.94% | 27.53% | 14.90% | 23.67% | 46.05% | 37.86% | 37.74% | 37.66% | 27.90% | 13.80% |
| Previous Live Birth | Yes | 12.22% | 24.91% | 28.22% | 18.57% | 17.06% | 51.66% | 44.20% | 43.32% | 44.82% | 24.53% | 16.46% |
| | No | 8.93% | 30.94% | 32.36% | 26.49% | 23.37% | 57.90% | 43.02% | 43.96% | 47.32% | 26.31% | 16.19% |
| Education | Less Than 12 Years | 13.87% | 15.12% | 21.73% | 16.27% | 22.06% | 35.72% | 34.37% | 30.38% | 28.08% | 26.13% | 18.85% |
| | 12 Years | 10.20% | 17.94% | 28.76% | 19.59% | 23.81% | 47.32% | 40.39% | 44.55% | 37.56% | 24.78% | 16.63% |
| | Greater Than 12 Years | 10.44% | 33.99% | 32.24% | 23.69% | 17.24% | 61.45% | 47.45% | 46.31% | 53.79% | 25.06% | 15.73% |
| | Lower 95% CI | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H | Q12I | Q12J | Q12K | Q12L | Q14A |
| Total | Yes | 10.33% | 26.37% | 28.92% | 20.83% | 18.72% | 53.09% | 42.77% | 42.59% | 44.80% | 24.36% | 15.62% |
| Age | Under 20 Years | 4.14% | 9.24% | 37.67% | 20.86% | 34.79% | 54.45% | 49.25% | 48.01% | 42.76% | 31.93% | 6.73% |
| | 20-24 Years | 7.75% | 15.40% | 29.21% | 14.72% | 20.69% | 45.48% | 37.63% | 36.33% | 34.51% | 26.18% | 13.85% |
| | 25-34 Years | 10.66% | 29.28% | 29.24% | 22.39% | 18.55% | 53.76% | 43.57% | 42.91% | 45.97% | 23.61% | 17.84% |
| | Over 34 Years | 10.71% | 28.68% | 21.74% | 18.50% | 10.21% | 53.66% | 39.46% | 41.98% | 47.26% | 19.33% | 9.99% |
| Ethnicity | White Non-Hispanic | 8.22% | 32.77% | 29.89% | 22.09% | 17.08% | 61.70% | 47.17% | 46.04% | 51.75% | 21.19% | 14.16% |
| | Black Non-Hispanic | 11.76% | 17.28% | 32.42% | 19.13% | 22.68% | 50.28% | 44.48% | 42.79% | 42.97% | 32.73% | 18.51% |
| | Hispanic | 10.39% | 20.34% | 22.50% | 16.72% | 18.37% | 37.81% | 31.38% | 33.51% | 30.99% | 21.68% | 14.38% |
| Married | Married | 11.43% | 38.01% | 30.61% | 26.26% | 15.03% | 59.67% | 47.56% | 47.33% | 51.52% | 21.88% | 17.53% |
| | Not Married | 8.30% | 11.96% | 26.23% | 13.86% | 22.43% | 44.59% | 36.45% | 36.33% | 36.25% | 26.60% | 12.80% |
| Previous Live Birth | Yes | 11.39% | 23.81% | 27.08% | 17.59% | 16.11% | 50.40% | 42.95% | 42.07% | 43.56% | 23.44% | 15.52% |
| | No | 8.02% | 29.48% | 30.87% | 25.09% | 22.03% | 56.33% | 41.46% | 42.38% | 45.73% | 24.91% | 15.02% |
| Education | Less Than 12 Years | 12.06% | 13.24% | 19.57% | 14.33% | 19.88% | 33.20% | 31.87% | 27.97% | 25.72% | 23.82% | 16.80% |
| | 12 Years | 9.02% | 16.44% | 26.99% | 18.04% | 22.15% | 45.37% | 38.47% | 42.61% | 35.67% | 23.10% | 15.17% |
| | Greater Than 12 Years | 9.66% | 32.78% | 31.04% | 22.61% | 16.27% | 60.20% | 46.18% | 45.04% | 52.51% | 23.96% | 14.80% |
| | Upper 95% CI | Q12C | Q12D | Q12E | Q12F | Q12G | Q12H | Q12I | Q12J | Q12K | Q12L | Q14A |
| Total | Yes | 11.56% | 28.12% | 30.72% | 22.45% | 20.29% | 55.06% | 44.73% | 44.54% | 46.77% | 26.07% | 17.08% |
| Age | Under 20 Years | 8.60% | 15.22% | 46.68% | 28.75% | 43.70% | 63.43% | 58.35% | 57.12% | 51.87% | 40.71% | 12.05% |
| | 20-24 Years | 10.40% | 18.89% | 33.50% | 18.14% | 24.56% | 50.09% | 42.16% | 40.83% | 38.97% | 30.34% | 17.20% |
| | 25-34 Years | 12.32% | 31.67% | 31.63% | 24.60% | 20.62% | 56.35% | 46.16% | 45.49% | 48.56% | 25.86% | 19.88% |
| | Over 34 Years | 13.62% | 32.80% | 25.52% | 22.08% | 13.07% | 58.08% | 43.85% | 46.41% | 51.72% | 22.97% | 12.83% |
| Ethnicity | White Non-Hispanic | 9.83% | 35.43% | 32.49% | 24.46% | 19.24% | 64.40% | 49.97% | 48.84% | 54.55% | 23.52% | 16.17% |
| | Black Non-Hispanic | 14.42% | 20.36% | 36.17% | 22.33% | 26.07% | 54.22% | 48.41% | 46.71% | 46.90% | 36.48% | 21.67% |
| | Hispanic | 13.31% | 24.09% | 26.38% | 20.22% | 21.99% | 42.23% | 35.64% | 37.83% | 35.23% | 25.51% | 17.69% |
| Married | Married | 13.20% | 40.64% | 33.12% | 28.66% | 17.00% | 62.30% | 50.25% | 50.02% | 54.20% | 24.14% | 19.62% |
| | Not Married | 9.98% | 13.91% | 28.83% | 15.94% | 24.91% | 47.50% | 39.28% | 39.15% | 39.07% | 29.21% | 14.81% |
| Previous Live Birth | Yes | 13.04% | 26.00% | 29.35% | 19.55% | 18.01% | 52.92% | 45.46% | 44.57% | 46.07% | 25.61% | 17.39% |
| | No | 9.83% | 32.41% | 33.84% | 27.89% | 24.71% | 59.46% | 44.59% | 45.53% | 48.90% | 27.70% | 17.36% |
| Education | Less Than 12 Years | 15.69% | 17.00% | 23.90% | 18.20% | 24.23% | 38.24% | 36.86% | 32.80% | 30.44% | 28.43% | 20.90% |
| | 12 Years | 11.38% | 19.43% | 30.53% | 21.14% | 25.47% | 49.27% | 42.30% | 46.48% | 39.45% | 26.47% | 18.08% |
| | Greater Than 12 Years | 11.23% | 35.20% | 33.43% | 24.78% | 18.20% | 62.69% | 48.73% | 47.58% | 55.06% | 26.17% | 16.66% |

| Table BC. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q14B-Q16E | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q14B | Q14C | Q14D | Q14E | Q14F | Q14G | Q14H | Q16B | Q16C | Q16D | Q16E |
| Total | Yes | 13.24% | 12.09% | 10.23% | 18.11% | 18.32% | 19.20% | 17.69% | 43.73% | 5.64% | 2.35% | 46.14% |
| Age | Under 20 Years | 3.53% | 6.46% | 8.78% | 9.39% | 9.39% | 9.39% | 9.39% | 7.61% | 18.34% | 0.00% | 73.33% |
| | 20-24 Years | 10.39% | 5.54% | 8.67% | 16.58% | 21.07% | 21.82% | 20.32% | 8.05% | 21.60% | 0.97% | 73.06% |
| | 25-34 Years | 15.55% | 14.45% | 10.96% | 20.76% | 20.08% | 21.37% | 19.46% | 53.63% | 1.47% | 2.04% | 39.33% |
| | Over 34 Years | 11.42% | 12.60% | 9.89% | 13.86% | 12.73% | 12.73% | 12.03% | 56.51% | 0.00% | 5.13% | 34.58% |
| Ethnicity | White Non-Hispanic | 10.42% | 11.95% | 8.02% | 18.91% | 16.83% | 17.99% | 16.15% | 59.15% | 5.88% | 3.10% | 31.54% |
| | Black Non-Hispanic | 16.96% | 10.81% | 12.14% | 15.04% | 19.75% | 20.53% | 19.02% | 31.00% | 9.25% | 1.09% | 65.75% |
| | Hispanic | 16.18% | 14.84% | 14.44% | 20.57% | 22.31% | 21.59% | 21.59% | 14.69% | 1.43% | 1.38% | 65.64% |
| Married | Married | 15.72% | 13.76% | 9.43% | 20.46% | 18.20% | 19.98% | 18.54% | 65.71% | 2.03% | 3.30% | 24.37% |
| | Not Married | 10.38% | 10.18% | 11.21% | 15.44% | 18.41% | 18.24% | 16.63% | 18.13% | 9.89% | 1.26% | 71.70% |
| Previous Live Birth | Yes | 12.84% | 10.64% | 10.42% | 16.72% | 17.23% | 17.55% | 16.73% | 39.71% | 2.48% | 3.25% | 50.10% |
| | No | 13.88% | 14.38% | 9.93% | 20.32% | 20.05% | 21.82% | 19.20% | 50.09% | 10.64% | 0.93% | 39.87% |
| Education | Less Than 12 Years | 12.45% | 12.86% | 12.76% | 21.86% | 22.83% | 22.83% | 22.83% | 3.46% | 4.37% | 2.84% | 66.58% |
| | 12 Years | 14.74% | 9.60% | 11.46% | 16.72% | 21.01% | 21.23% | 19.22% | 21.73% | 8.47% | 1.76% | 72.56% |
| | Greater Than 12 Years | 12.84% | 12.96% | 9.14% | 17.80% | 16.08% | 17.46% | 15.79% | 62.94% | 4.78% | 2.51% | 29.81% |
| | Lower 95% CI | Q14B | Q14C | Q14D | Q14E | Q14F | Q14G | Q14H | Q16B | Q16C | Q16D | Q16E |
| Total | Yes | 12.57% | 11.45% | 9.63% | 17.35% | 17.56% | 18.42% | 16.94% | 42.75% | 5.19% | 2.05% | 45.15% |
| Age | Under 20 Years | 1.85% | 4.22% | 6.20% | 6.73% | 6.73% | 6.73% | 6.73% | 5.19% | 14.81% | 0.00% | 69.29% |
| | 20-24 Years | 8.98% | 4.48% | 7.36% | 14.86% | 19.18% | 19.91% | 18.46% | 6.79% | 19.70% | 0.51% | 71.01% |
| | 25-34 Years | 14.61% | 13.54% | 10.15% | 19.70% | 19.04% | 20.30% | 18.43% | 52.33% | 1.16% | 1.67% | 38.06% |
| | Over 34 Years | 10.00% | 11.12% | 8.56% | 12.32% | 11.24% | 11.24% | 10.58% | 54.29% | 0.00% | 4.14% | 32.46% |
| Ethnicity | White Non-Hispanic | 9.56% | 11.04% | 7.26% | 17.81% | 15.78% | 16.91% | 15.12% | 57.78% | 5.22% | 2.62% | 30.24% |
| | Black Non-Hispanic | 15.48% | 9.58% | 10.85% | 13.63% | 18.18% | 18.93% | 17.47% | 29.18% | 8.11% | 0.68% | 63.88% |
| | Hispanic | 14.52% | 13.24% | 12.86% | 18.75% | 20.43% | 19.74% | 19.74% | 13.09% | 0.89% | 0.85% | 63.50% |
| Married | Married | 14.74% | 12.83% | 8.64% | 19.37% | 17.16% | 18.90% | 17.50% | 64.43% | 1.65% | 2.82% | 23.21% |
| | Not Married | 9.50% | 9.30% | 10.29% | 14.38% | 17.28% | 17.11% | 15.55% | 17.01% | 9.02% | 0.93% | 70.39% |
| Previous Live Birth | Yes | 11.99% | 9.86% | 9.65% | 15.78% | 16.28% | 16.59% | 15.79% | 38.48% | 2.09% | 2.80% | 48.84% |
| | No | 12.78% | 13.27% | 8.98% | 19.04% | 18.78% | 20.51% | 17.95% | 48.50% | 9.66% | 0.63% | 38.31% |
| Education | Less Than 12 Years | 10.72% | 11.11% | 11.00% | 19.69% | 20.62% | 20.62% | 20.62% | 2.50% | 3.30% | 1.96% | 64.10% |
| | 12 Years | 13.35% | 8.45% | 10.22% | 15.26% | 19.42% | 19.64% | 17.68% | 20.12% | 7.38% | 1.25% | 70.82% |
| | Greater Than 12 Years | 11.99% | 12.10% | 8.40% | 16.82% | 15.14% | 16.49% | 14.86% | 61.71% | 4.24% | 2.11% | 28.64% |
| | Upper 95% CI | Q14B | Q14C | Q14D | Q14E | Q14F | Q14G | Q14H | Q16B | Q16C | Q16D | Q16E |
| Total | Yes | 13.91% | 12.73% | 10.83% | 18.87% | 19.08% | 19.98% | 18.44% | 44.71% | 6.10% | 2.65% | 47.12% |
| Age | Under 20 Years | 5.22% | 8.71% | 11.37% | 12.05% | 12.05% | 12.05% | 12.05% | 10.03% | 21.88% | 0.00% | 77.37% |
| | 20-24 Years | 11.81% | 6.59% | 9.97% | 18.30% | 22.95% | 23.73% | 22.18% | 9.30% | 23.51% | 1.42% | 75.11% |
| | 25-34 Years | 16.49% | 15.37% | 11.77% | 21.81% | 21.12% | 22.44% | 20.49% | 54.93% | 1.78% | 2.41% | 40.60% |
| | Over 34 Years | 12.84% | 14.08% | 11.22% | 15.40% | 14.21% | 14.21% | 13.48% | 58.72% | 0.00% | 6.11% | 36.70% |
| Ethnicity | White Non-Hispanic | 11.27% | 12.86% | 8.78% | 20.01% | 17.88% | 19.06% | 17.18% | 60.53% | 6.54% | 3.59% | 32.85% |
| | Black Non-Hispanic | 18.44% | 12.03% | 13.43% | 16.45% | 21.32% | 22.12% | 20.57% | 32.82% | 10.39% | 1.50% | 67.62% |
| | Hispanic | 17.84% | 16.45% | 16.03% | 22.39% | 24.19% | 23.45% | 23.45% | 16.29% | 1.96% | 1.90% | 67.78% |
| Married | Married | 16.69% | 14.69% | 10.21% | 21.54% | 19.23% | 21.05% | 19.59% | 66.98% | 2.41% | 3.78% | 25.52% |
| | Not Married | 11.27% | 11.06% | 12.13% | 16.49% | 19.54% | 19.36% | 17.71% | 19.26% | 10.76% | 1.58% | 73.01% |
| Previous Live Birth | Yes | 13.68% | 11.42% | 11.19% | 17.66% | 18.18% | 18.50% | 17.67% | 40.94% | 2.87% | 3.70% | 51.36% |
| | No | 14.97% | 15.50% | 10.87% | 21.59% | 21.32% | 23.13% | 20.45% | 51.67% | 11.62% | 1.24% | 41.42% |
| Education | Less Than 12 Years | 14.18% | 14.62% | 14.51% | 24.03% | 25.03% | 25.03% | 25.03% | 4.42% | 5.44% | 3.71% | 69.05% |
| | 12 Years | 16.12% | 10.75% | 12.71% | 18.17% | 22.60% | 22.83% | 20.76% | 23.34% | 9.56% | 2.27% | 74.30% |
| | Greater Than 12 Years | 13.70% | 13.81% | 9.87% | 18.78% | 17.02% | 18.42% | 16.72% | 64.18% | 5.33% | 2.91% | 30.98% |

| Table BD. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q16F-Q24E | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|------------|------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q16F | Q16G | Q16H | Q16I | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E |
| Total | Yes | 1.78% | 5.06% | 3.37% | 2.56% | 19.90% | 82.00% | 8.60% | 3.55% | 3.13% | 6.77% | 3.42% |
| Age | Under 20 Years | 0.00% | 5.86% | 0.00% | 2.93% | 29.08% | 71.64% | 2.93% | 5.86% | 4.16% | 2.93% | 12.23% |
| | 20-24 Years | 3.75% | 7.72% | 3.75% | 2.25% | 27.61% | 83.14% | 7.91% | 5.31% | 7.14% | 4.34% | 4.60% |
| | 25-34 Years | 1.33% | 4.40% | 4.24% | 1.58% | 15.45% | 82.06% | 9.23% | 2.32% | 2.38% | 7.38% | 3.19% |
| | Over 34 Years | 1.69% | 4.30% | 1.29% | 5.62% | 23.61% | 83.25% | 8.76% | 4.95% | 1.35% | 8.17% | 0.90% |
| Ethnicity | White Non-Hispanic | 1.13% | 0.00% | 4.97% | 1.60% | 16.68% | 81.75% | 10.82% | 2.28% | 1.32% | 8.78% | 3.74% |
| | Black Non-Hispanic | 3.29% | 0.23% | 1.32% | 1.75% | 23.03% | 80.56% | 4.95% | 2.73% | 4.36% | 4.47% | 3.31% |
| | Hispanic | 2.05% | 26.10% | 2.16% | 6.92% | 23.82% | 82.59% | 8.54% | 7.88% | 7.07% | 5.05% | 3.86% |
| Married | Married | 1.04% | 2.28% | 5.69% | 2.63% | 15.22% | 83.60% | 8.78% | 2.89% | 0.91% | 8.06% | 1.49% |
| | Not Married | 2.65% | 8.09% | 0.67% | 2.48% | 25.46% | 80.31% | 8.19% | 4.08% | 5.74% | 5.29% | 5.69% |
| Previous Live Birth | Yes | 2.51% | 6.22% | 4.07% | 3.56% | 20.65% | 81.38% | 9.77% | 3.37% | 3.56% | 7.26% | 3.97% |
| | No | 0.62% | 3.22% | 2.28% | 0.96% | 18.72% | 82.98% | 6.76% | 3.82% | 2.44% | 6.01% | 2.55% |
| Education | Less Than 12 Years | 3.46% | 24.55% | 0.00% | 10.35% | 24.44% | 83.70% | 8.92% | 4.64% | 8.92% | 3.57% | 7.57% |
| | 12 Years | 1.90% | 4.39% | 1.30% | 3.19% | 23.45% | 77.18% | 6.76% | 6.32% | 4.50% | 5.68% | 5.78% |
| | Greater Than 12 Years | 1.28% | 0.55% | 5.09% | 0.28% | 17.49% | 83.66% | 9.33% | 2.13% | 1.14% | 8.07% | 1.39% |
| | Lower 95% CI | Q16F | Q16G | Q16H | Q16I | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E |
| Total | Yes | 1.52% | 4.62% | 3.02% | 2.24% | 19.11% | 81.24% | 8.05% | 3.18% | 2.79% | 6.28% | 3.06% |
| Age | Under 20 Years | 0.00% | 3.71% | 0.00% | 1.39% | 24.94% | 67.52% | 1.39% | 3.71% | 2.34% | 1.39% | 9.24% |
| | 20-24 Years | 2.87% | 6.49% | 2.88% | 1.57% | 25.54% | 81.41% | 6.66% | 4.27% | 5.95% | 3.40% | 3.63% |
| | 25-34 Years | 1.03% | 3.87% | 3.71% | 1.25% | 14.51% | 81.06% | 8.48% | 1.93% | 1.99% | 6.70% | 2.73% |
| | Over 34 Years | 1.12% | 3.40% | 0.79% | 4.59% | 21.72% | 81.59% | 7.50% | 3.99% | 0.83% | 6.95% | 0.48% |
| Ethnicity | White Non-Hispanic | 0.84% | 0.00% | 4.36% | 1.25% | 15.64% | 80.67% | 9.95% | 1.86% | 1.00% | 7.99% | 3.20% |
| | Black Non-Hispanic | 2.59% | 0.04% | 0.87% | 1.24% | 21.37% | 79.00% | 4.09% | 2.09% | 3.56% | 3.65% | 2.61% |
| | Hispanic | 1.41% | 24.12% | 1.51% | 5.77% | 21.90% | 80.88% | 7.28% | 6.66% | 5.92% | 4.06% | 2.99% |
| Married | Married | 0.77% | 1.88% | 5.07% | 2.20% | 14.25% | 82.60% | 8.02% | 2.44% | 0.66% | 7.33% | 1.17% |
| | Not Married | 2.18% | 7.29% | 0.43% | 2.03% | 24.20% | 79.15% | 7.39% | 3.50% | 5.06% | 4.64% | 5.02% |
| Previous Live Birth | Yes | 2.12% | 5.61% | 3.57% | 3.09% | 19.63% | 80.40% | 9.02% | 2.92% | 3.10% | 6.60% | 3.48% |
| | No | 0.37% | 2.66% | 1.80% | 0.65% | 17.48% | 81.79% | 5.97% | 3.21% | 1.95% | 5.25% | 2.05% |
| Education | Less Than 12 Years | 2.50% | 22.29% | 0.00% | 8.75% | 22.19% | 81.76% | 7.43% | 3.54% | 7.43% | 2.59% | 6.18% |
| | 12 Years | 1.37% | 3.59% | 0.86% | 2.51% | 21.80% | 75.54% | 5.78% | 5.37% | 3.69% | 4.77% | 4.87% |
| | Greater Than 12 Years | 0.99% | 0.36% | 4.53% | 0.14% | 16.52% | 82.71% | 8.59% | 1.76% | 0.87% | 7.37% | 1.09% |
| | Upper 95% CI | Q16F | Q16G | Q16H | Q16I | Q20 | Q23 | Q24A | Q24B | Q24C | Q24D | Q24E |
| Total | Yes | 2.04% | 5.49% | 3.73% | 2.87% | 20.69% | 82.76% | 9.16% | 3.91% | 3.47% | 7.27% | 3.78% |
| Age | Under 20 Years | 0.00% | 8.00% | 0.00% | 4.47% | 33.23% | 75.75% | 4.47% | 8.00% | 5.99% | 4.47% | 15.22% |
| | 20-24 Years | 4.63% | 8.96% | 4.63% | 2.94% | 29.67% | 84.87% | 9.16% | 6.34% | 8.33% | 5.28% | 5.57% |
| | 25-34 Years | 1.62% | 4.94% | 4.76% | 1.90% | 16.39% | 83.05% | 9.98% | 2.71% | 2.78% | 8.06% | 3.64% |
| | Over 34 Years | 2.27% | 5.20% | 1.79% | 6.65% | 25.50% | 84.92% | 10.02% | 5.92% | 1.86% | 9.39% | 1.32% |
| Ethnicity | White Non-Hispanic | 1.43% | 0.00% | 5.58% | 1.95% | 17.73% | 82.84% | 11.69% | 2.69% | 1.64% | 9.58% | 4.27% |
| | Black Non-Hispanic | 3.99% | 0.42% | 1.77% | 2.27% | 24.69% | 82.12% | 5.80% | 3.38% | 5.17% | 5.28% | 4.02% |
| | Hispanic | 2.68% | 28.08% | 2.82% | 8.06% | 25.74% | 84.30% | 9.80% | 9.09% | 8.23% | 6.03% | 4.72% |
| Married | Married | 1.32% | 2.68% | 6.32% | 3.06% | 16.18% | 84.59% | 9.54% | 3.34% | 1.17% | 8.79% | 1.82% |
| | Not Married | 3.11% | 8.88% | 0.90% | 2.93% | 26.73% | 81.46% | 8.99% | 4.65% | 6.41% | 5.94% | 6.37% |
| Previous Live Birth | Yes | 2.90% | 6.83% | 4.57% | 4.03% | 21.67% | 82.36% | 10.52% | 3.83% | 4.03% | 7.91% | 4.46% |
| | No | 0.87% | 3.78% | 2.75% | 1.27% | 19.95% | 84.17% | 7.56% | 4.43% | 2.93% | 6.76% | 3.05% |
| Education | Less Than 12 Years | 4.42% | 26.81% | 0.00% | 11.95% | 26.70% | 85.64% | 10.42% | 5.74% | 10.42% | 4.54% | 8.96% |
| | 12 Years | 2.43% | 5.19% | 1.74% | 3.88% | 25.11% | 78.82% | 7.74% | 7.27% | 5.31% | 6.58% | 6.69% |
| | Greater Than 12 Years | 1.56% | 0.74% | 5.65% | 0.41% | 18.46% | 84.60% | 10.08% | 2.50% | 1.41% | 8.76% | 1.69% |

| Table BE. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q24F-Q25E | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q24F | Q24G | Q24H | Q24I | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E |
| Total | Yes | 2.33% | 2.46% | 1.53% | 5.07% | 2.99% | 1.26% | 52.63% | 95.19% | 95.44% | 95.08% | 87.08% |
| Age | Under 20 Years | 1.23% | 7.09% | 0.00% | 2.93% | 13.21% | 0.00% | 60.26% | 94.14% | 100.00% | 100.00% | 99.39% |
| | 20-24 Years | 4.04% | 2.09% | 2.25% | 7.88% | 5.96% | 2.47% | 48.76% | 94.33% | 94.71% | 95.46% | 88.38% |
| | 25-34 Years | 2.40% | 2.03% | 1.87% | 5.25% | 1.70% | 1.33% | 54.68% | 96.24% | 96.50% | 95.83% | 87.43% |
| | Over 34 Years | 0.77% | 2.96% | 0.20% | 2.42% | 1.56% | 0.20% | 48.42% | 93.19% | 91.92% | 91.34% | 81.92% |
| Ethnicity | White Non-Hispanic | 2.53% | 1.27% | 1.28% | 4.55% | 1.61% | 0.08% | 54.54% | 97.50% | 96.27% | 95.26% | 84.76% |
| | Black Non-Hispanic | 2.42% | 1.00% | 1.00% | 6.92% | 5.41% | 1.21% | 50.15% | 92.32% | 94.71% | 94.71% | 90.99% |
| | Hispanic | 2.43% | 7.52% | 3.35% | 5.07% | 4.36% | 4.78% | 47.30% | 91.42% | 94.05% | 94.77% | 88.72% |
| Married | Married | 1.26% | 1.10% | 0.80% | 2.02% | 0.82% | 0.38% | 53.75% | 96.30% | 95.80% | 95.34% | 85.52% |
| | Not Married | 3.58% | 4.07% | 2.39% | 8.66% | 5.54% | 2.29% | 51.40% | 93.88% | 94.99% | 94.75% | 88.86% |
| Previous Live Birth | Yes | 2.84% | 2.65% | 2.49% | 5.15% | 3.94% | 1.70% | 46.37% | 93.80% | 93.75% | 93.16% | 87.15% |
| | No | 1.50% | 2.16% | 0.00% | 4.94% | 1.48% | 0.56% | 62.53% | 97.39% | 98.11% | 98.11% | 86.97% |
| Education | Less Than 12 Years | 2.73% | 6.19% | 4.26% | 3.42% | 5.68% | 4.26% | 44.64% | 91.66% | 89.37% | 89.37% | 84.08% |
| | 12 Years | 3.24% | 4.36% | 0.91% | 10.84% | 4.25% | 1.38% | 48.29% | 92.83% | 94.49% | 94.49% | 87.12% |
| | Greater Than 12 Years | 1.79% | 0.79% | 1.16% | 2.97% | 1.74% | 0.51% | 56.45% | 97.16% | 97.30% | 96.69% | 87.82% |
| | Lower 95% CI | Q24F | Q24G | Q24H | Q24I | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E |
| Total | Yes | 2.03% | 2.16% | 1.29% | 4.64% | 2.65% | 1.04% | 51.65% | 94.77% | 95.03% | 94.65% | 86.42% |
| Age | Under 20 Years | 0.23% | 4.75% | 0.00% | 1.39% | 10.12% | 0.00% | 55.79% | 92.00% | 100.00% | 100.00% | 98.69% |
| | 20-24 Years | 3.13% | 1.43% | 1.57% | 6.63% | 4.86% | 1.75% | 46.45% | 93.26% | 93.68% | 94.50% | 86.90% |
| | 25-34 Years | 2.00% | 1.67% | 1.52% | 4.67% | 1.36% | 1.03% | 53.38% | 95.74% | 96.02% | 95.30% | 86.56% |
| | Over 34 Years | 0.38% | 2.21% | 0.00% | 1.74% | 1.01% | 0.00% | 46.19% | 92.06% | 90.70% | 90.09% | 80.20% |
| Ethnicity | White Non-Hispanic | 2.09% | 0.96% | 0.97% | 3.96% | 1.25% | 0.00% | 53.15% | 97.06% | 95.74% | 94.67% | 83.75% |
| | Black Non-Hispanic | 1.82% | 0.61% | 0.61% | 5.92% | 4.52% | 0.78% | 48.18% | 91.27% | 93.83% | 93.83% | 89.86% |
| | Hispanic | 1.73% | 6.33% | 2.53% | 4.08% | 3.44% | 3.81% | 45.04% | 90.16% | 92.99% | 93.76% | 87.29% |
| Married | Married | 0.96% | 0.82% | 0.56% | 1.64% | 0.58% | 0.21% | 52.41% | 95.79% | 95.26% | 94.77% | 84.58% |
| | Not Married | 3.04% | 3.49% | 1.94% | 7.84% | 4.87% | 1.85% | 49.94% | 93.18% | 94.36% | 94.10% | 87.95% |
| Previous Live Birth | Yes | 2.43% | 2.25% | 2.10% | 4.59% | 3.45% | 1.37% | 45.12% | 93.20% | 93.14% | 92.52% | 86.31% |
| | No | 1.12% | 1.70% | 0.00% | 4.25% | 1.09% | 0.32% | 61.00% | 96.89% | 97.68% | 97.68% | 85.90% |
| Education | Less Than 12 Years | 1.87% | 4.93% | 3.20% | 2.47% | 4.47% | 3.20% | 42.03% | 90.21% | 87.75% | 87.75% | 82.16% |
| | 12 Years | 2.55% | 3.56% | 0.54% | 9.63% | 3.46% | 0.92% | 46.34% | 91.82% | 93.60% | 93.60% | 85.81% |
| | Greater Than 12 Years | 1.46% | 0.57% | 0.88% | 2.54% | 1.41% | 0.32% | 55.19% | 96.73% | 96.88% | 96.24% | 86.98% |
| | Upper 95% CI | Q24F | Q24G | Q24H | Q24I | Q24J | Q24K | Q25A | Q25B | Q25C | Q25D | Q25E |
| Total | Yes | 2.62% | 2.77% | 1.77% | 5.50% | 3.32% | 1.48% | 53.62% | 95.62% | 95.85% | 95.50% | 87.74% |
| Age | Under 20 Years | 2.24% | 9.43% | 0.00% | 4.47% | 16.30% | 0.00% | 64.73% | 96.29% | 100.00% | 100.00% | 100.10% |
| | 20-24 Years | 4.95% | 2.75% | 2.94% | 9.12% | 7.05% | 3.19% | 51.07% | 95.40% | 95.75% | 96.42% | 89.86% |
| | 25-34 Years | 2.80% | 2.40% | 2.23% | 5.83% | 2.04% | 1.63% | 55.97% | 96.73% | 96.97% | 96.35% | 88.29% |
| | Over 34 Years | 1.16% | 3.72% | 0.40% | 3.11% | 2.11% | 0.40% | 50.65% | 94.31% | 93.13% | 92.60% | 83.63% |
| Ethnicity | White Non-Hispanic | 2.97% | 1.58% | 1.60% | 5.13% | 1.96% | 0.16% | 55.94% | 97.94% | 96.80% | 95.86% | 85.77% |
| | Black Non-Hispanic | 3.03% | 1.40% | 1.40% | 7.92% | 6.30% | 1.64% | 52.13% | 93.37% | 95.60% | 95.60% | 92.12% |
| | Hispanic | 3.12% | 8.71% | 4.16% | 6.06% | 5.29% | 5.74% | 49.55% | 92.68% | 95.12% | 95.77% | 90.14% |
| Married | Married | 1.56% | 1.38% | 1.04% | 2.40% | 1.06% | 0.54% | 55.09% | 96.81% | 96.34% | 95.91% | 86.47% |
| | Not Married | 4.13% | 4.64% | 2.83% | 9.48% | 6.20% | 2.72% | 52.85% | 94.57% | 95.63% | 95.40% | 89.78% |
| Previous Live Birth | Yes | 3.26% | 3.06% | 2.89% | 5.71% | 4.43% | 2.02% | 47.63% | 94.41% | 94.36% | 93.79% | 88.00% |
| | No | 1.89% | 2.62% | 0.00% | 5.63% | 1.86% | 0.79% | 64.07% | 97.90% | 98.54% | 98.54% | 88.04% |
| Education | Less Than 12 Years | 3.58% | 7.46% | 5.32% | 4.37% | 6.90% | 5.32% | 47.25% | 93.11% | 90.99% | 90.99% | 86.00% |
| | 12 Years | 3.93% | 5.15% | 1.29% | 12.06% | 5.03% | 1.83% | 50.24% | 93.84% | 95.38% | 95.38% | 88.43% |
| | Greater Than 12 Years | 2.13% | 1.02% | 1.43% | 3.40% | 2.08% | 0.69% | 57.72% | 97.58% | 97.71% | 97.15% | 88.65% |

| Table BF. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q25F-Q44 | | | | | | | | | | | | |
|--|-----------------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
| | Percent Response Yes | Q25F | Q25G | Q25H | Q25I | Q25J | Q36 | Q37 | Q38 | Q41 | Q42 | Q44 |
| Total | Yes | 89.07% | 87.94% | 66.66% | 93.77% | 84.87% | 6.86% | 8.60% | 3.95% | 1.87% | 1.11% | 9.61% |
| Age | Under 20 Years | 100.00% | 94.86% | 84.84% | 97.07% | 100.00% | 0.00% | 0.00% | 0.00% | 2.93% | 0.00% | 2.93% |
| | 20-24 Years | 90.93% | 91.39% | 71.82% | 94.18% | 89.48% | 6.89% | 8.68% | 3.97% | 0.75% | 0.75% | 6.18% |
| | 25-34 Years | 89.40% | 88.51% | 65.45% | 94.98% | 83.64% | 7.19% | 8.38% | 3.77% | 2.13% | 1.19% | 11.00% |
| | Over 34 Years | 83.75% | 81.39% | 61.06% | 89.03% | 80.58% | 7.48% | 11.21% | 5.42% | 1.92% | 1.49% | 10.34% |
| Ethnicity | White Non-Hispanic | 87.31% | 86.77% | 59.74% | 92.23% | 79.26% | 11.95% | 12.54% | 7.22% | 3.36% | 1.56% | 15.62% |
| | Black Non-Hispanic | 91.58% | 87.62% | 73.92% | 95.15% | 91.34% | 3.62% | 8.02% | 1.24% | 0.23% | 1.19% | 4.82% |
| | Hispanic | 91.14% | 92.53% | 76.42% | 95.80% | 90.35% | 0.00% | 1.78% | 0.21% | 0.79% | 0.21% | 3.46% |
| Married | Married | 86.83% | 85.85% | 60.72% | 92.57% | 81.10% | 1.87% | 3.25% | 1.63% | 1.71% | 0.59% | 9.79% |
| | Not Married | 91.65% | 90.34% | 73.50% | 95.15% | 89.47% | 12.74% | 14.89% | 6.69% | 2.07% | 1.73% | 9.44% |
| Previous Live Birth | Yes | 88.20% | 85.37% | 65.64% | 92.45% | 84.70% | 8.55% | 11.07% | 5.10% | 1.59% | 1.11% | 7.96% |
| | No | 90.44% | 92.00% | 68.26% | 95.84% | 85.13% | 4.19% | 4.68% | 2.14% | 2.32% | 1.11% | 12.23% |
| Education | Less Than 12 Years | 90.34% | 84.35% | 72.41% | 91.87% | 82.59% | 7.10% | 12.91% | 4.15% | 2.62% | 0.69% | 2.62% |
| | 12 Years | 91.55% | 89.61% | 74.47% | 93.99% | 92.55% | 11.61% | 13.61% | 6.24% | 1.11% | 1.47% | 10.04% |
| | Greater Than 12 Years | 87.67% | 88.02% | 62.16% | 94.13% | 82.04% | 4.77% | 5.44% | 2.90% | 1.86% | 1.07% | 11.17% |
| | Lower 95% CI | Q25F | Q25G | Q25H | Q25I | Q25J | Q36 | Q37 | Q38 | Q41 | Q42 | Q44 |
| Total | Yes | 88.45% | 87.29% | 65.73% | 93.29% | 84.16% | 6.36% | 8.04% | 3.57% | 1.61% | 0.90% | 9.03% |
| Age | Under 20 Years | 100.00% | 92.85% | 81.57% | 95.53% | 100.00% | 0.00% | 0.00% | 0.00% | 1.39% | 0.00% | 1.39% |
| | 20-24 Years | 89.60% | 90.10% | 69.74% | 93.09% | 88.07% | 5.72% | 7.38% | 3.07% | 0.35% | 0.35% | 5.06% |
| | 25-34 Years | 88.60% | 87.68% | 64.21% | 94.42% | 82.67% | 6.52% | 7.66% | 3.28% | 1.75% | 0.90% | 10.18% |
| | Over 34 Years | 82.11% | 79.66% | 58.88% | 87.63% | 78.82% | 6.31% | 9.80% | 4.41% | 1.31% | 0.95% | 8.99% |
| Ethnicity | White Non-Hispanic | 86.37% | 85.82% | 58.37% | 91.48% | 78.13% | 11.04% | 11.61% | 6.49% | 2.85% | 1.21% | 14.60% |
| | Black Non-Hispanic | 90.49% | 86.32% | 72.19% | 94.30% | 90.23% | 2.88% | 6.95% | 0.80% | 0.04% | 0.76% | 3.97% |
| | Hispanic | 89.86% | 91.34% | 74.51% | 94.90% | 89.02% | 0.00% | 1.19% | 0.00% | 0.39% | 0.00% | 2.64% |
| Married | Married | 85.92% | 84.92% | 59.41% | 91.87% | 80.05% | 1.50% | 2.77% | 1.29% | 1.37% | 0.38% | 8.99% |
| | Not Married | 90.85% | 89.47% | 72.21% | 94.52% | 88.58% | 11.77% | 13.86% | 5.97% | 1.66% | 1.35% | 8.59% |
| Previous Live Birth | Yes | 87.39% | 84.48% | 64.45% | 91.79% | 83.79% | 7.84% | 10.28% | 4.55% | 1.28% | 0.85% | 7.27% |
| | No | 89.50% | 91.14% | 66.79% | 95.21% | 84.01% | 3.56% | 4.01% | 1.68% | 1.84% | 0.78% | 11.20% |
| Education | Less Than 12 Years | 88.79% | 82.45% | 70.06% | 90.43% | 80.60% | 5.75% | 11.15% | 3.11% | 1.79% | 0.25% | 1.79% |
| | 12 Years | 90.46% | 88.42% | 72.77% | 93.06% | 91.53% | 10.36% | 12.28% | 5.30% | 0.70% | 1.00% | 8.87% |
| | Greater Than 12 Years | 86.83% | 87.19% | 60.93% | 93.53% | 81.06% | 4.22% | 4.86% | 2.47% | 1.51% | 0.81% | 10.37% |
| | Upper 95% CI | Q25F | Q25G | Q25H | Q25I | Q25J | Q36 | Q37 | Q38 | Q41 | Q42 | Q44 |
| Total | Yes | 89.68% | 88.58% | 67.59% | 94.25% | 85.58% | 7.36% | 9.15% | 4.34% | 2.14% | 1.32% | 10.19% |
| Age | Under 20 Years | 100.00% | 96.88% | 88.12% | 98.61% | 100.00% | 0.00% | 0.00% | 0.00% | 4.47% | 0.00% | 4.47% |
| | 20-24 Years | 92.25% | 92.69% | 73.90% | 95.26% | 90.90% | 8.06% | 9.98% | 4.87% | 1.15% | 1.15% | 7.29% |
| | 25-34 Years | 90.20% | 89.34% | 66.69% | 95.55% | 84.60% | 7.87% | 9.10% | 4.27% | 2.51% | 1.47% | 11.81% |
| | Over 34 Years | 85.40% | 83.13% | 63.23% | 90.42% | 82.35% | 8.66% | 12.62% | 6.43% | 2.53% | 2.03% | 11.70% |
| Ethnicity | White Non-Hispanic | 88.24% | 87.72% | 61.12% | 92.98% | 80.40% | 12.86% | 13.47% | 7.94% | 3.86% | 1.91% | 16.64% |
| | Black Non-Hispanic | 92.68% | 88.92% | 75.65% | 95.99% | 92.45% | 4.35% | 9.10% | 1.67% | 0.42% | 1.62% | 5.66% |
| | Hispanic | 92.42% | 93.71% | 78.34% | 96.71% | 91.68% | 0.00% | 2.38% | 0.41% | 1.19% | 0.41% | 4.29% |
| Married | Married | 87.74% | 86.79% | 62.03% | 93.28% | 82.15% | 2.23% | 3.73% | 1.97% | 2.06% | 0.79% | 10.59% |
| | Not Married | 92.46% | 91.20% | 74.78% | 95.77% | 90.37% | 13.71% | 15.93% | 7.42% | 2.48% | 2.11% | 10.29% |
| Previous Live Birth | Yes | 89.02% | 86.26% | 66.84% | 93.12% | 85.61% | 9.25% | 11.86% | 5.66% | 1.91% | 1.38% | 8.64% |
| | No | 91.37% | 92.86% | 69.74% | 96.48% | 86.26% | 4.83% | 5.35% | 2.60% | 2.80% | 1.44% | 13.27% |
| Education | Less Than 12 Years | 91.89% | 86.26% | 74.76% | 93.30% | 84.58% | 8.45% | 14.67% | 5.20% | 3.46% | 1.12% | 3.46% |
| | 12 Years | 92.63% | 90.80% | 76.17% | 94.91% | 93.58% | 12.86% | 14.95% | 7.18% | 1.52% | 1.94% | 11.21% |
| | Greater Than 12 Years | 88.51% | 88.85% | 63.40% | 94.73% | 83.02% | 5.31% | 6.02% | 3.33% | 2.20% | 1.33% | 11.98% |

| Table BG. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q45-Q56 | | | | | | | | | | | | |
|---|-----------------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Percent Response Yes | Q45 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D | Q55E | Q55F | Q55G | Q56 |
| Total | Yes | 6.71% | 97.52% | 97.19% | 77.06% | 72.45% | 72.69% | 69.26% | 23.53% | 12.89% | 63.04% | 85.59% |
| Age | Under 20 Years | 0.00% | 100.00% | 100.00% | 83.15% | 80.68% | 75.88% | 74.82% | 26.04% | 27.02% | 85.30% | 92.39% |
| | 20-24 Years | 7.42% | 98.50% | 97.75% | 78.51% | 70.48% | 73.59% | 68.72% | 25.99% | 14.12% | 75.85% | 87.14% |
| | 25-34 Years | 7.14% | 97.52% | 97.52% | 78.83% | 73.21% | 73.67% | 70.60% | 24.35% | 12.58% | 62.28% | 86.54% |
| | Over 34 Years | 6.40% | 96.03% | 95.06% | 69.05% | 70.08% | 68.21% | 64.47% | 18.25% | 9.25% | 48.04% | 79.75% |
| Ethnicity | White Non-Hispanic | 6.75% | 97.89% | 97.48% | 75.96% | 74.82% | 73.26% | 67.86% | 20.06% | 7.26% | 62.34% | 83.89% |
| | Black Non-Hispanic | 8.67% | 95.99% | 96.03% | 80.70% | 67.19% | 72.11% | 76.77% | 28.63% | 19.34% | 68.04% | 83.33% |
| | Hispanic | 5.50% | 98.49% | 97.78% | 73.65% | 70.86% | 74.38% | 61.32% | 27.10% | 21.05% | 58.78% | 89.86% |
| Married | Married | 7.15% | 97.73% | 97.30% | 72.25% | 73.68% | 73.45% | 68.07% | 21.74% | 8.25% | 60.20% | 89.91% |
| | Not Married | 6.23% | 97.27% | 97.06% | 82.86% | 70.90% | 71.69% | 70.78% | 25.60% | 18.24% | 66.24% | 80.60% |
| Previous Live Birth | Yes | 5.22% | 97.35% | 96.91% | 74.88% | 71.01% | 70.16% | 68.06% | 23.22% | 12.98% | 52.53% | 83.49% |
| | No | 9.08% | 97.78% | 97.65% | 80.51% | 74.72% | 76.68% | 71.15% | 24.03% | 12.73% | 79.66% | 88.92% |
| Education | Less Than 12 Years | 4.49% | 98.06% | 96.82% | 68.22% | 70.37% | 61.47% | 66.10% | 22.48% | 17.30% | 56.96% | 83.80% |
| | 12 Years | 4.68% | 96.82% | 96.13% | 83.02% | 65.58% | 74.68% | 70.27% | 26.97% | 15.69% | 64.85% | 77.19% |
| | Greater Than 12 Years | 8.17% | 97.83% | 97.87% | 76.54% | 75.90% | 74.56% | 69.51% | 22.17% | 10.51% | 63.52% | 89.76% |
| | Lower 95% CI | Q45 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D | Q55E | Q55F | Q55G | Q56 |
| Total | Yes | 6.22% | 97.21% | 96.87% | 76.23% | 71.57% | 71.81% | 68.35% | 22.69% | 12.23% | 62.09% | 84.90% |
| Age | Under 20 Years | 0.00% | 100.00% | 100.00% | 79.73% | 77.08% | 71.97% | 70.86% | 22.04% | 22.96% | 82.07% | 89.97% |
| | 20-24 Years | 6.21% | 97.94% | 97.06% | 76.61% | 68.37% | 71.55% | 66.58% | 23.96% | 12.51% | 73.87% | 85.60% |
| | 25-34 Years | 6.47% | 97.11% | 97.11% | 77.77% | 72.05% | 72.52% | 69.42% | 23.23% | 11.72% | 61.02% | 85.65% |
| | Over 34 Years | 5.31% | 95.16% | 94.09% | 66.98% | 68.04% | 66.14% | 62.34% | 16.53% | 7.96% | 45.81% | 77.96% |
| Ethnicity | White Non-Hispanic | 6.05% | 97.49% | 97.05% | 74.76% | 73.61% | 72.02% | 66.55% | 18.94% | 6.53% | 60.98% | 82.86% |
| | Black Non-Hispanic | 7.56% | 95.21% | 95.26% | 79.15% | 65.34% | 70.34% | 75.10% | 26.85% | 17.78% | 66.20% | 81.86% |
| | Hispanic | 4.47% | 97.95% | 97.12% | 71.66% | 68.81% | 72.41% | 59.13% | 25.10% | 19.21% | 56.56% | 88.50% |
| Married | Married | 6.45% | 97.33% | 96.86% | 71.04% | 72.49% | 72.27% | 66.81% | 20.63% | 7.51% | 58.88% | 89.10% |
| | Not Married | 5.53% | 96.80% | 96.57% | 81.76% | 69.58% | 70.38% | 69.46% | 24.33% | 17.12% | 64.86% | 79.45% |
| Previous Live Birth | Yes | 4.66% | 96.95% | 96.47% | 73.78% | 69.87% | 69.01% | 66.88% | 22.15% | 12.14% | 51.27% | 82.55% |
| | No | 8.17% | 97.32% | 97.16% | 79.25% | 73.34% | 75.34% | 69.71% | 22.67% | 11.68% | 78.39% | 87.92% |
| Education | Less Than 12 Years | 3.40% | 97.34% | 95.90% | 65.78% | 67.98% | 58.91% | 63.61% | 20.29% | 15.31% | 54.36% | 81.86% |
| | 12 Years | 3.85% | 96.14% | 95.38% | 81.55% | 63.72% | 72.98% | 68.48% | 25.24% | 14.27% | 62.99% | 75.55% |
| | Greater Than 12 Years | 7.47% | 97.46% | 97.51% | 75.46% | 74.81% | 73.45% | 68.33% | 21.11% | 9.73% | 62.29% | 88.99% |
| | Upper 95% CI | Q45 | Q53 | Q54 | Q55A | Q55B | Q55C | Q55D | Q55E | Q55F | Q55G | Q56 |
| Total | Yes | 7.21% | 97.83% | 97.52% | 77.89% | 73.33% | 73.57% | 70.17% | 24.37% | 13.55% | 63.99% | 86.29% |
| Age | Under 20 Years | 0.00% | 100.00% | 100.00% | 86.56% | 84.28% | 79.78% | 78.78% | 30.05% | 31.07% | 88.53% | 94.81% |
| | 20-24 Years | 8.63% | 99.06% | 98.43% | 80.41% | 72.59% | 75.63% | 70.86% | 28.02% | 15.73% | 77.83% | 88.69% |
| | 25-34 Years | 7.81% | 97.92% | 97.92% | 79.89% | 74.36% | 74.81% | 71.79% | 25.46% | 13.45% | 63.54% | 87.43% |
| | Over 34 Years | 7.49% | 96.90% | 96.03% | 71.11% | 72.12% | 70.29% | 66.61% | 19.97% | 10.55% | 50.27% | 81.54% |
| Ethnicity | White Non-Hispanic | 7.46% | 98.29% | 97.92% | 77.15% | 76.04% | 74.50% | 69.17% | 21.19% | 7.99% | 63.70% | 84.92% |
| | Black Non-Hispanic | 9.78% | 96.76% | 96.80% | 82.26% | 69.04% | 73.88% | 78.43% | 30.41% | 20.90% | 69.88% | 84.80% |
| | Hispanic | 6.53% | 99.04% | 98.44% | 75.63% | 72.91% | 76.34% | 63.52% | 29.11% | 22.89% | 61.00% | 91.22% |
| Married | Married | 7.84% | 98.13% | 97.74% | 73.45% | 74.86% | 74.64% | 69.32% | 22.85% | 8.99% | 61.51% | 90.72% |
| | Not Married | 6.93% | 97.75% | 97.55% | 83.96% | 72.23% | 73.00% | 72.10% | 26.87% | 19.37% | 67.61% | 81.75% |
| Previous Live Birth | Yes | 5.78% | 97.76% | 97.35% | 75.97% | 72.16% | 71.31% | 69.24% | 24.28% | 13.83% | 53.78% | 84.43% |
| | No | 9.99% | 98.25% | 98.13% | 81.76% | 76.09% | 78.03% | 72.58% | 25.38% | 13.79% | 80.94% | 89.91% |
| Education | Less Than 12 Years | 5.58% | 98.79% | 97.74% | 70.67% | 72.77% | 64.02% | 68.58% | 24.68% | 19.28% | 59.56% | 85.73% |
| | 12 Years | 5.50% | 97.51% | 96.88% | 84.48% | 67.43% | 76.38% | 72.05% | 28.70% | 17.11% | 66.71% | 78.83% |
| | Greater Than 12 Years | 8.87% | 98.20% | 98.24% | 77.62% | 76.99% | 75.67% | 70.69% | 23.23% | 11.30% | 64.75% | 90.53% |

| Table BH. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q57-Q62G | | | | | | | | | | | | |
|--|-----------------------|------------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C | Q62D | Q62E | Q62F | Q62G |
| Total | Yes | 52.43% | 78.37% | 76.10% | 78.24% | 91.16% | 27.24% | 11.40% | 45.19% | 37.93% | 37.23% | 9.11% |
| Age | Under 20 Years | 21.62% | 69.56% | 57.59% | 79.70% | 81.66% | 31.67% | 1.23% | 27.39% | 30.20% | 53.40% | 13.81% |
| | 20-24 Years | 40.32% | 67.54% | 71.48% | 83.64% | 90.39% | 37.33% | 11.26% | 51.55% | 29.79% | 52.73% | 17.64% |
| | 25-34 Years | 56.35% | 83.65% | 79.33% | 77.27% | 93.37% | 23.94% | 11.36% | 44.40% | 42.49% | 31.31% | 6.44% |
| | Over 34 Years | 59.54% | 75.03% | 75.31% | 75.71% | 87.64% | 26.48% | 14.06% | 45.83% | 33.99% | 36.32% | 7.88% |
| Ethnicity | White Non-Hispanic | 55.28% | 87.16% | 83.15% | 72.67% | 93.32% | 15.39% | 10.17% | 49.49% | 49.37% | 29.98% | 7.42% |
| | Black Non-Hispanic | 38.72% | 63.89% | 66.21% | 81.74% | 85.86% | 37.78% | 15.07% | 39.01% | 26.60% | 45.28% | 11.78% |
| | Hispanic | 56.57% | 73.28% | 69.35% | 87.51% | 93.13% | 39.19% | 9.88% | 41.31% | 22.10% | 43.96% | 7.90% |
| Married | Married | 69.43% | 83.38% | 79.09% | 73.67% | 90.92% | 22.63% | 11.19% | 43.75% | 46.50% | 29.46% | 7.21% |
| | Not Married | 32.69% | 72.54% | 72.50% | 83.64% | 91.41% | 32.61% | 11.68% | 46.79% | 28.04% | 46.47% | 11.36% |
| Previous Live Birth | Yes | 53.82% | 77.82% | 77.53% | 80.84% | 91.46% | 27.49% | 11.83% | 46.05% | 37.52% | 37.62% | 8.21% |
| | No | 50.24% | 79.24% | 73.84% | 74.12% | 90.67% | 26.84% | 10.72% | 43.82% | 38.59% | 36.62% | 10.52% |
| Education | Less Than 12 Years | 39.12% | 72.80% | 75.38% | 91.48% | 95.49% | 32.97% | 13.12% | 49.02% | 21.45% | 51.03% | 16.79% |
| | 12 Years | 30.66% | 71.68% | 76.66% | 85.09% | 88.35% | 26.68% | 11.48% | 48.22% | 26.51% | 44.07% | 10.83% |
| | Greater Than 12 Years | 65.02% | 82.73% | 75.97% | 72.14% | 91.41% | 26.19% | 10.83% | 43.23% | 46.89% | 30.87% | 6.64% |
| | Lower 95% CI | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C | Q62D | Q62E | Q62F | Q62G |
| Total | Yes | 51.44% | 77.55% | 75.26% | 77.43% | 90.60% | 26.36% | 10.77% | 44.21% | 36.98% | 36.27% | 8.54% |
| Age | Under 20 Years | 17.86% | 65.36% | 53.08% | 76.03% | 78.12% | 27.43% | 0.23% | 23.32% | 26.01% | 48.85% | 10.66% |
| | 20-24 Years | 38.05% | 65.37% | 69.39% | 81.93% | 89.03% | 35.09% | 9.80% | 49.24% | 27.68% | 50.42% | 15.88% |
| | 25-34 Years | 55.06% | 82.69% | 78.28% | 76.18% | 92.72% | 22.83% | 10.53% | 43.11% | 41.20% | 30.10% | 5.80% |
| | Over 34 Years | 57.35% | 73.10% | 73.39% | 73.79% | 86.17% | 24.51% | 12.51% | 43.61% | 31.88% | 34.18% | 6.68% |
| Ethnicity | White Non-Hispanic | 53.89% | 86.22% | 82.10% | 71.43% | 92.62% | 14.38% | 9.32% | 48.09% | 47.97% | 28.69% | 6.69% |
| | Black Non-Hispanic | 36.80% | 61.99% | 64.35% | 80.22% | 84.49% | 35.87% | 13.66% | 37.08% | 24.86% | 43.32% | 10.51% |
| | Hispanic | 54.33% | 71.29% | 67.27% | 86.02% | 91.99% | 36.99% | 8.54% | 39.09% | 20.23% | 41.72% | 6.68% |
| Married | Married | 68.19% | 82.38% | 77.99% | 72.49% | 90.14% | 21.51% | 10.34% | 42.42% | 45.16% | 28.24% | 6.52% |
| | Not Married | 31.33% | 71.24% | 71.21% | 82.56% | 90.59% | 31.25% | 10.75% | 45.34% | 26.73% | 45.02% | 10.44% |
| Previous Live Birth | Yes | 52.56% | 76.77% | 76.48% | 79.85% | 90.76% | 26.37% | 11.01% | 44.80% | 36.30% | 36.39% | 7.52% |
| | No | 48.65% | 77.95% | 72.44% | 72.74% | 89.75% | 25.43% | 9.74% | 42.25% | 37.04% | 35.09% | 9.55% |
| Education | Less Than 12 Years | 36.56% | 70.46% | 73.11% | 90.01% | 94.40% | 30.50% | 11.35% | 46.39% | 19.30% | 48.40% | 14.82% |
| | 12 Years | 28.86% | 69.93% | 75.01% | 83.70% | 87.10% | 24.96% | 10.24% | 46.26% | 24.78% | 42.13% | 9.62% |
| | Greater Than 12 Years | 63.80% | 81.77% | 74.88% | 70.99% | 90.70% | 25.07% | 10.04% | 41.96% | 45.62% | 29.69% | 6.01% |
| | Upper 95% CI | Q57 | Q59 | Q60 | Q61 | Q62A | Q62B | Q62C | Q62D | Q62E | Q62F | Q62G |
| Total | Yes | 53.42% | 79.18% | 76.94% | 79.05% | 91.72% | 28.12% | 12.02% | 46.17% | 38.89% | 38.18% | 9.68% |
| Age | Under 20 Years | 25.38% | 73.76% | 62.10% | 83.37% | 85.19% | 35.92% | 2.24% | 31.46% | 34.39% | 57.96% | 16.96% |
| | 20-24 Years | 42.58% | 69.70% | 73.56% | 85.35% | 91.75% | 39.57% | 12.72% | 53.86% | 31.91% | 55.04% | 19.40% |
| | 25-34 Years | 57.64% | 84.61% | 80.39% | 78.36% | 94.02% | 25.05% | 12.18% | 45.70% | 43.77% | 32.52% | 7.08% |
| | Over 34 Years | 61.73% | 76.96% | 77.24% | 77.62% | 89.11% | 28.45% | 15.61% | 48.05% | 36.11% | 38.47% | 9.08% |
| Ethnicity | White Non-Hispanic | 56.68% | 88.09% | 84.20% | 73.92% | 94.02% | 16.40% | 11.01% | 50.89% | 50.77% | 31.26% | 8.16% |
| | Black Non-Hispanic | 40.64% | 65.78% | 68.08% | 83.26% | 87.23% | 39.70% | 16.48% | 40.93% | 28.34% | 47.25% | 13.05% |
| | Hispanic | 58.80% | 75.28% | 71.42% | 89.00% | 94.27% | 41.39% | 11.23% | 43.53% | 23.98% | 46.19% | 9.12% |
| Married | Married | 70.67% | 84.38% | 80.18% | 74.86% | 91.69% | 23.76% | 12.04% | 45.09% | 47.84% | 30.69% | 7.91% |
| | Not Married | 34.06% | 73.84% | 73.80% | 84.72% | 92.22% | 33.98% | 12.62% | 48.25% | 29.35% | 47.92% | 12.29% |
| Previous Live Birth | Yes | 55.07% | 78.86% | 78.58% | 81.83% | 92.17% | 28.62% | 12.64% | 47.31% | 38.74% | 38.84% | 8.91% |
| | No | 51.82% | 80.52% | 75.23% | 75.51% | 91.59% | 28.24% | 11.70% | 45.39% | 40.13% | 38.15% | 11.49% |
| Education | Less Than 12 Years | 41.68% | 75.14% | 77.64% | 92.95% | 96.58% | 35.44% | 14.90% | 51.64% | 23.61% | 53.65% | 18.75% |
| | 12 Years | 32.46% | 73.44% | 78.31% | 86.48% | 89.60% | 28.41% | 12.73% | 50.17% | 28.23% | 46.01% | 12.04% |
| | Greater Than 12 Years | 66.24% | 83.70% | 77.06% | 73.28% | 92.13% | 27.31% | 11.62% | 44.49% | 48.16% | 32.05% | 7.28% |

| Table BI. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q62H-Q67D | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|------------|------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 | Q67A | Q67B | Q67C | Q67D |
| Total | Yes | 11.99% | 94.93% | 91.79% | 63.16% | 92.43% | 91.91% | 15.17% | 2.71% | 0.23% | 2.54% | 8.06% |
| Age | Under 20 Years | 16.85% | 97.07% | 94.14% | 76.39% | 97.07% | 98.77% | 35.08% | 2.93% | 0.00% | 0.00% | 11.71% |
| | 20-24 Years | 16.46% | 96.09% | 90.22% | 61.65% | 92.86% | 94.66% | 19.97% | 3.14% | 0.22% | 2.07% | 7.36% |
| | 25-34 Years | 11.12% | 96.21% | 94.16% | 64.78% | 93.66% | 92.26% | 13.06% | 2.26% | 0.14% | 2.59% | 7.89% |
| | Over 34 Years | 9.26% | 89.58% | 85.71% | 56.68% | 87.31% | 86.69% | 12.16% | 3.55% | 0.57% | 3.42% | 8.37% |
| Ethnicity | White Non-Hispanic | 8.70% | 96.55% | 93.78% | 64.16% | 92.56% | 91.74% | 13.94% | 2.35% | 0.08% | 1.19% | 8.19% |
| | Black Non-Hispanic | 12.98% | 93.85% | 88.05% | 61.01% | 90.93% | 88.49% | 19.76% | 3.44% | 0.16% | 3.42% | 7.27% |
| | Hispanic | 18.38% | 91.84% | 90.74% | 63.33% | 93.34% | 94.78% | 13.37% | 2.95% | 0.79% | 4.96% | 8.21% |
| Married | Married | 9.17% | 94.21% | 92.35% | 62.74% | 91.02% | 91.87% | 11.27% | 3.08% | 0.07% | 2.73% | 9.92% |
| | Not Married | 15.23% | 95.76% | 91.10% | 63.53% | 94.06% | 91.93% | 19.81% | 2.28% | 0.42% | 2.33% | 5.91% |
| Previous Live Birth | Yes | 11.97% | 94.17% | 92.02% | 61.18% | 91.03% | 90.97% | 13.88% | 1.77% | 0.38% | 3.96% | 7.81% |
| | No | 12.04% | 96.14% | 91.43% | 66.30% | 94.65% | 93.41% | 17.22% | 4.19% | 0.00% | 0.29% | 8.46% |
| Education | Less Than 12 Years | 22.07% | 94.67% | 89.37% | 64.89% | 94.49% | 92.46% | 22.96% | 2.56% | 1.35% | 7.44% | 8.37% |
| | 12 Years | 17.22% | 90.63% | 89.41% | 64.40% | 91.75% | 90.72% | 18.68% | 4.38% | 0.15% | 2.12% | 8.16% |
| | Greater Than 12 Years | 7.49% | 97.18% | 93.46% | 62.27% | 92.55% | 92.44% | 11.91% | 2.05% | 0.00% | 1.39% | 7.96% |
| | Lower 95% CI | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 | Q67A | Q67B | Q67C | Q67D |
| Total | Yes | 11.35% | 94.50% | 91.25% | 62.21% | 91.91% | 91.37% | 14.47% | 2.39% | 0.14% | 2.23% | 7.53% |
| Age | Under 20 Years | 13.44% | 95.53% | 92.00% | 72.52% | 95.53% | 97.76% | 30.73% | 1.39% | 0.00% | 0.00% | 8.78% |
| | 20-24 Years | 14.75% | 95.19% | 88.85% | 59.40% | 91.67% | 93.63% | 18.12% | 2.33% | 0.00% | 1.41% | 6.15% |
| | 25-34 Years | 10.30% | 95.72% | 93.55% | 63.53% | 93.02% | 91.56% | 12.18% | 1.88% | 0.04% | 2.18% | 7.18% |
| | Over 34 Years | 7.97% | 88.21% | 84.15% | 54.47% | 85.83% | 85.17% | 10.71% | 2.73% | 0.24% | 2.61% | 7.13% |
| Ethnicity | White Non-Hispanic | 7.91% | 96.03% | 93.10% | 62.82% | 91.83% | 90.97% | 12.97% | 1.93% | 0.00% | 0.89% | 7.42% |
| | Black Non-Hispanic | 11.65% | 92.90% | 86.77% | 59.09% | 89.80% | 87.23% | 18.19% | 2.72% | 0.00% | 2.70% | 6.24% |
| | Hispanic | 16.63% | 90.61% | 89.44% | 61.16% | 92.21% | 93.78% | 11.84% | 2.19% | 0.39% | 3.98% | 6.97% |
| Married | Married | 8.39% | 93.58% | 91.64% | 61.44% | 90.25% | 91.14% | 10.42% | 2.61% | 0.00% | 2.29% | 9.12% |
| | Not Married | 14.18% | 95.18% | 90.27% | 62.12% | 93.37% | 91.13% | 18.65% | 1.84% | 0.23% | 1.89% | 5.23% |
| Previous Live Birth | Yes | 11.15% | 93.58% | 91.34% | 59.95% | 90.31% | 90.24% | 13.01% | 1.43% | 0.22% | 3.47% | 7.13% |
| | No | 11.01% | 95.53% | 90.54% | 64.80% | 93.93% | 92.62% | 16.02% | 3.56% | 0.00% | 0.12% | 7.58% |
| Education | Less Than 12 Years | 19.89% | 93.49% | 87.75% | 62.38% | 93.30% | 91.07% | 20.76% | 1.73% | 0.74% | 6.07% | 6.92% |
| | 12 Years | 15.74% | 89.49% | 88.21% | 62.53% | 90.68% | 89.59% | 17.16% | 3.58% | 0.00% | 1.55% | 7.09% |
| | Greater Than 12 Years | 6.82% | 96.76% | 92.83% | 61.04% | 91.88% | 91.77% | 11.09% | 1.69% | 0.00% | 1.09% | 7.27% |
| | Upper 95% CI | Q62H | Q63A | Q63B | Q63C | Q63D | Q64 | Q65 | Q67A | Q67B | Q67C | Q67D |
| Total | Yes | 12.64% | 95.37% | 92.33% | 64.12% | 92.95% | 92.45% | 15.88% | 3.03% | 0.32% | 2.85% | 8.60% |
| Age | Under 20 Years | 20.27% | 98.61% | 96.29% | 80.27% | 98.61% | 99.77% | 39.44% | 4.47% | 0.00% | 0.00% | 14.65% |
| | 20-24 Years | 18.18% | 96.99% | 91.60% | 63.90% | 94.05% | 95.70% | 21.82% | 3.94% | 0.43% | 2.73% | 8.56% |
| | 25-34 Years | 11.93% | 96.71% | 94.77% | 66.02% | 94.29% | 92.96% | 13.94% | 2.65% | 0.23% | 3.00% | 8.59% |
| | Over 34 Years | 10.55% | 90.94% | 87.27% | 58.89% | 88.79% | 88.20% | 13.62% | 4.38% | 0.91% | 4.24% | 9.60% |
| Ethnicity | White Non-Hispanic | 9.49% | 97.06% | 94.45% | 65.51% | 93.30% | 92.51% | 14.91% | 2.78% | 0.16% | 1.50% | 8.96% |
| | Black Non-Hispanic | 14.30% | 94.79% | 89.33% | 62.94% | 92.06% | 89.75% | 21.33% | 4.16% | 0.31% | 4.13% | 8.29% |
| | Hispanic | 20.12% | 93.08% | 92.05% | 65.51% | 94.46% | 95.78% | 14.91% | 3.72% | 1.19% | 5.94% | 9.45% |
| Married | Married | 9.94% | 94.83% | 93.07% | 64.04% | 91.78% | 92.61% | 12.12% | 3.54% | 0.15% | 3.16% | 10.73% |
| | Not Married | 16.27% | 96.35% | 91.93% | 64.93% | 94.75% | 92.72% | 20.97% | 2.71% | 0.60% | 2.76% | 6.60% |
| Previous Live Birth | Yes | 12.78% | 94.76% | 92.70% | 62.41% | 91.75% | 91.69% | 14.75% | 2.10% | 0.53% | 4.45% | 8.48% |
| | No | 13.07% | 96.75% | 92.31% | 67.80% | 95.36% | 94.19% | 18.42% | 4.83% | 0.00% | 0.46% | 9.35% |
| Education | Less Than 12 Years | 24.25% | 95.85% | 90.99% | 67.39% | 95.69% | 93.84% | 25.17% | 3.39% | 1.96% | 8.82% | 9.83% |
| | 12 Years | 18.69% | 91.76% | 90.61% | 66.27% | 92.82% | 91.86% | 20.20% | 5.17% | 0.31% | 2.68% | 9.23% |
| | Greater Than 12 Years | 8.16% | 97.60% | 94.10% | 63.51% | 93.22% | 93.12% | 12.74% | 2.41% | 0.00% | 1.69% | 8.65% |

| Table BJ. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q67E-Q68G | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B | Q68C | Q68D | Q68E | Q68F | Q68G |
| Total | Yes | 7.17% | 6.73% | 2.41% | 0.98% | 6.42% | 2.61% | 19.17% | 25.54% | 8.11% | 1.92% | 12.00% |
| Age | Under 20 Years | 10.02% | 16.97% | 2.93% | 0.00% | 0.00% | 0.00% | 25.44% | 36.43% | 11.14% | 0.00% | 14.64% |
| | 20-24 Years | 9.64% | 6.01% | 2.47% | 0.75% | 4.32% | 1.72% | 21.48% | 29.37% | 11.51% | 4.45% | 12.80% |
| | 25-34 Years | 6.61% | 5.45% | 2.10% | 1.20% | 5.59% | 2.45% | 20.46% | 25.53% | 8.43% | 1.63% | 11.44% |
| | Over 34 Years | 5.84% | 8.69% | 3.12% | 0.77% | 12.36% | 4.55% | 11.74% | 19.38% | 3.28% | 0.84% | 12.26% |
| Ethnicity | White Non-Hispanic | 5.76% | 5.27% | 1.73% | 0.86% | 7.30% | 4.28% | 24.20% | 24.31% | 4.37% | 1.66% | 13.45% |
| | Black Non-Hispanic | 7.56% | 7.59% | 2.69% | 1.75% | 8.12% | 1.12% | 19.32% | 24.26% | 13.94% | 3.66% | 8.64% |
| | Hispanic | 10.05% | 6.48% | 3.86% | 0.59% | 2.84% | 0.94% | 8.29% | 25.74% | 12.66% | 0.92% | 13.78% |
| Married | Married | 7.89% | 6.06% | 3.32% | 0.77% | 6.22% | 4.28% | 17.59% | 27.27% | 1.94% | 0.63% | 12.96% |
| | Not Married | 6.35% | 7.53% | 1.35% | 1.22% | 6.68% | 0.67% | 21.10% | 23.36% | 15.37% | 3.43% | 10.91% |
| Previous Live Birth | Yes | 7.56% | 6.32% | 2.48% | 1.59% | 9.98% | 3.58% | 14.67% | 20.39% | 9.60% | 2.51% | 13.40% |
| | No | 6.55% | 7.37% | 2.29% | 0.00% | 0.80% | 1.08% | 26.29% | 33.66% | 5.75% | 0.97% | 9.77% |
| Education | Less Than 12 Years | 7.50% | 7.96% | 4.95% | 1.07% | 9.73% | 0.28% | 14.22% | 21.37% | 9.79% | 0.97% | 11.44% |
| | 12 Years | 6.90% | 6.89% | 1.60% | 1.61% | 6.15% | 2.32% | 16.68% | 24.62% | 17.28% | 4.53% | 9.23% |
| | Greater Than 12 Years | 7.21% | 6.36% | 2.17% | 0.69% | 5.63% | 3.31% | 21.59% | 27.15% | 3.86% | 1.04% | 13.19% |
| | Lower 95% CI | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B | Q68C | Q68D | Q68E | Q68F | Q68G |
| Total | Yes | 6.66% | 6.23% | 2.11% | 0.78% | 5.94% | 2.30% | 18.39% | 24.67% | 7.57% | 1.65% | 11.35% |
| Age | Under 20 Years | 7.28% | 13.55% | 1.39% | 0.00% | 0.00% | 0.00% | 21.46% | 32.04% | 8.27% | 0.00% | 11.41% |
| | 20-24 Years | 8.28% | 4.91% | 1.75% | 0.35% | 3.38% | 1.12% | 19.58% | 27.27% | 10.04% | 3.50% | 11.26% |
| | 25-34 Years | 5.96% | 4.86% | 1.73% | 0.91% | 4.99% | 2.05% | 19.41% | 24.39% | 7.70% | 1.30% | 10.61% |
| | Over 34 Years | 4.80% | 7.43% | 2.34% | 0.38% | 10.89% | 3.62% | 10.31% | 17.62% | 2.49% | 0.44% | 10.79% |
| Ethnicity | White Non-Hispanic | 5.10% | 4.64% | 1.37% | 0.60% | 6.57% | 3.72% | 23.00% | 23.11% | 3.79% | 1.31% | 12.49% |
| | Black Non-Hispanic | 6.52% | 6.55% | 2.05% | 1.24% | 7.04% | 0.71% | 17.76% | 22.57% | 12.57% | 2.92% | 7.53% |
| | Hispanic | 8.69% | 5.37% | 2.99% | 0.24% | 2.09% | 0.50% | 7.05% | 23.77% | 11.16% | 0.49% | 12.23% |
| Married | Married | 7.17% | 5.42% | 2.84% | 0.53% | 5.57% | 3.74% | 16.56% | 26.07% | 1.57% | 0.42% | 12.06% |
| | Not Married | 5.64% | 6.76% | 1.01% | 0.90% | 5.95% | 0.43% | 19.91% | 22.12% | 14.32% | 2.90% | 10.00% |
| Previous Live Birth | Yes | 6.90% | 5.70% | 2.09% | 1.28% | 9.22% | 3.11% | 13.77% | 19.38% | 8.86% | 2.12% | 12.55% |
| | No | 5.77% | 6.55% | 1.82% | 0.00% | 0.52% | 0.75% | 24.90% | 32.17% | 5.01% | 0.66% | 8.83% |
| Education | Less Than 12 Years | 6.12% | 6.54% | 3.81% | 0.53% | 8.18% | 0.00% | 12.39% | 19.22% | 8.23% | 0.45% | 9.77% |
| | 12 Years | 5.91% | 5.90% | 1.11% | 1.12% | 5.21% | 1.73% | 15.22% | 22.93% | 15.80% | 3.72% | 8.10% |
| | Greater Than 12 Years | 6.55% | 5.74% | 1.80% | 0.48% | 5.04% | 2.86% | 20.54% | 26.02% | 3.37% | 0.78% | 12.33% |
| | Upper 95% CI | Q67E | Q67F | Q67G | Q67H | Q68A | Q68B | Q68C | Q68D | Q68E | Q68F | Q68G |
| Total | Yes | 7.68% | 7.22% | 2.71% | 1.17% | 6.91% | 2.93% | 19.95% | 26.40% | 8.65% | 2.19% | 12.64% |
| Age | Under 20 Years | 12.76% | 20.40% | 4.47% | 0.00% | 0.00% | 0.00% | 29.41% | 40.82% | 14.01% | 0.00% | 17.87% |
| | 20-24 Years | 11.01% | 7.11% | 3.19% | 1.15% | 5.26% | 2.32% | 23.38% | 31.48% | 12.99% | 5.41% | 14.34% |
| | 25-34 Years | 7.25% | 6.04% | 2.48% | 1.48% | 6.19% | 2.85% | 21.51% | 26.66% | 9.15% | 1.96% | 12.27% |
| | Over 34 Years | 6.89% | 9.95% | 3.89% | 1.16% | 13.82% | 5.48% | 13.18% | 21.14% | 4.07% | 1.25% | 13.72% |
| Ethnicity | White Non-Hispanic | 6.41% | 5.89% | 2.10% | 1.12% | 8.03% | 4.85% | 25.40% | 25.51% | 4.94% | 2.02% | 14.40% |
| | Black Non-Hispanic | 8.61% | 8.64% | 3.32% | 2.27% | 9.19% | 1.54% | 20.88% | 25.95% | 15.30% | 4.40% | 9.75% |
| | Hispanic | 11.40% | 7.59% | 4.72% | 0.93% | 3.59% | 1.37% | 9.53% | 27.72% | 14.16% | 1.35% | 15.34% |
| Married | Married | 8.62% | 6.71% | 3.80% | 1.00% | 6.87% | 4.82% | 18.61% | 28.46% | 2.31% | 0.85% | 13.86% |
| | Not Married | 7.06% | 8.30% | 1.68% | 1.54% | 7.41% | 0.90% | 22.29% | 24.59% | 16.42% | 3.96% | 11.82% |
| Previous Live Birth | Yes | 8.23% | 6.93% | 2.87% | 1.91% | 10.73% | 4.05% | 15.56% | 21.41% | 10.34% | 2.91% | 14.26% |
| | No | 7.33% | 8.20% | 2.77% | 0.00% | 1.08% | 1.41% | 27.69% | 35.16% | 6.49% | 1.28% | 10.71% |
| Education | Less Than 12 Years | 8.89% | 9.38% | 6.09% | 1.61% | 11.29% | 0.55% | 16.06% | 23.52% | 11.35% | 1.48% | 13.11% |
| | 12 Years | 7.88% | 7.88% | 2.09% | 2.10% | 7.09% | 2.91% | 18.13% | 26.30% | 18.76% | 5.34% | 10.36% |
| | Greater Than 12 Years | 7.87% | 6.99% | 2.55% | 0.91% | 6.22% | 3.77% | 22.64% | 28.29% | 4.36% | 1.30% | 14.06% |

| Table BK. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q68H-Q70G | | | | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Percent Response Yes | Q68H | Q68I | Q68J | Q68K | Q70A | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G |
| Total | Yes | 7.26% | 4.16% | 14.83% | 10.30% | 51.33% | 50.60% | 49.83% | 80.23% | 41.87% | 21.34% | 58.53% |
| Age | Under 20 Years | 14.44% | 2.93% | 8.78% | 16.02% | 53.17% | 68.33% | 66.24% | 83.87% | 59.80% | 38.12% | 63.05% |
| | 20-24 Years | 15.08% | 3.91% | 13.71% | 9.49% | 49.21% | 54.45% | 44.20% | 83.07% | 51.30% | 24.62% | 61.50% |
| | 25-34 Years | 5.92% | 4.60% | 15.85% | 8.98% | 54.23% | 50.11% | 53.22% | 82.44% | 42.44% | 20.70% | 59.71% |
| | Over 34 Years | 2.20% | 3.39% | 14.32% | 13.56% | 44.34% | 44.20% | 41.22% | 70.21% | 27.11% | 16.16% | 51.22% |
| Ethnicity | White Non-Hispanic | 3.52% | 4.81% | 16.80% | 9.95% | 44.81% | 41.71% | 46.06% | 81.68% | 39.73% | 18.43% | 55.65% |
| | Black Non-Hispanic | 7.09% | 2.60% | 14.54% | 11.61% | 55.37% | 61.00% | 56.83% | 78.43% | 47.21% | 22.70% | 57.44% |
| | Hispanic | 17.52% | 5.87% | 13.04% | 9.46% | 57.09% | 56.70% | 47.47% | 76.50% | 42.29% | 25.82% | 65.28% |
| Married | Married | 5.34% | 5.79% | 15.84% | 9.43% | 54.33% | 46.09% | 48.43% | 80.76% | 35.32% | 19.98% | 55.76% |
| | Not Married | 9.41% | 2.26% | 13.71% | 11.35% | 47.62% | 55.70% | 51.29% | 79.53% | 49.69% | 22.90% | 61.62% |
| Previous Live Birth | Yes | 7.78% | 4.22% | 12.62% | 9.05% | 49.69% | 48.78% | 44.00% | 74.94% | 35.33% | 23.57% | 57.56% |
| | No | 6.44% | 4.06% | 18.32% | 12.27% | 53.91% | 53.47% | 59.05% | 88.59% | 52.20% | 17.83% | 60.06% |
| Education | Less Than 12 Years | 13.84% | 4.85% | 13.42% | 11.04% | 57.85% | 58.52% | 48.11% | 75.15% | 44.08% | 22.83% | 66.67% |
| | 12 Years | 9.62% | 1.61% | 11.58% | 10.66% | 48.60% | 51.24% | 49.20% | 76.94% | 45.86% | 22.79% | 58.86% |
| | Greater Than 12 Years | 4.70% | 4.89% | 16.63% | 10.06% | 51.11% | 48.67% | 50.59% | 82.98% | 39.96% | 20.28% | 56.46% |
| | Lower 95% CI | Q68H | Q68I | Q68J | Q68K | Q70A | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G |
| Total | Yes | 6.75% | 3.76% | 14.13% | 9.70% | 50.34% | 49.61% | 48.85% | 79.44% | 40.89% | 20.53% | 57.56% |
| Age | Under 20 Years | 11.23% | 1.39% | 6.20% | 12.67% | 48.62% | 64.08% | 61.92% | 80.51% | 55.33% | 33.69% | 58.65% |
| | 20-24 Years | 13.43% | 3.01% | 12.12% | 8.14% | 46.90% | 52.15% | 41.91% | 81.34% | 48.99% | 22.63% | 59.25% |
| | 25-34 Years | 5.31% | 4.05% | 14.90% | 8.23% | 52.93% | 48.81% | 51.92% | 81.45% | 41.15% | 19.65% | 58.43% |
| | Over 34 Years | 1.55% | 2.58% | 12.76% | 12.03% | 42.12% | 41.99% | 39.02% | 68.18% | 25.13% | 14.52% | 48.99% |
| Ethnicity | White Non-Hispanic | 3.00% | 4.21% | 15.75% | 9.11% | 43.42% | 40.33% | 44.67% | 80.59% | 38.35% | 17.34% | 54.26% |
| | Black Non-Hispanic | 6.08% | 1.97% | 13.15% | 10.34% | 53.41% | 59.08% | 54.87% | 76.81% | 45.24% | 21.04% | 55.49% |
| | Hispanic | 15.80% | 4.81% | 11.52% | 8.14% | 54.85% | 54.47% | 45.22% | 74.58% | 40.06% | 23.85% | 63.14% |
| Married | Married | 4.74% | 5.16% | 14.86% | 8.65% | 52.99% | 44.75% | 47.09% | 79.70% | 34.03% | 18.90% | 54.43% |
| | Not Married | 8.56% | 1.82% | 12.71% | 10.43% | 46.17% | 54.25% | 49.83% | 78.36% | 48.24% | 21.67% | 60.20% |
| Previous Live Birth | Yes | 7.10% | 3.71% | 11.79% | 8.32% | 48.43% | 47.52% | 42.75% | 73.85% | 34.12% | 22.50% | 56.31% |
| | No | 5.66% | 3.43% | 17.10% | 11.23% | 52.33% | 51.88% | 57.49% | 87.58% | 50.62% | 16.61% | 58.51% |
| Education | Less Than 12 Years | 12.02% | 3.72% | 11.63% | 9.39% | 55.26% | 55.94% | 45.48% | 72.88% | 41.47% | 20.63% | 64.19% |
| | 12 Years | 8.47% | 1.12% | 10.33% | 9.46% | 46.65% | 49.29% | 47.25% | 75.29% | 43.91% | 21.15% | 56.94% |
| | Greater Than 12 Years | 4.16% | 4.34% | 15.68% | 9.29% | 49.84% | 47.39% | 49.32% | 82.02% | 38.71% | 19.25% | 55.20% |
| | Upper 95% CI | Q68H | Q68I | Q68J | Q68K | Q70A | Q70B | Q70C | Q70D | Q70E | Q70F | Q70G |
| Total | Yes | 7.77% | 4.55% | 15.53% | 10.90% | 52.31% | 51.58% | 50.82% | 81.02% | 42.84% | 22.15% | 59.50% |
| Age | Under 20 Years | 17.65% | 4.47% | 11.37% | 19.37% | 57.72% | 72.57% | 70.56% | 87.22% | 64.28% | 42.56% | 67.46% |
| | 20-24 Years | 16.74% | 4.81% | 15.30% | 10.85% | 51.52% | 56.75% | 46.50% | 84.81% | 53.61% | 26.61% | 63.75% |
| | 25-34 Years | 6.53% | 5.14% | 16.80% | 9.72% | 55.52% | 51.41% | 54.52% | 83.43% | 43.73% | 21.76% | 60.98% |
| | Over 34 Years | 2.86% | 4.19% | 15.89% | 15.09% | 46.55% | 46.42% | 43.41% | 72.25% | 29.09% | 17.80% | 53.45% |
| Ethnicity | White Non-Hispanic | 4.03% | 5.41% | 17.85% | 10.79% | 46.21% | 43.10% | 47.46% | 82.76% | 41.10% | 19.51% | 57.04% |
| | Black Non-Hispanic | 8.10% | 3.23% | 15.93% | 12.87% | 57.33% | 62.93% | 58.78% | 80.06% | 49.18% | 24.35% | 59.39% |
| | Hispanic | 19.23% | 6.93% | 14.55% | 10.78% | 59.32% | 58.94% | 49.72% | 78.41% | 44.52% | 27.79% | 67.43% |
| Married | Married | 5.95% | 6.42% | 16.82% | 10.22% | 55.67% | 47.43% | 49.78% | 81.82% | 36.60% | 21.05% | 57.10% |
| | Not Married | 10.26% | 2.69% | 14.71% | 12.27% | 49.07% | 57.14% | 52.74% | 80.71% | 51.15% | 24.12% | 63.03% |
| Previous Live Birth | Yes | 8.45% | 4.73% | 13.46% | 9.77% | 50.95% | 50.04% | 45.26% | 76.04% | 36.53% | 24.64% | 58.80% |
| | No | 7.22% | 4.68% | 19.55% | 13.31% | 55.49% | 55.05% | 60.61% | 89.60% | 53.78% | 19.04% | 61.62% |
| Education | Less Than 12 Years | 15.65% | 5.97% | 15.21% | 12.68% | 60.45% | 61.11% | 50.73% | 77.42% | 46.69% | 25.04% | 69.14% |
| | 12 Years | 10.77% | 2.10% | 12.83% | 11.87% | 50.55% | 53.19% | 51.15% | 78.58% | 47.80% | 24.42% | 60.78% |
| | Greater Than 12 Years | 5.24% | 5.45% | 17.58% | 10.83% | 52.39% | 49.94% | 51.87% | 83.94% | 41.21% | 21.30% | 57.73% |

| Table BL. Percent Response Yes and Lower/Upper 95% CI, Delaware 2019 PRAMS (RAW Variables): Q70H-Q79B | | | | | | | | | |
|---|-----------------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|
| | Percent Response Yes | Q70H | Q70I | Q70J | Q75A | Q75B | Q76 | Q79A | Q79B |
| Total | Yes | 67.52% | 80.56% | 24.11% | 10.27% | 6.44% | 89.54% | 8.17% | 10.48% |
| Age | Under 20 Years | 83.26% | 83.26% | 27.27% | 2.93% | 0.00% | 85.56% | 17.46% | 6.46% |
| | 20-24 Years | 70.67% | 80.43% | 27.26% | 10.36% | 8.48% | 85.79% | 8.96% | 9.04% |
| | 25-34 Years | 69.14% | 83.19% | 23.63% | 10.60% | 5.65% | 90.93% | 8.34% | 11.89% |
| | Over 34 Years | 56.06% | 72.31% | 21.83% | 10.99% | 8.40% | 89.91% | 4.72% | 8.65% |
| Ethnicity | White Non-Hispanic | 63.27% | 81.59% | 14.34% | 10.33% | 6.04% | 91.79% | 5.58% | 12.80% |
| | Black Non-Hispanic | 72.25% | 80.52% | 29.98% | 10.08% | 8.25% | 85.30% | 10.80% | 9.87% |
| | Hispanic | 69.21% | 75.84% | 35.92% | 10.36% | 7.21% | 86.44% | 12.06% | 7.95% |
| Married | Married | 64.06% | 81.62% | 19.78% | 10.48% | 6.86% | 91.54% | 5.67% | 8.82% |
| | Not Married | 71.45% | 79.49% | 29.15% | 10.07% | 5.97% | 87.28% | 11.00% | 12.47% |
| Previous Live Birth | Yes | 65.94% | 78.14% | 23.27% | 11.49% | 7.08% | 90.20% | 7.35% | 10.12% |
| | No | 70.01% | 84.39% | 25.44% | 8.35% | 5.42% | 88.49% | 9.46% | 11.06% |
| Education | Less Than 12 Years | 74.46% | 76.57% | 37.75% | 7.06% | 10.54% | 88.33% | 16.89% | 12.63% |
| | 12 Years | 66.08% | 80.09% | 28.47% | 10.02% | 7.31% | 84.62% | 9.43% | 11.34% |
| | Greater Than 12 Years | 66.51% | 81.84% | 18.99% | 11.24% | 5.09% | 91.93% | 5.65% | 9.71% |
| | Lower 95% CI | Q70H | Q70I | Q70J | Q75A | Q75B | Q76 | Q79A | Q79B |
| Total | Yes | 66.59% | 79.78% | 23.27% | 9.68% | 5.96% | 88.94% | 7.63% | 9.88% |
| Age | Under 20 Years | 79.85% | 79.85% | 23.21% | 1.39% | 0.00% | 82.35% | 13.99% | 4.22% |
| | 20-24 Years | 68.57% | 78.60% | 25.20% | 8.95% | 7.19% | 84.18% | 7.64% | 7.72% |
| | 25-34 Years | 67.94% | 82.21% | 22.53% | 9.80% | 5.05% | 90.18% | 7.62% | 11.05% |
| | Over 34 Years | 53.84% | 70.32% | 19.98% | 9.59% | 7.17% | 88.57% | 3.77% | 7.40% |
| Ethnicity | White Non-Hispanic | 61.92% | 80.50% | 13.36% | 9.48% | 5.37% | 91.02% | 4.94% | 11.87% |
| | Black Non-Hispanic | 70.48% | 78.96% | 28.17% | 8.90% | 7.17% | 83.90% | 9.57% | 8.70% |
| | Hispanic | 67.13% | 73.91% | 33.76% | 8.98% | 6.04% | 84.90% | 10.60% | 6.73% |
| Married | Married | 62.77% | 80.57% | 18.71% | 9.66% | 6.18% | 90.80% | 5.05% | 8.06% |
| | Not Married | 70.14% | 78.32% | 27.83% | 9.19% | 5.28% | 86.31% | 10.09% | 11.51% |
| Previous Live Birth | Yes | 64.75% | 77.09% | 22.21% | 10.69% | 6.44% | 89.45% | 6.70% | 9.36% |
| | No | 68.56% | 83.24% | 24.06% | 7.47% | 4.71% | 87.48% | 8.53% | 10.06% |
| Education | Less Than 12 Years | 72.17% | 74.35% | 35.20% | 5.71% | 8.93% | 86.65% | 14.92% | 10.89% |
| | 12 Years | 64.23% | 78.53% | 26.71% | 8.84% | 6.29% | 83.21% | 8.29% | 10.10% |
| | Greater Than 12 Years | 65.31% | 80.86% | 17.99% | 10.44% | 4.53% | 91.23% | 5.06% | 8.95% |
| | Upper 95% CI | Q70H | Q70I | Q70J | Q75A | Q75B | Q76 | Q79A | Q79B |
| Total | Yes | 68.44% | 81.34% | 24.95% | 10.87% | 6.93% | 90.14% | 8.71% | 11.09% |
| Age | Under 20 Years | 86.67% | 86.67% | 31.34% | 4.47% | 0.00% | 88.77% | 20.92% | 8.71% |
| | 20-24 Years | 72.78% | 82.27% | 29.31% | 11.77% | 9.77% | 87.41% | 10.28% | 10.37% |
| | 25-34 Years | 70.34% | 84.16% | 24.74% | 11.40% | 6.25% | 91.67% | 9.06% | 12.73% |
| | Over 34 Years | 58.27% | 74.31% | 23.67% | 12.38% | 9.64% | 91.25% | 5.67% | 9.91% |
| Ethnicity | White Non-Hispanic | 64.62% | 82.68% | 15.32% | 11.18% | 6.71% | 92.56% | 6.22% | 13.74% |
| | Black Non-Hispanic | 74.02% | 82.08% | 31.79% | 11.27% | 9.34% | 86.69% | 12.02% | 11.05% |
| | Hispanic | 71.29% | 77.77% | 38.09% | 11.73% | 8.38% | 87.99% | 13.53% | 9.17% |
| Married | Married | 65.35% | 82.66% | 20.85% | 11.31% | 7.54% | 92.29% | 6.29% | 9.58% |
| | Not Married | 72.77% | 80.67% | 30.47% | 10.94% | 6.66% | 88.25% | 11.92% | 13.43% |
| Previous Live Birth | Yes | 67.14% | 79.18% | 24.34% | 12.30% | 7.73% | 90.95% | 8.01% | 10.88% |
| | No | 71.46% | 85.54% | 26.82% | 9.23% | 6.14% | 89.50% | 10.39% | 12.05% |
| Education | Less Than 12 Years | 76.75% | 78.80% | 40.29% | 8.40% | 12.16% | 90.02% | 18.86% | 14.37% |
| | 12 Years | 67.93% | 81.65% | 30.23% | 11.19% | 8.32% | 86.03% | 10.57% | 12.58% |
| | Greater Than 12 Years | 67.72% | 82.83% | 19.99% | 12.05% | 5.66% | 92.62% | 6.24% | 10.46% |