

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

2020 Analysis

November 2022



DELAWARE HEALTH AND SOCIAL SERVICES
Division of Public Health
Center for Family Health Research and Epidemiology



FORWARD CONSULTANTS

CONTACT INFORMATION

George Yocher

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

1351 West North Street Suite 103

Dover, DE 19904

302.608.5745 Office

302.608.5731 Fax

george.yocher@delaware.gov

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

vikrum@forward-consultants.com

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2020 Analysis. November 2022.”

Delaware PRAMS is made possible through a cooperative agreement with the Centers for Disease Control and Prevention, grant 5 U01DP006239.

TABLE OF CONTENTS

EXECUTIVE SUMMARY 19

INTRODUCTION 21

METHODS 21

Choosing & Retooling the Questions for Analysis 22

Choosing Demographic Categories for Analysis..... 23

Putting the Questions & Demographic Categories Together for Analysis..... 24

RESULTS 26

Pregnancy Intention & Becoming Pregnant..... 27

 Pregnancy Intention 27

 Becoming Pregnant 27

Prenatal Care 28

 Starting Prenatal Care 28

 Access to Prenatal Care 28

 During Prenatal Care Visits 28

Infant Care 28

 Breastfeeding 29

 SIDS Prevention..... 29

 Infant Survival 29

Alcohol & Tobacco Use 30

 Alcohol Use 30

 Tobacco Use..... 30

Health Care Utilization..... 30

 HIV Testing 30

 Parenting Classes 30

 Physician Visits..... 30

 Dentist Visits..... 30

 Contraception 31

Health Status 31

 Before Becoming Pregnant 31

 During Most Recent Pregnancy 32

 Postpartum Depression 32

Health Coverage..... 32

 Before Becoming Pregnant 32

 Prenatal Care Payer..... 33

 During Most Recent Pregnancy 33

 During Delivery and Well-Baby Checkups 33

Social Support 34

Effects of COVID-19 Pandemic..... 34

DISCUSSION 34

GRAPHS..... 37

TABLES..... 175

APPENDIX A (RAW VARIABLE GRAPHS)..... 201

APPENDIX B (RAW VARIABLE TABLES)..... 266

TABLE OF FIGURES

BEFORE PREGNANCY

Q4: Before you got pregnant, did you have any other babies who were born alive?..... 37

Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? 38

Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? 39

Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? 39

Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? 40

Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history? 40

Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? 44

Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? 45

Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? 45

Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office? 46

Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?..... 47

Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? 48

Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?..... 49

Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? 49

Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure? 50

Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? 50

Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? 51

BEFORE PREGNANCY (Continued)

Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? 51

Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? 52

Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?..... 52

Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?..... 53

Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?..... 53

Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? 54

Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?..... 54

Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? 55

Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?..... 55

Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?..... 56

Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?..... 56

Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? 57

Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? 57

Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby?..... 58

Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?..... 58

BEFORE PREGNANCY (Continued)

Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?..... 59

Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner? 59

Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents? 60

Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov? 60

Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? 61

Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? 61

Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? 62

Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? 62

Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? 63

Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later..... 72

Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. 72

Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. 73

Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future. 73

Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted..... 74

Q19: When you got pregnant with your new baby, were you trying to get pregnant? 74

Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? 75

Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?..... 86

Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? 87

Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? 87

HEALTH RISKS BEFORE PREGNANCY

Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth? 37

Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?..... 38

Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes?.....Error! Bookmark not defined.

Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? 41

Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? 41

Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? 42

Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? 42

Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems?..... 43

Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)? 43

Q8H: During the month before you got pregnant with your new baby, did you have anxiety? 44

Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition? 46

Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? 47

Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? 48

Q35: Have you smoked any cigarettes in the past 2 years? 103

Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?..... 104

Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? 106

Q40B: Have you used hookah in the past 2 years? 106

Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years? 107

Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years? 107

Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 108

Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 108

Q43: Have you had any alcoholic drinks in the past 2 years? 109

Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?..... 109

HEALTH RISKS BEFORE PREGNANCY (Continued)

Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?..... 117

Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 118

Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?..... 118

Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?..... 152

Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? 152

Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? 153

PRENATAL CARE

Q16A: During my most recent pregnancy, I did not go for prenatal care. 63

Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. 64

Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care..... 64

Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. 65

Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. 65

Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care..... 66

Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care..... 66

Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. 67

Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. 67

Q23: Did you get prenatal care as early in your pregnancy as you wanted? 75

Q24A: I couldn’t get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. 76

Q24B: I didn’t have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. 76

PRENATAL CARE (Continued)

Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted..... 77

Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 77

Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. 78

Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 78

Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted..... 79

Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 79

Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 80

Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 80

Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. 81

Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? 81

Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?..... 82

Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 82

Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? 83

Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 83

Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? 84

Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?..... 84

Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)? 85

Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? 85

Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born? 86

PRENATAL CARE (Continued)

Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?..... 153

HEALTH RISKS DURING PREGNANCY

Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. 90

Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. 91

Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? 91

Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy)? 92

Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia?..... 92

Q32C: During your most recent pregnancy, did you have depression? 93

Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? 93

Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? 94

Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy?..... 94

Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?..... 95

Q33E: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy?..... 95

Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?..... 96

Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 96

Q33H: Did you have to have a blood transfusion during your most recent pregnancy?..... 97

Q33I: Did you get hurt in a car accident during your most recent pregnancy?..... 97

Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts? 98

Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes?..... 98

Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia? 99

Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea? 99

Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?..... 100

HEALTH RISKS DURING PREGNANCY (Continued)

Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis? 100

Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)? 101

Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? 101

Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis? 102

Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? 102

Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? 103

Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?..... 104

Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? 105

Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?..... 110

Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 119

Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 119

Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? 120

DELIVERY AND POSTPARTUM

Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. 68

Q17B: I have private health insurance from my parents as my health insurance now..... 68

Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now..... 69

Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now..... 69

Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now. 70

Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now..... 70

Q17G: I have TRICARE or other military health care as my health insurance now. 71

Q17H: I do not have health insurance now. 71

Q38: Do you currently smoke 11 or more cigarettes on average each day? 105

Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)? 120

DELIVERY AND POSTPARTUM (Continued)

Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days? 121

Q53: Is your baby alive now? 121

Q54: Is your baby living with you now? 122

Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? 126

Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? 126

Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? 127

Q60: Does your baby always or often sleep alone in his or her own crib or bed? .. 127

Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? 128

Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? 128

Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed? 129

Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair? 129

Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? 130

Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? 130

Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket? 131

Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? 131

Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? 132

Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? 132

Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? 133

Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? 133

Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? 134

Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? 134

Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? 135

Q69: Since your new baby was born, have you had a postpartum checkup for yourself? 145

Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? 146

DELIVERY AND POSTPARTUM (Continued)

Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?..... 146

Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again? 147

Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? 147

Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms? 148

Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?..... 148

Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 149

Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 149

Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?..... 150

Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? 150

Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?..... 151

Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? 151

INTERCONCEPTION BEHAVIORS

Q66: Are you or your husband or partner doing anything now to keep from getting pregnant? 135

Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 136

Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 136

Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 137

Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 137

Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 138

Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 138

INTERCONCEPTION BEHAVIORS (Continued)

Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 139

Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 139

Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 140

Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 140

Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. 141

Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. 141

Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. 142

Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 142

Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 143

Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 143

Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 144

Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 144

Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 145

HEALTH PROMOTING BEHAVIORS

Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? 88

Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? 88

Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy. 89

Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums. 89

Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. 90

HEALTH PROMOTING BEHAVIORS (Continued)

Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? 122

Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?..... 123

Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? 123

Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? 124

Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group?..... 124

Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? 125

Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?..... 125

Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems?..... 155

Q77D: During your most recent pregnancy, did you receive help to quit smoking? 155

Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home? 156

Q79A: During your most recent pregnancy, did you take any parenting classes? 158

Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? 159

SOCIOECONOMIC INDICATORS

Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? 110

Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? 111

Q46C: During the 12 months before your new baby was born, did you move to a new address? 111

Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? 112

Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? 112

Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?..... 113

Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? 113

Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? 114

Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?..... 114

SOCIOECONOMIC INDICATORS (Continued)

Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? 115

Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? 115

Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? 116

Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? 116

Q46N: During the 12 months before your new baby was born, did someone very close to you die? 117

Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? 154

Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? 154

Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? 156

Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? 157

Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? 157

Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? 158

EFFECTS OF THE COVID-19 PANDEMIC

QCV2A: Lack of availability of virtual appointments from my provider was the reason why I did not attend virtual appointments for prenatal care. 159

QCV2B: Lack of an available telephone to use for appointments was the reason why I did not attend virtual appointments for prenatal care? 160

QCV2C: Lack of enough cellular data or cellular minutes was the reason why I did not attend virtual appointments for prenatal care. 160

QCV2D: Lack of a computer or device was the reason why I did not attend virtual appointments for prenatal care? 161

QCV2E: Lack of internet service or had unreliable internet was the reason why I did not attend virtual appointments for prenatal care. 161

QCV2F: Lack of a private or confidential space to use was the reason why I did not attend virtual appointments for prenatal care. 162

QCV2G: I preferred seeing my health care provider in person was the reason why I did not attend virtual appointments for prenatal care. 162

QCV3A: My prenatal care appointments were canceled or delayed because my provider's office was closed or had reduced hours during the COVID-19 pandemic. 163

QCV3B: I canceled or delayed my prenatal care appointments because I was afraid of being exposed to COVID-19 during the appointments. 163

QCV3C: I canceled or delayed my prenatal care appointments because I lost my health insurance during the COVID-19 pandemic. 164

EFFECTS OF THE COVID-19 PANDEMIC (Continued)

QCV3D: I canceled or delayed my prenatal care appointments because I had problems finding care for my children or other family members during the COVID-19 pandemic. 164

QCV3E: I canceled or delayed my prenatal care appointments because I worried about taking public transportation and had no other way to get there during the COVID-19 pandemic. 165

QCV3F: My prenatal appointments were canceled or delayed because I had to self-isolate due to possible COVID-19 exposure or infection..... 165

QCV6A: My husband or partner was with me in the hospital delivery room as a support person during my labor and delivery. 166

QCV6B: Another family member or friend was with me in the hospital delivery room as a support person during my labor and delivery. 166

QCV6C: A doula was with me in the hospital delivery room as a support person during my labor and delivery..... 167

QCV6D: Some other support person (not including hospital staff) was with me in the hospital delivery room as a support person during my labor and delivery..... 167

QCV6E: The hospital did not allow me to have any support people with me in the hospital delivery room during my labor and delivery. 168

QCV7A: While in the hospital after my delivery, my baby was tested for COVID-19 in the hospital..... 168

QCV7B: While in the hospital after my delivery, I was separated from my baby in the hospital after delivery to protect my baby from COVID-19. 169

QCV7C: While in the hospital after my delivery, I wore a mask when other people came into my hospital room..... 169

QCV7D: While in the hospital after my delivery, I wore a mask while I was alone caring for my baby in the hospital. 170

QCV7E: While in the hospital after my delivery, I was given information about how to protect my baby from COVID-19 when I went home. 170

QCV8A: Due to the COVID-19 pandemic, I was given information in the hospital about how to protect my baby from infection while breastfeeding. 171

QCV8B: Due to the COVID-19 pandemic, I wore a mask while breastfeeding in the hospital. 171

QCV8C: Due to the COVID-19 pandemic, I pumped breast milk in the hospital so someone else could feed my baby to avoid him or her getting infected. 172

QCV8D: Due to the COVID-19 pandemic, I had trouble getting a visit from a lactation specialist while I was in the hospital..... 172

QCV9A: My baby’s well visits or checkups were canceled or delayed due to the COVID-19 pandemic..... 173

QCV9B: My baby’s well visits or checkups were changed from in-person visits to virtual appointments (video or telephone) due to the COVID-19 pandemic..... 173

QCV9C: My baby’s immunizations were postponed due to the COVID-19 pandemic..... 174

TABLE OF TABLES

Table 1. Questions Omitted from Analysis..... 22
Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 22
Table 3. Response Rates by Demographic Category, Delaware 2020 PRAMS..... 23
Table 4. Cross-Table of Respondents by Demographic Categories. 25
Table 5. χ^2 of Demographic Category Comparisons 25
Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme..... 26
Table 7A. Percent Response Yes and Lower/Upper 95% CI, Q4-Q8C 175
Table 7B. Percent Response Yes and Lower/Upper 95% CI, Q8D-Q11D 176
Table 7C. Percent Response Yes and Lower/Upper 95% CI, Q11E-Q12H 177
Table 7D. Percent Response Yes and Lower/Upper 95% CI, Q12I-Q14F 178
Table 7E. Percent Response Yes and Lower/Upper 95% CI, Q14G-Q16A 179
Table 7F. Percent Response Yes and Lower/Upper 95% CI, Q16B-Q17C 180
Table 7G. Percent Response Yes and Lower/Upper 95% CI, Q17D-Q19 181
Table 7H. Percent Response Yes and Lower/Upper 95% CI, Q20-Q24I 182
Table 7I. Percent Response Yes and Lower/Upper 95% CI, Q24J-Q25I..... 183
Table 7J. Percent Response Yes and Lower/Upper 95% CI, Q25J-Q30E 184
Table 7K. Percent Response Yes and Lower/Upper 95% CI, Q31-Q33G..... 185
Table 7L. Percent Response Yes and Lower/Upper 95% CI, Q33H-Q34I..... 186
Table 7M. Percent Response Yes and Lower/Upper 95% CI, Q34J-Q40D 187
Table 7N. Percent Response Yes and Lower/Upper 95% CI, Q41-Q46F..... 188
Table 7O. Percent Response Yes and Lower/Upper 95% CI, Q46G-Q47C..... 189
Table 7P. Percent Response Yes and Lower/Upper 95% CI, Q48A-Q55D..... 190
Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Q55E-Q62C 191
Table 7R. Percent Response Yes and Lower/Upper 95% CI, Q62D-Q65 192
Table 7S. Percent Response Yes and Lower/Upper 95% CI, Q66-Q68B 193
Table 7T. Percent Response Yes and Lower/Upper 95% CI, Q68C-Q70A 194
Table 7U. Percent Response Yes and Lower/Upper 95% CI, Q70B-Q72 195
Table 7V. Percent Response Yes and Lower/Upper 95% CI, Q74-Q78B 196
**Table 7W. Percent Response Yes and Lower/Upper 95% CI, Q78C-Q79B,
 QCV2A-QCV2G 197**
Table 7X. Percent Response Yes and Lower/Upper 95% CI, QCV3A-QCV6E..... 198
Table 7Y. Percent Response Yes and Lower/Upper 95% CI, CV7A-QCV9B 199
Table 7Z. Percent Response Yes and Lower/Upper 95% CI, QCV9C 200

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2020 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives. The survey year of 2020 is part of the Phase 8 survey cycle, which started in 2016. Unlike previous Phase 8 surveys, the 2020 survey includes additional questions relevant to the COVID-19 pandemic.

Methods

Delaware's 2020 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 89 questions in the survey, 12 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 77 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 276 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. A weighted average scheme outlined by the CDC was implemented to apply the survey results to the entire 2020 Delaware PRAMS-eligible population. Finally, an additional analysis was conducted on the 30 questions that were provided in a COVID-19 supplemental questionnaire to this iteration of the survey.

It is essential to note that the denominators used to generate the percentages throughout this report are based on how the entire PRAMS-eligible population would have responded to the question. Therefore, the denominators - in total and stratified by age, race/ethnicity, marital status, prior live birth, educational attainment - were the same for every response presented in the report. These denominators are given in Table 6. This way of reporting differs from the method used by the CDC, in which the inclusion (or exclusion) criteria specific to each question are used to calculate the percentages. This inclusion (or exclusion) criteria are based on the flow of the questions and responses in the PRAMS survey. For example, in the PRAMS survey, if the respondent answers "No" to question 19 ("When you got pregnant with your new baby, were you trying to get pregnant?"), then the survey prompts the respondent to proceed to question 20 ("When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?"). If the respondent answers "Yes" to question 19, then the respondent is prompted to skip question 20 and proceed to question 21. In this report, the entire PRAMS-eligible population (in total and stratified by the demographic categories listed above) was used for the denominators in the calculations to question 20, regardless of the response given by the respondent to question 19. However, in the method used by the CDC, only those respondents who answered "No" to question 19 were included in the denominator calculation for question 20.

Results

White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents. These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. Roughly one in eight Black non-Hispanic women did not want to be pregnant; this contrasts with approximately one in twenty White non-Hispanic women. The percentage of White non-Hispanic women wanted to be pregnant sooner was almost triple that of Black non-Hispanic women. Moreover, almost half of White non-Hispanic women tried to get pregnant at the time they became pregnant with their new baby as compared to about one-quarter of Black non-Hispanic women. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanic women consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanic women and Hispanic women. As in previous PRAMS analyses, a comparatively high percentage of Hispanic women said that they did not have health insurance to help pay for prenatal care. Furthermore, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively. Finally, the addition of the COVID-19 questions illustrated how the three race/ethnicity groups examined had fairly varied experiences with their reported access to prenatal care, breastfeeding behaviors, and information provided to them to help reduce potential infection; for example, when trying to access prenatal care during the pandemic, Hispanic women tended to report technological barriers and limited availability of virtual appointments as issues whereas White non-Hispanic women were more likely to say that they were worried about taking public transportation, having to self-isolate, or having to find care for their children or for other family members.

Conclusions

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. Although the percentage of Black non-Hispanic women and White non-Hispanic women that reported breastfeeding or pumping breast milk to feed their new baby *after delivery* was fairly similar in this year's analysis, a higher percentage of White non-Hispanic women were likely to report that they were *currently* breastfeeding or feeding pumped milk to their new baby compared to Black non-Hispanic women. Generally speaking, these, as well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health.

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health)
- PRAMS provides data for state health officials to use to improve the health of mothers and infants
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.*

This report offers a comprehensive snapshot of Delaware's 2020 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2020 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.* In order to reduce response bias, the CDC has set a benchmark rate of 55 percent as the PRAMS survey response rate. In 2020, Delaware surveyed 1,608 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 53.11 percent (854 women responding).

* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 89 questions in the 2020 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

Table 1. Questions Omitted from Analysis.

Question	Reason for Omission from Analysis
1, 2, 3, 21, 22, 49, 50, 58, 73, 81, and 82	Data Specific to Respondent
80	Too Complex to Derive Meaningful Results

Of the remaining 77 questions, 59 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 18 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 59 to 276. To ease analysis and downstream comparisons, the 18 multi-response questions were retooled into binary responses as defined by Table 2.

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.[†]

	Response = “No”	Response = “Yes”	Response = “N/A” [‡]
Q9	1	2, 3, 4	
Q18	Segmented into five questions.		
Q27	Segmented into two questions.		
Q36	4, 5, 6	1, 2, 3	7
Q37	6	1, 2, 3, 4, 5	7
Q38	4, 5, 6	1, 2, 3	7
Q39	1	2, 3	
Q41	3, 4, 5	1, 2	
Q42	3, 4, 5	1, 2	
Q44	4, 5, 6	1, 2, 3	7
Q45	6	1, 2, 3, 4, 5	7
Q52	1, 2	3, 4, 5, 7	6
Q59	1, 3	2	
Q60	3, 4, 5	1, 2	
Q64	1	2	3
Q71	3, 4, 5	1, 2	
Q72	3, 4, 5	1, 2	
Q75	Segmented into two questions.		

These 18 multi-response questions resulted in 24 additional binary questions, which brought the total number of questions under investigation to 276.

[†] Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

[‡] “N/A” responses refer to responses that cannot be categorized in a binary manner.

Finally, note that this analysis makes use of “non-RAW” variables. Of the 276 questions investigated, 129 comprised of variables that were transformed by the CDC from “RAW” to “non-RAW”. Graphs of the 129 “RAW” variables are presented in Appendix A (pages 201 to 265) and the corresponding tables of the 129 “RAW” variables are given in Appendix B (pages 266 to 277). The results, graphs, and tables of the “non-RAW” variables are featured with the other variables (questions) in the body of this report.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

Table 3. Response Rates by Demographic Category, Delaware 2020 PRAMS.

Total		Respondents	Total	Percent Response
		854	1,608	53.11%
Age	Under 20 Years	28	64	43.75%
	20-24 Years	127	292	43.49%
	25-34 Years	517	936	55.24%
	Over 34 Years	182	316	57.59%
	Total	854	1,608	53.11%
Ethnicity	White Non-Hispanics	431	720	59.86%
	Black Non-Hispanics	203	485	41.86%
	Hispanic	149	259	57.53%
	Total [§]	783	1,464	53.48%
Married	Married	481	776	61.98%
	Not Married	373	830	44.94%
	Total ^{**}	854	1,606	53.18%
Previous Live Birth	Yes	518	969	53.46%
	No	332	628	52.87%
	Total	850	1,597	53.22%
Education	Less Than 12 Years	130	233	55.79%
	12 Years	210	450	46.67%
	Greater Than 12 Years	493	885	55.71%
	Total ^{**}	833	1,568	53.13%

A cross-table of the demographic category was created (Table 4) and χ^2 tests were performed (Table 5) to assess whether a significant relationship ($\alpha = 0.05$) exists between categories. Note that an analysis of “Age” on both “Married” and “Previous Live Birth” was not conducted given the relatively small counts in these cells.

[§] The “Ethnicity” totals were markedly lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 71 (8.31%).

^{**} The “Married” and “Education” totals were slightly lower as data was not reported or available for certain respondents.

In this population, significant associations occurred between “Ethnicity: Hispanic/White NH” and “Ethnicity: Black NH/White NH” and all other demographic categories except for “Previous Live Birth”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2020 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^{††} This weighted average methodology involved performing the following steps for each of the 276 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *w_{tanal}* in the 2020 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on page 25.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

In this report, questions that were included as part of a COVID-19 pandemic supplemental questionnaire were assessed in a somewhat different manner. Although the weighted average scheme was also applied to the responses to these questions, the percentages that were calculated *only* pertain to the respondents who provided a response to the question in the supplemental questionnaire (i.e., respondents who did not answer the question at all or were not provided a supplemental questionnaire were not included in the percentages). This modification was carried out due to the relatively smaller number of respondents who completed the supplemental questionnaire ($n = 335$) relative to the total number of survey respondents ($n = 854$). Each of the 30 COVID-19 pandemic supplemental questionnaire graphs and table data is noted with a “QCV” prefix.

^{††} Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2020 PRAMS.

		Total	Race/Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	64	13	32	18	3	61	7	56	32	29	0
	20-24 Years	292	102	108	64	63	228	119	173	56	138	93
	25-34 Years	936	447	269	129	504	432	598	329	107	237	566
	Over 34 Years	316	158	76	48	206	109	245	70	38	46	226
Race/Ethnicity	White Non-Hispanic	720				451	268	420	297	65	165	481
	Black Non-Hispanic	485				120	364	307	176	61	192	218
	Hispanic	259				94	165	176	81	99	71	79
Married	Married	776						479	292	62	111	594
	Not Married	830						489	335	171	337	291
Previous Live Birth	Yes	969								171	282	496
	No	628								62	167	386
Education	Less Than 12 Years	227										
	12 Years	492										
	Greater Than 12	915										

Table 5. χ^2 of Demographic Category Comparisons, Delaware 2020 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	36.75 ^{##} (<i>S</i>)	34.34 ^{##} (<i>S</i>)	N/A	157.76 (<i>S</i>)	N/A
Ethnicity: Black NH			166.92 ^{##} (<i>S</i>)	3.00 ^{##} (<i>N/S</i>)	54.65 ^{##} (<i>S</i>)
Ethnicity: Hispanic			53.92 ^{##} (<i>S</i>)	7.82 ^{##} (<i>S</i>)	144.11 ^{##} (<i>S</i>)
Married					268.20 (<i>S</i>)
Previous Live Birth					23.93 (<i>S</i>)

^{##} The χ^2 results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2020 PRAMS.

		Population of Births	Percent Response
Total		9,669	N/A
Age	Under 20 Years	385	3.98%
	20-24 Years	1,746	18.06%
	25-34 Years	5,674	58.68%
	Over 34 Years	1,863	19.27%
Ethnicity	White NH	4,735	52.63%
	Black NH	2,501	27.80%
	Hispanic	1,761	19.57%
Married	Married	4,837	50.03%
	Not Married	4,832	49.97%
Previous Live Birth	Yes	5,985	62.09%
	No	3,654	37.91%
Education	Less Than 12 Years	1,389	14.73%
	12 Years	2,603	27.61%
	Greater Than 12 Years	5,437	57.66%

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 37 to 174. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 175 to 200 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

RESULTS

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 36 and provided in the table on page 159), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (59.71 percent) did not overlap the 95 percent confidence interval for the percent of Hispanics responding “Yes” (66.65 percent). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2020 PRAMS-eligible

population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

As given by the results to Q18B, A significantly higher percentage of White non-Hispanics (21.67 percent) wanted to be pregnant *sooner* as compared to Black non-Hispanics (7.73 percent) and Hispanics (7.81 percent). However, as indicated in Q18A, a significantly lower percentage of White non-Hispanics (16.47 percent) wanted to be pregnant *later* as compared to Black non-Hispanics (25.84 percent) or Hispanics (22.20 percent). Moreover, 45.90 percent of White non-Hispanics and 39.64 percent of Hispanics wanted to be pregnant then; this contrasts with 25.14 percent of Black non-Hispanics (Q18C). As suggested in Q19, a significantly higher percentage of White non-Hispanics (63.08 percent) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (28.26 percent) and Hispanics (41.26 percent). This also was the case for married women (68.88 percent) compared with non-married women (30.32 percent) and for older women and women with more years of education.

Furthermore, 16.88 percent of White non-Hispanics claimed that they or their husband or partner were doing something to keep from getting pregnant (Q20), which was significantly lower than the corresponding percentages for Black non-Hispanics (21.82 percent) and Hispanics (23.37 percent).

Becoming Pregnant

As shown in Q12D, compared to 18.99 percent of Black non-Hispanic women and 23.02 percent of Hispanic women, a higher percentage of White non-Hispanic women (34.67 percent) stated that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about their desire to have or not have children. Similarly, compared to Black non-Hispanic and Hispanic women, a higher percentage of White non-Hispanic women responded that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about taking a vitamin with folic acid (Q12A) and about smoking cigarettes (Q12H). As given in Q12E, a slightly higher percentage of Hispanic women (35.97 percent) claimed that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about using birth control to prevent pregnancy as compared to White non-Hispanic women (29.02 percent) and Black non-Hispanic women (32.22 percent).

In addition, a lower percentage of White non-Hispanic women (8.96 percent) and Black non-Hispanic women (8.73 percent) stated that a doctor, nurse, or other health care worker talked with them about visiting a dentist or dental hygienist before pregnancy as compared to Hispanic women (15.83 percent) as given in Q14B. Finally, as given in Q14D, when asked if a doctor, nurse, or other health care worker talked with the respondent about getting counseling or treatment for depression or anxiety before getting pregnant with their new baby, a lower percentage of White non-Hispanic women (7.20 percent) and Black non-Hispanic women (5.93 percent) answered “Yes” as compared to Hispanic women (10.69 percent).

Prenatal Care

Starting Prenatal Care

A higher percentage of women in older age groups stated that they received prenatal care as early in their pregnancy as they wanted (ages 20-24 years: 72.43 percent; ages 25-34 years: 80.98 percent; and over 34 years: 82.28 percent) as compared to women in the youngest age group (age under 20 years: 59.29 percent) as shown in Q23. In addition, a significantly lower percentage of Black non-Hispanic women (72.26 percent) reportedly they received prenatal care as early in their pregnancy as they wanted as compared to White non-Hispanics (81.36 percent) and Hispanics (82.64 percent).

Access to Prenatal Care

A significantly higher percentage of Hispanic women (4.01 percent) compared to White non-Hispanic women (2.06 percent) and Black non-Hispanic women (0.94 percent) stated that they did not have enough money or insurance to pay for prenatal care visits (Q24B). Moreover, compared to White non-Hispanic women (2.18 percent) and Hispanic women (0.85 percent), a higher percentage of Black non-Hispanic women (5.03 percent) claimed that they had no way to get to the clinic or doctor's office (Q24C). As presented in Q24H, a slightly higher percentage of Black non-Hispanic women compared to White non-Hispanic and Hispanic women responded that they didn't have anyone to take care of their children, which kept them from getting prenatal care when they wanted it. Compared to women in older age ranges, a slightly higher percentage of women ages 20-24 years said that they didn't know they were pregnant (Q24I) as a reason for why they could not get prenatal care when they wanted. Finally, when compared with White non-Hispanics (0.76 percent) and Hispanics (0.67 percent), a significantly higher percentage of Black non-Hispanics (3.93 percent) stated that they didn't want anyone else to know they were pregnant (Q24J).

During Prenatal Care Visits

As given in Q25F, a significantly higher percentage of Black non-Hispanics (91.59 percent) claimed that a doctor, nurse, or other health care worker asked them if they were feeling down or depressed during any of their prenatal care visits as compared to White non-Hispanics (88.20 percent) and Hispanics (85.17 percent). Furthermore, compared to Black non-Hispanic and Hispanic women, a lower percentage of White non-Hispanic women answered "Yes" when asked whether or not a health care provider asked if they knew how much weight they should gain during pregnancy (Q25A), if they wanted to be tested for HIV (Q25H), and if they were planning to use birth control after their baby was born (Q25J).

Infant Care

Approximately one in twelve White non-Hispanic women (7.99 percent) and Hispanic women (7.72 percent) responded that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born (Q65). This was significantly lower than the reported percentage of Black non-Hispanics (12.07 percent). In addition, among women under age 20 years, this percentage was 15.51 percent, which is approximately twice that of the older age groups (ages 25-34 years: 8.97 percent; ages over 34 years: 8.92 percent).

Breastfeeding

A slightly higher percentage of White non-Hispanic and Black non-Hispanic respondents stated that they received information about breastfeeding from a nurse, midwife, or doula (Q55B) or a breastfeeding or lactation specialist (Q55C) as compared to Hispanic respondents. In addition, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic women and Hispanic women reported that they received information about breastfeeding a breastfeeding support group (Q55E) or a breastfeeding hotline or toll-free number (Q55F).

As suggested by the results to Q56, a significantly higher percentage of women in older age ranges reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to women in lower age ranges; among women under age 20 years, this percentage was 69.79 percent as compared to 82.98 percent among women ages 25-34 years and 88.67 percent among women over 34 years of age. Note also that a higher percentage of women with more education and that were married claimed that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education and that were non-married.

For Q56, the reported percentages across the race/ethnicity groups were fairly comparable (White non-Hispanics: 82.65 percent; Black non-Hispanics: 82.26 percent; and Hispanics: 82.35 percent). However, when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q57), only 41.33 percent of Black non-Hispanic women and 45.14 percent of Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to 50.78 percent of White non-Hispanic women. Correspondingly, a significantly higher percentage of women with more education and that were married stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to women with fewer years of education and that were non-married.

SIDS Prevention

A significantly higher percentage of White non-Hispanics (87.00 percent) and Hispanics (72.14 percent) compared to Black non-Hispanics (61.40 percent) reported laying their baby down on his or her back when they sleep (Q59). Compared with non-married women and women with fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. In addition, as given in Q60, a significantly higher percentage of White non-Hispanics (85.44 percent) reported that their baby always or often sleeps alone in his or her own crib or bed as compared to the corresponding percentages reported by Black non-Hispanics (64.74 percent) and Hispanics (73.85 percent).

Infant Survival

When women were asked whether or not their baby was alive at the time of the survey (Q53), a significantly higher percentage of White non-Hispanic women (98.11 percent) responded “Yes” as compared to Black non-Hispanic women (95.76 percent), which in turn was significantly higher than what was reported by Hispanic women (92.31 percent). Furthermore, in Q54, a significantly higher percentage of White non-Hispanic women (97.09 percent) stated that their baby was living with them now as compared to Hispanic women (90.97 percent).

Alcohol & Tobacco Use

Alcohol Use

Based on the results to Q43, a significantly higher percentage of White non-Hispanics (80.94 percent) answered that they had consumed at least one alcoholic drink in the past two years as compared to Black non-Hispanics (57.18 percent) and Hispanics (37.51 percent). In Q44, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant (20.32 percent) was more than triple that of Black non-Hispanics (6.29 percent) and almost ten times higher than that of Hispanics (2.35 percent).

Tobacco Use

When asked whether or not they smoked in the past two years (Q35), the percentage of non-married women responding “Yes” (30.64 percent) was almost triple that of married women (11.34 percent). Moreover, a significantly higher percentage of White non-Hispanics (27.79 percent) and Black non-Hispanics (22.27 percent) compared to Hispanics (6.54 percent) responded that they smoked in the past two years.

Note that the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was more than triple the percentage reported by Black non-Hispanic women (White non-Hispanics: 11.09 percent compared to Black non-Hispanics: 3.48 percent) as indicated in Q36. As indicated in Q38, White non-Hispanic women (4.36 percent) were more likely to currently smoke as compared to Black non-Hispanic women (2.03 percent) and Hispanic women (2.17 percent).

Health Care Utilization

HIV Testing

A significantly lower percentage of White non-Hispanic women (16.09 percent) stated that they had a test for HIV in the 12 months before they got pregnant as compared to Black non-Hispanic women (28.63 percent) and Hispanic women (27.16 percent) as given in Q12L.

Parenting Classes

As presented in Q79A, a higher percentage of Black non-Hispanic women (10.81 percent) and Hispanic women (10.49 percent) stated that they took parenting classes as compared to White non-Hispanic women (4.31 percent).

Physician Visits

As compared to both Black non-Hispanic and Hispanic women, a significantly higher percentage of White non-Hispanic women responded that they had a regular checkup with an OB/GYN (Q11B), a visit for an illness or chronic condition (Q11C), or a visit for depression or anxiety (Q11F) in the 12 months before they got pregnant with their new baby.

Dentist Visits

Approximately half (50.31 percent) of White non-Hispanics claimed that they had a visit to have their teeth cleaned by a dentist or dental hygienist in the 12 months before they got pregnant with their new baby (Q11G); this contrasts with 29.12 percent of Black non-Hispanics and 30.26 percent of Hispanics. As indicated in Q30A, 83.52 percent of respondents stated that they knew it was important to care for their teeth and gums during pregnancy. In addition, a little less than

half (45.05 percent) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For Q30B, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. As shown in Q29, however, a significantly higher percentage of White non-Hispanics (43.77 percent) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (26.38 percent) or Hispanics (27.52 percent). Furthermore, as given in Q30C, 69.89 percent of White non-Hispanics and 68.38 percent of Black non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Hispanics (38.17 percent). Finally, a higher percentage of Black non-Hispanics (27.21 percent) *needed* to see a dentist for a problem, as compared to 16.98 percent of White non-Hispanics and 15.64 percent of Hispanics (Q30D).

Contraception

A significantly higher percentage of White non-Hispanic women (13.46 percent) and Hispanic women (13.49 percent) said that they are now using an IUD (such as Mirena®, ParaGard®, Liletta®, or Skyla®) as compared to 7.92 percent of Black non-Hispanic women (Q68G). Furthermore, a significantly higher percentage of Hispanic women (17.57 percent) compared to White non-Hispanic women (3.04 percent) and Black non-Hispanic women (9.27 percent) stated that they are using a contraceptive implant in the arm (Nexplanon® or Implanon®) to keep from getting pregnant now (Q68H). In addition, 37.69 percent of all respondents said that a doctor, nurse, or other health care worker gave or prescribed a contraceptive method such as the pill, shot (Depo-Provera®, NuvaRing®, or condoms (Q70E) and approximately one in seven (15.92 percent) said that a health care provider inserted an IUD or contraceptive implant at a postpartum checkup (Q70F).

Health Status

Before Becoming Pregnant

As compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. In the responses to Q7B, 43.45 percent of White non-Hispanic women stated that they were exercising 3 or more days of the week for fitness outside of their regular jobs; this contrasts with 31.68 percent of Black non-Hispanic women and 34.49 percent of Hispanic women. In addition, a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported dieting (changing eating habits) to lose weight (Q7A) and regular use of prescription medicines other than birth control (Q7C) at some point in time during the 12 months before getting pregnant with their new baby.

More than half (55.08 percent) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby (Q9), which was significantly higher than that reported by Black non-Hispanic women (38.89 percent) and Hispanic women (31.20 percent).

Generally speaking, the race/ethnicity categories differed in the reported presence of adverse health conditions in the three months before getting pregnant (Q8A-H). In Q8B, 13.07 percent of Black non-Hispanic women reported having high blood pressure or hypertension as compared to 4.60 percent of White non-Hispanic women and 2.35 percent of Hispanic women. In Q8E, 28.41

percent of Black non-Hispanics stated they had anemia as compared to 10.73 percent of White non-Hispanics and 16.50 percent of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were also apparent for asthma (Q8D). Conversely, a higher percentage of White non-Hispanic women reported having thyroid problems (Q8F), polycystic ovarian syndrome (Q8G), and anxiety (Q8H) as compared to Black non-Hispanic women.

Finally, as compared to White non-Hispanic women (2.00 percent), a higher percentage of Black non-Hispanic women (3.08 percent) and Hispanic women (4.68 percent) stated that their husband or partner pushed, hit, slapped, kicked, choked, or physically hurt them before they got pregnant with their new baby (Q47A).

During Most Recent Pregnancy

In Q32A, 13.11 percent of White non-Hispanic women and 14.15 percent of Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes (diabetes that started during this pregnancy); these percentages were slightly lower than the percentage reported by Black non-Hispanic women (17.52 percent). A higher percentage of Black non-Hispanic women (21.79 percent) stated that they had a problem with severe nausea, vomiting, or dehydration during their most recent pregnancy; this contrasts with 14.78 percent of White non-Hispanic women and 8.37 percent of Hispanic women (Q33C). Compared to White non-Hispanic women, a significantly higher percentage of Black non-Hispanic women also labor pains more than 3 weeks before their baby was due (Q33F).

Postpartum Depression

A significantly higher percentage of White non-Hispanic women (9.36 percent) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with Black non-Hispanic women (4.94 percent) and Hispanic women (3.02 percent) as given in Q71. In Q72, 6.73 percent of White non-Hispanic women and 6.21 percent of Black non-Hispanic women stated that they have always or often felt little interest or little pleasure in doing things since their new baby was born, which contrasts with 3.69 percent of Hispanic women.

Health Coverage

Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. Compared to Black non-Hispanic (32.78 percent) and Hispanic (17.06 percent) women, a significantly higher percentage of White non-Hispanic women (59.43 percent) stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q15A). Conversely, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was more than double that of White non-Hispanic women (Black non-Hispanic: 60.61 percent; White non-Hispanic: 24.41 percent) as presented in Q15D. Finally, compared to the other two race/ethnicity groups, a markedly high percentage of Hispanic women (11.62 percent) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby (Q15F); furthermore, a high percentage of Hispanic women (33.45

percent) claimed that they did not have any health insurance during the month before they became pregnant (Q15H).

Prenatal Care Payer

A significantly higher percentage of Black non-Hispanic women (70.03 percent) said Medicaid paid for at least part of their prenatal care as compared to White non-Hispanic women (32.21 percent) as provided in Q16E. Similar results occurred for younger women (74.24 percent of women under 20 years of age) as compared to older women (29.19 percent of women over 34 years of age), non-married women (73.60 percent) compared to married women (20.02 percent), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q16E results generally took place at each demographic category as shown in Q16B. Compared to the other race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q16G: 24.33 percent) helped pay for their prenatal care. Finally, as given in Q16I, a disproportionately high percentage of Hispanic women (5.83 percent) said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

According to Q77B, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women during their most recent pregnancy. Similar results were reported among women with fewer years of education (69.89 percent of women less than 12 years of education and 57.03 percent of women with 12 years of education) compared with women with more years of education (21.07 percent of women with over 12 years of education) and non-married women (58.82 percent) compared with married women (16.74 percent). A significantly higher percentage of Black non-Hispanic women (57.99 percent) and Hispanic women (49.62 percent) were on WIC compared to White non-Hispanic women (25.14 percent). Finally, a significantly higher percentage of Black non-Hispanics (52.35 percent) compared to White non-Hispanics (19.34 percent) and Hispanics (22.86 percent) reported that they were on food stamps or received money to buy food during their most recent pregnancy (Q77A).

During Delivery and Well-Baby Checkups

A significantly higher percentage of Black non-Hispanics (68.11 percent) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (35.70 percent) and Hispanics (42.39 percent) as given in Q17D. Similar results occurred for non-married women (71.27 percent) compared to married women (18.97 percent) and younger age groups (80.87 percent of women under 20 years of age and 74.44 percent of women ages 20 to 24) compared to older age groups (39.51 percent of women ages 25 to 34 years and 27.24 percent of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q17A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q17F: 17.94 percent) is their current form of health insurance. Finally, an estimated one in five Hispanic women were reported as not having health insurance now (Q17H).

Across all socio-demographic categories assessed, approximately seven out of eight women reported having had a postpartum checkup since their new baby was born (Q69).

Social Support

A significantly higher percentage of White non-Hispanics (20.10 percent) claimed to have a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Black non-Hispanics (14.97 percent) and Hispanics (5.03 percent) as given in Q46A. Furthermore, a significantly higher percentage of Black non-Hispanics (6.96 percent) as compared to White non-Hispanics (2.06 percent) stated that they were homeless or had to sleep outside in a car or in a shelter at some point during the 12 months before their new baby was born as shown in Q46D. Moreover, a significantly higher percentage of Black non-Hispanic women (28.90 percent) as compared to White non-Hispanic women (15.78 percent) and Hispanic women (13.04 percent) stated that they had argued with their husband or partner more than usual during the 12 months before their baby was born (Q46I). Furthermore, as provided by Q46J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (8.93 percent) was higher than that of White non-Hispanics (5.33 percent) and Hispanics (2.54 percent). In addition, a significantly higher percentage of White non-Hispanics (85.27 percent) compared to Black non-Hispanics (71.37 percent) and Hispanics (62.48 percent) stated that they would know someone who could loan them \$50 if they needed it (Q78A).

Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q46A-N and Q78A-D).

Effects of COVID-19 Pandemic

As given in QCV2A, a significantly higher percentage of Hispanic women (48.86 percent) stated that a lack of virtual appointments was the reason why they did not attend virtual appointments for prenatal care; this contrasts with White non-Hispanic women (34.27 percent) and Black non-Hispanic women (36.01 percent). Hispanic women were also more likely to claim that a lack of an available telephone to use for appointments (QCV2B) or a lack of a computer or device (QCV2D) was the reason why they did not attend virtual appointments (for both questions, Hispanics: 8.66 percent; White non-Hispanics: 3.68 percent; and Black non-Hispanics: 0.00 percent). Conversely, a higher percentage of White non-Hispanic women (87.02 percent) compared to Black non-Hispanic women (72.93 percent) or Hispanic women (62.96 percent) reported that they preferred seeing their health care provider in person as the reason why they did not attend virtual appointments for prenatal care.

Overall, as compared to the other race/ethnicity and education categories, White non-Hispanic women and women with greater education were more likely to state their prenatal care appointments were canceled or delayed because their provider's office was closed or had reduced hours during the COVID-19 pandemic (QCV3A). In similar manner, White non-Hispanic women and women with greater education were also more likely to report that they canceled or delayed their prenatal care appointments because they lost their health insurance during the COVID-19 pandemic (QCV3C), had problems finding care for their children or other family members during the COVID-19 pandemic (QCV3D), or were worried about taking public

transportation and had no other way to get to their prenatal care appointments during the COVID-19 pandemic (QCV3E).

In addition, the percentage of Hispanic women who said that their baby was tested for COVID-19 in the hospital (4.05 percent) was less than half that of White non-Hispanic women (10.27 percent) and Black non-Hispanic women (10.66 percent) as given in QCV7A. Furthermore, roughly one in twelve Black non-Hispanic women (8.04 percent) claimed that they were separated from their baby in the hospital after delivery to protect their baby from COVID-19 while in the hospital after their delivery (QCV7B); this is markedly higher than the corresponding percentages for White non-Hispanic women (0.78 percent) and Hispanic women (0.85 percent). Note that a significantly higher percentage of White non-Hispanic women (58.57 percent) said that they were given information about how to protect their baby from COVID-19 when they went home from the hospital as compared to Black non-Hispanic women (48.48 percent) and Hispanic women (44.64 percent).

As presented in QCV7C, Black non-Hispanic women were significantly more likely to report wearing a mask when other people came into their hospital room (Black non-Hispanics: 76.55 percent; White non-Hispanics: 62.12 percent; and Hispanics: 50.46 percent). However, as given in QCV8B, White non-Hispanic women (23.97 percent) were more likely to wear a mask while breastfeeding in the hospital as compared to Black non-Hispanic women (17.18 percent) and Hispanic women (7.45 percent). The percentage of White Hispanic women who said that they were more likely to pump breast milk in the hospital so that someone else could feed their baby to avoid their baby getting infected (QCV8C) was almost four times higher than that of Black non-Hispanic women (16.77 percent and 4.55 percent, respectively); the percentage response among Hispanic women to this question was 0.00 percent. Finally, as compared to the other two race/ethnicity categories, White non-Hispanic women were more likely to report that their baby's well visits or checkups were changed from in-person visits to virtual appointments (video or telephone) due to the pandemic (QCV9B).

DISCUSSION

As thoroughly and consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Overall, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on the measures in the "Health Status" section of the Results). According to the "Health Status" section of the Results, White non-Hispanics were generally in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2020 PRAMS analysis tend to echo the results of the PRAMS analyses completed since 2013. Black non-Hispanics, Hispanics, and non-married women generally reported greater utilization of parenting classes and if they wanted to be tested for HIV during their pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women were less likely to have health insurance throughout the perinatal


period (see “Prenatal Care” and “Health Coverage” sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration. Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. Compared to Hispanics, a higher percentage of Black non-Hispanics and White non-Hispanics reported that they received information about breastfeeding from a nurse, midwife, doula, or a breastfeeding or lactation specialist. Compared White non-Hispanics, Black non-Hispanics and Hispanics tend to report receiving information about breastfeeding from a breastfeeding support group or a breastfeeding hotline or toll-free number. Yet, when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby, a significantly smaller percentage of Black non-Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to White non-Hispanic women (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.

The addition of the COVID-19 supplemental questions to this iteration of the PRAMS survey provides some additional insights to the differences in reported perinatal experiences among the three race/ethnicity categories examined. With regard to accessing prenatal care, Hispanic women tended to report technological barriers and limited availability of virtual appointments as issues whereas White non-Hispanic women were more likely to say that they were worried about taking public transportation, having to self-isolate, or having to find care for their children or for other family members. Moreover, White non-Hispanic women were given more information about preventing infection and were also more likely to engage in behaviors to reduce the possibility of infecting their infant when they left the hospital and while breastfeeding. As COVID-19 and its variants have become more endemic, it is worth investigating these differences as well as others presented in the report to achieve greater health equity across all race/ethnicity groups.


Besides serving as a standardized and widely used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about one-quarter of Black non-Hispanic women reported that they wanted to be pregnant at the time they found out they were pregnant; this contrasts with almost half of White non-Hispanic women and two-fifths of Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.

GRAPHS

Q4: Before you got pregnant, did you have any other babies who were born alive?^{§§} (% “Yes”)




Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?^{§§,*} (% “Yes”)**




^{§§} For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.

^{***} Indicates that at least one cell count used as a numerator for a percentage in this graph or table is less than 30.


Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?* (% “Yes”)**




Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight?* (% “Yes”)**




Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control?* (% “Yes”)**




Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)




Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes? (% “Yes”)




Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension?* (% “Yes”)**




Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? (% “Yes”)




Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? (% “Yes”)




Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? (% “Yes”)




Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems?* (% “Yes”)**




Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)?* (% “Yes”)**




Q8H: During the month before you got pregnant with your new baby, did you have anxiety? (% “Yes”)




Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? (% “Yes”)




Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? (% “Yes”)




Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? (% “Yes”)




Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN's office? (% "Yes")




Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* (% "Yes")**




Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?* (% “Yes”)**




Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?* (% “Yes”)**




Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?* (% “Yes”)**




Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?* (% “Yes”)**




Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? (% “Yes”)




Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* (% “Yes”)**




Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? (% “Yes”)




Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? (% “Yes”)




Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy?* (% “Yes”)**




Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? (% “Yes”)




Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed? (% “Yes”)




Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? (% “Yes”)




Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)? (% “Yes”)




Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? (% “Yes”)




Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy? (% “Yes”)




Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?* (% “Yes”)**




Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family? (% “Yes”)




Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? (% “Yes”)




Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? (% “Yes”)




Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? (% “Yes”)




Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby? (% “Yes”)




Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby? (% “Yes”)




Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner?* (% “Yes”)**




Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents?* (% “Yes”)**




Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov?* (% “Yes”)**




Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? (% “Yes”)




Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)?* (% “Yes”)**




Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program?* (% “Yes”)**




Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care?* (% “Yes”)**




Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? (% “Yes”)




Q16A: During my most recent pregnancy, I did not go for prenatal care.* (% “Yes”)**




Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. (% “Yes”)




Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care.* (% “Yes”)**




Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. (% “Yes”)




Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. (% “Yes”)




Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care.* (% “Yes”)**




Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care.* (% “Yes”)**




Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care.* (% “Yes”)**




Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care.* (% “Yes”)**




Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now.* (% “Yes”)**




Q17B: I have private health insurance from my parents as my health insurance now.* (% “Yes”)**




Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now.* (% “Yes”)**




Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now. (% “Yes”)




Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now.***
 (% “Yes”)




Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now.***
 (% “Yes”)




Q17G: I have TRICARE or other military health care as my health insurance now.* (% “Yes”)**




Q17H: I do not have health insurance now.* (% “Yes”)**




Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% “Yes”)




Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.* (% “Yes”)**




Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% “Yes”)




Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future.* (% “Yes”)**




Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted.* (% "Yes")**




Q19: When you got pregnant with your new baby, were you trying to get pregnant? (% "Yes")




Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)




Q23: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”)




Q24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. (% “Yes”)




Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")



Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? (% "Yes")




Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? (% “Yes”)




Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? (% “Yes”)




Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? (% “Yes”)




Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth? (% “Yes”)




Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)? (% “Yes”)




Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? (% “Yes”)




Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born? (% “Yes”)




Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? (% “Yes”)




Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? (% “Yes”)




Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? (% “Yes”)




Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? (% “Yes”)




Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy. (% “Yes”)




Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums. (% “Yes”)




Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. (% “Yes”)




Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. (% “Yes”)




Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. (% “Yes”)




Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)




Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy)?* (% “Yes”)**




Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia? (% “Yes”)




Q32C: During your most recent pregnancy, did you have depression? (% “Yes”)




Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”)




Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? (% “Yes”)




Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy? (% “Yes”)




Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?* (% “Yes”)**




Q33E: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?* (% “Yes”)**




Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)




Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?* (% “Yes”)**




Q33H: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”)




Q33I: Did you get hurt in a car accident during your most recent pregnancy?* (% “Yes”)**




Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?* (% “Yes”)**




Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes?* (% “Yes”)**




Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia?* (% “Yes”)**




Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea?* (% “Yes”)**




Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?* (% “Yes”)**




Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis?* (% “Yes”)**




Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)?* (% “Yes”)**




Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis?* (% “Yes”)**




Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis?* (% “Yes”)**




Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? (% “Yes”)




Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)?* (% “Yes”)**




Q35: Have you smoked any cigarettes in the past 2 years? (% “Yes”)




Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* (% “Yes”)**




Q38: Do you currently smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? (% “Yes”)




Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? (% “Yes”)




Q40B: Have you used hookah in the past 2 years?* (% “Yes”)**




Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years?* (% “Yes”)**




Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years?* (% “Yes”)**




Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q43: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)




Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* (% “Yes”)**




Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* (% “Yes”)**




Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)




Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)




Q46C: During the 12 months before your new baby was born, did you move to a new address? (% “Yes”)




Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?* (% “Yes”)**




Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)




Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?* (% “Yes”)**




Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? (% “Yes”)




Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel?* (% “Yes”)**




Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)




Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% "Yes")




Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? (% "Yes")




Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail?* (% “Yes”)**




Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? (% “Yes”)




Q46N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)




Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?***
 (% “Yes”)




Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)?
 (% “Yes”)




**Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days?
(% “Yes”)**




Q53: Is your baby alive now?(% “Yes”)




Q54: Is your baby living with you now?(% “Yes”)




Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? (% “Yes”)




Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula? (% “Yes”)




Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? (% “Yes”)




Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? (% “Yes”)




Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? (% “Yes”)




Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? (% “Yes”)




Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends? (% “Yes”)




Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? (% “Yes”)




Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? (% “Yes”)




Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? (% “Yes”)




Q60: Does your baby always or often sleep alone in his or her own crib or bed? (% “Yes”)




Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? (% “Yes”)




Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? (% “Yes”)




**Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?
(% “Yes”)**




Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?*
(% “Yes”)**




**Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?
(% “Yes”)**




Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? (% “Yes”)




Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket? (% “Yes”)




Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? (% “Yes”)




Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? (% “Yes”)



Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? (% “Yes”)




Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? (% “Yes”)




Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? (% “Yes”)




Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? (% “Yes”)




Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? (% “Yes”)




Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? (% “Yes”)




Q66: Are you or your husband or partner doing anything now to keep from getting pregnant? (% “Yes”)



Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




^{†††} Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††} (% “Yes”)




Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% "Yes")**




Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% "Yes")**




Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q69: Since your new baby was born, have you had a postpartum checkup for yourself? (% “Yes”)




Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? (% “Yes”)




Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy? (% “Yes”)




Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again? (% “Yes”)




Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? (% “Yes”)




Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms? (% “Yes”)




Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)? (% “Yes”)




Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? (% “Yes”)




Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? (% “Yes”)




Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?* (% “Yes”)**




Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed?* (% “Yes”)**




Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?* (% “Yes”)**




Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* (% “Yes”)**




Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* (% “Yes”)**




Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them? (% “Yes”)




Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? (% “Yes”)




Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? (% “Yes”)




Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems? (% “Yes”)




Q77D: During your most recent pregnancy, did you receive help to quit smoking?* (% “Yes”)**




Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home?* (% “Yes”)**




Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? (% “Yes”)




Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”)




Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride? (% “Yes”)




Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% “Yes”)




Q79A: During your most recent pregnancy, did you take any parenting classes? (% “Yes”)



Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)




QCV2A: Lack of availability of virtual appointments from my provider was the reason why I did not attend virtual appointments for prenatal care.* (% “Yes”)**




***For this question, only respondents who completed the COVID-19 supplemental questions were analyzed.
 Delaware Department of Health and Social Services, Division of Public Health


QCV2B: Lack of an available telephone to use for appointments was the reason why I did not attend virtual appointments for prenatal care?^{†††} (% “Yes”)




QCV2C: Lack of enough cellular data or cellular minutes was the reason why I did not attend virtual appointments for prenatal care.^{†††} (% “Yes”)




QCV2D: Lack of a computer or device was the reason why I did not attend virtual appointments for prenatal care?^{*} (% “Yes”)**




QCV2E: Lack of internet service or had unreliable internet was the reason why I did not attend virtual appointments for prenatal care.^{*} (% “Yes”)**




QCV2F: Lack of a private or confidential space to use was the reason why I did not attend virtual appointments for prenatal care.††† (% “Yes”)




QCV2G: I preferred seeing my health care provider in person was the reason why I did not attend virtual appointments for prenatal care.†††,* (% “Yes”)**




QCV3A: My prenatal care appointments were canceled or delayed because my provider's office was closed or had reduced hours during the COVID-19 pandemic.††† (% "Yes")




QCV3B: I canceled or delayed my prenatal care appointments because I was afraid of being exposed to COVID-19 during the appointments.††† (% "Yes")




QCV3C: I canceled or delayed my prenatal care appointments because I lost my health insurance during the COVID-19 pandemic.††† (% “Yes”)




QCV3D: I canceled or delayed my prenatal care appointments because I had problems finding care for my children or other family members during the COVID-19 pandemic.††† (% “Yes”)




QCV3E: I canceled or delayed my prenatal care appointments because I worried about taking public transportation and had no other way to get there during the COVID-19 pandemic.^{†††}
 (% “Yes”)




QCV3F: My prenatal appointments were canceled or delayed because I had to self-isolate due to possible COVID-19 exposure or infection.^{†††} (% “Yes”)




QCV6A: My husband or partner was with me in the hospital delivery room as a support person during my labor and delivery.†††,* (% “Yes”)**




QCV6B: Another family member or friend was with me in the hospital delivery room as a support person during my labor and delivery.††† (% “Yes”)




QCV6C: A doula was with me in the hospital delivery room as a support person during my labor and delivery.††† (% “Yes”)




QCV6D: Some other support person (not including hospital staff) was with me in the hospital delivery room as a support person during my labor and delivery.††† (% “Yes”)




QCV6E: The hospital did not allow me to have any support people with me in the hospital delivery room during my labor and delivery.* (% “Yes”)**




QCV7A: While in the hospital after my delivery, my baby was tested for COVID-19 in the hospital.* (% “Yes”)**




QCV7B: While in the hospital after my delivery, I was separated from my baby in the hospital after delivery to protect my baby from COVID-19.††† (% “Yes”)




QCV7C: While in the hospital after my delivery, I wore a mask when other people came into my hospital room.†††,* (% “Yes”)**




QCV7D: While in the hospital after my delivery, I wore a mask while I was alone caring for my baby in the hospital.*** (% “Yes”)




QCV7E: While in the hospital after my delivery, I was given information about how to protect my baby from COVID-19 when I went home.*** (% “Yes”)




QCV8A: Due to the COVID-19 pandemic, I was given information in the hospital about how to protect my baby from infection while breastfeeding.* (% “Yes”)**




QCV8B: Due to the COVID-19 pandemic, I wore a mask while breastfeeding in the hospital.* (% “Yes”)**




QCV8C: Due to the COVID-19 pandemic, I pumped breast milk in the hospital so someone else could feed my baby to avoid him or her getting infected.^{†††} (% “Yes”)




QCV8D: Due to the COVID-19 pandemic, I had trouble getting a visit from a lactation specialist while I was in the hospital.^{†††} (% “Yes”)




QCV9A: My baby’s well visits or checkups were canceled or delayed due to the COVID-19 pandemic.††† (% “Yes”)



QCV9B: My baby’s well visits or checkups were changed from in-person visits to virtual appointments (video or telephone) due to the COVID-19 pandemic.††† (% “Yes”)



QCV9C: My baby’s immunizations were postponed due to the COVID-19 pandemic.^{†††} (% “Yes”)



TABLES

Table 7A. Percent Response Yes and Lower/Upper 95% CI, Q4-Q8C												
	Percent Response Yes	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	62.54%	8.10%	7.61%	28.55%	38.45%	24.11%	17.20%	35.27%	2.58%	6.43%	16.83%
Age	Under 20 Years	16.89%	10.50%	1.13%	6.38%	15.76%	6.38%	18.64%	20.83%	0.00%	0.00%	11.63%
	20-24 Years	41.77%	4.77%	8.21%	20.76%	28.52%	14.66%	15.78%	30.37%	2.32%	4.47%	22.25%
	25-34 Years	68.06%	7.49%	8.34%	30.90%	39.71%	26.27%	16.29%	36.01%	2.11%	6.87%	17.19%
	Over 34 Years	74.61%	12.55%	6.19%	33.27%	48.64%	30.02%	20.99%	40.58%	4.77%	8.28%	11.70%
Ethnicity	White Non-Hispanic	59.71%	4.84%	4.88%	32.51%	43.45%	31.04%	13.65%	35.39%	3.46%	4.60%	20.12%
	Black Non-Hispanic	69.55%	13.42%	9.78%	26.48%	31.68%	23.31%	18.05%	34.95%	1.17%	13.07%	16.66%
	Hispanic	66.55%	8.50%	11.59%	22.81%	34.49%	9.88%	26.35%	33.30%	2.17%	2.35%	11.91%
Married	Married	63.25%	7.48%	5.73%	35.69%	47.51%	23.86%	15.94%	37.28%	2.51%	4.01%	9.59%
	Not Married	61.82%	8.71%	9.50%	21.40%	29.39%	24.36%	18.46%	33.25%	2.65%	8.86%	24.07%
Previous Live Birth	Yes	N/A	N/A	N/A	29.61%	35.21%	24.90%	18.15%	35.35%	2.89%	8.23%	16.72%
	No	N/A	N/A	N/A	26.95%	44.00%	23.00%	15.70%	35.25%	2.08%	3.22%	16.81%
Education	Less Than 12 Years	73.22%	17.51%	17.29%	11.53%	28.03%	14.85%	25.72%	38.02%	2.46%	5.76%	15.43%
	12 Years	64.03%	7.64%	6.69%	18.90%	28.38%	20.94%	16.80%	31.84%	2.79%	6.45%	18.53%
	Greater Than 12 Years	58.54%	5.38%	5.19%	38.20%	45.44%	28.46%	14.59%	35.97%	2.62%	6.67%	15.93%
	Lower 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	61.57%	7.55%	7.09%	27.65%	37.49%	23.25%	16.45%	34.31%	2.26%	5.95%	16.08%
Age	Under 20 Years	13.14%	7.44%	0.07%	3.94%	12.12%	3.94%	14.76%	16.78%	0.00%	0.00%	8.43%
	20-24 Years	39.46%	3.77%	6.92%	18.86%	26.41%	13.00%	14.07%	28.22%	1.61%	3.50%	20.30%
	25-34 Years	66.85%	6.81%	7.62%	29.69%	38.44%	25.13%	15.33%	34.76%	1.74%	6.21%	16.21%
	Over 34 Years	72.63%	11.05%	5.10%	31.13%	46.37%	27.94%	19.14%	38.35%	3.81%	7.03%	10.24%
Ethnicity	White Non-Hispanic	58.31%	4.23%	4.27%	31.18%	42.04%	29.72%	12.67%	34.03%	2.93%	4.00%	18.98%
	Black Non-Hispanic	67.75%	12.09%	8.61%	24.75%	29.85%	21.65%	16.54%	33.08%	0.75%	11.75%	15.20%
	Hispanic	64.35%	7.19%	10.09%	20.85%	32.27%	8.48%	24.29%	31.10%	1.49%	1.64%	10.40%
Married	Married	61.89%	6.74%	5.08%	34.34%	46.11%	22.66%	14.91%	35.92%	2.07%	3.46%	8.76%
	Not Married	60.45%	7.92%	8.67%	20.24%	28.10%	23.15%	17.37%	31.92%	2.19%	8.06%	22.87%
Previous Live Birth	Yes	N/A	N/A	N/A	28.45%	34.00%	23.81%	17.17%	34.14%	2.47%	7.54%	15.78%
	No	N/A	N/A	N/A	25.51%	42.39%	21.63%	14.52%	33.70%	1.61%	2.65%	15.60%
Education	Less Than 12 Years	70.89%	15.52%	15.30%	9.85%	25.67%	12.98%	23.43%	35.47%	1.65%	4.53%	13.53%
	12 Years	62.19%	6.62%	5.73%	17.39%	26.64%	19.38%	15.36%	30.05%	2.15%	5.51%	17.04%
	Greater Than 12 Years	57.23%	4.78%	4.60%	36.91%	44.12%	27.26%	13.66%	34.70%	2.20%	6.00%	14.96%
	Upper 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	63.50%	8.64%	8.14%	29.45%	39.42%	24.96%	17.95%	36.22%	2.89%	6.92%	17.57%
Age	Under 20 Years	20.63%	13.57%	2.18%	8.82%	19.39%	8.82%	22.53%	24.89%	0.00%	0.00%	14.84%
	20-24 Years	44.08%	5.77%	9.50%	22.66%	30.64%	16.32%	17.49%	32.53%	3.02%	5.44%	24.20%
	25-34 Years	69.27%	8.18%	9.06%	32.10%	40.98%	27.42%	17.25%	37.26%	2.48%	7.53%	18.18%
	Over 34 Years	76.58%	14.06%	7.29%	35.41%	50.90%	32.10%	22.84%	42.81%	5.74%	9.53%	13.16%
Ethnicity	White Non-Hispanic	61.11%	5.45%	5.50%	33.85%	44.87%	32.35%	14.63%	36.76%	3.98%	5.20%	21.26%
	Black Non-Hispanic	71.36%	14.76%	10.94%	28.20%	33.50%	24.96%	19.55%	36.82%	1.59%	14.39%	18.12%
	Hispanic	68.76%	9.80%	13.08%	24.77%	36.71%	11.27%	28.41%	35.50%	2.86%	3.06%	13.43%
Married	Married	64.61%	8.22%	6.39%	37.04%	48.92%	25.06%	16.97%	38.64%	2.95%	4.56%	10.42%
	Not Married	63.19%	9.51%	10.32%	22.55%	30.67%	25.57%	19.55%	34.57%	3.10%	9.66%	25.28%
Previous Live Birth	Yes	N/A	N/A	N/A	30.77%	36.42%	26.00%	19.12%	36.56%	3.32%	8.93%	17.67%
	No	N/A	N/A	N/A	28.39%	45.61%	24.36%	16.88%	36.80%	2.54%	3.79%	18.03%
Education	Less Than 12 Years	75.55%	19.51%	19.28%	13.21%	30.39%	16.71%	28.02%	40.57%	3.28%	6.98%	17.33%
	12 Years	65.87%	8.66%	7.65%	20.40%	30.11%	22.50%	18.23%	33.63%	3.42%	7.40%	20.02%
	Greater Than 12 Years	59.85%	5.98%	5.78%	39.50%	46.76%	29.66%	15.53%	37.25%	3.04%	7.33%	16.91%

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Q8D-Q11D												
	Percent Response Yes	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	11.61%	16.59%	6.49%	4.66%	26.59%	45.67%	67.35%	38.20%	45.18%	14.02%	3.41%
Age	Under 20 Years	12.44%	10.58%	1.13%	1.13%	21.08%	25.20%	36.59%	15.58%	16.89%	5.25%	3.07%
	20-24 Years	19.01%	25.30%	1.83%	2.51%	35.20%	30.79%	51.78%	30.52%	29.08%	11.37%	0.18%
	25-34 Years	10.66%	14.03%	6.82%	5.46%	26.87%	47.48%	71.43%	39.83%	48.01%	15.72%	4.36%
	Over 34 Years	7.40%	17.46%	10.95%	4.95%	18.79%	58.32%	75.89%	45.09%	57.53%	13.15%	3.62%
Ethnicity	White Non-Hispanic	8.84%	10.73%	8.06%	6.13%	35.12%	55.08%	75.24%	38.30%	52.52%	17.21%	3.18%
	Black Non-Hispanic	21.58%	28.41%	4.12%	4.25%	22.63%	38.89%	61.33%	37.43%	43.77%	11.72%	4.70%
	Hispanic	8.29%	16.50%	4.72%	0.85%	15.50%	31.20%	56.46%	37.42%	31.77%	11.04%	3.34%
Married	Married	6.34%	12.26%	8.46%	6.31%	20.53%	58.02%	74.30%	39.50%	51.11%	12.76%	2.97%
	Not Married	16.89%	20.93%	4.52%	3.00%	32.64%	33.30%	60.39%	36.90%	39.24%	15.28%	3.86%
Previous Live Birth	Yes	13.27%	18.67%	7.16%	4.85%	25.57%	43.03%	67.47%	39.29%	45.30%	15.58%	2.93%
	No	8.99%	13.31%	5.45%	4.38%	28.15%	49.94%	67.53%	36.55%	44.96%	11.26%	4.24%
Education	Less Than 12 Years	9.74%	17.85%	3.54%	3.61%	24.21%	35.78%	44.07%	26.31%	22.31%	10.23%	2.78%
	12 Years	18.16%	20.68%	5.05%	5.04%	31.10%	30.45%	55.21%	32.74%	36.31%	11.67%	2.74%
	Greater Than 12 Years	9.03%	13.28%	8.22%	4.95%	24.65%	55.71%	79.55%	44.03%	55.38%	16.30%	4.05%
	Lower 95% CI	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	10.97%	15.85%	6.00%	4.24%	25.71%	44.67%	66.41%	37.23%	44.19%	13.33%	3.05%
Age	Under 20 Years	9.15%	7.51%	0.07%	0.07%	17.01%	20.87%	31.78%	11.96%	13.14%	3.02%	1.34%
	20-24 Years	17.17%	23.26%	1.21%	1.78%	32.96%	28.62%	49.43%	28.36%	26.95%	9.88%	0.00%
	25-34 Years	9.86%	13.13%	6.17%	4.87%	25.71%	46.18%	70.25%	38.56%	46.71%	14.77%	3.83%
	Over 34 Years	6.21%	15.73%	9.53%	3.97%	17.02%	56.08%	73.95%	42.83%	55.29%	11.62%	2.77%
Ethnicity	White Non-Hispanic	8.04%	9.85%	7.29%	5.45%	33.76%	53.66%	74.01%	36.91%	51.09%	16.14%	2.68%
	Black Non-Hispanic	19.97%	26.64%	3.34%	3.46%	20.99%	36.98%	59.43%	35.53%	41.83%	10.46%	3.87%
	Hispanic	7.00%	14.77%	3.73%	0.42%	13.81%	29.03%	54.15%	35.16%	29.59%	9.58%	2.50%
Married	Married	5.65%	11.33%	7.67%	5.63%	19.40%	56.63%	73.07%	38.12%	49.71%	11.82%	2.49%
	Not Married	15.83%	19.78%	3.93%	2.52%	31.32%	31.97%	59.01%	35.54%	37.87%	14.27%	3.31%
Previous Live Birth	Yes	12.41%	17.69%	6.51%	4.30%	24.46%	41.78%	66.29%	38.05%	44.04%	14.66%	2.50%
	No	8.06%	12.21%	4.71%	3.72%	26.69%	48.32%	66.01%	34.99%	43.34%	10.24%	3.59%
Education	Less Than 12 Years	8.18%	15.83%	2.57%	2.63%	21.96%	33.26%	41.46%	24.00%	20.12%	8.64%	1.91%
	12 Years	16.68%	19.12%	4.21%	4.20%	29.32%	28.68%	53.30%	30.93%	34.46%	10.43%	2.11%
	Greater Than 12 Years	8.27%	12.38%	7.49%	4.37%	23.51%	54.39%	78.48%	42.71%	54.06%	15.32%	3.53%
	Upper 95% CI	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	12.25%	17.33%	6.98%	5.08%	27.47%	46.66%	68.28%	39.17%	46.17%	14.71%	3.78%
Age	Under 20 Years	15.74%	13.65%	2.18%	2.18%	25.15%	29.54%	41.40%	19.20%	20.63%	7.48%	4.79%
	20-24 Years	20.85%	27.34%	2.46%	3.24%	37.44%	32.95%	54.12%	32.68%	31.21%	12.85%	0.38%
	25-34 Years	11.46%	14.94%	7.48%	6.05%	28.02%	48.78%	72.60%	41.11%	49.31%	16.67%	4.90%
	Over 34 Years	8.58%	19.18%	12.37%	5.94%	20.57%	60.55%	77.83%	47.35%	59.78%	14.68%	4.47%
Ethnicity	White Non-Hispanic	9.65%	11.61%	8.84%	6.82%	36.48%	56.50%	76.47%	39.68%	53.94%	18.29%	3.68%
	Black Non-Hispanic	23.20%	30.18%	4.90%	5.04%	24.27%	40.80%	63.24%	39.32%	45.72%	12.98%	5.53%
	Hispanic	9.58%	18.23%	5.71%	1.28%	17.19%	33.36%	58.78%	39.68%	33.94%	12.50%	4.18%
Married	Married	7.02%	13.18%	9.24%	7.00%	21.67%	59.41%	75.53%	40.88%	52.52%	13.70%	3.45%
	Not Married	17.94%	22.08%	5.11%	3.48%	33.97%	34.63%	61.77%	38.26%	40.62%	16.30%	4.40%
Previous Live Birth	Yes	14.13%	19.66%	7.81%	5.39%	26.67%	44.29%	68.66%	40.52%	46.56%	16.50%	3.35%
	No	9.92%	14.41%	6.18%	5.05%	29.61%	51.56%	69.04%	38.12%	46.57%	12.29%	4.89%
Education	Less Than 12 Years	11.30%	19.86%	4.51%	4.59%	26.46%	38.31%	46.68%	28.63%	24.50%	11.83%	3.64%
	12 Years	19.64%	22.23%	5.90%	5.88%	32.88%	32.22%	57.12%	34.54%	38.16%	12.90%	3.37%
	Greater Than 12 Years	9.80%	14.18%	8.95%	5.52%	25.80%	57.03%	80.62%	45.35%	56.71%	17.29%	4.57%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Q11E-Q12H												
	Percent Response Yes	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	11.79%	9.39%	39.61%	21.44%	27.59%	11.63%	27.89%	30.50%	21.45%	20.13%	52.08%
Age	Under 20 Years	6.38%	0.00%	15.51%	6.38%	12.76%	0.00%	16.89%	34.65%	5.25%	25.28%	35.78%
	20-24 Years	12.63%	5.63%	27.10%	13.13%	18.58%	10.32%	19.19%	30.11%	19.26%	25.05%	37.50%
	25-34 Years	9.96%	11.54%	41.33%	22.97%	30.40%	12.33%	28.79%	31.56%	23.10%	19.94%	55.88%
	Over 34 Years	17.69%	8.31%	51.10%	27.70%	30.57%	13.15%	35.60%	26.80%	21.84%	15.04%	57.53%
Ethnicity	White Non-Hispanic	12.36%	10.73%	50.31%	26.10%	27.58%	10.27%	34.67%	29.02%	21.15%	13.99%	57.50%
	Black Non-Hispanic	11.84%	8.82%	29.12%	15.42%	28.07%	14.05%	18.99%	32.22%	18.16%	25.06%	50.24%
	Hispanic	12.79%	8.50%	30.26%	16.92%	27.54%	11.09%	23.01%	35.97%	26.04%	30.76%	43.00%
Married	Married	11.88%	7.26%	51.53%	28.10%	29.86%	10.22%	37.98%	29.97%	24.86%	16.50%	56.22%
	Not Married	11.70%	11.52%	27.69%	14.79%	25.33%	13.05%	17.80%	31.03%	18.04%	23.76%	47.93%
Previous Live Birth	Yes	11.46%	10.58%	38.70%	19.28%	27.77%	12.65%	27.18%	30.17%	19.10%	17.22%	51.06%
	No	12.24%	7.53%	41.26%	24.85%	27.46%	10.06%	28.89%	31.20%	25.16%	24.74%	53.76%
Education	Less Than 12 Years	7.30%	9.68%	20.27%	12.32%	20.69%	12.16%	14.97%	29.63%	19.41%	25.55%	35.40%
	12 Years	10.65%	8.74%	24.30%	14.02%	24.35%	12.96%	21.74%	27.69%	18.99%	21.81%	45.93%
	Greater Than 12 Years	13.23%	9.46%	52.87%	27.26%	30.83%	10.95%	34.45%	32.49%	23.23%	17.58%	59.85%
	Lower 95% CI	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	11.14%	8.81%	38.64%	20.63%	26.70%	11.00%	27.00%	29.58%	20.63%	19.33%	51.08%
Age	Under 20 Years	3.94%	0.00%	11.89%	3.94%	9.43%	0.00%	13.14%	29.90%	3.02%	20.94%	30.99%
	20-24 Years	11.08%	4.55%	25.02%	11.55%	16.76%	8.89%	17.34%	27.96%	17.41%	23.02%	35.23%
	25-34 Years	9.18%	10.71%	40.04%	21.88%	29.20%	11.48%	27.61%	30.35%	22.00%	18.90%	54.59%
	Over 34 Years	15.96%	7.06%	48.83%	25.66%	28.48%	11.62%	33.43%	24.79%	19.96%	13.41%	55.28%
Ethnicity	White Non-Hispanic	11.42%	9.85%	48.88%	24.85%	26.31%	9.40%	33.32%	27.73%	19.98%	13.00%	56.09%
	Black Non-Hispanic	10.58%	7.71%	27.33%	14.01%	26.31%	12.69%	17.45%	30.39%	16.65%	23.36%	48.28%
	Hispanic	11.23%	7.19%	28.12%	15.17%	25.45%	9.63%	21.05%	33.73%	23.99%	28.60%	40.69%
Married	Married	10.97%	6.53%	50.12%	26.83%	28.57%	9.36%	36.61%	28.68%	23.64%	15.46%	54.82%
	Not Married	10.79%	10.62%	26.43%	13.79%	24.10%	12.10%	16.72%	29.73%	16.96%	22.56%	46.52%
Previous Live Birth	Yes	10.66%	9.80%	37.47%	18.28%	26.63%	11.81%	26.05%	29.01%	18.10%	16.26%	49.79%
	No	11.18%	6.67%	39.66%	23.45%	26.01%	9.08%	27.42%	29.70%	23.75%	23.34%	52.15%
Education	Less Than 12 Years	5.93%	8.12%	18.16%	10.59%	18.56%	10.44%	13.10%	27.23%	17.33%	23.26%	32.89%
	12 Years	9.47%	7.65%	22.65%	12.69%	22.70%	11.67%	20.16%	25.98%	17.48%	20.23%	44.02%
	Greater Than 12 Years	12.33%	8.68%	51.54%	26.07%	29.61%	10.12%	33.19%	31.25%	22.11%	16.57%	58.55%
	Upper 95% CI	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	12.43%	9.97%	40.59%	22.26%	28.49%	12.27%	28.79%	31.42%	22.27%	20.93%	53.07%
Age	Under 20 Years	8.82%	0.00%	19.12%	8.82%	16.10%	0.00%	20.63%	39.40%	7.48%	29.62%	40.57%
	20-24 Years	14.19%	6.71%	29.19%	14.72%	20.41%	11.74%	21.03%	32.26%	21.11%	27.08%	39.77%
	25-34 Years	10.73%	12.37%	42.61%	24.07%	31.60%	13.19%	29.97%	32.77%	24.20%	20.98%	57.17%
	Over 34 Years	19.42%	9.57%	53.37%	29.73%	32.66%	14.68%	37.78%	28.81%	23.72%	16.66%	59.77%
Ethnicity	White Non-Hispanic	13.30%	11.61%	51.73%	27.35%	28.85%	11.13%	36.03%	30.31%	22.31%	14.98%	58.91%
	Black Non-Hispanic	13.11%	9.93%	30.90%	16.84%	29.84%	15.42%	20.53%	34.05%	19.67%	26.75%	52.20%
	Hispanic	14.35%	9.80%	32.41%	18.67%	29.63%	12.56%	24.98%	38.21%	28.09%	32.91%	45.31%
Married	Married	12.79%	7.99%	52.93%	29.36%	31.15%	11.07%	39.35%	31.26%	26.08%	17.55%	57.62%
	Not Married	12.60%	12.42%	28.95%	15.79%	26.55%	14.00%	18.88%	32.34%	19.13%	24.96%	49.34%
Previous Live Birth	Yes	12.27%	11.35%	39.94%	20.28%	28.90%	13.50%	28.30%	31.34%	20.10%	18.17%	52.33%
	No	13.30%	8.38%	42.85%	26.25%	28.90%	11.04%	30.36%	32.71%	26.56%	26.14%	55.38%
Education	Less Than 12 Years	8.67%	11.23%	22.39%	14.04%	22.82%	13.88%	16.85%	32.03%	21.49%	27.85%	37.92%
	12 Years	11.84%	9.82%	25.94%	15.35%	26.00%	14.25%	23.32%	29.41%	20.50%	23.40%	47.85%
	Greater Than 12 Years	14.13%	10.23%	54.20%	28.44%	32.06%	11.78%	35.71%	33.74%	24.35%	18.60%	61.15%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Q12I-Q14F												
	Percent Response Yes	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	43.01%	45.33%	46.76%	21.15%	26.75%	12.81%	10.17%	10.95%	7.29%	15.25%	14.86%
Age	Under 20 Years	35.78%	35.78%	20.02%	9.52%	15.83%	9.45%	6.38%	11.63%	10.50%	8.32%	15.83%
	20-24 Years	29.82%	33.17%	27.42%	20.56%	22.68%	13.33%	14.00%	8.25%	9.17%	16.51%	18.36%
	25-34 Years	46.69%	48.52%	52.58%	22.24%	26.67%	12.53%	8.60%	9.46%	7.54%	13.75%	14.13%
	Over 34 Years	45.63%	48.99%	52.68%	20.78%	33.05%	13.85%	12.13%	17.88%	4.07%	20.07%	13.58%
Ethnicity	White Non-Hispanic	44.75%	48.85%	49.95%	16.09%	29.86%	13.61%	8.96%	12.21%	7.20%	17.26%	13.39%
	Black Non-Hispanic	42.79%	42.60%	46.57%	28.63%	20.81%	10.11%	8.73%	8.23%	5.93%	9.51%	13.41%
	Hispanic	41.94%	44.43%	40.63%	27.16%	29.61%	14.31%	15.83%	11.23%	10.69%	20.32%	22.33%
Married	Married	45.78%	47.13%	52.56%	16.16%	33.22%	14.11%	9.96%	14.48%	6.05%	18.33%	15.70%
	Not Married	40.23%	43.53%	40.96%	26.14%	20.27%	11.50%	10.38%	7.42%	8.52%	12.17%	14.01%
Previous Live Birth	Yes	43.22%	45.49%	45.52%	19.42%	24.81%	12.97%	10.37%	9.96%	7.73%	13.16%	12.68%
	No	42.61%	45.03%	48.76%	23.82%	29.82%	12.63%	9.93%	12.67%	6.29%	18.49%	18.22%
Education	Less Than 12 Years	32.92%	33.15%	27.56%	23.33%	23.49%	13.23%	14.62%	12.63%	12.85%	14.80%	22.34%
	12 Years	37.52%	42.28%	38.99%	20.76%	18.66%	10.04%	8.78%	6.93%	7.50%	13.44%	13.90%
	Greater Than 12 Years	48.75%	50.40%	55.72%	21.12%	31.40%	13.35%	8.90%	11.91%	5.28%	15.89%	13.25%
	Lower 95% CI	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	42.02%	44.34%	45.77%	20.33%	25.87%	12.14%	9.57%	10.33%	6.77%	14.54%	14.15%
Age	Under 20 Years	30.99%	30.99%	16.03%	6.59%	12.18%	6.53%	3.94%	8.43%	7.44%	5.56%	12.18%
	20-24 Years	27.68%	30.97%	25.33%	18.66%	20.71%	11.73%	12.37%	6.96%	7.82%	14.77%	16.55%
	25-34 Years	45.40%	47.22%	51.29%	21.16%	25.52%	11.67%	7.87%	8.70%	6.85%	12.86%	13.22%
	Over 34 Years	43.37%	46.72%	50.41%	18.93%	30.92%	12.28%	10.65%	16.14%	3.18%	18.25%	12.02%
Ethnicity	White Non-Hispanic	43.33%	47.43%	48.53%	15.04%	28.56%	12.64%	8.14%	11.28%	6.47%	16.18%	12.42%
	Black Non-Hispanic	40.85%	40.66%	44.61%	26.86%	19.22%	8.93%	7.63%	7.15%	5.01%	8.36%	12.07%
	Hispanic	39.64%	42.11%	38.34%	25.08%	27.48%	12.67%	14.12%	9.76%	9.24%	18.44%	20.38%
Married	Married	44.38%	45.73%	51.15%	15.12%	31.89%	13.13%	9.12%	13.49%	5.38%	17.24%	14.67%
	Not Married	38.85%	42.13%	39.57%	24.91%	19.14%	10.60%	9.52%	6.68%	7.73%	11.25%	13.03%
Previous Live Birth	Yes	41.96%	44.23%	44.26%	18.42%	23.72%	12.12%	9.59%	9.20%	7.06%	12.30%	11.84%
	No	41.00%	43.42%	47.14%	22.44%	28.33%	11.56%	8.96%	11.59%	5.50%	17.23%	16.97%
Education	Less Than 12 Years	30.45%	30.67%	25.21%	21.11%	21.26%	11.45%	12.76%	10.88%	11.09%	12.93%	20.15%
	12 Years	35.66%	40.38%	37.12%	19.20%	17.16%	8.89%	7.70%	5.96%	6.48%	12.13%	12.57%
	Greater Than 12 Years	47.42%	49.07%	54.40%	20.04%	30.16%	12.44%	8.15%	11.05%	4.68%	14.92%	12.35%
	Upper 95% CI	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	43.99%	46.32%	47.75%	21.96%	27.63%	13.47%	10.77%	11.58%	7.80%	15.97%	15.56%
Age	Under 20 Years	40.57%	40.57%	24.02%	12.45%	19.47%	12.37%	8.82%	14.84%	13.57%	11.08%	19.47%
	20-24 Years	31.97%	35.38%	29.51%	22.45%	24.64%	14.92%	15.63%	9.54%	10.53%	18.25%	20.18%
	25-34 Years	47.99%	49.82%	53.88%	23.32%	27.82%	13.39%	9.33%	10.22%	8.23%	14.65%	15.03%
	Over 34 Years	47.89%	51.26%	54.94%	22.62%	35.19%	15.42%	13.61%	19.62%	4.97%	21.89%	15.13%
Ethnicity	White Non-Hispanic	46.17%	50.27%	51.37%	17.13%	31.17%	14.59%	9.77%	13.15%	7.94%	18.33%	14.36%
	Black Non-Hispanic	44.73%	44.54%	48.52%	30.41%	22.40%	11.29%	9.84%	9.31%	6.86%	10.66%	14.74%
	Hispanic	44.25%	46.76%	42.93%	29.23%	31.74%	15.95%	17.53%	12.71%	12.13%	22.20%	24.27%
Married	Married	47.19%	48.54%	53.96%	17.19%	34.55%	15.09%	10.80%	15.47%	6.73%	19.42%	16.72%
	Not Married	41.61%	44.93%	42.35%	27.38%	21.40%	12.40%	11.24%	8.16%	9.31%	13.09%	14.99%
Previous Live Birth	Yes	44.47%	46.75%	46.78%	20.43%	25.91%	13.83%	11.14%	10.72%	8.41%	14.01%	13.52%
	No	44.21%	46.65%	50.39%	25.20%	31.30%	13.71%	10.90%	13.75%	7.08%	19.75%	19.47%
Education	Less Than 12 Years	35.39%	35.62%	29.91%	25.56%	25.72%	15.02%	16.48%	14.38%	14.61%	16.66%	24.54%
	12 Years	39.38%	44.18%	40.86%	22.32%	20.15%	11.20%	9.87%	7.91%	8.51%	14.75%	15.23%
	Greater Than 12 Years	50.08%	51.72%	57.04%	22.21%	32.63%	14.25%	9.66%	12.77%	5.87%	16.86%	14.15%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Q14G-Q16A												
	Percent Response Yes	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	15.26%	13.89%	44.66%	6.45%	2.61%	34.89%	1.84%	2.45%	4.27%	10.11%	1.98%
Age	Under 20 Years	15.83%	15.83%	0.00%	22.95%	5.25%	58.73%	5.25%	5.25%	5.25%	20.51%	5.25%
	20-24 Years	19.52%	19.52%	9.16%	21.33%	2.51%	55.14%	1.16%	1.35%	4.52%	15.16%	2.99%
	25-34 Years	14.62%	12.96%	52.47%	2.51%	2.43%	33.25%	1.96%	2.36%	4.49%	8.00%	1.78%
	Over 34 Years	13.11%	11.04%	63.36%	1.09%	2.70%	15.99%	1.43%	3.15%	3.17%	9.63%	0.97%
Ethnicity	White Non-Hispanic	13.63%	11.82%	59.43%	7.81%	2.49%	24.41%	0.81%	0.00%	4.69%	5.38%	1.76%
	Black Non-Hispanic	14.05%	13.23%	32.78%	6.78%	1.16%	60.61%	4.18%	1.28%	5.28%	2.28%	0.94%
	Hispanic	23.00%	22.15%	17.06%	4.77%	3.99%	31.88%	2.01%	11.62%	2.01%	33.45%	4.79%
Married	Married	16.50%	13.90%	67.64%	1.84%	2.99%	10.84%	1.04%	2.04%	6.95%	10.26%	2.26%
	Not Married	14.03%	13.88%	21.65%	11.06%	2.23%	58.97%	2.65%	2.85%	1.59%	9.96%	1.69%
Previous Live Birth	Yes	12.68%	12.16%	42.88%	2.78%	2.84%	40.30%	2.98%	3.70%	3.58%	9.77%	1.88%
	No	19.30%	16.51%	47.85%	12.50%	2.25%	25.68%	0.00%	0.41%	5.35%	10.67%	2.16%
Education	Less Than 12 Years	21.49%	21.27%	6.78%	4.68%	4.08%	52.12%	4.01%	14.17%	0.22%	26.68%	3.61%
	12 Years	13.90%	13.90%	20.98%	9.17%	3.49%	56.00%	1.35%	1.36%	3.20%	13.70%	1.35%
	Greater Than 12 Years	14.19%	11.80%	66.28%	5.88%	1.93%	19.14%	1.24%	0.00%	5.95%	4.03%	1.95%
	Lower 95% CI	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	14.55%	13.20%	43.67%	5.96%	2.29%	33.94%	1.58%	2.14%	3.87%	9.51%	1.70%
Age	Under 20 Years	12.18%	12.18%	0.00%	18.75%	3.02%	53.81%	3.02%	3.02%	3.02%	16.48%	3.02%
	20-24 Years	17.66%	17.66%	7.80%	19.41%	1.78%	52.81%	0.66%	0.81%	3.55%	13.48%	2.19%
	25-34 Years	13.70%	12.08%	51.17%	2.10%	2.03%	32.02%	1.60%	1.97%	3.95%	7.30%	1.43%
	Over 34 Years	11.58%	9.62%	61.18%	0.62%	1.97%	14.33%	0.89%	2.36%	2.37%	8.29%	0.52%
Ethnicity	White Non-Hispanic	12.65%	10.90%	58.03%	7.04%	2.04%	23.18%	0.55%	0.00%	4.09%	4.74%	1.39%
	Black Non-Hispanic	12.69%	11.90%	30.94%	5.80%	0.74%	58.69%	3.40%	0.84%	4.41%	1.69%	0.57%
	Hispanic	21.03%	20.21%	15.30%	3.78%	3.08%	29.70%	1.36%	10.12%	1.36%	31.25%	3.79%
Married	Married	15.45%	12.93%	66.32%	1.46%	2.51%	9.97%	0.76%	1.64%	6.24%	9.40%	1.84%
	Not Married	13.05%	12.90%	20.48%	10.18%	1.81%	57.58%	2.19%	2.38%	1.24%	9.12%	1.33%
Previous Live Birth	Yes	11.84%	11.33%	41.62%	2.36%	2.42%	39.05%	2.55%	3.23%	3.11%	9.01%	1.53%
	No	18.02%	15.31%	46.23%	11.43%	1.77%	24.26%	0.00%	0.20%	4.62%	9.67%	1.69%
Education	Less Than 12 Years	19.33%	19.12%	5.46%	3.57%	3.04%	49.49%	2.98%	12.34%	0.00%	24.35%	2.63%
	12 Years	12.57%	12.57%	19.42%	8.06%	2.78%	54.09%	0.91%	0.92%	2.53%	12.38%	0.91%
	Greater Than 12 Years	13.27%	10.95%	65.03%	5.25%	1.57%	18.10%	0.94%	0.00%	5.32%	3.51%	1.58%
	Upper 95% CI	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	15.98%	14.58%	45.65%	6.94%	2.93%	35.84%	2.11%	2.76%	4.68%	10.71%	2.26%
Age	Under 20 Years	19.47%	19.47%	0.00%	27.15%	7.48%	63.64%	7.48%	7.48%	7.48%	24.54%	7.48%
	20-24 Years	21.38%	21.38%	10.51%	23.26%	3.24%	57.48%	1.66%	1.89%	5.50%	16.84%	3.79%
	25-34 Years	15.54%	13.83%	53.77%	2.91%	2.83%	34.47%	2.32%	2.76%	5.03%	8.71%	2.12%
	Over 34 Years	14.65%	12.47%	65.55%	1.56%	3.44%	17.66%	1.97%	3.95%	3.96%	10.97%	1.41%
Ethnicity	White Non-Hispanic	14.61%	12.74%	60.83%	8.57%	2.93%	25.63%	1.06%	0.00%	5.29%	6.02%	2.13%
	Black Non-Hispanic	15.41%	14.56%	34.62%	7.77%	1.58%	62.52%	4.97%	1.72%	6.16%	2.86%	1.32%
	Hispanic	24.97%	24.09%	18.82%	5.77%	4.91%	34.05%	2.67%	13.12%	2.67%	35.66%	5.79%
Married	Married	17.54%	14.87%	68.96%	2.22%	3.47%	11.72%	1.33%	2.44%	7.67%	11.11%	2.68%
	Not Married	15.01%	14.85%	22.81%	11.94%	2.64%	60.35%	3.10%	3.32%	1.94%	10.80%	2.06%
Previous Live Birth	Yes	13.52%	12.99%	44.13%	3.20%	3.26%	41.54%	3.41%	4.18%	4.05%	10.52%	2.22%
	No	20.58%	17.71%	49.47%	13.58%	2.74%	27.10%	0.00%	0.62%	6.08%	11.67%	2.63%
Education	Less Than 12 Years	23.65%	23.42%	8.11%	5.79%	5.12%	54.75%	5.04%	16.01%	0.47%	29.01%	4.59%
	12 Years	15.23%	15.23%	22.55%	10.28%	4.19%	57.91%	1.79%	1.81%	3.88%	15.02%	1.79%
	Greater Than 12 Years	15.12%	12.66%	67.54%	6.50%	2.30%	20.19%	1.53%	0.00%	6.58%	4.55%	2.32%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Q16B-Q17C												
	Percent Response Yes	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	41.96%	4.27%	3.01%	46.79%	1.33%	5.01%	4.24%	2.32%	41.50%	3.86%	2.93%
Age	Under 20 Years	8.32%	17.70%	5.25%	74.24%	5.25%	12.19%	5.25%	0.00%	3.07%	16.57%	5.25%
	20-24 Years	6.84%	13.35%	2.51%	73.76%	1.16%	5.02%	4.52%	4.04%	6.66%	13.17%	3.67%
	25-34 Years	49.97%	1.96%	2.40%	42.41%	1.13%	4.23%	4.44%	1.72%	50.48%	1.19%	1.85%
	Over 34 Years	57.44%	0.00%	4.89%	29.19%	1.27%	5.86%	3.17%	2.99%	54.74%	0.63%	5.06%
Ethnicity	White Non-Hispanic	56.26%	5.05%	2.81%	32.21%	0.68%	0.50%	4.62%	2.56%	55.46%	4.48%	2.55%
	Black Non-Hispanic	29.06%	5.33%	1.62%	70.03%	3.37%	1.28%	5.28%	0.00%	30.33%	3.53%	1.79%
	Hispanic	16.71%	2.30%	4.01%	58.32%	0.67%	24.33%	2.01%	5.83%	15.38%	3.45%	4.01%
Married	Married	65.11%	1.53%	4.22%	20.02%	0.73%	3.88%	6.89%	2.57%	64.85%	1.22%	4.04%
	Not Married	18.78%	7.01%	1.81%	73.60%	1.92%	6.13%	1.59%	2.06%	18.12%	6.50%	1.83%
Previous Live Birth	Yes	39.51%	2.27%	3.35%	51.04%	1.80%	6.26%	3.58%	2.76%	39.86%	1.93%	3.27%
	No	46.22%	7.58%	2.49%	39.49%	0.55%	2.99%	5.35%	1.61%	44.44%	7.05%	2.40%
Education	Less Than 12 Years	4.23%	5.83%	3.16%	70.85%	3.16%	26.53%	0.22%	8.10%	4.86%	4.37%	3.47%
	12 Years	18.28%	5.70%	3.49%	73.43%	0.00%	3.37%	3.20%	2.14%	17.42%	5.08%	3.04%
	Greater Than 12 Years	63.43%	3.37%	2.88%	26.61%	1.18%	0.22%	5.95%	1.02%	62.86%	3.31%	2.88%
	Lower 95% CI	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	40.97%	3.86%	2.67%	45.80%	1.10%	4.57%	3.84%	2.02%	40.51%	3.48%	2.60%
Age	Under 20 Years	5.56%	13.88%	3.02%	69.87%	3.02%	8.93%	3.02%	0.00%	1.34%	12.85%	3.02%
	20-24 Years	5.66%	11.75%	1.78%	71.70%	0.66%	4.00%	3.55%	3.12%	5.49%	11.59%	2.79%
	25-34 Years	48.66%	1.60%	2.00%	41.13%	0.85%	3.71%	3.90%	1.38%	49.18%	0.91%	1.50%
	Over 34 Years	55.20%	0.00%	3.91%	27.13%	0.76%	4.79%	2.37%	2.21%	52.48%	0.27%	4.06%
Ethnicity	White Non-Hispanic	54.85%	4.42%	2.34%	30.88%	0.44%	0.30%	4.03%	2.11%	54.05%	3.89%	2.10%
	Black Non-Hispanic	27.28%	4.45%	1.12%	68.24%	2.66%	0.84%	4.41%	0.00%	28.53%	2.81%	1.27%
	Hispanic	14.96%	1.60%	3.09%	56.02%	0.29%	22.33%	1.36%	4.73%	13.70%	2.60%	3.09%
Married	Married	63.77%	1.18%	3.65%	18.89%	0.49%	3.34%	6.18%	2.12%	63.51%	0.91%	3.48%
	Not Married	17.68%	6.29%	1.43%	72.35%	1.53%	5.46%	1.24%	1.66%	17.03%	5.80%	1.45%
Previous Live Birth	Yes	38.28%	1.89%	2.89%	49.77%	1.47%	5.65%	3.11%	2.34%	38.62%	1.58%	2.82%
	No	44.60%	6.72%	1.99%	37.91%	0.31%	2.43%	4.62%	1.20%	42.83%	6.22%	1.90%
Education	Less Than 12 Years	3.17%	4.60%	2.24%	68.46%	2.24%	24.21%	0.00%	6.67%	3.73%	3.30%	2.51%
	12 Years	16.80%	4.81%	2.78%	71.73%	0.00%	2.68%	2.53%	1.58%	15.96%	4.24%	2.38%
	Greater Than 12 Years	62.15%	2.89%	2.44%	25.43%	0.89%	0.09%	5.32%	0.76%	61.58%	2.84%	2.43%
	Upper 95% CI	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	42.94%	4.67%	3.35%	47.79%	1.55%	5.44%	4.64%	2.61%	42.48%	4.24%	3.27%
Age	Under 20 Years	11.08%	21.51%	7.48%	78.60%	7.48%	15.46%	7.48%	0.00%	4.79%	20.28%	7.48%
	20-24 Years	8.02%	14.94%	3.24%	75.83%	1.66%	6.05%	5.50%	4.97%	7.83%	14.76%	4.55%
	25-34 Years	51.27%	2.32%	2.80%	43.70%	1.40%	4.76%	4.97%	2.06%	51.78%	1.47%	2.20%
	Over 34 Years	59.69%	0.00%	5.87%	31.26%	1.78%	6.92%	3.96%	3.76%	57.00%	0.99%	6.05%
Ethnicity	White Non-Hispanic	57.68%	5.67%	3.28%	33.54%	0.91%	0.70%	5.22%	3.01%	56.88%	5.07%	3.00%
	Black Non-Hispanic	30.84%	6.21%	2.11%	71.83%	4.08%	1.72%	6.16%	0.00%	32.13%	4.26%	2.31%
	Hispanic	18.45%	3.00%	4.93%	60.62%	1.05%	26.34%	2.67%	6.92%	17.07%	4.30%	4.93%
Married	Married	66.45%	1.88%	4.78%	21.15%	0.97%	4.43%	7.60%	3.02%	66.20%	1.53%	4.59%
	Not Married	19.88%	7.73%	2.19%	74.84%	2.31%	6.81%	1.94%	2.46%	19.20%	7.19%	2.21%
Previous Live Birth	Yes	40.75%	2.64%	3.80%	52.31%	2.14%	6.88%	4.05%	3.17%	41.10%	2.28%	3.72%
	No	47.83%	8.44%	3.00%	41.08%	0.79%	3.54%	6.08%	2.02%	46.05%	7.88%	2.90%
Education	Less Than 12 Years	5.29%	7.06%	4.08%	73.24%	4.08%	28.85%	0.47%	9.54%	5.99%	5.45%	4.43%
	12 Years	19.77%	6.59%	4.19%	75.12%	0.00%	4.06%	3.88%	2.69%	18.88%	5.92%	3.69%
	Greater Than 12 Years	64.71%	3.85%	3.33%	27.78%	1.47%	0.34%	6.58%	1.29%	64.15%	3.79%	3.32%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Q17D-Q19												
	Percent Response Yes	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	45.10%	1.54%	3.60%	4.27%	4.94%	20.44%	15.84%	38.81%	7.32%	16.88%	49.61%
Age	Under 20 Years	80.87%	5.25%	10.50%	5.25%	6.94%	61.47%	0.00%	24.96%	6.06%	7.51%	23.83%
	20-24 Years	74.44%	1.83%	1.83%	5.20%	6.06%	32.36%	9.83%	30.39%	4.22%	22.52%	31.10%
	25-34 Years	39.51%	1.28%	2.99%	4.28%	4.83%	17.17%	15.58%	43.30%	8.13%	15.13%	54.04%
	Over 34 Years	27.24%	1.27%	5.69%	3.17%	3.79%	10.73%	25.54%	35.88%	8.03%	18.86%	58.78%
Ethnicity	White Non-Hispanic	35.70%	0.93%	0.25%	4.94%	2.00%	16.47%	21.67%	45.90%	4.35%	11.30%	63.08%
	Black Non-Hispanic	68.11%	3.25%	0.81%	5.28%	1.75%	25.84%	7.73%	25.14%	12.58%	27.73%	28.26%
	Hispanic	42.39%	1.34%	17.94%	1.34%	19.25%	22.20%	7.81%	39.64%	8.78%	20.05%	41.26%
Married	Married	18.97%	0.82%	2.84%	6.95%	4.22%	13.93%	24.19%	47.68%	3.34%	9.90%	68.88%
	Not Married	71.27%	2.25%	4.36%	1.59%	5.66%	26.95%	7.48%	29.92%	11.30%	23.86%	30.32%
Previous Live Birth	Yes	46.85%	2.34%	4.30%	3.58%	5.81%	18.95%	10.82%	39.58%	9.65%	20.06%	47.68%
	No	41.88%	0.24%	2.49%	5.35%	3.54%	23.04%	23.87%	37.77%	3.47%	11.48%	52.76%
Education	Less Than 12 Years	54.02%	4.01%	20.73%	0.22%	21.29%	24.99%	3.94%	33.11%	13.67%	24.29%	30.09%
	12 Years	74.61%	0.62%	1.68%	3.20%	3.49%	21.70%	13.57%	33.01%	4.89%	25.93%	38.94%
	Greater Than 12 Years	27.77%	1.04%	0.22%	5.95%	1.24%	18.47%	20.61%	42.84%	6.70%	10.91%	60.09%
	Lower 95% CI	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	44.11%	1.29%	3.23%	3.87%	4.50%	19.63%	15.11%	37.83%	6.80%	16.13%	48.61%
Age	Under 20 Years	76.94%	3.02%	7.44%	3.02%	4.40%	56.61%	0.00%	20.63%	3.68%	4.88%	19.57%
	20-24 Years	72.39%	1.21%	1.21%	4.16%	4.94%	30.16%	8.44%	28.23%	3.28%	20.56%	28.93%
	25-34 Years	38.24%	0.99%	2.54%	3.76%	4.27%	16.19%	14.64%	42.01%	7.42%	14.20%	52.74%
	Over 34 Years	25.22%	0.76%	4.64%	2.37%	2.92%	9.33%	23.56%	33.70%	6.80%	17.08%	56.55%
Ethnicity	White Non-Hispanic	34.34%	0.65%	0.11%	4.32%	1.60%	15.41%	20.50%	44.48%	3.77%	10.40%	61.70%
	Black Non-Hispanic	66.28%	2.55%	0.46%	4.41%	1.24%	24.12%	6.69%	23.44%	11.28%	25.98%	26.50%
	Hispanic	40.08%	0.80%	16.15%	0.80%	17.41%	20.26%	6.56%	37.35%	7.46%	18.18%	38.97%
Married	Married	17.86%	0.57%	2.37%	6.24%	3.65%	12.95%	22.98%	46.27%	2.84%	9.06%	67.57%
	Not Married	69.99%	1.84%	3.78%	1.24%	5.01%	25.70%	6.74%	28.63%	10.41%	22.66%	29.02%
Previous Live Birth	Yes	45.58%	1.96%	3.78%	3.11%	5.22%	17.96%	10.03%	38.34%	8.91%	19.05%	46.41%
	No	40.28%	0.08%	1.98%	4.62%	2.94%	21.67%	22.48%	36.20%	2.88%	10.44%	51.14%
Education	Less Than 12 Years	51.40%	2.98%	18.60%	0.00%	19.13%	22.71%	2.92%	30.64%	11.86%	22.03%	27.68%
	12 Years	72.94%	0.32%	1.19%	2.53%	2.78%	20.11%	12.25%	31.21%	4.06%	24.25%	37.06%
	Greater Than 12 Years	26.58%	0.77%	0.09%	5.32%	0.94%	17.44%	19.54%	41.53%	6.03%	10.08%	58.79%
	Upper 95% CI	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	46.10%	1.78%	3.97%	4.68%	5.37%	21.24%	16.57%	39.78%	7.84%	17.62%	50.60%
Age	Under 20 Years	84.79%	7.48%	13.57%	7.48%	9.48%	66.33%	0.00%	29.28%	8.44%	10.14%	28.08%
	20-24 Years	76.49%	2.46%	2.46%	6.24%	7.17%	34.55%	11.23%	32.54%	5.17%	24.48%	33.27%
	25-34 Years	40.79%	1.58%	3.43%	4.81%	5.39%	18.15%	16.52%	44.59%	8.84%	16.06%	55.34%
	Over 34 Years	29.26%	1.78%	6.74%	3.96%	4.65%	12.14%	27.52%	38.06%	9.26%	20.63%	61.02%
Ethnicity	White Non-Hispanic	37.06%	1.20%	0.39%	5.56%	2.39%	17.53%	22.84%	47.32%	4.93%	12.20%	64.45%
	Black Non-Hispanic	69.93%	3.94%	1.16%	6.16%	2.27%	27.56%	8.78%	26.84%	13.88%	29.49%	30.03%
	Hispanic	44.70%	1.88%	19.73%	1.88%	21.09%	24.15%	9.06%	41.92%	10.10%	21.92%	43.56%
Married	Married	20.07%	1.08%	3.31%	7.67%	4.78%	14.91%	25.40%	49.09%	3.85%	10.75%	70.18%
	Not Married	72.55%	2.67%	4.93%	1.94%	6.31%	28.20%	8.22%	31.21%	12.20%	25.06%	31.61%
Previous Live Birth	Yes	48.11%	2.72%	4.81%	4.05%	6.41%	19.95%	11.61%	40.82%	10.40%	21.08%	48.94%
	No	43.48%	0.40%	2.99%	6.08%	4.14%	24.40%	25.25%	39.34%	4.07%	12.51%	54.38%
Education	Less Than 12 Years	56.64%	5.04%	22.86%	0.47%	23.44%	27.27%	4.96%	35.59%	15.47%	26.55%	32.51%
	12 Years	76.28%	0.92%	2.18%	3.88%	4.19%	23.28%	14.88%	34.82%	5.72%	27.61%	40.81%
	Greater Than 12 Years	28.96%	1.31%	0.34%	6.58%	1.53%	19.51%	21.69%	44.16%	7.36%	11.73%	61.39%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Q20-Q24I												
	Percent Response Yes	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	19.33%	78.82%	10.81%	2.14%	2.52%	5.39%	3.28%	1.75%	2.19%	1.41%	3.93%
Age	Under 20 Years	24.88%	59.29%	27.07%	3.07%	10.50%	5.25%	14.70%	1.94%	3.07%	1.13%	8.07%
	20-24 Years	22.48%	72.43%	15.96%	5.20%	1.03%	6.07%	3.74%	2.69%	3.61%	2.03%	7.34%
	25-34 Years	18.38%	80.98%	9.39%	1.36%	2.34%	5.30%	2.47%	1.26%	1.90%	1.14%	3.03%
	Over 34 Years	18.11%	82.28%	6.97%	1.43%	2.81%	5.07%	2.97%	2.34%	1.59%	1.72%	2.64%
Ethnicity	White Non-Hispanic	16.88%	81.36%	12.21%	2.06%	2.18%	5.47%	2.88%	1.98%	1.87%	1.62%	2.43%
	Black Non-Hispanic	21.82%	72.26%	12.00%	0.94%	5.03%	6.48%	5.70%	2.77%	2.10%	1.93%	6.86%
	Hispanic	23.37%	82.64%	4.86%	4.01%	0.85%	4.01%	2.19%	0.18%	3.02%	0.67%	4.01%
Married	Married	11.21%	82.22%	9.11%	2.81%	0.77%	6.39%	2.24%	0.62%	1.72%	0.80%	2.02%
	Not Married	27.45%	75.42%	12.52%	1.46%	4.27%	4.40%	4.33%	2.89%	2.67%	2.03%	5.85%
Previous Live Birth	Yes	21.56%	80.19%	9.80%	2.42%	2.81%	5.76%	3.53%	2.38%	2.03%	2.01%	3.50%
	No	15.42%	76.41%	12.57%	1.69%	2.07%	4.83%	2.90%	0.73%	2.48%	0.44%	4.67%
Education	Less Than 12 Years	23.28%	73.73%	11.98%	3.85%	8.43%	7.30%	8.98%	2.13%	3.67%	3.38%	7.30%
	12 Years	25.78%	75.23%	11.98%	2.14%	2.86%	4.64%	3.29%	2.75%	3.04%	2.53%	4.76%
	Greater Than 12 Years	14.55%	81.85%	10.07%	1.79%	0.96%	5.51%	1.53%	0.88%	1.43%	0.22%	2.85%
	Lower 95% CI	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	18.54%	78.01%	10.20%	1.85%	2.21%	4.94%	2.93%	1.49%	1.90%	1.18%	3.55%
Age	Under 20 Years	20.57%	54.38%	22.63%	1.34%	7.44%	3.02%	11.16%	0.56%	1.34%	0.07%	5.35%
	20-24 Years	20.53%	70.33%	14.24%	4.16%	0.56%	4.95%	2.85%	1.93%	2.74%	1.37%	6.12%
	25-34 Years	17.37%	79.96%	8.63%	1.06%	1.95%	4.72%	2.06%	0.97%	1.54%	0.86%	2.59%
	Over 34 Years	16.36%	80.54%	5.82%	0.89%	2.06%	4.07%	2.20%	1.65%	1.02%	1.13%	1.91%
Ethnicity	White Non-Hispanic	15.81%	80.25%	11.27%	1.65%	1.76%	4.82%	2.40%	1.58%	1.48%	1.26%	1.99%
	Black Non-Hispanic	20.20%	70.51%	10.73%	0.57%	4.17%	5.51%	4.79%	2.13%	1.54%	1.39%	5.87%
	Hispanic	21.39%	80.87%	3.85%	3.09%	0.42%	3.09%	1.51%	0.00%	2.22%	0.29%	3.09%
Married	Married	10.32%	81.15%	8.30%	2.35%	0.53%	5.70%	1.82%	0.40%	1.36%	0.55%	1.62%
	Not Married	26.19%	74.20%	11.59%	1.12%	3.70%	3.82%	3.75%	2.41%	2.21%	1.63%	5.19%
Previous Live Birth	Yes	20.52%	79.18%	9.05%	2.03%	2.39%	5.17%	3.06%	2.00%	1.67%	1.66%	3.04%
	No	14.25%	75.04%	11.49%	1.28%	1.61%	4.14%	2.36%	0.46%	1.97%	0.23%	3.99%
Education	Less Than 12 Years	21.06%	71.41%	10.27%	2.84%	6.96%	5.93%	7.48%	1.37%	2.68%	2.43%	5.93%
	12 Years	24.10%	73.58%	10.73%	1.58%	2.22%	3.83%	2.60%	2.12%	2.38%	1.93%	3.94%
	Greater Than 12 Years	13.61%	80.83%	9.27%	1.44%	0.70%	4.90%	1.21%	0.63%	1.12%	0.09%	2.41%
	Upper 95% CI	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	20.11%	79.64%	11.43%	2.42%	2.83%	5.84%	3.64%	2.01%	2.49%	1.65%	4.32%
Age	Under 20 Years	29.20%	64.19%	31.51%	4.79%	13.57%	7.48%	18.24%	3.32%	4.79%	2.18%	10.79%
	20-24 Years	24.44%	74.52%	17.68%	6.24%	1.51%	7.19%	4.63%	3.45%	4.49%	2.69%	8.56%
	25-34 Years	19.38%	82.01%	10.15%	1.66%	2.74%	5.88%	2.87%	1.55%	2.25%	1.42%	3.48%
	Over 34 Years	19.85%	84.01%	8.13%	1.97%	3.55%	6.07%	3.74%	3.02%	2.16%	2.31%	3.36%
Ethnicity	White Non-Hispanic	17.95%	82.47%	13.14%	2.46%	2.59%	6.12%	3.35%	2.37%	2.25%	1.98%	2.86%
	Black Non-Hispanic	23.44%	74.02%	13.27%	1.32%	5.88%	7.44%	6.60%	3.42%	2.66%	2.47%	7.86%
	Hispanic	25.35%	84.41%	5.86%	4.93%	1.28%	4.93%	2.87%	0.37%	3.82%	1.05%	4.93%
Married	Married	12.10%	83.30%	9.92%	3.28%	1.02%	7.08%	2.65%	0.84%	2.09%	1.05%	2.41%
	Not Married	28.71%	76.63%	13.45%	1.79%	4.84%	4.98%	4.90%	3.36%	3.12%	2.43%	6.52%
Previous Live Birth	Yes	22.60%	81.20%	10.55%	2.80%	3.23%	6.35%	4.00%	2.77%	2.39%	2.37%	3.97%
	No	16.59%	77.79%	13.64%	2.11%	2.53%	5.53%	3.45%	1.01%	2.98%	0.66%	5.36%
Education	Less Than 12 Years	25.50%	76.04%	13.69%	4.86%	9.89%	8.67%	10.49%	2.89%	4.66%	4.33%	8.67%
	12 Years	27.46%	76.89%	13.22%	2.69%	3.50%	5.45%	3.97%	3.38%	3.69%	3.14%	5.58%
	Greater Than 12 Years	15.49%	82.88%	10.87%	2.14%	1.22%	6.11%	1.86%	1.13%	1.75%	0.34%	3.30%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Q24J-Q25I												
	Percent Response Yes	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	1.51%	0.58%	50.82%	93.76%	95.39%	95.10%	87.40%	88.03%	87.42%	64.20%	93.17%
Age	Under 20 Years	14.70%	5.25%	44.59%	71.73%	90.55%	90.55%	89.42%	86.36%	89.42%	52.91%	90.55%
	20-24 Years	1.03%	0.00%	45.89%	91.93%	95.90%	94.74%	89.42%	89.43%	85.76%	70.92%	95.46%
	25-34 Years	0.90%	0.62%	50.86%	95.25%	95.46%	95.25%	86.73%	88.43%	87.87%	64.44%	93.23%
	Over 34 Years	1.09%	0.00%	56.60%	95.53%	95.70%	95.93%	87.14%	85.85%	87.19%	59.52%	91.37%
Ethnicity	White Non-Hispanic	0.76%	0.25%	48.19%	96.87%	97.19%	97.12%	88.03%	88.20%	87.30%	58.24%	93.69%
	Black Non-Hispanic	3.93%	0.81%	54.84%	91.45%	93.88%	93.02%	88.82%	91.59%	87.89%	72.04%	93.83%
	Hispanic	0.67%	0.67%	54.19%	87.69%	92.64%	93.13%	87.48%	85.17%	87.00%	69.81%	93.31%
Married	Married	0.55%	0.49%	54.49%	95.34%	95.22%	94.98%	85.16%	85.51%	86.16%	58.72%	92.81%
	Not Married	2.47%	0.66%	47.14%	92.19%	95.56%	95.23%	89.65%	90.55%	88.68%	69.70%	93.53%
Previous Live Birth	Yes	1.44%	0.59%	49.36%	94.01%	94.98%	94.57%	87.93%	88.20%	87.04%	65.37%	92.41%
	No	1.64%	0.55%	53.53%	93.72%	96.02%	95.94%	86.50%	87.66%	88.02%	62.00%	94.37%
Education	Less Than 12 Years	6.21%	2.31%	47.89%	84.77%	89.61%	89.30%	86.21%	87.37%	87.68%	67.67%	88.98%
	12 Years	1.07%	0.45%	49.67%	90.99%	94.54%	93.31%	88.59%	88.30%	89.53%	67.75%	91.84%
	Greater Than 12 Years	0.59%	0.22%	53.20%	97.23%	97.50%	97.66%	87.79%	88.03%	86.49%	61.39%	94.63%
	Lower 95% CI	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	1.27%	0.42%	49.82%	93.28%	94.97%	94.67%	86.74%	87.38%	86.76%	63.25%	92.67%
Age	Under 20 Years	11.16%	3.02%	39.62%	67.23%	87.63%	87.63%	86.35%	82.93%	86.35%	47.92%	87.63%
	20-24 Years	0.56%	0.00%	43.55%	90.65%	94.97%	93.70%	87.98%	87.99%	84.13%	68.80%	94.48%
	25-34 Years	0.66%	0.42%	49.56%	94.69%	94.92%	94.70%	85.84%	87.59%	87.02%	63.20%	92.58%
	Over 34 Years	0.62%	0.00%	54.35%	94.59%	94.77%	95.03%	85.62%	84.27%	85.67%	57.29%	90.10%
Ethnicity	White Non-Hispanic	0.51%	0.11%	46.77%	96.38%	96.72%	96.65%	87.10%	87.28%	86.35%	56.83%	93.00%
	Black Non-Hispanic	3.17%	0.46%	52.89%	90.36%	92.94%	92.02%	87.58%	90.51%	86.61%	70.28%	92.89%
	Hispanic	0.29%	0.29%	51.87%	86.15%	91.42%	91.95%	85.93%	83.50%	85.43%	67.67%	92.14%
Married	Married	0.34%	0.29%	53.09%	94.75%	94.62%	94.36%	84.15%	84.52%	85.18%	57.33%	92.09%
	Not Married	2.04%	0.43%	45.73%	91.43%	94.98%	94.63%	88.79%	89.72%	87.79%	68.40%	92.84%
Previous Live Birth	Yes	1.14%	0.40%	48.09%	93.41%	94.43%	94.00%	87.11%	87.38%	86.19%	64.17%	91.74%
	No	1.23%	0.31%	51.91%	92.94%	95.39%	95.30%	85.40%	86.59%	86.97%	60.42%	93.62%
Education	Less Than 12 Years	4.94%	1.52%	45.27%	82.88%	88.01%	87.67%	84.39%	85.62%	85.96%	65.21%	87.34%
	12 Years	0.68%	0.20%	47.75%	89.89%	93.67%	92.35%	87.37%	87.07%	88.36%	65.96%	90.79%
	Greater Than 12 Years	0.39%	0.09%	51.87%	96.80%	97.09%	97.26%	86.92%	87.17%	85.58%	60.10%	94.04%
	Upper 95% CI	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	1.76%	0.73%	51.81%	94.25%	95.81%	95.53%	88.06%	88.68%	88.08%	65.16%	93.67%
Age	Under 20 Years	18.24%	7.48%	49.55%	76.23%	93.47%	93.47%	92.49%	89.79%	92.49%	57.89%	93.47%
	20-24 Years	1.51%	0.00%	48.23%	93.21%	96.83%	95.79%	90.86%	90.88%	87.40%	73.05%	96.44%
	25-34 Years	1.15%	0.83%	52.16%	95.80%	96.00%	95.81%	87.61%	89.26%	88.72%	65.69%	93.89%
	Over 34 Years	1.56%	0.00%	58.85%	96.47%	96.62%	96.83%	88.66%	87.44%	88.71%	61.75%	92.65%
Ethnicity	White Non-Hispanic	1.01%	0.39%	49.61%	97.37%	97.66%	97.60%	88.95%	89.12%	88.25%	59.64%	94.39%
	Black Non-Hispanic	4.69%	1.16%	56.79%	92.55%	94.82%	94.02%	90.05%	92.68%	89.16%	73.80%	94.77%
	Hispanic	1.05%	1.05%	56.52%	89.22%	93.86%	94.31%	89.02%	86.83%	88.57%	71.96%	94.48%
Married	Married	0.76%	0.68%	55.89%	95.93%	95.82%	95.60%	86.16%	86.51%	87.13%	60.10%	93.54%
	Not Married	2.91%	0.89%	48.55%	92.95%	96.14%	95.83%	90.50%	91.37%	89.58%	71.00%	94.22%
Previous Live Birth	Yes	1.74%	0.79%	50.63%	94.61%	95.53%	95.14%	88.76%	89.01%	87.89%	66.58%	93.08%
	No	2.05%	0.79%	55.15%	94.51%	96.66%	96.58%	87.61%	88.73%	89.08%	63.57%	95.11%
Education	Less Than 12 Years	7.48%	3.10%	50.52%	86.66%	91.21%	90.92%	88.02%	89.12%	89.41%	70.13%	90.63%
	12 Years	1.47%	0.71%	51.59%	92.09%	95.41%	94.27%	89.81%	89.54%	90.71%	69.55%	92.89%
	Greater Than 12 Years	0.79%	0.34%	54.52%	97.67%	97.92%	98.06%	88.66%	88.89%	87.40%	62.69%	95.23%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Q25J-Q30E												
	Percent Response Yes	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	86.64%	86.11%	11.90%	48.64%	74.83%	35.23%	83.52%	45.05%	62.48%	19.43%	12.09%
Age	Under 20 Years	80.05%	75.05%	14.45%	23.44%	53.72%	27.95%	86.43%	37.08%	39.66%	25.21%	18.82%
	20-24 Years	94.44%	74.31%	8.21%	40.37%	73.85%	25.55%	76.16%	42.74%	55.87%	22.36%	16.02%
	25-34 Years	85.53%	89.21%	12.64%	50.10%	74.88%	37.50%	83.67%	45.76%	64.21%	19.86%	11.71%
	Over 34 Years	84.08%	90.01%	12.58%	57.14%	79.94%	38.91%	89.39%	46.69%	68.12%	14.17%	8.16%
Ethnicity	White Non-Hispanic	85.06%	89.09%	11.15%	54.39%	80.50%	43.77%	86.97%	46.23%	69.89%	16.98%	11.62%
	Black Non-Hispanic	88.35%	83.16%	12.48%	40.43%	68.84%	26.38%	83.42%	47.11%	68.38%	27.21%	12.74%
	Hispanic	91.97%	80.86%	11.56%	45.87%	67.20%	27.52%	76.01%	47.05%	38.17%	15.64%	11.82%
Married	Married	81.68%	88.50%	12.56%	57.90%	79.44%	43.40%	85.28%	45.79%	71.87%	11.90%	9.49%
	Not Married	91.61%	83.71%	11.24%	39.37%	70.21%	27.05%	81.77%	44.30%	53.08%	26.96%	14.70%
Previous Live Birth	Yes	87.81%	88.52%	12.79%	47.54%	71.25%	33.48%	85.58%	45.08%	58.34%	21.75%	12.81%
	No	85.02%	82.03%	10.20%	50.67%	80.57%	38.30%	80.34%	45.20%	69.36%	15.79%	11.01%
Education	Less Than 12 Years	90.24%	74.30%	13.19%	35.78%	55.35%	19.91%	76.31%	44.39%	32.54%	23.92%	15.52%
	12 Years	88.83%	81.32%	10.74%	42.80%	73.57%	23.89%	82.54%	40.95%	52.28%	22.98%	11.37%
	Greater Than 12 Years	84.28%	91.18%	11.94%	55.09%	80.59%	44.84%	85.78%	47.23%	75.32%	16.57%	11.45%
	Lower 95% CI	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	85.96%	85.42%	11.25%	47.64%	73.96%	34.28%	82.78%	44.06%	61.52%	18.64%	11.44%
Age	Under 20 Years	76.06%	70.72%	10.94%	19.21%	48.74%	23.47%	83.01%	32.26%	34.77%	20.87%	14.92%
	20-24 Years	93.37%	72.26%	6.92%	38.07%	71.79%	23.50%	74.17%	40.42%	53.55%	20.40%	14.30%
	25-34 Years	84.61%	88.40%	11.77%	48.80%	73.76%	36.24%	82.70%	44.46%	62.96%	18.82%	10.88%
	Over 34 Years	82.42%	88.64%	11.07%	54.89%	78.12%	36.70%	87.99%	44.42%	66.01%	12.59%	6.92%
Ethnicity	White Non-Hispanic	84.05%	88.20%	10.25%	52.97%	79.37%	42.36%	86.01%	44.81%	68.58%	15.91%	10.71%
	Black Non-Hispanic	87.09%	81.69%	11.18%	38.50%	67.02%	24.66%	81.96%	45.15%	66.55%	25.47%	11.43%
	Hispanic	90.70%	79.02%	10.07%	43.55%	65.01%	25.43%	74.02%	44.72%	35.90%	13.94%	10.31%
Married	Married	80.59%	87.60%	11.62%	56.51%	78.30%	42.01%	84.28%	44.39%	70.60%	10.99%	8.66%
	Not Married	90.83%	82.67%	10.35%	37.99%	68.92%	25.80%	80.68%	42.90%	51.67%	25.71%	13.70%
Previous Live Birth	Yes	86.98%	87.72%	11.95%	46.27%	70.10%	32.29%	84.69%	43.81%	57.09%	20.70%	11.96%
	No	83.87%	80.79%	9.22%	49.05%	79.28%	36.72%	79.05%	43.59%	67.87%	14.60%	9.99%
Education	Less Than 12 Years	88.67%	72.00%	11.41%	33.26%	52.74%	17.81%	74.07%	41.77%	30.08%	21.67%	13.62%
	12 Years	87.62%	79.82%	9.55%	40.90%	71.88%	22.25%	81.08%	39.07%	50.36%	21.36%	10.15%
	Greater Than 12 Years	83.31%	90.42%	11.08%	53.76%	79.53%	43.51%	84.85%	45.90%	74.18%	15.58%	10.60%
	Upper 95% CI	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	87.32%	86.80%	12.54%	49.64%	75.69%	36.18%	84.26%	46.04%	63.45%	20.21%	12.74%
Age	Under 20 Years	84.04%	79.37%	17.96%	27.67%	58.69%	32.43%	89.85%	41.90%	44.54%	29.54%	22.73%
	20-24 Years	95.52%	76.36%	9.50%	42.67%	75.91%	27.59%	78.16%	45.06%	58.20%	24.31%	17.74%
	25-34 Years	86.44%	90.01%	13.50%	51.41%	76.01%	38.76%	84.63%	47.06%	65.46%	20.90%	12.55%
	Over 34 Years	85.75%	91.37%	14.09%	59.38%	81.76%	41.12%	90.78%	48.96%	70.24%	15.75%	9.40%
Ethnicity	White Non-Hispanic	86.08%	89.97%	12.04%	55.81%	81.63%	45.19%	87.93%	47.65%	71.19%	18.05%	12.53%
	Black Non-Hispanic	89.60%	84.62%	13.77%	42.35%	70.65%	28.11%	84.87%	49.07%	70.20%	28.96%	14.05%
	Hispanic	93.24%	82.69%	13.06%	48.20%	69.40%	29.60%	78.01%	49.38%	40.44%	17.33%	13.33%
Married	Married	82.77%	89.40%	13.49%	59.29%	80.58%	44.80%	86.27%	47.20%	73.14%	12.81%	10.31%
	Not Married	92.39%	84.75%	12.13%	40.75%	71.50%	28.31%	82.86%	45.70%	54.49%	28.21%	15.69%
Previous Live Birth	Yes	88.64%	89.33%	13.64%	48.80%	72.40%	34.68%	86.47%	46.34%	59.59%	22.79%	13.66%
	No	86.18%	83.27%	11.19%	52.29%	81.85%	39.88%	81.63%	46.81%	70.86%	16.97%	12.02%
Education	Less Than 12 Years	91.80%	76.59%	14.96%	38.30%	57.97%	22.01%	78.54%	47.00%	35.00%	26.16%	17.43%
	12 Years	90.04%	82.81%	11.92%	44.70%	75.26%	25.53%	84.00%	42.84%	54.20%	24.59%	12.59%
	Greater Than 12 Years	85.25%	91.93%	12.80%	56.41%	81.64%	46.16%	86.71%	48.56%	76.47%	17.56%	12.29%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Q31-Q33G												
	Percent Response Yes	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	6.66%	14.92%	17.57%	15.56%	17.16%	13.98%	15.41%	1.38%	7.14%	13.32%	4.80%
Age	Under 20 Years	18.25%	6.06%	17.77%	16.96%	15.76%	11.63%	14.45%	0.00%	8.32%	30.53%	2.26%
	20-24 Years	4.28%	8.73%	15.35%	23.66%	20.47%	21.81%	20.11%	0.18%	1.28%	21.77%	8.22%
	25-34 Years	5.90%	13.85%	18.45%	14.86%	15.80%	14.20%	14.88%	1.62%	8.73%	11.17%	4.27%
	Over 34 Years	8.78%	25.80%	16.92%	9.80%	18.52%	6.44%	12.81%	2.07%	7.53%	8.39%	3.76%
Ethnicity	White Non-Hispanic	3.97%	13.11%	18.52%	18.05%	16.32%	13.49%	14.78%	1.13%	8.36%	11.25%	5.05%
	Black Non-Hispanic	13.01%	17.52%	23.87%	16.69%	19.15%	12.98%	21.79%	2.58%	6.48%	17.22%	4.70%
	Hispanic	6.36%	14.15%	8.04%	11.50%	16.91%	18.02%	8.37%	0.53%	4.79%	15.55%	5.41%
Married	Married	3.79%	11.51%	17.47%	8.66%	16.11%	9.95%	12.71%	1.93%	7.02%	9.94%	3.28%
	Not Married	9.52%	18.33%	17.67%	22.46%	18.22%	18.01%	18.11%	0.84%	7.26%	16.71%	6.33%
Previous Live Birth	Yes	6.16%	17.03%	16.34%	16.49%	16.47%	12.68%	16.90%	1.29%	7.57%	14.76%	4.18%
	No	7.52%	11.58%	19.41%	14.16%	18.44%	15.57%	12.76%	1.46%	6.09%	10.68%	5.87%
Education	Less Than 12 Years	15.16%	13.79%	14.53%	19.53%	19.91%	18.18%	20.98%	1.61%	9.61%	24.87%	5.56%
	12 Years	6.54%	17.50%	17.67%	17.61%	17.81%	18.28%	15.56%	0.57%	4.75%	16.32%	5.76%
	Greater Than 12 Years	4.46%	14.57%	18.41%	13.29%	16.03%	11.25%	13.41%	1.72%	7.56%	8.96%	4.36%
	Lower 95% CI	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	6.16%	14.21%	16.81%	14.84%	16.41%	13.29%	14.69%	1.15%	6.62%	12.65%	4.38%
Age	Under 20 Years	14.40%	3.68%	13.95%	13.21%	12.12%	8.43%	10.94%	0.00%	5.56%	25.93%	0.77%
	20-24 Years	3.33%	7.41%	13.66%	21.66%	18.58%	19.87%	18.23%	0.00%	0.75%	19.84%	6.93%
	25-34 Years	5.29%	12.95%	17.44%	13.94%	14.85%	13.29%	13.95%	1.29%	8.00%	10.35%	3.74%
	Over 34 Years	7.49%	23.81%	15.22%	8.45%	16.75%	5.32%	11.30%	1.42%	6.33%	7.13%	2.89%
Ethnicity	White Non-Hispanic	3.42%	12.15%	17.42%	16.95%	15.27%	12.52%	13.77%	0.83%	7.57%	10.35%	4.43%
	Black Non-Hispanic	11.69%	16.03%	22.20%	15.23%	17.61%	11.67%	20.17%	1.96%	5.51%	15.74%	3.87%
	Hispanic	5.22%	12.52%	6.77%	10.01%	15.15%	16.22%	7.08%	0.19%	3.79%	13.86%	4.35%
Married	Married	3.25%	10.61%	16.40%	7.87%	15.07%	9.10%	11.77%	1.54%	6.30%	9.09%	2.78%
	Not Married	8.70%	17.24%	16.59%	21.29%	17.14%	16.93%	17.02%	0.58%	6.53%	15.66%	5.64%
Previous Live Birth	Yes	5.56%	16.08%	15.40%	15.55%	15.53%	11.84%	15.95%	1.00%	6.90%	13.86%	3.67%
	No	6.66%	10.54%	18.13%	13.03%	17.19%	14.40%	11.68%	1.07%	5.31%	9.68%	5.11%
Education	Less Than 12 Years	13.27%	11.98%	12.68%	17.44%	17.81%	16.15%	18.84%	0.95%	8.06%	22.59%	4.35%
	12 Years	5.59%	16.04%	16.20%	16.14%	16.34%	16.79%	14.17%	0.28%	3.93%	14.90%	4.87%
	Greater Than 12 Years	3.91%	13.63%	17.38%	12.39%	15.05%	10.41%	12.51%	1.37%	6.85%	8.20%	3.82%
	Upper 95% CI	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	7.15%	15.63%	18.33%	16.28%	17.92%	14.67%	16.13%	1.62%	7.65%	14.00%	5.23%
Age	Under 20 Years	22.11%	8.44%	21.58%	20.71%	19.39%	14.84%	17.96%	0.00%	11.08%	35.13%	3.74%
	20-24 Years	5.22%	10.06%	17.04%	25.65%	22.36%	23.74%	21.99%	0.38%	1.81%	23.71%	9.50%
	25-34 Years	6.52%	14.75%	19.46%	15.79%	16.75%	15.11%	15.80%	1.95%	9.47%	11.99%	4.79%
	Over 34 Years	10.06%	27.79%	18.63%	11.15%	20.28%	7.55%	14.33%	2.71%	8.72%	9.65%	4.62%
Ethnicity	White Non-Hispanic	4.53%	14.07%	19.63%	19.14%	17.38%	14.47%	15.79%	1.43%	9.15%	12.15%	5.67%
	Black Non-Hispanic	14.33%	19.01%	25.54%	18.16%	20.69%	14.30%	23.41%	3.21%	7.44%	18.70%	5.53%
	Hispanic	7.50%	15.78%	9.31%	12.99%	18.66%	19.81%	9.67%	0.87%	5.78%	17.24%	6.47%
Married	Married	4.33%	12.41%	18.54%	9.46%	17.14%	10.79%	13.65%	2.32%	7.74%	10.78%	3.78%
	Not Married	10.35%	19.42%	18.75%	23.64%	19.31%	19.09%	19.20%	1.09%	7.99%	17.76%	7.01%
Previous Live Birth	Yes	6.77%	17.98%	17.27%	17.43%	17.41%	13.52%	17.85%	1.57%	8.24%	15.65%	4.68%
	No	8.37%	12.62%	20.70%	15.29%	19.70%	16.75%	13.84%	1.85%	6.86%	11.68%	6.63%
Education	Less Than 12 Years	17.05%	15.61%	16.39%	21.61%	22.01%	20.21%	23.13%	2.28%	11.16%	27.14%	6.77%
	12 Years	7.49%	18.96%	19.13%	19.07%	19.28%	19.76%	16.95%	0.86%	5.56%	17.74%	6.66%
	Greater Than 12 Years	5.01%	15.51%	19.44%	14.19%	17.00%	12.09%	14.32%	2.06%	8.26%	9.72%	4.90%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Q33H-Q34I												
	Percent Response Yes	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	2.66%	1.82%	1.64%	2.66%	2.39%	0.29%	0.12%	0.33%	11.53%	6.02%	1.58%
Age	Under 20 Years	12.51%	0.00%	0.00%	0.00%	8.32%	0.00%	0.00%	0.00%	6.87%	6.38%	0.00%
	20-24 Years	2.70%	2.69%	2.99%	3.60%	5.54%	0.50%	0.00%	0.00%	8.68%	4.33%	1.34%
	25-34 Years	2.07%	1.44%	1.46%	2.96%	1.59%	0.26%	0.21%	0.21%	13.10%	7.39%	1.45%
	Over 34 Years	2.37%	2.54%	1.27%	1.44%	0.63%	0.23%	0.00%	1.09%	10.39%	3.39%	2.52%
Ethnicity	White Non-Hispanic	2.06%	1.49%	2.17%	1.94%	1.57%	0.07%	0.00%	0.00%	14.00%	5.27%	1.19%
	Black Non-Hispanic	3.77%	3.26%	0.47%	6.15%	2.15%	0.87%	0.00%	0.81%	9.38%	8.63%	2.44%
	Hispanic	3.04%	0.67%	0.67%	0.67%	5.16%	0.18%	0.00%	0.00%	6.31%	4.65%	0.18%
Married	Married	2.87%	1.71%	1.71%	1.38%	1.44%	0.09%	0.24%	0.24%	10.95%	2.81%	0.82%
	Not Married	2.45%	1.93%	1.57%	3.95%	3.34%	0.49%	0.00%	0.42%	12.11%	9.24%	2.33%
Previous Live Birth	Yes	2.63%	1.59%	0.99%	3.59%	1.45%	0.27%	0.20%	0.54%	11.27%	5.76%	1.82%
	No	2.41%	2.20%	2.72%	1.17%	3.93%	0.32%	0.00%	0.00%	12.05%	6.51%	1.19%
Education	Less Than 12 Years	3.29%	2.31%	0.85%	3.92%	6.78%	0.54%	0.00%	0.00%	7.39%	3.16%	3.70%
	12 Years	3.54%	1.70%	1.23%	2.30%	2.65%	0.45%	0.00%	0.78%	8.98%	6.17%	2.57%
	Greater Than 12 Years	1.76%	1.61%	2.11%	2.63%	1.24%	0.16%	0.22%	0.22%	14.10%	6.95%	0.63%
	Lower 95% CI	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	2.34%	1.55%	1.39%	2.34%	2.08%	0.18%	0.05%	0.22%	10.89%	5.55%	1.33%
Age	Under 20 Years	9.21%	0.00%	0.00%	0.00%	5.56%	0.00%	0.00%	0.00%	4.34%	3.94%	0.00%
	20-24 Years	1.94%	1.93%	2.19%	2.73%	4.47%	0.17%	0.00%	0.00%	7.36%	3.38%	0.80%
	25-34 Years	1.70%	1.13%	1.15%	2.51%	1.26%	0.13%	0.09%	0.09%	12.22%	6.71%	1.14%
	Over 34 Years	1.68%	1.82%	0.76%	0.90%	0.27%	0.01%	0.00%	0.62%	9.01%	2.57%	1.81%
Ethnicity	White Non-Hispanic	1.66%	1.15%	1.76%	1.55%	1.22%	0.00%	0.00%	0.00%	13.01%	4.63%	0.88%
	Black Non-Hispanic	3.02%	2.56%	0.20%	5.21%	1.58%	0.51%	0.00%	0.46%	8.24%	7.53%	1.83%
	Hispanic	2.24%	0.29%	0.29%	0.29%	4.13%	0.00%	0.00%	0.00%	5.17%	3.67%	0.00%
Married	Married	2.40%	1.34%	1.34%	1.05%	1.10%	0.01%	0.11%	0.11%	10.07%	2.35%	0.57%
	Not Married	2.02%	1.54%	1.22%	3.40%	2.83%	0.29%	0.00%	0.24%	11.19%	8.42%	1.91%
Previous Live Birth	Yes	2.22%	1.28%	0.74%	3.12%	1.15%	0.14%	0.08%	0.35%	10.47%	5.17%	1.48%
	No	1.91%	1.72%	2.20%	0.82%	3.30%	0.14%	0.00%	0.00%	11.00%	5.71%	0.84%
Education	Less Than 12 Years	2.36%	1.52%	0.37%	2.90%	5.46%	0.15%	0.00%	0.00%	6.01%	2.24%	2.70%
	12 Years	2.83%	1.20%	0.81%	1.72%	2.04%	0.20%	0.00%	0.44%	7.88%	5.25%	1.96%
	Greater Than 12 Years	1.41%	1.28%	1.73%	2.21%	0.95%	0.05%	0.09%	0.09%	13.18%	6.28%	0.42%
	Upper 95% CI	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	2.98%	2.08%	1.89%	2.98%	2.69%	0.40%	0.19%	0.45%	12.17%	6.50%	1.83%
Age	Under 20 Years	15.82%	0.00%	0.00%	0.00%	11.08%	0.00%	0.00%	0.00%	9.40%	8.82%	0.00%
	20-24 Years	3.47%	3.45%	3.79%	4.47%	6.62%	0.83%	0.00%	0.00%	10.00%	5.28%	1.88%
	25-34 Years	2.44%	1.75%	1.77%	3.40%	1.91%	0.40%	0.33%	0.33%	13.97%	8.07%	1.76%
	Over 34 Years	3.06%	3.25%	1.78%	1.98%	0.99%	0.45%	0.00%	1.56%	11.78%	4.21%	3.23%
Ethnicity	White Non-Hispanic	2.47%	1.84%	2.59%	2.33%	1.92%	0.14%	0.00%	0.00%	14.99%	5.91%	1.50%
	Black Non-Hispanic	4.52%	3.95%	0.74%	7.09%	2.72%	1.23%	0.00%	1.16%	10.53%	9.74%	3.04%
	Hispanic	3.84%	1.05%	1.05%	1.05%	6.19%	0.37%	0.00%	0.00%	7.44%	5.63%	0.37%
Married	Married	3.34%	2.07%	2.07%	1.70%	1.78%	0.17%	0.38%	0.38%	11.83%	3.28%	1.08%
	Not Married	2.89%	2.31%	1.92%	4.50%	3.84%	0.69%	0.00%	0.60%	13.03%	10.05%	2.76%
Previous Live Birth	Yes	3.03%	1.91%	1.24%	4.06%	1.76%	0.40%	0.31%	0.72%	12.07%	6.35%	2.16%
	No	2.90%	2.67%	3.25%	1.51%	4.56%	0.51%	0.00%	0.00%	13.11%	7.31%	1.54%
Education	Less Than 12 Years	4.23%	3.10%	1.33%	4.94%	8.11%	0.92%	0.00%	0.00%	8.77%	4.08%	4.69%
	12 Years	4.25%	2.19%	1.65%	2.87%	3.27%	0.71%	0.00%	1.11%	10.07%	7.09%	3.18%
	Greater Than 12 Years	2.11%	1.95%	2.49%	3.06%	1.54%	0.27%	0.34%	0.34%	15.03%	7.63%	0.84%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Q34J-Q40D												
	Percent Response Yes	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	10.22%	13.45%	20.99%	6.97%	8.21%	3.26%	4.42%	7.78%	3.48%	0.74%	5.02%
Age	Under 20 Years	16.64%	6.38%	16.64%	0.00%	5.25%	0.00%	24.15%	16.89%	7.51%	0.00%	8.32%
	20-24 Years	12.95%	22.24%	22.70%	6.91%	5.91%	2.87%	4.03%	13.56%	4.10%	2.99%	11.19%
	25-34 Years	9.42%	13.35%	21.98%	7.74%	9.54%	3.60%	2.94%	6.69%	3.62%	0.34%	4.08%
	Over 34 Years	8.80%	6.97%	17.27%	6.13%	6.93%	3.27%	5.21%	3.79%	1.65%	0.00%	1.44%
Ethnicity	White Non-Hispanic	7.94%	14.02%	27.79%	11.09%	10.65%	4.36%	2.25%	12.81%	0.94%	1.17%	4.46%
	Black Non-Hispanic	15.10%	14.99%	22.27%	3.48%	9.33%	2.03%	7.65%	2.67%	6.52%	0.17%	7.67%
	Hispanic	10.30%	11.53%	6.54%	2.35%	1.87%	2.17%	4.66%	3.82%	6.31%	0.67%	2.86%
Married	Married	7.16%	9.88%	11.34%	1.99%	2.08%	0.95%	1.73%	3.56%	2.30%	0.00%	2.53%
	Not Married	13.29%	17.02%	30.64%	11.95%	14.34%	5.58%	7.11%	12.00%	4.66%	1.48%	7.52%
Previous Live Birth	Yes	10.47%	13.06%	23.21%	8.17%	10.50%	4.67%	4.37%	6.80%	2.93%	0.86%	4.72%
	No	9.58%	13.88%	17.52%	5.07%	4.52%	0.99%	4.21%	9.45%	4.41%	0.55%	5.56%
Education	Less Than 12 Years	10.39%	13.86%	23.27%	13.68%	13.66%	6.59%	7.68%	6.85%	1.30%	1.93%	9.32%
	12 Years	15.82%	17.87%	28.74%	7.69%	11.07%	4.66%	3.11%	10.77%	3.91%	0.94%	5.99%
	Greater Than 12 Years	7.74%	11.61%	16.76%	4.94%	4.94%	1.67%	3.16%	6.71%	3.77%	0.37%	2.88%
	Lower 95% CI	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	9.62%	12.77%	20.18%	6.46%	7.66%	2.91%	4.01%	7.25%	3.12%	0.57%	4.59%
Age	Under 20 Years	12.92%	3.94%	12.92%	0.00%	3.02%	0.00%	19.87%	13.14%	4.88%	0.00%	5.56%
	20-24 Years	11.38%	20.28%	20.74%	5.72%	4.81%	2.09%	3.10%	11.95%	3.17%	2.19%	9.71%
	25-34 Years	8.66%	12.47%	20.90%	7.04%	8.77%	3.12%	2.50%	6.04%	3.13%	0.19%	3.56%
	Over 34 Years	7.51%	5.82%	15.56%	5.04%	5.77%	2.46%	4.20%	2.92%	1.07%	0.00%	0.90%
Ethnicity	White Non-Hispanic	7.17%	13.03%	26.52%	10.20%	9.77%	3.78%	1.83%	11.86%	0.67%	0.86%	3.87%
	Black Non-Hispanic	13.70%	13.59%	20.64%	2.76%	8.19%	1.47%	6.61%	2.04%	5.55%	0.01%	6.63%
	Hispanic	8.88%	10.04%	5.38%	1.64%	1.24%	1.49%	3.68%	2.92%	5.17%	0.29%	2.08%
Married	Married	6.43%	9.04%	10.45%	1.60%	1.68%	0.68%	1.36%	3.04%	1.88%	0.00%	2.08%
	Not Married	12.33%	15.96%	29.34%	11.04%	13.35%	4.93%	6.38%	11.09%	4.07%	1.14%	6.78%
Previous Live Birth	Yes	9.70%	12.21%	22.14%	7.47%	9.73%	4.13%	3.85%	6.16%	2.50%	0.62%	4.18%
	No	8.62%	12.76%	16.29%	4.36%	3.85%	0.67%	3.56%	8.50%	3.74%	0.31%	4.82%
Education	Less Than 12 Years	8.79%	12.04%	21.05%	11.88%	11.86%	5.28%	6.28%	5.52%	0.70%	1.20%	7.79%
	12 Years	14.41%	16.40%	27.00%	6.67%	9.87%	3.85%	2.44%	9.58%	3.16%	0.57%	5.08%
	Greater Than 12 Years	7.03%	10.76%	15.77%	4.37%	4.37%	1.33%	2.70%	6.05%	3.26%	0.21%	2.43%
	Upper 95% CI	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	10.83%	14.13%	21.80%	7.48%	8.76%	3.62%	4.83%	8.31%	3.85%	0.91%	5.46%
Age	Under 20 Years	20.36%	8.82%	20.35%	0.00%	7.48%	0.00%	28.42%	20.63%	10.14%	0.00%	11.08%
	20-24 Years	14.53%	24.19%	24.66%	8.10%	7.02%	3.65%	4.95%	15.16%	5.03%	3.79%	12.67%
	25-34 Years	10.18%	14.24%	23.06%	8.43%	10.30%	4.09%	3.38%	7.35%	4.10%	0.49%	4.59%
	Over 34 Years	10.08%	8.13%	18.99%	7.21%	8.08%	4.08%	6.22%	4.66%	2.23%	0.00%	1.98%
Ethnicity	White Non-Hispanic	8.71%	15.01%	29.07%	11.99%	11.53%	4.94%	2.67%	13.76%	1.22%	1.48%	5.05%
	Black Non-Hispanic	16.51%	16.39%	23.90%	4.20%	10.47%	2.58%	8.69%	3.30%	7.48%	0.34%	8.72%
	Hispanic	11.72%	13.03%	7.69%	3.06%	2.51%	2.86%	5.65%	4.71%	7.44%	1.05%	3.64%
Married	Married	7.89%	10.73%	12.24%	2.39%	2.48%	1.22%	2.10%	4.08%	2.72%	0.00%	2.97%
	Not Married	14.25%	18.08%	31.94%	12.87%	15.33%	6.22%	7.83%	12.92%	5.26%	1.82%	8.26%
Previous Live Birth	Yes	11.25%	13.91%	24.28%	8.86%	11.28%	5.20%	4.89%	7.44%	3.36%	1.09%	5.26%
	No	10.53%	15.00%	18.75%	5.78%	5.19%	1.31%	4.86%	10.40%	5.08%	0.79%	6.30%
Education	Less Than 12 Years	12.00%	15.68%	25.49%	15.49%	15.47%	7.89%	9.08%	8.18%	1.89%	2.65%	10.84%
	12 Years	17.22%	19.34%	30.48%	8.71%	12.28%	5.47%	3.78%	11.96%	4.65%	1.32%	6.90%
	Greater Than 12 Years	8.45%	12.46%	17.75%	5.52%	5.52%	2.01%	3.63%	7.38%	4.28%	0.53%	3.32%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Q41-Q46F												
	Percent Response Yes	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	1.75%	0.22%	64.63%	12.32%	5.69%	15.37%	6.17%	28.10%	3.59%	7.80%	10.50%
Age	Under 20 Years	1.13%	0.00%	34.65%	3.07%	0.00%	10.50%	19.95%	33.84%	6.38%	9.45%	5.25%
	20-24 Years	4.99%	0.00%	63.86%	9.27%	5.99%	11.74%	6.86%	29.31%	6.52%	7.02%	18.07%
	25-34 Years	0.90%	0.11%	65.92%	12.41%	5.88%	14.92%	4.85%	29.77%	2.78%	8.57%	8.53%
	Over 34 Years	1.43%	0.80%	67.62%	16.80%	6.02%	21.16%	6.71%	20.73%	2.75%	5.86%	10.50%
Ethnicity	White Non-Hispanic	3.23%	0.38%	80.94%	20.32%	8.71%	20.10%	5.71%	24.24%	2.06%	5.91%	8.78%
	Black Non-Hispanic	0.52%	0.00%	57.18%	6.29%	3.25%	14.97%	6.63%	38.21%	6.96%	12.62%	13.97%
	Hispanic	0.18%	0.18%	37.51%	2.35%	2.37%	5.03%	7.32%	22.45%	2.49%	7.70%	10.00%
Married	Married	0.81%	0.06%	68.72%	14.37%	6.75%	16.36%	2.84%	20.57%	0.13%	6.14%	4.41%
	Not Married	2.69%	0.37%	60.54%	10.26%	4.62%	14.38%	9.51%	35.64%	7.06%	9.47%	16.60%
Previous Live Birth	Yes	0.68%	0.16%	62.19%	10.87%	6.15%	18.49%	5.87%	28.04%	3.01%	8.36%	9.62%
	No	3.53%	0.32%	68.75%	14.79%	4.99%	9.74%	6.72%	28.12%	4.58%	6.96%	11.71%
Education	Less Than 12 Years	0.54%	0.45%	30.59%	3.67%	2.35%	14.90%	11.15%	28.10%	7.08%	8.78%	13.77%
	12 Years	2.30%	0.12%	56.77%	5.03%	4.10%	16.30%	6.19%	33.81%	3.92%	7.25%	13.09%
	Greater Than 12 Years	1.88%	0.22%	77.27%	18.28%	7.06%	14.92%	4.79%	25.44%	2.12%	7.87%	8.08%
	Lower 95% CI	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	1.49%	0.13%	63.68%	11.66%	5.23%	14.65%	5.69%	27.21%	3.22%	7.27%	9.89%
Age	Under 20 Years	0.07%	0.00%	29.90%	1.34%	0.00%	7.44%	15.96%	29.12%	3.94%	6.53%	3.02%
	20-24 Years	3.97%	0.00%	61.61%	7.91%	4.87%	10.23%	5.67%	27.17%	5.36%	5.82%	16.26%
	25-34 Years	0.65%	0.02%	64.68%	11.55%	5.26%	13.99%	4.29%	28.58%	2.35%	7.84%	7.80%
	Over 34 Years	0.89%	0.40%	65.50%	15.10%	4.94%	19.30%	5.57%	18.88%	2.01%	4.79%	9.11%
Ethnicity	White Non-Hispanic	2.73%	0.21%	79.83%	19.17%	7.91%	18.96%	5.05%	23.02%	1.66%	5.23%	7.98%
	Black Non-Hispanic	0.24%	0.00%	55.24%	5.34%	2.55%	13.57%	5.66%	36.30%	5.96%	11.32%	12.61%
	Hispanic	0.00%	0.00%	35.25%	1.64%	1.66%	4.01%	6.10%	20.50%	1.76%	6.46%	8.60%
Married	Married	0.56%	0.00%	67.41%	13.38%	6.05%	15.32%	2.37%	19.43%	0.03%	5.46%	3.83%
	Not Married	2.24%	0.20%	59.16%	9.41%	4.03%	13.39%	8.68%	34.29%	6.34%	8.65%	15.55%
Previous Live Birth	Yes	0.47%	0.06%	60.96%	10.08%	5.54%	17.51%	5.27%	26.90%	2.58%	7.66%	8.87%
	No	2.93%	0.14%	67.25%	13.64%	4.28%	8.77%	5.91%	26.66%	3.90%	6.14%	10.67%
Education	Less Than 12 Years	0.15%	0.10%	28.17%	2.68%	1.56%	13.02%	9.50%	25.74%	5.73%	7.29%	11.96%
	12 Years	1.72%	0.00%	54.87%	4.19%	3.34%	14.88%	5.27%	31.99%	3.18%	6.25%	11.79%
	Greater Than 12 Years	1.52%	0.09%	76.16%	17.25%	6.38%	13.97%	4.23%	24.28%	1.73%	7.16%	7.36%
	Upper 95% CI	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	2.01%	0.31%	65.58%	12.97%	6.15%	16.09%	6.65%	29.00%	3.97%	8.34%	11.11%
Age	Under 20 Years	2.18%	0.00%	39.40%	4.79%	0.00%	13.57%	23.94%	38.57%	8.82%	12.37%	7.48%
	20-24 Years	6.01%	0.00%	66.11%	10.63%	7.10%	13.25%	8.04%	31.44%	7.68%	8.22%	19.87%
	25-34 Years	1.14%	0.20%	67.15%	13.27%	6.49%	15.85%	5.41%	30.96%	3.21%	9.30%	9.25%
	Over 34 Years	1.97%	1.21%	69.75%	18.50%	7.10%	23.01%	7.85%	22.57%	3.50%	6.92%	11.89%
Ethnicity	White Non-Hispanic	3.74%	0.56%	82.06%	21.47%	9.51%	21.24%	6.37%	25.46%	2.47%	6.58%	9.59%
	Black Non-Hispanic	0.80%	0.00%	59.12%	7.24%	3.94%	16.36%	7.61%	40.11%	7.95%	13.93%	15.33%
	Hispanic	0.37%	0.37%	39.77%	3.06%	3.08%	6.06%	8.53%	24.40%	3.22%	8.95%	11.40%
Married	Married	1.06%	0.14%	70.02%	15.36%	7.46%	17.40%	3.31%	21.71%	0.23%	6.81%	4.99%
	Not Married	3.15%	0.55%	61.92%	11.12%	5.22%	15.37%	10.34%	37.00%	7.79%	10.30%	17.64%
Previous Live Birth	Yes	0.88%	0.26%	63.41%	11.65%	6.76%	19.48%	6.46%	29.18%	3.44%	9.06%	10.36%
	No	4.12%	0.51%	70.25%	15.94%	5.69%	10.70%	7.54%	29.57%	5.26%	7.79%	12.75%
Education	Less Than 12 Years	0.92%	0.80%	33.02%	4.66%	3.15%	16.77%	12.81%	30.46%	8.43%	10.27%	15.58%
	12 Years	2.87%	0.25%	58.67%	5.87%	4.86%	17.72%	7.12%	35.63%	4.67%	8.24%	14.38%
	Greater Than 12 Years	2.24%	0.34%	78.38%	19.31%	7.74%	15.87%	5.36%	26.60%	2.50%	8.59%	8.81%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Q46G-Q47C												
	Percent Response Yes	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	16.18%	2.95%	18.64%	5.99%	13.83%	2.14%	9.28%	15.64%	2.63%	2.38%	1.10%
Age	Under 20 Years	17.59%	1.13%	41.84%	18.82%	11.63%	5.25%	18.02%	21.01%	9.45%	4.20%	1.13%
	20-24 Years	19.19%	1.35%	18.33%	7.32%	16.91%	3.42%	10.12%	12.28%	1.71%	5.36%	2.50%
	25-34 Years	14.80%	3.62%	18.93%	4.85%	13.21%	1.83%	9.15%	18.37%	2.82%	2.05%	1.03%
	Over 34 Years	17.25%	2.77%	13.23%	5.57%	13.27%	1.27%	7.07%	9.38%	1.50%	0.23%	0.00%
Ethnicity	White Non-Hispanic	15.18%	3.49%	15.78%	5.33%	11.30%	0.88%	13.11%	16.33%	2.00%	2.07%	1.66%
	Black Non-Hispanic	18.17%	3.26%	28.90%	8.93%	18.46%	4.39%	7.83%	21.54%	3.08%	3.42%	0.98%
	Hispanic	15.82%	1.52%	13.04%	2.54%	15.02%	2.01%	4.06%	8.85%	4.68%	0.85%	0.18%
Married	Married	13.89%	3.60%	11.04%	2.75%	7.63%	0.49%	6.36%	13.00%	1.64%	1.64%	0.31%
	Not Married	18.47%	2.30%	26.24%	9.24%	20.03%	3.80%	12.21%	18.29%	3.62%	3.13%	1.89%
Previous Live Birth	Yes	15.40%	2.77%	20.47%	6.05%	16.41%	2.66%	8.69%	18.09%	2.70%	2.50%	0.78%
	No	17.58%	3.27%	15.71%	5.95%	9.39%	1.31%	10.32%	11.12%	2.54%	2.22%	1.63%
Education	Less Than 12 Years	18.60%	3.70%	23.14%	5.51%	15.19%	7.39%	12.97%	19.63%	4.70%	4.91%	0.22%
	12 Years	15.91%	1.06%	18.36%	7.24%	19.65%	2.79%	10.60%	15.79%	3.73%	3.48%	1.72%
	Greater Than 12 Years	15.08%	3.79%	17.35%	5.34%	10.81%	0.59%	8.11%	14.66%	1.32%	0.73%	0.70%
	Lower 95% CI	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	15.44%	2.61%	17.86%	5.52%	13.14%	1.85%	8.70%	14.92%	2.31%	2.08%	0.89%
Age	Under 20 Years	13.79%	0.07%	36.91%	14.92%	8.43%	3.02%	14.18%	16.94%	6.53%	2.19%	0.07%
	20-24 Years	17.34%	0.81%	16.52%	6.10%	15.15%	2.57%	8.71%	10.74%	1.10%	4.31%	1.76%
	25-34 Years	13.88%	3.14%	17.91%	4.29%	12.33%	1.48%	8.40%	17.36%	2.39%	1.68%	0.77%
	Over 34 Years	15.54%	2.02%	11.69%	4.53%	11.73%	0.76%	5.91%	8.05%	0.95%	0.01%	0.00%
Ethnicity	White Non-Hispanic	14.16%	2.96%	14.74%	4.69%	10.39%	0.61%	12.15%	15.28%	1.60%	1.66%	1.30%
	Black Non-Hispanic	16.66%	2.56%	27.12%	7.81%	16.94%	3.59%	6.77%	19.92%	2.41%	2.71%	0.60%
	Hispanic	14.12%	0.95%	11.46%	1.81%	13.35%	1.36%	3.14%	7.52%	3.69%	0.42%	0.00%
Married	Married	12.91%	3.07%	10.16%	2.29%	6.88%	0.29%	5.67%	12.05%	1.29%	1.28%	0.15%
	Not Married	17.37%	1.88%	25.00%	8.42%	18.90%	3.26%	11.28%	17.20%	3.09%	2.64%	1.51%
Previous Live Birth	Yes	14.49%	2.35%	19.45%	5.44%	15.47%	2.25%	7.98%	17.11%	2.29%	2.10%	0.56%
	No	16.34%	2.69%	14.53%	5.18%	8.45%	0.94%	9.33%	10.10%	2.03%	1.74%	1.22%
Education	Less Than 12 Years	16.55%	2.70%	20.92%	4.31%	13.30%	6.01%	11.20%	17.54%	3.59%	3.77%	0.00%
	12 Years	14.50%	0.67%	16.87%	6.25%	18.13%	2.15%	9.42%	14.39%	3.00%	2.78%	1.22%
	Greater Than 12 Years	14.13%	3.28%	16.34%	4.75%	9.98%	0.39%	7.39%	13.72%	1.02%	0.51%	0.48%
	Upper 95% CI	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	16.91%	3.29%	19.41%	6.46%	14.51%	2.43%	9.86%	16.37%	2.95%	2.69%	1.31%
Age	Under 20 Years	21.39%	2.18%	46.77%	22.73%	14.84%	7.48%	21.85%	25.08%	12.37%	6.20%	2.18%
	20-24 Years	21.03%	1.89%	20.15%	8.55%	18.67%	4.27%	11.54%	13.81%	2.32%	6.42%	3.23%
	25-34 Years	15.73%	4.11%	19.95%	5.41%	14.09%	2.17%	9.90%	19.38%	3.25%	2.42%	1.29%
	Over 34 Years	18.97%	3.51%	14.77%	6.62%	14.81%	1.78%	8.24%	10.70%	2.05%	0.45%	0.00%
Ethnicity	White Non-Hispanic	16.20%	4.01%	16.82%	5.97%	12.20%	1.15%	14.07%	17.38%	2.40%	2.48%	2.03%
	Black Non-Hispanic	19.69%	3.95%	30.68%	10.05%	19.98%	5.20%	8.88%	23.15%	3.76%	4.13%	1.37%
	Hispanic	17.53%	2.09%	14.61%	3.28%	16.69%	2.67%	4.98%	10.18%	5.67%	1.28%	0.37%
Married	Married	14.86%	4.12%	11.92%	3.21%	8.38%	0.68%	7.04%	13.95%	2.00%	2.00%	0.46%
	Not Married	19.56%	2.72%	27.48%	10.05%	21.16%	4.34%	13.13%	19.37%	4.15%	3.62%	2.28%
Previous Live Birth	Yes	16.32%	3.19%	21.49%	6.65%	17.34%	3.07%	9.40%	19.06%	3.11%	2.89%	1.00%
	No	18.81%	3.84%	16.89%	6.72%	10.34%	1.68%	11.31%	12.14%	3.06%	2.70%	2.05%
Education	Less Than 12 Years	20.65%	4.69%	25.36%	6.71%	17.08%	8.77%	14.74%	21.72%	5.81%	6.04%	0.47%
	12 Years	17.31%	1.46%	19.85%	8.24%	21.18%	3.42%	11.79%	17.19%	4.46%	4.18%	2.22%
	Greater Than 12 Years	16.04%	4.30%	18.35%	5.94%	11.63%	0.79%	8.84%	15.60%	1.62%	0.96%	0.93%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Q48A-Q55D												
	Percent Response Yes	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	2.17%	1.04%	1.59%	14.20%	37.62%	96.36%	95.54%	73.67%	72.81%	69.38%	66.14%
Age	Under 20 Years	9.45%	1.13%	4.20%	14.45%	42.40%	95.80%	95.80%	90.55%	78.92%	69.79%	81.11%
	20-24 Years	3.67%	1.52%	2.01%	9.91%	35.42%	95.67%	95.31%	72.99%	71.82%	65.60%	63.03%
	25-34 Years	1.43%	1.15%	1.55%	15.21%	36.42%	96.23%	95.23%	72.46%	71.35%	68.62%	66.12%
	Over 34 Years	1.50%	0.23%	0.80%	15.09%	42.34%	97.53%	96.63%	74.53%	76.96%	75.14%	66.01%
Ethnicity	White Non-Hispanic	2.41%	0.94%	1.56%	14.67%	37.43%	98.11%	97.09%	70.98%	73.46%	70.65%	64.61%
	Black Non-Hispanic	1.80%	2.10%	1.93%	19.16%	41.86%	95.76%	95.58%	81.38%	74.02%	73.83%	76.78%
	Hispanic	2.19%	0.18%	0.00%	7.64%	34.28%	92.31%	90.97%	70.96%	68.23%	58.02%	59.50%
Married	Married	1.40%	0.64%	1.29%	14.50%	32.53%	96.86%	95.82%	70.99%	72.51%	70.52%	62.70%
	Not Married	2.94%	1.43%	1.90%	13.90%	42.71%	95.86%	95.25%	76.36%	73.12%	68.23%	69.58%
Previous Live Birth	Yes	1.91%	0.62%	0.93%	14.05%	34.89%	97.24%	96.21%	72.93%	71.74%	65.58%	64.37%
	No	2.60%	1.73%	2.70%	14.48%	41.99%	95.06%	94.57%	74.77%	74.76%	75.84%	69.26%
Education	Less Than 12 Years	5.08%	0.67%	0.54%	14.92%	52.45%	97.63%	94.80%	71.43%	66.82%	50.41%	62.95%
	12 Years	3.49%	1.80%	2.01%	13.46%	39.14%	94.26%	93.90%	74.22%	70.79%	66.54%	66.70%
	Greater Than 12 Years	0.89%	0.43%	1.14%	14.67%	33.10%	97.29%	96.72%	73.10%	75.35%	75.50%	66.11%
	Lower 95% CI	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	1.88%	0.83%	1.34%	13.50%	36.65%	95.99%	95.13%	72.80%	71.93%	68.46%	65.19%
Age	Under 20 Years	6.53%	0.07%	2.19%	10.94%	37.47%	93.80%	93.80%	87.63%	74.85%	65.21%	77.20%
	20-24 Years	2.79%	0.94%	1.35%	8.51%	33.18%	94.72%	94.32%	70.91%	69.71%	63.37%	60.77%
	25-34 Years	1.12%	0.87%	1.22%	14.28%	35.17%	95.73%	94.68%	71.30%	70.17%	67.42%	64.89%
	Over 34 Years	0.95%	0.01%	0.40%	13.47%	40.10%	96.83%	95.81%	72.55%	75.05%	73.18%	63.86%
Ethnicity	White Non-Hispanic	1.97%	0.67%	1.20%	13.66%	36.05%	97.73%	96.61%	69.69%	72.20%	69.36%	63.24%
	Black Non-Hispanic	1.28%	1.54%	1.39%	17.62%	39.93%	94.97%	94.78%	79.85%	72.30%	72.11%	75.13%
	Hispanic	1.51%	0.00%	0.00%	6.40%	32.06%	91.07%	89.63%	68.84%	66.05%	55.71%	57.21%
Married	Married	1.07%	0.42%	0.97%	13.51%	31.21%	96.37%	95.26%	69.71%	71.25%	69.24%	61.34%
	Not Married	2.46%	1.10%	1.51%	12.92%	41.32%	95.30%	94.65%	75.16%	71.87%	66.92%	68.28%
Previous Live Birth	Yes	1.57%	0.42%	0.68%	13.17%	33.68%	96.82%	95.73%	71.80%	70.60%	64.38%	63.15%
	No	2.09%	1.31%	2.17%	13.34%	40.39%	94.36%	93.83%	73.36%	73.36%	74.46%	67.76%
Education	Less Than 12 Years	3.93%	0.24%	0.15%	13.05%	49.82%	96.82%	93.63%	69.06%	64.34%	47.78%	60.41%
	12 Years	2.78%	1.29%	1.47%	12.15%	37.26%	93.37%	92.98%	72.54%	69.04%	64.73%	64.89%
	Greater Than 12 Years	0.64%	0.26%	0.86%	13.72%	31.85%	96.86%	96.25%	71.92%	74.21%	74.36%	64.85%
	Upper 95% CI	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	2.46%	1.24%	1.84%	14.90%	38.58%	96.73%	95.95%	74.55%	73.70%	70.30%	67.08%
Age	Under 20 Years	12.37%	2.18%	6.20%	17.97%	47.34%	97.81%	97.81%	93.47%	82.99%	74.38%	85.01%
	20-24 Years	4.55%	2.09%	2.67%	11.31%	37.66%	96.62%	96.30%	75.08%	73.93%	67.83%	65.30%
	25-34 Years	1.74%	1.42%	1.87%	16.14%	37.67%	96.72%	95.78%	73.62%	72.52%	69.83%	67.35%
	Over 34 Years	2.05%	0.45%	1.21%	16.72%	44.58%	98.24%	97.45%	76.50%	78.87%	77.10%	68.16%
Ethnicity	White Non-Hispanic	2.85%	1.22%	1.91%	15.68%	38.80%	98.50%	97.57%	72.28%	74.72%	71.95%	65.97%
	Black Non-Hispanic	2.32%	2.66%	2.47%	20.70%	43.79%	96.55%	96.39%	82.91%	75.74%	75.55%	78.44%
	Hispanic	2.87%	0.37%	0.00%	8.88%	36.49%	93.56%	92.31%	73.08%	70.40%	60.32%	61.79%
Married	Married	1.73%	0.87%	1.60%	15.49%	33.85%	97.35%	96.39%	72.27%	73.77%	71.81%	64.06%
	Not Married	3.41%	1.76%	2.28%	14.87%	44.11%	96.42%	95.85%	77.56%	74.37%	69.55%	70.88%
Previous Live Birth	Yes	2.26%	0.82%	1.17%	14.93%	36.10%	97.65%	96.69%	74.06%	72.88%	66.78%	65.58%
	No	3.12%	2.15%	3.22%	15.63%	43.59%	95.76%	95.30%	76.17%	76.17%	77.23%	70.75%
Education	Less Than 12 Years	6.24%	1.10%	0.92%	16.80%	55.07%	98.43%	95.97%	73.81%	69.29%	53.04%	65.49%
	12 Years	4.19%	2.32%	2.55%	14.77%	41.01%	95.16%	94.82%	75.90%	72.54%	68.36%	68.51%
	Greater Than 12 Years	1.14%	0.61%	1.43%	15.61%	34.35%	97.72%	97.20%	74.28%	76.50%	76.65%	67.36%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Q55E-Q62C												
	Percent Response Yes	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	22.97%	12.89%	55.18%	82.78%	48.19%	77.62%	77.06%	76.81%	89.73%	27.45%	9.73%
Age	Under 20 Years	22.70%	14.70%	70.53%	69.79%	28.20%	63.66%	75.92%	93.62%	88.37%	34.65%	5.25%
	20-24 Years	28.22%	16.55%	51.61%	78.75%	29.66%	71.48%	65.81%	80.94%	84.44%	36.15%	9.03%
	25-34 Years	21.37%	11.66%	55.29%	82.98%	52.27%	80.15%	79.50%	74.85%	91.10%	22.60%	10.17%
	Over 34 Years	22.96%	12.80%	55.03%	88.67%	57.26%	78.54%	80.39%	75.44%	90.82%	32.57%	10.00%
Ethnicity	White Non-Hispanic	15.40%	6.00%	55.13%	82.65%	50.78%	87.00%	85.44%	71.66%	93.03%	16.99%	9.20%
	Black Non-Hispanic	30.99%	19.10%	60.19%	82.26%	41.33%	61.40%	64.74%	82.90%	87.98%	36.90%	12.01%
	Hispanic	32.24%	21.11%	45.26%	82.35%	45.14%	72.14%	73.85%	83.80%	85.87%	39.90%	10.33%
Married	Married	19.52%	10.22%	56.03%	89.67%	64.21%	83.58%	82.99%	69.48%	91.97%	20.85%	9.29%
	Not Married	26.41%	15.56%	54.34%	75.89%	32.15%	71.65%	71.11%	84.15%	87.50%	34.07%	10.18%
Previous Live Birth	Yes	21.31%	11.11%	46.81%	81.93%	49.39%	77.98%	78.73%	79.61%	90.24%	28.56%	10.93%
	No	25.54%	15.90%	68.71%	84.12%	46.28%	77.66%	74.30%	72.21%	88.99%	25.86%	7.86%
Education	Less Than 12 Years	29.31%	23.63%	49.18%	77.56%	37.95%	74.25%	77.23%	86.54%	89.70%	36.00%	6.78%
	12 Years	26.27%	16.93%	53.82%	74.40%	32.45%	74.37%	73.93%	81.60%	87.84%	26.40%	8.57%
	Greater Than 12 Years	19.30%	8.56%	57.18%	88.23%	58.28%	80.85%	78.28%	71.69%	90.61%	25.14%	10.73%
	Lower 95% CI	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	22.13%	12.22%	54.19%	82.03%	47.19%	76.79%	76.22%	75.97%	89.13%	26.56%	9.14%
Age	Under 20 Years	18.51%	11.16%	65.98%	65.20%	23.71%	58.86%	71.65%	91.18%	85.16%	29.90%	3.02%
	20-24 Years	26.11%	14.81%	49.27%	76.83%	27.52%	69.36%	63.58%	79.10%	82.75%	33.90%	7.69%
	25-34 Years	20.30%	10.83%	54.00%	82.00%	50.97%	79.12%	78.45%	73.72%	90.36%	21.52%	9.38%
	Over 34 Years	21.05%	11.28%	52.77%	87.23%	55.01%	76.67%	78.59%	73.49%	89.51%	30.44%	8.63%
Ethnicity	White Non-Hispanic	14.37%	5.33%	53.71%	81.57%	49.35%	86.04%	84.44%	70.37%	92.30%	15.92%	8.37%
	Black Non-Hispanic	29.18%	17.56%	58.27%	80.76%	39.40%	59.49%	62.87%	81.43%	86.71%	35.01%	10.73%
	Hispanic	30.06%	19.21%	42.93%	80.57%	42.82%	70.05%	71.80%	82.08%	84.24%	37.61%	8.91%
Married	Married	18.41%	9.36%	54.63%	88.81%	62.86%	82.54%	81.94%	68.18%	91.20%	19.70%	8.47%
	Not Married	25.17%	14.54%	52.93%	74.69%	30.83%	70.38%	69.84%	83.12%	86.57%	32.73%	9.33%
Previous Live Birth	Yes	20.27%	10.31%	45.54%	80.96%	48.13%	76.93%	77.70%	78.59%	89.49%	27.42%	10.14%
	No	24.13%	14.72%	67.21%	82.94%	44.67%	76.31%	72.88%	70.76%	87.98%	24.44%	6.99%
Education	Less Than 12 Years	26.92%	21.39%	46.55%	75.37%	35.40%	71.95%	75.02%	84.75%	88.10%	33.47%	5.46%
	12 Years	24.58%	15.49%	51.90%	72.73%	30.65%	72.69%	72.24%	80.12%	86.59%	24.71%	7.49%
	Greater Than 12 Years	18.25%	7.82%	55.86%	87.38%	56.97%	79.80%	77.19%	70.50%	89.83%	23.99%	9.91%
	Upper 95% CI	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	23.80%	13.55%	56.18%	83.54%	49.18%	78.45%	77.90%	77.65%	90.34%	28.34%	10.33%
Age	Under 20 Years	26.88%	18.24%	75.08%	74.37%	32.69%	68.46%	80.19%	96.06%	91.57%	39.40%	7.48%
	20-24 Years	30.33%	18.29%	53.96%	80.66%	31.80%	73.59%	68.03%	82.78%	86.14%	38.41%	10.38%
	25-34 Years	22.43%	12.50%	56.59%	83.96%	53.57%	81.19%	80.55%	75.98%	91.84%	23.69%	10.96%
	Over 34 Years	24.87%	14.32%	57.29%	90.10%	59.51%	80.40%	82.19%	77.40%	92.13%	34.70%	11.36%
Ethnicity	White Non-Hispanic	16.43%	6.68%	56.55%	83.73%	52.20%	87.96%	86.45%	72.94%	93.75%	18.06%	10.02%
	Black Non-Hispanic	32.80%	20.64%	62.10%	83.76%	43.26%	63.31%	66.62%	84.38%	89.26%	38.79%	13.28%
	Hispanic	34.43%	23.02%	47.58%	84.13%	47.47%	74.24%	75.91%	85.52%	87.49%	42.19%	11.75%
Married	Married	20.64%	11.07%	57.43%	90.52%	65.56%	84.62%	84.05%	70.78%	92.73%	21.99%	10.11%
	Not Married	27.65%	16.58%	55.74%	77.10%	33.47%	72.92%	72.39%	85.18%	88.43%	35.40%	11.03%
Previous Live Birth	Yes	22.35%	11.91%	48.07%	82.91%	50.66%	79.03%	79.77%	80.63%	90.99%	29.70%	11.72%
	No	26.96%	17.09%	70.21%	85.31%	47.90%	79.01%	75.72%	73.66%	90.01%	27.28%	8.73%
Education	Less Than 12 Years	31.71%	25.86%	51.81%	79.75%	40.51%	76.55%	79.43%	88.34%	91.30%	38.52%	8.11%
	12 Years	27.97%	18.37%	55.73%	76.08%	34.25%	76.04%	75.61%	83.09%	89.10%	28.09%	9.64%
	Greater Than 12 Years	20.35%	9.31%	58.49%	89.09%	59.59%	81.90%	79.38%	72.89%	91.38%	26.29%	11.56%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Q62D-Q65												
	Percent Response Yes	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	39.38%	35.49%	32.57%	8.00%	12.06%	93.32%	90.42%	57.84%	90.13%	87.73%	8.85%
Age	Under 20 Years	49.28%	29.33%	58.48%	10.50%	12.19%	97.74%	93.62%	73.18%	97.74%	76.73%	15.51%
	20-24 Years	37.45%	18.90%	47.07%	12.69%	17.43%	92.55%	89.86%	46.43%	89.44%	87.58%	6.90%
	25-34 Years	38.64%	39.51%	28.34%	6.81%	9.83%	92.68%	89.98%	61.87%	89.64%	86.78%	8.97%
	Over 34 Years	41.43%	40.06%	26.48%	6.72%	13.78%	95.09%	91.64%	53.10%	90.72%	93.05%	8.92%
Ethnicity	White Non-Hispanic	42.44%	51.57%	26.56%	7.25%	7.38%	96.10%	92.55%	57.91%	90.10%	88.04%	7.99%
	Black Non-Hispanic	37.16%	18.20%	39.25%	6.79%	11.10%	93.15%	91.35%	57.95%	90.92%	87.17%	12.07%
	Hispanic	37.10%	15.70%	37.56%	11.93%	26.22%	87.32%	85.61%	56.37%	91.08%	86.27%	7.72%
Married	Married	38.40%	47.91%	26.10%	6.14%	8.52%	94.54%	91.34%	56.04%	88.97%	90.54%	7.20%
	Not Married	40.37%	23.04%	39.04%	9.86%	15.60%	92.11%	89.51%	59.64%	91.30%	84.93%	10.50%
Previous Live Birth	Yes	41.33%	37.69%	30.95%	8.15%	11.02%	93.57%	90.13%	58.51%	88.86%	89.64%	7.50%
	No	36.53%	31.83%	34.83%	7.82%	13.86%	93.05%	91.32%	56.89%	92.63%	84.68%	11.13%
Education	Less Than 12 Years	41.69%	15.68%	39.77%	11.71%	22.26%	89.70%	87.15%	65.05%	86.54%	83.15%	14.81%
	12 Years	38.14%	26.64%	38.92%	7.04%	13.23%	89.43%	85.79%	53.06%	89.36%	86.07%	10.13%
	Greater Than 12 Years	39.90%	44.74%	26.65%	7.87%	8.64%	96.38%	93.62%	58.38%	91.85%	89.35%	7.11%
	Lower 95% CI	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	38.41%	34.53%	31.63%	7.46%	11.41%	92.83%	89.84%	56.85%	89.54%	87.08%	8.28%
Age	Under 20 Years	44.29%	24.78%	53.56%	7.44%	8.93%	96.26%	91.18%	68.75%	96.26%	72.51%	11.89%
	20-24 Years	35.18%	17.06%	44.73%	11.13%	15.65%	91.32%	88.45%	44.09%	87.99%	86.03%	5.71%
	25-34 Years	37.37%	38.24%	27.17%	6.15%	9.06%	92.00%	89.20%	60.60%	88.85%	85.90%	8.23%
	Over 34 Years	39.19%	37.84%	24.48%	5.59%	12.22%	94.11%	90.38%	50.84%	89.40%	91.90%	7.62%
Ethnicity	White Non-Hispanic	41.03%	50.15%	25.30%	6.51%	6.63%	95.54%	91.80%	56.51%	89.25%	87.11%	7.22%
	Black Non-Hispanic	35.26%	16.68%	37.34%	5.81%	9.87%	92.16%	90.25%	56.01%	89.79%	85.85%	10.80%
	Hispanic	34.84%	14.01%	35.29%	10.41%	24.16%	85.76%	83.97%	54.05%	89.75%	84.66%	6.48%
Married	Married	37.03%	46.51%	24.86%	5.47%	7.74%	93.90%	90.54%	54.64%	88.09%	89.71%	6.47%
	Not Married	38.98%	21.86%	37.66%	9.02%	14.58%	91.35%	88.64%	58.26%	90.50%	83.92%	9.63%
Previous Live Birth	Yes	40.08%	36.47%	29.78%	7.46%	10.23%	92.94%	89.38%	57.26%	88.07%	88.87%	6.83%
	No	34.96%	30.32%	33.28%	6.95%	12.74%	92.22%	90.40%	55.29%	91.78%	83.51%	10.11%
Education	Less Than 12 Years	39.10%	13.77%	37.20%	10.02%	20.07%	88.10%	85.39%	62.54%	84.75%	81.18%	12.94%
	12 Years	36.28%	24.94%	37.05%	6.06%	11.93%	88.25%	84.45%	51.14%	88.18%	84.74%	8.97%
	Greater Than 12 Years	38.59%	43.42%	25.48%	7.15%	7.89%	95.89%	92.97%	57.07%	91.12%	88.53%	6.42%
	Upper 95% CI	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	40.36%	36.44%	33.50%	8.54%	12.71%	93.82%	91.01%	58.82%	90.73%	88.39%	9.41%
Age	Under 20 Years	54.27%	33.87%	63.40%	13.57%	15.46%	99.23%	96.06%	77.60%	99.23%	80.95%	19.12%
	20-24 Years	39.72%	20.73%	49.42%	14.25%	19.21%	93.78%	91.28%	48.76%	90.88%	89.13%	8.08%
	25-34 Years	39.90%	40.78%	29.51%	7.46%	10.61%	93.36%	90.76%	63.13%	90.43%	87.66%	9.72%
	Over 34 Years	43.67%	42.29%	28.48%	7.86%	15.35%	96.07%	92.89%	55.37%	92.04%	94.21%	10.21%
Ethnicity	White Non-Hispanic	43.85%	52.99%	27.82%	7.99%	8.12%	96.65%	93.30%	59.32%	90.95%	88.96%	8.76%
	Black Non-Hispanic	39.05%	19.71%	41.17%	7.78%	12.33%	94.14%	92.46%	59.88%	92.05%	88.48%	13.35%
	Hispanic	39.35%	17.40%	39.82%	13.44%	28.27%	88.87%	87.25%	58.68%	92.41%	87.88%	8.97%
Married	Married	39.77%	49.32%	27.34%	6.82%	9.31%	95.18%	92.13%	57.44%	89.85%	91.36%	7.93%
	Not Married	41.75%	24.23%	40.42%	10.70%	16.63%	92.87%	90.37%	61.02%	92.09%	85.94%	11.36%
Previous Live Birth	Yes	42.57%	38.92%	32.12%	8.85%	11.82%	94.19%	90.89%	59.76%	89.66%	90.41%	8.17%
	No	38.09%	33.34%	36.37%	8.69%	14.98%	93.87%	92.23%	58.50%	93.48%	85.85%	12.15%
Education	Less Than 12 Years	44.28%	17.59%	42.35%	13.40%	24.44%	91.30%	88.91%	67.56%	88.34%	85.12%	16.67%
	12 Years	40.01%	28.34%	40.79%	8.02%	14.54%	90.61%	87.13%	54.98%	90.54%	87.40%	11.28%
	Greater Than 12 Years	41.20%	46.06%	27.83%	8.58%	9.39%	96.88%	94.27%	59.69%	92.58%	90.17%	7.79%

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Q66-Q68B												
	Percent Response Yes	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	75.17%	2.65%	0.12%	0.75%	9.68%	7.64%	7.70%	1.98%	0.27%	4.79%	2.16%
Age	Under 20 Years	68.41%	0.00%	0.00%	0.00%	5.25%	7.51%	24.07%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	77.09%	2.51%	0.00%	0.00%	11.67%	9.03%	4.17%	3.85%	0.00%	0.00%	1.35%
	25-34 Years	74.58%	2.49%	0.21%	1.07%	10.02%	7.58%	7.19%	1.90%	0.41%	4.62%	1.87%
	Over 34 Years	76.56%	3.80%	0.00%	0.63%	7.69%	6.56%	9.19%	0.87%	0.17%	10.78%	4.25%
Ethnicity	White Non-Hispanic	78.30%	2.13%	0.25%	0.32%	10.78%	6.29%	5.72%	2.30%	0.49%	4.87%	3.42%
	Black Non-Hispanic	69.59%	4.80%	0.00%	0.17%	10.65%	13.02%	13.50%	1.75%	0.00%	5.87%	0.82%
	Hispanic	77.69%	0.67%	0.00%	1.52%	6.31%	3.83%	3.87%	0.00%	0.18%	4.17%	0.85%
Married	Married	74.59%	3.88%	0.24%	1.04%	11.08%	7.78%	5.41%	2.06%	0.06%	4.19%	3.84%
	Not Married	75.75%	1.42%	0.00%	0.46%	8.28%	7.51%	10.00%	1.90%	0.48%	5.38%	0.48%
Previous Live Birth	Yes	77.64%	2.01%	0.20%	0.95%	7.83%	6.67%	6.88%	1.88%	0.44%	7.54%	3.50%
	No	71.65%	3.73%	0.00%	0.12%	12.78%	9.29%	9.12%	2.16%	0.00%	0.32%	0.00%
Education	Less Than 12 Years	79.24%	0.85%	0.00%	1.07%	4.68%	5.31%	8.31%	0.22%	0.00%	6.63%	0.00%
	12 Years	72.43%	1.85%	0.45%	0.57%	12.36%	9.15%	8.87%	3.37%	0.00%	5.44%	0.91%
	Greater Than 12 Years	75.85%	3.24%	0.00%	0.57%	9.88%	7.26%	6.16%	1.85%	0.49%	4.22%	3.20%
	Lower 95% CI	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	74.31%	2.33%	0.05%	0.58%	9.09%	7.11%	7.17%	1.70%	0.17%	4.36%	1.87%
Age	Under 20 Years	63.77%	0.00%	0.00%	0.00%	3.02%	4.88%	19.81%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	75.12%	1.78%	0.00%	0.00%	10.16%	7.69%	3.23%	2.95%	0.00%	0.00%	0.81%
	25-34 Years	73.45%	2.09%	0.09%	0.81%	9.24%	6.89%	6.52%	1.55%	0.24%	4.07%	1.52%
	Over 34 Years	74.63%	2.93%	0.00%	0.27%	6.48%	5.43%	7.88%	0.45%	0.00%	9.37%	3.34%
Ethnicity	White Non-Hispanic	77.13%	1.72%	0.11%	0.16%	9.90%	5.60%	5.06%	1.87%	0.29%	4.26%	2.90%
	Black Non-Hispanic	67.78%	3.96%	0.00%	0.01%	9.44%	11.70%	12.16%	1.24%	0.00%	4.95%	0.47%
	Hispanic	75.74%	0.29%	0.00%	0.95%	5.17%	2.94%	2.97%	0.00%	0.00%	3.24%	0.42%
Married	Married	73.36%	3.34%	0.11%	0.76%	10.19%	7.02%	4.77%	1.66%	0.00%	3.63%	3.30%
	Not Married	74.54%	1.08%	0.00%	0.27%	7.50%	6.77%	9.15%	1.51%	0.29%	4.75%	0.29%
Previous Live Birth	Yes	76.58%	1.65%	0.08%	0.70%	7.15%	6.04%	6.24%	1.53%	0.27%	6.87%	3.03%
	No	70.19%	3.11%	0.00%	0.01%	11.69%	8.35%	8.18%	1.69%	0.00%	0.14%	0.00%
Education	Less Than 12 Years	77.11%	0.37%	0.00%	0.53%	3.57%	4.13%	6.86%	0.00%	0.00%	5.32%	0.00%
	12 Years	70.71%	1.33%	0.20%	0.28%	11.09%	8.05%	7.78%	2.68%	0.00%	4.57%	0.54%
	Greater Than 12 Years	74.71%	2.77%	0.00%	0.37%	9.09%	6.57%	5.52%	1.49%	0.30%	3.68%	2.73%
	Upper 95% CI	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	76.03%	2.97%	0.19%	0.92%	10.27%	8.17%	8.24%	2.26%	0.38%	5.21%	2.45%
Age	Under 20 Years	73.06%	0.00%	0.00%	0.00%	7.48%	10.14%	28.34%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	79.06%	3.24%	0.00%	0.00%	13.18%	10.38%	5.10%	4.75%	0.00%	0.00%	1.89%
	25-34 Years	75.71%	2.90%	0.33%	1.34%	10.80%	8.27%	7.87%	2.26%	0.58%	5.16%	2.23%
	Over 34 Years	78.48%	4.67%	0.00%	0.99%	8.90%	7.68%	10.51%	1.29%	0.35%	12.19%	5.17%
Ethnicity	White Non-Hispanic	79.48%	2.54%	0.39%	0.47%	11.67%	6.98%	6.38%	2.73%	0.69%	5.49%	3.94%
	Black Non-Hispanic	71.39%	5.64%	0.00%	0.34%	11.86%	14.34%	14.84%	2.27%	0.00%	6.79%	1.17%
	Hispanic	79.63%	1.05%	0.00%	2.09%	7.44%	4.73%	4.77%	0.00%	0.37%	5.10%	1.28%
Married	Married	75.82%	4.43%	0.38%	1.33%	11.96%	8.53%	6.05%	2.46%	0.14%	4.75%	4.38%
	Not Married	76.96%	1.75%	0.00%	0.66%	9.05%	8.25%	10.85%	2.28%	0.68%	6.02%	0.68%
Previous Live Birth	Yes	78.70%	2.36%	0.31%	1.19%	8.52%	7.30%	7.52%	2.22%	0.61%	8.20%	3.96%
	No	73.11%	4.34%	0.00%	0.23%	13.86%	10.24%	10.05%	2.63%	0.00%	0.51%	0.00%
Education	Less Than 12 Years	81.37%	1.33%	0.00%	1.62%	5.79%	6.49%	9.76%	0.47%	0.00%	7.93%	0.00%
	12 Years	74.14%	2.37%	0.71%	0.86%	13.62%	10.26%	9.96%	4.06%	0.00%	6.31%	1.27%
	Greater Than 12 Years	76.99%	3.71%	0.00%	0.77%	10.68%	7.95%	6.79%	2.21%	0.67%	4.75%	3.66%

Table 7T. Percent Response Yes and Lower/Upper 95% CI, Q68C-Q70A												
	Percent Response Yes	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	16.97%	22.90%	4.74%	1.78%	11.58%	7.49%	3.87%	14.71%	8.43%	85.44%	46.19%
Age	Under 20 Years	24.07%	19.63%	14.70%	0.00%	7.19%	20.51%	5.25%	11.63%	10.50%	84.17%	46.77%
	20-24 Years	14.66%	27.51%	5.63%	3.42%	9.10%	14.06%	2.32%	20.83%	8.98%	79.35%	32.62%
	25-34 Years	17.46%	22.58%	4.74%	1.69%	11.41%	6.47%	3.62%	14.25%	6.85%	85.56%	47.32%
	Over 34 Years	16.19%	20.22%	1.84%	0.87%	15.35%	1.73%	5.79%	11.02%	12.30%	91.07%	55.38%
Ethnicity	White Non-Hispanic	23.28%	25.72%	1.89%	1.91%	13.46%	3.04%	4.72%	15.34%	7.28%	90.61%	43.77%
	Black Non-Hispanic	13.30%	14.58%	10.72%	2.77%	7.92%	9.27%	3.55%	16.75%	12.70%	82.78%	47.51%
	Hispanic	10.67%	22.44%	5.03%	0.67%	13.49%	17.57%	2.84%	10.69%	6.48%	79.14%	45.74%
Married	Married	17.29%	25.07%	1.90%	0.89%	13.06%	3.88%	4.16%	13.09%	6.61%	90.23%	50.91%
	Not Married	16.65%	20.72%	7.57%	2.67%	10.10%	11.09%	3.57%	16.33%	10.26%	80.65%	41.47%
Previous Live Birth	Yes	15.94%	20.36%	4.82%	2.28%	12.48%	7.32%	4.23%	14.03%	7.89%	85.14%	46.71%
	No	18.71%	27.24%	4.64%	0.96%	10.20%	7.81%	3.30%	15.93%	9.38%	85.82%	45.00%
Education	Less Than 12 Years	13.93%	22.66%	8.60%	0.00%	9.23%	24.34%	2.78%	11.24%	7.08%	79.60%	39.72%
	12 Years	20.02%	20.65%	7.66%	3.85%	7.02%	7.22%	4.34%	16.96%	9.66%	82.46%	43.43%
	Greater Than 12 Years	16.24%	23.96%	2.56%	1.32%	14.61%	3.34%	4.09%	14.36%	7.97%	89.48%	49.36%
	Lower 95% CI	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	16.22%	22.06%	4.31%	1.51%	10.94%	6.96%	3.48%	14.00%	7.88%	84.74%	45.20%
Age	Under 20 Years	19.81%	15.67%	11.16%	0.00%	4.61%	16.48%	3.02%	8.43%	7.44%	80.53%	41.79%
	20-24 Years	13.00%	25.41%	4.55%	2.57%	7.75%	12.42%	1.61%	18.92%	7.64%	77.45%	30.42%
	25-34 Years	16.47%	21.49%	4.19%	1.35%	10.58%	5.83%	3.13%	13.34%	6.20%	84.64%	46.02%
	Over 34 Years	14.51%	18.40%	1.23%	0.45%	13.71%	1.14%	4.73%	9.59%	10.81%	89.77%	53.12%
Ethnicity	White Non-Hispanic	22.08%	24.48%	1.50%	1.52%	12.48%	2.55%	4.11%	14.32%	6.54%	89.78%	42.36%
	Black Non-Hispanic	11.97%	13.20%	9.51%	2.13%	6.86%	8.13%	2.82%	15.28%	11.40%	81.30%	45.55%
	Hispanic	9.23%	20.49%	4.01%	0.29%	11.90%	15.79%	2.07%	9.24%	5.33%	77.24%	43.41%
Married	Married	16.22%	23.85%	1.52%	0.62%	12.11%	3.34%	3.60%	12.14%	5.91%	89.39%	49.50%
	Not Married	15.60%	19.58%	6.83%	2.21%	9.25%	10.21%	3.05%	15.28%	9.40%	79.54%	40.09%
Previous Live Birth	Yes	15.01%	19.34%	4.28%	1.90%	11.64%	6.66%	3.72%	13.15%	7.21%	84.24%	45.44%
	No	17.44%	25.80%	3.96%	0.65%	9.22%	6.94%	2.72%	14.75%	8.44%	84.69%	43.39%
Education	Less Than 12 Years	12.11%	20.46%	7.13%	0.00%	7.70%	22.08%	1.91%	9.58%	5.73%	77.48%	37.15%
	12 Years	18.48%	19.09%	6.64%	3.11%	6.03%	6.23%	3.56%	15.52%	8.53%	81.00%	41.53%
	Greater Than 12 Years	15.26%	22.83%	2.14%	1.01%	13.67%	2.86%	3.56%	13.43%	7.25%	88.67%	48.03%
	Upper 95% CI	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	17.72%	23.73%	5.16%	2.04%	12.22%	8.01%	4.25%	15.41%	8.99%	86.15%	47.19%
Age	Under 20 Years	28.34%	23.60%	18.24%	0.00%	9.77%	24.54%	7.48%	14.84%	13.57%	87.82%	51.76%
	20-24 Years	16.32%	29.60%	6.71%	4.27%	10.45%	15.69%	3.02%	22.73%	10.32%	81.25%	34.82%
	25-34 Years	18.44%	23.67%	5.29%	2.02%	12.23%	7.11%	4.10%	15.16%	7.51%	86.47%	48.61%
	Over 34 Years	17.86%	22.05%	2.45%	1.29%	16.99%	2.33%	6.85%	12.44%	13.79%	92.36%	57.64%
Ethnicity	White Non-Hispanic	24.49%	26.97%	2.27%	2.30%	14.43%	3.53%	5.32%	16.37%	8.02%	91.44%	45.18%
	Black Non-Hispanic	14.63%	15.96%	11.94%	3.42%	8.98%	10.41%	4.27%	18.21%	14.01%	84.26%	49.46%
	Hispanic	12.11%	24.39%	6.06%	1.05%	15.09%	19.35%	3.62%	12.13%	7.63%	81.03%	48.06%
Married	Married	18.35%	26.30%	2.29%	1.15%	14.01%	4.43%	4.73%	14.04%	7.31%	91.06%	52.32%
	Not Married	17.71%	21.86%	8.32%	3.12%	10.95%	11.98%	4.09%	17.37%	11.12%	81.77%	42.86%
Previous Live Birth	Yes	16.87%	21.38%	5.36%	2.66%	13.32%	7.98%	4.74%	14.91%	8.58%	86.04%	47.97%
	No	19.97%	28.69%	5.32%	1.28%	11.19%	8.68%	3.88%	17.12%	10.33%	86.95%	46.61%
Education	Less Than 12 Years	15.75%	24.86%	10.08%	0.00%	10.75%	26.60%	3.64%	12.90%	8.43%	81.72%	42.30%
	12 Years	21.56%	22.20%	8.69%	4.59%	8.00%	8.21%	5.12%	18.41%	10.80%	83.92%	45.34%
	Greater Than 12 Years	17.22%	25.10%	2.98%	1.62%	15.55%	3.82%	4.62%	15.29%	8.69%	90.30%	50.69%

Table 7U. Percent Response Yes and Lower/Upper 95% CI, Q70B-Q72												
	Percent Response Yes	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	46.79%	46.35%	77.22%	37.69%	15.92%	53.77%	61.75%	77.68%	18.13%	6.69%	6.32%
Age	Under 20 Years	54.04%	56.54%	79.17%	49.03%	13.32%	67.61%	71.73%	78.11%	37.33%	7.51%	6.38%
	20-24 Years	44.08%	52.01%	74.84%	40.15%	14.61%	55.62%	59.04%	76.07%	18.39%	10.83%	8.93%
	25-34 Years	46.46%	44.81%	77.49%	37.34%	17.45%	52.08%	61.40%	77.01%	16.15%	5.73%	6.64%
	Over 34 Years	48.83%	43.65%	78.22%	34.09%	13.05%	54.31%	63.32%	81.15%	19.94%	5.52%	2.87%
Ethnicity	White Non-Hispanic	42.33%	46.90%	83.23%	37.73%	14.85%	49.59%	59.62%	82.37%	10.43%	9.36%	6.73%
	Black Non-Hispanic	52.31%	47.90%	75.50%	40.63%	18.98%	60.69%	67.76%	76.65%	24.15%	4.94%	6.21%
	Hispanic	49.91%	41.50%	67.73%	36.97%	15.49%	57.66%	59.65%	69.30%	31.07%	3.02%	3.69%
Married	Married	44.66%	46.98%	81.59%	36.24%	13.85%	49.98%	60.07%	80.95%	12.04%	5.58%	5.48%
	Not Married	48.91%	45.72%	72.84%	39.13%	17.99%	57.55%	63.44%	74.41%	24.21%	7.79%	7.15%
Previous Live Birth	Yes	46.19%	38.33%	74.40%	36.07%	16.29%	53.04%	62.14%	76.21%	19.75%	5.09%	6.43%
	No	47.66%	59.54%	82.38%	40.56%	15.45%	54.99%	60.80%	79.99%	15.61%	9.27%	6.10%
Education	Less Than 12 Years	52.35%	48.93%	69.60%	42.95%	18.79%	70.93%	70.69%	73.22%	38.96%	6.23%	8.45%
	12 Years	50.53%	48.77%	74.81%	42.69%	15.54%	57.36%	61.68%	74.67%	25.04%	6.98%	6.53%
	Greater Than 12 Years	43.72%	44.99%	81.43%	34.56%	15.67%	48.03%	60.23%	81.37%	10.18%	6.90%	5.09%
	Lower 95% CI	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	45.79%	45.36%	76.38%	36.72%	15.19%	52.77%	60.79%	76.85%	17.36%	6.19%	5.83%
Age	Under 20 Years	49.06%	51.59%	75.11%	44.04%	9.93%	62.93%	67.23%	73.98%	32.50%	4.88%	3.94%
	20-24 Years	41.75%	49.67%	72.81%	37.86%	12.95%	53.29%	56.73%	74.07%	16.57%	9.37%	7.59%
	25-34 Years	45.16%	43.51%	76.40%	36.08%	16.46%	50.78%	60.13%	75.91%	15.19%	5.13%	5.99%
	Over 34 Years	46.56%	41.40%	76.34%	31.93%	11.52%	52.05%	61.13%	79.38%	18.13%	4.49%	2.11%
Ethnicity	White Non-Hispanic	40.92%	45.48%	82.17%	36.35%	13.84%	48.17%	58.22%	81.28%	9.56%	8.53%	6.02%
	Black Non-Hispanic	50.36%	45.95%	73.82%	38.70%	17.45%	58.78%	65.92%	74.99%	22.47%	4.09%	5.26%
	Hispanic	47.57%	39.20%	65.54%	34.72%	13.80%	55.35%	57.36%	67.14%	28.91%	2.22%	2.81%
Married	Married	43.26%	45.57%	80.50%	34.89%	12.88%	48.57%	58.69%	79.84%	11.13%	4.93%	4.84%
	Not Married	47.50%	44.32%	71.59%	37.75%	16.91%	56.16%	62.08%	73.18%	23.01%	7.04%	6.43%
Previous Live Birth	Yes	44.92%	37.10%	73.29%	34.85%	15.36%	51.77%	60.92%	75.14%	18.74%	4.53%	5.81%
	No	46.04%	57.95%	81.14%	38.97%	14.28%	53.38%	59.22%	78.69%	14.44%	8.33%	5.32%
Education	Less Than 12 Years	49.73%	46.30%	67.18%	40.35%	16.73%	68.55%	68.30%	70.89%	36.40%	4.96%	6.98%
	12 Years	48.61%	46.85%	73.14%	40.79%	14.15%	55.46%	59.81%	73.00%	23.38%	6.00%	5.58%
	Greater Than 12 Years	42.40%	43.67%	80.40%	33.29%	14.70%	46.70%	58.93%	80.34%	9.37%	6.23%	4.51%
	Upper 95% CI	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	47.78%	47.35%	78.05%	38.65%	16.65%	54.76%	62.72%	78.51%	18.89%	7.18%	6.80%
Age	Under 20 Years	59.01%	61.49%	83.22%	54.02%	16.72%	72.28%	76.23%	82.24%	42.16%	10.14%	8.82%
	20-24 Years	46.41%	54.35%	76.88%	42.45%	16.26%	57.95%	61.34%	78.07%	20.20%	12.29%	10.26%
	25-34 Years	47.76%	46.10%	78.57%	38.60%	18.44%	53.38%	62.67%	78.10%	17.10%	6.34%	7.29%
	Over 34 Years	51.10%	45.90%	80.09%	36.24%	14.58%	56.57%	65.51%	82.93%	21.75%	6.56%	3.63%
Ethnicity	White Non-Hispanic	43.74%	48.33%	84.29%	39.11%	15.86%	51.02%	61.02%	83.45%	11.30%	10.18%	7.45%
	Black Non-Hispanic	54.27%	49.86%	77.19%	42.55%	20.52%	62.61%	69.59%	78.31%	25.82%	5.79%	7.15%
	Hispanic	52.24%	43.80%	69.91%	39.23%	17.18%	59.96%	61.94%	71.45%	33.23%	3.82%	4.57%
Married	Married	46.06%	48.39%	82.68%	37.60%	14.83%	51.39%	61.45%	82.05%	12.96%	6.23%	6.12%
	Not Married	50.32%	47.13%	74.10%	40.51%	19.08%	58.94%	64.80%	75.64%	25.42%	8.55%	7.88%
Previous Live Birth	Yes	47.45%	39.57%	75.51%	37.28%	17.23%	54.30%	63.37%	77.29%	20.76%	5.65%	7.05%
	No	49.28%	61.13%	83.61%	42.15%	16.62%	56.60%	62.39%	81.28%	16.79%	10.21%	6.87%
Education	Less Than 12 Years	54.98%	51.56%	72.02%	45.55%	20.84%	73.32%	73.08%	75.55%	41.53%	7.50%	9.91%
	12 Years	52.46%	50.69%	76.48%	44.59%	16.93%	59.26%	63.55%	76.34%	26.71%	7.96%	7.47%
	Greater Than 12 Years	45.04%	46.32%	82.47%	35.82%	16.63%	49.35%	61.53%	82.41%	10.98%	7.57%	5.67%

Table 7V. Percent Response Yes and Lower/Upper 95% CI, Q74-Q78B												
	Percent Response Yes	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	12.75%	6.77%	5.74%	87.14%	28.14%	37.77%	11.10%	4.43%	3.65%	75.21%	79.99%
Age	Under 20 Years	3.07%	0.00%	3.07%	84.17%	21.08%	92.49%	14.38%	0.00%	6.06%	69.47%	76.98%
	20-24 Years	12.66%	6.13%	6.54%	81.74%	37.54%	53.16%	9.41%	4.35%	4.15%	68.38%	72.36%
	25-34 Years	11.16%	6.46%	4.29%	88.57%	27.97%	33.97%	12.11%	4.95%	3.34%	77.38%	80.13%
	Over 34 Years	19.68%	9.73%	9.96%	88.49%	21.35%	23.62%	8.95%	3.84%	3.61%	76.19%	87.33%
Ethnicity	White Non-Hispanic	15.27%	9.76%	5.26%	90.24%	19.34%	25.14%	10.96%	4.21%	1.92%	85.27%	87.51%
	Black Non-Hispanic	10.51%	4.51%	5.99%	86.48%	52.35%	57.99%	11.51%	6.68%	4.49%	71.37%	77.58%
	Hispanic	11.84%	3.83%	7.33%	80.08%	22.86%	49.62%	13.16%	3.52%	7.81%	62.48%	68.67%
Married	Married	14.68%	8.25%	5.94%	89.02%	9.67%	16.74%	8.32%	2.04%	1.71%	77.74%	81.48%
	Not Married	10.82%	5.29%	5.54%	85.26%	46.64%	58.82%	13.90%	6.82%	5.58%	72.68%	78.49%
Previous Live Birth	Yes	13.74%	8.08%	5.26%	87.30%	33.66%	38.72%	11.00%	5.42%	2.96%	75.30%	80.66%
	No	10.92%	4.36%	6.56%	86.87%	19.01%	36.43%	11.37%	2.84%	4.79%	74.86%	78.81%
Education	Less Than 12 Years	10.10%	3.94%	5.31%	79.53%	42.41%	69.89%	15.99%	8.15%	8.45%	63.24%	69.64%
	12 Years	16.11%	8.37%	7.75%	85.41%	45.03%	57.03%	8.02%	5.04%	4.18%	70.57%	74.79%
	Greater Than 12 Years	11.95%	6.81%	4.92%	90.29%	15.24%	21.07%	10.86%	3.11%	2.10%	80.55%	85.44%
	Lower 95% CI	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	12.09%	6.27%	5.27%	86.48%	27.25%	36.80%	10.48%	4.02%	3.27%	74.35%	79.19%
Age	Under 20 Years	1.34%	0.00%	1.34%	80.53%	17.01%	89.86%	10.88%	0.00%	3.68%	64.87%	72.78%
	20-24 Years	11.10%	5.00%	5.38%	79.93%	35.26%	50.82%	8.04%	3.39%	3.22%	66.20%	70.26%
	25-34 Years	10.34%	5.82%	3.76%	87.74%	26.80%	32.74%	11.27%	4.39%	2.87%	76.30%	79.09%
	Over 34 Years	17.88%	8.38%	8.60%	87.04%	19.49%	21.69%	7.65%	2.97%	2.76%	74.25%	85.82%
Ethnicity	White Non-Hispanic	14.25%	8.92%	4.62%	89.39%	18.21%	23.91%	10.07%	3.64%	1.53%	84.26%	86.57%
	Black Non-Hispanic	9.31%	3.70%	5.06%	85.14%	50.40%	56.05%	10.26%	5.70%	3.68%	69.60%	75.95%
	Hispanic	10.33%	2.94%	6.11%	78.21%	20.90%	47.29%	11.58%	2.66%	6.56%	60.22%	66.50%
Married	Married	13.68%	7.48%	5.27%	88.14%	8.84%	15.69%	7.54%	1.64%	1.34%	76.57%	80.38%
	Not Married	9.95%	4.65%	4.89%	84.26%	45.23%	57.44%	12.92%	6.11%	4.94%	71.43%	77.33%
Previous Live Birth	Yes	12.86%	7.39%	4.70%	86.46%	32.47%	37.49%	10.20%	4.85%	2.53%	74.21%	79.66%
	No	9.91%	3.70%	5.76%	85.77%	17.74%	34.87%	10.34%	2.30%	4.10%	73.46%	77.48%
Education	Less Than 12 Years	8.51%	2.92%	4.13%	77.41%	39.81%	67.48%	14.06%	6.71%	6.98%	60.70%	67.22%
	12 Years	14.70%	7.30%	6.72%	84.05%	43.12%	55.12%	6.98%	4.20%	3.41%	68.82%	73.13%
	Greater Than 12 Years	11.09%	6.14%	4.35%	89.51%	14.29%	19.99%	10.03%	2.65%	1.72%	79.50%	84.51%
	Upper 95% CI	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	13.42%	7.27%	6.20%	87.81%	29.04%	38.74%	11.73%	4.84%	4.02%	76.07%	80.78%
Age	Under 20 Years	4.79%	0.00%	4.79%	87.82%	25.15%	95.12%	17.88%	0.00%	8.44%	74.07%	81.19%
	20-24 Years	14.22%	7.25%	7.70%	83.55%	39.81%	55.50%	10.78%	5.30%	5.09%	70.56%	74.45%
	25-34 Years	11.98%	7.09%	4.81%	89.39%	29.13%	35.20%	12.96%	5.52%	3.81%	78.47%	81.16%
	Over 34 Years	21.49%	11.07%	11.32%	89.94%	23.21%	25.55%	10.24%	4.71%	4.45%	78.12%	88.84%
Ethnicity	White Non-Hispanic	16.30%	10.61%	5.90%	91.08%	20.46%	26.38%	11.85%	4.78%	2.31%	86.28%	88.45%
	Black Non-Hispanic	11.71%	5.33%	6.93%	87.82%	54.31%	59.92%	12.76%	7.66%	5.30%	73.15%	79.22%
	Hispanic	13.34%	4.73%	8.55%	81.94%	24.82%	51.96%	14.74%	4.38%	9.06%	64.75%	70.83%
Married	Married	15.67%	9.03%	6.60%	89.91%	10.50%	17.79%	9.09%	2.44%	2.07%	78.91%	82.57%
	Not Married	11.70%	5.92%	6.18%	86.26%	48.04%	60.21%	14.87%	7.53%	6.23%	73.94%	79.65%
Previous Live Birth	Yes	14.61%	8.77%	5.83%	88.14%	34.86%	39.96%	11.79%	6.00%	3.39%	76.39%	81.66%
	No	11.93%	5.02%	7.36%	87.96%	20.29%	37.99%	12.40%	3.38%	5.49%	76.27%	80.13%
Education	Less Than 12 Years	11.68%	4.96%	6.49%	81.65%	45.01%	72.30%	17.92%	9.59%	9.91%	65.78%	72.06%
	12 Years	17.52%	9.43%	8.77%	86.76%	46.95%	58.93%	9.07%	5.88%	4.95%	72.32%	76.46%
	Greater Than 12 Years	12.81%	7.48%	5.50%	91.08%	16.20%	22.16%	11.69%	3.57%	2.49%	81.60%	86.38%

Table 7W. Percent Response Yes and Lower/Upper 95% CI, Q78C-Q79B, QCV2A-QCV2G												
	Percent Response Yes	Q78C	Q78D	Q79A	Q79B	QCV2A	QCV2B	QCV2C	QCV2D	QCV2E	QCV2F	QCV2G
Total	Yes	82.47%	81.40%	7.53%	9.73%	37.35%	3.76%	2.32%	3.76%	2.29%	0.37%	77.91%
Age	Under 20 Years	90.55%	84.17%	34.33%	29.08%	16.29%	0.00%	0.00%	0.00%	0.00%	0.00%	27.90%
	20-24 Years	72.41%	70.54%	6.34%	6.36%	30.98%	14.38%	0.00%	14.38%	0.00%	0.00%	0.00%
	25-34 Years	83.40%	82.65%	6.15%	9.50%	38.03%	2.23%	3.67%	0.00%	1.44%	0.59%	73.55%
	Over 34 Years	87.37%	87.20%	7.28%	9.58%	52.59%	0.00%	0.00%	10.82%	10.82%	0.00%	0.00%
Ethnicity	White Non-Hispanic	89.64%	88.97%	4.31%	11.13%	34.27%	3.68%	5.93%	3.68%	4.83%	0.97%	87.02%
	Black Non-Hispanic	80.65%	79.61%	10.81%	10.74%	36.01%	0.00%	0.00%	0.00%	1.94%	0.00%	72.93%
	Hispanic	70.31%	65.59%	10.49%	6.36%	48.86%	8.66%	0.00%	8.66%	0.00%	0.00%	62.96%
Married	Married	82.93%	84.60%	5.80%	7.89%	41.88%	3.33%	0.00%	3.33%	4.35%	0.88%	79.31%
	Not Married	82.00%	78.20%	9.26%	11.57%	34.22%	4.06%	3.90%	4.06%	0.87%	0.00%	76.89%
Previous Live Birth	Yes	83.17%	82.05%	5.15%	9.93%	40.91%	2.17%	3.59%	2.17%	3.62%	0.57%	73.46%
	No	81.16%	80.28%	11.48%	9.47%	31.62%	6.81%	0.00%	6.81%	0.00%	0.00%	84.97%
Education	Less Than 12 Years	74.72%	71.57%	19.39%	15.43%	13.12%	0.00%	0.00%	0.00%	0.00%	0.00%	52.22%
	12 Years	75.49%	76.97%	7.05%	8.12%	48.18%	9.44%	0.00%	9.44%	0.00%	0.00%	91.06%
	Greater Than 12 Years	88.09%	86.43%	4.84%	8.66%	37.18%	2.52%	4.14%	2.52%	4.11%	0.66%	77.78%
	Lower 95% CI	Q78C	Q78D	Q79A	Q79B	QCV2A	QCV2B	QCV2C	QCV2D	QCV2E	QCV2F	QCV2G
Total	Yes	81.71%	80.62%	7.00%	9.14%	36.38%	3.38%	2.02%	3.38%	1.99%	0.25%	77.08%
Age	Under 20 Years	87.63%	80.53%	29.59%	24.54%	12.60%	0.00%	0.00%	0.00%	0.00%	0.00%	23.42%
	20-24 Years	70.31%	68.40%	5.20%	5.21%	28.81%	12.74%	0.00%	12.74%	0.00%	0.00%	0.00%
	25-34 Years	82.44%	81.67%	5.53%	8.74%	36.77%	1.84%	3.18%	0.00%	1.13%	0.39%	72.41%
	Over 34 Years	85.86%	85.68%	6.10%	8.24%	50.32%	0.00%	0.00%	9.41%	9.41%	0.00%	0.00%
Ethnicity	White Non-Hispanic	88.77%	88.08%	3.74%	10.24%	32.92%	3.14%	5.26%	3.14%	4.22%	0.69%	86.06%
	Black Non-Hispanic	79.11%	78.03%	9.59%	9.52%	34.12%	0.00%	0.00%	0.00%	1.40%	0.00%	71.19%
	Hispanic	68.17%	63.37%	9.06%	5.22%	46.53%	7.35%	0.00%	7.35%	0.00%	0.00%	60.70%
Married	Married	81.87%	83.58%	5.14%	7.13%	40.49%	2.82%	0.00%	2.82%	3.78%	0.62%	78.17%
	Not Married	80.92%	77.03%	8.44%	10.66%	32.89%	3.51%	3.36%	3.51%	0.61%	0.00%	75.71%
Previous Live Birth	Yes	82.23%	81.07%	4.59%	9.17%	39.67%	1.80%	3.11%	1.80%	3.15%	0.38%	72.34%
	No	79.90%	78.99%	10.45%	8.52%	30.12%	5.99%	0.00%	5.99%	0.00%	0.00%	83.81%
Education	Less Than 12 Years	72.44%	69.19%	17.32%	13.53%	11.35%	0.00%	0.00%	0.00%	0.00%	0.00%	49.59%
	12 Years	73.83%	75.35%	6.07%	7.07%	46.26%	8.31%	0.00%	8.31%	0.00%	0.00%	89.96%
	Greater Than 12 Years	87.23%	85.52%	4.27%	7.92%	35.90%	2.10%	3.61%	2.10%	3.58%	0.45%	76.67%
	Upper 95% CI	Q78C	Q78D	Q79A	Q79B	QCV2A	QCV2B	QCV2C	QCV2D	QCV2E	QCV2F	QCV2G
Total	Yes	83.22%	82.18%	8.05%	10.32%	38.31%	4.14%	2.62%	4.14%	2.59%	0.49%	78.74%
Age	Under 20 Years	93.47%	87.82%	39.07%	33.61%	19.98%	0.00%	0.00%	0.00%	0.00%	0.00%	32.38%
	20-24 Years	74.51%	72.67%	7.49%	7.50%	33.15%	16.03%	0.00%	16.03%	0.00%	0.00%	0.00%
	25-34 Years	84.37%	83.64%	6.78%	10.26%	39.29%	2.61%	4.16%	0.00%	1.75%	0.79%	74.70%
	Over 34 Years	88.88%	88.72%	8.46%	10.92%	54.86%	0.00%	0.00%	12.23%	12.23%	0.00%	0.00%
Ethnicity	White Non-Hispanic	90.51%	89.86%	4.89%	12.03%	35.62%	4.22%	6.60%	4.22%	5.44%	1.25%	87.97%
	Black Non-Hispanic	82.20%	81.19%	12.03%	11.95%	37.89%	0.00%	0.00%	0.00%	2.48%	0.00%	74.67%
	Hispanic	72.44%	67.81%	11.93%	7.50%	51.20%	9.97%	0.00%	9.97%	0.00%	0.00%	65.21%
Married	Married	83.99%	85.62%	6.46%	8.65%	43.27%	3.83%	0.00%	3.83%	4.93%	1.14%	80.45%
	Not Married	83.08%	79.36%	10.08%	12.47%	35.56%	4.62%	4.45%	4.62%	1.14%	0.00%	78.08%
Previous Live Birth	Yes	84.12%	83.02%	5.71%	10.69%	42.16%	2.54%	4.06%	2.54%	4.10%	0.76%	74.58%
	No	82.43%	81.57%	12.52%	10.42%	33.13%	7.63%	0.00%	7.63%	0.00%	0.00%	86.13%
Education	Less Than 12 Years	77.01%	73.94%	21.47%	17.33%	14.90%	0.00%	0.00%	0.00%	0.00%	0.00%	54.84%
	12 Years	77.14%	78.58%	8.04%	9.17%	50.10%	10.56%	0.00%	10.56%	0.00%	0.00%	92.15%
	Greater Than 12 Years	88.95%	87.34%	5.41%	9.41%	38.46%	2.93%	4.67%	2.93%	4.64%	0.88%	78.88%


Table 7X. Percent Response Yes and Lower/Upper 95% CI, QCV3A-QCV6E												
	Percent Response Yes	QCV3A	QCV3B	QCV3C	QCV3D	QCV3E	QCV3F	QCV6A	QCV6B	QCV6C	QCV6D	QCV6E
Total	Yes	17.44%	12.92%	2.58%	4.45%	2.51%	9.54%	77.74%	11.15%	1.24%	2.30%	5.54%
Age	Under 20 Years	32.85%	38.00%	0.00%	0.00%	0.00%	23.99%	80.65%	19.35%	0.00%	0.00%	19.35%
	20-24 Years	11.21%	5.75%	0.00%	1.03%	2.07%	10.62%	75.72%	24.28%	3.63%	6.22%	0.96%
	25-34 Years	17.63%	13.57%	1.96%	6.38%	1.96%	6.05%	79.29%	7.01%	0.00%	1.00%	4.98%
	Over 34 Years	19.00%	10.96%	8.42%	2.20%	5.76%	16.75%	72.83%	10.37%	3.94%	3.94%	7.88%
Ethnicity	White Non-Hispanic	23.76%	15.13%	6.20%	10.04%	4.97%	13.95%	71.21%	15.95%	2.77%	5.15%	5.91%
	Black Non-Hispanic	17.99%	9.99%	0.00%	0.00%	0.97%	4.53%	84.11%	7.17%	0.00%	0.00%	8.72%
	Hispanic	6.48%	14.74%	0.00%	0.78%	0.78%	10.95%	88.61%	7.77%	0.00%	0.00%	3.62%
Married	Married	20.17%	18.57%	2.76%	4.39%	1.89%	8.11%	71.57%	11.77%	2.38%	2.38%	5.95%
	Not Married	14.53%	7.01%	2.39%	4.51%	3.13%	10.97%	84.42%	10.49%	0.00%	2.21%	5.09%
Previous Live Birth	Yes	21.13%	13.28%	3.83%	5.30%	2.69%	12.63%	79.48%	9.14%	1.86%	3.46%	6.48%
	No	9.92%	12.46%	0.00%	2.73%	2.17%	3.32%	73.82%	15.42%	0.00%	0.00%	3.75%
Education	Less Than 12 Years	16.43%	21.26%	0.00%	1.32%	1.32%	18.50%	85.06%	17.11%	0.00%	0.00%	14.94%
	12 Years	11.31%	5.81%	0.00%	0.00%	1.66%	2.63%	84.98%	13.36%	2.34%	0.00%	0.00%
	Greater Than 12 Years	19.68%	15.12%	4.63%	7.57%	3.38%	11.28%	71.21%	9.42%	1.09%	4.06%	6.25%
	Lower 95% CI	QCV3A	QCV3B	QCV3C	QCV3D	QCV3E	QCV3F	QCV6A	QCV6B	QCV6C	QCV6D	QCV6E
Total	Yes	16.69%	12.25%	2.26%	4.04%	2.19%	8.95%	76.91%	10.53%	1.02%	2.00%	5.08%
Age	Under 20 Years	28.16%	33.15%	0.00%	0.00%	0.00%	19.73%	76.70%	15.41%	0.00%	0.00%	15.41%
	20-24 Years	9.73%	4.66%	0.00%	0.56%	1.40%	9.17%	73.71%	22.27%	2.75%	5.08%	0.50%
	25-34 Years	16.64%	12.68%	1.60%	5.74%	1.60%	5.43%	78.23%	6.34%	0.00%	0.74%	4.42%
	Over 34 Years	17.22%	9.54%	7.16%	1.53%	4.70%	15.05%	70.81%	8.99%	3.06%	3.06%	6.66%
Ethnicity	White Non-Hispanic	22.54%	14.11%	5.51%	9.18%	4.35%	12.96%	69.92%	14.90%	2.30%	4.52%	5.24%
	Black Non-Hispanic	16.48%	8.81%	0.00%	0.00%	0.59%	3.71%	82.68%	6.16%	0.00%	0.00%	7.61%
	Hispanic	5.33%	13.08%	0.00%	0.37%	0.37%	9.49%	87.13%	6.52%	0.00%	0.00%	2.75%
Married	Married	19.04%	17.47%	2.30%	3.81%	1.51%	7.34%	70.30%	10.86%	1.95%	1.95%	5.28%
	Not Married	13.53%	6.29%	1.96%	3.93%	2.64%	10.09%	83.40%	9.62%	0.00%	1.79%	4.47%
Previous Live Birth	Yes	20.10%	12.42%	3.34%	4.73%	2.28%	11.78%	78.46%	8.41%	1.52%	2.99%	5.85%
	No	8.95%	11.39%	0.00%	2.20%	1.70%	2.74%	72.39%	14.25%	0.00%	0.00%	3.14%
Education	Less Than 12 Years	14.48%	19.11%	0.00%	0.72%	0.72%	16.46%	83.19%	15.13%	0.00%	0.00%	13.06%
	12 Years	10.09%	4.91%	0.00%	0.00%	1.17%	2.02%	83.60%	12.05%	1.76%	0.00%	0.00%
	Greater Than 12 Years	18.62%	14.17%	4.07%	6.87%	2.90%	10.44%	70.00%	8.64%	0.82%	3.54%	5.61%
	Upper 95% CI	QCV3A	QCV3B	QCV3C	QCV3D	QCV3E	QCV3F	QCV6A	QCV6B	QCV6C	QCV6D	QCV6E
Total	Yes	18.20%	13.59%	2.89%	4.86%	2.82%	10.13%	78.57%	11.78%	1.46%	2.59%	5.99%
Age	Under 20 Years	37.54%	42.85%	0.00%	0.00%	0.00%	28.26%	84.59%	23.30%	0.00%	0.00%	23.30%
	20-24 Years	12.69%	6.85%	0.00%	1.51%	2.73%	12.06%	77.73%	26.29%	4.51%	7.35%	1.41%
	25-34 Years	18.62%	14.46%	2.32%	7.01%	2.32%	6.67%	80.34%	7.67%	0.00%	1.26%	5.55%
	Over 34 Years	20.78%	12.38%	9.68%	2.86%	6.82%	18.44%	74.85%	11.76%	4.82%	4.82%	9.10%
Ethnicity	White Non-Hispanic	24.97%	16.15%	6.88%	10.89%	5.59%	14.93%	72.50%	16.99%	3.24%	5.78%	6.58%
	Black Non-Hispanic	19.50%	11.16%	0.00%	0.00%	1.36%	5.34%	85.55%	8.18%	0.00%	0.00%	9.82%
	Hispanic	7.63%	16.40%	0.00%	1.19%	1.19%	12.40%	90.10%	9.02%	0.00%	0.00%	4.49%
Married	Married	21.30%	19.66%	3.22%	4.96%	2.27%	8.88%	72.85%	12.68%	2.81%	2.81%	6.61%
	Not Married	15.52%	7.72%	2.82%	5.10%	3.62%	11.85%	85.44%	11.35%	0.00%	2.62%	5.71%
Previous Live Birth	Yes	22.17%	14.14%	4.32%	5.86%	3.10%	13.47%	80.50%	9.87%	2.20%	3.92%	7.10%
	No	10.89%	13.54%	0.00%	3.26%	2.64%	3.90%	75.25%	16.59%	0.00%	0.00%	4.37%
Education	Less Than 12 Years	18.38%	23.41%	0.00%	1.91%	1.91%	20.54%	86.94%	19.09%	0.00%	0.00%	16.81%
	12 Years	12.52%	6.71%	0.00%	0.00%	2.16%	3.25%	86.35%	14.66%	2.92%	0.00%	0.00%
	Greater Than 12 Years	20.74%	16.07%	5.19%	8.27%	3.86%	12.12%	72.41%	10.19%	1.37%	4.59%	6.89%

Table 7Y. Percent Response Yes and Lower/Upper 95% CI, CV7A-QCV9B												
	Percent Response Yes	QCV7A	QCV7B	QCV7C	QCV7D	QCV7E	QCV8A	QCV8B	QCV8C	QCV8D	QCV9A	QCV9B
Total	Yes	8.16%	2.59%	65.32%	21.74%	52.80%	34.53%	18.79%	9.78%	7.69%	12.59%	5.40%
Age	Under 20 Years	0.00%	0.00%	73.51%	4.16%	65.19%	0.00%	0.00%	0.00%	0.00%	23.99%	0.00%
	20-24 Years	11.21%	7.45%	53.76%	35.71%	48.70%	54.47%	23.24%	14.47%	12.03%	4.76%	8.53%
	25-34 Years	8.75%	2.10%	68.23%	19.74%	52.73%	30.35%	18.99%	8.14%	6.46%	16.18%	5.24%
	Over 34 Years	5.67%	0.00%	64.30%	20.30%	53.05%	34.80%	16.44%	14.52%	9.94%	4.16%	4.16%
Ethnicity	White Non-Hispanic	10.27%	0.78%	62.12%	24.09%	58.57%	44.38%	23.97%	16.77%	11.36%	17.77%	9.57%
	Black Non-Hispanic	10.66%	8.04%	76.55%	21.74%	48.48%	20.50%	17.18%	4.55%	1.23%	13.20%	0.00%
	Hispanic	4.05%	0.85%	50.46%	7.52%	44.64%	31.39%	7.45%	0.00%	6.13%	3.84%	3.04%
Married	Married	7.45%	2.07%	69.70%	24.54%	65.41%	41.25%	25.05%	12.21%	6.46%	10.86%	8.23%
	Not Married	8.87%	3.09%	61.13%	19.02%	40.54%	28.57%	13.34%	7.63%	8.77%	14.38%	2.39%
Previous Live Birth	Yes	9.47%	2.41%	67.06%	20.33%	52.93%	35.00%	20.53%	10.77%	8.95%	13.12%	6.22%
	No	5.75%	2.98%	61.39%	22.90%	53.59%	33.54%	15.23%	7.72%	5.13%	11.82%	3.95%
Education	Less Than 12 Years	10.94%	1.28%	64.25%	9.16%	52.42%	13.08%	1.68%	8.04%	0.00%	14.06%	5.97%
	12 Years	5.10%	0.00%	56.84%	25.99%	50.61%	27.24%	17.19%	7.26%	8.31%	11.44%	5.17%
	Greater Than 12 Years	7.42%	2.36%	67.64%	20.46%	57.87%	45.58%	21.95%	12.18%	9.83%	13.62%	5.75%
	Lower 95% CI	QCV7A	QCV7B	QCV7C	QCV7D	QCV7E	QCV8A	QCV8B	QCV8C	QCV8D	QCV9A	QCV9B
Total	Yes	7.61%	2.27%	64.38%	20.92%	51.81%	33.58%	18.01%	9.19%	7.16%	11.93%	4.95%
Age	Under 20 Years	0.00%	0.00%	69.10%	2.17%	60.44%	0.00%	0.00%	0.00%	0.00%	19.73%	0.00%
	20-24 Years	9.73%	6.21%	51.42%	33.46%	46.35%	52.13%	21.26%	12.82%	10.50%	3.76%	7.22%
	25-34 Years	8.02%	1.73%	67.02%	18.71%	51.43%	29.15%	17.97%	7.43%	5.82%	15.22%	4.66%
	Over 34 Years	4.62%	0.00%	62.12%	18.48%	50.78%	32.64%	14.76%	12.92%	8.58%	3.26%	3.26%
Ethnicity	White Non-Hispanic	9.41%	0.53%	60.74%	22.87%	57.16%	42.97%	22.76%	15.70%	10.46%	16.68%	8.73%
	Black Non-Hispanic	9.45%	6.98%	74.89%	20.12%	46.52%	18.92%	15.70%	3.74%	0.79%	11.87%	0.00%
	Hispanic	3.13%	0.42%	48.13%	6.28%	42.32%	29.22%	6.22%	0.00%	5.01%	2.94%	2.23%
Married	Married	6.71%	1.67%	68.41%	23.33%	64.07%	39.86%	23.83%	11.28%	5.76%	9.99%	7.46%
	Not Married	8.06%	2.60%	59.75%	17.91%	39.16%	27.30%	12.38%	6.88%	7.97%	13.39%	1.96%
Previous Live Birth	Yes	8.73%	2.02%	65.87%	19.31%	51.66%	33.79%	19.50%	9.99%	8.22%	12.27%	5.61%
	No	4.99%	2.43%	59.82%	21.54%	51.98%	32.01%	14.07%	6.86%	4.41%	10.77%	3.32%
Education	Less Than 12 Years	9.30%	0.69%	61.73%	7.64%	49.79%	11.30%	1.00%	6.61%	0.00%	12.23%	4.72%
	12 Years	4.26%	0.00%	54.94%	24.30%	48.69%	25.53%	15.74%	6.26%	7.25%	10.22%	4.32%
	Greater Than 12 Years	6.73%	1.95%	66.40%	19.39%	56.56%	44.26%	20.85%	11.31%	9.04%	12.71%	5.13%
	Upper 95% CI	QCV7A	QCV7B	QCV7C	QCV7D	QCV7E	QCV8A	QCV8B	QCV8C	QCV8D	QCV9A	QCV9B
Total	Yes	8.70%	2.90%	66.27%	22.57%	53.80%	35.47%	19.57%	10.37%	8.22%	13.25%	5.85%
Age	Under 20 Years	0.00%	0.00%	77.91%	6.15%	69.95%	0.00%	0.00%	0.00%	0.00%	28.26%	0.00%
	20-24 Years	12.69%	8.68%	56.10%	37.95%	51.04%	56.80%	25.22%	16.12%	13.55%	5.76%	9.84%
	25-34 Years	9.49%	2.48%	69.44%	20.78%	54.03%	31.54%	20.01%	8.85%	7.10%	17.14%	5.82%
	Over 34 Years	6.72%	0.00%	66.47%	22.13%	55.31%	36.96%	18.12%	16.12%	11.30%	5.07%	5.07%
Ethnicity	White Non-Hispanic	11.14%	1.03%	63.50%	25.31%	59.97%	45.80%	25.19%	17.83%	12.27%	18.86%	10.41%
	Black Non-Hispanic	11.87%	9.11%	78.21%	23.35%	50.44%	22.08%	18.65%	5.37%	1.66%	14.53%	0.00%
	Hispanic	4.97%	1.27%	52.80%	8.75%	46.96%	33.56%	8.68%	0.00%	7.25%	4.73%	3.84%
Married	Married	8.19%	2.47%	71.00%	25.76%	66.75%	42.64%	26.27%	13.13%	7.15%	11.74%	9.01%
	Not Married	9.67%	3.58%	62.50%	20.13%	41.93%	29.84%	14.30%	8.38%	9.57%	15.37%	2.82%
Previous Live Birth	Yes	10.21%	2.80%	68.25%	21.35%	54.19%	36.21%	21.55%	11.56%	9.67%	13.98%	6.83%
	No	6.50%	3.53%	62.97%	24.26%	55.21%	35.07%	16.40%	8.59%	5.84%	12.86%	4.59%
Education	Less Than 12 Years	12.58%	1.87%	66.77%	10.68%	55.04%	14.85%	2.35%	9.47%	0.00%	15.89%	7.22%
	12 Years	5.95%	0.00%	58.74%	27.67%	52.53%	28.95%	18.64%	8.25%	9.37%	12.66%	6.02%
	Greater Than 12 Years	8.12%	2.76%	68.89%	21.53%	59.18%	46.91%	23.05%	13.05%	10.62%	14.54%	6.37%


Table 7Z. Percent Response Yes and Lower/Upper 95% CI, QCV9C		
	Percent Response Yes	QCV9C
Total	Yes	6.41%
Age	Under 20 Years	38.00%
	20-24 Years	3.77%
	25-34 Years	6.10%
	Over 34 Years	1.10%
Ethnicity	White Non-Hispanic	7.97%
	Black Non-Hispanic	8.80%
	Hispanic	3.13%
Married	Married	5.33%
	Not Married	7.55%
Previous Live Birth	Yes	6.46%
	No	6.45%
Education	Less Than 12 Years	13.45%
	12 Years	7.01%
	Greater Than 12 Years	4.85%
	Lower 95% CI	QCV9C
Total	Yes	5.92%
Age	Under 20 Years	33.15%
	20-24 Years	2.87%
	25-34 Years	5.48%
	Over 34 Years	0.63%
Ethnicity	White Non-Hispanic	7.20%
	Black Non-Hispanic	7.69%
	Hispanic	2.32%
Married	Married	4.70%
	Not Married	6.80%
Previous Live Birth	Yes	5.84%
	No	5.66%
Education	Less Than 12 Years	11.65%
	12 Years	6.03%
	Greater Than 12 Years	4.28%
	Upper 95% CI	QCV9C
Total	Yes	6.90%
Age	Under 20 Years	42.85%
	20-24 Years	4.66%
	25-34 Years	6.72%
	Over 34 Years	1.57%
Ethnicity	White Non-Hispanic	8.74%
	Black Non-Hispanic	9.91%
	Hispanic	3.94%
Married	Married	5.96%
	Not Married	8.29%
Previous Live Birth	Yes	7.08%
	No	7.25%
Education	Less Than 12 Years	15.24%
	12 Years	7.99%
	Greater Than 12 Years	5.42%

APPENDIX A (RAW VARIABLE GRAPHS)


Appendix AQ5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?*,§§ [RAW] (% “Yes”)**




AQ6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?*,§§ [RAW] (% “Yes”)**




AQ11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor's office? [RAW] (% "Yes")




AQ11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN's office? [RAW] (% "Yes")




AQ11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* [RAW] (% “Yes”)**




AQ11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?* [RAW] (% “Yes”)**




AQ11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?* [RAW] (% “Yes”)**




AQ11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety?* [RAW] (% “Yes”)**




AQ11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? [RAW] (% “Yes”)




AQ12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid? [RAW] (% “Yes”)




AQ12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? [RAW] (% “Yes”)




AQ12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* [RAW] (% “Yes”)**




AQ12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? [RAW] (% “Yes”)




AQ12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? [RAW] (% “Yes”)




AQ12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? [RAW] (% “Yes”)




AQ12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? [RAW] (% “Yes”)




AQ12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes? [RAW] (% “Yes”)




AQ12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically? [RAW] (% “Yes”)




AQ12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed? [RAW] (% “Yes”)




AQ12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? [RAW] (% “Yes”)




AQ12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)? [RAW] (% “Yes”)




AQ14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy? [RAW] (% “Yes”)




AQ14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?* [RAW] (% “Yes”)**




AQ14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family? [RAW] (% “Yes”)




AQ14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? [RAW] (% “Yes”)




AQ14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? [RAW] (% “Yes”)




AQ14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care. [RAW] (% “Yes”)




AQ16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. [RAW] (% “Yes”)




AQ16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. * [RAW] (% “Yes”)**




AQ16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care.* [RAW] (% “Yes”)**




AQ20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? [RAW] (% “Yes”)




AQ23: Did you get prenatal care as early in your pregnancy as you wanted? [RAW] (% “Yes”)




AQ24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. [RAW] (% “Yes”)




AQ24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% “Yes”)**




AQ24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. [RAW] (% “Yes”)




AQ24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. [RAW] (% "Yes")




AQ24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? [RAW] (% “Yes”)




AQ25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? [RAW] (% “Yes”)




AQ25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? [RAW] (% “Yes”)




AQ25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? [RAW] (% “Yes”)




AQ25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? [RAW] (% “Yes”)




AQ25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? [RAW] (% “Yes”)




AQ25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth? [RAW] (% “Yes”)




AQ25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)? [RAW] (% “Yes”)




AQ25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? [RAW] (% “Yes”)




AQ25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born? [RAW] (% “Yes”)




AQ36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ38: Do you currently smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* [RAW] (% “Yes”)**




AQ45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* [RAW] (% “Yes”)**




AQ53: Is your baby alive now? [RAW] (% “Yes”)




AQ54: Is your baby living with you now? [RAW] (% “Yes”)




AQ55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? [RAW] (% “Yes”)




AQ55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula? [RAW] (% “Yes”)




AQ55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? [RAW] (% “Yes”)




AQ55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? [RAW] (% “Yes”)




AQ55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? [RAW] (% “Yes”)




AQ55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number? [RAW] (% “Yes”)




AQ55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends? [RAW] (% “Yes”)




AQ56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? [RAW] (% “Yes”)




AQ57: Are you currently breastfeeding or feeding pumped milk to your new baby? [RAW] (% “Yes”)




AQ59: Do you most often lay your baby down on his or her back when he or she sleeps now?
[RAW] (% “Yes”)




AQ60: Does your baby always or often sleep alone in his or her own crib or bed? [RAW]
(% “Yes”)




AQ61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? [RAW] (% “Yes”)




AQ62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? [RAW] (% “Yes”)




**AQ62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?
[RAW] (% “Yes”)**




AQ62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?*
[RAW] (% “Yes”)**




AQ62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? [RAW] (% “Yes”)




AQ62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? [RAW] (% “Yes”)




AQ62F: In the past 2 weeks, did your new baby usually sleep with a blanket? [RAW] (% “Yes”)




AQ62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? [RAW] (% “Yes”)




AQ62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? [RAW] (% “Yes”)




AQ63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? [RAW] (% “Yes”)




AQ63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? [RAW] (% “Yes”)




AQ63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? [RAW] (% “Yes”)




AQ63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? [RAW] (% “Yes”)




AQ64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? [RAW] (% “Yes”)




AQ65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? [RAW] (% “Yes”)




AQ67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} [RAW] (% “Yes”)**




AQ67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% "Yes")**




AQ67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% "Yes")**




AQ67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.††† [RAW] (% “Yes”)




AQ67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% “Yes”)**




AQ68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? [RAW] (% “Yes”)




AQ70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy? [RAW] (% “Yes”)




AQ70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again? [RAW] (% “Yes”)




AQ70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? [RAW] (% “Yes”)




AQ70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms? [RAW] (% “Yes”)




AQ70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)? [RAW] (% “Yes”)




AQ70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? [RAW] (% “Yes”)




AQ70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? [RAW] (% “Yes”)




AQ70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? [RAW] (% “Yes”)




AQ70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? [RAW] (% “Yes”)




AQ75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* [RAW] (% “Yes”)**




AQ75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* [RAW] (% “Yes”)**




AQ76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them? [RAW] (% “Yes”)



AQ79A: During your most recent pregnancy, did you take any parenting classes? [RAW] (% “Yes”)



AQ79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? [RAW] (% “Yes”)



APPENDIX B (RAW VARIABLE TABLES)

Table BA. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q5-Q12B												
	Percent Response Yes	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	8.13%	7.65%	39.74%	46.06%	14.35%	3.54%	11.91%	9.72%	40.07%	22.21%	29.17%
Age	Under 20 Years	10.50%	1.13%	15.58%	16.89%	5.25%	3.07%	6.38%	0.00%	15.51%	11.63%	18.02%
	20-24 Years	4.77%	8.21%	31.68%	30.24%	11.37%	0.18%	13.31%	6.30%	27.10%	14.66%	21.27%
	25-34 Years	7.49%	8.34%	41.28%	48.89%	15.72%	4.36%	9.96%	11.90%	41.89%	23.24%	31.34%
	Over 34 Years	12.72%	6.36%	47.61%	58.33%	14.87%	4.25%	17.69%	8.31%	51.74%	28.33%	32.29%
Ethnicity	White Non-Hispanic	4.84%	4.88%	39.97%	54.25%	17.89%	3.43%	12.61%	11.40%	51.23%	26.66%	28.89%
	Black Non-Hispanic	13.42%	9.78%	38.71%	43.77%	11.72%	4.70%	11.84%	8.82%	29.12%	16.70%	29.83%
	Hispanic	8.67%	11.77%	38.27%	31.94%	11.04%	3.34%	12.79%	8.50%	30.26%	17.59%	28.88%
Married	Married	7.48%	5.73%	40.85%	51.91%	12.76%	2.97%	11.88%	7.26%	52.01%	28.65%	30.90%
	Not Married	8.78%	9.56%	38.64%	40.21%	15.95%	4.10%	11.94%	12.18%	28.11%	15.76%	27.45%
Previous Live Birth	Yes	N/A	N/A	41.25%	46.52%	16.11%	3.12%	11.66%	11.11%	39.24%	19.72%	29.19%
	No	N/A	N/A	37.43%	45.28%	11.26%	4.24%	12.24%	7.53%	41.58%	26.13%	29.29%
Education	Less Than 12 Years	17.74%	17.52%	29.92%	22.76%	11.08%	3.63%	8.15%	10.53%	20.27%	15.47%	25.55%
	12 Years	7.64%	6.69%	35.07%	37.99%	12.45%	2.74%	10.65%	9.51%	25.07%	14.14%	26.14%
	Greater Than 12 Years	5.38%	5.19%	44.68%	56.04%	16.30%	4.05%	13.23%	9.46%	53.31%	27.69%	31.49%
	Lower 95% CI	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	7.58%	7.12%	38.77%	45.07%	13.65%	3.17%	11.26%	9.13%	39.09%	21.38%	28.27%
Age	Under 20 Years	7.44%	0.07%	11.96%	13.14%	3.02%	1.34%	3.94%	0.00%	11.89%	8.43%	14.18%
	20-24 Years	3.77%	6.92%	29.50%	28.08%	9.88%	0.00%	11.72%	5.16%	25.02%	13.00%	19.35%
	25-34 Years	6.81%	7.62%	40.00%	47.59%	14.77%	3.83%	9.18%	11.05%	40.61%	22.14%	30.13%
	Over 34 Years	11.21%	5.25%	45.34%	56.09%	13.25%	3.34%	15.96%	7.06%	49.47%	26.28%	30.17%
Ethnicity	White Non-Hispanic	4.23%	4.27%	38.57%	52.83%	16.80%	2.91%	11.66%	10.50%	49.81%	25.40%	27.59%
	Black Non-Hispanic	12.09%	8.61%	36.80%	41.83%	10.46%	3.87%	10.58%	7.71%	27.33%	15.24%	28.03%
	Hispanic	7.36%	10.26%	36.00%	29.77%	9.58%	2.50%	11.23%	7.19%	28.12%	15.81%	26.76%
Married	Married	6.74%	5.08%	39.46%	50.50%	11.82%	2.49%	10.97%	6.53%	50.61%	27.38%	29.60%
	Not Married	7.98%	8.73%	37.26%	38.83%	14.91%	3.54%	11.03%	11.26%	26.84%	14.73%	26.19%
Previous Live Birth	Yes	N/A	N/A	40.00%	45.26%	15.18%	2.68%	10.85%	10.31%	38.00%	18.71%	28.04%
	No	N/A	N/A	35.86%	43.67%	10.24%	3.59%	11.18%	6.67%	39.98%	24.71%	27.82%
Education	Less Than 12 Years	15.73%	15.52%	27.51%	20.55%	9.43%	2.64%	6.71%	8.91%	18.16%	13.57%	23.26%
	12 Years	6.62%	5.73%	33.24%	36.12%	11.18%	2.11%	9.47%	8.39%	23.41%	12.80%	24.45%
	Greater Than 12 Years	4.78%	4.60%	43.36%	54.72%	15.32%	3.53%	12.33%	8.68%	51.98%	26.50%	30.25%
	Upper 95% CI	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	8.67%	8.18%	40.72%	47.06%	15.05%	3.90%	12.55%	10.31%	41.04%	23.04%	30.08%
Age	Under 20 Years	13.57%	2.18%	19.20%	20.63%	7.48%	4.79%	8.82%	0.00%	19.12%	14.84%	21.85%
	20-24 Years	5.77%	9.50%	33.86%	32.39%	12.85%	0.38%	14.90%	7.44%	29.19%	16.32%	23.19%
	25-34 Years	8.18%	9.06%	42.56%	50.19%	16.67%	4.90%	10.73%	12.74%	43.17%	24.33%	32.55%
	Over 34 Years	14.23%	7.47%	49.87%	60.57%	16.48%	5.17%	19.42%	9.57%	54.01%	30.38%	34.41%
Ethnicity	White Non-Hispanic	5.45%	5.50%	41.36%	55.67%	18.98%	3.95%	13.56%	12.31%	52.66%	27.92%	30.18%
	Black Non-Hispanic	14.76%	10.94%	40.62%	45.72%	12.98%	5.53%	13.11%	9.93%	30.90%	18.17%	31.62%
	Hispanic	9.99%	13.27%	40.54%	34.12%	12.50%	4.18%	14.35%	9.80%	32.41%	19.37%	31.00%
Married	Married	8.22%	6.39%	42.23%	53.32%	13.70%	3.45%	12.79%	7.99%	53.42%	29.92%	32.20%
	Not Married	9.58%	10.39%	40.01%	41.59%	16.98%	4.66%	12.85%	13.11%	29.37%	16.79%	28.70%
Previous Live Birth	Yes	N/A	N/A	42.49%	47.79%	17.05%	3.56%	12.48%	11.91%	40.47%	20.73%	30.35%
	No	N/A	N/A	39.00%	46.89%	12.29%	4.89%	13.30%	8.38%	43.18%	27.56%	30.77%
Education	Less Than 12 Years	19.75%	19.52%	32.33%	24.96%	12.73%	4.61%	9.59%	12.14%	22.39%	17.38%	27.85%
	12 Years	8.66%	7.65%	36.90%	39.85%	13.71%	3.37%	11.84%	10.64%	26.74%	15.48%	27.83%
	Greater Than 12 Years	5.98%	5.78%	46.00%	57.36%	17.29%	4.57%	14.13%	10.23%	54.63%	28.88%	32.72%

Appendix BB. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q12C-Q14A												
	Percent Response Yes	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	12.21%	28.84%	31.42%	22.30%	21.25%	53.39%	44.80%	46.88%	47.98%	22.15%	13.99%
Age	Under 20 Years	5.25%	22.14%	39.90%	10.50%	30.53%	35.78%	35.78%	35.78%	20.02%	14.77%	9.45%
	20-24 Years	11.67%	20.72%	31.46%	20.61%	27.56%	40.02%	32.51%	35.86%	29.93%	23.25%	14.73%
	25-34 Years	12.54%	29.53%	32.09%	23.72%	20.46%	56.88%	47.94%	49.76%	53.26%	22.77%	13.90%
	Over 34 Years	13.15%	35.77%	27.60%	22.01%	15.84%	58.96%	48.62%	50.71%	54.58%	20.78%	14.48%
Ethnicity	White Non-Hispanic	10.52%	35.30%	29.40%	21.64%	14.80%	59.12%	47.16%	51.01%	51.19%	16.96%	14.24%
	Black Non-Hispanic	15.34%	20.27%	33.50%	19.44%	26.34%	50.71%	43.73%	43.55%	47.51%	29.92%	12.08%
	Hispanic	11.76%	24.53%	38.16%	27.56%	32.95%	45.19%	43.96%	45.78%	42.65%	28.50%	16.13%
Married	Married	10.46%	38.60%	30.52%	25.41%	17.06%	57.26%	47.00%	48.11%	53.78%	16.40%	14.97%
	Not Married	13.96%	19.08%	32.32%	19.19%	25.46%	49.52%	42.59%	45.65%	42.18%	27.91%	13.00%
Previous Live Birth	Yes	13.25%	28.12%	31.32%	19.94%	18.70%	52.99%	45.67%	47.54%	47.09%	20.65%	13.94%
	No	10.61%	29.85%	31.76%	26.03%	25.29%	54.09%	43.34%	45.76%	49.41%	24.46%	14.18%
Education	Less Than 12 Years	16.17%	20.28%	35.79%	24.49%	31.71%	40.95%	38.02%	36.55%	31.82%	28.41%	13.23%
	12 Years	12.96%	21.86%	27.81%	18.99%	22.71%	46.83%	40.09%	44.85%	39.89%	21.78%	12.17%
	Greater Than 12 Years	10.95%	34.67%	32.49%	23.45%	17.58%	60.28%	49.41%	51.05%	56.37%	21.12%	14.37%
	Lower 95% CI	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	11.56%	27.94%	30.49%	21.47%	20.44%	52.40%	43.81%	45.88%	46.98%	21.32%	13.30%
Age	Under 20 Years	3.02%	17.99%	35.01%	7.44%	25.93%	30.99%	30.99%	30.99%	16.03%	11.23%	6.53%
	20-24 Years	10.16%	18.82%	29.28%	18.71%	25.47%	37.72%	30.32%	33.61%	27.78%	21.26%	13.07%
	25-34 Years	11.68%	28.34%	30.87%	22.62%	19.41%	55.59%	46.64%	48.46%	51.97%	21.68%	13.00%
	Over 34 Years	11.62%	33.59%	25.57%	20.13%	14.18%	56.73%	46.35%	48.44%	52.32%	18.93%	12.89%
Ethnicity	White Non-Hispanic	9.64%	33.94%	28.10%	20.47%	13.79%	57.72%	45.74%	49.59%	49.77%	15.89%	13.25%
	Black Non-Hispanic	13.92%	18.70%	31.65%	17.89%	24.61%	48.75%	41.79%	41.60%	45.56%	28.12%	10.80%
	Hispanic	10.26%	22.52%	35.89%	25.47%	30.75%	42.86%	41.64%	43.45%	40.34%	26.39%	14.41%
Married	Married	9.60%	37.23%	29.23%	24.18%	16.00%	55.87%	45.60%	46.70%	52.37%	15.36%	13.97%
	Not Married	12.98%	17.97%	31.00%	18.08%	24.23%	48.11%	41.20%	44.24%	40.78%	26.64%	12.05%
Previous Live Birth	Yes	12.39%	26.98%	30.14%	18.93%	17.71%	51.72%	44.40%	46.28%	45.83%	19.63%	13.06%
	No	9.62%	28.37%	30.25%	24.61%	23.88%	52.47%	41.73%	44.15%	47.79%	23.07%	13.05%
Education	Less Than 12 Years	14.23%	18.17%	33.26%	22.23%	29.26%	38.37%	35.47%	34.01%	29.37%	26.04%	11.45%
	12 Years	11.67%	20.27%	26.09%	17.48%	21.10%	44.91%	38.21%	42.94%	38.01%	20.19%	10.91%
	Greater Than 12 Years	10.12%	33.40%	31.25%	22.32%	16.57%	58.98%	48.08%	49.72%	55.05%	20.04%	13.44%
	Upper 95% CI	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	12.86%	29.75%	32.34%	23.13%	22.07%	54.39%	45.79%	47.87%	48.97%	22.98%	14.68%
Age	Under 20 Years	7.48%	26.28%	44.79%	13.57%	35.13%	40.57%	40.57%	40.57%	24.02%	18.31%	12.37%
	20-24 Years	13.18%	22.62%	33.64%	22.51%	29.66%	42.31%	34.71%	38.11%	32.08%	25.23%	16.40%
	25-34 Years	13.40%	30.71%	33.30%	24.83%	21.51%	58.17%	49.24%	51.07%	54.56%	23.86%	14.80%
	Over 34 Years	14.68%	37.94%	29.63%	23.89%	17.49%	61.20%	50.89%	52.98%	56.84%	22.62%	16.08%
Ethnicity	White Non-Hispanic	11.39%	36.66%	30.70%	22.82%	15.81%	60.52%	48.58%	52.44%	52.62%	18.03%	15.24%
	Black Non-Hispanic	16.75%	21.85%	35.35%	20.99%	28.06%	52.67%	45.67%	45.49%	49.47%	31.71%	13.35%
	Hispanic	13.27%	26.54%	40.43%	29.64%	35.14%	47.51%	46.27%	48.10%	44.96%	30.61%	17.85%
Married	Married	11.32%	39.97%	31.82%	26.64%	18.12%	58.65%	48.41%	49.52%	55.18%	17.44%	15.98%
	Not Married	14.94%	20.19%	33.63%	20.30%	26.68%	50.93%	43.99%	47.05%	43.57%	29.17%	13.95%
Previous Live Birth	Yes	14.10%	29.26%	32.49%	20.95%	19.69%	54.25%	46.93%	48.81%	48.36%	21.68%	14.81%
	No	11.61%	31.34%	33.27%	27.46%	26.70%	55.70%	44.95%	47.38%	51.03%	25.85%	15.32%
Education	Less Than 12 Years	18.10%	22.40%	38.31%	26.76%	34.16%	43.54%	40.58%	39.08%	34.27%	30.79%	15.02%
	12 Years	14.25%	23.45%	29.54%	20.50%	24.32%	48.75%	41.97%	46.76%	41.77%	23.36%	13.43%
	Greater Than 12 Years	11.78%	35.93%	33.74%	24.57%	18.60%	61.58%	50.73%	52.38%	57.69%	22.21%	15.30%

Table BC. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q14B-Q16E												
	Percent Response Yes	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	11.18%	11.61%	8.30%	17.34%	16.94%	17.47%	16.22%	41.96%	4.27%	3.01%	46.79%
Age	Under 20 Years	6.38%	11.63%	10.50%	13.57%	22.21%	22.21%	22.21%	8.32%	17.70%	5.25%	74.24%
	20-24 Years	14.68%	10.08%	11.19%	19.93%	20.63%	21.78%	21.78%	6.84%	13.35%	2.51%	73.76%
	25-34 Years	10.11%	9.73%	8.58%	15.70%	15.71%	16.20%	14.74%	49.97%	1.96%	2.40%	42.41%
	Over 34 Years	12.13%	18.75%	4.31%	20.70%	16.17%	16.33%	14.26%	57.44%	0.00%	4.89%	29.19%
Ethnicity	White Non-Hispanic	9.40%	12.78%	8.08%	19.06%	14.83%	15.07%	13.51%	56.26%	5.05%	2.81%	32.21%
	Black Non-Hispanic	10.83%	8.41%	6.92%	11.95%	17.00%	17.65%	16.83%	29.06%	5.33%	1.62%	70.03%
	Hispanic	17.17%	13.05%	12.51%	22.81%	24.82%	26.16%	25.31%	16.71%	2.30%	4.01%	58.32%
Married	Married	11.07%	15.12%	6.88%	19.62%	16.59%	17.63%	15.28%	65.11%	1.53%	4.22%	20.02%
	Not Married	11.29%	8.09%	9.73%	15.06%	17.30%	17.32%	17.17%	18.78%	7.01%	1.81%	73.60%
Previous Live Birth	Yes	11.94%	10.48%	8.65%	15.39%	15.18%	15.38%	15.05%	39.51%	2.27%	3.35%	51.04%
	No	10.02%	13.54%	7.48%	20.35%	19.65%	20.73%	17.94%	46.22%	7.58%	2.49%	39.49%
Education	Less Than 12 Years	17.49%	13.48%	13.93%	18.42%	26.82%	26.82%	26.60%	4.23%	5.83%	3.16%	70.85%
	12 Years	9.97%	7.05%	8.39%	17.57%	17.09%	17.09%	17.09%	18.28%	5.70%	3.49%	73.43%
	Greater Than 12 Years	9.40%	12.80%	6.38%	16.70%	14.29%	15.23%	13.06%	63.43%	3.37%	2.88%	26.61%
	Lower 95% CI	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	10.55%	10.97%	7.75%	16.59%	16.20%	16.72%	15.49%	40.97%	3.86%	2.67%	45.80%
Age	Under 20 Years	3.94%	8.43%	7.44%	10.15%	18.06%	18.06%	18.06%	5.56%	13.88%	3.02%	69.87%
	20-24 Years	13.02%	8.67%	9.71%	18.06%	18.73%	19.85%	19.85%	5.66%	11.75%	1.78%	71.70%
	25-34 Years	9.33%	8.95%	7.85%	14.75%	14.76%	15.24%	13.82%	48.66%	1.60%	2.00%	41.13%
	Over 34 Years	10.65%	16.98%	3.38%	18.86%	14.49%	14.66%	12.68%	55.20%	0.00%	3.91%	27.13%
Ethnicity	White Non-Hispanic	8.57%	11.83%	7.31%	17.94%	13.82%	14.05%	12.54%	54.85%	4.42%	2.34%	30.88%
	Black Non-Hispanic	9.61%	7.32%	5.92%	10.68%	15.53%	16.15%	15.36%	27.28%	4.45%	1.12%	68.24%
	Hispanic	15.41%	11.48%	10.96%	20.85%	22.80%	24.11%	23.28%	14.96%	1.60%	3.09%	56.02%
Married	Married	10.18%	14.11%	6.16%	18.50%	15.54%	16.55%	14.26%	63.77%	1.18%	3.65%	18.89%
	Not Married	10.40%	7.32%	8.89%	14.05%	16.23%	16.25%	16.10%	17.68%	6.29%	1.43%	72.35%
Previous Live Birth	Yes	11.12%	9.70%	7.93%	14.48%	14.27%	14.46%	14.15%	38.28%	1.89%	2.89%	49.77%
	No	9.04%	12.44%	6.63%	19.05%	18.36%	19.42%	16.70%	44.60%	6.72%	1.99%	37.91%
Education	Less Than 12 Years	15.49%	11.68%	12.11%	16.38%	24.49%	24.49%	24.27%	3.17%	4.60%	2.24%	68.46%
	12 Years	8.82%	6.07%	7.33%	16.11%	15.65%	15.65%	15.65%	16.80%	4.81%	2.78%	71.73%
	Greater Than 12 Years	8.62%	11.91%	5.73%	15.71%	13.36%	14.28%	12.17%	62.15%	2.89%	2.44%	25.43%
	Upper 95% CI	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	11.80%	12.24%	8.85%	18.10%	17.69%	18.23%	16.95%	42.94%	4.67%	3.35%	47.79%
Age	Under 20 Years	8.82%	14.84%	13.57%	16.99%	26.36%	26.36%	26.36%	11.08%	21.51%	7.48%	78.60%
	20-24 Years	16.34%	11.50%	12.67%	21.81%	22.52%	23.72%	23.72%	8.02%	14.94%	3.24%	75.83%
	25-34 Years	10.90%	10.50%	9.31%	16.64%	16.65%	17.16%	15.67%	51.27%	2.32%	2.80%	43.70%
	Over 34 Years	13.61%	20.52%	5.23%	22.54%	17.84%	18.01%	15.85%	59.69%	0.00%	5.87%	31.26%
Ethnicity	White Non-Hispanic	10.23%	13.73%	8.86%	20.17%	15.84%	16.09%	14.48%	57.68%	5.67%	3.28%	33.54%
	Black Non-Hispanic	12.05%	9.49%	7.91%	13.22%	18.47%	19.14%	18.29%	30.84%	6.21%	2.11%	71.83%
	Hispanic	18.93%	14.63%	14.05%	24.77%	26.84%	28.21%	27.34%	18.45%	3.00%	4.93%	60.62%
Married	Married	11.95%	16.13%	7.59%	20.74%	17.63%	18.70%	16.29%	66.45%	1.88%	4.78%	21.15%
	Not Married	12.18%	8.86%	10.57%	16.07%	18.37%	18.39%	18.23%	19.88%	7.73%	2.19%	74.84%
Previous Live Birth	Yes	12.76%	11.26%	9.36%	16.31%	16.09%	16.29%	15.96%	40.75%	2.64%	3.80%	52.31%
	No	10.99%	14.65%	8.34%	21.66%	20.94%	22.04%	19.18%	47.83%	8.44%	3.00%	41.08%
Education	Less Than 12 Years	19.48%	15.27%	15.75%	20.46%	29.15%	29.15%	28.92%	5.29%	7.06%	4.08%	73.24%
	12 Years	11.12%	8.04%	9.46%	19.04%	18.54%	18.54%	18.54%	19.77%	6.59%	4.19%	75.12%
	Greater Than 12 Years	10.17%	13.68%	7.03%	17.69%	15.22%	16.19%	13.96%	64.71%	3.85%	3.33%	27.78%

Table BD. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q16F-Q24E												
	Percent Response Yes	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.45%	5.01%	4.24%	2.44%	19.57%	78.95%	12.14%	3.05%	2.96%	6.25%	3.83%
Age	Under 20 Years	5.25%	12.19%	5.25%	0.00%	24.88%	59.29%	27.07%	3.07%	10.50%	5.25%	14.70%
	20-24 Years	1.16%	5.02%	4.52%	4.04%	22.48%	72.43%	17.12%	6.54%	1.71%	7.23%	3.92%
	25-34 Years	1.34%	4.23%	4.44%	1.93%	18.79%	80.98%	11.09%	2.51%	2.89%	6.40%	3.35%
	Over 34 Years	1.27%	5.86%	3.17%	2.99%	18.11%	82.91%	7.61%	1.43%	2.81%	5.07%	2.97%
Ethnicity	White Non-Hispanic	0.68%	0.50%	4.62%	2.56%	16.88%	81.61%	13.26%	2.62%	2.74%	6.46%	3.69%
	Black Non-Hispanic	3.37%	1.28%	5.28%	0.00%	22.29%	72.26%	12.17%	1.54%	5.20%	6.48%	5.82%
	Hispanic	1.34%	24.33%	2.01%	6.50%	23.37%	82.64%	7.72%	6.68%	1.52%	6.02%	2.86%
Married	Married	0.73%	3.88%	6.89%	2.57%	11.69%	82.47%	10.64%	3.86%	1.32%	7.43%	3.03%
	Not Married	2.16%	6.13%	1.59%	2.30%	27.45%	75.42%	13.65%	2.25%	4.61%	5.06%	4.64%
Previous Live Birth	Yes	2.00%	6.26%	3.58%	2.96%	21.76%	80.19%	10.57%	2.91%	2.88%	6.16%	3.98%
	No	0.55%	2.99%	5.35%	1.61%	15.74%	76.73%	14.82%	3.30%	3.12%	6.44%	3.63%
Education	Less Than 12 Years	4.01%	26.53%	0.22%	8.95%	23.28%	73.73%	16.46%	5.78%	9.28%	9.85%	10.68%
	12 Years	0.00%	3.37%	3.20%	2.14%	26.23%	75.23%	12.26%	3.37%	2.86%	4.64%	3.29%
	Greater Than 12 Years	1.18%	0.22%	5.95%	1.02%	14.77%	82.07%	11.15%	2.34%	1.53%	6.37%	2.08%
	Lower 95% CI	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.21%	4.57%	3.84%	2.13%	18.78%	78.13%	11.49%	2.71%	2.63%	5.76%	3.45%
Age	Under 20 Years	3.02%	8.93%	3.02%	0.00%	20.57%	54.38%	22.63%	1.34%	7.44%	3.02%	11.16%
	20-24 Years	0.66%	4.00%	3.55%	3.12%	20.53%	70.33%	15.35%	5.38%	1.10%	6.01%	3.01%
	25-34 Years	1.04%	3.71%	3.90%	1.57%	17.78%	79.96%	10.27%	2.10%	2.45%	5.76%	2.89%
	Over 34 Years	0.76%	4.79%	2.37%	2.21%	16.36%	81.20%	6.40%	0.89%	2.06%	4.07%	2.20%
Ethnicity	White Non-Hispanic	0.44%	0.30%	4.03%	2.11%	15.81%	80.50%	12.30%	2.17%	2.28%	5.76%	3.15%
	Black Non-Hispanic	2.66%	0.84%	4.41%	0.00%	20.66%	70.51%	10.89%	1.06%	4.33%	5.51%	4.90%
	Hispanic	0.80%	22.33%	1.36%	5.35%	21.39%	80.87%	6.47%	5.51%	0.95%	4.91%	2.08%
Married	Married	0.49%	3.34%	6.18%	2.12%	10.79%	81.40%	9.77%	3.31%	1.00%	6.69%	2.55%
	Not Married	1.75%	5.46%	1.24%	1.88%	26.19%	74.20%	12.68%	1.83%	4.01%	4.44%	4.04%
Previous Live Birth	Yes	1.65%	5.65%	3.11%	2.53%	20.71%	79.18%	9.79%	2.49%	2.46%	5.55%	3.48%
	No	0.31%	2.43%	4.62%	1.20%	14.56%	75.36%	13.67%	2.72%	2.56%	5.65%	3.03%
Education	Less Than 12 Years	2.98%	24.21%	0.00%	7.45%	21.06%	71.41%	14.51%	4.55%	7.75%	8.29%	9.06%
	12 Years	0.00%	2.68%	2.53%	1.58%	24.54%	73.58%	11.00%	2.68%	2.22%	3.83%	2.60%
	Greater Than 12 Years	0.89%	0.09%	5.32%	0.76%	13.82%	81.05%	10.31%	1.94%	1.21%	5.72%	1.70%
	Upper 95% CI	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.69%	5.44%	4.64%	2.74%	20.36%	79.76%	12.79%	3.39%	3.30%	6.73%	4.22%
Age	Under 20 Years	7.48%	15.46%	7.48%	0.00%	29.20%	64.19%	31.51%	4.79%	13.57%	7.48%	18.24%
	20-24 Years	1.66%	6.05%	5.50%	4.97%	24.44%	74.52%	18.89%	7.70%	2.32%	8.44%	4.83%
	25-34 Years	1.64%	4.76%	4.97%	2.29%	19.81%	82.01%	11.90%	2.92%	3.33%	7.03%	3.82%
	Over 34 Years	1.78%	6.92%	3.96%	3.76%	19.85%	84.62%	8.81%	1.97%	3.55%	6.07%	3.74%
Ethnicity	White Non-Hispanic	0.91%	0.70%	5.22%	3.01%	17.95%	82.71%	14.23%	3.08%	3.21%	7.16%	4.23%
	Black Non-Hispanic	4.08%	1.72%	6.16%	0.00%	23.92%	74.02%	13.46%	2.02%	6.07%	7.44%	6.74%
	Hispanic	1.88%	26.34%	2.67%	7.65%	25.35%	84.41%	8.96%	7.84%	2.09%	7.13%	3.64%
Married	Married	0.97%	4.43%	7.60%	3.02%	12.60%	83.54%	11.51%	4.40%	1.65%	8.17%	3.52%
	Not Married	2.57%	6.81%	1.94%	2.73%	28.71%	76.63%	14.61%	2.67%	5.20%	5.68%	5.23%
Previous Live Birth	Yes	2.36%	6.88%	4.05%	3.38%	22.80%	81.20%	11.35%	3.34%	3.30%	6.77%	4.47%
	No	0.79%	3.54%	6.08%	2.02%	16.92%	78.10%	15.97%	3.88%	3.69%	7.24%	4.24%
Education	Less Than 12 Years	5.04%	28.85%	0.47%	10.45%	25.50%	76.04%	18.41%	7.00%	10.80%	11.42%	12.31%
	12 Years	0.00%	4.06%	3.88%	2.69%	27.92%	76.89%	13.52%	4.06%	3.50%	5.45%	3.97%
	Greater Than 12 Years	1.47%	0.34%	6.58%	1.29%	15.71%	83.09%	11.98%	2.74%	1.86%	7.02%	2.46%

Table BE. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q24F-Q25E												
	Percent Response Yes	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	2.32%	3.08%	2.42%	5.50%	2.19%	1.37%	51.03%	93.96%	95.80%	95.51%	87.69%
Age	Under 20 Years	1.94%	3.07%	1.13%	13.32%	14.70%	5.25%	49.84%	71.73%	95.80%	95.80%	94.68%
	20-24 Years	2.69%	4.77%	3.19%	10.81%	1.03%	0.00%	45.89%	91.93%	95.90%	94.74%	89.42%
	25-34 Years	2.14%	3.05%	2.50%	4.20%	2.06%	1.98%	50.86%	95.38%	95.59%	95.38%	86.86%
	Over 34 Years	2.57%	1.59%	1.72%	2.87%	1.09%	0.00%	56.60%	96.16%	96.33%	96.56%	87.14%
Ethnicity	White Non-Hispanic	2.54%	2.43%	2.92%	4.70%	1.33%	0.81%	48.19%	97.19%	97.50%	97.44%	88.09%
	Black Non-Hispanic	2.95%	2.57%	2.40%	7.68%	4.40%	1.28%	55.65%	91.63%	94.86%	94.01%	89.80%
	Hispanic	0.85%	5.69%	2.01%	4.68%	2.19%	2.86%	54.19%	87.69%	92.64%	93.13%	87.48%
Married	Married	1.41%	2.76%	2.08%	3.15%	1.59%	1.53%	54.49%	95.58%	95.46%	95.22%	85.16%
	Not Married	3.22%	3.39%	2.76%	7.86%	2.78%	1.22%	47.56%	92.34%	96.14%	95.80%	90.22%
Previous Live Birth	Yes	2.65%	2.48%	2.66%	4.72%	1.89%	1.43%	49.36%	94.13%	95.11%	94.69%	88.06%
	No	1.79%	4.09%	2.05%	6.84%	2.70%	1.29%	54.08%	94.05%	96.90%	96.82%	87.06%
Education	Less Than 12 Years	2.98%	5.60%	5.08%	8.47%	8.13%	5.93%	49.35%	85.00%	91.29%	90.98%	87.89%
	12 Years	2.92%	4.27%	2.99%	6.93%	1.53%	0.91%	49.67%	91.15%	94.71%	93.47%	88.75%
	Greater Than 12 Years	1.59%	1.92%	1.36%	4.31%	1.08%	0.49%	53.20%	97.45%	97.72%	97.88%	87.79%
	Lower 95% CI	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	2.02%	2.73%	2.11%	5.05%	1.90%	1.14%	50.03%	93.49%	95.40%	95.10%	87.03%
Age	Under 20 Years	0.56%	1.34%	0.07%	9.93%	11.16%	3.02%	44.85%	67.23%	93.80%	93.80%	92.43%
	20-24 Years	1.93%	3.77%	2.36%	9.36%	0.56%	0.00%	43.55%	90.65%	94.97%	93.70%	87.98%
	25-34 Years	1.77%	2.60%	2.09%	3.68%	1.69%	1.62%	49.56%	94.83%	95.06%	94.84%	85.98%
	Over 34 Years	1.85%	1.02%	1.13%	2.11%	0.62%	0.00%	54.35%	95.29%	95.48%	95.74%	85.62%
Ethnicity	White Non-Hispanic	2.09%	1.99%	2.44%	4.10%	1.00%	0.56%	46.77%	96.72%	97.06%	96.99%	87.17%
	Black Non-Hispanic	2.29%	1.95%	1.80%	6.64%	3.60%	0.84%	53.70%	90.54%	94.00%	93.07%	88.62%
	Hispanic	0.42%	4.61%	1.36%	3.69%	1.51%	2.08%	51.87%	86.15%	91.42%	91.95%	85.93%
Married	Married	1.08%	2.30%	1.68%	2.66%	1.24%	1.18%	53.09%	95.00%	94.88%	94.62%	84.15%
	Not Married	2.72%	2.88%	2.29%	7.10%	2.32%	0.91%	46.15%	91.59%	95.59%	95.24%	89.38%
Previous Live Birth	Yes	2.24%	2.08%	2.25%	4.18%	1.54%	1.13%	48.09%	93.54%	94.56%	94.13%	87.24%
	No	1.36%	3.44%	1.59%	6.02%	2.17%	0.92%	52.47%	93.28%	96.34%	96.25%	85.97%
Education	Less Than 12 Years	2.09%	4.39%	3.93%	7.00%	6.70%	4.69%	46.72%	83.12%	89.81%	89.47%	86.17%
	12 Years	2.27%	3.49%	2.33%	5.96%	1.06%	0.54%	47.75%	90.06%	93.85%	92.53%	87.54%
	Greater Than 12 Years	1.26%	1.56%	1.05%	3.77%	0.81%	0.31%	51.87%	97.03%	97.32%	97.49%	86.92%
	Upper 95% CI	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	2.62%	3.42%	2.73%	5.96%	2.48%	1.60%	52.02%	94.44%	96.20%	95.93%	88.34%
Age	Under 20 Years	3.32%	4.79%	2.18%	16.72%	18.24%	7.48%	54.83%	76.23%	97.81%	97.81%	96.92%
	20-24 Years	3.45%	5.77%	4.01%	12.27%	1.51%	0.00%	48.23%	93.21%	96.83%	95.79%	90.86%
	25-34 Years	2.52%	3.50%	2.91%	4.73%	2.42%	2.35%	52.16%	95.92%	96.13%	95.93%	87.74%
	Over 34 Years	3.29%	2.16%	2.31%	3.63%	1.56%	0.00%	58.85%	97.03%	97.18%	97.39%	88.66%
Ethnicity	White Non-Hispanic	2.99%	2.87%	3.40%	5.30%	1.65%	1.07%	49.61%	97.66%	97.95%	97.89%	89.02%
	Black Non-Hispanic	3.61%	3.19%	3.00%	8.73%	5.21%	1.72%	57.60%	92.71%	95.73%	94.94%	90.99%
	Hispanic	1.28%	6.77%	2.67%	5.67%	2.87%	3.64%	56.52%	89.22%	93.86%	94.31%	89.02%
Married	Married	1.75%	3.23%	2.48%	3.64%	1.95%	1.88%	55.89%	96.16%	96.05%	95.82%	86.16%
	Not Married	3.72%	3.90%	3.22%	8.62%	3.25%	1.53%	48.97%	93.09%	96.68%	96.37%	91.06%
Previous Live Birth	Yes	3.06%	2.87%	3.06%	5.26%	2.23%	1.73%	50.63%	94.73%	95.65%	95.26%	88.88%
	No	2.22%	4.73%	2.51%	7.65%	3.22%	1.65%	55.70%	94.82%	97.46%	97.39%	88.15%
Education	Less Than 12 Years	3.88%	6.81%	6.24%	9.93%	9.57%	7.18%	51.98%	86.87%	92.77%	92.48%	89.61%
	12 Years	3.56%	5.04%	3.64%	7.91%	2.00%	1.27%	51.59%	92.24%	95.57%	94.42%	89.97%
	Greater Than 12 Years	1.92%	2.29%	1.66%	4.85%	1.36%	0.68%	54.52%	97.87%	98.11%	98.26%	88.66%

Table BF. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q25F-Q44												
	Percent Response Yes	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	88.32%	87.83%	64.46%	93.58%	86.93%	6.97%	8.21%	3.26%	2.21%	0.42%	12.36%
Age	Under 20 Years	91.61%	94.68%	58.16%	95.80%	85.30%	0.00%	5.25%	0.00%	1.13%	0.00%	3.07%
	20-24 Years	89.43%	85.76%	70.92%	95.46%	94.44%	6.91%	5.91%	2.87%	4.99%	0.00%	9.27%
	25-34 Years	88.56%	88.00%	64.52%	93.37%	85.66%	7.74%	9.54%	3.60%	1.61%	0.45%	12.49%
	Over 34 Years	85.85%	87.82%	59.52%	92.01%	84.08%	6.13%	6.93%	3.27%	1.67%	0.80%	16.80%
Ethnicity	White Non-Hispanic	88.26%	87.62%	58.24%	94.01%	85.13%	11.09%	10.65%	4.36%	3.66%	0.51%	20.32%
	Black Non-Hispanic	92.58%	88.87%	73.02%	94.81%	89.33%	3.48%	9.33%	2.03%	1.50%	0.52%	6.47%
	Hispanic	85.17%	87.00%	69.81%	93.31%	91.97%	2.35%	1.87%	2.17%	0.18%	0.18%	2.35%
Married	Married	85.51%	86.40%	58.72%	93.06%	81.68%	1.99%	2.08%	0.95%	0.81%	0.13%	14.37%
	Not Married	91.12%	89.26%	70.21%	94.10%	92.18%	11.95%	14.34%	5.58%	3.62%	0.71%	10.35%
Previous Live Birth	Yes	88.32%	87.17%	65.45%	92.53%	87.94%	8.17%	10.50%	4.67%	1.09%	0.41%	10.94%
	No	88.21%	88.90%	62.55%	95.24%	85.58%	5.07%	4.52%	0.99%	4.08%	0.44%	14.79%
Education	Less Than 12 Years	89.05%	89.37%	69.12%	90.67%	91.92%	13.68%	13.66%	6.59%	1.99%	1.08%	3.99%
	12 Years	88.47%	89.70%	67.92%	92.00%	88.99%	7.69%	11.07%	4.66%	2.30%	0.41%	5.03%
	Greater Than 12 Years	88.03%	86.71%	61.39%	94.85%	84.28%	4.94%	4.94%	1.67%	2.33%	0.27%	18.28%
	Lower 95% CI	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	87.68%	87.18%	63.51%	93.09%	86.25%	6.46%	7.66%	2.91%	1.92%	0.29%	11.70%
Age	Under 20 Years	88.84%	92.43%	53.23%	93.80%	81.76%	0.00%	3.02%	0.00%	0.07%	0.00%	1.34%
	20-24 Years	87.99%	84.13%	68.80%	94.48%	93.37%	5.72%	4.81%	2.09%	3.97%	0.00%	7.91%
	25-34 Years	87.73%	87.16%	63.27%	92.72%	84.74%	7.04%	8.77%	3.12%	1.28%	0.28%	11.63%
	Over 34 Years	84.27%	86.34%	57.29%	90.78%	82.42%	5.04%	5.77%	2.46%	1.09%	0.40%	15.10%
Ethnicity	White Non-Hispanic	87.35%	86.68%	56.83%	93.33%	84.12%	10.20%	9.77%	3.78%	3.13%	0.31%	19.17%
	Black Non-Hispanic	91.55%	87.64%	71.28%	93.95%	88.12%	2.76%	8.19%	1.47%	1.03%	0.24%	5.50%
	Hispanic	83.50%	85.43%	67.67%	92.14%	90.70%	1.64%	1.24%	1.49%	0.00%	0.00%	1.64%
Married	Married	84.52%	85.44%	57.33%	92.34%	80.59%	1.60%	1.68%	0.68%	0.56%	0.03%	13.38%
	Not Married	90.32%	88.38%	68.92%	93.44%	91.43%	11.04%	13.35%	4.93%	3.09%	0.47%	9.49%
Previous Live Birth	Yes	87.51%	86.32%	64.24%	91.87%	87.11%	7.47%	9.73%	4.13%	0.82%	0.24%	10.15%
	No	87.17%	87.88%	60.98%	94.55%	84.44%	4.36%	3.85%	0.67%	3.44%	0.23%	13.64%
Education	Less Than 12 Years	87.41%	87.74%	66.69%	89.14%	90.48%	11.88%	11.86%	5.28%	1.26%	0.53%	2.96%
	12 Years	87.24%	88.53%	66.13%	90.96%	87.79%	6.67%	9.87%	3.85%	1.72%	0.16%	4.19%
	Greater Than 12 Years	87.17%	85.80%	60.10%	94.26%	83.31%	4.37%	4.37%	1.33%	1.93%	0.14%	17.25%
	Upper 95% CI	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	88.96%	88.48%	65.41%	94.07%	87.60%	7.48%	8.76%	3.62%	2.51%	0.55%	13.02%
Age	Under 20 Years	94.38%	96.92%	63.09%	97.81%	88.84%	0.00%	7.48%	0.00%	2.18%	0.00%	4.79%
	20-24 Years	90.88%	87.40%	73.05%	96.44%	95.52%	8.10%	7.02%	3.65%	6.01%	0.00%	10.63%
	25-34 Years	89.39%	88.85%	65.76%	94.01%	86.57%	8.43%	10.30%	4.09%	1.94%	0.62%	13.35%
	Over 34 Years	87.44%	89.31%	61.75%	93.24%	85.75%	7.21%	8.08%	4.08%	2.25%	1.21%	18.50%
Ethnicity	White Non-Hispanic	89.18%	88.56%	59.64%	94.68%	86.14%	11.99%	11.53%	4.94%	4.20%	0.72%	21.47%
	Black Non-Hispanic	93.60%	90.10%	74.76%	95.68%	90.54%	4.20%	10.47%	2.58%	1.98%	0.80%	7.43%
	Hispanic	86.83%	88.57%	71.96%	94.48%	93.24%	3.06%	2.51%	2.86%	0.37%	0.37%	3.06%
Married	Married	86.51%	87.37%	60.10%	93.77%	82.77%	2.39%	2.48%	1.22%	1.06%	0.23%	15.36%
	Not Married	91.92%	90.13%	71.50%	94.77%	92.94%	12.87%	15.33%	6.22%	4.15%	0.94%	11.21%
Previous Live Birth	Yes	89.13%	88.01%	66.65%	93.20%	88.76%	8.86%	11.28%	5.20%	1.35%	0.57%	11.73%
	No	89.26%	89.92%	64.12%	95.93%	86.72%	5.78%	5.19%	1.31%	4.72%	0.66%	15.94%
Education	Less Than 12 Years	90.70%	90.99%	71.55%	92.20%	93.35%	15.49%	15.47%	7.89%	2.73%	1.62%	5.02%
	12 Years	89.69%	90.87%	69.71%	93.05%	90.20%	8.71%	12.28%	5.47%	2.87%	0.65%	5.87%
	Greater Than 12 Years	88.89%	87.61%	62.69%	95.44%	85.25%	5.52%	5.52%	2.01%	2.73%	0.41%	19.31%

Table BG. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q45-Q56												
	Percent Response Yes	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	5.74%	96.39%	95.54%	73.83%	72.97%	69.57%	66.17%	23.00%	13.01%	55.25%	82.94%
Age	Under 20 Years	0.00%	95.80%	95.80%	90.55%	78.92%	69.79%	81.11%	22.70%	14.70%	70.53%	69.79%
	20-24 Years	5.99%	95.67%	95.31%	73.17%	72.00%	65.78%	63.21%	28.40%	16.55%	51.79%	78.75%
	25-34 Years	5.95%	96.28%	95.23%	72.67%	71.55%	68.89%	66.12%	21.37%	11.87%	55.35%	83.24%
	Over 34 Years	6.02%	97.53%	96.63%	74.53%	76.96%	75.14%	66.01%	22.96%	12.80%	55.03%	88.67%
Ethnicity	White Non-Hispanic	8.71%	98.18%	97.09%	71.30%	73.77%	70.97%	64.67%	15.47%	6.25%	55.26%	82.90%
	Black Non-Hispanic	3.42%	95.76%	95.58%	81.38%	74.02%	73.83%	76.78%	30.99%	19.10%	60.19%	82.26%
	Hispanic	2.37%	92.31%	90.97%	70.96%	68.23%	58.02%	59.50%	32.24%	21.11%	45.26%	82.35%
Married	Married	6.75%	96.86%	95.82%	71.24%	72.75%	70.83%	62.70%	19.52%	10.46%	56.03%	89.98%
	Not Married	4.71%	95.92%	95.25%	76.42%	73.19%	68.30%	69.64%	26.48%	15.56%	54.46%	75.89%
Previous Live Birth	Yes	6.22%	97.29%	96.21%	73.13%	71.94%	65.78%	64.37%	21.31%	11.31%	46.86%	82.13%
	No	4.99%	95.06%	94.57%	74.85%	74.85%	76.01%	69.34%	25.63%	15.90%	68.80%	84.21%
Education	Less Than 12 Years	2.67%	97.63%	94.80%	71.66%	67.04%	50.63%	63.17%	29.54%	23.63%	49.40%	77.56%
	12 Years	4.10%	94.38%	93.90%	74.22%	70.79%	66.54%	66.70%	26.27%	16.93%	53.94%	74.40%
	Greater Than 12 Years	7.06%	97.29%	96.72%	73.31%	75.57%	75.78%	66.11%	19.30%	8.78%	57.18%	88.51%
	Lower 95% CI	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	5.27%	96.02%	95.13%	72.95%	72.08%	68.65%	65.23%	22.16%	12.34%	54.26%	82.19%
Age	Under 20 Years	0.00%	93.80%	93.80%	87.63%	74.85%	65.21%	77.20%	18.51%	11.16%	65.98%	65.20%
	20-24 Years	4.87%	94.72%	94.32%	71.09%	69.89%	63.55%	60.95%	26.28%	14.81%	49.45%	76.83%
	25-34 Years	5.34%	95.79%	94.68%	71.51%	70.38%	67.68%	64.89%	20.30%	11.03%	54.05%	82.27%
	Over 34 Years	4.94%	96.83%	95.81%	72.55%	75.05%	73.18%	63.86%	21.05%	11.28%	52.77%	87.23%
Ethnicity	White Non-Hispanic	7.91%	97.80%	96.61%	70.01%	72.52%	69.68%	63.31%	14.44%	5.56%	53.84%	81.83%
	Black Non-Hispanic	2.71%	94.97%	94.78%	79.85%	72.30%	72.11%	75.13%	29.18%	17.56%	58.27%	80.76%
	Hispanic	1.66%	91.07%	89.63%	68.84%	66.05%	55.71%	57.21%	30.06%	19.21%	42.93%	80.57%
Married	Married	6.05%	96.37%	95.26%	69.96%	71.50%	69.55%	61.34%	18.41%	9.60%	54.63%	89.13%
	Not Married	4.12%	95.37%	94.65%	75.23%	71.94%	66.99%	68.35%	25.23%	14.54%	53.06%	74.69%
Previous Live Birth	Yes	5.61%	96.88%	95.73%	72.00%	70.80%	64.58%	63.15%	20.27%	10.51%	45.59%	81.16%
	No	4.28%	94.36%	93.83%	73.44%	73.44%	74.63%	67.85%	24.21%	14.72%	67.29%	83.03%
Education	Less Than 12 Years	1.82%	96.82%	93.63%	69.29%	64.57%	48.00%	60.64%	27.14%	21.39%	46.77%	75.37%
	12 Years	3.34%	93.50%	92.98%	72.54%	69.04%	64.73%	64.89%	24.58%	15.49%	52.02%	72.73%
	Greater Than 12 Years	6.38%	96.86%	96.25%	72.14%	74.43%	74.64%	64.85%	18.25%	8.03%	55.86%	87.66%
	Upper 95% CI	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	6.20%	96.76%	95.95%	74.71%	73.85%	70.48%	67.11%	23.84%	13.68%	56.24%	83.69%
Age	Under 20 Years	0.00%	97.81%	97.81%	93.47%	82.99%	74.38%	85.01%	26.88%	18.24%	75.08%	74.37%
	20-24 Years	7.10%	96.62%	96.30%	75.25%	74.10%	68.00%	65.47%	30.51%	18.29%	54.14%	80.66%
	25-34 Years	6.57%	96.77%	95.78%	73.83%	72.73%	70.09%	67.35%	22.43%	12.71%	56.64%	84.21%
	Over 34 Years	7.10%	98.24%	97.45%	76.50%	78.87%	77.10%	68.16%	24.87%	14.32%	57.29%	90.10%
Ethnicity	White Non-Hispanic	9.51%	98.56%	97.57%	72.59%	75.03%	72.26%	66.03%	16.50%	6.94%	56.68%	83.97%
	Black Non-Hispanic	4.13%	96.55%	96.39%	82.91%	75.74%	75.55%	78.44%	32.80%	20.64%	62.10%	83.76%
	Hispanic	3.08%	93.56%	92.31%	73.08%	70.40%	60.32%	61.79%	34.43%	23.02%	47.58%	84.13%
Married	Married	7.46%	97.35%	96.39%	72.51%	74.01%	72.11%	64.06%	20.64%	11.32%	57.43%	90.82%
	Not Married	5.31%	96.48%	95.85%	77.62%	74.43%	69.61%	70.94%	27.72%	16.58%	55.87%	77.10%
Previous Live Birth	Yes	6.83%	97.70%	96.69%	74.25%	73.07%	66.98%	65.58%	22.35%	12.11%	48.12%	83.10%
	No	5.69%	95.76%	95.30%	76.26%	76.26%	77.40%	70.84%	27.05%	17.09%	70.30%	85.39%
Education	Less Than 12 Years	3.52%	98.43%	95.97%	74.03%	69.51%	53.26%	65.71%	31.94%	25.86%	52.03%	79.75%
	12 Years	4.86%	95.27%	94.82%	75.90%	72.54%	68.36%	68.51%	27.97%	18.37%	55.85%	76.08%
	Greater Than 12 Years	7.74%	97.72%	97.20%	74.49%	76.71%	76.92%	67.36%	20.35%	9.53%	58.49%	89.36%

Table BH. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q57-Q62G												
	Percent Response Yes	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	48.46%	77.87%	77.31%	77.65%	89.99%	27.48%	9.73%	39.42%	35.55%	32.60%	8.00%
Age	Under 20 Years	28.20%	63.66%	75.92%	98.87%	88.37%	34.65%	5.25%	49.28%	29.33%	58.48%	10.50%
	20-24 Years	30.33%	71.65%	65.99%	81.12%	84.62%	36.15%	9.03%	37.45%	18.90%	47.07%	12.69%
	25-34 Years	52.32%	80.53%	79.88%	75.66%	91.47%	22.66%	10.17%	38.69%	39.62%	28.39%	6.81%
	Over 34 Years	57.89%	78.54%	80.39%	76.08%	90.82%	32.57%	10.00%	41.43%	40.06%	26.48%	6.72%
Ethnicity	White Non-Hispanic	50.78%	87.45%	85.89%	72.47%	93.48%	16.99%	9.20%	42.51%	51.64%	26.62%	7.25%
	Black Non-Hispanic	41.33%	61.40%	64.74%	83.55%	87.98%	36.90%	12.01%	37.16%	18.20%	39.25%	6.79%
	Hispanic	45.81%	72.14%	73.85%	84.47%	85.87%	39.90%	10.33%	37.10%	15.70%	37.56%	11.93%
Married	Married	64.52%	83.95%	83.37%	70.28%	92.34%	20.91%	9.29%	38.47%	48.04%	26.10%	6.14%
	Not Married	32.39%	71.78%	71.24%	85.03%	87.63%	34.07%	10.18%	40.37%	23.04%	39.10%	9.86%
Previous Live Birth	Yes	49.59%	78.23%	78.98%	80.08%	90.49%	28.56%	10.93%	41.38%	37.75%	30.95%	8.15%
	No	46.69%	77.92%	74.55%	73.67%	89.25%	25.95%	7.86%	36.53%	31.92%	34.91%	7.82%
Education	Less Than 12 Years	39.65%	74.47%	77.45%	88.47%	89.92%	36.00%	6.78%	41.69%	15.68%	39.77%	11.71%
	12 Years	32.45%	74.49%	74.05%	83.12%	87.96%	26.40%	8.57%	38.14%	26.64%	39.04%	7.04%
	Greater Than 12 Years	58.34%	81.18%	78.62%	71.97%	90.94%	25.20%	10.73%	39.95%	44.85%	26.65%	7.87%
	Lower 95% CI	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	47.47%	77.04%	76.47%	76.82%	89.39%	26.59%	9.14%	38.44%	34.60%	31.66%	7.46%
Age	Under 20 Years	23.71%	58.86%	71.65%	97.82%	85.16%	29.90%	3.02%	44.29%	24.78%	53.56%	7.44%
	20-24 Years	28.18%	69.54%	63.77%	79.28%	82.93%	33.90%	7.69%	35.18%	17.06%	44.73%	11.13%
	25-34 Years	51.02%	79.50%	78.83%	74.55%	90.74%	21.57%	9.38%	37.42%	38.34%	27.22%	6.15%
	Over 34 Years	55.65%	76.67%	78.59%	74.14%	89.51%	30.44%	8.63%	39.19%	37.84%	24.48%	5.59%
Ethnicity	White Non-Hispanic	49.35%	86.50%	84.90%	71.19%	92.77%	15.92%	8.37%	41.10%	50.21%	25.36%	6.51%
	Black Non-Hispanic	39.40%	59.49%	62.87%	82.09%	86.71%	35.01%	10.73%	35.26%	16.68%	37.34%	5.81%
	Hispanic	43.48%	70.05%	71.80%	82.78%	84.24%	37.61%	8.91%	34.84%	14.01%	35.29%	10.41%
Married	Married	63.17%	82.92%	82.32%	68.99%	91.59%	19.76%	8.47%	37.10%	46.64%	24.86%	5.47%
	Not Married	31.07%	70.51%	69.97%	84.03%	86.70%	32.73%	9.33%	38.98%	21.86%	37.73%	9.02%
Previous Live Birth	Yes	48.32%	77.18%	77.95%	79.07%	89.75%	27.42%	10.14%	40.13%	36.52%	29.78%	7.46%
	No	45.07%	76.57%	73.14%	72.24%	88.24%	24.53%	6.99%	34.96%	30.41%	33.37%	6.95%
Education	Less Than 12 Years	37.08%	72.18%	75.25%	86.79%	88.34%	33.47%	5.46%	39.10%	13.77%	37.20%	10.02%
	12 Years	30.65%	72.81%	72.36%	81.68%	86.71%	24.71%	7.49%	36.28%	24.94%	37.16%	6.06%
	Greater Than 12 Years	57.03%	80.14%	77.53%	70.77%	90.18%	24.04%	9.91%	38.65%	43.53%	25.48%	7.15%
	Upper 95% CI	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	49.46%	78.70%	78.14%	78.48%	90.58%	28.37%	10.33%	40.39%	36.50%	33.53%	8.54%
Age	Under 20 Years	32.69%	68.46%	80.19%	99.93%	91.57%	39.40%	7.48%	54.27%	33.87%	63.40%	13.57%
	20-24 Years	32.49%	73.77%	68.21%	82.95%	86.32%	38.41%	10.38%	39.72%	20.73%	49.42%	14.25%
	25-34 Years	53.62%	81.56%	80.92%	76.78%	92.20%	23.75%	10.96%	39.96%	40.89%	29.57%	7.46%
	Over 34 Years	60.14%	80.40%	82.19%	78.02%	92.13%	34.70%	11.36%	43.67%	42.29%	28.48%	7.86%
Ethnicity	White Non-Hispanic	52.20%	88.39%	86.88%	73.74%	94.18%	18.06%	10.02%	43.92%	53.06%	27.88%	7.99%
	Black Non-Hispanic	43.26%	63.31%	66.62%	85.00%	89.26%	38.79%	13.28%	39.05%	19.71%	41.17%	7.78%
	Hispanic	48.14%	74.24%	75.91%	86.16%	87.49%	42.19%	11.75%	39.35%	17.40%	39.82%	13.44%
Married	Married	65.87%	84.99%	84.42%	71.57%	93.09%	22.06%	10.11%	39.84%	49.45%	27.34%	6.82%
	Not Married	33.71%	73.05%	72.52%	86.04%	88.56%	35.40%	11.03%	41.75%	24.23%	40.48%	10.70%
Previous Live Birth	Yes	50.86%	79.27%	80.01%	81.09%	91.23%	29.70%	11.72%	42.63%	38.97%	32.12%	8.85%
	No	48.31%	79.26%	75.97%	75.09%	90.25%	27.37%	8.73%	38.09%	33.43%	36.46%	8.69%
Education	Less Than 12 Years	42.23%	76.76%	79.65%	90.15%	91.51%	38.52%	8.11%	44.28%	17.59%	42.35%	13.40%
	12 Years	34.25%	76.16%	75.73%	84.56%	89.21%	28.09%	9.64%	40.01%	28.34%	40.91%	8.02%
	Greater Than 12 Years	59.65%	82.22%	79.70%	73.16%	91.70%	26.35%	11.56%	41.26%	46.17%	27.83%	8.58%

Table BI. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q62H-Q67D												
	Percent Response Yes	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	12.09%	93.58%	90.67%	58.03%	90.39%	87.89%	8.85%	2.86%	0.12%	1.27%	10.93%
Age	Under 20 Years	12.19%	97.74%	93.62%	73.18%	97.74%	76.73%	15.51%	5.25%	0.00%	0.00%	5.25%
	20-24 Years	17.61%	92.73%	90.04%	46.60%	89.61%	87.58%	6.90%	2.51%	0.00%	0.00%	16.55%
	25-34 Years	9.83%	93.05%	90.35%	62.13%	90.01%	87.04%	8.97%	2.49%	0.21%	1.68%	10.64%
	Over 34 Years	13.78%	95.09%	91.64%	53.10%	90.72%	93.05%	8.92%	3.80%	0.00%	1.50%	7.69%
Ethnicity	White Non-Hispanic	7.44%	96.54%	93.00%	58.23%	90.55%	88.29%	7.99%	2.55%	0.25%	0.95%	11.89%
	Black Non-Hispanic	11.10%	93.15%	91.35%	57.95%	90.92%	87.17%	12.07%	4.80%	0.00%	0.99%	11.29%
	Hispanic	26.22%	87.32%	85.61%	56.37%	91.08%	86.27%	7.72%	0.67%	0.00%	1.52%	8.13%
Married	Married	8.52%	94.91%	91.71%	56.35%	89.34%	90.84%	7.20%	3.88%	0.24%	1.53%	11.57%
	Not Married	15.67%	92.24%	89.64%	59.71%	91.43%	84.93%	10.50%	1.83%	0.00%	1.02%	10.28%
Previous Live Birth	Yes	11.02%	93.81%	90.38%	58.71%	89.11%	89.84%	7.50%	2.01%	0.20%	1.79%	8.98%
	No	13.95%	93.30%	91.57%	57.06%	92.89%	84.77%	11.13%	4.28%	0.00%	0.12%	14.21%
Education	Less Than 12 Years	22.48%	89.92%	87.37%	65.27%	86.77%	83.15%	14.81%	0.85%	0.00%	2.15%	6.99%
	12 Years	13.23%	89.55%	85.91%	53.06%	89.48%	86.07%	10.13%	2.63%	0.45%	1.48%	13.91%
	Greater Than 12 Years	8.64%	96.72%	93.96%	58.66%	92.18%	89.63%	7.11%	3.24%	0.00%	0.79%	10.77%
	Lower 95% CI	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	11.44%	93.09%	90.09%	57.04%	89.80%	87.24%	8.28%	2.53%	0.05%	1.05%	10.30%
Age	Under 20 Years	8.93%	96.26%	91.18%	68.75%	96.26%	72.51%	11.89%	3.02%	0.00%	0.00%	3.02%
	20-24 Years	15.82%	91.51%	88.64%	44.26%	88.18%	86.03%	5.71%	1.78%	0.00%	0.00%	14.81%
	25-34 Years	9.06%	92.39%	89.58%	60.87%	89.23%	86.17%	8.23%	2.09%	0.09%	1.34%	9.84%
	Over 34 Years	12.22%	94.11%	90.38%	50.84%	89.40%	91.90%	7.62%	2.93%	0.00%	0.95%	6.48%
Ethnicity	White Non-Hispanic	6.70%	96.02%	92.27%	56.82%	89.72%	87.37%	7.22%	2.10%	0.11%	0.67%	10.96%
	Black Non-Hispanic	9.87%	92.16%	90.25%	56.01%	89.79%	85.85%	10.80%	3.96%	0.00%	0.61%	10.05%
	Hispanic	24.16%	85.76%	83.97%	54.05%	89.75%	84.66%	6.48%	0.29%	0.00%	0.95%	6.85%
Married	Married	7.74%	94.29%	90.93%	54.95%	88.48%	90.03%	6.47%	3.34%	0.11%	1.18%	10.67%
	Not Married	14.64%	91.49%	88.78%	58.32%	90.64%	83.92%	9.63%	1.46%	0.00%	0.73%	9.43%
Previous Live Birth	Yes	10.23%	93.20%	89.63%	57.46%	88.32%	89.07%	6.83%	1.65%	0.08%	1.45%	8.25%
	No	12.82%	92.49%	90.67%	55.46%	92.05%	83.60%	10.11%	3.62%	0.00%	0.01%	13.07%
Education	Less Than 12 Years	20.28%	88.34%	85.63%	62.77%	84.98%	81.18%	12.94%	0.37%	0.00%	1.39%	5.65%
	12 Years	11.93%	88.38%	84.57%	51.14%	88.30%	84.74%	8.97%	2.01%	0.20%	1.02%	12.58%
	Greater Than 12 Years	7.89%	96.24%	93.32%	57.35%	91.47%	88.82%	6.42%	2.77%	0.00%	0.55%	9.95%
	Upper 95% CI	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	12.74%	94.06%	91.25%	59.01%	90.97%	88.54%	9.41%	3.19%	0.19%	1.50%	11.55%
Age	Under 20 Years	15.46%	99.23%	96.06%	77.60%	99.23%	80.95%	19.12%	7.48%	0.00%	0.00%	7.48%
	20-24 Years	19.40%	93.95%	91.45%	48.94%	91.05%	89.13%	8.08%	3.24%	0.00%	0.00%	18.30%
	25-34 Years	10.61%	93.72%	91.12%	63.39%	90.79%	87.92%	9.72%	2.90%	0.33%	2.01%	11.44%
	Over 34 Years	15.35%	96.07%	92.89%	55.37%	92.04%	94.21%	10.21%	4.67%	0.00%	2.05%	8.90%
Ethnicity	White Non-Hispanic	8.19%	97.06%	93.72%	59.63%	91.38%	89.20%	8.76%	3.00%	0.39%	1.22%	12.81%
	Black Non-Hispanic	12.33%	94.14%	92.46%	59.88%	92.05%	88.48%	13.35%	5.64%	0.00%	1.38%	12.53%
	Hispanic	28.27%	88.87%	87.25%	58.68%	92.41%	87.88%	8.97%	1.05%	0.00%	2.09%	9.40%
Married	Married	9.31%	95.53%	92.49%	57.74%	90.21%	91.66%	7.93%	4.43%	0.38%	1.88%	12.47%
	Not Married	16.69%	92.99%	90.50%	61.09%	92.22%	85.94%	11.36%	2.21%	0.00%	1.30%	11.14%
Previous Live Birth	Yes	11.82%	94.43%	91.13%	59.95%	89.90%	90.60%	8.17%	2.36%	0.31%	2.12%	9.70%
	No	15.07%	94.11%	92.47%	58.67%	93.72%	85.93%	12.15%	4.94%	0.00%	0.23%	15.34%
Education	Less Than 12 Years	24.68%	91.51%	89.12%	67.78%	88.55%	85.12%	16.67%	1.33%	0.00%	2.91%	8.33%
	12 Years	14.54%	90.73%	87.24%	54.98%	90.66%	87.40%	11.28%	3.24%	0.71%	1.95%	15.24%
	Greater Than 12 Years	9.39%	97.19%	94.59%	59.97%	92.90%	90.44%	7.79%	3.71%	0.00%	1.02%	11.59%

Table BJ. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q67E-Q68G												
	Percent Response Yes	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	8.60%	8.61%	1.98%	0.40%	5.10%	2.29%	17.00%	25.51%	4.74%	1.78%	11.61%
Age	Under 20 Years	7.51%	29.33%	0.00%	0.00%	0.00%	0.00%	24.07%	24.88%	14.70%	0.00%	7.19%
	20-24 Years	11.35%	5.09%	3.85%	0.00%	0.00%	1.35%	14.66%	29.34%	5.63%	3.42%	9.10%
	25-34 Years	8.51%	7.89%	1.90%	0.62%	5.14%	2.08%	17.51%	25.90%	4.74%	1.69%	11.46%
	Over 34 Years	6.56%	9.83%	0.87%	0.17%	10.78%	4.25%	16.19%	20.86%	1.84%	0.87%	15.35%
Ethnicity	White Non-Hispanic	6.29%	5.79%	2.30%	0.49%	5.19%	3.67%	23.35%	28.64%	1.89%	1.91%	13.52%
	Black Non-Hispanic	15.12%	15.47%	1.75%	0.00%	5.87%	0.82%	13.30%	16.67%	10.72%	2.77%	7.92%
	Hispanic	4.98%	5.21%	0.00%	0.85%	4.17%	0.85%	10.67%	23.78%	5.03%	0.67%	13.49%
Married	Married	8.26%	5.90%	2.06%	0.06%	4.74%	4.09%	17.29%	28.31%	1.90%	0.89%	13.06%
	Not Married	8.94%	11.33%	1.90%	0.73%	5.45%	0.48%	16.72%	22.70%	7.57%	2.67%	10.17%
Previous Live Birth	Yes	7.55%	7.81%	1.88%	0.64%	8.03%	3.69%	15.99%	23.20%	4.82%	2.28%	12.53%
	No	10.40%	9.99%	2.16%	0.00%	0.32%	0.00%	18.71%	29.50%	4.64%	0.96%	10.20%
Education	Less Than 12 Years	6.47%	10.62%	0.22%	0.85%	6.63%	0.00%	13.93%	24.36%	8.60%	0.00%	9.23%
	12 Years	11.65%	9.15%	3.37%	0.00%	5.56%	0.91%	20.14%	22.00%	7.66%	3.85%	7.14%
	Greater Than 12 Years	7.48%	7.04%	1.85%	0.49%	4.71%	3.41%	16.24%	27.53%	2.56%	1.32%	14.61%
	Lower 95% CI	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	8.05%	8.05%	1.70%	0.27%	4.66%	1.99%	16.25%	24.64%	4.31%	1.51%	10.98%
Age	Under 20 Years	4.88%	24.78%	0.00%	0.00%	0.00%	0.00%	19.81%	20.57%	11.16%	0.00%	4.61%
	20-24 Years	9.86%	4.06%	2.95%	0.00%	0.00%	0.81%	13.00%	27.21%	4.55%	2.57%	7.75%
	25-34 Years	7.78%	7.19%	1.55%	0.42%	4.57%	1.71%	16.52%	24.76%	4.19%	1.35%	10.63%
	Over 34 Years	5.43%	8.48%	0.45%	0.00%	9.37%	3.34%	14.51%	19.01%	1.23%	0.45%	13.71%
Ethnicity	White Non-Hispanic	5.60%	5.12%	1.87%	0.29%	4.56%	3.13%	22.14%	27.35%	1.50%	1.52%	12.55%
	Black Non-Hispanic	13.72%	14.05%	1.24%	0.00%	4.95%	0.47%	11.97%	15.21%	9.51%	2.13%	6.86%
	Hispanic	3.96%	4.17%	0.00%	0.42%	3.24%	0.42%	9.23%	21.79%	4.01%	0.29%	11.90%
Married	Married	7.49%	5.24%	1.66%	0.00%	4.14%	3.53%	16.22%	27.04%	1.52%	0.62%	12.11%
	Not Married	8.14%	10.43%	1.51%	0.49%	4.81%	0.29%	15.67%	21.52%	6.83%	2.21%	9.32%
Previous Live Birth	Yes	6.88%	7.13%	1.53%	0.44%	7.35%	3.21%	15.07%	22.13%	4.28%	1.90%	11.69%
	No	9.41%	9.02%	1.69%	0.00%	0.14%	0.00%	17.44%	28.02%	3.96%	0.65%	9.22%
Education	Less Than 12 Years	5.18%	9.00%	0.00%	0.37%	5.32%	0.00%	12.11%	22.10%	7.13%	0.00%	7.70%
	12 Years	10.42%	8.05%	2.68%	0.00%	4.68%	0.54%	18.60%	20.41%	6.64%	3.11%	6.15%
	Greater Than 12 Years	6.78%	6.36%	1.49%	0.30%	4.14%	2.93%	15.26%	26.34%	2.14%	1.01%	13.67%
	Upper 95% CI	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	9.16%	9.17%	2.26%	0.52%	5.53%	2.58%	17.75%	26.38%	5.16%	2.04%	12.25%
Age	Under 20 Years	10.14%	33.87%	0.00%	0.00%	0.00%	0.00%	28.34%	29.20%	18.24%	0.00%	9.77%
	20-24 Years	12.84%	6.12%	4.75%	0.00%	0.00%	1.89%	16.32%	31.48%	6.71%	4.27%	10.45%
	25-34 Years	9.23%	8.59%	2.26%	0.82%	5.72%	2.45%	18.50%	27.04%	5.29%	2.02%	12.29%
	Over 34 Years	7.68%	11.18%	1.29%	0.35%	12.19%	5.17%	17.86%	22.70%	2.45%	1.29%	16.99%
Ethnicity	White Non-Hispanic	6.98%	6.45%	2.73%	0.69%	5.82%	4.21%	24.55%	29.93%	2.27%	2.30%	14.50%
	Black Non-Hispanic	16.53%	16.88%	2.27%	0.00%	6.79%	1.17%	14.63%	18.13%	11.94%	3.42%	8.98%
	Hispanic	6.00%	6.25%	0.00%	1.28%	5.10%	1.28%	12.11%	25.77%	6.06%	1.05%	15.09%
Married	Married	9.04%	6.56%	2.46%	0.14%	5.34%	4.64%	18.35%	29.58%	2.29%	1.15%	14.01%
	Not Married	9.75%	12.22%	2.28%	0.97%	6.09%	0.68%	17.77%	23.88%	8.32%	3.12%	11.02%
Previous Live Birth	Yes	8.22%	8.49%	2.22%	0.84%	8.72%	4.17%	16.92%	24.27%	5.36%	2.66%	13.37%
	No	11.39%	10.97%	2.63%	0.00%	0.51%	0.00%	19.97%	30.98%	5.32%	1.28%	11.19%
Education	Less Than 12 Years	7.77%	12.24%	0.47%	1.33%	7.93%	0.00%	15.75%	26.62%	10.08%	0.00%	10.75%
	12 Years	12.89%	10.26%	4.06%	0.00%	6.44%	1.27%	21.68%	23.59%	8.69%	4.59%	8.12%
	Greater Than 12 Years	8.18%	7.72%	2.21%	0.67%	5.27%	3.90%	17.22%	28.71%	2.98%	1.62%	15.55%

Table BK. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q68H-Q70G												
	Percent Response Yes	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	7.49%	4.27%	18.04%	10.24%	46.48%	46.91%	46.35%	77.51%	37.97%	15.92%	53.93%
Age	Under 20 Years	20.51%	5.25%	11.63%	10.50%	46.77%	54.04%	56.54%	79.17%	49.03%	13.32%	67.61%
	20-24 Years	14.06%	2.99%	23.52%	10.08%	33.30%	44.08%	52.01%	75.52%	40.83%	14.61%	56.29%
	25-34 Years	6.47%	3.88%	18.39%	9.13%	47.60%	46.67%	44.81%	77.77%	37.62%	17.45%	52.15%
	Over 34 Years	1.73%	6.43%	13.15%	13.73%	55.38%	48.83%	43.65%	78.22%	34.09%	13.05%	54.31%
Ethnicity	White Non-Hispanic	3.04%	5.03%	18.89%	8.55%	43.77%	42.33%	46.90%	83.23%	37.73%	14.85%	49.59%
	Black Non-Hispanic	9.27%	4.02%	21.58%	16.60%	47.68%	52.31%	47.90%	75.68%	40.80%	18.98%	60.87%
	Hispanic	17.57%	2.84%	11.36%	6.66%	46.41%	49.91%	41.50%	68.40%	37.64%	15.49%	58.33%
Married	Married	3.88%	4.96%	17.01%	7.96%	51.15%	44.91%	46.98%	81.83%	36.49%	13.85%	49.98%
	Not Married	11.09%	3.57%	19.06%	12.53%	41.81%	48.91%	45.72%	73.18%	39.46%	17.99%	57.89%
Previous Live Birth	Yes	7.32%	4.87%	16.66%	9.61%	46.98%	46.38%	38.33%	74.87%	36.54%	16.29%	53.31%
	No	7.81%	3.30%	20.44%	11.36%	45.32%	47.66%	59.54%	82.38%	40.56%	15.45%	54.99%
Education	Less Than 12 Years	24.34%	2.78%	13.77%	7.08%	40.57%	52.35%	48.93%	70.45%	43.80%	18.79%	71.78%
	12 Years	7.22%	4.79%	19.10%	12.21%	43.60%	50.53%	48.77%	74.98%	42.85%	15.54%	57.53%
	Greater Than 12 Years	3.34%	4.58%	18.55%	9.76%	49.58%	43.93%	44.99%	81.65%	34.77%	15.67%	48.03%
	Lower 95% CI	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	6.96%	3.86%	17.27%	9.64%	45.49%	45.91%	45.36%	76.67%	37.01%	15.19%	52.94%
Age	Under 20 Years	16.48%	3.02%	8.43%	7.44%	41.79%	49.06%	51.59%	75.11%	44.04%	9.93%	62.93%
	20-24 Years	12.42%	2.19%	21.53%	8.67%	31.09%	41.75%	49.67%	73.50%	38.53%	12.95%	53.97%
	25-34 Years	5.83%	3.38%	17.38%	8.38%	46.30%	45.37%	43.51%	76.69%	36.36%	16.46%	50.85%
	Over 34 Years	1.14%	5.31%	11.62%	12.17%	53.12%	46.56%	41.40%	76.34%	31.93%	11.52%	52.05%
Ethnicity	White Non-Hispanic	2.55%	4.41%	17.78%	7.75%	42.36%	40.92%	45.48%	82.17%	36.35%	13.84%	48.17%
	Black Non-Hispanic	8.13%	3.25%	19.97%	15.14%	45.72%	50.36%	45.95%	74.00%	38.87%	17.45%	58.95%
	Hispanic	15.79%	2.07%	9.87%	5.50%	44.08%	47.57%	39.20%	66.22%	35.38%	13.80%	56.02%
Married	Married	3.34%	4.35%	15.95%	7.19%	49.74%	43.51%	45.57%	80.75%	35.13%	12.88%	48.57%
	Not Married	10.21%	3.05%	17.96%	11.60%	40.42%	47.50%	44.32%	71.93%	38.09%	16.91%	56.49%
Previous Live Birth	Yes	6.66%	4.33%	15.72%	8.86%	45.71%	45.12%	37.10%	73.77%	35.32%	15.36%	52.04%
	No	6.94%	2.72%	19.13%	10.34%	43.71%	46.04%	57.95%	81.14%	38.97%	14.28%	53.38%
Education	Less Than 12 Years	22.08%	1.91%	11.96%	5.73%	37.99%	49.73%	46.30%	68.05%	41.19%	16.73%	69.42%
	12 Years	6.23%	3.97%	17.59%	10.95%	41.70%	48.61%	46.85%	73.32%	40.95%	14.15%	55.63%
	Greater Than 12 Years	2.86%	4.03%	17.52%	8.97%	48.25%	42.61%	43.67%	80.62%	33.51%	14.70%	46.70%
	Upper 95% CI	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	8.01%	4.67%	18.80%	10.85%	47.48%	47.90%	47.35%	78.34%	38.94%	16.65%	54.93%
Age	Under 20 Years	24.54%	7.48%	14.84%	13.57%	51.76%	59.01%	61.49%	83.22%	54.02%	16.72%	72.28%
	20-24 Years	15.69%	3.79%	25.51%	11.50%	35.51%	46.41%	54.35%	77.54%	43.14%	16.26%	58.62%
	25-34 Years	7.11%	4.38%	19.40%	9.88%	48.90%	47.96%	46.10%	78.85%	38.88%	18.44%	53.45%
	Over 34 Years	2.33%	7.54%	14.68%	15.30%	57.64%	51.10%	45.90%	80.09%	36.24%	14.58%	56.57%
Ethnicity	White Non-Hispanic	3.53%	5.65%	20.01%	9.34%	45.18%	43.74%	48.33%	84.29%	39.11%	15.86%	51.02%
	Black Non-Hispanic	10.41%	4.79%	23.20%	18.05%	49.64%	54.27%	49.86%	77.36%	42.73%	20.52%	62.78%
	Hispanic	19.35%	3.62%	12.84%	7.83%	48.74%	52.24%	43.80%	70.57%	39.90%	17.18%	60.63%
Married	Married	4.43%	5.57%	18.07%	8.72%	52.56%	46.31%	48.39%	82.92%	37.84%	14.83%	51.39%
	Not Married	11.98%	4.09%	20.17%	13.47%	43.20%	50.32%	47.13%	74.43%	40.84%	19.08%	59.28%
Previous Live Birth	Yes	7.98%	5.42%	17.61%	10.36%	48.24%	47.65%	39.57%	75.97%	37.76%	17.23%	54.57%
	No	8.68%	3.88%	21.74%	12.39%	46.94%	49.28%	61.13%	83.61%	42.15%	16.62%	56.60%
Education	Less Than 12 Years	26.60%	3.64%	15.58%	8.43%	43.16%	54.98%	51.56%	72.85%	46.41%	20.84%	74.15%
	12 Years	8.21%	5.61%	20.61%	13.46%	45.51%	52.46%	50.69%	76.64%	44.75%	16.93%	59.43%
	Greater Than 12 Years	3.82%	5.14%	19.58%	10.55%	50.91%	45.25%	46.32%	82.68%	36.04%	16.63%	49.35%

Table BL. Percent Response Yes and Lower/Upper 95% CI, Delaware 2020 PRAMS (RAW Variables): Q70H-Q79B									
	Percent Response Yes	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	61.92%	77.85%	18.29%	8.15%	6.74%	88.12%	7.56%	9.82%
Age	Under 20 Years	71.73%	78.11%	37.33%	1.13%	3.07%	92.49%	34.33%	29.08%
	20-24 Years	59.71%	76.75%	19.06%	6.37%	7.70%	82.90%	6.52%	6.36%
	25-34 Years	61.48%	77.08%	16.22%	8.53%	5.42%	89.05%	6.15%	9.61%
	Over 34 Years	63.32%	81.15%	19.94%	10.13%	10.59%	89.29%	7.28%	9.75%
Ethnicity	White Non-Hispanic	59.62%	82.37%	10.43%	10.64%	5.51%	90.98%	4.38%	11.26%
	Black Non-Hispanic	67.93%	76.82%	24.32%	6.65%	7.15%	88.27%	10.81%	10.74%
	Hispanic	60.32%	69.97%	31.74%	4.68%	9.82%	80.75%	10.49%	6.54%
Married	Married	60.07%	80.95%	12.04%	9.56%	6.67%	89.58%	5.80%	7.89%
	Not Married	63.77%	74.75%	24.55%	6.74%	6.80%	86.67%	9.32%	11.76%
Previous Live Birth	Yes	62.41%	76.48%	20.02%	9.38%	6.54%	87.81%	5.15%	10.09%
	No	60.80%	79.99%	15.61%	5.88%	7.11%	88.62%	11.57%	9.47%
Education	Less Than 12 Years	71.54%	74.07%	39.81%	6.70%	7.61%	80.99%	19.62%	16.11%
	12 Years	61.85%	74.84%	25.21%	9.93%	9.31%	86.92%	7.05%	8.12%
	Greater Than 12 Years	60.23%	81.37%	10.18%	7.82%	5.36%	90.94%	4.84%	8.66%
	Lower 95% CI	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	60.95%	77.02%	17.52%	7.61%	6.24%	87.48%	7.03%	9.23%
Age	Under 20 Years	67.23%	73.98%	32.50%	0.07%	1.34%	89.86%	29.59%	24.54%
	20-24 Years	57.41%	74.77%	17.22%	5.23%	6.45%	81.13%	5.36%	5.21%
	25-34 Years	60.21%	75.99%	15.26%	7.80%	4.83%	88.24%	5.53%	8.84%
	Over 34 Years	61.13%	79.38%	18.13%	8.76%	9.20%	87.89%	6.10%	8.40%
Ethnicity	White Non-Hispanic	58.22%	81.28%	9.56%	9.77%	4.86%	90.16%	3.80%	10.36%
	Black Non-Hispanic	66.10%	75.17%	22.64%	5.68%	6.14%	87.01%	9.59%	9.52%
	Hispanic	58.04%	67.83%	29.57%	3.69%	8.43%	78.91%	9.06%	5.38%
Married	Married	58.69%	79.84%	11.13%	8.73%	5.97%	88.72%	5.14%	7.13%
	Not Married	62.42%	73.52%	23.33%	6.03%	6.09%	85.71%	8.50%	10.85%
Previous Live Birth	Yes	61.19%	75.41%	19.01%	8.64%	5.91%	86.99%	4.59%	9.32%
	No	59.22%	78.69%	14.44%	5.12%	6.28%	87.59%	10.53%	8.52%
Education	Less Than 12 Years	69.17%	71.77%	37.24%	5.38%	6.22%	78.93%	17.53%	14.17%
	12 Years	59.98%	73.17%	23.54%	8.78%	8.19%	85.63%	6.07%	7.07%
	Greater Than 12 Years	58.93%	80.34%	9.37%	7.10%	4.76%	90.18%	4.27%	7.92%
	Upper 95% CI	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	62.89%	78.68%	19.06%	8.70%	7.23%	88.77%	8.09%	10.42%
Age	Under 20 Years	76.23%	82.24%	42.16%	2.18%	4.79%	95.12%	39.07%	33.61%
	20-24 Years	62.01%	78.73%	20.90%	7.52%	8.95%	84.66%	7.68%	7.50%
	25-34 Years	62.74%	78.18%	17.18%	9.25%	6.01%	89.87%	6.78%	10.38%
	Over 34 Years	65.51%	82.93%	21.75%	11.50%	11.99%	90.69%	8.46%	11.09%
Ethnicity	White Non-Hispanic	61.02%	83.45%	11.30%	11.52%	6.16%	91.80%	4.96%	12.16%
	Black Non-Hispanic	69.76%	78.48%	26.00%	7.63%	8.16%	89.53%	12.03%	11.95%
	Hispanic	62.61%	72.11%	33.92%	5.67%	11.21%	82.59%	11.93%	7.69%
Married	Married	61.45%	82.05%	12.96%	10.39%	7.37%	90.44%	6.46%	8.65%
	Not Married	65.13%	75.97%	25.76%	7.45%	7.51%	87.63%	10.14%	12.67%
Previous Live Birth	Yes	63.64%	77.56%	21.03%	10.12%	7.16%	88.64%	5.71%	10.85%
	No	62.39%	81.28%	16.79%	6.64%	7.95%	89.65%	12.61%	10.42%
Education	Less Than 12 Years	73.91%	76.38%	42.39%	8.01%	9.01%	83.05%	21.71%	18.04%
	12 Years	63.71%	76.51%	26.88%	11.08%	10.43%	88.22%	8.04%	9.17%
	Greater Than 12 Years	61.53%	82.41%	10.98%	8.53%	5.96%	91.70%	5.41%	9.41%