

# Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

## 2010 Analysis

May 2016



*DELAWARE HEALTH AND SOCIAL SERVICES*

*Division of Public Health*

*Center for Family Health Research and Epidemiology*



**FORWARD CONSULTANTS**

**CONTACT INFORMATION**

**George Yocher**

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

417 Federal Street, Jesse Cooper Building

Dover, DE 19901

302.744.4926 Office

302.739.6653 Fax

[george.yocher@state.de.us](mailto:george.yocher@state.de.us)

**Vikrum Vishnubhakta**

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

608.338.0426 Fax

[vikrum@forward-consultants.com](mailto:vikrum@forward-consultants.com)

**CITATION**

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2010 Analysis. May 20, 2016.”

**TABLE OF CONTENTS**

**EXECUTIVE SUMMARY ..... 14**

**INTRODUCTION..... 16**

**METHODS ..... 16**

**Choosing & Retooling the Questions for Analysis ..... 17**

**Choosing Demographic Categories for Analysis..... 18**

**Putting the Questions & Demographic Categories Together for Analysis..... 20**

**RESULTS ..... 21**

**Pregnancy Intention & Becoming Pregnant..... 21**

    Pregnancy Intention ..... 21

    Becoming Pregnant..... 22

**Prenatal Care ..... 23**

    Starting Prenatal Care ..... 23

    Access to Prenatal Care ..... 23

    During Prenatal Care Visits ..... 23

**Infant Care ..... 24**

    Breastfeeding ..... 24

    SIDS Prevention..... 24

    Infant Survival ..... 24

**Alcohol & Tobacco Use ..... 24**

    Alcohol Use ..... 24

    Tobacco Use..... 25

**Health Care Utilization..... 25**

    HIV Testing ..... 25

    Childbirth Classes ..... 25

    Dentist Visits..... 26

**Health Status ..... 26**

    Before Becoming Pregnant..... 26

    During Most Recent Pregnancy ..... 26

    Postpartum Depression ..... 27

**Health Coverage..... 27**

    Before Becoming Pregnant..... 27

    Prenatal Care Payer..... 27

    During Most Recent Pregnancy ..... 27

    During Delivery and Well-Baby Checkups ..... 28

**Social Support ..... 28**

**DISCUSSION ..... 29**

**GRAPHS..... 31**

**TABLES..... 128**

**TABLE OF FIGURES**

**BEFORE PREGNANCY**

**Q1A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight?..... 31**

**Q1B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? ..... 31**

**Q1C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? ..... 32**

**Q1D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for diabetes? ..... 32**

**Q1E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for high blood pressure? ..... 33**

**Q1F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for depression or anxiety? ..... 33**

**Q1G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history?..... 34**

**Q1H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? ..... 34**

**Q2A: During the month before you got pregnant with your new baby, were you covered by health insurance from your job or the job of your husband, partner, or parents?..... 35**

**Q2B: During the month before you got pregnant with your new baby, were you covered by health insurance that you or someone else paid for (not from a job)? ..... 35**

**Q2C: During the month before you got pregnant with your new baby, were you covered by Medicaid or the Diamond State Health Plan? ..... 36**

**Q2D: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military care?..... 36**

**Q2E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP, SCHIP)? ..... 37**

**Q2F: During the month before you got pregnant with your new baby, were you covered by any other State sponsored program?..... 37**

**Q2G: During the month before you got pregnant with your new baby, were you covered by any other sources (not listed in PRAMS)? ..... 38**

**Q2H: I did not have any health insurance before I got pregnant. .... 38**

**Q3: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin? ..... 39**

**Q7: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes? ..... 39**

**Q9: Before you got pregnant, did you have any other babies who were born alive? ..... 44**

**Q12A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner..... 45**

**Q12B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. .... 46**

**BEFORE PREGNANCY (Continued)**

**Q12C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then..... 46**

**Q12D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant. .... 47**

**Q13: When you got pregnant with your new baby, were you trying to get pregnant? ..... 47**

**Q14: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?..... 48**

**Q15A: Was not minding if you got pregnant your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant?..... 48**

**Q15B: Was thinking you could not get pregnant at that time your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? ..... 49**

**Q15C: Was having side effects from the birth control method you were using your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? ..... 49**

**Q15D: Was having problems getting birth control when you needed it your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? ..... 50**

**Q15E: Was thinking your husband or partner or you were sterile (could not get pregnant at all) your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? ..... 50**

**Q15F: Was it that your husband or partner didn’t want to use anything your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? ..... 51**

**Q16: Did you receive treatment from a doctor, nurse, or health care worker to help you get pregnant with your new baby?..... 51**

**Q17A: Did you use fertility-enhancing drugs prescribed by a doctor during the month you got pregnant with your new baby? ..... 52**

**Q17B: Did you use artificial insemination or intrauterine insemination during the month you got pregnant with your new baby? ..... 52**

**Q17C: Did you use assisted reproductive technology during the month you got pregnant with your new baby? ..... 53**

**PRENATAL CARE**

**Q20: Did you get prenatal care as early in your pregnancy as you wanted? ..... 53**

**Q21A: I couldn’t get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted..... 54**

**Q21B: I didn’t have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. .... 54**

**Q21C: I had no way to get to the clinic or doctor’s office kept me from getting prenatal care at all or as early as I wanted..... 55**

**Q21D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. .... 55**

**Q21E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted..... 56**

**PRENATAL CARE (Continued)**

**Q21F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted. .... 56**

**Q21G: I didn't have my Medicaid or Diamond State Health Plan card kept me from getting prenatal care at all or as early as I wanted..... 57**

**Q21H: I had no one to take care of my children kept me from getting prenatal care at all or as early as I wanted. .... 57**

**Q21I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. .... 58**

**Q21J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 58**

**Q21K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. .... 59**

**Q22A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for your prenatal care? ..... 59**

**Q22B: Did health insurance that you or someone else paid for (not from a job) help you pay for your prenatal care? ..... 60**

**Q22C: Did Medicaid or Diamond State Health Plan help you pay for your prenatal care? ..... 60**

**Q22D: Did TRICARE or other military health care help you pay for your prenatal care? ..... 61**

**Q22E: Did Delaware Healthy Children Program (DHCP, SCHIP) help you pay for your prenatal care?..... 61**

**Q22F: Did another State sponsored program help you pay for your prenatal care? ..... 62**

**Q22G: I did not have health insurance to help pay for my prenatal care..... 62**

**Q23A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby?..... 63**

**Q23B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby?..... 63**

**Q23C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? ..... 64**

**Q23D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy?..... 64**

**Q23E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during the pregnancy?..... 65**

**Q23F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby?..... 65**

**Q23G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family?..... 66**

**Q23H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than 3 weeks before baby is due)?..... 66**

**Q23I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early?..... 67**

**PRENATAL CARE (Continued)**

**Q23J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)? ..... 67**

**Q23K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? ..... 68**

**Q23L: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? ..... 68**

**HEALTH RISKS BEFORE PREGNANCY**

**Q8A: During the 3 months before you got pregnant, did you have asthma? ..... 40**

**Q8B: During the 3 months before you got pregnant, did you have high blood pressure (hypertension)? ..... 40**

**Q8C: During the 3 months before you got pregnant, did you have anemia? ..... 41**

**Q8D: During the 3 months before you got pregnant, did you have heart problems? ..... 41**

**Q8E: During the 3 months before you got pregnant, did you have epilepsy (seizures)? ..... 42**

**Q8F: During the 3 months before you got pregnant, did you have thyroid problems? ..... 42**

**Q8G: During the 3 months before you got pregnant, did you have depression? ..... 43**

**Q8H: During the 3 months before you got pregnant, did you have anxiety? ..... 43**

**Q10: Did the baby born just before your new one weigh more than 5 pounds, 8 ounces (2.5 kg) at birth? ..... 44**

**Q11: Was the baby just before your new one born more than 3 weeks before his or her due date? ..... 45**

**Q30: Have you smoked any cigarettes in the past 2 years? ..... 76**

**Q31: In the 3 months before you got pregnant, did you smoke at least 11 cigarettes on average each day? ..... 76**

**Q36A: In the 3 months before you got pregnant, did you drink at least 4 alcoholic drinks on average each week? ..... 79**

**Q36B: In the 3 months before you got pregnant, did you drink 4 alcoholic drinks or more in one sitting? ..... 79**

**Q39: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 87**

**Q40: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? ..... 88**

**Q63: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth? ..... 105**

**Q64A: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last less than 20 weeks (less than 4 months)? ..... 106**

**Q64B: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last 20 to 28 weeks (4 to 6 months)? ..... 106**

**Q64C: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last more than 28 weeks (more than 6 months)? ..... 107**

**HEALTH RISKS DURING PREGNANCY**

**Q26: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? ..... 70**

**Q27A: Did you have a problem with vaginal bleeding during your most recent pregnancy?..... 70**

**Q27B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy? ..... 71**

**Q27C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy?..... 71**

**Q27D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? ..... 72**

**Q27E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy? ..... 72**

**Q27F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy? ..... 73**

**Q27G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? ..... 73**

**Q27H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? ..... 74**

**Q27I: Did you have to have a blood transfusion during your most recent pregnancy?..... 74**

**Q27J: Did you get hurt in a car accident during your most recent pregnancy? ..... 75**

**Q28: At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker tell you to stay in bed for at least 1 week? ..... 75**

**Q32: In the last 3 months of your pregnancy, did you smoke at least 11 cigarettes on average each day? ..... 77**

**Q33: Do you currently smoke at least 11 cigarettes on average each day? ..... 77**

**Q34: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? ..... 78**

**Q35: Have you had any alcoholic drinks in the past 2 years? ..... 78**

**Q37A: In the last 3 months of your pregnancy, did you drink at least 4 alcoholic drinks on average each week? ..... 80**

**Q37B: In the last 3 months of your pregnancy, did you drink 4 alcoholic drinks or more in one sitting?..... 80**

**Q67: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI), a sexually transmitted disease (STD), or any vaginal infection, including bacterial vaginosis or Group B Strep (Beta Strep)? ..... 109**

**Q68A: During your most recent pregnancy, were you told that you had genital warts? ..... 109**

**Q68B: During your most recent pregnancy, were you told that you had herpes? ..... 110**

**Q68C: During your most recent pregnancy, were you told that you had chlamydia?..... 110**

**Q68D: During your most recent pregnancy were you told that you had gonorrhea?..... 111**

**Q68E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? ..... 111**

**Q68F: During your most recent pregnancy, were you told that you had syphilis? ..... 112**

**HEALTH RISKS DURING PREGNANCY (Continued)**

**Q68G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)?** ..... 112

**Q68H: During your most recent pregnancy, were you told that you had bacterial vaginosis?** ..... 113

**Q68I: During your most recent pregnancy, were you told that you had trichomoniasis?** ..... 113

**Q68J: During your most recent pregnancy, were you told that you had a yeast infection?**..... 114

**Q68K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)?**..... 114

**Q69A: During your most recent pregnancy, did you need to see a dentist for a problem?** ..... 115

**DELIVERY AND POSTPARTUM**

**Q45A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for the delivery of your new baby?** ..... 88

**Q45B: Did health insurance that you or someone else paid for (not from a job) help you pay for the delivery of your new baby?** ..... 89

**Q45C: Did Medicaid or Diamond State Health Plan help you pay for the delivery of your new baby?** ..... 89

**Q45D: Did TRICARE or other military health care help you pay for the delivery of your new baby?** ..... 90

**Q45E: Did the Delaware Healthy Children Program (DHCP, SCHIP) help you pay for the delivery of your new baby?**..... 90

**Q45F: Did another State sponsored program help you pay for the delivery of your new baby?** ..... 91

**Q45G: Did another source [not listed] help you pay for the delivery of your new baby?** ..... 91

**Q45H: I did not have health insurance to help pay for my delivery.**..... 92

**Q46: After your baby was born, was he or she put in an intensive care unit?** ..... 92

**Q47: After your baby was born, did he or she stay in the hospital for 3 days or more?**..... 93

**Q48: Is your baby alive now?** ..... 93

**Q49: Is your baby living with you now?** ..... 94

**Q50: Did you ever breastfeed or pump breast milk to feed your new baby after delivery?**..... 94

**Q51: Are you still breastfeeding or feeding pumped milk to your new baby?** ..... 95

**Q54: Do you most often lay your baby down on his or her back when he or she sleeps?**..... 95

**Q55: Does your baby never sleep in the same bed/crib with you or or anyone else?** ..... 96

**Q56: Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital?** ..... 96

**Q57: Has your new baby had a well-baby checkup?**..... 97

**Q58A: Did health insurance from your job or the job of your husband, partner, or parents pay for a well-baby checkup?** ..... 97

**DELIVERY AND POSTPARTUM (Continued)**

**Q58B: Did health insurance that you or someone else paid (not from a job) pay for a well-baby checkup?..... 98**  
**Q58C: Did Medicaid or Delaware State Health Plan pay for a well-baby checkup?..... 98**  
**Q58D: Did TRICARE or other military health care pay for a well-baby checkup?..... 99**  
**Q58E: Did the Delaware Healthy Children Program (DHCP, SCHIP) pay for a well-baby checkup?..... 99**  
**Q61A: Since your new baby was born, I have often or always felt down, depressed, or sad? ..... 104**  
**Q61B: Since your new baby was born, I have often or always felt hopeless? ..... 104**  
**Q61C: Since your new baby was born, I have often or always felt slowed down? ..... 105**  
**Q65: Were you happy or very happy to be pregnant when you found out you were pregnant with your new baby? ..... 107**

**INTERCONCEPTION CARE**

**Q59: Are you or your husband or partner doing anything now to keep from getting pregnant? ..... 100**  
**Q60A: I am not having sex is why I am not doing anything to keep from getting pregnant now..... 100**  
**Q60B: I want to get pregnant is why I am not doing anything to keep from getting pregnant now..... 101**  
**Q60C: I don't want to use birth control is why I am not doing anything to keep from getting pregnant now. .... 101**  
**Q60D: My husband or partner doesn't want to use anything is why I am not doing anything to keep from getting pregnant now. .... 102**  
**Q60E: I don't think I can get pregnant is why I am not doing anything to keep from getting pregnant now. .... 102**  
**Q60F: I can't pay for birth control is why I am not doing anything to keep from getting pregnant now. .... 103**  
**Q60G: I am pregnant now is why I am not doing anything to keep from getting pregnant now..... 103**

**HEALTH PROMOTING BEHAVIORS**

**Q24: At any time during your most recent pregnancy or delivery, did you have a test for HIV? ..... 69**  
**Q66A: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day?..... 108**  
**Q66B: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? ..... 108**  
**Q69B: During your most recent pregnancy, did you go to a dentist or dental clinic? ..... 115**  
**Q69C: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? ..... 116**  
**Q70A: During your most recent pregnancy, did you take any childbirth classes? ..... 116**  
**Q70B: During your most recent pregnancy, did you take any parenting classes? ..... 117**  
**Q70C: During your most recent pregnancy, did you have visits to your home by a nurse or other health care worker?..... 117**

**HEALTH PROMOTING BEHAVIORS (Continued)**

**Q70D: During your most recent pregnancy, did you receive counseling for depression or anxiety? ..... 118**

**Q71A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food?..... 118**

**Q71B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? ..... 119**

**Q71C: During your most recent pregnancy, were you receiving help to quit smoking? ..... 119**

**Q71D: During your most recent pregnancy, were you receiving help to reduce violence in your home? ..... 120**

**SOCIOECONOMIC INDICATORS**

**Q25: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? ..... 69**

**Q38A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital?..... 81**

**Q38B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? ..... 81**

**Q38C: During the 12 months before your new baby was born, did you move to a new address?..... 82**

**Q38D: During the 12 months before your new baby was born, were you homeless? ..... 82**

**Q38E: During the 12 months before your new baby was born, did your husband or partner lose his job?..... 83**

**Q38F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? ..... 83**

**Q38G: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? ..... 84**

**Q38H: During the 12 months before your new baby was born, did your husband or partner say he didn't want you to be pregnant? ..... 84**

**Q38I: During the 12 months before your new baby was born, did you have a lot of bills you couldn't pay?..... 85**

**Q38J: During the 12 months before your new baby was born, were you in a physical fight?..... 85**

**Q38K: During the 12 months before your new baby was born, did your husband or partner or you go to jail?..... 86**

**Q38L: During the 12 months before your new baby was born, did someone very close to you have a bad problem with drinking or drugs? ..... 86**

**Q38M: During the 12 months before your new baby was born, did someone very close to you die?..... 87**

**Q72A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? ..... 120**

**Q72B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? ..... 121**

**Q72C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride?..... 121**

**SOCIOECONOMIC INDICATORS (Continued)**

**Q72D: During your most recent pregnancy, would you know someone who you could talk with about your problems? ..... 122**

**Q73A: Since your new baby was born, have you received visits to your home by a nurse or other health care worker?..... 122**

**Q73B: Since your new baby was born, have you received counseling for depression or anxiety? ..... 123**

**Q75A: During the 12 months before your new baby was born, was money from family or friends a source of your household’s income? ..... 123**

**Q75B: During the 12 months before your new baby was born, was money from a business, fees, dividends, or rental income a source of your household’s income? ..... 124**

**Q75C: During the 12 months before your new baby was born, was a paycheck or money from a job a source of your household’s income? ..... 124**

**Q75D: During the 12 months before your new baby was born, were food stamps or WIC a source of your household’s income? ..... 125**

**Q75E: During the 12 months before your new baby was born, was aid such as TANF, welfare, public assistance, general assistance, or SSI a source of your household’s income? ..... 125**

**Q75F: During the 12 months before your new baby was born, were unemployment benefits a source of your household’s income? ..... 126**

**Q75G: During the 12 months before your new baby was born, was child support or alimony a source of your household’s income? ..... 126**

**Q75H: During the 12 months before your new baby was born, was social security, workers’ compensation, disability, veteran benefits, or pensions a source of your household’s income? ..... 127**

**TABLE OF TABLES**

**Table 1: Question Omitted from Analysis.....17**

**Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 17**

**Table 3. Response Rates by Demographic Category ..... 18**

**Table 4. Cross-Table of Respondents by Demographic Categories ..... 19**

**Table 5:  $\chi^2$  of Demographic Category Comparisons .....19**

**Table 6: PRAMS-Eligible Population Used in Weighted Average Scheme .....21**

**Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q1A-Q2C..... 128**

**Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q2D-Q8D..... 129**

**Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q8E-Q12D..... 130**

**Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q13-Q17B..... 131**

**Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q17C-Q21I ..... 132**

**Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q21J-Q23B..... 133**

**Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q23C-Q24..... 134**

**Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q25-Q27I..... 135**

**Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q27J-Q37A..... 136**

**Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q37B-Q38J..... 137**

**Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q38K-Q45F ..... 138**

**Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q45G-Q56 ..... 139**

**Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q57-Q60D..... 140**

**Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q60E-Q65..... 141**

**Table 7O. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q66A-Q68H ..... 142**

**Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q68I-Q71A ..... 143**

**Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q71B-Q75B ..... 144**

**Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010  
PRAMS: Q75C-Q75H ..... 145**

## **EXECUTIVE SUMMARY**

### **Introduction**

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2010 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

### **Methods**

Delaware's 2010 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of the 78 questions in the survey, 17 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 61 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 193 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2010 Delaware PRAMS-eligible population.

### **Results**

As in prior analyses of Delaware PRAMS, the age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. However, whether or not a respondent had a previous live birth was not significantly associated with more years of education. In addition, White non-Hispanic respondents were more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. A significantly higher percentage of White non-Hispanics wanted to be pregnant sooner as compared to Black non-Hispanics. Roughly one-fifth of Black non-Hispanics did not want to be pregnant; this contrasts with less than one-tenth of White non-Hispanics. Moreover, more than half of White non-Hispanics tried to get pregnant at the time they became

pregnant with their new baby as compared to roughly one-third of Black non-Hispanics and Hispanics. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report breastfeeding and laying their baby down on his or her back to sleep. However, the percentage of White non-Hispanics consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanics and Hispanics. A startlingly high percentage of Hispanic women – roughly 1 in 5 – said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

### **Conclusions**

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally reporting having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. Interestingly, although Black non-Hispanic women (as compared to White non-Hispanic women) were more likely to report *having a discussion* with a health care provider about health promoting behaviors, such as breastfeeding, a higher percentage of White non-Hispanic women were likely to report *engaging* in these health promoting behaviors as compared to Black non-Hispanic women. Generally speaking, these, as well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health.

## **INTRODUCTION**

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.\*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, breast-feeding, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.\*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.\*

This report offers a comprehensive snapshot of Delaware's 2010 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

## **METHODS**

The PRAMS sample of women who have had a recent live birth in 2010 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.\* In order to reduce response bias, the CDC has set a benchmark rate of 65% as the PRAMS survey response rate. In 2010, Delaware surveyed 1,483 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 73.97% (1,097 women responding).

---

\* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved August 23, 2016, from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

**Choosing & Retooling the Questions for Analysis**

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 78 questions in the 2010 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

**Table 1. Question Omitted from Analysis.**

Question	Reason for Omission from Analysis
4, 5, 6, 29, 41, 42, 43, 44, 62, 74, 76, 77, 78	Data Specific to Respondent
18, 19, 52, 53	Complex to Derive Meaningful Results or Variable Is Not Dichotomous

Of the remaining 61 questions, 46 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 15 questions offered multi-response results (i.e., the respondent could answer one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 8 requested five different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately which ultimately brought the total number of binary questions examined from 46 to 178. To ease analysis and downstream comparisons, the 15 multi-response questions were retooled into binary responses as defined by Table 2. This resulted in 15 additional binary questions, which brought the total number of questions under investigation to 193.

**Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.<sup>†</sup>**

	Response = “No”	Response = “Yes”	Response = “N/A” <sup>‡</sup>
<b>Q3</b>	1	2, 3, 4	
<b>Q12</b>	Segmented Into 4 Separate Questions		
<b>Q24</b>	1	2	3
<b>Q31</b>	4, 5, 6	1, 2, 3	7
<b>Q32</b>	4, 5, 6	1, 2, 3	7
<b>Q33</b>	4, 5, 6	1, 2, 3	7
<b>Q34</b>	1	2, 3	
<b>Q36A</b>	4, 5	1, 2, 3	6
<b>Q36B</b>	4, 5	1, 2, 3	6
<b>Q37A</b>	4, 5	1, 2, 3	6
<b>Q37B</b>	4, 5	1, 2, 3	6
<b>Q47</b>	1, 2	3, 4, 5, 6	7, 8
<b>Q54</b>	1, 3	2	
<b>Q55</b>	1, 2, 3, 4	5	
<b>Q65</b>	1, 2	4, 5	3

<sup>†</sup> Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

<sup>‡</sup> “N/A” responses refer to responses that cannot be categorized in a binary manner.

**Choosing Demographic Categories for Analysis**

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “White non-Hispanic” for Ethnicity, “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

**Table 3. Response Rates by Demographic Category, Delaware 2010 PRAMS.**

Total		Respondents	Total	Percent Response
		1,097	1,483	73.97%
Age	Under 20 Years	95	141	73.97%
	20-24 Years	246	353	67.38%
	25-34 Years	602	789	69.69%
	Over 34 Years	154	200	76.30%
	Total	1,097	1,483	73.97%
Ethnicity	White NH	623	794	78.46%
	Black NH	281	421	66.75%
	Hispanic	139	194	71.65%
	Total <sup>§</sup>	1,043	1,409	74.02%
Married	Married	601	762	78.87%
	Not Married	496	721	68.79%
	Total	1,097	1,483	73.97%
Previous Live Birth	Yes	474	626	75.72%
	No	623	857	72.70%
	Total	1,097	1,483	73.97%
Education	Less Than 12 Years	229	339	67.55%
	12 Years	260	382	68.06%
	Greater Than 12 Years	601	749	80.24%
	Total	1,090	1,470	74.15%

Almost all of the subcategories met the 65% threshold for survey responses as shown in the “Percent Response” column. Accordingly, the sample size for each of the subcategories was considered ample to conduct robust analysis.

A cross-table comparing each of the demographic categories was then generated (Table 4) and a series of  $\chi^2$  statistical tests were performed (Table 5) to assess whether a significant relationship ( $\alpha = 0.05$ ) occurred between demographic categories.

<sup>§</sup> The “Ethnicity” totals were lower since only White non-Hispanics (White NH), Black non-Hispanics (Black NH), and Hispanics were included in this analysis. The total number of respondents not in any one of these three categories was 53 or 4.85% of the total survey population.

**Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2010 PRAMS.**

		Total	Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	95	29	40	19	1	94	83	12	56	33	5
	20-24 Years	246	131	82	29	65	181	130	116	66	84	93
	25-34 Years	602	373	121	75	410	192	224	378	89	123	387
	Over 34 Years	154	90	38	16	125	29	37	117	18	20	116
Ethnicity	White Non-Hispanic	623				420	203	290	333	82	127	408
	Black Non-Hispanic	281				85	196	119	162	56	101	124
	Hispanic	139				54	85	36	103	88	22	28
Married	Married	601						233	368	63	79	458
	Not Married	496						241	255	166	181	143
Previous Live	Yes	474								83	112	273
	No	623								146	148	328
Education	Less Than 12 Years	229										
	12 Years	260										
	Greater Than 12 Years	601										

**Table 5.  $\chi^2$  of Demographic Category Comparisons, Delaware 2010 PRAMS.** Significant (*S*) and non-significant (*N/S*)  $\chi^2$  values are indicated ( $\alpha = 0.05$ ).

	Black NH	Hispanic	Married [Under 20 Years Not Included Due Low Count (<5)]	Previous Live Birth	Education
Age	38.89** ( <i>S</i> )	16.05** ( <i>S</i> )	160.64 ( <i>S</i> )	116.73 ( <i>S</i> )	191.13 ( <i>S</i> )
Ethnicity: Black NH			108.49** ( <i>S</i> )	1.38** ( <i>N/S</i> )	39.25** ( <i>S</i> )
Ethnicity: Hispanic			39.45** ( <i>S</i> )	19.80** ( <i>S</i> )	169.88** ( <i>S</i> )
Married					242.81 ( <i>S</i> )
Previous Live Birth					5.71 ( <i>N/S</i> )
Education					

\*\* The  $\chi^2$  results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

As evidenced by Table 5, “Age” was significantly associated with “Married”, “Previous Live Birth”, and “Education”; “Married” was significantly associated with “Education” and was also significantly associated with “Previous Live Birth”.

In addition, significant associations took place between “Ethnicity: Hispanic/White NH” and all other demographic categories. Significant associations occurred between “Ethnicity: Black NH/White NH” and all other demographic categories except for “Previous Live Birth”.

Generally speaking, White non-Hispanic respondents were more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

### **Putting the Questions & Demographic Categories Together for Analysis**

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2010 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.<sup>††</sup> This weighted average methodology involved performing the following steps for each of the 193 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *wtnal* in the 2010 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on the following page.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 31 to 127. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 128-145 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

---

<sup>††</sup> Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

**Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2010 PRAMS.**

		Population	Percent Response
<b>Total</b>		10,550	100.00%
<b>Age</b>	Under 20 Years	966	9.16%
	20-24 Years	2,394	22.69%
	25-34 Years	5,768	54.68%
	Over 34 Years	1,422	13.48%
<b>Ethnicity</b>	White NH	5,926	56.17%
	Black NH	2,689	25.49%
	Hispanic	1,440	13.65%
<b>Married</b>	Married	5,713	54.15%
	Not Married	4,837	45.85%
<b>Previous Live Birth</b>	Yes	4,462	42.29%
	No	6,088	57.71%
<b>Education</b>	Less Than 12 Years	2,327	22.06%
	12 Years	2,663	25.24%
	Greater Than 12 Years	5,499	52.13%

**RESULTS**

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q1A (shown in the figure on page 31 and provided in the table on page 128), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (34.11%) did not overlap the 95 percent confidence interval for the percent of Black non-Hispanics responding “Yes” (23.98%). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2010 PRAMS-eligible population in Delaware.

**Pregnancy Intention & Becoming Pregnant**

**Pregnancy Intention**

As shown in Q12A, a significantly higher percentage of White non-Hispanics (20.05%) wanted to be pregnant *sooner* as compared to Black non-Hispanics (12.54%). Conversely, as given in Q12B, a lower percentage of White non-Hispanics (25.03%) wanted to be pregnant *later* as compared to Black non-Hispanics (36.96%). Roughly one-fifth (20.38%) of Black non-

Hispanics did not want to be pregnant; this contrasts with 9.31% of White non-Hispanics and 6.68% of Hispanics (Q12D). Moreover, as indicated in Q13, a significantly higher percentage of White non-Hispanics (56.21%) tried to get pregnant at the time they became pregnant with their new baby as compared to both Black non-Hispanics (31.25%) and Hispanics (39.05%). The same was true for married women (66.16%) compared with non-married women (26.07%) and for older women and women with more years of education.

A significantly higher percentage of Black non-Hispanics (10.88%) and Hispanics (17.99%) compared to White non-Hispanics (5.68%) thought they could not get pregnant as a reason to not do anything to keep from getting pregnant (Q15B). Similar results generally occurred for women with fewer years of education as compared to women with more years of education completed. In addition, a significantly higher percentage of women under age 20 years (3.77%) had problems getting birth control when they needed it as a reason to not do anything to keep from getting pregnant (Q15D) as compared with older age groups (0.81% of women 25 to 34 years of age and 1.84% of women over 34 years of age). Finally, a significantly higher percentage of Black non-Hispanics (8.96%) responded that their husband or partner did not want to use anything (e.g., contraception) as a reason to not do anything to keep from getting pregnant as compared with White non-Hispanics (3.58%) as given in Q15F. The same results were generally reported among women with fewer years of education completed as compared with women with more years of education.

### Becoming Pregnant

When women were asked if they had received treatment from a doctor, nurse, or health care worker to help them become pregnant with their new baby (Q16), a significantly higher percentage of White non-Hispanics (7.76%) said “Yes” as compared with Black non-Hispanics (2.76%) and Hispanics (0.21%) as did married women (8.91%) compared with non-married women (1.24%), older women (6.15% of women between 25 and 34 years of age and 12.78% of women over 34 years of age) compared with younger women (1.18% of women ages 20 to 24 years), and women with more years of education (8.94% of women with over 12 years of education) compared with women with fewer years of education (1.82% of women with 12 years of education). Similar results by demographic category occurred when women were asked if they used fertility-enhancing drugs prescribed by a doctor during the month they became pregnant with their new baby (Q17A) and when women were asked if they used assisted reproductive technology during the month they became pregnant with their new baby (Q17C). As in the 2009 PRAMS, no Hispanic or women under 25 years of age claimed ever using artificial insemination or intrauterine insemination during the month they became pregnant with their new baby (Q17B).

Finally, as given in Q65, a significantly higher percentage of White non-Hispanics (75.89%) reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby as compared to Black non-Hispanics (50.79%). Compared with non-married

women, women in lower age groups, a higher percentage of women that were married and in older age groups also reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby.

## **Prenatal Care**

### **Starting Prenatal Care**

Overall, a significantly higher percentage of women in older age groups responded that they received prenatal care as early in their pregnancy as they wanted as compared to women in younger age groups (Q20). Similar results occurred among married women (88.45%) compared to non-married women (76.46%) and women with more years of education compared to women with fewer years of education. The percentages of White non-Hispanic women and Black non-Hispanic women stating that they received prenatal care as early in their pregnancy as they wanted were approximately the same (83.46% for White non-Hispanics, 82.49% for Black non-Hispanics); this contrasts with the results from the 2009 PRAMS, in which the percentage reported by White non-Hispanic women was significantly higher than that of Black non-Hispanic women.

### **Access to Prenatal Care**

For prenatal care, a significantly higher percentage of Hispanic women (6.40%) compared to non-Hispanic women said that they did not have enough money or insurance to pay for visits (Q21B) and that they had no way to get to the clinic or doctor's office (5.34% of Hispanic women) as indicated in Q21C. For both questions, similar results were reported among women with fewer years of education compared with women with more years of education. A markedly higher percentage of Hispanic women compared to non-Hispanic women also claimed that they did not have their Medicaid or Diamond State Health Plan card (Q21G) for prenatal visits. When compared to women with more years of education, a higher percentage of women with fewer years of education reported that they had no one to take care of their children for prenatal visits (Q21H). A relatively high percentage (17.08%) of women under age 20 years claimed that they did not know they were pregnant as a reason from getting prenatal care at all or as early as they wanted (Q21I). In addition, 8.38% of women under age 20 years said that they did not want anyone to know they were pregnant as a problem for getting prenatal care (Q21J); this was markedly higher than women ages 25 to 34 years (0.47%).

### **During Prenatal Care Visits**

During prenatal care visits, a significantly higher percentage of Black non-Hispanics (91.19%) compared with White non-Hispanics (79.70%) claimed that a doctor, nurse, or other health care worker talked with them about breastfeeding their baby as did non-married women (88.07%) compared with married women (80.37%) as given in Q23B. The same significant results took place for Black non-Hispanics (80.69%) compared with White non-Hispanics (67.43%) and non-married women (80.87%) compared with married women (66.15%) when asked whether or not a health care provider discussed how drinking alcohol during pregnancy could affect their baby as

displayed in Q23C. Similar results were reported for Black non-Hispanics compared to White non-Hispanics as well as for non-married women compared to married women when asked whether or not a health care provider asked about seat belt use during pregnancy as indicated in Q23D, when asked whether or not a health care provider discussed how using illegal drugs could affect their baby as provided in Q23F, and when asked whether or not a health care provider talked about physical abuse to women by their husbands or partners as displayed in Q23L.

## **Infant Care**

### **Breastfeeding**

As shown in Q50, a significantly higher percentage of White non-Hispanics (76.55%) and Hispanics (84.12%) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (71.09%). Generally, a higher percentage of women that were married, with more education, or were in older age groups stated that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women that were non-married, with fewer years of education, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q51).

### **SIDS Prevention**

A significantly higher percentage of White non-Hispanics (75.47%) compared to Black non-Hispanics (57.87%) reported laying their baby down on his or her back when they sleep as provided in Q54. Compared with non-married women and women with fewer years of education, married women and women with more years of education were generally more likely to lay their baby down on his or her back to sleep as well. Moreover, a significantly higher percentage of White non-Hispanics (47.35%) reported that their baby never sleeps in the same bed/crib than themselves or anyone else as compared to Black non-Hispanics (26.14%) as provided in Q55.

### **Infant Survival**

As given in Q48, when women were asked whether or not their baby was alive at the time of the survey, a significantly higher percentage of White non-Hispanics (97.24%) responded “Yes” as compared to Black non-Hispanics (96.04%). Moreover, a significantly higher percentage of White non-Hispanics (96.23%) claimed that their baby was living with them now as compared to Black non-Hispanics (93.96%) as shown in Q49.

## **Alcohol & Tobacco Use**

### **Alcohol Use**

As indicated in Q35, a significantly higher percentage of White non-Hispanics (75.02%) stated that they had consumed at least one alcoholic drink in the past two years as compared to Black non-Hispanics (54.90%), and in similar fashion, Black non-Hispanics compared to Hispanics (34.61%). As indicated in Q36A and Q36B, the percentage of White non-Hispanics reporting alcohol use and binge alcohol consumption prior to pregnancy was higher than the percentage

reported by Black non-Hispanics and Hispanics. However, as shown in Q37B, a much higher percentage of Hispanic women (3.37%) were reported as drinking four or more alcoholic drinks in one sitting in the last three months of pregnancy.

### Tobacco Use

As indicated in Q30, a significantly higher percentage of White non-Hispanics (35.33%) stated that they have smoked in the past two years as compared to Black non-Hispanics (22.25%), and in parallel fashion, Black non-Hispanics compared to Hispanics (8.15%). When the woman was asked whether or not they smoked in the past two years, a significantly higher percentage of non-married women (36.79%) said “Yes” as compared to married women (19.15%) as did women with fewer years of education (30.96% of women with less than 12 years of education) compared to women with more years of education (21.06% of women with more than 12 years of education).

As shown in Q31, the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was more than four times the percentage reported by Black non-Hispanic women (12.58% compared to 2.67%). Similar results were reported in Q32. In Q31, Q32, and Q33, non-married women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed. Finally, a significantly lower percentage of Hispanic women (2.68%) stated that smoking was allowed in some rooms, sometimes, or anywhere inside their home (Q34). This contrasts with 8.05% of White non-Hispanic women and 9.19% of Black non-Hispanic women.

### **Health Care Utilization**

#### HIV Testing

A significantly higher percentage of Black non-Hispanic women (84.18%) said that they had a test for HIV at least once during their most recent pregnancy or delivery in comparison to White non-Hispanic (64.09%) as given in Q24. Similar results occurred between non-married women (78.43%) compared to married women (63.29%) and among younger women (71.94% of women under 20 years of age) compared to older women (60.60% of women over 34 years of age).

#### Childbirth Classes

As provided in Q70A, the percentage of White non-Hispanics women responding that they took any childbirth classes during their most recent pregnancy was slightly higher than Black non-Hispanics (24.51% compared to 20.97%, respectively). A significantly higher percentage of married women (26.79%) stated that they took childbirth classes as compared to non-married women (20.98%) and women with more years of education generally reported taking childbirth classes compared with women with fewer years of education.

### Dentist Visits

A significantly higher percentage of White non-Hispanics (45.04%) claimed that they visited a dentist or dental clinic during their most recent pregnancy as compared to Black non-Hispanics (30.64%) or Hispanics (21.42%) as indicated in Q69B.

### Health Status

#### Before Becoming Pregnant

Overall, White non-Hispanic women as compared to Black non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. According to Q1B, 43.58% of White non-Hispanic women stated that they were exercising 3 or more days of the week; this compares to 29.71% of Black non-Hispanic women. As shown in Q1H, a higher percentage of White non-Hispanic women as compared to Black non-Hispanic women (59.61% compared to 43.94%, respectively) asserted that they had their teeth cleaned by a dentist or dental hygienist during the 12 months before they got pregnant. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported regular use of prescription medicines other than birth control (Q1C) and being checked or treated for depression or anxiety (Q1F) while a significantly higher percentage of Black non-Hispanic women compared to White non-Hispanic women reported being checked or treated for diabetes (Q1D) and high blood pressure (Q1E).

The reported health status of women in the three months before becoming pregnant varied by race/ethnicity (Q8A-H). Compared to the other race/ethnicity groups, Black non-Hispanic women reported having higher rates of asthma (13.11%), high blood pressure (7.38%), and anemia (24.73%). Conversely, White non-Hispanic women reported a higher percentage of women having thyroid problems (5.1%), depression (12.12%), and anxiety (15.21%) as compared to the other race/ethnicity groups.

#### During Most Recent Pregnancy

A significantly higher percentage of Black non-Hispanic women (15.12%) stated that they had a problem with nausea, vomiting, or dehydration (Q27C), labor pains (Q27G), premature rupture of membranes (Q27H), or had been hurt in a car accident during their most recent pregnancy (Q27J) as compared to White non-Hispanic women or Hispanic women. Conversely, White non-Hispanic women were more likely to report having a problem with vaginal bleeding during their most recent pregnancy (Q27A) as compared to the other race/ethnicity groups.

Finally, as indicated in Q68C and Q68D, a significantly higher percentage of Black non-Hispanics reported having Chlamydia (4.18%) during their pregnancy as compared to White non-Hispanics (1.19%). A significantly higher percentage of Black non-Hispanic women (5.46%) also stated that they had bacterial vaginosis during their pregnancy as compared to White non-Hispanics (1.65%) as given in Q68H.

### Postpartum Depression

As provided in Q61A, the percentage of Black non-Hispanic women (10.55%) and White non-Hispanic women (10.27%) saying that they always or often felt down, depressed, or sad since their new baby was born was significantly higher than that of Hispanic women (7.79%). Likewise, a significantly higher percentage of non-married women (12.14%) reported always or often feeling down, depressed, or sad since their new baby was born as compared with married women (8.12%). Moreover, the percentage of women who stated that they often or always felt down, depressed, or sad tended to be higher at younger age ranges as compared to older age ranges.

### Health Coverage

#### Before Becoming Pregnant

As shown in Q2A, a significantly higher percentage of White non-Hispanic women (64.73%) responded that they had health insurance from a job or the job of a husband, partner, or parents just before becoming pregnant as compared to both Black non-Hispanic (40.07%) and Hispanic (14.09%) women. Moreover, a significantly higher percentage of married women (73.01%) as compared with non-married women (25.64%), women with no previous live births (57.22%) compared with women with a previous live birth (46.94%), and women at higher education levels (76.16% of women with over 12 years of education) compared to women at lower education levels (32.06% of women with 12 years of education and 14.96% of women with less than 12 years of education) claimed to have had health insurance from a job or the job of a husband, partner, or parents just before becoming pregnant. For women stating to have had prior to becoming pregnant, the converse of the Q2A results generally occurred at each demographic category as indicated in Q2C.

#### Prenatal Care Payer

For prenatal care, a significantly higher percentage of Black non-Hispanic women (62.79%) said Medicaid paid for at least part of their prenatal care as compared to Hispanic women (49.66%) and White non-Hispanic women (33.34%) as shown in Q22C. Similar results occurred for younger women (69.95% of women under 20 years of age) as compared to older women (16.00% of women over 34 years of age), non-married women (69.28%) compared to married women (20.36%), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q22C results generally took place at each demographic category as shown in Q22A. As displayed in Q22G, a relatively high percentage of Hispanic women – roughly 1 in 5 – said that they did not have health insurance to help pay for prenatal care.

#### During Most Recent Pregnancy

During their most recent pregnancy, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and

Children) as compared to older women (Q25). Parallel results existed for women with fewer years of education (80.70% of women less than 12 years of education and 63.98% of women with 12 years of education) compared with women with more years of education (22.10% of women with over 12 years of education) and non-married women (74.85%) compared with married women (21.30%). A significantly higher percentage of Hispanic women (80.73%) were on WIC compared to Black non-Hispanics (62.61%), and in similar manner, a significantly higher percentage of Black non-Hispanics compared with White non-Hispanics (30.71%). Finally, a significantly higher percentage of Black non-Hispanics (69.20%) and Hispanics (73.85%) compared to White non-Hispanics (33.14%) responded that they were on food stamps, WIC vouchers, or received money to buy food during their most recent pregnancy as provided in Q71A.

#### During Delivery and Well-Baby Checkups

A significantly higher percentage of Hispanics (78.90%) reported that Medicaid paid for at least part of the delivery as compared to Black non-Hispanics (67.09%), which in turn, was significantly higher than White non-Hispanics (35.89%) as indicated in Q45C. Similar results occurred for non-married women (80.89%) compared to married women (22.99%) and younger age groups (82.41% of women under 20 years of age and 77.86% of women ages 20 to 24) compared to older age groups (39.42% of women ages 25 to 34 years and 20.55% of women over 34 years of age). The converse of these results was generally the case for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q45A) paid for at least part of their delivery. As shown in Q58A-C, parallel results for race/ethnicity and education were generally reported for payers of well-baby checkups and, as indicated in Q75A-H, for household income during the 12 months before birth.

#### Social Support

As indicated in Q38A, a significantly higher percentage of White non-Hispanics (27.47%) reported having a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (12.01%). Furthermore, a significantly higher percentage of Hispanics (11.11%) stated that they became separated or divorced from their husband or partner during the 12 months before their new baby was born as compared to White non-Hispanics (6.76%) and Black non-Hispanics (8.32%) as provided in Q38B. As shown in the results to Q38G, a significantly higher percentage of Black non-Hispanic women (37.20%) reported that they had argued with their husband or partner more than usual during the 12 months before their baby was born as compared to White non-Hispanic women (19.06%). In Q38I, Black non-Hispanic women were more likely to report that they have a lot of bills they could not pay (28.24%) as compared to White non-Hispanic women (19.75%). A significantly higher percentage of White non-Hispanics (81.45%) responded that they would know someone who could loan them \$50 if they needed it as compared to Black non-Hispanics (71.84%) or Hispanics (57.31%) as given in Q72A.

In Q38D, 12.09% of Hispanic women stated that they were homeless during the 12 months before their new baby was born; this contrasts with 4.45% of Black non-Hispanic women and 1.76% of White non-Hispanic women. Moreover, according to Q38F, a significantly higher percentage of Black non-Hispanics (13.30%) and Hispanics (20.79%) claimed that they lost their job during the 12 months before their new baby was born even though they wanted to go on working as compared to White non-Hispanics (9.53%). Generally speaking, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q38D-L and Q72A-D).

## **DISCUSSION**

As consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Generally speaking, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the “Health Coverage” and “Social Support” sections of the Results) and health status (based on the measures in the “Health Status” section of the Results). According to the “Health Status” section of the Results, White non-Hispanics were frequently in significantly better health than Black non-Hispanics and Hispanics.


Overall, the results from the 2010 PRAMS analysis echo the results from the 2008 and 2009 PRAMS analyses. Black non-Hispanics and non-married women generally reported greater utilization of HIV testing and said that a health care provider discussed seat belt use and the risks of alcohol, smoking, and illicit drug use during pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women have stated that they could not get to a clinic or doctor’s office and did not have a Medicaid card (see “Prenatal Care” and “Health Coverage” sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.

Like the 2008 and 2009 PRAMS analyses, some striking dichotomies exist in this analysis. For example, although a significantly higher percentage of Black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to White non-Hispanics, a significantly higher percentage of White non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.


Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, the percentage of Black non-Hispanic women who stated that they did not want to be pregnant just before they got pregnant with their new baby was more than double that of White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Broadly speaking, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the overall population level.

**GRAPHS**


**Q1A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)**




**Q1B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)**




**Q1C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)**




**Q1D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for diabetes? (% “Yes”)**




**Q1E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for high blood pressure? (% “Yes”)**




**Q1F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for depression or anxiety? (% “Yes”)**




**Q1G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history? (% “Yes”)**




**Q1H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)**




**Q2A: During the month before you got pregnant with your new baby, were you covered by health insurance from your job or the job of your husband, partner, or parents? (% “Yes”)**




**Q2B: During the month before you got pregnant with your new baby, were you covered by health insurance that you or someone else paid for (not from a job)? (% “Yes”)**




**Q2C: During the month before you got pregnant with your new baby, were you covered by Medicaid or the Diamond State Health Plan? (% “Yes”)**




**Q2D: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military care? (% “Yes”)**




**Q2E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP, SCHIP)? (% “Yes”)**




**Q2F: During the month before you got pregnant with your new baby, were you covered by any other State sponsored program? (% “Yes”)**




**Q2G: During the month before you got pregnant with your new baby, were you covered by any other sources (not listed in PRAMS)? (% “Yes”)**




**Q2H: I did not have any health insurance before I got pregnant. (% “Yes”)**




**Q3: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin? (% “Yes”)**




**Q7: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes? (% “Yes”)**




**Q8A: During the 3 months before you got pregnant, did you have asthma? (% “Yes”)**




**Q8B: During the 3 months before you got pregnant, did you have high blood pressure (hypertension)? (% “Yes”)**




**Q8C: During the 3 months before you got pregnant, did you have anemia? (% “Yes”)**




**Q8D: During the 3 months before you got pregnant, did you have heart problems? (% “Yes”)**




**Q8E: During the 3 months before you got pregnant, did you have epilepsy (seizures)? (% “Yes”)**




**Q8F: During the 3 months before you got pregnant, did you have thyroid problems? (% “Yes”)**




**Q8G: During the 3 months before you got pregnant, did you have depression? (% “Yes”)**




**Q8H: During the 3 months before you got pregnant, did you have anxiety? (% “Yes”)**



**Q9: Before you got pregnant, did you have any other babies who were born alive?## (% “Yes”)**




**Q10: Did the baby born just before your new one weigh more than 5 pounds, 8 ounces (2.5 kg) at birth?## (% “Yes”)**




## For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.  
 Delaware Department of Health and Social Services, Division of Public Health


**Q11: Was the baby before your new one born more than 3 weeks before due date?<sup>††</sup> (% “Yes”)**




**Q12A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. (% “Yes”)**




**Q12B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% “Yes”)**




**Q12C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% “Yes”)**




**Q12D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant. (% “Yes”)**




**Q13: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)**




**Q14: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)**




**Q15A: Was not minding if you got pregnant your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? (% “Yes”)**




**Q15B: Was thinking you could not get pregnant at that time your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes")**




**Q15C: Was having side effects from the birth control method you were using your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes")**




**Q15D: Was having problems getting birth control when you needed it your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes")**




**Q15E: Was thinking your husband or partner or you were sterile (could not get pregnant at all) your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes")**




**Q15F: Was it that your husband or partner didn't want to use anything your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes")**




**Q16: Did you receive treatment from a doctor, nurse, or health care worker to help you get pregnant with your new baby? (% "Yes")**




**Q17A: Did you use fertility-enhancing drugs prescribed by a doctor during the month you got pregnant with your new baby? (% “Yes”)**




**Q17B: Did you use artificial insemination or intrauterine insemination during the month you got pregnant with your new baby? (% “Yes”)**




**Q17C: Did you use assisted reproductive technology during the month you got pregnant with your new baby? (% “Yes”)**




**Q20: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”)**




**Q21A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21C: I had no way to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. (% “Yes”)**




**Q21F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted. (% “Yes”)**




**Q21G: I didn't have my Medicaid or Diamond State Health Plan card kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21H: I had no one to take care of my children kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q21K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. (% "Yes")**




**Q22A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for your prenatal care? (% "Yes")**




**Q22B: Did health insurance that you or someone else paid for (not from a job) help you pay for your prenatal care? (% “Yes”)**




**Q22C: Did Medicaid or Diamond State Health Plan help you pay for your prenatal care? (% “Yes”)**




**Q22D: Did TRICARE or other military health care help you pay for your prenatal care? (% “Yes”)**




**Q22E: Did Delaware Healthy Children Program (DHCP, SCHIP) help you pay for your prenatal care? (% “Yes”)**




**Q22F: Did another State sponsored program help you pay for your prenatal care? (% “Yes”)**




**Q22G: I did not have health insurance to help pay for my prenatal care. (% “Yes”)**




**Q23A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? (% “Yes”)**




**Q23B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? (% “Yes”)**




**Q23C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? (% “Yes”)**




**Q23D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy? (% “Yes”)**



**Q23E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during the pregnancy? (% “Yes”)**



**Q23F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? (% “Yes”)**




**Q23G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? (% “Yes”)**




**Q23H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than 3 weeks before baby is due)? (% “Yes”)**




**Q23I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early? (% “Yes”)**




**Q23J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)? (% “Yes”)**




**Q23K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? (% “Yes”)**




**Q23L: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? (% “Yes”)**




**Q24: At any time during your most recent pregnancy or delivery, did you have a test for HIV? (% “Yes”)**




**Q25: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? (% “Yes”)**




**Q26: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? (% “Yes”)**




**Q27A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”)**




**Q27B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy? (% “Yes”)**




**Q27C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy? (% “Yes”)**




**Q27D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? (% “Yes”)**




**Q27E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy? (% “Yes”)**




**Q27F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy? (% “Yes”)**




**Q27G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)**




**Q27H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”)**




**Q27I: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”)**




**Q27J: Did you get hurt in a car accident during your most recent pregnancy? (% “Yes”)**




**Q28: At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker tell you to stay in bed for at least 1 week? (% “Yes”)**




**Q30: Have you smoked any cigarettes in the past 2 years? (% “Yes”)**




**Q31: In the 3 months before you got pregnant, did you smoke at least 11 cigarettes on average each day? (% “Yes”)**




**Q32: In the last 3 months of your pregnancy, did you smoke at least 11 cigarettes on average each day? (% “Yes”)**




**Q33: Do you currently smoke at least 11 cigarettes on average each day? (% “Yes”)**




**Q34: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? (% “Yes”)**




**Q35: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)**




**Q36A: In the 3 months before you got pregnant, did you drink at least 4 alcoholic drinks on average each week? (% “Yes”)**




**Q36B: In the 3 months before you got pregnant, did you drink 4 alcoholic drinks or more in one sitting? (% “Yes”)**




**Q37A: In the last 3 months of your pregnancy, did you drink at least 4 alcoholic drinks on average each week? (% “Yes”)**




**Q37B: In the last 3 months of your pregnancy, did you drink 4 alcoholic drinks or more in one sitting? (% “Yes”)**




**Q38A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)**




**Q38B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)**




**Q38C: During the 12 months before your new baby was born, did you move to a new address? (% “Yes”)**




**Q38D: During the 12 months before your new baby was born, were you homeless? (% “Yes”)**




**Q38E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)**




**Q38F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? (% “Yes”)**




**Q38G: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)**




**Q38H: During the 12 months before your new baby was born, did your husband or partner say he didn't want you to be pregnant? (% “Yes”)**




**Q38I: During the 12 months before your new baby was born, did you have a lot of bills you couldn't pay? (% "Yes")**




**Q38J: During the 12 months before your new baby was born, were you in a physical fight? (% "Yes")**




**Q38K: During the 12 months before your new baby was born, did your husband or partner or you go to jail? (% “Yes”)**




**Q38L: During the 12 months before your new baby was born, did someone very close to you have a bad problem with drinking or drugs? (% “Yes”)**




**Q38M: During the 12 months before your new baby was born, did someone very close to you die?**  
 (% “Yes”)




**Q39: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?** (% “Yes”)




**Q40: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)**




**Q45A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for the delivery of your new baby? (% “Yes”)**




**Q45B: Did health insurance that you or someone else paid for (not from a job) help you pay for the delivery of your new baby? (% “Yes”)**




**Q45C: Did Medicaid or Diamond State Health Plan help you pay for the delivery of your new baby? (% “Yes”)**



**Q45D: Did TRICARE or other military health care help you pay for the delivery of your new baby? (% “Yes”)**




**Q45E: Did the Delaware Healthy Children Program (DHCP, SCHIP) help you pay for the delivery of your new baby? (% “Yes”)**




**Q45F: Did another State sponsored program help you pay for the delivery of your new baby?**


(% “Yes”)




**Q45G: Did another source [not listed] help you pay for the delivery of your new baby? (% “Yes”)**




**Q45H: I did not have health insurance to help pay for my delivery. (% “Yes”)**




**Q46: After your baby was born, was he or she put in an intensive care unit? (% “Yes”)**




**Q47: After your baby was born, did he or she stay in the hospital for 3 days or more? (% “Yes”)**




**Q48: Is your baby alive now? (% “Yes”)**




**Q49: Is your baby living with you now? (% “Yes”)**




**Q50: Did you ever breastfeed or pump breast milk to feed your new baby after delivery? (% “Yes”)**




**Q51: Are you still breastfeeding or feeding pumped milk to your new baby? (% “Yes”)**




**Q54: Do you most often lay your baby down on his or her back when he or she sleeps? (% “Yes”)**




**Q55: Does your baby never sleep in the same bed/crib with you or anyone else? (% “Yes”)**




**Q56: Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital? (% “Yes”)**



**Q57: Has your new baby had a well-baby checkup? (% “Yes”)**




**Q58A: Did health insurance from your job or the job of your husband, partner, or parents pay for a well-baby checkup?<sup>§§</sup> (% “Yes”)**




<sup>§§</sup> Survey participants that did not have a well-baby checkup for their new baby were assigned the response “N/A”.


**Q58B: Did health insurance that you or someone else paid (not from a job) pay for a well-baby checkup?<sup>§§</sup> (% “Yes”)**




**Q58C: Did Medicaid or Delaware State Health Plan pay for a well-baby checkup?<sup>§§</sup> (% “Yes”)**



**Q58D: Did TRICARE or other military health care pay for a well-baby checkup?<sup>§§</sup> (% “Yes”)**



**Q58E: Did the Delaware Healthy Children Program (DHCP, SCHIP) pay for a well-baby checkup?<sup>§§</sup> (% “Yes”)**




**Q59: Are you or your husband or partner doing anything now to keep from getting pregnant?**

(% “Yes”)




**Q60A: I am not having sex is why I am not doing anything to keep from getting pregnant now.** \*\*\*

(% “Yes”)




\*\*\* Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


**Q60B: I want to get pregnant is why I am not doing anything to keep from getting pregnant now.\*\*\* (% “Yes”)**




**Q60C: I don't want to use birth control is why I am not doing anything to keep from getting pregnant now.\*\*\* (% “Yes”)**




**Q60D: My husband or partner doesn't want to use anything is why I am not doing anything to keep from getting pregnant now.\*\*\* (% "Yes")**




**Q60E: I don't think I can get pregnant is why I am not doing anything to keep from getting pregnant now.\*\*\* (% "Yes")**



**Q60F: I can't pay for birth control is why I am not doing anything to keep from getting pregnant now.**\*\*\* (% "Yes")




**Q60G: I am pregnant now is why I am not doing anything to keep from getting pregnant now.**\*\*\* (% "Yes")




**Q61A: Since your new baby was born, I have often or always felt down, depressed, or sad?**


(% “Yes”)




**Q61B: Since your new baby was born, I have often or always felt hopeless? (% “Yes”)**




**Q61C: Since your new baby was born, I have often or always felt slowed down? (% “Yes”)**




**Q63: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth? (% “Yes”)**




**Q64A: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last less than 20 weeks (less than 4 months)? (% “Yes”)**




**Q64B: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last 20 to 28 weeks (4 to 6 months)? (% “Yes”)**



**Q64C: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last more than 28 weeks (more than 6 months)? (% “Yes”)**




**Q65: Were you happy or very happy to be pregnant when you found out you were pregnant with your new baby? (% “Yes”)**




**Q66A: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day? (% “Yes”)**




**Q66B: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? (% “Yes”)**




**Q67: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI), a sexually transmitted disease (STD), or any vaginal infection, including bacterial vaginosis or Group B Strep (Beta Strep)? (% “Yes”)**




**Q68A: During your most recent pregnancy, were you told that you had genital warts? (% “Yes”)**




**Q68B: During your most recent pregnancy, were you told that you had herpes? (% “Yes”)**




**Q68C: During your most recent pregnancy, were you told that you had chlamydia? (% “Yes”)**




**Q68D: During your most recent pregnancy were you told that you had gonorrhea? (% “Yes”)**




**Q68E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? (% “Yes”)**



**Q68F: During your most recent pregnancy, were you told that you had syphilis? (% “Yes”)**




**Q68G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? (% “Yes”)**




**Q68H: During your most recent pregnancy, were you told that you had bacterial vaginosis?**

(% “Yes”)




**Q68I: During your most recent pregnancy, were you told that you had trichomoniasis? (% “Yes”)**




**Q68J: During your most recent pregnancy, were you told that you had a yeast infection?**

(% “Yes”)




**Q68K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)? (% “Yes”)**


(% “Yes”)




**Q69A: During your most recent pregnancy, did you need to see a dentist for a problem? (% “Yes”)**




**Q69B: During your most recent pregnancy, did you go to a dentist or dental clinic? (% “Yes”)**




**Q69C: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? (% “Yes”)**




**Q70A: During your most recent pregnancy, did you take any childbirth classes? (% “Yes”)**




**Q70B: During your most recent pregnancy, did you take any parenting classes? (% “Yes”)**




**Q70C: During your most recent pregnancy, did you have visits to your home by a nurse or other health care worker? (% “Yes”)**




**Q70D: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)**




**Q71A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food? (% “Yes”)**




**Q71B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? (% “Yes”)**




**Q71C: During your most recent pregnancy, were you receiving help to quit smoking? (% “Yes”)**




**Q71D: During your most recent pregnancy, were you receiving help to reduce violence in your home? (% “Yes”)**




**Q72A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? (% “Yes”)**




**Q72B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”)**




**Q72C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride? (% “Yes”)**




**Q72D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% “Yes”)**




**Q73A: Since your new baby was born, have you received visits to your home by a nurse or other health care worker? (% “Yes”)**




**Q73B: Since your new baby was born, have you received counseling for depression or anxiety? (% “Yes”)**




**Q75A: During the 12 months before your new baby was born, was money from family or friends a source of your household’s income? (% “Yes”)**




**Q75B: During the 12 months before your new baby was born, was money from a business, fees, dividends, or rental income a source of your household’s income? (% “Yes”)**




**Q75C: During the 12 months before your new baby was born, was a paycheck or money from a job a source of your household’s income? (% “Yes”)**




**Q75D: During the 12 months before your new baby was born, were food stamps or WIC a source of your household's income? (% "Yes")**




**Q75E: During the 12 months before your new baby was born, was aid such as TANF, welfare, public assistance, general assistance, or SSI a source of your household's income? (% "Yes")**



**Q75F: During the 12 months before your new baby was born, were unemployment benefits a source of your household's income? (% "Yes")**



**Q75G: During the 12 months before your new baby was born, was child support or alimony a source of your household's income? (% "Yes")**



**Q75H: During the 12 months before your new baby was born, was social security, workers' compensation, disability, veteran benefits, or pensions a source of your household's income? (% "Yes")**




Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q1A-Q2C												
	Percent Response Yes	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
<b>Total</b>	Yes	28.07%	38.59%	21.00%	10.59%	11.73%	13.44%	28.73%	50.84%	51.29%	4.46%	28.73%
<b>Age</b>	Under 20 Years	12.57%	25.87%	15.50%	10.89%	14.24%	13.40%	28.48%	51.84%	27.96%	6.70%	61.05%
	20-24 Years	19.12%	30.36%	13.78%	14.66%	15.97%	15.97%	28.21%	35.97%	26.75%	6.09%	41.17%
	25-34 Years	32.90%	44.32%	23.34%	8.75%	9.06%	13.63%	27.90%	53.56%	59.36%	3.64%	22.94%
	Over 34 Years	34.02%	37.86%	27.40%	11.02%	13.72%	8.45%	33.13%	64.19%	75.69%	3.55%	9.31%
<b>Ethnicity</b>	White Non-Hispanic	34.11%	43.58%	26.17%	5.82%	6.63%	15.55%	27.77%	59.61%	64.73%	4.21%	18.75%
	Black Non-Hispanic	23.98%	29.71%	17.89%	18.41%	19.65%	10.77%	31.81%	43.94%	40.07%	5.53%	48.64%
	Hispanic	15.93%	38.00%	8.98%	16.86%	18.68%	11.87%	29.84%	28.98%	14.09%	2.38%	35.47%
<b>Married</b>	Married	34.91%	46.41%	23.41%	7.30%	8.63%	11.02%	28.98%	61.54%	73.01%	3.55%	12.36%
	Not Married	19.98%	29.35%	18.17%	14.48%	15.40%	16.30%	28.43%	38.21%	25.64%	5.54%	48.07%
<b>Previous Live Birth</b>	Yes	27.48%	37.13%	21.07%	11.80%	12.64%	13.30%	28.71%	47.14%	46.94%	3.40%	34.63%
	No	28.86%	40.59%	20.91%	8.95%	10.49%	13.63%	28.77%	55.90%	57.22%	5.91%	20.68%
<b>Education</b>	Less Than 12 Years	15.48%	31.82%	14.61%	17.92%	19.31%	18.61%	30.96%	33.04%	14.96%	3.65%	46.79%
	12 Years	25.53%	33.13%	21.89%	11.40%	12.92%	15.81%	28.27%	38.15%	32.06%	5.17%	44.99%
	Greater Than 12 Years	34.93%	44.52%	23.07%	7.22%	8.08%	9.96%	28.04%	64.86%	76.16%	4.52%	13.46%
	Lower 95% CI	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
<b>Total</b>	Yes	27.21%	37.66%	20.23%	10.01%	11.12%	12.79%	27.87%	49.89%	50.33%	4.07%	27.87%
<b>Age</b>	Under 20 Years	10.48%	23.10%	13.22%	8.93%	12.04%	11.25%	25.64%	48.69%	25.13%	5.12%	57.98%
	20-24 Years	17.55%	28.51%	12.40%	13.25%	14.51%	14.51%	26.41%	34.05%	24.97%	5.13%	39.20%
	25-34 Years	31.69%	43.04%	22.25%	8.02%	8.32%	12.74%	26.75%	52.27%	58.10%	3.16%	21.85%
	Over 34 Years	31.56%	35.34%	25.08%	9.39%	11.93%	7.00%	30.69%	61.70%	73.46%	2.59%	7.80%
<b>Ethnicity</b>	White Non-Hispanic	32.90%	42.32%	25.05%	5.22%	6.00%	14.62%	26.63%	58.36%	63.52%	3.70%	17.76%
	Black Non-Hispanic	22.37%	27.98%	16.44%	16.94%	18.15%	9.59%	30.05%	42.06%	38.21%	4.67%	46.75%
	Hispanic	14.04%	35.49%	7.51%	14.92%	16.66%	10.20%	27.48%	26.64%	12.29%	1.60%	33.00%
<b>Married</b>	Married	33.67%	45.12%	22.31%	6.63%	7.90%	10.21%	27.81%	60.27%	71.85%	3.07%	11.50%
	Not Married	18.86%	28.07%	17.08%	13.49%	14.38%	15.26%	27.16%	36.84%	24.40%	4.90%	46.66%
<b>Previous Live Birth</b>	Yes	26.36%	35.91%	20.05%	10.99%	11.81%	12.45%	27.57%	45.88%	45.69%	2.95%	33.43%
	No	27.53%	39.15%	19.72%	8.11%	9.59%	12.63%	27.44%	54.44%	55.77%	5.22%	19.49%
<b>Education</b>	Less Than 12 Years	14.01%	29.93%	13.18%	16.36%	17.70%	17.03%	29.08%	31.13%	13.51%	2.89%	44.76%
	12 Years	23.88%	31.34%	20.32%	10.19%	11.65%	14.42%	26.56%	36.30%	30.29%	4.33%	43.10%
	Greater Than 12 Years	33.67%	43.21%	21.96%	6.54%	7.36%	9.17%	26.85%	63.60%	75.04%	3.97%	12.56%
	Upper 95% CI	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
<b>Total</b>	Yes	28.92%	39.52%	21.78%	11.18%	12.35%	14.09%	29.59%	51.80%	52.24%	4.86%	29.59%
<b>Age</b>	Under 20 Years	14.66%	28.63%	17.78%	12.86%	16.44%	15.55%	31.33%	54.99%	30.79%	8.28%	64.13%
	20-24 Years	20.70%	32.20%	15.16%	16.08%	17.44%	17.44%	30.01%	37.89%	28.52%	7.05%	43.15%
	25-34 Years	34.12%	45.60%	24.44%	9.48%	9.80%	14.51%	29.06%	54.85%	60.63%	4.12%	24.02%
	Over 34 Years	36.48%	40.38%	29.72%	12.65%	15.51%	9.89%	35.58%	66.68%	77.92%	4.51%	10.82%
<b>Ethnicity</b>	White Non-Hispanic	35.32%	44.84%	27.29%	6.41%	7.26%	16.47%	28.91%	60.86%	65.95%	4.72%	19.75%
	Black Non-Hispanic	25.59%	31.43%	19.34%	19.87%	21.16%	11.94%	33.57%	45.82%	41.92%	6.40%	50.53%
	Hispanic	17.82%	40.51%	10.46%	18.79%	20.69%	13.54%	32.20%	31.33%	15.89%	3.17%	37.94%
<b>Married</b>	Married	36.15%	47.71%	24.50%	7.98%	9.35%	11.83%	30.16%	62.80%	74.16%	4.03%	13.21%
	Not Married	21.11%	30.63%	19.25%	15.47%	16.42%	17.34%	29.71%	39.58%	26.87%	6.19%	49.47%
<b>Previous Live Birth</b>	Yes	28.60%	38.34%	22.09%	12.61%	13.48%	14.16%	29.84%	48.39%	48.19%	3.86%	35.82%
	No	30.19%	42.03%	22.10%	9.79%	11.39%	14.64%	30.09%	57.36%	58.67%	6.61%	21.87%
<b>Education</b>	Less Than 12 Years	16.95%	33.72%	16.05%	19.47%	20.91%	20.19%	32.83%	34.95%	16.41%	4.41%	48.81%
	12 Years	27.19%	34.92%	23.46%	12.61%	14.19%	17.19%	29.98%	39.99%	33.84%	6.01%	46.88%
	Greater Than 12 Years	36.19%	45.84%	24.18%	7.90%	8.80%	10.76%	29.22%	66.13%	77.29%	5.07%	14.36%

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q2D-Q8D												
	Percent Response Yes	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
<b>Total</b>	Yes	3.28%	1.22%	1.99%	4.19%	14.54%	43.25%	1.38%	9.01%	3.37%	10.72%	0.64%
<b>Age</b>	Under 20 Years	3.77%	5.44%	6.28%	8.38%	11.73%	21.78%	0.42%	25.55%	5.86%	18.43%	1.26%
	20-24 Years	4.97%	1.01%	1.01%	6.80%	21.47%	27.74%	0.64%	10.99%	2.12%	14.30%	0.26%
	25-34 Years	2.78%	0.68%	1.96%	3.12%	13.08%	49.65%	1.56%	6.58%	3.28%	9.03%	0.61%
	Over 34 Years	2.12%	0.85%	0.85%	1.28%	10.67%	57.95%	2.56%	4.27%	4.12%	6.33%	0.99%
<b>Ethnicity</b>	White Non-Hispanic	4.78%	0.61%	1.69%	2.47%	10.96%	47.51%	1.47%	8.25%	2.00%	4.52%	0.76%
	Black Non-Hispanic	0.57%	1.96%	2.37%	7.75%	8.77%	35.81%	1.89%	13.11%	7.38%	24.73%	0.72%
	Hispanic	0.91%	2.53%	3.23%	5.19%	42.30%	40.79%	0.56%	5.05%	2.66%	12.15%	0.00%
<b>Married</b>	Married	5.20%	0.42%	1.08%	2.53%	8.72%	57.17%	1.29%	5.81%	2.55%	5.22%	0.58%
	Not Married	1.00%	2.16%	3.07%	6.15%	21.40%	26.80%	1.49%	12.79%	4.33%	17.22%	0.71%
<b>Previous Live Birth</b>	Yes	2.68%	0.85%	2.36%	4.45%	13.06%	42.00%	1.61%	8.39%	3.84%	13.03%	0.99%
	No	4.09%	1.72%	1.50%	3.83%	16.56%	44.94%	1.07%	9.86%	2.72%	7.57%	0.16%
<b>Education</b>	Less Than 12 Years	1.22%	2.78%	3.65%	6.96%	30.26%	32.00%	1.39%	12.52%	5.74%	13.91%	0.52%
	12 Years	4.10%	1.82%	2.73%	6.69%	16.72%	30.70%	1.67%	11.55%	4.10%	16.87%	0.61%
	Greater Than 12 Years	3.79%	0.28%	0.96%	1.78%	6.33%	54.56%	1.25%	6.39%	2.04%	6.44%	0.72%
	Lower 95% CI	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
<b>Total</b>	Yes	2.94%	1.01%	1.73%	3.81%	13.86%	42.30%	1.16%	8.46%	3.02%	10.13%	0.49%
<b>Age</b>	Under 20 Years	2.57%	4.01%	4.75%	6.63%	9.70%	19.18%	0.01%	22.80%	4.38%	15.98%	0.55%
	20-24 Years	4.10%	0.61%	0.61%	5.79%	19.83%	25.95%	0.32%	9.74%	1.54%	12.89%	0.05%
	25-34 Years	2.35%	0.47%	1.61%	2.67%	12.21%	48.36%	1.24%	5.94%	2.82%	8.29%	0.41%
	Over 34 Years	1.37%	0.38%	0.38%	0.69%	9.06%	55.39%	1.74%	3.22%	3.09%	5.06%	0.48%
<b>Ethnicity</b>	White Non-Hispanic	4.23%	0.42%	1.36%	2.08%	10.16%	46.24%	1.16%	7.55%	1.64%	3.99%	0.54%
	Black Non-Hispanic	0.28%	1.43%	1.80%	6.74%	7.70%	34.00%	1.37%	11.84%	6.40%	23.10%	0.40%
	Hispanic	0.42%	1.72%	2.31%	4.05%	39.75%	38.25%	0.18%	3.92%	1.83%	10.47%	0.00%
<b>Married</b>	Married	4.63%	0.26%	0.81%	2.12%	7.99%	55.89%	1.00%	5.20%	2.14%	4.64%	0.38%
	Not Married	0.72%	1.75%	2.59%	5.47%	20.25%	25.55%	1.15%	11.85%	3.76%	16.16%	0.48%
<b>Previous Live Birth</b>	Yes	2.28%	0.62%	1.98%	3.93%	12.21%	40.76%	1.30%	7.69%	3.36%	12.18%	0.75%
	No	3.51%	1.34%	1.14%	3.27%	15.46%	43.48%	0.77%	8.98%	2.24%	6.80%	0.04%
<b>Education</b>	Less Than 12 Years	0.77%	2.11%	2.89%	5.92%	28.39%	30.10%	0.92%	11.18%	4.80%	12.51%	0.23%
	12 Years	3.35%	1.32%	2.12%	5.74%	15.30%	28.95%	1.19%	10.34%	3.35%	15.45%	0.31%
	Greater Than 12 Years	3.28%	0.14%	0.70%	1.43%	5.68%	53.24%	0.96%	5.74%	1.67%	5.79%	0.49%
	Upper 95% CI	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
<b>Total</b>	Yes	3.62%	1.43%	2.26%	4.57%	15.21%	44.19%	1.60%	9.56%	3.71%	11.31%	0.79%
<b>Age</b>	Under 20 Years	4.97%	6.88%	7.81%	10.12%	13.75%	24.38%	0.83%	28.30%	7.35%	20.87%	1.96%
	20-24 Years	5.84%	1.42%	1.42%	7.81%	23.12%	29.54%	0.95%	12.25%	2.69%	15.70%	0.46%
	25-34 Years	3.20%	0.90%	2.32%	3.57%	13.95%	50.94%	1.88%	7.22%	3.74%	9.77%	0.81%
	Over 34 Years	2.87%	1.33%	1.33%	1.86%	12.27%	60.52%	3.39%	5.32%	5.16%	7.60%	1.51%
<b>Ethnicity</b>	White Non-Hispanic	5.32%	0.81%	2.02%	2.87%	11.75%	48.78%	1.77%	8.95%	2.35%	5.05%	0.99%
	Black Non-Hispanic	0.85%	2.48%	2.95%	8.76%	9.84%	37.62%	2.40%	14.39%	8.37%	26.36%	1.04%
	Hispanic	1.40%	3.34%	4.14%	6.34%	44.85%	43.33%	0.95%	6.18%	3.50%	13.84%	0.00%
<b>Married</b>	Married	5.78%	0.59%	1.35%	2.93%	9.45%	58.45%	1.59%	6.42%	2.96%	5.79%	0.78%
	Not Married	1.28%	2.56%	3.56%	6.83%	22.56%	28.05%	1.83%	13.73%	4.91%	18.29%	0.95%
<b>Previous Live Birth</b>	Yes	3.09%	1.08%	2.74%	4.97%	13.90%	43.24%	1.93%	9.08%	4.32%	13.87%	1.24%
	No	4.67%	2.11%	1.85%	4.39%	17.65%	46.40%	1.37%	10.73%	3.20%	8.35%	0.28%
<b>Education</b>	Less Than 12 Years	1.66%	3.45%	4.41%	7.99%	32.12%	33.89%	1.87%	13.87%	6.69%	15.32%	0.81%
	12 Years	4.86%	2.33%	3.35%	7.64%	18.13%	32.45%	2.16%	12.77%	4.86%	18.29%	0.90%
	Greater Than 12 Years	4.29%	0.42%	1.21%	2.13%	6.97%	55.87%	1.55%	7.04%	2.42%	7.09%	0.94%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q8E-Q12D												
	Percent Response Yes	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
<b>Total</b>	Yes	0.52%	4.33%	10.11%	11.14%	56.25%	49.95%	6.85%	17.11%	28.64%	41.54%	11.54%
<b>Age</b>	Under 20 Years	0.42%	1.26%	15.50%	18.43%	15.08%	10.89%	5.86%	4.61%	57.70%	20.52%	15.50%
	20-24 Years	0.30%	1.35%	11.42%	9.98%	48.07%	44.47%	6.35%	8.02%	44.19%	33.83%	13.11%
	25-34 Years	0.76%	6.07%	10.47%	10.65%	61.76%	55.21%	7.32%	20.41%	21.29%	47.65%	9.35%
	Over 34 Years	0.00%	4.34%	2.78%	10.15%	75.66%	64.36%	6.47%	27.50%	12.51%	44.00%	15.13%
<b>Ethnicity</b>	White Non-Hispanic	0.26%	5.15%	12.12%	15.21%	53.89%	48.59%	6.57%	20.05%	25.03%	44.62%	9.31%
	Black Non-Hispanic	1.35%	1.96%	7.72%	7.12%	57.45%	46.07%	8.04%	12.54%	36.96%	28.77%	20.38%
	Hispanic	0.21%	2.93%	6.39%	4.07%	68.66%	67.12%	6.60%	6.95%	31.60%	52.73%	6.68%
<b>Married</b>	Married	0.11%	6.43%	7.13%	9.11%	60.82%	54.76%	5.95%	24.96%	16.78%	51.35%	5.72%
	Not Married	1.00%	1.84%	13.62%	13.54%	50.85%	44.27%	7.92%	7.83%	42.64%	29.94%	18.42%
<b>Previous Live Birth</b>	Yes	0.72%	4.04%	8.91%	9.76%	95.28%	85.19%	10.98%	14.46%	24.48%	44.19%	15.27%
	No	0.25%	4.72%	11.74%	13.02%	2.99%	1.86%	1.22%	20.72%	34.31%	37.92%	6.47%
<b>Education</b>	Less Than 12 Years	0.52%	1.22%	11.31%	12.35%	61.56%	56.51%	7.31%	9.04%	34.43%	39.30%	14.96%
	12 Years	1.37%	3.50%	17.02%	13.83%	55.17%	47.72%	8.36%	10.79%	38.45%	30.85%	18.09%
	Greater Than 12 Years	0.11%	6.09%	6.21%	9.08%	54.71%	48.36%	6.01%	23.76%	21.16%	47.60%	7.06%
	Lower 95% CI	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
<b>Total</b>	Yes	0.38%	3.94%	9.53%	10.54%	55.30%	49.00%	6.37%	16.39%	27.77%	40.59%	10.93%
<b>Age</b>	Under 20 Years	0.01%	0.55%	13.22%	15.98%	12.82%	8.92%	4.38%	3.29%	54.58%	17.98%	13.22%
	20-24 Years	0.08%	0.88%	10.14%	8.78%	46.07%	42.48%	5.37%	6.93%	42.20%	31.93%	11.76%
	25-34 Years	0.53%	5.46%	9.68%	9.85%	60.50%	53.93%	6.65%	19.37%	20.23%	46.36%	8.59%
	Over 34 Years	0.00%	3.28%	1.92%	8.58%	73.42%	61.87%	5.19%	25.18%	10.79%	41.42%	13.27%
<b>Ethnicity</b>	White Non-Hispanic	0.13%	4.59%	11.29%	14.29%	52.62%	47.32%	5.94%	19.03%	23.93%	43.35%	8.57%
	Black Non-Hispanic	0.92%	1.43%	6.71%	6.15%	55.58%	44.19%	7.01%	11.29%	35.14%	27.06%	18.85%
	Hispanic	0.02%	2.06%	5.12%	3.05%	66.26%	64.69%	5.32%	5.64%	29.20%	50.15%	5.39%
<b>Married</b>	Married	0.02%	5.79%	6.46%	8.36%	59.56%	53.47%	5.34%	23.84%	15.81%	50.06%	5.12%
	Not Married	0.72%	1.46%	12.66%	12.58%	49.44%	42.87%	7.16%	7.07%	41.25%	28.65%	17.33%
<b>Previous Live Birth</b>	Yes	0.50%	3.54%	8.20%	9.02%	94.75%	84.30%	10.19%	13.58%	23.40%	42.94%	14.36%
	No	0.10%	4.10%	10.79%	12.03%	2.49%	1.46%	0.90%	19.53%	32.92%	36.49%	5.74%
<b>Education</b>	Less Than 12 Years	0.23%	0.77%	10.02%	11.01%	59.59%	54.50%	6.25%	7.88%	32.50%	37.32%	13.51%
	12 Years	0.93%	2.80%	15.59%	12.52%	53.28%	45.82%	7.31%	9.61%	36.60%	29.09%	16.62%
	Greater Than 12 Years	0.02%	5.46%	5.58%	8.32%	53.39%	47.04%	5.38%	22.64%	20.08%	46.28%	6.38%
	Upper 95% CI	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
<b>Total</b>	Yes	0.66%	4.71%	10.68%	11.74%	57.20%	50.90%	7.34%	17.82%	29.50%	42.48%	12.15%
<b>Age</b>	Under 20 Years	0.83%	1.96%	17.78%	20.87%	17.33%	12.85%	7.35%	5.93%	60.81%	23.07%	17.78%
	20-24 Years	0.52%	1.81%	12.69%	11.18%	50.08%	46.46%	7.32%	9.11%	46.18%	35.72%	14.47%
	25-34 Years	0.98%	6.69%	11.26%	11.44%	63.01%	56.50%	8.00%	21.45%	22.34%	48.93%	10.10%
	Over 34 Years	0.00%	5.40%	3.63%	11.72%	77.89%	66.85%	7.75%	29.82%	14.23%	46.58%	16.99%
<b>Ethnicity</b>	White Non-Hispanic	0.39%	5.71%	12.95%	16.12%	55.16%	49.86%	7.21%	21.07%	26.14%	45.88%	10.05%
	Black Non-Hispanic	1.79%	2.48%	8.73%	8.09%	59.32%	47.96%	9.06%	13.79%	38.78%	30.48%	21.90%
	Hispanic	0.45%	3.81%	7.65%	5.09%	71.06%	69.55%	7.89%	8.26%	34.01%	55.31%	7.97%
<b>Married</b>	Married	0.19%	7.07%	7.80%	9.85%	62.09%	56.05%	6.57%	26.09%	17.75%	52.65%	6.33%
	Not Married	1.29%	2.22%	14.59%	14.51%	52.26%	45.67%	8.68%	8.58%	44.04%	31.23%	19.51%
<b>Previous Live Birth</b>	Yes	0.93%	4.53%	9.63%	10.51%	95.81%	86.09%	11.77%	15.34%	25.56%	45.43%	16.17%
	No	0.40%	5.34%	12.68%	14.01%	3.49%	2.25%	1.55%	21.91%	35.70%	39.34%	7.19%
<b>Education</b>	Less Than 12 Years	0.81%	1.66%	12.59%	13.69%	63.54%	58.53%	8.37%	10.21%	36.36%	41.29%	16.41%
	12 Years	1.81%	4.19%	18.45%	15.14%	57.06%	49.62%	9.41%	11.97%	40.30%	32.60%	19.55%
	Greater Than 12 Years	0.20%	6.72%	6.85%	9.84%	56.02%	49.68%	6.63%	24.89%	22.24%	48.92%	7.74%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q13-Q17B												
	Percent Response Yes	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
<b>Total</b>	Yes	47.78%	20.75%	12.43%	8.86%	2.67%	1.70%	2.38%	5.43%	5.39%	2.15%	0.72%
<b>Age</b>	Under 20 Years	13.82%	39.37%	8.28%	10.89%	0.00%	3.77%	7.86%	10.47%	0.42%	0.00%	0.00%
	20-24 Years	34.08%	23.00%	15.45%	11.41%	6.04%	2.95%	2.28%	9.97%	1.18%	0.51%	0.00%
	25-34 Years	57.41%	18.20%	10.71%	6.96%	2.37%	0.81%	1.65%	2.75%	6.15%	3.27%	0.92%
	Over 34 Years	54.82%	14.63%	17.18%	10.87%	0.00%	1.84%	1.78%	5.26%	12.78%	1.85%	1.63%
<b>Ethnicity</b>	White Non-Hispanic	56.21%	19.03%	11.52%	5.68%	1.69%	1.74%	2.52%	3.58%	7.76%	3.31%	1.29%
	Black Non-Hispanic	31.25%	23.80%	14.38%	10.88%	4.93%	2.41%	1.81%	8.96%	2.76%	0.46%	0.00%
	Hispanic	39.05%	24.44%	14.39%	17.99%	3.37%	0.00%	2.81%	6.81%	0.21%	0.21%	0.00%
<b>Married</b>	Married	66.16%	13.72%	11.86%	4.13%	1.16%	1.24%	1.08%	2.72%	8.91%	3.76%	1.34%
	Not Married	26.07%	29.05%	13.12%	14.43%	4.44%	2.26%	3.91%	8.64%	1.24%	0.25%	0.00%
<b>Previous Live Birth</b>	Yes	47.21%	21.63%	13.36%	8.74%	2.69%	1.59%	1.33%	5.38%	3.22%	0.98%	0.55%
	No	48.56%	19.53%	11.17%	9.02%	2.63%	1.86%	3.81%	5.51%	8.36%	3.75%	0.97%
<b>Education</b>	Less Than 12 Years	34.08%	24.18%	14.61%	12.52%	1.22%	2.09%	2.96%	8.70%	1.22%	0.52%	0.00%
	12 Years	34.65%	23.10%	10.49%	14.74%	6.08%	2.89%	3.19%	6.99%	1.82%	1.37%	0.00%
	Greater Than 12 Years	60.16%	18.09%	12.37%	4.33%	1.65%	0.99%	1.76%	3.36%	8.94%	3.24%	1.39%
	Lower 95% CI	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
<b>Total</b>	Yes	46.83%	19.97%	11.81%	8.31%	2.36%	1.46%	2.09%	5.00%	4.96%	1.87%	0.56%
<b>Age</b>	Under 20 Years	11.65%	36.29%	6.54%	8.92%	0.00%	2.57%	6.16%	8.54%	0.01%	0.00%	0.00%
	20-24 Years	32.18%	21.31%	14.00%	10.13%	5.08%	2.28%	1.68%	8.77%	0.75%	0.22%	0.00%
	25-34 Years	56.14%	17.20%	9.91%	6.30%	1.98%	0.57%	1.32%	2.33%	5.53%	2.81%	0.68%
	Over 34 Years	52.23%	12.79%	15.22%	9.26%	0.00%	1.15%	1.09%	4.10%	11.04%	1.15%	0.97%
<b>Ethnicity</b>	White Non-Hispanic	54.95%	18.03%	10.71%	5.09%	1.36%	1.40%	2.12%	3.11%	7.08%	2.86%	1.00%
	Black Non-Hispanic	29.50%	22.19%	13.05%	9.70%	4.11%	1.83%	1.30%	7.88%	2.14%	0.20%	0.00%
	Hispanic	36.53%	22.22%	12.58%	16.00%	2.44%	0.00%	1.96%	5.51%	0.02%	0.02%	0.00%
<b>Married</b>	Married	64.93%	12.83%	11.02%	3.62%	0.89%	0.95%	0.82%	2.30%	8.17%	3.26%	1.04%
	Not Married	24.84%	27.77%	12.17%	13.44%	3.86%	1.84%	3.37%	7.85%	0.92%	0.11%	0.00%
<b>Previous Live Birth</b>	Yes	45.95%	20.60%	12.51%	8.03%	2.28%	1.28%	1.04%	4.81%	2.78%	0.73%	0.36%
	No	47.09%	18.37%	10.24%	8.18%	2.16%	1.46%	3.25%	4.84%	7.54%	3.19%	0.68%
<b>Education</b>	Less Than 12 Years	32.16%	22.44%	13.17%	11.18%	0.77%	1.51%	2.27%	7.55%	0.77%	0.23%	0.00%
	12 Years	32.84%	21.50%	9.32%	13.40%	5.17%	2.25%	2.52%	6.02%	1.32%	0.93%	0.00%
	Greater Than 12 Years	58.87%	17.07%	11.50%	3.79%	1.32%	0.73%	1.42%	2.89%	8.19%	2.77%	1.08%
	Upper 95% CI	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
<b>Total</b>	Yes	48.73%	21.52%	13.06%	9.40%	2.97%	1.95%	2.67%	5.87%	5.82%	2.43%	0.89%
<b>Age</b>	Under 20 Years	16.00%	42.45%	10.01%	12.85%	0.00%	4.97%	9.55%	12.40%	0.83%	0.00%	0.00%
	20-24 Years	35.98%	24.69%	16.89%	12.68%	6.99%	3.63%	2.88%	11.17%	1.62%	0.79%	0.00%
	25-34 Years	58.69%	19.19%	11.51%	7.62%	2.76%	1.04%	1.98%	3.18%	6.77%	3.73%	1.17%
	Over 34 Years	57.41%	16.47%	19.14%	12.49%	0.00%	2.54%	2.46%	6.42%	14.51%	2.54%	2.29%
<b>Ethnicity</b>	White Non-Hispanic	57.48%	20.02%	12.34%	6.27%	2.02%	2.07%	2.92%	4.05%	8.45%	3.77%	1.58%
	Black Non-Hispanic	33.00%	25.41%	15.70%	12.06%	5.75%	2.99%	2.31%	10.04%	3.38%	0.71%	0.00%
	Hispanic	41.57%	26.66%	16.20%	19.97%	4.30%	0.00%	3.66%	8.11%	0.45%	0.45%	0.00%
<b>Married</b>	Married	67.38%	14.61%	12.69%	4.65%	1.44%	1.52%	1.34%	3.14%	9.65%	4.25%	1.64%
	Not Married	27.31%	30.33%	14.07%	15.42%	5.02%	2.68%	4.46%	9.43%	1.55%	0.39%	0.00%
<b>Previous Live Birth</b>	Yes	48.46%	22.67%	14.22%	9.45%	3.10%	1.91%	1.61%	5.95%	3.66%	1.22%	0.73%
	No	50.02%	20.70%	12.09%	9.86%	3.10%	2.25%	4.37%	6.18%	9.17%	4.31%	1.26%
<b>Education</b>	Less Than 12 Years	36.01%	25.92%	16.04%	13.87%	1.66%	2.67%	3.64%	9.84%	1.66%	0.81%	0.00%
	12 Years	36.46%	24.70%	11.65%	16.09%	6.99%	3.52%	3.86%	7.96%	2.33%	1.81%	0.00%
	Greater Than 12 Years	61.46%	19.11%	13.24%	4.87%	1.99%	1.25%	2.11%	3.84%	9.70%	3.71%	1.70%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q17C-Q21I												
	Percent Response Yes	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
<b>Total</b>	Yes	1.66%	82.95%	5.19%	3.69%	2.35%	3.83%	2.73%	1.57%	3.52%	0.96%	5.79%
<b>Age</b>	Under 20 Years	0.00%	70.78%	4.61%	5.02%	7.54%	0.42%	6.28%	0.84%	5.02%	0.00%	17.08%
	20-24 Years	0.00%	77.22%	8.45%	7.02%	2.50%	5.23%	4.36%	2.41%	8.11%	1.18%	8.50%
	25-34 Years	1.95%	85.99%	4.31%	2.47%	2.00%	4.35%	1.72%	1.52%	2.16%	1.26%	3.86%
	Over 34 Years	4.42%	88.51%	3.68%	2.13%	0.00%	1.71%	1.71%	0.85%	0.29%	0.00%	1.42%
<b>Ethnicity</b>	White Non-Hispanic	2.65%	83.46%	5.76%	3.65%	1.74%	4.89%	1.88%	1.28%	3.02%	0.75%	5.22%
	Black Non-Hispanic	0.68%	82.49%	4.67%	2.52%	2.52%	3.69%	5.53%	2.82%	2.82%	1.20%	6.78%
	Hispanic	0.00%	84.61%	4.22%	6.40%	5.34%	0.21%	1.97%	0.28%	7.03%	1.69%	4.22%
<b>Married</b>	Married	2.86%	88.45%	4.22%	1.84%	0.42%	4.26%	0.64%	0.53%	0.94%	0.42%	2.79%
	Not Married	0.25%	76.46%	6.34%	5.88%	4.63%	3.33%	5.21%	2.81%	6.57%	1.59%	9.34%
<b>Previous Live Birth</b>	Yes	1.05%	85.19%	5.64%	3.64%	2.48%	3.65%	2.21%	0.80%	3.08%	1.66%	3.93%
	No	2.50%	79.89%	4.58%	3.76%	2.18%	4.09%	3.45%	2.63%	4.12%	0.00%	8.34%
<b>Education</b>	Less Than 12 Years	0.00%	79.47%	6.43%	5.22%	5.22%	1.74%	3.13%	0.70%	5.57%	2.78%	7.66%
	12 Years	0.00%	78.42%	5.02%	5.17%	3.95%	3.34%	5.02%	1.98%	5.62%	1.37%	10.18%
	Greater Than 12 Years	3.19%	87.09%	4.81%	2.15%	0.17%	5.00%	1.27%	1.54%	1.67%	0.00%	2.72%
	Lower 95% CI	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
<b>Total</b>	Yes	1.42%	82.23%	4.77%	3.33%	2.06%	3.47%	2.42%	1.33%	3.17%	0.77%	5.35%
<b>Age</b>	Under 20 Years	0.00%	67.91%	3.29%	3.65%	5.88%	0.01%	4.75%	0.26%	3.65%	0.00%	14.70%
	20-24 Years	0.00%	75.54%	7.33%	6.00%	1.87%	4.34%	3.54%	1.79%	7.02%	0.75%	7.38%
	25-34 Years	1.60%	85.10%	3.79%	2.07%	1.64%	3.82%	1.38%	1.21%	1.78%	0.97%	3.36%
	Over 34 Years	3.35%	86.86%	2.70%	1.38%	0.00%	1.03%	1.03%	0.38%	0.01%	0.00%	0.81%
<b>Ethnicity</b>	White Non-Hispanic	2.24%	82.51%	5.17%	3.17%	1.41%	4.34%	1.53%	0.99%	2.59%	0.53%	4.66%
	Black Non-Hispanic	0.37%	81.05%	3.88%	1.93%	1.93%	2.98%	4.67%	2.20%	2.20%	0.79%	5.83%
	Hispanic	0.00%	82.74%	3.18%	5.13%	4.18%	0.02%	1.25%	0.01%	5.71%	1.02%	3.18%
<b>Married</b>	Married	2.43%	87.62%	3.69%	1.49%	0.26%	3.74%	0.43%	0.34%	0.69%	0.26%	2.37%
	Not Married	0.11%	75.26%	5.66%	5.22%	4.03%	2.82%	4.59%	2.34%	5.87%	1.24%	8.52%
<b>Previous Live Birth</b>	Yes	0.79%	84.30%	5.06%	3.17%	2.09%	3.18%	1.84%	0.57%	2.64%	1.34%	3.44%
	No	2.05%	78.72%	3.96%	3.20%	1.75%	3.50%	2.91%	2.16%	3.54%	0.00%	7.53%
<b>Education</b>	Less Than 12 Years	0.00%	77.83%	5.44%	4.31%	4.32%	1.21%	2.42%	0.36%	4.63%	2.12%	6.58%
	12 Years	0.00%	76.86%	4.19%	4.33%	3.21%	2.66%	4.19%	1.45%	4.75%	0.93%	9.04%
	Greater Than 12 Years	2.73%	86.20%	4.24%	1.77%	0.06%	4.42%	0.98%	1.22%	1.34%	0.00%	2.29%
	Upper 95% CI	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
<b>Total</b>	Yes	1.91%	83.67%	5.61%	4.05%	2.64%	4.20%	3.05%	1.81%	3.87%	1.15%	6.24%
<b>Age</b>	Under 20 Years	0.00%	73.65%	5.93%	6.40%	9.21%	0.83%	7.81%	1.42%	6.40%	0.00%	19.45%
	20-24 Years	0.00%	78.90%	9.56%	8.04%	3.12%	6.12%	5.17%	3.02%	9.21%	1.62%	9.62%
	25-34 Years	2.31%	86.89%	4.84%	2.87%	2.36%	4.88%	2.06%	1.84%	2.53%	1.55%	4.35%
	Over 34 Years	5.49%	90.17%	4.65%	2.88%	0.00%	2.38%	2.38%	1.33%	0.56%	0.00%	2.04%
<b>Ethnicity</b>	White Non-Hispanic	3.06%	84.40%	6.35%	4.13%	2.08%	5.44%	2.23%	1.56%	3.46%	0.97%	5.79%
	Black Non-Hispanic	0.99%	83.93%	5.47%	3.12%	3.12%	4.40%	6.40%	3.45%	3.45%	1.62%	7.73%
	Hispanic	0.00%	86.47%	5.25%	7.66%	6.50%	0.45%	2.69%	0.56%	8.35%	2.35%	5.26%
<b>Married</b>	Married	3.29%	89.27%	4.74%	2.19%	0.59%	4.79%	0.84%	0.71%	1.19%	0.59%	3.22%
	Not Married	0.39%	77.65%	7.03%	6.54%	5.22%	3.83%	5.84%	3.27%	7.27%	1.94%	10.16%
<b>Previous Live Birth</b>	Yes	1.30%	86.08%	6.22%	4.11%	2.87%	4.12%	2.58%	1.02%	3.51%	1.98%	4.41%
	No	2.96%	81.07%	5.19%	4.32%	2.61%	4.67%	3.98%	3.10%	4.71%	0.00%	9.15%
<b>Education</b>	Less Than 12 Years	0.00%	81.12%	7.43%	6.12%	6.12%	2.27%	3.84%	1.04%	6.50%	3.45%	8.74%
	12 Years	0.00%	79.98%	5.84%	6.01%	4.69%	4.03%	5.84%	2.50%	6.50%	1.81%	11.33%
	Greater Than 12 Years	3.66%	87.97%	5.37%	2.54%	0.28%	5.57%	1.57%	1.87%	2.01%	0.00%	3.15%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q21J-Q23B												
	Percent Response Yes	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
<b>Total</b>	Yes	2.41%	0.49%	49.34%	2.21%	42.79%	3.20%	1.85%	2.21%	4.73%	72.13%	83.90%
<b>Age</b>	Under 20 Years	8.38%	0.00%	25.55%	2.93%	69.95%	2.51%	3.77%	7.54%	3.77%	90.05%	92.56%
	20-24 Years	6.09%	0.00%	21.84%	3.17%	71.01%	5.05%	1.86%	2.20%	3.55%	76.90%	86.73%
	25-34 Years	0.47%	0.90%	58.38%	1.63%	33.14%	2.81%	1.60%	1.65%	5.40%	69.80%	82.47%
	Over 34 Years	0.00%	0.00%	75.13%	2.48%	16.00%	2.12%	1.56%	0.85%	4.69%	61.38%	79.09%
<b>Ethnicity</b>	White Non-Hispanic	1.96%	0.26%	62.48%	2.47%	33.34%	4.74%	0.99%	1.76%	3.07%	67.33%	79.70%
	Black Non-Hispanic	2.86%	0.90%	36.68%	1.35%	62.79%	0.72%	0.60%	2.15%	1.05%	81.21%	91.19%
	Hispanic	2.53%	0.84%	15.63%	0.84%	49.66%	0.21%	8.15%	4.07%	18.69%	76.00%	89.06%
<b>Married</b>	Married	0.64%	0.00%	72.18%	2.05%	20.36%	4.99%	1.03%	1.08%	4.28%	63.31%	80.37%
	Not Married	4.50%	1.07%	22.37%	2.41%	69.28%	1.09%	2.82%	3.54%	5.27%	82.55%	88.07%
<b>Previous Live Birth</b>	Yes	2.31%	0.85%	45.21%	1.86%	44.45%	2.95%	2.21%	2.53%	5.84%	66.25%	80.97%
	No	2.54%	0.00%	54.97%	2.69%	40.53%	3.54%	1.36%	1.77%	3.22%	80.15%	87.91%
<b>Education</b>	Less Than 12 Years	5.39%	1.04%	15.13%	2.09%	62.78%	1.39%	5.22%	2.78%	14.78%	79.48%	87.31%
	12 Years	3.80%	0.91%	28.42%	3.34%	64.44%	3.19%	1.82%	4.10%	3.50%	75.84%	87.99%
	Greater Than 12 Years	0.50%	0.06%	74.12%	1.74%	24.03%	4.01%	0.46%	1.07%	1.13%	67.58%	80.75%
	Lower 95% CI	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
<b>Total</b>	Yes	2.12%	0.36%	48.38%	1.93%	41.85%	2.86%	1.59%	1.93%	4.33%	71.27%	83.20%
<b>Age</b>	Under 20 Years	6.63%	0.00%	22.80%	1.87%	67.05%	1.53%	2.57%	5.87%	2.57%	88.16%	90.91%
	20-24 Years	5.13%	0.00%	20.19%	2.47%	69.19%	4.17%	1.32%	1.61%	2.81%	75.21%	85.37%
	25-34 Years	0.30%	0.65%	57.10%	1.30%	31.92%	2.39%	1.27%	1.32%	4.81%	68.61%	81.48%
	Over 34 Years	0.00%	0.00%	72.88%	1.67%	14.09%	1.37%	0.92%	0.38%	3.59%	58.85%	76.98%
<b>Ethnicity</b>	White Non-Hispanic	1.61%	0.13%	61.25%	2.08%	32.14%	4.20%	0.74%	1.42%	2.63%	66.14%	78.67%
	Black Non-Hispanic	2.23%	0.55%	34.85%	0.92%	60.97%	0.40%	0.31%	1.60%	0.67%	79.73%	90.12%
	Hispanic	1.72%	0.37%	13.75%	0.37%	47.08%	0.02%	6.74%	3.05%	16.67%	73.80%	87.45%
<b>Married</b>	Married	0.43%	0.00%	71.01%	1.68%	19.32%	4.43%	0.76%	0.81%	3.75%	62.06%	79.34%
	Not Married	3.91%	0.78%	21.19%	1.97%	67.98%	0.80%	2.36%	3.02%	4.64%	81.48%	87.16%
<b>Previous Live Birth</b>	Yes	1.93%	0.62%	43.96%	1.52%	43.20%	2.52%	1.84%	2.13%	5.25%	65.06%	79.98%
	No	2.08%	0.00%	53.51%	2.22%	39.09%	3.00%	1.02%	1.38%	2.70%	78.98%	86.95%
<b>Education</b>	Less Than 12 Years	4.47%	0.63%	13.67%	1.51%	60.82%	0.92%	4.31%	2.11%	13.34%	77.84%	85.95%
	12 Years	3.07%	0.55%	26.70%	2.66%	62.62%	2.52%	1.32%	3.35%	2.80%	74.21%	86.76%
	Greater Than 12 Years	0.31%	0.01%	72.96%	1.40%	22.90%	3.49%	0.28%	0.80%	0.85%	66.34%	79.71%
	Upper 95% CI	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
<b>Total</b>	Yes	2.70%	0.62%	50.29%	2.49%	43.74%	3.54%	2.11%	2.49%	5.14%	72.99%	84.61%
<b>Age</b>	Under 20 Years	10.13%	0.00%	28.30%	4.00%	72.84%	3.50%	4.97%	9.20%	4.97%	91.94%	94.21%
	20-24 Years	7.04%	0.00%	23.50%	3.87%	72.83%	5.93%	2.40%	2.79%	4.29%	78.59%	88.09%
	25-34 Years	0.65%	1.14%	59.65%	1.95%	34.35%	3.24%	1.92%	1.98%	5.98%	70.98%	83.45%
	Over 34 Years	0.00%	0.00%	77.38%	3.29%	17.90%	2.87%	2.20%	1.33%	5.79%	63.91%	81.21%
<b>Ethnicity</b>	White Non-Hispanic	2.32%	0.39%	63.71%	2.87%	34.54%	5.28%	1.24%	2.09%	3.51%	68.53%	80.72%
	Black Non-Hispanic	3.49%	1.26%	38.50%	1.79%	64.62%	1.04%	0.89%	2.70%	1.44%	82.69%	92.26%
	Hispanic	3.34%	1.32%	17.50%	1.32%	52.25%	0.45%	9.56%	5.09%	20.70%	78.21%	90.67%
<b>Married</b>	Married	0.84%	0.00%	73.34%	2.42%	21.41%	5.55%	1.29%	1.35%	4.80%	64.56%	81.40%
	Not Married	5.08%	1.36%	23.54%	2.84%	70.58%	1.38%	3.29%	4.06%	5.90%	83.62%	88.99%
<b>Previous Live Birth</b>	Yes	2.69%	1.08%	46.46%	2.20%	45.70%	3.37%	2.58%	2.92%	6.43%	67.44%	81.96%
	No	3.00%	0.00%	56.43%	3.17%	41.97%	4.09%	1.70%	2.16%	3.74%	81.32%	88.86%
<b>Education</b>	Less Than 12 Years	6.31%	1.46%	16.59%	2.67%	64.75%	1.87%	6.12%	3.45%	16.22%	81.12%	88.66%
	12 Years	4.53%	1.27%	30.13%	4.03%	66.26%	3.86%	2.33%	4.86%	4.19%	77.46%	89.23%
	Greater Than 12 Years	0.68%	0.12%	75.28%	2.09%	25.16%	4.52%	0.64%	1.34%	1.41%	68.82%	81.79%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q23C-Q24												
	Percent Response Yes	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
<b>Total</b>	Yes	72.90%	51.20%	88.76%	64.24%	87.80%	80.35%	81.23%	76.01%	68.68%	52.48%	70.23%
<b>Age</b>	Under 20 Years	87.54%	61.15%	90.88%	80.42%	87.54%	80.00%	77.07%	77.90%	74.97%	62.83%	71.94%
	20-24 Years	77.23%	52.44%	87.49%	73.21%	84.91%	79.03%	77.81%	86.26%	71.61%	57.42%	78.41%
	25-34 Years	70.37%	50.42%	89.49%	61.03%	88.01%	81.21%	83.57%	74.58%	68.59%	52.80%	68.92%
	Over 34 Years	65.91%	45.50%	86.53%	51.18%	91.97%	79.29%	80.35%	63.30%	59.83%	35.86%	60.60%
<b>Ethnicity</b>	White Non-Hispanic	67.43%	42.83%	89.31%	58.20%	88.96%	79.59%	79.52%	71.42%	65.03%	48.00%	64.09%
	Black Non-Hispanic	80.69%	62.20%	90.25%	75.26%	88.02%	84.83%	87.72%	86.40%	78.80%	62.35%	84.18%
	Hispanic	81.05%	67.15%	86.66%	75.71%	85.03%	78.37%	76.40%	77.87%	71.08%	57.81%	71.75%
<b>Married</b>	Married	66.15%	45.34%	88.77%	54.43%	88.51%	80.72%	81.98%	69.40%	64.06%	45.27%	63.29%
	Not Married	80.87%	58.13%	88.76%	75.83%	86.96%	79.91%	80.35%	83.82%	74.13%	61.01%	78.43%
<b>Previous Live Birth</b>	Yes	68.02%	50.07%	87.46%	60.96%	86.06%	81.69%	82.70%	76.20%	66.38%	52.71%	70.42%
	No	79.56%	52.75%	90.54%	68.71%	90.17%	78.51%	79.23%	75.76%	71.83%	52.17%	69.96%
<b>Education</b>	Less Than 12 Years	80.87%	58.96%	88.00%	76.70%	80.35%	77.57%	76.52%	78.96%	72.70%	62.61%	70.78%
	12 Years	77.81%	57.90%	88.30%	71.73%	87.54%	79.79%	82.52%	82.07%	74.32%	58.21%	76.14%
	Greater Than 12 Years	67.51%	45.02%	89.63%	55.61%	91.16%	82.17%	82.69%	71.79%	64.42%	45.42%	67.17%
	Lower 95% CI	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
<b>Total</b>	Yes	72.05%	50.25%	88.16%	63.33%	87.17%	79.59%	80.49%	75.20%	67.80%	51.53%	69.35%
<b>Age</b>	Under 20 Years	85.45%	58.08%	89.07%	77.91%	85.45%	77.48%	74.42%	75.29%	72.24%	59.78%	69.10%
	20-24 Years	75.55%	50.44%	86.16%	71.44%	83.48%	77.40%	76.14%	84.88%	69.80%	55.44%	76.76%
	25-34 Years	69.19%	49.13%	88.70%	59.77%	87.17%	80.21%	82.61%	73.45%	67.40%	51.51%	67.72%
	Over 34 Years	63.45%	42.91%	84.76%	48.58%	90.56%	77.18%	78.28%	60.79%	57.29%	33.36%	58.06%
<b>Ethnicity</b>	White Non-Hispanic	66.23%	41.57%	88.52%	56.95%	88.16%	78.56%	78.50%	70.27%	63.82%	46.73%	62.87%
	Black Non-Hispanic	79.20%	60.36%	89.12%	73.63%	86.80%	83.47%	86.48%	85.11%	77.26%	60.52%	82.80%
	Hispanic	79.03%	64.72%	84.91%	73.50%	83.19%	76.24%	74.20%	75.73%	68.74%	55.26%	69.43%
<b>Married</b>	Married	64.92%	44.04%	87.95%	53.14%	87.68%	79.70%	80.98%	68.21%	62.82%	43.98%	62.04%
	Not Married	79.76%	56.74%	87.87%	74.62%	86.01%	78.78%	79.23%	82.78%	72.90%	59.64%	77.27%
<b>Previous Live Birth</b>	Yes	66.85%	48.81%	86.63%	59.74%	85.19%	80.72%	81.75%	75.13%	65.19%	51.46%	69.28%
	No	78.38%	51.28%	89.69%	67.35%	89.30%	77.31%	78.04%	74.51%	70.51%	50.71%	68.62%
<b>Education</b>	Less Than 12 Years	79.27%	56.96%	86.68%	74.98%	78.73%	75.87%	74.80%	77.30%	70.89%	60.64%	68.93%
	12 Years	76.24%	56.03%	87.08%	70.02%	86.28%	78.26%	81.08%	80.61%	72.66%	56.34%	74.52%
	Greater Than 12 Years	66.27%	43.70%	88.82%	54.30%	90.41%	81.16%	81.69%	70.60%	63.16%	44.10%	65.93%
	Upper 95% CI	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
<b>Total</b>	Yes	73.75%	52.15%	89.37%	65.16%	88.42%	81.11%	81.98%	76.83%	69.57%	53.44%	71.10%
<b>Age</b>	Under 20 Years	89.62%	64.23%	92.70%	82.92%	89.62%	82.52%	79.72%	80.52%	77.71%	65.87%	74.77%
	20-24 Years	78.91%	54.44%	88.81%	74.99%	86.35%	80.66%	79.47%	87.64%	73.41%	59.40%	80.06%
	25-34 Years	71.55%	51.72%	90.28%	62.28%	88.85%	82.22%	84.52%	75.70%	69.79%	54.09%	70.11%
	Over 34 Years	68.38%	48.09%	88.31%	53.78%	93.39%	81.40%	82.41%	65.80%	62.38%	38.35%	63.14%
<b>Ethnicity</b>	White Non-Hispanic	68.62%	44.09%	90.09%	59.46%	89.76%	80.61%	80.55%	72.57%	66.25%	49.27%	65.31%
	Black Non-Hispanic	82.18%	64.03%	91.37%	76.89%	89.25%	86.18%	88.96%	87.70%	80.35%	64.19%	85.56%
	Hispanic	83.08%	69.57%	88.42%	77.93%	86.88%	80.50%	78.59%	80.02%	73.42%	60.36%	74.08%
<b>Married</b>	Married	67.38%	46.63%	89.58%	55.72%	89.33%	81.74%	82.98%	70.60%	65.31%	46.56%	64.54%
	Not Married	81.98%	59.52%	89.65%	77.03%	87.91%	81.04%	81.47%	84.86%	75.37%	62.38%	79.59%
<b>Previous Live Birth</b>	Yes	69.19%	51.32%	88.29%	62.19%	86.93%	82.66%	83.65%	77.27%	67.56%	53.97%	71.57%
	No	80.74%	54.21%	91.40%	70.07%	91.04%	79.72%	80.42%	77.02%	73.15%	53.64%	71.31%
<b>Education</b>	Less Than 12 Years	82.47%	60.96%	89.32%	78.42%	81.96%	79.26%	78.24%	80.61%	74.51%	64.57%	72.63%
	12 Years	79.39%	59.78%	89.52%	73.45%	88.79%	81.31%	83.96%	83.52%	75.98%	60.08%	77.76%
	Greater Than 12 Years	68.75%	46.33%	90.44%	56.92%	91.91%	83.18%	83.69%	72.98%	65.69%	46.74%	68.41%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q25-Q27I												
	Percent Response Yes	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
<b>Total</b>	Yes	45.85%	9.10%	17.64%	15.76%	26.99%	1.45%	13.87%	9.84%	18.95%	4.43%	1.18%
<b>Age</b>	Under 20 Years	88.27%	2.51%	21.68%	29.63%	27.13%	0.84%	18.85%	8.28%	26.39%	4.20%	3.77%
	20-24 Years	68.61%	8.58%	18.13%	19.78%	33.56%	0.51%	9.14%	8.71%	22.54%	3.95%	0.60%
	25-34 Years	35.50%	9.12%	18.88%	13.68%	24.94%	1.89%	14.92%	10.33%	18.60%	4.96%	0.88%
	Over 34 Years	20.70%	14.39%	9.00%	8.03%	24.15%	1.63%	14.14%	10.85%	9.31%	3.22%	1.63%
<b>Ethnicity</b>	White Non-Hispanic	30.71%	7.83%	19.34%	15.31%	24.22%	0.95%	16.12%	11.25%	18.59%	3.72%	0.94%
	Black Non-Hispanic	62.61%	9.87%	15.83%	19.17%	34.91%	1.58%	15.12%	9.34%	24.68%	6.62%	1.73%
	Hispanic	80.73%	9.83%	15.87%	15.17%	23.66%	3.72%	4.22%	6.32%	10.81%	3.24%	1.34%
<b>Married</b>	Married	21.30%	10.57%	17.66%	12.99%	22.87%	1.11%	14.47%	11.16%	15.48%	2.95%	0.80%
	Not Married	74.85%	7.37%	17.61%	19.04%	31.85%	1.84%	13.15%	8.29%	23.06%	6.17%	1.63%
<b>Previous Live Birth</b>	Yes	46.57%	10.52%	18.10%	14.42%	28.56%	1.66%	10.84%	9.04%	20.71%	3.56%	1.00%
	No	44.86%	7.17%	17.00%	17.60%	24.85%	1.15%	18.00%	10.93%	16.56%	5.62%	1.43%
<b>Education</b>	Less Than 12 Years	80.70%	9.57%	20.00%	21.91%	28.87%	1.74%	10.79%	10.78%	22.27%	5.23%	0.70%
	12 Years	63.98%	9.12%	17.63%	19.46%	32.98%	2.28%	14.29%	9.43%	21.74%	6.09%	1.67%
	Greater Than 12 Years	22.10%	9.00%	16.83%	11.48%	23.30%	0.94%	15.04%	9.75%	16.33%	3.19%	1.16%
	Lower 95% CI	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
<b>Total</b>	Yes	44.90%	8.55%	16.91%	15.07%	26.14%	1.22%	13.21%	9.27%	18.20%	4.04%	0.97%
<b>Age</b>	Under 20 Years	86.24%	1.53%	19.08%	26.75%	24.32%	0.26%	16.38%	6.54%	23.61%	2.93%	2.57%
	20-24 Years	66.75%	7.46%	16.59%	18.19%	31.67%	0.22%	7.99%	7.58%	20.87%	3.17%	0.29%
	25-34 Years	34.26%	8.38%	17.87%	12.79%	23.82%	1.54%	14.00%	9.54%	17.59%	4.40%	0.64%
	Over 34 Years	18.60%	12.57%	7.51%	6.62%	21.93%	0.97%	12.33%	9.24%	7.80%	2.30%	0.97%
<b>Ethnicity</b>	White Non-Hispanic	29.53%	7.14%	18.33%	14.40%	23.13%	0.71%	15.18%	10.45%	17.60%	3.24%	0.69%
	Black Non-Hispanic	60.78%	8.74%	14.45%	17.68%	33.10%	1.11%	13.77%	8.24%	23.05%	5.68%	1.24%
	Hispanic	78.69%	8.29%	13.98%	13.31%	21.46%	2.74%	3.18%	5.06%	9.21%	2.33%	0.75%
<b>Married</b>	Married	20.24%	9.77%	16.67%	12.12%	21.79%	0.84%	13.56%	10.34%	14.54%	2.51%	0.57%
	Not Married	73.62%	6.63%	16.53%	17.94%	30.54%	1.46%	12.20%	7.51%	21.87%	5.49%	1.28%
<b>Previous Live Birth</b>	Yes	45.32%	9.75%	17.13%	13.53%	27.42%	1.34%	10.06%	8.32%	19.69%	3.09%	0.75%
	No	43.40%	6.41%	15.90%	16.49%	23.58%	0.84%	16.87%	10.01%	15.47%	4.95%	1.08%
<b>Education</b>	Less Than 12 Years	79.09%	8.37%	18.38%	20.23%	27.03%	1.21%	9.53%	9.52%	20.58%	4.32%	0.36%
	12 Years	62.16%	8.02%	16.18%	17.95%	31.19%	1.71%	12.96%	8.32%	20.17%	5.18%	1.19%
	Greater Than 12 Years	21.00%	8.24%	15.84%	10.63%	22.18%	0.68%	14.10%	8.97%	15.36%	2.73%	0.88%
	Upper 95% CI	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
<b>Total</b>	Yes	46.80%	9.65%	18.36%	16.46%	27.84%	1.68%	14.53%	10.41%	19.70%	4.82%	1.39%
<b>Age</b>	Under 20 Years	90.30%	3.50%	24.28%	32.51%	29.93%	1.42%	21.32%	10.01%	29.17%	5.46%	4.97%
	20-24 Years	70.47%	9.70%	19.68%	21.38%	35.45%	0.79%	10.30%	9.83%	24.21%	4.73%	0.91%
	25-34 Years	36.73%	9.86%	19.89%	14.57%	26.06%	2.25%	15.84%	11.11%	19.60%	5.52%	1.12%
	Over 34 Years	22.81%	16.22%	10.49%	9.44%	26.38%	2.29%	15.95%	12.47%	10.82%	4.13%	2.29%
<b>Ethnicity</b>	White Non-Hispanic	31.88%	8.51%	20.34%	16.23%	25.31%	1.20%	17.05%	12.06%	19.58%	4.20%	1.18%
	Black Non-Hispanic	64.44%	11.00%	17.21%	20.65%	36.71%	2.06%	16.48%	10.44%	26.31%	7.55%	2.23%
	Hispanic	82.77%	11.37%	17.75%	17.02%	25.85%	4.70%	5.26%	7.58%	12.42%	4.16%	1.93%
<b>Married</b>	Married	22.36%	11.37%	18.65%	13.86%	23.96%	1.39%	15.38%	11.97%	16.41%	3.39%	1.03%
	Not Married	76.07%	8.10%	18.68%	20.15%	33.16%	2.22%	14.10%	9.06%	24.25%	6.85%	1.99%
<b>Previous Live Birth</b>	Yes	47.83%	11.29%	19.07%	15.30%	29.69%	1.98%	11.62%	9.76%	21.73%	4.02%	1.25%
	No	46.32%	7.93%	18.10%	18.72%	26.12%	1.47%	19.12%	11.84%	17.65%	6.30%	1.77%
<b>Education</b>	Less Than 12 Years	82.30%	10.76%	21.63%	23.59%	30.72%	2.27%	12.05%	12.04%	23.96%	6.13%	1.03%
	12 Years	65.81%	10.21%	19.08%	20.96%	34.77%	2.85%	15.62%	10.54%	23.30%	6.99%	2.16%
	Greater Than 12 Years	23.19%	9.75%	17.82%	12.32%	24.41%	1.19%	15.99%	10.54%	17.31%	3.65%	1.44%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q27J-Q37A												
	Percent Response Yes	Q27J	Q28	Q30	Q31	Q32	Q33	Q34	Q35	Q36A	Q36B	Q37A
<b>Total</b>	Yes	2.45%	13.30%	27.24%	8.30%	2.53%	5.47%	7.68%	62.90%	9.72%	23.08%	0.44%
<b>Age</b>	Under 20 Years	5.34%	9.96%	34.24%	10.05%	2.51%	5.86%	10.47%	36.02%	4.61%	14.24%	0.00%
	20-24 Years	2.92%	13.70%	39.77%	14.42%	6.09%	10.35%	15.43%	62.78%	10.86%	26.86%	0.51%
	25-34 Years	2.37%	14.94%	24.14%	6.45%	1.37%	3.81%	5.03%	67.46%	10.21%	23.33%	0.42%
	Over 34 Years	0.00%	8.19%	13.97%	4.26%	1.28%	3.76%	3.48%	62.84%	9.28%	21.73%	0.71%
<b>Ethnicity</b>	White Non-Hispanic	1.84%	13.09%	35.33%	12.58%	3.91%	8.41%	8.05%	75.02%	12.07%	30.10%	0.17%
	Black Non-Hispanic	4.18%	15.57%	22.25%	2.67%	0.75%	2.37%	9.19%	54.90%	8.58%	16.98%	0.90%
	Hispanic	2.53%	13.13%	8.15%	2.74%	1.06%	0.84%	2.68%	34.61%	3.80%	11.31%	0.84%
<b>Married</b>	Married	1.54%	13.93%	19.15%	5.36%	1.77%	3.73%	4.84%	68.77%	9.79%	23.79%	0.39%
	Not Married	3.52%	12.55%	36.79%	11.77%	3.43%	7.54%	11.03%	55.96%	9.63%	22.24%	0.50%
<b>Previous Live Birth</b>	Yes	2.51%	14.07%	23.92%	7.66%	3.22%	6.01%	6.66%	58.36%	7.55%	19.94%	0.76%
	No	2.36%	12.24%	31.78%	9.16%	1.59%	4.74%	9.07%	69.09%	12.67%	27.37%	0.00%
<b>Education</b>	Less Than 12 Years	4.17%	16.00%	30.96%	8.87%	4.00%	7.83%	9.04%	35.31%	5.04%	14.61%	0.00%
	12 Years	2.89%	14.90%	35.56%	13.37%	4.26%	7.60%	10.49%	60.49%	9.73%	20.97%	1.37%
	Greater Than 12 Years	1.53%	11.52%	21.06%	4.80%	1.10%	3.14%	5.53%	75.55%	11.35%	27.43%	0.18%
	<b>Lower 95% CI</b>	<b>Q27J</b>	<b>Q28</b>	<b>Q30</b>	<b>Q31</b>	<b>Q32</b>	<b>Q33</b>	<b>Q34</b>		<b>Q36A</b>	<b>Q36B</b>	<b>Q37A</b>
<b>Total</b>	Yes	2.15%	12.65%	26.39%	7.50%	2.07%	4.82%	7.05%	61.97%	8.79%	21.41%	0.22%
<b>Age</b>	Under 20 Years	3.93%	8.07%	31.25%	7.13%	1.53%	3.84%	7.94%	32.99%	2.30%	9.83%	0.00%
	20-24 Years	2.25%	12.32%	37.81%	12.22%	4.55%	8.51%	13.62%	60.84%	9.06%	23.14%	0.22%
	25-34 Years	1.97%	14.02%	23.04%	5.59%	0.97%	3.09%	4.38%	66.25%	8.91%	21.06%	0.18%
	Over 34 Years	0.00%	6.77%	12.17%	2.78%	0.45%	2.36%	2.17%	60.33%	7.13%	17.30%	0.27%
<b>Ethnicity</b>	White Non-Hispanic	1.50%	12.23%	34.11%	11.27%	3.15%	7.32%	7.21%	73.92%	10.71%	27.58%	0.06%
	Black Non-Hispanic	3.42%	14.20%	20.68%	1.94%	0.31%	1.80%	7.75%	53.02%	7.08%	14.12%	0.40%
	Hispanic	1.72%	11.39%	6.74%	1.90%	0.53%	0.37%	1.84%	32.15%	2.19%	8.44%	0.37%
<b>Married</b>	Married	1.22%	13.03%	18.13%	4.44%	1.24%	2.93%	4.14%	67.56%	8.55%	21.46%	0.16%
	Not Married	3.00%	11.61%	35.44%	10.44%	2.72%	6.51%	9.94%	54.56%	8.28%	19.88%	0.22%
<b>Previous Live Birth</b>	Yes	2.12%	13.20%	22.84%	6.68%	2.62%	5.11%	5.89%	57.12%	6.52%	17.94%	0.39%
	No	1.91%	11.27%	30.41%	7.87%	0.99%	3.81%	8.02%	67.74%	11.05%	24.55%	0.00%
<b>Education</b>	Less Than 12 Years	3.36%	14.51%	29.08%	6.97%	2.70%	6.04%	7.53%	33.37%	3.63%	11.78%	0.00%
	12 Years	2.25%	13.55%	33.75%	11.53%	3.20%	6.23%	9.03%	58.63%	7.84%	17.81%	0.60%
	Greater Than 12 Years	1.20%	10.68%	19.98%	4.07%	0.74%	2.52%	4.82%	74.41%	10.02%	24.92%	0.07%
	<b>Upper 95% CI</b>	<b>Q27J</b>	<b>Q28</b>	<b>Q30</b>	<b>Q31</b>	<b>Q32</b>	<b>Q33</b>	<b>Q34</b>		<b>Q36A</b>	<b>Q36B</b>	<b>Q37A</b>
<b>Total</b>	Yes	2.74%	13.94%	28.09%	9.09%	2.99%	6.13%	8.31%	63.82%	10.64%	24.75%	0.66%
<b>Age</b>	Under 20 Years	6.76%	11.85%	37.23%	12.98%	3.50%	7.89%	12.99%	39.05%	6.92%	18.65%	0.00%
	20-24 Years	3.60%	15.08%	41.73%	16.62%	7.63%	12.19%	17.24%	64.71%	12.65%	30.58%	0.79%
	25-34 Years	2.76%	15.86%	25.25%	7.31%	1.77%	4.53%	5.68%	68.67%	11.51%	25.60%	0.66%
	Over 34 Years	0.00%	9.62%	15.77%	5.74%	2.10%	5.16%	4.79%	65.36%	11.42%	26.16%	1.14%
<b>Ethnicity</b>	White Non-Hispanic	2.19%	13.95%	36.55%	13.88%	4.67%	9.51%	8.89%	76.12%	13.43%	32.62%	0.27%
	Black Non-Hispanic	4.93%	16.94%	23.82%	3.41%	1.19%	2.95%	10.62%	56.78%	10.08%	19.85%	1.41%
	Hispanic	3.34%	14.88%	9.57%	3.59%	1.59%	1.32%	3.51%	37.07%	5.41%	14.19%	1.32%
<b>Married</b>	Married	1.86%	14.83%	20.17%	6.27%	2.30%	4.52%	5.55%	69.97%	11.04%	26.13%	0.62%
	Not Married	4.04%	13.48%	38.15%	13.09%	4.14%	8.57%	12.12%	57.36%	10.97%	24.61%	0.78%
<b>Previous Live Birth</b>	Yes	2.90%	14.95%	24.99%	8.64%	3.83%	6.91%	7.44%	59.60%	8.59%	21.94%	1.14%
	No	2.80%	13.20%	33.15%	10.46%	2.19%	5.67%	10.11%	70.45%	14.29%	30.19%	0.00%
<b>Education</b>	Less Than 12 Years	4.99%	17.49%	32.84%	10.77%	5.30%	9.62%	10.56%	37.25%	6.45%	17.44%	0.00%
	12 Years	3.52%	16.25%	37.38%	15.22%	5.31%	8.97%	11.94%	62.34%	11.61%	24.14%	2.13%
	Greater Than 12 Years	1.85%	12.36%	22.13%	5.53%	1.47%	3.76%	6.25%	76.68%	12.68%	29.94%	0.30%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q37B-Q38J												
	Percent Response Yes	Q37B	Q38A	Q38B	Q38C	Q38D	Q38E	Q38F	Q38G	Q38H	Q38I	Q38J
<b>Total</b>	Yes	0.88%	23.76%	7.43%	29.14%	3.77%	14.61%	11.91%	23.74%	8.12%	21.75%	3.32%
<b>Age</b>	Under 20 Years	0.00%	27.23%	13.82%	36.75%	5.35%	24.19%	10.37%	40.11%	11.31%	9.53%	9.22%
	20-24 Years	1.18%	23.02%	10.99%	40.82%	6.68%	15.83%	15.94%	27.22%	11.50%	27.47%	6.43%
	25-34 Years	0.84%	22.83%	5.84%	26.04%	2.60%	14.01%	10.97%	21.70%	6.53%	21.67%	1.81%
	Over 34 Years	1.14%	26.42%	3.57%	16.90%	2.56%	8.46%	10.02%	15.05%	6.74%	20.75%	0.22%
<b>Ethnicity</b>	White Non-Hispanic	0.07%	27.47%	6.76%	26.68%	1.76%	14.09%	9.53%	19.06%	6.87%	19.75%	2.61%
	Black Non-Hispanic	1.51%	22.59%	8.32%	34.41%	4.45%	15.81%	13.30%	37.20%	11.72%	28.24%	6.37%
	Hispanic	3.37%	12.01%	11.11%	32.51%	12.09%	15.18%	20.79%	16.02%	5.61%	22.76%	1.69%
<b>Married</b>	Married	0.71%	24.67%	3.11%	20.61%	1.98%	10.29%	7.66%	16.75%	4.90%	16.75%	0.73%
	Not Married	1.09%	22.68%	12.53%	39.21%	5.88%	19.71%	16.93%	32.00%	11.93%	27.65%	6.38%
<b>Previous Live Birth</b>	Yes	1.33%	22.60%	6.58%	27.49%	4.75%	14.30%	11.28%	23.37%	7.85%	26.71%	2.49%
	No	0.27%	25.34%	8.59%	31.39%	2.43%	15.03%	12.78%	24.25%	8.50%	14.97%	4.45%
<b>Education</b>	Less Than 12 Years	1.04%	16.87%	10.09%	32.18%	9.92%	16.35%	15.83%	22.96%	6.61%	21.56%	3.48%
	12 Years	2.58%	23.41%	10.79%	38.60%	5.02%	20.52%	12.01%	32.98%	13.07%	28.58%	5.62%
	Greater Than 12 Years	0.00%	27.11%	4.55%	23.23%	0.61%	10.66%	9.83%	19.72%	6.46%	18.10%	2.17%
	<b>Lower 95% CI</b>	<b>Q37B</b>	<b>Q38A</b>	<b>Q38B</b>	<b>Q38C</b>	<b>Q38D</b>	<b>Q38E</b>	<b>Q38F</b>	<b>Q38G</b>	<b>Q38H</b>	<b>Q38I</b>	<b>Q38J</b>
<b>Total</b>	Yes	0.58%	22.95%	6.93%	28.27%	3.41%	13.94%	11.30%	22.93%	7.60%	20.96%	2.98%
<b>Age</b>	Under 20 Years	0.00%	24.42%	11.64%	33.71%	3.93%	21.49%	8.45%	37.02%	9.31%	7.68%	7.39%
	20-24 Years	0.57%	21.34%	9.74%	38.85%	5.68%	14.37%	14.48%	25.44%	10.22%	25.68%	5.44%
	25-34 Years	0.52%	21.75%	5.24%	24.90%	2.19%	13.12%	10.16%	20.63%	5.90%	20.61%	1.46%
	Over 34 Years	0.59%	24.13%	2.60%	14.95%	1.74%	7.01%	8.46%	13.19%	5.44%	18.64%	0.02%
<b>Ethnicity</b>	White Non-Hispanic	0.00%	26.33%	6.12%	25.56%	1.42%	13.21%	8.78%	18.06%	6.22%	18.73%	2.21%
	Black Non-Hispanic	0.87%	21.01%	7.28%	32.61%	3.67%	14.43%	12.01%	35.37%	10.50%	26.54%	5.44%
	Hispanic	1.76%	10.33%	9.49%	30.09%	10.41%	13.33%	18.69%	14.13%	4.42%	20.59%	1.02%
<b>Married</b>	Married	0.33%	23.55%	2.66%	19.56%	1.62%	9.51%	6.97%	15.78%	4.34%	15.79%	0.51%
	Not Married	0.69%	21.50%	11.60%	37.84%	5.22%	18.59%	15.88%	30.68%	11.02%	26.39%	5.69%
<b>Previous Live Birth</b>	Yes	0.84%	21.55%	5.96%	26.37%	4.22%	13.42%	10.48%	22.31%	7.17%	25.60%	2.10%
	No	0.12%	24.06%	7.77%	30.03%	1.98%	13.98%	11.80%	22.99%	7.68%	13.93%	3.84%
<b>Education</b>	Less Than 12 Years	0.46%	15.35%	8.86%	30.28%	8.70%	14.85%	14.34%	21.25%	5.60%	19.89%	2.74%
	12 Years	1.57%	21.80%	9.61%	36.75%	4.19%	18.98%	10.77%	31.19%	11.79%	26.86%	4.75%
	Greater Than 12 Years	0.00%	25.93%	3.99%	22.11%	0.40%	9.85%	9.04%	18.66%	5.81%	17.08%	1.79%
	<b>Upper 95% CI</b>	<b>Q37B</b>	<b>Q38A</b>	<b>Q38B</b>	<b>Q38C</b>	<b>Q38D</b>	<b>Q38E</b>	<b>Q38F</b>	<b>Q38G</b>	<b>Q38H</b>	<b>Q38I</b>	<b>Q38J</b>
<b>Total</b>	Yes	1.18%	24.57%	7.93%	30.01%	4.13%	15.28%	12.53%	24.55%	8.65%	22.54%	3.66%
<b>Age</b>	Under 20 Years	0.00%	30.03%	15.99%	39.79%	6.77%	26.89%	12.29%	43.20%	13.31%	11.38%	11.04%
	20-24 Years	1.80%	24.71%	12.24%	42.79%	7.68%	17.29%	17.41%	29.01%	12.78%	29.25%	7.41%
	25-34 Years	1.16%	23.91%	6.45%	27.17%	3.01%	14.91%	11.77%	22.76%	7.17%	22.73%	2.15%
	Over 34 Years	1.69%	28.72%	4.53%	18.85%	3.39%	9.91%	11.58%	16.91%	8.04%	22.85%	0.46%
<b>Ethnicity</b>	White Non-Hispanic	0.14%	28.60%	7.40%	27.81%	2.09%	14.98%	10.28%	20.06%	7.51%	20.76%	3.02%
	Black Non-Hispanic	2.14%	24.17%	9.37%	36.21%	5.22%	17.19%	14.58%	39.02%	12.93%	29.95%	7.29%
	Hispanic	4.98%	13.69%	12.73%	34.93%	13.77%	17.03%	22.88%	17.92%	6.80%	24.92%	2.35%
<b>Married</b>	Married	1.09%	25.79%	3.56%	21.66%	2.35%	11.08%	8.35%	17.72%	5.46%	17.72%	0.95%
	Not Married	1.49%	23.86%	13.47%	40.59%	6.55%	20.83%	17.99%	33.31%	12.85%	28.91%	7.07%
<b>Previous Live Birth</b>	Yes	1.82%	23.65%	7.20%	28.61%	5.29%	15.18%	12.07%	24.44%	8.52%	27.83%	2.89%
	No	0.42%	26.61%	9.42%	32.75%	2.88%	16.08%	13.76%	25.51%	9.32%	16.02%	5.05%
<b>Education</b>	Less Than 12 Years	1.63%	18.39%	11.31%	34.07%	11.13%	17.85%	17.31%	24.67%	7.62%	23.24%	4.22%
	12 Years	3.60%	25.01%	11.97%	40.45%	5.85%	22.05%	13.24%	34.77%	14.35%	30.29%	6.50%
	Greater Than 12 Years	0.00%	28.28%	5.10%	24.34%	0.82%	11.48%	10.62%	20.77%	7.11%	19.12%	2.56%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q38K-Q45F												
	Percent Response Yes	Q38K	Q38L	Q38M	Q39	Q40	Q45A	Q45B	Q45C	Q45D	Q45E	Q45F
<b>Total</b>	Yes	4.35%	12.64%	19.48%	4.40%	3.61%	46.35%	2.00%	49.54%	3.38%	1.42%	1.82%
<b>Age</b>	Under 20 Years	8.80%	21.26%	19.27%	13.82%	10.89%	17.59%	2.93%	82.41%	2.51%	3.77%	8.79%
	20-24 Years	8.20%	17.87%	21.85%	5.62%	5.41%	19.86%	2.66%	77.86%	5.01%	1.01%	1.14%
	25-34 Years	3.09%	11.07%	19.48%	3.19%	2.27%	55.67%	1.63%	39.42%	2.99%	1.16%	1.18%
	Over 34 Years	0.00%	4.33%	15.69%	0.85%	1.07%	72.72%	1.78%	20.55%	2.82%	1.56%	0.85%
<b>Ethnicity</b>	White Non-Hispanic	3.96%	13.84%	21.15%	3.60%	2.56%	60.15%	2.10%	35.89%	5.13%	0.37%	1.35%
	Black Non-Hispanic	7.00%	14.91%	19.58%	6.22%	5.50%	32.80%	1.35%	67.09%	0.57%	1.92%	1.47%
	Hispanic	2.53%	3.87%	15.88%	4.99%	5.62%	12.26%	1.69%	78.90%	0.21%	5.06%	4.22%
<b>Married</b>	Married	1.43%	8.17%	19.72%	1.89%	0.92%	68.70%	1.87%	22.99%	5.34%	0.60%	0.90%
	Not Married	7.81%	17.91%	19.21%	7.37%	6.78%	19.96%	2.16%	80.89%	1.07%	2.39%	2.91%
<b>Previous Live Birth</b>	Yes	4.00%	8.88%	18.79%	4.37%	3.33%	41.99%	1.86%	52.38%	2.88%	1.61%	1.71%
	No	4.83%	17.76%	20.43%	4.45%	3.99%	52.30%	2.19%	45.66%	4.06%	1.16%	1.97%
<b>Education</b>	Less Than 12 Years	6.79%	10.96%	19.48%	5.57%	6.26%	11.30%	2.61%	80.52%	1.22%	2.61%	3.83%
	12 Years	4.71%	17.94%	24.17%	6.84%	5.01%	25.38%	2.89%	71.43%	3.19%	1.82%	3.19%
	Greater Than 12 Years	2.98%	10.63%	17.44%	2.78%	1.84%	71.48%	1.34%	25.63%	4.43%	0.74%	0.33%
	<b>Lower 95% CI</b>	<b>Q38K</b>	<b>Q38L</b>	<b>Q38M</b>	<b>Q39</b>	<b>Q40</b>	<b>Q45A</b>	<b>Q45B</b>	<b>Q45C</b>	<b>Q45D</b>	<b>Q45E</b>	<b>Q45F</b>
<b>Total</b>	Yes	3.96%	12.00%	18.73%	4.01%	3.25%	45.40%	1.73%	48.58%	3.04%	1.19%	1.57%
<b>Age</b>	Under 20 Years	7.01%	18.68%	16.78%	11.65%	8.92%	15.19%	1.87%	80.01%	1.53%	2.57%	7.01%
	20-24 Years	7.10%	16.34%	20.19%	4.70%	4.50%	18.26%	2.02%	76.20%	4.14%	0.61%	0.72%
	25-34 Years	2.64%	10.26%	18.45%	2.74%	1.88%	54.38%	1.30%	38.16%	2.55%	0.88%	0.90%
	Over 34 Years	0.00%	3.27%	13.80%	0.38%	0.54%	70.40%	1.09%	18.45%	1.96%	0.92%	0.38%
<b>Ethnicity</b>	White Non-Hispanic	3.46%	12.96%	20.11%	3.12%	2.16%	58.91%	1.73%	34.66%	4.57%	0.22%	1.06%
	Black Non-Hispanic	6.04%	13.56%	18.08%	5.30%	4.64%	31.02%	0.92%	65.31%	0.28%	1.40%	1.01%
	Hispanic	1.72%	2.87%	13.99%	3.87%	4.43%	10.56%	1.02%	76.79%	0.02%	3.93%	3.18%
<b>Married</b>	Married	1.12%	7.46%	18.69%	1.54%	0.67%	67.50%	1.52%	21.89%	4.76%	0.40%	0.66%
	Not Married	7.05%	16.83%	18.10%	6.63%	6.07%	18.84%	1.75%	79.79%	0.78%	1.96%	2.43%
<b>Previous Live Birth</b>	Yes	3.51%	8.16%	17.81%	3.86%	2.88%	40.75%	1.52%	51.13%	2.46%	1.29%	1.39%
	No	4.20%	16.64%	19.25%	3.84%	3.42%	50.84%	1.77%	44.19%	3.48%	0.84%	1.57%
<b>Education</b>	Less Than 12 Years	5.76%	9.69%	17.87%	4.64%	5.28%	10.02%	1.96%	78.91%	0.77%	1.96%	3.05%
	12 Years	3.91%	16.48%	22.54%	5.88%	4.18%	23.73%	2.25%	69.72%	2.52%	1.32%	2.52%
	Greater Than 12 Years	2.53%	9.81%	16.43%	2.34%	1.49%	70.29%	1.04%	24.48%	3.88%	0.51%	0.18%
	<b>Upper 95% CI</b>	<b>Q38K</b>	<b>Q38L</b>	<b>Q38M</b>	<b>Q39</b>	<b>Q40</b>	<b>Q45A</b>	<b>Q45B</b>	<b>Q45C</b>	<b>Q45D</b>	<b>Q45E</b>	<b>Q45F</b>
<b>Total</b>	Yes	4.74%	13.27%	20.24%	4.79%	3.96%	47.30%	2.27%	50.49%	3.73%	1.64%	2.08%
<b>Age</b>	Under 20 Years	10.58%	23.84%	21.76%	16.00%	12.85%	19.99%	4.00%	84.81%	3.50%	4.97%	10.58%
	20-24 Years	9.30%	19.41%	23.50%	6.54%	6.32%	21.46%	3.31%	79.52%	5.89%	1.42%	1.57%
	25-34 Years	3.53%	11.88%	20.50%	3.65%	2.65%	56.95%	1.95%	40.68%	3.43%	1.44%	1.45%
	Over 34 Years	0.00%	5.38%	17.58%	1.33%	1.61%	75.03%	2.46%	22.65%	3.68%	2.20%	1.33%
<b>Ethnicity</b>	White Non-Hispanic	4.46%	14.72%	22.19%	4.07%	2.96%	61.40%	2.46%	37.11%	5.69%	0.53%	1.64%
	Black Non-Hispanic	7.97%	16.25%	21.08%	7.13%	6.37%	34.57%	1.79%	68.86%	0.85%	2.44%	1.92%
	Hispanic	3.34%	4.86%	17.77%	6.12%	6.81%	13.95%	2.35%	81.00%	0.45%	6.19%	5.25%
<b>Married</b>	Married	1.74%	8.88%	20.75%	2.24%	1.17%	69.90%	2.22%	24.08%	5.92%	0.80%	1.15%
	Not Married	8.56%	18.99%	20.32%	8.10%	7.49%	21.09%	2.56%	82.00%	1.36%	2.82%	3.38%
<b>Previous Live Birth</b>	Yes	4.49%	9.59%	19.77%	4.88%	3.78%	43.23%	2.20%	53.63%	3.30%	1.93%	2.04%
	No	5.46%	18.88%	21.61%	5.05%	4.56%	53.77%	2.62%	47.12%	4.64%	1.47%	2.38%
<b>Education</b>	Less Than 12 Years	7.81%	12.23%	21.09%	6.50%	7.25%	12.59%	3.26%	82.13%	1.66%	3.26%	4.60%
	12 Years	5.52%	19.39%	25.79%	7.80%	5.84%	27.03%	3.52%	73.15%	3.86%	2.33%	3.86%
	Greater Than 12 Years	3.43%	11.44%	18.44%	3.21%	2.20%	72.68%	1.64%	26.79%	4.97%	0.96%	0.49%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q45G-Q56												
	Percent Response Yes	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
<b>Total</b>	Yes	3.01%	2.28%	14.64%	36.38%	96.46%	95.67%	76.71%	39.92%	68.78%	40.42%	94.64%
<b>Age</b>	Under 20 Years	2.93%	0.84%	14.15%	31.74%	95.39%	95.39%	63.98%	20.52%	58.96%	32.25%	95.39%
	20-24 Years	3.81%	2.54%	14.24%	36.75%	96.62%	94.59%	68.86%	24.19%	56.35%	32.60%	90.70%
	25-34 Years	2.80%	1.82%	14.88%	34.40%	96.16%	95.55%	80.49%	44.83%	74.24%	44.09%	95.37%
	Over 34 Years	2.56%	4.68%	14.68%	46.97%	98.14%	98.14%	83.25%	59.65%	74.22%	44.22%	97.80%
<b>Ethnicity</b>	White Non-Hispanic	2.30%	2.56%	13.77%	34.50%	97.24%	96.23%	76.55%	40.79%	75.47%	47.35%	94.95%
	Black Non-Hispanic	3.96%	1.05%	18.57%	43.21%	96.04%	95.59%	71.09%	30.84%	57.87%	26.14%	94.35%
	Hispanic	3.65%	3.51%	11.53%	32.40%	94.81%	93.96%	84.12%	46.20%	61.03%	41.70%	92.28%
<b>Married</b>	Married	2.19%	3.43%	14.49%	35.69%	96.75%	95.76%	84.38%	52.46%	75.95%	45.19%	95.58%
	Not Married	3.98%	0.92%	14.83%	37.21%	96.13%	95.56%	67.65%	25.10%	60.31%	34.77%	93.53%
<b>Previous Live Birth</b>	Yes	2.77%	2.69%	12.96%	33.25%	96.61%	95.63%	74.97%	41.70%	66.92%	41.48%	94.16%
	No	3.33%	1.72%	16.93%	40.65%	96.26%	95.71%	79.09%	37.49%	71.32%	38.97%	95.31%
<b>Education</b>	Less Than 12 Years	5.39%	5.91%	15.67%	38.27%	97.04%	96.00%	64.87%	29.91%	55.48%	39.48%	93.74%
	12 Years	3.80%	1.52%	16.43%	35.88%	95.74%	94.38%	70.36%	27.66%	65.35%	34.80%	92.40%
	Greater Than 12 Years	1.65%	1.13%	12.92%	35.42%	96.60%	96.18%	84.61%	50.09%	76.02%	43.61%	96.13%
	Lower 95% CI	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
<b>Total</b>	Yes	2.68%	1.99%	13.97%	34.82%	96.11%	95.28%	75.90%	38.98%	67.89%	39.48%	94.21%
<b>Age</b>	Under 20 Years	1.87%	0.26%	11.95%	26.65%	94.07%	94.07%	60.95%	17.98%	55.85%	29.30%	94.07%
	20-24 Years	3.04%	1.91%	12.84%	33.39%	95.89%	93.68%	67.00%	22.47%	54.37%	30.72%	89.54%
	25-34 Years	2.38%	1.48%	13.96%	32.33%	95.67%	95.02%	79.47%	43.54%	73.11%	42.81%	94.83%
	Over 34 Years	1.74%	3.58%	12.84%	42.56%	97.44%	97.44%	81.31%	57.10%	71.95%	41.64%	97.04%
<b>Ethnicity</b>	White Non-Hispanic	1.92%	2.15%	12.89%	32.46%	96.82%	95.75%	75.47%	39.54%	74.37%	46.08%	94.40%
	Black Non-Hispanic	3.22%	0.67%	17.10%	39.92%	95.30%	94.81%	69.38%	29.09%	56.01%	24.48%	93.48%
	Hispanic	2.68%	2.56%	9.88%	28.37%	93.66%	92.73%	82.24%	43.62%	58.51%	39.15%	90.90%
<b>Married</b>	Married	1.81%	2.96%	13.57%	33.60%	96.29%	95.23%	83.44%	51.16%	74.84%	43.90%	95.05%
	Not Married	3.43%	0.65%	13.83%	34.85%	95.58%	94.98%	66.33%	23.88%	58.93%	33.43%	92.84%
<b>Previous Live Birth</b>	Yes	2.36%	2.28%	12.12%	31.26%	96.16%	95.12%	73.88%	40.46%	65.74%	40.24%	93.57%
	No	2.81%	1.34%	15.83%	38.16%	95.70%	95.12%	77.90%	36.07%	69.99%	37.54%	94.69%
<b>Education</b>	Less Than 12 Years	4.47%	4.95%	14.19%	34.76%	96.35%	95.20%	62.93%	28.05%	53.46%	37.49%	92.75%
	12 Years	3.07%	1.06%	15.02%	32.70%	94.98%	93.50%	68.63%	25.96%	63.54%	32.99%	91.39%
	Greater Than 12 Years	1.32%	0.85%	12.03%	33.35%	96.12%	95.67%	83.66%	48.77%	74.89%	42.30%	95.62%
	Upper 95% CI	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
<b>Total</b>	Yes	3.34%	2.56%	15.32%	37.95%	96.81%	96.06%	77.52%	40.85%	69.66%	41.35%	95.07%
<b>Age</b>	Under 20 Years	4.00%	1.42%	16.35%	36.83%	96.71%	96.71%	67.01%	23.07%	62.06%	35.20%	96.71%
	20-24 Years	4.57%	3.17%	15.64%	40.12%	97.34%	95.49%	70.71%	25.90%	58.34%	34.48%	91.87%
	25-34 Years	3.23%	2.17%	15.80%	36.46%	96.66%	96.08%	81.51%	46.11%	75.36%	45.37%	95.92%
	Over 34 Years	3.38%	5.78%	16.52%	51.39%	98.84%	98.84%	85.19%	62.20%	76.50%	46.80%	98.56%
<b>Ethnicity</b>	White Non-Hispanic	2.69%	2.96%	14.64%	36.55%	97.65%	96.72%	77.63%	42.04%	76.56%	48.62%	95.51%
	Black Non-Hispanic	4.69%	1.44%	20.03%	46.50%	96.78%	96.37%	72.81%	32.58%	59.74%	27.80%	95.22%
	Hispanic	4.62%	4.46%	13.18%	36.43%	95.95%	95.19%	86.01%	48.77%	63.55%	44.25%	93.66%
<b>Married</b>	Married	2.57%	3.90%	15.40%	37.77%	97.21%	96.28%	85.32%	53.75%	77.06%	46.48%	96.11%
	Not Married	4.53%	1.19%	15.83%	39.56%	96.67%	96.14%	68.97%	26.33%	61.69%	36.12%	94.23%
<b>Previous Live Birth</b>	Yes	3.19%	3.09%	13.81%	35.25%	97.07%	96.15%	76.05%	42.94%	68.10%	42.72%	94.74%
	No	3.86%	2.10%	18.03%	43.15%	96.81%	96.31%	80.28%	38.91%	72.64%	40.40%	95.93%
<b>Education</b>	Less Than 12 Years	6.31%	6.87%	17.14%	41.78%	97.73%	96.79%	66.81%	31.77%	57.50%	41.46%	94.72%
	12 Years	4.53%	1.98%	17.83%	39.05%	96.51%	95.25%	72.10%	29.35%	67.16%	36.61%	93.41%
	Greater Than 12 Years	1.99%	1.41%	13.81%	37.49%	97.08%	96.68%	85.56%	51.41%	77.14%	44.92%	96.64%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q57-Q60D												
	Percent Response Yes	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
<b>Total</b>	Yes	95.44%	41.83%	1.45%	49.03%	3.14%	2.00%	84.40%	5.22%	2.35%	4.17%	1.86%
<b>Age</b>	Under 20 Years	97.90%	4.19%	2.93%	85.76%	2.51%	5.02%	92.46%	4.19%	1.26%	2.93%	2.93%
	20-24 Years	92.05%	13.94%	1.01%	74.99%	4.38%	1.60%	81.71%	7.35%	2.95%	3.25%	0.64%
	25-34 Years	96.35%	53.32%	1.17%	38.39%	2.81%	1.53%	84.68%	4.08%	2.16%	5.13%	2.23%
	Over 34 Years	95.73%	67.75%	2.33%	23.52%	2.82%	2.56%	82.30%	6.96%	2.82%	2.70%	1.71%
<b>Ethnicity</b>	White Non-Hispanic	95.51%	54.67%	1.73%	35.75%	4.71%	0.78%	86.69%	2.95%	2.99%	4.77%	1.31%
	Black Non-Hispanic	95.85%	28.05%	0.00%	65.13%	0.57%	2.07%	85.50%	6.85%	0.00%	2.67%	1.96%
	Hispanic	93.68%	10.57%	2.38%	79.60%	0.21%	7.59%	77.24%	7.31%	3.51%	0.84%	1.12%
<b>Married</b>	Married	95.49%	65.94%	1.55%	23.41%	4.95%	1.45%	84.14%	3.93%	2.94%	5.94%	2.59%
	Not Married	95.37%	13.35%	1.34%	79.28%	1.00%	2.66%	84.70%	6.74%	1.65%	2.09%	1.00%
<b>Previous Live Birth</b>	Yes	94.24%	39.61%	1.39%	51.30%	2.88%	2.23%	85.29%	5.20%	1.31%	2.47%	1.43%
	No	97.07%	44.87%	1.53%	45.93%	3.50%	1.70%	83.18%	5.25%	3.77%	6.50%	2.46%
<b>Education</b>	Less Than 12 Years	91.30%	5.57%	1.56%	81.22%	1.22%	3.83%	77.91%	7.48%	3.83%	2.96%	2.44%
	12 Years	94.38%	20.06%	1.52%	68.09%	2.73%	3.19%	86.78%	5.93%	0.46%	2.58%	1.67%
	Greater Than 12 Years	97.72%	67.96%	1.39%	25.91%	4.19%	0.68%	86.04%	3.98%	2.67%	5.28%	1.74%
	Lower 95% CI	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
<b>Total</b>	Yes	95.04%	40.89%	1.22%	48.07%	2.81%	1.74%	83.71%	4.79%	2.06%	3.79%	1.61%
<b>Age</b>	Under 20 Years	97.00%	2.93%	1.87%	83.56%	1.53%	3.65%	90.79%	2.93%	0.55%	1.87%	1.87%
	20-24 Years	90.97%	12.56%	0.61%	73.25%	3.56%	1.10%	80.16%	6.31%	2.28%	2.54%	0.32%
	25-34 Years	95.87%	52.03%	0.89%	37.13%	2.39%	1.21%	83.75%	3.57%	1.79%	4.56%	1.85%
	Over 34 Years	94.68%	65.32%	1.55%	21.32%	1.96%	1.74%	80.32%	5.63%	1.96%	1.86%	1.03%
<b>Ethnicity</b>	White Non-Hispanic	94.98%	53.40%	1.40%	34.53%	4.17%	0.56%	85.83%	2.52%	2.56%	4.23%	1.02%
	Black Non-Hispanic	95.10%	26.36%	0.00%	63.33%	0.28%	1.53%	84.17%	5.90%	0.00%	2.06%	1.43%
	Hispanic	92.42%	8.98%	1.60%	77.52%	0.02%	6.22%	75.08%	5.96%	2.56%	0.37%	0.58%
<b>Married</b>	Married	94.95%	64.72%	1.23%	22.31%	4.39%	1.14%	83.19%	3.43%	2.50%	5.32%	2.18%
	Not Married	94.78%	12.39%	1.01%	78.14%	0.72%	2.20%	83.69%	6.03%	1.29%	1.69%	0.72%
<b>Previous Live Birth</b>	Yes	93.65%	38.38%	1.10%	50.04%	2.46%	1.85%	84.40%	4.64%	1.02%	2.08%	1.13%
	No	96.58%	43.41%	1.17%	44.47%	2.96%	1.32%	82.08%	4.60%	3.21%	5.78%	2.01%
<b>Education</b>	Less Than 12 Years	90.16%	4.63%	1.06%	79.63%	0.77%	3.05%	76.23%	6.41%	3.05%	2.27%	1.81%
	12 Years	93.50%	18.54%	1.06%	66.32%	2.12%	2.52%	85.49%	5.03%	0.20%	1.98%	1.19%
	Greater Than 12 Years	97.33%	66.73%	1.08%	24.75%	3.66%	0.46%	85.13%	3.46%	2.24%	4.69%	1.39%
	Upper 95% CI	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
<b>Total</b>	Yes	95.83%	42.77%	1.68%	49.98%	3.48%	2.27%	85.09%	5.64%	2.64%	4.55%	2.12%
<b>Age</b>	Under 20 Years	98.81%	5.45%	4.00%	87.96%	3.50%	6.40%	94.12%	5.45%	1.96%	4.00%	4.00%
	20-24 Years	93.14%	15.33%	1.42%	76.72%	5.20%	2.11%	83.25%	8.40%	3.63%	3.96%	0.96%
	25-34 Years	96.84%	54.61%	1.45%	39.64%	3.24%	1.84%	85.61%	4.59%	2.54%	5.70%	2.61%
	Over 34 Years	96.78%	70.18%	3.12%	25.73%	3.68%	3.38%	84.29%	8.28%	3.68%	3.54%	2.38%
<b>Ethnicity</b>	White Non-Hispanic	96.04%	55.93%	2.07%	36.97%	5.25%	1.01%	87.56%	3.38%	3.42%	5.32%	1.60%
	Black Non-Hispanic	96.61%	29.75%	0.00%	66.93%	0.85%	2.61%	86.83%	7.81%	0.00%	3.28%	2.48%
	Hispanic	94.94%	12.16%	3.17%	81.68%	0.45%	8.96%	79.41%	8.65%	4.46%	1.32%	1.67%
<b>Married</b>	Married	96.03%	67.17%	1.87%	24.51%	5.52%	1.76%	85.09%	4.44%	3.38%	6.55%	3.00%
	Not Married	95.97%	14.31%	1.66%	80.42%	1.28%	3.11%	85.72%	7.44%	2.01%	2.50%	1.29%
<b>Previous Live Birth</b>	Yes	94.82%	40.84%	1.69%	52.55%	3.30%	2.60%	86.18%	5.75%	1.59%	2.86%	1.72%
	No	97.57%	46.33%	1.90%	47.39%	4.04%	2.08%	84.28%	5.90%	4.33%	7.22%	2.92%
<b>Education</b>	Less Than 12 Years	92.45%	6.50%	2.07%	82.81%	1.66%	4.60%	79.60%	8.55%	4.60%	3.64%	3.06%
	12 Years	95.25%	21.58%	1.98%	69.86%	3.35%	3.86%	88.06%	6.82%	0.71%	3.19%	2.16%
	Greater Than 12 Years	98.11%	69.19%	1.70%	27.06%	4.72%	0.90%	86.96%	4.49%	3.09%	5.87%	2.08%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q60E-Q65												
	Percent Response Yes	Q60E	Q60F	Q60G	Q61A	Q61B	Q61C	Q63	Q64A	Q64B	Q64C	Q65
<b>Total</b>	Yes	0.74%	0.98%	0.28%	9.96%	5.62%	14.75%	11.77%	9.98%	0.62%	0.36%	69.76%
<b>Age</b>	Under 20 Years	0.42%	0.00%	0.42%	14.66%	1.26%	6.70%	7.12%	5.44%	1.68%	1.26%	40.94%
	20-24 Years	0.68%	2.28%	1.06%	10.52%	8.41%	13.26%	9.98%	8.88%	0.00%	0.17%	60.06%
	25-34 Years	0.73%	0.84%	0.00%	9.35%	5.04%	14.77%	12.12%	11.01%	0.51%	0.38%	76.09%
	Over 34 Years	1.07%	0.00%	0.00%	8.31%	6.25%	22.68%	16.53%	10.72%	1.41%	0.00%	80.01%
<b>Ethnicity</b>	White Non-Hispanic	0.34%	0.07%	0.00%	10.27%	6.14%	17.14%	12.18%	10.70%	0.76%	0.17%	75.89%
	Black Non-Hispanic	0.87%	0.60%	0.27%	10.55%	5.84%	12.85%	12.84%	9.53%	0.75%	1.05%	50.79%
	Hispanic	1.69%	5.76%	1.54%	7.79%	3.65%	8.77%	8.64%	7.79%	0.00%	0.00%	78.22%
<b>Married</b>	Married	0.79%	0.18%	0.18%	8.12%	5.03%	16.75%	13.83%	12.06%	0.53%	0.18%	83.21%
	Not Married	0.67%	1.92%	0.40%	12.14%	6.32%	12.39%	9.34%	7.52%	0.73%	0.59%	53.88%
<b>Previous Live Birth</b>	Yes	0.79%	1.26%	0.25%	10.67%	7.20%	14.85%	12.15%	10.16%	0.60%	0.43%	69.70%
	No	0.66%	0.59%	0.32%	8.99%	3.47%	14.62%	11.25%	9.73%	0.66%	0.27%	69.85%
<b>Education</b>	Less Than 12 Years	1.22%	3.48%	0.70%	11.83%	5.57%	12.00%	10.61%	8.52%	0.70%	0.70%	68.17%
	12 Years	0.15%	0.00%	0.00%	13.68%	8.82%	14.14%	10.79%	8.82%	0.61%	0.46%	52.28%
	Greater Than 12 Years	0.82%	0.40%	0.24%	7.19%	4.09%	16.01%	12.64%	11.05%	0.60%	0.18%	78.64%
	<b>Lower 95% CI</b>	<b>Q60E</b>	<b>Q60F</b>	<b>Q60G</b>	<b>Q61A</b>	<b>Q61B</b>	<b>Q61C</b>	<b>Q63</b>	<b>Q64A</b>	<b>Q64B</b>	<b>Q64C</b>	<b>Q65</b>
<b>Total</b>	Yes	0.57%	0.79%	0.18%	9.39%	5.19%	14.08%	11.15%	9.41%	0.47%	0.25%	68.03%
<b>Age</b>	Under 20 Years	0.01%	0.00%	0.01%	12.43%	0.55%	5.12%	5.50%	4.01%	0.87%	0.55%	35.86%
	20-24 Years	0.35%	1.68%	0.65%	9.30%	7.30%	11.90%	8.78%	7.74%	0.00%	0.00%	56.42%
	25-34 Years	0.51%	0.61%	0.00%	8.60%	4.48%	13.85%	11.27%	10.20%	0.32%	0.22%	73.78%
	Over 34 Years	0.54%	0.00%	0.00%	6.88%	4.99%	20.50%	14.60%	9.11%	0.80%	0.00%	75.36%
<b>Ethnicity</b>	White Non-Hispanic	0.19%	0.00%	0.00%	9.50%	5.53%	16.18%	11.34%	9.91%	0.54%	0.06%	73.63%
	Black Non-Hispanic	0.52%	0.31%	0.07%	9.39%	4.96%	11.59%	11.57%	8.42%	0.43%	0.67%	47.52%
	Hispanic	1.02%	4.55%	0.90%	6.41%	2.68%	7.31%	7.19%	6.41%	0.00%	0.00%	73.34%
<b>Married</b>	Married	0.56%	0.07%	0.07%	7.41%	4.47%	15.78%	12.93%	11.22%	0.34%	0.07%	80.96%
	Not Married	0.44%	1.54%	0.22%	11.22%	5.64%	11.46%	8.52%	6.77%	0.49%	0.37%	51.39%
<b>Previous Live Birth</b>	Yes	0.57%	0.98%	0.12%	9.90%	6.55%	13.96%	11.33%	9.40%	0.40%	0.27%	67.39%
	No	0.42%	0.36%	0.15%	8.15%	2.93%	13.58%	10.32%	8.86%	0.42%	0.12%	67.25%
<b>Education</b>	Less Than 12 Years	0.77%	2.73%	0.36%	10.51%	4.63%	10.68%	9.36%	7.39%	0.36%	0.36%	64.36%
	12 Years	0.00%	0.00%	0.00%	12.38%	7.74%	12.81%	9.61%	7.74%	0.31%	0.20%	49.05%
	Greater Than 12 Years	0.59%	0.24%	0.11%	6.51%	3.57%	15.04%	11.76%	10.22%	0.40%	0.07%	76.29%
	<b>Upper 95% CI</b>	<b>Q60E</b>	<b>Q60F</b>	<b>Q60G</b>	<b>Q61A</b>	<b>Q61B</b>	<b>Q61C</b>	<b>Q63</b>	<b>Q64A</b>	<b>Q64B</b>	<b>Q64C</b>	<b>Q65</b>
<b>Total</b>	Yes	0.90%	1.17%	0.38%	10.53%	6.06%	15.43%	12.38%	10.55%	0.77%	0.48%	71.49%
<b>Age</b>	Under 20 Years	0.83%	0.00%	0.83%	16.89%	1.96%	8.28%	8.74%	6.88%	2.49%	1.96%	46.03%
	20-24 Years	1.00%	2.88%	1.46%	11.75%	9.53%	14.62%	11.18%	10.02%	0.00%	0.33%	63.70%
	25-34 Years	0.95%	1.08%	0.00%	10.10%	5.61%	15.68%	12.96%	11.82%	0.69%	0.54%	78.39%
	Over 34 Years	1.61%	0.00%	0.00%	9.75%	7.51%	24.86%	18.46%	12.32%	2.02%	0.00%	84.67%
<b>Ethnicity</b>	White Non-Hispanic	0.49%	0.14%	0.00%	11.04%	6.75%	18.10%	13.01%	11.48%	0.99%	0.27%	78.16%
	Black Non-Hispanic	1.22%	0.89%	0.46%	11.71%	6.73%	14.12%	14.10%	10.64%	1.08%	1.44%	54.06%
	Hispanic	2.35%	6.96%	2.18%	9.18%	4.62%	10.23%	10.09%	9.18%	0.00%	0.00%	83.10%
<b>Married</b>	Married	1.02%	0.28%	0.28%	8.83%	5.60%	17.72%	14.72%	12.91%	0.71%	0.28%	85.46%
	Not Married	0.90%	2.31%	0.58%	13.06%	7.01%	13.32%	10.16%	8.26%	0.97%	0.80%	56.37%
<b>Previous Live Birth</b>	Yes	1.02%	1.54%	0.38%	11.45%	7.85%	15.75%	12.97%	10.92%	0.79%	0.60%	72.00%
	No	0.89%	0.81%	0.48%	9.83%	4.01%	15.65%	12.18%	10.60%	0.89%	0.42%	72.45%
<b>Education</b>	Less Than 12 Years	1.66%	4.22%	1.03%	13.14%	6.50%	13.32%	11.86%	9.66%	1.03%	1.03%	71.98%
	12 Years	0.30%	0.00%	0.00%	14.99%	9.89%	15.46%	11.97%	9.89%	0.90%	0.71%	55.51%
	Greater Than 12 Years	1.06%	0.57%	0.37%	7.87%	4.62%	16.98%	13.52%	11.88%	0.81%	0.30%	80.99%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q66A-Q68H												
	Percent Response Yes	Q66A	Q66B	Q67	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H
<b>Total</b>	Yes	94.80%	95.61%	30.97%	0.72%	0.88%	2.34%	0.34%	0.23%	0.12%	10.62%	2.53%
<b>Age</b>	Under 20 Years	98.32%	94.56%	55.18%	1.26%	2.51%	8.80%	1.68%	1.26%	0.00%	12.98%	1.68%
	20-24 Years	91.34%	91.63%	34.79%	1.65%	1.14%	3.89%	0.64%	0.00%	0.51%	10.60%	3.17%
	25-34 Years	95.56%	97.51%	27.08%	0.21%	0.33%	0.97%	0.07%	0.21%	0.00%	10.41%	2.77%
	Over 34 Years	95.17%	95.32%	23.91%	0.85%	1.56%	0.92%	0.00%	0.00%	0.00%	9.93%	1.07%
<b>Ethnicity</b>	White Non-Hispanic	95.63%	97.56%	26.74%	0.61%	1.06%	1.19%	0.48%	0.20%	0.00%	10.78%	1.65%
	Black Non-Hispanic	92.36%	91.87%	44.39%	0.57%	1.02%	4.18%	0.27%	0.00%	0.00%	14.72%	5.46%
	Hispanic	94.38%	93.26%	25.13%	0.84%	0.21%	4.22%	0.00%	0.84%	0.84%	3.77%	1.54%
<b>Married</b>	Married	95.83%	97.15%	25.29%	0.21%	0.23%	0.78%	0.00%	0.21%	0.21%	10.92%	1.94%
	Not Married	93.60%	93.79%	37.68%	1.32%	1.65%	4.18%	0.73%	0.25%	0.00%	10.27%	3.22%
<b>Previous Live Birth</b>	Yes	93.26%	94.54%	28.64%	0.85%	0.68%	1.83%	0.12%	0.00%	0.20%	9.32%	2.96%
	No	96.92%	97.07%	34.16%	0.54%	1.16%	3.04%	0.64%	0.54%	0.00%	12.40%	1.95%
<b>Education</b>	Less Than 12 Years	91.83%	92.87%	29.39%	0.52%	0.52%	4.70%	0.35%	0.52%	0.00%	2.78%	1.74%
	12 Years	92.40%	93.31%	37.84%	1.82%	1.06%	3.65%	0.46%	0.46%	0.46%	12.31%	1.98%
	Greater Than 12 Years	97.24%	97.90%	28.51%	0.28%	0.96%	0.74%	0.28%	0.00%	0.00%	13.24%	3.16%
	<b>Lower 95% CI</b>	<b>Q66A</b>	<b>Q66B</b>	<b>Q67</b>	<b>Q68A</b>	<b>Q68B</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>	<b>Q68H</b>
<b>Total</b>	Yes	94.38%	95.22%	30.09%	0.56%	0.70%	2.05%	0.23%	0.14%	0.05%	10.04%	2.23%
<b>Age</b>	Under 20 Years	97.51%	93.12%	52.05%	0.55%	1.53%	7.01%	0.87%	0.55%	0.00%	10.87%	0.87%
	20-24 Years	90.21%	90.52%	32.88%	1.14%	0.72%	3.11%	0.32%	0.00%	0.22%	9.37%	2.47%
	25-34 Years	95.03%	97.11%	25.93%	0.09%	0.19%	0.71%	0.00%	0.09%	0.00%	9.62%	2.34%
	Over 34 Years	94.06%	94.22%	21.69%	0.38%	0.92%	0.43%	0.00%	0.00%	0.00%	8.37%	0.54%
<b>Ethnicity</b>	White Non-Hispanic	95.11%	97.17%	25.61%	0.42%	0.80%	0.92%	0.30%	0.09%	0.00%	9.99%	1.33%
	Black Non-Hispanic	91.36%	90.84%	42.51%	0.28%	0.64%	3.42%	0.07%	0.00%	0.00%	13.38%	4.60%
	Hispanic	93.19%	91.96%	22.89%	0.37%	0.02%	3.18%	0.00%	0.37%	0.37%	2.78%	0.90%
<b>Married</b>	Married	95.31%	96.72%	24.17%	0.09%	0.11%	0.55%	0.00%	0.09%	0.09%	10.11%	1.59%
	Not Married	92.91%	93.10%	36.32%	1.00%	1.29%	3.62%	0.49%	0.11%	0.00%	9.42%	2.73%
<b>Previous Live Birth</b>	Yes	92.63%	93.97%	27.51%	0.62%	0.47%	1.49%	0.03%	0.00%	0.09%	8.59%	2.53%
	No	96.41%	96.58%	32.77%	0.33%	0.84%	2.54%	0.40%	0.33%	0.00%	11.44%	1.54%
<b>Education</b>	Less Than 12 Years	90.71%	91.83%	27.54%	0.23%	0.23%	3.84%	0.11%	0.23%	0.00%	2.12%	1.21%
	12 Years	91.39%	92.36%	36.00%	1.32%	0.67%	2.94%	0.20%	0.20%	0.20%	11.06%	1.45%
	Greater Than 12 Years	96.81%	97.53%	27.32%	0.14%	0.70%	0.51%	0.14%	0.00%	0.00%	12.35%	2.70%
	<b>Upper 95% CI</b>	<b>Q66A</b>	<b>Q66B</b>	<b>Q67</b>	<b>Q68A</b>	<b>Q68B</b>	<b>Q68C</b>	<b>Q68D</b>	<b>Q68E</b>	<b>Q68F</b>	<b>Q68G</b>	<b>Q68H</b>
<b>Total</b>	Yes	95.23%	96.00%	31.86%	0.88%	1.06%	2.63%	0.45%	0.32%	0.18%	11.21%	2.83%
<b>Age</b>	Under 20 Years	99.13%	95.99%	58.32%	1.96%	3.50%	10.58%	2.49%	1.96%	0.00%	15.10%	2.49%
	20-24 Years	92.46%	92.74%	36.70%	2.16%	1.57%	4.66%	0.95%	0.00%	0.79%	11.84%	3.87%
	25-34 Years	96.09%	97.91%	28.22%	0.33%	0.48%	1.22%	0.14%	0.33%	0.00%	11.20%	3.19%
	Over 34 Years	96.29%	96.42%	26.13%	1.33%	2.20%	1.42%	0.00%	0.00%	0.00%	11.48%	1.61%
<b>Ethnicity</b>	White Non-Hispanic	96.15%	97.95%	27.86%	0.81%	1.32%	1.47%	0.65%	0.32%	0.00%	11.57%	1.98%
	Black Non-Hispanic	93.36%	92.90%	46.26%	0.85%	1.40%	4.94%	0.46%	0.00%	0.00%	16.06%	6.32%
	Hispanic	95.57%	94.55%	27.37%	1.32%	0.45%	5.25%	0.00%	1.32%	1.32%	4.75%	2.18%
<b>Married</b>	Married	96.34%	97.58%	26.42%	0.33%	0.35%	1.01%	0.00%	0.33%	0.33%	11.73%	2.30%
	Not Married	94.29%	94.47%	39.05%	1.64%	2.01%	4.75%	0.97%	0.39%	0.00%	11.13%	3.72%
<b>Previous Live Birth</b>	Yes	93.89%	95.11%	29.78%	1.08%	0.89%	2.16%	0.20%	0.00%	0.31%	10.05%	3.38%
	No	97.42%	97.57%	35.55%	0.76%	1.47%	3.55%	0.87%	0.76%	0.00%	13.37%	2.35%
<b>Education</b>	Less Than 12 Years	92.94%	93.92%	31.25%	0.81%	0.81%	5.56%	0.59%	0.81%	0.00%	3.45%	2.27%
	12 Years	93.41%	94.26%	39.68%	2.33%	1.45%	4.36%	0.71%	0.71%	0.71%	13.56%	2.50%
	Greater Than 12 Years	97.68%	98.28%	29.71%	0.42%	1.21%	0.96%	0.42%	0.00%	0.00%	14.14%	3.62%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q68I-Q71A												
	Percent Response Yes	Q68I	Q68J	Q68K	Q69A	Q69B	Q69C	Q70A	Q70B	Q70C	Q70D	Q71A
<b>Total</b>	Yes	0.77%	6.50%	14.08%	18.84%	37.92%	39.85%	24.13%	18.43%	16.14%	7.75%	48.07%
<b>Age</b>	Under 20 Years	2.51%	15.08%	25.87%	17.17%	35.60%	50.26%	24.71%	22.62%	36.86%	11.73%	84.92%
	20-24 Years	0.51%	9.26%	15.69%	20.68%	23.05%	31.97%	22.88%	16.60%	18.44%	7.74%	73.43%
	25-34 Years	0.56%	4.55%	12.60%	19.99%	41.76%	39.73%	25.23%	18.73%	12.02%	7.72%	37.32%
	Over 34 Years	0.85%	3.97%	9.37%	12.21%	48.94%	46.56%	21.35%	17.45%	14.86%	5.18%	23.97%
<b>Ethnicity</b>	White Non-Hispanic	0.20%	4.30%	13.60%	16.77%	45.04%	41.27%	24.51%	16.68%	10.57%	6.55%	33.14%
	Black Non-Hispanic	2.11%	10.54%	19.47%	24.59%	30.64%	38.05%	20.97%	20.22%	27.61%	9.27%	69.20%
	Hispanic	0.00%	7.03%	8.29%	16.29%	21.42%	36.87%	28.66%	23.46%	19.04%	12.50%	73.85%
<b>Married</b>	Married	0.42%	5.12%	10.85%	14.97%	48.43%	43.64%	26.79%	19.31%	8.71%	6.49%	22.64%
	Not Married	1.17%	8.14%	17.89%	23.40%	25.51%	35.38%	20.98%	17.39%	24.91%	9.23%	78.11%
<b>Previous Live Birth</b>	Yes	0.66%	5.65%	13.21%	20.60%	36.30%	36.79%	9.64%	8.85%	11.58%	7.97%	49.73%
	No	0.91%	7.66%	15.26%	16.43%	40.12%	44.03%	43.90%	31.50%	22.36%	7.45%	45.82%
<b>Education</b>	Less Than 12 Years	1.04%	8.17%	14.61%	24.18%	25.04%	38.26%	20.69%	19.30%	25.22%	12.17%	78.44%
	12 Years	1.67%	7.90%	19.91%	22.50%	25.68%	31.46%	18.69%	15.05%	21.43%	9.42%	70.98%
	Greater Than 12 Years	0.22%	5.12%	11.11%	14.94%	49.49%	44.81%	28.26%	19.46%	9.91%	5.15%	23.93%
	<b>Lower 95% CI</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q69A</b>	<b>Q69B</b>	<b>Q69C</b>	<b>Q70A</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q71A</b>
<b>Total</b>	Yes	0.60%	6.03%	13.41%	18.09%	36.99%	38.92%	23.31%	17.69%	15.44%	7.24%	47.12%
<b>Age</b>	Under 20 Years	1.53%	12.82%	23.10%	14.80%	32.58%	47.10%	21.99%	19.98%	33.82%	9.70%	82.67%
	20-24 Years	0.22%	8.10%	14.23%	19.05%	21.36%	30.10%	21.20%	15.11%	16.89%	6.67%	71.66%
	25-34 Years	0.37%	4.01%	11.74%	18.96%	40.49%	38.46%	24.11%	17.72%	11.19%	7.03%	36.07%
	Over 34 Years	0.38%	2.96%	7.86%	10.50%	46.35%	43.96%	19.22%	15.48%	13.01%	4.03%	21.75%
<b>Ethnicity</b>	White Non-Hispanic	0.09%	3.79%	12.73%	15.82%	43.77%	40.02%	23.41%	15.73%	9.79%	5.92%	31.95%
	Black Non-Hispanic	1.56%	9.38%	17.97%	22.96%	28.90%	36.21%	19.43%	18.70%	25.92%	8.17%	67.45%
	Hispanic	0.00%	5.71%	6.86%	14.39%	19.30%	34.37%	26.32%	21.27%	17.01%	10.79%	71.58%
<b>Married</b>	Married	0.26%	4.55%	10.04%	14.05%	47.13%	42.35%	25.64%	18.29%	7.98%	5.85%	21.55%
	Not Married	0.87%	7.37%	16.81%	22.21%	24.28%	34.03%	19.83%	16.32%	23.69%	8.42%	76.95%
<b>Previous Live Birth</b>	Yes	0.46%	5.07%	12.36%	19.59%	35.10%	35.57%	8.90%	8.14%	10.78%	7.29%	48.47%
	No	0.63%	6.88%	14.21%	15.34%	38.69%	42.58%	42.44%	30.13%	21.13%	6.68%	44.36%
<b>Education</b>	Less Than 12 Years	0.63%	7.06%	13.18%	22.44%	23.28%	36.29%	19.05%	17.70%	23.46%	10.85%	76.77%
	12 Years	1.19%	6.88%	18.39%	20.91%	24.02%	29.69%	17.21%	13.69%	19.87%	8.32%	69.25%
	Greater Than 12 Years	0.10%	4.53%	10.28%	14.00%	48.17%	43.49%	27.07%	18.41%	9.12%	4.57%	22.81%
	<b>Upper 95% CI</b>	<b>Q68I</b>	<b>Q68J</b>	<b>Q68K</b>	<b>Q69A</b>	<b>Q69B</b>	<b>Q69C</b>	<b>Q70A</b>	<b>Q70B</b>	<b>Q70C</b>	<b>Q70D</b>	<b>Q71A</b>
<b>Total</b>	Yes	0.93%	6.97%	14.74%	19.58%	38.84%	40.79%	24.94%	19.17%	16.84%	8.26%	49.03%
<b>Age</b>	Under 20 Years	3.50%	17.33%	28.63%	19.55%	38.62%	53.41%	27.43%	25.26%	39.90%	13.76%	87.18%
	20-24 Years	0.79%	10.42%	17.14%	22.30%	24.73%	33.84%	24.57%	18.09%	20.00%	8.81%	75.20%
	25-34 Years	0.75%	5.08%	13.45%	21.02%	43.03%	40.99%	26.35%	19.74%	12.86%	8.41%	38.57%
	Over 34 Years	1.33%	4.99%	10.89%	13.91%	51.54%	49.15%	23.48%	19.43%	16.71%	6.33%	26.19%
<b>Ethnicity</b>	White Non-Hispanic	0.32%	4.82%	14.48%	17.72%	46.31%	42.53%	25.60%	17.63%	11.36%	7.18%	34.34%
	Black Non-Hispanic	2.65%	11.70%	20.96%	26.21%	32.38%	39.88%	22.51%	21.74%	29.30%	10.36%	70.94%
	Hispanic	0.00%	8.35%	9.71%	18.20%	23.54%	39.36%	30.99%	25.65%	21.06%	14.21%	76.12%
<b>Married</b>	Married	0.59%	5.69%	11.66%	15.90%	49.72%	44.92%	27.94%	20.34%	9.45%	7.13%	23.72%
	Not Married	1.47%	8.91%	18.97%	24.59%	26.74%	36.73%	22.13%	18.45%	26.13%	10.05%	79.28%
<b>Previous Live Birth</b>	Yes	0.87%	6.23%	14.06%	21.62%	37.51%	38.00%	10.38%	9.57%	12.39%	8.65%	50.98%
	No	1.19%	8.44%	16.32%	17.52%	41.56%	45.49%	45.36%	32.86%	23.58%	8.22%	47.28%
<b>Education</b>	Less Than 12 Years	1.46%	9.29%	16.05%	25.9Q1%	26.80%	40.24%	22.34%	20.91%	26.99%	13.50%	80.11%
	12 Years	2.16%	8.93%	21.43%	24.08%	27.34%	33.22%	20.17%	16.40%	22.99%	10.53%	72.70%
	Greater Than 12 Years	0.34%	5.70%	11.94%	15.88%	50.81%	46.12%	29.45%	20.51%	10.70%	5.74%	25.06%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q71B-Q75B												
	Percent Response Yes	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
<b>Total</b>	Yes	6.74%	2.67%	1.88%	74.70%	80.71%	84.21%	82.14%	23.97%	6.09%	16.48%	5.98%
<b>Age</b>	Under 20 Years	10.05%	2.52%	5.86%	71.10%	82.83%	86.60%	85.34%	43.47%	6.28%	32.25%	0.00%
	20-24 Years	5.49%	4.32%	1.10%	76.22%	80.82%	84.66%	83.61%	22.90%	5.20%	22.36%	3.46%
	25-34 Years	6.80%	2.09%	2.00%	74.56%	80.50%	83.81%	81.83%	21.18%	6.32%	12.80%	6.34%
	Over 34 Years	6.38%	2.35%	0.00%	75.15%	79.93%	83.48%	78.72%	23.82%	6.54%	10.80%	12.88%
<b>Ethnicity</b>	White Non-Hispanic	5.77%	2.32%	0.78%	81.45%	86.64%	89.13%	87.53%	21.97%	6.51%	15.55%	8.74%
	Black Non-Hispanic	8.55%	3.84%	3.39%	71.84%	79.78%	82.34%	82.82%	32.63%	4.90%	22.32%	2.52%
	Hispanic	9.69%	2.81%	4.22%	57.31%	63.84%	73.40%	64.70%	17.01%	8.72%	9.14%	2.24%
<b>Married</b>	Married	6.07%	1.40%	0.60%	80.17%	83.94%	86.49%	83.72%	18.69%	5.60%	11.29%	10.29%
	Not Married	7.53%	4.17%	3.39%	68.24%	76.88%	81.52%	80.27%	30.19%	6.68%	22.62%	0.90%
<b>Previous Live Birth</b>	Yes	6.82%	3.26%	2.08%	71.94%	76.50%	81.92%	79.07%	17.29%	7.04%	15.61%	6.57%
	No	6.63%	1.86%	1.61%	78.47%	86.44%	87.35%	86.33%	33.07%	4.80%	17.68%	5.19%
<b>Education</b>	Less Than 12 Years	9.39%	6.26%	4.52%	65.22%	72.17%	82.26%	74.44%	26.27%	10.26%	19.48%	2.78%
	12 Years	7.60%	2.74%	2.43%	66.26%	76.60%	81.00%	80.09%	28.89%	6.69%	22.04%	3.19%
	Greater Than 12 Years	5.06%	0.92%	0.52%	82.81%	86.09%	86.64%	86.19%	20.36%	4.11%	12.34%	8.76%
	Lower 95% CI	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
<b>Total</b>	Yes	6.26%	2.36%	1.62%	73.87%	79.95%	83.52%	81.41%	23.15%	5.64%	15.77%	5.53%
<b>Age</b>	Under 20 Years	8.16%	1.53%	4.38%	68.24%	80.45%	84.45%	83.11%	40.34%	4.75%	29.30%	0.00%
	20-24 Years	4.57%	3.50%	0.68%	74.51%	79.24%	83.22%	82.12%	21.22%	4.31%	20.70%	2.72%
	25-34 Years	6.15%	1.72%	1.64%	73.44%	79.47%	82.86%	80.84%	20.12%	5.70%	11.94%	5.71%
	Over 34 Years	5.11%	1.56%	0.00%	72.91%	77.85%	81.55%	76.59%	21.60%	5.25%	9.18%	11.13%
<b>Ethnicity</b>	White Non-Hispanic	5.17%	1.94%	0.56%	80.46%	85.77%	88.33%	86.69%	20.92%	5.88%	14.62%	8.02%
	Black Non-Hispanic	7.49%	3.12%	2.71%	70.14%	78.26%	80.90%	81.40%	30.86%	4.09%	20.75%	1.93%
	Hispanic	8.16%	1.96%	3.18%	54.75%	61.36%	71.12%	62.23%	15.06%	7.26%	7.65%	1.47%
<b>Married</b>	Married	5.45%	1.09%	0.40%	79.13%	82.99%	85.61%	82.76%	17.68%	5.00%	10.47%	9.50%
	Not Married	6.79%	3.61%	2.88%	66.93%	75.69%	80.43%	79.15%	28.90%	5.98%	21.44%	0.63%
<b>Previous Live Birth</b>	Yes	6.19%	2.81%	1.72%	70.81%	75.44%	80.95%	78.05%	16.34%	6.40%	14.70%	5.94%
	No	5.90%	1.47%	1.24%	77.26%	85.44%	86.37%	85.32%	31.69%	4.17%	16.56%	4.54%
<b>Education</b>	Less Than 12 Years	8.21%	5.28%	3.68%	63.28%	70.35%	80.71%	72.66%	24.48%	9.03%	17.87%	2.11%
	12 Years	6.59%	2.12%	1.85%	64.46%	74.99%	79.51%	78.57%	27.16%	5.74%	20.46%	2.52%
	Greater Than 12 Years	4.48%	0.67%	0.33%	81.81%	85.18%	85.74%	85.28%	19.29%	3.59%	11.47%	8.01%
	Upper 95% CI	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
<b>Total</b>	Yes	7.22%	2.98%	2.14%	75.53%	81.46%	84.91%	82.87%	24.78%	6.55%	17.19%	6.44%
<b>Age</b>	Under 20 Years	11.95%	3.50%	7.35%	73.96%	85.20%	88.74%	87.57%	46.59%	7.81%	35.19%	0.00%
	20-24 Years	6.40%	5.13%	1.51%	77.92%	82.40%	86.10%	85.09%	24.59%	6.09%	24.03%	4.19%
	25-34 Years	7.45%	2.46%	2.36%	75.68%	81.52%	84.76%	82.83%	22.23%	6.95%	13.67%	6.96%
	Over 34 Years	7.65%	3.13%	0.00%	77.40%	82.01%	85.41%	80.85%	26.03%	7.82%	12.41%	14.62%
<b>Ethnicity</b>	White Non-Hispanic	6.36%	2.71%	1.01%	82.44%	87.50%	89.92%	88.37%	23.03%	7.14%	16.47%	9.46%
	Black Non-Hispanic	9.61%	4.57%	4.07%	73.54%	81.30%	83.78%	84.25%	34.40%	5.72%	23.90%	3.12%
	Hispanic	11.22%	3.66%	5.25%	59.86%	66.32%	75.68%	67.17%	18.95%	10.17%	10.63%	3.00%
<b>Married</b>	Married	6.69%	1.70%	0.80%	81.20%	84.90%	87.38%	84.68%	19.70%	6.20%	12.11%	11.07%
	Not Married	8.28%	4.73%	3.90%	69.55%	78.07%	82.62%	81.39%	31.49%	7.38%	23.80%	1.17%
<b>Previous Live Birth</b>	Yes	7.45%	3.70%	2.44%	73.07%	77.57%	82.88%	80.09%	18.24%	7.69%	16.52%	7.19%
	No	7.36%	2.26%	1.98%	79.67%	87.45%	88.32%	87.34%	34.45%	5.43%	18.80%	5.84%
<b>Education</b>	Less Than 12 Years	10.58%	7.25%	5.37%	67.15%	73.99%	83.81%	76.21%	28.06%	11.49%	21.09%	3.45%
	12 Years	8.61%	3.36%	3.02%	68.06%	78.20%	82.49%	81.61%	30.61%	7.64%	23.61%	3.86%
	Greater Than 12 Years	5.64%	1.17%	0.70%	83.81%	87.01%	87.54%	87.10%	21.42%	4.63%	13.21%	9.50%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2010 PRAMS: Q75C-Q75H							
	Percent Response Yes	Q75C	Q75D	Q75E	Q75F	Q75G	Q75H
<b>Total</b>	Yes	80.69%	39.04%	8.99%	9.18%	7.02%	4.51%
<b>Age</b>	Under 20 Years	63.14%	64.08%	14.24%	8.28%	10.05%	10.47%
	20-24 Years	76.88%	58.64%	12.81%	13.22%	8.87%	5.03%
	25-34 Years	83.29%	31.86%	8.12%	8.78%	5.99%	3.80%
	Over 34 Years	88.49%	18.14%	2.56%	4.61%	6.02%	2.41%
<b>Ethnicity</b>	White Non-Hispanic	86.86%	26.25%	5.48%	9.64%	6.90%	2.90%
	Black Non-Hispanic	73.42%	54.33%	18.11%	9.52%	9.56%	8.28%
	Hispanic	68.82%	66.32%	9.56%	6.59%	3.51%	3.09%
<b>Married</b>	Married	89.30%	18.14%	2.99%	8.69%	4.18%	3.15%
	Not Married	70.52%	63.72%	16.09%	9.75%	10.38%	6.11%
<b>Previous Live Birth</b>	Yes	76.90%	45.47%	12.06%	10.20%	9.94%	4.45%
	No	85.87%	30.26%	4.81%	7.79%	3.04%	4.58%
<b>Education</b>	Less Than 12 Years	63.48%	67.48%	17.22%	7.83%	5.91%	6.96%
	12 Years	72.79%	54.11%	14.29%	10.03%	9.57%	6.84%
	Greater Than 12 Years	91.95%	19.62%	2.98%	9.22%	6.11%	2.39%
	<b>Lower 95% CI</b>	<b>Q75C</b>	<b>Q75D</b>	<b>Q75E</b>	<b>Q75F</b>	<b>Q75G</b>	<b>Q75H</b>
<b>Total</b>	Yes	79.94%	38.11%	8.45%	8.63%	6.54%	4.11%
<b>Age</b>	Under 20 Years	60.10%	61.05%	12.04%	6.54%	8.16%	8.54%
	20-24 Years	75.19%	56.66%	11.47%	11.86%	7.73%	4.16%
	25-34 Years	82.33%	30.66%	7.41%	8.05%	5.38%	3.31%
	Over 34 Years	86.83%	16.14%	1.74%	3.52%	4.79%	1.62%
<b>Ethnicity</b>	White Non-Hispanic	86.00%	25.13%	4.90%	8.89%	6.26%	2.47%
	Black Non-Hispanic	71.75%	52.44%	16.65%	8.41%	8.45%	7.24%
	Hispanic	66.43%	63.88%	8.04%	5.31%	2.56%	2.20%
<b>Married</b>	Married	88.50%	17.14%	2.55%	7.96%	3.66%	2.69%
	Not Married	69.24%	62.36%	15.05%	8.92%	9.52%	5.43%
<b>Previous Live Birth</b>	Yes	75.84%	44.22%	11.24%	9.44%	9.19%	3.93%
	No	84.85%	28.91%	4.18%	7.00%	2.53%	3.97%
<b>Education</b>	Less Than 12 Years	61.52%	65.57%	15.68%	6.74%	4.95%	5.92%
	12 Years	71.10%	52.22%	12.96%	8.89%	8.46%	5.88%
	Greater Than 12 Years	91.24%	18.57%	2.53%	8.46%	5.48%	1.98%
	<b>Upper 95% CI</b>	<b>Q75C</b>	<b>Q75D</b>	<b>Q75E</b>	<b>Q75F</b>	<b>Q75G</b>	<b>Q75H</b>
<b>Total</b>	Yes	81.44%	39.97%	9.54%	9.73%	7.51%	4.90%
<b>Age</b>	Under 20 Years	66.18%	67.10%	16.44%	10.01%	11.95%	12.40%
	20-24 Years	78.57%	60.61%	14.15%	14.58%	10.01%	5.91%
	25-34 Years	84.26%	33.06%	8.82%	9.51%	6.61%	4.30%
	Over 34 Years	90.15%	20.14%	3.38%	5.70%	7.26%	3.21%
<b>Ethnicity</b>	White Non-Hispanic	87.72%	27.37%	6.06%	10.39%	7.55%	3.33%
	Black Non-Hispanic	75.09%	56.21%	19.56%	10.63%	10.67%	9.32%
	Hispanic	71.22%	68.76%	11.08%	7.87%	4.46%	3.99%
<b>Married</b>	Married	90.10%	19.14%	3.43%	9.43%	4.70%	3.60%
	Not Married	71.81%	65.07%	17.12%	10.59%	11.24%	6.78%
<b>Previous Live Birth</b>	Yes	77.96%	46.72%	12.88%	10.96%	10.70%	4.97%
	No	86.89%	31.61%	5.44%	8.58%	3.54%	5.20%
<b>Education</b>	Less Than 12 Years	65.43%	69.38%	18.75%	8.92%	6.87%	7.99%
	12 Years	74.49%	56.00%	15.62%	11.17%	10.69%	7.80%
	Greater Than 12 Years	92.67%	20.67%	3.43%	9.99%	6.75%	2.79%