

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

2012 Analysis

June 2016



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology



FORWARD CONSULTANTS

CONTACT INFORMATION

George Yocher

PRAMS Coordinator
Delaware Department of Health & Social Services, Division of Public Health
417 Federal Street, Jesse Cooper Building
Dover, DE 19901
302.744.4926 Office
302.739.6653 Fax
george.yocher@state.de.us

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants
431 West 37th Street, Suite 9E
New York, NY 10018
414.687.4676 Direct Line
608.338.0426 Fax
vikrum@forward-consultants.com

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2012 Analysis. June 3, 2016.”

TABLE OF CONTENTS

EXECUTIVE SUMMARY..... 15

INTRODUCTION 17

METHODS 17

Choosing & Retooling the Questions for Analysis..... 18

Choosing Demographic Categories for Analysis 19

Putting the Questions & Demographic Categories Together for Analysis 21

RESULTS..... 22

Pregnancy Intention & Becoming Pregnant..... 22

 Pregnancy Intention..... 22

 Becoming Pregnant 23

Prenatal Care..... 24

 Starting Prenatal Care..... 24

 Access to Prenatal Care..... 24

 During Prenatal Care Visits 25

Infant Care..... 25

 Breastfeeding 25

 SIDS Prevention 26

 Infant Survival..... 26

Alcohol & Tobacco Use..... 26

 Alcohol Use 26

 Tobacco Use 26

Health Care Utilization..... 27

 HIV Testing 27

 Flu Shots 27

 Childbirth Classes..... 27

 Dentist Visits..... 27

Health Status 28

 Before Becoming Pregnant..... 28

 During Most Recent Pregnancy..... 28

 Postpartum Depression..... 29

Health Coverage..... 29

 Before Becoming Pregnant..... 29

 Prenatal Care Payer 30

 During Most Recent Pregnancy..... 30

 During Delivery and Well-Baby Checkups 30

Social Support 31

DISCUSSION..... 31

GRAPHS 34

TABLES 137

TABLE OF FIGURES

BEFORE PREGNANCY

Q4: Before you got pregnant, did you have any other babies who were born alive?.....34

Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight?35

Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week?.....36

Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control?36

Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)37

Q7E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for high blood pressure?37

Q7F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for depression or anxiety?.....38

Q7G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history?38

Q7H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist?.....39

Q8A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband, partner, or parents?39

Q8B: During the month before you got pregnant with your new baby, were you covered by private health insurance purchased directly from an insurance company?40

Q8C: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)?40

Q8D: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)?41

Q8E: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program?41

Q8F: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care?42

Q8G: I did not have any health insurance during the month before I got pregnant.....42

Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week?.....43

Q10: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?..43

Q13A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later.....48

Q13B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.....49

Q13C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then.49

BEFORE PREGNANCY (Continued)

Q13D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future.....50

Q13E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant.....50

Q14A: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: less than 1 year.....51

Q14B: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 1 year to less than 2 years.....51

Q14C: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 2 years to less than 3 years.....52

Q14D: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 3 years to 5 years.....52

Q14E: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: more than 5 years.....53

Q15: When you got pregnant with your new baby, were you trying to get pregnant? ...53

Q16: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?54

Q17A: I didn't mind if I got pregnant is the reason for my not doing anything to keep from getting pregnant.....54

Q17B: I thought I could not get pregnant at that time is the reason for my not doing anything to keep from getting pregnant.....55

Q17C: I had side effects from the birth control method I was using is the reason for my not doing anything to keep from getting pregnant.....55

Q17D: I had problems getting birth control when I needed it is the reason for my not doing anything to keep from getting pregnant.....56

Q17E: I thought my husband or partner or I was sterile (could not get pregnant at all) is the reason for my not doing anything to keep from getting pregnant.....56

Q17F: My husband or partner didn't want to use anything is the reason for my not doing anything to keep from getting pregnant.....57

Q17G: I forgot to use a birth control method is the reason for my not doing anything to keep from getting pregnant.....57

Q18: Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby?58

HEALTH RISKS BEFORE PREGNANCY

Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?.....34

Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?35

Q11A: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes (not the same as gestational diabetes or diabetes that starts during pregnancy)?44

HEALTH RISKS BEFORE PREGNANCY (Continued)

Q11B: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had high blood pressure or hypertension?44

Q11C: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had depression?.....45

Q12A: During the 3 months before you got pregnant, did you have asthma?45

Q12B: During the 3 months before you got pregnant, did you have anemia (poor blood, low iron)?46

Q12C: During the 3 months before you got pregnant, did you have heart problems? ...46

Q12D: During the 3 months before you got pregnant, did you have epilepsy (seizures)?.....47

Q12E: During the 3 months before you got pregnant, did you have thyroid problems?.....47

Q12F: During the 3 months before you got pregnant, did you have anxiety?48

Q36: Have you smoked any cigarettes in the past 2 years?88

Q37: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?88

Q41: Have you had any alcoholic drinks in the past 2 years?90

Q42: During the 3 months before you got pregnant, did you have four or more drinks on average per week?.....91

Q45: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?99

Q68: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?.....120

Q69A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?121

Q69B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? .121

PRENATAL CARE

Q21: Did you get prenatal care as early in your pregnancy as you wanted?58

Q22A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.59

Q22B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.59

Q22C: I had no way to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.60

Q22D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.60

Q22E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.61

Q22F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.61

PRENATAL CARE (Continued)

Q22G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.....62

Q22H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 62

Q22I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.63

Q22J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 63

Q22K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.64

Q23A: During your most recent pregnancy, did private health insurance from your job or the job of your husband, partner, or parents help pay for your prenatal care? ..64

Q23B: During your most recent pregnancy, did private health insurance purchased directly from an insurance company help pay for your prenatal care?65

Q23C: During your most recent pregnancy, did Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) help pay for your prenatal care?65

Q23D: During your most recent pregnancy, did Delaware Healthy Children Program (DHCP/SCHIP) help pay for your prenatal care?66

Q23E: During your most recent pregnancy, did CHAP – Community Healthcare Access Program help pay for your prenatal care?66

Q23F: During your most recent pregnancy, did TRICARE or other military health care help pay for your prenatal care?67

Q23G: I did not have any health insurance to help pay for my prenatal care.67

Q24A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how much weight you should gain during your pregnancy?68

Q24B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby?68

Q24C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby?69

Q24D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? ..69

Q24E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy?.....70

Q24F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy?70

Q24G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby?71

Q24H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family?.....71

Q24I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor?72

Q24J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)?72

PRENATAL CARE (Continued)

Q24K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born?73

Q24L: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?.....73

Q25A: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time you had to wait after you arrived for your visits?.....74

Q25B: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time the doctor, nurse, or midwife spent with you during your visits?74

Q25C: During your most recent pregnancy, were you satisfied during your prenatal care with the advice you got on how to take care of yourself?75

Q25D: During your most recent pregnancy, were you satisfied during your prenatal care with the understanding and respect that the staff showed toward you as a person?.....75

Q71: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?123

HEALTH RISKS DURING PREGNANCY

Q30E: During your most recent pregnancy, did you need to see a dentist for a problem?.....80

Q30F: During your most recent pregnancy, did you go to a dentist or dental clinic about a problem?80

Q34: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes?82

Q35A: Did you have a problem with vaginal bleeding during your most recent pregnancy?.....83

Q35B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy?.....83

Q35C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy?.....84

Q35D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy?.....84

Q35E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy?.....85

Q35F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?.....85

Q35G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?.....86

Q35H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?86

Q35I: Did you have to have a blood transfusion during your most recent pregnancy?.....87

Q35J: Did you get hurt in a car accident during your most recent pregnancy?87

HEALTH RISKS DURING PREGNANCY (Continued)

Q38: In the last 3 months of your pregnancy, did you smoke 11 or more cigarettes on average each day?89

Q40: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? ..90

Q43: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?91

Q46: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?99

Q70A: Were you very unhappy or unhappy to be pregnant with your new baby when you found out you were pregnant with your new baby?122

Q70B: Were you very happy or happy to be pregnant with your new baby when you found out you were pregnant with your new baby?122

Q74A: During your most recent pregnancy, were you told that you had genital warts?.....124

Q74B: During your most recent pregnancy, were you told that you had herpes?125

Q74C: During your most recent pregnancy, were you told that you had chlamydia? ..125

Q74D: During your most recent pregnancy were you told that you had gonorrhea? ...126

Q74E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)?.....126

Q74F: During your most recent pregnancy, were you told that you had syphilis?.....127

Q74G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)?127

Q74H: During your most recent pregnancy, were you told that you had bacterial vaginosis?128

Q74I: During your most recent pregnancy, were you told that you had trichomoniasis?128

Q74J: During your most recent pregnancy, were you told that you had a yeast infection?.....129

Q74K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)?129

DELIVERY AND POSTPARTUM

Q49: After your baby was delivered, was he or she put in an intensive care unit (NICU)?100

Q50: After your baby was delivered, did he or she stay in the hospital for 3 or more days?100

Q51: Is your baby alive now?101

Q52: Is your baby living with you now?101

Q53: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?102

Q54: Are you currently breastfeeding or feeding pumped milk to your new baby?102

Q56: Do you most often lay your baby down on his or her back when he or she sleeps?103

Q57: Does your baby always or often sleep in the same bed/crib with you or anyone else?103

DELIVERY AND POSTPARTUM (Continued)

Q58: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?104

Q59: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby?104

Q63: Since your new baby was born, have you had a postpartum checkup for yourself?115

Q64: Since your new baby was born, have you always or often felt down, depressed, or hopeless?.....116

Q65: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things?116

Q66A: I have private health insurance from your job or the job of your husband, partner, or parents now as my health insurance.117

Q66B: I have private health insurance purchased directly from an insurance company now as my health insurance.....117

Q66C: I have Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) now as my health insurance.118

Q66D: I have Delaware Healthy Children Program (DHCP/SCHIP) now as my health insurance.118

Q66E: I have CHAP – Community Healthcare Access Program – now as my health insurance.119

Q66F: I have TRICARE or other military health care now as my health insurance....119

Q66G: I do not have health insurance now.120

Q39: Do you currently smoke 11 or more cigarettes on average each day?89

INTERCONCEPTION BEHAVIORS

Q60: Are you or your husband or partner doing anything now to keep from getting pregnant?105

Q61A: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.105

Q61B: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.106

Q61C: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.106

Q61D: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.107

Q61E: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.107

Q61F: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.108

Q61G: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.108

Q61H: My husband or partner had a vasectomy is why I or my husband or partner are not doing anything to keep me from getting pregnant now.109

Q61I: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.109

INTERCONCEPTION BEHAVIORS (Continued)

Q62A: Having my tubes tied or blocked (female sterilization, Essure®, Adiana®) is what is keeping me from getting pregnant now.110

Q62B: A vasectomy (male sterilization) is what is keeping my husband or partner from my getting pregnant now.110

Q62C: The birth control pill is what is keeping me from getting pregnant now.111

Q62D: Condoms are what is keeping my husband or partner from my getting pregnant now.111

Q62E: Injection (Depo-Provera®) is what is keeping me from getting pregnant now.112

Q62F: Contraceptive implant (Implanon®) is what is keeping me from getting pregnant now.112

Q62G: Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is what is keeping me from getting pregnant now.113

Q62H: IUD (including Mirena® or ParaGard®) is what is keeping me from getting pregnant now.113

Q62I: Natural family planning (including rhythm method) is what is keeping me from getting pregnant now.114

Q62J: Withdrawal (pulling out) is what is keeping me from getting pregnant now.114

Q62K: Not having sex (abstinence) is what is keeping me from getting pregnant now.115

HEALTH PROMOTING BEHAVIORS

Q26: At any time during your most recent pregnancy or delivery, did you have a test for HIV?76

Q27: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?76

Q28A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy?.....77

Q28B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy?.....77

Q30A: During your most recent pregnancy, did you know it was important to care for your teeth and gums during your pregnancy?.....78

Q30B: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums?.....78

Q30C: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?79

Q31: During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery?81

Q32: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby?81

Q72: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day?123

Q73: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day?124

Q75B: During your most recent pregnancy, were you receiving counseling information for family and personal problems?.....130

HEALTH PROMOTING BEHAVIORS (Continued)

Q75C: During your most recent pregnancy, were you receiving help to quit smoking?.....131
Q75D: During your most recent pregnancy, were you receiving help to reduce violence in your home?.....131
Q78A. I did not receive a Tdap vaccination before, during, or after my most recent pregnancy.....135
Q78B. I received a Tdap vaccination before my most recent pregnancy.135
Q78C. I received a Tdap vaccination during my most recent pregnancy.136
Q78D. I received a Tdap vaccination after my most recent pregnancy.....136
Q77A: During your most recent pregnancy, did you take any parenting classes?134
Q77B: During your most recent pregnancy, did you receive counseling for depression or anxiety?.....134

SOCIOECONOMIC INDICATORS

Q30D: During your most recent pregnancy, did you have insurance to cover dental care during your pregnancy?.....79
Q33: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?82
Q44A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital?92
Q44B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner?92
Q44C: During the 12 months before your new baby was born, did you move to a new address?.....93
Q44D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?.....93
Q44E: During the 12 months before your new baby was born, did your husband or partner lose his job?94
Q44F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?94
Q44G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay?95
Q44H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel?95
Q44I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?96
Q44J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant?96
Q44K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills?97
Q44L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail?97
Q44M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs?98

SOCIOECONOMIC INDICATORS (Continued)

Q44N: During the 12 months before your new baby was born, did someone very close to you die?.....98

Q75A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food?130

Q76A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it?132

Q76B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed?132

Q76C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride?.....133

Q76D: During your most recent pregnancy, would you know someone who you could talk with about your problems?.....133

TABLE OF TABLES

Table 1. Question Omitted from Analysis 18

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables 18

Table 3. Response Rates by Demographic Category 19

Table 4. Cross-Table of Respondents by Demographic Categories 20

Table 5. χ^2 of Demographic Category Comparisons 20

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme 22

**Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q4-Q8A 137**

**Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q8B-Q11B 138**

**Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q11C-Q13D 139**

**Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q13E-Q17C 140**

**Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q17D-Q22E 141**

**Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q22F-Q23E 142**

**Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q23F-Q24I 143**

**Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q24J-Q28B 144**

**Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q30A-Q35A 145**

**Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q35B-Q37 146**

**Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q38-Q44E 147**

**Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q44F-Q46 148**

**Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q49-Q60 149**

**Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q61A-Q62B 150**

**Table 7O. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q62C-Q64 151**

**Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q65-Q69B 152**

**Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q70A-Q74F 153**

**Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q74G-Q76B 154**

**Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012
PRAMS: Q76C-Q78D 155**

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2012 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

Methods

Delaware's 2012 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 81 questions in the survey, 13 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 68 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 206 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2012 Delaware PRAMS-eligible population.

Results

The age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. In addition, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. A significantly higher percentage of White non-Hispanics wanted to be pregnant sooner as compared to Black non-Hispanics. Roughly one-fifth of Black non-Hispanics did not want to be pregnant; this contrasts with approximately one-eighth of White non-Hispanics. Moreover, approximately half of White non-Hispanics tried to get pregnant at the time they became pregnant with their new baby as compared to roughly 3 out of 10 Black non-Hispanics. In addition, White non-Hispanic women and women with a higher level of

socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report breastfeeding and laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanics consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanics and Hispanics. As in previous PRAMS analyses, a high percentage of Hispanic women – about 1 in 6 – said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

Conclusions

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. As in previous PRAMS analyses, although Black non-Hispanic women (as compared to White non-Hispanic women) were more likely to report *having a discussion* with a health care provider about health promoting behaviors, such as breastfeeding, a higher percentage of White non-Hispanic women were likely to report *engaging* in these health promoting behaviors as compared to Black non-Hispanic women. Generally speaking, these, as well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health. Finally, although no direct comparisons are provided in this report, it is worth noting that the results in the 2012 PRAMS analysis tended to be more favorable across all socio-demographic categories as compared to the results in the 2008, 2009, 2010, and 2011 PRAMS analyses.

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.*

This report offers a comprehensive snapshot of Delaware's 2012 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2012 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.* In order to reduce response bias, the CDC has set a benchmark rate of 65% as the PRAMS survey response rate. In 2012, Delaware surveyed 1,476 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 69.78% (1,030 women responding). Note that the data collection time frame in 2012 was compressed to the eight-month period between May and December. This was due to technical problems at the CDC involving new software.

* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved August 23, 2016, from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 81 questions in the 2012 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

Table 1. Question Omitted from Analysis.

Question	Reason for Omission from Analysis
1, 2, 3, 19, 20, 29, 47, 48, 55, 67, 80, and 81	Data Specific to Respondent
79	Complex to Derive Meaningful Results

Of the remaining 68 questions, 50 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 18 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 50 to 187. To ease analysis and downstream comparisons, the 18 multi-response questions were retooled into binary responses as defined by Table 2.

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.[†]

	Response = “No”	Response = “Yes”	Response = “N/A” [‡]
Q9	1	2, 3, 4	
Q26	1	2	3
Q37	4, 5, 6	1, 2, 3	7
Q38	4, 5, 6	1, 2, 3	7
Q39	4, 5, 6	1, 2, 3	7
Q40	1	2, 3	
Q42	4, 5, 6	1, 2, 3	7
Q43	6	1, 2, 3, 4, 5	7
Q49	1	2	3
Q50	1, 2	3, 4, 5, 7	6
Q56	1, 3	2	
Q57	3, 4, 5	1, 2	
Q58	1	2	3
Q64	3, 4, 5	1, 2	
Q65	3, 4, 5	1, 2	
Q70	Segmented into two questions.		
Q72	1	2, 3, 4	
Q73	1	2, 3, 4	

[†] Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

[‡] “N/A” responses refer to responses that cannot be categorized in a binary manner.

These 18 multi-response questions resulted in 19 additional binary questions, which brought the total number of questions under investigation to 206.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

Table 3. Response Rates by Demographic Category, Delaware 2012 PRAMS.

Total		Respondents	Total	Percent Response
		1,030	1,476	69.78%
Age	Under 20 Years	76	122	62.30%
	20-24 Years	242	372	65.05%
	25-34 Years	552	773	71.41%
	Over 34 Years	160	209	76.56%
	Total	1,030	1,476	69.78%
Ethnicity	White Non-Hispanics	594	796	74.62%
	Black Non-Hispanics	246	400	61.50%
	Hispanic	133	186	71.51%
	Total [§]	973	1,382	70.41%
Married	Married	543	717	75.73%
	Not Married	487	759	64.16%
	Total	1,030	1,476	69.78%
Previous Live Birth	Yes	434	606	71.62%
	No	596	870	68.51%
	Total	1,030	1,476	69.78%
Education	Less Than 12 Years	196	307	63.84%
	12 Years	251	383	65.54%
	Greater Than 12 Years	578	777	74.39%
	Total ^{**}	1,025	1,467	69.87%

Almost all of the subcategories met the 65% threshold for survey responses as shown in the “Percent Response” column. Accordingly, the sample size for each of the subcategories was considered ample to conduct robust analysis.

A cross-table of the demographic category was created (Table 4) and χ^2 tests were performed (Table 5) to assess whether a significant relationship ($\alpha = 0.05$) exists between categories.

[§] The “Ethnicity” totals were lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 57 (5.53%).

^{**} The “Education” totals were lower since this data was not available for five (0.49%) respondents and nine (0.61%) individuals in the survey population.

Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2012 PRAMS.

		Total	Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	76	36	25	13	8	68	65	11	42	22	12
	20-24 Years	242	125	76	32	64	178	137	105	54	87	99
	25-34 Years	552	341	101	72	357	195	198	354	82	107	360
	Over 34 Years	160	92	44	16	114	46	34	126	18	35	107
Ethnicity	White Non-Hispanic	594				362	232	272	322	72	135	387
	Black Non-Hispanic	246				77	169	101	145	44	78	122
	Hispanic	133				63	70	41	92	74	29	29
Married	Married	543						204	339	59	85	396
	Not Married	487						230	257	137	166	182
Previous Live Birth	Yes	434								73	98	261
	No	596								123	153	317
Education	Less Than 12 Years	196										
	12 Years	251										
	Greater Than 12	578										

Table 5. χ^2 of Demographic Category Comparisons, Delaware 2012 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	20.54 ^{††} (<i>S</i>)	3.76 ^{††} (<i>N/S</i>)	174.99 (<i>S</i>)	117.00 (<i>S</i>)	127.09 (<i>S</i>)
Ethnicity: Black NH			61.26 ^{††} (<i>S</i>)	1.58 ^{††} (<i>N/S</i>)	16.71 ^{††} (<i>S</i>)
Ethnicity: Hispanic			8.25 ^{††} (<i>S</i>)	9.93 ^{††} (<i>S</i>)	138.86 ^{††} (<i>S</i>)
Married			9.82 (<i>S</i>)		133.85 (<i>S</i>)
Previous Live Birth					5.07 (<i>N/S</i>)
Education					

^{††} The χ^2 results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.
 Delaware Department of Health and Social Services, Division of Public Health

Not surprisingly, “Age” was significantly associated with “Married”, “Previous Live Birth”, and “Education” while “Married” was significantly associated with “Education”. However, “Previous Live Birth” was not significantly associated with “Education”.

In this population, significant associations occurred between “Ethnicity: Black NH/White NH” and all other demographic categories. In addition, significant associations also took place between “Ethnicity: Hispanic/White NH” and all other demographic categories except for “Age”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, more likely to have a previous live birth, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2012 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^{‡‡} This weighted average methodology involved performing the following steps for each of the 206 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *w_{total}* in the 2012 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on the following page.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 34 to 136. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 137 to 155 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

^{‡‡} Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2012 PRAMS.

		Population	Percent Response
Total		10,299	100.00%
Age	Under 20 Years	785	7.62%
	20-24 Years	2,548	24.74%
	25-34 Years	5,445	52.87%
	Over 34 Years	1,521	14.77%
Ethnicity	White NH	5,782	56.14%
	Black NH	2,620	25.44%
	Hispanic	1,336	12.97%
Married	Married	5,264	51.11%
	Not Married	5,035	48.89%
Previous Live Birth	Yes	6,027	58.52%
	No	4,272	41.48%
Education	Less Than 12 Years	1,956	18.99%
	12 Years	2,480	24.08%
	Greater Than 12 Years	5,811	56.42%

RESULTS

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 34 and provided in the table on page 137), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (53.15%) did not overlap the 95 percent confidence interval for the percent of Black non-Hispanics responding “Yes” (59.55%). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2012 PRAMS-eligible population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

As given in the results to Q13B, a significantly higher percentage of White non-Hispanics (10.26%) wanted to be pregnant *sooner* as compared to Black non-Hispanics (7.19%) and

Hispanics (3.14%). However, as indicated in Q13A, a significantly lower percentage of White non-Hispanics (24.95%) wanted to be pregnant *later* as compared to Black non-Hispanics (33.59%) or Hispanics (38.59%). Furthermore, approximately one-eighth (12.76%) of Black non-Hispanics did not want to be pregnant; this contrasts with 6.09% of White non-Hispanics and 4.62% of Hispanics (Q13D). Furthermore, as presented in Q15, a significantly higher percentage of White non-Hispanics (49.05%) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (30.67%) and Hispanics (37.10%). This also was the case for married women (61.11%) compared with non-married women (23.00%) and for older women and women with more years of education.

Furthermore, a significantly higher percentage of Black non-Hispanics (34.23%) and Hispanics (36.96%) compared to White non-Hispanics (21.97%) stated that they or their husband or partner were doing something to keep from getting pregnant (Q16). Despite this result, as given in Q17B, the percentage of Black non-Hispanics who thought they could not get pregnant as a reason to not do anything to keep from getting pregnant was more than double that of White non-Hispanics (Black non-Hispanics: 15.78%; White non-Hispanics: 7.23%). For Q17B, similar results were also reported among women with fewer years of education as compared to women with more years of education completed. In addition, a significantly higher percentage of women under age 20 years (5.26%) had problems getting birth control when they needed it as a reason to not do anything to keep from getting pregnant (Q17D) as compared with older age groups (2.12% of women 25 to 34 years of age and 0.22% of women over 34 years of age). In Q17E, a relatively high percentage (4.54%) of Black non-Hispanics thought that their husband or partner or themselves were sterile as the reason for not doing anything to keep from getting pregnant; this was significantly higher than White non-Hispanics (2.57%) and Hispanics (2.72%). Moreover, as presented in Q17F, a significantly higher percentage of Black non-Hispanics (8.83%) as compared with White non-Hispanics (3.88%) responded that their husband or partner did not want to use anything (e.g., contraception) as a reason to not do anything to keep from getting pregnant. Similar results were reported among women with fewer years of education completed as compared with women with more years of education.

Becoming Pregnant

A significantly higher percentage of White non-Hispanics (5.41%) said “Yes” as compared with Black non-Hispanics (1.72%) and Hispanics (3.67%) when asked if they had taken any fertility drugs or received any medical procedures from a doctor, nurse, or health care worker to help them become pregnant with their new baby (Q18). Similar findings were apparent among married women (6.98%) as compared with non-married women (1.32%), older women (4.91% of women between 25 and 34 years of age and 9.29% of women over 34 years of age) as compared with younger women (no women under age 20 years), and women with more years of education (5.73% of women with over 12 years of education) as compared with women with fewer years of education (2.60% of women with 12 years of education).

Finally, a significantly higher percentage of White non-Hispanics (70.22%) and Hispanics (68.17%) reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby as compared to Black non-Hispanics (53.29%) as shown in Q70B. Compared with non-married women, women with lower levels of educational attainment, and women in lower age groups, a higher percentage of women that were married, with higher levels of educational attainment, and in older age groups also reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby. Conversely, approximately one-seventh (14.59%) of Black non-Hispanics stated that they were very unhappy or unhappy to be pregnant with their new baby when they found out they were pregnant with their new baby; this compares to 9.45% of White non-Hispanics and 11.02% of Hispanics (Q70A).

Prenatal Care

Starting Prenatal Care

In Q21, a significantly higher percentage of White non-Hispanic women (81.99%) compared to Black non-Hispanic women (78.13%) stated that they received prenatal care as early in their pregnancy as they wanted. For the same question, the percentages reported among women who were married, who had higher levels of educational attainment, and who were in older age groups were significantly higher as compared to women who were not married, who had lower levels of educational attainment, and who were in younger age groups.

Access to Prenatal Care

A significantly higher percentage of Hispanic women (8.79%) compared to non-Hispanic women claimed that they did not have enough money or insurance to pay for prenatal care visits (Q22B). In addition, a significantly higher percentage of Black non-Hispanic women (2.77%) and Hispanic women (9.49%) compared to White non-Hispanic women (1.98%) responded that they had no way to get to the clinic or doctor's office (Q22C). A substantially high percentage of Hispanic women (7.14%) stated that their doctor or health plan would not start care as early as they wanted, which kept them from getting prenatal care at all or as early as they wanted (Q22D). Furthermore, a significantly higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women responded that they could not take time off from work or school (Q22F) or didn't have anyone to take care of their children (Q22H), which kept them from getting prenatal care at all or as early as they wanted. Similar results to Q22F and Q22H occurred among women with fewer years of education (higher percentages reported) compared to women with more years of education (lower percentages reported). As compared to women in older age ranges, a significantly higher percentage of women under age 20 years said that they didn't know they were pregnant (Q22I) or didn't want anyone else to know they were pregnant (Q22J) as a reason for why they could not get prenatal care at all or as early as they wanted. Finally, when compared with White non-Hispanics (0.33%) and Black non-Hispanics (1.36%), a significantly higher percentage of Hispanics (5.49%) reported that they didn't want

prenatal care as a reason for why they didn't get prenatal care at all or as early as they would have wanted (Q22K).

During Prenatal Care Visits

A significantly higher percentage of Black non-Hispanics (88.08%) compared with White non-Hispanics (79.92%) claimed that a doctor, nurse, or other health care worker talked with them during prenatal care visits about breastfeeding their baby (Q24C). Generally speaking, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic women answered "Yes" when asked whether or not a health care provider discussed the following: how much weight you should gain during your pregnancy (Q24A), how smoking during pregnancy could affect your baby (Q24B), how drinking alcohol during pregnancy could affect your baby (Q24D), seat belt use during pregnancy (Q24E), how using illegal drugs could affect their baby (Q24G), the signs and symptoms of preterm labor (Q24I), getting tested for HIV (Q24J), what to do if feeling depressed during pregnancy or after the baby is born (Q24K), and physical abuse to women by their husbands or partners (Q24L). However, a comparable percentage of White non-Hispanic women (91.40%) and Black non-Hispanic women (88.80%) said that a doctor, nurse, or other health care worker talked with them about doing tests to screen for birth defects or diseases that run in their family (Q24H).

Interestingly – and perhaps tellingly – a relatively low percentage of women overall were satisfied with aspects of their prenatal care. As indicated to Q25A, an estimated 18.51% of the PRAMS-eligible population stated that they were satisfied during their prenatal care with the amount of time they had to wait after they arrived for their visits. Likewise, only 13.69% of women said that they were satisfied with the amount of time the doctor, nurse, or midwife spent with them during their visits (Q25B). Only 10.77% were satisfied during their prenatal care with the advice they received on how to take care of themselves (Q25C). Finally, only 5.54% were satisfied with the understanding and respect that the staff showed toward them as a person (Q25D); for this question, the percentages were only slightly higher among White non-Hispanic respondents (6.21%) as compared to Black non-Hispanic (4.68%) and Hispanic (3.22%) respondents.

Infant Care

As given in Q59, 26.58% of Black non-Hispanic women stated that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born. This was significantly higher than the reported percentages of White non-Hispanics (18.20%) and Hispanics (14.61%).

Breastfeeding

As given in the results to Q53, a significantly higher percentage of White non-Hispanics (76.70%) and Hispanics (85.32%) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (70.39%). Generally speaking, a

higher percentage of women with more education, that were married, or were in older age groups stated that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education, that were non-married, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q54).

SIDS Prevention

A significantly higher percentage of White non-Hispanics (81.29%) and Hispanics (78.75%) compared to Black non-Hispanics (55.27%) reported laying their baby down on his or her back when they sleep (Q56). Compared with non-married women and women with fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. Furthermore, a significantly lower percentage of White non-Hispanics (11.09%) reported that their baby always or often sleeps in the same bed/crib with them or anyone else as compared to Black non-Hispanics (22.94%) as indicated in Q57.

Infant Survival

When women were asked whether or not their baby was alive at the time of the survey (Q51), a significantly higher percentage of White non-Hispanic women (96.02%) responded “Yes” as compared to Black non-Hispanic women (93.24%) and Hispanic women (93.60%). Moreover, as given in Q52, a significantly higher percentage of White non-Hispanic women (94.62%) claimed that their baby was living with them now as compared to Black non-Hispanic women (92.49%).

Alcohol & Tobacco Use

Alcohol Use

A significantly higher percentage of White non-Hispanics (79.83%) stated that they had consumed at least one alcoholic drink in the past two years as compared to Black non-Hispanics (57.32%), and in similar fashion, Black non-Hispanics compared to Hispanics (31.22%) as given in Q41. As indicated in Q42, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant was higher than the percentage reported by Black non-Hispanics and Hispanics.

Tobacco Use

Compared to Black non-Hispanics (28.13%) and Hispanics (10.88%), a significantly higher percentage of White non-Hispanics (37.68%) stated that they smoked in the past two years (Q36). When asked whether or not they smoked in the past two years, the percentage of non-married women responding “Yes” (41.81%) was more than double that of married women (19.01%).

As indicated in Q37, the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was almost triple the percentage reported by Black non-Hispanic women (14.80% compared to 4.90%). Similar results were reported on self-reported cigarette use in the last 3 months of pregnancy (Q38). As given in Q37, Q38, and Q39, non-married women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed.

Health Care Utilization

HIV Testing

As given in Q26, a significantly higher percentage of Black non-Hispanic women (79.92%) stated that they had a test for HIV at least once during their most recent pregnancy or delivery as compared to White non-Hispanic women (61.20%) or Hispanic women (72.74%). Similar results occurred between non-married women (72.13%) compared to married women (62.89%).

Flu Shots

Overall, 64.36% of women reported that a doctor, nurse, or other health care worker offered them a flu shot or told them to get one during the 12 months before delivery of their new baby (Q27).

Childbirth Classes

In Q31, a significantly higher percentage of married women (22.73%) stated that they took childbirth classes as compared to non-married women (17.17%) and women with more years of education generally reported taking childbirth classes compared with women with fewer years of education. Somewhat not surprisingly, over one-third (36.25%) of women who did not have a previous live birth stated that they took a class as compared to only 8.51% of women who had a previous live birth.

Dentist Visits

As indicated in Q30A, about seven out of every eight respondents (87.47%) stated that they knew it was important to care for their teeth and gums during pregnancy (Q30A). Furthermore, approximately half (48.00%) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For these two questions, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. However, as indicated in Q30C, a significantly higher percentage of White non-Hispanics (44.91%) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (36.68%) or Hispanics (29.24%). Moreover, as shown in Q30D, 60.43% of White non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Black non-Hispanics (54.35%) and almost double that of Hispanics (30.56%). Finally, a significantly higher percentage of Black non-Hispanics (28.63%) needed to see a dentist for a problem, as compared to 19.68% of

White non-Hispanics and 16.32% of Hispanics (Q30E). However, the percentage of Black non-Hispanics who reported *actually* going to a dentist or dental clinic about a problem was comparable to both White non-Hispanics and Hispanics (Q30F).

Health Status

Before Becoming Pregnant

Generally speaking, White non-Hispanic women as compared to Black non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. According to Q7B, 47.55% of White non-Hispanic women stated that they were exercising 3 or more days of the week; this contrasts with 39.39% of Black non-Hispanic women and 36.92% of Hispanic women. In Q7H, a higher percentage of White non-Hispanic women as compared to Black non-Hispanic women (54.97% compared to 45.34%) reported that they had their teeth cleaned by a dentist or dental hygienist during the 12 months before they got pregnant. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported regular use of prescription medicines other than birth control (Q7C) while a significantly higher percentage of Black non-Hispanic women compared to White non-Hispanic women reported being checked or treated for diabetes (Q7D) and high blood pressure (Q7E).

Furthermore, as given in Q9, slightly less than half (45.02%) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby. This percentage was significantly higher than that reported by Hispanic women (34.90%), which in turn, was significantly higher than the percentage reported by Black non-Hispanic women (29.60%).

In addition, the race/ethnicity categories differed in the reported presence of adverse health conditions before getting pregnant (Q11A-C) or in the three months before becoming pregnant (Q12A-F). In Q12A, 20.64% of Black non-Hispanics stated they had asthma as compared to 10.00% of White non-Hispanics and 6.89% of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were apparent for Type 1 or Type 2 diabetes (Q11A), anemia (Q12B), and heart problems (Q12C). Conversely, a higher percentage of White non-Hispanic women reported having high blood pressure or hypertension (Q11B), epilepsy (Q12D), thyroid problems (Q12E), and anxiety (Q12F) as compared to Black non-Hispanic and Hispanic women.

During Most Recent Pregnancy

As given in Q34, 11.13% of Black non-Hispanic women and 12.05% of Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes; these percentages were significantly higher than the percentage reported by White non-Hispanic women (8.13%). A markedly high percentage (29.66%) of Black non-Hispanic women

stated that they had a problem with severe nausea, vomiting, or dehydration during their most recent pregnancy; this contrasts with only 17.90% of White non-Hispanic women and 9.57% of Hispanic women (Q35C). Compared to White non-Hispanic women and Hispanic women, a significantly higher percentage of Black non-Hispanic women also had a problem with incompetent cervix (Q35D), labor pains more than 3 weeks before their baby was due (Q35G), had their water break more than 3 weeks before their baby was due (Q35H), had a blood transfusion during their recent pregnancy (Q35I), or got hurt in a car accident during their recent pregnancy (Q35J). However, a higher percentage of White non-Hispanic women compared to Black non-Hispanic and Hispanic women reported having a problem with the placenta (such as abruptio placentae or placenta previa) during their most recent pregnancy (Q35F).

As indicated in Q46, a slightly higher percentage of Black non-Hispanic women (3.81%) as compared to White non-Hispanic women (2.55%) stated that their husband or partner pushed, hit, slapped, kicked, or physically hurt them during their most recent pregnancy.

Finally, as shown in Q74C, a significantly higher percentage of Black non-Hispanics reported having Chlamydia (7.67%) during their pregnancy as compared to White non-Hispanics (1.90%) and Hispanics (3.41%). As given in Q74H, a significantly higher percentage of Black non-Hispanic women (9.13%) also stated that they had bacterial vaginosis during their pregnancy as compared to White non-Hispanics (4.50%) and Hispanics (4.00%).

Postpartum Depression

As shown in Q64, a significantly higher percentage of non-married women (9.30%) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with married women (4.87%). Similar results to Q64 were reported in Q65, in which respondents were asked if they have always or often felt little interest or little pleasure in doing things since their new baby was born.

Health Coverage

Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. A significantly higher percentage of White non-Hispanic women (57.79%) compared to Black non-Hispanic (35.42%) and Hispanic (15.83%) women stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q8A).

Conversely, as shown in Q8C, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was slightly more than double that of White non-Hispanic women (Black non-Hispanic: 57.14%; White non-Hispanic: 28.48%). Finally, compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic women (18.36%) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby

(Q8E); furthermore, an astonishingly high percentage of Hispanic women (28.47%) claimed that they did not have any health insurance during the month before they became pregnant (Q8G).

Prenatal Care Payer

A significantly higher percentage of Black non-Hispanic women (63.40%) said Medicaid paid for at least part of their prenatal care as compared to Hispanic women (48.19%) and White non-Hispanic women (41.04%) as indicated in Q23C. Similar results occurred for younger women (79.92% of women under 20 years of age) as compared to older women (33.79% of women over 34 years of age), non-married women (73.46%) compared to married women (21.93%), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q23C results generally took place at each demographic category as shown in Q23A. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Delaware Healthy Children Program (Q23D: 6.88%) or TRICARE (Q23F: 28.54%) helped pay for their prenatal care. As given in Q23G, a relatively high percentage of Hispanic women (15.07%) said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

During their most recent pregnancy, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women (Q33). Similar results were reported among women with fewer years of education (75.93% of women less than 12 years of education and 67.13% of women with 12 years of education) compared with women with more years of education (29.32% of women with over 12 years of education) and non-married women (71.27%) compared with married women (24.61%). A significantly higher percentage of Hispanic women (74.27%) were on WIC compared to Black non-Hispanics (61.92%), and in corresponding manner, a significantly higher percentage of Black non-Hispanics compared with White non-Hispanics (34.48%). Finally, as given in Q75A, a significantly higher percentage of Black non-Hispanics (69.94%) and Hispanics (72.12%) compared to White non-Hispanics (39.43%) reported that they were on food stamps, WIC vouchers, or received money to buy food during their most recent pregnancy.

During Delivery and Well-Baby Checkups

Across all socio-demographic categories assessed, approximately 7 out of 8 women reported having had a postpartum checkup since their new baby was born (Q63).

As provided in Q66C, a significantly higher percentage of Black non-Hispanics (68.64%) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (39.99%) and Hispanics (39.31%). Similar results occurred for non-married women (74.84%) compared to married women (19.61%) and younger age groups (88.61% of women under 20 years of age and

69.81% of women ages 20 to 24) compared to older age groups (33.34% of women ages 25 to 34 years and 33.57% of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q66A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Delaware Healthy Children Program (Q66D: 5.11%) or Community Healthcare Access Program (Q66E: 22.64%) is their current form of health insurance. Finally, an estimated 1 in 5 Hispanic women were reported as not having health insurance now (Q66G).

Social Support

A significantly higher percentage of White non-Hispanics (29.47%) and Black non-Hispanics (24.56%) claimed to having a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (11.30%) as indicated in Q44A. In addition, as shown in Q44B, a significantly higher percentage of Black non-Hispanics (8.40%) as compared to White non-Hispanics (6.13%) stated that they became separated or divorced from their husband or partner during the 12 months before their new baby was born. As indicated by Q44I, a significantly higher percentage of Black non-Hispanic women (34.42%) as compared to White non-Hispanic women (21.96%) and Hispanic women (11.38%) stated that they had argued with their husband or partner more than usual during the 12 months before their baby was born. Moreover, as provided by Q44J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (12.74%) was slightly more than double that of White non-Hispanics (6.03%). Furthermore, as shown in Q76A, a significantly higher percentage of White non-Hispanics (80.39%) compared to Black non-Hispanics (64.07%) or Hispanics (48.92%) stated that they would know someone who could loan them \$50 if they needed it.

According to Q44D, 4.40% of Black non-Hispanic women reported that they were homeless during the 12 months before their new baby was born; this contrasts with 2.67% of White non-Hispanic women and 1.20% of Hispanic women. Overall, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q44A-N and Q76A-D).

DISCUSSION

As consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Generally speaking, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on

the measures in the “Health Status” section of the Results). According to the “Health Status” section of the Results, White non-Hispanics were frequently in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2012 PRAMS analysis echo the results from the 2008, 2009, 2010, and especially, the 2011 PRAMS analyses. Black non-Hispanics and non-married women generally reported greater utilization of HIV testing and said that a health care provider discussed seat belt use and the risks of alcohol, smoking, and illicit drug use during pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women have been less likely to have health insurance throughout the perinatal period (see “Prenatal Care” and “Health Coverage” sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.

Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. As in prior years, although a significantly higher percentage of Black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to White non-Hispanics, a significantly higher percentage of White non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.


Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about half of Black non-Hispanic women reported being happy or very happy when they found out they were pregnant; this contrasts with 7 out of every 10 White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.

Finally, although no direct comparisons are provided in this report, it is essential that the results in the 2012 PRAMS analysis tended to be more encouraging across all socio-


demographic categories as compared to the results in the previous PRAMS analyses. This may suggest that maternal and infant health initiatives within the State of Delaware are demonstrating an effect on improving self-reported behaviors and outcomes.

GRAPHS

Q4: Before you got pregnant, did you have any other babies who were born alive?^{§§} (% “Yes”)




Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?^{§§} (% “Yes”)




^{§§} For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.
 Delaware Department of Health and Social Services, Division of Public Health


Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?^{§§} (% “Yes”)




Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)




Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)




Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)




Q7E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for high blood pressure? (% “Yes”)




Q7F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for depression or anxiety? (% “Yes”)




Q7G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history? (% “Yes”)




Q7H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q8A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband, partner, or parents? (% “Yes”)




Q8B: During the month before you got pregnant with your new baby, were you covered by private health insurance purchased directly from an insurance company? (% “Yes”)




Q8C: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)? (% “Yes”)




Q8D: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? (% “Yes”)




Q8E: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? (% “Yes”)




Q8F: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? (% “Yes”)




Q8G: I did not have any health insurance during the month before I got pregnant. (% “Yes”)




Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? (% “Yes”)




Q10: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy? (% “Yes”)




Q11A: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes (not the same as gestational diabetes or diabetes that starts during pregnancy)? (% “Yes”)




Q11B: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had high blood pressure or hypertension? (% “Yes”)




Q11C: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had depression? (% “Yes”)




Q12A: During the 3 months before you got pregnant, did you have asthma? (% “Yes”)




Q12B: During the 3 months before you got pregnant, did you have anemia (poor blood, low iron)? (% “Yes”)




Q12C: During the 3 months before you got pregnant, did you have heart problems? (% “Yes”)




Q12D: During the 3 months before you got pregnant, did you have epilepsy (seizures)? (% “Yes”)




Q12E: During the 3 months before you got pregnant, did you have thyroid problems? (% “Yes”)




Q12F: During the 3 months before you got pregnant, did you have anxiety? (% “Yes”)




Q13A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% “Yes”)




Q13B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. (% “Yes”)




Q13C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% “Yes”)




Q13D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future. (% “Yes”)




Q13E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant. (% “Yes”)




Q14A: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: less than 1 year. (% “Yes”)




Q14B: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 1 year to less than 2 years. (% “Yes”)




Q14C: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 2 years to less than 3 years. (% “Yes”)




Q14D: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 3 years to 5 years. (% “Yes”)




Q14E: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: more than 5 years. (% “Yes”)




Q15: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)




Q16: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)




Q17A: I didn't mind if I got pregnant is the reason for my not doing anything to keep from getting pregnant. (% “Yes”)




Q17B: I thought I could not get pregnant at that time is the reason for my not doing anything to keep from getting pregnant. (% “Yes”)




Q17C: I had side effects from the birth control method I was using is the reason for my not doing anything to keep from getting pregnant. (% “Yes”)




Q17D: I had problems getting birth control when I needed it is the reason for my not doing anything to keep from getting pregnant. (% “Yes”)




Q17E: I thought my husband or partner or I was sterile (could not get pregnant at all) is the reason for my not doing anything to keep from getting pregnant. (% “Yes”)




Q17F: My husband or partner didn't want to use anything is the reason for my not doing anything to keep from getting pregnant. (% "Yes")




Q17G: I forgot to use a birth control method is the reason for my not doing anything to keep from getting pregnant. (% "Yes")




Q18: Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby? (% “Yes”)




Q21: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”)




Q22A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22C: I had no way to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. (% “Yes”)




Q22F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted. (% “Yes”)




Q22G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q22K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q23A: During your most recent pregnancy, did private health insurance from your job or the job of your husband, partner, or parents help pay for your prenatal care? (% "Yes")




Q23B: During your most recent pregnancy, did private health insurance purchased directly from an insurance company help pay for your prenatal care? (% “Yes”)




Q23C: During your most recent pregnancy, did Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) help pay for your prenatal care? (% “Yes”)




Q23D: During your most recent pregnancy, did Delaware Healthy Children Program (DHCP/SCHIP) help pay for your prenatal care? (% “Yes”)




Q23E: During your most recent pregnancy, did CHAP – Community Healthcare Access Program help pay for your prenatal care? (% “Yes”)




Q23F: During your most recent pregnancy, did TRICARE or other military health care help pay for your prenatal care? (% “Yes”)




Q23G: I did not have any health insurance to help pay for my prenatal care. (% “Yes”)




Q24A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how much weight you should gain during your pregnancy? (% “Yes”)




Q24B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? (% “Yes”)




Q24C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? (% “Yes”)




Q24D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? (% “Yes”)




Q24E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy? (% “Yes”)




Q24F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy? (% “Yes”)




Q24G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? (% “Yes”)




Q24H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? (% “Yes”)




Q24I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor? (% “Yes”)




Q24J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)? (% “Yes”)




Q24K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? (% “Yes”)




Q24L: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? (% “Yes”)




Q25A: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time you had to wait after you arrived for your visits? (% “Yes”)




Q25B: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time the doctor, nurse, or midwife spent with you during your visits? (% “Yes”)




Q25C: During your most recent pregnancy, were you satisfied during your prenatal care with the advice you got on how to take care of yourself? (% “Yes”)




Q25D: During your most recent pregnancy, were you satisfied during your prenatal care with the understanding and respect that the staff showed toward you as a person? (% “Yes”)




Q26: At any time during your most recent pregnancy or delivery, did you have a test for HIV? (% “Yes”)




Q27: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? (% “Yes”)




Q28A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? (% “Yes”)




Q28B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? (% “Yes”)




Q30A: During your most recent pregnancy, did you know it was important to care for your teeth and gums during your pregnancy? (% “Yes”)




Q30B: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? (% “Yes”)




Q30C: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q30D: During your most recent pregnancy, did you have insurance to cover dental care during your pregnancy? (% “Yes”)




Q30E: During your most recent pregnancy, did you need to see a dentist for a problem? (% “Yes”)




Q30F: During your most recent pregnancy, did you go to a dentist or dental clinic about a problem? (% “Yes”)




Q31: During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery? (% “Yes”)




Q32: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)




Q33: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? (% “Yes”)




Q34: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? (% “Yes”)




Q35A: Did you have a problem with vaginal bleeding during your most recent pregnancy?
 (% “Yes”)




Q35B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy?
 (% “Yes”)




Q35C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy? (% “Yes”)




Q35D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? (% “Yes”)




Q35E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy? (% “Yes”)




Q35F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy? (% “Yes”)




Q35G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)




Q35H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”)




Q35I: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”)




Q35J: Did you get hurt in a car accident during your most recent pregnancy? (% “Yes”)




Q36: Have you smoked any cigarettes in the past 2 years? (% “Yes”)




Q37: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day? (% “Yes”)




Q38: In the last 3 months of your pregnancy, did you smoke 11 or more cigarettes on average each day? (% “Yes”)




Q39: Do you currently smoke 11 or more cigarettes on average each day? (% “Yes”)




Q40: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? (% “Yes”)




Q41: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)




Q42: During the 3 months before you got pregnant, did you have four or more drinks on average per week? (% “Yes”)




Q43: During the last 3 months of your pregnancy, did you have one or more drinks on average per week? (% “Yes”)




Q44A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)




Q44B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)




Q44C: During the 12 months before your new baby was born, did you move to a new address?
 (% “Yes”)




Q44D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?
 (% “Yes”)




Q44E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)




Q44F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? (% “Yes”)




Q44G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? (% “Yes”)




Q44H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? (% “Yes”)




Q44I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)




Q44J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% “Yes”)




Q44K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? (% “Yes”)




Q44L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? (% “Yes”)




Q44M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? (% “Yes”)




Q44N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)




Q45: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)




Q46: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)




Q49: After your baby was delivered, was he or she put in an intensive care unit (NICU)?
 (% “Yes”)




Q50: After your baby was delivered, did he or she stay in the hospital for 3 or more days?
 (% “Yes”)




Q51: Is your baby alive now? (% “Yes”)




Q52: Is your baby living with you now? (% “Yes”)




Q53: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? (% “Yes”)




Q54: Are you currently breastfeeding or feeding pumped milk to your new baby? (% “Yes”)




Q56: Do you most often lay your baby down on his or her back when he or she sleeps?
 (% “Yes”)




Q57: Does your baby always or often sleep in the same bed/crib with you or anyone else?
 (% “Yes”)




Q58: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? (% “Yes”)




Q59: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? (% “Yes”)



Q60: Are you or your husband or partner doing anything now to keep from getting pregnant?
 (% “Yes”)




Q61A: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. *** (% “Yes”)




*** Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


Q61B: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q61C: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q61D: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. *** (% “Yes”)




Q61E: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now. *** (% “Yes”)




Q61F: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q61G: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q61H: My husband or partner had a vasectomy is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q61I: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.* (% “Yes”)**




Q62A: Having my tubes tied or blocked (female sterilization, Essure®, Adiana®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62B: A vasectomy (male sterilization) is what is keeping my husband or partner from my getting pregnant now. (% “Yes”)




Q62C: The birth control pill is what is keeping me from getting pregnant now. (% “Yes”)




Q62D: Condoms are what is keeping my husband or partner from my getting pregnant now. (% “Yes”)




Q62E: Injection (Depo-Provera®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62F: Contraceptive implant (Implanon®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62G: Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62H: IUD (including Mirena® or ParaGard®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62I: Natural family planning (including rhythm method) is what is keeping me from getting pregnant now. (% “Yes”)




Q62J: Withdrawal (pulling out) is what is keeping me from getting pregnant now. (% “Yes”)




Q62K: Not having sex (abstinence) is what is keeping me from getting pregnant now. (% “Yes”)




Q63: Since your new baby was born, have you had a postpartum checkup for yourself? (% “Yes”)




Q64: Since your new baby was born, have you always or often felt down, depressed, or hopeless?
 (% “Yes”)




Q65: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things?
 (% “Yes”)




Q66A: I have private health insurance from your job or the job of your husband, partner, or parents now as my health insurance. (% “Yes”)




Q66B: I have private health insurance purchased directly from an insurance company now as my health insurance. (% “Yes”)




Q66C: I have Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) now as my health insurance. (% “Yes”)




Q66D: I have Delaware Healthy Children Program (DHCP/SCHIP) now as my health insurance. (% “Yes”)




Q66E: I have CHAP – Community Healthcare Access Program – now as my health insurance. (% “Yes”)




Q66F: I have TRICARE or other military health care now as my health insurance. (% “Yes”)




Q66G: I do not have health insurance now. (% “Yes”)




Q68: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth? (% “Yes”)




Q69A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? (% “Yes”)




Q69B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? (% “Yes”)




Q70A: Were you very unhappy or unhappy to be pregnant with your new baby when you found out you were pregnant with your new baby? (% “Yes”)




Q70B: Were you very happy or happy to be pregnant with your new baby when you found out you were pregnant with your new baby? (% “Yes”)




Q71: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them? (% “Yes”)




Q72: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day? (% “Yes”)




Q73: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? (% “Yes”)




Q74A: During your most recent pregnancy, were you told that you had genital warts? (% “Yes”)




Q74B: During your most recent pregnancy, were you told that you had herpes? (% “Yes”)




Q74C: During your most recent pregnancy, were you told that you had chlamydia? (% “Yes”)




Q74D: During your most recent pregnancy were you told that you had gonorrhea? (% “Yes”)




Q74E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? (% “Yes”)




Q74F: During your most recent pregnancy, were you told that you had syphilis? (% “Yes”)




Q74G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? (% “Yes”)




Q74H: During your most recent pregnancy, were you told that you had bacterial vaginosis? (% “Yes”)




Q74I: During your most recent pregnancy, were you told that you had trichomoniasis? (% “Yes”)




Q74J: During your most recent pregnancy, were you told that you had a yeast infection?
(% “Yes”)




Q74K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)? (% “Yes”)




Q75A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food? (% “Yes”)




Q75B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? (% “Yes”)




Q75C: During your most recent pregnancy, were you receiving help to quit smoking? (% “Yes”)




Q75D: During your most recent pregnancy, were you receiving help to reduce violence in your home? (% “Yes”)




Q76A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? (% “Yes”)




Q76B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”)




Q76C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? (% "Yes")




Q76D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% "Yes")




Q77A: During your most recent pregnancy, did you take any parenting classes? (% “Yes”)




Q77B: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)




Q78A. I did not receive a Tdap vaccination before, during, or after my most recent pregnancy.
 (% “Yes”)



Q78B. I received a Tdap vaccination before my most recent pregnancy. (% “Yes”)



Q78C. I received a Tdap vaccination during my most recent pregnancy. (% “Yes”)



Q78D. I received a Tdap vaccination after my most recent pregnancy. (% “Yes”)




Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 4-Q 8A												
	Percent Response Yes	Q 4	Q 5	Q 6	Q 7A	Q 7B	Q 7C	Q 7D	Q 7E	Q 7F	Q 7G	Q 8A
Total	Yes	57.23%	6.74%	8.39%	29.57%	43.19%	22.89%	23.55%	28.87%	19.67%	36.28%	48.92%
Age	Under 20 Years	15.58%	3.00%	5.90%	10.31%	31.78%	14.25%	26.51%	28.32%	28.13%	44.90%	60.88%
	20-24 Years	41.36%	4.27%	6.59%	20.32%	36.35%	18.84%	20.11%	25.65%	20.46%	29.81%	39.93%
	25-34 Years	64.32%	7.20%	7.90%	34.86%	46.76%	24.09%	23.49%	29.31%	19.26%	37.88%	49.92%
	Over 34 Years	79.89%	11.19%	14.47%	36.11%	47.76%	29.82%	28.00%	32.94%	15.48%	36.93%	54.24%
Ethnicity	White Non-Hispanic	53.15%	5.58%	6.45%	36.07%	47.55%	26.83%	19.75%	24.06%	18.99%	36.00%	54.97%
	Black Non-Hispanic	59.55%	7.68%	10.86%	22.22%	39.39%	18.95%	26.87%	35.17%	20.60%	39.46%	45.34%
	Hispanic	68.39%	10.48%	12.14%	19.97%	36.92%	12.53%	33.80%	39.75%	24.09%	35.51%	35.02%
Married	Married	64.18%	6.55%	8.51%	38.23%	52.02%	24.09%	22.85%	29.06%	15.24%	37.82%	63.10%
	Not Married	49.95%	6.94%	8.28%	20.52%	33.96%	21.63%	24.28%	28.66%	24.31%	34.67%	34.10%
Previous Live Birth	Yes	96.85%	11.34%	13.84%	29.38%	39.57%	23.22%	24.15%	30.49%	20.47%	37.63%	45.34%
	No	1.33%	0.26%	0.71%	29.84%	48.29%	22.42%	22.70%	26.58%	18.54%	34.37%	53.98%
Education	Less Than 12 Years	59.84%	11.88%	11.68%	12.95%	28.69%	18.47%	31.68%	33.04%	26.27%	34.04%	32.53%
	12 Years	60.49%	7.79%	10.00%	23.99%	35.45%	21.27%	21.96%	28.01%	19.72%	33.61%	32.29%
	Greater Than 12 Years	54.82%	4.62%	6.68%	37.63%	51.76%	25.02%	21.07%	27.46%	17.15%	37.85%	61.73%
	Lower 95% CI	Q 4	Q 5	Q 6	Q 7A	Q 7B	Q 7C	Q 7D	Q 7E	Q 7F	Q 7G	Q 8A
Total	Yes	56.27%	6.26%	7.86%	28.69%	42.23%	22.08%	22.73%	27.99%	18.91%	35.35%	47.96%
Age	Under 20 Years	13.04%	1.81%	4.25%	8.18%	28.52%	11.81%	23.43%	25.17%	24.98%	41.42%	57.46%
	20-24 Years	39.45%	3.48%	5.62%	18.75%	34.48%	17.32%	18.55%	23.96%	18.89%	28.04%	38.03%
	25-34 Years	63.05%	6.51%	7.19%	33.59%	45.44%	22.95%	22.36%	28.10%	18.21%	36.60%	48.59%
	Over 34 Years	77.87%	9.60%	12.71%	33.69%	45.24%	27.52%	25.75%	30.58%	13.66%	34.50%	51.73%
Ethnicity	White Non-Hispanic	51.87%	4.99%	5.82%	34.84%	46.26%	25.68%	18.72%	22.96%	17.98%	34.76%	53.69%
	Black Non-Hispanic	57.67%	6.66%	9.67%	20.62%	37.52%	17.45%	25.17%	33.34%	19.05%	37.58%	43.43%
	Hispanic	65.89%	8.84%	10.39%	17.83%	34.33%	10.76%	31.26%	37.13%	21.80%	32.95%	32.46%
Married	Married	62.89%	5.88%	7.75%	36.92%	50.67%	22.93%	21.71%	27.84%	14.27%	36.51%	61.80%
	Not Married	48.57%	6.24%	7.52%	19.40%	32.65%	20.49%	23.10%	27.41%	23.13%	33.36%	32.79%
Previous Live Birth	Yes	96.41%	10.54%	12.97%	28.23%	38.34%	22.15%	23.07%	29.33%	19.45%	36.41%	44.08%
	No	0.98%	0.10%	0.46%	28.47%	46.80%	21.17%	21.45%	25.26%	17.38%	32.95%	52.49%
Education	Less Than 12 Years	57.67%	10.45%	10.26%	11.46%	26.68%	16.75%	29.61%	30.96%	24.32%	31.94%	30.46%
	12 Years	58.56%	6.73%	8.82%	22.31%	33.57%	19.66%	20.33%	26.24%	18.15%	31.75%	30.45%
	Greater Than 12 Years	53.54%	4.08%	6.04%	36.38%	50.48%	23.91%	20.03%	26.31%	16.18%	36.60%	60.48%
	Upper 95% CI	Q 4	Q 5	Q 6	Q 7A	Q 7B	Q 7C	Q 7D	Q 7E	Q 7F	Q 7G	Q 8A
Total	Yes	58.18%	7.22%	8.93%	30.45%	44.15%	23.70%	24.37%	29.74%	20.44%	37.21%	49.89%
Age	Under 20 Years	18.12%	4.19%	7.54%	12.44%	35.04%	16.70%	29.60%	31.47%	31.27%	48.38%	64.29%
	20-24 Years	43.27%	5.05%	7.55%	21.88%	38.21%	20.36%	21.66%	27.35%	22.03%	31.59%	41.83%
	25-34 Years	65.60%	7.88%	8.62%	36.12%	48.09%	25.22%	24.61%	30.52%	20.30%	39.17%	51.25%
	Over 34 Years	81.90%	12.77%	16.24%	38.52%	50.27%	32.12%	30.26%	35.30%	17.30%	39.35%	56.74%
Ethnicity	White Non-Hispanic	54.44%	6.17%	7.08%	37.31%	48.84%	27.97%	20.78%	25.16%	20.00%	37.24%	56.26%
	Black Non-Hispanic	61.43%	8.70%	12.05%	23.81%	41.26%	20.45%	28.57%	37.00%	22.15%	41.33%	47.24%
	Hispanic	70.88%	12.12%	13.89%	22.11%	39.50%	14.31%	36.34%	42.38%	26.39%	38.08%	37.58%
Married	Married	65.48%	7.22%	9.26%	39.54%	53.37%	25.24%	23.98%	30.29%	16.21%	39.13%	64.40%
	Not Married	51.33%	7.64%	9.04%	21.64%	35.27%	22.77%	25.47%	29.91%	25.50%	35.99%	35.41%
Previous Live Birth	Yes	97.29%	12.14%	14.71%	30.53%	40.81%	24.28%	25.23%	31.65%	21.49%	38.86%	46.59%
	No	1.67%	0.41%	0.96%	31.21%	49.79%	23.67%	23.96%	27.90%	19.71%	35.80%	55.48%
Education	Less Than 12 Years	62.01%	13.32%	13.11%	14.44%	30.69%	20.19%	33.74%	35.13%	28.22%	36.14%	34.61%
	12 Years	62.41%	8.84%	11.18%	25.68%	37.34%	22.88%	23.59%	29.78%	21.28%	35.46%	34.13%
	Greater Than 12 Years	56.09%	5.16%	7.32%	38.87%	53.05%	26.14%	22.12%	28.61%	18.12%	39.10%	62.98%

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 8B-Q 11B												
	Percent Response Yes	Q 8B	Q 8C	Q 8D	Q 8E	Q 8F	Q 8G	Q 8H	Q 9	Q 10	Q 11A	Q 11B
Total	Yes	46.24%	2.31%	36.55%	2.21%	3.88%	3.63%	10.89%	39.40%	22.46%	4.24%	9.10%
Age	Under 20 Years	27.38%	3.44%	70.16%	5.05%	0.00%	0.42%	8.50%	29.03%	23.08%	2.79%	14.39%
	20-24 Years	27.46%	2.38%	52.86%	1.42%	1.92%	5.48%	13.01%	24.78%	16.73%	2.16%	9.56%
	25-34 Years	53.80%	1.90%	26.47%	2.79%	4.89%	3.17%	11.43%	46.28%	24.59%	4.76%	8.81%
	Over 34 Years	60.35%	3.08%	27.98%	0.00%	5.54%	3.85%	6.65%	44.64%	24.09%	6.64%	6.64%
Ethnicity	White Non-Hispanic	57.79%	1.69%	28.48%	0.44%	0.85%	3.92%	9.53%	45.02%	20.70%	3.56%	11.30%
	Black Non-Hispanic	35.42%	3.86%	57.14%	4.70%	2.33%	2.19%	4.24%	29.60%	28.24%	5.63%	7.45%
	Hispanic	15.83%	1.90%	37.00%	5.11%	18.36%	4.04%	28.47%	34.90%	20.49%	3.43%	2.59%
Married	Married	67.71%	2.61%	14.21%	1.03%	4.37%	6.08%	9.28%	53.16%	25.93%	3.87%	6.38%
	Not Married	23.79%	1.99%	59.92%	3.45%	3.37%	1.07%	12.57%	25.01%	18.83%	4.63%	11.95%
Previous Live Birth	Yes	42.42%	2.55%	41.66%	3.26%	5.01%	3.41%	10.61%	37.42%	18.73%	4.76%	8.26%
	No	51.63%	1.97%	29.34%	0.73%	2.28%	3.94%	11.29%	42.20%	27.72%	3.52%	10.29%
Education	Less Than 12 Years	13.58%	0.56%	59.33%	3.06%	10.93%	1.21%	20.17%	28.80%	20.27%	3.63%	10.72%
	12 Years	25.27%	3.47%	58.51%	5.17%	4.04%	1.74%	14.01%	23.98%	20.62%	6.86%	10.90%
	Greater Than 12 Years	66.21%	2.42%	19.60%	0.68%	1.47%	5.23%	6.32%	49.25%	23.99%	3.18%	7.65%
Total	Lower 95% CI	Q 8B	Q 8C	Q 8D	Q 8E	Q 8F	Q 8G	Q 8H	Q 9	Q 10	Q 11A	Q 11B
Total	Yes	45.27%	2.02%	35.62%	1.93%	3.51%	3.27%	10.29%	38.46%	21.65%	3.85%	8.55%
Age	Under 20 Years	24.26%	2.16%	66.96%	3.52%	0.00%	0.00%	6.55%	25.85%	20.13%	1.64%	11.93%
	20-24 Years	25.73%	1.79%	50.92%	0.96%	1.39%	4.59%	11.70%	23.11%	15.28%	1.59%	8.42%
	25-34 Years	52.48%	1.54%	25.30%	2.35%	4.32%	2.71%	10.59%	44.95%	23.45%	4.19%	8.06%
	Over 34 Years	57.89%	2.21%	25.72%	0.00%	4.39%	2.88%	5.40%	42.14%	21.94%	5.39%	5.39%
Ethnicity	White Non-Hispanic	56.52%	1.35%	27.32%	0.27%	0.61%	3.42%	8.78%	43.73%	19.66%	3.08%	10.49%
	Black Non-Hispanic	33.59%	3.13%	55.24%	3.89%	1.75%	1.63%	3.47%	27.85%	26.51%	4.75%	6.45%
	Hispanic	13.88%	1.17%	34.41%	3.93%	16.29%	2.99%	26.05%	32.35%	18.33%	2.45%	1.74%
Married	Married	66.44%	2.18%	13.26%	0.75%	3.82%	5.44%	8.50%	51.82%	24.74%	3.35%	5.72%
	Not Married	22.61%	1.61%	58.56%	2.95%	2.87%	0.79%	11.66%	23.82%	17.75%	4.05%	11.05%
Previous Live Birth	Yes	41.17%	2.15%	40.42%	2.81%	4.46%	2.96%	9.83%	36.20%	17.75%	4.22%	7.56%
	No	50.13%	1.56%	27.97%	0.48%	1.83%	3.36%	10.34%	40.72%	26.37%	2.96%	9.38%
Education	Less Than 12 Years	12.06%	0.23%	57.15%	2.30%	9.55%	0.73%	18.39%	26.79%	18.49%	2.80%	9.35%
	12 Years	23.56%	2.75%	56.57%	4.30%	3.26%	1.22%	12.65%	22.30%	19.02%	5.87%	9.68%
	Greater Than 12 Years	65.00%	2.03%	18.58%	0.47%	1.16%	4.66%	5.69%	47.97%	22.90%	2.73%	6.97%
Total	Upper 95% CI	Q 8B	Q 8C	Q 8D	Q 8E	Q 8F	Q 8G	Q 8H	Q 9	Q 10	Q 11A	Q 11B
Total	Yes	47.20%	2.60%	37.48%	2.50%	4.25%	3.99%	11.49%	40.35%	23.26%	4.63%	9.66%
Age	Under 20 Years	30.50%	4.71%	73.36%	6.58%	0.00%	0.88%	10.45%	32.20%	26.03%	3.94%	16.85%
	20-24 Years	29.19%	2.97%	54.79%	1.88%	2.46%	6.36%	14.31%	26.46%	18.18%	2.72%	10.71%
	25-34 Years	55.13%	2.26%	27.64%	3.23%	5.46%	3.64%	12.28%	47.60%	25.74%	5.32%	9.56%
	Over 34 Years	62.80%	3.95%	30.23%	0.00%	6.69%	4.81%	7.90%	47.13%	26.24%	7.89%	7.90%
Ethnicity	White Non-Hispanic	59.06%	2.02%	29.65%	0.61%	1.09%	4.42%	10.29%	46.30%	21.75%	4.04%	12.12%
	Black Non-Hispanic	37.26%	4.60%	59.03%	5.51%	2.90%	2.75%	5.01%	31.35%	29.96%	6.51%	8.46%
	Hispanic	17.79%	2.63%	39.59%	6.30%	20.44%	5.10%	30.89%	37.46%	22.66%	4.40%	3.45%
Married	Married	68.97%	3.05%	15.15%	1.30%	4.92%	6.73%	10.07%	54.51%	27.11%	4.39%	7.04%
	Not Married	24.97%	2.38%	61.27%	3.95%	3.86%	1.36%	13.49%	26.21%	19.91%	5.21%	12.84%
Previous Live Birth	Yes	43.66%	2.95%	42.91%	3.71%	5.56%	3.87%	11.39%	38.64%	19.72%	5.30%	8.95%
	No	53.13%	2.39%	30.70%	0.99%	2.73%	4.52%	12.24%	43.68%	29.06%	4.07%	11.20%
Education	Less Than 12 Years	15.09%	0.90%	61.50%	3.82%	12.31%	1.70%	21.95%	30.81%	22.06%	4.46%	12.10%
	12 Years	26.98%	4.19%	60.45%	6.04%	4.81%	2.25%	15.38%	25.66%	22.21%	7.86%	12.13%
	Greater Than 12 Years	67.43%	2.82%	20.62%	0.89%	1.78%	5.81%	6.94%	50.54%	25.09%	3.63%	8.33%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 11C-Q 13D												
	Percent Response Yes	Q 11C	Q 12A	Q 12B	Q 12C	Q 12D	Q 12E	Q 12F	Q 13A	Q 13B	Q 13C	Q 13D
Total	Yes	2.47%	12.03%	12.14%	1.94%	0.61%	4.32%	15.25%	29.12%	9.25%	36.68%	7.97%
Age	Under 20 Years	1.61%	23.73%	17.73%	0.00%	0.00%	0.00%	27.50%	52.30%	0.42%	14.19%	11.70%
	20-24 Years	2.74%	14.40%	16.32%	2.12%	1.23%	1.69%	15.34%	44.52%	2.81%	26.96%	5.40%
	25-34 Years	1.94%	10.07%	10.59%	2.33%	0.53%	4.82%	14.43%	23.78%	12.63%	43.62%	6.71%
	Over 34 Years	4.37%	9.06%	7.78%	1.25%	0.17%	9.15%	11.67%	10.49%	12.50%	39.74%	14.87%
Ethnicity	White Non-Hispanic	2.47%	10.00%	6.71%	1.55%	0.97%	4.88%	20.58%	24.95%	10.26%	43.24%	6.09%
	Black Non-Hispanic	1.84%	20.64%	26.04%	4.07%	0.26%	3.29%	9.48%	33.59%	7.19%	24.16%	12.76%
	Hispanic	3.92%	6.89%	10.89%	0.00%	0.00%	2.97%	5.44%	38.59%	3.14%	38.13%	4.62%
Married	Married	1.79%	7.37%	6.85%	1.01%	0.42%	5.90%	12.69%	18.34%	14.16%	50.02%	5.43%
	Not Married	3.19%	16.91%	17.67%	2.91%	0.81%	2.67%	17.92%	40.39%	4.12%	22.74%	10.63%
Previous Live Birth	Yes	2.87%	11.95%	13.08%	2.68%	0.79%	4.25%	14.50%	27.23%	7.86%	36.87%	10.68%
	No	1.92%	12.16%	10.82%	0.89%	0.36%	4.42%	16.30%	31.79%	11.21%	36.42%	4.15%
Education	Less Than 12 Years	5.91%	14.31%	15.36%	1.77%	0.65%	2.20%	15.21%	36.36%	4.34%	29.84%	11.15%
	12 Years	2.42%	16.96%	16.52%	2.26%	1.30%	3.32%	17.87%	36.00%	5.39%	26.38%	7.78%
	Greater Than 12 Years	1.36%	9.03%	9.30%	1.88%	0.31%	5.50%	14.06%	23.95%	12.63%	43.33%	6.83%
	Lower 95% CI	Q 11C	Q 12A	Q 12B	Q 12C	Q 12D	Q 12E	Q 12F	Q 13A	Q 13B	Q 13C	Q 13D
Total	Yes	2.17%	11.41%	11.51%	1.67%	0.46%	3.93%	14.55%	28.24%	8.69%	35.75%	7.45%
Age	Under 20 Years	0.73%	20.75%	15.06%	0.00%	0.00%	0.00%	24.38%	48.81%	0.00%	11.75%	9.45%
	20-24 Years	2.11%	13.04%	14.89%	1.56%	0.80%	1.19%	13.94%	42.59%	2.16%	25.24%	4.52%
	25-34 Years	1.57%	9.27%	9.78%	1.93%	0.34%	4.25%	13.50%	22.64%	11.75%	42.30%	6.04%
	Over 34 Years	3.34%	7.62%	6.43%	0.69%	0.00%	7.70%	10.05%	8.95%	10.84%	37.29%	13.08%
Ethnicity	White Non-Hispanic	2.07%	9.23%	6.07%	1.23%	0.72%	4.33%	19.54%	23.83%	9.47%	41.96%	5.47%
	Black Non-Hispanic	1.33%	19.09%	24.36%	3.32%	0.07%	2.61%	8.35%	31.78%	6.20%	22.52%	11.48%
	Hispanic	2.88%	5.53%	9.22%	0.00%	0.00%	2.06%	4.22%	35.98%	2.20%	35.53%	3.50%
Married	Married	1.43%	6.66%	6.17%	0.74%	0.24%	5.26%	11.79%	17.30%	13.22%	48.67%	4.81%
	Not Married	2.70%	15.88%	16.62%	2.44%	0.56%	2.22%	16.86%	39.04%	3.57%	21.58%	9.77%
Previous Live Birth	Yes	2.44%	11.13%	12.23%	2.27%	0.57%	3.74%	13.61%	26.10%	7.18%	35.65%	9.90%
	No	1.51%	11.18%	9.89%	0.61%	0.18%	3.81%	15.19%	30.40%	10.27%	34.98%	3.55%
Education	Less Than 12 Years	4.87%	12.76%	13.77%	1.18%	0.29%	1.55%	13.62%	34.23%	3.44%	27.82%	9.76%
	12 Years	1.81%	15.48%	15.06%	1.68%	0.86%	2.62%	16.36%	34.11%	4.50%	24.65%	6.73%
	Greater Than 12 Years	1.06%	8.29%	8.55%	1.53%	0.17%	4.91%	13.16%	22.86%	11.78%	42.06%	6.18%
	Upper 95% CI	Q 11C	Q 12A	Q 12B	Q 12C	Q 12D	Q 12E	Q 12F	Q 13A	Q 13B	Q 13C	Q 13D
Total	Yes	2.77%	12.66%	12.77%	2.21%	0.76%	4.71%	15.94%	30.00%	9.81%	37.61%	8.49%
Age	Under 20 Years	2.49%	26.70%	20.41%	0.00%	0.00%	0.00%	30.63%	55.80%	0.88%	16.63%	13.95%
	20-24 Years	3.38%	15.77%	17.76%	2.68%	1.65%	2.19%	16.74%	46.45%	3.45%	28.69%	6.27%
	25-34 Years	2.31%	10.87%	11.41%	2.73%	0.73%	5.39%	15.37%	24.91%	13.52%	44.94%	7.37%
	Over 34 Years	5.40%	10.50%	9.13%	1.81%	0.38%	10.60%	13.28%	12.03%	14.16%	42.20%	16.66%
Ethnicity	White Non-Hispanic	2.88%	10.77%	7.36%	1.87%	1.22%	5.44%	21.62%	26.06%	11.04%	44.52%	6.70%
	Black Non-Hispanic	2.36%	22.18%	27.72%	4.83%	0.46%	3.98%	10.60%	35.40%	8.18%	25.80%	14.04%
	Hispanic	4.96%	8.25%	12.56%	0.00%	0.00%	3.89%	6.66%	41.21%	4.07%	40.74%	5.75%
Married	Married	2.15%	8.08%	7.53%	1.29%	0.59%	6.53%	13.59%	19.39%	15.10%	51.37%	6.04%
	Not Married	3.67%	17.95%	18.73%	3.37%	1.06%	3.11%	18.98%	41.75%	4.66%	23.90%	11.48%
Previous Live Birth	Yes	3.29%	12.76%	13.93%	3.09%	1.01%	4.75%	15.39%	28.35%	8.54%	38.09%	11.46%
	No	2.33%	13.14%	11.75%	1.18%	0.54%	5.04%	17.40%	33.19%	12.16%	37.87%	4.74%
Education	Less Than 12 Years	6.96%	15.86%	16.96%	2.35%	1.00%	2.85%	16.80%	38.49%	5.25%	31.87%	12.55%
	12 Years	3.02%	18.44%	17.98%	2.85%	1.75%	4.03%	19.38%	37.89%	6.28%	28.12%	8.83%
	Greater Than 12 Years	1.66%	9.77%	10.04%	2.23%	0.45%	6.08%	14.95%	25.05%	13.49%	44.61%	7.48%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 13E-Q 17C												
	Percent Response Yes	Q 13E	Q 14A	Q 14B	Q 14C	Q 14D	Q 14E	Q 15	Q 16	Q 17A	Q 17B	Q 17C
Total	Yes	14.63%	7.46%	9.98%	7.78%	9.37%	5.28%	42.48%	26.88%	15.83%	9.63%	4.20%
Age	Under 20 Years	17.73%	2.04%	6.67%	10.55%	28.34%	18.58%	14.19%	41.02%	7.30%	24.27%	6.66%
	20-24 Years	18.76%	7.36%	13.39%	12.38%	16.41%	7.08%	24.80%	33.42%	18.22%	10.29%	5.69%
	25-34 Years	10.74%	8.74%	9.62%	6.83%	4.89%	2.96%	53.60%	22.15%	14.69%	7.19%	4.01%
	Over 34 Years	20.00%	5.82%	7.23%	2.06%	3.80%	3.68%	46.90%	25.55%	20.28%	9.68%	1.07%
Ethnicity	White Non-Hispanic	13.26%	6.44%	11.13%	5.96%	6.92%	1.98%	49.05%	21.97%	16.19%	7.23%	3.76%
	Black Non-Hispanic	20.23%	6.43%	8.77%	11.28%	12.90%	9.87%	30.67%	34.23%	16.29%	15.78%	4.07%
	Hispanic	11.84%	12.30%	9.06%	7.59%	11.89%	11.02%	37.10%	36.96%	13.34%	9.23%	4.74%
Married	Married	9.53%	7.82%	8.86%	4.25%	4.64%	1.64%	61.11%	17.64%	15.39%	4.99%	2.84%
	Not Married	19.95%	7.08%	11.15%	11.48%	14.31%	9.08%	23.00%	36.53%	16.28%	14.48%	5.62%
Previous Live Birth	Yes	15.45%	7.28%	11.09%	6.98%	7.81%	4.96%	40.61%	30.56%	15.42%	7.93%	4.67%
	No	13.46%	7.70%	8.41%	8.91%	11.56%	5.73%	45.12%	21.68%	16.40%	12.02%	3.52%
Education	Less Than 12 Years	16.36%	7.37%	8.68%	8.76%	11.72%	17.04%	29.28%	31.66%	15.62%	14.33%	6.81%
	12 Years	22.15%	5.49%	13.22%	9.26%	13.83%	3.04%	29.07%	34.00%	20.27%	14.10%	3.96%
	Greater Than 12 Years	10.72%	8.20%	9.06%	6.89%	6.75%	2.32%	52.65%	22.00%	14.09%	6.22%	3.45%
	Lower 95% CI	Q 13E	Q 14A	Q 14B	Q 14C	Q 14D	Q 14E	Q 15	Q 16	Q 17A	Q 17B	Q 17C
Total	Yes	13.94%	6.95%	9.40%	7.27%	8.80%	4.85%	41.53%	26.02%	15.12%	9.06%	3.81%
Age	Under 20 Years	15.06%	1.05%	4.92%	8.40%	25.18%	15.86%	11.75%	37.58%	5.48%	21.27%	4.92%
	20-24 Years	17.24%	6.34%	12.06%	11.10%	14.97%	6.09%	23.13%	31.59%	16.72%	9.11%	4.79%
	25-34 Years	9.92%	7.99%	8.84%	6.16%	4.32%	2.51%	52.27%	21.04%	13.75%	6.51%	3.49%
	Over 34 Years	17.99%	4.64%	5.93%	1.34%	2.84%	2.74%	44.39%	23.36%	18.26%	8.20%	0.56%
Ethnicity	White Non-Hispanic	12.38%	5.81%	10.32%	5.35%	6.27%	1.62%	47.76%	20.90%	15.24%	6.57%	3.27%
	Black Non-Hispanic	18.70%	5.50%	7.69%	10.07%	11.61%	8.72%	28.90%	32.41%	14.88%	14.39%	3.32%
	Hispanic	10.11%	10.53%	7.52%	6.17%	10.15%	9.34%	34.51%	34.37%	11.52%	7.68%	3.60%
Married	Married	8.74%	7.09%	8.09%	3.70%	4.07%	1.30%	59.80%	16.61%	14.41%	4.40%	2.39%
	Not Married	18.85%	6.37%	10.28%	10.60%	13.34%	8.29%	21.83%	35.20%	15.26%	13.51%	4.98%
Previous Live Birth	Yes	14.54%	6.63%	10.30%	6.34%	7.13%	4.41%	39.37%	29.39%	14.51%	7.25%	4.14%
	No	12.44%	6.90%	7.58%	8.06%	10.60%	5.03%	43.63%	20.45%	15.29%	11.04%	2.97%
Education	Less Than 12 Years	14.72%	6.22%	7.43%	7.51%	10.29%	15.37%	27.26%	29.60%	14.01%	12.78%	5.70%
	12 Years	20.52%	4.59%	11.89%	8.12%	12.47%	2.36%	27.29%	32.14%	18.69%	12.73%	3.19%
	Greater Than 12 Years	9.92%	7.50%	8.33%	6.24%	6.11%	1.94%	51.36%	20.94%	13.19%	5.60%	2.98%
	Upper 95% CI	Q 13E	Q 14A	Q 14B	Q 14C	Q 14D	Q 14E	Q 15	Q 16	Q 17A	Q 17B	Q 17C
Total	Yes	15.31%	7.96%	10.56%	8.30%	9.93%	5.71%	43.43%	27.73%	16.53%	10.20%	4.58%
Age	Under 20 Years	20.40%	3.02%	8.41%	12.69%	31.49%	21.30%	16.63%	44.46%	9.12%	27.26%	8.41%
	20-24 Years	20.27%	8.37%	14.71%	13.66%	17.84%	8.08%	26.48%	35.25%	19.71%	11.47%	6.59%
	25-34 Years	11.57%	9.49%	10.41%	7.50%	5.46%	3.41%	54.92%	23.25%	15.63%	7.88%	4.53%
	Over 34 Years	22.01%	6.99%	8.54%	2.77%	4.77%	4.63%	49.41%	27.74%	22.30%	11.17%	1.59%
Ethnicity	White Non-Hispanic	14.13%	7.07%	11.94%	6.57%	7.58%	2.34%	50.33%	23.04%	17.13%	7.90%	4.25%
	Black Non-Hispanic	21.77%	7.37%	9.85%	12.50%	14.18%	11.01%	32.44%	36.04%	17.71%	17.18%	4.83%
	Hispanic	13.57%	14.06%	10.60%	9.01%	13.62%	12.69%	39.69%	39.55%	15.17%	10.78%	5.88%
Married	Married	10.33%	8.54%	9.62%	4.79%	5.20%	1.99%	62.43%	18.67%	16.36%	5.57%	3.28%
	Not Married	21.05%	7.79%	12.02%	12.36%	15.28%	9.87%	24.16%	37.86%	17.30%	15.45%	6.25%
Previous Live Birth	Yes	16.37%	7.94%	11.88%	7.63%	8.49%	5.51%	41.85%	31.72%	16.33%	8.62%	5.21%
	No	14.48%	8.50%	9.24%	9.76%	12.52%	6.43%	46.61%	22.92%	17.51%	12.99%	4.07%
Education	Less Than 12 Years	17.99%	8.53%	9.92%	10.02%	13.15%	18.71%	31.29%	33.72%	17.23%	15.88%	7.93%
	12 Years	23.79%	6.39%	14.55%	10.41%	15.19%	3.71%	30.86%	35.87%	21.85%	15.47%	4.73%
	Greater Than 12 Years	11.51%	8.91%	9.80%	7.54%	7.40%	2.71%	53.93%	23.07%	14.98%	6.84%	3.92%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 17D-Q 22E												
	Percent Response Yes	Q 17D	Q 17E	Q 17F	Q 17G	Q 18	Q 21	Q 22A	Q 22B	Q 22C	Q 22D	Q 22E
Total	Yes	2.39%	3.07%	5.35%	3.24%	4.21%	80.20%	7.28%	5.38%	3.17%	4.02%	3.80%
Age	Under 20 Years	5.26%	3.86%	10.74%	4.73%	0.00%	70.82%	11.80%	5.34%	4.07%	2.25%	9.54%
	20-24 Years	3.38%	4.99%	10.90%	6.91%	1.00%	74.04%	9.48%	6.46%	3.11%	5.47%	3.94%
	25-34 Years	2.12%	2.82%	3.41%	1.48%	4.91%	83.51%	6.03%	5.03%	3.08%	4.06%	2.86%
	Over 34 Years	0.22%	0.35%	0.17%	2.67%	9.29%	83.50%	5.76%	4.85%	3.12%	2.35%	3.95%
Ethnicity	White Non-Hispanic	1.97%	2.57%	3.88%	2.99%	5.41%	81.99%	6.78%	4.76%	1.98%	4.07%	3.10%
	Black Non-Hispanic	4.32%	4.54%	8.83%	3.00%	1.72%	78.13%	7.00%	4.71%	2.77%	2.10%	4.48%
	Hispanic	1.20%	2.72%	3.41%	5.24%	3.67%	78.81%	9.57%	8.79%	9.49%	7.14%	4.82%
Married	Married	1.03%	0.79%	1.82%	1.24%	6.98%	87.08%	6.19%	4.01%	1.53%	3.10%	2.56%
	Not Married	3.82%	5.46%	9.03%	5.34%	1.32%	72.99%	8.42%	6.81%	4.89%	4.99%	5.09%
Previous Live Birth	Yes	2.56%	1.68%	5.04%	3.40%	3.24%	81.30%	6.87%	5.16%	3.99%	3.59%	4.53%
	No	2.15%	5.04%	5.77%	3.02%	5.58%	78.63%	7.87%	5.69%	2.01%	4.63%	2.76%
Education	Less Than 12 Years	3.32%	4.65%	6.51%	4.44%	1.86%	73.53%	11.27%	6.51%	9.31%	6.16%	7.45%
	12 Years	3.41%	4.42%	6.71%	5.47%	2.60%	76.89%	6.77%	7.22%	3.65%	2.62%	3.61%
	Greater Than 12 Years	1.67%	1.99%	4.42%	1.92%	5.73%	84.08%	6.22%	4.05%	0.71%	3.71%	2.27%
	Lower 95% CI	Q 17D	Q 17E	Q 17F	Q 17G	Q 18	Q 21	Q 22A	Q 22B	Q 22C	Q 22D	Q 22E
Total	Yes	2.10%	2.74%	4.91%	2.90%	3.83%	79.43%	6.78%	4.95%	2.83%	3.64%	3.43%
Age	Under 20 Years	3.70%	2.51%	8.57%	3.25%	0.00%	67.64%	9.54%	3.77%	2.69%	1.21%	7.49%
	20-24 Years	2.68%	4.15%	9.69%	5.92%	0.61%	72.34%	8.34%	5.50%	2.44%	4.59%	3.19%
	25-34 Years	1.74%	2.38%	2.93%	1.16%	4.34%	82.52%	5.39%	4.45%	2.62%	3.54%	2.42%
	Over 34 Years	0.00%	0.05%	0.00%	1.86%	7.83%	81.63%	4.58%	3.77%	2.25%	1.59%	2.97%
Ethnicity	White Non-Hispanic	1.61%	2.16%	3.39%	2.55%	4.82%	80.99%	6.14%	4.21%	1.62%	3.56%	2.65%
	Black Non-Hispanic	3.54%	3.74%	7.75%	2.35%	1.22%	76.55%	6.02%	3.90%	2.14%	1.55%	3.69%
	Hispanic	0.61%	1.85%	2.44%	4.05%	2.66%	76.62%	7.99%	7.27%	7.92%	5.76%	3.67%
Married	Married	0.75%	0.55%	1.46%	0.94%	6.29%	86.18%	5.54%	3.48%	1.20%	2.63%	2.13%
	Not Married	3.29%	4.83%	8.24%	4.72%	1.01%	71.77%	7.65%	6.11%	4.29%	4.38%	4.48%
Previous Live Birth	Yes	2.16%	1.36%	4.49%	2.95%	2.80%	80.32%	6.23%	4.61%	3.50%	3.12%	4.01%
	No	1.72%	4.38%	5.07%	2.51%	4.89%	77.41%	7.06%	4.99%	1.59%	4.00%	2.27%
Education	Less Than 12 Years	2.52%	3.71%	5.41%	3.53%	1.26%	71.57%	9.87%	5.41%	8.03%	5.10%	6.28%
	12 Years	2.69%	3.61%	5.72%	4.57%	1.97%	75.23%	5.78%	6.20%	2.91%	1.99%	2.88%
	Greater Than 12 Years	1.34%	1.63%	3.89%	1.57%	5.14%	83.14%	5.60%	3.54%	0.50%	3.23%	1.89%
	Upper 95% CI	Q 17D	Q 17E	Q 17F	Q 17G	Q 18	Q 21	Q 22A	Q 22B	Q 22C	Q 22D	Q 22E
Total	Yes	2.69%	3.41%	5.78%	3.59%	4.60%	80.97%	7.78%	5.82%	3.51%	4.40%	4.17%
Age	Under 20 Years	6.83%	5.21%	12.90%	6.22%	0.00%	74.00%	14.06%	6.91%	5.45%	3.29%	11.60%
	20-24 Years	4.08%	5.84%	12.11%	7.89%	1.38%	75.74%	10.62%	7.41%	3.79%	6.35%	4.70%
	25-34 Years	2.50%	3.26%	3.90%	1.80%	5.49%	84.49%	6.66%	5.61%	3.54%	4.59%	3.30%
	Over 34 Years	0.45%	0.64%	0.38%	3.49%	10.74%	85.36%	6.93%	5.93%	3.99%	3.11%	4.93%
Ethnicity	White Non-Hispanic	2.33%	2.98%	4.38%	3.43%	5.99%	82.98%	7.43%	5.31%	2.34%	4.58%	3.54%
	Black Non-Hispanic	5.09%	5.33%	9.92%	3.65%	2.21%	79.71%	7.98%	5.52%	3.40%	2.65%	5.27%
	Hispanic	1.78%	3.59%	4.38%	6.44%	4.68%	81.00%	11.14%	10.31%	11.06%	8.52%	5.97%
Married	Married	1.30%	1.03%	2.18%	1.54%	7.67%	87.99%	6.84%	4.54%	1.86%	3.57%	2.99%
	Not Married	4.35%	6.08%	9.82%	5.96%	1.64%	74.22%	9.19%	7.51%	5.48%	5.59%	5.70%
Previous Live Birth	Yes	2.96%	2.00%	5.60%	3.86%	3.69%	82.29%	7.50%	5.72%	4.49%	4.06%	5.06%
	No	2.59%	5.69%	6.47%	3.53%	6.27%	79.86%	8.67%	6.38%	2.43%	5.26%	3.25%
Education	Less Than 12 Years	4.11%	5.58%	7.60%	5.36%	2.46%	75.48%	12.67%	7.60%	10.60%	7.23%	8.61%
	12 Years	4.12%	5.23%	7.69%	6.36%	3.23%	78.55%	7.76%	8.24%	4.38%	3.25%	4.35%
	Greater Than 12 Years	2.00%	2.35%	4.95%	2.27%	6.33%	85.02%	6.84%	4.56%	0.93%	4.20%	2.66%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 22F-Q 23E												
	Percent Response Yes	Q 22F	Q 22G	Q 22H	Q 22I	Q 22J	Q 22K	Q 23A	Q 23B	Q 23C	Q 23D	Q 23E
Total	Yes	1.91%	4.18%	1.72%	8.63%	1.88%	1.40%	44.94%	1.54%	47.12%	2.07%	4.83%
Age	Under 20 Years	7.93%	2.88%	0.42%	15.89%	7.07%	0.42%	15.58%	1.61%	79.92%	3.23%	3.02%
	20-24 Years	1.99%	4.90%	0.99%	11.48%	0.90%	1.62%	23.84%	0.99%	69.64%	2.22%	3.48%
	25-34 Years	1.29%	3.76%	2.20%	6.48%	1.71%	1.58%	54.38%	1.62%	35.58%	2.15%	5.76%
	Over 34 Years	0.90%	5.11%	1.89%	7.81%	1.45%	0.90%	61.62%	2.18%	33.79%	0.90%	4.70%
Ethnicity	White Non-Hispanic	1.91%	3.05%	0.99%	7.46%	1.30%	0.33%	56.47%	1.73%	41.04%	0.19%	0.63%
	Black Non-Hispanic	0.81%	5.80%	1.80%	10.29%	1.85%	1.36%	34.26%	1.13%	63.40%	2.87%	1.23%
	Hispanic	3.92%	5.49%	5.19%	11.13%	5.24%	5.49%	13.81%	1.20%	48.19%	6.88%	28.54%
Married	Married	0.82%	2.62%	0.48%	4.75%	0.81%	0.67%	68.04%	1.73%	21.93%	1.22%	4.90%
	Not Married	3.05%	5.81%	3.01%	12.69%	3.00%	2.16%	20.78%	1.36%	73.46%	2.95%	4.76%
Previous Live Birth	Yes	1.39%	3.35%	2.67%	9.19%	1.98%	1.89%	42.81%	1.53%	46.98%	3.14%	6.30%
	No	2.64%	5.35%	0.37%	7.84%	1.73%	0.71%	47.93%	1.56%	47.32%	0.55%	2.75%
Education	Less Than 12 Years	3.83%	7.83%	5.35%	17.24%	6.04%	5.77%	9.41%	0.82%	65.19%	5.52%	16.50%
	12 Years	1.98%	4.02%	1.80%	10.34%	2.01%	0.62%	22.79%	2.38%	71.72%	2.32%	3.93%
	Greater Than 12 Years	1.04%	3.05%	0.48%	5.08%	0.44%	0.06%	66.56%	1.45%	30.72%	0.82%	1.33%
	Lower 95% CI	Q 22F	Q 22G	Q 22H	Q 22I	Q 22J	Q 22K	Q 23A	Q 23B	Q 23C	Q 23D	Q 23E
Total	Yes	1.65%	3.79%	1.47%	8.09%	1.61%	1.17%	43.98%	1.31%	46.16%	1.79%	4.42%
Age	Under 20 Years	6.04%	1.71%	0.00%	13.34%	5.28%	0.00%	13.04%	0.73%	77.12%	1.99%	1.82%
	20-24 Years	1.44%	4.07%	0.61%	10.24%	0.53%	1.13%	22.19%	0.61%	67.86%	1.65%	2.77%
	25-34 Years	0.99%	3.26%	1.81%	5.83%	1.36%	1.25%	53.05%	1.28%	34.30%	1.77%	5.14%
	Over 34 Years	0.43%	4.01%	1.20%	6.46%	0.85%	0.43%	59.18%	1.44%	31.41%	0.43%	3.64%
Ethnicity	White Non-Hispanic	1.56%	2.61%	0.74%	6.78%	1.00%	0.19%	55.19%	1.39%	39.77%	0.08%	0.43%
	Black Non-Hispanic	0.47%	4.91%	1.29%	9.12%	1.33%	0.91%	32.44%	0.73%	61.56%	2.23%	0.81%
	Hispanic	2.88%	4.27%	4.00%	9.44%	4.05%	4.27%	11.96%	0.61%	45.51%	5.52%	26.12%
Married	Married	0.58%	2.19%	0.30%	4.18%	0.56%	0.45%	66.78%	1.37%	20.81%	0.93%	4.32%
	Not Married	2.57%	5.16%	2.54%	11.77%	2.53%	1.76%	19.66%	1.04%	72.24%	2.48%	4.17%
Previous Live Birth	Yes	1.10%	2.89%	2.27%	8.47%	1.63%	1.55%	41.56%	1.22%	45.72%	2.70%	5.69%
	No	2.16%	4.68%	0.19%	7.03%	1.34%	0.46%	46.44%	1.19%	45.82%	0.33%	2.26%
Education	Less Than 12 Years	2.98%	6.64%	4.35%	15.57%	4.98%	4.74%	8.12%	0.42%	63.08%	4.50%	14.86%
	12 Years	1.43%	3.25%	1.28%	9.15%	1.45%	0.31%	21.14%	1.78%	69.95%	1.73%	3.17%
	Greater Than 12 Years	0.78%	2.61%	0.30%	4.52%	0.27%	0.00%	65.35%	1.14%	29.53%	0.59%	1.03%
	Upper 95% CI	Q 22F	Q 22G	Q 22H	Q 22I	Q 22J	Q 22K	Q 23A	Q 23B	Q 23C	Q 23D	Q 23E
Total	Yes	2.18%	4.56%	1.97%	9.18%	2.14%	1.63%	45.90%	1.78%	48.08%	2.34%	5.24%
Age	Under 20 Years	9.82%	4.05%	0.88%	18.45%	8.87%	0.88%	18.12%	2.49%	82.72%	4.46%	4.22%
	20-24 Years	2.53%	5.74%	1.38%	12.72%	1.26%	2.11%	25.50%	1.38%	71.43%	2.79%	4.19%
	25-34 Years	1.59%	4.27%	2.59%	7.14%	2.05%	1.91%	55.70%	1.95%	36.85%	2.54%	6.38%
	Over 34 Years	1.37%	6.22%	2.57%	9.16%	2.05%	1.37%	64.07%	2.91%	36.16%	1.37%	5.77%
Ethnicity	White Non-Hispanic	2.27%	3.49%	1.25%	8.14%	1.59%	0.48%	57.75%	2.06%	42.30%	0.30%	0.83%
	Black Non-Hispanic	1.15%	6.70%	2.31%	11.45%	2.36%	1.80%	36.07%	1.54%	65.25%	3.51%	1.65%
	Hispanic	4.96%	6.71%	6.38%	12.82%	6.44%	6.71%	15.66%	1.78%	50.87%	8.24%	30.97%
Married	Married	1.07%	3.05%	0.67%	5.33%	1.05%	0.89%	69.30%	2.08%	23.04%	1.52%	5.48%
	Not Married	3.52%	6.45%	3.49%	13.61%	3.47%	2.56%	21.90%	1.68%	74.68%	3.42%	5.34%
Previous Live Birth	Yes	1.69%	3.80%	3.08%	9.92%	2.33%	2.23%	44.06%	1.84%	48.24%	3.58%	6.91%
	No	3.12%	6.03%	0.56%	8.65%	2.13%	0.96%	49.43%	1.93%	48.82%	0.78%	3.25%
Education	Less Than 12 Years	4.68%	9.02%	6.34%	18.92%	7.10%	6.80%	10.70%	1.22%	67.30%	6.53%	18.15%
	12 Years	2.52%	4.79%	2.32%	11.54%	2.56%	0.93%	24.44%	2.98%	73.49%	2.92%	4.70%
	Greater Than 12 Years	1.30%	3.50%	0.66%	5.65%	0.61%	0.12%	67.77%	1.76%	31.90%	1.05%	1.62%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 23F-Q 24I												
	Percent Response Yes	Q 23F	Q 23G	Q 24A	Q 24B	Q 24C	Q 24D	Q 24E	Q 24F	Q 24G	Q 24H	Q 24I
Total	Yes	3.66%	4.43%	73.33%	73.43%	83.39%	72.38%	55.36%	88.65%	67.10%	89.39%	81.68%
Age	Under 20 Years	3.24%	2.46%	85.11%	83.88%	90.88%	84.65%	61.57%	91.86%	78.62%	92.27%	80.01%
	20-24 Years	4.79%	3.85%	71.36%	78.84%	84.10%	74.64%	57.97%	84.70%	72.06%	83.41%	79.77%
	25-34 Years	3.14%	5.50%	74.67%	70.26%	82.27%	70.78%	55.10%	91.05%	65.45%	91.65%	83.66%
	Over 34 Years	3.85%	2.56%	65.76%	70.30%	82.40%	67.98%	48.73%	85.00%	58.78%	89.85%	78.67%
Ethnicity	White Non-Hispanic	4.30%	2.94%	72.41%	68.16%	79.92%	66.74%	47.64%	88.34%	60.23%	91.40%	81.14%
	Black Non-Hispanic	1.52%	1.36%	78.37%	82.78%	88.08%	81.07%	63.59%	89.92%	76.77%	88.80%	85.42%
	Hispanic	3.92%	15.07%	68.66%	83.62%	88.87%	84.69%	73.86%	91.21%	81.57%	82.92%	77.36%
Married	Married	6.65%	4.69%	74.29%	66.55%	80.71%	68.30%	52.71%	90.13%	59.96%	91.11%	83.77%
	Not Married	0.54%	4.15%	72.33%	80.62%	86.20%	76.64%	58.14%	87.09%	74.58%	87.59%	79.50%
Previous Live Birth	Yes	3.15%	5.68%	68.32%	71.16%	81.23%	68.16%	55.71%	86.52%	64.62%	87.48%	79.50%
	No	4.38%	2.67%	80.41%	76.63%	86.45%	78.33%	54.88%	91.65%	70.61%	92.08%	84.76%
Education	Less Than 12 Years	1.13%	10.85%	66.25%	82.30%	85.98%	77.35%	66.59%	86.94%	76.14%	83.00%	73.73%
	12 Years	1.60%	3.31%	73.84%	76.68%	85.21%	75.86%	54.61%	86.16%	69.76%	84.99%	79.80%
	Greater Than 12 Years	5.37%	2.38%	75.67%	69.03%	81.81%	69.19%	51.56%	90.40%	62.85%	93.32%	85.22%
	Lower 95% CI	Q 23F	Q 23G	Q 24A	Q 24B	Q 24C	Q 24D	Q 24E	Q 24F	Q 24G	Q 24H	Q 24I
Total	Yes	3.30%	4.03%	72.48%	72.57%	82.68%	71.51%	54.40%	88.03%	66.20%	88.80%	80.94%
Age	Under 20 Years	2.00%	1.37%	82.62%	81.31%	88.86%	82.13%	58.17%	89.95%	75.75%	90.41%	77.21%
	20-24 Years	3.96%	3.10%	69.61%	77.26%	82.68%	72.95%	56.05%	83.30%	70.31%	81.96%	78.21%
	25-34 Years	2.68%	4.90%	73.52%	69.04%	81.25%	69.57%	53.78%	90.29%	64.19%	90.91%	82.67%
	Over 34 Years	2.88%	1.77%	63.38%	68.01%	80.48%	65.63%	46.21%	83.21%	56.31%	88.33%	76.61%
Ethnicity	White Non-Hispanic	3.77%	2.51%	71.26%	66.95%	78.88%	65.52%	46.35%	87.51%	58.97%	90.67%	80.13%
	Black Non-Hispanic	1.05%	0.91%	76.80%	81.33%	86.84%	79.57%	61.75%	88.77%	75.15%	87.59%	84.07%
	Hispanic	2.88%	13.15%	66.17%	81.64%	87.18%	82.76%	71.51%	89.69%	79.49%	80.91%	75.11%
Married	Married	5.98%	4.12%	73.11%	65.28%	79.65%	67.04%	51.36%	89.33%	58.63%	90.34%	82.77%
	Not Married	0.33%	3.60%	71.10%	79.52%	85.25%	75.48%	56.77%	86.17%	73.37%	86.68%	78.39%
Previous Live Birth	Yes	2.71%	5.09%	67.14%	70.01%	80.24%	66.98%	54.45%	85.66%	63.41%	86.64%	78.48%
	No	3.77%	2.19%	79.22%	75.36%	85.43%	77.09%	53.39%	90.82%	69.24%	91.28%	83.68%
Education	Less Than 12 Years	0.66%	9.47%	64.16%	80.61%	84.45%	75.49%	64.50%	85.44%	74.25%	81.34%	71.78%
	12 Years	1.11%	2.60%	72.11%	75.01%	83.82%	74.17%	52.65%	84.80%	67.96%	83.59%	78.22%
	Greater Than 12 Years	4.79%	1.99%	74.57%	67.84%	80.82%	68.00%	50.27%	89.64%	61.61%	92.68%	84.31%
	Upper 95% CI	Q 23F	Q 23G	Q 24A	Q 24B	Q 24C	Q 24D	Q 24E	Q 24F	Q 24G	Q 24H	Q 24I
Total	Yes	4.02%	4.83%	74.19%	74.28%	84.11%	73.24%	56.32%	89.26%	68.01%	89.98%	82.43%
Age	Under 20 Years	4.48%	3.54%	87.60%	86.45%	92.89%	87.17%	64.98%	93.77%	81.49%	94.14%	82.81%
	20-24 Years	5.61%	4.60%	73.12%	80.43%	85.52%	76.33%	59.89%	86.10%	73.80%	84.85%	81.33%
	25-34 Years	3.61%	6.11%	75.83%	71.47%	83.28%	71.99%	56.42%	91.81%	66.71%	92.38%	84.64%
	Over 34 Years	4.81%	3.36%	68.15%	72.60%	84.31%	70.32%	51.24%	86.80%	61.26%	91.37%	80.73%
Ethnicity	White Non-Hispanic	4.82%	3.38%	73.56%	69.36%	80.95%	67.95%	48.92%	89.16%	61.49%	92.12%	82.15%
	Black Non-Hispanic	1.98%	1.80%	79.95%	84.23%	89.32%	82.57%	65.44%	91.07%	78.39%	90.01%	86.77%
	Hispanic	4.96%	16.99%	71.15%	85.61%	90.56%	86.62%	76.22%	92.73%	83.65%	84.94%	79.60%
Married	Married	7.32%	5.27%	75.47%	67.83%	81.78%	69.55%	54.06%	90.94%	61.28%	91.88%	84.77%
	Not Married	0.74%	4.70%	73.57%	81.71%	87.15%	77.81%	59.50%	88.02%	75.78%	88.50%	80.62%
Previous Live Birth	Yes	3.59%	6.26%	69.49%	72.30%	82.21%	69.34%	56.96%	87.38%	65.83%	88.32%	80.52%
	No	4.99%	3.15%	81.60%	77.90%	87.48%	79.57%	56.37%	92.48%	71.97%	92.89%	85.84%
Education	Less Than 12 Years	1.60%	12.23%	68.35%	83.99%	87.52%	79.20%	68.68%	88.43%	78.03%	84.66%	75.68%
	12 Years	2.10%	4.01%	75.57%	78.34%	86.61%	77.54%	56.57%	87.52%	71.57%	86.40%	81.38%
	Greater Than 12 Years	5.95%	2.77%	76.77%	70.22%	82.81%	70.38%	52.84%	91.16%	64.09%	93.96%	86.13%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 24J-Q 28B												
	Percent Response Yes	Q 24J	Q 24K	Q 24L	Q 25A	Q 25B	Q 25C	Q 25D	Q 26	Q 27	Q 28A	Q 28B
Total	Yes	71.82%	67.18%	53.97%	18.51%	13.69%	10.77%	5.54%	67.41%	64.36%	15.12%	25.61%
Age	Under 20 Years	76.24%	76.57%	65.02%	18.48%	17.69%	13.61%	5.04%	59.14%	56.09%	24.06%	20.33%
	20-24 Years	75.19%	71.57%	55.41%	20.56%	17.00%	15.41%	7.20%	69.66%	57.89%	10.72%	20.18%
	25-34 Years	72.50%	66.45%	55.15%	19.39%	11.92%	8.65%	4.77%	69.15%	70.37%	15.32%	30.03%
	Over 34 Years	61.46%	57.60%	41.61%	11.94%	12.43%	9.07%	5.79%	61.66%	57.92%	17.15%	21.59%
Ethnicity	White Non-Hispanic	66.12%	62.33%	45.00%	19.51%	13.45%	10.54%	6.21%	61.20%	63.98%	14.45%	27.72%
	Black Non-Hispanic	79.12%	77.29%	67.92%	14.96%	13.95%	12.05%	4.68%	79.92%	67.28%	15.28%	14.63%
	Hispanic	84.46%	71.38%	69.26%	17.29%	14.27%	6.39%	3.22%	72.74%	60.68%	17.61%	34.98%
Married	Married	67.03%	65.92%	50.79%	17.87%	10.64%	8.95%	4.30%	62.89%	67.40%	16.72%	30.68%
	Not Married	76.83%	68.50%	57.30%	19.17%	16.89%	12.66%	6.84%	72.13%	61.18%	13.45%	20.30%
Previous Live Birth	Yes	69.75%	66.06%	53.62%	19.62%	13.78%	10.30%	6.57%	66.90%	69.50%	15.85%	25.96%
	No	74.74%	68.75%	54.46%	16.94%	13.56%	11.42%	4.09%	68.12%	57.10%	14.09%	25.10%
Education	Less Than 12 Years	77.18%	67.98%	59.85%	21.40%	11.99%	10.35%	5.10%	69.11%	55.09%	19.59%	22.43%
	12 Years	74.72%	68.89%	57.93%	15.22%	16.23%	12.35%	7.01%	73.34%	60.80%	12.19%	21.20%
	Greater Than 12 Years	68.93%	66.07%	50.35%	19.04%	13.30%	10.11%	5.11%	64.42%	68.86%	14.70%	28.57%
	Lower 95% CI	Q 24J	Q 24K	Q 24L	Q 25A	Q 25B	Q 25C	Q 25D	Q 26	Q 27	Q 28A	Q 28B
Total	Yes	70.95%	66.27%	53.01%	17.76%	13.03%	10.17%	5.10%	66.50%	63.43%	14.43%	24.76%
Age	Under 20 Years	73.27%	73.61%	61.68%	15.77%	15.02%	11.22%	3.51%	55.70%	52.62%	21.07%	17.51%
	20-24 Years	73.51%	69.82%	53.48%	18.99%	15.54%	14.01%	6.19%	67.87%	55.97%	9.52%	18.62%
	25-34 Years	71.31%	65.19%	53.83%	18.34%	11.06%	7.91%	4.20%	67.92%	69.16%	14.37%	28.81%
	Over 34 Years	59.01%	55.11%	39.14%	10.31%	10.77%	7.63%	4.62%	59.21%	55.44%	15.26%	19.52%
Ethnicity	White Non-Hispanic	64.90%	61.09%	43.71%	18.49%	12.57%	9.75%	5.59%	59.95%	62.74%	13.54%	26.57%
	Black Non-Hispanic	77.56%	75.68%	66.14%	13.60%	12.63%	10.80%	3.87%	78.39%	65.49%	13.90%	13.28%
	Hispanic	82.51%	68.96%	66.78%	15.26%	12.39%	5.08%	2.27%	70.35%	58.06%	15.57%	32.42%
Married	Married	65.76%	64.63%	49.44%	16.84%	9.80%	8.18%	3.75%	61.59%	66.13%	15.71%	29.43%
	Not Married	75.66%	67.22%	55.93%	18.08%	15.85%	11.74%	6.14%	70.89%	59.83%	12.50%	19.19%
Previous Live Birth	Yes	68.59%	64.87%	52.36%	18.62%	12.91%	9.53%	5.94%	65.71%	68.34%	14.93%	24.85%
	No	73.44%	67.36%	52.97%	15.82%	12.54%	10.47%	3.49%	66.72%	55.61%	13.05%	23.80%
Education	Less Than 12 Years	75.33%	65.91%	57.68%	19.59%	10.55%	9.00%	4.12%	67.06%	52.89%	17.83%	20.58%
	12 Years	73.01%	67.07%	55.99%	13.81%	14.78%	11.05%	6.00%	71.60%	58.88%	10.90%	19.59%
	Greater Than 12 Years	67.74%	64.86%	49.06%	18.03%	12.43%	9.33%	4.55%	63.19%	67.67%	13.79%	27.41%
	Upper 95% CI	Q 24J	Q 24K	Q 24L	Q 25A	Q 25B	Q 25C	Q 25D	Q 26	Q 27	Q 28A	Q 28B
Total	Yes	72.69%	68.09%	54.93%	19.26%	14.35%	11.36%	5.98%	68.31%	65.28%	15.81%	26.45%
Age	Under 20 Years	79.22%	79.54%	68.35%	21.20%	20.36%	16.01%	6.57%	62.58%	59.56%	27.05%	23.15%
	20-24 Years	76.87%	73.32%	57.34%	22.13%	18.46%	16.82%	8.20%	71.44%	59.81%	11.92%	21.74%
	25-34 Years	73.68%	67.70%	56.48%	20.44%	12.78%	9.40%	5.33%	70.38%	71.59%	16.28%	31.25%
	Over 34 Years	63.90%	60.08%	44.09%	13.57%	14.09%	10.51%	6.97%	64.10%	60.40%	19.05%	23.66%
Ethnicity	White Non-Hispanic	67.34%	63.58%	46.28%	20.54%	14.33%	11.34%	6.83%	62.46%	65.22%	15.35%	28.87%
	Black Non-Hispanic	80.67%	78.89%	69.71%	16.33%	15.28%	13.30%	5.49%	81.46%	69.08%	16.66%	15.99%
	Hispanic	86.40%	73.81%	71.73%	19.32%	16.14%	7.70%	4.17%	75.13%	63.30%	19.65%	37.54%
Married	Married	68.30%	67.20%	52.14%	18.91%	11.47%	9.72%	4.84%	64.20%	68.66%	17.73%	31.92%
	Not Married	77.99%	69.78%	58.66%	20.26%	17.92%	13.58%	7.54%	73.37%	62.53%	14.39%	21.41%
Previous Live Birth	Yes	70.91%	67.26%	54.88%	20.62%	14.65%	11.07%	7.19%	68.09%	70.67%	16.77%	27.07%
	No	76.04%	70.14%	55.96%	18.07%	14.59%	12.37%	4.68%	69.52%	58.58%	15.14%	26.40%
Education	Less Than 12 Years	79.04%	70.05%	62.03%	23.22%	13.43%	11.70%	6.07%	71.16%	57.30%	21.35%	24.28%
	12 Years	76.43%	70.71%	59.88%	16.64%	17.68%	13.64%	8.01%	75.08%	62.72%	13.48%	22.81%
	Greater Than 12 Years	70.12%	67.29%	51.63%	20.05%	14.18%	10.88%	5.68%	65.65%	70.05%	15.61%	29.73%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 30A-Q 35A												
	Percent Response Yes	Q 30A	Q 30B	Q 30C	Q 30D	Q 30E	Q 30F	Q 31	Q 32	Q 33	Q 34	Q 35A
Total	Yes	87.47%	48.00%	40.27%	54.26%	21.51%	9.77%	20.01%	8.67%	47.42%	10.11%	17.60%
Age	Under 20 Years	88.42%	62.70%	48.87%	84.78%	18.80%	13.95%	18.70%	18.49%	87.02%	5.26%	20.39%
	20-24 Years	81.61%	40.81%	25.48%	42.85%	22.19%	8.81%	21.44%	10.17%	64.75%	4.56%	16.00%
	25-34 Years	89.41%	49.40%	43.75%	52.54%	22.70%	9.91%	20.25%	8.14%	37.38%	11.10%	17.83%
	Over 34 Years	89.83%	47.46%	48.15%	63.77%	17.49%	8.75%	17.47%	2.96%	33.89%	18.37%	17.98%
Ethnicity	White Non-Hispanic	89.33%	47.02%	44.91%	60.43%	19.68%	9.35%	21.45%	5.34%	34.48%	8.13%	18.37%
	Black Non-Hispanic	88.47%	51.75%	36.68%	54.35%	28.63%	10.59%	20.09%	12.87%	61.92%	11.13%	19.30%
	Hispanic	82.03%	50.90%	29.24%	30.56%	16.32%	7.83%	14.83%	12.10%	74.72%	12.05%	12.37%
Married	Married	90.49%	53.19%	53.15%	67.06%	16.84%	9.65%	22.73%	6.37%	24.61%	11.62%	17.90%
	Not Married	84.31%	42.57%	26.80%	40.87%	26.40%	9.90%	17.17%	11.07%	71.27%	8.54%	17.28%
Previous Live Birth	Yes	89.68%	48.30%	38.55%	48.87%	25.77%	10.45%	8.51%	6.48%	46.52%	11.78%	17.27%
	No	84.33%	47.57%	42.70%	61.85%	15.50%	8.81%	36.25%	11.75%	48.70%	7.77%	18.05%
Education	Less Than 12 Years	82.47%	47.60%	26.45%	33.16%	22.60%	8.75%	14.54%	13.90%	75.93%	11.53%	12.85%
	12 Years	88.82%	38.33%	25.98%	39.12%	30.16%	11.08%	10.76%	10.56%	67.13%	10.07%	18.97%
	Greater Than 12 Years	88.86%	52.45%	51.14%	68.11%	17.40%	9.40%	25.60%	6.18%	29.32%	9.75%	18.58%
	Lower 95% CI	Q 30A	Q 30B	Q 30C	Q 30D	Q 30E	Q 30F	Q 31	Q 32	Q 33	Q 34	Q 35A
Total	Yes	86.83%	47.03%	39.32%	53.29%	20.72%	9.20%	19.24%	8.12%	46.46%	9.53%	16.86%
Age	Under 20 Years	86.18%	59.32%	45.37%	82.26%	16.07%	11.52%	15.98%	15.77%	84.67%	3.70%	17.58%
	20-24 Years	80.11%	38.90%	23.79%	40.92%	20.58%	7.71%	19.84%	8.99%	62.90%	3.75%	14.58%
	25-34 Years	88.59%	48.07%	42.44%	51.21%	21.59%	9.11%	19.18%	7.42%	36.10%	10.27%	16.81%
	Over 34 Years	88.31%	44.95%	45.64%	61.35%	15.58%	7.33%	15.57%	2.11%	31.51%	16.43%	16.05%
Ethnicity	White Non-Hispanic	88.54%	45.74%	43.62%	59.16%	18.66%	8.60%	20.40%	4.76%	33.25%	7.43%	17.38%
	Black Non-Hispanic	87.25%	49.84%	34.84%	52.44%	26.90%	9.41%	18.55%	11.59%	60.06%	9.93%	17.79%
	Hispanic	79.97%	48.22%	26.80%	28.09%	14.34%	6.39%	12.92%	10.35%	72.39%	10.30%	10.60%
Married	Married	89.69%	51.85%	51.80%	65.79%	15.82%	8.85%	21.60%	5.71%	23.45%	10.75%	16.86%
	Not Married	83.30%	41.20%	25.58%	39.51%	25.18%	9.07%	16.13%	10.20%	70.02%	7.77%	16.23%
Previous Live Birth	Yes	88.92%	47.04%	37.32%	47.61%	24.66%	9.68%	7.80%	5.86%	45.26%	10.96%	16.32%
	No	83.24%	46.08%	41.21%	60.39%	14.42%	7.96%	34.80%	10.78%	47.20%	6.97%	16.89%
Education	Less Than 12 Years	80.78%	45.38%	24.50%	31.08%	20.74%	7.50%	12.98%	12.37%	74.03%	10.11%	11.37%
	12 Years	87.58%	36.42%	24.25%	37.20%	28.35%	9.84%	9.54%	9.35%	65.28%	8.89%	17.43%
	Greater Than 12 Years	88.05%	51.16%	49.85%	66.92%	16.43%	8.65%	24.48%	5.56%	28.15%	8.99%	17.58%
	Upper 95% CI	Q 30A	Q 30B	Q 30C	Q 30D	Q 30E	Q 30F	Q 31	Q 32	Q 33	Q 34	Q 35A
Total	Yes	88.10%	48.96%	41.22%	55.22%	22.30%	10.35%	20.79%	9.21%	48.39%	10.70%	18.33%
Age	Under 20 Years	90.66%	66.08%	52.37%	87.29%	21.53%	16.37%	21.43%	21.21%	89.38%	6.83%	23.21%
	20-24 Years	83.12%	42.72%	27.17%	44.77%	23.81%	9.91%	23.03%	11.34%	66.61%	5.38%	17.43%
	25-34 Years	90.22%	50.72%	45.07%	53.87%	23.82%	10.70%	21.31%	8.87%	38.67%	11.94%	18.84%
	Over 34 Years	91.35%	49.97%	50.66%	66.18%	19.40%	10.17%	19.38%	3.81%	36.27%	20.32%	19.91%
Ethnicity	White Non-Hispanic	90.13%	48.31%	46.19%	61.69%	20.71%	10.10%	22.51%	5.92%	35.70%	8.84%	19.37%
	Black Non-Hispanic	89.70%	53.66%	38.53%	56.26%	30.36%	11.76%	21.62%	14.15%	63.78%	12.34%	20.81%
	Hispanic	84.09%	53.58%	31.68%	33.03%	18.30%	9.27%	16.73%	13.85%	77.05%	13.79%	14.13%
Married	Married	91.28%	54.54%	54.50%	68.33%	17.85%	10.45%	23.86%	7.03%	25.78%	12.48%	18.93%
	Not Married	85.31%	43.93%	28.03%	42.23%	27.62%	10.72%	18.21%	11.94%	72.52%	9.31%	18.32%
Previous Live Birth	Yes	90.45%	49.56%	39.78%	50.13%	26.87%	11.23%	9.21%	7.11%	47.78%	12.59%	18.23%
	No	85.42%	49.07%	44.18%	63.31%	16.59%	9.66%	37.69%	12.72%	50.20%	8.57%	19.20%
Education	Less Than 12 Years	84.15%	49.81%	28.41%	35.25%	24.45%	10.00%	16.11%	15.43%	77.82%	12.94%	14.33%
	12 Years	90.06%	40.24%	27.71%	41.04%	31.96%	12.31%	11.98%	11.77%	68.98%	11.25%	20.51%
	Greater Than 12 Years	89.67%	53.73%	52.42%	69.31%	18.38%	10.15%	26.73%	6.80%	30.49%	10.51%	19.58%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 35B-Q37												
	Percent Response Yes	Q 35B	Q 35C	Q 35D	Q 35E	Q 35F	Q 35G	Q 35H	Q 35I	Q 35J	Q 36	Q 37
Total	Yes	17.23%	19.60%	1.54%	14.54%	9.20%	18.48%	5.54%	1.20%	2.13%	30.15%	10.11%
Age	Under 20 Years	24.28%	19.43%	4.63%	20.83%	1.39%	17.57%	11.02%	0.00%	1.83%	33.06%	9.75%
	20-24 Years	24.66%	25.46%	2.02%	15.49%	8.01%	22.19%	8.03%	3.15%	3.47%	39.56%	13.40%
	25-34 Years	13.88%	18.64%	0.61%	13.53%	9.97%	17.10%	3.60%	0.35%	1.68%	26.92%	9.55%
	Over 34 Years	13.10%	13.28%	2.47%	13.29%	12.43%	17.68%	5.47%	1.63%	1.67%	24.47%	6.79%
Ethnicity	White Non-Hispanic	16.12%	17.90%	1.13%	15.69%	11.74%	18.10%	4.14%	0.59%	1.68%	37.68%	14.80%
	Black Non-Hispanic	20.05%	29.66%	3.14%	17.22%	6.66%	22.18%	8.33%	3.32%	4.09%	28.13%	4.90%
	Hispanic	16.25%	9.57%	0.83%	6.20%	4.41%	16.30%	8.00%	0.20%	0.20%	10.88%	1.15%
Married	Married	12.30%	14.80%	0.63%	12.86%	11.62%	14.51%	3.61%	0.47%	1.30%	19.01%	3.63%
	Not Married	22.38%	24.61%	2.49%	16.29%	6.66%	22.63%	7.55%	1.97%	3.00%	41.81%	16.89%
Previous Live Birth	Yes	16.19%	20.27%	1.54%	10.52%	10.23%	21.94%	4.98%	1.34%	2.15%	27.05%	9.19%
	No	18.70%	18.65%	1.55%	20.20%	7.74%	13.60%	6.32%	1.01%	2.11%	34.53%	11.40%
Education	Less Than 12 Years	22.33%	19.96%	1.95%	9.96%	5.51%	23.58%	7.51%	1.63%	1.63%	27.02%	12.09%
	12 Years	20.04%	22.72%	2.39%	19.45%	7.50%	23.72%	6.75%	1.14%	2.31%	45.24%	15.62%
	Greater Than 12 Years	14.46%	18.08%	1.06%	14.05%	11.25%	14.69%	4.35%	1.09%	2.24%	25.05%	7.18%
	Lower 95% CI	Q 35B	Q 35C	Q 35D	Q 35E	Q 35F	Q 35G	Q 35H	Q 35I	Q 35J	Q 36	Q 37
Total	Yes	16.50%	18.83%	1.30%	13.85%	8.64%	17.73%	5.09%	0.99%	1.85%	29.27%	9.53%
Age	Under 20 Years	21.28%	16.66%	3.16%	17.99%	0.57%	14.91%	8.83%	0.00%	0.89%	29.76%	7.68%
	20-24 Years	22.99%	23.77%	1.47%	14.08%	6.96%	20.57%	6.97%	2.47%	2.76%	37.66%	12.08%
	25-34 Years	12.97%	17.61%	0.41%	12.62%	9.18%	16.10%	3.10%	0.19%	1.34%	25.75%	8.77%
	Over 34 Years	11.41%	11.58%	1.69%	11.58%	10.77%	15.76%	4.33%	0.99%	1.02%	22.31%	5.52%
Ethnicity	White Non-Hispanic	15.17%	16.91%	0.86%	14.76%	10.91%	17.11%	3.62%	0.39%	1.35%	36.43%	13.89%
	Black Non-Hispanic	18.52%	27.91%	2.47%	15.78%	5.71%	20.59%	7.27%	2.64%	3.33%	26.41%	4.08%
	Hispanic	14.27%	8.00%	0.34%	4.90%	3.31%	14.32%	6.55%	0.00%	0.00%	9.21%	0.58%
Married	Married	11.41%	13.84%	0.42%	11.95%	10.76%	13.56%	3.10%	0.29%	0.99%	17.95%	3.12%
	Not Married	21.23%	23.42%	2.06%	15.27%	5.97%	21.47%	6.82%	1.58%	2.53%	40.45%	15.85%
Previous Live Birth	Yes	15.26%	19.25%	1.23%	9.75%	9.46%	20.89%	4.44%	1.05%	1.78%	25.93%	8.47%
	No	17.53%	17.48%	1.18%	19.00%	6.94%	12.57%	5.59%	0.71%	1.68%	33.11%	10.44%
Education	Less Than 12 Years	20.49%	18.19%	1.34%	8.63%	4.50%	21.70%	6.34%	1.07%	1.07%	25.05%	10.65%
	12 Years	18.47%	21.07%	1.79%	17.90%	6.46%	22.04%	5.76%	0.72%	1.72%	43.28%	14.19%
	Greater Than 12 Years	13.56%	17.09%	0.79%	13.16%	10.43%	13.78%	3.82%	0.83%	1.86%	23.93%	6.52%
	Upper 95% CI	Q 35B	Q 35C	Q 35D	Q 35E	Q 35F	Q 35G	Q 35H	Q 35I	Q 35J	Q 36	Q 37
Total	Yes	17.96%	20.36%	1.78%	15.22%	9.75%	19.23%	5.98%	1.41%	2.41%	31.04%	10.69%
Age	Under 20 Years	27.28%	22.20%	6.10%	23.67%	2.21%	20.23%	13.21%	0.00%	2.76%	36.35%	11.83%
	20-24 Years	26.34%	27.15%	2.57%	16.89%	9.06%	23.80%	9.09%	3.82%	4.18%	41.45%	14.72%
	25-34 Years	14.80%	19.68%	0.82%	14.44%	10.77%	18.10%	4.09%	0.50%	2.02%	28.10%	10.33%
	Over 34 Years	14.80%	14.99%	3.25%	14.99%	14.09%	19.60%	6.61%	2.26%	2.31%	26.63%	8.05%
Ethnicity	White Non-Hispanic	17.07%	18.89%	1.41%	16.63%	12.57%	19.10%	4.65%	0.79%	2.01%	38.93%	15.72%
	Black Non-Hispanic	21.59%	31.41%	3.81%	18.67%	7.62%	23.77%	9.39%	4.01%	4.85%	29.86%	5.73%
	Hispanic	18.23%	11.15%	1.31%	7.49%	5.52%	18.28%	9.46%	0.44%	0.44%	12.55%	1.72%
Married	Married	13.19%	15.76%	0.85%	13.76%	12.49%	15.46%	4.11%	0.65%	1.61%	20.07%	4.13%
	Not Married	23.53%	25.80%	2.92%	17.31%	7.35%	23.79%	8.28%	2.35%	3.47%	43.17%	17.92%
Previous Live Birth	Yes	17.12%	21.28%	1.85%	11.30%	10.99%	22.98%	5.53%	1.63%	2.51%	28.17%	9.92%
	No	19.87%	19.82%	1.92%	21.40%	8.54%	14.63%	7.04%	1.31%	2.54%	35.96%	12.35%
Education	Less Than 12 Years	24.18%	21.73%	2.56%	11.28%	6.52%	25.46%	8.68%	2.20%	2.20%	28.98%	13.54%
	12 Years	21.62%	24.37%	3.00%	21.01%	8.53%	25.39%	7.74%	1.55%	2.90%	47.19%	17.05%
	Greater Than 12 Years	15.37%	19.07%	1.32%	14.95%	12.06%	15.60%	4.87%	1.36%	2.62%	26.16%	7.84%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 38-Q 44E												
	Percent Response Yes	Q 38	Q 39	Q 40	Q 41	Q 42	Q 43	Q 44A	Q 44B	Q 44C	Q 44D	Q 44E
Total	Yes	2.28%	6.28%	5.49%	65.30%	7.61%	6.09%	24.77%	7.04%	32.11%	2.93%	13.08%
Age	Under 20 Years	2.04%	6.11%	18.46%	47.61%	7.72%	0.00%	33.86%	14.72%	40.24%	5.68%	17.27%
	20-24 Years	3.70%	7.31%	7.55%	66.45%	6.74%	5.37%	22.43%	9.59%	40.85%	3.38%	15.15%
	25-34 Years	1.58%	6.05%	3.20%	67.06%	9.04%	5.95%	25.03%	5.28%	29.74%	2.62%	10.67%
	Over 34 Years	2.50%	5.45%	3.55%	66.23%	3.91%	10.93%	23.03%	5.14%	21.73%	1.86%	16.05%
Ethnicity	White Non-Hispanic	3.13%	8.52%	6.44%	79.83%	11.76%	6.90%	29.47%	6.13%	29.40%	2.67%	14.26%
	Black Non-Hispanic	0.49%	3.93%	6.16%	57.32%	2.51%	6.03%	24.56%	8.40%	36.27%	4.40%	12.44%
	Hispanic	0.20%	0.95%	2.14%	31.22%	2.60%	2.27%	11.30%	7.25%	35.14%	1.20%	9.65%
Married	Married	0.48%	2.25%	1.74%	68.31%	8.25%	7.23%	23.59%	3.02%	25.96%	1.08%	9.68%
	Not Married	4.15%	10.48%	9.42%	62.16%	6.95%	4.89%	25.99%	11.25%	38.54%	4.86%	16.63%
Previous Live Birth	Yes	2.41%	6.47%	4.73%	60.76%	5.20%	6.37%	23.57%	6.43%	30.58%	3.65%	14.14%
	No	2.09%	6.00%	6.57%	71.71%	11.01%	5.69%	26.45%	7.90%	34.27%	1.92%	11.58%
Education	Less Than 12 Years	2.84%	7.70%	6.75%	29.33%	4.05%	2.07%	16.08%	9.56%	33.44%	4.91%	12.28%
	12 Years	5.17%	12.21%	11.06%	65.97%	4.84%	6.06%	28.41%	9.95%	41.63%	4.75%	15.83%
	Greater Than 12 Years	0.87%	3.32%	2.74%	77.53%	10.06%	7.50%	26.11%	4.80%	27.67%	1.51%	12.29%
	Lower 95% CI	Q 38	Q 39	Q 40	Q 41	Q 42	Q 43	Q 44A	Q 44B	Q 44C	Q 44D	Q 44E
Total	Yes	1.99%	5.81%	5.05%	64.38%	7.10%	5.62%	23.93%	6.55%	31.21%	2.60%	12.43%
Age	Under 20 Years	1.05%	4.43%	15.74%	44.11%	5.85%	0.00%	30.55%	12.24%	36.81%	4.06%	14.63%
	20-24 Years	2.97%	6.30%	6.53%	64.62%	5.76%	4.49%	20.81%	8.45%	38.94%	2.68%	13.76%
	25-34 Years	1.25%	5.41%	2.73%	65.81%	8.28%	5.32%	23.88%	4.68%	28.53%	2.20%	9.85%
	Over 34 Years	1.71%	4.31%	2.62%	63.85%	2.94%	9.36%	20.91%	4.03%	19.66%	1.18%	14.20%
Ethnicity	White Non-Hispanic	2.68%	7.80%	5.80%	78.80%	10.93%	6.24%	28.30%	5.51%	28.22%	2.26%	13.36%
	Black Non-Hispanic	0.22%	3.19%	5.24%	55.43%	1.91%	5.12%	22.91%	7.34%	34.43%	3.61%	11.18%
	Hispanic	0.00%	0.43%	1.37%	28.73%	1.75%	1.47%	9.60%	5.86%	32.58%	0.61%	8.07%
Married	Married	0.30%	1.85%	1.39%	67.05%	7.50%	6.53%	22.44%	2.56%	24.77%	0.80%	8.88%
	Not Married	3.60%	9.64%	8.61%	60.82%	6.25%	4.30%	24.78%	10.37%	37.20%	4.27%	15.60%
Previous Live Birth	Yes	2.02%	5.85%	4.19%	59.52%	4.64%	5.75%	22.50%	5.81%	29.42%	3.18%	13.26%
	No	1.66%	5.29%	5.83%	70.36%	10.07%	5.00%	25.13%	7.09%	32.85%	1.50%	10.62%
Education	Less Than 12 Years	2.10%	6.52%	5.64%	27.31%	3.18%	1.44%	14.45%	8.26%	31.34%	3.96%	10.82%
	12 Years	4.30%	10.92%	9.83%	64.10%	4.00%	5.12%	26.64%	8.77%	39.69%	3.91%	14.39%
	Greater Than 12 Years	0.64%	2.86%	2.32%	76.45%	9.29%	6.82%	24.98%	4.25%	26.52%	1.20%	11.44%
	Upper 95% CI	Q 38	Q 39	Q 40	Q 41	Q 42	Q 43	Q 44A	Q 44B	Q 44C	Q 44D	Q 44E
Total	Yes	2.57%	6.74%	5.93%	66.22%	8.12%	6.55%	25.60%	7.54%	33.01%	3.26%	13.73%
Age	Under 20 Years	3.02%	7.78%	21.17%	51.10%	9.59%	0.00%	37.17%	17.19%	43.67%	7.30%	19.91%
	20-24 Years	4.44%	8.32%	8.58%	68.28%	7.71%	6.24%	24.05%	10.73%	42.76%	4.08%	16.54%
	25-34 Years	1.91%	6.68%	3.67%	68.30%	9.80%	6.58%	26.18%	5.87%	30.96%	3.05%	11.49%
	Over 34 Years	3.28%	6.59%	4.48%	68.60%	4.89%	12.50%	25.14%	6.26%	23.81%	2.53%	17.89%
Ethnicity	White Non-Hispanic	3.58%	9.24%	7.07%	80.87%	12.59%	7.55%	30.65%	6.75%	30.57%	3.09%	15.16%
	Black Non-Hispanic	0.75%	4.68%	7.08%	59.21%	3.11%	6.94%	26.21%	9.47%	38.11%	5.18%	13.70%
	Hispanic	0.44%	1.47%	2.92%	33.70%	3.45%	3.07%	13.00%	8.64%	37.70%	1.78%	11.24%
Married	Married	0.67%	2.65%	2.09%	69.56%	8.99%	7.93%	24.74%	3.49%	27.14%	1.36%	10.48%
	Not Married	4.71%	11.33%	10.22%	63.50%	7.65%	5.49%	27.21%	12.12%	39.89%	5.46%	17.66%
Previous Live Birth	Yes	2.80%	7.09%	5.26%	61.99%	5.76%	6.98%	24.64%	7.05%	31.74%	4.12%	15.02%
	No	2.52%	6.71%	7.31%	73.07%	11.95%	6.39%	27.78%	8.71%	35.69%	2.33%	12.54%
Education	Less Than 12 Years	3.57%	8.89%	7.86%	31.35%	4.93%	2.70%	17.71%	10.86%	35.53%	5.87%	13.73%
	12 Years	6.04%	13.50%	12.30%	67.83%	5.68%	7.00%	30.19%	11.12%	43.57%	5.59%	17.27%
	Greater Than 12 Years	1.11%	3.78%	3.16%	78.60%	10.83%	8.18%	27.24%	5.35%	28.82%	1.83%	13.13%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 44F-Q 46												
	Percent Response Yes	Q 44F	Q 44G	Q 44H	Q 44I	Q 44J	Q 44K	Q 44L	Q 44M	Q 44N	Q 45	Q 46
Total	Yes	11.56%	17.46%	6.24%	23.85%	8.09%	21.81%	3.87%	13.98%	18.71%	2.89%	2.95%
Age	Under 20 Years	8.56%	15.65%	4.85%	34.69%	17.40%	11.59%	11.62%	30.29%	28.03%	2.46%	3.65%
	20-24 Years	16.31%	19.85%	6.27%	28.21%	10.49%	25.97%	4.43%	16.49%	18.15%	6.03%	5.80%
	25-34 Years	11.16%	16.63%	6.16%	20.27%	6.68%	19.64%	3.09%	11.19%	18.48%	1.89%	1.54%
	Over 34 Years	6.58%	17.40%	7.21%	23.80%	4.32%	27.88%	1.73%	11.35%	15.63%	1.46%	2.89%
Ethnicity	White Non-Hispanic	12.13%	19.31%	6.92%	21.96%	6.03%	22.19%	3.72%	17.43%	19.60%	2.71%	2.55%
	Black Non-Hispanic	10.15%	13.53%	4.91%	34.42%	12.74%	24.70%	5.61%	10.81%	21.99%	3.69%	3.81%
	Hispanic	14.44%	19.91%	7.72%	11.38%	7.14%	19.34%	0.83%	3.30%	9.20%	2.39%	3.29%
Married	Married	7.34%	16.47%	8.33%	14.65%	3.40%	17.98%	1.66%	8.45%	16.56%	1.07%	1.05%
	Not Married	15.97%	18.50%	4.06%	33.47%	12.99%	25.82%	6.18%	19.76%	20.95%	4.81%	4.95%
Previous Live Birth	Yes	12.35%	18.41%	5.43%	23.65%	8.55%	26.41%	4.19%	11.61%	18.49%	2.66%	3.54%
	No	10.44%	16.12%	7.39%	24.14%	7.44%	15.32%	3.42%	17.32%	19.01%	3.22%	2.12%
Education	Less Than 12 Years	10.97%	15.57%	3.16%	18.61%	10.12%	17.42%	5.00%	11.24%	18.37%	3.99%	4.30%
	12 Years	15.89%	18.37%	4.30%	28.88%	10.15%	26.42%	6.44%	20.57%	22.19%	3.61%	2.65%
	Greater Than 12 Years	10.01%	17.87%	8.11%	23.47%	6.13%	21.30%	2.43%	12.00%	17.50%	2.25%	2.65%
	Lower 95% CI	Q 44F	Q 44G	Q 44H	Q 44I	Q 44J	Q 44K	Q 44L	Q 44M	Q 44N	Q 45	Q 46
Total	Yes	10.94%	16.73%	5.78%	23.03%	7.56%	21.01%	3.50%	13.31%	17.95%	2.57%	2.63%
Age	Under 20 Years	6.61%	13.11%	3.35%	31.36%	14.75%	9.35%	9.38%	27.08%	24.89%	1.37%	2.34%
	20-24 Years	14.87%	18.30%	5.32%	26.46%	9.30%	24.27%	3.64%	15.05%	16.65%	5.10%	4.89%
	25-34 Years	10.32%	15.64%	5.52%	19.20%	6.01%	18.59%	2.63%	10.35%	17.45%	1.53%	1.21%
	Over 34 Years	5.33%	15.50%	5.91%	21.66%	3.29%	25.63%	1.08%	9.75%	13.81%	0.86%	2.05%
Ethnicity	White Non-Hispanic	11.29%	18.29%	6.27%	20.89%	5.42%	21.11%	3.24%	16.46%	18.57%	2.30%	2.15%
	Black Non-Hispanic	8.99%	12.22%	4.08%	32.60%	11.46%	23.05%	4.73%	9.62%	20.40%	2.97%	3.08%
	Hispanic	12.55%	17.77%	6.29%	9.68%	5.76%	17.22%	0.34%	2.34%	7.65%	1.57%	2.33%
Married	Married	6.63%	15.47%	7.58%	13.70%	2.91%	16.94%	1.32%	7.70%	15.56%	0.79%	0.77%
	Not Married	14.96%	17.43%	3.51%	32.17%	12.06%	24.61%	5.52%	18.66%	19.82%	4.22%	4.35%
Previous Live Birth	Yes	11.52%	17.44%	4.86%	22.58%	7.84%	25.30%	3.69%	10.80%	17.51%	2.25%	3.08%
	No	9.52%	15.02%	6.61%	22.86%	6.65%	14.24%	2.88%	16.19%	17.83%	2.69%	1.69%
Education	Less Than 12 Years	9.58%	13.96%	2.38%	16.89%	8.79%	15.74%	4.03%	9.84%	16.65%	3.13%	3.40%
	12 Years	14.45%	16.84%	3.50%	27.09%	8.96%	24.69%	5.47%	18.98%	20.55%	2.87%	2.02%
	Greater Than 12 Years	9.24%	16.89%	7.41%	22.38%	5.51%	20.25%	2.04%	11.16%	16.53%	1.87%	2.24%
	Upper 95% CI	Q 44F	Q 44G	Q 44H	Q 44I	Q 44J	Q 44K	Q 44L	Q 44M	Q 44N	Q 45	Q 46
Total	Yes	12.17%	18.20%	6.71%	24.68%	8.61%	22.61%	4.24%	14.65%	19.46%	3.22%	3.28%
Age	Under 20 Years	10.52%	18.20%	6.35%	38.02%	20.06%	13.83%	13.86%	33.51%	31.17%	3.54%	4.96%
	20-24 Years	17.74%	21.40%	7.21%	29.96%	11.67%	27.67%	5.23%	17.93%	19.64%	6.95%	6.71%
	25-34 Years	11.99%	17.62%	6.80%	21.34%	7.34%	20.70%	3.55%	12.03%	19.51%	2.25%	1.86%
	Over 34 Years	7.82%	19.31%	8.50%	25.94%	5.34%	30.13%	2.39%	12.94%	17.46%	2.07%	3.73%
Ethnicity	White Non-Hispanic	12.97%	20.33%	7.58%	23.02%	6.65%	23.26%	4.21%	18.41%	20.62%	3.13%	2.96%
	Black Non-Hispanic	11.30%	14.84%	5.74%	36.24%	14.01%	26.35%	6.50%	12.00%	23.58%	4.41%	4.54%
	Hispanic	16.32%	22.06%	9.15%	13.08%	8.52%	21.46%	1.31%	4.25%	10.75%	3.21%	4.25%
Married	Married	8.04%	17.47%	9.08%	15.61%	3.89%	19.01%	2.01%	9.20%	17.57%	1.34%	1.32%
	Not Married	16.98%	19.57%	4.60%	34.78%	13.91%	27.03%	6.85%	20.86%	22.07%	5.40%	5.55%
Previous Live Birth	Yes	13.18%	19.39%	6.00%	24.72%	9.25%	27.52%	4.70%	12.42%	19.47%	3.07%	4.01%
	No	11.35%	17.23%	8.17%	25.43%	8.23%	16.40%	3.97%	18.46%	20.18%	3.75%	2.55%
Education	Less Than 12 Years	12.35%	17.18%	3.93%	20.34%	11.46%	19.10%	5.97%	12.64%	20.09%	4.86%	5.20%
	12 Years	17.33%	19.89%	5.10%	30.66%	11.34%	28.16%	7.40%	22.17%	23.82%	4.34%	3.29%
	Greater Than 12 Years	10.78%	18.86%	8.81%	24.56%	6.75%	22.35%	2.83%	12.83%	18.48%	2.63%	3.07%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 49-Q 60												
	Percent Response Yes	Q 49	Q 50	Q 51	Q 52	Q 53	Q 54	Q 56	Q 57	Q 58	Q 59	Q 60
Total	Yes	16.71%	0.34%	94.98%	93.89%	77.09%	39.37%	74.23%	15.76%	91.59%	20.16%	81.36%
Age	Under 20 Years	24.25%	1.39%	99.15%	96.36%	69.82%	14.60%	67.25%	20.40%	92.72%	27.51%	92.91%
	20-24 Years	19.42%	0.17%	94.34%	92.75%	68.03%	26.67%	69.36%	16.27%	88.17%	27.40%	82.03%
	25-34 Years	14.86%	0.22%	95.00%	94.13%	82.66%	45.30%	77.85%	14.64%	93.10%	17.51%	82.34%
	Over 34 Years	14.91%	0.52%	93.82%	93.71%	76.06%	52.18%	73.06%	16.54%	91.30%	13.75%	70.76%
Ethnicity	White Non-Hispanic	16.85%	0.36%	96.02%	94.62%	76.70%	38.49%	81.29%	11.09%	91.80%	18.20%	84.05%
	Black Non-Hispanic	17.89%	0.43%	93.24%	92.49%	70.39%	31.22%	55.27%	22.94%	90.52%	26.58%	79.96%
	Hispanic	15.08%	0.25%	93.60%	94.55%	85.32%	44.29%	78.75%	12.70%	89.90%	14.61%	76.32%
Married	Married	14.38%	0.23%	95.20%	94.03%	84.39%	53.72%	79.84%	12.30%	92.97%	16.29%	79.89%
	Not Married	19.15%	0.46%	94.75%	93.76%	69.45%	24.37%	68.37%	19.39%	90.13%	24.21%	82.89%
Previous Live Birth	Yes	12.02%	0.14%	94.97%	94.40%	75.26%	39.69%	72.04%	14.20%	92.30%	13.66%	78.90%
	No	23.33%	0.62%	94.99%	93.19%	79.67%	38.92%	77.33%	17.97%	90.57%	29.33%	84.83%
Education	Less Than 12 Years	15.64%	0.00%	91.89%	91.55%	62.21%	26.30%	64.49%	14.35%	87.13%	23.96%	73.69%
	12 Years	23.27%	0.28%	95.65%	93.46%	69.03%	22.41%	72.54%	15.42%	90.38%	21.94%	83.08%
	Greater Than 12 Years	14.18%	0.48%	95.69%	94.82%	85.58%	50.95%	78.41%	16.31%	93.52%	18.11%	83.04%
	Lower 95% CI	Q 49	Q 50	Q 51	Q 52	Q 53	Q 54	Q 56	Q 57	Q 58	Q 59	Q 60
Total	Yes	15.99%	0.23%	94.56%	93.43%	76.28%	38.42%	73.39%	15.06%	91.05%	19.39%	80.61%
Age	Under 20 Years	21.25%	0.57%	98.51%	95.05%	66.61%	12.13%	63.97%	17.58%	90.90%	24.38%	91.11%
	20-24 Years	17.88%	0.01%	93.45%	91.74%	66.22%	24.95%	67.57%	14.84%	86.91%	25.67%	80.54%
	25-34 Years	13.92%	0.09%	94.42%	93.50%	81.66%	43.98%	76.75%	13.70%	92.43%	16.50%	81.32%
	Over 34 Years	13.12%	0.16%	92.61%	92.49%	73.92%	49.67%	70.83%	14.68%	89.88%	12.02%	68.48%
Ethnicity	White Non-Hispanic	15.89%	0.20%	95.52%	94.04%	75.61%	37.23%	80.28%	10.28%	91.09%	17.21%	83.10%
	Black Non-Hispanic	16.42%	0.18%	92.28%	91.48%	68.65%	29.45%	53.37%	21.33%	89.40%	24.88%	78.43%
	Hispanic	13.16%	0.00%	92.29%	93.33%	83.42%	41.62%	76.55%	10.92%	88.28%	12.71%	74.04%
Married	Married	13.43%	0.10%	94.62%	93.39%	83.41%	52.37%	78.76%	11.41%	92.28%	15.29%	78.81%
	Not Married	18.07%	0.27%	94.13%	93.09%	68.18%	23.18%	67.08%	18.29%	89.31%	23.03%	81.85%
Previous Live Birth	Yes	11.20%	0.05%	94.42%	93.82%	74.17%	38.45%	70.91%	13.32%	91.63%	12.80%	77.87%
	No	22.06%	0.38%	94.34%	92.43%	78.47%	37.45%	76.07%	16.82%	89.70%	27.97%	83.76%
Education	Less Than 12 Years	14.03%	0.00%	90.68%	90.31%	60.06%	24.35%	62.37%	12.80%	85.65%	22.07%	71.74%
	12 Years	21.60%	0.07%	94.84%	92.48%	67.21%	20.77%	70.79%	14.00%	89.22%	20.32%	81.60%
	Greater Than 12 Years	13.28%	0.31%	95.17%	94.25%	84.67%	49.67%	77.35%	15.36%	92.89%	17.12%	82.07%
	Upper 95% CI	Q 49	Q 50	Q 51	Q 52	Q 53	Q 54	Q 56	Q 57	Q 58	Q 59	Q 60
Total	Yes	17.43%	0.45%	95.40%	94.36%	77.90%	40.31%	75.08%	16.47%	92.12%	20.94%	82.11%
Age	Under 20 Years	27.24%	2.21%	99.80%	97.67%	73.03%	17.07%	70.53%	23.22%	94.54%	30.63%	94.70%
	20-24 Years	20.96%	0.33%	95.24%	93.76%	69.84%	28.38%	71.15%	17.70%	89.42%	29.13%	83.52%
	25-34 Years	15.81%	0.34%	95.58%	94.75%	83.67%	46.63%	78.95%	15.58%	93.77%	18.51%	83.35%
	Over 34 Years	16.70%	0.88%	95.03%	94.93%	78.21%	54.69%	75.29%	18.41%	92.72%	15.48%	73.05%
Ethnicity	White Non-Hispanic	17.82%	0.51%	96.53%	95.20%	77.79%	39.74%	82.29%	11.90%	92.51%	19.20%	84.99%
	Black Non-Hispanic	19.35%	0.68%	94.20%	93.50%	72.14%	33.00%	57.18%	24.55%	91.65%	28.27%	81.49%
	Hispanic	17.00%	0.52%	94.91%	95.77%	87.21%	46.95%	80.94%	14.49%	91.51%	16.50%	78.60%
Married	Married	15.33%	0.36%	95.78%	94.67%	85.37%	55.06%	80.93%	13.18%	93.66%	17.28%	80.97%
	Not Married	20.24%	0.65%	95.36%	94.42%	70.72%	25.55%	69.65%	20.48%	90.96%	25.40%	83.93%
Previous Live Birth	Yes	12.84%	0.24%	95.52%	94.98%	76.35%	40.92%	73.18%	15.08%	92.98%	14.53%	79.93%
	No	24.60%	0.85%	95.64%	93.94%	80.88%	40.38%	78.58%	19.12%	91.45%	30.70%	85.91%
Education	Less Than 12 Years	17.25%	0.00%	93.10%	92.78%	64.36%	28.25%	66.62%	15.91%	88.62%	25.85%	75.64%
	12 Years	24.93%	0.49%	96.45%	94.43%	70.85%	24.05%	74.30%	16.84%	91.54%	23.57%	84.56%
	Greater Than 12 Years	15.08%	0.66%	96.21%	95.39%	86.48%	52.24%	79.47%	17.26%	94.16%	19.10%	84.00%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 61A-Q 62B												
	Percent Response Yes	Q 61A	Q 61B	Q 61C	Q 61D	Q 61E	Q 61F	Q 61G	Q 61H	Q 61I	Q 62A	Q 62B
Total	Yes	7.53%	2.47%	4.73%	6.05%	2.50%	0.39%	3.33%	0.25%	0.23%	8.49%	2.23%
Age	Under 20 Years	6.88%	0.00%	3.65%	4.19%	2.25%	3.23%	0.00%	0.00%	0.00%	0.00%	1.83%
	20-24 Years	7.22%	0.69%	4.68%	5.64%	3.32%	0.56%	0.56%	0.00%	0.43%	3.07%	0.87%
	25-34 Years	7.50%	2.92%	4.94%	5.90%	2.18%	0.00%	3.70%	0.06%	0.23%	9.50%	2.95%
	Over 34 Years	8.50%	5.09%	4.58%	8.22%	2.39%	0.00%	8.34%	1.45%	0.00%	18.35%	2.18%
Ethnicity	White Non-Hispanic	5.82%	2.39%	3.74%	3.55%	1.66%	0.00%	2.62%	0.19%	0.19%	6.95%	2.97%
	Black Non-Hispanic	9.31%	2.87%	6.21%	8.96%	4.19%	1.09%	3.83%	0.00%	0.00%	13.85%	1.26%
	Hispanic	8.29%	1.20%	3.55%	8.42%	2.22%	0.83%	6.77%	1.08%	0.95%	5.62%	1.08%
Married	Married	5.93%	3.21%	6.07%	6.86%	3.17%	0.21%	4.30%	0.42%	0.21%	8.63%	3.95%
	Not Married	9.21%	1.69%	3.32%	5.20%	1.79%	0.57%	2.31%	0.07%	0.25%	8.35%	0.44%
Previous Live Birth	Yes	7.23%	2.50%	3.95%	5.70%	2.27%	0.42%	5.50%	0.42%	0.39%	14.45%	3.51%
	No	7.96%	2.42%	5.83%	6.54%	2.82%	0.34%	0.26%	0.00%	0.00%	0.08%	0.44%
Education	Less Than 12 Years	10.35%	2.16%	4.16%	5.96%	5.49%	2.03%	4.79%	0.17%	0.65%	5.41%	0.73%
	12 Years	7.32%	2.05%	4.95%	5.99%	1.64%	0.00%	3.58%	0.45%	0.45%	9.06%	1.16%
	Greater Than 12 Years	6.75%	2.78%	4.86%	6.16%	1.88%	0.00%	2.75%	0.19%	0.00%	9.12%	3.22%
	Lower 95% CI	Q 61A	Q 61B	Q 61C	Q 61D	Q 61E	Q 61F	Q 61G	Q 61H	Q 61I	Q 62A	Q 62B
Total	Yes	7.02%	2.17%	4.32%	5.59%	2.20%	0.27%	2.98%	0.15%	0.14%	7.95%	1.95%
Age	Under 20 Years	5.11%	0.00%	2.34%	2.79%	1.21%	2.00%	0.00%	0.00%	0.00%	0.00%	0.89%
	20-24 Years	6.22%	0.37%	3.86%	4.74%	2.62%	0.27%	0.27%	0.00%	0.18%	2.40%	0.51%
	25-34 Years	6.80%	2.48%	4.37%	5.28%	1.79%	0.00%	3.20%	0.00%	0.10%	8.72%	2.50%
	Over 34 Years	7.10%	3.99%	3.53%	6.84%	1.63%	0.00%	6.95%	0.85%	0.00%	16.41%	1.44%
Ethnicity	White Non-Hispanic	5.22%	2.00%	3.25%	3.07%	1.33%	0.00%	2.21%	0.08%	0.08%	6.29%	2.53%
	Black Non-Hispanic	8.19%	2.23%	5.28%	7.86%	3.42%	0.70%	3.09%	0.00%	0.00%	12.53%	0.83%
	Hispanic	6.81%	0.61%	2.56%	6.93%	1.43%	0.34%	5.43%	0.52%	0.43%	4.38%	0.52%
Married	Married	5.29%	2.74%	5.42%	6.18%	2.70%	0.09%	3.75%	0.24%	0.09%	7.87%	3.43%
	Not Married	8.41%	1.34%	2.83%	4.59%	1.43%	0.36%	1.89%	0.00%	0.11%	7.58%	0.25%
Previous Live Birth	Yes	6.58%	2.11%	3.46%	5.11%	1.90%	0.26%	4.92%	0.26%	0.24%	13.57%	3.04%
	No	7.15%	1.96%	5.12%	5.80%	2.32%	0.16%	0.11%	0.00%	0.00%	0.00%	0.24%
Education	Less Than 12 Years	9.00%	1.52%	3.27%	4.91%	4.48%	1.40%	3.85%	0.00%	0.29%	4.41%	0.36%
	12 Years	6.29%	1.49%	4.10%	5.05%	1.14%	0.00%	2.85%	0.18%	0.18%	7.93%	0.74%
	Greater Than 12 Years	6.10%	2.35%	4.31%	5.54%	1.53%	0.00%	2.33%	0.08%	0.00%	8.38%	2.76%
	Upper 95% CI	Q 61A	Q 61B	Q 61C	Q 61D	Q 61E	Q 61F	Q 61G	Q 61H	Q 61I	Q 62A	Q 62B
Total	Yes	8.04%	2.77%	5.14%	6.51%	2.80%	0.51%	3.67%	0.34%	0.32%	9.03%	2.52%
Age	Under 20 Years	8.65%	0.00%	4.96%	5.60%	3.29%	4.47%	0.00%	0.00%	0.00%	0.00%	2.76%
	20-24 Years	8.23%	1.01%	5.50%	6.53%	4.01%	0.85%	0.85%	0.00%	0.69%	3.74%	1.23%
	25-34 Years	8.20%	3.37%	5.52%	6.53%	2.57%	0.00%	4.20%	0.13%	0.36%	10.28%	3.39%
	Over 34 Years	9.91%	6.20%	5.64%	9.60%	3.16%	0.00%	9.73%	2.05%	0.00%	20.30%	2.91%
Ethnicity	White Non-Hispanic	6.43%	2.79%	4.23%	4.03%	1.99%	0.00%	3.04%	0.30%	0.30%	7.61%	3.41%
	Black Non-Hispanic	10.42%	3.51%	7.13%	10.05%	4.96%	1.49%	4.56%	0.00%	0.00%	15.18%	1.68%
	Hispanic	9.77%	1.78%	4.54%	9.91%	3.01%	1.31%	8.12%	1.63%	1.47%	6.85%	1.63%
Married	Married	6.57%	3.69%	6.71%	7.54%	3.65%	0.33%	4.85%	0.59%	0.33%	9.39%	4.48%
	Not Married	10.01%	2.05%	3.82%	5.81%	2.16%	0.78%	2.72%	0.14%	0.39%	9.11%	0.62%
Previous Live Birth	Yes	7.89%	2.90%	4.44%	6.28%	2.65%	0.58%	6.07%	0.59%	0.55%	15.34%	3.97%
	No	8.77%	2.88%	6.53%	7.28%	3.32%	0.51%	0.41%	0.00%	0.00%	0.16%	0.63%
Education	Less Than 12 Years	11.70%	2.81%	5.04%	7.01%	6.50%	2.65%	5.74%	0.35%	1.00%	6.41%	1.11%
	12 Years	8.34%	2.60%	5.81%	6.92%	2.14%	0.00%	4.31%	0.71%	0.71%	10.18%	1.58%
	Greater Than 12 Years	7.39%	3.20%	5.42%	6.78%	2.23%	0.00%	3.17%	0.30%	0.00%	9.86%	3.67%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 62C-Q 64												
	Percent Response Yes	Q 62C	Q 62D	Q 62E	Q 62F	Q 62G	Q 62H	Q 62I	Q 62J	Q 62K	Q 63	Q 64
Total	Yes	21.25%	30.63%	11.81%	2.38%	3.09%	7.98%	4.38%	15.07%	9.38%	87.82%	7.03%
Age	Under 20 Years	23.84%	41.87%	34.27%	6.66%	2.04%	2.04%	0.42%	11.37%	10.11%	84.86%	9.45%
	20-24 Years	20.69%	32.73%	16.59%	4.73%	2.89%	14.18%	3.02%	18.37%	10.66%	81.62%	8.51%
	25-34 Years	21.48%	29.45%	8.57%	1.13%	3.34%	6.88%	4.63%	14.97%	8.75%	91.00%	5.95%
	Over 34 Years	20.01%	25.55%	3.83%	0.73%	3.12%	4.57%	7.77%	11.81%	9.13%	88.30%	7.20%
Ethnicity	White Non-Hispanic	25.85%	31.04%	7.46%	1.62%	3.22%	7.29%	3.47%	15.40%	8.04%	89.12%	7.85%
	Black Non-Hispanic	15.64%	28.92%	20.86%	3.32%	2.51%	9.54%	4.71%	15.12%	12.56%	89.12%	7.90%
	Hispanic	18.16%	28.36%	16.00%	3.92%	3.09%	5.94%	5.32%	13.89%	6.51%	81.72%	1.90%
Married	Married	21.32%	31.63%	6.07%	1.11%	1.74%	7.66%	6.25%	16.72%	6.48%	92.02%	4.87%
	Not Married	21.17%	29.58%	17.82%	3.72%	4.51%	8.31%	2.41%	13.35%	12.42%	83.42%	9.30%
Previous Live Birth	Yes	18.37%	25.35%	11.07%	1.44%	3.24%	8.58%	5.10%	14.20%	8.40%	86.25%	8.22%
	No	25.31%	38.08%	12.86%	3.71%	2.89%	7.12%	3.35%	16.30%	10.77%	90.02%	5.36%
Education	Less Than 12 Years	13.51%	32.03%	22.98%	1.94%	4.22%	2.98%	3.29%	10.09%	8.75%	75.88%	6.15%
	12 Years	18.29%	28.10%	17.78%	4.79%	3.50%	6.85%	3.11%	15.53%	11.89%	84.94%	12.00%
	Greater Than 12 Years	25.25%	31.27%	5.62%	1.31%	2.35%	9.80%	5.32%	16.63%	8.61%	93.36%	5.06%
	Lower 95% CI	Q 62C	Q 62D	Q 62E	Q 62F	Q 62G	Q 62H	Q 62I	Q 62J	Q 62K	Q 63	Q 64
Total	Yes	20.46%	29.74%	11.19%	2.09%	2.76%	7.45%	3.98%	14.38%	8.82%	87.18%	6.54%
Age	Under 20 Years	20.86%	38.41%	30.95%	4.92%	1.05%	1.05%	0.00%	9.15%	8.00%	82.35%	7.40%
	20-24 Years	19.12%	30.91%	15.14%	3.91%	2.24%	12.82%	2.35%	16.87%	9.46%	80.12%	7.43%
	25-34 Years	20.39%	28.24%	7.83%	0.85%	2.86%	6.21%	4.07%	14.03%	8.00%	90.24%	5.32%
	Over 34 Years	18.00%	23.36%	2.87%	0.30%	2.25%	3.52%	6.42%	10.18%	7.68%	86.68%	5.90%
Ethnicity	White Non-Hispanic	24.73%	29.85%	6.78%	1.30%	2.77%	6.62%	3.00%	14.47%	7.34%	88.31%	7.16%
	Black Non-Hispanic	14.24%	27.19%	19.31%	2.63%	1.91%	8.41%	3.90%	13.75%	11.29%	87.93%	6.87%
	Hispanic	16.09%	25.94%	14.03%	2.88%	2.16%	4.67%	4.12%	12.03%	5.19%	79.65%	1.17%
Married	Married	20.22%	30.38%	5.43%	0.83%	1.39%	6.94%	5.60%	15.71%	5.81%	91.29%	4.29%
	Not Married	20.04%	28.32%	16.76%	3.19%	3.93%	7.54%	1.99%	12.41%	11.51%	82.39%	8.49%
Previous Live Birth	Yes	17.39%	24.25%	10.28%	1.14%	2.79%	7.87%	4.54%	13.32%	7.70%	85.38%	7.53%
	No	24.00%	36.62%	11.86%	3.14%	2.39%	6.35%	2.81%	15.19%	9.84%	89.12%	4.69%
Education	Less Than 12 Years	12.00%	29.96%	21.11%	1.33%	3.33%	2.22%	2.50%	8.75%	7.49%	73.98%	5.09%
	12 Years	16.77%	26.33%	16.27%	3.95%	2.78%	5.86%	2.43%	14.11%	10.61%	83.54%	10.73%
	Greater Than 12 Years	24.13%	30.08%	5.03%	1.02%	1.96%	9.04%	4.74%	15.68%	7.89%	92.72%	4.49%
	Upper 95% CI	Q 62C	Q 62D	Q 62E	Q 62F	Q 62G	Q 62H	Q 62I	Q 62J	Q 62K	Q 63	Q 64
Total	Yes	22.04%	31.52%	12.44%	2.68%	3.43%	8.50%	4.77%	15.76%	9.95%	88.45%	7.53%
Age	Under 20 Years	26.82%	45.32%	37.59%	8.41%	3.02%	3.02%	0.88%	13.60%	12.21%	87.37%	11.50%
	20-24 Years	22.26%	34.55%	18.03%	5.55%	3.54%	15.53%	3.68%	19.88%	11.86%	83.13%	9.60%
	25-34 Years	22.57%	30.66%	9.32%	1.42%	3.81%	7.55%	5.19%	15.92%	9.50%	91.76%	6.58%
	Over 34 Years	22.02%	27.74%	4.80%	1.15%	3.99%	5.62%	9.11%	13.43%	10.57%	89.91%	8.50%
Ethnicity	White Non-Hispanic	26.98%	32.23%	8.14%	1.95%	3.68%	7.96%	3.95%	16.33%	8.75%	89.92%	8.55%
	Black Non-Hispanic	17.03%	30.66%	22.42%	4.00%	3.11%	10.66%	5.52%	16.49%	13.82%	90.31%	8.94%
	Hispanic	20.22%	30.78%	17.96%	4.96%	4.02%	7.21%	6.53%	15.74%	7.84%	83.79%	2.63%
Married	Married	22.43%	32.89%	6.72%	1.40%	2.09%	8.38%	6.91%	17.73%	7.14%	92.75%	5.45%
	Not Married	22.30%	30.84%	18.88%	4.24%	5.08%	9.07%	2.84%	14.29%	13.33%	84.45%	10.10%
Previous Live Birth	Yes	19.35%	26.45%	11.86%	1.75%	3.69%	9.29%	5.66%	15.09%	9.10%	87.12%	8.91%
	No	26.61%	39.54%	13.87%	4.28%	3.39%	7.89%	3.89%	17.41%	11.70%	90.92%	6.04%
Education	Less Than 12 Years	15.03%	34.10%	24.84%	2.56%	5.11%	3.73%	4.08%	11.42%	10.00%	77.77%	7.22%
	12 Years	19.81%	29.87%	19.28%	5.63%	4.23%	7.85%	3.79%	16.96%	13.16%	86.35%	13.28%
	Greater Than 12 Years	26.37%	32.46%	6.21%	1.60%	2.74%	10.56%	5.90%	17.59%	9.34%	94.00%	5.62%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 65-Q 69B												
	Percent Response Yes	Q 65	Q 66A	Q 66B	Q 66C	Q 66D	Q 66E	Q 66F	Q 66G	Q 68	Q 69A	Q 69B
Total	Yes	9.74%	41.71%	1.66%	46.61%	1.30%	3.74%	3.69%	5.66%	11.93%	7.45%	4.91%
Age	Under 20 Years	11.07%	20.07%	3.23%	88.61%	1.61%	1.61%	1.41%	3.66%	9.76%	4.07%	5.69%
	20-24 Years	13.35%	21.08%	0.50%	69.81%	1.60%	3.98%	5.35%	4.41%	7.79%	4.97%	3.87%
	25-34 Years	7.45%	50.36%	2.04%	33.34%	1.22%	4.28%	3.20%	6.45%	12.92%	7.51%	5.26%
	Over 34 Years	11.19%	56.49%	1.45%	33.57%	0.94%	2.53%	3.85%	5.97%	16.47%	13.11%	5.03%
Ethnicity	White Non-Hispanic	8.70%	53.30%	2.40%	39.99%	0.19%	0.44%	4.30%	3.25%	12.60%	8.10%	4.06%
	Black Non-Hispanic	10.67%	31.40%	0.71%	68.64%	1.68%	1.36%	1.64%	2.82%	11.48%	5.61%	6.26%
	Hispanic	7.30%	10.72%	0.00%	39.31%	5.11%	22.64%	3.92%	20.01%	12.00%	8.41%	6.07%
Married	Married	7.38%	63.43%	2.02%	19.61%	0.84%	3.11%	6.44%	5.92%	13.04%	9.27%	4.26%
	Not Married	12.20%	19.01%	1.29%	74.84%	1.79%	4.40%	0.82%	5.40%	10.78%	5.55%	5.60%
Previous Live Birth	Yes	10.94%	39.39%	1.30%	45.76%	1.98%	4.30%	3.21%	7.03%	11.81%	7.89%	4.62%
	No	8.04%	44.99%	2.18%	47.81%	0.36%	2.95%	4.38%	3.73%	12.11%	6.82%	5.32%
Education	Less Than 12 Years	9.71%	8.85%	0.00%	64.40%	2.84%	13.04%	1.13%	12.00%	10.60%	6.37%	5.70%
	12 Years	13.60%	20.64%	2.11%	68.97%	1.09%	3.28%	1.16%	8.22%	11.18%	5.48%	5.90%
	Greater Than 12 Years	7.78%	61.96%	2.05%	31.25%	0.70%	0.84%	5.61%	2.27%	12.82%	8.72%	4.27%
	Lower 95% CI	Q 65	Q 66A	Q 66B	Q 66C	Q 66D	Q 66E	Q 66F	Q 66G	Q 68	Q 69A	Q 69B
Total	Yes	9.16%	40.76%	1.42%	45.64%	1.09%	3.38%	3.33%	5.22%	11.31%	6.94%	4.50%
Age	Under 20 Years	8.88%	17.27%	1.99%	86.39%	0.73%	0.73%	0.58%	2.35%	7.68%	2.69%	4.07%
	20-24 Years	12.03%	19.50%	0.22%	68.02%	1.11%	3.22%	4.47%	3.61%	6.75%	4.13%	3.12%
	25-34 Years	6.75%	49.03%	1.67%	32.09%	0.93%	3.74%	2.74%	5.80%	12.03%	6.81%	4.66%
	Over 34 Years	9.60%	54.00%	0.85%	31.20%	0.46%	1.74%	2.88%	4.77%	14.61%	11.42%	3.93%
Ethnicity	White Non-Hispanic	7.97%	52.01%	2.01%	38.73%	0.08%	0.27%	3.77%	2.79%	11.74%	7.40%	3.55%
	Black Non-Hispanic	9.49%	29.62%	0.39%	66.86%	1.19%	0.91%	1.15%	2.19%	10.26%	4.73%	5.33%
	Hispanic	5.91%	9.06%	0.00%	36.69%	3.93%	20.40%	2.88%	17.87%	10.25%	6.92%	4.79%
Married	Married	6.68%	62.13%	1.64%	18.54%	0.59%	2.64%	5.78%	5.28%	12.13%	8.49%	3.71%
	Not Married	11.29%	17.92%	0.98%	73.64%	1.42%	3.84%	0.57%	4.77%	9.92%	4.91%	4.97%
Previous Live Birth	Yes	10.15%	38.16%	1.01%	44.50%	1.62%	3.79%	2.76%	6.39%	11.00%	7.21%	4.09%
	No	7.22%	43.49%	1.74%	46.31%	0.18%	2.44%	3.77%	3.16%	11.13%	6.07%	4.65%
Education	Less Than 12 Years	8.40%	7.59%	0.00%	62.27%	2.11%	11.55%	0.66%	10.56%	9.23%	5.28%	4.67%
	12 Years	12.25%	19.04%	1.54%	67.15%	0.68%	2.58%	0.74%	7.14%	9.94%	4.59%	4.97%
	Greater Than 12 Years	7.09%	60.71%	1.68%	30.06%	0.49%	0.61%	5.02%	1.89%	11.96%	8.00%	3.75%
	Upper 95% CI	Q 65	Q 66A	Q 66B	Q 66C	Q 66D	Q 66E	Q 66F	Q 66G	Q 68	Q 69A	Q 69B
Total	Yes	10.31%	42.67%	1.91%	47.57%	1.52%	4.11%	4.06%	6.11%	12.56%	7.96%	5.33%
Age	Under 20 Years	13.27%	22.87%	4.46%	90.84%	2.49%	2.49%	2.23%	4.97%	11.84%	5.46%	7.31%
	20-24 Years	14.67%	22.67%	0.77%	71.59%	2.08%	4.74%	6.22%	5.21%	8.83%	5.82%	4.62%
	25-34 Years	8.15%	51.69%	2.42%	34.59%	1.52%	4.82%	3.67%	7.11%	13.81%	8.21%	5.85%
	Over 34 Years	12.77%	58.98%	2.05%	35.94%	1.43%	3.32%	4.81%	7.16%	18.33%	14.81%	6.13%
Ethnicity	White Non-Hispanic	9.42%	54.58%	2.80%	41.26%	0.30%	0.61%	4.82%	3.71%	13.45%	8.80%	4.57%
	Black Non-Hispanic	11.86%	33.18%	1.03%	70.41%	2.17%	1.80%	2.13%	3.46%	12.71%	6.49%	7.19%
	Hispanic	8.70%	12.38%	0.00%	41.93%	6.30%	24.89%	4.96%	22.16%	13.74%	9.90%	7.35%
Married	Married	8.09%	64.73%	2.40%	20.68%	1.09%	3.58%	7.10%	6.56%	13.95%	10.05%	4.80%
	Not Married	13.10%	20.09%	1.60%	76.04%	2.16%	4.97%	1.07%	6.02%	11.64%	6.18%	6.24%
Previous Live Birth	Yes	11.73%	40.63%	1.58%	47.01%	2.33%	4.82%	3.65%	7.68%	12.63%	8.57%	5.15%
	No	8.86%	46.48%	2.62%	49.31%	0.54%	3.46%	4.99%	4.30%	13.08%	7.58%	5.99%
Education	Less Than 12 Years	11.02%	10.11%	0.00%	66.52%	3.58%	14.53%	1.60%	13.44%	11.96%	7.45%	6.73%
	12 Years	14.95%	22.23%	2.67%	70.79%	1.50%	3.98%	1.58%	9.30%	12.42%	6.38%	6.82%
	Greater Than 12 Years	8.47%	63.21%	2.41%	32.44%	0.91%	1.08%	6.20%	2.66%	13.68%	9.45%	4.79%

Table 7Q . Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 70A-Q 74F												
	Percent Response Yes	Q 70A	Q 70B	Q 71	Q 72	Q 73	Q 74A	Q 74B	Q 74C	Q 74D	Q 74E	Q 74F
Total	Yes	11.03%	65.78%	84.25%	93.51%	94.93%	3.06%	3.15%	3.67%	1.33%	1.34%	0.93%
Age	Under 20 Years	12.47%	45.43%	91.65%	97.42%	90.67%	2.25%	2.04%	6.44%	0.97%	0.42%	0.42%
	20-24 Years	11.36%	57.46%	80.25%	90.36%	91.58%	3.68%	5.53%	5.73%	2.65%	3.05%	1.49%
	25-34 Years	10.15%	71.76%	85.27%	93.30%	95.75%	3.23%	2.35%	3.34%	1.14%	1.05%	1.00%
	Over 34 Years	12.88%	68.80%	83.48%	97.54%	99.83%	1.84%	2.61%	0.00%	0.00%	0.00%	0.00%
Ethnicity	White Non-Hispanic	9.45%	70.22%	84.99%	93.90%	96.04%	2.69%	2.95%	1.90%	0.93%	1.12%	0.69%
	Black Non-Hispanic	14.59%	53.29%	88.11%	93.52%	93.84%	4.68%	4.13%	7.67%	2.33%	1.84%	1.29%
	Hispanic	11.02%	68.17%	80.45%	93.48%	92.78%	1.15%	0.83%	3.41%	0.00%	0.20%	0.00%
Married	Married	8.64%	77.91%	84.82%	94.60%	96.24%	1.97%	2.27%	1.38%	1.05%	0.84%	0.84%
	Not Married	13.53%	53.10%	83.65%	92.38%	93.57%	4.20%	4.07%	6.06%	1.63%	1.86%	1.02%
Previous Live Birth	Yes	13.08%	65.40%	81.39%	93.59%	95.69%	2.41%	2.19%	3.06%	0.73%	0.79%	0.53%
	No	8.13%	66.31%	88.28%	93.41%	93.87%	3.97%	4.51%	4.53%	2.18%	2.12%	1.48%
Education	Less Than 12 Years	15.65%	51.06%	74.19%	88.90%	88.98%	3.44%	2.93%	3.70%	0.39%	0.17%	0.17%
	12 Years	8.73%	65.66%	86.20%	93.08%	96.25%	5.64%	4.22%	3.64%	1.71%	2.55%	1.53%
	Greater Than 12 Years	10.09%	70.94%	87.07%	95.41%	96.55%	1.86%	2.80%	3.71%	1.50%	1.23%	0.93%
	Lower 95% CI	Q 70A	Q 70B	Q 71	Q 72	Q 73	Q 74A	Q 74B	Q 74C	Q 74D	Q 74E	Q 74F
Total	Yes	10.42%	64.86%	83.54%	93.04%	94.51%	2.73%	2.81%	3.31%	1.11%	1.12%	0.74%
Age	Under 20 Years	10.16%	41.94%	89.71%	96.31%	88.63%	1.21%	1.05%	4.72%	0.28%	0.00%	0.00%
	20-24 Years	10.13%	55.54%	78.70%	89.22%	90.50%	2.94%	4.64%	4.82%	2.03%	2.38%	1.02%
	25-34 Years	9.35%	70.57%	84.33%	92.64%	95.22%	2.76%	1.95%	2.86%	0.85%	0.78%	0.73%
	Over 34 Years	11.19%	66.47%	81.61%	96.76%	99.62%	1.17%	1.81%	0.00%	0.00%	0.00%	0.00%
Ethnicity	White Non-Hispanic	8.70%	69.04%	84.07%	93.28%	95.53%	2.27%	2.52%	1.54%	0.69%	0.85%	0.47%
	Black Non-Hispanic	13.23%	51.38%	86.87%	92.58%	92.92%	3.87%	3.37%	6.65%	1.75%	1.33%	0.86%
	Hispanic	9.34%	65.67%	78.32%	92.16%	91.39%	0.58%	0.34%	2.44%	0.00%	0.00%	0.00%
Married	Married	7.88%	76.79%	83.85%	93.98%	95.73%	1.59%	1.87%	1.07%	0.77%	0.59%	0.59%
	Not Married	12.58%	51.72%	82.63%	91.65%	92.89%	3.65%	3.53%	5.41%	1.28%	1.49%	0.74%
Previous Live Birth	Yes	12.23%	64.20%	80.41%	92.97%	95.18%	2.03%	1.82%	2.63%	0.52%	0.57%	0.35%
	No	7.31%	64.89%	87.31%	92.67%	93.15%	3.39%	3.89%	3.91%	1.74%	1.68%	1.12%
Education	Less Than 12 Years	14.04%	48.84%	72.25%	87.51%	87.59%	2.63%	2.18%	2.87%	0.11%	0.00%	0.00%
	12 Years	7.62%	63.79%	84.84%	92.08%	95.50%	4.73%	3.43%	2.91%	1.20%	1.93%	1.05%
	Greater Than 12 Years	9.31%	69.78%	86.21%	94.87%	96.08%	1.51%	2.38%	3.22%	1.19%	0.94%	0.69%
	Upper 95% CI	Q 70A	Q 70B	Q 71	Q 72	Q 73	Q 74A	Q 74B	Q 74C	Q 74D	Q 74E	Q 74F
Total	Yes	11.63%	66.70%	84.95%	93.99%	95.36%	3.39%	3.49%	4.04%	1.55%	1.56%	1.11%
Age	Under 20 Years	14.78%	48.91%	93.58%	98.53%	92.70%	3.29%	3.02%	8.16%	1.65%	0.88%	0.88%
	20-24 Years	12.60%	59.38%	81.79%	91.51%	92.65%	4.41%	6.42%	6.63%	3.28%	3.71%	1.96%
	25-34 Years	10.95%	72.96%	86.21%	93.96%	96.29%	3.70%	2.75%	3.81%	1.42%	1.32%	1.26%
	Over 34 Years	14.56%	71.13%	85.34%	98.32%	100.04%	2.52%	3.41%	0.00%	0.00%	0.00%	0.00%
Ethnicity	White Non-Hispanic	10.20%	71.40%	85.91%	94.51%	96.54%	3.10%	3.39%	2.25%	1.18%	1.40%	0.90%
	Black Non-Hispanic	15.94%	55.20%	89.35%	94.46%	94.76%	5.48%	4.89%	8.69%	2.91%	2.36%	1.73%
	Hispanic	12.70%	70.66%	82.57%	94.81%	94.16%	1.72%	1.31%	4.38%	0.00%	0.44%	0.00%
Married	Married	9.39%	79.03%	85.79%	95.21%	96.75%	2.34%	2.68%	1.70%	1.32%	1.09%	1.09%
	Not Married	14.47%	54.48%	84.67%	93.12%	94.25%	4.76%	4.62%	6.72%	1.98%	2.24%	1.30%
Previous Live Birth	Yes	13.93%	66.60%	82.37%	94.20%	96.20%	2.80%	2.56%	3.50%	0.95%	1.01%	0.72%
	No	8.95%	67.73%	89.24%	94.16%	94.59%	4.56%	5.13%	5.15%	2.62%	2.55%	1.85%
Education	Less Than 12 Years	17.26%	53.27%	76.13%	90.29%	90.37%	4.24%	3.68%	4.54%	0.66%	0.35%	0.35%
	12 Years	9.85%	67.53%	87.55%	94.08%	96.99%	6.55%	5.01%	4.38%	2.21%	3.18%	2.02%
	Greater Than 12 Years	10.86%	72.11%	87.93%	95.95%	97.02%	2.21%	3.22%	4.19%	1.81%	1.51%	1.18%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 74G-Q76B												
	Percent Response Yes	Q 74G	Q 74H	Q 74I	Q 74J	Q 74K	Q 75A	Q 75B	Q 75C	Q 75D	Q 76A	Q 76B
Total	Yes	15.72%	5.80%	2.10%	13.08%	17.07%	51.78%	9.42%	4.87%	2.24%	70.17%	76.82%
Age	Under 20 Years	9.13%	9.46%	0.42%	23.00%	30.30%	89.06%	8.38%	12.35%	3.65%	63.40%	80.70%
	20-24 Years	14.53%	8.71%	4.21%	16.54%	23.15%	72.77%	9.97%	4.18%	2.22%	70.27%	76.44%
	25-34 Years	16.47%	4.75%	1.88%	11.70%	13.57%	40.19%	9.97%	4.83%	2.15%	70.62%	75.65%
	Over 34 Years	18.45%	2.78%	0.17%	7.08%	12.58%	38.90%	7.04%	2.30%	1.84%	71.90%	79.67%
Ethnicity	White Non-Hispanic	17.73%	4.50%	1.51%	12.76%	15.42%	39.43%	6.77%	4.86%	0.63%	80.39%	83.89%
	Black Non-Hispanic	18.36%	9.13%	4.07%	15.83%	23.65%	69.94%	11.90%	6.49%	5.61%	64.07%	78.75%
	Hispanic	2.60%	4.00%	0.00%	7.09%	10.31%	72.12%	17.03%	1.97%	2.72%	48.92%	52.72%
Married	Married	18.14%	3.90%	1.26%	9.79%	11.35%	26.43%	7.57%	1.58%	1.51%	75.79%	79.64%
	Not Married	13.20%	7.78%	2.97%	16.51%	23.05%	78.29%	11.35%	8.30%	3.00%	64.30%	73.87%
Previous Live Birth	Yes	16.01%	4.95%	1.97%	12.09%	16.18%	53.24%	11.00%	4.24%	2.62%	67.26%	74.76%
	No	15.32%	6.99%	2.28%	14.47%	18.33%	49.73%	7.18%	5.75%	1.70%	74.28%	79.73%
Education	Less Than 12 Years	4.48%	3.31%	1.63%	11.18%	19.18%	78.25%	15.62%	8.70%	5.30%	51.47%	57.79%
	12 Years	12.57%	9.09%	4.33%	18.75%	22.29%	74.98%	7.41%	5.56%	1.26%	63.54%	78.21%
	Greater Than 12 Years	21.00%	5.03%	1.32%	10.94%	14.29%	32.73%	8.27%	3.32%	1.65%	79.44%	82.62%
	Lower 95% CI	Q 74G	Q 74H	Q 74I	Q 74J	Q 74K	Q 75A	Q 75B	Q 75C	Q 75D	Q 76A	Q 76B
Total	Yes	15.02%	5.35%	1.82%	12.43%	16.34%	50.82%	8.85%	4.45%	1.95%	69.29%	76.01%
Age	Under 20 Years	7.11%	7.41%	0.00%	20.05%	27.08%	86.88%	6.44%	10.05%	2.34%	60.02%	77.94%
	20-24 Years	13.16%	7.62%	3.43%	15.10%	21.51%	71.04%	8.81%	3.40%	1.65%	68.50%	74.79%
	25-34 Years	15.49%	4.18%	1.52%	10.85%	12.66%	38.89%	9.17%	4.26%	1.77%	69.41%	74.51%
	Over 34 Years	16.50%	1.96%	0.00%	5.80%	10.91%	36.45%	5.76%	1.54%	1.17%	69.64%	77.65%
Ethnicity	White Non-Hispanic	16.74%	3.97%	1.19%	11.90%	14.49%	38.17%	6.13%	4.31%	0.42%	79.37%	82.94%
	Black Non-Hispanic	16.87%	8.03%	3.31%	14.43%	22.03%	68.19%	10.66%	5.54%	4.73%	62.23%	77.18%
	Hispanic	1.75%	2.94%	0.00%	5.71%	8.68%	69.71%	15.01%	1.23%	1.85%	46.24%	50.04%
Married	Married	17.09%	3.38%	0.96%	8.99%	10.49%	25.24%	6.86%	1.24%	1.18%	74.64%	78.56%
	Not Married	12.27%	7.04%	2.50%	15.48%	21.88%	77.16%	10.47%	7.54%	2.53%	62.97%	72.66%
Previous Live Birth	Yes	15.08%	4.41%	1.62%	11.27%	15.25%	51.98%	10.21%	3.73%	2.22%	66.08%	73.67%
	No	14.24%	6.22%	1.83%	13.41%	17.17%	48.23%	6.41%	5.05%	1.31%	72.97%	78.52%
Education	Less Than 12 Years	3.56%	2.52%	1.07%	9.79%	17.44%	76.42%	14.01%	7.45%	4.30%	49.25%	55.60%
	12 Years	11.27%	7.96%	3.53%	17.22%	20.65%	73.27%	6.38%	4.66%	0.82%	61.64%	76.59%
	Greater Than 12 Years	19.95%	4.47%	1.02%	10.14%	13.39%	31.53%	7.56%	2.86%	1.32%	78.40%	81.64%
	Upper 95% CI	Q 74G	Q 74H	Q 74I	Q 74J	Q 74K	Q 75A	Q 75B	Q 75C	Q 75D	Q 76A	Q 76B
Total	Yes	16.43%	6.25%	2.37%	13.73%	17.80%	52.75%	9.98%	5.28%	2.52%	71.06%	77.64%
Age	Under 20 Years	11.14%	11.51%	0.88%	25.94%	33.51%	91.24%	10.32%	14.65%	4.96%	66.77%	83.46%
	20-24 Years	15.90%	9.81%	4.99%	17.98%	24.79%	74.50%	11.13%	4.95%	2.79%	72.05%	78.09%
	25-34 Years	17.46%	5.31%	2.24%	12.55%	14.48%	41.49%	10.77%	5.40%	2.54%	71.83%	76.79%
	Over 34 Years	20.40%	3.61%	0.38%	8.37%	14.24%	41.35%	8.33%	3.05%	2.52%	74.16%	81.69%
Ethnicity	White Non-Hispanic	18.71%	5.04%	1.82%	13.62%	16.35%	40.69%	7.42%	5.42%	0.83%	81.42%	84.84%
	Black Non-Hispanic	19.84%	10.24%	4.83%	17.23%	25.28%	71.70%	13.14%	7.43%	6.49%	65.90%	80.31%
	Hispanic	3.45%	5.05%	0.00%	8.46%	11.94%	74.52%	19.04%	2.72%	3.59%	51.60%	55.40%
Married	Married	19.18%	4.43%	1.56%	10.60%	12.21%	27.62%	8.29%	1.92%	1.84%	76.95%	80.73%
	Not Married	14.14%	8.52%	3.44%	17.53%	24.21%	79.43%	12.22%	9.06%	3.47%	65.62%	75.09%
Previous Live Birth	Yes	16.93%	5.50%	2.32%	12.91%	17.11%	54.50%	11.79%	4.75%	3.02%	68.45%	75.86%
	No	16.40%	7.75%	2.73%	15.52%	19.49%	51.23%	7.96%	6.44%	2.09%	75.59%	80.93%
Education	Less Than 12 Years	5.39%	4.10%	2.20%	12.58%	20.93%	80.07%	17.22%	9.95%	6.29%	53.68%	59.98%
	12 Years	13.88%	10.23%	5.13%	20.29%	23.92%	76.68%	8.44%	6.46%	1.70%	65.43%	79.84%
	Greater Than 12 Years	22.04%	5.60%	1.61%	11.75%	15.19%	33.94%	8.98%	3.78%	1.97%	80.48%	83.59%

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2012 PRAMS: Q 76C-Q 78D									
	Percent Response Yes	Q 76C	Q 76D	Q 77A	Q 77B	Q 78A	Q 78B	Q 78C	Q 78D
Total	Yes	80.10%	80.29%	7.38%	6.38%	31.30%	11.27%	6.74%	34.13%
Age	Under 20 Years	82.81%	79.92%	18.71%	3.65%	33.53%	9.25%	3.64%	29.95%
	20-24 Years	80.59%	80.56%	7.05%	6.58%	35.62%	7.89%	6.61%	32.70%
	25-34 Years	79.85%	80.56%	7.02%	6.55%	28.47%	13.77%	7.09%	34.93%
	Over 34 Years	78.79%	79.08%	3.36%	6.87%	33.03%	9.03%	7.28%	35.85%
Ethnicity	White Non-Hispanic	85.91%	86.89%	5.27%	6.05%	30.24%	14.04%	4.48%	38.27%
	Black Non-Hispanic	81.64%	80.74%	10.28%	6.70%	34.79%	7.90%	9.21%	32.74%
	Hispanic	60.73%	57.96%	12.12%	6.96%	30.32%	5.97%	12.71%	22.65%
Married	Married	81.68%	81.14%	5.89%	5.56%	26.88%	13.81%	5.73%	39.08%
	Not Married	78.45%	79.41%	8.93%	7.24%	35.92%	8.61%	7.79%	28.96%
Previous Live Birth	Yes	77.92%	78.53%	5.05%	7.13%	31.78%	13.06%	7.03%	30.71%
	No	83.19%	82.78%	10.66%	5.33%	30.62%	8.75%	6.31%	38.96%
Education	Less Than 12 Years	65.37%	65.08%	12.09%	7.20%	37.21%	7.01%	10.05%	16.65%
	12 Years	80.50%	79.10%	6.34%	4.72%	36.91%	7.91%	7.87%	31.00%
	Greater Than 12 Years	84.71%	85.74%	6.11%	6.87%	26.76%	14.24%	4.98%	41.41%
	Lower 95% CI	Q 76C	Q 76D	Q 77A	Q 77B	Q 78A	Q 78B	Q 78C	Q 78D
Total	Yes	79.33%	79.52%	6.87%	5.91%	30.40%	10.66%	6.25%	33.22%
Age	Under 20 Years	80.17%	77.11%	15.98%	2.34%	30.23%	7.22%	2.33%	26.74%
	20-24 Years	79.06%	79.03%	6.06%	5.62%	33.76%	6.84%	5.65%	30.88%
	25-34 Years	78.79%	79.50%	6.34%	5.89%	27.28%	12.85%	6.40%	33.66%
	Over 34 Years	76.73%	77.03%	2.45%	5.60%	30.66%	7.59%	5.98%	33.44%
Ethnicity	White Non-Hispanic	85.01%	86.02%	4.69%	5.43%	29.06%	13.15%	3.94%	37.02%
	Black Non-Hispanic	80.16%	79.23%	9.12%	5.75%	32.96%	6.87%	8.10%	30.95%
	Hispanic	58.11%	55.31%	10.37%	5.60%	27.85%	4.70%	10.93%	20.41%
Married	Married	80.64%	80.08%	5.25%	4.94%	25.69%	12.88%	5.10%	37.76%
	Not Married	77.31%	78.29%	8.15%	6.53%	34.59%	7.84%	7.05%	27.70%
Previous Live Birth	Yes	76.87%	77.49%	4.50%	6.48%	30.61%	12.21%	6.39%	29.55%
	No	82.07%	81.65%	9.73%	4.66%	29.24%	7.90%	5.58%	37.49%
Education	Less Than 12 Years	63.27%	62.97%	10.64%	6.06%	35.06%	5.88%	8.72%	15.00%
	12 Years	78.95%	77.50%	5.38%	3.89%	35.01%	6.85%	6.81%	29.18%
	Greater Than 12 Years	83.79%	84.84%	5.49%	6.22%	25.62%	13.34%	4.42%	40.15%
	Upper 95% CI	Q 76C	Q 76D	Q 77A	Q 77B	Q 78A	Q 78B	Q 78C	Q 78D
Total	Yes	80.87%	81.06%	7.88%	6.85%	32.20%	11.88%	7.22%	35.05%
Age	Under 20 Years	85.45%	82.72%	21.44%	4.96%	36.83%	11.28%	4.95%	33.15%
	20-24 Years	82.13%	82.10%	8.04%	7.54%	37.48%	8.94%	7.58%	34.52%
	25-34 Years	80.92%	81.61%	7.69%	7.20%	29.67%	14.68%	7.77%	36.19%
	Over 34 Years	80.84%	81.12%	4.26%	8.14%	35.39%	10.47%	8.59%	38.26%
Ethnicity	White Non-Hispanic	86.81%	87.76%	5.85%	6.66%	31.43%	14.94%	5.01%	39.53%
	Black Non-Hispanic	83.13%	82.25%	11.45%	7.66%	36.61%	8.94%	10.32%	34.54%
	Hispanic	63.35%	60.60%	13.87%	8.33%	32.78%	7.25%	14.50%	24.90%
Married	Married	82.73%	82.19%	6.52%	6.18%	28.08%	14.75%	6.35%	40.40%
	Not Married	79.59%	80.52%	9.72%	7.96%	37.24%	9.39%	8.53%	30.21%
Previous Live Birth	Yes	78.96%	79.56%	5.60%	7.78%	32.96%	13.91%	7.68%	31.88%
	No	84.31%	83.91%	11.58%	6.00%	32.00%	9.59%	7.04%	40.42%
Education	Less Than 12 Years	67.48%	67.19%	13.53%	8.35%	39.35%	8.14%	11.39%	18.30%
	12 Years	82.06%	80.70%	7.30%	5.56%	38.81%	8.97%	8.93%	32.82%
	Greater Than 12 Years	85.64%	86.64%	6.72%	7.52%	27.90%	15.14%	5.53%	42.68%