

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

2013 Analysis

November 2016



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology



FORWARD CONSULTANTS

CONTACT INFORMATION

George Yocher

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

417 Federal Street, Jesse Cooper Building

Dover, DE 19901

302.744.4926 Office

302.739.6653 Fax

george.yocher@state.de.us

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

608.338.0426 Fax

vikrum@forward-consultants.com

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2013 Analysis. November 10, 2016.”

Delaware PRAMS is made possible through a cooperative agreement with the Centers for Disease Control and Prevention, Grant 5 U01DP003129.

TABLE OF CONTENTS

EXECUTIVE SUMMARY 16

INTRODUCTION..... 19

METHODS 19

Choosing & Retooling the Questions for Analysis..... 20

Choosing Demographic Categories for Analysis..... 211

Putting the Questions & Demographic Categories Together for Analysis..... 233

RESULTS 244

Pregnancy Intention & Becoming Pregnant..... 24

 Pregnancy Intention 24

 Becoming Pregnant..... 25

Prenatal Care 266

 Starting Prenatal Care 266

 Access to Prenatal Care 266

 During Prenatal Care Visits 277

Infant Care 277

 Breastfeeding 277

 SIDS Prevention..... 288

 Infant Survival 288

Alcohol & Tobacco Use 28

 Alcohol Use 28

 Tobacco Use..... 288

Health Care Utilization..... 299

 HIV Testing 299

 Childbirth Classes 299

 Dentist Visits..... 299

Health Status 29

 Before Becoming Pregnant 299

 During Most Recent Pregnancy 30

 Postpartum Depression 311

Health Coverage..... 311

 Before Becoming Pregnant 31

 Prenatal Care Payer..... 311

 During Most Recent Pregnancy 322

 During Delivery and Well-Baby Checkups 322

Social Support 32

DISCUSSION 333

GRAPHS..... 355

TABLES..... 1388

TABLE OF FIGURES

BEFORE PREGNANCY

Q4: Before you got pregnant, did you have any other babies who were born alive? 35

Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? 36

Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? 37

Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? 37

Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? 38

Q7E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for high blood pressure? 38

Q7F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for depression or anxiety? 39

Q7G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history?..... 39

Q7H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? 40

Q8A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband, partner, or parents? 40

Q8B: During the month before you got pregnant with your new baby, were you covered by private health insurance purchased directly from an insurance company? 41

Q8C: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)? 41

Q8D: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? 42

Q8E: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? 42

Q8F: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? 43

Q8G: I did not have any health insurance during the month before I got pregnant. 43

Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? 44

Q10: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy?..... 44

BEFORE PREGNANCY (Continued)

Q13A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later..... 49

Q13B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. 50

Q13C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. 50

Q13D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future. 51

Q13E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted..... 51

Q14A: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: less than 1 year..... 52

Q14B: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 1 year to less than 2 years. 52

Q14C: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 2 years to less than 3 years..... 53

Q14D: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 3 years to 5 years..... 53

Q14E: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: more than 5 years. 54

Q15: When you got pregnant with your new baby, were you trying to get pregnant? 54

Q16: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? 55

Q17A: I didn't mind if I got pregnant is the reason for my not doing anything to keep from getting pregnant. 55

Q17B: I thought I could not get pregnant at that time is the reason for my not doing anything to keep from getting pregnant..... 56

Q17C: I had side effects from the birth control method I was using is the reason for my not doing anything to keep from getting pregnant..... 56

Q17D: I had problems getting birth control when I needed it is the reason for my not doing anything to keep from getting pregnant..... 57

Q17E: I thought my husband or partner or I was sterile (could not get pregnant at all) is the reason for my not doing anything to keep from getting pregnant. 57

Q17F: My husband or partner didn't want to use anything is the reason for my not doing anything to keep from getting pregnant. 58

Q17G: I forgot to use a birth control method is the reason for my not doing anything to keep from getting pregnant. 58

Q18: Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby? 59

HEALTH RISKS BEFORE PREGNANCY

Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth? 35

Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?..... 36

Q11A: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes (not the same as gestational diabetes or diabetes that starts during pregnancy)? 45

Q11B: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had high blood pressure or hypertension? 45

Q11C: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had depression? 46

Q12A: During the 3 months before you got pregnant, did you have asthma?..... 46

Q12B: During the 3 months before you got pregnant, did you have anemia (poor blood, low iron)? 47

Q12C: During the 3 months before you got pregnant, did you have heart problems?..... 47

Q12D: During the 3 months before you got pregnant, did you have epilepsy (seizures)? 48

Q12E: During the 3 months before you got pregnant, did you have thyroid problems?..... 48

Q12F: During the 3 months before you got pregnant, did you have anxiety? 49

Q36: Have you smoked any cigarettes in the past 2 years? 89

Q37: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?..... 89

Q41: Have you had any alcoholic drinks in the past 2 years? 91

Q42: During the 3 months before you got pregnant, did you have four or more drinks on average per week? 92

Q45: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 100

Q68: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?..... 121

Q69A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? 122

Q69B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? 122

PRENATAL CARE

Q21: Did you get prenatal care as early in your pregnancy as you wanted? 59

Q22A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted..... 60

Q22B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. 60

Q22C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted..... 61

Q22D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 61

Q22E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. 62

Q22F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 62

Q22G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted..... 63

Q22H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 63

Q22I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. 64

Q22J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 64

Q22K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted..... 65

Q23A: During your most recent pregnancy, did private health insurance from your job or the job of your husband, partner, or parents help pay for your prenatal care? 65

Q23B: During your most recent pregnancy, did private health insurance purchased directly from an insurance company help pay for your prenatal care? 66

Q23C: During your most recent pregnancy, did Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) help pay for your prenatal care? 66

Q23D: During your most recent pregnancy, did Delaware Healthy Children Program (DHCP/SCHIP) help pay for your prenatal care? 67

Q23E: During your most recent pregnancy, did CHAP – Community Healthcare Access Program help pay for your prenatal care?..... 67

Q23F: During your most recent pregnancy, did TRICARE or other military health care help pay for your prenatal care? 68

Q23G: I did not have any health insurance to help pay for my prenatal care..... 68

Q24A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how much weight you should gain during your pregnancy?..... 69

PRENATAL CARE (Continued)

Q24B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? 69

Q24C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? 70

Q24D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby?..... 70

Q24E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy? 71

Q24F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy?..... 71

Q24G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? 72

Q24H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? 72

Q24I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor? 73

Q24J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)?..... 73

Q24K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? 74

Q24L: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? 74

Q25A: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time you had to wait after you arrived for your visits? 75

Q25B: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time the doctor, nurse, or midwife spent with you during your visits? 75

Q25C: During your most recent pregnancy, were you satisfied during your prenatal care with the advice you got on how to take care of yourself? 76

Q25D: During your most recent pregnancy, were you satisfied during your prenatal care with the understanding and respect that the staff showed toward you as a person? 76

Q71: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?..... 124

HEALTH RISKS DURING PREGNANCY

Q30E: During your most recent pregnancy, did you need to see a dentist for a problem? 81

Q30F: During your most recent pregnancy, did you go to a dentist or dental clinic about a problem? 81

Q34: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? 83

Q35A: Did you have a problem with vaginal bleeding during your most recent pregnancy?..... 84

Q35B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy? 84

Q35C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy? 85

Q35D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? 85

Q35E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy? 86

Q35F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?..... 86

Q35G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?..... 87

Q35H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 87

Q35I: Did you have to have a blood transfusion during your most recent pregnancy?..... 88

Q35J: Did you get hurt in a car accident during your most recent pregnancy? 88

Q38: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?..... 90

Q40: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? 91

Q43: During the last 3 months of your pregnancy, did you have one or more drinks on average per week? 92

Q46: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 100

Q70A: Were you very unhappy or unhappy to be pregnant with your new baby when you found out you were pregnant with your new baby? 123

Q70B: Were you very happy or happy to be pregnant with your new baby when you found out you were pregnant with your new baby?..... 123

Q74A: During your most recent pregnancy, were you told that you had genital warts? 125

Q74B: During your most recent pregnancy, were you told that you had herpes? 126

HEALTH RISKS DURING PREGNANCY (Continued)

Q74C: During your most recent pregnancy, were you told that you had chlamydia?..... 126

Q74D: During your most recent pregnancy were you told that you had gonorrhea?..... 127

Q74E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? 127

Q74F: During your most recent pregnancy, were you told that you had syphilis?..... 128

Q74G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? 128

Q74H: During your most recent pregnancy, were you told that you had bacterial vaginosis?..... 129

Q74I: During your most recent pregnancy, were you told that you had trichomoniasis? 129

Q74J: During your most recent pregnancy, were you told that you had a yeast infection? 130

Q74K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)?..... 130

DELIVERY AND POSTPARTUM

Q39: Do you currently smoke 11 or more cigarettes on average each day? 90

Q49: After your baby was delivered, was he or she put in an intensive care unit (NICU)?..... 101

Q50: After your baby was delivered, did he or she stay in the hospital for 3 or more days? 101

Q51: Is your baby alive now? 102

Q52: Is your baby living with you now? 102

Q53: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?..... 103

Q54: Are you currently breastfeeding or feeding pumped milk to your new baby? 103

Q56: Do you most often lay your baby down on his or her back when he or she sleeps? 104

Q57: Does your baby always or often sleep in the same bed/crib with you or anyone else? 104

Q58: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? 105

Q59: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? 105

Q63: Since your new baby was born, have you had a postpartum checkup for yourself?..... 116

Q64: Since your new baby was born, have you always or often felt down, depressed, or hopeless?..... 117

DELIVERY AND POSTPARTUM (Continued)

Q65: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things? 117

Q66A: I have private health insurance from your job or the job of your husband, partner, or parents now as my health insurance..... 118

Q66B: I have private health insurance purchased directly from an insurance company now as my health insurance..... 118

Q66C: I have Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) now as my health insurance. 119

Q66D: I have Delaware Healthy Children Program (DHCP/SCHIP) now as my health insurance. 119

Q66E: I have CHAP – Community Healthcare Access Program – now as my health insurance. 120

Q66F: I have TRICARE or other military health care now as my health insurance..... 120

Q66G: I do not have health insurance now. 121

INTERCONCEPTION BEHAVIORS

Q60: Are you or your husband or partner doing anything now to keep from getting pregnant? 106

Q61A: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 106

Q61B: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 107

Q61C: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 107

Q61D: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 108

Q61E: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 108

Q61F: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 109

Q61G: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 109

Q61H: My husband or partner had a vasectomy is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 110

Q61I: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 110

Q62A: Having my tubes tied or blocked (female sterilization, Essure®, Adiana®) is what is keeping me from getting pregnant now..... 111

Q62B: A vasectomy (male sterilization) is what is keeping my husband or partner from my getting pregnant now. 111

INTERCONCEPTION BEHAVIORS (Continued)

Q62C: The birth control pill is what is keeping me from getting pregnant now. 112

Q62D: Condoms are what is keeping my husband or partner from my getting pregnant now. 112

Q62E: Injection (Depo-Provera®) is what is keeping me from getting pregnant now. 113

Q62F: Contraceptive implant (Implanon®) is what is keeping me from getting pregnant now. 113

Q62G: Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is what is keeping me from getting pregnant now. 114

Q62H: IUD (including Mirena® or ParaGard®) is what is keeping me from getting pregnant now. 114

Q62I: Natural family planning (including rhythm method) is what is keeping me from getting pregnant now. 115

Q62J: Withdrawal (pulling out) is what is keeping me from getting pregnant now. 115

Q62K: Not having sex (abstinence) is what is keeping me from getting pregnant now. 116

HEALTH PROMOTING BEHAVIORS

Q26: At any time during your most recent pregnancy or delivery, did you have a test for HIV? 77

Q27: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? 77

Q28A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? 78

Q28B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? 78

Q30A: During your most recent pregnancy, did you know it was important to care for your teeth and gums during your pregnancy? 79

Q30B: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? 79

Q30C: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? 80

Q31: During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery? 82

Q32: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? 82

Q72: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day? 124

Q73: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? 125

Q75B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? 131

HEALTH PROMOTING BEHAVIORS (Continued)

Q75C: During your most recent pregnancy, were you receiving help to quit smoking? 132

Q75D: During your most recent pregnancy, were you receiving help to reduce violence in your home? 132

Q77A: During your most recent pregnancy, did you take any parenting classes? 135

Q77B: During your most recent pregnancy, did you receive counseling for depression or anxiety? 135

Q78A. I did not receive a Tdap vaccination before, during, or after my most recent pregnancy..... 136

Q78B. I received a Tdap vaccination before my most recent pregnancy. 136

Q78C. I received a Tdap vaccination during my most recent pregnancy. 137

Q78D. I received a Tdap vaccination after my most recent pregnancy..... 137

SOCIOECONOMIC INDICATORS

Q30D: During your most recent pregnancy, did you have insurance to cover dental care during your pregnancy? 80

Q33: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? 83

Q44A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? 93

Q44B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? 93

Q44C: During the 12 months before your new baby was born, did you move to a new address?..... 94

Q44D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? 94

Q44E: During the 12 months before your new baby was born, did your husband or partner lose his job? 95

Q44F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? 95

Q44G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? 96

Q44H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel?..... 96

Q44I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? 97

Q44J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? 97

Q44K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? 98

Q44L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? 98

SOCIOECONOMIC INDICATORS (Continued)

Q44M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? 99

Q44N: During the 12 months before your new baby was born, did someone very close to you die? 99

Q75A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food? 131

Q76A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? 133

Q76B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? 133

Q76C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride? 134

Q76D: During your most recent pregnancy, would you know someone who you could talk with about your problems? 134

TABLE OF TABLES

Table 1. Questions Omitted from Analysis..... 20

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 20

Table 3. Response Rates by Demographic Category 21

Table 4. Cross-Table of Respondents by Demographic Categories 22

Table 5. χ^2 of Demographic Category Comparisons..... 22

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme..... 24

**Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q4-Q7H 138**

**Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q8A-Q11B..... 139**

**Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q11C-Q13D..... 140**

**Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q13E-Q17C..... 141**

**Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q17D-Q22E..... 142**

**Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q22F-Q23E 143**

**Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q23F-Q24I 144**

**Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q24J-Q28B..... 145**

**Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q30A-Q35A..... 146**

**Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q35B-Q37..... 147**

**Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q38-Q44E..... 148**

**Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q44F-Q46..... 149**

**Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q49-Q60 150**

**Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q61A-Q62B..... 151**

**Table 7O. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q62C-Q64..... 152**

**Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q65-Q69B..... 153**

**Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q70A-Q74F 154**

**Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q74G-Q76B..... 155**

**Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013
PRAMS: Q76C-Q78D..... 156**

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2013 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives. The survey year of 2013 is part of the Phase 7 survey cycle which started in 2012.

Methods

Delaware's 2013 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 81 questions in the survey, 13 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 68 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 206 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2013 Delaware PRAMS-eligible population.

It is essential to note that the denominators used to generate the percentages throughout this report are based on how the entire PRAMS-eligible population would have responded to the question. Therefore, the denominators - in total and stratified by age, race/ethnicity, marital status, prior live birth, educational attainment - were the same for every response presented in the report. These denominators are given in Table 6. This way of reporting differs from the method used by the CDC, in which the inclusion (or exclusion) criteria specific to each question are used to calculate the percentages. This inclusion (or exclusion) criteria are based on the flow of the questions and responses in the PRAMS survey. For example, in the PRAMS survey, if the respondent answers "No" to question 15 ("When you got pregnant with your new baby, were you trying to get pregnant?"), then the survey prompts the respondent to proceed to question 16 ("When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?"). If the respondent answers "Yes" to question 15, then the respondent is prompted to skip questions 16 and 17 and proceed to question 18. In this report, the entire PRAMS-eligible population (in total and stratified by the demographic categories listed above) was used for the denominators in the calculations to question 16, regardless of the response given by the respondent to question 15. However, in the method used by the CDC, only

those respondents who answered "No" to question 15 were included in the denominator calculation for question 16.

Results

The age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. In addition, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. Roughly one-eighth of Black non-Hispanic women did not want to be pregnant; this contrasts with approximately one-sixteenth of White non-Hispanic women. A significantly higher percentage of White non-Hispanic women wanted to be pregnant sooner as compared to Black non-Hispanic women. Moreover, slightly more than half of White non-Hispanic women tried to get pregnant at the time they became pregnant with their new baby as compared to a quarter of Black non-Hispanic women. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report breastfeeding and laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanic women consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanic women and Hispanic women. As in previous PRAMS analyses, a high percentage of Hispanic women – about 1 in 12 – said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

Conclusions

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. As in previous PRAMS analyses, although Black non-Hispanic women (as compared to White non-Hispanic women) were more likely to report *having a discussion* with a health care provider about health promoting behaviors, such as breastfeeding, a higher percentage of White non-Hispanic women were likely to report *engaging* in these health promoting behaviors as compared to Black non-Hispanic women. Generally speaking, these, as well as the other significant associations and contrasts, should be considered when designing and

modifying programs and policies aimed at improving maternal and infant health. Finally, although no direct comparisons are provided in this report, it is worth noting that the results in the 2013 PRAMS analysis tended to be more favorable across all socio-demographic categories as compared to the results in the 2008, 2009, 2010, 2011, and 2012 PRAMS analyses.

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.*

This report offers a comprehensive snapshot of Delaware's 2013 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2013 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.* In order to reduce response bias, the CDC has set a benchmark rate of 60% as the PRAMS survey response rate. In 2013, Delaware surveyed 1,496 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 67.78% (1,014 women responding).

* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved October 10, 2016, from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 81 questions in the 2013 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

Table 1. Questions Omitted from Analysis.

Question	Reason for Omission from Analysis
1, 2, 3, 19, 20, 29, 47, 48, 55, 67, 80, and 81	Data Specific to Respondent
79	Too Complex to Derive Meaningful Results

Of the remaining 68 questions, 50 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 18 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 50 to 187. To ease analysis and downstream comparisons, the 18 multi-response questions were retooled into binary responses as defined by Table 2.

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.[†]

	Response = “No”	Response = “Yes”	Response = “N/A” [‡]
Q9	1	2, 3, 4	
Q26	1	2	3
Q37	4, 5, 6	1, 2, 3	7
Q38	6	1, 2, 3, 4, 5	7
Q39	4, 5, 6	1, 2, 3	7
Q40	1	2, 3	
Q42	4, 5, 6	1, 2, 3	7
Q43	6	1, 2, 3, 4, 5	7
Q49	1	2	3
Q50	1, 2	3, 4, 5, 7	6
Q56	1, 3	2	
Q57	3, 4, 5	1, 2	
Q58	1	2	3
Q64	3, 4, 5	1, 2	
Q65	3, 4, 5	1, 2	
Q70	Segmented into two questions.		
Q72	1	2, 3, 4	
Q73	1	2, 3, 4	

[†] Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

[‡] “N/A” responses refer to responses that cannot be categorized in a binary manner.

These 18 multi-response questions resulted in 19 additional binary questions, which brought the total number of questions under investigation to 206.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

Table 3. Response Rates by Demographic Category, Delaware 2013 PRAMS.

Total		Respondents	Total	Percent Response
		1,014	1,496	67.78%
Age	Under 20 Years	57	105	54.29%
	20-24 Years	237	377	62.86%
	25-34 Years	565	808	69.93%
	Over 34 Years	155	206	75.24%
	Total	1,014	1,496	67.78%
Ethnicity	White Non-Hispanics	557	771	72.24%
	Black Non-Hispanics	258	437	59.04%
	Hispanic	131	191	68.59%
	Total [§]	946	1,399	67.62%
Married	Married	500	785	63.69%
	Not Married	514	711	72.29%
	Total	1,014	1,496	67.78%
Previous Live Birth	Yes	590	879	67.12%
	No	424	617	68.72%
	Total	1,014	1,496	67.78%
Education	Less Than 12 Years	182	300	60.67%
	12 Years	259	400	64.75%
	Greater Than 12 Years	567	787	72.05%
	Total ^{**}	1,008	1,487	67.79%

Almost all of the subcategories met the 65% threshold for survey responses as shown in the “Percent Response” column. Accordingly, the sample size for each of the subcategories was considered ample to conduct robust analysis.

A cross-table of the demographic category was created (Table 4) and χ^2 tests were performed (Table 5) to assess whether a significant relationship ($\alpha = 0.05$) exists between categories.

[§] The “Ethnicity” totals were lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 68 (6.71%).

^{**} The “Education” totals were lower since this data was not available for six (0.59%) respondents and nine (0.60%) individuals in the survey population.

Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2013 PRAMS.

		Total	Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	105	38	46	13	2 ^{††}	103	18	87	65	30	9
	20-24 Years	377	172	137	49	81	296	179	198	88	136	148
	25-34 Years	808	453	206	99	476	332	521	287	123	193	490
	Over 34 Years	206	108	48	30	152	54	161	45	24	41	140
Ethnicity	White Non-Hispanic	771				460	311	410	361	95	180	493
	Black Non-Hispanic	437				109	328	275	162	88	161	185
	Hispanic	191				71	120	141	50	99	48	41
Married	Married	785						448	337	224	291	263
	Not Married	711						431	280	76	109	524
Previous Live Birth	Yes	879								101	140	371
	No	617								199	260	416
Education	Less Than 12 Years	300										
	12 Years	400										
	Greater Than 12	787										

Table 5. χ^2 of Demographic Category Comparisons, Delaware 2013 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	30.35 ^{††} (<i>S</i>)	3.35 ^{††} (<i>N/S</i>)	194.45 (<i>S</i>)	137.73 (<i>S</i>)	200.03 (<i>S</i>)
Ethnicity: Black NH			134.94 ^{††} (<i>S</i>)	10.80 ^{††} (<i>S</i>)	52.49 ^{††} (<i>S</i>)
Ethnicity: Hispanic			31.31 ^{††} (<i>S</i>)	26.66 ^{††} (<i>S</i>)	169.66 ^{††} (<i>S</i>)
Married					239.70 (<i>S</i>)
Previous Live Birth					24.85 (<i>S</i>)

^{††} The “Under 20 Years” subcategory was not included in the χ^2 test between Age and Married due to a cell count of less than 5.

^{††} The χ^2 results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

Not surprisingly, “Age” was significantly associated with “Married”, “Previous Live Birth”, and “Education” while “Married” was significantly associated with “Education”. Somewhat surprisingly, “Married” was not significantly associated with “Previous Live Birth”.

In this population, significant associations occurred between “Ethnicity: Black NH/White NH” and all other demographic categories. In addition, significant associations also took place between “Ethnicity: Hispanic/White NH” and all other demographic categories except for “Age”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, more likely to have a previous live birth, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2013 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^{§§} This weighted average methodology involved performing the following steps for each of the 206 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *w_tanal* in the 2013 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on the following page.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 34 to 136. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 137 to 155 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

^{§§} Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2013 PRAMS.

		Population of Births	Percent Response
Total		10,140	N/A
Age	Under 20 Years	609	6.01%
	20-24 Years	2,436	24.02%
	25-34 Years	5,664	55.85%
	Over 34 Years	1,431	14.11%
Ethnicity	White NH	5,463	53.88%
	Black NH	2,650	26.13%
	Hispanic	1,360	13.41%
Married	Married	5,129	50.58%
	Not Married	5,011	49.42%
Previous Live Birth	Yes	6,061	59.77%
	No	4,079	40.23%
Education	Less Than 12 Years	1,852	18.26%
	12 Years	2,589	25.53%
	Greater Than 12 Years	5,629	55.51%

RESULTS

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 34 and provided in the table on page 137), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (52.99%) did not overlap the 95 percent confidence interval for the percent of Black non-Hispanics responding “Yes” (64.84%). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2013 PRAMS-eligible population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

A significantly higher percentage of White non-Hispanics (14.04%) wanted to be pregnant *sooner* as compared to Black non-Hispanics (6.65%) and Hispanics (10.47%) as shown in the

results to Q13B. As indicated in Q13A, however, a significantly lower percentage of White non-Hispanics (22.67%) wanted to be pregnant *later* as compared to Black non-Hispanics (30.44%) or Hispanics (32.97%). In addition, 6.52% of White non-Hispanics and 5.85% of Hispanics wanted to be pregnant; this contrasts with roughly one-eighth (12.78%) of Black non-Hispanics who did not (Q13D). Furthermore, as given in Q15, a significantly higher percentage of White non-Hispanics (54.23%) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (24.08%) and Hispanics (38.46%). This also was the case for married women (63.67%) compared with non-married women (25.15%) and for older women and women with more years of education.

Moreover, 17.60% of White non-Hispanics stated that they or their husband or partner were doing something to keep from getting pregnant (Q16); this was significantly lower than the corresponding percentages for Black non-Hispanics (30.46%) and Hispanics (29.77%). Despite this finding, as given in Q17B, the percentage of Black non-Hispanics who thought they could not get pregnant as a reason to not do anything to keep from getting pregnant was more than double that of White non-Hispanics (Black non-Hispanics: 14.36%; White non-Hispanics: 6.41%). For Q17B, similar results were also reported among women with fewer years of education as compared to women with more years of education completed. Furthermore, a significantly higher percentage of women under age 20 years (3.25%) had problems getting birth control when they needed it as a reason to not do anything to keep from getting pregnant (Q17D) as compared with older age groups (1.74% of women 25 to 34 years of age and 0.21% of women over 34 years of age). As presented in Q17F, a significantly higher percentage of Black non-Hispanics (13.40%) as compared with White non-Hispanics (6.81%) and with Hispanics (4.73%) responded that their husband or partner did not want to use anything (e.g., contraception) as a reason to not do anything to keep from getting pregnant. Similar results were reported among women with fewer years of education completed as compared with women with more years of education.

Becoming Pregnant

When asked if they had taken any fertility drugs or received any medical procedures from a doctor, nurse, or health care worker to help them become pregnant with their new baby (Q18), a significantly higher percentage of White non-Hispanics (5.29%) said “Yes” as compared with Black non-Hispanics (1.82%) and Hispanics (0.00%). Similar findings were apparent among married women (6.34%) as compared with non-married women (1.02%), older women (4.51% of women between 25 and 34 years of age and 7.68% of women over 34 years of age) as compared with younger women (no women under age 20 years), and women with more years of education (5.93% of women with over 12 years of education) as compared with women with fewer years of education (1.07% of women with 12 years of education).

Finally, a significantly higher percentage of White non-Hispanics (76.87%) and Hispanics (74.39%) reported being happy or very happy to be pregnant when they found out they were

pregnant with their new baby as compared to Black non-Hispanics (46.81%) as given in Q70B. Compared with non-married women, women with lower levels of educational attainment, and women in lower age groups, a higher percentage of women that were married, with higher levels of educational attainment, and in older age groups also reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby. Conversely, approximately one-seventh (14.27%) of Black non-Hispanics stated that they were very unhappy or unhappy to be pregnant with their new baby when they found out they were pregnant with their new baby; this compares to 6.59% of White non-Hispanics and 8.00% of Hispanics (Q70A).

Prenatal Care

Starting Prenatal Care

A significantly higher percentage of White non-Hispanic women (82.86%) compared to Black non-Hispanic women (75.38%) and Hispanic women (77.54%) stated that they received prenatal care as early in their pregnancy as they wanted (Q21). For the same question, the percentages reported among women who were married, who had higher levels of educational attainment, and who were in older age groups were significantly higher as compared to women who were not married, who had lower levels of educational attainment, and who were in younger age groups.

Access to Prenatal Care

As shown in Q22C, a significantly higher percentage of Hispanic women (11.05%) compared to non-Hispanic women claimed that they did not have enough money or insurance to pay for prenatal care visits (Q22B). In addition, a significantly higher percentage of Hispanic women (12.26%) compared to White non-Hispanic women (2.76%) and Black non-Hispanic women (2.73%) responded that they had no way to get to the clinic or doctor's office. A substantially high percentage of Hispanic women (10.43%) stated that their doctor or health plan would not start care as early as they wanted, which kept them from getting prenatal care at all or as early as they wanted (Q22D). Moreover, a significantly higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women responded that they could not take time off from work or school (Q22F) or didn't have anyone to take care of their children (Q22H), which kept them from getting prenatal care at all or as early as they wanted. Similar results to Q22F and Q22H occurred among women with fewer years of education (higher percentages reported) compared to women with more years of education (lower percentages reported). As compared to women in older age ranges, a significantly higher percentage of women under age 20 years said that they didn't know they were pregnant (Q22I) or didn't want anyone else to know they were pregnant (Q22J) as a reason for why they could not get prenatal care at all or as early as they wanted. Finally, a significantly higher percentage of Hispanics (11.00%) when compared with White non-Hispanics (0.21%) and Black non-Hispanics (0.11%) reported that they didn't want prenatal care as a reason for why they didn't get prenatal care at all or as early as they would have wanted (Q22K).

During Prenatal Care Visits

A significantly lower percentage of White non-Hispanics (80.08%) as compared to Black non-Hispanics (89.48%) claimed that a doctor, nurse, or other health care worker talked with them during prenatal care visits about breastfeeding their baby (Q24C). Overall, compared to White non-Hispanic women, a higher percentage of Black non-Hispanic women answered “Yes” when asked whether or not a health care provider discussed the following: how much weight you should gain during your pregnancy (Q24A), how smoking during pregnancy could affect your baby (Q24B), how drinking alcohol during pregnancy could affect your baby (Q24D), seat belt use during pregnancy (Q24E), how using illegal drugs could affect their baby (Q24G), the signs and symptoms of preterm labor (Q24I), getting tested for HIV (Q24J), what to do if feeling depressed during pregnancy or after the baby is born (Q24K), and physical abuse to women by their husbands or partners (Q24L). However, a comparable percentage of White non-Hispanic women (90.48%) and Black non-Hispanic women (88.74%) said that a doctor, nurse, or other health care worker talked with them about doing tests to screen for birth defects or diseases that run in their family (Q24H).

Generally speaking, a relatively high percentage of women overall were satisfied with aspects of their prenatal care. As presented in Q25A, an estimated 76.95% of the PRAMS-eligible population stated that they were satisfied during their prenatal care with the amount of time they had to wait after they arrived for their visits. Likewise, 84.22% of women said that they were satisfied with the amount of time the doctor, nurse, or midwife spent with them during their visits (Q25B) and 86.31% were satisfied during their prenatal care with the advice they received on how to take care of themselves (Q25C). Finally, 92.14% were satisfied with the understanding and respect that the staff showed toward them as a person (Q25D); for this question, the percentages were comparable among White non-Hispanic respondents (92.65%), Black non-Hispanic respondents (91.45%), and Hispanic (93.44%) respondents.

Infant Care

Approximately one-fifth (20.68%) of Black non-Hispanic women stated that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born (Q59). This was significantly higher than the reported percentages of White non-Hispanics (16.64%) and Hispanics (13.81%).

Breastfeeding

A significantly higher percentage of White non-Hispanics (79.84%) and Hispanics (86.17%) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (75.04%) as indicated in the results to Q53. Overall, a higher percentage of women with more education, that were married, or were in older age groups stated that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education, that were non-married, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still

breastfeeding or feeding pumped milk to their new baby (Q54). In fact, only 27.12% of Black non-Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to 46.43% of White non-Hispanic women and 45.86% of Hispanic women.

SIDS Prevention

A significantly higher percentage of White non-Hispanics (84.06%) and Hispanics (77.93%) compared to Black non-Hispanics (62.48%) reported laying their baby down on his or her back when they sleep (Q56). Compared with non-married women and women with fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. Moreover, a significantly lower percentage of White non-Hispanics (10.29%) and Hispanics (15.16%) reported that their baby always or often sleeps in the same bed/crib with them or anyone else as compared to Black non-Hispanics (20.67%) as indicated in Q57.

Infant Survival

As given in Q51, when women were asked whether or not their baby was alive at the time of the survey, a significantly higher percentage of White non-Hispanic women (96.87%) responded “Yes” as compared to Black non-Hispanic women (95.24%). Moreover, as given in Q52, a significantly higher percentage of White non-Hispanic women (96.90%) claimed that their baby was living with them now as compared to Black non-Hispanic women (94.78%).

Alcohol & Tobacco Use

Alcohol Use

A significantly higher percentage of White non-Hispanics (77.62%) stated that they had consumed at least one alcoholic drink in the past two years (Q41) as compared to Black non-Hispanics (63.09%), with Hispanics having the lowest percentage of alcoholic drink consumption (31.91%). As given in Q42, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant was higher than the percentage reported by Black non-Hispanics and Hispanics.

Tobacco Use

Compared to Black non-Hispanics (22.93%) and Hispanics (16.25%), a significantly higher percentage of White non-Hispanics (36.58%) stated that they smoked in the past two years (Q36). When asked whether or not they smoked in the past two years, the percentage of non-married women responding “Yes” (42.84%) was triple that of married women (14.77%).

In addition, the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was also almost triple the percentage reported by Black non-Hispanic women (14.22% compared to 4.69%) as indicated in Q37. Similar results were reported on self-reported cigarette use in the last 3 months of

pregnancy (Q38). As given in Q37, Q38, and Q39, non-married women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed.

Health Care Utilization

HIV Testing

As presented in Q26, a significantly higher percentage of Black non-Hispanic women (86.45%) stated that they had a test for HIV at least once during their most recent pregnancy or delivery as compared to White non-Hispanic women (58.08%) or Hispanic women (78.31%). Similar results occurred between non-married women (80.68%) compared to married women (56.35%).

Flu Shots

Approximately three out of four women (76.75%) of women reported that a doctor, nurse, or other health care worker offered them a flu shot or told them to get one during the 12 months before delivery of their new baby (Q27).

Childbirth Classes

A higher percentage of married women (21.13%) stated that they took childbirth classes as compared to non-married women (13.85%) and women with more years of education generally reported taking childbirth classes compared with women with fewer years of education (Q31).

Dentist Visits

As indicated in Q30A, 86.59% stated that they knew it was important to care for their teeth and gums during pregnancy (Q30A). Furthermore, approximately half (47.38%) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For these two questions, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. However, as indicated in Q30C, a significantly higher percentage of White non-Hispanics (46.42%) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (32.63%) or Hispanics (37.09%). Moreover, as shown in Q30D, 60.78% of White non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Black non-Hispanics (50.93%) and almost triple that of Hispanics (22.90%). Finally, a significantly higher percentage of Black non-Hispanics (24.40%) needed to see a dentist for a problem, as compared to 19.94% of White non-Hispanics (Q30E). However, the percentage of Black non-Hispanics who reported *actually* going to a dentist or dental clinic about a problem was comparable to both White non-Hispanics and Hispanics (Q30F).

Health Status

Before Becoming Pregnant

Overall, White non-Hispanic women as compared to Black non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming

pregnant. According to Q7B, 46.17% of White non-Hispanic women stated that they were exercising 3 or more days of the week; this contrasts with 33.76% of Black non-Hispanic women and 42.36% of Hispanic women. In Q7H, a higher percentage of White non-Hispanic women (57.99%) as compared to Black non-Hispanic women (44.49%) and Hispanic women (36.31%) reported that they had their teeth cleaned by a dentist or dental hygienist during the 12 months before they got pregnant. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported regular use of prescription medicines other than birth control (Q7C) while a significantly higher percentage of Black non-Hispanic women compared to White non-Hispanic women reported being checked or treated for diabetes (Q7D) and high blood pressure (Q7E).

As provided in Q9, slightly less than half (47.99%) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby. This percentage was significantly higher than that reported by Black non-Hispanic women (27.35%) and Hispanic women (29.28%).

Furthermore, the race/ethnicity categories differed in the reported presence of adverse health conditions before getting pregnant (Q11A-C) or in the three months before becoming pregnant (Q12A-F). In Q12A, 16.10% of Black non-Hispanics stated they had asthma as compared to 13.07% of White non-Hispanics and 6.29% of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were apparent for high blood pressure or hypertension (Q11B) and anemia (Q12B). Conversely, a higher percentage of White non-Hispanic women reported having depression (Q11C) and anxiety (Q12F) as compared to Black non-Hispanic and Hispanic women.

During Most Recent Pregnancy

In Q34, 6.12% of White non-Hispanic women and 7.28% of Black non-Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes; these percentages were significantly lower than the percentage reported by Hispanic women (23.23%). A markedly high percentage (27.12%) of Black non-Hispanic women stated that they had a problem with severe nausea, vomiting, or dehydration during their most recent pregnancy; this contrasts with only 16.32% of White non-Hispanic women and 14.72% of Hispanic women (Q35C). Compared to White non-Hispanic women and Hispanic women, a significantly higher percentage of Black non-Hispanic women also had a problem with incompetent cervix (Q35D), high blood pressure or hypertension (Q35E), and labor pains more than 3 weeks before their baby was due (Q35G).

A higher percentage of Black non-Hispanic women (6.53%) as compared to White non-Hispanic women (2.77%) and Hispanic women (2.75%) stated that their husband or partner pushed, hit, slapped, kicked, or physically hurt them during their most recent pregnancy (Q46).

As presented in Q74C, a significantly higher percentage of Black non-Hispanics reported having Chlamydia (6.66%) during their pregnancy as compared to White non-Hispanics (2.48%) and Hispanics (2.02%). In Q74H, a significantly higher percentage of Black non-Hispanic women (9.78%) also stated that they had bacterial vaginosis during their pregnancy as compared to White non-Hispanic women (5.68%) and Hispanic women (2.08%).

Postpartum Depression

A significantly higher percentage of non-married women (8.04%) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with married women (3.15%) as given in Q64. Similar results were reported in Q65, in which respondents were asked if they have always or often felt little interest or little pleasure in doing things since their new baby was born.

Health Coverage

Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. Compared to Black non-Hispanic (32.90%) and Hispanic (15.40%) women, a significantly higher percentage of White non-Hispanic women (59.55%) stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q8A). Conversely, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was more than double that of White non-Hispanic women (Black non-Hispanic: 61.28%; White non-Hispanic: 23.41%) as presented in Q8C. Finally, compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic women (17.98%) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby (Q8E); furthermore, a high percentage of Hispanic women (31.88%) claimed that they did not have any health insurance during the month before they became pregnant (Q8G).

Prenatal Care Payer

A significantly higher percentage of Black non-Hispanic women (77.98%) said Medicaid paid for at least part of their prenatal care as compared to Hispanic women (55.25%) and White non-Hispanic women (39.16%) as indicated in Q23C. Similar results occurred for younger women (83.95% of women under 20 years of age) as compared to older women (28.33% of women over 34 years of age), non-married women (79.65%) compared to married women (22.92%), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q23C results generally took place at each demographic category as shown in Q23A. Compared to the other race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Delaware Healthy Children Program (Q23D: 4.66%) or Community Healthcare Access Program (Q23E: 27.16%) helped pay for their prenatal care. As given in Q23G, a relatively high

percentage of Hispanic women (7.13%) said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

During their most recent pregnancy, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women (Q33). Similar results were reported among women with fewer years of education (73.33% of women less than 12 years of education and 67.47% of women with 12 years of education) compared with women with more years of education (28.91% of women with over 12 years of education) and non-married women (70.48%) compared with married women (23.69%). A significantly higher percentage of Hispanic women (77.30%) were on WIC compared to Black non-Hispanics (69.56%), and in corresponding manner, a significantly lower percentage of White non-Hispanics (29.49%). Finally, as given in Q75A, a significantly higher percentage of Black non-Hispanics (81.81%) and Hispanics (80.25%) compared to White non-Hispanics (36.94%) reported that they were on food stamps, WIC vouchers, or received money to buy food during their most recent pregnancy.

During Delivery and Well-Baby Checkups

As provided in Q66C, a significantly higher percentage of Black non-Hispanics (74.65%) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (37.80%) and Hispanics (44.88%). Similar results occurred for non-married women (77.39%) compared to married women (19.38%) and younger age groups (91.18% of women under 20 years of age and 70.92% of women ages 20 to 24) compared to older age groups (39.15% of women ages 25 to 34 years and 25.97% of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q66A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q66E: 24.31%) is their current form of health insurance. Finally, an estimated 1 in 6 Hispanic women were reported as not having health insurance now (Q66G).

Across all socio-demographic categories assessed, approximately 7 out of 8 women reported having had a postpartum checkup since their new baby was born (Q63).

Social Support

A significantly higher percentage of White non-Hispanics (26.91%) and Black non-Hispanics (32.16%) claimed to have a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (13.52%) as given in Q44A. In addition, as shown in Q44B, a significantly higher percentage of Black non-Hispanics (15.07%) as compared to White non-Hispanics (6.77%) and Hispanics (7.27%) stated that they became separated or divorced from their husband or partner during the 12 months

before their new baby was born. A significantly higher percentage of Black non-Hispanic women (36.04%) as compared to White non-Hispanic women (22.26%) and Hispanic women (16.97%) stated that they had argued with their husband or partner more than usual during the 12 months before their baby was born (Q44I). Furthermore, as provided by Q44J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (16.31%) was slightly more than double that of White non-Hispanics (7.24%). Finally, as shown in Q76A, a significantly higher percentage of White non-Hispanics (83.87%) compared to Black non-Hispanics (61.83%) or Hispanics (59.72%) stated that they would know someone who could loan them \$50 if they needed it.

According to Q44D, 6.69% of Black non-Hispanic women reported that they were homeless during the 12 months before their new baby was born; this contrasts with 1.50% of White non-Hispanic women and 0.93% of Hispanic women. Overall, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q44A-N and Q76A-D).

DISCUSSION

As consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Overall, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on the measures in the "Health Status" section of the Results). According to the "Health Status" section of the Results, White non-Hispanics were frequently in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2013 PRAMS analysis echo the results from the 2008, 2009, 2010, and especially, the 2011 and 2012 PRAMS analyses. Black non-Hispanics and non-married women generally reported greater utilization of HIV testing and said that a health care provider discussed seat belt use and the risks of alcohol, smoking, and illicit drug use during pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women were less likely to have health insurance throughout the perinatal period (see "Prenatal Care" and "Health Coverage" sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.

Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. As in prior years, although a significantly higher percentage of Black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to White non-


Hispanics, a significantly higher percentage of White non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (see “Infant Care” and “Prenatal Care” sections of the Results). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.

Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about half of Black non-Hispanic women reported being happy or very happy when they found out they were pregnant; this contrasts with three out of every four White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.


Finally, although no direct comparisons are provided in this report, it is essential to note that the results in the 2013 PRAMS analysis tended to be more encouraging across all socio-demographic categories as compared to the results in the previous PRAMS analyses. This may suggest that maternal and infant health initiatives within the State of Delaware are demonstrating an effect on improving self-reported behaviors and outcomes.

GRAPHS

Q4: Before you got pregnant, did you have any other babies who were born alive?*,††† (% “Yes”)**




Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?*,††† (% “Yes”)**




*** For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.

††† Indicates that at least one cell count used as a numerator for a percentage in this graph or table is less than 30.


Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?*,††† (% “Yes”)**




Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)




Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)




Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)




Q7E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for high blood pressure? (% “Yes”)




Q7F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for depression or anxiety? (% “Yes”)




Q7G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history? (% “Yes”)




Q7H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? ††† (% “Yes”)




Q8A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband, partner, or parents? (% “Yes”)




Q8B: During the month before you got pregnant with your new baby, were you covered by private health insurance purchased directly from an insurance company? (% “Yes”)




Q8C: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care)?^{†††} (% “Yes”)




Q8D: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? (% “Yes”)




Q8E: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? (% “Yes”)




Q8F: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? (% “Yes”)




Q8G: I did not have any health insurance during the month before I got pregnant. (% “Yes”)




Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week?^{†††} (% “Yes”)




Q10: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how to improve your health before pregnancy? (% “Yes”)




Q11A: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes (not the same as gestational diabetes or diabetes that starts during pregnancy)? (% “Yes”)




Q11B: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had high blood pressure or hypertension? (% “Yes”)




Q11C: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had depression? (% “Yes”)




Q12A: During the 3 months before you got pregnant, did you have asthma? (% “Yes”)




Q12B: During the 3 months before you got pregnant, did you have anemia (poor blood, low iron)? (% “Yes”)




Q12C: During the 3 months before you got pregnant, did you have heart problems? (% “Yes”)




Q12D: During the 3 months before you got pregnant, did you have epilepsy (seizures)? (% “Yes”)




Q12E: During the 3 months before you got pregnant, did you have thyroid problems? (% “Yes”)




Q12F: During the 3 months before you got pregnant, did you have anxiety? (% “Yes”)




Q13A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later.^{†††} (% “Yes”)




Q13B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.^{†††} (% “Yes”)




Q13C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then.^{†††} (% “Yes”)




Q13D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future.^{†††} (% “Yes”)




Q13E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted.^{†††} (% “Yes”)




Q14A: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: less than 1 year.^{†††} (% “Yes”)




Q14B: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 1 year to less than 2 years.^{†††} (% “Yes”)




Q14C: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 2 years to less than 3 years.^{†††} (% “Yes”)




Q14D: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: 3 years to 5 years.^{†††} (% “Yes”)




Q14E: If you wanted to be pregnant later, how much longer did you want to wait to become pregnant: more than 5 years.††† (% “Yes”)




Q15: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)




Q16: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)




Q17A: I didn't mind if I got pregnant is the reason for my not doing anything to keep from getting pregnant.^{†††} (% “Yes”)




Q17B: I thought I could not get pregnant at that time is the reason for my not doing anything to keep from getting pregnant.††† (% “Yes”)




Q17C: I had side effects from the birth control method I was using is the reason for my not doing anything to keep from getting pregnant.††† (% “Yes”)




Q17D: I had problems getting birth control when I needed it is the reason for my not doing anything to keep from getting pregnant.††† (% “Yes”)




Q17E: I thought my husband or partner or I was sterile (could not get pregnant at all) is the reason for my not doing anything to keep from getting pregnant.††† (% “Yes”)




Q17F: My husband or partner didn't want to use anything is the reason for my not doing anything to keep from getting pregnant.^{†††} (% "Yes")




Q17G: I forgot to use a birth control method is the reason for my not doing anything to keep from getting pregnant.^{†††} (% "Yes")




Q18: Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby?^{†††} (% “Yes”)




Q21: Did you get prenatal care as early in your pregnancy as you wanted?^{†††} (% “Yes”)




Q22A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.^{†††} (% “Yes”)




Q22F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.^{†††} (% “Yes”)




Q22G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q22K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.^{†††} (% "Yes")




Q23A: During your most recent pregnancy, did private health insurance from your job or the job of your husband, partner, or parents help pay for your prenatal care? (% "Yes")




Q23B: During your most recent pregnancy, did private health insurance purchased directly from an insurance company help pay for your prenatal care? (% “Yes”)




Q23C: During your most recent pregnancy, did Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) help pay for your prenatal care?^{†††} (% “Yes”)




Q23D: During your most recent pregnancy, did Delaware Healthy Children Program (DHCP/SCHIP) help pay for your prenatal care? (% “Yes”)




Q23E: During your most recent pregnancy, did CHAP – Community Healthcare Access Program help pay for your prenatal care? (% “Yes”)




Q23F: During your most recent pregnancy, did TRICARE or other military health care help pay for your prenatal care? (% “Yes”)




Q23G: I did not have any health insurance to help pay for my prenatal care. (% “Yes”)



Q24A: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how much weight you should gain during your pregnancy?^{†††} (% “Yes”)




Q24B: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby?^{†††} (% “Yes”)




Q24C: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby?^{†††} (% “Yes”)




Q24D: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby?^{†††} (% “Yes”)




Q24E: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy?^{†††} (% “Yes”)




Q24F: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy?^{†††} (% “Yes”)




Q24G: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby?^{†††} (% “Yes”)




Q24H: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family?^{†††} (% “Yes”)




Q24I: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor?^{†††} (% “Yes”)




Q24J: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)?^{†††} (% “Yes”)




Q24K: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born?^{†††} (% “Yes”)




Q24L: During any prenatal visit, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?^{†††} (% “Yes”)




Q25A: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time you had to wait after you arrived for your visits? (% “Yes”)




Q25B: During your most recent pregnancy, were you satisfied during your prenatal care with the amount of time the doctor, nurse, or midwife spent with you during your visits? (% “Yes”)




Q25C: During your most recent pregnancy, were you satisfied during your prenatal care with the advice you got on how to take care of yourself? (% “Yes”)




Q25D: During your most recent pregnancy, were you satisfied during your prenatal care with the understanding and respect that the staff showed toward you as a person? (% “Yes”)




Q26: At any time during your most recent pregnancy or delivery, did you have a test for HIV?^{†††}
 (% “Yes”)




Q27: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?^{†††}
 (% “Yes”)




Q28A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy?^{†††} (% “Yes”)




Q28B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy?^{†††} (% “Yes”)




Q30A: During your most recent pregnancy, did you know it was important to care for your teeth and gums during your pregnancy?^{†††} (% “Yes”)




Q30B: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? (% “Yes”)




Q30C: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q30D: During your most recent pregnancy, did you have insurance to cover dental care during your pregnancy?^{†††} (% “Yes”)




Q30E: During your most recent pregnancy, did you need to see a dentist for a problem? (% “Yes”)




Q30F: During your most recent pregnancy, did you go to a dentist or dental clinic about a problem? (% “Yes”)




Q31: During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery? (% “Yes”)




Q32: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)



Q33: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?^{†††} (% “Yes”)




Q34: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? (% “Yes”)




Q35A: Did you have a problem with vaginal bleeding during your most recent pregnancy?

(% “Yes”)




Q35B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy?


(% “Yes”)




Q35C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy? (% “Yes”)




Q35D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? (% “Yes”)




Q35E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension (PIH)), preeclampsia, or toxemia during your most recent pregnancy? (% “Yes”)




Q35F: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy? (% “Yes”)




Q35G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)




Q35H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”)




Q35I: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”)




Q35J: Did you get hurt in a car accident during your most recent pregnancy? (% “Yes”)




Q36: Have you smoked any cigarettes in the past 2 years? (% “Yes”)




Q37: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?^{†††} (% “Yes”)




Q38: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?^{†††} (% “Yes”)




Q39: Do you currently smoke 11 or more cigarettes on average each day?^{†††} (% “Yes”)




Q40: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?^{†††} (% “Yes”)




Q41: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)




Q42: During the 3 months before you got pregnant, did you have four or more drinks on average per week?^{†††} (% “Yes”)




Q43: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?^{†††} (% “Yes”)




Q44A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)




Q44B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”)




Q44C: During the 12 months before your new baby was born, did you move to a new address?
 (% “Yes”)




Q44D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?
 (% “Yes”)




Q44E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)




Q44F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? (% “Yes”)




Q44G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? (% “Yes”)




Q44H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? (% “Yes”)




Q44I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)




Q44J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% “Yes”)




Q44K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? (% “Yes”)




Q44L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? (% “Yes”)




Q44M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? (% “Yes”)




Q44N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)



Q45: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)




Q46: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”)




Q49: After your baby was delivered, was he or she put in an intensive care unit (NICU)?

(% “Yes”)




Q50: After your baby was delivered, did he or she stay in the hospital for 3 or more days?^{†††}


(% “Yes”)




Q51: Is your baby alive now?^{†††} (% “Yes”)




Q52: Is your baby living with you now?^{†††} (% “Yes”)



Q53: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?^{†††} (% “Yes”)




Q54: Are you currently breastfeeding or feeding pumped milk to your new baby? (% “Yes”)




Q56: Do you most often lay your baby down on his or her back when he or she sleeps?^{†††}

(% “Yes”)




Q57: Does your baby always or often sleep in the same bed/crib with you or anyone else?^{†††}


(% “Yes”)



**Q58: Was your new baby seen by a doctor, nurse, or other health care worker for a one week
checkup after he or she was born?^{†††} (% “Yes”)**




**Q59: Since your new baby was born, has a home visitor come to your home to help you learn how
to take care of yourself or your new baby? (% “Yes”)**



Q60: Are you or your husband or partner doing anything now to keep from getting pregnant?^{†††}
 (% “Yes”)




Q61A: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,†††} (% “Yes”)




^{†††} Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


Q61B: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61C: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61D: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61E: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61F: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61G: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61H: My husband or partner had a vasectomy is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q61I: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,††† (% “Yes”)




Q62A: Having my tubes tied or blocked (female sterilization, Essure®, Adiana®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62B: A vasectomy (male sterilization) is what is keeping my husband or partner from my getting pregnant now. (% “Yes”)




Q62C: The birth control pill is what is keeping me from getting pregnant now. (% “Yes”)




Q62D: Condoms are what is keeping my husband or partner from my getting pregnant now. (% “Yes”)




Q62E: Injection (Depo-Provera®) is what is keeping me from getting pregnant now.††† (% “Yes”)




Q62F: Contraceptive implant (Implanon®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62G: Contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62H: IUD (including Mirena® or ParaGard®) is what is keeping me from getting pregnant now. (% “Yes”)




Q62I: Natural family planning (including rhythm method) is what is keeping me from getting pregnant now. (% “Yes”)




Q62J: Withdrawal (pulling out) is what is keeping me from getting pregnant now. (% “Yes”)




Q62K: Not having sex (abstinence) is what is keeping me from getting pregnant now. (% “Yes”)




Q63: Since your new baby was born, have you had a postpartum checkup for yourself?^{†††}
 (% “Yes”)




Q64: Since your new baby was born, have you always or often felt down, depressed, or hopeless?^{†††} (% “Yes”)




Q65: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things?^{†††} (% “Yes”)




Q66A: I have private health insurance from your job or the job of your husband, partner, or parents now as my health insurance. (% “Yes”)




Q66B: I have private health insurance purchased directly from an insurance company now as my health insurance. (% “Yes”)



Q66C: I have Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) now as my health insurance.^{†††} (% “Yes”)




Q66D: I have Delaware Healthy Children Program (DHCP/SCHIP) now as my health insurance. (% “Yes”)




Q66E: I have CHAP – Community Healthcare Access Program – now as my health insurance.


(% “Yes”)




Q66F: I have TRICARE or other military health care now as my health insurance. (% “Yes”)




Q66G: I do not have health insurance now. (% “Yes”)




Q68: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth? (% “Yes”)




Q69A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?^{†††} (% “Yes”)




Q69B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?^{†††} (% “Yes”)




Q70A: Were you very unhappy or unhappy to be pregnant with your new baby when you found out you were pregnant with your new baby?^{†††} (% “Yes”)




Q70B: Were you very happy or happy to be pregnant with your new baby when you found out you were pregnant with your new baby?^{†††} (% “Yes”)




Q71: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?††† (% “Yes”)




Q72: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day?††† (% “Yes”)




Q73: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day?^{†††} (% “Yes”)




Q74A: During your most recent pregnancy, were you told that you had genital warts? (% “Yes”)




Q74B: During your most recent pregnancy, were you told that you had herpes? (% “Yes”)




Q74C: During your most recent pregnancy, were you told that you had chlamydia? (% “Yes”)




Q74D: During your most recent pregnancy were you told that you had gonorrhea? (% “Yes”)




Q74E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? (% “Yes”)



Q74F: During your most recent pregnancy, were you told that you had syphilis? (% “Yes”)




Q74G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? (% “Yes”)




Q74H: During your most recent pregnancy, were you told that you had bacterial vaginosis?

(% “Yes”)




Q74I: During your most recent pregnancy, were you told that you had trichomoniasis? (% “Yes”)




Q74J: During your most recent pregnancy, were you told that you had a yeast infection?

(% “Yes”)




Q74K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)?


(% “Yes”)




Q75A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food?††† (% “Yes”)




Q75B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? (% “Yes”)




Q75C: During your most recent pregnancy, were you receiving help to quit smoking? (% “Yes”)




Q75D: During your most recent pregnancy, were you receiving help to reduce violence in your home? (% “Yes”)




Q76A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it?^{†††} (% “Yes”)




Q76B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed?^{†††} (% “Yes”)




Q76C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride?††† (% "Yes")




Q76D: During your most recent pregnancy, would you know someone who you could talk with about your problems?††† (% "Yes")




Q77A: During your most recent pregnancy, did you take any parenting classes? (% “Yes”)




Q77B: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)




Q78A. I did not receive a Tdap vaccination before, during, or after my most recent pregnancy.^{†††}
 (% “Yes”)



Q78B. I received a Tdap vaccination before my most recent pregnancy.^{†††} (% “Yes”)



Q78C. I received a Tdap vaccination during my most recent pregnancy.^{†††} (% “Yes”)



Q78D. I received a Tdap vaccination after my most recent pregnancy.^{†††} (% “Yes”)




Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q4-Q7H												
	Percent Response Yes	Q4 †††	Q5 †††	Q6 †††	Q7A	Q7B	Q7C	Q7D	Q7E	Q7F	Q7G	Q7H †††
Total	Yes	59.40%	7.62%	7.72%	29.77%	41.86%	22.27%	17.68%	25.42%	17.71%	32.89%	50.96%
Age	Under 20 Years	20.90%	7.12%	3.86%	9.51%	31.28%	16.42%	21.54%	29.91%	27.27%	34.82%	52.52%
	20-24 Years	42.30%	5.83%	5.48%	27.93%	38.30%	13.07%	12.88%	20.76%	13.60%	26.50%	42.40%
	25-34 Years	66.11%	7.94%	7.77%	31.33%	43.04%	25.27%	18.03%	24.04%	18.04%	32.80%	51.51%
	Over 34 Years	78.39%	9.60%	12.98%	35.38%	47.76%	28.51%	22.84%	36.91%	19.29%	43.28%	62.66%
Ethnicity	White Non-Hispanic	52.99%	2.90%	5.89%	32.96%	46.17%	27.82%	13.36%	21.06%	18.36%	34.63%	57.99%
	Black Non-Hispanic	64.84%	11.99%	10.37%	26.17%	33.76%	16.19%	19.43%	32.20%	14.28%	32.77%	44.49%
	Hispanic	77.04%	15.85%	8.59%	26.34%	42.36%	12.51%	26.28%	26.09%	19.06%	26.85%	36.31%
Married	Married	59.80%	6.39%	6.38%	34.95%	48.08%	24.90%	14.74%	23.15%	13.26%	34.96%	61.15%
	Not Married	59.00%	8.87%	9.09%	24.47%	35.50%	19.57%	20.69%	27.74%	22.26%	30.77%	40.53%
Previous Live Birth	Yes	96.34%	11.75%	11.62%	30.22%	36.15%	22.78%	18.57%	26.84%	19.15%	31.96%	47.18%
	No	4.53%	1.48%	1.92%	29.11%	50.35%	21.51%	16.36%	23.31%	15.57%	34.26%	56.58%
Education	Less Than 12 Years	64.81%	12.70%	5.83%	19.29%	37.47%	16.03%	25.73%	34.04%	22.58%	29.05%	37.53%
	12 Years	69.29%	7.90%	9.79%	21.44%	26.69%	17.55%	13.17%	20.41%	19.99%	25.54%	32.03%
	Greater Than 12 Years	53.03%	5.91%	7.48%	37.11%	49.99%	26.76%	16.79%	24.89%	15.28%	37.93%	64.18%
	Lower 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q7F	Q7G	Q7H
Total	Yes	58.45%	7.10%	7.20%	28.88%	40.90%	21.46%	16.94%	24.57%	16.97%	31.97%	49.99%
Age	Under 20 Years	17.67%	5.08%	2.33%	7.18%	27.60%	13.48%	18.27%	26.27%	23.74%	31.04%	48.56%
	20-24 Years	40.34%	4.90%	4.58%	26.15%	36.37%	11.73%	11.55%	19.15%	12.24%	24.75%	40.44%
	25-34 Years	64.87%	7.23%	7.07%	30.12%	41.75%	24.14%	17.03%	22.93%	17.04%	31.57%	50.21%
	Over 34 Years	76.25%	8.07%	11.24%	32.90%	45.17%	26.17%	20.67%	34.41%	17.25%	40.71%	60.15%
Ethnicity	White Non-Hispanic	51.66%	2.45%	5.26%	31.71%	44.85%	26.63%	12.45%	19.98%	17.33%	33.37%	56.68%
	Black Non-Hispanic	63.03%	10.75%	9.21%	24.50%	31.96%	14.79%	17.92%	30.42%	12.95%	30.98%	42.60%
	Hispanic	74.80%	13.91%	7.10%	24.00%	39.73%	10.75%	23.94%	23.76%	16.97%	24.50%	33.76%
Married	Married	58.46%	5.72%	5.71%	33.65%	46.71%	23.72%	13.77%	22.00%	12.33%	33.65%	59.81%
	Not Married	57.63%	8.08%	8.29%	23.28%	34.17%	18.47%	19.57%	26.50%	21.11%	29.49%	39.17%
Previous Live Birth	Yes	95.86%	10.94%	10.82%	29.06%	34.94%	21.72%	17.59%	25.73%	18.16%	30.79%	45.92%
	No	3.90%	1.11%	1.50%	27.71%	48.82%	20.25%	15.23%	22.01%	14.46%	32.80%	55.05%
Education	Less Than 12 Years	62.63%	11.18%	4.77%	17.49%	35.27%	14.36%	23.74%	31.88%	20.68%	26.98%	35.32%
	12 Years	67.51%	6.86%	8.65%	19.86%	24.99%	16.09%	11.87%	18.86%	18.45%	23.86%	30.23%
	Greater Than 12 Years	51.72%	5.29%	6.79%	35.85%	48.68%	25.61%	15.82%	23.76%	14.34%	36.67%	62.93%
	Upper 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q7F	Q7G	Q7H
Total	Yes	60.36%	8.13%	8.24%	30.66%	42.82%	23.08%	18.42%	26.27%	18.45%	33.80%	51.93%
Age	Under 20 Years	24.13%	9.16%	5.39%	11.84%	34.97%	19.36%	24.80%	33.54%	30.81%	38.60%	56.49%
	20-24 Years	44.27%	6.76%	6.38%	29.71%	40.23%	14.41%	14.21%	22.37%	14.97%	28.26%	44.36%
	25-34 Years	67.34%	8.64%	8.46%	32.53%	44.33%	26.41%	19.03%	25.15%	19.05%	34.02%	52.82%
	Over 34 Years	80.52%	11.13%	14.72%	37.86%	50.34%	30.85%	25.02%	39.41%	21.34%	45.84%	65.16%
Ethnicity	White Non-Hispanic	54.31%	3.34%	6.51%	34.20%	47.50%	29.01%	14.26%	22.14%	19.38%	35.89%	59.30%
	Black Non-Hispanic	66.66%	13.23%	11.53%	27.84%	35.56%	17.60%	20.93%	33.98%	15.61%	34.56%	46.38%
	Hispanic	79.27%	17.79%	10.08%	28.68%	44.99%	14.26%	28.62%	28.43%	21.15%	29.21%	38.87%
Married	Married	61.15%	7.06%	7.05%	36.26%	49.45%	26.09%	15.71%	24.31%	14.19%	36.26%	62.48%
	Not Married	60.36%	9.66%	9.89%	25.66%	36.82%	20.67%	21.82%	28.98%	23.41%	32.04%	41.89%
Previous Live Birth	Yes	96.81%	12.56%	12.43%	31.37%	37.36%	23.84%	19.55%	27.96%	20.14%	33.14%	48.43%
	No	5.17%	1.85%	2.34%	30.50%	51.89%	22.77%	17.50%	24.60%	16.68%	35.72%	58.10%
Education	Less Than 12 Years	66.98%	14.21%	6.90%	21.09%	39.68%	17.70%	27.72%	36.20%	24.49%	31.12%	39.73%
	12 Years	71.07%	8.94%	10.94%	23.02%	28.40%	19.02%	14.48%	21.97%	21.53%	27.22%	33.83%
	Greater Than 12 Years	54.33%	6.52%	8.17%	38.37%	51.30%	27.92%	17.77%	26.02%	16.22%	39.20%	65.44%

††† Indicates that at least one cell count used as a numerator for a percentage in these tables is less than 30.

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q8A-Q11B												
	Percent Response Yes	Q8A	Q8B	Q8C ^{†††}	Q8D	Q8E	Q8F	Q8G	Q9 ^{†††}	Q10	Q11A	Q11B
Total	Yes	46.89%	1.52%	34.60%	1.94%	3.30%	3.61%	11.02%	40.02%	22.14%	2.18%	5.61%
Age	Under 20 Years	30.71%	1.38%	65.02%	4.92%	0.00%	4.14%	6.30%	21.22%	21.28%	6.99%	4.92%
	20-24 Years	30.10%	1.53%	50.01%	1.71%	2.94%	3.73%	16.14%	18.80%	14.58%	1.51%	6.54%
	25-34 Years	50.83%	1.20%	29.25%	2.16%	3.90%	3.60%	9.61%	47.04%	25.04%	1.84%	4.13%
	Over 34 Years	66.80%	2.80%	16.58%	0.21%	2.95%	3.23%	9.89%	56.39%	23.92%	2.60%	10.16%
Ethnicity	White Non-Hispanic	59.55%	1.39%	23.41%	0.92%	0.75%	4.45%	8.62%	47.99%	21.34%	1.74%	3.89%
	Black Non-Hispanic	32.90%	1.68%	61.28%	4.09%	1.39%	3.02%	6.25%	27.35%	22.89%	2.28%	10.00%
	Hispanic	15.40%	0.00%	32.42%	1.86%	17.98%	0.62%	31.88%	29.28%	24.70%	4.19%	4.92%
Married	Married	65.91%	1.76%	12.73%	1.23%	3.08%	6.31%	8.55%	57.12%	26.28%	1.95%	4.06%
	Not Married	27.43%	1.27%	56.98%	2.66%	3.53%	0.85%	13.55%	22.53%	17.91%	2.41%	7.19%
Previous Live Birth	Yes	38.83%	1.21%	42.58%	2.75%	4.30%	3.20%	10.11%	38.29%	19.81%	2.06%	6.70%
	No	58.87%	1.97%	22.75%	0.73%	1.82%	4.22%	12.38%	42.60%	25.61%	2.35%	3.98%
Education	Less Than 12 Years	12.19%	1.14%	52.65%	4.51%	12.83%	2.05%	20.80%	22.35%	22.18%	4.33%	7.73%
	12 Years	24.88%	1.25%	56.21%	1.65%	1.80%	2.71%	13.18%	24.41%	16.35%	0.88%	4.31%
	Greater Than 12 Years	68.58%	1.79%	18.13%	1.05%	0.90%	4.59%	6.95%	53.31%	24.64%	2.09%	5.57%
	Lower 95% CI	Q8A	Q8B	Q8C	Q8D	Q8E	Q8F	Q8G	Q9	Q10	Q11A	Q11B
Total	Yes	45.92%	1.28%	33.67%	1.67%	2.95%	3.25%	10.41%	39.07%	21.33%	1.89%	5.16%
Age	Under 20 Years	27.05%	0.45%	61.24%	3.20%	0.00%	2.56%	4.37%	17.97%	18.03%	4.97%	3.20%
	20-24 Years	28.28%	1.05%	48.02%	1.19%	2.27%	2.98%	14.68%	17.25%	13.17%	1.03%	5.56%
	25-34 Years	49.53%	0.92%	28.07%	1.78%	3.39%	3.12%	8.85%	45.74%	23.91%	1.49%	3.61%
	Over 34 Years	64.35%	1.94%	14.66%	0.00%	2.08%	2.31%	8.34%	53.82%	21.71%	1.77%	8.59%
Ethnicity	White Non-Hispanic	58.25%	1.08%	22.28%	0.67%	0.52%	3.90%	7.87%	46.67%	20.25%	1.39%	3.38%
	Black Non-Hispanic	31.11%	1.19%	59.42%	3.33%	0.94%	2.37%	5.33%	25.65%	21.29%	1.71%	8.86%
	Hispanic	13.48%	0.00%	29.93%	1.14%	15.94%	0.20%	29.40%	26.87%	22.40%	3.13%	3.77%
Married	Married	64.62%	1.40%	11.81%	0.93%	2.60%	5.65%	7.78%	55.76%	25.07%	1.57%	3.52%
	Not Married	26.19%	0.96%	55.61%	2.22%	3.02%	0.60%	12.60%	21.37%	16.84%	1.98%	6.48%
Previous Live Birth	Yes	37.60%	0.94%	41.33%	2.34%	3.79%	2.76%	9.35%	37.06%	18.80%	1.70%	6.07%
	No	57.36%	1.55%	21.46%	0.47%	1.41%	3.60%	11.37%	41.09%	24.27%	1.88%	3.38%
Education	Less Than 12 Years	10.70%	0.65%	50.38%	3.57%	11.30%	1.40%	18.95%	20.45%	20.28%	3.40%	6.52%
	12 Years	23.21%	0.82%	54.30%	1.16%	1.28%	2.08%	11.88%	22.76%	14.92%	0.52%	3.53%
	Greater Than 12 Years	67.37%	1.44%	17.13%	0.78%	0.65%	4.04%	6.28%	52.01%	23.51%	1.72%	4.97%
	Upper 95% CI	Q8A	Q8B	Q8C	Q8D	Q8E	Q8F	Q8G	Q9	Q10	Q11A	Q11B
Total	Yes	47.86%	1.76%	35.53%	2.21%	3.65%	3.98%	11.63%	40.98%	22.95%	2.46%	6.05%
Age	Under 20 Years	34.38%	2.31%	68.81%	6.64%	0.00%	5.73%	8.23%	24.46%	24.53%	9.02%	6.64%
	20-24 Years	31.92%	2.02%	51.99%	2.22%	3.61%	4.48%	17.60%	20.35%	15.98%	2.00%	7.52%
	25-34 Years	52.13%	1.49%	30.43%	2.53%	4.40%	4.09%	10.38%	48.34%	26.17%	2.19%	4.65%
	Over 34 Years	69.24%	3.65%	18.51%	0.45%	3.83%	4.15%	11.43%	58.96%	26.13%	3.42%	11.73%
Ethnicity	White Non-Hispanic	60.85%	1.70%	24.53%	1.18%	0.97%	4.99%	9.36%	49.32%	22.43%	2.08%	4.40%
	Black Non-Hispanic	34.68%	2.17%	63.13%	4.84%	1.83%	3.67%	7.17%	29.05%	24.49%	2.85%	11.14%
	Hispanic	17.32%	0.00%	34.91%	2.57%	20.02%	1.04%	34.35%	31.70%	26.99%	5.26%	6.07%
Married	Married	67.21%	2.12%	13.64%	1.53%	3.55%	6.98%	9.32%	58.47%	27.48%	2.33%	4.60%
	Not Married	28.66%	1.58%	58.36%	3.11%	4.04%	1.10%	14.50%	23.69%	18.97%	2.83%	7.91%
Previous Live Birth	Yes	40.05%	1.49%	43.82%	3.16%	4.81%	3.65%	10.87%	39.51%	20.81%	2.42%	7.33%
	No	60.38%	2.40%	24.03%	1.00%	2.23%	4.84%	13.39%	44.12%	26.95%	2.81%	4.58%
Education	Less Than 12 Years	13.68%	1.62%	54.92%	5.46%	14.35%	2.69%	22.65%	24.24%	24.07%	5.26%	8.95%
	12 Years	26.54%	1.67%	58.12%	2.14%	2.31%	3.33%	14.49%	26.07%	17.77%	1.24%	5.09%
	Greater Than 12 Years	69.80%	2.13%	19.14%	1.31%	1.15%	5.14%	7.61%	54.61%	25.76%	2.46%	6.17%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q11C-Q13D												
	Percent Response Yes	Q11C	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q13A ^{†††}	Q13B ^{†††}	Q13C ^{†††}	Q13D ^{†††}
Total	Yes	10.22%	12.83%	12.72%	1.19%	0.98%	4.97%	13.97%	26.02%	12.39%	36.64%	8.03%
Age	Under 20 Years	13.20%	23.98%	20.73%	2.07%	0.61%	0.41%	21.42%	47.30%	4.92%	12.96%	6.99%
	20-24 Years	10.25%	14.22%	16.51%	0.15%	0.62%	0.63%	13.30%	39.91%	3.85%	26.29%	9.80%
	25-34 Years	9.68%	12.62%	11.63%	1.36%	0.91%	5.87%	13.85%	21.92%	14.64%	43.21%	5.76%
	Over 34 Years	11.00%	6.56%	7.17%	1.88%	1.99%	10.76%	12.42%	9.55%	21.16%	38.29%	14.42%
Ethnicity	White Non-Hispanic	13.02%	13.07%	6.50%	1.35%	1.21%	4.77%	20.02%	22.67%	14.04%	43.32%	6.52%
	Black Non-Hispanic	6.58%	16.10%	27.12%	0.32%	0.98%	2.62%	8.60%	30.44%	6.65%	23.95%	12.78%
	Hispanic	5.72%	6.29%	10.87%	1.87%	0.22%	5.75%	2.23%	32.97%	10.47%	36.60%	5.85%
Married	Married	8.51%	10.06%	6.45%	1.21%	0.83%	7.72%	12.47%	13.41%	19.18%	49.64%	4.88%
	Not Married	11.97%	15.67%	19.13%	1.16%	1.13%	2.16%	15.51%	38.93%	5.44%	23.33%	11.25%
Previous Live Birth	Yes	10.52%	11.55%	14.87%	1.53%	1.36%	7.05%	13.44%	25.26%	11.74%	35.61%	10.07%
	No	9.77%	14.75%	9.53%	0.68%	0.40%	1.89%	14.76%	27.16%	13.35%	38.16%	4.99%
Education	Less Than 12 Years	9.06%	14.06%	11.27%	1.49%	0.98%	3.56%	12.10%	34.37%	6.87%	31.02%	9.89%
	12 Years	11.61%	13.56%	16.08%	0.87%	1.22%	5.06%	14.69%	31.82%	7.42%	25.14%	6.43%
	Greater Than 12 Years	9.81%	12.00%	11.45%	1.25%	0.87%	5.46%	14.20%	19.92%	16.64%	44.00%	8.25%
	Lower 95% CI	Q11C	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q13A	Q13B	Q13C	Q13D
Total	Yes	9.63%	12.18%	12.07%	0.97%	0.78%	4.55%	13.29%	25.17%	11.74%	35.70%	7.50%
Age	Under 20 Years	10.51%	20.59%	17.51%	0.94%	0.00%	0.00%	18.16%	43.34%	3.20%	10.29%	4.97%
	20-24 Years	9.05%	12.83%	15.03%	0.00%	0.31%	0.31%	11.95%	37.96%	3.08%	24.54%	8.62%
	25-34 Years	8.91%	11.76%	10.80%	1.06%	0.66%	5.26%	12.95%	20.85%	13.72%	41.92%	5.16%
	Over 34 Years	9.38%	5.27%	5.83%	1.17%	1.27%	9.15%	10.71%	8.03%	19.05%	35.77%	12.60%
Ethnicity	White Non-Hispanic	12.13%	12.17%	5.84%	1.04%	0.92%	4.21%	18.96%	21.56%	13.12%	42.00%	5.87%
	Black Non-Hispanic	5.64%	14.70%	25.43%	0.10%	0.60%	2.01%	7.53%	28.68%	5.70%	22.32%	11.51%
	Hispanic	4.48%	5.00%	9.21%	1.15%	0.00%	4.51%	1.45%	30.47%	8.84%	34.04%	4.60%
Married	Married	7.74%	9.24%	5.78%	0.91%	0.58%	6.99%	11.56%	12.48%	18.10%	48.27%	4.29%
	Not Married	11.07%	14.66%	18.04%	0.86%	0.83%	1.76%	14.51%	37.58%	4.81%	22.16%	10.37%
Previous Live Birth	Yes	9.75%	10.74%	13.97%	1.22%	1.07%	6.40%	12.58%	24.17%	10.93%	34.40%	9.32%
	No	8.86%	13.66%	8.63%	0.43%	0.21%	1.47%	13.68%	25.79%	12.30%	36.67%	4.32%
Education	Less Than 12 Years	7.75%	12.48%	9.83%	0.94%	0.53%	2.72%	10.61%	32.21%	5.72%	28.92%	8.53%
	12 Years	10.38%	12.24%	14.67%	0.51%	0.80%	4.22%	13.33%	30.03%	6.41%	23.47%	5.49%
	Greater Than 12 Years	9.03%	11.15%	10.62%	0.96%	0.63%	4.86%	13.29%	18.88%	15.66%	42.70%	7.53%
	Upper 95% CI	Q11C	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q13A	Q13B	Q13C	Q13D
Total	Yes	10.81%	13.48%	13.37%	1.40%	1.17%	5.40%	14.64%	26.88%	13.03%	37.57%	8.56%
Age	Under 20 Years	15.89%	27.37%	23.95%	3.20%	1.23%	0.91%	24.68%	51.26%	6.64%	15.62%	9.02%
	20-24 Years	11.46%	15.61%	17.98%	0.31%	0.93%	0.94%	14.64%	41.85%	4.61%	28.04%	10.98%
	25-34 Years	10.45%	13.49%	12.47%	1.66%	1.16%	6.49%	14.75%	23.00%	15.56%	44.50%	6.37%
	Over 34 Years	12.62%	7.84%	8.51%	2.58%	2.71%	12.36%	14.12%	11.08%	23.28%	40.81%	16.24%
Ethnicity	White Non-Hispanic	13.91%	13.96%	7.15%	1.66%	1.50%	5.34%	21.08%	23.78%	14.96%	44.63%	7.18%
	Black Non-Hispanic	7.52%	17.50%	28.82%	0.53%	1.35%	3.22%	9.67%	32.19%	7.59%	25.57%	14.06%
	Hispanic	6.95%	7.58%	12.52%	2.59%	0.47%	6.98%	3.02%	35.47%	12.09%	39.16%	7.09%
Married	Married	9.27%	10.88%	7.13%	1.51%	1.08%	8.45%	13.37%	14.35%	20.25%	51.01%	5.47%
	Not Married	12.87%	16.68%	20.22%	1.46%	1.42%	2.57%	16.51%	40.28%	6.06%	24.50%	12.12%
Previous Live Birth	Yes	11.29%	12.35%	15.76%	1.83%	1.66%	7.69%	14.29%	26.36%	12.55%	36.82%	10.83%
	No	10.68%	15.84%	10.43%	0.93%	0.59%	2.31%	15.85%	28.52%	14.39%	39.65%	5.66%
Education	Less Than 12 Years	10.37%	15.65%	12.71%	2.04%	1.43%	4.41%	13.58%	36.53%	8.02%	33.13%	11.25%
	12 Years	12.84%	14.87%	17.50%	1.22%	1.64%	5.91%	16.05%	33.62%	8.43%	26.82%	7.38%
	Greater Than 12 Years	10.59%	12.85%	12.28%	1.54%	1.12%	6.05%	15.11%	20.96%	17.61%	45.29%	8.97%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q13E-Q17C												
	Percent Response Yes	Q13E ^{†††}	Q14A ^{†††}	Q14B ^{†††}	Q14C ^{†††}	Q14D ^{†††}	Q14E ^{†††}	Q15	Q16	Q17A ^{†††}	Q17B ^{†††}	Q17C ^{†††}
Total	Yes	15.37%	8.45%	9.49%	8.42%	7.81%	4.00%	44.63%	22.46%	15.23%	9.51%	4.37%
Age	Under 20 Years	27.83%	9.50%	7.60%	4.88%	21.16%	18.41%	17.79%	31.74%	13.74%	23.58%	2.68%
	20-24 Years	19.29%	6.85%	7.70%	16.20%	15.50%	6.44%	28.63%	27.11%	14.13%	13.20%	5.37%
	25-34 Years	12.23%	9.43%	10.87%	6.87%	4.78%	1.73%	51.85%	19.80%	16.88%	6.81%	3.73%
	Over 34 Years	15.79%	6.86%	7.93%	2.82%	1.00%	2.73%	54.77%	21.15%	11.19%	7.92%	5.89%
Ethnicity	White Non-Hispanic	12.40%	7.79%	7.54%	5.60%	5.73%	2.55%	54.23%	17.60%	13.08%	6.41%	4.14%
	Black Non-Hispanic	24.51%	8.48%	9.03%	13.49%	11.21%	7.38%	24.08%	30.46%	16.66%	14.36%	5.77%
	Hispanic	10.82%	10.58%	18.22%	8.78%	10.28%	4.74%	38.46%	29.77%	20.07%	11.72%	4.06%
Married	Married	9.27%	8.82%	7.99%	3.46%	2.05%	1.02%	63.67%	13.77%	15.60%	3.84%	3.75%
	Not Married	21.61%	8.07%	11.03%	13.50%	13.70%	7.06%	25.15%	31.36%	14.85%	15.31%	5.00%
Previous Live Birth	Yes	15.66%	9.68%	10.51%	8.79%	6.71%	4.76%	42.21%	23.25%	16.68%	8.31%	6.02%
	No	14.93%	6.62%	7.98%	7.88%	9.43%	2.88%	48.23%	21.30%	13.06%	11.29%	1.92%
Education	Less Than 12 Years	17.16%	9.49%	11.02%	8.61%	12.64%	8.70%	35.01%	21.96%	18.73%	12.33%	5.08%
	12 Years	25.74%	7.68%	10.76%	10.30%	10.75%	6.19%	28.79%	27.88%	12.58%	12.34%	4.25%
	Greater Than 12 Years	10.20%	8.57%	8.30%	7.40%	4.37%	1.51%	55.41%	19.76%	15.48%	7.40%	4.24%
	Lower 95% CI	Q13E	Q14A	Q14B	Q14C	Q14D	Q14E	Q15	Q16	Q17A	Q17B	Q17C
Total	Yes	14.67%	7.91%	8.92%	7.88%	7.28%	3.62%	43.67%	21.65%	14.53%	8.94%	3.97%
Age	Under 20 Years	24.27%	7.17%	5.50%	3.17%	17.92%	15.33%	14.75%	28.05%	11.00%	20.20%	1.40%
	20-24 Years	17.72%	5.85%	6.64%	14.74%	14.07%	5.46%	26.84%	25.34%	12.75%	11.85%	4.48%
	25-34 Years	11.38%	8.67%	10.06%	6.21%	4.22%	1.39%	50.55%	18.76%	15.90%	6.16%	3.24%
	Over 34 Years	13.90%	5.55%	6.53%	1.97%	0.48%	1.89%	52.19%	19.03%	9.56%	6.52%	4.67%
Ethnicity	White Non-Hispanic	11.53%	7.08%	6.84%	4.99%	5.12%	2.13%	52.91%	16.59%	12.19%	5.76%	3.61%
	Black Non-Hispanic	22.87%	7.42%	7.94%	12.19%	10.01%	6.38%	22.45%	28.70%	15.24%	13.02%	4.89%
	Hispanic	9.17%	8.94%	16.16%	7.27%	8.67%	3.61%	35.87%	27.34%	17.95%	10.01%	3.01%
Married	Married	8.47%	8.05%	7.25%	2.96%	1.66%	0.74%	62.35%	12.83%	14.60%	3.32%	3.23%
	Not Married	20.47%	7.32%	10.16%	12.55%	12.75%	6.35%	23.95%	30.07%	13.86%	14.31%	4.40%
Previous Live Birth	Yes	14.75%	8.94%	9.74%	8.08%	6.08%	4.23%	40.97%	22.18%	15.74%	7.62%	5.42%
	No	13.83%	5.85%	7.15%	7.05%	8.53%	2.36%	46.70%	20.04%	12.03%	10.32%	1.50%
Education	Less Than 12 Years	15.44%	8.15%	9.59%	7.33%	11.13%	7.41%	32.84%	20.07%	16.96%	10.84%	4.08%
	12 Years	24.06%	6.66%	9.56%	9.13%	9.56%	5.26%	27.05%	26.15%	11.30%	11.07%	3.47%
	Greater Than 12 Years	9.40%	7.84%	7.58%	6.71%	3.84%	1.19%	54.12%	18.72%	14.53%	6.72%	3.72%
	Upper 95% CI	Q13E	Q14A	Q14B	Q14C	Q14D	Q14E	Q15	Q16	Q17A	Q17B	Q17C
Total	Yes	16.07%	8.99%	10.06%	8.96%	8.33%	4.39%	45.60%	23.27%	15.93%	10.08%	4.77%
Age	Under 20 Years	31.39%	11.83%	9.70%	6.59%	24.40%	21.49%	20.82%	35.44%	16.47%	26.95%	3.96%
	20-24 Years	20.85%	7.86%	8.75%	17.67%	16.94%	7.41%	30.43%	28.87%	15.51%	14.54%	6.27%
	25-34 Years	13.09%	10.19%	11.68%	7.53%	5.34%	2.07%	53.15%	20.83%	17.85%	7.47%	4.22%
	Over 34 Years	17.68%	8.16%	9.33%	3.68%	1.51%	3.57%	57.35%	23.27%	12.83%	9.32%	7.11%
Ethnicity	White Non-Hispanic	13.28%	8.50%	8.24%	6.21%	6.35%	2.97%	55.55%	18.61%	13.98%	7.06%	4.67%
	Black Non-Hispanic	26.14%	9.54%	10.12%	14.79%	12.41%	8.37%	25.71%	32.21%	18.08%	15.69%	6.66%
	Hispanic	12.48%	12.21%	20.27%	10.28%	11.90%	5.87%	41.04%	32.20%	22.20%	13.43%	5.11%
Married	Married	10.06%	9.60%	8.73%	3.96%	2.44%	1.29%	64.99%	14.71%	16.59%	4.37%	4.27%
	Not Married	22.75%	8.82%	11.90%	14.45%	14.65%	7.77%	26.35%	32.64%	15.83%	16.31%	5.60%
Previous Live Birth	Yes	16.58%	10.43%	11.28%	9.50%	7.34%	5.30%	43.45%	24.31%	17.62%	9.01%	6.61%
	No	16.02%	7.38%	8.81%	8.70%	10.33%	3.39%	49.77%	22.55%	14.10%	12.26%	2.34%
Education	Less Than 12 Years	18.88%	10.82%	12.44%	9.89%	14.16%	9.98%	37.19%	23.84%	20.51%	13.83%	6.08%
	12 Years	27.43%	8.71%	11.95%	11.47%	11.94%	7.12%	30.54%	29.61%	13.86%	13.60%	5.03%
	Greater Than 12 Years	10.99%	9.30%	9.02%	8.08%	4.91%	1.82%	56.71%	20.80%	16.42%	8.08%	4.77%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q17D-Q22E												
	Percent Response Yes	Q17D ^{†††}	Q17E ^{†††}	Q17F ^{†††}	Q17G ^{†††}	Q18 ^{†††}	Q21 ^{†††}	Q22A ^{†††}	Q22B ^{†††}	Q22C ^{†††}	Q22D ^{†††}	Q22E ^{†††}
Total	Yes	1.55%	2.95%	8.62%	3.64%	3.71%	79.68%	8.64%	5.51%	4.28%	4.13%	4.09%
Age	Under 20 Years	3.25%	16.92%	22.43%	4.75%	0.00%	65.47%	10.28%	4.92%	14.39%	3.17%	15.19%
	20-24 Years	1.46%	3.24%	13.35%	7.84%	0.46%	74.51%	8.57%	6.46%	4.73%	3.65%	3.46%
	25-34 Years	1.74%	1.57%	5.27%	2.52%	4.51%	83.12%	7.58%	4.67%	3.11%	4.45%	3.04%
	Over 34 Years	0.21%	1.99%	7.96%	0.42%	7.68%	80.91%	12.25%	7.52%	3.87%	4.10%	4.60%
Ethnicity	White Non-Hispanic	1.61%	3.32%	6.81%	4.47%	5.29%	82.86%	6.00%	4.15%	2.76%	2.50%	2.97%
	Black Non-Hispanic	2.02%	3.69%	13.40%	2.06%	1.82%	75.38%	8.59%	5.55%	2.73%	4.40%	5.27%
	Hispanic	0.93%	0.55%	4.73%	3.41%	0.00%	77.54%	17.71%	11.05%	12.26%	10.43%	6.17%
Married	Married	0.71%	1.37%	3.79%	0.84%	6.34%	84.00%	6.84%	3.83%	1.64%	3.22%	2.03%
	Not Married	2.40%	4.57%	13.57%	6.50%	1.02%	75.25%	10.48%	7.24%	6.99%	5.06%	6.20%
Previous Live Birth	Yes	1.65%	2.39%	7.63%	3.26%	3.01%	79.86%	9.29%	5.63%	4.73%	4.54%	4.43%
	No	1.40%	3.78%	10.10%	4.19%	4.75%	79.41%	7.67%	5.34%	3.61%	3.53%	3.58%
Education	Less Than 12 Years	2.56%	5.99%	11.55%	4.43%	0.81%	76.54%	14.22%	8.21%	9.87%	7.24%	6.32%
	12 Years	2.35%	4.00%	13.46%	3.80%	1.07%	75.90%	8.35%	6.54%	5.47%	4.83%	7.24%
	Greater Than 12 Years	0.87%	1.51%	5.54%	3.35%	5.93%	82.85%	7.05%	4.22%	1.73%	2.63%	1.73%
	Lower 95% CI	Q17D	Q17E	Q17F	Q17G	Q18	Q21	Q22A	Q22B	Q22C	Q22D	Q22E
Total	Yes	1.31%	2.62%	8.08%	3.27%	3.34%	78.89%	8.09%	5.07%	3.89%	3.74%	3.70%
Age	Under 20 Years	1.85%	13.94%	19.11%	3.06%	0.00%	61.69%	7.87%	3.20%	11.60%	1.78%	12.34%
	20-24 Years	0.99%	2.54%	12.00%	6.77%	0.19%	72.78%	7.46%	5.48%	3.88%	2.90%	2.73%
	25-34 Years	1.40%	1.24%	4.69%	2.12%	3.97%	82.14%	6.89%	4.12%	2.66%	3.91%	2.59%
	Over 34 Years	0.00%	1.27%	6.55%	0.09%	6.30%	78.87%	10.55%	6.15%	2.87%	3.08%	3.51%
Ethnicity	White Non-Hispanic	1.27%	2.84%	6.14%	3.92%	4.69%	81.86%	5.37%	3.62%	2.32%	2.08%	2.52%
	Black Non-Hispanic	1.48%	2.98%	12.10%	1.52%	1.31%	73.74%	7.52%	4.68%	2.11%	3.62%	4.42%
	Hispanic	0.42%	0.16%	3.60%	2.44%	0.00%	75.32%	15.69%	9.38%	10.52%	8.80%	4.89%
Married	Married	0.48%	1.05%	3.27%	0.59%	5.67%	83.00%	6.15%	3.30%	1.29%	2.73%	1.64%
	Not Married	1.98%	3.99%	12.62%	5.82%	0.74%	74.05%	9.63%	6.52%	6.28%	4.46%	5.53%
Previous Live Birth	Yes	1.33%	2.01%	6.96%	2.82%	2.58%	78.85%	8.56%	5.05%	4.20%	4.01%	3.91%
	No	1.04%	3.20%	9.17%	3.58%	4.10%	78.17%	6.85%	4.65%	3.04%	2.96%	3.01%
Education	Less Than 12 Years	1.84%	4.91%	10.09%	3.49%	0.40%	74.61%	12.63%	6.96%	8.51%	6.06%	5.21%
	12 Years	1.76%	3.24%	12.15%	3.06%	0.68%	74.25%	7.28%	5.59%	4.60%	4.01%	6.24%
	Greater Than 12 Years	0.63%	1.19%	4.94%	2.88%	5.31%	81.87%	6.38%	3.70%	1.39%	2.21%	1.39%
	Upper 95% CI	Q17D	Q17E	Q17F	Q17G	Q18	Q21	Q22A	Q22B	Q22C	Q22D	Q22E
Total	Yes	1.79%	3.28%	9.17%	4.00%	4.08%	80.46%	9.19%	5.96%	4.68%	4.52%	4.47%
Age	Under 20 Years	4.66%	19.89%	25.74%	6.44%	0.00%	69.24%	12.69%	6.64%	17.18%	4.56%	18.04%
	20-24 Years	1.94%	3.95%	14.70%	8.90%	0.72%	76.24%	9.68%	7.43%	5.57%	4.39%	4.18%
	25-34 Years	2.08%	1.89%	5.85%	2.93%	5.05%	84.09%	8.27%	5.22%	3.56%	4.99%	3.48%
	Over 34 Years	0.45%	2.71%	9.36%	0.76%	9.06%	82.95%	13.95%	8.88%	4.87%	5.13%	5.68%
Ethnicity	White Non-Hispanic	1.94%	3.79%	7.48%	5.02%	5.88%	83.86%	6.63%	4.68%	3.19%	2.91%	3.42%
	Black Non-Hispanic	2.56%	4.41%	14.69%	2.61%	2.33%	77.02%	9.65%	6.42%	3.35%	5.18%	6.12%
	Hispanic	1.44%	0.94%	5.85%	4.37%	0.00%	79.75%	19.74%	12.71%	14.00%	12.05%	7.45%
Married	Married	0.94%	1.69%	4.31%	1.09%	7.01%	85.01%	7.53%	4.35%	1.99%	3.70%	2.41%
	Not Married	2.83%	5.15%	14.52%	7.18%	1.30%	76.44%	11.33%	7.96%	7.69%	5.67%	6.86%
Previous Live Birth	Yes	1.97%	2.77%	8.30%	3.71%	3.44%	80.87%	10.02%	6.21%	5.27%	5.06%	4.95%
	No	1.76%	4.37%	11.02%	4.81%	5.41%	80.65%	8.49%	6.03%	4.19%	4.09%	4.15%
Education	Less Than 12 Years	3.28%	7.07%	13.00%	5.36%	1.21%	78.47%	15.81%	9.46%	11.23%	8.42%	7.43%
	12 Years	2.93%	4.75%	14.78%	4.54%	1.47%	77.55%	9.41%	7.49%	6.35%	5.66%	8.23%
	Greater Than 12 Years	1.11%	1.82%	6.14%	3.82%	6.54%	83.84%	7.72%	4.75%	2.07%	3.05%	2.07%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q22F-Q23E												
	Percent Response Yes	Q22F ^{†††}	Q22G ^{†††}	Q22H ^{†††}	Q22I ^{†††}	Q22J ^{†††}	Q22K ^{†††}	Q23A	Q23B	Q23C ^{†††}	Q23D	Q23E
Total	Yes	2.30%	3.81%	1.82%	9.02%	3.66%	1.73%	44.64%	0.66%	50.96%	0.79%	4.37%
Age	Under 20 Years	6.82%	7.68%	0.00%	14.46%	9.80%	0.00%	19.86%	1.38%	83.95%	2.07%	0.00%
	20-24 Years	3.34%	6.43%	1.71%	9.52%	3.08%	0.52%	24.55%	0.10%	74.35%	0.67%	3.95%
	25-34 Years	1.54%	2.20%	2.00%	8.38%	3.52%	2.36%	50.49%	0.78%	43.07%	0.70%	5.00%
	Over 34 Years	1.58%	4.11%	2.11%	8.35%	2.58%	2.01%	66.24%	0.80%	28.33%	0.78%	4.46%
Ethnicity	White Non-Hispanic	1.63%	3.78%	1.07%	5.99%	2.42%	0.21%	58.03%	0.68%	39.16%	0.00%	1.23%
	Black Non-Hispanic	2.55%	2.99%	0.37%	11.58%	4.03%	0.11%	27.24%	0.64%	77.98%	0.62%	0.25%
	Hispanic	5.59%	5.67%	7.65%	14.14%	7.92%	11.00%	16.57%	0.93%	55.25%	4.66%	27.16%
Married	Married	0.83%	1.32%	1.18%	4.68%	0.98%	1.12%	65.88%	0.81%	22.92%	0.71%	3.23%
	Not Married	3.79%	6.37%	2.48%	13.45%	6.40%	2.35%	22.91%	0.50%	79.65%	0.86%	5.54%
Previous Live Birth	Yes	2.52%	3.31%	3.00%	10.55%	4.92%	2.45%	38.69%	0.68%	56.55%	1.11%	6.45%
	No	1.96%	4.56%	0.07%	6.74%	1.79%	0.66%	53.48%	0.63%	42.66%	0.31%	1.29%
Education	Less Than 12 Years	5.95%	6.49%	5.50%	12.95%	9.34%	7.64%	9.42%	1.14%	71.10%	2.65%	18.68%
	12 Years	2.19%	6.31%	2.80%	8.62%	3.88%	0.87%	22.63%	0.67%	78.35%	0.43%	2.43%
	Greater Than 12 Years	0.74%	1.63%	0.19%	7.53%	1.73%	0.20%	66.48%	0.50%	31.58%	0.34%	0.61%
	Lower 95% CI	Q22F	Q22G	Q22H	Q22I	Q22J	Q22K	Q23A	Q23B	Q23C	Q23D	Q23E
Total	Yes	2.00%	3.44%	1.56%	8.46%	3.29%	1.47%	43.67%	0.50%	49.99%	0.61%	3.97%
Age	Under 20 Years	4.82%	5.57%	0.00%	11.67%	7.44%	0.00%	16.69%	0.45%	81.04%	0.94%	0.00%
	20-24 Years	2.63%	5.46%	1.19%	8.36%	2.39%	0.23%	22.85%	0.00%	72.61%	0.35%	3.18%
	25-34 Years	1.22%	1.81%	1.63%	7.66%	3.04%	1.97%	49.19%	0.55%	41.78%	0.48%	4.43%
	Over 34 Years	0.94%	3.09%	1.36%	6.92%	1.76%	1.28%	63.79%	0.34%	26.00%	0.33%	3.39%
Ethnicity	White Non-Hispanic	1.30%	3.28%	0.80%	5.36%	2.01%	0.09%	56.72%	0.46%	37.86%	0.00%	0.94%
	Black Non-Hispanic	1.95%	2.34%	0.14%	10.36%	3.29%	0.00%	25.54%	0.34%	76.41%	0.32%	0.06%
	Hispanic	4.36%	4.44%	6.23%	12.29%	6.48%	9.34%	14.59%	0.42%	52.60%	3.54%	24.80%
Married	Married	0.58%	1.00%	0.88%	4.10%	0.71%	0.83%	64.58%	0.57%	21.77%	0.48%	2.75%
	Not Married	3.26%	5.70%	2.05%	12.51%	5.73%	1.93%	21.74%	0.30%	78.54%	0.61%	4.90%
Previous Live Birth	Yes	2.13%	2.86%	2.57%	9.78%	4.37%	2.06%	37.47%	0.47%	55.30%	0.84%	5.83%
	No	1.53%	3.92%	0.00%	5.97%	1.38%	0.41%	51.95%	0.38%	41.14%	0.14%	0.94%
Education	Less Than 12 Years	4.87%	5.37%	4.46%	11.42%	8.02%	6.43%	8.09%	0.65%	69.03%	1.92%	16.91%
	12 Years	1.63%	5.37%	2.16%	7.54%	3.14%	0.51%	21.02%	0.36%	76.76%	0.18%	1.83%
	Greater Than 12 Years	0.52%	1.30%	0.07%	6.84%	1.39%	0.08%	65.25%	0.32%	30.37%	0.19%	0.41%
	Upper 95% CI	Q22F	Q22G	Q22H	Q22I	Q22J	Q22K	Q23A	Q23B	Q23C	Q23D	Q23E
Total	Yes	2.59%	4.19%	2.08%	9.57%	4.02%	1.98%	45.61%	0.81%	51.93%	0.96%	4.77%
Age	Under 20 Years	8.82%	9.80%	0.00%	17.25%	12.16%	0.00%	23.03%	2.31%	86.87%	3.20%	0.00%
	20-24 Years	4.06%	7.41%	2.22%	10.69%	3.77%	0.80%	26.26%	0.23%	76.08%	0.99%	4.73%
	25-34 Years	1.86%	2.58%	2.36%	9.10%	4.00%	2.76%	51.79%	1.01%	44.36%	0.91%	5.57%
	Over 34 Years	2.23%	5.14%	2.85%	9.79%	3.40%	2.74%	68.69%	1.26%	30.67%	1.24%	5.53%
Ethnicity	White Non-Hispanic	1.97%	4.29%	1.34%	6.62%	2.83%	0.32%	59.34%	0.89%	40.45%	0.00%	1.52%
	Black Non-Hispanic	3.15%	3.64%	0.60%	12.80%	4.78%	0.24%	28.93%	0.94%	79.56%	0.91%	0.45%
	Hispanic	6.81%	6.90%	9.06%	16.00%	9.36%	12.67%	18.54%	1.44%	57.89%	5.78%	29.53%
Married	Married	1.08%	1.63%	1.48%	5.26%	1.24%	1.41%	67.18%	1.06%	24.07%	0.94%	3.72%
	Not Married	4.32%	7.05%	2.91%	14.40%	7.08%	2.77%	24.07%	0.69%	80.77%	1.12%	6.17%
Previous Live Birth	Yes	2.92%	3.76%	3.43%	11.32%	5.46%	2.83%	39.92%	0.88%	57.80%	1.37%	7.07%
	No	2.38%	5.20%	0.16%	7.51%	2.19%	0.91%	55.01%	0.87%	44.18%	0.48%	1.63%
Education	Less Than 12 Years	7.02%	7.61%	6.54%	14.48%	10.67%	8.85%	10.75%	1.62%	73.16%	3.38%	20.46%
	12 Years	2.76%	7.24%	3.43%	9.70%	4.62%	1.22%	24.24%	0.99%	79.93%	0.69%	3.02%
	Greater Than 12 Years	0.96%	1.96%	0.30%	8.22%	2.07%	0.32%	67.71%	0.68%	32.79%	0.50%	0.82%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q23F-Q24I												
	Percent Response Yes	Q23F	Q23G	Q24A ^{†††}	Q24B ^{†††}	Q24C ^{†††}	Q24D ^{†††}	Q24E ^{†††}	Q24F ^{†††}	Q24G ^{†††}	Q24H ^{†††}	Q24I ^{†††}
Total	Yes	3.47%	2.56%	73.85%	71.18%	82.80%	69.34%	50.60%	88.36%	63.15%	88.31%	79.34%
Age	Under 20 Years	4.14%	0.00%	77.57%	70.66%	90.90%	72.65%	51.26%	80.53%	68.59%	78.01%	66.72%
	20-24 Years	2.50%	2.70%	76.18%	78.65%	87.95%	77.60%	54.23%	86.70%	70.92%	90.91%	80.61%
	25-34 Years	3.88%	2.15%	74.64%	70.61%	80.94%	67.54%	50.30%	89.50%	62.50%	88.02%	79.54%
	Over 34 Years	3.23%	5.01%	65.12%	60.93%	77.91%	60.97%	45.33%	89.99%	50.17%	89.46%	81.78%
Ethnicity	White Non-Hispanic	4.53%	1.87%	72.78%	65.09%	80.08%	63.36%	42.33%	87.67%	55.50%	90.48%	78.81%
	Black Non-Hispanic	1.89%	2.15%	81.51%	80.28%	89.48%	77.90%	60.89%	91.54%	74.70%	88.74%	84.57%
	Hispanic	1.55%	7.13%	63.72%	83.04%	87.14%	81.31%	63.82%	86.92%	75.51%	83.38%	76.89%
Married	Married	6.15%	3.46%	71.57%	61.86%	77.31%	61.44%	43.80%	86.87%	52.78%	86.78%	77.65%
	Not Married	0.73%	1.63%	76.17%	80.71%	88.41%	77.42%	57.56%	89.87%	73.75%	89.88%	81.07%
Previous Live Birth	Yes	3.05%	2.78%	69.34%	68.23%	81.51%	65.92%	50.49%	89.51%	60.22%	86.74%	81.20%
	No	4.11%	2.23%	80.54%	75.56%	84.70%	74.41%	50.75%	86.64%	67.50%	90.65%	76.58%
Education	Less Than 12 Years	2.05%	6.36%	69.01%	76.72%	84.25%	75.45%	59.26%	81.13%	74.41%	78.48%	75.20%
	12 Years	1.61%	1.28%	68.79%	77.66%	85.84%	72.66%	54.52%	89.09%	69.12%	87.82%	77.06%
	Greater Than 12 Years	4.85%	1.92%	78.20%	66.69%	81.15%	66.09%	46.31%	90.70%	57.22%	92.08%	82.25%
	Lower 95% CI	Q23F	Q23G	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	3.12%	2.25%	72.99%	70.30%	82.06%	68.44%	49.63%	87.73%	62.21%	87.69%	78.55%
Age	Under 20 Years	2.56%	0.00%	74.26%	67.05%	88.61%	69.11%	47.29%	77.39%	64.90%	74.72%	62.98%
	20-24 Years	1.88%	2.06%	74.49%	77.03%	86.65%	75.94%	52.25%	85.35%	69.12%	89.77%	79.04%
	25-34 Years	3.38%	1.77%	73.51%	69.42%	79.92%	66.32%	48.99%	88.70%	61.24%	87.17%	78.49%
	Over 34 Years	2.31%	3.88%	62.65%	58.40%	75.76%	58.44%	42.75%	88.44%	47.57%	87.87%	79.78%
Ethnicity	White Non-Hispanic	3.98%	1.51%	71.60%	63.83%	79.02%	62.09%	41.02%	86.80%	54.18%	89.70%	77.73%
	Black Non-Hispanic	1.37%	1.59%	80.03%	78.76%	88.31%	76.32%	59.03%	90.48%	73.05%	87.53%	83.20%
	Hispanic	0.89%	5.76%	61.16%	81.04%	85.36%	79.23%	61.27%	85.13%	73.22%	81.41%	74.65%
Married	Married	5.49%	2.96%	70.34%	60.53%	76.16%	60.10%	42.44%	85.95%	51.41%	85.85%	76.51%
	Not Married	0.50%	1.28%	74.99%	79.62%	87.52%	76.26%	56.19%	89.04%	72.54%	89.05%	79.99%
Previous Live Birth	Yes	2.62%	2.36%	68.18%	67.06%	80.54%	64.73%	49.23%	88.74%	58.99%	85.89%	80.22%
	No	3.50%	1.78%	79.32%	74.24%	83.60%	73.07%	49.22%	85.60%	66.06%	89.76%	75.28%
Education	Less Than 12 Years	1.40%	5.25%	66.91%	74.80%	82.60%	73.49%	57.03%	79.35%	72.42%	76.60%	73.24%
	12 Years	1.12%	0.85%	67.00%	76.06%	84.50%	70.94%	52.60%	87.89%	67.34%	86.56%	75.44%
	Greater Than 12 Years	4.28%	1.56%	77.12%	65.46%	80.13%	64.85%	45.01%	89.94%	55.92%	91.38%	81.25%
	Upper 95% CI	Q23F	Q23G	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	3.83%	2.86%	74.70%	72.06%	83.53%	70.23%	51.57%	88.98%	64.09%	88.94%	80.13%
Age	Under 20 Years	5.73%	0.00%	80.88%	74.28%	93.18%	76.19%	55.23%	83.68%	72.27%	81.30%	70.46%
	20-24 Years	3.12%	3.35%	77.88%	80.28%	89.24%	79.25%	56.21%	88.05%	72.72%	92.05%	82.18%
	25-34 Years	4.38%	2.52%	75.78%	71.80%	81.96%	68.76%	51.60%	90.30%	63.76%	88.86%	80.59%
	Over 34 Years	4.15%	6.14%	67.59%	63.46%	80.06%	63.50%	47.91%	91.55%	52.76%	91.05%	83.78%
Ethnicity	White Non-Hispanic	5.08%	2.23%	73.96%	66.35%	81.14%	64.64%	43.64%	88.54%	56.82%	91.26%	79.89%
	Black Non-Hispanic	2.41%	2.70%	82.99%	81.79%	90.65%	79.48%	62.75%	92.60%	76.36%	89.94%	85.95%
	Hispanic	2.20%	8.49%	66.28%	85.03%	88.92%	83.38%	66.37%	88.71%	77.80%	85.36%	79.13%
Married	Married	6.81%	3.96%	72.81%	63.19%	78.46%	62.77%	45.16%	87.80%	54.15%	87.71%	78.79%
	Not Married	0.97%	1.98%	77.35%	81.81%	89.30%	78.58%	58.93%	90.71%	74.97%	90.72%	82.16%
Previous Live Birth	Yes	3.48%	3.19%	70.50%	69.41%	82.49%	67.12%	51.75%	90.28%	61.45%	87.60%	82.18%
	No	4.71%	2.68%	81.75%	76.88%	85.80%	75.75%	52.29%	87.68%	68.94%	91.55%	77.88%
Education	Less Than 12 Years	2.69%	7.47%	71.12%	78.65%	85.91%	77.41%	61.50%	82.91%	76.40%	80.35%	77.17%
	12 Years	2.09%	1.72%	70.57%	79.27%	87.19%	74.38%	56.44%	90.29%	70.90%	89.08%	78.68%
	Greater Than 12 Years	5.41%	2.28%	79.27%	67.92%	82.17%	67.33%	47.62%	91.46%	58.51%	92.79%	83.25%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q24J-Q28B												
	Percent Response Yes	Q24J ^{†††}	Q24K ^{†††}	Q24L ^{†††}	Q25A	Q25B	Q25C	Q25D	Q26 ^{†††}	Q27 ^{†††}	Q28A ^{†††}	Q28B ^{†††}
Total	Yes	71.80%	68.96%	55.81%	76.95%	84.22%	86.31%	92.14%	68.37%	76.75%	13.95%	36.45%
Age	Under 20 Years	74.81%	64.88%	58.75%	73.63%	72.51%	83.70%	84.83%	75.56%	62.61%	11.63%	28.95%
	20-24 Years	75.16%	75.27%	65.40%	76.92%	81.13%	84.77%	90.85%	72.79%	75.93%	13.08%	29.51%
	25-34 Years	71.78%	68.63%	53.71%	76.80%	85.57%	87.28%	93.06%	67.56%	78.51%	14.94%	38.52%
	Over 34 Years	64.85%	61.24%	46.54%	79.01%	89.11%	86.17%	93.78%	60.99%	77.19%	12.52%	43.28%
Ethnicity	White Non-Hispanic	66.45%	66.40%	48.74%	76.34%	84.81%	86.41%	92.65%	58.08%	74.23%	12.97%	38.05%
	Black Non-Hispanic	78.99%	75.17%	65.07%	80.43%	85.94%	88.88%	91.45%	86.45%	79.98%	12.60%	28.40%
	Hispanic	83.21%	71.38%	72.91%	77.96%	82.70%	85.36%	93.44%	78.31%	81.39%	21.16%	42.38%
Married	Married	62.37%	62.66%	48.01%	72.49%	83.64%	84.23%	90.58%	56.35%	75.04%	13.76%	41.37%
	Not Married	81.44%	75.40%	63.79%	81.52%	84.81%	88.43%	93.73%	80.68%	78.50%	14.15%	31.42%
Previous Live Birth	Yes	73.85%	67.94%	56.89%	76.24%	86.29%	87.18%	92.43%	69.58%	79.73%	14.97%	35.83%
	No	68.74%	70.46%	54.20%	78.01%	81.14%	85.00%	91.70%	66.59%	72.31%	12.44%	37.39%
Education	Less Than 12 Years	77.47%	69.12%	63.26%	75.00%	83.99%	89.87%	92.09%	73.21%	73.06%	12.80%	36.28%
	12 Years	78.48%	71.98%	62.99%	78.79%	84.32%	85.81%	90.01%	74.04%	74.34%	9.89%	28.49%
	Greater Than 12 Years	66.95%	67.78%	50.18%	76.52%	84.27%	85.47%	93.03%	64.01%	79.00%	16.38%	40.63%
	Lower 95% CI	Q24J	Q24K	Q24L	Q25A	Q25B	Q25C	Q25D	Q26	Q27	Q28A	Q28B
Total	Yes	70.92%	68.06%	54.84%	76.13%	83.51%	85.64%	91.61%	67.47%	75.92%	13.28%	35.52%
Age	Under 20 Years	71.37%	61.09%	54.84%	70.13%	68.96%	80.77%	81.99%	72.15%	58.77%	9.09%	25.35%
	20-24 Years	73.45%	73.55%	63.51%	75.25%	79.57%	83.34%	89.71%	71.03%	74.23%	11.75%	27.70%
	25-34 Years	70.61%	67.42%	52.41%	75.70%	84.66%	86.41%	92.40%	66.35%	77.44%	14.01%	37.26%
	Over 34 Years	62.37%	58.72%	43.95%	76.90%	87.50%	84.38%	92.53%	58.46%	75.01%	10.80%	40.71%
Ethnicity	White Non-Hispanic	65.20%	65.15%	47.41%	75.22%	83.85%	85.50%	91.95%	56.77%	73.07%	12.08%	36.77%
	Black Non-Hispanic	77.44%	73.52%	63.25%	78.92%	84.62%	87.68%	90.39%	85.14%	78.45%	11.34%	26.68%
	Hispanic	81.22%	68.97%	70.55%	75.76%	80.69%	83.48%	92.12%	76.12%	79.33%	18.99%	39.76%
Married	Married	61.04%	61.34%	46.64%	71.27%	82.63%	83.24%	89.78%	54.99%	73.85%	12.82%	40.02%
	Not Married	80.37%	74.21%	62.46%	80.45%	83.82%	87.54%	93.06%	79.59%	77.36%	13.18%	30.14%
Previous Live Birth	Yes	72.75%	66.77%	55.65%	75.17%	85.42%	86.34%	91.77%	68.42%	78.72%	14.07%	34.62%
	No	67.32%	69.06%	52.67%	76.74%	79.94%	83.90%	90.85%	65.14%	70.94%	11.43%	35.90%
Education	Less Than 12 Years	75.57%	67.02%	61.06%	73.03%	82.32%	88.50%	90.86%	71.19%	71.04%	11.27%	34.09%
	12 Years	76.90%	70.25%	61.13%	77.22%	82.92%	84.47%	88.86%	72.35%	72.66%	8.74%	26.76%
	Greater Than 12 Years	65.72%	66.56%	48.87%	75.41%	83.32%	84.55%	92.37%	62.75%	77.94%	15.41%	39.34%
	Upper 95% CI	Q24J	Q24K	Q24L	Q25A	Q25B	Q25C	Q25D	Q26	Q27	Q28A	Q28B
Total	Yes	72.67%	69.86%	56.78%	77.77%	84.93%	86.97%	92.66%	69.28%	77.57%	14.63%	37.39%
Age	Under 20 Years	78.26%	68.67%	62.66%	77.13%	76.05%	86.64%	87.68%	78.97%	66.45%	14.18%	32.56%
	20-24 Years	76.88%	76.98%	67.29%	78.60%	82.68%	86.19%	92.00%	74.56%	77.63%	14.42%	31.32%
	25-34 Years	72.95%	69.84%	55.01%	77.90%	86.49%	88.15%	93.72%	68.78%	79.58%	15.87%	39.79%
	Over 34 Years	67.32%	63.77%	49.12%	81.12%	90.73%	87.96%	95.03%	63.52%	79.36%	14.23%	45.85%
Ethnicity	White Non-Hispanic	67.70%	67.65%	50.06%	77.47%	85.76%	87.32%	93.34%	59.39%	75.39%	13.86%	39.34%
	Black Non-Hispanic	80.54%	76.81%	66.88%	81.94%	87.27%	90.08%	92.52%	87.75%	81.50%	13.86%	30.11%
	Hispanic	85.20%	73.78%	75.27%	80.16%	84.71%	87.24%	94.75%	80.50%	83.46%	23.33%	45.01%
Married	Married	63.70%	63.99%	49.38%	73.71%	84.66%	85.23%	91.38%	57.70%	76.22%	14.71%	42.72%
	Not Married	82.52%	76.59%	65.12%	82.59%	85.80%	89.31%	94.40%	81.77%	79.63%	15.11%	32.71%
Previous Live Birth	Yes	74.96%	69.12%	58.14%	77.31%	87.16%	88.03%	93.10%	70.73%	80.74%	15.87%	37.03%
	No	70.16%	71.86%	55.73%	79.28%	82.35%	86.10%	92.55%	68.03%	73.68%	13.45%	38.87%
Education	Less Than 12 Years	79.37%	71.23%	65.46%	76.98%	85.66%	91.25%	93.31%	75.23%	75.08%	14.32%	38.47%
	12 Years	80.07%	73.71%	64.85%	80.37%	85.72%	87.16%	91.17%	75.73%	76.02%	11.04%	30.23%
	Greater Than 12 Years	68.18%	69.01%	51.49%	77.62%	85.23%	86.39%	93.70%	65.26%	80.07%	17.34%	41.91%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q30A-Q35A												
	Percent Response Yes	Q30A ^{†††}	Q30B	Q30C	Q30D ^{†††}	Q30E	Q30F	Q31	Q32	Q33 ^{†††}	Q34	Q35A
Total	Yes	86.59%	47.38%	41.66%	53.64%	21.32%	11.70%	17.53%	7.90%	46.81%	9.81%	21.71%
Age	Under 20 Years	74.20%	40.81%	42.00%	76.11%	10.89%	9.30%	18.90%	24.45%	77.65%	4.14%	34.77%
	20-24 Years	81.69%	44.88%	34.39%	44.44%	26.01%	12.29%	15.49%	9.87%	63.30%	6.72%	18.37%
	25-34 Years	88.68%	48.29%	42.36%	52.22%	21.62%	12.58%	19.49%	6.59%	40.36%	10.13%	22.12%
	Over 34 Years	91.94%	50.80%	51.14%	65.38%	16.60%	8.24%	12.68%	2.72%	31.13%	16.20%	20.19%
Ethnicity	White Non-Hispanic	90.37%	47.51%	46.42%	60.78%	19.94%	11.88%	20.90%	4.73%	29.49%	6.12%	20.17%
	Black Non-Hispanic	85.25%	48.28%	32.63%	50.93%	24.40%	10.92%	12.19%	12.92%	69.56%	7.28%	22.69%
	Hispanic	80.47%	48.17%	37.09%	22.90%	21.44%	11.76%	12.51%	11.14%	77.30%	23.23%	20.65%
Married	Married	86.55%	48.15%	49.72%	65.08%	15.96%	12.24%	21.13%	4.03%	23.69%	10.45%	19.31%
	Not Married	86.64%	46.58%	33.41%	41.94%	26.80%	11.15%	13.85%	11.87%	70.48%	9.15%	24.17%
Previous Live Birth	Yes	88.52%	46.72%	38.54%	48.21%	24.21%	12.97%	8.52%	5.94%	50.60%	11.20%	22.97%
	No	83.73%	48.35%	46.30%	61.71%	17.02%	9.82%	30.92%	10.83%	41.18%	7.74%	19.84%
Education	Less Than 12 Years	83.67%	43.59%	33.16%	34.67%	25.69%	13.05%	10.17%	10.82%	73.33%	16.01%	21.84%
	12 Years	81.95%	42.73%	27.27%	36.33%	24.05%	10.08%	13.38%	8.70%	67.47%	7.20%	17.25%
	Greater Than 12 Years	89.95%	51.12%	51.37%	68.08%	18.61%	12.15%	22.08%	6.68%	28.91%	9.08%	23.71%
	Lower 95% CI	Q30A	Q30B	Q30C	Q30D	Q30E	Q30F	Q31	Q32	Q33	Q34	Q35A
Total	Yes	85.93%	46.41%	40.70%	52.67%	20.52%	11.08%	16.79%	7.38%	45.84%	9.23%	20.91%
Age	Under 20 Years	70.73%	36.91%	38.08%	72.72%	8.41%	7.00%	15.79%	21.04%	74.34%	2.56%	30.99%
	20-24 Years	80.16%	42.91%	32.50%	42.47%	24.26%	10.99%	14.06%	8.69%	61.38%	5.72%	16.84%
	25-34 Years	87.86%	46.99%	41.07%	50.92%	20.54%	11.72%	18.45%	5.94%	39.09%	9.34%	21.04%
	Over 34 Years	90.53%	48.21%	48.55%	62.91%	14.67%	6.82%	10.95%	1.88%	28.73%	14.29%	18.11%
Ethnicity	White Non-Hispanic	89.58%	46.19%	45.10%	59.49%	18.88%	11.02%	19.83%	4.16%	28.28%	5.48%	19.10%
	Black Non-Hispanic	83.90%	46.38%	30.85%	49.03%	22.77%	9.73%	10.94%	11.64%	67.81%	6.29%	21.09%
	Hispanic	78.36%	45.52%	34.52%	20.67%	19.25%	10.05%	10.75%	9.47%	75.07%	20.99%	18.50%
Married	Married	85.62%	46.79%	48.35%	63.77%	14.96%	11.35%	20.01%	3.49%	22.52%	9.61%	18.23%
	Not Married	85.69%	45.20%	32.11%	40.58%	25.57%	10.28%	12.89%	10.98%	69.21%	8.35%	22.98%
Previous Live Birth	Yes	87.72%	45.47%	37.31%	46.95%	23.13%	12.13%	7.82%	5.34%	49.34%	10.41%	21.91%
	No	82.60%	46.82%	44.77%	60.22%	15.87%	8.91%	29.50%	9.87%	39.67%	6.92%	18.61%
Education	Less Than 12 Years	81.99%	41.34%	31.02%	32.50%	23.70%	11.51%	8.80%	9.41%	71.32%	14.34%	19.96%
	12 Years	80.47%	40.82%	25.56%	34.48%	22.41%	8.92%	12.07%	7.61%	65.66%	6.21%	15.80%
	Greater Than 12 Years	89.17%	49.82%	50.06%	66.87%	17.59%	11.30%	20.99%	6.03%	27.72%	8.33%	22.59%
	Upper 95% CI	Q30A	Q30B	Q30C	Q30D	Q30E	Q30F	Q31	Q32	Q33	Q34	Q35A
Total	Yes	87.26%	48.35%	42.62%	54.61%	22.11%	12.33%	18.27%	8.43%	47.78%	10.39%	22.51%
Age	Under 20 Years	77.68%	44.71%	45.92%	79.49%	13.36%	11.61%	22.01%	27.86%	80.96%	5.73%	38.55%
	20-24 Years	83.23%	46.86%	36.27%	46.41%	27.75%	13.59%	16.93%	11.05%	65.21%	7.71%	19.91%
	25-34 Years	89.51%	49.59%	43.64%	53.52%	22.69%	13.45%	20.52%	7.23%	41.64%	10.91%	23.20%
	Over 34 Years	93.35%	53.39%	53.73%	67.84%	18.53%	9.67%	14.40%	3.57%	33.53%	18.10%	22.27%
Ethnicity	White Non-Hispanic	91.15%	48.84%	47.75%	62.08%	21.00%	12.74%	21.98%	5.29%	30.70%	6.75%	21.23%
	Black Non-Hispanic	86.60%	50.18%	34.42%	52.84%	26.04%	12.10%	13.43%	14.19%	71.31%	8.27%	24.28%
	Hispanic	82.57%	50.83%	39.66%	25.14%	23.62%	13.47%	14.27%	12.81%	79.53%	25.48%	22.80%
Married	Married	87.49%	49.52%	51.09%	66.38%	16.97%	13.14%	22.25%	4.57%	24.85%	11.28%	20.39%
	Not Married	87.58%	47.96%	34.72%	43.31%	28.02%	12.02%	14.80%	12.77%	71.74%	9.95%	25.35%
Previous Live Birth	Yes	89.32%	47.98%	39.76%	49.47%	25.29%	13.82%	9.22%	6.53%	51.86%	11.99%	24.03%
	No	84.86%	49.88%	47.83%	63.20%	18.17%	10.73%	32.34%	11.78%	42.69%	8.56%	21.06%
Education	Less Than 12 Years	85.35%	45.85%	35.31%	36.84%	27.68%	14.58%	11.55%	12.24%	75.34%	17.68%	23.72%
	12 Years	83.43%	44.64%	28.99%	38.18%	25.70%	11.24%	14.69%	9.79%	69.27%	8.20%	18.71%
	Greater Than 12 Years	90.74%	52.43%	52.67%	69.30%	19.62%	13.00%	23.16%	7.33%	30.09%	9.83%	24.82%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q35B-Q37												
	Percent Response Yes	Q35B	Q35C	Q35D	Q35E	Q35F	Q35G	Q35H	Q35I	Q35J	Q36	Q37 ^{†††}
Total	Yes	17.90%	18.82%	1.17%	13.74%	10.16%	19.65%	4.81%	1.59%	1.65%	28.65%	9.95%
Age	Under 20 Years	27.64%	34.54%	3.45%	16.58%	14.09%	42.10%	6.09%	4.06%	3.89%	38.20%	7.60%
	20-24 Years	22.87%	30.87%	1.23%	14.46%	7.69%	17.66%	5.88%	1.15%	1.34%	37.31%	12.11%
	25-34 Years	15.93%	13.67%	0.98%	12.58%	9.54%	18.25%	4.15%	1.59%	1.31%	26.16%	9.82%
	Over 34 Years	13.06%	12.01%	0.80%	15.85%	15.09%	19.01%	5.07%	1.31%	2.55%	19.65%	7.79%
Ethnicity	White Non-Hispanic	18.55%	16.32%	0.71%	13.54%	11.68%	17.81%	6.11%	1.19%	1.35%	36.58%	14.22%
	Black Non-Hispanic	16.04%	27.12%	2.09%	18.88%	9.30%	25.46%	3.11%	1.29%	1.74%	22.93%	5.41%
	Hispanic	21.92%	14.72%	1.55%	6.78%	7.61%	12.49%	4.52%	3.42%	1.72%	16.25%	4.69%
Married	Married	15.93%	12.75%	0.42%	12.59%	9.19%	14.41%	4.03%	1.20%	1.70%	14.77%	4.58%
	Not Married	19.91%	25.03%	1.93%	14.90%	11.14%	25.01%	5.61%	1.99%	1.59%	42.84%	15.45%
Previous Live Birth	Yes	17.08%	18.23%	1.22%	12.03%	9.35%	23.14%	4.87%	1.57%	1.83%	26.82%	9.65%
	No	19.11%	19.69%	1.09%	16.27%	11.36%	14.46%	4.73%	1.63%	1.38%	31.35%	10.39%
Education	Less Than 12 Years	24.33%	26.03%	1.98%	12.03%	7.99%	20.70%	7.06%	2.09%	0.65%	34.27%	14.43%
	12 Years	18.96%	19.43%	1.22%	13.19%	8.06%	23.06%	5.51%	1.63%	0.83%	42.65%	15.75%
	Greater Than 12 Years	15.51%	16.18%	0.89%	14.72%	11.96%	17.93%	3.76%	1.43%	2.37%	20.66%	5.93%
	Lower 95% CI	Q35B	Q35C	Q35D	Q35E	Q35F	Q35G	Q35H	Q35I	Q35J	Q36	Q37
Total	Yes	17.15%	18.06%	0.96%	13.07%	9.57%	18.88%	4.40%	1.35%	1.40%	27.77%	9.37%
Age	Under 20 Years	24.09%	30.77%	2.00%	13.63%	11.33%	38.18%	4.19%	2.49%	2.35%	34.34%	5.49%
	20-24 Years	21.20%	29.03%	0.79%	13.07%	6.64%	16.14%	4.94%	0.72%	0.88%	35.39%	10.81%
	25-34 Years	14.98%	12.77%	0.73%	11.72%	8.78%	17.25%	3.63%	1.27%	1.01%	25.02%	9.05%
	Over 34 Years	11.31%	10.32%	0.34%	13.96%	13.24%	16.98%	3.93%	0.72%	1.73%	17.59%	6.40%
Ethnicity	White Non-Hispanic	17.52%	15.34%	0.49%	12.63%	10.83%	16.80%	5.47%	0.90%	1.05%	35.31%	13.30%
	Black Non-Hispanic	14.65%	25.43%	1.55%	17.39%	8.19%	23.80%	2.45%	0.86%	1.24%	21.33%	4.55%
	Hispanic	19.72%	12.84%	0.89%	5.45%	6.20%	10.73%	3.41%	2.45%	1.03%	14.29%	3.56%
Married	Married	14.93%	11.84%	0.24%	11.69%	8.40%	13.45%	3.49%	0.90%	1.35%	13.80%	4.01%
	Not Married	18.80%	23.83%	1.55%	13.92%	10.27%	23.81%	4.98%	1.61%	1.25%	41.47%	14.45%
Previous Live Birth	Yes	16.13%	17.26%	0.94%	11.21%	8.61%	22.08%	4.33%	1.26%	1.49%	25.71%	8.91%
	No	17.91%	18.47%	0.77%	15.13%	10.38%	13.38%	4.08%	1.24%	1.02%	29.93%	9.46%
Education	Less Than 12 Years	22.38%	24.03%	1.35%	10.55%	6.75%	18.86%	5.89%	1.44%	0.29%	32.11%	12.83%
	12 Years	17.45%	17.91%	0.80%	11.89%	7.01%	21.43%	4.63%	1.14%	0.48%	40.74%	14.35%
	Greater Than 12 Years	14.57%	15.21%	0.64%	13.79%	11.11%	16.92%	3.26%	1.12%	1.97%	19.60%	5.31%
	Upper 95% CI	Q35B	Q35C	Q35D	Q35E	Q35F	Q35G	Q35H	Q35I	Q35J	Q36	Q37
Total	Yes	18.64%	19.58%	1.37%	14.41%	10.74%	20.42%	5.23%	1.84%	1.90%	29.53%	10.53%
Age	Under 20 Years	31.19%	38.32%	4.90%	19.54%	16.85%	46.02%	7.99%	5.63%	5.42%	42.06%	9.70%
	20-24 Years	24.54%	32.70%	1.67%	15.86%	8.75%	19.17%	6.81%	1.57%	1.80%	39.24%	13.40%
	25-34 Years	16.89%	14.56%	1.24%	13.45%	10.31%	19.26%	4.67%	1.92%	1.61%	27.31%	10.60%
	Over 34 Years	14.80%	13.69%	1.26%	17.74%	16.95%	21.05%	6.21%	1.90%	3.36%	21.71%	9.18%
Ethnicity	White Non-Hispanic	19.58%	17.30%	0.93%	14.45%	12.53%	18.83%	6.74%	1.48%	1.66%	37.86%	15.15%
	Black Non-Hispanic	17.44%	28.81%	2.64%	20.37%	10.40%	27.12%	3.77%	1.72%	2.24%	24.54%	6.28%
	Hispanic	24.12%	16.60%	2.20%	8.12%	9.02%	14.25%	5.62%	4.38%	2.41%	18.21%	5.81%
Married	Married	16.94%	13.66%	0.60%	13.50%	9.98%	15.37%	4.57%	1.50%	2.05%	15.74%	5.15%
	Not Married	21.01%	26.23%	2.31%	15.89%	12.01%	26.21%	6.25%	2.38%	1.94%	44.22%	16.45%
Previous Live Birth	Yes	18.03%	19.20%	1.49%	12.85%	10.08%	24.20%	5.41%	1.88%	2.16%	27.94%	10.40%
	No	20.32%	20.91%	1.41%	17.40%	12.33%	15.54%	5.38%	2.01%	1.74%	32.78%	11.33%
Education	Less Than 12 Years	26.28%	28.02%	2.62%	13.51%	9.22%	22.55%	8.23%	2.74%	1.02%	36.44%	16.03%
	12 Years	20.47%	20.95%	1.64%	14.50%	9.11%	24.68%	6.39%	2.11%	1.18%	44.55%	17.16%
	Greater Than 12 Years	16.46%	17.14%	1.13%	15.64%	12.81%	18.93%	4.25%	1.74%	2.77%	21.71%	6.55%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q38-Q44E												
	Percent Response Yes	Q38 ^{†††}	Q39 ^{†††}	Q40 ^{†††}	Q41	Q42 ^{†††}	Q43 ^{†††}	Q44A	Q44B	Q44C	Q44D	Q44E
Total	Yes	12.62%	5.51%	7.47%	64.70%	10.86%	2.11%	25.97%	8.97%	32.20%	2.97%	10.94%
Age	Under 20 Years	11.95%	4.55%	17.89%	38.07%	2.07%	2.85%	37.28%	13.74%	48.67%	8.17%	15.37%
	20-24 Years	16.95%	9.15%	12.84%	67.01%	12.43%	0.81%	28.83%	14.08%	42.33%	2.33%	11.49%
	25-34 Years	12.06%	4.69%	5.68%	66.40%	11.39%	1.95%	24.41%	7.84%	29.77%	3.16%	10.12%
	Over 34 Years	7.74%	2.99%	1.00%	65.36%	9.80%	4.63%	22.44%	2.73%	17.60%	1.09%	11.39%
Ethnicity	White Non-Hispanic	15.53%	6.96%	7.55%	77.62%	14.48%	1.91%	26.91%	6.77%	32.84%	1.50%	11.20%
	Black Non-Hispanic	11.36%	4.67%	9.73%	63.09%	8.05%	3.19%	32.16%	15.07%	33.54%	6.69%	12.92%
	Hispanic	6.56%	3.10%	4.96%	31.91%	4.43%	0.93%	13.52%	7.27%	24.79%	0.93%	7.64%
Married	Married	4.27%	1.43%	1.33%	64.07%	10.29%	1.84%	23.63%	2.76%	23.67%	0.88%	8.40%
	Not Married	21.16%	9.69%	13.76%	65.35%	11.44%	2.39%	28.36%	15.32%	40.93%	5.11%	13.54%
Previous Live Birth	Yes	14.66%	6.34%	7.92%	60.44%	8.10%	2.12%	25.60%	9.44%	28.25%	3.41%	12.28%
	No	9.58%	4.28%	6.80%	71.03%	14.97%	2.09%	26.51%	8.27%	38.08%	2.31%	8.95%
Education	Less Than 12 Years	20.11%	13.00%	13.72%	30.82%	5.82%	0.68%	22.88%	12.01%	34.26%	7.51%	9.68%
	12 Years	22.72%	8.79%	15.29%	66.73%	11.31%	1.77%	26.67%	9.80%	38.41%	4.88%	16.06%
	Greater Than 12 Years	5.66%	1.61%	1.91%	74.47%	12.44%	2.76%	26.55%	7.70%	28.81%	0.63%	9.14%
	Lower 95% CI	Q38	Q39	Q40	Q41	Q42	Q43	Q44A	Q44B	Q44C	Q44D	Q44E
Total	Yes	11.97%	5.07%	6.96%	63.77%	10.25%	1.83%	25.11%	8.41%	31.29%	2.64%	10.33%
Age	Under 20 Years	9.37%	2.90%	14.85%	34.21%	0.94%	1.53%	33.44%	11.00%	44.70%	6.00%	12.50%
	20-24 Years	15.46%	8.01%	11.51%	65.15%	11.12%	0.46%	27.03%	12.70%	40.37%	1.73%	10.22%
	25-34 Years	11.21%	4.14%	5.08%	65.17%	10.57%	1.59%	23.29%	7.14%	28.58%	2.70%	9.33%
	Over 34 Years	6.35%	2.11%	0.48%	62.90%	8.26%	3.55%	20.27%	1.88%	15.62%	0.56%	9.74%
Ethnicity	White Non-Hispanic	14.57%	6.29%	6.85%	76.51%	13.55%	1.54%	25.73%	6.10%	31.59%	1.18%	10.36%
	Black Non-Hispanic	10.15%	3.87%	8.60%	61.25%	7.02%	2.52%	30.38%	13.71%	31.74%	5.74%	11.64%
	Hispanic	5.24%	2.18%	3.81%	29.44%	3.34%	0.42%	11.70%	5.89%	22.49%	0.42%	6.23%
Married	Married	3.71%	1.11%	1.01%	62.75%	9.46%	1.47%	22.47%	2.31%	22.51%	0.62%	7.64%
	Not Married	20.03%	8.87%	12.81%	64.03%	10.56%	1.96%	27.11%	14.33%	39.57%	4.50%	12.59%
Previous Live Birth	Yes	13.77%	5.73%	7.24%	59.21%	7.41%	1.76%	24.51%	8.71%	27.11%	2.95%	11.45%
	No	8.68%	3.66%	6.03%	69.64%	13.87%	1.65%	25.15%	7.43%	36.59%	1.85%	8.08%
Education	Less Than 12 Years	18.28%	11.47%	12.15%	28.71%	4.75%	0.31%	20.97%	10.53%	32.10%	6.31%	8.33%
	12 Years	21.11%	7.70%	13.91%	64.92%	10.09%	1.26%	24.97%	8.66%	36.54%	4.05%	14.65%
	Greater Than 12 Years	5.06%	1.28%	1.55%	73.33%	11.58%	2.33%	25.40%	7.00%	27.63%	0.42%	8.38%
	Upper 95% CI	Q38	Q39	Q40	Q41	Q42	Q43	Q44A	Q44B	Q44C	Q44D	Q44E
Total	Yes	13.26%	5.96%	7.98%	65.63%	11.46%	2.39%	26.82%	9.53%	33.11%	3.30%	11.55%
Age	Under 20 Years	14.53%	6.21%	20.93%	41.92%	3.20%	4.17%	41.11%	16.47%	52.64%	10.35%	18.23%
	20-24 Years	18.44%	10.30%	14.17%	68.88%	13.75%	1.17%	30.63%	15.46%	44.29%	2.93%	12.76%
	25-34 Years	12.91%	5.24%	6.28%	67.63%	12.22%	2.31%	25.53%	8.54%	30.96%	3.61%	10.90%
	Over 34 Years	9.12%	3.87%	1.51%	67.83%	11.34%	5.72%	24.60%	3.57%	19.57%	1.63%	13.03%
Ethnicity	White Non-Hispanic	16.49%	7.64%	8.25%	78.72%	15.41%	2.27%	28.08%	7.43%	34.08%	1.83%	12.03%
	Black Non-Hispanic	12.57%	5.48%	10.85%	64.93%	9.09%	3.86%	33.94%	16.44%	35.34%	7.64%	14.20%
	Hispanic	7.87%	4.02%	6.11%	34.39%	5.53%	1.44%	15.33%	8.65%	27.08%	1.44%	9.05%
Married	Married	4.82%	1.76%	1.64%	65.38%	11.12%	2.21%	24.79%	3.21%	24.84%	1.13%	9.16%
	Not Married	22.29%	10.50%	14.72%	66.66%	12.32%	2.81%	29.61%	16.32%	42.29%	5.72%	14.49%
Previous Live Birth	Yes	15.55%	6.95%	8.60%	61.67%	8.78%	2.49%	26.70%	10.18%	29.38%	3.86%	13.10%
	No	10.49%	4.90%	7.57%	72.42%	16.06%	2.53%	27.86%	9.12%	39.57%	2.78%	9.83%
Education	Less Than 12 Years	21.94%	14.53%	15.28%	32.92%	6.88%	1.06%	24.80%	13.50%	36.42%	8.71%	11.02%
	12 Years	24.34%	9.88%	16.68%	68.55%	12.53%	2.28%	28.37%	10.95%	40.29%	5.71%	17.47%
	Greater Than 12 Years	6.27%	1.94%	2.27%	75.61%	13.31%	3.19%	27.70%	8.39%	29.99%	0.84%	9.89%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q44F-Q46												
	Percent Response Yes	Q44F	Q44G	Q44H	Q44I	Q44J	Q44K	Q44L	Q44M	Q44N	Q45	Q46
Total	Yes	11.03%	18.55%	5.73%	25.14%	9.21%	20.44%	5.26%	13.64%	19.00%	3.65%	3.60%
Age	Under 20 Years	4.84%	11.74%	6.99%	39.97%	25.43%	14.42%	14.68%	19.14%	28.15%	7.60%	8.82%
	20-24 Years	14.99%	18.06%	3.90%	30.55%	15.87%	25.58%	5.29%	19.97%	21.08%	8.32%	8.36%
	25-34 Years	10.62%	19.09%	7.02%	22.46%	5.05%	19.09%	5.46%	11.04%	17.91%	2.10%	1.87%
	Over 34 Years	8.55%	20.14%	3.23%	20.24%	7.43%	19.60%	0.42%	10.79%	15.90%	0.14%	0.14%
Ethnicity	White Non-Hispanic	8.73%	15.91%	5.74%	22.26%	7.24%	17.53%	2.58%	16.27%	20.43%	2.68%	2.77%
	Black Non-Hispanic	16.06%	21.23%	6.88%	36.04%	16.31%	29.70%	13.75%	12.79%	23.29%	6.55%	6.53%
	Hispanic	14.42%	26.54%	3.61%	16.97%	3.98%	17.88%	1.86%	7.45%	9.20%	3.68%	2.75%
Married	Married	6.54%	14.26%	7.28%	14.37%	2.73%	13.55%	0.28%	7.65%	15.01%	1.10%	1.05%
	Not Married	15.62%	22.94%	4.15%	36.18%	15.85%	27.49%	10.36%	19.76%	23.09%	6.25%	6.22%
Previous Live Birth	Yes	12.15%	22.03%	5.92%	27.59%	7.68%	26.16%	6.31%	14.50%	18.38%	3.56%	2.65%
	No	9.36%	13.38%	5.45%	21.51%	11.50%	11.95%	3.71%	12.34%	19.93%	3.78%	5.02%
Education	Less Than 12 Years	11.00%	19.35%	4.51%	25.71%	10.68%	21.82%	11.67%	12.82%	19.69%	4.43%	3.21%
	12 Years	12.92%	22.15%	2.93%	32.50%	13.46%	29.42%	7.96%	19.04%	20.80%	5.96%	7.47%
	Greater Than 12 Years	10.25%	16.86%	7.50%	21.68%	6.89%	15.91%	1.92%	11.59%	17.70%	2.37%	2.00%
	Lower 95% CI	Q44F	Q44G	Q44H	Q44I	Q44J	Q44K	Q44L	Q44M	Q44N	Q45	Q46
Total	Yes	10.42%	17.79%	5.28%	24.30%	8.65%	19.66%	4.83%	12.97%	18.24%	3.28%	3.24%
Age	Under 20 Years	3.13%	9.18%	4.97%	36.08%	21.97%	11.63%	11.87%	16.02%	24.58%	5.50%	6.57%
	20-24 Years	13.57%	16.53%	3.13%	28.72%	14.42%	23.85%	4.40%	18.38%	19.46%	7.22%	7.26%
	25-34 Years	9.82%	18.07%	6.35%	21.38%	4.48%	18.07%	4.87%	10.22%	16.91%	1.72%	1.52%
	Over 34 Years	7.10%	18.06%	2.31%	18.16%	6.07%	17.54%	0.09%	9.19%	14.01%	0.00%	0.00%
Ethnicity	White Non-Hispanic	7.99%	14.94%	5.12%	21.16%	6.56%	16.52%	2.16%	15.29%	19.36%	2.25%	2.34%
	Black Non-Hispanic	14.66%	19.67%	5.92%	34.21%	14.91%	27.96%	12.44%	11.51%	21.68%	5.61%	5.59%
	Hispanic	12.55%	24.20%	2.62%	14.98%	2.94%	15.84%	1.14%	6.05%	7.66%	2.68%	1.88%
Married	Married	5.86%	13.31%	6.57%	13.41%	2.29%	12.61%	0.13%	6.92%	14.03%	0.82%	0.77%
	Not Married	14.62%	21.77%	3.59%	34.85%	14.83%	26.26%	9.52%	18.66%	21.93%	5.58%	5.55%
Previous Live Birth	Yes	11.33%	20.99%	5.33%	26.46%	7.01%	25.05%	5.69%	13.62%	17.40%	3.09%	2.25%
	No	8.47%	12.34%	4.75%	20.25%	10.52%	10.95%	3.13%	11.34%	18.70%	3.19%	4.35%
Education	Less Than 12 Years	9.58%	17.55%	3.57%	23.72%	9.27%	19.94%	10.21%	11.30%	17.88%	3.49%	2.41%
	12 Years	11.63%	20.55%	2.28%	30.70%	12.14%	27.66%	6.91%	17.53%	19.23%	5.04%	6.46%
	Greater Than 12 Years	9.46%	15.89%	6.81%	20.60%	6.23%	14.95%	1.57%	10.75%	16.71%	1.97%	1.63%
	Upper 95% CI	Q44F	Q44G	Q44H	Q44I	Q44J	Q44K	Q44L	Q44M	Q44N	Q45	Q46
Total	Yes	11.64%	19.31%	6.19%	25.99%	9.78%	21.23%	5.70%	14.30%	19.77%	4.01%	3.97%
Age	Under 20 Years	6.54%	14.29%	9.02%	43.86%	28.89%	17.21%	17.49%	22.27%	31.73%	9.70%	11.07%
	20-24 Years	16.41%	19.59%	4.67%	32.38%	17.32%	27.32%	6.18%	21.56%	22.70%	9.41%	9.46%
	25-34 Years	11.42%	20.12%	7.68%	23.55%	5.63%	20.11%	6.05%	11.85%	18.91%	2.47%	2.23%
	Over 34 Years	10.00%	22.22%	4.15%	22.32%	8.79%	21.66%	0.76%	12.40%	17.80%	0.34%	0.34%
Ethnicity	White Non-Hispanic	9.48%	16.88%	6.35%	23.36%	7.93%	18.54%	3.00%	17.25%	21.49%	3.10%	3.21%
	Black Non-Hispanic	17.45%	22.79%	7.85%	37.86%	17.72%	31.44%	15.06%	14.06%	24.90%	7.49%	7.47%
	Hispanic	16.29%	28.89%	4.60%	18.97%	5.02%	19.91%	2.57%	8.85%	10.73%	4.68%	3.62%
Married	Married	7.22%	15.22%	8.00%	15.33%	3.18%	14.49%	0.42%	8.38%	15.98%	1.39%	1.33%
	Not Married	16.63%	24.10%	4.70%	37.51%	16.86%	28.73%	11.21%	20.87%	24.26%	6.92%	6.89%
Previous Live Birth	Yes	12.98%	23.07%	6.52%	28.71%	8.35%	27.26%	6.92%	15.39%	19.35%	4.03%	3.06%
	No	10.25%	14.43%	6.15%	22.77%	12.47%	12.94%	4.29%	13.35%	21.16%	4.36%	5.69%
Education	Less Than 12 Years	12.43%	21.15%	5.46%	27.70%	12.09%	23.71%	13.13%	14.35%	21.50%	5.37%	4.01%
	12 Years	14.22%	23.75%	3.58%	34.30%	14.77%	31.17%	9.00%	20.55%	22.36%	6.87%	8.49%
	Greater Than 12 Years	11.04%	17.84%	8.18%	22.76%	7.55%	16.86%	2.28%	12.42%	18.70%	2.77%	2.36%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q49-Q60												
	Percent Response Yes	Q49	Q50 ^{†††}	Q51 ^{†††}	Q52 ^{†††}	Q53 ^{†††}	Q54	Q56 ^{†††}	Q57 ^{†††}	Q58 ^{†††}	Q59	Q60 ^{†††}
Total	Yes	14.76%	38.98%	96.69%	96.66%	80.30%	42.59%	77.28%	14.98%	92.27%	17.20%	81.31%
Age	Under 20 Years	14.37%	46.64%	97.32%	95.25%	72.85%	17.51%	61.77%	20.35%	85.79%	26.96%	84.19%
	20-24 Years	14.96%	41.62%	96.16%	95.25%	78.62%	26.28%	72.70%	16.12%	91.71%	19.45%	82.09%
	25-34 Years	14.65%	35.16%	97.13%	97.69%	80.97%	51.40%	78.34%	14.43%	93.59%	16.12%	80.95%
	Over 34 Years	15.01%	46.36%	95.56%	95.56%	83.67%	46.14%	87.45%	12.94%	90.78%	13.51%	80.23%
Ethnicity	White Non-Hispanic	15.19%	36.86%	96.87%	96.90%	79.84%	46.43%	84.06%	10.29%	91.12%	16.64%	85.01%
	Black Non-Hispanic	15.76%	39.22%	95.24%	94.78%	75.04%	27.12%	62.48%	20.67%	91.80%	20.68%	80.92%
	Hispanic	9.99%	38.35%	97.15%	97.70%	86.17%	45.86%	77.93%	15.16%	95.99%	13.81%	75.91%
Married	Married	13.06%	34.25%	95.16%	95.23%	86.35%	59.90%	81.79%	13.15%	92.14%	12.07%	77.89%
	Not Married	16.50%	43.83%	98.26%	98.11%	74.11%	24.87%	72.65%	16.85%	92.41%	22.46%	84.82%
Previous Live Birth	Yes	12.35%	34.74%	97.15%	97.22%	76.79%	41.94%	75.79%	14.35%	92.59%	13.15%	80.38%
	No	18.34%	45.28%	96.00%	95.81%	85.51%	43.55%	79.49%	15.92%	91.80%	23.22%	82.71%
Education	Less Than 12 Years	16.39%	44.80%	96.73%	93.89%	68.66%	30.95%	70.29%	17.23%	91.26%	18.73%	79.81%
	12 Years	15.51%	40.37%	96.54%	97.46%	72.77%	26.86%	72.62%	15.71%	87.10%	15.72%	80.12%
	Greater Than 12 Years	13.78%	36.10%	96.93%	97.37%	87.34%	53.90%	81.64%	14.09%	94.94%	17.32%	82.13%
	Lower 95% CI	Q49	Q50	Q51	Q52	Q53	Q54	Q56	Q57	Q58	Q59	Q60
Total	Yes	14.07%	38.03%	96.34%	96.31%	79.52%	41.62%	76.46%	14.29%	91.75%	16.47%	80.56%
Age	Under 20 Years	11.59%	42.68%	96.04%	93.56%	69.32%	14.50%	57.91%	17.16%	83.02%	23.43%	81.30%
	20-24 Years	13.54%	39.66%	95.39%	94.41%	76.99%	24.54%	70.93%	14.66%	90.61%	17.88%	80.56%
	25-34 Years	13.73%	33.91%	96.70%	97.29%	79.94%	50.10%	77.27%	13.51%	92.95%	15.16%	79.92%
	Over 34 Years	13.16%	43.77%	94.50%	94.50%	81.75%	43.56%	85.73%	11.20%	89.28%	11.74%	78.17%
Ethnicity	White Non-Hispanic	14.24%	35.58%	96.41%	96.44%	78.77%	45.11%	83.09%	9.49%	90.37%	15.65%	84.07%
	Black Non-Hispanic	14.37%	37.36%	94.43%	93.93%	73.40%	25.42%	60.64%	19.13%	90.75%	19.14%	79.43%
	Hispanic	8.40%	35.77%	96.27%	96.91%	84.33%	43.21%	75.73%	13.26%	94.94%	11.98%	73.64%
Married	Married	12.14%	32.95%	94.57%	94.65%	85.41%	58.56%	80.74%	12.22%	91.40%	11.18%	76.75%
	Not Married	15.47%	42.45%	97.89%	97.74%	72.89%	23.67%	71.42%	15.82%	91.67%	21.30%	83.83%
Previous Live Birth	Yes	11.52%	33.54%	96.74%	96.81%	75.73%	40.70%	74.71%	13.46%	91.93%	12.30%	79.38%
	No	17.15%	43.75%	95.39%	95.20%	84.43%	42.03%	78.25%	14.80%	90.96%	21.92%	81.54%
Education	Less Than 12 Years	14.71%	42.54%	95.92%	92.80%	66.55%	28.85%	68.21%	15.51%	89.97%	16.96%	77.98%
	12 Years	14.12%	38.48%	95.84%	96.86%	71.05%	25.16%	70.91%	14.31%	85.81%	14.32%	78.59%
	Greater Than 12 Years	12.88%	34.84%	96.48%	96.96%	86.47%	52.59%	80.63%	13.18%	94.37%	16.33%	81.13%
	Upper 95% CI	Q49	Q50	Q51	Q52	Q53	Q54	Q56	Q57	Q58	Q59	Q60
Total	Yes	15.45%	39.93%	97.04%	97.00%	81.07%	43.55%	78.09%	15.67%	92.79%	17.94%	82.07%
Age	Under 20 Years	17.16%	50.60%	98.60%	96.94%	76.38%	20.53%	65.62%	23.55%	88.56%	30.48%	87.09%
	20-24 Years	16.37%	43.58%	96.92%	96.10%	80.25%	28.03%	74.47%	17.58%	92.80%	21.03%	83.61%
	25-34 Years	15.58%	36.40%	97.57%	98.08%	81.99%	52.70%	79.42%	15.34%	94.22%	17.08%	81.97%
	Over 34 Years	16.86%	48.94%	96.63%	96.63%	85.58%	48.73%	89.16%	14.68%	92.28%	15.28%	82.29%
Ethnicity	White Non-Hispanic	16.14%	38.14%	97.33%	97.36%	80.90%	47.76%	85.03%	11.10%	91.87%	17.63%	85.96%
	Black Non-Hispanic	17.15%	41.08%	96.05%	95.62%	76.69%	28.81%	64.33%	22.21%	92.84%	22.22%	82.42%
	Hispanic	11.58%	40.94%	98.04%	98.50%	88.00%	48.51%	80.13%	17.07%	97.03%	15.65%	78.19%
Married	Married	13.98%	35.55%	95.74%	95.81%	87.29%	61.24%	82.85%	14.07%	92.87%	12.96%	79.03%
	Not Married	17.53%	45.20%	98.62%	98.49%	75.32%	26.06%	73.89%	17.89%	93.14%	23.61%	85.81%
Previous Live Birth	Yes	13.18%	35.94%	97.57%	97.63%	77.85%	43.18%	76.87%	15.23%	93.25%	14.01%	81.38%
	No	19.53%	46.80%	96.60%	96.43%	86.59%	45.07%	80.72%	17.05%	92.64%	24.52%	83.87%
Education	Less Than 12 Years	18.08%	47.07%	97.54%	94.99%	70.77%	33.06%	72.37%	18.95%	92.54%	20.51%	81.64%
	12 Years	16.91%	42.26%	97.24%	98.07%	74.48%	28.57%	74.34%	17.12%	88.39%	17.13%	81.66%
	Greater Than 12 Years	14.68%	37.35%	97.38%	97.79%	88.21%	55.20%	82.65%	15.00%	95.51%	18.31%	83.13%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q61A-Q62B												
	Percent Response Yes	Q61A ^{†††}	Q61B ^{†††}	Q61C ^{†††}	Q61D ^{†††}	Q61E ^{†††}	Q61F ^{†††}	Q61G ^{†††}	Q61H ^{†††}	Q61I ^{†††}	Q62A	Q62B
Total	Yes	7.23%	2.12%	6.05%	5.22%	2.44%	0.83%	2.85%	0.14%	0.00%	10.60%	1.08%
Age	Under 20 Years	6.22%	8.21%	4.75%	6.74%	2.68%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	6.88%	1.86%	6.53%	7.07%	3.04%	1.71%	2.57%	0.00%	0.00%	3.47%	0.35%
	25-34 Years	7.37%	1.39%	6.39%	4.71%	2.58%	0.75%	2.95%	0.00%	0.00%	12.43%	1.19%
	Over 34 Years	7.71%	2.87%	4.44%	3.44%	0.78%	0.00%	4.11%	1.00%	0.00%	20.05%	2.37%
Ethnicity	White Non-Hispanic	4.64%	1.77%	4.57%	3.98%	2.26%	0.76%	1.21%	0.21%	0.00%	8.87%	1.28%
	Black Non-Hispanic	10.59%	1.19%	5.60%	4.25%	2.41%	0.48%	3.91%	0.11%	0.00%	15.66%	0.59%
	Hispanic	7.51%	3.56%	9.97%	9.33%	2.68%	2.20%	8.77%	0.00%	0.00%	11.82%	0.97%
Married	Married	6.15%	2.78%	7.01%	4.26%	2.12%	0.25%	2.30%	0.28%	0.00%	8.27%	2.14%
	Not Married	8.34%	1.45%	5.06%	6.20%	2.78%	1.43%	3.41%	0.00%	0.00%	12.99%	0.00%
Previous Live Birth	Yes	7.70%	1.37%	5.82%	4.85%	2.03%	1.12%	4.76%	0.23%	0.00%	17.49%	1.44%
	No	6.53%	3.24%	6.39%	5.76%	3.06%	0.40%	0.00%	0.00%	0.00%	0.37%	0.56%
Education	Less Than 12 Years	6.78%	2.41%	8.59%	7.67%	3.53%	0.94%	3.99%	0.00%	0.00%	8.41%	0.11%
	12 Years	8.55%	2.31%	4.95%	5.94%	2.19%	1.61%	4.90%	0.00%	0.00%	15.68%	0.77%
	Greater Than 12 Years	6.81%	1.97%	5.79%	4.14%	2.23%	0.45%	1.56%	0.25%	0.00%	9.12%	1.56%
	Lower 95% CI	Q61A	Q61B	Q61C	Q61D	Q61E	Q61F	Q61G	Q61H	Q61I	Q62A	Q62B
Total	Yes	6.73%	1.84%	5.58%	4.78%	2.14%	0.65%	2.52%	0.07%	0.00%	10.00%	0.88%
Age	Under 20 Years	4.30%	6.03%	3.06%	4.75%	1.40%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	5.88%	1.32%	5.55%	6.05%	2.36%	1.19%	1.94%	0.00%	0.00%	2.75%	0.11%
	25-34 Years	6.69%	1.09%	5.75%	4.15%	2.17%	0.53%	2.51%	0.00%	0.00%	11.57%	0.91%
	Over 34 Years	6.33%	2.01%	3.37%	2.49%	0.33%	0.00%	3.08%	0.48%	0.00%	17.97%	1.58%
Ethnicity	White Non-Hispanic	4.08%	1.42%	4.02%	3.46%	1.87%	0.53%	0.92%	0.09%	0.00%	8.12%	0.98%
	Black Non-Hispanic	9.42%	0.78%	4.72%	3.48%	1.83%	0.21%	3.17%	0.00%	0.00%	14.28%	0.30%
	Hispanic	6.11%	2.57%	8.38%	7.79%	1.82%	1.42%	7.26%	0.00%	0.00%	10.10%	0.45%
Married	Married	5.49%	2.33%	6.31%	3.70%	1.73%	0.11%	1.89%	0.13%	0.00%	7.51%	1.75%
	Not Married	7.57%	1.12%	4.45%	5.53%	2.32%	1.10%	2.90%	0.00%	0.00%	12.06%	0.00%
Previous Live Birth	Yes	7.03%	1.08%	5.23%	4.31%	1.67%	0.85%	4.23%	0.11%	0.00%	16.53%	1.14%
	No	5.78%	2.69%	5.64%	5.04%	2.53%	0.21%	0.00%	0.00%	0.00%	0.19%	0.33%
Education	Less Than 12 Years	5.64%	1.71%	7.32%	6.46%	2.69%	0.50%	3.10%	0.00%	0.00%	7.14%	0.00%
	12 Years	7.47%	1.73%	4.12%	5.03%	1.63%	1.12%	4.07%	0.00%	0.00%	14.28%	0.43%
	Greater Than 12 Years	6.15%	1.61%	5.18%	3.62%	1.85%	0.27%	1.24%	0.12%	0.00%	8.37%	1.24%
	Upper 95% CI	Q61A	Q61B	Q61C	Q61D	Q61E	Q61F	Q61G	Q61H	Q61I	Q62A	Q62B
Total	Yes	7.73%	2.40%	6.51%	5.65%	2.74%	1.01%	3.17%	0.21%	0.00%	11.20%	1.29%
Age	Under 20 Years	8.13%	10.39%	6.44%	8.73%	3.96%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	7.89%	2.40%	7.51%	8.08%	3.72%	2.22%	3.20%	0.00%	0.00%	4.20%	0.58%
	25-34 Years	8.05%	1.70%	7.03%	5.26%	3.00%	0.98%	3.39%	0.00%	0.00%	13.28%	1.48%
	Over 34 Years	9.09%	3.74%	5.50%	4.38%	1.24%	0.00%	5.14%	1.51%	0.00%	22.12%	3.15%
Ethnicity	White Non-Hispanic	5.20%	2.12%	5.12%	4.49%	2.66%	0.99%	1.50%	0.32%	0.00%	9.62%	1.58%
	Black Non-Hispanic	11.76%	1.60%	6.47%	5.02%	3.00%	0.74%	4.64%	0.24%	0.00%	17.05%	0.88%
	Hispanic	8.91%	4.54%	11.57%	10.88%	3.54%	2.99%	10.27%	0.00%	0.00%	13.53%	1.49%
Married	Married	6.81%	3.23%	7.71%	4.81%	2.52%	0.38%	2.71%	0.42%	0.00%	9.02%	2.54%
	Not Married	9.10%	1.78%	5.67%	6.87%	3.23%	1.76%	3.91%	0.00%	0.00%	13.93%	0.00%
Previous Live Birth	Yes	8.37%	1.67%	6.41%	5.39%	2.38%	1.38%	5.30%	0.36%	0.00%	18.45%	1.74%
	No	7.29%	3.78%	7.14%	6.47%	3.59%	0.59%	0.00%	0.00%	0.00%	0.56%	0.78%
Education	Less Than 12 Years	7.93%	3.11%	9.87%	8.88%	4.37%	1.38%	4.88%	0.00%	0.00%	9.67%	0.26%
	12 Years	9.63%	2.89%	5.79%	6.85%	2.76%	2.09%	5.73%	0.00%	0.00%	17.08%	1.10%
	Greater Than 12 Years	7.46%	2.33%	6.40%	4.66%	2.62%	0.62%	1.89%	0.38%	0.00%	9.88%	1.89%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q62C-Q64												
	Percent Response Yes	Q62C	Q62D	Q62E ^{†††}	Q62F	Q62G	Q62H	Q62I	Q62J	Q62K	Q63 ^{†††}	Q64 ^{†††}
Total	Yes	19.05%	23.53%	12.37%	2.93%	2.23%	9.48%	3.19%	12.26%	9.91%	88.50%	5.57%
Age	Under 20 Years	16.21%	29.70%	43.79%	4.06%	2.07%	9.06%	0.00%	9.87%	9.33%	80.74%	18.56%
	20-24 Years	21.14%	20.72%	19.36%	5.62%	3.63%	9.89%	3.15%	14.44%	9.89%	89.77%	7.65%
	25-34 Years	19.29%	24.44%	8.51%	2.20%	1.56%	9.29%	2.93%	12.19%	9.52%	88.58%	3.80%
	Over 34 Years	15.76%	22.08%	2.35%	0.78%	2.55%	9.72%	5.65%	9.82%	11.73%	89.36%	3.49%
Ethnicity	White Non-Hispanic	25.31%	25.83%	7.61%	2.42%	2.07%	10.28%	3.46%	16.27%	8.96%	90.15%	4.41%
	Black Non-Hispanic	12.69%	17.95%	21.30%	3.46%	2.58%	9.40%	2.81%	7.38%	14.17%	87.00%	7.73%
	Hispanic	10.78%	19.51%	15.18%	5.38%	0.55%	9.21%	1.86%	6.39%	4.78%	83.21%	4.52%
Married	Married	20.84%	27.15%	5.09%	1.49%	1.07%	7.62%	4.82%	13.31%	8.01%	89.55%	3.15%
	Not Married	17.22%	19.82%	19.82%	4.40%	3.41%	11.39%	1.52%	11.18%	11.85%	87.43%	8.04%
Previous Live Birth	Yes	14.29%	18.97%	12.68%	2.46%	1.32%	9.30%	4.11%	9.63%	8.86%	86.40%	4.88%
	No	26.13%	30.31%	11.91%	3.63%	3.57%	9.74%	1.82%	16.17%	11.47%	91.63%	6.59%
Education	Less Than 12 Years	11.94%	23.85%	24.31%	4.88%	1.03%	8.39%	3.44%	9.87%	4.91%	79.53%	6.02%
	12 Years	14.74%	17.93%	17.39%	2.98%	3.39%	11.40%	2.18%	10.34%	10.89%	85.63%	8.78%
	Greater Than 12 Years	23.18%	26.29%	5.84%	2.25%	2.12%	8.77%	3.62%	13.85%	11.00%	92.64%	4.01%
	Lower 95% CI	Q62C	Q62D	Q62E	Q62F	Q62G	Q62H	Q62I	Q62J	Q62K	Q63	Q64
Total	Yes	18.29%	22.71%	11.73%	2.60%	1.94%	8.91%	2.85%	11.62%	9.33%	87.88%	5.12%
Age	Under 20 Years	13.29%	26.07%	39.85%	2.49%	0.94%	6.78%	0.00%	7.50%	7.02%	77.60%	15.47%
	20-24 Years	19.52%	19.11%	17.79%	4.70%	2.89%	8.70%	2.46%	13.05%	8.71%	88.57%	6.59%
	25-34 Years	18.26%	23.32%	7.79%	1.81%	1.24%	8.53%	2.49%	11.34%	8.75%	87.75%	3.30%
	Over 34 Years	13.87%	19.93%	1.57%	0.33%	1.73%	8.19%	4.46%	8.28%	10.06%	87.76%	2.54%
Ethnicity	White Non-Hispanic	24.15%	24.67%	6.90%	2.01%	1.70%	9.47%	2.97%	15.29%	8.21%	89.36%	3.87%
	Black Non-Hispanic	11.42%	16.49%	19.74%	2.77%	1.98%	8.29%	2.18%	6.38%	12.84%	85.72%	6.71%
	Hispanic	9.13%	17.40%	13.27%	4.18%	0.15%	7.67%	1.14%	5.09%	3.65%	81.23%	3.42%
Married	Married	19.73%	25.94%	4.48%	1.16%	0.79%	6.89%	4.24%	12.38%	7.26%	88.71%	2.67%
	Not Married	16.17%	18.72%	18.72%	3.83%	2.91%	10.51%	1.18%	10.31%	10.96%	86.52%	7.29%
Previous Live Birth	Yes	13.41%	17.98%	11.84%	2.07%	1.04%	8.57%	3.61%	8.89%	8.14%	85.54%	4.34%
	No	24.78%	28.90%	10.91%	3.06%	3.00%	8.83%	1.41%	15.04%	10.49%	90.78%	5.83%
Education	Less Than 12 Years	10.47%	21.91%	22.36%	3.90%	0.57%	7.13%	2.61%	8.51%	3.92%	77.69%	4.94%
	12 Years	13.38%	16.45%	15.93%	2.33%	2.69%	10.17%	1.61%	9.17%	9.69%	84.28%	7.69%
	Greater Than 12 Years	22.08%	25.14%	5.22%	1.86%	1.74%	8.03%	3.13%	12.95%	10.18%	91.95%	3.50%
	Upper 95% CI	Q62C	Q62D	Q62E	Q62F	Q62G	Q62H	Q62I	Q62J	Q62K	Q63	Q64
Total	Yes	19.82%	24.36%	13.01%	3.26%	2.52%	10.05%	3.53%	12.90%	10.49%	89.12%	6.01%
Age	Under 20 Years	19.14%	33.32%	47.73%	5.63%	3.20%	11.34%	0.00%	12.24%	11.64%	83.87%	21.65%
	20-24 Years	22.76%	22.33%	20.93%	6.53%	4.37%	11.07%	3.85%	15.84%	11.08%	90.98%	8.70%
	25-34 Years	20.32%	25.56%	9.24%	2.58%	1.88%	10.05%	3.37%	13.04%	10.28%	89.41%	4.30%
	Over 34 Years	17.65%	24.23%	3.14%	1.24%	3.36%	11.26%	6.85%	11.37%	13.39%	90.96%	4.45%
Ethnicity	White Non-Hispanic	26.46%	26.99%	8.31%	2.83%	2.45%	11.08%	3.94%	17.25%	9.72%	90.94%	4.96%
	Black Non-Hispanic	13.95%	19.41%	22.85%	4.16%	3.18%	10.52%	3.44%	8.37%	15.50%	88.28%	8.74%
	Hispanic	12.42%	21.61%	17.09%	6.58%	0.94%	10.74%	2.57%	7.70%	5.91%	85.20%	5.62%
Married	Married	21.96%	28.37%	5.69%	1.83%	1.36%	8.34%	5.41%	14.24%	8.75%	90.39%	3.63%
	Not Married	18.26%	20.93%	20.93%	4.97%	3.91%	12.26%	1.86%	12.05%	12.75%	88.35%	8.80%
Previous Live Birth	Yes	15.17%	19.95%	13.52%	2.85%	1.61%	10.04%	4.61%	10.37%	9.57%	87.26%	5.43%
	No	27.48%	31.72%	12.90%	4.20%	4.14%	10.65%	2.23%	17.30%	12.45%	92.48%	7.35%
Education	Less Than 12 Years	13.42%	25.80%	26.26%	5.87%	1.48%	9.65%	4.27%	11.23%	5.89%	81.37%	7.11%
	12 Years	16.11%	19.41%	18.85%	3.64%	4.09%	12.62%	2.74%	11.51%	12.10%	86.98%	9.87%
	Greater Than 12 Years	24.28%	27.44%	6.45%	2.64%	2.49%	9.51%	4.10%	14.76%	11.82%	93.32%	4.52%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q65-Q69B												
	Percent Response Yes	Q65 ^{†††}	Q66A	Q66B	Q66C ^{†††}	Q66D	Q66E	Q66F	Q66G	Q68	Q69A ^{†††}	Q69B ^{†††}
Total	Yes	9.43%	41.23%	0.74%	48.05%	0.86%	3.75%	3.41%	5.41%	12.52%	7.75%	4.98%
Age	Under 20 Years	13.98%	13.28%	0.00%	91.18%	2.07%	0.00%	4.14%	0.00%	10.85%	7.60%	5.33%
	20-24 Years	12.83%	21.33%	0.25%	70.92%	0.99%	2.25%	3.54%	7.64%	7.48%	3.85%	3.98%
	25-34 Years	7.56%	46.94%	0.82%	39.15%	0.67%	4.89%	3.47%	4.91%	13.71%	8.06%	5.67%
	Over 34 Years	9.11%	64.38%	1.58%	25.97%	0.88%	3.38%	2.59%	5.89%	17.09%	13.21%	3.83%
Ethnicity	White Non-Hispanic	7.53%	54.90%	1.03%	37.80%	0.46%	0.80%	4.57%	3.54%	13.68%	8.22%	5.05%
	Black Non-Hispanic	11.77%	22.81%	0.72%	74.65%	1.39%	0.23%	2.44%	4.22%	9.96%	6.60%	4.96%
	Hispanic	9.51%	11.38%	0.00%	44.88%	1.86%	24.31%	0.62%	17.63%	13.24%	7.79%	5.43%
Married	Married	6.99%	63.81%	1.14%	19.38%	0.49%	2.83%	5.99%	6.08%	14.55%	9.37%	4.26%
	Not Married	11.93%	18.11%	0.33%	77.39%	1.24%	4.68%	0.76%	4.73%	10.45%	6.09%	5.72%
Previous Live Birth	Yes	8.24%	34.53%	0.72%	51.76%	0.83%	5.26%	2.55%	6.22%	12.33%	7.59%	5.08%
	No	11.20%	51.17%	0.78%	42.53%	0.90%	1.51%	4.67%	4.20%	12.80%	7.99%	4.83%
Education	Less Than 12 Years	16.23%	6.68%	0.00%	63.56%	2.05%	16.06%	1.36%	11.09%	13.13%	7.66%	8.17%
	12 Years	9.97%	16.70%	0.67%	73.75%	0.00%	2.00%	1.44%	6.31%	13.57%	7.83%	5.63%
	Greater Than 12 Years	7.07%	63.95%	1.03%	30.70%	0.88%	0.55%	5.02%	3.20%	11.99%	7.84%	3.70%
	Lower 95% CI	Q65	Q66A	Q66B	Q66C	Q66D	Q66E	Q66F	Q66G	Q68	Q69A	Q69B
Total	Yes	8.86%	40.27%	0.57%	47.08%	0.68%	3.38%	3.05%	4.97%	11.88%	7.23%	4.56%
Age	Under 20 Years	11.23%	10.58%	0.00%	88.93%	0.94%	0.00%	2.56%	0.00%	8.38%	5.49%	3.54%
	20-24 Years	11.50%	19.71%	0.05%	69.12%	0.60%	1.66%	2.80%	6.59%	6.44%	3.09%	3.20%
	25-34 Years	6.87%	45.64%	0.58%	37.88%	0.46%	4.33%	3.00%	4.35%	12.82%	7.35%	5.07%
	Over 34 Years	7.62%	61.90%	0.94%	23.70%	0.40%	2.45%	1.77%	4.67%	15.14%	11.45%	2.84%
Ethnicity	White Non-Hispanic	6.83%	53.58%	0.76%	36.51%	0.28%	0.56%	4.02%	3.05%	12.77%	7.49%	4.47%
	Black Non-Hispanic	10.55%	21.22%	0.40%	72.99%	0.94%	0.05%	1.85%	3.45%	8.82%	5.65%	4.14%
	Hispanic	7.95%	9.69%	0.00%	42.23%	1.14%	22.03%	0.20%	15.61%	11.44%	6.37%	4.22%
Married	Married	6.29%	62.50%	0.85%	18.30%	0.30%	2.38%	5.34%	5.42%	13.58%	8.58%	3.71%
	Not Married	11.03%	17.04%	0.17%	76.23%	0.93%	4.10%	0.52%	4.14%	9.60%	5.42%	5.07%
Previous Live Birth	Yes	7.55%	33.34%	0.50%	50.50%	0.60%	4.70%	2.16%	5.62%	11.50%	6.92%	4.53%
	No	10.23%	49.63%	0.51%	41.02%	0.61%	1.13%	4.02%	3.59%	11.78%	7.16%	4.18%
Education	Less Than 12 Years	14.55%	5.54%	0.00%	61.37%	1.40%	14.39%	0.84%	9.66%	11.59%	6.45%	6.92%
	12 Years	8.81%	15.27%	0.36%	72.06%	0.00%	1.46%	0.98%	5.37%	12.25%	6.80%	4.74%
	Greater Than 12 Years	6.40%	62.70%	0.76%	29.50%	0.63%	0.35%	4.45%	2.74%	11.14%	7.13%	3.20%
	Upper 95% CI	Q65	Q66A	Q66B	Q66C	Q66D	Q66E	Q66F	Q66G	Q68	Q69A	Q69B
Total	Yes	10.00%	42.18%	0.91%	49.02%	1.04%	4.12%	3.76%	5.85%	13.16%	8.27%	5.40%
Age	Under 20 Years	16.74%	15.97%	0.00%	93.44%	3.20%	0.00%	5.73%	0.00%	13.32%	9.70%	7.11%
	20-24 Years	14.16%	22.96%	0.45%	72.72%	1.39%	2.83%	4.27%	8.70%	8.52%	4.62%	4.75%
	25-34 Years	8.25%	48.24%	1.05%	40.42%	0.88%	5.45%	3.95%	5.47%	14.61%	8.77%	6.27%
	Over 34 Years	10.60%	66.86%	2.23%	28.24%	1.37%	4.32%	3.41%	7.11%	19.04%	14.96%	4.83%
Ethnicity	White Non-Hispanic	8.23%	56.22%	1.29%	39.08%	0.64%	1.03%	5.13%	4.03%	14.59%	8.95%	5.63%
	Black Non-Hispanic	13.00%	24.41%	1.04%	76.31%	1.84%	0.41%	3.03%	4.98%	11.10%	7.54%	5.79%
	Hispanic	11.07%	13.06%	0.00%	47.52%	2.57%	26.59%	1.04%	19.66%	15.05%	9.21%	6.63%
Married	Married	7.69%	65.13%	1.44%	20.46%	0.68%	3.29%	6.64%	6.73%	15.51%	10.17%	4.82%
	Not Married	12.83%	19.18%	0.49%	78.54%	1.55%	5.27%	1.00%	5.32%	11.29%	6.75%	6.36%
Previous Live Birth	Yes	8.93%	35.73%	0.93%	53.02%	1.06%	5.82%	2.95%	6.83%	13.16%	8.25%	5.63%
	No	12.17%	52.70%	1.05%	44.05%	1.19%	1.88%	5.32%	4.82%	13.83%	8.82%	5.49%
Education	Less Than 12 Years	17.91%	7.82%	0.00%	65.75%	2.69%	17.73%	1.89%	12.52%	14.67%	8.87%	9.41%
	12 Years	11.12%	18.14%	0.99%	75.45%	0.00%	2.54%	1.90%	7.25%	14.89%	8.87%	6.52%
	Greater Than 12 Years	7.74%	65.21%	1.29%	31.91%	1.12%	0.74%	5.59%	3.66%	12.84%	8.54%	4.19%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q70A-Q74F												
	Percent Response Yes	Q70A ^{†††}	Q70B ^{†††}	Q71 ^{†††}	Q72 ^{†††}	Q73 ^{†††}	Q74A	Q74B	Q74C	Q74D	Q74E	Q74F
Total	Yes	9.00%	68.50%	87.32%	94.92%	95.14%	3.59%	4.41%	3.58%	2.23%	1.74%	1.47%
Age	Under 20 Years	9.39%	40.59%	83.79%	97.52%	87.25%	0.41%	2.07%	15.37%	2.07%	3.45%	0.00%
	20-24 Years	12.98%	54.63%	88.71%	92.65%	93.18%	2.75%	6.01%	3.99%	2.25%	1.02%	1.02%
	25-34 Years	6.93%	75.14%	88.12%	96.13%	96.28%	4.17%	4.30%	2.61%	2.37%	1.88%	1.77%
	Over 34 Years	10.27%	77.71%	83.33%	92.91%	97.35%	4.03%	3.15%	1.68%	1.68%	1.68%	1.68%
Ethnicity	White Non-Hispanic	6.59%	76.87%	88.48%	95.40%	95.56%	3.41%	3.67%	2.48%	1.80%	1.66%	1.27%
	Black Non-Hispanic	14.27%	46.81%	87.95%	94.60%	94.06%	4.47%	5.69%	6.66%	3.90%	2.33%	1.68%
	Hispanic	8.00%	74.39%	85.12%	95.10%	94.43%	2.41%	4.23%	2.02%	0.93%	0.93%	1.75%
Married	Married	5.21%	83.17%	86.24%	92.74%	93.92%	3.15%	3.44%	2.18%	1.89%	1.57%	1.57%
	Not Married	12.88%	53.48%	88.43%	97.16%	96.40%	4.03%	5.41%	5.01%	2.57%	1.91%	1.36%
Previous Live Birth	Yes	9.30%	67.46%	86.67%	95.59%	96.30%	3.73%	4.08%	3.60%	2.24%	1.57%	1.47%
	No	8.55%	70.03%	88.29%	93.94%	93.42%	3.37%	4.91%	3.55%	2.21%	1.99%	1.47%
Education	Less Than 12 Years	11.38%	61.40%	84.69%	92.66%	91.79%	1.07%	1.69%	4.72%	1.56%	1.34%	0.81%
	12 Years	9.83%	58.18%	87.17%	94.22%	93.84%	5.18%	5.61%	4.94%	3.82%	2.70%	2.03%
	Greater Than 12 Years	7.95%	75.72%	88.32%	95.93%	96.79%	3.72%	4.81%	2.32%	1.74%	1.45%	1.45%
	Lower 95% CI	Q70A	Q70B	Q71	Q72	Q73	Q74A	Q74B	Q74C	Q74D	Q74E	Q74F
Total	Yes	8.44%	67.59%	86.67%	94.50%	94.73%	3.22%	4.01%	3.22%	1.94%	1.48%	1.24%
Age	Under 20 Years	7.07%	36.69%	80.86%	96.29%	84.60%	0.00%	0.94%	12.50%	0.94%	2.00%	0.00%
	20-24 Years	11.64%	52.65%	87.45%	91.61%	92.18%	2.10%	5.06%	3.21%	1.66%	0.62%	0.62%
	25-34 Years	6.26%	74.01%	87.27%	95.63%	95.79%	3.65%	3.77%	2.20%	1.97%	1.52%	1.43%
	Over 34 Years	8.70%	75.56%	81.40%	91.58%	96.52%	3.01%	2.25%	1.02%	1.02%	1.02%	1.02%
Ethnicity	White Non-Hispanic	5.94%	75.75%	87.63%	94.85%	95.01%	2.93%	3.17%	2.06%	1.45%	1.32%	0.98%
	Black Non-Hispanic	12.93%	44.91%	86.71%	93.74%	93.16%	3.68%	4.81%	5.71%	3.16%	1.76%	1.19%
	Hispanic	6.55%	72.07%	83.23%	93.95%	93.21%	1.59%	3.16%	1.28%	0.42%	0.42%	1.05%
Married	Married	4.60%	82.15%	85.30%	92.03%	93.26%	2.67%	2.94%	1.78%	1.52%	1.23%	1.23%
	Not Married	11.95%	52.10%	87.54%	96.70%	95.89%	3.48%	4.78%	4.41%	2.13%	1.53%	1.04%
Previous Live Birth	Yes	8.57%	66.28%	85.82%	95.07%	95.83%	3.25%	3.58%	3.13%	1.87%	1.26%	1.17%
	No	7.69%	68.63%	87.30%	93.21%	92.66%	2.81%	4.25%	2.98%	1.76%	1.56%	1.10%
Education	Less Than 12 Years	9.93%	59.18%	83.05%	91.47%	90.54%	0.60%	1.10%	3.75%	1.00%	0.81%	0.40%
	12 Years	8.68%	56.28%	85.88%	93.32%	92.91%	4.32%	4.72%	4.10%	3.08%	2.08%	1.49%
	Greater Than 12 Years	7.24%	74.60%	87.49%	95.42%	96.33%	3.23%	4.25%	1.92%	1.40%	1.14%	1.14%
	Upper 95% CI	Q70A	Q70B	Q71	Q72	Q73	Q74A	Q74B	Q74C	Q74D	Q74E	Q74F
Total	Yes	9.56%	69.40%	87.97%	95.35%	95.56%	3.95%	4.81%	3.94%	2.51%	1.99%	1.70%
Age	Under 20 Years	11.70%	44.49%	86.71%	98.76%	89.89%	0.91%	3.20%	18.23%	3.20%	4.90%	0.00%
	20-24 Years	14.31%	56.60%	89.96%	93.68%	94.18%	3.40%	6.95%	4.77%	2.84%	1.41%	1.41%
	25-34 Years	7.59%	76.27%	88.96%	96.64%	96.78%	4.69%	4.82%	3.03%	2.77%	2.23%	2.11%
	Over 34 Years	11.85%	79.87%	85.26%	94.24%	98.18%	5.05%	4.06%	2.35%	2.35%	2.35%	2.35%
Ethnicity	White Non-Hispanic	7.25%	77.99%	89.33%	95.96%	96.10%	3.89%	4.17%	2.89%	2.16%	2.00%	1.57%
	Black Non-Hispanic	15.60%	48.71%	89.19%	95.46%	94.96%	5.26%	6.57%	7.61%	4.64%	2.91%	2.17%
	Hispanic	9.44%	76.71%	87.02%	96.24%	95.65%	3.22%	5.30%	2.77%	1.44%	1.44%	2.45%
Married	Married	5.82%	84.20%	87.18%	93.45%	94.57%	3.63%	3.94%	2.58%	2.27%	1.92%	1.92%
	Not Married	13.80%	54.86%	89.32%	97.62%	96.92%	4.57%	6.03%	5.61%	3.00%	2.28%	1.68%
Previous Live Birth	Yes	10.03%	68.64%	87.53%	96.10%	96.78%	4.21%	4.58%	4.07%	2.61%	1.88%	1.77%
	No	9.41%	71.44%	89.27%	94.67%	94.18%	3.92%	5.57%	4.11%	2.66%	2.42%	1.84%
Education	Less Than 12 Years	12.82%	63.61%	86.33%	93.84%	93.04%	1.54%	2.27%	5.69%	2.13%	1.86%	1.21%
	12 Years	10.97%	60.08%	88.46%	95.12%	94.76%	6.03%	6.50%	5.77%	4.56%	3.33%	2.58%
	Greater Than 12 Years	8.65%	76.84%	89.16%	96.45%	97.25%	4.22%	5.37%	2.71%	2.08%	1.76%	1.76%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q74G-Q76B												
	Percent Response Yes	Q74G	Q74H	Q74I	Q74J	Q74K	Q75A ^{†††}	Q75B	Q75C	Q75D	Q76A ^{†††}	Q76B ^{†††}
Total	Yes	15.02%	6.41%	3.32%	14.44%	18.27%	54.66%	8.44%	5.22%	2.05%	72.85%	79.77%
Age	Under 20 Years	17.44%	8.01%	1.90%	16.12%	32.01%	81.02%	10.08%	13.09%	4.92%	74.08%	83.07%
	20-24 Years	12.98%	8.57%	1.12%	17.61%	25.08%	77.27%	10.11%	6.40%	1.71%	72.27%	76.30%
	25-34 Years	15.64%	6.04%	4.83%	13.98%	14.89%	47.51%	8.74%	4.50%	2.18%	72.93%	81.69%
	Over 34 Years	15.02%	3.51%	1.68%	10.17%	14.17%	33.24%	3.72%	2.66%	0.88%	72.97%	76.68%
Ethnicity	White Non-Hispanic	16.65%	5.68%	1.99%	11.19%	18.50%	36.94%	7.17%	4.58%	1.45%	83.87%	88.18%
	Black Non-Hispanic	16.27%	9.78%	7.05%	20.89%	20.52%	81.81%	8.56%	6.19%	2.72%	61.83%	71.51%
	Hispanic	8.15%	2.08%	0.93%	15.39%	16.68%	80.25%	15.60%	6.56%	3.23%	59.72%	71.00%
Married	Married	16.58%	4.24%	2.71%	10.37%	15.72%	26.75%	4.75%	2.20%	1.18%	75.34%	81.01%
	Not Married	13.44%	8.63%	3.94%	18.61%	20.87%	83.22%	12.23%	8.31%	2.94%	70.29%	78.50%
Previous Live Birth	Yes	14.14%	6.01%	3.84%	15.26%	16.51%	60.07%	9.24%	5.61%	2.12%	69.61%	77.34%
	No	16.33%	7.00%	2.55%	13.22%	20.89%	46.61%	7.26%	4.63%	1.94%	77.65%	83.38%
Education	Less Than 12 Years	6.62%	5.76%	2.12%	13.66%	24.76%	81.52%	14.88%	8.14%	3.79%	57.19%	66.55%
	12 Years	15.53%	8.38%	6.50%	19.09%	21.00%	79.79%	8.16%	9.58%	2.93%	66.15%	75.00%
	Greater Than 12 Years	17.74%	5.80%	2.29%	12.53%	15.10%	33.92%	6.56%	2.31%	1.10%	81.55%	86.12%
	Lower 95% CI	Q74G	Q74H	Q74I	Q74J	Q74K	Q75A	Q75B	Q75C	Q75D	Q76A	Q76B
Total	Yes	14.33%	5.93%	2.97%	13.76%	17.52%	53.69%	7.90%	4.78%	1.77%	71.98%	78.99%
Age	Under 20 Years	14.43%	5.85%	0.81%	13.20%	28.31%	77.91%	7.69%	10.42%	3.20%	70.61%	80.09%
	20-24 Years	11.65%	7.46%	0.70%	16.10%	23.36%	75.60%	8.92%	5.43%	1.19%	70.50%	74.62%
	25-34 Years	14.70%	5.42%	4.27%	13.07%	13.97%	46.20%	8.01%	3.96%	1.80%	71.77%	80.68%
	Over 34 Years	13.17%	2.56%	1.02%	8.61%	12.36%	30.80%	2.74%	1.83%	0.40%	70.67%	74.49%
Ethnicity	White Non-Hispanic	15.66%	5.07%	1.62%	10.35%	17.47%	35.66%	6.49%	4.03%	1.13%	82.89%	87.32%
	Black Non-Hispanic	14.87%	8.65%	6.07%	19.34%	18.98%	80.34%	7.50%	5.28%	2.10%	59.98%	69.79%
	Hispanic	6.69%	1.32%	0.42%	13.47%	14.69%	78.13%	13.67%	5.25%	2.29%	57.11%	68.59%
Married	Married	15.56%	3.69%	2.27%	9.54%	14.73%	25.53%	4.16%	1.79%	0.88%	74.16%	79.94%
	Not Married	12.49%	7.85%	3.40%	17.53%	19.75%	82.18%	11.32%	7.55%	2.47%	69.03%	77.36%
Previous Live Birth	Yes	13.27%	5.42%	3.36%	14.36%	15.57%	58.84%	8.51%	5.03%	1.76%	68.46%	76.28%
	No	15.20%	6.21%	2.06%	12.18%	19.64%	45.07%	6.46%	3.99%	1.52%	76.37%	82.24%
Education	Less Than 12 Years	5.49%	4.70%	1.46%	12.10%	22.79%	79.75%	13.26%	6.89%	2.92%	54.94%	64.40%
	12 Years	14.13%	7.31%	5.55%	17.58%	19.43%	78.25%	7.10%	8.45%	2.28%	64.33%	73.34%
	Greater Than 12 Years	16.74%	5.19%	1.90%	11.67%	14.17%	32.68%	5.92%	1.92%	0.82%	80.54%	85.21%
	Upper 95% CI	Q74G	Q74H	Q74I	Q74J	Q74K	Q75A	Q75B	Q75C	Q75D	Q76A	Q76B
Total	Yes	15.72%	6.89%	3.67%	15.13%	19.02%	55.63%	8.99%	5.65%	2.32%	73.71%	80.55%
Age	Under 20 Years	20.45%	10.16%	2.98%	19.04%	35.71%	84.14%	12.47%	15.77%	6.64%	77.56%	86.05%
	20-24 Years	14.32%	9.68%	1.54%	19.12%	26.80%	78.93%	11.31%	7.38%	2.22%	74.05%	77.99%
	25-34 Years	16.59%	6.66%	5.39%	14.88%	15.82%	48.81%	9.48%	5.05%	2.56%	74.08%	82.69%
	Over 34 Years	16.87%	4.47%	2.35%	11.74%	15.98%	35.68%	4.70%	3.50%	1.37%	75.28%	78.87%
Ethnicity	White Non-Hispanic	17.64%	6.29%	2.36%	12.03%	19.53%	38.22%	7.86%	5.14%	1.76%	84.84%	89.04%
	Black Non-Hispanic	17.68%	10.91%	8.02%	22.43%	22.06%	83.28%	9.63%	7.11%	3.34%	63.68%	73.23%
	Hispanic	9.60%	2.84%	1.44%	17.31%	18.66%	82.36%	17.53%	7.88%	4.17%	62.33%	73.41%
Married	Married	17.59%	4.80%	3.16%	11.21%	16.72%	27.96%	5.33%	2.60%	1.47%	76.52%	82.08%
	Not Married	14.38%	9.40%	4.48%	19.68%	22.00%	84.25%	13.14%	9.07%	3.41%	71.56%	79.64%
Previous Live Birth	Yes	15.02%	6.61%	4.32%	16.17%	17.44%	61.31%	9.97%	6.19%	2.49%	70.77%	78.39%
	No	17.46%	7.78%	3.03%	14.26%	22.13%	48.14%	8.05%	5.28%	2.36%	78.93%	84.53%
Education	Less Than 12 Years	7.75%	6.82%	2.77%	15.22%	26.72%	83.29%	16.51%	9.38%	4.66%	59.44%	68.70%
	12 Years	16.92%	9.44%	7.45%	20.61%	22.57%	81.34%	9.21%	10.72%	3.58%	67.97%	76.67%
	Greater Than 12 Years	18.74%	6.41%	2.69%	13.40%	16.04%	35.16%	7.21%	2.71%	1.37%	82.56%	87.02%

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2013 PRAMS: Q76C-Q78D									
	Percent Response Yes	Q76C ^{†††}	Q76D ^{†††}	Q77A	Q77B	Q78A ^{†††}	Q78B ^{†††}	Q78C ^{†††}	Q78D ^{†††}
Total	Yes	83.11%	81.70%	6.67%	8.42%	21.47%	11.94%	21.86%	30.87%
Age	Under 20 Years	89.28%	84.70%	13.48%	19.51%	20.56%	6.30%	19.58%	32.02%
	20-24 Years	83.46%	83.21%	4.51%	5.68%	23.46%	6.53%	16.34%	40.31%
	25-34 Years	83.30%	80.72%	7.69%	7.83%	20.18%	14.69%	22.83%	27.48%
	Over 34 Years	79.14%	81.76%	3.41%	10.71%	23.55%	12.65%	28.41%	27.71%
Ethnicity	White Non-Hispanic	90.72%	89.79%	5.66%	9.50%	21.19%	13.87%	23.52%	31.15%
	Black Non-Hispanic	74.36%	74.54%	6.09%	6.74%	24.82%	10.03%	18.40%	31.13%
	Hispanic	78.97%	71.01%	11.05%	8.43%	15.69%	9.40%	19.51%	29.40%
Married	Married	83.20%	81.37%	5.63%	7.30%	20.45%	15.37%	25.14%	25.96%
	Not Married	83.02%	82.04%	7.74%	9.57%	22.50%	8.43%	18.51%	35.89%
Previous Live Birth	Yes	80.72%	79.09%	5.43%	8.34%	22.74%	13.73%	19.03%	27.27%
	No	86.66%	85.59%	8.51%	8.54%	19.57%	9.28%	26.07%	36.21%
Education	Less Than 12 Years	77.22%	70.73%	9.95%	12.75%	27.46%	6.53%	13.45%	26.80%
	12 Years	80.95%	79.98%	5.26%	7.89%	21.49%	7.16%	18.79%	37.92%
	Greater Than 12 Years	85.89%	85.94%	6.27%	7.29%	19.22%	15.84%	26.26%	28.92%
	Lower 95% CI	Q76C	Q76D	Q77A	Q77B	Q78A	Q78B	Q78C	Q78D
Total	Yes	82.38%	80.95%	6.18%	7.88%	20.67%	11.31%	21.06%	29.97%
Age	Under 20 Years	86.83%	81.85%	10.77%	16.37%	17.35%	4.37%	16.43%	28.31%
	20-24 Years	81.98%	81.72%	3.69%	4.76%	21.78%	5.55%	14.87%	38.37%
	25-34 Years	82.33%	79.69%	6.99%	7.13%	19.13%	13.77%	21.74%	26.31%
	Over 34 Years	77.03%	79.76%	2.47%	9.11%	21.35%	10.92%	26.07%	25.39%
Ethnicity	White Non-Hispanic	89.95%	88.99%	5.05%	8.72%	20.11%	12.96%	22.39%	29.92%
	Black Non-Hispanic	72.69%	72.89%	5.18%	5.78%	23.17%	8.88%	16.93%	29.36%
	Hispanic	76.81%	68.60%	9.39%	6.95%	13.76%	7.85%	17.40%	26.98%
Married	Married	82.17%	80.31%	4.99%	6.59%	19.35%	14.38%	23.95%	24.76%
	Not Married	81.98%	80.98%	7.00%	8.75%	21.35%	7.66%	17.43%	34.56%
Previous Live Birth	Yes	79.73%	78.06%	4.86%	7.65%	21.69%	12.86%	18.04%	26.15%
	No	85.62%	84.51%	7.66%	7.68%	18.35%	8.39%	24.72%	34.73%
Education	Less Than 12 Years	75.31%	68.66%	8.58%	11.24%	25.43%	5.40%	11.89%	24.78%
	12 Years	79.43%	78.43%	4.40%	6.86%	19.91%	6.17%	17.28%	36.05%
	Greater Than 12 Years	84.98%	85.03%	5.63%	6.61%	18.19%	14.88%	25.11%	27.73%
	Upper 95% CI	Q76C	Q76D	Q77A	Q77B	Q78A	Q78B	Q78C	Q78D
Total	Yes	83.84%	82.46%	7.15%	8.96%	22.27%	12.57%	22.67%	31.77%
Age	Under 20 Years	91.74%	87.56%	16.19%	22.66%	23.77%	8.23%	22.73%	35.72%
	20-24 Years	84.93%	84.69%	5.34%	6.60%	25.14%	7.52%	17.80%	42.26%
	25-34 Years	84.27%	81.75%	8.38%	8.53%	21.22%	15.61%	23.92%	28.64%
	Over 34 Years	81.24%	83.76%	4.35%	12.31%	25.75%	14.37%	30.75%	30.03%
Ethnicity	White Non-Hispanic	91.49%	90.59%	6.28%	10.28%	22.28%	14.79%	24.64%	32.38%
	Black Non-Hispanic	76.02%	76.20%	7.00%	7.69%	26.46%	11.17%	19.88%	32.89%
	Hispanic	81.14%	73.42%	12.72%	9.91%	17.62%	10.96%	21.62%	31.82%
Married	Married	84.22%	82.44%	6.26%	8.01%	21.56%	16.36%	26.33%	27.16%
	Not Married	84.06%	83.11%	8.48%	10.38%	23.66%	9.19%	19.58%	37.22%
Previous Live Birth	Yes	81.71%	80.11%	6.00%	9.04%	23.80%	14.59%	20.02%	28.39%
	No	87.71%	86.67%	9.37%	9.39%	20.78%	10.17%	27.41%	37.68%
Education	Less Than 12 Years	79.13%	72.80%	11.31%	14.27%	29.49%	7.66%	15.00%	28.81%
	12 Years	82.46%	81.52%	6.12%	8.93%	23.07%	8.15%	20.29%	39.78%
	Greater Than 12 Years	86.80%	86.84%	6.90%	7.97%	20.25%	16.79%	27.41%	30.10%