

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS)

2017 Analysis

May 2020



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology



FORWARD CONSULTANTS

CONTACT INFORMATION

George Yocher

PRAMS Coordinator

Delaware Department of Health & Social Services, Division of Public Health

417 Federal Street, Jesse Cooper Building

Dover, DE 19901

302.744.4926 Office

302.739.6653 Fax

george.yocher@delaware.gov

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants

431 West 37th Street, Suite 9E

New York, NY 10018

414.687.4676 Direct Line

608.338.0426 Fax

vikrum@forward-consultants.com

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: “Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2017 Analysis. May 2020.”

Delaware PRAMS is made possible with assistance from CDC grant 5U01DP006239.

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

INTRODUCTION..... 4

METHODS 4

Choosing & Retooling the Questions for Analysis 5

Choosing Demographic Categories for Analysis..... 6

Putting the Questions & Demographic Categories Together for Analysis 7

RESULTS 9

Pregnancy Intention & Becoming Pregnant..... 10

 Pregnancy Intention 10

 Becoming Pregnant..... 10

Prenatal Care 11

 Starting Prenatal Care 11

 Access to Prenatal Care 11

 During Prenatal Care Visits 11

Infant Care 11

 Breastfeeding 12

 SIDS Prevention..... 12

 Infant Survival 12

Alcohol & Tobacco Use 13

 Alcohol Use 13

 Tobacco Use..... 13

Health Care Utilization..... 13

 HIV Testing 13

 Parenting Classes 14

 Physician Visits..... 14

 Dentist Visits..... 14

 Contraception..... 14

Health Status 15

 Before Becoming Pregnant..... 15

 During Most Recent Pregnancy 15

 Postpartum Depression 16

Health Coverage..... 16

 Before Becoming Pregnant..... 16

 Prenatal Care Payer..... 16

 During Most Recent Pregnancy 17

 During Delivery and Well-Baby Checkups 17

Social Support 17

DISCUSSION 17

GRAPHS..... 20

TABLES..... 143

APPENDIX A (RAW VARIABLE GRAPHS)..... 166

APPENDIX B (RAW VARIABLE TABLES)..... 231

TABLE OF FIGURES

BEFORE PREGNANCY

Q4: Before you got pregnant, did you have any other babies who were born alive?..... 20

Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? 21

Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? 22

Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? 22

Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? 23

Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history?..... 23

Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? 28

Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? 28

Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? 29

Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office? 29

Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control?..... 31

Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? 32

Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?..... 32

Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight?..... 33

Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure? 33

Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? 34

Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? 34

BEFORE PREGNANCY (Continued)

Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? 35

Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? 35

Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?..... 36

Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?..... 36

Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?..... 37

Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? 37

Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?..... 38

Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? 38

Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?..... 39

Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?..... 39

Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?..... 40

Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? 40

Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? 41

Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby?..... 41

Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?..... 42

BEFORE PREGNANCY (Continued)

Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?..... 42

Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner? 43

Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents? 43

Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Halth Insurance Marketplace or HealthCare.gov? 44

Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? 44

Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)? 45

Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program? 45

Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care? 46

Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? 46

Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. 55

Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. 55

Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. 56

Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future..... 57

Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn’t sure what I wanted..... 57

Q19: When you got pregnant with your new baby, were you trying to get pregnant? 58

Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? 58

Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one? 69

Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy? 70

Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy? 71

HEALTH RISKS BEFORE PREGNANCY

Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth? 20

Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?..... 20

Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes? 24

Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? 24

Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? 25

Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? 25

Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? 26

Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? 26

Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)? 27

Q8H: During the month before you got pregnant with your new baby, did you have anxiety? 27

Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition? 30

Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury? 30

Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? 31

Q35: Have you smoked any cigarettes in the past 2 years? 87

Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?..... 87

Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? 89

Q40B: Have you used hookah in the past 2 years? 90

Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years? 90

Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years? 91

Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 91

Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more? 92

Q43: Have you had any alcoholic drinks in the past 2 years? 92

Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?..... 93

HEALTH RISKS BEFORE PREGNANCY (Continued)

Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?..... 101

Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 101

Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?..... 102

Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth?..... 135

Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant? 136

Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant? 136

PRENATAL CARE

Q16A: During my most recent pregnancy, I did not go for prenatal care. 47

Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care..... 47

Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care. 48

Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care. 48

Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. 49

Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care..... 49

Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care..... 50

Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care. 50

Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care. 51

Q23: Did you get prenatal care as early in your pregnancy as you wanted? 59

Q24A: I couldn’t get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. 59

Q24B: I didn’t have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. 60

PRENATAL CARE (Continued)

Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted..... 60

Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 61

Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. 61

Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 62

Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted..... 62

Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 63

Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. 63

Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 64

Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. 64

Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? 65

Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? 65

Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 66

Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? 66

Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 67

Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? 67

Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?..... 68

Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?..... 68

Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? 68

Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?..... 69

PRENATAL CARE (Continued)

Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?..... 137

HEALTH RISKS DURING PREGNANCY

Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. 74

Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. 74

Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? 75

Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy?) 75

Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia?..... 76

Q32C: During your most recent pregnancy, did you have depression? 76

Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? 77

Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? 77

Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy? 78

Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy? 78

Q33E: Did you have a problem with the placenta (such as abruptio placentae or placenta previa) during your most recent pregnancy?..... 79

Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy?..... 79

Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 80

Q33H: Did you have to have a blood transfusion during your most recent pregnancy?..... 80

Q33I: Did you get hurt in a car accident during your most recent pregnancy? 81

Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?..... 81

Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes? 82

Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia? 82

Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea? 83

Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?..... 83

HEALTH RISKS DURING PREGNANCY (Continued)

Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis? 84

Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)? 84

Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis? 85

Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis? 85

Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? 86

Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? 86

Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?..... 88

Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home? 89

Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week? 93

Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 102

Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way? 103

Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way? 103

DELIVERY AND POSTPARTUM

Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now. 51

Q17B: I have private health insurance from my parents as my health insurance now. 52

Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now..... 52

Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now..... 53

Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now. 53

Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now..... 54

Q17G: I have TRICARE or other military health care as my health insurance now. 54

Q17H: I do not have health insurance now. 55

Q38: Do you currently smoke 11 or more cigarettes on average each day? 88

Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)?..... 104

DELIVERY AND POSTPARTUM (Continued)

Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days? 104

Q53: Is your baby alive now? 105

Q54: Is your baby living with you now? 105

Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? 109

Q57: Are you currently breastfeeding or feeding pumped milk to your new baby? 110

Q59: Do you most often lay your baby down on his or her back when he or she sleeps now? 110

Q60: Does your baby always or often sleep alone in his or her own crib or bed? 111

Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? 111

Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play? 112

Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed? 112

Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair? 113

Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? 113

Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? 114

Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket? 114

Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? 115

Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)? 115

Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep? 116

Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play? 116

Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room? 117

Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby? 117

Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born? 118

Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? 118

Q69: Since your new baby was born, have you had a postpartum checkup for yourself? 129

Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? 129

DELIVERY AND POSTPARTUM (Continued)

Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?..... 130

Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?..... 130

Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? 130

Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), Nuvaring®, or condoms? 131

Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?..... 131

Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? 132

Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? 132

Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?..... 133

Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? 134

Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless?..... 134

Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? 135

INTERCONCEPTION BEHAVIORS

Q66: Are you or your husband or partner doing anything now to keep from getting pregnant? 119

Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 119

Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 120

Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 120

Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 121

Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 121

Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.' 121

INTERCONCEPTION BEHAVIORS (Continued)

Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now..... 122

Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. 122

Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 123

Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 124

Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. 124

Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. 125

Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. 125

Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 126

Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 126

Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 127

Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 127

Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. 127

Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant..... 128

HEALTH PROMOTING BEHAVIORS

Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination? 71

Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? 72

Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy. 72

Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums..... 73

Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. 73

HEALTH PROMOTING BEHAVIORS (Continued)

Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor? 106

Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?..... 106

Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist? 107

Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider? 107

Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group?..... 107

Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline ortoll-free number? 108

Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?..... 109

Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems?..... 138

Q77D: During your most recent pregnancy, did you receive help to quit smoking? 139

Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home? 139

Q79A: During your most recent pregnancy, did you take any parenting classes? 142

Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? 142

SOCIOECONOMIC INDICATORS

Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? 94

Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? 94

Q46C: During the 12 months before your new baby was born, did you move to a new address? 95

Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter? 95

Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? 96

Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?..... 96

Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? 97

Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel? 97

Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual?..... 98

SOCIOECONOMIC INDICATORS (Continued)

Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? 98

Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? 99

Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail? 99

Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? 100

Q46N: During the 12 months before your new baby was born, did someone very close to you die? 100

Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food? 137

Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? 138

Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? 140

Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? 140

Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? 141

Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? 141

TABLE OF TABLES

Table 1. Questions Omitted from Analysis..... 5

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables..... 5

Table 3. Response Rates by Demographic Category 7

Table 4. Cross-Table of Respondents by Demographic Categories. 8

Table 5. χ^2 of Demographic Category Comparisons..... 8

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme..... 9

Table 7A. Percent Response Yes and Lower/Upper 95% CI, Q4-Q8C 143

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Q8D-Q11D 144

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Q11E-Q12H 145

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Q12I-Q14F 146

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Q14G-Q16A 147

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Q16B-Q17C 148

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Q17D-Q19 149

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Q20-Q24I 150

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Q24J-Q25I..... 151

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Q25J-Q30E 152

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Q31-Q33G..... 153

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Q33H-Q34I..... 154

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Q34J-Q40D 155

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Q41-Q46F..... 156

Table 7O. Percent Response Yes and Lower/Upper 95% CI, Q46G-Q47C..... 157

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Q48A-Q55D..... 158

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Q55E-Q62C 159

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Q62D-Q65 160

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Q66-Q68B 161

Table 7T. Percent Response Yes and Lower/Upper 95% CI, Q68C-Q70A 162

Table 7U. Percent Response Yes and Lower/Upper 95% CI, Q70B-Q72 163

Table 7V. Percent Response Yes and Lower/Upper 95% CI, Q74-Q78B 164

Table 7W. Percent Response Yes and Lower/Upper 95% CI, Q78C-Q79B 164

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2017 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives. The survey year of 2017 is part of the Phase 8 survey cycle, which started in 2016.

Methods

Delaware's 2017 PRAMS data was analyzed by using IBM SPSS, Microsoft Access, and Microsoft Excel. Out of 82 questions in the survey, 12 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 70 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 246 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2017 Delaware PRAMS-eligible population.

It is essential to note that the denominators used to generate the percentages throughout this report are based on how the entire PRAMS-eligible population would have responded to the question. Therefore, the denominators - in total and stratified by age, race/ethnicity, marital status, prior live birth, educational attainment - were the same for every response presented in the report. These denominators are given in Table 6. This way of reporting differs from the method used by the CDC, in which the inclusion (or exclusion) criteria specific to each question are used to calculate the percentages. This inclusion (or exclusion) criteria are based on the flow of the questions and responses in the PRAMS survey. For example, in the PRAMS survey, if the respondent answers "No" to question 19 ("When you got pregnant with your new baby, were you trying to get pregnant?"), then the survey prompts the respondent to proceed to question 20 ("When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?"). If the respondent answers "Yes" to question 19, then the respondent is prompted to skip question 20 and proceed to question 21. In this report, the entire PRAMS-eligible population (in total and stratified by the demographic categories listed above) was used for the denominators in the calculations to question 20, regardless of the

response given by the respondent to question 19. However, in the method used by the CDC, only those respondents who answered "No" to question 19 were included in the denominator calculation for question 20.

Results

The age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. In addition, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. Roughly one-seventh of Black non-Hispanic women did not want to be pregnant; this contrasts with approximately one-twentieth of White non-Hispanic women. A higher percentage of White non-Hispanic women wanted to be pregnant sooner as compared to Black non-Hispanic women. Moreover, approximately half of White non-Hispanic women tried to get pregnant at the time they became pregnant with their new baby as compared to a little under one-third of Black non-Hispanic women. In addition, White non-Hispanic women and women with a higher level of socioeconomic status (as compared to Black non-Hispanic women and women with a lower level of socioeconomic status) were more likely to report breastfeeding and laying their baby down on his or her back to sleep. However, generally speaking, the percentage of White non-Hispanic women consuming alcohol or using tobacco was higher than the percentage reported by Black non-Hispanic women and Hispanic women. As in previous PRAMS analyses, a comparatively high percentage of Hispanic women said that they did not have health insurance to help pay for prenatal care. Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

Conclusions

Overall, women who were married and who had more years of education had a greater level of social support as compared to non-married women and women with fewer years of education, respectively. Compared to Black non-Hispanics, White non-Hispanics generally report having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. As in previous PRAMS analyses, although Black non-Hispanic women (as compared to White non-Hispanic women) were more likely to report *having a discussion* with a health care provider about health promoting behaviors, such as breastfeeding, a higher percentage of White non-Hispanic women were likely to report *engaging* in these health promoting behaviors as compared to Black non-Hispanic women. Generally speaking, these, as

well as the other significant associations and contrasts, should be considered when designing and modifying programs and policies aimed at improving maternal and infant health. Finally, although no direct comparisons are provided in this report, it is worth noting that the results in the 2017 PRAMS analysis tended to be more favorable across all socio-demographic categories as compared to the results in the previous PRAMS analyses.

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.*

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.*

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress towards goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.*

This report offers a comprehensive snapshot of Delaware's 2017 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2017 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.* In order to reduce response bias, the CDC has set a benchmark rate of 55 percent as the PRAMS survey response rate. In 2017, Delaware surveyed 1,452 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 61.36 percent (891 women responding).

* Pregnancy Risk Assessment Monitoring System (PRAMS): Home. *What Is Prams?* Retrieved from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS, Microsoft Access, and Microsoft Excel.

Of the 82 questions in the 2017 survey, questions that provided data specific to the respondent or were too complex to derive meaningful results were omitted (Table 1).

Table 1. Questions Omitted from Analysis.

Question	Reason for Omission from Analysis
1, 2, 3, 21, 22, 49, 50, 58, 73, 81, and 82	Data Specific to Respondent
80	Too Complex to Derive Meaningful Results

Of the remaining 70 questions, 53 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 17 questions offered multi-response results (i.e., the respondent could answer only one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 12 requested six different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately, which ultimately brought the total number of binary questions examined from 53 to 227. To ease analysis and downstream comparisons, the 17 multi-response questions were retooled into binary responses as defined by Table 2.

Table 2. Multi-Response Questions Redefined as Binary Indicator Variables.[†]

	Response = “No”	Response = “Yes”	Response = “N/A” [‡]
Q9	1	2, 3, 4	
Q27	Segmented into two questions.		
Q36	4, 5, 6	1, 2, 3	7
Q37	6	1, 2, 3, 4, 5	7
Q38	4, 5, 6	1, 2, 3	7
Q39	1	2, 3	
Q41	3, 4, 5	1, 2	
Q42	3, 4, 5	1, 2	
Q44	4, 5, 6	1, 2, 3	7
Q45	6	1, 2, 3, 4, 5	7
Q52	1, 2	3, 4, 5, 7	6
Q59	1, 3	2	
Q60	3, 4, 5	1, 2	
Q64	1	2	3
Q71	3, 4, 5	1, 2	
Q72	3, 4, 5	1, 2	
Q75	Segmented into two questions.		

[†] Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

[‡] “N/A” responses refer to responses that cannot be categorized in a binary manner.

These 17 multi-response questions resulted in 19 additional binary questions, which brought the total number of questions under investigation to 246.

Finally, this analysis makes use of “non-RAW” variables. Of the 246 questions investigated, 129 comprised of variables that were transformed by the CDC from “RAW” to “non-RAW”. Note that prior to PRAMS Phase 7, mail questionnaire variables that the respondent should have skipped due to her answer to a previous question were given the value “skip” regardless of whether the respondent actually left the question blank or not. Beginning with Phase 7, questionnaire data was processed by a different data entry system, which allows the mail variables to take on values according to the actual answers in the questionnaire, even if the respondent did not follow the “skip” directions correctly. Because of this difference in coding, every original questionnaire variable in Phases 7 and 8 with the potential to be skipped were given the suffix “RAW”. Graphs of the 129 “RAW” variables are presented in Appendix A (pages 166 to 230) and the corresponding tables of the 129 “RAW” variables are given in Appendix B (pages 231 to 242). The results, graphs, and tables of the “non-RAW” variables are featured with the other variables (questions) in the body of this report.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age”, “Ethnicity”, “Married” [Marital Status], “Previous Live Birth”, and “Education”). These categories were then divided into subcategories (e.g., “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

A cross-table of the demographic category was created (Table 4 on page 8) and χ^2 tests were performed (Table 5 on page 8) to assess whether a significant relationship ($\alpha = 0.05$) exists between categories. Note that an analysis of “Age” on both “Married” and “Previous Live Birth” was not conducted given the relatively small counts in these cells.

Not surprisingly, “Age” was significantly associated with “Education” while “Married” was significantly associated with “Education”. In this population, significant associations occurred between “Ethnicity: Hispanic/White NH” and all other demographic categories. In addition, significant associations also took place between “Ethnicity: Black NH/White NH” and all other demographic categories except for “Previous Live Birth”. Based on the data and these results, White non-Hispanic respondents were generally more likely to be in older age groups, more likely to be married, and more likely to have more years of education completed as compared to both Black non-Hispanic and Hispanic respondents.

Table 3. Response Rates by Demographic Category, Delaware 2017 PRAMS.

Total		Respondents	Total	Percent Response
		891	1,452	61.36%
Age	Under 20 Years	31	65	47.69%
	20-24 Years	160	292	54.79%
	25-34 Years	552	861	64.11%
	Over 34 Years	148	234	63.25%
	Total	891	1,452	61.36%
Ethnicity	White Non-Hispanics	423	662	63.90%
	Black Non-Hispanics	236	420	56.19%
	Hispanic	174	274	63.50%
	Total [§]	833	1,356	61.43%
Married	Married	465	707	65.77%
	Not Married	423	741	57.09%
	Total ^{**}	888	1,448	61.33%
Previous Live Birth	Yes	557	896	62.17%
	No	334	556	60.07%
	Total	891	1,452	61.36%
Education	Less Than 12 Years	117	216	54.17%
	12 Years	263	437	60.18%
	Greater Than 12 Years	510	795	64.15%
	Total ^{**}	890	1,448	61.46%

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s entire 2017 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^{††} This methodology involved performing the following steps for each of the 246 binary questions and for each of the five demographic categories (“Age”, “Ethnicity”, “Married”, “Previous Live Birth”, and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *wtanal* in the 2017 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6 on page 9.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

[§] The “Ethnicity” totals were lower since only White non-Hispanics, Black non-Hispanics, and Hispanics were included. The number of respondents not in any one of these three categories was 58 (6.51%).

^{**} The “Married” and “Education” totals were slightly lower as data was not reported for certain respondents.

^{††} Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 4. Cross-Table of Respondents by Demographic Categories, Delaware 2017 PRAMS.

		Total	Race/Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	65	19	24	20	2	63	4	61	29	25	10
	20-24 Years	292	109	106	70	61	229	130	162	45	147	98
	25-34 Years	861	415	224	145	476	384	577	284	118	228	514
	Over 34 Years	234	119	66	39	168	65	185	49	24	37	173
Race/Ethnicity	White Non-Hispanic	662				409	252	403	259	56	162	444
	Black Non-Hispanic	420				119	298	262	158	52	173	191
	Hispanic	274				98	176	187	87	101	95	78
Married	Married	707						450	257	60	108	539
	Not Married	741						442	299	156	327	255
Previous Live Birth	Yes	896								158	278	457
	No	556								58	159	338
Education	Less Than 12 Years	216										
	12 Years	437										
	Greater Than 12	795										

Table 5. χ^2 of Demographic Category Comparisons, Delaware 2017 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	19.76 ^{††} (<i>S</i>)	22.18 ^{††} (<i>S</i>)	N/A	N/A	166.54 (<i>S</i>)
Ethnicity: Black NH			113.73 ^{††} (<i>S</i>)	0.25 ^{††} (<i>N/S</i>)	47.66 ^{††} (<i>S</i>)
Ethnicity: Hispanic			53.20 ^{††} (<i>S</i>)	4.52 ^{††} (<i>S</i>)	152.32 ^{††} (<i>S</i>)
Married			2.45 (<i>N/S</i>)		253.96 (<i>S</i>)
Previous Live Birth					18.63 (<i>S</i>)

^{††} The χ^2 results are the comparisons of either Black non-Hispanics or Hispanics and White non-Hispanics to a different demographic category.

Table 6. PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2017 PRAMS.

		Population of Births	Percent Response
Total		10,144	N/A
Age	Under 20 Years	345	3.40%
	20-24 Years	1,982	19.53%
	25-34 Years	6,151	60.64%
	Over 34 Years	1,666	16.42%
Ethnicity	White NH	345	3.40%
	Black NH	1,982	19.53%
	Hispanic	6,151	60.64%
Married	Married	5,325	52.56%
	Not Married	4,806	47.44%
Previous Live Birth	Yes	6,280	61.91%
	No	3,864	38.09%
Education	Less Than 12 Years	1,386	13.68%
	12 Years	2,849	28.13%
	Greater Than 12 Years	5,895	58.19%

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 20 to 142. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 143 to 165 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals.

RESULTS

The following are the notable results for the weighted averages among each demographic subcategory based on careful examination of the graphs and tables. In this report, a result was considered to be statistically significant if the 95 percent confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q4 (shown in the figure on page 20 and provided in the table on page 143), the 95 percent confidence interval for the percent of White non-Hispanics responding “Yes” (60.39 percent) did not overlap the 95 percent confidence interval for the percent of Hispanics responding “Yes” (64.73 percent). Accordingly, the difference in the average percentage of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small

cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2017 PRAMS-eligible population in Delaware. Finally, the results presented here center on racial and ethnic disparities in health outcomes, behaviors, and access, all of which are of particular interest to the State of Delaware and relevant stakeholders.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

As indicated by the results to Q18B, a significantly higher percentage of White non-Hispanics (14.60 percent) wanted to be pregnant *sooner* as compared to Black non-Hispanics (11.41 percent) and Hispanics (7.71 percent). However, as given in Q18A, a significantly lower percentage of White non-Hispanics (15.17 percent) wanted to be pregnant *later* as compared to Black non-Hispanics (21.44 percent) or Hispanics (24.55 percent). Furthermore, 50.09 percent of White non-Hispanics and 49.78 percent of Hispanics wanted to be pregnant then; this contrasts with 29.27 percent of Black non-Hispanics (Q18C). In addition, a significantly higher percentage of White non-Hispanics (61.72 percent) tried to get pregnant at the time they became pregnant with their new baby, which was significantly higher than both Black non-Hispanics (40.03 percent) and Hispanics (50.59 percent) as suggested in Q19. This also was the case for married women (70.01 percent) compared with non-married women (36.67 percent) and for older women and women with more years of education.

Note that 16.46 percent of White non-Hispanics claimed that they or their husband or partner were doing something to keep from getting pregnant (Q20), which was significantly lower than the corresponding percentages for Black non-Hispanics (23.61 percent) and Hispanics (24.91 percent).

Becoming Pregnant

A higher percentage of White non-Hispanic women (38.44 percent) stated that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about their desire to have or not have children as compared to 27.06 percent of Black non-Hispanic women and 26.36 percent of Hispanic women as shown in Q12D. Conversely, as given in Q12E, a lower percentage of White non-Hispanic women (29.98 percent) claimed that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about using birth control to prevent pregnancy as compared to Black non-Hispanic women (37.50 percent). Similarly, compared to Black non-Hispanic and Hispanic women, a higher percentage of White non-Hispanic women responded that a doctor, nurse, or other health care worker talked with them in the 12 months before getting pregnant about taking a vitamin with folic acid (Q12A), and about smoking cigarettes (Q12H)

Moreover, as given in Q14D, when asked if a doctor, nurse, or other health care worker talked with the respondent about getting counseling or treatment for depression or anxiety before getting pregnant with their new baby, a lower percentage of White non-Hispanic women (6.60 percent) and Black non-Hispanic women (6.75 percent) answered “Yes” as compared to Hispanic women (8.54 percent). Finally, a lower percentage of White non-Hispanic women stated that a doctor, nurse, or other health care worker talked with them about how smoking during pregnancy can affect their baby (Q14F: 12.70 percent), how drinking alcohol during pregnancy could affect their baby (Q14G: 14.65 percent), and how using illegal drugs during pregnancy could affect their baby (Q14H: 13.00 percent) as compared to Hispanic women (Q14F: 17.02 percent; Q14G: 17.02 percent; and Q14H: 16.46 percent).

Prenatal Care

Starting Prenatal Care

As shown in Q23, a higher percentage of White non-Hispanic (84.63 percent) and Black non-Hispanic (84.76 percent) women stated that they received prenatal care as early in their pregnancy as they wanted as compared to Hispanic women (77.04 percent). For the same question, the percentages reported among women who were married and who were in older age groups were significantly higher as compared to women who were not married and who were in younger age groups.

Access to Prenatal Care

A substantially higher percentage of Black non-Hispanic (4.08 percent) and Hispanic women (3.98 percent) compared to White non-Hispanic women stated that they did not have enough money or insurance to pay for prenatal care visits (Q24B). In addition, a higher percentage of Black non-Hispanic women (5.52 percent) and Hispanic women (3.81 percent) compared to White non-Hispanic women (1.09 percent) claimed that they had no way to get to the clinic or doctor’s office (Q24C). Furthermore, as presented in Q24H, a higher percentage of Black non-Hispanic women compared to White non-Hispanic and Hispanic women responded that they didn’t have anyone to take care of their children, which kept them from getting prenatal care when they wanted it. Similar results to Q24H occurred among women with fewer years of education (higher percentages reported) compared to women with more years of education (lower percentages reported). Compared to women in older age ranges, a higher percentage of women under age 20 years said that they didn’t know they were pregnant (Q24I) as a reason for why they could not get prenatal care when they wanted. Finally, when compared with White non-Hispanics (0.00 percent) and Black non-Hispanics (1.22 percent), a significantly higher percentage of Hispanics (2.98 percent) stated that they didn’t want prenatal care as a reason for why they didn’t get prenatal care when they would have wanted it (Q24K).

During Prenatal Care Visits

As provided in Q25F a significantly lower percentage of White non-Hispanics (76.91 percent) as compared to Black non-Hispanics (82.44 percent) and Hispanics (88.71 percent) claimed that a

doctor, nurse, or other health care worker asked them if they were feeling down or depressed during any of their prenatal care visits. Furthermore, a higher percentage of Hispanic women compared to White non-Hispanic and Black non-Hispanic women, answered “Yes” when asked whether or not a health care provider discussed the following: if someone was hurting them emotionally or physically (Q25E); if they were using drugs such as marijuana, cocaine, crack, or meth (Q25G); if they wanted to be tested for HIV (Q25H); if they planned to breastfeed their new baby (Q25I); and if they planned to use birth control after their new baby was born (Q25J).

Infant Care

Approximately one-seventh of White non-Hispanic women (14.02 percent) and Black non-Hispanic women (14.01 percent) responded that a home visitor came to their home to help them learn about how to take care of themselves or their new baby after their new baby was born (Q65). This was slightly higher than the reported percentage of Hispanics (11.74 percent).

Breastfeeding

As compared to Black non-Hispanics, a slightly higher percentage of White non-Hispanic and Hispanic respondents stated that they received information about breastfeeding from a nurse, midwife, or doula (Q55B) or a breastfeeding or lactation specialist (Q55C). In addition, compared to White non-Hispanic and Black non-Hispanic women, a higher percentage of Hispanic women reported that they received information about breastfeeding from a breastfeeding support group (Q55E) or a breastfeeding hotline or toll-free number (Q55F).

As suggested by the results to Q56A, a significantly higher percentage of White non-Hispanics (85.42 percent) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (76.17 percent). Note also that a higher percentage of women with more education, that were married, or were in older age groups claimed that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women with fewer years of education, that were non-married, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (Q57). In fact, only 39.58 percent of Black non-Hispanic women stated that they were currently breastfeeding or feeding pumped milk to their new baby as compared to 55.53 percent of White non-Hispanic women and 44.34 percent of Hispanic women.

SIDS Prevention

A significantly higher percentage of White non-Hispanics (84.58 percent) and Hispanics (80.54 percent) compared to Black non-Hispanics (65.77 percent) reported laying their baby down on his or her back when they sleep (Q59). Compared with non-married women and women with fewer years of education, married women and women with more years of education were more likely to lay their baby down on his or her back to sleep as well. In addition, a significantly higher percentage of White non-Hispanics (78.75 percent) reported that their baby always or

often sleeps alone in his or her own crib or bed as compared to the corresponding percentages reported by Black non-Hispanics (68.02 percent) and Hispanics (77.95 percent) as given in Q60.

Infant Survival

When women were asked whether or not their baby was alive at the time of the survey (Q53), a significantly lower percentage of women who were over age 34 years (94.28 percent) responded “Yes” as compared to women under age 20 years (100.00 percent). Furthermore, in Q54, a significantly lower percentage of women over age 34 years (92.16 percent) stated that their baby was living with them now as compared to women under age 20 years (98.76 percent).

Alcohol & Tobacco Use

Alcohol Use

Based on the results to Q43, a significantly higher percentage of White non-Hispanics (82.27 percent) answered that they had consumed at least one alcoholic drink in the past two years as compared to Black non-Hispanics (54.92 percent) and Hispanics (45.53 percent). In Q44, the percentage of White non-Hispanics claiming alcohol use and binge alcohol consumption in the three months prior to becoming pregnant was markedly higher than the percentage by the other race/ethnicity groups.

Tobacco Use

A significantly higher percentage of White non-Hispanics (22.51 percent) and Black non-Hispanics (27.26 percent) compared to Hispanics (14.00 percent) responded that they smoked in the past two years (Q35). When asked whether or not they smoked in the past two years, the percentage of non-married women responding “Yes” (31.50 percent) was triple that of married women (10.45 percent).

Note that the percentage of White non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was more than triple the percentage reported by Black non-Hispanic women (White non-Hispanics: 2.13 percent compared to Black non-Hispanics: 0.55 percent) as indicated in Q36. As indicated in Q38, non-married women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed.

Health Care Utilization

HIV Testing

As presented in Q12L, a significantly lower percentage of White non-Hispanic women (18.71 percent) stated that they had a test for HIV in the 12 months before they got pregnant as compared to Black non-Hispanic women (38.04 percent) or Hispanic women (24.99 percent).

Parenting Classes

As presented in Q79A, a higher percentage of Black non-Hispanic women (9.00 percent) stated that they took parenting classes as compared to 4.85 percent of White non-Hispanic women.

Physician Visits

As compared to both Black non-Hispanic and Hispanic women, a significantly higher percentage of White non-Hispanic women responded that they had a regular checkup with an OB/GYN (Q11B), a visit for an illness or chronic condition (Q11C), a visit for family planning or birth control (Q11E), or a visit ofr depression or anxiety (Q11F) in the 12 months before they got pregnant with their new baby.

Dentist Visits

Over half (51.34 percent) of White non-Hispanics claimed that they had a visit to have their teeth cleaned by a dentist or dental hygienist in the 12 month before they got pregnant with their new baby (Q11G); this contrasts with 29.57 percent of Black non-Hispanics and 26.56 percent of Hispanics. As presented in Q30A, 84.90 percent of respondents stated that they knew it was important to care for their teeth and gums during pregnancy. In addition, approximately half (46.44 percent) said that a dental or other health care worker talked with them about how to care for their teeth and gums (Q30B). For these two questions, the percentages reported by race/ethnicity, age, marital status, and educational attainment were roughly the same. As shown in Q29, however, a significantly higher percentage of White non-Hispanics (48.53 percent) claimed that they had their teeth cleaned by a dentist or dental hygienist during their most recent pregnancy as compared to Black non-Hispanics (28.61 percent) or Hispanics (41.82 percent). Furthermore, as indicated in Q30C, 68.52 percent of White non-Hispanics had insurance to cover dental care during their pregnancy, which was significantly higher than Black non-Hispanics (59.50 percent) and Hispanics (45.10 percent). Finally, a higher percentage of Black non-Hispanics (33.07 percent) *needed* to see a dentist for a problem, as compared to 13.21 percent of White non-Hispanics (Q30D).

Contraception

A significantly higher percentage of women under age 20 years (25.67 percent) said that they are now using an IUD (such as Mirena®, ParaGard®, Liletta®, or Skyla®) as compared to 9.86 percent of women over age 34 years (Q68G). In addition, a significantly higher percentage of Hispanic women (12.27 percent) compared to White non-Hispanic (2.98 percent) and Black non-Hispanic (6.10 percent) women stated that they are using a contraceptive implant in the arm (Nexplanon® or Implanon®) to keep from getting pregnant now (Q68H). Roughly two-fifths (39.16 percent) of all respondents reported that a doctor, nurse, or other health care worker gave or prescribed a contraceptive method such as the pill, shot (Depo-Provera®, NuvaRing®, or condoms (Q70E) while one-fifth (20.22 percent) said that a health care provider inserted an IUD or contraceptive implant at a postpartum checkup (Q70F).

Health Status

Before Becoming Pregnant

As compared to Black non-Hispanic women, White non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. In the responses to Q7B, 41.56 percent of White non-Hispanic women stated that they were exercising 3 or more days of the week for fitness outside of their regular jobs; this contrasts with 28.52 percent of Black non-Hispanic women and 34.11 percent of Hispanic women. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of White non-Hispanic women compared to Black non-Hispanic women reported regular use of prescription medicines other than birth control (Q7C) while a significantly higher percentage of Black non-Hispanic women compared to White non-Hispanic women reported being checked or treated for diabetes (Q7D).

Slightly more than half (52.38 percent) of White non-Hispanic women stated that they took a multivitamin or prenatal vitamin at least once a week during the month before they became pregnant with their new baby (Q9). This percentage was significantly higher than that reported by Black non-Hispanic women (31.78 percent) and Hispanic women (31.67 percent).

Note that the race/ethnicity categories differed in the reported presence of adverse health conditions in the three months before getting pregnant (Q8A-H). In Q8B, 12.10 percent of Black non-Hispanics stated they had high blood pressure or hypertension as compared to 3.04 percent of White non-Hispanics and 3.66 percent of Hispanics. Similar disparities, in which the percentages reported by Black non-Hispanics were higher than White non-Hispanics and Hispanics, were apparent for asthma (Q8D) and anemia (Q8E). Conversely, a higher percentage of White non-Hispanic women reported having thyroid problems (Q8F) and anxiety (Q8H) as compared to Black non-Hispanic women.

Finally, a higher percentage of Black non-Hispanic women (2.32 percent) and Hispanic women (3.55 percent) as compared to White non-Hispanic women (0.58 percent) stated that their husband or partner pushed, hit, slapped, kicked, choked, or physically hurt them before they got pregnant with their new baby (Q47A).

During Most Recent Pregnancy

In Q32A, 8.13 percent of White non-Hispanic women and 5.77 percent of Black non-Hispanic women reported that a doctor, nurse, or other health care worker told them that they had gestational diabetes (diabetes that started during this pregnancy); these percentages were lower than the percentage reported by Hispanic women (9.08 percent). A markedly high percentage (28.20 percent) of Black non-Hispanic women stated that they had a problem with severe nausea, vomiting, or dehydration during their most recent pregnancy; this contrasts with only 15.94 percent of White non-Hispanic women and 13.02 percent of Hispanic women (Q33C). Compared

to White non-Hispanic women and Hispanic women, a significantly higher percentage of Black non-Hispanic women also labor pains more than 3 weeks before their baby was due (Q33F).

Postpartum Depression

As given in Q71, a significantly higher percentage of non-married women (7.15 percent) stated that they always or often felt down, depressed, or sad since their new baby was born as compared with married women (5.42 percent). In Q72, roughly one-tenth (10.47 percent) of Black non-Hispanic women stated that they have always or often felt little interest or little pleasure in doing things since their new baby was born, which contrasts with 4.71 percent of Hispanic women.

Health Coverage

Before Becoming Pregnant

The race/ethnicity groups differed in their self-reported health insurance status prior to becoming pregnant. Compared to Black non-Hispanic (33.56 percent) and Hispanic (24.21 percent) women, a significantly higher percentage of White non-Hispanic women (54.46 percent) stated that they were covered by private insurance during the month before getting pregnant with their new baby (Q15A). Conversely, the percentage of Black non-Hispanic women who were covered by Medicaid during the month before they got pregnant with their new baby was more than double that of White non-Hispanic women (Black non-Hispanic: 58.17 percent; White non-Hispanic: 23.45 percent) as presented in Q15D. Finally, compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic women (13.47 percent) stated that they were covered by CHAP (Community Healthcare Access Program) during the month before they got pregnant with their new baby (Q15F); furthermore, a high percentage of Hispanic women (21.47 percent) claimed that they did not have any health insurance during the month before they became pregnant (Q15H).

Prenatal Care Payer

As provided in Q16E, a significantly higher percentage of Black non-Hispanic women (69.75 percent) said Medicaid paid for at least part of their prenatal care as compared to White non-Hispanic women (32.64 percent). Similar results occurred for younger women (85.31 percent of women under 20 years of age) as compared to older women (29.43 percent of women over 34 years of age), non-married women (78.73 percent) compared to married women (18.70 percent), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the Q16E results generally took place at each demographic category as shown in Q16B. Compared to the other race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Delaware Healthy Children Program (Q16F: 2.69 percent) or Community Healthcare Access Program (Q16G: 23.97 percent) helped pay for their prenatal care. As given in Q16I, a disproportionately high percentage of Hispanic women (4.06 percent) said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

According to Q77B, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women during their most recent pregnancy (Q77B). Similar results were reported among women with fewer years of education (76.57 percent) of women less than 12 years of education and 68.57 percent of women with 12 years of education) compared with women with more years of education (23.93 percent of women with over 12 years of education) and non-married women (70.27 percent) compared with married women (19.88 percent). A significantly higher percentage of Hispanic women (76.56 percent) were on WIC compared to Black non-Hispanics (62.22 percent), and in corresponding manner, a significantly lower percentage of White non-Hispanics (23.18 percent). Finally, a significantly higher percentage of Black non-Hispanics (60.82 percent) and Hispanics (43.19 percent) compared to White non-Hispanics (20.52 percent) reported that they were on food stamps or received money to buy food during their most recent pregnancy (Q77A).

During Delivery and Well-Baby Checkups

In Q17D, a significantly higher percentage of Black non-Hispanics (67.27 percent) stated that Medicaid is currently their health insurance as compared to White non-Hispanics (30.52 percent) and Hispanics (49.37 percent). Similar results occurred for non-married women (72.64 percent) compared to married women (14.99 percent) and younger age groups (86.55 percent of women under 20 years of age and 66.31 percent of women ages 20 to 24) compared to older age groups (37.25 percent of women ages 25 to 34 years and 23.67 percent of women over 34 years of age). The converse of these results was generally reported for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (Q17A) is currently their health insurance. Compared to the other two race/ethnicity groups, a relatively high percentage of Hispanic respondents said that the Community Healthcare Access Program (Q17F: 20.29 percent) is their current form of health insurance. Finally, an estimated 1 in 6 Hispanic women were reported as not having health insurance now (Q17H).

Across all socio-demographic categories assessed, approximately 7 out of 8 women reported having had a postpartum checkup since their new baby was born (Q69).

Social Support

A significantly higher percentage of White non-Hispanics (25.18 percent) and Black non-Hispanics (21.93 percent) claimed to have a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (13.56 percent) as given in Q46A. Furthermore, as shown in Q46D, a significantly higher percentage of Black non-Hispanics (5.56 percent) as compared to White non-Hispanics (1.09 percent) stated that they were homeless or had to sleep outside in a car or in a shelter at some point during the 12 months before their new baby was born. A significantly higher percentage of Black non-Hispanic women (34.41 percent) as compared to White non-Hispanic

women (22.12 percent) and Hispanic women (20.64 percent) stated that they had argued with their husband or partner more than usual during the 12 months before their baby was born (Q46I). Furthermore, as provided by Q46J, the percentage of Black non-Hispanic women who stated that their husband or partner said that they didn't want them to be pregnant (10.60 percent) was slightly more than double that of White non-Hispanics (5.12 percent). Moreover, a significantly higher percentage of White non-Hispanics (86.96 percent) compared to Black non-Hispanics (72.17 percent) or Hispanics (70.12 percent) stated that they would know someone who could loan them \$50 if they needed it (Q78A).

Finally, a higher percentage of women at lower education levels and non-married women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (Q46A-N and Q78A-D).

DISCUSSION

As consistently evidenced by the Results and alluded to in the Methods section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Overall, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the "Health Coverage" and "Social Support" sections of the Results) and health status (based on the measures in the "Health Status" section of the Results). According to the "Health Status" section of the Results, White non-Hispanics were frequently in significantly better health than Black non-Hispanics and Hispanics.

Generally speaking, the results from the 2017 PRAMS analysis tend to echo the results of the 2013, 2014, 2015, and 2016 PRAMS analyses. Black non-Hispanics, Hispanics, and non-married women generally reported greater utilization of parenting classes and said that a health care provider asked them about whether someone was hurting them emotionally or physically, if they were feeling down or depressed, and if they wanted to be tested for HIV during their pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women were less likely to have health insurance throughout the perinatal period (see "Prenatal Care" and "Health Coverage" sections of the Results). Future maternal and child health programs should take this growing ethnic population into greater consideration.

Like previous PRAMS analyses, some noteworthy discrepancies were uncovered in this analysis. As in prior years, although a higher percentage of Black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to White non-Hispanics, a significantly higher percentage of White non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to Black non-Hispanics (see "Infant Care" and "Prenatal Care" sections of the Results). This difference in prenatal discussion and


infant care practice may be a result of several different factors and should further be examined. In addition, the general lack of consistent statistical differences between women with no Previous Live Birth and a Previous Live Birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.

Besides serving as a standardized and widely-used survey, one of the most potent features of the PRAMS survey is that it offers maternal and child health officials a window into the self-reported thoughts and behaviors of perinatal women. Moreover, PRAMS allows researchers to examine whether differences in these thoughts and behaviors exist among various socio-demographic cohorts. For example, in this analysis, about half of Black non-Hispanic women reported being happy or very happy when they found out they were pregnant; this contrasts with three out of every four White non-Hispanic women. This result, combined with the reported disparities in socioeconomic supports between Black non-Hispanic and White non-Hispanic women, have been linked to the diverging perinatal outcomes between these two race/ethnicity categories. Overall, these differences in socio-demographic categories should be considered when tailoring programs and policies aimed at improving maternal and infant health at the state level.


Finally, although no direct comparisons are provided in this report, it is essential to note that the results in the 2017 PRAMS analysis tended to be more encouraging across all socio-demographic categories as compared to the results in the previous PRAMS analyses. This may suggest that maternal and infant health initiatives within the State of Delaware are demonstrating an effect on improving self-reported behaviors and outcomes.

GRAPHS

Q4: Before you got pregnant, did you have any other babies who were born alive?^{§§,*} (% “Yes”)**




Q5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?^{§§,*} (% “Yes”)**




^{§§} For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.

^{***} Indicates that at least one cell count used as a numerator for a percentage in this graph or table is less than 30.


Q6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?§§,* (% “Yes”)**




Q7A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)




Q7B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q7C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)




Q7D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked for diabetes? (% “Yes”)




Q7E: At any time during the 12 months before you got pregnant with your new baby, did you talk to a health care worker about your family medical history? (% “Yes”)




Q8A: During the 3 months before you got pregnant with your new baby, did you have Type 1 or Type 2 diabetes?* (% “Yes”)**




Q8B: During the 3 months before you got pregnant with your new baby, did you have high blood pressure or hypertension? (% “Yes”)




Q8C: During the 3 months before you got pregnant with your new baby, did you have depression? (% “Yes”)




Q8D: During the 3 months before you got pregnant with your new baby, did you have asthma? (% “Yes”)




Q8E: During the 3 months before you got pregnant with your new baby, did you have anemia? (% “Yes”)




Q8F: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? * (% “Yes”)**




Q8G: During the 3 months before you got pregnant with your new baby, did you have PCOS (polycystic ovarian syndrome)?* (% “Yes”)**




Q8H: During the month before you got pregnant with your new baby, did you have anxiety? (% “Yes”)




Q9: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin at least once a week? (% “Yes”)




Q10: In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? (% “Yes”)




Q11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor's office? (% "Yes")




Q11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN's office? (% "Yes")




Q11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* (% “Yes”)**




Q11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?* (% “Yes”)**




Q11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control? (% “Yes”)




Q11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? (% “Yes”)




Q11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid?* (% “Yes”)**




Q12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? (% “Yes”)




Q12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* (% “Yes”)**




Q12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children? (% “Yes”)




Q12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy? (% “Yes”)




Q12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy? (% “Yes”)




Q12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis? (% “Yes”)




Q12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed? (% “Yes”)




Q12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do? (% “Yes”)




Q12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)? (% “Yes”)




Q13: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? (% “Yes”)




Q14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?* (% “Yes”)**




Q14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy? (% “Yes”)




Q14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family? (% “Yes”)**




Q14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety? (% “Yes”)




Q14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy? (% “Yes”)




Q14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? (% “Yes”)




Q14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby? (% “Yes”)




Q14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby? (% “Yes”)




Q15A: During the month before you got pregnant with your new baby, were you covered by private health insurance from your job or the job of your husband or partner?* (% “Yes”)**




Q15B: During the month before you got pregnant with your new baby, were you covered by private health insurance from your parents?* (% “Yes”)**




Q15C: During the month before you got pregnant with your new baby, were you covered by private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov?* (% “Yes”)**




Q15D: During the month before you got pregnant with your new baby, were you covered by Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare)? (% “Yes”)




Q15E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP/SCHIP)?* (% “Yes”)**




Q15F: During the month before you got pregnant with your new baby, were you covered by CHAP – Community Healthcare Access Program?* (% “Yes”)**




Q15G: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military health care?* (% “Yes”)**




Q15H: During the month before you got pregnant with your new baby, did you not have any health insurance during the month before you got pregnant? (% “Yes”)




Q16A: During my most recent pregnancy, I did not go for prenatal care.* (% “Yes”)**




Q16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care.* (% “Yes”)**




Q16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care.* (% “Yes”)**




Q16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care.* (% “Yes”)**




Q16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care. (% “Yes”)




Q16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care. * (% “Yes”)**




Q16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care.* (% “Yes”)**




Q16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care.* (% “Yes”)**




Q16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care.* (% “Yes”)**




Q17A: I have private health insurance from my job or the job of my husband or partner as my health insurance now.* (% “Yes”)**




Q17B: I have private health insurance from my parents as my health insurance now.* (% “Yes”)**




Q17C: I have private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance now.* (% “Yes”)**




Q17D: I have Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance now. (% “Yes”)




Q17E: I have Delaware Health Children Program (DHCP/SCHIP) as my health insurance now.* (% “Yes”)**




Q17F: I have CHAP – Community Healthcare Access Program as my health insurance now.* (% “Yes”)**




Q17G: I have TRICARE or other military health care as my health insurance now.* (% “Yes”)**




Q17H: I do not have health insurance now.* (% “Yes”)**




Q18A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% “Yes”)




Q18B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner.* (% “Yes”)**




Q18C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% “Yes”)




Q18D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I did not want to be pregnant then or at any time in the future. (% “Yes”)




Q18E: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wasn't sure what I wanted. (% “Yes”)




Q19: When you got pregnant with your new baby, were you trying to get pregnant? (% “Yes”)




Q20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”)




Q23: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”)




Q24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted.* (% “Yes”)**




Q24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes")




Q24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**



Q24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.* (% "Yes")**




Q25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy? (% “Yes”)




Q25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication? (% “Yes”)




Q25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? (% “Yes”)



Q25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol? (% “Yes”)




Q25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?* (% “Yes”)**



Q25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?* (% “Yes”)**




Q25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?* (% “Yes”)**




Q25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?* (% “Yes”)**




Q25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby?* (% “Yes”)**




Q25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born?* (% “Yes”)**




Q26: During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?* (% “Yes”)**



Q27A: During the 12 months before the delivery of your new baby, did you get a flu shot before your pregnancy?* (% “Yes”)**




Q27B: During the 12 months before the delivery of your new baby, did you get a flu shot during your pregnancy?* (% “Yes”)**




Q28: During your most recent pregnancy, did you get a Tdap shot or vaccination?* (% “Yes”)**




Q29: During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?* (% “Yes”)**




Q30A: During my most recent pregnancy, I knew it was important to care for my teeth and gums during my pregnancy.* (% “Yes”)**




Q30B: During my most recent pregnancy, a dental or other health care worker talked with me about how to care for my teeth and gums. * (% “Yes”)**




Q30C: During my most recent pregnancy, I had insurance to cover dental care during my pregnancy. * (% “Yes”)**




Q30D: During my most recent pregnancy, I needed to see a dentist for a problem. (% “Yes”)




Q30E: During my most recent pregnancy, I went to a dentist or dental clinic about a problem. (% “Yes”)




Q31: During your most recent pregnancy, did a home visitor come to your home to help you prepare for your new baby? (% “Yes”)




Q32A: During your most recent pregnancy, did you have gestational diabetes (diabetes that started during this pregnancy?)* (% “Yes”)**




Q32B: During your most recent pregnancy, did you have high blood pressure (that started during this pregnancy), pre-eclampsia, or eclampsia? (% “Yes”)




Q32C: During your most recent pregnancy, did you have depression? (% “Yes”)




Q33A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”)




Q33B: Did you have a problem with kidney or bladder (urinary tract) infection (UTI) during your most recent pregnancy? (% “Yes”)




Q33C: Did you have a problem with severe nausea, vomiting, or dehydration that sent you to the doctor hospital during your most recent pregnancy? (% “Yes”)




Q33D: Did you have a problem with your cervix having to be sewn shut (cerclage for incompetent cervix) during your most recent pregnancy?* (% “Yes”)**




Q33E: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy?* (% “Yes”)**




Q33F: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”)




Q33G: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”)




Q33H: Did you have to have a blood transfusion during your most recent pregnancy?* (% “Yes”)**




Q33I: Did you get hurt in a car accident during your most recent pregnancy?* (% “Yes”)**




Q34A: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had genital warts?* (% “Yes”)**




Q34B: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had herpes?* (% “Yes”)**




Q34C: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had chlamydia?* (% “Yes”)**




Q34D: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had gonorrhea?* (% “Yes”)**




Q34E: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had pelvic inflammatory disease (PID)?* (% “Yes”)**




Q34F: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had syphilis?* (% “Yes”)**




Q34G: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had Group B Strep (Beta Strep)?* (% “Yes”)**




Q34H: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had bacterial vaginosis?* (% “Yes”)**




Q34I: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had trichomoniasis?* (% “Yes”)**




Q34J: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a yeast infection? (% “Yes”)




Q34K: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI)? (% “Yes”)




Q35: Have you smoked any cigarettes in the past 2 years? (% “Yes”)




Q36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* (% “Yes”)**




Q38: Do you currently smoke 11 or more cigarettes on average each day?* (% “Yes”)**




Q39: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?* (% “Yes”)**




Q40A: Have you used e-cigarettes or other electronic nicotine products in the past 2 years? (% “Yes”)




Q40B: Have you used hookah in the past 2 years?* (% “Yes”)**




Q40C: Have you used chewing tobacco, snuff, snus, or dip in the past 2 years?* (% “Yes”)**




Q40D: Have you used cigars, cigarillos, or little filtered cigars in the past 2 years?* (% “Yes”)**




Q41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* (% “Yes”)**




Q43: Have you had any alcoholic drinks in the past 2 years? (% “Yes”)




Q44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* (% “Yes”)**




Q45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* (% “Yes”)**




Q46A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”)




Q46B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner?* (% “Yes”)**




Q46C: During the 12 months before your new baby was born, did you move to a new address?
 (% “Yes”)




Q46D: During the 12 months before your new baby was born, were you homeless or had to sleep outside, in a car, or in a shelter?
 (% “Yes”)




Q46E: During the 12 months before your new baby was born, did your husband or partner lose his job? (% “Yes”)




Q46F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? (% “Yes”)




Q46G: During the 12 months before your new baby was born, did your husband, partner, or you have a cut in work hours or pay? (% “Yes”)




Q46H: During the 12 months before your new baby was born, were you apart from your husband or partner due to military deployment or extended work-related travel?* (% “Yes”)**




Q46I: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”)




Q46J: During the 12 months before your new baby was born, did your husband or partner say that he didn't want you to be pregnant? (% “Yes”)




Q46K: During the 12 months before your new baby was born, did you have problems paying the rent, mortgage, or other bills? (% “Yes”)




Q46L: During the 12 months before your new baby was born, did your husband, partner, or you go to jail?* (% “Yes”)**




Q46M: During the 12 months before your new baby was born, did someone close to you have a problem with drinking or drugs? (% “Yes”)




Q46N: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”)




Q47A: During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47B: During the 12 months before you got pregnant with your new baby, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q47C: During the 12 months before you got pregnant with your new baby, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48A: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48B: During your most recent pregnancy, did your ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q48C: During your most recent pregnancy, did someone else (other than your husband, partner, ex-husband, or ex-partner) push, hit, slap, kick, choke, or physically hurt you in any other way?* (% “Yes”)**




Q51: After your baby was delivered, was he or she put in an intensive care unit (NICU)?
 (% “Yes”)




Q52: After your baby was delivered, did he or she stay in the hospital for 3 or more days?
 (% “Yes”)




Q53: Is your baby alive now? (% “Yes”)




Q54: Is your baby living with you now? (% “Yes”)




Q55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor?* (% “Yes”)**



Q55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?* (% “Yes”)**




Q55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist?* (% “Yes”)**




Q55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider?* (% “Yes”)**




Q55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? (% “Yes”)




Q55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number?* (% “Yes”)**




Q55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?* (% “Yes”)**




Q56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?* (% “Yes”)**




Q57: Are you currently breastfeeding or feeding pumped milk to your new baby?* (% “Yes”)**




Q59: Do you most often lay your baby down on his or her back when he or she sleeps now?* (% “Yes”)**



Q60: Does your baby always or often sleep alone in his or her own crib or bed?* (% “Yes”)**




Q61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?* (% “Yes”)**




Q62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?* (% “Yes”)**




Q62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?* (% “Yes”)**




Q62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?*
(% “Yes”)**




Q62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing? (% “Yes”)




Q62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? (% “Yes”)




Q62F: In the past 2 weeks, did your new baby usually sleep with a blanket?* (% “Yes”)**




Q62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? (% “Yes”)




Q62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?* (% “Yes”)**




Q63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?* (% “Yes”)**




Q63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?* (% “Yes”)**




Q63C: Did a doctor, nurse, or other health care worker tell you to place your baby's crib or bed in your room?* (% "Yes")**




Q63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?* (% "Yes")**




Q64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?* (% “Yes”)**




Q65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby?* (% “Yes”)**



Q66: Are you or your husband or partner doing anything now to keep from getting pregnant?***
 (% “Yes”)




Q67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,*** (% “Yes”)




††† Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.
 Delaware Department of Health and Social Services, Division of Public Health


Q67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* (% “Yes”)**




Q67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* (% "Yes")**




Q67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* (% "Yes")**




Q67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††} (% “Yes”)




Q67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now.^{†††,*} (% “Yes”)**




Q68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.^{*} (% “Yes”)**




Q68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* (% “Yes”)**




Q68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant. (% “Yes”)




Q69: Since your new baby was born, have you had a postpartum checkup for yourself? (% “Yes”)



Q70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid? (% “Yes”)




Q70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy? (% “Yes”)




Q70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again? (% “Yes”)




Q70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth? (% “Yes”)




Q70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms? (% “Yes”)




Q70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)? (% “Yes”)




Q70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes? (% “Yes”)




Q70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically? (% “Yes”)




Q70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed? (% “Yes”)




Q70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes? (% “Yes”)




Q71: Since your new baby was born, have you always or often felt down, depressed, or hopeless? (% “Yes”)




Q72: Since your new baby was born, have you always or often felt little interest or little pleasure in doing things you usually enjoyed? (% “Yes”)




Q74: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death (baby died before being born), or stillbirth? (% “Yes”)




Q75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* (% “Yes”)**




Q75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* (% “Yes”)**




Q76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?* (% “Yes”)**




Q77A: During your most recent pregnancy, did you receive food stamps or money to buy food?* (% “Yes”)**




Q77B: During your most recent pregnancy, did you receive WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?* (% “Yes”)**




Q77C: During your most recent pregnancy, did you receive counseling for family and personal problems? (% “Yes”)




Q77D: During your most recent pregnancy, did you receive help to quite smoking? (% “Yes”)



Q77E: During your most recent pregnancy, did you receive help to reduce violence in your home?* (% “Yes”)**




Q78A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? (% “Yes”)




Q78B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”)




Q78C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor's office if you needed a ride? (% "Yes")




Q78D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% "Yes")



Q79A: During your most recent pregnancy, did you take any parenting classes?* (% “Yes”)**



Q79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)



TABLES

Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q4-Q8C												
	Percent Response Yes	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	61.37%	8.65%	7.80%	28.27%	36.03%	23.52%	21.54%	41.75%	2.36%	5.43%	12.81%
Age	Under 20 Years	8.14%	0.00%	0.00%	12.21%	29.03%	21.59%	26.90%	32.21%	4.07%	16.29%	26.90%
	20-24 Years	45.24%	9.96%	11.20%	20.43%	21.08%	15.78%	19.60%	33.78%	2.11%	6.24%	16.23%
	25-34 Years	65.23%	8.13%	7.38%	30.48%	38.96%	22.44%	21.39%	41.55%	1.91%	4.09%	11.60%
	Over 34 Years	77.31%	10.81%	6.89%	32.74%	44.43%	37.09%	23.28%	53.96%	4.00%	7.18%	10.30%
Ethnicity	White Non-Hispanic	60.39%	5.26%	5.07%	31.18%	41.56%	29.61%	14.98%	40.33%	1.70%	3.04%	16.31%
	Black Non-Hispanic	65.79%	13.25%	11.13%	32.60%	28.52%	19.08%	24.23%	40.51%	2.56%	12.10%	12.71%
	Hispanic	64.73%	9.76%	9.79%	19.58%	34.11%	14.54%	33.97%	47.92%	4.21%	3.66%	8.06%
Married	Married	61.71%	5.80%	4.70%	36.52%	42.60%	24.92%	17.77%	43.45%	2.02%	3.78%	8.99%
	Not Married	60.97%	11.83%	11.25%	19.20%	28.85%	21.85%	25.68%	39.90%	2.66%	7.28%	16.99%
Previous Live Birth	Yes	N/A	N/A	N/A	27.86%	36.41%	24.68%	23.40%	43.26%	2.63%	6.13%	14.03%
	No	N/A	N/A	N/A	28.94%	35.41%	21.63%	18.51%	39.30%	1.93%	4.30%	10.83%
Education	Less Than 12 Years	75.73%	17.49%	14.08%	13.06%	34.68%	12.80%	38.16%	46.27%	1.63%	3.08%	10.50%
	12 Years	63.22%	9.40%	12.39%	19.34%	24.73%	21.02%	29.54%	41.41%	4.23%	8.22%	20.71%
	Greater Than 12 Years	57.24%	6.23%	4.11%	36.23%	41.89%	27.30%	13.81%	40.96%	1.64%	4.65%	9.57%
	Lower 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	60.42%	8.10%	7.27%	27.39%	35.09%	22.69%	20.74%	40.79%	2.07%	4.99%	12.16%
Age	Under 20 Years	5.26%	0.00%	0.00%	8.76%	24.24%	17.25%	22.22%	27.28%	1.99%	12.39%	22.22%
	20-24 Years	43.04%	8.64%	9.81%	18.66%	19.28%	14.18%	17.85%	31.70%	1.48%	5.18%	14.60%
	25-34 Years	64.04%	7.44%	6.73%	29.33%	37.74%	21.40%	20.36%	40.32%	1.56%	3.59%	10.80%
	Over 34 Years	75.30%	9.32%	5.67%	30.48%	42.04%	34.77%	21.25%	51.57%	3.06%	5.94%	8.84%
Ethnicity	White Non-Hispanic	59.01%	4.63%	4.45%	29.87%	40.17%	28.32%	13.97%	38.94%	1.34%	2.55%	15.27%
	Black Non-Hispanic	63.95%	11.93%	9.91%	30.78%	26.77%	17.56%	22.57%	38.61%	1.94%	10.83%	11.42%
	Hispanic	62.68%	8.49%	8.51%	17.88%	32.08%	13.03%	31.95%	45.78%	3.35%	2.86%	6.90%
Married	Married	60.41%	5.17%	4.13%	35.23%	41.27%	23.76%	16.74%	42.12%	1.64%	3.26%	8.22%
	Not Married	59.59%	10.92%	10.35%	18.09%	27.57%	20.68%	24.44%	38.51%	2.21%	6.55%	15.93%
Previous Live Birth	Yes	N/A	N/A	N/A	26.75%	35.22%	23.61%	22.35%	42.04%	2.23%	5.54%	13.17%
	No	N/A	N/A	N/A	27.51%	33.90%	20.33%	17.28%	37.76%	1.50%	3.66%	9.85%
Education	Less Than 12 Years	73.47%	15.49%	12.25%	11.29%	32.17%	11.04%	35.60%	43.64%	0.96%	2.17%	8.88%
	12 Years	61.45%	8.33%	11.18%	17.89%	23.15%	19.53%	27.86%	39.60%	3.49%	7.22%	19.22%
	Greater Than 12 Years	55.98%	5.61%	3.61%	35.00%	40.63%	26.16%	12.93%	39.70%	1.31%	4.11%	8.82%
	Upper 95% CI	Q4	Q5	Q6	Q7A	Q7B	Q7C	Q7D	Q7E	Q8A	Q8B	Q8C
Total	Yes	62.31%	9.20%	8.32%	29.15%	36.96%	24.34%	22.34%	42.71%	2.66%	5.87%	13.46%
Age	Under 20 Years	11.03%	0.00%	0.00%	15.67%	33.82%	25.94%	31.58%	37.14%	6.16%	20.18%	31.58%
	20-24 Years	47.43%	11.28%	12.59%	22.21%	22.87%	17.39%	21.35%	35.87%	2.74%	7.31%	17.85%
	25-34 Years	66.42%	8.81%	8.04%	31.63%	40.18%	23.48%	22.41%	42.78%	2.25%	4.58%	12.40%
	Over 34 Years	79.32%	12.30%	8.10%	34.99%	46.81%	39.41%	25.31%	56.35%	4.94%	8.42%	11.76%
Ethnicity	White Non-Hispanic	61.78%	5.89%	5.69%	32.49%	42.96%	30.90%	15.98%	41.71%	2.07%	3.52%	17.36%
	Black Non-Hispanic	67.63%	14.56%	12.35%	34.41%	30.27%	20.60%	25.89%	42.41%	3.17%	13.36%	13.99%
	Hispanic	66.77%	11.03%	11.06%	21.28%	36.14%	16.05%	36.00%	50.06%	5.07%	4.47%	9.23%
Married	Married	63.02%	6.43%	5.27%	37.81%	43.92%	26.09%	18.79%	44.78%	2.40%	4.29%	9.76%
	Not Married	62.35%	12.75%	12.14%	20.32%	30.13%	23.02%	26.91%	41.28%	3.12%	8.02%	18.05%
Previous Live Birth	Yes	N/A	N/A	N/A	28.97%	37.60%	25.75%	24.44%	44.49%	3.02%	6.73%	14.89%
	No	N/A	N/A	N/A	30.37%	36.92%	22.93%	19.73%	40.84%	2.37%	4.93%	11.81%
Education	Less Than 12 Years	77.98%	19.49%	15.91%	14.83%	37.19%	14.56%	40.72%	48.89%	2.30%	3.99%	12.11%
	12 Years	65.00%	10.47%	13.60%	20.79%	26.32%	22.52%	31.21%	43.21%	4.97%	9.23%	22.20%
	Greater Than 12 Years	58.50%	6.85%	4.62%	37.46%	43.15%	28.44%	14.69%	42.22%	1.96%	5.18%	10.32%

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q8D-Q11D												
	Percent Response Yes	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	10.40%	14.76%	5.91%	4.45%	19.56%	42.91%	65.75%	37.14%	43.18%	14.58%	4.06%
Age	Under 20 Years	27.43%	9.38%	7.44%	8.14%	22.83%	17.52%	63.72%	51.50%	18.76%	5.31%	5.31%
	20-24 Years	11.64%	21.13%	1.90%	2.20%	18.43%	28.06%	59.87%	39.25%	39.14%	5.92%	4.52%
	25-34 Years	10.03%	13.74%	6.15%	4.20%	20.50%	45.69%	65.08%	33.72%	43.70%	15.34%	4.30%
	Over 34 Years	6.78%	12.06%	9.46%	7.26%	16.79%	55.58%	75.66%	44.29%	51.10%	23.97%	2.38%
Ethnicity	White Non-Hispanic	9.26%	8.85%	7.27%	4.72%	28.63%	52.38%	77.16%	39.59%	53.25%	22.80%	6.17%
	Black Non-Hispanic	14.81%	26.92%	0.72%	4.42%	15.09%	31.78%	59.91%	40.67%	38.19%	8.92%	1.93%
	Hispanic	10.17%	13.38%	5.87%	3.13%	8.07%	31.67%	47.96%	30.29%	29.82%	3.92%	3.13%
Married	Married	7.75%	10.32%	6.95%	6.11%	16.88%	57.17%	75.24%	39.01%	51.17%	19.15%	4.61%
	Not Married	13.37%	19.62%	4.77%	2.61%	22.50%	27.14%	55.24%	35.00%	34.17%	9.45%	3.46%
Previous Live Birth	Yes	9.56%	15.55%	5.20%	4.69%	20.92%	41.71%	64.72%	37.24%	42.33%	15.89%	4.10%
	No	11.76%	13.48%	7.05%	4.04%	17.36%	44.87%	67.43%	36.99%	44.56%	12.43%	4.00%
Education	Less Than 12 Years	10.41%	14.74%	3.48%	0.00%	16.64%	19.27%	32.69%	22.60%	13.59%	5.07%	0.31%
	12 Years	12.82%	21.49%	3.97%	4.15%	22.52%	29.94%	58.10%	39.62%	34.95%	7.57%	3.37%
	Greater Than 12 Years	9.25%	11.54%	7.43%	5.65%	18.87%	54.84%	77.38%	39.45%	54.22%	20.23%	5.29%
	Lower 95% CI	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	9.81%	14.07%	5.45%	4.04%	18.79%	41.95%	64.83%	36.20%	42.22%	13.89%	3.68%
Age	Under 20 Years	22.73%	6.30%	4.67%	5.26%	18.40%	13.51%	58.64%	46.23%	14.64%	2.94%	2.94%
	20-24 Years	10.23%	19.33%	1.29%	1.55%	16.72%	26.08%	57.71%	37.10%	36.99%	4.88%	3.61%
	25-34 Years	9.27%	12.88%	5.55%	3.70%	19.49%	44.45%	63.89%	32.54%	42.46%	14.44%	3.79%
	Over 34 Years	5.57%	10.50%	8.05%	6.01%	14.99%	53.19%	73.60%	41.90%	48.70%	21.92%	1.65%
Ethnicity	White Non-Hispanic	8.44%	8.04%	6.54%	4.12%	27.35%	50.97%	75.97%	38.20%	51.84%	21.62%	5.49%
	Black Non-Hispanic	13.43%	25.20%	0.39%	3.62%	13.70%	29.97%	58.01%	38.77%	36.31%	7.81%	1.40%
	Hispanic	8.87%	11.92%	4.86%	2.38%	6.90%	29.67%	45.82%	28.32%	27.86%	3.08%	2.38%
Married	Married	7.03%	9.50%	6.27%	5.47%	15.87%	55.84%	74.08%	37.70%	49.83%	18.09%	4.05%
	Not Married	12.40%	18.50%	4.17%	2.16%	21.32%	25.89%	53.84%	33.65%	32.83%	8.63%	2.94%
Previous Live Birth	Yes	8.84%	14.65%	4.65%	4.17%	19.91%	40.49%	63.54%	36.04%	41.11%	14.99%	3.61%
	No	10.75%	12.40%	6.24%	3.42%	16.17%	43.30%	65.95%	35.47%	42.99%	11.39%	3.38%
Education	Less Than 12 Years	8.80%	12.88%	2.52%	0.00%	14.68%	17.19%	30.22%	20.40%	11.78%	3.91%	0.02%
	12 Years	11.59%	19.98%	3.25%	3.41%	20.99%	28.26%	56.29%	37.83%	33.20%	6.59%	2.71%
	Greater Than 12 Years	8.51%	10.73%	6.76%	5.06%	17.87%	53.57%	76.32%	38.21%	52.95%	19.21%	4.72%
	Upper 95% CI	Q8D	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11A	Q11B	Q11C	Q11D
Total	Yes	10.99%	15.45%	6.37%	4.85%	20.34%	43.88%	66.68%	38.08%	44.14%	15.26%	4.45%
Age	Under 20 Years	32.14%	12.46%	10.20%	11.03%	27.26%	21.53%	68.79%	56.78%	22.88%	7.67%	7.67%
	20-24 Years	13.05%	22.92%	2.50%	2.85%	20.14%	30.04%	62.03%	41.40%	41.29%	6.96%	5.43%
	25-34 Years	10.78%	14.60%	6.75%	4.70%	21.51%	46.94%	66.27%	34.91%	44.94%	16.24%	4.81%
	Over 34 Years	7.99%	13.62%	10.86%	8.51%	18.58%	57.96%	77.72%	46.67%	53.50%	26.02%	3.12%
Ethnicity	White Non-Hispanic	10.08%	9.65%	8.01%	5.32%	29.91%	53.80%	78.34%	40.97%	54.66%	23.99%	6.85%
	Black Non-Hispanic	16.18%	28.64%	1.04%	5.21%	16.48%	33.58%	61.80%	42.58%	40.07%	10.02%	2.46%
	Hispanic	11.46%	14.84%	6.88%	3.87%	9.23%	33.66%	50.10%	32.26%	31.78%	4.75%	3.87%
Married	Married	8.47%	11.14%	7.63%	6.76%	17.88%	58.50%	76.40%	40.32%	52.51%	20.21%	5.18%
	Not Married	14.33%	20.75%	5.37%	3.06%	23.68%	28.40%	56.65%	36.35%	35.51%	10.28%	3.98%
Previous Live Birth	Yes	10.29%	16.44%	5.75%	5.22%	21.92%	42.93%	65.90%	38.43%	43.55%	16.80%	4.59%
	No	12.78%	14.55%	7.86%	4.66%	18.56%	46.44%	68.91%	38.51%	46.13%	13.47%	4.62%
Education	Less Than 12 Years	12.02%	16.61%	4.45%	0.00%	18.60%	21.35%	35.16%	24.80%	15.39%	6.22%	0.60%
	12 Years	14.05%	23.00%	4.68%	4.88%	24.06%	31.62%	59.91%	41.42%	36.70%	8.54%	4.03%
	Greater Than 12 Years	9.99%	12.36%	8.10%	6.24%	19.87%	56.11%	78.45%	40.70%	55.49%	21.26%	5.86%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q11E-Q12H												
	Percent Response Yes	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	10.01%	9.25%	39.16%	21.80%	26.66%	10.14%	31.82%	30.93%	21.70%	19.71%	51.88%
Age	Under 20 Years	10.62%	17.52%	38.76%	4.07%	26.90%	4.07%	18.76%	45.66%	10.62%	27.78%	55.57%
	20-24 Years	13.63%	6.64%	29.00%	11.50%	26.90%	9.25%	22.62%	42.11%	17.88%	27.56%	55.87%
	25-34 Years	9.46%	9.20%	37.98%	23.09%	24.54%	9.64%	32.06%	28.44%	21.35%	18.90%	49.74%
	Over 34 Years	7.59%	10.85%	55.69%	32.92%	34.13%	14.30%	44.58%	23.75%	29.84%	11.66%	54.25%
Ethnicity	White Non-Hispanic	12.10%	15.10%	51.34%	26.60%	26.07%	8.87%	38.44%	29.98%	22.35%	16.90%	58.40%
	Black Non-Hispanic	8.21%	4.51%	29.57%	16.91%	30.72%	13.28%	27.06%	37.50%	24.84%	23.79%	49.51%
	Hispanic	9.42%	3.65%	26.56%	16.20%	24.35%	10.32%	26.36%	32.45%	17.99%	23.74%	42.34%
Married	Married	11.25%	9.18%	51.30%	32.93%	29.37%	9.83%	43.87%	28.30%	27.75%	16.52%	56.77%
	Not Married	8.66%	9.27%	25.54%	9.43%	23.64%	10.41%	18.55%	33.75%	15.06%	23.11%	46.33%
Previous Live Birth	Yes	8.70%	9.65%	35.15%	19.65%	27.18%	11.58%	30.13%	31.89%	19.23%	17.57%	50.07%
	No	12.13%	8.62%	45.67%	25.29%	25.81%	7.79%	34.57%	29.36%	25.72%	23.17%	54.81%
Education	Less Than 12 Years	4.85%	3.66%	13.28%	8.90%	15.27%	9.75%	12.79%	24.14%	14.21%	20.78%	27.49%
	12 Years	6.36%	10.04%	26.27%	12.48%	26.32%	11.27%	20.96%	36.23%	16.03%	25.39%	50.43%
	Greater Than 12 Years	13.01%	10.21%	51.57%	29.38%	29.56%	9.70%	41.62%	30.04%	26.26%	16.75%	58.43%
	Lower 95% CI	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	9.42%	8.69%	38.21%	20.99%	25.80%	9.55%	30.91%	30.03%	20.90%	18.93%	50.90%
Age	Under 20 Years	7.37%	13.51%	33.62%	1.99%	22.22%	1.99%	14.64%	40.41%	7.37%	23.05%	50.33%
	20-24 Years	12.12%	5.54%	27.00%	10.10%	24.94%	7.97%	20.78%	39.93%	16.19%	25.59%	53.68%
	25-34 Years	8.73%	8.48%	36.77%	22.04%	23.47%	8.90%	30.89%	27.32%	20.32%	17.92%	48.49%
	Over 34 Years	6.32%	9.36%	53.30%	30.66%	31.86%	12.62%	42.19%	21.71%	27.64%	10.12%	51.86%
Ethnicity	White Non-Hispanic	11.18%	14.09%	49.93%	25.35%	24.83%	8.07%	37.06%	28.69%	21.18%	15.84%	57.01%
	Black Non-Hispanic	7.14%	3.70%	27.80%	15.46%	28.93%	11.97%	25.34%	35.62%	23.16%	22.14%	47.58%
	Hispanic	8.17%	2.85%	24.67%	14.62%	22.51%	9.02%	24.48%	30.45%	16.34%	21.92%	40.22%
Married	Married	10.40%	8.41%	49.96%	31.67%	28.15%	9.03%	42.54%	27.09%	26.55%	15.52%	55.44%
	Not Married	7.87%	8.45%	24.31%	8.60%	22.43%	9.55%	17.46%	32.41%	14.04%	21.92%	44.92%
Previous Live Birth	Yes	8.01%	8.92%	33.97%	18.67%	26.08%	10.79%	29.00%	30.74%	18.25%	16.63%	48.84%
	No	11.10%	7.73%	44.10%	23.92%	24.43%	6.94%	33.07%	27.93%	24.34%	21.84%	53.24%
Education	Less Than 12 Years	3.72%	2.67%	11.49%	7.40%	13.38%	8.19%	11.04%	21.89%	12.37%	18.65%	25.14%
	12 Years	5.46%	8.93%	24.66%	11.26%	24.70%	10.11%	19.47%	34.46%	14.68%	23.79%	48.60%
	Greater Than 12 Years	12.15%	9.44%	50.29%	28.22%	28.40%	8.95%	40.36%	28.87%	25.13%	15.80%	57.17%
	Upper 95% CI	Q11E	Q11F	Q11G	Q12A	Q12B	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H
Total	Yes	10.59%	9.82%	40.11%	22.60%	27.52%	10.73%	32.73%	31.83%	22.50%	20.48%	52.85%
Age	Under 20 Years	13.87%	21.53%	43.90%	6.16%	31.58%	6.16%	22.88%	50.92%	13.87%	32.51%	60.82%
	20-24 Years	15.14%	7.74%	31.00%	12.91%	28.85%	10.52%	24.46%	44.28%	19.57%	29.53%	58.05%
	25-34 Years	10.19%	9.92%	39.19%	24.15%	25.62%	10.38%	33.23%	29.57%	22.37%	19.88%	50.99%
	Over 34 Years	8.86%	12.34%	58.07%	35.18%	36.41%	15.98%	46.97%	25.80%	32.04%	13.20%	56.64%
Ethnicity	White Non-Hispanic	13.02%	16.11%	52.75%	27.85%	27.31%	9.67%	39.81%	31.28%	23.53%	17.96%	59.80%
	Black Non-Hispanic	9.27%	5.31%	31.34%	18.36%	32.50%	14.60%	28.78%	39.37%	26.51%	25.44%	51.45%
	Hispanic	10.67%	4.46%	28.45%	17.78%	26.19%	11.63%	28.25%	34.46%	19.63%	25.57%	44.46%
Married	Married	12.09%	9.96%	52.65%	34.19%	30.59%	10.63%	45.20%	29.51%	28.95%	17.52%	58.10%
	Not Married	9.46%	10.09%	26.78%	10.26%	24.84%	11.28%	19.65%	35.09%	16.07%	24.30%	47.74%
Previous Live Birth	Yes	9.40%	10.38%	36.33%	20.63%	28.28%	12.38%	31.27%	33.05%	20.20%	18.51%	51.31%
	No	13.16%	9.50%	47.24%	26.66%	27.19%	8.63%	36.07%	30.80%	27.10%	24.50%	56.38%
Education	Less Than 12 Years	5.98%	4.65%	15.06%	10.40%	17.17%	11.31%	14.55%	26.40%	16.04%	22.92%	29.84%
	12 Years	7.26%	11.14%	27.89%	13.69%	27.94%	12.43%	22.46%	37.99%	17.37%	26.99%	52.27%
	Greater Than 12 Years	13.87%	10.99%	52.84%	30.55%	30.73%	10.46%	42.88%	31.21%	27.38%	17.71%	59.69%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q12I-Q14F												
	Percent Response Yes	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	38.93%	37.83%	44.24%	24.98%	26.77%	12.20%	10.43%	9.59%	6.66%	13.26%	12.84%
Age	Under 20 Years	46.19%	46.19%	43.72%	33.45%	21.23%	7.78%	11.85%	5.31%	11.85%	17.16%	17.16%
	20-24 Years	47.82%	47.14%	41.91%	35.83%	16.07%	8.50%	7.05%	6.61%	8.37%	8.87%	10.98%
	25-34 Years	34.97%	33.95%	43.79%	20.82%	28.84%	13.88%	11.08%	9.89%	6.74%	14.34%	14.12%
	Over 34 Years	41.49%	39.37%	48.79%	25.70%	32.96%	11.29%	11.73%	12.91%	3.23%	13.71%	9.46%
Ethnicity	White Non-Hispanic	40.41%	39.46%	49.95%	18.71%	31.27%	12.66%	8.61%	9.13%	6.60%	14.25%	12.70%
	Black Non-Hispanic	39.53%	38.94%	43.12%	38.04%	21.57%	10.12%	11.47%	8.28%	6.75%	10.33%	11.21%
	Hispanic	39.42%	36.16%	35.57%	24.99%	22.91%	11.30%	11.03%	11.70%	8.54%	15.08%	17.02%
Married	Married	40.42%	37.20%	49.97%	19.44%	35.24%	15.32%	12.36%	11.96%	5.99%	16.17%	13.39%
	Not Married	37.12%	38.36%	37.74%	31.10%	17.28%	8.67%	8.31%	6.99%	7.41%	9.99%	12.09%
Previous Live Birth	Yes	40.12%	38.31%	43.30%	25.29%	23.80%	10.08%	8.67%	8.07%	6.66%	12.77%	12.42%
	No	37.01%	37.05%	45.77%	24.49%	31.59%	15.63%	13.28%	12.05%	6.65%	14.06%	13.52%
Education	Less Than 12 Years	24.98%	25.99%	24.67%	19.96%	21.27%	15.23%	10.94%	9.62%	10.89%	17.99%	19.24%
	12 Years	40.50%	42.42%	37.43%	36.63%	17.55%	7.92%	8.40%	5.67%	7.63%	10.08%	11.66%
	Greater Than 12 Years	41.55%	38.49%	52.24%	20.59%	32.58%	13.58%	11.31%	11.50%	5.21%	13.72%	11.94%
	Lower 95% CI	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	37.98%	36.89%	43.27%	24.14%	25.90%	11.56%	9.83%	9.02%	6.17%	12.60%	12.19%
Age	Under 20 Years	40.93%	40.93%	38.49%	28.47%	16.92%	4.96%	8.44%	2.94%	8.44%	13.18%	13.18%
	20-24 Years	45.62%	44.95%	39.74%	33.72%	14.46%	7.27%	5.92%	5.52%	7.16%	7.62%	9.60%
	25-34 Years	33.78%	32.76%	42.55%	19.80%	27.71%	13.02%	10.30%	9.14%	6.11%	13.46%	13.25%
	Over 34 Years	39.13%	37.02%	46.39%	23.60%	30.70%	9.77%	10.19%	11.30%	2.38%	12.06%	8.05%
Ethnicity	White Non-Hispanic	39.03%	38.08%	48.54%	17.61%	29.96%	11.72%	7.82%	8.32%	5.90%	13.26%	11.76%
	Black Non-Hispanic	37.64%	37.05%	41.21%	36.16%	19.98%	8.95%	10.24%	7.21%	5.78%	9.15%	9.99%
	Hispanic	37.32%	34.10%	33.52%	23.13%	21.11%	9.94%	9.68%	10.32%	7.34%	13.55%	15.41%
Married	Married	39.10%	35.91%	48.63%	18.38%	33.95%	14.36%	11.47%	11.09%	5.35%	15.18%	12.48%
	Not Married	35.76%	36.98%	36.37%	29.79%	16.21%	7.88%	7.53%	6.27%	6.67%	9.14%	11.17%
Previous Live Birth	Yes	38.90%	37.11%	42.07%	24.21%	22.75%	9.34%	7.97%	7.40%	6.04%	11.94%	11.61%
	No	35.48%	35.53%	44.20%	23.13%	30.12%	14.49%	12.21%	11.03%	5.86%	12.97%	12.45%
Education	Less Than 12 Years	22.70%	23.69%	22.40%	17.85%	19.11%	13.34%	9.30%	8.07%	9.25%	15.97%	17.16%
	12 Years	38.70%	40.60%	35.65%	34.86%	16.15%	6.93%	7.38%	4.82%	6.66%	8.98%	10.48%
	Greater Than 12 Years	40.29%	37.25%	50.96%	19.56%	31.38%	12.70%	10.50%	10.68%	4.64%	12.84%	11.11%
	Upper 95% CI	Q12I	Q12J	Q12K	Q12L	Q13	Q14A	Q14B	Q14C	Q14D	Q14E	Q14F
Total	Yes	39.88%	38.77%	45.21%	25.82%	27.63%	12.83%	11.02%	10.16%	7.14%	13.92%	13.49%
Age	Under 20 Years	51.45%	51.45%	48.95%	38.43%	25.55%	10.61%	15.27%	7.67%	15.27%	21.14%	21.14%
	20-24 Years	50.02%	49.34%	44.08%	37.95%	17.69%	9.73%	8.17%	7.71%	9.59%	10.12%	12.36%
	25-34 Years	36.16%	35.13%	45.03%	21.83%	29.98%	14.74%	11.86%	10.63%	7.37%	15.21%	14.99%
	Over 34 Years	43.86%	41.72%	51.19%	27.80%	35.22%	12.81%	13.28%	14.51%	4.08%	15.36%	10.86%
Ethnicity	White Non-Hispanic	41.80%	40.84%	51.36%	19.81%	32.58%	13.59%	9.40%	9.95%	7.30%	15.23%	13.64%
	Black Non-Hispanic	41.42%	40.83%	45.04%	39.92%	23.17%	11.29%	12.71%	9.34%	7.72%	11.51%	12.43%
	Hispanic	41.51%	38.22%	37.63%	26.84%	24.72%	12.65%	12.37%	13.07%	9.73%	16.62%	18.63%
Married	Married	41.73%	38.50%	51.31%	20.51%	36.52%	16.29%	13.24%	12.83%	6.63%	17.16%	14.30%
	Not Married	38.49%	39.73%	39.11%	32.41%	18.34%	9.47%	9.09%	7.71%	8.15%	10.83%	13.02%
Previous Live Birth	Yes	41.33%	39.51%	44.52%	26.36%	24.85%	10.83%	9.37%	8.74%	7.28%	13.59%	13.24%
	No	38.53%	38.58%	47.35%	25.85%	33.05%	16.78%	14.35%	13.08%	7.44%	15.16%	14.60%
Education	Less Than 12 Years	27.26%	28.30%	26.94%	22.06%	23.42%	17.12%	12.59%	11.17%	12.53%	20.02%	21.32%
	12 Years	42.30%	44.23%	39.21%	38.40%	18.94%	8.92%	9.42%	6.52%	8.60%	11.19%	12.84%
	Greater Than 12 Years	42.80%	39.73%	53.51%	21.63%	33.78%	14.45%	12.12%	12.31%	5.78%	14.59%	12.77%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q14G-Q16A												
	Percent Response Yes	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	13.95%	12.71%	44.70%	6.61%	2.35%	34.87%	1.71%	3.20%	3.25%	8.83%	1.04%
Age	Under 20 Years	17.16%	17.16%	0.00%	33.10%	0.00%	64.95%	1.24%	0.00%	4.07%	9.38%	0.00%
	20-24 Years	11.85%	11.63%	18.20%	19.45%	2.70%	54.56%	0.59%	2.91%	2.42%	9.82%	1.24%
	25-34 Years	15.61%	14.11%	50.83%	2.77%	2.13%	31.02%	1.88%	3.04%	3.42%	9.60%	1.24%
	Over 34 Years	9.64%	7.92%	62.87%	0.00%	3.23%	19.42%	2.53%	4.77%	3.41%	4.69%	0.26%
Ethnicity	White Non-Hispanic	14.65%	13.00%	54.46%	7.86%	2.85%	23.45%	0.29%	0.29%	4.84%	4.80%	0.62%
	Black Non-Hispanic	11.38%	10.59%	33.56%	6.27%	2.82%	58.17%	1.93%	1.10%	1.98%	6.73%	2.82%
	Hispanic	17.02%	16.46%	24.21%	5.59%	1.40%	41.91%	4.58%	13.47%	1.37%	21.47%	0.14%
Married	Married	15.17%	12.90%	67.77%	1.83%	2.24%	12.23%	0.87%	2.32%	5.92%	6.17%	0.64%
	Not Married	12.45%	12.45%	19.09%	11.92%	2.48%	59.95%	2.64%	4.18%	0.29%	11.81%	1.48%
Previous Live Birth	Yes	13.14%	11.90%	41.30%	3.63%	2.76%	41.65%	2.47%	4.75%	3.41%	8.16%	1.33%
	No	15.25%	14.03%	50.24%	11.45%	1.68%	23.84%	0.47%	0.66%	2.97%	9.92%	0.55%
Education	Less Than 12 Years	19.24%	19.24%	9.15%	2.34%	1.15%	57.51%	6.39%	16.64%	1.85%	23.20%	1.15%
	12 Years	12.37%	12.01%	16.89%	11.65%	1.73%	61.15%	1.20%	1.89%	1.61%	9.34%	1.36%
	Greater Than 12 Years	13.50%	11.55%	66.61%	5.19%	2.94%	16.93%	0.86%	0.67%	4.37%	4.99%	0.86%
	Lower 95% CI	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	13.27%	12.06%	43.73%	6.12%	2.06%	33.94%	1.46%	2.85%	2.90%	8.28%	0.84%
Age	Under 20 Years	13.18%	13.18%	0.00%	28.14%	0.00%	59.92%	0.07%	0.00%	1.99%	6.30%	0.00%
	20-24 Years	10.43%	10.22%	16.50%	17.71%	1.98%	52.36%	0.25%	2.17%	1.74%	8.51%	0.75%
	25-34 Years	14.70%	13.24%	49.58%	2.36%	1.77%	29.86%	1.54%	2.61%	2.97%	8.87%	0.96%
	Over 34 Years	8.22%	6.62%	60.55%	0.00%	2.38%	17.52%	1.78%	3.74%	2.54%	3.67%	0.01%
Ethnicity	White Non-Hispanic	13.65%	12.05%	53.05%	7.10%	2.38%	22.25%	0.14%	0.14%	4.23%	4.20%	0.40%
	Black Non-Hispanic	10.15%	9.40%	31.73%	5.33%	2.18%	56.26%	1.40%	0.69%	1.44%	5.76%	2.18%
	Hispanic	15.41%	14.87%	22.37%	4.60%	0.90%	39.79%	3.69%	12.01%	0.87%	19.71%	-0.02%
Married	Married	14.20%	12.00%	66.51%	1.47%	1.84%	11.35%	0.62%	1.91%	5.29%	5.52%	0.43%
	Not Married	11.52%	11.52%	17.97%	11.00%	2.04%	58.57%	2.19%	3.61%	0.14%	10.89%	1.14%
Previous Live Birth	Yes	12.31%	11.10%	40.08%	3.16%	2.36%	40.43%	2.09%	4.23%	2.97%	7.48%	1.05%
	No	14.12%	12.94%	48.66%	10.44%	1.28%	22.50%	0.26%	0.41%	2.44%	8.98%	0.32%
Education	Less Than 12 Years	17.16%	17.16%	7.63%	1.54%	0.59%	54.90%	5.10%	14.68%	1.14%	20.97%	0.59%
	12 Years	11.16%	10.81%	15.52%	10.47%	1.25%	59.36%	0.80%	1.39%	1.15%	8.27%	0.93%
	Greater Than 12 Years	12.62%	10.73%	65.41%	4.62%	2.51%	15.97%	0.62%	0.46%	3.85%	4.43%	0.62%
	Upper 95% CI	Q14G	Q14H	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q15G	Q15H	Q16A
Total	Yes	14.62%	13.36%	45.67%	7.09%	2.65%	35.80%	1.96%	3.54%	3.59%	9.38%	1.23%
Age	Under 20 Years	21.14%	21.14%	0.00%	38.07%	0.00%	69.99%	2.40%	0.00%	6.16%	12.46%	0.00%
	20-24 Years	13.27%	13.05%	19.89%	21.19%	3.41%	56.75%	0.92%	3.65%	3.09%	11.13%	1.73%
	25-34 Years	16.51%	14.98%	52.08%	3.18%	2.50%	32.18%	2.22%	3.47%	3.88%	10.34%	1.52%
	Over 34 Years	11.06%	9.21%	65.19%	0.00%	4.08%	21.32%	3.28%	5.79%	4.28%	5.71%	0.50%
Ethnicity	White Non-Hispanic	15.65%	13.95%	55.87%	8.62%	3.32%	24.64%	0.44%	0.44%	5.45%	5.40%	0.84%
	Black Non-Hispanic	12.61%	11.78%	35.38%	7.21%	3.46%	60.08%	2.46%	1.50%	2.52%	7.70%	3.46%
	Hispanic	18.63%	18.05%	26.04%	6.57%	1.90%	44.02%	5.48%	14.94%	1.87%	23.23%	0.31%
Married	Married	16.13%	13.80%	69.02%	2.19%	2.63%	13.11%	1.12%	2.72%	6.56%	6.81%	0.86%
	Not Married	13.39%	13.39%	20.20%	12.83%	2.92%	61.34%	3.10%	4.74%	0.45%	12.72%	1.82%
Previous Live Birth	Yes	13.98%	12.70%	42.51%	4.09%	3.17%	42.87%	2.85%	5.28%	3.86%	8.84%	1.62%
	No	16.38%	15.13%	51.81%	12.45%	2.09%	25.19%	0.69%	0.92%	3.51%	10.86%	0.79%
Education	Less Than 12 Years	21.32%	21.32%	10.66%	3.13%	1.71%	60.11%	7.68%	18.60%	2.56%	25.42%	1.71%
	12 Years	13.58%	13.20%	18.27%	12.83%	2.20%	62.94%	1.60%	2.39%	2.08%	10.41%	1.78%
	Greater Than 12 Years	14.37%	12.36%	67.81%	5.75%	3.37%	17.88%	1.10%	0.88%	4.89%	5.55%	1.10%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q16B-Q17C												
	Percent Response Yes	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	44.32%	5.49%	2.19%	47.25%	1.23%	5.40%	3.38%	1.92%	42.71%	3.95%	1.45%
Age	Under 20 Years	0.00%	29.03%	0.00%	85.31%	1.24%	0.00%	4.07%	0.00%	0.00%	24.96%	0.00%
	20-24 Years	18.50%	15.16%	2.11%	71.01%	0.00%	5.53%	3.94%	1.74%	16.74%	12.24%	1.90%
	25-34 Years	50.28%	2.54%	1.84%	42.28%	1.28%	5.15%	3.38%	2.42%	48.27%	1.17%	1.07%
	Over 34 Years	62.21%	0.00%	4.07%	29.43%	2.53%	7.30%	2.57%	0.70%	61.95%	0.00%	2.64%
Ethnicity	White Non-Hispanic	57.92%	7.26%	2.31%	32.64%	0.29%	0.29%	4.91%	1.31%	56.83%	5.20%	1.49%
	Black Non-Hispanic	28.29%	4.50%	3.20%	69.75%	1.60%	0.72%	1.81%	0.17%	26.52%	2.73%	1.72%
	Hispanic	21.01%	3.73%	1.40%	65.62%	2.69%	23.97%	2.08%	4.06%	18.41%	3.18%	0.29%
Married	Married	69.16%	1.55%	2.47%	18.70%	0.79%	2.79%	5.96%	2.55%	67.77%	0.92%	1.40%
	Not Married	16.83%	9.87%	1.90%	78.73%	1.73%	8.32%	0.53%	1.24%	15.07%	7.32%	1.52%
Previous Live Birth	Yes	39.55%	3.08%	2.35%	52.50%	1.70%	6.69%	3.65%	1.91%	37.93%	1.96%	1.17%
	No	52.08%	9.41%	1.94%	38.70%	0.47%	3.31%	2.95%	1.95%	50.50%	7.19%	1.92%
Education	Less Than 12 Years	3.23%	3.35%	2.16%	74.89%	5.07%	25.19%	2.69%	6.57%	2.39%	1.32%	0.00%
	12 Years	16.05%	9.41%	1.96%	77.80%	0.30%	5.10%	2.11%	1.59%	14.01%	8.59%	1.47%
	Greater Than 12 Years	67.75%	4.11%	2.32%	25.85%	0.79%	0.91%	4.17%	1.00%	66.17%	2.34%	1.79%
	Lower 95% CI	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	43.36%	5.05%	1.91%	46.27%	1.02%	4.96%	3.03%	1.66%	41.75%	3.57%	1.22%
Age	Under 20 Years	0.00%	24.24%	0.00%	81.58%	0.07%	0.00%	1.99%	0.00%	0.00%	20.39%	0.00%
	20-24 Years	16.79%	13.58%	1.48%	69.01%	0.00%	4.52%	3.09%	1.17%	15.09%	10.80%	1.29%
	25-34 Years	49.03%	2.15%	1.50%	41.05%	1.00%	4.60%	2.93%	2.04%	47.02%	0.90%	0.81%
	Over 34 Years	59.88%	0.00%	3.12%	27.24%	1.78%	6.05%	1.81%	0.30%	59.62%	0.00%	1.87%
Ethnicity	White Non-Hispanic	56.52%	6.53%	1.89%	31.31%	0.14%	0.14%	4.30%	0.99%	55.43%	4.57%	1.15%
	Black Non-Hispanic	26.54%	3.70%	2.52%	67.97%	1.11%	0.39%	1.30%	0.01%	24.81%	2.10%	1.22%
	Hispanic	19.27%	2.92%	0.90%	63.58%	1.99%	22.14%	1.47%	3.22%	16.75%	2.43%	0.06%
Married	Married	67.92%	1.22%	2.05%	17.66%	0.55%	2.35%	5.33%	2.13%	66.51%	0.66%	1.08%
	Not Married	15.78%	9.03%	1.51%	77.58%	1.36%	7.54%	0.33%	0.92%	14.06%	6.59%	1.17%
Previous Live Birth	Yes	38.34%	2.65%	1.98%	51.27%	1.38%	6.07%	3.19%	1.57%	36.73%	1.62%	0.90%
	No	50.50%	8.49%	1.50%	37.17%	0.26%	2.75%	2.41%	1.51%	48.92%	6.37%	1.49%
Education	Less Than 12 Years	2.30%	2.40%	1.39%	72.60%	3.91%	22.91%	1.84%	5.26%	1.59%	0.72%	0.00%
	12 Years	14.70%	8.34%	1.45%	76.28%	0.10%	4.29%	1.58%	1.13%	12.74%	7.56%	1.03%
	Greater Than 12 Years	66.56%	3.61%	1.94%	24.73%	0.56%	0.67%	3.66%	0.74%	64.96%	1.95%	1.45%
	Upper 95% CI	Q16B	Q16C	Q16D	Q16E	Q16F	Q16G	Q16H	Q16I	Q17A	Q17B	Q17C
Total	Yes	45.29%	5.93%	2.48%	48.22%	1.45%	5.84%	3.73%	2.19%	43.68%	4.33%	1.69%
Age	Under 20 Years	0.00%	33.82%	0.00%	89.05%	2.40%	0.00%	6.16%	0.00%	0.00%	29.53%	0.00%
	20-24 Years	20.21%	16.74%	2.74%	73.01%	0.00%	6.53%	4.80%	2.32%	18.38%	13.69%	2.50%
	25-34 Years	51.53%	2.94%	2.17%	43.52%	1.56%	5.71%	3.84%	2.81%	49.52%	1.44%	1.33%
	Over 34 Years	64.54%	0.00%	5.02%	31.62%	3.28%	8.55%	3.32%	1.10%	64.29%	0.00%	3.41%
Ethnicity	White Non-Hispanic	59.31%	8.00%	2.74%	33.96%	0.44%	0.44%	5.52%	1.63%	58.23%	5.83%	1.83%
	Black Non-Hispanic	30.03%	5.30%	3.88%	71.53%	2.08%	1.04%	2.33%	0.32%	28.23%	3.36%	2.23%
	Hispanic	22.76%	4.55%	1.90%	67.65%	3.38%	25.80%	2.69%	4.91%	20.07%	3.93%	0.52%
Married	Married	70.40%	1.88%	2.88%	19.75%	1.03%	3.23%	6.60%	2.97%	69.02%	1.17%	1.71%
	Not Married	17.89%	10.71%	2.29%	79.89%	2.10%	9.10%	0.74%	1.55%	16.08%	8.06%	1.86%
Previous Live Birth	Yes	40.76%	3.51%	2.73%	53.74%	2.02%	7.31%	4.11%	2.25%	39.13%	2.30%	1.43%
	No	53.65%	10.33%	2.37%	40.24%	0.69%	3.88%	3.48%	2.38%	52.07%	8.00%	2.35%
Education	Less Than 12 Years	4.16%	4.30%	2.93%	77.17%	6.22%	27.48%	3.54%	7.87%	3.20%	1.92%	0.00%
	12 Years	17.40%	10.48%	2.47%	79.33%	0.50%	5.91%	2.63%	2.05%	15.29%	9.62%	1.91%
	Greater Than 12 Years	68.95%	4.62%	2.71%	26.97%	1.01%	1.15%	4.68%	1.25%	67.38%	2.72%	2.13%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q17D-Q19												
	Percent Response Yes	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	42.37%	1.38%	4.19%	3.33%	5.28%	19.02%	12.54%	44.49%	7.31%	15.65%	54.21%
Age	Under 20 Years	86.55%	0.00%	0.00%	4.07%	4.07%	49.03%	0.00%	22.83%	17.52%	10.62%	17.52%
	20-24 Years	66.31%	0.00%	4.81%	3.94%	5.97%	28.75%	8.86%	33.04%	10.44%	17.44%	43.35%
	25-34 Years	37.25%	1.17%	3.61%	3.08%	5.70%	16.93%	12.41%	49.74%	4.64%	15.59%	58.64%
	Over 34 Years	23.67%	4.07%	6.45%	3.41%	3.15%	8.94%	20.01%	43.22%	11.36%	14.77%	58.36%
Ethnicity	White Non-Hispanic	30.52%	1.07%	0.00%	4.91%	2.16%	15.17%	14.60%	50.09%	4.77%	14.71%	61.72%
	Black Non-Hispanic	67.27%	0.72%	0.00%	1.81%	2.65%	21.44%	11.41%	29.27%	15.10%	21.78%	40.03%
	Hispanic	49.37%	2.01%	20.29%	1.84%	15.88%	24.55%	7.71%	49.78%	5.03%	11.55%	50.59%
Married	Married	14.99%	1.23%	2.44%	6.09%	5.18%	13.21%	17.57%	55.27%	3.96%	9.29%	70.01%
	Not Married	72.64%	1.55%	6.13%	0.29%	5.31%	25.42%	7.01%	32.49%	11.05%	22.73%	36.67%
Previous Live Birth	Yes	45.85%	2.00%	5.39%	3.35%	6.54%	17.87%	11.35%	42.01%	9.09%	18.36%	50.61%
	No	36.71%	0.36%	2.22%	3.31%	3.22%	20.88%	14.49%	48.53%	4.42%	11.24%	60.05%
Education	Less Than 12 Years	59.67%	4.06%	20.29%	1.32%	18.70%	18.70%	7.34%	43.86%	9.15%	18.09%	44.54%
	12 Years	71.29%	0.64%	4.63%	1.61%	5.93%	21.38%	7.40%	36.02%	10.82%	23.66%	39.88%
	Greater Than 12 Years	24.19%	1.11%	0.20%	4.65%	1.82%	18.00%	16.29%	48.84%	5.20%	11.00%	63.54%
	Lower 95% CI	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	41.41%	1.15%	3.80%	2.98%	4.84%	18.25%	11.90%	43.53%	6.81%	14.94%	53.24%
Age	Under 20 Years	82.95%	0.00%	0.00%	1.99%	1.99%	43.75%	0.00%	18.40%	13.51%	7.37%	13.51%
	20-24 Years	64.23%	0.00%	3.87%	3.09%	4.92%	26.76%	7.61%	30.96%	9.10%	15.77%	41.17%
	25-34 Years	36.04%	0.90%	3.14%	2.65%	5.12%	15.99%	11.59%	48.50%	4.11%	14.68%	57.41%
	Over 34 Years	21.63%	3.12%	5.27%	2.54%	2.31%	7.57%	18.09%	40.84%	9.84%	13.07%	55.99%
Ethnicity	White Non-Hispanic	29.22%	0.78%	0.00%	4.30%	1.75%	14.16%	13.61%	48.68%	4.17%	13.71%	60.35%
	Black Non-Hispanic	65.45%	0.39%	0.00%	1.30%	2.03%	19.85%	10.18%	27.51%	13.71%	20.18%	38.13%
	Hispanic	47.22%	1.41%	18.56%	1.27%	14.31%	22.70%	6.57%	47.64%	4.10%	10.18%	48.45%
Married	Married	14.03%	0.93%	2.03%	5.45%	4.58%	12.30%	16.55%	53.94%	3.43%	8.51%	68.78%
	Not Married	71.38%	1.20%	5.45%	0.14%	4.68%	24.19%	6.29%	31.17%	10.17%	21.54%	35.31%
Previous Live Birth	Yes	44.62%	1.66%	4.84%	2.90%	5.93%	16.93%	10.57%	40.79%	8.38%	17.40%	49.38%
	No	35.19%	0.17%	1.76%	2.75%	2.66%	19.60%	13.38%	46.96%	3.78%	10.24%	58.51%
Education	Less Than 12 Years	57.08%	3.02%	18.17%	0.72%	16.65%	16.65%	5.97%	41.24%	7.63%	16.06%	41.93%
	12 Years	69.63%	0.35%	3.85%	1.15%	5.06%	19.88%	6.44%	34.26%	9.68%	22.10%	38.09%
	Greater Than 12 Years	23.10%	0.84%	0.08%	4.11%	1.48%	17.02%	15.34%	47.57%	4.64%	10.20%	62.31%
	Upper 95% CI	Q17D	Q17E	Q17F	Q17G	Q17H	Q18A	Q18B	Q18C	Q18D	Q18E	Q19
Total	Yes	43.33%	1.61%	4.58%	3.68%	5.71%	19.78%	13.19%	45.46%	7.82%	16.35%	55.18%
Age	Under 20 Years	90.15%	0.00%	0.00%	6.16%	6.16%	54.30%	0.00%	27.26%	21.53%	13.87%	21.53%
	20-24 Years	68.39%	0.00%	5.75%	4.80%	7.01%	30.75%	10.12%	35.11%	11.79%	19.12%	45.53%
	25-34 Years	38.45%	1.44%	4.07%	3.51%	6.28%	17.86%	13.24%	50.99%	5.16%	16.49%	59.87%
	Over 34 Years	25.71%	5.02%	7.63%	4.28%	3.99%	10.32%	21.94%	45.60%	12.89%	16.47%	60.73%
Ethnicity	White Non-Hispanic	31.82%	1.36%	0.00%	5.52%	2.57%	16.19%	15.60%	51.50%	5.37%	15.71%	63.10%
	Black Non-Hispanic	69.08%	1.04%	0.00%	2.33%	3.27%	23.03%	12.64%	31.03%	16.48%	23.37%	41.93%
	Hispanic	51.51%	2.62%	22.01%	2.42%	17.45%	26.39%	8.86%	51.92%	5.97%	12.92%	52.73%
Married	Married	15.95%	1.52%	2.86%	6.73%	5.78%	14.12%	18.59%	56.61%	4.48%	10.07%	71.24%
	Not Married	73.90%	1.90%	6.80%	0.45%	5.95%	26.65%	7.73%	33.81%	11.94%	23.91%	38.03%
Previous Live Birth	Yes	47.09%	2.35%	5.95%	3.79%	7.16%	18.82%	12.13%	43.23%	9.80%	19.32%	51.85%
	No	38.23%	0.55%	2.69%	3.87%	3.78%	22.16%	15.60%	50.11%	5.07%	12.23%	61.60%
Education	Less Than 12 Years	62.25%	5.09%	22.41%	1.92%	20.76%	20.75%	8.71%	46.47%	10.66%	20.12%	47.16%
	12 Years	72.95%	0.94%	5.40%	2.08%	6.80%	22.89%	8.36%	37.79%	11.96%	25.22%	41.68%
	Greater Than 12 Years	25.28%	1.38%	0.31%	5.18%	2.16%	18.98%	17.23%	50.12%	5.77%	11.80%	64.76%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q20-Q24I												
	Percent Response Yes	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	19.85%	82.05%	7.38%	2.71%	2.74%	4.26%	4.12%	3.11%	1.93%	1.58%	6.17%
Age	Under 20 Years	49.03%	75.93%	8.14%	4.07%	4.07%	0.00%	6.55%	8.14%	0.00%	4.07%	18.76%
	20-24 Years	23.43%	76.20%	12.80%	3.44%	3.64%	5.62%	4.88%	2.05%	1.90%	1.90%	7.07%
	25-34 Years	18.00%	82.70%	6.09%	2.86%	2.89%	4.30%	4.10%	3.55%	1.79%	1.70%	5.36%
	Over 34 Years	16.35%	87.87%	5.50%	1.03%	0.84%	3.37%	2.79%	1.69%	2.90%	0.26%	5.50%
Ethnicity	White Non-Hispanic	16.46%	84.63%	7.71%	1.72%	1.09%	4.52%	2.31%	2.41%	0.60%	0.77%	5.29%
	Black Non-Hispanic	23.61%	77.04%	7.27%	4.08%	5.52%	2.36%	9.42%	5.90%	5.30%	3.03%	9.72%
	Hispanic	24.91%	84.76%	5.47%	3.98%	3.81%	5.70%	2.46%	2.30%	1.49%	1.34%	4.18%
Married	Married	12.53%	87.27%	4.60%	2.01%	0.42%	3.16%	1.85%	1.07%	1.17%	0.40%	3.42%
	Not Married	27.91%	76.21%	10.47%	3.50%	5.31%	5.49%	6.65%	5.38%	2.78%	2.89%	9.24%
Previous Live Birth	Yes	22.40%	81.17%	6.53%	2.32%	3.70%	4.33%	5.68%	4.75%	1.78%	2.33%	6.94%
	No	15.69%	83.48%	8.75%	3.35%	1.17%	4.14%	1.58%	0.44%	2.17%	0.36%	4.93%
Education	Less Than 12 Years	18.25%	82.25%	5.92%	1.32%	5.29%	3.04%	5.83%	4.06%	2.03%	3.04%	8.87%
	12 Years	22.28%	79.02%	8.81%	3.44%	4.00%	4.96%	6.51%	4.53%	2.37%	1.95%	8.08%
	Greater Than 12 Years	18.85%	83.66%	6.81%	2.46%	1.30%	4.21%	2.57%	2.21%	1.70%	0.82%	4.39%
	Lower 95% CI	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	19.07%	81.30%	6.87%	2.40%	2.42%	3.86%	3.73%	2.77%	1.66%	1.34%	5.70%
Age	Under 20 Years	43.75%	71.42%	5.26%	1.99%	1.99%	0.00%	3.94%	5.26%	0.00%	1.99%	14.64%
	20-24 Years	21.57%	74.32%	11.33%	2.63%	2.81%	4.60%	3.93%	1.42%	1.29%	1.29%	5.94%
	25-34 Years	17.04%	81.75%	5.50%	2.44%	2.47%	3.79%	3.60%	3.09%	1.46%	1.37%	4.80%
	Over 34 Years	14.57%	86.30%	4.40%	0.54%	0.40%	2.51%	2.00%	1.07%	2.09%	0.01%	4.40%
Ethnicity	White Non-Hispanic	15.41%	83.61%	6.96%	1.36%	0.80%	3.94%	1.88%	1.98%	0.38%	0.53%	4.65%
	Black Non-Hispanic	21.96%	75.41%	6.27%	3.32%	4.64%	1.77%	8.29%	4.99%	4.44%	2.37%	8.57%
	Hispanic	23.06%	83.22%	4.49%	3.14%	2.99%	4.70%	1.79%	1.66%	0.97%	0.85%	3.32%
Married	Married	11.65%	86.38%	4.04%	1.63%	0.25%	2.69%	1.49%	0.79%	0.88%	0.23%	2.93%
	Not Married	26.64%	75.01%	9.60%	2.98%	4.68%	4.84%	5.94%	4.74%	2.31%	2.41%	8.42%
Previous Live Birth	Yes	21.37%	80.20%	5.92%	1.94%	3.24%	3.83%	5.11%	4.22%	1.46%	1.96%	6.31%
	No	14.55%	82.31%	7.86%	2.79%	0.83%	3.51%	1.19%	0.23%	1.71%	0.17%	4.24%
Education	Less Than 12 Years	16.21%	80.24%	4.67%	0.72%	4.11%	2.14%	4.59%	3.02%	1.29%	2.14%	7.37%
	12 Years	20.75%	77.53%	7.77%	2.77%	3.28%	4.17%	5.61%	3.77%	1.81%	1.45%	7.08%
	Greater Than 12 Years	17.85%	82.71%	6.16%	2.06%	1.01%	3.70%	2.17%	1.83%	1.37%	0.59%	3.87%
	Upper 95% CI	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E	Q24F	Q24G	Q24H	Q24I
Total	Yes	20.62%	82.79%	7.88%	3.03%	3.06%	4.65%	4.51%	3.45%	2.20%	1.82%	6.64%
Age	Under 20 Years	54.30%	80.44%	11.03%	6.16%	6.16%	0.00%	9.16%	11.03%	0.00%	6.16%	22.88%
	20-24 Years	25.30%	78.07%	14.27%	4.24%	4.46%	6.63%	5.83%	2.67%	2.50%	2.50%	8.20%
	25-34 Years	18.96%	83.64%	6.69%	3.28%	3.31%	4.81%	4.60%	4.02%	2.12%	2.02%	5.92%
	Over 34 Years	18.13%	89.44%	6.59%	1.51%	1.28%	4.24%	3.58%	2.30%	3.70%	0.50%	6.59%
Ethnicity	White Non-Hispanic	17.51%	85.65%	8.46%	2.09%	1.38%	5.11%	2.73%	2.84%	0.81%	1.02%	5.92%
	Black Non-Hispanic	25.25%	78.67%	8.28%	4.85%	6.40%	2.95%	10.55%	6.81%	6.17%	3.70%	10.87%
	Hispanic	26.76%	86.30%	6.44%	4.81%	4.63%	6.69%	3.12%	2.95%	2.01%	1.84%	5.03%
Married	Married	13.42%	88.17%	5.17%	2.38%	0.60%	3.63%	2.21%	1.34%	1.46%	0.57%	3.90%
	Not Married	29.18%	77.41%	11.33%	4.02%	5.95%	6.13%	7.35%	6.02%	3.24%	3.36%	10.06%
Previous Live Birth	Yes	23.43%	82.14%	7.14%	2.69%	4.17%	4.84%	6.25%	5.28%	2.11%	2.70%	7.57%
	No	16.84%	84.65%	9.64%	3.92%	1.51%	4.76%	1.98%	0.65%	2.63%	0.55%	5.61%
Education	Less Than 12 Years	20.28%	84.26%	7.16%	1.92%	6.47%	3.95%	7.06%	5.09%	2.77%	3.95%	10.37%
	12 Years	23.81%	80.52%	9.85%	4.11%	4.72%	5.76%	7.42%	5.30%	2.93%	2.46%	9.08%
	Greater Than 12 Years	19.85%	84.60%	7.45%	2.85%	1.59%	4.72%	2.97%	2.58%	2.03%	1.05%	4.92%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q24J-Q25I												
	Percent Response Yes	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	2.77%	0.92%	55.93%	93.35%	94.64%	93.65%	81.75%	81.37%	83.97%	64.21%	91.96%
Age	Under 20 Years	2.47%	0.00%	53.45%	87.79%	87.79%	87.79%	82.48%	82.48%	79.64%	59.65%	83.71%
	20-24 Years	5.69%	1.90%	58.99%	90.77%	96.22%	96.37%	85.09%	83.79%	90.34%	68.31%	93.60%
	25-34 Years	2.31%	0.91%	56.75%	94.20%	94.65%	93.62%	81.25%	80.27%	83.32%	64.00%	90.96%
	Over 34 Years	1.03%	0.00%	49.78%	94.39%	94.13%	91.75%	79.47%	82.33%	79.69%	61.07%	95.42%
Ethnicity	White Non-Hispanic	1.59%	0.00%	56.27%	96.06%	95.90%	94.42%	78.30%	76.91%	80.35%	54.89%	91.33%
	Black Non-Hispanic	5.01%	1.22%	53.17%	89.95%	92.77%	92.05%	79.61%	82.44%	85.30%	70.57%	90.62%
	Hispanic	3.43%	2.98%	54.47%	91.81%	94.28%	94.42%	90.79%	88.71%	90.16%	74.69%	95.44%
Married	Married	0.42%	0.00%	58.10%	95.74%	94.33%	93.49%	78.57%	78.21%	79.89%	58.96%	90.76%
	Not Married	5.37%	1.95%	53.41%	90.68%	94.96%	93.81%	85.23%	84.83%	88.54%	69.94%	93.35%
Previous Live Birth	Yes	3.29%	1.22%	51.06%	93.02%	93.87%	92.61%	82.71%	81.20%	82.44%	63.41%	91.46%
	No	1.92%	0.45%	63.84%	93.87%	95.88%	95.34%	80.18%	81.66%	86.45%	65.53%	92.76%
Education	Less Than 12 Years	6.76%	5.30%	52.61%	87.20%	89.33%	89.33%	80.09%	79.31%	80.98%	71.54%	90.17%
	12 Years	3.98%	0.71%	52.15%	92.52%	95.98%	94.84%	85.30%	85.68%	90.18%	67.11%	93.69%
	Greater Than 12 Years	1.24%	0.00%	58.67%	95.42%	95.46%	94.31%	80.62%	79.97%	81.87%	61.25%	91.76%
	Lower 95% CI	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	2.45%	0.74%	54.96%	92.86%	94.20%	93.17%	81.00%	80.62%	83.26%	63.28%	91.43%
Age	Under 20 Years	0.84%	0.00%	48.18%	84.33%	84.33%	84.33%	78.47%	78.47%	75.39%	54.47%	79.82%
	20-24 Years	4.67%	1.29%	56.82%	89.50%	95.38%	95.55%	83.53%	82.17%	89.04%	66.27%	92.53%
	25-34 Years	1.94%	0.68%	55.51%	93.62%	94.09%	93.01%	80.27%	79.28%	82.39%	62.80%	90.24%
	Over 34 Years	0.54%	0.00%	47.38%	93.28%	93.00%	90.43%	77.53%	80.50%	77.76%	58.73%	94.41%
Ethnicity	White Non-Hispanic	1.23%	0.00%	54.86%	95.51%	95.34%	93.78%	77.14%	75.72%	79.22%	53.48%	90.54%
	Black Non-Hispanic	4.16%	0.80%	51.24%	88.79%	91.76%	91.00%	78.05%	80.96%	83.93%	68.81%	89.49%
	Hispanic	2.65%	2.25%	52.34%	90.63%	93.28%	93.44%	89.56%	87.36%	88.88%	72.82%	94.55%
Married	Married	0.25%	0.00%	56.78%	95.19%	93.71%	92.82%	77.46%	77.10%	78.81%	57.64%	89.98%
	Not Married	4.73%	1.56%	52.00%	89.86%	94.34%	93.13%	84.22%	83.82%	87.64%	68.65%	92.65%
Previous Live Birth	Yes	2.85%	0.95%	49.83%	92.39%	93.28%	91.96%	81.78%	80.23%	81.50%	62.21%	90.77%
	No	1.49%	0.24%	62.33%	93.11%	95.26%	94.68%	78.93%	80.44%	85.37%	64.03%	91.95%
Education	Less Than 12 Years	5.44%	4.12%	49.98%	85.44%	87.71%	87.71%	77.99%	77.17%	78.91%	69.16%	88.60%
	12 Years	3.27%	0.40%	50.32%	91.55%	95.26%	94.03%	84.00%	84.40%	89.09%	65.39%	92.79%
	Greater Than 12 Years	0.96%	0.00%	57.41%	94.88%	94.93%	93.72%	79.61%	78.95%	80.89%	60.00%	91.06%
	Upper 95% CI	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E	Q25F	Q25G	Q25H	Q25I
Total	Yes	3.08%	1.11%	56.90%	93.83%	95.08%	94.12%	82.50%	82.13%	84.68%	65.15%	92.49%
Age	Under 20 Years	4.11%	0.00%	58.71%	91.24%	91.24%	91.24%	86.49%	86.49%	83.89%	64.82%	87.61%
	20-24 Years	6.70%	2.50%	61.16%	92.05%	97.06%	97.19%	86.66%	85.41%	91.64%	70.36%	94.68%
	25-34 Years	2.69%	1.15%	57.99%	94.79%	95.21%	94.23%	82.22%	81.27%	84.25%	65.20%	91.67%
	Over 34 Years	1.51%	0.00%	52.18%	95.49%	95.26%	93.07%	81.41%	84.16%	81.62%	63.41%	96.42%
Ethnicity	White Non-Hispanic	1.94%	0.00%	57.67%	96.61%	96.46%	95.07%	79.47%	78.10%	81.47%	56.29%	92.13%
	Black Non-Hispanic	5.85%	1.65%	55.11%	91.12%	93.77%	93.10%	81.17%	83.91%	86.67%	72.34%	91.75%
	Hispanic	4.21%	3.71%	56.61%	92.98%	95.27%	95.41%	92.03%	90.07%	91.43%	76.55%	96.34%
Married	Married	0.60%	0.00%	59.43%	96.28%	94.96%	94.15%	79.67%	79.32%	80.97%	60.28%	91.54%
	Not Married	6.00%	2.34%	54.82%	91.50%	95.58%	94.50%	86.23%	85.84%	89.44%	71.24%	94.06%
Previous Live Birth	Yes	3.73%	1.49%	52.30%	93.65%	94.46%	93.25%	83.65%	82.16%	83.38%	64.60%	92.16%
	No	2.35%	0.66%	65.36%	94.63%	96.51%	96.01%	81.44%	82.88%	87.53%	67.03%	93.58%
Education	Less Than 12 Years	8.09%	6.48%	55.23%	88.96%	90.96%	90.96%	82.19%	81.44%	83.05%	73.91%	91.74%
	12 Years	4.70%	1.02%	53.99%	93.48%	96.70%	95.65%	86.60%	86.97%	91.27%	68.84%	94.58%
	Greater Than 12 Years	1.53%	0.00%	59.93%	95.95%	95.99%	94.90%	81.63%	80.99%	82.86%	62.49%	92.47%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q25J-Q30E												
	Percent Response Yes	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	82.88%	83.33%	10.65%	45.25%	66.22%	40.51%	84.90%	46.44%	61.67%	19.30%	9.37%
Age	Under 20 Years	82.48%	74.69%	20.36%	29.03%	51.86%	48.67%	85.31%	41.76%	78.41%	24.07%	17.16%
	20-24 Years	83.88%	77.17%	4.50%	38.97%	61.88%	36.25%	80.52%	45.09%	61.28%	26.59%	12.42%
	25-34 Years	84.10%	84.90%	9.93%	46.86%	67.05%	37.90%	83.82%	45.71%	59.75%	17.55%	8.76%
	Over 34 Years	77.23%	86.62%	18.59%	50.15%	71.26%	53.49%	93.99%	51.73%	65.77%	16.12%	6.38%
Ethnicity	White Non-Hispanic	78.41%	84.57%	11.06%	48.12%	68.96%	48.53%	87.76%	48.95%	68.52%	13.21%	7.22%
	Black Non-Hispanic	84.57%	77.86%	8.95%	33.64%	61.24%	28.61%	83.91%	39.84%	59.50%	33.07%	14.55%
	Hispanic	93.87%	86.49%	10.23%	50.06%	65.06%	41.82%	83.82%	52.38%	45.10%	20.10%	9.90%
Married	Married	79.01%	87.35%	12.78%	50.93%	71.95%	49.89%	87.69%	49.81%	70.96%	8.82%	5.67%
	Not Married	87.21%	78.91%	8.22%	39.09%	60.05%	30.12%	81.77%	42.66%	51.28%	30.88%	13.49%
Previous Live Birth	Yes	84.53%	84.01%	10.07%	45.80%	61.75%	37.12%	84.22%	43.30%	54.71%	21.17%	9.06%
	No	80.19%	82.22%	11.58%	44.36%	73.48%	46.01%	86.00%	51.56%	72.99%	16.27%	9.87%
Education	Less Than 12 Years	84.74%	78.03%	10.77%	37.27%	46.70%	29.43%	79.07%	50.14%	31.76%	27.25%	15.37%
	12 Years	86.87%	75.28%	8.63%	36.65%	64.36%	28.69%	83.92%	40.94%	52.20%	35.09%	13.78%
	Greater Than 12 Years	80.70%	88.42%	11.62%	51.16%	71.86%	48.92%	86.70%	48.35%	73.19%	9.85%	5.85%
	Lower 95% CI	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	82.14%	82.60%	10.04%	44.29%	65.30%	39.55%	84.20%	45.47%	60.73%	18.54%	8.80%
Age	Under 20 Years	78.47%	70.11%	16.11%	24.24%	46.59%	43.39%	81.58%	36.56%	74.06%	19.56%	13.18%
	20-24 Years	82.26%	75.32%	3.59%	36.82%	59.74%	34.14%	78.78%	42.89%	59.14%	24.64%	10.97%
	25-34 Years	83.19%	84.00%	9.18%	45.62%	65.88%	36.69%	82.90%	44.47%	58.53%	16.60%	8.05%
	Over 34 Years	75.22%	84.99%	16.72%	47.75%	69.09%	51.10%	92.85%	49.33%	63.49%	14.36%	5.20%
Ethnicity	White Non-Hispanic	77.25%	83.55%	10.17%	46.71%	67.65%	47.12%	86.83%	47.54%	67.21%	12.26%	6.49%
	Black Non-Hispanic	83.17%	76.25%	7.84%	31.81%	59.35%	26.86%	82.49%	37.95%	57.60%	31.25%	13.18%
	Hispanic	92.84%	85.02%	8.93%	47.92%	63.02%	39.70%	82.24%	50.24%	42.97%	18.39%	8.62%
Married	Married	77.91%	86.45%	11.88%	49.58%	70.74%	48.55%	86.80%	48.47%	69.74%	8.06%	5.04%
	Not Married	86.26%	77.76%	7.44%	37.71%	58.66%	28.83%	80.67%	41.26%	49.87%	29.58%	12.53%
Previous Live Birth	Yes	83.64%	83.10%	9.33%	44.57%	60.55%	35.92%	83.31%	42.07%	53.48%	20.16%	8.35%
	No	78.93%	81.01%	10.57%	42.80%	72.09%	44.44%	84.91%	49.98%	71.59%	15.10%	8.93%
Education	Less Than 12 Years	82.85%	75.85%	9.13%	34.73%	44.07%	27.03%	76.93%	47.51%	29.30%	24.90%	13.47%
	12 Years	85.63%	73.69%	7.60%	34.88%	62.60%	27.03%	82.57%	39.13%	50.37%	33.34%	12.52%
	Greater Than 12 Years	79.70%	87.60%	10.80%	49.88%	70.72%	47.64%	85.83%	47.07%	72.06%	9.09%	5.25%
	Upper 95% CI	Q25J	Q26	Q27A	Q27B	Q28	Q29	Q30A	Q30B	Q30C	Q30D	Q30E
Total	Yes	83.61%	84.05%	11.25%	46.22%	67.14%	41.46%	85.59%	47.41%	62.62%	20.07%	9.93%
Age	Under 20 Years	86.49%	79.28%	24.61%	33.82%	57.13%	53.94%	89.05%	46.97%	82.75%	28.58%	21.14%
	20-24 Years	85.50%	79.02%	5.41%	41.12%	64.02%	38.37%	82.27%	47.28%	63.43%	28.53%	13.87%
	25-34 Years	85.02%	85.79%	10.68%	48.11%	68.23%	39.11%	84.74%	46.96%	60.98%	18.50%	9.46%
	Over 34 Years	79.25%	88.26%	20.46%	52.55%	73.44%	55.89%	95.13%	54.13%	68.05%	17.89%	7.55%
Ethnicity	White Non-Hispanic	79.57%	85.59%	11.94%	49.53%	70.26%	49.94%	88.69%	50.36%	69.84%	14.17%	7.95%
	Black Non-Hispanic	85.96%	79.46%	10.05%	35.47%	63.12%	30.36%	85.33%	41.74%	61.40%	34.89%	15.91%
	Hispanic	94.89%	87.95%	11.53%	52.20%	67.10%	43.93%	85.39%	54.52%	47.23%	21.82%	11.18%
Married	Married	80.10%	88.24%	13.68%	52.27%	73.15%	51.23%	88.57%	51.15%	72.18%	9.58%	6.29%
	Not Married	88.15%	80.07%	8.99%	40.47%	61.43%	31.42%	82.86%	44.06%	52.69%	32.19%	14.46%
Previous Live Birth	Yes	85.42%	84.91%	10.82%	47.03%	62.95%	38.31%	85.12%	44.52%	55.94%	22.18%	9.77%
	No	81.45%	83.42%	12.59%	45.93%	74.88%	47.59%	87.10%	53.13%	74.39%	17.43%	10.81%
Education	Less Than 12 Years	86.63%	80.21%	12.40%	39.82%	49.33%	31.83%	81.22%	52.77%	34.21%	29.59%	17.27%
	12 Years	88.11%	76.86%	9.66%	38.42%	66.12%	30.35%	85.27%	42.75%	54.03%	36.84%	15.05%
	Greater Than 12 Years	81.71%	89.24%	12.44%	52.43%	73.01%	50.19%	87.57%	49.62%	74.33%	10.61%	6.44%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q31-Q33G												
	Percent Response Yes	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	4.72%	8.20%	13.28%	13.57%	15.61%	16.49%	18.59%	2.12%	7.90%	14.11%	5.32%
Age	Under 20 Years	11.85%	4.07%	10.62%	16.29%	18.76%	22.13%	30.27%	0.00%	2.47%	26.54%	10.62%
	20-24 Years	3.57%	3.57%	14.43%	17.40%	10.35%	24.57%	24.71%	1.90%	10.33%	16.53%	6.26%
	25-34 Years	4.98%	8.43%	13.38%	12.38%	16.04%	14.21%	15.56%	2.42%	7.15%	12.68%	4.61%
	Over 34 Years	3.67%	13.74%	12.09%	12.83%	19.65%	14.15%	20.05%	1.72%	8.87%	13.96%	5.75%
Ethnicity	White Non-Hispanic	2.69%	8.13%	14.04%	15.14%	14.23%	12.85%	15.94%	0.48%	8.48%	13.64%	4.34%
	Black Non-Hispanic	5.47%	5.77%	17.14%	13.99%	15.86%	17.75%	28.20%	5.25%	9.32%	19.15%	6.41%
	Hispanic	7.33%	9.08%	9.99%	12.34%	19.26%	25.66%	13.02%	2.75%	6.56%	10.71%	7.04%
Married	Married	3.67%	9.93%	13.17%	9.68%	16.70%	11.34%	11.87%	1.93%	8.62%	11.07%	3.49%
	Not Married	5.90%	6.22%	13.42%	17.82%	14.28%	22.15%	26.00%	2.25%	7.03%	17.34%	7.19%
Previous Live Birth	Yes	3.81%	9.94%	11.07%	13.59%	16.45%	16.83%	21.53%	2.42%	7.50%	15.46%	5.75%
	No	6.21%	5.39%	16.86%	13.53%	14.25%	15.94%	13.80%	1.63%	8.54%	11.92%	4.63%
Education	Less Than 12 Years	7.32%	13.73%	8.59%	16.99%	19.67%	27.67%	19.20%	4.72%	5.65%	16.76%	8.55%
	12 Years	4.85%	4.54%	16.47%	15.44%	14.35%	22.54%	22.26%	2.67%	6.88%	19.06%	7.77%
	Greater Than 12 Years	4.07%	8.69%	12.87%	11.89%	15.31%	10.98%	16.47%	1.25%	8.93%	11.13%	3.39%
	Lower 95% CI	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	4.31%	7.67%	12.62%	12.90%	14.91%	15.77%	17.83%	1.84%	7.37%	13.43%	4.89%
Age	Under 20 Years	8.44%	1.99%	7.37%	12.39%	14.64%	17.75%	25.42%	0.00%	0.84%	21.88%	7.37%
	20-24 Years	2.75%	2.75%	12.88%	15.73%	9.01%	22.67%	22.81%	1.29%	8.99%	14.89%	5.20%
	25-34 Years	4.44%	7.73%	12.53%	11.56%	15.12%	13.34%	14.66%	2.04%	6.51%	11.85%	4.09%
	Over 34 Years	2.76%	12.09%	10.53%	11.22%	17.74%	12.47%	18.13%	1.10%	7.51%	12.29%	4.63%
Ethnicity	White Non-Hispanic	2.23%	7.36%	13.05%	14.12%	13.24%	11.91%	14.90%	0.29%	7.69%	12.67%	3.77%
	Black Non-Hispanic	4.59%	4.87%	15.68%	12.65%	14.45%	16.27%	26.45%	4.39%	8.19%	17.63%	5.46%
	Hispanic	6.21%	7.85%	8.70%	10.93%	17.57%	23.79%	11.58%	2.05%	5.50%	9.38%	5.95%
Married	Married	3.17%	9.13%	12.27%	8.89%	15.70%	10.49%	11.00%	1.56%	7.87%	10.23%	3.00%
	Not Married	5.23%	5.54%	12.46%	16.73%	13.29%	20.98%	24.76%	1.83%	6.31%	16.27%	6.46%
Previous Live Birth	Yes	3.34%	9.20%	10.29%	12.74%	15.53%	15.91%	20.52%	2.04%	6.85%	14.56%	5.18%
	No	5.45%	4.68%	15.68%	12.45%	13.15%	14.78%	12.71%	1.23%	7.66%	10.90%	3.97%
Education	Less Than 12 Years	5.94%	11.92%	7.12%	15.01%	17.58%	25.31%	17.13%	3.60%	4.44%	14.79%	7.08%
	12 Years	4.06%	3.77%	15.11%	14.12%	13.06%	21.00%	20.73%	2.08%	5.96%	17.62%	6.79%
	Greater Than 12 Years	3.56%	7.97%	12.01%	11.06%	14.39%	10.18%	15.53%	0.97%	8.21%	10.33%	2.93%
	Upper 95% CI	Q31	Q32A	Q32B	Q32C	Q33A	Q33B	Q33C	Q33D	Q33E	Q33F	Q33G
Total	Yes	5.14%	8.74%	13.94%	14.23%	16.32%	17.21%	19.34%	2.40%	8.42%	14.79%	5.76%
Age	Under 20 Years	15.27%	6.16%	13.87%	20.18%	22.88%	26.50%	35.12%	0.00%	4.11%	31.20%	13.87%
	20-24 Years	4.38%	4.38%	15.97%	19.06%	11.69%	26.46%	26.61%	2.50%	11.67%	18.17%	7.33%
	25-34 Years	5.53%	9.12%	14.23%	13.20%	16.96%	15.08%	16.47%	2.81%	7.80%	13.51%	5.13%
	Over 34 Years	4.57%	15.40%	13.66%	14.44%	21.55%	15.82%	21.97%	2.35%	10.24%	15.62%	6.86%
Ethnicity	White Non-Hispanic	3.14%	8.90%	15.02%	16.15%	15.22%	13.80%	16.97%	0.68%	9.27%	14.61%	4.92%
	Black Non-Hispanic	6.35%	6.67%	18.60%	15.34%	17.28%	19.23%	29.94%	6.11%	10.44%	20.67%	7.36%
	Hispanic	8.45%	10.31%	11.27%	13.74%	20.94%	27.53%	14.46%	3.45%	7.62%	12.03%	8.14%
Married	Married	4.18%	10.73%	14.08%	10.48%	17.70%	12.19%	12.74%	2.30%	9.38%	11.92%	3.99%
	Not Married	6.56%	6.91%	14.39%	18.90%	15.27%	23.33%	27.24%	2.67%	7.75%	18.41%	7.92%
Previous Live Birth	Yes	4.28%	10.68%	11.85%	14.43%	17.37%	17.76%	22.55%	2.80%	8.16%	16.35%	6.33%
	No	6.97%	6.10%	18.04%	14.61%	15.36%	17.09%	14.89%	2.03%	9.42%	12.95%	5.29%
Education	Less Than 12 Years	8.69%	15.54%	10.07%	18.97%	21.76%	30.02%	21.28%	5.83%	6.87%	18.72%	10.02%
	12 Years	5.64%	5.30%	17.83%	16.77%	15.64%	24.07%	23.79%	3.26%	7.81%	20.51%	8.76%
	Greater Than 12 Years	4.57%	9.41%	13.72%	12.71%	16.23%	11.78%	17.42%	1.54%	9.66%	11.93%	3.86%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q33H-Q34I												
	Percent Response Yes	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	1.75%	1.58%	3.46%	2.31%	2.67%	1.39%	0.73%	1.23%	14.19%	6.71%	2.48%
Age	Under 20 Years	0.00%	2.47%	4.07%	4.07%	8.14%	4.07%	4.07%	4.07%	8.14%	5.31%	4.07%
	20-24 Years	2.10%	2.61%	3.20%	2.48%	4.51%	1.96%	0.00%	1.74%	12.93%	8.13%	3.85%
	25-34 Years	1.63%	1.32%	3.75%	2.55%	2.50%	1.43%	0.97%	1.23%	15.29%	6.49%	1.94%
	Over 34 Years	2.12%	1.10%	2.53%	0.84%	0.00%	0.00%	0.00%	0.00%	12.87%	6.09%	2.53%
Ethnicity	White Non-Hispanic	0.87%	1.27%	2.72%	1.43%	2.77%	1.40%	0.66%	1.26%	17.70%	4.73%	1.54%
	Black Non-Hispanic	3.19%	2.72%	3.71%	3.23%	1.39%	1.22%	0.00%	0.17%	12.90%	11.91%	5.17%
	Hispanic	2.57%	1.38%	3.95%	2.60%	3.55%	0.67%	0.67%	1.50%	6.99%	4.59%	0.82%
Married	Married	0.73%	0.81%	2.41%	2.35%	1.56%	1.12%	1.12%	1.34%	18.77%	4.52%	1.64%
	Not Married	2.88%	2.42%	4.62%	2.27%	3.92%	1.68%	0.29%	1.10%	9.07%	9.06%	3.42%
Previous Live Birth	Yes	2.64%	1.91%	3.32%	2.52%	3.12%	1.20%	0.48%	1.09%	14.10%	7.38%	1.96%
	No	0.30%	1.03%	3.67%	1.96%	1.96%	1.70%	1.14%	1.44%	14.34%	5.61%	3.33%
Education	Less Than 12 Years	5.20%	5.43%	4.11%	1.85%	5.43%	1.01%	0.00%	1.55%	3.88%	3.61%	0.00%
	12 Years	2.08%	1.77%	4.81%	2.97%	3.16%	1.74%	0.99%	1.59%	13.27%	10.15%	5.07%
	Greater Than 12 Years	0.78%	0.58%	2.65%	2.10%	1.80%	1.31%	0.78%	0.97%	17.09%	5.79%	1.82%
	Lower 95% CI	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	1.49%	1.33%	3.10%	2.02%	2.36%	1.16%	0.56%	1.01%	13.51%	6.22%	2.18%
Age	Under 20 Years	0.00%	0.84%	1.99%	1.99%	5.26%	1.99%	1.99%	1.99%	5.26%	2.94%	1.99%
	20-24 Years	1.47%	1.91%	2.42%	1.80%	3.59%	1.35%	0.00%	1.17%	11.45%	6.93%	3.01%
	25-34 Years	1.31%	1.04%	3.28%	2.16%	2.11%	1.13%	0.73%	0.96%	14.39%	5.88%	1.59%
	Over 34 Years	1.43%	0.60%	1.78%	0.40%	0.00%	0.00%	0.00%	0.00%	11.26%	4.94%	1.78%
Ethnicity	White Non-Hispanic	0.60%	0.96%	2.26%	1.10%	2.31%	1.07%	0.43%	0.95%	16.62%	4.13%	1.19%
	Black Non-Hispanic	2.51%	2.09%	2.98%	2.55%	0.94%	0.80%	0.00%	0.01%	11.60%	10.66%	4.31%
	Hispanic	1.89%	0.88%	3.11%	1.92%	2.75%	0.32%	0.32%	0.98%	5.90%	3.69%	0.43%
Married	Married	0.50%	0.57%	2.00%	1.94%	1.23%	0.84%	0.84%	1.03%	17.72%	3.96%	1.30%
	Not Married	2.40%	1.99%	4.03%	1.85%	3.37%	1.32%	0.14%	0.80%	8.25%	8.24%	2.90%
Previous Live Birth	Yes	2.24%	1.57%	2.88%	2.13%	2.69%	0.93%	0.31%	0.84%	13.24%	6.74%	1.62%
	No	0.13%	0.71%	3.08%	1.53%	1.52%	1.29%	0.80%	1.06%	13.23%	4.88%	2.76%
Education	Less Than 12 Years	4.03%	4.24%	3.07%	1.14%	4.24%	0.49%	0.00%	0.90%	2.86%	2.63%	0.00%
	12 Years	1.55%	1.28%	4.03%	2.34%	2.52%	1.26%	0.62%	1.13%	12.02%	9.04%	4.27%
	Greater Than 12 Years	0.55%	0.39%	2.24%	1.74%	1.46%	1.02%	0.55%	0.72%	16.13%	5.19%	1.48%
	Upper 95% CI	Q33H	Q33I	Q34A	Q34B	Q34C	Q34D	Q34E	Q34F	Q34G	Q34H	Q34I
Total	Yes	2.00%	1.82%	3.81%	2.60%	2.99%	1.62%	0.89%	1.44%	14.87%	7.19%	2.78%
Age	Under 20 Years	0.00%	4.11%	6.16%	6.16%	11.03%	6.16%	6.16%	6.16%	11.03%	7.67%	6.16%
	20-24 Years	2.74%	3.32%	3.97%	3.17%	5.42%	2.57%	0.00%	2.32%	14.40%	9.34%	4.70%
	25-34 Years	1.94%	1.61%	4.23%	2.94%	2.89%	1.73%	1.22%	1.51%	16.19%	7.11%	2.28%
	Over 34 Years	2.82%	1.60%	3.28%	1.28%	0.00%	0.00%	0.00%	0.00%	14.48%	7.23%	3.28%
Ethnicity	White Non-Hispanic	1.13%	1.59%	3.18%	1.77%	3.24%	1.73%	0.89%	1.58%	18.78%	5.33%	1.89%
	Black Non-Hispanic	3.87%	3.35%	4.44%	3.92%	1.84%	1.65%	0.00%	0.32%	14.20%	13.17%	6.03%
	Hispanic	3.25%	1.88%	4.78%	3.28%	4.34%	1.02%	1.02%	2.02%	8.08%	5.49%	1.20%
Married	Married	0.96%	1.06%	2.82%	2.76%	1.89%	1.41%	1.41%	1.65%	19.82%	5.08%	1.98%
	Not Married	3.35%	2.86%	5.22%	2.69%	4.47%	2.05%	0.45%	1.39%	9.88%	9.87%	3.93%
Previous Live Birth	Yes	3.03%	2.25%	3.77%	2.91%	3.54%	1.47%	0.65%	1.35%	14.96%	8.03%	2.30%
	No	0.47%	1.35%	4.26%	2.40%	2.40%	2.10%	1.47%	1.81%	15.44%	6.33%	3.89%
Education	Less Than 12 Years	6.37%	6.63%	5.16%	2.56%	6.63%	1.54%	0.00%	2.20%	4.90%	4.60%	0.00%
	12 Years	2.60%	2.25%	5.60%	3.59%	3.80%	2.22%	1.35%	2.05%	14.52%	11.25%	5.88%
	Greater Than 12 Years	1.00%	0.77%	3.06%	2.47%	2.14%	1.60%	1.00%	1.22%	18.05%	6.38%	2.16%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q34J-Q40D												
	Percent Response Yes	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	13.57%	16.13%	20.45%	6.13%	8.15%	3.57%	4.34%	5.95%	4.22%	0.90%	4.30%
Age	Under 20 Years	16.29%	22.13%	13.45%	4.07%	0.00%	0.00%	2.47%	21.59%	5.31%	4.07%	4.07%
	20-24 Years	20.13%	22.82%	22.69%	3.04%	6.48%	3.41%	5.96%	6.42%	8.29%	1.74%	5.44%
	25-34 Years	12.24%	13.81%	21.98%	7.29%	9.60%	4.21%	4.57%	5.48%	3.31%	0.47%	4.19%
	Over 34 Years	10.08%	15.51%	13.59%	5.94%	6.45%	2.12%	1.94%	3.89%	2.53%	0.84%	3.37%
Ethnicity	White Non-Hispanic	8.88%	12.03%	22.51%	8.58%	8.64%	4.72%	2.96%	8.30%	2.84%	0.95%	2.46%
	Black Non-Hispanic	20.23%	20.48%	27.26%	5.42%	12.76%	5.26%	8.55%	4.97%	9.71%	1.77%	10.62%
	Hispanic	16.24%	21.14%	14.00%	3.36%	4.00%	0.00%	2.88%	3.67%	1.38%	0.00%	2.16%
Married	Married	10.10%	10.57%	10.45%	2.36%	2.56%	0.49%	2.12%	3.01%	2.66%	0.27%	2.13%
	Not Married	17.45%	22.25%	31.50%	10.23%	14.27%	6.89%	6.80%	9.14%	5.96%	1.60%	6.70%
Previous Live Birth	Yes	14.33%	16.17%	23.47%	8.17%	11.47%	5.32%	4.39%	5.67%	3.00%	0.89%	4.29%
	No	12.33%	16.08%	15.53%	2.81%	2.74%	0.71%	4.25%	6.40%	6.20%	0.92%	4.31%
Education	Less Than 12 Years	21.06%	21.29%	29.28%	12.94%	16.20%	6.93%	7.28%	6.39%	2.34%	1.01%	3.66%
	12 Years	12.93%	19.82%	32.12%	9.88%	13.66%	6.54%	5.35%	9.92%	3.17%	1.21%	6.50%
	Greater Than 12 Years	12.14%	13.18%	12.78%	2.73%	3.61%	1.35%	3.17%	3.94%	5.18%	0.73%	3.39%
	Lower 95% CI	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	12.90%	15.42%	19.66%	5.66%	7.61%	3.21%	3.94%	5.49%	3.83%	0.72%	3.90%
Age	Under 20 Years	12.39%	17.75%	9.85%	1.99%	0.00%	0.00%	0.84%	17.25%	2.94%	1.99%	1.99%
	20-24 Years	18.36%	20.97%	20.85%	2.29%	5.40%	2.61%	4.91%	5.34%	7.08%	1.17%	4.44%
	25-34 Years	11.43%	12.95%	20.94%	6.64%	8.86%	3.70%	4.04%	4.91%	2.86%	0.30%	3.69%
	Over 34 Years	8.64%	13.77%	11.95%	4.80%	5.27%	1.43%	1.28%	2.96%	1.78%	0.40%	2.51%
Ethnicity	White Non-Hispanic	8.07%	11.11%	21.33%	7.79%	7.84%	4.12%	2.48%	7.52%	2.37%	0.68%	2.03%
	Black Non-Hispanic	18.67%	18.92%	25.54%	4.55%	11.46%	4.39%	7.47%	4.13%	8.56%	1.26%	9.42%
	Hispanic	14.66%	19.39%	12.51%	2.58%	3.16%	0.00%	2.16%	2.87%	0.88%	0.00%	1.54%
Married	Married	9.29%	9.74%	9.63%	1.95%	2.13%	0.30%	1.74%	2.55%	2.23%	0.13%	1.74%
	Not Married	16.37%	21.07%	30.18%	9.38%	13.28%	6.18%	6.09%	8.32%	5.29%	1.24%	6.00%
Previous Live Birth	Yes	13.46%	15.25%	22.42%	7.50%	10.68%	4.77%	3.88%	5.10%	2.58%	0.66%	3.79%
	No	11.29%	14.92%	14.39%	2.29%	2.23%	0.44%	3.61%	5.63%	5.44%	0.62%	3.67%
Education	Less Than 12 Years	18.91%	19.13%	26.88%	11.17%	14.26%	5.59%	5.91%	5.10%	1.54%	0.49%	2.67%
	12 Years	11.70%	18.35%	30.40%	8.78%	12.40%	5.63%	4.52%	8.82%	2.53%	0.80%	5.59%
	Greater Than 12 Years	11.31%	12.31%	11.93%	2.32%	3.13%	1.05%	2.72%	3.44%	4.61%	0.51%	2.93%
	Upper 95% CI	Q34J	Q34K	Q35	Q36	Q37	Q38	Q39	Q40A	Q40B	Q40C	Q40D
Total	Yes	14.23%	16.85%	21.23%	6.60%	8.68%	3.93%	4.73%	6.41%	4.61%	1.08%	4.69%
Age	Under 20 Years	20.18%	26.50%	17.05%	6.16%	0.00%	0.00%	4.11%	25.94%	7.67%	6.16%	6.16%
	20-24 Years	21.89%	24.67%	24.53%	3.80%	7.57%	4.21%	7.00%	7.50%	9.51%	2.32%	6.44%
	25-34 Years	13.06%	14.67%	23.01%	7.94%	10.33%	4.71%	5.09%	6.05%	3.75%	0.64%	4.69%
	Over 34 Years	11.53%	17.25%	15.24%	7.07%	7.63%	2.82%	2.61%	4.81%	3.28%	1.28%	4.24%
Ethnicity	White Non-Hispanic	9.68%	12.95%	23.69%	9.37%	9.43%	5.32%	3.43%	9.07%	3.30%	1.23%	2.90%
	Black Non-Hispanic	21.78%	22.04%	28.99%	6.30%	14.05%	6.12%	9.64%	5.81%	10.86%	2.28%	11.81%
	Hispanic	17.82%	22.89%	15.48%	4.13%	4.84%	0.00%	3.59%	4.48%	1.88%	0.00%	2.78%
Married	Married	10.91%	11.39%	11.27%	2.77%	2.98%	0.68%	2.51%	3.46%	3.10%	0.41%	2.52%
	Not Married	18.52%	23.42%	32.81%	11.09%	15.26%	7.61%	7.51%	9.95%	6.63%	1.95%	7.41%
Previous Live Birth	Yes	15.19%	17.08%	24.52%	8.85%	12.26%	5.88%	4.90%	6.24%	3.42%	1.12%	4.79%
	No	13.37%	17.23%	16.68%	3.33%	3.26%	0.97%	4.88%	7.17%	6.96%	1.22%	4.95%
Education	Less Than 12 Years	23.21%	23.44%	31.67%	14.70%	18.14%	8.27%	8.65%	7.68%	3.13%	1.54%	4.65%
	12 Years	14.16%	21.28%	33.83%	10.97%	14.92%	7.45%	6.17%	11.02%	3.82%	1.61%	7.41%
	Greater Than 12 Years	12.98%	14.04%	13.63%	3.15%	4.08%	1.64%	3.61%	4.44%	5.75%	0.94%	3.85%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q41-Q46F												
	Percent Response Yes	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	0.34%	0.20%	64.76%	1.15%	0.17%	21.03%	6.21%	28.40%	2.55%	9.32%	10.70%
Age	Under 20 Years	0.00%	0.00%	25.67%	0.00%	0.00%	22.83%	8.14%	21.59%	9.38%	9.38%	9.38%
	20-24 Years	1.02%	1.02%	58.53%	1.90%	0.87%	21.26%	5.18%	41.38%	1.96%	13.60%	17.69%
	25-34 Years	0.23%	0.00%	67.75%	0.83%	0.00%	20.75%	6.65%	27.52%	2.24%	8.79%	9.20%
	Over 34 Years	0.00%	0.00%	69.25%	1.69%	0.00%	21.44%	5.43%	17.63%	2.97%	6.19%	8.21%
Ethnicity	White Non-Hispanic	0.65%	0.36%	82.27%	1.78%	0.00%	25.18%	4.70%	23.59%	1.09%	8.75%	6.62%
	Black Non-Hispanic	0.00%	0.00%	54.92%	0.55%	0.67%	21.93%	8.59%	39.17%	5.56%	14.64%	17.86%
	Hispanic	0.14%	0.14%	45.53%	0.82%	0.00%	13.56%	7.45%	24.41%	2.36%	6.45%	12.64%
Married	Married	0.06%	0.06%	72.60%	0.96%	0.00%	22.27%	3.72%	21.32%	1.72%	6.74%	4.00%
	Not Married	0.65%	0.36%	56.17%	1.37%	0.36%	19.63%	8.91%	36.33%	3.47%	12.21%	18.15%
Previous Live Birth	Yes	0.22%	0.00%	62.70%	0.92%	0.00%	21.77%	8.21%	25.57%	2.65%	9.70%	13.32%
	No	0.53%	0.53%	68.12%	1.54%	0.45%	19.84%	2.97%	33.01%	2.39%	8.70%	6.46%
Education	Less Than 12 Years	0.00%	0.00%	32.44%	1.25%	0.00%	14.06%	8.38%	26.27%	3.66%	6.62%	12.23%
	12 Years	1.10%	0.61%	54.89%	1.21%	0.61%	21.07%	10.24%	32.89%	4.46%	15.00%	19.05%
	Greater Than 12 Years	0.05%	0.05%	77.29%	1.11%	0.00%	22.70%	3.77%	26.80%	1.37%	7.23%	6.34%
	Lower 95% CI	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	0.23%	0.11%	63.83%	0.95%	0.09%	20.24%	5.74%	27.52%	2.24%	8.75%	10.10%
Age	Under 20 Years	0.00%	0.00%	21.06%	0.00%	0.00%	18.40%	5.26%	17.25%	6.30%	6.30%	6.30%
	20-24 Years	0.58%	0.58%	56.36%	1.29%	0.46%	19.45%	4.21%	39.21%	1.35%	12.09%	16.01%
	25-34 Years	0.11%	0.00%	66.58%	0.61%	0.00%	19.74%	6.03%	26.40%	1.87%	8.08%	8.48%
	Over 34 Years	0.00%	0.00%	67.03%	1.07%	0.00%	19.47%	4.34%	15.80%	2.15%	5.04%	6.89%
Ethnicity	White Non-Hispanic	0.42%	0.19%	81.19%	1.41%	0.00%	23.95%	4.11%	22.39%	0.80%	7.95%	5.92%
	Black Non-Hispanic	0.00%	0.00%	53.00%	0.26%	0.36%	20.32%	7.50%	37.28%	4.67%	13.28%	16.37%
	Hispanic	-0.02%	-0.02%	43.40%	0.44%	0.00%	12.09%	6.32%	22.57%	1.71%	5.40%	11.21%
Married	Married	-0.01%	-0.01%	71.40%	0.70%	0.00%	21.15%	3.21%	20.22%	1.37%	6.06%	3.48%
	Not Married	0.42%	0.19%	54.77%	1.04%	0.19%	18.51%	8.10%	34.97%	2.95%	11.28%	17.06%
Previous Live Birth	Yes	0.11%	0.00%	61.51%	0.68%	0.00%	20.75%	7.53%	24.49%	2.25%	8.97%	12.48%
	No	0.30%	0.30%	66.65%	1.15%	0.24%	18.58%	2.44%	31.53%	1.91%	7.81%	5.68%
Education	Less Than 12 Years	0.00%	0.00%	29.97%	0.66%	0.00%	12.23%	6.93%	23.95%	2.67%	5.31%	10.51%
	12 Years	0.72%	0.32%	53.06%	0.80%	0.32%	19.58%	9.13%	31.17%	3.71%	13.69%	17.60%
	Greater Than 12 Years	-0.01%	-0.01%	76.22%	0.84%	0.00%	21.63%	3.29%	25.67%	1.07%	6.57%	5.72%
	Upper 95% CI	Q41	Q42	Q43	Q44	Q45	Q46A	Q46B	Q46C	Q46D	Q46E	Q46F
Total	Yes	0.45%	0.29%	65.69%	1.36%	0.25%	21.83%	6.68%	29.28%	2.86%	9.89%	11.31%
Age	Under 20 Years	0.00%	0.00%	30.27%	0.00%	0.00%	27.26%	11.03%	25.94%	12.46%	12.46%	12.46%
	20-24 Years	1.47%	1.47%	60.70%	2.50%	1.28%	23.06%	6.16%	43.55%	2.57%	15.11%	19.37%
	25-34 Years	0.35%	0.00%	68.92%	1.06%	0.00%	21.76%	7.27%	28.64%	2.61%	9.49%	9.93%
	Over 34 Years	0.00%	0.00%	71.46%	2.30%	0.00%	23.41%	6.51%	19.46%	3.78%	7.35%	9.53%
Ethnicity	White Non-Hispanic	0.88%	0.53%	83.34%	2.15%	0.00%	26.40%	5.30%	24.79%	1.39%	9.55%	7.32%
	Black Non-Hispanic	0.00%	0.00%	56.85%	0.83%	0.99%	23.53%	9.67%	41.06%	6.45%	16.01%	19.34%
	Hispanic	0.31%	0.31%	47.67%	1.21%	0.00%	15.03%	8.57%	26.25%	3.01%	7.51%	14.06%
Married	Married	0.12%	0.12%	73.79%	1.23%	0.00%	23.38%	4.23%	22.42%	2.07%	7.41%	4.53%
	Not Married	0.88%	0.53%	57.57%	1.69%	0.53%	20.76%	9.71%	37.69%	3.99%	13.14%	19.24%
Previous Live Birth	Yes	0.34%	0.00%	63.90%	1.15%	0.00%	22.79%	8.89%	26.65%	3.04%	10.43%	14.16%
	No	0.75%	0.75%	69.59%	1.93%	0.66%	21.10%	3.51%	34.49%	2.88%	9.59%	7.23%
Education	Less Than 12 Years	0.00%	0.00%	34.90%	1.83%	0.00%	15.89%	9.84%	28.59%	4.65%	7.93%	13.96%
	12 Years	1.48%	0.89%	56.72%	1.61%	0.89%	22.57%	11.35%	34.62%	5.22%	16.31%	20.49%
	Greater Than 12 Years	0.11%	0.11%	78.36%	1.38%	0.00%	23.77%	4.26%	27.93%	1.67%	7.89%	6.96%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q46G-Q47C												
	Percent Response Yes	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	14.63%	3.33%	24.20%	7.45%	16.76%	4.22%	13.19%	18.50%	1.59%	1.88%	1.48%
Age	Under 20 Years	28.14%	8.14%	47.26%	25.67%	16.29%	4.07%	17.16%	22.83%	4.07%	0.00%	9.38%
	20-24 Years	15.67%	2.61%	32.42%	11.34%	18.64%	7.26%	18.12%	18.20%	2.61%	2.05%	0.87%
	25-34 Years	14.05%	3.21%	21.70%	5.48%	16.24%	3.63%	12.17%	18.79%	1.37%	2.20%	1.40%
	Over 34 Years	12.76%	3.63%	18.84%	6.34%	16.53%	2.79%	10.30%	16.90%	0.70%	0.84%	0.84%
Ethnicity	White Non-Hispanic	13.52%	2.81%	22.12%	5.12%	14.04%	2.99%	17.25%	16.74%	0.58%	1.72%	0.91%
	Black Non-Hispanic	16.97%	3.03%	34.41%	10.60%	25.56%	8.24%	12.45%	27.33%	2.32%	2.53%	3.03%
	Hispanic	18.38%	3.39%	20.64%	10.34%	15.64%	2.81%	8.37%	14.42%	3.55%	2.04%	1.34%
Married	Married	12.22%	4.38%	16.75%	4.00%	10.44%	1.17%	7.99%	15.80%	0.48%	0.75%	0.69%
	Not Married	17.34%	2.18%	32.51%	11.30%	23.72%	7.61%	19.00%	21.46%	2.83%	3.13%	2.35%
Previous Live Birth	Yes	15.89%	3.07%	25.10%	7.19%	17.54%	4.91%	15.09%	19.73%	1.58%	2.19%	1.03%
	No	12.59%	3.75%	22.72%	7.88%	15.50%	3.09%	10.11%	16.51%	1.62%	1.36%	2.20%
Education	Less Than 12 Years	19.28%	1.01%	19.75%	8.14%	14.61%	8.48%	12.46%	18.36%	2.87%	4.65%	3.66%
	12 Years	19.33%	3.59%	33.65%	11.35%	23.46%	6.77%	17.95%	21.96%	3.30%	2.44%	2.34%
	Greater Than 12 Years	11.30%	3.76%	20.73%	5.42%	14.07%	1.99%	11.10%	16.91%	0.48%	0.95%	0.55%
	Lower 95% CI	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	13.94%	2.98%	23.36%	6.94%	16.03%	3.83%	12.54%	17.75%	1.35%	1.61%	1.24%
Age	Under 20 Years	23.40%	5.26%	41.99%	21.06%	12.39%	1.99%	13.18%	18.40%	1.99%	0.00%	6.30%
	20-24 Years	14.06%	1.91%	30.36%	9.94%	16.93%	6.12%	16.43%	16.51%	1.91%	1.42%	0.46%
	25-34 Years	13.18%	2.77%	20.67%	4.91%	15.32%	3.17%	11.35%	17.82%	1.08%	1.84%	1.11%
	Over 34 Years	11.16%	2.73%	16.97%	5.17%	14.75%	2.00%	8.84%	15.10%	0.30%	0.40%	0.40%
Ethnicity	White Non-Hispanic	12.55%	2.34%	20.95%	4.50%	13.06%	2.51%	16.19%	15.68%	0.37%	1.35%	0.64%
	Black Non-Hispanic	15.52%	2.37%	32.57%	9.41%	23.87%	7.18%	11.17%	25.60%	1.74%	1.92%	2.37%
	Hispanic	16.72%	2.62%	18.90%	9.03%	14.09%	2.10%	7.18%	12.91%	2.75%	1.44%	0.85%
Married	Married	11.34%	3.83%	15.75%	3.47%	9.62%	0.88%	7.26%	14.82%	0.30%	0.51%	0.47%
	Not Married	16.27%	1.76%	31.19%	10.40%	22.51%	6.86%	17.89%	20.30%	2.36%	2.64%	1.93%
Previous Live Birth	Yes	14.98%	2.64%	24.03%	6.55%	16.59%	4.37%	14.21%	18.75%	1.27%	1.83%	0.78%
	No	11.54%	3.16%	21.40%	7.03%	14.36%	2.55%	9.16%	15.33%	1.22%	1.00%	1.74%
Education	Less Than 12 Years	17.21%	0.49%	17.65%	6.70%	12.75%	7.02%	10.72%	16.32%	1.99%	3.54%	2.67%
	12 Years	17.88%	2.90%	31.92%	10.18%	21.91%	5.84%	16.54%	20.44%	2.64%	1.87%	1.79%
	Greater Than 12 Years	10.49%	3.27%	19.69%	4.85%	13.18%	1.64%	10.30%	15.95%	0.30%	0.71%	0.36%
	Upper 95% CI	Q46G	Q46H	Q46I	Q46J	Q46K	Q46L	Q46M	Q46N	Q47A	Q47B	Q47C
Total	Yes	15.32%	3.68%	25.03%	7.96%	17.49%	4.61%	13.85%	19.26%	1.84%	2.14%	1.71%
Age	Under 20 Years	32.88%	11.03%	52.53%	30.27%	20.18%	6.16%	21.14%	27.26%	6.16%	0.00%	12.46%
	20-24 Years	17.27%	3.32%	34.48%	12.73%	20.35%	8.40%	19.82%	19.90%	3.32%	2.67%	1.28%
	25-34 Years	14.92%	3.65%	22.73%	6.05%	17.17%	4.10%	12.99%	19.77%	1.66%	2.57%	1.69%
	Over 34 Years	14.36%	4.53%	20.72%	7.51%	18.31%	3.58%	11.76%	18.70%	1.10%	1.28%	1.28%
Ethnicity	White Non-Hispanic	14.49%	3.27%	23.29%	5.74%	15.02%	3.47%	18.32%	17.79%	0.80%	2.09%	1.18%
	Black Non-Hispanic	18.43%	3.70%	36.25%	11.80%	27.25%	9.31%	13.73%	29.05%	2.90%	3.13%	3.70%
	Hispanic	20.04%	4.17%	22.37%	11.64%	17.20%	3.52%	9.55%	15.92%	4.34%	2.65%	1.84%
Married	Married	13.10%	4.93%	17.75%	4.52%	11.26%	1.46%	8.72%	16.78%	0.67%	0.98%	0.91%
	Not Married	18.41%	2.59%	33.84%	12.19%	24.92%	8.35%	20.11%	22.62%	3.30%	3.62%	2.78%
Previous Live Birth	Yes	16.79%	3.49%	26.18%	7.82%	18.48%	5.44%	15.98%	20.72%	1.89%	2.55%	1.28%
	No	13.64%	4.35%	24.04%	8.73%	16.64%	3.64%	11.06%	17.68%	2.02%	1.73%	2.66%
Education	Less Than 12 Years	21.36%	1.54%	21.84%	9.58%	16.47%	9.95%	14.20%	20.39%	3.74%	5.76%	4.65%
	12 Years	20.78%	4.27%	35.39%	12.51%	25.02%	7.69%	19.36%	23.48%	3.95%	3.01%	2.90%
	Greater Than 12 Years	12.11%	4.24%	21.76%	6.00%	14.95%	2.35%	11.90%	17.87%	0.65%	1.20%	0.74%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q48A-Q55D												
	Percent Response Yes	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	1.82%	1.29%	0.92%	14.48%	42.03%	96.16%	95.05%	76.56%	73.67%	71.57%	66.42%
Age	Under 20 Years	4.07%	0.00%	8.14%	11.49%	41.23%	100.00%	98.76%	77.17%	73.46%	58.41%	63.72%
	20-24 Years	4.36%	2.61%	1.74%	16.43%	45.44%	95.79%	94.92%	77.74%	74.12%	72.53%	67.32%
	25-34 Years	1.37%	1.05%	0.51%	14.56%	41.26%	96.58%	95.66%	76.35%	73.66%	72.78%	67.29%
	Over 34 Years	0.00%	0.84%	0.00%	12.48%	41.01%	94.28%	92.16%	75.80%	73.24%	68.66%	62.68%
Ethnicity	White Non-Hispanic	0.65%	0.65%	0.94%	15.20%	39.67%	95.99%	94.35%	74.01%	74.82%	72.37%	62.38%
	Black Non-Hispanic	2.32%	1.98%	1.22%	15.83%	47.66%	96.23%	94.89%	80.43%	67.41%	70.83%	71.43%
	Hispanic	4.49%	2.32%	0.82%	11.27%	42.65%	96.58%	96.58%	79.35%	81.26%	69.87%	72.09%
Married	Married	0.59%	0.59%	0.32%	11.26%	36.31%	96.42%	95.29%	74.28%	77.31%	75.81%	66.05%
	Not Married	3.19%	2.07%	1.59%	17.82%	48.22%	95.86%	94.77%	79.11%	69.57%	66.97%	66.74%
Previous Live Birth	Yes	1.44%	1.51%	0.22%	13.01%	38.38%	95.93%	94.47%	74.23%	70.72%	65.86%	65.06%
	No	2.43%	0.92%	2.06%	16.88%	47.97%	96.53%	95.98%	80.34%	78.47%	80.84%	68.64%
Education	Less Than 12 Years	3.27%	3.58%	2.03%	10.54%	41.38%	95.67%	92.80%	76.37%	69.27%	47.42%	61.34%
	12 Years	2.31%	1.25%	1.70%	17.66%	49.38%	96.33%	95.82%	78.39%	73.38%	70.82%	70.48%
	Greater Than 12 Years	1.25%	0.77%	0.29%	13.91%	38.49%	96.18%	95.19%	75.66%	75.02%	77.78%	65.58%
	Lower 95% CI	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	1.56%	1.07%	0.74%	13.80%	41.07%	95.79%	94.62%	75.73%	72.81%	70.69%	65.50%
Age	Under 20 Years	1.99%	0.00%	5.26%	8.13%	36.04%	100.00%	97.60%	72.74%	68.80%	53.21%	58.64%
	20-24 Years	3.46%	1.91%	1.17%	14.80%	43.24%	94.90%	93.95%	75.91%	72.19%	70.57%	65.26%
	25-34 Years	1.08%	0.80%	0.33%	13.68%	40.03%	96.12%	95.15%	75.29%	72.56%	71.67%	66.12%
	Over 34 Years	0.00%	0.40%	0.00%	10.90%	38.65%	93.17%	90.87%	73.75%	71.11%	66.43%	60.36%
Ethnicity	White Non-Hispanic	0.42%	0.42%	0.67%	14.19%	38.29%	95.43%	93.70%	72.77%	73.59%	71.10%	61.01%
	Black Non-Hispanic	1.74%	1.44%	0.80%	14.42%	45.73%	95.49%	94.04%	78.89%	65.60%	69.07%	69.68%
	Hispanic	3.60%	1.68%	0.44%	9.91%	40.53%	95.80%	95.80%	77.62%	79.59%	67.90%	70.17%
Married	Married	0.38%	0.38%	0.17%	10.41%	35.02%	95.92%	94.72%	73.10%	76.18%	74.66%	64.78%
	Not Married	2.69%	1.66%	1.24%	16.74%	46.81%	95.30%	94.14%	77.96%	68.27%	65.64%	65.41%
Previous Live Birth	Yes	1.15%	1.21%	0.11%	12.18%	37.17%	95.45%	93.91%	73.15%	69.60%	64.69%	63.88%
	No	1.95%	0.62%	1.61%	15.69%	46.40%	95.95%	95.36%	79.09%	77.17%	79.60%	67.17%
Education	Less Than 12 Years	2.34%	2.60%	1.29%	8.92%	38.79%	94.60%	91.43%	74.14%	66.84%	44.79%	58.78%
	12 Years	1.76%	0.84%	1.22%	16.26%	47.55%	95.64%	95.09%	76.88%	71.76%	69.15%	68.80%
	Greater Than 12 Years	0.96%	0.55%	0.15%	13.03%	37.25%	95.70%	94.64%	74.57%	73.92%	76.72%	64.36%
	Upper 95% CI	Q48A	Q48B	Q48C	Q51	Q52	Q53	Q54	Q55A	Q55B	Q55C	Q55D
Total	Yes	2.08%	1.51%	1.11%	15.17%	42.99%	96.54%	95.47%	77.38%	74.53%	72.45%	67.34%
Age	Under 20 Years	6.16%	0.00%	11.03%	14.86%	46.43%	100.00%	99.93%	81.60%	78.12%	63.61%	68.79%
	20-24 Years	5.25%	3.32%	2.32%	18.06%	47.63%	96.67%	95.88%	79.57%	76.04%	74.50%	69.39%
	25-34 Years	1.66%	1.31%	0.68%	15.45%	42.49%	97.03%	96.17%	77.41%	74.76%	73.90%	68.47%
	Over 34 Years	0.00%	1.28%	0.00%	14.07%	43.37%	95.40%	93.45%	77.86%	75.36%	70.88%	65.01%
Ethnicity	White Non-Hispanic	0.88%	0.88%	1.21%	16.22%	41.06%	96.54%	95.00%	75.25%	76.04%	73.63%	63.75%
	Black Non-Hispanic	2.90%	2.52%	1.65%	17.24%	49.59%	96.97%	95.75%	81.96%	69.23%	72.59%	73.18%
	Hispanic	5.38%	2.97%	1.21%	12.62%	44.77%	97.36%	97.36%	81.09%	82.93%	71.84%	74.01%
Married	Married	0.79%	0.79%	0.48%	12.11%	37.60%	96.92%	95.86%	75.45%	78.43%	76.96%	67.32%
	Not Married	3.69%	2.47%	1.95%	18.90%	49.63%	96.43%	95.40%	80.26%	70.87%	68.30%	68.07%
Previous Live Birth	Yes	1.74%	1.81%	0.34%	13.84%	39.58%	96.42%	95.04%	75.31%	71.85%	67.03%	66.24%
	No	2.92%	1.22%	2.51%	18.06%	49.55%	97.11%	96.60%	81.59%	79.76%	82.08%	70.10%
Education	Less Than 12 Years	4.21%	4.56%	2.77%	12.16%	43.98%	96.74%	94.16%	78.61%	71.70%	50.04%	63.91%
	12 Years	2.86%	1.66%	2.17%	19.06%	51.22%	97.02%	96.56%	79.90%	75.01%	72.49%	72.15%
	Greater Than 12 Years	1.53%	0.99%	0.43%	14.79%	39.74%	96.67%	95.74%	76.76%	76.13%	78.84%	66.79%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q55E-Q62C												
	Percent Response Yes	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	24.62%	13.87%	60.33%	84.30%	50.89%	78.76%	75.52%	75.84%	88.27%	22.79%	10.57%
Age	Under 20 Years	9.38%	0.00%	80.00%	85.31%	39.12%	66.02%	58.41%	71.86%	81.24%	28.14%	6.55%
	20-24 Years	20.15%	17.16%	67.22%	80.88%	29.83%	66.13%	68.83%	80.95%	85.38%	37.23%	14.03%
	25-34 Years	27.33%	13.68%	59.80%	85.39%	56.02%	82.41%	78.87%	76.01%	89.87%	19.73%	10.06%
	Over 34 Years	23.13%	13.53%	50.00%	84.14%	59.43%	82.95%	74.64%	69.94%	87.25%	15.80%	9.16%
Ethnicity	White Non-Hispanic	22.88%	9.67%	61.42%	85.42%	55.53%	84.58%	78.75%	66.63%	88.87%	11.77%	7.70%
	Black Non-Hispanic	23.76%	15.29%	56.11%	76.17%	39.58%	65.77%	68.02%	80.76%	86.13%	32.05%	15.74%
	Hispanic	31.66%	21.65%	62.45%	87.62%	44.34%	80.54%	77.95%	88.77%	90.51%	35.74%	11.93%
Married	Married	26.54%	14.68%	60.11%	90.93%	70.93%	83.76%	78.94%	69.67%	89.10%	18.78%	8.61%
	Not Married	22.48%	13.01%	60.64%	76.92%	28.73%	73.25%	71.84%	82.69%	87.32%	27.29%	12.68%
Previous Live Birth	Yes	23.41%	13.80%	50.37%	81.00%	49.16%	79.10%	77.42%	77.34%	88.61%	20.95%	9.52%
	No	26.61%	13.97%	76.51%	89.68%	53.71%	78.21%	72.44%	73.39%	87.72%	25.78%	12.27%
Education	Less Than 12 Years	26.16%	15.80%	53.50%	68.13%	38.56%	70.56%	76.74%	89.01%	89.54%	32.28%	9.94%
	12 Years	21.80%	12.72%	56.51%	79.06%	30.68%	74.63%	72.81%	81.71%	88.07%	25.19%	12.43%
	Greater Than 12 Years	25.69%	14.00%	63.68%	90.84%	63.68%	82.87%	76.72%	70.08%	88.28%	19.45%	9.84%
	Lower 95% CI	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	23.79%	13.20%	59.37%	83.59%	49.92%	77.96%	74.68%	75.01%	87.64%	21.97%	9.97%
Age	Under 20 Years	6.30%	0.00%	75.78%	81.58%	33.97%	61.02%	53.21%	67.12%	77.12%	23.40%	3.94%
	20-24 Years	18.38%	15.50%	65.15%	79.15%	27.82%	64.05%	66.79%	79.22%	83.83%	35.10%	12.51%
	25-34 Years	26.21%	12.82%	58.58%	84.51%	54.78%	81.46%	77.85%	74.95%	89.12%	18.74%	9.30%
	Over 34 Years	21.10%	11.89%	47.60%	82.38%	57.07%	81.15%	72.55%	67.74%	85.64%	14.04%	7.78%
Ethnicity	White Non-Hispanic	21.70%	8.84%	60.05%	84.43%	54.12%	83.56%	77.59%	65.30%	87.98%	10.86%	6.95%
	Black Non-Hispanic	22.11%	13.89%	54.19%	74.52%	37.68%	63.94%	66.21%	79.23%	84.80%	30.25%	14.33%
	Hispanic	29.67%	19.88%	60.38%	86.21%	42.21%	78.84%	76.18%	87.41%	89.25%	33.69%	10.55%
Married	Married	25.36%	13.73%	58.79%	90.16%	69.71%	82.77%	77.85%	68.44%	88.26%	17.74%	7.85%
	Not Married	21.30%	12.06%	59.26%	75.73%	27.45%	72.00%	70.57%	81.62%	86.38%	26.03%	11.74%
Previous Live Birth	Yes	22.36%	12.95%	49.13%	80.03%	47.92%	78.09%	76.38%	76.31%	87.83%	19.94%	8.80%
	No	25.21%	12.88%	75.18%	88.72%	52.14%	76.91%	71.03%	72.00%	86.68%	24.40%	11.23%
Education	Less Than 12 Years	23.85%	13.88%	50.87%	65.68%	36.00%	68.16%	74.52%	87.36%	87.92%	29.81%	8.36%
	12 Years	20.29%	11.49%	54.69%	77.56%	28.99%	73.03%	71.18%	80.30%	86.88%	23.60%	11.22%
	Greater Than 12 Years	24.57%	13.12%	62.46%	90.10%	62.46%	81.91%	75.64%	68.91%	87.46%	18.44%	9.08%
	Upper 95% CI	Q55E	Q55F	Q55G	Q56	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C
Total	Yes	25.46%	14.54%	61.28%	85.01%	51.87%	79.56%	76.36%	76.67%	88.90%	23.60%	11.17%
Age	Under 20 Years	12.46%	0.00%	84.22%	89.05%	44.27%	71.02%	63.61%	76.60%	85.36%	32.88%	9.16%
	20-24 Years	21.92%	18.82%	69.28%	82.62%	31.85%	68.21%	70.87%	82.68%	86.94%	39.36%	15.56%
	25-34 Years	28.44%	14.54%	61.03%	86.27%	57.27%	83.36%	79.89%	77.08%	90.63%	20.72%	10.81%
	Over 34 Years	25.15%	15.17%	52.40%	85.89%	61.79%	84.76%	76.73%	72.14%	88.85%	17.55%	10.55%
Ethnicity	White Non-Hispanic	24.07%	10.51%	62.80%	86.42%	56.93%	85.60%	79.90%	67.96%	89.76%	12.68%	8.46%
	Black Non-Hispanic	25.40%	16.68%	58.03%	77.82%	41.47%	67.61%	69.82%	82.28%	87.47%	33.86%	17.15%
	Hispanic	33.66%	23.41%	64.53%	89.03%	46.46%	82.24%	79.73%	90.12%	91.76%	37.79%	13.32%
Married	Married	27.73%	15.63%	61.43%	91.70%	72.15%	84.75%	80.04%	70.91%	89.94%	19.83%	9.36%
	Not Married	23.66%	13.96%	62.02%	78.11%	30.01%	74.50%	73.12%	83.76%	88.26%	28.55%	13.62%
Previous Live Birth	Yes	24.45%	14.66%	51.60%	81.97%	50.39%	80.10%	78.45%	78.38%	89.40%	21.95%	10.25%
	No	28.00%	15.07%	77.85%	90.63%	55.28%	79.52%	73.85%	74.79%	88.75%	27.16%	13.30%
Education	Less Than 12 Years	28.47%	17.72%	56.12%	70.59%	41.12%	72.96%	78.97%	90.65%	91.15%	34.74%	11.51%
	12 Years	23.32%	13.94%	58.33%	80.55%	32.37%	76.23%	74.44%	83.13%	89.26%	26.79%	13.64%
	Greater Than 12 Years	26.80%	14.89%	64.91%	91.58%	64.91%	83.83%	77.80%	71.25%	89.10%	20.46%	10.60%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q62D-Q65												
	Percent Response Yes	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	45.49%	35.90%	38.96%	6.78%	16.13%	93.31%	88.85%	56.92%	87.78%	90.30%	13.32%
Age	Under 20 Years	37.52%	11.85%	57.17%	13.45%	16.29%	89.38%	89.38%	75.93%	86.55%	90.98%	20.00%
	20-24 Years	48.07%	28.73%	51.42%	9.51%	14.45%	90.61%	91.93%	53.59%	86.62%	89.94%	12.25%
	25-34 Years	44.23%	40.17%	37.38%	5.83%	16.49%	94.30%	88.05%	58.16%	89.45%	90.57%	15.11%
	Over 34 Years	48.71%	33.64%	26.21%	5.64%	16.75%	93.66%	88.05%	52.39%	83.29%	89.63%	6.56%
Ethnicity	White Non-Hispanic	47.59%	43.76%	33.73%	5.57%	12.50%	93.97%	87.65%	55.07%	86.73%	90.51%	14.02%
	Black Non-Hispanic	43.47%	25.91%	43.65%	9.47%	16.00%	91.78%	89.26%	53.50%	88.33%	87.98%	14.01%
	Hispanic	44.26%	27.39%	44.89%	6.08%	25.32%	92.31%	90.35%	64.17%	89.81%	91.44%	11.74%
Married	Married	49.67%	44.10%	30.78%	4.90%	13.24%	95.36%	90.55%	53.55%	87.66%	92.41%	9.06%
	Not Married	40.88%	26.82%	48.05%	8.88%	19.37%	91.01%	87.03%	60.55%	87.89%	87.95%	17.97%
Previous Live Birth	Yes	46.17%	34.46%	36.35%	5.87%	16.57%	92.57%	87.23%	55.04%	86.71%	89.26%	12.19%
	No	44.37%	38.24%	43.21%	8.25%	15.42%	94.50%	91.48%	59.99%	89.53%	92.01%	15.14%
Education	Less Than 12 Years	38.18%	16.14%	41.74%	7.10%	31.74%	87.77%	79.84%	63.48%	81.15%	83.88%	18.57%
	12 Years	47.37%	26.64%	48.79%	9.08%	18.82%	93.30%	88.92%	56.47%	89.02%	89.14%	14.21%
	Greater Than 12 Years	46.40%	45.10%	33.66%	5.60%	11.20%	94.84%	91.15%	55.74%	88.96%	92.60%	11.68%
	Lower 95% CI	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	44.52%	34.97%	38.02%	6.29%	15.41%	92.82%	88.24%	55.96%	87.15%	89.73%	12.65%
Age	Under 20 Years	32.41%	8.44%	51.95%	9.85%	12.39%	86.13%	86.13%	71.42%	82.95%	87.96%	15.78%
	20-24 Years	45.87%	26.73%	49.22%	8.22%	12.90%	89.32%	90.73%	51.39%	85.12%	88.62%	10.80%
	25-34 Years	42.99%	38.94%	36.18%	5.24%	15.57%	93.72%	87.24%	56.93%	88.68%	89.84%	14.22%
	Over 34 Years	46.31%	31.38%	24.10%	4.54%	14.96%	92.49%	86.50%	49.99%	81.50%	88.17%	5.37%
Ethnicity	White Non-Hispanic	46.18%	42.36%	32.39%	4.92%	11.56%	93.30%	86.72%	53.66%	85.78%	89.68%	13.04%
	Black Non-Hispanic	41.55%	24.21%	41.73%	8.33%	14.58%	90.72%	88.06%	51.57%	87.09%	86.72%	12.66%
	Hispanic	42.13%	25.48%	42.76%	5.06%	23.45%	91.17%	89.08%	62.12%	88.52%	90.24%	10.36%
Married	Married	48.33%	42.77%	29.54%	4.32%	12.33%	94.80%	89.76%	52.21%	86.78%	91.70%	8.29%
	Not Married	39.49%	25.56%	46.64%	8.07%	18.26%	90.20%	86.08%	59.17%	86.97%	87.03%	16.89%
Previous Live Birth	Yes	44.94%	33.28%	35.16%	5.29%	15.65%	91.93%	86.41%	53.80%	85.87%	88.49%	11.38%
	No	42.80%	36.71%	41.65%	7.38%	14.28%	93.78%	90.60%	58.45%	88.57%	91.15%	14.01%
Education	Less Than 12 Years	35.62%	14.21%	39.15%	5.74%	29.29%	86.05%	77.72%	60.95%	79.09%	81.95%	16.52%
	12 Years	45.54%	25.02%	46.95%	8.03%	17.38%	92.38%	87.76%	54.65%	87.87%	87.99%	12.93%
	Greater Than 12 Years	45.13%	43.83%	32.45%	5.02%	10.39%	94.27%	90.43%	54.47%	88.16%	91.93%	10.86%
	Upper 95% CI	Q62D	Q62E	Q62F	Q62G	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65
Total	Yes	46.46%	36.83%	39.91%	7.27%	16.85%	93.79%	89.46%	57.89%	88.42%	90.88%	13.98%
Age	Under 20 Years	42.63%	15.27%	62.39%	17.05%	20.18%	92.63%	92.63%	80.44%	90.15%	94.00%	24.22%
	20-24 Years	50.27%	30.72%	53.62%	10.80%	16.00%	91.89%	93.13%	55.78%	88.12%	91.27%	13.69%
	25-34 Years	45.47%	41.39%	38.59%	6.41%	17.42%	94.88%	88.86%	59.39%	90.21%	91.30%	16.01%
	Over 34 Years	51.11%	35.91%	28.32%	6.75%	18.55%	94.83%	89.61%	54.78%	85.08%	91.10%	7.75%
Ethnicity	White Non-Hispanic	49.00%	45.17%	35.06%	6.22%	13.43%	94.64%	88.58%	56.47%	87.69%	91.34%	15.00%
	Black Non-Hispanic	45.39%	27.60%	45.57%	10.60%	17.42%	92.85%	90.46%	55.43%	89.58%	89.24%	15.35%
	Hispanic	46.39%	29.30%	47.02%	7.11%	27.18%	93.45%	91.61%	66.23%	91.11%	92.64%	13.12%
Married	Married	51.02%	45.44%	32.02%	5.48%	14.15%	95.93%	91.34%	54.89%	88.55%	93.12%	9.83%
	Not Married	42.27%	28.07%	49.46%	9.68%	20.49%	91.82%	87.98%	61.93%	88.81%	88.87%	19.06%
Previous Live Birth	Yes	47.41%	35.63%	37.54%	6.45%	17.49%	93.22%	88.06%	56.27%	87.55%	90.02%	13.00%
	No	45.94%	39.77%	44.78%	9.11%	16.56%	95.22%	92.36%	61.54%	90.50%	92.86%	16.27%
Education	Less Than 12 Years	40.74%	18.08%	44.34%	8.45%	34.19%	89.50%	81.95%	66.02%	83.21%	85.82%	20.61%
	12 Years	49.21%	28.27%	50.62%	10.14%	20.25%	94.21%	90.07%	58.29%	90.17%	90.28%	15.49%
	Greater Than 12 Years	47.67%	46.37%	34.86%	6.19%	12.00%	95.40%	91.88%	57.01%	89.76%	93.26%	12.50%

Table 7S. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q66-Q68B												
	Percent Response Yes	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	79.69%	2.92%	0.79%	1.14%	7.44%	8.45%	5.47%	2.63%	0.70%	7.83%	1.57%
Age	Under 20 Years	78.41%	0.00%	0.00%	0.00%	5.31%	1.24%	12.21%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	73.03%	4.57%	1.74%	1.46%	13.23%	15.69%	6.68%	5.67%	0.87%	1.96%	0.00%
	25-34 Years	82.75%	1.85%	0.73%	0.99%	5.16%	6.95%	4.87%	2.27%	0.65%	8.63%	1.49%
	Over 34 Years	76.58%	5.53%	0.00%	1.54%	9.42%	6.89%	4.84%	0.84%	0.84%	13.52%	4.07%
Ethnicity	White Non-Hispanic	81.59%	3.41%	0.35%	0.83%	7.93%	8.74%	3.86%	1.84%	0.53%	5.90%	2.73%
	Black Non-Hispanic	77.19%	2.27%	1.22%	0.55%	5.76%	6.69%	7.41%	2.69%	1.10%	9.13%	1.10%
	Hispanic	80.66%	2.20%	0.82%	2.61%	8.62%	9.85%	5.04%	4.52%	0.82%	11.73%	0.00%
Married	Married	78.88%	3.38%	0.53%	1.58%	8.36%	8.15%	4.73%	2.48%	1.01%	7.35%	2.99%
	Not Married	80.53%	2.42%	1.07%	0.65%	6.45%	8.81%	6.30%	2.79%	0.36%	8.39%	0.00%
Previous Live Birth	Yes	82.34%	2.21%	0.55%	1.62%	5.76%	7.45%	4.39%	1.64%	0.72%	12.38%	2.31%
	No	75.39%	4.09%	1.17%	0.36%	10.18%	10.08%	7.22%	4.23%	0.66%	0.44%	0.36%
Education	Less Than 12 Years	75.54%	3.81%	2.26%	3.23%	8.30%	9.95%	7.70%	2.57%	1.25%	14.24%	0.00%
	12 Years	80.83%	1.53%	0.71%	1.01%	6.71%	7.05%	3.29%	1.73%	0.49%	7.76%	1.39%
	Greater Than 12 Years	80.31%	3.39%	0.48%	0.72%	7.61%	8.80%	5.77%	3.08%	0.67%	6.38%	2.03%
	Lower 95% CI	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	78.91%	2.59%	0.61%	0.93%	6.93%	7.91%	5.02%	2.31%	0.54%	7.31%	1.33%
Age	Under 20 Years	74.06%	0.00%	0.00%	0.00%	2.94%	0.07%	8.76%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	71.07%	3.65%	1.17%	0.93%	11.73%	14.09%	5.58%	4.65%	0.46%	1.35%	0.00%
	25-34 Years	81.81%	1.51%	0.52%	0.74%	4.61%	6.31%	4.33%	1.90%	0.45%	7.92%	1.19%
	Over 34 Years	74.54%	4.44%	0.00%	0.95%	8.02%	5.68%	3.81%	0.40%	0.40%	11.88%	3.12%
Ethnicity	White Non-Hispanic	80.50%	2.90%	0.19%	0.57%	7.17%	7.94%	3.32%	1.46%	0.33%	5.24%	2.27%
	Black Non-Hispanic	75.56%	1.69%	0.80%	0.26%	4.86%	5.73%	6.39%	2.07%	0.69%	8.02%	0.69%
	Hispanic	78.96%	1.58%	0.44%	1.92%	7.42%	8.57%	4.10%	3.63%	0.44%	10.35%	0.00%
Married	Married	77.79%	2.89%	0.33%	1.25%	7.61%	7.42%	4.16%	2.06%	0.74%	6.65%	2.53%
	Not Married	79.41%	1.99%	0.78%	0.42%	5.75%	8.01%	5.61%	2.33%	0.19%	7.61%	0.00%
Previous Live Birth	Yes	81.39%	1.84%	0.36%	1.31%	5.18%	6.80%	3.88%	1.32%	0.51%	11.57%	1.94%
	No	74.03%	3.46%	0.83%	0.17%	9.22%	9.13%	6.40%	3.59%	0.41%	0.23%	0.17%
Education	Less Than 12 Years	73.27%	2.80%	1.48%	2.30%	6.85%	8.38%	6.30%	1.73%	0.66%	12.40%	0.00%
	12 Years	79.38%	1.08%	0.40%	0.64%	5.79%	6.11%	2.64%	1.25%	0.24%	6.78%	0.96%
	Greater Than 12 Years	79.29%	2.93%	0.30%	0.50%	6.94%	8.07%	5.17%	2.64%	0.46%	5.76%	1.67%
	Upper 95% CI	Q66	Q67A	Q67B	Q67C	Q67D	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B
Total	Yes	80.47%	3.25%	0.96%	1.35%	7.95%	8.99%	5.91%	2.94%	0.86%	8.36%	1.81%
Age	Under 20 Years	82.75%	0.00%	0.00%	0.00%	7.67%	2.40%	15.67%	0.00%	0.00%	0.00%	0.00%
	20-24 Years	74.98%	5.49%	2.32%	1.98%	14.72%	17.29%	7.78%	6.69%	1.28%	2.57%	0.00%
	25-34 Years	83.70%	2.18%	0.95%	1.24%	5.72%	7.59%	5.40%	2.65%	0.85%	9.33%	1.79%
	Over 34 Years	78.61%	6.63%	0.00%	2.13%	10.82%	8.11%	5.87%	1.28%	1.28%	15.16%	5.02%
Ethnicity	White Non-Hispanic	82.69%	3.92%	0.52%	1.08%	8.69%	9.54%	4.41%	2.22%	0.74%	6.57%	3.19%
	Black Non-Hispanic	78.81%	2.85%	1.65%	0.83%	6.67%	7.66%	8.42%	3.32%	1.50%	10.25%	1.50%
	Hispanic	82.35%	2.83%	1.21%	3.29%	9.83%	11.13%	5.98%	5.42%	1.21%	13.11%	0.00%
Married	Married	79.98%	3.86%	0.72%	1.92%	9.10%	8.89%	5.30%	2.90%	1.28%	8.05%	3.45%
	Not Married	81.65%	2.86%	1.37%	0.88%	7.14%	9.61%	6.99%	3.26%	0.53%	9.18%	0.00%
Previous Live Birth	Yes	83.28%	2.57%	0.73%	1.93%	6.34%	8.10%	4.90%	1.95%	0.93%	13.20%	2.69%
	No	76.75%	4.71%	1.51%	0.55%	11.13%	11.03%	8.03%	4.86%	0.92%	0.65%	0.55%
Education	Less Than 12 Years	77.80%	4.82%	3.04%	4.16%	9.75%	11.53%	9.11%	3.40%	1.83%	16.08%	0.00%
	12 Years	82.27%	1.98%	1.02%	1.37%	7.63%	7.99%	3.95%	2.20%	0.75%	8.74%	1.82%
	Greater Than 12 Years	81.32%	3.86%	0.65%	0.93%	8.29%	9.52%	6.36%	3.52%	0.88%	7.01%	2.39%

Table 7T. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q68C-Q70A												
	Percent Response Yes	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	17.73%	22.92%	6.34%	3.72%	13.54%	5.62%	3.98%	10.75%	9.54%	84.96%	46.33%
Age	Under 20 Years	9.38%	25.67%	8.31%	4.07%	25.67%	10.62%	0.00%	14.69%	9.38%	82.48%	39.12%
	20-24 Years	12.53%	21.48%	10.68%	5.66%	14.63%	10.82%	3.50%	7.15%	11.98%	73.76%	38.30%
	25-34 Years	20.31%	24.07%	5.25%	3.86%	13.50%	4.51%	4.31%	11.36%	8.72%	86.51%	47.19%
	Over 34 Years	16.13%	19.84%	4.76%	0.84%	9.86%	2.53%	4.18%	11.99%	9.68%	93.11%	54.22%
Ethnicity	White Non-Hispanic	22.77%	26.21%	2.85%	2.91%	13.59%	2.98%	4.21%	11.69%	7.42%	90.56%	45.39%
	Black Non-Hispanic	15.17%	21.28%	9.46%	6.40%	14.63%	6.10%	3.12%	11.53%	12.37%	80.48%	43.72%
	Hispanic	11.80%	15.01%	11.76%	2.87%	12.31%	12.27%	2.69%	8.44%	10.75%	75.75%	46.20%
Married	Married	18.59%	26.88%	1.51%	2.80%	13.43%	2.54%	6.30%	10.34%	8.14%	91.06%	53.12%
	Not Married	16.84%	18.60%	11.61%	4.76%	13.60%	9.06%	1.43%	11.07%	11.02%	78.17%	38.94%
Previous Live Birth	Yes	14.42%	21.95%	7.98%	3.06%	14.77%	5.22%	3.77%	10.62%	9.67%	82.07%	43.87%
	No	23.12%	24.50%	3.67%	4.81%	11.54%	6.28%	4.32%	10.97%	9.32%	89.67%	50.33%
Education	Less Than 12 Years	5.33%	15.83%	11.83%	2.03%	9.54%	13.63%	3.84%	11.24%	10.38%	75.13%	41.61%
	12 Years	16.58%	21.60%	11.83%	5.12%	12.54%	6.61%	0.41%	8.86%	9.07%	75.08%	40.24%
	Greater Than 12 Years	21.25%	25.28%	2.40%	3.45%	14.99%	3.28%	5.76%	11.58%	9.59%	92.02%	50.26%
	Lower 95% CI	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	16.99%	22.10%	5.86%	3.36%	12.87%	5.18%	3.60%	10.15%	8.96%	84.27%	45.36%
Age	Under 20 Years	6.30%	21.06%	5.40%	1.99%	21.06%	7.37%	0.00%	10.95%	6.30%	78.47%	33.97%
	20-24 Years	11.07%	19.67%	9.32%	4.64%	13.08%	9.45%	2.69%	6.02%	10.55%	71.82%	36.15%
	25-34 Years	19.31%	23.00%	4.69%	3.38%	12.65%	3.99%	3.80%	10.57%	8.01%	85.65%	45.94%
	Over 34 Years	14.37%	17.92%	3.74%	0.40%	8.43%	1.78%	3.22%	10.43%	8.26%	91.89%	51.82%
Ethnicity	White Non-Hispanic	21.58%	24.97%	2.38%	2.43%	12.62%	2.50%	3.64%	10.79%	6.68%	89.74%	43.98%
	Black Non-Hispanic	13.79%	19.70%	8.32%	5.45%	13.26%	5.18%	2.45%	10.29%	11.09%	78.95%	41.80%
	Hispanic	10.42%	13.48%	10.38%	2.15%	10.90%	10.86%	2.00%	7.25%	9.42%	73.91%	44.06%
Married	Married	17.54%	25.69%	1.19%	2.36%	12.52%	2.12%	5.65%	9.52%	7.41%	90.29%	51.78%
	Not Married	15.78%	17.50%	10.70%	4.15%	12.63%	8.25%	1.09%	10.18%	10.13%	77.00%	37.56%
Previous Live Birth	Yes	13.55%	20.92%	7.31%	2.63%	13.89%	4.67%	3.30%	9.86%	8.94%	81.12%	42.64%
	No	21.79%	23.15%	3.07%	4.14%	10.53%	5.51%	3.68%	9.99%	8.40%	88.71%	48.75%
Education	Less Than 12 Years	4.15%	13.91%	10.13%	1.29%	8.00%	11.82%	2.82%	9.58%	8.78%	72.85%	39.01%
	12 Years	15.22%	20.09%	10.64%	4.31%	11.32%	5.70%	0.17%	7.82%	8.01%	73.49%	38.44%
	Greater Than 12 Years	20.20%	24.17%	2.01%	2.99%	14.08%	2.82%	5.16%	10.76%	8.84%	91.33%	48.98%
	Upper 95% CI	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H	Q68I	Q68J	Q68K	Q69	Q70A
Total	Yes	18.48%	23.74%	6.81%	4.09%	14.20%	6.07%	4.36%	11.36%	10.11%	85.66%	47.30%
Age	Under 20 Years	12.46%	30.27%	11.23%	6.16%	30.27%	13.87%	0.00%	18.42%	12.46%	86.49%	44.27%
	20-24 Years	13.99%	23.28%	12.04%	6.67%	16.19%	12.19%	4.31%	8.29%	13.41%	75.70%	40.44%
	25-34 Years	21.32%	25.14%	5.81%	4.34%	14.36%	5.03%	4.82%	12.15%	9.42%	87.36%	48.44%
	Over 34 Years	17.90%	21.75%	5.79%	1.28%	11.29%	3.28%	5.14%	13.55%	11.10%	94.32%	56.61%
Ethnicity	White Non-Hispanic	23.95%	27.45%	3.32%	3.38%	14.56%	3.46%	4.77%	12.60%	8.16%	91.39%	46.79%
	Black Non-Hispanic	16.56%	22.87%	10.59%	7.34%	15.99%	7.03%	3.80%	12.76%	13.64%	82.02%	45.64%
	Hispanic	13.18%	16.54%	13.14%	3.58%	13.71%	13.67%	3.39%	9.63%	12.07%	77.59%	48.33%
Married	Married	19.63%	28.07%	1.84%	3.24%	14.35%	2.96%	6.95%	11.15%	8.88%	91.82%	54.46%
	Not Married	17.89%	19.70%	12.51%	5.36%	14.57%	9.87%	1.76%	11.95%	11.90%	79.34%	40.31%
Previous Live Birth	Yes	15.29%	22.97%	8.65%	3.48%	15.65%	5.77%	4.25%	11.38%	10.40%	83.02%	45.10%
	No	24.45%	25.86%	4.26%	5.49%	12.55%	7.04%	4.97%	11.96%	10.24%	90.63%	51.91%
Education	Less Than 12 Years	6.52%	17.76%	13.53%	2.77%	11.09%	15.44%	4.85%	12.90%	11.99%	77.41%	44.20%
	12 Years	17.95%	23.11%	13.02%	5.93%	13.76%	7.53%	0.64%	9.91%	10.12%	76.66%	42.04%
	Greater Than 12 Years	22.29%	26.39%	2.79%	3.92%	15.90%	3.73%	6.35%	12.40%	10.34%	92.71%	51.54%


Table 7U. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q70B-Q72												
	Percent Response Yes	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	44.89%	47.69%	76.24%	39.16%	20.22%	51.38%	53.04%	72.65%	19.08%	6.27%	8.74%
Age	Under 20 Years	36.28%	50.97%	78.41%	35.22%	39.12%	68.49%	59.65%	80.00%	20.00%	13.45%	22.83%
	20-24 Years	43.57%	47.85%	67.78%	31.32%	23.12%	55.77%	55.12%	63.86%	17.14%	5.67%	11.18%
	25-34 Years	45.38%	47.82%	77.34%	43.15%	20.56%	48.47%	50.88%	72.79%	18.67%	6.22%	7.68%
	Over 34 Years	46.40%	46.34%	81.75%	34.57%	11.62%	53.33%	57.18%	81.09%	22.69%	5.68%	6.82%
Ethnicity	White Non-Hispanic	40.93%	44.89%	82.01%	39.41%	18.18%	46.08%	45.99%	77.67%	9.00%	8.40%	8.10%
	Black Non-Hispanic	45.41%	50.08%	71.16%	37.41%	27.47%	53.20%	56.97%	66.20%	22.25%	5.29%	10.47%
	Hispanic	45.06%	47.54%	67.42%	40.98%	17.09%	60.68%	63.02%	66.99%	37.83%	4.46%	4.71%
Married	Married	46.22%	47.41%	79.99%	39.50%	16.09%	47.16%	51.38%	77.84%	14.17%	5.42%	8.50%
	Not Married	43.53%	48.03%	72.02%	38.80%	24.77%	56.10%	54.94%	66.83%	24.48%	7.15%	8.94%
Previous Live Birth	Yes	40.41%	42.98%	71.07%	36.60%	19.81%	49.96%	52.64%	69.37%	20.61%	7.01%	8.36%
	No	52.16%	55.33%	84.64%	43.33%	20.89%	53.68%	53.70%	77.98%	16.60%	5.07%	9.36%
Education	Less Than 12 Years	51.22%	53.55%	68.78%	33.23%	22.69%	63.52%	57.30%	65.96%	35.37%	6.36%	6.89%
	12 Years	40.61%	43.47%	66.95%	35.93%	20.65%	53.14%	51.35%	61.36%	22.92%	7.40%	10.71%
	Greater Than 12 Years	45.57%	48.22%	82.42%	41.97%	19.49%	47.55%	52.75%	79.62%	13.20%	5.72%	8.24%
	Lower 95% CI	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	43.92%	46.71%	75.41%	38.21%	19.44%	50.40%	52.07%	71.78%	18.31%	5.80%	8.19%
Age	Under 20 Years	31.21%	45.70%	74.06%	30.18%	33.97%	63.59%	54.47%	75.78%	15.78%	9.85%	18.40%
	20-24 Years	41.39%	45.65%	65.72%	29.28%	21.26%	53.59%	52.93%	61.74%	15.48%	4.65%	9.80%
	25-34 Years	44.14%	46.57%	76.30%	41.91%	19.55%	47.22%	49.64%	71.67%	17.70%	5.62%	7.02%
	Over 34 Years	44.01%	43.94%	79.89%	32.28%	10.08%	50.94%	54.81%	79.20%	20.68%	4.57%	5.61%
Ethnicity	White Non-Hispanic	39.54%	43.48%	80.93%	38.02%	17.09%	44.67%	44.59%	76.50%	8.19%	7.62%	7.33%
	Black Non-Hispanic	43.48%	48.14%	69.40%	35.54%	25.74%	51.27%	55.05%	64.36%	20.64%	4.42%	9.28%
	Hispanic	42.93%	45.40%	65.41%	38.87%	15.48%	58.59%	60.95%	64.98%	35.76%	3.58%	3.80%
Married	Married	44.88%	46.07%	78.91%	38.19%	15.10%	45.81%	50.03%	76.73%	13.23%	4.81%	7.75%
	Not Married	42.13%	46.62%	70.75%	37.42%	23.55%	54.70%	53.54%	65.49%	23.27%	6.42%	8.13%
Previous Live Birth	Yes	39.20%	41.76%	69.94%	35.41%	18.83%	48.72%	51.41%	68.23%	19.61%	6.38%	7.68%
	No	50.59%	53.76%	83.50%	41.76%	19.61%	52.11%	52.12%	76.68%	15.42%	4.38%	8.44%
Education	Less Than 12 Years	48.59%	50.93%	66.34%	30.75%	20.48%	60.98%	54.70%	63.47%	32.86%	5.07%	5.55%
	12 Years	38.81%	41.65%	65.22%	34.17%	19.16%	51.31%	49.52%	59.57%	21.38%	6.44%	9.58%
	Greater Than 12 Years	44.30%	46.95%	81.45%	40.71%	18.48%	46.28%	51.47%	78.59%	12.33%	5.13%	7.54%
	Upper 95% CI	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G	Q70H	Q70I	Q70J	Q71	Q72
Total	Yes	45.85%	48.66%	77.06%	40.11%	21.01%	52.35%	54.01%	73.52%	19.84%	6.74%	9.29%
Age	Under 20 Years	41.36%	56.25%	82.75%	40.26%	44.27%	73.40%	64.82%	84.22%	24.22%	17.05%	27.26%
	20-24 Years	45.75%	50.05%	69.84%	33.37%	24.97%	57.96%	57.31%	65.97%	18.80%	6.69%	12.57%
	25-34 Years	46.63%	49.06%	78.39%	44.39%	21.57%	49.72%	52.13%	73.90%	19.65%	6.83%	8.35%
	Over 34 Years	48.80%	48.73%	83.60%	36.85%	13.16%	55.73%	59.56%	82.97%	24.70%	6.79%	8.03%
Ethnicity	White Non-Hispanic	42.32%	46.29%	83.10%	40.79%	19.27%	47.49%	47.40%	78.85%	9.81%	9.19%	8.87%
	Black Non-Hispanic	47.34%	52.02%	72.91%	39.28%	29.20%	55.13%	58.88%	68.03%	23.86%	6.16%	11.65%
	Hispanic	47.19%	49.68%	69.42%	43.08%	18.71%	62.77%	65.09%	69.01%	39.91%	5.35%	5.61%
Married	Married	47.55%	48.75%	81.06%	40.82%	17.08%	48.50%	52.72%	78.96%	15.11%	6.02%	9.25%
	Not Married	44.93%	49.45%	73.28%	40.17%	25.99%	57.50%	56.35%	68.16%	25.70%	7.88%	9.75%
Previous Live Birth	Yes	41.62%	44.21%	72.19%	37.79%	20.80%	51.19%	53.88%	70.51%	21.61%	7.64%	9.04%
	No	53.74%	56.90%	85.77%	44.89%	22.17%	55.25%	55.27%	79.29%	17.77%	5.76%	10.28%
Education	Less Than 12 Years	53.85%	56.18%	71.22%	35.71%	24.89%	66.05%	59.90%	68.46%	37.89%	7.64%	8.22%
	12 Years	42.42%	45.29%	68.67%	37.69%	22.14%	54.97%	53.19%	63.15%	24.47%	8.36%	11.85%
	Greater Than 12 Years	46.84%	49.50%	83.39%	43.23%	20.50%	48.83%	54.02%	80.65%	14.06%	6.32%	8.94%

Table 7V. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q74-Q78B												
	Percent Response Yes	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	13.16%	7.16%	5.93%	85.83%	34.57%	43.77%	10.12%	3.72%	2.12%	76.63%	82.61%
Age	Under 20 Years	17.16%	5.31%	11.85%	86.55%	55.04%	70.26%	9.38%	9.38%	8.14%	69.73%	82.48%
	20-24 Years	11.62%	6.83%	3.70%	85.17%	54.80%	70.15%	8.60%	2.61%	1.46%	74.65%	79.72%
	25-34 Years	12.21%	7.64%	4.80%	85.40%	30.44%	37.30%	9.84%	4.18%	2.33%	76.42%	82.97%
	Over 34 Years	17.67%	6.12%	11.55%	88.08%	21.52%	30.79%	13.12%	2.16%	0.88%	81.16%	84.71%
Ethnicity	White Non-Hispanic	12.42%	6.69%	5.73%	89.00%	20.52%	23.18%	11.00%	2.39%	0.51%	86.96%	90.03%
	Black Non-Hispanic	15.47%	7.07%	8.11%	79.69%	60.82%	62.22%	9.61%	6.40%	4.08%	72.17%	81.67%
	Hispanic	10.83%	7.09%	3.74%	85.03%	43.19%	76.56%	11.29%	4.56%	3.98%	70.12%	74.56%
Married	Married	11.30%	6.51%	4.78%	87.74%	11.87%	19.88%	7.75%	1.38%	1.68%	79.83%	84.66%
	Not Married	15.17%	7.80%	7.22%	83.77%	59.64%	70.27%	12.78%	6.32%	2.62%	73.01%	80.37%
Previous Live Birth	Yes	13.42%	6.82%	6.75%	84.38%	40.35%	47.91%	11.40%	4.55%	2.65%	75.11%	83.65%
	No	12.74%	7.70%	4.59%	88.19%	25.18%	37.04%	8.04%	2.36%	1.25%	79.08%	80.91%
Education	Less Than 12 Years	7.93%	3.66%	4.27%	84.12%	57.80%	76.57%	13.55%	8.08%	6.17%	62.68%	76.64%
	12 Years	17.05%	8.56%	7.74%	82.67%	57.12%	68.57%	10.75%	6.50%	3.09%	72.64%	78.79%
	Greater Than 12 Years	12.54%	7.32%	5.46%	87.97%	18.05%	23.93%	9.03%	1.36%	0.71%	82.01%	85.82%
	Lower 95% CI	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	12.50%	6.65%	5.47%	85.15%	33.64%	42.80%	9.53%	3.35%	1.84%	75.80%	81.87%
Age	Under 20 Years	13.18%	2.94%	8.44%	82.95%	49.79%	65.44%	6.30%	6.30%	5.26%	64.88%	78.47%
	20-24 Years	10.21%	5.72%	2.87%	83.61%	52.61%	68.13%	7.36%	1.91%	0.93%	72.74%	77.95%
	25-34 Years	11.39%	6.98%	4.26%	84.51%	29.29%	36.09%	9.09%	3.68%	1.96%	75.36%	82.03%
	Over 34 Years	15.84%	4.97%	10.01%	86.53%	19.54%	28.58%	11.50%	1.46%	0.43%	79.28%	82.99%
Ethnicity	White Non-Hispanic	11.49%	5.99%	5.08%	88.11%	19.38%	21.99%	10.12%	1.95%	0.31%	86.01%	89.18%
	Black Non-Hispanic	14.07%	6.08%	7.06%	78.13%	58.93%	60.34%	8.47%	5.45%	3.31%	70.43%	80.18%
	Hispanic	9.49%	5.99%	2.92%	83.50%	41.07%	74.74%	9.93%	3.66%	3.14%	68.16%	72.69%
Married	Married	10.45%	5.85%	4.21%	86.86%	11.00%	18.80%	7.03%	1.07%	1.33%	78.75%	83.69%
	Not Married	14.16%	7.04%	6.49%	82.73%	58.25%	68.98%	11.83%	5.63%	2.17%	71.76%	79.25%
Previous Live Birth	Yes	12.57%	6.20%	6.13%	83.48%	39.13%	46.68%	10.61%	4.04%	2.26%	74.04%	82.74%
	No	11.69%	6.86%	3.93%	87.17%	23.81%	35.51%	7.19%	1.88%	0.90%	77.80%	79.67%
Education	Less Than 12 Years	6.51%	2.67%	3.21%	82.20%	55.20%	74.34%	11.75%	6.64%	4.90%	60.13%	74.41%
	12 Years	15.67%	7.53%	6.76%	81.28%	55.30%	66.87%	9.61%	5.59%	2.45%	71.01%	77.29%
	Greater Than 12 Years	11.70%	6.65%	4.88%	87.14%	17.07%	22.84%	8.30%	1.06%	0.49%	81.03%	84.93%
	Upper 95% CI	Q74	Q75A	Q75B	Q76	Q77A	Q77B	Q77C	Q77D	Q77E	Q78A	Q78B
Total	Yes	13.82%	7.66%	6.39%	86.51%	35.49%	44.73%	10.71%	4.09%	2.40%	77.45%	83.35%
Age	Under 20 Years	21.14%	7.67%	15.27%	90.15%	60.29%	75.09%	12.46%	12.46%	11.03%	74.58%	86.49%
	20-24 Years	13.03%	7.95%	4.53%	86.74%	56.99%	72.16%	9.83%	3.32%	1.98%	76.57%	81.49%
	25-34 Years	13.03%	8.31%	5.33%	86.28%	31.59%	38.51%	10.58%	4.68%	2.71%	77.48%	83.91%
	Over 34 Years	19.50%	7.27%	13.08%	89.64%	23.49%	33.01%	14.74%	2.86%	1.33%	83.04%	86.44%
Ethnicity	White Non-Hispanic	13.36%	7.40%	6.39%	89.88%	21.66%	24.38%	11.88%	2.82%	0.71%	87.91%	90.88%
	Black Non-Hispanic	16.87%	8.06%	9.17%	81.25%	62.71%	64.09%	10.76%	7.34%	4.84%	73.90%	83.17%
	Hispanic	12.16%	8.19%	4.55%	86.56%	45.31%	78.37%	12.64%	5.45%	4.81%	72.08%	76.42%
Married	Married	12.15%	7.18%	5.36%	88.62%	12.74%	20.95%	8.46%	1.69%	2.02%	80.91%	85.63%
	Not Married	16.19%	8.56%	7.95%	84.81%	61.02%	71.56%	13.72%	7.01%	3.07%	74.27%	81.50%
Previous Live Birth	Yes	14.26%	7.44%	7.38%	85.28%	41.56%	49.15%	12.18%	5.07%	3.05%	76.18%	84.57%
	No	13.79%	8.55%	5.25%	89.21%	26.55%	38.56%	8.90%	2.84%	1.60%	80.37%	82.14%
Education	Less Than 12 Years	9.35%	4.65%	5.34%	86.05%	60.40%	78.80%	15.36%	9.51%	7.44%	65.23%	78.87%
	12 Years	18.43%	9.58%	8.72%	84.06%	58.93%	70.28%	11.89%	7.40%	3.72%	74.28%	80.29%
	Greater Than 12 Years	13.39%	7.98%	6.04%	88.80%	19.03%	25.02%	9.76%	1.65%	0.92%	82.99%	86.71%


Table 7W. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS: Q78C-Q79B					
	Percent Response Yes	Q78C	Q78D	Q79A	Q79B
Total	Yes	84.16%	82.84%	6.94%	9.34%
Age	Under 20 Years	83.71%	77.87%	5.31%	9.38%
	20-24 Years	84.23%	77.33%	8.42%	8.08%
	25-34 Years	83.60%	84.04%	7.36%	8.98%
	Over 34 Years	86.25%	86.00%	3.92%	12.13%
Ethnicity	White Non-Hispanic	91.58%	91.73%	4.85%	11.15%
	Black Non-Hispanic	81.97%	81.18%	9.00%	8.06%
	Hispanic	76.85%	73.30%	7.94%	7.58%
Married	Married	86.91%	86.53%	5.37%	8.28%
	Not Married	81.16%	78.70%	8.60%	10.44%
Previous Live Birth	Yes	83.08%	82.97%	4.79%	9.40%
	No	85.92%	82.62%	10.43%	9.23%
Education	Less Than 12 Years	80.39%	70.94%	8.30%	7.23%
	12 Years	78.98%	79.67%	6.01%	6.71%
	Greater Than 12 Years	87.51%	87.13%	7.08%	11.12%
	Lower 95% CI	Q78C	Q78D	Q79A	Q79B
Total	Yes	83.45%	82.10%	6.44%	8.77%
Age	Under 20 Years	79.82%	73.50%	2.94%	6.30%
	20-24 Years	82.62%	75.48%	7.19%	6.88%
	25-34 Years	82.67%	83.12%	6.71%	8.27%
	Over 34 Years	84.60%	84.33%	2.99%	10.57%
Ethnicity	White Non-Hispanic	90.79%	90.95%	4.24%	10.27%
	Black Non-Hispanic	80.48%	79.67%	7.89%	7.01%
	Hispanic	75.04%	71.41%	6.79%	6.44%
Married	Married	86.00%	85.61%	4.77%	7.54%
	Not Married	80.05%	77.55%	7.80%	9.58%
Previous Live Birth	Yes	82.15%	82.04%	4.26%	8.68%
	No	84.82%	81.43%	9.46%	8.32%
Education	Less Than 12 Years	78.29%	68.55%	6.85%	5.87%
	12 Years	77.48%	78.19%	5.13%	5.79%
	Greater Than 12 Years	86.67%	86.27%	6.43%	10.32%
	Upper 95% CI	Q78C	Q78D	Q79A	Q79B
Total	Yes	84.87%	83.57%	7.43%	9.90%
Age	Under 20 Years	87.61%	82.25%	7.67%	12.46%
	20-24 Years	85.83%	79.17%	9.64%	9.28%
	25-34 Years	84.52%	84.95%	8.02%	9.70%
	Over 34 Years	87.91%	87.66%	4.86%	13.70%
Ethnicity	White Non-Hispanic	92.36%	92.51%	5.46%	12.04%
	Black Non-Hispanic	83.45%	82.69%	10.11%	9.12%
	Hispanic	78.66%	75.20%	9.10%	8.71%
Married	Married	87.82%	87.44%	5.98%	9.02%
	Not Married	82.26%	79.86%	9.39%	11.31%
Previous Live Birth	Yes	84.01%	83.90%	5.32%	10.13%
	No	87.02%	83.81%	11.39%	10.14%
Education	Less Than 12 Years	82.48%	73.33%	9.75%	8.59%
	12 Years	80.47%	81.15%	6.88%	7.63%
	Greater Than 12 Years	88.36%	87.98%	7.73%	11.93%

APPENDIX A (RAW VARIABLE GRAPHS)


Appendix AQ5: Did the baby born just before your new one weigh less than 5 pounds, 8 ounces (2.5 kg) at birth?*,§§ [RAW] (% “Yes”)**




AQ6: Was the baby just before your new one born earlier than 3 weeks before his or her due date?*,§§ [RAW] (% “Yes”)**




AQ11A: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your family doctor’s office? [RAW] (% “Yes”)




AQ11B: In the 12 months before you got pregnant with your new baby, did you have a regular checkup at your OB/GYN’s office? [RAW] (% “Yes”)




AQ11C: In the 12 months before you got pregnant with your new baby, did you have a visit for an illness or chronic condition?* [RAW] (% “Yes”)**




AQ11D: In the 12 months before you got pregnant with your new baby, did you have a visit for an injury?* [RAW] (% “Yes”)**




AQ11E: In the 12 months before you got pregnant with your new baby, did you have a visit for family planning or birth control? [RAW] (% “Yes”)




AQ11F: In the 12 months before you got pregnant with your new baby, did you have a visit for depression or anxiety? [RAW] (% “Yes”)




AQ11G: In the 12 months before you got pregnant with your new baby, did you have a visit to have your teeth cleaned by a dentist or dental hygienist? [RAW] (% “Yes”)




AQ12A: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker tell you to take a vitamin with folic acid? * [RAW] (% “Yes”)**




AQ12B: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about maintaining a healthy weight? [RAW] (% “Yes”)




AQ12C: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about controlling any medical conditions such as diabetes or high blood pressure?* [RAW] (% “Yes”)**




AQ12D: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about your desire to have or not have children?* [RAW] (% “Yes”)**




AQ12E: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about using birth control to prevent pregnancy?* [RAW] (% “Yes”)**




AQ12F: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about how you could improve your health before a pregnancy?* [RAW] (% “Yes”)**




AQ12G: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker talk to you about sexually transmitted infections such as chlamydia, gonorrhea, or syphilis?* [RAW] (% “Yes”)**




AQ12H: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if you were smoking cigarettes?* [RAW] (% “Yes”)**




AQ12I: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask you if someone was hurting you emotionally or physically?* [RAW] (% “Yes”)**




AQ12J: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask if you were feeling down or depressed?* [RAW] (% “Yes”)**




AQ12K: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker ask about what kind of work you do?* [RAW] (% “Yes”)**




AQ12L: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or health care worker test you for HIV (the virus that causes AIDS)?* [RAW] (% “Yes”)**




AQ14A: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting your vaccines updated before pregnancy?* [RAW] (% “Yes”)**




AQ14B: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about visiting a dentist or dental hygienist before pregnancy?* [RAW] (% “Yes”)**




AQ14C: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling for any genetic diseases that run in your family?* [RAW] (% “Yes”)**




AQ14D: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about getting counseling or treatment for depression or anxiety?* [RAW] (% “Yes”)**




AQ14E: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about the safety of using prescription or over-the-counter medicines during pregnancy?* [RAW] (% “Yes”)**




AQ14F: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how smoking during pregnancy can affect a baby? [RAW] (% “Yes”)




AQ14G: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how drinking alcohol during pregnancy can affect a baby?* [RAW] (% “Yes”)**




AQ14H: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about how using illegal drugs during pregnancy can affect a baby?* [RAW] (% “Yes”)**




AQ16B: During my most recent pregnancy, I had private health insurance from my job or the job of my husband or partner as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16C: During my most recent pregnancy, I had private health insurance from my parents as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16D: During my most recent pregnancy, I had private health insurance from the Delaware Health Insurance Marketplace or HealthCare.gov as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16E: During my most recent pregnancy, I had Medicaid (Diamond State Health Plan, Highmark Health Options, United Healthcare) as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16F: During my most recent pregnancy, I had Delaware Health Children Program (DHCP/SCHIP) as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16G: During my most recent pregnancy, I had CHAP – Community Healthcare Access Program as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16H: During my most recent pregnancy, I had TRICARE or other military health care as my health insurance for prenatal care.* [RAW] (% “Yes”)**




AQ16I: During my most recent pregnancy, I did not have any health insurance for my prenatal care.* [RAW] (% “Yes”)**




AQ20: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? [RAW] (% “Yes”)




AQ23: Did you get prenatal care as early in your pregnancy as you wanted? [RAW] (% “Yes”)




AQ24A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. [RAW] (% “Yes”)




AQ24B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24C: I didn't have any transportation to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% “Yes”)**




AQ24E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% “Yes”)**




AQ24F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted. [RAW] (% "Yes")




AQ24G: I didn't have my Medicaid (Diamond State Partners, Unison, or Delaware Physicians Care) card kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24H: I didn't have anyone to take care of my children kept me from getting prenatal care at all or as early as I wanted.* [RAW] (% "Yes")**




AQ24I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted. [RAW] (% "Yes")




AQ24J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ24K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted. * [RAW] (% "Yes")**




AQ25A: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you knew how much weight you should gain during pregnancy?* [RAW] (% “Yes”)**




AQ25B: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were taking any prescription medication?* [RAW] (% “Yes”)**




AQ25C: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?* [RAW] (% “Yes”)**




AQ25D: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were drinking alcohol?* [RAW] (% “Yes”)**




AQ25E: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?* [RAW] (% “Yes”)**




AQ25F: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?* [RAW] (% “Yes”)**




AQ25G: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you were using drugs such as marijuana, cocaine, crack, or meth?* [RAW] (% “Yes”)**




AQ25H: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you wanted to be tested for HIV (the virus that causes AIDS)?* [RAW] (% “Yes”)**




AQ25I: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to breastfeed your new baby? * [RAW] (% “Yes”)**




AQ25J: During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you if you planned to use birth control after your baby was born? * [RAW] (% “Yes”)**




AQ36: In the 3 months before you got pregnant, did you smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ37: In the last 3 months of your pregnancy, did you smoke one or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ38: Do you currently smoke 11 or more cigarettes on average each day?* [RAW] (% “Yes”)**




AQ41: During the 3 months before you got pregnant, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ42: During the last 3 months of your pregnancy, on average, did you use e-cigarettes or other electronic nicotine products at least once a day or more?* [RAW] (% “Yes”)**




AQ44: During the 3 months before you got pregnant, did you have four or more drinks on average per week?* [RAW] (% “Yes”)**




AQ45: During the last 3 months of your pregnancy, did you have one or more drinks on average per week?* [RAW] (% “Yes”)**




AQ53: Is your baby alive now?* [RAW] (% “Yes”)**




AQ54: Is your baby living with you now?* [RAW] (% “Yes”)**




AQ55A: Before or after your new baby was born, did you receive information about breastfeeding from your doctor?* [RAW] (% “Yes”)**




AQ55B: Before or after your new baby was born, did you receive information about breastfeeding from a nurse, midwife, or doula?* [RAW] (% “Yes”)**




AQ55C: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding or lactation specialist?* [RAW] (% “Yes”)**




AQ55D: Before or after your new baby was born, did you receive information about breastfeeding from your baby’s doctor or health care provider?* [RAW] (% “Yes”)**




AQ55E: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding support group? [RAW] (% “Yes”)




AQ55F: Before or after your new baby was born, did you receive information about breastfeeding from a breastfeeding hotline or toll-free number?* [RAW] (% “Yes”)**




AQ55G: Before or after your new baby was born, did you receive information about breastfeeding from family or friends?* [RAW] (% “Yes”)**




AQ56: Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?* [RAW] (% “Yes”)**




AQ57: Are you currently breastfeeding or feeding pumped milk to your new baby?* [RAW] (% “Yes”)**




AQ59: Do you most often lay your baby down on his or her back when he or she sleeps now?*
[RAW] (% “Yes”)**




AQ60: Does your baby always or often sleep alone in his or her own crib or bed?* [RAW]
(% “Yes”)**




AQ61: When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?* [RAW] (% “Yes”)**




AQ62A: In the past 2 weeks, did your new baby usually sleep in a crib, bassinet, or pack and play?* [RAW] (% “Yes”)**




AQ62B: In the past 2 weeks, did your new baby usually sleep on a twin or larger mattress or bed?* [RAW] (% “Yes”)**




AQ62C: In the past 2 weeks, did your new baby usually sleep on a couch, sofa, or armchair?* [RAW] (% “Yes”)**




AQ62D: In the past 2 weeks, did your new baby usually sleep in an infant car seat or swing?*
[RAW] (% “Yes”)**




AQ62E: In the past 2 weeks, did your new baby usually sleep in a sleeping sack or wearable blanket? [RAW] (% “Yes”)




AQ62F: In the past 2 weeks, did your new baby usually sleep with a blanket?* [RAW] (% “Yes”)**




AQ62G: In the past 2 weeks, did your new baby usually sleep with toys, cushions, or pillows, including nursing pillows? [RAW] (% “Yes”)




AQ62H: In the past 2 weeks, did your new baby usually sleep with crib bumper pads (mesh or non-mesh)?* [RAW] (% “Yes”)**




AQ63A: Did a doctor, nurse, or other health care worker tell you to place your baby on his or her back to sleep?* [RAW] (% “Yes”)**




AQ63B: Did a doctor, nurse, or other health care worker tell you to place your baby to sleep in a crib, bassinet, or pack and play?* [RAW] (% “Yes”)**




AQ63C: Did a doctor, nurse, or other health care worker tell you to place your baby’s crib or bed in your room?* [RAW] (% “Yes”)**




AQ63D: Did a doctor, nurse, or other health care worker tell you what things should and should not go in bed with your baby?* [RAW] (% “Yes”)**




AQ64: Was your new baby seen by a doctor, nurse, or other health care worker for a one week checkup after he or she was born?* [RAW] (% “Yes”)**




AQ65: Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby?* [RAW] (% “Yes”)**




AQ67A: I want to get pregnant is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67B: I am pregnant now is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67C: I had my tubes tied or blocked is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67D: I don't want to use birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% "Yes")**




AQ67E: I am worried about side effects from birth control is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% "Yes")**




AQ67F: I am not having sex is why I or my husband or partner are not doing anything to keep me from getting pregnant now.††† [RAW] (% “Yes”)




AQ67G: My husband or partner doesn't want to use anything is why I or my husband or partner are not doing anything to keep me from getting pregnant now.†††,* [RAW] (% “Yes”)**




AQ67H: I have problems getting birth control when I need it is why I or my husband or partner are not doing anything to keep me from getting pregnant now. †††,* [RAW] (% “Yes”)**




AQ68A: Having my tubes tied or blocked (female sterilization or Essure®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68B: A vasectomy (male sterilization) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68C: Birth control pills are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68D: Condoms are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68E: Shots or injections (Depo-Provera®) are the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68F: The contraceptive patch (OrthoEvra®) or vaginal ring (NuvaRing®) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68G: An IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68H: A contraceptive implant (Nexplanon® or Implanon®) is the birth control that I or my husband or partner is using now to keep from getting pregnant. [RAW] (% “Yes”)




AQ68I: Natural family planning (including rhythm method) is the birth control that I or my husband or partner is using now to keep from getting pregnant. * [RAW] (% “Yes”)**




AQ68J: Withdrawal (pulling out) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ68K: Not having sex (abstinence) is the birth control that I or my husband or partner is using now to keep from getting pregnant.* [RAW] (% “Yes”)**




AQ70A: During your postpartum checkup, did a doctor, nurse, or other health care worker tell you to take a vitamin with folic acid?* [RAW] (% “Yes”)**




AQ70B: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about healthy eating, exercise, and losing weight gained during pregnancy?* [RAW] (% “Yes”)**




AQ70C: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about how long to wait before getting pregnant again?* [RAW] (% “Yes”)**




AQ70D: During your postpartum checkup, did a doctor, nurse, or other health care worker talk with you about birth control methods you can use after giving birth?* [RAW] (% “Yes”)**




AQ70E: During your postpartum checkup, did a doctor, nurse, or other health care worker give or prescribe for you a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms?* [RAW] (% “Yes”)**




AQ70F: During your postpartum checkup, did a doctor, nurse, or other health care worker insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)?* [RAW] (% “Yes”)**




AQ70G: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were smoking cigarettes?* [RAW] (% “Yes”)**




AQ70H: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if someone was hurting you emotionally or physically?* [RAW] (% “Yes”)**




AQ70I: During your postpartum checkup, did a doctor, nurse, or other health care worker ask you if you were feeling down or depressed?* [RAW] (% “Yes”)**




AQ70J: During your postpartum checkup, did a doctor, nurse, or other health care worker test you for diabetes?* [RAW] (% “Yes”)**




AQ75A: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth less than 6 months before getting pregnant?* [RAW] (% “Yes”)**




AQ75B: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth 6 to 12 months before getting pregnant?* ** [RAW] (% “Yes”)**




AQ76: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about fetal (baby) kick counts and how to do them?* [RAW] (% “Yes”)**



AQ79A: During your most recent pregnancy, did you take any parenting classes?* [RAW] (% “Yes”)**



AQ79B: During your most recent pregnancy, did you receive counseling for depression or anxiety? [RAW] (% “Yes”)



APPENDIX B (RAW VARIABLE TABLES)

Table BA. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q5-Q12B												
	Percent Response Yes	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	9.35%	8.19%	38.21%	44.14%	14.60%	4.06%	10.26%	9.43%	39.36%	22.58%	27.96%
Age	Under 20 Years	0.00%	0.00%	51.50%	18.76%	5.31%	5.31%	10.62%	17.52%	38.76%	4.07%	26.90%
	20-24 Years	10.83%	11.20%	41.79%	41.76%	5.92%	4.52%	13.63%	6.64%	29.87%	11.50%	29.73%
	25-34 Years	8.81%	7.84%	34.44%	44.26%	15.39%	4.30%	9.46%	9.50%	37.98%	23.69%	25.73%
	Over 34 Years	11.51%	7.58%	45.13%	51.80%	23.97%	2.38%	9.13%	10.85%	55.87%	35.49%	34.31%
Ethnicity	White Non-Hispanic	5.26%	5.07%	39.59%	54.20%	22.87%	6.17%	12.10%	15.10%	51.40%	26.90%	26.43%
	Black Non-Hispanic	14.47%	11.13%	43.79%	40.09%	8.92%	1.93%	8.75%	4.67%	30.24%	18.18%	33.44%
	Hispanic	10.99%	11.01%	31.66%	29.82%	3.92%	3.13%	9.97%	4.33%	26.56%	17.54%	26.52%
Married	Married	6.54%	5.18%	39.06%	51.71%	19.15%	4.61%	11.46%	9.26%	51.36%	33.28%	29.77%
	Not Married	12.48%	11.54%	37.19%	35.61%	9.52%	3.46%	8.96%	9.56%	25.90%	10.69%	25.95%
Previous Live Birth	Yes	N/A	N/A	38.23%	42.84%	15.94%	4.10%	9.11%	9.94%	35.20%	20.91%	28.74%
	No	N/A	N/A	38.18%	46.26%	12.43%	4.00%	12.13%	8.62%	46.12%	25.29%	26.70%
Education	Less Than 12 Years	18.32%	14.92%	23.92%	14.60%	5.07%	0.31%	5.69%	4.98%	13.28%	11.24%	21.19%
	12 Years	10.00%	12.39%	42.14%	36.76%	7.67%	3.37%	6.85%	10.04%	26.99%	13.72%	27.94%
	Greater Than 12 Years	6.95%	4.59%	39.76%	54.76%	20.23%	5.29%	13.01%	10.21%	51.57%	29.58%	29.63%
	Lower 95% CI	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	8.78%	7.65%	37.27%	43.17%	13.92%	3.68%	9.67%	8.87%	38.41%	21.77%	27.09%
Age	Under 20 Years	0.00%	0.00%	46.23%	14.64%	2.94%	2.94%	7.37%	13.51%	33.62%	1.99%	22.22%
	20-24 Years	9.46%	9.81%	39.62%	39.58%	4.88%	3.61%	12.12%	5.54%	27.85%	10.10%	27.71%
	25-34 Years	8.10%	7.17%	33.25%	43.02%	14.48%	3.79%	8.73%	8.77%	36.77%	22.63%	24.64%
	Over 34 Years	9.98%	6.31%	42.74%	49.40%	21.92%	1.65%	7.75%	9.36%	53.49%	33.19%	32.03%
Ethnicity	White Non-Hispanic	4.63%	4.45%	38.20%	52.80%	21.68%	5.49%	11.18%	14.09%	49.99%	25.65%	25.18%
	Black Non-Hispanic	13.11%	9.91%	41.86%	38.19%	7.81%	1.40%	7.66%	3.85%	28.47%	16.68%	31.62%
	Hispanic	9.65%	9.67%	29.67%	27.86%	3.08%	2.38%	8.69%	3.45%	24.67%	15.91%	24.63%
Married	Married	5.88%	4.59%	37.75%	50.37%	18.09%	4.05%	10.61%	8.49%	50.02%	32.02%	28.54%
	Not Married	11.55%	10.64%	35.83%	34.25%	8.69%	2.94%	8.15%	8.73%	24.66%	9.82%	24.71%
Previous Live Birth	Yes	N/A	N/A	37.03%	41.61%	15.04%	3.61%	8.40%	9.20%	34.02%	19.91%	27.62%
	No	N/A	N/A	36.65%	44.69%	11.39%	3.38%	11.10%	7.73%	44.54%	23.92%	25.30%
Education	Less Than 12 Years	16.29%	13.04%	21.68%	12.74%	3.91%	0.02%	4.47%	3.83%	11.49%	9.58%	19.04%
	12 Years	8.90%	11.18%	40.33%	34.99%	6.69%	2.71%	5.93%	8.93%	25.36%	12.46%	26.29%
	Greater Than 12 Years	6.30%	4.06%	38.52%	53.49%	19.21%	4.72%	12.15%	9.44%	50.29%	28.42%	28.47%
	Upper 95% CI	Q5	Q6	Q11A	Q11B	Q11C	Q11D	Q11E	Q11F	Q11G	Q12A	Q12B
Total	Yes	9.92%	8.72%	39.16%	45.11%	15.29%	4.45%	10.85%	10.00%	40.31%	23.39%	28.84%
Age	Under 20 Years	0.00%	0.00%	56.78%	22.88%	7.67%	7.67%	13.87%	21.53%	43.90%	6.16%	31.58%
	20-24 Years	12.20%	12.59%	43.96%	43.93%	6.96%	5.43%	15.14%	7.74%	31.88%	12.91%	31.74%
	25-34 Years	9.52%	8.51%	35.63%	45.50%	16.29%	4.81%	10.19%	10.23%	39.19%	24.75%	26.83%
	Over 34 Years	13.04%	8.85%	47.52%	54.20%	26.02%	3.12%	10.51%	12.34%	58.25%	37.78%	36.59%
Ethnicity	White Non-Hispanic	5.89%	5.69%	40.97%	55.61%	24.05%	6.85%	13.02%	16.11%	52.81%	28.15%	27.67%
	Black Non-Hispanic	15.83%	12.35%	45.71%	41.99%	10.02%	2.46%	9.85%	5.49%	32.02%	19.67%	35.27%
	Hispanic	12.33%	12.36%	33.65%	31.78%	4.75%	3.87%	11.26%	5.20%	28.45%	19.17%	28.41%
Married	Married	7.21%	5.78%	40.37%	53.05%	20.21%	5.18%	12.32%	10.04%	52.70%	34.55%	31.00%
	Not Married	13.42%	12.44%	38.56%	36.96%	10.35%	3.98%	9.76%	10.39%	27.14%	11.56%	27.18%
Previous Live Birth	Yes	N/A	N/A	39.43%	44.06%	16.85%	4.59%	9.83%	10.68%	36.38%	21.92%	29.86%
	No	N/A	N/A	39.71%	47.84%	13.47%	4.62%	13.16%	9.50%	47.69%	26.66%	28.09%
Education	Less Than 12 Years	20.36%	16.79%	26.17%	16.46%	6.22%	0.60%	6.91%	6.12%	15.06%	12.90%	23.34%
	12 Years	11.11%	13.60%	43.95%	38.53%	8.65%	4.03%	7.78%	11.14%	28.62%	14.98%	29.58%
	Greater Than 12 Years	7.59%	5.13%	41.01%	56.03%	21.26%	5.86%	13.87%	10.99%	52.84%	30.75%	30.80%

Appendix BB. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q12C-Q14A												
	Percent Response Yes	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	10.92%	32.73%	32.29%	22.41%	20.90%	53.91%	40.65%	39.70%	45.27%	26.78%	13.66%
Age	Under 20 Years	4.07%	18.76%	45.66%	10.62%	27.78%	55.57%	46.19%	46.19%	43.72%	33.45%	7.78%
	20-24 Years	10.12%	24.36%	44.94%	19.62%	29.30%	59.57%	51.52%	50.84%	44.74%	39.32%	10.46%
	25-34 Years	10.30%	32.95%	29.27%	21.72%	20.25%	51.44%	36.14%	35.34%	44.52%	22.24%	15.14%
	Over 34 Years	15.58%	44.76%	25.62%	30.72%	11.84%	55.97%	43.21%	41.17%	48.97%	27.24%	13.23%
Ethnicity	White Non-Hispanic	8.93%	38.50%	30.05%	22.66%	17.54%	59.06%	40.83%	39.82%	50.01%	19.07%	13.60%
	Black Non-Hispanic	15.55%	28.79%	41.54%	25.84%	26.19%	54.56%	43.31%	43.44%	46.40%	42.24%	14.03%
	Hispanic	11.00%	28.53%	33.95%	19.48%	25.09%	44.51%	42.14%	38.89%	36.40%	27.71%	11.44%
Married	Married	10.13%	44.01%	28.43%	28.10%	16.92%	57.65%	41.04%	38.11%	50.37%	20.01%	16.31%
	Not Married	11.74%	20.33%	36.47%	16.16%	25.18%	49.64%	40.06%	41.29%	39.47%	34.26%	10.67%
Previous Live Birth	Yes	12.58%	31.11%	33.32%	20.09%	18.94%	52.59%	42.34%	40.55%	44.18%	26.91%	12.11%
	No	8.23%	35.38%	30.62%	26.17%	24.07%	56.06%	37.90%	38.31%	47.03%	26.56%	16.19%
Education	Less Than 12 Years	11.38%	17.70%	28.74%	16.77%	26.47%	33.41%	31.43%	32.44%	26.53%	25.70%	16.47%
	12 Years	12.78%	21.82%	38.83%	16.89%	26.86%	53.41%	43.47%	45.43%	39.20%	39.24%	9.81%
	Greater Than 12 Years	9.94%	41.62%	30.04%	26.45%	16.75%	59.10%	41.55%	38.73%	52.71%	21.07%	14.90%
	Lower 95% CI	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	10.31%	31.82%	31.38%	21.60%	20.10%	52.94%	39.69%	38.75%	44.30%	25.92%	12.99%
Age	Under 20 Years	1.99%	14.64%	40.41%	7.37%	23.05%	50.33%	40.93%	40.93%	38.49%	28.47%	4.96%
	20-24 Years	8.79%	22.47%	42.75%	17.87%	27.30%	57.41%	49.32%	48.64%	42.55%	37.17%	9.11%
	25-34 Years	9.54%	31.78%	28.13%	20.69%	19.25%	50.19%	34.94%	34.15%	43.28%	21.20%	14.24%
	Over 34 Years	13.84%	42.37%	23.53%	28.50%	10.29%	53.59%	40.84%	38.80%	46.57%	25.10%	11.61%
Ethnicity	White Non-Hispanic	8.13%	37.12%	28.75%	21.47%	16.47%	57.67%	39.44%	38.43%	48.60%	17.96%	12.63%
	Black Non-Hispanic	14.15%	27.03%	39.63%	24.15%	24.48%	52.63%	41.40%	41.52%	44.47%	40.33%	12.69%
	Hispanic	9.66%	26.60%	31.92%	17.79%	23.23%	42.38%	40.02%	36.80%	34.34%	25.79%	10.08%
Married	Married	9.32%	42.67%	27.22%	26.90%	15.92%	56.33%	39.71%	36.81%	49.03%	18.93%	15.32%
	Not Married	10.83%	19.19%	35.11%	15.11%	23.95%	48.23%	38.67%	39.90%	38.09%	32.92%	9.80%
Previous Live Birth	Yes	11.76%	29.96%	32.15%	19.10%	17.97%	51.35%	41.12%	39.34%	42.95%	25.81%	11.30%
	No	7.37%	33.87%	29.17%	24.78%	22.72%	54.50%	36.37%	36.78%	45.46%	25.17%	15.03%
Education	Less Than 12 Years	9.71%	15.69%	26.36%	14.81%	24.15%	30.93%	28.98%	29.98%	24.21%	23.40%	14.52%
	12 Years	11.55%	20.31%	37.04%	15.51%	25.23%	51.57%	41.65%	43.61%	37.41%	37.45%	8.72%
	Greater Than 12 Years	9.18%	40.36%	28.87%	25.33%	15.80%	57.85%	40.29%	37.48%	51.44%	20.03%	13.99%
	Upper 95% CI	Q12C	Q12D	Q12E	Q12F	Q12G	Q12H	Q12I	Q12J	Q12K	Q12L	Q14A
Total	Yes	11.53%	33.65%	33.20%	23.22%	21.69%	54.88%	41.60%	40.65%	46.24%	27.64%	14.33%
Age	Under 20 Years	6.16%	22.88%	50.92%	13.87%	32.51%	60.82%	51.45%	51.45%	48.95%	38.43%	10.61%
	20-24 Years	11.44%	26.25%	47.13%	21.37%	31.31%	61.73%	53.72%	53.05%	46.93%	41.47%	11.80%
	25-34 Years	11.06%	34.13%	30.41%	22.75%	21.26%	52.69%	37.34%	36.54%	45.76%	23.28%	16.04%
	Over 34 Years	17.32%	47.15%	27.72%	32.94%	13.39%	58.36%	45.59%	43.53%	51.37%	29.38%	14.86%
Ethnicity	White Non-Hispanic	9.74%	39.87%	31.34%	23.84%	18.62%	60.45%	42.22%	41.20%	51.42%	20.18%	14.57%
	Black Non-Hispanic	16.96%	30.54%	43.45%	27.54%	27.89%	56.49%	45.23%	45.36%	48.33%	44.16%	15.38%
	Hispanic	12.34%	30.47%	35.98%	21.18%	26.94%	46.64%	44.25%	40.97%	38.46%	29.63%	12.80%
Married	Married	10.94%	45.34%	29.65%	29.31%	17.93%	58.98%	42.36%	39.42%	51.71%	21.08%	17.31%
	Not Married	12.65%	21.47%	37.83%	17.20%	26.40%	51.06%	41.45%	42.69%	40.85%	35.60%	11.54%
Previous Live Birth	Yes	13.40%	32.25%	34.48%	21.08%	19.91%	53.82%	43.56%	41.77%	45.41%	28.01%	12.91%
	No	9.10%	36.88%	32.07%	27.56%	25.41%	57.63%	39.43%	39.84%	48.61%	27.95%	17.35%
Education	Less Than 12 Years	13.05%	19.71%	31.12%	18.74%	28.79%	55.89%	33.87%	34.91%	28.86%	28.00%	18.43%
	12 Years	14.00%	23.34%	40.62%	18.26%	28.48%	55.24%	45.29%	47.26%	40.99%	41.03%	10.90%
	Greater Than 12 Years	10.71%	42.88%	31.21%	27.58%	17.71%	60.36%	42.80%	39.97%	53.99%	22.11%	15.80%

Table BC. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q14B-Q16E												
	Percent Response Yes	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	12.06%	10.95%	7.86%	15.47%	16.04%	17.14%	15.86%	44.32%	5.49%	2.19%	47.25%
Age	Under 20 Years	15.93%	9.38%	15.93%	22.47%	22.47%	22.47%	22.47%	0.00%	29.03%	0.00%	85.31%
	20-24 Years	7.92%	8.35%	9.25%	9.95%	15.77%	16.64%	16.21%	18.50%	15.16%	2.11%	71.01%
	25-34 Years	12.75%	10.93%	7.46%	16.69%	16.64%	18.13%	16.63%	50.28%	2.54%	1.84%	42.28%
	Over 34 Years	13.67%	14.45%	6.01%	16.09%	12.79%	12.98%	11.25%	62.21%	0.00%	4.07%	29.43%
Ethnicity	White Non-Hispanic	9.20%	10.67%	7.48%	16.40%	14.93%	16.88%	15.23%	57.92%	7.26%	2.31%	32.64%
	Black Non-Hispanic	15.77%	9.79%	8.31%	12.10%	16.85%	17.02%	16.07%	28.29%	4.50%	3.20%	69.75%
	Hispanic	12.37%	12.92%	10.43%	18.67%	20.46%	20.46%	19.91%	21.01%	3.73%	1.40%	65.62%
Married	Married	13.82%	12.61%	6.66%	17.83%	15.40%	17.18%	14.91%	69.16%	1.55%	2.47%	18.70%
	Not Married	10.16%	9.14%	9.20%	12.81%	16.60%	16.96%	16.87%	16.83%	9.87%	1.90%	78.73%
Previous Live Birth	Yes	10.53%	9.25%	7.85%	15.59%	15.56%	16.28%	14.96%	39.55%	3.08%	2.35%	52.50%
	No	14.56%	13.72%	7.87%	15.28%	16.81%	18.54%	17.32%	52.08%	9.41%	1.94%	38.70%
Education	Less Than 12 Years	11.96%	10.63%	12.91%	21.34%	24.85%	24.85%	24.85%	3.23%	3.35%	2.16%	74.89%
	12 Years	10.52%	7.41%	8.42%	11.71%	15.14%	15.85%	15.49%	16.05%	9.41%	1.96%	77.80%
	Greater Than 12 Years	12.87%	12.76%	6.41%	15.95%	14.43%	15.99%	13.97%	67.75%	4.11%	2.32%	25.85%
	Lower 95% CI	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	11.43%	10.34%	7.33%	14.77%	15.32%	16.41%	15.15%	43.36%	5.05%	1.91%	46.27%
Age	Under 20 Years	12.07%	6.30%	12.07%	18.07%	18.07%	18.07%	18.07%	0.00%	24.24%	0.00%	81.58%
	20-24 Years	6.73%	7.14%	7.97%	8.64%	14.16%	15.00%	14.58%	16.79%	13.58%	1.48%	69.01%
	25-34 Years	11.92%	10.15%	6.80%	15.76%	15.71%	17.17%	15.70%	49.03%	2.15%	1.50%	41.05%
	Over 34 Years	12.02%	12.76%	4.87%	14.33%	11.19%	11.36%	9.74%	59.88%	0.00%	3.12%	27.24%
Ethnicity	White Non-Hispanic	8.38%	9.79%	6.73%	15.36%	13.92%	15.82%	14.21%	56.52%	6.53%	1.89%	31.31%
	Black Non-Hispanic	14.36%	8.64%	7.24%	10.84%	15.40%	15.57%	14.65%	26.54%	3.70%	2.52%	67.97%
	Hispanic	10.96%	11.49%	9.13%	17.00%	18.73%	18.73%	18.20%	19.27%	2.92%	0.90%	63.58%
Married	Married	12.89%	11.72%	5.99%	16.80%	14.43%	16.17%	13.95%	67.92%	1.22%	2.05%	17.66%
	Not Married	9.30%	8.33%	8.39%	11.86%	15.55%	15.90%	15.81%	15.78%	9.03%	1.51%	77.58%
Previous Live Birth	Yes	9.77%	8.53%	7.18%	14.69%	14.66%	15.36%	14.08%	38.34%	2.65%	1.98%	51.27%
	No	13.45%	12.64%	7.02%	14.15%	15.63%	17.31%	16.13%	50.50%	8.49%	1.50%	37.17%
Education	Less Than 12 Years	10.25%	9.01%	11.15%	19.19%	22.57%	22.57%	22.57%	2.30%	2.40%	1.39%	72.60%
	12 Years	9.39%	6.45%	7.40%	10.53%	13.82%	14.51%	14.16%	14.70%	8.34%	1.45%	76.28%
	Greater Than 12 Years	12.01%	11.91%	5.79%	15.01%	13.54%	15.05%	13.08%	66.56%	3.61%	1.94%	24.73%
	Upper 95% CI	Q14B	Q14C	Q14D	Q14E	Q14F	Q14G	Q14H	Q16B	Q16C	Q16D	Q16E
Total	Yes	12.70%	11.56%	8.38%	16.18%	16.75%	17.87%	16.57%	45.29%	5.93%	2.48%	48.22%
Age	Under 20 Years	19.79%	12.46%	19.79%	26.88%	26.88%	26.88%	26.88%	0.00%	33.82%	0.00%	89.05%
	20-24 Years	9.10%	9.57%	10.52%	11.27%	17.37%	18.28%	17.83%	20.21%	16.74%	2.74%	73.01%
	25-34 Years	13.58%	11.71%	8.11%	17.62%	17.57%	19.09%	17.56%	51.53%	2.94%	2.17%	43.52%
	Over 34 Years	15.32%	16.13%	7.15%	17.86%	14.40%	14.59%	12.77%	64.54%	0.00%	5.02%	31.62%
Ethnicity	White Non-Hispanic	10.01%	11.54%	8.22%	17.45%	15.94%	17.93%	16.24%	59.31%	8.00%	2.74%	33.96%
	Black Non-Hispanic	17.18%	10.94%	9.38%	13.37%	18.30%	18.48%	17.49%	30.03%	5.30%	3.88%	71.53%
	Hispanic	13.78%	14.36%	11.74%	20.34%	22.19%	22.19%	21.62%	22.76%	4.55%	1.90%	67.65%
Married	Married	14.74%	13.50%	7.33%	18.86%	16.37%	18.19%	15.87%	70.40%	1.88%	2.88%	19.75%
	Not Married	11.01%	9.96%	10.02%	13.75%	17.65%	18.02%	17.93%	17.89%	10.71%	2.29%	79.89%
Previous Live Birth	Yes	11.29%	9.96%	8.51%	16.49%	16.45%	17.19%	15.85%	40.76%	3.51%	2.73%	53.74%
	No	15.67%	14.81%	8.72%	16.42%	17.99%	19.76%	18.52%	53.65%	10.33%	2.37%	40.24%
Education	Less Than 12 Years	13.66%	12.26%	14.68%	23.50%	27.12%	27.12%	27.12%	4.16%	4.30%	2.93%	77.17%
	12 Years	11.65%	8.37%	9.44%	12.89%	16.46%	17.19%	16.82%	17.40%	10.48%	2.47%	79.33%
	Greater Than 12 Years	13.72%	13.62%	7.04%	16.88%	15.33%	16.92%	14.85%	68.95%	4.62%	2.71%	26.97%

Table BD. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q16F-Q24E												
	Percent Response Yes	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.23%	5.40%	3.38%	2.04%	20.24%	82.08%	9.24%	3.37%	3.58%	5.35%	4.58%
Age	Under 20 Years	1.24%	0.00%	4.07%	0.00%	49.03%	75.93%	12.21%	8.14%	8.14%	4.07%	6.55%
	20-24 Years	0.00%	5.53%	3.94%	1.74%	23.43%	76.20%	14.26%	4.31%	4.22%	6.79%	4.88%
	25-34 Years	1.28%	5.15%	3.38%	2.61%	18.65%	82.75%	8.18%	3.33%	3.57%	5.31%	4.85%
	Over 34 Years	2.53%	7.30%	2.57%	0.70%	16.35%	87.87%	6.56%	1.46%	1.87%	4.07%	2.79%
Ethnicity	White Non-Hispanic	0.29%	0.29%	4.91%	1.55%	16.46%	84.63%	9.54%	2.23%	1.45%	5.39%	2.60%
	Black Non-Hispanic	1.60%	0.72%	1.81%	0.17%	24.15%	77.04%	9.08%	4.63%	6.62%	3.62%	10.13%
	Hispanic	2.69%	23.97%	2.08%	4.06%	26.13%	84.76%	7.25%	3.98%	5.03%	7.48%	3.13%
Married	Married	0.79%	2.79%	5.96%	2.77%	12.53%	87.33%	6.43%	2.87%	1.49%	4.64%	2.37%
	Not Married	1.73%	8.32%	0.53%	1.24%	28.74%	76.21%	12.38%	3.94%	5.90%	6.16%	7.03%
Previous Live Birth	Yes	1.70%	6.69%	3.65%	2.09%	23.03%	81.22%	8.18%	2.84%	4.61%	5.47%	6.42%
	No	0.47%	3.31%	2.95%	1.95%	15.69%	83.48%	10.95%	4.24%	1.90%	5.16%	1.58%
Education	Less Than 12 Years	5.07%	25.19%	2.69%	7.41%	20.27%	82.25%	9.62%	2.64%	6.13%	6.04%	5.83%
	12 Years	0.30%	5.10%	2.11%	1.59%	22.69%	79.02%	9.90%	4.14%	5.59%	5.46%	7.50%
	Greater Than 12 Years	0.79%	0.91%	4.17%	1.00%	18.85%	83.71%	8.61%	2.95%	1.77%	5.16%	2.88%
	Lower 95% CI	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.02%	4.96%	3.03%	1.76%	19.45%	81.33%	8.67%	3.02%	3.21%	4.92%	4.17%
Age	Under 20 Years	0.07%	0.00%	1.99%	0.00%	43.75%	71.42%	8.76%	5.26%	5.26%	1.99%	3.94%
	20-24 Years	0.00%	4.52%	3.09%	1.17%	21.57%	74.32%	12.72%	3.41%	3.34%	5.68%	3.93%
	25-34 Years	1.00%	4.60%	2.93%	2.21%	17.67%	81.80%	7.50%	2.88%	3.11%	4.75%	4.32%
	Over 34 Years	1.78%	6.05%	1.81%	0.30%	14.57%	86.30%	5.37%	0.89%	1.22%	3.12%	2.00%
Ethnicity	White Non-Hispanic	0.14%	0.14%	4.30%	1.20%	15.41%	83.61%	8.71%	1.81%	1.11%	4.75%	2.15%
	Black Non-Hispanic	1.11%	0.39%	1.30%	0.01%	22.50%	75.41%	7.97%	3.82%	5.65%	2.90%	8.96%
	Hispanic	1.99%	22.14%	1.47%	3.22%	24.25%	83.22%	6.14%	3.14%	4.10%	6.35%	2.38%
Married	Married	0.55%	2.35%	5.33%	2.33%	11.65%	86.44%	5.77%	2.42%	1.17%	4.07%	1.97%
	Not Married	1.36%	7.54%	0.33%	0.92%	27.46%	75.01%	11.44%	3.39%	5.23%	5.48%	6.31%
Previous Live Birth	Yes	1.38%	6.07%	3.19%	1.74%	21.99%	80.25%	7.50%	2.43%	4.09%	4.91%	5.81%
	No	0.26%	2.75%	2.41%	1.51%	14.55%	82.31%	9.97%	3.61%	1.47%	4.47%	1.19%
Education	Less Than 12 Years	3.91%	22.91%	1.84%	6.03%	18.16%	80.24%	8.07%	1.80%	4.86%	4.78%	4.59%
	12 Years	0.10%	4.29%	1.58%	1.13%	21.15%	77.53%	8.80%	3.41%	4.74%	4.62%	6.53%
	Greater Than 12 Years	0.56%	0.67%	3.66%	0.74%	17.85%	82.77%	7.90%	2.51%	1.44%	4.59%	2.45%
	Upper 95% CI	Q16F	Q16G	Q16H	Q16I	Q20	Q23	Q24A	Q24B	Q24C	Q24D	Q24E
Total	Yes	1.45%	5.84%	3.73%	2.31%	21.02%	82.82%	9.80%	3.73%	3.94%	5.79%	4.98%
Age	Under 20 Years	2.40%	0.00%	6.16%	0.00%	54.30%	80.44%	15.67%	11.03%	11.03%	6.16%	9.16%
	20-24 Years	0.00%	6.53%	4.80%	2.32%	25.30%	78.07%	15.80%	5.20%	5.11%	7.90%	5.83%
	25-34 Years	1.56%	5.71%	3.84%	3.01%	19.62%	83.69%	8.86%	3.77%	4.04%	5.87%	5.39%
	Over 34 Years	3.28%	8.55%	3.32%	1.10%	18.13%	89.44%	7.75%	2.04%	2.52%	5.02%	3.58%
Ethnicity	White Non-Hispanic	0.44%	0.44%	5.52%	1.90%	17.51%	85.65%	10.37%	2.65%	1.78%	6.03%	3.05%
	Black Non-Hispanic	2.08%	1.04%	2.33%	0.32%	25.81%	78.67%	10.20%	5.44%	7.58%	4.35%	11.30%
	Hispanic	3.38%	25.80%	2.69%	4.91%	28.02%	86.30%	8.36%	4.81%	5.97%	8.60%	3.87%
Married	Married	1.03%	3.23%	6.60%	3.21%	13.42%	88.22%	7.09%	3.32%	1.82%	5.20%	2.78%
	Not Married	2.10%	9.10%	0.74%	1.55%	30.02%	77.41%	13.31%	4.49%	6.56%	6.84%	7.75%
Previous Live Birth	Yes	2.02%	7.31%	4.11%	2.45%	24.07%	82.18%	8.86%	3.25%	5.13%	6.03%	7.02%
	No	0.69%	3.88%	3.48%	2.38%	16.84%	84.65%	11.94%	4.88%	2.33%	5.86%	1.98%
Education	Less Than 12 Years	6.22%	27.48%	3.54%	8.79%	22.39%	84.26%	11.17%	3.49%	7.39%	7.29%	7.06%
	12 Years	0.50%	5.91%	2.63%	2.05%	24.23%	80.52%	11.00%	4.87%	6.43%	6.29%	8.47%
	Greater Than 12 Years	1.01%	1.15%	4.68%	1.25%	19.85%	84.65%	9.33%	3.38%	2.11%	5.72%	3.31%

Table BE. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q24F-Q25E												
	Percent Response Yes	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	3.68%	2.45%	2.22%	7.02%	3.57%	1.73%	56.20%	93.78%	94.93%	93.94%	82.04%
Age	Under 20 Years	12.21%	4.07%	8.14%	22.83%	2.47%	4.07%	53.45%	91.86%	87.79%	87.79%	82.48%
	20-24 Years	2.05%	2.77%	1.90%	7.07%	5.69%	1.90%	59.21%	90.99%	96.43%	96.59%	85.31%
	25-34 Years	4.08%	2.13%	2.29%	6.07%	3.42%	1.63%	57.12%	94.62%	95.07%	94.03%	81.66%
	Over 34 Years	2.38%	2.90%	1.10%	7.18%	1.87%	1.39%	49.78%	94.39%	94.13%	91.75%	79.47%
Ethnicity	White Non-Hispanic	2.79%	0.95%	1.15%	5.58%	1.59%	0.09%	56.27%	96.06%	95.90%	94.42%	78.30%
	Black Non-Hispanic	7.00%	6.02%	4.85%	11.53%	7.20%	2.87%	53.67%	91.00%	93.27%	92.55%	80.11%
	Hispanic	2.86%	1.49%	1.34%	4.73%	4.65%	4.65%	54.47%	91.81%	94.28%	94.42%	90.79%
Married	Married	1.63%	1.76%	0.75%	4.16%	0.91%	0.73%	58.45%	96.14%	94.74%	93.89%	78.97%
	Not Married	5.97%	3.22%	3.85%	10.21%	6.54%	2.83%	53.59%	91.15%	95.14%	93.99%	85.40%
Previous Live Birth	Yes	5.45%	2.07%	3.14%	8.02%	4.59%	2.22%	51.49%	93.50%	94.35%	93.08%	83.19%
	No	0.81%	3.06%	0.73%	5.40%	1.92%	0.92%	63.84%	94.23%	95.88%	95.34%	80.18%
Education	Less Than 12 Years	4.36%	2.03%	4.36%	10.72%	8.62%	7.99%	52.91%	87.50%	89.64%	89.64%	80.40%
	12 Years	5.52%	2.97%	2.94%	8.72%	5.96%	1.70%	52.30%	92.67%	96.13%	94.99%	85.45%
	Greater Than 12 Years	2.64%	2.30%	1.13%	5.11%	1.24%	0.27%	58.98%	95.78%	95.82%	94.67%	80.98%
	Lower 95% CI	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	3.32%	2.15%	1.93%	6.52%	3.21%	1.47%	55.23%	93.31%	94.50%	93.48%	81.30%
Age	Under 20 Years	8.76%	1.99%	5.26%	18.40%	0.84%	1.99%	48.18%	88.97%	84.33%	84.33%	78.47%
	20-24 Years	1.42%	2.04%	1.29%	5.94%	4.67%	1.29%	57.04%	89.73%	95.62%	95.79%	83.75%
	25-34 Years	3.59%	1.77%	1.92%	5.48%	2.96%	1.31%	55.88%	94.06%	94.52%	93.44%	80.70%
	Over 34 Years	1.65%	2.09%	0.60%	5.94%	1.22%	0.83%	47.38%	93.28%	93.00%	90.43%	77.53%
Ethnicity	White Non-Hispanic	2.33%	0.68%	0.85%	4.93%	1.23%	0.00%	54.86%	95.51%	95.34%	93.78%	77.14%
	Black Non-Hispanic	6.01%	5.10%	4.01%	10.29%	6.20%	2.22%	51.74%	89.89%	92.30%	91.53%	78.57%
	Hispanic	2.14%	0.97%	0.85%	3.82%	3.75%	3.75%	52.34%	90.63%	93.28%	93.44%	89.56%
Married	Married	1.29%	1.40%	0.52%	3.63%	0.65%	0.51%	57.12%	95.62%	94.14%	93.24%	77.87%
	Not Married	5.30%	2.72%	3.31%	9.35%	5.84%	2.36%	52.18%	90.35%	94.53%	93.32%	84.41%
Previous Live Birth	Yes	4.89%	1.72%	2.70%	7.35%	4.07%	1.86%	50.25%	92.89%	93.78%	92.45%	82.26%
	No	0.52%	2.51%	0.46%	4.69%	1.49%	0.62%	62.33%	93.50%	95.26%	94.68%	78.93%
Education	Less Than 12 Years	3.29%	1.29%	3.29%	9.09%	7.14%	6.56%	50.29%	85.76%	88.04%	88.04%	78.31%
	12 Years	4.68%	2.34%	2.32%	7.68%	5.09%	1.22%	50.47%	91.71%	95.42%	94.19%	84.15%
	Greater Than 12 Years	2.23%	1.92%	0.86%	4.55%	0.96%	0.14%	57.73%	95.26%	95.31%	94.10%	79.98%
	Upper 95% CI	Q24F	Q24G	Q24H	Q24I	Q24J	Q24K	Q25A	Q25B	Q25C	Q25D	Q25E
Total	Yes	4.05%	2.75%	2.50%	7.52%	3.93%	1.98%	57.16%	94.25%	95.36%	94.41%	82.79%
Age	Under 20 Years	15.67%	6.16%	11.03%	27.26%	4.11%	6.16%	58.71%	94.74%	91.24%	91.24%	86.49%
	20-24 Years	2.67%	3.49%	2.50%	8.20%	6.70%	2.50%	61.37%	92.25%	97.25%	97.38%	86.87%
	25-34 Years	4.58%	2.50%	2.67%	6.67%	3.87%	1.95%	58.36%	95.18%	95.61%	94.63%	82.63%
	Over 34 Years	3.12%	3.70%	1.60%	8.42%	2.52%	1.96%	52.18%	95.49%	95.26%	93.07%	81.41%
Ethnicity	White Non-Hispanic	3.26%	1.23%	1.46%	6.23%	1.94%	0.17%	57.67%	96.61%	96.46%	95.07%	79.47%
	Black Non-Hispanic	7.99%	6.94%	5.68%	12.77%	8.20%	3.51%	55.60%	92.11%	94.24%	93.57%	81.66%
	Hispanic	3.57%	2.01%	1.84%	5.64%	5.55%	5.55%	56.61%	92.98%	95.27%	95.41%	92.03%
Married	Married	1.97%	2.11%	0.98%	4.70%	1.16%	0.96%	59.77%	96.65%	95.33%	94.53%	80.06%
	Not Married	6.64%	3.72%	4.40%	11.07%	7.24%	3.30%	55.00%	91.95%	95.74%	94.66%	86.40%
Previous Live Birth	Yes	6.01%	2.43%	3.57%	8.69%	5.11%	2.58%	52.73%	94.11%	94.92%	93.71%	84.11%
	No	1.09%	3.60%	1.00%	6.11%	2.35%	1.22%	65.36%	94.97%	96.51%	96.01%	81.44%
Education	Less Than 12 Years	5.44%	2.77%	5.44%	12.35%	10.09%	9.42%	55.54%	89.25%	91.25%	91.25%	82.49%
	12 Years	6.36%	3.59%	3.56%	9.76%	6.83%	2.17%	54.14%	93.62%	96.84%	95.79%	86.74%
	Greater Than 12 Years	3.05%	2.69%	1.40%	5.67%	1.53%	0.40%	60.24%	96.29%	96.34%	95.25%	81.98%

Table BF. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q25F-Q44												
	Percent Response Yes	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	81.64%	84.27%	64.44%	92.25%	83.17%	6.13%	8.28%	3.86%	1.55%	1.38%	9.85%
Age	Under 20 Years	82.48%	79.64%	59.65%	83.71%	82.48%	4.07%	0.00%	0.00%	4.07%	0.00%	4.07%
	20-24 Years	84.01%	90.56%	68.31%	93.82%	84.09%	3.04%	6.48%	3.41%	1.90%	1.90%	10.69%
	25-34 Years	80.64%	83.74%	64.37%	91.37%	84.52%	7.29%	9.60%	4.46%	1.37%	1.21%	9.99%
	Over 34 Years	82.33%	79.69%	61.07%	95.42%	77.23%	5.94%	7.29%	2.97%	1.28%	1.69%	9.56%
Ethnicity	White Non-Hispanic	76.91%	80.35%	54.89%	91.33%	78.41%	8.58%	8.93%	5.34%	2.43%	1.82%	15.54%
	Black Non-Hispanic	82.94%	85.80%	70.91%	91.12%	85.07%	5.42%	12.76%	5.26%	1.21%	1.26%	5.38%
	Hispanic	88.71%	90.16%	74.69%	95.44%	93.87%	3.36%	4.00%	0.00%	0.43%	0.97%	5.45%
Married	Married	78.55%	80.29%	59.30%	91.16%	79.41%	2.36%	2.82%	1.06%	0.80%	1.11%	11.00%
	Not Married	85.01%	88.72%	70.03%	93.53%	87.39%	10.23%	14.27%	6.89%	2.38%	1.68%	8.61%
Previous Live Birth	Yes	81.62%	82.92%	63.77%	91.94%	85.01%	8.17%	11.47%	5.32%	1.47%	1.46%	7.34%
	No	81.66%	86.45%	65.53%	92.76%	80.19%	2.81%	3.11%	1.48%	1.68%	1.25%	13.94%
Education	Less Than 12 Years	79.61%	81.29%	71.85%	90.48%	85.05%	12.94%	16.20%	6.93%	0.31%	1.25%	2.57%
	12 Years	85.83%	90.33%	67.26%	93.84%	87.02%	9.88%	13.66%	6.54%	4.40%	2.24%	9.25%
	Greater Than 12 Years	80.28%	82.23%	61.48%	92.13%	81.07%	2.73%	3.84%	1.85%	0.46%	1.00%	11.88%
	Lower 95% CI	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	80.88%	83.56%	63.51%	91.73%	82.44%	5.66%	7.75%	3.49%	1.31%	1.15%	9.27%
Age	Under 20 Years	78.47%	75.39%	54.47%	79.82%	78.47%	1.99%	0.00%	0.00%	1.99%	0.00%	1.99%
	20-24 Years	82.39%	89.27%	66.27%	92.76%	82.48%	2.29%	5.40%	2.61%	1.29%	1.29%	9.33%
	25-34 Years	79.65%	82.81%	63.17%	90.67%	83.62%	6.64%	8.86%	3.95%	1.08%	0.94%	9.24%
	Over 34 Years	80.50%	77.76%	58.73%	94.41%	75.22%	4.80%	6.04%	2.15%	0.74%	1.07%	8.15%
Ethnicity	White Non-Hispanic	75.72%	79.22%	53.48%	90.54%	77.25%	7.79%	8.12%	4.71%	1.99%	1.44%	14.52%
	Black Non-Hispanic	81.48%	84.45%	69.15%	90.02%	83.69%	4.55%	11.46%	4.39%	0.79%	0.83%	4.50%
	Hispanic	87.36%	88.88%	72.82%	94.55%	92.84%	2.58%	3.16%	0.00%	0.15%	0.55%	4.48%
Married	Married	77.45%	79.22%	57.98%	90.40%	78.32%	1.95%	2.38%	0.78%	0.56%	0.83%	10.16%
	Not Married	84.00%	87.82%	68.74%	92.84%	86.45%	9.38%	13.28%	6.18%	1.95%	1.32%	7.81%
Previous Live Birth	Yes	80.67%	81.99%	62.58%	91.27%	84.12%	7.50%	10.68%	4.77%	1.17%	1.16%	6.70%
	No	80.44%	85.37%	64.03%	91.95%	78.93%	2.29%	2.56%	1.10%	1.28%	0.90%	12.84%
Education	Less Than 12 Years	77.49%	79.23%	69.48%	88.93%	83.17%	11.17%	14.26%	5.59%	0.02%	0.66%	1.73%
	12 Years	84.55%	89.25%	65.54%	92.95%	85.79%	8.78%	12.40%	5.63%	3.65%	1.69%	8.19%
	Greater Than 12 Years	79.27%	81.26%	60.24%	91.44%	80.07%	2.32%	3.35%	1.51%	0.29%	0.75%	11.06%
	Upper 95% CI	Q25F	Q25G	Q25H	Q25I	Q25J	Q36	Q37	Q38	Q41	Q42	Q44
Total	Yes	82.39%	84.97%	65.37%	92.77%	83.90%	6.60%	8.82%	4.24%	1.79%	1.61%	10.43%
Age	Under 20 Years	86.49%	83.89%	64.82%	87.61%	86.49%	6.16%	0.00%	0.00%	6.16%	0.00%	6.16%
	20-24 Years	85.62%	91.84%	70.36%	94.88%	85.70%	3.80%	7.57%	4.21%	2.50%	2.50%	12.05%
	25-34 Years	81.63%	84.66%	65.57%	92.07%	85.43%	7.94%	10.33%	4.98%	1.66%	1.48%	10.74%
	Over 34 Years	84.16%	81.62%	63.41%	96.42%	79.25%	7.07%	8.54%	3.78%	1.82%	2.30%	10.98%
Ethnicity	White Non-Hispanic	78.10%	81.47%	56.29%	92.13%	79.57%	9.37%	9.74%	5.98%	2.86%	2.20%	16.56%
	Black Non-Hispanic	84.39%	87.16%	72.66%	92.22%	86.45%	6.30%	14.05%	6.12%	1.64%	1.70%	6.25%
	Hispanic	90.07%	91.43%	76.55%	96.34%	94.89%	4.13%	4.84%	0.00%	0.72%	1.39%	6.42%
Married	Married	79.66%	81.36%	60.62%	91.92%	80.49%	2.77%	3.27%	1.33%	1.04%	1.39%	11.84%
	Not Married	86.02%	89.61%	71.33%	94.23%	88.32%	11.09%	15.26%	7.61%	2.81%	2.05%	9.40%
Previous Live Birth	Yes	82.58%	83.85%	64.95%	92.61%	85.89%	8.85%	12.26%	5.88%	1.76%	1.76%	7.99%
	No	82.88%	87.53%	67.03%	93.58%	81.45%	3.33%	3.66%	1.87%	2.09%	1.60%	15.03%
Education	Less Than 12 Years	81.74%	83.34%	74.21%	92.02%	86.92%	14.70%	18.14%	8.27%	0.60%	1.83%	3.40%
	12 Years	87.11%	91.42%	68.98%	94.72%	88.26%	10.97%	14.92%	7.45%	5.16%	2.78%	10.31%
	Greater Than 12 Years	81.30%	83.21%	62.73%	92.81%	82.07%	3.15%	4.34%	2.20%	0.64%	1.26%	12.71%

Table BG. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q45-Q56												
	Percent Response Yes	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	6.31%	96.19%	95.25%	77.10%	74.28%	71.89%	66.85%	24.91%	14.04%	60.50%	84.74%
Age	Under 20 Years	0.00%	100.00%	98.76%	77.17%	73.46%	58.41%	63.72%	9.38%	0.00%	80.00%	85.31%
	20-24 Years	2.11%	95.79%	95.79%	79.48%	75.86%	73.40%	69.07%	21.02%	18.03%	68.09%	81.76%
	25-34 Years	6.96%	96.62%	95.71%	76.61%	74.04%	72.97%	67.36%	27.52%	13.68%	59.80%	85.77%
	Over 34 Years	10.19%	94.28%	92.16%	76.06%	73.50%	68.91%	62.94%	23.13%	13.53%	50.00%	84.39%
Ethnicity	White Non-Hispanic	7.80%	96.05%	94.41%	74.61%	75.66%	72.97%	62.74%	23.48%	10.03%	61.78%	86.27%
	Black Non-Hispanic	5.89%	96.23%	94.89%	80.76%	67.58%	71.00%	71.76%	23.76%	15.29%	56.11%	76.33%
	Hispanic	4.61%	96.58%	97.40%	80.18%	82.08%	69.87%	72.91%	31.66%	21.65%	62.45%	87.62%
Married	Married	8.11%	96.42%	95.29%	74.65%	77.82%	76.11%	66.21%	26.76%	14.68%	60.11%	91.45%
	Not Married	4.32%	95.93%	95.19%	79.83%	70.29%	67.33%	67.46%	22.84%	13.37%	61.00%	77.28%
Previous Live Birth	Yes	6.54%	95.98%	94.80%	75.10%	71.71%	66.39%	65.74%	23.87%	14.08%	50.64%	81.71%
	No	5.94%	96.53%	95.98%	80.34%	78.47%	80.84%	68.64%	26.61%	13.97%	76.51%	89.68%
Education	Less Than 12 Years	2.03%	95.67%	94.04%	79.17%	71.76%	48.66%	64.14%	27.41%	17.05%	54.74%	69.38%
	12 Years	3.45%	96.33%	95.82%	78.39%	73.38%	70.82%	70.48%	21.80%	12.72%	56.51%	79.06%
	Greater Than 12 Years	8.71%	96.24%	95.24%	75.93%	75.49%	78.05%	65.65%	25.88%	14.00%	63.68%	91.31%
	Lower 95% CI	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	5.83%	95.82%	94.83%	76.28%	73.43%	71.02%	65.93%	24.07%	13.36%	59.55%	84.04%
Age	Under 20 Years	0.00%	100.00%	97.60%	72.74%	68.80%	53.21%	58.64%	6.30%	0.00%	75.78%	81.58%
	20-24 Years	1.48%	94.90%	94.90%	77.70%	73.97%	71.46%	67.03%	19.23%	16.33%	66.03%	80.06%
	25-34 Years	6.32%	96.17%	95.21%	75.55%	72.94%	71.86%	66.19%	26.40%	12.82%	58.58%	84.90%
	Over 34 Years	8.74%	93.17%	90.87%	74.01%	71.38%	66.69%	60.62%	21.10%	11.89%	47.60%	82.65%
Ethnicity	White Non-Hispanic	7.04%	95.50%	93.76%	73.38%	74.44%	71.71%	61.38%	22.29%	9.18%	60.41%	85.29%
	Black Non-Hispanic	4.98%	95.49%	94.04%	79.24%	65.77%	69.24%	70.02%	22.11%	13.89%	54.19%	74.69%
	Hispanic	3.71%	95.80%	96.72%	78.47%	80.44%	67.90%	71.01%	29.67%	19.88%	60.38%	86.21%
Married	Married	7.38%	95.92%	94.72%	73.49%	76.71%	74.96%	64.94%	25.57%	13.73%	58.79%	90.69%
	Not Married	3.75%	95.37%	94.59%	78.70%	69.00%	66.00%	66.14%	21.65%	12.40%	59.62%	76.09%
Previous Live Birth	Yes	5.92%	95.50%	94.25%	74.03%	70.59%	65.22%	64.57%	22.81%	13.22%	49.41%	80.75%
	No	5.19%	95.95%	95.36%	79.09%	77.17%	79.60%	67.17%	25.21%	12.88%	75.18%	88.72%
Education	Less Than 12 Years	1.29%	94.60%	92.79%	77.03%	69.39%	46.03%	61.62%	25.06%	15.07%	52.12%	66.95%
	12 Years	2.78%	95.64%	95.09%	76.88%	71.76%	69.15%	68.80%	20.29%	11.49%	54.69%	77.56%
	Greater Than 12 Years	7.99%	95.75%	94.70%	74.84%	74.39%	76.99%	64.44%	24.77%	13.12%	62.46%	90.59%
	Upper 95% CI	Q45	Q53	Q54	Q55A	Q55B	Q55C	Q55D	Q55E	Q55F	Q55G	Q56
Total	Yes	6.78%	96.56%	95.66%	77.92%	75.13%	72.77%	67.76%	25.75%	14.72%	61.45%	85.44%
Age	Under 20 Years	0.00%	100.00%	99.93%	81.60%	78.12%	63.61%	68.79%	12.46%	0.00%	84.22%	89.05%
	20-24 Years	2.74%	96.67%	96.67%	81.26%	77.74%	75.35%	71.10%	22.82%	19.72%	70.14%	83.46%
	25-34 Years	7.60%	97.08%	96.22%	77.66%	75.13%	74.08%	68.54%	28.63%	14.54%	61.03%	86.64%
	Over 34 Years	11.64%	95.40%	93.45%	78.11%	75.61%	71.14%	65.26%	25.15%	15.17%	52.40%	86.13%
Ethnicity	White Non-Hispanic	8.55%	96.60%	95.06%	75.84%	76.87%	74.22%	64.11%	24.68%	10.88%	63.16%	87.24%
	Black Non-Hispanic	6.81%	96.97%	95.75%	82.29%	69.39%	72.76%	73.51%	25.40%	16.68%	58.03%	77.98%
	Hispanic	5.51%	97.36%	98.08%	81.88%	83.73%	71.84%	74.82%	33.66%	23.41%	64.53%	89.03%
Married	Married	8.84%	96.92%	95.86%	75.82%	78.94%	77.26%	67.48%	27.95%	15.63%	61.43%	92.20%
	Not Married	4.90%	96.49%	95.80%	80.97%	71.58%	68.65%	68.78%	24.02%	14.33%	62.38%	78.46%
Previous Live Birth	Yes	7.15%	96.47%	95.35%	76.17%	72.82%	67.56%	66.92%	24.92%	14.94%	51.88%	82.67%
	No	6.68%	97.11%	96.60%	81.59%	79.76%	82.08%	70.10%	28.00%	15.07%	77.85%	90.63%
Education	Less Than 12 Years	2.77%	96.74%	95.29%	81.31%	74.13%	51.29%	66.67%	29.75%	19.03%	57.36%	71.81%
	12 Years	4.13%	97.02%	96.56%	79.90%	75.01%	72.49%	72.15%	23.32%	13.94%	58.33%	80.55%
	Greater Than 12 Years	9.43%	96.72%	95.78%	77.02%	76.59%	79.10%	66.86%	27.00%	14.89%	64.91%	92.03%

Table BH. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q57-Q62G												
	Percent Response Yes	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	51.32%	79.44%	76.20%	76.92%	88.95%	22.82%	10.60%	45.81%	36.33%	39.13%	6.78%
Age	Under 20 Years	39.12%	66.02%	58.41%	71.86%	81.24%	28.14%	6.55%	37.52%	11.85%	57.17%	13.45%
	20-24 Years	30.42%	68.09%	70.79%	82.91%	87.34%	37.23%	14.03%	48.94%	29.60%	52.29%	9.51%
	25-34 Years	56.54%	82.90%	79.37%	76.71%	90.37%	19.78%	10.11%	44.49%	40.60%	37.38%	5.83%
	Over 34 Years	59.43%	82.95%	74.64%	71.63%	87.25%	15.80%	9.16%	48.71%	33.64%	26.21%	5.64%
Ethnicity	White Non-Hispanic	56.01%	85.57%	79.65%	67.78%	89.77%	11.83%	7.77%	48.19%	44.67%	34.09%	5.57%
	Black Non-Hispanic	39.74%	65.94%	68.35%	81.64%	86.47%	32.05%	15.74%	43.63%	25.91%	43.65%	9.47%
	Hispanic	44.89%	81.37%	78.78%	90.15%	91.33%	35.74%	11.93%	44.26%	27.39%	44.89%	6.08%
Married	Married	71.75%	84.28%	79.46%	70.57%	89.62%	18.78%	8.61%	49.97%	44.54%	30.78%	4.90%
	Not Married	28.73%	74.12%	72.71%	83.98%	88.19%	27.35%	12.74%	41.24%	27.24%	48.41%	8.88%
Previous Live Birth	Yes	49.85%	80.20%	78.52%	78.77%	89.72%	20.99%	9.57%	46.70%	35.15%	36.62%	5.87%
	No	53.71%	78.21%	72.44%	73.91%	87.72%	25.78%	12.27%	44.37%	38.24%	43.21%	8.25%
Education	Less Than 12 Years	38.87%	73.36%	79.54%	92.64%	92.33%	32.28%	9.94%	39.74%	17.39%	42.99%	7.10%
	12 Years	30.68%	74.78%	72.96%	82.57%	88.22%	25.19%	12.43%	47.37%	26.64%	48.79%	9.08%
	Greater Than 12 Years	64.35%	83.32%	77.17%	70.67%	88.72%	19.50%	9.89%	46.60%	45.55%	33.66%	5.60%
	Lower 95% CI	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	50.35%	78.66%	75.38%	76.10%	88.34%	22.00%	10.00%	44.84%	35.39%	38.18%	6.29%
Age	Under 20 Years	33.97%	61.02%	53.21%	67.12%	77.12%	23.40%	3.94%	32.41%	8.44%	51.95%	9.85%
	20-24 Years	28.39%	66.04%	68.79%	81.25%	85.88%	35.10%	12.51%	46.74%	27.59%	50.09%	8.22%
	25-34 Years	55.30%	81.96%	78.36%	75.65%	89.63%	18.78%	9.35%	43.24%	39.37%	36.18%	5.24%
	Over 34 Years	57.07%	81.15%	72.55%	69.46%	85.64%	14.04%	7.78%	46.31%	31.38%	24.10%	4.54%
Ethnicity	White Non-Hispanic	54.61%	84.58%	78.51%	66.46%	88.92%	10.92%	7.01%	46.78%	43.26%	32.75%	4.92%
	Black Non-Hispanic	37.85%	64.10%	66.55%	80.14%	85.14%	30.25%	14.33%	41.71%	24.21%	41.73%	8.33%
	Hispanic	42.76%	79.70%	77.03%	88.87%	90.12%	33.69%	10.55%	42.13%	25.48%	42.76%	5.06%
Married	Married	70.54%	83.30%	78.37%	69.34%	88.80%	17.74%	7.85%	48.63%	43.20%	29.54%	4.32%
	Not Married	27.45%	72.88%	71.46%	82.94%	87.28%	26.09%	11.80%	39.85%	25.98%	47.00%	8.07%
Previous Live Birth	Yes	48.61%	79.21%	77.50%	77.76%	88.96%	19.99%	8.84%	45.47%	33.97%	35.43%	5.29%
	No	52.14%	76.91%	71.03%	72.53%	86.68%	24.40%	11.23%	42.80%	36.71%	41.65%	7.38%
Education	Less Than 12 Years	36.30%	71.03%	77.42%	91.27%	90.93%	29.81%	8.36%	37.16%	15.39%	40.38%	5.74%
	12 Years	28.99%	73.19%	71.33%	81.18%	87.04%	23.60%	11.22%	45.54%	25.02%	46.95%	8.03%
	Greater Than 12 Years	63.12%	82.36%	76.10%	69.51%	87.92%	18.49%	9.13%	45.32%	44.28%	32.45%	5.02%
	Upper 95% CI	Q57	Q59	Q60	Q61	Q62A	Q62B	Q62C	Q62D	Q62E	Q62F	Q62G
Total	Yes	52.29%	80.23%	77.03%	77.74%	89.56%	23.64%	11.20%	46.78%	37.26%	40.08%	7.27%
Age	Under 20 Years	44.27%	71.02%	63.61%	76.60%	85.36%	32.88%	9.16%	42.63%	15.27%	62.39%	17.05%
	20-24 Years	32.45%	70.14%	72.79%	84.56%	88.80%	39.36%	15.56%	51.14%	31.61%	54.49%	10.80%
	25-34 Years	57.78%	83.84%	80.38%	77.76%	91.11%	20.77%	10.86%	45.73%	41.82%	38.59%	6.41%
	Over 34 Years	61.79%	84.76%	76.73%	73.79%	88.85%	17.55%	10.55%	51.11%	35.91%	28.32%	6.75%
Ethnicity	White Non-Hispanic	57.41%	86.56%	80.79%	69.10%	90.63%	12.75%	8.52%	49.60%	46.07%	35.43%	6.22%
	Black Non-Hispanic	41.64%	67.77%	70.15%	83.14%	87.79%	33.86%	17.15%	45.55%	27.60%	45.57%	10.60%
	Hispanic	47.02%	83.03%	80.53%	91.42%	92.54%	37.79%	13.32%	46.39%	29.30%	47.02%	7.11%
Married	Married	72.96%	85.26%	80.54%	71.79%	90.44%	19.83%	9.36%	51.31%	45.87%	32.02%	5.48%
	Not Married	30.01%	75.36%	73.97%	85.02%	89.10%	28.61%	13.68%	42.63%	28.50%	49.82%	9.68%
Previous Live Birth	Yes	51.08%	81.18%	79.54%	79.78%	90.47%	22.00%	10.30%	47.94%	36.33%	37.82%	6.45%
	No	55.28%	79.52%	73.85%	75.30%	88.75%	27.16%	13.30%	45.94%	39.77%	44.78%	9.11%
Education	Less Than 12 Years	41.43%	75.68%	81.67%	94.02%	93.74%	34.74%	11.51%	42.31%	19.38%	45.59%	8.45%
	12 Years	32.37%	76.38%	74.59%	83.96%	89.41%	26.79%	13.64%	49.21%	28.27%	50.62%	10.14%
	Greater Than 12 Years	65.57%	84.27%	78.24%	71.83%	89.53%	20.51%	10.65%	47.87%	46.82%	34.86%	6.19%

Table BI. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q62H-Q67D												
	Percent Response Yes	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	16.13%	94.08%	89.58%	57.54%	88.40%	90.79%	13.32%	3.09%	0.92%	2.11%	7.44%
Age	Under 20 Years	16.29%	89.38%	89.38%	75.93%	86.55%	90.98%	20.00%	0.00%	0.00%	0.00%	5.31%
	20-24 Years	14.45%	92.57%	93.89%	55.55%	88.58%	91.03%	12.25%	5.44%	1.74%	1.46%	13.23%
	25-34 Years	16.49%	94.94%	88.61%	58.54%	89.82%	91.01%	15.11%	1.85%	0.96%	2.13%	5.16%
	Over 34 Years	16.75%	93.66%	88.05%	52.39%	83.29%	89.63%	6.56%	5.53%	0.00%	3.23%	9.42%
Ethnicity	White Non-Hispanic	12.50%	94.96%	88.55%	55.73%	87.40%	91.35%	14.02%	3.41%	0.35%	1.70%	7.93%
	Black Non-Hispanic	16.00%	92.28%	89.76%	54.00%	88.83%	88.31%	14.01%	2.94%	1.22%	2.19%	5.76%
	Hispanic	25.32%	93.13%	91.17%	65.00%	90.64%	91.44%	11.74%	2.20%	1.50%	2.61%	8.62%
Married	Married	13.24%	95.96%	91.07%	53.84%	87.96%	92.93%	9.06%	3.70%	0.53%	2.11%	8.36%
	Not Married	19.37%	91.97%	87.99%	61.51%	88.85%	88.40%	17.97%	2.42%	1.37%	2.11%	6.45%
Previous Live Birth	Yes	16.57%	93.81%	88.41%	56.02%	87.70%	90.04%	12.19%	2.21%	0.77%	2.96%	5.76%
	No	15.42%	94.50%	91.48%	59.99%	89.53%	92.01%	15.14%	4.53%	1.17%	0.73%	10.18%
Education	Less Than 12 Years	31.74%	90.88%	82.63%	66.28%	83.94%	85.43%	18.57%	3.81%	3.27%	5.26%	8.30%
	12 Years	18.82%	93.60%	89.22%	56.77%	89.32%	89.29%	14.21%	1.53%	0.71%	1.99%	6.71%
	Greater Than 12 Years	11.20%	95.28%	91.60%	55.99%	89.21%	92.99%	11.68%	3.69%	0.48%	1.43%	7.61%
	Lower 95% CI	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	15.41%	93.62%	88.98%	56.57%	87.77%	90.23%	12.65%	2.76%	0.74%	1.83%	6.93%
Age	Under 20 Years	12.39%	86.13%	86.13%	71.42%	82.95%	87.96%	15.78%	0.00%	0.00%	0.00%	2.94%
	20-24 Years	12.90%	91.41%	92.84%	53.36%	87.18%	89.77%	10.80%	4.44%	1.17%	0.93%	11.73%
	25-34 Years	15.57%	94.39%	87.82%	57.31%	89.07%	90.30%	14.22%	1.51%	0.72%	1.77%	4.61%
	Over 34 Years	14.96%	92.49%	86.50%	49.99%	81.50%	88.17%	5.37%	4.44%	0.00%	2.38%	8.02%
Ethnicity	White Non-Hispanic	11.56%	94.34%	87.65%	54.33%	86.46%	90.56%	13.04%	2.90%	0.19%	1.34%	7.17%
	Black Non-Hispanic	14.58%	91.25%	88.59%	52.07%	87.61%	87.07%	12.66%	2.29%	0.80%	1.63%	4.86%
	Hispanic	23.45%	92.05%	89.96%	62.96%	89.39%	90.24%	10.36%	1.58%	0.98%	1.92%	7.42%
Married	Married	12.33%	95.43%	90.30%	52.51%	87.09%	92.24%	8.29%	3.19%	0.33%	1.72%	7.61%
	Not Married	18.26%	91.20%	87.07%	60.14%	87.96%	87.49%	16.89%	1.99%	1.04%	1.71%	5.75%
Previous Live Birth	Yes	15.65%	93.22%	87.61%	54.79%	86.88%	89.30%	11.38%	1.84%	0.55%	2.54%	5.18%
	No	14.28%	93.78%	90.60%	58.45%	88.57%	91.15%	14.01%	3.88%	0.83%	0.46%	9.22%
Education	Less Than 12 Years	29.29%	89.36%	80.64%	63.79%	82.01%	83.58%	16.52%	2.80%	2.34%	4.08%	6.85%
	12 Years	17.38%	92.70%	88.08%	54.95%	88.18%	88.15%	12.93%	1.08%	0.40%	1.48%	5.79%
	Greater Than 12 Years	10.39%	94.74%	90.89%	54.72%	88.41%	92.34%	10.86%	3.21%	0.30%	1.13%	6.94%
	Upper 95% CI	Q62H	Q63A	Q63B	Q63C	Q63D	Q64	Q65	Q67A	Q67B	Q67C	Q67D
Total	Yes	16.85%	94.54%	90.17%	58.50%	89.02%	91.35%	13.98%	3.43%	1.11%	2.39%	7.95%
Age	Under 20 Years	20.18%	92.63%	92.63%	80.44%	90.15%	94.00%	24.22%	0.00%	0.00%	0.00%	7.67%
	20-24 Years	16.00%	93.72%	94.95%	57.73%	89.98%	92.29%	13.69%	6.44%	2.32%	1.98%	14.72%
	25-34 Years	17.42%	95.49%	89.41%	59.77%	90.58%	91.73%	16.01%	2.18%	1.21%	2.50%	5.72%
	Over 34 Years	18.55%	94.83%	89.61%	54.78%	85.08%	91.10%	7.75%	6.63%	0.00%	4.08%	10.82%
Ethnicity	White Non-Hispanic	13.43%	95.58%	89.45%	57.13%	88.34%	92.15%	15.00%	3.92%	0.52%	2.07%	8.69%
	Black Non-Hispanic	17.42%	93.32%	90.94%	55.93%	90.05%	89.56%	15.35%	3.60%	1.65%	2.76%	6.67%
	Hispanic	27.18%	94.22%	92.39%	67.04%	91.89%	92.64%	13.12%	2.83%	2.02%	3.29%	9.83%
Married	Married	14.15%	96.49%	91.83%	55.18%	88.83%	93.61%	9.83%	4.21%	0.72%	2.50%	9.10%
	Not Married	20.49%	92.74%	88.91%	62.89%	89.74%	89.30%	19.06%	2.86%	1.69%	2.52%	7.14%
Previous Live Birth	Yes	17.49%	94.41%	89.20%	57.25%	88.51%	90.78%	13.00%	2.57%	0.99%	3.38%	6.34%
	No	16.56%	95.22%	92.36%	61.54%	90.50%	92.86%	16.27%	5.19%	1.51%	1.00%	11.13%
Education	Less Than 12 Years	34.19%	92.39%	84.63%	68.77%	85.88%	87.29%	20.61%	4.82%	4.21%	6.43%	9.75%
	12 Years	20.25%	94.49%	90.35%	58.59%	90.45%	90.42%	15.49%	1.98%	1.02%	2.51%	7.63%
	Greater Than 12 Years	12.00%	95.83%	92.31%	57.25%	90.00%	93.64%	12.50%	4.17%	0.65%	1.73%	8.29%

Table BJ. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q67E-Q68G												
	Percent Response Yes	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	9.14%	6.48%	2.76%	0.70%	8.43%	1.74%	18.18%	23.96%	6.64%	4.03%	13.71%
Age	Under 20 Years	1.24%	16.29%	0.00%	0.00%	0.00%	0.00%	9.38%	25.67%	12.39%	4.07%	25.67%
	20-24 Years	16.56%	6.90%	5.67%	0.87%	2.83%	0.87%	13.40%	22.56%	11.55%	6.53%	15.50%
	25-34 Years	7.80%	6.25%	2.27%	0.65%	8.90%	1.49%	20.54%	25.20%	5.25%	4.09%	13.50%
	Over 34 Years	6.89%	4.84%	1.69%	0.84%	15.06%	4.07%	16.98%	20.68%	4.76%	0.84%	9.86%
Ethnicity	White Non-Hispanic	8.98%	3.86%	1.84%	0.53%	5.90%	2.73%	23.06%	26.78%	2.85%	3.20%	13.59%
	Black Non-Hispanic	8.25%	9.22%	3.24%	1.10%	9.68%	1.10%	15.17%	22.55%	10.00%	6.40%	14.63%
	Hispanic	10.73%	6.94%	4.52%	0.82%	13.78%	0.82%	13.30%	15.84%	12.58%	3.69%	13.13%
Married	Married	8.45%	4.78%	2.48%	1.01%	8.15%	2.99%	19.12%	27.84%	1.51%	2.80%	13.43%
	Not Married	9.93%	8.38%	3.08%	0.36%	8.75%	0.36%	17.19%	19.72%	12.26%	5.41%	13.96%
Previous Live Birth	Yes	8.22%	5.36%	1.86%	0.72%	13.34%	2.59%	14.92%	22.77%	8.25%	3.33%	15.04%
	No	10.64%	8.31%	4.23%	0.66%	0.44%	0.36%	23.49%	25.89%	4.03%	5.17%	11.54%
Education	Less Than 12 Years	11.27%	9.73%	2.57%	1.25%	16.32%	1.25%	6.58%	17.39%	14.09%	3.27%	10.79%
	12 Years	8.30%	4.77%	2.22%	0.49%	7.87%	1.39%	16.58%	21.75%	11.83%	5.12%	12.54%
	Greater Than 12 Years	9.07%	6.33%	3.08%	0.67%	6.86%	2.03%	21.73%	26.63%	2.40%	3.69%	14.99%
	Lower 95% CI	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	8.58%	6.00%	2.44%	0.54%	7.88%	1.49%	17.43%	23.13%	6.16%	3.65%	13.04%
Age	Under 20 Years	0.07%	12.39%	0.00%	0.00%	0.00%	0.00%	6.30%	21.06%	8.91%	1.99%	21.06%
	20-24 Years	14.92%	5.78%	4.65%	0.46%	2.10%	0.46%	11.90%	20.72%	10.14%	5.44%	13.91%
	25-34 Years	7.13%	5.64%	1.90%	0.45%	8.19%	1.19%	19.53%	24.12%	4.69%	3.60%	12.65%
	Over 34 Years	5.68%	3.81%	1.07%	0.40%	13.35%	3.12%	15.17%	18.73%	3.74%	0.40%	8.43%
Ethnicity	White Non-Hispanic	8.17%	3.32%	1.46%	0.33%	5.24%	2.27%	21.87%	25.53%	2.38%	2.70%	12.62%
	Black Non-Hispanic	7.18%	8.10%	2.56%	0.69%	8.53%	0.69%	13.79%	20.93%	8.84%	5.45%	13.26%
	Hispanic	9.40%	5.85%	3.63%	0.44%	12.31%	0.44%	11.84%	14.27%	11.16%	2.88%	11.68%
Married	Married	7.70%	4.21%	2.06%	0.74%	7.42%	2.53%	18.06%	26.64%	1.19%	2.36%	12.52%
	Not Married	9.08%	7.60%	2.60%	0.19%	7.95%	0.19%	16.13%	18.59%	11.33%	4.77%	12.98%
Previous Live Birth	Yes	7.54%	4.80%	1.53%	0.51%	12.50%	2.20%	14.04%	21.73%	7.57%	2.89%	14.16%
	No	9.67%	7.44%	3.59%	0.41%	0.23%	0.17%	22.15%	24.51%	3.41%	4.48%	10.53%
Education	Less Than 12 Years	9.61%	8.17%	1.73%	0.66%	14.37%	0.66%	5.27%	15.39%	12.26%	2.34%	9.16%
	12 Years	7.29%	3.99%	1.68%	0.24%	6.88%	0.96%	15.22%	20.23%	10.64%	4.31%	11.32%
	Greater Than 12 Years	8.33%	5.70%	2.64%	0.46%	6.21%	1.67%	20.67%	25.50%	2.01%	3.21%	14.08%
	Upper 95% CI	Q67E	Q67F	Q67G	Q67H	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G
Total	Yes	9.70%	6.96%	3.08%	0.86%	8.97%	2.00%	18.93%	24.79%	7.13%	4.42%	14.38%
Age	Under 20 Years	2.40%	20.18%	0.00%	0.00%	0.00%	0.00%	12.46%	30.27%	15.86%	6.16%	30.27%
	20-24 Years	18.19%	8.01%	6.69%	1.28%	3.56%	1.28%	14.90%	24.40%	12.96%	7.62%	17.10%
	25-34 Years	8.47%	6.85%	2.65%	0.85%	9.61%	1.79%	21.55%	26.29%	5.81%	4.59%	14.36%
	Over 34 Years	8.11%	5.87%	2.30%	1.28%	16.78%	5.02%	18.78%	22.62%	5.79%	1.28%	11.29%
Ethnicity	White Non-Hispanic	9.79%	4.41%	2.22%	0.74%	6.57%	3.19%	24.25%	28.03%	3.32%	3.70%	14.56%
	Black Non-Hispanic	9.31%	10.34%	3.93%	1.50%	10.82%	1.50%	16.56%	24.16%	11.17%	7.34%	15.99%
	Hispanic	12.05%	8.03%	5.42%	1.21%	15.26%	1.21%	14.75%	17.40%	14.01%	4.50%	14.58%
Married	Married	9.20%	5.36%	2.90%	1.28%	8.89%	3.45%	20.17%	29.05%	1.84%	3.24%	14.35%
	Not Married	10.77%	9.17%	3.57%	0.53%	9.55%	0.53%	18.26%	20.84%	13.19%	6.05%	14.94%
Previous Live Birth	Yes	8.90%	5.92%	2.20%	0.93%	14.18%	2.98%	15.80%	23.80%	8.93%	3.77%	15.93%
	No	11.61%	9.18%	4.86%	0.92%	0.65%	0.55%	24.82%	27.27%	4.65%	5.87%	12.55%
Education	Less Than 12 Years	12.94%	11.29%	3.40%	1.83%	18.26%	1.83%	7.88%	19.38%	15.92%	4.21%	12.42%
	12 Years	9.31%	5.55%	2.76%	0.75%	8.86%	1.82%	17.95%	23.26%	13.02%	5.93%	13.76%
	Greater Than 12 Years	9.80%	6.95%	3.52%	0.88%	7.50%	2.39%	22.78%	27.76%	2.79%	4.17%	15.90%

Table BK. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q68H-Q70G												
	Percent Response Yes	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	5.79%	4.47%	12.67%	11.07%	46.95%	45.56%	48.33%	77.44%	39.93%	20.82%	52.30%
Age	Under 20 Years	10.62%	0.00%	14.69%	13.45%	39.12%	36.28%	50.97%	78.41%	35.22%	39.12%	68.49%
	20-24 Years	11.69%	5.24%	10.57%	13.73%	38.30%	44.66%	48.93%	68.87%	32.20%	23.12%	56.86%
	25-34 Years	4.51%	4.55%	12.04%	10.17%	48.13%	46.07%	48.46%	78.90%	44.06%	21.48%	49.57%
	Over 34 Years	2.53%	4.18%	17.08%	10.78%	54.47%	46.66%	46.59%	82.00%	34.82%	11.87%	53.59%
Ethnicity	White Non-Hispanic	2.98%	4.81%	14.29%	8.74%	45.77%	41.31%	44.98%	83.27%	39.99%	19.06%	46.75%
	Black Non-Hispanic	6.10%	3.12%	12.57%	13.25%	44.44%	46.12%	50.80%	71.87%	38.12%	28.19%	53.91%
	Hispanic	13.09%	3.52%	9.82%	12.40%	47.42%	46.55%	49.59%	69.47%	42.47%	17.09%	62.73%
Married	Married	2.54%	6.90%	12.51%	9.76%	53.54%	46.56%	47.49%	80.59%	39.85%	16.43%	47.50%
	Not Married	9.42%	1.79%	12.71%	12.47%	39.76%	44.57%	49.31%	73.87%	40.03%	25.65%	57.67%
Previous Live Birth	Yes	5.50%	4.28%	12.57%	10.99%	44.86%	41.49%	44.03%	73.00%	37.84%	20.78%	51.45%
	No	6.28%	4.77%	12.85%	11.22%	50.33%	52.16%	55.33%	84.64%	43.33%	20.89%	53.68%
Education	Less Than 12 Years	14.88%	5.08%	12.49%	12.55%	43.95%	54.80%	57.13%	73.38%	37.52%	24.72%	67.10%
	12 Years	6.61%	1.01%	11.64%	9.22%	40.39%	40.76%	43.62%	67.10%	36.08%	20.80%	53.29%
	Greater Than 12 Years	3.28%	6.01%	13.25%	11.41%	50.70%	45.81%	48.42%	83.33%	42.21%	19.96%	48.23%
	Lower 95% CI	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	5.34%	4.07%	12.03%	10.46%	45.98%	44.59%	47.36%	76.62%	38.97%	20.03%	51.33%
Age	Under 20 Years	7.37%	0.00%	10.95%	9.85%	33.97%	31.21%	45.70%	74.06%	30.18%	33.97%	63.59%
	20-24 Years	10.28%	4.26%	9.21%	12.21%	36.15%	42.47%	46.73%	66.83%	30.14%	21.26%	54.68%
	25-34 Years	3.99%	4.03%	11.23%	9.41%	46.89%	44.82%	47.21%	77.88%	42.82%	20.45%	48.32%
	Over 34 Years	1.78%	3.22%	15.28%	9.29%	52.08%	44.26%	44.20%	80.16%	32.54%	10.32%	51.20%
Ethnicity	White Non-Hispanic	2.50%	4.20%	13.30%	7.94%	44.36%	39.92%	43.57%	82.22%	38.60%	17.95%	45.35%
	Black Non-Hispanic	5.18%	2.45%	11.29%	11.94%	42.51%	44.19%	48.86%	70.13%	36.24%	26.44%	51.98%
	Hispanic	11.65%	2.73%	8.55%	10.99%	45.29%	44.42%	47.45%	67.49%	40.35%	15.48%	60.66%
Married	Married	2.12%	6.22%	11.62%	8.96%	52.20%	45.22%	46.15%	79.53%	38.53%	15.44%	46.16%
	Not Married	8.59%	1.41%	11.77%	11.54%	38.38%	43.16%	47.90%	72.63%	38.65%	24.41%	56.27%
Previous Live Birth	Yes	4.93%	3.78%	11.75%	10.21%	43.63%	40.27%	42.80%	71.91%	36.64%	19.77%	50.21%
	No	5.51%	4.10%	11.79%	10.22%	48.75%	50.59%	53.76%	83.50%	41.76%	19.61%	52.11%
Education	Less Than 12 Years	13.00%	3.92%	10.75%	10.81%	41.33%	52.18%	54.53%	71.05%	34.97%	22.45%	64.62%
	12 Years	5.70%	0.64%	10.46%	8.15%	38.59%	38.96%	41.80%	65.37%	34.32%	19.31%	51.46%
	Greater Than 12 Years	2.82%	5.40%	12.38%	10.60%	49.42%	44.54%	47.14%	82.38%	40.95%	18.94%	46.95%
	Upper 95% CI	Q68H	Q68I	Q68J	Q68K	Q70A	Q70B	Q70C	Q70D	Q70E	Q70F	Q70G
Total	Yes	6.25%	4.87%	13.32%	11.68%	47.92%	46.52%	49.30%	78.25%	40.88%	21.61%	53.27%
Age	Under 20 Years	13.87%	0.00%	18.42%	17.05%	44.27%	41.36%	56.25%	82.75%	40.26%	44.27%	73.40%
	20-24 Years	13.11%	6.22%	11.92%	15.24%	40.44%	46.85%	51.13%	70.90%	34.25%	24.97%	59.04%
	25-34 Years	5.03%	5.07%	12.86%	10.92%	49.38%	47.31%	49.71%	79.92%	45.30%	22.50%	50.82%
	Over 34 Years	3.28%	5.14%	18.89%	12.27%	56.86%	49.06%	48.99%	83.85%	37.11%	13.43%	55.99%
Ethnicity	White Non-Hispanic	3.46%	5.41%	15.28%	9.54%	47.17%	42.70%	46.38%	84.33%	41.37%	20.17%	48.16%
	Black Non-Hispanic	7.03%	3.80%	13.86%	14.56%	46.36%	48.05%	52.73%	73.61%	40.01%	29.93%	55.84%
	Hispanic	14.54%	4.31%	11.09%	13.81%	49.56%	48.69%	51.73%	71.44%	44.59%	18.71%	64.80%
Married	Married	2.96%	7.58%	13.40%	10.56%	54.88%	47.90%	48.83%	81.66%	41.16%	17.43%	48.84%
	Not Married	10.24%	2.16%	13.65%	13.41%	41.15%	45.97%	50.72%	75.12%	41.42%	26.88%	59.06%
Previous Live Birth	Yes	6.06%	4.78%	13.39%	11.76%	46.09%	42.71%	45.25%	74.10%	39.04%	21.78%	52.68%
	No	7.04%	5.44%	13.90%	12.21%	51.91%	53.74%	56.90%	85.77%	44.89%	22.17%	55.25%
Education	Less Than 12 Years	16.75%	6.24%	14.23%	14.30%	46.56%	57.42%	59.74%	75.70%	40.07%	26.99%	69.57%
	12 Years	7.53%	1.38%	12.82%	10.28%	42.19%	42.57%	45.44%	68.82%	37.85%	22.29%	55.12%
	Greater Than 12 Years	3.73%	6.61%	14.11%	12.22%	51.97%	47.08%	49.69%	84.28%	43.47%	20.98%	49.50%

Table BL. Percent Response Yes and Lower/Upper 95% CI, Delaware 2017 PRAMS (RAW Variables): Q70H-Q79B									
	Percent Response Yes	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	54.10%	73.44%	19.73%	6.81%	7.92%	86.13%	7.09%	9.49%
Age	Under 20 Years	59.65%	80.00%	20.00%	11.85%	6.55%	90.62%	5.31%	9.38%
	20-24 Years	56.20%	64.95%	18.23%	5.00%	7.71%	85.60%	8.42%	8.08%
	25-34 Years	52.22%	73.66%	19.32%	5.60%	8.56%	85.52%	7.62%	9.24%
	Over 34 Years	57.44%	81.34%	22.94%	12.39%	6.12%	88.08%	3.92%	12.13%
Ethnicity	White Non-Hispanic	46.96%	78.06%	9.09%	6.11%	7.34%	89.00%	4.94%	11.24%
	Black Non-Hispanic	57.68%	66.91%	22.96%	10.22%	7.23%	80.74%	9.45%	8.52%
	Hispanic	65.07%	69.04%	39.89%	3.74%	7.76%	85.03%	7.94%	7.58%
Married	Married	51.98%	78.19%	14.25%	5.45%	7.04%	87.88%	5.67%	8.58%
	Not Married	56.51%	68.10%	25.76%	8.34%	8.83%	84.24%	8.60%	10.44%
Previous Live Birth	Yes	54.36%	70.64%	21.65%	7.45%	7.04%	84.63%	5.04%	9.66%
	No	53.70%	77.98%	16.60%	5.76%	9.35%	88.56%	10.43%	9.23%
Education	Less Than 12 Years	61.90%	69.54%	38.95%	5.60%	3.97%	84.43%	8.61%	7.54%
	12 Years	51.50%	61.51%	23.07%	8.99%	9.05%	82.82%	6.41%	7.12%
	Greater Than 12 Years	53.42%	80.05%	13.39%	6.06%	8.33%	88.09%	7.08%	11.12%
	Lower 95% CI	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	53.14%	72.58%	18.95%	6.32%	7.40%	85.45%	6.59%	8.92%
Age	Under 20 Years	54.47%	75.78%	15.78%	8.44%	3.94%	87.54%	2.94%	6.30%
	20-24 Years	54.02%	62.85%	16.53%	4.04%	6.53%	84.06%	7.19%	6.88%
	25-34 Years	50.97%	72.56%	18.33%	5.02%	7.86%	84.64%	6.96%	8.52%
	Over 34 Years	55.06%	79.47%	20.93%	10.81%	4.97%	86.53%	2.99%	10.57%
Ethnicity	White Non-Hispanic	45.55%	76.89%	8.28%	5.44%	6.61%	88.11%	4.33%	10.35%
	Black Non-Hispanic	55.77%	65.09%	21.33%	9.04%	6.23%	79.21%	8.32%	7.44%
	Hispanic	63.03%	67.06%	37.79%	2.92%	6.61%	83.50%	6.79%	6.44%
Married	Married	50.64%	77.08%	13.31%	4.84%	6.35%	87.00%	5.05%	7.83%
	Not Married	55.11%	66.78%	24.52%	7.56%	8.03%	83.21%	7.80%	9.58%
Previous Live Birth	Yes	53.12%	69.51%	20.63%	6.80%	6.41%	83.74%	4.50%	8.93%
	No	52.12%	76.68%	15.42%	5.03%	8.43%	87.55%	9.46%	8.32%
Education	Less Than 12 Years	59.34%	67.12%	36.39%	4.39%	2.94%	82.52%	7.13%	6.15%
	12 Years	49.67%	59.72%	21.53%	7.94%	8.00%	81.43%	5.51%	6.17%
	Greater Than 12 Years	52.15%	79.03%	12.53%	5.45%	7.62%	87.27%	6.43%	10.32%
	Upper 95% CI	Q70H	Q70I	Q70J	Q75A	Q75B	Q76	Q79A	Q79B
Total	Yes	55.07%	74.30%	20.50%	7.30%	8.45%	86.80%	7.59%	10.06%
Age	Under 20 Years	64.82%	84.22%	24.22%	15.27%	9.16%	93.70%	7.67%	12.46%
	20-24 Years	58.39%	67.05%	19.93%	5.96%	8.88%	87.15%	9.64%	9.28%
	25-34 Years	53.46%	74.76%	20.31%	6.17%	9.26%	86.39%	8.29%	9.96%
	Over 34 Years	59.81%	83.21%	24.96%	13.97%	7.27%	89.64%	4.86%	13.70%
Ethnicity	White Non-Hispanic	48.37%	79.22%	9.90%	6.79%	8.08%	89.88%	5.55%	12.14%
	Black Non-Hispanic	59.59%	68.73%	24.59%	11.39%	8.24%	82.26%	10.59%	9.60%
	Hispanic	67.11%	71.02%	41.98%	4.55%	8.91%	86.56%	9.10%	8.71%
Married	Married	53.33%	79.30%	15.19%	6.06%	7.73%	88.75%	6.29%	9.33%
	Not Married	57.91%	69.42%	26.99%	9.12%	9.63%	85.27%	9.39%	11.31%
Previous Live Birth	Yes	55.59%	71.77%	22.67%	8.10%	7.68%	85.53%	5.58%	10.39%
	No	55.27%	79.29%	17.77%	6.50%	10.27%	89.56%	11.39%	10.14%
Education	Less Than 12 Years	64.45%	71.97%	41.52%	6.81%	4.99%	86.34%	10.08%	8.93%
	12 Years	53.34%	63.30%	24.62%	10.04%	10.10%	84.20%	7.31%	8.06%
	Greater Than 12 Years	54.69%	81.07%	14.26%	6.67%	9.03%	88.92%	7.73%	11.93%