

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/13/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 085037	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 01/07/2021
NAME OF PROVIDER OR SUPPLIER ATLANTIC SHORES REHABILITATION & HEALTH CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 231 SOUTH WASHINGTON STREET MILLSBORO, DE 19966		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS A COVID-19 Focused Infection Control Survey and Complaint Survey was conducted by the State of Delaware Division of Health Care Quality, Office of Long Term Care Residents Protection from December 31, 2020 through January 7, 2021. The facility was found to be in compliance with 42 CFR §483.80 and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. The facility census on the first day of the survey was one hundred and fifty-nine (159).	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

01/11/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Health Care Quality

Office of Long Term Care Residents Protection

DHSS - DHCQ
3 Mill Road, Suite 308
Wilmington, Delaware 19806
(302) 421-7400

STATE SURVEY REPORT

NAME OF FACILITY: Atlantic Shores

DATE SURVEY COMPLETED: January 7, 2021

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
<p>3201</p> <p>3201.1.0</p> <p>3201.1.2</p>	<p>The State Report incorporates by reference and also cites the findings specified in the Federal Report.</p> <p>A COVID-19 Focused Infection Control Survey and Complaint Survey was conducted by the State of Delaware Division of Health Care Quality, Office of Long Term Care Residents Protection from December 31, 2020 through January 7, 2021. The facility was found to be in compliance with 42 CFR §483.80 and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. The facility census on the first day of the survey was one hundred and fifty-nine (159).</p> <p>Regulations for Skilled and Intermediate Care Facilities</p> <p>Scope</p> <p>Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.</p> <p>This requirement is met as evidenced by: No deficiencies were identified at the time of the survey.</p>		

Provider's Signature

Title

NHA

Date

1/11/21