

DHSS - DHCQ 3 Mill Road, Suite 308 Wilmington, Delaware 19806 (302) 421-7400

STATE SURVEY REPORT

Page 1 of 1

NAME OF FACILITY: Delaware Veterans Home

DATE SURVEY COMPLETED: November 24, 2021

The State Report incorporates by reference and also cites the findings specified in the Federal Report. An unannounced complaint survey was conducted at this facility from November 23, 2021 through November 24, 2021. The facility census the first day of the survey was forty-eight (48). The survey sample totaled three residents. No deficiencies were identified. Regulations for Skilled and Intermediate Care Facilities 3201.1.0 Scope 3201.1.2 Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference. This requirement is met as evidenced by: No deficiencies were identified at the time of	SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
the survey.	3201.1.0	and also cites the findings specified in the Federal Report. An unannounced complaint survey was conducted at this facility from November 23, 2021 through November 24, 2021. The facility census the first day of the survey was forty-eight (48). The survey sample totaled three residents. No deficiencies were identified. Regulations for Skilled and Intermediate Care Facilities Scope Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference. This requirement is met as evidenced by:		

rovider's Signature	Title	Date
---------------------	-------	------

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/04/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER, SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A, BUILDING		(X3) DATE SURVEY COMPLETED		
		085051	B. WING		-	С	
NAME OF I	PROVIDER OR SUPPLIER	000001	D. WING			11/	24/2021
I WANTE OF I	-NOVIDER OR SUPPLIER				TREET ADDRESS, CITY, STATE, ZIP CODE		
DELAWA	RE VETERANS HOM	E			00 DELAWARE VETERANS BLVD		
				N	MILFORD, DE 19963		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID FROVIDER'S PLAN OF CORRECTION PREFIX (EACH CORRECTIVE ACTION SHOULD TAG CROSS-REFERENCED TO THE APPROPR DEFICIENCY)		BE	(X5) COMPLETION DATE
F 000	INITIAL COMMENT	-s	FC	000			
	conducted at this fa through November on the first day of the	omplaint survey was icility from November 23, 2021 24, 2021. The facility census is survey was forty-eight (48). totaled three residents. No lentified.					
ABORATORY	DIRECTOR'S OR PROVIDE	ER/SUPPLIER REPRESENTATIVE'S SIGN	ATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Electronically Signed

12/13/2021