STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	085058	A. BUILDING _____ B. WING _____	10/29/2020

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
POLARIS HEALTHCARE AND REHABILITATION CENTER	21 W CLARKE AVENUE MILFORD, DE 19963

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS A COVID-19 Focused Infection Control Survey was conducted by the State of Delaware Division of Health Care Quality, Office of Long Term Care Residents Protection on October 29, 2020 through November 2, 2020. The facility was found to be in compliance with 42 CFR §483.80 infection control regulations and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. The facility census on the first day of the survey was ninety-nine (99). The survey sample totaled three (3) residents.	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Electronically Signed | 11/12/2020

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DELAWARE HEALTH AND SOCIAL SERVICES
Division of Health Care Quality
Office of Long Term Care Residents Protection

3 Mill Road, Suite 308
Wilmington, Delaware 19806
(302) 421-7400

STATE SURVEY REPORT

NAME OF FACILITY: Polaris Healthcare and Rehabilitation Center. LLC DATE SURVEY COMPLETED: November 2, 2020

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
	The State Report incorporates by reference and also cites the findings specified in the Federal Report. A COVID-19 Focused Infection Control Survey was conducted by the State of Delaware Division of Health Care Quality, Office of Long Term Care Residents Protection on October 29, 2020 through November 2, 2020. The facility was found to be in compliance with 42 CFR §483.80 infection control regulations and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. The facility census on the first day of the survey was ninety-nine (99). The survey sample totaled three (3) residents.		
3201	**Regulations for Skilled and Intermediate Care Facilities**		
3201.1.0	**Scope**		
3201.1.2	**Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.** This requirement is met as evidenced by: No deficiencies were identified at the time of the survey.		

Provider's Signature Ly Kaeger NHA Title Administrator Date 11/11/2020