



**DELAWARE HEALTH AND SOCIAL SERVICES**

Division of Health Care Quality

Office of Long Term Care  
Residents Protection

DHSS - DHCQ  
263 Chapman Road, Ste 200, Cambridge Bldg.  
Newark, Delaware 19702  
(302) 421-7400

**STATE SURVEY REPORT**

**NAME OF FACILITY: Willowbrooke Court Skilled Ctr at Manor House    DATE SURVEY COMPLETED: March 3, 2022**

| SECTION                                     | STATEMENT OF DEFICIENCIES<br>SPECIFIC DEFICIENCIES   | ADMINISTRATOR'S PLAN FOR COR-<br>RECTION OF DEFICIENCIES | COMPLETION<br>DATE |
|---|--|--|--------------------|
| <p>3201</p> <p>3201.1.0</p> <p>3201.1.2</p> | <p><b>The State Report incorporates by reference and also cites the findings specified in the Federal Report.</b></p> <p>An unannounced complaint survey was conducted at this facility from March 2, 2022 through March 3, 2022. The facility census on the first day of the survey was thirty-seven (37). The survey sample totaled three residents. No deficiencies were identified.</p> <p><b>Regulations for Skilled and Intermediate Care Facilities</b></p> <p><b>Scope</b></p> <p><b>Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.</b></p> <p>This requirement is met as evidenced by:</p> <p>No deficiencies were identified at the time of the survey.</p> |  |                    |

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/31/2022  
FORM APPROVED  
OMB NO. 0938-0391

|  |   |  |   |
|--|---|--|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>085009</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____ | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>03/03/2022</b> |
|--|---|--|---|

|   |   |
|---|---|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>WILLOWBROOKE COURT SKILLED CENTER AT MANOR HOUSE</b> | STREET ADDRESS, CITY, STATE ZIP CODE<br><b>1001 MIDDLEFORD ROAD<br/>SEAFORD, DE 19973</b> |
|---|---|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|--------------------|--|---------------|---|----------------------|
|--------------------|--|---------------|---|----------------------|

|       |  |       |  |  |
|-------|--|-------|--|--|
| F 000 | <p><b>INITIAL COMMENTS</b></p> <p>An unannounced complaint survey was conducted at this facility from March 2, 2022 through March 3, 2022. The facility census on the first day of the survey was thirty-seven (37). The survey sample totaled three residents. No deficiencies were identified.</p> | F 000 |  |  |
|-------|--|-------|--|--|

|   |       |                                |
|---|-------|--------------------------------|
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE<br><br><b>Electronically Signed</b> | TITLE | (X6) DATE<br><b>03/15/2022</b> |
|---|-------|--------------------------------|

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.