

**DELAWARE CANCER REGISTRY COMPREHENSIVE ICD-10-CM CASEFINDING CODE LISTS  
FOR REPORTABLE TUMORS**

**(EFFECTIVE DATE 10/1/2015)**

<b>ICD-10-CM Code</b>	<b>Explanation of ICD-10-CM Code</b>
<b>C00._-C43._, C4A._, C45.-_-C96.-_</b>	Malignant neoplasms (excluding category C44), stated or presumed to be primary (of specified sites), and certain specified histologies
<b>C44.00, C44.09</b>	Unspecified/other malignant neoplasm of skin of lip
<b>C44.10_, C44.19_</b>	Unspecified/other malignant neoplasm of skin of eyelid
<b>C44.20_, C44.29_</b>	Unspecified/other malignant neoplasm of skin of ear and external auricular canal
<b>C44.30_, C44.39_</b>	Unspecified/other malignant neoplasm of skin of other/unspecified parts of face
<b>C44.40, C44.49</b>	Unspecified/other malignant neoplasm of skin of scalp and neck
<b>C44.50_, C44.59_</b>	Unspecified/other malignant neoplasm of skin of trunk
<b>C44.60_, C44.69_</b>	Unspecified/other malignant neoplasm of skin of upper limb, including shoulder
<b>C44.70_, C44.79_</b>	Unspecified/other malignant neoplasm of skin of lower limb, including hip
<b>C44.80, C44.89</b>	Unspecified/other malignant neoplasm of skin of overlapping sites of skin
<b>C44.90, C44.99</b>	Unspecified/other malignant neoplasm of skin of unspecified sites of skin
<b>D00._-D09._</b>	In-situ neoplasms ( <i>Note: Carcinoma in situ of the cervix [CIN III-8077/2] and Prostatic Intraepithelial Carcinoma [PIN III-8148/2] are not reportable.</i> )
<b>D18.02</b>	Hemangioma of intracranial structures and any site
<b>D18.1</b>	Lymphangioma, any site <i>(Note: Includes Lymphangioma of brain, other parts of nervous system and endocrine glands, which are reportable)</i>
<b>D32._</b>	Benign neoplasm of meninges (cerebral, spinal and unspecified)
<b>D33._</b>	Benign neoplasm of brain and other parts of central nervous system
<b>D35.2-D35.4</b>	Benign neoplasm of pituitary gland, craniopharyngeal duct and pineal gland
<b>D42._, D43._</b>	Neoplasm of uncertain or unknown behavior of meninges, brain, CNS
<b>D44.3-D44.5</b>	Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland
<b>D45</b>	Polycythemia vera (9950/3) <i>ICD-10-CM coding instruction note: excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)</i>

<b>ICD-10-CM Code</b>	<b>Explanation of ICD-10-CM Code</b>
<b>D46._</b>	Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9991, 9992)
<b>D47.1</b>	Chronic myeloproliferative disease (9963/3, 9975/3). <i>ICD-10-CM coding instruction note: excludes the following: atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_), chronic myeloid leukemia BCR/ABL-positive (C92.1_), myelofibrosis and secondary myelofibrosis (D75.81) and myelophthisic anemia and myelophthisis (D61.82)</i>
<b>D47.3</b>	Essential (hemorrhagic) thrombocythemia (9962/3) <i>Includes essential thrombocytosis, idiopathic hemorrhagic thrombocythemia</i>
<b>D47.4</b>	Osteomyelofibrosis (9961/3) Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia) Myelosclerosis (megakaryocytic) (with myeloid metaplasia) Secondary myelofibrosis in myeloproliferative disease
<b>D47.Z_</b>	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3)
<b>D47.9</b>	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9970/1, 9931/3)
<b>D49.6, D49.7</b>	Neoplasm of unspecified behavior of brain, endocrine glands and other CNS
<b>J91.0</b>	Malignant pleural effusion <i>ICD-10-CM Coding instruction: Code first underlying neoplasm</i>
<b>R18.0</b>	Malignant ascites <i>ICD-10-CM Coding instruction: Code first malignancy, such as: Malignant neoplasm of ovary (C56._), secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)</i>
<b>R85.614</b>	Cytologic evidence of malignancy on smear of anus
<b>R87.614</b>	Cytologic evidence of malignancy on smear of cervix
<b>R85.624</b>	Cytologic evidence of malignancy on smear of vagina

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.

ICD-10-CM Code*	Explanation Of ICD-10-CM Code
B20	Human immunodeficiency virus (HIV) disease with other diseases
B97.33, B97.34, B97.35	Human T-cell lymphotropic virus (type I [HTLV-1], type II [HTLV-II], type 2 [HIV 2]) as the cause of diseases classified elsewhere
B97.7	Papillomavirus as the cause of diseases classified elsewhere
C44.01, C44.02	Basal and squamous cell carcinoma of skin of lip
D10._ - D31._, D34, D35.0, D35.1, D35.5_	Benign neoplasms (see “must collect” list for reportable benign neoplasms). <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
D35.9, D36._	<i>Note: Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473 of the ovaries moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. Registries are not required to collect these cases for diagnoses made 1/1/2001 and after. However, cases diagnosed prior to 1/1/2001 should still be abstracted and reported.</i>
D3A._	Benign carcinoid tumors
D37._-D41._	Neoplasms of uncertain or unknown behavior (see “must collect” list for reportable neoplasms of uncertain or unknown behavior). <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
D44.0-D44.2, D44.6-D44.9	Neoplasm of uncertain or unknown behavior of other endocrine glands (see “must collect” list for D44.3-D44.5). <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
D47.0	Histiocytic and mast cell tumors of uncertain behavior <i>ICD-10-CM Coding instruction note: Excludes malignant mast cell tumor (C96.2), mastocytosis (congenital)(cutaneous) (Q852.2)</i>

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.

D47.2	Monoclonal gammopathy <i>Note: Screen for incorrectly coded Waldenstrom's macroglobulinemia</i>
D48._	Neoplasm of uncertain behavior of other and unspecified sites
D49.0-D49.9	Neoplasm of unspecified behavior (except for D49.6 and D49.7)
D61.1	Drug-induced aplastic anemia (also known as "aplastic anemia due to antineoplastic chemotherapy") <i>ICD-10-CM Coding instruction note: Use additional code for adverse effect, if applicable, to identify drug.</i>
D61.810	Antineoplastic chemotherapy induced pancytopenia
D61.82	Myelophthisis <i>ICD-10-CM Coding Instruction: Code first the underlying disorder, such as: malignant neoplasm of breast (C50._)</i>
D63.0	Anemia in neoplastic disease <i>ICD-10-CM Coding instruction: Code first neoplasm (C00-C49)</i>
D64.81	Anemia due to antineoplastic chemotherapy
D69.49, D69.59, D69.6	Other thrombocytopenia <i>Note: Screen for incorrectly coded thrombocythemia</i>
D70.1	Agranulocytosis secondary to cancer chemotherapy <i>ICD-10-CM Coding instruction: code also underlying neoplasm</i>
D72.1	Eosinophilia ( <i>Note: Code for eosinophilia (9964/3). Not every case of eosinophilia is a malignancy. Reportable Diagnosis is "Hypereosonophilic syndrome."</i> )
D75.81	Myelofibrosis ( <i>note: this is not primary myelofibrosis [9961/3]</i> ) <i>ICD-10-CM Coding instruction note: Code first the underlying disorder, such as: malignant neoplasm of the breast (C50._)</i>

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

**Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.**

D76._	Other specified diseases w/ participation of lymphoreticular and reticulohistiocytic tissue
D89.0, D89.1	Other disorders involving the immune mechanism, not elsewhere classified Note: Review for miscodes
E08	Diabetes mellitus due to underlying condition ICD-10-CM Coding instruction note: Code the first underlying condition, such as: malignant neoplasm (C00-C96)
E31.2_	Multiple endocrine neoplasia [MEN] syndromes ICD-10-CM Coding Instruction: Code also any associated malignancies and other conditions associated with the syndromes
E34.0	Carcinoid syndrome ICD-10-CM Coding Instruction: May be used as an additional code to identify functional activity associated with a carcinoid tumor
E83.52	Hypercalcemia
E88.09	Other disorders of plasma-protein metabolism, not elsewhere classified
E88.3	Tumor lysis syndrome (following antineoplastic chemotherapy)
G13.0	Paraneoplastic neuromyopathy and neuropathy ICD-10-CM Coding instruction note: Code first underlying neoplasm (C00-D49)
G13.1	Other systemic atrophy primarily affecting central nervous system in neoplastic disease ICD-10-CM Coding instruction note: Code first underlying neoplasm (C00-D49)
G32.8_	Other specified degenerative disorders of nervous system in diseases classified elsewhere ICD-10-CM Coding instruction note: Code first underlying disease, such as: cerebral degeneration (due to neoplasm) (C00-D49)
G53	Cranial nerve disorders in diseases classified elsewhere Note: Code first underlying neoplasm (C00-D49)
G55	Nerve root and plexus compressions in diseases classified elsewhere. ICD-10-CM Coding

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

**Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.**

	instruction note: Code also underlying disease, such as neoplasm (C00-D49)
G63	Polyneuropathy in diseases classified elsewhere. ICD-10-CM Coding instruction note: Code first underlying disease, such as: neoplasm (C00-D49)
G73.1	Lambert-Eaton syndrome in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)
G89.3	Neoplasm related pain (acute)(chronic)
G99.2	Myelopathy in diseases classified elsewhere. ICD-10-CM Coding instruction: Code first underlying disease, such as: neoplasm (C00-D49)
H47.42	Disorders of optic chiasm in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
H47.52_	Disorders of visual pathways in (due to) neoplasm. ICD-10-CM Coding instruction: Code also underlying condition
H47.63_	Disorders of visual cortex in (due to) neoplasm ICD-10-CM Coding instruction: Code also underlying condition
J34.81	Nasal mucositis (ulcerative)
J93.12	Secondary spontaneous pneumothorax ICD-10-CM Coding instruction: Code first underlying condition, such as: malignant neoplasm of bronchus and lung (C34._); secondary malignant neoplasm of lung (C78.0_)
K12.31	Oral mucositis (ulcerative) due to antineoplastic therapy
K12.33	Oral mucositis (ulcerative) due to radiation
K22.711	Barrett's esophagus with high grade dysplasia
K62.7	Radiation proctitis
K92.81	Gastrointestinal mucositis (ulcerated) (due to antineoplastic therapy)
M36.0	Dermato(poly)myositis in neoplastic disease ICD-10-CM Coding instruction: Code first

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.

	underlying neoplasm (C00-D49)
M36.1	Arthropathy in neoplastic disease ICD-10-CM Coding instruction: Code first underlying neoplasm, such as: Leukemia (C91-C95), malignant histiocytosis (C96.A), multiple myeloma (C90.0)
M84.5_	Pathologic fracture in neoplastic disease ICD-10-CM Coding instruction: Code also underlying neoplasm (C00-D49)
M90.6_	Osteitis deformans in neoplastic disease ICD-10-CM Coding instruction: Code first the neoplasm (C40.-D49)
N76.81	Mucositis (ulcerative) of vagina and vulva
O01._	Hydatidiform mole Note: Benign tumor that can become malignant. If malignant, report as Choriocarcinoma (9100/3) with a malignancy code in the C00-C97 range
O9A.1_	Malignant neoplasm complicating pregnancy, childbirth and the puerperium (conditions in C00-C96). ICD-10-CM Coding Instruction: Use additional code to identify neoplasm
Q85.0_	Neurofibromatosis (nonmalignant) (9540/1) Note: Neurofibromatosis is not cancer. These tumors can be precursors to acoustic neuromas, which are reportable.
R53.0	Neoplastic (malignant) related fatigue ICD-10-CM Coding instruction: Code first associated neoplasm
R59._	Enlarged lymph nodes
R85.6_	Abnormal findings on cytological and histological examination of digestive organs Note: See "must collect" list for R85.614
R87.61_, R87.62_	Abnormal findings on cytological and histological examination of female genital organs Note: See "must collect" list for R87.614 and R87.624
R92._	Abnormal findings on diagnostic imaging of breast

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

**Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.**

R97._	Abnormal tumor markers
T38.6_	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
T38.8_, T38.9_	Poisoning by hormones and their synthetic substitutes
T45.1_	Poisoning by, adverse effect of and under dosing of antineoplastic and immunosuppressive drugs
T45.8_, T45.9_	Poisoning by primary systemic and hematological agent, unspecified
T66	Unspecified effects of radiation
T80.1	Vascular complications following infusion, transfusion and therapeutic injection
T80.2_	Infections following infusion, transfusion and therapeutic injection
T80.810	Extravasation of vesicant antineoplastic chemotherapy
T80.818	Extravasation of other vesicant agent
T86.0	Complications of bone marrow transplant ICD-10-CM Coding instruction: Use additional code to identify other transplant complications, such as: malignancy associated with organ transplant (C80.2) or post-transplant lymphoproliferative disorders (PTLD) (D47.Z1)
Y63.2	Overdose of radiation given during therapy
Y84.2	Radiological procedure and radiotherapy as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Z03.89	Encounter for observation for other suspected diseases and conditions ruled out
Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm (medical surveillance following completed treatment). ICD-10-CM Coding instruction: Use additional code to identify the personal history of malignant neoplasm (Z85._)



**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.

Z12._	Encounter for screening for malignant neoplasms
Z13.0	Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Z15.0	Genetic susceptibility to malignant neoplasm ICD-10-CM Coding instruction: Code first, if applicable, any current malignant neoplasm (C00-C75, C81-C96); use additional code, if applicable, for any personal history of malignant neoplasm (Z85._)
Z17.0, Z17.1	Estrogen receptor positive and negative status ICD-10-CM Coding instruction: Code first malignant neoplasm of breast (C50._)
Z40.0_	Encounter for prophylactic surgery for risk factors related to malignant neoplasms
Z42.1	Encounter for breast reconstruction following mastectomy
Z48.3	Aftercare following surgery for neoplasm ICD-10-CM Coding instruction: Use additional code to identify the neoplasm
Z48.290	Encounter for aftercare following bone marrow transplant
Z51.0	Encounter for antineoplastic radiation therapy
Z51.1_	Encounter for antineoplastic chemotherapy and immunotherapy
Z51.5, Z51.89	Encounter for palliative care and other specified aftercare
Z79.81_	Long term (current) use of agents affecting estrogen receptors and estrogen levels ICD-10-CM Coding instruction: Code first, if applicable, malignant neoplasm of breast (C50._), malignant neoplasm of prostate (C61)
Z80._	Family history of primary malignant neoplasm
Z85._	Personal history of malignant neoplasm ICD-10-CM Coding instruction: Code first any follow-up examination after treatment of malignant neoplasm (Z08).

**DCR Supplemental Code List - ICD-10-CM Codes  
(Effective Date 10/1/2015)**

**Cases with these codes should be screened as registry time allows. Experience in registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.**

Z86.0_, Z86.01_, Z86.03	Personal history of in situ and benign neoplasms and neoplasms of uncertain behavior
Z92.21, Z92.23, Z92.25, Z92.3	Personal history of antineoplastic chemotherapy, estrogen therapy, immunosuppression therapy or irradiation (radiation)
Z94.81, Z94.84	Bone marrow and stem cell transplant status