

DELAWARE

2007 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 3, 2008



**SECTION 1: HEALTH STATUS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3986	663,035	3331	87.0	85.6-88.4	655	13.0	11.6-14.4
Male	1493	317,626	1270	88.3	86.3-90.3	223	11.7	09.7-13.7
Female	2493	345,409	2061	85.8	84.0-87.6	432	14.2	12.4-16.0
White/Non-Hisp	3228	514,185	2729	87.9	86.5-89.3	499	12.1	10.7-13.5
Black or Afr. Am./Non-Hisp	455	85,096	356	83.5	79.0-88.0	99	16.5	12.0-21.0
Oth. Race/Non-Hisp.	102	22,933	85	87.0	78.6-95.4	17	13.0	04.6-21.4
18-24	185	83,757	171	93.4	89.1-97.7	14	6.6	02.3-10.9
25-34	416	113,933	378	91.1	87.6-94.6	38	8.9	05.4-12.4
35-44	693	125,325	634	92.7	90.5-94.9	59	7.3	05.1-09.5
45-54	812	122,943	674	85.6	82.5-88.7	138	14.4	11.3-17.5
55-64	799	96,096	652	82.6	79.1-86.1	147	17.4	13.9-20.9
65+	1049	117,109	794	77.1	74.0-80.2	255	22.9	19.8-26.0
Less Than H.S.	279	38,723	176	71.2	64.3-78.1	103	28.8	21.9-35.7
H.S. or G.E.D.	1281	209,544	1004	83.1	80.4-85.8	277	16.9	14.2-19.6
Some Post-H.S.	1033	182,794	873	86.3	83.4-89.2	160	13.7	10.8-16.6
College Graduate	1390	231,696	1275	93.6	92.0-95.2	115	6.4	04.8-08.0
Less than \$15,000	428	58,117	309	75.1	69.8-80.4	119	24.9	19.6-30.2
\$15,000- 24,999	392	45,812	220	61.9	55.0-68.8	172	38.1	31.2-45.0
\$25,000- 34,999	338	53,230	272	79.4	72.3-86.5	66	20.6	13.5-27.7
\$35,000- 49,999	568	87,317	485	86.2	82.3-90.1	83	13.8	09.9-17.7
\$50,000- 74,999	604	102,056	547	91.1	88.2-94.0	57	8.9	06.0-11.8
\$75,000+	1163	232,233	1092	94.8	93.2-96.4	71	5.2	03.6-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	317,626	1270	88.3	86.3-90.3	223	11.7	09.7-13.7
White/Non-Hisp	1222	246,146	1042	88.1	85.7-90.5	180	11.9	09.5-14.3
Black or Afr. Am./Non-Hisp	159	40,692	129	85.4	78.5-92.3	30	14.6	07.7-21.5
18-24	91	42,326	84	94.4	90.1-98.7	7	5.6	01.3-09.9
25-34	153	56,497	140	92.5	87.6-97.4	13	7.5	02.6-12.4
35-44	251	61,577	233	94.5	91.6-97.4	18	5.5	02.6-08.4
45-54	328	60,050	288	89.2	84.9-93.5	40	10.8	06.5-15.1
55-64	305	45,651	250	82.8	76.9-88.7	55	17.2	11.3-23.1
65+	356	50,140	266	74.4	68.5-80.3	90	25.6	19.7-31.5
Less Than H.S.	115	20,596	77	77.2	68.2-86.2	38	22.8	13.8-31.8
H.S. or G.E.D.	450	96,912	360	83.9	79.4-88.4	90	16.1	11.6-20.6
Some Post-H.S.	352	82,679	301	87.5	83.2-91.8	51	12.5	08.2-16.8
College Graduate	576	117,438	532	94.4	92.2-96.6	44	5.6	03.4-07.8
Less than \$15,000	145	26,938	102	73.5	64.5-82.5	43	26.5	17.5-35.5
\$25,000- 34,999	124	23,983	95	79.2	69.2-89.2	29	20.8	10.8-30.8
\$35,000- 49,999	202	36,606	177	87.9	82.2-93.6	25	12.1	06.4-17.8
\$50,000- 74,999	236	49,198	208	90.1	85.4-94.8	28	9.9	05.2-14.6
\$75,000+	562	134,572	522	94.7	92.7-96.7	40	5.3	03.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2493	345,409	2061	85.8	84.0-87.6	432	14.2	12.4-16.0
White/Non-Hisp	2006	268,039	1687	87.7	85.9-89.5	319	12.3	10.5-14.1
Black or Afr. Am./Non-Hisp	296	44,404	227	81.7	76.2-87.2	69	18.3	12.8-23.8
18-24	94	41,431	87	92.4	84.8-100.0	7	7.6	00.0-15.2
25-34	263	57,436	238	89.6	84.7-94.5	25	10.4	05.5-15.3
35-44	442	63,748	401	91.0	87.7-94.3	41	9.0	05.7-12.3
45-54	484	62,893	386	82.1	77.8-86.4	98	17.9	13.6-22.2
55-64	494	50,445	402	82.4	78.3-86.5	92	17.6	13.5-21.7
65+	693	66,970	528	79.2	75.7-82.7	165	20.8	17.3-24.3
Less Than H.S.	164	18,126	99	64.4	54.6-74.2	65	35.6	25.8-45.4
H.S. or G.E.D.	831	112,632	644	82.4	79.1-85.7	187	17.6	14.3-20.9
Some Post-H.S.	681	100,115	572	85.4	81.3-89.5	109	14.6	10.5-18.7
College Graduate	814	114,257	743	92.8	90.6-95.0	71	7.2	05.0-09.4
Less than \$15,000	283	31,179	207	76.4	70.1-82.7	76	23.6	17.3-29.9
\$15,000- 24,999	300	31,111	167	62.5	55.1-69.9	133	37.5	30.1-44.9
\$25,000- 34,999	214	29,247	177	79.6	69.6-89.6	37	20.4	10.4-30.4
\$35,000- 49,999	366	50,711	308	85.0	79.9-90.1	58	15.0	09.9-20.1
\$50,000- 74,999	368	52,857	339	92.1	88.2-96.0	29	7.9	04.0-11.8
\$75,000+	601	97,661	570	94.9	92.5-97.3	31	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2900	540,890	2642	90.9	89.3-92.5	258	9.1	07.5-10.7
Male	1125	265,253	1010	89.4	86.9-91.9	115	10.6	08.1-13.1
Female	1775	275,636	1632	92.4	90.4-94.4	143	7.6	05.6-09.6
White/Non-Hisp	2271	408,185	2080	91.5	89.7-93.3	191	8.5	06.7-10.3
Black or Afr. Am./Non-Hisp	372	74,211	334	91.5	88.2-94.8	38	8.5	05.2-11.8
Oth. Race/Non-Hisp.	92	21,408	83	89.2	80.6-97.8	9	10.8	02.2-19.4
MultiRacial/Non-Hisp.	65	12,472	59	93.3	87.0-99.6	6	6.7	00.4-13.0
18-24	182	82,778	147	82.3	75.6-89.0	35	17.7	11.0-24.4
25-34	416	113,933	373	91.0	87.5-94.5	43	9.0	05.5-12.5
35-44	693	125,325	640	92.5	89.8-95.2	53	7.5	04.8-10.2
45-54	813	123,151	745	92.9	90.9-94.9	68	7.1	05.1-09.1
55-64	796	95,703	737	93.6	91.1-96.1	59	6.4	03.9-08.9
Less Than H.S.	156	26,341	121	79.8	71.2-88.4	35	20.2	11.6-28.8
H.S. or G.E.D.	861	166,035	741	85.6	82.3-88.9	120	14.4	11.1-17.7
Some Post-H.S.	801	153,509	738	91.2	87.9-94.5	63	8.8	05.5-12.1
College Graduate	1081	194,787	1041	96.7	95.3-98.1	40	3.3	01.9-04.7
Less than \$15,000	231	35,715	174	78.6	71.2-86.0	57	21.4	14.0-28.8
\$15,000- 24,999	236	32,295	189	76.1	68.3-83.9	47	23.9	16.1-31.7
\$25,000- 34,999	208	36,901	176	80.3	72.1-88.5	32	19.7	11.5-27.9
\$35,000- 49,999	410	70,252	367	89.0	84.3-93.7	43	11.0	06.3-15.7
\$50,000- 74,999	514	90,790	490	94.9	92.0-97.8	24	5.1	02.2-08.0
\$75,000+	1036	216,559	1007	97.1	95.5-98.7	29	2.9	01.3-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1125	265,253	1010	89.4	86.9-91.9	115	10.6	08.1-13.1
White/Non-Hisp	893	200,900	810	90.5	88.0-93.0	83	9.5	07.0-12.0
Black or Afr. Am./Non-Hisp	134	35,761	118	91.8	86.9-96.7	16	8.2	03.3-13.1
25-34	153	56,497	135	91.2	86.5-95.9	18	8.8	04.1-13.5
35-44	251	61,577	231	92.0	87.5-96.5	20	8.0	03.5-12.5
45-54	329	60,257	296	92.3	89.6-95.0	33	7.7	05.0-10.4
55-64	304	45,602	283	92.6	87.7-97.5	21	7.4	02.5-12.3
H.S. or G.E.D.	334	81,993	279	83.3	77.6-89.0	55	16.7	11.0-22.4
Some Post-H.S.	282	69,669	253	88.9	83.6-94.2	29	11.1	05.8-16.4
College Graduate	444	98,568	431	97.0	95.0-99.0	13	3.0	01.0-05.0
\$35,000- 49,999	138	28,123	122	87.7	80.6-94.8	16	12.3	05.2-19.4
\$50,000- 74,999	192	42,094	179	93.3	88.0-98.6	13	6.7	01.4-12.0
\$75,000+	501	126,661	486	96.9	94.5-99.3	15	3.1	00.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU65)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1775	275,636	1632	92.4	90.4-94.4	143	7.6	05.6-09.6
White/Non-Hisp	1378	207,285	1270	92.4	90.2-94.6	108	7.6	05.4-09.8
Black or Afr. Am./Non-Hisp	238	38,451	216	91.2	86.7-95.7	22	8.8	04.3-13.3
Oth. Race/Non-Hisp.	50	9,127	47	96.9	92.8-100	3	3.1	00.0-07.2
18-24	94	41,458	82	89.5	81.7-97.3	12	10.5	02.7-18.3
25-34	263	57,436	238	90.8	85.7-95.9	25	9.2	04.1-14.3
35-44	442	63,748	409	93.0	90.1-95.9	33	7.0	04.1-09.9
45-54	484	62,893	449	93.4	90.9-95.9	35	6.6	04.1-09.1
55-64	492	50,101	454	94.4	92.4-96.4	38	5.6	03.6-07.6
Less Than H.S.	91	11,317	74	86.1	78.3-93.9	17	13.9	06.1-21.7
H.S. or G.E.D.	527	84,042	462	87.9	84.0-91.8	65	12.1	08.2-16.0
Some Post-H.S.	519	83,840	485	93.2	89.1-97.3	34	6.8	02.7-10.9
College Graduate	637	96,220	610	96.3	94.7-97.9	27	3.7	02.1-05.3
Less than \$15,000	150	18,881	114	82.8	75.9-89.7	36	17.2	10.3-24.1
\$15,000- 24,999	178	21,357	149	81.5	73.3-89.7	29	18.5	10.3-26.7
\$25,000- 34,999	140	21,286	126	90.6	84.7-96.5	14	9.4	03.5-15.3
\$35,000- 49,999	272	42,129	245	89.8	83.7-95.9	27	10.2	04.1-16.3
\$50,000- 74,999	322	48,696	311	96.2	93.1-99.3	11	3.8	00.7-06.9
\$75,000+	535	89,898	521	97.4	95.8-99.0	14	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 4: EXERCISE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3991	663,748	2979	77.9	76.1-79.7	1012	22.1	20.3-23.9
Male	1496	318,130	1181	81.7	79.0-84.4	315	18.3	15.6-21.0
Female	2495	345,618	1798	74.3	71.9-76.7	697	25.7	23.3-28.1
White/Non-Hisp	3233	514,898	2455	79.1	77.1-81.1	778	20.9	18.9-22.9
Black or Afr. Am./Non-Hisp	455	85,096	304	72.0	65.9-78.1	151	28.0	21.9-34.1
18-24	186	83,897	156	84.5	77.8-91.2	30	15.5	08.8-22.2
25-34	416	113,933	328	78.6	73.1-84.1	88	21.4	15.9-26.9
35-44	693	125,325	566	82.9	79.4-86.4	127	17.1	13.6-20.6
45-54	813	123,151	624	79.8	76.3-83.3	189	20.2	16.7-23.7
55-64	799	96,096	583	74.1	70.0-78.2	216	25.9	21.8-30.0
65+	1052	117,475	698	67.8	64.3-71.3	354	32.2	28.7-35.7
Less Than H.S.	280	38,950	141	55.2	46.8-63.6	139	44.8	36.4-53.2
H.S. or G.E.D.	1282	209,614	842	69.4	65.7-73.1	440	30.6	26.9-34.3
Some Post-H.S.	1033	182,794	792	79.8	76.3-83.3	241	20.2	16.7-23.7
College Graduate	1393	232,112	1202	87.7	85.5-89.9	191	12.3	10.1-14.5
Less than \$15,000	428	58,117	261	65.3	59.0-71.6	167	34.7	28.4-41.0
\$15,000- 24,999	392	45,812	201	54.3	47.0-61.6	191	45.7	38.4-53.0
\$25,000- 34,999	338	53,230	237	65.1	56.7-73.5	101	34.9	26.5-43.3
\$35,000- 49,999	569	87,456	425	75.6	70.9-80.3	144	24.4	19.7-29.1
\$50,000- 74,999	605	102,125	489	82.1	78.0-86.2	116	17.9	13.8-22.0
\$75,000+	1164	232,440	1004	87.4	84.9-89.9	160	12.6	10.1-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1496	318,130	1181	81.7	79.0-84.4	315	18.3	15.6-21.0
White/Non-Hisp	1225	246,650	974	81.7	78.8-84.6	251	18.3	15.4-21.2
Black or Afr. Am./Non-Hisp	159	40,692	119	80.5	72.5-88.5	40	19.5	11.5-27.5
18-24	91	42,326	82	91.7	85.2-98.2	9	8.3	01.8-14.8
25-34	153	56,497	132	85.0	77.4-92.6	21	15.0	07.4-22.6
35-44	251	61,577	218	86.0	80.3-91.7	33	14.0	08.3-19.7
45-54	329	60,257	266	82.8	77.5-88.1	63	17.2	11.9-22.5
55-64	305	45,651	223	73.7	67.0-80.4	82	26.3	19.6-33.0
65+	358	50,436	252	69.9	63.8-76.0	106	30.1	24.0-36.2
H.S. or G.E.D.	450	96,912	320	72.9	66.8-79.0	130	27.1	21.0-33.2
Some Post-H.S.	352	82,679	280	83.6	78.7-88.5	72	16.4	11.5-21.3
College Graduate	578	117,715	516	91.3	88.8-93.8	62	8.7	06.2-11.2
\$35,000- 49,999	202	36,606	151	77.4	70.3-84.5	51	22.6	15.5-29.7
\$50,000- 74,999	237	49,268	201	86.3	80.6-92.0	36	13.7	08.0-19.4
\$75,000+	563	134,779	485	87.7	84.0-91.4	78	12.3	08.6-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2495	345,618	1798	74.3	71.9-76.7	697	25.7	23.3-28.1
White/Non-Hisp	2008	268,248	1481	76.7	74.2-79.2	527	23.3	20.8-25.8
Black or Afr. Am./Non-Hisp	296	44,404	185	64.2	56.2-72.2	111	35.8	27.8-43.8
25-34	263	57,436	196	72.3	65.2-79.4	67	27.7	20.6-34.8
35-44	442	63,748	348	79.9	75.4-84.4	94	20.1	15.6-24.6
45-54	484	62,893	358	77.0	72.3-81.7	126	23.0	18.3-27.7
55-64	494	50,445	360	74.4	69.5-79.3	134	25.6	20.7-30.5
65+	694	67,039	446	66.3	62.0-70.6	248	33.7	29.4-38.0
H.S. or G.E.D.	832	112,701	522	66.4	61.7-71.1	310	33.6	28.9-38.3
Some Post-H.S.	681	100,115	512	76.7	72.0-81.4	169	23.3	18.6-28.0
College Graduate	815	114,397	686	84.1	81.0-87.2	129	15.9	12.8-19.0
Less than \$15,000	283	31,179	162	61.8	54.2-69.4	121	38.2	30.6-45.8
\$15,000- 24,999	300	31,111	152	53.0	44.8-61.2	148	47.0	38.8-55.2
\$35,000- 49,999	367	50,850	274	74.3	68.0-80.6	93	25.7	19.4-32.0
\$50,000- 74,999	368	52,857	288	78.3	72.6-84.0	80	21.7	16.0-27.4
\$75,000+	601	97,661	519	87.0	83.7-90.3	82	13.0	09.7-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 6: HYPERTENSION AWARENESS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3987	662,826	2501	70.7	68.9-72.5	1486	29.3	27.5-31.1
Male	1495	317,536	915	68.7	65.6-71.8	580	31.3	28.2-34.4
Female	2492	345,290	1586	72.5	70.3-74.7	906	27.5	25.3-29.7
White/Non-Hisp	3231	514,244	2031	69.6	67.4-71.8	1200	30.4	28.2-32.6
Black or Afr. Am./Non-Hisp	454	84,987	264	70.2	64.3-76.1	190	29.8	23.9-35.7
Oth. Race/Non-Hisp.	102	22,933	79	88.3	82.4-94.2	23	11.7	05.8-17.6
Hispanic	85	21,977	65	85.0	75.4-94.6	20	15.0	05.4-24.6
18-24	185	83,303	172	94.9	91.8-98.0	13	5.1	02.0-08.2
25-34	416	113,933	380	91.9	88.6-95.2	36	8.1	04.8-11.4
35-44	692	125,165	567	80.2	76.1-84.3	125	19.8	15.7-23.9
45-54	813	123,151	560	70.7	66.8-74.6	253	29.3	25.4-33.2
55-64	798	95,987	416	53.1	48.4-57.8	382	46.9	42.2-51.6
65+	1051	117,415	387	36.9	33.2-40.6	664	63.1	59.4-66.8
Less Than H.S.	280	38,950	133	58.9	50.9-66.9	147	41.1	33.1-49.1
H.S. or G.E.D.	1280	208,860	735	66.2	62.7-69.7	545	33.8	30.3-37.3
Some Post-H.S.	1033	182,794	655	72.0	68.3-75.7	378	28.0	24.3-31.7
College Graduate	1391	231,944	978	75.7	73.0-78.4	413	24.3	21.6-27.0
Less than \$15,000	427	58,058	219	56.6	50.1-63.1	208	43.4	36.9-49.9
\$15,000- 24,999	391	45,652	178	56.6	49.7-63.5	213	43.4	36.5-50.3
\$25,000- 34,999	338	53,230	184	61.3	54.0-68.6	154	38.7	31.4-46.0
\$35,000- 49,999	568	87,348	367	70.7	65.8-75.6	201	29.3	24.4-34.2
\$50,000- 74,999	605	102,125	425	73.2	68.5-77.9	180	26.8	22.1-31.5
\$75,000+	1164	232,440	837	77.5	74.4-80.6	327	22.5	19.4-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 6: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1495	317,536	915	68.7	65.6-71.8	580	31.3	28.2-34.4
White/Non-Hisp	1224	246,056	753	67.7	64.4-71.0	471	32.3	29.0-35.6
18-24	90	41,732	83	93.6	88.7-98.5	7	6.4	01.5-11.3
25-34	153	56,497	132	87.0	80.5-93.5	21	13.0	06.5-19.5
35-44	251	61,577	192	75.4	68.3-82.5	59	24.6	17.5-31.7
45-54	329	60,257	222	68.8	62.5-75.1	107	31.2	24.9-37.5
55-64	305	45,651	155	51.1	43.7-58.5	150	48.9	41.5-56.3
65+	358	50,436	125	35.1	28.8-41.4	233	64.9	58.6-71.2
H.S. or G.E.D.	449	96,319	260	65.2	59.1-71.3	189	34.8	28.7-40.9
Some Post-H.S.	352	82,679	213	69.0	62.3-75.7	139	31.0	24.3-37.7
College Graduate	578	117,715	388	73.2	68.9-77.5	190	26.8	22.5-31.1
\$35,000- 49,999	202	36,606	129	68.8	60.6-77.0	73	31.2	23.0-39.4
\$50,000- 74,999	237	49,268	150	65.4	57.4-73.4	87	34.6	26.6-42.6
\$75,000+	563	134,779	377	74.6	70.1-79.1	186	25.4	20.9-29.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2492	345,290	1586	72.5	70.3-74.7	906	27.5	25.3-29.7
White/Non-Hisp	2007	268,188	1278	71.3	68.8-73.8	729	28.7	26.2-31.2
Black or Afr. Am./Non-Hisp	295	44,295	179	71.4	64.7-78.1	116	28.6	21.9-35.3
Oth. Race/Non-Hisp.	57	9,991	44	89.9	83.0-96.8	13	10.1	03.2-17.0
Hispanic	53	11,511	40	90.0	82.7-97.3	13	10.0	02.7-17.3
18-24	95	41,571	89	96.1	92.6-99.6	6	3.9	00.4-07.4
25-34	263	57,436	248	96.7	94.7-98.7	15	3.3	01.3-05.3
35-44	441	63,588	375	84.9	80.8-89.0	66	15.1	11.0-19.2
45-54	484	62,893	338	72.5	67.4-77.6	146	27.5	22.4-32.6
55-64	493	50,336	261	54.9	49.2-60.6	232	45.1	39.4-50.8
65+	693	66,979	262	38.3	34.0-42.6	431	61.7	57.4-66.0
Less Than H.S.	164	18,126	79	59.5	49.9-69.1	85	40.5	30.9-50.1
H.S. or G.E.D.	831	112,541	475	67.1	62.8-71.4	356	32.9	28.6-37.2
Some Post-H.S.	681	100,115	442	74.5	70.4-78.6	239	25.5	21.4-29.6
College Graduate	813	114,229	590	78.2	74.9-81.5	223	21.8	18.5-25.1
Less than \$15,000	282	31,120	146	57.9	50.3-65.5	136	42.1	34.5-49.7
\$15,000- 24,999	299	30,951	134	55.8	48.0-63.6	165	44.2	36.4-52.0
\$25,000- 34,999	214	29,247	127	66.6	57.6-75.6	87	33.4	24.4-42.4
\$35,000- 49,999	366	50,742	238	72.1	66.2-78.0	128	27.9	22.0-33.8
\$50,000- 74,999	368	52,857	275	80.3	75.6-85.0	93	19.7	15.0-24.4
\$75,000+	601	97,661	460	81.5	77.8-85.2	141	18.5	14.8-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 7: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	19
2	MALES ONLY	20
3	FEMALES ONLY	21
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	22
5	MALES ONLY	23
6	FEMALES ONLY	24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3921	650,640	3425	80.6	78.2-83.0	111	3.0	02.2-03.8	385	16.4	14.2-18.6
Male	1469	310,832	1265	78.8	75.1-82.5	41	2.7	01.5-03.9	163	18.5	14.8-22.2
Female	2452	339,808	2160	82.4	79.9-84.9	70	3.2	02.2-04.2	222	14.5	12.0-17.0
White/Non-Hisp	3177	503,636	2794	81.8	79.4-84.2	102	3.3	02.3-04.3	281	14.9	12.7-17.1
Black or Afr. Am./Non-Hisp	447	84,042	393	79.9	70.3-89.5	3	0.6	00.0-01.4	51	19.5	09.9-29.1
Oth. Race/Non-Hisp.	100	22,730				3	3.8	00.0-08.3	17	17.4	07.4-27.4
MultiRacial/Non-Hisp.	80	13,559				1	0.6	00.0-01.8			
Hispanic	83	21,718				1	4.1	00.0-11.9			
18-24	170	78,867	69	44.4	35.0-53.8	5	3.9	00.2-07.6	96	51.7	42.3-61.1
25-34	405	111,016	272	63.2	55.4-71.0	14	4.0	01.6-06.4	119	32.8	25.0-40.6
35-44	684	124,139	564	80.8	76.9-84.7	37	4.9	02.9-06.9	83	14.3	10.8-17.8
45-54	802	121,515	728	91.2	88.7-93.7	29	2.9	01.7-04.1	45	5.9	03.5-08.3
55-64	790	95,320	752	96.0	94.4-97.6	19	1.9	00.9-02.9	19	2.1	00.9-03.3
65+	1038	115,912	1010	97.5	96.1-98.9	7	0.4	00.0-00.8	21	2.1	00.9-03.3
Less Than H.S.	271	37,395	217	64.6	55.2-74.0	5	3.9	00.0-08.8	49	31.5	22.3-40.7
H.S. or G.E.D.	1258	205,114	1069	78.1	74.2-82.0	42	3.0	01.6-04.4	147	18.9	15.2-22.6
Some Post-H.S.	1014	179,042	890	78.4	72.7-84.1	27	2.7	01.5-03.9	97	18.9	13.2-24.6
College Graduate	1375	228,811	1246	87.2	84.7-89.7	37	3.0	01.6-04.4	92	9.8	07.4-12.2
Less than \$15,000	412	56,068	340	72.6	65.3-79.9	11	2.5	00.3-04.7	61	24.9	17.6-32.2
\$15,000- 24,999	380	44,162	321	75.9	68.6-83.2	10	3.3	00.9-05.7	49	20.8	13.7-27.9
\$25,000- 34,999	333	52,371	288	80.3	73.6-87.0	14	3.8	00.9-06.7	31	15.9	09.6-22.2
\$35,000- 49,999	566	87,225	485	79.2	73.5-84.9	18	2.7	01.3-04.1	63	18.1	12.4-23.8
\$50,000- 74,999	598	100,749	525	81.2	76.1-86.3	16	3.3	00.9-05.7	57	15.5	10.8-20.2
\$75,000+	1154	229,494	1037	84.4	79.9-88.9	34	3.1	01.5-04.7	83	12.5	08.0-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1469	310,832	1265	78.8	75.1-82.5	41	2.7	01.5-03.9	163	18.5	14.8-22.2
White/Non-Hisp	1204	240,452	1047	81.4	78.1-84.7	37	2.9	01.7-04.1	120	15.7	12.4-19.0
Black or Afr. Am./Non-Hisp	156	40,017				1	0.3	00.0-00.9			
18-24	86	39,776				3	3.1	00.0-07.0			
25-34	149	54,840				3	3.3	00.0-07.2			
35-44	248	60,929	196	77.7	71.2-84.2	13	5.3	02.0-08.6	39	17.0	10.9-23.1
45-54	324	59,047	295	92.0	88.1-95.9	11	2.5	00.9-04.1	18	5.5	01.8-09.2
55-64	301	45,270	286	96.8	94.8-98.8	9	1.6	00.4-02.8	6	1.6	00.0-03.2
65+	352	49,584	342	97.1	94.4-99.8	2	0.1	00.0-00.3	8	2.8	00.1-05.5
Less Than H.S.	113	19,943				3	6.1	00.0-14.9			
H.S. or G.E.D.	440	94,377	361	74.0	67.5-80.5	11	2.3	00.5-04.1	68	23.7	17.2-30.2
Some Post-H.S.	345	80,465				12	2.9	00.7-05.1			
College Graduate	571	116,047	524	88.0	84.1-91.9	15	2.4	00.8-04.0	32	9.6	05.9-13.3
Less than \$15,000	135	25,366				4	4.2	00.0-08.5			
\$15,000- 24,999	87	13,849				2	2.8	00.0-07.1			
\$25,000- 34,999	123	23,680				6	4.7	00.0-10.4			
\$35,000- 49,999	202	36,606	178	82.2	74.0-90.4	3	0.9	00.0-01.9	21	16.9	08.7-25.1
\$50,000- 74,999	236	49,038	205	80.5	72.9-88.1	8	4.6	00.3-08.9	23	14.9	08.0-21.8
\$75,000+	558	132,637	503	84.2	77.3-91.1	15	2.3	00.9-03.7	40	13.5	06.6-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2452	339,808	2160	82.4	79.9-84.9	70	3.2	02.2-04.2	222	14.5	12.0-17.0
White/Non-Hisp	1973	263,184	1747	82.1	79.0-85.2	65	3.7	02.3-05.1	161	14.2	11.3-17.1
Black or Afr. Am./Non-Hisp	291	44,025	255	84.9	78.8-91.0	2	0.9	00.0-02.1	34	14.2	08.1-20.3
Oth. Race/Non-Hisp.	56	9,922				1	4.3	00.0-12.5	8	11.2	02.6-19.8
MultiRacial/Non-Hisp.	58	8,828				1	1.0	00.0-03.0			
18-24	84	39,090				2	4.7	00.0-11.0			
25-34	256	56,176	169	65.7	58.1-73.3	11	4.6	01.7-07.5	76	29.7	22.3-37.1
35-44	436	63,211	368	83.8	79.7-87.9	24	4.5	02.3-06.7	44	11.7	08.0-15.4
45-54	478	62,467	433	90.4	87.1-93.7	18	3.2	01.4-05.0	27	6.4	03.7-09.1
55-64	489	50,050	466	95.3	92.9-97.7	10	2.2	00.4-04.0	13	2.5	00.7-04.3
65+	686	66,328	668	97.9	96.7-99.1	5	0.6	00.0-01.2	13	1.6	00.6-02.6
Less Than H.S.	158	17,452	135	79.9	70.3-89.5	2	1.4	00.0-03.6	21	18.6	09.2-28.0
H.S. or G.E.D.	818	110,737	708	81.6	77.1-86.1	31	3.6	01.6-05.6	79	14.8	10.7-18.9
Some Post-H.S.	669	98,577	592	78.9	72.8-85.0	15	2.5	01.1-03.9	62	18.6	12.5-24.7
College Graduate	804	112,764	722	86.4	83.1-89.7	22	3.6	01.4-05.8	60	10.0	07.3-12.7
Less than \$15,000	277	30,702	235	78.6	70.4-86.8	7	1.2	00.2-02.2	35	20.1	11.9-28.3
\$15,000- 24,999	293	30,313	257	82.1	75.4-88.8	8	3.6	00.7-06.5	28	14.3	08.0-20.6
\$25,000- 34,999	210	28,691	185	86.8	80.7-92.9	8	3.0	00.5-05.5	17	10.2	04.5-15.9
\$35,000- 49,999	364	50,620	307	77.0	69.4-84.6	15	4.1	01.7-06.5	42	18.9	11.3-26.5
\$50,000- 74,999	362	51,711	320	81.9	75.2-88.6	8	2.1	00.3-03.9	34	16.0	09.3-22.7
\$75,000+	596	96,857	534	84.8	79.9-89.7	19	4.2	01.3-07.1	43	11.0	06.7-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3405	522,555	1845	60.9	58.7-63.1	1560	39.1	36.9-41.3
Male	1259	244,031	652	59.7	56.2-63.2	607	40.3	36.8-43.8
Female	2146	278,524	1193	62.0	59.3-64.7	953	38.0	35.3-40.7
White/Non-Hisp	2779	410,323	1453	58.4	56.0-60.8	1326	41.6	39.2-44.0
Black or Afr. Am./Non-Hisp	390	66,700	260	72.1	66.4-77.8	130	27.9	22.2-33.6
18-24	69	35,048	62	95.0	90.7-99.3	7	5.0	00.7-09.3
25-34	272	70,156	216	78.6	72.5-84.7	56	21.4	15.3-27.5
35-44	563	100,154	389	71.4	66.7-76.1	174	28.6	23.9-33.3
45-54	721	110,251	418	60.4	55.9-64.9	303	39.6	35.1-44.1
55-64	747	90,843	344	48.3	43.4-53.2	403	51.7	46.8-56.6
65+	1003	112,390	399	40.8	37.1-44.5	604	59.2	55.5-62.9
Less Than H.S.	215	23,949	90	51.0	42.0-60.0	125	49.0	40.0-58.0
H.S. or G.E.D.	1064	159,584	526	57.2	52.9-61.5	538	42.8	38.5-47.1
Some Post-H.S.	886	140,072	506	64.1	60.0-68.2	380	35.9	31.8-40.0
College Graduate	1237	198,672	720	62.8	59.5-66.1	517	37.2	33.9-40.5
Less than \$15,000	336	40,270	163	52.4	45.3-59.5	173	47.6	40.5-54.7
\$15,000- 24,999	316	32,986	144	52.3	44.3-60.3	172	47.7	39.7-55.7
\$25,000- 34,999	287	41,788	161	65.0	57.4-72.6	126	35.0	27.4-42.6
\$35,000- 49,999	484	69,001	269	62.1	56.4-67.8	215	37.9	32.2-43.6
\$50,000- 74,999	524	81,749	281	58.6	52.9-64.3	243	41.4	35.7-47.1
\$75,000+	1032	193,222	612	64.9	61.2-68.6	420	35.1	31.4-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1259	244,031	652	59.7	56.2-63.2	607	40.3	36.8-43.8
White/Non-Hisp	1044	195,290	524	58.1	54.2-62.0	520	41.9	38.0-45.8
Black or Afr. Am./Non-Hisp	135	29,304	85	68.4	59.2-77.6	50	31.6	22.4-40.8
35-44	196	47,349	126	69.7	61.9-77.5	70	30.3	22.5-38.1
45-54	292	54,030	158	58.2	51.1-65.3	134	41.8	34.7-48.9
55-64	284	43,514	116	43.7	35.9-51.5	168	56.3	48.5-64.1
65+	341	47,980	144	44.9	38.2-51.6	197	55.1	48.4-61.8
H.S. or G.E.D.	360	69,554	177	58.1	51.0-65.2	183	41.9	34.8-49.0
Some Post-H.S.	297	62,624	160	60.6	53.5-67.7	137	39.4	32.3-46.5
College Graduate	521	101,775	281	61.0	55.9-66.1	240	39.0	33.9-44.1
\$35,000- 49,999	178	30,094	101	61.6	52.8-70.4	77	38.4	29.6-47.2
\$50,000- 74,999	205	39,494	102	54.9	46.1-63.7	103	45.1	36.3-53.9
\$75,000+	501	111,486	268	63.0	57.7-68.3	233	37.0	31.7-42.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2146	278,524	1193	62.0	59.3-64.7	953	38.0	35.3-40.7
White/Non-Hisp	1735	215,033	929	58.7	55.8-61.6	806	41.3	38.4-44.2
Black or Afr. Am./Non-Hisp	255	37,396	175	74.9	67.8-82.0	80	25.1	18.0-32.2
25-34	169	36,897	143	83.9	76.8-91.0	26	16.1	09.0-23.2
35-44	367	52,805	263	72.9	67.6-78.2	104	27.1	21.8-32.4
45-54	429	56,221	260	62.5	56.6-68.4	169	37.5	31.6-43.4
55-64	463	47,328	228	52.6	46.7-58.5	235	47.4	41.5-53.3
65+	662	64,410	255	37.8	33.3-42.3	407	62.2	57.7-66.7
H.S. or G.E.D.	704	90,030	349	56.5	51.2-61.8	355	43.5	38.2-48.8
Some Post-H.S.	589	77,448	346	66.9	62.2-71.6	243	33.1	28.4-37.8
College Graduate	716	96,896	439	64.8	60.5-69.1	277	35.2	30.9-39.5
Less than \$15,000	232	23,868	116	55.1	46.9-63.3	116	44.9	36.7-53.1
\$15,000- 24,999	253	24,488	118	54.4	45.4-63.4	135	45.6	36.6-54.6
\$25,000- 34,999	185	24,913	111	69.9	60.7-79.1	74	30.1	20.9-39.3
\$35,000- 49,999	306	38,907	168	62.4	55.1-69.7	138	37.6	30.3-44.9
\$50,000- 74,999	319	42,254	179	62.1	55.2-69.0	140	37.9	31.0-44.8
\$75,000+	531	81,736	344	67.5	62.6-72.4	187	32.5	27.6-37.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 9: ASTHMA CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	26
2	MALES ONLY	27
3	FEMALES ONLY	28
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	29
5	MALES ONLY	30
6	FEMALES ONLY	31
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	32
8	MALES ONLY	33
9	FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3988	663,417	3499	88.3	86.9-89.7	489	11.7	10.3-13.1
Male	1495	317,944	1361	91.7	89.9-93.5	134	8.3	06.5-10.1
Female	2493	345,473	2138	85.2	83.0-87.4	355	14.8	12.6-17.0
White/Non-Hisp	3231	514,753	2835	88.2	86.6-89.8	396	11.8	10.2-13.4
Black or Afr. Am./Non-Hisp	454	84,910	401	88.3	83.6-93.0	53	11.7	07.0-16.4
Oth. Race/Non-Hisp.	102	22,933	98	97.0	93.9-0100	4	3.0	00.0-06.1
Hispanic	85	21,977	69	84.9	75.1-94.7	16	15.1	05.3-24.9
18-24	186	83,897	147	80.9	73.8-88.0	39	19.1	12.0-26.2
25-34	415	113,747	351	86.4	82.1-90.7	64	13.6	09.3-17.9
35-44	693	125,325	612	89.7	87.0-92.4	81	10.3	07.6-13.0
45-54	813	123,151	717	89.7	87.3-92.1	96	10.3	07.9-12.7
55-64	797	95,951	694	89.2	86.7-91.7	103	10.8	08.3-13.3
65+	1052	117,475	947	91.3	89.3-93.3	105	8.7	06.7-10.7
Less Than H.S.	280	38,950	223	81.6	75.1-88.1	57	18.4	11.9-24.9
H.S. or G.E.D.	1282	209,614	1142	89.4	86.9-91.9	140	10.6	08.1-13.1
Some Post-H.S.	1031	182,574	890	85.7	82.4-89.0	141	14.3	11.0-17.6
College Graduate	1392	232,001	1241	90.4	88.4-92.4	151	9.6	07.6-11.6
Less than \$15,000	428	58,117	369	89.3	86.0-92.6	59	10.7	07.4-14.0
\$15,000- 24,999	392	45,812	308	76.8	69.9-83.7	84	23.2	16.3-30.1
\$25,000- 34,999	338	53,230	283	83.6	77.1-90.1	55	16.4	09.9-22.9
\$35,000- 49,999	568	87,422	518	89.6	85.1-94.1	50	10.4	05.9-14.9
\$50,000- 74,999	605	102,125	536	88.5	85.2-91.8	69	11.5	08.2-14.8
\$75,000+	1163	232,254	1046	91.7	89.7-93.7	117	8.3	06.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1495	317,944	1361	91.7	89.9-93.5	134	8.3	06.5-10.1
White/Non-Hisp	1225	246,650	1113	91.4	89.4-93.4	112	8.6	06.6-10.6
Black or Afr. Am./Non-Hisp	158	40,506	144	91.0	85.1-96.9	14	9.0	03.1-14.9
18-24	91	42,326	75	83.1	74.3-91.9	16	16.9	08.1-25.7
25-34	152	56,311	141	94.2	90.3-98.1	11	5.8	01.9-09.7
35-44	251	61,577	235	92.5	88.6-96.4	16	7.5	03.6-11.4
45-54	329	60,257	302	92.7	89.8-95.6	27	7.3	04.4-10.2
55-64	305	45,651	274	93.7	91.0-96.4	31	6.3	03.6-09.0
65+	358	50,436	325	91.8	88.7-94.9	33	8.2	05.1-11.3
Less Than H.S.	116	20,824	98	86.5	77.5-95.5	18	13.5	04.5-22.5
H.S. or G.E.D.	450	96,912	421	93.6	90.7-96.5	29	6.4	03.5-09.3
Some Post-H.S.	351	82,493	314	89.4	85.1-93.7	37	10.6	06.3-14.9
College Graduate	578	117,715	528	92.5	90.0-95.0	50	7.5	05.0-10.0
Less than \$15,000	145	26,938	131	92.2	87.5-96.9	14	7.8	03.1-12.5
\$15,000- 24,999	92	14,701	74	84.3	75.9-92.7	18	15.7	07.3-24.1
\$25,000- 34,999	124	23,983	117	94.5	88.8-0100	7	5.5	00.0-11.2
\$35,000- 49,999	202	36,606	188	94.2	90.7-97.7	14	5.8	02.3-09.3
\$50,000- 74,999	237	49,268	219	90.2	84.7-95.7	18	9.8	04.3-15.3
\$75,000+	562	134,593	514	93.2	90.8-95.6	48	6.8	04.4-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTHM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2493	345,473	2138	85.2	83.0-87.4	355	14.8	12.6-17.0
White/Non-Hisp	2006	268,104	1722	85.3	82.9-87.7	284	14.7	12.3-17.1
Black or Afr. Am./Non-Hisp	296	44,404	257	85.9	79.0-92.8	39	14.1	07.2-21.0
Oth. Race/Non-Hisp.	57	9,991	54	95.0	88.9-0100	3	5.0	00.0-11.1
25-34	263	57,436	210	78.8	71.7-85.9	53	21.2	14.1-28.3
35-44	442	63,748	377	87.1	83.4-90.8	65	12.9	09.2-16.6
45-54	484	62,893	415	86.9	83.2-90.6	69	13.1	09.4-16.8
55-64	492	50,300	420	85.2	81.1-89.3	72	14.8	10.7-18.9
65+	694	67,039	622	91.0	88.6-93.4	72	9.0	06.6-11.4
Less Than H.S.	164	18,126	125	76.0	67.0-85.0	39	24.0	15.0-33.0
H.S. or G.E.D.	832	112,701	721	85.8	81.7-89.9	111	14.2	10.1-18.3
Some Post-H.S.	680	100,080	576	82.6	77.7-87.5	104	17.4	12.5-22.3
College Graduate	814	114,287	713	88.3	85.6-91.0	101	11.7	09.0-14.4
Less than \$15,000	283	31,179	238	86.8	82.1-91.5	45	13.2	08.5-17.9
\$15,000- 24,999	300	31,111	234	73.3	64.5-82.1	66	26.7	17.9-35.5
\$35,000- 49,999	366	50,816	330	86.4	79.3-93.5	36	13.6	06.5-20.7
\$50,000- 74,999	368	52,857	317	86.9	82.8-91.0	51	13.1	09.0-17.2
\$75,000+	601	97,661	532	89.6	86.7-92.5	69	10.4	07.5-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 9: ASTHMA**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3977	662,135	3626	92.2	91.0-93.4	351	7.8	06.6-09.0
Male	1490	317,089	1408	95.0	93.6-96.4	82	5.0	03.6-06.4
Female	2487	345,046	2218	89.6	87.8-91.4	269	10.4	08.6-12.2
White/Non-Hisp	3220	513,471	2937	92.2	90.8-93.6	283	7.8	06.4-09.2
Black or Afr. Am./Non-Hisp	454	84,910	414	92.2	88.9-95.5	40	7.8	04.5-11.1
Oth. Race/Non-Hisp.	102	22,933	98	97.0	93.9-0100	4	3.0	00.0-06.1
MultiRacial/Non-Hisp.	81	13,814	73	87.6	78.0-97.2	8	12.4	02.8-22.0
Hispanic	85	21,977	74	90.3	82.5-98.1	11	9.7	01.9-17.5
18-24	185	83,537	160	87.9	82.0-93.8	25	12.1	06.2-18.0
25-34	413	113,562	369	91.8	88.9-94.7	44	8.2	05.3-11.1
35-44	691	125,040	634	93.0	90.6-95.4	57	7.0	04.6-09.4
45-54	810	122,856	742	93.4	91.4-95.4	68	6.6	04.6-08.6
55-64	794	95,794	726	93.1	91.1-95.1	68	6.9	04.9-08.9
65+	1052	117,475	963	92.3	90.3-94.3	89	7.7	05.7-09.7
Less Than H.S.	279	38,855	236	87.2	81.7-92.7	43	12.8	07.3-18.3
H.S. or G.E.D.	1275	208,985	1176	93.1	90.9-95.3	99	6.9	04.7-09.1
Some Post-H.S.	1028	182,015	929	90.9	88.4-93.4	99	9.1	06.6-11.6
College Graduate	1392	232,001	1282	93.1	91.5-94.7	110	6.9	05.3-08.5
Less than \$15,000	424	57,704	382	92.0	88.9-95.1	42	8.0	04.9-11.1
\$15,000- 24,999	391	45,766	329	87.2	83.1-91.3	62	12.8	08.7-16.9
\$25,000- 34,999	337	53,161	298	87.6	81.5-93.7	39	12.4	06.3-18.5
\$35,000- 49,999	565	87,124	527	93.1	89.6-96.6	38	6.9	03.4-10.4
\$50,000- 74,999	605	102,125	552	91.5	88.6-94.4	53	8.5	05.6-11.4
\$75,000+	1162	231,894	1084	94.7	93.1-96.3	78	5.3	03.7-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 9: ASTHMA**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1490	317,089	1408	95.0	93.6-96.4	82	5.0	03.6-06.4
White/Non-Hisp	1220	245,795	1151	94.8	93.2-96.4	69	5.2	03.6-06.8
Black or Afr. Am./Non-Hisp	158	40,506	148	93.2	87.9-98.5	10	6.8	01.5-12.1
18-24	90	41,966	80	90.1	83.0-97.2	10	9.9	02.8-17.0
25-34	152	56,311	146	96.6	93.5-99.7	6	3.4	00.3-06.5
35-44	249	61,292	241	95.4	92.1-98.7	8	4.6	01.3-07.9
45-54	328	60,119	316	96.8	94.8-98.8	12	3.2	01.2-05.2
55-64	304	45,579	286	96.6	94.8-98.4	18	3.4	01.6-05.2
65+	358	50,436	330	92.8	89.7-95.9	28	7.2	04.1-10.3
Less Than H.S.	115	20,729	103	93.1	86.6-99.6	12	6.9	00.4-13.4
H.S. or G.E.D.	447	96,512	435	97.0	94.6-99.4	12	3.0	00.6-05.4
Some Post-H.S.	350	82,133	327	93.6	90.5-96.7	23	6.4	03.3-09.5
College Graduate	578	117,715	543	94.6	92.2-97.0	35	5.4	03.0-07.8
Less than \$15,000	143	26,653	138	96.4	92.9-99.9	5	3.6	00.1-07.1
\$15,000- 24,999	92	14,701	81	92.2	85.9-98.5	11	7.8	01.5-14.1
\$25,000- 34,999	124	23,983	121	98.4	96.6-0100	3	1.6	00.0-03.4
\$35,000- 49,999	200	36,396	192	97.0	94.3-99.7	8	3.0	00.3-05.7
\$50,000- 74,999	237	49,268	224	92.5	87.4-97.6	13	7.5	02.4-12.6
\$75,000+	561	134,233	530	95.7	93.7-97.7	31	4.3	02.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 9: ASTHMA**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHMA)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2487	345,046	2218	89.6	87.8-91.4	269	10.4	08.6-12.2
White/Non-Hisp	2000	267,676	1786	89.8	87.8-91.8	214	10.2	08.2-12.2
Black or Afr. Am./Non-Hisp	296	44,404	266	91.2	87.3-95.1	30	8.8	04.9-12.7
Oth. Race/Non-Hisp.	57	9,991	54	95.0	88.9-0100	3	5.0	00.0-11.1
18-24	95	41,571	80	85.8	76.6-95.0	15	14.2	05.0-23.4
25-34	261	57,251	223	87.1	82.2-92.0	38	12.9	08.0-17.8
35-44	442	63,748	393	90.6	87.5-93.7	49	9.4	06.3-12.5
45-54	482	62,737	426	90.0	86.9-93.1	56	10.0	06.9-13.1
55-64	490	50,215	440	89.9	86.6-93.2	50	10.1	06.8-13.4
65+	694	67,039	633	92.0	89.6-94.4	61	8.0	05.6-10.4
Less Than H.S.	164	18,126	133	80.6	72.0-89.2	31	19.4	10.8-28.0
H.S. or G.E.D.	828	112,473	741	89.8	86.5-93.1	87	10.2	06.9-13.5
Some Post-H.S.	678	99,882	602	88.7	85.2-92.2	76	11.3	07.8-14.8
College Graduate	814	114,287	739	91.6	89.2-94.0	75	8.4	06.0-10.8
Less than \$15,000	281	31,051	244	88.1	83.4-92.8	37	11.9	07.2-16.6
\$15,000- 24,999	299	31,065	248	84.8	79.7-89.9	51	15.2	10.1-20.3
\$25,000- 34,999	213	29,179	177	78.7	68.7-88.7	36	21.3	11.3-31.3
\$35,000- 49,999	365	50,728	335	90.2	84.5-95.9	30	9.8	04.1-15.5
\$50,000- 74,999	368	52,857	328	90.5	87.0-94.0	40	9.5	06.0-13.0
\$75,000+	601	97,661	554	93.2	90.8-95.6	47	6.8	04.4-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3977	662,135	351	7.8	06.6-09.0	127	3.7	02.7-04.7	3499	88.5	87.1-89.9
Male	1490	317,089	82	5.0	03.6-06.4	47	3.1	01.9-04.3	1361	91.9	90.1-93.7
Female	2487	345,046	269	10.4	08.6-12.2	80	4.3	02.7-05.9	2138	85.3	83.1-87.5
White/Non-Hisp	3220	513,471	283	7.8	06.4-09.2	102	3.7	02.7-04.7	2835	88.4	86.8-90.0
Black or Afr. Am./Non-Hisp	454	84,910	40	7.8	04.5-11.1	13	3.8	00.5-07.1	401	88.3	83.6-93.0
Oth. Race/Non-Hisp.	102	22,933	4	3.0	00.0-06.1				98	97.0	93.9-0100
MultiRacial/Non-Hisp.	81	13,814	8	12.4	02.8-22.0	7	6.9	01.2-12.6			
Hispanic	85	21,977	11	9.7	01.9-17.5	5	5.4	00.0-11.7	69	84.9	75.1-94.7
18-24	185	83,537	25	12.1	06.2-18.0	13	6.6	02.1-11.1	147	81.3	74.2-88.4
25-34	413	113,562	44	8.2	05.3-11.1	18	5.2	01.9-08.5	351	86.6	82.3-90.9
35-44	691	125,040	57	7.0	04.6-09.4	22	3.1	01.5-04.7	612	89.9	87.2-92.6
45-54	810	122,856	68	6.6	04.6-08.6	25	3.4	01.8-05.0	717	90.0	87.6-92.4
55-64	794	95,794	68	6.9	04.9-08.9	32	3.7	02.1-05.3	694	89.4	86.9-91.9
65+	1052	117,475	89	7.7	05.7-09.7	16	1.0	00.4-01.6	947	91.3	89.3-93.3
Less Than H.S.	279	38,855	43	12.8	07.3-18.3	13	5.4	01.5-09.3	223	81.8	75.3-88.3
H.S. or G.E.D.	1275	208,985	99	6.9	04.7-09.1	34	3.4	01.6-05.2	1142	89.7	87.2-92.2
Some Post-H.S.	1028	182,015	99	9.1	06.6-11.6	39	5.0	02.6-07.4	890	85.9	82.6-89.2
College Graduate	1392	232,001	110	6.9	05.3-08.5	41	2.7	01.7-03.7	1241	90.4	88.4-92.4
Less than \$15,000	424	57,704	42	8.0	04.9-11.1	13	2.0	00.6-03.4	369	89.9	86.6-93.2
\$15,000- 24,999	391	45,766	62	12.8	08.7-16.9	21	10.3	04.0-16.6	308	76.9	70.0-83.8
\$25,000- 34,999	337	53,161	39	12.4	06.3-18.5	15	3.8	00.9-06.7	283	83.7	77.2-90.2
\$35,000- 49,999	565	87,124	38	6.9	03.4-10.4	9	3.1	00.2-06.0	518	90.0	85.5-94.5
\$50,000- 74,999	605	102,125	53	8.5	05.6-11.4	16	3.0	01.2-04.8	536	88.5	85.2-91.8
\$75,000+	1162	231,894	78	5.3	03.7-06.9	38	2.8	01.6-04.0	1046	91.9	90.1-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1490	317,089	82	5.0	03.6-06.4	47	3.1	01.9-04.3	1361	91.9	90.1-93.7
White/Non-Hisp	1220	245,795	69	5.2	03.6-06.8	38	3.0	01.6-04.4	1113	91.7	89.7-93.7
Black or Afr. Am./Non-Hisp	158	40,506	10	6.8	01.5-12.1	4	2.2	00.0-04.4	144	91.0	85.1-96.9
18-24	90	41,966	10	9.9	02.8-17.0	5	6.3	00.2-12.4	75	83.8	75.0-92.6
25-34	152	56,311	6	3.4	00.3-06.5	5	2.4	00.0-04.8	141	94.2	90.3-98.1
35-44	249	61,292	8	4.6	01.3-07.9	6	2.5	00.3-04.7	235	92.9	89.0-96.8
45-54	328	60,119	12	3.2	01.2-05.2	14	4.0	01.6-06.4	302	92.9	90.0-95.8
55-64	304	45,579	18	3.4	01.6-05.2	12	2.8	00.8-04.8	274	93.8	91.1-96.5
65+	358	50,436	28	7.2	04.1-10.3	5	1.0	00.0-02.0	325	91.8	88.7-94.9
Less Than H.S.	115	20,729	12	6.9	00.4-13.4	5	6.1	00.0-12.8	98	86.9	77.9-95.9
H.S. or G.E.D.	447	96,512	12	3.0	00.6-05.4	14	2.9	00.9-04.9	421	94.0	91.1-96.9
Some Post-H.S.	350	82,133	23	6.4	03.3-09.5	13	3.8	01.1-06.5	314	89.8	85.7-93.9
College Graduate	578	117,715	35	5.4	03.0-07.8	15	2.1	00.9-03.3	528	92.5	90.0-95.0
Less than \$15,000	143	26,653	5	3.6	00.1-07.1	7	3.2	00.5-05.9	131	93.2	88.7-97.7
\$15,000- 24,999	92	14,701	11	7.8	01.5-14.1	7	8.0	02.1-13.9	74	84.3	75.9-92.7
\$25,000- 34,999	124	23,983	3	1.6	00.0-03.4	4	3.9	00.0-09.4	117	94.5	88.8-0100
\$35,000- 49,999	200	36,396	8	3.0	00.3-05.7	4	2.3	00.0-04.7	188	94.7	91.2-98.2
\$50,000- 74,999	237	49,268	13	7.5	02.4-12.6	5	2.3	00.0-04.7	219	90.2	84.7-95.7
\$75,000+	561	134,233	31	4.3	02.3-06.3	16	2.2	01.0-03.4	514	93.5	91.1-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 9: ASTHMA**

**TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMST)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2487	345,046	269	10.4	08.6-12.2	80	4.3	02.7-05.9	2138	85.3	83.1-87.5
White/Non-Hisp	2000	267,676	214	10.2	08.2-12.2	64	4.3	02.7-05.9	1722	85.4	83.0-87.8
Black or Afr. Am./Non-Hisp	296	44,404	30	8.8	04.9-12.7	9	5.3	00.0-11.4	257	85.9	79.0-92.8
Oth. Race/Non-Hisp.	57	9,991	3	5.0	00.0-11.1				54	95.0	88.9-0100
MultiRacial/Non-Hisp.	59	9,083				4	5.4	00.0-11.7			
Hispanic	53	11,511				3	2.7	00.0-06.2			
18-24	95	41,571	15	14.2	05.0-23.4	8	7.0	00.1-13.9			
25-34	261	57,251	38	12.9	08.0-17.8	13	8.1	02.0-14.2	210	79.1	72.0-86.2
35-44	442	63,748	49	9.4	06.3-12.5	16	3.6	01.4-05.8	377	87.1	83.4-90.8
45-54	482	62,737	56	10.0	06.9-13.1	11	2.9	00.7-05.1	415	87.1	83.4-90.8
55-64	490	50,215	50	10.1	06.8-13.4	20	4.6	02.2-07.0	420	85.3	81.2-89.4
65+	694	67,039	61	8.0	05.6-10.4	11	1.0	00.2-01.8	622	91.0	88.6-93.4
Less Than H.S.	164	18,126	31	19.4	10.8-28.0	8	4.6	00.9-08.3	125	76.0	67.0-85.0
H.S. or G.E.D.	828	112,473	87	10.2	06.9-13.5	20	3.8	01.1-06.5	721	86.0	81.9-90.1
Some Post-H.S.	678	99,882	76	11.3	07.8-14.8	26	6.0	02.3-09.7	576	82.7	77.8-87.6
College Graduate	814	114,287	75	8.4	06.0-10.8	26	3.2	01.6-04.8	713	88.3	85.6-91.0
Less than \$15,000	281	31,051	37	11.9	07.2-16.6	6	1.0	00.0-02.0	238	87.1	82.4-91.8
\$15,000- 24,999	299	31,065	51	15.2	10.1-20.3	14	11.5	02.7-20.3	234	73.4	64.6-82.2
\$25,000- 34,999	213	29,179	36	21.3	11.3-31.3	11	3.8	01.3-06.3			
\$35,000- 49,999	365	50,728	30	9.8	04.1-15.5	5	3.7	00.0-08.6	330	86.5	79.4-93.6
\$50,000- 74,999	368	52,857	40	9.5	06.0-13.0	11	3.6	01.1-06.1	317	86.9	82.8-91.0
\$75,000+	601	97,661	47	6.8	04.4-09.2	22	3.6	01.6-05.6	532	89.6	86.7-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 10: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1050	117,377	791	73.8	70.5-77.1	259	26.2	22.9-29.5
Male	357	50,374	278	76.4	70.7-82.1	79	23.6	17.9-29.3
Female	693	67,003	513	71.8	67.5-76.1	180	28.2	23.9-32.5
White/Non-Hisp	935	103,139	714	74.8	71.3-78.3	221	25.2	21.7-28.7
65+	1050	117,377	791	73.8	70.5-77.1	259	26.2	22.9-29.5
Less Than H.S.	121	12,398	81	69.2	59.4-79.0	40	30.8	21.0-40.6
H.S. or G.E.D.	409	41,808	300	70.0	64.3-75.7	109	30.0	24.3-35.7
Some Post-H.S.	222	27,876	177	76.6	69.0-84.2	45	23.4	15.8-31.0
College Graduate	297	35,268	232	77.6	71.7-83.5	65	22.4	16.5-28.3
Less than \$15,000	192	21,711	139	73.7	65.3-82.1	53	26.3	17.9-34.7
\$15,000- 24,999	151	13,225	104	69.5	60.7-78.3	47	30.5	21.7-39.3
\$25,000- 34,999	128	16,156	33	28.6	18.6-38.6	33	28.6	18.6-38.6
\$35,000- 49,999	155	17,021	120	72.2	63.0-81.4	35	27.8	18.6-37.0
\$50,000- 74,999	90	11,266	76	82.3	72.3-92.3	14	17.7	07.7-27.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	357	50,374	278	76.4	70.7-82.1	79	23.6	17.9-29.3
White/Non-Hisp	321	43,786	252	77.3	71.4-83.2	69	22.7	16.8-28.6
65+	357	50,374	278	76.4	70.7-82.1	79	23.6	17.9-29.3
H.S. or G.E.D.	110	13,709	88	80.7	71.5-89.9	22	19.3	10.1-28.5
College Graduate	130	18,606	101	76.3	67.7-84.9	29	23.7	15.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	693	67,003	513	71.8	67.7-75.9	180	28.2	24.1-32.3
White/Non-Hisp	614	59,353	462	73.0	68.5-77.5	152	27.0	22.5-31.5
65+	693	67,003	513	71.8	67.7-75.9	180	28.2	24.1-32.3
H.S. or G.E.D.	299	28,100	212	64.8	57.7-71.9	87	35.2	28.1-42.3
Some Post-H.S.	155	15,555	122	78.9	70.7-87.1	33	21.1	12.9-29.3
College Graduate	167	16,661	131	79.0	71.4-86.6	36	21.0	13.4-28.6
\$15,000- 24,999	118	9,511	80	68.0	58.4-77.6	38	32.0	22.4-41.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1031	115,250	756	72.2	68.7-75.7	275	27.8	24.3-31.3
Male	348	49,297	260	72.9	66.6-79.2	88	27.1	20.8-33.4
Female	683	65,954	496	71.8	67.7-75.9	187	28.2	24.1-32.3
White/Non-Hisp	918	101,334	685	74.1	70.4-77.8	233	25.9	22.2-29.6
65+	1031	115,250	756	72.2	68.7-75.7	275	27.8	24.3-31.3
H.S. or G.E.D.	401	41,064	286	70.9	65.2-76.6	115	29.1	23.4-34.8
Some Post-H.S.	218	27,519	172	74.0	65.6-82.4	46	26.0	17.6-34.4
College Graduate	290	34,540	217	73.9	67.8-80.0	73	26.1	20.0-32.2
Less than \$15,000	187	21,119	129	71.3	62.5-80.1	58	28.7	19.9-37.5
\$15,000- 24,999	148	12,700	110	77.4	69.6-85.2	38	22.6	14.8-30.4
\$25,000- 34,999	127	16,040	91	72.3	62.5-82.1	36	27.7	17.9-37.5
\$35,000- 49,999	152	16,816	116	72.3	62.9-81.7	36	27.7	18.3-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 10: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	348	49,297	260	72.9	66.6-79.2	88	27.1	20.8-33.4
White/Non-Hisp	313	42,784	236	74.2	67.7-80.7	77	25.8	19.3-32.3
65+	348	49,297	260	72.9	66.6-79.2	88	27.1	20.8-33.4
H.S. or G.E.D.	105	13,174	81	79.6	70.2-89.0	24	20.4	11.0-29.8
College Graduate	128	18,380	97	74.8	65.8-83.8	31	25.2	16.2-34.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	683	65,954	496	71.8	67.7-75.9	187	28.2	24.1-32.3
White/Non-Hisp	605	58,550	449	74.1	69.8-78.4	156	25.9	21.6-30.2
65+	683	65,954	496	71.8	67.7-75.9	187	28.2	24.1-32.3
H.S. or G.E.D.	296	27,890	205	66.7	59.8-73.6	91	33.3	26.4-40.2
Some Post-H.S.	153	15,426	124	82.2	74.8-89.6	29	17.8	10.4-25.2
College Graduate	162	16,161	120	72.9	64.7-81.1	42	27.1	18.9-35.3
Less than \$15,000	127	11,900	89	72.8	63.0-82.6	38	27.2	17.4-37.0
\$15,000- 24,999	118	9,302	86	75.4	66.8-84.0	32	24.6	16.0-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3977	660,179	602	15.1	13.5-16.7	162	3.8	03.0-04.6	1226	26.1	24.3-27.9	1987	54.9	52.7-57.1
Male	1493	315,798	226	14.2	11.8-16.6	52	3.3	02.1-04.5	535	28.3	25.4-31.2	680	54.2	50.7-57.7
Female	2484	344,381	376	16.0	13.8-18.2	110	4.3	03.3-05.3	691	24.1	21.9-26.3	1307	55.6	52.9-58.3
White/Non-Hisp	3222	512,353	499	15.8	14.0-17.6	127	3.6	02.8-04.4	1076	28.9	26.9-30.9	1520	51.7	49.3-54.1
Black or Afr. Am./Non-Hisp	455	85,096	58	10.0	06.7-13.3	23	4.6	02.1-07.1	84	16.1	11.8-20.4	290	69.4	63.3-75.5
Oth. Race/Non-Hisp.	101	22,832	13	10.1	02.7-17.5	6	5.9	00.0-12.4						
Hispanic	85	21,977	3	4.0	00.0-09.3									
18-24	185	83,015	32	17.9	10.6-25.2	11	4.4	01.5-07.3	18	9.6	04.3-14.9	124	68.1	59.7-76.5
25-34	414	112,224	82	18.5	13.6-23.4	25	4.4	02.2-06.6	57	12.0	08.3-15.7	250	65.1	58.8-71.4
35-44	693	125,325	122	16.1	12.8-19.4	27	4.2	02.2-06.2	147	21.6	17.7-25.5	397	58.1	53.4-62.8
45-54	812	123,042	162	18.1	14.8-21.4	38	3.9	02.3-05.5	214	24.9	21.2-28.6	398	53.1	48.6-57.6
55-64	794	95,588	119	13.5	10.4-16.6	30	3.7	01.9-05.5	298	37.5	33.0-42.0	347	45.3	40.6-50.0
65+	1047	117,114	81	7.1	05.1-09.1	31	2.7	01.5-03.9	478	47.9	44.2-51.6	457	42.2	38.5-45.9
Less Than H.S.	280	38,950	74	25.7	18.3-33.1	11	2.6	00.6-04.6	90	27.3	20.4-34.2	105	44.5	35.7-53.3
H.S. or G.E.D.	1277	207,138	250	21.3	17.8-24.8	61	4.6	03.0-06.2	404	27.3	23.8-30.8	562	46.8	42.7-50.9
Some Post-H.S.	1028	182,492	169	16.2	12.9-19.5	45	4.4	02.8-06.0	323	26.2	22.5-29.9	491	53.2	48.3-58.1
College Graduate	1389	231,320	109	6.9	05.3-08.5	45	3.0	01.8-04.2	407	24.8	22.1-27.5	828	65.4	62.3-68.5
Less than \$15,000	427	58,037	91	23.3	17.2-29.4	18	3.6	01.6-05.6	147	31.3	25.2-37.4	171	41.7	35.0-48.4
\$15,000- 24,999	391	45,711	98	27.4	20.7-34.1	31	8.5	04.2-12.8	105	21.1	16.0-26.2	157	43.0	35.7-50.3
\$25,000- 34,999	338	53,230	63	19.8	13.1-26.5	11	3.9	01.0-06.8	113	30.6	23.5-37.7	151	45.8	37.8-53.8
\$35,000- 49,999	565	86,375	91	15.9	11.8-20.0	22	4.1	01.9-06.3	174	27.9	22.8-33.0	278	52.1	46.4-57.8
\$50,000- 74,999	602	101,940	102	16.2	12.3-20.1	29	4.8	02.6-07.0	181	26.3	21.6-31.0	290	52.7	47.2-58.2
\$75,000+	1159	230,318	109	10.0	07.5-12.5	39	2.6	01.6-03.6	364	25.3	22.2-28.4	647	62.1	58.2-66.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	315,798	226	14.2	11.8-16.6	52	3.3	02.1-04.5	535	28.3	25.4-31.2	680	54.2	50.7-57.7
White/Non-Hisp	1223	245,199	190	14.6	11.9-17.3	39	2.9	01.7-04.1	471	31.5	28.2-34.8	523	51.0	47.3-54.7
Black or Afr. Am./Non-Hisp	159	40,692	17	7.7	03.0-12.4	8	4.6	00.3-08.9	39	19.9	11.9-27.9			
18-24	90	41,444	17	17.1	07.7-26.5	6	4.9	00.4-09.4	7	6.3	00.6-12.0			
25-34	152	55,119	30	17.1	09.8-24.4	8	3.8	00.7-06.9	19	10.4	04.9-15.9	95	68.7	59.1-78.3
35-44	251	61,577	44	15.0	09.7-20.3	10	4.3	01.2-07.4	49	20.7	14.2-27.2	148	60.0	52.6-67.4
45-54	329	60,257	56	16.2	11.1-21.3	12	2.7	00.7-04.7	95	26.5	20.6-32.4	166	54.6	47.7-61.5
55-64	304	45,579	51	13.8	08.9-18.7	4	1.1	00.0-02.5	140	44.9	37.5-52.3	109	40.2	32.8-47.6
65+	358	50,436	27	5.7	03.2-08.2	12	3.3	00.8-05.8	222	62.8	56.5-69.1	97	28.2	22.3-34.1
Less Than H.S.	116	20,824				3	1.8	00.0-04.2						
H.S. or G.E.D.	448	94,652	93	21.3	15.8-26.8	17	3.6	01.4-05.8	173	31.1	25.4-36.8	165	44.1	37.2-51.0
Some Post-H.S.	351	82,607	64	15.5	10.4-20.6	14	4.2	01.5-06.9	123	28.8	22.3-35.3	150	51.5	43.3-59.7
College Graduate	578	117,715	42	6.0	03.6-08.4	18	2.9	01.3-04.5	190	25.4	21.3-29.5	328	65.7	61.2-70.2
Less than \$15,000	145	26,938				8	4.4	00.9-07.9						
\$15,000- 24,999	92	14,701				5	8.5	00.0-18.7						
\$25,000- 34,999	124	23,983	24	17.7	09.3-26.1	3	5.3	00.0-11.2						
\$35,000- 49,999	200	35,652	33	12.1	07.0-17.2	6	2.6	00.0-05.3	76	34.2	26.0-42.4	85	51.1	42.3-59.9
\$50,000- 74,999	237	49,268	35	14.1	08.2-20.0	8	2.3	00.5-04.1	87	31.7	24.3-39.1	107	51.9	43.5-60.3
\$75,000+	562	133,401	58	10.9	07.2-14.6	19	2.6	01.2-04.0	182	23.2	18.9-27.5	303	63.3	57.8-68.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	344,381	376	16.0	13.8-18.2	110	4.3	03.3-05.3	691	24.1	21.9-26.3	1307	55.6	52.9-58.3
White/Non-Hisp	1999	267,154	309	16.9	14.4-19.4	88	4.3	03.1-05.5	605	26.4	23.9-28.9	997	52.4	49.3-55.5
Black or Afr. Am./Non-Hisp	296	44,404	41	12.0	07.3-16.7	15	4.6	01.5-07.7	45	12.5	08.0-17.0	195	70.9	64.0-77.8
Oth. Race/Non-Hisp.	56	9,890				3	2.0	00.0-04.4						
Hispanic	53	11,511	7	9.7	01.1-18.3	3	7.7	00.0-17.5						
18-24	95	41,571				5	3.9	00.2-07.6	11	12.8	04.0-21.6			
25-34	262	57,106	52	20.0	13.3-26.7	17	4.9	02.2-07.6	38	13.6	08.7-18.5	155	61.6	54.0-69.2
35-44	442	63,748	78	17.0	12.9-21.1	17	4.1	01.6-06.6	98	22.5	17.8-27.2	249	56.3	50.6-62.0
45-54	483	62,784	106	19.8	15.3-24.3	26	5.1	02.7-07.5	119	23.4	18.7-28.1	232	51.7	46.0-57.4
55-64	490	50,009	68	13.2	09.5-16.9	26	6.1	03.0-09.2	158	30.7	25.4-36.0	238	50.0	44.1-55.9
65+	689	66,678	54	8.3	05.8-10.8	19	2.3	01.1-03.5	256	36.6	32.1-41.1	360	52.8	48.3-57.3
Less Than H.S.	164	18,126	47	29.5	20.3-38.7	8	3.5	00.4-06.6	41	23.6	15.0-32.2			
H.S. or G.E.D.	829	112,486	157	21.4	16.9-25.9	44	5.4	03.2-07.6	231	24.1	20.0-28.2	397	49.1	44.0-54.2
Some Post-H.S.	677	99,885	105	16.8	12.3-21.3	31	4.7	02.7-06.7	200	23.9	19.8-28.0	341	54.6	48.9-60.3
College Graduate	811	113,606	67	7.7	05.5-09.9	27	3.1	01.7-04.5	217	24.2	20.5-27.9	500	65.1	61.0-69.2
Less than \$15,000	282	31,099	57	20.7	14.0-27.4	10	3.0	00.8-05.2	87	27.1	20.4-33.8	128	49.2	41.2-57.2
\$15,000- 24,999	299	31,010	73	24.5	17.8-31.2	26	8.4	04.3-12.5	71	18.1	12.8-23.4	129	48.9	40.5-57.3
\$25,000- 34,999	214	29,247	39	21.5	11.5-31.5	8	2.7	00.5-04.9	62	22.6	15.3-29.9			
\$35,000- 49,999	365	50,723	58	18.6	12.5-24.7	16	5.1	02.0-08.2	98	23.5	17.0-30.0	193	52.8	45.2-60.4
\$50,000- 74,999	365	52,673	67	18.2	12.9-23.5	21	7.1	03.2-11.0	94	21.3	15.8-26.8	183	53.4	46.3-60.5
\$75,000+	597	96,917	51	8.8	05.3-12.3	20	2.6	01.2-04.0	182	28.2	23.7-32.7	344	60.4	55.3-65.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3977	660,179	3213	81.1	79.3-82.9	764	18.9	17.1-20.7
Male	1493	315,798	1215	82.5	80.0-85.0	278	17.5	15.0-20.0
Female	2484	344,381	1998	79.7	77.3-82.1	486	20.3	17.9-22.7
White/Non-Hisp	3222	512,353	2596	80.6	78.6-82.6	626	19.4	17.4-21.4
Black or Afr. Am./Non-Hisp	455	85,096	374	85.4	81.1-89.7	81	14.6	10.3-18.9
Oth. Race/Non-Hisp.	101	22,832	82	84.0	74.6-93.4	19	16.0	06.6-25.4
18-24	185	83,015	142	77.6	70.0-85.2	43	22.4	14.8-30.0
25-34	414	112,224	307	77.1	71.8-82.4	107	22.9	17.6-28.2
35-44	693	125,325	544	79.8	76.1-83.5	149	20.2	16.5-23.9
45-54	812	123,042	612	78.0	74.5-81.5	200	22.0	18.5-25.5
55-64	794	95,588	645	82.8	79.3-86.3	149	17.2	13.7-20.7
65+	1047	117,114	935	90.1	87.9-92.3	112	9.9	07.7-12.1
Less Than H.S.	280	38,950	195	71.8	64.4-79.2	85	28.2	20.8-35.6
H.S. or G.E.D.	1277	207,138	966	74.1	70.4-77.8	311	25.9	22.2-29.6
Some Post-H.S.	1028	182,492	814	79.3	75.6-83.0	214	20.7	17.0-24.4
College Graduate	1389	231,320	1235	90.2	88.2-92.2	154	9.8	07.8-11.8
Less than \$15,000	427	58,037	318	73.1	67.0-79.2	109	26.9	20.8-33.0
\$15,000- 24,999	391	45,711	262	64.1	57.0-71.2	129	35.9	28.8-43.0
\$25,000- 34,999	338	53,230	264	76.3	69.2-83.4	74	23.7	16.6-30.8
\$35,000- 49,999	565	86,375	452	80.0	75.5-84.5	113	20.0	15.5-24.5
\$50,000- 74,999	602	101,940	471	79.0	74.7-83.3	131	21.0	16.7-25.3
\$75,000+	1159	230,318	1011	87.4	84.7-90.1	148	12.6	09.9-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1493	315,798	1215	82.5	80.0-85.0	278	17.5	15.0-20.0
White/Non-Hisp	1223	245,199	994	82.5	79.8-85.2	229	17.5	14.8-20.2
Black or Afr. Am./Non-Hisp	159	40,692	134	87.7	81.4-94.0	25	12.3	06.0-18.6
18-24	90	41,444	67	78.0	68.0-88.0	23	22.0	12.0-32.0
25-34	152	55,119	114	79.1	71.3-86.9	38	20.9	13.1-28.7
35-44	251	61,577	197	80.7	74.8-86.6	54	19.3	13.4-25.2
45-54	329	60,257	261	81.1	75.8-86.4	68	18.9	13.6-24.2
55-64	304	45,579	249	85.1	80.0-90.2	55	14.9	09.8-20.0
65+	358	50,436	319	91.0	87.5-94.5	39	9.0	05.5-12.5
H.S. or G.E.D.	448	94,652	338	75.2	69.5-80.9	110	24.8	19.1-30.5
Some Post-H.S.	351	82,607	273	80.3	74.6-86.0	78	19.7	14.0-25.4
College Graduate	578	117,715	518	91.1	88.4-93.8	60	8.9	06.2-11.6
\$25,000- 34,999	124	23,983	97	77.0	67.2-86.8	27	23.0	13.2-32.8
\$35,000- 49,999	200	35,652	161	85.3	79.6-91.0	39	14.7	09.0-20.4
\$50,000- 74,999	237	49,268	194	83.6	77.5-89.7	43	16.4	10.3-22.5
\$75,000+	562	133,401	485	86.5	82.6-90.4	77	13.5	09.6-17.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	344,381	1998	79.7	77.3-82.1	486	20.3	17.9-22.7
White/Non-Hisp	1999	267,154	1602	78.8	76.1-81.5	397	21.2	18.5-23.9
Black or Afr. Am./Non-Hisp	296	44,404	240	83.4	77.9-88.9	56	16.6	11.1-22.1
25-34	262	57,106	193	75.2	68.3-82.1	69	24.8	17.9-31.7
35-44	442	63,748	347	78.8	74.1-83.5	95	21.2	16.5-25.9
45-54	483	62,784	351	75.1	70.2-80.0	132	24.9	20.0-29.8
55-64	490	50,009	396	80.7	76.0-85.4	94	19.3	14.6-24.0
65+	689	66,678	616	89.5	86.6-92.4	73	10.5	07.6-13.4
Less Than H.S.	164	18,126	109	67.0	57.4-76.6	55	33.0	23.4-42.6
H.S. or G.E.D.	829	112,486	628	73.2	68.3-78.1	201	26.8	21.9-31.7
Some Post-H.S.	677	99,885	541	78.6	73.9-83.3	136	21.4	16.7-26.1
College Graduate	811	113,606	717	89.2	86.7-91.7	94	10.8	08.3-13.3
Less than \$15,000	282	31,099	215	76.3	69.4-83.2	67	23.7	16.8-30.6
\$15,000- 24,999	299	31,010	200	67.1	59.7-74.5	99	32.9	25.5-40.3
\$25,000- 34,999	214	29,247	167	75.8	65.8-85.8			
\$35,000- 49,999	365	50,723	291	76.3	69.8-82.8	74	23.7	17.2-30.2
\$50,000- 74,999	365	52,673	277	74.7	68.6-80.8	88	25.3	19.2-31.4
\$75,000+	597	96,917	526	88.6	84.9-92.3	71	11.4	07.7-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 12: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	70
20	MALES ONLY	71
21	FEMALES ONLY	72
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	73
23	MALES ONLY	74
24	FEMALES ONLY	75
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	76
26	MALES ONLY	77
27	FEMALES ONLY	78
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	79
29	MALES ONLY	80
30	FEMALES ONLY	81
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	82
32	MALES ONLY	83
33	FEMALES ONLY	84
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	85
35	MALES ONLY	86
36	FEMALES ONLY	87
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	88
38	MALES ONLY	89
39	FEMALES ONLY	90

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 12: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	91
41	MALES ONLY	92
42	FEMALES ONLY	93
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	94
44	MALES ONLY	95
45	FEMALES ONLY	96

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3942	654,066	3296	81.0	79.0-83.0	478	13.5	11.5-15.5	37	1.5	00.9-02.1	12	0.4	00.0-00.8	32	1.1	00.5-01.7	87	2.6	01.8-03.4
Male	1477	313,240	1246	80.9	77.4-84.4	163	13.1	10.0-16.2	14	1.6	00.6-02.6	4	0.5	00.0-01.1	15	1.2	00.4-02.0	35	2.7	01.5-03.9
Female	2465	340,826	2050	81.0	78.6-83.4	315	13.8	11.8-15.8	23	1.4	00.6-02.2	8	0.4	00.0-00.8	17	1.0	00.2-01.8	52	2.4	01.4-03.4
18-24	182	81,187	134	76.6	69.0-84.2	30	14.3	07.8-20.8				3	1.4	00.0-03.6	3	2.5	00.0-05.6	12	5.1	01.6-08.6
25-34	411	112,508	307	72.4	64.8-80.0	73	19.4	11.8-27.0	10	4.0	01.3-06.7	1	0.2	00.0-00.6	5	1.3	00.0-02.9	15	2.7	00.9-04.5
35-44	685	124,073	529	75.6	71.5-79.7	109	16.4	12.9-19.9	10	2.0	00.6-03.4	6	0.8	00.0-01.6	8	1.0	00.0-02.0	23	4.2	02.0-06.4
45-54	803	121,383	663	83.9	80.8-87.0	108	11.4	08.7-14.1	9	1.6	00.4-02.8	2	0.5	00.0-01.1	6	0.8	00.0-01.6	15	1.8	00.8-02.8
55-64	790	95,038	695	87.8	84.9-90.7	68	9.3	06.6-12.0	7	0.6	00.0-01.2				6	0.8	00.0-01.6	14	1.5	00.5-02.5
65+	1044	116,664	947	89.5	87.0-92.0	86	9.4	06.9-11.9							4	0.4	00.0-00.8	7	0.7	00.1-01.3
Less Than H.S.	277	38,049	204	74.3	67.0-81.6	52	16.3	10.4-22.2	2	0.7	00.0-01.9				4	1.1	00.0-02.5	15	7.6	02.7-12.5
H.S. or G.E.D.	1266	205,826	1069	80.4	76.9-83.9	161	15.5	12.4-18.6	6	0.4	00.0-00.8	4	0.6	00.0-01.4	10	0.9	00.0-01.9	16	2.2	00.8-03.6
Some Post-H.S.	1024	181,423	855	80.9	76.0-85.8	127	14.6	09.7-19.5	5	0.6	00.0-01.2	4	0.4	00.0-00.8	13	1.9	00.5-03.3	20	1.6	00.8-02.4
College Graduate	1372	228,489	1166	82.6	79.9-85.3	137	10.3	08.1-12.5	24	3.3	01.7-04.9	4	0.4	00.0-00.8	5	0.6	00.0-01.2	36	2.8	01.6-04.0
Less than \$15,000	425	57,631	340	77.4	71.7-83.1	69	18.4	12.9-23.9	1	0.1	00.0-00.3				4	0.8	00.0-01.8	11	3.3	00.9-05.7
\$15,000- 24,999	386	45,094	284	67.9	60.5-75.3	83	27.5	20.1-34.9	3	0.3	00.0-00.7	1	0.6	00.0-01.8	6	1.1	00.1-02.1	9	2.5	00.5-04.5
\$25,000- 34,999	333	52,360	280	80.2	73.3-87.1	43	14.6	08.5-20.7	2	1.3	00.0-03.1				2	0.4	00.0-01.0	6	3.5	00.2-06.8
\$35,000- 49,999	560	84,940	462	77.6	72.5-82.7	72	14.7	10.8-18.6	4	0.7	00.0-01.7	3	1.3	00.0-03.5	2	0.6	00.0-01.4	17	5.1	01.8-08.4
\$50,000- 74,999	598	101,196	520	86.0	82.1-89.9	59	9.9	06.8-13.0	3	0.2	00.0-00.4	2	0.4	00.0-01.0	5	2.3	00.0-04.7	9	1.2	00.2-02.2
\$75,000+	1153	230,274	1003	83.2	78.9-87.5	97	10.5	06.6-14.4	19	3.0	01.4-04.6	4	0.3	00.0-00.7	9	1.2	00.2-02.2	21	1.8	00.8-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	313,240	1246	80.9	77.4-84.4	163	13.1	10.0-16.2	14	1.6	0.6-2.6	4	0.5	0.0-0.1.1	15	1.2	0.4-0.2.0	35	2.7	0.1.5-0.3.9
18-24	89	41,002	67	79.5	70.1-88.9	11	9.2	0.3.1-1.5.3				2	2.3	0.0.0-0.6.4	2	2.8	0.0.0-0.7.5	7	6.2	0.1.1-1.1.3
25-34	151	55,579							4	4.8	0.0.0-0.9.7	1	0.3	0.0.0-0.0.9	2	0.6	0.0.0-0.1.6	3	0.7	0.0.0-0.1.5
35-44	250	61,482	192	75.4	68.9-81.9	38	15.1	0.9.8-2.0.4	3	1.2	0.0.0-0.2.8	1	0.5	0.0.0-0.1.5	4	1.6	0.0.0-0.3.4	12	6.2	0.2.3-1.0.1
45-54	323	58,887	272	84.4	79.3-89.5	36	10.4	0.6.1-1.4.7	6	2.9	0.0.4-0.5.4				3	1.1	0.0.0-0.2.5	6	1.2	0.0.0-0.2.4
55-64	302	45,162	264	87.0	82.3-91.7	29	10.5	0.6.2-1.4.8	1	0.2	0.0.0-0.0.6				2	0.5	0.0.0-0.1.5	6	1.8	0.0.2-0.3.4
65+	355	50,066	325	88.7	84.0-93.4	27	10.0	0.5.5-1.4.5							2	0.7	0.0.0-0.1.7	1	0.6	0.0.0-0.1.8
Less Than H.S.	114	20,093				18	14.4	0.5.2-2.3.6							1	1.1	0.0.0-0.3.3	8	11.5	0.2.7-2.0.3
H.S. or G.E.D.	444	95,592	372	80.9	75.8-86.0	60	14.8	1.0.5-1.9.1	1	0.5	0.0.0-0.1.5	1	0.9	0.0.0-0.2.7	6	1.7	0.0.0-0.3.9	4	1.2	0.0.0-0.2.6
Some Post-H.S.	351	82,080	294	78.9	69.3-88.5	42	17.3	0.7.5-2.7.1	1	0.6	0.0.0-0.1.8	3	0.7	0.0.0-0.1.5	6	1.5	0.0.3-0.2.7	5	1.2	0.0.0-0.2.4
College Graduate	568	115,475	493	83.7	79.6-87.8	43	8.4	0.5.5-1.1.3	12	3.7	0.1.2-0.6.2				2	0.6	0.0.0-0.1.4	18	3.6	0.1.4-0.5.8
Less than \$15,000	143	26,520	118	81.7	73.7-89.7	20	15.3	0.7.7-2.2.9							2	1.3	0.0.0-0.3.3	3	1.7	0.0.0-0.4.1
\$15,000- 24,999	90	14,483										1	2.0	0.0.0-0.5.9	1	0.9	0.0.0-0.2.7	4	4.8	0.0.0-1.0.1
\$25,000- 34,999	123	23,321				15	13.1	0.5.5-2.0.7	1	1.9	0.0.0-0.5.6							4	7.1	0.0.0-1.4.4
\$35,000- 49,999	199	35,931	164	77.1	68.9-85.3	23	13.9	0.7.4-2.0.4	2	0.8	0.0.0-0.2.0	1	2.5	0.0.0-0.7.2	2	1.4	0.0.0-0.3.4	7	4.4	0.0.5-0.8.3
\$50,000- 74,999	237	49,268	206	86.0	80.3-91.7	24	11.5	0.6.2-1.6.8	1	0.2	0.0.0-0.0.6				2	1.2	0.0.0-0.3.0	4	1.0	0.0.0-0.2.0
\$75,000+	557	133,368	486	81.5	74.8-88.2	46	12.0	0.5.5-1.8.5	9	3.2	0.0.8-0.5.6	1	0.1	0.0.0-0.0.3	6	1.5	0.0.0-0.3.1	9	1.7	0.0.3-0.3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2465	340,826	2050	81.0	78.6-83.4	315	13.8	11.8-15.8	23	1.4	00.6-02.2	8	0.4	00.0-00.8	17	1.0	00.2-01.8	52	2.4	01.4-03.4
18-24	93	40,185										1	0.4	00.0-01.2	1	2.3	00.0-06.6	5	4.0	00.0-08.7
25-34	260	56,930	188	72.8	65.9-79.7	51	17.3	11.8-22.8	6	3.3	00.4-06.2				3	2.0	00.0-04.7	12	4.7	01.4-08.0
35-44	435	62,591	337	75.9	71.0-80.8	71	17.6	13.3-21.9	7	2.8	00.6-05.0	5	1.1	00.1-02.1	4	0.5	00.1-00.9	11	2.2	00.6-03.8
45-54	480	62,496	391	83.5	79.4-87.6	72	12.5	09.0-16.0	3	0.3	00.0-00.7	2	0.9	00.0-02.1	3	0.5	00.0-01.3	9	2.3	00.5-04.1
55-64	488	49,877	431	88.4	84.7-92.1	39	8.2	04.9-11.5	6	1.0	00.0-02.0				4	1.1	00.0-02.3	8	1.3	00.1-02.5
65+	689	66,598	622	90.1	87.4-92.8	59	9.0	06.5-11.5							2	0.2	00.0-00.4	6	0.8	00.2-01.4
Less Than H.S.	163	17,956	117	75.9	68.1-83.7	34	18.3	11.4-25.2	2	1.4	00.0-03.8				3	1.1	00.0-02.5	7	3.3	00.6-06.0
H.S. or G.E.D.	822	110,234	697	80.0	75.1-84.9	101	16.0	11.5-20.5	5	0.3	00.0-00.7	3	0.3	00.0-00.7	4	0.2	00.0-00.4	12	3.1	00.7-05.5
Some Post-H.S.	673	99,342	561	82.5	78.4-86.6	85	12.3	09.0-15.6	4	0.6	00.0-01.4	1	0.2	00.0-00.6	7	2.4	00.0-04.8	15	2.0	00.8-03.2
College Graduate	804	113,014	673	81.4	77.9-84.9	94	12.3	09.4-15.2	12	3.0	01.0-05.0	4	0.8	00.0-01.6	3	0.5	00.0-01.1	18	2.0	00.8-03.2
Less than \$15,000	282	31,111	222	73.7	65.9-81.5	49	21.0	13.4-28.6	1	0.1	00.0-00.3				2	0.4	00.0-01.0	8	4.7	01.0-08.4
\$15,000- 24,999	296	30,611	218	65.8	56.8-74.8	65	31.1	21.9-40.3	3	0.4	00.0-01.0				5	1.2	00.0-02.4	5	1.4	00.0-03.0
\$25,000- 34,999	210	29,039	177	82.0	72.8-91.2	28	15.9	06.9-24.9	1	0.7	00.0-02.1				2	0.8	00.0-02.0	2	0.6	00.0-01.4
\$35,000- 49,999	361	49,009	298	77.9	71.4-84.4	49	15.3	10.4-20.2	2	0.7	00.0-02.1	2	0.5	00.0-01.3				10	5.7	00.8-10.6
\$50,000- 74,999	361	51,928	314	85.9	80.4-91.4	35	8.3	05.0-11.6	2	0.3	00.0-00.7	2	0.8	00.0-02.0	3	3.3	00.0-07.6	5	1.4	00.0-03.0
\$75,000+	596	96,906	517	85.7	82.2-89.2	51	8.4	05.7-11.1	10	2.8	00.8-04.8	3	0.6	00.0-01.4	3	0.8	00.0-01.8	12	1.8	00.6-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3942	654,066	3255	79.9	77.7-82.1	461	13.1	11.1-15.1	37	1.5	0.9-02.1	10	0.3	0.1-0.5	26	1.0	0.4-01.6	153	4.3	03.3-05.3
Male	1477	313,240	1233	80.0	76.5-83.5	160	13.0	09.9-16.1	14	1.6	0.6-02.6	3	0.2	0.0-0.4	13	1.1	0.3-01.9	54	4.1	02.7-05.5
Female	2465	340,826	2022	79.8	77.4-82.2	301	13.2	11.2-15.2	23	1.4	0.6-02.2	7	0.4	0.0-0.8	13	0.9	0.1-01.7	99	4.4	03.2-05.6
18-24	182	81,187	131	74.9	67.1-82.7	27	13.7	07.2-20.2				2	0.3	0.0-0.7	2	2.3	0.0-05.4	20	8.7	04.0-13.4
25-34	411	112,508	301	70.9	63.3-78.5	73	19.4	11.8-27.0	10	4.0	01.3-06.7	1	0.2	0.0-0.6	5	1.3	0.0-02.9	21	4.2	02.0-06.4
35-44	685	124,073	524	74.9	70.8-79.0	107	15.9	12.6-19.2	10	2.0	0.6-03.4	5	0.7	0.1-01.3	7	1.0	0.0-02.0	32	5.5	03.1-07.9
45-54	803	121,383	651	82.9	79.6-86.2	105	11.2	08.5-13.9	9	1.6	0.4-02.8	2	0.5	0.0-01.1	6	0.8	0.0-01.6	30	3.1	01.7-04.5
55-64	790	95,038	687	86.5	83.4-89.6	66	9.1	06.4-11.8	7	0.6	0.0-01.2				3	0.3	0.0-0.7	27	3.6	02.0-05.2
65+	1044	116,664	941	89.0	86.5-91.5	79	8.8	06.4-11.2							3	0.4	0.0-0.8	21	1.8	0.8-02.8
Less Than H.S.	277	38,049	198	70.9	62.9-78.9	47	15.0	09.3-20.7	2	0.7	0.0-01.9				3	1.0	0.0-02.4	27	12.5	05.8-19.2
H.S. or G.E.D.	1266	205,826	1057	79.5	76.0-83.0	157	15.2	12.1-18.3	6	0.4	0.0-0.8	2	0.1	0.0-0.3	10	0.9	0.0-01.9	34	3.9	02.1-05.7
Some Post-H.S.	1024	181,423	842	79.7	74.8-84.6	124	14.3	09.4-19.2	5	0.6	0.0-01.2	4	0.4	0.0-0.8	8	1.5	0.1-02.9	41	3.5	02.3-04.7
College Graduate	1372	228,489	1156	81.9	79.2-84.6	132	10.0	07.8-12.2	24	3.3	01.7-04.9	4	0.4	0.0-0.8	5	0.6	0.0-01.2	51	3.8	02.4-05.2
Less than \$15,000	425	57,631	332	76.3	70.4-82.2	66	17.8	12.3-23.3	1	0.1	0.0-0.3				4	0.8	0.0-01.8	22	5.1	02.6-07.6
\$15,000- 24,999	386	45,094	278	66.7	59.3-74.1	81	27.1	19.7-34.5	3	0.3	0.0-0.7	1	0.6	0.0-01.8	4	0.7	0.0-01.5	19	4.6	02.2-07.0
\$25,000- 34,999	333	52,360	277	78.0	70.7-85.3	41	14.4	08.3-20.5	2	1.3	0.0-03.1				2	0.4	0.0-01.0	11	5.9	01.2-10.6
\$35,000- 49,999	560	84,940	455	76.7	71.6-81.8	68	13.8	09.9-17.7	4	0.7	0.0-01.7	2	0.3	0.0-0.9	1	0.4	0.0-01.2	30	8.1	04.2-12.0
\$50,000- 74,999	598	101,196	513	84.5	80.4-88.6	57	9.6	06.5-12.7	3	0.2	0.0-0.4	2	0.4	0.0-01.0	5	2.3	0.0-04.7	18	2.9	01.3-04.5
\$75,000+	1153	230,274	995	82.3	78.0-86.6	93	10.2	06.3-14.1	19	3.0	01.4-04.6	3	0.3	0.0-0.7	8	1.1	0.1-02.1	35	3.1	01.7-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 12: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	313,240	1233	80.0	76.5-83.5	160	13.0	09.9-16.1	14	1.6	00.6-02.6	3	0.2	00.0-00.4	13	1.1	00.3-01.9	54	4.1	02.7-05.5
18-24	89	41,002	66	79.0	69.6-88.4	11	9.2	03.1-15.3				1	0.2	00.0-00.6	1	2.4	00.0-07.1	10	9.2	02.5-15.9
25-34	151	55,579							4	4.8	00.0-09.7	1	0.3	00.0-00.9	2	0.6	00.0-01.6	5	2.0	00.0-04.0
35-44	250	61,482	189	74.1	67.4-80.8	38	15.1	09.8-20.4	3	1.2	00.0-02.8	1	0.5	00.0-01.5	4	1.6	00.0-03.4	15	7.5	03.2-11.8
45-54	323	58,887	269	83.8	78.7-88.9	36	10.4	06.1-14.7	6	2.9	00.4-05.4				3	1.1	00.0-02.5	9	1.8	00.6-03.0
55-64	302	45,162	262	85.6	80.7-90.5	28	10.4	06.1-14.7	1	0.2	00.0-00.6				1	0.1	00.0-00.3	10	3.8	01.1-06.5
65+	355	50,066	323	88.2	83.5-92.9	25	9.8	05.3-14.3							2	0.7	00.0-01.7	5	1.3	00.0-02.7
Less Than H.S.	114	20,093				17	14.1	04.9-23.3							1	1.1	00.0-03.3	10	12.5	03.7-21.3
H.S. or G.E.D.	444	95,592	367	79.4	74.1-84.7	59	14.7	10.4-19.0	1	0.5	00.0-01.5				6	1.7	00.0-03.9	11	3.7	01.0-06.4
Some Post-H.S.	351	82,080	290	77.9	68.3-87.5	41	17.2	07.4-27.0	1	0.6	00.0-01.8	3	0.7	00.0-01.5	4	1.0	00.0-02.0	12	2.6	00.8-04.4
College Graduate	568	115,475	490	83.2	79.1-87.3	43	8.4	05.5-11.3	12	3.7	01.2-06.2				2	0.6	00.0-01.4	21	4.1	01.9-06.3
Less than \$15,000	143	26,520	115	80.5	72.3-88.7	20	15.3	07.7-22.9							2	1.3	00.0-03.3	6	2.9	00.2-05.6
\$15,000- 24,999	90	14,483										1	2.0	00.0-05.9	1	0.9	00.0-02.7	7	7.2	01.3-13.1
\$25,000- 34,999	123	23,321				14	12.8	05.2-20.4	1	1.9	00.0-05.6							6	7.8	00.5-15.1
\$35,000- 49,999	199	35,931	163	76.1	67.9-84.3	23	13.9	07.4-20.4	2	0.8	00.0-02.0				1	0.9	00.0-02.7	10	8.4	02.1-14.7
\$50,000- 74,999	237	49,268	204	84.9	79.0-90.8	24	11.5	06.2-16.8	1	0.2	00.0-00.6				2	1.2	00.0-03.0	6	2.2	00.2-04.2
\$75,000+	557	133,368	483	80.7	74.0-87.4	45	12.0	05.5-18.5	9	3.2	00.8-05.6	1	0.1	00.0-00.3	6	1.5	00.0-03.1	13	2.5	00.7-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2465	340,826	2022	79.8	77.4-82.2	301	13.2	11.2-15.2	23	1.4	00.6-02.2	7	0.4	00.0-00.8	13	0.9	00.1-01.7	99	4.4	03.2-05.6
18-24	93	40,185										1	0.4	00.0-01.2	1	2.3	00.0-06.6	10	8.2	01.5-14.9
25-34	260	56,930	184	71.0	63.9-78.1	51	17.3	11.8-22.8	6	3.3	00.4-06.2				3	2.0	00.0-04.7	16	6.5	02.6-10.4
35-44	435	62,591	335	75.7	70.8-80.6	69	16.7	12.4-21.0	7	2.8	00.6-05.0	4	0.9	00.0-01.9	3	0.4	00.0-00.8	17	3.6	01.6-05.6
45-54	480	62,496	382	82.0	77.7-86.3	69	12.0	08.5-15.5	3	0.3	00.0-00.7	2	0.9	00.0-02.1	3	0.5	00.0-01.3	21	4.3	02.1-06.5
55-64	488	49,877	425	87.3	83.6-91.0	38	8.0	04.9-11.1	6	1.0	00.0-02.0				2	0.4	00.0-01.0	17	3.3	01.5-05.1
65+	689	66,598	618	89.7	87.0-92.4	54	8.0	05.6-10.4							1	0.1	00.0-00.3	16	2.2	01.0-03.4
Less Than H.S.	163	17,956				30	16.0	09.5-22.5	2	1.4	00.0-03.8				2	0.9	00.0-02.3	17	12.5	02.7-22.3
H.S. or G.E.D.	822	110,234	690	79.5	74.6-84.4	98	15.6	11.1-20.1	5	0.3	00.0-00.7	2	0.2	00.0-00.6	4	0.2	00.0-00.4	23	4.1	01.7-06.5
Some Post-H.S.	673	99,342	552	81.1	77.0-85.2	83	11.9	08.8-15.0	4	0.6	00.0-01.4	1	0.2	00.0-00.6	4	2.0	00.0-04.4	29	4.3	02.5-06.1
College Graduate	804	113,014	666	80.5	76.8-84.2	89	11.6	08.7-14.5	12	3.0	01.0-05.0	4	0.8	00.0-01.6	3	0.5	00.0-01.1	30	3.6	02.0-05.2
Less than \$15,000	282	31,111	217	72.7	64.9-80.5	46	19.9	12.5-27.3	1	0.1	00.0-00.3				2	0.4	00.0-01.0	16	6.9	02.8-11.0
\$15,000- 24,999	296	30,611	214	64.9	55.9-73.9	64	30.7	21.5-39.9	3	0.4	00.0-01.0				3	0.6	00.0-01.4	12	3.3	01.1-05.5
\$25,000- 34,999	210	29,039				27	15.6	06.6-24.6	1	0.7	00.0-02.1				2	0.8	00.0-02.0	5	4.4	00.0-10.5
\$35,000- 49,999	361	49,009	292	77.1	70.6-83.6	45	13.8	09.1-18.5	2	0.7	00.0-02.1	2	0.5	00.0-01.3				20	7.9	02.8-13.0
\$50,000- 74,999	361	51,928	309	84.1	78.4-89.8	33	7.9	04.6-11.2	2	0.3	00.0-00.7	2	0.8	00.0-02.0	3	3.3	00.0-07.6	12	3.6	01.2-06.0
\$75,000+	596	96,906	512	84.5	80.8-88.2	48	7.8	05.1-10.5	10	2.8	00.8-04.8	2	0.4	00.0-01.2	2	0.6	00.0-01.4	22	3.8	01.8-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3871	636,741	3233	80.9	78.7-83.1	455	13.4	11.4-15.4	36	1.5	00.9-02.1	10	0.3	00.1-00.5	25	0.9	00.3-01.5	112	3.0	02.2-03.8
Male	1451	305,015	1225	80.9	77.4-84.4	159	13.3	10.0-16.6	14	1.7	00.7-02.7	3	0.2	00.0-00.4	13	1.1	00.3-01.9	37	2.8	01.6-04.0
Female	2420	331,725	2008	80.9	78.5-83.3	296	13.4	11.2-15.6	22	1.4	00.6-02.2	7	0.4	00.0-00.8	12	0.8	00.0-01.6	75	3.2	02.2-04.2
18-24	171	75,223	127	76.6	68.6-84.6	27	14.8	07.9-21.7				2	0.3	00.0-00.7	2	2.5	00.0-06.0	13	5.8	01.7-09.9
25-34	395	107,761	297	72.3	64.5-80.1	73	20.3	12.5-28.1	10	4.2	01.3-07.1	1	0.2	00.0-00.6	4	1.1	00.0-02.5	10	2.0	00.6-03.4
35-44	666	120,342	520	76.3	72.2-80.4	103	15.9	12.4-19.4	10	2.1	00.7-03.5	5	0.7	00.0-01.5	7	1.0	00.0-02.0	21	4.0	01.8-06.2
45-54	792	119,804	648	83.5	80.2-86.8	105	11.4	08.7-14.1	9	1.6	00.2-03.0	2	0.5	00.0-01.1	6	0.8	00.0-01.6	22	2.2	01.2-03.2
55-64	782	94,442	684	86.9	83.8-90.0	65	9.0	06.3-11.7	6	0.6	00.0-01.2				3	0.3	00.0-00.7	24	3.3	01.7-04.9
65+	1038	115,956	937	89.0	86.5-91.5	78	8.8	06.4-11.2							3	0.4	00.0-00.8	20	1.8	00.8-02.8
Less Than H.S.	264	34,464	195	74.6	66.8-82.4	46	16.2	09.9-22.5	2	0.7	00.0-01.9				3	1.1	00.0-02.7	18	7.4	01.9-12.9
H.S. or G.E.D.	1247	199,910	1051	80.6	77.1-84.1	156	15.6	12.3-18.9	6	0.4	00.0-00.8	2	0.1	00.0-00.3	10	0.9	00.0-01.9	22	2.3	00.7-03.9
Some Post-H.S.	1002	176,975	833	80.2	75.1-85.3	121	14.5	09.6-19.4	4	0.6	00.0-01.2	4	0.4	00.0-00.8	8	1.6	00.2-03.0	32	2.7	01.5-03.9
College Graduate	1355	225,112	1152	82.6	79.9-85.3	131	10.0	07.8-12.2	24	3.4	01.8-05.0	4	0.4	00.0-00.8	4	0.4	00.0-00.8	40	3.2	01.8-04.6
Less than \$15,000	411	54,801	326	77.8	71.9-83.7	66	18.7	13.0-24.4	1	0.1	00.0-00.3				4	0.9	00.0-01.9	14	2.6	01.0-04.2
\$15,000- 24,999	381	44,769	276	67.1	59.7-74.5	79	26.8	19.4-34.2	3	0.3	00.0-00.7	1	0.6	00.0-01.8	4	0.7	00.0-01.5	18	4.5	02.1-06.9
\$25,000- 34,999	326	49,212	275	80.2	72.9-87.5	41	15.3	08.8-21.8	2	1.3	00.0-03.3				2	0.4	00.0-01.2	6	2.8	00.0-06.5
\$35,000- 49,999	552	82,810	454	78.2	73.1-83.3	66	13.7	09.8-17.6	4	0.8	00.0-01.8	2	0.3	00.0-00.9	1	0.4	00.0-01.2	25	6.6	02.9-10.3
\$50,000- 74,999	583	98,154	507	85.1	81.0-89.2	56	9.9	06.8-13.0	2	0.2	00.0-00.4	2	0.4	00.0-01.0	5	2.4	00.0-04.9	11	2.1	00.7-03.5
\$75,000+	1138	225,835	992	83.1	78.8-87.4	93	10.4	06.3-14.5	19	3.1	01.5-04.7	3	0.3	00.0-00.7	7	1.0	00.0-02.0	24	2.1	00.9-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1451	305,015	1225	80.9	77.4-84.4	159	13.3	10.0-16.6	14	1.7	00.7-02.7	3	0.2	00.0-00.4	13	1.1	00.3-01.9	37	2.8	01.6-04.0
18-24	81	36,992	64	83.4	74.2-92.6	11	10.2	03.5-16.9				1	0.2	00.0-00.6	1	2.7	00.0-07.8	4	3.5	00.0-08.2
25-34	147	54,068							4	4.9	00.0-09.8	1	0.3	00.0-00.9	2	0.7	00.0-01.7	3	1.5	00.0-03.5
35-44	243	59,985	188	75.5	68.8-82.2	37	15.4	09.9-20.9	3	1.2	00.0-02.8	1	0.5	00.0-01.5	4	1.7	00.0-03.5	10	5.9	01.8-10.0
45-54	318	58,091	267	84.2	79.1-89.3	36	10.5	06.2-14.8	6	3.0	00.5-05.5				3	1.2	00.0-02.6	6	1.2	00.2-02.2
55-64	301	45,054	262	85.8	80.9-90.7	28	10.4	06.1-14.7	1	0.2	00.0-00.6				1	0.1	00.0-00.3	9	3.6	00.9-06.3
65+	354	49,763	322	88.1	83.2-93.0	25	9.9	05.4-14.4							2	0.7	00.0-01.7	5	1.3	00.0-02.7
Less Than H.S.	106	17,091													1	1.3	00.0-03.8	3	2.3	00.0-05.0
H.S. or G.E.D.	437	92,606	364	80.0	74.7-85.3	59	15.2	10.7-19.7	1	0.5	00.0-01.5				6	1.7	00.0-03.9	7	2.6	00.2-05.0
Some Post-H.S.	346	81,169	289	78.6	68.8-88.4	40	17.3	07.5-27.1	1	0.6	00.0-01.8	3	0.7	00.0-01.5	4	1.0	00.0-02.2	9	1.8	00.4-03.2
College Graduate	562	114,149	487	83.3	79.0-87.6	43	8.5	05.6-11.4	12	3.7	01.2-06.2				2	0.6	00.0-01.4	18	3.8	01.6-06.0
Less than \$15,000	138	25,557	113	81.5	73.3-89.7	20	15.9	07.9-23.9							2	1.4	00.0-03.4	3	1.3	00.0-02.7
\$15,000- 24,999	90	14,483										1	2.0	00.0-05.9	1	0.9	00.0-02.7	7	7.2	01.3-13.1
\$25,000- 34,999	119	21,659	102	83.4	74.6-92.2	14	13.8	05.8-21.8	1	2.1	00.0-06.2							2	0.7	00.0-01.7
\$35,000- 49,999	198	35,836	163	76.3	67.9-84.7	22	13.6	07.1-20.1	2	0.8	00.0-02.0				1	0.9	00.0-02.7	10	8.4	02.1-14.7
\$50,000- 74,999	230	47,425	201	85.4	79.5-91.3	24	12.0	06.5-17.5	1	0.2	00.0-00.6				2	1.3	00.0-03.3	2	1.2	00.0-03.0
\$75,000+	551	130,591	481	81.1	74.2-88.0	45	12.2	05.5-18.9	9	3.3	00.9-05.7	1	0.1	00.0-00.3	6	1.5	00.0-03.1	9	1.8	00.2-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2420	331,725	2008	80.9	78.5-83.3	296	13.4	11.2-15.6	22	1.4	00.6-02.2	7	0.4	00.0-00.8	12	0.8	00.0-01.6	75	3.2	02.2-04.2
18-24	90	38,232										1	0.4	00.0-01.2	1	2.4	00.0-07.1	9	7.9	01.0-14.8
25-34	248	53,693	182	74.2	67.3-81.1	51	18.3	12.4-24.2	6	3.5	00.4-06.6				2	1.5	00.0-04.2	7	2.5	00.3-04.7
35-44	423	60,356	332	77.1	72.2-82.0	66	16.5	12.2-20.8	7	2.9	00.5-05.3	4	0.9	00.0-01.9	3	0.4	00.0-00.8	11	2.3	00.7-03.9
45-54	474	61,713	381	82.9	78.8-87.0	69	12.2	08.7-15.7	3	0.3	00.0-00.7	2	0.9	00.0-02.1	3	0.5	00.0-01.3	16	3.1	01.3-04.9
55-64	481	49,389	422	87.8	84.1-91.5	37	7.8	04.7-10.9	5	0.9	00.0-01.9				2	0.4	00.0-01.0	15	3.0	01.2-04.8
65+	684	66,192	615	89.7	87.0-92.4	53	8.0	05.6-10.4							1	0.1	00.0-00.3	15	2.2	01.0-03.4
Less Than H.S.	158	17,373				29	15.9	09.4-22.4	2	1.4	00.0-03.8				2	0.9	00.0-02.3			
H.S. or G.E.D.	810	107,304	687	81.1	76.2-86.0	97	16.0	11.3-20.7	5	0.3	00.0-00.7	2	0.2	00.0-00.6	4	0.2	00.0-00.4	15	2.2	00.4-04.0
Some Post-H.S.	656	95,806	544	81.5	77.4-85.6	81	12.1	08.8-15.4	3	0.6	00.0-01.4	1	0.2	00.0-00.6	4	2.0	00.0-04.4	23	3.5	01.9-05.1
College Graduate	793	110,963	665	81.8	78.3-85.3	88	11.6	08.7-14.5	12	3.1	01.1-05.1	4	0.8	00.0-01.6	2	0.2	00.0-00.6	22	2.6	01.2-04.0
Less than \$15,000	273	29,244	213	74.5	66.5-82.5	46	21.2	13.4-29.0	1	0.1	00.0-00.3				2	0.4	00.0-01.0	11	3.7	01.2-06.2
\$15,000- 24,999	291	30,287	212	65.4	56.2-74.6	62	30.3	21.1-39.5	3	0.4	00.0-01.0				3	0.6	00.0-01.4	11	3.2	01.0-05.4
\$25,000- 34,999	207	27,553				27	16.5	07.1-25.9	1	0.8	00.0-02.4				2	0.8	00.0-02.0	4	4.4	00.0-10.9
\$35,000- 49,999	354	46,973	291	79.7	73.6-85.8	44	13.7	09.0-18.4	2	0.7	00.0-02.1	2	0.5	00.0-01.5				15	5.3	01.2-09.4
\$50,000- 74,999	353	50,729	306	84.8	79.1-90.5	32	7.9	04.6-11.2	1	0.2	00.0-00.6	2	0.9	00.0-02.1	3	3.4	00.0-07.9	9	2.9	00.9-04.9
\$75,000+	587	95,244	511	85.9	82.2-89.6	48	7.9	05.2-10.6	10	2.9	00.9-04.9	2	0.4	00.0-01.2	1	0.2	00.0-00.6	15	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3956	658,717	3233	78.2	76.0-80.4	723	21.8	19.6-24.0
Male	1483	315,481	1225	78.2	74.7-81.7	258	21.8	18.3-25.3
Female	2473	343,237	2008	78.2	75.7-80.7	465	21.8	19.3-24.3
18-24	185	83,542	127	68.9	60.3-77.5	58	31.1	22.5-39.7
25-34	414	113,386	297	68.7	61.1-76.3	117	31.3	23.7-38.9
35-44	688	124,511	520	73.7	69.6-77.8	168	26.3	22.2-30.4
45-54	807	122,046	648	82.0	78.7-85.3	159	18.0	14.7-21.3
55-64	790	95,256	684	86.1	83.0-89.2	106	13.9	10.8-17.0
65+	1045	116,765	937	88.4	85.9-90.9	108	11.6	09.1-14.1
Less Than H.S.	279	38,881	195	66.1	57.5-74.7	84	33.9	25.3-42.5
H.S. or G.E.D.	1272	208,257	1051	77.4	73.5-81.3	221	22.6	18.7-26.5
Some Post-H.S.	1023	181,146	833	78.4	73.3-83.5	190	21.6	16.5-26.7
College Graduate	1379	230,155	1152	80.8	78.1-83.5	227	19.2	16.5-21.9
Less than \$15,000	426	57,900	326	73.6	67.7-79.5	100	26.4	20.5-32.3
\$15,000- 24,999	388	45,365	276	66.2	58.8-73.6	112	33.8	26.4-41.2
\$25,000- 34,999	333	52,670	275	74.9	66.7-83.1	58	25.1	16.9-33.3
\$35,000- 49,999	565	86,853	454	74.6	69.1-80.1	111	25.4	19.9-30.9
\$50,000- 74,999	600	101,740	507	82.1	77.8-86.4	93	17.9	13.6-22.2
\$75,000+	1155	230,828	992	81.3	77.0-85.6	163	18.7	14.4-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1483	315,481	1225	78.2	74.7-81.7	258	21.8	18.3-25.3
35-44	251	61,577	188	73.5	66.8-80.2	63	26.5	19.8-33.2
45-54	325	59,336	267	82.4	77.3-87.5	58	17.6	12.5-22.7
55-64	303	45,431	262	85.1	80.0-90.2	41	14.9	09.8-20.0
65+	355	50,066	322	87.6	82.7-92.5	33	12.4	07.5-17.3
H.S. or G.E.D.	447	96,618	364	76.7	70.8-82.6	83	23.3	17.4-29.2
Some Post-H.S.	350	81,725	289	78.1	68.5-87.7	61	21.9	12.3-31.5
College Graduate	571	116,383	487	81.7	77.4-86.0	84	18.3	14.0-22.6
Less than \$15,000	144	26,789	113	77.7	69.1-86.3	31	22.3	13.7-30.9
\$35,000- 49,999	201	36,380	163	75.2	67.0-83.4	38	24.8	16.6-33.0
\$50,000- 74,999	237	49,268	201	82.2	75.5-88.9	36	17.8	11.1-24.5
\$75,000+	559	133,922	481	79.1	72.2-86.0	78	20.9	14.0-27.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 12: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2473	343,237	2008	78.2	75.7-80.7	465	21.8	19.3-24.3
25-34	262	57,348	182	69.4	62.3-76.5	80	30.6	23.5-37.7
35-44	437	62,934	332	73.9	68.8-79.0	105	26.1	21.0-31.2
45-54	482	62,710	381	81.6	77.3-85.9	101	18.4	14.1-22.7
55-64	487	49,825	422	87.0	83.3-90.7	65	13.0	09.3-16.7
65+	690	66,698	615	89.0	86.3-91.7	75	11.0	08.3-13.7
H.S. or G.E.D.	825	111,639	687	78.0	72.9-83.1	138	22.0	16.9-27.1
Some Post-H.S.	673	99,420	544	78.6	73.9-83.3	129	21.4	16.7-26.1
College Graduate	808	113,772	665	79.8	76.1-83.5	143	20.2	16.5-23.9
Less than \$15,000	282	31,111	213	70.1	62.1-78.1	69	29.9	21.9-37.9
\$15,000- 24,999	298	30,882	212	64.1	55.1-73.1	86	35.9	26.9-44.9
\$35,000- 49,999	364	50,473	291	74.2	66.9-81.5	73	25.8	18.5-33.1
\$50,000- 74,999	363	52,472	306	82.0	76.1-87.9	57	18.0	12.1-23.9
\$75,000+	596	96,906	511	84.5	80.8-88.2	85	15.5	11.8-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3956	658,717	3233	78.2	76.0-80.4	455	12.9	11.1-14.7	102	3.5	02.5-04.5	81	2.1	01.5-02.7	85	3.3	02.3-04.3
Male	1483	315,481	1225	78.2	74.7-81.7	159	12.9	09.8-16.0	45	4.1	02.5-05.7	22	1.5	00.7-02.3	32	3.3	01.7-04.9
Female	2473	343,237	2008	78.2	75.7-80.7	296	12.9	10.9-14.9	57	2.9	01.9-03.9	59	2.6	01.6-03.6	53	3.4	02.0-04.8
18-24	185	83,542	127	68.9	60.3-77.5	27	13.3	07.0-19.6	6	2.8	00.0-05.9	11	5.0	01.3-08.7	14	10.0	04.1-15.9
25-34	414	113,386	297	68.7	61.1-76.3	73	19.3	11.9-26.7	16	5.2	02.1-08.3	9	1.9	00.5-03.3	19	5.0	02.3-07.7
35-44	688	124,511	520	73.7	69.6-77.8	103	15.4	12.1-18.7	31	5.9	03.5-08.3	12	1.6	00.4-02.8	22	3.3	01.7-04.9
45-54	807	122,046	648	82.0	78.7-85.3	105	11.2	08.5-13.9	21	3.2	01.6-04.8	18	1.8	00.8-02.8	15	1.8	00.6-03.0
55-64	790	95,256	684	86.1	83.0-89.2	65	9.0	06.3-11.7	18	1.9	00.7-03.1	15	2.1	00.7-03.5	8	0.9	00.1-01.7
65+	1045	116,765	937	88.4	85.9-90.9	78	8.8	06.4-11.2	8	1.0	00.2-01.8	15	1.1	00.5-01.7	7	0.7	00.1-01.3
Less Than H.S.	279	38,881	195	66.1	57.5-74.7	46	14.4	08.9-19.9	7	2.2	00.2-04.2	16	6.0	01.1-10.9	15	11.4	04.3-18.5
H.S. or G.E.D.	1272	208,257	1051	77.4	73.5-81.3	156	15.0	11.9-18.1	20	1.5	00.3-02.7	20	2.1	00.7-03.5	25	4.0	01.8-06.2
Some Post-H.S.	1023	181,146	833	78.4	73.3-83.5	121	14.2	09.3-19.1	22	2.9	01.3-04.5	26	2.3	01.3-03.3	21	2.3	00.5-04.1
College Graduate	1379	230,155	1152	80.8	78.1-83.5	131	9.8	07.8-11.8	53	6.0	04.0-08.0	19	1.3	00.5-02.1	24	2.2	01.2-03.2
Less than \$15,000	426	57,900	326	73.6	67.7-79.5	66	17.7	12.2-23.2	7	1.2	00.2-02.2	12	2.1	00.7-03.5	15	5.4	02.5-08.3
\$15,000- 24,999	388	45,365	276	66.2	58.8-73.6	79	26.4	19.0-33.8	13	3.2	01.0-05.4	13	2.9	01.1-04.7	7	1.3	00.1-02.5
\$25,000- 34,999	333	52,670	275	74.9	66.7-83.1	41	14.3	08.2-20.4	5	1.9	00.0-03.9	5	2.4	00.0-05.7	7	6.6	00.5-12.7
\$35,000- 49,999	565	86,853	454	74.6	69.1-80.1	66	13.1	09.4-16.8	15	3.2	01.0-05.4	17	4.4	01.3-07.5	13	4.7	01.2-08.2
\$50,000- 74,999	600	101,740	507	82.1	77.8-86.4	56	9.5	06.4-12.6	10	3.1	00.6-05.6	10	1.8	00.6-03.0	17	3.5	01.1-05.9
\$75,000+	1155	230,828	992	81.3	77.0-85.6	93	10.2	06.3-14.1	35	4.8	02.8-06.8	18	1.5	00.5-02.5	17	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1483	315,481	1225	78.2	74.7-81.7	159	12.9	09.8-16.0	45	4.1	02.5-05.7	22	1.5	00.7-02.3	32	3.3	01.7-04.9
18-24	90	41,971				11	9.0	03.1-14.9	3	2.7	00.0-07.2	3	3.0	00.0-07.3	9	11.9	03.5-20.3
25-34	152	56,038							7	5.7	00.8-10.6	3	1.5	00.0-03.3	5	3.5	00.0-07.2
35-44	251	61,577	188	73.5	66.8-80.2	37	15.0	09.7-20.3	14	7.3	03.2-11.4	4	1.6	00.0-03.8	8	2.6	00.4-04.8
45-54	325	59,336	267	82.4	77.3-87.5	36	10.3	06.2-14.4	12	4.6	01.7-07.5	3	0.5	00.0-01.1	7	2.1	00.3-03.9
55-64	303	45,431	262	85.1	80.0-90.2	28	10.3	06.0-14.6	6	1.5	00.0-03.1	5	2.2	00.0-04.4	2	0.8	00.0-02.0
65+	355	50,066	322	87.6	82.7-92.5	25	9.8	05.3-14.3	3	1.3	00.0-02.9	4	0.6	00.0-01.4	1	0.6	00.0-01.8
Less Than H.S.	115	20,754				17	13.6	04.6-22.6	1	1.1	00.0-03.3	3	1.9	00.0-04.3			
H.S. or G.E.D.	447	96,618	364	76.7	70.8-82.6	59	14.6	10.3-18.9	7	2.1	00.0-04.5	7	2.5	00.1-04.9	10	4.2	00.9-07.5
Some Post-H.S.	350	81,725	289	78.1	68.5-87.7	40	17.2	07.4-27.0	9	2.5	00.7-04.3	8	1.5	00.1-02.9	4	0.7	00.0-01.5
College Graduate	571	116,383	487	81.7	77.4-86.0	43	8.3	05.4-11.2	28	7.4	04.1-10.7	4	0.6	00.0-01.4	9	1.9	00.5-03.3
Less than \$15,000	144	26,789	113	77.7	69.1-86.3	20	15.2	07.6-22.8	2	1.3	00.0-03.3	3	1.2	00.0-02.6	6	4.6	00.7-08.5
\$15,000- 24,999	90	14,483							5	6.4	00.3-12.5	4	3.6	00.0-07.3			
\$25,000- 34,999	123	23,628				14	12.6	05.2-20.0	1	1.9	00.0-05.6	2	0.7	00.0-01.7	4	8.3	00.1-16.5
\$35,000- 49,999	201	36,380	163	75.2	67.0-83.4	22	13.4	07.1-19.7	9	5.7	01.4-10.0	4	4.2	00.0-09.3	3	1.5	00.0-03.5
\$50,000- 74,999	237	49,268	201	82.2	75.5-88.9	24	11.5	06.2-16.8	3	1.4	00.0-03.2	2	1.2	00.0-02.8	7	3.7	00.0-07.4
\$75,000+	559	133,922	481	79.1	72.2-86.0	45	11.9	05.4-18.4	20	5.6	02.7-08.5	5	0.9	00.0-01.9	8	2.5	00.1-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2473	343,237	2008	78.2	75.7-80.7	296	12.9	10.9-14.9	57	2.9	01.9-03.9	59	2.6	01.6-03.6	53	3.4	02.0-04.8
18-24	95	41,571							3	2.9	00.0-07.2	8	7.0	00.7-13.3	5	8.0	00.0-16.4
25-34	262	57,348	182	69.4	62.3-76.5	51	17.2	11.7-22.7	9	4.8	01.1-08.5	6	2.2	00.0-04.4	14	6.4	02.5-10.3
35-44	437	62,934	332	73.9	68.8-79.0	66	15.8	11.7-19.9	17	4.6	02.1-07.1	8	1.6	00.2-03.0	14	4.1	01.7-06.5
45-54	482	62,710	381	81.6	77.3-85.9	69	12.0	08.5-15.5	9	1.9	00.3-03.5	15	2.9	01.1-04.7	8	1.6	00.2-03.0
55-64	487	49,825	422	87.0	83.3-90.7	37	7.7	04.6-10.8	12	2.3	00.7-03.9	10	2.0	00.4-03.6	6	0.9	00.1-01.7
65+	690	66,698	615	89.0	86.3-91.7	53	7.9	05.5-10.3	5	0.8	00.0-01.6	11	1.5	00.5-02.5	6	0.8	00.0-01.6
Less Than H.S.	164	18,126				29	15.2	08.9-21.5	6	3.4	00.3-06.5	13	10.6	01.0-20.2	6	4.2	00.1-08.3
H.S. or G.E.D.	825	111,639	687	78.0	72.9-83.1	97	15.4	10.9-19.9	13	1.0	00.4-01.6	13	1.8	00.0-03.6	15	3.9	01.2-06.6
Some Post-H.S.	673	99,420	544	78.6	73.9-83.3	81	11.7	08.6-14.8	13	3.2	00.7-05.7	18	2.9	01.3-04.5	17	3.6	00.7-06.5
College Graduate	808	113,772	665	79.8	76.1-83.5	88	11.3	08.6-14.0	25	4.5	02.3-06.7	15	2.0	00.6-03.4	15	2.5	01.1-03.9
Less than \$15,000	282	31,111	213	70.1	62.1-78.1	46	19.9	12.5-27.3	5	1.2	00.0-02.4	9	2.9	00.5-05.3	9	6.0	01.7-10.3
\$15,000- 24,999	298	30,882	212	64.1	55.1-73.1	62	29.8	20.6-39.0	8	1.7	00.3-03.1	9	2.5	00.7-04.3	7	1.9	00.3-03.5
\$25,000- 34,999	210	29,043				27	15.6	06.6-24.6	4	1.9	00.0-03.9	3	3.8	00.0-09.9	3	5.1	00.0-13.9
\$35,000- 49,999	364	50,473	291	74.2	66.9-81.5	44	12.8	08.3-17.3	6	1.5	00.0-03.1	13	4.6	00.7-08.5	10	6.9	01.2-12.6
\$50,000- 74,999	363	52,472	306	82.0	76.1-87.9	32	7.6	04.5-10.7	7	4.7	00.2-09.2	8	2.3	00.5-04.1	10	3.3	00.6-06.0
\$75,000+	596	96,906	511	84.5	80.8-88.2	48	7.8	05.1-10.5	15	3.6	01.4-05.8	13	2.4	00.8-04.0	9	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3880	642,370	3808	98.0	97.4-98.6	63	1.8	01.2-02.4	9	0.2	00.0-00.4
Male	1450	306,295	1432	98.7	97.9-99.5	17	1.3	00.5-02.1	1	0.0	00.0-00.0
Female	2430	336,075	2376	97.4	96.4-98.4	46	2.3	01.3-03.3	8	0.3	00.1-00.5
18-24	174	78,943	164	95.0	91.1-98.9	7	4.4	00.5-08.3	3	0.6	00.0-01.4
25-34	401	110,660	394	98.5	97.3-99.7	6	1.3	00.1-02.5	1	0.1	00.0-00.3
35-44	667	119,615	655	98.3	96.9-99.7	11	1.6	00.2-03.0	1	0.1	00.0-00.3
45-54	795	120,269	781	98.5	97.5-99.5	12	1.3	00.5-02.1	2	0.2	00.0-00.6
55-64	779	93,809	764	97.8	96.4-99.2	14	2.1	00.7-03.5	1	0.1	00.0-00.3
65+	1038	115,884	1025	98.9	98.1-99.7	12	1.0	00.4-01.6	1	0.1	00.0-00.3
Less Than H.S.	267	35,686	252	93.5	88.2-98.8	13	5.8	00.5-11.1	2	0.7	00.0-01.7
H.S. or G.E.D.	1254	203,644	1236	97.9	96.5-99.3	16	2.0	00.6-03.4	2	0.1	00.0-00.3
Some Post-H.S.	1012	179,767	989	97.8	96.8-98.8	20	1.9	00.9-02.9	3	0.2	00.0-00.6
College Graduate	1344	222,995	1328	98.9	98.3-99.5	14	0.9	00.3-01.5	2	0.1	00.0-00.3
Less than \$15,000	415	55,932	405	98.1	96.7-99.5	9	1.7	00.3-03.1	1	0.2	00.0-00.6
\$15,000- 24,999	380	44,331	367	97.1	95.3-98.9	10	2.2	00.6-03.8	3	0.8	00.0-01.8
\$25,000- 34,999	328	50,591	323	97.5	94.0-0100	4	2.3	00.0-05.8	1	0.1	00.0-00.3
\$35,000- 49,999	549	82,722	534	95.8	92.7-98.9	12	3.4	00.3-06.5	3	0.8	00.0-01.8
\$50,000- 74,999	591	100,124	581	98.2	97.0-99.4	10	1.8	00.6-03.0			
\$75,000+	1142	228,095	1128	98.6	97.6-99.6	13	1.4	00.4-02.4	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1450	306,295	1432	98.7	97.9-99.5	17	1.3	00.5-02.1	1	0.0	00.0-00.0
18-24	83	39,127	80	96.8	92.3-0100	3	3.2	00.0-07.7			
25-34	149	55,331	148	99.4	98.2-0100	1	0.6	00.0-01.8			
35-44	240	57,964	236	98.3	96.1-0100	4	1.7	00.0-03.9			
45-54	319	58,483	317	99.6	99.0-0100	2	0.4	00.0-01.0			
55-64	298	44,574	293	97.7	95.3-0100	5	2.3	00.0-04.7			
65+	354	49,755	351	99.4	98.6-0100	2	0.5	00.0-01.1	1	0.1	00.0-00.3
Less Than H.S.	107	17,981	104	97.8	95.1-0100	2	1.8	00.0-04.3	1	0.4	00.0-01.2
H.S. or G.E.D.	441	95,110	435	97.6	95.2-0100	6	2.4	00.0-04.8			
Some Post-H.S.	349	81,535	342	98.5	97.1-99.9	7	1.5	00.1-02.9			
College Graduate	553	111,669	551	99.8	99.4-0100	2	0.2	00.0-00.6			
Less than \$15,000	140	26,076	138	99.2	98.0-0100	2	0.8	00.0-02.0			
\$15,000- 24,999	87	13,971	83	96.2	92.3-0100	4	3.8	00.0-07.7			
\$25,000- 34,999	119	21,659	117	99.3	98.3-0100	1	0.4	00.0-01.2	1	0.3	00.0-00.9
\$35,000- 49,999	193	34,462	190	96.6	91.5-0100	3	3.4	00.0-08.5			
\$50,000- 74,999	234	48,859	232	98.8	97.2-0100	2	1.2	00.0-02.8			
\$75,000+	553	132,264	550	99.2	98.2-0100	3	0.8	00.0-01.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2430	336,075	2376	97.4	96.4-98.4	46	2.3	01.3-03.3	8	0.3	00.1-00.5
18-24	91	39,817	84	93.1	86.6-99.6	4	5.7	00.0-12.0	3	1.2	00.0-02.8
25-34	252	55,329	246	97.7	95.5-99.9	5	2.0	00.0-04.2	1	0.3	00.0-00.9
35-44	427	61,651	419	98.3	96.9-99.7	7	1.6	00.2-03.0	1	0.1	00.0-00.3
45-54	476	61,786	464	97.3	95.5-99.1	10	2.2	00.6-03.8	2	0.4	00.0-01.2
55-64	481	49,235	471	97.9	96.3-99.5	9	1.9	00.5-03.3	1	0.2	00.0-00.6
65+	684	66,129	674	98.6	97.6-99.6	10	1.4	00.4-02.4			
Less Than H.S.	160	17,705	148	89.2	79.4-99.0	11	9.9	00.1-19.7	1	0.9	00.0-02.7
H.S. or G.E.D.	813	108,533	801	98.2	96.4-0100	10	1.6	00.0-03.4	2	0.2	00.0-00.4
Some Post-H.S.	663	98,231	647	97.3	95.7-98.9	13	2.3	00.9-03.7	3	0.4	00.0-01.0
College Graduate	791	111,326	777	98.1	96.7-99.5	12	1.7	00.5-02.9	2	0.2	00.0-00.6
Less than \$15,000	275	29,856	267	97.0	94.6-99.4	7	2.6	00.2-05.0	1	0.4	00.0-01.2
\$15,000- 24,999	293	30,360	284	97.4	95.4-99.4	6	1.4	00.0-02.8	3	1.1	00.0-02.5
\$25,000- 34,999	209	28,933	206	96.2	90.1-0100	3	3.8	00.0-09.9			
\$35,000- 49,999	356	48,260	344	95.3	91.2-99.4	9	3.4	00.0-07.1	3	1.3	00.0-02.9
\$50,000- 74,999	357	51,265	349	97.6	95.8-99.4	8	2.4	00.6-04.2			
\$75,000+	589	95,831	578	97.8	96.2-99.4	10	2.2	00.6-03.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3880	642,370	3808	98.0	97.4-98.6	72	2.0	01.4-02.6
Male	1450	306,295	1432	98.7	97.9-99.5	18	1.3	00.5-02.1
Female	2430	336,075	2376	97.4	96.4-98.4	54	2.6	01.6-03.6
18-24	174	78,943	164	95.0	91.1-98.9	10	5.0	01.1-08.9
25-34	401	110,660	394	98.5	97.3-99.7	7	1.5	00.3-02.7
35-44	667	119,615	655	98.3	96.9-99.7	12	1.7	00.3-03.1
45-54	795	120,269	781	98.5	97.5-99.5	14	1.5	00.5-02.5
55-64	779	93,809	764	97.8	96.4-99.2	15	2.2	00.8-03.6
65+	1038	115,884	1025	98.9	98.1-99.7	13	1.1	00.3-01.9
Less Than H.S.	267	35,686	252	93.5	88.2-98.8	15	6.5	01.2-11.8
H.S. or G.E.D.	1254	203,644	1236	97.9	96.5-99.3	18	2.1	00.7-03.5
Some Post-H.S.	1012	179,767	989	97.8	96.8-98.8	23	2.2	01.2-03.2
College Graduate	1344	222,995	1328	98.9	98.3-99.5	16	1.1	00.5-01.7
Less than \$15,000	415	55,932	405	98.1	96.7-99.5	10	1.9	00.5-03.3
\$15,000- 24,999	380	44,331	367	97.1	95.3-98.9	13	2.9	01.1-04.7
\$25,000- 34,999	328	50,591	323	97.5	94.0-0100	5	2.5	00.0-06.0
\$35,000- 49,999	549	82,722	534	95.8	92.7-98.9	15	4.2	01.1-07.3
\$50,000- 74,999	591	100,124	581	98.2	97.0-99.4	10	1.8	00.6-03.0
\$75,000+	1142	228,095	1128	98.6	97.6-99.6	14	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1450	306,295	1432	98.7	97.9-99.5	18	1.3	00.5-02.1
18-24	83	39,127	80	96.8	92.3-0100	3	3.2	00.0-07.7
25-34	149	55,331	148	99.4	98.2-0100	1	0.6	00.0-01.8
35-44	240	57,964	236	98.3	96.1-0100	4	1.7	00.0-03.9
45-54	319	58,483	317	99.6	99.0-0100	2	0.4	00.0-01.0
55-64	298	44,574	293	97.7	95.3-0100	5	2.3	00.0-04.7
65+	354	49,755	351	99.4	98.6-0100	3	0.6	00.0-01.4
Less Than H.S.	107	17,981	104	97.8	95.1-0100	3	2.2	00.0-04.9
H.S. or G.E.D.	441	95,110	435	97.6	95.2-0100	6	2.4	00.0-04.8
Some Post-H.S.	349	81,535	342	98.5	97.1-99.9	7	1.5	00.1-02.9
College Graduate	553	111,669	551	99.8	99.4-0100	2	0.2	00.0-00.6
Less than \$15,000	140	26,076	138	99.2	98.0-0100	2	0.8	00.0-02.0
\$15,000- 24,999	87	13,971	83	96.2	92.3-0100	4	3.8	00.0-07.7
\$25,000- 34,999	119	21,659	117	99.3	98.3-0100	2	0.7	00.0-01.7
\$35,000- 49,999	193	34,462	190	96.6	91.5-0100	3	3.4	00.0-08.5
\$50,000- 74,999	234	48,859	232	98.8	97.2-0100	2	1.2	00.0-02.8
\$75,000+	553	132,264	550	99.2	98.2-0100	3	0.8	00.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2430	336,075	2376	97.4	96.4-98.4	54	2.6	01.6-03.6
18-24	91	39,817	84	93.1	86.6-99.6	7	6.9	00.4-13.4
25-34	252	55,329	246	97.7	95.5-99.9	6	2.3	00.1-04.5
35-44	427	61,651	419	98.3	96.9-99.7	8	1.7	00.3-03.1
45-54	476	61,786	464	97.3	95.5-99.1	12	2.7	00.9-04.5
55-64	481	49,235	471	97.9	96.3-99.5	10	2.1	00.5-03.7
65+	684	66,129	674	98.6	97.6-99.6	10	1.4	00.4-02.4
Less Than H.S.	160	17,705	148	89.2	79.4-99.0	12	10.8	01.0-20.6
H.S. or G.E.D.	813	108,533	801	98.2	96.4-0100	12	1.8	00.0-03.6
Some Post-H.S.	663	98,231	647	97.3	95.7-98.9	16	2.7	01.1-04.3
College Graduate	791	111,326	777	98.1	96.7-99.5	14	1.9	00.5-03.3
Less than \$15,000	275	29,856	267	97.0	94.6-99.4	8	3.0	00.6-05.4
\$15,000- 24,999	293	30,360	284	97.4	95.4-99.4	9	2.6	00.6-04.6
\$25,000- 34,999	209	28,933	206	96.2	90.1-0100	3	3.8	00.0-09.9
\$35,000- 49,999	356	48,260	344	95.3	91.2-99.4	12	4.7	00.6-08.8
\$50,000- 74,999	357	51,265	349	97.6	95.8-99.4	8	2.4	00.6-04.2
\$75,000+	589	95,831	578	97.8	96.2-99.4	11	2.2	00.6-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	659,876	371	21.2	18.7-23.7	535	17.2	15.4-19.0	788	20.2	18.4-22.0	807	16.6	15.0-18.2	721	12.1	10.9-13.3	737	12.7	11.5-13.9
Male	1487	316,745	169	23.6	19.5-27.7	190	16.2	13.5-18.9	305	21.0	18.3-23.7	300	16.5	14.1-18.9	268	11.8	10.0-13.6	255	10.9	09.3-12.5
Female	2472	343,132	202	19.0	15.9-22.1	345	18.1	15.9-20.3	483	19.4	17.4-21.4	507	16.7	14.9-18.5	453	12.4	11.0-13.8	482	14.3	12.7-15.9
White/Non-Hisp	3213	512,605	256	18.5	16.0-21.0	389	15.6	13.8-17.4	618	20.6	18.6-22.6	661	17.5	15.7-19.3	629	13.5	12.1-14.9	660	14.3	12.9-15.7
Black or Afr. Am./Non-Hisp	451	84,555	61	28.4	18.8-38.0	87	21.3	16.0-26.6	102	19.1	14.2-24.0	96	14.9	11.0-18.8	52	7.8	05.1-10.5	53	8.6	05.5-11.7
Oth. Race/Non-Hisp.	100	22,577										15	9.8	03.1-16.5	14	7.1	02.6-11.6	6	4.3	00.4-08.2
MultiRacial/Non-Hisp.	80	13,791				7	8.6	01.5-15.7							13	11.0	03.7-18.3	8	5.2	00.9-09.5
Hispanic	85	21,977							17	10.6	04.1-17.1	9	7.2	01.9-12.5	6	1.7	00.1-03.3	5	3.2	00.0-06.7
Less Than H.S.	280	38,950	35	32.1	22.7-41.5	18	8.7	03.6-13.8	37	12.3	07.0-17.6	41	8.6	05.3-11.9	58	13.4	09.1-17.7	91	25.0	18.7-31.3
H.S. or G.E.D.	1273	208,503	130	23.8	19.3-28.3	136	13.0	10.1-15.9	219	18.8	15.7-21.9	256	17.9	15.2-20.6	248	12.7	10.7-14.7	284	13.8	11.8-15.8
Some Post-H.S.	1025	182,106	114	27.6	21.7-33.5	155	16.9	13.8-20.0	230	19.9	16.8-23.0	201	14.1	11.6-16.6	164	10.8	08.4-13.2	161	10.7	08.5-12.9
College Graduate	1379	230,072	92	12.0	09.3-14.7	226	22.6	19.5-25.7	302	23.0	20.1-25.9	309	18.8	16.3-21.3	250	12.3	10.3-14.3	200	11.2	09.4-13.0
Less than \$15,000	425	58,037	50	22.1	15.4-28.8	29	9.2	04.9-13.5	58	13.1	08.6-17.6	58	11.6	07.9-15.3	79	14.2	10.3-18.1	151	29.9	24.2-35.6
\$15,000- 24,999	390	45,623	35	21.9	14.1-29.7	25	9.6	05.1-14.1	62	17.2	11.7-22.7	75	14.3	10.2-18.4	79	13.2	09.5-16.9	114	23.8	18.5-29.1
\$25,000- 34,999	337	53,119	36	28.5	19.5-37.5	40	11.6	06.9-16.3	44	9.6	06.3-12.9	55	14.2	08.7-19.7	75	14.8	10.7-18.9	87	21.2	15.7-26.7
\$35,000- 49,999	565	87,272	54	22.6	16.1-29.1	94	19.1	14.8-23.4	103	18.4	14.3-22.5	110	14.0	10.9-17.1	100	12.6	09.5-15.7	104	13.3	10.2-16.4
\$50,000- 74,999	604	102,056	58	21.1	15.4-26.8	109	21.9	17.2-26.6	146	23.0	18.7-27.3	135	15.5	12.4-18.6	104	12.5	09.6-15.4	52	6.0	04.0-08.0
\$75,000+	1157	231,124	86	16.5	11.6-21.4	208	21.5	18.2-24.8	325	27.6	24.1-31.1	297	21.3	18.4-24.2	183	9.7	07.9-11.5	58	3.4	02.2-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1487	316,745	169	23.6	19.5-27.7	190	16.2	13.5-18.9	305	21.0	18.3-23.7	300	16.5	14.1-18.9	268	11.8	10.0-13.6	255	10.9	09.3-12.5
White/Non-Hisp	1218	245,588	120	20.6	16.7-24.5	144	15.5	12.6-18.4	241	21.4	18.3-24.5	251	17.3	14.6-20.0	233	13.1	10.9-15.3	229	12.0	10.0-14.0
Black or Afr. Am./Non-Hisp	159	40,692				25	16.7	09.1-24.3	37	19.0	11.0-27.0	32	13.8	07.5-20.1	23	9.1	04.2-14.0	17	9.0	03.7-14.3
Less Than H.S.	116	20,824				6	7.6	00.2-15.0	15	13.5	04.9-22.1	13	5.4	02.1-08.7	20	8.1	04.0-12.2	41	24.1	14.7-33.5
H.S. or G.E.D.	447	96,362	57	25.8	18.7-32.9	54	14.5	09.4-19.6	94	22.6	17.3-27.9	94	18.2	13.7-22.7	75	10.6	07.7-13.5	73	8.5	06.1-10.9
Some Post-H.S.	350	82,385	50	32.2	22.4-42.0	54	16.0	10.9-21.1	72	15.9	11.4-20.4	66	14.2	09.7-18.7	64	13.4	09.1-17.7	44	8.3	05.2-11.4
College Graduate	574	117,174	41	12.7	08.6-16.8	76	19.2	14.7-23.7	124	24.7	20.2-29.2	127	18.6	14.7-22.5	109	12.4	09.5-15.3	97	12.4	09.5-15.3
Less than \$15,000	145	26,938				11	11.0	03.2-18.8	22	12.5	04.9-20.1	16	9.9	04.0-15.8	26	15.7	08.8-22.6	50	26.7	17.9-35.5
\$15,000- 24,999	92	14,701				6	9.2	01.4-17.0				17	12.0	05.1-18.9	16	8.5	03.8-13.2	25	21.1	11.1-31.1
\$25,000- 34,999	124	23,983				8	9.7	01.7-17.7	12	7.4	02.5-12.3	20	17.2	07.4-27.0	26	13.7	07.0-20.4	42	26.6	17.4-35.8
\$35,000- 49,999	201	36,536	21	22.9	13.5-32.3	28	15.7	09.4-22.0	38	20.0	12.7-27.3	31	11.8	07.1-16.5	36	13.6	07.9-19.3	47	16.0	10.7-21.3
\$50,000- 74,999	237	49,268	27	22.4	14.2-30.6	42	20.1	12.8-27.4	49	22.5	15.6-29.4	46	12.0	07.7-16.3	45	15.0	09.9-20.1	28	8.0	04.7-11.3
\$75,000+	560	134,182	45	18.9	11.5-26.3	88	19.4	14.7-24.1	150	26.7	21.8-31.6	151	22.2	17.9-26.5	95	9.5	07.0-12.0	31	3.2	01.8-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2472	343,132	202	19.0	15.9-22.1	345	18.1	15.9-20.3	483	19.4	17.4-21.4	507	16.7	14.9-18.5	453	12.4	11.0-13.8	482	14.3	12.7-15.9
White/Non-Hisp	1995	267,018	136	16.5	13.2-19.8	245	15.6	13.4-17.8	377	19.9	17.5-22.3	410	17.7	15.5-19.9	396	13.9	12.1-15.7	431	16.4	14.6-18.2
Black or Afr. Am./Non-Hisp	292	43,863	36	24.7	15.1-34.3	62	25.5	18.4-32.6	65	19.2	13.5-24.9	64	15.9	10.8-21.0	29	6.5	03.8-09.2	36	8.2	04.9-11.5
Oth. Race/Non-Hisp.	55	9,635										9	6.9	01.2-12.6	8	9.6	01.8-17.4	4	4.5	00.0-09.2
MultiRacial/Non-Hisp.	58	9,060				3	5.7	00.0-12.2							10	11.6	02.8-20.4	5	5.7	00.0-11.6
Hispanic	53	11,511							11	10.1	02.5-17.7	4	5.3	00.0-11.6	5	2.3	00.0-04.7	4	3.4	00.0-07.5
Less Than H.S.	164	18,126				12	9.9	03.2-16.6	22	10.9	05.6-16.2	28	12.3	06.6-18.0	38	19.4	12.0-26.8	50	26.0	18.0-34.0
H.S. or G.E.D.	826	112,142	73	22.1	16.2-28.0	82	11.8	08.7-14.9	125	15.5	12.2-18.8	162	17.6	14.1-21.1	173	14.6	11.9-17.3	211	18.4	15.3-21.5
Some Post-H.S.	675	99,721	64	23.8	17.3-30.3	101	17.6	13.5-21.7	158	23.2	18.9-27.5	135	14.0	11.1-16.9	100	8.7	06.5-10.9	117	12.6	09.9-15.3
College Graduate	805	112,898	51	11.3	08.0-14.6	150	26.2	22.1-30.3	178	21.3	17.8-24.8	182	19.0	15.7-22.3	141	12.3	09.9-14.7	103	9.8	07.6-12.0
Less than \$15,000	280	31,099	30	20.3	11.9-28.7	18	7.6	03.5-11.7	36	13.5	08.0-19.0	42	13.0	08.1-17.9	53	12.9	08.8-17.0	101	32.7	25.6-39.8
\$15,000- 24,999	298	30,922	23	19.1	09.7-28.5	19	9.7	04.2-15.2	46	15.2	09.9-20.5	58	15.4	10.5-20.3	63	15.4	10.5-20.3	89	25.1	19.0-31.2
\$25,000- 34,999	213	29,136				32	13.2	07.5-18.9	32	11.3	06.4-16.2	35	11.8	06.3-17.3	49	15.7	10.2-21.2	45	16.8	10.7-22.9
\$35,000- 49,999	364	50,736	33	22.4	13.6-31.2	66	21.5	15.6-27.4	65	17.2	12.3-22.1	79	15.5	11.2-19.8	64	11.9	08.2-15.6	57	11.4	07.9-14.9
\$50,000- 74,999	367	52,789	31	19.8	12.2-27.4	67	23.6	17.3-29.9	97	23.5	18.0-29.0	89	18.7	14.0-23.4	59	10.2	07.1-13.3	24	4.2	02.2-06.2
\$75,000+	597	96,942	41	13.0	08.1-17.9	120	24.3	19.8-28.8	175	28.9	24.2-33.6	146	20.1	16.2-24.0	88	9.9	07.4-12.4	27	3.8	02.0-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 25: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs		≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3959	659,876	2907	82.2	80.8-83.6	1052	17.8	16.4-19.2
Male	1487	316,745	1129	84.1	81.9-86.3	358	15.9	13.7-18.1
Female	2472	343,132	1778	80.5	78.7-82.3	694	19.5	17.7-21.3
White/Non-Hisp	3213	512,605	2276	79.9	78.3-81.5	937	20.1	18.5-21.7
Black or Afr. Am./Non-Hisp	451	84,555	373	87.9	84.4-91.4	78	12.1	08.6-15.6
Oth. Race/Non-Hisp.	100	22,577	92	94.8	90.7-98.9	8	5.2	01.1-09.3
MultiRacial/Non-Hisp.	80	13,791	65	90.4	84.3-96.5	15	9.6	03.5-15.7
Hispanic	85	21,977	78	96.3	92.8-99.8	7	3.7	00.2-07.2
Less Than H.S.	280	38,950	157	67.9	60.8-75.0	123	32.1	25.0-39.2
H.S. or G.E.D.	1273	208,503	864	79.9	77.4-82.4	409	20.1	17.6-22.6
Some Post-H.S.	1025	182,106	803	84.7	82.0-87.4	222	15.3	12.6-18.0
College Graduate	1379	230,072	1082	84.7	82.7-86.7	297	15.3	13.3-17.3
Less than \$15,000	425	58,037	233	62.6	56.5-68.7	192	37.4	31.3-43.5
\$15,000- 24,999	390	45,623	238	70.9	65.2-76.6	152	29.1	23.4-34.8
\$25,000- 34,999	337	53,119	208	69.5	63.0-76.0	129	30.5	24.0-37.0
\$35,000- 49,999	565	87,272	410	80.5	76.8-84.2	155	19.5	15.8-23.2
\$50,000- 74,999	604	102,056	514	89.0	86.3-91.7	90	11.0	08.3-13.7
\$75,000+	1157	231,124	1036	93.7	92.3-95.1	121	6.3	04.9-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 26: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1487	316,745	1129	84.1	82.1-86.1	358	15.9	13.9-17.9
White/Non-Hisp	1218	245,588	896	82.1	79.7-84.5	322	17.9	15.5-20.3
Black or Afr. Am./Non-Hisp	159	40,692	134	87.9	81.6-94.2	25	12.1	05.8-18.4
Less Than H.S.	116	20,824	65	72.1	62.1-82.1	51	27.9	17.9-37.9
H.S. or G.E.D.	447	96,362	337	85.8	82.5-89.1	110	14.2	10.9-17.5
Some Post-H.S.	350	82,385	283	85.0	80.5-89.5	67	15.0	10.5-19.5
College Graduate	574	117,174	444	84.1	81.0-87.2	130	15.9	12.8-19.0
Less than \$15,000	145	26,938	83	64.8	54.8-74.8			
\$35,000- 49,999	201	36,536	138	77.0	70.3-83.7	63	23.0	16.3-29.7
\$50,000- 74,999	237	49,268	192	85.4	80.7-90.1	45	14.6	09.9-19.3
\$75,000+	560	134,182	501	94.4	92.6-96.2	59	5.6	03.8-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 27: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2472	343,132	1778	80.5	78.7-82.3	694	19.5	17.7-21.3	
White/Non-Hisp	1995	267,018	1380	77.8	75.6-80.0	615	22.2	20.0-24.4	
Black or Afr. Am./Non-Hisp	292	43,863	239	87.9	84.0-91.8	53	12.1	08.2-16.0	
Oth. Race/Non-Hisp.	55	9,635	50	94.7	89.8-99.6	5	5.3	00.4-10.2	
MultiRacial/Non-Hisp.	58	9,060	47	89.0	80.8-97.2	11	11.0	02.8-19.2	
Hispanic	53	11,511	47	95.6	91.1-100	6	4.4	00.0-08.9	
Less Than H.S.	164	18,126	92	63.1	53.7-72.5	72	36.9	27.5-46.3	
H.S. or G.E.D.	826	112,142	527	74.9	71.4-78.4	299	25.1	21.6-28.6	
Some Post-H.S.	675	99,721	520	84.4	81.3-87.5	155	15.6	12.5-18.7	
College Graduate	805	112,898	638	85.2	82.7-87.7	167	14.8	12.3-17.3	
Less than \$15,000	280	31,099	150	60.7	53.3-68.1	130	39.3	31.9-46.7	
\$15,000- 24,999	298	30,922	179	69.1	62.6-75.6	119	30.9	24.4-37.4	
\$25,000- 34,999	213	29,136	140	73.1	65.3-80.9	73	26.9	19.1-34.7	
\$35,000- 49,999	364	50,736	272	83.0	78.7-87.3	92	17.0	12.7-21.3	
\$50,000- 74,999	367	52,789	322	92.2	89.5-94.9	45	7.8	05.1-10.5	
\$75,000+	597	96,942	535	92.7	90.5-94.9	62	7.3	05.1-09.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	660,792	209	4.0	03.2-04.8	1982	42.8	40.6-45.0	1485	42.1	39.7-44.5	294	11.1	09.1-13.1
Male	1492	317,041	3	0.1	00.0-00.3	179	11.0	08.8-13.2	1019	66.2	62.5-69.9	291	22.7	19.2-26.2
Female	2478	343,750	206	7.6	06.0-09.2	1803	72.2	69.7-74.7	466	19.8	17.6-22.0	3	0.5	00.0-01.3
White/Non-Hisp	3222	513,750	165	4.1	03.1-05.1	1597	42.5	40.1-44.9	1209	42.5	40.1-44.9	251	10.9	09.1-12.7
Black or Afr. Am./Non-Hisp	452	84,812	27	3.6	01.8-05.4	225	40.1	32.8-47.4	172	41.5	34.1-48.9	28	14.8	05.0-24.6
Oth. Race/Non-Hisp.	101	22,865	8	5.9	01.0-10.8							4	7.9	00.0-16.9
MultiRacial/Non-Hisp.	81	13,814	1	0.6	00.0-01.8							1	2.6	00.0-07.5
Hispanic	83	21,272	6	4.2	00.1-08.3							5	6.7	00.0-13.8
18-24	185	83,235	7	3.9	00.0-07.8	71	38.4	29.6-47.2	81	43.2	34.4-52.0	26	14.5	08.2-20.8
25-34	414	113,460	22	3.7	01.7-05.7	187	37.1	30.6-43.6	167	43.4	36.3-50.5	38	15.8	08.0-23.6
35-44	691	125,068	30	3.3	01.9-04.7	343	44.1	39.4-48.8	259	40.2	35.5-44.9	59	12.4	08.9-15.9
45-54	811	122,958	27	2.5	01.3-03.7	373	39.7	35.4-44.0	334	45.9	41.4-50.4	77	11.9	08.8-15.0
55-64	795	95,651	36	3.7	02.3-05.1	424	47.0	42.3-51.7	283	41.4	36.7-46.1	52	7.9	05.2-10.6
65+	1048	117,141	85	6.7	04.9-08.5	571	50.0	46.3-53.7	351	38.5	34.8-42.2	41	4.8	03.0-06.6
Less Than H.S.	272	37,649	27	8.3	04.6-12.0	143	48.0	39.4-56.6	89	34.8	26.6-43.0	13	8.9	02.4-15.4
H.S. or G.E.D.	1275	208,863	73	4.9	02.9-06.9	677	43.9	39.8-48.0	451	41.7	37.6-45.8	74	9.5	06.6-12.4
Some Post-H.S.	1031	182,558	66	4.1	02.9-05.3	524	43.2	38.5-47.9	369	41.0	36.3-45.7	72	11.7	06.8-16.6
College Graduate	1389	231,444	42	2.4	01.4-03.4	636	40.7	37.4-44.0	576	44.5	41.2-47.8	135	12.4	10.0-14.8
Less than \$15,000	427	58,049	40	7.8	04.5-11.1	227	45.1	38.6-51.6	141	41.2	34.3-48.1	19	5.9	02.6-09.2
\$15,000- 24,999	388	45,423	33	8.6	04.9-12.3	241	51.7	44.3-59.1	103	31.6	24.5-38.7	11	8.1	01.6-14.6
\$25,000- 34,999	338	53,230	20	5.8	00.7-10.9	184	52.9	44.9-60.9	120	36.5	29.1-43.9	14	4.8	01.5-08.1
\$35,000- 49,999	565	86,966	25	4.2	01.7-06.7	278	44.3	38.4-50.2	225	43.6	37.9-49.3	37	7.8	04.5-11.1
\$50,000- 74,999	605	102,125	13	1.5	00.3-02.7	310	44.1	38.6-49.6	229	41.6	36.1-47.1	53	12.8	08.9-16.7
\$75,000+	1161	231,726	41	2.6	01.6-03.6	466	33.8	30.1-37.5	516	47.2	42.9-51.5	138	16.4	12.1-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1492	317,041	3	0.1	00.0-00.3	179	11.0	08.8-13.2	1019	66.2	62.5-69.9	291	22.7	19.2-26.2
White/Non-Hisp	1223	246,321	1	0.1	00.0-00.3	138	10.4	08.0-12.8	835	66.9	63.2-70.6	249	22.7	19.4-26.0
Black or Afr. Am./Non-Hisp	159	40,692	1	0.1	00.0-00.3	18	9.0	03.5-14.5						
18-24	90	41,664				10	10.3	03.4-17.2						
25-34	152	56,218	1	0.4	00.0-01.2	12	6.3	01.4-11.2						
35-44	251	61,577				33	14.3	08.6-20.0	160	60.7	53.1-68.3	58	25.0	18.3-31.7
45-54	329	60,257	1	0.1	00.0-00.3	26	7.1	03.8-10.4	225	68.5	62.0-75.0	77	24.4	18.5-30.3
55-64	305	45,651	1	0.3	00.0-00.9	42	13.0	07.5-18.5	210	70.2	63.1-77.3	52	16.5	10.8-22.2
65+	358	50,436				56	15.8	10.7-20.9	261	73.0	67.1-78.9	41	11.2	07.3-15.1
Less Than H.S.	115	20,162	3	2.0	00.0-04.5									
H.S. or G.E.D.	449	96,863				57	11.2	07.1-15.3	320	69.8	63.5-76.1	72	19.0	13.5-24.5
Some Post-H.S.	352	82,679				36	7.3	04.2-10.4	244	66.8	57.6-76.0	72	25.9	16.3-35.5
College Graduate	576	117,337				57	11.0	07.5-14.5	385	64.6	59.5-69.7	134	24.4	19.9-28.9
Less than \$15,000	145	26,938	1	0.5	00.0-01.5	25	12.9	06.8-19.0	100	73.9	65.1-82.7	19	12.7	05.8-19.6
\$15,000- 24,999	92	14,701	1	0.2	00.0-00.6	17	12.6	03.4-21.8						
\$25,000- 34,999	124	23,983										14	10.7	03.6-17.8
\$35,000- 49,999	202	36,606				25	12.0	06.7-17.3	140	69.3	61.1-77.5	37	18.6	11.2-26.0
\$50,000- 74,999	237	49,268				25	10.4	04.5-16.3	159	63.2	55.0-71.4	53	26.5	18.9-34.1
\$75,000+	562	134,500	1	0.2	00.0-00.6	48	7.8	05.1-10.5	376	63.9	57.2-70.6	137	28.2	21.5-34.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	343,750	206	7.6	06.0-09.2	1803	72.2	69.7-74.7	466	19.8	17.6-22.0	3	0.5	00.0-01.3
White/Non-Hisp	1999	267,428	164	7.8	06.0-09.6	1459	72.2	69.5-74.9	374	20.0	17.5-22.5	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	293	44,120	26	6.8	03.5-10.1	207	68.8	60.8-76.8	59	21.3	14.8-27.8	1	3.1	00.0-09.0
Oth. Race/Non-Hisp.	56	9,922	7	11.4	01.4-21.4				6	5.2	00.1-10.3			
MultiRacial/Non-Hisp.	59	9,083	1	0.9	00.0-02.7									
Hispanic	52	11,468	6	7.8	00.0-15.6									
18-24	95	41,571	7	7.8	00.2-15.4							2	3.6	00.0-09.9
25-34	262	57,242	21	6.9	03.4-10.4	175	67.4	60.3-74.5	66	25.7	19.0-32.4			
35-44	440	63,491	30	6.6	03.9-09.3	310	73.0	68.1-77.9	99	20.3	16.0-24.6	1	0.1	00.0-00.3
45-54	482	62,700	26	4.8	02.6-07.0	347	71.1	65.8-76.4	109	24.1	19.2-29.0			
55-64	490	50,000	35	6.9	04.2-09.6	382	78.1	73.4-82.8	73	15.0	10.9-19.1			
65+	690	66,705	85	11.8	08.7-14.9	515	75.8	71.9-79.7	90	12.4	09.5-15.3			
Less Than H.S.	157	17,487	24	15.5	08.4-22.6	114	74.4	65.8-83.0	19	10.1	04.2-16.0			
H.S. or G.E.D.	826	112,000	73	9.1	05.8-12.4	620	72.1	67.2-77.0	131	17.4	13.5-21.3	2	1.3	00.0-03.7
Some Post-H.S.	679	99,878	66	7.5	05.1-09.9	488	72.8	67.9-77.7	125	19.7	15.2-24.2			
College Graduate	813	114,107	42	5.0	03.2-06.8	579	71.2	67.3-75.1	191	23.8	20.1-27.5	1	0.1	00.0-00.3
Less than \$15,000	282	31,111	39	14.2	08.5-19.9	202	72.9	65.6-80.2	41	12.9	07.6-18.2			
\$15,000- 24,999	296	30,722	32	12.6	07.3-17.9	224	70.4	61.4-79.4	38	12.1	07.2-17.0	2	4.8	00.0-13.2
\$25,000- 34,999	214	29,247	20	10.5	01.5-19.5	163	77.7	67.9-87.5	31	11.8	06.1-17.5			
\$35,000- 49,999	363	50,360	25	7.3	03.0-11.6	253	67.8	60.9-74.7	85	24.8	18.7-30.9			
\$50,000- 74,999	368	52,857	13	3.0	00.8-05.2	285	75.5	69.4-81.6	70	21.5	15.6-27.4			
\$75,000+	599	97,226	40	5.8	03.6-08.0	418	69.8	64.9-74.7	140	24.2	19.5-28.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	660,792	209	4.0	03.2-04.8	1982	42.8	40.6-45.0	1485	42.1	39.7-44.5	294	11.1	09.1-13.1
Male	1492	317,041	3	0.1	00.0-00.3	179	11.0	08.8-13.2	1019	66.2	62.5-69.9	291	22.7	19.2-26.2
Female	2478	343,750	206	7.6	06.0-09.2	1803	72.2	69.7-74.7	466	19.8	17.6-22.0	3	0.5	00.0-01.3
White/Non-Hisp	3222	513,750	165	4.1	03.1-05.1	1597	42.5	40.1-44.9	1209	42.5	40.1-44.9	251	10.9	09.1-12.7
Black or Afr. Am./Non-Hisp	452	84,812	27	3.6	01.8-05.4	225	40.1	32.8-47.4	172	41.5	34.1-48.9	28	14.8	05.0-24.6
Oth. Race/Non-Hisp.	101	22,865	8	5.9	01.0-10.8							4	7.9	00.0-16.9
MultiRacial/Non-Hisp.	81	13,814	1	0.6	00.0-01.8							1	2.6	00.0-07.5
Hispanic	83	21,272	6	4.2	00.1-08.3							5	6.7	00.0-13.8
18-24	185	83,235	7	3.9	00.0-07.8	71	38.4	29.6-47.2	81	43.2	34.4-52.0	26	14.5	08.2-20.8
25-34	414	113,460	22	3.7	01.7-05.7	187	37.1	30.6-43.6	167	43.4	36.3-50.5	38	15.8	08.0-23.6
35-44	691	125,068	30	3.3	01.9-04.7	343	44.1	39.4-48.8	259	40.2	35.5-44.9	59	12.4	08.9-15.9
45-54	811	122,958	27	2.5	01.3-03.7	373	39.7	35.4-44.0	334	45.9	41.4-50.4	77	11.9	08.8-15.0
55-64	795	95,651	36	3.7	02.3-05.1	424	47.0	42.3-51.7	283	41.4	36.7-46.1	52	7.9	05.2-10.6
65+	1048	117,141	85	6.7	04.9-08.5	571	50.0	46.3-53.7	351	38.5	34.8-42.2	41	4.8	03.0-06.6
Less Than H.S.	272	37,649	27	8.3	04.6-12.0	143	48.0	39.4-56.6	89	34.8	26.6-43.0	13	8.9	02.4-15.4
H.S. or G.E.D.	1275	208,863	73	4.9	02.9-06.9	677	43.9	39.8-48.0	451	41.7	37.6-45.8	74	9.5	06.6-12.4
Some Post-H.S.	1031	182,558	66	4.1	02.9-05.3	524	43.2	38.5-47.9	369	41.0	36.3-45.7	72	11.7	06.8-16.6
College Graduate	1389	231,444	42	2.4	01.4-03.4	636	40.7	37.4-44.0	576	44.5	41.2-47.8	135	12.4	10.0-14.8
Less than \$15,000	427	58,049	40	7.8	04.5-11.1	227	45.1	38.6-51.6	141	41.2	34.3-48.1	19	5.9	02.6-09.2
\$15,000- 24,999	388	45,423	33	8.6	04.9-12.3	241	51.7	44.3-59.1	103	31.6	24.5-38.7	11	8.1	01.6-14.6
\$25,000- 34,999	338	53,230	20	5.8	00.7-10.9	184	52.9	44.9-60.9	120	36.5	29.1-43.9	14	4.8	01.5-08.1
\$35,000- 49,999	565	86,966	25	4.2	01.7-06.7	278	44.3	38.4-50.2	225	43.6	37.9-49.3	37	7.8	04.5-11.1
\$50,000- 74,999	605	102,125	13	1.5	00.3-02.7	310	44.1	38.6-49.6	229	41.6	36.1-47.1	53	12.8	08.9-16.7
\$75,000+	1161	231,726	41	2.6	01.6-03.6	466	33.8	30.1-37.5	516	47.2	42.9-51.5	138	16.4	12.1-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 32: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1492	317,041	3	0.1	00.0-00.3	179	11.0	08.8-13.2	1019	66.2	62.5-69.9	291	22.7	19.2-26.2
White/Non-Hisp	1223	246,321	1	0.1	00.0-00.3	138	10.4	08.0-12.8	835	66.9	63.2-70.6	249	22.7	19.4-26.0
Black or Afr. Am./Non-Hisp	159	40,692	1	0.1	00.0-00.3	18	9.0	03.5-14.5						
18-24	90	41,664				10	10.3	03.4-17.2						
25-34	152	56,218	1	0.4	00.0-01.2	12	6.3	01.4-11.2						
35-44	251	61,577				33	14.3	08.6-20.0	160	60.7	53.1-68.3	58	25.0	18.3-31.7
45-54	329	60,257	1	0.1	00.0-00.3	26	7.1	03.8-10.4	225	68.5	62.0-75.0	77	24.4	18.5-30.3
55-64	305	45,651	1	0.3	00.0-00.9	42	13.0	07.5-18.5	210	70.2	63.1-77.3	52	16.5	10.8-22.2
65+	358	50,436				56	15.8	10.7-20.9	261	73.0	67.1-78.9	41	11.2	07.3-15.1
Less Than H.S.	115	20,162	3	2.0	00.0-04.5									
H.S. or G.E.D.	449	96,863				57	11.2	07.1-15.3	320	69.8	63.5-76.1	72	19.0	13.5-24.5
Some Post-H.S.	352	82,679				36	7.3	04.2-10.4	244	66.8	57.6-76.0	72	25.9	16.3-35.5
College Graduate	576	117,337				57	11.0	07.5-14.5	385	64.6	59.5-69.7	134	24.4	19.9-28.9
Less than \$15,000	145	26,938	1	0.5	00.0-01.5	25	12.9	06.8-19.0	100	73.9	65.1-82.7	19	12.7	05.8-19.6
\$15,000- 24,999	92	14,701	1	0.2	00.0-00.6	17	12.6	03.4-21.8						
\$25,000- 34,999	124	23,983										14	10.7	03.6-17.8
\$35,000- 49,999	202	36,606				25	12.0	06.7-17.3	140	69.3	61.1-77.5	37	18.6	11.2-26.0
\$50,000- 74,999	237	49,268				25	10.4	04.5-16.3	159	63.2	55.0-71.4	53	26.5	18.9-34.1
\$75,000+	562	134,500	1	0.2	00.0-00.6	48	7.8	05.1-10.5	376	63.9	57.2-70.6	137	28.2	21.5-34.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 33: REPORTED HEIGHT IN METERS (HTM3).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	343,750	206	7.6	06.0-09.2	1803	72.2	69.7-74.7	466	19.8	17.6-22.0	3	0.5	00.0-01.3
White/Non-Hisp	1999	267,428	164	7.8	06.0-09.6	1459	72.2	69.5-74.9	374	20.0	17.5-22.5	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	293	44,120	26	6.8	03.5-10.1	207	68.8	60.8-76.8	59	21.3	14.8-27.8	1	3.1	00.0-09.0
Oth. Race/Non-Hisp.	56	9,922	7	11.4	01.4-21.4				6	5.2	00.1-10.3			
MultiRacial/Non-Hisp.	59	9,083	1	0.9	00.0-02.7									
Hispanic	52	11,468	6	7.8	00.0-15.6									
18-24	95	41,571	7	7.8	00.2-15.4							2	3.6	00.0-09.9
25-34	262	57,242	21	6.9	03.4-10.4	175	67.4	60.3-74.5	66	25.7	19.0-32.4			
35-44	440	63,491	30	6.6	03.9-09.3	310	73.0	68.1-77.9	99	20.3	16.0-24.6	1	0.1	00.0-00.3
45-54	482	62,700	26	4.8	02.6-07.0	347	71.1	65.8-76.4	109	24.1	19.2-29.0			
55-64	490	50,000	35	6.9	04.2-09.6	382	78.1	73.4-82.8	73	15.0	10.9-19.1			
65+	690	66,705	85	11.8	08.7-14.9	515	75.8	71.9-79.7	90	12.4	09.5-15.3			
Less Than H.S.	157	17,487	24	15.5	08.4-22.6	114	74.4	65.8-83.0	19	10.1	04.2-16.0			
H.S. or G.E.D.	826	112,000	73	9.1	05.8-12.4	620	72.1	67.2-77.0	131	17.4	13.5-21.3	2	1.3	00.0-03.7
Some Post-H.S.	679	99,878	66	7.5	05.1-09.9	488	72.8	67.9-77.7	125	19.7	15.2-24.2			
College Graduate	813	114,107	42	5.0	03.2-06.8	579	71.2	67.3-75.1	191	23.8	20.1-27.5	1	0.1	00.0-00.3
Less than \$15,000	282	31,111	39	14.2	08.5-19.9	202	72.9	65.6-80.2	41	12.9	07.6-18.2			
\$15,000- 24,999	296	30,722	32	12.6	07.3-17.9	224	70.4	61.4-79.4	38	12.1	07.2-17.0	2	4.8	00.0-13.2
\$25,000- 34,999	214	29,247	20	10.5	01.5-19.5	163	77.7	67.9-87.5	31	11.8	06.1-17.5			
\$35,000- 49,999	363	50,360	25	7.3	03.0-11.6	253	67.8	60.9-74.7	85	24.8	18.7-30.9			
\$50,000- 74,999	368	52,857	13	3.0	00.8-05.2	285	75.5	69.4-81.6	70	21.5	15.6-27.4			
\$75,000+	599	97,226	40	5.8	03.6-08.0	418	69.8	64.9-74.7	140	24.2	19.5-28.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3864	644,700	32	0.6	00.4-00.8	1236	30.2	28.0-32.4	1764	44.9	42.5-47.3	645	18.6	16.6-20.6	155	4.7	03.7-05.7	32	1.0	00.6-01.4
Male	1490	316,678	2	0.1	00.1-00.1	127	10.0	07.8-12.2	773	50.9	47.2-54.6	458	29.8	26.3-33.3	107	7.8	06.0-09.6	23	1.5	00.7-02.3
Female	2374	328,022	30	1.2	00.6-01.8	1109	49.7	46.8-52.6	991	39.1	36.4-41.8	187	7.8	06.2-09.4	48	1.7	01.1-02.3	9	0.4	00.0-00.8
White/Non-Hisp	3133	500,801	28	0.7	00.3-01.1	1036	30.7	28.5-32.9	1421	45.4	42.9-47.9	500	17.6	15.6-19.6	123	4.7	03.5-05.9	25	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	443	82,378	4	0.7	00.0-01.5	103	22.2	16.1-28.3	201	41.1	33.7-48.5	107	29.5	20.3-38.7	22	5.1	02.6-07.6	6	1.4	00.0-03.0
Oth. Race/Non-Hisp.	98	22,326										5	4.9	00.4-09.4						
MultiRacial/Non-Hisp.	80	13,757										11	12.5	03.9-21.1	1	1.8	00.0-05.3			
Hispanic	83	21,865										12	8.0	02.5-13.5	1	3.0	00.0-08.9	1	1.4	00.0-04.1
18-24	185	83,289				80	46.7	37.7-55.7	77	40.1	31.3-48.9	20	9.9	04.6-15.2	6	2.6	00.2-05.0	2	0.6	00.0-01.6
25-34	402	110,471	3	0.5	00.0-01.1	128	24.6	19.5-29.7	182	47.2	39.9-54.5	67	22.1	14.3-29.9	20	5.3	02.6-08.0	2	0.3	00.0-00.9
35-44	669	121,468	1	0.2	00.0-00.6	215	28.1	24.0-32.2	290	44.3	39.6-49.0	116	19.1	15.2-23.0	38	6.6	04.1-09.1	9	1.8	00.2-03.4
45-54	792	118,870	6	0.6	00.0-01.2	213	25.4	21.7-29.1	353	43.0	38.5-47.5	176	25.2	21.1-29.3	34	4.2	02.4-06.0	10	1.5	00.3-02.7
55-64	769	92,832	10	1.0	00.2-01.8	219	27.0	22.9-31.1	359	43.6	38.9-48.3	140	20.5	16.4-24.6	35	6.8	03.7-09.9	6	1.1	00.0-02.3
65+	1022	114,909	12	1.4	00.4-02.4	371	33.5	30.0-37.0	491	49.4	45.5-53.3	123	12.8	10.1-15.5	22	2.6	01.2-04.0	3	0.3	00.0-00.7
Less Than H.S.	269	37,970	4	1.1	00.0-02.5	81	29.1	21.1-37.1	120	47.2	38.4-56.0	48	16.4	09.9-22.9	11	5.2	01.1-09.3	5	0.9	00.0-01.9
H.S. or G.E.D.	1247	204,983	9	0.6	00.0-01.2	401	31.6	27.7-35.5	566	43.7	39.4-48.0	195	17.1	14.0-20.2	63	5.7	03.7-07.7	13	1.3	00.3-02.3
Some Post-H.S.	997	177,018	12	0.9	00.3-01.5	318	29.1	24.8-33.4	465	45.7	40.8-50.6	162	19.8	14.7-24.9	34	3.6	02.0-05.2	6	0.9	00.1-01.7
College Graduate	1348	224,450	7	0.4	00.0-00.8	434	29.9	26.8-33.0	612	45.0	41.5-48.5	240	19.5	16.8-22.2	47	4.5	02.9-06.1	8	0.7	00.1-01.3
Less than \$15,000	423	57,746	4	1.3	00.0-02.7	141	30.4	24.1-36.7	200	47.9	41.2-54.6	57	14.8	09.9-19.7	17	4.1	01.6-06.6	4	1.5	00.0-03.1
\$15,000- 24,999	380	44,788	9	2.4	00.4-04.4	122	30.1	23.8-36.4	174	49.6	42.2-57.0	53	13.2	08.7-17.7	16	3.8	01.3-06.3	6	0.9	00.0-01.9
\$25,000- 34,999	324	51,043	4	1.1	00.0-02.5	106	30.8	22.8-38.8	148	43.1	35.3-50.9	54	17.9	11.2-24.6	8	6.0	00.7-11.3	4	1.1	00.0-02.3
\$35,000- 49,999	556	86,068	3	0.5	00.0-01.1	168	30.6	24.9-36.3	263	44.6	38.9-50.3	97	18.5	13.8-23.2	21	4.8	02.3-07.3	4	0.9	00.0-01.9
\$50,000- 74,999	594	101,051	1	0.0	00.0-00.0	170	27.3	22.2-32.4	290	47.9	42.4-53.4	104	18.0	14.1-21.9	25	5.9	03.2-08.6	4	0.8	00.0-01.8
\$75,000+	1133	226,582	5	0.2	00.0-00.4	339	26.8	23.3-30.3	499	44.5	40.2-48.8	228	22.7	18.4-27.0	55	4.9	03.3-06.5	7	0.9	00.1-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1490	316,678	2	0.1	00.1-00.1	127	10.0	07.8-12.2	773	50.9	47.2-54.6	458	29.8	26.3-33.3	107	7.8	06.0-09.6	23	1.5	00.7-02.3
White/Non-Hisp	1221	245,895	1	0.1	00.0-00.3	93	8.8	06.4-11.2	653	53.3	49.4-57.2	370	28.6	25.3-31.9	86	7.8	05.6-10.0	18	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	159	40,692	1	0.1	00.0-00.3	14	9.5	03.2-15.8							13	8.0	02.9-13.1	4	2.7	00.0-05.8
18-24	91	42,326										15	14.7	06.5-22.9	6	5.1	00.8-09.4	2	1.3	00.0-03.3
25-34	151	56,094				8	3.5	01.0-06.0							13	7.6	02.9-12.3	1	0.5	00.0-01.5
35-44	251	61,577				19	10.0	05.1-14.9	130	48.9	41.3-56.5	71	28.7	21.8-35.6	28	10.7	06.0-15.4	3	1.6	00.0-03.6
45-54	328	59,659	2	0.3	00.0-00.9	18	5.4	02.3-08.5	157	46.4	39.5-53.3	121	39.0	32.1-45.9	21	5.9	02.8-09.0	9	2.9	00.7-05.1
55-64	305	45,651				21	7.6	03.7-11.5	140	43.4	36.1-50.7	109	33.6	26.5-40.7	30	13.2	06.9-19.5	5	2.2	00.0-04.7
65+	356	50,085				40	11.5	07.4-15.6	213	59.2	52.7-65.7	91	24.8	19.3-30.3	9	3.9	01.0-06.8	3	0.6	00.0-01.4
Less Than H.S.	115	20,596	1	0.2	00.0-00.6	21	15.9	06.3-25.5							8	7.3	00.2-14.4	2	1.2	00.0-03.0
H.S. or G.E.D.	449	96,789				43	11.8	07.3-16.3	224	49.5	42.8-56.2	131	26.2	20.7-31.7	42	10.6	06.7-14.5	9	1.9	00.5-03.3
Some Post-H.S.	350	81,956				22	7.8	03.9-11.7	192	52.4	43.8-61.0	108	32.4	23.2-41.6	23	5.8	02.9-08.7	5	1.6	00.0-03.2
College Graduate	576	117,337	1	0.1	00.0-00.3	41	9.0	05.9-12.1	303	50.7	45.4-56.0	190	32.1	27.2-37.0	34	6.8	04.1-09.5	7	1.2	00.0-02.4
Less than \$15,000	145	26,938	1	0.6	00.0-01.8	27	18.4	09.4-27.4				34	22.3	13.3-31.3	8	7.0	01.5-12.5	3	2.5	00.0-05.6
\$15,000- 24,999	92	14,701	1	0.2	00.0-00.6	12	8.5	02.8-14.2							8	7.3	01.0-13.6	1	1.0	00.0-03.0
\$25,000- 34,999	123	23,859				15	12.0	04.9-19.1				36	25.4	16.0-34.8	5	9.8	00.0-19.6	3	1.9	00.0-04.1
\$35,000- 49,999	202	36,606				18	12.3	05.8-18.8	109	52.2	43.2-61.2	59	25.6	18.0-33.2	13	8.1	02.8-13.4	3	1.8	00.0-03.8
\$50,000- 74,999	237	49,268				15	6.7	02.2-11.2	128	53.6	45.2-62.0	74	28.5	21.4-35.6	16	9.5	04.2-14.8	4	1.7	00.0-03.7
\$75,000+	561	134,376				26	5.8	03.3-08.3	288	51.2	44.9-57.5	192	34.3	27.8-40.8	49	7.5	04.8-10.2	6	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	328,022	30	1.2	00.6-01.8	1109	49.7	46.8-52.6	991	39.1	36.4-41.8	187	7.8	06.2-09.4	48	1.7	01.1-02.3	9	0.4	00.0-00.8
White/Non-Hisp	1912	254,906	27	1.3	00.7-01.9	943	51.8	48.7-54.9	768	37.7	34.8-40.6	130	6.9	05.1-08.7	37	1.7	00.9-02.5	7	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	284	41,687	3	1.2	00.0-02.8	89	34.7	25.9-43.5	133	44.7	36.1-53.3	48	17.0	11.1-22.9	9	2.1	00.3-03.9	2	0.2	00.0-00.6
Oth. Race/Non-Hisp.	53	9,383										1	1.7	00.0-05.0						
MultiRacial/Non-Hisp.	58	9,026										5	5.8	00.3-11.3	1	2.7	00.0-08.0			
Hispanic	51	11,400										4	3.9	00.0-08.8						
18-24	94	40,963										5	5.0	00.0-11.7						
25-34	251	54,377	3	1.0	00.0-02.2	120	46.3	38.5-54.1	101	39.9	32.1-47.7	19	9.8	04.1-15.5	7	2.9	00.2-05.6	1	0.2	00.0-00.6
35-44	418	59,891	1	0.4	00.0-01.2	196	46.7	40.8-52.6	160	39.5	33.8-45.2	45	9.2	06.1-12.3	10	2.3	00.7-03.9	6	2.0	00.0-04.4
45-54	464	59,212	4	0.9	00.0-02.1	195	45.6	39.7-51.5	196	39.6	33.9-45.3	55	11.4	07.7-15.1	13	2.4	00.8-04.0	1	0.1	00.0-00.3
55-64	464	47,181	10	2.0	00.4-03.6	198	45.8	39.9-51.7	219	43.7	37.8-49.6	31	7.8	04.5-11.1	5	0.6	00.0-01.2	1	0.1	00.0-00.3
65+	666	64,824	12	2.5	00.7-04.3	331	50.6	45.9-55.3	278	41.7	37.2-46.2	32	3.6	02.2-05.0	13	1.6	00.6-02.6			
Less Than H.S.	154	17,374	3	2.2	00.0-05.1							19	8.9	04.4-13.4	3	2.8	00.0-06.1	3	0.6	00.0-01.4
H.S. or G.E.D.	798	108,195	9	1.1	00.1-02.1	358	49.4	44.1-54.7	342	38.5	33.6-43.4	64	8.9	05.8-12.0	21	1.4	00.6-02.2	4	0.8	00.0-02.0
Some Post-H.S.	647	95,062	12	1.7	00.5-02.9	296	47.5	41.6-53.4	273	40.0	34.3-45.7	54	9.0	05.5-12.5	11	1.6	00.2-03.0	1	0.2	00.0-00.6
College Graduate	772	107,113	6	0.7	00.1-01.3	393	52.8	48.3-57.3	309	38.8	34.5-43.1	50	5.6	03.6-07.6	13	2.0	00.8-03.2	1	0.1	00.0-00.3
Less than \$15,000	278	30,808	3	1.9	00.0-04.4	114	40.9	32.9-48.9	128	46.8	38.8-54.8	23	8.2	03.7-12.7	9	1.5	00.5-02.5	1	0.7	00.0-02.1
\$15,000- 24,999	288	30,087	8	3.4	00.5-06.3	110	40.7	32.5-48.9	125	43.7	34.9-52.5	32	9.2	05.3-13.1	8	2.1	00.1-04.1	5	0.9	00.0-01.9
\$25,000- 34,999	201	27,184	4	2.0	00.0-04.4				84	36.1	26.3-45.9	18	11.3	01.7-20.9	3	2.8	00.0-07.1	1	0.4	00.0-01.2
\$35,000- 49,999	354	49,462	3	0.9	00.0-02.1	150	44.1	36.3-51.9	154	38.9	31.8-46.0	38	13.3	07.4-19.2	8	2.4	00.6-04.2	1	0.3	00.0-00.9
\$50,000- 74,999	357	51,783	1	0.1	00.0-00.3	155	47.0	39.6-54.4	162	42.4	35.3-49.5	30	8.0	04.7-11.3	9	2.5	00.5-04.5			
\$75,000+	572	92,206	5	0.5	00.0-01.1	313	57.4	52.1-62.7	211	34.7	29.6-39.8	36	5.7	03.2-08.2	6	1.0	00.0-02.0	1	0.7	00.0-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3856	643,381	28	0.6	00.4-00.8	1235	34.3	32.1-36.5	1416	36.8	34.4-39.2	766	18.5	16.9-20.1	411	9.7	08.3-11.1
Male	1488	315,967	4	0.2	00.0-00.4	347	26.3	23.2-29.4	646	42.8	39.1-46.5	339	21.3	18.6-24.0	152	9.4	07.6-11.2
Female	2368	327,413	24	1.0	00.4-01.6	888	42.0	39.1-44.9	770	31.1	28.6-33.6	427	15.9	13.9-17.9	259	10.0	08.2-11.8
White/Non-Hisp	3129	500,536	26	0.7	00.3-01.1	1038	35.2	32.8-37.6	1153	36.5	34.1-38.9	612	18.4	16.6-20.2	300	9.2	07.8-10.6
Black or Afr. Am./Non-Hisp	441	82,199	1	0.3	00.0-00.9	105	26.5	19.8-33.2	154	38.2	29.4-47.0	95	19.4	14.3-24.5	86	15.5	11.2-19.8
Oth. Race/Non-Hisp.	98	22,326													8	5.7	01.2-10.2
MultiRacial/Non-Hisp.	80	13,757	1	2.4	00.0-07.1										6	5.1	00.2-10.0
Hispanic	82	21,204										15	13.1	04.5-21.7	8	3.6	00.3-06.9
18-24	184	82,627				97	57.0	48.2-65.8	52	27.4	19.4-35.4	25	11.3	06.2-16.4	10	4.2	00.5-07.9
25-34	402	110,471	1	0.0	00.0-00.0	135	32.0	25.9-38.1	147	40.9	33.3-48.5	76	16.4	11.9-20.9	43	10.7	06.8-14.6
35-44	668	121,255				225	32.8	28.3-37.3	229	35.0	30.3-39.7	122	19.7	15.8-23.6	92	12.5	09.6-15.4
45-54	791	118,759	6	1.0	00.0-02.0	239	31.1	26.8-35.4	269	34.8	30.5-39.1	180	21.6	17.9-25.3	97	11.5	08.8-14.2
55-64	768	92,764	9	1.2	00.2-02.2	197	25.1	21.2-29.0	300	39.7	35.0-44.4	170	21.7	18.0-25.4	92	12.2	08.7-15.7
65+	1020	114,716	12	1.4	00.4-02.4	335	32.9	29.4-36.4	406	40.7	37.0-44.4	190	19.1	16.0-22.2	77	6.0	04.2-07.8
Less Than H.S.	265	37,047	4	1.5	00.0-03.1	72	30.1	21.7-38.5	93	38.9	30.3-47.5	55	18.8	11.9-25.7	41	10.7	06.6-14.8
H.S. or G.E.D.	1245	204,823	9	0.6	00.0-01.2	367	33.9	29.8-38.0	438	34.3	30.2-38.4	287	19.7	16.8-22.6	144	11.5	09.0-14.0
Some Post-H.S.	995	176,782	9	0.9	00.1-01.7	324	33.8	29.1-38.5	354	36.9	31.8-42.0	189	18.0	14.7-21.3	119	10.4	07.9-12.9
College Graduate	1348	224,450	6	0.3	00.1-00.5	470	35.8	32.5-39.1	531	38.8	35.5-42.1	235	17.8	15.1-20.5	106	7.3	05.5-09.1
Less than \$15,000	422	57,678	8	1.8	00.4-03.2	124	34.2	27.3-41.1	150	34.5	28.2-40.8	82	17.5	12.8-22.2	58	11.9	08.0-15.8
\$15,000- 24,999	380	44,788	9	2.4	00.4-04.4	107	32.8	25.2-40.4	118	33.1	26.2-40.0	81	18.1	13.2-23.0	65	13.6	09.3-17.9
\$25,000- 34,999	324	51,043				112	35.1	26.9-43.3	119	33.9	26.6-41.2	59	18.7	12.8-24.6	34	12.3	05.4-19.2
\$35,000- 49,999	553	85,795	4	0.7	00.0-01.7	167	33.5	27.6-39.4	191	32.2	26.9-37.5	126	20.7	16.4-25.0	65	12.8	08.7-16.9
\$50,000- 74,999	594	101,051				174	32.8	27.3-38.3	233	36.3	31.0-41.6	123	20.0	15.9-24.1	64	10.9	07.6-14.2
\$75,000+	1132	226,369	4	0.3	00.0-00.7	383	33.1	29.2-37.0	432	41.2	36.7-45.7	219	17.8	14.9-20.7	94	7.5	05.5-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	315,967	4	0.2	00.0-00.4	347	26.3	23.2-29.4	646	42.8	39.1-46.5	339	21.3	18.6-24.0	152	9.4	07.6-11.2
White/Non-Hisp	1220	245,846	4	0.3	00.0-00.7	278	26.3	22.8-29.8	536	42.2	38.3-46.1	280	22.0	19.1-24.9	122	9.2	07.2-11.2
Black or Afr. Am./Non-Hisp	159	40,692				37	22.9	13.7-32.1				39	19.2	11.2-27.2	20	12.5	06.2-18.8
18-24	90	41,664										14	13.7	05.7-21.7	4	3.2	00.0-06.5
25-34	151	56,094				33	21.9	13.3-30.5				37	18.5	11.4-25.6	15	8.3	03.4-13.2
35-44	251	61,577				53	24.0	17.1-30.9	110	40.8	33.4-48.2	58	24.3	17.6-31.0	30	10.8	06.5-15.1
45-54	328	59,659	2	0.4	00.0-01.0	78	25.5	19.4-31.6	131	38.2	31.5-44.9	79	24.8	18.7-30.9	38	11.1	07.0-15.2
55-64	305	45,651				44	14.3	09.4-19.2	135	45.2	37.8-52.6	82	24.5	18.4-30.6	44	16.0	09.9-22.1
65+	356	50,085	2	0.9	00.0-02.3	95	27.2	21.5-32.9	170	45.5	39.0-52.0	68	20.3	14.8-25.8	21	6.1	03.0-09.2
Less Than H.S.	114	19,935	1	0.8	00.0-02.4										13	6.7	02.2-11.2
H.S. or G.E.D.	448	96,739				96	27.7	21.4-34.0	187	38.8	32.1-45.5	109	20.5	15.6-25.4	56	13.0	08.9-17.1
Some Post-H.S.	350	81,956	1	0.4	00.0-01.2	80	24.9	18.2-31.6	148	44.2	35.4-53.0	82	21.3	15.6-27.0	39	9.3	05.8-12.8
College Graduate	576	117,337	2	0.2	00.0-00.4	142	26.5	21.8-31.2	268	44.7	39.6-49.8	120	21.6	17.3-25.9	44	7.0	04.5-09.5
Less than \$15,000	145	26,938	4	2.5	00.0-05.2							23	14.0	06.9-21.1	15	11.2	04.7-17.7
\$15,000- 24,999	92	14,701										22	18.2	09.2-27.2	12	10.5	03.2-17.8
\$25,000- 34,999	123	23,859										23	21.1	11.5-30.7	10	9.9	01.1-18.7
\$35,000- 49,999	202	36,606				52	29.7	21.1-38.3	84	37.7	29.1-46.3	46	21.2	13.9-28.5	20	11.3	05.6-17.0
\$50,000- 74,999	237	49,268				51	24.8	17.2-32.4	110	42.5	34.3-50.7	53	22.0	15.5-28.5	23	10.6	05.3-15.9
\$75,000+	561	134,376				111	21.5	16.8-26.2	255	48.6	42.1-55.1	137	21.8	17.3-26.3	58	8.1	05.6-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (\_BMI4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	327,413	24	1.0	00.4-01.6	888	42.0	39.1-44.9	770	31.1	28.6-33.6	427	15.9	13.9-17.9	259	10.0	08.2-11.8
White/Non-Hisp	1909	254,690	22	1.1	00.5-01.7	760	43.7	40.6-46.8	617	31.0	28.3-33.7	332	15.0	13.0-17.0	178	9.3	07.3-11.3
Black or Afr. Am./Non-Hisp	282	41,507	1	0.6	00.0-01.8	68	30.1	20.9-39.3	91	31.2	23.2-39.2	56	19.6	13.3-25.9	66	18.5	12.8-24.2
Oth. Race/Non-Hisp.	53	9,383													3	3.0	00.0-06.9
MultiRacial/Non-Hisp.	58	9,026	1	3.7	00.0-10.8										6	7.8	00.4-15.2
Hispanic	51	11,400										8	9.4	01.0-17.8	6	3.8	00.3-07.3
18-24	94	40,963										11	8.9	02.8-15.0	6	5.3	00.0-12.0
25-34	251	54,377	1	0.1	00.0-00.3	102	42.4	34.8-50.0	81	30.1	23.0-37.2	39	14.2	08.3-20.1	28	13.2	07.1-19.3
35-44	417	59,678				172	41.9	36.2-47.6	119	28.9	23.6-34.2	64	14.8	10.9-18.7	62	14.3	10.2-18.4
45-54	463	59,101	4	1.7	00.0-03.5	161	36.7	31.0-42.4	138	31.4	25.9-36.9	101	18.4	14.1-22.7	59	11.8	08.1-15.5
55-64	463	47,113	9	2.3	00.3-04.3	153	35.7	30.0-41.4	165	34.4	28.7-40.1	88	19.1	14.4-23.8	48	8.5	05.4-11.6
65+	664	64,631	10	1.8	00.6-03.0	240	37.3	32.8-41.8	236	36.9	32.4-41.4	122	18.2	14.5-21.9	56	5.9	04.1-07.7
Less Than H.S.	151	17,113	3	2.2	00.0-05.1				50	31.9	22.3-41.5	27	13.8	07.1-20.5	28	15.4	08.5-22.3
H.S. or G.E.D.	797	108,084	9	1.2	00.2-02.2	271	39.5	34.2-44.8	251	30.2	25.5-34.9	178	18.9	15.6-22.2	88	10.2	06.9-13.5
Some Post-H.S.	645	94,826	8	1.3	00.1-02.5	244	41.4	35.5-47.3	206	30.6	25.5-35.7	107	15.3	11.2-19.4	80	11.5	07.8-15.2
College Graduate	772	107,113	4	0.4	00.0-00.8	328	45.9	41.4-50.4	263	32.4	28.3-36.5	115	13.7	10.8-16.6	62	7.6	05.2-10.0
Less than \$15,000	277	30,740	4	1.2	00.0-02.4	79	31.3	23.3-39.3	92	34.4	26.6-42.2	59	20.6	14.5-26.7	43	12.5	07.6-17.4
\$15,000- 24,999	288	30,087	9	3.6	00.7-06.5	83	36.7	27.5-45.9	84	26.5	19.8-33.2	59	18.1	12.2-24.0	53	15.2	09.9-20.5
\$25,000- 34,999	201	27,184							64	28.5	19.9-37.1	36	16.6	09.7-23.5			
\$35,000- 49,999	351	49,189	4	1.3	00.0-02.9	115	36.4	28.6-44.2	107	28.2	21.7-34.7	80	20.4	15.1-25.7	45	13.8	07.9-19.7
\$50,000- 74,999	357	51,783				123	40.3	32.9-47.7	123	30.4	24.1-36.7	70	18.0	12.7-23.3	41	11.2	07.3-15.1
\$75,000+	571	91,993	4	0.8	00.0-01.8	272	50.2	44.7-55.7	177	30.5	25.6-35.4	82	11.9	08.8-15.0	36	6.6	03.9-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3856	643,381	1263	34.9	32.7-37.1	1415	36.8	34.4-39.2	1178	28.2	26.2-30.2
Male	1488	315,967	351	26.6	23.5-29.7	646	42.8	39.1-46.5	491	30.7	27.6-33.8
Female	2368	327,413	912	43.0	40.1-45.9	769	31.1	28.6-33.6	687	25.9	23.5-28.3
White/Non-Hisp	3129	500,536	1064	35.8	33.4-38.2	1152	36.5	34.1-38.9	913	27.7	25.5-29.9
Black or Afr. Am./Non-Hisp	441	82,199	106	26.8	20.1-33.5	154	38.2	29.4-47.0	181	34.9	28.2-41.6
Hispanic	82	21,204							23	16.8	07.6-26.0
18-24	184	82,627	97	57.0	48.2-65.8	52	27.4	19.4-35.4	35	15.6	09.5-21.7
25-34	402	110,471	136	32.0	25.9-38.1	147	40.9	33.3-48.5	119	27.1	21.2-33.0
35-44	668	121,255	225	32.8	28.3-37.3	229	35.0	30.3-39.7	214	32.2	27.7-36.7
45-54	791	118,759	245	32.1	27.8-36.4	269	34.8	30.5-39.1	277	33.1	28.8-37.4
55-64	768	92,764	206	26.3	22.2-30.4	299	39.6	34.9-44.3	263	34.1	29.6-38.6
65+	1020	114,716	347	34.2	30.5-37.9	406	40.7	37.0-44.4	267	25.1	21.8-28.4
Less Than H.S.	265	37,047	76	31.5	23.1-39.9	93	38.9	30.3-47.5	96	29.6	22.0-37.2
H.S. or G.E.D.	1245	204,823	376	34.5	30.4-38.6	437	34.2	30.1-38.3	432	31.2	27.5-34.9
Some Post-H.S.	995	176,782	333	34.6	29.9-39.3	354	36.9	31.8-42.0	308	28.5	24.4-32.6
College Graduate	1348	224,450	476	36.0	32.7-39.3	531	38.8	35.5-42.1	341	25.1	22.2-28.0
Less than \$15,000	422	57,678	132	36.1	29.2-43.0	150	34.5	28.2-40.8	140	29.4	23.7-35.1
\$15,000- 24,999	380	44,788	116	35.2	27.6-42.8	118	33.1	26.2-40.0	146	31.7	25.4-38.0
\$25,000- 34,999	324	51,043	112	35.1	26.9-43.3	119	33.9	26.6-41.2	93	31.0	23.2-38.8
\$35,000- 49,999	553	85,795	171	34.3	28.4-40.2	191	32.2	26.9-37.5	191	33.5	28.0-39.0
\$50,000- 74,999	594	101,051	174	32.8	27.3-38.3	233	36.3	31.0-41.6	187	30.9	26.0-35.8
\$75,000+	1132	226,369	387	33.5	29.6-37.4	432	41.2	36.7-45.7	313	25.3	22.0-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	315,967	351	26.6	23.5-29.7	646	42.8	39.1-46.5	491	30.7	27.6-33.8
White/Non-Hisp	1220	245,846	282	26.6	23.1-30.1	536	42.2	38.3-46.1	402	31.2	27.9-34.5
Black or Afr. Am./Non-Hisp	159	40,692	37	22.9	13.7-32.1						
18-24	90	41,664							18	16.9	08.3-25.5
25-34	151	56,094	33	21.9	13.3-30.5				52	26.8	18.2-35.4
35-44	251	61,577	53	24.0	17.1-30.9	110	40.8	33.4-48.2	88	35.1	27.8-42.4
45-54	328	59,659	80	25.9	19.8-32.0	131	38.2	31.5-44.9	117	35.9	29.2-42.6
55-64	305	45,651	44	14.3	09.4-19.2	135	45.2	37.8-52.6	126	40.5	33.1-47.9
65+	356	50,085	97	28.1	22.2-34.0	170	45.5	39.0-52.0	89	26.4	20.5-32.3
H.S. or G.E.D.	448	96,739	96	27.7	21.4-34.0	187	38.8	32.1-45.5	165	33.5	27.6-39.4
Some Post-H.S.	350	81,956	81	25.3	18.6-32.0	148	44.2	35.4-53.0	121	30.5	23.8-37.2
College Graduate	576	117,337	144	26.7	22.0-31.4	268	44.7	39.6-49.8	164	28.6	23.9-33.3
Less than \$15,000	145	26,938							38	25.2	16.2-34.2
\$35,000- 49,999	202	36,606	52	29.7	21.1-38.3	84	37.7	29.1-46.3	66	32.6	24.2-41.0
\$50,000- 74,999	237	49,268	51	24.8	17.2-32.4	110	42.5	34.3-50.7	76	32.6	25.0-40.2
\$75,000+	561	134,376	111	21.5	16.8-26.2	255	48.6	42.1-55.1	195	29.9	24.8-35.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI4CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	327,413	912	43.0	40.1-45.9	769	31.1	28.6-33.6	687	25.9	23.5-28.3
White/Non-Hisp	1909	254,690	782	44.8	41.7-47.9	616	31.0	28.3-33.7	511	24.3	21.6-27.0
Black or Afr. Am./Non-Hisp	282	41,507	69	30.6	21.4-39.8	91	31.2	23.2-39.2	122	38.1	30.1-46.1
Hispanic	51	11,400							14	13.2	03.8-22.6
18-24	94	40,963							17	14.2	05.6-22.8
25-34	251	54,377	103	42.5	34.9-50.1	81	30.1	23.0-37.2	67	27.4	19.8-35.0
35-44	417	59,678	172	41.9	36.2-47.6	119	28.9	23.6-34.2	126	29.2	23.9-34.5
45-54	463	59,101	165	38.4	32.7-44.1	138	31.4	25.9-36.9	160	30.2	25.1-35.3
55-64	463	47,113	162	38.0	32.1-43.9	164	34.2	28.5-39.9	137	27.8	22.5-33.1
65+	664	64,631	250	39.0	34.5-43.5	236	36.9	32.4-41.4	178	24.1	20.2-28.0
Less Than H.S.	151	17,113				50	31.9	22.3-41.5	55	29.2	20.0-38.4
H.S. or G.E.D.	797	108,084	280	40.7	35.4-46.0	250	30.1	25.4-34.8	267	29.2	24.7-33.7
Some Post-H.S.	645	94,826	252	42.7	36.8-48.6	206	30.6	25.5-35.7	187	26.7	21.6-31.8
College Graduate	772	107,113	332	46.2	41.7-50.7	263	32.4	28.3-36.5	177	21.3	17.8-24.8
Less than \$15,000	277	30,740	83	32.5	24.5-40.5	92	34.4	26.6-42.2	102	33.1	25.8-40.4
\$15,000- 24,999	288	30,087	92	40.3	31.3-49.3	84	26.5	19.8-33.2	112	33.2	25.8-40.6
\$25,000- 34,999	201	27,184				64	28.5	19.9-37.1			
\$35,000- 49,999	351	49,189	119	37.6	29.8-45.4	107	28.2	21.7-34.7	125	34.2	26.9-41.5
\$50,000- 74,999	357	51,783	123	40.3	32.9-47.7	123	30.4	24.1-36.7	111	29.2	22.9-35.5
\$75,000+	571	91,993	276	51.0	45.5-56.5	177	30.5	25.6-35.4	118	18.5	14.4-22.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3856	643,381	1263	34.9	32.7-37.1	2593	65.1	62.9-67.3
Male	1488	315,967	351	26.6	23.5-29.7	1137	73.4	70.3-76.5
Female	2368	327,413	912	43.0	40.1-45.9	1456	57.0	54.1-59.9
White/Non-Hisp	3129	500,536	1064	35.8	33.4-38.2	2065	64.2	61.8-66.6
Black or Afr. Am./Non-Hisp	441	82,199	106	26.8	20.1-33.5	335	73.2	66.5-79.9
18-24	184	82,627	97	57.0	48.2-65.8	87	43.0	34.2-51.8
25-34	402	110,471	136	32.0	25.9-38.1	266	68.0	61.9-74.1
35-44	668	121,255	225	32.8	28.3-37.3	443	67.2	62.7-71.7
45-54	791	118,759	245	32.1	27.8-36.4	546	67.9	63.6-72.2
55-64	768	92,764	206	26.3	22.2-30.4	562	73.7	69.6-77.8
65+	1020	114,716	347	34.2	30.5-37.9	673	65.8	62.1-69.5
Less Than H.S.	265	37,047	76	31.5	23.1-39.9	189	68.5	60.1-76.9
H.S. or G.E.D.	1245	204,823	376	34.5	30.4-38.6	869	65.5	61.4-69.6
Some Post-H.S.	995	176,782	333	34.6	29.9-39.3	662	65.4	60.7-70.1
College Graduate	1348	224,450	476	36.0	32.7-39.3	872	64.0	60.7-67.3
Less than \$15,000	422	57,678	132	36.1	29.2-43.0	290	63.9	57.0-70.8
\$15,000- 24,999	380	44,788	116	35.2	27.6-42.8	264	64.8	57.2-72.4
\$25,000- 34,999	324	51,043	112	35.1	26.9-43.3	212	64.9	56.7-73.1
\$35,000- 49,999	553	85,795	171	34.3	28.4-40.2	382	65.7	59.8-71.6
\$50,000- 74,999	594	101,051	174	32.8	27.3-38.3	420	67.2	61.7-72.7
\$75,000+	1132	226,369	387	33.5	29.6-37.4	745	66.5	62.6-70.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1488	315,967	351	26.6	23.5-29.7	1137	73.4	70.3-76.5
White/Non-Hisp	1220	245,846	282	26.6	23.1-30.1	938	73.4	69.9-76.9
Black or Afr. Am./Non-Hisp	159	40,692	37	22.9	13.7-32.1	122	77.1	67.9-86.3
25-34	151	56,094	33	21.9	13.3-30.5	118	78.1	69.5-86.7
35-44	251	61,577	53	24.0	17.1-30.9	198	76.0	69.1-82.9
45-54	328	59,659	80	25.9	19.8-32.0	248	74.1	68.0-80.2
55-64	305	45,651	44	14.3	09.4-19.2	261	85.7	80.8-90.6
65+	356	50,085	97	28.1	22.2-34.0	259	71.9	66.0-77.8
H.S. or G.E.D.	448	96,739	96	27.7	21.4-34.0	352	72.3	66.0-78.6
Some Post-H.S.	350	81,956	81	25.3	18.6-32.0	269	74.7	68.0-81.4
College Graduate	576	117,337	144	26.7	22.0-31.4	432	73.3	68.6-78.0
\$35,000- 49,999	202	36,606	52	29.7	21.1-38.3	150	70.3	61.7-78.9
\$50,000- 74,999	237	49,268	51	24.8	17.2-32.4	186	75.2	67.6-82.8
\$75,000+	561	134,376	111	21.5	16.8-26.2	450	78.5	73.8-83.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI4).**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	327,413	912	43.0	40.1-45.9	1456	57.0	54.1-59.9
White/Non-Hisp	1909	254,690	782	44.8	41.7-47.9	1127	55.2	52.1-58.3
Black or Afr. Am./Non-Hisp	282	41,507	69	30.6	21.4-39.8	213	69.4	60.2-78.6
25-34	251	54,377	103	42.5	34.9-50.1	148	57.5	49.9-65.1
35-44	417	59,678	172	41.9	36.2-47.6	245	58.1	52.4-63.8
45-54	463	59,101	165	38.4	32.7-44.1	298	61.6	55.9-67.3
55-64	463	47,113	162	38.0	32.1-43.9	301	62.0	56.1-67.9
65+	664	64,631	250	39.0	34.5-43.5	414	61.0	56.5-65.5
H.S. or G.E.D.	797	108,084	280	40.7	35.4-46.0	517	59.3	54.0-64.6
Some Post-H.S.	645	94,826	252	42.7	36.8-48.6	393	57.3	51.4-63.2
College Graduate	772	107,113	332	46.2	41.7-50.7	440	53.8	49.3-58.3
Less than \$15,000	277	30,740	83	32.5	24.5-40.5	194	67.5	59.5-75.5
\$15,000- 24,999	288	30,087	92	40.3	31.3-49.3	196	59.7	50.7-68.7
\$35,000- 49,999	351	49,189	119	37.6	29.8-45.4	232	62.4	54.6-70.2
\$50,000- 74,999	357	51,783	123	40.3	32.9-47.7	234	59.7	52.3-67.1
\$75,000+	571	91,993	276	51.0	45.5-56.5	295	49.0	43.5-54.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	99
2 MALES ONLY	100
3 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	102
5 MALES ONLY	103
6 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	105
8 MALES ONLY	106
9 FEMALES ONLY	107
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	108
11 MALES ONLY	109
12 FEMALES ONLY	110
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	111
14 MALES ONLY	112
15 FEMALES ONLY	113

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

**\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\***

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	114

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	115

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3953	656,789	1298	34.7	32.5-36.9	420	13.1	11.5-14.7	131	4.0	02.4-05.6	264	6.1	05.1-07.1	1840	42.1	39.9-44.3
Male	1484	314,403	471	33.3	30.0-36.6	231	17.9	15.2-20.6	72	5.6	02.7-08.5	155	7.9	06.3-09.5	555	35.2	31.7-38.7
Female	2469	342,386	827	35.9	33.2-38.6	189	8.7	06.9-10.5	59	2.4	01.6-03.2	109	4.4	03.4-05.4	1285	48.5	45.8-51.2
White/Non-Hisp	3203	509,845	1080	35.4	33.0-37.8	366	14.4	12.6-16.2	120	4.0	03.0-05.0	241	6.9	05.9-07.9	1396	39.3	36.9-41.7
Black or Afr. Am./Non-Hisp	453	84,954	128	31.1	24.6-37.6	27	6.4	03.5-09.3	8	6.1	00.0-15.9	9	1.8	00.4-03.2	281	54.7	46.5-62.9
Oth. Race/Non-Hisp.	101	22,838				12	11.5	02.3-20.7				6	9.4	00.6-18.2			
MultiRacial/Non-Hisp.	80	13,649							2	0.6	00.0-01.6	3	1.7	00.0-03.7			
Hispanic	84	20,653							1	1.3	00.0-03.8	2	3.4	00.0-08.1			
18-24	184	81,691	64	31.8	23.8-39.8	29	17.8	10.9-24.7	5	2.6	00.0-05.5	4	1.7	00.0-04.1	82	46.1	37.1-55.1
25-34	413	113,295	185	43.5	36.6-50.4	53	14.7	10.4-19.0	14	6.8	00.0-14.2	10	2.5	00.7-04.3	151	32.5	26.0-39.0
35-44	688	124,437	301	42.6	37.9-47.3	78	12.4	09.3-15.5	15	2.1	00.7-03.5	28	5.1	02.7-07.5	266	37.8	33.1-42.5
45-54	807	122,383	270	34.0	29.7-38.3	99	13.9	10.8-17.0	34	4.1	02.5-05.7	52	6.6	04.4-08.8	352	41.4	36.9-45.9
55-64	791	95,123	246	33.3	28.8-37.8	86	12.7	09.6-15.8	35	5.3	03.1-07.5	55	6.9	04.7-09.1	369	41.8	37.1-46.5
65+	1040	116,536	221	21.2	18.1-24.3	75	8.8	06.4-11.2	28	3.2	01.8-04.6	115	12.7	10.2-15.2	601	54.1	50.2-58.0
Less Than H.S.	276	38,012	42	19.5	11.5-27.5	17	9.1	03.6-14.6	3	1.0	00.0-02.2	13	4.4	01.3-07.5	201	66.0	57.2-74.8
H.S. or G.E.D.	1268	206,876	371	30.0	26.5-33.5	95	9.9	07.4-12.4	28	1.9	01.1-02.7	54	4.6	03.0-06.2	720	53.6	49.5-57.7
Some Post-H.S.	1024	180,850	356	36.7	32.2-41.2	99	12.3	09.2-15.4	37	5.7	00.8-10.6	69	5.4	03.6-07.2	463	39.9	35.4-44.4
College Graduate	1382	230,773	529	39.8	36.5-43.1	209	17.3	14.8-19.8	63	4.9	03.5-06.3	128	8.3	06.5-10.1	453	29.7	26.6-32.8
Less than \$15,000	424	57,689	104	24.9	19.0-30.8	30	11.5	06.6-16.4	6	1.1	00.1-02.1	18	5.3	01.6-09.0	266	57.3	50.4-64.2
\$15,000- 24,999	389	45,482	76	23.3	17.0-29.6	22	9.6	04.7-14.5	3	1.6	00.0-04.0	11	1.6	00.4-02.8	277	63.9	56.6-71.2
\$25,000- 34,999	336	52,794	103	36.1	28.3-43.9	23	6.4	02.7-10.1	13	3.3	01.1-05.5	20	4.1	01.9-06.3	177	50.1	42.1-58.1
\$35,000- 49,999	564	86,959	189	29.4	24.3-34.5	62	15.7	11.0-20.4	21	3.1	01.5-04.7	41	6.3	03.9-08.7	251	45.4	39.5-51.3
\$50,000- 74,999	601	101,864	232	39.6	34.3-44.9	63	11.7	07.8-15.6	23	3.3	01.7-04.9	37	6.6	03.9-09.3	246	39.0	33.5-44.5
\$75,000+	1158	230,264	461	38.2	34.3-42.1	188	17.1	14.2-20.0	54	6.5	02.6-10.4	108	7.7	05.9-09.5	347	30.4	26.5-34.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1484	314,403	471	33.3	30.0-36.6	231	17.9	15.2-20.6	72	5.6	02.7-08.5	155	7.9	06.3-09.5	555	35.2	31.9-38.5
White/Non-Hisp	1217	244,501	390	32.8	29.3-36.3	195	19.2	16.3-22.1	66	5.2	03.6-06.8	142	9.0	07.0-11.0	424	33.7	30.0-37.4
Black or Afr. Am./Non-Hisp	158	40,630				20	11.6	05.5-17.7				6	2.7	00.0-05.4			
18-24	89	40,120							3	3.6	00.0-08.9	3	1.2	00.0-02.6			
25-34	152	56,218				32	20.9	12.9-28.9				7	3.1	00.6-05.6			
35-44	249	61,411	93	36.5	29.2-43.8	41	15.9	10.6-21.2	8	3.1	00.6-05.6	20	8.5	04.0-13.0	87	35.9	28.5-43.3
45-54	327	59,958	100	31.3	24.8-37.8	51	17.0	11.9-22.1	19	4.3	02.1-06.5	34	10.0	05.9-14.1	123	37.3	30.6-44.0
55-64	304	45,553	101	32.2	25.5-38.9	47	16.7	11.2-22.2	18	6.4	02.5-10.3	30	7.9	04.4-11.4	108	36.8	29.4-44.2
65+	356	50,305	69	19.5	14.4-24.6	39	13.8	09.1-18.5	17	5.0	02.1-07.9	61	15.8	11.3-20.3	170	45.9	39.4-52.4
Less Than H.S.	115	20,725				11	13.4	03.8-23.0	2	1.3	00.0-03.3	11	7.3	01.8-12.8			
H.S. or G.E.D.	444	94,788	133	29.5	23.8-35.2	53	13.0	08.7-17.3	15	2.0	00.8-03.2	38	8.1	04.8-11.4	205	47.4	40.7-54.1
Some Post-H.S.	351	81,797	109	32.6	25.3-39.9	52	18.2	12.3-24.1				33	5.7	03.2-08.2	135	33.5	26.6-40.4
College Graduate	574	117,093	207	37.9	32.8-43.0	115	22.4	18.1-26.7	33	6.3	03.8-08.8	73	9.5	07.0-12.0	146	23.9	19.4-28.4
Less than \$15,000	144	26,788	33	23.4	13.8-33.0	20	20.1	10.5-29.7	4	1.6	00.0-03.4	9	8.3	00.9-15.7			
\$15,000- 24,999	92	14,701										8	3.7	00.8-06.6			
\$25,000- 34,999	124	23,983				9	8.6	01.5-15.7	9	4.9	01.2-08.6	10	3.5	01.1-05.9			
\$35,000- 49,999	200	36,385	59	28.4	20.2-36.6	30	20.8	12.8-28.8	11	4.7	01.2-08.2	22	8.7	04.4-13.0	78	37.5	28.9-46.1
\$50,000- 74,999	236	49,173	81	35.2	27.2-43.2	31	13.3	07.8-18.8	13	4.3	01.6-07.0	27	9.0	05.3-12.7	84	38.2	29.8-46.6
\$75,000+	560	133,078	199	35.3	29.8-40.8	113	20.4	15.9-24.9	31	8.4	01.9-14.9	66	9.0	06.3-11.7	151	26.9	21.4-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 13: ALCOHOL CONSUMPTION  
 TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2\_)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2469	342,386	827	35.9	33.2-38.6	189	8.7	06.9-10.5	59	2.4	01.6-03.2	109	4.4	03.4-05.4	1285	48.5	45.8-51.2
White/Non-Hisp	1986	265,344	690	37.8	34.9-40.7	171	9.9	07.9-11.9	54	2.9	01.9-03.9	99	4.9	03.7-06.1	972	44.5	41.4-47.6
Black or Afr. Am./Non-Hisp	295	44,324	83	30.7	23.3-38.1	7	1.6	00.0-03.2	3	0.6	00.0-01.2	3	0.9	00.0-01.9	199	66.2	58.6-73.8
Oth. Race/Non-Hisp.	57	9,991				3	2.3	00.0-05.0									
MultiRacial/Non-Hisp.	58	8,918							1	0.8	00.0-02.4	3	2.6	00.0-05.5			
Hispanic	53	11,511							1	2.3	00.0-06.8	1	2.8	00.0-08.3			
18-24	95	41,571				8	11.0	02.2-19.8	2	1.6	00.0-04.1	1	2.2	00.0-06.5			
25-34	261	57,077	113	45.4	37.8-53.0	21	8.6	04.3-12.9	7	2.3	00.3-04.3	3	2.0	00.0-04.4	117	41.8	34.2-49.4
35-44	439	63,025	208	48.5	42.8-54.2	37	8.9	05.8-12.0	7	1.1	00.1-02.1	8	1.9	00.3-03.5	179	39.6	34.1-45.1
45-54	480	62,425	170	36.5	30.8-42.2	48	10.8	07.3-14.3	15	3.8	01.6-06.0	18	3.4	01.6-05.2	229	45.4	39.7-51.1
55-64	487	49,571	145	34.4	28.5-40.3	39	9.0	05.7-12.3	17	4.2	01.7-06.7	25	6.0	03.3-08.7	261	46.4	40.7-52.1
65+	684	66,231	152	22.5	18.6-26.4	36	5.1	03.1-07.1	11	1.8	00.6-03.0	54	10.3	07.4-13.2	431	60.3	55.8-64.8
Less Than H.S.	161	17,287	20	9.2	04.5-13.9	6	3.9	00.8-07.0	1	0.6	00.0-01.8	2	1.0	00.0-02.4	132	85.3	79.4-91.2
H.S. or G.E.D.	824	112,087	238	30.5	26.0-35.0	42	7.3	04.4-10.2	13	1.8	00.6-03.0	16	1.8	00.8-02.8	515	58.7	53.8-63.6
Some Post-H.S.	673	99,053	247	40.2	34.5-45.9	47	7.4	04.1-10.7	15	2.2	00.6-03.8	36	5.1	02.7-07.5	328	45.2	39.5-50.9
College Graduate	808	113,681	322	41.8	37.5-46.1	94	11.9	09.0-14.8	30	3.6	02.0-05.2	55	7.0	04.8-09.2	307	35.7	31.6-39.8
Less than \$15,000	280	30,901	71	26.1	18.8-33.4	10	4.0	01.1-06.9	2	0.6	00.0-01.4	9	2.7	00.7-04.7	188	66.6	59.0-74.2
\$15,000- 24,999	297	30,781	60	25.9	18.3-33.5	8	3.3	00.8-05.8	3	2.4	00.0-05.9	3	0.6	00.0-01.4	223	67.9	59.9-75.9
\$25,000- 34,999	212	28,812				14	4.5	01.6-07.4	4	1.9	00.0-04.4	10	4.6	01.1-08.1			
\$35,000- 49,999	364	50,573	130	30.2	23.9-36.5	32	12.0	06.5-17.5	10	2.0	00.6-03.4	19	4.6	02.1-07.1	173	51.2	43.6-58.8
\$50,000- 74,999	365	52,691	151	43.7	36.6-50.8	32	10.1	04.4-15.8	10	2.3	00.3-04.3	10	4.3	00.6-08.0	162	39.7	32.8-46.6
\$75,000+	598	97,186	262	42.3	37.2-47.4	75	12.7	09.2-16.2	23	4.0	02.2-05.8	42	5.9	03.7-08.1	196	35.2	29.9-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3937	654,227	3408	81.6	79.4-83.8	529	18.4	16.2-20.6
Male	1472	312,236	1166	74.6	70.9-78.3	306	25.4	21.7-29.1
Female	2465	341,991	2242	87.9	85.9-89.9	223	12.1	10.1-14.1
White/Non-Hisp	3193	507,955	2745	81.1	79.1-83.1	448	18.9	16.9-20.9
Black or Afr. Am./Non-Hisp	451	84,729	409	83.6	74.0-93.2	42	16.4	06.8-26.0
18-24	183	81,259	124	66.6	58.2-75.0	59	33.4	25.0-41.8
25-34	412	113,207	306	69.9	62.5-77.3	106	30.1	22.7-37.5
35-44	685	123,815	552	79.7	75.8-83.6	133	20.3	16.4-24.2
45-54	804	121,882	674	83.2	79.9-86.5	130	16.8	13.5-20.1
55-64	786	94,457	724	90.5	87.6-93.4	62	9.5	06.6-12.4
65+	1037	116,284	998	96.0	94.4-97.6	39	4.0	02.4-05.6
Less Than H.S.	274	37,782	241	83.6	76.5-90.7	33	16.4	09.3-23.5
H.S. or G.E.D.	1261	205,992	1106	83.2	80.1-86.3	155	16.8	13.7-19.9
Some Post-H.S.	1021	180,117	869	78.3	73.0-83.6	152	21.7	16.4-27.0
College Graduate	1378	230,056	1189	82.4	79.7-85.1	189	17.6	14.9-20.3
Less than \$15,000	422	57,478	370	83.5	77.8-89.2	52	16.5	10.8-22.2
\$15,000- 24,999	387	45,257	360	89.0	83.7-94.3	27	11.0	05.7-16.3
\$25,000- 34,999	333	52,516	291	83.2	76.3-90.1	42	16.8	09.9-23.7
\$35,000- 49,999	564	86,959	479	80.8	76.1-85.5	85	19.2	14.5-23.9
\$50,000- 74,999	598	101,395	507	82.9	79.0-86.8	91	17.1	13.2-21.0
\$75,000+	1157	229,950	949	77.1	72.8-81.4	208	22.9	18.6-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1472	312,236	1166	74.6	70.9-78.3	306	25.4	21.7-29.1
White/Non-Hisp	1208	242,692	954	74.6	71.1-78.1	254	25.4	21.9-28.9
35-44	247	60,905	174	73.4	66.7-80.1	73	26.6	19.9-33.3
45-54	325	59,568	258	79.9	74.4-85.4	67	20.1	14.6-25.6
55-64	300	44,967	261	86.5	81.4-91.6	39	13.5	08.4-18.6
65+	353	50,053	328	93.4	90.1-96.7	25	6.6	03.3-09.9
H.S. or G.E.D.	440	94,186	344	76.5	71.2-81.8	96	23.5	18.2-28.8
Some Post-H.S.	348	81,064	270	68.9	59.1-78.7	78	31.1	21.3-40.9
College Graduate	570	116,376	461	77.3	72.8-81.8	109	22.7	18.2-27.2
\$25,000- 34,999	122	23,792	99	80.9	71.7-90.1	23	19.1	09.9-28.3
\$35,000- 49,999	200	36,385	157	74.5	66.3-82.7	43	25.5	17.3-33.7
\$50,000- 74,999	233	48,703	185	81.6	75.7-87.5	48	18.4	12.5-24.3
\$75,000+	559	132,764	422	69.4	62.7-76.1	137	30.6	23.9-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2465	341,991	2242	87.9	85.9-89.9	223	12.1	10.1-14.1	
White/Non-Hisp	1985	265,263	1791	87.0	84.8-89.2	194	13.0	10.8-15.2	
Black or Afr. Am./Non-Hisp	294	44,213	281	94.1	90.2-98.0	13	5.9	02.0-09.8	
Oth. Race/Non-Hisp.	56	9,875	54	98.1	95.4-0100	2	1.9	00.0-04.6	
25-34	260	56,989	215	80.6	74.5-86.7	45	19.4	13.3-25.5	
35-44	438	62,910	378	85.8	81.9-89.7	60	14.2	10.3-18.1	
45-54	479	62,314	416	86.3	82.6-90.0	63	13.7	10.0-17.4	
55-64	486	49,489	463	94.1	91.2-97.0	23	5.9	03.0-08.8	
65+	684	66,231	670	97.9	96.5-99.3	14	2.1	00.7-03.5	
Less Than H.S.	160	17,171	150	94.7	91.0-98.4	10	5.3	01.6-09.0	
H.S. or G.E.D.	821	111,807	762	88.9	85.2-92.6	59	11.1	07.4-14.8	
Some Post-H.S.	673	99,053	599	86.0	81.7-90.3	74	14.0	09.7-18.3	
College Graduate	808	113,681	728	87.6	84.7-90.5	80	12.4	09.5-15.3	
Less than \$15,000	280	30,901	255	90.4	85.1-95.7	25	9.6	04.3-14.9	
\$15,000- 24,999	296	30,670	282	92.9	87.8-98.0	14	7.1	02.0-12.2	
\$35,000- 49,999	364	50,573	322	85.4	80.1-90.7	42	14.6	09.3-19.9	
\$50,000- 74,999	365	52,691	322	84.1	78.8-89.4	43	15.9	10.6-21.2	
\$75,000+	598	97,186	527	87.6	84.3-90.9	71	12.4	09.1-15.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	3928	651,195	1736	46.8	44.4-49.2	219	5.8	04.8-06.8	103	3.1	02.3-03.9	21	1.5	00.1-02.9	9	0.2	00.0-00.4	1840	42.5	40.3-44.7
Male	1465	309,670	670	47.7	44.0-51.4	132	7.6	06.0-09.2	81	5.4	03.8-07.0	18	3.0	00.1-05.9	9	0.5	00.1-00.9	555	35.7	32.2-39.2
Female	2463	341,525	1066	46.0	43.3-48.7	87	4.1	02.9-05.3	22	1.0	00.4-01.6	3	0.2	00.0-00.4				1285	48.7	46.0-51.4
White/Non-Hisp	3187	506,213	1483	49.2	46.8-51.6	197	6.6	05.4-07.8	87	3.4	02.4-04.4	18	0.9	00.3-01.5	6	0.2	00.0-00.4	1396	39.6	37.2-42.0
Black or Afr. Am./Non-Hisp	449	84,484	144	34.9	28.0-41.8	13	3.0	01.0-05.0	8	1.6	00.2-03.0	1	5.3	00.0-15.1	2	0.2	00.0-00.6	281	55.0	46.8-63.2
Oth. Race/Non-Hisp.	99	21,733							3	3.2	00.0-07.1	1	0.9	00.0-02.7	1	1.1	00.0-03.3			
MultiRacial/Non-Hisp.	79	13,505				3	7.4	00.0-19.9												
Hispanic	83	20,558				3	1.8	00.0-04.0	5	5.4	00.5-10.3									
18-24	179	79,670	67	37.9	29.1-46.7	12	5.8	01.9-09.7	11	5.3	01.8-08.8	5	3.3	00.0-06.8	2	0.5	00.0-01.1	82	47.3	38.1-56.5
25-34	410	112,467	215	52.3	45.0-59.6	26	5.8	03.4-08.2	12	3.8	01.3-06.3	4	4.8	00.0-12.2	2	0.6	00.0-01.6	151	32.7	26.0-39.4
35-44	682	123,106	361	53.4	48.7-58.1	25	4.0	02.0-06.0	22	3.0	01.4-04.6	6	1.1	00.1-02.1	2	0.3	00.0-00.7	266	38.2	33.5-42.9
45-54	803	121,570	366	47.8	43.3-52.3	57	7.6	05.2-10.0	21	2.5	01.3-03.7	4	0.2	00.0-00.4	3	0.1	00.0-00.3	352	41.7	37.2-46.2
55-64	787	94,770	348	48.4	43.7-53.1	47	6.2	04.0-08.4	22	3.4	01.4-05.4	1	0.1	00.0-00.3				369	42.0	37.3-46.7
65+	1037	116,288	368	38.5	34.8-42.2	52	5.5	03.7-07.3	15	1.7	00.7-02.7	1	0.1	00.0-00.3				601	54.2	50.3-58.1
Less Than H.S.	274	37,834	51	23.6	15.4-31.8	7	2.4	00.2-04.6	5	3.3	00.0-07.2	6	3.1	00.2-06.0	4	1.3	00.0-02.7	201	66.3	57.5-75.1
H.S. or G.E.D.	1255	203,160	446	37.3	33.4-41.2	54	5.3	03.5-07.1	28	2.3	01.3-03.3	6	0.5	00.1-00.9	1	0.0	00.0-00.0	720	54.5	50.4-58.6
Some Post-H.S.	1019	180,145	454	46.2	41.3-51.1	55	5.5	03.5-07.5	39	4.1	02.3-05.9	6	3.8	00.0-08.7	2	0.4	00.0-01.0	463	40.0	35.3-44.7
College Graduate	1377	229,777	785	59.6	56.3-62.9	103	7.0	05.4-08.6	31	3.0	01.6-04.4	3	0.4	00.0-00.8	2	0.2	00.0-00.4	453	29.9	26.8-33.0
Less than \$15,000	421	57,327	127	34.5	27.8-41.2	19	4.3	01.9-06.7	7	3.5	00.6-06.4	2	0.2	00.0-00.4				266	57.6	50.7-64.5
\$15,000- 24,999	383	44,561	89	29.1	22.0-36.2	9	3.3	00.8-05.8	6	2.2	00.0-04.7				2	0.2	00.0-00.6	277	65.2	57.9-72.5
\$25,000- 34,999	334	52,400	130	42.2	34.2-50.2	19	5.1	02.2-08.0	6	1.8	00.0-03.6	2	0.4	00.0-01.0				177	50.5	42.5-58.5
\$35,000- 49,999	564	86,959	254	42.2	36.5-47.9	36	6.5	03.6-09.4	17	4.9	02.0-07.8	5	0.7	00.1-01.3	1	0.2	00.0-00.6	251	45.4	39.5-51.3
\$50,000- 74,999	597	100,945	299	51.4	45.9-56.9	28	5.5	03.0-08.0	19	3.0	01.4-04.6	3	0.6	00.0-01.4	2	0.2	00.0-00.6	246	39.3	33.8-44.8
\$75,000+	1155	228,606	663	55.3	51.0-59.6	91	6.8	05.0-08.6	43	3.7	02.3-05.1	8	3.3	00.0-07.2	3	0.4	00.0-00.8	347	30.6	26.7-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1465	309,670	670	47.7	44.0-51.4	132	7.6	06.0-09.2	81	5.4	03.8-07.0	18	3.0	00.1-05.9	9	0.5	00.1-00.9	555	35.7	32.2-39.2
White/Non-Hisp	1204	241,470	572	48.9	45.0-52.8	119	8.8	06.8-10.8	68	6.0	04.2-07.8	15	1.7	00.3-03.1	6	0.5	00.1-00.9	424	34.1	30.4-37.8
Black or Afr. Am./Non-Hisp	156	40,305				10	5.0	01.3-08.7	8	3.3	00.4-06.2				2	0.4	00.0-01.2			
18-24	84	38,099				5	6.8	00.5-13.1	10	9.6	02.7-16.5	5	6.8	00.0-14.1	2	0.9	00.0-02.3			
25-34	149	55,391				18	8.1	04.0-12.2	9	6.4	01.5-11.3				2	1.2	00.0-03.0			
35-44	246	60,715	123	51.2	43.6-58.8	14	5.1	02.0-08.2	16	4.9	02.0-07.8	4	1.9	00.0-03.9	2	0.6	00.0-01.4	87	36.4	28.8-44.0
45-54	325	59,290	143	47.2	40.3-54.1	34	9.7	06.0-13.4	18	4.6	02.1-07.1	4	0.5	00.0-01.1	3	0.3	00.0-00.7	123	37.7	30.8-44.6
55-64	301	45,281	147	49.5	42.1-56.9	26	7.1	03.8-10.4	19	6.3	02.6-10.0	1	0.2	00.0-00.6				108	37.0	29.4-44.6
65+	353	50,057	138	42.8	36.3-49.3	35	8.8	05.3-12.3	9	2.1	00.3-03.9	1	0.1	00.0-00.3				170	46.2	39.7-52.7
Less Than H.S.	114	20,663				4	3.0	00.0-06.5	4	5.5	00.0-12.6	5	5.3	00.0-10.8	4	2.3	00.0-05.0			
H.S. or G.E.D.	435	91,784	166	38.6	32.1-45.1	36	7.2	04.5-09.9	21	4.1	01.9-06.3	6	1.0	00.0-02.0	1	0.1	00.0-00.3	205	49.0	42.1-55.9
Some Post-H.S.	347	81,127	145	41.7	33.7-49.7	29	7.9	04.2-11.6	31	7.6	03.9-11.3	5	8.3	00.0-18.9	2	0.8	00.0-02.0	135	33.7	26.6-40.8
College Graduate	569	116,096	331	61.6	56.5-66.7	63	8.6	06.1-11.1	25	5.0	02.6-07.4	2	0.5	00.0-01.3	2	0.3	00.0-00.7	146	24.1	19.6-28.6
Less than \$15,000	141	26,426				13	7.9	03.0-12.8	5	5.9	00.0-11.8	1	0.1	00.0-00.3						
\$15,000- 24,999	89	14,315				2	3.8	00.0-09.5	4	2.2	00.0-04.6				2	0.7	00.0-01.7			
\$25,000- 34,999	122	23,588				14	8.9	03.2-14.6	5	2.4	00.0-04.8	2	0.9	00.0-02.3						
\$35,000- 49,999	200	36,385	87	44.6	35.6-53.6	22	7.3	03.6-11.0	7	8.3	02.0-14.6	5	1.7	00.1-03.3	1	0.6	00.0-01.8	78	37.5	28.9-46.1
\$50,000- 74,999	232	48,254	109	45.2	36.8-53.6	19	9.4	04.7-14.1	17	5.9	02.8-09.0	1	0.2	00.0-00.6	2	0.4	00.0-01.0	84	38.9	30.5-47.3
\$75,000+	557	131,420	302	53.4	46.9-59.9	53	7.0	04.6-09.4	40	6.0	03.5-08.5	8	5.7	00.0-12.4	3	0.7	00.0-01.5	151	27.3	21.6-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2463	341,525	1066	46.0	43.3-48.7	87	4.1	02.9-05.3	22	1.0	00.4-01.6	3	0.2	00.0-00.4	1285	48.7	46.0-51.4
White/Non-Hisp	1983	264,744	911	49.6	46.5-52.7	78	4.6	03.4-05.8	19	1.1	00.5-01.7	3	0.2	00.0-00.4	972	44.6	41.5-47.7
Black or Afr. Am./Non-Hisp	293	44,179	91	32.3	24.7-39.9	3	1.3	00.0-02.9							199	66.4	58.8-74.0
Hispanic	53	11,511				2	2.1	00.0-05.2	3	5.4	00.0-11.9						
18-24	95	41,571				7	4.9	00.0-09.8	1	1.3	00.0-03.8						
25-34	261	57,077	132	52.8	45.2-60.4	8	3.6	01.1-06.1	3	1.2	00.0-02.6	1	0.6	00.0-01.8	117	41.8	34.2-49.4
35-44	436	62,391	238	55.5	49.8-61.2	11	3.0	00.8-05.2	6	1.1	00.1-02.1	2	0.4	00.0-01.0	179	40.0	34.5-45.5
45-54	478	62,280	223	48.5	42.6-54.4	23	5.5	03.0-08.0	3	0.4	00.0-01.0				229	45.5	39.8-51.2
55-64	486	49,489	201	47.4	41.5-53.3	21	5.4	02.7-08.1	3	0.8	00.0-01.8				261	46.5	40.8-52.2
65+	684	66,231	230	35.2	30.9-39.5	17	3.1	01.5-04.7	6	1.4	00.0-02.8				431	60.3	55.8-64.8
Less Than H.S.	160	17,171	23	11.4	06.1-16.7	3	1.8	00.0-04.2	1	0.6	00.0-01.8	1	0.4	00.0-01.2	132	85.8	79.9-91.7
H.S. or G.E.D.	820	111,376	280	36.3	31.4-41.2	18	3.7	01.5-05.9	7	0.9	00.1-01.7				515	59.1	54.2-64.0
Some Post-H.S.	672	99,019	309	49.8	44.1-55.5	26	3.5	01.7-05.3	8	1.4	00.2-02.6	1	0.2	00.0-00.6	328	45.2	39.5-50.9
College Graduate	808	113,681	454	57.6	53.3-61.9	40	5.4	03.4-07.4	6	1.0	00.0-02.0	1	0.3	00.0-00.9	307	35.7	31.6-39.8
Less than \$15,000	280	30,901	83	30.6	23.2-38.0	6	1.2	00.0-02.4	2	1.3	00.0-03.1	1	0.2	00.0-00.6	188	66.6	59.0-74.2
\$15,000- 24,999	294	30,246	62	25.7	18.1-33.3	7	3.1	00.6-05.6	2	2.2	00.0-05.7				223	69.1	61.1-77.1
\$25,000- 34,999	212	28,812				5	1.9	00.0-04.3	1	1.3	00.0-03.8						
\$35,000- 49,999	364	50,573	167	40.4	33.3-47.5	14	6.0	01.7-10.3	10	2.5	00.7-04.3				173	51.2	43.6-58.8
\$50,000- 74,999	365	52,691	190	57.1	50.0-64.2	9	1.9	00.3-03.5	2	0.3	00.0-00.7	2	1.0	00.0-02.4	162	39.7	32.8-46.6
\$75,000+	598	97,186	361	57.8	52.5-63.1	38	6.5	04.1-08.9	3	0.5	00.0-01.1				196	35.2	29.9-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3928	651,195	861	20.5	18.7-22.3	458	13.3	11.7-14.9	417	13.0	11.4-14.6	219	5.8	04.8-06.8	133	4.9	03.3-06.5	1840	42.5	40.3-44.7
Male	1465	309,670	247	15.7	13.3-18.1	210	15.0	12.6-17.4	213	17.0	14.3-19.7	132	7.6	06.0-09.2	108	9.0	05.9-12.1	555	35.7	32.2-39.2
Female	2463	341,525	614	24.8	22.4-27.2	248	11.8	09.8-13.8	204	9.4	07.6-11.2	87	4.1	02.9-05.3	25	1.2	00.6-01.8	1285	48.7	46.0-51.4
White/Non-Hisp	3187	506,213	707	20.8	19.0-22.6	394	13.7	12.1-15.3	382	14.8	13.0-16.6	197	6.6	05.4-07.8	111	4.6	03.4-05.8	1396	39.6	37.2-42.0
Black or Afr. Am./Non-Hisp	449	84,484	94	21.1	15.6-26.6	34	9.6	05.7-13.5	16	4.3	01.9-06.7	13	3.0	01.0-05.0	11	7.1	00.0-16.9	281	55.0	46.8-63.2
Oth. Race/Non-Hisp.	99	21,733	21	18.5	09.1-27.9				6	8.4	00.0-17.2				5	5.1	00.4-09.8			
MultiRacial/Non-Hisp.	79	13,505	14	14.0	05.6-22.4							3	7.4	00.0-19.9						
Hispanic	83	20,558							4	9.8	00.4-19.2	3	1.8	00.0-04.0	5	5.4	00.5-10.3			
18-24	179	79,670	20	8.8	04.3-13.3	25	14.2	07.9-20.5	22	14.9	08.2-21.6	12	5.8	01.9-09.7	18	9.0	04.1-13.9	82	47.3	38.1-56.5
25-34	410	112,467	99	21.0	16.1-25.9	71	18.3	13.2-23.4	45	13.0	08.7-17.3	26	5.8	03.4-08.2	18	9.2	01.6-16.8	151	32.7	26.0-39.4
35-44	682	123,106	190	25.9	22.0-29.8	100	15.1	11.8-18.4	71	12.4	09.1-15.7	25	4.0	02.0-06.0	30	4.4	02.6-06.2	266	38.2	33.5-42.9
45-54	803	121,570	176	22.0	18.3-25.7	101	12.2	09.5-14.9	89	13.7	10.4-17.0	57	7.6	05.2-10.0	28	2.9	01.7-04.1	352	41.7	37.2-46.2
55-64	787	94,770	184	23.8	19.9-27.7	84	12.4	09.3-15.5	80	12.1	09.0-15.2	47	6.2	04.0-08.4	23	3.5	01.5-05.5	369	42.0	37.3-46.7
65+	1037	116,288	183	17.5	14.6-20.4	75	8.2	05.8-10.6	110	12.8	10.3-15.3	52	5.5	03.7-07.3	16	1.8	00.8-02.8	601	54.2	50.3-58.1
Less Than H.S.	274	37,834	28	13.0	06.1-19.9	15	6.8	01.9-11.7	8	3.9	00.2-07.6	7	2.4	00.2-04.6	15	7.6	02.5-12.7	201	66.3	57.5-75.1
H.S. or G.E.D.	1255	203,160	230	15.9	13.4-18.4	118	11.0	08.5-13.5	98	10.5	08.0-13.0	54	5.3	03.5-07.1	35	2.8	01.6-04.0	720	54.5	50.4-58.6
Some Post-H.S.	1019	180,145	235	20.9	17.6-24.2	115	12.7	09.6-15.8	104	12.6	09.3-15.9	55	5.5	03.5-07.5	47	8.4	03.3-13.5	463	40.0	35.3-44.7
College Graduate	1377	229,777	368	25.5	22.6-28.4	210	17.0	14.3-19.7	207	17.1	14.4-19.8	103	7.0	05.4-08.6	36	3.5	02.1-04.9	453	29.9	26.8-33.0
Less than \$15,000	421	57,327	68	14.0	09.7-18.3	32	9.6	05.3-13.9	27	10.8	05.3-16.3	19	4.3	01.9-06.7	9	3.6	00.7-06.5	266	57.6	50.7-64.5
\$15,000- 24,999	383	44,561	55	17.6	11.7-23.5	18	5.0	02.1-07.9	16	6.5	02.0-11.0	9	3.3	00.8-05.8	8	2.4	00.0-04.9	277	65.2	57.9-72.5
\$25,000- 34,999	334	52,400	66	17.9	12.6-23.2	35	14.4	07.7-21.1	29	9.9	05.2-14.6	19	5.1	02.2-08.0	8	2.2	00.4-04.0	177	50.5	42.5-58.5
\$35,000- 49,999	564	86,959	138	21.0	16.7-25.3	61	10.4	06.9-13.9	55	10.7	07.4-14.0	36	6.5	03.6-09.4	23	5.9	03.0-08.8	251	45.4	39.5-51.3
\$50,000- 74,999	597	100,945	157	24.1	19.6-28.6	76	13.9	10.2-17.6	66	13.4	09.1-17.7	28	5.5	03.0-08.0	24	3.8	02.0-05.6	246	39.3	33.8-44.8
\$75,000+	1155	228,606	285	21.5	18.6-24.4	192	16.5	13.8-19.2	186	17.2	14.3-20.1	91	6.8	05.0-08.6	54	7.3	03.2-11.4	347	30.6	26.7-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1465	309,670	247	15.7	13.3-18.1	210	15.0	12.6-17.4	213	17.0	14.3-19.7	132	7.6	06.0-09.2	108	9.0	05.9-12.1	555	35.7	32.2-39.2
White/Non-Hisp	1204	241,470	202	15.1	12.6-17.6	179	14.9	12.4-17.4	191	18.9	15.8-22.0	119	8.8	06.8-10.8	89	8.2	06.0-10.4	424	34.1	30.4-37.8
Black or Afr. Am./Non-Hisp	156	40,305	28	18.6	10.2-27.0	15	12.3	05.0-19.6	10	7.0	02.3-11.7	10	5.0	01.3-08.7						
18-24	84	38,099	7	8.9	01.6-16.2	12	13.8	05.6-22.0	14	19.0	09.0-29.0	5	6.8	00.5-13.1	17	17.4	08.0-26.8			
25-34	149	55,391	27	15.6	08.5-22.7	31	19.1	11.5-26.7	25	17.0	09.6-24.4	18	8.1	04.0-12.2						
35-44	246	60,715	43	17.4	11.7-23.1	39	15.6	09.9-21.3	41	18.2	12.1-24.3	14	5.1	02.0-08.2	22	7.4	03.9-10.9	87	36.4	28.8-44.0
45-54	325	59,290	52	15.4	10.3-20.5	51	15.7	11.0-20.4	40	16.0	10.5-21.5	34	9.7	06.0-13.4	25	5.4	02.9-07.9	123	37.7	30.8-44.6
55-64	301	45,281	66	20.6	14.9-26.3	41	13.5	08.4-18.6	40	15.3	10.0-20.6	26	7.1	03.8-10.4	20	6.4	02.7-10.1	108	37.0	29.4-44.6
65+	353	50,057	51	14.8	10.1-19.5	34	10.9	06.6-15.2	53	17.1	12.2-22.0	35	8.8	05.3-12.3	10	2.3	00.5-04.1	170	46.2	39.7-52.7
Less Than H.S.	114	20,663				6	9.1	00.5-17.7	6	6.1	00.0-12.8	4	3.0	00.0-06.5	13	13.1	04.3-21.9			
H.S. or G.E.D.	435	91,784	58	10.7	07.2-14.2	58	13.8	09.5-18.1	50	14.1	09.4-18.8	36	7.2	04.5-09.9	28	5.3	02.9-07.7	205	49.0	42.1-55.9
Some Post-H.S.	347	81,127	57	15.3	10.4-20.2	44	11.5	07.2-15.8	44	15.0	09.7-20.3	29	7.9	04.2-11.6				135	33.7	26.6-40.8
College Graduate	569	116,096	116	19.5	15.4-23.6	102	19.4	15.3-23.5	113	22.7	18.2-27.2	63	8.6	06.1-11.1	29	5.8	03.3-08.3	146	24.1	19.6-28.6
Less than \$15,000	141	26,426	19	11.3	04.6-18.0	14	11.2	04.3-18.1				13	7.9	03.0-12.8	6	6.1	00.2-12.0			
\$15,000- 24,999	89	14,315				6	4.9	00.0-09.8				2	3.8	00.0-09.5	6	2.9	00.4-05.4			
\$25,000- 34,999	122	23,588	22	21.1	11.9-30.3	13	13.1	04.9-21.3	11	11.7	03.1-20.3	14	8.9	03.2-14.6	7	3.2	00.5-05.9			
\$35,000- 49,999	200	36,385	34	15.5	08.8-22.2	27	13.7	07.2-20.2	26	15.4	08.7-22.1	22	7.3	03.6-11.0	13	10.6	04.1-17.1	78	37.5	28.9-46.1
\$50,000- 74,999	232	48,254	44	18.7	12.0-25.4	35	14.3	08.6-20.0	30	12.2	07.3-17.1	19	9.4	04.7-14.1	20	6.5	03.2-09.8	84	38.9	30.5-47.3
\$75,000+	557	131,420	98	14.7	11.2-18.2	96	17.6	13.5-21.7	108	21.0	16.5-25.5	53	7.0	04.6-09.4	51	12.3	05.6-19.0	151	27.3	21.6-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	341,525	614	24.8	22.4-27.2	248	11.8	09.8-13.8	204	9.4	07.6-11.2	87	4.1	02.9-05.3	25	1.2	00.6-01.8	1285	48.7	46.0-51.4
White/Non-Hisp	1983	264,744	505	25.9	23.4-28.4	215	12.6	10.4-14.8	191	11.1	08.9-13.3	78	4.6	03.4-05.8	22	1.3	00.7-01.9	972	44.6	41.5-47.7
Black or Afr. Am./Non-Hisp	293	44,179	66	23.4	16.7-30.1	19	7.2	03.1-11.3	6	1.8	00.0-03.6	3	1.3	00.0-02.9				199	66.4	58.8-74.0
Oth. Race/Non-Hisp.	56	9,875				4	2.7	00.0-05.4												
MultiRacial/Non-Hisp.	58	8,918				4	5.9	00.0-13.0				4	2.9	00.0-06.0						
Hispanic	53	11,511	10	10.8	02.0-19.6				1	2.8	00.0-08.3	2	2.1	00.0-05.2	3	5.4	00.0-11.9			
18-24	95	41,571	13	8.8	03.3-14.3	13	14.5	05.1-23.9	8	11.2	02.2-20.2	7	4.9	00.0-09.8	1	1.3	00.0-03.8			
25-34	261	57,077	72	26.3	19.8-32.8	40	17.5	11.0-24.0	20	9.0	04.3-13.7	8	3.6	01.1-06.1	4	1.8	00.0-03.6	117	41.8	34.2-49.4
35-44	436	62,391	147	34.3	28.8-39.8	61	14.6	10.7-18.5	30	6.7	04.0-09.4	11	3.0	00.8-05.2	8	1.5	00.3-02.7	179	40.0	34.5-45.5
45-54	478	62,280	124	28.3	22.8-33.8	50	8.8	05.9-11.7	49	11.4	07.9-14.9	23	5.5	03.0-08.0	3	0.4	00.0-01.0	229	45.5	39.8-51.2
55-64	486	49,489	118	26.7	21.2-32.2	43	11.4	07.3-15.5	40	9.3	06.0-12.6	21	5.4	02.7-08.1	3	0.8	00.0-01.8	261	46.5	40.8-52.2
65+	684	66,231	132	19.5	16.0-23.0	41	6.1	03.7-08.5	57	9.5	06.8-12.2	17	3.1	01.5-04.7	6	1.4	00.0-02.8	431	60.3	55.8-64.8
Less Than H.S.	160	17,171	12	6.2	02.1-10.3	9	3.9	01.2-06.6	2	1.2	00.0-03.0	3	1.8	00.0-04.2	2	1.0	00.0-02.4	132	85.8	79.9-91.7
H.S. or G.E.D.	820	111,376	172	20.2	16.5-23.9	60	8.6	05.7-11.5	48	7.5	04.8-10.2	18	3.7	01.5-05.9	7	0.9	00.1-01.7	515	59.1	54.2-64.0
Some Post-H.S.	672	99,019	178	25.5	21.0-30.0	71	13.7	09.2-18.2	60	10.6	06.7-14.5	26	3.5	01.7-05.3	9	1.6	00.2-03.0	328	45.2	39.5-50.9
College Graduate	808	113,681	252	31.6	27.5-35.7	108	14.5	11.2-17.8	94	11.4	08.7-14.1	40	5.4	03.4-07.4	7	1.3	00.3-02.3	307	35.7	31.6-39.8
Less than \$15,000	280	30,901	49	16.2	10.9-21.5	18	8.4	02.9-13.9	16	6.0	02.5-09.5	6	1.2	00.0-02.4	3	1.5	00.0-03.5	188	66.6	59.0-74.2
\$15,000- 24,999	294	30,246	45	19.7	12.6-26.8	12	5.0	01.5-08.5	5	1.0	00.0-02.0	7	3.1	00.6-05.6	2	2.2	00.0-05.7	223	69.1	61.1-77.1
\$25,000- 34,999	212	28,812	44	15.2	09.1-21.3	22	15.6	05.6-25.6	18	8.4	03.5-13.3	5	1.9	00.0-04.3	1	1.3	00.0-03.8			
\$35,000- 49,999	364	50,573	104	25.0	19.1-30.9	34	8.0	04.1-11.9	29	7.3	04.2-10.4	14	6.0	01.7-10.3	10	2.5	00.7-04.3	173	51.2	43.6-58.8
\$50,000- 74,999	365	52,691	113	29.0	22.9-35.1	41	13.5	08.6-18.4	36	14.5	07.6-21.4	9	1.9	00.3-03.5	4	1.3	00.0-02.9	162	39.7	32.8-46.6
\$75,000+	598	97,186	187	30.7	26.0-35.4	96	15.0	11.3-18.7	78	12.1	09.0-15.2	38	6.5	04.1-08.9	3	0.5	00.0-01.1	196	35.2	29.9-40.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3928	651,195	3708	92.9	91.3-94.5	220	7.1	05.5-08.7
Male	1465	309,670	1357	91.0	87.9-94.1	108	9.0	05.9-12.1
Female	2463	341,525	2351	94.7	93.5-95.9	112	5.3	04.1-06.5
White/Non-Hisp	3187	506,213	2998	93.0	91.6-94.4	189	7.0	05.6-08.4
Black or Afr. Am./Non-Hisp	449	84,484	435	92.3	82.5-0100	14	7.7	00.0-17.5
Oth. Race/Non-Hisp.	99	21,733	94	94.9	90.2-99.6	5	5.1	00.4-09.8
MultiRacial/Non-Hisp.	79	13,505	77	92.7	80.2-0100	2	7.3	00.0-19.8
Hispanic	83	20,558	76	93.5	88.2-98.8	7	6.5	01.2-11.8
18-24	179	79,670	154	88.4	82.9-93.9	25	11.6	06.1-17.1
25-34	410	112,467	384	88.9	81.3-96.5	26	11.1	03.5-18.7
35-44	682	123,106	641	94.1	91.9-96.3	41	5.9	03.7-08.1
45-54	803	121,570	752	94.3	92.5-96.1	51	5.7	03.9-07.5
55-64	787	94,770	743	93.7	91.3-96.1	44	6.3	03.9-08.7
65+	1037	116,288	1004	96.4	95.0-97.8	33	3.6	02.2-05.0
Less Than H.S.	274	37,834	256	91.6	86.5-96.7	18	8.4	03.3-13.5
H.S. or G.E.D.	1255	203,160	1202	95.1	93.5-96.7	53	4.9	03.3-06.5
Some Post-H.S.	1019	180,145	946	89.7	84.6-94.8	73	10.3	05.2-15.4
College Graduate	1377	229,777	1301	93.8	92.0-95.6	76	6.2	04.4-08.0
Less than \$15,000	421	57,327	406	95.7	92.8-98.6	15	4.3	01.4-07.2
\$15,000- 24,999	383	44,561	368	95.5	92.4-98.6	15	4.5	01.4-07.6
\$25,000- 34,999	334	52,400	321	96.8	94.6-99.0	13	3.2	01.0-05.4
\$35,000- 49,999	564	86,959	527	90.6	86.9-94.3	37	9.4	05.7-13.1
\$50,000- 74,999	597	100,945	564	95.2	93.2-97.2	33	4.8	02.8-06.8
\$75,000+	1155	228,606	1063	89.9	85.8-94.0	92	10.1	06.0-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1465	309,670	1357	91.0	87.9-94.1	108	9.0	05.9-12.1
White/Non-Hisp	1204	241,470	1115	91.8	89.6-94.0	89	8.2	06.0-10.4
18-24	84	38,099	67	82.6	73.2-92.0	17	17.4	08.0-26.8
35-44	246	60,715	224	92.6	89.1-96.1	22	7.4	03.9-10.9
45-54	325	59,290	300	94.6	92.1-97.1	25	5.4	02.9-07.9
55-64	301	45,281	281	93.6	89.9-97.3	20	6.4	02.7-10.1
65+	353	50,057	343	97.7	95.9-99.5	10	2.3	00.5-04.1
Less Than H.S.	114	20,663	101	86.9	78.1-95.7	13	13.1	04.3-21.9
H.S. or G.E.D.	435	91,784	407	94.7	92.3-97.1	28	5.3	02.9-07.7
College Graduate	569	116,096	540	94.2	91.7-96.7	29	5.8	03.3-08.3
Less than \$15,000	141	26,426	135	93.9	88.0-99.8	6	6.1	00.2-12.0
\$15,000- 24,999	89	14,315	83	97.1	94.6-99.6	6	2.9	00.4-05.4
\$25,000- 34,999	122	23,588	115	96.8	94.1-99.5	7	3.2	00.5-05.9
\$35,000- 49,999	200	36,385	187	89.4	82.9-95.9	13	10.6	04.1-17.1
\$50,000- 74,999	232	48,254	212	93.5	90.2-96.8	20	6.5	03.2-09.8
\$75,000+	557	131,420	506	87.7	81.0-94.4	51	12.3	05.6-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	341,525	2351	94.7	93.5-95.9	112	5.3	04.1-06.5
White/Non-Hisp	1983	264,744	1883	94.1	92.7-95.5	100	5.9	04.5-07.3
Black or Afr. Am./Non-Hisp	293	44,179	290	98.7	97.1-0100	3	1.3	00.0-02.9
Oth. Race/Non-Hisp.	56	9,875	56	100.0	0100-0100			
Hispanic	53	11,511	48	92.6	85.3-99.9	5	7.4	00.1-14.7
18-24	95	41,571	87	93.8	88.3-99.3	8	6.2	00.7-11.7
25-34	261	57,077	249	94.6	91.5-97.7	12	5.4	02.3-08.5
35-44	436	62,391	417	95.5	93.1-97.9	19	4.5	02.1-06.9
45-54	478	62,280	452	94.0	91.3-96.7	26	6.0	03.3-08.7
55-64	486	49,489	462	93.8	90.9-96.7	24	6.2	03.3-09.1
65+	684	66,231	661	95.5	93.3-97.7	23	4.5	02.3-06.7
Less Than H.S.	160	17,171	155	97.2	94.5-99.9	5	2.8	00.1-05.5
H.S. or G.E.D.	820	111,376	795	95.4	93.0-97.8	25	4.6	02.2-07.0
Some Post-H.S.	672	99,019	637	94.9	92.7-97.1	35	5.1	02.9-07.3
College Graduate	808	113,681	761	93.3	91.1-95.5	47	6.7	04.5-08.9
Less than \$15,000	280	30,901	271	97.2	95.0-99.4	9	2.8	00.6-05.0
\$15,000- 24,999	294	30,246	285	94.7	90.4-99.0	9	5.3	01.0-09.6
\$25,000- 34,999	212	28,812	206	96.8	93.3-0100	6	3.2	00.0-06.7
\$35,000- 49,999	364	50,573	340	91.5	87.0-96.0	24	8.5	04.0-13.0
\$50,000- 74,999	365	52,691	352	96.7	94.5-98.9	13	3.3	01.1-05.5
\$75,000+	598	97,186	557	93.0	90.6-95.4	41	7.0	04.6-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1465	309,670	1357	91.0	87.9-94.1	108	9.0	05.9-12.1
White/Non-Hisp	1204	241,470	1115	91.8	89.6-94.0	89	8.2	06.0-10.4
18-24	84	38,099	67	82.6	73.2-92.0	17	17.4	08.0-26.8
35-44	246	60,715	224	92.6	89.1-96.1	22	7.4	03.9-10.9
45-54	325	59,290	300	94.6	92.1-97.1	25	5.4	02.9-07.9
55-64	301	45,281	281	93.6	89.9-97.3	20	6.4	02.7-10.1
65+	353	50,057	343	97.7	95.9-99.5	10	2.3	00.5-04.1
Less Than H.S.	114	20,663	101	86.9	78.1-95.7	13	13.1	04.3-21.9
H.S. or G.E.D.	435	91,784	407	94.7	92.3-97.1	28	5.3	02.9-07.7
College Graduate	569	116,096	540	94.2	91.7-96.7	29	5.8	03.3-08.3
Less than \$15,000	141	26,426	135	93.9	88.0-99.8	6	6.1	00.2-12.0
\$15,000- 24,999	89	14,315	83	97.1	94.6-99.6	6	2.9	00.4-05.4
\$25,000- 34,999	122	23,588	115	96.8	94.1-99.5	7	3.2	00.5-05.9
\$35,000- 49,999	200	36,385	187	89.4	82.9-95.9	13	10.6	04.1-17.1
\$50,000- 74,999	232	48,254	212	93.5	90.2-96.8	20	6.5	03.2-09.8
\$75,000+	557	131,420	506	87.7	81.0-94.4	51	12.3	05.6-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	341,525	2351	94.7	93.5-95.9	112	5.3	04.1-06.5
White/Non-Hisp	1983	264,744	1883	94.1	92.7-95.5	100	5.9	04.5-07.3
Black or Afr. Am./Non-Hisp	293	44,179	290	98.7	97.1-0100	3	1.3	00.0-02.9
Oth. Race/Non-Hisp.	56	9,875	56	100.0	0100-0100			
Hispanic	53	11,511	48	92.6	85.3-99.9	5	7.4	00.1-14.7
18-24	95	41,571	87	93.8	88.3-99.3	8	6.2	00.7-11.7
25-34	261	57,077	249	94.6	91.5-97.7	12	5.4	02.3-08.5
35-44	436	62,391	417	95.5	93.1-97.9	19	4.5	02.1-06.9
45-54	478	62,280	452	94.0	91.3-96.7	26	6.0	03.3-08.7
55-64	486	49,489	462	93.8	90.9-96.7	24	6.2	03.3-09.1
65+	684	66,231	661	95.5	93.3-97.7	23	4.5	02.3-06.7
Less Than H.S.	160	17,171	155	97.2	94.5-99.9	5	2.8	00.1-05.5
H.S. or G.E.D.	820	111,376	795	95.4	93.0-97.8	25	4.6	02.2-07.0
Some Post-H.S.	672	99,019	637	94.9	92.7-97.1	35	5.1	02.9-07.3
College Graduate	808	113,681	761	93.3	91.1-95.5	47	6.7	04.5-08.9
Less than \$15,000	280	30,901	271	97.2	95.0-99.4	9	2.8	00.6-05.0
\$15,000- 24,999	294	30,246	285	94.7	90.4-99.0	9	5.3	01.0-09.6
\$25,000- 34,999	212	28,812	206	96.8	93.3-0100	6	3.2	00.0-06.7
\$35,000- 49,999	364	50,573	340	91.5	87.0-96.0	24	8.5	04.0-13.0
\$50,000- 74,999	365	52,691	352	96.7	94.5-98.9	13	3.3	01.1-05.5
\$75,000+	598	97,186	557	93.0	90.6-95.4	41	7.0	04.6-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 15: ARTHRITIS BURDEN CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*

TABLE		PAGE
	RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)	
1	MALES AND FEMALES	117
2	MALES ONLY	118
3	FEMALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXART)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3963	659,912	1553	31.0	29.0-33.0	2410	69.0	67.0-71.0
Male	1486	316,760	476	26.3	23.4-29.2	1010	73.7	70.8-76.6
Female	2477	343,152	1077	35.4	32.9-37.9	1400	64.6	62.1-67.1
White/Non-Hisp	3215	512,692	1308	33.0	30.8-35.2	1907	67.0	64.8-69.2
Black or Afr. Am./Non-Hisp	450	84,510	146	24.4	18.9-29.9	304	75.6	70.1-81.1
Oth. Race/Non-Hisp.	101	22,910	21	13.8	05.6-22.0	80	86.2	78.0-94.4
18-24	186	83,897	18	7.8	03.3-12.3	168	92.2	87.7-96.7
25-34	413	112,822	62	15.4	10.7-20.1	351	84.6	79.9-89.3
35-44	689	124,869	125	16.9	13.4-20.4	564	83.1	79.6-86.6
45-54	809	122,616	292	34.4	30.1-38.7	517	65.6	61.3-69.9
55-64	793	95,570	399	47.0	42.3-51.7	394	53.0	48.3-57.7
65+	1042	116,289	645	61.1	57.4-64.8	397	38.9	35.2-42.6
Less Than H.S.	279	38,766	133	41.5	33.1-49.9	146	58.5	50.1-66.9
H.S. or G.E.D.	1266	207,001	560	35.6	31.9-39.3	706	64.4	60.7-68.1
Some Post-H.S.	1030	182,600	407	31.0	27.1-34.9	623	69.0	65.1-72.9
College Graduate	1385	231,267	450	25.1	22.4-27.8	935	74.9	72.2-77.6
Less than \$15,000	422	57,560	203	42.8	36.1-49.5	219	57.2	50.5-63.9
\$15,000- 24,999	389	45,344	231	52.1	44.7-59.5	158	47.9	40.5-55.3
\$25,000- 34,999	335	53,028	155	42.6	35.0-50.2	180	57.4	49.8-65.0
\$35,000- 49,999	564	86,154	223	31.3	26.4-36.2	341	68.7	63.8-73.6
\$50,000- 74,999	603	101,997	196	26.5	22.0-31.0	407	73.5	69.0-78.0
\$75,000+	1161	231,841	336	23.5	20.4-26.6	825	76.5	73.4-79.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 2: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXART)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1486	316,760	476	26.3	23.4-29.2	1010	73.7	70.8-76.6
White/Non-Hisp	1217	245,490	408	28.1	24.8-31.4	809	71.9	68.6-75.2
Black or Afr. Am./Non-Hisp	158	40,630	41	19.4	11.4-27.4	117	80.6	72.6-88.6
18-24	91	42,326	9	11.1	03.1-19.1	82	88.9	80.9-96.9
25-34	152	56,218	18	11.9	05.4-18.4	134	88.1	81.6-94.6
35-44	251	61,577	44	16.2	10.7-21.7	207	83.8	78.3-89.3
45-54	327	60,056	91	27.0	20.9-33.1	236	73.0	66.9-79.1
55-64	301	45,198	124	40.2	32.8-47.6	177	59.8	52.4-67.2
65+	355	50,001	188	54.3	47.8-60.8	167	45.7	39.2-52.2
H.S. or G.E.D.	443	96,022	159	30.2	24.3-36.1	284	69.8	63.9-75.7
Some Post-H.S.	351	82,627	109	25.3	19.2-31.4	242	74.7	68.6-80.8
College Graduate	576	117,287	165	22.0	18.1-25.9	411	78.0	74.1-81.9
\$35,000- 49,999	201	36,456	70	28.0	20.4-35.6	131	72.0	64.4-79.6
\$50,000- 74,999	236	49,169	65	23.1	16.4-29.8	171	76.9	70.2-83.6
\$75,000+	562	134,500	151	21.1	16.8-25.4	411	78.9	74.6-83.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 3: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXART)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2477	343,152	1077	35.4	32.9-37.9	1400	64.6	62.1-67.1
White/Non-Hisp	1998	267,202	900	37.4	34.7-40.1	1098	62.6	59.9-65.3
Black or Afr. Am./Non-Hisp	292	43,880	105	28.9	22.0-35.8	187	71.1	64.2-78.0
18-24	95	41,571	9	4.6	01.3-07.9	86	95.4	92.1-98.7
25-34	261	56,604	44	18.9	12.2-25.6	217	81.1	74.4-87.8
35-44	438	63,292	81	17.6	13.3-21.9	357	82.4	78.1-86.7
45-54	482	62,560	201	41.5	35.8-47.2	281	58.5	52.8-64.2
55-64	492	50,372	275	53.1	47.2-59.0	217	46.9	41.0-52.8
65+	687	66,289	457	66.3	62.0-70.6	230	33.7	29.4-38.0
H.S. or G.E.D.	823	110,979	401	40.3	35.6-45.0	422	59.7	55.0-64.4
Some Post-H.S.	679	99,972	298	35.6	30.5-40.7	381	64.4	59.3-69.5
College Graduate	809	113,980	285	28.2	24.5-31.9	524	71.8	68.1-75.5
Less than \$15,000	280	30,957	150	46.2	38.2-54.2	130	53.8	45.8-61.8
\$15,000- 24,999	298	30,705	184	53.8	45.2-62.4	114	46.2	37.6-54.8
\$25,000- 34,999	211	29,045	97	39.5	29.7-49.3	114	60.5	50.7-70.3
\$35,000- 49,999	363	49,698	153	33.8	27.5-40.1	210	66.2	59.9-72.5
\$50,000- 74,999	367	52,828	131	29.6	23.5-35.7	236	70.4	64.3-76.5
\$75,000+	599	97,341	185	26.9	22.4-31.4	414	73.1	68.6-77.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 16: FRUITS AND VEGETABLES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)	
1 MALES AND FEMALES	122
2 MALES ONLY	123
3 FEMALES ONLY	124
FRUIT SERVINGS PER DAY (FRUTDAY_)	
4 MALES AND FEMALES	125
5 MALES ONLY	126
6 FEMALES ONLY	127
GREEN SALAD SERVINGS PER DAY (GNSLDAY_)	
7 MALES AND FEMALES	128
8 MALES ONLY	129
9 FEMALES ONLY	130
POTATO SERVINGS PER DAY (POTADAY_)	
10 MALES AND FEMALES	131
11 MALES ONLY	132
12 FEMALES ONLY	133
CARROT SERVINGS PER DAY (CRTSDAY_)	
13 MALES AND FEMALES	134
14 MALES ONLY	135
15 FEMALES ONLY	136
VEGETABLE SERVINGS PER DAY (VEGEDAY_)	
16 MALES AND FEMALES	137
17 MALES ONLY	138
18 FEMALES ONLY	139



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 16: FRUITS AND VEGETABLES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)	
19	MALES AND FEMALES	140
20	MALES ONLY	141
21	FEMALES ONLY	142
	SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)	
22	MALES AND FEMALES	143
23	MALES ONLY	144
24	FEMALES ONLY	145
	CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)	
25	MALES AND FEMALES	146
26	MALES ONLY	147
27	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 1: FRUIT JUICE SERVINGS PER DAY (FTJUDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3944	658,122	2890	73.4	71.4-75.4	105	3.1	02.3-03.9	40	1.0	00.6-01.4	16	1.1	00.3-01.9	1	0.0	00.0-00.0	892	21.4	19.6-23.2
Male	1481	316,554	1158	77.7	74.6-80.8	51	4.3	02.7-05.9	16	1.3	00.5-02.1	9	1.6	00.0-03.2				247	15.2	12.8-17.6
Female	2463	341,568	1732	69.5	66.8-72.2	54	2.1	01.3-02.9	24	0.7	00.3-01.1	7	0.6	00.0-01.4	1	0.0	00.0-00.0	645	27.1	24.6-29.6
White/Non-Hisp	3200	510,801	2347	74.0	71.8-76.2	66	2.4	01.6-03.2	27	0.9	00.5-01.3	8	0.8	00.0-01.8				752	21.9	19.9-23.9
Black or Afr. Am./Non-Hisp	450	84,702	336	72.9	66.2-79.6	25	6.0	02.5-09.5	8	1.9	00.1-03.7	4	0.8	00.0-01.8	1	0.1	00.0-00.3	76	18.3	12.6-24.0
Oth. Race/Non-Hisp.	98	22,310				3	0.8	00.0-01.8	1	1.0	00.0-03.0									
MultiRacial/Non-Hisp.	80	13,649				7	6.6	01.1-12.1	2	0.6	00.0-01.6							16	16.4	07.2-25.6
Hispanic	85	21,977				4	8.8	00.0-17.8	1	0.2	00.0-00.6	1	5.5	00.0-15.9						
18-24	186	83,897	141	70.9	62.3-79.5	11	8.0	02.7-13.3	5	2.1	00.0-04.3	4	3.3	00.0-07.0				25	15.7	08.6-22.8
25-34	410	112,322	299	73.7	67.4-80.0	12	2.3	00.7-03.9	6	1.6	00.0-03.4	2	2.2	00.0-06.3				91	20.3	15.4-25.2
35-44	686	124,582	490	74.1	70.0-78.2	19	2.5	00.9-04.1	5	0.4	00.0-00.8	3	0.8	00.0-01.8				169	22.1	18.2-26.0
45-54	805	122,179	588	74.6	70.9-78.3	14	2.0	00.8-03.2	5	0.6	00.0-01.2	5	0.5	00.0-01.1				193	22.4	18.9-25.9
55-64	791	95,337	573	72.7	68.8-76.6	15	1.5	00.7-02.3	5	0.7	00.1-01.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	196	24.8	20.9-28.7
65+	1036	116,007	780	73.9	70.4-77.4	33	3.6	02.2-05.0	13	0.8	00.2-01.4	1	0.1	00.0-00.3				209	21.5	18.2-24.8
Less Than H.S.	276	38,584	187	72.5	65.6-79.4	8	2.5	00.3-04.7	8	1.8	00.4-03.2							73	23.3	16.8-29.8
H.S. or G.E.D.	1261	207,657	919	68.5	64.2-72.8	28	4.0	01.8-06.2	11	0.8	00.2-01.4	4	2.2	00.0-04.7				299	24.5	21.0-28.0
Some Post-H.S.	1026	181,969	754	75.8	72.1-79.5	27	2.5	01.1-03.9	10	1.1	00.1-02.1	5	0.8	00.0-01.6	1	0.1	00.0-00.3	229	19.8	16.5-23.1
College Graduate	1378	229,633	1028	76.2	73.3-79.1	42	2.9	01.7-04.1	11	1.0	00.2-01.8	7	0.5	00.1-00.9				290	19.5	17.0-22.0
Less than \$15,000	420	57,328	289	64.9	58.2-71.6	16	5.8	01.7-09.9	4	2.2	00.0-05.3	1	0.3	00.0-00.9	1	0.2	00.0-00.6	109	26.7	20.8-32.6
\$15,000- 24,999	386	45,205	269	71.4	64.5-78.3	10	2.7	00.7-04.7	10	2.1	00.5-03.7	1	0.4	00.0-01.2				96	23.5	16.6-30.4
\$25,000- 34,999	336	52,920	242	67.7	59.3-76.1	9	3.4	00.5-06.3	5	1.7	00.0-03.7	1	0.1	00.0-00.3				79	27.0	18.8-35.2
\$35,000- 49,999	561	86,528	409	71.8	66.5-77.1	17	2.8	01.4-04.2	5	1.6	00.0-03.4	3	2.7	00.0-06.0				127	21.1	16.6-25.6
\$50,000- 74,999	603	101,997	456	76.0	71.3-80.7	15	3.6	01.1-06.1	5	0.6	00.0-01.2	3	0.6	00.0-01.6				124	19.3	15.2-23.4
\$75,000+	1154	230,663	855	75.0	71.5-78.5	26	2.6	01.2-04.0	7	0.5	00.1-00.9	5	1.4	00.0-03.6				261	20.6	17.7-23.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 2: FRUIT JUICE SERVINGS PER DAY (FTJUDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1481	316,554	1158	77.7	74.6-80.8	51	4.3	02.7-05.9	16	1.3	00.5-02.1	9	1.6	00.0-03.2	247	15.2	12.8-17.6
White/Non-Hisp	1214	245,389	961	78.2	74.9-81.5	32	3.7	02.1-05.3	12	1.2	00.2-02.2	7	1.5	00.0-03.5	202	15.4	12.9-17.9
Black or Afr. Am./Non-Hisp	158	40,630	119	78.2	69.6-86.8	11	5.3	01.2-09.4	4	2.7	00.0-06.2	1	1.0	00.0-03.0	23	12.7	06.4-19.0
18-24	91	42,326				8	12.4	03.8-21.0	5	4.2	00.1-08.3	2	3.3	00.0-08.0	7	5.2	00.9-09.5
25-34	152	56,218				6	3.1	00.4-05.8	2	2.1	00.0-05.4	1	4.3	00.0-12.3	21	11.8	05.5-18.1
35-44	250	61,434	198	80.0	73.7-86.3	12	3.7	01.0-06.4	2	0.4	00.0-01.0	2	1.3	00.0-03.1	36	14.6	08.9-20.3
45-54	326	59,888	261	80.5	75.4-85.6	8	2.7	00.7-04.7	1	0.3	00.0-00.9	2	0.2	00.0-00.6	54	16.2	11.5-20.9
55-64	301	45,234	230	75.9	69.8-82.0	6	1.3	00.1-02.5	3	0.8	00.0-01.8	1	0.2	00.0-00.6	61	21.7	15.8-27.6
65+	352	50,068	272	74.5	68.6-80.4	10	3.9	01.4-06.4	3	0.6	00.0-01.4	1	0.3	00.0-00.9	66	20.7	15.0-26.4
Less Than H.S.	114	20,676	84	80.3	71.7-88.9	5	3.3	00.0-06.8	2	1.2	00.0-03.0				23	15.2	07.4-23.0
H.S. or G.E.D.	441	96,123	342	72.7	66.0-79.4	13	5.8	02.3-09.3	7	1.5	00.1-02.9	3	3.5	00.0-08.6	76	16.5	12.0-21.0
Some Post-H.S.	352	82,679	272	78.7	72.8-84.6	13	3.7	00.8-06.6	3	1.3	00.0-03.1	2	1.1	00.0-02.7	62	15.2	10.5-19.9
College Graduate	574	117,076	460	80.5	76.4-84.6	20	3.6	01.6-05.6	4	1.2	00.0-02.8	4	0.6	00.0-01.4	86	14.0	10.5-17.5
Less than \$15,000	140	26,409				7	9.9	01.5-18.3	2	4.0	00.0-10.7	1	0.6	00.0-01.8	30	21.5	12.5-30.5
\$15,000- 24,999	90	14,526	67	80.6	71.2-90.0	3	2.7	00.0-06.0	2	1.7	00.0-04.1				18	15.0	06.6-23.4
\$25,000- 34,999	124	23,983	93	73.6	63.6-83.6	5	6.2	00.0-12.5	4	3.7	00.0-08.0	1	0.3	00.0-00.9	21	16.2	08.6-23.8
\$35,000- 49,999	199	36,279	154	77.6	70.0-85.2	7	3.0	00.6-05.4	2	2.6	00.0-06.3	1	2.4	00.0-07.1	35	14.4	08.9-19.9
\$50,000- 74,999	236	49,169	194	78.6	71.0-86.2	9	5.8	01.1-10.5	3	0.9	00.0-01.9	1	1.1	00.0-03.3	29	13.7	07.2-20.2
\$75,000+	560	134,395	448	79.8	74.7-84.9	17	3.7	01.5-05.9	2	0.3	00.0-00.7	4	2.2	00.0-05.7	89	14.0	10.5-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 3: FRUIT JUICE SERVINGS PER DAY (FTJUDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	341,568	1732	69.5	66.8-72.2	54	2.1	01.3-02.9	24	0.7	00.3-01.1	7	0.6	00.0-01.4	1	0.0	00.0-00.0	645	27.1	24.6-29.6
White/Non-Hisp	1986	265,412	1386	70.1	67.4-72.8	34	1.3	00.7-01.9	15	0.6	00.2-01.0	1	0.1	00.0-00.3				550	28.0	25.3-30.7
Black or Afr. Am./Non-Hisp	292	44,072	217	68.1	59.1-77.1	14	6.6	00.9-12.3	4	1.1	00.0-02.3	3	0.5	00.0-01.3	1	0.2	00.0-00.6	53	23.4	15.0-31.8
Oth. Race/Non-Hisp.	54	9,404				1	0.5	00.0-01.5	1	2.4	00.0-06.9									
MultiRacial/Non-Hisp.	58	8,918				4	6.3	00.0-12.8	2	0.9	00.0-02.3	2	4.7	00.0-11.2						
Hispanic	53	11,511				1	1.4	00.0-04.1	1	0.4	00.0-01.2									
18-24	95	41,571				3	3.6	00.0-09.3				2	3.3	00.0-09.0						
25-34	258	56,104	177	68.7	61.6-75.8	6	1.4	00.0-02.8	4	1.0	00.0-02.2	1	0.1	00.0-00.3				70	28.8	21.7-35.9
35-44	436	63,148	292	68.5	63.4-73.6	7	1.4	00.2-02.6	3	0.4	00.0-01.0	1	0.3	00.0-00.9				133	29.5	24.4-34.6
45-54	479	62,291	327	68.9	63.6-74.2	6	1.2	00.0-02.4	4	0.9	00.0-01.9	3	0.7	00.0-01.7				139	28.3	23.2-33.4
55-64	490	50,103	343	69.9	64.6-75.2	9	1.7	00.5-02.9	2	0.6	00.0-01.6				1	0.2	00.0-00.6	135	27.7	22.6-32.8
65+	684	65,939	508	73.4	69.3-77.5	23	3.4	01.8-05.0	10	1.1	00.3-01.9							143	22.1	18.2-26.0
Less Than H.S.	162	17,908				3	1.6	00.0-03.6	6	2.5	00.1-04.9							50	32.6	22.8-42.4
H.S. or G.E.D.	820	111,534	577	64.8	59.5-70.1	15	2.5	00.1-04.9	4	0.3	00.0-00.7	1	1.1	00.0-03.3				223	31.3	26.2-36.4
Some Post-H.S.	674	99,290	482	73.4	68.7-78.1	14	1.6	00.6-02.6	7	0.9	00.1-01.7	3	0.5	00.0-01.1	1	0.1	00.0-00.3	167	23.6	18.9-28.3
College Graduate	804	112,558	568	71.6	67.7-75.5	22	2.1	01.1-03.1	7	0.8	00.0-01.6	3	0.3	00.0-00.7				204	25.2	21.5-28.9
Less than \$15,000	280	30,919	189	65.7	58.1-73.3	9	2.4	00.6-04.2	2	0.5	00.0-01.3				1	0.4	00.0-01.2	79	31.1	23.5-38.7
\$15,000- 24,999	296	30,679	202	67.0	58.2-75.8	7	2.8	00.3-05.3	8	2.2	00.2-04.2	1	0.5	00.0-01.5				78	27.5	18.7-36.3
\$25,000- 34,999	212	28,937				4	1.1	00.0-02.3	1	0.1	00.0-00.3									
\$35,000- 49,999	362	50,249	255	67.5	60.2-74.8	10	2.6	00.8-04.4	3	0.9	00.0-02.1	2	2.9	00.0-07.6				92	26.0	19.5-32.5
\$50,000- 74,999	367	52,828	262	73.6	67.9-79.3	6	1.5	00.0-03.1	2	0.3	00.0-00.7	2	0.1	00.0-00.3				95	24.4	18.9-29.9
\$75,000+	594	96,269	407	68.3	63.4-73.2	9	1.0	00.2-01.8	5	0.9	00.0-01.9	1	0.2	00.0-00.6				172	29.6	24.9-34.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 4: FRUIT SERVINGS PER DAY (FRUTDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3968	661,445	3167	80.7	78.9-82.5	349	8.4	07.0-09.8	138	2.9	02.1-03.7	32	0.9	00.5-01.3	2	0.0	00.0-00.0	280	7.1	05.9-08.3
Male	1485	316,693	1215	82.2	79.5-84.9	84	6.6	04.4-08.8	35	1.4	00.8-02.0	15	1.2	00.4-02.0				136	8.6	06.6-10.6
Female	2483	344,752	1952	79.4	77.0-81.8	265	10.0	08.4-11.6	103	4.2	03.0-05.4	17	0.5	00.1-00.9	2	0.1	00.0-00.3	144	5.8	04.2-07.4
White/Non-Hisp	3219	513,194	2564	80.4	78.4-82.4	293	9.1	07.5-10.7	115	3.1	02.3-03.9	26	0.7	00.3-01.1	1	0.0	00.0-00.0	220	6.7	05.5-07.9
Black or Afr. Am./Non-Hisp	452	84,903	378	86.0	81.7-90.3	25	4.7	02.3-07.1	15	2.4	00.6-04.2	3	0.9	00.0-02.1	1	0.0	00.0-00.0	30	6.0	03.1-08.9
Oth. Race/Non-Hisp.	100	22,874				8	8.9	00.0-17.9	3	1.0	00.0-02.2	2	2.4	00.0-06.3				7	8.0	00.0-16.8
MultiRacial/Non-Hisp.	81	13,814				14	11.4	04.3-18.5				1	6.4	00.0-18.4				10	8.6	02.1-15.1
Hispanic	85	21,977				2	0.9	00.0-02.3	3	3.2	00.0-06.7									
18-24	186	83,897	154	81.2	73.8-88.6	10	6.7	01.8-11.6	5	2.9	00.0-06.4	3	1.7	00.0-04.1				14	7.5	02.4-12.6
25-34	414	113,566	340	81.7	76.0-87.4	27	7.4	02.9-11.9	12	2.4	00.8-04.0	3	0.5	00.0-01.1				32	8.0	04.3-11.7
35-44	691	125,190	549	80.0	76.3-83.7	64	9.2	06.7-11.7	20	1.9	00.9-02.9	5	0.8	00.0-01.6				53	8.1	05.4-10.8
45-54	808	122,560	652	81.8	78.5-85.1	64	8.4	05.9-10.9	33	2.9	01.7-04.1	4	0.9	00.0-01.9	1	0.0	00.0-00.0	54	6.0	04.0-08.0
55-64	794	95,637	633	82.5	79.2-85.8	68	6.5	04.7-08.3	31	3.7	02.1-05.3	9	0.9	00.0-01.9	1	0.2	00.0-00.6	52	6.2	04.0-08.4
65+	1045	116,799	812	77.2	73.9-80.5	115	11.7	09.2-14.2	36	3.6	02.2-05.0	8	0.6	00.2-01.0				74	7.0	04.8-09.2
Less Than H.S.	280	38,950	214	79.2	72.5-85.9	18	4.0	01.8-06.2	9	3.0	00.6-05.4	1	0.1	00.0-00.3				38	13.7	07.4-20.0
H.S. or G.E.D.	1270	208,487	1038	82.3	78.8-85.8	82	6.5	03.8-09.2	34	2.0	01.0-03.0	5	0.9	00.0-01.9	1	0.0	00.0-00.0	110	8.2	06.0-10.4
Some Post-H.S.	1031	182,628	839	80.7	77.0-84.4	89	8.6	06.1-11.1	28	2.5	00.9-04.1	11	1.0	00.2-01.8				64	7.2	04.7-09.7
College Graduate	1384	231,101	1073	79.5	76.8-82.2	160	10.7	08.5-12.9	67	4.0	02.8-05.2	15	0.8	00.2-01.4	1	0.1	00.0-00.3	68	4.9	03.3-06.5
Less than \$15,000	422	57,424	341	80.5	75.2-85.8	29	5.9	03.2-08.6	13	3.3	01.3-05.3	3	0.5	00.0-01.1				36	9.9	05.6-14.2
\$15,000- 24,999	391	45,750	286	78.1	73.0-83.2	32	7.5	04.4-10.6	17	3.2	01.2-05.2	2	0.4	00.0-01.0				54	10.8	07.3-14.3
\$25,000- 34,999	337	53,142	273	78.7	71.3-86.1	21	5.6	02.7-08.5	8	2.0	00.4-03.6	4	1.1	00.0-02.9				31	12.6	05.5-19.7
\$35,000- 49,999	566	86,958	456	80.6	75.9-85.3	41	6.3	03.9-08.7	22	4.0	01.1-06.9	3	1.7	00.0-03.9				44	7.5	04.8-10.2
\$50,000- 74,999	602	101,886	503	84.2	80.3-88.1	40	4.9	03.1-06.7	10	1.7	00.5-02.9	6	0.6	00.0-01.2				43	8.7	05.4-12.0
\$75,000+	1159	231,898	919	79.9	76.4-83.4	134	11.9	08.8-15.0	51	3.3	02.1-04.5	12	1.0	00.2-01.8	1	0.1	00.0-00.3	42	3.8	02.2-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 5: FRUIT SERVINGS PER DAY (FRUTDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 3, <= 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1485	316,693	1215	82.2	79.3-85.1	84	6.6	04.4-08.8	35	1.4	00.8-02.0	15	1.2	00.4-02.0	136	8.6	06.6-10.6
White/Non-Hisp	1218	245,528	1001	82.7	79.6-85.8	72	7.2	04.7-09.7	27	1.4	00.8-02.0	12	0.9	00.3-01.5	106	7.8	05.8-09.8
Black or Afr. Am./Non-Hisp	158	40,630	134	86.3	79.2-93.4	4	2.6	00.0-05.9	5	1.5	00.0-03.3	1	1.0	00.0-03.0	14	8.6	03.1-14.1
18-24	91	42,326	73	83.5	74.7-92.3	6	6.8	00.3-13.3	2	0.5	00.0-01.1	2	2.9	00.0-07.2	8	6.2	00.9-11.5
25-34	152	56,218	6	7.9	00.0-16.5	6	7.9	00.0-16.5	2	0.5	00.0-01.1	1	0.3	00.0-00.9	21	12.7	05.8-19.6
35-44	251	61,577	205	81.8	76.1-87.5	19	7.6	03.7-11.5	2	0.4	00.0-01.0	2	1.0	00.0-02.4	23	9.3	05.0-13.6
45-54	326	59,888	274	84.6	79.9-89.3	14	5.7	02.2-09.2	11	2.0	00.6-03.4	3	1.8	00.0-03.8	24	6.0	03.5-08.5
55-64	301	45,234	250	85.8	80.9-90.7	11	2.3	00.7-03.9	8	2.7	00.5-04.9	3	1.1	00.0-02.9	29	8.1	04.2-12.0
65+	355	50,064	283	79.0	73.3-84.7	27	8.8	04.9-12.7	10	2.8	00.8-04.8	4	0.6	00.0-01.4	31	8.8	04.5-13.1
Less Than H.S.	116	20,824	5	2.1	00.1-04.1	5	2.1	00.1-04.1	3	2.2	00.0-05.3						
H.S. or G.E.D.	442	96,052	370	83.1	77.2-89.0	21	6.7	01.4-12.0	7	0.8	00.0-01.6	4	2.0	00.0-04.2	40	7.4	04.5-10.3
Some Post-H.S.	352	82,679	296	82.3	76.6-88.0	19	7.2	03.3-11.1	4	0.5	00.0-01.1	5	1.1	00.0-02.5	28	8.9	04.8-13.0
College Graduate	575	117,138	461	81.9	78.0-85.8	39	7.0	04.5-09.5	21	2.5	01.3-03.7	6	0.9	00.1-01.7	48	7.8	04.9-10.7
Less than \$15,000	142	26,505	117	82.2	74.0-90.4	7	5.6	00.9-10.3	3	2.5	00.0-05.6	1	0.6	00.0-01.8	14	9.2	02.7-15.7
\$15,000- 24,999	91	14,639	69	81.6	72.2-91.0	5	4.2	00.0-08.9	2	2.5	00.0-06.2				15	11.7	04.3-19.1
\$25,000- 34,999	124	23,983	96	81.0	73.0-89.0	7	3.7	00.4-07.0	4	2.0	00.0-04.2	2	2.1	00.0-05.8	15	11.2	04.7-17.7
\$35,000- 49,999	200	36,208	163	81.4	74.0-88.8	8	4.4	00.7-08.1	4	0.8	00.0-01.6	1	2.4	00.0-07.1	24	11.0	05.7-16.3
\$50,000- 74,999	236	49,169	199	85.5	79.6-91.4	9	2.3	00.5-04.1	2	0.9	00.0-02.3	3	0.6	00.0-01.4	23	10.7	05.0-16.4
\$75,000+	560	134,395	468	82.6	77.7-87.5	40	9.3	05.0-13.6	16	1.4	00.6-02.2	7	1.5	00.3-02.7	29	5.2	02.7-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 6: FRUIT SERVINGS PER DAY (FRUTDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2483	344,752	1952	79.4	77.0-81.8	265	10.0	08.4-11.6	103	4.2	03.0-05.4	17	0.5	00.1-00.9	2	0.1	00.0-00.3	144	5.8	04.2-07.4
White/Non-Hisp	2001	267,666	1563	78.3	75.8-80.8	221	10.8	08.8-12.8	88	4.6	03.2-06.0	14	0.5	00.1-00.9	1	0.1	00.0-00.3	114	5.7	04.1-07.3
Black or Afr. Am./Non-Hisp	294	44,273	244	85.7	80.6-90.8	21	6.5	03.0-10.0	10	3.2	00.5-05.9	2	0.8	00.0-02.2	1	0.1	00.0-00.3	16	3.6	01.2-06.0
Oth. Race/Non-Hisp.	56	9,968	46	89.2	80.6-97.8	6	7.4	00.0-15.2	2	1.6	00.0-04.0	1	1.1	00.0-03.3				1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	59	9,083				10	13.9	03.9-23.9										5	4.5	00.0-09.8
Hispanic	53	11,511				2	1.6	00.0-04.1	2	3.7	00.0-08.8									
18-24	95	41,571				4	6.5	00.0-13.8	3	5.4	00.0-12.3	1	0.5	00.0-01.5				6	8.7	00.0-17.5
25-34	262	57,348	218	84.7	79.4-90.0	21	6.9	03.6-10.2	10	4.2	01.3-07.1	2	0.8	00.0-01.8				11	3.4	00.5-06.3
35-44	440	63,613	344	78.3	73.6-83.0	45	10.7	07.2-14.2	18	3.4	01.4-05.4	3	0.6	00.0-01.6				30	7.0	03.9-10.1
45-54	482	62,671	378	79.1	74.4-83.8	50	10.9	07.4-14.4	22	3.8	02.0-05.6	1	0.1	00.0-00.3	1	0.0	00.0-00.0	30	6.1	03.4-08.8
55-64	493	50,403	383	79.6	75.3-83.9	57	10.2	07.1-13.3	23	4.7	02.3-07.1	6	0.6	00.0-01.2	1	0.4	00.0-01.2	23	4.6	02.2-07.0
65+	690	66,735	529	75.9	72.0-79.8	88	13.8	10.5-17.1	26	4.2	02.4-06.0	4	0.5	00.0-01.1				43	5.6	03.6-07.6
Less Than H.S.	164	18,126	126	79.4	71.8-87.0	13	6.1	02.2-10.0	6	4.0	00.5-07.5	1	0.2	00.0-00.6				18	10.2	04.3-16.1
H.S. or G.E.D.	828	112,435	668	81.7	77.8-85.6	61	6.3	04.3-08.3	27	3.0	01.0-05.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	70	8.9	05.8-12.0
Some Post-H.S.	679	99,949	543	79.3	74.2-84.4	70	9.8	06.5-13.1	24	4.1	01.4-06.8	6	1.0	00.0-02.0				36	5.8	02.5-09.1
College Graduate	809	113,963	612	77.1	73.4-80.8	121	14.6	11.5-17.7	46	5.6	03.6-07.6	9	0.6	00.0-01.2	1	0.2	00.0-00.6	20	2.0	01.0-03.0
Less than \$15,000	280	30,919	224	79.0	72.3-85.7	22	6.2	03.3-09.1	10	3.9	01.2-06.6	2	0.5	00.0-01.3				22	10.5	04.8-16.2
\$15,000- 24,999	300	31,111	217	76.5	70.6-82.4	27	9.1	05.0-13.2	15	3.6	01.4-05.8	2	0.5	00.0-01.3				39	10.3	06.6-14.0
\$25,000- 34,999	213	29,159				14	7.1	02.4-11.8	4	2.0	00.0-04.2	2	0.3	00.0-00.7						
\$35,000- 49,999	366	50,750	293	80.0	73.9-86.1	33	7.6	04.5-10.7	18	6.2	01.3-11.1	2	1.1	00.0-02.7				20	5.1	02.4-07.8
\$50,000- 74,999	366	52,717	304	83.1	78.0-88.2	31	7.2	04.1-10.3	8	2.4	00.4-04.4	3	0.5	00.0-01.3				20	6.7	02.8-10.6
\$75,000+	599	97,503	451	76.1	71.4-80.8	94	15.4	11.3-19.5	35	6.1	03.4-08.8	5	0.3	00.0-00.7	1	0.2	00.0-00.6	13	1.9	00.5-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 7: GREEN SALAD SERVINGS PER DAY (GNSLDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3946	657,568	3533	88.9	87.3-90.5	50	1.3	00.7-01.9	8	0.3	00.0-00.7	6	0.2	00.0-00.4	2	0.0	00.0-00.0	347	9.3	07.9-10.7
Male	1475	314,302	1297	87.8	85.4-90.2	14	0.7	00.1-01.3	3	0.1	00.0-00.3				1	0.0	00.0-00.0	160	11.3	08.9-13.7
Female	2471	343,266	2236	89.9	87.9-91.9	36	1.8	00.8-02.8	5	0.5	00.0-01.1	6	0.4	00.0-00.8	1	0.1	00.0-00.3	187	7.4	05.8-09.0
White/Non-Hisp	3205	511,110	2918	90.9	89.3-92.5	31	0.9	00.5-01.3	6	0.3	00.0-00.7	4	0.2	00.0-00.4				246	7.7	06.3-09.1
Black or Afr. Am./Non-Hisp	447	84,431	370	82.3	77.0-87.6	10	2.5	00.0-05.4	1	0.2	00.0-00.6	2	0.4	00.0-01.2				64	14.5	09.8-19.2
Oth. Race/Non-Hisp.	100	22,874				2	0.7	00.0-01.7							1	0.3	00.0-00.9			
MultiRacial/Non-Hisp.	81	13,814	69	89.7	82.8-96.6	1	0.9	00.0-02.7							1	1.4	00.0-04.1	10	8.0	02.1-13.9
Hispanic	84	21,086				3	5.4	00.0-12.1												
18-24	183	82,539	141	78.1	70.5-85.7	5	3.3	00.0-06.8	1	1.1	00.0-03.3	1	0.2	00.0-00.6				35	17.3	10.4-24.2
25-34	411	112,125	357	87.2	83.1-91.3	4	0.7	00.0-01.7	2	0.2	00.0-00.4	1	0.4	00.0-01.2	1	0.2	00.0-00.6	46	11.3	07.4-15.2
35-44	690	125,118	618	89.0	85.7-92.3	10	1.0	00.0-02.0	1	0.2	00.0-00.6	3	0.4	00.0-01.0				58	9.4	06.3-12.5
45-54	805	122,260	735	93.0	90.8-95.2	8	0.8	00.2-01.4										62	6.2	04.2-08.2
55-64	791	95,353	724	91.9	89.5-94.3	11	1.5	00.3-02.7	3	0.4	00.0-01.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	51	5.9	03.9-07.9
65+	1036	116,375	931	91.4	89.4-93.4	11	0.9	00.3-01.5										94	7.7	05.9-09.5
Less Than H.S.	277	37,812	214	73.6	65.6-81.6	7	3.9	00.0-08.0	1	0.3	00.0-00.9	1	0.2	00.0-00.6				54	22.0	14.6-29.4
H.S. or G.E.D.	1259	206,969	1096	85.0	81.7-88.3	14	1.6	00.2-03.0	4	0.6	00.0-01.6	1	0.1	00.0-00.3				144	12.7	09.8-15.6
Some Post-H.S.	1026	182,030	925	90.5	88.0-93.0	10	0.6	00.2-01.0				2	0.2	00.0-00.6				89	8.6	06.1-11.1
College Graduate	1381	230,478	1296	93.6	91.8-95.4	19	1.2	00.4-02.0	3	0.2	00.0-00.4	2	0.3	00.0-00.7	2	0.1	00.0-00.3	59	4.6	03.0-06.2
Less than \$15,000	419	57,174	360	86.5	81.6-91.4	1	0.5	00.0-01.5				1	0.3	00.0-00.9				57	12.8	07.9-17.7
\$15,000- 24,999	386	45,325	311	82.7	78.0-87.4	5	0.8	00.0-01.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3				68	16.2	11.5-20.9
\$25,000- 34,999	334	52,523	300	86.2	78.9-93.5	5	1.7	00.0-03.7										29	12.1	05.0-19.2
\$35,000- 49,999	564	87,073	495	85.3	81.0-89.6	6	0.9	00.1-01.7	2	0.2	00.0-00.6	1	0.4	00.0-01.2	1	0.1	00.0-00.3	59	13.2	09.1-17.3
\$50,000- 74,999	599	100,067	551	91.4	87.9-94.9	6	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6	39	7.8	04.3-11.3
\$75,000+	1159	231,898	1086	92.4	90.0-94.8	19	1.4	00.6-02.2	3	0.5	00.0-01.3	2	0.3	00.0-00.7				49	5.4	03.4-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 8: GREEN SALAD SERVINGS PER DAY (GNSLDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2		> 2, <= 3		> 5		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1475	314,302	1297	87.8	85.4-90.2	14	0.7	00.1-01.3	3	0.1	00.0-00.3	1	0.0	00.0-00.0	160	11.3	08.9-13.7
White/Non-Hisp	1212	244,656	1089	90.7	88.3-93.1	8	0.4	00.0-00.8	2	0.1	00.0-00.3				113	8.8	06.4-11.2
Black or Afr. Am./Non-Hisp	156	40,357	123	79.5	70.5-88.5	2	0.3	00.0-00.7	1	0.5	00.0-01.5				30	19.7	10.7-28.7
18-24	89	41,576	66	78.7	69.1-88.3	2	2.1	00.0-05.4							21	19.2	09.8-28.6
25-34	150	54,972	121	82.8	75.4-90.2				1	0.2	00.0-00.6				28	16.9	09.5-24.3
35-44	250	61,506	219	86.7	80.8-92.6	3	0.3	00.0-00.7							28	12.9	07.0-18.8
45-54	325	59,732	298	93.3	90.0-96.6	2	0.4	00.0-01.0							25	6.3	03.0-09.6
55-64	299	44,978	268	90.5	86.4-94.6	4	1.7	00.0-03.9	2	0.7	00.0-01.7	1	0.2	00.0-00.6	24	6.9	03.4-10.4
65+	353	50,154	317	92.9	90.2-95.6	3	0.4	00.0-00.8							33	6.7	04.0-09.4
Less Than H.S.	115	19,933				4	4.3	00.0-10.8									
H.S. or G.E.D.	437	95,102	369	82.8	77.5-88.1	4	0.6	00.0-01.4	2	0.3	00.0-00.7				62	16.2	10.9-21.5
Some Post-H.S.	349	82,191	311	90.8	86.9-94.7	1	0.2	00.0-00.6							37	9.0	05.1-12.9
College Graduate	574	117,076	535	92.9	90.2-95.6	5	0.6	00.0-01.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	32	6.3	03.6-09.0
Less than \$15,000	141	26,443	113	81.0	71.6-90.4	1	1.0	00.0-03.0							27	18.0	08.6-27.4
\$15,000- 24,999	89	14,429				3	1.4	00.0-03.0									
\$25,000- 34,999	121	23,364	104	89.4	83.5-95.3	3	1.8	00.0-04.0							14	8.8	03.5-14.1
\$35,000- 49,999	199	36,351	169	82.5	75.2-89.8				1	0.3	00.0-00.9	1	0.2	00.0-00.6	28	17.0	09.7-24.3
\$50,000- 74,999	234	47,922	215	89.7	83.2-96.2	1	0.1	00.0-00.3							18	10.2	03.7-16.7
\$75,000+	560	134,395	523	92.0	88.7-95.3	4	0.5	00.0-01.1	1	0.1	00.0-00.3				32	7.4	04.3-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 9: GREEN SALAD SERVINGS PER DAY (GNSLDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1		> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2471	343,266	2236	89.9	87.9-91.9	36	1.8	00.8-02.8	5	0.5	00.0-01.1	6	0.4	00.0-00.8	1	0.1	00.0-00.3	187	7.4	05.8-09.0
White/Non-Hisp	1993	266,454	1829	91.0	89.0-93.0	23	1.4	00.6-02.2	4	0.5	00.0-01.3	4	0.3	00.0-00.7				133	6.8	05.0-08.6
Black or Afr. Am./Non-Hisp	291	44,074	247	84.8	78.5-91.1	8	4.5	00.0-09.8				2	0.9	00.0-02.3				34	9.8	05.9-13.7
Oth. Race/Non-Hisp.	56	9,968	48	93.3	88.0-98.6	2	1.6	00.0-04.0										6	5.0	00.3-09.7
MultiRacial/Non-Hisp.	59	9,083	50	90.2	82.4-98.0	1	1.4	00.0-04.1							1	2.1	00.0-06.2	7	6.2	00.3-12.1
18-24	94	40,963				3	4.6	00.0-10.7	1	2.2	00.0-06.5	1	0.4	00.0-01.2						
25-34	261	57,154	236	91.4	87.5-95.3	4	1.4	00.0-03.2	1	0.2	00.0-00.6	1	0.9	00.0-02.7	1	0.3	00.0-00.9	18	5.8	02.7-08.9
35-44	440	63,613	399	91.2	88.1-94.3	7	1.7	00.0-03.5	1	0.3	00.0-00.9	3	0.8	00.0-01.8				30	5.9	03.5-08.3
45-54	480	62,528	437	92.7	90.0-95.4	6	1.2	00.2-02.2										37	6.1	03.7-08.5
55-64	492	50,376	456	93.1	90.4-95.8	7	1.4	00.2-02.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6				27	5.1	02.7-07.5
65+	683	66,221	614	90.2	87.7-92.7	8	1.3	00.3-02.3										61	8.5	06.0-11.0
Less Than H.S.	162	17,879	132	79.2	70.0-88.4	3	3.5	00.0-08.4	1	0.5	00.0-01.5	1	0.3	00.0-00.9				25	16.4	08.0-24.8
H.S. or G.E.D.	822	111,867	727	86.8	82.7-90.9	10	2.4	00.0-04.8	2	0.9	00.0-02.5	1	0.2	00.0-00.6				82	9.7	06.4-13.0
Some Post-H.S.	677	99,839	614	90.3	86.8-93.8	9	1.0	00.2-01.8				2	0.5	00.0-01.1				52	8.3	05.0-11.6
College Graduate	807	113,402	761	94.2	92.0-96.4	14	1.7	00.5-02.9	2	0.4	00.0-01.0	2	0.5	00.0-01.3	1	0.2	00.0-00.6	27	2.9	01.5-04.3
Less than \$15,000	278	30,730	247	91.2	87.5-94.9							1	0.6	00.0-01.8				30	8.2	04.7-11.7
\$15,000- 24,999	297	30,896	248	84.5	79.6-89.4	2	0.5	00.0-01.3	1	0.3	00.0-00.9	1	0.2	00.0-00.6				45	14.5	09.6-19.4
\$25,000- 34,999	213	29,159				2	1.7	00.0-04.6												
\$35,000- 49,999	365	50,722	326	87.3	82.0-92.6	6	1.5	00.3-02.7	1	0.2	00.0-00.6	1	0.6	00.0-01.8				31	10.4	05.5-15.3
\$50,000- 74,999	365	52,144	336	92.9	89.8-96.0	5	0.5	00.0-01.1	1	0.4	00.0-01.2	1	0.2	00.0-00.6	1	0.4	00.0-01.2	21	5.5	02.8-08.2
\$75,000+	599	97,503	563	92.9	90.0-95.8	15	2.7	00.9-04.5	2	1.2	00.0-03.2	2	0.6	00.0-01.6				17	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 10: POTATO SERVINGS PER DAY (POTADAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3950	659,532	3356	85.5	83.9-87.1	4	0.0	00.0-00.0	4	0.2	00.0-00.4	586	14.3	12.7-15.9
Male	1477	315,742	1292	87.8	85.6-90.0	3	0.1	00.0-00.3	3	0.2	00.0-00.4	179	11.9	09.7-14.1
Female	2473	343,790	2064	83.3	81.1-85.5	1	0.0	00.0-00.0	1	0.1	00.0-00.3	407	16.5	14.3-18.7
White/Non-Hisp	3208	511,799	2770	87.2	85.6-88.8	4	0.1	00.1-00.1	4	0.2	00.0-00.4	430	12.5	10.9-14.1
Black or Afr. Am./Non-Hisp	447	84,569	348	78.1	72.4-83.8							99	21.9	16.2-27.6
MultiRacial/Non-Hisp.	81	13,814	67	84.6	75.2-94.0							14	15.4	06.0-24.8
18-24	185	83,303	160	86.5	80.0-93.0							25	13.5	07.0-20.0
25-34	412	113,240	333	81.0	76.3-85.7	1	0.1	00.0-00.3				78	18.9	14.2-23.6
35-44	689	124,989	605	88.2	85.1-91.3	1	0.1	00.0-00.3				83	11.7	08.6-14.8
45-54	806	122,404	697	87.6	84.9-90.3				1	0.1	00.0-00.3	108	12.2	09.5-14.9
55-64	792	95,474	657	84.5	81.4-87.6	1	0.0	00.0-00.0	2	0.5	00.0-01.3	132	14.9	11.8-18.0
65+	1036	116,325	879	84.6	81.9-87.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9	155	15.0	12.3-17.7
Less Than H.S.	278	38,721	239	86.6	80.9-92.3							39	13.4	07.7-19.1
H.S. or G.E.D.	1261	207,400	1095	86.0	83.1-88.9				2	0.2	00.0-00.6	164	13.8	10.9-16.7
Some Post-H.S.	1027	182,238	874	86.7	83.8-89.6	2	0.1	00.0-00.3				151	13.2	10.3-16.1
College Graduate	1381	230,894	1146	83.8	81.4-86.2	2	0.0	00.0-00.0	2	0.2	00.0-00.6	231	15.9	13.5-18.3
Less than \$15,000	418	57,257	358	86.5	82.2-90.8				1	0.6	00.0-01.8	59	12.9	08.8-17.0
\$15,000- 24,999	388	45,483	303	78.7	73.2-84.2							85	21.3	15.8-26.8
\$25,000- 34,999	336	53,018	288	79.3	70.9-87.7							48	20.7	12.3-29.1
\$35,000- 49,999	564	86,925	477	85.4	81.7-89.1				1	0.1	00.0-00.3	86	14.5	10.8-18.2
\$50,000- 74,999	602	101,921	532	90.0	86.9-93.1	1	0.1	00.0-00.3				69	10.0	06.9-13.1
\$75,000+	1158	231,766	993	86.7	84.2-89.2	2	0.1	00.0-00.3	2	0.2	00.0-00.6	161	13.0	10.5-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 11: POTATO SERVINGS PER DAY (POTADAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	315,742	1292	87.8	85.6-90.0	3	0.1	00.0-00.3	3	0.2	00.0-00.4	179	11.9	09.7-14.1
White/Non-Hisp	1211	244,648	1075	89.3	87.1-91.5	3	0.1	00.0-00.3	3	0.3	00.0-00.7	130	10.3	08.1-12.5
Black or Afr. Am./Non-Hisp	157	40,559	122	78.8	70.2-87.4							35	21.2	12.6-29.8
18-24	90	41,732	83	95.6	91.9-99.3							7	4.4	00.7-08.1
25-34	152	56,218	118	79.1	71.3-86.9	1	0.2	00.0-00.6				33	20.7	12.9-28.5
35-44	250	61,506	223	88.6	83.7-93.5	1	0.2	00.0-00.6				26	11.3	06.4-16.2
45-54	325	59,819	295	90.8	87.1-94.5				1	0.3	00.0-00.9	29	9.0	05.3-12.7
55-64	300	45,180	250	85.0	80.1-89.9	1	0.1	00.0-00.3	2	1.1	00.0-02.9	47	13.8	09.1-18.5
65+	351	49,901	316	89.2	84.7-93.7							35	10.8	06.3-15.3
Less Than H.S.	115	20,789	101	86.1	76.7-95.5							14	13.9	04.5-23.3
H.S. or G.E.D.	439	95,479	395	88.7	84.8-92.6				1	0.1	00.0-00.3	43	11.2	07.3-15.1
Some Post-H.S.	350	82,453	297	89.0	85.1-92.9	2	0.3	00.0-00.7				51	10.7	06.8-14.6
College Graduate	573	117,022	499	86.5	83.0-90.0	1	0.0	00.0-00.0	2	0.5	00.0-01.3	71	13.0	09.5-16.5
Less than \$15,000	139	26,374	122	88.8	82.1-95.5							17	11.2	04.5-17.9
\$15,000- 24,999	90	14,570	78	87.1	78.1-96.1							12	12.9	03.9-21.9
\$25,000- 34,999	123	23,859	105	83.1	74.1-92.1							18	16.9	07.9-25.9
\$35,000- 49,999	198	36,175	168	87.6	81.9-93.3				1	0.3	00.0-00.9	29	12.1	06.4-17.8
\$50,000- 74,999	236	49,169	220	93.2	89.1-97.3	1	0.2	00.0-00.6				15	6.6	02.5-10.7
\$75,000+	560	134,395	491	88.1	84.8-91.4	2	0.1	00.0-00.3	2	0.4	00.0-01.0	65	11.4	08.1-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 12: POTATO SERVINGS PER DAY (POTADAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2473	343,790	2064	83.3	81.1-85.5	1	0.0	00.0-00.0	1	0.1	00.0-00.3	407	16.5	14.3-18.7
White/Non-Hisp	1997	267,151	1695	85.3	83.1-87.5	1	0.0	00.0-00.0	1	0.1	00.0-00.3	300	14.5	12.3-16.7
Black or Afr. Am./Non-Hisp	290	44,011	226	77.4	70.1-84.7							64	22.6	15.3-29.9
25-34	260	57,022	215	82.9	77.2-88.6							45	17.1	11.4-22.8
35-44	439	63,483	382	87.8	84.3-91.3							57	12.2	08.7-15.7
45-54	481	62,584	402	84.7	80.6-88.8							79	15.3	11.2-19.4
55-64	492	50,294	407	84.0	79.9-88.1							85	16.0	11.9-20.1
65+	685	66,424	563	81.2	77.7-84.7	1	0.1	00.0-00.3	1	0.6	00.0-01.8	120	18.1	14.6-21.6
Less Than H.S.	163	17,932	138	87.2	81.3-93.1							25	12.8	06.9-18.7
H.S. or G.E.D.	822	111,921	700	83.7	79.4-88.0				1	0.3	00.0-00.9	121	15.9	11.6-20.2
Some Post-H.S.	677	99,785	577	84.8	80.5-89.1							100	15.2	10.9-19.5
College Graduate	808	113,873	647	81.0	77.7-84.3	1	0.1	00.0-00.3				160	18.9	15.6-22.2
Less than \$15,000	279	30,883	236	84.5	79.0-90.0				1	1.2	00.0-03.6	42	14.3	09.2-19.4
\$15,000- 24,999	298	30,913	225	74.7	68.0-81.4							73	25.3	18.6-32.0
\$35,000- 49,999	366	50,750	309	83.8	78.7-88.9							57	16.2	11.1-21.3
\$50,000- 74,999	366	52,752	312	86.9	82.2-91.6							54	13.1	08.4-17.8
\$75,000+	598	97,371	502	84.9	81.2-88.6							96	15.1	11.4-18.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 13: CARROT SERVINGS PER DAY (CRTSDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3922	656,702	2882	72.8	70.8-74.8	16	0.4	00.2-00.6	4	0.1	00.1-00.1	4	0.1	00.0-00.3	1016	26.6	24.6-28.6
Male	1471	315,550	1065	72.4	69.3-75.5	5	0.4	00.0-00.8	2	0.1	00.0-00.3	1	0.0	00.0-00.0	398	27.1	24.0-30.2
Female	2451	341,152	1817	73.2	70.5-75.9	11	0.3	00.1-00.5	2	0.1	00.0-00.3	3	0.1	00.0-00.3	618	26.2	23.5-28.9
White/Non-Hisp	3182	509,062	2411	74.9	72.7-77.1	10	0.3	00.1-00.5	4	0.1	00.0-00.3	1	0.0	00.0-00.0	756	24.7	22.5-26.9
Black or Afr. Am./Non-Hisp	446	84,575	254	59.3	52.0-66.6	4	0.4	00.0-00.8	2	0.5	00.0-01.3	2	0.5	00.0-01.3	186	39.7	32.4-47.0
Oth. Race/Non-Hisp.	100	22,874				1	0.2	00.0-00.6									
MultiRacial/Non-Hisp.	80	13,649										1	0.8	00.0-02.4			
18-24	186	83,897	110	61.0	52.2-69.8										76	39.0	30.2-47.8
25-34	409	112,536	272	70.5	64.6-76.4	3	0.3	00.0-00.7							134	29.2	23.3-35.1
35-44	689	125,075	496	74.3	70.2-78.4	1	0.0	00.0-00.0				2	0.4	00.0-01.0	190	25.3	21.2-29.4
45-54	800	121,380	600	76.7	72.8-80.6	2	0.5	00.0-01.3	2	0.3	00.0-00.7	1	0.0	00.0-00.0	195	22.5	18.6-26.4
55-64	789	95,357	596	74.7	70.6-78.8	5	0.7	00.0-01.5	1	0.1	00.0-00.3	1	0.1	00.0-00.3	186	24.4	20.3-28.5
65+	1021	114,794	787	76.2	72.7-79.7	3	0.2	00.0-00.4	1	0.1	00.0-00.3				230	23.4	19.9-26.9
Less Than H.S.	273	38,349	162	56.4	47.8-65.0	4	1.0	00.0-02.0	1	0.4	00.0-01.2				106	42.2	33.6-50.8
H.S. or G.E.D.	1252	207,018	879	69.3	65.4-73.2	4	0.3	00.1-00.5	3	0.2	00.0-00.4				366	30.3	26.4-34.2
Some Post-H.S.	1017	180,805	753	71.1	66.6-75.6	2	0.3	00.0-00.7				2	0.2	00.0-00.6	260	28.4	24.1-32.7
College Graduate	1377	230,251	1086	80.1	77.4-82.8	6	0.4	00.0-00.8				2	0.1	00.0-00.3	283	19.4	16.7-22.1
Less than \$15,000	419	57,182	282	65.6	58.9-72.3				1	0.2	00.0-00.6				136	34.2	27.5-40.9
\$15,000- 24,999	384	45,138	241	60.6	53.3-67.9	4	0.8	00.0-01.6	1	0.3	00.0-00.9				138	38.2	30.9-45.5
\$25,000- 34,999	329	52,379	236	63.6	55.0-72.2	1	0.3	00.0-00.9							92	36.1	27.5-44.7
\$35,000- 49,999	562	86,876	396	70.8	65.7-75.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	3	0.5	00.0-01.3	161	28.4	23.3-33.5
\$50,000- 74,999	599	101,605	448	73.5	68.2-78.8	3	0.2	00.0-00.4	1	0.2	00.0-00.6				147	26.2	20.9-31.5
\$75,000+	1153	230,552	912	78.7	75.4-82.0	5	0.5	00.0-01.1				1	0.1	00.0-00.3	235	20.7	17.4-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 14: CARROT SERVINGS PER DAY (CRTSDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1471	315,550	1065	72.4	69.3-75.5	5	0.4	00.0-00.8	2	0.1	00.0-00.3	1	0.0	00.0-00.0	398	27.1	24.0-30.2
White/Non-Hisp	1206	244,491	899	74.8	71.5-78.1	5	0.5	00.0-01.1	2	0.1	00.0-00.3				300	24.7	21.4-28.0
Black or Afr. Am./Non-Hisp	156	40,524										1	0.4	00.0-01.2			
25-34	152	56,218	100	72.6	63.6-81.6	1	0.2	00.0-00.6							51	27.1	18.3-35.9
35-44	250	61,506	172	71.0	63.9-78.1							1	0.2	00.0-00.6	77	28.8	21.7-35.9
45-54	321	59,366	239	74.6	68.3-80.9	1	0.8	00.0-02.4	1	0.3	00.0-00.9				80	24.4	18.1-30.7
55-64	300	45,135	219	71.5	64.6-78.4	2	1.1	00.0-02.9	1	0.2	00.0-00.6				78	27.1	20.4-33.8
65+	348	49,613	266	73.9	67.6-80.2	1	0.2	00.0-00.6							81	26.0	19.7-32.3
Less Than H.S.	114	20,754				1	0.4	00.0-01.2									
H.S. or G.E.D.	436	95,643	297	66.1	59.8-72.4	1	0.1	00.0-00.3	2	0.3	00.0-00.7				136	33.5	27.2-39.8
Some Post-H.S.	348	82,284	252	73.4	66.9-79.9	1	0.5	00.0-01.5							95	26.0	19.5-32.5
College Graduate	573	116,868	446	79.5	75.4-83.6	2	0.4	00.0-01.2				1	0.1	00.0-00.3	124	20.0	15.9-24.1
\$15,000- 24,999	90	14,570				1	0.5	00.0-01.5	1	1.1	00.0-03.3						
\$25,000- 34,999	120	23,640				1	0.6	00.0-01.8									
\$35,000- 49,999	198	36,195	134	67.2	58.4-76.0				1	0.3	00.0-00.9				63	32.5	23.9-41.1
\$50,000- 74,999	234	48,929	177	74.3	66.5-82.1	1	0.2	00.0-00.6							56	25.5	17.7-33.3
\$75,000+	558	134,118	430	77.5	73.0-82.0	2	0.6	00.0-01.4				1	0.1	00.0-00.3	125	21.8	17.3-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 15: CARROT SERVINGS PER DAY (CRTSDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2451	341,152	1817	73.2	70.5-75.9	11	0.3	00.1-00.5	2	0.1	00.0-00.3	3	0.1	00.0-00.3	618	26.2	23.5-28.9
White/Non-Hisp	1976	264,571	1512	75.0	72.1-77.9	5	0.2	00.0-00.4	2	0.1	00.0-00.3	1	0.0	00.0-00.0	456	24.7	21.8-27.6
Black or Afr. Am./Non-Hisp	290	44,051	168	59.9	51.7-68.1	4	0.8	00.0-01.6				1	0.7	00.0-02.1	117	38.5	30.3-46.7
Oth. Race/Non-Hisp.	56	9,968	41	87.0	78.8-95.2	1	0.6	00.0-01.8							14	12.4	04.4-20.4
MultiRacial/Non-Hisp.	58	8,918										1	1.2	00.0-03.6			
25-34	257	56,318	172	68.4	61.1-75.7	2	0.3	00.0-00.7							83	31.2	23.9-38.5
35-44	439	63,569	324	77.6	73.1-82.1	1	0.0	00.0-00.0				1	0.5	00.0-01.5	113	21.9	17.6-26.2
45-54	479	62,013	361	78.8	74.3-83.3	1	0.2	00.0-00.6	1	0.3	00.0-00.9	1	0.1	00.0-00.3	115	20.7	16.2-25.2
55-64	489	50,222	377	77.5	72.8-82.2	3	0.4	00.0-00.8				1	0.2	00.0-00.6	108	21.9	17.2-26.6
65+	673	65,181	521	78.0	74.3-81.7	2	0.3	00.0-00.7	1	0.2	00.0-00.6				149	21.5	17.8-25.2
Less Than H.S.	159	17,595				3	1.7	00.0-03.7	1	0.9	00.0-02.7						
H.S. or G.E.D.	816	111,376	582	72.0	67.3-76.7	3	0.3	00.0-00.7	1	0.1	00.0-00.3				230	27.5	23.0-32.0
Some Post-H.S.	669	98,521	501	69.3	63.4-75.2	1	0.0	00.0-00.0				2	0.4	00.0-01.0	165	30.4	24.5-36.3
College Graduate	804	113,383	640	80.7	77.2-84.2	4	0.4	00.0-00.8				1	0.1	00.0-00.3	159	18.8	15.3-22.3
Less than \$15,000	279	30,773	195	68.4	60.8-76.0				1	0.4	00.0-01.2				83	31.2	23.6-38.8
\$15,000- 24,999	294	30,568	187	61.7	53.7-69.7	3	0.9	00.0-01.9							104	37.4	29.4-45.4
\$35,000- 49,999	364	50,681	262	73.4	67.5-79.3	1	0.1	00.0-00.3				3	0.9	00.0-02.3	98	25.5	19.6-31.4
\$50,000- 74,999	365	52,676	271	72.7	65.6-79.8	2	0.2	00.0-00.4	1	0.3	00.0-00.9				91	26.8	19.7-33.9
\$75,000+	595	96,435	482	80.3	75.4-85.2	3	0.4	00.0-01.0							110	19.3	14.4-24.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 16: VEGETABLE SERVINGS PER DAY (VEGEDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3943	657,816	2376	60.1	57.7-62.5	1112	27.9	25.9-29.9	260	6.4	05.4-07.4	102	2.9	01.5-04.3	14	0.3	00.1-00.5	79	2.3	01.5-03.1
Male	1477	314,428	980	65.9	62.2-69.6	350	22.3	19.4-25.2	75	5.5	03.9-07.1	30	3.3	00.6-06.0	8	0.4	00.0-00.8	34	2.6	01.4-03.8
Female	2466	343,388	1396	54.9	52.2-57.6	762	33.0	30.3-35.7	185	7.2	05.8-08.6	72	2.6	01.8-03.4	6	0.2	00.0-00.4	45	2.0	01.0-03.0
White/Non-Hisp	3201	510,222	1927	61.4	59.0-63.8	901	27.2	25.0-29.4	225	6.8	05.6-08.0	85	2.4	01.8-03.0	13	0.4	00.2-00.6	50	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	447	84,543	284	59.3	50.9-67.7	119	25.9	19.8-32.0	18	4.6	02.1-07.1	12	7.2	00.0-17.0	1	0.1	00.0-00.3	13	2.8	00.8-04.8
Oth. Race/Non-Hisp.	100	22,874							3	3.9	00.0-09.0	4	4.9	00.0-10.0				8	5.7	00.8-10.6
MultiRacial/Non-Hisp.	81	13,814										1	1.6	00.0-04.7				2	0.9	00.0-02.3
Hispanic	85	21,977							3	3.0	00.0-06.5							4	7.8	00.0-19.4
18-24	184	83,358	116	56.9	47.9-65.9	48	31.4	22.6-40.2	8	5.0	01.3-08.7	4	1.7	00.0-03.5				8	5.1	00.8-09.4
25-34	408	111,529	226	53.9	46.6-61.2	118	27.0	21.3-32.7	35	8.2	05.1-11.3	9	5.9	00.0-13.5	3	0.9	00.0-01.9	17	4.0	01.8-06.2
35-44	690	125,118	389	56.9	52.2-61.6	210	31.6	27.1-36.1	50	6.8	04.6-09.0	23	2.5	01.1-03.9	4	0.3	00.1-00.5	14	2.0	00.6-03.4
45-54	807	122,614	480	61.2	56.9-65.5	238	28.9	25.0-32.8	47	5.0	03.0-07.0	25	3.4	01.6-05.2	4	0.4	00.0-00.8	13	1.2	00.4-02.0
55-64	792	95,475	476	63.9	59.4-68.4	223	24.4	20.7-28.1	58	7.4	04.9-09.9	23	2.7	01.3-04.1	1	0.1	00.0-00.3	11	1.5	00.3-02.7
65+	1036	116,326	671	67.7	64.2-71.2	269	23.7	20.6-26.8	60	6.0	04.2-07.8	18	1.4	00.6-02.2	2	0.1	00.0-00.3	16	1.1	00.5-01.7
Less Than H.S.	275	38,513	188	66.0	57.8-74.2	61	24.2	16.6-31.8	7	2.0	00.0-04.0	2	1.3	00.0-03.5				17	6.5	02.4-10.6
H.S. or G.E.D.	1260	206,325	846	67.6	63.7-71.5	301	24.7	21.0-28.4	63	4.5	02.9-06.1	25	1.8	00.8-02.8	2	0.1	00.0-00.3	23	1.3	00.7-01.9
Some Post-H.S.	1023	181,917	602	58.0	52.9-63.1	293	26.7	22.6-30.8	77	6.9	04.9-08.9	26	4.2	00.0-08.9	4	0.5	00.0-01.1	21	3.7	01.3-06.1
College Graduate	1382	230,782	738	54.2	50.9-57.5	456	32.2	29.1-35.3	113	8.5	06.5-10.5	49	3.3	02.1-04.5	8	0.4	00.2-00.6	18	1.5	00.7-02.3
Less than \$15,000	419	57,121	285	66.7	60.0-73.4	96	22.9	16.6-29.2	22	5.9	02.6-09.2	5	0.5	00.1-00.9				11	4.0	00.9-07.1
\$15,000- 24,999	386	45,485	252	68.6	62.3-74.9	85	20.6	15.1-26.1	16	3.8	01.3-06.3	8	1.7	00.1-03.3				25	5.3	02.9-07.7
\$25,000- 34,999	336	53,031	215	62.5	54.5-70.5	89	26.4	19.1-33.7	18	5.6	02.1-09.1	7	1.4	00.0-03.2	2	0.5	00.0-01.1	5	3.6	00.0-08.7
\$35,000- 49,999	562	86,813	340	61.2	55.5-66.9	171	29.4	23.9-34.9	30	5.9	03.0-08.8	13	1.9	00.5-03.3	2	0.2	00.0-00.6	6	1.4	00.0-03.0
\$50,000- 74,999	601	101,845	360	62.4	57.1-67.7	156	26.6	21.7-31.5	55	6.6	04.4-08.8	19	3.1	01.3-04.9	4	0.4	00.0-00.8	7	0.9	00.1-01.7
\$75,000+	1154	230,001	623	53.2	48.9-57.5	382	31.5	27.8-35.2	82	7.4	05.4-09.4	43	5.1	01.2-09.0	6	0.5	00.0-01.1	18	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 17: VEGETABLE SERVINGS PER DAY (VEGEDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1477	314,428	980	65.9	62.2-69.6	350	22.3	19.4-25.2	75	5.5	03.9-07.1	30	3.3	00.6-06.0	8	0.4	00.0-00.8	34	2.6	01.4-03.8
White/Non-Hisp	1211	243,335	807	67.8	64.3-71.3	284	21.5	18.4-24.6	65	6.0	04.2-07.8	24	1.9	00.9-02.9	8	0.5	00.1-00.9	23	2.3	00.9-03.7
Black or Afr. Am./Non-Hisp	157	40,559				36	20.0	11.8-28.2	3	2.9	00.0-06.2				5	2.6	00.0-05.7			
18-24	89	41,787							6	8.4	01.3-15.5	2	1.8	00.0-04.5				4	5.2	00.0-11.1
25-34	150	54,716				35	20.6	12.4-28.8	8	5.9	01.4-10.4				1	0.8	00.0-02.4	9	5.0	01.3-08.7
35-44	250	61,506	155	60.4	53.0-67.8	67	28.9	21.8-36.0	14	5.8	02.5-09.1	6	2.0	00.2-03.8	2	0.3	00.0-00.7	6	2.5	00.0-05.0
45-54	326	59,888	216	68.0	61.7-74.3	76	22.0	16.5-27.5	15	4.0	01.6-06.4	8	3.8	00.9-06.7	3	0.6	00.0-01.4	8	1.6	00.4-02.8
55-64	300	45,099	195	70.8	64.1-77.5	79	20.4	14.5-26.3	15	5.4	02.3-08.5	6	1.9	00.0-03.9	1	0.2	00.0-00.6	4	1.4	00.0-03.2
65+	353	50,047	252	74.7	69.4-80.0	75	19.5	14.6-24.4	16	4.3	01.8-06.8	6	0.9	00.1-01.7	1	0.2	00.0-00.6	3	0.4	00.0-00.8
Less Than H.S.	114	20,645							3	2.4	00.0-05.7	1	0.3	00.0-01.1				7	6.1	00.0-12.4
H.S. or G.E.D.	440	94,452	318	72.9	67.0-78.8	93	19.8	14.5-25.1	14	4.3	01.6-07.0	7	1.8	00.2-03.4	1	0.1	00.0-00.3	7	1.1	00.1-02.1
Some Post-H.S.	348	82,194	231	62.9	53.7-72.1	84	20.0	14.3-25.7	17	5.2	02.1-08.3	4	6.5	00.0-16.7	2	0.7	00.0-01.9	10	4.8	01.1-08.5
College Graduate	575	117,138	352	61.7	56.6-66.8	149	26.0	21.3-30.7	41	7.3	04.4-10.2	18	2.9	01.3-04.5	5	0.5	00.1-00.9	10	1.7	00.5-02.9
Less than \$15,000	141	26,471							5	5.3	00.0-11.0	2	0.5	00.0-01.3				3	3.3	00.0-08.4
\$15,000- 24,999	90	14,495	62	81.8	73.6-90.0	17	10.8	04.9-16.7	1	0.9	00.0-02.7	3	2.7	00.0-06.6				7	3.8	00.3-07.3
\$25,000- 34,999	124	23,983	88	73.5	63.5-83.5	29	20.9	11.7-30.1	4	4.5	00.0-09.6	2	0.5	00.0-01.1	1	0.6	00.0-01.8			
\$35,000- 49,999	199	36,229	137	67.2	58.4-76.0	48	22.1	14.8-29.4	7	5.9	00.0-11.8	4	2.2	00.0-04.7				3	2.7	00.0-06.2
\$50,000- 74,999	236	49,169	162	70.6	63.0-78.2	46	19.6	12.5-26.7	15	5.1	02.2-08.0	4	2.5	00.0-05.4	3	0.7	00.0-01.5	6	1.5	00.1-02.9
\$75,000+	557	132,758	330	57.3	50.8-63.8	159	26.4	21.3-31.5	36	6.4	03.9-08.9	15	5.9	00.0-12.4	4	0.5	00.0-01.3	13	3.4	01.0-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES  
 TABLE 18: VEGETABLE SERVINGS PER DAY (VEGEDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2466	343,388	1396	54.9	52.2-57.6	762	33.0	30.3-35.7	185	7.2	05.8-08.6	72	2.6	01.8-03.4	6	0.2	00.0-00.4	45	2.0	01.0-03.0
White/Non-Hisp	1990	266,887	1120	55.7	52.6-58.8	617	32.4	29.5-35.3	160	7.6	06.0-09.2	61	2.8	01.8-03.8	5	0.3	00.1-00.5	27	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	290	43,985	175	57.1	48.7-65.5	83	31.4	23.4-39.4	15	6.2	02.5-09.9	8	2.0	00.0-04.4	1	0.3	00.0-00.9	8	3.0	00.3-05.7
Oth. Race/Non-Hisp.	56	9,968										2	3.8	00.0-09.1				4	3.3	00.0-06.8
MultiRacial/Non-Hisp.	59	9,083							3	3.5	00.0-07.6	1	2.4	00.0-07.1				2	1.4	00.0-03.4
Hispanic	53	11,511							2	4.4	00.0-10.5									
18-24	95	41,571							2	1.5	00.0-03.9	2	1.6	00.0-04.0				4	5.0	00.0-11.5
25-34	258	56,813	131	49.3	41.5-57.1	83	33.2	26.1-40.3	27	10.5	06.0-15.0	7	3.0	00.5-05.5	2	0.9	00.0-02.3	8	3.0	00.5-05.5
35-44	440	63,613	234	53.5	47.8-59.2	143	34.2	28.7-39.7	36	7.7	04.8-10.6	17	2.9	00.9-04.9	2	0.3	00.0-00.7	8	1.5	00.3-02.7
45-54	481	62,725	264	54.8	49.1-60.5	162	35.4	29.9-40.9	32	6.0	03.1-08.9	17	2.9	01.1-04.7	1	0.2	00.0-00.6	5	0.7	00.0-01.5
55-64	492	50,376	281	57.7	52.0-63.4	144	28.0	23.1-32.9	43	9.3	05.4-13.2	17	3.4	01.4-05.4				7	1.5	00.1-02.9
65+	683	66,280	419	62.5	58.2-66.8	194	26.9	23.0-30.8	44	7.3	04.9-09.7	12	1.7	00.5-02.9	1	0.1	00.0-00.3	13	1.6	00.6-02.6
Less Than H.S.	161	17,868							4	1.5	00.0-03.3	1	2.5	00.0-07.2				10	6.8	02.1-11.5
H.S. or G.E.D.	820	111,873	528	63.1	58.0-68.2	208	28.8	23.7-33.9	49	4.7	02.9-06.5	18	1.7	00.5-02.9	1	0.2	00.0-00.6	16	1.5	00.5-02.5
Some Post-H.S.	675	99,723	371	54.1	48.4-59.8	209	32.2	26.7-37.7	60	8.3	05.6-11.0	22	2.3	00.9-03.7	2	0.4	00.0-01.0	11	2.8	00.0-05.7
College Graduate	807	113,644	386	46.5	42.2-50.8	307	38.6	34.3-42.9	72	9.7	06.8-12.6	31	3.7	02.1-05.3	3	0.2	00.0-00.4	8	1.2	00.2-02.2
Less than \$15,000	278	30,650	182	67.2	59.9-74.5	68	21.3	15.2-27.4	17	6.4	02.9-09.9	3	0.4	00.0-01.0				8	4.7	00.8-08.6
\$15,000- 24,999	296	30,990	190	62.4	54.4-70.4	68	25.2	17.9-32.5	15	5.2	01.7-08.7	5	1.2	00.0-02.8				18	5.9	02.8-09.0
\$25,000- 34,999	212	29,048							14	6.5	01.6-11.4	5	2.1	00.0-05.0	1	0.4	00.0-01.2	5	6.6	00.0-15.6
\$35,000- 49,999	363	50,584	203	56.9	49.3-64.5	123	34.6	27.2-42.0	23	5.9	03.0-08.8	9	1.7	00.3-03.1	2	0.4	00.0-01.2	3	0.4	00.0-01.0
\$50,000- 74,999	365	52,676	198	54.8	47.7-61.9	110	33.1	26.2-40.0	40	8.0	05.1-10.9	15	3.7	01.5-05.9	1	0.1	00.0-00.3	1	0.4	00.0-01.2
\$75,000+	597	97,243	293	47.7	42.4-53.0	223	38.5	33.2-43.8	46	8.7	05.6-11.8	28	4.1	02.1-06.1	2	0.5	00.0-01.3	5	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 19: FRUIT AND VEGETABLE SERVINGS PER DAY (\_FRTSERV)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	661,804	168	4.9	03.7-06.1	551	14.6	13.0-16.2	881	22.4	20.6-24.2	1535	37.6	35.4-39.8	829	20.3	18.1-22.5	6	0.1	00.0-00.3
Male	1486	316,941	77	5.8	04.0-07.6	251	17.0	14.5-19.5	343	23.5	20.6-26.4	556	35.3	32.0-38.6	257	18.3	14.8-21.8	2	0.1	00.0-00.3
Female	2484	344,863	91	4.1	02.7-05.5	300	12.4	10.4-14.4	538	21.5	19.1-23.9	979	39.7	37.0-42.4	572	22.2	19.8-24.6	4	0.1	00.0-00.3
White/Non-Hisp	3221	513,553	117	4.2	03.0-05.4	433	14.3	12.5-16.1	714	22.8	20.8-24.8	1271	39.1	36.7-41.5	685	19.5	17.5-21.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	452	84,903	29	7.5	03.6-11.4	79	17.8	12.7-22.9	106	20.8	15.7-25.9	161	31.6	25.1-38.1	76	22.2	12.8-31.6	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	100	22,874	7	5.5	00.4-10.6	11	12.0	03.8-20.2										2	1.8	00.0-04.3
MultiRacial/Non-Hisp.	81	13,814	4	3.1	00.0-07.2	9	9.9	02.6-17.2												
Hispanic	85	21,977																1	0.8	00.0-02.4
18-24	186	83,897	13	6.1	01.6-10.6	31	14.5	09.0-20.0	41	22.4	14.8-30.0	71	37.7	29.1-46.3	29	19.1	11.7-26.5	1	0.2	00.0-00.6
25-34	414	113,566	24	7.5	03.6-11.4	83	19.5	14.4-24.6	94	22.1	17.0-27.2	134	28.0	22.5-33.5	77	22.5	14.5-30.5	2	0.4	00.0-01.0
35-44	691	125,190	35	5.1	02.9-07.3	116	16.6	13.1-20.1	151	21.8	18.1-25.5	258	38.8	34.1-43.5	131	17.7	14.2-21.2			
45-54	809	122,671	42	4.8	02.8-06.8	106	13.0	10.1-15.9	201	24.1	20.2-28.0	301	39.7	35.4-44.0	158	18.4	15.1-21.7	1	0.0	00.0-00.0
55-64	794	95,637	30	3.8	02.0-05.6	100	13.5	10.0-17.0	177	24.6	20.5-28.7	300	36.3	31.8-40.8	186	21.8	18.1-25.5	1	0.1	00.0-00.3
65+	1046	117,047	22	2.5	01.1-03.9	109	10.3	07.9-12.7	211	20.1	17.0-23.2	459	44.5	40.8-48.2	244	22.6	19.5-25.7	1	0.1	00.0-00.3
Less Than H.S.	280	38,950	20	6.6	02.7-10.5	53	23.3	15.3-31.3	78	28.1	20.5-35.7	87	27.6	20.2-35.0	40	13.4	08.1-18.7	2	1.0	00.0-02.4
H.S. or G.E.D.	1271	208,735	69	7.1	04.7-09.5	221	16.5	13.6-19.4	307	25.8	22.1-29.5	467	34.5	30.8-38.2	205	16.0	12.5-19.5	2	0.1	00.0-00.3
Some Post-H.S.	1031	182,628	47	5.6	03.1-08.1	142	15.6	12.3-18.9	217	19.7	16.2-23.2	414	38.3	33.8-42.8	209	20.7	15.6-25.8	2	0.1	00.0-00.3
College Graduate	1385	231,212	32	2.2	01.2-03.2	135	10.6	08.4-12.8	278	20.6	17.9-23.3	566	41.5	38.2-44.8	374	25.1	22.2-28.0			
Less than \$15,000	422	57,424	24	5.7	02.6-08.8	73	20.6	14.7-26.5	101	22.5	17.2-27.8	153	33.9	27.4-40.4	71	17.2	12.1-22.3			
\$15,000- 24,999	391	45,750	34	8.2	05.1-11.3	63	15.4	10.5-20.3	90	29.1	22.0-36.2	128	29.3	22.4-36.2	73	17.3	12.6-22.0	3	0.7	00.0-01.5
\$25,000- 34,999	337	53,142	16	9.3	02.4-16.2	49	13.8	08.3-19.3	77	24.9	17.6-32.2	136	37.8	30.4-45.2	59	14.3	09.6-19.0			
\$35,000- 49,999	567	87,206	28	5.1	02.6-07.6	86	18.2	13.5-22.9	152	25.4	20.5-30.3	187	29.8	24.9-34.7	114	21.5	16.2-26.8			
\$50,000- 74,999	603	101,997	20	3.0	01.2-04.8	94	18.0	13.5-22.5	140	24.0	19.5-28.5	212	36.5	31.2-41.8	136	18.4	14.5-22.3	1	0.1	00.0-00.3
\$75,000+	1159	231,898	29	3.6	01.8-05.4	125	10.6	08.2-13.0	217	18.8	15.7-21.9	518	43.2	39.1-47.3	268	23.6	19.1-28.1	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 16: FRUITS AND VEGETABLES**

**TABLE 20: FRUIT AND VEGETABLE SERVINGS PER DAY (\_FRTSERV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1486	316,941	77	5.8	04.0-07.6	251	17.0	14.5-19.5	343	23.5	20.6-26.4	556	35.3	32.0-38.6	257	18.3	14.8-21.8	2	0.1	00.0-00.3
White/Non-Hisp	1219	245,776	55	5.2	03.2-07.2	204	16.9	14.2-19.6	278	23.6	20.3-26.9	470	37.7	34.0-41.4	212	16.6	13.5-19.7			
Black or Afr. Am./Non-Hisp	158	40,630	12	8.3	02.4-14.2	32	20.0	11.6-28.4	43	22.4	13.8-31.0	51	24.9	15.7-34.1						
18-24	91	42,326	3	1.7	00.0-03.7	18	16.9	08.9-24.9							16	19.9	10.1-29.7			
25-34	152	56,218	11	9.7	03.0-16.4	35	18.7	11.3-26.1	41	25.3	16.5-34.1	42	21.6	14.0-29.2				2	0.7	00.0-01.7
35-44	251	61,577	17	7.0	03.1-10.9	48	18.7	12.4-25.0	54	21.3	15.2-27.4	86	35.6	28.2-43.0	46	17.3	11.6-23.0			
45-54	326	59,888	22	6.6	02.9-10.3	49	15.4	10.5-20.3	82	23.5	17.6-29.4	120	37.5	30.8-44.2	53	16.9	11.8-22.0			
55-64	301	45,234	14	5.4	02.1-08.7	52	18.4	12.1-24.7	69	26.5	19.6-33.4	115	35.6	28.5-42.7	51	14.1	09.6-18.6			
65+	356	50,312	10	3.0	00.1-05.9	47	13.5	08.8-18.2	77	22.0	16.5-27.5	153	43.7	37.2-50.2	69	17.7	13.0-22.4			
Less Than H.S.	116	20,824	9	6.2	00.0-12.5							40	24.5	14.5-34.5	10	8.5	01.4-15.6	1	1.1	00.0-03.3
H.S. or G.E.D.	443	96,300	30	9.3	05.0-13.6	90	19.0	14.1-23.9	106	24.6	18.9-30.3	158	31.5	25.6-37.4	59	15.5	09.6-21.4			
Some Post-H.S.	352	82,679	18	5.5	02.4-08.6	54	15.0	10.1-19.9	95	24.2	17.9-30.5	134	35.6	28.2-43.0	50	19.6	09.8-29.4	1	0.2	00.0-00.6
College Graduate	575	117,138	20	3.1	01.3-04.9	82	14.6	11.1-18.1	111	20.7	16.4-25.0	224	40.1	35.0-45.2	138	21.4	17.1-25.7			
Less than \$15,000	142	26,505	9	5.7	00.2-11.2	28	17.7	09.9-25.5	38	25.1	16.3-33.9				20	16.7	07.5-25.9			
\$15,000- 24,999	91	14,639	11	7.4	01.9-12.9										12	11.4	03.8-19.0			
\$25,000- 34,999	124	23,983	8	7.5	02.0-13.0	18	14.2	05.0-23.4							23	14.5	07.4-21.6			
\$35,000- 49,999	201	36,456	11	6.9	02.0-11.8	40	19.8	13.1-26.5	52	24.2	16.6-31.8	70	30.7	22.9-38.5	28	18.4	10.2-26.6			
\$50,000- 74,999	236	49,169	9	3.5	00.4-06.6	49	23.8	16.0-31.6	56	24.9	17.8-32.0	76	31.5	23.9-39.1	46	16.2	10.1-22.3			
\$75,000+	560	134,395	23	5.8	02.9-08.7	73	12.7	09.2-16.2	112	20.0	15.3-24.7	241	39.2	33.5-44.9	109	22.0	15.1-28.9	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 21: FRUIT AND VEGETABLE SERVINGS PER DAY (\_FRTSERV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	344,863	91	4.1	02.7-05.5	300	12.4	10.4-14.4	538	21.5	19.1-23.9	979	39.7	37.0-42.4	572	22.2	19.8-24.6	4	0.1	00.0-00.3
White/Non-Hisp	2002	267,777	62	3.2	02.0-04.4	229	12.0	09.8-14.2	436	22.1	19.6-24.6	801	40.4	37.5-43.3	473	22.2	19.7-24.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	294	44,273	17	6.7	01.2-12.2	47	15.9	09.8-22.0	63	19.4	13.5-25.3	110	37.7	29.5-45.9	56	20.3	13.2-27.4	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	56	9,968	3	2.5	00.0-05.6	4	5.0	00.0-10.7												
MultiRacial/Non-Hisp.	59	9,083	3	3.5	00.0-09.2	8	12.1	02.7-21.5												
Hispanic	53	11,511																1	1.5	00.0-04.4
18-24	95	41,571	10	10.7	02.1-19.3	13	12.1	04.7-19.5										1	0.4	00.0-01.2
25-34	262	57,348	13	5.2	00.7-09.7	48	20.3	13.4-27.2	53	19.0	13.3-24.7	92	34.3	27.2-41.4	56	21.2	15.1-27.3			
35-44	440	63,613	18	3.3	01.5-05.1	68	14.5	10.8-18.2	97	22.2	17.5-26.9	172	41.9	36.2-47.6	85	18.0	13.7-22.3			
45-54	483	62,782	20	3.0	01.4-04.6	57	10.7	07.2-14.2	119	24.7	19.6-29.8	181	41.7	36.0-47.4	105	19.9	15.6-24.2	1	0.1	00.0-00.3
55-64	493	50,403	16	2.4	01.0-03.8	48	9.0	05.9-12.1	108	22.9	18.0-27.8	185	36.9	31.4-42.4	135	28.6	23.1-34.1	1	0.2	00.0-00.6
65+	690	66,735	12	2.0	00.8-03.2	62	7.9	05.5-10.3	134	18.6	15.1-22.1	306	45.1	40.6-49.6	175	26.3	22.4-30.2	1	0.1	00.0-00.3
Less Than H.S.	164	18,126	11	7.0	02.5-11.5	28	17.0	08.6-25.4	47	24.9	16.9-32.9				30	19.1	11.3-26.9	1	0.9	00.0-02.7
H.S. or G.E.D.	828	112,435	39	5.1	02.6-07.6	131	14.4	11.1-17.7	201	26.8	22.1-31.5	309	37.2	32.3-42.1	146	16.3	12.4-20.2	2	0.2	00.0-00.4
Some Post-H.S.	679	99,949	29	5.6	01.9-09.3	88	16.1	11.8-20.4	122	16.0	12.3-19.7	280	40.6	35.1-46.1	159	21.6	17.1-26.1	1	0.0	00.0-00.0
College Graduate	810	114,074	12	1.3	00.5-02.1	53	6.4	04.2-08.6	167	20.5	17.0-24.0	342	42.9	38.6-47.2	236	28.9	25.0-32.8			
Less than \$15,000	280	30,919	15	5.7	02.2-09.2	45	23.1	14.7-31.5	63	20.4	14.3-26.5	106	33.1	26.0-40.2	51	17.7	12.0-23.4			
\$15,000- 24,999	300	31,111	23	8.5	04.6-12.4	46	12.0	07.7-16.3	69	26.7	19.4-34.0	98	31.7	23.1-40.3	61	20.0	14.1-25.9	3	1.0	00.0-02.4
\$25,000- 34,999	213	29,159				31	13.3	06.8-19.8	46	21.8	12.2-31.4				36	14.1	08.0-20.2			
\$35,000- 49,999	366	50,750	17	3.8	01.6-06.0	46	17.1	10.6-23.6	100	26.3	20.0-32.6	117	29.1	22.8-35.4	86	23.7	16.6-30.8			
\$50,000- 74,999	367	52,828	11	2.5	00.7-04.3	45	12.6	08.1-17.1	84	23.2	17.1-29.3	136	41.0	33.7-48.3	90	20.5	15.2-25.8	1	0.1	00.0-00.3
\$75,000+	599	97,503	6	0.6	00.0-01.2	52	7.7	05.2-10.2	105	17.2	13.3-21.1	277	48.8	43.5-54.1	159	25.7	21.0-30.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 22: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (\_FRTINDX)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	661,804	165	4.8	03.6-06.0	1400	36.4	34.2-38.6	1534	37.4	35.2-39.6	871	21.4	19.2-23.6
Male	1486	316,941	76	5.6	03.8-07.4	583	40.1	36.6-43.6	555	35.0	31.7-38.3	272	19.4	15.9-22.9
Female	2484	344,863	89	4.0	02.6-05.4	817	33.1	30.6-35.6	979	39.7	37.0-42.4	599	23.2	20.8-25.6
White/Non-Hisp	3221	513,553	114	4.0	02.8-05.2	1117	36.4	34.0-38.8	1266	38.8	36.4-41.2	724	20.7	18.7-22.7
Black or Afr. Am./Non-Hisp	452	84,903	25	6.6	02.7-10.5	185	39.1	32.0-46.2	164	31.4	24.9-37.9	78	22.9	13.5-32.3
Oth. Race/Non-Hisp.	100	22,874	9	7.3	01.6-13.0									
MultiRacial/Non-Hisp.	81	13,814	4	3.1	00.0-07.2									
18-24	186	83,897	14	6.3	01.8-10.8	70	36.3	27.9-44.7	72	38.0	29.4-46.6	30	19.3	11.9-26.7
25-34	414	113,566	22	7.2	03.3-11.1	177	41.7	34.8-48.6	133	27.5	22.0-33.0	82	23.6	15.6-31.6
35-44	691	125,190	35	5.1	02.9-07.3	262	37.3	32.8-41.8	259	39.1	34.4-43.8	135	18.5	15.0-22.0
45-54	809	122,671	41	4.7	02.7-06.7	299	35.9	31.6-40.2	302	39.0	34.7-43.3	167	20.3	16.8-23.8
55-64	794	95,637	30	3.7	01.9-05.5	271	37.4	32.7-42.1	300	36.4	31.9-40.9	193	22.5	18.8-26.2
65+	1046	117,047	21	1.9	01.1-02.7	309	30.1	26.4-33.8	456	44.1	40.4-47.8	260	24.0	20.9-27.1
Less Than H.S.	280	38,950	21	7.1	03.0-11.2	130	51.0	42.4-59.6	87	27.9	20.5-35.3	42	14.0	08.5-19.5
H.S. or G.E.D.	1271	208,735	68	7.0	04.6-09.4	520	41.8	37.7-45.9	462	34.4	30.7-38.1	221	16.8	13.3-20.3
Some Post-H.S.	1031	182,628	44	5.0	02.6-07.4	353	35.4	30.9-39.9	417	38.1	33.6-42.6	217	21.5	16.4-26.6
College Graduate	1385	231,212	32	2.2	01.2-03.2	396	29.9	26.8-33.0	567	41.2	37.9-44.5	390	26.7	23.8-29.6
Less than \$15,000	422	57,424	22	5.4	02.3-08.5	172	42.9	36.2-49.6	152	33.3	27.0-39.6	76	18.4	13.1-23.7
\$15,000- 24,999	391	45,750	36	8.5	05.2-11.8	150	44.3	37.0-51.6	128	29.3	22.4-36.2	77	17.9	13.2-22.6
\$25,000- 34,999	337	53,142	16	9.3	02.4-16.2	122	38.0	30.0-46.0	137	37.6	30.2-45.0	62	15.1	10.4-19.8
\$35,000- 49,999	567	87,206	26	4.8	02.4-07.2	234	43.1	37.4-48.8	186	29.5	24.6-34.4	121	22.7	17.4-28.0
\$50,000- 74,999	603	101,997	19	2.8	01.0-04.6	228	41.0	35.5-46.5	219	37.7	32.4-43.0	137	18.5	14.6-22.4
\$75,000+	1159	231,898	31	3.8	02.0-05.6	334	28.9	25.2-32.6	511	42.1	38.0-46.2	283	25.2	20.7-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 23: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (\_FRTINDX)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1486	316,941	76	5.6	03.8-07.4	583	40.1	36.6-43.6	555	35.0	31.7-38.3	272	19.4	15.9-22.9
White/Non-Hisp	1219	245,776	54	4.9	03.1-06.7	471	40.1	36.4-43.8	468	37.2	33.5-40.9	226	17.8	14.7-20.9
Black or Afr. Am./Non-Hisp	158	40,630	10	7.2	01.5-12.9				51	24.0	15.2-32.8			
18-24	91	42,326	3	1.7	00.0-03.7							16	19.9	10.1-29.7
25-34	152	56,218	12	10.0	03.3-16.7				40	20.6	13.2-28.0			
35-44	251	61,577	17	7.0	03.1-10.9	100	38.9	31.5-46.3	86	36.0	28.6-43.4	48	18.2	12.5-23.9
45-54	326	59,888	22	6.6	02.9-10.3	126	37.7	31.0-44.4	118	35.6	29.1-42.1	60	20.1	14.6-25.6
55-64	301	45,234	13	4.9	01.6-08.2	117	43.9	36.3-51.5	119	36.8	29.5-44.1	52	14.3	09.8-18.8
65+	356	50,312	9	1.6	00.4-02.8	124	36.8	30.3-43.3	151	43.3	36.8-49.8	72	18.2	13.5-22.9
Less Than H.S.	116	20,824	10	7.3	00.8-13.8				40	24.5	14.5-34.5	10	8.5	01.4-15.6
H.S. or G.E.D.	443	96,300	29	9.1	04.8-13.4	195	43.7	37.0-50.4	155	31.1	25.2-37.0	64	16.1	10.0-22.2
Some Post-H.S.	352	82,679	17	4.5	02.0-07.0	147	39.7	32.1-47.3	135	35.4	28.0-42.8	53	20.4	10.6-30.2
College Graduate	575	117,138	20	3.1	01.3-04.9	185	33.9	29.0-38.8	225	39.7	34.6-44.8	145	23.3	19.0-27.6
Less than \$15,000	142	26,505	9	5.7	00.2-11.2							20	16.7	07.5-25.9
\$15,000- 24,999	91	14,639	11	7.4	01.9-12.9							14	11.9	04.3-19.5
\$25,000- 34,999	124	23,983	8	7.5	02.0-13.0							24	15.1	07.8-22.4
\$35,000- 49,999	201	36,456	10	6.2	01.3-11.1	92	44.5	35.7-53.3	68	29.8	22.0-37.6	31	19.5	11.3-27.7
\$50,000- 74,999	236	49,169	8	3.1	00.2-06.0	102	47.6	39.2-56.0	79	32.9	25.3-40.5	47	16.4	10.3-22.5
\$75,000+	560	134,395	25	6.1	03.2-09.0	181	32.5	27.0-38.0	237	37.5	31.8-43.2	117	23.9	17.0-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 24: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (\_FRTINDX)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	344,863	89	4.0	02.6-05.4	817	33.1	30.6-35.6	979	39.7	37.0-42.4	599	23.2	20.8-25.6
White/Non-Hisp	2002	267,777	60	3.2	02.0-04.4	646	33.1	30.2-36.0	798	40.3	37.4-43.2	498	23.4	20.9-25.9
Black or Afr. Am./Non-Hisp	294	44,273	15	6.0	00.5-11.5	109	35.2	27.4-43.0	113	38.2	30.0-46.4	57	20.6	13.3-27.9
Oth. Race/Non-Hisp.	56	9,968	3	2.5	00.0-05.6									
MultiRacial/Non-Hisp.	59	9,083	3	3.5	00.0-09.2									
18-24	95	41,571	11	11.1	02.3-19.9									
25-34	262	57,348	10	4.4	00.0-08.9	100	39.0	31.4-46.6	93	34.2	27.1-41.3	59	22.4	16.1-28.7
35-44	440	63,613	18	3.3	01.5-05.1	162	35.7	30.4-41.0	173	42.2	36.5-47.9	87	18.8	14.5-23.1
45-54	483	62,782	19	2.9	01.3-04.5	173	34.3	28.8-39.8	184	42.2	36.3-48.1	107	20.6	16.1-25.1
55-64	493	50,403	17	2.6	01.0-04.2	154	31.6	26.3-36.9	181	36.0	30.5-41.5	141	29.8	24.3-35.3
65+	690	66,735	12	2.0	00.8-03.2	185	25.1	21.2-29.0	305	44.6	40.1-49.1	188	28.3	24.2-32.4
Less Than H.S.	164	18,126	11	6.8	02.3-11.3							32	20.3	12.3-28.3
H.S. or G.E.D.	828	112,435	39	5.1	02.6-07.6	325	40.2	35.1-45.3	307	37.3	32.4-42.2	157	17.3	13.2-21.4
Some Post-H.S.	679	99,949	27	5.4	01.7-09.1	206	31.8	26.7-36.9	282	40.4	34.9-45.9	164	22.3	17.6-27.0
College Graduate	810	114,074	12	1.3	00.5-02.1	211	25.8	21.9-29.7	342	42.6	38.3-46.9	245	30.2	26.1-34.3
Less than \$15,000	280	30,919	13	5.1	01.8-08.4	107	43.3	34.9-51.7	104	31.6	24.7-38.5	56	20.0	13.9-26.1
\$15,000- 24,999	300	31,111	25	9.0	04.9-13.1	112	38.4	30.6-46.2	100	31.9	23.3-40.5	63	20.7	14.6-26.8
\$25,000- 34,999	213	29,159										38	15.2	08.9-21.5
\$35,000- 49,999	366	50,750	16	3.7	01.5-05.9	142	42.0	34.6-49.4	118	29.3	23.0-35.6	90	24.9	17.8-32.0
\$50,000- 74,999	367	52,828	11	2.6	00.8-04.4	126	34.9	28.0-41.8	140	42.1	34.8-49.4	90	20.5	15.2-25.8
\$75,000+	599	97,503	6	0.6	00.0-01.2	153	24.0	19.7-28.3	274	48.5	43.2-53.8	166	26.9	22.2-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 25: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (\_FV5SRV)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3970	661,804	3099	78.6	76.4-80.8	871	21.4	19.2-23.6
Male	1486	316,941	1214	80.6	77.1-84.1	272	19.4	15.9-22.9
Female	2484	344,863	1885	76.8	74.4-79.2	599	23.2	20.8-25.6
White/Non-Hisp	3221	513,553	2497	79.3	77.3-81.3	724	20.7	18.7-22.7
Black or Afr. Am./Non-Hisp	452	84,903	374	77.1	67.7-86.5	78	22.9	13.5-32.3
18-24	186	83,897	156	80.7	73.3-88.1	30	19.3	11.9-26.7
25-34	414	113,566	332	76.4	68.4-84.4	82	23.6	15.6-31.6
35-44	691	125,190	556	81.5	78.0-85.0	135	18.5	15.0-22.0
45-54	809	122,671	642	79.7	76.2-83.2	167	20.3	16.8-23.8
55-64	794	95,637	601	77.5	73.8-81.2	193	22.5	18.8-26.2
65+	1046	117,047	786	76.0	72.9-79.1	260	24.0	20.9-27.1
Less Than H.S.	280	38,950	238	86.0	80.5-91.5	42	14.0	08.5-19.5
H.S. or G.E.D.	1271	208,735	1050	83.2	79.7-86.7	221	16.8	13.3-20.3
Some Post-H.S.	1031	182,628	814	78.5	73.4-83.6	217	21.5	16.4-26.6
College Graduate	1385	231,212	995	73.3	70.4-76.2	390	26.7	23.8-29.6
Less than \$15,000	422	57,424	346	81.6	76.3-86.9	76	18.4	13.1-23.7
\$15,000- 24,999	391	45,750	314	82.1	77.4-86.8	77	17.9	13.2-22.6
\$25,000- 34,999	337	53,142	275	84.9	80.2-89.6	62	15.1	10.4-19.8
\$35,000- 49,999	567	87,206	446	77.3	72.0-82.6	121	22.7	17.4-28.0
\$50,000- 74,999	603	101,997	466	81.5	77.6-85.4	137	18.5	14.6-22.4
\$75,000+	1159	231,898	876	74.8	70.3-79.3	283	25.2	20.7-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 26: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (\_FV5SRV)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1486	316,941	1214	80.6	77.1-84.1	272	19.4	15.9-22.9
White/Non-Hisp	1219	245,776	993	82.2	79.1-85.3	226	17.8	14.7-20.9
18-24	91	42,326	75	80.1	70.3-89.9	16	19.9	10.1-29.7
35-44	251	61,577	203	81.8	76.1-87.5	48	18.2	12.5-23.9
45-54	326	59,888	266	79.9	74.4-85.4	60	20.1	14.6-25.6
55-64	301	45,234	249	85.7	81.2-90.2	52	14.3	09.8-18.8
65+	356	50,312	284	81.8	77.1-86.5	72	18.2	13.5-22.9
Less Than H.S.	116	20,824	106	91.5	84.4-98.6	10	8.5	01.4-15.6
H.S. or G.E.D.	443	96,300	379	83.9	77.8-90.0	64	16.1	10.0-22.2
Some Post-H.S.	352	82,679	299	79.6	69.8-89.4	53	20.4	10.6-30.2
College Graduate	575	117,138	430	76.7	72.4-81.0	145	23.3	19.0-27.6
Less than \$15,000	142	26,505	122	83.3	74.1-92.5	20	16.7	07.5-25.9
\$15,000- 24,999	91	14,639	77	88.1	80.5-95.7	14	11.9	04.3-19.5
\$25,000- 34,999	124	23,983	100	84.9	77.6-92.2	24	15.1	07.8-22.4
\$35,000- 49,999	201	36,456	170	80.5	72.3-88.7	31	19.5	11.3-27.7
\$50,000- 74,999	236	49,169	189	83.6	77.5-89.7	47	16.4	10.3-22.5
\$75,000+	560	134,395	443	76.1	69.2-83.0	117	23.9	17.0-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 27: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (\_FV5SRV)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	344,863	1885	76.8	74.4-79.2	599	23.2	20.8-25.6
White/Non-Hisp	2002	267,777	1504	76.6	74.1-79.1	498	23.4	20.9-25.9
Black or Afr. Am./Non-Hisp	294	44,273	237	79.4	72.1-86.7	57	20.6	13.3-27.9
25-34	262	57,348	203	77.6	71.3-83.9	59	22.4	16.1-28.7
35-44	440	63,613	353	81.2	76.9-85.5	87	18.8	14.5-23.1
45-54	483	62,782	376	79.4	74.9-83.9	107	20.6	16.1-25.1
55-64	493	50,403	352	70.2	64.7-75.7	141	29.8	24.3-35.3
65+	690	66,735	502	71.7	67.6-75.8	188	28.3	24.2-32.4
Less Than H.S.	164	18,126	132	79.7	71.7-87.7	32	20.3	12.3-28.3
H.S. or G.E.D.	828	112,435	671	82.7	78.6-86.8	157	17.3	13.2-21.4
Some Post-H.S.	679	99,949	515	77.7	73.0-82.4	164	22.3	17.6-27.0
College Graduate	810	114,074	565	69.8	65.7-73.9	245	30.2	26.1-34.3
Less than \$15,000	280	30,919	224	80.0	73.9-86.1	56	20.0	13.9-26.1
\$15,000- 24,999	300	31,111	237	79.3	73.2-85.4	63	20.7	14.6-26.8
\$25,000- 34,999	213	29,159	175	84.8	78.5-91.1	38	15.2	08.9-21.5
\$35,000- 49,999	366	50,750	276	75.1	68.0-82.2	90	24.9	17.8-32.0
\$50,000- 74,999	367	52,828	277	79.5	74.2-84.8	90	20.5	15.2-25.8
\$75,000+	599	97,503	433	73.1	68.4-77.8	166	26.9	22.2-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 17: PHYSICAL ACTIVITY CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)	
1 MALES AND FEMALES	151
2 MALES ONLY	152
3 FEMALES ONLY	153
TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)	
4 MALES AND FEMALES	154
5 MALES ONLY	155
6 FEMALES ONLY	156
3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)	
7 MALES AND FEMALES	157
8 MALES ONLY	158
9 FEMALES ONLY	159
3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)	
10 MALES AND FEMALES	160
11 MALES ONLY	161
12 FEMALES ONLY	162
5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)	
13 MALES AND FEMALES	163
14 MALES ONLY	164
15 FEMALES ONLY	165

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 17: PHYSICAL ACTIVITY CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)	
16 MALES AND FEMALES	166
17 MALES ONLY	167
18 FEMALES ONLY	168
ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)	
19 MALES AND FEMALES	169
20 MALES ONLY	170
21 FEMALES ONLY	171
ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)	
22 MALES AND FEMALES	172
23 MALES ONLY	173
24 FEMALES ONLY	174
ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)	
25 MALES AND FEMALES	175
26 MALES ONLY	176
27 FEMALES ONLY	177

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 1: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (\_MODPAMN)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3747	618,701	776	20.1	18.3-21.9	2361	64.9	62.5-67.3	610	14.9	12.9-16.9
Male	1405	295,452	269	18.5	15.6-21.4	894	64.4	60.5-68.3	242	17.1	13.6-20.6
Female	2342	323,249	507	21.6	19.2-24.0	1467	65.4	62.9-67.9	368	13.0	11.2-14.8
White/Non-Hisp	3042	479,615	610	19.5	17.5-21.5	1974	67.8	65.4-70.2	458	12.7	11.1-14.3
Black or Afr. Am./Non-Hisp	424	80,384	106	26.6	20.1-33.1	221	49.9	41.7-58.1	97	23.5	13.9-33.1
Oth. Race/Non-Hisp.	97	22,424	19	18.2	08.6-27.8						
MultiRacial/Non-Hisp.	75	11,827							11	14.8	05.4-24.2
Hispanic	79	19,990	16	13.5	04.9-22.1						
18-24	166	73,319	25	12.4	06.5-18.3	113	72.6	64.4-80.8	28	15.0	08.3-21.7
25-34	391	106,719	82	22.3	16.2-28.4	261	61.9	53.9-69.9	48	15.8	07.8-23.8
35-44	661	119,428	144	21.3	17.2-25.4	437	66.7	62.2-71.2	80	11.9	09.0-14.8
45-54	776	116,571	163	21.6	17.9-25.3	496	65.8	61.5-70.1	117	12.6	09.9-15.3
55-64	753	90,063	155	20.9	17.0-24.8	488	65.2	60.5-69.9	110	13.9	10.4-17.4
65+	975	109,537	200	19.5	16.6-22.4	551	59.7	56.0-63.4	224	20.8	17.7-23.9
Less Than H.S.	261	35,153	61	21.1	14.6-27.6	128	52.5	43.7-61.3	72	26.4	18.8-34.0
H.S. or G.E.D.	1180	191,819	243	20.7	17.0-24.4	709	62.0	57.7-66.3	228	17.3	14.2-20.4
Some Post-H.S.	979	170,371	196	17.9	14.6-21.2	631	67.3	62.2-72.4	152	14.8	09.7-19.9
College Graduate	1324	221,079	275	21.2	18.3-24.1	892	67.7	64.4-71.0	157	11.1	08.9-13.3
Less than \$15,000	392	53,644	89	23.2	16.7-29.7	217	57.0	49.9-64.1	86	19.8	14.7-24.9
\$15,000- 24,999	370	43,102	78	23.9	17.4-30.4	177	50.2	42.8-57.6	115	25.9	20.0-31.8
\$25,000- 34,999	318	50,537	55	13.9	09.2-18.6	195	64.9	57.1-72.7	68	21.2	13.9-28.5
\$35,000- 49,999	527	79,054	124	21.2	16.7-25.7	330	65.2	59.7-70.7	73	13.7	09.8-17.6
\$50,000- 74,999	568	94,903	127	24.5	19.4-29.6	386	67.2	61.9-72.5	55	8.3	05.8-10.8
\$75,000+	1119	220,353	210	18.7	15.4-22.0	786	68.5	64.0-73.0	123	12.7	08.4-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 17: PHYSICAL ACTIVITY**

**TABLE 2: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (\_MODPAMN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1405	295,452	269	18.5	15.6-21.4	894	64.4	60.5-68.3	242	17.1	13.6-20.6
White/Non-Hisp	1150	228,727	212	17.9	14.6-21.2	749	68.2	64.5-71.9	189	13.9	11.4-16.4
Black or Afr. Am./Non-Hisp	151	38,577	38	24.7	14.9-34.5						
18-24	81	37,101	7	8.2	01.3-15.1						
35-44	236	58,136	43	19.8	13.1-26.5	156	65.1	57.5-72.7	37	15.1	09.8-20.4
45-54	312	56,443	59	18.0	12.5-23.5	201	67.8	61.3-74.3	52	14.2	09.7-18.7
55-64	289	42,671	60	21.3	14.8-27.8	185	63.9	56.3-71.5	44	14.9	09.0-20.8
65+	332	47,061	68	18.6	13.7-23.5	190	61.1	54.6-67.6	74	20.3	14.8-25.8
Less Than H.S.	108	18,301	16	10.7	04.2-17.2						
H.S. or G.E.D.	405	85,175	78	19.8	12.9-26.7	256	62.9	55.6-70.2	71	17.3	12.0-22.6
Some Post-H.S.	336	79,168	58	14.8	09.9-19.7	225	66.8	57.4-76.2	53	18.5	08.5-28.5
College Graduate	556	112,808	117	21.4	17.1-25.7	359	65.1	60.0-70.2	80	13.5	09.8-17.2
Less than \$15,000	131	24,541	24	17.4	07.8-27.0				35	24.1	15.1-33.1
\$25,000- 34,999	115	22,688	21	15.3	07.3-23.3						
\$35,000- 49,999	189	33,155	44	23.4	15.6-31.2	115	62.6	53.8-71.4	30	14.0	07.9-20.1
\$50,000- 74,999	225	46,284	45	22.3	14.7-29.9	156	69.5	61.5-77.5	24	8.2	04.3-12.1
\$75,000+	534	126,539	94	17.1	12.2-22.0	364	65.5	58.4-72.6	76	17.4	10.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 3: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (\_MODPAMN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2342	323,249	507	21.6	19.2-24.0	1467	65.4	62.9-67.9	368	13.0	11.2-14.8
White/Non-Hisp	1892	250,888	398	20.9	18.5-23.3	1225	67.5	64.8-70.2	269	11.6	09.8-13.4
Black or Afr. Am./Non-Hisp	273	41,807	68	28.3	20.1-36.5	139	51.1	42.3-59.9	66	20.5	13.2-27.8
Oth. Race/Non-Hisp.	53	9,517							12	11.4	03.8-19.0
Hispanic	50	10,934	11	11.1	02.1-20.1						
18-24	85	36,219	18	16.7	07.1-26.3				11	9.7	01.9-17.5
25-34	245	54,065	52	22.2	15.5-28.9	162	65.7	58.1-73.3	31	12.2	07.1-17.3
35-44	425	61,292	101	22.8	18.1-27.5	281	68.3	63.0-73.6	43	8.9	06.0-11.8
45-54	464	60,128	104	25.0	19.7-30.3	295	63.8	58.1-69.5	65	11.1	07.8-14.4
55-64	464	47,392	95	20.5	15.8-25.2	303	66.4	60.9-71.9	66	13.0	09.3-16.7
65+	643	62,476	132	20.2	16.5-23.9	361	58.6	54.1-63.1	150	21.1	17.4-24.8
Less Than H.S.	153	16,852							34	20.1	11.5-28.7
H.S. or G.E.D.	775	106,644	165	21.4	17.3-25.5	453	61.3	56.2-66.4	157	17.4	13.7-21.1
Some Post-H.S.	643	91,203	138	20.7	16.4-25.0	406	67.7	62.8-72.6	99	11.6	08.7-14.5
College Graduate	768	108,271	158	20.9	17.4-24.4	533	70.4	66.5-74.3	77	8.6	06.2-11.0
Less than \$15,000	261	29,103	65	28.1	19.7-36.5	145	55.8	47.4-64.2	51	16.1	10.6-21.6
\$15,000- 24,999	282	29,416	59	21.6	14.9-28.3	139	53.6	45.2-62.0	84	24.8	18.3-31.3
\$25,000- 34,999	203	27,849	34	12.7	07.2-18.2				49	24.9	14.9-34.9
\$35,000- 49,999	338	45,899	80	19.6	14.5-24.7	215	67.0	60.1-73.9	43	13.4	08.1-18.7
\$50,000- 74,999	343	48,619	82	26.5	19.8-33.2	230	65.0	57.9-72.1	31	8.4	04.9-11.9
\$75,000+	585	93,813	116	20.9	16.8-25.0	422	72.7	68.2-77.2	47	6.4	04.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 4: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (\_VIGPAMN)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3859	641,475	107	2.8	02.0-03.6	1401	43.3	40.9-45.7	2351	53.9	51.5-56.3
Male	1428	303,578	43	3.1	01.9-04.3	672	53.2	49.5-56.9	713	43.7	40.0-47.4
Female	2431	337,898	64	2.6	01.8-03.4	729	34.4	31.5-37.3	1638	63.0	60.1-65.9
White/Non-Hisp	3128	496,397	89	3.0	02.2-03.8	1132	43.9	41.4-46.4	1907	53.1	50.6-55.6
Black or Afr. Am./Non-Hisp	440	83,422	11	2.3	00.3-04.3	143	36.6	29.3-43.9	286	61.2	53.8-68.6
Oth. Race/Non-Hisp.	99	22,846	3	3.1	00.0-07.2						
MultiRacial/Non-Hisp.	78	12,620	1	1.6	00.0-04.7						
Hispanic	84	21,729	2	0.6	00.0-01.4						
18-24	176	78,599	3	1.2	00.0-02.8	108	67.0	58.4-75.6	65	31.8	23.4-40.2
25-34	399	109,536	13	2.8	00.8-04.8	201	52.1	44.7-59.5	185	45.1	37.7-52.5
35-44	675	122,420	13	1.3	00.5-02.1	327	51.6	46.9-56.3	335	47.1	42.4-51.8
45-54	786	119,919	31	4.5	02.5-06.5	305	41.1	36.6-45.6	450	54.4	49.9-58.9
55-64	774	93,710	21	4.1	01.6-06.6	252	34.8	30.3-39.3	501	61.1	56.4-65.8
65+	1021	113,826	26	2.9	01.5-04.3	204	19.5	16.6-22.4	791	77.6	74.5-80.7
Less Than H.S.	272	37,862	4	1.8	00.0-04.2	62	31.6	22.6-40.6	206	66.7	57.7-75.7
H.S. or G.E.D.	1236	199,737	42	3.4	02.0-04.8	351	37.7	33.4-42.0	843	58.9	54.6-63.2
Some Post-H.S.	996	176,871	29	2.2	01.2-03.2	374	44.1	39.2-49.0	593	53.7	48.8-58.6
College Graduate	1352	226,727	32	2.9	01.5-04.3	614	49.7	46.2-53.2	706	47.4	44.1-50.7
Less than \$15,000	408	55,692	15	3.1	01.1-05.1	95	28.5	21.6-35.4	298	68.4	61.5-75.3
\$15,000- 24,999	382	44,094	9	2.3	00.3-04.3	65	22.9	15.6-30.2	308	74.8	67.4-82.2
\$25,000- 34,999	330	52,123	10	4.6	01.1-08.1	100	32.7	25.1-40.3	220	62.7	54.9-70.5
\$35,000- 49,999	549	83,676	14	2.4	01.0-03.8	197	40.4	34.3-46.5	338	57.2	51.1-63.3
\$50,000- 74,999	589	99,983	19	2.2	01.0-03.4	252	49.4	43.9-54.9	318	48.3	42.8-53.8
\$75,000+	1127	224,775	31	3.0	01.6-04.4	544	51.8	47.5-56.1	552	45.2	40.9-49.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 5: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (\_VIGPAMN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1428	303,578	43	3.1	01.9-04.3	672	53.2	49.5-56.9	713	43.7	40.0-47.4
White/Non-Hisp	1168	234,186	36	3.4	02.0-04.8	547	54.0	50.1-57.9	585	42.6	38.9-46.3
Black or Afr. Am./Non-Hisp	153	39,834	5	1.6	00.0-03.4						
18-24	82	37,940	1	1.0	00.0-03.0	66	82.3	73.3-91.3	15	16.7	07.9-25.5
25-34	145	53,312	5	2.6	00.0-05.3						
35-44	241	59,290	4	1.1	00.0-02.3	145	61.8	54.4-69.2	92	37.2	29.8-44.6
45-54	312	58,141	14	5.0	01.9-08.1	152	51.9	44.8-59.0	146	43.1	36.2-50.0
55-64	291	44,214	10	5.0	00.3-09.7	116	40.8	33.4-48.2	165	54.2	46.6-61.8
65+	348	49,296	9	3.7	01.0-06.4	97	27.6	21.9-33.3	242	68.7	62.8-74.6
Less Than H.S.	114	20,527	3	1.1	00.0-02.5						
H.S. or G.E.D.	421	89,640	14	3.6	01.4-05.8	169	49.9	43.0-56.8	238	46.5	39.8-53.2
Some Post-H.S.	332	78,546	9	2.2	00.6-03.8	166	52.7	43.9-61.5	157	45.1	36.1-54.1
College Graduate	561	114,864	17	3.7	01.3-06.1	301	58.0	52.7-63.3	243	38.4	33.3-43.5
Less than \$15,000	132	25,062	5	3.6	00.1-07.1						
\$15,000- 24,999	88	13,407	2	2.4	00.0-06.3						
\$25,000- 34,999	122	23,573	4	5.5	00.0-11.4						
\$35,000- 49,999	193	34,267	7	3.6	00.9-06.3	84	45.6	36.4-54.8	102	50.9	41.7-60.1
\$50,000- 74,999	228	47,700	7	2.2	00.4-04.0	125	62.3	54.5-70.1	96	35.5	27.7-43.3
\$75,000+	536	129,140	15	3.0	00.8-05.2	291	57.8	51.1-64.5	230	39.2	32.5-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 6: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (\_VIGPAMN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	337,898	64	2.6	01.8-03.4	729	34.4	31.5-37.3	1638	63.0	60.1-65.9
White/Non-Hisp	1960	262,212	53	2.7	01.9-03.5	585	34.9	31.8-38.0	1322	62.5	59.4-65.6
Black or Afr. Am./Non-Hisp	287	43,587	6	2.9	00.0-06.0	77	31.1	22.5-39.7	204	66.1	57.5-74.7
Oth. Race/Non-Hisp.	55	9,940	2	2.5	00.0-06.2						
Hispanic	52	11,263	2	1.1	00.0-02.7						
18-24	94	40,659	2	1.3	00.0-03.5						
25-34	254	56,224	8	3.0	00.3-05.7	108	46.2	38.4-54.0	138	50.8	43.0-58.6
35-44	434	63,130	9	1.5	00.5-02.5	182	42.1	36.4-47.8	243	56.5	50.8-62.2
45-54	474	61,779	17	4.0	01.6-06.4	153	30.9	25.6-36.2	304	65.0	59.5-70.5
55-64	483	49,497	11	3.3	01.1-05.5	136	29.5	23.8-35.2	336	67.2	61.5-72.9
65+	673	64,530	17	2.3	01.1-03.5	107	13.3	10.6-16.0	549	84.4	81.5-87.3
Less Than H.S.	158	17,335	1	2.5	00.0-07.4						
H.S. or G.E.D.	815	110,097	28	3.3	01.9-04.7	182	27.7	22.6-32.8	605	69.0	63.9-74.1
Some Post-H.S.	664	98,324	20	2.3	00.9-03.7	208	37.2	31.3-43.1	436	60.5	54.6-66.4
College Graduate	791	111,863	15	2.1	00.7-03.5	313	41.3	36.8-45.8	463	56.6	52.1-61.1
Less than \$15,000	276	30,630	10	2.8	00.8-04.8	51	19.9	13.4-26.4	215	77.3	70.6-84.0
\$15,000- 24,999	294	30,687	7	2.3	00.0-04.7	46	22.0	12.8-31.2	241	75.7	66.5-84.9
\$25,000- 34,999	208	28,550	6	3.9	00.0-07.8	57	27.3	17.5-37.1			
\$35,000- 49,999	356	49,409	7	1.6	00.2-03.0	113	36.8	28.6-45.0	236	61.5	53.5-69.5
\$50,000- 74,999	361	52,284	12	2.2	00.8-03.6	127	37.8	30.7-44.9	222	60.0	52.9-67.1
\$75,000+	591	95,635	16	3.1	01.3-04.9	253	43.7	38.4-49.0	322	53.3	48.0-58.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 7: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3747	618,701	1275	34.7	32.5-36.9	1862	50.4	48.0-52.8	610	14.9	12.9-16.9
Male	1405	295,452	485	34.6	31.1-38.1	678	48.3	44.6-52.0	242	17.1	13.6-20.6
Female	2342	323,249	790	34.7	32.0-37.4	1184	52.3	49.4-55.2	368	13.0	11.2-14.8
White/Non-Hisp	3042	479,615	1083	36.9	34.5-39.3	1501	50.4	47.9-52.9	458	12.7	11.1-14.3
Black or Afr. Am./Non-Hisp	424	80,384	96	21.6	15.7-27.5	231	54.9	46.3-63.5	97	23.5	13.9-33.1
MultiRacial/Non-Hisp.	75	11,827							11	14.8	05.4-24.2
18-24	166	73,319	64	40.0	30.8-49.2	74	45.0	35.4-54.6	28	15.0	08.3-21.7
25-34	391	106,719	143	33.5	27.2-39.8	200	50.7	43.3-58.1	48	15.8	07.8-23.8
35-44	661	119,428	237	35.8	31.3-40.3	344	52.3	47.4-57.2	80	11.9	09.0-14.8
45-54	776	116,571	263	34.6	30.3-38.9	396	52.8	48.3-57.3	117	12.6	09.9-15.3
55-64	753	90,063	267	34.7	30.2-39.2	376	51.4	46.5-56.3	110	13.9	10.4-17.4
65+	975	109,537	293	31.2	27.5-34.9	458	48.0	44.1-51.9	224	20.8	17.7-23.9
Less Than H.S.	261	35,153	66	31.3	22.5-40.1	123	42.4	34.0-50.8	72	26.4	18.8-34.0
H.S. or G.E.D.	1180	191,819	386	34.5	30.6-38.4	566	48.2	43.9-52.5	228	17.3	14.2-20.4
Some Post-H.S.	979	170,371	340	35.9	31.2-40.6	487	49.3	44.2-54.4	152	14.8	09.7-19.9
College Graduate	1324	221,079	482	34.5	31.2-37.8	685	54.4	50.9-57.9	157	11.1	08.9-13.3
Less than \$15,000	392	53,644	111	31.3	24.4-38.2	195	48.9	41.8-56.0	86	19.8	14.7-24.9
\$15,000- 24,999	370	43,102	101	31.2	23.6-38.8	154	42.9	35.6-50.2	115	25.9	20.0-31.8
\$25,000- 34,999	318	50,537	90	27.7	20.6-34.8	160	51.1	42.7-59.5	68	21.2	13.9-28.5
\$35,000- 49,999	527	79,054	178	34.9	29.2-40.6	276	51.4	45.5-57.3	73	13.7	09.8-17.6
\$50,000- 74,999	568	94,903	215	36.2	30.9-41.5	298	55.5	50.0-61.0	55	8.3	05.8-10.8
\$75,000+	1119	220,353	433	36.8	32.9-40.7	563	50.4	46.1-54.7	123	12.7	08.4-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 8: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1405	295,452	485	34.6	31.1-38.1	678	48.3	44.6-52.0	242	17.1	13.6-20.6
White/Non-Hisp	1150	228,727	413	36.9	33.2-40.6	548	49.2	45.3-53.1	189	13.9	11.4-16.4
Black or Afr. Am./Non-Hisp	151	38,577	36	21.4	12.6-30.2						
35-44	236	58,136	78	31.6	24.3-38.9	121	53.3	45.5-61.1	37	15.1	09.8-20.4
45-54	312	56,443	112	35.1	28.4-41.8	148	50.7	43.6-57.8	52	14.2	09.7-18.7
55-64	289	42,671	95	31.3	24.2-38.4	150	53.8	46.2-61.4	44	14.9	09.0-20.8
65+	332	47,061	108	33.7	27.4-40.0	150	46.0	39.1-52.9	74	20.3	14.8-25.8
H.S. or G.E.D.	405	85,175	142	35.3	28.8-41.8	192	47.4	40.3-54.5	71	17.3	12.0-22.6
Some Post-H.S.	336	79,168	126	39.1	31.1-47.1	157	42.5	34.5-50.5	53	18.5	08.5-28.5
College Graduate	556	112,808	183	30.9	26.0-35.8	293	55.6	50.3-60.9	80	13.5	09.8-17.2
Less than \$15,000	131	24,541							35	24.1	15.1-33.1
\$35,000- 49,999	189	33,155	68	34.8	26.2-43.4	91	51.2	42.0-60.4	30	14.0	07.9-20.1
\$50,000- 74,999	225	46,284	80	33.8	25.8-41.8	121	58.0	49.8-66.2	24	8.2	04.3-12.1
\$75,000+	534	126,539	192	35.8	29.9-41.7	266	46.7	40.2-53.2	76	17.4	10.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 9: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2342	323,249	790	34.7	32.0-37.4	1184	52.3	49.4-55.2	368	13.0	11.2-14.8
White/Non-Hisp	1892	250,888	670	36.9	34.0-39.8	953	51.5	48.4-54.6	269	11.6	09.8-13.4
Black or Afr. Am./Non-Hisp	273	41,807	60	21.8	14.0-29.6	147	57.6	48.8-66.4	66	20.5	13.2-27.8
Oth. Race/Non-Hisp.	53	9,517							12	11.4	03.8-19.0
18-24	85	36,219							11	9.7	01.9-17.5
25-34	245	54,065	89	33.9	26.3-41.5	125	53.9	45.9-61.9	31	12.2	07.1-17.3
35-44	425	61,292	159	39.7	34.0-45.4	223	51.4	45.7-57.1	43	8.9	06.0-11.8
45-54	464	60,128	151	34.1	28.4-39.8	248	54.7	48.8-60.6	65	11.1	07.8-14.4
55-64	464	47,392	172	37.8	31.9-43.7	226	49.2	43.1-55.3	66	13.0	09.3-16.7
65+	643	62,476	185	29.3	25.0-33.6	308	49.6	44.9-54.3	150	21.1	17.4-24.8
Less Than H.S.	153	16,852							34	20.1	11.5-28.7
H.S. or G.E.D.	775	106,644	244	33.8	28.7-38.9	374	48.9	43.6-54.2	157	17.4	13.7-21.1
Some Post-H.S.	643	91,203	214	33.2	27.9-38.5	330	55.2	49.5-60.9	99	11.6	08.7-14.5
College Graduate	768	108,271	299	38.3	33.8-42.8	392	53.1	48.6-57.6	77	8.6	06.2-11.0
Less than \$15,000	261	29,103	72	26.7	19.4-34.0	138	57.2	49.0-65.4	51	16.1	10.6-21.6
\$15,000- 24,999	282	29,416	74	30.8	21.6-40.0	124	44.4	36.0-52.8	84	24.8	18.3-31.3
\$25,000- 34,999	203	27,849	52	25.6	16.2-35.0				49	24.9	14.9-34.9
\$35,000- 49,999	338	45,899	110	35.1	27.5-42.7	185	51.5	43.7-59.3	43	13.4	08.1-18.7
\$50,000- 74,999	343	48,619	135	38.4	31.3-45.5	177	53.2	45.9-60.5	31	8.4	04.9-11.9
\$75,000+	585	93,813	241	38.2	33.1-43.3	297	55.4	50.3-60.5	47	6.4	04.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 10: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3859	641,475	829	26.7	24.5-28.9	679	19.4	17.6-21.2	2351	53.9	51.5-56.3
Male	1428	303,578	380	32.3	28.8-35.8	335	24.0	21.1-26.9	713	43.7	40.0-47.4
Female	2431	337,898	449	21.8	19.3-24.3	344	15.2	13.0-17.4	1638	63.0	60.1-65.9
White/Non-Hisp	3128	496,397	677	27.4	25.0-29.8	544	19.5	17.5-21.5	1907	53.1	50.6-55.6
Black or Afr. Am./Non-Hisp	440	83,422	81	22.7	16.6-28.8	73	16.1	11.0-21.2	286	61.2	53.8-68.6
Oth. Race/Non-Hisp.	99	22,846				23	20.6	11.2-30.0			
MultiRacial/Non-Hisp.	78	12,620				17	18.4	08.6-28.2			
18-24	176	78,599	74	47.8	38.6-57.0	37	20.4	12.8-28.0	65	31.8	23.4-40.2
25-34	399	109,536	119	33.0	26.1-39.9	95	22.0	16.9-27.1	185	45.1	37.7-52.5
35-44	675	122,420	199	29.8	25.3-34.3	141	23.1	19.0-27.2	335	47.1	42.4-51.8
45-54	786	119,919	173	23.3	19.4-27.2	163	22.3	18.4-26.2	450	54.4	49.9-58.9
55-64	774	93,710	146	21.2	17.1-25.3	127	17.7	14.0-21.4	501	61.1	56.4-65.8
65+	1021	113,826	117	11.8	09.3-14.3	113	10.6	08.2-13.0	791	77.6	74.5-80.7
Less Than H.S.	272	37,862	33	17.9	10.3-25.5	33	15.5	08.2-22.8	206	66.7	57.7-75.7
H.S. or G.E.D.	1236	199,737	208	23.9	19.8-28.0	185	17.2	13.9-20.5	843	58.9	54.6-63.2
Some Post-H.S.	996	176,871	220	28.4	23.9-32.9	183	18.0	14.5-21.5	593	53.7	48.8-58.6
College Graduate	1352	226,727	368	29.5	26.2-32.8	278	23.1	20.2-26.0	706	47.4	44.1-50.7
Less than \$15,000	408	55,692	53	17.6	11.3-23.9	57	14.0	09.3-18.7	298	68.4	61.5-75.3
\$15,000- 24,999	382	44,094	40	13.3	08.2-18.4	34	11.9	05.4-18.4	308	74.8	67.4-82.2
\$25,000- 34,999	330	52,123	57	20.3	13.6-27.0	53	17.0	11.1-22.9	220	62.7	54.9-70.5
\$35,000- 49,999	549	83,676	106	23.5	17.8-29.2	105	19.3	14.6-24.0	338	57.2	51.1-63.3
\$50,000- 74,999	589	99,983	145	29.8	24.5-35.1	126	21.9	17.2-26.6	318	48.3	42.8-53.8
\$75,000+	1127	224,775	344	33.0	28.9-37.1	231	21.8	18.5-25.1	552	45.2	40.9-49.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 17: PHYSICAL ACTIVITY**

**TABLE 11: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1428	303,578	380	32.3	28.8-35.8	335	24.0	21.1-26.9	713	43.7	40.0-47.4
White/Non-Hisp	1168	234,186	307	32.2	28.3-36.1	276	25.2	21.9-28.5	585	42.6	38.9-46.3
Black or Afr. Am./Non-Hisp	153	39,834				32	13.5	07.4-19.6			
18-24	82	37,940							15	16.7	07.9-25.5
25-34	145	53,312				44	25.0	16.2-33.8			
35-44	241	59,290	80	34.5	26.9-42.1	69	28.3	21.4-35.2	92	37.2	29.8-44.6
45-54	312	58,141	87	30.1	23.6-36.6	79	26.8	20.5-33.1	146	43.1	36.2-50.0
55-64	291	44,214	60	23.7	17.2-30.2	66	22.1	15.6-28.6	165	54.2	46.6-61.8
65+	348	49,296	54	16.5	11.8-21.2	52	14.7	10.2-19.2	242	68.7	62.8-74.6
H.S. or G.E.D.	421	89,640	96	32.4	25.3-39.5	87	21.0	15.5-26.5	238	46.5	39.8-53.2
Some Post-H.S.	332	78,546	94	33.4	25.8-41.0	81	21.4	15.3-27.5	157	45.1	36.1-54.1
College Graduate	561	114,864	170	32.7	27.8-37.6	148	29.0	24.1-33.9	243	38.4	33.3-43.5
Less than \$15,000	132	25,062				27	18.8	10.2-27.4			
\$15,000- 24,999	88	13,407				7	6.2	00.7-11.7			
\$25,000- 34,999	122	23,573				18	17.4	08.2-26.6			
\$35,000- 49,999	193	34,267	40	25.8	17.2-34.4	51	23.4	16.0-30.8	102	50.9	41.7-60.1
\$50,000- 74,999	228	47,700	60	32.3	23.9-40.7	72	32.2	24.2-40.2	96	35.5	27.7-43.3
\$75,000+	536	129,140	181	37.2	31.1-43.3	125	23.6	18.7-28.5	230	39.2	32.5-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 12: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	337,898	449	21.8	19.3-24.3	344	15.2	13.0-17.4	1638	63.0	60.1-65.9
White/Non-Hisp	1960	262,212	370	23.2	20.3-26.1	268	14.4	12.2-16.6	1322	62.5	59.4-65.6
Black or Afr. Am./Non-Hisp	287	43,587	42	15.4	08.7-22.1	41	18.5	10.9-26.1	204	66.1	57.5-74.7
Oth. Race/Non-Hisp.	55	9,940	9	10.4	01.8-19.0						
MultiRacial/Non-Hisp.	58	8,865				12	15.6	05.6-25.6			
25-34	254	56,224	65	30.2	22.6-37.8	51	19.0	13.3-24.7	138	50.8	43.0-58.6
35-44	434	63,130	119	25.3	20.6-30.0	72	18.2	13.5-22.9	243	56.5	50.8-62.2
45-54	474	61,779	86	16.8	12.3-21.3	84	18.1	13.6-22.6	304	65.0	59.5-70.5
55-64	483	49,497	86	19.0	13.9-24.1	61	13.8	09.7-17.9	336	67.2	61.5-72.9
65+	673	64,530	63	8.2	05.8-10.6	61	7.4	05.2-09.6	549	84.4	81.5-87.3
Less Than H.S.	158	17,335	13	9.6	00.0-19.4	14	10.6	03.9-17.3			
H.S. or G.E.D.	815	110,097	112	16.9	12.6-21.2	98	14.1	10.0-18.2	605	69.0	63.9-74.1
Some Post-H.S.	664	98,324	126	24.3	18.6-30.0	102	15.2	11.1-19.3	436	60.5	54.6-66.4
College Graduate	791	111,863	198	26.2	22.1-30.3	130	17.1	13.8-20.4	463	56.6	52.1-61.1
Less than \$15,000	276	30,630	31	12.6	07.1-18.1	30	10.1	05.6-14.6	215	77.3	70.6-84.0
\$15,000- 24,999	294	30,687	26	9.9	04.8-15.0	27	14.4	05.6-23.2	241	75.7	66.5-84.9
\$25,000- 34,999	208	28,550	28	14.5	06.3-22.7	35	16.6	09.3-23.9			
\$35,000- 49,999	356	49,409	66	21.9	14.1-29.7	54	16.5	10.4-22.6	236	61.5	53.5-69.5
\$50,000- 74,999	361	52,284	85	27.5	20.8-34.2	54	12.5	08.2-16.8	222	60.0	52.9-67.1
\$75,000+	591	95,635	163	27.3	22.4-32.2	106	19.4	15.1-23.7	322	53.3	48.0-58.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 13: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3743	623,019	438	14.0	12.2-15.8	391	13.5	11.7-15.3	837	20.4	18.6-22.2	1576	40.9	38.5-43.3	501	11.2	09.4-13.0
Male	1398	296,488	183	15.4	12.7-18.1	197	17.7	14.6-20.8	302	19.2	16.7-21.7	546	36.9	33.4-40.4	170	11.0	07.7-14.3
Female	2345	326,531	255	12.8	10.6-15.0	194	9.7	07.7-11.7	535	21.5	19.3-23.7	1030	44.6	41.7-47.5	331	11.3	09.7-12.9
White/Non-Hisp	3042	483,816	370	14.9	12.9-16.9	307	13.3	11.3-15.3	713	21.7	19.7-23.7	1278	40.9	38.5-43.3	374	9.2	08.0-10.4
Black or Afr. Am./Non-Hisp	420	80,274	27	7.0	03.7-10.3	54	16.6	10.9-22.3	69	14.6	09.7-19.5	189	41.5	33.9-49.1	81	20.2	10.4-30.0
Oth. Race/Non-Hisp.	96	22,396	10	11.0	01.4-20.6	12	13.8	04.6-23.0									
MultiRacial/Non-Hisp.	76	12,082				7	9.1	01.1-17.1	16	17.1	07.5-26.7				10	12.7	04.1-21.3
Hispanic	79	19,990				7	8.4	00.4-16.4	15	14.7	05.3-24.1						
18-24	168	75,967	38	25.8	17.6-34.0	36	23.6	15.6-31.6	26	12.8	06.9-18.7	54	31.8	22.8-40.8	14	5.9	01.8-10.0
25-34	388	106,363	62	16.0	11.3-20.7	57	17.9	11.8-24.0	81	17.6	13.1-22.1	153	36.0	29.5-42.5	35	12.4	04.4-20.4
35-44	662	119,803	105	15.3	11.8-18.8	94	15.1	11.4-18.8	132	20.3	16.4-24.2	270	40.8	36.1-45.5	61	8.5	06.0-11.0
45-54	776	118,143	96	12.7	09.6-15.8	77	11.0	08.1-13.9	167	21.5	17.8-25.2	349	46.3	41.8-50.8	87	8.6	06.2-11.0
55-64	753	90,461	80	11.7	08.4-15.0	66	10.2	07.3-13.1	187	22.8	18.9-26.7	327	44.1	39.4-48.8	93	11.2	08.1-14.3
65+	971	109,218	56	6.1	04.1-08.1	61	6.2	04.4-08.0	237	25.2	21.9-28.5	409	43.3	39.4-47.2	208	19.2	16.3-22.1
Less Than H.S.	260	35,021	16	10.3	03.4-17.2	17	9.0	03.5-14.5	50	21.1	13.7-28.5	112	37.5	29.3-45.7	65	22.1	15.0-29.2
H.S. or G.E.D.	1181	192,611	111	12.7	09.6-15.8	97	12.0	08.3-15.7	275	21.6	18.5-24.7	498	39.6	35.5-43.7	200	14.1	11.4-16.8
Some Post-H.S.	980	174,621	114	14.7	11.2-18.2	106	14.0	10.3-17.7	226	20.3	16.8-23.8	411	39.6	34.9-44.3	123	11.4	06.5-16.3
College Graduate	1319	220,487	197	15.2	12.5-17.9	171	15.1	12.6-17.6	285	19.4	16.9-21.9	554	43.7	40.2-47.2	112	6.7	05.1-08.3
Less than \$15,000	389	53,187	27	9.8	04.5-15.1	26	8.6	03.9-13.3	84	21.8	16.1-27.5	175	42.2	35.3-49.1	77	17.6	12.7-22.5
\$15,000- 24,999	367	42,437	21	6.0	02.9-09.1	19	7.9	03.4-12.4	80	25.8	18.2-33.4	141	36.8	29.7-43.9	106	23.6	17.9-29.3
\$25,000- 34,999	318	50,574	24	12.1	06.0-18.2	33	8.9	05.0-12.8	66	15.6	10.9-20.3	134	44.0	35.6-52.4	61	19.4	12.3-26.5
\$35,000- 49,999	528	80,905	60	12.8	08.3-17.3	46	11.6	06.9-16.3	118	21.4	16.9-25.9	242	42.2	36.3-48.1	62	12.1	08.2-16.0
\$50,000- 74,999	573	97,688	71	13.0	09.1-16.9	74	17.5	12.8-22.2	144	22.1	17.6-26.6	244	42.2	36.7-47.7	40	5.2	03.2-07.2
\$75,000+	1114	220,525	197	19.0	15.7-22.3	147	14.6	11.3-17.9	236	17.8	15.1-20.5	452	40.7	36.6-44.8	82	7.8	03.7-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 14: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1398	296,488	183	15.4	12.7-18.1	197	17.7	14.6-20.8	302	19.2	16.7-21.7	546	36.9	33.4-40.4	170	11.0	07.7-14.3
White/Non-Hisp	1145	229,611	156	16.2	13.1-19.3	151	16.7	13.4-20.0	257	20.6	17.7-23.5	447	37.8	34.1-41.5	134	8.7	06.7-10.7
Black or Afr. Am./Non-Hisp	149	38,729	12	9.3	03.2-15.4	27	22.2	12.4-32.0	24	12.0	05.9-18.1						
18-24	79	36,621							13	13.1	05.3-20.9				3	2.7	00.0-06.4
25-34	143	52,065	25	14.5	07.8-21.2				29	19.1	11.3-26.9	50	28.7	19.1-38.3			
35-44	237	58,452	35	14.9	09.2-20.6	45	20.1	13.4-26.8	43	16.5	11.0-22.0	90	38.9	31.3-46.5	24	9.6	05.3-13.9
45-54	312	58,148	42	13.7	08.8-18.6	45	16.4	11.1-21.7	70	20.4	14.9-25.9	122	41.5	34.4-48.6	33	8.0	04.7-11.3
55-64	286	42,563	34	12.2	07.3-17.1	26	12.4	07.1-17.7	61	19.2	13.5-24.9	130	44.7	37.1-52.3	35	11.5	06.0-17.0
65+	332	47,253	25	8.7	05.0-12.4	29	8.6	05.1-12.1	83	24.9	19.2-30.6	131	40.4	33.7-47.1	64	17.4	12.3-22.5
Less Than H.S.	107	18,232	9	12.6	03.0-22.2	11	15.4	05.4-25.4									
H.S. or G.E.D.	407	86,959	43	14.3	09.2-19.4	53	19.2	12.3-26.1	99	20.3	15.6-25.0	159	35.1	28.6-41.6	53	11.2	07.3-15.1
Some Post-H.S.	332	78,929	58	20.7	14.2-27.2	36	12.6	07.5-17.7	68	18.5	13.0-24.0	133	34.6	27.2-42.0			
College Graduate	552	112,368	73	12.9	09.4-16.4	97	20.5	16.2-24.8	110	18.1	14.2-22.0	224	41.8	36.5-47.1	48	6.7	04.0-09.4
Less than \$15,000	127	24,020				10	9.7	01.1-18.3	27	22.6	13.0-32.2				29	20.6	12.0-29.2
\$15,000- 24,999	86	13,207	7	7.5	01.2-13.8												
\$25,000- 34,999	116	22,826	13	15.8	06.6-25.0	16	12.4	05.3-19.5	25	14.3	07.4-21.2						
\$35,000- 49,999	190	33,737	23	11.8	06.3-17.3	17	14.4	06.6-22.2	45	22.4	15.0-29.8	81	39.8	31.0-48.6	24	11.6	05.7-17.5
\$50,000- 74,999	225	47,046	25	12.2	06.3-18.1	35	20.5	12.9-28.1	55	21.1	14.6-27.6	96	41.9	33.5-50.3	14	4.3	01.6-07.0
\$75,000+	530	126,420	91	19.4	14.7-24.1	90	18.5	13.4-23.6	101	16.4	12.5-20.3	203	35.6	29.7-41.5	45	10.0	03.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 15: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2345	326,531	255	12.8	10.6-15.0	194	9.7	07.7-11.7	535	21.5	19.3-23.7	1030	44.6	41.7-47.5	331	11.3	09.7-12.9
White/Non-Hisp	1897	254,205	214	13.7	11.2-16.2	156	10.2	07.8-12.6	456	22.7	20.3-25.1	831	43.7	40.6-46.8	240	9.7	08.1-11.3
Black or Afr. Am./Non-Hisp	271	41,545	15	4.9	01.6-08.2	27	11.3	04.8-17.8	45	17.1	09.7-24.5	124	46.9	38.1-55.7	60	19.8	12.5-27.1
Oth. Race/Non-Hisp.	52	9,490	6	7.2	00.0-14.6	3	3.7	00.0-08.6							10	10.2	02.8-17.6
MultiRacial/Non-Hisp.	56	8,328				3	4.2	00.0-10.5	10	14.0	04.0-24.0						
Hispanic	50	10,934				2	0.5	00.0-01.3									
18-24	89	39,346							13	12.5	03.9-21.1				11	8.9	01.6-16.2
25-34	245	54,298	37	17.5	10.8-24.2	28	13.7	07.4-20.0	52	16.3	11.2-21.4	103	42.9	35.1-50.7	25	9.5	04.8-14.2
35-44	425	61,351	70	15.8	11.7-19.9	49	10.3	07.0-13.6	89	23.9	18.6-29.2	180	42.6	36.9-48.3	37	7.5	04.8-10.2
45-54	464	59,996	54	11.7	07.6-15.8	32	5.7	03.2-08.2	97	22.5	17.6-27.4	227	50.9	45.0-56.8	54	9.3	06.2-12.4
55-64	467	47,898	46	11.3	06.6-16.0	40	8.3	05.2-11.4	126	26.0	20.9-31.1	197	43.5	37.6-49.4	58	10.8	07.5-14.1
65+	639	61,965	31	4.1	02.3-05.9	32	4.4	02.8-06.0	154	25.4	21.3-29.5	278	45.6	40.9-50.3	144	20.5	17.0-24.0
Less Than H.S.	153	16,789	7	7.8	00.0-18.0	6	2.1	00.1-04.1	25	18.7	10.9-26.5				33	19.5	11.1-27.9
H.S. or G.E.D.	774	105,652	68	11.5	07.8-15.2	44	6.2	03.3-09.1	176	22.6	18.3-26.9	339	43.3	38.0-48.6	147	16.4	12.7-20.1
Some Post-H.S.	648	95,692	56	9.8	06.1-13.5	70	15.1	09.8-20.4	158	21.8	17.5-26.1	278	43.6	37.7-49.5	86	9.6	07.1-12.1
College Graduate	767	108,119	124	17.7	13.8-21.6	74	9.5	07.0-12.0	175	20.7	17.4-24.0	330	45.5	41.0-50.0	64	6.6	04.6-08.6
Less than \$15,000	262	29,167	15	5.5	02.0-09.0	16	7.7	02.8-12.6	57	21.1	14.2-28.0	126	50.5	42.1-58.9	48	15.1	09.8-20.4
\$15,000- 24,999	281	29,231	14	5.3	01.8-08.8	12	5.1	01.0-09.2	60	25.8	16.4-35.2	115	40.6	32.4-48.8	80	23.3	17.0-29.6
\$25,000- 34,999	202	27,748	11	9.0	01.2-16.8	17	6.0	01.7-10.3	41	16.7	10.2-23.2				43	21.9	12.3-31.5
\$35,000- 49,999	338	47,168	37	13.4	06.7-20.1	29	9.5	03.6-15.4	73	20.7	15.2-26.2	161	43.9	36.1-51.7	38	12.4	07.3-17.5
\$50,000- 74,999	348	50,642	46	13.8	08.7-18.9	39	14.6	09.1-20.1	89	23.1	17.2-29.0	148	42.5	35.1-49.9	26	6.1	03.2-09.0
\$75,000+	584	94,106	106	18.4	14.1-22.7	57	9.4	05.9-12.9	135	19.7	16.0-23.4	249	47.6	42.3-52.9	37	4.9	02.9-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 16: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPAMOD)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3743	623,019	1666	47.9	45.5-50.3	2077	52.1	49.7-54.5
Male	1398	296,488	682	52.2	48.5-55.9	716	47.8	44.1-51.5
Female	2345	326,531	984	44.1	41.2-47.0	1361	55.9	53.0-58.8
White/Non-Hisp	3042	483,816	1390	49.9	47.4-52.4	1652	50.1	47.6-52.6
Black or Afr. Am./Non-Hisp	420	80,274	150	38.2	30.6-45.8	270	61.8	54.2-69.4
18-24	168	75,967	100	62.2	52.8-71.6	68	37.8	28.4-47.2
25-34	388	106,363	200	51.6	44.2-59.0	188	48.4	41.0-55.8
35-44	662	119,803	331	50.7	45.8-55.6	331	49.3	44.4-54.2
45-54	776	118,143	340	45.1	40.6-49.6	436	54.9	50.4-59.4
55-64	753	90,461	333	44.8	40.1-49.5	420	55.2	50.5-59.9
65+	971	109,218	354	37.5	33.8-41.2	617	62.5	58.8-66.2
Less Than H.S.	260	35,021	83	40.4	31.4-49.4	177	59.6	50.6-68.6
H.S. or G.E.D.	1181	192,611	483	46.4	42.1-50.7	698	53.6	49.3-57.9
Some Post-H.S.	980	174,621	446	49.0	43.9-54.1	534	51.0	45.9-56.1
College Graduate	1319	220,487	653	49.7	46.2-53.2	666	50.3	46.8-53.8
Less than \$15,000	389	53,187	137	40.2	32.9-47.5	252	59.8	52.5-67.1
\$15,000- 24,999	367	42,437	120	39.6	31.8-47.4	247	60.4	52.6-68.2
\$25,000- 34,999	318	50,574	123	36.6	29.0-44.2	195	63.4	55.8-71.0
\$35,000- 49,999	528	80,905	224	45.7	39.6-51.8	304	54.3	48.2-60.4
\$50,000- 74,999	573	97,688	289	52.6	46.9-58.3	284	47.4	41.7-53.1
\$75,000+	1114	220,525	580	51.4	47.1-55.7	534	48.6	44.3-52.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 17: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPAMOD)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1398	296,488	682	52.2	48.5-55.9	716	47.8	44.1-51.5
White/Non-Hisp	1145	229,611	564	53.5	49.6-57.4	581	46.5	42.6-50.4
35-44	237	58,452	123	51.5	43.7-59.3	114	48.5	40.7-56.3
45-54	312	58,148	157	50.5	43.4-57.6	155	49.5	42.4-56.6
55-64	286	42,563	121	43.8	36.2-51.4	165	56.2	48.6-63.8
65+	332	47,253	137	42.2	35.5-48.9	195	57.8	51.1-64.5
H.S. or G.E.D.	407	86,959	195	53.7	46.8-60.6	212	46.3	39.4-53.2
Some Post-H.S.	332	78,929	162	51.8	43.0-60.6	170	48.2	39.4-57.0
College Graduate	552	112,368	280	51.4	46.1-56.7	272	48.6	43.3-53.9
\$35,000- 49,999	190	33,737	85	48.5	39.3-57.7	105	51.5	42.3-60.7
\$50,000- 74,999	225	47,046	115	53.8	45.4-62.2	110	46.2	37.8-54.6
\$75,000+	530	126,420	282	54.4	47.7-61.1	248	45.6	38.9-52.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
 SECTION 17: PHYSICAL ACTIVITY**

**TABLE 18: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPAMOD)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2345	326,531	984	44.1	41.2-47.0	1361	55.9	53.0-58.8
White/Non-Hisp	1897	254,205	826	46.6	43.5-49.7	1071	53.4	50.3-56.5
Black or Afr. Am./Non-Hisp	271	41,545	87	33.3	24.5-42.1	184	66.7	57.9-75.5
25-34	245	54,298	117	47.5	39.5-55.5	128	52.5	44.5-60.5
35-44	425	61,351	208	49.9	44.2-55.6	217	50.1	44.4-55.8
45-54	464	59,996	183	39.9	34.0-45.8	281	60.1	54.2-66.0
55-64	467	47,898	212	45.7	39.8-51.6	255	54.3	48.4-60.2
65+	639	61,965	217	33.9	29.4-38.4	422	66.1	61.6-70.6
H.S. or G.E.D.	774	105,652	288	40.3	35.0-45.6	486	59.7	54.4-65.0
Some Post-H.S.	648	95,692	284	46.8	40.9-52.7	364	53.2	47.3-59.1
College Graduate	767	108,119	373	47.8	43.3-52.3	394	52.2	47.7-56.7
Less than \$15,000	262	29,167	88	34.3	26.3-42.3	174	65.7	57.7-73.7
\$15,000- 24,999	281	29,231	86	36.2	26.8-45.6	195	63.8	54.4-73.2
\$25,000- 34,999	202	27,748				133	68.3	58.3-78.3
\$35,000- 49,999	338	47,168	139	43.7	35.7-51.7	199	56.3	48.3-64.3
\$50,000- 74,999	348	50,642	174	51.4	44.0-58.8	174	48.6	41.2-56.0
\$75,000+	584	94,106	298	47.4	42.1-52.7	286	52.6	47.3-57.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 19: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPVIG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3859	641,475	829	26.7	24.5-28.9	3030	73.3	71.1-75.5
Male	1428	303,578	380	32.3	28.8-35.8	1048	67.7	64.2-71.2
Female	2431	337,898	449	21.8	19.3-24.3	1982	78.2	75.7-80.7
White/Non-Hisp	3128	496,397	677	27.4	25.0-29.8	2451	72.6	70.2-75.0
Black or Afr. Am./Non-Hisp	440	83,422	81	22.7	16.6-28.8	359	77.3	71.2-83.4
18-24	176	78,599	74	47.8	38.6-57.0	102	52.2	43.0-61.4
25-34	399	109,536	119	33.0	26.1-39.9	280	67.0	60.1-73.9
35-44	675	122,420	199	29.8	25.3-34.3	476	70.2	65.7-74.7
45-54	786	119,919	173	23.3	19.4-27.2	613	76.7	72.8-80.6
55-64	774	93,710	146	21.2	17.1-25.3	628	78.8	74.7-82.9
65+	1021	113,826	117	11.8	09.3-14.3	904	88.2	85.7-90.7
Less Than H.S.	272	37,862	33	17.9	10.3-25.5	239	82.1	74.5-89.7
H.S. or G.E.D.	1236	199,737	208	23.9	19.8-28.0	1028	76.1	72.0-80.2
Some Post-H.S.	996	176,871	220	28.4	23.9-32.9	776	71.6	67.1-76.1
College Graduate	1352	226,727	368	29.5	26.2-32.8	984	70.5	67.2-73.8
Less than \$15,000	408	55,692	53	17.6	11.3-23.9	355	82.4	76.1-88.7
\$15,000- 24,999	382	44,094	40	13.3	08.2-18.4	342	86.7	81.6-91.8
\$25,000- 34,999	330	52,123	57	20.3	13.6-27.0	273	79.7	73.0-86.4
\$35,000- 49,999	549	83,676	106	23.5	17.8-29.2	443	76.5	70.8-82.2
\$50,000- 74,999	589	99,983	145	29.8	24.5-35.1	444	70.2	64.9-75.5
\$75,000+	1127	224,775	344	33.0	28.9-37.1	783	67.0	62.9-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 20: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPVIG)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1428	303,578	380	32.3	28.8-35.8	1048	67.7	64.2-71.2	
White/Non-Hisp	1168	234,186	307	32.2	28.3-36.1	861	67.8	63.9-71.7	
35-44	241	59,290	80	34.5	26.9-42.1	161	65.5	57.9-73.1	
45-54	312	58,141	87	30.1	23.6-36.6	225	69.9	63.4-76.4	
55-64	291	44,214	60	23.7	17.2-30.2	231	76.3	69.8-82.8	
65+	348	49,296	54	16.5	11.8-21.2	294	83.5	78.8-88.2	
H.S. or G.E.D.	421	89,640	96	32.4	25.3-39.5	325	67.6	60.5-74.7	
Some Post-H.S.	332	78,546	94	33.4	25.8-41.0	238	66.6	59.0-74.2	
College Graduate	561	114,864	170	32.7	27.8-37.6	391	67.3	62.4-72.2	
\$35,000- 49,999	193	34,267	40	25.8	17.2-34.4	153	74.2	65.6-82.8	
\$50,000- 74,999	228	47,700	60	32.3	23.9-40.7	168	67.7	59.3-76.1	
\$75,000+	536	129,140	181	37.2	31.1-43.3	355	62.8	56.7-68.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 21: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (\_RFPVIG)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	337,898	449	21.8	19.3-24.3	1982	78.2	75.7-80.7
White/Non-Hisp	1960	262,212	370	23.2	20.3-26.1	1590	76.8	73.9-79.7
Black or Afr. Am./Non-Hisp	287	43,587	42	15.4	08.7-22.1	245	84.6	77.9-91.3
Oth. Race/Non-Hisp.	55	9,940	9	10.4	01.8-19.0	46	89.6	81.0-98.2
25-34	254	56,224	65	30.2	22.6-37.8	189	69.8	62.2-77.4
35-44	434	63,130	119	25.3	20.6-30.0	315	74.7	70.0-79.4
45-54	474	61,779	86	16.8	12.3-21.3	388	83.2	78.7-87.7
55-64	483	49,497	86	19.0	13.9-24.1	397	81.0	75.9-86.1
65+	673	64,530	63	8.2	05.8-10.6	610	91.8	89.4-94.2
Less Than H.S.	158	17,335	13	9.6	00.0-19.4	145	90.4	80.6-100
H.S. or G.E.D.	815	110,097	112	16.9	12.6-21.2	703	83.1	78.8-87.4
Some Post-H.S.	664	98,324	126	24.3	18.6-30.0	538	75.7	70.0-81.4
College Graduate	791	111,863	198	26.2	22.1-30.3	593	73.8	69.7-77.9
Less than \$15,000	276	30,630	31	12.6	07.1-18.1	245	87.4	81.9-92.9
\$15,000- 24,999	294	30,687	26	9.9	04.8-15.0	268	90.1	85.0-95.2
\$25,000- 34,999	208	28,550	28	14.5	06.3-22.7	180	85.5	77.3-93.7
\$35,000- 49,999	356	49,409	66	21.9	14.1-29.7	290	78.1	70.3-85.9
\$50,000- 74,999	361	52,284	85	27.5	20.8-34.2	276	72.5	65.8-79.2
\$75,000+	591	95,635	163	27.3	22.4-32.2	428	72.7	67.8-77.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 22: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (\_RFPAREC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3743	623,019	1666	47.9	45.5-50.3	1576	40.9	38.5-43.3	501	11.2	09.4-13.0
Male	1398	296,488	682	52.2	48.5-55.9	546	36.9	33.4-40.4	170	11.0	07.7-14.3
Female	2345	326,531	984	44.1	41.2-47.0	1030	44.6	41.7-47.5	331	11.3	09.7-12.9
White/Non-Hisp	3042	483,816	1390	49.9	47.4-52.4	1278	40.9	38.5-43.3	374	9.2	08.0-10.4
Black or Afr. Am./Non-Hisp	420	80,274	150	38.2	30.6-45.8	189	41.5	33.9-49.1	81	20.2	10.4-30.0
MultiRacial/Non-Hisp.	76	12,082							10	12.7	04.1-21.3
18-24	168	75,967	100	62.2	52.8-71.6	54	31.8	22.8-40.8	14	5.9	01.8-10.0
25-34	388	106,363	200	51.6	44.2-59.0	153	36.0	29.5-42.5	35	12.4	04.4-20.4
35-44	662	119,803	331	50.7	45.8-55.6	270	40.8	36.1-45.5	61	8.5	06.0-11.0
45-54	776	118,143	340	45.1	40.6-49.6	349	46.3	41.8-50.8	87	8.6	06.2-11.0
55-64	753	90,461	333	44.8	40.1-49.5	327	44.1	39.4-48.8	93	11.2	08.1-14.3
65+	971	109,218	354	37.5	33.8-41.2	409	43.3	39.4-47.2	208	19.2	16.3-22.1
Less Than H.S.	260	35,021	83	40.4	31.4-49.4	112	37.5	29.3-45.7	65	22.1	15.0-29.2
H.S. or G.E.D.	1181	192,611	483	46.4	42.1-50.7	498	39.6	35.5-43.7	200	14.1	11.4-16.8
Some Post-H.S.	980	174,621	446	49.0	43.9-54.1	411	39.6	34.9-44.3	123	11.4	06.5-16.3
College Graduate	1319	220,487	653	49.7	46.2-53.2	554	43.7	40.2-47.2	112	6.7	05.1-08.3
Less than \$15,000	389	53,187	137	40.2	32.9-47.5	175	42.2	35.3-49.1	77	17.6	12.7-22.5
\$15,000- 24,999	367	42,437	120	39.6	31.8-47.4	141	36.8	29.7-43.9	106	23.6	17.9-29.3
\$25,000- 34,999	318	50,574	123	36.6	29.0-44.2	134	44.0	35.6-52.4	61	19.4	12.3-26.5
\$35,000- 49,999	528	80,905	224	45.7	39.6-51.8	242	42.2	36.3-48.1	62	12.1	08.2-16.0
\$50,000- 74,999	573	97,688	289	52.6	46.9-58.3	244	42.2	36.7-47.7	40	5.2	03.2-07.2
\$75,000+	1114	220,525	580	51.4	47.1-55.7	452	40.7	36.6-44.8	82	7.8	03.7-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 23: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (\_RFPAREC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1398	296,488	682	52.2	48.5-55.9	546	36.9	33.4-40.4	170	11.0	07.7-14.3
White/Non-Hisp	1145	229,611	564	53.5	49.6-57.4	447	37.8	34.1-41.5	134	8.7	06.7-10.7
18-24	79	36,621							3	2.7	00.0-06.4
25-34	143	52,065				50	28.7	19.1-38.3			
35-44	237	58,452	123	51.5	43.7-59.3	90	38.9	31.3-46.5	24	9.6	05.3-13.9
45-54	312	58,148	157	50.5	43.4-57.6	122	41.5	34.4-48.6	33	8.0	04.7-11.3
55-64	286	42,563	121	43.8	36.2-51.4	130	44.7	37.1-52.3	35	11.5	06.0-17.0
65+	332	47,253	137	42.2	35.5-48.9	131	40.4	33.7-47.1	64	17.4	12.3-22.5
H.S. or G.E.D.	407	86,959	195	53.7	46.8-60.6	159	35.1	28.6-41.6	53	11.2	07.3-15.1
Some Post-H.S.	332	78,929	162	51.8	43.0-60.6	133	34.6	27.2-42.0			
College Graduate	552	112,368	280	51.4	46.1-56.7	224	41.8	36.5-47.1	48	6.7	04.0-09.4
Less than \$15,000	127	24,020							29	20.6	12.0-29.2
\$35,000- 49,999	190	33,737	85	48.5	39.3-57.7	81	39.8	31.0-48.6	24	11.6	05.7-17.5
\$50,000- 74,999	225	47,046	115	53.8	45.4-62.2	96	41.9	33.5-50.3	14	4.3	01.6-07.0
\$75,000+	530	126,420	282	54.4	47.7-61.1	203	35.6	29.7-41.5	45	10.0	03.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 24: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (\_RFPAREC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2345	326,531	984	44.1	41.2-47.0	1030	44.6	41.7-47.5	331	11.3	09.7-12.9
White/Non-Hisp	1897	254,205	826	46.6	43.5-49.7	831	43.7	40.6-46.8	240	9.7	08.1-11.3
Black or Afr. Am./Non-Hisp	271	41,545	87	33.3	24.5-42.1	124	46.9	38.1-55.7	60	19.8	12.5-27.1
Oth. Race/Non-Hisp.	52	9,490							10	10.2	02.8-17.6
18-24	89	39,346							11	8.9	01.6-16.2
25-34	245	54,298	117	47.5	39.5-55.5	103	42.9	35.1-50.7	25	9.5	04.8-14.2
35-44	425	61,351	208	49.9	44.2-55.6	180	42.6	36.9-48.3	37	7.5	04.8-10.2
45-54	464	59,996	183	39.9	34.0-45.8	227	50.9	45.0-56.8	54	9.3	06.2-12.4
55-64	467	47,898	212	45.7	39.8-51.6	197	43.5	37.6-49.4	58	10.8	07.5-14.1
65+	639	61,965	217	33.9	29.4-38.4	278	45.6	40.9-50.3	144	20.5	17.0-24.0
Less Than H.S.	153	16,789							33	19.5	11.1-27.9
H.S. or G.E.D.	774	105,652	288	40.3	35.0-45.6	339	43.3	38.0-48.6	147	16.4	12.7-20.1
Some Post-H.S.	648	95,692	284	46.8	40.9-52.7	278	43.6	37.7-49.5	86	9.6	07.1-12.1
College Graduate	767	108,119	373	47.8	43.3-52.3	330	45.5	41.0-50.0	64	6.6	04.6-08.6
Less than \$15,000	262	29,167	88	34.3	26.3-42.3	126	50.5	42.1-58.9	48	15.1	09.8-20.4
\$15,000- 24,999	281	29,231	86	36.2	26.8-45.6	115	40.6	32.4-48.8	80	23.3	17.0-29.6
\$25,000- 34,999	202	27,748							43	21.9	12.3-31.5
\$35,000- 49,999	338	47,168	139	43.7	35.7-51.7	161	43.9	36.1-51.7	38	12.4	07.3-17.5
\$50,000- 74,999	348	50,642	174	51.4	44.0-58.8	148	42.5	35.1-49.9	26	6.1	03.2-09.0
\$75,000+	584	94,106	298	47.4	42.1-52.7	249	47.6	42.3-52.9	37	4.9	02.9-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 25: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (\_RFNOPA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3919	651,457	3550	92.8	91.8-93.8	369	7.2	06.2-08.2	
Male	1478	312,377	1353	93.6	92.0-95.2	125	6.4	04.8-08.0	
Female	2441	339,080	2197	92.0	90.6-93.4	244	8.0	06.6-09.4	
White/Non-Hisp	3174	504,985	2894	93.3	92.3-94.3	280	6.7	05.7-07.7	
Black or Afr. Am./Non-Hisp	446	83,997	386	89.9	85.8-94.0	60	10.1	06.0-14.2	
Oth. Race/Non-Hisp.	99	22,544	86	90.7	84.4-97.0	13	9.3	03.0-15.6	
MultiRacial/Non-Hisp.	81	13,814	75	92.2	85.5-98.9	6	7.8	01.1-14.5	
Hispanic	84	21,086	77	92.4	84.6-0100	7	7.6	00.0-15.4	
18-24	183	82,126	174	96.0	92.5-99.5	9	4.0	00.5-07.5	
25-34	406	109,905	384	95.1	92.6-97.6	22	4.9	02.4-07.4	
35-44	687	124,097	646	94.3	92.1-96.5	41	5.7	03.5-07.9	
45-54	806	121,729	743	94.1	92.3-95.9	63	5.9	04.1-07.7	
55-64	784	94,537	712	91.4	88.5-94.3	72	8.6	05.7-11.5	
65+	1023	115,238	863	86.2	83.7-88.7	160	13.8	11.3-16.3	
Less Than H.S.	270	37,317	214	83.9	78.2-89.6	56	16.1	10.4-21.8	
H.S. or G.E.D.	1246	203,050	1095	90.3	87.9-92.7	151	9.7	07.3-12.1	
Some Post-H.S.	1019	180,653	927	93.5	91.7-95.3	92	6.5	04.7-08.3	
College Graduate	1381	230,158	1312	95.8	94.6-97.0	69	4.2	03.0-05.4	
Less than \$15,000	416	57,080	356	88.2	84.3-92.1	60	11.8	07.9-15.7	
\$15,000- 24,999	379	44,533	294	82.8	78.1-87.5	85	17.2	12.5-21.9	
\$25,000- 34,999	330	52,176	281	85.4	78.9-91.9	49	14.6	08.1-21.1	
\$35,000- 49,999	562	86,576	519	90.9	87.4-94.4	43	9.1	05.6-12.6	
\$50,000- 74,999	593	99,926	570	96.5	94.7-98.3	23	3.5	01.7-05.3	
\$75,000+	1156	229,224	1100	96.2	95.0-97.4	56	3.8	02.6-05.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 26: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (\_RFNOPA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1478	312,377	1353	93.6	92.0-95.2	125	6.4	04.8-08.0	
White/Non-Hisp	1210	241,885	1106	93.5	91.7-95.3	104	6.5	04.7-08.3	
Black or Afr. Am./Non-Hisp	158	40,630	146	95.1	91.4-98.8	12	4.9	01.2-08.6	
18-24	90	41,223	88	99.2	98.0-100.0	2	0.8	00.0-02.0	
25-34	151	54,228	146	97.1	94.4-99.8	5	2.9	00.2-05.6	
35-44	249	60,706	235	93.7	90.0-97.4	14	6.3	02.6-10.0	
45-54	328	60,050	303	94.0	91.1-96.9	25	6.0	03.1-08.9	
55-64	299	44,830	269	90.2	85.1-95.3	30	9.8	04.7-14.9	
65+	352	49,953	304	87.8	83.5-92.1	48	12.2	07.9-16.5	
Less Than H.S.	112	19,678	87	85.6	78.0-93.2	25	14.4	06.8-22.0	
H.S. or G.E.D.	438	92,916	399	92.3	89.0-95.6	39	7.7	04.4-11.0	
Some Post-H.S.	351	82,472	323	94.0	91.3-96.7	28	6.0	03.3-08.7	
College Graduate	577	117,311	544	95.7	93.9-97.5	33	4.3	02.5-06.1	
Less than \$15,000	143	26,734	122	87.3	80.6-94.0	21	12.7	06.0-19.4	
\$15,000- 24,999	89	14,439	68	84.2	75.6-92.8	21	15.8	07.2-24.4	
\$25,000- 34,999	120	23,526	105	87.8	78.8-96.8	15	12.2	03.2-21.2	
\$35,000- 49,999	202	36,606	186	91.4	86.3-96.5	16	8.6	03.5-13.7	
\$50,000- 74,999	234	48,244	225	97.3	94.9-99.7	9	2.7	00.3-05.1	
\$75,000+	559	132,138	527	95.8	94.0-97.6	32	4.2	02.4-06.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 27: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (\_RFNOFA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2441	339,080	2197	92.0	90.6-93.4	244	8.0	06.6-09.4	
White/Non-Hisp	1964	263,100	1788	93.2	92.0-94.4	176	6.8	05.6-08.0	
Black or Afr. Am./Non-Hisp	288	43,368	240	85.1	78.4-91.8	48	14.9	08.2-21.6	
Oth. Race/Non-Hisp.	55	9,637	48	93.7	88.4-99.0	7	6.3	01.0-11.6	
MultiRacial/Non-Hisp.	59	9,083	55	93.3	85.9-0100	4	6.7	00.0-14.1	
18-24	93	40,902	86	92.9	86.0-99.8	7	7.1	00.2-14.0	
25-34	255	55,677	238	93.1	89.0-97.2	17	6.9	02.8-11.0	
35-44	438	63,391	411	94.9	92.7-97.1	27	5.1	02.9-07.3	
45-54	478	61,679	440	94.2	91.8-96.6	38	5.8	03.4-08.2	
55-64	485	49,706	443	92.4	89.7-95.1	42	7.6	04.9-10.3	
65+	671	65,285	559	85.0	81.9-88.1	112	15.0	11.9-18.1	
Less Than H.S.	158	17,639	127	81.9	73.9-89.9	31	18.1	10.1-26.1	
H.S. or G.E.D.	808	110,134	696	88.6	85.3-91.9	112	11.4	08.1-14.7	
Some Post-H.S.	668	98,181	604	93.0	90.8-95.2	64	7.0	04.8-09.2	
College Graduate	804	112,847	768	96.0	94.4-97.6	36	4.0	02.4-05.6	
Less than \$15,000	273	30,346	234	89.0	84.7-93.3	39	11.0	06.7-15.3	
\$15,000- 24,999	290	30,094	226	82.2	76.7-87.7	64	17.8	12.3-23.3	
\$25,000- 34,999	210	28,651	176	83.4	74.4-92.4	34	16.6	07.6-25.6	
\$35,000- 49,999	360	49,970	333	90.5	85.8-95.2	27	9.5	04.8-14.2	
\$50,000- 74,999	359	51,682	345	95.9	93.4-98.4	14	4.1	01.6-06.6	
\$75,000+	597	97,086	573	96.8	95.2-98.4	24	3.2	01.6-04.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007

SECTION 18: HIV/AIDS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	179
2	MALES ONLY	180
3	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2840	532,257	1288	47.2	44.5-49.9	1552	52.8	50.1-55.5
Male	1105	261,319	465	44.4	40.1-48.7	640	55.6	51.3-59.9
Female	1735	270,939	823	49.8	46.5-53.1	912	50.2	46.9-53.5
White/Non-Hisp	2228	402,373	909	42.1	39.2-45.0	1319	57.9	55.0-60.8
Black or Afr. Am./Non-Hisp	366	72,804	251	68.8	61.2-76.4	115	31.2	23.6-38.8
18-24	185	83,678	89	43.8	35.0-52.6	96	56.2	47.4-65.0
25-34	404	110,262	270	64.0	57.5-70.5	134	36.0	29.5-42.5
35-44	676	123,558	418	60.8	56.1-65.5	258	39.2	34.5-43.9
45-54	794	120,550	317	36.9	32.6-41.2	477	63.1	58.8-67.4
55-64	781	94,210	194	25.8	21.7-29.9	587	74.2	70.1-78.3
H.S. or G.E.D.	838	162,293	359	46.1	41.0-51.2	479	53.9	48.8-59.0
Some Post-H.S.	792	152,883	390	51.2	45.5-56.9	402	48.8	43.1-54.5
College Graduate	1056	190,848	460	43.6	39.7-47.5	596	56.4	52.5-60.3
Less than \$15,000	223	35,201	121	50.4	41.0-59.8	102	49.6	40.2-59.0
\$15,000- 24,999	235	32,096	130	54.1	44.5-63.7	105	45.9	36.3-55.5
\$35,000- 49,999	404	69,535	211	54.3	47.4-61.2	193	45.7	38.8-52.6
\$50,000- 74,999	502	89,172	215	43.9	37.8-50.0	287	56.1	50.0-62.2
\$75,000+	1015	212,446	420	45.5	40.8-50.2	595	54.5	49.8-59.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1105	261,319	465	44.4	40.1-48.7	640	55.6	51.3-59.9
White/Non-Hisp	880	198,344	338	39.1	34.8-43.4	542	60.9	56.6-65.2
35-44	247	60,984	138	57.8	50.4-65.2	109	42.2	34.8-49.6
45-54	322	58,770	126	36.3	29.8-42.8	196	63.7	57.2-70.2
55-64	296	44,852	89	31.6	24.3-38.9	207	68.4	61.1-75.7
H.S. or G.E.D.	327	79,793	135	46.3	38.5-54.1	192	53.7	45.9-61.5
Some Post-H.S.	279	69,501	134	50.2	40.6-59.8	145	49.8	40.2-59.4
College Graduate	435	97,100	168	38.3	32.4-44.2	267	61.7	55.8-67.6
\$50,000- 74,999	189	41,707	84	44.8	35.4-54.2	105	55.2	45.8-64.6
\$75,000+	490	124,048	190	44.8	37.9-51.7	300	55.2	48.3-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST2)**

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1735	270,939	823	49.8	46.5-53.1	912	50.2	46.9-53.5
White/Non-Hisp	1348	204,029	571	45.1	41.4-48.8	777	54.9	51.2-58.6
25-34	255	55,876	192	71.5	64.2-78.8	63	28.5	21.2-35.8
35-44	429	62,574	280	63.6	58.1-69.1	149	36.4	30.9-41.9
45-54	472	61,780	191	37.5	32.0-43.0	281	62.5	57.0-68.0
55-64	485	49,357	105	20.5	16.0-25.0	380	79.5	75.0-84.0
H.S. or G.E.D.	511	82,501	224	46.0	39.5-52.5	287	54.0	47.5-60.5
Some Post-H.S.	513	83,382	256	52.1	45.4-58.8	257	47.9	41.2-54.6
College Graduate	621	93,748	292	49.1	44.2-54.0	329	50.9	46.0-55.8
\$35,000- 49,999	270	41,936	143	55.7	46.9-64.5	127	44.3	35.5-53.1
\$50,000- 74,999	313	47,466	131	43.1	35.5-50.7	182	56.9	49.3-64.5
\$75,000+	525	88,398	230	46.6	40.9-52.3	295	53.4	47.7-59.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE CALCULATED VARIABLE DATA REPORT, 2007**

End of Calculated Variable Data Report