

## Emergency Medical Services

## **CHLORINE**

**Agent Information:** Used as a drinking water and swimming pool disinfectant, as bleach,

in chemical synthesis, in rubber and plastic production, and as a chemical warfare agent; Cl2. Chlorine is a yellow-green, noncombustible gas with a pungent, irritating odor. It is a strong

oxidizing agent and can react explosively or form explosive compounds with many common substances. Chlorine is heavier than air and may collect in low-lying areas. Chlorine is toxicologically, part

of a group of compounds known as moderately water-soluble irritant gases.

**Signs and Symptoms:** Signs and symptoms vary depending on the route and level of

exposure. Signs include pulmonary edema with some mucosal irritation (the greater the water solubility of the agent would lead to greater mucosal irritation), leading to ARDS or non-cardiogenic pulmonary edema, pulmonary infiltrate; symptoms include shortness of breath, chest tightness, wheezing, cough, laryngeal spasm, mucosal and dermal irritation and redness. Acute exposure to chlorine gas initially causes coughing, eye and nose irritation,

lacrimation, and a burning sensation in the chest. Onset is 1-24 hours up to 72 hours, delayed onset is not common; but there may be a period of hours where patient is asymptomatic. Chlorine irritates the skin and can cause burning pain, inflammation, and blisters. Exposure to liquefied chlorine can result in frostbite.

**Route of Exposure:** Utilize appropriate Level PPE as identified by the Environmental

Protection Agency and Hazmat protocols.

Primary route is inhalation. Significant dermal absorption or ingestion is unlikely; chlorine is a gas at room temperature. Chlorine gas is highly corrosive when it contacts moist tissues such as the eyes, skin and upper respiratory tract. Direct contact with liquid chlorine or concentrated vapor causes severe chemical burns.

leading to cell death and ulceration.

**Protective Measures:** Rescue personnel are at low risk of secondary contamination from

victims who have been exposed only to chlorine gas. However, clothing or skin soaked with industrial strength bleach or similar solutions may be corrosive to rescuers and may release harmful chlorine gas. Self protect with chemical personal protective equipment designed to protect from respiratory system and skin

absorption.

Prophylaxis: N/A

**Treatment:** There is no antidote for chlorine. Treatment consists of supportive

care.

**Reporting:** Any suspect cases should be reported immediately to the Division of

Public Health, Epidemiology Branch: 1-888-295-5156 (24/7 coverage). Preparedness and Response at <a href="https://www.bt.cdc.gov/">www.bt.cdc.gov/</a>.

24/7 Emergency Contact Number: 1-888-295-5156

Revised: 05/2007

Doc. # 35-05-20/07/05/64