



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology

Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2009 Analysis

August 2012

Submitted by:

APS Healthcare

10 East Doty Street

Suite 210

Madison, WI 53703

CONTACT INFORMATION

George Yocher

PRAMS Coordinator, Delaware Department of Health & Social Services, Division of Public Health
417 Federal Street, Jesse Cooper Building
Dover, DE 19901
302.744.4926 Office
302.739.6653 Fax
george.yocher@state.de.us

Kimberly Swanson

Project Manager, APS Healthcare
10 East Doty Street, Suite 210
Madison, WI 53703
608.258.3350 Office
kswanson@apshealthcare.com

Vikrum Vishnubhakta

Consultant/Principal, Forward Consultants on behalf of APS Healthcare
350 South Hamilton Street, Suite 506
Madison, WI 53703
608.208.1670 Office
608.338.0426 Fax
vikrum@goforwardconsultants.com

CDC ACKNOWLEDGEMENT

This publication was made possible by grant number 1U01DP003129-01 from the Centers for Disease Control and Prevention.

CITATION

The Division of Public Health will be acknowledged when the report is quoted or referenced using the following format: "Delaware Health and Social Services, Division of Public Health. Delaware Pregnancy Risk Assessment Monitoring System (PRAMS) 2009 Analysis. August 1, 2012."

EXECUTIVE SUMMARY

Introduction

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a comprehensive surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. This survey collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. PRAMS seeks to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality and morbidity, and maternal morbidity. This report offers a detailed snapshot of Delaware's 2009 PRAMS data and should be considered as a resource for future maternal and child health project and policy initiatives.

Methods

Delaware's 2009 PRAMS data was analyzed by using IBM SPSS 18.1, Microsoft® Access 2010, and Microsoft® Excel 2010. Out of the 78 questions in the survey, 17 questions were omitted from analysis as they provided data specific to the respondent or were too complex to derive meaningful results. The remaining 61 questions were analyzed and, if necessary, adjusted so that all results were binary ("Yes" or "No"). The adjustments ultimately generated a total of 193 questions for analysis. The results for each of these questions were then stratified by five demographic categories – age of the respondent, race/ethnicity of the respondent, marital status of the respondent, whether or not the respondent had a previous live birth, and the educational status of the respondent. A set of chi-square tests was then performed to uncover whether any significant relationships existed among these five demographic categories. Finally, a weighted average scheme outlined by the CDC was implemented in order to apply the survey results to the entire 2009 Delaware PRAMS-eligible population.

Results

In the chi-square analysis, the age of the respondent was significantly associated with a respondent being married, having a previous live birth, and having higher educational status. Moreover, being married was significantly associated with having a higher educational status. However, whether or not a respondent had a previous live birth was not significantly associated with more years of education. In addition, white non-Hispanic respondents were more likely to be in older age groups, more likely to be married, less likely to have a previous live birth, and more likely to have more years of education completed as compared to both black non-Hispanic and Hispanic respondents.

These differences among race/ethnicity categories permeated the overall results for the analysis of all questions. Compared to black non-Hispanic women, white non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. In addition, compared to white non-Hispanic women, a significantly higher percentage of black non-Hispanic women reported a problem with high blood pressure, reported having Chlamydia or Gonorrhea, or reported being told by a health care provider to stay in bed for at least one week during their most recent pregnancy. Moreover, the percentage of black non-Hispanic women saying that they always or often felt down, depressed, or sad since their new baby was born was significantly higher than that of white non-Hispanic women. However, the percentage of white non-Hispanics consuming alcohol and

using tobacco was higher than the percentage reported by black non-Hispanics and Hispanics. Finally, a higher percentage of women at lower education levels and unmarried women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively.

Conclusions

Generally speaking, women who were married and who had more years of education had a higher socioeconomic status and a greater level of social support as compared to unmarried women and women with fewer years of education, respectively. Compared to black non-Hispanics, white non-Hispanics generally reporting having a higher health status before, during, and after pregnancy with the notable exceptions of alcohol and tobacco use. Overall, these, as well as the other significant associations, should be considered when designing programs and policies aimed at improving maternal and infant health.

TABLE OF CONTENTS

INTRODUCTION.....	16
METHODS.....	16
Choosing & Retooling the Questions for Analysis.....	17
Choosing Demographic Categories for Analysis.....	18
Putting the Questions & Demographic Categories Together for Analysis.....	20
RESULTS.....	21
Pregnancy Intention & Becoming Pregnant.....	22
Pregnancy Intention.....	22
Becoming Pregnant.....	22
Prenatal Care.....	23
Starting Prenatal Care.....	23
Access to Prenatal Care.....	23
During Prenatal Care Visits.....	23
Infant Care.....	24
Breastfeeding.....	24
SIDS Prevention.....	24
Infant Survival.....	24
Alcohol & Tobacco Use.....	24
Alcohol Use.....	24
Tobacco Use.....	24
Health Care Utilization.....	25
HIV Testing.....	25
Childbirth Classes.....	25
Dentist Visits.....	25
Health Status.....	25
Before Becoming Pregnant.....	25
During Most Recent Pregnancy.....	26
Postpartum Depression.....	26
Health Coverage.....	27
Before Becoming Pregnant.....	27
Prenatal Care Payer.....	27
During Most Recent Pregnancy.....	27
During Delivery & Well-Baby Checkups.....	28
Social Support.....	28
DISCUSSION.....	29
GRAPHS.....	30
TABLES.....	127

TABLE OF FIGURES

BEFORE PREGNANCY

Q1A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight?	30
Q1B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week?	30
Q1C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control?	31
Q1D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for diabetes?	31
Q1E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for high blood pressure?	32
Q1F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for depression or anxiety?	32
Q1G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history?	33
Q1H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist?	33
Q2A: During the month before you got pregnant with your new baby, were you covered by health insurance from your job or the job of your husband, partner, or parents?	34
Q2B: During the month before you got pregnant with your new baby, were you covered by health insurance that you or someone else paid for (not from a job)?	34
Q2C: During the month before you got pregnant with your new baby, were you covered by Medicaid or the Diamond State Health Plan?	35
Q2D: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military care?	35
Q2E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP, SCHIP)?	36
Q2F: During the month before you got pregnant with your new baby, were you covered by any other State sponsored program?	36
Q2G: During the month before you got pregnant with your new baby, were you covered by any other sources (not listed in PRAMS)?	37
Q2H: I did not have any health insurance before I got pregnant.....	37
Q3: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin?	38
Q7: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes?	38
Q9: Before you got pregnant, did you ever have any other babies who were born alive?	43
Q12A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner	44

BEFORE PREGNANCY (Continued)

Q12B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later..... 45

Q12C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then 45

Q12D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I didn't want to be pregnant then or at any time in the future..... 46

Q13: When you got pregnant with your new baby, were you trying to get pregnant? 46

Q14: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? 47

Q15A: Was not minding if you got pregnant your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? 47

Q15B: Was thinking you could not get pregnant at that time your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? 48

Q15C: Was having side effects from the birth control method you were using your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant?..... 48

Q15D: Was having problems getting birth control when you needed it your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant?..... 49

Q15E: Was thinking your husband or partner or you were sterile (could not get pregnant at all) your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? 49

Q15F: Was it that your husband or partner didn't want to use anything your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant?..... 50

Q16: Did you receive treatment from a doctor, nurse, or health care worker to help you get pregnant with your new baby? 50

Q17A: Did you use fertility-enhancing drugs prescribed by a doctor during the month you got pregnant with your new baby? 51

Q17B: Did you use artificial insemination or intrauterine insemination during the month you got pregnant with your new baby?..... 51

Q17C: Did you use assisted reproductive technology during the month you got pregnant with your new baby?..... 52

PRENATAL CARE

Q20: Did you get prenatal care as early in your pregnancy as you wanted? 52

Q21A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted 53

Q21B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted..... 53

Q21C: I had no way to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted 54

PRENATAL CARE (Continued)

Q21D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted..... 54

Q21E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted 55

Q21F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted..... 55

Q21G: I didn't have my Medicaid or Diamond State Health Plan card kept me from getting prenatal care at all or as early as I wanted..... 56

Q21H: I had no one to take care of my children kept me from getting prenatal care at all or as early as I wanted..... 56

Q21I: I didn't know that I was pregnant kept me from getting prenatal care at all or as early as I wanted..... 57

Q21J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted 57

Q21K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted 58

Q22A Did health insurance from your job or the job of your husband, partner, or parents help you pay for your prenatal care? 58

Q22B: Did health insurance that you or someone else paid for (not from a job) help you pay for your prenatal care? 59

Q22C: Did Medicaid or Diamond State Health Plan help you pay for your prenatal care? 59

Q22D: Did TRICARE or other military health care help you pay for your prenatal care?..... 60

Q22E: Did Delaware Healthy Children Program help you pay for your prenatal care?..... 60

Q22F: Did another State sponsored program help you pay for your prenatal care? 61

Q22G: I did not have health insurance to help pay for my prenatal care 61

Q23A: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? 62

Q23B: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? 62

Q23C: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby?..... 63

Q23D: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy?..... 63

Q23E: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during the pregnancy? 64

Q23F: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? 64

Q23G: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? 65

PRENATAL CARE (Continued)

Q23H: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than 3 weeks before baby is due)? 65

Q23I: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early? 66

Q23J: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)? 66

Q23K: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? 67

Q23L: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? 67

HEALTH RISKS BEFORE PREGNANCY

Q8A: During the 3 months before you got pregnant, did you have asthma? 39

Q8B: During the 3 months before you got pregnant, did you have high blood pressure (hypertension)? 39

Q8C: During the 3 months before you got pregnant, did you have anemia? 40

Q8D: During the 3 months before you got pregnant, did you have heart problems? 40

Q8E: During the 3 months before you got pregnant, did you have epilepsy (seizures)? 41

Q8F: During the 3 months before you got pregnant, did you have thyroid problems? 41

Q8G: During the 3 months before you got pregnant, did you have depression? 42

Q8H: During the 3 months before you got pregnant, did you have anxiety? 42

Q10: Did the baby born just before your new one weigh more than 5 pounds, 8 ounces (2.5 kg) at birth? 43

Q11: Was the baby just before your new one born more than 3 weeks before his or her due date? 44

Q30: Have you smoked any cigarettes in the past 2 years? 75

Q31: In the 3 months before you got pregnant, did you smoke at least 11 cigarettes on average each day? 75

Q36A: In the 3 months before you got pregnant, did you drink at least 4 alcoholic drinks on average each week? 78

Q36B: In the 3 months before you got pregnant, did you drink 4 alcoholic drinks or more in one sitting? 78

Q39: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 86

Q40: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? 87

Q63: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth? 104

HEALTH RISKS BEFORE PREGNANCY (Continued)

Q64A: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last less than 20 weeks (less than 4 months)?..... 105

Q64B: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last 20 to 28 weeks (4 to 6 months)? 105

Q64C: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last more than 28 weeks (more than 6 months)?..... 106

HEALTH RISKS DURING PREGNANCY

Q26: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? 69

Q27A: Did you have a problem with vaginal bleeding during your most recent pregnancy? 69

Q27B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy?..... 70

Q27C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy?..... 70

Q27D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy?..... 71

Q27E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy?..... 71

Q27F: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy? 72

Q27G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? 72

Q27H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy?..... 73

Q27I: Did you have to have a blood transfusion during your most recent pregnancy?..... 73

Q27J: Did you get hurt in a car accident during your most recent pregnancy?..... 74

Q28: At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker tell you to stay in bed for at least 1 week? 74

Q32: In the last 3 months of your pregnancy, did you smoke at least 11 cigarettes on average each day? 76

Q33: Do you currently smoke at least 11 cigarettes on average each day? 76

Q34: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?..... 77

Q35: Have you had any alcoholic drinks in the past 2 years? 77

Q37A: In the last 3 months of your pregnancy, did you drink at least 4 alcoholic drinks on average each week?..... 79

Q37B: In the last 3 months of your pregnancy, did you drink 4 alcoholic drinks or more in one sitting? 79

HEALTH RISKS DURING PREGNANCY (Continued)

Q67: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI), a sexually transmitted disease (STD), or any vaginal infection, including bacterial vaginosis or Group B Strep (Beta Strep)? 108

Q68A: During your most recent pregnancy, were you told that you had genital warts (HPV)?..... 108

Q68B: During your most recent pregnancy, were you told that you had herpes?..... 109

Q68C: During your most recent pregnancy, were you told that you had chlamydia? 109

Q68D: During your most recent pregnancy, were you told that you had gonorrhea? 110

Q68E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? 110

Q68F: During your most recent pregnancy, were you told that you had syphilis? 111

Q68G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? 111

Q68H: During your most recent pregnancy, were you told that you had bacterial vaginosis? 112

Q68I: During your most recent pregnancy, were you told that you had trichomoniasis? 112

Q68J: During your most recent pregnancy, were you told that you had a yeast infection? 113

Q68K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)? 113

Q69A: During your most recent pregnancy, did you need to see a dentist for a problem? 114

DELIVERY AND POSTPARTUM

Q45A: Did health insurance from your job or the job of your husband, partner, or parents pay for at least part of your delivery? 87

Q45B: Did health insurance that you or someone else paid for (not from a job) help you pay for the delivery of your new baby? 88

Q45C: Did Medicaid or Diamond State Health Plan help you pay for the delivery of your new baby? 88

Q45D: Did TRICARE or other military health care help you pay for the delivery of your new baby? 89

Q45E: Did the Delaware Healthy Children Program (DHCP, SCHIP) help you pay for the delivery of your new baby? 89

Q45F: Did another State sponsored program help you pay for the delivery of your new baby?..... 90

Q45G: Did another source [not listed] help you pay for the delivery of your new baby?..... 90

Q45H: I did not have health insurance to help pay for my delivery 91

Q46: After your baby was born, was he or she put in an intensive care unit? 91

Q47: After your baby was born, did he or she stay in the hospital for 3 days or more?..... 92

Q48: Is your baby alive now? 92

Q49: Is your baby living with you now? 93

Q50: Did you ever breastfeed or pump breast milk to feed your new baby after delivery? 93

Q51: Are you still breastfeeding or feeding pumped milk to your new baby? 94

DELIVERY AND POSTPARTUM (Continued)

Q54: Do you most often lay your baby down on his or her back when he or she sleeps? 94
Q55: Does your baby sleep in a different bed/crib than you or anyone else? 95
Q56: Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital? 95
Q57: Has your new baby had a well-baby checkup? 96
Q58A: Did health insurance from your job or the job of your husband, partner, or parents pay for a well-baby checkup? 96
Q58B: Did health insurance that you or someone else paid (not from a job) pay for a well-baby checkup? 97
Q58C: Did Medicaid or Delaware State Health Plan pay for a well-baby checkup? 97
Q58D: Did TRICARE or other military health care pay for a well-baby checkup? 98
Q58E: Did the Delaware Healthy Children Program pay for a well-baby checkup?..... 98
Q61A: Since your new baby was born, I have often or always felt down, depressed, or sad?..... 103
Q61B: Since your new baby was born, I have often or always felt hopeless? 103
Q61C: Since your new baby was born, I have often or always felt slowed down? 104
Q65: Were you happy or very happy to be pregnant when you found out you were pregnant with your new baby?..... 106

INTERCONCEPTION CARE

Q59: Are you or your husband or partner doing anything now to keep from getting pregnant?..... 99
Q60A: I am not having sex is why I am not doing anything to keep from getting pregnant now 99
Q60B: I want to get pregnant is why I am not doing anything to keep from getting pregnant now 100
Q60C: I don't want to use birth control is why I am not doing anything to keep from getting pregnant now 100
Q60D: My husband or partner doesn't want to use anything is why I am not doing anything to keep from getting pregnant now 101
Q60E: I don't think I can get pregnant is why I am not doing anything to keep from getting pregnant now 101
Q60F: I can't pay for birth control is why I am not doing anything to keep from getting pregnant now 102
Q60G: I am pregnant now is why I am not doing anything to keep from getting pregnant now.... 102

HEALTH PROMOTING BEHAVIORS

Q24: At any time during your most recent pregnancy or delivery, did you have a test for HIV? 68
Q66A: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day? 107
Q66B: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? 107

HEALTH PROMOTING BEHAVIORS (Continued)

Q69B: During your most recent pregnancy, did you go to a dentist or dental clinic? 114
Q69C: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? 115
Q70A: During your most recent pregnancy, did you take any childbirth classes? 115
Q70B: During your most recent pregnancy, did you take any parenting classes? 116
Q70C: During your most recent pregnancy, did you have visits to your home by a nurse or other health care worker? 116
Q70D: During your most recent pregnancy, did you receive counseling for depression or anxiety?..... 117
Q71A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food?..... 117
Q71B: During your most recent pregnancy, were you receiving counseling information for family and personal problems?..... 118
Q71C: During your most recent pregnancy, were you receiving help to quit smoking?..... 118
Q71D: During your most recent pregnancy, were you receiving help to reduce violence in your home? 119

SOCIOECONOMIC INDICATORS

Q25: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?..... 68
Q38A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? 80
Q38B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? 80
Q38C: During the 12 months before your new baby was born, did you move to a new address? 81
Q38D: During the 12 months before your new baby was born, were you homeless? 81
Q38E: During the 12 months before your new baby was born, did your husband or partner lose his job?..... 82
Q38F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? 82
Q38G: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? 83
Q38H: During the 12 months before your new baby was born, did your husband or partner say he didn't want you to be pregnant? 83
Q38I: During the 12 months before your new baby was born, did you have a lot of bills you couldn't pay? 84
Q38J: During the 12 months before your new baby was born, were you in a physical fight?..... 84
Q38K: During the 12 months before your new baby was born, did your husband or partner or you go to jail? 85

SOCIOECONOMIC INDICATORS (Continued)

Q38L: During the 12 months before your new baby was born, did someone very close to you have a bad problem with drinking or drugs? 85

Q38M: During the 12 months before your new baby was born, did someone very close to you die?..... 86

Q72A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? 119

Q72B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? 120

Q72C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride?..... 120

Q72D: During your most recent pregnancy, would you know someone who you could talk with about your problems? 121

Q73A: Since your new baby was born, have you received visits to your home by a nurse or other health care worker? 121

Q73B: Since your new baby was born, have you received counseling for depression or anxiety? 122

Q75A: During the 12 months before your new baby was born, was money from family or friends a source of your household’s income? 122

Q75B: During the 12 months before your new baby was born, was money from a business, fees, dividends, or rental income a source of your household’s income? 123

Q75C: During the 12 months before your new baby was born, was a paycheck or money from a job a source of your household’s income? 123

Q75D: During the 12 months before your new baby was born, were food stamps or WIC a source of your household’s income? 124

Q75E: During the 12 months before your new baby was born, was aid such as TANF, welfare, public assistance, general assistance, or SSI a source of your household’s income? 124

Q75F: During the 12 months before your new baby was born, were unemployment benefits a source of your household’s income? 125

Q75G: During the 12 months before your new baby was born, was child support or alimony a source of your household’s income? 125

Q75H: During the 12 months before your new baby was born, was social security, workers’ compensation, disability, veteran benefits, or pensions a source of your household’s income? 126

TABLE OF TABLES

Table 1: Questions Omitted from Analysis.....	17
Table 2: Multi-Response Questions Redefined as Binary Indicator Variables.....	17
Table 3: Response Rates by Demographic Category	18
Table 4: Cross-Table of Respondents by Demographic Categories	19
Table 5: χ^2 of Demographic Category Comparisons.....	19
Table 6: PRAMS-Eligible Population Used in Weighted Average Scheme.....	21
Table 7A. Percent Response Yes and Lower/Upper 95% CI by Question, Q1A-Q2C	127
Table 7B. Percent Response Yes and Lower/Upper 95% CI by Question, Q2D-Q8D	128
Table 7C. Percent Response Yes and Lower/Upper 95% CI by Question, Q8E-Q12D	129
Table 7D. Percent Response Yes and Lower/Upper 95% CI by Question, Q13-Q17B	130
Table 7E. Percent Response Yes and Lower/Upper 95% CI by Question, Q17C-Q21I.....	131
Table 7F. Percent Response Yes and Lower/Upper 95% CI by Question, Q21J-Q23B.....	132
Table 7G. Percent Response Yes and Lower/Upper 95% CI by Question, Q23C-Q24.....	133
Table 7H. Percent Response Yes and Lower/Upper 95% CI by Question, Q25-Q27I.....	134
Table 7I. Percent Response Yes and Lower/Upper 95% CI by Question, Q27J-Q37A	135
Table 7J. Percent Response Yes and Lower/Upper 95% CI by Question, Q37B-Q38J	136
Table 7K. Percent Response Yes and Lower/Upper 95% CI by Question, Q38K-Q45F	137
Table 7L. Percent Response Yes and Lower/Upper 95% CI by Question, Q45G-Q56.....	138
Table 7M. Percent Response Yes and Lower/Upper 95% CI by Question, Q57-Q60D	139
Table 7N. Percent Response Yes and Lower/Upper 95% CI by Question, Q60E-Q65	140
Table 7O. Percent Response Yes and Lower/Upper 95% CI by Question, Q66A-Q68H.....	141
Table 7P. Percent Response Yes and Lower/Upper 95% CI by Question, Q68I-Q71A.....	142
Table 7Q. Percent Response Yes and Lower/Upper 95% CI by Question, Q71B-Q75B	143
Table 7R. Percent Response Yes and Lower/Upper 95% CI by Question, Q75C-Q75H.....	144

INTRODUCTION

PRAMS, the Pregnancy Risk Assessment Monitoring System, is a surveillance project conducted by both the Centers for Disease Control and Prevention (CDC) and state health departments. PRAMS collects state-specific, population-based data on maternal attitudes and experiences before, during, and shortly after pregnancy. The goal of the PRAMS project is to improve the health of mothers and infants by reducing adverse outcomes such as low birth weight, infant mortality, and maternal morbidity.^A

PRAMS is essential for the following reasons:

- PRAMS allows the CDC and states to monitor changes in maternal and child health indicators (e.g., unintended pregnancy, prenatal care, breastfeeding, smoking, drinking, infant health);
- PRAMS provides data for state health officials to use to improve the health of mothers and infants;
- PRAMS not only provides state-specific data but also allows comparisons among participating states because the same data collection methods are used in all states.^A

PRAMS provides valuable data not available from other sources about pregnancy and the first few months after birth. These data can be used to identify groups of women and infants at high risk for health problems, to monitor changes in health status, and to measure progress toward goals in improving the health of mothers and infants. PRAMS data can also be used by state agencies to identify other agencies that have important contributions to make in planning maternal and infant health programs and to develop partnerships with those agencies.^A

This report offers a comprehensive snapshot of Delaware's 2009 PRAMS data and should be considered a resource for future maternal and child health project and policy initiatives.

METHODS

The PRAMS sample of women who have had a recent live birth in 2009 were drawn from the state's birth certificate file. Each participating state samples between 1,300 and 3,400 women per year. Women from some groups are sampled at a higher rate to ensure adequate data are available in smaller but higher risk populations. In Delaware, low birthweight births are sampled at a higher rate. Selected women are first contacted by mail. If there is no response to repeated mailings, women are contacted and interviewed by telephone.^A In order to reduce response bias, the CDC has set a benchmark rate of 65% as the PRAMS survey response rate. In 2009, Delaware surveyed 1,512 women between two and four months postpartum who gave birth in that year and achieved an average response rate of 72.22% (1,092 women responding).

^A Pregnancy Risk Assessment Monitoring System (PRAMS): Home. (2009, November 2). *What Is Prams?* Retrieved from CDC website: <http://www.cdc.gov/PRAMS/index.htm>.

Choosing & Retooling the Questions for Analysis

PRAMS data was analyzed using IBM SPSS 18.1, Microsoft® Access 2010, and Microsoft® Excel 2010.

Of the 78 questions in the 2009 survey, questions that provided data specific to the respondent, or were too complex to derive meaningful results, were omitted (Table 1).

Table 1: Questions Omitted from Analysis.

Question	Reason for Omission from Analysis
4, 5, 6, 29, 41, 42, 43, 44, 62, 74, 76, 77, 78	Data Specific to Respondent
18, 19, 52, 53	Too Complex to Derive Meaningful Results or Variable Is Not Dichotomous

Of the remaining 61 questions, 46 questions featured binary results (i.e., the respondent could only answer “Yes” or “No” to the question) while 15 questions offered multi-response results (i.e., the respondent could answer one option out of at least three or more options presented). Several of the binary responses had several sub-questions or sub-conditions listed; for example, question 8 requested five different binary responses based on whether or not the respondent had the certain health condition listed. Each of these sub-questions or sub-conditions was analyzed separately which ultimately brought the total number of binary questions examined from 46 to 178. To ease analysis and downstream comparisons, the 15 multi-response questions were retooled into binary responses as defined by Table 2. This resulted in 15 additional binary questions, which brought the total number of questions under investigation to 193.

Table 2: Multi-Response Questions Redefined as Binary Indicator Variables.^B

	RESPONSE = “NO”	RESPONSE = “YES”	RESPONSE = “N/A”^C
Q3	1	2, 3, 4	
Q12	4	1, 2, 3	
Q24	1	2	3
Q31	4, 5, 6	1, 2, 3	7
Q32	4, 5, 6	1, 2, 3	7
Q33	4, 5, 6	1, 2, 3	7
Q34	1	2, 3	
Q36A	4, 5	1, 2, 3	6
Q36B	4, 5	1, 2, 3	6
Q37A	4, 5	1, 2, 3	6
Q37B	4, 5	1, 2, 3	6
Q47	1, 2	3, 4, 5, 6	7, 8
Q54	1, 3	2	
Q55	4, 5	1, 2, 3	
Q65	1, 2	4, 5	3

^B Note that “1” refers to the first answer listed that a respondent can choose, “2” refers to the second answer, etc.

^C “N/A” responses refer to responses that cannot be categorized in a binary manner.

Choosing Demographic Categories for Analysis

Five different demographic categories were chosen (“Age,” “Ethnicity,” “Married” [Marital Status], “Previous Live Birth,” and “Education”). These categories were then divided into subcategories (e.g., “White non-Hispanic” for “Ethnicity,” “12 Years” for “Education”) and the number of actual respondents for each subcategory was compared to the total number of possible respondents as given in Table 3.

Table 3: Response Rates by Demographic Category, Delaware 2009 PRAMS.

Total		Respondents	Total	Percent Response
		1,092	1,512	72.2%
Age	Under 20 Years	100	150	66.7%
	20-24 Years	243	369	65.9%
	25-34 Years	565	749	75.4%
	Over 34 Years	184	244	75.4%
	<i>Total</i>	1,092	1,512	72.2%
Ethnicity	White NH	597	776	76.9%
	Black NH	269	432	62.3%
	Hispanic	157	213	73.7%
	<i>Total^D</i>	1,023	1,421	72.0%
Married	Married	579	744	77.8%
	Not Married	513	767	66.9%
	<i>Total</i>	1,092	1,511	72.3%
Previous Live Birth	Yes	614	888	69.1%
	No	478	623	76.7%
	<i>Total</i>	1,092	1,511	72.3%
Education	Less Than 12 Years	236	346	68.2%
	12 Years	260	381	68.2%
	Greater Than 12 Years	593	778	76.2%
	<i>Total</i>	1,089	1,505	72.4%

Almost all of the subcategories met the 65% threshold for survey responses as shown in the “Percent Response” column. Accordingly, the sample size for each of the subcategories was considered ample to conduct robust analysis.

A cross-table comparing each of the demographic categories was then generated (Table 4) and a series of χ^2 statistical tests were performed (Table 5) to assess whether a significant relationship ($\alpha = 0.05$) occurred between demographic categories.

^D The “Ethnicity” totals were lower since only white non-Hispanics (White NH), black non-Hispanics (Black NH), and Hispanics were included in this analysis. The total number of respondents not in any one of these three categories was 53 or 4.85% of the total survey population.

Table 4: Cross-Table of Respondents by Demographic Categories, Delaware 2009 PRAMS.

		Total	Ethnicity			Married		Previous Live Birth		Education		
			White Non-Hispanic	Black Non-Hispanic	Hispanic	Married	Not Married	Yes	No	Less Than 12 Years	12 Years	Greater Than 12 Years
Age	Under 20 Years	150	53	62	31	6	144	32	118	92	45	12
	20-24 Years	369	160	129	64	84	285	183	186	108	138	121
	25-34 Years	749	415	186	93	461	288	486	263	117	164	466
	Over 34 Years	244	146	55	27	193	50	187	56	29	34	179
Ethnicity	White Non-Hispanic	774				490	283	430	344	114	178	479
	Black Non-Hispanic	432				130	319	273	158	94	150	186
	Hispanic	215				72	143	148	67	126	36	51
Married	Married	744						460	284	77	113	551
	Not Married	767						427	339	269	268	227
Previous Live Birth	Yes	888								221	236	427
	No	623								125	144	351
Education	Less Than 12 Years	346										
	12 Years	381										
	Greater Than 12 Years	778										

Table 5: χ^2 of Demographic Category Comparisons, Delaware 2009 PRAMS. Significant (*S*) and non-significant (*N/S*) χ^2 values are indicated ($\alpha = 0.05$).

	Black NH	Hispanic	Married	Previous Live Birth	Education
Age	38.60 ^E (<i>S</i>)	24.84 ^E (<i>S</i>)	360.3 (<i>S</i>)	144.3 (<i>S</i>)	292.4 (<i>S</i>)
Ethnicity: Black NH			134.8 ^E (<i>S</i>)	6.9 ^E (<i>S</i>)	39.8 ^E (<i>S</i>)
Ethnicity: Hispanic			61.3 ^E (<i>S</i>)	12.2 ^E (<i>S</i>)	182.8 ^E (<i>S</i>)
Married			5.8 (<i>S</i>)		304.3 (<i>S</i>)
Previous Live Birth					10.3 (<i>S</i>)
Education					

^E The χ^2 results are the comparisons of either black non-Hispanics or Hispanics and white non-Hispanics to a different demographic category.

Not surprisingly, “Age” was significantly associated with “Married,” “Previous Live Birth,” and “Education” while “Married” was significantly associated with “Education.” “Married” was also significantly associated with “Previous Live Birth.”

Interestingly, in this population, significant associations occurred between “Ethnicity: Black NH/White NH” and all other demographic categories; in a similar manner, significant associations also took place between “Ethnicity: Hispanic/White NH” and all other demographic categories. Based on the data and these results, white non-Hispanic respondents were more likely to be in older age groups, more likely to be married, less likely to have a previous live birth, and more likely to have more years of education completed as compared to both black non-Hispanic and Hispanic respondents.

Putting the Questions & Demographic Categories Together for Analysis

To calculate results, an approach that would report what percentage of Delaware’s *entire* 2009 PRAMS-eligible population would respond “Yes” to each question was implemented. To achieve this, a weighted average scheme designed by the CDC was applied to the dataset.^F This weighted average methodology involved performing the following steps for each of the 193 binary questions and for each of the five demographic categories (“Age,” “Ethnicity,” “Married,” “Previous Live Birth,” and “Education”):

1. List only the respondents who answered “Yes” to the question.
2. Add the designated weighted averages (field *wtnal* in the 2009 PRAMS dataset) for each of the respondents from step 1.
3. Divide the sum of the weighted averages from step 2 by the Delaware PRAMS-eligible population in that specific demographic category. The Delaware PRAMS-eligible population in each specific category is given in Table 6.
4. Convert the fraction calculated in step 3 into a percentage. This is the weighted average response to the question (for each demographic category).

Note that some minor differences in the results may be reported here as compared to other sources. Skips and missing responses that can cause slight differences in results may be included or excluded in base calculations. For this report, they were included as a first step in PRAMS analysis. Overall, these minor differences do not change the overall discussion of the report.

^F Pregnancy Risk Assessment Monitoring System (PRAMS): Methodology. (2009, October 30). *Detailed PRAMS Methodology*. Retrieved from CDC website <http://www.cdc.gov/prams/methodology.htm>.

Table 6: PRAMS-Eligible Population Used in Weighted Average Scheme, Delaware 2009 PRAMS.

		Population	Percent Response
Total		10,815	100.0%
Age	Under 20 Years	1,066	9.9%
	20-24 Years	2,751	25.4%
	25-34 Years	5,576	51.6%
	Over 34 Years	1,421	13.1%
Ethnicity	White NH	5,639	52.2%
	Black NH	2,927	27.1%
	Hispanic	1,605	14.9%
Married	Married	5,527	51.1%
	Not Married	5,281	48.9%
Previous Live Birth	Yes	6,380	59.0%
	No	4,432	41.0%
Education	Less Than 12 Years	2,510	23.3%
	12 Years	2,748	25.5%
	Greater Than 12 Years	5,498	51.1%

For each weighted average response, a bar graph was constructed with 95% confidence intervals added. A graph for each response is given from pages 28-124. The 95% confidence intervals are denoted as the thin black lines spread across the end of each bar in the graph. The tables on pages 125-142 detail the exact percentage of “Yes” responses and the exact lower and upper bound 95% confidence intervals. For several of the questions, corresponding percentages from the 2008 PRAMS analysis are provided to the right of the bar graph percentages.

RESULTS

The following are the noteworthy statistically significant results for the weighted averages among each demographic subcategory, based on careful examination of the graphs and tables. A result was defined as statistically significant if the 95% confidence intervals for the percent response “Yes” for one or more of the demographic subcategories within a demographic category did not overlap one another. For example, in the results for Q1A (shown in the figure on page 28 and provided in the table on page 122), the 95% confidence interval for the percent of white non-Hispanics responding “Yes” (32.8%) did not overlap the 95% confidence interval for the percent of black non-Hispanics responding “Yes” (26.8%). Accordingly, the difference in the average percent of individuals in these two demographic subcategories responding “Yes” was considered statistically significant. In addition, concerns regarding small cell counts were mitigated given the relatively large sample sizes of the denominators for each demographic subcategory (Table 3). Note also that a weighted average scheme was used to generate these results, and therefore, these results reflect the entire 2009 PRAMS-eligible population in Delaware.

Pregnancy Intention & Becoming Pregnant

Pregnancy Intention

As shown in **Q12**, a significantly higher percentage of white non-Hispanics (85.0%) wanted to be pregnant just before they became pregnant with their new baby as compared to black non-Hispanics (75.5%). Moreover, as indicated in **Q13**, a significantly higher percentage of white non-Hispanics (48.9%) tried to get pregnant at the time they became pregnant with their new baby as compared to both black non-Hispanics (28.4%) and Hispanics (38.4%). The same was true for married women (61.9%) compared with unmarried women (21.8%), women with no previous live births (48.5%) compared with women with a previous live birth (38.2%), and true for women with more years of education.

A significantly higher percentage of black non-Hispanics (14.3%) and Hispanics (12.6%) compared to white non-Hispanics (5.3%) thought they could not get pregnant as a reason to not do anything to keep from getting pregnant (**Q15B**). Similar results generally occurred for women with fewer years of education as compared to women with more years of education completed. In addition, a significantly higher percentage of women under age 20 years (8.1%) had problems getting birth control when they needed it as a reason to not do anything to keep from getting pregnant (**Q15D**) as compared with older age groups (1.6% of women 25 to 34 years of age and no women over 34 years of age). Finally, a significantly higher percentage of black non-Hispanics (8.7%) reported that their husband or partner did not want to use anything (e.g., contraception) as a reason to not do anything to keep from getting pregnant as compared with white non-Hispanics (5.1%) as given in **Q15F**. The same results generally took place among women with fewer years of education completed as compared with women with more years of education.

Becoming Pregnant

When women were asked if they had received treatment from a doctor, nurse, or health care worker to help them become pregnant with their new baby (**Q16**), a significantly higher percentage of white non-Hispanics (6.3%) said “Yes” as compared with black non-Hispanics (4.2%) and Hispanics (1.4%) as did married women (9.5%) compared with unmarried women (0.3%), older women (5.2% of women between 25 and 34 years of age and 13.7% of women over 34 years of age) compared with younger women (0.4% of women ages 20 to 24 years), and women with more years of education (8.4% of women with over 12 years of education) compared with women with fewer years of education (1.2% of women with 12 years of education). Similar results by demographic category occurred when women were asked if they used fertility enhancing drugs prescribed by a doctor during the month they became pregnant with their new baby (**Q17A**) and when women were asked if they used assisted reproductive technology during the month they became pregnant with their new baby (**Q17C**). No Hispanic or women under 25 years of age claimed ever using artificial insemination or intrauterine insemination during the month they became pregnant with their new baby while 1.0% of white non-Hispanic women and 1.4% of married women stated that they did (**Q17B**).

Finally, as given in **Q65**, a significantly higher percentage of white non-Hispanics (69.3%) reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby as

compared to black non-Hispanics (42.2%). Compared with unmarried women, women in lower age groups, and women with a previous live birth, a higher percentage of women that were married, in older age groups, and did not have a previous live birth also reported being happy or very happy to be pregnant when they found out they were pregnant with their new baby.

Prenatal Care

Starting Prenatal Care

In general, a significantly higher percentage of women in older age groups responded that they received prenatal care as early in their pregnancy as they wanted as compared to women in younger age groups (**Q20**). A significantly higher percentage of white non-Hispanic women (81.5%) compared to black non-Hispanic women (76.4%) stated the same as did married women (85.6%) compared to unmarried women (72.6%) and women with more years of education compared to women with fewer years of education.

Access to Prenatal Care

For prenatal care, a significantly higher percentage of Hispanics women (12.7%) compared to non-Hispanic women said that they did not have enough money or insurance to pay for visits (**Q21B**) and that they had no way to get to the clinic or doctor's office (7.4% of Hispanic women) as indicated in **Q21C**. For both questions, parallel results were witnessed among women with fewer years of education compared with women with more years of education. A markedly higher percentage of Hispanic women compared to non-Hispanic women also claimed that they could not take time off from work or school (**Q21F**) and did not have their Medicaid or Diamond State Health Plan card (**Q21G**) for prenatal visits. When compared to women with more years of education, a higher percentage of women with fewer years of education reported that they had no one to take care of their children for prenatal visits (**Q21H**). Finally, when compared with white non-Hispanics (2.3%), a significantly higher percentage of black non-Hispanics (8.6%) and Hispanics (5.9%) said that they did not want anyone to know they were pregnant as a problem for getting prenatal care (**Q21J**).

During Prenatal Care Visits

During prenatal care visits, a significantly higher percentage of black non-Hispanics (86.9%) compared with white non-Hispanics (79.7%) claimed that a doctor, nurse, or other health care worker talked with them about breastfeeding their baby as did unmarried women (88.8%) compared with married women (76.1%) as given in **Q23B**. The same significant results took place for black non-Hispanics (74.0%) compared with white non-Hispanics (67.4%) and unmarried women (78.4%) compared with married women (62.6%) when asked whether or not a health care provider discussed how drinking alcohol during pregnancy could affect their baby as displayed in **Q23C**, when asked whether or not a health care provider asked about seat belt use during pregnancy as indicated in **Q23D**, when asked whether or not a health care provider discussed how using illegal drugs could affect their baby as provided in **Q23F**, and when asked whether or not a health care provider talked about physical abuse to women by their husbands or partners as displayed in **Q23L**.

Infant Care

Breastfeeding

As provided in **Q50**, a significantly higher percentage of white non-Hispanics (76.0%) and Hispanics (83.8%) reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to black non-Hispanics (64.6%). Generally speaking, a higher percentage of women that were married, with more education, or were in older age groups stated that they breastfed or pumped breast milk to feed their new baby after delivery as compared to women that were unmarried, with fewer years of education, or were in lower age groups. Similar results took place for all demographic groups when women were asked whether they were still breastfeeding or feeding pumped milk to their new baby (**Q51**).

SIDS Prevention

A significantly higher percentage of white non-Hispanics (73.3%) compared to black non-Hispanics (52.7%) reported laying their baby down on his or her back when they sleep as given in **Q54**. Compared with unmarried women and women with fewer years of education, married women and women with more years of education were generally more likely to lay their baby down on his or her back to sleep as well. Moreover, a significantly higher percentage of white non-Hispanics (86.0%) reported that their baby sleeps in a different bed/crib than themselves or anyone else as compared to black non-Hispanics (65.8%) as provided in **Q55**.

Infant Survival

As indicated in **Q48**, when women were asked whether or not their baby was alive at the time of the survey, a significantly higher percentage of white non-Hispanics (97.0%) responded “Yes” as compared to black non-Hispanics (94.1%). Moreover, a significantly higher percentage of Hispanics (98.8%) stated that their baby was living with them now as compared to black non-Hispanics (93.7%) as shown in **Q49**.

Alcohol & Tobacco Use

Alcohol Use

As indicated in **Q35**, a significantly higher percentage of white non-Hispanics (83.1%) stated that they had consumed at least one alcoholic drink in the past two years as compared to black non-Hispanics (63.2%), and in similar fashion, black non-Hispanics compared to Hispanics (33.3%). As shown in **Q36A**, **Q36B**, and **Q37A**, the percentage of white non-Hispanics claiming alcohol use and binge alcohol consumption was higher than the percentage reported by black non-Hispanics and Hispanics.

Tobacco Use

As shown in **Q30**, a significantly higher percentage of white non-Hispanics (38.7%) claimed to have smoked in the past two years as compared to black non-Hispanics (29.0%), and in parallel fashion, black non-Hispanics compared to Hispanics (14.1%). When the woman was asked whether or not they smoked in the past two years, a significantly higher percentage of unmarried women (43.8%) said “Yes” as compared to married women (19.5%) as did women with fewer years of education (40.9% of women with less than 12 years of education) compared to women with more years of education (20.9% of women with more than 12 years of education).

As given in **Q31**, the percentage of white non-Hispanics saying that they smoked at least 11 cigarettes on average each day in the three months before becoming pregnant was almost twice the percentage reported by black non-Hispanic women (16.2% compared to 7.4%). Parallel results occurred in **Q32**. In **Q31**, **Q32**, and **Q33**, unmarried women and women with fewer years of education were more likely to smoke than married women and women with more years of education completed. Finally, a significantly higher percentage of black non-Hispanics (13.9%) stated that smoking was allowed in some rooms, sometimes, or anywhere inside their home (**Q34**). This compares to 7.5% of white non-Hispanic women and 5.3% of Hispanic women.

Health Care Utilization

HIV Testing

A significantly higher percentage of black non-Hispanic women (83.5%) said that they had a test for HIV at least once during their most recent pregnancy or delivery in comparison to white non-Hispanic (66.4%) as indicated in **Q24**. Parallel results occurred between unmarried women (79.8%) compared to married women (65.3%) and among younger women (72.8% of women under 20 years of age) compared to older women (66.2% of women over 34 years of age).

Childbirth Classes

As provided in **Q70A**, the percentage of white non-Hispanics women stating that they took any childbirth classes during their most recent pregnancy was almost twice as many as black non-Hispanics (23.8% compared to 13.9%, respectively). A significantly higher percentage of married women (24.8%) stated that they took childbirth classes as compared to unmarried women (16.8%) and women with more years of education generally reported taking childbirth classes compared with women with fewer years of education.

Dentist Visits

Finally, a significantly higher percentage of white non-Hispanics (49.8%) claimed that they visited a dentist or dental clinic during their most recent pregnancy as compared to black non-Hispanics (24.9%) or Hispanics (19.0%) as shown in **Q69B**.

Health Status

Before Becoming Pregnant

Overall, white non-Hispanic women as compared to black non-Hispanic women were more likely to report engaging in health promoting behaviors during the 12 months before becoming pregnant. According to **Q1B**, 45.6% of white non-Hispanic women stated that they were exercising 3 or more days of the week; this compares to 35.4% of black non-Hispanic women. As shown in **Q1H**, a higher percentage of white non-Hispanic women as compared to black non-Hispanic women (59.2% compared to 44.2%) asserted that they had their teeth cleaned by a dentist or dental hygienist during the 12 months before they got pregnant. The results were mixed for health care checkups and treatments in the 12 months prior to becoming pregnant; a significantly higher percentage of white non-Hispanic women

compared to black non-Hispanic women reported regular use of prescription medicines other than birth control (**Q1C**) and being checked or treated for depression or anxiety (**Q1F**) while a significantly higher percentage of black non-Hispanic women compared to white non-Hispanic women reported being checked or treated for diabetes (**Q1D**) and high blood pressure (**Q1E**).

With a few exceptions, no noteworthy differences exist within each demographic category in the results of whether a certain health status was present in the three months before becoming pregnant (**Q8A-H**). These exceptions included whether the woman had high blood pressure – a significantly higher number of black non-Hispanics women (8.3%) stated they did as compared to white non-Hispanics (3.4%) and Hispanics (2.5%) – and whether the woman had anemia – again, a significantly higher number of black non-Hispanics women (20.7%) asserted they did as compared to white non-Hispanics (7.7%) and Hispanics (15.5%). A higher percentage of white non-Hispanic women also reported having thyroid problems (4.1%), depression (15.3%), and anxiety (13.6%) as compared to black non-Hispanic women (1.4%, 10.1%, and 8.6%, respectively).

During Most Recent Pregnancy

A significantly higher percentage of black non-Hispanic women (18.2%) said that they both had a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia (**Q27E**) during their most recent pregnancy or had been hurt in a car accident (3.9%) during their most recent pregnancy (**Q27J**) as compared to white non-Hispanic women (14.8% and 1.0%, respectively) or Hispanic women (6.5% and 2.2%, respectively).

In addition, a significantly higher percentage of black non-Hispanic women (21.1%) compared to white non-Hispanic women (11.5%) stated that a doctor, nurse, or other health care worker told them to stay in bed for at least one week during their most recent pregnancy (**Q28**). Women with fewer years of education as compared to women with more years of education generally stated the same; 19.7% of women with less than 12 years of education said that a doctor, nurse, or other health care worker told them to stay in bed for at least one week during their most recent pregnancy compared to 12.4% of women with over 12 years of education.

Finally, as shown in **Q68C** and **Q68D**, a significantly higher percentage of black non-Hispanics reported having chlamydia or gonorrhea (6.7%, and 2.2%, respectively) during their pregnancy as compared to white non-Hispanics (2.1% and 0.2%, respectively). A significantly higher percentage of black non-Hispanic women (5.6%) also stated that they had bacterial vaginosis during their pregnancy as compared to white non-Hispanics (2.5%) as given in **Q68H**.

Postpartum Depression

As shown in **Q61A**, the percentage of black non-Hispanic women (14.3%) saying that they always or often felt down, depressed, or sad since their new baby was born was significantly higher than that of white non-Hispanic women (11.3%). Likewise, a significantly higher percentage of unmarried women

(15.6%) reported always or often feeling down, depressed, or sad since their new baby was born as compared with married women (9.4%).

Health Coverage

Before Becoming Pregnant

As shown in **Q2A**, a significantly higher percentage of white non-Hispanic women (65.5%) claimed to have had health insurance from a job or the job of a husband, partner, or parents just before becoming pregnant as compared to both black non-Hispanic (42.9%) and Hispanic (15.5%) women. Moreover, a significantly higher percentage of married women (75.8%) as compared with unmarried women (26.7%), women with no previous live births (60.2%) compared with women with a previous live birth (46.2%), and women at higher education levels (76.8% of women with over 12 years of education) compared to women at lower education levels (33.5% of women with 12 years of education and 12.9% of women with less than 12 years of education) claimed to have had health insurance from a job or the job of a husband, partner, or parents just before becoming pregnant. For women stating to have had prior to becoming pregnant, the converse of the **Q2A** results generally occurred at each demographic category as indicated in **Q2C**.

Prenatal Care Payer

For prenatal care, a significantly higher percentage of black non-Hispanic women (60.2%) said Medicaid paid for at least part of their prenatal care as compared to Hispanic women (45.6%) as indicated in **Q22C**. In the same question, a significantly higher percentage of Hispanic women (45.6%) compared to white non-Hispanic women (32.2%) stated Medicaid paid for at least part of their prenatal care. Similar results occurred for younger women (67.4% of women under 20 years of age) as compared to older women (22.0% of women over 34 years of age), unmarried women (66.4%) compared to married women (17.0%), and women with fewer years of education compared to women with more years of education completed. For women saying that health insurance from a job or the job of a husband, partner, or parents paid for at least part of their prenatal care, the converse of the **Q22C** results generally took place at each demographic category as shown in **Q22A**. As displayed in **Q22G**, a relatively high percentage of Hispanic women – roughly 1 in 20 – said that they did not have health insurance to help pay for prenatal care.

During Most Recent Pregnancy

During their most recent pregnancy, a significantly higher percentage of younger women claimed to be on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) as compared to older women (**Q25**). Parallel results existed for women with fewer years of education (79.0% of women less than 12 years of education and 70.9% of women with 12 years of education) compared with women with more years of education (22.9% of women with over 12 years of education) and unmarried women (73.1%) compared with married women (22.6%). A significantly higher percentage of Hispanic women (81.3%) were on WIC compared to black non-Hispanics (66.8%), and in corresponding manner, a significantly higher percentage of black non-Hispanics compared with white non-Hispanics (30.6%). Finally, a significantly higher percentage of black non-Hispanics (70.0%) and Hispanics (63.8%)

compared to white non-Hispanics (32.5%) stated that they were on food stamps, WIC vouchers, or received money to buy food during their most recent pregnancy as provided in **Q71A**.

During Delivery and Well-Baby Checkups

A significantly higher percentage of Hispanics (78.7%) reported that Medicaid paid for at least part of the delivery as compared to black non-Hispanics (67.3%), which in turn, was significantly higher than white non-Hispanics (33.6%) as indicated in **Q45C**. Similar results occurred for unmarried women (78.4%) compared to married women (20.5%) and younger age groups (79.9% of women under 20 years of age and 72.6% of women ages 20 to 24) compared to older age groups (39.5% of women ages 25 to 34 years and 25.9% of women over 34 years of age). The converse of these results was generally true for each of the demographic categories when women were asked whether health insurance from a job or the job of a husband, partner, or parents (**Q45A**) paid for at least part of their delivery. As shown in **Q58A-C**, parallel results for ethnicity and education took place for payers of well-baby checkups and, as indicated in **Q75A-C** and **Q75E-H** for household income during the 12 months before birth.

Social Support

As indicated in **Q38A**, a significantly higher percentage of white non-Hispanics (29.2%) reported having a close family member who was very sick and had to go to the hospital during the 12 months before their new baby was born as compared to Hispanics (13.5%). In addition, a significantly higher percentage of black non-Hispanics (16.4%) stated that they became separated or divorced from their husband or partner during the 12 months before their new baby was born as compared to white non-Hispanics (7.4%) as provided in **Q38B**. As indicated in **Q38G**, a significantly higher percentage of black non-Hispanic women (42.8%) reported that they had argued with their husband or partner more than usual during the 12 months before their baby was born as compared to white non-Hispanic women (26.1%). At 36.9%, black non-Hispanic women were also more likely to state that they have a lot of bills they could not pay as compared to 23.5% of white non-Hispanic women (**Q38I**). A significantly higher percentage of white non-Hispanics (81.4%) stated that they would know someone who could loan them \$50 if they needed it as compared to black non-Hispanics (68.8%) or Hispanics (51.9%) as shown in **Q72A**.

According to **Q38D**, 14.7% of Hispanic women stated that they were homeless during the 12 months before their new baby was born; this compares to 8.2% of black non-Hispanic women and 1.7% of white non-Hispanic women. Moreover, a significantly higher percentage of black non-Hispanics (19.7%) and Hispanics (23.8%) stated that they lost their job during the 12 months before their new baby was born even though they wanted to go on working as compared to white non-Hispanics (10.1%) as given in **Q38F**. Overall, a higher percentage of women at lower education levels and unmarried women tended to report adverse social and economic support structures as compared to women at higher education levels and married women, respectively (**Q38D-L** and **Q72A-D**).

DISCUSSION

As consistently evidenced by the RESULTS and alluded to in the METHODS section, the percentage responses for each of the questions are significantly different when stratified by demographic categories. Generally speaking, women who were in older age groups, who were married, and who had more years of education had a higher socioeconomic status (based on the indicators in the “Health Coverage” and “Social Support” sections of the RESULTS) and health status (based on the measures in the “Health Status” section of the RESULTS). According to the “Health Status” section of the RESULTS, white non-Hispanics were frequently in significantly better health than black non-Hispanics and Hispanics.


Overall, the results from the 2009 PRAMS analysis echo the results from the 2008 PRAMS analysis. Black non-Hispanics and unmarried women generally reported greater utilization of HIV testing and said that a health care provider discussed seat belt use and the risks of alcohol, smoking, and illicit drug use during pregnancy; these results may indicate success in the targeted interventions already in place throughout Delaware. On the other hand, compared to the other race/ethnicity categories, Hispanic women have stated that they could not get to a clinic or doctor’s office and did not have a Medicaid card (see “Prenatal Care” and “Health Coverage” sections of the RESULTS). Future maternal and child health programs should take this growing ethnic population into greater consideration.

Like the 2008 PRAMS analysis, some striking dichotomies exist in this analysis. For example, although a significantly higher percentage of black non-Hispanics reported that a health care provider discussed breastfeeding their baby in comparison to white non-Hispanics, a significantly higher percentage of white non-Hispanics reported breastfeeding or pumping breast milk to feed their new baby after delivery as compared to black non-Hispanics (see “Infant Care” and “Prenatal Care” sections of the RESULTS). This difference in prenatal discussion and infant care practice may be a result of several different factors and should further be examined. In addition, the lack of consistent statistical differences between women with no previous live birth and a previous live birth may suggest that women do not necessarily change their behavior with the increased knowledge and experience acquired during a prior pregnancy.


Besides serving as a standardized and widely used survey, one of the most potent features of the PRAMS survey is that it allows maternal and child health officials a window into the maternal thoughts and behaviors before, during, and after pregnancy. For example, in this analysis, less than half of black non-Hispanic women reported being happy or very happy when they found out they were pregnant; this was significantly different than their white non-Hispanic women. Likewise, a significantly higher percentage of black non-Hispanic women compared to white non-Hispanic women said that they always or often were depressed following their pregnancy. These results may add insight to the concept of racial stress through the life course perspective.^G As shown by this small example alone, PRAMS results offer the ability to learn more about racial/ethnic differences in preconception and prenatal care in a different manner than vital statistics alone.

^G Lu, M. & Chen, B. (2004). Racial and ethnic disparities in preterm birth: The role of stressful life events. *ACOG*, 191, 3, 691-699.


Q1A: At any time during the 12 months before you got pregnant with your new baby, were you dieting (changing eating habits) to lose weight? (% “Yes”)




Q1B: At any time during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days of the week? (% “Yes”)




Q1C: At any time during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? (% “Yes”)




Q1D: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for diabetes? (% “Yes”)




Q1E: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for high blood pressure? (% “Yes”)




Q1F: At any time during the 12 months before you got pregnant with your new baby, did you visit a health care worker to be checked or treated for depression or anxiety? (% “Yes”)




Q1G: At any time during the 12 months before you got pregnant with your new baby, did you talk with a health care worker about your family medical history? (% “Yes”)




Q1H: At any time during the 12 months before you got pregnant with your new baby, did you have your teeth cleaned by a dentist or dental hygienist? (% “Yes”)




Q2A: During the month before you got pregnant with your new baby, were you covered by health insurance from your job or the job of your husband, partner, or parents? (% “Yes”)




Q2B: During the month before you got pregnant with your new baby, were you covered by health insurance that you or someone else paid for (not from a job)? (% “Yes”)




Q2C: During the month before you got pregnant with your new baby, were you covered by Medicaid or the Diamond State Health Plan? (% “Yes”) [2008 values on right; note that these values ask only for Medicaid]




Q2D: During the month before you got pregnant with your new baby, were you covered by TRICARE or other military care? (% “Yes”)




Q2E: During the month before you got pregnant with your new baby, were you covered by the Delaware Healthy Children Program (DHCP, SCHIP)? (% “Yes”)




Q2F: During the month before you got pregnant with your new baby, were you covered by any other State sponsored program? (% “Yes”)




Q2G: During the month before you got pregnant with your new baby, were covered by any other sources (not listed in PRAMS)? (% “Yes”)




Q2H: I did not have any health insurance before I got pregnant. (% “Yes”)




Q3: During the month before you got pregnant with your new baby, did you take a multivitamin or a prenatal vitamin? (% “Yes”) [2008 values on right]




Q7: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes? (% “Yes”) [2008 values on right; note that these values ask for high blood sugar]




Q8A: During the 3 months before you got pregnant, did you have asthma? (% “Yes”) [2008 values on right]




Q8B: During the 3 months before you got pregnant, did you have high blood pressure (hypertension)? (% “Yes”) [2008 values on right]




Q8C: During the 3 months before you got pregnant, did you have anemia? (% “Yes”) [2008 values on right]




Q8D: During the 3 months before you got pregnant, did you have heart problems? (% “Yes”) [2008 values on right]




Q8E: During the 3 months before you got pregnant, did you have epilepsy (seizures)? (% “Yes”)




Q8F: During the 3 months before you got pregnant, did you have thyroid problems? (% “Yes”)




Q8G: During the 3 months before you got pregnant, did you have depression? (% “Yes”)




Q8H: During the 3 months before you got pregnant, did you have anxiety? (% “Yes”)



Q9: Before you got pregnant, did you ever have any other babies who were born alive?^H (% “Yes”) [2008 values on right]




Q10: Did the baby born just before your new one weigh more than 5 pounds, 8 ounces (2.5 kg) at birth?^H (% “Yes”)




^H For this question, “Prior Live Birth” was assigned a response of “N/A” as comparisons in this category are not plausible.


Q11: Was the baby just before your new one born more than 3 weeks before his or her due date?^H
 (% “Yes”)




Q12A: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant sooner. (% “Yes”)




Q12B: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant later. (% "Yes")




Q12C: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I wanted to be pregnant then. (% "Yes")




Q12D: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant: I didn't want to be pregnant then or at any time in the future. (% "Yes")




Q13: When you got pregnant with your new baby, were you trying to get pregnant? (% "Yes") [2008 values on right]




Q14: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (% “Yes”) [2008 values on right]




Q15A: Was not minding if you got pregnant your reason or your husband’s or partner’s reason for not doing anything to keep from getting pregnant? (% “Yes”) [2008 values on right]




Q15B: Was thinking you could not get pregnant at that time your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes") [2008 values on right]




Q15C: Was having side effects from the birth control method you were using your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes") [2008 values on right]




Q15D: Was having problems getting birth control when you needed it your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes") [2008 values on right]




Q15E: Was thinking your husband or partner or you were sterile (could not get pregnant at all) your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes") [2008 values on right]




Q15F: Was it that your husband or partner didn't want to use anything your reason or your husband's or partner's reason for not doing anything to keep from getting pregnant? (% "Yes") [2008 values on right]




Q16: Did you receive treatment from a doctor, nurse, or health care worker to help you get pregnant with your new baby? (% "Yes") [2008 values on right]




Q17A: Did you use fertility-enhancing drugs prescribed by a doctor during the month you got pregnant with your new baby? (% “Yes”) [2008 values on right]




Q17B: Did you use artificial insemination or intrauterine insemination during the month you got pregnant with your new baby? (% “Yes”) [2008 values on right]




Q17C: Did you use assisted reproductive technology during the month you got pregnant with your new baby? (% “Yes”) [2008 values on right]




Q20: Did you get prenatal care as early in your pregnancy as you wanted? (% “Yes”) [2008 values on right]




Q21A: I couldn't get an appointment when I wanted one kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21B: I didn't have enough money or insurance to pay for my visits kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21C: I had no way to get to the clinic or doctor's office kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21D: The doctor or the health plan would not start care as early as I wanted kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21E: I had too many other things going on kept me from getting prenatal care at all or as early as I wanted. (% “Yes”) [2008 values on right]




Q21F: I couldn't take time off from work or school kept me from getting prenatal care at all or as early as I wanted. (% “Yes”) [2008 values on right]




Q21G: I didn't have my Medicaid or Diamond State Health Plan card kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21H: I had no one to take care of my children kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21I: I didn't know I was pregnant kept me from getting prenatal care at all or as early as I wanted.
 (% "Yes")




Q21J: I didn't want anyone else to know I was pregnant kept me from getting prenatal care at all or as early as I wanted. (% "Yes") [2008 values on right]




Q21K: I didn't want prenatal care kept me from getting prenatal care at all or as early as I wanted.
 (% "Yes")




Q22A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for your prenatal care? (% "Yes")




Q22B: Did health insurance that you or someone else paid for (not from a job) help you pay for your prenatal care? (% “Yes”)




Q22C: Did Medicaid or Diamond State Health Plan help you pay for your prenatal care? (% “Yes”) [2008 values on right; note that these values ask only for Medicaid]




Q22D: Did TRICARE or other military health care help you pay for your prenatal care? (% “Yes”)




Q22E: Did Delaware Healthy Children Program (DHCP, SCHIP) help you pay for your prenatal care? (% “Yes”)




Q22F: Did another State sponsored program help you pay for your prenatal care? (% “Yes”)




Q22G: I did not have health insurance to help pay for my prenatal care. (% “Yes”)




Q23A: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? (% “Yes”) [2008 values on right]




Q23B: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? (% “Yes”) [2008 values on right]



Q23C: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? (% “Yes”) [2008 values on right]




Q23D: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy? (% “Yes”) [2008 values on right]



Q23E: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during the pregnancy? (% “Yes”) [2008 values on right]




Q23F: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? (% “Yes”) [2008 values on right]




Q23G: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? (% “Yes”) [2008 values on right]




Q23H: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than 3 weeks before baby is due)? (% “Yes”)




Q23I: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early? (% “Yes”) [2008 values on right]




Q23J: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)? (% “Yes”) [2008 values on right]




Q23K: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about what to do if you feel depressed during pregnancy or after your baby is born? (% “Yes”)




Q23L: During any of your prenatal visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners? (% “Yes”) [2008 values on right]




Q24: At any time during your most recent pregnancy or delivery, did you have a test for HIV? (% “Yes”)
 [2008 values on right]




Q25: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? (% “Yes”)
 [2008 values on right]




Q26: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes? (% “Yes”)




Q27A: Did you have a problem with vaginal bleeding during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27B: Did you have a problem with kidney or bladder (urinary tract) infection(s) during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27C: Did you have a problem with severe nausea, vomiting, or dehydration during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27D: Did you have a problem with incompetent cervix (cervix had to be sewn shut) during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27E: Did you have a problem with high blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27F: Did you have a problem with the placenta (such as abruption placentae or placenta previa) during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27G: Did you have a problem with labor pains more than 3 weeks before your baby was due (preterm or early labor) during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27H: Did your water break more than 3 weeks before your baby was due (premature rupture of membranes [PROM]) during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27I: Did you have to have a blood transfusion during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q27J: Did you get hurt in a car accident during your most recent pregnancy? (% “Yes”) [2008 values on right]




Q28: At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker tell you to stay in bed for at least 1 week? (% “Yes”)




Q30: Have you smoked any cigarettes in the past 2 years? (% “Yes”)




Q31: In the 3 months before you got pregnant, did you smoke at least 11 cigarettes on average each day? (% “Yes”) [2008 values on right; note that these values are if the individual smoked *more* than 11 cigarettes daily]




Q32: In the last 3 months of your pregnancy, did you smoke at least 11 cigarettes on average each day?
 (% "Yes") [2008 values on right; note that these values are if the individual smokes *more* than 11 cigarettes daily]




Q33: Do you currently smoke at least 11 cigarettes on average each day?
 (% "Yes") [2008 values on right; note that these values are if the individual smokes *more* than 11 cigarettes daily]




Q34: Is smoking allowed in some rooms, sometimes, or anywhere inside your home?
(% "Yes")




Q35: Have you had any alcoholic drinks in the past 2 years? (% "Yes") [2008 values on right]




Q36A: In the 3 months before you got pregnant, did you drink at least 4 alcoholic drinks on average each week? (% “Yes”) [2008 values on right]




Q36B: In the 3 months before you got pregnant, did you drink 4 alcoholic drinks or more in one sitting? (% “Yes”) [2008 values on right; note that these values are if the individual drank 5 alcoholic drinks or more in one sitting]




Q37A: In the last 3 months of your pregnancy, did you drink at least 4 alcoholic drinks on average each week? (% “Yes”) [2008 values on right]




Q37B: In the last 3 months of your pregnancy, did you drink 4 alcoholic drinks or more in one sitting? (% “Yes”) [2008 values on right; note that these values are if the individual drank 5 alcoholic drinks or more in one sitting]




Q38A: During the 12 months before your new baby was born, was a close family member very sick and had to go to the hospital? (% “Yes”) [2008 values on right]




Q38B: During the 12 months before your new baby was born, did you get separated or divorced from your husband or partner? (% “Yes”) [2008 values on right]




Q38C: During the 12 months before your new baby was born, did you move to a new address? (% “Yes”)
 [2008 values on right]




Q38D: During the 12 months before your new baby was born, were you homeless? (% “Yes”)
 [2008 values on right]




Q38E: During the 12 months before your new baby was born, did your husband or partner lose his job?
 (% “Yes”) [2008 values on right]




Q38F: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working?
 (% “Yes”) [2008 values on right]




Q38G: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? (% “Yes”) [2008 values on right]




Q38H: During the 12 months before your new baby was born, did your husband or partner say he didn't want you to be pregnant? (% “Yes”) [2008 values on right]




Q38I: During the 12 months before your new baby was born, did you have a lot of bills you couldn't pay? (% "Yes") [2008 values on right]




Q38J: During the 12 months before your new baby was born, were you in a physical fight? (% "Yes") [2008 values on right]




Q38K: During the 12 months before your new baby was born, did your husband or partner or you go to jail? (% “Yes”) [2008 values on right]




Q38L: During the 12 months before your new baby was born, did someone very close to you have a bad problem with drinking or drugs? (% “Yes”) [2008 values on right]




Q38M: During the 12 months before your new baby was born, did someone very close to you die? (% “Yes”) [2008 values on right]




Q39: During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”) [2008 values on right]




Q40: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (% “Yes”) [2008 values on right]




Q45A: Did health insurance from your job or the job of your husband, partner, or parents help you pay for the delivery of your new baby? (% “Yes”)




Q45B: Did health insurance that you or someone else paid for (not from a job) help you pay for the delivery of your new baby? (% “Yes”)




Q45C: Did Medicaid or Diamond State Health Plan help you pay for the delivery of your new baby? (“Yes”) [2008 values on right; note that these values ask only for Medicaid]




Q45D: Did TRICARE or other military health care help you pay for the delivery of your new baby?
(% “Yes”)




Q45E: Did the Delaware Healthy Children Program (DHCP, SCHIP) help you pay for the delivery of your new baby? (% “Yes”)




Q45F: Did another State sponsored program help you pay for the delivery of your new baby? (% “Yes”)




Q45G: Did another source [not listed] help you pay for the delivery of your new baby? (% “Yes”)




Q45H: I did not have health insurance to help pay for my delivery. (% “Yes”)




Q46: After your baby was born, was he or she put in an intensive care unit? (% “Yes”) [2008 values on right]




Q47: After your baby was born, did he or she stay in the hospital for 3 days or more? (% “Yes”)




Q48: Is your baby alive now? (% “Yes”) [2008 values on right]




Q49: Is your baby living with you now? (% “Yes”) [2008 values on right]




Q50: Did you ever breastfeed or pump breast milk to feed your new baby after delivery? (% “Yes”) [2008 values on right]




Q51: Are you still breastfeeding or feeding pumped milk to your new baby? (% “Yes”) [2008 values on right]




Q54: Do you most often lay your baby down on his or her back when he or she sleeps? (% “Yes”) [2008 values on right]




Q55: Does your baby sleep in a different bed/crib than you or anyone else? (% “Yes”)




Q56: Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital? (% “Yes”) [2008 values on right]



Q57: Has your new baby had a well-baby checkup? (% “Yes”) [2008 values on right]




Q58A: Did health insurance from your job or the job of your husband, partner, or parents pay for a well-baby checkup?! (% “Yes”) [2008 values on right]




¹ Survey participants that did not have a well-baby checkup for their new baby were assigned the response “N/A”.


Q58B: Did health insurance that you or someone else paid (not from a job) pay for a well-baby checkup?¹
 (% “Yes”)




Q58C: Did Medicaid or Delaware State Health Plan pay for a well-baby checkup?¹ (% “Yes”) [2008 values on right]




Q58D: Did TRICARE or other military health care pay for a well-baby checkup?¹ (% “Yes”)




Q58E: Did the Delaware Healthy Children Program (DHCP, SCHIP) pay for a well-baby checkup?¹ (% “Yes”)



Q59: Are you or your husband or partner doing anything now to keep from getting pregnant? (% “Yes”)
 [2008 values on right]




Q60A: I am not having sex is why I am not doing anything to keep from getting pregnant now.^J (% “Yes”)
 [2008 values on right]




^J Survey participants doing something now to keep from getting pregnant were assigned the response “N/A”.


Q60B: I want to get pregnant is why I am not doing anything to keep from getting pregnant now.¹
 (% “Yes”) [2008 values on right]




Q60C: I don't want to use birth control is why I am not doing anything to keep from getting pregnant now.¹
 (% “Yes”) [2008 values on right]




Q60D: My husband or partner doesn't want to use anything is why I am not doing anything to keep from getting pregnant now.^J (% "Yes") [2008 values on right]




Q60E: I don't think I can get pregnant is why I am not doing anything to keep from getting pregnant now.^J (% "Yes") [2008 values on right]




Q60F: I can't pay for birth control is why I am not doing anything to keep from getting pregnant now.^J (% "Yes") [2008 values on right]




Q60G: I am pregnant now is why I am not doing anything to keep from getting pregnant now.^J (% "Yes") [2008 values on right]




Q61A: Since your new baby was born, I have often or always felt down, depressed, or sad? (% “Yes”)




Q61B: Since your new baby was born, I have often or always felt hopeless? (% “Yes”)




Q61C: Since your new baby was born, I have often or always felt slowed down? (% “Yes”)




Q63: During the 12 months before you got pregnant with your new baby, did you have a miscarriage, fetal death, or stillbirth? (% “Yes”) [2008 values on right]




Q64A: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last less than 20 weeks (less than 4 months)? (% “Yes”)




Q64B: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last 20 to 28 weeks (4 to 6 months)? (% “Yes”)




Q64C: If you had a miscarriage, fetal death, or stillbirth in the 12 months before you got pregnant, did the pregnancy last more than 28 weeks (more than 6 months)? (% “Yes”)




Q65: Were you happy or very happy to be pregnant when you found out you were pregnant with your new baby? (% “Yes”) [2008 values on right]




Q66A: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of fruit on average each day? (% “Yes”)




Q66B: During the last 3 months of your most recent pregnancy, did you have at least 1 serving of vegetables on average each day? (% “Yes”)




Q67: During your most recent pregnancy, did a doctor, nurse, or other health care worker tell you that you had a urinary tract infection (UTI), a sexually transmitted disease (STD), or any vaginal infection, including bacterial vaginosis or Group B Strep (Beta Strep)? (% “Yes”) [2008 values on right]




Q68A: During your most recent pregnancy, were you told that you had genital warts (HPV)? (% “Yes”) [2008 values on right]




Q68B: During your most recent pregnancy, were you told that you had herpes? (% “Yes”) [2008 values on right]




Q68C: During your most recent pregnancy, were you told that you had chlamydia? (% “Yes”) [2008 values on right]




Q68D: During your most recent pregnancy were you told that you had gonorrhea? (% “Yes”) [2008 values on right]




Q68E: During your most recent pregnancy, were you told that you had pelvic inflammatory disease (PID)? (% “Yes”) [2008 values on right]




Q68F: During your most recent pregnancy, were you told that you had syphilis? (% “Yes”) [2008 values on right]




Q68G: During your most recent pregnancy, were you told that you had Group B Strep (Beta Strep)? (% “Yes”) [2008 values on right]




Q68H: During your most recent pregnancy, were you told that you had bacterial vaginosis? (% “Yes”)
 [2008 values on right]




Q68I: During your most recent pregnancy, were you told that you had trichomoniasis? (% “Yes”)
 [2008 values on right]




Q68J: During your most recent pregnancy, were you told that you had a yeast infection? (% “Yes”) [2008 values on right]




Q68K: During your most recent pregnancy, were you told that you had a urinary tract infection (UTI)? (% “Yes”) [2008 values on right]




Q69A: During your most recent pregnancy, did you need to see a dentist for a problem? (% “Yes”) [2008 values on right]




Q69B: During your most recent pregnancy, did you go to a dentist or dental clinic? (% “Yes”) [2008 values on right]




Q69C: During your most recent pregnancy, did a dental or other health care worker talk with you about how to care for your teeth and gums? (% “Yes”) [2008 values on right]




Q70A: During your most recent pregnancy, did you take any childbirth classes? (% “Yes”) [2008 values on right]




Q70B: During your most recent pregnancy, did you take any parenting classes? (% “Yes”) [2008 values on right]




Q70C: During your most recent pregnancy, did you have visits to your home by a nurse or other health care worker? (% “Yes”) [2008 values on right]




Q70D: During your most recent pregnancy, did you receive counseling for depression or anxiety? (% “Yes”)




Q71A: During your most recent pregnancy, were you on food stamps, WIC vouchers, or money to buy food? (% “Yes”)




Q71B: During your most recent pregnancy, were you receiving counseling information for family and personal problems? (% “Yes”)




Q71C: During your most recent pregnancy, were you receiving help to quit smoking? (% “Yes”) [2008 values on right]




Q71D: During your most recent pregnancy, were you receiving help to reduce violence in your home?
 (% “Yes”)




Q72A: During your most recent pregnancy, would you know someone who could loan you \$50 if you needed it? (% “Yes”) [2008 values on right]




Q72B: During your most recent pregnancy, would you know someone who could help you if you were sick and needed to be in bed? (% “Yes”) [2008 values on right]




Q72C: During your most recent pregnancy, would you know someone who could take you to the clinic or doctor’s office if you needed a ride? (% “Yes”) [2008 values on right]




Q72D: During your most recent pregnancy, would you know someone who you could talk with about your problems? (% “Yes”) [2008 values on right]




Q73A: Since your new baby was born, have you received visits to your home by a nurse or other health care worker? (% “Yes”)




Q73B: Since your new baby was born, have you received counseling for depression or anxiety? (% “Yes”)




Q75A: During the 12 months before your new baby was born, was money from family or friends a source of your household’s income? (% “Yes”) [2008 values on right]




Q75B: During the 12 months before your new baby was born, was money from a business, fees, dividends, or rental income a source of your household's income? (% "Yes") [2008 values on right]




Q75C: During the 12 months before your new baby was born, was a paycheck or money from a job a source of your household's income? (% "Yes") [2008 values on right]




Q75D: During the 12 months before your new baby was born, were food stamps or WIC a source of your household's income? (% "Yes")




Q75E: During the 12 months before your new baby was born, was aid such as TANF, welfare, public assistance, general assistance, or SSI a source of your household's income? (% "Yes")



Q75F: During the 12 months before your new baby was born, were unemployment benefits a source of your household's income? (% "Yes")



Q75G: During the 12 months before your new baby was born, was child support or alimony a source of your household's income? (% "Yes") [2008 values on right]



Q75H: During the 12 months before your new baby was born, was social security, workers' compensation, disability, veteran benefits, or pensions a source of your household's income? (% "Yes") [2008 values on right]




Table 7A. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q1A-Q2C

	Percent Response Yes	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
Total	Yes	28.45%	40.53%	21.40%	7.16%	9.34%	12.50%	23.62%	49.58%	52.05%	2.41%	25.82%
Age	Under 20 Years	14.63%	33.04%	16.99%	9.75%	11.86%	10.08%	25.84%	49.78%	32.78%	8.60%	45.79%
	20-24 Years	21.15%	32.80%	17.55%	8.35%	8.81%	14.65%	24.49%	33.11%	25.53%	1.24%	40.17%
	25-34 Years	32.63%	43.24%	22.94%	7.23%	7.59%	11.88%	23.53%	50.24%	60.17%	1.62%	20.51%
	Over 34 Years	33.29%	46.76%	24.36%	3.82%	14.02%	12.99%	21.45%	69.27%	73.34%	2.75%	11.50%
Ethnicity	White Non-Hispanic	32.81%	45.58%	25.11%	4.84%	6.27%	14.49%	24.68%	59.20%	65.48%	2.39%	17.41%
	Black Non-Hispanic	26.76%	35.40%	18.12%	10.32%	17.92%	10.70%	22.92%	44.15%	42.85%	2.34%	47.68%
	Hispanic	16.27%	31.89%	14.25%	10.25%	6.85%	10.16%	21.99%	22.46%	15.53%	2.33%	22.35%
Married	Married	34.91%	49.43%	21.62%	4.94%	6.50%	10.79%	23.46%	63.59%	75.80%	1.80%	8.72%
	Not Married	21.56%	31.02%	21.18%	9.53%	12.38%	14.31%	23.80%	34.64%	26.72%	3.05%	44.06%
Previous Live Birth	Yes	29.90%	39.32%	20.69%	7.82%	9.63%	12.40%	22.47%	46.39%	46.21%	1.77%	31.72%
	No	26.44%	42.22%	22.40%	6.23%	8.95%	12.63%	25.24%	54.05%	60.22%	3.30%	17.57%
Education	Less Than 12 Years	19.42%	28.22%	18.16%	12.47%	13.79%	15.93%	21.80%	24.80%	12.86%	3.38%	46.36%
	12 Years	25.53%	32.02%	20.58%	10.18%	11.52%	15.22%	22.34%	40.48%	33.50%	2.66%	41.05%
	Greater Than 12 Years	33.70%	49.28%	22.81%	3.63%	6.40%	9.74%	25.11%	64.11%	76.84%	1.90%	10.31%
Total	Lower 95% CI	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
Total	Yes	27.60%	39.60%	20.63%	6.67%	8.80%	11.87%	22.82%	48.64%	51.11%	2.12%	24.99%
Age	Under 20 Years	12.51%	30.21%	14.73%	7.96%	9.91%	8.27%	23.21%	46.77%	29.96%	6.91%	42.80%
	20-24 Years	19.51%	30.92%	16.02%	7.24%	7.67%	13.23%	22.76%	31.22%	23.78%	0.80%	38.20%
	25-34 Years	31.40%	41.94%	21.84%	6.55%	6.90%	11.03%	22.42%	48.93%	58.89%	1.29%	19.45%
	Over 34 Years	31.11%	44.45%	22.37%	2.93%	12.41%	11.44%	19.55%	67.13%	71.30%	1.99%	10.02%
Ethnicity	White Non-Hispanic	31.62%	44.32%	24.01%	4.30%	5.66%	13.59%	23.58%	57.95%	64.28%	2.00%	16.45%
	Black Non-Hispanic	25.11%	33.62%	16.68%	9.19%	16.49%	9.55%	21.36%	42.31%	41.01%	1.77%	45.82%
	Hispanic	14.46%	29.62%	12.54%	8.77%	5.62%	8.68%	19.97%	20.42%	13.76%	1.59%	20.32%
Married	Married	33.62%	48.08%	20.50%	4.35%	5.83%	9.95%	22.32%	62.29%	74.64%	1.44%	7.96%
	Not Married	20.45%	29.77%	20.07%	8.73%	11.49%	13.37%	22.64%	33.35%	25.52%	2.58%	42.72%
Previous Live Birth	Yes	28.56%	37.89%	19.51%	7.04%	8.77%	11.44%	21.25%	44.93%	44.75%	1.39%	30.37%
	No	25.15%	40.78%	21.19%	5.53%	8.11%	11.66%	23.97%	52.60%	58.79%	2.77%	16.46%
Education	Less Than 12 Years	17.84%	26.42%	16.62%	11.15%	12.41%	14.47%	20.14%	23.07%	11.52%	2.66%	44.36%
	12 Years	23.85%	30.23%	19.03%	9.02%	10.29%	13.84%	20.74%	38.59%	31.69%	2.04%	39.16%
	Greater Than 12 Years	32.48%	47.99%	21.73%	3.15%	5.76%	8.98%	23.99%	62.87%	75.75%	1.55%	9.53%
Total	Upper 95% CI	Q1A	Q1B	Q1C	Q1D	Q1E	Q1F	Q1G	Q1H	Q2A	Q2B	Q2C
Total	Yes	29.30%	41.45%	22.18%	7.64%	9.89%	13.12%	24.43%	50.53%	53.00%	2.70%	26.64%
Age	Under 20 Years	16.76%	35.87%	19.24%	11.53%	13.80%	11.89%	28.48%	52.79%	35.61%	10.28%	48.79%
	20-24 Years	22.79%	34.69%	19.08%	9.47%	9.95%	16.07%	26.22%	35.00%	27.29%	1.68%	42.14%
	25-34 Years	33.86%	44.54%	24.04%	7.91%	8.29%	12.73%	24.65%	51.55%	61.46%	1.95%	21.57%
	Over 34 Years	35.47%	49.07%	26.34%	4.71%	15.63%	14.55%	23.35%	71.41%	75.39%	3.50%	12.97%
Ethnicity	White Non-Hispanic	34.00%	46.84%	26.21%	5.38%	6.89%	15.38%	25.77%	60.44%	66.69%	2.78%	18.37%
	Black Non-Hispanic	28.41%	37.19%	19.55%	11.46%	19.35%	11.85%	24.49%	46.00%	44.69%	2.90%	49.54%
	Hispanic	18.07%	34.17%	15.95%	11.73%	8.08%	11.63%	24.01%	24.50%	17.30%	3.06%	24.39%
Married	Married	36.20%	50.79%	22.73%	5.53%	7.17%	11.64%	24.61%	64.90%	76.96%	2.17%	9.48%
	Not Married	22.68%	32.28%	22.29%	10.32%	13.27%	15.26%	24.95%	35.92%	27.92%	3.52%	45.41%
Previous Live Birth	Yes	31.23%	40.74%	21.87%	8.60%	10.49%	13.37%	23.69%	47.84%	47.66%	2.16%	33.08%
	No	27.72%	43.66%	23.62%	6.94%	9.78%	13.60%	26.51%	55.50%	61.65%	3.82%	18.68%
Education	Less Than 12 Years	21.00%	30.02%	19.71%	13.80%	15.17%	17.40%	23.45%	26.53%	14.20%	4.11%	48.36%
	12 Years	27.20%	33.81%	22.14%	11.34%	12.74%	16.60%	23.94%	42.36%	35.31%	3.27%	42.94%
	Greater Than 12 Years	34.92%	50.57%	23.89%	4.12%	7.03%	10.51%	26.23%	65.35%	77.93%	2.26%	11.10%

Table 7B. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q2D-Q8D												
	Percent Response Yes	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
Total	Yes	3.63%	0.76%	0.77%	2.30%	11.92%	40.79%	2.96%	10.08%	4.41%	12.01%	1.02%
Age	Under 20 Years	2.56%	0.00%	1.45%	8.93%	4.77%	18.31%	3.33%	19.29%	1.11%	17.25%	0.00%
	20-24 Years	6.24%	1.09%	0.72%	1.98%	18.94%	27.44%	0.00%	14.76%	2.66%	18.80%	0.50%
	25-34 Years	3.40%	1.00%	0.91%	1.86%	11.04%	44.05%	3.65%	6.63%	3.00%	9.95%	1.56%
	Over 34 Years	1.51%	0.00%	0.00%	0.20%	9.59%	61.62%	4.54%	9.15%	13.10%	6.31%	0.66%
Ethnicity	White Non-Hispanic	4.07%	0.82%	0.39%	1.81%	9.03%	48.21%	4.00%	11.84%	3.39%	7.71%	1.26%
	Black Non-Hispanic	1.96%	0.38%	1.72%	2.59%	8.59%	31.41%	0.98%	10.33%	8.32%	20.72%	1.28%
	Hispanic	4.43%	0.73%	0.73%	3.66%	28.80%	24.95%	2.63%	4.31%	2.54%	15.45%	0.00%
Married	Married	5.66%	0.70%	0.21%	1.13%	8.05%	57.78%	3.66%	6.72%	3.25%	6.32%	0.53%
	Not Married	1.46%	0.82%	1.36%	3.56%	16.05%	22.65%	2.23%	13.66%	5.65%	18.08%	1.55%
Previous Live Birth	Yes	3.53%	0.97%	0.80%	2.33%	11.95%	38.79%	3.46%	8.68%	5.37%	14.53%	1.55%
	No	3.76%	0.46%	0.72%	2.26%	11.88%	43.57%	2.28%	12.03%	3.08%	8.48%	0.29%
Education	Less Than 12 Years	0.49%	0.71%	1.62%	4.57%	19.52%	19.71%	2.11%	15.71%	4.46%	16.47%	1.48%
	12 Years	2.53%	0.73%	0.79%	2.80%	16.31%	28.38%	2.98%	13.85%	4.21%	18.88%	1.36%
	Greater Than 12 Years	5.45%	0.79%	0.41%	1.15%	6.86%	54.94%	3.15%	6.10%	4.33%	7.13%	0.69%
	Lower 95% CI	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
Total	Yes	3.28%	0.59%	0.60%	2.02%	11.31%	39.86%	2.64%	9.51%	4.03%	11.40%	0.83%
Age	Under 20 Years	1.61%	0.00%	0.73%	7.21%	3.49%	15.98%	2.25%	16.92%	0.48%	14.98%	0.00%
	20-24 Years	5.26%	0.67%	0.38%	1.42%	17.37%	25.64%	0.00%	13.33%	2.02%	17.23%	0.21%
	25-34 Years	2.93%	0.74%	0.66%	1.50%	10.22%	42.75%	3.16%	5.98%	2.55%	9.17%	1.24%
	Over 34 Years	0.95%	0.00%	0.00%	0.00%	8.23%	59.37%	3.58%	7.82%	11.54%	5.18%	0.28%
Ethnicity	White Non-Hispanic	3.57%	0.59%	0.24%	1.47%	8.30%	46.94%	3.51%	11.02%	2.93%	7.03%	0.98%
	Black Non-Hispanic	1.44%	0.15%	1.24%	2.00%	7.54%	29.68%	0.61%	9.19%	7.29%	19.21%	0.86%
	Hispanic	3.43%	0.32%	0.32%	2.74%	26.59%	22.84%	1.85%	3.32%	1.77%	13.69%	0.00%
Married	Married	5.03%	0.48%	0.09%	0.84%	7.31%	56.45%	3.15%	6.04%	2.77%	5.66%	0.33%
	Not Married	1.13%	0.57%	1.05%	3.05%	15.06%	21.52%	1.83%	12.73%	5.03%	17.04%	1.22%
Previous Live Birth	Yes	2.99%	0.68%	0.54%	1.89%	11.00%	37.37%	2.92%	7.86%	4.71%	13.50%	1.19%
	No	3.21%	0.26%	0.47%	1.83%	10.93%	42.13%	1.84%	11.08%	2.58%	7.67%	0.13%
Education	Less Than 12 Years	0.21%	0.37%	1.12%	3.74%	17.93%	18.11%	1.54%	14.25%	3.64%	14.99%	0.99%
	12 Years	1.93%	0.41%	0.45%	2.16%	14.89%	26.65%	2.33%	12.52%	3.44%	17.38%	0.91%
	Greater Than 12 Years	4.86%	0.56%	0.24%	0.88%	6.21%	53.66%	2.70%	5.49%	3.81%	6.46%	0.48%
	Upper 95% CI	Q2D	Q2E	Q2F	Q2G	Q2H	Q3	Q7	Q8A	Q8B	Q8C	Q8D
Total	Yes	3.98%	0.92%	0.93%	2.59%	12.53%	41.71%	3.28%	10.65%	4.80%	12.62%	1.21%
Age	Under 20 Years	3.50%	0.00%	2.16%	10.64%	6.05%	20.63%	4.41%	21.67%	1.74%	19.52%	0.00%
	20-24 Years	7.21%	1.51%	1.05%	2.54%	20.52%	29.23%	0.00%	16.19%	3.31%	20.37%	0.78%
	25-34 Years	3.88%	1.26%	1.16%	2.21%	11.86%	45.36%	4.14%	7.28%	3.45%	10.74%	1.89%
	Over 34 Years	2.07%	0.00%	0.00%	0.40%	10.95%	63.87%	5.51%	10.49%	14.66%	7.43%	1.03%
Ethnicity	White Non-Hispanic	4.57%	1.05%	0.55%	2.15%	9.76%	49.48%	4.50%	12.65%	3.85%	8.39%	1.54%
	Black Non-Hispanic	2.47%	0.61%	2.21%	3.18%	9.63%	33.14%	1.34%	11.46%	9.34%	22.23%	1.70%
	Hispanic	5.44%	1.15%	1.15%	4.58%	31.01%	27.07%	3.41%	5.30%	3.31%	17.22%	0.00%
Married	Married	6.29%	0.93%	0.34%	1.42%	8.78%	59.12%	4.17%	7.40%	3.73%	6.98%	0.73%
	Not Married	1.78%	1.06%	1.68%	4.06%	17.05%	23.78%	2.63%	14.59%	6.28%	19.12%	1.88%
Previous Live Birth	Yes	4.07%	1.26%	1.06%	2.78%	12.90%	40.21%	3.99%	9.50%	6.03%	15.56%	1.91%
	No	4.32%	0.66%	0.96%	2.70%	12.82%	45.02%	2.71%	12.98%	3.58%	9.30%	0.44%
Education	Less Than 12 Years	0.77%	1.05%	2.13%	5.41%	21.11%	21.30%	2.69%	17.17%	5.29%	17.96%	1.96%
	12 Years	3.13%	1.06%	1.13%	3.43%	17.72%	30.11%	3.63%	15.17%	4.98%	20.39%	1.80%
	Greater Than 12 Years	6.03%	1.02%	0.57%	1.43%	7.51%	56.23%	3.60%	6.72%	4.86%	7.79%	0.91%

Table 7C. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q8E-Q12D												
	Percent Response Yes	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
Total	Yes	0.84%	3.11%	12.93%	11.47%	57.01%	51.07%	6.47%	14.63%	36.06%	13.08%	34.75%
Age	Under 20 Years	1.45%	1.44%	15.75%	13.20%	18.35%	16.74%	1.11%	11.98%	19.32%	4.78%	62.48%
	20-24 Years	0.72%	1.43%	16.58%	15.58%	44.33%	37.36%	4.90%	15.37%	27.08%	7.76%	47.51%
	25-34 Years	0.87%	2.81%	10.97%	9.66%	64.34%	57.92%	8.05%	13.17%	41.77%	14.19%	29.30%
	Over 34 Years	0.58%	7.27%	12.54%	10.64%	73.88%	68.27%	6.84%	19.74%	40.06%	21.59%	18.42%
Ethnicity	White Non-Hispanic	0.98%	4.13%	15.26%	13.64%	54.70%	50.50%	5.59%	13.81%	40.25%	14.38%	30.41%
	Black Non-Hispanic	0.74%	1.42%	10.13%	8.59%	58.68%	51.20%	7.29%	21.75%	24.76%	7.92%	42.81%
	Hispanic	0.00%	1.62%	10.55%	8.69%	66.89%	56.25%	8.54%	7.24%	38.26%	11.63%	41.92%
Married	Married	0.35%	3.89%	9.68%	8.35%	60.80%	55.40%	5.28%	5.50%	25.43%	9.36%	10.91%
	Not Married	1.37%	2.29%	16.40%	14.81%	52.96%	46.45%	7.75%	9.13%	10.62%	3.72%	23.84%
Previous Live Birth	Yes	0.75%	3.16%	12.61%	11.48%	N/A	N/A	N/A	2.61%	15.26%	7.23%	16.30%
	No	0.97%	3.04%	13.38%	11.46%	N/A	N/A	N/A	12.02%	20.79%	5.85%	18.45%
Education	Less Than 12 Years	0.98%	1.62%	16.83%	14.21%	64.81%	54.31%	7.93%	16.47%	25.31%	9.38%	46.28%
	12 Years	1.05%	2.03%	17.85%	14.61%	57.03%	51.29%	7.04%	18.97%	28.39%	8.86%	41.73%
	Greater Than 12 Years	0.43%	4.24%	8.81%	8.99%	53.94%	49.77%	5.48%	11.99%	44.02%	16.42%	26.77%
	Lower 95% CI	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
Total	Yes	0.67%	2.79%	12.30%	10.87%	56.07%	50.13%	6.01%	13.96%	35.15%	12.45%	33.86%
Age	Under 20 Years	0.73%	0.72%	13.56%	11.17%	16.02%	14.50%	0.48%	10.03%	16.95%	3.49%	59.57%
	20-24 Years	0.38%	0.95%	15.09%	14.12%	42.33%	35.41%	4.04%	13.92%	25.29%	6.69%	45.50%
	25-34 Years	0.62%	2.38%	10.15%	8.89%	63.08%	56.62%	7.33%	12.28%	40.48%	13.28%	28.11%
	Over 34 Years	0.23%	6.07%	11.01%	9.21%	71.85%	66.12%	5.67%	17.90%	37.79%	19.69%	16.62%
Ethnicity	White Non-Hispanic	0.73%	3.63%	14.34%	12.77%	53.44%	49.23%	5.00%	12.94%	39.01%	13.49%	29.24%
	Black Non-Hispanic	0.42%	0.98%	9.01%	7.54%	56.85%	49.34%	6.32%	20.21%	23.15%	6.91%	40.97%
	Hispanic	0.00%	1.01%	9.05%	7.31%	64.59%	53.83%	7.17%	5.97%	35.89%	10.06%	39.51%
Married	Married	0.19%	3.36%	8.88%	7.60%	59.48%	54.05%	4.67%	5.07%	24.61%	8.81%	10.32%
	Not Married	1.05%	1.88%	15.39%	13.84%	51.61%	45.10%	7.03%	8.58%	10.04%	3.37%	23.04%
Previous Live Birth	Yes	0.50%	2.65%	11.65%	10.55%	N/A	N/A	N/A	2.31%	14.59%	6.74%	15.61%
	No	0.69%	2.54%	12.38%	10.53%	N/A	N/A	N/A	11.41%	20.03%	5.41%	17.72%
Education	Less Than 12 Years	0.59%	1.12%	15.33%	12.81%	62.89%	52.32%	6.84%	14.98%	23.57%	8.21%	44.29%
	12 Years	0.66%	1.49%	16.38%	13.25%	55.13%	49.37%	6.06%	17.47%	26.66%	7.77%	39.84%
	Greater Than 12 Years	0.26%	3.72%	8.08%	8.25%	52.65%	48.48%	4.89%	11.16%	42.74%	15.47%	25.63%
	Upper 95% CI	Q8E	Q8F	Q8G	Q8H	Q9	Q10	Q11	Q12A	Q12B	Q12C	Q12D
Total	Yes	1.01%	3.44%	13.56%	12.07%	57.94%	52.02%	6.94%	15.29%	36.96%	13.72%	35.65%
Age	Under 20 Years	2.16%	2.16%	17.94%	15.24%	20.67%	18.99%	1.74%	13.93%	21.70%	6.06%	65.39%
	20-24 Years	1.05%	1.91%	18.08%	17.04%	46.33%	39.30%	5.77%	16.82%	28.87%	8.84%	49.51%
	25-34 Years	1.11%	3.25%	11.78%	10.44%	65.59%	59.21%	8.76%	14.06%	43.07%	15.11%	30.49%
	Over 34 Years	0.93%	8.48%	14.07%	12.07%	75.91%	70.43%	8.01%	21.59%	42.32%	23.49%	20.21%
Ethnicity	White Non-Hispanic	1.23%	4.64%	16.17%	14.51%	55.96%	51.76%	6.17%	14.69%	41.50%	15.27%	31.57%
	Black Non-Hispanic	1.06%	1.86%	11.26%	9.63%	60.52%	53.07%	8.26%	23.28%	26.37%	8.93%	44.65%
	Hispanic	0.00%	2.24%	12.05%	10.06%	69.19%	58.67%	9.90%	8.50%	40.64%	13.19%	44.33%
Married	Married	0.51%	4.41%	10.48%	9.10%	62.12%	56.75%	5.88%	5.93%	26.25%	9.91%	11.50%
	Not Married	1.68%	2.69%	17.40%	15.77%	54.31%	47.81%	8.48%	9.67%	11.20%	4.08%	24.65%
Previous Live Birth	Yes	1.00%	3.68%	13.58%	12.41%	N/A	N/A	N/A	2.91%	15.94%	7.72%	17.00%
	No	1.26%	3.54%	14.37%	12.38%	N/A	N/A	N/A	12.63%	21.56%	6.29%	19.18%
Education	Less Than 12 Years	1.38%	2.13%	18.33%	15.61%	66.72%	56.31%	9.01%	17.95%	27.06%	10.55%	48.28%
	12 Years	1.44%	2.58%	19.32%	15.96%	58.93%	53.21%	8.03%	20.48%	30.12%	9.95%	43.62%
	Greater Than 12 Years	0.60%	4.76%	9.55%	9.73%	55.22%	51.06%	6.06%	12.83%	45.30%	17.38%	27.91%

Table 7D. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q13-Q17B												
	Percent Response Yes	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
Total	Yes	42.50%	24.87%	12.42%	8.70%	3.35%	2.75%	2.40%	6.18%	5.05%	2.56%	0.87%
Age	Under 20 Years	21.02%	28.13%	10.69%	16.76%	11.48%	8.11%	2.22%	12.91%	0.00%	0.00%	0.00%
	20-24 Years	25.98%	28.88%	16.39%	11.52%	2.92%	5.13%	4.33%	7.99%	0.37%	0.15%	0.00%
	25-34 Years	50.12%	23.01%	11.13%	7.18%	2.86%	1.60%	1.78%	4.96%	5.22%	3.54%	0.92%
	Over 34 Years	53.40%	23.40%	12.21%	4.89%	0.66%	0.00%	1.89%	3.58%	13.73%	4.24%	2.39%
Ethnicity	White Non-Hispanic	48.87%	22.98%	12.12%	5.32%	2.63%	2.44%	2.95%	5.12%	6.26%	3.32%	0.95%
	Black Non-Hispanic	28.44%	26.91%	14.40%	14.30%	4.36%	3.24%	0.61%	8.71%	4.17%	1.53%	0.98%
	Hispanic	38.43%	30.36%	11.59%	12.60%	4.61%	3.88%	4.13%	6.20%	1.38%	0.95%	0.00%
Married	Married	61.86%	17.66%	10.81%	3.89%	1.40%	1.12%	1.73%	2.05%	9.51%	4.69%	1.42%
	Not Married	21.84%	32.56%	14.15%	13.82%	5.43%	4.49%	3.13%	10.59%	0.29%	0.29%	0.29%
Previous Live Birth	Yes	38.18%	30.45%	13.38%	7.50%	2.85%	2.54%	2.04%	5.58%	3.89%	1.72%	0.19%
	No	48.53%	17.07%	11.09%	10.37%	4.06%	3.05%	2.92%	7.01%	6.67%	3.74%	1.83%
Education	Less Than 12 Years	23.56%	29.40%	16.18%	13.03%	5.80%	6.14%	3.41%	9.41%	1.20%	0.49%	0.00%
	12 Years	31.27%	29.67%	14.19%	12.04%	3.95%	1.49%	2.62%	9.05%	1.16%	0.69%	0.10%
	Greater Than 12 Years	55.34%	20.98%	10.15%	5.18%	2.09%	1.93%	1.90%	3.58%	8.44%	4.29%	1.59%
	Lower 95% CI	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
Total	Yes	41.57%	24.05%	11.80%	8.16%	3.01%	2.44%	2.12%	5.72%	4.64%	2.27%	0.70%
Age	Under 20 Years	18.57%	25.43%	8.83%	14.51%	9.56%	6.46%	1.33%	10.90%	0.00%	0.00%	0.00%
	20-24 Years	24.22%	27.06%	14.91%	10.23%	2.24%	4.25%	3.51%	6.90%	0.12%	0.00%	0.00%
	25-34 Years	48.81%	21.91%	10.31%	6.51%	2.42%	1.27%	1.44%	4.39%	4.64%	3.06%	0.67%
	Over 34 Years	51.09%	21.44%	10.70%	3.89%	0.28%	0.00%	1.26%	2.72%	12.13%	3.31%	1.69%
Ethnicity	White Non-Hispanic	47.61%	21.91%	11.29%	4.75%	2.23%	2.04%	2.52%	4.56%	5.64%	2.87%	0.71%
	Black Non-Hispanic	26.76%	25.26%	13.09%	13.00%	3.59%	2.58%	0.32%	7.66%	3.42%	1.08%	0.61%
	Hispanic	36.06%	28.11%	10.02%	10.98%	3.58%	2.93%	3.16%	5.02%	0.81%	0.48%	0.00%
Married	Married	60.55%	16.63%	9.97%	3.37%	1.09%	0.83%	1.38%	1.66%	8.71%	4.12%	1.10%
	Not Married	20.72%	31.29%	13.20%	12.88%	4.82%	3.93%	2.65%	9.75%	0.15%	0.15%	0.15%
Previous Live Birth	Yes	36.77%	29.11%	12.38%	6.73%	2.36%	2.08%	1.62%	4.91%	3.33%	1.34%	0.06%
	No	47.08%	15.97%	10.18%	9.48%	3.48%	2.55%	2.43%	6.26%	5.94%	3.19%	1.44%
Education	Less Than 12 Years	21.86%	27.57%	14.71%	11.68%	4.86%	5.18%	2.69%	8.24%	0.77%	0.21%	0.00%
	12 Years	29.50%	27.92%	12.85%	10.79%	3.20%	1.02%	2.01%	7.95%	0.75%	0.37%	0.00%
	Greater Than 12 Years	54.05%	19.93%	9.37%	4.60%	1.72%	1.58%	1.55%	3.10%	7.72%	3.76%	1.27%
	Upper 95% CI	Q13	Q14	Q15A	Q15B	Q15C	Q15D	Q15E	Q15F	Q16	Q17A	Q17B
Total	Yes	43.43%	25.68%	13.05%	9.23%	3.69%	3.06%	2.69%	6.63%	5.46%	2.86%	1.05%
Age	Under 20 Years	23.47%	30.84%	12.55%	19.00%	13.40%	9.75%	3.11%	14.93%	0.00%	0.00%	0.00%
	20-24 Years	27.75%	30.70%	17.88%	12.80%	3.59%	6.02%	5.15%	9.09%	0.61%	0.30%	0.00%
	25-34 Years	51.43%	24.12%	11.96%	7.86%	3.29%	1.93%	2.13%	5.53%	5.80%	4.03%	1.18%
	Over 34 Years	55.71%	25.36%	13.73%	5.89%	1.03%	0.00%	2.52%	4.44%	15.32%	5.17%	3.10%
Ethnicity	White Non-Hispanic	50.14%	24.05%	12.95%	5.89%	3.04%	2.83%	3.38%	5.68%	6.87%	3.78%	1.20%
	Black Non-Hispanic	30.13%	28.56%	15.70%	15.61%	5.12%	3.90%	0.91%	9.76%	4.91%	1.99%	1.35%
	Hispanic	40.81%	32.61%	13.15%	14.22%	5.63%	4.82%	5.10%	7.38%	1.95%	1.42%	0.00%
Married	Married	63.18%	18.70%	11.65%	4.42%	1.72%	1.40%	2.08%	2.43%	10.30%	5.26%	1.74%
	Not Married	22.96%	33.83%	15.09%	14.75%	6.05%	5.06%	3.60%	11.42%	0.44%	0.44%	0.44%
Previous Live Birth	Yes	39.60%	31.80%	14.37%	8.26%	3.33%	3.00%	2.45%	6.25%	4.46%	2.10%	0.31%
	No	49.99%	18.16%	12.01%	11.26%	4.64%	3.55%	3.41%	7.75%	7.40%	4.30%	2.23%
Education	Less Than 12 Years	25.26%	31.22%	17.66%	14.38%	6.73%	7.10%	4.14%	10.58%	1.64%	0.77%	0.00%
	12 Years	33.05%	31.42%	15.53%	13.29%	4.70%	1.95%	3.23%	10.15%	1.57%	1.00%	0.22%
	Greater Than 12 Years	56.62%	22.03%	10.93%	5.75%	2.46%	2.29%	2.26%	4.06%	9.16%	4.81%	1.91%

Table 7E. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q17C-Q21I												
	Percent Response Yes	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
Total	Yes	2.18%	79.27%	7.83%	5.29%	2.41%	5.36%	4.12%	1.99%	4.63%	1.39%	7.87%
Age	Under 20 Years	0.00%	62.68%	10.04%	9.99%	5.42%	10.04%	7.98%	4.78%	9.71%	1.11%	17.36%
	20-24 Years	0.00%	75.48%	8.35%	7.49%	4.45%	3.97%	9.42%	4.02%	5.74%	3.35%	9.40%
	25-34 Years	1.35%	82.58%	6.99%	4.03%	1.53%	4.86%	1.88%	0.76%	3.57%	0.79%	5.66%
	Over 34 Years	8.97%	83.84%	8.46%	3.48%	0.66%	5.98%	1.80%	1.51%	3.48%	0.85%	7.12%
Ethnicity	White Non-Hispanic	2.75%	81.54%	7.11%	3.67%	1.52%	5.62%	2.71%	0.63%	3.18%	1.10%	8.11%
	Black Non-Hispanic	1.96%	76.35%	7.25%	4.93%	1.86%	4.53%	6.89%	3.13%	5.42%	0.19%	8.51%
	Hispanic	0.43%	76.23%	9.56%	12.74%	7.36%	7.32%	5.77%	5.68%	9.99%	4.30%	6.50%
Married	Married	3.95%	85.56%	7.25%	2.30%	0.98%	4.73%	1.90%	0.42%	1.64%	1.12%	4.32%
	Not Married	0.29%	72.57%	8.46%	8.48%	3.93%	6.03%	6.50%	3.67%	7.82%	1.68%	11.66%
Previous Live Birth	Yes	1.85%	78.83%	7.69%	5.75%	2.76%	4.71%	5.05%	2.09%	5.37%	2.06%	8.06%
	No	2.65%	79.89%	8.03%	4.65%	1.92%	6.26%	2.82%	1.85%	3.60%	0.46%	7.61%
Education	Less Than 12 Years	0.49%	70.24%	10.83%	10.26%	7.01%	7.44%	7.73%	4.90%	8.41%	4.09%	11.42%
	12 Years	0.27%	75.86%	7.14%	6.89%	2.29%	5.07%	5.66%	2.73%	6.40%	0.98%	9.62%
	Greater Than 12 Years	3.76%	84.70%	6.95%	2.54%	0.57%	4.66%	1.96%	0.47%	2.29%	0.47%	5.39%
	Lower 95% CI	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
Total	Yes	1.91%	78.51%	7.33%	4.87%	2.12%	4.94%	3.75%	1.73%	4.24%	1.17%	7.36%
Age	Under 20 Years	0.00%	59.77%	8.23%	8.19%	4.06%	8.23%	6.35%	3.49%	7.93%	0.48%	15.08%
	20-24 Years	0.00%	73.75%	7.24%	6.43%	3.62%	3.18%	8.25%	3.23%	4.81%	2.63%	8.23%
	25-34 Years	1.05%	81.58%	6.32%	3.52%	1.21%	4.30%	1.52%	0.53%	3.08%	0.56%	5.05%
	Over 34 Years	7.65%	82.13%	7.17%	2.63%	0.28%	4.88%	1.19%	0.95%	2.63%	0.43%	5.93%
Ethnicity	White Non-Hispanic	2.34%	80.56%	6.45%	3.20%	1.21%	5.04%	2.30%	0.43%	2.73%	0.84%	7.42%
	Black Non-Hispanic	1.44%	74.77%	6.29%	4.12%	1.36%	3.76%	5.95%	2.48%	4.58%	0.03%	7.47%
	Hispanic	0.11%	74.16%	8.12%	11.12%	6.09%	6.05%	4.63%	4.55%	8.53%	3.31%	5.30%
Married	Married	3.43%	84.61%	6.55%	1.89%	0.72%	4.16%	1.53%	0.25%	1.30%	0.84%	3.77%
	Not Married	0.15%	71.36%	7.70%	7.72%	3.41%	5.38%	5.83%	3.16%	7.10%	1.33%	10.79%
Previous Live Birth	Yes	1.46%	77.64%	6.91%	5.07%	2.29%	4.09%	4.41%	1.67%	4.71%	1.65%	7.26%
	No	2.18%	78.72%	7.24%	4.03%	1.52%	5.56%	2.34%	1.46%	3.06%	0.26%	6.84%
Education	Less Than 12 Years	0.21%	68.41%	9.59%	9.04%	5.98%	6.39%	6.66%	4.03%	7.30%	3.30%	10.15%
	12 Years	0.07%	74.22%	6.15%	5.91%	1.72%	4.23%	4.77%	2.10%	5.46%	0.60%	8.49%
	Greater Than 12 Years	3.27%	83.77%	6.29%	2.13%	0.38%	4.12%	1.60%	0.29%	1.91%	0.29%	4.81%
	Upper 95% CI	Q17C	Q20	Q21A	Q21B	Q21C	Q21D	Q21E	Q21F	Q21G	Q21H	Q21I
Total	Yes	2.46%	80.04%	8.34%	5.71%	2.70%	5.78%	4.50%	2.26%	5.03%	1.62%	8.38%
Age	Under 20 Years	0.00%	65.59%	11.84%	11.79%	6.79%	11.84%	9.61%	6.06%	11.49%	1.74%	19.64%
	20-24 Years	0.00%	77.21%	9.46%	8.55%	5.28%	4.75%	10.60%	4.81%	6.68%	4.08%	10.57%
	25-34 Years	1.65%	83.57%	7.66%	4.55%	1.85%	5.43%	2.24%	0.99%	4.05%	1.02%	6.26%
	Over 34 Years	10.29%	85.54%	9.75%	4.33%	1.03%	7.08%	2.42%	2.07%	4.33%	1.28%	8.31%
Ethnicity	White Non-Hispanic	3.17%	82.52%	7.76%	4.15%	1.83%	6.21%	3.13%	0.83%	3.62%	1.37%	8.80%
	Black Non-Hispanic	2.47%	77.93%	8.22%	5.74%	2.36%	5.31%	7.83%	3.77%	6.26%	0.35%	9.55%
	Hispanic	0.76%	78.31%	10.99%	14.37%	8.64%	8.59%	6.91%	6.81%	11.46%	5.30%	7.70%
Married	Married	4.48%	86.51%	7.95%	2.70%	1.25%	5.31%	2.27%	0.60%	1.99%	1.41%	4.87%
	Not Married	0.44%	73.78%	9.21%	9.23%	4.46%	6.67%	7.16%	4.18%	8.55%	2.03%	12.53%
Previous Live Birth	Yes	2.24%	80.03%	8.47%	6.42%	3.24%	5.33%	5.69%	2.51%	6.03%	2.48%	8.85%
	No	3.12%	81.06%	8.82%	5.26%	2.32%	6.97%	3.31%	2.25%	4.14%	0.66%	8.38%
Education	Less Than 12 Years	0.77%	72.07%	12.08%	11.47%	8.03%	8.49%	8.80%	5.76%	9.52%	4.89%	12.70%
	12 Years	0.47%	77.50%	8.13%	7.86%	2.86%	5.91%	6.55%	3.35%	7.34%	1.36%	10.75%
	Greater Than 12 Years	4.25%	85.63%	7.61%	2.32%	0.64%	2.68%	0.64%	5.97%	2.51%	0.29%	75.11%

Table 7F. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q21J-Q23B												
	Percent Response Yes	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
Total	Yes	4.47%	0.82%	48.54%	2.02%	40.89%	3.39%	0.69%	1.41%	2.55%	69.93%	82.25%
Age	Under 20 Years	15.00%	1.11%	22.14%	5.76%	67.38%	1.11%	0.00%	1.11%	5.60%	89.63%	91.85%
	20-24 Years	5.92%	1.29%	22.58%	0.44%	64.54%	6.67%	0.87%	1.72%	3.29%	77.84%	87.05%
	25-34 Years	2.37%	0.40%	57.38%	2.03%	31.84%	3.10%	0.91%	1.52%	2.47%	65.20%	79.57%
	Over 34 Years	2.82%	1.31%	71.06%	1.89%	22.01%	1.31%	0.20%	0.85%	0.00%	62.52%	78.56%
Ethnicity	White Non-Hispanic	2.29%	0.20%	63.31%	2.07%	32.17%	4.04%	0.37%	0.54%	1.96%	66.01%	79.69%
	Black Non-Hispanic	8.55%	1.11%	36.29%	1.91%	60.23%	1.47%	0.00%	1.53%	2.04%	75.48%	86.91%
	Hispanic	5.86%	2.20%	14.06%	1.68%	45.59%	3.79%	2.63%	4.83%	4.39%	80.59%	89.79%
Married	Married	0.95%	0.40%	73.48%	2.43%	17.00%	5.48%	0.67%	0.67%	0.76%	58.76%	76.10%
	Not Married	8.22%	1.26%	21.92%	1.59%	66.38%	1.17%	0.72%	2.20%	3.30%	81.85%	88.82%
Previous Live Birth	Yes	5.50%	1.23%	44.17%	1.45%	43.41%	3.37%	0.86%	1.66%	1.44%	66.62%	79.46%
	No	3.02%	0.23%	54.64%	2.83%	37.36%	3.42%	0.46%	1.06%	3.98%	74.57%	86.16%
Education	Less Than 12 Years	9.96%	3.25%	8.43%	1.69%	62.83%	1.14%	1.77%	3.74%	3.59%	81.18%	84.32%
	12 Years	4.04%	0.00%	29.34%	2.68%	63.89%	1.94%	0.40%	1.84%	2.34%	80.71%	88.79%
	Greater Than 12 Years	2.14%	0.18%	73.98%	1.88%	21.38%	5.00%	0.38%	0.26%	2.22%	60.39%	78.34%
	Lower 95% CI	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
Total	Yes	4.08%	0.65%	47.60%	1.76%	39.96%	3.05%	0.54%	1.19%	2.25%	69.07%	81.53%
Age	Under 20 Years	12.85%	0.48%	19.64%	4.36%	64.56%	0.48%	0.00%	0.48%	4.21%	87.80%	90.20%
	20-24 Years	4.97%	0.84%	20.90%	0.17%	62.62%	5.67%	0.50%	1.20%	2.58%	76.17%	85.70%
	25-34 Years	1.97%	0.23%	56.08%	1.66%	30.62%	2.64%	0.66%	1.19%	2.06%	63.95%	78.52%
	Over 34 Years	2.06%	0.79%	68.96%	1.26%	20.09%	0.79%	0.00%	0.43%	0.00%	60.28%	76.66%
Ethnicity	White Non-Hispanic	1.91%	0.08%	62.08%	1.71%	30.98%	3.55%	0.22%	0.36%	1.61%	64.81%	78.67%
	Black Non-Hispanic	7.51%	0.72%	34.50%	1.40%	58.41%	1.02%	0.00%	1.07%	1.51%	73.88%	85.66%
	Hispanic	4.71%	1.48%	12.36%	1.05%	43.15%	2.86%	1.85%	3.78%	3.39%	78.66%	88.31%
Married	Married	0.68%	0.23%	72.29%	2.01%	15.98%	4.86%	0.45%	0.45%	0.59%	57.43%	74.95%
	Not Married	7.48%	0.96%	20.80%	1.25%	65.10%	0.88%	0.49%	1.80%	2.97%	80.80%	87.96%
Previous Live Birth	Yes	4.84%	0.91%	42.72%	1.10%	41.97%	2.85%	0.59%	1.29%	1.21%	65.24%	78.28%
	No	2.52%	0.09%	53.19%	2.35%	35.95%	2.89%	0.26%	0.76%	3.62%	73.30%	85.15%
Education	Less Than 12 Years	8.76%	2.54%	7.32%	1.18%	60.90%	0.72%	1.24%	2.98%	2.84%	79.62%	82.86%
	12 Years	3.29%	0.00%	27.59%	2.06%	62.05%	1.41%	0.16%	1.32%	1.76%	79.19%	87.58%
	Greater Than 12 Years	1.77%	0.07%	72.84%	1.53%	20.33%	4.44%	0.22%	0.13%	1.84%	59.13%	77.27%
	Upper 95% CI	Q21J	Q21K	Q22A	Q22B	Q22C	Q22D	Q22E	Q22F	Q22G	Q23A	Q23B
Total	Yes	4.86%	0.99%	49.48%	2.29%	41.82%	3.73%	0.85%	1.63%	2.84%	70.80%	82.97%
Age	Under 20 Years	17.14%	1.74%	24.63%	7.16%	70.20%	1.74%	0.00%	1.74%	6.98%	91.47%	93.49%
	20-24 Years	6.87%	1.74%	24.26%	0.70%	66.46%	7.68%	1.25%	2.25%	4.01%	79.51%	88.40%
	25-34 Years	2.77%	0.56%	58.68%	2.40%	33.07%	3.55%	1.16%	1.84%	2.87%	66.45%	80.63%
	Over 34 Years	3.59%	1.84%	73.16%	2.52%	23.93%	1.84%	0.40%	1.28%	0.00%	64.76%	80.46%
Ethnicity	White Non-Hispanic	2.66%	0.31%	64.53%	2.43%	33.35%	4.54%	0.52%	0.73%	2.31%	67.21%	80.71%
	Black Non-Hispanic	9.59%	1.50%	38.08%	2.42%	62.06%	1.91%	0.00%	1.99%	2.56%	77.09%	88.17%
	Hispanic	7.00%	2.91%	15.76%	2.31%	48.02%	4.72%	3.41%	5.87%	5.39%	82.52%	91.27%
Married	Married	1.21%	0.57%	74.68%	2.85%	18.02%	6.10%	0.89%	0.89%	0.92%	60.10%	77.26%
	Not Married	8.97%	1.56%	23.05%	1.93%	67.66%	1.46%	0.94%	2.60%	3.64%	82.89%	89.67%
Previous Live Birth	Yes	6.17%	1.56%	45.62%	1.80%	44.86%	3.90%	1.13%	2.04%	1.66%	67.99%	80.64%
	No	3.51%	0.37%	56.09%	3.32%	38.77%	3.95%	0.66%	1.36%	4.35%	75.84%	87.17%
Education	Less Than 12 Years	11.16%	3.96%	9.54%	2.21%	64.77%	1.57%	2.30%	4.49%	4.33%	82.75%	85.78%
	12 Years	4.80%	0.00%	31.09%	3.30%	65.73%	2.47%	0.64%	2.35%	2.93%	82.22%	90.00%
	Greater Than 12 Years	2.51%	0.29%	75.11%	2.23%	22.44%	5.57%	0.54%	0.40%	2.60%	61.65%	79.40%

Table 7G. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q23C-Q24												
	Percent Response Yes	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
Total	Yes	70.24%	50.28%	88.05%	63.01%	88.85%	78.70%	80.44%	74.86%	66.66%	46.00%	72.29%
Age	Under 20 Years	82.64%	59.52%	92.68%	84.86%	89.87%	81.31%	81.03%	84.79%	77.25%	56.60%	72.80%
	20-24 Years	75.22%	55.24%	87.46%	71.00%	86.03%	76.73%	78.26%	79.24%	70.81%	55.57%	76.78%
	25-34 Years	67.25%	47.98%	87.41%	59.15%	88.65%	78.74%	81.67%	74.20%	65.30%	42.25%	72.23%
	Over 34 Years	65.61%	45.38%	88.10%	51.46%	92.61%	79.65%	79.15%	65.20%	59.13%	38.68%	66.21%
Ethnicity	White Non-Hispanic	67.39%	44.16%	89.04%	55.97%	90.78%	78.92%	80.35%	69.51%	66.15%	40.50%	66.44%
	Black Non-Hispanic	74.02%	52.66%	87.31%	74.15%	85.31%	80.42%	82.97%	82.89%	71.62%	53.31%	83.50%
	Hispanic	80.68%	71.62%	86.79%	75.80%	89.15%	80.51%	81.67%	82.60%	67.63%	57.73%	75.76%
Married	Married	62.55%	44.39%	87.38%	50.98%	89.99%	78.36%	79.39%	66.66%	63.41%	39.84%	65.29%
	Not Married	78.44%	56.56%	88.78%	75.83%	87.64%	79.06%	81.56%	83.60%	70.14%	52.57%	79.76%
Previous Live Birth	Yes	67.08%	50.24%	87.17%	60.28%	88.30%	78.32%	82.01%	74.41%	63.84%	44.30%	73.80%
	No	74.66%	50.33%	89.29%	66.82%	89.63%	79.23%	78.23%	75.48%	70.61%	48.36%	70.19%
Education	Less Than 12 Years	77.22%	61.23%	86.09%	76.87%	84.79%	79.65%	80.81%	78.43%	70.50%	55.38%	70.31%
	12 Years	78.74%	56.19%	90.85%	74.17%	89.40%	80.33%	82.82%	82.25%	75.18%	56.55%	80.16%
	Greater Than 12 Years	63.50%	42.93%	87.53%	52.16%	90.48%	77.70%	79.26%	70.05%	61.20%	37.44%	69.39%
	Lower 95% CI	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
Total	Yes	69.38%	49.34%	87.44%	62.10%	88.26%	77.93%	79.69%	74.04%	65.78%	45.06%	71.45%
Age	Under 20 Years	80.36%	56.56%	91.11%	82.70%	88.05%	78.96%	78.67%	82.63%	74.73%	53.62%	70.13%
	20-24 Years	73.49%	53.24%	86.13%	69.17%	84.63%	75.03%	76.60%	77.61%	68.99%	53.57%	75.09%
	25-34 Years	66.02%	46.67%	86.54%	57.86%	87.82%	77.66%	80.65%	73.05%	64.05%	40.96%	71.06%
	Over 34 Years	63.41%	43.08%	86.60%	49.15%	91.40%	77.78%	77.27%	63.00%	56.86%	36.43%	64.02%
Ethnicity	White Non-Hispanic	66.20%	42.90%	88.25%	54.71%	90.05%	77.88%	79.34%	68.34%	64.96%	39.26%	65.25%
	Black Non-Hispanic	72.39%	50.80%	86.07%	72.52%	83.99%	78.94%	81.57%	81.49%	69.94%	51.45%	82.12%
	Hispanic	78.75%	69.41%	85.14%	73.71%	87.63%	78.57%	79.78%	80.75%	65.35%	55.32%	73.67%
Married	Married	61.24%	43.04%	86.48%	49.63%	89.18%	77.24%	78.29%	65.39%	62.11%	38.51%	64.00%
	Not Married	77.32%	55.22%	87.92%	74.67%	86.75%	77.96%	80.51%	82.59%	68.90%	51.22%	78.67%
Previous Live Birth	Yes	65.70%	48.78%	86.19%	58.85%	87.36%	77.12%	80.89%	73.13%	62.44%	42.85%	72.52%
	No	73.39%	48.87%	88.39%	65.44%	88.74%	78.04%	77.03%	74.23%	69.29%	46.90%	68.85%
Education	Less Than 12 Years	75.54%	59.28%	84.71%	75.18%	83.35%	78.04%	79.23%	76.78%	68.67%	53.39%	68.48%
	12 Years	77.17%	54.29%	89.74%	72.49%	88.22%	78.81%	81.37%	80.79%	73.52%	54.65%	78.63%
	Greater Than 12 Years	62.26%	41.65%	86.68%	50.87%	89.73%	76.63%	78.22%	68.87%	59.94%	36.20%	68.20%
	Upper 95% CI	Q23C	Q23D	Q23E	Q23F	Q23G	Q23H	Q23I	Q23J	Q23K	Q23L	Q24
Total	Yes	71.10%	51.22%	88.66%	63.92%	89.44%	79.47%	81.18%	75.67%	67.55%	46.94%	73.13%
Age	Under 20 Years	84.92%	62.47%	94.24%	87.01%	91.68%	83.65%	83.39%	86.95%	79.77%	59.58%	75.48%
	20-24 Years	76.96%	57.24%	88.80%	72.82%	87.42%	78.43%	79.91%	80.87%	72.64%	57.57%	78.48%
	25-34 Years	68.48%	49.29%	88.28%	60.44%	89.48%	79.81%	82.68%	75.35%	66.55%	43.55%	73.41%
	Over 34 Years	67.81%	47.69%	89.59%	53.77%	93.83%	81.51%	81.03%	67.41%	61.41%	40.94%	68.40%
Ethnicity	White Non-Hispanic	68.58%	45.42%	89.83%	57.23%	91.52%	79.95%	81.36%	70.67%	67.35%	41.75%	67.64%
	Black Non-Hispanic	75.65%	54.52%	88.55%	75.78%	86.63%	81.89%	84.37%	84.30%	73.30%	55.17%	84.89%
	Hispanic	82.61%	73.82%	88.45%	77.89%	90.67%	82.44%	83.56%	84.46%	69.92%	60.14%	77.85%
Married	Married	63.87%	45.74%	88.28%	52.34%	90.80%	79.47%	80.48%	67.94%	64.72%	41.16%	66.58%
	Not Married	79.55%	57.90%	89.63%	76.99%	88.53%	80.17%	82.61%	84.60%	71.38%	53.92%	80.85%
Previous Live Birth	Yes	68.45%	51.70%	88.14%	61.70%	89.24%	79.52%	83.13%	75.68%	65.24%	45.75%	75.08%
	No	75.93%	51.79%	90.19%	68.19%	90.52%	80.41%	79.44%	76.74%	71.94%	49.82%	71.52%
Education	Less Than 12 Years	78.90%	63.18%	87.48%	78.56%	86.23%	81.26%	82.39%	80.08%	72.32%	57.37%	72.14%
	12 Years	80.31%	58.09%	91.96%	75.85%	90.58%	81.86%	84.26%	83.72%	76.84%	58.45%	81.69%
	Greater Than 12 Years	64.74%	44.21%	88.38%	53.44%	91.24%	78.77%	80.31%	71.24%	62.46%	38.69%	70.58%

Table 7H. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q25-Q27I												
	Percent Response Yes	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
Total	Yes	47.06%	7.92%	19.12%	17.29%	30.17%	0.87%	14.05%	9.66%	19.89%	6.31%	1.46%
Age	Under 20 Years	83.22%	5.55%	15.59%	25.75%	38.72%	2.22%	11.82%	9.58%	25.83%	6.04%	1.45%
	20-24 Years	75.46%	3.25%	17.98%	18.20%	33.03%	1.08%	13.91%	10.83%	25.38%	10.26%	2.52%
	25-34 Years	36.40%	7.65%	18.74%	17.37%	30.80%	0.64%	12.73%	10.50%	18.12%	4.47%	0.99%
	Over 34 Years	21.21%	16.35%	23.88%	10.86%	19.32%	0.49%	19.64%	5.52%	14.59%	7.01%	1.51%
Ethnicity	White Non-Hispanic	30.56%	7.42%	19.98%	14.71%	27.55%	0.45%	14.80%	10.90%	17.88%	4.92%	1.12%
	Black Non-Hispanic	66.83%	4.54%	17.27%	20.07%	34.11%	1.48%	18.15%	8.35%	26.56%	8.03%	2.15%
	Hispanic	81.32%	13.56%	17.48%	21.74%	31.85%	1.38%	6.49%	8.01%	17.66%	8.09%	1.29%
Married	Married	22.63%	8.60%	18.16%	12.86%	24.03%	0.34%	12.53%	10.95%	15.19%	5.67%	1.10%
	Not Married	73.13%	7.19%	20.13%	22.02%	36.71%	1.43%	15.66%	8.27%	24.90%	7.00%	1.83%
Previous Live Birth	Yes	48.75%	8.53%	20.66%	18.92%	30.85%	0.81%	13.37%	8.55%	23.30%	6.85%	0.86%
	No	44.70%	7.07%	16.95%	15.03%	29.21%	0.95%	14.99%	11.19%	15.12%	5.56%	2.29%
Education	Less Than 12 Years	79.04%	11.08%	19.22%	26.92%	40.31%	1.85%	13.36%	9.82%	24.79%	6.54%	1.57%
	12 Years	70.85%	5.04%	16.30%	17.44%	36.82%	1.04%	15.84%	11.49%	26.28%	9.06%	2.03%
	Greater Than 12 Years	22.90%	7.95%	20.02%	13.34%	22.78%	0.39%	13.34%	8.82%	14.82%	5.02%	1.16%
	Lower 95% CI	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
Total	Yes	46.12%	7.41%	18.37%	16.58%	29.30%	0.69%	13.39%	9.10%	19.13%	5.86%	1.23%
Age	Under 20 Years	80.97%	4.17%	13.41%	23.12%	35.79%	1.33%	9.88%	7.81%	23.20%	4.60%	0.73%
	20-24 Years	73.73%	2.54%	16.43%	16.65%	31.14%	0.66%	12.52%	9.58%	23.63%	9.04%	1.89%
	25-34 Years	35.14%	6.95%	17.72%	16.37%	29.59%	0.43%	11.86%	9.70%	17.11%	3.93%	0.73%
	Over 34 Years	19.32%	14.63%	21.90%	9.42%	17.50%	0.16%	17.80%	4.46%	12.95%	5.82%	0.95%
Ethnicity	White Non-Hispanic	29.39%	6.76%	18.97%	13.81%	26.42%	0.28%	13.90%	10.11%	16.91%	4.37%	0.85%
	Black Non-Hispanic	65.07%	3.77%	15.86%	18.58%	32.34%	1.03%	16.71%	7.32%	24.92%	7.02%	1.61%
	Hispanic	79.42%	11.89%	15.63%	19.72%	29.57%	0.81%	5.29%	6.68%	15.79%	6.76%	0.74%
Married	Married	21.50%	7.84%	17.12%	11.95%	22.87%	0.18%	11.64%	10.11%	14.22%	5.05%	0.82%
	Not Married	71.92%	6.49%	19.05%	20.90%	35.41%	1.11%	14.67%	7.53%	23.73%	6.31%	1.47%
Previous Live Birth	Yes	47.29%	7.71%	19.48%	17.77%	29.50%	0.55%	12.38%	7.74%	22.07%	6.11%	0.59%
	No	43.25%	6.32%	15.86%	13.98%	27.89%	0.66%	13.95%	10.27%	14.07%	4.90%	1.85%
Education	Less Than 12 Years	77.41%	9.83%	17.65%	25.14%	38.35%	1.31%	12.00%	8.63%	23.06%	5.55%	1.07%
	12 Years	69.11%	4.20%	14.88%	15.98%	34.97%	0.65%	14.44%	10.27%	24.59%	7.95%	1.49%
	Greater Than 12 Years	21.81%	7.25%	18.98%	12.47%	21.70%	0.23%	12.46%	8.09%	13.91%	4.46%	0.88%
	Upper 95% CI	Q25	Q26	Q27A	Q27B	Q27C	Q27D	Q27E	Q27F	Q27G	Q27H	Q27I
Total	Yes	48.00%	8.43%	19.86%	18.01%	31.03%	1.04%	14.70%	10.21%	20.64%	6.77%	1.68%
Age	Under 20 Years	85.47%	6.93%	17.77%	28.38%	41.65%	3.11%	13.76%	11.35%	28.47%	7.47%	2.16%
	20-24 Years	77.19%	3.96%	19.52%	19.75%	34.92%	1.49%	15.30%	12.08%	27.13%	11.48%	3.15%
	25-34 Years	37.66%	8.35%	19.77%	18.36%	32.01%	0.85%	13.61%	11.31%	19.13%	5.01%	1.25%
	Over 34 Years	23.10%	18.06%	25.85%	12.30%	21.15%	0.81%	21.48%	6.57%	16.22%	8.19%	2.07%
Ethnicity	White Non-Hispanic	31.73%	8.08%	20.99%	15.61%	28.69%	0.62%	15.70%	11.69%	18.85%	5.47%	1.38%
	Black Non-Hispanic	68.58%	5.32%	18.68%	21.56%	35.88%	1.93%	19.58%	9.38%	28.21%	9.04%	2.69%
	Hispanic	83.22%	15.24%	19.34%	23.75%	34.13%	1.95%	7.69%	9.33%	19.52%	9.42%	1.84%
Married	Married	23.77%	9.36%	19.21%	13.77%	25.19%	0.49%	13.43%	11.80%	16.16%	6.30%	1.39%
	Not Married	74.33%	7.89%	21.22%	23.15%	38.02%	1.76%	16.64%	9.02%	26.07%	7.69%	2.19%
Previous Live Birth	Yes	50.21%	9.34%	21.85%	20.06%	32.20%	1.07%	14.36%	9.37%	24.53%	7.59%	1.13%
	No	46.15%	7.82%	18.05%	16.07%	30.54%	1.23%	16.03%	12.11%	16.16%	6.23%	2.72%
Education	Less Than 12 Years	80.67%	12.34%	20.80%	28.69%	42.27%	2.39%	14.72%	11.01%	26.52%	7.53%	2.06%
	12 Years	72.60%	5.88%	17.72%	18.89%	38.67%	1.43%	17.24%	12.72%	27.97%	10.16%	2.58%
	Greater Than 12 Years	23.98%	8.65%	21.05%	14.22%	23.87%	0.55%	14.22%	9.55%	15.74%	5.59%	1.43%

Table 7I. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q27J-Q37A

	Percent Response Yes	Q27J	Q28	Q30	Q31	Q32	Q33	Q34	Q35	Q36A	Q36B	Q37A
Total	Yes	1.88%	15.23%	31.27%	11.30%	3.14%	7.78%	8.59%	68.65%	9.70%	24.86%	0.22%
Age	Under 20 Years	2.71%	14.81%	39.12%	13.98%	1.11%	5.88%	10.28%	45.98%	5.55%	16.20%	0.00%
	20-24 Years	2.57%	18.98%	41.37%	19.43%	2.39%	12.73%	13.68%	66.95%	13.37%	29.80%	0.00%
	25-34 Years	1.33%	13.38%	28.82%	8.83%	3.82%	7.20%	7.43%	71.94%	8.78%	26.91%	0.43%
	Over 34 Years	2.17%	16.26%	20.86%	6.64%	3.21%	4.16%	4.44%	74.06%	10.17%	17.04%	0.00%
Ethnicity	White Non-Hispanic	1.02%	11.49%	38.68%	16.15%	4.63%	9.87%	7.49%	83.08%	11.98%	29.41%	0.41%
	Black Non-Hispanic	3.85%	21.14%	28.96%	7.38%	1.72%	8.53%	13.90%	63.23%	10.69%	22.94%	0.00%
	Hispanic	2.20%	19.66%	14.09%	2.41%	0.95%	0.73%	5.25%	33.31%	1.68%	14.71%	0.00%
Married	Married	0.21%	11.07%	19.50%	5.86%	2.27%	3.76%	3.49%	72.50%	8.05%	21.50%	0.43%
	Not Married	3.65%	19.67%	43.83%	17.11%	4.06%	12.07%	14.03%	64.54%	11.47%	28.44%	0.00%
Previous Live Birth	Yes	2.38%	15.88%	31.29%	11.37%	4.21%	8.94%	8.30%	66.77%	8.09%	22.13%	0.06%
	No	1.17%	14.32%	31.25%	11.20%	1.64%	6.16%	9.00%	71.27%	11.95%	28.67%	0.46%
Education	Less Than 12 Years	2.95%	19.73%	40.92%	18.96%	6.51%	16.10%	15.94%	44.49%	7.64%	20.42%	0.00%
	12 Years	2.46%	17.08%	45.76%	16.39%	3.06%	9.61%	13.03%	70.95%	10.56%	24.14%	0.13%
	Greater Than 12 Years	1.18%	12.35%	20.92%	5.90%	1.80%	3.55%	3.59%	77.88%	10.24%	27.18%	0.36%
	Lower 95% CI	Q27J	Q28	Q30	Q31	Q32	Q33	Q34	Q35	Q36A	Q36B	Q37A
Total	Yes	1.62%	14.55%	30.40%	10.71%	2.81%	7.28%	8.06%	67.77%	9.15%	24.04%	0.14%
Age	Under 20 Years	1.74%	12.67%	36.18%	11.90%	0.48%	4.46%	8.45%	42.98%	4.17%	13.99%	0.00%
	20-24 Years	1.93%	17.40%	39.39%	17.84%	1.77%	11.39%	12.30%	65.06%	12.00%	27.96%	0.00%
	25-34 Years	1.03%	12.49%	27.64%	8.08%	3.32%	6.52%	6.74%	70.77%	8.04%	25.75%	0.26%
	Over 34 Years	1.50%	14.55%	18.98%	5.48%	2.40%	3.24%	3.49%	72.03%	8.77%	15.30%	0.00%
Ethnicity	White Non-Hispanic	0.77%	10.68%	37.44%	15.21%	4.09%	9.12%	6.82%	82.13%	11.15%	28.25%	0.24%
	Black Non-Hispanic	3.13%	19.62%	27.27%	6.40%	1.24%	7.49%	12.61%	61.43%	9.54%	21.37%	0.00%
	Hispanic	1.48%	17.72%	12.39%	1.66%	0.48%	0.32%	4.16%	31.01%	1.05%	12.98%	0.00%
Married	Married	0.09%	10.22%	18.43%	5.22%	1.87%	3.25%	2.99%	71.29%	7.31%	20.39%	0.26%
	Not Married	3.15%	18.59%	42.48%	16.09%	3.53%	11.19%	13.09%	63.25%	10.61%	27.22%	0.00%
Previous Live Birth	Yes	1.94%	14.81%	29.93%	10.45%	3.63%	8.11%	7.49%	65.40%	7.30%	20.92%	0.00%
	No	0.86%	13.30%	29.89%	10.28%	1.27%	5.46%	8.16%	69.95%	11.01%	27.35%	0.26%
Education	Less Than 12 Years	2.27%	18.14%	38.95%	17.39%	5.52%	14.63%	14.47%	42.50%	6.58%	18.80%	0.00%
	12 Years	1.87%	15.64%	43.85%	14.97%	2.40%	8.48%	11.74%	69.20%	9.38%	22.50%	0.00%
	Greater Than 12 Years	0.90%	11.51%	19.87%	5.29%	1.46%	3.07%	3.11%	76.81%	9.45%	26.03%	0.20%
	Upper 95% CI	Q27J	Q28	Q30	Q31	Q32	Q33	Q34	Q35	Q36A	Q36B	Q37A
Total	Yes	2.13%	15.91%	32.14%	11.90%	3.47%	8.29%	9.12%	69.52%	10.26%	25.67%	0.31%
Age	Under 20 Years	3.69%	16.94%	42.05%	16.07%	1.74%	7.29%	12.11%	48.98%	6.93%	18.42%	0.00%
	20-24 Years	3.20%	20.55%	43.35%	21.03%	3.00%	14.07%	15.06%	68.85%	14.74%	31.64%	0.00%
	25-34 Years	1.63%	14.27%	30.01%	9.57%	4.32%	7.88%	8.12%	73.12%	9.53%	28.07%	0.61%
	Over 34 Years	2.85%	17.97%	22.74%	7.79%	4.03%	5.09%	5.40%	76.09%	11.57%	18.79%	0.00%
Ethnicity	White Non-Hispanic	1.28%	12.29%	39.91%	17.08%	5.16%	10.63%	8.16%	84.03%	12.80%	30.56%	0.57%
	Black Non-Hispanic	4.57%	22.66%	30.65%	8.35%	2.21%	9.57%	15.18%	65.03%	11.84%	24.50%	0.00%
	Hispanic	2.91%	21.60%	15.79%	3.16%	1.42%	1.15%	6.34%	35.62%	2.31%	16.44%	0.00%
Married	Married	0.34%	11.92%	20.58%	6.49%	2.68%	4.28%	3.99%	73.71%	8.79%	22.61%	0.61%
	Not Married	4.16%	20.75%	45.17%	18.13%	4.60%	12.96%	14.97%	65.84%	12.33%	29.67%	0.00%
Previous Live Birth	Yes	2.83%	16.94%	32.64%	12.30%	4.80%	9.78%	9.10%	68.15%	8.89%	23.35%	0.12%
	No	1.48%	15.34%	32.60%	12.12%	2.01%	6.86%	9.83%	72.59%	12.90%	29.99%	0.66%
Education	Less Than 12 Years	3.63%	21.32%	42.89%	20.52%	7.49%	17.57%	17.41%	46.48%	8.71%	22.03%	0.00%
	12 Years	3.05%	18.52%	47.67%	17.81%	3.72%	10.74%	14.32%	72.69%	11.73%	25.78%	0.27%
	Greater Than 12 Years	1.46%	13.20%	21.97%	6.51%	2.14%	4.03%	4.07%	78.95%	11.02%	28.33%	0.51%

Table 7J. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q37B-Q38J												
	Percent Response Yes	Q37B	Q38A	Q38B	Q38C	Q38D	Q38E	Q38F	Q38G	Q38H	Q38I	Q38J
Total	Yes	1.45%	26.48%	10.62%	32.95%	5.41%	18.27%	14.82%	30.55%	8.93%	27.34%	5.50%
Age	Under 20 Years	1.11%	31.88%	13.71%	38.94%	6.04%	22.13%	12.13%	47.70%	12.88%	14.65%	11.20%
	20-24 Years	0.44%	27.39%	14.75%	49.20%	8.38%	24.22%	26.64%	38.62%	10.59%	33.33%	9.33%
	25-34 Years	1.74%	27.48%	9.65%	28.35%	5.19%	16.96%	12.12%	28.13%	8.13%	28.69%	4.06%
	Over 34 Years	2.09%	18.95%	6.37%	22.15%	1.80%	12.15%	9.13%	17.24%	6.86%	22.70%	1.51%
Ethnicity	White Non-Hispanic	1.09%	29.18%	7.41%	28.81%	1.67%	14.06%	10.13%	26.13%	7.61%	23.48%	3.67%
	Black Non-Hispanic	1.96%	30.05%	16.37%	32.96%	8.17%	20.11%	19.70%	42.75%	13.06%	36.89%	9.02%
	Hispanic	1.38%	13.46%	14.03%	45.24%	14.72%	33.67%	23.80%	30.73%	6.93%	28.97%	6.32%
Married	Married	1.44%	25.18%	3.77%	26.27%	1.46%	13.14%	6.54%	21.64%	4.05%	17.99%	1.94%
	Not Married	1.46%	27.86%	17.94%	40.07%	9.63%	23.74%	23.65%	40.06%	14.13%	37.31%	9.29%
Previous Live Birth	Yes	0.86%	27.41%	10.29%	32.59%	6.55%	19.94%	15.58%	30.38%	8.05%	33.99%	5.07%
	No	2.27%	25.18%	11.09%	33.45%	3.82%	15.93%	13.76%	30.79%	10.15%	18.04%	6.09%
Education	Less Than 12 Years	1.13%	22.76%	15.94%	41.76%	13.87%	25.92%	23.47%	34.82%	11.75%	33.09%	7.02%
	12 Years	1.89%	30.22%	13.18%	41.43%	5.99%	20.68%	18.76%	36.26%	10.19%	32.12%	9.00%
	Greater Than 12 Years	1.39%	26.31%	7.15%	25.48%	1.67%	14.11%	9.54%	25.95%	7.24%	22.96%	3.32%
	Lower 95% CI	Q37B	Q38A	Q38B	Q38C	Q38D	Q38E	Q38F	Q38G	Q38H	Q38I	Q38J
Total	Yes	1.22%	25.64%	10.04%	32.06%	4.98%	17.54%	14.15%	29.68%	8.39%	26.50%	5.07%
Age	Under 20 Years	0.48%	29.07%	11.64%	36.01%	4.61%	19.63%	10.17%	44.69%	10.87%	12.52%	9.30%
	20-24 Years	0.17%	25.59%	13.32%	47.19%	7.26%	22.50%	24.86%	36.66%	9.35%	31.43%	8.16%
	25-34 Years	1.40%	26.31%	8.88%	27.17%	4.61%	15.97%	11.27%	26.95%	7.42%	27.50%	3.54%
	Over 34 Years	1.43%	17.13%	5.24%	20.23%	1.19%	10.64%	7.80%	15.49%	5.69%	20.76%	0.95%
Ethnicity	White Non-Hispanic	0.83%	28.03%	6.74%	27.66%	1.35%	13.18%	9.36%	25.02%	6.93%	22.41%	3.19%
	Black Non-Hispanic	1.44%	28.34%	14.99%	31.21%	7.15%	18.62%	18.22%	40.91%	11.80%	35.09%	7.95%
	Hispanic	0.81%	11.79%	12.33%	42.81%	12.99%	31.36%	21.72%	28.48%	5.69%	26.76%	5.14%
Married	Married	1.12%	24.00%	3.26%	25.08%	1.14%	12.22%	5.87%	20.52%	3.52%	16.95%	1.57%
	Not Married	1.14%	26.65%	16.90%	38.74%	8.83%	22.58%	22.50%	38.74%	13.18%	36.00%	8.50%
Previous Live Birth	Yes	0.59%	26.10%	9.41%	31.22%	5.83%	18.77%	14.52%	29.04%	7.26%	32.61%	4.43%
	No	1.84%	23.91%	10.17%	32.07%	3.26%	14.86%	12.75%	29.44%	9.27%	16.92%	5.39%
Education	Less Than 12 Years	0.71%	21.08%	14.48%	39.78%	12.49%	24.16%	21.77%	32.92%	10.46%	31.20%	5.99%
	12 Years	1.37%	28.46%	11.88%	39.54%	5.08%	19.13%	17.26%	34.41%	9.03%	30.32%	7.90%
	Greater Than 12 Years	1.09%	25.18%	6.49%	24.36%	1.34%	13.21%	8.79%	24.82%	6.57%	21.88%	2.86%
	Upper 95% CI	Q37B	Q38A	Q38B	Q38C	Q38D	Q38E	Q38F	Q38G	Q38H	Q38I	Q38J
Total	Yes	1.67%	27.31%	11.21%	33.83%	5.84%	18.99%	15.49%	31.42%	9.46%	28.18%	5.93%
Age	Under 20 Years	1.74%	34.68%	15.78%	41.88%	7.48%	24.63%	14.10%	50.70%	14.90%	16.78%	13.10%
	20-24 Years	0.70%	29.18%	16.17%	51.21%	9.49%	25.95%	28.42%	40.57%	11.82%	35.22%	10.50%
	25-34 Years	2.08%	28.65%	10.43%	29.53%	5.77%	17.94%	12.98%	29.31%	8.85%	29.88%	4.57%
	Over 34 Years	2.75%	20.76%	7.50%	24.07%	2.42%	13.67%	10.47%	18.99%	8.03%	24.64%	2.08%
Ethnicity	White Non-Hispanic	1.35%	30.33%	8.07%	29.95%	2.00%	14.94%	10.89%	27.25%	8.28%	24.56%	4.14%
	Black Non-Hispanic	2.48%	31.76%	17.75%	34.72%	9.19%	21.60%	21.18%	44.59%	14.31%	38.69%	10.08%
	Hispanic	1.95%	15.13%	15.72%	47.67%	16.45%	35.98%	25.88%	32.99%	8.18%	31.19%	7.51%
Married	Married	1.76%	26.35%	4.29%	27.46%	1.79%	14.05%	7.21%	22.75%	4.59%	19.03%	2.31%
	Not Married	1.79%	29.08%	18.98%	41.40%	10.43%	24.89%	24.80%	41.39%	15.07%	38.62%	10.08%
Previous Live Birth	Yes	1.13%	28.71%	11.18%	33.96%	7.27%	21.10%	16.64%	31.72%	8.85%	35.37%	5.71%
	No	2.71%	26.44%	12.00%	34.82%	4.38%	17.00%	14.76%	32.14%	11.03%	19.16%	6.79%
Education	Less Than 12 Years	1.56%	24.43%	17.41%	43.73%	15.26%	27.67%	25.17%	36.73%	13.04%	34.97%	8.04%
	12 Years	2.41%	31.98%	14.48%	43.32%	6.90%	22.24%	20.25%	38.10%	11.35%	33.91%	10.10%
	Greater Than 12 Years	1.69%	27.45%	7.82%	26.61%	2.00%	15.01%	10.30%	27.08%	7.91%	24.05%	3.78%

Table 7K. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q38K-Q45F												
	Percent Response Yes	Q38K	Q38L	Q38M	Q39	Q40	Q45A	Q45B	Q45C	Q45D	Q45E	Q45F
Total	Yes	6.56%	16.70%	18.81%	5.03%	4.61%	47.00%	1.67%	48.52%	3.70%	0.76%	1.01%
Age	Under 20 Years	7.77%	31.67%	21.71%	7.99%	6.55%	18.47%	4.93%	79.93%	2.22%	0.00%	2.22%
	20-24 Years	10.23%	24.18%	20.15%	8.51%	8.67%	19.75%	0.44%	72.62%	6.24%	0.87%	0.86%
	25-34 Years	6.60%	13.76%	19.77%	4.21%	3.58%	56.89%	1.72%	39.54%	3.43%	0.63%	0.76%
	Over 34 Years	0.85%	7.07%	12.34%	1.24%	1.31%	69.20%	1.24%	25.92%	2.09%	1.43%	1.24%
Ethnicity	White Non-Hispanic	4.78%	20.16%	18.49%	3.77%	4.33%	61.01%	1.90%	33.58%	4.24%	0.54%	0.74%
	Black Non-Hispanic	10.72%	15.88%	24.63%	6.62%	6.55%	33.12%	1.47%	67.31%	1.83%	0.00%	1.06%
	Hispanic	7.14%	9.56%	12.51%	7.06%	2.93%	14.37%	1.46%	78.96%	4.52%	1.68%	2.20%
Married	Married	1.13%	8.79%	15.54%	2.36%	1.40%	72.72%	1.91%	20.48%	5.87%	1.07%	0.67%
	Not Married	12.35%	25.13%	22.30%	7.88%	8.04%	19.55%	1.42%	78.43%	1.39%	0.42%	1.37%
Previous Live Birth	Yes	7.60%	15.68%	19.81%	4.39%	4.39%	42.57%	1.02%	52.67%	3.72%	0.80%	0.89%
	No	5.11%	18.11%	17.42%	5.93%	4.92%	53.18%	2.59%	42.71%	3.68%	0.69%	1.18%
Education	Less Than 12 Years	8.42%	19.19%	21.88%	7.62%	6.93%	7.57%	2.46%	84.52%	0.98%	1.13%	2.46%
	12 Years	11.52%	25.91%	23.74%	5.79%	5.93%	27.98%	1.50%	68.71%	2.39%	0.85%	0.80%
	Greater Than 12 Years	3.58%	11.42%	14.99%	3.47%	3.09%	72.05%	1.44%	24.32%	5.45%	0.56%	0.50%
	Lower 95% CI	Q38K	Q38L	Q38M	Q39	Q40	Q45A	Q45B	Q45C	Q45D	Q45E	Q45F
Total	Yes	6.09%	15.99%	18.08%	4.62%	4.22%	46.06%	1.43%	47.58%	3.35%	0.59%	0.82%
Age	Under 20 Years	6.16%	28.87%	19.23%	6.36%	5.06%	16.14%	3.63%	77.52%	1.33%	0.00%	1.33%
	20-24 Years	9.01%	22.46%	18.54%	7.39%	7.54%	18.15%	0.17%	70.82%	5.26%	0.50%	0.49%
	25-34 Years	5.94%	12.85%	18.72%	3.68%	3.09%	55.59%	1.38%	38.26%	2.95%	0.43%	0.54%
	Over 34 Years	0.43%	5.88%	10.82%	0.72%	0.79%	67.07%	0.72%	23.89%	1.43%	0.88%	0.72%
Ethnicity	White Non-Hispanic	4.24%	19.14%	17.51%	3.28%	3.81%	59.78%	1.55%	32.39%	3.73%	0.36%	0.52%
	Black Non-Hispanic	9.57%	14.52%	23.02%	5.69%	5.63%	31.36%	1.02%	65.57%	1.33%	0.00%	0.68%
	Hispanic	5.89%	8.12%	10.89%	5.81%	2.10%	12.65%	0.88%	76.97%	3.51%	1.05%	1.48%
Married	Married	0.84%	8.02%	14.56%	1.95%	1.08%	71.51%	1.54%	19.39%	5.23%	0.79%	0.45%
	Not Married	11.46%	23.96%	21.17%	7.15%	7.31%	18.48%	1.10%	77.31%	1.07%	0.25%	1.05%
Previous Live Birth	Yes	6.82%	14.62%	18.65%	3.79%	3.79%	41.13%	0.72%	51.22%	3.17%	0.54%	0.61%
	No	4.47%	16.99%	16.31%	5.24%	4.29%	51.72%	2.13%	41.27%	3.13%	0.45%	0.86%
Education	Less Than 12 Years	7.31%	17.61%	20.22%	6.56%	5.91%	6.52%	1.84%	83.07%	0.59%	0.71%	1.84%
	12 Years	10.30%	24.23%	22.11%	4.89%	5.03%	26.26%	1.04%	66.93%	1.81%	0.50%	0.46%
	Greater Than 12 Years	3.10%	10.60%	14.07%	3.00%	2.64%	70.90%	1.13%	23.21%	4.86%	0.37%	0.32%
	Upper 95% CI	Q38K	Q38L	Q38M	Q39	Q40	Q45A	Q45B	Q45C	Q45D	Q45E	Q45F
Total	Yes	7.02%	17.40%	19.55%	5.44%	5.01%	47.94%	1.92%	49.46%	4.06%	0.92%	1.20%
Age	Under 20 Years	9.38%	34.47%	24.19%	9.63%	8.04%	20.81%	6.24%	82.34%	3.11%	0.00%	3.11%
	20-24 Years	11.45%	25.90%	21.76%	9.63%	9.80%	21.36%	0.70%	74.41%	7.21%	1.25%	1.23%
	25-34 Years	7.25%	14.66%	20.81%	4.73%	4.06%	58.19%	2.06%	40.82%	3.90%	0.84%	0.99%
	Over 34 Years	1.28%	8.25%	13.86%	1.75%	1.84%	71.34%	1.75%	27.95%	2.75%	1.98%	1.75%
Ethnicity	White Non-Hispanic	5.32%	21.18%	19.47%	4.25%	4.84%	62.25%	2.24%	34.78%	4.75%	0.73%	0.96%
	Black Non-Hispanic	11.87%	17.24%	26.23%	7.54%	7.47%	34.87%	1.91%	69.06%	2.33%	0.00%	1.44%
	Hispanic	8.40%	10.99%	14.13%	8.31%	3.75%	16.08%	2.05%	80.95%	5.54%	2.31%	2.91%
Married	Married	1.41%	9.56%	16.53%	2.78%	1.72%	73.93%	2.28%	21.58%	6.51%	1.35%	0.89%
	Not Married	13.24%	26.31%	23.43%	8.61%	8.78%	20.62%	1.75%	79.54%	1.71%	0.60%	1.68%
Previous Live Birth	Yes	8.37%	16.74%	20.97%	4.99%	4.99%	44.02%	1.31%	54.13%	4.27%	1.06%	1.16%
	No	5.75%	19.24%	18.53%	6.62%	5.55%	54.63%	3.05%	44.15%	4.23%	0.93%	1.49%
Education	Less Than 12 Years	9.54%	20.77%	23.53%	8.69%	7.94%	8.63%	3.08%	85.96%	1.38%	1.55%	3.08%
	12 Years	12.75%	27.59%	25.37%	6.68%	6.84%	29.71%	1.97%	70.49%	2.98%	1.20%	1.14%
	Greater Than 12 Years	4.06%	12.24%	15.91%	3.94%	3.53%	73.21%	1.74%	25.42%	6.03%	0.76%	0.69%

Table 7L. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q45G-Q56												
	Percent Response Yes	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
Total	Yes	2.04%	1.30%	14.62%	38.80%	96.39%	95.67%	74.87%	37.03%	66.48%	77.86%	93.57%
Age	Under 20 Years	6.09%	1.11%	13.69%	40.11%	97.90%	97.90%	57.64%	15.44%	60.80%	65.82%	92.96%
	20-24 Years	2.36%	0.93%	14.43%	34.02%	95.81%	94.52%	66.63%	19.40%	57.97%	73.36%	91.16%
	25-34 Years	1.37%	1.42%	14.33%	39.96%	96.28%	95.37%	79.33%	42.74%	69.42%	81.08%	94.09%
	Over 34 Years	1.31%	1.51%	16.31%	40.76%	96.63%	96.82%	82.08%	55.36%	71.96%	80.93%	95.52%
Ethnicity	White Non-Hispanic	1.79%	1.95%	12.26%	34.58%	96.99%	95.82%	75.95%	38.87%	73.28%	85.96%	94.80%
	Black Non-Hispanic	1.67%	0.74%	17.51%	48.88%	94.14%	93.72%	64.63%	24.34%	52.69%	65.84%	89.98%
	Hispanic	2.93%	0.22%	15.59%	34.83%	98.62%	98.83%	83.76%	44.70%	60.95%	73.99%	95.13%
Married	Married	1.61%	1.66%	13.90%	36.52%	96.05%	95.90%	87.48%	52.93%	73.51%	82.97%	94.89%
	Not Married	2.50%	0.91%	15.39%	41.24%	96.75%	95.43%	61.41%	20.06%	58.98%	72.41%	92.16%
Previous Live Birth	Yes	1.85%	1.63%	13.63%	38.41%	97.26%	96.27%	74.39%	38.36%	64.78%	80.04%	93.70%
	No	2.31%	0.83%	16.00%	39.35%	95.17%	94.83%	75.53%	35.16%	68.85%	74.82%	93.39%
Education	Less Than 12 Years	2.82%	3.11%	15.59%	40.20%	97.99%	96.03%	62.39%	26.85%	57.41%	73.67%	90.19%
	12 Years	2.29%	0.59%	15.68%	40.59%	94.31%	94.31%	63.09%	17.78%	60.50%	74.03%	92.60%
	Greater Than 12 Years	1.62%	0.88%	13.83%	37.48%	96.91%	96.38%	85.47%	49.81%	73.00%	81.37%	95.37%
	Lower 95% CI	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
Total	Yes	1.78%	1.09%	13.95%	37.88%	96.04%	95.29%	74.05%	36.12%	65.59%	77.08%	93.11%
Age	Under 20 Years	4.65%	0.48%	11.62%	37.16%	97.03%	97.03%	54.67%	13.26%	57.86%	62.96%	91.43%
	20-24 Years	1.75%	0.55%	13.02%	32.11%	95.00%	93.61%	64.74%	17.81%	55.98%	71.58%	90.01%
	25-34 Years	1.07%	1.11%	13.42%	38.68%	95.78%	94.82%	78.27%	41.45%	68.22%	80.06%	93.47%
	Over 34 Years	0.79%	0.95%	14.60%	38.49%	95.79%	96.01%	80.30%	53.06%	69.88%	79.11%	94.56%
Ethnicity	White Non-Hispanic	1.45%	1.60%	11.43%	33.37%	96.55%	95.32%	74.87%	37.63%	72.16%	85.07%	94.24%
	Black Non-Hispanic	1.19%	0.42%	16.10%	47.02%	93.27%	92.81%	62.84%	22.74%	50.83%	64.08%	88.86%
	Hispanic	2.10%	0.00%	13.82%	32.50%	98.05%	98.31%	81.96%	42.28%	58.56%	71.85%	94.08%
Married	Married	1.27%	1.32%	12.96%	35.22%	95.52%	95.37%	86.58%	51.58%	72.31%	81.98%	94.30%
	Not Married	2.08%	0.65%	14.41%	39.90%	96.27%	94.86%	60.09%	18.97%	57.65%	71.20%	91.44%
Previous Live Birth	Yes	1.46%	1.26%	12.63%	36.99%	96.78%	95.72%	73.12%	36.94%	63.39%	79.05%	92.99%
	No	1.88%	0.57%	14.93%	37.93%	94.55%	94.19%	74.28%	33.77%	67.50%	73.55%	92.67%
Education	Less Than 12 Years	2.16%	2.42%	14.14%	38.23%	97.43%	95.24%	60.46%	25.07%	55.43%	71.91%	89.00%
	12 Years	1.72%	0.29%	14.28%	38.70%	93.42%	93.42%	61.23%	16.32%	58.63%	72.35%	91.60%
	Greater Than 12 Years	1.29%	0.64%	12.94%	36.23%	96.46%	95.90%	84.56%	48.52%	71.85%	80.37%	94.83%
	Upper 95% CI	Q45G	Q45H	Q46	Q47	Q48	Q49	Q50	Q51	Q54	Q55	Q56
Total	Yes	2.31%	1.51%	15.29%	39.72%	96.74%	96.06%	75.68%	37.94%	67.37%	78.64%	94.03%
Age	Under 20 Years	7.53%	1.74%	15.76%	43.05%	98.76%	98.76%	60.61%	17.61%	63.73%	68.67%	94.50%
	20-24 Years	2.97%	1.32%	15.84%	35.92%	96.61%	95.44%	68.53%	20.99%	59.95%	75.14%	92.30%
	25-34 Years	1.68%	1.73%	15.25%	41.25%	96.77%	95.92%	80.39%	44.04%	70.63%	82.11%	94.71%
	Over 34 Years	1.84%	2.07%	18.02%	43.04%	97.46%	97.63%	83.85%	57.67%	74.04%	82.75%	96.48%
Ethnicity	White Non-Hispanic	2.12%	2.30%	13.10%	35.78%	97.42%	96.33%	77.03%	40.11%	74.40%	86.84%	95.36%
	Black Non-Hispanic	2.15%	1.06%	18.93%	50.74%	95.02%	94.62%	66.41%	25.94%	54.55%	67.61%	91.10%
	Hispanic	3.75%	0.44%	17.36%	37.15%	99.19%	99.36%	85.57%	47.13%	63.33%	76.13%	96.18%
Married	Married	1.95%	2.01%	14.84%	37.83%	96.58%	96.44%	88.38%	54.28%	74.70%	83.95%	95.49%
	Not Married	2.93%	1.17%	16.36%	42.57%	97.23%	95.99%	62.73%	21.14%	60.31%	73.63%	92.89%
Previous Live Birth	Yes	2.24%	2.00%	14.64%	39.83%	97.74%	96.82%	75.66%	39.78%	66.18%	81.03%	94.41%
	No	2.75%	1.10%	17.07%	40.78%	95.80%	95.48%	76.78%	36.56%	70.20%	76.08%	94.12%
Education	Less Than 12 Years	3.49%	3.81%	17.04%	42.16%	98.55%	96.81%	64.33%	28.62%	59.39%	75.43%	91.39%
	12 Years	2.86%	0.88%	17.07%	42.47%	95.20%	95.20%	64.94%	19.25%	62.38%	75.72%	93.61%
	Greater Than 12 Years	1.95%	1.12%	14.72%	38.73%	97.35%	96.86%	86.38%	51.10%	74.14%	82.37%	95.91%

Table 7M. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q57-Q60D												
	Percent Response Yes	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
Total	Yes	95.97%	42.93%	1.36%	48.49%	3.36%	1.18%	82.47%	6.49%	2.12%	3.29%	1.15%
Age	Under 20 Years	94.90%	4.77%	0.00%	85.97%	0.00%	1.45%	82.64%	11.15%	1.11%	1.44%	2.22%
	20-24 Years	94.66%	17.30%	0.44%	72.39%	5.59%	1.86%	83.58%	5.88%	0.00%	3.01%	0.00%
	25-34 Years	96.53%	52.93%	1.65%	38.96%	3.50%	1.15%	84.58%	5.13%	2.76%	3.49%	1.40%
	Over 34 Years	96.56%	68.41%	2.47%	24.29%	1.97%	0.20%	74.34%	8.80%	3.55%	4.18%	1.24%
Ethnicity	White Non-Hispanic	96.05%	57.17%	1.63%	32.38%	3.81%	0.76%	83.68%	4.58%	3.30%	3.63%	0.76%
	Black Non-Hispanic	94.92%	27.88%	0.85%	67.71%	1.47%	0.74%	83.10%	9.00%	0.43%	3.36%	0.55%
	Hispanic	97.24%	11.09%	0.73%	81.93%	3.79%	2.41%	78.65%	7.88%	0.64%	1.38%	2.11%
Married	Married	97.13%	68.42%	2.42%	21.40%	5.48%	1.40%	82.07%	4.23%	3.55%	3.46%	1.40%
	Not Married	94.72%	15.74%	0.23%	77.41%	1.10%	0.94%	82.89%	8.91%	0.59%	3.12%	0.87%
Previous Live Birth	Yes	95.27%	39.91%	0.93%	50.80%	3.56%	1.45%	84.04%	4.63%	0.56%	2.54%	0.86%
	No	96.94%	47.16%	1.95%	45.28%	3.08%	0.80%	80.28%	9.09%	4.31%	4.35%	1.55%
Education	Less Than 12 Years	91.19%	4.81%	0.98%	82.16%	0.71%	2.33%	79.55%	6.94%	0.00%	2.84%	0.98%
	12 Years	95.97%	22.27%	0.40%	69.91%	1.94%	1.44%	85.00%	8.86%	1.70%	2.26%	0.90%
	Greater Than 12 Years	97.92%	68.17%	1.95%	24.71%	5.12%	0.59%	82.87%	4.83%	3.21%	3.97%	1.33%
	Lower 95% CI	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
Total	Yes	95.59%	42.00%	1.14%	47.55%	3.02%	0.97%	81.75%	6.03%	1.85%	2.96%	0.95%
Age	Under 20 Years	93.58%	3.49%	0.00%	83.89%	0.00%	0.73%	80.36%	9.26%	0.48%	0.72%	1.33%
	20-24 Years	93.76%	15.77%	0.17%	70.59%	4.67%	1.32%	82.09%	4.93%	0.00%	2.32%	0.00%
	25-34 Years	96.05%	51.62%	1.32%	37.69%	3.01%	0.87%	83.63%	4.55%	2.33%	3.01%	1.09%
	Over 34 Years	95.72%	66.26%	1.75%	22.30%	1.33%	0.00%	72.32%	7.49%	2.69%	3.25%	0.73%
Ethnicity	White Non-Hispanic	95.56%	55.91%	1.31%	31.20%	3.33%	0.54%	82.75%	4.05%	2.84%	3.15%	0.54%
	Black Non-Hispanic	94.11%	26.21%	0.51%	65.97%	1.02%	0.42%	81.71%	7.94%	0.18%	2.69%	0.28%
	Hispanic	96.44%	9.56%	0.32%	80.05%	2.86%	1.66%	76.65%	6.56%	0.25%	0.81%	1.41%
Married	Married	96.68%	67.16%	2.00%	20.28%	4.86%	1.08%	81.04%	3.68%	3.05%	2.97%	1.09%
	Not Married	94.11%	14.75%	0.10%	76.27%	0.82%	0.68%	81.87%	8.13%	0.39%	2.65%	0.62%
Previous Live Birth	Yes	94.65%	38.48%	0.65%	49.34%	3.02%	1.10%	82.97%	4.02%	0.34%	2.08%	0.59%
	No	96.43%	45.71%	1.55%	43.82%	2.58%	0.54%	79.12%	8.25%	3.71%	3.75%	1.19%
Education	Less Than 12 Years	90.05%	3.95%	0.59%	80.62%	0.37%	1.73%	77.94%	5.92%	0.00%	2.18%	0.59%
	12 Years	95.21%	20.68%	0.16%	68.15%	1.41%	0.98%	83.63%	7.77%	1.20%	1.69%	0.54%
	Greater Than 12 Years	97.55%	66.97%	1.60%	23.60%	4.55%	0.39%	81.90%	4.28%	2.75%	3.47%	1.04%
	Upper 95% CI	Q57	Q58A	Q58B	Q58C	Q58D	Q58E	Q59	Q60A	Q60B	Q60C	Q60D
Total	Yes	96.34%	43.87%	1.58%	49.43%	3.70%	1.38%	83.19%	6.96%	2.39%	3.63%	1.35%
Age	Under 20 Years	96.22%	6.05%	0.00%	88.06%	0.00%	2.16%	84.92%	13.05%	1.74%	2.16%	3.11%
	20-24 Years	95.57%	18.82%	0.70%	74.19%	6.52%	2.41%	85.06%	6.82%	0.00%	3.69%	0.00%
	25-34 Years	97.01%	54.24%	1.98%	40.24%	3.98%	1.43%	85.53%	5.70%	3.19%	3.97%	1.71%
	Over 34 Years	97.41%	70.56%	3.19%	26.27%	2.62%	0.40%	76.36%	10.11%	4.41%	5.10%	1.76%
Ethnicity	White Non-Hispanic	96.54%	58.42%	1.95%	33.57%	4.30%	0.99%	84.62%	5.10%	3.75%	4.10%	0.99%
	Black Non-Hispanic	95.74%	29.55%	1.19%	69.45%	1.91%	1.06%	84.50%	10.07%	0.67%	4.03%	0.83%
	Hispanic	98.04%	12.63%	1.15%	83.81%	4.72%	3.16%	80.65%	9.19%	1.04%	1.95%	2.81%
Married	Married	97.59%	69.68%	2.84%	22.51%	6.10%	1.72%	83.11%	4.78%	4.06%	3.96%	1.72%
	Not Married	95.33%	16.73%	0.35%	78.54%	1.38%	1.20%	83.91%	9.68%	0.80%	3.59%	1.13%
Previous Live Birth	Yes	95.89%	41.34%	1.22%	52.25%	4.10%	1.80%	85.10%	5.25%	0.78%	3.00%	1.13%
	No	97.44%	48.62%	2.35%	46.73%	3.59%	1.06%	81.45%	9.93%	4.90%	4.94%	1.91%
Education	Less Than 12 Years	92.32%	5.66%	1.38%	83.69%	1.05%	2.94%	81.17%	7.95%	0.00%	3.51%	1.38%
	12 Years	96.72%	23.87%	0.64%	71.67%	2.47%	1.89%	86.38%	9.95%	2.20%	2.83%	1.27%
	Greater Than 12 Years	98.29%	69.38%	2.31%	25.83%	5.69%	0.79%	83.84%	5.39%	3.66%	4.48%	1.63%

Table 7N. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q60E-Q65												
	Percent Response Yes	Q60E	Q60F	Q60G	Q61A	Q61B	Q61C	Q63	Q64A	Q64B	Q64C	Q65
Total	Yes	0.95%	0.56%	0.55%	12.42%	7.22%	21.77%	16.36%	13.84%	1.21%	0.28%	64.35%
Age	Under 20 Years	0.00%	1.11%	0.00%	10.86%	7.04%	25.55%	6.71%	5.10%	1.60%	0.00%	41.01%
	20-24 Years	0.00%	0.93%	2.01%	17.81%	11.85%	22.64%	15.22%	13.27%	1.51%	0.00%	55.01%
	25-34 Years	1.00%	0.21%	0.00%	11.40%	5.74%	19.76%	15.80%	13.24%	1.18%	0.55%	70.06%
	Over 34 Years	2.63%	0.85%	0.66%	9.34%	5.81%	24.61%	25.31%	21.61%	0.68%	0.00%	72.80%
Ethnicity	White Non-Hispanic	1.33%	0.17%	0.37%	11.26%	6.38%	22.76%	16.89%	15.12%	0.77%	0.00%	69.34%
	Black Non-Hispanic	0.00%	0.00%	0.13%	14.32%	8.91%	20.36%	17.30%	13.37%	1.42%	1.11%	42.16%
	Hispanic	0.73%	3.15%	2.11%	11.24%	7.36%	19.45%	11.38%	8.75%	1.90%	0.00%	76.06%
Married	Married	1.64%	0.63%	0.40%	9.44%	4.11%	21.53%	18.87%	8.48%	0.35%	0.14%	79.85%
	Not Married	0.23%	0.49%	0.72%	15.59%	10.54%	22.02%	13.68%	5.36%	0.86%	0.14%	47.82%
Previous Live Birth	Yes	1.31%	0.62%	0.62%	12.96%	7.03%	21.56%	17.90%	5.27%	0.30%	0.00%	62.56%
	No	0.46%	0.49%	0.46%	11.65%	7.49%	22.06%	14.19%	8.57%	0.91%	0.28%	66.86%
Education	Less Than 12 Years	0.98%	1.48%	0.98%	13.86%	9.20%	20.53%	12.72%	10.03%	2.20%	0.00%	56.40%
	12 Years	0.00%	0.53%	0.80%	16.60%	10.66%	26.83%	14.58%	12.07%	1.69%	0.59%	55.85%
	Greater Than 12 Years	1.38%	0.20%	0.26%	10.00%	4.90%	19.96%	18.59%	16.12%	0.59%	0.27%	71.27%
	Lower 95% CI	Q60E	Q60F	Q60G	Q61A	Q61B	Q61C	Q63	Q64A	Q64B	Q64C	Q65
Total	Yes	0.77%	0.42%	0.41%	11.79%	6.73%	20.99%	15.66%	13.19%	1.00%	0.18%	63.45%
Age	Under 20 Years	0.00%	0.48%	0.00%	8.99%	5.50%	22.93%	5.20%	3.78%	0.85%	0.00%	38.05%
	20-24 Years	0.00%	0.55%	1.45%	16.27%	10.55%	20.96%	13.77%	11.91%	1.02%	0.00%	53.01%
	25-34 Years	0.74%	0.09%	0.00%	10.57%	5.13%	18.72%	14.84%	12.35%	0.90%	0.36%	68.86%
	Over 34 Years	1.89%	0.43%	0.28%	7.99%	4.73%	22.62%	23.30%	19.70%	0.30%	0.00%	70.74%
Ethnicity	White Non-Hispanic	1.04%	0.07%	0.22%	10.46%	5.76%	21.70%	15.94%	14.21%	0.55%	0.00%	68.17%
	Black Non-Hispanic	0.00%	0.00%	0.00%	13.02%	7.85%	18.86%	15.89%	12.10%	0.98%	0.72%	40.33%
	Hispanic	0.32%	2.29%	1.41%	9.70%	6.09%	17.52%	9.82%	7.37%	1.23%	0.00%	73.97%
Married	Married	1.29%	0.42%	0.23%	8.64%	3.57%	20.42%	17.81%	7.95%	0.24%	0.07%	78.76%
	Not Married	0.10%	0.30%	0.49%	14.61%	9.71%	20.90%	12.74%	4.94%	0.69%	0.07%	46.46%
Previous Live Birth	Yes	0.98%	0.39%	0.39%	11.98%	6.29%	20.36%	16.78%	4.85%	0.20%	0.00%	61.15%
	No	0.26%	0.29%	0.26%	10.71%	6.72%	20.85%	13.18%	8.04%	0.73%	0.18%	65.49%
Education	Less Than 12 Years	0.59%	0.99%	0.59%	12.48%	8.04%	18.91%	11.39%	8.83%	1.62%	0.00%	54.41%
	12 Years	0.00%	0.25%	0.45%	15.18%	9.47%	25.13%	13.22%	10.82%	1.20%	0.29%	53.94%
	Greater Than 12 Years	1.08%	0.09%	0.13%	9.23%	4.34%	18.93%	17.58%	15.18%	0.39%	0.13%	70.10%
	Upper 95% CI	Q60E	Q60F	Q60G	Q61A	Q61B	Q61C	Q63	Q64A	Q64B	Q64C	Q65
Total	Yes	1.14%	0.71%	0.69%	13.04%	7.71%	22.55%	17.05%	14.49%	1.42%	0.38%	65.26%
Age	Under 20 Years	0.00%	1.74%	0.00%	12.73%	8.58%	28.18%	8.21%	6.43%	2.36%	0.00%	43.97%
	20-24 Years	0.00%	1.32%	2.58%	19.34%	13.15%	24.32%	16.66%	14.64%	2.00%	0.00%	57.01%
	25-34 Years	1.27%	0.33%	0.00%	12.24%	6.35%	20.81%	16.76%	14.13%	1.46%	0.74%	71.26%
	Over 34 Years	3.37%	1.28%	1.03%	10.69%	6.89%	26.61%	27.32%	23.51%	1.06%	0.00%	74.86%
Ethnicity	White Non-Hispanic	1.62%	0.28%	0.52%	12.06%	7.00%	23.82%	17.84%	16.02%	0.99%	0.00%	70.51%
	Black Non-Hispanic	0.00%	0.00%	0.26%	15.63%	9.97%	21.86%	18.71%	14.64%	1.86%	1.50%	44.00%
	Hispanic	1.15%	4.00%	2.81%	12.78%	8.64%	21.39%	12.93%	10.12%	2.56%	0.00%	78.14%
Married	Married	1.98%	0.85%	0.57%	10.23%	4.65%	22.64%	19.93%	9.00%	0.46%	0.21%	80.94%
	Not Married	0.35%	0.68%	0.94%	16.58%	11.37%	23.15%	14.61%	5.79%	1.86%	1.14%	49.17%
Previous Live Birth	Yes	1.64%	0.84%	0.84%	13.94%	7.78%	22.76%	19.02%	5.69%	0.41%	0.00%	63.97%
	No	0.66%	0.70%	0.66%	12.59%	8.25%	23.26%	15.21%	9.10%	1.91%	1.28%	68.24%
Education	Less Than 12 Years	1.38%	1.96%	1.38%	15.25%	10.36%	22.14%	14.06%	11.23%	2.79%	0.00%	58.39%
	12 Years	0.00%	0.81%	1.14%	18.03%	11.84%	28.53%	15.93%	13.32%	2.18%	0.88%	57.75%
	Greater Than 12 Years	1.68%	0.32%	0.40%	10.77%	5.45%	20.99%	19.59%	17.07%	0.79%	0.40%	72.44%

Table 70. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q66A-Q68H												
	Percent Response Yes	Q66A	Q66B	Q67	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H
Total	Yes	96.72%	96.38%	32.29%	2.30%	1.90%	3.34%	0.77%	0.47%	0.74%	8.27%	3.07%
Age	Under 20 Years	96.01%	90.07%	42.65%	4.77%	0.00%	10.25%	0.49%	0.00%	0.33%	6.71%	5.11%
	20-24 Years	96.40%	95.16%	41.91%	1.95%	2.72%	5.49%	1.64%	0.50%	0.00%	9.59%	6.88%
	25-34 Years	96.43%	97.66%	29.85%	2.35%	2.33%	2.00%	0.70%	0.70%	1.09%	8.78%	1.62%
	Over 34 Years	98.49%	97.72%	20.99%	1.16%	0.58%	0.58%	0.00%	0.00%	0.86%	5.88%	1.31%
Ethnicity	White Non-Hispanic	96.67%	98.11%	28.57%	2.86%	1.28%	2.10%	0.20%	0.39%	0.06%	8.89%	2.51%
	Black Non-Hispanic	97.29%	94.71%	42.88%	1.96%	2.94%	6.69%	2.15%	0.55%	1.53%	9.54%	5.62%
	Hispanic	95.04%	91.99%	30.73%	1.46%	2.93%	3.15%	0.73%	0.73%	2.11%	3.79%	1.59%
Married	Married	97.25%	97.64%	25.72%	1.60%	1.42%	0.37%	0.00%	0.21%	0.19%	8.35%	1.64%
	Not Married	96.17%	95.02%	39.30%	3.05%	2.40%	6.52%	1.59%	0.74%	1.33%	8.19%	4.59%
Previous Live Birth	Yes	96.32%	96.48%	30.69%	1.48%	1.18%	2.93%	1.05%	0.80%	1.10%	7.31%	2.04%
	No	97.28%	96.23%	34.53%	3.45%	2.90%	3.92%	0.38%	0.00%	0.23%	9.61%	4.51%
Education	Less Than 12 Years	95.91%	92.24%	38.56%	2.46%	1.91%	7.79%	1.35%	0.98%	1.42%	5.08%	2.84%
	12 Years	96.70%	96.86%	36.76%	3.27%	3.16%	4.63%	1.49%	1.04%	1.76%	9.41%	5.42%
	Greater Than 12 Years	97.06%	98.03%	27.87%	1.81%	1.33%	0.94%	0.20%	0.00%	0.00%	9.14%	2.11%
	Lower 95% CI	Q66A	Q66B	Q67	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H
Total	Yes	96.39%	96.02%	31.41%	2.02%	1.64%	3.00%	0.60%	0.34%	0.58%	7.75%	2.74%
Age	Under 20 Years	94.83%	88.27%	39.68%	3.49%	0.00%	8.42%	0.07%	0.00%	0.00%	5.20%	3.79%
	20-24 Years	95.65%	94.29%	39.92%	1.40%	2.07%	4.58%	1.13%	0.21%	0.00%	8.41%	5.86%
	25-34 Years	95.94%	97.27%	28.65%	1.95%	1.93%	1.64%	0.48%	0.48%	0.82%	8.04%	1.28%
	Over 34 Years	97.93%	97.02%	19.11%	0.66%	0.23%	0.23%	0.00%	0.00%	0.43%	4.79%	0.79%
Ethnicity	White Non-Hispanic	96.21%	97.77%	27.42%	2.44%	1.00%	1.74%	0.08%	0.24%	0.00%	8.17%	2.12%
	Black Non-Hispanic	96.68%	93.87%	41.03%	1.44%	2.31%	5.76%	1.61%	0.28%	1.08%	8.45%	4.76%
	Hispanic	93.98%	90.66%	28.48%	0.88%	2.10%	2.29%	0.32%	0.32%	1.41%	2.86%	0.98%
Married	Married	96.80%	97.23%	24.54%	1.26%	1.10%	0.20%	0.00%	0.09%	0.07%	7.60%	1.30%
	Not Married	95.65%	94.43%	37.97%	2.58%	1.99%	5.85%	1.25%	0.51%	1.02%	7.45%	4.02%
Previous Live Birth	Yes	95.77%	95.94%	29.34%	1.12%	0.86%	2.44%	0.75%	0.54%	0.80%	6.55%	1.62%
	No	96.81%	95.68%	33.14%	2.92%	2.41%	3.35%	0.20%	0.00%	0.09%	8.75%	3.90%
Education	Less Than 12 Years	95.11%	91.17%	36.61%	1.84%	1.36%	6.71%	0.89%	0.59%	0.94%	4.20%	2.18%
	12 Years	96.01%	96.19%	34.91%	2.59%	2.49%	3.82%	1.03%	0.65%	1.26%	8.29%	4.55%
	Greater Than 12 Years	96.62%	97.67%	26.71%	1.47%	1.04%	0.69%	0.09%	0.00%	0.00%	8.39%	1.74%
	Upper 95% CI	Q66A	Q66B	Q67	Q68A	Q68B	Q68C	Q68D	Q68E	Q68F	Q68G	Q68H
Total	Yes	97.06%	96.73%	33.17%	2.58%	2.15%	3.68%	0.93%	0.60%	0.90%	8.79%	3.39%
Age	Under 20 Years	97.18%	91.87%	45.63%	6.05%	0.00%	12.07%	0.91%	0.00%	0.67%	8.21%	6.43%
	20-24 Years	97.15%	96.02%	43.89%	2.51%	3.37%	6.41%	2.15%	0.78%	0.00%	10.77%	7.90%
	25-34 Years	96.92%	98.06%	31.05%	2.74%	2.73%	2.37%	0.92%	0.92%	1.37%	9.52%	1.95%
	Over 34 Years	99.05%	98.41%	22.88%	1.65%	0.93%	0.93%	0.00%	0.00%	1.28%	6.96%	1.84%
Ethnicity	White Non-Hispanic	97.12%	98.46%	29.71%	3.28%	1.57%	2.46%	0.31%	0.55%	0.12%	9.61%	2.91%
	Black Non-Hispanic	97.89%	95.54%	44.72%	2.47%	3.57%	7.63%	2.69%	0.83%	1.99%	10.64%	6.48%
	Hispanic	96.10%	93.31%	32.99%	2.05%	3.75%	4.00%	1.15%	1.15%	2.81%	4.72%	2.21%
Married	Married	97.69%	98.05%	26.91%	1.94%	1.74%	0.53%	0.00%	0.34%	0.30%	9.10%	1.99%
	Not Married	96.69%	95.61%	40.62%	3.52%	2.82%	7.19%	1.93%	0.98%	1.64%	8.93%	5.15%
Previous Live Birth	Yes	96.87%	97.02%	32.03%	1.83%	1.49%	3.43%	1.34%	1.06%	1.41%	8.07%	2.45%
	No	97.76%	96.79%	35.92%	3.99%	3.39%	4.48%	0.56%	0.00%	0.37%	10.47%	5.11%
Education	Less Than 12 Years	96.70%	93.32%	40.51%	3.08%	2.46%	8.86%	1.81%	1.38%	1.89%	5.95%	3.51%
	12 Years	97.38%	97.52%	38.61%	3.95%	3.84%	5.44%	1.96%	1.43%	2.27%	10.53%	6.29%
	Greater Than 12 Years	97.49%	98.39%	29.03%	2.16%	1.63%	1.19%	0.32%	0.00%	0.00%	9.88%	2.49%

Table 7P. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q68I-Q71A												
	Percent Response Yes	Q68I	Q68J	Q68K	Q69A	Q69B	Q69C	Q70A	Q70B	Q70C	Q70D	Q71A
Total	Yes	1.97%	7.31%	14.98%	19.60%	38.34%	39.30%	20.92%	15.75%	13.61%	7.73%	46.45%
Age	Under 20 Years	2.56%	12.83%	26.31%	19.76%	38.66%	45.21%	20.26%	14.74%	25.06%	6.99%	75.77%
	20-24 Years	4.61%	11.18%	15.53%	19.91%	24.74%	35.86%	17.63%	15.12%	21.38%	9.47%	74.52%
	25-34 Years	1.36%	5.81%	14.56%	21.03%	40.30%	37.75%	22.55%	17.46%	9.38%	7.73%	36.57%
	Over 34 Years	0.00%	3.60%	8.85%	14.62%	50.10%	45.22%	20.59%	11.90%	9.68%	5.86%	22.65%
Ethnicity	White Non-Hispanic	0.72%	7.35%	12.50%	17.22%	49.84%	43.03%	23.77%	15.86%	8.80%	7.45%	32.45%
	Black Non-Hispanic	4.85%	8.34%	20.43%	26.07%	24.86%	35.12%	13.94%	15.70%	24.82%	6.51%	69.97%
	Hispanic	2.20%	6.76%	15.11%	15.59%	18.97%	34.83%	20.90%	15.73%	13.93%	11.28%	63.81%
Married	Married	0.52%	4.60%	11.23%	16.44%	51.25%	44.23%	24.78%	15.72%	7.14%	5.31%	21.89%
	Not Married	3.51%	10.21%	18.99%	22.96%	24.57%	34.04%	16.79%	15.79%	20.51%	10.31%	72.66%
Previous Live Birth	Yes	2.47%	7.13%	15.51%	20.78%	34.21%	36.81%	6.92%	7.49%	9.76%	7.93%	49.44%
	No	1.26%	7.57%	14.25%	17.95%	44.11%	42.78%	40.47%	27.31%	18.98%	7.45%	42.29%
Education	Less Than 12 Years	6.10%	11.94%	20.63%	23.44%	16.23%	36.23%	16.72%	17.04%	21.65%	14.71%	73.77%
	12 Years	2.55%	10.62%	16.08%	23.19%	30.48%	34.18%	13.21%	11.79%	18.36%	6.34%	69.32%
	Greater Than 12 Years	0.00%	3.95%	12.24%	16.06%	51.12%	43.14%	25.83%	16.93%	7.94%	5.51%	24.82%
	Lower 95% CI	Q68I	Q68J	Q68K	Q69A	Q69B	Q69C	Q70A	Q70B	Q70C	Q70D	Q71A
Total	Yes	1.70%	6.82%	14.31%	18.85%	37.42%	38.38%	20.15%	15.07%	12.96%	7.23%	45.51%
Age	Under 20 Years	1.61%	10.82%	23.67%	17.36%	35.73%	42.21%	17.84%	12.61%	22.45%	5.46%	73.19%
	20-24 Years	3.76%	9.91%	14.07%	18.30%	23.00%	33.93%	16.10%	13.68%	19.73%	8.30%	72.77%
	25-34 Years	1.06%	5.20%	13.64%	19.96%	39.01%	36.48%	21.45%	16.46%	8.61%	7.03%	35.31%
	Over 34 Years	0.00%	2.74%	7.53%	12.98%	47.79%	42.92%	18.71%	10.40%	8.31%	4.77%	20.71%
Ethnicity	White Non-Hispanic	0.50%	6.69%	11.66%	16.26%	48.57%	41.78%	22.69%	14.93%	8.08%	6.78%	31.26%
	Black Non-Hispanic	4.05%	7.31%	18.93%	24.44%	23.25%	33.34%	12.65%	14.34%	23.21%	5.59%	68.27%
	Hispanic	1.48%	5.53%	13.36%	13.82%	17.06%	32.50%	18.91%	13.95%	12.24%	9.74%	61.46%
Married	Married	0.32%	4.03%	10.37%	15.44%	49.89%	42.89%	23.61%	14.73%	6.44%	4.70%	20.77%
	Not Married	3.01%	9.39%	17.93%	21.82%	23.40%	32.76%	15.78%	14.81%	19.41%	9.49%	71.45%
Previous Live Birth	Yes	2.02%	6.38%	14.45%	19.59%	32.83%	35.41%	6.18%	6.72%	8.90%	7.14%	47.98%
	No	0.94%	6.80%	13.23%	16.83%	42.66%	41.34%	39.04%	26.01%	17.84%	6.68%	40.85%
Education	Less Than 12 Years	5.14%	10.64%	19.01%	21.74%	14.76%	34.31%	15.22%	15.53%	20.00%	13.30%	72.01%
	12 Years	1.95%	9.44%	14.67%	21.57%	28.72%	32.36%	11.91%	10.56%	16.87%	5.40%	67.55%
	Greater Than 12 Years	0.00%	3.44%	11.39%	15.11%	49.83%	41.86%	24.70%	15.96%	7.25%	4.92%	23.70%
	Upper 95% CI	Q68I	Q68J	Q68K	Q69A	Q69B	Q69C	Q70A	Q70B	Q70C	Q70D	Q71A
Total	Yes	2.23%	7.80%	15.66%	20.35%	39.26%	40.22%	21.68%	16.44%	14.25%	8.23%	47.39%
Age	Under 20 Years	3.50%	14.84%	28.96%	22.15%	41.59%	48.20%	22.68%	16.87%	27.67%	8.52%	78.35%
	20-24 Years	5.45%	12.44%	16.99%	21.52%	26.47%	37.78%	19.17%	16.56%	23.03%	10.65%	76.27%
	25-34 Years	1.66%	6.43%	15.49%	22.10%	41.58%	39.02%	23.64%	18.45%	10.14%	8.43%	37.84%
	Over 34 Years	0.00%	4.46%	10.16%	16.25%	52.42%	47.53%	22.46%	13.39%	11.05%	6.94%	24.58%
Ethnicity	White Non-Hispanic	0.93%	8.01%	13.33%	18.18%	51.11%	44.29%	24.84%	16.79%	9.52%	8.11%	33.63%
	Black Non-Hispanic	5.65%	9.37%	21.94%	27.71%	26.47%	36.90%	15.23%	17.05%	26.43%	7.43%	71.68%
	Hispanic	2.91%	7.99%	16.86%	17.36%	20.89%	37.15%	22.88%	17.51%	15.62%	12.83%	66.15%
Married	Married	0.71%	5.17%	12.08%	17.45%	52.60%	45.58%	25.95%	16.70%	7.84%	5.92%	23.01%
	Not Married	4.01%	11.03%	20.05%	24.10%	25.74%	35.32%	17.80%	16.78%	21.60%	11.14%	73.87%
Previous Live Birth	Yes	2.92%	7.88%	16.57%	21.96%	35.60%	38.22%	7.66%	8.25%	10.63%	8.72%	50.89%
	No	1.59%	8.34%	15.27%	19.07%	45.56%	44.23%	41.91%	28.61%	20.12%	8.22%	43.73%
Education	Less Than 12 Years	7.05%	13.24%	22.25%	25.13%	17.71%	38.16%	18.21%	18.54%	23.30%	16.13%	75.53%
	12 Years	3.16%	11.80%	17.49%	24.81%	32.25%	36.00%	14.50%	13.03%	19.84%	7.27%	71.09%
	Greater Than 12 Years	0.00%	4.45%	13.09%	17.01%	52.41%	44.41%	26.96%	17.90%	8.64%	6.10%	25.93%

Table 7Q. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q71B-Q75B												
	Percent Response Yes	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
Total	Yes	7.91%	4.11%	1.51%	72.02%	83.74%	87.38%	84.14%	21.31%	8.09%	18.38%	7.70%
Age	Under 20 Years	7.32%	8.11%	3.67%	68.08%	74.33%	86.30%	79.44%	31.49%	9.99%	28.22%	3.33%
	20-24 Years	11.55%	7.90%	2.82%	67.57%	82.67%	84.94%	79.93%	24.96%	6.83%	26.29%	1.36%
	25-34 Years	8.00%	2.24%	1.03%	72.22%	83.61%	87.42%	84.76%	16.44%	8.61%	14.49%	7.78%
	Over 34 Years	3.13%	2.56%	0.00%	79.63%	91.14%	91.12%	90.60%	25.64%	7.03%	14.21%	18.45%
Ethnicity	White Non-Hispanic	6.67%	3.66%	0.54%	81.40%	88.90%	92.32%	88.95%	17.67%	9.52%	16.80%	10.04%
	Black Non-Hispanic	9.71%	6.38%	2.70%	68.83%	84.71%	86.26%	83.13%	31.98%	6.14%	23.42%	6.48%
	Hispanic	9.69%	3.06%	2.84%	51.88%	70.24%	77.01%	71.36%	17.56%	6.64%	15.14%	1.62%
Married	Married	5.16%	1.25%	0.49%	79.80%	87.88%	89.54%	89.25%	16.46%	7.01%	11.60%	11.85%
	Not Married	10.83%	7.16%	2.60%	63.72%	79.32%	85.06%	78.69%	26.49%	9.25%	25.62%	3.27%
Previous Live Birth	Yes	6.55%	2.99%	0.62%	70.49%	82.54%	86.42%	82.84%	16.48%	8.24%	17.65%	8.73%
	No	9.79%	5.68%	2.76%	74.16%	85.41%	88.71%	85.96%	28.06%	7.88%	19.40%	6.27%
Education	Less Than 12 Years	9.48%	6.71%	2.55%	56.60%	74.39%	84.03%	77.06%	27.59%	10.19%	27.56%	3.59%
	12 Years	11.18%	7.78%	3.39%	68.86%	84.49%	86.24%	81.80%	24.31%	9.21%	22.29%	2.51%
	Greater Than 12 Years	5.82%	1.40%	0.24%	79.93%	87.44%	89.20%	88.04%	17.23%	6.77%	12.93%	11.80%
	Lower 95% CI	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
Total	Yes	7.40%	3.74%	1.28%	71.17%	83.04%	86.75%	83.45%	20.54%	7.58%	17.65%	7.20%
Age	Under 20 Years	5.76%	6.46%	2.53%	65.28%	71.70%	84.24%	77.01%	28.70%	8.19%	25.51%	2.25%
	20-24 Years	10.26%	6.81%	2.15%	65.68%	81.15%	83.50%	78.32%	23.22%	5.82%	24.52%	0.89%
	25-34 Years	7.29%	1.85%	0.77%	71.04%	82.63%	86.55%	83.81%	15.47%	7.87%	13.57%	7.08%
	Over 34 Years	2.32%	1.83%	0.00%	77.76%	89.82%	89.80%	89.25%	23.62%	5.85%	12.59%	16.66%
Ethnicity	White Non-Hispanic	6.04%	3.18%	0.36%	80.41%	88.10%	91.64%	88.15%	16.70%	8.78%	15.85%	9.28%
	Black Non-Hispanic	8.61%	5.47%	2.10%	67.10%	83.37%	84.97%	81.73%	30.24%	5.25%	21.84%	5.57%
	Hispanic	8.24%	2.22%	2.03%	49.43%	68.01%	74.95%	69.15%	15.70%	5.42%	13.39%	1.01%
Married	Married	4.56%	0.95%	0.30%	78.71%	86.99%	88.71%	88.41%	15.46%	6.32%	10.73%	10.98%
	Not Married	9.99%	6.46%	2.17%	62.41%	78.23%	84.10%	77.59%	25.29%	8.46%	24.44%	2.79%
Previous Live Birth	Yes	5.83%	2.49%	0.39%	69.16%	81.43%	85.42%	81.74%	15.40%	7.44%	16.54%	7.90%
	No	8.93%	5.00%	2.28%	72.88%	84.38%	87.79%	84.95%	26.75%	7.10%	18.25%	5.56%
Education	Less Than 12 Years	8.31%	5.71%	1.92%	54.62%	72.64%	82.56%	75.37%	25.80%	8.98%	25.77%	2.84%
	12 Years	9.97%	6.75%	2.70%	67.08%	83.10%	84.92%	80.32%	22.66%	8.10%	20.69%	1.91%
	Greater Than 12 Years	5.22%	1.10%	0.11%	78.90%	86.59%	88.40%	87.20%	16.25%	6.12%	12.06%	10.97%
	Upper 95% CI	Q71B	Q71C	Q71D	Q72A	Q72B	Q72C	Q72D	Q73A	Q73B	Q75A	Q75B
Total	Yes	8.41%	4.48%	1.74%	72.86%	84.43%	88.00%	84.83%	22.09%	8.61%	19.11%	8.20%
Age	Under 20 Years	8.89%	9.75%	4.80%	70.89%	76.96%	88.37%	81.87%	34.28%	11.79%	30.93%	4.41%
	20-24 Years	12.83%	8.98%	3.48%	69.45%	84.19%	86.37%	81.54%	26.70%	7.85%	28.05%	1.82%
	25-34 Years	8.71%	2.62%	1.30%	73.39%	84.58%	88.29%	85.70%	17.41%	9.35%	15.41%	8.48%
	Over 34 Years	3.94%	3.29%	0.00%	81.49%	92.45%	92.43%	91.96%	27.66%	8.21%	15.83%	20.25%
Ethnicity	White Non-Hispanic	7.31%	4.13%	0.73%	82.38%	89.69%	92.99%	89.74%	18.63%	10.26%	17.75%	10.80%
	Black Non-Hispanic	10.82%	7.29%	3.30%	70.55%	86.06%	87.54%	84.52%	33.72%	7.03%	25.00%	7.40%
	Hispanic	11.13%	3.90%	3.65%	54.32%	72.48%	79.06%	73.57%	19.42%	7.85%	16.89%	2.24%
Married	Married	5.76%	1.55%	0.68%	80.89%	88.76%	90.37%	90.09%	17.47%	7.70%	12.47%	12.73%
	Not Married	11.68%	7.86%	3.03%	65.02%	80.42%	86.03%	79.80%	27.69%	10.03%	26.80%	3.75%
Previous Live Birth	Yes	7.28%	3.48%	0.84%	71.82%	83.65%	87.42%	83.94%	17.57%	9.05%	18.77%	9.55%
	No	10.66%	6.35%	3.24%	75.44%	86.44%	89.63%	86.98%	29.37%	8.67%	20.56%	6.98%
Education	Less Than 12 Years	10.66%	7.71%	3.18%	58.59%	76.14%	85.49%	78.74%	29.38%	11.41%	29.35%	4.33%
	12 Years	12.39%	8.81%	4.09%	70.64%	85.88%	87.57%	83.28%	25.95%	10.32%	23.88%	3.11%
	Greater Than 12 Years	6.43%	1.71%	0.37%	80.96%	88.30%	90.00%	88.88%	18.20%	7.42%	13.79%	12.63%

Table 7R. Percent Response Yes and Lower/Upper 95% CI, Delaware 2009 PRAMS: Q75C-Q75H							
	Percent Response Yes	Q75C	Q75D	Q75E	Q75F	Q75G	Q75H
Total	Yes	85.30%	32.79%	6.06%	9.39%	6.96%	4.60%
Age	Under 20 Years	71.32%	45.28%	9.54%	7.32%	10.71%	10.54%
	20-24 Years	80.25%	51.03%	8.48%	9.69%	4.23%	4.40%
	25-34 Years	89.52%	28.15%	4.74%	9.83%	6.63%	3.25%
	Over 34 Years	87.12%	15.68%	4.92%	8.82%	9.40%	5.55%
Ethnicity	White Non-Hispanic	89.40%	24.21%	4.29%	9.26%	6.72%	4.49%
	Black Non-Hispanic	76.45%	48.02%	11.30%	13.16%	10.85%	7.42%
	Hispanic	87.81%	41.11%	4.61%	5.81%	1.68%	1.46%
Married	Married	92.50%	16.39%	1.97%	8.14%	4.57%	3.31%
	Not Married	77.62%	50.29%	10.43%	10.72%	9.52%	5.98%
Previous Live Birth	Yes	84.86%	38.57%	7.26%	10.30%	10.03%	4.37%
	No	85.91%	24.72%	4.39%	8.11%	2.68%	4.92%
Education	Less Than 12 Years	73.41%	54.82%	12.19%	8.81%	8.21%	7.86%
	12 Years	81.64%	48.77%	8.99%	11.58%	9.41%	5.01%
	Greater Than 12 Years	92.06%	16.64%	2.24%	8.69%	5.38%	2.82%
	Lower 95% CI	Q75C	Q75D	Q75E	Q75F	Q75G	Q75H
Total	Yes	84.63%	31.91%	5.61%	8.84%	6.48%	4.20%
Age	Under 20 Years	68.60%	42.29%	7.77%	5.76%	8.85%	8.69%
	20-24 Years	78.65%	49.02%	7.36%	8.50%	3.42%	3.57%
	25-34 Years	88.72%	26.97%	4.18%	9.05%	5.98%	2.79%
	Over 34 Years	85.57%	14.00%	3.92%	7.51%	8.05%	4.49%
Ethnicity	White Non-Hispanic	88.62%	23.12%	3.78%	8.53%	6.08%	3.96%
	Black Non-Hispanic	74.87%	46.16%	10.13%	11.90%	9.70%	6.45%
	Hispanic	86.21%	38.71%	3.58%	4.67%	1.05%	0.88%
Married	Married	91.79%	15.39%	1.59%	7.40%	4.00%	2.82%
	Not Married	76.49%	48.94%	9.60%	9.88%	8.72%	5.34%
Previous Live Birth	Yes	83.82%	37.14%	6.50%	9.41%	9.15%	3.77%
	No	84.89%	23.47%	3.80%	7.31%	2.21%	4.29%
Education	Less Than 12 Years	71.64%	52.82%	10.88%	7.68%	7.11%	6.78%
	12 Years	80.16%	46.86%	7.89%	10.35%	8.29%	4.17%
	Greater Than 12 Years	91.36%	15.68%	1.86%	7.97%	4.80%	2.40%
	Upper 95% CI	Q75C	Q75D	Q75E	Q75F	Q75G	Q75H
Total	Yes	85.97%	33.68%	6.51%	9.94%	7.44%	4.99%
Age	Under 20 Years	74.04%	48.28%	11.31%	8.89%	12.57%	12.39%
	20-24 Years	81.85%	53.04%	9.60%	10.88%	5.03%	5.22%
	25-34 Years	90.33%	29.32%	5.30%	10.61%	7.28%	3.72%
	Over 34 Years	88.67%	17.37%	5.92%	10.13%	10.75%	6.61%
Ethnicity	White Non-Hispanic	90.18%	25.29%	4.81%	10.00%	7.35%	5.01%
	Black Non-Hispanic	78.03%	49.88%	12.48%	14.42%	12.01%	8.40%
	Hispanic	89.41%	43.51%	5.63%	6.95%	2.31%	2.05%
Married	Married	93.21%	17.39%	2.35%	8.88%	5.13%	3.79%
	Not Married	78.75%	51.65%	11.26%	11.56%	10.31%	6.62%
Previous Live Birth	Yes	85.91%	39.99%	8.01%	11.19%	10.90%	4.97%
	No	86.92%	25.98%	4.99%	8.91%	3.15%	5.55%
Education	Less Than 12 Years	75.18%	56.81%	13.50%	9.95%	9.31%	8.94%
	12 Years	83.13%	50.69%	10.09%	12.81%	10.53%	5.85%
	Greater Than 12 Years	92.75%	17.60%	2.62%	9.42%	5.96%	3.25%



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Public Health

Center for Family Health Research and Epidemiology