


DELAWARE

2019 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3101	624,418	1925	58.7	56.2-61.2	1176	41.3	38.8-43.8
Male	1371	294,027	819	57.0	53.3-60.7	552	43.0	39.3-46.7
Female	1730	330,391	1106	60.2	56.9-63.5	624	39.8	36.5-43.1
White/Non-Hisp	2102	395,999	1373	60.9	58.0-63.8	729	39.1	36.2-42.0
Black or Afr. Am./Non-Hisp	370	121,058	217	55.9	48.8-63.0	153	44.1	37.0-51.2
Oth. Race/Non-Hisp.	113	31,817	62	53.1	40.2-66.0	51	46.9	34.0-59.8
MultiRacial/Non-Hisp.	64	7,002	36	56.6	40.1-73.1	28	43.4	26.9-59.9
Hispanic	371	53,730	187	51.2	43.4-59.0	184	48.8	41.0-56.6
18-24	220	77,431	60	31.0	22.2-39.8	160	69.0	60.2-77.8
25-34	389	114,555	182	46.6	39.5-53.7	207	53.4	46.3-60.5
35-44	421	97,469	236	58.1	51.8-64.4	185	41.9	35.6-48.2
45-54	505	96,071	347	71.6	66.7-76.5	158	28.4	23.5-33.3
55-64	603	105,203	434	70.0	65.1-74.9	169	30.0	25.1-34.9
65+	963	133,688	666	67.2	63.1-71.3	297	32.8	28.7-36.9
Less Than H.S.	311	64,782	159	55.1	46.9-63.3	152	44.9	36.7-53.1
H.S. or G.E.D.	828	199,366	470	54.6	49.9-59.3	358	45.4	40.7-50.1
Some Post-H.S.	749	174,196	476	59.4	54.3-64.5	273	40.6	35.5-45.7
College Graduate	1195	183,741	811	63.8	59.9-67.7	384	36.2	32.3-40.1
Less than \$15,000	214	35,470	123	55.8	45.8-65.8	91	44.2	34.2-54.2
\$15,000- 24,999	385	67,229	226	55.7	48.6-62.8	159	44.3	37.2-51.4
\$25,000- 34,999	232	43,855	144	61.7	53.3-70.1	88	38.3	29.9-46.7
\$35,000- 49,999	316	64,558	197	56.2	47.8-64.6	119	43.8	35.4-52.2
\$50,000- 74,999	347	75,020	213	56.3	48.9-63.7	134	43.7	36.3-51.1
\$75,000+	949	210,009	644	62.7	58.2-67.2	305	37.3	32.8-41.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1371	294,027	819	57.0	53.3-60.7	552	43.0	39.3-46.7
White/Non-Hisp	936	184,847	609	59.7	55.4-64.0	327	40.3	36.0-44.6
Black or Afr. Am./Non-Hisp	128	55,592	73	57.6	46.6-68.6	55	42.4	31.4-53.4
Oth. Race/Non-Hisp.	59	15,180	31	53.2	35.8-70.6	28	46.8	29.4-64.2
Hispanic	183	29,116	66	39.3	28.1-50.5	117	60.7	49.5-71.9
18-24	124	38,644	26	27.0	15.8-38.2	98	73.0	61.8-84.2
25-34	194	58,424	82	42.4	32.2-52.6	112	57.6	47.4-67.8
35-44	179	45,508	91	57.5	47.7-67.3	88	42.5	32.7-52.3
45-54	218	46,627	152	75.6	68.9-82.3	66	24.4	17.7-31.1
55-64	269	47,492	186	65.9	58.5-73.3	83	34.1	26.7-41.5
65+	387	57,333	282	69.3	62.6-76.0	105	30.7	24.0-37.4
Less Than H.S.	150	33,644	64	51.2	38.9-63.5	86	48.8	36.5-61.1
H.S. or G.E.D.	371	102,242	185	48.1	41.2-55.0	186	51.9	45.0-58.8
Some Post-H.S.	316	73,884	203	61.1	53.7-68.5	113	38.9	31.5-46.3
College Graduate	525	82,960	364	66.9	61.2-72.6	161	33.1	27.4-38.8
Less than \$15,000	80	14,923	37	49.6	34.9-64.3	43	50.4	35.7-65.1
\$15,000- 24,999	165	31,244	74	39.8	29.2-50.4	91	60.2	49.6-70.8
\$25,000- 34,999	103	20,043	62	60.8	47.9-73.7	41	39.2	26.3-52.1
\$35,000- 49,999	115	26,832	65	50.5	35.8-65.2	50	49.5	34.8-64.2
\$50,000- 74,999	172	41,986	103	55.2	44.8-65.6	69	44.8	34.4-55.2
\$75,000+	472	102,490	337	66.3	60.2-72.4	135	33.7	27.6-39.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1730	330,391	1106	60.2	56.9-63.5	624	39.8	36.5-43.1
White/Non-Hisp	1166	211,152	764	62.0	58.1-65.9	402	38.0	34.1-41.9
Black or Afr. Am./Non-Hisp	242	65,466	144	54.5	45.7-63.3	98	45.5	36.7-54.3
Oth. Race/Non-Hisp.	54	16,637	31	53.0	34.0-72.0	23	47.0	28.0-66.0
Hispanic	188	24,613	121	65.2	55.2-75.2	67	34.8	24.8-44.8
18-24	96	38,787	34	35.0	21.5-48.5	62	65.0	51.5-78.5
25-34	195	56,132	100	51.0	41.4-60.6	95	49.0	39.4-58.6
35-44	242	51,961	145	58.7	50.5-66.9	97	41.3	33.1-49.5
45-54	287	49,445	195	67.9	60.8-75.0	92	32.1	25.0-39.2
55-64	334	57,711	248	73.5	67.2-79.8	86	26.5	20.2-32.8
65+	576	76,356	384	65.6	60.5-70.7	192	34.4	29.3-39.5
Less Than H.S.	161	31,138	95	59.4	48.8-70.0	66	40.6	30.0-51.2
H.S. or G.E.D.	457	97,124	285	61.4	55.3-67.5	172	38.6	32.5-44.7
Some Post-H.S.	433	100,312	273	58.1	51.2-65.0	160	41.9	35.0-48.8
College Graduate	670	100,781	447	61.2	55.7-66.7	223	38.8	33.3-44.3
Less than \$15,000	134	20,548	86	60.3	46.8-73.8	48	39.7	26.2-53.2
\$15,000- 24,999	220	35,986	152	69.6	61.2-78.0	68	30.4	22.0-38.8
\$25,000- 34,999	129	23,812	82	62.5	51.3-73.7	47	37.5	26.3-48.7
\$35,000- 49,999	201	37,726	132	60.3	49.9-70.7	69	39.7	29.3-50.1
\$50,000- 74,999	175	33,034	110	57.8	47.4-68.2	65	42.2	31.8-52.6
\$75,000+	477	107,519	307	59.2	52.7-65.7	170	40.8	34.3-47.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3190	638,978	410	11.8	10.2-13.4	30	1.1	00.5-01.7	2750	87.1	85.5-88.7
Male	1405	300,792	179	11.5	09.3-13.7				1226	88.5	86.3-90.7
Female	1785	338,186	231	12.0	10.0-14.0	30	2.1	01.1-03.1	1524	85.9	83.7-88.1
White/Non-Hisp	2173	407,441	288	11.9	10.1-13.7	15	0.7	00.1-01.3	1870	87.3	85.5-89.1
Black or Afr. Am./Non-Hisp	378	122,098	63	13.9	09.4-18.4	8	2.1	00.3-03.9	307	84.0	79.3-88.7
Oth. Race/Non-Hisp.	113	31,976	9	4.7	00.0-09.8	2	2.1	00.0-05.2	102	93.2	87.3-99.1
MultiRacial/Non-Hisp.	68	7,656	11	14.6	02.8-26.4	1	2.4	00.0-07.1	56	83.1	70.8-95.4
Hispanic	376	54,731	28	9.9	04.0-15.8	4	0.9	00.0-01.9	344	89.2	83.3-95.1
18-24	226	78,615	3	2.1	00.0-04.8				223	97.9	95.2-0100
25-34	401	116,915	19	4.9	02.2-07.6	6	1.9	00.1-03.7	376	93.2	90.1-96.3
35-44	435	101,230	37	10.1	05.6-14.6	9	2.6	00.8-04.4	389	87.3	82.6-92.0
45-54	522	98,666	71	12.4	09.1-15.7	6	0.5	00.1-00.9	445	87.1	83.6-90.6
55-64	624	107,207	98	17.1	13.0-21.2	7	1.4	00.0-03.0	519	81.5	77.2-85.8
65+	982	136,344	182	19.8	16.5-23.1	2	0.1	00.0-00.3	798	80.1	76.8-83.4
Less Than H.S.	316	65,168	33	12.0	06.5-17.5	3	0.9	00.0-02.1	280	87.1	81.6-92.6
H.S. or G.E.D.	848	202,538	111	11.8	09.1-14.5	4	0.4	00.0-01.0	733	87.8	85.1-90.5
Some Post-H.S.	772	178,626	114	13.3	10.2-16.4	12	1.8	00.4-03.2	646	84.9	81.6-88.2
College Graduate	1236	190,313	151	10.3	08.1-12.5	11	1.2	00.2-02.2	1074	88.5	86.1-90.9
Less than \$15,000	216	35,956	34	14.0	08.5-19.5	2	1.2	00.0-03.0	180	84.9	79.0-90.8
\$15,000- 24,999	395	68,459	64	13.6	09.3-17.9	7	3.0	00.3-05.7	324	83.4	78.5-88.3
\$25,000- 34,999	237	44,182	47	24.3	15.3-33.3	5	3.0	00.0-06.5	185	72.8	63.6-82.0
\$35,000- 49,999	319	65,127	43	9.5	06.0-13.0	2	0.2	00.0-00.4	274	90.4	86.7-94.1
\$50,000- 74,999	356	76,477	48	12.4	08.1-16.7	1	0.0	00.0-00.0	307	87.6	83.3-91.9
\$75,000+	989	217,678	105	10.0	07.5-12.5	7	1.0	00.2-01.8	877	89.0	86.5-91.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1405	300,792	179	11.5	09.3-13.7	1226	88.5	86.3-90.7
White/Non-Hisp	964	190,424	138	12.1	09.6-14.6	826	87.9	85.4-90.4
Black or Afr. Am./Non-Hisp	127	55,385	22	13.2	06.5-19.9	105	86.8	80.1-93.5
Oth. Race/Non-Hisp.	60	15,360	1	0.6	00.0-01.8	59	99.4	98.2-0100
Hispanic	186	29,739	8	9.4	00.2-18.6	178	90.6	81.4-99.8
18-24	127	39,166	2	1.4	00.0-03.4	125	98.6	96.6-0100
25-34	202	60,225	7	4.4	00.3-08.5	195	95.6	91.5-99.7
35-44	187	47,536	13	10.2	03.1-17.3	174	89.8	82.7-96.9
45-54	224	47,828	29	11.7	06.8-16.6	195	88.3	83.4-93.2
55-64	274	48,031	47	17.7	11.4-24.0	227	82.3	76.0-88.6
65+	391	58,006	81	21.5	16.2-26.8	310	78.5	73.2-83.8
Less Than H.S.	153	33,792	15	12.9	04.3-21.5	138	87.1	78.5-95.7
H.S. or G.E.D.	381	104,373	39	9.5	05.8-13.2	342	90.5	86.8-94.2
Some Post-H.S.	324	75,658	51	13.8	09.1-18.5	273	86.2	81.5-90.9
College Graduate	538	85,673	74	11.5	08.0-15.0	464	88.5	85.0-92.0
Less than \$15,000	81	15,048	7	8.3	01.4-15.2	74	91.7	84.8-98.6
\$15,000- 24,999	167	31,592	26	12.8	06.5-19.1	141	87.2	80.9-93.5
\$25,000- 34,999	105	20,154	18	23.7	09.2-38.2	87	76.3	61.8-90.8
\$35,000- 49,999	116	26,931	16	7.7	02.4-13.0	100	92.3	87.0-97.6
\$50,000- 74,999	176	42,784	21	11.4	05.5-17.3	155	88.6	82.7-94.5
\$75,000+	489	106,395	59	10.0	06.9-13.1	430	90.0	86.9-93.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1785	338,186	231	12.0	10.0-14.0	30	2.1	01.1-03.1	1524	85.9	83.7-88.1
White/Non-Hisp	1209	217,018	150	11.8	09.4-14.2	15	1.4	00.4-02.4	1044	86.8	84.3-89.3
Black or Afr. Am./Non-Hisp	251	66,713	41	14.5	08.6-20.4	8	3.9	00.6-07.2	202	81.6	75.1-88.1
Oth. Race/Non-Hisp.	53	16,616	8	8.5	00.0-17.9	2	4.1	00.0-10.0	43	87.4	76.4-98.4
Hispanic	190	24,992	20	10.6	04.1-17.1	4	2.0	00.0-04.0	166	87.5	80.8-94.2
18-24	99	39,449	1	2.7	00.0-08.0				98	97.3	92.0-0100
25-34	199	56,691	12	5.4	02.1-08.7	6	3.9	00.4-07.4	181	90.8	86.1-95.5
35-44	248	53,695	24	9.9	04.2-15.6	9	4.9	01.4-08.4	215	85.1	78.6-91.6
45-54	298	50,838	42	13.1	08.4-17.8	6	0.9	00.1-01.7	250	85.9	81.2-90.6
55-64	350	59,175	51	16.7	11.4-22.0	7	2.6	00.0-05.3	292	80.7	75.0-86.4
65+	591	78,338	101	18.6	14.1-23.1	2	0.1	00.0-00.3	488	81.3	76.8-85.8
Less Than H.S.	163	31,376	18	11.0	04.5-17.5	3	2.0	00.0-04.4	142	87.1	80.4-93.8
H.S. or G.E.D.	467	98,165	72	14.1	10.2-18.0	4	0.9	00.0-01.9	391	85.0	80.9-89.1
Some Post-H.S.	448	102,968	63	13.0	08.7-17.3	12	3.1	00.7-05.5	373	83.9	79.0-88.8
College Graduate	698	104,640	77	9.4	06.7-12.1	11	2.1	00.5-03.7	610	88.5	85.4-91.6
Less than \$15,000	135	20,908	27	18.0	09.8-26.2	2	2.0	00.0-05.1	106	79.9	71.3-88.5
\$15,000- 24,999	228	36,867	38	14.3	08.6-20.0	7	5.5	00.4-10.6	183	80.2	72.9-87.5
\$25,000- 34,999	132	24,028	29	24.7	13.3-36.1	5	5.5	00.0-12.0	98	69.8	57.8-81.8
\$35,000- 49,999	203	38,195	27	10.7	05.8-15.6	2	0.3	00.0-00.7	174	89.0	84.1-93.9
\$50,000- 74,999	180	33,693	27	13.6	07.1-20.1	1	0.1	00.0-00.3	152	86.3	79.8-92.8
\$75,000+	500	111,283	46	10.0	06.3-13.7	7	2.0	00.4-03.6	447	88.0	84.1-91.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	548	95,525	193	35.0	29.3-40.7	355	65.0	59.3-70.7
Male	262	49,593	100	36.3	28.7-43.9	162	63.7	56.1-71.3
Female	286	45,932	93	33.6	25.4-41.8	193	66.4	58.2-74.6
White/Non-Hisp	356	56,363	116	31.5	25.4-37.6	240	68.5	62.4-74.6
Black or Afr. Am./Non-Hisp	89	27,065	35	37.1	24.6-49.6	54	62.9	50.4-75.4
Hispanic	56	6,192	22	47.0	22.5-71.5	34	53.0	28.5-77.5
45-54	77	14,539	25	36.4	21.5-51.3	52	63.6	48.7-78.5
55-64	133	22,918	47	30.4	20.4-40.4	86	69.6	59.6-79.6
65+	294	45,694	98	32.3	25.0-39.6	196	67.7	60.4-75.0
Less Than H.S.	81	16,123	23	27.8	15.1-40.5	58	72.2	59.5-84.9
H.S. or G.E.D.	170	33,881	59	37.6	27.6-47.6	111	62.4	52.4-72.4
Some Post-H.S.	130	26,173	52	39.8	28.6-51.0	78	60.2	49.0-71.4
College Graduate	163	19,127	59	30.4	21.0-39.8	104	69.6	60.2-79.0
Less than \$15,000	70	9,887	28	48.0	31.1-64.9	42	52.0	35.1-68.9
\$15,000- 24,999	80	12,074	33	41.2	26.7-55.7	47	58.8	44.3-73.3
\$25,000- 34,999	50	7,008	20	37.5	17.3-57.7	30	62.5	42.3-82.7
\$35,000- 49,999	67	12,191	21	32.7	18.8-46.6	46	67.3	53.4-81.2
\$50,000- 74,999	68	12,166	24	32.2	18.3-46.1	44	67.8	53.9-81.7
\$75,000+	111	21,039	37	33.0	20.8-45.2	74	67.0	54.8-79.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	262	49,593	100	36.3	28.7-43.9	162	63.7	56.1-71.3
White/Non-Hisp	181	30,206	65	36.1	27.3-44.9	116	63.9	55.1-72.7
55-64	68	12,852	28	38.0	23.7-52.3	40	62.0	47.7-76.3
65+	140	23,309	49	29.2	19.8-38.6	91	70.8	61.4-80.2
H.S. or G.E.D.	82	17,941	28	36.5	24.0-49.0	54	63.5	51.0-76.0
Some Post-H.S.	55	10,347	25	49.0	31.8-66.2	30	51.0	33.8-68.2
College Graduate	81	11,866	35	33.6	20.3-46.9	46	66.4	53.1-79.7
\$75,000+	67	13,282	24	30.1	15.8-44.4	43	69.9	55.6-84.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	45,932	93	33.6	25.4-41.8	193	66.4	58.2-74.6
White/Non-Hisp	175	26,157	51	26.1	18.1-34.1	124	73.9	65.9-81.9
Black or Afr. Am./Non-Hisp	55	14,066	20	39.3	21.9-56.7	35	60.7	43.3-78.1
55-64	65	10,066	19	20.8	09.6-32.0	46	79.2	68.0-90.4
65+	154	22,385	49	35.5	24.7-46.3	105	64.5	53.7-75.3
H.S. or G.E.D.	88	15,940	31	38.9	23.0-54.8	57	61.1	45.2-77.0
Some Post-H.S.	75	15,826	27	33.8	19.9-47.7	48	66.2	52.3-80.1
College Graduate	82	7,261	24	25.1	12.6-37.6	58	74.9	62.4-87.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	542	95,456	49	7.3	04.6-10.0	174	30.4	25.1-35.7	304	60.6	55.1-66.1	15	1.6	00.6-02.6
Male	258	49,387	20	5.7	02.6-08.8	84	32.2	24.6-39.8	143	59.2	51.4-67.0	11	2.8	00.8-04.8
Female	284	46,069	29	9.1	04.8-13.4	90	28.4	21.1-35.7	161	62.1	54.3-69.9	4	0.4	00.0-00.8
White/Non-Hisp	354	56,210	30	6.4	03.9-08.9	115	31.5	25.4-37.6	196	59.4	52.9-65.9	13	2.6	00.8-04.4
Black or Afr. Am./Non-Hisp	89	27,065	12	10.6	03.3-17.9	21	25.7	14.1-37.3	56	63.8	51.3-76.3			
Hispanic	52	6,276	3	5.8	00.0-15.2	17	24.0	09.1-38.9	32	70.2	52.4-88.0			
45-54	77	14,802	9	6.4	01.5-11.3	25	33.1	19.0-47.2	40	57.6	43.1-72.1	3	2.8	00.0-06.7
55-64	130	22,749	8	6.3	00.2-12.4	47	37.5	26.5-48.5	70	53.3	41.9-64.7	5	2.9	00.0-05.8
65+	291	45,531	27	7.7	04.0-11.4	91	28.2	21.3-35.1	166	63.0	55.6-70.4	7	1.1	00.1-02.1
Less Than H.S.	79	16,282	11	15.7	05.3-26.1	21	26.6	13.1-40.1	46	56.8	42.1-71.5	1	1.0	00.0-03.0
H.S. or G.E.D.	169	33,793	10	4.3	01.2-07.4	48	27.1	18.5-35.7	109	67.4	58.4-76.4	2	1.2	00.0-03.0
Some Post-H.S.	128	26,088	9	3.0	00.6-05.4	45	33.9	23.3-44.5	71	61.9	51.1-72.7	3	1.2	00.0-02.6
College Graduate	163	19,127	18	11.3	04.2-18.4	59	34.7	24.1-45.3	77	50.3	38.7-61.9	9	3.7	00.4-07.0
Less than \$15,000	68	9,789	7	12.2	00.2-24.2	16	23.5	08.8-38.2	45	64.3	47.6-81.0			
\$15,000- 24,999	79	12,013	8	14.1	02.1-26.1	13	12.4	04.4-20.4	56	72.4	58.9-85.9	2	1.1	00.0-02.7
\$25,000- 34,999	50	7,008	3	2.9	00.0-07.0	13	20.2	06.9-33.5	32	74.7	60.2-89.2	2	2.2	00.0-05.5
\$35,000- 49,999	67	12,583	9	7.0	01.3-12.7	19	34.5	19.4-49.6	38	57.2	41.9-72.5	1	1.3	00.0-03.8
\$50,000- 74,999	68	12,166	6	8.1	01.2-15.0	20	28.9	15.2-42.6	39	61.0	46.5-75.5	3	2.0	00.0-04.9
\$75,000+	110	20,974	6	3.4	00.3-06.5	55	43.8	30.9-56.7	48	52.5	39.4-65.6	1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	49,387	20	5.7	02.6-08.8	84	32.2	24.8-39.6	143	59.2	51.4-67.0	11	2.8	00.8-04.8
White/Non-Hisp	180	30,119	13	5.6	02.3-08.9	58	31.8	23.4-40.2	99	58.1	49.1-67.1	10	4.5	01.2-07.8
55-64	66	12,744	3	3.8	00.0-08.5	22	37.3	22.6-52.0	36	53.8	38.9-68.7	5	5.2	00.1-10.3
65+	138	23,211	11	6.1	01.0-11.2	49	35.4	24.6-46.2	74	56.8	45.6-68.0	4	1.7	00.0-03.7
H.S. or G.E.D.	81	17,853	5	4.5	00.0-09.2	21	27.4	15.6-39.2	53	66.0	53.7-78.3	2	2.2	00.0-05.5
Some Post-H.S.	54	10,327	3	1.7	00.0-03.7	19	37.3	21.2-53.4	30	58.9	42.4-75.4	2	2.2	00.0-05.5
College Graduate	81	11,866	6	8.8	00.0-18.2	31	34.5	19.6-49.4	38	51.6	35.3-67.9	6	5.2	00.0-10.5
\$75,000+	67	13,282	2	2.3	00.0-05.6	33	43.3	26.8-59.8	31	53.9	37.2-70.6	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	46,069	29	9.1	04.8-13.4	90	28.4	21.1-35.7	161	62.1	54.1-70.1	4	0.4	00.0-00.8
White/Non-Hisp	174	26,091	17	7.4	03.3-11.5	57	31.2	22.0-40.4	97	60.8	51.2-70.4	3	0.5	00.0-01.3
Black or Afr. Am./Non-Hisp	55	14,066	9	13.4	02.4-24.4	13	24.8	10.1-39.5	33	61.8	44.9-78.7			
55-64	64	10,005	5	9.5	00.0-21.5	25	37.9	21.0-54.8	34	52.7	34.9-70.5			
65+	153	22,320	16	9.3	03.6-15.0	42	20.8	13.2-28.4	92	69.5	60.3-78.7	3	0.4	00.0-01.0
H.S. or G.E.D.	88	15,940	5	4.2	00.1-08.3	27	26.8	14.3-39.3	56	69.0	55.9-82.1			
Some Post-H.S.	74	15,761	6	3.9	00.2-07.6	26	31.7	17.6-45.8	41	63.9	49.4-78.4	1	0.5	00.0-01.5
College Graduate	82	7,261	12	15.4	05.0-25.8	28	35.2	21.5-48.9	39	48.1	33.4-62.8	3	1.3	00.0-02.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	537	94,215	265	48.6	42.7-54.5	110	20.0	15.5-24.5	49	8.8	05.1-12.5	40	7.3	04.4-10.2	71	14.2	10.1-18.3	2	1.2	00.0-03.0
Male	257	48,902	122	48.2	40.0-56.4	52	20.1	13.8-26.4	21	8.1	03.6-12.6	26	8.4	04.3-12.5	34	12.8	07.3-18.3	2	2.4	00.0-05.7
Female	280	45,313	143	49.0	40.4-57.6	58	19.9	13.2-26.6	28	9.4	03.7-15.1	14	6.1	02.0-10.2	37	15.7	09.4-22.0			
White/Non-Hisp	350	55,345	165	45.7	39.0-52.4	82	23.6	17.9-29.3	33	8.7	04.8-12.6	28	7.6	03.9-11.3	42	14.4	09.3-19.5			
Black or Afr. Am./Non-Hisp	85	26,388	47	57.9	44.6-71.2	13	17.6	07.2-28.0	5	2.9	00.2-05.6	5	5.2	00.0-10.7	14	14.8	05.4-24.2	1	1.5	00.0-04.4
Hispanic	56	6,627	27	39.0	18.8-59.2	6	6.2	00.0-12.9	8	27.7	00.0-55.5	4	12.8	00.0-27.7	11	14.3	02.1-26.5			
45-54	76	14,688	40	41.8	27.3-56.3	14	18.7	08.1-29.3	7	13.7	02.3-25.1	2	4.7	00.0-11.6	13	21.1	08.2-34.0			
55-64	132	22,689	62	49.4	37.8-61.0	31	21.4	12.4-30.4	13	8.6	02.5-14.7	8	6.5	00.4-12.6	18	14.0	06.0-22.0			
65+	287	44,711	145	52.2	44.2-60.2	56	20.6	13.9-27.3	23	5.2	02.7-07.7	28	9.7	05.0-14.4	34	11.4	06.7-16.1	1	0.9	00.0-02.7
Less Than H.S.	77	15,769	36	39.3	24.8-53.8	13	26.9	12.0-41.8	7	8.7	00.7-16.7	7	8.0	00.7-15.3	14	17.1	06.3-27.9			
H.S. or G.E.D.	167	33,418	80	45.9	35.9-55.9	45	24.2	16.4-32.0	15	12.1	03.7-20.5	8	5.3	00.8-09.8	19	12.4	05.3-19.5			
Some Post-H.S.	128	25,816	74	60.3	48.9-71.7	19	12.4	05.5-19.3	9	2.6	00.4-04.8	9	10.2	02.9-17.5	16	12.9	04.9-20.9	1	1.5	00.0-04.4
College Graduate	161	18,991	71	44.2	32.4-56.0	33	17.5	09.5-25.5	18	11.3	05.6-17.0	16	6.2	02.5-09.9	22	16.8	08.4-25.2	1	4.0	00.0-11.6
Less than \$15,000	69	9,843	38	43.1	27.0-59.2	13	15.6	04.6-26.6	9	19.2	03.5-34.9	3	4.9	00.0-11.4	6	17.2	02.1-32.3			
\$15,000- 24,999	76	11,717	36	50.9	34.8-67.0	20	26.6	12.5-40.7	9	7.2	01.3-13.1	4	3.8	00.0-08.1	7	11.4	01.4-21.4			
\$25,000- 34,999	50	7,008	34	70.0	52.6-87.4	4	10.8	00.0-24.9	2	5.0	00.0-12.4	3	6.0	00.0-13.8	7	8.2	00.6-15.8			
\$35,000- 49,999	68	12,670	32	44.3	29.0-59.6	16	26.7	13.4-40.0	5	4.4	00.3-08.5	5	11.7	01.3-22.1	10	12.8	02.8-22.8			
\$50,000- 74,999	66	11,851	29	51.5	36.0-67.0	15	20.0	09.2-30.8	7	7.2	00.9-13.5	7	5.7	00.6-10.8	8	15.6	02.7-28.5			
\$75,000+	110	20,759	48	44.8	31.3-58.3	23	17.9	08.5-27.3	9	8.2	01.7-14.7	12	8.3	01.4-15.2	16	15.2	05.4-25.0	2	5.6	00.0-13.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	257	48,902	122	48.2	40.0-56.4	52	20.1	13.8-26.4	21	8.1	03.6-12.6	26	8.4	04.3-12.5	34	12.8	07.3-18.3	2	2.4	00.0-05.7
White/Non-Hisp	178	29,609	86	48.2	38.8-57.6	40	23.1	15.8-30.4	14	9.0	02.7-15.3	19	8.4	03.7-13.1	19	11.3	05.2-17.4			
55-64	67	12,622	28	41.3	26.8-55.8	17	25.1	12.6-37.6	4	8.0	00.0-17.2	6	6.4	00.0-12.9	12	19.2	06.3-32.1			
65+	137	22,898	70	55.2	44.0-66.4	22	15.1	06.3-23.9	12	5.6	01.9-09.3	18	12.2	04.9-19.5	14	10.2	03.7-16.7	1	1.7	00.0-05.0
H.S. or G.E.D.	81	17,712	39	44.9	32.2-57.6	25	28.0	17.0-39.0	5	9.3	00.1-18.5	5	7.9	00.0-15.9	7	9.9	00.9-18.9			
Some Post-H.S.	55	10,347	31	60.0	43.7-76.3	5	6.5	00.0-13.0	2	1.4	00.0-03.8	5	11.5	00.9-22.1	11	16.8	04.8-28.8	1	3.9	00.0-11.3
College Graduate	79	11,730	32	43.8	26.9-60.7	15	19.6	07.6-31.6	10	10.1	03.6-16.6	11	6.7	01.8-11.6	10	13.4	02.8-24.0	1	6.5	00.0-18.7
\$75,000+	67	13,282	30	46.1	29.0-63.2	12	17.8	05.8-29.8	4	7.4	00.0-16.0	9	7.3	00.6-14.0	10	12.7	02.5-22.9	2	8.7	00.0-20.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	280	45,313	143	49.0	40.4-57.6	58	19.9	13.2-26.6	28	9.4	03.7-15.1	14	6.1	02.0-10.2	37	15.7	09.4-22.0
White/Non-Hisp	172	25,736	79	42.8	32.8-52.8	42	24.1	15.3-32.9	19	8.4	04.3-12.5	9	6.8	00.9-12.7	23	18.0	09.6-26.4
Black or Afr. Am./Non-Hisp	51	13,389	33	67.1	50.4-83.8	6	14.7	02.0-27.4	3	3.3	00.0-07.2	2	3.2	00.0-07.9	7	11.7	00.0-23.7
55-64	65	10,066	34	59.5	42.4-76.6	14	16.8	03.9-29.7	9	9.5	02.6-16.4	2	6.7	00.0-17.7	6	7.6	00.7-14.5
65+	150	21,813	75	49.0	38.0-60.0	34	26.4	16.6-36.2	11	4.8	01.5-08.1	10	7.1	01.4-12.8	20	12.7	06.0-19.4
H.S. or G.E.D.	86	15,706	41	47.2	31.9-62.5	20	19.9	08.9-30.9	10	15.3	01.0-29.6	3	2.3	00.0-05.0	12	15.3	04.1-26.5
Some Post-H.S.	73	15,469	43	60.5	44.8-76.2	14	16.3	05.7-26.9	7	3.5	00.4-06.6	4	9.4	00.0-19.2	5	10.2	00.0-21.2
College Graduate	82	7,261	39	44.9	30.2-59.6	18	14.1	06.3-21.9	8	13.1	03.9-22.3	5	5.5	00.0-11.0	12	22.3	09.2-35.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	537	93,587	84	12.7	09.0-16.4	147	27.5	22.4-32.6	56	10.3	07.0-13.6	120	22.2	17.3-27.1	64	15.0	10.1-19.9	66	12.2	08.3-16.1			
Male	255	47,903	37	13.1	07.4-18.8	74	28.1	21.0-35.2	28	9.8	05.3-14.3	53	21.2	14.3-28.1	35	15.5	09.2-21.8	28	12.4	06.7-18.1			
Female	282	45,684	47	12.2	07.7-16.7	73	26.9	19.6-34.2	28	10.9	05.8-16.0	67	23.4	16.1-30.7	29	14.5	07.1-21.9	38	12.1	06.8-17.4			
White/Non-Hisp	351	55,994	56	14.2	09.7-18.7	104	30.8	24.5-37.1	42	12.3	07.6-17.0	77	22.1	16.8-27.4	31	9.5	05.4-13.6	41	11.1	06.6-15.6			
Black or Afr. Am./Non-Hisp	85	25,740	10	9.6	01.6-17.6	23	23.4	12.6-34.2	6	7.0	00.5-13.5	18	21.6	09.6-33.6	19	25.7	13.4-38.0	9	12.7	03.9-21.5			
Hispanic	56	6,617	11	12.7	00.4-25.0	13	24.2	06.8-41.6	2	2.1	00.0-05.2	13	19.0	05.7-32.3	10	27.4	00.0-55.2	7	14.6	02.1-27.1			
45-54	78	15,018	13	14.1	04.5-23.7	19	25.1	12.6-37.6	5	5.7	00.0-11.4	20	22.3	11.5-33.1	13	26.9	11.6-42.2	8	6.0	01.1-10.9			
55-64	132	22,327	19	9.8	04.5-15.1	36	38.4	26.8-50.0	18	14.4	06.2-22.6	27	15.7	08.4-23.0	19	11.1	05.4-16.8	13	10.7	03.4-18.0			
65+	285	44,789	48	15.9	09.8-22.0	80	27.0	20.3-33.7	30	10.5	05.8-15.2	65	25.5	17.9-33.1	25	9.0	04.7-13.3	37	12.1	06.8-17.4			
Less Than H.S.	80	15,643	11	13.8	01.8-25.8	15	17.3	07.1-27.5	11	17.4	06.2-28.6	17	19.7	07.0-32.4	12	13.1	04.7-21.5	14	18.8	07.4-30.2			
H.S. or G.E.D.	167	33,619	28	13.1	07.2-19.0	49	28.8	20.0-37.6	12	5.1	01.4-08.8	31	22.0	13.6-30.4	26	19.2	10.0-28.4	21	11.8	05.9-17.7			
Some Post-H.S.	128	25,326	20	11.6	04.9-18.3	37	31.0	20.4-41.6	14	12.7	04.9-20.5	33	24.9	15.3-34.5	13	11.2	03.2-19.2	11	8.6	01.5-15.7			
College Graduate	159	18,834	25	12.5	06.4-18.6	46	29.3	19.5-39.1	19	10.6	04.9-16.3	37	20.8	11.4-30.2	13	14.5	02.9-26.1	19	12.4	04.0-20.8			
Less than \$15,000	67	9,205	9	9.3	00.9-17.7	16	16.8	07.0-26.6	8	11.9	01.7-22.1	9	12.3	03.1-21.5	13	26.5	11.4-41.6	12	23.3	06.8-39.8			
\$15,000- 24,999	79	11,905	9	14.3	00.0-29.0	16	22.3	09.8-34.8	6	9.3	00.0-19.7	19	20.7	09.3-32.1	17	22.3	10.1-34.5	12	11.1	02.7-19.5			
\$35,000- 49,999	67	12,593	7	6.6	00.1-13.1	23	38.8	23.7-53.9	10	14.7	03.5-25.9	16	26.4	12.3-40.5	2	2.2	00.0-05.7	9	11.3	03.3-19.3			
\$50,000- 74,999	67	12,080	13	12.8	04.4-21.2	16	27.1	13.4-40.8	8	17.1	04.4-29.8	19	22.4	10.4-34.4	6	13.2	01.2-25.2	5	7.4	00.5-14.3			
\$75,000+	110	21,000	17	11.1	04.0-18.2	40	33.5	21.5-45.5	11	5.7	01.4-10.0	22	20.6	10.0-31.2	9	15.1	02.6-27.6	11	13.9	03.7-24.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	255	47,903	37	13.1	07.4-18.8	74	28.1	21.0-35.2	28	9.8	05.3-14.3	53	21.2	14.3-28.1	35	15.5	09.2-21.8	28	12.4	06.7-18.1				
White/Non-Hisp	178	29,991	26	13.0	06.9-19.1	58	34.6	26.0-43.2	21	11.6	05.5-17.7	38	20.5	13.4-27.6	18	12.0	05.9-18.1	17	8.4	03.7-13.1				
55-64	67	12,260	6	8.0	00.7-15.3	20	37.4	22.9-51.9	11	14.8	04.2-25.4	11	8.8	02.9-14.7	12	16.2	06.6-25.8	7	14.8	02.8-26.8				
65+	135	22,962	22	16.2	06.8-25.6	43	30.3	20.3-40.3	13	9.7	03.0-16.4	29	22.0	12.2-31.8	13	10.1	03.8-16.4	15	11.8	04.0-19.6				
H.S. or G.E.D.	82	17,941	14	13.9	05.3-22.5	20	23.9	12.5-35.3	7	7.0	00.7-13.3	18	22.8	12.0-33.6	16	21.6	10.6-32.6	7	10.8	02.6-19.0				
Some Post-H.S.	54	9,596	9	12.4	01.6-23.2	18	41.7	24.6-58.8	7	16.4	02.1-30.7	11	17.2	06.2-28.2	6	9.2	01.2-17.2	3	3.1	00.0-06.8				
College Graduate	77	11,573	9	8.5	01.6-15.4	27	33.4	19.1-47.7	9	7.8	01.3-14.3	15	19.4	05.9-32.9	7	16.0	00.0-33.1	10	15.0	02.1-27.9				
\$75,000+	66	13,243	9	10.9	01.3-20.5	28	39.2	23.5-54.9	6	4.8	00.1-09.5	12	18.9	05.0-32.8	4	12.8	00.0-28.5	7	13.4	01.4-25.4				

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	282	45,684	47	12.2	07.7-16.7	73	26.9	19.6-34.2	28	10.9	05.8-16.0	67	23.4	16.1-30.7	29	14.5	07.1-21.9	38	12.1	06.8-17.4
White/Non-Hisp	173	26,004	30	15.7	08.8-22.6	46	26.5	17.5-35.5	21	13.1	06.0-20.2	39	23.9	15.5-32.3	13	6.6	01.7-11.5	24	14.2	06.4-22.0
Black or Afr. Am./Non-Hisp	52	13,492	6	7.0	00.5-13.5	16	29.4	13.7-45.1	5	10.5	00.0-21.3	12	22.1	05.8-38.4	9	24.8	08.3-41.3	4	6.1	00.0-13.2
55-64	65	10,066	13	11.9	04.1-19.7	16	39.6	21.0-58.2	7	13.9	01.2-26.6	16	24.1	10.0-38.2	7	4.9	00.8-09.0	6	5.6	00.3-10.9
65+	150	21,827	26	15.7	08.1-23.3	37	23.5	14.9-32.1	17	11.3	04.4-18.2	36	29.2	17.8-40.6	12	7.9	02.4-13.4	22	12.4	05.5-19.3
H.S. or G.E.D.	85	15,678	14	12.1	04.3-19.9	29	34.4	20.7-48.1	5	3.0	00.0-06.3	13	21.2	07.7-34.7	10	16.4	00.9-31.9	14	12.9	04.1-21.7
Some Post-H.S.	74	15,730	11	11.1	02.7-19.5	19	24.5	11.6-37.4	7	10.4	01.2-19.6	22	29.6	15.7-43.5	7	12.5	00.5-24.5	8	11.9	00.9-22.9
College Graduate	82	7,261	16	19.0	08.2-29.8	19	22.8	10.5-35.1	10	15.1	04.7-25.5	22	22.9	11.5-34.3	6	12.0	00.0-24.5	9	8.2	00.9-15.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	92,737	273	54.2	48.3-60.1	177	31.0	25.5-36.5	23	5.4	02.1-08.7	6	1.0	00.0-02.2	38	7.3	04.4-10.2	8	1.0	00.2-01.8
Male	250	47,863	134	53.5	45.1-61.9	76	28.6	20.8-36.4	16	6.9	02.6-11.2	1	0.3	00.0-00.9	19	9.5	04.4-14.6	4	1.1	00.0-02.5
Female	275	44,874	139	54.9	46.5-63.3	101	33.6	26.0-41.2	7	3.9	00.0-09.2	5	1.8	00.0-04.0	19	4.9	02.2-07.6	4	0.9	00.0-01.9
White/Non-Hisp	346	55,225	181	54.5	47.8-61.2	127	34.5	28.2-40.8	13	3.5	01.0-06.0	3	0.9	00.0-02.1	17	5.3	02.2-08.4	5	1.3	00.0-02.7
Black or Afr. Am./Non-Hisp	80	25,453	46	59.6	45.7-73.5	21	25.6	12.7-38.5	4	3.6	00.0-07.5	1	1.7	00.0-05.0	7	9.3	01.7-16.9	1	0.1	00.0-00.3
Hispanic	54	6,506	25	45.6	22.9-68.3	15	19.4	06.3-32.5	3	20.7	00.0-50.7	2	0.8	00.0-02.0	8	12.1	01.5-22.7	1	1.5	00.0-04.4
45-54	76	14,914	37	53.8	39.3-68.3	27	32.6	19.5-45.7	5	8.0	00.0-17.2				6	4.6	00.5-08.7	1	1.0	00.0-03.0
55-64	129	22,386	69	58.2	47.0-69.4	40	25.6	16.4-34.8	6	5.9	00.0-11.8	2	0.2	00.0-00.6	11	9.7	02.3-17.1	1	0.4	00.0-01.2
65+	278	43,461	146	55.4	47.4-63.4	96	31.0	23.6-38.4	11	3.0	01.0-05.0	4	2.1	00.0-04.5	15	6.8	02.5-11.1	6	1.6	00.0-03.2
Less Than H.S.	72	14,804	36	51.4	35.7-67.1	17	25.8	11.7-39.9	5	7.2	00.0-15.4	3	4.2	00.0-10.1	9	10.5	01.3-19.7	2	0.9	00.0-02.3
H.S. or G.E.D.	161	32,852	82	53.4	43.4-63.4	51	26.9	18.7-35.1	7	8.8	00.6-17.0	1	0.1	00.0-00.3	17	10.1	04.4-15.8	3	0.9	00.0-02.1
Some Post-H.S.	128	25,913	68	57.6	46.4-68.8	45	32.9	22.1-43.7	4	2.4	00.0-04.9	2	1.3	00.0-03.3	7	4.1	00.6-07.6	2	1.7	00.0-04.2
College Graduate	160	18,946	87	53.7	41.7-65.7	61	39.1	27.1-51.1	7	2.6	00.4-04.8				4	4.2	00.0-09.9	1	0.4	00.0-01.2
Less than \$15,000	67	9,358	24	26.2	12.9-39.5	27	36.0	20.7-51.3	5	17.4	00.9-33.9	2	0.6	00.0-01.4	9	19.8	03.9-35.7			
\$15,000- 24,999	74	11,464	39	62.8	48.7-76.9	20	22.4	11.0-33.8	6	6.2	00.5-11.9				8	8.4	01.3-15.5	1	0.3	00.0-00.9
\$35,000- 49,999	66	12,367	32	53.1	37.8-68.4	24	35.2	20.7-49.7	2	2.2	00.0-05.5	2	3.3	00.0-08.0	4	5.0	00.0-11.7	2	1.2	00.0-03.0
\$50,000- 74,999	67	12,080	35	61.4	47.3-75.5	29	34.2	20.7-47.7	2	1.6	00.0-04.0				1	2.7	00.0-08.0			
\$75,000+	111	21,039	66	61.4	48.3-74.5	34	29.7	17.2-42.2	5	3.3	00.0-07.4	1	2.0	00.0-05.9	3	2.2	00.0-04.9	2	1.4	00.0-03.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	47,863	134	53.5	45.1-61.9	76	28.6	20.8-36.4	16	6.9	02.6-11.2	1	0.3	00.0-00.9	19	9.5	04.4-14.6	4	1.1	00.0-02.5
White/Non-Hisp	174	29,194	96	56.9	47.7-66.1	58	29.0	21.4-36.6	8	5.2	00.5-09.9	1	0.5	00.0-01.5	9	7.2	01.9-12.5	2	1.3	00.0-03.3
55-64	65	12,381	35	55.8	40.5-71.1	19	20.2	09.2-31.2	5	9.9	00.0-20.1				5	13.3	01.0-25.6	1	0.8	00.0-02.4
65+	134	22,382	77	59.0	47.6-70.4	38	24.8	14.8-34.8	8	4.6	00.9-08.3	1	0.7	00.0-02.1	7	8.9	01.6-16.2	3	2.0	00.0-04.7
H.S. or G.E.D.	77	17,207	41	52.8	39.7-65.9	22	24.1	13.7-34.5	6	9.7	01.1-18.3				7	13.0	03.4-22.6	1	0.4	00.0-01.2
Some Post-H.S.	53	10,087	31	58.6	41.2-76.0	15	28.7	12.0-45.4	3	5.1	00.0-11.2				3	4.6	00.0-10.1	1	2.9	00.0-08.6
College Graduate	79	11,760	44	55.9	38.8-73.0	28	35.7	18.3-53.1	3	1.2	00.0-02.6				3	6.6	00.0-15.6	1	0.7	00.0-02.1
\$75,000+	67	13,282	42	66.3	49.2-83.4	19	26.5	09.6-43.4	3	3.7	00.0-09.8				3	3.5	00.0-07.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEM03)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	275	44,874	139	54.9	46.5-63.3	101	33.6	26.0-41.2	7	3.9	00.0-09.2	5	1.8	00.0-04.0	19	4.9	02.2-07.6	4	0.9	00.0-01.9
White/Non-Hisp	172	26,031	85	51.7	41.7-61.7	69	40.6	30.8-50.4	5	1.7	00.1-03.3	2	1.3	00.0-03.3	8	3.3	00.8-05.8	3	1.4	00.0-03.0
55-64	64	10,005	34	61.1	44.8-77.4	21	32.3	16.8-47.8	1	1.0	00.0-03.0	2	0.5	00.0-01.3	6	5.1	00.0-10.2			
65+	144	21,079	69	51.6	40.2-63.0	58	37.6	26.6-48.6	3	1.4	00.0-03.2	3	3.6	00.0-08.1	8	4.6	00.5-08.7	3	1.2	00.0-02.8
H.S. or G.E.D.	84	15,645	41	53.9	38.4-69.4	29	30.0	16.7-43.3	1	7.8	00.0-22.1	1	0.1	00.0-00.3	10	6.8	01.9-11.7	2	1.4	00.0-03.6
Some Post-H.S.	75	15,826	37	57.0	42.1-71.9	30	35.6	21.3-49.9	1	0.6	00.0-01.8	2	2.1	00.0-05.4	4	3.8	00.0-08.5	1	0.9	00.0-02.7
College Graduate	81	7,186	43	50.1	35.2-65.0	33	44.7	29.8-59.6	4	4.8	00.0-09.9				1	0.3	00.0-00.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	532	91,739	104	21.5	16.6-26.4	114	20.0	15.5-24.5	47	9.1	05.8-12.4	86	16.3	11.6-21.0	53	10.0	06.1-13.9	128	23.0	17.9-28.1
Male	252	46,603	51	20.2	13.7-26.7	66	24.9	18.2-31.6	21	9.7	04.6-14.8	37	18.3	10.9-25.7	24	7.1	03.8-10.4	53	19.9	13.4-26.4
Female	280	45,135	53	23.0	15.7-30.3	48	15.0	09.1-20.9	26	8.4	04.3-12.5	49	14.3	08.8-19.8	29	13.0	05.9-20.1	75	26.3	18.7-33.9
White/Non-Hisp	349	55,011	77	25.0	19.1-30.9	74	21.2	15.5-26.9	33	9.1	05.2-13.0	52	13.1	09.0-17.2	38	9.7	05.8-13.6	75	22.0	16.1-27.9
Black or Afr. Am./Non-Hisp	83	25,619	13	16.7	05.9-27.5	16	17.5	08.1-26.9	9	11.0	03.0-19.0	19	24.4	11.5-37.3	8	7.6	00.5-14.7	18	22.9	11.5-34.3
Hispanic	55	6,555	12	25.7	07.9-43.5	12	16.3	01.4-31.2	3	3.5	00.0-07.8	6	8.7	00.3-17.1	5	24.4	00.0-53.2	17	21.6	07.7-35.5
45-54	76	14,480	22	33.3	18.6-48.0	17	21.3	08.6-34.0	5	10.6	00.4-20.8	9	10.3	02.7-17.9	4	7.1	00.0-15.3	19	17.4	07.8-27.0
55-64	131	22,265	21	14.7	07.6-21.8	23	17.4	08.8-26.0	14	15.4	07.0-23.8	20	10.7	04.6-16.8	12	6.9	02.4-11.4	41	34.8	23.0-46.6
65+	283	43,549	52	22.4	15.3-29.5	63	20.5	14.4-26.6	26	7.4	03.5-11.3	51	19.5	12.4-26.6	34	11.4	06.1-16.7	57	18.8	12.7-24.9
Less Than H.S.	76	15,252	14	22.4	09.1-35.7	11	12.3	02.9-21.7	4	2.4	00.0-04.9	10	13.6	01.6-25.6	7	9.8	01.8-17.8	30	39.5	24.8-54.2
H.S. or G.E.D.	167	33,208	35	20.3	12.7-27.9	36	21.7	13.7-29.7	15	13.0	05.7-20.3	27	14.5	07.4-21.6	20	12.5	04.5-20.5	34	18.0	10.6-25.4
Some Post-H.S.	125	24,837	21	21.9	11.5-32.3	28	19.9	10.7-29.1	10	7.6	01.9-13.3	25	18.2	09.6-26.8	12	10.1	02.3-17.9	29	22.3	11.9-32.7
College Graduate	161	18,276	34	22.9	14.3-31.5	39	23.7	14.9-32.5	18	9.4	03.9-14.9	22	19.0	07.0-31.0	14	5.5	02.2-08.8	34	19.4	10.4-28.4
Less than \$15,000	67	8,907	6	9.0	00.0-18.4	11	9.3	02.0-16.6	6	14.1	00.8-27.4	11	16.7	06.1-27.3	11	14.1	04.5-23.7	22	36.9	19.7-54.1
\$15,000- 24,999	78	11,843	9	18.6	03.1-34.1	19	23.6	10.9-36.3	3	4.6	00.0-10.5	18	16.3	06.9-25.7	6	7.2	00.0-14.5	23	29.7	15.6-43.8
\$35,000- 49,999	68	12,670	12	21.1	08.4-33.8	14	21.7	09.0-34.4	7	12.0	01.8-22.2	11	14.8	05.6-24.0	8	12.6	00.4-24.8	16	17.8	07.6-28.0
\$50,000- 74,999	67	11,836	17	24.3	12.0-36.6	17	34.7	19.2-50.2	8	10.6	01.4-19.8	5	4.8	00.0-09.7	9	9.4	02.5-16.3	11	16.3	04.1-28.5
\$75,000+	109	19,879	29	27.1	15.3-38.9	26	24.1	13.1-35.1	12	7.6	01.7-13.5	18	18.0	06.2-29.8	4	3.4	00.0-07.9	20	19.7	08.3-31.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	46,603	51	20.2	13.7-26.7	66	24.9	18.2-31.6	21	9.7	04.8-14.6	37	18.3	10.9-25.7	24	7.1	03.8-10.4	53	19.9	13.4-26.4
White/Non-Hisp	176	29,357	40	24.1	16.5-31.7	46	27.8	19.6-36.0	13	8.1	02.8-13.4	25	13.5	07.6-19.4	21	9.5	04.8-14.2	31	17.0	09.9-24.1
55-64	67	12,260	13	17.8	07.6-28.0	16	22.0	10.2-33.8	8	16.5	04.9-28.1	8	7.0	01.7-12.3	7	8.6	01.7-15.5	15	28.2	13.7-42.7
65+	134	22,210	27	22.1	11.9-32.3	36	25.9	16.3-35.5	10	6.1	00.2-12.0	22	21.2	10.6-31.8	15	8.6	03.5-13.7	24	16.1	07.9-24.3
H.S. or G.E.D.	82	17,941	16	19.5	09.3-29.7	24	27.7	16.1-39.3	10	17.0	06.0-28.0	12	12.9	04.5-21.3	10	9.3	03.0-15.6	10	13.7	04.3-23.1
Some Post-H.S.	51	9,340	6	11.9	01.5-22.3	17	35.1	17.5-52.7	2	7.1	00.0-17.5	10	23.2	06.7-39.7	5	5.2	00.1-10.3	11	17.4	04.5-30.3
College Graduate	79	11,015	20	22.6	11.0-34.2	19	22.9	11.7-34.1	7	5.8	00.3-11.3	9	21.0	02.6-39.4	5	2.7	00.2-05.2	19	25.0	11.1-38.9
\$75,000+	65	12,122	16	23.1	09.6-36.6	18	30.0	15.1-44.9	7	8.0	00.2-15.8	9	18.7	01.5-35.9	1	0.5	00.0-01.5	14	19.7	06.6-32.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	280	45,135	53	23.0	15.7-30.3	48	15.0	09.1-20.9	26	8.4	04.3-12.5	49	14.3	08.8-19.8	29	13.0	05.9-20.1	75	26.3	18.7-33.9
White/Non-Hisp	173	25,654	37	25.9	16.9-34.9	28	13.6	06.7-20.5	20	10.2	04.9-15.5	27	12.7	06.8-18.6	17	9.9	03.4-16.4	44	27.7	18.1-37.3
Black or Afr. Am./Non-Hisp	51	13,354	8	20.9	05.0-36.8	9	17.8	04.5-31.1	4	7.9	00.0-16.7	12	17.0	03.9-30.1	7	12.8	00.0-25.7	11	23.6	07.5-39.7
55-64	64	10,005	8	11.0	01.6-20.4	7	11.8	00.0-23.8	6	14.1	02.1-26.1	12	15.3	03.7-26.9	5	4.9	00.0-10.0	26	43.0	24.8-61.2
65+	149	21,340	25	22.7	13.1-32.3	27	14.8	07.5-22.1	16	8.8	03.3-14.3	29	17.8	09.0-26.6	19	14.4	05.4-23.4	33	21.5	12.5-30.5
H.S. or G.E.D.	85	15,267	19	21.2	09.8-32.6	12	14.6	04.0-25.2	5	8.4	00.2-16.6	15	16.3	04.5-28.1	10	16.3	01.0-31.6	24	23.2	11.2-35.2
Some Post-H.S.	74	15,496	15	27.9	13.0-42.8	11	10.7	01.9-19.5	8	7.9	01.4-14.4	15	15.2	05.8-24.6	7	13.1	01.3-24.9	18	25.2	10.5-39.9
College Graduate	82	7,261	14	23.2	10.3-36.1	20	25.0	11.3-38.7	11	15.0	04.6-25.4	13	16.1	05.5-26.7	9	9.7	02.6-16.8	15	11.0	03.2-18.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	544	95,380	97	17.1	13.0-21.2	298	54.7	48.8-60.6	67	10.5	07.4-13.6	64	13.4	08.9-17.9	18	4.3	01.6-07.0
Male	260	49,484	45	15.8	10.1-21.5	142	58.0	50.0-66.0	30	10.1	05.6-14.6	33	11.5	06.4-16.6	10	4.5	00.2-08.8
Female	284	45,896	52	18.5	12.4-24.6	156	51.2	42.8-59.6	37	10.8	06.1-15.5	31	15.4	08.1-22.7	8	4.1	01.0-07.2
White/Non-Hisp	355	56,058	71	19.0	13.9-24.1	197	55.5	48.8-62.2	41	11.0	07.1-14.9	37	11.1	06.4-15.8	9	3.4	00.9-05.9
Black or Afr. Am./Non-Hisp	88	26,895	14	13.4	04.8-22.0	53	59.6	46.7-72.5	10	9.7	02.3-17.1	8	11.6	03.4-19.8	3	5.6	00.0-12.9
Hispanic	55	6,576	7	14.5	00.0-29.6	25	31.3	13.9-48.7	11	14.0	03.0-25.0	7	30.2	02.0-58.4	5	10.1	00.0-20.7
45-54	77	14,964	9	11.7	02.9-20.5	41	53.7	39.0-68.4	11	13.3	03.3-23.3	13	16.0	04.8-27.2	3	5.4	00.0-12.1
55-64	133	22,918	23	20.7	10.9-30.5	72	56.7	45.3-68.1	17	7.0	02.9-11.1	18	13.9	06.1-21.7	3	1.7	00.0-03.7
65+	291	45,294	57	18.3	12.8-23.8	169	57.9	50.1-65.7	34	12.4	07.3-17.5	24	7.4	03.5-11.3	7	4.0	00.0-08.5
Less Than H.S.	82	16,603	15	21.9	09.7-34.1	37	40.5	26.6-54.4	12	11.7	03.9-19.5	10	13.2	03.2-23.2	8	12.8	01.0-24.6
H.S. or G.E.D.	167	33,365	23	12.1	06.4-17.8	92	58.0	48.0-68.0	24	11.0	05.1-16.9	23	15.5	06.9-24.1	5	3.5	00.2-06.8
Some Post-H.S.	130	26,173	24	19.4	10.2-28.6	72	56.6	45.0-68.2	15	9.1	03.8-14.4	16	12.9	04.9-20.9	3	1.9	00.0-04.8
College Graduate	163	19,127	35	18.7	11.4-26.0	95	58.6	47.4-69.8	16	10.3	03.0-17.6	15	10.7	03.1-18.3	2	1.6	00.0-04.5
Less than \$15,000	68	9,778	12	25.1	08.6-41.6	29	41.4	25.7-57.1	10	6.6	00.9-12.3	14	20.4	05.5-35.3	3	6.5	00.0-14.9
\$15,000- 24,999	79	11,905	12	11.1	03.1-19.1	37	35.6	21.9-49.3	13	16.1	05.9-26.3	12	22.9	08.8-37.0	5	14.3	00.0-29.4
\$25,000- 34,999	50	7,008	6	8.8	00.4-17.2	28	60.8	42.2-79.4	8	16.8	02.5-31.1	6	10.6	00.0-22.0	2	3.1	00.0-07.6
\$35,000- 49,999	68	12,670	15	20.7	09.1-32.3	36	55.7	41.0-70.4	8	11.7	03.1-20.3	9	11.9	02.9-20.9			
\$50,000- 74,999	68	12,166	12	14.9	05.3-24.5	45	63.8	48.9-78.7	5	11.0	00.0-22.4	5	6.7	00.0-14.1	1	3.6	00.0-10.5
\$75,000+	111	21,039	18	12.7	05.3-20.1	68	63.4	50.9-75.9	14	10.9	03.3-18.5	8	11.4	02.0-20.8	3	1.6	00.0-04.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	49,484	45	15.8	10.1-21.5	142	58.0	50.0-66.0	30	10.1	05.6-14.6	33	11.5	06.4-16.6	10	4.5	00.2-08.8
White/Non-Hisp	181	30,206	36	17.2	10.9-23.5	102	60.9	52.5-69.3	20	10.4	05.1-15.7	18	8.7	03.2-14.2	5	2.9	00.0-06.2
55-64	68	12,852	10	18.3	05.6-31.0	40	61.1	46.6-75.6	7	5.9	01.0-10.8	9	12.9	03.3-22.5	2	1.9	00.0-04.6
65+	139	23,255	25	14.2	07.5-20.9	81	60.2	48.8-71.6	16	13.1	05.3-20.9	12	7.5	01.6-13.4	5	5.1	00.0-12.9
H.S. or G.E.D.	82	17,941	10	11.9	04.3-19.5	47	62.3	49.8-74.8	11	10.3	03.0-17.6	11	10.9	02.5-19.3	3	4.5	00.0-10.0
Some Post-H.S.	55	10,347	9	15.9	01.8-30.0	29	58.9	41.8-76.0	8	11.0	01.4-20.6	8	13.9	02.5-25.3	1	0.3	00.0-00.9
College Graduate	81	11,866	17	15.4	07.6-23.2	49	64.5	49.8-79.2	6	10.9	00.1-21.7	8	9.0	00.0-18.0	1	0.2	00.0-00.6
\$75,000+	67	13,282	8	8.3	02.6-14.0	42	66.1	51.2-81.0	8	13.1	01.9-24.3	7	12.0	01.6-22.4	2	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	45,896	52	18.5	12.4-24.6	156	51.2	42.8-59.6	37	10.8	06.1-15.5	31	15.4	08.1-22.7	8	4.1	01.0-07.2
White/Non-Hisp	174	25,851	35	21.1	12.7-29.5	95	49.2	39.2-59.2	21	11.7	05.8-17.6	19	14.0	06.0-22.0	4	4.0	00.0-08.1
Black or Afr. Am./Non-Hisp	54	13,896	11	14.9	04.7-25.1	31	59.1	41.9-76.3	7	10.7	00.3-21.1	4	12.5	00.3-24.7	1	2.8	00.0-08.3
55-64	65	10,066	13	23.7	08.8-38.6	32	51.0	33.2-68.8	10	8.6	01.7-15.5	9	15.3	02.2-28.4	1	1.4	00.0-04.1
65+	152	22,039	32	22.7	13.7-31.7	88	55.5	44.7-66.3	18	11.7	05.2-18.2	12	7.3	02.0-12.6	2	2.8	00.0-06.7
H.S. or G.E.D.	85	15,424	13	12.3	03.7-20.9	45	52.9	37.0-68.8	13	11.8	02.2-21.4	12	20.8	05.3-36.3	2	2.3	00.0-05.6
Some Post-H.S.	75	15,826	15	21.7	09.4-34.0	43	55.2	39.7-70.7	7	7.9	01.8-14.0	8	12.3	01.1-23.5	2	2.9	00.0-07.8
College Graduate	82	7,261	18	24.2	12.0-36.4	46	49.0	34.5-63.5	10	9.4	02.0-16.8	7	13.4	00.3-26.5	1	3.9	00.0-11.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	539	94,638	98	20.9	16.0-25.8	441	79.1	74.2-84.0
Male	258	49,065	59	26.3	18.5-34.1	199	73.7	65.9-81.5
Female	281	45,573	39	15.1	09.4-20.8	242	84.9	79.2-90.6
White/Non-Hisp	348	55,420	54	16.8	11.9-21.7	294	83.2	78.3-88.1
Black or Afr. Am./Non-Hisp	88	26,696	26	32.5	19.6-45.4	62	67.5	54.6-80.4
Hispanic	57	6,671	13	20.1	05.6-34.6	44	79.9	65.4-94.4
45-54	77	14,907	11	12.0	04.4-19.6	66	88.0	80.4-95.6
55-64	132	22,885	23	13.5	06.8-20.2	109	86.5	79.8-93.2
65+	288	44,654	52	24.1	16.7-31.5	236	75.9	68.5-83.3
Less Than H.S.	80	16,075	26	35.4	21.3-49.5	54	64.6	50.5-78.7
H.S. or G.E.D.	166	33,629	24	11.9	06.2-17.6	142	88.1	82.4-93.8
Some Post-H.S.	127	25,714	26	21.8	12.2-31.4	101	78.2	68.6-87.8
College Graduate	162	19,000	22	23.7	11.2-36.2	140	76.3	63.8-88.8
Less than \$15,000	70	9,887	22	34.6	18.9-50.3	48	65.4	49.7-81.1
\$15,000- 24,999	77	11,876	14	20.7	08.4-33.0	63	79.3	67.0-91.6
\$35,000- 49,999	65	12,177	13	20.9	08.7-33.1	52	79.1	66.9-91.3
\$50,000- 74,999	67	12,038	12	17.5	05.9-29.1	55	82.5	70.9-94.1
\$75,000+	111	21,039	11	14.5	03.1-25.9	100	85.5	74.1-96.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	49,065	59	26.3	18.5-34.1	199	73.7	65.9-81.5
White/Non-Hisp	177	29,679	40	22.9	15.3-30.5	137	77.1	69.5-84.7
55-64	67	12,819	17	20.0	09.0-31.0	50	80.0	69.0-91.0
65+	138	22,942	31	28.1	16.7-39.5	107	71.9	60.5-83.3
H.S. or G.E.D.	81	17,908	15	14.8	06.4-23.2	66	85.2	76.8-93.6
Some Post-H.S.	54	10,139	16	36.4	18.8-54.0	38	63.6	46.0-81.2
College Graduate	80	11,739	14	29.3	11.3-47.3	66	70.7	52.7-88.7
\$75,000+	67	13,282	8	18.0	01.5-34.5	59	82.0	65.5-98.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	281	45,573	39	15.1	09.4-20.8	242	84.9	79.2-90.6
White/Non-Hisp	171	25,741	14	9.8	03.9-15.7	157	90.2	84.3-96.1
Black or Afr. Am./Non-Hisp	54	13,697	15	24.7	10.4-39.0	39	75.3	61.0-89.6
55-64	65	10,066	6	5.4	00.0-10.9	59	94.6	89.1-0100
65+	150	21,712	21	19.8	10.4-29.2	129	80.2	70.8-89.6
H.S. or G.E.D.	85	15,721	9	8.5	00.9-16.1	76	91.5	83.9-99.1
Some Post-H.S.	73	15,576	10	12.2	03.0-21.4	63	87.8	78.6-97.0
College Graduate	82	7,261	8	14.7	01.4-28.0	74	85.3	72.0-98.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	547	95,868	281	49.8	43.9-55.7	266	50.2	44.3-56.1
Male	261	49,567	137	48.9	40.9-56.9	124	51.1	43.1-59.1
Female	286	46,301	144	50.8	42.4-59.2	142	49.2	40.8-57.6
White/Non-Hisp	355	56,253	187	50.7	44.0-57.4	168	49.3	42.6-56.0
Black or Afr. Am./Non-Hisp	89	27,065	49	52.4	39.1-65.7	40	47.6	34.3-60.9
Hispanic	56	6,645	20	30.7	12.9-48.5	36	69.3	51.5-87.1
45-54	78	15,018	36	44.2	29.7-58.7	42	55.8	41.3-70.3
55-64	133	22,918	67	52.4	41.0-63.8	66	47.6	36.2-59.0
65+	292	45,558	153	48.8	41.0-56.6	139	51.2	43.4-59.0
Less Than H.S.	82	16,603	28	34.6	20.7-48.5	54	65.4	51.5-79.3
H.S. or G.E.D.	170	33,881	81	46.2	36.4-56.0	89	53.8	44.0-63.6
Some Post-H.S.	128	26,037	67	55.9	44.3-67.5	61	44.1	32.5-55.7
College Graduate	163	19,127	103	61.3	49.5-73.1	60	38.7	26.9-50.5
Less than \$15,000	69	9,860	24	31.5	17.0-46.0	45	68.5	54.0-83.0
\$15,000- 24,999	80	12,074	46	57.8	41.9-73.7	34	42.2	26.3-58.1
\$25,000- 34,999	50	7,008	23	39.3	19.3-59.3	27	60.7	40.7-80.7
\$35,000- 49,999	68	12,670	38	60.3	45.6-75.0	30	39.7	25.0-54.4
\$50,000- 74,999	68	12,166	45	53.2	38.1-68.3	23	46.8	31.7-61.9
\$75,000+	111	21,039	60	52.0	38.5-65.5	51	48.0	34.5-61.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	261	49,567	137	48.9	40.9-56.9	124	51.1	43.1-59.1
White/Non-Hisp	181	30,206	98	49.2	40.2-58.2	83	50.8	41.8-59.8
55-64	68	12,852	35	47.2	32.7-61.7	33	52.8	38.3-67.3
65+	139	23,283	73	44.7	33.5-55.9	66	55.3	44.1-66.5
H.S. or G.E.D.	82	17,941	42	46.8	34.3-59.3	40	53.2	40.7-65.7
Some Post-H.S.	54	10,321	28	52.4	35.2-69.6	26	47.6	30.4-64.8
College Graduate	81	11,866	51	56.4	39.5-73.3	30	43.6	26.7-60.5
\$75,000+	67	13,282	39	58.3	41.2-75.4	28	41.7	24.6-58.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	46,301	144	50.8	42.2-59.4	142	49.2	40.6-57.8
White/Non-Hisp	174	26,047	89	52.4	42.2-62.6	85	47.6	37.4-57.8
Black or Afr. Am./Non-Hisp	55	14,066	32	57.0	39.4-74.6	23	43.0	25.4-60.6
55-64	65	10,066	32	59.1	41.7-76.5	33	40.9	23.5-58.3
65+	153	22,275	80	53.0	42.0-64.0	73	47.0	36.0-58.0
H.S. or G.E.D.	88	15,940	39	45.5	30.4-60.6	49	54.5	39.4-69.6
Some Post-H.S.	74	15,716	39	58.1	42.6-73.6	35	41.9	26.4-57.4
College Graduate	82	7,261	52	69.3	56.6-82.0	30	30.7	18.0-43.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 16: Home/ Self-measured Blood Pressure CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCHK)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCH)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 1: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3198	619,064	939	27.1	24.9-29.3	2259	72.9	70.7-75.1
Male	1413	295,149	430	29.3	26.0-32.6	983	70.7	67.4-74.0
Female	1785	323,915	509	25.0	22.3-27.7	1276	75.0	72.3-77.7
White/Non-Hisp	2206	399,256	682	27.4	25.0-29.8	1524	72.6	70.2-75.0
Black or Afr. Am./Non-Hisp	388	122,484	142	34.5	28.0-41.0	246	65.5	59.0-72.0
Oth. Race/Non-Hisp.	117	30,410	30	19.9	09.9-29.9	87	80.1	70.1-90.1
MultiRacial/Non-Hisp.	63	6,070	19	22.4	07.9-36.9	44	77.6	63.1-92.1
Hispanic	348	47,939	49	12.2	07.7-16.7	299	87.8	83.3-92.3
18-24	196	68,605	11	7.7	02.2-13.2	185	92.3	86.8-97.8
25-34	338	98,739	29	12.1	06.0-18.2	309	87.9	81.8-94.0
35-44	381	89,204	64	18.5	13.2-23.8	317	81.5	76.2-86.8
45-54	499	94,934	129	29.2	23.7-34.7	370	70.8	65.3-76.3
55-64	661	111,531	235	37.3	32.4-42.2	426	62.7	57.8-67.6
65+	1123	156,051	471	41.4	37.5-45.3	652	58.6	54.7-62.5
Less Than H.S.	317	65,550	78	25.3	17.9-32.7	239	74.7	67.3-82.1
H.S. or G.E.D.	851	193,316	272	31.0	26.7-35.3	579	69.0	64.7-73.3
Some Post-H.S.	765	173,828	232	26.6	22.5-30.7	533	73.4	69.3-77.5
College Graduate	1251	184,865	354	24.0	20.9-27.1	897	76.0	72.9-79.1
Less than \$15,000	241	37,143	82	30.2	22.2-38.2	159	69.8	61.8-77.8
\$15,000- 24,999	404	68,026	126	30.7	24.4-37.0	278	69.3	63.0-75.6
\$25,000- 34,999	253	45,479	85	29.7	22.4-37.0	168	70.3	63.0-77.6
\$35,000- 49,999	341	68,831	122	34.0	26.2-41.8	219	66.0	58.2-73.8
\$50,000- 74,999	388	80,624	124	30.2	23.7-36.7	264	69.8	63.3-76.3
\$75,000+	1001	213,930	241	22.1	18.6-25.6	760	77.9	74.4-81.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 2: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCHK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1413	295,149	430	29.3	26.0-32.6	983	70.7	67.4-74.0
White/Non-Hisp	986	188,462	329	30.0	26.3-33.7	657	70.0	66.3-73.7
Black or Afr. Am./Non-Hisp	138	59,960	49	35.2	24.6-45.8	89	64.8	54.2-75.4
Oth. Race/Non-Hisp.	59	13,730	16	26.3	11.0-41.6	43	73.7	58.4-89.0
Hispanic	169	25,294	21	13.2	05.9-20.5	148	86.8	79.5-94.1
18-24	111	34,414	9	14.0	03.8-24.2	102	86.0	75.8-96.2
25-34	166	51,235	11	13.2	03.4-23.0	155	86.8	77.0-96.6
35-44	163	43,429	26	17.3	09.3-25.3	137	82.7	74.7-90.7
45-54	221	46,637	60	30.0	21.6-38.4	161	70.0	61.6-78.4
55-64	293	50,408	113	42.5	35.2-49.8	180	57.5	50.2-64.8
65+	459	69,027	211	46.3	40.0-52.6	248	53.7	47.4-60.0
Less Than H.S.	155	35,251	38	26.7	14.7-38.7	117	73.3	61.3-85.3
H.S. or G.E.D.	392	103,231	116	30.2	23.9-36.5	276	69.8	63.5-76.1
Some Post-H.S.	317	72,398	103	30.6	23.9-37.3	214	69.4	62.7-76.1
College Graduate	542	83,462	172	28.3	23.2-33.4	370	71.7	66.6-76.8
Less than \$15,000	86	14,429	24	26.2	13.3-39.1	62	73.8	60.9-86.7
\$15,000- 24,999	164	30,222	40	28.5	18.1-38.9	124	71.5	61.1-81.9
\$25,000- 34,999	112	20,959	42	34.8	23.2-46.4	70	65.2	53.6-76.8
\$35,000- 49,999	128	28,479	48	36.8	22.7-50.9	80	63.2	49.1-77.3
\$50,000- 74,999	195	46,541	67	33.6	24.4-42.8	128	66.4	57.2-75.6
\$75,000+	501	105,937	139	26.0	20.7-31.3	362	74.0	68.7-79.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 3: HAS YOUR DOCTOR NURSE OR OTHER HEALTH PROFESSIONAL RECOMMENDED YOU CHECK YOUR BLOOD PRESSURE OUTSIDE OF THE OFFICE OR AT HOME? (HOMBPCBK)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1785	323,915	509	25.0	22.3-27.7	1276	75.0	72.3-77.7
White/Non-Hisp	1220	210,795	353	25.0	21.9-28.1	867	75.0	71.9-78.1
Black or Afr. Am./Non-Hisp	250	62,525	93	33.8	26.2-41.4	157	66.2	58.6-73.8
Oth. Race/Non-Hisp.	58	16,681	14	14.7	02.0-27.4	44	85.3	72.6-98.0
Hispanic	179	22,645	28	11.1	06.0-16.2	151	88.9	83.8-94.0
18-24	85	34,191	2	1.3	00.0-03.3	83	98.7	96.7-100.0
25-34	172	47,503	18	10.9	04.2-17.6	154	89.1	82.4-95.8
35-44	218	45,776	38	19.5	12.4-26.6	180	80.5	73.4-87.6
45-54	278	48,298	69	28.3	21.2-35.4	209	71.7	64.6-78.8
55-64	368	61,123	122	33.1	26.6-39.6	246	66.9	60.4-73.4
65+	664	87,024	260	37.5	32.6-42.4	404	62.5	57.6-67.4
Less Than H.S.	162	30,299	40	23.7	15.3-32.1	122	76.3	67.9-84.7
H.S. or G.E.D.	459	90,085	156	32.0	26.3-37.7	303	68.0	62.3-73.7
Some Post-H.S.	448	101,430	129	23.8	18.7-28.9	319	76.2	71.1-81.3
College Graduate	709	101,403	182	20.5	16.6-24.4	527	79.5	75.6-83.4
Less than \$15,000	155	22,713	58	32.7	22.5-42.9	97	67.3	57.1-77.5
\$15,000- 24,999	240	37,804	86	32.5	24.5-40.5	154	67.5	59.5-75.5
\$25,000- 34,999	141	24,520	43	25.3	16.3-34.3	98	74.7	65.7-83.7
\$35,000- 49,999	213	40,352	74	32.1	23.3-40.9	139	67.9	59.1-76.7
\$50,000- 74,999	193	34,083	57	25.5	17.3-33.7	136	74.5	66.3-82.7
\$75,000+	500	107,993	102	18.3	13.8-22.8	398	81.7	77.2-86.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 4: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3199	620,189	1015	28.9	26.7-31.1	2184	71.1	68.9-73.3
Male	1414	295,224	486	32.0	28.5-35.5	928	68.0	64.5-71.5
Female	1785	324,966	529	26.0	23.3-28.7	1256	74.0	71.3-76.7
White/Non-Hisp	2207	400,164	721	30.6	28.1-33.1	1486	69.4	66.9-71.9
Black or Afr. Am./Non-Hisp	389	123,106	147	31.1	25.0-37.2	242	68.9	62.8-75.0
Oth. Race/Non-Hisp.	117	30,160	41	27.6	16.4-38.8	76	72.4	61.2-83.6
MultiRacial/Non-Hisp.	63	6,070	19	18.0	07.0-29.0	44	82.0	71.0-93.0
Hispanic	348	47,931	67	13.1	09.0-17.2	281	86.9	82.8-91.0
18-24	195	68,553	21	12.8	05.9-19.7	174	87.2	80.3-94.1
25-34	336	98,059	58	18.7	12.2-25.2	278	81.3	74.8-87.8
35-44	380	89,085	73	17.6	12.5-22.7	307	82.4	77.3-87.5
45-54	498	94,632	141	27.8	22.7-32.9	357	72.2	67.1-77.3
55-64	663	112,521	237	36.5	31.6-41.4	426	63.5	58.6-68.4
65+	1127	157,339	485	43.8	39.9-47.7	642	56.2	52.3-60.1
Less Than H.S.	319	66,501	78	26.4	18.8-34.0	241	73.6	66.0-81.2
H.S. or G.E.D.	851	193,093	290	31.0	26.9-35.1	561	69.0	64.9-73.1
Some Post-H.S.	765	174,180	255	29.4	25.1-33.7	510	70.6	66.3-74.9
College Graduate	1250	184,906	389	27.1	23.8-30.4	861	72.9	69.6-76.2
Less than \$15,000	241	36,839	74	28.4	20.6-36.2	167	71.6	63.8-79.4
\$15,000- 24,999	404	68,372	134	27.1	21.4-32.8	270	72.9	67.2-78.6
\$25,000- 34,999	253	45,479	87	30.2	22.9-37.5	166	69.8	62.5-77.1
\$35,000- 49,999	341	68,924	126	34.3	26.5-42.1	215	65.7	57.9-73.5
\$50,000- 74,999	389	80,804	133	30.1	24.0-36.2	256	69.9	63.8-76.0
\$75,000+	999	214,177	267	25.6	21.9-29.3	732	74.4	70.7-78.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 5: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1414	295,224	486	32.0	28.5-35.5	928	68.0	64.5-71.5
White/Non-Hisp	985	188,678	353	34.5	30.6-38.4	632	65.5	61.6-69.4
Black or Afr. Am./Non-Hisp	138	59,960	54	32.8	22.8-42.8	84	67.2	57.2-77.2
Oth. Race/Non-Hisp.	59	13,479	26	35.9	19.8-52.0	33	64.1	48.0-80.2
Hispanic	170	25,348	36	15.0	08.5-21.5	134	85.0	78.5-91.5
18-24	110	34,362	19	23.3	11.3-35.3	91	76.7	64.7-88.7
25-34	165	50,618	25	18.5	08.5-28.5	140	81.5	71.5-91.5
35-44	163	43,429	37	18.8	11.0-26.6	126	81.2	73.4-89.0
45-54	222	46,691	68	30.8	23.0-38.6	154	69.2	61.4-77.0
55-64	294	50,589	118	39.8	32.7-46.9	176	60.2	53.1-67.3
65+	460	69,535	219	49.7	43.4-56.0	241	50.3	44.0-56.6
Less Than H.S.	158	35,918	40	29.2	17.0-41.4	118	70.8	58.6-83.0
H.S. or G.E.D.	390	102,724	132	29.3	23.4-35.2	258	70.7	64.8-76.6
Some Post-H.S.	318	72,436	114	35.5	28.2-42.8	204	64.5	57.2-71.8
College Graduate	541	83,335	198	33.6	28.1-39.1	343	66.4	60.9-71.9
Less than \$15,000	86	14,125	26	30.9	17.2-44.6	60	69.1	55.4-82.8
\$15,000- 24,999	164	30,222	54	27.3	18.5-36.1	110	72.7	63.9-81.5
\$25,000- 34,999	112	20,959	41	31.8	20.8-42.8	71	68.2	57.2-79.2
\$35,000- 49,999	127	28,330	50	37.1	23.2-51.0	77	62.9	49.0-76.8
\$50,000- 74,999	196	46,722	72	31.9	23.3-40.5	124	68.1	59.5-76.7
\$75,000+	498	105,522	158	31.8	26.1-37.5	340	68.2	62.5-73.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 6: DO YOU REGULARLY CHECK YOUR BLOOD PRESSURE OUTSIDE OF YOUR HEALTHCARE PROFESSIONAL'S OFFICE OR AT HOME? (HOMRGCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1785	324,966	529	26.0	23.3-28.7	1256	74.0	71.3-76.7
White/Non-Hisp	1222	211,486	368	27.2	23.9-30.5	854	72.8	69.5-76.1
Black or Afr. Am./Non-Hisp	251	63,146	93	29.5	22.4-36.6	158	70.5	63.4-77.6
Oth. Race/Non-Hisp.	58	16,681	15	20.9	05.8-36.0	43	79.1	64.0-94.2
Hispanic	178	22,583	31	10.9	05.8-16.0	147	89.1	84.0-94.2
18-24	85	34,191	2	2.2	00.0-05.3	83	97.8	94.7-0100
25-34	171	47,442	33	18.9	11.1-26.7	138	81.1	73.3-88.9
35-44	217	45,656	36	16.5	09.8-23.2	181	83.5	76.8-90.2
45-54	276	47,941	73	25.0	18.5-31.5	203	75.0	68.5-81.5
55-64	369	61,932	119	33.9	27.2-40.6	250	66.1	59.4-72.8
65+	667	87,804	266	39.2	34.3-44.1	401	60.8	55.9-65.7
Less Than H.S.	161	30,584	38	23.3	14.9-31.7	123	76.7	68.3-85.1
H.S. or G.E.D.	461	90,369	158	32.9	27.2-38.6	303	67.1	61.4-72.8
Some Post-H.S.	447	101,744	141	25.0	19.9-30.1	306	75.0	69.9-80.1
College Graduate	709	101,570	191	21.8	17.9-25.7	518	78.2	74.3-82.1
Less than \$15,000	155	22,713	48	26.8	17.4-36.2	107	73.2	63.8-82.6
\$15,000- 24,999	240	38,151	80	26.9	19.6-34.2	160	73.1	65.8-80.4
\$25,000- 34,999	141	24,520	46	28.7	19.3-38.1	95	71.3	61.9-80.7
\$35,000- 49,999	214	40,593	76	32.3	23.5-41.1	138	67.7	58.9-76.5
\$50,000- 74,999	193	34,083	61	27.5	19.1-35.9	132	72.5	64.1-80.9
\$75,000+	501	108,656	109	19.7	15.0-24.4	392	80.3	75.6-85.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

**TABLE 7: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1004	177,618	793	75.6	71.7-79.5	205	23.4	19.5-27.3	6	1.0	00.2-01.8
Male	484	94,010	378	73.8	67.9-79.7	102	25.0	19.1-30.9	4	1.2	00.0-02.6
Female	520	83,608	415	77.5	72.4-82.6	103	21.7	16.8-26.6	2	0.8	00.0-01.8
White/Non-Hisp	714	121,710	603	82.0	78.1-85.9	109	17.6	13.7-21.5	2	0.4	00.0-01.2
Black or Afr. Am./Non-Hisp	144	37,692	108	68.2	57.0-79.4	33	29.3	18.1-40.5	3	2.6	00.0-05.5
Hispanic	67	6,274	33	40.6	25.5-55.7	33	55.2	39.5-70.9	1	4.3	00.0-12.3
25-34	57	18,144	27	54.1	34.7-73.5	29	44.4	25.2-63.6	1	1.5	00.0-04.4
35-44	72	15,624	35	49.7	33.8-65.6	36	47.8	31.9-63.7	1	2.5	00.0-07.4
45-54	140	26,304	99	73.9	64.7-83.1	41	26.1	16.9-35.3			
55-64	235	40,653	187	77.9	70.8-85.0	47	21.6	14.5-28.7	1	0.5	00.0-01.5
65+	480	68,293	433	86.3	81.2-91.4	44	12.4	07.5-17.3	3	1.3	00.0-03.1
Less Than H.S.	78	17,587	60	84.2	74.6-93.8	16	12.5	04.1-20.9	2	3.3	00.0-08.0
H.S. or G.E.D.	286	59,190	216	73.9	66.6-81.2	68	24.7	17.6-31.8	2	1.4	00.0-03.4
Some Post-H.S.	253	50,979	194	73.6	65.6-81.6	58	25.9	18.1-33.7	1	0.5	00.0-01.5
College Graduate	384	49,339	321	76.5	69.8-83.2	62	23.4	16.7-30.1	1	0.1	00.0-00.3
Less than \$15,000	74	10,456	56	70.8	56.1-85.5	17	25.7	11.8-39.6	1	3.5	00.0-10.2
\$15,000- 24,999	133	18,456	93	68.2	57.8-78.6	40	31.8	21.4-42.2			
\$25,000- 34,999	87	13,712	70	77.0	65.4-88.6	15	18.1	07.9-28.3	2	4.9	00.0-12.0
\$35,000- 49,999	126	23,608	98	80.0	70.6-89.4	28	20.0	10.6-29.4			
\$50,000- 74,999	131	24,171	104	75.7	64.9-86.5	27	24.3	13.5-35.1			
\$75,000+	265	54,457	210	73.3	65.3-81.3	54	26.7	18.7-34.7	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 8: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	484	94,010	378	73.8	67.9-79.7	102	25.0	19.1-30.9	4	1.2	00.0-02.6
White/Non-Hisp	353	65,008	299	81.9	76.0-87.8	52	17.3	11.6-23.0	2	0.8	00.0-02.2
Black or Afr. Am./Non-Hisp	53	19,268	38	62.5	44.1-80.9	13	34.4	16.2-52.6	2	3.1	00.0-07.6
45-54	68	14,373	49	69.3	55.0-83.6	19	30.7	16.4-45.0			
55-64	117	19,697	95	82.9	74.9-90.9	21	16.0	08.2-23.8	1	1.1	00.0-03.1
65+	219	34,548	199	85.4	76.8-94.0	18	13.2	04.8-21.6	2	1.4	00.0-03.9
H.S. or G.E.D.	131	29,937	97	72.7	61.7-83.7	32	24.4	13.8-35.0	2	2.8	00.0-06.7
Some Post-H.S.	114	25,716	82	68.9	56.4-81.4	32	31.1	18.6-43.6			
College Graduate	197	27,571	168	75.7	65.9-85.5	28	24.2	14.4-34.0	1	0.1	00.0-00.3
\$15,000- 24,999	54	8,244	35	61.4	44.3-78.5	19	38.6	21.5-55.7			
\$35,000- 49,999	50	10,503	41	89.2	80.0-98.4	9	10.8	01.6-20.0			
\$50,000- 74,999	72	14,926	58	71.4	55.7-87.1	14	28.6	12.9-44.3			
\$75,000+	157	33,094	123	70.2	59.0-81.4	33	29.7	18.5-40.9	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 9: DO YOU TAKE IT MOSTLY AT HOME OR ON A MACHINE AT A PHARMACY, GROCERY OR SIMILAR LOCATION? (WHEREBP)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At home			On a machine at a pharmacy, grocery or similar location			Do not check it		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	520	83,608	415	77.5	72.4-82.6	103	21.7	16.8-26.6	2	0.8	00.0-01.8
White/Non-Hisp	361	56,702	304	82.0	76.7-87.3	57	18.0	12.7-23.3			
Black or Afr. Am./Non-Hisp	91	18,424	70	74.1	61.8-86.4	20	23.9	11.7-36.1	1	2.0	00.0-05.9
45-54	72	11,931	50	79.5	70.1-88.9	22	20.5	11.1-29.9			
55-64	118	20,955	92	73.2	61.8-84.6	26	26.8	15.4-38.2			
65+	261	33,744	234	87.3	81.8-92.8	26	11.6	06.5-16.7	1	1.1	00.0-03.3
H.S. or G.E.D.	155	29,253	119	75.1	65.7-84.5	36	24.9	15.5-34.3			
Some Post-H.S.	139	25,263	112	78.4	68.8-88.0	26	20.5	11.1-29.9	1	1.1	00.0-03.3
College Graduate	187	21,768	153	77.5	69.1-85.9	34	22.5	14.1-30.9			
\$15,000- 24,999	79	10,212	58	73.8	61.5-86.1	21	26.2	13.9-38.5			
\$35,000- 49,999	76	13,105	57	72.6	58.5-86.7	19	27.4	13.3-41.5			
\$50,000- 74,999	59	9,245	46	82.6	71.8-93.4	13	17.4	06.6-28.2			
\$75,000+	108	21,363	87	78.1	67.3-88.9	21	21.9	11.1-32.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 10: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1003	177,517	46	5.6	03.4-07.8	53	5.5	03.5-07.5	738	70.8	66.7-74.9	166	18.0	14.5-21.5
Male	480	93,522	26	7.2	03.9-10.5	31	6.4	03.3-09.5	342	67.6	61.3-73.9	81	18.9	13.4-24.4
Female	523	83,995	20	3.9	01.5-06.3	22	4.6	02.4-06.8	396	74.5	69.4-79.6	85	17.1	12.6-21.6
White/Non-Hisp	712	121,421	29	4.1	02.3-05.9	40	6.1	03.7-08.5	527	71.2	66.5-75.9	116	18.6	14.3-22.9
Black or Afr. Am./Non-Hisp	145	37,766	11	10.2	03.1-17.3	7	4.5	00.4-08.6	107	70.4	60.0-80.8	20	14.9	06.7-23.1
Hispanic	67	6,274	4	6.0	00.0-12.7	2	1.9	00.0-04.6	49	79.2	68.4-90.0	12	13.0	04.6-21.4
25-34	58	18,343	2	4.3	00.0-11.7	3	3.5	00.0-08.2	38	62.7	44.5-80.9	15	29.5	12.3-46.7
35-44	72	15,624	3	3.5	00.0-08.0	3	3.8	00.0-08.5	58	84.0	74.4-93.6	8	8.6	01.2-16.0
45-54	139	25,906	5	3.2	00.0-06.7	12	10.6	03.3-17.9	99	65.9	55.3-76.5	23	20.2	11.0-29.4
55-64	236	41,023	11	5.2	01.3-09.1	13	5.9	02.2-09.6	172	71.7	64.1-79.3	40	17.2	10.7-23.7
65+	477	67,873	24	7.2	03.5-10.9	20	3.8	01.6-06.0	357	73.4	67.7-79.1	76	15.6	10.9-20.3
Less Than H.S.	75	16,947	4	4.0	00.0-08.9	3	5.8	00.0-14.6	53	71.0	55.9-86.1	15	19.1	06.8-31.4
H.S. or G.E.D.	286	59,224	18	6.7	02.6-10.8	13	3.8	01.1-06.5	209	73.3	66.4-80.2	46	16.2	10.5-21.9
Some Post-H.S.	253	50,867	14	7.6	02.7-12.5	11	5.3	01.4-09.2	187	66.8	58.2-75.4	41	20.3	12.3-28.3
College Graduate	386	49,956	10	2.9	00.9-04.9	26	7.7	04.2-11.2	288	72.2	66.1-78.3	62	17.2	11.9-22.5
Less than \$15,000	72	10,245	6	10.8	00.0-22.6	3	2.4	00.0-05.3	54	75.3	60.4-90.2	9	11.5	00.3-22.7
\$15,000- 24,999	133	18,305	7	3.2	00.3-06.1	7	4.6	00.3-08.9	102	77.2	67.0-87.4	17	14.9	05.3-24.5
\$25,000- 34,999	87	13,712	6	6.4	00.0-13.3	4	3.0	00.1-05.9	62	74.8	63.6-86.0	15	15.9	06.5-25.3
\$35,000- 49,999	124	23,492	5	6.2	00.3-12.1	4	1.5	00.0-03.5	96	79.1	69.7-88.5	19	13.2	05.9-20.5
\$50,000- 74,999	132	24,185	5	6.9	00.0-14.3	6	6.9	00.0-14.2	101	68.8	57.0-80.6	20	17.4	07.8-27.0
\$75,000+	265	54,486	8	3.5	00.6-06.4	19	7.6	03.7-11.5	188	64.7	56.5-72.9	50	24.3	16.7-31.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 11: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	480	93,522	26	7.2	03.9-10.5	31	6.4	03.3-09.5	342	67.6	61.3-73.9	81	18.9	13.4-24.4
White/Non-Hisp	348	64,362	17	5.3	02.2-08.4	22	7.1	03.2-11.0	253	67.6	60.3-74.9	56	20.0	13.3-26.7
Black or Afr. Am./Non-Hisp	53	19,278	6	12.6	01.4-23.8	5	6.1	00.0-13.0	34	65.4	48.3-82.5	8	16.0	02.9-29.1
45-54	67	13,965	3	3.1	00.0-07.0	7	11.5	00.7-22.3	47	64.4	49.3-79.5	10	21.0	07.7-34.3
55-64	117	20,055	4	4.1	00.0-09.2	7	6.1	00.2-12.0	85	73.6	63.8-83.4	21	16.2	08.8-23.6
65+	215	33,964	14	10.4	04.1-16.7	13	5.8	01.7-09.9	152	66.8	57.8-75.8	36	16.9	09.5-24.3
H.S. or G.E.D.	129	29,543	9	9.1	02.2-16.0	8	5.8	00.7-10.9	90	69.5	58.7-80.3	22	15.5	07.1-23.9
Some Post-H.S.	113	25,516	8	10.4	01.8-19.0	5	6.2	00.0-12.7	77	55.4	42.3-68.5	23	28.0	14.7-41.3
College Graduate	197	27,958	6	3.7	00.6-06.8	16	6.5	02.8-10.2	145	73.5	65.3-81.7	30	16.3	09.2-23.4
\$15,000- 24,999	54	8,244	2	2.0	00.0-05.1	3	6.2	00.0-14.6	42	77.4	62.3-92.5	7	14.4	01.1-27.7
\$35,000- 49,999	50	10,503	3	9.4	00.0-20.6	2	0.6	00.0-01.6	37	77.5	61.4-93.6	8	12.5	01.3-23.7
\$50,000- 74,999	72	14,926	3	6.7	00.0-16.3	5	10.0	00.0-21.2	52	62.6	46.5-78.7	12	20.7	06.8-34.6
\$75,000+	156	33,073	7	5.4	00.5-10.3	10	5.6	00.9-10.3	111	67.7	56.9-78.5	28	21.2	11.4-31.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 16: Home/ Self-measured Blood Pressure**

TABLE 12: HOW DO YOU SHARE YOUR BLOOD PRESSURE NUMBERS THAT YOU COLLECTED WITH YOUR HEALTH PROFESSIONAL? IS IT MOSTLY BY TELEPHONE, OTHER METHODS SUCH AS EMAILS, INTERNET PORTAL OR FAX, OR IN PERSON? (SHAREBP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Telephone			Other methods such as email, internet portal, or fax			In person			Do not share information		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	523	83,995	20	3.9	01.5-06.3	22	4.6	02.4-06.8	396	74.5	69.2-79.8	85	17.1	12.4-21.8
White/Non-Hisp	364	57,059	12	2.7	00.9-04.5	18	5.0	02.5-07.5	274	75.2	69.3-81.1	60	17.1	11.6-22.6
Black or Afr. Am./Non-Hisp	92	18,488	5	7.8	00.0-16.0	2	2.9	00.0-07.4	73	75.6	63.4-87.8	12	13.7	04.3-23.1
45-54	72	11,941	2	3.4	00.0-09.5	5	9.7	00.5-18.9	52	67.6	53.1-82.1	13	19.3	06.8-31.8
55-64	119	20,969	7	6.3	00.4-12.2	6	5.8	00.9-10.7	87	69.8	58.2-81.4	19	18.2	07.8-28.6
65+	262	33,909	10	3.9	00.4-07.4	7	1.7	00.3-03.1	205	80.1	73.6-86.6	40	14.3	08.8-19.8
H.S. or G.E.D.	157	29,681	9	4.2	00.1-08.3	5	1.8	00.0-03.6	119	77.1	68.5-85.7	24	16.9	09.1-24.7
Some Post-H.S.	140	25,351	6	4.7	00.0-09.6	6	4.4	00.5-08.3	110	78.4	69.0-87.8	18	12.5	04.3-20.7
College Graduate	189	21,998	4	2.0	00.0-04.0	10	9.3	02.8-15.8	143	70.5	61.3-79.7	32	18.2	10.4-26.0
\$15,000- 24,999	79	10,061	5	4.3	00.0-08.8	4	3.3	00.0-06.6	60	77.0	63.3-90.7	10	15.3	01.8-28.8
\$35,000- 49,999	74	12,989	2	3.7	00.0-09.4	2	2.2	00.0-05.5	59	80.4	69.0-91.8	11	13.7	04.1-23.3
\$50,000- 74,999	60	9,259	2	7.3	00.0-18.9	1	1.8	00.0-05.3	49	78.8	64.1-93.5	8	12.1	01.5-22.7
\$75,000+	109	21,413	1	0.6	00.0-01.8	9	10.5	03.4-17.6	77	59.9	47.2-72.6	22	29.0	16.7-41.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1 MALES AND FEMALES	53
2 MALES ONLY	54
3 FEMALES ONLY	55
DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4 MALES AND FEMALES	56
5 MALES ONLY	57
6 FEMALES ONLY	58
DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7 MALES AND FEMALES	59
8 MALES ONLY	60
9 FEMALES ONLY	61
DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10 MALES AND FEMALES	62
11 MALES ONLY	63
12 FEMALES ONLY	64
WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13 MALES AND FEMALES	65
14 MALES ONLY	66
15 FEMALES ONLY	67
HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16 MALES AND FEMALES	68
17 MALES ONLY	69
18 FEMALES ONLY	70
NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT? (ACEHURT)	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22 MALES AND FEMALES	74

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
23	MALES ONLY	75
24	FEMALES ONLY	76
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)	
25	MALES AND FEMALES	77
26	MALES ONLY	78
27	FEMALES ONLY	79
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)	
28	MALES AND FEMALES	80
29	MALES ONLY	81
30	FEMALES ONLY	82
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)	
31	MALES AND FEMALES	83
32	MALES ONLY	84
33	FEMALES ONLY	85

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3120	605,177	484	17.3	15.1-19.5	2636	82.7	80.5-84.9
Male	1375	286,487	165	12.9	10.4-15.4	1210	87.1	84.6-89.6
Female	1745	318,690	319	21.3	18.2-24.4	1426	78.7	75.6-81.8
White/Non-Hisp	2163	391,112	367	19.9	17.4-22.4	1796	80.1	77.6-82.6
Black or Afr. Am./Non-Hisp	373	120,015	48	15.2	09.3-21.1	325	84.8	78.9-90.7
Oth. Race/Non-Hisp.	116	30,121	12	5.6	01.5-09.7	104	94.4	90.3-98.5
MultiRacial/Non-Hisp.	60	5,728	15	29.8	13.9-45.7	45	70.2	54.3-86.1
Hispanic	342	47,426	35	9.0	05.3-12.7	307	91.0	87.3-94.7
18-24	190	66,228	59	36.5	26.3-46.7	131	63.5	53.3-73.7
25-34	329	95,550	68	23.2	16.5-29.9	261	76.8	70.1-83.5
35-44	368	86,749	86	21.1	15.8-26.4	282	78.9	73.6-84.2
45-54	487	93,248	101	18.1	14.0-22.2	386	81.9	77.8-86.0
55-64	643	109,447	87	10.9	08.2-13.6	556	89.1	86.4-91.8
65+	1103	153,955	83	7.3	05.3-09.3	1020	92.7	90.7-94.7
Less Than H.S.	311	65,357	33	16.8	09.0-24.6	278	83.2	75.4-91.0
H.S. or G.E.D.	824	187,632	114	13.6	10.9-16.3	710	86.4	83.7-89.1
Some Post-H.S.	742	168,413	135	22.3	17.4-27.2	607	77.7	72.8-82.6
College Graduate	1229	182,268	201	16.7	13.8-19.6	1028	83.3	80.4-86.2
Less than \$15,000	237	36,820	41	13.8	08.5-19.1	196	86.2	80.9-91.5
\$15,000- 24,999	391	66,397	60	16.3	11.2-21.4	331	83.7	78.6-88.8
\$25,000- 34,999	245	43,733	48	24.2	16.2-32.2	197	75.8	67.8-83.8
\$35,000- 49,999	334	68,205	63	22.4	14.4-30.4	271	77.6	69.6-85.6
\$50,000- 74,999	384	80,052	63	18.4	12.1-24.7	321	81.6	75.3-87.9
\$75,000+	987	210,358	155	17.2	13.7-20.7	832	82.8	79.3-86.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1375	286,487	165	12.9	10.4-15.4	1210	87.1	84.6-89.6
White/Non-Hisp	964	183,715	128	14.9	12.0-17.8	836	85.1	82.2-88.0
Black or Afr. Am./Non-Hisp	132	57,820	12	9.7	01.5-17.9	120	90.3	82.1-98.5
Oth. Race/Non-Hisp.	59	13,619	3	3.4	00.0-08.3	56	96.6	91.7-0100
Hispanic	167	25,178	14	9.0	03.5-14.5	153	91.0	85.5-96.5
18-24	107	32,889	29	24.0	13.8-34.2	78	76.0	65.8-86.2
25-34	160	48,694	27	21.7	11.3-32.1	133	78.3	67.9-88.7
35-44	157	42,399	26	12.9	07.2-18.6	131	87.1	81.4-92.8
45-54	217	45,972	29	9.8	05.3-14.3	188	90.2	85.7-94.7
55-64	284	48,815	27	8.8	04.9-12.7	257	91.2	87.3-95.1
65+	450	67,717	27	6.3	03.6-09.0	423	93.7	91.0-96.4
Less Than H.S.	152	35,005	18	21.6	08.9-34.3	134	78.4	65.7-91.1
H.S. or G.E.D.	376	99,345	43	9.5	06.4-12.6	333	90.5	87.4-93.6
Some Post-H.S.	307	68,907	36	11.9	07.2-16.6	271	88.1	83.4-92.8
College Graduate	533	82,422	67	14.1	09.8-18.4	466	85.9	81.6-90.2
Less than \$15,000	83	14,232	15	14.8	06.6-23.0	68	85.2	77.0-93.4
\$15,000- 24,999	156	28,646	18	10.5	05.0-16.0	138	89.5	84.0-95.0
\$25,000- 34,999	106	19,913	12	12.9	04.3-21.5	94	87.1	78.5-95.7
\$35,000- 49,999	125	28,211	15	20.3	05.4-35.2	110	79.7	64.8-94.6
\$50,000- 74,999	195	46,431	28	13.2	07.3-19.1	167	86.8	80.9-92.7
\$75,000+	492	102,810	57	11.9	08.2-15.6	435	88.1	84.4-91.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1745	318,690	319	21.3	18.2-24.4	1426	78.7	75.6-81.8
White/Non-Hisp	1199	207,397	239	24.2	20.5-27.9	960	75.8	72.1-79.5
Black or Afr. Am./Non-Hisp	241	62,195	36	20.3	11.9-28.7	205	79.7	71.3-88.1
Oth. Race/Non-Hisp.	57	16,502	9	7.4	00.7-14.1	48	92.6	85.9-99.3
Hispanic	175	22,248	21	8.9	03.6-14.2	154	91.1	85.8-96.4
18-24	83	33,339	30	48.9	33.2-64.6	53	51.1	35.4-66.8
25-34	169	46,855	41	24.8	16.2-33.4	128	75.2	66.6-83.8
35-44	211	44,350	60	29.0	21.0-37.0	151	71.0	63.0-79.0
45-54	270	47,276	72	26.2	19.7-32.7	198	73.8	67.3-80.3
55-64	359	60,631	60	12.5	08.4-16.6	299	87.5	83.4-91.6
65+	653	86,238	56	8.2	05.7-10.7	597	91.8	89.3-94.3
Less Than H.S.	159	30,352	15	11.3	04.0-18.6	144	88.7	81.4-96.0
H.S. or G.E.D.	448	88,287	71	18.2	13.5-22.9	377	81.8	77.1-86.5
Some Post-H.S.	435	99,506	99	29.6	22.3-36.9	336	70.4	63.1-77.7
College Graduate	696	99,846	134	18.9	14.8-23.0	562	81.1	77.0-85.2
Less than \$15,000	154	22,589	26	13.2	06.5-19.9	128	86.8	80.1-93.5
\$15,000- 24,999	235	37,751	42	20.7	13.1-28.3	193	79.3	71.7-86.9
\$25,000- 34,999	139	23,820	36	33.6	21.8-45.4	103	66.4	54.6-78.2
\$35,000- 49,999	209	39,994	48	23.8	14.8-32.8	161	76.2	67.2-85.2
\$50,000- 74,999	189	33,621	35	25.5	14.1-36.9	154	74.5	63.1-85.9
\$75,000+	495	107,548	98	22.3	16.4-28.2	397	77.7	71.8-83.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3128	607,294	705	23.5	21.3-25.7	2423	76.5	74.3-78.7
Male	1382	289,120	262	19.7	16.6-22.8	1120	80.3	77.2-83.4
Female	1746	318,174	443	26.9	23.8-30.0	1303	73.1	70.0-76.2
White/Non-Hisp	2170	392,793	521	27.1	24.4-29.8	1649	72.9	70.2-75.6
Black or Afr. Am./Non-Hisp	372	120,088	72	17.2	12.3-22.1	300	82.8	77.9-87.7
Oth. Race/Non-Hisp.	115	29,929	12	6.0	01.3-10.7	103	94.0	89.3-98.7
MultiRacial/Non-Hisp.	61	5,971	19	25.3	11.6-39.0	42	74.7	61.0-88.4
Hispanic	343	47,706	70	20.4	13.3-27.5	273	79.6	72.5-86.7
18-24	191	66,471	48	31.2	21.0-41.4	143	68.8	58.6-79.0
25-34	332	96,818	85	28.8	21.7-35.9	247	71.2	64.1-78.3
35-44	372	87,584	90	21.1	15.8-26.4	282	78.9	73.6-84.2
45-54	487	93,058	130	23.1	18.6-27.6	357	76.9	72.4-81.4
55-64	645	109,975	163	24.0	19.7-28.3	482	76.0	71.7-80.3
65+	1101	153,387	189	18.0	14.9-21.1	912	82.0	78.9-85.1
Less Than H.S.	312	65,382	69	23.4	16.5-30.3	243	76.6	69.7-83.5
H.S. or G.E.D.	825	187,968	215	27.6	23.3-31.9	610	72.4	68.1-76.7
Some Post-H.S.	745	170,082	174	22.9	18.4-27.4	571	77.1	72.6-81.6
College Graduate	1232	182,356	245	19.9	16.8-23.0	987	80.1	77.0-83.2
Less than \$15,000	238	36,741	57	24.2	14.8-33.6	181	75.8	66.4-85.2
\$15,000- 24,999	393	66,706	107	25.9	19.6-32.2	286	74.1	67.8-80.4
\$25,000- 34,999	246	44,091	60	26.5	18.9-34.1	186	73.5	65.9-81.1
\$35,000- 49,999	335	68,217	77	22.2	15.9-28.5	258	77.8	71.5-84.1
\$50,000- 74,999	384	80,153	85	25.1	18.4-31.8	299	74.9	68.2-81.6
\$75,000+	988	211,547	217	23.3	19.4-27.2	771	76.7	72.8-80.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1382	289,120	262	19.7	16.6-22.8	1120	80.3	77.2-83.4
White/Non-Hisp	966	185,377	198	22.2	18.5-25.9	768	77.8	74.1-81.5
Black or Afr. Am./Non-Hisp	134	58,461	21	15.4	08.0-22.8	113	84.6	77.2-92.0
Oth. Race/Non-Hisp.	59	13,619	6	3.6	00.3-06.9	53	96.4	93.1-99.7
Hispanic	168	25,233	27	20.0	08.8-31.2	141	80.0	68.8-91.2
18-24	108	33,132	23	22.2	11.8-32.6	85	77.8	67.4-88.2
25-34	162	50,035	35	27.4	17.0-37.8	127	72.6	62.2-83.0
35-44	159	42,754	22	11.2	05.3-17.1	137	88.8	82.9-94.7
45-54	218	46,027	51	19.0	12.7-25.3	167	81.0	74.7-87.3
55-64	284	49,013	58	19.1	13.6-24.6	226	80.9	75.4-86.4
65+	451	68,158	73	18.9	13.4-24.4	378	81.1	75.6-86.6
Less Than H.S.	155	35,502	31	22.6	12.4-32.8	124	77.4	67.2-87.6
H.S. or G.E.D.	375	99,267	87	23.6	17.5-29.7	288	76.4	70.3-82.5
Some Post-H.S.	309	71,002	61	19.1	13.2-25.0	248	80.9	75.0-86.8
College Graduate	536	82,541	83	14.4	10.5-18.3	453	85.6	81.7-89.5
Less than \$15,000	85	14,348	21	23.4	10.9-35.9	64	76.6	64.1-89.1
\$15,000- 24,999	158	29,316	34	20.6	10.6-30.6	124	79.4	69.4-89.4
\$25,000- 34,999	108	20,455	19	20.7	10.1-31.3	89	79.3	68.7-89.9
\$35,000- 49,999	126	28,282	17	11.5	04.1-18.9	109	88.5	81.1-95.9
\$50,000- 74,999	194	46,318	42	21.9	13.9-29.9	152	78.1	70.1-86.1
\$75,000+	493	104,022	84	17.4	12.7-22.1	409	82.6	77.9-87.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1746	318,174	443	26.9	23.8-30.0	1303	73.1	70.0-76.2
White/Non-Hisp	1204	207,416	323	31.6	27.5-35.7	881	68.4	64.3-72.5
Black or Afr. Am./Non-Hisp	238	61,627	51	18.9	12.6-25.2	187	81.1	74.8-87.4
Oth. Race/Non-Hisp.	56	16,309	6	8.0	00.0-16.0	50	92.0	84.0-0100
Hispanic	175	22,473	43	20.9	12.9-28.9	132	79.1	71.1-87.1
18-24	83	33,339	25	40.2	24.1-56.3	58	59.8	43.7-75.9
25-34	170	46,783	50	30.3	20.9-39.7	120	69.7	60.3-79.1
35-44	213	44,830	68	30.5	22.5-38.5	145	69.5	61.5-77.5
45-54	269	47,031	79	27.1	20.4-33.8	190	72.9	66.2-79.6
55-64	361	60,963	105	27.9	21.8-34.0	256	72.1	66.0-78.2
65+	650	85,229	116	17.3	13.6-21.0	534	82.7	79.0-86.4
Less Than H.S.	157	29,879	38	24.3	15.1-33.5	119	75.7	66.5-84.9
H.S. or G.E.D.	450	88,701	128	32.1	26.0-38.2	322	67.9	61.8-74.0
Some Post-H.S.	436	99,080	113	25.6	19.1-32.1	323	74.4	67.9-80.9
College Graduate	696	99,814	162	24.4	19.5-29.3	534	75.6	70.7-80.5
Less than \$15,000	153	22,393	36	24.7	11.6-37.8	117	75.3	62.2-88.4
\$15,000- 24,999	235	37,391	73	30.1	22.1-38.1	162	69.9	61.9-77.9
\$25,000- 34,999	138	23,636	41	31.5	20.5-42.5	97	68.5	57.5-79.5
\$35,000- 49,999	209	39,935	60	29.8	21.0-38.6	149	70.2	61.4-79.0
\$50,000- 74,999	190	33,835	43	29.4	18.2-40.6	147	70.6	59.4-81.8
\$75,000+	495	107,525	133	29.0	22.9-35.1	362	71.0	64.9-77.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3126	605,380	315	12.5	10.7-14.3	2811	87.5	85.7-89.3
Male	1383	288,472	138	12.6	09.7-15.5	1245	87.4	84.5-90.3
Female	1743	316,908	177	12.4	10.0-14.8	1566	87.6	85.2-90.0
White/Non-Hisp	2169	391,022	219	13.1	10.9-15.3	1950	86.9	84.7-89.1
Black or Afr. Am./Non-Hisp	372	120,078	47	15.4	09.7-21.1	325	84.6	78.9-90.3
Oth. Race/Non-Hisp.	116	30,121	6	3.5	00.0-07.0	110	96.5	93.0-0100
MultiRacial/Non-Hisp.	61	5,971	16	29.3	13.2-45.4	45	70.7	54.6-86.8
Hispanic	341	47,381	24	4.7	02.2-07.2	317	95.3	92.8-97.8
18-24	190	65,902	34	17.5	10.2-24.8	156	82.5	75.2-89.8
25-34	328	95,347	61	21.0	14.1-27.9	267	79.0	72.1-85.9
35-44	370	87,280	57	16.9	11.6-22.2	313	83.1	77.8-88.4
45-54	487	93,093	69	14.4	10.3-18.5	418	85.6	81.5-89.7
55-64	647	110,157	63	9.2	06.5-11.9	584	90.8	88.1-93.5
65+	1104	153,602	31	3.6	02.0-05.2	1073	96.4	94.8-98.0
Less Than H.S.	312	65,088	30	17.7	09.3-26.1	282	82.3	73.9-90.7
H.S. or G.E.D.	826	187,184	102	14.1	10.8-17.4	724	85.9	82.6-89.2
Some Post-H.S.	743	169,241	82	11.8	08.7-14.9	661	88.2	85.1-91.3
College Graduate	1231	182,361	100	9.5	07.0-12.0	1131	90.5	88.0-93.0
Less than \$15,000	238	36,741	30	15.7	06.9-24.5	208	84.3	75.5-93.1
\$15,000- 24,999	390	65,352	41	11.4	07.3-15.5	349	88.6	84.5-92.7
\$25,000- 34,999	248	44,304	34	18.6	11.2-26.0	214	81.4	74.0-88.8
\$35,000- 49,999	334	68,258	42	19.5	11.3-27.7	292	80.5	72.3-88.7
\$50,000- 74,999	384	80,109	36	10.6	06.5-14.7	348	89.4	85.3-93.5
\$75,000+	986	211,321	103	12.6	09.5-15.7	883	87.4	84.3-90.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1383	288,472	138	12.6	09.7-15.5	1245	87.4	84.5-90.3
White/Non-Hisp	968	184,786	101	12.8	09.9-15.7	867	87.2	84.3-90.1
Black or Afr. Am./Non-Hisp	134	58,461	16	17.3	07.5-27.1	118	82.7	72.9-92.5
Oth. Race/Non-Hisp.	59	13,619	3	2.7	00.0-06.8	56	97.3	93.2-0100
Hispanic	167	25,175	10	4.8	01.1-08.5	157	95.2	91.5-98.9
18-24	107	32,563	21	17.2	08.6-25.8	86	82.8	74.2-91.4
25-34	161	49,977	27	21.7	10.9-32.5	134	78.3	67.5-89.1
35-44	159	42,754	20	13.2	05.4-21.0	139	86.8	79.0-94.6
45-54	217	45,870	32	15.0	08.7-21.3	185	85.0	78.7-91.3
55-64	286	49,139	23	8.2	04.5-11.9	263	91.8	88.1-95.5
65+	453	68,168	15	4.9	02.0-07.8	438	95.1	92.2-98.0
Less Than H.S.	154	34,933	16	18.2	05.9-30.5	138	81.8	69.5-94.1
H.S. or G.E.D.	378	99,488	51	13.9	09.2-18.6	327	86.1	81.4-90.8
Some Post-H.S.	309	70,811	31	11.3	06.2-16.4	278	88.7	83.6-93.8
College Graduate	535	82,432	39	9.6	05.3-13.9	496	90.4	86.1-94.7
Less than \$15,000	85	14,348	14	14.2	05.8-22.6	71	85.8	77.4-94.2
\$15,000- 24,999	158	29,316	18	10.0	04.7-15.3	140	90.0	84.7-95.3
\$25,000- 34,999	109	20,484	11	10.2	03.7-16.7	98	89.8	83.3-96.3
\$35,000- 49,999	124	28,047	17	29.7	13.6-45.8	107	70.3	54.2-86.4
\$50,000- 74,999	194	46,274	19	12.3	06.0-18.6	175	87.7	81.4-94.0
\$75,000+	493	103,970	43	11.8	07.3-16.3	450	88.2	83.7-92.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1743	316,908	177	12.4	10.0-14.8	1566	87.6	85.2-90.0
White/Non-Hisp	1201	206,235	118	13.3	10.2-16.4	1083	86.7	83.6-89.8
Black or Afr. Am./Non-Hisp	238	61,617	31	13.5	07.8-19.2	207	86.5	80.8-92.2
Oth. Race/Non-Hisp.	57	16,502	3	4.1	00.0-09.6	54	95.9	90.4-0100
Hispanic	174	22,206	14	4.5	01.4-07.6	160	95.5	92.4-98.6
18-24	83	33,339	13	17.9	06.3-29.5	70	82.1	70.5-93.7
25-34	167	45,369	34	20.3	11.9-28.7	133	79.7	71.3-88.1
35-44	211	44,525	37	20.4	13.0-27.8	174	79.6	72.2-87.0
45-54	270	47,223	37	13.8	08.7-18.9	233	86.2	81.1-91.3
55-64	361	61,018	40	10.1	06.2-14.0	321	89.9	86.0-93.8
65+	651	85,434	16	2.6	01.0-04.2	635	97.4	95.8-99.0
Less Than H.S.	158	30,156	14	17.1	06.1-28.1	144	82.9	71.9-93.9
H.S. or G.E.D.	448	87,696	51	14.4	09.3-19.5	397	85.6	80.5-90.7
Some Post-H.S.	434	98,430	51	12.1	08.2-16.0	383	87.9	84.0-91.8
College Graduate	696	99,929	61	9.5	06.6-12.4	635	90.5	87.6-93.4
Less than \$15,000	153	22,393	16	16.6	03.1-30.1	137	83.4	69.9-96.9
\$15,000- 24,999	232	36,037	23	12.5	06.2-18.8	209	87.5	81.2-93.8
\$25,000- 34,999	139	23,820	23	25.8	14.0-37.6	116	74.2	62.4-86.0
\$35,000- 49,999	210	40,211	25	12.3	06.4-18.2	185	87.7	81.8-93.6
\$50,000- 74,999	190	33,835	17	8.3	03.6-13.0	173	91.7	87.0-96.4
\$75,000+	493	107,351	60	13.3	09.0-17.6	433	86.7	82.4-91.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3131	607,025	215	8.9	07.1-10.7	2916	91.1	89.3-92.9
Male	1381	288,271	93	8.8	06.3-11.3	1288	91.2	88.7-93.7
Female	1750	318,753	122	9.0	06.8-11.2	1628	91.0	88.8-93.2
White/Non-Hisp	2173	392,672	127	8.2	06.2-10.2	2046	91.8	89.8-93.8
Black or Afr. Am./Non-Hisp	374	120,310	43	14.2	08.7-19.7	331	85.8	80.3-91.3
Oth. Race/Non-Hisp.	115	29,863	8	4.8	00.3-09.3	107	95.2	90.7-99.7
MultiRacial/Non-Hisp.	62	5,992	11	11.0	03.0-19.0	51	89.0	81.0-97.0
Hispanic	342	47,623	23	4.4	02.4-06.4	319	95.6	93.6-97.6
18-24	190	66,302	30	18.7	10.5-26.9	160	81.3	73.1-89.5
25-34	331	96,648	49	14.7	08.8-20.6	282	85.3	79.4-91.2
35-44	372	87,584	40	10.7	06.6-14.8	332	89.3	85.2-93.4
45-54	485	93,029	38	9.8	05.7-13.9	447	90.2	86.1-94.3
55-64	650	110,646	28	4.6	02.2-07.0	622	95.4	93.0-97.8
65+	1103	152,815	30	2.6	01.4-03.8	1073	97.4	96.2-98.6
Less Than H.S.	313	65,771	29	16.7	08.9-24.5	284	83.3	75.5-91.1
H.S. or G.E.D.	825	187,387	67	9.1	06.4-11.8	758	90.9	88.2-93.6
Some Post-H.S.	747	169,788	63	10.8	07.1-14.5	684	89.2	85.5-92.9
College Graduate	1233	182,667	55	4.1	02.7-05.5	1178	95.9	94.5-97.3
Less than \$15,000	238	36,767	19	7.2	02.9-11.5	219	92.8	88.5-97.1
\$15,000- 24,999	392	66,210	30	9.0	05.1-12.9	362	91.0	87.1-94.9
\$25,000- 34,999	248	44,304	22	12.9	06.0-19.8	226	87.1	80.2-94.0
\$35,000- 49,999	335	68,323	30	10.2	03.7-16.7	305	89.8	83.3-96.3
\$50,000- 74,999	383	79,900	30	12.3	05.8-18.8	353	87.7	81.2-94.2
\$75,000+	989	211,875	58	8.1	05.6-10.6	931	91.9	89.4-94.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1381	288,271	93	8.8	06.3-11.3	1288	91.2	88.7-93.7
White/Non-Hisp	967	185,108	55	7.9	05.4-10.4	912	92.1	89.6-94.6
Black or Afr. Am./Non-Hisp	133	58,027	14	13.3	04.3-22.3	119	86.7	77.7-95.7
Oth. Race/Non-Hisp.	59	13,619	5	7.6	00.0-16.6	54	92.4	83.4-0100
Hispanic	168	25,233	11	4.4	01.5-07.3	157	95.6	92.7-98.5
18-24	107	32,963	15	14.8	06.0-23.6	92	85.2	76.4-94.0
25-34	161	49,865	21	15.6	05.8-25.4	140	84.4	74.6-94.2
35-44	159	42,754	17	10.5	04.8-16.2	142	89.5	83.8-95.2
45-54	216	45,814	20	12.3	05.0-19.6	196	87.7	80.4-95.0
55-64	287	49,320	10	3.0	01.0-05.0	277	97.0	95.0-99.0
65+	451	67,555	10	1.6	00.4-02.8	441	98.4	97.2-99.6
Less Than H.S.	155	35,502	17	21.6	09.1-34.1	138	78.4	65.9-90.9
H.S. or G.E.D.	376	99,148	30	8.7	04.8-12.6	346	91.3	87.4-95.2
Some Post-H.S.	309	70,554	24	8.3	03.6-13.0	285	91.7	87.0-96.4
College Graduate	534	82,259	21	3.7	01.7-05.7	513	96.3	94.3-98.3
Less than \$15,000	84	14,179	8	8.7	00.1-17.3	76	91.3	82.7-99.9
\$15,000- 24,999	157	28,881	12	5.8	02.3-09.3	145	94.2	90.7-97.7
\$25,000- 34,999	109	20,484	7	6.8	00.7-12.9	102	93.2	87.1-99.3
\$35,000- 49,999	125	28,112	9	11.4	00.0-25.5	116	88.6	74.5-0100
\$50,000- 74,999	193	46,065	17	12.9	05.3-20.5	176	87.1	79.5-94.7
\$75,000+	492	103,949	28	8.4	04.7-12.1	464	91.6	87.9-95.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1750	318,753	122	9.0	06.8-11.2	1628	91.0	88.8-93.2
White/Non-Hisp	1206	207,563	72	8.6	05.9-11.3	1134	91.4	88.7-94.1
Black or Afr. Am./Non-Hisp	241	62,283	29	15.0	08.5-21.5	212	85.0	78.5-91.5
Oth. Race/Non-Hisp.	56	16,243	3	2.4	00.0-05.3	53	97.6	94.7-0100
Hispanic	174	22,390	12	4.4	01.5-07.3	162	95.6	92.7-98.5
18-24	83	33,339	15	22.5	08.8-36.2	68	77.5	63.8-91.2
25-34	170	46,783	28	13.7	07.6-19.8	142	86.3	80.2-92.4
35-44	213	44,830	23	10.9	05.0-16.8	190	89.1	83.2-95.0
45-54	269	47,215	18	7.3	03.4-11.2	251	92.7	88.8-96.6
55-64	363	61,326	18	6.0	02.1-09.9	345	94.0	90.1-97.9
65+	652	85,260	20	3.3	01.5-05.1	632	96.7	94.9-98.5
Less Than H.S.	158	30,268	12	11.1	03.7-18.5	146	88.9	81.5-96.3
H.S. or G.E.D.	449	88,239	37	9.5	06.0-13.0	412	90.5	87.0-94.0
Some Post-H.S.	438	99,234	39	12.6	07.1-18.1	399	87.4	81.9-92.9
College Graduate	699	100,408	34	4.5	02.5-06.5	665	95.5	93.5-97.5
Less than \$15,000	154	22,589	11	6.3	01.6-11.0	143	93.7	89.0-98.4
\$15,000- 24,999	235	37,328	18	11.5	05.4-17.6	217	88.5	82.4-94.6
\$25,000- 34,999	139	23,820	15	18.1	06.9-29.3	124	81.9	70.7-93.1
\$35,000- 49,999	210	40,211	21	9.3	04.4-14.2	189	90.7	85.8-95.6
\$50,000- 74,999	190	33,835	13	11.5	00.5-22.5	177	88.5	77.5-99.5
\$75,000+	497	107,926	30	7.8	04.3-11.3	467	92.2	88.7-95.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 22: ADVERSE CHILDHOOD EXPERIENCE
 TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
 Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3118	604,547	804	27.6	25.2-30.0	2257	69.2	66.8-71.6	57	3.2	02.0-04.4
Male	1377	287,444	342	27.5	24.0-31.0	1010	69.2	65.5-72.9	25	3.3	01.5-05.1
Female	1741	317,103	462	27.7	24.6-30.8	1247	69.3	66.0-72.6	32	3.0	01.4-04.6
White/Non-Hisp	2172	391,978	513	26.0	23.5-28.5	1643	72.3	69.6-75.0	16	1.7	00.5-02.9
Black or Afr. Am./Non-Hisp	369	119,608	135	38.3	31.4-45.2	211	53.7	46.6-60.8	23	8.0	03.9-12.1
Oth. Race/Non-Hisp.	112	28,903	28	15.3	07.3-23.3	84	84.7	76.7-92.7			
MultiRacial/Non-Hisp.	61	5,971	24	37.2	20.0-54.4	31	48.6	31.2-66.0	6	14.1	02.1-26.1
Hispanic	339	47,452	91	20.5	15.0-26.0	239	76.8	71.1-82.5	9	2.7	00.5-04.9
18-24	188	65,694	81	41.4	31.4-51.4	99	53.1	42.9-63.3	8	5.5	00.0-11.6
25-34	331	96,945	107	34.5	27.1-41.9	213	62.3	54.7-69.9	11	3.2	00.8-05.6
35-44	371	87,389	141	37.0	30.3-43.7	214	56.6	49.7-63.5	16	6.4	01.9-10.9
45-54	486	93,168	153	29.1	24.0-34.2	324	67.3	61.8-72.8	9	3.5	00.4-06.6
55-64	645	108,995	151	21.6	17.5-25.7	490	77.2	73.1-81.3	4	1.2	00.0-02.6
65+	1097	152,356	171	15.2	12.5-17.9	917	83.3	80.4-86.2	9	1.5	00.5-02.5
Less Than H.S.	306	64,233	97	34.6	26.0-43.2	202	62.6	54.0-71.2	7	2.8	00.3-05.3
H.S. or G.E.D.	823	186,872	271	32.0	27.7-36.3	535	63.8	59.3-68.3	17	4.3	01.6-07.0
Some Post-H.S.	743	168,841	201	28.5	23.6-33.4	522	67.9	62.8-73.0	20	3.6	01.1-06.1
College Graduate	1235	183,445	234	20.0	16.7-23.3	989	78.2	74.9-81.5	12	1.8	00.6-03.0
Less than \$15,000	236	36,113	80	35.3	25.5-45.1	149	60.5	50.7-70.3	7	4.2	00.7-07.7
\$15,000- 24,999	389	65,977	124	33.5	27.0-40.0	259	65.2	58.7-71.7	6	1.3	00.1-02.5
\$25,000- 34,999	245	43,761	75	31.7	23.3-40.1	163	64.9	56.3-73.5	7	3.5	00.4-06.6
\$35,000- 49,999	333	68,061	94	29.3	21.3-37.3	231	66.0	57.6-74.4	8	4.7	00.2-09.2
\$50,000- 74,999	382	79,285	90	25.4	19.1-31.7	287	68.3	60.9-75.7	5	6.3	00.0-12.6
\$75,000+	990	211,857	226	26.5	22.4-30.6	755	71.8	67.7-75.9	9	1.7	00.5-02.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1377	287,444	342	27.5	24.0-31.0	1010	69.2	65.5-72.9	25	3.3	01.5-05.1
White/Non-Hisp	970	185,678	228	26.6	22.7-30.5	735	71.9	68.0-75.8	7	1.5	00.1-02.9
Black or Afr. Am./Non-Hisp	130	57,548	44	37.1	26.1-48.1	76	54.0	42.8-65.2	10	8.8	01.7-15.9
Oth. Race/Non-Hisp.	56	12,660	12	13.3	02.9-23.7	44	86.7	76.3-97.1			
Hispanic	166	25,145	39	17.6	10.5-24.7	124	80.2	72.6-87.8	3	2.2	00.0-05.3
18-24	107	33,082	44	37.0	25.0-49.0	59	59.5	47.3-71.7	4	3.5	00.0-07.2
25-34	161	50,162	56	38.3	26.9-49.7	100	59.5	48.1-70.9	5	2.2	00.0-04.6
35-44	159	42,754	59	35.2	25.0-45.4	96	57.6	46.6-68.6	4	7.1	00.0-15.1
45-54	218	46,010	62	26.5	19.1-33.9	151	68.2	59.8-76.6	5	5.3	00.0-11.4
55-64	283	48,281	66	25.1	18.6-31.6	214	73.0	66.3-79.7	3	1.8	00.0-04.3
65+	449	67,154	55	12.3	08.0-16.6	390	86.4	82.1-90.7	4	1.2	00.0-02.4
Less Than H.S.	150	34,248	50	38.8	26.1-51.5	99	60.4	47.7-73.1	1	0.9	00.0-02.7
H.S. or G.E.D.	377	99,350	127	30.8	24.9-36.7	241	63.3	56.8-69.8	9	5.9	01.4-10.4
Some Post-H.S.	308	70,304	74	27.6	19.8-35.4	226	69.7	61.9-77.5	8	2.7	00.5-04.9
College Graduate	536	82,929	91	19.0	14.1-23.9	439	79.3	74.2-84.4	6	1.6	00.0-03.2
Less than \$15,000	83	13,720	23	32.9	18.0-47.8	57	62.1	47.2-77.0	3	5.0	00.0-11.3
\$15,000- 24,999	156	28,753	48	32.7	22.5-42.9	107	67.2	57.0-77.4	1	0.2	00.0-00.6
\$25,000- 34,999	107	19,998	32	28.3	16.9-39.7	73	70.9	59.3-82.5	2	0.8	00.0-02.0
\$35,000- 49,999	124	27,930	35	31.9	17.4-46.4	83	57.7	43.0-72.4	6	10.3	00.0-20.7
\$50,000- 74,999	193	46,088	46	27.8	18.6-37.0	143	65.6	55.4-75.8	4	6.6	00.0-13.9
\$75,000+	495	104,668	106	26.2	20.5-31.9	384	71.8	65.9-77.7	5	2.0	00.2-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1741	317,103	462	27.7	24.6-30.8	1247	69.3	66.0-72.6	32	3.0	01.4-04.6
White/Non-Hisp	1202	206,300	285	25.5	22.0-29.0	908	72.6	68.7-76.5	9	1.9	00.0-03.9
Black or Afr. Am./Non-Hisp	239	62,060	91	39.3	30.7-47.9	135	53.4	44.8-62.0	13	7.3	02.8-11.8
Oth. Race/Non-Hisp.	56	16,243	16	16.9	05.1-28.7	40	83.1	71.3-94.9			
Hispanic	173	22,307	52	23.7	15.7-31.7	115	72.9	64.5-81.3	6	3.4	00.3-06.5
18-24	81	32,612	37	45.8	30.1-61.5	40	46.7	31.2-62.2	4	7.5	00.0-18.9
25-34	170	46,783	51	30.5	20.9-40.1	113	65.3	55.3-75.3	6	4.2	00.0-08.5
35-44	212	44,635	82	38.7	30.1-47.3	118	55.6	46.8-64.4	12	5.6	01.5-09.7
45-54	268	47,157	91	31.8	24.7-38.9	173	66.5	59.2-73.8	4	1.8	00.0-03.8
55-64	362	60,714	85	18.7	13.6-23.8	276	80.5	75.4-85.6	1	0.8	00.0-02.4
65+	648	85,202	116	17.5	13.8-21.2	527	80.9	77.0-84.8	5	1.7	00.1-03.3
Less Than H.S.	156	29,985	47	29.9	19.1-40.7	103	65.1	53.9-76.3	6	5.0	00.0-10.1
H.S. or G.E.D.	446	87,522	144	33.2	27.1-39.3	294	64.3	58.0-70.6	8	2.4	00.0-04.8
Some Post-H.S.	435	98,537	127	29.1	22.8-35.4	296	66.7	59.8-73.6	12	4.2	00.1-08.3
College Graduate	699	100,516	143	20.8	16.5-25.1	550	77.3	72.8-81.8	6	1.9	00.3-03.5
Less than \$15,000	153	22,393	57	36.8	24.1-49.5	92	59.5	46.8-72.2	4	3.6	00.0-07.7
\$15,000- 24,999	233	37,224	76	34.2	25.8-42.6	152	63.7	55.3-72.1	5	2.1	00.1-04.1
\$25,000- 34,999	138	23,763	43	34.5	22.5-46.5	90	59.8	47.8-71.8	5	5.7	00.0-11.4
\$35,000- 49,999	209	40,131	59	27.5	18.5-36.5	148	71.7	62.7-80.7	2	0.8	00.0-02.0
\$50,000- 74,999	189	33,197	44	22.1	14.3-29.9	144	71.9	60.7-83.1	1	6.0	00.0-17.0
\$75,000+	495	107,189	120	26.9	21.0-32.8	371	71.8	65.7-77.9	4	1.3	00.0-02.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3083	596,007	2550	82.0	80.0-84.0	120	3.9	02.9-04.9	413	14.1	12.3-15.9
Male	1365	284,729	1144	83.1	80.4-85.8	53	4.2	02.6-05.8	168	12.7	10.2-15.2
Female	1718	311,278	1406	81.0	78.3-83.7	67	3.5	02.3-04.7	245	15.5	12.8-18.2
White/Non-Hisp	2148	387,845	1837	85.1	82.9-87.3	59	2.7	01.9-03.5	252	12.1	10.1-14.1
Black or Afr. Am./Non-Hisp	366	117,086	286	75.8	69.7-81.9	24	6.3	03.2-09.4	56	17.9	12.2-23.6
Oth. Race/Non-Hisp.	108	27,893	79	75.5	63.5-87.5	7	3.5	00.2-06.8	22	20.9	09.1-32.7
MultiRacial/Non-Hisp.	60	5,914	42	70.5	54.0-87.0	5	10.5	00.0-23.4	13	19.0	06.1-31.9
Hispanic	337	47,012	250	76.6	69.9-83.3	24	7.1	03.2-11.0	63	16.4	10.7-22.1
18-24	189	65,706	147	76.3	67.5-85.1	16	7.0	02.7-11.3	26	16.7	08.3-25.1
25-34	324	93,479	242	76.9	70.6-83.2	21	4.5	02.0-07.0	61	18.6	12.7-24.5
35-44	362	84,858	283	78.8	73.3-84.3	13	4.0	01.3-06.7	66	17.3	12.2-22.4
45-54	483	92,949	386	83.4	79.5-87.3	18	2.4	01.0-03.8	79	14.2	10.5-17.9
55-64	637	108,600	525	82.9	79.0-86.8	21	3.4	01.6-05.2	91	13.7	10.2-17.2
65+	1088	150,415	967	87.9	85.0-90.8	31	3.3	01.7-04.9	90	8.8	06.3-11.3
Less Than H.S.	305	63,792	221	70.7	63.1-78.3	19	6.6	02.5-10.7	65	22.7	15.8-29.6
H.S. or G.E.D.	810	184,860	653	82.5	79.0-86.0	36	3.8	02.2-05.4	121	13.7	10.4-17.0
Some Post-H.S.	736	165,880	603	81.7	77.6-85.8	28	4.2	02.0-06.4	105	14.1	10.4-17.8
College Graduate	1220	180,125	1064	85.8	82.7-88.9	36	2.7	01.7-03.7	120	11.5	08.6-14.4
Less than \$15,000	233	35,832	175	72.9	63.1-82.7	18	8.1	02.8-13.4	40	19.0	09.8-28.2
\$15,000- 24,999	383	63,765	304	79.9	74.2-85.6	14	4.3	01.6-07.0	65	15.8	10.5-21.1
\$25,000- 34,999	244	43,516	187	73.3	65.1-81.5	11	4.7	01.2-08.2	46	22.0	14.2-29.8
\$35,000- 49,999	330	68,003	258	76.5	69.4-83.6	12	3.6	00.9-06.3	60	19.9	13.2-26.6
\$50,000- 74,999	381	79,764	322	85.6	80.9-90.3	18	5.3	02.2-08.4	41	9.0	05.3-12.7
\$75,000+	979	207,881	851	85.2	81.9-88.5	23	1.6	00.8-02.4	105	13.2	09.9-16.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1365	284,729	1144	83.1	80.4-85.8	53	4.2	02.6-05.8	168	12.7	10.2-15.2
White/Non-Hisp	958	183,739	839	87.6	85.1-90.1	24	2.5	01.3-03.7	95	9.9	07.5-12.3
Black or Afr. Am./Non-Hisp	131	57,091	97	74.2	64.8-83.6	8	6.4	01.3-11.5	26	19.4	10.8-28.0
Oth. Race/Non-Hisp.	55	12,320	38	70.6	54.7-86.5	5	6.7	00.0-14.0	12	22.6	07.5-37.7
Hispanic	167	25,175	129	81.1	73.1-89.1	13	9.1	02.6-15.6	25	9.9	05.0-14.8
18-24	107	32,963	85	77.6	66.8-88.4	11	12.0	04.0-20.0	11	10.3	02.3-18.3
25-34	158	49,088	123	82.2	74.6-89.8	12	5.5	01.4-09.6	23	12.3	05.6-19.0
35-44	157	41,895	125	81.3	73.9-88.7	5	3.7	00.0-07.8	27	15.0	08.5-21.5
45-54	217	45,870	174	84.8	78.9-90.7	7	1.2	00.2-02.2	36	13.9	08.2-19.6
55-64	281	48,611	232	79.7	73.2-86.2	9	3.4	00.9-05.9	40	16.9	10.8-23.0
65+	445	66,301	405	88.9	84.0-93.8	9	2.4	00.4-04.4	31	8.7	04.0-13.4
Less Than H.S.	152	34,969	107	68.6	57.6-79.6	9	6.7	00.8-12.6	36	24.7	14.7-34.7
H.S. or G.E.D.	371	98,477	308	86.5	82.2-90.8	16	3.3	01.3-05.3	47	10.3	06.4-14.2
Some Post-H.S.	307	69,535	258	82.9	77.0-88.8	14	6.3	02.2-10.4	35	10.8	06.3-15.3
College Graduate	528	80,939	466	85.6	81.1-90.1	13	2.5	00.9-04.1	49	11.9	07.6-16.2
Less than \$15,000	84	14,179	59	67.5	53.2-81.8	4	9.0	00.0-20.0	21	23.5	11.5-35.5
\$15,000- 24,999	155	28,555	122	78.4	69.0-87.8	6	4.1	00.2-08.0	27	17.4	08.6-26.2
\$25,000- 34,999	108	20,277	84	76.8	65.8-87.8	7	7.2	00.3-14.1	17	16.0	06.6-25.4
\$35,000- 49,999	123	27,943	101	85.0	76.8-93.2	4	2.1	00.0-04.6	18	12.9	05.1-20.7
\$50,000- 74,999	191	45,929	157	81.2	73.8-88.6	12	8.0	02.5-13.5	22	10.7	05.0-16.4
\$75,000+	489	102,673	433	86.6	82.1-91.1	10	1.2	00.4-02.0	46	12.2	07.7-16.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1718	311,278	1406	81.0	78.3-83.7	67	3.5	02.3-04.7	245	15.5	12.8-18.2
White/Non-Hisp	1190	204,106	998	83.0	79.9-86.1	35	2.9	01.7-04.1	157	14.2	11.3-17.1
Black or Afr. Am./Non-Hisp	235	59,995	189	77.3	69.3-85.3	16	6.2	02.3-10.1	30	16.5	09.1-23.9
Oth. Race/Non-Hisp.	53	15,574	41	79.4	62.0-96.8	2	1.0	00.0-02.8	10	19.6	02.2-37.0
Hispanic	170	21,838	121	71.4	61.0-81.8	11	4.7	01.4-08.0	38	23.9	13.7-34.1
18-24	82	32,743	62	75.0	60.7-89.3	5	1.9	00.0-03.9	15	23.1	08.8-37.4
25-34	166	44,391	119	71.1	61.5-80.7	9	3.3	00.6-06.0	38	25.6	16.0-35.2
35-44	205	42,963	158	76.3	68.3-84.3	8	4.2	00.7-07.7	39	19.5	11.9-27.1
45-54	266	47,079	212	81.9	76.6-87.2	11	3.5	01.1-05.9	43	14.6	09.7-19.5
55-64	356	59,989	293	85.5	81.0-90.0	12	3.4	00.9-05.9	51	11.1	07.2-15.0
65+	643	84,114	562	87.2	83.7-90.7	22	3.9	01.4-06.4	59	8.9	06.2-11.6
Less Than H.S.	153	28,822	114	73.2	63.0-83.4	10	6.4	00.9-11.9	29	20.4	11.0-29.8
H.S. or G.E.D.	439	86,382	345	77.9	72.4-83.4	20	4.4	02.0-06.8	74	17.7	12.4-23.0
Some Post-H.S.	429	96,345	345	80.8	75.3-86.3	14	2.6	00.6-04.6	70	16.5	11.2-21.8
College Graduate	692	99,185	598	86.0	81.9-90.1	23	2.8	01.4-04.2	71	11.2	07.3-15.1
Less than \$15,000	149	21,653	116	76.4	63.1-89.7	14	7.6	02.5-12.7	19	16.0	02.5-29.5
\$15,000- 24,999	228	35,210	182	81.1	74.2-88.0	8	4.5	00.8-08.2	38	14.5	08.2-20.8
\$25,000- 34,999	136	23,238	103	70.3	58.3-82.3	4	2.4	00.0-05.5	29	27.3	15.3-39.3
\$35,000- 49,999	207	40,061	157	70.5	60.7-80.3	8	4.7	00.2-09.2	42	24.8	15.4-34.2
\$50,000- 74,999	190	33,835	165	91.6	87.7-95.5	6	1.7	00.3-03.1	19	6.7	03.2-10.2
\$75,000+	490	105,207	418	83.7	78.8-88.6	13	2.1	00.7-03.5	59	14.2	09.5-18.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT
(ACEHURT)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3080	594,224	2167	70.5	68.1-72.9	238	8.4	06.8-10.0	675	21.0	19.0-23.0
Male	1354	281,066	936	68.1	64.6-71.6	110	9.4	07.0-11.8	308	22.5	19.4-25.6
Female	1726	313,158	1231	72.7	69.8-75.6	128	7.6	05.6-09.6	367	19.7	17.2-22.2
White/Non-Hisp	2146	387,405	1534	71.7	69.2-74.2	158	8.2	06.4-10.0	454	20.0	17.8-22.2
Black or Afr. Am./Non-Hisp	365	116,340	240	65.9	59.0-72.8	32	8.6	04.7-12.5	93	25.5	19.2-31.8
Oth. Race/Non-Hisp.	107	26,616	70	70.0	58.6-81.4	10	10.5	02.7-18.3	27	19.5	10.1-28.9
MultiRacial/Non-Hisp.	62	5,992	36	62.8	45.9-79.7	5	6.8	00.3-13.3	21	30.4	13.7-47.1
Hispanic	336	47,200	245	73.9	67.0-80.8	30	9.7	04.6-14.8	61	16.4	11.1-21.7
18-24	190	66,205	129	69.4	60.6-78.2	25	15.1	07.7-22.5	36	15.5	09.6-21.4
25-34	321	92,722	223	68.5	61.2-75.8	30	9.5	04.8-14.2	68	22.0	15.3-28.7
35-44	364	84,955	266	71.8	65.3-78.3	26	7.1	03.6-10.6	72	21.0	15.1-26.9
45-54	482	92,372	322	70.6	65.5-75.7	28	6.1	03.4-08.8	132	23.3	18.6-28.0
55-64	640	108,176	444	71.5	67.0-76.0	43	7.2	04.3-10.1	153	21.3	17.4-25.2
65+	1083	149,794	783	70.9	67.2-74.6	86	7.9	05.7-10.1	214	21.2	17.7-24.7
Less Than H.S.	302	63,134	216	67.7	59.3-76.1	21	9.1	04.2-14.0	65	23.2	15.4-31.0
H.S. or G.E.D.	807	183,660	536	67.0	62.5-71.5	63	8.9	05.8-12.0	208	24.1	20.2-28.0
Some Post-H.S.	741	167,467	496	68.8	64.3-73.3	61	9.5	06.4-12.6	184	21.7	17.8-25.6
College Graduate	1218	178,613	910	76.8	73.7-79.9	92	6.8	05.0-08.6	216	16.4	13.7-19.1
Less than \$15,000	233	35,646	144	62.2	52.4-72.0	23	17.3	07.1-27.5	66	20.6	14.3-26.9
\$15,000- 24,999	385	65,313	250	66.6	60.1-73.1	35	8.9	04.8-13.0	100	24.6	19.1-30.1
\$25,000- 34,999	240	41,763	151	59.7	50.9-68.5	13	3.3	00.9-05.7	76	37.0	28.2-45.8
\$35,000- 49,999	333	68,015	215	63.1	54.9-71.3	24	6.4	03.1-09.7	94	30.5	22.5-38.5
\$50,000- 74,999	381	79,442	273	70.1	63.8-76.4	30	9.9	05.4-14.4	78	20.0	14.9-25.1
\$75,000+	977	207,205	729	74.9	71.2-78.6	74	8.4	05.9-10.9	174	16.7	13.6-19.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT (ACEHURT

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1354	281,066	936	68.1	64.6-71.6	110	9.4	07.0-11.8	308	22.5	19.4-25.6
White/Non-Hisp	952	181,531	672	70.9	67.2-74.6	69	8.1	05.6-10.6	211	21.0	17.9-24.1
Black or Afr. Am./Non-Hisp	129	56,281	76	57.8	46.6-69.0	15	12.4	05.1-19.7	38	29.8	19.0-40.6
Oth. Race/Non-Hisp.	54	11,765	32	62.6	46.3-78.9	6	10.3	00.5-20.1	16	27.1	12.8-41.4
Hispanic	165	25,039	123	75.8	65.8-85.8	17	12.0	03.4-20.6	25	12.2	06.1-18.3
18-24	108	33,132	71	63.4	51.2-75.6	16	17.7	07.3-28.1	21	18.8	09.8-27.8
25-34	156	48,517	112	68.0	56.8-79.2	15	12.1	04.5-19.7	29	19.9	09.9-29.9
35-44	154	40,546	117	75.2	65.4-85.0	11	7.2	01.5-12.9	26	17.6	09.0-26.2
45-54	217	46,003	142	69.5	61.9-77.1	10	6.3	01.8-10.8	65	24.2	17.3-31.1
55-64	281	47,660	185	67.1	60.2-74.0	16	4.7	02.0-07.4	80	28.3	21.8-34.8
65+	438	65,208	309	66.0	59.7-72.3	42	10.0	05.9-14.1	87	24.0	18.3-29.7
Less Than H.S.	148	33,556	103	61.3	48.4-74.2	9	11.3	03.1-19.5	36	27.5	15.2-39.8
H.S. or G.E.D.	366	96,536	235	66.1	59.6-72.6	33	9.5	05.4-13.6	98	24.4	18.7-30.1
Some Post-H.S.	307	69,501	203	65.4	58.0-72.8	30	12.3	06.4-18.2	74	22.4	16.3-28.5
College Graduate	526	80,666	390	75.7	71.0-80.4	38	6.0	03.6-08.4	98	18.3	14.0-22.6
Less than \$15,000	82	13,542	50	59.3	44.2-74.4	10	21.2	06.1-36.3	22	19.5	09.9-29.1
\$15,000- 24,999	153	28,394	101	69.2	59.4-79.0	17	8.0	02.7-13.3	35	22.9	14.3-31.5
\$25,000- 34,999	106	19,070	69	63.6	50.7-76.5	7	4.8	00.3-09.3	30	31.6	18.9-44.3
\$35,000- 49,999	124	27,930	81	57.4	42.7-72.1	7	4.2	00.5-07.9	36	38.5	23.4-53.6
\$50,000- 74,999	192	46,019	130	64.8	55.8-73.8	17	12.6	05.5-19.7	45	22.6	15.3-29.9
\$75,000+	484	101,801	350	72.8	67.3-78.3	35	8.6	04.5-12.7	99	18.6	14.3-22.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT
(ACEHURT)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1726	313,158	1231	72.7	69.8-75.6	128	7.6	05.6-09.6	367	19.7	17.2-22.2
White/Non-Hisp	1194	205,873	862	72.5	69.0-76.0	89	8.3	05.8-10.8	243	19.2	16.3-22.1
Black or Afr. Am./Non-Hisp	236	60,059	164	73.5	66.2-80.8	17	5.1	01.8-08.4	55	21.4	14.5-28.3
Oth. Race/Non-Hisp.	53	14,852	38	75.8	60.1-91.5	4	10.7	00.0-22.3	11	13.5	01.5-25.5
Hispanic	171	22,160	122	71.8	62.4-81.2	13	7.1	02.4-11.8	36	21.1	12.7-29.5
18-24	82	33,072	58	75.3	63.0-87.6	9	12.5	01.7-23.3	15	12.1	04.7-19.5
25-34	165	44,205	111	69.1	59.9-78.3	15	6.7	01.8-11.6	39	24.2	15.8-32.6
35-44	210	44,409	149	68.8	60.4-77.2	15	7.0	02.9-11.1	46	24.2	16.2-32.2
45-54	265	46,369	180	71.7	65.0-78.4	18	5.8	02.9-08.7	67	22.5	16.2-28.8
55-64	359	60,516	259	74.9	68.8-81.0	27	9.2	04.5-13.9	73	15.9	11.4-20.4
65+	645	84,586	474	74.7	70.2-79.2	44	6.3	03.9-08.7	127	19.1	15.0-23.2
Less Than H.S.	154	29,578	113	75.0	65.6-84.4	12	6.6	01.5-11.7	29	18.3	09.9-26.7
H.S. or G.E.D.	441	87,124	301	67.9	61.8-74.0	30	8.2	03.7-12.7	110	23.9	18.8-29.0
Some Post-H.S.	434	97,966	293	71.2	65.5-76.9	31	7.5	04.2-10.8	110	21.2	16.1-26.3
College Graduate	692	97,947	520	77.7	73.4-82.0	54	7.4	04.9-09.9	118	14.9	11.2-18.6
Less than \$15,000	151	22,104	94	63.9	51.0-76.8	13	14.9	01.4-28.4	44	21.2	12.8-29.6
\$15,000- 24,999	232	36,919	149	64.5	56.1-72.9	18	9.6	03.7-15.5	65	25.9	18.6-33.2
\$25,000- 34,999	134	22,693	82	56.4	44.2-68.6	6	2.0	00.2-03.8	46	41.6	29.4-53.8
\$35,000- 49,999	209	40,085	134	67.2	58.6-75.8	17	7.9	03.0-12.8	58	24.9	17.3-32.5
\$50,000- 74,999	189	33,424	143	77.4	69.4-85.4	13	6.2	01.9-10.5	33	16.4	09.3-23.5
\$75,000+	493	105,404	379	76.9	71.8-82.0	39	8.2	04.9-11.5	75	14.9	10.6-19.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3059	593,444	2005	64.3	61.9-66.7	179	6.2	05.0-07.4	875	29.5	27.1-31.9
Male	1358	281,807	896	63.4	59.7-67.1	78	6.3	04.3-08.3	384	30.3	26.8-33.8
Female	1701	311,637	1109	65.2	62.1-68.3	101	6.1	04.3-07.9	491	28.7	25.8-31.6
White/Non-Hisp	2123	385,277	1358	61.5	58.6-64.4	115	5.9	04.3-07.5	650	32.6	29.9-35.3
Black or Afr. Am./Non-Hisp	366	117,038	250	69.8	63.5-76.1	18	2.8	01.2-04.4	98	27.5	21.4-33.6
Oth. Race/Non-Hisp.	111	29,303	83	77.3	66.3-88.3	4	6.9	00.0-15.5	24	15.8	07.6-24.0
MultiRacial/Non-Hisp.	62	5,992	32	51.8	34.4-69.2	2	1.3	00.0-03.3	28	46.8	29.4-64.2
Hispanic	334	45,482	237	66.3	58.7-73.9	34	16.3	09.4-23.2	63	17.4	11.9-22.9
18-24	191	66,471	99	51.8	41.8-61.8	16	10.3	04.0-16.6	76	37.8	28.6-47.0
25-34	325	94,085	195	58.3	50.7-65.9	28	8.6	04.1-13.1	102	33.1	25.8-40.4
35-44	363	85,374	216	60.4	53.7-67.1	24	5.5	02.8-08.2	123	34.1	27.6-40.6
45-54	479	92,079	293	64.1	58.6-69.6	31	6.0	03.5-08.5	155	29.8	24.7-34.9
55-64	632	107,689	405	65.0	60.1-69.9	35	5.8	03.4-08.2	192	29.1	24.6-33.6
65+	1069	147,746	797	75.7	72.2-79.2	45	3.6	02.2-05.0	227	20.7	17.4-24.0
Less Than H.S.	301	61,561	214	67.0	59.2-74.8	23	9.1	04.2-14.0	64	23.9	16.8-31.0
H.S. or G.E.D.	806	183,319	514	61.8	57.1-66.5	40	5.6	03.2-08.0	252	32.6	28.1-37.1
Some Post-H.S.	732	167,283	464	64.8	60.1-69.5	41	4.5	02.7-06.3	227	30.7	26.0-35.4
College Graduate	1208	179,930	804	65.5	61.6-69.4	75	7.5	05.1-09.9	329	27.0	23.5-30.5
Less than \$15,000	235	36,161	149	66.4	58.0-74.8	13	4.8	00.9-08.7	73	28.7	20.7-36.7
\$15,000- 24,999	382	63,203	250	64.3	57.6-71.0	19	5.2	02.3-08.1	113	30.5	24.0-37.0
\$25,000- 34,999	242	42,418	148	56.4	47.6-65.2	10	2.4	00.8-04.0	84	41.2	32.4-50.0
\$35,000- 49,999	330	67,766	198	62.9	55.5-70.3	20	4.9	02.0-07.8	112	32.2	25.1-39.3
\$50,000- 74,999	373	77,665	231	61.9	55.0-68.8	17	4.3	01.6-07.0	125	33.7	27.0-40.4
\$75,000+	973	209,642	661	65.9	61.6-70.2	71	8.5	05.8-11.2	241	25.5	21.6-29.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1358	281,807	896	63.4	59.7-67.1	78	6.3	04.3-08.3	384	30.3	26.8-33.8
White/Non-Hisp	951	181,295	608	59.8	55.5-64.1	54	6.4	04.0-08.8	289	33.8	29.7-37.9
Black or Afr. Am./Non-Hisp	132	57,298	91	70.5	60.7-80.3	2	0.3	00.0-00.7	39	29.2	19.4-39.0
Oth. Race/Non-Hisp.	56	13,145	41	77.4	64.3-90.5	1	3.3	00.0-09.6	14	19.3	07.3-31.3
Hispanic	165	23,650	123	66.0	54.6-77.4	17	21.7	10.7-32.7	25	12.4	06.5-18.3
18-24	108	33,132	61	48.4	35.7-61.1	10	14.7	04.3-25.1	37	36.9	24.6-49.2
25-34	159	48,124	100	59.3	48.1-70.5	12	7.9	02.4-13.4	47	32.8	22.0-43.6
35-44	153	41,072	100	67.5	57.7-77.3	8	3.7	00.4-07.0	45	28.8	19.2-38.4
45-54	217	45,972	130	62.0	53.8-70.2	13	6.1	02.6-09.6	74	32.0	24.2-39.8
55-64	283	48,917	177	61.8	54.5-69.1	13	4.8	01.7-07.9	93	33.4	26.5-40.3
65+	438	64,589	328	73.8	67.9-79.7	22	3.8	01.8-05.8	88	22.4	16.7-28.1
Less Than H.S.	149	32,797	110	68.4	57.2-79.6	6	7.1	00.6-13.6	33	24.5	14.5-34.5
H.S. or G.E.D.	368	96,535	228	59.1	52.2-66.0	26	8.1	04.0-12.2	114	32.9	26.2-39.6
Some Post-H.S.	308	69,884	199	64.1	56.7-71.5	17	4.2	01.8-06.6	92	31.7	24.4-39.0
College Graduate	526	81,783	354	65.9	60.2-71.6	29	5.9	03.2-08.6	143	28.2	22.9-33.5
Less than \$15,000	84	14,031	57	66.2	51.9-80.5	4	5.9	00.0-14.3	23	27.9	14.8-41.0
\$15,000- 24,999	154	27,425	101	62.5	51.7-73.3	9	8.2	02.3-14.1	44	29.4	19.2-39.6
\$25,000- 34,999	107	19,664	71	67.7	56.3-79.1	7	3.4	00.7-06.1	29	28.9	17.7-40.1
\$35,000- 49,999	123	27,969	78	61.9	49.0-74.8	6	4.9	00.4-09.4	39	33.2	20.9-45.5
\$50,000- 74,999	190	45,305	115	61.2	51.8-70.6	7	2.0	00.2-03.8	68	36.8	27.4-46.2
\$75,000+	487	103,256	326	64.2	58.1-70.3	35	8.7	04.8-12.6	126	27.1	21.6-32.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1701	311,637	1109	65.2	62.1-68.3	101	6.1	04.3-07.9	491	28.7	25.8-31.6
White/Non-Hisp	1172	203,982	750	63.0	59.1-66.9	61	5.4	03.4-07.4	361	31.6	27.9-35.3
Black or Afr. Am./Non-Hisp	234	59,740	159	69.1	61.3-76.9	16	5.1	02.2-08.0	59	25.8	18.4-33.2
Oth. Race/Non-Hisp.	55	16,158	42	77.2	60.3-94.1	3	9.9	00.0-24.6	10	12.9	01.7-24.1
Hispanic	169	21,832	114	66.6	56.2-77.0	17	10.5	03.4-17.6	38	22.9	13.9-31.9
18-24	83	33,339	38	55.2	40.3-70.1	6	6.0	00.0-12.3	39	38.8	24.9-52.7
25-34	166	45,961	95	57.3	46.9-67.7	16	9.3	02.4-16.2	55	33.4	23.8-43.0
35-44	210	44,302	116	53.9	45.1-62.7	16	7.1	03.0-11.2	78	39.1	30.3-47.9
45-54	262	46,106	163	66.2	59.1-73.3	18	6.0	02.5-09.5	81	27.7	21.0-34.4
55-64	349	58,773	228	67.8	61.3-74.3	22	6.7	03.2-10.2	99	25.6	19.5-31.7
65+	631	83,157	469	77.1	73.0-81.2	23	3.5	01.5-05.5	139	19.3	15.4-23.2
Less Than H.S.	152	28,764	104	65.5	54.7-76.3	17	11.3	04.0-18.6	31	23.2	13.4-33.0
H.S. or G.E.D.	438	86,784	286	64.9	59.0-70.8	14	2.8	01.0-04.6	138	32.3	26.4-38.2
Some Post-H.S.	424	97,399	265	65.3	59.0-71.6	24	4.7	02.2-07.2	135	30.0	23.9-36.1
College Graduate	682	98,147	450	65.2	59.9-70.5	46	8.9	05.2-12.6	186	25.9	21.4-30.4
Less than \$15,000	151	22,130	92	66.6	56.0-77.2	9	4.2	00.9-07.5	50	29.3	19.3-39.3
\$15,000- 24,999	228	35,778	149	65.7	57.1-74.3	10	2.8	00.4-05.2	69	31.4	23.0-39.8
\$25,000- 34,999	135	22,754	77	46.6	35.0-58.2	3	1.6	00.0-03.6	55	51.8	40.0-63.6
\$35,000- 49,999	207	39,796	120	63.5	54.5-72.5	14	5.0	01.1-08.9	73	31.5	23.1-39.9
\$50,000- 74,999	183	32,360	116	62.9	52.9-72.9	10	7.7	02.0-13.4	57	29.4	20.2-38.6
\$75,000+	486	106,386	335	67.6	61.5-73.7	36	8.4	04.7-12.1	115	24.0	18.7-29.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3092	598,299	2743	89.9	88.3-91.5	118	3.5	02.5-04.5	231	6.6	05.4-07.8
Male	1372	285,193	1294	95.3	94.1-96.5	36	2.0	01.2-02.8	42	2.7	01.7-03.7
Female	1720	313,106	1449	85.1	82.6-87.6	82	4.9	03.3-06.5	189	10.1	08.1-12.1
White/Non-Hisp	2154	389,267	1918	89.4	87.6-91.2	81	4.1	02.7-05.5	155	6.5	05.1-07.9
Black or Afr. Am./Non-Hisp	365	116,521	320	90.7	86.8-94.6	12	1.6	00.4-02.8	33	7.6	03.9-11.3
Oth. Race/Non-Hisp.	112	28,855	98	94.4	90.9-97.9	5	2.3	00.1-04.5	9	3.3	00.6-06.0
MultiRacial/Non-Hisp.	61	5,962	47	76.2	60.5-91.9	4	8.4	00.0-18.6	10	15.3	01.8-28.8
Hispanic	335	47,162	302	91.6	87.5-95.7	15	3.5	00.4-06.6	18	4.9	02.2-07.6
18-24	189	65,573	166	85.8	77.6-94.0	13	6.9	00.6-13.2	10	7.4	01.3-13.5
25-34	323	94,851	295	93.9	91.2-96.6	11	1.8	00.4-03.2	17	4.3	01.9-06.7
35-44	364	85,485	322	89.6	85.7-93.5	13	3.8	01.4-06.2	29	6.7	03.6-09.8
45-54	483	92,033	406	87.9	84.6-91.2	20	3.0	01.4-04.6	57	9.0	06.1-11.9
55-64	639	108,426	564	90.0	87.3-92.7	20	3.0	01.4-04.6	55	7.0	04.6-09.4
65+	1094	151,932	990	90.6	88.4-92.8	41	3.6	02.2-05.0	63	5.8	04.0-07.6
Less Than H.S.	305	62,937	272	90.4	86.3-94.5	12	3.0	00.5-05.5	21	6.6	03.3-09.9
H.S. or G.E.D.	815	186,090	727	91.0	88.6-93.4	29	2.6	01.4-03.8	59	6.4	04.2-08.6
Some Post-H.S.	740	167,032	651	87.0	83.3-90.7	27	4.7	02.0-07.4	62	8.3	05.4-11.2
College Graduate	1219	180,829	1082	91.4	89.6-93.2	50	3.5	02.3-04.7	87	5.1	03.7-06.5
Less than \$15,000	237	36,028	189	83.8	77.9-89.7	12	3.7	01.0-06.4	36	12.5	07.4-17.6
\$15,000- 24,999	387	65,485	339	89.9	86.4-93.4	17	3.5	01.3-05.7	31	6.6	03.7-09.5
\$25,000- 34,999	243	42,631	214	86.7	80.8-92.6	7	4.0	00.1-07.9	22	9.3	04.6-14.0
\$35,000- 49,999	331	67,690	289	88.4	82.9-93.9	12	2.5	00.9-04.1	30	9.1	03.8-14.4
\$50,000- 74,999	379	78,410	338	89.5	84.0-95.0	14	4.9	00.0-10.0	27	5.6	03.1-08.1
\$75,000+	980	209,910	892	91.4	89.0-93.8	32	3.1	01.9-04.3	56	5.6	03.6-07.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1372	285,193	1294	95.3	94.1-96.5	36	2.0	01.2-02.8	42	2.7	01.7-03.7
White/Non-Hisp	964	183,927	905	94.4	92.6-96.2	26	2.4	01.2-03.6	33	3.2	01.8-04.6
Black or Afr. Am./Non-Hisp	132	57,297	125	97.5	95.3-99.7	4	1.5	00.0-03.1	3	1.0	00.0-02.6
Oth. Race/Non-Hisp.	56	12,612	54	96.7	91.6-0100				2	3.3	00.0-08.4
Hispanic	166	25,107	160	97.7	95.3-0100	5	1.3	00.1-02.5	1	1.0	00.0-03.0
18-24	107	32,563	99	94.3	89.8-98.8	4	2.0	00.0-04.2	4	3.7	00.0-07.6
25-34	159	49,583	152	97.0	94.3-99.7	4	1.0	00.0-02.2	3	2.1	00.0-04.5
35-44	156	41,634	153	97.9	95.4-0100	1	0.8	00.0-02.4	2	1.2	00.0-03.4
45-54	218	46,027	201	94.5	91.4-97.6	8	2.2	00.2-04.2	9	3.3	00.9-05.7
55-64	285	48,589	264	92.8	89.5-96.1	10	3.6	01.1-06.1	11	3.6	01.2-06.0
65+	447	66,798	425	95.1	92.7-97.5	9	2.2	00.4-04.0	13	2.7	00.9-04.5
Less Than H.S.	150	33,301	141	93.3	88.6-98.0	2	0.9	00.0-02.3	7	5.8	01.3-10.3
H.S. or G.E.D.	374	99,079	359	97.5	95.9-99.1	6	0.8	00.0-01.6	9	1.7	00.3-03.1
Some Post-H.S.	307	69,438	288	93.9	90.8-97.0	11	3.1	00.9-05.3	8	2.9	00.7-05.1
College Graduate	534	82,568	500	94.5	92.3-96.7	17	2.9	01.3-04.5	17	2.6	01.0-04.2
Less than \$15,000	83	13,440	72	88.9	80.9-96.9	4	3.6	00.0-08.7	7	7.5	01.0-14.0
\$15,000- 24,999	156	28,489	146	93.5	89.0-98.0	4	1.9	00.0-04.1	6	4.6	00.7-08.5
\$25,000- 34,999	108	19,793	104	95.6	90.5-0100	1	0.9	00.0-02.7	3	3.5	00.0-08.2
\$35,000- 49,999	125	28,224	121	97.3	94.0-0100	2	1.0	00.0-02.6	2	1.7	00.0-04.6
\$50,000- 74,999	192	45,426	181	95.4	92.3-98.5	5	1.8	00.0-03.8	6	2.8	00.3-05.3
\$75,000+	490	103,750	466	96.0	94.0-98.0	13	2.2	00.8-03.6	11	1.8	00.6-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1720	313,106	1449	85.1	82.6-87.6	82	4.9	03.3-06.5	189	10.1	08.1-12.1
White/Non-Hisp	1190	205,340	1013	84.9	82.0-87.8	55	5.7	03.3-08.1	122	9.4	07.2-11.6
Black or Afr. Am./Non-Hisp	233	59,224	195	84.1	77.0-91.2	8	1.8	00.0-03.8	30	14.1	07.2-21.0
Oth. Race/Non-Hisp.	56	16,243	44	92.6	87.5-97.7	5	4.1	00.2-08.0	7	3.3	00.4-06.2
Hispanic	169	22,055	142	84.7	76.9-92.5	10	6.1	00.0-12.4	17	9.2	03.9-14.5
18-24	82	33,010	67	77.4	62.5-92.3	9	11.7	00.0-23.5	6	11.0	00.0-22.2
25-34	164	45,269	143	90.6	85.9-95.3	7	2.7	00.2-05.2	14	6.6	02.7-10.5
35-44	208	43,850	169	81.6	74.7-88.5	12	6.6	02.3-10.9	27	11.8	06.1-17.5
45-54	265	46,007	205	81.3	75.8-86.8	12	3.9	01.4-06.4	48	14.8	09.7-19.9
55-64	354	59,837	300	87.7	83.6-91.8	10	2.5	00.7-04.3	44	9.9	06.0-13.8
65+	647	85,134	565	87.1	83.8-90.4	32	4.7	02.7-06.7	50	8.2	05.3-11.1
Less Than H.S.	155	29,636	131	87.2	80.3-94.1	10	5.3	00.4-10.2	14	7.5	02.6-12.4
H.S. or G.E.D.	441	87,011	368	83.7	79.2-88.2	23	4.6	02.4-06.8	50	11.7	07.6-15.8
Some Post-H.S.	433	97,593	363	82.0	76.1-87.9	16	5.8	01.5-10.1	54	12.2	07.5-16.9
College Graduate	685	98,261	582	88.7	86.0-91.4	33	4.1	02.3-05.9	70	7.2	05.0-09.4
Less than \$15,000	154	22,589	117	80.7	72.7-88.7	8	3.8	00.5-07.1	29	15.5	08.2-22.8
\$15,000- 24,999	231	36,996	193	87.1	81.8-92.4	13	4.8	01.5-08.1	25	8.1	04.0-12.2
\$25,000- 34,999	135	22,838	110	78.9	69.3-88.5	6	6.8	00.0-13.7	19	14.3	06.7-21.9
\$35,000- 49,999	206	39,466	168	82.1	73.7-90.5	10	3.5	01.0-06.0	28	14.4	06.2-22.6
\$50,000- 74,999	187	32,984	157	81.3	70.1-92.5	9	9.2	00.0-20.4	21	9.5	04.4-14.6
\$75,000+	490	106,160	426	86.8	82.7-90.9	19	3.8	01.8-05.8	45	9.3	05.6-13.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3090	598,987	2815	91.8	90.4-93.2	100	2.8	02.0-03.6	175	5.4	04.2-06.6
Male	1372	286,782	1307	95.4	94.0-96.8	27	1.9	01.1-02.7	38	2.7	01.7-03.7
Female	1718	312,205	1508	88.4	86.0-90.8	73	3.7	02.5-04.9	137	7.9	05.7-10.1
White/Non-Hisp	2152	389,508	1968	91.6	89.8-93.4	70	3.2	02.2-04.2	114	5.3	03.9-06.7
Black or Afr. Am./Non-Hisp	363	117,446	325	91.1	87.2-95.0	11	2.1	00.3-03.9	27	6.8	03.3-10.3
Oth. Race/Non-Hisp.	112	29,152	102	95.5	92.2-98.8	4	1.8	00.0-03.8	6	2.8	00.1-05.5
MultiRacial/Non-Hisp.	62	5,992	50	83.2	68.9-97.5	3	1.6	00.0-03.6	9	15.2	00.9-29.5
Hispanic	337	46,457	310	93.8	90.9-96.7	12	3.1	00.7-05.5	15	3.1	01.1-05.1
18-24	188	65,783	174	89.9	82.3-97.5	6	1.7	00.1-03.3	8	8.4	00.8-16.0
25-34	323	94,737	302	94.3	91.4-97.2	9	2.7	00.3-05.1	12	3.0	01.0-05.0
35-44	365	86,304	333	92.6	89.5-95.7	8	2.4	00.6-04.2	24	5.0	02.3-07.7
45-54	479	91,033	411	89.3	86.2-92.4	20	2.6	01.0-04.2	48	8.1	05.4-10.8
55-64	641	108,984	576	90.8	88.1-93.5	23	3.4	01.8-05.0	42	5.8	03.4-08.2
65+	1094	152,147	1019	92.8	90.6-95.0	34	3.3	01.9-04.7	41	3.9	02.3-05.5
Less Than H.S.	309	64,462	283	93.5	90.4-96.6	9	1.8	00.4-03.2	17	4.7	02.0-07.4
H.S. or G.E.D.	813	184,907	736	92.0	89.8-94.2	30	3.2	01.8-04.6	47	4.8	03.0-06.6
Some Post-H.S.	739	167,990	661	88.6	84.9-92.3	26	3.3	01.7-04.9	52	8.1	04.8-11.4
College Graduate	1217	180,319	1123	93.8	92.2-95.4	35	2.4	01.4-03.4	59	3.8	02.4-05.2
Less than \$15,000	238	36,619	197	86.0	80.7-91.3	17	4.9	02.0-07.8	24	9.2	04.7-13.7
\$15,000- 24,999	387	65,310	351	93.1	90.2-96.0	9	1.9	00.1-03.7	27	5.0	02.5-07.5
\$25,000- 34,999	243	42,710	213	86.8	81.3-92.3	7	3.5	00.6-06.4	23	9.8	04.9-14.7
\$35,000- 49,999	329	66,516	294	89.2	83.7-94.7	10	2.6	00.4-04.8	25	8.2	02.9-13.5
\$50,000- 74,999	378	78,497	349	91.1	85.6-96.6	10	2.9	00.7-05.1	19	6.0	00.7-11.3
\$75,000+	980	210,737	915	93.3	91.3-95.3	25	2.4	01.0-03.8	40	4.3	02.7-05.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1372	286,782	1307	95.4	94.0-96.8	27	1.9	01.1-02.7	38	2.7	01.7-03.7
White/Non-Hisp	965	184,917	917	95.2	93.6-96.8	22	2.4	01.2-03.6	26	2.3	01.3-03.3
Black or Afr. Am./Non-Hisp	132	57,701	126	96.1	92.4-99.8	1	0.6	00.0-01.8	5	3.3	00.0-06.8
Oth. Race/Non-Hisp.	56	12,909	53	96.1	90.8-0100				3	3.9	00.0-09.2
Hispanic	166	25,107	161	96.2	92.3-0100	3	2.1	00.0-05.2	2	1.7	00.0-04.1
18-24	107	33,031	101	94.7	90.0-99.4	3	2.0	00.0-04.5	3	3.4	00.0-07.3
25-34	159	49,583	155	98.2	96.0-0100	2	0.9	00.0-02.7	2	0.8	00.0-02.2
35-44	158	42,655	153	95.5	91.0-0100	2	1.6	00.0-03.8	3	2.9	00.0-06.8
45-54	216	45,560	204	95.4	92.3-98.5	5	2.1	00.0-04.5	7	2.5	00.5-04.5
55-64	285	48,990	263	93.3	90.2-96.4	9	2.9	00.7-05.1	13	3.8	01.4-06.2
65+	447	66,963	431	95.3	92.4-98.2	6	1.8	00.0-03.6	10	2.9	00.5-05.3
Less Than H.S.	153	34,744	144	93.6	89.1-98.1	3	1.9	00.0-04.3	6	4.6	00.7-08.5
H.S. or G.E.D.	375	99,370	359	97.0	95.2-98.8	11	2.3	00.5-04.1	5	0.7	00.1-01.3
Some Post-H.S.	307	69,838	290	93.6	90.1-97.1	5	2.0	00.0-04.0	12	4.4	01.5-07.3
College Graduate	531	82,124	508	95.8	93.6-98.0	8	1.3	00.1-02.5	15	2.9	00.9-04.9
Less than \$15,000	84	14,031	72	88.4	80.6-96.2	5	4.3	00.0-09.4	7	7.3	01.0-13.6
\$15,000- 24,999	156	28,489	148	95.4	91.7-99.1	2	1.0	00.0-02.6	6	3.6	00.3-06.9
\$25,000- 34,999	108	19,793	103	93.5	87.4-99.6	2	2.6	00.0-06.3	3	3.9	00.0-08.8
\$35,000- 49,999	124	28,153	121	98.0	94.9-0100	1	0.2	00.0-00.6	2	1.7	00.0-04.8
\$50,000- 74,999	192	45,601	183	94.4	90.1-98.7	4	2.7	00.0-05.6	5	2.9	00.0-06.2
\$75,000+	492	104,214	473	95.8	93.6-98.0	10	2.3	00.7-03.9	9	1.9	00.3-03.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1718	312,205	1508	88.4	86.0-90.8	73	3.7	02.5-04.9	137	7.9	05.7-10.1
White/Non-Hisp	1187	204,591	1051	88.2	85.5-90.9	48	3.8	02.4-05.2	88	7.9	05.4-10.4
Black or Afr. Am./Non-Hisp	231	59,746	199	86.3	79.6-93.0	10	3.5	00.2-06.8	22	10.2	04.1-16.3
Oth. Race/Non-Hisp.	56	16,243	49	95.0	90.7-99.3	4	3.1	00.0-06.6	3	1.8	00.0-04.3
Hispanic	171	21,350	149	90.9	86.2-95.6	9	4.3	01.0-07.6	13	4.8	01.7-07.9
18-24	81	32,752	73	85.0	70.9-99.1	3	1.5	00.0-03.7	5	13.5	00.0-27.6
25-34	164	45,154	147	90.0	84.3-95.7	7	4.5	00.2-08.8	10	5.4	01.7-09.1
35-44	207	43,648	180	89.7	85.2-94.2	6	3.2	00.5-05.9	21	7.1	03.4-10.8
45-54	263	45,472	207	83.3	78.0-88.6	15	3.1	01.1-05.1	41	13.6	08.7-18.5
55-64	356	59,994	313	88.8	84.5-93.1	14	3.7	01.3-06.1	29	7.5	03.8-11.2
65+	647	85,183	588	90.8	87.9-93.7	28	4.6	02.4-06.8	31	4.7	02.7-06.7
Less Than H.S.	156	29,718	139	93.4	89.5-97.3	6	1.8	00.2-03.4	11	4.8	01.3-08.3
H.S. or G.E.D.	438	85,537	377	86.3	82.2-90.4	19	4.2	01.8-06.6	42	9.5	06.0-13.0
Some Post-H.S.	432	98,152	371	85.0	79.3-90.7	21	4.2	01.7-06.7	40	10.8	05.5-16.1
College Graduate	686	98,194	615	92.2	89.8-94.6	27	3.3	01.7-04.9	44	4.5	02.7-06.3
Less than \$15,000	154	22,589	125	84.4	77.3-91.5	12	5.3	01.6-09.0	17	10.3	04.2-16.4
\$15,000- 24,999	231	36,821	203	91.4	87.1-95.7	7	2.6	00.0-05.3	21	6.1	02.6-09.6
\$25,000- 34,999	135	22,917	110	81.0	72.2-89.8	5	4.2	00.0-08.5	20	14.8	07.0-22.6
\$35,000- 49,999	205	38,363	173	82.8	74.0-91.6	9	4.3	00.8-07.8	23	12.9	04.5-21.3
\$50,000- 74,999	186	32,896	166	86.6	75.6-97.6	6	3.2	00.3-06.1	14	10.2	00.0-21.2
\$75,000+	488	106,523	442	90.9	87.6-94.2	15	2.6	00.6-04.6	31	6.6	03.9-09.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3090	597,746	2917	95.2	94.2-96.2	56	1.7	00.9-02.5	117	3.1	02.3-03.9
Male	1370	285,291	1334	97.9	97.1-98.7	13	0.7	00.3-01.1	23	1.3	00.7-01.9
Female	1720	312,456	1583	92.7	90.9-94.5	43	2.7	01.3-04.1	94	4.6	03.4-05.8
White/Non-Hisp	2153	390,114	2046	95.6	94.6-96.6	34	1.5	00.9-02.1	73	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	363	116,187	335	93.8	90.3-97.3	10	2.4	00.0-05.1	18	3.8	01.4-06.2
Oth. Race/Non-Hisp.	111	28,561	104	96.9	94.0-99.8	1	0.3	00.0-00.9	6	2.8	00.1-05.5
MultiRacial/Non-Hisp.	61	5,962	52	88.1	77.9-98.3	2	4.3	00.0-10.2	7	7.7	00.0-16.1
Hispanic	337	46,390	317	94.4	90.9-97.9	9	2.9	00.0-06.0	11	2.7	00.7-04.7
18-24	189	66,086	178	93.6	87.9-99.3	7	4.1	00.0-08.8	4	2.3	00.0-05.6
25-34	324	94,061	309	96.4	94.2-98.6	5	1.2	00.0-02.6	10	2.4	00.6-04.2
35-44	367	86,703	347	95.8	93.4-98.2	5	1.7	00.0-03.5	15	2.5	00.9-04.1
45-54	479	91,279	441	93.2	90.7-95.7	7	1.3	00.1-02.5	31	5.5	03.1-07.9
55-64	640	108,126	599	94.9	93.1-96.7	13	1.8	00.8-02.8	28	3.3	01.7-04.9
65+	1091	151,493	1043	96.2	94.8-97.6	19	1.3	00.5-02.1	29	2.5	01.3-03.7
Less Than H.S.	309	63,931	284	93.0	89.5-96.5	9	2.9	00.2-05.6	16	4.1	01.7-06.5
H.S. or G.E.D.	813	185,153	766	95.7	94.3-97.1	17	1.4	00.6-02.2	30	2.9	01.7-04.1
Some Post-H.S.	736	166,761	686	93.6	90.9-96.3	19	2.7	00.7-04.7	31	3.7	01.9-05.5
College Graduate	1219	180,489	1168	97.0	95.8-98.2	11	0.8	00.2-01.4	40	2.2	01.2-03.2
Less than \$15,000	237	36,028	209	90.1	85.6-94.6	10	4.2	01.3-07.1	18	5.7	02.2-09.2
\$15,000- 24,999	385	65,149	355	93.1	90.0-96.2	11	2.6	00.4-04.8	19	4.3	01.9-06.7
\$25,000- 34,999	240	42,232	218	90.3	85.2-95.4	6	3.4	00.0-06.9	16	6.4	02.7-10.1
\$35,000- 49,999	330	66,806	310	93.9	89.0-98.8	4	3.2	00.0-07.9	16	2.9	01.1-04.7
\$50,000- 74,999	378	78,167	362	96.8	95.0-98.6	5	1.1	00.1-02.1	11	2.1	00.7-03.5
\$75,000+	982	210,246	949	96.8	95.4-98.2	7	0.5	00.1-00.9	26	2.7	01.3-04.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1370	285,291	1334	97.9	97.1-98.7	13	0.7	00.3-01.1	23	1.3	00.7-01.9
White/Non-Hisp	964	184,541	938	97.6	96.6-98.6	9	0.9	00.3-01.5	17	1.6	00.8-02.4
Black or Afr. Am./Non-Hisp	130	57,007	128	99.4	98.4-0100	1	0.4	00.0-01.2	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	55	12,318	52	95.9	90.4-0100				3	4.1	00.0-09.6
Hispanic	167	25,175	162	97.9	95.5-0100	3	0.8	00.0-01.8	2	1.3	00.0-03.5
18-24	108	33,132	103	97.6	95.2-0100	3	1.4	00.0-03.0	2	1.0	00.0-02.6
25-34	160	49,650	157	99.1	97.7-0100	1	0.1	00.0-00.3	2	0.8	00.0-02.2
35-44	157	42,381	157	100.0	0100-0100						
45-54	217	45,700	212	97.9	95.9-99.9	1	0.6	00.0-01.8	4	1.6	00.0-03.2
55-64	284	48,049	270	95.3	92.6-98.0	6	1.8	00.2-03.4	8	2.8	00.6-05.0
65+	444	66,378	435	97.9	96.3-99.5	2	0.6	00.0-01.4	7	1.5	00.1-02.9
Less Than H.S.	153	34,220	146	96.1	92.8-99.4	3	1.1	00.0-02.7	4	2.7	00.0-05.6
H.S. or G.E.D.	374	99,096	367	98.9	97.9-99.9	3	0.4	00.0-00.8	4	0.8	00.0-01.8
Some Post-H.S.	304	69,251	294	97.3	95.5-99.1	5	1.3	00.1-02.5	5	1.3	00.0-02.7
College Graduate	532	81,916	520	98.1	96.9-99.3	2	0.4	00.0-01.0	10	1.5	00.5-02.5
Less than \$15,000	83	13,440	78	94.3	88.4-0100	1	0.3	00.0-00.9	4	5.4	00.0-11.3
\$15,000- 24,999	156	28,489	150	95.9	92.2-99.6	3	1.7	00.0-03.9	3	2.4	00.0-05.3
\$25,000- 34,999	107	19,519	103	96.0	91.7-0100	3	2.3	00.0-04.8	1	1.8	00.0-05.3
\$35,000- 49,999	124	28,176	124	100.0	0100-0100						
\$50,000- 74,999	191	45,183	186	98.4	96.8-0100	1	0.4	00.0-01.2	4	1.2	00.0-02.6
\$75,000+	491	103,795	480	98.2	97.0-99.4	3	0.6	00.0-01.4	8	1.2	00.2-02.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1720	312,456	1583	92.7	90.9-94.5	43	2.7	01.3-04.1	94	4.6	03.4-05.8
White/Non-Hisp	1189	205,573	1108	93.9	92.3-95.5	25	2.1	01.1-03.1	56	4.0	02.8-05.2
Black or Afr. Am./Non-Hisp	233	59,180	207	88.5	81.8-95.2	9	4.3	00.0-09.6	17	7.2	02.5-11.9
Oth. Race/Non-Hisp.	56	16,243	52	97.7	95.0-0100	1	0.5	00.0-01.5	3	1.8	00.0-04.3
Hispanic	170	21,215	155	90.3	83.2-97.4	6	5.4	00.0-11.9	9	4.4	01.1-07.7
18-24	81	32,953	75	89.5	78.5-0100	4	6.9	00.0-16.3	2	3.5	00.0-09.8
25-34	164	44,411	152	93.3	89.0-97.6	4	2.5	00.0-05.4	8	4.1	00.8-07.4
35-44	210	44,322	190	91.8	87.3-96.3	5	3.3	00.0-06.8	15	4.9	02.0-07.8
45-54	262	45,578	229	88.6	83.9-93.3	6	2.0	00.0-04.0	27	9.5	05.2-13.8
55-64	356	60,077	329	94.6	92.2-97.0	7	1.8	00.4-03.2	20	3.6	01.6-05.6
65+	647	85,115	608	94.9	92.7-97.1	17	1.8	00.8-02.8	22	3.3	01.5-05.1
Less Than H.S.	156	29,712	138	89.4	82.7-96.1	6	5.0	00.0-10.7	12	5.6	01.9-09.3
H.S. or G.E.D.	439	86,057	399	92.0	89.1-94.9	14	2.6	01.0-04.2	26	5.4	03.0-07.8
Some Post-H.S.	432	97,510	392	90.9	86.6-95.2	14	3.7	00.4-07.0	26	5.4	02.5-08.3
College Graduate	687	98,572	648	96.0	94.2-97.8	9	1.1	00.1-02.1	30	2.9	01.5-04.3
Less than \$15,000	154	22,589	131	87.6	81.3-93.9	9	6.5	01.8-11.2	14	5.9	01.6-10.2
\$15,000- 24,999	229	36,660	205	90.9	86.2-95.6	8	3.3	00.0-06.6	16	5.8	02.3-09.3
\$25,000- 34,999	133	22,712	115	85.3	76.9-93.7	3	4.3	00.0-10.4	15	10.3	04.0-16.6
\$35,000- 49,999	206	38,630	186	89.5	81.3-97.7	4	5.5	00.0-13.3	16	5.0	01.9-08.1
\$50,000- 74,999	187	32,984	176	94.7	91.2-98.2	4	2.0	00.0-04.4	7	3.3	00.6-06.0
\$75,000+	491	106,451	469	95.4	92.7-98.1	4	0.4	00.0-00.8	18	4.2	01.7-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 23: Family Planning CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN3)	
1 FEMALES ONLY	87
2 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	88
3	89
4	
WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE7)	
4 FEMALES ONLY	90
5 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	91
6	92
4	
9	
7 FEMALES ONLY	93
8 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)	94
9	95
4	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 1: THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY	565	137,781	310	58.3	52.4-64.2	226	34.4	28.9-39.9	23	5.8	02.1-09.5	6	1.5	00.0-03.1
Female	565	137,781	310	58.3	52.4-64.2	226	34.4	28.9-39.9	23	5.8	02.1-09.5	6	1.5	00.0-03.1
White/Non-Hisp	304	79,081	188	65.3	57.7-72.9	105	26.5	20.0-33.0	8	6.4	00.7-12.1	3	1.7	00.0-04.1
Black or Afr. Am./Non-Hisp	83	28,792	39	49.0	34.9-63.1	41	46.2	32.3-60.1	2	4.4	00.0-11.7	1	0.5	00.0-01.5
Hispanic	120	14,697	53	45.8	33.3-58.3	58	49.9	37.4-62.4	9	4.2	01.3-07.1			
18-24	74	31,373	47	55.3	38.8-71.8	15	23.4	08.9-37.9	11	19.8	05.3-34.3	1	1.5	00.0-04.4
25-34	156	40,287	94	62.9	52.5-73.3	50	30.1	20.3-39.9	9	3.9	00.4-07.4	3	3.2	00.0-07.7
35-44	206	43,512	117	65.7	57.9-73.5	86	33.7	25.9-41.5	2	0.5	00.0-01.1	1	0.1	00.0-00.3
45-54	113	20,678	48	42.9	30.7-55.1	63	55.8	43.6-68.0	1	0.2	00.0-00.6	1	1.1	00.0-03.3
Less Than H.S.	73	12,189	34	58.4	41.7-75.1	36	39.4	23.1-55.7	3	2.2	00.0-04.9			
H.S. or G.E.D.	129	35,155	63	54.6	43.4-65.8	59	41.5	30.3-52.7	4	2.1	00.0-04.8	3	1.8	00.0-04.0
Some Post-H.S.	145	44,817	80	57.2	45.4-69.0	56	32.7	22.1-43.3	8	10.0	00.4-19.6	1	0.1	00.0-00.3
College Graduate	214	45,167	132	62.6	53.4-71.8	72	28.7	20.5-36.9	8	5.6	00.3-10.9	2	3.0	00.0-07.3
Less than \$15,000	56	10,939	24	42.9	21.9-63.9	30	53.0	31.6-74.4	2	4.1	00.0-11.2			
\$15,000- 24,999	77	16,494	38	53.3	39.0-67.6	34	43.0	28.9-57.1	4	2.8	00.0-05.7	1	0.8	00.0-02.4
\$35,000- 49,999	64	16,381	39	59.5	41.5-77.5	22	32.8	15.4-50.2	3	7.7	00.0-19.3			
\$50,000- 74,999	51	13,190	31	67.2	50.0-84.4	15	22.2	08.3-36.1	3	8.5	00.0-19.3	2	2.1	00.0-05.6
\$75,000+	180	53,867	112	62.9	52.7-73.1	63	27.7	19.3-36.1	4	7.7	00.0-15.9	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 2: THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (1-6)			Drugs (7,8)			Condoms (11,12,13)			External Contraceptives (9,10,11,16)			Withdrawal, Rhythm, No Sex(14,15)			Emergencies or Other (17,18)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	292	75,688	97	28.1	21.6-34.6	85	30.3	22.9-37.7	72	29.2	21.8-36.6	7	2.5	00.1-04.9	12	5.3	01.6-09.0	19	4.5	01.6-07.4
White/Non-Hisp	179	48,830	72	31.8	23.4-40.2	56	36.4	26.4-46.4	31	21.4	13.2-29.6	4	1.9	00.0-03.9	7	4.3	00.6-08.0	9	4.2	00.3-08.1
25-34	88	23,425	22	22.3	11.7-32.9	32	38.9	25.4-52.4	20	26.4	13.5-39.3	4	5.7	00.0-12.4	4	4.0	00.0-08.3	6	2.7	00.3-05.1
35-44	111	27,429	55	44.7	32.7-56.7	26	20.9	11.7-30.1	20	21.3	11.3-31.3	2	1.1	00.0-02.9	4	7.9	00.0-16.7	4	4.0	00.0-10.3
H.S. or G.E.D.	62	18,741	12	20.0	06.7-33.3	16	21.6	10.0-33.2	21	37.0	21.7-52.3	2	2.3	00.0-06.4	5	9.3	00.5-18.1	6	9.9	00.0-20.1
Some Post-H.S.	75	23,797	25	26.9	14.9-38.9	20	29.7	13.6-45.8	24	34.6	19.3-49.9	2	2.1	00.0-05.0	4	6.8	00.0-15.8			
College Graduate	126	27,777	51	35.8	24.8-46.8	42	37.3	25.5-49.1	20	19.5	08.9-30.1	2	1.1	00.0-02.7	2	1.7	00.0-04.2	9	4.5	01.0-08.0
\$75,000+	106	31,348	48	33.5	22.5-44.5	28	26.2	15.2-37.2	18	30.1	16.8-43.4	3	2.8	00.0-05.9	3	2.2	00.0-04.7	6	5.2	00.0-11.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 3: WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, same sex partner(1,18)			Want to get pregnant currently pregnant (2,3,4,17)			Don't want to use, can't use BC, can't pay for BC (5,6,7,8)			Surgical (12,13,14)			Religious Physical (09,11,15,16)			Lapse Method, Same Sex or Other (10,19)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	198	42,540	7	7.4	01.3-13.5	55	27.3	18.7-35.9	5	2.2	00.0-04.6	57	26.1	18.1-34.1	27	9.1	05.4-12.8	47	28.0	17.6-38.4
White/Non-Hisp	96	20,148	4	11.2	00.0-22.6	25	25.4	14.6-36.2	1	0.4	00.0-01.2	33	27.6	16.4-38.8	18	13.5	06.6-20.4	15	21.8	06.9-36.7
35-44	78	13,747	2	3.6	00.0-08.5	19	18.9	08.3-29.5	2	4.0	00.0-10.7	25	39.5	25.6-53.4	12	13.2	05.2-21.2	18	20.8	10.4-31.2
45-54	58	10,658				8	13.7	04.1-23.3				28	41.8	25.3-58.3	11	15.1	05.7-24.5	11	29.3	11.7-46.9
H.S. or G.E.D.	55	13,139	2	4.6	00.0-11.1	11	17.7	05.7-29.7				16	26.6	12.1-41.1	9	11.2	03.0-19.4	17	39.9	20.5-59.3
Some Post-H.S.	52	14,086	2	12.2	00.0-27.7	11	18.5	06.2-30.8	1	0.5	00.0-01.5	18	30.6	14.5-46.7	8	8.0	01.5-14.5	12	30.2	09.6-50.8
College Graduate	60	11,238	2	5.3	00.0-12.6	19	42.4	23.4-61.4	3	6.7	00.0-15.5	18	22.0	08.9-35.1	9	10.0	02.6-17.4	9	13.5	02.7-24.3
\$75,000+	61	14,223	2	7.8	00.0-19.2	14	28.6	11.2-46.0	2	2.0	00.0-04.9	20	28.5	14.2-42.8	10	10.4	03.3-17.5	13	22.7	08.2-37.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019

MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	M29.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	97
2	MALES ONLY	98
3	FEMALES ONLY	99
	M29.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	100
5	MALES ONLY	101
6	FEMALES ONLY	102
	M29.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	103
8	MALES ONLY	104
9	FEMALES ONLY	105

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 1: M29.01.a Which of the following best represents how you think of yourself? (SOMALE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay		Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1344	281,006	46	3.3	01.9-04.7	1262	94.2	92.4-96.0	27	2.2	01.0-03.4	9	0.4	00.2-00.6
White/Non-Hisp	961	183,179	33	2.6	01.4-03.8	906	95.0	93.4-96.6	21	2.2	01.0-03.4	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	126	55,532	4	3.9	00.0-08.4	120	94.5	89.4-99.6	2	1.5	00.0-04.2			
Oth. Race/Non-Hisp.	57	13,275	3	9.5	00.0-20.9	52	82.9	68.0-97.8	2	7.6	00.0-18.8			
Hispanic	149	22,731	4	2.8	00.0-06.3	138	94.1	89.6-98.6	1	0.7	00.0-02.1	6	2.4	00.0-04.8
18-24	105	32,544	7	7.0	01.1-12.9	90	85.4	77.0-93.8	7	7.3	01.0-13.6	1	0.3	00.0-00.9
25-34	154	49,162	2	2.3	00.0-06.6	143	94.1	89.0-99.2	5	2.3	00.0-04.8	4	1.3	00.0-02.9
35-44	151	40,706	7	2.7	00.0-05.6	138	93.2	88.1-98.3	4	3.8	00.0-07.9	2	0.3	00.0-00.7
45-54	214	45,352	5	2.6	00.2-05.0	207	96.8	94.3-99.3	2	0.6	00.0-01.4			
55-64	280	47,024	9	3.1	00.7-05.5	264	95.7	93.2-98.2	6	1.1	00.1-02.1	1	0.1	00.0-00.3
65+	440	66,219	16	3.2	01.2-05.2	420	96.2	94.2-98.2	3	0.4	00.0-01.0	1	0.2	00.0-00.6
Less Than H.S.	135	31,462	2	1.9	00.0-05.2	128	95.4	90.9-99.9	2	1.9	00.0-04.8	3	0.8	00.0-01.8
H.S. or G.E.D.	366	97,213	9	3.1	00.9-05.3	343	93.9	91.0-96.8	10	2.4	00.6-04.2	4	0.6	00.0-01.4
Some Post-H.S.	305	69,318	8	1.9	00.3-03.5	292	96.2	93.5-98.9	4	1.7	00.0-04.1	1	0.2	00.0-00.6
College Graduate	532	82,257	27	5.2	02.1-08.3	494	92.4	88.7-96.1	11	2.4	00.2-04.6			
Less than \$15,000	78	13,429	2	2.1	00.0-05.2	73	96.3	92.6-0100	1	0.7	00.0-02.1	2	1.0	00.0-02.4
\$15,000- 24,999	150	28,720	8	5.4	00.9-09.9	141	93.8	88.9-98.7	1	0.9	00.0-02.7			
\$25,000- 34,999	106	19,312				100	92.6	85.7-99.5	3	5.8	00.0-12.5	3	1.6	00.0-03.6
\$35,000- 49,999	125	27,631	2	0.8	00.0-02.2	119	97.3	94.8-99.8	4	1.9	00.0-04.1			
\$50,000- 74,999	188	44,179	11	4.8	01.3-08.3	172	93.2	88.9-97.5	5	2.0	00.0-04.5			
\$75,000+	489	103,503	18	4.0	01.5-06.5	463	94.4	91.3-97.5	8	1.7	00.1-03.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019
MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 2: M29.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1662	302,755	28	1.6	00.6-02.6	1551	92.4	90.4-94.4	62	4.3	02.9-05.7	21	1.7	00.7-02.7
White/Non-Hisp	1169	201,930	26	2.4	01.0-03.8	1095	91.9	89.5-94.3	42	5.0	03.2-06.8	6	0.7	00.0-01.7
Black or Afr. Am./Non-Hisp	231	57,948				221	94.1	89.8-98.4	3	1.8	00.0-04.0	7	4.1	00.2-08.0
Oth. Race/Non-Hisp.	54	15,978				50	97.7	95.3-0100	4	2.3	00.0-04.7			
Hispanic	144	18,272				130	90.1	83.6-96.6	8	5.9	00.6-11.2	6	4.0	00.1-07.9
18-24	75	30,008	1	2.4	00.0-07.1	60	84.0	74.2-93.8	12	12.3	03.7-20.9	2	1.2	00.0-03.2
25-34	153	42,723	2	3.3	00.0-08.0	126	81.2	73.0-89.4	19	10.8	05.1-16.5	6	4.7	00.0-09.4
35-44	197	42,736	2	0.3	00.0-00.7	184	94.8	91.3-98.3	9	4.1	01.0-07.2	2	0.8	00.0-02.2
45-54	257	45,419	3	1.2	00.0-02.8	244	97.1	95.1-99.1	9	1.5	00.3-02.7	1	0.1	00.0-00.3
55-64	358	59,714	8	1.9	00.3-03.5	338	93.9	90.4-97.4	9	2.5	00.5-04.5	3	1.6	00.0-04.1
65+	622	82,155	12	1.2	00.4-02.0	599	96.2	93.8-98.6	4	1.1	00.0-02.3	7	1.6	00.0-03.6
Less Than H.S.	125	25,011				112	90.0	83.3-96.7	7	6.0	00.3-11.7	6	3.9	00.4-07.4
H.S. or G.E.D.	431	82,799	3	0.6	00.0-01.6	405	92.4	88.7-96.1	15	4.9	02.0-07.8	8	2.0	00.0-04.2
Some Post-H.S.	425	96,996	6	1.0	00.2-01.8	397	92.6	89.3-95.9	17	4.1	01.7-06.5	5	2.3	00.0-04.7
College Graduate	677	97,495	19	3.6	01.1-06.1	633	92.6	89.5-95.7	23	3.7	01.7-05.7	2	0.1	00.0-00.3
Less than \$15,000	143	20,167				129	90.3	83.8-96.8	8	5.8	00.9-10.7	6	3.9	00.0-08.2
\$15,000- 24,999	218	34,539	2	1.3	00.0-03.5	207	91.4	84.9-97.9	7	4.2	00.5-07.9	2	3.1	00.0-08.2
\$25,000- 34,999	133	22,808	3	1.3	00.0-02.9	112	78.7	68.3-89.1	11	11.7	03.3-20.1	7	8.4	01.0-15.8
\$35,000- 49,999	205	37,869	6	1.3	00.1-02.5	184	90.4	84.7-96.1	13	5.5	01.8-09.2	2	2.8	00.0-06.9
\$50,000- 74,999	184	33,111	4	2.1	00.0-05.2	176	95.7	91.6-99.8	4	2.2	00.0-04.7			
\$75,000+	483	104,419	12	2.7	00.3-05.1	462	94.7	91.6-97.8	8	2.6	00.4-04.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 3: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3052	589,115	11	0.5	00.1-00.9	6	0.1	00.1-00.1	4	0.3	00.0-00.7	3031	99.1	98.5-99.7
Male	1354	282,326	6	0.6	00.0-01.2	4	0.2	00.0-00.4	2	0.3	00.0-00.9	1342	98.9	98.1-99.7
Female	1698	306,790	5	0.5	00.0-01.1	2	0.1	00.1-00.1	2	0.2	00.0-00.6	1689	99.3	98.5-0100
White/Non-Hisp	2140	385,707	5	0.4	00.0-01.0	1	0.0	00.0-00.0	2	0.2	00.0-00.4	2132	99.4	98.8-0100
Black or Afr. Am./Non-Hisp	361	114,959	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.7	00.0-02.1	359	99.3	97.9-0100
Oth. Race/Non-Hisp.	114	29,664	2	3.8	00.0-09.1							112	96.2	90.9-0100
MultiRacial/Non-Hisp.	60	5,410										60	100.0	0100-0100
Hispanic	314	43,518	4	0.7	00.0-01.5	4	1.1	00.0-02.3	1	0.2	00.0-00.6	305	98.0	96.6-99.4
18-24	180	62,455	1	0.1	00.0-00.3	2	0.3	00.0-00.7	2	1.4	00.0-03.8	175	98.2	95.8-0100
25-34	315	92,783	4	1.4	00.0-03.4	2	0.2	00.0-00.4	2	0.7	00.0-01.9	307	97.7	95.3-0100
35-44	361	85,432	1	0.6	00.0-01.8	1	0.2	00.0-00.6				359	99.1	97.7-0100
45-54	476	90,876										476	100.0	0100-0100
55-64	645	108,832	2	0.8	00.0-02.0							643	99.2	98.0-0100
65+	1075	148,738	3	0.3	00.0-00.7	1	0.0	00.0-00.0				1071	99.6	99.2-0100
Less Than H.S.	287	60,660	5	2.3	00.0-04.8	3	0.6	00.0-01.4	1	0.2	00.0-00.6	278	96.9	94.2-99.6
H.S. or G.E.D.	793	178,300	4	0.8	00.0-01.8				1	0.1	00.0-00.3	788	99.1	98.1-0100
Some Post-H.S.	737	168,008	2	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.4	00.0-01.2	733	99.3	98.3-0100
College Graduate	1222	180,737	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.3	00.0-00.9	1219	99.6	99.0-0100
Less than \$15,000	224	32,894	4	2.7	00.0-06.4	2	0.8	00.0-02.0				218	96.5	92.8-0100
\$15,000- 24,999	384	65,203	2	1.5	00.0-04.0							382	98.5	96.0-0100
\$25,000- 34,999	241	42,311	2	1.0	00.0-02.4	1	0.2	00.0-00.6	2	0.6	00.0-01.4	236	98.2	96.4-0100
\$35,000- 49,999	329	66,343										329	100.0	0100-0100
\$50,000- 74,999	376	78,165	1	0.3	00.0-00.9				1	0.7	00.0-02.1	374	99.0	97.6-0100
\$75,000+	976	208,416	1	0.3	00.0-00.9	2	0.1	00.0-00.3				973	99.7	99.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE MODULE QUESTIONS DATA REPORT, 2019

MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY

TABLE 5: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1354	282,326	6	0.6	00.0-01.2	4	0.2	00.0-00.4	2	0.3	00.0-00.9	1342	98.9	98.1-99.7
White/Non-Hisp	959	182,933	2	0.2	00.0-00.6							957	99.8	99.4-0100
Black or Afr. Am./Non-Hisp	129	56,591				1	0.2	00.0-00.6	1	1.3	00.0-03.8	127	98.5	96.0-0100
Oth. Race/Non-Hisp.	58	13,421	2	8.5	00.0-19.7							56	91.5	80.3-0100
Hispanic	154	23,132	2	0.8	00.0-02.0	3	1.6	00.0-03.6	1	0.4	00.0-01.2	148	97.2	94.8-99.6
18-24	104	32,184				2	0.6	00.0-01.4	2	2.6	00.0-07.1	100	96.8	92.1-0100
25-34	158	49,181	1	0.1	00.0-00.3	1	0.2	00.0-00.6				156	99.7	99.3-0100
35-44	155	41,650	1	1.3	00.0-03.8	1	0.4	00.0-01.2				153	98.2	95.5-0100
45-54	213	45,330										213	100.0	0100-0100
55-64	283	48,003	2	1.7	00.0-04.2							281	98.3	95.8-0100
65+	441	65,978	2	0.5	00.0-01.1							439	99.5	98.9-0100
Less Than H.S.	146	33,223	4	4.0	00.0-08.7	2	0.8	00.0-02.0	1	0.3	00.0-00.9	139	94.9	90.0-99.8
H.S. or G.E.D.	363	96,254	1	0.2	00.0-00.6							362	99.8	99.4-0100
Some Post-H.S.	306	70,048	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	1.1	00.0-03.3	303	98.5	96.3-0100
College Graduate	532	81,992				1	0.1	00.0-00.3				531	99.9	99.7-0100
Less than \$15,000	80	12,982	1	4.6	00.0-13.2	2	2.1	00.0-05.2				77	93.3	84.3-0100
\$15,000- 24,999	154	29,041	1	0.2	00.0-00.6							153	99.8	99.4-0100
\$25,000- 34,999	107	19,519	1	0.9	00.0-02.7	1	0.5	00.0-01.5	1	0.5	00.0-01.5	104	98.2	96.0-0100
\$35,000- 49,999	123	27,840										123	100.0	0100-0100
\$50,000- 74,999	189	44,908	1	0.5	00.0-01.5							188	99.5	98.5-0100
\$75,000+	489	103,514	1	0.5	00.0-01.5	1	0.1	00.0-00.3				487	99.4	98.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE MODULE QUESTIONS DATA REPORT, 2019

MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY

TABLE 6: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1698	306,790	5	0.5	00.0-01.1	2	0.1	00.1-00.1	2	0.2	00.0-00.6	1689	99.3	98.5-0100
White/Non-Hisp	1181	202,775	3	0.6	00.0-01.6	1	0.0	00.0-00.0	2	0.3	00.0-00.9	1175	99.0	98.0-0100
Black or Afr. Am./Non-Hisp	232	58,368										232	100.0	0100-0100
Oth. Race/Non-Hisp.	56	16,243										56	100.0	0100-0100
Hispanic	160	20,386	2	0.6	00.0-01.4	1	0.5	00.0-01.5				157	98.9	97.7-0100
18-24	76	30,271	1	0.2	00.0-00.6							75	99.8	99.4-0100
25-34	157	43,602	3	2.8	00.0-06.9	1	0.2	00.0-00.6	2	1.6	00.0-04.1	151	95.5	90.8-0100
35-44	206	43,782										206	100.0	0100-0100
45-54	263	45,546										263	100.0	0100-0100
55-64	362	60,828										362	100.0	0100-0100
65+	634	82,760	1	0.2	00.0-00.6	1	0.1	00.0-00.3				632	99.7	99.3-0100
Less Than H.S.	141	27,436	1	0.2	00.0-00.6	1	0.4	00.0-01.2				139	99.4	98.6-0100
H.S. or G.E.D.	430	82,045	3	1.5	00.0-03.7				1	0.2	00.0-00.6	426	98.4	96.2-0100
Some Post-H.S.	431	97,960	1	0.2	00.0-00.6							430	99.8	99.4-0100
College Graduate	690	98,744				1	0.1	00.0-00.3	1	0.5	00.0-01.5	688	99.4	98.4-0100
Less than \$15,000	144	19,912	3	1.5	00.0-03.5							141	98.5	96.5-0100
\$15,000- 24,999	230	36,162	1	2.4	00.0-07.1							229	97.6	92.9-0100
\$25,000- 34,999	134	22,792	1	1.1	00.0-03.3				1	0.7	00.0-02.1	132	98.2	95.7-0100
\$35,000- 49,999	206	38,503										206	100.0	0100-0100
\$50,000- 74,999	187	33,257							1	1.6	00.0-04.7	186	98.4	95.3-0100
\$75,000+	487	104,902				1	0.1	00.0-00.3				486	99.9	99.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE MODULE QUESTIONS DATA REPORT, 2019**

End of Module Data Report