



# Delaware Weekly Influenza Surveillance Report

## Week 01 (January 1 - 7, 2012)

### Delaware Division of Public Health

**National Synopsis - 2011- 2012**

**Note:** National data is updated Friday of each week. Please visit <http://www.cdc.gov/weekly/> for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

**Delaware Influenza Surveillance 2011-2012:**



**Influenza Positive<sup>1</sup> and Confirmed<sup>2</sup> Cases Reported<sup>3</sup> through Week 01  
(Week ending January 7, 2012)**

Confirmed Flu Cases by Subtype		2011-2012					YTD Total	YTD Cnty %
		Wks. 40-50	Wk. 51	Wk. 52	Wk. 01	YTD		
Statewide	A (2009 H1)	0	0	0	0	0	3	
	A (H3)	2	0	1	0	3		
	A (subtyping not performed)	0	0	0	0	0		
	B	0	0	0	0	0		
New Castle County	A (2009 H1)	0	0	0	0	0	2	66.7%
	A (H3)	2	0	0	0	2		
	A (subtyping not performed)	0	0	0	0	0		
	B	0	0	0	0	0		
Kent County	A (2009 H1)	0	0	0	0	0	0	0.0%
	A (H3)	0	0	0	0	0		
	A (subtyping not performed)	0	0	0	0	0		
	B	0	0	0	0	0		
Sussex County	A (2009 H1)	0	0	0	0	0	1	33.3%
	A (H3)	0	0	1	0	1		
	A (subtyping not performed)	0	0	0	0	0		
	B	0	0	0	0	0		


<sup>1</sup> Based on patients with positive nucleic acid and viral culture test results reported to the Division of Public Health.

<sup>2</sup> Confirmed Influenza cases from all reporting sources (including Delaware Public Health Laboratory)

<sup>3</sup> Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.



Confirmed Flu Cases by Age Group		2011 - 2012						YTD Total	YTD Cnty %
		Wks. 40-50	Wk. 51	Wk. 52	Wk. 01	YTD			
Statewide	0-4 years	0	0	1	0	1	3		
	5-24 years	2	0	0	0	2			
	25-49 years	0	0	0	0	0			
	50-64 years	0	0	0	0	0			
	65+ years	0	0	0	0	0			
	Unknown	0	0	0	0	0			
New Castle County	0-4 years	0	0	0	0	0	2	66.7%	
	5-24 years	2	0	0	0	2			
	25-49 years	0	0	0	0	0			
	50-64 years	0	0	0	0	0			
	65+ years	0	0	0	0	0			
	Unknown	0	0	0	0	0			
Kent County	0-4 years	0	0	0	0	0	0	0.0%	
	5-24 years	0	0	0	0	0			
	25-49 years	0	0	0	0	0			
	50-64 years	0	0	0	0	0			
	65+ years	0	0	0	0	0			
	Unknown	0	0	0	0	0			
Sussex County	0-4 years	0	0	1	0	1	1	33.3%	
	5-24 years	0	0	0	0	0			
	25-49 years	0	0	0	0	0			
	50-64 years	0	0	0	0	0			
	65+ years	0	0	0	0	0			
	Unknown	0	0	0	0	0			



- The level of flu activity in Delaware for week 01, 2012 is “No activity.”
- There is no laboratory confirmed influenza case in week 01, 2012.
- The total number of confirmed influenza cases through Week 01, 2012 is 3.
- The confirmed cases are in the age range of 5 to 24 years (2), and 0 to 4 (1).
- Two of the confirmed cases are from New Castle County and 1 from Sussex County.
- There is no influenza related hospitalization among Delawareans through week 01, 2012.

**Influenza-related Hospitalization:**

<b>Total Influenza-related Hospitalization: Delaware 2011-2012 Influenza season</b>	<b>Wks. 40-50</b>	<b>Wk. 51</b>	<b>Wk. 52</b>	<b>Wk. 01</b>	<b>YTD</b>
	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Influenza-Related Deaths:**

<b>Total Influenza-related Deaths: Delaware 2011-2012 Influenza season</b>	<b>Wks. 40-50</b>	<b>Wk. 51</b>	<b>Wk. 52</b>	<b>Wk. 01</b>	<b>YTD</b>
	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<b><u>Annual Seasonal Influenza Case Totals</u></b>	
<b>2004 – 2005</b>	<b>995</b>
<b>2005 – 2006</b>	<b>541</b>
<b>2006 – 2007</b>	<b>508</b>
<b>2007 – 2008</b>	<b>1,401</b>
<b>2008 – 2009</b>	<b>738</b>
<b>2009 – 2010</b>	<b>2,247</b>
<b>2010 – 2011</b>	<b>1,470</b>
<b>2011 – 2012</b>	<b>3</b>

**NOTE:** The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.


Level of Influenza Activity in Delaware, Week 01, 2012:

<b>No Activity</b>	➡ : No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.
➡ <b>Influenza-like illness (ILI)</b> is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.	
➡ <b>No Activity:</b> No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.	
➡ <b>Sporadic:</b> Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.	
➡ <b>Local:</b> Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI <u>OR</u> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.	
➡ <b>Regional:</b> Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)	
➡ <b>Widespread:</b> Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.	

**ILINet (Sentinel) Provider Surveillance Network:**


An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the state health department and the Centers for Disease Control and Prevention. Data reported by ILINet (Sentinel) provider, in combination with other influenza surveillance data, provide a national and statewide picture of influenza virus and ILI activity in the U.S.

**Influenza-Like Illness reported from ILINet (Sentinel) Providers  
 Delaware, 2011-2012  
 11 of 15 Sentinel Providers reporting**




**Regional Baseline for 2011-2012 applicable to: Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.5%.**


**Hospital Electronic Surveillance Data: Delaware 2011-2012  
 6 of 6 hospitals reporting**




**Hospital Manual Surveillance Data: Delaware 2011-2012**  
**2 of 2 hospitals reporting**




**Influenza-like illness reported from Federally Qualified Health Centers (FQHCs):**  
**Delaware 2011-2012**  
**2 of 2 FQHCs reporting (La Red Health Center, Henrietta Johnson Medical Center)**



**Influenza-like-illness (ILI) reported by Long-Term Care Facilities (LTCFs):  
Delaware 2011-2012  
11 of 19 facilities reporting**




**Influenza-like-illness (ILI) reported by Colleges/Universities:  
Delaware 2011-2012  
1 of 3 schools reporting (University of Delaware)**






**Influenza-like-illness (ILI) reported by Daycare Providers: Delaware 2011-2012  
4 of 13 providers reporting**



**Influenza-like-illness (ILI) reported by Correctional Facilities:  
Delaware 2011-2012  
6 of 8 facilities reporting**



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit [flu.delaware.gov](http://flu.delaware.gov) or call (302) 744-4704.