The Prescription Drug Action Committee (PDAC)


Overview and Recommendations

April 22, 2013

Define the Problem


Poisonings Now Kill More Delawareans Than Car Crashes

Motor vehicle traffic and accidental poisoning by & exposure to drugs Delaware, 1990-2009



Source: State & Delaware, Division of Public Health, Delaware Health Statistics Center, 2012

Rates of Opioid Overdose Deaths, Sales, and Treatment Admissions, United States, 1999-2010




CDC. MMWR 2011 http://www.cdc.gov/mmwr/preview/mmwrhtml/mm60e1101a1.htm?s_cid=mm60e1101a1_w. U 2009 mortality and 2019 treature.

Prescription Drug Action Committee

Prescription Drug Abuse and Misuse in Delaware

- Delaware: 9th highest drug overdose death rate (2009)
 - DE average deaths per 100,000 population: 10.5
 - National average deaths per 100,000: 12.0
 - Drug overdose death rate increased 142% (1999–2009)
- More Delaware residents 12 and older report using nonmedical use of opioid pain relievers
 - DE average: 5.6%
 - National average: 4.8%
- Substance abuse treatment admission rates for opioids increased over 2,750% (1999-2010)
- Delaware 5th highest for opioid sales (2010)
 - DE average: 10.2 KG per 100,000 population
 - National average: 7.1 KG per 100,000 population

Drug Overdose Death Rate, 2008, and Opioid Pain Reliever Sales Rate, 2010



Trends: Treating Pain increased the usage of Prescription Drugs



Under treatment of pain

Pain scale
Pain as a vital sign

Increasing availability of opioid analgesics

Increase in abuse of prescription opioids

A Coordinated and Comprehensive Approach to Action - The Prescription Drug Action Committee, PDAC

History and Accomplishment

- Established in February 2012 by Governor Markell.
- Focused on coordinating public, private and community efforts under the leadership of the Division of Public Health and the Medical Society of Delaware.
- The PDAC has a broad and diverse membership.
- To date, PDAC has conducted over 15 full committee public meetings and over 45 sub committee meetings.

Policy Recommendations

- Require all prescribers with a controlled substance registration and pharmacists to complete 2 hours of continuing education training. Two hours of prescriber training will focus on safe and effective prescribing methods. For Pharmacists, training will focus on recognizing patient abuse seeking behaviors.
- Require controlled substance prescribers to take a one hour, one time only CME on Delaware specific prescription drug abuse and pain management topics to include: the Prescription Monitoring Program (PMP), Delaware Regulation 31 and other state specific programs and policies.
- Standardize continuing education of law enforcement regarding controlled substance related abuse and impairment.
- Require hospice agencies to implement a uniform procedure to dispose of controlled substances after a patient passes away.

Policy Recommendations

- Require practitioners with controlled substance licenses to register for access to the Prescription Monitoring Program (PMP).
- Enable provider authorized support staff to delegate access to the PMP via their own log-in identification and password.
- Require substance abuse treatment centers to use the PMP to evaluate patient risk of abuse.
- Require pharmacists to obtain a Prescription
 Monitoring Program (PMP) patient profile when
 there is a suspicion of abuse seeking behaviors.
- Eliminate the 72 hour exemption for reporting dispensing of controlled substances to the PMP.

Program Recommendations

- Launch a statewide public education and outreach campaign based upon the successful school nurse partnership.
- Ensure that chronic pain patients have safe and consistent access to care and support provider education by increasing access to pain management and substance abuse experts.
- Integrate multiple data sources to develop a robust surveillance system.
- Implement Electronic Prescribing for Controlled Substances.
- Implement long term drug take-back solution; federal guidance expected late 2013.
- Implement a pilot program for BLS to use Narcan.

PDAC

http://dhss.delaware.gov/dhss/dph/pdachome.html