

The background of the slide features a series of parallel, diagonal gray lines that run from the top-left towards the bottom-right. These lines are evenly spaced and cover the entire area of the slide.

Mortality

2004

Mortality Highlights

<u>Key Indicators</u>	<u>Period</u>	<u>Delaware AADR¹</u>	<u>Recent Trend in Delaware</u>
Heart Disease • Deaths per 100,000 population	2000-2004	242.9	Decreasing
Cancer • Deaths per 100,000 population	2000-2004	202.2	Decreasing
Stroke • Deaths per 100,000 population	2000-2004	48.5	Decreasing
Unintentional Injuries • Deaths per 100,000 population	2000-2004	35.8	Decreasing
Diabetes • Deaths per 100,000 population	2000-2004	25.7	Decreasing
Kidney Disease • Deaths per 100,000 population	2000-2004	14.4	Increasing
HIV Infection/AIDS • Deaths per 100,000 population	2000-2004	8.4	Decreasing

1. Age-adjusted death rate per 100,000 using 2000 U.S. Standard Population.

Key Facts

- There were 7,124 deaths to Delaware residents in 2004 (See Table F-1).
- The three leading causes of death in Delaware for the period of 2000-2004 continue to be Heart Disease, Cancer, and Stroke (See Table F-7).
- From 2000-2004, accidents were the number one cause of death for persons 1-44 years of age, and were responsible for 47% of all deaths for persons 1-24 years of age (See Table F-11).
- Life expectancy for babies born in 2004 varied by race-sex group: white males - 75.5, white females - 80.9, black males - 70.4, and black females - 77.0 (see Table F-27).

BLANK

TABLE F-1
NUMBER OF DEATHS BY RACE

U.S., DELAWARE, COUNTIES AND CITY OF WILMINGTON, 1991-2004

Area/ Race	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
U.S.														
All Races	2169518	2175613	2268553	2278994	2312132	2314690	2314245	2337256	2391399	2403351	2416425	2443387	2448288	2398343
White	1868904	1873781	1951437	1959875	1987437	1992966	1996393	2015984	2061348	2071287	2079691	2102589	2103714	2059949
Black	269525	269219	282151	282379	286401	282089	276520	278440	285064	285826	287709	290051	291300	284877
Other	31089	32613	34965	36740	38294	39635	41332	42832	44987	46238	49025	50747	53274	53517
Delaware														
All Races	5932	5945	6152	6337	6281	6506	6510	6577	6669	6872	7114	6860	7067	7124
White	4911	4955	5057	5259	5124	5295	5449	5453	5555	5696	5886	5694	5782	5862
Black	987	956	1067	1038	1108	1166	1014	1086	1072	1131	1180	1111	1241	1204
Other	34	34	28	40	49	45	47	38	42	45	48	55	44	58
Kent														
All Races	895	938	931	941	966	1003	998	1015	1102	1022	1102	1113	1114	1154
White	738	770	751	778	790	813	837	835	924	822	900	916	878	948
Black	150	160	173	152	169	183	147	173	167	184	194	187	224	193
Other	7	8	7	11	7	7	14	7	11	16	8	10	12	13
New Castle														
All Races	3680	3642	3801	3910	3796	3967	3951	4030	3931	4111	4234	3996	4129	4146
White	3035	3009	3102	3196	3030	3201	3250	3281	3217	3350	3435	3244	3299	3324
Black	628	618	689	696	744	749	677	731	692	741	774	718	809	793
Other	17	15	10	18	22	17	24	18	22	20	25	34	21	29
Wilmington														
All Races	875	868	940	955	944	890	864	850	789	826	850	779	843	782
White	459	461	497	511	448	436	479	423	395	430	421	392	413	358
Black	416	406	442	443	492	453	383	425	392	394	425	380	430	419
Other	0	1	1	1	4	1	2	2	2	2	4	7	0	5
Balance of NC County														
All Races	2805	2774	2861	2955	2852	3077	3087	3180	3142	3285	3384	3217	3286	3364
White	2576	2548	2605	2685	2582	2765	2771	2858	2822	2920	3014	2852	2886	2966
Black	212	212	247	253	252	296	294	306	300	347	349	338	379	374
Other	17	14	9	17	18	16	22	16	20	18	21	27	21	24
Sussex														
All Races	1357	1365	1420	1486	1519	1536	1561	1532	1636	1739	1778	1751	1824	1824
White	1138	1176	1204	1285	1304	1281	1362	1337	1414	1524	1551	1534	1605	1590
Black	209	178	205	190	195	234	190	182	213	206	212	206	208	218
Other	10	11	11	11	20	21	9	13	9	9	15	11	11	16

ND-RACE

Note:

2004 US data are preliminary numbers from NCHS.

Sources:

Delaware Health Statistics Center
National Center for Health Statistics

TABLE F-2
NUMBER OF DEATHS BY AGE, RACE, AND HISPANIC ORIGIN
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2004

	Race									
Area/ Age	All	White	Black	American Indian ¹	Asian or Pacific Islander (API)				All Other	Hispanic Origin ²
	Races				Chinese	Japanese	Filipino	Other API		
Delaware	7124	5862	1204	23	9	1	3	15	7	121
<1	97	51	44	0	0	0	0	1	1	8
1-4	19	12	7	0	0	0	0	0	0	1
5-14	25	20	5	0	0	0	0	0	0	2
15-24	97	72	25	0	0	0	0	0	0	6
25-34	114	80	32	1	0	0	0	0	1	13
35-44	273	187	81	3	1	0	0	1	0	9
45-54	531	373	152	2	0	0	0	4	0	10
55-64	807	627	172	4	0	0	0	3	1	11
65-74	1310	1080	217	4	3	1	2	1	2	23
75+	3849	3359	468	9	5	0	1	5	2	37
Unknown	2	1	1	0	0	0	0	0	0	1
Kent	1154	948	193	6	0	0	1	3	3	18
<1	17	8	8	0	0	0	0	1	0	0
1-4	3	1	2	0	0	0	0	0	0	0
5-14	2	2	0	0	0	0	0	0	0	0
15-24	15	11	4	0	0	0	0	0	0	0
25-34	24	14	9	0	0	0	0	0	1	1
35-44	45	35	9	1	0	0	0	0	0	0
45-54	72	62	9	0	0	0	0	1	0	2
55-64	156	124	31	1	0	0	0	0	0	1
65-74	260	215	41	2	0	0	0	0	2	5
75+	560	476	80	2	0	0	1	1	0	9
Unknown	0	0	0	0	0	0	0	0	0	0
New Castle	4146	3324	793	5	8	1	1	12	2	81
<1	60	33	27	0	0	0	0	0	0	8
1-4	11	9	2	0	0	0	0	0	0	1
5-14	19	14	5	0	0	0	0	0	0	1
15-24	61	45	16	0	0	0	0	0	0	3
25-34	67	48	19	0	0	0	0	0	0	8
35-44	179	114	62	1	1	0	0	1	0	6
45-54	336	210	122	1	0	0	0	3	0	6
55-64	444	327	113	1	0	0	0	3	0	9
65-74	664	526	131	1	3	1	1	1	0	16
75+	2303	1997	295	1	4	0	0	4	2	22
Unknown	2	1	1	0	0	0	0	0	0	1
Wilmington	782	358	419	1	2	0	0	2	0	33
<1	12	4	8	0	0	0	0	0	0	3
1-4	1	1	0	0	0	0	0	0	0	0
5-14	4	1	3	0	0	0	0	0	0	1
15-24	12	3	9	0	0	0	0	0	0	2
25-34	18	9	9	0	0	0	0	0	0	4
35-44	38	8	29	1	0	0	0	0	0	0
45-54	83	17	66	0	0	0	0	0	0	2
55-64	98	37	61	0	0	0	0	0	0	4
65-74	129	55	73	0	0	0	0	1	0	5
75+	385	222	160	0	2	0	0	1	0	11
Unknown	2	1	1	0	0	0	0	0	0	1
Balance of NC County	3364	2966	374	4	6	1	1	10	2	48
<1	48	29	19	0	0	0	0	0	0	5
1-4	10	8	2	0	0	0	0	0	0	1
5-14	15	13	2	0	0	0	0	0	0	0
15-24	49	42	7	0	0	0	0	0	0	1
25-34	49	39	10	0	0	0	0	0	0	4
35-44	141	106	33	0	1	0	0	1	0	6
45-54	253	193	56	1	0	0	0	3	0	4
55-64	346	290	52	1	0	0	0	3	0	5
65-74	535	471	58	1	3	1	1	0	0	11
75+	1918	1775	135	1	2	0	0	3	2	11
Unknown	0	0	0	0	0	0	0	0	0	0
Sussex	1824	1590	218	12	1	0	1	0	2	22
<1	20	10	9	0	0	0	0	0	1	0
1-4	5	2	3	0	0	0	0	0	0	0
5-14	4	4	0	0	0	0	0	0	0	1
15-24	21	16	5	0	0	0	0	0	0	3
25-34	23	18	4	1	0	0	0	0	0	4
35-44	49	38	10	1	0	0	0	0	0	3
45-54	123	101	21	1	0	0	0	0	0	2
55-64	207	176	28	2	0	0	0	0	1	1
65-74	386	339	45	1	0	0	1	0	0	2
75+	986	886	93	6	1	0	0	0	0	6
Unknown	0	0	0	0	0	0	0	0	0	0

DETRACE

Notes:

1. Includes any deaths that may have occurred to Aleut and Eskimo Indians.
2. Persons of Hispanic origin may be of any race. See *Hispanic Origin* and *Race* in the Technical Notes.

Source:

Delaware Health Statistics Center

TABLE F-3
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2004

(BOTH SEXES)

Area	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	7124	97	19	16	9	40	57	114	273	531	807	1310	3849	2
White	5862	51	12	13	7	30	42	80	187	373	627	1080	3359	1
Black	1204	44	7	3	2	10	15	32	81	152	172	217	468	1
Other	58	2	0	0	0	0	0	2	5	6	8	13	22	0
Kent														
All Races	1154	17	3	1	1	5	10	24	45	72	156	260	560	0
White	948	8	1	1	1	5	6	14	35	62	124	215	476	0
Black	193	8	2	0	0	0	4	9	9	9	31	41	80	0
Other	13	1	0	0	0	0	0	1	1	1	1	4	4	0
New Castle														
All Races	4146	60	11	14	5	23	38	67	179	336	444	664	2303	2
White	3324	33	9	11	3	16	29	48	114	210	327	526	1997	1
Black	793	27	2	3	2	7	9	19	62	122	113	131	295	1
Other	29	0	0	0	0	0	0	0	3	4	4	7	11	0
Wilmington														
All Races	782	12	1	2	2	5	7	18	38	83	98	129	385	2
White	358	4	1	1	0	2	1	9	8	17	37	55	222	1
Black	419	8	0	1	2	3	6	9	29	66	61	73	160	1
Other	5	0	0	0	0	0	0	0	1	0	0	1	3	0
Balance of NC County														
All Races	3364	48	10	12	3	18	31	49	141	253	346	535	1918	0
White	2966	29	8	10	3	14	28	39	106	193	290	471	1775	0
Black	374	19	2	2	0	4	3	10	33	56	52	58	135	0
Other	24	0	0	0	0	0	0	0	2	4	4	6	8	0
Sussex														
All Races	1824	20	5	1	3	12	9	23	49	123	207	386	986	0
White	1590	10	2	1	3	9	7	18	38	101	176	339	886	0
Black	218	9	3	0	0	3	2	4	10	21	28	45	93	0
Other	16	1	0	0	0	0	0	1	1	1	3	2	7	0

Source:
Delaware Health Statistics Center

NDAGERAC

TABLE F-4
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2004

(MALES)

Area	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3607	53	8	6	4	27	41	76	167	322	489	758	1654	2
White	2957	26	4	6	2	20	28	57	114	229	380	623	1467	1
Black	622	27	4	0	2	7	13	18	50	91	105	127	177	1
Other	28	0	0	0	0	0	0	1	3	2	4	8	10	0
Kent														
All Races	593	10	2	0	0	4	7	10	27	42	91	145	255	0
White	488	5	1	0	0	4	3	9	21	39	70	118	218	0
Black	102	5	1	0	0	0	4	1	5	3	21	26	36	0
Other	3	0	0	0	0	0	0	0	1	0	0	1	1	0
New Castle														
All Races	2059	34	3	5	4	16	25	50	111	201	273	384	951	2
White	1637	15	2	5	2	11	18	35	70	126	201	299	852	1
Black	407	19	1	0	2	5	7	15	40	74	70	80	93	1
Other	15	0	0	0	0	0	0	0	1	1	2	5	6	0
Wilmington														
All Races	373	9	1	0	2	5	6	16	24	53	62	73	120	2
White	158	4	1	0	0	2	1	9	5	12	25	29	69	1
Black	212	5	0	0	2	3	5	7	19	41	37	43	49	1
Other	3	0	0	0	0	0	0	0	0	0	0	1	2	0
Balance of NC County														
All Races	1686	25	2	5	2	11	19	34	87	148	211	311	831	0
White	1479	11	1	5	2	9	17	26	65	114	176	270	783	0
Black	195	14	1	0	0	2	2	8	21	33	33	37	44	0
Other	12	0	0	0	0	0	0	0	1	1	2	4	4	0
Sussex														
All Races	955	9	3	1	0	7	9	16	29	79	125	229	448	0
White	832	6	1	1	0	5	7	13	23	64	109	206	397	0
Black	113	3	2	0	0	2	2	2	5	14	14	21	48	0
Other	10	0	0	0	0	0	0	1	1	1	2	2	3	0

Source:
Delaware Health Statistics Center

NDRCAGML

TABLE F-5
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2004

(FEMALES)

Area	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3517	44	11	10	5	13	16	38	106	209	318	552	2195	0
White	2905	25	8	7	5	10	14	23	73	144	247	457	1892	0
Black	582	17	3	3	0	3	2	14	31	61	67	90	291	0
Other	30	2	0	0	0	0	0	1	2	4	4	5	12	0
Kent														
All Races	561	7	1	1	1	1	3	14	18	30	65	115	305	0
White	460	3	0	1	1	1	3	5	14	23	54	97	258	0
Black	91	3	1	0	0	0	0	8	4	6	10	15	44	0
Other	10	1	0	0	0	0	0	1	0	1	1	3	3	0
New Castle														
All Races	2087	26	8	9	1	7	13	17	68	135	171	280	1352	0
White	1687	18	7	6	1	5	11	13	44	84	126	227	1145	0
Black	386	8	1	3	0	2	2	4	22	48	43	51	202	0
Other	14	0	0	0	0	0	0	0	2	3	2	2	5	0
Wilmington														
All Races	409	3	0	2	0	0	1	2	14	30	36	56	265	0
White	200	0	0	1	0	0	0	0	3	5	12	26	153	0
Black	207	3	0	1	0	0	1	2	10	25	24	30	111	0
Other	2	0	0	0	0	0	0	0	1	0	0	0	1	0
Balance of NC County														
All Races	1678	23	8	7	1	7	12	15	54	105	135	224	1087	0
White	1487	18	7	5	1	5	11	13	41	79	114	201	992	0
Black	179	5	1	2	0	2	1	2	12	23	19	21	91	0
Other	12	0	0	0	0	0	0	0	1	3	2	2	4	0
Sussex														
All Races	869	11	2	0	3	5	0	7	20	44	82	157	538	0
White	758	4	1	0	3	4	0	5	15	37	67	133	489	0
Black	105	6	1	0	0	1	0	2	5	7	14	24	45	0
Other	6	1	0	0	0	0	0	0	0	0	1	0	4	0

Source:
Delaware Health Statistics Center

NDRCAGFE

TABLE F-6
MORTALITY TRENDS BY RACE, ETHNICITY, GENDER, AND AGE
DELAWARE, 1994-2004

CHARACTERISTIC		Year										
		1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Resident Deaths												
Number		6337	6281	6506	6510	6577	6669	6872	7114	6860	7067	7124
Crude Rate		883.1	860.8	878.0	866.3	861.6	860.5	873.8	894.0	850.9	863.7	857.7
AADR*		968.5	931.6	936.8	914.3	899.9	886.2	893.6	898.4	838.8	830.4	795.2
Decedent's Race/Ethnicity												
White	Number	5259	5124	5295	5449	5453	5555	5696	5886	5694	5782	5862
	Percent	83.0%	81.6%	81.4%	83.7%	82.9%	83.3%	82.9%	82.7%	83.0%	81.8%	82.3%
	AADR*	929.1	879.2	884.1	887.3	866.9	859.9	868.9	872.4	818.7	799.3	771.4
Black	Number	1038	1108	1166	1014	1086	1072	1131	1180	1111	1241	1204
	Percent	16.4%	17.6%	17.9%	15.6%	16.5%	16.1%	16.5%	16.6%	16.2%	17.6%	16.9%
	AADR*	1223.5	1268.5	1300.9	1102.0	1145.2	1078.5	1091.0	1091.8	1002.2	1070.0	1016.2
Hispanic ¹	Number	52	59	57	72	72	93	101	90	95	105	121
	Percent	0.8%	0.9%	0.9%	1.1%	1.1%	1.4%	1.5%	1.3%	1.4%	1.5%	1.7%
	AADR*	525.9	485.2	462.4	622.2	612.4	683.9	760.0	623.7	622.0	589.1	684.3
Decedent's Gender												
Female	Number	3014	3117	3220	3292	3284	3326	3503	3663	3486	3559	3517
	Percent	47.6%	49.6%	49.5%	50.6%	49.9%	49.9%	51.0%	51.5%	50.8%	50.4%	49.4%
	AADR*	765.8	768.9	772.7	770.7	748.7	736.4	760.4	777.0	714.6	702.1	664.1
Male	Number	3323	3164	3286	3218	3293	3343	3369	3451	3374	3508	3607
	Percent	52.4%	50.4%	50.5%	49.4%	50.1%	50.1%	49.0%	48.5%	49.2%	49.6%	50.6%
	AADR*	1256.0	1161.3	1177.0	1112.3	1115.3	1095.6	1068.2	1063.2	1001.7	989.5	969.9
Decedent's age												
<1	Number	70	79	77	81	103	81	102	114	96	107	97
	Percent	1.1%	1.3%	1.2%	1.2%	1.6%	1.2%	1.5%	1.6%	1.4%	1.5%	1.4%
1-14	Number	26	36	27	35	32	31	41	31	39	22	44
	Percent	0.4%	0.6%	0.4%	0.5%	0.5%	0.5%	0.6%	0.4%	0.6%	0.3%	0.6%
15-24	Number	80	72	64	71	70	61	85	86	85	101	97
	Percent	1.3%	1.1%	1.0%	1.1%	1.1%	0.9%	1.2%	1.2%	1.2%	1.4%	1.4%
25-44	Number	498	515	504	430	399	408	426	427	403	389	387
	Percent	7.9%	8.2%	7.7%	6.6%	6.1%	6.1%	6.2%	6.0%	5.9%	5.5%	5.4%
45-64	Number	1156	1053	1162	1121	1125	1101	1168	1276	1214	1327	1338
	Percent	18.2%	16.8%	17.9%	17.2%	17.1%	16.5%	17.0%	17.9%	17.7%	18.8%	18.8%
65-74	Number	1493	1478	1476	1447	1363	1452	1332	1339	1276	1244	1310
	Percent	23.6%	23.5%	22.7%	22.2%	20.7%	21.8%	19.4%	18.8%	18.6%	17.6%	18.4%
75-84	Number	1691	1682	1745	1881	2018	1989	1991	2139	2061	2096	2039
	Percent	26.7%	26.8%	26.8%	28.9%	30.7%	29.8%	29.0%	30.1%	30.0%	29.7%	28.6%
85+	Number	1323	1366	1451	1444	1467	1546	1727	1702	1686	1781	1812
	Percent	20.9%	21.7%	22.3%	22.2%	22.3%	23.2%	25.1%	23.9%	24.6%	25.2%	25.4%

Notes:

1. Hispanic population numbers are based on U.S. Census estimates. Because of the small numbers of Hispanic deaths and the resulting variability in annual mortality rates, Hispanic mortality rates should be interpreted with caution.
2. *Age-Adjusted Death Rate per 100,000, adjusted to 2000 U.S. Standard Population.

Sources:

Delaware Health Statistics Center
U.S. Census

NDRTREND

TABLE F-7
NUMBER OF DEATHS AND MEDIAN AGE AT DEATH BY SEX
FOR TWENTY LEADING CAUSES, ALCOHOL-INDUCED DEATHS, AND DRUG-INDUCED DEATHS
DELAWARE, 2004

Cause of Death ¹	Deaths		Median Age at Death	
	Number	Percent	Male	Female
All causes	7,124	100.0	73	79
Diseases of heart	2,011	28.2	75	84
Malignant neoplasms	1,822	25.6	71	73
Cerebrovascular diseases	348	4.9	78	83
Chronic lower respiratory diseases	345	4.8	76	79
Accidents (unintentional injuries)	290	4.1	43	54
Diabetes mellitus	211	3.0	75	77
Alzheimer's disease	153	2.1	85	86
Influenza & pneumonia	144	2.0	82	83
Nephritis, nephrotic syndrome & nephrosis	128	1.8	80	81
Septicemia	121	1.7	75	79
Other diseases of respiratory system	93	1.3	74	76
Intentional self-harm (suicide)	93	1.3	45	45
Other diseases of circulatory system	81	1.1	77	84
Chronic liver disease & cirrhosis	77	1.1	58	64
Essential (primary) hypertension & hypertensive renal disease	75	1.1	76	83
Human immunodeficiency virus (HIV) disease	58	0.8	49	45
Pneumonitis due to solids & liquids	55	0.8	83	84
Parkinson's disease	46	0.6	81	78
Certain conditions originating in the perinatal period	46	0.6	0	0
Assault (homicide)	35	0.5	24	37
Alcohol-induced deaths²	53	0.7	54	55
Drug-induced deaths²	92	1.3	38	45

Notes:


1. Classified according to ICD-10 Codes, Tenth Revision. See Appendix E for listing of ICD-10 Codes.
2. Included in selected categories.

Source:

Delaware Health Statistics Center


LCODARBS

Figure F-1
Leading Causes of Death
Delaware, 2004



Source:
Delaware Health Statistics Center

Figure F-2
Five-year Age-adjusted Mortality Rates for Drug- and Alcohol-Induced Deaths
Delaware, 1990-2004



Source: Delaware Health Statistics Center

TABLE F-8
LEADING CAUSES OF DEATH
COUNTIES AND CITY OF WILMINGTON, 2000-2004

Kent

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1659	30.1
Malignant neoplasms	1325	24.1
Cerebrovascular diseases	292	5.3
Chronic Lower Respiratory Diseases	278	5.0
Accidents (unintentional injuries)	243	4.4
Diabetes mellitus	166	3.0
Influenza and pneumonia	144	2.6
Nephritis, nephrotic syndrome, and nephrosis	118	2.1
Septicemia	110	2.0
Chronic liver disease and cirrhosis	74	1.3
Alzheimers Disease	72	1.3
Intentional self-harm (suicide)	68	1.2
Certain conditions originating in the perinatal period	56	1.0
Aortic aneurysm and dissection	56	1.0
Human immunodeficiency virus (HIV)	33	0.6
Assault (homicide)	14	0.3
All other causes	797	14.5
Total	5505	100

New Castle

Cause of Death*	Deaths	
	#	%
Diseases of the heart	5733	27.8
Malignant neoplasms	4941	24.0
Cerebrovascular diseases	1242	6.0
Chronic Lower Respiratory Diseases	956	4.6
Accidents (unintentional injuries)	815	4.0
Diabetes mellitus	630	3.1
Alzheimers Disease	422	2.0
Influenza and pneumonia	417	2.0
Septicemia	399	1.9
Nephritis, nephrotic syndrome, and nephrosis	330	1.6
Intentional self-harm (suicide)	284	1.4
Human immunodeficiency virus (HIV)	277	1.3
Chronic liver disease and cirrhosis	237	1.1
period	216	1.0
Aortic aneurysm and dissection	139	0.7
Assault (homicide)	119	0.6
All other causes	3459	16.8
Total	20616	100

City of Wilmington

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1129	27.7
Malignant neoplasms	813	19.9
Cerebrovascular diseases	261	6.4
Chronic Lower Respiratory Diseases	181	4.4
Human immunodeficiency virus (HIV)	168	4.1
Diabetes mellitus	146	3.6
Accidents (unintentional injuries)	142	3.5
Nephritis, nephrotic syndrome, and nephrosis	81	2.0
Septicemia	81	2.0
Influenza and pneumonia	77	1.9
Alzheimers Disease	64	1.6
Assault (homicide)	52	1.3
Certain conditions originating in the perinatal period	51	1.3
Chronic liver disease and cirrhosis	45	1.1
Intentional self-harm (suicide)	43	1.1
Aortic aneurysm and dissection	27	0.7
All other causes	719	17.6
Total	4080	100.0

Sussex

Cause of Death*	Deaths	
	#	%
Diseases of the heart	2577	28.9
Malignant neoplasms	2287	25.7
Chronic Lower Respiratory Diseases	446	5.0
Cerebrovascular diseases	442	5.0
Accidents (unintentional injuries)	388	4.4
Influenza and pneumonia	287	3.2
Diabetes mellitus	279	3.1
Alzheimers Disease	181	2.0
Nephritis, nephrotic syndrome, and nephrosis	146	1.6
Septicemia	145	1.6
Chronic liver disease and cirrhosis	103	1.2
Intentional self-harm (suicide)	101	1.1
Aortic aneurysm and dissection	68	0.8
period	43	0.5
Human immunodeficiency virus (HIV)	33	0.4
Assault (homicide)	19	0.2
All other causes	1371	15.4
Total	8916	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODCTW

TABLE F-9
TEN LEADING CAUSES OF DEATH BY SEX AND RACE GROUP
DELAWARE, 2000-2004

All Races, Male

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4929	28.5
Malignant neoplasms	4465	25.8
Accidents (unintentional injuries)	921	5.3
Chronic Lower Respiratory Diseases	774	4.5
Cerebrovascular diseases	773	4.5
Diabetes mellitus	505	2.9
Influenza and pneumonia	395	2.3
Intentional self-harm (suicide)	353	2.0
Nephritis, nephrotic syndrome, and nephrosis	315	1.8
Septicemia	292	1.7
All other causes	3587	20.7
Total	17309	100.0

All Races, Female

Cause of Death*	Deaths	
	#	%
Diseases of the heart	5040	28.4
Malignant neoplasms	4088	23.1
Cerebrovascular diseases	1203	6.8
Chronic Lower Respiratory Diseases	906	5.1
Diabetes mellitus	570	3.2
Accidents (unintentional injuries)	525	3.0
Alzheimers Disease	474	2.7
Influenza and pneumonia	453	2.6
Septicemia	362	2.0
Nephritis, nephrotic syndrome, and nephrosis	279	1.6
All other causes	3828	21.6
Total	17728	100.0

White, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	8401	29.0
Malignant neoplasms	7191	24.9
Cerebrovascular diseases	1637	5.7
Chronic Lower Respiratory Diseases	1492	5.2
Accidents (unintentional injuries)	1185	4.1
Diabetes mellitus	796	2.8
Influenza and pneumonia	746	2.6
Alzheimers Disease	612	2.1
Septicemia	522	1.8
Nephritis, nephrotic syndrome, and nephrosis	450	1.6
All other causes	5888	20.4
Total	28920	100.0

Black, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1508	25.7
Malignant neoplasms	1297	22.1
Cerebrovascular diseases	326	5.6
Human immunodeficiency virus (HIV)	265	4.5
Diabetes mellitus	263	4.5
Accidents (unintentional injuries)	252	4.3
Chronic Lower Respiratory Diseases	177	3.0
Certain conditions originating in the perinatal period	147	2.5
Nephritis, nephrotic syndrome, and nephrosis	139	2.4
Septicemia	129	2.2
All other causes	1364	23.2
Total	5867	100.0

LCODMFV

Hispanic, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	92	18.0
Malignant neoplasms	78	15.2
Accidents (unintentional injuries)	77	15.0
Certain conditions originating in the perinatal	30	5.9
Cerebrovascular diseases	21	4.1
Diabetes mellitus	16	3.1
Chronic Lower Respiratory Diseases	14	2.7
Intentional self-harm (suicide)	14	2.7
Assault (homicide)	14	2.7
Chronic liver disease and cirrhosis	12	2.3
All other causes	144	28.1
Total	512	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

TABLE F-10
TEN LEADING CAUSES OF DEATH BY RACE-SEX GROUP
DELAWARE, 2000-2004

White Male

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4152	29.3
Malignant neoplasms	3768	26.6
Accidents (unintentional injuries)	744	5.3
Chronic Lower Respiratory Diseases	661	4.7
Cerebrovascular diseases	648	4.6
Diabetes mellitus	384	2.7
Influenza and pneumonia	334	2.4
Intentional self-harm (suicide)	316	2.2
Nephritis, nephrotic syndrome, and nephrosis	240	1.7
Septicemia	234	1.7
All other causes	2677	18.9
Total	14158	100.0

White Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4249	28.8
Malignant neoplasms	3423	23.2
Cerebrovascular diseases	989	6.7
Chronic Lower Respiratory Diseases	831	5.6
Accidents (unintentional injuries)	441	3.0
Alzheimers Disease	432	2.9
Diabetes mellitus	412	2.8
Influenza and pneumonia	412	2.8
Septicemia	288	2.0
Nephritis, nephrotic syndrome, and nephrosis	210	1.4
All other causes	3075	20.8
Total	####	####

Black Males

Cause of Death*	Deaths	
	#	%
Diseases of the heart	746	24.7
Malignant neoplasms	664	22.0
Human immunodeficiency virus (HIV)	178	5.9
Accidents (unintentional injuries)	171	5.7
Cerebrovascular diseases	119	3.9
Diabetes mellitus	113	3.7
Chronic Lower Respiratory Diseases	105	3.5
Certain conditions originating in the perinatal period	83	2.7
Nephritis, nephrotic syndrome, and nephrosis	73	2.4
Assault (homicide)	72	2.4
All other causes	698	23.1
Total	3022	100.0

Black Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	762	26.8
Malignant neoplasms	633	22.2
Cerebrovascular diseases	207	7.3
Diabetes mellitus	150	5.3
Human immunodeficiency virus (HIV)	87	3.1
Accidents (unintentional injuries)	81	2.8
Chronic Lower Respiratory Diseases	72	2.5
Septicemia	72	2.5
Nephritis, nephrotic syndrome, and nephrosis	66	2.3
Certain conditions originating in the perinatal period	64	2.2
All other causes	651	22.9
Total	2845	100.0

Hispanic Males

Cause of Death*	Deaths	
	#	%
Accidents (unintentional injuries)	64	21.3
Diseases of the heart	49	16.3
Malignant neoplasms	39	13.0
Certain conditions originating in the perinatal period	18	6.0
Intentional self-harm (suicide)	14	4.7
Assault (homicide)	13	4.3
Cerebrovascular diseases	12	4.0
Human immunodeficiency virus (HIV)	8	2.7
Diabetes mellitus	6	2.0
Chronic liver disease and cirrhosis	6	2.0
All other causes	71	23.7
Total	300	100.0

Hispanic Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	43	20.3
Malignant neoplasms	39	18.4
Accidents (unintentional injuries)	13	6.1
Certain conditions originating in the perinatal period	12	5.7
Diabetes mellitus	10	4.7
Cerebrovascular diseases	9	4.2
Chronic Lower Respiratory Diseases	9	4.2
Influenza and pneumonia	6	2.8
Chronic liver disease and cirrhosis	6	2.8
Septicemia	5	2.4
All other causes	60	28.3
Total	212	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODRCS

TABLE F-11
TEN LEADING CAUSES OF DEATH BY AGE
DELAWARE, 2000-2004

1-4 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	20	26.7
Congenital malformations and abnormalities	10	13.3
Malignant neoplasms	10	13.3
Other symptoms and abnormal clinical findings	7	9.3
Diseases of the heart	5	6.7
Influenza and pneumonia	4	5.3
All other diseases of the respiratory system	2	2.7
Diseases of the digestive system	2	2.7
Septicemia	1	1.3
Assault (homicide)	1	1.3
All other causes	13	17.3
Total	75	100.0

5-14 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	36	35.3
Malignant neoplasms	14	13.7
Assault (homicide)	6	5.9
Diseases of the heart	4	3.9
Intentional self-harm (suicide)	4	3.9
Chronic Lower Respiratory Diseases	3	2.9
Septicemia	3	2.9
Influenza and pneumonia	2	2.0
Cerebrovascular diseases	1	1.0
Certain conditions originating in the perinatal period	1	1.0
All other causes	28	27.5
Total	102	100

15-24 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	236	52.0
Assault (homicide)	55	12.1
Intentional self-harm (suicide)	50	11.0
Malignant neoplasms	23	5.1
Diseases of the heart	18	4.0
Chronic Lower Respiratory Diseases	5	1.1
Cerebrovascular diseases	2	0.4
Diabetes mellitus	2	0.4
Influenza and pneumonia	2	0.4
Nephritis, nephrotic syndrome, and nephrosis	2	0.4
All other causes	59	13.0
Total	454	100

25-44 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	427	21.0
Malignant neoplasms	294	14.5
Diseases of the heart	283	13.9
Intentional self-harm (suicide)	171	8.4
Human immunodeficiency virus (HIV)	167	8.2
Chronic liver disease and cirrhosis	57	2.8
Assault (homicide)	55	2.7
Diabetes mellitus	50	2.5
Cerebrovascular diseases	41	2.0
Chronic Lower Respiratory Diseases	29	1.4
All other causes	458	22.5
Total	2032	100

45-64 Years

Cause of Death*	Deaths	
	Number	Percent
Malignant neoplasms	2171	34.3
Diseases of the heart	1474	23.3
Accidents (unintentional injuries)	282	4.5
Diabetes mellitus	231	3.7
Chronic Lower Respiratory Diseases	219	3.5
Cerebrovascular diseases	197	3.1
Chronic liver disease and cirrhosis	190	3.0
Intentional self-harm (suicide)	164	2.6
Human immunodeficiency virus (HIV)	159	2.5
Septicemia	118	1.9
All other causes	1118	17.7
Total	6323	100

65+ Years

Cause of Death*	Deaths	
	Number	Percent
Diseases of the heart	8176	32.0
Malignant neoplasms	6039	23.7
Cerebrovascular diseases	1732	6.8
Chronic Lower Respiratory Diseases	1424	5.6
Diabetes mellitus	792	3.1
Influenza and pneumonia	751	2.9
Alzheimers Disease	668	2.6
Septicemia	500	2.0
Nephritis, nephrotic syndrome, and nephrosis	482	1.9
Accidents (unintentional injuries)	435	1.7
All other causes	4534	17.8
Total	25533	100

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODAGE

TABLE F-12
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	2011	2	1	1	1	0	2	14	47	125	193	356	1269
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	9	0	0	0	0	0	0	0	0	0	1	2	6
Hypertensive heart disease (I11)	95	0	0	0	0	0	0	1	3	10	6	12	63
Hypertensive heart and renal disease (I13)	9	0	0	0	0	0	0	0	1	2	0	2	4
Ischemic heart disease (I20-I25)	1404	0	0	0	0	0	0	6	24	79	147	258	890
All other forms of heart disease (I26-I51)	494	2	1	1	1	0	2	7	19	34	39	82	306
Malignant Neoplasms (C00-C97)	1822	1	4	2	0	1	1	8	46	146	335	485	793
Malignant neoplasms of lip, oral and pharynx (C00-C14)	24	0	0	0	0	0	0	0	1	4	7	6	6
Malignant neoplasms of digestive organs (C15-C26)	384	0	1	0	0	0	0	2	7	31	72	101	170
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	610	1	0	0	0	0	0	1	14	55	117	198	224
Malignant neoplasms of breast (C50)	132	0	0	0	0	0	0	0	9	16	26	25	56
Malignant neoplasms of female genital organs, (C51-C58)	96	0	0	0	0	0	0	1	3	10	23	24	35
Malignant neoplasms of male genital organs, (C60-C63)	106	0	0	0	0	0	0	0	0	2	9	23	72
Malignant neoplasms of urinary tract (C64-C68)	98	0	0	0	0	0	0	0	2	5	15	18	58
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	33	0	2	1	0	0	1	1	4	5	7	6	6
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	166	0	1	0	0	1	0	1	3	9	26	41	84
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	173	0	0	1	0	0	0	2	3	9	33	43	82
Cerebrovascular Diseases (I60-I69)	348	1	1	1	0	0	0	0	6	13	19	59	248

TABLE F-12 (continued)
(2002 - DE, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	345	0	0	0	0	0	0	2	5	7	28	90	213
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	290	1	6	4	4	24	28	32	44	32	20	16	79
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2])	137	0	2	0	4	22	16	14	27	17	8	8	19
Nontransport Accidents (W00-X59, Y86)	147	1	4	4	0	2	12	14	15	15	12	8	60
Diabetes Mellitus (E10-E14)	211	0	0	0	0	0	1	1	7	13	23	53	113
Influenza and pneumonia (J10-J18)	144	1	1	1	0	0	0	3	0	5	7	25	101
Alzheimer's Disease (G30)	153	0	0	0	0	0	0	0	0	0	0	11	142
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	128	0	0	0	0	0	0	0	2	6	10	26	84
Septicemia (A40-A41)	121	2	0	0	0	0	0	0	5	9	11	22	72
Intentional self-harm (suicide) (X60-X84, Y87.0)	93	0	0	0	1	2	4	16	21	24	12	7	6
Chronic liver disease and Cirrhosis (K70, K73-K74)	77	0	0	0	0	0	0	0	10	17	20	16	14
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	75	0	0	0	0	0	0	0	1	3	5	9	57
Aortic aneurysm and dissection (I71)	43	0	0	0	0	0	0	0	1	4	4	5	29
Assault (homicide) (X85-Y09, Y87.1)	35	0	0	1	1	7	9	7	5	3	1	1	0
Human immunodeficiency virus (HIV) (B20-B24)	58	0	0	0	0	0	0	3	18	24	9	2	2
Certain conditions originating in the perinatal period (P00-P96)	46	46	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	30	14	5	3	1	0	1	2	1	2	0	1	0
All Other Causes	1100	29	1	3	1	6	11	30	56	98	110	126	627
TOTAL	7124	97	19	16	9	40	57	114	273	531	807	1310	3849

LCDAGEDE

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-13
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
KENT, 2004
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	345	1	0	0	0	0	0	4	8	18	44	75	195
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	19	0	0	0	0	0	0	1	0	2	1	2	13
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	0	0	0	0	1	2
Ischemic heart disease (I20-I25)	246	0	0	0	0	0	0	3	6	12	35	53	137
All other forms of heart disease (I26-I51)	77	1	0	0	0	0	0	0	2	4	8	19	43
Malignant Neoplasms (C00-C97)	298	1	1	0	0	0	0	2	9	19	71	94	101
Malignant neoplasms of lip, oral and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	0	1	3	0
Malignant neoplasms of digestive organs (C15-C26)	62	0	0	0	0	0	0	1	2	6	15	18	20
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	96	1	0	0	0	0	0	0	2	8	25	33	27
Malignant neoplasms of breast (C50)	21	0	0	0	0	0	0	0	1	2	5	7	6
Malignant neoplasms of female genital organs, (C51-C58)	15	0	0	0	0	0	0	0	1	1	4	5	4
Malignant neoplasms of male genital organs, (C60-C63)	16	0	0	0	0	0	0	0	0	0	3	4	9
Malignant neoplasms of urinary tract (C64-C68)	15	0	0	0	0	0	0	0	1	0	2	3	9
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	5	0	0	0	0	0	0	0	2	0	1	1	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	27	0	1	0	0	0	0	0	0	0	5	5	16
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	37	0	0	0	0	0	0	1	0	2	10	15	9
Cerebrovascular Diseases (I60-I69)	45	0	0	0	0	0	0	0	1	1	2	7	34

TABLE F-13 (continued)
(2004 - Kent, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	71	0	0	0	0	0	0	0	0	1	4	23	43
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	24	0	0	0	0	0	0	0	1	5	4	3	11
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	34	0	0	0	1	4	5	5	5	4	3	1	6
Nontransport Accidents (W00-X59, Y86)	22	0	1	1	0	0	4	2	1	0	2	3	8
Diabetes Mellitus (E10-E14)	39	0	0	0	0	0	0	0	2	3	5	10	19
Influenza and pneumonia (J10-J18)	27	0	0	0	0	0	0	0	0	2	2	6	17
Alzheimer's Disease (G30)	18	0	0	0	0	0	0	0	0	0	0	2	16
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	26	0	0	0	0	0	0	0	0	3	2	5	16
Septicemia (A40-A41)	24	0	0	0	0	0	0	0	1	5	4	3	11
Intentional self-harm (suicide) (X60-X84, Y87.0)	10	0	0	0	0	0	0	2	3	0	1	2	2
Chronic liver disease and Cirrhosis (K70, K73-K74)	10	0	0	0	0	0	0	0	3	2	1	2	2
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	12	0	0	0	0	0	0	0	0	0	1	1	10
Aortic aneurysm and dissection (I71)	9	0	0	0	0	0	0	0	0	0	0	2	7
Assault (homicide) (X85-Y09, Y87.1)	4	0	0	0	0	1	0	0	2	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	8	0	0	0	0	0	0	1	1	3	1	1	1
Certain conditions originating in the perinatal period (P00-P96)	8	8	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	6	4	1	0	0	0	0	0	0	0	0	1	0
All Other Causes	138	3	0	0	0	0	1	8	9	11	13	21	72
TOTAL	1154	17	3	1	1	5	10	24	45	72	156	260	560

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGEKT

TABLE F-14
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
NEW CASTLE, 2004
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1144	1	1	1	0	0	2	7	27	80	111	173	741
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	7	0	0	0	0	0	0	0	0	0	1	1	5
Hypertensive heart disease (I11)	54	0	0	0	0	0	0	0	2	7	5	7	33
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	0	1	1	0	1	1
Ischemic heart disease (I20-I25)	779	0	0	0	0	0	0	2	11	49	80	126	511
All other forms of heart disease (I26-I51)	300	1	1	1	0	0	2	5	13	23	25	38	191
Malignant Neoplasms (C00-C97)	1021	0	2	2	0	1	1	5	29	91	165	247	478
Malignant neoplasms of lip, oral and pharynx (C00-C14)	12	0	0	0	0	0	0	0	0	1	3	2	6
Malignant neoplasms of digestive organs (C15-C26)	223	0	1	0	0	0	0	1	4	21	41	56	99
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	321	0	0	0	0	0	0	1	11	26	56	98	129
Malignant neoplasms of breast (C50)	87	0	0	0	0	0	0	0	8	12	18	12	37
Malignant neoplasms of female genital organs, (C51-C58)	50	0	0	0	0	0	0	1	0	8	8	12	21
Malignant neoplasms of male genital organs, (C60-C63)	58	0	0	0	0	0	0	0	0	1	2	12	43
Malignant neoplasms of urinary tract (C64-C68)	57	0	0	0	0	0	0	0	1	2	7	10	37
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	20	0	1	1	0	0	1	1	1	4	5	3	3
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	98	0	0	0	0	1	0	1	2	9	11	24	50
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	95	0	0	1	0	0	0	0	2	7	14	18	53
Cerebrovascular Diseases (I60-I69)	230	1	1	1	0	0	0	0	4	7	13	37	166

TABLE F-14 (continued)
(2004 - New Castle, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	192	0	0	0	0	0	0	1	3	4	16	46	122
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	148	1	4	3	2	10	12	14	26	16	10	9	41
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	55	0	1	0	2	9	8	4	14	6	2	5	4
Nontransport Accidents (W00-X59, Y86)	90	1	3	3	0	1	4	8	11	10	8	4	37
Diabetes Mellitus (E10-E14)	124	0	0	0	0	0	1	1	4	8	10	27	73
Influenza and pneumonia (J10-J18)	63	0	1	1	0	0	0	1	0	1	2	10	47
Alzheimer's Disease (G30)	75	0	0	0	0	0	0	0	0	0	0	4	71
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	78	0	0	0	0	0	0	0	2	3	6	12	55
Septicemia (A40-A41)	69	2	0	0	0	0	0	0	2	4	6	15	40
Intentional self-harm (suicide) (X60-X84, Y87.0)	64	0	0	0	1	2	3	13	16	15	7	4	3
Chronic liver disease and Cirrhosis (K70, K73-K74)	50	0	0	0	0	0	0	0	5	11	14	9	11
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	48	0	0	0	0	0	0	0	1	3	3	6	35
Aortic aneurysm and dissection (I71)	20	0	0	0	0	0	0	0	1	1	1	2	15
Assault (homicide) (X85-Y09, Y87.1)	30	0	0	1	1	6	8	7	3	3	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	46	0	0	0	0	0	0	2	16	20	6	1	1
Certain conditions originating in the perinatal period (P00-P96)	30	30	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	17	7	2	3	1	0	1	1	1	1	0	0	0
All Other Causes	700	18	0	2	0	4	10	17	40	68	73	62	404
TOTAL	4146	60	11	14	5	23	38	67	179	336	444	664	2303

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

LCDAGENC

TABLE F-15
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
CITY OF WILMINGTON, 2004
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	217	1	0	0	0	0	1	0	8	14	21	40	132
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	0	0	0	1	0	3
Hypertensive heart disease (I11)	16	0	0	0	0	0	0	0	1	0	1	1	13
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	0	0	1	0	1	1
Ischemic heart disease (I20-I25)	142	0	0	0	0	0	0	0	4	9	14	30	85
All other forms of heart disease (I26-I51)	52	1	0	0	0	0	1	0	3	4	5	8	30
Malignant Neoplasms (C00-C97)	150	0	0	0	0	0	0	0	2	22	33	31	62
Malignant neoplasms of lip, oral and pharynx (C00-C14)	2	0	0	0	0	0	0	0	0	0	2	0	0
Malignant neoplasms of digestive organs (C15-C26)	37	0	0	0	0	0	0	0	0	8	8	8	13
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	49	0	0	0	0	0	0	0	0	9	11	14	15
Malignant neoplasms of breast (C50)	16	0	0	0	0	0	0	0	2	1	3	1	9
Malignant neoplasms of female genital organs, (C51-C58)	6	0	0	0	0	0	0	0	0	1	2	2	1
Malignant neoplasms of male genital organs, (C60-C63)	4	0	0	0	0	0	0	0	0	0	0	0	4
Malignant neoplasms of urinary tract (C64-C68)	13	0	0	0	0	0	0	0	0	1	4	1	7
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	2	0	0	0	0	0	0	0	0	1	0	0	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	10	0	0	0	0	0	0	0	0	0	2	2	6
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	11	0	0	0	0	0	0	0	0	1	1	3	6
Cerebrovascular Diseases (I60-I69)	60	0	0	0	0	0	0	0	1	3	6	12	38

TABLE F-15 (continued)
(2004 - City of Wilmington, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	37	0	0	0	0	0	0	1	1	2	1	6	26
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	30	0	0	1	1	3	1	5	4	3	3	2	7
Motor Vehicle Accidents (V02-V04, V09.0-V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	11	0	0	0	1	2	1	2	2	1	1	0	1
Nontransport Accidents (W00-X59, Y86)	19	0	0	1	0	1	0	3	2	2	2	2	6
Diabetes Mellitus (E10-E14)	28	0	0	0	0	0	0	0	1	1	4	3	19
Influenza and pneumonia (J10-J18)	8	0	0	0	0	0	0	0	0	0	0	4	4
Alzheimer's Disease (G30)	11	0	0	0	0	0	0	0	0	0	0	1	10
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	16	0	0	0	0	0	0	0	1	1	0	3	11
Septicemia (A40-A41)	10	0	0	0	0	0	0	0	0	0	0	5	5
Intentional self-harm (suicide) (X60-X84, Y87.0)	11	0	0	0	0	0	0	4	0	3	1	2	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	8	0	0	0	0	0	0	0	1	1	3	1	2
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	16	0	0	0	0	0	0	0	1	1	3	3	8
Aortic aneurysm and dissection (I71)	6	0	0	0	0	0	0	0	1	0	1	1	3
Assault (homicide) (X85-Y09, Y87.1)	13	0	0	0	1	2	5	3	0	1	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	25	0	0	0	0	0	0	1	9	12	1	1	1
Certain conditions originating in the perinatal period (P00-P96)	7	7	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	3	1	1	1	0	0	0	0	0	0	0	0	0
All Other Causes	126	3	0	0	0	0	0	4	8	19	20	14	56
TOTAL	782	12	1	2	2	5	7	18	38	83	98	129	385

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

LCDAGEWLM

TABLE F-16
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
SUSSEX, 2004
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	522	0	0	0	1	0	0	3	12	27	38	108	333
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	1	1
Hypertensive heart disease (I11)	22	0	0	0	0	0	0	0	1	1	0	3	17
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	1	0	0	1
Ischemic heart disease (I20-I25)	379	0	0	0	0	0	0	1	7	18	32	79	242
All other forms of heart disease (I26-I51)	117	0	0	0	1	0	0	2	4	7	6	25	72
Malignant Neoplasms (C00-C97)	503	0	1	0	0	0	0	1	8	36	99	144	214
Malignant neoplasms of lip, oral and pharynx (C00-C14)	8	0	0	0	0	0	0	0	1	3	3	1	0
Malignant neoplasms of digestive organs (C15-C26)	99	0	0	0	0	0	0	0	1	4	16	27	51
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	193	0	0	0	0	0	0	0	1	21	36	67	68
Malignant neoplasms of breast (C50)	24	0	0	0	0	0	0	0	0	2	3	6	13
Malignant neoplasms of female genital organs, (C51-C58)	31	0	0	0	0	0	0	0	2	1	11	7	10
Malignant neoplasms of male genital organs, (C60-C63)	32	0	0	0	0	0	0	0	0	1	4	7	20
Malignant neoplasms of urinary tract (C64-C68)	26	0	0	0	0	0	0	0	0	3	6	5	12
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	8	0	1	0	0	0	0	0	1	1	1	2	2
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	41	0	0	0	0	0	0	0	1	0	10	12	18
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	41	0	0	0	0	0	0	1	1	0	9	10	20
Cerebrovascular Diseases (I60-I69)	73	0	0	0	0	0	0	0	1	5	4	15	48

TABLE F-16 (continued)
(2004 - Sussex, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	82	0	0	0	0	0	0	1	2	2	8	21	48
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	86	0	1	0	1	10	7	11	12	12	5	3	24
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	48	0	1	0	1	9	3	5	8	7	3	2	9
Nontransport Accidents (W00-X59, Y86)	35	0	0	0	0	1	4	4	3	5	2	1	15
Diabetes Mellitus (E10-E14)	48	0	0	0	0	0	0	0	1	2	8	16	21
Influenza and pneumonia (J10-J18)	54	1	0	0	0	0	0	2	0	2	3	9	37
Alzheimer's Disease (G30)	60	0	0	0	0	0	0	0	0	0	0	5	55
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	24	0	0	0	0	0	0	0	0	0	2	9	13
Septicemia (A40-A41)	28	0	0	0	0	0	0	0	2	0	1	4	21
Intentional self-harm (suicide) (X60-X84, Y87.0)	19	0	0	0	0	0	1	1	2	9	4	1	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	17	0	0	0	0	0	0	0	2	4	5	5	1
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	15	0	0	0	0	0	0	0	0	0	1	2	12
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	0	0	3	3	1	7
Assault (homicide) (X85-Y09, Y87.1)	1	0	0	0	0	0	1	0	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	4	0	0	0	0	0	0	0	1	1	2	0	0
Certain conditions originating in the perinatal period (P00-P96)	8	8	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	7	3	2	0	0	0	0	1	0	1	0	0	0
All Other Causes	262	8	1	1	1	2	0	5	7	19	24	43	151
TOTAL	1824	20	5	1	3	12	9	23	49	123	207	386	986

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGESX

TABLE F-17
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(ALL RACES, MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1030	2	0	0	0	0	1	9	31	85	130	239	533
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	0	2
Hypertensive heart disease (I11)	28	0	0	0	0	0	0	0	3	4	3	6	12
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	0	1	2	0	0	0
Ischemic heart disease (I20-I25)	755	0	0	0	0	0	0	4	15	56	106	183	391
All other forms of heart disease (I26-I51)	242	2	0	0	0	0	1	5	12	23	21	50	128
Malignant Neoplasms (C00-C97)	965	0	0	1	0	1	1	4	21	73	186	275	403
Malignant neoplasms of lip, oral and pharynx (C00-C14)	18	0	0	0	0	0	0	0	1	3	6	6	2
Malignant neoplasms of digestive organs (C15-C26)	219	0	0	0	0	0	0	2	5	18	45	63	86
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	352	0	0	0	0	0	0	0	12	34	69	109	128
Malignant neoplasms of breast (C50)	1	0	0	0	0	0	0	0	0	0	0	0	1
Malignant neoplasms of male genital organs, (C60-C63)	106	0	0	0	0	0	0	0	0	2	9	23	72
Malignant neoplasms of urinary tract (C64-C68)	65	0	0	0	0	0	0	0	0	3	14	15	33
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	19	0	0	1	0	0	1	0	2	4	7	2	2
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	90	0	0	0	0	1	0	1	0	3	16	26	43
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	95	0	0	0	0	0	0	1	1	6	20	31	36
Cerebrovascular Diseases (I60-I69)	141	1	0	1	0	0	0	0	2	6	14	30	87

TABLE F-17 (continued)
(2004 - All Races, Male)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	170	0	0	0	0	0	0	2	4	3	17	47	97
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	179	0	2	1	1	16	21	22	35	21	15	9	36
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	90	0	0	0	1	14	11	10	23	11	5	5	10
Nontransport Accidents (W00-X59, Y86)	85	0	2	1	0	2	10	10	10	10	10	4	26
Diabetes Mellitus (E10-E14)	106	0	0	0	0	0	0	0	5	5	11	30	55
Influenza and pneumonia (J10-J18)	76	1	1	0	0	0	0	3	0	4	5	9	53
Alzheimer's Disease (G30)	44	0	0	0	0	0	0	0	0	0	0	3	41
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	70	0	0	0	0	0	0	0	1	3	6	16	44
Septicemia (A40-A41)	59	2	0	0	0	0	0	0	2	5	6	12	32
Intentional self-harm (suicide) (X60-X84, Y87.0)	70	0	0	0	1	2	4	14	12	19	12	3	3
Chronic liver disease and Cirrhosis (K70, K73-K74)	45	0	0	0	0	0	0	0	7	11	13	7	7
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	29	0	0	0	0	0	0	0	1	1	3	7	17
Aortic aneurysm and dissection (I71)	24	0	0	0	0	0	0	0	1	3	3	5	12
Assault (homicide) (X85-Y09, Y87.1)	28	0	0	0	1	6	8	7	3	2	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	36	0	0	0	0	0	0	0	10	17	7	1	1
Certain conditions originating in the perinatal period (P00-P96)	22	22	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	17	8	4	1	1	0	0	1	1	0	0	1	0
All Other Causes	500	17	1	2	0	2	6	16	33	64	60	64	233
TOTAL	3607	53	8	6	4	27	41	76	167	322	489	758	1654

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

LCDAGMAL

TABLE F-18
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(ALL RACES, FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	981	0	1	1	1	0	1	5	16	40	63	117	736
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	7	0	0	0	0	0	0	0	0	0	1	2	4
Hypertensive heart disease (I11)	67	0	0	0	0	0	0	1	0	6	3	6	51
Hypertensive heart and renal disease (I13)	6	0	0	0	0	0	0	0	0	0	0	2	4
Ischemic heart disease (I20-I25)	649	0	0	0	0	0	0	2	9	23	41	75	499
All other forms of heart disease (I26-I51)	252	0	1	1	1	0	1	2	7	11	18	32	178
Malignant Neoplasms (C00-C97)	857	1	4	1	0	0	0	4	25	73	149	210	390
Malignant neoplasms of lip, oral and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	1	1	0	4
Malignant neoplasms of digestive organs (C15-C26)	165	0	1	0	0	0	0	0	2	13	27	38	84
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	258	1	0	0	0	0	0	1	2	21	48	89	96
Malignant neoplasms of breast (C50)	131	0	0	0	0	0	0	0	9	16	26	25	55
Malignant neoplasms of female genital organs, (C51-C58)	96	0	0	0	0	0	0	1	3	10	23	24	35
Malignant neoplasms of urinary tract (C64-C68)	33	0	0	0	0	0	0	0	2	2	1	3	25
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	14	0	2	0	0	0	0	1	2	1	0	4	4
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	76	0	1	0	0	0	0	0	3	6	10	15	41
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	78	0	0	1	0	0	0	1	2	3	13	12	46
Cerebrovascular Diseases (I60-I69)	207	0	1	0	0	0	0	0	4	7	5	29	161

TABLE F-18 (continued)
(2004 - All Races, Female)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	175	0	0	0	0	0	0	0	1	4	11	43	116
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	111	1	4	3	3	8	7	10	9	11	5	7	43
Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	47	0	2	0	3	8	5	4	4	6	3	3	9
Nontransport Accidents (W00-X59, Y86)	62	1	2	3	0	0	2	4	5	5	2	4	34
Diabetes Mellitus (E10-E14)	105	0	0	0	0	0	1	1	2	8	12	23	58
Influenza and pneumonia (J10-J18)	68	0	0	1	0	0	0	0	0	1	2	16	48
Alzheimer's Disease (G30)	109	0	0	0	0	0	0	0	0	0	0	8	101
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	58	0	0	0	0	0	0	0	1	3	4	10	40
Septicemia (A40-A41)	62	0	0	0	0	0	0	0	3	4	5	10	40
Intentional self-harm (suicide) (X60-X84, Y87.0)	23	0	0	0	0	0	0	2	9	5	0	4	3
Chronic liver disease and Cirrhosis (K70, K73-K74)	32	0	0	0	0	0	0	0	3	6	7	9	7
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	46	0	0	0	0	0	0	0	0	2	2	2	40
Aortic aneurysm and dissection (I71)	19	0	0	0	0	0	0	0	0	1	1	0	17
Assault (homicide) (X85-Y09, Y87.1)	7	0	0	1	0	1	1	0	2	1	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	22	0	0	0	0	0	0	3	8	7	2	1	1
Certain conditions originating in the perinatal period (P00-P96)	24	24	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	13	6	1	2	0	0	1	1	0	2	0	0	0
All Other Causes	600	12	0	1	1	4	5	14	23	34	50	62	394
TOTAL	3517	44	11	10	5	13	16	38	106	209	318	552	2195

LCDAGFEM

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

TABLE F-19
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(WHITE, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1670	2	1	0	1	0	1	8	28	91	141	282	1115
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	7	0	0	0	0	0	0	0	0	0	0	2	5
Hypertensive heart disease (I11)	68	0	0	0	0	0	0	0	2	8	3	7	48
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	0	0	0	0	1	3
Ischemic heart disease (I20-I25)	1183	0	0	0	0	0	0	4	15	58	109	209	788
All other forms of heart disease (I26-I51)	408	2	1	0	1	0	1	4	11	25	29	63	271
Malignant Neoplasms (C00-C97)	1545	0	2	2	0	1	1	7	38	103	275	402	714
Malignant neoplasms of lip, oral and pharynx (C00-C14)	18	0	0	0	0	0	0	0	1	4	4	3	6
Malignant neoplasms of digestive organs (C15-C26)	314	0	1	0	0	0	0	2	6	19	57	82	147
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	519	0	0	0	0	0	0	1	13	37	100	162	206
Malignant neoplasms of breast (C50)	110	0	0	0	0	0	0	0	5	13	20	23	49
Malignant neoplasms of female genital organs, (C51-C58)	76	0	0	0	0	0	0	1	1	7	18	17	32
Malignant neoplasms of male genital organs, (C60-C63)	87	0	0	0	0	0	0	0	0	1	7	16	63
Malignant neoplasms of urinary tract (C64-C68)	87	0	0	0	0	0	0	0	2	4	13	18	50
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	30	0	1	1	0	0	1	1	4	3	7	6	6
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	150	0	0	0	0	1	0	1	3	8	20	38	79
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	154	0	0	1	0	0	0	1	3	7	29	37	76
Cerebrovascular Diseases (I60-I69)	283	0	1	1	0	0	0	0	5	7	12	48	209

TABLE F-19 (continued)
(2004 - White, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	306	0	0	0	0	0	0	2	3	3	25	84	189
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	247	0	4	4	3	19	24	26	34	29	16	12	76
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	115	0	2	0	3	18	15	9	20	15	7	7	19
Nontransport Accidents (W00-X59, Y86)	127	0	2	4	0	1	9	13	13	14	9	5	57
Diabetes Mellitus (E10-E14)	153	0	0	0	0	0	1	1	4	7	18	38	84
Influenza and pneumonia (J10-J18)	123	0	1	1	0	0	0	2	0	5	6	20	88
Alzheimer's Disease (G30)	136	0	0	0	0	0	0	0	0	0	0	11	125
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	100	0	0	0	0	0	0	0	2	4	8	21	65
Septicemia (A40-A41)	101	1	0	0	0	0	0	0	3	7	10	19	61
Intentional self-harm (suicide) (X60-X84, Y87.0)	82	0	0	0	1	2	4	14	19	20	11	6	5
Chronic liver disease and Cirrhosis (K70, K73-K74)	64	0	0	0	0	0	0	0	5	13	18	15	13
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	49	0	0	0	0	0	0	0	0	1	2	5	41
Aortic aneurysm and dissection (I71)	33	0	0	0	0	0	0	0	0	2	2	4	25
Assault (homicide) (X85-Y09, Y87.1)	13	0	0	1	0	4	1	2	2	1	1	1	0
Human immunodeficiency virus (HIV) (B20-B24)	13	0	0	0	0	0	0	0	5	6	2	0	0
Certain conditions originating in the perinatal period (P00-P96)	21	21	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	21	10	2	1	1	0	1	2	1	2	0	1	0
All Other Causes	907	17	1	3	1	4	9	20	39	72	80	111	549
TOTAL	5862	51	12	13	7	30	42	80	187	373	627	1080	3359

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

LCDAGWHT

TABLE F-20
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(WHITE MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	851	2	0	0	0	0	0	5	19	62	95	191	477
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	0	0	2
Hypertensive heart disease (I11)	18	0	0	0	0	0	0	0	2	3	0	3	10
Hypertensive heart and renal disease (I13)	0	0	0	0	0	0	0	0	0	0	0	0	0
Ischemic heart disease (I20-I25)	635	0	0	0	0	0	0	3	9	43	78	152	350
All other forms of heart disease (I26-I51)	196	2	0	0	0	0	0	2	8	16	17	36	115
Malignant Neoplasms (C00-C97)	821	0	0	1	0	1	1	4	19	48	152	227	368
Malignant neoplasms of lip, oral and pharynx (C00-C14)	12	0	0	0	0	0	0	0	1	3	3	3	2
Malignant neoplasms of digestive organs (C15-C26)	180	0	0	0	0	0	0	2	4	13	35	49	77
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	299	0	0	0	0	0	0	0	11	21	57	91	119
Malignant neoplasms of breast (C50)	1	0	0	0	0	0	0	0	0	0	0	0	1
Malignant neoplasms of male genital organs, (C60-C63)	87	0	0	0	0	0	0	0	0	1	7	16	63
Malignant neoplasms of urinary tract (C64-C68)	57	0	0	0	0	0	0	0	0	2	12	15	28
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	17	0	0	1	0	0	1	0	2	2	7	2	2
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	83	0	0	0	0	1	0	1	0	2	12	25	42
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	85	0	0	0	0	0	0	1	1	4	19	26	34
Cerebrovascular Diseases (I60-I69)	118	0	0	1	0	0	0	0	2	4	8	25	78

TABLE F-20 (continued)
(2004 - White Males)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	148	0	0	0	0	0	0	2	3	1	16	43	83
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	150	0	1	1	0	12	17	19	26	19	12	7	36
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	73	0	0	0	0	11	10	8	16	10	4	4	10
Nontransport Accidents (W00-X59, Y86)	74	0	1	1	0	1	7	9	9	9	8	3	26
Diabetes Mellitus (E10-E14)	82	0	0	0	0	0	0	0	3	2	8	24	45
Influenza and pneumonia (J10-J18)	61	0	1	0	0	0	0	2	0	4	4	7	43
Alzheimer's Disease (G30)	40	0	0	0	0	0	0	0	0	0	0	3	37
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	58	0	0	0	0	0	0	0	1	2	5	15	35
Septicemia (A40-A41)	51	1	0	0	0	0	0	0	1	4	6	10	29
Intentional self-harm (suicide) (X60-X84, Y87.0)	62	0	0	0	1	2	4	13	10	16	11	2	3
Chronic liver disease and Cirrhosis (K70, K73-K74)	37	0	0	0	0	0	0	0	3	9	12	6	7
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	14	0	0	0	0	0	0	0	0	1	1	3	9
Aortic aneurysm and dissection (I71)	19	0	0	0	0	0	0	0	0	2	2	4	11
Assault (homicide) (X85-Y09, Y87.1)	10	0	0	0	0	3	1	2	2	1	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	0	2	4	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	9	9	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	11	5	1	1	1	0	0	1	1	0	0	1	0
All Other Causes	411	9	1	2	0	2	5	11	23	50	46	55	206
TOTAL	2957	26	4	6	2	20	28	57	114	229	380	623	1467

LCDAGEWM

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-21
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(WHITE FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	819	0	1	0	1	0	1	3	9	29	46	91	638
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	5	0	0	0	0	0	0	0	0	0	0	2	3
Hypertensive heart disease (I11)	50	0	0	0	0	0	0	0	0	5	3	4	38
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	0	0	0	0	1	3
Ischemic heart disease (I20-I25)	548	0	0	0	0	0	0	1	6	15	31	57	438
All other forms of heart disease (I26-I51)	212	0	1	0	1	0	1	2	3	9	12	27	156
Malignant Neoplasms (C00-C97)	724	0	2	1	0	0	0	3	19	55	123	175	346
Malignant neoplasms of lip, oral and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	1	1	0	4
Malignant neoplasms of digestive organs (C15-C26)	134	0	1	0	0	0	0	0	2	6	22	33	70
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	220	0	0	0	0	0	0	1	2	16	43	71	87
Malignant neoplasms of breast (C50)	109	0	0	0	0	0	0	0	5	13	20	23	48
Malignant neoplasms of female genital organs, (C51-C58)	76	0	0	0	0	0	0	1	1	7	18	17	32
Malignant neoplasms of urinary tract (C64-C68)	30	0	0	0	0	0	0	0	2	2	1	3	22
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	13	0	1	0	0	0	0	1	2	1	0	4	4
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	67	0	0	0	0	0	0	0	3	6	8	13	37
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	69	0	0	1	0	0	0	0	2	3	10	11	42
Cerebrovascular Diseases (I60-I69)	165	0	1	0	0	0	0	0	3	3	4	23	131

TABLE F-21 (continued)
(2004 - White Females)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	158	0	0	0	0	0	0	0	0	2	9	41	106
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	97	0	3	3	3	7	7	7	8	10	4	5	40
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	42	0	2	0	3	7	5	1	4	5	3	3	9
Nontransport Accidents (W00-X59, Y86)	53	0	1	3	0	0	2	4	4	5	1	2	31
Diabetes Mellitus (E10-E14)	71	0	0	0	0	0	1	1	1	5	10	14	39
Influenza and pneumonia (J10-J18)	62	0	0	1	0	0	0	0	0	1	2	13	45
Alzheimer's Disease (G30)	96	0	0	0	0	0	0	0	0	0	0	8	88
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	42	0	0	0	0	0	0	0	1	2	3	6	30
Septicemia (A40-A41)	50	0	0	0	0	0	0	0	2	3	4	9	32
Intentional self-harm (suicide) (X60-X84, Y87.0)	20	0	0	0	0	0	0	1	9	4	0	4	2
Chronic liver disease and Cirrhosis (K70, K73-K74)	27	0	0	0	0	0	0	0	2	4	6	9	6
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	35	0	0	0	0	0	0	0	0	0	1	2	32
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	0	0	0	0	0	14
Assault (homicide) (X85-Y09, Y87.1)	3	0	0	1	0	1	0	0	0	0	0	1	0
Human immunodeficiency virus (HIV) (B20-B24)	6	0	0	0	0	0	0	0	3	2	1	0	0
Certain conditions originating in the perinatal period (P00-P96)	12	12	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	10	5	1	0	0	0	1	1	0	2	0	0	0
All Other Causes	496	8	0	1	1	2	4	9	16	22	34	56	343
TOTAL	2905	25	8	7	5	10	14	23	73	144	247	457	1892

Note:

*ICD Codes, Tenth Revision.

LCDAGEWF

Source:

Delaware Health Statistics Center

TABLE F-22
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(BLACK, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	331	0	0	1	0	0	1	6	19	33	51	72	148
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	1	0	1
Hypertensive heart disease (I11)	26	0	0	0	0	0	0	1	1	2	3	5	14
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	0	0	1	2	0	1	1
Ischemic heart disease (I20-I25)	214	0	0	0	0	0	0	2	9	20	37	47	99
All other forms of heart disease (I26-I51)	84	0	0	1	0	0	1	3	8	9	10	19	33
Malignant Neoplasms (C00-C97)	262	1	2	0	0	0	0	1	7	42	57	75	77
Malignant neoplasms of lip, oral and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	0	3	3	0
Malignant neoplasms of digestive organs (C15-C26)	66	0	0	0	0	0	0	0	1	12	14	17	22
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	85	1	0	0	0	0	0	0	1	17	17	31	18
Malignant neoplasms of breast (C50)	21	0	0	0	0	0	0	0	3	3	6	2	7
Malignant neoplasms of female genital organs, (C51-C58)	19	0	0	0	0	0	0	0	2	3	4	7	3
Malignant neoplasms of male genital organs, (C60-C63)	18	0	0	0	0	0	0	0	0	1	2	6	9
Malignant neoplasms of urinary tract (C64-C68)	10	0	0	0	0	0	0	0	0	1	2	0	7
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	3	0	1	0	0	0	0	0	0	2	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	15	0	1	0	0	0	0	0	0	1	5	3	5
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	19	0	0	0	0	0	0	1	0	2	4	6	6
Cerebrovascular Diseases (I60-I69)	63	1	0	0	0	0	0	0	1	6	6	10	39

TABLE F-22 (continued)
(2004 - Black, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	36	0	0	0	0	0	0	0	2	4	3	6	21
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	39	1	2	0	1	5	4	4	8	3	4	4	3
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	18	0	0	0	1	4	1	3	5	2	1	1	0
Nontransport Accidents (W00-X59, Y86)	20	1	2	0	0	1	3	1	2	1	3	3	3
Diabetes Mellitus (E10-E14)	53	0	0	0	0	0	0	0	3	5	4	14	27
Influenza and pneumonia (J10-J18)	19	1	0	0	0	0	0	1	0	0	0	5	12
Alzheimer's Disease (G30)	14	0	0	0	0	0	0	0	0	0	0	0	14
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	27	0	0	0	0	0	0	0	0	2	2	5	18
Septicemia (A40-A41)	18	1	0	0	0	0	0	0	2	1	1	2	11
Intentional self-harm (suicide) (X60-X84, Y87.0)	10	0	0	0	0	0	0	2	2	3	1	1	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	11	0	0	0	0	0	0	0	3	4	2	1	1
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	26	0	0	0	0	0	0	0	1	2	3	4	16
Aortic aneurysm and dissection (I71)	10	0	0	0	0	0	0	0	1	2	2	1	4
Assault (homicide) (X85-Y09, Y87.1)	22	0	0	0	1	3	8	5	3	2	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	45	0	0	0	0	0	0	3	13	18	7	2	2
Certain conditions originating in the perinatal period (P00-P96)	24	24	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	8	3	3	2	0	0	0	0	0	0	0	0	0
All Other Causes	187	12	0	0	0	2	2	10	17	25	29	15	74
TOTAL	1204	44	7	3	2	10	15	32	81	152	172	217	468

LCDAGBLK

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-23
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(BLACK MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	173	0	0	0	0	1	4	12	22	34	46	54	0
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	10	0	0	0	0	0	0	1	1	3	3	2	0
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	1	2	0	0	0	0
Ischemic heart disease (I20-I25)	114	0	0	0	0	0	1	6	12	27	29	39	0
All other forms of heart disease (I26-I51)	46	0	0	0	0	1	3	4	7	4	14	13	0
Malignant Neoplasms (C00-C97)	137	0	0	0	0	0	0	2	25	33	44	33	0
Malignant neoplasms of lip, oral and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	3	3	0	0
Malignant neoplasms of digestive organs (C15-C26)	37	0	0	0	0	0	0	1	5	10	13	8	0
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	51	0	0	0	0	0	0	1	13	12	16	9	0
Malignant neoplasms of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	18	0	0	0	0	0	0	0	1	2	6	9	0
Malignant neoplasms of urinary tract (C64-C68)	7	0	0	0	0	0	0	0	1	2	0	4	0
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	2	0	0	0	0	0	0	0	2	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	6	0	0	0	0	0	0	0	1	3	1	1	0
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	10	0	0	0	0	0	0	0	2	1	5	2	0
Cerebrovascular Diseases (I60-I69)	22	1	0	0	0	0	0	0	2	6	4	9	0

TABLE F-23 (continued)
(2004 - Black Males)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	19	0	0	0	0	0	0	1	2	1	4	11	0
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	26	0	1	1	4	4	2	7	2	3	2	0	0
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	14	0	0	1	3	1	1	5	1	1	1	0	0
Nontransport Accidents (W00-X59, Y86)	11	0	1	0	1	3	1	1	1	2	1	0	0
Diabetes Mellitus (E10-E14)	22	0	0	0	0	0	0	2	3	2	6	9	0
Influenza and pneumonia (J10-J18)	13	1	0	0	0	0	1	0	0	0	2	9	0
Alzheimer's Disease (G30)	4	0	0	0	0	0	0	0	0	0	0	4	0
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	12	0	0	0	0	0	0	0	1	1	1	9	0
Septicemia (A40-A41)	7	1	0	0	0	0	0	1	1	0	1	3	0
Intentional self-harm (suicide) (X60-X84, Y87.0)	7	0	0	0	0	0	1	2	2	1	1	0	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	7	0	0	0	0	0	0	3	2	1	1	0	0
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	15	0	0	0	0	0	0	1	0	2	4	8	0
Aortic aneurysm and dissection (I71)	5	0	0	0	0	0	0	1	1	1	1	1	0
Assault (homicide) (X85-Y09, Y87.1)	18	0	0	1	3	7	5	1	1	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	29	0	0	0	0	0	0	8	13	6	1	1	0
Certain conditions originating in the perinatal period (P00-P96)	13	13	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	6	3	3	0	0	0	0	0	0	0	0	0	0
All Other Causes	88	8	0	0	0	1	5	10	14	14	9	26	1
TOTAL	622	27	4	2	7	13	18	50	91	105	127	177	1

LCDAGEBM

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to two decedents of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-24
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2004
(BLACK FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	158	0	0	1	0	0	0	2	7	11	17	26	94
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	2	0	0	0	0	0	0	0	0	0	1	0	1
Hypertensive heart disease (I11)	16	0	0	0	0	0	0	1	0	1	0	2	12
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	0	0	1	1
Ischemic heart disease (I20-I25)	100	0	0	0	0	0	0	1	3	8	10	18	60
All other forms of heart disease (I26-I51)	38	0	0	1	0	0	0	0	4	2	6	5	20
Malignant Neoplasms (C00-C97)	125	1	2	0	0	0	0	1	5	17	24	31	44
Malignant neoplasms of lip, oral and pharynx (C00-C14)	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of digestive organs (C15-C26)	29	0	0	0	0	0	0	0	0	7	4	4	14
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	34	1	0	0	0	0	0	0	0	4	5	15	9
Malignant neoplasms of breast (C50)	21	0	0	0	0	0	0	0	3	3	6	2	7
Malignant neoplasms of female genital organs, (C51-C58)	19	0	0	0	0	0	0	0	2	3	4	7	3
Malignant neoplasms of urinary tract (C64-C68)	3	0	0	0	0	0	0	0	0	0	0	0	3
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	1	0	1	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	9	0	1	0	0	0	0	0	0	0	2	2	4
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	9	0	0	0	0	0	0	1	0	0	3	1	4
Cerebrovascular Diseases (I60-I69)	41	0	0	0	0	0	0	0	1	4	0	6	30

TABLE F-24 (continued)
(2004 - Black Females)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	17	0	0	0	0	0	0	0	1	2	2	2	10
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	13	1	1	0	0	1	0	2	1	1	1	2	3
Motor Vehicle Accidents (V02-V04, V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	4	0	0	0	0	1	0	2	0	1	0	0	0
Nontransport Accidents (W00-X59, Y86)	9	1	1	0	0	0	0	0	1	0	1	2	3
Diabetes Mellitus (E10-E14)	31	0	0	0	0	0	0	0	1	2	2	8	18
Influenza and pneumonia (J10-J18)	6	0	0	0	0	0	0	0	0	0	0	3	3
Alzheimer's Disease (G30)	10	0	0	0	0	0	0	0	0	0	0	0	10
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	15	0	0	0	0	0	0	0	0	1	1	4	9
Septicemia (A40-A41)	11	0	0	0	0	0	0	0	1	0	1	1	8
Intentional self-harm (suicide) (X60-X84, Y87.0)	3	0	0	0	0	0	0	1	0	1	0	0	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	4	0	0	0	0	0	0	0	0	2	1	0	1
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	11	0	0	0	0	0	0	0	0	2	1	0	8
Aortic aneurysm and dissection (I71)	5	0	0	0	0	0	0	0	0	1	1	0	3
Assault (homicide) (X85-Y09, Y87.1)	4	0	0	0	0	0	1	0	2	1	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	16	0	0	0	0	0	0	3	5	5	1	1	1
Certain conditions originating in the perinatal period (P00-P96)	11	11	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	2	0	0	2	0	0	0	0	0	0	0	0	0
All Other Causes	99	4	0	0	0	2	1	5	7	11	15	6	48
TOTAL	582	17	3	3	0	3	2	14	31	61	67	90	291

LCDAGEBF

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

TABLE F-25
HIV INFECTION/AIDS¹ DEATHS BY COUNTY, RACE, HISPANIC² ORIGIN AND SEX
U.S., DELAWARE, AND COUNTIES, 1990-2004

Area/ Race	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Delaware	52	53	64	106	138	163	132	60	55	65	68	67	70	80	58
Males	48	43	57	82	115	132	101	45	47	49	46	47	51	58	36
White	29	25	29	38	47	55	36	10	8	14	11	10	14	18	7
Black	19	18	28	43	68	76	65	35	39	34	35	37	37	40	29
Females	4	10	7	24	23	31	31	15	8	16	22	20	19	22	22
White	0	3	5	7	4	8	5	1	1	2	2	1	6	3	6
Black	4	7	2	17	19	23	26	14	7	14	20	19	13	19	16
Kent	5	10	13	11	16	17	13	6	5	8	4	9	4	8	8
Males	4	8	11	9	12	14	9	6	3	5	0	5	4	7	5
White	1	5	7	5	4	7	4	1	0	3	0	2	0	2	2
Black	3	3	4	4	8	6	5	5	3	2	0	3	4	5	3
Females	1	2	2	2	4	3	4	0	2	3	4	4	0	1	3
White	0	1	2	1	2	0	2	0	0	0	2	0	0	1	0
Black	1	1	0	1	2	3	2	0	2	3	2	4	0	0	3
New Castle	41	38	40	85	100	121	109	49	44	45	54	52	56	69	46
Males	38	31	37	66	84	96	82	34	38	34	37	38	40	49	29
White	25	17	18	27	29	29	23	6	7	7	6	6	9	15	4
Black	13	14	19	38	55	67	59	28	31	27	31	32	31	34	25
Females	3	7	3	19	16	25	27	15	6	11	17	14	16	20	17
White	0	1	1	5	1	8	3	1	1	2	0	1	4	2	5
Black	3	6	2	14	15	17	24	14	5	9	17	13	12	18	12
Wilmington	17	19	18	49	56	71	68	27	28	23	35	37	28	43	25
Males	15	14	18	37	45	59	47	15	24	20	25	28	22	30	15
White	6	4	7	7	5	7	4	2	2	2	4	3	4	5	0
Black	9	10	11	30	40	52	43	13	22	18	21	25	18	25	15
Females	2	5	0	12	11	12	21	12	4	3	10	9	6	13	10
White	0	0	0	2	0	2	1	0	1	0	0	1	0	0	1
Black	2	5	0	10	11	10	20	12	3	3	10	8	6	13	9
Bal of NCCo	24	19	22	36	44	50	41	22	16	22	19	15	28	26	21
Males	23	17	19	29	39	37	35	19	14	14	12	10	18	19	14
White	19	13	11	20	24	22	19	4	5	5	2	3	5	10	4
Black	4	4	8	8	15	15	16	15	9	9	10	7	13	9	10
Females	1	2	3	7	5	13	6	3	2	8	7	5	10	7	7
White	0	1	1	3	1	6	2	1	0	2	0	0	4	2	4
Black	1	1	2	4	4	7	4	2	2	6	7	5	6	5	3
Sussex	6	5	11	10	22	25	10	5	6	12	10	6	10	3	4
Males	6	4	9	7	19	22	10	5	6	10	9	4	7	2	2
White	3	3	4	6	14	19	9	3	1	4	5	2	5	1	1
Black	3	1	5	1	5	3	1	2	5	5	4	2	2	1	1
Females	0	1	2	3	3	3	0	0	0	2	1	2	3	1	2
White	0	1	2	1	1	0	0	0	0	0	0	0	2	0	1
Black	0	0	0	2	2	3	0	0	0	2	1	2	1	1	1
Hispanic	1	5	5	4	3	11	5	1	3	1	1	3	4	2	1
Males	1	5	5	2	2	10	3	1	3	1	1	2	4	1	0
Females	0	0	0	2	1	1	2	0	0	0	0	1	0	1	1

AIDS


Notes:

1. See Appendix E for ICD-9 and ICD-10 Codes.
2. People of Hispanic origin may be of any race. See Hispanic Origin in the Technical Notes.

Sources:

Delaware Health Statistics Center
National Center for Health Statistics

Figure F-3
Number of HIV Deaths by Race and Sex
Delaware, 1986-2004



Source: Delaware Health Statistics Center

TABLE F-26
NUMBER AND PERCENT OF DEATHS BY METHOD OF DISPOSITION AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2004

Area/ Method of Disposition	Race							
	All Races		White		Black		Other	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Delaware	7124	100.0	5862	100.0	1204	100.0	58	100.0
Burial	4830	67.8	3827	65.3	969	80.5	34	58.6
Cremation	2165	30.4	1919	32.7	222	18.4	24	41.4
Donation	40	0.6	39	0.7	1	0.1	0	0.0
Removal from State	55	0.8	49	0.8	6	0.5	0	0.0
Unknown	34	0.5	28	0.5	6	0.5	0	0.0
Kent	1154	100.0	948	100.0	193	100.0	13	100.0
Burial	816	70.7	644	67.9	165	85.5	7	53.8
Cremation	321	27.8	289	30.5	26	13.5	6	46.2
Donation	5	0.4	5	0.5	0	0.0	0	0.0
Removal from State	11	1.0	10	1.1	1	0.5	0	0.0
Unknown	1	0.1	0	0.0	1	0.5	0	0.0
New Castle	4146	100.0	3324	100.0	793	100.0	29	100.0
Burial	2839	68.5	2215	66.6	610	76.9	14	48.3
Cremation	1232	29.7	1044	31.4	173	21.8	15	51.7
Donation	26	0.6	25	0.8	1	0.1	0	0.0
Removal from State	28	0.7	24	0.7	4	0.5	0	0.0
Unknown	21	0.5	16	0.5	5	0.6	0	0.0
Wilmington	782	100.0	358	100.0	419	100.0	5	100.0
Burial	575	73.5	247	69.0	323	77.1	5	100.0
Cremation	191	24.4	101	28.2	90	21.5	0	0.0
Donation	7	0.9	6	1.7	1	0.2	0	0.0
Removal from State	6	0.8	3	0.8	3	0.7	0	0.0
Unknown	3	0.4	1	0.3	2	0.5	0	0.0
Balance of								
NC County	3364	100.0	2966	100.0	374	100.0	24	100.0
Burial	2264	67.3	1968	66.4	287	76.7	9	37.5
Cremation	1041	30.9	943	31.8	83	22.2	15	62.5
Donation	19	0.6	19	0.6	0	0.0	0	0.0
Removal from State	22	0.7	21	0.7	1	0.3	0	0.0
Unknown	18	0.5	15	0.5	3	0.8	0	0.0
Sussex	1824	100.0	1590	100.0	218	100.0	16	100.0
Burial	1175	64.4	968	60.9	194	89.0	13	81.3
Cremation	612	33.6	586	36.9	23	10.6	3	18.8
Donation	9	0.5	9	0.6	0	0.0	0	0.0
Removal from State	16	0.9	15	0.9	1	0.5	0	0.0
Unknown	12	0.7	12	0.8	0	0.0	0	0.0

DISPRACE

Notes:

1. Percentages may not add to 100% due to rounding.
2. Percentages are calculated based upon the total number of deaths in each race category.

Source:

Delaware Health Statistics Center

TABLE F-27
LIFE EXPECTANCY AT BIRTH* BY RACE AND SEX

DELAWARE, 1984-2004

Year	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
2004	77.8	74.9	80.5	78.3	75.5	80.9	73.8	70.4	77.0
2003	76.9	74.5	80.0	78.1	75.3	80.7	72.6	69.2	75.8
2002	77.3	74.6	79.8	77.8	75.4	80.1	73.8	69.5	77.9
2001	76.3	73.9	78.7	77.1	74.6	79.5	72.1	69.5	74.4
2000	76.5	73.9	79.0	77.1	74.5	79.6	72.5	69.4	75.5
1999	76.8	73.9	79.6	77.6	74.7	80.3	72.6	68.8	76.2
1998	75.9	73.3	78.4	77.0	74.5	79.4	70.3	66.9	73.5
1997	75.8	73.3	78.2	76.7	74.2	79.1	71.0	68.3	73.5
1996	75.4	72.5	78.1	76.7	73.9	79.4	68.8	65.2	72.2
1995	75.5	72.5	78.4	76.8	74.2	79.4	68.9	64.4	73.5
1994	75.1	71.4	78.7	76.1	72.6	79.6	69.5	65.0	74.1
1993	75.2	71.9	78.5	76.5	73.6	79.3	68.5	63.4	73.6
1992	75.4	72.4	78.2	76.3	73.5	78.9	70.3	66.2	74.3
1991	75.0	71.9	77.9	76.0	73.0	78.9	69.4	66.2	72.4
1990	75.0	71.9	77.9	76.0	73.2	78.8	69.3	65.4	73.1
1989	74.3	71.1	77.3	75.3	72.2	78.2	68.4	64.4	72.4
1988	74.2	70.9	77.3	75.1	71.9	78.2	68.8	65.0	72.6
1987	74.3	71.0	77.5	75.1	71.8	78.3	69.7	66.1	73.1
1986	74.0	70.5	77.5	74.9	71.4	78.3	68.9	65.0	72.8
1985	73.9	70.5	77.1	74.9	71.7	78.0	68.3	64.2	72.6
1984	74.6	71.3	77.8	75.5	72.2	78.7	69.1	65.8	72.4

LIFE_TB1

Note:

*Life expectancy at birth is the average expected lifetime of people born in the listed year.

Source:

Delaware Health Statistics Center

TABLE F-28
AVERAGE REMAINING YEARS OF LIFE* BY AGE, RACE, AND SEX

DELAWARE, 2004

Age Group	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
0-5	77.8	74.9	80.5	78.3	75.5	80.9	73.8	70.4	77.0
5-10	73.6	70.7	76.3	73.9	71.1	76.6	70.1	67.0	73.1
10-15	68.7	65.8	71.4	69.0	66.2	71.8	65.2	62.0	68.2
15-20	63.7	60.8	66.5	64.1	61.2	66.9	60.2	57.1	63.2
20-25	58.9	56.1	61.6	59.3	56.5	62.0	55.4	52.3	58.3
25-30	54.2	51.5	56.8	54.6	51.9	57.2	50.7	47.8	53.4
30-35	49.5	46.8	51.9	49.9	47.3	52.4	46.0	43.2	48.6
35-40	44.7	42.2	47.1	45.2	42.7	47.6	41.4	38.5	44.0
40-45	40.1	37.6	42.4	40.5	38.0	42.8	36.9	34.2	39.3
45-50	35.6	33.2	37.8	36.0	33.6	38.2	32.5	29.9	34.8
50-55	31.2	28.9	33.3	31.6	29.2	33.8	28.2	25.9	30.3
55-60	27.0	24.8	29.0	27.3	25.1	29.3	24.4	22.2	26.3
60-65	23.0	20.9	24.7	23.2	21.2	24.9	20.7	18.6	22.5
65-70	19.2	17.3	20.7	19.3	17.5	20.9	17.1	15.5	18.4
70-75	15.6	14.0	16.9	15.8	14.1	17.2	13.7	12.4	14.6
75-80	12.5	11.1	13.6	12.7	11.1	13.8	11.1	10.2	11.6
80-85	9.8	8.5	10.7	9.9	8.5	10.8	8.7	7.8	9.3
85+	7.5	6.3	8.2	7.5	6.3	8.3	6.9	6.2	7.2

LIFE_TB2

Note:

*Average number of years of life remaining at the beginning of the age interval.

Source:

Delaware Health Statistics Center

TABLE F-29
MATERNAL DEATHS

DELAWARE AND COUNTIES, 1981-2004

Year	Area			
	Delaware	Kent	New Castle	Sussex
2004	1	0	1	0
2003	2	0	2	0
2002	0	0	0	0
2001	2	0	1	1
2000	3	1	2	0
1999	1	0	1	0
1998	2	0	2	0
1997	1	0	1	0
1996	0	0	0	0
1995	0	0	0	0
1994	0	0	0	0
1993	0	0	0	0
1992	0	0	0	0
1991	1	0	0	1
1990	0	0	0	0
1989	2	0	1	1
1988	1	0	1	0
1987	0	0	0	0
1986	0	0	0	0
1985	1	0	1	0
1984	0	0	0	0
1983	0	0	0	0
1982	1	0	1	0
1981	0	0	0	0

MATERNAL

Note:

Prior to 1999, maternal deaths included ICD-9 categories 630-676. For 1999 and later, maternal deaths include ICD-10 categories O00-O99, and A34.

Source:

Delaware Health Statistics Center

TABLE F-30
FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH
DELAWARE AND COUNTIES, 2000-2004

LEADING CAUSE OF DEATH	AREA				RACE	
	DE	Kent	NCC	Sussex	White	Black
Diseases of the heart	242.9	256.7	241.1	240.8	237.1	291.4
Malignant neoplasms	202.2	199.1	203.6	202.1	199.7	235.7
Cerebrovascular diseases	48.5	45.8	52.6	41.7	46.3	65.6
Chronic lower respiratory diseases	40.3	42.3	40.2	39.3	41.3	33.6
Diabetes mellitus	25.7	25.4	26.2	25.0	22.2	50.4
Influenza and pneumonia	21.0	22.6	17.8	27.6	21.3	19.8
Alzheimers Disease	16.9	11.4	18.2	17.4	17.4	13.8
Nephritis, nephrotic syndrome, and nephrosis	14.4	18.3	13.8	13.4	12.6	26.6
Septicemia	15.8	17.0	16.7	13.5	14.7	25.1
Intentional self-harm (suicide)	11.1	10.4	11.0	11.4	13.1	5.5
Chronic liver disease and cirrhosis	9.8	11.1	9.5	10.2	10.0	9.1
Assault (homicide)	3.8	NA	4.6	NA	2.1	9.7
Certain conditions originating in the perinatal period	8.2	8.3	8.7	6.3	6.2	15.0
Congenital malformations, deformations, and chromosomal abnormalities	3.4	3.4	3.2	3.8	3.3	3.7
Human immunodeficiency virus (HIV)	8.4	5.2	10.7	4.2	2.5	34.8
Accidents (unintentional injuries)	35.8	37.5	32.3	46.4	37.8	34.6
Essential (primary) hypertension and hypertensive renal disease	6.8	6.4	7.2	6.0	5.7	15.1
Aortic aneurysm and dissection	6.3	8.6	5.8	6.3	6.3	6.7
Atherosclerosis	1.1	NA	1.1	NA	1.2	NA
Pneumonitis due to solids and liquids	8.9	4.7	9.9	9.3	8.5	10.3
Other diseases of respiratory system	8.7	8.8	8.8	8.5	8.9	7.3
All other causes	108.8	98.8	113.6	104.6	105.1	138.8

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-10 Cause of Death Codes.

AADR