


DELAWARE

2008 Module Variables Report

Behavioral Risk Factor Surveillance System

March 9, 2009



**MODULE 1: PRE-DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3411	588,015	2173	58.4	55.9-60.9	1238	41.6	39.1-44.1	
Male	1199	280,770	759	58.6	54.5-62.7	440	41.4	37.3-45.5	
Female	2212	307,245	1414	58.2	55.1-61.3	798	41.8	38.7-44.9	
White/Non-Hisp	2748	453,471	1745	58.1	55.2-61.0	1003	41.9	39.0-44.8	
Black or Afr. Am./Non-Hisp	396	74,647	258	59.6	52.2-67.0	138	40.4	33.0-47.8	
18-24	147	81,959	46	25.3	15.9-34.7	101	74.7	65.3-84.1	
25-34	371	110,068	198	54.2	47.7-60.7	173	45.8	39.3-52.3	
35-44	549	114,461	316	59.0	53.9-64.1	233	41.0	35.9-46.1	
45-54	695	104,938	442	65.5	61.0-70.0	253	34.5	30.0-39.0	
55-64	711	80,864	500	71.3	66.8-75.8	211	28.7	24.2-33.2	
65+	905	91,182	646	72.0	68.3-75.7	259	28.0	24.3-31.7	
H.S. or G.E.D.	1071	169,168	660	56.2	51.5-60.9	411	43.8	39.1-48.5	
Some Post-H.S.	864	156,809	530	52.8	47.3-58.3	334	47.2	41.7-52.7	
College Graduate	1262	230,569	847	63.6	59.9-67.3	415	36.4	32.7-40.1	
Less than \$15,000	320	35,425	190	55.7	47.5-63.9	130	44.3	36.1-52.5	
\$25,000- 34,999	272	39,585	172	57.7	47.7-67.7	100	42.3	32.3-52.3	
\$35,000- 49,999	457	68,114	299	63.0	56.7-69.3	158	37.0	30.7-43.3	
\$50,000- 74,999	579	104,037	362	59.5	53.4-65.6	217	40.5	34.4-46.6	
\$75,000+	929	206,890	603	59.2	54.7-63.7	326	40.8	36.3-45.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1199	280,770	759	58.6	54.5-62.7	440	41.4	37.3-45.5	
White/Non-Hisp	997	224,135	628	58.0	53.5-62.5	369	42.0	37.5-46.5	
35-44	211	55,360	122	60.2	52.4-68.0	89	39.8	32.0-47.6	
45-54	235	50,305	153	70.2	63.3-77.1	82	29.8	22.9-36.7	
55-64	252	38,096	182	72.4	65.0-79.8	70	27.6	20.2-35.0	
65+	304	37,884	224	78.8	73.3-84.3	80	21.2	15.7-26.7	
H.S. or G.E.D.	375	80,488	223	56.3	48.9-63.7	152	43.7	36.3-51.1	
Some Post-H.S.	282	76,305	166	48.3	39.3-57.3	116	51.7	42.7-60.7	
College Graduate	469	108,833	322	66.7	61.0-72.4	147	33.3	27.6-39.0	
\$35,000- 49,999	176	35,062	111	57.2	47.2-67.2	65	42.8	32.8-52.8	
\$50,000- 74,999	203	50,153	127	58.8	48.8-68.8				
\$75,000+	416	115,423	280	61.4	54.7-68.1	136	38.6	31.9-45.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes		No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2212	307,245	1414	58.2	55.1-61.3	798	41.8	38.7-44.9
White/Non-Hisp	1751	229,336	1117	58.2	54.7-61.7	634	41.8	38.3-45.3
Black or Afr. Am./Non-Hisp	293	49,538	188	58.0	49.0-67.0	105	42.0	33.0-51.0
25-34	238	55,278	139	59.3	51.9-66.7	99	40.7	33.3-48.1
35-44	338	59,100	194	57.8	51.3-64.3	144	42.2	35.7-48.7
45-54	460	54,633	289	61.3	55.6-67.0	171	38.7	33.0-44.4
55-64	459	42,768	318	70.3	64.8-75.8	141	29.7	24.2-35.2
65+	601	53,298	422	67.2	62.3-72.1	179	32.8	27.9-37.7
H.S. or G.E.D.	696	88,680	437	56.0	50.1-61.9	259	44.0	38.1-49.9
Some Post-H.S.	582	80,504	364	57.1	51.0-63.2	218	42.9	36.8-49.0
College Graduate	793	121,736	525	60.9	56.0-65.8	268	39.1	34.2-44.0
Less than \$15,000	228	22,195	138	59.9	51.7-68.1	90	40.1	31.9-48.3
\$35,000- 49,999	281	33,052	188	69.1	62.4-75.8	93	30.9	24.2-37.6
\$50,000- 74,999	376	53,884	235	60.1	52.8-67.4	141	39.9	32.6-47.2
\$75,000+	513	91,467	323	56.4	50.5-62.3	190	43.6	37.7-49.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3533	605,906	303	7.3	05.9-08.7	3230	92.7	91.3-94.1
Male	1241	288,865	100	7.8	05.4-10.2	1141	92.2	89.8-94.6
Female	2292	317,041	203	6.8	05.6-08.0	2089	93.2	92.0-94.4
White/Non-Hisp	2857	469,544	242	6.9	05.7-08.1	2615	93.1	91.9-94.3
Black or Afr. Am./Non-Hisp	403	75,787	42	6.2	03.5-08.9	361	93.8	91.1-96.5
Oth. Race/Non-Hisp.	90	20,611	9	11.6	02.8-20.4	81	88.4	79.6-97.2
MultiRacial/Non-Hisp.	63	8,966	2	6.2	00.0-15.4	61	93.8	84.6-0100
18-24	150	83,756	5	4.0	00.0-09.9	145	96.0	90.1-0100
25-34	374	111,008	21	4.4	02.2-06.6	353	95.6	93.4-97.8
35-44	565	118,010	43	7.2	04.5-09.9	522	92.8	90.1-95.5
45-54	721	109,855	58	8.2	05.3-11.1	663	91.8	88.9-94.7
55-64	738	83,861	79	10.1	07.4-12.8	659	89.9	87.2-92.6
65+	951	94,796	95	10.4	07.9-12.9	856	89.6	87.1-92.1
Less Than H.S.	219	31,995	26	12.7	05.8-19.6	193	87.3	80.4-94.2
H.S. or G.E.D.	1116	174,908	103	7.7	05.5-09.9	1013	92.3	90.1-94.5
Some Post-H.S.	887	160,013	75	7.0	03.7-10.3	812	93.0	89.7-96.3
College Graduate	1307	238,781	99	6.4	04.8-08.0	1208	93.6	92.0-95.2
Less than \$15,000	324	35,612	30	6.8	03.9-09.7	294	93.2	90.3-96.1
\$15,000- 24,999	277	35,999	36	12.5	07.0-18.0	241	87.5	82.0-93.0
\$25,000- 34,999	281	40,714	18	8.6	03.3-13.9	263	91.4	86.1-96.7
\$35,000- 49,999	475	70,043	49	7.5	05.0-10.0	426	92.5	90.0-95.0
\$50,000- 74,999	595	106,705	54	8.1	05.2-11.0	541	91.9	89.0-94.8
\$75,000+	964	213,879	63	5.2	03.6-06.8	901	94.8	93.2-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1241	288,865	100	7.8	05.4-10.2	1141	92.2	89.8-94.6
White/Non-Hisp	1032	231,320	82	6.6	04.8-08.4	950	93.4	91.6-95.2
Black or Afr. Am./Non-Hisp	107	25,762	10	8.4	01.7-15.1	97	91.6	84.9-98.3
18-24	57	42,326	1	6.0	00.0-17.2	56	94.0	82.8-0100
25-34	134	55,318	4	2.6	00.1-05.1	130	97.4	94.9-99.9
35-44	222	57,994	9	6.3	01.8-10.8	213	93.7	89.2-98.2
45-54	241	52,680	19	10.2	04.9-15.5	222	89.8	84.5-95.1
55-64	264	39,728	26	9.3	05.0-13.6	238	90.7	86.4-95.0
65+	315	38,734	41	14.7	09.6-19.8	274	85.3	80.2-90.4
H.S. or G.E.D.	384	81,474	34	9.3	05.6-13.0	350	90.7	87.0-94.4
Some Post-H.S.	292	78,127	21	7.2	00.9-13.5	271	92.8	86.5-99.1
College Graduate	488	113,696	39	6.4	03.9-08.9	449	93.6	91.1-96.1
Less than \$15,000	93	13,257	11	7.4	02.3-12.5	82	92.6	87.5-97.7
\$35,000- 49,999	182	35,619	12	4.9	01.8-08.0	170	95.1	92.0-98.2
\$50,000- 74,999	209	51,954	17	9.4	04.3-14.5	192	90.6	85.5-95.7
\$75,000+	432	119,676	26	4.6	02.4-06.8	406	95.4	93.2-97.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 1: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2292	317,041	203	6.8	05.6-08.0	2089	93.2	92.0-94.4
White/Non-Hisp	1825	238,224	160	7.3	05.9-08.7	1665	92.7	91.3-94.1
Black or Afr. Am./Non-Hisp	296	50,025	32	5.0	02.6-07.4	264	95.0	92.6-97.4
Oth. Race/Non-Hisp.	56	9,340	5	6.4	00.0-12.9	51	93.6	87.1-0100
Hispanic	51	10,697	3	6.7	00.0-15.3	48	93.3	84.7-0100
18-24	93	41,430	4	2.0	00.0-04.2	89	98.0	95.8-0100
25-34	240	55,690	17	6.1	02.6-09.6	223	93.9	90.4-97.4
35-44	343	60,016	34	8.0	04.9-11.1	309	92.0	88.9-95.1
45-54	480	57,175	39	6.4	03.9-08.9	441	93.6	91.1-96.1
55-64	474	44,133	53	10.8	07.3-14.3	421	89.2	85.7-92.7
65+	636	56,063	54	7.4	05.0-09.8	582	92.6	90.2-95.0
Less Than H.S.	144	16,481	20	12.7	04.9-20.5	124	87.3	79.5-95.1
H.S. or G.E.D.	732	93,434	69	6.3	04.3-08.3	663	93.7	91.7-95.7
Some Post-H.S.	595	81,886	54	6.9	04.5-09.3	541	93.1	90.7-95.5
College Graduate	819	125,086	60	6.5	04.5-08.5	759	93.5	91.5-95.5
Less than \$15,000	231	22,355	19	6.4	02.9-09.9	212	93.6	90.1-97.1
\$15,000- 24,999	215	24,710	29	12.8	06.3-19.3	186	87.2	80.7-93.7
\$25,000- 34,999	198	24,087	8	4.0	00.3-07.7	190	96.0	92.3-99.7
\$35,000- 49,999	293	34,424	37	10.2	06.3-14.1	256	89.8	85.9-93.7
\$50,000- 74,999	386	54,751	37	6.8	03.9-09.7	349	93.2	90.3-96.1
\$75,000+	532	94,203	37	5.9	03.5-08.3	495	94.1	91.7-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008

MODULE 2: DIABETES CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	455	53,387	7	2.4	00.0-04.8	41	14.5	08.6-20.4	111	27.3	20.8-33.8	170	30.9	25.2-36.6	126	24.9	19.8-30.0
Male	186	27,027	2	1.4	00.0-03.4	16	16.6	06.8-26.4	40	26.5	17.3-35.7	68	28.8	20.2-37.4	60	26.7	18.7-34.7
Female	269	26,360	5	3.5	00.0-07.8	25	12.4	06.5-18.3	71	28.1	19.5-36.7	102	33.0	25.4-40.6	66	23.0	16.3-29.7
White/Non-Hisp	351	39,807	5	1.4	00.0-02.8	25	12.8	05.9-19.7	86	25.9	19.4-32.4	128	31.3	24.6-38.0	107	28.7	22.4-35.0
Black or Afr. Am./Non-Hisp	72	9,255	2	8.0	00.0-19.6												
45-54	73	11,416	1	4.9	00.0-14.1												
55-64	116	11,789	1	0.3	00.0-00.9				26	19.2	10.0-28.4				7	7.3	01.0-13.6
65+	219	20,930				6	2.4	00.2-04.6	23	10.3	05.4-15.2	71	28.0	20.7-35.3	119	59.3	51.1-67.5
H.S. or G.E.D.	176	22,005	2	0.9	00.0-02.5							62	31.5	21.5-41.5	56	27.4	18.8-36.0
Some Post-H.S.	116	13,649	3	6.3	00.0-14.5	10	11.9	03.7-20.1				49	30.1	20.3-39.9	27	18.3	10.1-26.5
College Graduate	115	14,046	1	1.4	00.0-04.1												
Less than \$15,000	74	8,070	1	6.9	00.0-19.8				14	15.8	06.0-25.6						
\$15,000- 24,999	82	7,236	1	0.5	00.0-01.5				12	11.6	04.3-18.9						
\$25,000- 34,999	52	6,296	1	2.9	00.0-08.6												
\$35,000- 49,999	71	6,361							17	19.0	09.0-29.0						
\$50,000- 74,999	59	7,651	2	3.8	00.0-09.1	5	6.8	00.1-13.5									
\$75,000+	53	8,259	1	2.4	00.0-07.1												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	27,027	2	1.4	00.0-03.4	16	16.6	06.8-26.4	40	26.5	17.3-35.7	68	28.8	20.0-37.6	60	26.7	18.7-34.7
White/Non-Hisp	147	21,290	1	0.9	00.0-02.7				30	23.9	14.1-33.7				52	29.2	19.8-38.6
65+	101	11,066				3	2.4	00.0-05.1	11	10.0	02.6-17.4						
College Graduate	63	9,651	1	2.0	00.0-05.9												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	269	26,360	5	3.5	00.0-07.8	25	12.4	06.5-18.3	71	28.1	19.5-36.7	102	33.0	25.4-40.6	66	23.0	16.3-29.7
White/Non-Hisp	204	18,517	4	2.0	00.0-04.2	13	8.1	02.4-13.8	56	28.1	19.9-36.3	76	33.8	25.2-42.4	55	28.0	19.8-36.2
Black or Afr. Am./Non-Hisp	50	5,422							8	11.7	01.9-21.5						
55-64	73	6,088	1	0.6	00.0-01.8	5	8.2	00.0-18.2							2	3.7	00.0-09.8
65+	118	9,864				3	2.4	00.0-05.7	12	10.6	04.1-17.1	39	27.8	17.8-37.8			
H.S. or G.E.D.	117	12,787	2	1.5	00.0-04.0	12	12.8	04.2-21.4									
Some Post-H.S.	68	6,885													13	14.2	05.2-23.2
College Graduate	52	4,394				3	5.6	00.0-13.8							8	10.2	02.4-18.0
\$15,000- 24,999	63	5,009	1	0.7	00.0-02.1				11	14.9	05.3-24.5						
\$35,000- 49,999	52	4,411				6	10.2	00.2-20.2									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	466	54,397	118	27.4	21.3-33.5	348	72.6	66.5-78.7
Male	188	27,229	57	32.4	22.6-42.2	131	67.6	57.8-77.4
Female	278	27,167	61	22.4	15.5-29.3	217	77.6	70.7-84.5
White/Non-Hisp	358	40,374	91	29.5	22.2-36.8	267	70.5	63.2-77.8
65+	228	21,720	52	21.5	14.8-28.2	176	78.5	71.8-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	27,229	57	32.4	22.8-42.0	131	67.6	58.0-77.2
65+	103	11,269				76	77.3	67.3-87.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	278	27,167	61	22.4	15.5-29.3	217	77.6	70.7-84.5
White/Non-Hisp	209	18,882	46	22.8	15.4-30.2	163	77.2	69.8-84.6
65+	125	10,451	25	20.1	11.5-28.7	100	79.9	71.3-88.5
H.S. or G.E.D.	121	13,116	28	21.2	11.6-30.8	93	78.8	69.2-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	454	52,188	39	10.5	06.4-14.6	130	30.1	24.0-36.2	276	57.3	50.6-64.0	5	1.4	00.0-02.8	4	0.6	00.0-01.2
Male	182	26,134	15	9.0	03.1-14.9	53	33.1	23.3-42.9				1	1.1	00.0-03.3	3	1.1	00.0-02.3
Female	272	26,054	24	12.0	06.1-17.9	77	27.2	20.1-34.3	166	58.9	50.5-67.3	4	1.8	00.0-03.8	1	0.1	00.0-00.3
White/Non-Hisp	350	38,646	34	11.7	06.6-16.8	100	30.8	23.7-37.9	207	54.8	47.2-62.4	5	1.9	00.0-03.9	4	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	73	9,265	2	3.8	00.0-09.1												
55-64	113	11,219	7	6.8	00.3-13.3										1	0.7	00.0-02.1
65+	226	20,953	16	9.9	03.4-16.4	66	33.5	25.5-41.5	138	53.5	45.1-61.9	3	2.1	00.0-04.8	3	1.1	00.0-02.5
Less Than H.S.	50	3,759	4	7.5	00.0-17.3										1	2.6	00.0-07.7
H.S. or G.E.D.	178	21,603	15	13.1	05.3-20.9	49	27.5	17.9-37.1				2	0.7	00.0-01.7	2	0.5	00.0-01.3
Some Post-H.S.	111	13,241	13	9.7	03.0-16.4							1	1.0	00.0-03.0	1	0.8	00.0-02.4
College Graduate	114	13,485	7	8.1	00.8-15.4							1	1.4	00.0-04.1			
Less than \$15,000	72	7,855	5	5.1	00.0-10.2							2	5.0	00.0-12.4			
\$35,000- 49,999	72	6,137	8	12.5	03.1-21.9							1	3.0	00.0-08.9			
\$50,000- 74,999	55	7,124										1	1.8	00.0-05.3	1	1.4	00.0-04.1
\$75,000+	51	7,654	2	7.4	00.0-17.8										1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	182	26,134	15	9.0	02.9-15.1	53	33.1	23.3-42.9	1	1.1	00.0-03.3	3	1.1	00.0-02.3
White/Non-Hisp	144	20,445	13	9.3	02.4-16.2				1	1.4	00.0-04.1	3	1.4	00.0-03.0
65+	102	10,808	9	7.2	01.1-13.3				1	2.6	00.0-07.7	2	1.9	00.0-04.4
H.S. or G.E.D.	57	8,518	3	7.6	00.0-19.4							1	0.9	00.0-02.7
College Graduate	63	9,517	5	8.7	00.0-18.1									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	272	26,054	24	12.0	06.1-17.9	77	27.2	20.1-34.3	166	58.9	50.5-67.3	4	1.8	00.0-03.8	1	0.1	00.0-00.3
White/Non-Hisp	206	18,201	21	14.3	06.7-21.9	59	29.2	21.0-37.4	121	53.8	44.8-62.8	4	2.5	00.0-05.2	1	0.2	00.0-00.6
Black or Afr. Am./Non-Hisp	51	5,432	2	6.4	00.0-15.4												
65+	124	10,145				35	26.9	17.5-36.3				2	1.5	00.0-03.7	1	0.3	00.0-00.9
H.S. or G.E.D.	121	13,086				30	20.8	11.6-30.0				2	1.1	00.0-02.9	1	0.2	00.0-00.6
Some Post-H.S.	66	6,635	7	6.9	01.2-12.6							1	1.9	00.0-05.6			
College Graduate	51	3,967	2	6.5	00.0-16.7							1	4.7	00.0-13.7			
\$35,000- 49,999	51	3,984										1	4.7	00.0-13.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	453	52,781	296	62.6	56.3-68.9	66	14.6	10.1-19.1	24	5.0	02.6-07.4	17	4.2	01.8-06.6	45	12.3	08.0-16.6	5	1.2	00.0-02.4
Male	183	26,582	117	62.3	52.7-71.9	22	12.0	05.3-18.7	12	5.6	01.9-09.3	10	4.9	01.2-08.6	20	13.9	06.8-21.0	2	1.2	00.0-03.4
Female	270	26,199	179	63.0	55.0-71.0	44	17.3	11.0-23.6	12	4.4	01.7-07.1	7	3.4	00.5-06.3	25	10.7	05.6-15.8	3	1.2	00.0-02.6
White/Non-Hisp	349	39,227	225	63.6	56.5-70.7	50	12.8	08.3-17.3	21	5.6	02.9-08.3	14	4.5	01.6-07.4	35	12.0	07.1-16.9	4	1.5	00.0-03.3
Black or Afr. Am./Non-Hisp	74	9,327							1	2.3	00.0-06.8	2	3.7	00.0-09.8				1	0.6	00.0-01.8
45-54	69	10,903							5	6.1	00.2-12.0	2	3.0	00.0-07.1	6	7.7	00.0-17.1			
55-64	115	11,634				21	14.4	06.6-22.2	4	3.3	00.0-07.0	3	4.7	00.0-10.4	5	7.2	00.5-13.9	1	2.4	00.0-06.9
65+	222	20,994	134	54.1	45.5-62.7	31	15.1	08.8-21.4	13	6.8	02.5-11.1	12	6.4	01.9-10.9	28	15.8	09.1-22.5	4	1.7	00.0-03.7
H.S. or G.E.D.	176	21,494	116	67.6	57.8-77.4	22	9.9	04.4-15.4	11	4.3	01.4-07.2	6	3.5	00.2-06.8	18	12.7	05.6-19.8	3	2.0	00.0-04.7
Some Post-H.S.	115	13,529							4	4.8	00.1-09.5	2	2.1	00.0-05.0	9	12.5	03.9-21.1	2	1.5	00.0-03.9
College Graduate	114	14,088				20	16.3	07.7-24.9	7	4.6	00.7-08.5	7	7.9	01.2-14.6	9	8.6	01.3-15.9			
Less than \$15,000	73	7,932				9	6.2	01.5-10.9	7	12.0	02.0-22.0				5	7.8	00.5-15.1	3	3.9	00.0-08.8
\$15,000- 24,999	81	7,111				10	12.9	04.1-21.7	2	4.7	00.0-11.2	3	7.6	00.0-16.4						
\$25,000- 34,999	51	6,256							4	4.4	00.0-09.1	1	0.4	00.0-01.2				1	0.9	00.0-02.7
\$35,000- 49,999	73	6,564				11	13.7	04.5-22.9	5	5.5	00.4-10.6	4	6.7	00.0-13.6						
\$50,000- 74,999	57	7,461							3	3.1	00.0-06.8	2	3.7	00.0-09.2	5	7.7	00.0-15.5	1	3.7	00.0-10.8
\$75,000+	52	7,957							2	3.6	00.0-08.7	1	1.8	00.0-05.3						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	26,582	117	62.3	52.9-71.7	22	12.0	05.5-18.5	12	5.6	01.9-09.3	10	4.9	01.2-08.6	20	13.9	06.8-21.0	2	1.2	00.0-03.4
White/Non-Hisp	146	20,943				16	7.5	02.8-12.2	10	5.6	01.5-09.7	10	6.3	01.6-11.0	18	14.5	06.5-22.5	2	1.6	00.0-04.1
65+	102	11,220				11	13.0	03.6-22.4	10	10.2	02.8-17.6	8	8.7	01.1-16.3				1	0.5	00.0-01.5
H.S. or G.E.D.	57	8,722				7	9.0	00.0-18.2	3	3.4	00.0-08.1	3	2.6	00.0-06.1				1	3.2	00.0-09.3
College Graduate	64	9,801							6	5.7	00.4-11.0	4	7.9	00.0-16.5	5	9.1	00.0-18.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	270	26,199	179	63.0	54.8-71.2	44	17.3	11.0-23.6	12	4.4	01.7-07.1	7	3.4	00.5-06.3	25	10.7	05.6-15.8	3	1.2	00.0-02.6
White/Non-Hisp	203	18,284	135	62.5	53.7-71.3	34	18.9	11.3-26.5	11	5.5	02.0-09.0	4	2.5	00.0-05.2	17	9.2	04.1-14.3	2	1.4	00.0-03.4
Black or Afr. Am./Non-Hisp	52	5,494										2	6.3	00.0-16.3				1	1.0	00.0-03.0
55-64	73	6,088							3	4.1	00.0-09.4	2	6.4	00.0-15.8	2	6.2	00.0-14.4			
65+	120	9,774				20	17.4	09.0-25.8	3	2.9	00.0-06.4	4	3.8	00.0-08.1	15	13.5	05.5-21.5	3	3.2	00.0-07.1
H.S. or G.E.D.	119	12,772				15	10.6	03.7-17.5	8	4.9	01.2-08.6	3	4.1	00.0-09.2	13	14.2	05.4-23.0	2	1.3	00.0-03.1
Some Post-H.S.	68	6,814							2	4.3	00.0-10.4				2	2.6	00.0-06.7	1	2.2	00.0-06.5
College Graduate	50	4,288							1	2.0	00.0-05.7	3	7.9	00.0-17.5	4	7.4	00.0-15.6			
\$15,000- 24,999	65	5,074							1	2.8	00.0-08.3	2	7.7	00.0-18.9	10	13.7	03.7-23.7			
\$35,000- 49,999	52	4,411							4	6.9	00.0-14.0	1	3.1	00.0-09.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	459	53,326	53	12.1	07.2-17.0	89	22.3	16.6-28.0	55	11.5	07.8-15.2	160	31.7	25.4-38.0	69	13.7	09.6-17.8	33	8.8	04.9-12.7
Male	185	26,690	19	13.7	05.3-22.1	38	26.2	16.6-35.8	22	10.8	05.3-16.3	61	26.1	17.7-34.5	29	13.5	07.4-19.6	16	9.8	03.5-16.1
Female	274	26,637	34	10.5	06.2-14.8	51	18.3	12.4-24.2	33	12.3	07.0-17.6	99	37.2	28.4-46.0	40	13.9	08.6-19.2	17	7.9	03.4-12.4
White/Non-Hisp	355	39,776	43	12.8	06.9-18.7	73	22.9	16.4-29.4	45	13.2	08.5-17.9	126	30.9	24.2-37.6	46	12.8	08.1-17.5	22	7.4	03.3-11.5
Black or Afr. Am./Non-Hisp	73	9,274							6	7.0	00.0-14.4				16	16.2	07.0-25.4			
45-54	71	11,067	9	8.9	02.4-15.4				9	9.2	01.4-17.0				11	13.2	03.6-22.8			
55-64	116	11,789				19	16.6	07.4-25.8	11	12.8	04.2-21.4				13	12.1	04.5-19.7	10	13.3	03.9-22.7
65+	224	21,185	24	14.2	07.5-20.9	40	20.6	13.5-27.7	30	11.7	06.4-17.0	79	33.5	25.5-41.5	39	15.3	09.4-21.2	12	4.7	01.4-08.0
H.S. or G.E.D.	179	21,897	18	13.3	03.5-23.1	36	21.0	12.2-29.8	19	9.2	04.1-14.3				24	13.4	07.1-19.7	16	12.5	05.1-19.9
Some Post-H.S.	114	13,476	14	11.2	04.3-18.1				11	12.1	03.5-20.7				18	14.7	06.3-23.1	10	8.2	02.1-14.3
College Graduate	116	14,195	11	9.4	02.7-16.1				17	15.2	06.6-23.8				16	10.3	03.6-17.0	5	5.0	00.0-11.1
Less than \$15,000	75	8,255							12	13.4	04.6-22.2				10	12.6	03.4-21.8	4	6.0	00.0-12.5
\$15,000- 24,999	82	7,064				13	14.1	04.3-23.9	5	2.4	00.2-04.6							6	9.8	01.4-18.2
\$25,000- 34,999	52	6,296	3	7.1	00.0-18.7				3	3.0	00.0-06.7									
\$35,000- 49,999	72	6,457	6	5.4	00.5-10.3				8	9.9	00.9-18.9				7	8.5	00.5-16.5			
\$50,000- 74,999	59	7,651	6	9.9	00.5-19.3				8	11.6	02.2-21.0							2	2.5	00.0-06.6
\$75,000+	52	7,957																1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	26,690	19	13.7	05.3-22.1	38	26.2	16.4-36.0	22	10.8	05.3-16.3	61	26.1	17.7-34.5	29	13.5	07.4-19.6	16	9.8	03.5-16.1
White/Non-Hisp	147	21,001	16	14.0	04.0-24.0				19	11.4	05.1-17.7	48	26.9	17.1-36.7	22	14.0	06.9-21.1	10	7.9	01.6-14.2
65+	102	11,079							13	12.6	04.4-20.8	31	24.6	14.8-34.4	18	15.8	06.6-25.0	7	6.5	00.6-12.4
H.S. or G.E.D.	58	8,780							6	6.5	00.0-13.4	19	16.6	07.0-26.2						
College Graduate	64	9,801	4	7.4	00.0-15.0										8	9.5	00.7-18.3	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	274	26,637	34	10.5	06.2-14.8	51	18.3	12.4-24.2	33	12.3	07.0-17.6	99	37.2	28.4-46.0	40	13.9	08.6-19.2	17	7.9	03.4-12.4
White/Non-Hisp	208	18,775	27	11.5	06.4-16.6	41	19.7	12.8-26.6	26	15.2	08.1-22.3	78	35.4	26.8-44.0	24	11.3	05.4-17.2	12	6.9	01.6-12.2
Black or Afr. Am./Non-Hisp	51	5,441							4	5.5	00.0-12.6									
55-64	73	6,088	12	8.9	03.4-14.4										7	8.9	00.7-17.1			
65+	122	10,106	11	10.2	03.1-17.3	20	18.4	09.6-27.2	17	10.7	04.4-17.0				21	14.8	07.7-21.9	5	2.7	00.2-05.2
H.S. or G.E.D.	121	13,116	12	6.6	02.1-11.1				13	11.0	03.9-18.1				14	11.2	04.5-17.9	8	7.6	01.9-13.3
Some Post-H.S.	67	6,760	9	13.5	03.7-23.3	9	7.8	02.1-13.5										5	6.4	00.0-13.1
College Graduate	52	4,394													8	12.0	02.0-22.0			
\$15,000- 24,999	65	5,074	9	11.7	02.7-20.7	11	13.1	03.7-22.5	4	2.4	00.0-04.8									
\$35,000- 49,999	51	4,304	5	6.8	00.0-13.7				4	5.2	00.0-10.7									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	428	49,261	196	46.1	39.2-53.0	173	38.8	32.1-45.5	7	1.6	00.2-03.0	9	1.5	00.3-02.7	30	10.1	05.2-15.0	13	1.9	00.5-03.3
Male	173	24,316				62	32.6	23.4-41.8	2	0.7	00.0-01.7	3	0.8	00.0-01.8	11	10.3	02.1-18.5	4	1.7	00.0-03.7
Female	255	24,945	105	38.4	30.4-46.4	111	44.8	35.8-53.8	5	2.5	00.0-05.0	6	2.2	00.2-04.2	19	10.0	04.5-15.5	9	2.1	00.5-03.7
White/Non-Hisp	330	36,464	157	47.9	40.1-55.7	130	37.7	30.4-45.0	6	1.9	00.1-03.7	5	0.9	00.1-01.7	22	9.6	04.1-15.1	10	2.0	00.4-03.6
Black or Afr. Am./Non-Hisp	70	8,800										3	3.8	00.0-08.9				1	0.3	00.0-00.9
45-54	67	10,033							1	2.8	00.0-08.1	2	2.8	00.0-07.1						
55-64	112	11,252							1	0.9	00.0-02.7	1	0.3	00.0-01.1	6	6.0	00.0-13.6	3	2.0	00.0-04.7
65+	204	19,295	93	45.3	36.5-54.1	80	41.3	32.3-50.3	4	1.6	00.0-03.4	5	1.8	00.0-03.6	13	6.5	01.8-11.2	9	3.5	00.8-06.2
H.S. or G.E.D.	167	20,393							2	0.7	00.0-01.7	4	1.8	00.0-04.0	16	16.6	06.6-26.6	7	3.2	00.3-06.1
Some Post-H.S.	109	12,992							2	1.7	00.0-04.1	2	1.0	00.0-02.4	6	5.6	00.0-12.1	1	0.3	00.0-00.9
College Graduate	110	12,875							1	0.8	00.0-02.4	2	1.5	00.0-03.7	6	6.3	00.0-13.2	2	0.6	00.0-01.6
Less than \$15,000	67	7,224							2	1.9	00.0-05.0	2	1.8	00.0-04.5	6	6.6	00.5-12.7	2	2.6	00.0-06.5
\$15,000- 24,999	72	6,323										2	4.2	00.0-10.9	5	8.1	00.3-15.9	7	7.2	00.3-14.1
\$35,000- 49,999	71	6,463										1	0.8	00.0-02.4						
\$50,000- 74,999	56	7,310										1	1.0	00.0-03.0				1	2.1	00.0-06.2
\$75,000+	51	7,859													1	0.7	00.0-02.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	173	24,316	62	32.6	23.2-42.0	2	0.7	00.0-01.7	3	0.8	00.0-01.8	11	10.3	01.9-18.7	4	1.7	00.0-03.9
White/Non-Hisp	136	18,675				2	0.9	00.0-02.1	2	0.5	00.0-01.3	7	8.0	00.0-16.8	4	2.3	00.0-05.0
65+	93	9,782				1	0.6	00.0-01.8	2	1.6	00.0-04.0	7	7.4	00.0-15.2	3	2.8	00.0-06.7
H.S. or G.E.D.	56	8,598							2	1.1	00.0-02.7				3	4.4	00.0-10.1
College Graduate	60	8,588				1	1.2	00.0-03.6	1	1.2	00.0-03.6	1	0.6	00.0-01.8	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	255	24,945	105	38.4	30.4-46.4	111	44.8	35.6-54.0	5	2.5	00.0-05.0	6	2.2	00.2-04.2	19	10.0	04.5-15.5	9	2.1	00.5-03.7
White/Non-Hisp	194	17,788	83	42.5	33.3-51.7	83	40.3	31.3-49.3	4	2.9	00.0-06.4	3	1.2	00.0-02.6	15	11.2	04.1-18.3	6	1.8	00.2-03.4
55-64	70	5,826																2	1.2	00.0-02.8
65+	111	9,512							3	2.6	00.0-05.7	3	2.1	00.0-04.6	6	5.5	00.2-10.8	6	4.4	00.5-08.3
H.S. or G.E.D.	111	11,795							2	1.2	00.0-03.0	2	2.4	00.0-06.1	10	9.4	02.7-16.1	4	2.4	00.0-05.1
Some Post-H.S.	65	6,893							2	3.1	00.0-07.4	2	1.8	00.0-04.3				1	0.6	00.0-01.8
College Graduate	50	4,288										1	2.2	00.0-06.5				1	0.8	00.0-02.4
\$15,000- 24,999	57	4,507										2	5.9	00.0-15.1				6	6.0	00.7-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	450	52,133	77	16.5	11.2-21.8	69	17.0	11.3-22.7	37	7.7	04.6-10.8	113	24.5	18.6-30.4	50	9.3	06.2-12.4	104	25.0	19.1-30.9
Male	178	25,532	38	21.5	12.3-30.7	29	19.9	10.3-29.5	13	6.2	01.9-10.5	51	25.0	17.0-33.0	17	6.0	02.5-09.5	30	21.3	12.3-30.3
Female	272	26,601	39	11.8	07.1-16.5	40	14.2	08.7-19.7	24	9.1	04.4-13.8	62	24.0	15.4-32.6	33	12.4	07.5-17.3	74	28.5	20.9-36.1
White/Non-Hisp	346	38,429	58	16.3	10.2-22.4	60	19.5	12.8-26.2	30	8.9	04.8-13.0	85	22.6	16.9-28.3	33	7.3	04.2-10.4	80	25.5	18.6-32.4
Black or Afr. Am./Non-Hisp	74	9,459							2	1.4	00.0-03.4									
45-54	71	11,067							4	3.4	00.0-07.3				8	12.5	03.1-21.9			
55-64	113	11,327	20	12.3	05.2-19.4				5	5.7	00.0-11.6				6	5.5	00.6-10.4			
65+	219	20,489	33	14.6	08.3-20.9	30	16.9	10.0-23.8	24	9.7	04.6-14.8	55	24.6	17.5-31.7	32	11.4	06.9-15.9	45	22.7	14.9-30.5
H.S. or G.E.D.	174	21,115	28	12.3	06.0-18.6				14	6.7	02.4-11.0				17	7.5	03.2-11.8			
Some Post-H.S.	113	13,280	25	15.2	08.3-22.1				8	7.9	00.6-15.2				12	12.3	04.9-19.7	25	19.9	10.9-28.9
College Graduate	114	14,015				20	14.5	06.7-22.3	9	8.6	01.7-15.5	34	24.4	14.8-34.0	13	6.9	02.8-11.0	20	20.3	10.3-30.3
Less than \$15,000	71	7,843							6	5.9	00.0-11.8				10	12.5	03.3-21.7			
\$15,000- 24,999	80	6,900	7	7.0	00.5-13.5	10	13.8	03.8-23.8	9	12.2	03.6-20.8				12	11.9	03.7-20.1			
\$25,000- 34,999	51	6,242							2	1.4	00.0-03.6									
\$35,000- 49,999	73	6,564	11	12.1	03.7-20.5				7	8.7	01.3-16.1				7	8.1	01.2-15.0			
\$50,000- 74,999	55	6,791	7	6.4	00.5-12.3										5	7.3	00.6-14.0			
\$75,000+	52	7,957							4	4.9	00.0-10.4				2	4.7	00.0-11.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	178	25,532	38	21.5	12.5-30.5	29	19.9	09.9-29.9	13	6.2	01.9-10.5	51	25.0	16.8-33.2	17	6.0	02.7-09.3	30	21.3	11.9-30.7
White/Non-Hisp	140	19,843							10	7.1	01.6-12.6	39	25.1	15.7-34.5	11	4.7	01.2-08.2			
65+	97	10,351							10	10.2	01.8-18.6				13	8.0	03.5-12.5			
H.S. or G.E.D.	55	8,159							5	6.0	00.0-13.1				4	3.6	00.0-07.5			
College Graduate	63	9,653				10	12.3	02.9-21.7	3	6.9	00.0-15.7				8	6.1	01.6-10.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	272	26,601	39	11.8	07.1-16.5	40	14.2	08.9-19.5	24	9.1	04.4-13.8	62	24.0	15.4-32.6	33	12.4	07.5-17.3	74	28.5	20.9-36.1
White/Non-Hisp	206	18,586	26	10.7	05.6-15.8	35	18.6	11.3-25.9	20	10.7	04.6-16.8	46	19.8	13.1-26.5	22	10.0	04.9-15.1	57	30.1	21.3-38.9
Black or Afr. Am./Non-Hisp	52	5,626				5	5.6	00.1-11.1												
55-64	72	6,056							3	4.9	00.0-11.4				5	8.4	00.2-16.6			
65+	122	10,138	11	7.4	01.1-13.7	15	15.4	07.0-23.8	14	9.2	03.5-14.9	31	24.2	15.0-33.4	19	14.9	07.1-22.7			
H.S. or G.E.D.	119	12,956	16	11.5	04.1-18.9	16	13.2	05.9-20.5	9	7.2	01.9-12.5				13	9.9	03.2-16.6			
Some Post-H.S.	69	6,953	15	15.1	06.1-24.1													15	17.0	07.4-26.6
College Graduate	51	4,362	5	9.0	00.0-18.6										5	8.6	00.8-16.4			
\$15,000- 24,999	63	5,006	5	4.0	00.3-07.7	9	13.3	03.7-22.9												
\$35,000- 49,999	52	4,411	7	8.9	01.5-16.3										5	9.8	00.2-19.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	456	53,292	104	23.9	17.8-30.0	230	48.5	41.8-55.2	62	14.5	09.8-19.2	47	10.2	05.9-14.5	13	2.8	01.0-04.6
Male	183	26,585	45	27.6	17.6-37.6	89	45.5	35.5-55.5	24	15.5	08.1-22.9	19	9.0	02.7-15.3	6	2.5	00.3-04.7
Female	273	26,708	59	20.3	14.4-26.2	141	51.6	43.2-60.0	38	13.6	07.7-19.5	28	11.3	05.4-17.2	7	3.1	00.6-05.6
White/Non-Hisp	353	39,765	76	23.5	16.6-30.4	182	49.0	41.6-56.4	53	15.8	10.3-21.3	34	9.7	04.6-14.8	8	1.9	00.5-03.3
Black or Afr. Am./Non-Hisp	73	9,309										7	8.4	00.0-17.2	3	5.3	00.0-11.2
45-54	70	10,880													4	4.3	00.0-08.8
55-64	113	11,694										8	4.4	01.1-07.7	2	1.4	00.0-03.4
65+	225	21,432	57	27.2	19.6-34.8	118	52.5	43.9-61.1	29	9.9	05.4-14.4	20	10.3	04.0-16.6	1	0.1	00.0-00.3
H.S. or G.E.D.	178	22,015							28	15.2	07.4-23.0	19	11.9	05.0-18.8	7	3.2	00.7-05.7
Some Post-H.S.	115	13,449							16	16.6	07.2-26.0	12	8.1	02.2-14.0	1	0.4	00.0-01.2
College Graduate	114	14,118	28	21.8	12.2-31.4				13	12.1	03.5-20.7	7	9.0	00.0-19.2	3	4.0	00.0-08.5
Less than \$15,000	73	8,052										14	11.6	04.3-18.9	1	1.7	00.0-05.0
\$15,000- 24,999	83	7,254							10	8.8	02.5-15.1				4	4.5	00.0-09.2
\$25,000- 34,999	51	6,278													1	1.6	00.0-04.9
\$35,000- 49,999	73	6,564										5	6.3	00.0-12.8	2	2.7	00.0-06.4
\$50,000- 74,999	59	7,651							6	6.4	00.7-12.1				3	7.1	00.0-14.9
\$75,000+	51	7,771													1	2.2	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	26,585	45	27.6	17.6-37.6	24	15.5	08.1-22.9	19	9.0	02.7-15.3	6	2.5	00.3-04.7
White/Non-Hisp	146	20,955				20	13.9	06.5-21.3	14	9.6	01.8-17.4	4	2.0	00.0-04.2
65+	102	11,220				13	10.0	03.3-16.7	12	10.4	03.7-17.1			
H.S. or G.E.D.	59	8,971							4	3.4	00.0-07.1	3	2.8	00.0-06.1
College Graduate	63	9,742				7	10.8	01.2-20.4				2	3.7	00.0-08.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	273	26,708	59	20.3	14.4-26.2	141	51.6	43.0-60.2	38	13.6	07.7-19.5	28	11.3	05.4-17.2	7	3.1	00.6-05.6
White/Non-Hisp	207	18,810	39	18.7	12.2-25.2	111	51.8	42.6-61.0	33	17.8	10.2-25.4	20	9.9	03.4-16.4	4	1.8	00.0-03.8
Black or Afr. Am./Non-Hisp	51	5,476							4	3.3	00.0-06.8				3	8.9	00.0-18.9
55-64	71	6,052										4	3.3	00.0-06.6			
65+	123	10,213	30	24.9	15.5-34.3				16	9.8	03.7-15.9				1	0.3	00.0-00.9
H.S. or G.E.D.	119	13,045	17	14.1	06.5-21.7				21	13.3	06.0-20.6				4	3.5	00.0-07.0
Some Post-H.S.	69	6,920										7	7.1	00.6-13.6			
College Graduate	51	4,376										2	1.7	00.0-04.2	1	4.8	00.0-14.0
\$15,000- 24,999	65	5,074							10	12.6	04.0-21.2				2	3.4	00.0-08.9
\$35,000- 49,999	52	4,411										3	4.8	00.0-11.5	2	4.0	00.0-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	462	53,975	114	25.3	19.2-31.4	348	74.7	68.6-80.8
Male	186	26,880	47	28.5	18.5-38.5	139	71.5	61.5-81.5
Female	276	27,095	67	22.1	15.6-28.6	209	77.9	71.4-84.4
White/Non-Hisp	355	40,001	87	26.9	19.6-34.2	268	73.1	65.8-80.4
Black or Afr. Am./Non-Hisp	75	9,513	18	18.2	08.4-28.0	57	81.8	72.0-91.6
65+	226	21,648	57	23.9	16.8-31.0	169	76.1	69.0-83.2
Some Post-H.S.	116	13,781	24	18.7	10.1-27.3	92	81.3	72.7-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES

**TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	276	27,095	67	22.1	15.6-28.6	209	77.9	71.4-84.4
White/Non-Hisp	207	18,810	51	24.3	16.5-32.1	156	75.7	67.9-83.5
65+	123	10,379	32	23.8	14.4-33.2	91	76.2	66.8-85.6
H.S. or G.E.D.	120	13,085	28	21.1	11.9-30.3	92	78.9	69.7-88.1
Some Post-H.S.	69	7,065	12	14.1	04.9-23.3	57	85.9	76.7-95.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	462	53,821	223	44.5	38.0-51.0	239	55.5	49.0-62.0
Male	185	26,690	77	36.7	27.5-45.9	108	63.3	54.1-72.5
Female	277	27,131	146	52.2	43.6-60.8	131	47.8	39.2-56.4
White/Non-Hisp	355	39,846	179	47.1	39.7-54.5	176	52.9	45.5-60.3
65+	227	21,530	99	42.3	33.9-50.7	128	57.7	49.3-66.1
H.S. or G.E.D.	179	21,897	85	36.6	27.0-46.2	94	63.4	53.8-73.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	26,690	77	36.7	27.3-46.1	108	63.3	53.9-72.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 2: DIABETES**

**TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**  
**Denominator excludes: Respondents that reported not being diagnosed with diabetes**  
**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	277	27,131	146	52.2	43.6-60.8	131	47.8	39.2-56.4
White/Non-Hisp	208	18,846	116	58.1	49.3-66.9	92	41.9	33.1-50.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008**

**MODULE 6: BINGE DRINKING CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE MOST RECENT OCCASION WHEN YOU HAD [5 OR MORE FOR MEN, 4 OR MORE FOR WOMEN] ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK? (DRNKBER1)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE DID YOU DRINK? (DRNKWIN1)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48
	DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)	
7	MALES AND FEMALES	49
8	MALES ONLY	50
9	FEMALES ONLY	51
	DURING THE SAME OCCASION, ABOUT HOW MANY OTHER PRE-MIXED, FLAVORED DRINKS DID YOU HAVE? BY THAT, WE MEAN DRINKS SUCH AS HARD LEMONADE, WINE COOLERS, OR SMIRNOFF ICE. (DRNKPMIX)	
10	MALES AND FEMALES	52
11	MALES ONLY	53
12	FEMALES ONLY	54
	DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC1)	
13	MALES AND FEMALES	55
14	MALES ONLY	56
15	FEMALES ONLY	57
	DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)	
16	MALES AND FEMALES	58
17	MALES ONLY	59
18	FEMALES ONLY	60
	DURING THIS MOST RECENT OCCASION, APPROXIMATELY HOW MUCH DID YOU PAY FOR THE ALCOHOL WHICH YOU DRANK? (BINGEPAY)	
19	MALES AND FEMALES	61

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008

MODULE 6: BINGE DRINKING CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
20	MALES ONLY	62
21	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 1: DURING THE MOST RECENT OCCASION WHEN YOU HAD [5 OR MORE FOR MEN, 4 OR MORE FOR WOMEN] ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK? (DRNKBER1)**

Denominator excludes: Respondents with refused/missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers			No Beer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	443	114,192	9	3.2	00.1-06.3	20	4.5	02.0-07.0	21	5.1	02.2-08.0	35	8.8	04.3-13.3	203	49.6	42.2-57.0	155	28.9	22.0-35.8
Male	247	76,828	4	1.1	00.0-02.3	10	4.2	00.7-07.7	9	3.8	00.7-06.9	10	4.5	00.6-08.4	164	66.6	57.0-76.2	50	19.9	10.7-29.1
Female	196	37,364	5	7.4	00.0-16.4	10	5.2	01.5-08.9	12	7.7	01.2-14.2				39	14.6	08.9-20.3			
White/Non-Hisp	380	94,025	7	2.7	00.0-05.8	13	2.7	00.9-04.5	18	5.3	01.8-08.8	32	8.6	04.1-13.1	183	55.1	47.3-62.9	127	25.6	18.7-32.5
25-34	89	30,330	3	4.2	00.0-10.9	5	4.2	00.5-07.9	8	6.5	01.0-12.0	6	5.8	00.3-11.3						
35-44	105	21,755	1	1.5	00.0-04.4	4	2.0	00.0-04.2	1	0.9	00.0-02.7	10	6.5	01.4-11.6						
45-54	109	20,827	1	0.1	00.0-00.3	6	5.8	00.7-10.9	5	6.9	00.0-15.5	11	9.2	02.7-15.7				29	19.3	10.7-27.9
55-64	70	9,749	1	2.8	00.0-08.3	2	1.1	00.0-02.7	4	6.1	00.0-13.0	2	2.4	00.0-05.7						
H.S. or G.E.D.	133	34,362	3	1.1	00.0-02.5	5	6.2	00.0-13.3	5	3.1	00.0-06.6	10	7.3	00.0-15.7				34	18.6	10.2-27.0
Some Post-H.S.	110	34,153	1	4.3	00.0-12.5	4	2.1	00.0-04.3	7	6.4	00.0-13.5	8	7.7	00.0-15.9						
College Graduate	180	41,566	5	4.3	00.0-09.4	10	4.5	01.2-07.8	9	6.1	00.8-11.4	16	11.8	04.0-19.6						
\$35,000- 49,999	65	12,658	1	2.5	00.0-07.4	4	6.6	00.1-13.1	4	2.3	00.0-05.0	5	3.5	00.2-06.8						
\$50,000- 74,999	85	23,131	3	4.9	00.0-13.3	2	0.8	00.0-02.0	1	3.9	00.0-11.3									
\$75,000+	164	46,137	2	0.9	00.0-02.3	8	5.7	00.2-11.2	8	4.8	01.1-08.5	11	8.4	01.9-14.9						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 2: DURING THE MOST RECENT OCCASION WHEN YOU HAD [5 OR MORE FOR MEN, 4 OR MORE FOR WOMEN] ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK? (DRNKBER1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers			No Beer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	247	76,828	4	1.1	00.0-02.3	10	4.2	00.7-07.7	9	3.8	00.7-06.9	10	4.5	00.6-08.4	164	66.6	57.0-76.2	50	19.9	10.7-29.1
White/Non-Hisp	216	65,334	3	1.2	00.0-02.6	6	1.4	00.0-02.8	8	4.3	00.6-08.0	9	4.5	00.2-08.8	148	71.5	61.9-81.1	42	17.1	08.3-25.9
35-44	57	13,248	1	2.4	00.0-07.1	2	1.9	00.0-05.0				4	5.3	00.0-11.8						
45-54	57	14,301				3	3.6	00.0-07.9				1	3.2	00.0-09.3				7	10.2	01.6-18.8
H.S. or G.E.D.	86	26,151	2	1.0	00.0-02.6	3	7.7	00.0-16.9	1	0.7	00.0-02.1	3	2.2	00.0-05.7				12	10.0	03.3-16.7
Some Post-H.S.	55	22,924				1	0.9	00.0-02.7	2	2.4	00.0-06.5									
College Graduate	93	24,634	2	2.4	00.0-05.7	6	4.1	00.0-08.2	6	8.7	00.1-17.3	3	3.1	00.0-06.8						
\$75,000+	108	34,772	1	0.8	00.0-02.4	6	6.4	00.0-13.5	5	4.6	00.1-09.1	5	6.4	00.0-14.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 3: DURING THE MOST RECENT OCCASION WHEN YOU HAD [5 OR MORE FOR MEN, 4 OR MORE FOR WOMEN] ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK? (DRNKBER1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	196	37,364	5	7.4	00.0-16.4	10	5.2	01.5-08.9	12	7.7	01.2-14.2				39	14.6	08.9-20.3
White/Non-Hisp	164	28,691	4	6.0	00.0-15.6	7	5.6	01.1-10.1	10	7.8	00.2-15.4				35	17.8	10.7-24.9
45-54	52	6,526	1	0.4	00.0-01.2				2	2.1	00.0-05.2						
Some Post-H.S.	55	11,229				3	4.5	00.0-09.8				4	4.8	00.0-10.5	9	13.0	03.2-22.8
College Graduate	87	16,932	3	7.0	00.0-18.4	4	5.1	00.0-10.6	3	2.2	00.0-04.9				18	15.3	07.1-23.5
\$75,000+	56	11,365	1	1.2	00.0-03.6	2	3.6	00.0-09.5	3	5.1	00.0-11.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 4: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE DID YOU DRINK? (DRNKWIN1)**

Denominator excludes: Respondents with refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glass of Wine			Two Glasses of Wine			Three Glasses of Wine			Four Glasses of Wine			Five or More Glasses of Wine			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	444	115,771	24	7.0	03.1-10.9	15	2.7	00.9-04.5	12	1.7	00.0-03.5	30	3.7	02.1-05.3	34	7.8	02.7-12.9	329	77.3	71.0-83.6
Male	250	78,251	10	5.4	01.3-09.5	7	2.4	00.2-04.6	3	1.3	00.0-03.7	1	0.1	00.0-00.3	18	7.9	00.8-15.0	211	82.8	74.6-91.0
Female	194	37,520	14	10.1	01.7-18.5	8	3.3	00.6-06.0	9	2.4	00.0-04.8	29	11.0	05.9-16.1	16	7.4	03.3-11.5	118	65.7	55.9-75.5
White/Non-Hisp	380	95,441	21	6.5	02.8-10.2	14	3.1	01.1-05.1	12	2.0	00.0-04.2	27	3.7	01.9-05.5	31	8.1	02.4-13.8	275	76.6	69.7-83.5
25-34	89	30,618	5	8.9	00.0-18.3	4	3.8	00.0-08.1				2	1.6	00.0-04.0						
35-44	104	21,699	4	4.5	00.0-09.8	1	0.9	00.0-02.7	2	1.5	00.0-04.0	9	7.6	02.1-13.1	8	8.2	02.1-14.3	80	77.3	67.9-86.7
45-54	109	21,693	7	6.7	00.4-13.0	6	6.2	00.7-11.7	2	4.4	00.0-12.2	7	4.2	00.1-08.3	4	1.8	00.0-03.8			
55-64	70	9,749	2	3.4	00.0-08.9	2	1.6	00.0-04.0	5	2.3	00.1-04.5	8	7.9	00.6-15.2	9	10.6	02.6-18.6			
H.S. or G.E.D.	134	35,386				2	1.3	00.0-03.7	3	0.5	00.0-01.1	3	0.3	00.0-00.7	7	4.1	00.0-08.6			
Some Post-H.S.	108	34,033	7	4.6	00.5-08.7	4	1.7	00.0-03.9	1	0.1	00.0-00.3	10	3.3	00.6-06.0	4	3.0	00.0-06.5	82	87.3	80.6-94.0
College Graduate	181	41,884	8	3.6	00.3-06.9	9	5.0	01.3-08.7	8	4.1	00.0-08.8	17	7.2	03.3-11.1						
\$35,000- 49,999	66	12,821	1	1.1	00.0-03.3	2	0.9	00.0-02.3	1	0.2	00.0-00.6	5	4.6	00.0-10.1	4	5.6	00.0-12.3	53	87.7	78.9-96.5
\$50,000- 74,999	86	23,449	5	3.9	00.0-08.4	3	2.6	00.0-06.3	3	1.8	00.0-04.5	4	2.9	00.0-06.2	6	4.2	00.3-08.1	65	84.6	76.2-93.0
\$75,000+	162	46,030	8	4.5	00.8-08.2	7	4.1	00.8-07.4	5	2.9	00.0-06.8	14	4.5	01.6-07.4						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 5: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE DID YOU DRINK? (DRNKWIN1)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glass of Wine			Two Glasses of Wine			Three Glasses of Wine			Four Glasses of Wine			Five or More Glasses of Wine			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	78,251	10	5.4	01.3-09.5	7	2.4	00.2-04.6	3	1.3	00.0-03.7	1	0.1	00.0-00.3	18	7.9	00.6-15.2	211	82.8	74.6-91.0
White/Non-Hisp	218	66,593	9	5.9	01.2-10.6	7	2.9	00.5-05.3	3	1.5	00.0-04.2	1	0.1	00.0-00.3	15	7.4	00.0-15.4	183	82.2	73.0-91.4
35-44	56	13,191	1	3.0	00.0-08.7	1	1.5	00.0-04.4	1	0.4	00.0-01.2				4	6.1	00.0-13.0	49	89.0	79.8-98.2
45-54	59	15,260	2	4.9	00.0-11.8	3	6.7	00.0-14.1	1	5.9	00.0-17.1									
H.S. or G.E.D.	88	27,216	3	7.2	00.0-16.8	1	1.5	00.0-04.4							4	4.5	00.0-10.2			
Some Post-H.S.	55	22,924	3	3.9	00.0-09.2										3	3.3	00.0-08.2	49	92.8	85.7-99.9
College Graduate	93	24,634	4	5.6	00.0-11.3	6	6.0	00.3-11.7	3	4.1	00.0-11.2	1	0.4	00.0-01.2						
\$75,000+	107	34,716	4	3.3	00.0-07.0	4	3.1	00.0-06.6	2	2.8	00.0-07.9	1	0.3	00.0-00.9						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 6: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE DID YOU DRINK? (DRNKWIN1)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glass of Wine			Two Glasses of Wine			Three Glasses of Wine			Four Glasses of Wine			Five or More Glasses of Wine			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	194	37,520	14	10.1	01.7-18.5	8	3.3	00.6-06.0	9	2.4	00.0-04.8	29	11.0	05.9-16.1	16	7.4	03.3-11.5	118	65.7	55.9-75.5
White/Non-Hisp	162	28,847	12	7.9	02.0-13.8	7	3.6	00.3-06.9	9	3.2	00.3-06.1	26	11.8	06.1-17.5	16	9.6	04.3-14.9			
45-54	50	6,433				3	5.0	00.0-11.3	1	0.6	00.0-02.0				4	5.9	00.0-12.6			
Some Post-H.S.	53	11,109	4	5.9	00.0-12.6	4	5.3	00.0-11.8	1	0.3	00.0-00.9	10	10.1	01.7-18.5	1	2.5	00.0-07.4			
College Graduate	88	17,250	4	0.8	00.0-01.6	3	3.6	00.0-08.1	5	4.0	00.0-08.9	16	16.8	07.4-26.2	11	12.7	04.7-20.7			
\$75,000+	55	11,314	4	8.2	00.0-17.4	3	7.1	00.0-15.1	3	3.1	00.0-08.0									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 7: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents with refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink of Liquor			Two Drinks of Liquor			Three Drinks of Liquor			Four Drinks of Liquor			Five or More Drinks of Liquor			No Drinks of Liquor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	445	115,504	34	6.8	03.9-09.7	32	9.9	04.0-15.8	27	7.5	03.6-11.4	30	6.9	03.4-10.4	57	14.8	09.1-20.5	265	54.2	46.9-61.5
Male	249	77,893	15	5.8	02.1-09.5	19	10.6	03.0-18.2	11	5.3	01.2-09.4	8	4.0	00.1-07.9	39	16.3	08.9-23.7	157	58.0	48.4-67.6
Female	196	37,611	19	8.8	03.9-13.7	13	8.4	00.6-16.2	16	12.0	03.6-20.4	22	12.8	05.4-20.2	18	11.6	04.5-18.7			
White/Non-Hisp	381	95,173	30	7.1	03.8-10.4	25	9.5	03.2-15.8	21	6.2	02.3-10.1	19	4.5	01.4-07.6	45	12.5	07.8-17.2	241	60.1	52.3-67.9
25-34	89	30,330	8	6.7	01.0-12.4				5	5.7	00.4-11.0				18	16.7	07.7-25.7			
35-44	104	21,699	9	9.4	02.9-15.9	5	4.3	00.0-08.6	6	3.7	00.0-07.8	5	3.9	00.0-07.8	14	14.7	05.5-23.9			
45-54	111	21,786	5	6.9	00.0-15.5	8	7.4	01.3-13.5	5	7.3	00.0-15.9	9	5.4	01.3-09.5	8	8.5	02.0-15.0			
55-64	70	9,749	3	4.6	00.0-10.1	3	3.3	00.0-07.4	5	4.7	00.0-09.6	4	4.6	00.0-10.1	6	5.0	00.5-09.5			
H.S. or G.E.D.	134	35,355	8	6.2	00.9-11.5				10	9.7	01.9-17.5	8	8.7	00.1-17.3	18	13.8	06.0-21.6			
Some Post-H.S.	110	34,153	9	3.9	01.0-06.8	8	5.6	01.1-10.1	3	5.5	00.0-13.9	5	2.1	00.1-04.1						
College Graduate	181	41,884	17	10.3	04.0-16.6				13	7.3	02.0-12.6	17	9.9	03.4-16.4	13	7.2	02.5-11.9			
\$35,000- 49,999	66	12,821				5	3.9	00.0-07.8	2	2.4	00.0-06.3									
\$50,000- 74,999	86	23,449	5	4.7	00.0-09.6	4	7.7	00.0-19.7	6	8.9	00.1-17.7	4	5.9	00.0-14.5	14	14.3	04.9-23.7			
\$75,000+	163	46,081	14	8.6	02.9-14.3				9	6.3	00.6-12.0	12	6.0	01.5-10.5	14	8.9	03.6-14.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 8: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink of Liquor			Two Drinks of Liquor			Three Drinks of Liquor			Four Drinks of Liquor			Five or More Drinks of Liquor			No Drinks of Liquor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	249	77,893	15	5.8	02.1-09.5	19	10.6	03.0-18.2	11	5.3	01.2-09.4	8	4.0	00.1-07.9	39	16.3	08.7-23.9	157	58.0	48.4-67.6
White/Non-Hisp	217	66,235	13	5.8	01.9-09.7	18	12.2	03.4-21.0	9	3.6	00.3-06.9	5	3.3	00.0-07.4	31	12.8	07.1-18.5			
35-44	56	13,191	4	6.9	00.0-14.2	3	5.8	00.0-12.7	4	5.3	00.0-11.8	3	4.7	00.0-10.4						
45-54	59	15,260				3	4.9	00.0-11.4				3	3.1	00.0-06.8	7	10.9	01.9-19.9			
H.S. or G.E.D.	88	27,216	4	5.3	00.0-11.4				5	8.4	00.0-17.4	2	5.2	00.0-14.4	15	15.7	05.9-25.5			
Some Post-H.S.	55	22,924	4	2.1	00.0-04.5	3	4.8	00.0-10.5				1	0.4	00.0-01.2						
College Graduate	93	24,634	7	10.6	01.4-19.8				6	7.4	00.0-15.4	5	6.3	00.0-12.8	8	8.1	01.6-14.6			
\$75,000+	107	34,716	8	6.8	00.5-13.1				5	7.2	00.0-14.6	2	1.2	00.0-03.0	12	9.8	03.3-16.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 9: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink of Liquor			Two Drinks of Liquor			Three Drinks of Liquor			Four Drinks of Liquor			Five or More Drinks of Liquor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	196	37,611	19	8.8	03.9-13.7	13	8.4	00.6-16.2	16	12.0	03.4-20.6	22	12.8	05.2-20.4	18	11.6	04.5-18.7
White/Non-Hisp	164	28,938	17	10.0	04.1-15.9	7	3.5	00.0-07.0				14	7.4	02.7-12.1	14	11.7	03.3-20.1
45-54	52	6,526	3	2.3	00.0-05.2				2	1.6	00.0-04.0				1	2.8	00.0-08.3
Some Post-H.S.	55	11,229	5	7.5	00.0-15.1	5	7.1	00.0-14.4				4	5.4	00.0-11.1			
College Graduate	88	17,250	10	9.9	02.1-17.7	3	1.3	00.0-03.1	7	7.1	00.8-13.4				5	6.1	00.0-12.8
\$75,000+	56	11,365							4	3.9	00.0-09.0				2	6.0	00.0-14.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 10: DURING THE SAME OCCASION, ABOUT HOW MANY OTHER PRE-MIXED, FLAVORED DRINKS DID YOU HAVE? BY THAT, WE MEAN DRINKS SUCH AS HARD LEMONADE, WINE COOLERS, OR SMIRNOFF ICE. (DRNKPMIX)**

Denominator excludes: Respondents with refused/missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Pre-mixed			2 Pre-mixed			3 Pre-mixed			4 Pre-mixed			5+ Pre-mixed			No Pre-mixed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	446	115,518	9	2.7	00.7-04.7	3	0.3	00.0-00.7	7	2.9	00.0-05.8	5	0.9	00.0-01.9	4	0.7	00.0-01.7	418	92.5	88.8-96.2
Male	250	78,251	2	1.2	00.0-02.8	1	0.2	00.0-00.6	3	2.0	00.0-04.5				3	1.0	00.0-02.4	241	95.6	92.3-98.9
Female	196	37,267	7	5.8	00.9-10.7	2	0.4	00.0-01.0	4	4.9	00.0-12.3	5	2.8	00.0-05.7	1	0.2	00.0-00.6	177	86.0	77.2-94.8
White/Non-Hisp	382	95,187	7	2.7	00.5-04.9	3	0.3	00.0-00.7	4	1.1	00.0-02.7	3	0.5	00.0-01.3	4	0.9	00.0-02.1	361	94.5	91.6-97.4
25-34	90	30,688	3	4.5	00.0-09.6	2	0.9	00.0-02.3				1	0.2	00.0-00.6				84	94.4	89.1-99.7
35-44	104	21,699	3	5.0	00.0-10.7				1	0.6	00.0-01.8	1	1.9	00.0-05.6	2	1.2	00.0-03.2	97	91.2	84.3-98.1
45-54	110	21,370				1	0.2	00.0-00.6	3	4.1	00.0-10.4	1	1.3	00.0-03.8	1	0.7	00.0-02.1	104	93.7	87.0-0100
55-64	70	9,749	1	0.6	00.0-01.8							1	0.5	00.0-01.5				68	98.9	97.3-0100
H.S. or G.E.D.	135	35,427	6	4.9	00.4-09.4	1	0.5	00.0-01.5	6	9.1	00.0-18.5	2	0.3	00.0-00.7	1	0.4	00.0-01.2	119	84.8	74.8-94.8
Some Post-H.S.	110	34,153	1	1.4	00.0-04.1							1	0.8	00.0-02.4	2	1.5	00.0-04.2	106	96.2	92.1-0100
College Graduate	181	41,884	2	2.1	00.0-05.0	1	0.2	00.0-00.6	1	0.3	00.0-00.9	1	1.0	00.0-03.0	1	0.5	00.0-01.5	175	95.9	92.2-99.6
\$35,000- 49,999	66	12,821				1	0.4	00.0-01.2	2	2.3	00.0-05.4	1	2.2	00.0-06.3				62	95.2	89.9-0100
\$50,000- 74,999	86	23,449	1	0.2	00.0-00.6							1	1.8	00.0-05.3				84	98.0	94.5-0100
\$75,000+	163	46,081	4	3.9	00.2-07.6	2	0.6	00.0-01.4	1	1.6	00.0-04.7				2	0.7	00.0-01.7	154	93.2	88.1-98.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 11: DURING THE SAME OCCASION, ABOUT HOW MANY OTHER PRE-MIXED, FLAVORED DRINKS DID YOU HAVE? BY THAT, WE MEAN DRINKS SUCH AS HARD LEMONADE, WINE COOLERS, OR SMIRNOFF ICE. (DRNKPMIX)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Pre-mixed			2 Pre-mixed			3 Pre-mixed			5+ Pre-mixed			No Pre-mixed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	78,251	2	1.2	00.0-02.8	1	0.2	00.0-00.6	3	2.0	00.0-04.5	3	1.0	00.0-02.4	241	95.6	92.3-98.9
White/Non-Hisp	218	66,593	2	1.4	00.0-03.4	1	0.3	00.0-00.9	2	1.2	00.0-03.2	3	1.2	00.0-02.8	210	95.9	92.6-99.2
35-44	56	13,191	1	3.0	00.0-08.7							1	1.5	00.0-04.4	54	95.5	89.0-0100
45-54	59	15,260							2	5.4	00.0-14.0	1	0.9	00.0-02.7	56	93.6	84.8-0100
H.S. or G.E.D.	88	27,216	1	1.4	00.0-04.1	1	0.7	00.0-02.1	3	5.7	00.0-12.8	1	0.5	00.0-01.5	82	91.6	84.0-99.2
Some Post-H.S.	55	22,924										1	2.0	00.0-05.9	54	98.0	94.1-0100
College Graduate	93	24,634	1	2.1	00.0-06.2							1	0.8	00.0-02.4	91	97.1	92.6-0100
\$75,000+	107	34,716	1	1.5	00.0-04.4	1	0.5	00.0-01.5	1	2.1	00.0-06.2	2	1.0	00.0-02.4	102	94.9	89.6-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 12: DURING THE SAME OCCASION, ABOUT HOW MANY OTHER PRE-MIXED, FLAVORED DRINKS DID YOU HAVE? BY THAT, WE MEAN DRINKS SUCH AS HARD LEMONADE, WINE COOLERS, OR SMIRNOFF ICE. (DRNKPMIX)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Pre-mixed			2 Pre-mixed			3 Pre-mixed			4 Pre-mixed			5+ Pre-mixed			No Pre-mixed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
Female	196	37,267	7	5.8	00.9-10.7	2	0.4	00.0-01.0	4	4.9	00.0-12.3	5	2.8	00.0-05.7	1	0.2	00.0-00.6	177	86.0	77.2-94.8
White/Non-Hisp	164	28,594	5	5.6	00.3-10.9	2	0.5	00.0-01.3	2	0.7	00.0-01.9	3	1.8	00.0-04.7	1	0.2	00.0-00.6	151	91.1	85.0-97.2
45-54	51	6,110				1	0.8	00.0-02.4	1	0.7	00.0-02.1	1	4.5	00.0-13.1				48	94.0	85.2-0100
Some Post-H.S.	55	11,229	1	4.4	00.0-12.8							1	2.5	00.0-07.4	1	0.6	00.0-01.8	52	92.6	83.0-0100
College Graduate	88	17,250	1	2.0	00.0-05.9	1	0.5	00.0-01.5	1	0.8	00.0-02.4	1	2.4	00.0-07.1				84	94.2	87.7-0100
\$75,000+	56	11,365				1	0.8	00.0-02.4												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 13: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC1)**

Denominator excludes: Respondents with refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Bar or Club			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	447	115,911	222	45.1	37.8-52.4	76	23.6	16.5-30.7	36	6.5	03.6-09.4	79	18.5	13.2-23.8	19	3.5	01.3-05.7	15	2.8	01.2-04.4
Male	251	78,414	131	45.8	36.4-55.2	40	27.1	17.7-36.5	18	5.9	02.0-09.8	41	14.9	09.2-20.6	12	3.8	00.7-06.9	9	2.5	00.7-04.3
Female	196	37,497				36	16.4	09.0-23.8	18	7.9	03.6-12.2				7	2.7	00.3-05.1	6	3.5	00.6-06.4
White/Non-Hisp	383	95,474	192	44.5	36.9-52.1	62	21.7	14.6-28.8	34	7.6	04.1-11.1	67	19.7	13.6-25.8	15	3.5	01.0-06.0	13	2.9	01.1-04.7
25-34	91	30,871							11	11.3	02.1-20.5	21	16.1	07.9-24.3	4	2.2	00.0-04.7	4	2.6	00.1-05.1
35-44	105	21,755				15	13.5	05.9-21.1	9	8.1	02.2-14.0				4	3.7	00.0-07.8	5	4.7	00.2-09.2
45-54	111	21,786				13	13.2	03.6-22.8	9	5.0	01.1-08.9				7	4.8	00.9-08.7	4	4.0	00.0-08.1
55-64	70	9,749							3	8.6	00.0-18.6	10	12.5	04.3-20.7				1	2.8	00.0-08.3
H.S. or G.E.D.	136	35,484							11	10.3	02.1-18.5	21	11.8	04.7-18.9	3	1.4	00.0-03.2	3	2.0	00.0-04.4
Some Post-H.S.	110	34,151							3	0.7	00.0-01.7				8	6.5	00.0-13.0	5	3.0	00.1-05.9
College Graduate	180	41,807				35	19.2	11.2-27.2	22	8.8	04.7-12.9	36	26.2	16.4-36.0	6	2.6	00.2-05.0	7	3.6	00.9-06.3
\$35,000- 49,999	66	12,821							6	7.1	00.0-14.4				3	5.6	00.0-12.1	2	3.2	00.0-07.9
\$50,000- 74,999	85	23,370							9	5.2	01.3-09.1				5	6.2	00.0-14.8	3	2.4	00.0-05.3
\$75,000+	164	46,137							14	7.4	03.1-11.7	28	18.0	10.4-25.6	8	3.2	00.7-05.7	7	3.4	00.7-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 14: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Bar or Club			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	78,414	131	45.8	36.4-55.2	40	27.1	17.5-36.7	18	5.9	02.0-09.8	41	14.9	09.2-20.6	12	3.8	00.7-06.9	9	2.5	00.7-04.3
White/Non-Hisp	219	66,650	117	48.5	38.5-58.5	31	22.9	13.5-32.3	17	6.8	02.3-11.3	35	14.8	08.9-20.7	10	4.1	00.6-07.6	9	2.9	00.9-04.9
35-44	57	13,248				4	6.9	00.0-14.2	3	3.2	00.0-06.9				3	5.0	00.0-11.7	5	7.8	00.4-15.2
45-54	59	15,260							5	5.2	00.1-10.3				4	4.5	00.0-09.4			
H.S. or G.E.D.	89	27,273										11	10.5	02.1-18.9	2	1.5	00.0-03.9	3	2.6	00.0-05.7
Some Post-H.S.	56	23,107													3	6.2	00.0-15.2	2	1.4	00.0-03.6
College Graduate	92	24,557							9	6.2	01.7-10.7				5	3.8	00.0-07.7	4	3.6	00.0-07.5
\$75,000+	108	34,772							5	3.9	00.0-07.8	16	13.9	05.5-22.3	8	4.3	00.8-07.8	5	3.2	00.1-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 6: BINGE DRINKING**

**TABLE 15: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	196	37,497				36	16.4	09.0-23.8	18	7.9	03.6-12.2	7	2.7	00.3-05.1	6	3.5	00.6-06.4
White/Non-Hisp	164	28,824	75	35.4	25.6-45.2	31	18.9	09.7-28.1	17	9.7	04.2-15.2	5	2.0	00.0-04.0	4	3.0	00.0-06.1
45-54	52	6,526				6	6.6	00.7-12.5	4	4.5	00.0-10.4	3	5.5	00.0-12.2			
Some Post-H.S.	54	11,044							3	2.1	00.0-05.2	5	7.1	00.0-14.5	3	6.3	00.0-13.7
College Graduate	88	17,250				20	17.5	08.1-26.9	13	12.6	05.0-20.2	1	0.8	00.0-02.4	3	3.5	00.0-07.4
\$75,000+	56	11,365												2	4.1	00.0-09.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 16: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)  
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	449	116,174	45	10.0	05.7-14.3	404	90.0	85.7-94.3	
Male	252	78,491	28	12.1	06.0-18.2	224	87.9	81.8-94.0	
Female	197	37,683	17	5.8	02.1-09.5	180	94.2	90.5-97.9	
White/Non-Hisp	384	95,660	40	10.5	05.8-15.2	344	89.5	84.8-94.2	
25-34	91	30,871	11	9.6	02.7-16.5	80	90.4	83.5-97.3	
35-44	105	21,755	7	5.7	00.8-10.6	98	94.3	89.4-99.2	
45-54	111	21,786	11	7.5	01.6-13.4	100	92.5	86.6-98.4	
H.S. or G.E.D.	136	35,484	15	14.1	04.5-23.7	121	85.9	76.3-95.5	
Some Post-H.S.	111	34,337	11	8.0	00.0-16.0	100	92.0	84.0-0100	
College Graduate	181	41,884	15	7.4	02.9-11.9	166	92.6	88.1-97.1	
\$35,000- 49,999	66	12,821	6	11.5	01.9-21.1	60	88.5	78.9-98.1	
\$50,000- 74,999	87	23,632	8	8.2	00.0-19.0	79	91.8	81.0-0100	
\$75,000+	164	46,137	19	14.0	05.8-22.2	145	86.0	77.8-94.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 17: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	252	78,491	28	12.1	06.0-18.2	224	87.9	81.8-94.0	
White/Non-Hisp	219	66,650	24	12.1	05.6-18.6	195	87.9	81.4-94.4	
35-44	57	13,248	3	5.3	00.0-12.0	54	94.7	88.0-100.0	
45-54	59	15,260	6	9.0	00.8-17.2	53	91.0	82.8-99.2	
College Graduate	93	24,634	10	9.3	02.6-16.0	83	90.7	84.0-97.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 18: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	197	37,683	17	5.8	02.1-09.5	180	94.2	90.5-97.9	
White/Non-Hisp	165	29,010	16	6.6	02.1-11.1	149	93.4	88.9-97.9	
45-54	52	6,526	5	4.2	00.3-08.1	47	95.8	91.9-99.7	
Some Post-H.S.	55	11,229	4	3.6	00.0-07.9	51	96.4	92.1-0100	
College Graduate	88	17,250	5	4.5	00.0-10.4	83	95.5	89.6-0100	
\$75,000+	56	11,365	3	6.0	00.0-14.8	53	94.0	85.2-0100	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 6: BINGE DRINKING**

**TABLE 19: DURING THIS MOST RECENT OCCASION, APPROXIMATELY HOW MUCH DID YOU PAY FOR THE ALCOHOL WHICH YOU DRANK? (BINGEPAY)**

Denominator excludes: Respondents with refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		\$51.00 - \$100.0			\$101.0 - \$150.0			\$151.0 or more			Paid Nothing, Free		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	105	26,923	4	2.6	00.0-05.3	2	1.1	00.0-02.7	5	5.7	00.6-10.8	14	11.7	04.4-19.0
Male	55	15,001	2	2.5	00.0-06.0	1	0.7	00.0-02.1	1	2.7	00.0-08.0	5	5.7	00.0-11.8
Female	50	11,922	2	2.7	00.0-07.0	1	1.6	00.0-04.7	4	9.5	00.0-19.3			
White/Non-Hisp	93	24,379	3	2.1	00.0-04.6	2	1.2	00.0-03.0	5	6.3	00.6-12.0	13	12.3	04.5-20.1
College Graduate	54	14,129	2	3.2	00.0-07.7	1	1.3	00.0-03.8	3	5.6	00.0-12.3	6	8.8	01.2-16.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 6: BINGE DRINKING**

**TABLE 20: DURING THIS MOST RECENT OCCASION, APPROXIMATELY HOW MUCH DID YOU PAY FOR THE ALCOHOL WHICH YOU DRANK? (BINGEPAY)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses  
 Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		\$51.00 - \$100.0			\$101.0 - \$150.0			\$151.0 or more			Paid Nothing, Free		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	55	15,001	2	2.5	00.0-06.0	1	0.7	00.0-02.1	1	2.7	00.0-08.2	5	5.7	00.0-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 6: BINGE DRINKING**

**TABLE 21: DURING THIS MOST RECENT OCCASION, APPROXIMATELY HOW MUCH DID YOU PAY FOR THE ALCOHOL WHICH YOU DRANK? (BINGEPAY)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses  
 Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		\$51.00 - \$100.0			\$101.0 - \$150.0			\$151.0 or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	50	11,922	2	2.7	00.0-07.2	1	1.6	00.0-04.7	4	9.5	00.0-19.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008**

**MODULE 7: OTHER TOBACCO PRODUCTS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU EVER USED OR TRIED ANY SMOKELESS TOBACCO PRODUCTS SUCH AS CHEWING TOBACCO, SNUFF, OR SNUS? (USEEVER3)	
1 MALES AND FEMALES	65
2 MALES ONLY	66
3 FEMALES ONLY	67
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)	
4 MALES AND FEMALES	68
5 MALES ONLY	69
6 FEMALES ONLY	70
DO YOU CURRENTLY USE CIGARS, PIPES, BIDIS, KRETEKS OR OTHER TOBACCO PRODUCTS? DO NOT INCLUDE CIGARETTES, SNUS, SNUFF, OR CHEWING TOBACCO. (USOTHNW1)	
7 MALES AND FEMALES	71
8 MALES ONLY	72
9 FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 1: HAVE YOU EVER USED OR TRIED ANY SMOKELESS TOBACCO PRODUCTS SUCH AS CHEWING TOBACCO, SNUFF, OR SNUS? (USEEVER3)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3997	658,841	394	13.5	11.7-15.3	3603	86.5	84.7-88.3
Male	1424	315,093	326	24.5	21.4-27.6	1098	75.5	72.4-78.6
Female	2573	343,748	68	3.4	02.4-04.4	2505	96.6	95.6-97.6
White/Non-Hisp	3216	509,911	350	15.5	13.3-17.7	2866	84.5	82.3-86.7
Black or Afr. Am./Non-Hisp	477	85,250	20	4.3	01.9-06.7	457	95.7	93.3-98.1
Oth. Race/Non-Hisp.	102	21,178	6	8.6	01.0-16.2	96	91.4	83.8-99.0
Hispanic	91	27,372	9	9.9	02.5-17.3	82	90.1	82.7-97.5
18-24	149	82,652	19	15.6	07.8-23.4	130	84.4	76.6-92.2
25-34	387	113,762	70	21.7	16.4-27.0	317	78.3	73.0-83.6
35-44	597	124,278	100	16.9	13.4-20.4	497	83.1	79.6-86.6
45-54	794	121,260	69	10.4	07.7-13.1	725	89.6	86.9-92.3
55-64	855	95,728	58	8.5	06.0-11.0	797	91.5	89.0-94.0
65+	1177	116,221	75	7.3	05.1-09.5	1102	92.7	90.5-94.9
Less Than H.S.	268	35,608	29	13.4	07.1-19.7	239	86.6	80.3-92.9
H.S. or G.E.D.	1295	197,164	128	14.1	11.0-17.2	1167	85.9	82.8-89.0
Some Post-H.S.	1003	173,403	94	14.5	10.6-18.4	909	85.5	81.6-89.4
College Graduate	1425	252,173	142	12.3	09.9-14.7	1283	87.7	85.3-90.1
Less than \$15,000	401	43,966	27	6.2	03.1-09.3	374	93.8	90.7-96.9
\$15,000- 24,999	359	42,008	26	11.3	04.2-18.4	333	88.7	81.6-95.8
\$25,000- 34,999	331	46,677	22	7.4	03.7-11.1	309	92.6	88.9-96.3
\$35,000- 49,999	548	76,607	48	10.9	07.2-14.6	500	89.1	85.4-92.8
\$50,000- 74,999	655	114,435	66	13.8	09.5-18.1	589	86.2	81.9-90.5
\$75,000+	1015	221,823	148	18.3	14.8-21.8	867	81.7	78.2-85.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 2: HAVE YOU EVER USED OR TRIED ANY SMOKELESS TOBACCO PRODUCTS SUCH AS CHEWING TOBACCO, SNUFF, OR SNUF? (USEEVER3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1424	315,093	326	24.5	21.4-27.6	1098	75.5	72.4-78.6
White/Non-Hisp	1178	252,162	295	27.7	24.0-31.4	883	72.3	68.6-76.0
Black or Afr. Am./Non-Hisp	128	29,545	13	9.2	03.1-15.3	115	90.8	84.7-96.9
25-34	138	56,497	52	34.5	24.9-44.1	86	65.5	55.9-75.1
35-44	234	60,530	81	29.8	23.1-36.5	153	70.2	63.5-76.9
45-54	265	58,858	60	19.9	14.4-25.4	205	80.1	74.6-85.6
55-64	308	45,507	55	17.7	12.6-22.8	253	82.3	77.2-87.4
65+	414	49,513	60	15.0	10.3-19.7	354	85.0	80.3-89.7
H.S. or G.E.D.	443	90,656	102	26.5	20.4-32.6	341	73.5	67.4-79.6
Some Post-H.S.	337	84,274	80	25.7	18.4-33.0	257	74.3	67.0-81.6
College Graduate	552	123,291	119	22.4	18.1-26.7	433	77.6	73.3-81.9
Less than \$15,000	120	16,735	19	10.8	04.5-17.1	101	89.2	82.9-95.5
\$25,000- 34,999	110	20,464	20	15.9	07.5-24.3	90	84.1	75.7-92.5
\$35,000- 49,999	203	37,772	42	19.2	12.1-26.3	161	80.8	73.7-87.9
\$50,000- 74,999	240	56,224	52	22.3	14.7-29.9	188	77.7	70.1-85.3
\$75,000+	465	125,095	132	30.0	24.3-35.7	333	70.0	64.3-75.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 3: HAVE YOU EVER USED OR TRIED ANY SMOKELESS TOBACCO PRODUCTS SUCH AS CHEWING TOBACCO, SNUFF, OR SNUSS? (USEEVER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2573	343,748	68	3.4	02.4-04.4	2505	96.6	95.6-97.6	
White/Non-Hisp	2038	257,749	55	3.7	02.3-05.1	1983	96.3	94.9-97.7	
Black or Afr. Am./Non-Hisp	349	55,705	7	1.8	00.2-03.4	342	98.2	96.6-99.8	
Oth. Race/Non-Hisp.	61	8,756	2	7.3	00.0-18.5	59	92.7	81.5-0100	
Hispanic	56	12,333	2	2.1	00.0-05.0	54	97.9	95.0-0100	
18-24	92	40,326	4	3.4	00.0-07.5	88	96.6	92.5-0100	
25-34	249	57,265	18	9.1	04.4-13.8	231	90.9	86.2-95.6	
35-44	363	63,748	19	4.6	02.2-07.0	344	95.4	93.0-97.8	
45-54	529	62,402	9	1.4	00.2-02.6	520	98.6	97.4-99.8	
55-64	547	50,221	3	0.2	00.0-00.4	544	99.8	99.6-0100	
65+	763	66,708	15	1.7	00.7-02.7	748	98.3	97.3-99.3	
Less Than H.S.	179	18,889	5	4.1	00.0-08.4	174	95.9	91.6-0100	
H.S. or G.E.D.	852	106,508	26	3.6	01.6-05.6	826	96.4	94.4-98.4	
Some Post-H.S.	666	89,129	14	3.9	01.4-06.4	652	96.1	93.6-98.6	
College Graduate	873	128,882	23	2.7	01.3-04.1	850	97.3	95.9-98.7	
Less than \$15,000	281	27,231	8	3.4	00.1-06.7	273	96.6	93.3-99.9	
\$15,000- 24,999	279	28,681	12	3.0	00.8-05.2	267	97.0	94.8-99.2	
\$25,000- 34,999	221	26,213	2	0.8	00.0-02.2	219	99.2	97.8-0100	
\$35,000- 49,999	345	38,835	6	2.8	00.0-05.7	339	97.2	94.3-0100	
\$50,000- 74,999	415	58,210	14	5.5	02.0-09.0	401	94.5	91.0-98.0	
\$75,000+	550	96,728	16	3.3	01.1-05.5	534	96.7	94.5-98.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 4: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUUS (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	394	88,869	25	5.9	02.6-09.2	20	5.3	02.6-08.0	349	88.8	84.7-92.9
Male	326	77,296	25	6.8	03.1-10.5	20	6.1	03.0-09.2	281	87.1	82.2-92.0
Female	68	11,573							68	100.0	0100-0100
White/Non-Hisp	350	79,258	22	6.1	02.4-09.8	17	4.9	02.0-07.8	311	89.0	84.5-93.5
25-34	70	24,727	5	8.0	00.4-15.6	3	4.8	00.0-10.7	62	87.2	78.0-96.4
35-44	100	20,987	5	3.2	00.3-06.1	8	10.7	03.3-18.1	87	86.1	78.1-94.1
45-54	69	12,584	3	2.7	00.0-06.0	1	1.1	00.0-03.3	65	96.2	92.1-0100
55-64	58	8,151	5	7.6	00.0-15.2				53	92.4	84.8-0100
65+	75	8,511	5	3.6	00.1-07.1	6	4.2	00.5-07.9	64	92.2	86.9-97.5
H.S. or G.E.D.	128	27,842	14	11.3	03.1-19.5	6	4.9	00.0-10.0	108	83.8	74.6-93.0
Some Post-H.S.	94	25,104	6	5.5	00.0-12.0	8	6.7	01.0-12.4	80	87.8	79.4-96.2
College Graduate	142	31,105	2	0.7	00.0-01.7	4	4.3	00.0-08.6	136	95.0	90.5-99.5
\$50,000- 74,999	66	15,768				2	1.3	00.0-03.3			
\$75,000+	148	40,697	8	4.8	00.3-09.3	8	6.5	01.6-11.4	132	88.6	82.1-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 5: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUUS (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	326	77,296	25	6.8	03.1-10.5	20	6.1	03.0-09.2	281	87.1	82.2-92.0
White/Non-Hisp	295	69,794	22	7.0	02.9-11.1	17	5.5	02.2-08.8	256	87.5	82.4-92.6
25-34	52	19,517	5	10.1	00.5-19.7	3	6.1	00.0-13.4			
35-44	81	18,055	5	3.7	00.4-07.0	8	12.4	03.8-21.0	68	83.9	74.7-93.1
45-54	60	11,736	3	2.8	00.0-06.3	1	1.2	00.0-03.6	56	95.9	91.6-0100
55-64	55	8,062	5	7.7	00.1-15.3				50	92.3	84.7-99.9
65+	60	7,410	5	4.1	00.0-08.2	6	4.8	00.5-09.1	49	91.0	84.9-97.1
H.S. or G.E.D.	102	24,028	14	13.1	03.7-22.5	6	5.7	00.0-11.6			
Some Post-H.S.	80	21,621	6	6.4	00.0-13.8	8	7.8	01.1-14.5	66	85.9	76.1-95.7
College Graduate	119	27,608	2	0.8	00.0-02.0	4	4.9	00.0-09.8	113	94.3	89.4-99.2
\$50,000- 74,999	52	12,537				2	1.6	00.0-04.0			
\$75,000+	132	37,468	8	5.3	00.4-10.2	8	7.1	01.8-12.4	116	87.7	80.8-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 6: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not at all %	C.I. (95%)
	TOTAL	WEIGHTED	N		
Female	68	11,573	68	100.0	0100-0100
White/Non-Hisp	55	9,464	55	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 7: DO YOU CURRENTLY USE CIGARS, PIPES, BIDIS, KRETEKS OR OTHER TOBACCO PRODUCTS? DO NOT INCLUDE CIGARETTES, SNUS, SNUFF, OR CHEWING TOBACCO. (USOTHNW1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4000	660,060	165	6.8	05.2-08.4	3835	93.2	91.6-94.8	
Male	1426	315,208	142	12.3	09.4-15.2	1284	87.7	84.8-90.6	
Female	2574	344,851	23	1.7	00.5-02.9	2551	98.3	97.1-99.5	
White/Non-Hisp	3218	510,027	137	6.3	04.7-07.9	3081	93.7	92.1-95.3	
Black or Afr. Am./Non-Hisp	477	85,250	13	6.4	01.5-11.3	464	93.6	88.7-98.5	
Oth. Race/Non-Hisp.	103	22,282	5	4.2	00.0-08.9	98	95.8	91.1-0100	
18-24	150	83,756	12	14.1	05.3-22.9	138	85.9	77.1-94.7	
25-34	387	113,762	22	8.2	04.1-12.3	365	91.8	87.7-95.9	
35-44	597	124,278	31	5.8	03.4-08.2	566	94.2	91.8-96.6	
45-54	794	121,260	35	7.0	03.9-10.1	759	93.0	89.9-96.1	
55-64	855	95,728	35	4.8	02.8-06.8	820	95.2	93.2-97.2	
65+	1179	116,337	30	2.8	01.6-04.0	1149	97.2	96.0-98.4	
Less Than H.S.	269	35,696	7	4.9	00.6-09.2	262	95.1	90.8-99.4	
H.S. or G.E.D.	1295	197,164	45	5.8	03.3-08.3	1250	94.2	91.7-96.7	
Some Post-H.S.	1004	173,430	50	9.7	05.4-14.0	954	90.3	86.0-94.6	
College Graduate	1426	253,277	62	5.8	03.8-07.8	1364	94.2	92.2-96.2	
Less than \$15,000	401	43,966	12	4.1	00.8-07.4	389	95.9	92.6-99.2	
\$15,000- 24,999	360	43,111	7	5.2	00.0-11.5	353	94.8	88.5-0100	
\$25,000- 34,999	331	46,677	14	6.3	00.0-12.6	317	93.7	87.4-0100	
\$35,000- 49,999	548	76,607	16	4.5	01.6-07.4	532	95.5	92.6-98.4	
\$50,000- 74,999	655	114,435	23	6.8	03.1-10.5	632	93.2	89.5-96.9	
\$75,000+	1016	221,850	63	8.5	05.6-11.4	953	91.5	88.6-94.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 8: DO YOU CURRENTLY USE CIGARS, PIPES, BIDIS, KRETEKS OR OTHER TOBACCO PRODUCTS? DO NOT INCLUDE CIGARETTES, SNUS, SNUFF, OR CHEWING TOBACCO. (USOTHNW1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1426	315,208	142	12.3	09.4-15.2	1284	87.7	84.8-90.6	
White/Non-Hisp	1180	252,278	123	12.0	09.1-14.9	1057	88.0	85.1-90.9	
Black or Afr. Am./Non-Hisp	128	29,545	7	6.2	00.0-13.6	121	93.8	86.4-0100	
25-34	138	56,497	16	12.3	05.2-19.4	122	87.7	80.6-94.8	
35-44	234	60,530	26	10.8	06.3-15.3	208	89.2	84.7-93.7	
45-54	265	58,858	29	13.4	07.1-19.7	236	86.6	80.3-92.9	
55-64	308	45,507	35	10.1	06.0-14.2	273	89.9	85.8-94.0	
65+	416	49,629	27	6.2	03.5-08.9	389	93.8	91.1-96.5	
Less Than H.S.	90	16,808	6	8.8	00.4-17.2	84	91.2	82.8-99.6	
H.S. or G.E.D.	443	90,656	39	10.2	05.7-14.7	404	89.8	85.3-94.3	
Some Post-H.S.	338	84,301	39	18.1	09.9-26.3	299	81.9	73.7-90.1	
College Graduate	552	123,291	57	10.3	06.8-13.8	495	89.7	86.2-93.2	
Less than \$15,000	120	16,735	10	8.7	00.7-16.7	110	91.3	83.3-99.3	
\$25,000- 34,999	110	20,464	11	6.2	01.9-10.5	99	93.8	89.5-98.1	
\$35,000- 49,999	203	37,772	12	7.2	01.9-12.5	191	92.8	87.5-98.1	
\$50,000- 74,999	240	56,224	22	12.0	05.5-18.5	218	88.0	81.5-94.5	
\$75,000+	466	125,122	59	14.7	09.6-19.8	407	85.3	80.2-90.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 7: OTHER TOBACCO PRODUCTS**

**TABLE 9: DO YOU CURRENTLY USE CIGARS, PIPES, BIDIS, KRETEKS OR OTHER TOBACCO PRODUCTS? DO NOT INCLUDE CIGARETTES, SNUS, SNUFF, OR CHEWING TOBACCO. (USOTHNW1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2574	344,851	23	1.7	00.5-02.9	2551	98.3	97.1-99.5	
White/Non-Hisp	2038	257,749	14	0.8	00.2-01.4	2024	99.2	98.6-99.8	
Black or Afr. Am./Non-Hisp	349	55,705	6	6.5	00.2-12.8	343	93.5	87.2-99.8	
Oth. Race/Non-Hisp.	62	9,860	2	1.6	00.0-04.3	60	98.4	95.7-0100	
Hispanic	56	12,333	1	1.7	00.0-05.0	55	98.3	95.0-0100	
18-24	93	41,430	3	5.2	00.0-12.5	90	94.8	87.5-0100	
25-34	249	57,265	6	4.2	00.1-08.3	243	95.8	91.7-99.9	
35-44	363	63,748	5	1.0	00.0-02.0	358	99.0	98.0-0100	
45-54	529	62,402	6	1.0	00.0-02.2	523	99.0	97.8-0100	
55-64	547	50,221				547	100.0	0100-0100	
65+	763	66,708	3	0.3	00.0-00.7	760	99.7	99.3-0100	
Less Than H.S.	179	18,889	1	1.5	00.0-04.4	178	98.5	95.6-0100	
H.S. or G.E.D.	852	106,508	6	2.1	00.0-04.8	846	97.9	95.2-0100	
Some Post-H.S.	666	89,129	11	1.8	00.2-03.4	655	98.2	96.6-99.8	
College Graduate	874	129,985	5	1.4	00.0-03.2	869	98.6	96.8-0100	
Less than \$15,000	281	27,231	2	1.2	00.0-03.2	279	98.8	96.8-0100	
\$15,000- 24,999	280	29,785	2	0.9	00.0-02.3	278	99.1	97.7-0100	
\$25,000- 34,999	221	26,213	3	6.5	00.0-16.9	218	93.5	83.1-0100	
\$35,000- 49,999	345	38,835	4	1.8	00.0-04.5	341	98.2	95.5-0100	
\$50,000- 74,999	415	58,210	1	1.8	00.0-05.1	414	98.2	94.9-0100	
\$75,000+	550	96,728	4	0.7	00.0-01.5	546	99.3	98.5-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008

MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV) CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC1)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
7	MALES AND FEMALES	81
8	MALES ONLY	82
9	FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
Female	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
White/Non-Hisp	691	131,073	29	6.9	03.8-10.0	660	92.9	89.8-96.0	2	0.2	00.0-00.6
25-34	245	56,216	16	7.2	02.7-11.7	228	92.6	88.1-97.1	1	0.1	00.0-00.3
35-44	358	63,442	4	0.8	00.0-01.6	353	98.8	97.6-0100	1	0.4	00.0-01.2
45-54	257	32,880	2	0.6	00.0-01.8	255	99.4	98.2-0100			
H.S. or G.E.D.	271	54,768	22	16.2	07.4-25.0	248	83.3	74.5-92.1	1	0.5	00.0-01.5
Some Post-H.S.	264	52,135	13	6.3	02.0-10.6	251	93.7	89.4-98.0			
College Graduate	407	81,110	13	4.3	01.6-07.0	393	95.6	92.9-98.3	1	0.1	00.0-00.3
Less than \$15,000	73	10,374	5	8.3	00.5-16.1	68	91.7	83.9-99.5			
\$35,000- 49,999	127	19,901	6	3.1	00.6-05.6	121	96.9	94.4-99.4			
\$50,000- 74,999	187	34,049	6	3.8	00.7-06.9	180	96.0	92.9-99.1	1	0.2	00.0-00.6
\$75,000+	312	68,464	9	6.8	01.9-11.7	302	92.8	87.7-97.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
White/Non-Hisp	691	131,073	29	6.9	03.8-10.0	660	92.9	89.8-96.0	2	0.2	00.0-00.6
25-34	245	56,216	16	7.2	02.7-11.7	228	92.6	88.1-97.1	1	0.1	00.0-00.3
35-44	358	63,442	4	0.8	00.0-01.6	353	98.8	97.6-0100	1	0.4	00.0-01.2
45-54	257	32,880	2	0.6	00.0-01.8	255	99.4	98.2-0100			
H.S. or G.E.D.	271	54,768	22	16.2	07.4-25.0	248	83.3	74.5-92.1	1	0.5	00.0-01.5
Some Post-H.S.	264	52,135	13	6.3	02.0-10.6	251	93.7	89.4-98.0			
College Graduate	407	81,110	13	4.3	01.6-07.0	393	95.6	92.9-98.3	1	0.1	00.0-00.3
Less than \$15,000	73	10,374	5	8.3	00.5-16.1	68	91.7	83.9-99.5			
\$35,000- 49,999	127	19,901	6	3.1	00.6-05.6	121	96.9	94.4-99.4			
\$50,000- 74,999	187	34,049	6	3.8	00.7-06.9	180	96.0	92.9-99.1	1	0.2	00.0-00.6
\$75,000+	312	68,464	9	6.8	01.9-11.7	302	92.8	87.7-97.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 4: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
Female	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
White/Non-Hisp	691	131,073	29	6.9	03.8-10.0	660	92.9	89.8-96.0	2	0.2	00.0-00.6
25-34	245	56,216	16	7.2	02.7-11.7	228	92.6	88.1-97.1	1	0.1	00.0-00.3
35-44	358	63,442	4	0.8	00.0-01.6	353	98.8	97.6-0100	1	0.4	00.0-01.2
45-54	257	32,880	2	0.6	00.0-01.8	255	99.4	98.2-0100			
H.S. or G.E.D.	271	54,768	22	16.2	07.4-25.0	248	83.3	74.5-92.1	1	0.5	00.0-01.5
Some Post-H.S.	264	52,135	13	6.3	02.0-10.6	251	93.7	89.4-98.0			
College Graduate	407	81,110	13	4.3	01.6-07.0	393	95.6	92.9-98.3	1	0.1	00.0-00.3
Less than \$15,000	73	10,374	5	8.3	00.5-16.1	68	91.7	83.9-99.5			
\$35,000- 49,999	127	19,901	6	3.1	00.6-05.6	121	96.9	94.4-99.4			
\$50,000- 74,999	187	34,049	6	3.8	00.7-06.9	180	96.0	92.9-99.1	1	0.2	00.0-00.6
\$75,000+	312	68,464	9	6.8	01.9-11.7	302	92.8	87.7-97.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 5: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 6: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADVC1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Doctor refused when asked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	981	196,847	51	9.2	05.9-12.5	928	90.6	87.3-93.9	2	0.2	00.0-00.4
White/Non-Hisp	691	131,073	29	6.9	03.8-10.0	660	92.9	89.8-96.0	2	0.2	00.0-00.6
25-34	245	56,216	16	7.2	02.7-11.7	228	92.6	88.1-97.1	1	0.1	00.0-00.3
35-44	358	63,442	4	0.8	00.0-01.6	353	98.8	97.6-0100	1	0.4	00.0-01.2
45-54	257	32,880	2	0.6	00.0-01.8	255	99.4	98.2-0100			
H.S. or G.E.D.	271	54,768	22	16.2	07.4-25.0	248	83.3	74.5-92.1	1	0.5	00.0-01.5
Some Post-H.S.	264	52,135	13	6.3	02.0-10.6	251	93.7	89.4-98.0			
College Graduate	407	81,110	13	4.3	01.6-07.0	393	95.6	92.9-98.3	1	0.1	00.0-00.3
Less than \$15,000	73	10,374	5	8.3	00.5-16.1	68	91.7	83.9-99.5			
\$35,000- 49,999	127	19,901	6	3.1	00.6-05.6	121	96.9	94.4-99.4			
\$50,000- 74,999	187	34,049	6	3.8	00.7-06.9	180	96.0	92.9-99.1	1	0.2	00.0-00.6
\$75,000+	312	68,464	9	6.8	01.9-11.7	302	92.8	87.7-97.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**DELAWARE MODULE QUESTIONS DATA REPORT, 2008**  
**MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)**  
**TABLE 7: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			77	
	TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	51	18,149	6	8.9	00.0-17.9
Female	51	18,149	6	8.9	00.0-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 5: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 10: ADULT HUMAN PAPILLOMA VIRUS (HPV)

TABLE 6: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
 HAVE YOU EVER HAD THE HPV VACCINATION? (HPVADV1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	77	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	51	18,149	6	8.9	00.0-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008**

**MODULE 15: RANDOM CHILD SELECTION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1070	190,338	54	2.9	01.9-03.9	403	27.7	24.4-31.0	280	29.6	25.9-33.3	279	34.4	30.3-38.5	54	5.4	03.6-07.2
Male	360	61,491	20	3.1	01.5-04.7	143	29.9	24.0-35.8	88	28.5	22.2-34.8	93	34.8	27.7-41.9	16	3.7	01.7-05.7
Female	710	128,847	34	2.9	01.5-04.3	260	26.6	22.7-30.5	192	30.2	25.5-34.9	186	34.2	29.1-39.3	38	6.2	03.8-08.6
White/Non-Hisp	759	128,264	43	3.5	02.1-04.9	300	30.8	26.7-34.9	193	28.8	24.5-33.1	192	32.1	27.4-36.8	31	4.8	02.8-06.8
Black or Afr. Am./Non-Hisp	203	42,378	6	1.0	00.0-02.0	75	23.2	15.9-30.5	62	34.4	25.4-43.4				12	5.6	01.5-09.7
18-24	71	12,301	4	6.7	00.0-15.7												
25-34	237	50,588				22	10.3	04.8-15.8	60	24.6	17.7-31.5	129	55.3	47.3-63.3	26	9.7	05.4-14.0
35-44	402	77,354	17	2.0	00.8-03.2	146	27.0	21.9-32.1	132	35.1	29.0-41.2	95	32.2	25.9-38.5	12	3.7	01.2-06.2
45-54	273	40,037	30	7.7	04.4-11.0	161	50.0	41.6-58.4	58	28.6	20.6-36.6	21	13.4	06.0-20.8	3	0.4	00.0-00.8
55-64	59	7,414	2	1.5	00.0-03.7										1	1.5	00.0-04.4
H.S. or G.E.D.	307	49,922	18	2.3	01.1-03.5	128	29.1	22.6-35.6	70	27.6	20.5-34.7	75	35.4	27.2-43.6	16	5.5	02.6-08.4
Some Post-H.S.	306	47,470	14	2.5	00.9-04.1	122	32.1	25.8-38.4	82	29.2	22.3-36.1	74	29.7	22.4-37.0	14	6.5	02.0-11.0
College Graduate	408	84,164	20	3.1	01.5-04.7	125	22.4	17.5-27.3	119	31.4	25.5-37.3	121	38.1	31.6-44.6	23	4.9	02.5-07.3
Less than \$15,000	66	9,875	1	0.6	00.0-01.8										5	8.1	00.0-16.5
\$15,000- 24,999	65	13,308	1	0.6	00.0-01.8	13	9.3	03.2-15.4							6	10.3	00.9-19.7
\$25,000- 34,999	80	12,922	2	1.6	00.0-03.8										5	5.1	00.0-10.4
\$35,000- 49,999	133	22,694	6	1.8	00.0-03.6				31	21.2	12.0-30.4				12	11.0	03.6-18.4
\$50,000- 74,999	211	31,575	13	5.1	01.2-09.0	74	29.4	21.2-37.6	64	33.7	25.1-42.3	49	25.9	17.3-34.5	11	5.9	01.6-10.2
\$75,000+	407	82,564	25	3.4	01.8-05.0	143	24.6	19.7-29.5	111	29.6	23.7-35.5	116	39.3	32.8-45.8	12	3.2	01.0-05.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	360	61,491	20	3.1	01.5-04.7	143	29.9	24.0-35.8	88	28.5	22.2-34.8	93	34.8	27.7-41.9	16	3.7	01.7-05.7
White/Non-Hisp	272	46,089	15	3.0	01.0-05.0	115	31.5	24.8-38.2	70	30.3	23.0-37.6	66	32.9	24.9-40.9	6	2.4	00.4-04.4
25-34	73	14,309				8	11.5	01.9-21.1	12	12.7	04.7-20.7				10	10.7	03.4-18.0
35-44	135	26,554	5	2.2	00.2-04.2	45	21.9	14.6-29.2							3	1.7	00.0-03.7
45-54	94	14,263	13	8.6	02.7-14.5												
H.S. or G.E.D.	105	15,141	6	2.5	00.1-04.9										5	3.9	00.0-07.8
Some Post-H.S.	102	15,376	6	2.7	00.2-05.2										5	4.2	00.3-08.1
College Graduate	137	29,003	7	3.4	00.5-06.3	42	23.4	14.6-32.2	37	29.7	20.1-39.3				6	3.6	00.5-06.7
\$50,000- 74,999	72	10,519	5	4.5	00.2-08.8										4	5.0	00.0-10.3
\$75,000+	171	33,247	10	3.5	01.0-06.0	59	23.0	16.1-29.9	44	28.7	19.9-37.5				6	3.1	00.6-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBIRTH were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2006			2007		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	710	128,847	34	2.9	01.5-04.3	260	26.6	22.7-30.5	192	30.2	25.5-34.9	186	34.2	29.1-39.3	38	6.2	03.8-08.6
White/Non-Hisp	487	82,175	28	3.8	01.8-05.8	185	30.4	25.3-35.5	123	27.9	22.4-33.4	126	31.7	26.0-37.4	25	6.2	03.3-09.1
Black or Afr. Am./Non-Hisp	154	34,470	3	0.7	00.0-01.5	53	18.9	12.0-25.8							9	6.1	01.2-11.0
25-34	164	36,278				14	9.9	03.2-16.6	48	29.4	20.8-38.0	86	51.4	41.6-61.2	16	9.3	04.0-14.6
35-44	267	50,800	12	1.9	00.3-03.5	101	29.7	22.8-36.6	85	32.2	24.8-39.6	60	31.5	23.5-39.5	9	4.7	01.2-08.2
45-54	179	25,774	17	7.1	03.2-11.0	105	47.7	37.9-57.5				12	12.5	04.5-20.5	3	0.5	00.0-01.1
H.S. or G.E.D.	202	34,781	12	2.2	00.8-03.6	81	27.7	19.9-35.5	47	29.9	20.9-38.9				11	6.2	02.1-10.3
Some Post-H.S.	204	32,094	8	2.4	00.6-04.2	79	31.4	23.8-39.0	56	26.9	19.1-34.7	52	31.7	22.7-40.7	9	7.7	01.4-14.0
College Graduate	271	55,161	13	3.0	01.0-05.0	83	21.8	15.7-27.9	82	32.3	24.7-39.9	76	37.2	29.2-45.2	17	5.6	02.5-08.7
Less than \$15,000	54	7,986	1	0.7	00.0-02.1										2	6.6	00.0-16.4
\$15,000- 24,999	59	12,408	1	0.6	00.0-01.8	13	10.0	03.5-16.5							5	10.0	00.2-19.8
\$25,000- 34,999	56	9,611	1	0.8	00.0-02.4										5	6.8	00.0-14.1
\$35,000- 49,999	92	16,625	3	1.9	00.0-04.3										11	13.4	03.8-23.0
\$50,000- 74,999	139	21,056	8	5.4	00.0-11.1	43	22.6	14.6-30.6							7	6.3	00.6-12.0
\$75,000+	236	49,317	15	3.3	01.1-05.5	84	25.7	19.0-32.4	67	30.2	22.6-37.8	64	37.6	29.2-46.0	6	3.2	00.1-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 15: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
 Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable  
 Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1123	197,433	553	51.8	47.9-55.7	570	48.2	44.3-52.1
Male	383	64,919	191	50.6	43.9-57.3	192	49.4	42.7-56.1
Female	740	132,515	362	52.3	47.4-57.2	378	47.7	42.8-52.6
White/Non-Hisp	797	133,340	393	50.6	45.9-55.3	404	49.4	44.7-54.1
Black or Afr. Am./Non-Hisp	210	43,391	115	59.3	49.7-68.9	95	40.7	31.1-50.3
25-34	253	52,945	108	46.9	38.9-54.9	145	53.1	45.1-61.1
35-44	420	80,127	222	54.7	48.6-60.8	198	45.3	39.2-51.4
45-54	282	40,793	139	51.6	43.4-59.8	143	48.4	40.2-56.6
H.S. or G.E.D.	317	51,166	147	48.0	40.4-55.6	170	52.0	44.4-59.6
Some Post-H.S.	325	50,759	155	49.8	42.7-56.9	170	50.2	43.1-57.3
College Graduate	427	86,031	220	53.0	46.7-59.3	207	47.0	40.7-53.3
\$50,000- 74,999	222	33,411	107	49.7	40.7-58.7	115	50.3	41.3-59.3
\$75,000+	421	84,362	205	51.9	45.6-58.2	216	48.1	41.8-54.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 15: RANDOM CHILD SELECTION**

**TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	383	64,919	191	50.6	43.9-57.3	192	49.4	42.7-56.1
White/Non-Hisp	290	48,997	149	52.4	44.8-60.0	141	47.6	40.0-55.2
\$75,000+	178	34,341	87	50.6	41.0-60.2	91	49.4	39.8-59.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 15: RANDOM CHILD SELECTION**

**TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	740	132,515	362	52.3	47.4-57.2	378	47.7	42.8-52.6
White/Non-Hisp	507	84,343	244	49.6	43.7-55.5	263	50.4	44.5-56.3
25-34	175	37,801	79	49.3	39.7-58.9	96	50.7	41.1-60.3
35-44	276	51,728	143	55.0	47.2-62.8	133	45.0	37.2-52.8
45-54	183	26,290	89	52.8	43.0-62.6	94	47.2	37.4-57.0
H.S. or G.E.D.	208	35,701	92	45.6	36.0-55.2	116	54.4	44.8-64.0
Some Post-H.S.	212	33,323	101	52.0	43.2-60.8	111	48.0	39.2-56.8
College Graduate	286	56,506	148	54.5	46.7-62.3	138	45.5	37.7-53.3
\$75,000+	243	50,021	118	52.9	44.7-61.1	125	47.1	38.9-55.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1112	195,377	88	8.2	06.0-10.4	1024	91.8	89.6-94.0
Male	379	64,369	33	9.2	05.1-13.3	346	90.8	86.7-94.9
Female	733	131,009	55	7.7	05.2-10.2	678	92.3	89.8-94.8
White/Non-Hisp	793	132,794	40	5.2	03.0-07.4	753	94.8	92.6-97.0
Black or Afr. Am./Non-Hisp	210	43,391	6	2.5	00.0-05.4	204	97.5	94.6-0100
18-24	76	12,989	11	14.6	04.8-24.4	65	85.4	75.6-95.2
25-34	251	52,406	25	8.0	04.3-11.7	226	92.0	88.3-95.7
35-44	414	78,983	27	8.3	04.4-12.2	387	91.7	87.8-95.6
45-54	281	40,643	17	6.3	02.4-10.2	264	93.7	89.8-97.6
55-64	62	7,743	7	10.2	00.4-20.0	55	89.8	80.0-99.6
H.S. or G.E.D.	316	51,015	24	9.4	04.5-14.3	292	90.6	85.7-95.5
Some Post-H.S.	323	50,455	31	10.5	06.2-14.8	292	89.5	85.2-93.8
College Graduate	419	84,430	27	5.7	02.8-08.6	392	94.3	91.4-97.2
\$15,000- 24,999	68	13,614	5	5.6	00.1-11.1	63	94.4	88.9-99.9
\$25,000- 34,999	86	13,589	7	7.5	01.0-14.0	79	92.5	86.0-99.0
\$35,000- 49,999	134	22,618	8	10.5	02.1-18.9	126	89.5	81.1-97.9
\$50,000- 74,999	220	33,086	18	8.2	03.9-12.5	202	91.8	87.5-96.1
\$75,000+	416	83,561	34	7.3	04.0-10.6	382	92.7	89.4-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	379	64,369	33	9.2	05.1-13.3	346	90.8	86.7-94.9
White/Non-Hisp	288	48,642	16	4.8	01.9-07.7	272	95.2	92.3-98.1
Black or Afr. Am./Non-Hisp	50	7,967				50	100.0	0100-0100
25-34	77	14,950	7	5.5	00.6-10.4	70	94.5	89.6-99.4
35-44	143	28,256	13	11.7	04.1-19.3	130	88.3	80.7-95.9
45-54	99	14,514	6	4.2	00.3-08.1	93	95.8	91.9-99.7
Some Post-H.S.	112	17,293	15	13.7	05.9-21.5	97	86.3	78.5-94.1
College Graduate	138	29,108	6	2.7	00.2-05.2	132	97.3	94.8-99.8
\$50,000- 74,999	75	11,317	9	12.4	03.2-21.6	66	87.6	78.4-96.8
\$75,000+	176	34,076	15	6.8	02.5-11.1	161	93.2	88.9-97.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCHISLAT were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	733	131,009	55	7.7	05.2-10.2	678	92.3	89.8-94.8
White/Non-Hisp	505	84,152	24	5.5	02.6-08.4	481	94.5	91.6-97.4
Black or Afr. Am./Non-Hisp	160	35,425	6	3.0	00.0-06.5	154	97.0	93.5-0100
25-34	174	37,456	18	9.0	04.3-13.7	156	91.0	86.3-95.7
35-44	271	50,727	14	6.3	02.0-10.6	257	93.7	89.4-98.0
45-54	182	26,129	11	7.4	01.7-13.1	171	92.6	86.9-98.3
H.S. or G.E.D.	207	35,539	12	5.8	01.9-09.7	195	94.2	90.3-98.1
Some Post-H.S.	211	33,162	16	8.9	03.8-14.0	195	91.1	86.0-96.2
College Graduate	281	55,323	21	7.2	02.9-11.5	260	92.8	88.5-97.1
\$15,000- 24,999	60	12,552	4	5.0	00.0-10.7	56	95.0	89.3-0100
\$25,000- 34,999	59	9,870	6	8.1	00.5-15.7	53	91.9	84.3-99.5
\$35,000- 49,999	93	16,550	4	4.3	00.0-08.8	89	95.7	91.2-0100
\$50,000- 74,999	145	21,769	9	6.0	01.3-10.7	136	94.0	89.3-98.7
\$75,000+	240	49,485	19	7.7	03.0-12.4	221	92.3	87.6-97.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1102	193,101	768	67.2	63.3-71.1	213	22.6	19.1-26.1	25	2.5	0.1-03.7	1	0.1	00.0-00.3	4	0.3	00.0-00.7	91	7.3	05.3-09.3
Male	375	63,431	282	76.7	71.0-82.4	50	12.5	07.6-17.4	12	3.4	01.2-05.6	1	0.2	00.0-00.6	2	0.6	00.0-01.4	28	6.6	03.7-09.5
Female	727	129,670	486	62.6	57.7-67.5	163	27.5	22.8-32.2	13	2.1	00.7-03.5				2	0.2	00.0-00.4	63	7.6	05.2-10.0
White/Non-Hisp	791	132,462	738	93.4	91.2-95.6	8	1.3	00.3-02.3	7	1.0	00.0-02.0				2	0.3	00.0-00.7	36	4.1	02.5-05.7
Black or Afr. Am./Non-Hisp	210	43,391	6	2.3	00.0-04.8	194	93.5	89.6-97.4										10	4.2	01.1-07.3
18-24	76	12,989																8	8.5	01.4-15.6
25-34	248	51,398	150	56.0	48.0-64.0	59	31.0	23.2-38.8	4	1.8	00.0-03.6				2	0.7	00.0-01.7	33	10.6	05.9-15.3
35-44	408	77,795	309	75.8	70.3-81.3	60	13.9	09.2-18.6	10	3.6	01.1-06.1				1	0.2	00.0-00.6	28	6.6	03.9-09.3
45-54	279	40,492	209	74.2	66.8-81.6	45	19.4	12.1-26.7	9	2.4	00.6-04.2	1	0.3	00.0-00.9				15	3.7	01.5-05.9
55-64	62	7,743							1	2.1	00.0-06.2				1	2.0	00.0-05.9	4	7.7	00.0-17.7
Less Than H.S.	52	9,015													1	1.3	00.0-03.8			
H.S. or G.E.D.	313	50,401	211	61.5	53.7-69.3	75	30.2	22.4-38.0	1	0.2	00.0-00.6				1	0.5	00.0-01.5	25	7.7	04.0-11.4
Some Post-H.S.	317	49,032	213	64.6	57.5-71.7	65	22.9	16.6-29.2	4	1.3	00.0-02.9							35	11.2	06.3-16.1
College Graduate	419	84,638	314	74.0	68.1-79.9	60	16.8	11.5-22.1	20	5.0	02.5-07.5	1	0.1	00.0-00.3	2	0.3	00.0-00.7	22	3.7	01.7-05.7
Less than \$15,000	67	9,990													2	3.5	00.0-08.4	7	9.6	01.4-17.8
\$15,000- 24,999	68	13,614																11	15.3	05.5-25.1
\$25,000- 34,999	86	13,589							2	2.8	00.0-07.7							8	9.7	02.4-17.0
\$35,000- 49,999	133	22,360													1	0.5	00.0-01.5	16	10.0	04.5-15.5
\$50,000- 74,999	216	32,321	160	71.9	62.9-80.9	32	15.5	08.1-22.9	5	1.8	00.0-03.6							19	10.9	04.2-17.6
\$75,000+	415	83,373	333	79.7	74.2-85.2	43	12.1	07.2-17.0	14	4.2	01.7-06.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6	23	3.6	01.6-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 15: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable  
 Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	375	63,431	282	76.7	71.0-82.4	50	12.5	07.6-17.4	12	3.4	01.2-05.6	1	0.2	00.0-00.6	2	0.6	00.0-01.4	28	6.6	03.7-09.5
White/Non-Hisp	288	48,762	272	95.2	92.3-98.1	2	0.9	00.0-02.5	2	0.2	00.0-00.6				2	0.8	00.0-02.0	10	3.0	00.6-05.4
Black or Afr. Am./Non-Hisp	50	7,967	1	1.3	00.0-03.8													4	9.0	00.0-19.0
25-34	77	14,885							3	3.8	00.0-08.1				1	1.5	00.0-04.4	7	5.7	01.0-10.4
35-44	139	27,350	107	79.3	71.5-87.1	16	8.2	03.3-13.1	5	4.4	00.3-08.5							11	8.0	02.5-13.5
45-54	98	14,476							3	1.5	00.0-03.5	1	0.8	00.0-02.4				5	2.7	00.0-05.6
H.S. or G.E.D.	108	15,368				15	14.2	05.2-23.2							1	1.5	00.0-04.4	8	6.8	00.3-13.3
Some Post-H.S.	109	16,494	76	76.3	67.1-85.5	18	11.4	05.1-17.7	4	3.8	00.0-08.3							11	8.5	02.4-14.6
College Graduate	138	29,076	107	77.0	67.6-86.4	15	12.9	04.3-21.5	8	5.3	01.6-09.0	1	0.4	00.0-01.2	1	0.5	00.0-01.5	6	3.8	00.3-07.3
\$50,000- 74,999	74	11,053							3	3.7	00.0-08.0							8	9.6	01.4-17.8
\$75,000+	176	34,226	145	84.1	77.4-90.8	14	6.4	01.7-11.1	6	4.1	00.8-07.4	1	0.4	00.0-01.2	1	0.4	00.0-01.2	9	4.6	00.7-08.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Note: The tables for RCSRACE were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			N	Asian		Am. Indian or Alaskan Native			N	Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)
Female	727	129,670	486	62.6	57.7-67.5	163	27.5	22.8-32.2	13	2.1	00.7-03.5	2	0.2	00.0-00.4	63	7.6	05.2-10.0
White/Non-Hisp	503	83,700	466	92.3	89.4-95.2	6	1.5	00.1-02.9	5	1.4	00.0-03.0				26	4.8	02.6-07.0
Black or Afr. Am./Non-Hisp	160	35,425	5	2.5	00.0-05.6	149	94.3	90.0-98.6							6	3.2	00.1-06.3
18-24	52	10,181													5	6.6	00.0-14.0
25-34	171	36,513	91	47.6	38.0-57.2	52	38.5	28.9-48.1	1	0.9	00.0-02.7	1	0.3	00.0-00.9	26	12.6	06.3-18.9
35-44	269	50,445	202	73.9	66.6-81.2	44	17.0	10.3-23.7	5	3.1	00.0-06.2	1	0.2	00.0-00.6	17	5.8	02.7-08.9
45-54	181	26,016	130	72.0	63.4-80.6	35	20.8	12.8-28.8	6	3.0	00.3-05.7				10	4.2	01.1-07.3
H.S. or G.E.D.	205	35,033	127	54.4	44.6-64.2	60	37.3	27.3-47.3	1	0.2	00.0-00.6				17	8.1	03.6-12.6
Some Post-H.S.	208	32,538	137	58.6	49.4-67.8	47	28.8	20.2-37.4							24	12.6	06.1-19.1
College Graduate	281	55,562	207	72.5	65.2-79.8	45	18.8	12.1-25.5	12	4.8	01.5-08.1	1	0.2	00.0-00.6	16	3.7	01.3-06.1
Less than \$15,000	55	8,100										1	1.5	00.0-04.4	6	11.0	01.2-20.8
\$25,000- 34,999	59	9,870							1	3.5	00.0-10.2				4	6.7	00.0-14.1
\$35,000- 49,999	93	16,550										1	0.7	00.0-02.1	14	11.6	04.5-18.7
\$50,000- 74,999	142	21,269				20	12.1	05.6-18.6	2	0.8	00.0-02.0				11	11.6	02.6-20.6
\$75,000+	239	49,147	188	76.6	69.0-84.2	29	16.2	08.9-23.5	8	4.3	01.0-07.6				14	3.0	01.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION

**TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable  
Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION

**TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Note: The tables for RCSBRACE were produced using \_CHILDWT as the weighting variable**

**Denominator excludes respondents not reporting multiple race groups**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1120	196,974	955	87.1	84.4-89.8	61	4.1	02.5-05.7	17	1.6	00.6-02.6	47	3.3	02.1-04.5	26	3.0	01.2-04.8	14	0.9	00.3-01.5
Male	382	64,651	324	87.3	83.0-91.6	13	3.6	00.3-06.9	8	2.7	00.5-04.9	19	3.2	01.6-04.8	8	1.0	00.2-01.8	10	2.2	00.6-03.8
Female	738	132,324	631	87.0	83.7-90.3	48	4.4	02.4-06.4	9	1.1	00.3-01.9	28	3.3	01.7-04.9	18	4.0	01.6-06.4	4	0.3	00.0-00.7
White/Non-Hisp	795	132,924	694	90.4	88.0-92.8	37	2.9	01.7-04.1	11	1.4	00.4-02.4	33	3.2	01.8-04.6	10	1.1	00.1-02.1	10	1.0	00.2-01.8
Black or Afr. Am./Non-Hisp	210	43,391	162	75.8	67.0-84.6	21	9.3	03.0-15.6	4	1.7	00.0-03.5	8	3.2	00.3-06.1	14	9.9	03.2-16.6	1	0.2	00.0-00.6
18-24	77	13,047																2	0.8	00.0-02.0
25-34	252	52,751	231	91.2	86.7-95.7				3	0.9	00.0-02.1	7	2.7	00.2-05.2	6	3.5	00.0-07.0	5	1.6	00.0-03.2
35-44	417	79,793	403	96.3	93.8-98.8	1	0.2	00.0-00.6	4	1.5	00.0-03.1	1	0.1	00.0-00.3	5	1.4	00.0-03.4	3	0.6	00.0-01.4
45-54	282	40,804	250	89.4	83.5-95.3	17	6.5	01.0-12.0	6	2.4	00.0-04.8				6	0.9	00.1-01.7	3	0.8	00.0-01.8
55-64	62	7,743							3	4.7	00.0-11.2	1	1.9	00.0-05.6	2	3.1	00.0-08.0			
Less Than H.S.	53	9,463				3	3.2	00.0-07.3	3	4.5	00.0-10.4				2	7.4	00.0-18.4	1	2.3	00.0-06.8
H.S. or G.E.D.	317	51,072	252	81.7	75.6-87.8	26	6.9	03.2-10.6	4	1.7	00.0-03.5	21	4.7	02.0-07.4	9	4.0	00.0-08.1	5	0.9	00.1-01.7
Some Post-H.S.	324	50,616	267	84.3	79.2-89.4	17	3.3	00.8-05.8	5	2.3	00.0-04.7	18	5.5	02.8-08.2	11	3.2	00.7-05.7	6	1.5	00.1-02.9
College Graduate	425	85,809	396	93.6	90.1-97.1	15	3.0	00.5-05.5	5	0.8	00.0-01.8	3	0.3	00.0-00.7	4	1.8	00.0-04.0	2	0.5	00.0-01.3
Less than \$15,000	69	10,317	51	86.1	78.1-94.1	9	5.7	01.6-09.8	2	3.0	00.0-07.9	3	1.2	00.0-02.6	2	2.7	00.0-07.0	2	1.4	00.0-03.6
\$15,000- 24,999	68	13,614							1	2.2	00.0-06.5	4	5.5	00.0-11.4	1	3.9	00.0-11.3	2	1.2	00.0-02.8
\$25,000- 34,999	86	13,589				5	6.7	00.0-15.5	2	3.0	00.0-07.3	6	7.1	00.0-14.9	1	5.8	00.0-16.6	2	3.5	00.0-08.4
\$35,000- 49,999	135	22,957	108	85.8	78.9-92.7	12	6.4	01.1-11.7				3	1.5	00.0-03.3	8	3.8	00.9-06.7	4	2.5	00.0-05.4
\$50,000- 74,999	222	33,411	193	83.9	76.1-91.7	12	7.0	00.5-13.5	3	1.8	00.0-04.2	9	5.1	00.8-09.4	4	1.9	00.0-04.6	1	0.3	00.0-00.9
\$75,000+	418	83,978	386	93.6	90.3-96.9	9	0.7	00.1-01.3	5	0.9	00.0-01.9	10	1.6	00.4-02.8	5	2.7	00.0-05.6	3	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	382	64,651	324	87.3	82.8-91.8	13	3.6	00.3-06.9	8	2.7	00.5-04.9	19	3.2	01.6-04.8	8	1.0	00.2-01.8	10	2.2	00.6-03.8
White/Non-Hisp	290	48,772	251	90.2	86.5-93.9	8	1.7	00.3-03.1	5	1.7	00.0-03.7	14	3.3	01.3-05.3	5	0.9	00.0-01.9	7	2.2	00.2-04.2
Black or Afr. Am./Non-Hisp	50	7,967							2	5.6	00.0-13.6	3	2.6	00.0-05.9	2	2.2	00.0-05.3			
25-34	77	14,950	69	90.8	83.9-97.7				1	1.8	00.0-05.3	1	0.6	00.0-01.8	2	1.6	00.0-04.0	4	5.2	00.0-10.5
35-44	143	28,256	136	94.7	90.0-99.4				3	3.3	00.0-07.4				2	0.6	00.0-01.6	2	1.4	00.0-03.6
45-54	99	14,514							3	3.3	00.0-07.8				2	0.4	00.0-01.0	1	0.4	00.0-01.2
H.S. or G.E.D.	110	15,533	87	83.5	75.7-91.3	5	2.7	00.0-05.4	3	4.6	00.0-09.9	9	6.6	01.7-11.5	4	1.6	00.0-03.4	2	1.1	00.0-02.7
Some Post-H.S.	112	17,293	89	81.2	72.4-90.0	3	1.6	00.0-03.4	3	5.4	00.0-11.9	7	5.2	01.1-09.3	4	2.4	00.0-04.9	6	4.3	00.2-08.4
College Graduate	140	29,332	133	93.4	86.3-0100	4	5.3	00.0-12.2	2	0.3	00.0-00.7							1	1.0	00.0-03.0
\$50,000- 74,999	76	11,470							1	3.2	00.0-09.3	2	2.9	00.0-07.0	1	0.5	00.0-01.5	1	0.8	00.0-02.4
\$75,000+	177	34,148	164	95.6	92.9-98.3	2	0.9	00.0-02.3	3	0.6	00.0-01.4	5	1.9	00.1-03.7	1	0.2	00.0-00.6	2	0.8	00.0-02.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 15: RANDOM CHILD SELECTION**

**TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using \_CHILDWT as the weighting variable

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	738	132,324	631	87.0	83.7-90.3	48	4.4	02.4-06.4	9	1.1	00.3-01.9	28	3.3	01.7-04.9	18	4.0	01.6-06.4	4	0.3	00.0-00.7
White/Non-Hisp	505	84,152	443	90.5	87.4-93.6	29	3.6	01.8-05.4	6	1.2	00.0-02.4	19	3.1	01.3-04.9	5	1.3	00.0-02.9	3	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	160	35,425	123	76.5	67.1-85.9	17	7.6	02.1-13.1	2	0.8	00.0-02.0	5	3.3	00.0-06.8	12	11.6	03.6-19.6	1	0.2	00.0-00.6
25-34	175	37,801	162	91.3	85.4-97.2				2	0.6	00.0-01.6	6	3.6	00.1-07.1	4	4.3	00.0-09.0	1	0.2	00.0-00.6
35-44	274	51,537	267	97.2	94.1-0100	1	0.2	00.0-00.6	1	0.4	00.0-01.2	1	0.2	00.0-00.6	3	1.9	00.0-04.8	1	0.1	00.0-00.3
45-54	183	26,290	159	90.5	85.2-95.8	15	5.4	01.1-09.7	3	2.0	00.0-04.7				4	1.1	00.0-02.3	2	1.0	00.0-02.4
H.S. or G.E.D.	207	35,539	165	81.0	73.0-89.0	21	8.8	03.5-14.1	1	0.5	00.0-01.5	12	3.9	00.6-07.2	5	5.1	00.0-11.0	3	0.8	00.0-01.8
Some Post-H.S.	212	33,323	178	85.9	79.8-92.0	14	4.2	00.5-07.9	2	0.7	00.0-01.7	11	5.6	01.9-09.3	7	3.6	00.0-07.3			
College Graduate	285	56,477	263	93.7	89.8-97.6	11	1.9	00.3-03.5	3	1.1	00.0-02.5	3	0.4	00.0-00.8	4	2.7	00.0-05.8	1	0.2	00.0-00.6
Less than \$15,000	57	8,427	45	88.0	79.4-96.6	6	4.1	00.4-07.8	2	3.7	00.0-09.6	2	1.0	00.0-02.4	2	3.3	00.0-08.4			
\$15,000- 24,999	60	12,552										4	6.0	00.0-12.5	1	4.2	00.0-12.2	1	0.6	00.0-01.8
\$25,000- 34,999	59	9,870				4	7.6	00.0-19.2				3	6.4	00.0-16.2						
\$35,000- 49,999	94	16,888	79	88.4	80.8-96.0	10	7.9	01.0-14.8							3	2.4	00.0-05.1	2	1.3	00.0-03.3
\$50,000- 74,999	146	21,941	125	85.1	76.9-93.3	9	5.0	00.5-09.5	2	1.0	00.0-02.6	7	6.2	00.1-12.3	3	2.7	00.0-06.8			
\$75,000+	241	49,830	222	92.2	87.1-97.3	7	0.6	00.2-01.0	2	1.2	00.0-02.8	5	1.3	00.0-02.7	4	4.5	00.0-09.2	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008

MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV) CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \*

TABLE		PAGE
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAS THIS CHILD EVER HAD THE HPV VACCINATION? (HPVCHVC)	
1	MALES AND FEMALES	104
2	MALES ONLY	105
3	FEMALES ONLY	106
	A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®. HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)	
4	MALES AND FEMALES	107
5	MALES ONLY	108
6	FEMALES ONLY	109
	HOW MANY HPV SHOTS DID SHE RECEIVE? (HPVCHSHT)	
7	MALES AND FEMALES	110
8	MALES ONLY	111
9	FEMALES ONLY	112

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAS THIS CHILD EVER HAD THE HPV VACCINATION? (HPVCHVC)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	291	63,736	111	33.8	26.2-41.4	180	66.2	58.6-73.8	
Female	206	38,135	73	27.5	19.9-35.1	133	72.5	64.9-80.1	
White/Non-Hisp	220	49,029	85	36.0	27.0-45.0	135	64.0	55.0-73.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)

TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAS THIS CHILD EVER HAD THE HPV VACCINATION? (HPVCHVC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, OR GARDASIL®. HAS THIS CHILD EVER HAD THE HPV VACCINATION? (HPVCHVC)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	206	38,135	73	27.5	19.9-35.1	133	72.5	64.9-80.1
White/Non-Hisp	152	28,705	51	25.7	17.3-34.1	101	74.3	65.9-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 4: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	291	63,736	111	33.8	26.2-41.4	180	66.2	58.6-73.8
Female	206	38,135	73	27.5	19.9-35.1	133	72.5	64.9-80.1
White/Non-Hisp	220	49,029	85	36.0	27.0-45.0	135	64.0	55.0-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)

TABLE 5: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 6: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	206	38,135	73	27.5	19.9-35.1	133	72.5	64.9-80.1
White/Non-Hisp	152	28,705	51	25.7	17.3-34.1	101	74.3	65.9-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)  
 TABLE 7: HOW MANY HPV SHOTS DID SHE RECEIVE? (HPVCHSHT)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			77		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	111	21,538	17	16.1	07.5-24.7	19	16.3	07.5-25.1			
Female	73	10,487	9	11.9	02.9-20.9				6	8.2	00.0-16.8
White/Non-Hisp	85	17,639				11	9.5	02.6-16.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)

TABLE 5: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 DELAWARE MODULE QUESTIONS DATA REPORT, 2008  
 MODULE 17: CHILD HUMAN PAPILLOMA VIRUS (HPV)**

**TABLE 6: A VACCINE TO PREVENT THE HUMAN PAPILLOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED CERVICAL CANCER VACCINE, HPV SHOT, GARDASIL®, OR CERVARIX®.  
 HAVE YOU EVER HAD THE HPV VACCINATION? (HPVCHVC1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 shot		N	77	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	73	10,487	9	11.9	02.9-20.9	6	8.2	00.0-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
DELAWARE MODULE QUESTIONS DATA REPORT, 2008**

End of Module Data Report