

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 3 calendar days for priority items, 10 days for priority foundation items (8-405.11) or 90 days for core items (8-406.11).

Food Establishment Inspection Report Page											
Delaware Division of Public Health											
Office of Food Protection			1	Vo. c	f R	epea	at Risk Factor	/Intervention Viola	ations &	Time In 16	ODAM
417 Federal St., Dover, DE 19901								Score (o	ptional) "/	Time Out // : 7	5am
Establishment	-> /	Address / / / / /		Cit		tate			Zip Code	Telephone	
Tony's	Bistro	29 Chestout Hill Pla.	IG	1		NH.			19702	(302)203-0	
License/Permi	t #	Permit Holder		Pu			f Inspection		Est. Type	Risk Cate	ory
License/Permit # Permit Holder Tony's Bisho LLC							DVET		16	ned	20 42
FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS											
Circle designated compliance status (IN, OUT, N/O, N/A) for each numbered item Mark "X" in appropriate box for COS and/or R											
IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable COS=corrected on-site during inspection R=repeat violation											
Complian	ce Status		cos	R	L	C	ompliance S				COS R
Supervision			-	-	1	7/10	оит	Proper disposition		viously served,	
1 NOUT Person in charge present, demonstrates knowledge,						4	Messe.	reconditioned & ur		7.80 m (m) (1)	
1	and performs duties			_		(alla)	OUT NO	Time/Temperature			
2 IN OUT N/A				-		VIII 8 I	OUT N/A N/O	Proper cooking tim			
ic.	Employee Health							Proper reheating p	procedures for h	ot holding	
3 NOUT		nployee and conditional employee;			-	20 114	OUT N/A N/O	Proper cooling tim		ire	-
4 INOUT	knowledge, responsit		-	-	_	THE RESERVE	DOUT N/A N/O	The second secon			
AND DESCRIPTIONS	Proper use of restrict	CH AN HAVE BEEN AND AN AND AND AND AND AND AND AND AND				_	OUT N/A N/O			O.P.	
5 (MYOUT		ding to vomiting and diarrheal events	_			CALL STREET		Proper date marking Time as a Public He			- 4
6 (NOUT	1104,440	, drinking, or tobacco use	T			- 41114	9		eatth Control; prod er Advisory	eutres & records	
7 NOUT	N/O No discharge from ey				9	25/IN	ANTUO	Consumer advisory		undercooked food	T
7 3.551		mination by Hands			-	U		Highly Soscept			
8 (II) OUT	N/O Hands clean & prope		1		2	26 IN	OUTANA	Pasteurized foods L	CONTROL OF THE PARTY OF THE PAR	2022	
6	Trans ordan & prope					1	The state of the s	od/Color Additives			
9 IN OUT N/A	N/O No pare nand contac	t with RTE food or a pre-approved			12	27 IN	OUT NIN	Food additives: ap	proved & prope	rly used	
10 IN(OU)	Annual Comment of the	sinks properly supplied and accessible					OUT N/A	Poxic substances p			
101		ed Source		A				onformance with			
11 IN OUT	Food obtained from a	approved source	T	T	2	29 UN	YOUT MA	Compliance with var	riance/specialized	process/HACCP	
12 IN OUT N/A	N/O Food received at proj		(T	-		-				
13 TO OUT Food in good condition, safe, & unadulterated											
14 IN OUT N/A		ailable: shellstock tags,		T				e important practices			
14 IN OUT N/A	parasite destruction			v				ibuting factors of food re control measures t			
parasite destruction interventions are control measures to prevent foodborne illness or injury. Protection from Contamination											
15 IN OUT N/A	N/O Food separated and	protected /				1	/				
16 IN OUT N/A	Food-contact surface	s; cleaned & sanitized				/				-	
		/ GOOD R	ETA	UL F	RA	CTI	CES		-		TO S
	Good Retail Practic	ces are preventative measures to contr	ol the	add	itigin	of pa	athogens, chem	icals, and physical ob	jects into foods.		
Mark "X" in box i	f numbered item is not in con	npliance Mark "X" in appropriate			/os	and/	or R CO	S=corrected on-site of	during inspection	R=repeat viol	
			COS	R/							COS R
	Safe Food	d and Water /		1				Proper Use	of Utensils		7
	isteurized eggs used where	e required	1			43		tensils: properly sto	ALCOHOL STATE OF THE STATE OF T		
	ater & ice from approved s	111	1			44		equipment & linens:			
32 Va	sriance obtained for specia		1			45		se/single-service arti	icles: properly sto	ored & used	
7 9		reture Control	-			46	Gloves	used properly	Contract of the Contract of th		
00	oper cooling methods used	; adequate equipment for						Utensils, Equipr			
te	mperature control	1	-			47		non-food contact su		e,	
	ant food properly cooked fo					40		designed, construc		SV5	
173	35 Approved thawing methods used				-	48		shing facilities; install		used; test strips	
36 Thermometers provided & accurate						49	Non-foo	d contact surfaces			
Peod Identification							1 10 50	C43 1/1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Facilities		
37 F6	ood properly labeled; origin	ZUTUDOS OT CONTROL OF	-		H	50	1000	old water available;			
38 V In		ood Contamination	T		-	51 52		g installed; proper i		5	
insects, reaches, a arminate fier present			0			53		& waste water prop	The state of the s	ind Palescal	
Contamination prevented during look preparation, storage of display					-	54		cilities: properly cor			
40 Personal cleanliness 41 Wiping cloths: properly used & stored				-	55		e & refuse properly				
	ashing fruits & vegetables					56		I facilities installed,			
Washing fruits & vegetables 56 Adequate ventilation & lighting; designated areas used Person in Charge (Signature) Date: 5 / 2 / 19											
Inspector (Signature) NCC - HPC - 041						F	ollow-up:	YES NO [Circle	one) Follow-	up Date: 5/7,	119

Inspection Report Page 4 of 2										
Health Sy	Division of Public Health ystems Protection ral St., Dover, DE 19901	License/P			Date 5/2/19					
Establish	nent Address	1 411 Phase 2	ata	Zip Code	Telephone (302)273-0900					
OBSERVATIONS AND CORRECTIVE ACTIONS										
Item Number										
	A change of muneral	la inspertion	of Tone's Biston	was to	adjusted on					
	5/2/18. All equipment									
	grade. Health Dept									
	verity correction of to	be following :								
36	4-204-112 C: There			redirect	cator					
38	6-501. 111 (PF): Found	Mx out vily	Sy serving xren	denin						
	- Pleas	a last por	I company for	JBrv. V &	and provide					
y- y-	1 5 1 Voeun	contation at r	einspection ,		,					
55	6-50/12 C Found a	avoulation o	f growse undos	cool 1	ine					
15	6-301,12 (PE): No pap		cook line a	no confil	The Bothroom					
39	2 3 - 1 COE / d	7	1 15 1							
2/	3-305.11 C: Food sto	18 20 -110ES	Ot hould my VOTO	ger Hes						
	TI. I don		1. 2.	1. 1	1 11					
-	This document will be	billed Byon	In the March 10	1 heen	Il Sullan					
	to guy muy lead &	1055 of pe	court.	-						
		CV								
	The following report	ed repairs a	re to be con	mpleto	1 by (6/3/12):					
	Ald I ringh air gup	s to 3-comp	actment sink	<i>J</i> .						
	eAdd hard sink with	splack grands	to sorving a	rea						
	· Cover Janaged wall	suctaces wit	h a clounsfl	e mater	ist					
	· Repair Sishwasher		7 97							
	Add covered trush can	to Jemale	but hicom	7.7.						
	ofrovide documentation	1. 11.	CFPM CE	-filith	t p					
	a lover all exported	lighting in	Tuzility							
	Pro Late 1	I II del	29 B. 182							
	refarireflace dumage	4 Trace Files								
Person in Charge (Signature) X - In Our Poly Date: 5 / 2 / 19										
Inspector (Signature) NCL - HPT - 041 Date: 5 / 2 / 19										
-										