

Delaware Weekly *Influenza* Surveillance Report Week 10 (March 4 - March 10, 2012) Delaware Division of Public Health

National Synopsis - 2011- 2012

Note: National data is updated Friday of each week. Please visit http://www.cdc.gov/weekly/ for the most current information.

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2011-2012: Week ending March 10, 2012

There have been no reports of *influenza* related deaths among Delawareans through week 10.

Influenza Positive¹ and Confirmed² Cases Reported³ through Week 10.


| Confirmed Influenza Cases by Subtype, Delaware, 2011-2012 | | | | | | | | | | | |
|---|-------------|----------|----------|----------|----------|---------|--------|--------|-----|-------|--------|
| | | | | | | | | | | | |
| | | Wks. 40- | Wks. 01- | Wks. 03- | Wks. 05- | Wk. 07- | | | | YTD | YTD |
| | | 52 | 02 | 04 | 06 | 08 | Wk. 09 | Wk. 10 | YTD | Total | Cnty % |
| Je | A (2009 H1) | 0 | 0 | 2 | 1 | 4 | 3 | 0 | 10 | 89 | |
| Statewide | A (H3) | 3 | 0 | 0 | 1 | 13 | 12 | 34 | 63 | | |
| tate | A (snp)* | 0 | 0 | 0 | 1 | 4 | 1 | 1 | 7 | | |
| S | В | 0 | 1 | 2 | 1 | 3 | 2 | 0 | 9 | | |
| le | A (2009 H1) | 0 | 0 | 2 | 1 | 4 | 3 | 0 | 10 | 77 | 86.5% |
| New Castle County | A (H3) | 2 | 0 | 0 | 1 | 12 | 11 | 33 | 59 | | |
| New Ca County | A (snp)* | 0 | 0 | 0 | 1 | 3 | 0 | 1 | 5 | | |
| S S | В | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 3 | | |
| _ | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2.2% |
| Kent | A (H3) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | | |
| ₹ <u>9</u> | A (snp)* | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | В | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 11.2% |
| Sussex County | A (H3) | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | | |
| Sus | A (snp)* | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | | |
| | В | 0 | 1 | 2 | 1 | 0 | 2 | 0 | 6 | | |


¹Based on patients with positive nucleic acid and/or viral culture test results reported to the Division of Public Health.


² Confirmed *Influenza* cases from all reporting sources (including Delaware Public Health Laboratory)


³ Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

^{* (}snp) - (sub-typing not performed).










| Confirmed Influenza Cases by Age Group & County, Delaware:2011-2012 | | | | | | | | | | | |
|---|-------------|----------|----------|----------|----------|--------|--------|--------|-----|--------------|---------------|
| | | | | | | | | | | | |
| | | Wks. 40- | Wks. 01- | Wks. 03- | Wks. 05- | Wk.07- | Wk. 09 | Wk. 10 | YTD | YTD Total | YTD Cnty % |
| | 0-4 years | 1 | 0 | 1 | 0 | 5 | 4 | 14 | 25 | 89 | |
| e e | 5-24 years | 2 | 0 | 1 | 2 | 7 | 7 | 15 | 34 | | |
| Statewide | 25-49 years | 0 | 0 | 1 | 1 | 3 | 2 | 3 | 10 | | |
| tate | 50-64 years | 0 | 1 | 1 | 0 | 2 | 2 | 2 | 8 | | |
| N. | 65+ years | 0 | 0 | 0 | 1 | 7 | 3 | 1 | 12 | | |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ınt | 0-4 years | 0 | 0 | 0 | 0 | 4 | 3 | 14 | 21 | 77 | 86.5% |
| New Castle Count | 5-24 years | 2 | 0 | 1 | 1 | 7 | 5 | 15 | 31 | | |
| tle | 25-49 years | 0 | 0 | 0 | 1 | 3 | 2 | 2 | 8 | | |
| Cas | 50-64 years | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 6 | | |
| Wé | 65+ years | 0 | 0 | 0 | 1 | 6 | 3 | 1 | 11 | | |
| ž | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ty | 0-4 years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 2.2% |
| unc | 5-24 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ŭ | 25-49 years | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | | |
| Kent County | 50-64 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| × | 65+ years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| λ. | 0-4 years | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 10 | 11.2% |
| l m | 5-24 years | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 3 | | |
| ညိ | 25-49 years | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | | |
| sex | 50-64 years | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | | |
| Sussex County | 65+ years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | | |
| - 4 | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |



| Number of Influenza Hospitalizations by Age-group and Week, Delaware:2011-2012 | | | | | | | | | | | |
|--|-------------|----------|----------|----------|----------|---------|--------|--------|-----|-------|--------|
| | | Wks. 40- | Wks. 01- | Wks. 03- | Wks. 05- | Wk. 07- | | | | YTD | YTD |
| | | 52 | 02 | 04 | 06 | 08 | Wk. 09 | Wk. 10 | YTD | Total | Cnty % |
| | 0-4 years | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 10 | |
| e | 5-24 years | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | | |
| Statewide | 25-49 years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | | |
| tate | 50-64 years | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 3 | | |
| S | 65+ years | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | | |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0-4 years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 8 | 80.0% |
| , the | 5-24 years | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | | |
| Cas | 25-49 years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | | |
| New Castle County | 50-64 years | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | | |
| ž | 65+ years | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | | |
| | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0-4 years | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 10.0% |
| nty | 5-24 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Jo. | 25-49 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Kent County | 50-64 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Ke | 65+ years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Unknown | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0-4 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10.0% |
| unt | 5-24 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Sussex County | 25-49 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| sex | 50-64 years | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | | |
| sns | 65+ years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| • | Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |

| Number of Influenza Hospitalizations by Sub-type & County | | | | | | | | | | | |
|---|-------------|----------|----------|----------|----------|---------|--------|--------|-----|-------|--------|
| | | Wks. 40- | Wks. 01- | Wks. 03- | Wks. 05- | Wk. 07- | | | | YTD | YTD |
| | | 52 | 02 | 04 | 06 | 08 | Wk. 09 | Wk. 10 | YTD | Total | Cnty % |
| le | A (2009 H1) | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 10 | |
| Statewide | A (H3) | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 4 | | |
| tate | A (snp)* | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | | |
| S | В | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | | |
| tle | A (2009 H1) | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 8 | 80.0% |
| Cas | A (H3) | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 3 | | |
| New Castle County | A (snp)* | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | | |
| | В | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | | |
| Kent County | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10.0% |
| Cor | A (H3) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | | |
| int (| A (snp)* | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Ke | В | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| × × | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10.0% |
| Sussex County | A (H3) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Suc | A (snp)* | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | В | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | | |

^{* (}snp) - (sub-typing not performed)

Influenza-Related Deaths:

| Total Influenza -Related Deaths: | Wks. | Wks. | Wks. | Wks. | Wks. | | | |
|----------------------------------|-------|-------|-------|-------|-------|--------|--------|-----|
| Delaware | 40-52 | 01-02 | 03-04 | 05-06 | 07-08 | Wk. 09 | Wk. 10 | YTD |
| 2011-2012 Influenza Season | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Annual Seasonal Influenza Case Totals | | | | | | |
|---------------------------------------|-------|--|--|--|--|--|
| 2004 – 2005 | 995 | | | | | |
| 2005 – 2006 | 541 | | | | | |
| 2006 – 2007 | 508 | | | | | |
| 2007 – 2008 | 1,401 | | | | | |
| 2008 – 2009 | 738 | | | | | |
| 2009 – 2010 | 2,247 | | | | | |
| 2010 – 2011 | 1,470 | | | | | |
| 2011 – 2012 | 89 | | | | | |
| | | | | | | |

<u>NOTE</u>: The data provided may not be a true reflection of the total number of people who have been infected with influenza virus in Delaware, chiefly due to the following:

- Many people ill with influenza-like symptoms do not seek medical care; and
- Many who do seek medical care are not tested for influenza.

Level of *Influenza* Activity in Delaware, Week 10, 2012:

Sporadic |


- : Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- ▶ Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.
- No Activity: No laboratory confirmed cases of *influenza* and no increase in the number of reports of ILI above regional baseline for the season.
- **▶** Sporadic: Isolated laboratory confirmed cases <u>OR</u> a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of *influenza* in the county with increased ILI <u>OR</u> two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of *influenza* in the county with the outbreaks; virus activity is no greater than sporadic in other counties.
- ▶ Regional: Outbreaks of *influenza* or increases in ILI and recent laboratory confirmed *influenza* in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)
- **▶** Widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed *influenza* in at least two of the three counties.

ILINet (Sentinel) Provider Surveillance Network:

ILINet providers conduct surveillance for ILI in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet providers, in combination with other *influenza* surveillance data, provide a national and statewide picture of *influenza* virus and ILI activity in the U.S.


Influenza-like illness reported from ILINet Providers
Delaware, 2011-2012
9 of 15 Sentinel Providers reporting






Regional Baseline for 2011-2012 applicable to: Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.5%.

Hospital Electronic Surveillance ILI Data: Delaware, 2011-2012 7 of 7 hospitals reporting (Al DuPont, Bayhealth Kent, Bayhealth Milford, Beebe, Christiana, Wilmington & St. Francis)




Hospital Manual Surveillance ILI Data: Delaware, 2011-2012 Nanticoke Hospital reporting




Influenza-like illness reported from Federally Qualified Health Centers (FQHCs): Delaware 2011-2012

Two of two FQHCs reporting (La Red Health Center & Henrietta Johnson Medical Center)




Influenza-like-illness reported by Long-Term Care Facilities (LTCFs):
Delaware, 2011-2012
12 of 19 facilities reporting




Influenza-like illness reported by Colleges/Universities: Delaware, 2011-2012


2 of 3 schools reporting (University of Delaware & Delaware State University)



Influenza-like-illness reported by Daycare Providers: Delaware, 2011-2012 3 of 13 providers reporting



Influenza-like illness reported by Correctional Facilities: Delaware, 2011-2012 9 of 11facilities reporting



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit flu.delaware.gov or call (302) 744-4704.