

Delaware Weekly Influenza Surveillance Report Week 49 (December 2 - 8, 2012) Delaware Division of Public Health

National Synopsis – 2012 – 2013

Note: National data are updated Friday of each week. Please visit http://www.cdc.gov/flu/weekly/ for the_most current information.

Both national and state data are provisional and subject to change as additional reports are received.

<u>Delaware Influenza Surveillance – 2012 – 2013:</u>


There were 37 confirmed cases of influenza among Delawareans during Week 49.

Influenza positive¹ cases reported² through week 49 (Week ending December 8, 2012)


| Confirmed Flu Cases by Subtype | | • | | • | • | | • | | | | |
|--|--------------------------------|-----------------------------|-------|-------|--------|--------|--------|--------|-----|-------|----------|
| A (2009 H1) | | | Wks. | Wks. | | | | | | YTD | YTD Cnty |
| A (H3) | Confirmed Flu Cases by Subtype | | 40-42 | 43-45 | Wk. 46 | Wk. 47 | Wk. 48 | Wk. 49 | YTD | Total | % |
| A (2009 H1) | de | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | |
| A (2009 H1) | Wic | A (H3) | 2 | 12 | 12 | 9 | 30 | 33 | 98 | | |
| A (2009 H1) | ate | A (subtyping not performed) | 0 | 1 | 0 | 1 | 3 | 4 | 9 | | |
| A (2009 H1) | St | В | 4 | 0 | 0 | 0 | 1 | 0 | 5 | | |
| A (2009 H1) | ınty | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 35 | 31.3% |
| A (2009 H1) | le Cou | A (H3) | 2 | 0 | 3 | 1 | 10 | 18 | 34 | | |
| A (2009 H1) 0 0 0 0 0 0 0 0 50 44.6% A (H3) | Cast | A (subtyping not performed) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| A (H3) A (subtyping not performed) A (Subtyping not performed) B B C C C C C C C C C C C C C C C C C | New | В | 1 | 0 | 0 | 0 | 0 | 0 | 1 | | |
| A (subtyping not performed) 0 | ıty | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 44.6% |
| A (subtyping not performed) 0 | lno | A (H3) | 0 | 11 | 8 | 6 | 13 | 3 | 41 | | |
| A (2009 H1) 0 0 0 0 0 0 0 27 24.1% A (H3) A (subtyping not performed) 0 0 0 0 1 1 2 23 A (subtyping not performed) | li (| A (subtyping not performed) | 0 | 1 | 0 | 1 | 2 | 3 | 7 | | |
| A (H3) 0 1 1 2 7 12 23 A (subtyping not performed) 0 0 0 0 1 1 2 | Ke | В | 2 | 0 | 0 | 0 | 0 | 0 | 2 | | |
| $egin{array}{c cccc} A \ (subtyping not performed) & 0 & 0 & 0 & 1 & 1 & 2 \\ \hline \end{array}$ | nty | A (2009 H1) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 24.1% |
| in the state of th | Cou | A (H3) | 0 | 1 | | | | | | | |
| ğ B 1 0 0 0 1 0 2 | šex | A (subtyping not performed) | 0 | 0 | 0 | 0 | 1 | 1 | 2 | | |
| | Sus | В | 1 | 0 | 0 | 0 | 1 | 0 | 2 | | |
| 6 13 12 10 34 37 112 | | | 6 | 13 | 12 | 10 | 34 | 37 | 112 | | |

| | | Wks. | Wks. | Wk. | | | | | YTD | YTD Cnty |
|---------------|---------------------------|-------|-------|-----|--------|--------|--------|-----|-------|----------|
| Confirm | ed Flu Cases by Age Group | 40-42 | 43-45 | 46 | Wk. 47 | Wk. 48 | Wk. 49 | YTD | Total | % |
| d) | 0-4 years | 1 | 4 | 7 | 5 | 11 | 8 | 36 | 112 | |
| Statewide | 5-24 years | 1 | 6 | 4 | 5 | 11 | 11 | 38 | | |
| tew | 25-49 years | 1 | 1 | 0 | 0 | 6 | 5 | 13 | | |
| Sta | 50-64 years | 1 | 2 | 1 | 0 | 4 | 5 | 13 | | |
| | 65+ years | 2 | 0 | 0 | 0 | 2 | 8 | 12 | | |
| Сол | 0-4 years | 1 | 0 | 3 | 0 | 2 | 4 | 10 | 35 | 31.3% |
| tle | 5-24 years | 0 | 0 | 0 | 1 | 6 | 2 | 9 | | |
| Cas | 25-49 years | 0 | 0 | 0 | 0 | 1 | 1 | 2 | | |
| New Castle Co | 50-64 years | 1 | 0 | 0 | 0 | 0 | 4 | 5 | | |
| Š | 65+ years | 1 | 0 | 0 | 0 | 1 | 7 | 9 | | |
| .y | 0-4 years | 0 | 4 | 4 | 4 | 6 | 2 | 20 | 50 | 44.6% |
| nut | 5-24 years | 1 | 5 | 3 | 3 | 4 | 4 | 20 | | |
| Kent County | 25-49 years | 0 | 1 | 0 | 0 | 2 | 0 | 3 | | |
| ent | 50-64 years | 0 | 2 | 1 | 0 | 2 | 0 | 5 | | |
| K | 65+ years | 1 | 0 | 0 | 0 | 1 | 0 | 2 | | |
| ıty | 0-4 years | 0 | 0 | 0 | 1 | 3 | 2 | 6 | 27 | 24.1% |
| onr | 5-24 years | 0 | 1 | 1 | 1 | 1 | 5 | 9 | | |
| , Č | 25-49 years | 1 | 0 | 0 | 0 | 3 | 4 | 8 | | |
| Sussex County | 50-64 years | 0 | 0 | 0 | 0 | 2 | 1 | 3 | | |
| Sur | 65+ years | 0 | 0 | 0 | 0 | 0 | 1 | 1 | | |
| | | 6 | 13 | 12 | 10 | 34 | 37 | 112 | | |

¹ Based on patients with positive nucleic acid and viral culture test results reported to the Division of Public Health.



² Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.



| | | Wks. | Wks. | Wk. | | | | | | YTD | YTD Cnty |
|------------------------------|-------------|-------|-------|-----|-----|----|--------|--------|-----|-------|----------|
| Flu Related Hospitalizations | | 40-42 | 43-45 | 46 | Wk. | 47 | Wk. 48 | Wk. 49 | YTD | Total | % |
| 4) | 0-4 years | 0 | 0 | 1 | | 0 | 2 | 1 | 4 | 17 | |
| Statewide | 5-24 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| tew | 25-49 years | 0 | 1 | 0 | | 0 | 0 | 2 | 3 | | |
| Sta | 50-64 years | 0 | 1 | 0 | | 0 | 1 | 2 | 4 | | |
| | 65+ years | 1 | 0 | 0 | | 0 | 2 | 2 | 5 | | |
| New Castle Cou | 0-4 years | 0 | 0 | 1 | | 0 | 2 | 0 | 3 | 8 | 3.4% |
| tle | 5-24 years | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | | |
| Cas | 25-49 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| Max. | 50-64 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| ž | 65+ years | 0 | 0 | 0 | | 0 | 1 | 2 | 3 | | |
| Þ | 0-4 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | 7 | 3.0% |
| Kent County | 5-24 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| 8 | 25-49 years | 0 | 1 | 0 | | 0 | 0 | 0 | 1 | | |
| ent | 50-64 years | 0 | 1 | 0 | | 0 | 1 | 0 | 2 | | |
| × | 65+ years | 1 | 0 | 0 | | 0 | 1 | 0 | 2 | | |
| ıty | 0-4 years | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 2 | 0.9% |
| lmo | 5-24 years | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | | |
| Sussex County | 25-49 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| sse | 50-64 years | 0 | 0 | 0 | | 0 | 0 | 1 | 1 | | |
| Su | 65+ years | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | | |
| | | 1 | 2 | 1 | | 0 | 5 | 8 | 17 | | |

| Total Flu-related Deaths, | | | | | |
|----------------------------|------------|------------|------------|--------|-----|
| Delaware | Wks. 40-42 | Wks. 43-45 | Wks. 46-48 | Wk. 49 | YTD |
| 2012-2013 Influenza Season | 0 | 0 | 0 | 0 | 0 |

| Annual Seasonal Influ | enza Case Totals |
|-----------------------|------------------|
| 2004-2005 | 995 |
| 2005-2006 | 541 |
| 2006-2007 | 508 |
| 2007-2008 | 1,401 |
| 2008-2009 | 738 |
| 2009-2010 | 2,247 |
| 2010-2011 | 1,470 |
| 2011-2012 | 262 |
| 2012 - 2013 (YTD) | 112 |

<u>NOTE</u>: The data provided is not a true reflection of the total number of individuals who have been infected with the influenza virus in Delaware during the reporting period due to the following factors:

- Many people ill with influenza-like symptoms do not seek medical care
- Many who do seek medical care are not tested for influenza
- The Delaware Public Health Laboratory (DPHL) is limited by capacity to processing a maximum of 5 tests per day from each reporting entity

Level of Influenza Activity in Delaware, Week 49:

Sporadic




Isolated laboratory confirmed cases OR a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.

- Influenza-like illness (ILI) is defined as patients presenting with fever over 100° F, cough and/or sore throat in the absence of a known cause other than influenza.
- No Activity: No laboratory confirmed cases of influenza and no increase in the number of reports of ILI above regional baseline for the season.
- Sporadic: Isolated laboratory confirmed cases OR a laboratory confirmed outbreak in one institution but no increase in reports of ILI from the regional baseline for the season.
- Local: Increased ILI above the regional baseline for the season in a single county; ILI activity in other counties is not increased above baseline AND recent (within the past three weeks) laboratory evidence of influenza in the county with increased ILI OR two or more institutional outbreaks (ILI or laboratory confirmed flu) in a single county AND recent (within the past three weeks) laboratory evidence of influenza in the county with the outbreaks; virus activity is no greater than sporadic in other counties.
- Regional: Outbreaks of influenza or increases in ILI and recent laboratory confirmed influenza in at least 2 but less than half the regions of the state. (This level of activity does not apply for small states with 4 or fewer regions.)
- widespread: Increase in ILI reports above the regional baseline and/or institutional outbreaks of influenza (ILI or lab confirmed) AND recent (within the past 3 weeks) laboratory confirmed influenza in at least two of the three counties.

ILINet (Sentinel) Provider Surveillance Network:


An ILINet (Sentinel) provider conducts surveillance for influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention. Data reported by ILINet (Sentinel) providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza virus and ILI activity in the U.S.

Influenza-Like Illness Reported from ILINet (Sentinel) Providers 9 of 19 Providers Reporting




Region 3 (Delaware, District of Columbia, Maryland, Pennsylvania, Virginia & West Virginia); baseline= 2.2%.


Hospital (Electronic) Surveillance Data: 7 of 7 Hospitals Reporting - Al DuPont, Bayhealth (Kent, Milford, Beebe), CCHS, Wilmington and St. Francis.




Hospital (Manual) Surveillance Data: 1 of 1 Hospital Reporting (Nanticoke)




Federally Qualified Health Centers (FQHCs): 2 of 3 reporting (Henrietta Johnson Medical Center and La Red Medical Center)




Long-Term Care Facilities (LTCFs): 6 of 19 facilities reporting




Colleges/Universities:
2 of 3 schools reporting (University of Delaware & Delaware State University)







Correctional Facilities: 4 of 10 facilities reporting



The Division of Public Health is committed to serving you better. If you have not found the answers to your questions, please visit flu.delaware.gov or call (302) 744-4704.