

Delaware Weekly Influenza Report Week 11 (March 9 – March 15, 2014) Delaware Division of Public Health

National Synopsis 2013 - 2014

National data are updated Friday of each week. Please visit http://www.cdc.gov/flu/weekly/ for the most current information. During week11, the decrease of influenza activity continued in the United States. Four states reported widespread activity; nine states reported regional activity; D.C., and 19 states reported local activity; 18 states, Puerto Rico, and Guam reported sporadic activity; and the U.S. Virgin Islands reported no influenza activity.

Surrounding states in our region reported sporadic (WV), local (D.C. and MD), and regional (PA and VA) influenza activity.

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2013 - 2014

There were 39 confirmed cases of influenza reported during week11 and the level of influenza activity was designated "Local" based on available data. The rates of influenza like illness (ILI) reported by sentinel providers was 1.10%, below the regional baseline of 2.0%.

Level of Influenza Activity¹ in Delaware, Week 11

Local

Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed² influenza in a single region of the state.

Influenza-like illness (ILI) is defined as patients presenting with fever of 100° F or greater, cough and/or sore throat in the absence of a known cause other than influenza.

No Activity: No laboratory-confirmed² cases of influenza and no reported increase in the number of cases of ILI.

Sporadic: Small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI.

Local: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed² influenza in a single region of the state.

Regional: This level does not apply to Delaware. Per CDC, regional does not apply to states with ≤ 4 regions³.

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed² influenza in at least half the regions of the state with recent laboratory evidence of influenza in the state.

Activity levels may not be comparable across states because some states may use different definitions for lab confirmation of influenza cases. Some states may include rapid diagnostic tests as confirmatory while Delaware considers viral culture or PCR as confirmatory.

² Laboratory confirmed case= case confirmed by viral culture or PCR.

³ Region= population under surveillance in a defined geographical subdivision of a state. Regions typically include several counties.

Table 1a. Influenza positive cases reported, statewide and by county.

	rmed Flu Cases ubtype	Wk 40-52	Wk 01	Wk 02	Wk 03	Wk 04	Wk 05	Wk 06	Wk 07	Wk 08	Wk 09	Wk 10	Wk 11	YTD	YTD Total	YTD County%
	A (2009 H1)	88	57	74	109	121	113	125	123	85	60	39	19	1013	1315	
Φ	A (H3)	4	2	1	2	2	0	2	0	0	1	2	0	16		
Statewide	A (subtyping not performed)	18	8	16	19	25	15	38	40	34	19	10	18	260		
St	В	6	0	0	0	1	1	1	1	2	6	6	2	26		
Φ	A (2009 H1)	20	26	36	46	52	43	47	41	23	18	8	1	361		
astl	A (H3)	3	1	0	0	1	0	2	0	0	0	2	0	9	512	39%
New Castle County	A (subtyping not performed)	0	4	9	12	12	5	20	22	24	6	4	5	124		
20	В	4	0	0	0	0	1	0	0	2	5	5	1	18		
	A (2009 H1)	26	19	26	51	53	43	48	48	32	28	20	17	411	500	38%
	A (H3)	0	0	1	1	0	0	0	0	0	1	0	0	3		
Kent County	A (subtyping not performed)	10	1	4	4	10	6	11	11	6	8	2	8	81		
조 있	В	0	0	0	0	0	0	1	1	0	1	1	1	5		
	A (2009 H1)	42	12	12	12	16	27	30	34	30	14	11	1	241		
	A (H3)	0	1	0	1	1	0	0	0	0	0	0	0	3		
Sussex County	A (subtyping not performed)	8	3	3	3	3	4	7	7	4	5	4	5	56	303	23%
Su	В	2	0	0	0	1	0	0	0	0	0	0	0	3		

Table 1b. Age subgroup-specific influenza positive cases.

ıabı	e ib. Age s	ubgiou	h-ahe	CITIC II	illiuei	iza po	SILIVE	cases	· .							
	rmed Flu Cases le Group	Wk 40-52	Wk 01	Wk 02	Wk 03	Wk 04	Wk 05	Wk 06	Wk 07	Wk 08	Wk 09	Wk 10	Wk 11	YTD	YTD Total	YTD County%
	0-4 years	33	12	18	19	29	24	29	30	18	24	5	8	249	1315	
ø)	5-24 years	23	12	21	40	36	34	42	42	26	18	8	13	315		
Statewide	25-49 years	42	24	29	46	53	41	50	59	50	30	23	12	459		
tate	50-64 years	13	15	21	17	23	23	32	20	21	10	15	5	215		
S	65+ years	5	4	2	8	8	7	13	13	6	4	6	1	77		
	0-4 years	8	7	9	5	16	9	17	10	6	7	1	1	96	512	39%
New Castle County	5-24 years	8	7	9	14	16	10	19	14	7	4	3	2	113		
Cas	25-49 years	10	7	15	26	20	16	13	24	24	10	5	2	172		
ew	50-64 years	2	9	10	7	9	10	14	10	8	7	7	2	95		
z o	65+ years	0	1	2	6	4	4	6	5	4	1	3	0	36		
	0-4 years	12	2	5	8	9	8	6	15	7	14	3	6	95		38%
	5-24 years	3	3	10	20	15	15	14	11	11	6	1	10	119		
ty	25-49 years	16	8	10	17	24	16	25	22	12	13	12	7	182	501	
Kent County	50-64 years	4	5	6	9	12	7	11	5	8	2	6	3	78		
자 O	65+ years	2	2	0	2	3	3	4	7	0	3	1	0	27		
	0-4 years	13	3	4	6	4	7	6	5	5	3	1	1	58	302	
	5-24 years	12	2	2	6	5	9	9	17	8	8	4	1	83		
× ×	25-49 years	16	9	4	3	9	9	12	13	14	7	6	3	105		23%
Sussex	50-64 years	7	1	5	1	2	6	7	5	5	1	2	0	42		
ũΩ	65+ years	3	1	0	0	1	0	3	1	2	0	2	1	14		

Based on patients with positive nucleic acid or viral culture test results reported to the Division of Public Health.
Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.

DE Participating Labs

Percent Positive2

Figure 1. Confirmed cases¹ of influenza by type and subtype, Delaware 2013-2014 Influenza Season.

A (unsubtyped)

■ Type B

WA

MOS S

Table 2. Influenza-related hospitalizations, Delaware 2013-2014

■Type A H3

	elated italizations	Wks 40-52	Wk 01-02	Wk 03	Wk 04	Wk 05	Wk 06	Wk 07	Wk 08	Wk 09	Wk 10	Wk 11	YTD	YTD Total	YTD County%
	0-4 years	8	5	3	3	5	7	2	4	4	0	3	44		•
e	5-24 years	1	3	6	3	4	11	6	2	0	1	0	37		
•wic	25-49 years	0	9	9	8	4	6	14	7	4	3	1	65	284	
Statewide	50-64 years	4	15	6	10	8	11	8	8	8	8	2	88		
S	65+ years	2	4	5	6	5	7	8	4	2	6	1	50		
(I)	0-4 years	4	2	1	3	2	5	0	3	3	0	1	24		
New Castle County	5-24 years	0	3	4	2	2	8	2	0	0	1	0	22		
ပိ ≥	25-49 years	0	7	7	4	2	3	9	6	1	1	1	41	169	59%
ew	50-64 years	1	13	2	6	7	7	5	4	6	5	1	57		
20	65+ years	0	2	3	2	3	4	5	2	1	3	0	25		
	0-4 years	4	2	1	0	2	1	2	1	1	0	2	16		
	5-24 years	1	0	2	1	2	1	3	1	0	0	0	11		
Kent County	25-49 years	0	0	2	3	1	2	3	1	2	2	0	16	87	31%
Kent	50-64 years	2	1	4	4	1	3	2	4	2	2	1	26		
X 0	65+ years	1	2	2	3	2	3	3	0	1	1	0	18		
	0-4 years	0	1	1	0	1	1	0	0	0	0	0	4		
	5-24 years	0	0	0	0	0	2	1	1	0	0	0	4		
Sussex	25-49 years	0	2	0	1	1	1	2	0	1	0	0	8	28	10%
Sussex	50-64 years	1	1	0	0	0	1	1	0	0	1	0	5		
S O	65+ years	1	0	0	1	0	0	0	2	0	2	1	7		

Table 3. Influenza-related deaths, Delaware 2013-2014

Flu- Related	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Wk	Cumulative
Deaths	40-52	01	02	03	04	05	06	07	08	09	10	11	
Dealis	0	0	1	0	0	0	0	2	1	0	0	0	4

¹ Based on patients with positive nucleic acid or viral culture test results reported to the Delaware Division of Public Health. There were 39 confirmed cases of influenza reported during MMWR 11. Confirmed cases are reported for the date the specimen was collected; not the date that positive test result was reported; this is different from the percent positive calculation.

² Percent positive= (number of specimens PCR positive for flu reported during the week) / (total number of specimens submitted during the week); lab data reflect the date the test result was reported and not the date that the specimen was collected. The percent positive reflects only the percent testing positive for specimens submitted by WHO/NREVSS Collaborating Laboratories in Delaware (includes Christiana Care and the Delaware Public Health Laboratory). The percent positive does not reflect specimens tested by hospitals not participating in the WHO/NERVSS Collaborating Labs in Delaware.


Table 4. Annual number of influenza cases reported by flu season, Delaware 2004-2013.

Influenza Season	Annual Flu Case Totals
2004 – 2005	995
2005 – 2006	541
2006 – 2007	508
2007 – 2008	1401
2008 – 2009	738
2009 – 2010	2247
2010 – 2011	1470
2011 – 2012	262
2012 – 2013	1773
2013 – 2014 (YTD)	1315

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) (Sentinel) Provider Surveillance Network:

An ILINet (sentinel) provider conducts surveillance of influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention (CDC). Data reported by ILINet providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza activity in the U.S.


Figure 2. Percentage of visits for influenza-like illness (ILI) reported by sentinel healthcare providers participating in the U.S. Outpatient ILI Surveillance Network (ILINet), Delaware 2013-2014.



¹ Ten of 11 sentinel providers reported during Week 11. Data are subject to change as additional reports are received.


² Regional baseline is calculated by CDC using non-influenza weeks from the previous 3 influenza seasons. Delaware is a member of Region 3 and includes DE, DC, MD, PA, VA, and WV. Regional baseline= 2.0%.

Figure 3. Influenza-Like Illness (ILI) reported by influenza surveillance reporting partners¹, Delaware 2013-2014.



¹ Reporting partners include long-term care facilities, colleges and universities, correctional facilities, daycares, and federally qualified health centers.

Figure 4. Percentage of Delaware emergency department visits related to Influenza-like Illness (ILI).



² % ILI= percentage of residents with ILI symptoms. Eight of 19 LTCFs reported for MMWR 11.

³ % ILI= percentage of student visits for ILI. Schools reporting include the University of Delaware, Delaware State University, and Wesley College.

⁴ % ILI= percentage of visits for ILI at the correctional facility. Six of 10 facilities reported for MMWR 11.

⁵ % ILI= percentage of children absent with ILI. Two of 12 daycare providers reported for MMWR 11.

⁶ % ILI= percentage of visits for ILI at FQHCs. FQHCs reporting include LARED and Henrietta Johnson Medical Center.

NOTE: Data provided do not reflect the total number of individuals who have been infected with the influenza virus in Delaware during the reporting period as a result of the following factors:

- Many people ill with influenza-like symptoms do not seek medical care.
- Many who do seek medical care are not tested for influenza.
- The Delaware Public Health Laboratory (DPHL) is limited by capacity to processing a maximum of 3 specimens per day from each reporting entity.

The Division of Public Health (DPH) is committed to serving you better. Please visit us at flu.delaware.gov or http://dhss.delaware.gov/dhss/dph/dpc/immunize-flu.html for general information on the flu or specific information on DPH flu clinics. For questions on Delaware's weekly flu report, please call the Office of Infectious Disease Epidemiology at 302-744-1033. For questions regarding influenza vaccination information, please call 302-744-1060.