

Delaware Weekly Influenza Report Week 19 (May 4 – May 10, 2014) Delaware Division of Public Health

National Synopsis 2013 - 2014

National data are updated Friday of each week. Please visit http://www.cdc.gov/flu/weekly/ for the most current information. Influenza activity continued to decrease in the United States, during week 19(ending May 10, 2014). Three states reported widespread activity; two states and Guam reported regional activity; two states reported local activity; the District of Columbia, Puerto Rico and 39 states reported sporadic activity; four states reported no influenza activity; and the U.S. Virgin Islands did not report.

Surrounding states in our region reported sporadic influenza activity (D.C., PA, WV, VA and MD).

Both national and state data are provisional and subject to change as additional reports are received.

Delaware Influenza Surveillance 2013 - 2014

There were 12 confirmed cases of influenza reported during week19 and the level of influenza activity was designated "Sporadic" based on available data. The rates of influenza like illness (ILI) reported by sentinel providers was 0%, well below the regional baseline of 2.0%.

Level of Influenza Activity¹ in Delaware, Week 19

Sporadic

Small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI.

Influenza-like illness (ILI) is defined as patients presenting with fever of 100° F or greater, cough and/or sore throat in the absence of a known cause other than influenza.

No Activity: No laboratory-confirmed² cases of influenza and no reported increase in the number of cases of ILI.

Sporadic: Small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI.

Local: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed² influenza in a single region of the state.

Regional: This level does not apply to Delaware. Per CDC, regional does not apply to states with ≤ 4 regions³.

Widespread: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed² influenza in at least half the regions of the state with recent laboratory evidence of influenza in the state.

Activity levels may not be comparable across states because some states may use different definitions for lab confirmation of influenza cases. Some states may include rapid diagnostic tests as confirmatory while Delaware considers viral culture or PCR as confirmatory.

² Laboratory confirmed case= case confirmed by viral culture or PCR.

³ Region= population under surveillance in a defined geographical subdivision of a state. Regions typically include several counties.

Table 1a. Influenza positive cases reported, statewide and by county.

	rmed Flu Cases ubtype	Wks 40-52	Wks 01-09	Wk 10	Wk 11	Wk 12	Wk 13	Wk 14	Wk 15	Wk 16	Wk 17	Wk 18	Wk 19	YTD	YTD Total	YTD County%
	A (2009 H1)	88	881	48	52	34	16	8	7	0	0	3	0	1137		
/ide	A (H3)	4	10	3	4	9	13	8	12	11	15	6	3	98	1784	
Statewide	A (subtyping not performed)	18	217	8	10	12	12	14	7	4	2	10	3	317		
	В	6	12	6	6	19	25	38	48	29	18	19	6	232		
le	A (2009 H1)	20	339	13	17	10	8	3	2	0	0	1	0	413		
Castle	A (H3)	3	4	2	2	7	8	5	6	7	12	2	2	60	735	41.20%
New Cast County	A (subtyping not performed)	0	118	4	3	3	4	0	2	1	2	2	1	140		
	В	4	8	5	4	10	10	14	38	10	9	8	2	122		
	A (2009 H1)	26	353	21	23	14	5	5	4	0	0	2	0	453		
t t	A (H3)	0	3	0	1	2	3	2	2	2	1	3	0	19		Į.
Kent	A (subtyping not performed)	10	61	2	5	8	5	10	4	1	0	2	2	110	669	37.50%
	В	0	4	1	2	9	13	19	6	16	6	7	4	87		
	A (2009 H1)	42	189	14	12	10	3	0	1	0	0	0	0	271		
× ×	A (H3)	0	3	1	1	0	2	1	4	2	2	1	1	18	380	
Sussex County	A (subtyping not performed)	8	38	2	2	1	3	4	1	2	0	6	0	67		21.30%
	В	2	1	0	0	0	2	5	4	3	3	4	0	24		

Table 1b. Age subgroup-specific influenza positive cases

abie	1b. Age su	ogroup	-speci	nc imi	uenza	i posii	tive Ca	ises.								
	rmed Flu Cases e Group	Wks 40-52	Wks 01-09	Wk 10	Wk 11	Wk 12	Wk 13	Wk 14	Wk 15	Wk 16	Wk 17	Wk 18	Wk 19	YTD	YTD Total	YTD County%
	0-4 years	33	204	6	18	8	11	11	9	3	4	4	1	312		
vide	5-24 years	23	274	11	20	20	25	24	17	11	11	3	2	441	1784	
Statewide	25-49 years	42	389	24	22	26	14	15	19	9	8	14	4	586		
Š	50-64 years	13	186	17	8	13	4	11	9	9	5	6	3	284		
	65+ years	5	67	7	4	7	12	7	20	12	7	11	2	161		
Φ	0-4 years	8	87	2	7	4	6	5	3	1	4	1	1	129	735	41%
New Castle County	5-24 years	8	102	4	8	9	13	11	11	5	11	1	0	183		
ew Castl County	25-49 years	10	159	6	5	10	5	1	13	4	3	3	1	220		
Ne Ne	50-64 years	2	85	8	4	4	1	3	4	6	3	3	1	124		
	65+ years	0	35	4	2	3	5	2	17	2	2	5	2	79		
	0-4 years	12	74	3	7	4	4	6	4	1	0	0	0	115		
rt fr	5-24 years	3	106	1	11	8	11	9	5	4	0	2	1	161		
Kent County	25-49 years	16	150	12	10	9	4	12	4	2	2	7	3	231	670	38%
J	50-64 years	4	67	7	3	9	3	6	3	2	1	3	2	110		
	65+ years	2	24	1	0	3	4	3	0	10	4	2	0	53		
	0-4 years	13	43	1	4	0	1	0	2	1	0	3	0	68		
ž ĕ	5-24 years	12	66	6	1	3	1	4	1	2	0	0	1	97		
Sussex County	25-49 years	16	80	6	7	7	5	2	2	3	3	4	0	135	379	21%
S O	50-64 years	7	34	2	1	0	0	2	2	1	1	0	0	50		
	65+ years	3	8	2	2	1	3	2	3	0	1	4	0	29		

¹ Based on patients with positive nucleic acid or viral culture test results reported to the Division of Public Health. ² Reports are by date of specimen collection, not the date the results are obtained. As a result, prior weeks' counts may be adjusted to reflect additional cases received.




Figure 1. Confirmed cases¹ of influenza by type and subtype, Delaware 2013-2014 Influenza Season.

Table 2. Influenza-related hospitalizations, Delaware 2013-2014

	elated	Wks	Wks	Wk	YTD	YTD	YTD								
Hosp	italizations	40-52	01-10	11	12	13	14	15	16	17	18	19		Total	County%
Φ	0-4 years	8	33	5	1	0	2	2	0	1	1	0	53		
۸id	5-24 years	1	36	3	2	3	3	3	1	3	1	1	57		
Statewide	25-49 years	0	64	1	4	3	1	10	3	2	3	1	92	417	
Sta	50-64 years	4	83	3	6	2	5	2	3	3	2	0	113		
	65+ years	2	48	4	5	9	5	12	8	2	7	0	102		
е	0-4 years	4	19	2	1	0	1	0	0	1	0	0	28		
New Castle County	5-24 years	0	22	2	0	2	2	2	0	3	0	0	33		
ew Cast County	25-49 years	0	40	1	3	1	0	8	2	2	0	0	57	243	58%
ē O	50-64 years	1	56	2	3	1	1	0	3	2	2	0	71		
_	65+ years	0	26	2	3	4	2	10	2	2	3	0	54		
	0-4 years	4	10	2	0	0	1	1	0	0	0	0	18		
ıt y	5-24 years	1	10	1	2	1	0	0	0	0	1	0	16		
Kent County	25-49 years	0	16	0	1	2	1	1	1	0	1	1	24	124	30%
ت ت	50-64 years	2	23	1	3	1	2	1	0	0	0	0	33		
	65+ years	1	17	0	2	4	2	0	6	0	1	0	33		
	0-4 years	0	4	1	0	0	0	1	0	0	1	0	7		
ex y	5-24 years	0	4	0	0	0	1	1	1	0	0	1	8		
Sussex	25-49 years	0	8	0	0	0	0	1	0	0	2	0	11	50	12%
တ် လိ	50-64 years	1	4	0	0	0	2	1	0	1	0	0	9		
	65+ years	1	5	2	0	1	1	2	0	0	3	0	15		

¹ Based on patients with positive nucleic acid or viral culture test results reported to the Delaware Division of Public Health. There were 12 confirmed cases of influenza reported during MMWR 19. Confirmed cases are reported for the date the specimen was collected; not the date that positive test result was reported; this is different from the percent positive calculation.

² Percent positive= (number of specimens PCR positive for flu reported during the week) / (total number of specimens submitted during the week); lab data reflect the date the test result was reported and not the date that the specimen was collected. The percent positive reflects only the percent testing positive for specimens submitted by WHO/NREVSS Collaborating Laboratories in Delaware (includes Christiana Care and the Delaware Public Health Laboratory). The percent positive does not reflect specimens tested by hospitals not participating in the WHO/NERVSS Collaborating Labs in Delaware.

Table 3. Influenza-related deaths, Delaware 2013-2014

Flu- Related	Wks 40-52	Wks 01-10	Wk 11	Wk 12	Wk 13	Wk 14	Wk 15	Wk 16	Wk 17	Wk 18	Wk 19	Cumulative
Deaths	0	4	0	0	0	0	0	2	0	0	0	6


Table 4. Annual number of influenza cases reported by flu season, Delaware 2004-2013.

Influenza Season	Annual Flu Case Totals
2004 – 2005	995
2005 – 2006	541
2006 – 2007	508
2007 – 2008	1401
2008 – 2009	738
2009 – 2010	2247
2010 – 2011	1470
2011 – 2012	262
2012 – 2013	1773
2013 – 2014 (YTD)	1784

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) (Sentinel) Provider Surveillance Network:

An ILINet (sentinel) provider conducts surveillance of influenza-like illness (ILI) in collaboration with the Division of Public Health and the Centers for Disease Control and Prevention (CDC). Data reported by ILINet providers, in combination with other influenza surveillance data, provide a national and statewide picture of influenza activity in the U.S.


Figure 2. Percentage of visits for influenza-like illness (ILI) reported by sentinel healthcare providers participating in the U.S. Outpatient ILI Surveillance Network (ILINet), Delaware 2013-2014.



¹ Six of 11 sentinel providers reported during Week 19. Data are subject to change as additional reports are received.


² Regional baseline is calculated by CDC using non-influenza weeks from the previous 3 influenza seasons. Delaware is a member of Region 3 and includes DE, DC, MD, PA, VA, and WV. Regional baseline= 2.0%.

Figure 3. Influenza-Like Illness (ILI) reported by influenza surveillance reporting partners¹, Delaware 2013-2014.



¹ Reporting partners include long-term care facilities, colleges and universities, correctional facilities, daycares, and federally qualified health centers.

Figure 4. Percentage of Delaware emergency department visits related to Influenza-like Illness (ILI).



² % ILI= percentage of residents with ILI symptoms. Four of 19 LTCFs reported for MMWR 19.

³ % ILI= percentage of student visits for ILI. Schools reporting include the University of Delaware, Delaware State University, and Wesley College.

⁴ % ILI= percentage of visits for ILI at the correctional facility. Six of 10 facilities reported for MMWR 19.

⁵ % ILI= percentage of children absent with ILI. One of 12 daycare providers reported for MMWR 19.

⁶ % ILI= percentage of visits for ILI at FQHCs. FQHCs reporting include LARED and Henrietta Johnson Medical Center.

NOTE: Data provided do not reflect the total number of individuals who have been infected with the influenza virus in Delaware during the reporting period as a result of the following factors:

- Many people ill with influenza-like symptoms do not seek medical care.
- Many who do seek medical care are not tested for influenza.
- The Delaware Public Health Laboratory (DPHL) is limited by capacity to processing a maximum of 3 specimens per day from each reporting entity.

The Division of Public Health (DPH) is committed to serving you better. Please visit us at flu.delaware.gov or http://dhss.delaware.gov/dhss/dph/dpc/immunize-flu.html for general information on the flu or specific information on DPH flu clinics. For questions on Delaware's weekly flu report, please call the Office of Infectious Disease Epidemiology at 302-744-1033. For questions regarding influenza vaccination information, please call 302-744-1060.