



**DELAWARE HEALTH
AND SOCIAL SERVICES**

Division of Health Care Quality
Office of Long Term Care
Residents Protection

DHSS - DHCQ
263 Chapman Road, Ste 200, Cambridge Bldg.
Newark, Delaware 19702
(302) 421-7400

STATE SURVEY REPORT

NAME OF FACILITY: Newark Manor Nursing Home

DATE SURVEY COMPLETED: April 24, 2026

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
<p>3201</p> <p>3201.1.0</p> <p>3201.1.2</p>	<p>The State Report incorporates by reference and also cites the findings specified in the Federal Report.</p> <p>A desk review revisit was conducted on April 24, 2026, for the Annual and Complaint Survey ending March 13, 2026</p> <p>Regulations for Skilled and Intermediate Care Facilities</p> <p>Scope</p> <p>Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.</p> <p>This requirement is met as evidenced by:</p> <p>The facility was found to be in substantial compliance with 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities as of April 24, 2026.</p>		

Provider's Signature Lisa Seiner Title LNHA Date 5/14/24

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 08A020	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 04/24/2026
NAME OF PROVIDER OR SUPPLIER NEWARK MANOR NURSING HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 254 WEST MAIN STREET , NEWARK, Delaware, 19711	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E0000	Initial Comments A desk review revisit was conducted on April 24, 2026, for the annual and complaint visit ending March 13, 2026. The facility was found to be in substantial compliance with 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities as of April 24, 2026.	E0000		05/14/2026
F0000	INITIAL COMMENTS A desk review revisit was conducted on April 24, 2026, for the annual and complaint visit ending March 13, 2026. The facility was found to be in substantial compliance with 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities as of April 24, 2026.	F0000		05/14/2026

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------