



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Health Care Quality

Office of Long Term Care Residents Protection

263 Chapman Road, Ste 200, Cambridge Bldg.

Newark, Delaware 19702

(302) 421-7400

STATE SURVEY REPORT

Page 1 of 1

NAME OF FACILITY: Milford Center

DATE SURVEY COMPLETED: December 23, 2025

| SECTION | STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES | ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES | COMPLETION DATE |
|----------|--|--|--------------------|
| | <p>The State Report incorporates by reference and also cites the findings specified in the Federal Report.</p> <p>A desk review follow-up was conducted on December 23, 2025, of the Annual and Complaint survey ending September 23, 2025, posted November 17, 2025, due to government shutdown.</p> | | |
| 3201 | Regulations for Skilled and Intermediate Care Facilities | | |
| 3201.1.0 | Scope | | |
| 3201.1.2 | <p>Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.</p> <p>This requirement is met as evidenced by:</p> <p>The facility was found to be in substantial compliance with 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities as of December 5, 2025.</p> | | |

Provider's Signature

Mr. B

Title Ministries of Men

Date 12/31/2025

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 085021 | | (X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING | (X3) DATE SURVEY COMPLETED 12/23/2025 |
|--|--|--|--|--|---|
| NAME OF PROVIDER OR SUPPLIER ENCORE AT WEST MEADOW | | | STREET ADDRESS, CITY, STATE, ZIP CODE 255 POSSUM PARK ROAD , NEWARK, Delaware, 19711 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| F0000 | INITIAL COMMENTS A desk review follow-up was conducted on December 23, 2025, for the complaint visit ending October 29, 2025. The facility was found to be in substantial compliance with 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities as of November 28, 2025. | | F0000 | | 12/30/2025 |

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

| | | |
|---|-------|-----------|
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE |
|---|-------|-----------|