



DELAWARE HEALTH AND SOCIAL SERVICES

Division of Health Care Quality
Office of Long-Term Care
Residents Protection

DHSS - DHCQ
263 Chapman Road, Ste 200, Cambridge Bldg.
Newark, Delaware 19702
(302) 421-7400

STATE SURVEY REPORT

NAME OF FACILITY: The Moorings at Lewes Nursing Home

DATE SURVEY COMPLETED: January 9, 2026

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
<p>3201</p> <p>3201.1.0</p> <p>3201.1.2</p>	<p>The State Report incorporates by reference and also cites the findings specified in the Federal Report.</p> <p>An unannounced Annual, Complaint and Emergency Preparedness Survey was conducted at this facility from January 5, 2026, through January 9, 2026. The facility census on the first day of the survey was thirty-four (34). The survey sample totaled twenty-one (21) residents.</p> <p>Regulations for Skilled and Intermediate Care Nursing Facilities</p> <p>Scope</p> <p>Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.</p> <p>This requirement is met as evidenced by:</p> <p>No deficiencies were identified at the time of the survey.</p>		

Provider's Signature *Alphonse NHTA*

Title Administrator / Exec Dir Date January 13, 2026

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 085053	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 01/09/2026
NAME OF PROVIDER OR SUPPLIER THE MOORINGS AT LEWES			STREET ADDRESS, CITY, STATE, ZIP CODE 17028 CADBURY CIRCLE , LEWES, Delaware, 19958	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E0000	Initial Comments In accordance with 42 CFR 483.73, an Emergency Preparedness survey was conducted by The Division of Health Care Quality, the Office of Long-Term Care Residents Protection at this facility from January 5, 2026 through January 9, 2026. Based on observations, interviews, and document review, no Emergency Preparedness deficiencies were identified.	E0000		
F0000	INITIAL COMMENTS An unannounced annual and complaint survey was conducted at this facility from January 5, 2026, through January 9, 2026. The facility census the first day of the survey was thirty-four (34). The survey sample totaled twenty-one (21) residents. The survey process included observation, interview, review of residents' clinical records and other documentation. The facility was found to be in substantial compliance with 42 CFR Part 483 Subpart B Requirements for Long Term Care Facilities as of January 9, 2026.	F0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------