

DHSS - DHCQ 263 Chapman Road, Ste 200, Cambridge Bldg. Newark, Delaware 19702 (302) 421-7400

STATE SURVEY REPORT

Page 1 of 1

NAME OF FACILITY: Cadia Broadmeadow

DATE SURVEY COMPLETED: January 12, 2024

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE		
	The State Report incorporates by reference				
	and also cites the findings specified in the				
	Federal Report.				
	A Recertification and Complaint survey was				
	conducted by Healthcare Management Solu-				
	tions, LLC on behalf of the State of Delaware,				
	Department of Health and Social Services, Di-				
	vision of Health Care Quality. The facility was				
	found to be in substantial compliance with 42				
	CFR 483 subpart B.				
	Survey Dates: 01/09/24 - 01/12/24				
	Survey Census: 114				
	Sample Size: 31				
	Supplemental Residents: 0				
	1 1 1 1				

Provider's Signature

ettsles Title Administrator Date 1/24/2024

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/29/2024 FORM APPROVED OMB NO. 0938-0391

AND PLAN OF CORRECTION		IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		085050	B. WING			C 04/42/2024	
NAME OF	PROVIDER OR SUPPLIER		STREET ADDRESS, CITY, STATE, ZIP CODE			01/12/2024	
CADIA R	REHABILITATION BRO	ADMEADOW		500 SOUTH BROAD STREET MIDDLETOWN, DE 19709			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	FIX (EACH CORRECTIVE ACTION SHOU		BE	(X5) COMPLETION DATE
E 000	Initial Comments		ΕC	000			
F 000	Preparedness Surv Healthcare Manage behalf of the State of Health and Social S Care Quality on 01/ was found to be in 6483.73. INITIAL COMMENT A Recertification ar conducted by Health LLC on behalf of the Department of Health Division of Health C	nd Complaint survey was hcare Management Solutions, to State of Delaware, th and Social Services, that are Quality. The facility was tantial compliance with 42. 19/24-01/12/24	FC				
ABORATOR	/ DIRECTOR'S OR PROVIDE	ER/SUPPLIER REPRESENTATIVE'S SIGN	JATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Electronically Signed

01/25/2024