

DELAWARE HEALTH AND SOCIAL SERVICES

Division of Health Care Quality
Office of Long Term Care
Residents Protection

DHSS - DHCQ 263 Chapman Road, Ste 200, Cambridge Bldg. Newark, Delaware 19702 (302) 421-7400

STATE SURVEY REPORT

Page 1 of 1


NAME OF FACILITY: Cadia Healthcare Silverside

DATE SURVEY COMPLETED: December 12, 2022

SECTION	STATEMENT OF DEFICIENCIES SPECIFIC DEFICIENCIES	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES	COMPLETION DATE
	The State Report incorporates by reference and also cites the findings specified in the Federal Report.		
2	An unannounced Complaint Survey was conducted at this facility from December 8, 2022 through December 12, 2022. The deficiency contained in this report is based on interviews, review of clinical records and other facility documentation as indicated. The facility census on the first day of the survey was 107. The survey sample size was one.	8	
3201	Regulations for Skilled and Intermediate Care Facilities		
3201.1.0	Scope		
3201.1.2	Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference.		
	This requirement is not met as evidenced by: Cross Refer to the CMS 2567-L survey completed December 12, 2022: F842.	Cross refer to the CMS 2567-L survey completed December 12, 2022: F842	2/3/2023

rovider's Signature _	Jam	y. (Duima	i
				*/





PRINTED: 01/24/2023 FORM APPROVED OMB NO. 0938-0391

	D PLAN OF CORRECTION IDENTIFICATION NUMBER: (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION A. BUILDING			ATE SURVEY OMPLETED		
		085056	B. WING		1	C 2/12/2022
	PROVIDER OR SUPPLIER EHABILITATION SILV	ERSIDE		STREET ADDRESS, CITY, STATE, ZIP COI 3322 SILVERSIDE ROAD WILMINGTON, DE 19810		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORR ((EACH CORRECTIVE ACTION SI CROSS-REFERENCED TO THE AF DEFICIENCY)	HOULD BE	(X5) COMPLETION DATE
F 000	An unannounced Conducted at this fathrough December contained in this repreview of clinical redocumentation as it on the first day of the survey sample size. Abbreviations used. CNA- Certified Nurscept Cardiopulmon DoN- Director of Nurscept Cardiopul	complaint Survey was acility from December 8, 2022 12, 2022. The deficiency port is based on interviews, cords and other facility endicated. The facility census are survey was 107. The was one. Findings include: in this report are as follows: sing Assistant; eary Resuscitation; ursing; partment; etical Nurse; e Administrator; rse. en; ght and left lungs; I lung sounds; Iedical Technician; rement; ally trained medical technician a wide range of emergency at an EMT does; imetry)- A method of	FO			
F 842	electronic device pla measurements are 100%.	en in blood using a small aced on the finger. Normal generally between 95% and	F 84	12		2/3/23
	CFR(s): 483.20(f)(5		1 0-			213123
ABORATORY	DIRECTOR'S OR PROVID	ER/SUPPLIER REPRESENTATIVE'S SIGN	IATURE	TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Electronically Signed

01/04/2023

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:			LE CONSTRUCTION	(X3) DATE SURVEY COMPLETED C			
		085056	B. WING		12	/12/2022	
NAME OF PROVIDER OR SUPPLIER CADIA REHABILITATION SILVERSIDE			STREET ADDRESS, CITY, STATE, ZIP CODE 3322 SILVERSIDE ROAD WILMINGTON, DE 19810				
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APP DEFICIENCY)	OULD BE	(X5) COMPLETION DATE	
F 842	§483.20(f)(5) Residition (ii) A facility may not resident-identifiable (iii) The facility may resident-identifiable accordance with a agrees not to use dexcept to the extent to do so. §483.70(i) Medical §483.70(i)(1) In accordance stand must maintain medithat are- (i) Complete; (ii) Accurately docu (iii) Readily access (iv) Systematically §483.70(i)(2) The fall information con regardless of the forecords, except who (i) To the individual representative who (ii) Required by La (iii) For treatment, operations, as perious the fall we enforcement purposes, research medical examiners a serious threat to	dent-identifiable information. It release information that is the to the public. It release information that is the to an agent only in contract under which the agent or disclose the information that the facility itself is permitted records. Cordance with accepted ands and practices, the facility dical records on each resident umented; sible; and organized facility must keep confidential tained in the resident's records, form or storage method of the then release is- le, or their resident are permitted by applicable law; w; payment, or health care mitted by and in compliance	F 842				

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		LE CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
		085056		· 	С	
NAME OF	NAME OF PROVIDER OR SUPPLIER		B. WING	STREET ADDRESS, CITY, STATE, ZIP CODE	12/12/2022	
	EHABILITATION SI			3322 SILVERSIDE ROAD WILMINGTON, DE 19810		
(X4) ID PREFIX TAG	(EACH DEFICIEN	TATEMENT OF DEFICIENCIES CY MUST BE PRECEDED BY FULL R LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPOSE DEFICIENCY)	BE COMPLÉTION	
F 842	Continued From p	page 2	F 842			
		facility must sa ⁻ eguard medical n against loss, destruction, or				
	for-	lical records must be retained				
	(ii) Five years from	ime required by State law; or in the date of discharge when ement in State law; or it years after a resident reaches itate law.				
	(i) Sufficient information (ii) A record of the	medical record must contain- mation to identify the resident; e resident's assessments; ensive plan of care and services				
	(iv) The results of and resident revie determinations co (v) Physician's, no	any preadmission screening ew evaluations and onducted by the State; urse's, and other licensed				
	services reports a	gress notes; and discounting and other diagnostic as required under §483.50. ENT is not met as evidenced				
	determined that for sampled for a cha	review and interviews, it was or one (R1) out of one resident ange in condition, the facility ccurate and complete records.		 A. R1 was sent out 911. She pass away in transit to the hospital. B. All residents who code have the potential to be affected. A facility w sweep was conducted of the last 7 and no further residents were ident 	ride days	
		nical record revealed:		be impacted by this deficient practic C. A new Rapid Response Team/C	ce. Code	
		admitted to the facility.		Blue record form (attached) (RRT/0 be implemented to capture accurat	CBR) to e and	
		- A nurses note in the electronic iMR), document∋d by E4 (LPN		timely documentation of the events surrounding clinical emergencies a		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED C	
		085056	B. WING		11	12/2022
	PROVIDER OR SUPPLIER EHABILITATION SIL			STREET ADDRESS, CITY, STATE, ZIP CODE 3322 SILVERSIDE ROAD WILMINGTON, DE 19810		
(X4) ID PREFIX TAG	(EACH DEFICIENC	TATEMENT OF DEFICIENCIES CY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPR DEFICIENCY)	JLD BE	(X5) COMPLETION DATE
F 842	floor nurse that patimes) 2 while CN further assessment with decreased of liters (per minute-noted with bibasila condition change ED, son aware and condition deteriors stable transferred hospital) with EM 12/12/22 11:15 AN Supervisor) stated of respiratory rate pulse ox and bloo R1 during R1's 11 respiratory conditions that appeared that measured 88 administered oxygand the oxygen will pm. E4 further stable did not rise above of oxygen. 12/12/22 11:45 AN stated that she was R1 at approximate vomited twice. Es room to check on pale in color, brea E5 raised the heabreathing. E5 statiand a face mask was 2 lpm.	I, "This nurse made aware by attent had emesis x (vomit A was performing care. Upon not patient noted pale in color, 2 patient placed on facemask 6 Ipm). Auscultated lung sounds ar crackles. Notified On call of in patient order to send out to d at bedside. EMT arrived ptated CPR initiated and once by stretcher to (name of	F 842	Code Blue situations. Without the template, nurses were randomly inconsistently not documenting comprehensive, consistent, and vital signs and assessments of reduring clinical emergencies/Cod situations. Staff Educator to inselicensed nurses on the new form process to accurately capture are emergent clinical events. Verbawill be provided to EMT personn as a copy of Rapid Response Template Blue record. RRT/CBR form will scanned into EHR (electronic herecord). D. DON/Designee to audit all Compliance and clinical emergencies to ensure RRT/CBR forms are completed thoroughly and accurately. Audicontinue until 100% compliance achieved over a 3 month period. Compliance is achieived over 3 consecutive months, problem with considered resolved. Results of be presented at QAPI meeting.	thorough esidents e Blue ervice all and record report el as well eam/Code be ealth ode Blue ure that ts will is If 100%	

AND PLAN OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
	085056	B. WING		C		
NAME OF PROVIDER OR SUPPLIER	005056	D. WING		12/	12/2022	
NAME OF PROVIDER OR SUPPLIER			STREET ADDRESS, CITY, STATE, ZIP CODE			
CADIA REHABILITATION SILVER	SIDE	- 1	3322 SILVERSIDE ROAD			
			WILMINGTON, DE 19810			
PRÉFIX (EACH DEFICIENCY MU	MENT OF DEFICIENCIES JST BE PRECEDED BY FULL IDENTIFYING INFORMATION)	ID PREFI) TAG	PROVIDER'S PLAN OF CORRECTION ((EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETION DATE	
condition. The times of condition, the nursing in condition, including response to oxygen placed adjustment and the on-call Physician we EMR. Additionally, the placed by E4 (LPN Superport was given to 91 and responses to their documented in the EM These findings were reconference on 12/12/2	It to R1's 11,26/22 change in f R1's observed change in responses to R1's change R1's vital signs, R1's accement, R1's height of the time of the call placed to evere not documented in the times of the 911 calls pervisor), what nursing 1, to the paramedics/ EMT ractions, were not	F8	42			