

The background of the slide features a series of parallel, diagonal gray lines that create a textured, striped effect across the entire surface.

Mortality


2005

MORTALITY

More Delaware residents died in 2005 than in 2004. A total of 7,422 residents died, 104 of which were children under the age of 1. Among all Delaware deaths, 50.4 percent were females and 49.6 percent were males. Heart disease and cancer continued to be the leading and second leading causes of death, accounting for 51.3 percent of all deaths in 2005.

- Just over one quarter of the Delawareans who died in 2005 were 85 or older. Deaths to those 75 and older accounted for more than half of all deaths.

**Percent of Deaths by Age
Delaware, 2005**




- A Delaware resident born in 2005 could expect to live an average of 77.7 years.
- Life expectancy at birth varied by race and sex; white females had the highest life expectancy (81.1) while black males had the lowest (71.3).
- In 2005, the ten leading causes of death for residents of all ages were almost identical to the top 10 in 2004, with the main difference being movement among the rankings.

Rank	Leading Cause of Death	Number
1	Diseases of the Heart	2016
2	Malignant Neoplasms	1785
3	Chronic Lower Respiratory Diseases	412
4	Cerebrovascular Diseases	380
5	Accidents (unintentional injuries)	289
6	Diabetes mellitus	233
7	Alzheimers Disease	180
8	Influenza and pneumonia	160
9	Septicemia	129
10	Nephritis, nephrotic syndrome, and nephrosis	125

MORTALITY

- There were 289 deaths due to accidents in 2005; 41 percent of which were due to motor vehicle accidents and 56 percent of which were due to non-transport accidents. More than half of the 161 non-transport accidents were caused by falls and unintentional poisoning and exposure to noxious substances.

**Accidental Causes of Death by Specific Category of Accident
Delaware, 2005**




- From 2001-2005, accidents were the number one cause of death for people 1-44 years of age, and were responsible for 43.2% of all deaths for people 1-24 years of age (See Table F-11).


MORTALITY

The leading causes of death varied by race and ethnic group. The top five leading causes of death for white, black, and Hispanic Delawareans are shown below.


**White Leading Causes of Death
Delaware, 2005**



**Black Leading Causes of Death
Delaware, 2005**




**Hispanic Leading Causes of Death
Delaware, 2005**



MORTALITY


Cancer mortality rates for black and white decedents have been decreasing since the early nineties, and while the gap between black and white has been narrowing, black cancer mortality rates in 2001-2005 were significantly higher than the white rates.

**Five-year Age-Adjusted Cancer Mortality Rates by Race
Delaware, 1990-2005**




The same decreases seen in the age-adjusted mortality rates of both blacks and whites were reflected in the changes of age-specific rates as well. Cancer mortality rates for all age groups declined between 1990-1994 and 2001-2005. The 65-74 age group experienced the largest decrease.

**Five-year Average Age-Specific Cancer Mortality Rates
Delaware, 1990-1994 and 2001-2005**




MORTALITY

Though black mortality rates for drug-induced deaths were historically higher than white rates, in 1994-1998 they began a four year decline that moved them below white rates in 1997-2001. Since then, white mortality rates have remained higher. Overall, black and white mortality rates for drug-induced deaths increased by 156 and 328 percent from 1980-1984 to 2001-2005.



While white rates for alcohol-induced deaths have remained fairly steady since 1980-1984, black rates have declined by 63 percent, to 7.3 in 2001-2005.


**Five-year Age-adjusted Mortality Rates for Alcohol-Induced Deaths by Race
Delaware, 1990-2005**




Over half of all drug-induced and alcohol-induced deaths in 2001-2005 were white males.

MORTALITY

Suicide mortality trends for both black and white populations remained fairly stable from 1990-1994 to 2001-2005, with the white rate (12.5) more than double that of the black rate (5.9).




Throughout most of the 90s, both black and white homicide mortality rates demonstrated a declining trend. Recently, mortality rates for whites have remained fairly stable, while mortality rates for blacks have increased slightly. The 2001-2005 homicide mortality rate for blacks (11.1) was over 4 times that of whites (2.6).



MORTALITY


HIV/AIDS mortality has disproportionately affected Delaware's black population. Though black HIV/AIDS mortality rates have decreased significantly since their 1993-1997 peak, their 2001-2005 mortality rate of 33.4 deaths per 100,000 was 14 times that of whites. In the 2001-2005 time period, blacks accounted for 78 percent of all deaths due to HIV/AIDS.

**Five-year Age-Adjusted HIV/AIDS Mortality Rates by Race
Delaware, 1990-2005**



Though black mortality rates for Diabetes have been declining since 1990-1994, they remained more than twice that of whites.


**Five-year Age-Adjusted Diabetes Mortality Rates by Race
Delaware, 1990-2005**



MORTALITY

Heart disease remained the most common cause of death for both black and white Delawareans. Both black and white heart disease mortality rates have declined significantly since 1990-1994, though black rates continued to be higher than white rates.

**Five-year Age-Adjusted Heart Disease Mortality Rates by Race
Delaware, 1990-2005**



Stroke was the third leading cause of death for both blacks and whites in 2001-2005. Like heart disease, stroke mortality rates for both races continued their downward trends, and the black rates remained significantly higher than white rates.

**Five-year Age-Adjusted Stroke Mortality Rates by Race
Delaware, 1990-2005**




TABLE F-1
NUMBER OF DEATHS BY RACE

U.S., DELAWARE, COUNTIES AND CITY OF WILMINGTON, 1992-2005

Area/ Race	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
U.S.														
All Races	2175613	2268553	2278994	2312132	2314690	2314245	2337256	2391399	2403351	2416425	2443387	2448288	2397615	2432000
White	1873781	1951437	1959875	1987437	1992966	1996393	2015984	2061348	2071287	2079691	2102589	2103714	2056643	N/A
Black	269219	282151	282379	286401	282089	276520	278440	285064	285826	287709	290051	291300	287315	N/A
Other	32613	34965	36740	38294	39635	41332	42832	44987	46238	49025	50747	53274	53657	N/A
Delaware														
All Races	5945	6152	6337	6281	6506	6510	6577	6669	6872	7114	6860	7067	7124	7422
White	4955	5057	5259	5124	5295	5449	5453	5555	5696	5886	5694	5782	5862	6127
Black	956	1067	1038	1108	1166	1014	1086	1072	1131	1180	1111	1241	1204	1235
Other	34	28	40	49	45	47	38	42	45	48	55	44	58	60
Kent														
All Races	938	931	941	966	1003	998	1015	1102	1022	1102	1113	1114	1154	1250
White	770	751	778	790	813	837	835	924	822	900	916	878	948	1017
Black	160	173	152	169	183	147	173	167	184	194	187	224	193	224
Other	8	7	11	7	7	14	7	11	16	8	10	12	13	9
New Castle														
All Races	3642	3801	3910	3796	3967	3951	4030	3931	4111	4234	3996	4129	4146	4227
White	3009	3102	3196	3030	3201	3250	3281	3217	3350	3435	3244	3299	3324	3379
Black	618	689	696	744	749	677	731	692	741	774	718	809	793	809
Other	15	10	18	22	17	24	18	22	20	25	34	21	29	39
Wilmington														
All Races	868	940	955	944	890	864	850	789	826	850	779	843	782	763
White	461	497	511	448	436	479	423	395	430	421	392	413	358	360
Black	406	442	443	492	453	383	425	392	394	425	380	430	419	401
Other	1	1	1	4	1	2	2	2	2	4	7	0	5	2
Balance of NC County														
All Races	2774	2861	2955	2852	3077	3087	3180	3142	3285	3384	3217	3286	3364	3464
White	2548	2605	2685	2582	2765	2771	2858	2822	2920	3014	2852	2886	2966	3019
Black	212	247	253	252	296	294	306	300	347	349	338	379	374	408
Other	14	9	17	18	16	22	16	20	18	21	27	21	24	37
Sussex														
All Races	1365	1420	1486	1519	1536	1561	1532	1636	1739	1778	1751	1824	1824	1945
White	1176	1204	1285	1304	1281	1362	1337	1414	1524	1551	1534	1605	1590	1731
Black	178	205	190	195	234	190	182	213	206	212	206	208	218	202
Other	11	11	11	20	21	9	13	9	9	15	11	11	16	12

NDRACE

Note:

2005 US data are preliminary numbers from NCHS.

N/A indicates data not available.

Sources:

Delaware Health Statistics Center

National Center for Health Statistics

TABLE F-2
NUMBER OF DEATHS BY AGE, RACE, AND HISPANIC ORIGIN
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2005

Area/ Age	Race									Hispanic Origin ²
	All Races	White	Black	American Indian ¹	Asian or Pacific Islander (API)				All Other	
					Chinese	Japanese	Filipino	Other API		
Delaware	7422	6127	1235	13	8	0	4	34	1	119
<1	104	46	55	0	0	0	0	3	0	12
1-4	14	9	5	0	0	0	0	0	0	3
5-14	12	8	4	0	0	0	0	0	0	0
15-24	78	58	20	0	0	0	0	0	0	7
25-34	121	80	38	0	0	0	1	2	0	6
35-44	254	177	74	0	1	0	0	2	0	11
45-54	553	400	147	3	0	0	0	3	0	16
55-64	853	658	189	1	2	0	0	2	1	18
65-74	1272	1033	223	3	2	0	1	10	0	12
75+	4160	3657	480	6	3	0	2	12	0	34
Unknown	1	1	0	0	0	0	0	0	0	0
Kent	1250	1017	224	1	0	0	0	8	0	20
<1	21	6	14	0	0	0	0	1	0	0
1-4	4	3	1	0	0	0	0	0	0	0
5-14	4	3	1	0	0	0	0	0	0	0
15-24	22	17	5	0	0	0	0	0	0	4
25-34	17	13	4	0	0	0	0	0	0	0
35-44	39	30	9	0	0	0	0	0	0	1
45-54	116	95	21	0	0	0	0	0	0	6
55-64	140	113	27	0	0	0	0	0	0	4
65-74	244	184	55	1	0	0	0	4	0	2
75+	643	553	87	0	0	0	0	3	0	3
Unknown	0	0	0	0	0	0	0	0	0	0
New Castle	4227	3379	809	3	8	0	2	25	1	82
<1	66	33	31	0	0	0	0	2	0	11
1-4	7	4	3	0	0	0	0	0	0	2
5-14	6	3	3	0	0	0	0	0	0	0
15-24	43	31	12	0	0	0	0	0	0	3
25-34	84	51	30	0	0	0	1	2	0	5
35-44	162	102	57	0	1	0	0	2	0	6
45-54	308	200	104	1	0	0	0	3	0	10
55-64	481	343	133	0	2	0	0	2	1	12
65-74	657	516	131	2	2	0	1	5	0	7
75+	2412	2095	305	0	3	0	0	9	0	26
Unknown	1	1	0	0	0	0	0	0	0	0
Wilmington	763	360	401	0	0	0	0	1	1	25
<1	16	1	15	0	0	0	0	0	0	1
1-4	1	0	1	0	0	0	0	0	0	0
5-14	1	0	1	0	0	0	0	0	0	0
15-24	5	2	3	0	0	0	0	0	0	2
25-34	16	6	10	0	0	0	0	0	0	2
35-44	47	14	32	0	0	0	0	1	0	1
45-54	89	31	58	0	0	0	0	0	0	5
55-64	101	35	65	0	0	0	0	0	1	5
65-74	121	52	69	0	0	0	0	0	0	3
75+	366	219	147	0	0	0	0	0	0	6
Unknown	0	0	0	0	0	0	0	0	0	0
Balance of NC County	3464	3019	408	3	8	0	2	24	0	57
<1	50	32	16	0	0	0	0	2	0	10
1-4	6	4	2	0	0	0	0	0	0	2
5-14	5	3	2	0	0	0	0	0	0	0
15-24	38	29	9	0	0	0	0	0	0	1
25-34	68	45	20	0	0	0	1	2	0	3
35-44	115	88	25	0	1	0	0	1	0	5
45-54	219	169	46	1	0	0	0	3	0	5
55-64	380	308	68	0	2	0	0	2	0	7
65-74	536	464	62	2	2	0	1	5	0	4
75+	2046	1876	158	0	3	0	0	9	0	20
Unknown	1	1	0	0	0	0	0	0	0	0
Sussex	1945	1731	202	9	0	0	2	1	0	17
<1	17	7	10	0	0	0	0	0	0	1
1-4	3	2	1	0	0	0	0	0	0	1
5-14	2	2	0	0	0	0	0	0	0	0
15-24	13	10	3	0	0	0	0	0	0	0
25-34	20	16	4	0	0	0	0	0	0	1
35-44	53	45	8	0	0	0	0	0	0	4
45-54	129	105	22	2	0	0	0	0	0	0
55-64	232	202	29	1	0	0	0	0	0	2
65-74	371	333	37	0	0	0	0	1	0	3
75+	1105	1009	88	6	0	0	2	0	0	5
Unknown	0	0	0	0	0	0	0	0	0	0

DETRACE

Notes:

1. Includes any deaths that may have occurred to Aleut and Eskimo Indians.
2. People of Hispanic origin may be of any race. See *Hispanic Origin* and *Race* in the Technical Notes.

Source:

Delaware Health Statistics Center

TABLE F-3
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2005

(BOTH SEXES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	7422	104	14	5	7	32	46	121	254	553	853	1272	4160	1
White	6127	46	9	4	4	27	31	80	177	400	658	1033	3657	1
Black	1235	55	5	1	3	5	15	38	74	147	189	223	480	0
Other	60	3	0	0	0	0	0	3	3	6	6	16	23	0
Kent														
All Races	1250	21	4	1	3	10	12	17	39	116	140	244	643	0
White	1017	6	3	1	2	10	7	13	30	95	113	184	553	0
Black	224	14	1	0	1	0	5	4	9	21	27	55	87	0
Other	9	1	0	0	0	0	0	0	0	0	0	5	3	0
New Castle														
All Races	4227	66	7	3	3	18	25	84	162	308	481	657	2412	1
White	3379	33	4	2	1	13	18	51	102	200	343	516	2095	1
Black	809	31	3	1	2	5	7	30	57	104	133	131	305	0
Other	39	2	0	0	0	0	0	3	3	4	5	10	12	0
Wilmington														
All Races	763	16	1	0	1	3	2	16	47	89	101	121	366	0
White	360	1	0	0	0	2	0	6	14	31	35	52	219	0
Black	401	15	1	0	1	1	2	10	32	58	65	69	147	0
Other	2	0	0	0	0	0	0	0	1	0	1	0	0	0
Balance of NC County														
All Races	3464	50	6	3	2	15	23	68	115	219	380	536	2046	1
White	3019	32	4	2	1	11	18	45	88	169	308	464	1876	1
Black	408	16	2	1	1	4	5	20	25	46	68	62	158	0
Other	37	2	0	0	0	0	0	3	2	4	4	10	12	0
Sussex														
All Races	1945	17	3	1	1	4	9	20	53	129	232	371	1105	0
White	1731	7	2	1	1	4	6	16	45	105	202	333	1009	0
Black	202	10	1	0	0	0	3	4	8	22	29	37	88	0
Other	12	0	0	0	0	0	0	0	0	2	1	1	8	0

Source:
Delaware Health Statistics Center

NDAGERAC

TABLE F-4
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2005

(MALES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3678	55	4	4	4	19	36	92	156	342	515	723	1727	1
White	3034	25	4	3	2	16	24	63	114	248	406	588	1540	1
Black	609	30	0	1	2	3	12	27	40	91	105	122	176	0
Other	35	0	0	0	0	0	0	2	2	3	4	13	11	0
Kent														
All Races	637	12	2	0	2	5	9	12	22	77	80	146	270	0
White	523	2	2	0	2	5	5	10	16	63	65	111	242	0
Black	108	10	0	0	0	0	4	2	6	14	15	30	27	0
Other	6	0	0	0	0	0	0	0	0	0	0	5	1	0
New Castle														
All Races	2040	31	2	3	2	11	21	65	98	187	284	358	977	1
White	1622	18	2	2	0	8	15	40	67	122	206	281	860	1
Black	396	13	0	1	2	3	6	23	29	63	74	70	112	0
Other	22	0	0	0	0	0	0	2	2	2	4	7	5	0
Wilmington														
All Races	382	6	0	0	1	2	2	14	27	62	59	70	139	0
White	180	0	0	0	0	1	0	5	10	21	23	33	87	0
Black	200	6	0	0	1	1	2	9	16	41	35	37	52	0
Other	2	0	0	0	0	0	0	0	1	0	1	0	0	0
Balance of NC County														
All Races	1658	25	2	3	1	9	19	51	71	125	225	288	838	1
White	1442	18	2	2	0	7	15	35	57	101	183	248	773	1
Black	196	7	0	1	1	2	4	14	13	22	39	33	60	0
Other	20	0	0	0	0	0	0	2	1	2	3	7	5	0
Sussex														
All Races	1001	12	0	1	0	3	6	15	36	78	151	219	480	0
White	889	5	0	1	0	3	4	13	31	63	135	196	438	0
Black	105	7	0	0	0	0	2	2	5	14	16	22	37	0
Other	7	0	0	0	0	0	0	0	0	1	0	1	5	0

Source:
Delaware Health Statistics Center

NDRCAGML

TABLE F-5
NUMBER OF DEATHS BY AGE AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2005

(FEMALES)

Area/ Race	Age of Decedent													
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	Unk
Delaware														
All Races	3744	49	10	1	3	13	10	29	98	211	338	549	2433	0
White	3093	21	5	1	2	11	7	17	63	152	252	445	2117	0
Black	626	25	5	0	1	2	3	11	34	56	84	101	304	0
Other	25	3	0	0	0	0	0	1	1	3	2	3	12	0
Kent														
All Races	613	9	2	1	1	5	3	5	17	39	60	98	373	0
White	494	4	1	1	0	5	2	3	14	32	48	73	311	0
Black	116	4	1	0	1	0	1	2	3	7	12	25	60	0
Other	3	1	0	0	0	0	0	0	0	0	0	0	2	0
New Castle														
All Races	2187	35	5	0	1	7	4	19	64	121	197	299	1435	0
White	1757	15	2	0	1	5	3	11	35	78	137	235	1235	0
Black	413	18	3	0	0	2	1	7	28	41	59	61	193	0
Other	17	2	0	0	0	0	0	1	1	2	1	3	7	0
Wilmington														
All Races	381	10	1	0	0	1	0	2	20	27	42	51	227	0
White	180	1	0	0	0	1	0	1	4	10	12	19	132	0
Black	201	9	1	0	0	0	0	1	16	17	30	32	95	0
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Balance of NC County														
All Races	1806	25	4	0	1	6	4	17	44	94	155	248	1208	0
White	1577	14	2	0	1	4	3	10	31	68	125	216	1103	0
Black	212	9	2	0	0	2	1	6	12	24	29	29	98	0
Other	17	2	0	0	0	0	0	1	1	2	1	3	7	0
Sussex														
All Races	944	5	3	0	1	1	3	5	17	51	81	152	625	0
White	842	2	2	0	1	1	2	3	14	42	67	137	571	0
Black	97	3	1	0	0	0	1	2	3	8	13	15	51	0
Other	5	0	0	0	0	0	0	0	0	1	1	0	3	0

Source:
Delaware Health Statistics Center

NDRCAGFE

TABLE F-6
MORTALITY TRENDS BY RACE, ETHNICITY, GENDER, AND AGE
DELAWARE, 1995-2005

CHARACTERISTIC		Year										
		1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Resident Deaths												
Number		6281	6506	6510	6577	6669	6872	7114	6860	7067	7124	7422
Crude Rate		860.8	878.0	866.3	861.6	860.5	873.8	894.4	851.4	864.1	858.2	879.9
AADR*		931.6	936.8	914.3	899.9	886.2	881.5	890.8	835.5	831.9	810.6	812.4
Decedent's Race/Ethnicity												
White	Number	5124	5295	5449	5453	5555	5696	5886	5694	5782	5862	6127
	Percent	81.6%	81.4%	83.7%	82.9%	83.3%	82.9%	82.7%	83.0%	81.8%	82.3%	82.6%
	AADR*	879.2	884.1	887.3	866.9	859.9	847.9	856.0	807.5	793.0	780.7	785.3
Black	Number	1108	1166	1014	1086	1072	1131	1180	1111	1241	1204	1235
	Percent	17.6%	17.9%	15.6%	16.5%	16.1%	16.5%	16.6%	16.2%	17.6%	16.9%	16.6%
	AADR*	1268.5	1300.9	1102.0	1145.2	1078.5	1089.7	1088.3	998.7	1070.9	1014.0	986.1
Hispanic ¹	Number	59	57	72	72	93	101	90	95	105	121	119
	Percent	0.9%	0.9%	1.1%	1.1%	1.4%	1.5%	1.3%	1.4%	1.5%	1.7%	1.6%
	AADR*	485.2	462.4	622.2	612.4	683.9	759.8	618.3	621.9	588.0	686.9	578.7
Decedent's Gender												
Female	Number	3117	3220	3292	3284	3326	3503	3663	3486	3559	3517	3744
	Percent	49.6%	49.5%	50.6%	49.9%	49.9%	51.0%	51.5%	50.8%	50.4%	49.4%	50.4%
	AADR*	768.9	772.7	770.7	748.7	736.4	749.5	769.7	710.8	702.2	675.6	688.2
Male	Number	3164	3286	3218	3293	3343	3369	3451	3374	3508	3607	3678
	Percent	50.4%	50.5%	49.4%	50.1%	50.1%	49.0%	48.5%	49.2%	49.6%	50.6%	49.6%
	AADR*	1161.3	1177.0	1112.3	1115.3	1095.6	1055.0	1055.4	1000.0	994.4	994.1	971.8
Decedent's age												
<1	Number	79	77	81	103	81	102	114	96	107	97	104
	Percent	1.3%	1.2%	1.2%	1.6%	1.2%	1.5%	1.6%	1.4%	1.5%	1.4%	1.4%
1-14	Number	36	27	35	32	31	41	31	39	22	44	26
	Percent	0.6%	0.4%	0.5%	0.5%	0.5%	0.6%	0.4%	0.6%	0.3%	0.6%	0.4%
15-24	Number	72	64	71	70	61	85	86	85	101	97	78
	Percent	1.1%	1.0%	1.1%	1.1%	0.9%	1.2%	1.2%	1.2%	1.4%	1.4%	1.1%
25-44	Number	515	504	430	399	408	426	427	403	389	387	375
	Percent	8.2%	7.7%	6.6%	6.1%	6.1%	6.2%	6.0%	5.9%	5.5%	5.4%	5.1%
45-64	Number	1053	1162	1121	1125	1101	1168	1276	1214	1327	1338	1406
	Percent	16.8%	17.9%	17.2%	17.1%	16.5%	17.0%	17.9%	17.7%	18.8%	18.8%	18.9%
65-74	Number	1478	1476	1447	1363	1452	1332	1339	1276	1244	1310	1272
	Percent	23.5%	22.7%	22.2%	20.7%	21.8%	19.4%	18.8%	18.6%	17.6%	18.4%	17.1%
75-84	Number	1682	1745	1881	2018	1989	1991	2139	2061	2096	2039	2160
	Percent	26.8%	26.8%	28.9%	30.7%	29.8%	29.0%	30.1%	30.0%	29.7%	28.6%	29.1%
85+	Number	1366	1451	1444	1467	1546	1727	1702	1686	1781	1812	2001
	Percent	21.7%	22.3%	22.2%	22.3%	23.2%	25.1%	23.9%	24.6%	25.2%	25.4%	27.0%

NDRTREND

Notes:

- Hispanic population numbers are based on U.S. Census estimates. Because of the small numbers of Hispanic deaths and the resulting variability in annual mortality rates, Hispanic mortality rates should be interpreted with caution.
- *Age-Adjusted Death Rate per 100,000, adjusted to 2000 U.S. Standard Population.

Sources:

Delaware Health Statistics Center

TABLE F-7
NUMBER OF DEATHS AND MEDIAN AGE AT DEATH BY SEX
FOR TWENTY LEADING CAUSES, ALCOHOL-INDUCED DEATHS, AND DRUG-INDUCED DEATHS
DELAWARE, 2005

Cause of Death ¹	Deaths		Median Age at Death	
	Number	Percent	Male	Female
All causes	7,422	100.0	73	79
Diseases of heart	2,016	27.2	76	84
Malignant neoplasms	1,785	24.1	71	73
Chronic lower respiratory diseases	412	5.6	77	79
Cerebrovascular diseases	380	5.1	81	84
Accidents (unintentional injuries)	289	3.9	46	55
Diabetes mellitus	233	3.1	73	79
Alzheimer's disease	180	2.4	82	88
Influenza & pneumonia	160	2.2	82	85
Septicemia	129	1.7	77	79
Nephritis, nephrotic syndrome & nephrosis	125	1.7	77	81
Symptoms, signs & abnormal clinical & lab findings	105	1.4	44	51
Intentional self-harm (suicide)	82	1.1	43	52
Other diseases of circulatory system	82	1.1	77	80
Other diseases of respiratory system	78	1.1	76	76
Certain conditions originating in the perinatal period	72	1.0	0	0
Essential (primary) hypertension & hypertensive renal disease	70	0.9	83	85
Chronic liver disease & cirrhosis	67	0.9	58	71
Parkinson's disease	67	0.9	81	80
Human immunodeficiency virus (HIV) disease	63	0.8	47	43
Assault (homicide)	55	0.7	27	32
Alcohol-induced deaths²	59	0.8	77	54
Drug-induced deaths²	64	0.9	39	45

Notes:

1. Classified according to ICD-10 Codes, Tenth Revision. See Appendix E for listing of ICD-10 Codes.
2. Included in selected categories.


Source:

Delaware Health Statistics Center

LCODARBS

Figure F-1
Leading Causes of Death


Delaware, 2005



Source:
Delaware Health Statistics Center

Five-year Age-adjusted Mortality Rates for Drug- and Alcohol-Induced Deaths by Sex

Delaware, 1990-2005



Source: Delaware Health Statistics Center

TABLE F-8
LEADING CAUSES OF DEATH
COUNTIES AND CITY OF WILMINGTON, 2001-2005

Kent

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1699	29.6
Malignant neoplasms	1385	24.2
Chronic Lower Respiratory Diseases	308	5.4
Cerebrovascular diseases	298	5.2
Accidents (unintentional injuries)	255	4.4
Diabetes mellitus	193	3.4
Influenza and pneumonia	122	2.1
Nephritis, nephrotic syndrome, and nephrosis	112	2.0
Septicemia	111	1.9
Alzheimers Disease	82	1.4
Chronic liver disease and cirrhosis	71	1.2
Intentional self-harm (suicide)	68	1.2
Certain conditions originating in the perinatal period	56	1.0
Aortic aneurysm and dissection	52	0.9
Human immunodeficiency virus (HIV)	34	0.6
Assault (homicide)	18	0.3
All other causes	869	15.2
Total	5733	100

New Castle

Cause of Death*	Deaths	
	#	%
Diseases of the heart	5709	27.5
Malignant neoplasms	5010	24.2
Cerebrovascular diseases	1200	5.8
Chronic Lower Respiratory Diseases	958	4.6
Accidents (unintentional injuries)	805	3.9
Diabetes mellitus	642	3.1
Alzheimers Disease	435	2.1
Septicemia	385	1.9
Influenza and pneumonia	384	1.9
Nephritis, nephrotic syndrome, and nephrosis	343	1.7
Intentional self-harm (suicide)	291	1.4
Human immunodeficiency virus (HIV)	274	1.3
Chronic liver disease and cirrhosis	226	1.1
Certain conditions originating in the perinatal period	218	1.1
Assault (homicide)	139	0.7
Aortic aneurysm and dissection	131	0.6
All other causes	3582	17.3
Total	20732	100

City of Wilmington

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1101	27.4
Malignant neoplasms	807	20.1
Cerebrovascular diseases	253	6.3
Chronic Lower Respiratory Diseases	167	4.2
Human immunodeficiency virus (HIV)	166	4.1
Diabetes mellitus	145	3.6
Accidents (unintentional injuries)	136	3.4
Septicemia	81	2.0
Nephritis, nephrotic syndrome, and nephrosis	77	1.9
Influenza and pneumonia	71	1.8
Alzheimer's Disease	58	1.4
Assault (homicide)	55	1.4
Certain conditions originating in the perinatal period	51	1.3
Intentional self-harm (suicide)	48	1.2
Chronic liver disease and cirrhosis	43	1.1
Aortic aneurysm and dissection	24	0.6
All other causes	734	18.3
Total	4017	100.0

Sussex

Cause of Death*	Deaths	
	#	%
Diseases of the heart	2596	28.5
Malignant neoplasms	2335	25.6
Chronic Lower Respiratory Diseases	485	5.3
Cerebrovascular diseases	428	4.7
Accidents (unintentional injuries)	386	4.2
Diabetes mellitus	280	3.1
Influenza and pneumonia	272	3.0
Alzheimers Disease	227	2.5
Nephritis, nephrotic syndrome, and nephrosis	153	1.7
Septicemia	145	1.6
Chronic liver disease and cirrhosis	113	1.2
Intentional self-harm (suicide)	94	1.0
Aortic aneurysm and dissection	66	0.7
Certain conditions originating in the perinatal period	47	0.5
Human immunodeficiency virus (HIV)	30	0.3
Assault (homicide)	27	0.3
All other causes	1438	15.8
Total	9122	100.0

LCODCTW

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

TABLE F-9
TEN LEADING CAUSES OF DEATH BY SEX AND RACE GROUP
DELAWARE, 2001-2005

All Races, Male

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4913	27.9
Malignant neoplasms	4585	26.0
Accidents (unintentional injuries)	928	5.3
Chronic Lower Respiratory Diseases	800	4.5
Cerebrovascular diseases	780	4.4
Diabetes mellitus	522	3.0
Influenza and pneumonia	362	2.1
Intentional self-harm (suicide)	359	2.0
Nephritis, nephrotic syndrome, and nephrosis	319	1.8
Septicemia	280	1.6
All other causes	3770	21.4
Total	17618	100.0

All Races, Female

Cause of Death*	Deaths	
	#	%
Diseases of the heart	5091	28.3
Malignant neoplasms	4145	23.1
Cerebrovascular diseases	1146	6.4
Chronic Lower Respiratory Diseases	951	5.3
Diabetes mellitus	593	3.3
Alzheimers Disease	526	2.9
Accidents (unintentional injuries)	518	2.9
Influenza and pneumonia	416	2.3
Septicemia	361	2.0
Nephritis, nephrotic syndrome, and nephrosis	289	1.6
All other causes	3933	21.9
Total	17969	100.0

White, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	8397	28.6
Malignant neoplasms	7332	25.0
Cerebrovascular diseases	1588	5.4
Chronic Lower Respiratory Diseases	1574	5.4
Accidents (unintentional injuries)	1201	4.1
Diabetes mellitus	837	2.9
Influenza and pneumonia	684	2.3
Alzheimers Disease	677	2.3
Septicemia	508	1.7
Nephritis, nephrotic syndrome, and nephrosis	459	1.6
All other causes	6094	20.8
Total	29351	100.0

Black, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	1538	25.8
Malignant neoplasms	1334	22.3
Cerebrovascular diseases	324	5.4
Diabetes mellitus	265	4.4
Human immunodeficiency virus (HIV)	263	4.4
Accidents (unintentional injuries)	233	3.9
Chronic Lower Respiratory Diseases	168	2.8
Certain conditions originating in the perinatal period	162	2.7
Nephritis, nephrotic syndrome, and nephrosis	143	2.4
Septicemia	128	2.1
All other causes	1413	23.7
Total	5971	100.0

LCODMFWB

Hispanic, Both Sexes

Cause of Death*	Deaths	
	#	%
Diseases of the heart	89	16.8
Malignant neoplasms	89	16.8
Accidents (unintentional injuries)	83	15.7
Certain conditions originating in the perinatal period	29	5.5
Cerebrovascular diseases	22	4.2
Chronic Lower Respiratory Diseases	15	2.8
Assault (homicide)	15	2.8
Diabetes mellitus	14	2.6
Intentional self-harm (suicide)	14	2.6
Human immunodeficiency virus (HIV)	12	2.3
All other causes	148	27.9
Total	530	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

TABLE F-10
TEN LEADING CAUSES OF DEATH BY RACE-SEX GROUP
DELAWARE, 2001-2005

White Male

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4131	28.6
Malignant neoplasms	3855	26.7
Accidents (unintentional injuries)	762	5.3
Chronic Lower Respiratory Diseases	699	4.8
Cerebrovascular diseases	648	4.5
Diabetes mellitus	402	2.8
Intentional self-harm (suicide)	317	2.2
Influenza and pneumonia	306	2.1
Nephritis, nephrotic syndrome, and nephrosis	246	1.7
Septicemia	229	1.6
All other causes	2827	19.6
Total	14422	100.0

White Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	4266	28.6
Malignant neoplasms	3477	23.3
Cerebrovascular diseases	940	6.3
Chronic Lower Respiratory Diseases	875	5.9
ALzheimer's disease	476	3.2
Accidents (unintentional injuries)	439	2.9
Diabetes mellitus	435	2.9
Influenza and pneumonia	378	2.5
Septicemia	279	1.9
Nephritis, nephrotic syndrome, and nephrosis	213	1.4
All other causes	3151	21.1
Total	14929	100.0

Black Males

Cause of Death*	Deaths	
	#	%
Diseases of the heart	743	24.3
Malignant neoplasms	695	22.7
Human immunodeficiency virus (HIV)	178	5.8
Accidents (unintentional injuries)	158	5.2
Cerebrovascular diseases	124	4.1
Diabetes mellitus	113	3.7
Chronic Lower Respiratory Diseases	94	3.1
Certain conditions originating in the perinatal period	94	3.1
Assault (homicide)	88	2.9
Nephritis, nephrotic syndrome, and nephrosis	70	2.3
All other causes	698	22.8
Total	3055	100.0

Black Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	795	27.3
Malignant neoplasms	639	21.9
Cerebrovascular diseases	200	6.9
Diabetes mellitus	152	5.2
Human immunodeficiency virus (HIV)	85	2.9
Septicemia	78	2.7
Accidents (unintentional injuries)	75	2.6
Chronic Lower Respiratory Diseases	74	2.5
Nephritis, nephrotic syndrome, and nephrosis	73	2.5
Certain conditions originating in the perinatal period	68	2.3
All other causes	677	23.2
Total	2916	100.0

Hispanic Males

Cause of Death*	Deaths	
	#	%
Accidents (unintentional injuries)	66	21.2
Diseases of the heart	48	15.4
Malignant neoplasms	48	15.4
Certain conditions originating in the perinatal period	17	5.5
Assault (homicide)	14	4.5
Intentional self-harm (suicide)	13	4.2
Cerebrovascular diseases	11	3.5
Human immunodeficiency virus (HIV)	9	2.9
Chronic Lower Respiratory Diseases	5	1.6
Diabetes mellitus	5	1.6
All other causes	75	24.1
Total	311	100.0

Hispanic Females

Cause of Death*	Deaths	
	#	%
Diseases of the heart	41	18.7
Malignant neoplasms	41	18.7
Accidents (unintentional injuries)	17	7.8
Certain conditions originating in the perinatal period	12	5.5
Cerebrovascular diseases	11	5.0
Chronic Lower Respiratory Diseases	10	4.6
Diabetes mellitus	9	4.1
Septicemia	6	2.7
Chronic liver disease and cirrhosis	6	2.7
ALzheimer's disease	5	2.3
All other causes	61	27.9
Total	219	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODRCS

TABLE F-11
TEN LEADING CAUSES OF DEATH BY AGE
DELAWARE, 2001-2005

1-4 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	17	23.3
Malignant neoplasms	10	13.7
chromosomal abnormalities	10	13.7
Diseases of the heart	4	5.5
Influenza and pneumonia	4	5.5
Cerebrovascular diseases	2	2.7
Assault (homicide)	2	2.7
Certain conditions originating in the perinatal period	2	2.7
Septicemia	1	1.4
Other diseases of respiratory system	1	1.4
All other causes	20	27.4
Total	73	100.0

5-14 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	28	31.5
Malignant neoplasms	12	13.5
Assault (homicide)	7	7.9
chromosomal abnormalities	7	7.9
Diseases of the heart	4	4.5
Intentional self-harm (suicide)	4	4.5
Other diseases of respiratory system	3	3.4
Influenza and pneumonia	2	2.2
Cerebrovascular diseases	1	1.1
Chronic Lower Respiratory Diseases	1	1.1
All other causes	20	22.5
Total	89	100.0

15-24 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	218	48.8
Assault (homicide)	65	14.5
Intentional self-harm (suicide)	51	11.4
Malignant neoplasms	22	4.9
Diseases of the heart	18	4.0
Chronic Lower Respiratory Diseases	3	0.7
chromosomal abnormalities	3	0.7
Cerebrovascular diseases	2	0.4
Diabetes mellitus	2	0.4
Aortic aneurysm and dissection	2	0.4
All other causes	61	13.6
Total	447	100.0

25-44 Years

Cause of Death*	Deaths	
	Number	Percent
Accidents (unintentional injuries)	418	21.1
Diseases of the heart	282	14.2
Malignant neoplasms	274	13.8
Intentional self-harm (suicide)	168	8.5
Human immunodeficiency virus (HIV)	148	7.5
Assault (homicide)	69	3.5
Chronic liver disease and cirrhosis	53	2.7
Diabetes mellitus	51	2.6
Cerebrovascular diseases	36	1.8
Chronic Lower Respiratory Diseases	28	1.4
All other causes	454	22.9
Total	1981	100.0

45-64 Years

Cause of Death*	Deaths	
	Number	Percent
Malignant neoplasms	2264	34.5
Diseases of the heart	1513	23.1
All other causes	859	13.1
Accidents (unintentional injuries)	307	4.7
Diabetes mellitus	220	3.4
Chronic Lower Respiratory Diseases	204	3.1
Chronic liver disease and cirrhosis	194	3.0
Cerebrovascular diseases	188	2.9
Human immunodeficiency virus (HIV)	173	2.6
Intentional self-harm (suicide)	164	2.5
All other causes	475	7.2
Total	6561	100.0

65+ Years

Cause of Death*	Deaths	
	Number	Percent
Diseases of the heart	8172	31.5
Malignant neoplasms	6148	23.7
Cerebrovascular diseases	1695	6.5
Chronic Lower Respiratory Diseases	1515	5.8
Diabetes mellitus	842	3.2
Alzheimers Disease	734	2.8
Influenza and pneumonia	685	2.6
Nephritis, nephrotic syndrome, and nephrosis	498	1.9
Septicemia	498	1.9
Accidents (unintentional injuries)	448	1.7
All other causes	4680	18.1
Total	25915	100.0

Note:

*Grouped according to ICD Codes, Tenth Revision. For definition of codes, see Appendix E.

Source:

Delaware Health Statistics Center

LCODAGE

TABLE F-12
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	2016	3	1	0	0	1	2	9	43	109	218	293	1337
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	9	0	0	0	0	0	0	0	0	0	2	2	5
Hypertensive heart disease (I11)	85	0	0	0	0	0	0	1	6	3	13	11	51
Hypertensive heart and renal disease (I13)	10	0	0	0	0	0	1	1	0	1	1	1	5
Ischemic heart disease (I20-I25)	1438	1	0	0	0	0	1	3	24	85	166	202	956
All other forms of heart disease (I26-I51)	474	2	1	0	0	1	0	4	13	20	36	77	320
Malignant Neoplasms (C00-C97)	1785	0	0	1	0	4	3	6	37	144	334	460	796
Malignant neoplasms of lip, oral and pharynx (C00-C14)	32	0	0	0	0	0	0	0	0	6	8	11	7
Malignant neoplasms of digestive organs (C15-C26)	386	0	0	0	0	0	0	0	8	31	72	102	173
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	579	0	0	0	0	0	0	1	4	43	122	169	240
Malignant neoplasms of breast (C50)	119	0	0	0	0	0	0	1	12	20	25	19	42
Malignant neoplasms of female genital organs, (C51-C58)	82	0	0	0	0	0	0	0	3	13	15	17	34
Malignant neoplasms of male genital organs, (C60-C63)	101	0	0	0	0	0	0	1	0	0	6	20	74
Malignant neoplasms of urinary tract (C64-C68)	89	0	0	0	0	0	0	1	1	2	15	16	54
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	39	0	0	1	0	0	0	0	3	3	6	13	13
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	160	0	0	0	0	2	2	2	3	10	22	40	79
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	198	0	0	0	0	2	1	0	3	16	43	53	80
Cerebrovascular Diseases (I60-I69)	380	0	1	0	0	0	0	1	3	10	27	58	280

TABLE F-12 (continued)
(2005 - DE, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	412	0	0	0	0	0	0	1	4	10	27	103	267
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	289	2	4	2	2	16	16	33	45	51	16	22	80
Motor Vehicle Accidents (V02-V04, V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	118	0	2	1	0	16	14	13	18	23	10	7	14
Nontransport Accidents (W00-X59, Y86)	161	2	2	1	1	0	2	19	23	24	6	15	66
Diabetes Mellitus (E10-E14)	233	0	0	0	0	0	0	2	7	15	19	68	122
Influenza and pneumonia (J10-J18)	160	0	0	0	0	0	0	1	3	10	9	14	123
Alzheimer's Disease (G30)	180	0	0	0	0	0	0	0	0	0	4	9	167
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	125	2	0	0	0	0	0	1	2	6	11	19	84
Septicemia (A40-A41)	129	2	0	0	0	0	0	0	3	10	11	28	75
Intentional self-harm (suicide) (X60-X84, Y87.0)	82	0	0	0	1	2	6	16	15	20	10	7	5
Chronic liver disease and Cirrhosis (K70, K73-K74)	67	0	0	0	0	0	0	0	6	14	20	14	13
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	70	0	0	0	0	0	0	0	0	4	5	3	58
Aortic aneurysm and dissection (I71)	43	0	0	0	0	0	0	1	0	2	5	6	29
Assault (homicide) (X85-Y09, Y87.1)	55	0	1	1	0	6	9	17	8	8	2	2	1
Human immunodeficiency virus (HIV) (B20-B24)	63	0	0	0	0	0	0	2	22	32	4	3	0
Certain conditions originating in the perinatal period (P00-P96)	72	71	1	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	16	10	0	1	0	0	0	0	1	2	1	0	1
All Other Causes	1255	14	6	0	5	3	10	32	59	110	130	163	722
TOTAL	7422	104	14	5	7	32	46	121	254	553	853	1272	4160

LCDAGEDE

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to one decedent of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-13
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
KENT, 2005

(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	349	1	0	0	0	0	0	0	10	23	35	52	228
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	1	0	0	0	0	0	0	0	0	0	0	1	0
Hypertensive heart disease (I11)	14	0	0	0	0	0	0	0	1	0	2	3	8
Hypertensive heart and renal disease (I13)	1	0	0	0	0	0	0	0	0	0	0	0	1
Ischemic heart disease (I20-I25)	238	0	0	0	0	0	0	0	4	21	27	31	155
All other forms of heart disease (I26-I51)	95	1	0	0	0	0	0	0	5	2	6	17	64
Malignant Neoplasms (C00-C97)	301	0	0	0	0	2	1	2	6	35	50	88	117
Malignant neoplasms of lip, oral and pharynx (C00-C14)	9	0	0	0	0	0	0	0	0	2	2	4	1
Malignant neoplasms of digestive organs (C15-C26)	73	0	0	0	0	0	0	0	1	7	15	20	30
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	97	0	0	0	0	0	0	1	1	6	19	35	35
Malignant neoplasms of breast (C50)	17	0	0	0	0	0	0	0	1	5	4	0	7
Malignant neoplasms of female genital organs, (C51-C58)	7	0	0	0	0	0	0	0	0	3	0	3	1
Malignant neoplasms of male genital organs, (C60-C63)	16	0	0	0	0	0	0	0	0	0	1	3	12
Malignant neoplasms of urinary tract (C64-C68)	10	0	0	0	0	0	0	0	0	1	1	1	7
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	6	0	0	0	0	0	0	0	1	1	2	1	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	21	0	0	0	0	0	1	1	0	4	1	6	8
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	45	0	0	0	0	2	0	0	2	6	5	15	15
Cerebrovascular Diseases (I60-I69)	65	0	1	0	0	0	0	1	0	1	4	13	45

TABLE F-13 (continued)
(2005 - Kent, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	76	0	0	0	0	0	0	0	1	3	11	20	41
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	21	0	0	0	0	0	0	0	1	0	4	6	10
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	34	0	0	0	0	8	5	4	2	7	1	2	5
Nontransport Accidents (W00-X59, Y86)	25	2	0	1	1	0	0	2	3	5	2	2	7
Diabetes Mellitus (E10-E14)	47	0	0	0	0	0	0	0	1	5	1	18	22
Influenza and pneumonia (J10-J18)	24	0	0	0	0	0	0	0	0	2	2	4	16
Alzheimer's Disease (G30)	19	0	0	0	0	0	0	0	0	0	0	1	18
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	15	0	0	0	0	0	0	1	0	1	1	1	11
Septicemia (A40-A41)	21	0	0	0	0	0	0	0	1	0	4	6	10
Intentional self-harm (suicide) (X60-X84, Y87.0)	15	0	0	0	1	0	1	0	1	7	1	3	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	13	0	0	0	0	0	0	0	3	3	2	1	4
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	16	0	0	0	0	0	0	0	0	0	4	1	11
Aortic aneurysm and dissection (I71)	9	0	0	0	0	0	0	0	0	0	2	3	4
Assault (homicide) (X85-Y09, Y87.1)	5	0	1	0	0	0	2	2	0	0	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	5	0	0	0	0	0	0	0	3	2	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	14	14	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	0	0	0	0	0	0	0	0	0	0	0	0	0
All Other Causes	197	4	2	0	1	0	3	5	8	22	20	29	103
TOTAL	1250	21	4	1	3	10	12	17	39	116	140	244	643

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGEKT

TABLE F-14
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
NEW CASTLE, 2005
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1121	1	1	0	0	1	1	8	28	59	124	150	748
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	5	0	0	0	0	0	0	0	0	0	2	0	3
Hypertensive heart disease (I11)	49	0	0	0	0	0	0	1	3	3	8	5	29
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	1	0	0	1	0	1	2
Ischemic heart disease (I20-I25)	771	0	0	0	0	0	0	3	17	42	92	100	517
All other forms of heart disease (I26-I51)	291	1	1	0	0	1	0	4	8	13	22	44	197
Malignant Neoplasms (C00-C97)	997	0	0	1	0	1	2	4	22	67	182	241	477
Malignant neoplasms of lip, oral and pharynx (C00-C14)	13	0	0	0	0	0	0	0	0	1	3	5	4
Malignant neoplasms of digestive organs (C15-C26)	225	0	0	0	0	0	0	0	5	18	39	58	105
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	300	0	0	0	0	0	0	0	3	20	64	77	136
Malignant neoplasms of breast (C50)	69	0	0	0	0	0	0	1	7	10	15	11	25
Malignant neoplasms of female genital organs, (C51-C58)	54	0	0	0	0	0	0	0	3	7	13	10	21
Malignant neoplasms of male genital organs, (C60-C63)	56	0	0	0	0	0	0	1	0	0	3	11	41
Malignant neoplasms of urinary tract (C64-C68)	57	0	0	0	0	0	0	1	0	1	8	11	36
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	21	0	0	1	0	0	0	0	1	2	1	7	9
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	92	0	0	0	0	1	1	1	2	3	12	22	50
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	110	0	0	0	0	0	1	0	1	5	24	29	50
Cerebrovascular Diseases (I60-I69)	241	0	0	0	0	0	0	0	2	7	17	29	186

TABLE F-14 (continued)
(2005 - New Castle, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	217	0	0	0	0	0	0	1	2	2	11	52	149
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	154	0	3	0	0	6	9	20	27	27	9	9	44
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	52	0	1	0	0	6	7	4	12	9	6	3	4
Nontransport Accidents (W00-X59, Y86)	100	0	2	0	0	0	2	16	15	16	3	6	40
Diabetes Mellitus (E10-E14)	134	0	0	0	0	0	0	0	4	7	14	35	74
Influenza and pneumonia (J10-J18)	84	0	0	0	0	0	0	1	3	7	6	5	62
Alzheimer's Disease (G30)	94	0	0	0	0	0	0	0	0	0	3	5	86
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	75	1	0	0	0	0	0	0	1	4	10	12	47
Septicemia (A40-A41)	86	1	0	0	0	0	0	0	0	9	6	17	53
Intentional self-harm (suicide) (X60-X84, Y87.0)	52	0	0	0	0	1	4	13	11	11	7	2	3
Chronic liver disease and Cirrhosis (K70, K73-K74)	32	0	0	0	0	0	0	0	2	7	8	8	7
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	39	0	0	0	0	0	0	0	0	3	0	1	35
Aortic aneurysm and dissection (I71)	20	0	0	0	0	0	0	0	0	2	1	1	16
Assault (homicide) (X85-Y09, Y87.1)	41	0	0	1	0	6	5	13	8	4	2	2	0
Human immunodeficiency virus (HIV) (B20-B24)	51	0	0	0	0	0	0	2	16	26	4	3	0
Certain conditions originating in the perinatal period (P00-P96)	46	46	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	13	10	0	1	0	0	0	0	0	0	1	0	1
All Other Causes	732	7	3	0	3	3	4	22	36	68	76	85	424
TOTAL	4227	66	7	3	3	18	25	84	162	308	481	657	2412

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to one decedent of unknown age.

Source:

Delaware Health Statistics Center

LCDAGENC

TABLE F-15
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
CITY OF WILMINGTON, 2005
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	207	0	1	0	0	0	0	3	6	20	27	25	125
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	1	0	0	0	0	0	0	0	0	0	1	0	0
Hypertensive heart disease (I11)	16	0	0	0	0	0	0	1	0	2	3	2	8
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	0	0	1	0	1	0
Ischemic heart disease (I20-I25)	144	0	0	0	0	0	0	1	4	13	19	17	90
All other forms of heart disease (I26-I51)	44	0	1	0	0	0	0	1	2	4	4	5	27
Malignant Neoplasms (C00-C97)	140	0	0	0	0	0	0	1	2	14	29	39	55
Malignant neoplasms of lip, oral and pharynx (C00-C14)	6	0	0	0	0	0	0	0	0	0	2	2	2
Malignant neoplasms of digestive organs (C15-C26)	36	0	0	0	0	0	0	0	0	8	5	11	12
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	41	0	0	0	0	0	0	0	0	2	11	11	17
Malignant neoplasms of breast (C50)	8	0	0	0	0	0	0	0	1	1	3	1	2
Malignant neoplasms of female genital organs, (C51-C58)	6	0	0	0	0	0	0	0	0	1	3	1	1
Malignant neoplasms of male genital organs, (C60-C63)	9	0	0	0	0	0	0	1	0	0	0	4	4
Malignant neoplasms of urinary tract (C64-C68)	8	0	0	0	0	0	0	0	0	1	0	2	5
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	1	0	0	0	0	0	0	0	0	0	0	0	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	12	0	0	0	0	0	0	0	0	0	3	2	7
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	13	0	0	0	0	0	0	0	1	1	2	5	4
Cerebrovascular Diseases (I60-I69)	46	0	0	0	0	0	0	0	0	2	8	7	29

TABLE F-15 (continued)
(2005 - City of Wilmington, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	27	0	0	0	0	0	0	0	0	0	4	7	16
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	18	0	0	0	0	0	1	2	4	3	2	1	5
Motor Vehicle Accidents (V02-V04, V09.0-V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)	5	0	0	0	0	0	1	0	2	0	1	0	1
Nontransport Accidents (W00-X59, Y86)	13	0	0	0	0	0	0	2	2	3	1	1	4
Diabetes Mellitus (E10-E14)	33	0	0	0	0	0	0	0	1	1	4	8	19
Influenza and pneumonia (J10-J18)	16	0	0	0	0	0	0	0	1	5	3	0	7
Alzheimer's Disease (G30)	7	0	0	0	0	0	0	0	0	0	0	0	7
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	17	0	0	0	0	0	0	0	1	1	1	3	11
Septicemia (A40-A41)	16	0	0	0	0	0	0	0	0	2	2	3	9
Intentional self-harm (suicide) (X60-X84, Y87.0)	9	0	0	0	0	0	0	4	2	1	1	1	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	7	0	0	0	0	0	0	0	0	3	1	2	1
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	11	0	0	0	0	0	0	0	0	3	0	0	8
Aortic aneurysm and dissection (I71)	1	0	0	0	0	0	0	0	0	0	0	0	1
Assault (homicide) (X85-Y09, Y87.1)	16	0	0	0	0	3	1	5	4	1	1	1	0
Human immunodeficiency virus (HIV) (B20-B24)	33	0	0	0	0	0	0	0	13	15	2	3	0
Certain conditions originating in the perinatal period (P00-P96)	11	11	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	4	4	0	0	0	0	0	0	0	0	0	0	0
All Other Causes	144	1	0	0	1	0	0	1	13	18	16	21	73
TOTAL	763	16	1	0	1	3	2	16	47	89	101	121	366

Notes:

1. *ICD Codes, Tenth Revision.

LCDAGEWLM

Source:

Delaware Health Statistics Center

TABLE F-16
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
SUSSEX, 2005
(ALL RACES, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	546	1	0	0	0	0	1	1	5	27	59	91	361
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	3	0	0	0	0	0	0	0	0	0	0	1	2
Hypertensive heart disease (I11)	22	0	0	0	0	0	0	0	2	0	3	3	14
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	0	1	0	0	1	0	2
Ischemic heart disease (I20-I25)	429	1	0	0	0	0	1	0	3	22	47	71	284
All other forms of heart disease (I26-I51)	88	0	0	0	0	0	0	0	0	5	8	16	59
Malignant Neoplasms (C00-C97)	487	0	0	0	0	1	0	0	9	42	102	131	202
Malignant neoplasms of lip, oral and pharynx (C00-C14)	10	0	0	0	0	0	0	0	0	3	3	2	2
Malignant neoplasms of digestive organs (C15-C26)	88	0	0	0	0	0	0	0	2	6	18	24	38
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	182	0	0	0	0	0	0	0	0	17	39	57	69
Malignant neoplasms of breast (C50)	33	0	0	0	0	0	0	0	4	5	6	8	10
Malignant neoplasms of female genital organs, (C51-C58)	21	0	0	0	0	0	0	0	0	3	2	4	12
Malignant neoplasms of male genital organs, (C60-C63)	29	0	0	0	0	0	0	0	0	0	2	6	21
Malignant neoplasms of urinary tract (C64-C68)	22	0	0	0	0	0	0	0	1	0	6	4	11
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	12	0	0	0	0	0	0	0	1	0	3	5	3
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	47	0	0	0	0	1	0	0	1	3	9	12	21
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	43	0	0	0	0	0	0	0	0	5	14	9	15
Cerebrovascular Diseases (I60-I69)	74	0	0	0	0	0	0	0	1	2	6	16	49

TABLE F-16 (continued)
(2005 - Sussex, All Races, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	119	0	0	0	0	0	0	0	1	5	5	31	77
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	72	0	1	1	1	2	2	6	12	10	4	9	24
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	32	0	1	1	0	2	2	5	4	7	3	2	5
Nontransport Accidents (W00-X59, Y86)	36	0	0	0	0	0	0	1	5	3	1	7	19
Diabetes Mellitus (E10-E14)	52	0	0	0	0	0	0	2	2	3	4	15	26
Influenza and pneumonia (J10-J18)	52	0	0	0	0	0	0	0	0	1	1	5	45
Alzheimer's Disease (G30)	67	0	0	0	0	0	0	0	0	0	1	3	63
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	35	1	0	0	0	0	0	0	1	1	0	6	26
Septicemia (A40-A41)	22	1	0	0	0	0	0	0	2	1	1	5	12
Intentional self-harm (suicide) (X60-X84, Y87.0)	15	0	0	0	0	1	1	3	3	2	2	2	1
Chronic liver disease and Cirrhosis (K70, K73-K74)	22	0	0	0	0	0	0	0	1	4	10	5	2
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	15	0	0	0	0	0	0	0	0	1	1	1	12
Aortic aneurysm and dissection (I71)	14	0	0	0	0	0	0	1	0	0	2	2	9
Assault (homicide) (X85-Y09, Y87.1)	9	0	0	0	0	0	2	2	0	4	0	0	1
Human immunodeficiency virus (HIV) (B20-B24)	7	0	0	0	0	0	0	0	3	4	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	12	11	1	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	3	0	0	0	0	0	0	0	1	2	0	0	0
All Other Causes	326	3	1	0	1	0	3	5	15	20	34	49	195
TOTAL	1945	17	3	1	1	4	9	20	53	129	232	371	1105

Note:

*ICD Codes, Tenth Revision.

LCDAGESX

Source:

Delaware Health Statistics Center

TABLE F-17
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(ALL RACES, MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	977	2	0	0	0	1	2	5	29	77	145	176	540
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	5	0	0	0	0	0	0	0	0	0	1	1	3
Hypertensive heart disease (I11)	33	0	0	0	0	0	0	0	3	1	7	7	15
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	1	0	0	1	0	1	2
Ischemic heart disease (I20-I25)	726	1	0	0	0	0	1	2	16	61	113	127	405
All other forms of heart disease (I26-I51)	208	1	0	0	0	1	0	3	10	14	24	40	115
Malignant Neoplasms (C00-C97)	929	0	0	1	0	1	3	4	12	72	189	259	388
Malignant neoplasms of lip, oral and pharynx (C00-C14)	22	0	0	0	0	0	0	0	0	5	7	7	3
Malignant neoplasms of digestive organs (C15-C26)	209	0	0	0	0	0	0	0	6	22	51	65	65
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	321	0	0	0	0	0	0	1	0	26	71	96	127
Malignant neoplasms of breast (C50)	2	0	0	0	0	0	0	0	0	2	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	101	0	0	0	0	0	0	1	0	0	6	20	74
Malignant neoplasms of urinary tract (C64-C68)	60	0	0	0	0	0	0	1	1	1	12	10	35
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	21	0	0	1	0	0	0	0	3	0	3	7	7
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	81	0	0	0	0	1	2	1	1	5	15	19	37
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	112	0	0	0	0	0	1	0	1	11	24	35	40
Cerebrovascular Diseases (I60-I69)	164	0	0	0	0	0	0	1	1	5	15	28	114

TABLE F-17 (continued)
(2005 - All Races, Male)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	188	0	0	0	0	0	0	0	3	4	11	59	111
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	196	1	1	1	1	10	11	29	36	35	14	16	41
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	84	0	0	1	0	10	10	11	15	14	9	5	9
Nontransport Accidents (W00-X59, Y86)	105	1	1	0	1	0	1	18	18	17	5	11	32
Diabetes Mellitus (E10-E14)	107	0	0	0	0	0	0	1	5	10	10	33	48
Influenza and pneumonia (J10-J18)	75	0	0	0	0	0	0	1	1	6	5	9	53
Alzheimer's Disease (G30)	55	0	0	0	0	0	0	0	0	0	4	7	44
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	60	1	0	0	0	0	0	1	2	2	8	10	36
Septicemia (A40-A41)	55	1	0	0	0	0	0	0	1	5	4	12	32
Intentional self-harm (suicide) (X60-X84, Y87.0)	68	0	0	0	1	2	6	15	12	15	7	5	5
Chronic liver disease and Cirrhosis (K70, K73-K74)	44	0	0	0	0	0	0	0	3	11	16	6	8
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	27	0	0	0	0	0	0	0	0	3	3	1	20
Aortic aneurysm and dissection (I71)	25	0	0	0	0	0	0	1	0	1	4	4	15
Assault (homicide) (X85-Y09, Y87.1)	43	0	1	1	0	3	8	14	8	5	1	2	0
Human immunodeficiency virus (HIV) (B20-B24)	43	0	0	0	0	0	0	1	10	26	4	2	0
Certain conditions originating in the perinatal period (P00-P96)	41	41	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	5	3	0	1	0	0	0	0	1	0	0	0	0
All Other Causes	583	6	2	0	2	2	6	19	35	69	75	94	272
TOTAL	3678	55	4	4	4	19	36	92	156	342	515	723	1727

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to one decedent of unknown age.

Source:

Delaware Health Statistics Center

LCDAGMAL

TABLE F-18
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(ALL RACES, FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1039	1	1	0	0	0	0	4	14	32	73	117	797
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	4	0	0	0	0	0	0	0	0	0	1	1	2
Hypertensive heart disease (I11)	52	0	0	0	0	0	0	1	3	2	6	4	36
Hypertensive heart and renal disease (I13)	5	0	0	0	0	0	0	1	0	0	1	0	3
Ischemic heart disease (I20-I25)	712	0	0	0	0	0	0	1	8	24	53	75	551
All other forms of heart disease (I26-I51)	266	1	1	0	0	0	0	1	3	6	12	37	205
Malignant Neoplasms (C00-C97)	856	0	0	0	0	3	0	2	25	72	145	201	408
Malignant neoplasms of lip, oral and pharynx (C00-C14)	10	0	0	0	0	0	0	0	0	1	1	4	4
Malignant neoplasms of digestive organs (C15-C26)	177	0	0	0	0	0	0	0	2	9	21	37	108
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	258	0	0	0	0	0	0	0	4	17	51	73	113
Malignant neoplasms of breast (C50)	117	0	0	0	0	0	0	1	12	18	25	19	42
Malignant neoplasms of female genital organs, (C51-C58)	82	0	0	0	0	0	0	0	3	13	15	17	34
Malignant neoplasms of urinary tract (C64-C68)	29	0	0	0	0	0	0	0	0	1	3	6	19
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	18	0	0	0	0	0	0	0	0	3	3	6	6
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	79	0	0	0	0	1	0	1	2	5	7	21	42
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	86	0	0	0	0	2	0	0	2	5	19	18	40
Cerebrovascular Diseases (I60-I69)	216	0	1	0	0	0	0	0	2	5	12	30	166

TABLE F-18 (continued)
(2005 - All Races, Female)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	224	0	0	0	0	0	0	1	1	6	16	44	156
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	93	1	3	1	1	6	5	4	9	16	2	6	39
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	34	0	2	0	0	6	4	2	3	9	1	2	5
Nontransport Accidents (W00-X59, Y86)	56	1	1	1	0	0	1	1	5	7	1	4	34
Diabetes Mellitus (E10-E14)	126	0	0	0	0	0	0	1	2	5	9	35	74
Influenza and pneumonia (J10-J18)	85	0	0	0	0	0	0	0	2	4	4	5	70
Alzheimer's Disease (G30)	125	0	0	0	0	0	0	0	0	0	0	2	123
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	65	1	0	0	0	0	0	0	0	4	3	9	48
Septicemia (A40-A41)	74	1	0	0	0	0	0	0	2	5	7	16	43
Intentional self-harm (suicide) (X60-X84, Y87.0)	14	0	0	0	0	0	0	1	3	5	3	2	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	23	0	0	0	0	0	0	0	3	3	4	8	5
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	43	0	0	0	0	0	0	0	0	1	2	2	38
Aortic aneurysm and dissection (I71)	18	0	0	0	0	0	0	0	0	1	1	2	14
Assault (homicide) (X85-Y09, Y87.1)	12	0	0	0	0	3	1	3	0	3	1	0	1
Human immunodeficiency virus (HIV) (B20-B24)	20	0	0	0	0	0	0	1	12	6	0	1	0
Certain conditions originating in the perinatal period (P00-P96)	31	30	1	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	11	7	0	0	0	0	0	0	0	2	1	0	1
All Other Causes	672	8	4	0	3	1	4	13	24	41	55	69	450
TOTAL	3744	49	10	1	3	13	10	29	98	211	338	549	2433

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGFEM

TABLE F-19
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(WHITE, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1678	1	0	0	0	0	2	4	27	78	161	231	1174
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	8	0	0	0	0	0	0	0	0	0	1	2	5
Hypertensive heart disease (I11)	63	0	0	0	0	0	0	0	2	3	5	7	46
Hypertensive heart and renal disease (I13)	7	0	0	0	0	0	1	0	0	0	1	1	4
Ischemic heart disease (I20-I25)	1214	1	0	0	0	0	1	2	17	63	129	167	834
All other forms of heart disease (I26-I51)	386	0	0	0	0	0	0	2	8	12	25	54	285
Malignant Neoplasms (C00-C97)	1497	0	0	0	0	4	2	2	29	107	267	383	703
Malignant neoplasms of lip, oral and pharynx (C00-C14)	27	0	0	0	0	0	0	0	0	4	6	10	7
Malignant neoplasms of digestive organs (C15-C26)	319	0	0	0	0	0	0	0	7	21	58	86	147
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	480	0	0	0	0	0	0	0	2	31	99	138	210
Malignant neoplasms of breast (C50)	104	0	0	0	0	0	0	1	10	15	21	17	40
Malignant neoplasms of female genital organs, (C51-C58)	69	0	0	0	0	0	0	0	3	11	12	14	29
Malignant neoplasms of male genital organs, (C60-C63)	75	0	0	0	0	0	0	1	0	0	1	13	60
Malignant neoplasms of urinary tract (C64-C68)	77	0	0	0	0	0	0	0	0	1	12	16	48
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	35	0	0	0	0	0	0	0	3	2	6	12	12
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	138	0	0	0	0	2	1	0	2	9	17	32	75
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	173	0	0	0	0	2	1	0	2	13	35	45	75
Cerebrovascular Diseases (I60-I69)	308	0	1	0	0	0	0	1	2	6	15	41	242

TABLE F-19 (continued)
(2005 - White, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	379	0	0	0	0	0	0	1	3	8	23	90	254
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	260	1	3	2	2	16	15	30	40	42	16	18	75
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	104	0	1	1	0	16	13	12	15	17	10	6	13
Nontransport Accidents (W00-X59, Y86)	147	1	2	1	1	0	2	18	21	21	6	12	62
Diabetes Mellitus (E10-E14)	180	0	0	0	0	0	0	2	6	12	13	51	96
Influenza and pneumonia (J10-J18)	138	0	0	0	0	0	0	0	1	5	8	11	113
Alzheimer's Disease (G30)	164	0	0	0	0	0	0	0	0	0	4	9	151
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	90	1	0	0	0	0	0	0	1	4	6	12	66
Septicemia (A40-A41)	101	1	0	0	0	0	0	0	2	5	6	24	63
Intentional self-harm (suicide) (X60-X84, Y87.0)	72	0	0	0	1	2	5	12	14	17	9	7	5
Chronic liver disease and Cirrhosis (K70, K73-K74)	64	0	0	0	0	0	0	0	6	13	19	13	13
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	54	0	0	0	0	0	0	0	0	2	4	2	46
Aortic aneurysm and dissection (I71)	39	0	0	0	0	0	0	1	0	2	5	4	27
Assault (homicide) (X85-Y09, Y87.1)	26	0	1	1	0	3	1	8	2	6	1	2	1
Human immunodeficiency virus (HIV) (B20-B24)	10	0	0	0	0	0	0	0	5	5	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	30	30	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	12	6	0	1	0	0	0	0	1	2	1	0	1
All Other Causes	1034	6	4	0	2	2	6	19	42	90	100	135	627
TOTAL	6127	46	9	4	4	27	31	80	177	400	658	1033	3657

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to one decedent of unknown age.

Source:

Delaware Health Statistics Center

LCDAGWHT

TABLE F-20
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(WHITE MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	833	1	0	0	0	0	2	2	20	59	118	143	488
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	5	0	0	0	0	0	0	0	0	0	1	1	3
Hypertensive heart disease (I11)	23	0	0	0	0	0	0	0	1	1	4	4	13
Hypertensive heart and renal disease (I13)	4	0	0	0	0	0	1	0	0	0	0	1	2
Ischemic heart disease (I20-I25)	635	1	0	0	0	0	1	1	13	50	94	107	368
All other forms of heart disease (I26-I51)	166	0	0	0	0	0	0	1	6	8	19	30	102
Malignant Neoplasms (C00-C97)	770	0	0	0	0	1	2	1	8	51	148	216	343
Malignant neoplasms of lip, oral and pharynx (C00-C14)	18	0	0	0	0	0	0	0	0	4	5	6	3
Malignant neoplasms of digestive organs (C15-C26)	168	0	0	0	0	0	0	0	5	14	41	54	54
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	266	0	0	0	0	0	0	0	0	18	56	80	112
Malignant neoplasms of breast (C50)	2	0	0	0	0	0	0	0	0	2	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	75	0	0	0	0	0	0	1	0	0	1	13	60
Malignant neoplasms of urinary tract (C64-C68)	51	0	0	0	0	0	0	0	0	0	9	10	32
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	20	0	0	0	0	0	0	0	3	0	3	7	7
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	72	0	0	0	0	1	1	0	0	5	14	15	36
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80,C97)	98	0	0	0	0	0	1	0	0	8	19	31	39
Cerebrovascular Diseases (I60-I69)	134	0	0	0	0	0	0	1	1	3	8	20	101

TABLE F-20 (continued)
(2005 - White Males)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	169	0	0	0	0	0	0	0	2	4	8	51	104
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	173	0	1	1	1	10	10	27	32	28	14	12	37
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	73	0	0	1	0	10	9	10	12	10	9	4	8
Nontransport Accidents (W00-X59, Y86)	93	0	1	0	1	0	1	17	17	14	5	8	29
Diabetes Mellitus (E10-E14)	86	0	0	0	0	0	0	1	4	8	8	24	41
Influenza and pneumonia (J10-J18)	64	0	0	0	0	0	0	0	1	3	5	7	48
Alzheimer's Disease (G30)	52	0	0	0	0	0	0	0	0	0	4	7	41
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	44	0	0	0	0	0	0	0	1	2	5	6	30
Septicemia (A40-A41)	46	1	0	0	0	0	0	0	0	3	3	11	28
Intentional self-harm (suicide) (X60-X84, Y87.0)	59	0	0	0	1	2	5	11	11	13	6	5	5
Chronic liver disease and Cirrhosis (K70, K73-K74)	42	0	0	0	0	0	0	0	3	10	15	6	8
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	20	0	0	0	0	0	0	0	0	2	2	0	16
Aortic aneurysm and dissection (I71)	24	0	0	0	0	0	0	1	0	1	4	3	15
Assault (homicide) (X85-Y09, Y87.1)	18	0	1	1	0	1	1	6	2	4	0	2	0
Human immunodeficiency virus (HIV) (B20-B24)	8	0	0	0	0	0	0	0	4	4	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	17	17	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	4	2	0	1	0	0	0	0	1	0	0	0	0
All Other Causes	478	4	2	0	0	2	4	13	27	57	58	75	235
TOTAL	3034	25	4	3	2	16	24	63	114	248	406	588	1540

LCDAGEWM

Notes:

1. *ICD Codes, Tenth Revision.
2. Deaths by age group will not add up to TOTAL due to one decedent of unknown age.

Source:

Delaware Health Statistics Center

TABLE F-21
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(WHITE FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	845	0	0	0	0	0	0	2	7	19	43	88	686
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	3	0	0	0	0	0	0	0	0	0	0	1	2
Hypertensive heart disease (I11)	40	0	0	0	0	0	0	0	1	2	1	3	33
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	0	0	0	1	0	2
Ischemic heart disease (I20-I25)	579	0	0	0	0	0	0	1	4	13	35	60	466
All other forms of heart disease (I26-I51)	220	0	0	0	0	0	0	1	2	4	6	24	183
Malignant Neoplasms (C00-C97)	727	0	0	0	0	3	0	1	21	56	119	167	360
Malignant neoplasms of lip, oral and pharynx (C00-C14)	9	0	0	0	0	0	0	0	0	0	1	4	4
Malignant neoplasms of digestive organs (C15-C26)	151	0	0	0	0	0	0	0	2	7	17	32	93
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	214	0	0	0	0	0	0	0	2	13	43	58	98
Malignant neoplasms of breast (C50)	102	0	0	0	0	0	0	1	10	13	21	17	40
Malignant neoplasms of female genital organs, (C51-C58)	69	0	0	0	0	0	0	0	3	11	12	14	29
Malignant neoplasms of urinary tract (C64-C68)	26	0	0	0	0	0	0	0	0	1	3	6	16
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	15	0	0	0	0	0	0	0	0	2	3	5	5
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	66	0	0	0	0	1	0	0	2	4	3	17	39
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	75	0	0	0	0	2	0	0	2	5	16	14	36
Cerebrovascular Diseases (I60-I69)	174	0	1	0	0	0	0	0	1	3	7	21	141

TABLE F-21 (continued)
(2005 - White Females)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	210	0	0	0	0	0	0	1	1	4	15	39	150
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	87	1	2	1	1	6	5	3	8	14	2	6	38
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	31	0	1	0	0	6	4	2	3	7	1	2	5
Nontransport Accidents (W00-X59, Y86)	54	1	1	1	0	0	1	1	4	7	1	4	33
Diabetes Mellitus (E10-E14)	94	0	0	0	0	0	0	1	2	4	5	27	55
Influenza and pneumonia (J10-J18)	74	0	0	0	0	0	0	0	0	2	3	4	65
Alzheimer's Disease (G30)	112	0	0	0	0	0	0	0	0	0	0	2	110
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	46	1	0	0	0	0	0	0	0	2	1	6	36
Septicemia (A40-A41)	55	0	0	0	0	0	0	0	2	2	3	13	35
Intentional self-harm (suicide) (X60-X84, Y87.0)	13	0	0	0	0	0	0	1	3	4	3	2	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	22	0	0	0	0	0	0	0	3	3	4	7	5
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	34	0	0	0	0	0	0	0	0	0	2	2	30
Aortic aneurysm and dissection (I71)	15	0	0	0	0	0	0	0	0	1	1	1	12
Assault (homicide) (X85-Y09, Y87.1)	8	0	0	0	0	2	0	2	0	2	1	0	1
Human immunodeficiency virus (HIV) (B20-B24)	2	0	0	0	0	0	0	0	1	1	0	0	0
Certain conditions originating in the perinatal period (P00-P96)	13	13	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	8	4	0	0	0	0	0	0	0	2	1	0	1
All Other Causes	556	2	2	0	2	0	2	6	15	33	42	60	392
TOTAL	3093	21	5	1	2	11	7	17	63	152	252	445	2117

Note:

*ICD Codes, Tenth Revision.

LCDAGEWF

Source:

Delaware Health Statistics Center

TABLE F-22
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(BLACK, BOTH SEXES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	316	2	1	0	0	1	0	5	16	29	54	56	152
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	1	0	0	0	0	0	0	0	0	0	1	0	0
Hypertensive heart disease (I11)	22	0	0	0	0	0	0	1	4	0	8	4	5
Hypertensive heart and renal disease (I13)	3	0	0	0	0	0	0	1	0	1	0	0	1
Ischemic heart disease (I20-I25)	212	0	0	0	0	0	0	1	7	21	35	31	117
All other forms of heart disease (I26-I51)	78	2	1	0	0	1	0	2	5	7	10	21	29
Malignant Neoplasms (C00-C97)	276	0	0	1	0	0	1	3	6	37	66	73	89
Malignant neoplasms of lip, oral and pharynx (C00-C14)	5	0	0	0	0	0	0	0	0	2	2	1	0
Malignant neoplasms of digestive organs (C15-C26)	64	0	0	0	0	0	0	0	0	10	14	15	25
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	93	0	0	0	0	0	0	1	1	12	22	28	29
Malignant neoplasms of breast (C50)	15	0	0	0	0	0	0	0	2	5	4	2	2
Malignant neoplasms of female genital organs, (C51-C58)	12	0	0	0	0	0	0	0	0	2	3	3	4
Malignant neoplasms of male genital organs, (C60-C63)	25	0	0	0	0	0	0	0	0	0	5	7	13
Malignant neoplasms of urinary tract (C64-C68)	12	0	0	0	0	0	0	1	1	1	3	0	6
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	4	0	0	1	0	0	0	0	0	1	0	1	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	21	0	0	0	0	0	1	1	1	1	5	8	4
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	25	0	0	0	0	0	0	0	1	3	8	8	5
Cerebrovascular Diseases (I60-I69)	68	0	0	0	0	0	0	0	1	4	12	14	37

TABLE F-22 (continued)
(2005 - Black, Both Sexes)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	33	0	0	0	0	0	0	0	1	2	4	13	13
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	26	1	1	0	0	0	1	3	5	6	0	4	5
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	11	0	1	0	0	0	1	1	3	3	0	1	1
Nontransport Accidents (W00-X59, Y86)	14	1	0	0	0	0	0	1	2	3	0	3	4
Diabetes Mellitus (E10-E14)	51	0	0	0	0	0	0	0	1	3	6	15	26
Influenza and pneumonia (J10-J18)	22	0	0	0	0	0	0	1	2	5	1	3	10
Alzheimer's Disease (G30)	15	0	0	0	0	0	0	0	0	0	0	0	15
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	33	1	0	0	0	0	0	1	0	2	5	7	17
Septicemia (A40-A41)	26	1	0	0	0	0	0	0	1	5	4	3	12
Intentional self-harm (suicide) (X60-X84, Y87.0)	9	0	0	0	0	0	1	3	1	3	1	0	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	3	0	0	0	0	0	0	0	0	1	1	1	0
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	16	0	0	0	0	0	0	0	0	2	1	1	12
Aortic aneurysm and dissection (I71)	4	0	0	0	0	0	0	0	0	0	0	2	2
Assault (homicide) (X85-Y09, Y87.1)	29	0	0	0	0	3	8	9	6	2	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	53	0	0	0	0	0	0	2	17	27	4	3	0
Certain conditions originating in the perinatal period (P00-P96)	40	39	1	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	3	3	0	0	0	0	0	0	0	0	0	0	0
All Other Causes	213	8	2	0	3	1	4	12	17	19	29	28	90
TOTAL	1235	55	5	1	3	5	15	38	74	147	189	223	480

Notes:

1. *ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGBLK

TABLE F-23
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(BLACK MALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	130	1	0	0	0	1	0	3	9	17	25	28	46
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	0	0	0	0	0	0	0	0	0	0	0	0	0
Hypertensive heart disease (I11)	10	0	0	0	0	0	0	0	2	0	3	3	2
Hypertensive heart and renal disease (I13)	1	0	0	0	0	0	0	0	0	1	0	0	0
Ischemic heart disease (I20-I25)	82	0	0	0	0	0	0	1	3	11	18	17	32
All other forms of heart disease (I26-I51)	37	1	0	0	0	1	0	2	4	5	4	8	12
Malignant Neoplasms (C00-C97)	150	0	0	1	0	0	1	2	3	21	40	39	43
Malignant neoplasms of lip, oral and pharynx (C00-C14)	4	0	0	0	0	0	0	0	0	1	2	1	0
Malignant neoplasms of digestive organs (C15-C26)	39	0	0	0	0	0	0	0	0	8	10	10	11
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	50	0	0	0	0	0	0	1	0	8	14	13	14
Malignant neoplasms of breast (C50)	0	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms of male genital organs, (C60-C63)	25	0	0	0	0	0	0	0	0	0	5	7	13
Malignant neoplasms of urinary tract (C64-C68)	9	0	0	0	0	0	0	1	1	1	3	0	3
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	1	0	0	1	0	0	0	0	0	0	0	0	0
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	8	0	0	0	0	0	1	0	1	0	1	4	1
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	14	0	0	0	0	0	0	0	1	3	5	4	1
Cerebrovascular Diseases (I60-I69)	27	0	0	0	0	0	0	0	0	2	7	6	12

TABLE F-23 (continued)
(2005 - Black Males)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	19	0	0	0	0	0	0	0	1	0	3	8	7
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	21	1	0	0	0	0	1	2	4	5	0	4	4
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	9	0	0	0	0	0	1	1	3	2	0	1	1
Nontransport Accidents (W00-X59, Y86)	12	1	0	0	0	0	0	1	1	3	0	3	3
Diabetes Mellitus (E10-E14)	19	0	0	0	0	0	0	0	1	2	2	7	7
Influenza and pneumonia (J10-J18)	11	0	0	0	0	0	0	1	0	3	0	2	5
Alzheimer's Disease (G30)	3	0	0	0	0	0	0	0	0	0	0	0	3
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	15	1	0	0	0	0	0	1	0	0	3	4	6
Septicemia (A40-A41)	9	0	0	0	0	0	0	0	1	2	1	1	4
Intentional self-harm (suicide) (X60-X84, Y87.0)	8	0	0	0	0	0	1	3	1	2	1	0	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	2	0	0	0	0	0	0	0	0	1	1	0	0
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	7	0	0	0	0	0	0	0	0	1	1	1	4
Aortic aneurysm and dissection (I71)	1	0	0	0	0	0	0	0	0	0	0	1	0
Assault (homicide) (X85-Y09, Y87.1)	25	0	0	0	0	2	7	8	6	1	1	0	0
Human immunodeficiency virus (HIV) (B20-B24)	35	0	0	0	0	0	0	1	6	22	4	2	0
Certain conditions originating in the perinatal period (P00-P96)	24	24	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	1	1	0	0	0	0	0	0	0	0	0	0	0
All Other Causes	102	2	0	0	2	0	2	6	8	12	16	19	35
TOTAL	609	30	0	1	2	3	12	27	40	91	105	122	176

Notes:

1. *ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGEBM

TABLE F-24
NUMBER OF DEATHS BY AGE FOR SELECTED LEADING CAUSES OF DEATH
DELAWARE, 2005
(BLACK FEMALES)

Cause of Death*	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	186	1	1	0	0	0	0	2	7	12	29	28	106
Acute rheumatic fever and chronic rheumatic heart disease (I00-I09)	1	0	0	0	0	0	0	0	0	0	1	0	0
Hypertensive heart disease (I11)	12	0	0	0	0	0	0	1	2	0	5	1	3
Hypertensive heart and renal disease (I13)	2	0	0	0	0	0	0	1	0	0	0	0	1
Ischemic heart disease (I20-I25)	130	0	0	0	0	0	0	0	4	10	17	14	85
All other forms of heart disease (I26-I51)	41	1	1	0	0	0	0	0	1	2	6	13	17
Malignant Neoplasms (C00-C97)	126	0	0	0	0	0	0	1	3	16	26	34	46
Malignant neoplasms of lip, oral and pharynx (C00-C14)	1	0	0	0	0	0	0	0	0	1	0	0	0
Malignant neoplasms of digestive organs (C15-C26)	25	0	0	0	0	0	0	0	0	2	4	5	14
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	43	0	0	0	0	0	0	0	1	4	8	15	15
Malignant neoplasms of breast (C50)	15	0	0	0	0	0	0	0	2	5	4	2	2
Malignant neoplasms of female genital organs, (C51-C58)	12	0	0	0	0	0	0	0	0	2	3	3	4
Malignant neoplasms of urinary tract (C64-C68)	3	0	0	0	0	0	0	0	0	0	0	0	3
Malignant neoplasms of meninges, brain, and other parts of central nervous system (C70-C72)	3	0	0	0	0	0	0	0	0	1	0	1	1
Malignant neoplasms of lymphoid, hematopoietic, and related tissues (C81-C96)	13	0	0	0	0	0	0	1	0	1	4	4	3
All other and unspecified malignant neoplasms (C40-C49, C69, C73-C80, C97)	11	0	0	0	0	0	0	0	0	0	3	4	4
Cerebrovascular Diseases (I60-I69)	41	0	0	0	0	0	0	0	1	2	5	8	25

TABLE F-24 (continued)
(2005 - Black Females)

	Age of Decedent												
	Total	< 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+
Chronic Lower Respiratory Diseases (J40-J47)	14	0	0	0	0	0	0	0	0	2	1	5	6
Accidents (unintentional injuries) (V01-X59, Y85-Y86)	5	0	1	0	0	0	0	1	1	1	0	0	1
Motor Vehicle Accidents (V02-V04, (V09.0,V09.2,V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	2	0	1	0	0	0	0	0	0	1	0	0	0
Nontransport Accidents (W00-X59, Y86)	2	0	0	0	0	0	0	0	1	0	0	0	1
Diabetes Mellitus (E10-E14)	32	0	0	0	0	0	0	0	0	1	4	8	19
Influenza and pneumonia (J10-J18)	11	0	0	0	0	0	0	0	2	2	1	1	5
Alzheimer's Disease (G30)	12	0	0	0	0	0	0	0	0	0	0	0	12
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07, N17-N19, N25-N27)	18	0	0	0	0	0	0	0	0	2	2	3	11
Septicemia (A40-A41)	17	1	0	0	0	0	0	0	0	3	3	2	8
Intentional self-harm (suicide) (X60-X84, Y87.0)	1	0	0	0	0	0	0	0	0	1	0	0	0
Chronic liver disease and Cirrhosis (K70, K73-K74)	1	0	0	0	0	0	0	0	0	0	0	1	0
Essential (primary) hypertension and hypertensive renal disease (I10, I12)	9	0	0	0	0	0	0	0	0	1	0	0	8
Aortic aneurysm and dissection (I71)	3	0	0	0	0	0	0	0	0	0	0	1	2
Assault (homicide) (X85-Y09, Y87.1)	4	0	0	0	0	1	1	1	0	1	0	0	0
Human immunodeficiency virus (HIV) (B20-B24)	18	0	0	0	0	0	0	1	11	5	0	1	0
Certain conditions originating in the perinatal period (P00-P96)	16	15	1	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)	2	2	0	0	0	0	0	0	0	0	0	0	0
All Other Causes	111	6	2	0	1	1	2	6	9	7	13	9	55
TOTAL	626	25	5	0	1	2	3	11	34	56	84	101	304

Note:

*ICD Codes, Tenth Revision.

Source:

Delaware Health Statistics Center

LCDAGEBF

TABLE F-25
HIV INFECTION/AIDS¹ DEATHS BY COUNTY, RACE, HISPANIC² ORIGIN AND SEX
U.S., DELAWARE, AND COUNTIES, 1991-2005

Area/ Race	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Delaware	53	64	106	138	163	132	60	55	65	68	67	70	80	58	63
Males	43	57	82	115	132	101	45	47	49	46	47	51	58	36	43
White	25	29	38	47	55	36	10	8	14	11	10	14	18	7	8
Black	18	28	43	68	76	65	35	39	34	35	37	37	40	29	35
Females	10	7	24	23	31	31	15	8	16	22	20	19	22	22	20
White	3	5	7	4	8	5	1	1	2	2	1	6	3	6	2
Black	7	2	17	19	23	26	14	7	14	20	19	13	19	16	18
Kent	10	13	11	16	17	13	6	5	8	4	9	4	8	8	5
Males	8	11	9	12	14	9	6	3	5	0	5	4	7	5	2
White	5	7	5	4	7	4	1	0	3	0	2	0	2	2	0
Black	3	4	4	8	6	5	5	3	2	0	3	4	5	3	2
Females	2	2	2	4	3	4	0	2	3	4	4	0	1	3	3
White	1	2	1	2	0	2	0	0	0	2	0	0	1	0	0
Black	1	0	1	2	3	2	0	2	3	2	4	0	0	3	3
New Castle	38	40	85	100	121	109	49	44	45	54	52	56	69	46	51
Males	31	37	66	84	96	82	34	38	34	37	38	40	49	29	35
White	17	18	27	29	29	23	6	7	7	6	6	9	15	4	6
Black	14	19	38	55	67	59	28	31	27	31	32	31	34	25	29
Females	7	3	19	16	25	27	15	6	11	17	14	16	20	17	16
White	1	1	5	1	8	3	1	1	2	0	1	4	2	5	2
Black	6	2	14	15	17	24	14	5	9	17	13	12	18	12	14
Wilmington	19	18	50	56	71	68	27	28	23	35	37	28	43	25	33
Males	14	18	38	45	59	47	15	24	20	25	28	22	30	15	21
White	4	7	7	5	7	4	2	2	2	4	3	4	5	0	2
Black	10	11	30	40	52	43	13	22	18	21	25	18	25	15	19
Females	5	0	12	11	12	21	12	4	3	10	9	6	13	10	12
White	0	0	2	0	2	1	0	1	0	0	1	0	0	1	1
Black	5	0	10	11	10	20	12	3	3	10	8	6	13	9	11
Bal of NCCo	19	22	35	44	50	41	22	16	22	19	15	28	26	21	18
Males	17	19	28	39	37	35	19	14	14	12	10	18	19	14	14
White	13	11	20	24	22	19	4	5	5	2	3	5	10	4	4
Black	4	8	8	15	15	16	15	9	9	10	7	13	9	10	10
Females	2	3	7	5	13	6	3	2	8	7	5	10	7	7	4
White	1	1	3	1	6	2	1	0	2	0	0	4	2	4	1
Black	1	2	4	4	7	4	2	2	6	7	5	6	5	3	3
Sussex	5	11	10	22	25	10	5	6	12	10	6	10	3	4	7
Males	4	9	7	19	22	10	5	6	10	9	4	7	2	2	6
White	3	4	6	14	19	9	3	1	4	5	2	5	1	1	2
Black	1	5	1	5	3	1	2	5	5	4	2	2	1	1	4
Females	1	2	3	3	3	0	0	0	2	1	2	3	1	2	1
White	1	2	1	1	0	0	0	0	0	0	0	2	0	1	0
Black	0	0	2	2	3	0	0	0	2	1	2	1	1	1	1
Hispanic	5	5	4	3	11	5	1	3	1	1	3	4	2	1	2
Males	5	5	2	2	10	3	1	3	1	1	2	4	1	0	2
Females	0	0	2	1	1	2	0	0	0	0	1	0	1	1	0

Note:

1. See Table F-12 for ICD-9 and ICD-10 Codes.
2. People of Hispanic origin may be of any race. See Hispanic Origin in the Technical Notes.


Sources:

Delaware Health Statistics Center
National Center for Health Statistics

AIDS

Figure F-3
Number of HIV Deaths by Race and Sex

Delaware, 1986-2005



Source: Delaware Health Statistics Center

TABLE F-26
NUMBER AND PERCENT OF DEATHS BY METHOD OF DISPOSITION AND RACE
DELAWARE, COUNTIES AND CITY OF WILMINGTON, 2005

Area/ Method of Disposition	Race							
	All Races		White		Black		Other	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Delaware	7422	100.0	6127	100.0	1235	100.0	60	100.0
Burial	4926	66.4	3909	63.8	986	79.8	31	51.7
Cremation	2382	32.1	2116	34.5	238	19.3	28	46.7
Donation	37	0.5	36	0.6	1	0.1	0	0.0
Removal from State	55	0.7	50	0.8	4	0.3	1	1.7
Unknown	22	0.3	16	0.3	6	0.5	0	0.0
Kent	1250	100.0	1017	100.0	224	100.0	9	100.0
Burial	862	69.0	669	65.8	190	84.8	3	33.3
Cremation	378	30.2	341	33.5	31	13.8	6	66.7
Donation	2	0.2	2	0.2	0	0.0	0	0.0
Removal from State	6	0.5	5	0.5	1	0.4	0	0.0
Unknown	2	0.2	0	0.0	2	0.9	0	0.0
New Castle	4227	100.0	3379	100.0	809	100.0	39	100.0
Burial	2862	67.7	2230	66.0	615	76.0	17	43.6
Cremation	1302	30.8	1095	32.4	186	23.0	21	53.8
Donation	21	0.5	20	0.6	1	0.1	0	0.0
Removal from State	28	0.7	24	0.7	3	0.4	1	2.6
Unknown	14	0.3	10	0.3	4	0.5	0	0.0
Wilmington	763	100.0	360	100.0	401	100.0	2	100.0
Burial	539	70.6	244	67.8	294	73.3	1	50.0
Cremation	220	28.8	115	31.9	105	26.2	0	0.0
Donation	2	0.3	1	0.3	1	0.2	0	0.0
Removal from State	1	0.1	0	0.0	0	0.0	1	50.0
Unknown	1	0.1	0	0.0	1	0.2	0	0.0
Balance of NC County	3464	100.0	3019	100.0	408	100.0	37	100.0
Burial	2323	67.1	1986	65.8	321	78.7	16	43.2
Cremation	1082	31.2	980	32.5	81	19.9	21	56.8
Donation	19	0.5	19	0.6	0	0.0	0	0.0
Removal from State	27	0.8	24	0.8	3	0.7	0	0.0
Unknown	13	0.4	10	0.3	3	0.7	0	0.0
Sussex	1945	100.0	1731	100.0	202	100.0	12	100.0
Burial	1202	61.8	1010	58.3	181	89.6	11	91.7
Cremation	702	36.1	680	39.3	21	10.4	1	8.3
Donation	14	0.7	14	0.8	0	0.0	0	0.0
Removal from State	21	1.1	21	1.2	0	0.0	0	0.0
Unknown	6	0.3	6	0.3	0	0.0	0	0.0

DISPRACE

Notes:

1. Percentages may not add to 100% due to rounding.
2. Percentages are calculated based upon the total number of deaths in each race category.

Source:

Delaware Health Statistics Center

TABLE F-27
LIFE EXPECTANCY AT BIRTH* BY RACE AND SEX

DELAWARE, 1985-2005

Year	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
2005	77.7	75.0	80.3	78.4	75.7	81.1	74.1	71.3	76.6
2004	77.8	74.9	80.5	78.3	75.5	80.9	73.8	70.4	77.0
2003	76.9	74.5	80.0	78.1	75.3	80.7	72.6	69.2	75.8
2002	77.3	74.6	79.8	77.8	75.4	80.1	73.8	69.5	77.9
2001	76.3	73.9	78.7	77.1	74.6	79.5	72.1	69.5	74.4
2000	76.5	73.9	79.0	77.1	74.5	79.6	72.5	69.4	75.5
1999	76.8	73.9	79.6	77.6	74.7	80.3	72.6	68.8	76.2
1998	75.9	73.3	78.4	77.0	74.5	79.4	70.3	66.9	73.5
1997	75.8	73.3	78.2	76.7	74.2	79.1	71.0	68.3	73.5
1996	75.4	72.5	78.1	76.7	73.9	79.4	68.8	65.2	72.2
1995	75.5	72.5	78.4	76.8	74.2	79.4	68.9	64.4	73.5
1994	75.1	71.4	78.7	76.1	72.6	79.6	69.5	65.0	74.1
1993	75.2	71.9	78.5	76.5	73.6	79.3	68.5	63.4	73.6
1992	75.4	72.4	78.2	76.3	73.5	78.9	70.3	66.2	74.3
1991	75.0	71.9	77.9	76.0	73.0	78.9	69.4	66.2	72.4
1990	75.0	71.9	77.9	76.0	73.2	78.8	69.3	65.4	73.1
1989	74.3	71.1	77.3	75.3	72.2	78.2	68.4	64.4	72.4
1988	74.2	70.9	77.3	75.1	71.9	78.2	68.8	65.0	72.6
1987	74.3	71.0	77.5	75.1	71.8	78.3	69.7	66.1	73.1
1986	74.0	70.5	77.5	74.9	71.4	78.3	68.9	65.0	72.8
1985	73.9	70.5	77.1	74.9	71.7	78.0	68.3	64.2	72.6

LIFE_TB1

Note:

*Life expectancy at birth is the average expected lifetime of people born in the listed year.

Source:

Delaware Health Statistics Center

TABLE F-28
AVERAGE REMAINING YEARS OF LIFE* BY AGE, RACE, AND SEX

DELAWARE, 2005

Age Group	Race and Sex								
	All Races			White			Black		
	Both Sexes	Male	Female	Both Sexes	Male	Female	Both Sexes	Male	Female
0-5	77.7	75.0	80.3	78.4	75.7	81.1	74.1	71.3	76.6
5-10	73.5	70.8	76.1	73.9	71.2	76.6	70.6	67.7	73.1
10-15	68.5	65.8	71.1	69.0	66.3	71.6	65.6	62.8	68.1
15-20	63.6	60.9	66.1	64.0	61.3	66.6	60.7	57.9	63.2
20-25	58.7	56.0	61.3	59.2	56.5	61.8	55.8	53.0	58.3
25-30	54.0	51.4	56.4	54.4	51.9	56.9	51.0	48.4	53.4
30-35	49.3	46.9	51.5	49.7	47.3	52.0	46.4	43.9	48.6
35-40	44.5	42.2	46.6	45.0	42.7	47.1	41.8	39.4	43.8
40-45	39.8	37.6	41.8	40.2	38.0	42.3	37.2	35.0	39.1
45-50	35.3	33.1	37.3	35.7	33.6	37.7	32.7	30.5	34.7
50-55	30.9	28.9	32.7	31.3	29.3	33.1	28.5	26.6	30.2
55-60	26.7	24.8	28.4	27.0	25.1	28.7	24.5	22.7	26.0
60-65	22.6	20.9	24.1	22.9	21.2	24.5	20.6	19.0	21.9
65-70	18.8	17.3	20.1	19.0	17.5	20.3	17.3	15.9	18.4
70-75	15.4	14.1	16.3	15.5	14.2	16.5	14.4	13.2	15.3
75-80	12.0	10.9	12.8	12.1	10.9	12.9	11.3	10.5	11.8
80-85	9.3	8.3	9.9	9.4	8.3	10.0	8.9	8.2	9.3
85+	7.1	6.3	7.5	7.1	6.3	7.5	6.8	6.2	7.0

LIFE_TB2

Note:

*Average number of years of life remaining at the beginning of the age interval.

Source:

Delaware Health Statistics Center

TABLE F-29
MATERNAL DEATHS

DELAWARE AND COUNTIES, 1981-2005

Year	Area			
	Delaware	Kent	New Castle	Sussex
2005	1	0	1	0
2004	1	0	1	0
2003	2	0	2	0
2002	0	0	0	0
2001	2	0	1	1
2000	3	1	2	0
1999	1	0	1	0
1998	2	0	2	0
1997	1	0	1	0
1996	0	0	0	0
1995	0	0	0	0
1994	0	0	0	0
1993	0	0	0	0
1992	0	0	0	0
1991	1	0	0	1
1990	0	0	0	0
1989	2	0	1	1
1988	1	0	1	0
1987	0	0	0	0
1986	0	0	0	0
1985	1	0	1	0
1984	0	0	0	0
1983	0	0	0	0
1982	1	0	1	0
1981	0	0	0	0

MATERNAL

Note:

Prior to 1999, maternal deaths included ICD-9 categories 630-676. For 1999 and later, maternal deaths include ICD-10 categories O00-O99, and A34.

Source:

Delaware Health Statistics Center

TABLE F-30
FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH
DELAWARE AND COUNTIES, 2001-2005

LEADING CAUSE OF DEATH	AREA				RACE	
	DE	Kent	NCC	Sussex	White	Black
Diseases of the heart	235.4	274.9	231.3	224.5	227.6	284.7
Malignant neoplasms	200.1	213.3	200.5	193.6	196.1	232.8
Cerebrovascular diseases	45.6	49.4	48.9	37.0	43.1	62.6
Chronic lower respiratory diseases	40.7	48.8	39.0	39.9	41.9	31.3
Diabetes mellitus	25.9	30.5	25.9	23.7	22.5	49.2
Influenza and pneumonia	18.6	20.3	15.7	24.0	18.7	17.7
Alzheimers Disease	17.9	14.1	17.9	19.9	18.4	13.9
Nephritis, nephrotic syndrome, and nephrosis	14.3	18.3	13.9	13.1	12.4	26.6
Septicemia	15.0	17.6	15.6	12.8	13.7	23.8
Intentional self-harm (suicide)	10.9	10.1	11.2	10.4	12.5	5.9
Chronic liver disease and cirrhosis	9.4	10.7	8.8	10.4	9.7	7.9
Assault (homicide)	4.5	---	5.3	3.6	2.6	11.1
Certain conditions originating in the perinatal period	8.2	8.0	8.6	6.9	5.5	16.2
Congenital malformations, deformations, and chromosomal abnormalities	3.2	3.0	3.0	3.8	3.0	3.5
Human immunodeficiency virus (HIV)	8.2	5.2	10.4	3.7	2.3	33.4
Accidents (unintentional injuries)	35.1	38.9	31.4	44.2	37.0	31.3
Essential (primary) hypertension and hypertensive renal disease	7.1	8.9	7.4	5.4	5.9	16.0
Aortic aneurysm and dissection	5.8	8.3	5.3	5.8	5.8	6.2
Atherosclerosis	1.0	---	1.0	---	1.1	---
Pneumonitis due to solids and liquids	8.2	5.4	9.1	7.9	7.8	10.3
Other diseases of respiratory system	8.5	9.0	8.7	7.6	8.5	6.9
All other causes	111.5	111.3	114.7	105.0	107.3	138.5

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-10 Cause of Death Codes.
3. "----" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

AADR

TABLE F-31
FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH

DELAWARE AND COUNTIES, 1985-2005

Area/ Year	Diseases of the heart	Malignant neoplasms	Cerebro- vascular diseases	Chronic lower respiratory diseases	Diabetes mellitus	Influenza and pneumonia	Alzheimers Disease	Nephritis, nephrotic syndrome, and nephrosis	Septicemia	Human immuno- deficiency virus (HIV)	Accidents (unintentional injuries)	Intentional self-harm (suicide)	Assault (homicide)
Delaware													
2001-2005	235.4	200.1	45.6	40.7	25.9	18.6	17.9	14.3	15.0	8.2	35.1	10.9	4.5
2000-2004	243.0	201.8	48.6	40.3	25.7	21.0	16.9	14.4	15.8	8.4	35.8	11.1	3.8
1999-2003	251.3	205.8	50.8	41.1	25.7	22.1	16.5	14.2	15.9	8.7	35.9	11.1	3.6
1998-2002	256.7	210.2	51.5	42.1	26.3	26.1	14.6	14.1	15.9	8.2	36.3	10.7	3.7
1997-2001	266.8	217.5	51.5	41.8	26.9	28.7	13.1	13.5	15.6	8.1	36.8	11.2	3.6
1996-2000	274.7	221.0	51.8	42.4	26.9	30.2	11.0	13.5	15.2	9.9	36.0	11.0	4.2
1995-1999	283.5	228.1	50.8	41.4	27.9	30.6	9.4	13.2	14.4	12.5	35.8	11.2	4.7
1994-1998	292.0	231.1	52.0	40.9	28.4	33.1	7.8	13.3	15.0	14.6	36.4	11.2	4.9
1993-1997	301.5	236.1	52.6	40.4	28.0	32.2	7.5	12.9	14.6	16.2	36.1	12.0	5.2
1992-1996	306.8	238.9	53.7	40.2	29.0	33.3	7.3	13.6	14.2	16.5	35.4	12.1	5.4
1991-1995	313.7	240.0	56.3	39.7	29.3	33.9	7.0	13.6	13.5	14.6	35.7	11.8	5.2
1990-1994	321.8	242.7	57.6	39.8	30.1	33.9	7.2	13.9	12.8	11.8	35.4	12.0	5.2
1989-1993	331.0	242.5	58.5	39.1	32.4	33.4	6.6	13.7	11.8	9.0	34.8	12.7	5.8
1988-1992	346.1	242.5	58.8	37.4	31.6	33.1	6.3	14.5	12.2	6.8	36.2	12.9	5.7
1987-1991	362.6	242.0	58.8	36.8	30.3	30.3	6.0	14.7	12.3	5.9	37.5	13.5	5.6
1986-1990	376.3	241.6	56.9	36.2	30.4	30.1	6.0	16.3	12.4	4.4	38.5	13.9	5.3
1985-1989	391.4	239.4	56.8	36.0	29.6	29.0	5.0	17.4	12.5	2.9	38.2	13.5	5.3
Kent													
2001-2005	274.9	213.3	49.4	48.8	30.5	20.3	14.1	18.3	17.6	5.2	38.9	10.1	---
2000-2004	278.7	211.2	50.4	45.5	27.2	24.8	12.8	19.9	18.3	5.1	38.3	10.5	---
1999-2003	290.0	217.1	53.5	44.5	27.9	27.2	12.1	17.9	16.9	5.2	37.6	11.5	---
1998-2002	295.9	218.4	55.6	45.0	28.2	31.6	10.1	17.6	15.6	4.8	37.7	11.7	---
1997-2001	303.4	221.4	54.9	49.2	27.5	34.0	8.7	15.3	14.3	5.2	38.9	12.1	---
1996-2000	307.8	220.2	60.5	52.4	28.8	36.4	5.0	12.4	13.8	5.9	37.5	12.6	---
1995-1999	312.5	228.7	63.4	54.2	31.8	32.9	4.0	10.8	11.9	8.0	37.8	11.9	---
1994-1998	313.3	222.5	68.9	53.9	31.2	31.5	---	11.4	12.0	9.4	35.0	11.4	3.4
1993-1997	316.8	222.3	70.0	52.8	32.7	30.2	---	10.2	11.6	10.5	35.2	11.6	4.1
1992-1996	317.1	230.6	69.2	49.3	32.0	32.4	4.4	10.2	10.7	11.7	38.0	11.7	5.5
1991-1995	322.2	230.1	66.3	46.3	30.8	32.0	---	9.8	10.7	11.5	39.6	9.9	6.1
1990-1994	331.8	229.2	68.4	45.7	29.1	34.6	4.7	8.9	11.3	9.6	38.1	11.0	6.3
1989-1993	335.8	235.8	68.5	43.4	29.6	36.8	---	7.8	11.9	7.5	41.5	11.2	6.0
1988-1992	353.1	241.2	68.5	42.7	24.7	39.9	---	8.6	11.4	6.3	42.6	10.8	5.5
1987-1991	379.9	245.3	66.9	43.0	24.0	37.7	---	9.0	12.6	5.0	41.0	11.3	4.6
1986-1990	405.7	244.3	67.0	40.9	22.2	40.2	---	11.0	11.8	---	45.4	13.7	4.7
1985-1989	432.1	241.9	64.2	38.9	21.8	40.1	---	11.8	13.6	---	46.4	13.2	4.7

TABLE F-31 (continued)
New Castle and Sussex Counties, 1985-2005

	Diseases of the heart	Malignant neoplasms	Cerebro- vascular diseases	Chronic lower respiratory diseases	Diabetes mellitus	Influenza and pneumonia	Alzheimers Disease	Nephritis, nephrotic syndrome, and nephrosis	Septicemia	Human immuno- deficiency virus (HIV)	Accidents (unintentional injuries)	Intentional self-harm (suicide)	Assault (homicide)
New Castle													
2001-2005	231.3	200.5	48.9	39.0	25.9	15.7	17.9	13.9	15.6	10.4	31.4	11.2	5.3
2000-2004	238.5	201.7	52.0	39.7	25.9	17.6	17.9	13.7	16.5	10.7	32.2	11.0	4.6
1999-2003	244.8	205.6	53.8	40.3	25.0	19.1	18.7	13.3	17.0	10.8	33.6	10.7	4.3
1998-2002	250.0	211.9	53.8	41.3	26.1	23.1	17.3	13.5	17.4	9.9	34.5	9.9	4.6
1997-2001	259.0	219.4	53.6	41.7	27.2	25.1	15.9	13.7	17.4	9.8	34.5	10.3	4.5
1996-2000	266.8	223.1	53.0	41.5	26.6	27.5	13.8	14.2	17.4	12.1	33.9	9.8	5.1
1995-1999	276.4	230.5	50.0	39.1	26.6	28.2	11.7	14.5	16.6	14.9	33.4	10.1	5.3
1994-1998	287.6	235.2	49.8	38.1	27.5	30.7	9.7	14.5	17.3	17.2	33.4	10.2	5.3
1993-1997	296.8	238.1	49.7	37.2	26.7	30.6	8.9	14.2	16.9	19.0	32.4	11.3	5.3
1992-1996	303.0	240.1	51.7	35.8	27.1	31.7	8.3	14.7	16.2	18.8	31.0	11.8	5.2
1991-1995	309.7	242.0	54.0	34.8	27.8	31.3	7.9	15.1	15.4	16.2	30.7	11.7	4.9
1990-1994	317.6	245.2	56.3	34.8	29.8	31.0	8.3	15.5	14.5	13.0	30.9	12.0	4.8
1989-1993	328.7	242.1	55.9	34.9	33.3	29.6	7.6	15.8	13.2	9.9	30.1	12.8	5.5
1988-1992	343.4	243.4	56.2	34.4	33.2	27.9	7.3	16.2	13.8	7.0	32.1	13.1	5.6
1987-1991	359.2	241.8	56.7	34.3	32.5	25.4	7.3	16.3	13.5	6.2	32.8	13.7	5.4
1986-1990	371.5	241.6	54.4	34.6	33.9	25.0	7.8	17.9	13.6	4.6	32.9	13.7	4.9
1985-1989	384.9	238.8	54.3	34.3	33.1	24.2	6.5	19.4	13.1	2.8	32.0	13.2	5.0
Sussex													
2001-2005	224.5	193.6	37.0	39.9	23.7	24.0	19.9	13.1	12.8	3.7	44.2	10.4	3.6
2000-2004	235.5	197.9	40.7	38.4	24.5	27.0	17.0	13.1	13.3	4.3	46.5	11.4	---
1999-2003	246.4	201.4	43.0	40.5	26.1	26.4	13.7	14.3	13.0	5.5	43.1	11.8	---
1998-2002	251.7	203.4	44.3	41.7	26.0	30.2	10.8	13.7	12.8	5.8	42.2	12.2	---
1997-2001	265.0	212.7	45.0	37.6	25.8	34.4	9.1	12.2	12.0	5.2	44.0	12.8	---
1996-2000	275.9	217.7	44.1	38.7	26.5	33.2	8.2	12.7	10.8	5.9	42.1	13.3	2.8
1995-1999	284.5	223.4	45.5	38.9	28.6	35.1	6.9	11.5	10.9	8.3	42.2	14.0	4.6
1994-1998	290.7	227.5	47.2	39.6	28.9	40.1	6.3	11.3	11.6	10.0	48.6	14.2	5.0
1993-1997	305.1	241.1	49.5	40.9	28.3	37.9	6.6	11.1	10.8	11.0	50.8	14.5	5.6
1992-1996	311.3	241.9	49.6	45.9	32.0	38.3	6.3	12.9	11.2	12.3	49.6	13.8	5.9
1991-1995	320.4	242.3	56.1	48.7	32.7	42.2	6.1	12.0	10.3	11.8	51.3	14.0	5.9
1990-1994	328.5	245.8	54.3	50.0	31.9	41.5	6.0	12.9	9.3	9.1	51.1	12.8	5.8
1989-1993	336.8	249.7	59.1	47.8	32.2	41.6	5.2	12.0	8.3	7.2	46.6	13.6	6.7
1988-1992	351.8	241.3	59.3	42.3	32.0	43.0	5.4	13.5	8.7	6.8	46.5	13.7	6.3
1987-1991	363.9	241.6	58.8	39.7	28.6	38.9	5.0	13.8	9.4	5.8	52.8	14.1	7.3
1986-1990	372.0	240.9	57.0	37.1	26.0	37.6	3.6	15.2	9.8	5.4	54.8	14.0	7.3
1985-1989	386.1	239.6	59.4	38.2	25.0	35.2	---	15.4	10.4	4.2	55.3	14.0	6.7

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-10 Cause of Death Codes.
3. "----" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

AAHR Trend

TABLE F-32
FIVE-YEAR AGE-ADJUSTED MORTALITY RATES FOR SELECTED CAUSES OF DEATH BY RACE

DELAWARE, 1985-2005

Race/ Year	Diseases of the heart	Malignant neoplasms	Cerebro-vascular diseases	Chronic lower respiratory diseases	Diabetes mellitus	Influenza and pneumonia	Alzheimers Disease	Nephritis, nephrotic syndrome, and nephrosis	Septicemia	Human immuno-deficiency virus (HIV)	Accidents (unintentional injuries)	Intentional self-harm (suicide)	Assault (homicide)
White													
2001-2005	227.6	196.1	43.1	41.9	22.5	18.7	18.4	12.4	13.7	2.3	37.0	12.5	2.6
2000-2004	235.5	197.3	46.0	41.0	22.0	21.2	17.3	12.6	14.6	2.5	37.1	12.8	2.1
1999-2003	244.9	200.2	48.5	41.9	22.3	22.5	17.0	12.1	14.3	2.6	36.9	12.9	2.0
1998-2002	250.8	205.7	49.0	42.9	22.6	26.6	15.3	11.9	14.4	2.2	37.3	12.2	2.2
1997-2001	261.3	212.1	49.2	42.6	23.4	29.1	13.8	11.0	13.9	2.0	38.1	12.8	2.2
1996-2000	269.7	213.8	49.1	43.5	23.2	30.3	11.5	11.2	13.8	3.0	37.2	12.7	2.4
1995-1999	278.6	219.7	48.0	42.5	23.8	30.5	9.8	11.3	13.0	4.7	36.1	12.7	3.1
1994-1998	286.5	222.9	48.7	42.1	24.5	32.6	8.2	11.5	13.7	5.9	36.2	12.6	3.2
1993-1997	296.8	225.6	49.2	41.9	24.1	31.3	8.0	11.4	13.3	7.2	34.8	13.4	3.5
1992-1996	301.5	228.4	50.1	41.6	24.6	32.1	7.6	12.1	13.1	8.1	33.9	13.5	3.6
1991-1995	309.1	229.7	52.5	41.1	24.7	32.9	7.4	11.7	12.5	7.7	34.1	13.2	3.7
1990-1994	317.0	232.0	54.1	41.1	25.8	33.2	7.6	11.6	12.0	6.6	34.6	13.4	3.3
1989-1993	326.1	230.0	55.2	40.0	27.4	32.5	6.9	11.5	11.3	5.6	34.0	14.2	3.9
1988-1992	340.7	230.6	55.5	38.2	27.0	32.5	6.5	12.0	11.5	4.5	35.8	14.3	3.7
1987-1991	357.9	229.5	55.1	37.7	26.2	29.8	6.2	12.3	11.5	3.9	36.8	14.9	3.8
1986-1990	371.2	230.1	53.5	36.6	26.5	29.5	6.1	14.0	11.5	3.0	37.1	15.3	3.9
1985-1989	387.4	227.9	53.3	36.5	26.3	28.3	5.2	15.0	11.6	2.0	36.3	14.7	4.0
Black													
2001-2005	284.7	232.8	62.6	31.3	49.2	17.7	13.9	26.6	23.8	33.4	31.3	5.9	11.1
2000-2004	291.0	235.3	65.5	33.5	50.3	19.8	13.8	26.5	25.0	34.6	34.4	5.5	9.6
1999-2003	292.5	249.6	65.6	33.3	49.8	19.7	12.5	27.6	28.3	35.7	36.5	4.8	8.8
1998-2002	292.6	249.8	68.9	34.6	53.3	22.7	9.6	30.1	27.7	35.0	36.9	5.0	8.9
1997-2001	303.5	265.1	68.0	35.4	52.5	25.3	8.7	31.5	28.5	36.0	35.9	4.8	8.9
1996-2000	310.5	283.7	70.4	35.4	54.9	29.9	8.2	30.9	25.8	41.8	34.0	4.0	11.6
1995-1999	321.5	302.7	71.0	34.4	58.6	31.7	5.8	28.4	25.7	48.8	36.5	4.9	11.7
1994-1998	329.4	306.3	75.2	33.0	57.5	35.0	---	28.1	25.2	55.5	39.9	5.4	12.4
1993-1997	330.7	326.6	77.5	31.6	56.4	37.8	---	24.7	23.7	59.3	44.5	5.8	12.3
1992-1996	339.0	328.1	81.1	30.8	62.4	40.4	---	24.9	21.9	57.7	44.9	5.8	12.8
1991-1995	340.8	328.2	84.3	30.3	64.5	38.2	---	27.4	21.1	48.8	46.3	5.5	11.7
1990-1994	350.5	332.7	83.3	29.9	63.5	36.9	---	30.6	18.6	37.7	43.8	5.1	13.7
1989-1993	364.1	343.3	83.8	32.2	71.1	39.1	---	29.8	15.5	26.7	41.7	5.2	14.4
1988-1992	385.2	335.5	82.3	31.3	67.4	37.3	---	33.4	16.8	19.2	41.6	6.2	15.0
1987-1991	397.8	341.5	84.8	29.9	61.7	33.2	---	32.6	18.3	16.7	43.9	6.4	14.0
1986-1990	415.8	332.2	81.5	32.1	60.6	33.4	---	33.6	19.5	11.9	48.5	6.9	12.2
1985-1989	422.8	328.9	82.8	31.5	56.1	33.1	---	35.2	20.4	8.2	51.0	7.4	11.3

Notes:

1. Rates per 100,000, adjusted to U.S. 2000 population.
2. See Appendix E for ICD-10 Cause of Death Codes.
3. "----" indicates rate does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.

AADR Trend_RC